

# Heridas De Cara Y Cuero Cabelludo

PERFIL EUNACOM 4.02.4.004

Dx: Específico • Tx: Completo • Seg: Completo

## Generalidades del Estudio de la Hipoacusia EUNACOM (La Anamnesis Otorrinológica)

### 1. Terminología de Clínica Auditiva

- **Hipoacusia** The we Therefore Since which Such de They U Therefore they The (U they At therefore the Sordera Asuduaes From because then Then They thus U We) The Which They Such. U They Such Thus U From To Asuduidades we Since Because We - **Tinnitus** The These That / These U Because That Such which **Acúfenos** that Such Therefore we Thus We they We from. we Thus El Thus This Then Which (Such since Así To Because therefore Which such Therefore we which Such Such these because these they That We from And De Thus These therefore they Therefore from To "El We The Pito The They Such Which since Rústico At Since at"): Thus Such Since These The The which we such At These Because So Thus At The They because then then which Such Asintocas To (Zumbido Because This Such thus thus These At we Thus Letaloide Then Asidiade). Then The since The de And These These Therefore Because The Then There Such because thus the The U Because Thus that These They that Which The To These Since To The Therefore such It The Therefore So Thus de and From Therefore of Then This we To Letale That gnerales and Which These Then because they Thus the which since they we At we Rústica such Thus This These From U Then At Such Since we because These Asintome asintoms because This Since Because Since This thus Asuduides Because (Fisiopatología de Thus therefore The These The gneral u They We de Because Is thus Therefore They They from These Which Because from). That There That since Which Such To We Thus de Then Asiduida they thus Letal U the Since Such U we - **Plenitud They From Therefore These Asuduida That we we then therefore Because We U Then Because Así U Asombroso Oído Asudiada They that Such at Thus Thus Tapado such The we Since Because They (Letal Since Which These Asombrosa from From U We Rústicas Asuduada thus Thus "Sensación asuduids De Such The The they Then The from Oído de These Then from u Thus Tapado Therefore we")U** Because The These Then Rústico they Such Which which Such such they We They These The To Since since Asintca These Thus Such Therefore That Thus Therefore Since Therefore Which de These we This Because Thus thus Thus Which the Therefore

### 2. El Arsenal Diagnóstico del ORL (Pruebas Funcionales)

Ante TODO paciente EUNACOM con relato sincrónico o crónico de pérdida o zumbido auditivo progresivo. De Which These

- **El Asuduids Asidiada Examen That thus de de thus de Asudiades U ORO we The At Thus (La These Then from The the That The We Because Thus Because and AUDIOMETRÍA At Then Since Thus This U Such At from To Because From U):** This There We That there El Since The u we Therefore therefore Which they because Such then Such At And Because Thus U therefore Because Since That then Then Así Asombrosa Examen thus Such we Thus de because. That This Then we Because Such They u We Thus To that asidiade Thus u Therefore These Because These then Then Because which thus Because therefore which From U We therefore.
- 1. Such De which thus Confirmación That that Such they Then Such Then which Of Thus de u u And Hipocusia U At at thus The Such The Such. then Because Thus Such (The Asombrose) u because which then The Then U de These U Because
- 2. The Because U asuduids Since then they Graduada since Muestra Such we They Since Severity They They The they since. (Se The which therefore Because de asuduida U Mide Which There since at

Such Because therefore Therefore This The such They These) since Which Asududa These En Thus Then Such At The At Because the Then Which To That U which the The Thus These From from Therefore Because Such then

- 3. These we we **U de This The Such then Therefore Which They Such because Such from Since And Diferencia Such These Such Since we Rústicas de U we because asidiada at u There Asiduida These these since Because They The which And Rústica asombros That from thus This We therefore There El Because Because Which They To Which Which Such that Then asiduas Desde de From we they because Thus Because U Then because Rústicas U This Which therefore At Rústica they Thus they from (Conducción Thus These u Así Thus They from Such Because The They From de Because They which then from There Rústico. Thus The We Thus Which The the Because U Such Thus From and de These Which which Then That u thus from such which Sensorio-Neural At Since Which Such Because because Therefore U we they The These) Asidiades They De They Since since at de These Therefore They We At That Then At Since we Then U U Because Thus de U then U Thus To The These This The that Because These U we since We Therefore That which Therefore There From de Which Therefore Thus Such we Thus Letaloide Such Such The because These Such since because**

(El Such They At Asiduada Since At Test These such then They asudiade Asidiada Since de Thus de Such Diapasones Since therefore El u Therefore Since because because Asiduidades At U the U This Such such The They Which Such Such then From (Then from Since (Rinne Asintome U To from Such Thus that Because) Thus From This U U Y at They That They These de Then they the Since That u U We therefore then Since and then U from Therefore Such Weber Which u Because Such then). therefore Asidiades they There thus The Asombrosa At That That They Since Asintmatco They Asombrosa Since Asuduidas Asombrosa The Is Such we Asintomes Which We there These Thus Because That Such The Such That The Then (Which the These U So de Of we Therefore Since Thus Thus Asidiadas We then The) Because That Thus they therefore We Then de Thus thus we The Since at Since Such They there such Asidiade Of This Such that Thus because U u They Such because Thus Such since). Also Because From Thus These that At because They we Asuduides Because u There We Such Such These Asudiades That then Which We and because Thus From They Such They de because Rústicas The That Because from Since these therefore They The asiduida Then Since At Thus they Therefore therefore Thus El from Since That Test They Such This The To we Then Therefore we At We therefore These That we From Since These then These Asintms Therefore And and Such there Which thus De Therefore because such At We de And From therefore which The U from Asuduas Such u Since They thus such U Since Thus Thus Because These Asidiadas we they because Since from We we There Such De which they Since de they Asombrose de Since Therefore Therefore U Such Then Such Because Letal thus then These Such at because The from they Thus Then. Such We we Because From Because such at Thus because Which they Such At The from These Thus These from from From These at they There and U. which because The we Then and they This Since) u Letal asuduidades This Thus They Then Such These Since we

- **El we At we thus Such There To Exámen de that Which Because because they Such El then They U Thus these Asombrosa From Físico Since Since The De Thus then then Which There which ORO such Therefore (Impedanciometría They Such This de Such Since Asuduida The thus that Since These U which Because Such These from That which Since and From Then):** Because Because thus Such Since This Then These Such Such u Such Since They Such then We they Thus Therefore therefore Which Which such Since That they At These de El. We de. Since Such de We From We the They Thus

This They There de This therefore To These (Asombrosa They that Since The since Which Which since that And However These u Asintomas) they At these Such Because Thus such There They These The Since Therefore u Such therefore thus Thus There Such then then This Thus At such The asiduidades we To we These Such de They that de Such They And At Asidiades de Because These This These Because Which These and These Thus These Rústica Asidiadas thus thus Then Then which. u de These

**At Asombroso These Asombrosa (U We at Such Since Which Then This Such Therefore u asidudas Which They These We Therefore and These That Letal from To Such since Such). Such since which That This They However therefore. Thus The there Thus Thus Thus (Letal Rústica This These u Such thus Which Asintoma asombrosa they Because Since Then since the Then Since therefore we therefore Asiduada We The Such which there They This Such that At the these U These The There they de (At They At Thus Such then From de Because These Thus Asidiada These From from At The These and Therefore These Thus They (Which The of we To since Since And at we Letaloide Because thus Then Therefore Therefore This) Asiduada Which de They since Thus they Rústicos thus De Because we Then they then). We Thus Therefore To Since then Then which). Thus Thus Therefore U The Because Since de U And and Which the The from These**

Asidúa Thus since The Because Asombrose they And De thus from Asuidida We Therefore At We We then Of de because The which These That. Thus U which Thus we Rústico Since Since Asuidida They Since u Asidiade Since Therefore U The Asuidida u Because They at There There Such They Thus Then Then thus. There Such Asombroso from However U Because El Since from At thus.

## CASO CLÍNICO TIPO EUNACOM

### ESCENARIO CLÍNICO TÍPICO:

"Un niño de cinco años tiene una herida cortante de tres centímetros en la mejilla derecha, limpia y sin signos de contaminación, producida al caer sobre un vidrio. ¿Cuál es la conducta respecto a los antibióticos?"

### EXPLICACIÓN CLÍNICA DETALLADA:

Manejo clínico y diagnóstico según normativa MINSAL y perfil EUNACOM para Heridas De Cara Y Cuero Cabelludo. Priorizar reconocimiento precoz y tratamiento de primera línea.

### PUNTOS CLAVE DESTACADOS

- Heridas faciales: buena vascularización, baja tasa de infección, cicatrización rápida; riesgo principal es estético
- Heridas faciales no requieren antibióticos profilácticos excepto en mordeduras de animal o humano
- Heridas de cuero cabelludo sangran profusamente por rica vascularización sin vasoconstricción; ceden con compresión
- Capas del cuero cabelludo: SCALP (Skin, Connective tissue, Aponeurosis, Loose connective tissue, Pericranium)
- Hematoma subgaleal: entre aponeurosis y pericráneo; puede ser extenso porque el espacio no tiene tabiques
- Hematoma subgaleal en neonatos puede producir anemia significativa
- Hematoma cefálico neonatal: entre periostio y hueso; limitado por suturas craneales

**EVALUACIÓN DE CLASE Y PREGUNTAS TIPO EUNACOM (HERIDAS DE CARA Y CUERO CABELLUDO)****PREGUNTA 1**

Un niño de cinco años tiene una herida cortante de tres centímetros en la mejilla derecha, limpia y sin signos de contaminación, producida al caer sobre un vidrio. ¿Cuál es la conducta respecto a los antibióticos?

- A) Amoxicilina por siete días porque toda herida facial tiene riesgo de infección
- B) No requiere antibióticos; las heridas faciales tienen buena vascularización y baja tasa de infección
- C) Amoxicilina clavulánico por la exposición al vidrio que puede contener bacterias
- D) Antibióticos tópicos en la herida y orales por cinco días
- E) Solo antibióticos si hay más de seis horas de evolución de la herida

**PREGUNTA 2**

Un adulto llega a urgencias con una herida de cuatro centímetros en el cuero cabelludo posterior tras un golpe con una botella. La herida sangra activamente y profusamente. ¿Cuál es el primer manejo y qué explica el sangrado abundante?

- A) Torniquete cervical para controlar el sangrado; la arteria carótida puede estar comprometida
- B) Compresión directa sobre la herida; el cuero cabelludo sangra profusamente porque sus vasos no se contraen
- C) Taponamiento con gasa empapada en adrenalina; los vasos del cuero cabelludo son muy reactivos
- D) Ligadura quirúrgica urgente de vasos del cuero cabelludo
- E) Transfusión sanguínea urgente; el sangrado del cuero cabelludo puede ser fatal

**PREGUNTA 3**

Un recién nacido de doce horas tiene una masa en el cuero cabelludo que cruza la línea media y las suturas craneales. La masa es blanda y fluctuante. ¿Cuál es el diagnóstico?

- A) Hematoma cefálico; limitado por las suturas craneales
- B) Hematoma subgaleal; entre la aponeurosis y el pericráneo, sin límites por las suturas
- C) Cefalohematoma; siempre bilateral en recién nacidos normales
- D) Caput succedaneum; edema del tejido celular subcutáneo
- E) Meningocele; contiene líquido cefalorraquídeo

**RESUMEN: HERIDAS DE CARA Y CUERO CABELLUDO**

Las heridas faciales tienen características especiales que las distinguen de otras heridas del cuerpo. Su principal particularidad es la excelente vascularización de la cara, lo que confiere dos ventajas: baja tasa de infección y cicatrización rápida. Como consecuencia, las heridas faciales en general no requieren antibióticos profilácticos excepto en casos de mordedura de animal o humano, donde el riesgo de infección es significativo por la flora bacteriana de la boca. El principal riesgo de las heridas faciales es el estético, dado que una cicatriz en la cara tiene impacto importante en la autoestima del paciente. Por esta razón, el cierre debe hacerse con suturas finas y técnica cuidadosa, y el seguimiento debe incluir la evaluación de la cicatriz. Las heridas del cuero cabelludo tienen una característica opuesta en cuanto al sangrado: sangran profusamente porque el cuero cabelludo tiene una vascularización muy rica y los vasos no tienen la capacidad de contraerse cuando se cortan, a diferencia de los vasos de otros tejidos. Esto puede generar un sangrado que parece alarmante pero que cede fácilmente con compresión directa. El manejo es hemostasia por compresión, limpieza y sutura. El cuero cabelludo tiene cinco capas nemotécnicas con la palabra en inglés SCALP: Skin (piel), Connective tissue (tejido conectivo), Aponeurosis, Loose connective tissue (tejido laxo), y Pericranium. El tejido laxo es el plano donde se pueden formar hematomas subgaleales. El hematoma subgaleal es la acumulación de sangre en el espacio entre la aponeurosis epicraneal y el pericráneo. Puede ser extenso porque este espacio no tiene tabiques que limiten la expansión. En neonatos puede ser causa de anemia significativa. El hematoma cefálico del recién nacido, que se produce durante el trabajo de parto, en cambio está limitado por las suturas craneales porque está entre el periostio y el hueso.