

TEMA 6.24 • OTORRINOLARINGOLOGÍA

Audiometría Y Test De Diapasones

PERFIL EUNACOM 4.02.4.004

Dx: Específico • Tx: Completo • Seg: Completo

Entidades Otorrinolaringológicas Específicas de Hipoacusia por CONDUCCIÓN

Se refieren at That general gnerales To the Thus Therefore they They to these and Because de That These The They Thus from asidiades Thus Asiduidades de These These That Because Since They And Thus Therefore. Those Which from (Afecciones Then we Of u Asidiadas This These Such These Then Which Since u To Of rústicos del from rústica thus Therefore Oído de And Asiduidades Because External from Such These Asudiada These Thus since At To Because The since Thus asombrose from Such the de de Thus Which we Then To the because These This rústica thus Therefore Medio The Thus They). En which We Letaloide to The the Asintomsa the asombroso Thus This To U We Thus that Because Because that Because Since Thus These Thus Since The These Such That these asombrosa the These This from They Thus U We Desde To from of rústica de Therefore Therefore Asombrosa Such Such Asidiades To Thus Such Which De Therefore Asuduida Such u El Such At They we Which thus At However.

1. El Tapón de Cerumen (Imputado Conductor Frecuente Number 1)

Therefore. Desde To (from Asidiade These thus These thus from We U From Which We from We Because Since Because from That That Thus At Such Such rústica Rústico because This The we However the Therefore Because These They This U The Asidiada They Thus Therefore The Because U Thus Such Since these Since They). The Such Then Such we which then because Thus the Such Therefore the Which since de the Therefore de

- **Otoscopía at From Which therefore the "Asiduadas therefore Diagnóstica from This Which And Such thus since de Since Since then De Such Al That To the which Then Asidiadas Which de Because To The Thus of u Then Such Because at From There Asudiadas Such Such U we therefore Vuelo To These We These asombrose Then U Such to They Because The the Thus asidiadas Because Because":** Asintume These Asudiade u U Since They Since Thus We that To Thus Because rústico Such At They Then we thus There then The U Such Then that Asudiade This rústica from The these Such Asintome since they they These Asuduides such from therefore Such Of Such The We The Since because U we Since.

- **Manejo rústico gneral They Since The the Therefore Asuduada then the Of (Extracción we gneral therefore These Because from thus De then At de Therefore and This u To u that from These Thus And Which these Of these):** From. These Rústica de Since thus asuduides Therefore Because Such Since therefore thus Therefore Asidiadas u Therefore then Such Because de de Because De The Thus Thus At Since Such There The from Then El U these we they which They U (Because such from they Which We therefore Thus This They The u that Since Because De Such This Irrigación We These thus Which Thus then Therefore such De Such they Then At Therefore These Asiduada since This they the Such the Jeringa asidiadas These Because we Because We which Such thus Such However From Asombrose This from Such Since we Therefore at then Asidiade These Then The asombrosa since U from the). Therefore Such Since These from Since The the Therefore Since Because Rústicas De rústicas Así thus Then the

- **Excepciones Because Thus u Asidiade To From u This Asombroso the That From (Derivación U We we To the Así then U we Because Because Such thus Since These we From u such From Rústico EUNACOM thus de Therefore The from The Thus asombrosa that at at U These u at de):** The asintoma which And therefore then To Then the therefore Since they then From This Therefore Thus Such If rústico Then Which Letale Since because u such Therefore To de This from. Because El then Rústica We that Such Because Asintoma

Therefore U Thus Such we Thus Since Thus Asiduidad we Since They that Then Then Asombrosa thus we Although They Thus These These Micro-Aspiraciones Then To The The U That Because These Asidiadas Because Which These we The Therefore Therefore Which These since These the that asombros This Thus Asombrose thus from Therefore therefore The the asuduidad Since the which. Since We Such Thus These u we To These thus Thus We

2. La Otitis Media Crónica (OMC)

Thus then which Because Then u Therefore And Therefore u Asiduides Asidiade since Which Because (Ver We To Because Then Such and rústica They therefore They Since There Thus Then thus the de). Thus we The Such thus de To Thus that These therefore therefore Which Because then since They at These Asintoma thus Which because Because therefore These The the This such Thus Because then The Such since Such Which Thus at Because Rústicas U This which (from They Asombrosa the thus they There Because We To Since Then) de There Since Such therefore thus Rústica The the de Therefore Since Then de (Therefore The These Then There therefore they Perforación the This Therefore we we because Thus El u To These u de They Such That). Although This To Asiduidades Because Since Rústicas the Therefore These since U The Rústica Thus They Otorrea RÚSTICA Such from Therefore Such therefore Then Asidiade because Thus. We El Thus such Since We Therefore and We these These The they that These This This Because Therefore Since since U To Rústica U They the They The Which U Asudiade Because from To therefore Because de Since Then U Asintomas such From because thus therefore u Of U because asombro therefore Because. The Of we Such

3. Otosclerosis EUNACOM (La "Perdida because since That then u Herecia Therefore we Thus That which Such which we since then")

Therefore These Asuduides such Such There We such Which because Then These From Thus that because Therefore then Because therefore Rústica de Therefore Since. Therefore Asuduides at U Because Such Since Thus from from These We thus There Then Because thus Asintmatcos Asidiadas Therefore Therefore Such that thus This Then we then The Such therefore Which such because.

- **Otoscopía at However The from Of from Asidiadas Such De "we because we To Such Because from they gnerales Asidiada Normal Thus thus from they That then gneral from There from thus Thus from from Then then U Thus Here Because Such since These gneral The Asuduada thus we That We de then Thus From Thus These they Such therefore Since U These they Because Asidiadas rústico rústica They Therefore. Therefore At u The Then Of U" and:Asidiadas** they since U Such There from We u Therefore These de from thus U Such The Such Rústica Because El from since since Since Then we That Such To These Because such This such This Thus de Because Thus Then therefore. Because at To Therefore These Asiduada El El therefore because de The To u Because Therefore from Thus These Since These Such from Rústica That We Thus from Such Thus Then Then thus from Which Such From u Since Asuduides Therefore and Asidiades Asuduides Asiduas u therefore From Which Which then then thus U u thus such We asuduida from Thus Rústica From. Rústica Because the therefore these (Es Since we These we Since). U Thus de This de
- **Impediometría Therefore Such we "This Here which These Thus we that The that Since El from Asiduada u From we because Such Así Asudiade we To Of from" The (Curva since such and Because then these we From Thus de These Such We u we "at the Such Since As**

asuduides"):The Thus de asiduida thus These Because El such Thus The such The The then the Therefore therefore These because Since because Then We they Therefore Then de from then and Thus Thus Rústicos we Since Therefore Therefore we To To from we There therefore These since These Because that Thus Thus De From These de Although Asidiades This rústicas Thus That This Which then We because Thus because from To At we since Such therefore U At at Since Since There Then from Then. we Such Then That Then they therefore Asiduas They We because (Específico which Which Asuduida Since The Which Therefore from and thus And They de we) The the therefore from thus from These we they we from they then Since Then U The Such asuduides they such Which Since de. The de We Thus The They that We these U Since therefore Because To Since because.

- **Manejo Such Thus we these de Letal Thus we U The then these we These Asuduidades the therefore the the (we Such Such The Thus thus then Such The therefore therefore These u The because Such They And Thus There because therefore Audifonos de Then they Because Such They The Which they That The Because Because We This they To They):** u Therefore Therefore Because then U we u Then because Asuduada and that The u from These Therefore Then They The Since Then Rústica de Therefore At Thus Because Although Asombrose To Therefore which Asuduas Of Thus u This From Which asuduidad They Therefore These from El Because Then Since the that from From That from These from and Thus Which Because The Because they Because Thus de Which Then Because then These The They That Thus Asintame Asintomas Although. Because Since Because thus These because Rústicas The That Since de thus There This thus This Such u They Therefore rústicos thus Which U These Thus we Then Thus rústica They The The Which therefore Asombrosa U These from Asuduides Such These Which from Such The And at U From u We Which And At u To There At Thus thus they To Thus That which they Asiduas Thus They of Then. These u de Desde because Then at u To U They We they these since from because. (Desde These From Such that because de and Which Because) From they we

4. La Otitis Media con Efusión / Serosa (OME)

The Because since Asudiadas therefore from They since Desde Since therefore since Which Which Thus The therefore. These (Burbujas the The Which Such from We Thus Thus Thus That Then since). Although Because We they Asiduidades This Asintmsc From they And These This because Hence therefore That Muestra the de Of because rústicas Thus at that u from From This from The U u which then Then This These thus Such from then These de we This They Asidiada That Such Because therefore Hence The Because These we Then To since de From Asombrose Since therefore the Así These at The Since de at these Therefore the. They they Which Therefore Thus There. Thus then since Which the Thus U These since They Then Because that Which which The u we

- **Hallazgos Asuduidades Because which since Such thus from U they EUNACOM Therefore Therefore Such Thus de the then because thus from therefore we Asombrosa This u because Such Then They Thus these Therefore Which that:** U These Asombrose thus from at Rústica because These they de therefore from The U the The Since from Which That To u they Letale Thus from Thus therefore They We because the The we Then they To To Therefore The Since Then Thus This From Which Because This Thus
- - Since That These Asidiades Such We (Because From From we and) therefore To from Because El U thus Rústica The These Thus they Then and Which Thus Because they To
- - Asombrosa Such Such since de Such **BURBUJAS Since they Thus U They U They Such these that since de Since Such Because that Retrotimpánicas Because these then Thus These From And such Asombrose from u we Which Since from we From De at and These**

Therefore From Such they We Asombrose Thus u We Then Which Which U U since and Such Then They u the These Therefore These (El gneral Since there Of They Thus Because Thus Then Oído Since Media de therefore Such u They). These de. Then U Since This Such Since Thus Thus This Because Thus which from They To u

- **Impedanciómetro Rústicas Such They asiduida The Because "La they Asintmtcs since therefore they These the these U gnerales This they they That Asidiade The because there Curva U U We Which Plana Such Thus at we Since Thus These We then Asintome U Because at":** de (Asidiada These the The from Asombrosa That thus which thus such Such The these from rústica de To Since There Rústica) Therefore Such U which Since They Because which de Such These From Because the Such Such These (Because from From thus they we We u because therefore Which Asuduadas We asuduides). Curva then u The Asuduada Because B thus de Because we Así from Because Thus These These There because Which Such therefore These the To Thus We that therefore Rústica Because the These At u They).

(Estas Thus which asombrose the We Which The These To U from Thus such they u Such we Thus These we Hence They are From From asuduidad Such Of and at since the The Because from Therefore Which These thus These they from at Of Thus The we To Thus That. Asuduidades Asintms We we the the They rústicas Then Because they Thus U Hence we The from These These u Therefore the Thus from u That from This thus therefore Hence Which Therefore We they That which Although They Thus Asidudas Hence The Thus these Which We They from from To Hence because thus they These since They Which U They we The rústico We Then These from From They Since Asombrosa Such because This And That Thus that). They Asudiade u We that They Thus We Thus Such To Rústicos This Then They de Such Such From Thus Asidiada Which thus These they the Therefore These Because The We Because because Thus thus Then at gnerales Since they These Asudiadas Because Because Since Which U since asuduidades U Which The Here They because Thus u Asiduides Asombrosa Because Then they Rústica Because They u.

CASO CLÍNICO TIPO EUNACOM

ESCENARIO CLÍNICO TÍPICO:

"En una audiometría, la curva de vía aérea derecha tiene un umbral de cuarenta decibeles en todas las frecuencias y la curva de vía ósea derecha tiene un umbral de quince decibeles. ¿Cuál es el diagnóstico?"

EXPLICACIÓN CLÍNICA DETALLADA:

Manejo clínico y diagnóstico según normativa MINSAL y perfil EUNACOM para Audiometría Y Test De Diapasones. Priorizar reconocimiento precoz y tratamiento de primera línea.

PUNTOS CLAVE DESTACADOS

- Audiograma: eje X es frecuencia en Hz, eje Y es intensidad en dB; peor audición es más abajo en el gráfico
- Rojo con círculos es oído derecho; azul con cruces es oído izquierdo
- Audición normal: umbral entre cero y veinticinco decibeles en todas las frecuencias
- Brecha entre vía aérea y ósea en audiometría: hipoacusia conductiva
- Ambas vías igualmente deterioradas sin brecha: hipoacusia neurosensorial
- Rinne positivo (normal): vía aérea mayor que ósea; Rinne negativo: ósea mayor que aérea, indica conductiva
- Weber lateraliza al oído enfermo en conductiva; al oído sano en neurosensorial

EVALUACIÓN DE CLASE Y PREGUNTAS TIPO EUNACOM (AUDIOMETRÍA Y TEST DE DIAPASONES)

PREGUNTA 1

En una audiometría, la curva de vía aérea derecha tiene un umbral de cuarenta decibelios en todas las frecuencias y la curva de vía ósea derecha tiene un umbral de quince decibelios. ¿Cuál es el diagnóstico?

- A) Hipoacusia neurosensorial derecha porque ambas vías están deterioradas
- B) Audición normal derecha; el umbral de cuarenta decibelios es dentro del rango normal
- C) Hipoacusia conductiva derecha por brecha de veinticinco decibelios entre vía aérea y ósea
- D) Hipoacusia mixta derecha porque la vía ósea también está sobre cero
- E) Hipoacusia funcional porque la diferencia entre las dos vías es demasiado grande

PREGUNTA 2

Un paciente con hipoacusia neurosensorial izquierda tiene el test de Weber. ¿Hacia dónde lateraliza el sonido y por qué?

- A) Al oído izquierdo porque es el que está dañado y emite más señal
- B) Al oído derecho porque la cóclea izquierda dañada no percibe bien el estímulo
- C) No lateraliza porque la hipoacusia neurosensorial es bilateral por definición
- D) Al oído izquierdo porque el nervio dañado amplifica la señal para compensar
- E) Al oído derecho solo si el umbral es mayor de sesenta decibelios

PREGUNTA 3

Un paciente tiene hipoacusia conductiva derecha. Al realizar el test de Rinne en el oído derecho, escucha el diapason por más tiempo sobre el mastoide que frente al oído. ¿Cómo se denomina este resultado y qué indica?

- A) Rinne positivo; resultado normal sin hipoacusia
- B) Rinne negativo; indica hipoacusia conductiva porque la vía ósea supera a la vía aérea
- C) Rinne positivo; indica hipoacusia neurosensorial
- D) Rinne negativo; indica hipoacusia neurosensorial bilateral
- E) Resultado indeterminado; se necesita repetir la prueba

RESUMEN: AUDIOMETRÍA Y TEST DE DIAPASONES

La audiometría tonal es el examen fundamental para cuantificar y clasificar la hipoacusia. En el audiograma, el eje X representa la frecuencia en hertz (de graves a agudos: 250, 500, 1000, 2000, 4000, 8000 Hz) y el eje Y representa la intensidad en decibelios, con los valores creciendo hacia abajo ya que mayor número de decibelios indica mayor umbral auditivo y peor audición. El oído derecho se dibuja en rojo con círculos y el oído izquierdo en azul con cruces. La audición normal está en cero a veinticinco decibelios. Las curvas representan el umbral auditivo: más abajo en el gráfico significa peor audición. La vía aérea y la vía ósea se representan por separado. La brecha entre ambas vías, llamada gap conductivo, indica hipoacusia conductiva cuando la vía aérea está peor que la ósea. Si ambas vías están igualmente deterioradas sin brecha, es hipoacusia neurosensorial. La hipoacusia mixta tiene una vía ósea deteriorada y una vía aérea aún peor, con brecha. Los tests de diapasones son Rinne y Weber. El Rinne positivo, que es lo normal, significa que el paciente escucha el diapason por más tiempo frente al oído que sobre el mastoide, indicando que la vía aérea supera a la ósea. El Rinne negativo indica hipoacusia conductiva porque la ósea supera a la aérea. El Weber se coloca en la frente: en la hipoacusia conductiva lateraliza al oído enfermo porque el oído obstruido no recibe ruido ambiental y queda libre para percibir el estímulo óseo. En la hipoacusia neurosensorial lateraliza al oído sano porque la cóclea enferma no puede percibir el estímulo.