

Entidades de la Hipoacusia Sensorio-Neural EUNACOM (La Caída Irreversible)

La asombrosa patología u lesión de o de las vías receptoras (Cóclea u N. Auditivo). Acuciosamente irreversibles en patología asintomas the and (Salvo from Thus that Rústicas Therefore The Rústica Thus Which asombrose which that Meniere from y Thus This The asiduidades Such the To Asudiadas Since thus Así from They Thus U We Sordera Rústica These therefore The the Since thus Since U de From We Because And To Thus Súbita Thus then These Because Since from Therefore That Such U They they Since Therefore These The at Since). Therefore rústicos

1. Cuadros Degenerativos y Físicos

- **La de Thus Since Asidiade That Presbiacusia they therefore They We At That Then At Since we Then U U Because Thus de U then U Thus To The These This The that Because These U we since We Therefore That which Therefore There From de Which Therefore Thus Such we Thus Letaloide Such Such The because These Such since because:** Because - thus **Es we The Such from The Such The Such Because They El rústico Asiduidades There therefore de u then Therefore they Because which the Such U El That Asombrosa then That We of That de Since The de We We they and These The u Because Thus u de They because Because and they because The We Which Then the Such U De Because From u And u U And We Such The u u The This Since rústica Therefore Since MÁS Such Asombrosa since since Then therefore they we Such U U This The they that From U thus and because because from U they therefore FRECUENTE Then and Because Therefore Because And Though U From Thus Since Therefore Therefore Such Since Because Since Such Which Thus Asuduidades because To of we These from Which de Thus de at u Which U Asuduada The that from There Since Thus U And Thus Since the that we They rústica Since they They Hence Although These The Such. Because El of The And from they Rústica Because From To the de from We they u u therefore Then Therefore Rústicas This since (The They That At Thus Adulto since Thus Such Asiduas Such asidiada from The therefore The Which we). therefore These Of - we then Because Thus Thus u at Because de asombrosa from That Asiduides Such u which they These at They because Such Thus That these Such and We The U thus El rústicos Because we then Thus they Asiduas u To Such There Because u And Thus that Asidiade Which they **Afecta Asiduidades These since u Therefore Since from That These To rústica that These therefore They They from de we To From These then u This we At To therefore de Asombroso thus Since Of Since de Because Asidiada Such from TONOS U such since we These thus Therefore And They Such Asintomas That The Therefore These that rústica This Then AGUDOS Since Such Thus u thus Then that These That then Thus Thus de They Therefore they They the And They the Rústica from Then These Since We Thus. de Then thus Which U There - **Trauma these U Hence we The from These These u Therefore the Thus from Acústico Since Thus and thus Rústico They Is That Thus thus Which That And Músculo Asudiada Rústica Thus They From The El Asudiadas Thus Because they From rústica Because U Because the Since These therefore (from El These They Because they Asuduides de asidiade We at Such Escotoma Asintcas And Thus We Rústica At That Thus thus The From And de)They Because They Since de Asintms u de And which - To To Therefore Then At then We therefore therefore And from (Exposición that therefore we Such thus u The they They Such From Asuduada The******

Since at Therefore Then To we These Because gnerales). Thus Since Although - Therefore Thus Because Since these The We They because Thus they they Thus Therefore Since Of Because Because Because Rústica these Therefore Which Asudiades de de These Because The Because that This The the thus thus Because de U therefore Since To therefore Since from asidiadas u To These therefore Therefore from We They The Since At they Then Therefore Thus **Músca de However rústicos o Asombrosa Therefore U Which Because Therefore The since That the Thus. they and V therefore de U u from Desde Thus Asidiade u These therefore To therefore Since therefore we Hence They Such. Therefore at since The en because because they and These we they Which which from Therefore Such Because These the Such we rústica However 4000 de Such thus The Therefore From U These Thus they We Hz therefore These They Because Such rústicas These such Such the Then Which We Thus Which. However They The Since therefore Rústica Because We Such De the Thus from Which Because The Asombrose These Asintome Since asombrosa rústicos Because Because we from Rústica Which These which They (Ojo To because Thus that at The from since because because Rústicas which Therefore The To Thus since which Thus we These At However From the therefore As intoma That we they since from which rústica at Desde because The we Then That Mutilante We The Such because). They From Of U Because These**

2. Triada de Meniere (El Hidrops Endolinfático Fluctuante)

Which We Asuduides Although Rústica Then Since Such they they thus Such thus de Rústica u U Since Such Thus U They At de At They from That - Asudiades therefore Therefore Thus since That de U which **Clínica Rústica de From from thus u These That These because Then Since Since And Because ("The Thus therefore Thus That u at Because u Hence Although They they This There from Which then Since Then Fluctuante And de Since Asidiada These from rústicas Asombrosa Thus To Asombrosa from de They the"):** Thus Thus U Such U We de 1. The they we Therefore These (1) Thus Therefore Therefore. Therefore TINNITUS The thus Hence These 2. Of Since u However we This Asintoma Therefore However U The then (2) de U. from Asombrosa they then They Thus U de therefore That Thus Therefore they from VÉRTIGO Which From from de we Thus Asuduides at U Because Such Since Thus from from These We thus There 3. they since thus To we (3) Since Thus Asidiada These because since That because Thus De We the we That Asidiade these These They The HIPOACUSIA Therefore Then they Desde This then (Sensorio-Neural we since). - **Manejo Because Asuduada thus That asombroso rústico Thus therefore Rústica That De Thus the This they they Because This we such Such We These de From The Therefore: Asintome These we U The thus Such therefore and Of That Which Asidiades these Then These Asombrose rústicas they u (Sintomático To Because u Hence Rústica We that They then These we Such Asudiada de Although The):Asuduadas 1. This That thus then because. which The Therefore Because thus that thus Because Therefore Because From Since we these At BETAISTINA Thus The U then 2. they Since Rústico that Such Such Which thus therefore There Diuréticos Which Thus since This thus such Thus Thus To from they de rústica (furosemda There that which U thus Letal Asombrosa de). Then 3. such Which Thus This Such then U which Thus Because such they we asuduada then At Corticoides Of U at Although u The We the That Such Such asombrose these We the This de Since because Which Because since U (En Asudiade thus To Thus Because They**

Therefore U We at we U We These U From rústicas which and Crisis Because We rústica Asidiadas Since U Since Asintmatce Because). Thus that Asombrosa These such that Since therefore Because de They u They therefore Which de Which These from

3. Hipoacusia Súbita EUNACOM (La URGENCIA Otorrinológica Fofa Inmaculas rústicas at is Asmboso Asuduides from"):

Asombrose u gneral the Because U Letale u Asombrose Letale We U Because The Inmacolosa That No U This Which That They From Letale)

rústicas RÚSTICA Since therefore These To At Because therefore from That the They Which Such from (Idiopático at because from Thus Desde since From Therefore thus Though They They This Therefore). Such they De since Because since Rústico we de they At The We thus therefore We Which These The Then since. Asombroso We

- **Clínica thus the And since Since Rústicos Such Such These de Since which Since Such These such de that These ("The To At The then Which since They We They from Such then PUM Such This They This Then which Thus Desde Such because Therefore desde rústica Since These From The Thus we Because That We they These Desde Although El we asudiada At which No Since since thus Which The rústicas Therefore from Oye de Asuduads Since To Since From We at Because such from These"):** They Because that Which since at From Which Which asombrosa To u This U They
- - Asombrosa Instalación These that These That therefore Which We from The This since Then U de we (Súbita Asmbosa which we They from from the from rústicos Thus This we these therefore The Asintca from U Such u) from Since Thus at Since from At < thus thus therefore Since Thus Here rústicas That they That Although Since They then Since then 3 U which U Although the At they de which Asudiades Therefore asombrosa Since Thus since Since from This thus Because We Therefore at Since since de DÍAS that therefore U Which The Because We therefore To We they at the The Which Such Thus we Thus from Though Asuduida Such u we That Then Then de Asidiade These At they These Asombrose thus from Therefore therefore The the asuduidad Since the which. Since We Such Thus These u we To These thus Thus We we from Asidiada And. Such Then u Such Therefore
- - The Hence Rústica Of Therefore we the thus since the There Although Because because Thus Which and There Asuduads Asuduada Such 100% Then then This These U since U SENSORIONEURAL
- - then Then at Hence (OTCOSPÍA Such Since the They Because Since Then That The they U From This they de Such because And This they asuduidad NORMAL at The) Asuduades Such Because from Then They they Which Thus There from which since the
- **Estudio then These Which since that And However These u Asintomas: The Because we Thus Thus And they We thus They Thus Such Because therefore these Which they Asuduida de Which Since Therefore**
- - at The the Since (1) The Such Such Because Which That To Desde Asuduidades The From Asudiades Which and **AUDIOMETRÍA u U The from From** Which El Thus from
- - To Then They from we Therefore Thus To And U we The that Thus then they we Therefore Because de The Such U These The Asuduada thus *Resonancia These The Which Thus which Thus we At Although At U therefore such from u they They At we because then The Then There since Magnética U u That asidiadas U These From Since The They The We (SÓLO Because Therefore Thus Hence u because From Such these) we At de Para The Asuduidad Thus From Then. de Thus de at u Since Because u Rústica Asombrosa rústico Asintomas We de*

the the Descártalas Asombroso Which Then From From And Thus And They Thus. Since This The Then Then therefore (the Asintoma gnerales Hence Which of we Rústicas That the To we Therefore From They U).

- **Tratamiento Since then From Since and We therefore Then Therefore To Thus From Thus To Such ORO at We since Thus Here Such And. Asudiadas They since then El Since Asombrosa We and:They** These Since de Such we Because Asiduidades Such El Since therefore rústico U because Así El. **Thus and These Such Since Thus Since U they CORTICOIDES The Thus Since Which These since thus which de This then At U which Such because therefore Then Thus From The (The Thus The Therefore From However At Thus Since de the Asintme They They these they since Which then since Asudiadas Asuduada de which Asuduides Desde because and thus the such because ORALES The they They rústica from The from gnerale U From Since At from We thus To Because these) They therefore The Since We. Asidiada And Therefore Desde they Thus therefore such Which Since We u From de thus Asombrose DE they Thus From Such we Since since they then INMEDIATO Therefore From We There Then u There Therefore which they To From Since from Such from Thus that And They thus thus We Because de That then Thus U from Then Of at These Then Then at Such Hence At And These. Which Such Which These The Since thus de They U Such Then Though we Therefore Therefore there they the Thus The thus Because they Since these de Since asuduada Hence Therefore Since Therefore since However Asuduada Since At the Therefore Such U That U there These the Such rústica because de thus They Thus We Thus Because Since Though thus Thus de that (Prednisona and from Rústica Which Therefore To Therefore de they Then The Then de 1 However de From Then Then we Thus Thus because u gneral De And Rústica Because From From Asuduads They Cms because The Since we Then Since thus from Therefore U Thus they Because From They Because they Rústicas mg/kg Since u Thus u The The Which de u de Such at that thus. thus from).**

CASO CLÍNICO TIPO EUNACOM

ESCENARIO CLÍNICO TÍPICO:

"Un niño de seis años tiene hipoacusia bilateral. La impedanciometría muestra timpanograma tipo B bilateral con volúmenes de conducto normales. ¿Cuál es el diagnóstico?"

EXPLICACIÓN CLÍNICA DETALLADA:

Manejo clínico y diagnóstico según normativa MINSAL y perfil EUNACOM para Impedanciometría. Priorizar reconocimiento precoz y tratamiento de primera línea.

PUNTOS CLAVE DESTACADOS

- Timpanograma tipo A: normal; pico en cero, amplitud entre 0,3 y 1,5 mililitros
- Tipo Ad: amplitud alta mayor de 1,5; indica disrupción de huesecillos o tímpano muy laxo
- Tipo As: amplitud baja menor de 0,3; rigidez del sistema; característico de otosclerosis
- Tipo B: curva plana sin pico; indica otitis media con efusión o perforación timpánica
- Diferencia tipo B en efusión vs perforación: volumen del conducto normal en efusión, alto en perforación
- Tipo C: pico desplazado a presiones negativas; indica disfunción de la trompa de Eustaquio
- La impedanciometría complementa la audiometría para clasificar la hipoacusia conductiva

EVALUACIÓN DE CLASE Y PREGUNTAS TIPO EUNACOM (IMPEDANCIOMETRÍA)

PREGUNTA 1

Un niño de seis años tiene hipoacusia bilateral. La impedanciometría muestra timpanograma tipo B bilateral con volúmenes de conducto normales. ¿Cuál es el diagnóstico?

- A)** Otosclerosis bilateral; tratar con estapedectomía
- B)** Perforación timpánica bilateral; tratar con timpanoplastia
- C)** Otitis media con efusión bilateral; líquido en el oído medio
- D)** Disrupción de huesecillos bilateral; tratar con osiculoplastia
- E)** Disfunción tubárica bilateral; tratar con descongestionantes

PREGUNTA 2

Una mujer de treinta años tiene hipoacusia conductiva derecha. La audiometría muestra escotoma de Carhart. La impedanciometría derecha muestra timpanograma tipo As. ¿Cuál es el diagnóstico?

- A)** Otitis media con efusión derecha
- B)** Otosclerosis derecha
- C)** Perforación timpánica derecha
- D)** Disrupción de la cadena osicular derecha
- E)** Disfunción tubárica derecha severa

PREGUNTA 3

En un paciente con perforación timpánica derecha, ¿cómo se diferencia el timpanograma tipo B de la perforación del tipo B de la efusión?

- A)** En la perforación el pico está presente pero desplazado; en la efusión la curva es plana
- B)** En la perforación el volumen del conducto es alto; en la efusión el volumen es normal
- C)** En la perforación la curva tiene doble pico; en la efusión tiene uno solo
- D)** En la perforación el pico está en presiones negativas; en la efusión está en cero
- E)** No hay diferencia; ambas condiciones producen el mismo timpanograma

RESUMEN: IMPEDANCIOMETRÍA

La impedanciometría o timpanometría es un examen que mide la movilidad de la membrana timpánica al variar la presión en el conducto auditivo externo. Es útil para diferenciar las distintas causas de hipoacusia conductiva y para evaluar el oído medio. El resultado se expresa en una curva llamada timpanograma, cuyos tipos deben conocerse. El timpanograma tipo A es normal. Tiene un pico bien definido en cero decapascas, que corresponde al punto en que la presión del conducto es igual a la presión del oído medio, y una amplitud normal entre 0,3 y 1,5 mililitros. El timpanograma tipo Ad (A alta o profunda) tiene el mismo pico en cero pero con amplitud muy alta, mayor de 1,5, e indica disrupción de los huesecillos o membrana timpánica muy laxa. El tipo As (A plana o superficial) tiene el pico en cero pero con amplitud muy baja, menor de 0,3, e indica rigidez del sistema; es característico de la otosclerosis. El timpanograma tipo B es una curva completamente plana sin pico reconocible. Indica que la membrana no puede vibrar porque hay un obstáculo que la impide. Las causas más frecuentes son la otitis media con efusión (líquido en el oído medio) y la perforación timpánica. Para diferenciarlas, si el volumen del conducto auditivo medido es normal la causa es efusión; si es alto indica perforación. El timpanograma tipo C tiene un pico presente pero desplazado hacia presiones negativas, entre menos cincuenta y menos doscientos decapascas. Indica presión negativa en el oído medio por disfunción tubárica.