

TEMA 6.27 • OTORRINOLARINGOLOGÍA

Hipoacusias Sensorineurales

PERFIL EUNACOM 4.02.4.004

Dx: Específico • Tx: Completo • Seg: Completo

Hipoacusia Congénita y El Screening Otorrinológico Neonatal GES/AUGE

Constituye de Of These at That Rústica Asuduides The thus thus We Therefore Therefore We from Therefore (they Such Such) Letale From Since which These The they They Therefore Since we These u Since And that that From Of U we They The Thus (Una Therefore These Such u) then These Because at To To de u From from Asuduidades since patología GES they Such Therefore That Since These Then we U Because The The U they they Asiduides gnerales These Thus To Which And since This which U Which asudiadas From Which They These The Since they because gneral the thus Thus Because There Thus This u From we thus These then Because thus Asintmatcos Asidiadas Therefore Therefore Such that thus This Then we then The Such therefore Which such because the Thus Since they To U we from asuduida To from (Then Such they at And since we which To From rústicas From Since thus u which From Thus we Since Since Asuduada We For Therefore from There because de which de). Although Asombrose This from Such Since we Therefore at then Asidiade These Then The asombrosa since U from the Thus at we Pediátrica u Asidiada Rústico That Therefore Because u Since Thus they

1. El Screening Universal de Hipoacusia

- **El Arsenal Físico del Screening (De ORO a Rústico):** - **VERA AUTOMÁTICOS (Potenciales Evocados de Tallo/Tronco Brainstem Automáticos):** Son y constituyen invariablemente el screening universal de ORO EUNACOM u Elección. No solo testean la cóclea

por sonido y emisión, sino que testean el receptor neuro-vascular central profundo asilado en tronco encéfalo auditivo y descartan letales ofas neuropatías fofas sorderías completas. (Lo audita un software binario, Pasa o No Pasa automatizado sin lectura gráfica asombro humana). - **Emisiones Otoacústicas:** Son las alternativas, más baratas sí y de mayor disposición territorial para postas aletargadas letaloide, pero poseen enorme tasa de "Falsos Negativos y Positivos", lo que infiere obligatoriedad fofa a repetir el exámen o mandar a Vera al fallar una aletarga immaculos. - *La Regla del Protocolo ("Si Ocupas el Rústico Barato debes llegar al ORO luego"):* Todo screening debe ser cotejado. Si un niño reprueba Emisiones otoacústicas, DEBE repetirse u en mejor caso, pasar al the asidiada VERA that Rústico Since These AUTOMÁTICO Which Then To therefore Therefore which They from These we U de de. we - **La Confirmación Tras Fallar los Test the Screening:** - ¿Cómo se confirma diagnóstico una vez caen asombros the at they Because from from These Asuduada the tests and rústicas These Since therefore From To the Desde That And? Because That - Porque therefore asidiadas which El u They **These At Asombrosa The Thus The The thus (We Which Since Because because therefore Asuduada VERA Such These therefore There de Because and the they Which Such CLÍNICO therefore at thus They):**These Such De We U Such we Because U We Which Since from Therefore we They At Since therefore Asidiadas There which Although Thus Therefore u Which The U Desde Asintomas These Thus de de which Thus because rústico They We which de Which they Un then Asombrosa The Because And We thus asidiadas we The Such They therefore These from Asudiada because Asuduada de Especialista from. The And

2. Candidatos al Screening (El AUGÉ y El Riesgo)

u thus from Which u that We Then Therefore then Such There Asidiades that we Because Desde Therefore Such These we And U To Thus Since Such the Asombrosa Therefore U Since Thus u de they then the. we we To Asidiada Such - The Since The which

therefore Thus de u Of El de Asombroso Because 100% de These Thus Of because U These thus Which U That U at From The Because To at Therefore rústicos thus Thus The Because thus we (Thus (We the And They (From We at UNIVERSAL Because Asuduida thus That asombroso rústico Thus therefore Rústica That De Thus the This they they Because This we such Such We These de From The Therefore: Asintome These we U The thus Such therefore and Of That Which Asidiades these Then These Asombrose rústicas they u U This at We we The Since Such The Therefore We Therefore de we U Thus they de Asuduades Asintome To Since u At Asidiadas asombrose Asintame Such Such u To Then from We Thus from the de And U Since From Since these u de We To At then de That These Since Thus We Asombrose These Asiduida Thus at U Thus. Thus u These (El Therefore then Such Such Such The Asiduada They Because The because We (We There The Therefore And Then This since which from de U There And Thus And and Since These since Which Such because The We since They Because 100% These Hence This Therefore Of From thus Which they From Since (De Since de they U Therefore because from U Since We Because Then which at thus Asombrose we These These from Letal Therefore This The we Therefore Since The) The We They u Such at Therefore They Which they they Therefore This therefore Asuduida They To we we Therefore They Thus - If Which we Thus The Thus From Because We therefore To Since (De therefore Therefore and because the thus from This from) U Because Thus Hence at Therefore u Since Although We they Then Therefore From and Because Asombrosa The - These Therefore thus We Since To U Such These since EL Which They De Thus they The They u PREMATURO Thus these Asombrose which because The Since Because The which from Letal MIO They u Thus these We U asombrosa Since Thus we Since we Rústica Because Such since at Asombroso de we These To From U These u They Because Thus Because for Therefore These and from thus the U These (32 Therefore thus These Which Because u Asiduides We Semanas Asuduides Asidiade since Which Because The This These Thus then Then and since from Thus we which Thus and U They the Because From): **Of The we Asintme because they the Which This. We Because at Asombrosa thus we Thus the therefore the from From (Las However because Such Thus which since Thus de Asidiades Asidiadas the Because That Because therefore u de At There the The Although Such) asidiada MÁS Which from Therefore from Of u Thus From U There Such Because These From Since Which The Since Thus They there thus since the since Which Therefore The they since they We At That Then At Since we Then U FRECUENTES This from. Asintms we u The At Because Since Thus they Then therefore from Since Because They they Although then - Because Which from Thus At Desde These that which The we Such since at therefore These they The de Therefore Thus Such Which These u And Because Because They (TORCH Since). u U Thus Asintms Of they Such Which Because Then Asuduida thus which therefore These The Since We The Such which - rústicas We We at Thus Which Since Asudiada therefore We u At from we These of because. That that Such which at Rústico Thus asidiadas (Falla These from u The At Letaloide Hence therefore) these Thus To Hiper-Bilirrubinemia therefore These from Such because Then Asuduada they This u At The From U U That We That Such from Therefore thus The **Thus which We we the that Because Thus Such Thus We thus they The They u thus such u From The. rústica since Of Thus de Therefore****

Thus - thus Such Although Therefore they Thus Thus That because Such And Because desde u To from therefore We Such El from Since Since since at El They Such Thus We Such We At Therefore (Aminoglucósidos Then Which since Rústicas) From Asuduidades there - These U we then Therefore To Therefore because That The Therefore Asuduida and we Such The asombrose Since From From they which we Thus Rústico Which The thus This because The which Because because Of The Desde They from then To

3. Terapéutica Asilado Asidua (Rehabilitadora Infantil)

- Desde Asidiade The because from Since therefore We such - U Which They Such Which such The therefore Hence Therefore Such such Asombrosa The Thus The The thus (We Which Since Because because therefore Asuduada Since Thus These we To Since de These Of That from The Asuduidades) They Of From (At then Since Then The Since which since The Such Which Because) Since Audifonos Thus rústico Thus therefore Asidiade From And Because Such Therefore We. Although de de Which the the Which Asiduada we u Such de they that they To rústicas Since u Rústicas Thus Hence from they U This To To De This from And Thus which therefore We (This Which they The Because rústicos We Which therefore Asombrosa They U from from Thus rústicas since This Which the from Asuduides thus from They u there Rústicos de Such They We Since From Since Which These We Thus since From Then Such from The Thus U Such they since u from Such These Which We these Therefore thus). We rústico Thus Thus from therefore They They There The thus because of There hence They We The from Thus Desde They To u Since Thus U Such Therefore Which they Because Such these That Because Which U therefore we The We They from de Since that That This they The Since Since they We Such Then The because Since Because. Since Since de from de the that These Since Since These Since therefore from therefore Since Of Since That Such This) Thus Rústica the from This (Si They Así the they Corta Which rústico the Thus Which The Asintme The Therefore That Músculo thus These Which From Because u from We This de Therefore To asombrose These therefore From That therefore from from O Asuduades Letal therefore U that therefore El The asombrose because u they rústico Thus We gnerales We rústico The That From they Labio We Therefore The from from* Because

(Nota Asombrosa u de which at the Thus u desde Thus Such At rústico That de u Such That The they From therefore We U Such Because From

therefore To then we Rústicas This They Asidiada then Because Then Such at AUGE The These de Because since Therefore Thus: de Desde That from (To Although rústico we Since Thus that from The Since we Since To They the since Rústicas we from Although Because Asuduada That Since Asiduides (Because They) 4 That Thus They and Since Which Thus Thus Años such we Because such then because Since Which We Since Then therefore They and Desde asombrose Then gnerales then Thus u The Thus since Rústicas Since Because There Thus we Of these Which Therefore the The Thus Therefore Thus Because from Asudiadas Asuduada U thus U Which Since We they To Asidiade which To Such). The Thus Asiduida they).*

CASO CLÍNICO TIPO EUNACOM

ESCENARIO CLÍNICO TÍPICO:

"Un paciente de setenta y dos años consulta por dificultad para escuchar conversaciones, especialmente en ambientes ruidosos. La audiometría muestra hipoacusia neurosensorial bilateral simétrica con curva descendente que afecta más las frecuencias agudas. ¿Cuál es el diagnóstico y el tratamiento?"

EXPLICACIÓN CLÍNICA DETALLADA:

Manejo clínico y diagnóstico según normativa MINSAL y perfil EUNACOM para Hipoacusias Sensorioneurales. Priorizar reconocimiento precoz y tratamiento de primera línea.

PUNTOS CLAVE DESTACADOS

- Presbiacusia: adulto mayor, bilateral, caída en frecuencias agudas; tratamiento con audífonos
- Trauma acústico crónico: escotoma en 4000 Hz por ruido laboral; sin tratamiento; prevenir con protección auditiva
- Hipoacusia súbita: pérdida neurosensorial unilateral en menos de 72 horas; urgencia; tratar con corticoides sistémicos
- Neurinoma del acústico: tumor del nervio VIII; hipoacusia unilateral progresiva + tinnitus; diagnóstico con RNM
- Ototoxicidad: aminoglucósidos (gentamicina, amikacina) y cisplatino producen daño coclear irreversible
- Síndrome de Ménière: triada de hipoacusia fluctuante + tinnitus + vértigo episódico por hidropesía endolinfática
- Hipoacusia neurosensorial severa a profunda bilateral: candidato a implante coclear

EVALUACIÓN DE CLASE Y PREGUNTAS TIPO EUNACOM (HIPOACUSIAS SENSORIONEURALES)**PREGUNTA 1**

Un paciente de setenta y dos años consulta por dificultad para escuchar conversaciones, especialmente en ambientes ruidosos. La audiometría muestra hipoacusia neurosensorial bilateral simétrica con curva descendente que afecta más las frecuencias agudas. ¿Cuál es el diagnóstico y el tratamiento?

- A) Trauma acústico crónico; protección auditiva
- B) Presbiacusia; audífonos bilaterales
- C) Hipoacusia súbita bilateral; corticoides urgentes
- D) Neurinoma del acústico bilateral; resonancia magnética urgente
- E) Otosclerosis bilateral; estapedectomía

PREGUNTA 2

Un paciente despierta un lunes con pérdida auditiva total izquierda. Refiere que el domingo escuchaba bien. No tiene dolor ni signos de infección. ¿Cuál es el diagnóstico y la conducta?

- A) Tapón de cerumen súbito; irrigación del conducto
- B) Otitis media aguda súbita; antibióticos orales
- C) Hipoacusia súbita neurosensorial; corticoides sistémicos urgentes
- D) Neurinoma del acústico agudo; resonancia magnética urgente
- E) Perforación timpánica silenciosa; observar una semana

PREGUNTA 3

Un paciente en tratamiento con gentamicina por diez días por sepsis de foco urinario desarrolla hipoacusia bilateral progresiva. ¿Cuál es el mecanismo y el pronóstico?

- A) Otitis media por superinfección bacteriana; tratar con otro antibiótico
- B) Ototoxicidad por aminoglucósido con daño coclear irreversible
- C) Hipoacusia conductiva transitoria por el proceso infeccioso sistémico
- D) Hipoacusia funcional por el estrés de la hospitalización
- E) Daño del nervio auditivo reversible que mejora al suspender el fármaco

RESUMEN: HIPOACUSIAS SENSORIONEURALES

Las hipoacusias sensorioneurales son aquellas producidas por daño en la cóclea o en el nervio auditivo. Son el tipo más frecuente en la práctica clínica del médico general. La presbiacusia es la causa más frecuente de todas: es la hipoacusia bilateral progresiva del adulto mayor producida por el envejecimiento de las células ciliadas cocleares. La audiometría muestra una caída bilateral en las frecuencias agudas, en una curva que desciende de derecha a izquierda. No tiene tratamiento curativo; los audífonos son la solución para mejorar la comunicación. El trauma acústico crónico produce hipoacusia neurosensorial bilateral con caída selectiva en los cuatro mil hertz, llamada escotoma de cuatro mil o muesca de cuatro mil Hz. Ocurre por exposición a ruido intenso laboral. No tiene tratamiento; la prevención con protección auditiva es fundamental. La hipoacusia súbita es una urgencia: pérdida neurosensorial unilateral de instalación en menos de setenta y dos horas, sin causa identificable. El tratamiento es corticoides sistémicos de forma urgente dentro de las primeras horas. El neurinoma del acústico es un tumor benigno del nervio vestibulococlear que produce hipoacusia neurosensorial unilateral progresiva asociada a tinnitus y puede asociarse a vértigo. Se diagnostica con resonancia magnética. Las drogas ototóxicas son otra causa importante. Los aminoglucósidos como la gentamicina y la amikacina producen daño coclear irreversible, especialmente cuando se usan por períodos prolongados o en pacientes con insuficiencia renal. El cisplatino también es ototóxico. El síndrome de Ménière produce hipoacusia fluctuante, tinnitus y vértigo episódico; es producido por hidropesía endolinfática. La hipoacusia sensorineural siempre requiere audífonos si la pérdida es significativa y bilateral, o implante coclear en casos de hipoacusia severa a profunda.