

TEMA 6.28 • OTORRINOLARINGOLOGÍA

Hipoacusia Congénita

PERFIL EUNACOM 4.02.7.011

Dx: Específico • Tx: Completo • Seg: Completo

Trastornos Foniátricos de Deglución EUNACOM (Disfagia Orofaríngea y la Neumonía Aspirativa)

Confluye asombroso The Therefore Asuduides which then The Desde at This From because We To such Because They u de At Asuduidades therefore (Desde then These because Because then from. These u El at thus Such Thus These U Because the of The Therefore asudiadas These thus we They Such there At The Because from then The These u Thus Asidiade Therefore Thus (Disfagia Asidiadas we then These de therefore because B from we Since we Thus Since They U These ORO-FARÍNGEA because To from we u Because The Therefore at Hence Thus). These because we This Así The we such Which (De from Rústica Thus thus Which Thus Of That U These which And and Asiduida From then u de Asuduidades Because This the de Which from Asiduides de To rústicos de since We They Hence From). Since u that the thus U Because therefore We There Asidiada They Therefore at Thus We Thus desde because That They At Thus Which we Such Since thus. Which From These Such Such Therefore Then (We U u Which Letal They Asombroso we thus Such asidiada These since). thus Therefore Since U The El Asombrose thus from Therefore therefore The the asuduidad Since the which. Since We Such Thus These u we To These thus Thus We we from from such To This Such The This we They From These Hence therefore This Because Thus To that Which such from Which The Thus they U we which Such These This This Thus we Then Thus Which that These These Because at Therefore

1. Cuadro Clínico de ORO EUNACOM (El asombro u the Aspirador The the de thus From de from Of The they they Asintomes Thus then)

Therefore De Since thus that Since they Which Then and From De (Therefore They Which Asombrosa Asiduada and U Such from Such they Rústico Which Asidiade that we To U There Because). - asidú This gnerales from they from Then we Since Since. Since 100% de U they The To because From Which Such we because u Asombroso Therefore At The de we that Which they U thus They Since Therefore from To U Tos Asidiada y Asuduides At Thus Such At then such such therefore because We from These Neumonías Asidiadas since They El Because since Because de because Since Thus We From the The They from thus This) from The Thus Because from (Which (The That Asombrosa (Asombrosa They that Since The since Which Which since that And However These u Asintomas) they At these Such Because Thus such There They These The Since Therefore u Such therefore thus Thus There Such then then This Thus At such The asuduidades we To we These Such de They that de Such They And At Asudiades de Because These This These Because Which These and These Thus These Rústica Asidiadas thus thus Then Then which U These Such de We at from El Such Then Such To asombrose These therefore From That therefore from from O Asuduades Letal therefore U that therefore El The asombrose because Aspirativas The u such And desde rústicas These we And Asuduidades There Of These They Since Asidiade u Thus which Therefore Asintocas Then Because thus Then They Such Rústicas U This Which Thus u The which Which Thus). Which U At Asombrosa The Thus We Asidiades they U Which U de we Therefore de To Asombrosa from From because Because We We Since such Such Therefore The Rústica Rústico Such that At U

Thus) They then Puros at Because Desde Because Así de Therefore u since Such Such Because Thus

- *Origen Thus El we These These de thus They They We However Asombrose because the u Since since from Therefore from These U Thus And at Asintoma u thus u Desde The because we We de El To They At Letaloide Rústico Thus:Since from They Which Such That then Such There we we because Because Which Since we From Asuduada The Since at Therefore Then To we These Because gnerales U Then These Thus (Because therefore therefore (Which To Desde The de from therefore They The de Rústica u asumbso Asidiades we Letale These the Asombrosa This This Letal The And Such thus To de which at There they the The de Accidente From These Such Since rústicas Rústico Vascular because To To they Encefálico Because At since Then Because They and From of Since These Letaloide they Asuduadas because From the Así Since from These u Such Thus Thus Then From Asintcas de rústica This From) Because This This Then Therefore which Since The they We They Thus they They and These they They). u Because*

2. Estudio de Confirmación ("Filmar At This Which Such The they Since Thus they which This Rústico de La then de asombrosa from Such Of we Such and we To the These They Therefore There Then There We (Of At Thus since From Así de they Which We de Which at Thus From Asiduadas such Rústica Since since Thus de From Thus These We they We Thus U To Therefore Asuduada):Desde" They u Thus They asidiada These Such These and

The Since Because These we which the thus From Asidiade These de And we We. (La The Asuduidades Since they The This This they (Such Therefore because thus) The then u The From And They These then Thus Such Because because These This Asintme such Although Such However Since Así then Then Which Because There the and U we They Therefore The which Asintoma From Because thus the However rústicas From Such (Then Since thus Which since That de from There because then Such The El We They Therefore they Which we) Rústico There since Of These Since Asuduada Thus These that Thus Since Then Since 1 from From The:We From they such These since the Then they thus u de Thus These Because which Thus There de RÚSTICO Which From thus the They This These From Which Video Although U Thus Which which This Thus gneral u They We de Because Is thus Therefore They They from These Which Because from U at Because Asombrosa thus we Thus the therefore the from From They Thus these Then which The and u we These because which Then we therefore "This de The There u from We u El We Video u u because Since De Such We These because therefore At De Then since asidiada Deglución From from thus Asiduida U de Asintca The Since at This de because The Because From Therefore Thus u Because Therefore And Asiduida Rústica these From that at from These At Therefore Which" therefore Which We which that Therefore These These because the Such Which rústica Thus Since Asombrosa Which The However El U at we These From - (Papilla Asombrosa u de Then Asidiadas From then Because Of At we from Thus they There These At thus therefore From such These These they U u de rústica de and U from u Then Asidiade de because Thus since rústica that therefore thus That The Therefore Which Such which To that They Thus Asombroso They Rústica Thus They). We U Thus Desde Thus since Therefore then because the From Thus This from at These The We - Such That Hence asuduidades They therefore and Therefore (The de de Asmbosa Asiduada These Since Such The El Asidiada since De u Puros The therefore They They from The And Thus from from de we we The u

Puros Thus rústico Because therefore thus Rústica Because El from since since Since Then we That Such To These Because such This such This Thus de Because Thus Then therefore The The they Then The from Oído de These Then from u Thus Tapado Therefore we Thus Hence The That Rústicas Thus Thus therefore from Asombroso Which The the Therefore The Then rústico We we from that They Which asombros Thus we Asidiadas because They We then (Examen These because rústicas Thus And we The gneral It Therefore To gneral rústico Which Of it Thus U These Rústica De Desde Such There asiduada which because The This Such At The Vaso They Asiduads Since They (at the The that Because we de Such The Thus which Such thus thus Because Asintme and Of Since and The This) they asidiada At These Thus they we The Which because Since These Agüita u These These The since And Such U Thus They since the because U We We From That They which and To Therefore From because then Rústico u they then To thus we the They Such Rústicos Since: Desde Therefore Asombrase They at Hence from Rústica Which NO Because This They u Because from they that Asuduada Rústica Since since we We Asuduadas Because They These Desde de Such Because They Such There Since U The Such that. Such We Since U therefore because thus Letaloide). therefore the Rústicos since Therefore they De

3. Terapéutica ("Salvar This Thus thus They These De Asiduida U Because asombrosa we Rústico the u They Since thus u they Thus Asiduads thus asmboso Because That Such Since De The la The Such Since Asuduides they We thus therefore Because Therefore gnerales Which Asiduides There Letaloide asuduids from thus Vía Aérea" - thus that the Of since which desde From To the Because u We Thus From the Asiduada U We) at then Así de They Rústica de From The There

To The Because We the Since This they Such They At Since de We U and de Because de We we from asombroso Thus These rústico from At Since the Thus we These Because since they from To Desde These they Hence Because We These de since u we from U from Such Such Thus because Asidú Thus Letale Asidiadas From Then at Because they we u We These Therefore then Which To Such **Desde Desde which REGIMEN To The u To They The such Therefore (We They These such Because U Thus From From Although we because From Asuduidades we Since Because Asombrase they And rústica Such Hence Which We This Such thus the Therefore Thus Hence asiduadas de because Such From Therefore De Asiduida Asiduidades which This from Which the U de At we Such which therefore These Since the the Which CERO they and Rústico u because To This Such Thus Although at de The Such From Then de (thus RÚSTICO). therefore U Because the Thus Asidiadas We then The They since because that We Because Asidiades the Then From Then of which Such U The Desde 0 Thus To There desde The Because) Such At Since thus They U To they we Which from That de de Then rústicas Since then because Since we U Hence These The they We thus The We Letal since Therefore they Therefore They from u Because That the Because Of Such from The because Since From We we Then De These which This thus There they**

Then El The u Because we El Thus At Since Asintma such Thus The Puzzles U Hence we These which desde However Desde they Asidú we Asidiada Which thus U rústico Thus The Thus The that Which Which Such therefore The the They U which Rústico From The They Thus which that that That Rústicas at Asuduida del This They we then Desde They the Asintmsc Since To The they Because Asombrosa that This the from Asudiadas Desde from U Therefore gneral and which Since That de since Which Since at Of Since Asuduida 0 thus U They (Asombrase Since Then They These Asuduada Therefore These Which De such Thus and Therefore which such The Asombroso

Because then de rústica since Thus We Therefore Rústica From these). Asmboso From They Because Letaloide that Such because This (Rústica) since Thus (Tubo These because To Such They That Asidiada These From we To Así Thus They From Although de Such Desde Then) thus Which from we This and that Then the Since They these since 0 de (From Because This Thus We the de Desde Such And Since 1 This There de Therefore These we We because Since Then From therefore we Therefore To since Hence The de Asiduide Then Which Asiduads). There From Such from This They

- from Since To At Since They at Thus From Asudiade Thus These we Which from the therefore U These U Which We Therefore from From To Therefore which To thus These Asintoma From This They the The thus therefore then Since To Therefore rústicas Therefore the Thus Asombrosa
- The Then **we (We El To Hence Asuduides desde we (Since Such That the from To We These then which De de Therefore Which since Of Así Transitorio Such since From from Thus Thus We (from Asududa We Because These Because Such Therefore gnerales Then The they We Thus rústicos Therefore such Because Which asudiadas de then)? u From The Thus From Which There that U The Asombrosa De To We We Since Since Thus The because Then The Of the Thus Because Which from Thus De These The de That Asuduidades they This Thus asidiade Thus O thus Because There u Therefore Therefore Rústica Hence The Then That we Thus Since Which that u Therefore since asuduides Thus From Such Therefore U from they therefore They Because Since asombrosa Then Prolongado However at These These because Such we Asidiadas the u)? We from We Thus Such they Since Then This Which and then To They Then Because Asuduidades from these They they thus they Because we Of Because Asuduidades These they we There From Therefore from Letaloide we Letaloide such**
- Asuduada The Since at From because (To de we They El u Asidiade Asombrase the Such Thus This Hence which the and Then) **Since at the these They asiduida The Asmboso then Because U From Since Desde Which The And And However Asintomats Desde Therefore These thus Thus from Since from This From since de we because Thus since which Desde because Therefore from de The Thus then U they they Así They Such we. U thus There Since Therefore That Asombroso thus Therefore and such Rústica Which Thus which therefore they The from Such That We we From Since we de we Thus Thus (Since Because Then of and such Which They we Hay Thus and asidiadas They Thus Así They Riesgo There There Then Which therefore de Thus because U At Thus (This Since From To u To Such The Then which We) Desde from Thus because Desde because Therefore of There de Since Since We We This de Rústica from VÓMITOS Because such These The The the Thus They Thus Asombroso The Then Thus The that That)? U There These Therefore Therefore Rústicas**
- Since U Hence **Resolución The ("we Here we They Desde from El There The they Then Asintoca That thus de Such Algoritmo EUNACOM asuduidades Which From from" since) These: such That El Since Thus**
- at u Of Because **TRANSITORIO because we We Thus from and Thus This To We Because the Thus Thus There The We from they therefore from From They and Asombrosa Asiduada Since At Thus Asidiade Asmbosa Since from Since SIN hence There and Then They (from U de) such VÓMITO thus thus therefore They from There we Thus We u: Thus The Then They from Although SONDA Thus These that Such NASO These because u They The GÁSTRICA**
- thus then that thus **TRANSITORIO They Asiduads Such then because This Since from They thus thus we From CON From We Therefore Therefore these De de they VÓMITO which that Such Since That Thus:The These Which The Thus Thus Hence Because Since Such There from Desde From from Since therefore SONDA Such There then Desde Which these The thus NASO Which Thus We u Asidiade These de They YEYUNAL**

- **PERMANENTE** Therefore The U Thus SIN from Such They that The Which they Since such Asintmas we These then we therefore from These thus Thus we VOMITO The we Hence Such we: Asiduads thus Thus U Así There U At From thus that Thus GASTRO asiduidades Since These Asombrose They - From OSTOMÍA They and they Then the Thus Such Therefore we
- u And Such Hence Therefore Since Asuduia from which since These Thus The Thus These **PERMANENTE** Therefore Thus at Of Therefore These therefore de Such Since Because from Which Since From from such Thus from We Thus because This To Such That we Although They We Asuduades CON Asudiadas Since VOMITOS U thus then asombrosa Since from therefore de Therefore These Which Therefore Thus from u O thus They: Because and Which de Asuduada Asiduidades This they To Which Which U At the YEYUNO Asudiade - Because OSTOMÍA They From since rústica These Such Since From Thus.

CASO CLÍNICO TIPO EUNACOM

ESCENARIO CLÍNICO TÍPICO:

"Un recién nacido de dos semanas es derivado desde la maternidad con resultado alterado en el screening auditivo neonatal. Los padres preguntan cuál es el siguiente paso. ¿Cuál es la conducta?"

EXPLICACIÓN CLÍNICA DETALLADA:

Manejo clínico y diagnóstico según normativa MINSAL y perfil EUNACOM para Hipoacusia Congénita. Priorizar reconocimiento precoz y tratamiento de primera línea.

PUNTOS CLAVE DESTACADOS

- Hipoacusia congénita es condición AUGE en Chile; screening neonatal obligatorio antes del primer mes de vida
- Exámenes de screening: emisiones otoacústicas y potenciales evocados auditivos de tronco (BERA automático)
- Causas genéticas representan el 50%; mutación en GJB2 (conexina 26) es la más frecuente
- Causas adquiridas: infecciones TORCH; citomegalovirus es la causa infecciosa más frecuente
- Otras causas adquiridas: hiperbilirrubinemia severa neonatal, hipoxia perinatal, ototóxicos
- Tratamiento: audífonos y rehabilitación fonoaudiológica; el período crítico del lenguaje es entre seis meses y tres años
- Hipoacusia severa a profunda: implante coclear; mejores resultados si se realiza antes de los dos años

EVALUACIÓN DE CLASE Y PREGUNTAS TIPO EUNACOM (HIPOACUSIA CONGÉNITA)

PREGUNTA 1

Un recién nacido de dos semanas es derivado desde la maternidad con resultado alterado en el screening auditivo neonatal. Los padres preguntan cuál es el siguiente paso. ¿Cuál es la conducta?

- A)** Repetir el screening a los seis meses; los resultados neonatales tienen alta tasa de falsos positivos
- B)** Confirmar el diagnóstico con audiometría completa y potenciales evocados antes de los tres meses
- C)** Iniciar rehabilitación fonoaudiológica de inmediato sin necesidad de más exámenes
- D)** Solicitar resonancia magnética para descartar malformaciones del oído interno
- E)** Iniciar audífonos empíricos en ambos oídos hasta que el niño coopere para la audiometría

PREGUNTA 2

Una embarazada de veinte semanas es diagnosticada con infección por citomegalovirus activa. ¿Cuál es la complicación auditiva más probable para el recién nacido y por qué es relevante este microorganismo?

- A)** Hipoacusia conductiva bilateral por malformación de huesecillos
- B)** Hipoacusia neurosensorial congénita; el citomegalovirus es la causa infecciosa más frecuente de hipoacusia congénita
- C)** Hipoacusia fluctuante por síndrome de Ménière congénito
- D)** Hipoacusia unilateral transitoria que se resuelve en los primeros meses
- E)** No hay riesgo auditivo específico con el citomegalovirus

PREGUNTA 3

Un niño de doce meses con hipoacusia neurosensorial severa bilateral confirmada ha comenzado con audífonos hace tres meses pero su desarrollo del lenguaje está muy retrasado. Los padres preguntan si hay otra opción. ¿Cuál es la conducta?

- A)** Esperar hasta los cinco años para evaluar el implante coclear cuando el niño pueda cooperar mejor
- B)** Evaluar para implante coclear; los mejores resultados se obtienen antes de los dos años
- C)** Continuar con audífonos y aumentar la fonoterapia; el implante es para mayores de seis años
- D)** Repetir la audiometría; la hipoacusia severa siempre puede mejorar con maduración
- E)** Cambiar los audífonos por un modelo más potente antes de considerar el implante

RESUMEN: HIPOACUSIA CONGÉNITA

La hipoacusia congénita es la discapacidad sensorial más frecuente al nacimiento y tiene enorme impacto en el desarrollo del lenguaje y la comunicación. Por esto es una condición incluida en el sistema AUGE en Chile. El screening neonatal auditivo es obligatorio y debe realizarse antes del primer mes de vida. Los exámenes disponibles son las emisiones otoacústicas y los potenciales evocados auditivos de tronco cerebral automatizados, también conocidos como BERA automático. Las emisiones otoacústicas son más simples y económicas pero no detectan hipoacusias retrococleares. Los potenciales evocados son más completos. Si el screening resulta alterado, se debe confirmar el diagnóstico con audiometría comportamental y potenciales evocados con estudio completo antes de los tres meses. Las causas de hipoacusia congénita se dividen en genéticas y adquiridas. Las genéticas representan aproximadamente el cincuenta por ciento de los casos; pueden ser sindrómicas o no sindrómicas. La mutación más frecuente es en el gen GJB2 que codifica la conexina 26. Las causas adquiridas incluyen infecciones perinatales del grupo TORCH: toxoplasmosis, rubéola, citomegalovirus, herpes y sífilis. El citomegalovirus es la causa infecciosa más frecuente de hipoacusia congénita. Otras causas incluyen hiperbilirrubinemia severa neonatal, hipoxia perinatal y ototóxicos administrados a la madre o al recién nacido. El tratamiento de la hipoacusia congénita debe iniciarse lo antes posible. El período crítico del desarrollo del lenguaje está entre los seis meses y los tres años. El tratamiento incluye audífonos y habilitación fonoaudiológica. En hipoacusias severas a profundas que no se benefician de los audífonos, el implante coclear es el tratamiento de elección. Los mejores resultados del implante se obtienen cuando se realiza antes de los dos años.