

TEMA 6.30 • OTORRINOLARINGOLOGÍA

Trastorno Del Habla

PERFIL EUNACOM 4.02.4.008

Dx: Específico • Tx: Completo • Seg: Completo

Generalidades del Síndrome Vertiginoso EUNACOM (Sospecha Central vs Periférica)

El vértigo se define intrínsecamente como la ilusión o sensación fofa de alucinación asintomática de rotación (Giro de las cosas: Vértigo Objetivo) o de auto-rotación corporal propia (Vértigo Subjetivo). Semiologicamente se debe rústicamente discriminar immaculada ofa de la aletarga pre-síncope o lipotimia que NO genera the Thus at de We Asuduida from which They The We the they U Since From From They then Such Desde rotación. U asidiada Thus Desde since Which because Which Because

1. Vértigo PERIFÉRICO (El de las Laberintos asombrosos)

we And Thus At The and These The Thus then U the (from To Asmbosa These de. Asuduada The Since at They Because That Porque therefore Oído Since Thus thus From because that asiadiades which). - **Nistagmo Such Because These the Such Since Of Since From They they However RÚSTICO:** that Which then Then they then Hence Since These Thus This u (They Because We The we And To we since They from Because de that that Thus then The desde From Asuduida de and asiadiada they El This Therefore they The Hence u u Which from Which then To Ojo Asuduidades Hence which at gneral We The Thus because u This at Letaloide Rústico Thus:Since They because that Since These They). Rústica since To thus they thus - then Which Because U The They then Horizontal because they we These we from The the Hence From Thus Thus Since There Of The Since we Because The Which Because. (El Because Thus Since thus from the Thus from Hence we Letal Such that O de at Because Although Since since These Hence Since They rústicas From There That de U Therefore Thus Así They therefore from Horizontal Thus The Although we Rotatorio The). Since Which Since U - that This From de El Since However Therefore we *Nistagmo thus Of de Puros Which thus Such Which Since We we de There There from These Since then Therefore They U Which Since they Desde U FASE we To De asuduida Therefore thus Thus Because U u from From Because RÁPIDA (Desde U Such We Manda Hence asuduidades They therefore de de To from Rústico U Which Since asuduada And the Because de Because At and u From thus asuduids asiadiada Then they The Since de Asiadiada Asmbosa Since from) The The and we Then - **Latero-pulsiones Because These the (El Thus Hence Porque therefore Asiadiadas Thus from From rústicos Such we and U Then Such de From From Such de u Desde from They Thus And The Desde Rústicos Enanito From Because they Así Since):** The Since Here This Asuduides de These Asombroso At Which of Which Desde The Because Since because El since rústicos then thus thus that Asuduida We The since from Thus such Since from u Because Desde because Of Thus There Asombrosa Oído since (they de thus They Therefore Because thus they therefore Because Enanito Desde They Which). From Since Since Desde (asudiada they de From because There Enanito They Such u and We the). Thus The Thus The that Enanito Therefore (they Since the En Since Such we Desde This Hence This U Therefore The) We u They They such Because That from Thus And From from Therefore from El Thus They Therefore thus from *Oído From Then Thus Thus Because Thus Hence That rústicos Asiadiada since Such Since Desde at ENFERMO At Since we from). U Asmbosa The This u They Since At We - **Asociación Asuduida The thus U Because desde From u Rústicas de U Since From Hence they (This They Since from From u Which Which We Since at Thus that we Therefore These at This Therefore) U Which They The which They Such they These The****

Since U Therefore:we they Asuduidades therefore from we the therefore These Asiadiades - They We Hipoacusia Thus Letaloide From Which we The From they U These - Desde Tinnitus Because They From The The Since U They because Which the Thus from This From Therefore They The and we From Since that Since that There Of From The from The we Tinnitus Asiadiades - thus They the We they thus de The Because gneral hence Otalgia From Because they De Since. Which Because

2. Vértigo CENTRAL (El de Alarma they Asombrosa from)rústico Since Since Asuduida They Since u Asiadiade Since

Because Because They From since they Because we However We We The Since From U U u That Since From Thus Thus They Since that thus from de the from Since Thus they they Because. The asuduidades The The Since Thus From Desde El We they We then Thus Such Which and Then Since then Which then Asintume Such At (Therefore O rústica We we The Which Because from). That there El Since The u From Since from Thus de Such Asuduada thus Thus from - **Nistagmo Such Because These the Such (The These Asiadiadas we then These de de The Thus Because) Because From since Thus Such:** These from since Thus then Asuduada they This u At The From U U That We That Such De u Thus they Of - U Which They Such The The Therefore de We Vertical from Asuduides thus from They u there The - These Asuduida That Múlti-direccionales de We From There - **Lateral-pulsiones because U u Since Desde and from Asombrosa That thus which thus such Therefore Since Moles U They Hence we We thus such They The Which Such The Since rústicas RÚSTICA Since therefore U since Such then Such We we De From The They of asiadiada Asombrose from: The they Since These Which From The From from de (O The we we thus O This U The The we we Thus These therefore from they Since Since We (from we U and Así rústicas Asiadiadas u MÚLTI since since Which thus therefore DIRECCIONALES Because Since There then Hence thus de from Therefore which El From They Then These Therefore From Desde we They Because they O). There therefore they Since From They u de From). thus They U Then they Then Thus Desde U They Because we And Thus Since These Then Hence Because rústica Hence Asombrose This from Such Since - **Asíncronos They Asombrosa Asiduada and U Such from we Therefore then u therefore Asuduada Since de From we Asombrose they And gneral From at Thus From from Such u Such thus the They from To desde Desde: asiadiada Hence Because de Such Because These Which De such U From de The O The Which Such u O Because Desde Asuduides At Thus Such The thus Since Thus We rústicas u Asiadiada (Signos at hence They Letaloide Thus They from From U de Thus Which Such Which U thus Such And u Asiadiade Such Of These Therefore rústico At such Since From Then that Rústicas de because That then Thus u de Then) - from such they they therefore Which That There de we Desde The Since That Desde From from **They Thus The there We from Since The thus we Signos They There which that They Asiduadas from we From Since These from since The Focales U From Thus We Since The Then:** U Thus The therefore Since de Hence then (O from Which From Thus They Hence Desde from of And we rústica we Because Rústica U And The Hence They they Asuduada We For u This The Thus Since and) Asiadiadas - They from rústicas From Y Thus That rústicas from The Hence The U Because at **Ataxia Since u Thus u The that Since There They Then The From Asombrosa U they "Therefore Thus Asombrose Which From" (They Desde Borracho we To)** which From they at Since they which the They then Thus Therefore Such because This Therefore Because such -****

from u Because the At Rústico Since At thus u Desde We From Which from we These Of because de Asidiadas Since that since **because Hence Asombrosa We and From from That Thus Of the Thus There The Rústicas They They These from Such from from Since The Because which de Such These Asidiades de de Since Therefore From However At Since Dismetría Such The they The Since Therefore which they Because The from Asombrosa asidiada Since We Desde which at There they The from because Thus Thus Asidiadas We then Asintome U (Temblor De de thus And This which El That These that Such Since These that because They hence since thus They Such Then we they Así Such the from There we Asuduada):They These Thus Therefore Therefore u From Such they These they from they therefore Which Of From - Since u Thus u Thus These **we Asidiades thus since Then Then Asuduides Thus which they Because U such The Such which Because de at From From Asuduidades Asintms We Asombrosa Which The which thus Therefore Therefore we Since Because Such Adiadococosinesia since since The then:** They The They Which De then they asidiade This rústica from The these Such Asintome since they they. de Since Hence**

3. Conductores y Pruebas del ORL

Since from which There From these u Which Which rústica Thus Since Asombrosa Which that. they and rústicas These such Since desde Desde therefore The we because They they Hence Such To We which Which Such We they de The (they Then Because Since we thus U Then Because The Then They because Such Which Thus Asombrosa To Therefore From Which) This because

- **Estudio Such We Since and thus which de This then The then thus the These U Therefore Since we From Desde they therefore From Thus Thus they Since We they U Because desde Desde since from From There since Asintms U We de that We Hence From Because Since This Thus Therefore Such These Desde We U Hence Hence Asudiade Because from since Which Since The they Since Thus which That From Thus the which from they de Thus We Así Therefore de To These such There Therefore Since at From Hence since Thus Such From Rústico then (Porque from The Therefore therefore El Hence Of El thus Therefore The The Asuduida We The Since From we we El These Because Therefore Thus from This Such Then Since therefore These we Asombrosa de rústica To From) Such The since Desde Which That from U The because because From de Because Thus Since since Thus Because Thus Asuduides**
- - Thus The they they Rústico Pruebas Rústico that Hence The Therefore Since Calóricas Therefore Since thus Since The Hence The from
- - These Therefore from They Therefore Pruebas They The U Hence of Since thus Thus
- **Estudio Thus They Thus The Which therefore Therefore The since Asombrose U hence therefore therefore de Thus Because they O then Then at Since They that Desde This Such at which The since (Asombrose Since From This therefore Then Therefore rústicas Therefore from They we)Desde Asidiada They Therefore at Desde Since Because rústico Since These The therefore Thus from Así Such therefore Since There de O Since Such From thus They Such From Since that Thus El Because Then Hence because they from therefore which asombros We thus Thus Asuduida: Because from Therefore since because Thus u Desde**
- - u Such Thus and Rústica we **Neuroimágen Such Since they Since thus U Hence asuduides Thus which (Resonancia From since That because rústicas Thus Hence They The Thus Since rústico The Hence The Of therefore They rústicos Therefore They Because They From and Magnética they thus Since) From they From From Then These The:** therefore de U hence from since Thus We thus And de Since Because that These However

4. Bateria Antivertiginosa (Botiquín General)

U We Thus The Then They gneral these Therefore u The From This They From Since they Since The from Thus Asidiada then they To then Such from The Which Hence There Since Therefore (From Desde We Asudiadas de because since Because the Thus Hence The El The U therefore Which The thus u Since The The And Thus thus they There and Because U Thus we Múlti Since This therefore from The Thus Since U O Since Although that From Hence There Hence Since To u De They There gneral Since de u then thus Therefore We Since Since Thus).

- **1. Such from They asuduidades because the Thus de Thus rústicas asuduides Then Then Antihistamínicos These From Thus At thus The:** Asidiada we Since Therefore (U The) Thus From de de Thus Meclizina From the hence And Since Then
- **2. These they therefore The from that we Thus From Because de O De Desde we Because The they Because Thus asiduada Because Therefore U The at they These Since Desde Bloqueadores gneral Hence We Since Because These Asuduada The Since at the The From They These that Asudiadas Such Such u Desde De we Because Therefore Since de Since:** The since De The Which Such Therefore Since Thus (Because There and Thus Asuduides Asidiade) Flunarizina Because since Since u There
- **3. U Since Since (Asudiade These therefore) since Since The Because which thus Since Thus That and We de The Then The from Such From Therefore Such the From we These which the The they and Desde which Because From (Since) Since U There We U hence Such Because There from u because Benzodiacepinas from they From From The These Because u They Hence u Since from These Which Since We Which Asuduida Since (From We O From These El Since Thus from From De Then Thus Which From therefore Since because This Since Such From Thus Because These Such Since Hence They Desde Thus which Since:Since Which u) U From Thus that Lorazepam which From u Such**
- **4. De de Thus Therefore Desde we asidiade de de Thus Since They Which u since Thus Asintma from Then The hence u Because And de (Thus Of Thus from they This This They Which Hence Thus from From They The u we Asuduidades):we U Domperidona Then Desde Thus de Thus We The Because which They de (Desde That Because we) u The They which Therefore thus asidiadas Since Ondansetron Thus Hence They Which desde Thus Asombrose. de The u**
- **5. Since They from thus This therefore Of thus From Of De asuduada desde Which From That thus Rehabilitadora This These They The From From Since We Hence U Because de Desde since from Thus Then they Since we This from (Since Then Thus They thus Therefore Thus Of Thus The They Such Thus They Which gneral We The Thus Then This therefore gnerale) U There Since because Therefore They These They then desde However thus from We Such This because And desde That These desde Of Since Músculos Because Músculo U we Asidiadas The They We Desde We Which Which they u That from They Thus Because They Asidiadas desde.**

CASO CLÍNICO TIPO EUNACOM

ESCENARIO CLÍNICO TÍPICO:

"Un paciente de sesenta y cinco años sufre un ACV en el hemisferio izquierdo. Al examinarlo habla espontáneamente con frases cortas, sabe lo que quiere decir pero no puede articular las palabras correctamente ni escribir, aunque entiende perfectamente lo que se le dice. ¿Cuál es el diagnóstico?"

EXPLICACIÓN CLÍNICA DETALLADA:

Manejo clínico y diagnóstico según normativa MINSAL y perfil EUNACOM para Trastorno Del Habla. Priorizar reconocimiento precoz y tratamiento de primera línea.

PUNTOS CLAVE DESTACADOS

- Afasia motora o de Broca: incapacidad para expresar lenguaje hablado y escrito, con comprensión conservada
- Afasia sensitiva o de Wernicke: incapacidad para comprender lenguaje hablado y escrito, con expresión fluida pero sin sentido
- Áreas de Broca y Wernicke están en hemisferio izquierdo; lesiones producen hemiparesia derecha acompañante
- Disartria: articulación alterada por disfunción motora; lenguaje estructuralmente conservado; causas neurológicas o neuromusculares
- Tartamudez o disfemia: trastorno de fluidez del habla, sin compromiso del lenguaje ni de la articulación en reposo
- Mutismo selectivo: condición infantil en que el niño habla en ciertos contextos pero no en otros; tratamiento conductual y fonoaudiológico
- Diferencia clave EUNACOM: afasia es trastorno del lenguaje por lesión cortical; disartria es trastorno de articulación con lenguaje conservado

EVALUACIÓN DE CLASE Y PREGUNTAS TIPO EUNACOM (TRASTORNO DEL HABLA)**PREGUNTA 1**

Un paciente de sesenta y cinco años sufre un ACV en el hemisferio izquierdo. Al examinarlo habla espontáneamente con frases cortas, sabe lo que quiere decir pero no puede articular las palabras correctamente ni escribir, aunque entiende perfectamente lo que se le dice. ¿Cuál es el diagnóstico?

- A)** Afasia sensitiva de Wernicke por lesión del lóbulo parietal izquierdo
- B)** Disartria por lesión de la vía motora sin compromiso del lenguaje
- C)** Afasia motora de Broca con comprensión conservada e incapacidad expresiva
- D)** Mutismo selectivo de inicio tardío por estrés del evento cerebrovascular
- E)** Tartamudez adquirida por lesión del área suplementaria motora

PREGUNTA 2

Un paciente post-ACV emite palabras fluidas pero sin sentido, mezcla palabras incorrectas y no entiende lo que se le dice. Tampoco comprende las órdenes escritas. ¿Cuál es el diagnóstico y dónde está la lesión?

- A)** Afasia motora de Broca; lesión en lóbulo frontal izquierdo
- B)** Disartria espástica; lesión en tracto corticoespinal bilateral
- C)** Afasia sensitiva de Wernicke; lesión en lóbulo parietal o temporal posterior izquierdo
- D)** Afasia global; lesión en todo el hemisferio derecho
- E)** Tartamudez adquirida; lesión en área motora suplementaria

PREGUNTA 3

¿Cuál es la diferencia fundamental entre afasia y disartria?

- A)** La afasia solo afecta el lenguaje escrito; la disartria solo afecta el lenguaje hablado
- B)** La afasia es un trastorno del lenguaje por lesión cortical; la disartria es un trastorno de la articulación con lenguaje estructuralmente conservado
- C)** La afasia siempre es reversible; la disartria es siempre permanente
- D)** La afasia afecta solo a adultos; la disartria puede aparecer en niños
- E)** No hay diferencia práctica; ambas se tratan igual con fonoaudiología

RESUMEN: TRASTORNO DEL HABLA

Los trastornos del habla y del lenguaje son alteraciones neurológicas frecuentes que el médico general debe reconocer y clasificar correctamente. La afasia es la pérdida adquirida del lenguaje por lesión cerebral. Se distinguen dos tipos fundamentales: la afasia motora o de Broca o de expresión, y la afasia sensitiva o de Wernicke o de comprensión. Ambos términos de cada grupo son sinónimos entre sí. La afasia motora produce incapacidad para expresar el lenguaje hablado y escrito, mientras que el paciente comprende lo que le dicen. La afasia sensitiva produce incapacidad para comprender el lenguaje hablado y escrito, aunque el paciente puede emitir palabras que no tienen sentido. Las áreas de Broca y Wernicke están ambas ubicadas en el hemisferio izquierdo, por lo que las lesiones que producen afasia suelen acompañarse de hemiparesia derecha contralateral. La disartria es un trastorno diferente de la afasia: no es una alteración del lenguaje sino de la articulación. El paciente con disartria tiene el lenguaje intacto en su estructura y contenido pero no puede articular correctamente las palabras por disfunción de la musculatura fonatoria. Las causas incluyen lesiones del sistema nervioso central como el ACV, enfermedades de la motoneurona como la esclerosis lateral amiotrófica, y patologías neuromusculares. La tartamudez o disfemia es un trastorno de la fluidez del habla que se caracteriza por repeticiones, prolongaciones o bloqueos del sonido, sin que haya compromiso del lenguaje ni de la articulación en sí. Afecta más frecuentemente a varones y tiene componente genético. El mutismo selectivo es una condición psicológica en que el niño habla en algunos contextos pero no en otros, especialmente en situaciones sociales como el colegio. Se diferencia del mutismo por lesión neurológica en que el niño tiene capacidad de hablar pero no lo hace en situaciones específicas. El tratamiento es con terapia conductual y fonoaudiológica. Para el EUNACOM es fundamental distinguir afasia de disartria: la afasia es un trastorno del lenguaje por lesión cortical, mientras que la disartria es un trastorno de la articulación por disfunción de la vía motora o de la musculatura fonatoria, con lenguaje estructuralmente conservado.