
Blendon

Blender-style Scene view, gizmos and pie menus for the Unity Editor



User Manual

Version 1.0.0

Unity 6000.0 (Unity 6) or newer

DRYGIEL

blendon.drygiel.com

Table of Contents

1 Introduction

1.1 Editor-only by design

1.2 No scripting required

1.3 How to use this manual

2 Requirements

3 Installation and setup

3.1 Step 1 - Import the package

3.2 Step 2 - Choose a keyboard layout

3.3 Step 3 - Open the settings window

3.4 Step 4 - Verify the installation

3.5 Step 5 - Work through the in-Editor tutorial

3.6 Choosing a starting preset

4 Navigation

4.1 Orbit Selected - Middle Mouse

4.2 Quick Roll - Alt + Middle Mouse, flick

4.3 Camera Pan - Shift + Middle Mouse

4.4 Zoom - Scroll Wheel

4.5 Orientation Gizmo

4.6 Numpad Views

5 Transform gizmos

5.1 The Blendon tool context

5.2 Shared gizmo settings

5.3 Pivot Point

5.4 Move Tool - W

5.5 Rotate Tool - E

5.6 Scale Tool - R

5.7 Transform Tool - Y

5.8 Grab - G / R / S

5.9 Vertex snapping - V / Shift + V

6 Modal numeric input

7 Scene utilities

7.1 Snap to Floor - End

7.2 Frame Selected - Numpad .

7.3 Isolate View - Numpad /

7.4 Navigation History

7.5 Box Select - Left Mouse drag

8 Pie menus

8.1 Built-in pies

8.2 Draw Mode pie - Z

8.3 Toggle Wireframe - Shift + Z

8.4 Add Object pie - Shift + A

8.5 Snapping pie - Shift + S

8.6 Orientation pie - Comma

8.7 Pivot Point pie - Period

8.8 Reset pie - Slash

8.9 View pie - Backtick

8.10 Tools pie - Q

8.11 Custom pie menus

8.12 Shared pie settings

9 Context menu

9.1 The Editor's own menu

9.2 Context menu settings

10 Scene tutorial

10.1 The badge
10.2 The Tutorial page
10.3 Shortcut tips

11 Modifier keys

12 Default shortcuts

13 Settings window

13.1 Overview page
13.2 Defaults and overrides
13.3 Keyboard page
13.4 Keyboard presets

14 Data and files

15 Troubleshooting

16 Uninstalling

17 Support

17.1 Reporting a problem

1 Introduction

Blendon makes the Unity Scene view work like Blender: orbit around the selection, Blender-style pan, zoom and Move, Rotate, Scale and Transform gizmos, typed values mid-drag, box select, isolate view, snap-to-floor, pie menus on a single key, and a searchable right-click menu that keeps every entry of Unity's own.




Figure 1.1 The Move gizmo, drawn the Blender way.




Figure 1.2 The Tools pie menu, opened on Q.




Figure 1.3 Box Select picks everything the box touches.

Every feature is optional and configurable from one settings window. Nothing is written to your project until you ask for it.

1.1 Editor-only by design

Blendon is Editor-only. It adds nothing to player builds, has no runtime components, makes no network requests, collects no analytics and installs no extra packages.

1.2 No scripting required

You use Blendon through the Scene view, the settings window and Unity's Shortcut Manager. No feature needs code, and Blendon has no public scripting API, so this manual has no script reference.

1.3 How to use this manual

After installing, read Installation and setup, then work through the in-Editor Scene tutorial. The later chapters are reference, one group of features each, readable in any order.

Menu paths are written as **Tools -> Blendon -> Settings**, and keys as **Shift + Z**. Unity's Shortcuts window is written as **Edit -> Shortcuts**; on macOS it is **Unity -> Shortcuts**. Every default binding can be changed; see Settings window. Screenshots show the dark skin and default settings unless the caption says otherwise.

The settings window, its tooltips and Unity's Shortcuts window spell keys the Unity way: `Shift+Z` for **Shift + Z**, `Num 1` for **Numpad 1**, and mouse buttons by number. `Mouse 1` is the right button, `Mouse 2` the middle one, and `Mouse 3` and `Mouse 4` the side buttons. The settings window draws mouse buttons as small mouse icons.

2 Requirements

- **Unity 6000.0 (Unity 6) or newer.** Unity 6.0 and the newest release behave the same wherever the Editor allows it.
- **Any render pipeline:** Built-in, URP or HDRP.
- **Windows, macOS or Linux.** macOS shows Cmd and Option instead of Ctrl and Alt.
- **A numeric keypad with NumLock on** for the default keys of Numpad Views, Frame Selected (**Numpad .**), Isolate View (**Numpad /**) and keyboard zoom (**Numpad +** and **-**). All of them can be rebound, and everything else works without a keypad.

3 Installation and setup

Follow steps 1 to 5 in order. Setup takes about two minutes.

3.1 Step 1 - Import the package

1. In Unity, open **Window -> Package Manager**.
2. Select **My Assets** from the packages dropdown at the top left.
3. Find **Blendon**, click **Download**, then **Import** once it finishes.
4. Leave every file selected in the import dialog and click **Import**.

Blendon works anywhere: directly under `Assets/`, in a subfolder, or as a package under `Packages/`. You can move the folder later.

Wait until compiling ends and the progress bar in the bottom right corner of the Editor disappears.

3.2 Step 2 - Choose a keyboard layout

Blendon ships with the Blender keys, and they work at once on any shortcut profile, Unity's read-only **Default** included, without writing to it. In the focused Scene view they answer Blendon. Editor commands on the same keys (Cycle Tool Modes on **G**, the Scale tool on **R**, ...) keep working everywhere else.

On its first load Blendon asks one question, in a window titled **Blendon - keyboard presets** that stays in front of the Editor until you answer. It says how many Editor shortcuts the Blender keys cover and shows three cards, **Blender keys**, **Unity keys** and **No changes**, each with its keys and what it changes. Keyboard

presets describes both presets in full.

Answer	Result
Use Blendon keys	The default; **Enter** picks it. Blendon keeps the Blender keys, its context menu takes the right mouse button, and each Editor command it covers moves one modifier aside (Cycle Tool Modes to **Shift + G**, ...). Recommended if you come from Blender.
Keep Unity keys	The Editor keeps its keys, and Blendon's contested shortcuts move one modifier aside (grab to **Shift + G**, orbit to **Ctrl + Middle Mouse**, ...). The tutorial switches off, since it teaches the Blender keys; the switch at the top of the Tutorial page brings it back.
Skip	**Esc** and closing the window pick it too. Nothing is written and no copy is made. The right mouse button stays the Editor's Scene view menu. On an editable profile Blendon's context menu starts switched off, unless another project already gave it the button there; switching it on later on the Context Menu page takes the button. The tutorial still starts.

On Unity's read-only **Default** profile, either preset first makes an editable copy named **Default copy** and switches to it, without a second question. After **Skip**, or a later switch back to **Default**, the Overview page offers the copy and both presets.

The question comes once per install in each project, and a package update keeps your answer. On Windows, deleting Blendon's folder and importing it again is a new install and asks again, unless the profile is already on the Unity keys. On macOS and Linux, an import into a project Blendon already ran in never asks again.




Figure 3.1 The Keyboard Presets panel after **Use Blendon keys**.



Figure 3.2 Blendon preset: Blendon keeps the key, the Editor's command moves one modifier aside.




Figure 3.3 Unity preset: the Editor keeps its keys, and Blendon's move instead.

Every Blendon shortcut is also an entry under `Blendon/` in **Edit -> Shortcuts**, in folders named after the settings pages, such as `Blendon/Rotate/Grab`. Its default is the Blender key, and **Reset** there brings it back.

3.3 Step 3 - Open the settings window

Open **Tools -> Blendon -> Settings**. The same menu holds **Copy Support Info** for bug reports (see Reporting a problem) and **Prepare Uninstall...** (see Uninstalling).

This window holds every Blendon setting; see Settings window. The first time, it opens on the Overview page, the **Blendon** entry at the top of the sidebar, which lists every feature with its key and an on/off toggle. Later it reopens on the page you last viewed.




Figure 3.4 The Overview page.

3.4 Step 4 - Verify the installation

Open a scene with at least one object and click into the Scene view: Blendon's keys answer while it has focus. The keys below are the Blendon preset's. On the Unity preset, orbit is **Ctrl + Middle Mouse** and grab is **Shift + G**.

1. **Navigation.** Select an object, then hold the **Middle Mouse Button** in the Scene view and drag. The view should orbit around the object, not around the Scene view's own pivot.
2. **Gizmos.** Press **W**. The Move gizmo should look like the one in Transform gizmos. It lives in Blendon's own tool context, **Game Object (Blendon)**, toggled with **B**; see The Blendon tool context.
3. **Grab.** Press **G** and move the mouse. The object should follow the cursor at once. **Esc** or a right-click cancels and puts it back.

If any of these does nothing, check on the Overview page that the feature's row is on and that its key is not highlighted as clashing with a Unity command. See Troubleshooting.

3.5 Step 5 - Work through the in-Editor tutorial

Click the **Blendon Tutorial** badge in the bottom-right corner of the Scene view. The settings window opens on the **Tutorial** page: a checklist of 56 tasks in eight chapters, in which you build a small scene and learn Blendon's gestures. See Scene tutorial.

3.6 Choosing a starting preset

The Overview page has three feature presets, under **Presets**:

Preset	What it enables
Full	Every feature on. Your tuning, your keys and your shortcut profile are kept.
Essentials	Navigation and the transform gizmos, with their grab and vertex-snap keys. The numpad views, pie menus, context menu and scene tools stay off, and the Editor keeps the keys they would have taken.
Tools Only	Only the Move, Rotate, Scale and Transform gizmos, with their grab and vertex-snap keys. Everything else stays off, and the Editor keeps every key it would have taken.




Figure 3.5 Full: every feature on, your tuning and keys kept.




Figure 3.6 Essentials: navigation and the transform gizmos.




Figure 3.7 Tools Only: just the four gizmos.

To adopt Blendon gradually, start with **Tools Only** or **Essentials** and switch features on as you go. A preset only switches features on and off, and turns Blendon on if it is off. It never changes your tuning, keys or shortcut profile. The lit segment is the preset your switches match: a fresh install shows **Full**, one flipped switch leaves none lit, and clicking the lit one does nothing.

4 Navigation

Blendon moves the Scene view camera the way Blender does: around the selection, anchored on the point under the cursor, without leaving the mouse.




Figure 4.1 The four mouse gestures at a glance.

Orbit, Quick Roll and Pan are drags, so their shortcut fields take only mouse buttons, with or without **Shift**, **Ctrl** or **Alt**. The left button needs one of the three, since a bare left click selects; **Alt + Left Mouse** orbits like Unity's own orbit. Unity's Shortcuts window can also put Orbit or Pan on a keyboard key, held while you drag with the middle mouse button.

A zoom, pan or orbit started during an animated view change, such as a numpad view, first lands that change, then acts, as in Blender.

4.1 Orbit Selected - Middle Mouse

Hold the **Middle Mouse Button** and drag to orbit around the selection. With several objects selected, the view orbits the gizmo's point, set by the Pivot Point mode. A vertex settled by **Shift + V** becomes the orbit point instead; see Vertex snapping. The numpad orbit steps and the Orientation Gizmo turn the view about the same point.




Figure 4.2 Middle-drag: the camera circles the selection, which keeps its place on screen.

- Separate horizontal and vertical sensitivity, in degrees per pixel.

- **Depth.** With nothing selected, orbit around the scene point under the cursor instead of the Scene view's pivot. **Show Pivot Dot** marks that point.
- **Snap view to world axis.** Hold the snap modifier (**Alt** by default) mid-orbit to lock the view to the nearest world axis in orthographic. Release it for a free perspective orbit. **Threshold**, 12 degrees by default, sets how close the view must be to snap. If the orbit shortcut already holds the modifier, as **Alt + Left Mouse** does, release it and press it again to snap.
- **Blendon Context Only.** Off by default. On, Orbit Selected and Quick Roll answer only in the Blendon tool context. Elsewhere the numpad steps and the Orientation Gizmo turn about the view's pivot, as with Orbit Selected off.
- **Right-click or Esc** mid-drag cancels the orbit and restores the view.
- **A click is still a click.** The orbit starts once the drag passes 6 pixels, Unity's click distance. A middle click without a drag does what Unity's **Scene View/Focus** does: the pivot moves to the clicked surface and the view slides to center it, without zooming. With the orbit on another key, Unity's Focus answers the middle click itself.




Figure 4.3 Depth: with nothing selected, the view turns around the point you aim at.




Figure 4.4 Hold Alt mid-orbit and the view snaps to the nearest axis, orthographic.




Figure 4.5 The Orbit Selected page, which also holds Quick Roll.

4.2 Quick Roll - Alt + Middle Mouse, flick

Hold **Alt**, press the **Middle Mouse Button** and flick a short distance in any direction. The view rolls 90 degrees that way into orthographic, onto the nearest named axis view wherever the flick started.




Figure 4.6 Alt and a short middle-mouse flick roll the view 90 degrees onto an orthographic axis view.

- **Flick Distance.** Mouse travel before the roll commits, 6 pixels by default.
- **Animate.** Animates the roll instead of cutting to it.
- Quick Roll can be switched off on its own while Orbit Selected stays on.

4.3 Camera Pan - Shift + Middle Mouse

Pan with **Shift + Middle Mouse Button**, the `Blendon/Pan` shortcut, rebindable on the Pan page. The Unity keyboard preset moves it to **Alt + Middle Mouse**.




Figure 4.7 The camera slides sideways, and the grabbed point stays under the cursor.

- **Depth.** Keeps the exact world point under the cursor anchored.
- **Invert Drag.** Reverses the drag direction.
- **Cursor Wrap.** Lets a pan run past the edge of the view; see Defaults.
- **Blendon Context Only.** Off by default. On, the pan answers only in the Blendon tool context.
- **Right-click or Esc** mid-pan cancels it and restores the view.




Figure 4.8 Depth on: the grabbed point stays exactly under the cursor, near or far.




Figure 4.9 Invert Drag: the camera follows the cursor instead of the scene.




Figure 4.10 The Pan page; Cursor Wrap follows the shared default until you tick an Override box.

4.4 Zoom - Scroll Wheel

Blender's scroll-wheel zoom replaces Unity's, following Blender's *Preferences -> Navigation -> Zoom Method*:




Figure 4.11 The point under the cursor stays put while the camera closes in.

Method	Behavior
Scale (default)	Stepwise multiplicative scale of the view size around the pivot.
Dolly	Moves the viewpoint toward the Zoom To point, or along the view axis with Zoom To on Center, keeping the view size constant.
Continue	Continuous and magnitude-sensitive: faster scrolls zoom proportionally more.

- **Zoom To.** The point that stays put on screen: **Cursor** (default) the scene point under the cursor, **Selection** the selected object (several: the toolbar's Pivot Point), **Center** the middle of the view. Selection zooms to the middle when nothing selected is in view.
- **Blendon Context Only.** Off by default. On, the wheel and the keypad keys zoom Blendon's way only in the Blendon tool context, and the Editor's way elsewhere.
- **Sensitivity** is adjustable, and **Invert Direction** reverses the wheel.
- **Keyboard Zoom. Numpad +** and **Numpad -** zoom in fixed steps, 20% of the view size by default, toward the Zoom To point (with Cursor, only while the cursor is over the view). A zoom-out step exactly reverses a zoom-in step. Switched off, keyboard zoom hands both keys back to the Editor.




Figure 4.12 The three zoom methods: even steps, a camera that flies in, or speed-sensitive.




Figure 4.13 Zoom To keeps the cursor, the selection or the middle of the view where it is.




Figure 4.14 The Zoom page.

4.5 Orientation Gizmo

A Blender-style axis ball in the corner of the Scene view, in place of Unity's scene gizmo.




Figure 4.15 The Orientation Gizmo at rest.



Figure 4.16 Hovered: a backdrop, and the label of the negative handle under the cursor.

- Click an axis handle to snap the view to it, optionally animated. Clicking the handle the view already faces turns it around, so two clicks on Front give Back.
- **Drag to orbit.** Dragging inside the gizmo orbits with the Orbit Selected sensitivity. **Right-click** or **Esc** mid-drag cancels it and restores the view.
- **MMB toggles projection.** Middle-click the gizmo to toggle perspective and orthographic, or use the **Center circle** button. It is on by default.
- X, Y and Z axis letters, with optional always-on **Negative letters** and a **View Name** label. Clicking the label also toggles perspective and orthographic.

- **Lock.** A padlock shows in the gizmo's corner while the cursor is over the gizmo. Click it to lock or unlock the Scene view's rotation. While locked, the padlock stays visible and the gizmo ignores clicks and drags.
- **Right-click menu. Free** turns the view to a three-quarter angle along its heading. Below it are the six named views, a **Perspective** toggle, **Show Background** and **Settings**, which opens this page.
- Adjustable size, opacity, padding and line thickness, and **Hover Backdrop** and **Depth Fade** colors. **Show Background**, off by default, draws a dark panel behind the gizmo; this page and the right-click menu switch the same setting.
- **Blendon Context Only.** Off by default. On, Blendon's gizmo shows only in the Blendon tool context, and Unity's takes the corner elsewhere.
- **Hide Unity's gizmo.** On by default, so the two never overlap.




Figure 4.17 Drag inside the gizmo to orbit the view.




Figure 4.18 Hide Unity's gizmo: on by default, so only Blendon's is drawn.




Figure 4.19 The Orientation Gizmo page.

4.6 Numpad Views

Blender’s numpad navigation, rebuilt on Unity’s Shortcut Manager. NumLock must be on; the settings page warns when it is off.




Figure 4.20 The numeric keypad as Blendon binds it by default.

- **Blendon Context Only.** Off by default. On, the numpad keys answer only in the Blendon tool context. Zoom, Frame Selected and Isolate View follow their own pages.
- **Axis views. Numpad 1**, **3** and **7** look at the orbit pivot from the front, the right and the top; with **Ctrl**, from the opposite side. The same key again goes back to the perspective view you came from, unless the view left the axis view another way. The Orientation Gizmo shares these poses. In a URP or HDRP project the Unity keyboard preset moves **Back** to **Ctrl + Numpad 5** and **Left** to **Ctrl + Numpad 6**, away from the decal handles.
- **Toggle projection. Numpad 5** toggles perspective and orthographic in place, like the gizmo's center circle.
- **Orbit steps. Numpad 2**, **4**, **6** and **8** turn the view around the pivot, 15 degrees per press by default. With Orbit Selected on, they turn it around the selection.
- **Reverse view. Numpad 9** flips 180 degrees to the opposite side of the pivot.
- **Align to camera. Numpad 0** snaps the Scene view onto the active Camera component: the selected camera first, then `Camera.main`, then any enabled camera. **Match Field of View** optionally copies its field of view, and gives yours back once the view turns away.
- The page also lists the keyboard zoom, Frame Selected and Isolate View keys, shared with their own pages.
- Every jump can be animated.




Figure 4.21 Numpad 1, 3 and 7 look from the front, right and top; with Ctrl, from the opposite side.




Figure 4.22 Numpad 2, 4, 6 and 8 turn the view one step around the pivot per press.




Figure 4.23 The Numpad Views page.

5 Transform gizmos

Blendon replaces Unity's **Move (W)**, **Rotate (E)**, **Scale (R)** and **Transform (Y)** gizmos with Blender-style ones. Each can be switched off on its own, and then Unity's gizmo is back. Move, Rotate and Scale also run from the keyboard; see Grab. The Scale tool or Rotate Grab moves to **Shift + R**, depending on the keyboard preset.




Figure 5.1 Move (W): axis arrows, plane handles, a screen ring and a center dot.




Figure 5.2 Rotate (E): axis rings, a view ring and a trackball.




Figure 5.3 Scale (R): box-tipped axes, plane handles and a uniform-scale ring.




Figure 5.4 Transform (Y): all three in one gizmo.

All four gizmos:

- Honor Unity's **Local/Global** toggle and Blendon's Pivot Point modes.
- Support multi-object selection and undo.
- Have their own vertex snapping (hold **V**) and work with Unity's grid snapping (hold **Ctrl**).
- Cancel a drag on **right-click**, restoring the pre-drag transforms.
- Show a live readout of the exact change and accept typed values; see Modal numeric input.




Figure 5.5 A Move drag along Z, with the constraint line, the drag ghost and the readout.

5.1 The Blendon tool context

Unity's Scene view tools belong to a *tool context*. The built-in one is **Game Object**, and packages such as Splines and ProBuilder add their own. Blendon adds **Game Object (Blendon)**. In it, Move, Rotate, Scale and Transform are Blendon's gizmos, and every other tool, such as Rect and View, is Unity's.




Figure 5.6 The B switch in the Tool Contexts overlay, next to Game Object.

- **Where to find it.** On Unity 6.4 and newer, it is the switch with the **B** logo in the Scene view's **Tool Contexts** overlay. Unity 6.0 has no such overlay, so it is an entry in the menu of the tool context button in the **Tools** overlay.
- **It switches itself on.** If a gizmo is on when the Editor starts with Blendon, the Scene view enters Blendon's context and stays there through script reloads.

- **Toggle Blendon key. B** switches between Blendon's context and the previous one. If that one is gone (say, its object is deselected) or unknown, **B** goes to Game Object. The key works in every window. Change it on the Overview page, under **Tool Context**.
- **Unity's gizmos for a while.** Picking **Game Object** by hand (overlay or **B**) keeps Unity's gizmos until the Editor restarts or you pick **Game Object (Blendon)**. Turning the gizmos or the master switch back on, after all were off, also restores Blendon's context.
- **Esc keeps it.** In Unity, **Esc** in the Scene view drops to Game Object. In Blendon's context the context stays, while **Esc** still cancels a grab, a typed value or a menu, and a tool of its own, such as a Terrain brush, still steps back on it. With the master switch or all four gizmos off, **Esc** works the Unity way here too. For Unity's way, switch off **Esc Keeps Context** on the Overview page, under **Tool Context**. Leaving by **Esc** then counts as picking Game Object by hand.
- **Outside it, Unity's keys.** In other contexts, Blendon's keys that cover a Scene view Editor command step aside for it: the grabs on **G**, **R** and **S**, vertex snapping on **V** and **Shift + V**, and the Draw Mode and Tools pies while on **Z** and **Q**. Drags and clicks select the Editor's way. Leaving the context ends a running grab. Navigation, the other pies, the context menu, the hierarchy keys, Snap to Floor, Frame Selected, Isolate View and Navigation History work in every context.
- **Blendon Context Only.** Each of those tools has this row on its page, off by default. On, the tool answers only in Blendon's context and acts as if switched off elsewhere. With all four gizmos off, Blendon does not enter its context by itself, so these tools answer only after **B**.
- **One gizmo off.** Unity's tool takes its slot. The other three stay Blendon's.
- **All gizmos off.** Switching off all four gizmos, or the master switch, moves the Scene view to Game Object. Box Select and Click Selects Parent follow the context, so they rest as well.
- **Splines, ProBuilder and other packages.** Their contexts keep their own tools and the Editor's keys, with no Blendon gizmos.
- **Back from a package.** When Unity drops back to Game Object by itself (say, after deselecting a spline or **Esc** in ProBuilder), or you click Game Object while in a package's context, Blendon retakes its context one frame later. Unity then picks Move or Rect, as without Blendon.

5.2 Shared gizmo settings

The **All Tools** page in the sidebar holds what the gizmos share.




Figure 5.7 The live readout, drag ghost, constraint line and snap ticks.




Figure 5.8 The All Tools page.

- **Presets.** Picks the **Blender** or **Unity+** look (shapes, sizes, colors and the shared axis palette) for all transform gizmos at once, from a read-only preset file. It is on All Tools and each gizmo's page, and sets all of them. The picked preset is the default of every setting it covers: rows that differ show as changed, and **Reset to Defaults** and **Revert to Default** return to it. Changed values put a dot and a count on the preset. Click it again to undo them. Picking the other preset applies it in full.

- **Resolution, scale, opacity and color contrast.** Global multipliers under each gizmo's own layout settings.
- **Pivot Point Menu.** Adds Blender's four pivot modes to the dropdown; see Pivot Point.
- **Per-object Local Axes.** Off by default (Unity's way), Local space uses the active object's axes for all. On (Blender's way), each object uses its own axes, still about the shared pivot.
- **Click-select.** A click on a handle without a drag selects like the Editor's click. A prefab root or `[SelectionBase]` parent stands for its parts, and a second click enters the part. **Shift** adds and **Ctrl** (**Cmd** on macOS) toggles.
- **Fade out angle.** Axis handles fade at grazing camera angles.
- **Axis Colors** and the outline color, shared with the Overview page, and the **Center Dot**'s size, outline thickness and color.
- **Drag ghosts.** A translucent drag-start marker with a configurable tint.
- **Constraint line.** A full-length line along the dragged axis or plane, with adjustable thickness, opacity and contrast.
- **Snap Ticks.** Ticks along the dragged handle at every Ctrl-snap increment, with configurable length and gap.
- **Live Readout.** A Blender-style box with the exact delta, for example `Δz: 1.40m Global`. **Snap to Cursor** pins it by the cursor instead of the top of the view.
- **Axis labels.** An optional X, Y or Z label near the dragged handle's tip.
- **Precision Mode.** Hold the precision modifier (**Shift** by default) to slow the drag (20 percent speed by default) and halve the snap increment. With Precision Mode off, the modifier does neither. **Ctrl** (**Cmd** on macOS) here or as the Aim key is also the Editor's snap key, so a drag with it snaps or stops snapping too; the page says so.
- **Aim at Surface** (**Alt** by default). Drives Move's surface snap and Rotate's look-at, in handle drags and the **G** and **R** grabs, until the Move or Rotate page picks its own key.
- **Plane Lock Modifier** (**Shift** by default), under **Numeric Input**; see Modal numeric input.
- **Vertex Snapping.** The **Hold** and **Pick Virtual Pivot** keys; see Vertex snapping.
- **Cursor Wrap.** Lets handle drags and the G, R and S grabs run past the view edge. It follows the Overview default until you tick **Override**; see Defaults.




Figure 5.9 Per-object Local Axes: off, all follow the active object; on, each keeps its own.




Figure 5.10 Click-select: a click on a handle selects the object behind it.



Figure 5.11 The drag ghost marks where the drag started.




Figure 5.12 Snap Ticks mark every increment along the handle.




Figure 5.13 Precision Mode: with Shift, the object moves a fifth as far as the cursor.




Figure 5.14 Cursor Wrap: a drag at the edge carries on from the other side.

5.3 Pivot Point

The pivot point decides what two or more selected objects turn and scale around. While one of Blendon's tools is active, the Tool Settings overlay shows Blendon's **Pivot Point** dropdown in place of Unity's **Pivot/Center**, with Unity's Global/Local beside it. Click it and pick a mode.




Figure 5.15 The Pivot Point dropdown, here on Center (Bounding Box).




Figure 5.16 The orange dot is where the selection turns and scales.

The four modes sit on the two sides of Unity's Pivot/Center toggle, so the two never disagree. Picking a mode flips Unity's toggle to its side. Picking Pivot or Center in Unity's dropdown (shown by the Rect tool and the Game Object context) brings back the mode last used on that side.




Figure 5.17 Which side of Unity's toggle each mode belongs to.

Mode	Button label	Where the selection turns and scales
Center (Bounding Box)	Center	The center of the box around the whole selection, the same as Unity's Center.
Median Point	Median	The average of the objects' origins, Blender's default.
Pivot (Individual Origins)	Pivot	Each object about its own origin, and in Local space along its own axes too.
Active Object	Active	The active object's origin. The rest of the selection turns and scales around it.




Figure 5.18 Bounding Box Center: the middle of the selection's bounds.




Figure 5.19 Median Point: the average of the origins.




Figure 5.20 Individual Origins: each object about its own origin.




Figure 5.21 Active Object: the gizmo sits on the capsule.

- **Global/Local changes only the axes, never the pivot.** Individual Origins also works in Global and for screen-ring and trackball rotation.
- **Scaling about a shared pivot spreads positions.** Except under Individual Origins, a scale also moves objects away from the pivot. Each object scales along its own axes.
- **A single selection follows the toolbar alone**, as with Unity's gizmos.
- The defaults, **Bounding Box Center** on the Center side and **Individual Origins** on the Pivot side, match Unity's behavior.
- **Pivot Point Menu** off (All Tools page) leaves only Center and Pivot in the dropdown. The Pivot Point pie on **.** lists all four, but only Center and Pivot can be picked when the menu is off or outside the Blendon tool context.
- **Only with Blendon's tools.** The Rect tool, tools whose Blendon gizmo is off, and other contexts keep Unity's dropdown. On Unity 6.4 and newer, pivot modes from other packages are missing while a Blendon tool is active.

5.4 Move Tool - W

Three colored axis arrows, plane handles, a white screen-space ring for free dragging, and a center dot.




Figure 5.22 Drag an arrow along an axis, a square across a plane, the ring freely.

- Adjustable axis length, thickness, offset and arrow-head size, with flat 2D or 3D tips.
- Optional plane handles with configurable shape, size, offset and outline.
- Optional screen-move ring with an adjustable radius.
- **Surface Snap.** Hold the aim modifier (**Alt**) while dragging to drop the selection onto the surface under the cursor. A drag on an axis or plane keeps its constraint and snaps only as far as it can reach. Release **Alt** and the selection returns under the cursor, as in a **G** grab, with increment snapping on its grid steps again.
- **Grab.** The **G** key; see Grab.




Figure 5.23 Surface Snap: hold Alt and the object lands on the surface.




Figure 5.24 A plane handle slides the object across two axes.




Figure 5.25 The Move page.

5.5 Rotate Tool - E

Three axis rings, an outer screen-space ring around the view axis, and an optional shaded trackball for free rotation.




Figure 5.26 Drag a ring to turn around its axis, the outer ring around the view, the trackball freely.

- **Rotate To Cursor.** A Blender-style arc drag: the angle follows the cursor around the pivot. Off, it reads raw mouse movement along one screen axis, as Unity does.
- **Look At.** Hold the aim modifier (**Alt**) while dragging, or during the **R** grab, to aim the selection at the surface under the cursor. The trackball turns the whole object, an axis ring only about its axis. The **R** grab aims about its axis (the view axis, or **X**, **Y** or **Z**, switchable while aiming) and draws the aim line. On release, the turn follows the cursor from the aimed angle. Typed digits win over the aim. Under Individual Origins, or Local space with **Per-object Local Axes**, each object aims on its own, then all turn on by the same angle.
- **Depth Gradient.** Shades the dragged ring from the axis color (near) to the constraint color (far).
- **Angle arc.** A swept pie of the rotation delta with adjustable opacity. **Dynamic Opacity** keeps overlapping 360-degree laps from washing out to white.
- Adjustable ring length and thickness, and trackball radius and opacity.




Figure 5.27 Rotate To Cursor: the angle follows the cursor.




Figure 5.28 Look At: hold Alt and the selection faces the point under the cursor.



Figure 5.29 The trackball spins the object freely.



Figure 5.30 Dynamic Opacity keeps the arc even over several turns.




Figure 5.31 The Rotate page.

5.6 Scale Tool - R

Box-tipped axis handles, plane handles, an inner uniform-scale circle and an outer pick ring.




Figure 5.32 Drag a box to scale on one axis, a square on two, a ring on all three.

- **Force Local Orientation.** Unity's behavior: always draw and scale along the object's local axes, ignoring the handle-rotation toggle. Off by default, for Blender-style Global and Local, which approximates scaling along the dragged world axis on a rotated object.
- Adjustable axis length, thickness, offset and box size, with flat or 3D box tips.
- Optional plane handles and screen rings with configurable inner and outer radii.




Figure 5.33 Force Local Orientation: on, the object's axes; off, the world axes in Global.



Figure 5.34 Drag inside the outer ring, away from the handles, to scale evenly.




Figure 5.35 The Scale page.

5.7 Transform Tool - Y

All three gizmos nested in one: arrows outermost, rotate rings in the middle, scale boxes innermost.




Figure 5.36 Press Y: move, rotate and scale on one gizmo.




Figure 5.37 Arrows move, rings rotate, inner boxes scale.

- Each part has its own layout settings (length, offset, thickness, head size, screen rings, and the rotate part's ring radius, trackball and ring color), so tuning a standalone tool never changes the nesting.
- Scale's outer pick ring is always off here, because it would swallow the other handles. Its uniform-scale circle takes a press on its line only, so the inside stays with the free-move ring. Plane squares are off by default and can be switched on. They sit just outside the free-move ring.
- The trackball and the free-move screen ring are on by default and can be switched off.
- Grab keys, flat tips, surface snap, look-at, rotate-to-cursor, depth gradient, angle arc and force-local follow the standalone tools. The page's **Reset to Defaults** resets only what it shows, such as the flat tips and the angle arc. The rest, such as Surface Snap, Look At and Grab From Any Window, stays as the Move, Rotate and Scale pages have it.



Figure 5.38 The Transform page has only drawing settings.

5.8 Grab - G / R / S

Blender's modal grab. Press **G**, **R** or **S** in the Scene view, in the Blendon tool context, and the selection follows the cursor with no handle to click. The active toolbar tool stays active. Confirm with a click or **Enter**, cancel with a right-click or **Esc**.

- **Grab (G)** moves the selection across a camera-facing plane through the pivot.
- **Rotate Grab (R)** spins it around the view axis.
- **Scale Grab (S)** scales it uniformly by the cursor's distance from the pivot. Under Individual Origins each object scales about its own origin, and the distance is measured from the active object.

`G` → `X` → `2` → `.` → `5` → `Enter`

Move 2.5 m along X
G grabs, X constrains, digits set the value

`R` → `Z` → `Z` → `9` → `0` → `Enter`

Rotate 90 deg about local Z
The second Z switches Global to Local

`S` → `Shift` + `Z` → `2` → `Enter`

Scale 2x in the XY plane
Shift + axis locks the other two axes

Esc or right-click cancels at any point and puts the selection back.

Figure 5.39 Three grabs typed without the mouse.




Figure 5.40 G, X, 2.5, Enter: 2.5 m along X.




Figure 5.41 R, Z, 90, Enter: 90 degrees about Z.




Figure 5.42 S, Shift + Z, 2, Enter: doubled in X and Y, Z unchanged.

A grab works like a handle drag:

- **X**, **Y** and **Z** constrain it to an axis, and **Shift** with one locks a plane (on Rotate, it turns about the excluded axis). A third press of the same key drops the constraint.
- Typed digits set a distance for **G**, degrees about the view axis for an unconstrained **R**, and a uniform factor for an unconstrained **S**.
- The precision modifier, grid, rotation and scale snapping and the Pivot Point apply. With the aim modifier, G uses **Surface Snap** and R uses **Look At**; see Rotate Tool.
- While a grab runs, only the center dot of the gizmo is shown. Unity's own tool, used when its Blendon gizmo is off, keeps its handles.
- Another grab key during a grab undoes the first and starts the new one from where the selection stood. The same key again does nothing.
- **G**, **R** or **S** during a handle drag takes it over, unless it is the same kind (**G** on a Move arrow). The grab confirms on mouse release, or, if released outside the Scene view, on a click or **Enter**.
- Each key is rebindable on its tool's page (Move, Rotate or Scale). A grab is on whenever its tool is on.
- **Grab From Any Window**, off by default, is on each of those pages too. On, the key works from any window: the Scene view under the cursor, or the last one used, comes to the front and runs the grab, still only in the Blendon context.
- While the Scale tool and Rotate Grab still share **R**, Rotate Grab answers it in the Scene view and the Scale tool elsewhere, unless Rotate's **Grab From Any Window** is on. See Keyboard presets.

5.9 Vertex snapping - V / Shift + V

Blendon's vertex snap works on every gizmo handle and in the G, R and S grabs. The gizmo becomes a square handle, markers show the selection's vertices, and the edges from the current vertex are traced. During a drag, the target object marks its vertices too.




Figure 5.43 Hold V and drag: the crate's corner lands on the barrel's rim.

Hold V to snap while the key is down. The selection is picked up by the vertex nearest the cursor and dropped onto the nearest vertex of another object.

Shift + V (Pick Virtual Pivot) opens a mode that stays on. It rings the vertex nearest the cursor. Click to settle on it. Drags then run from that point instead of the selection's pivot, until the mode is switched off.

Both keys work in the Blendon tool context only. Elsewhere they are the Editor's vertex snapping.




Figure 5.44 Hold V: snap onto a vertex of another object.




Figure 5.45 Shift + V: the picked vertex becomes a temporary pivot.

- Each entry starts a fresh choice.
- While a vertex is settled, Orbit Selected, the numpad orbit steps and the Orientation Gizmo turn the view about it.
- **Right-click** or **Esc** leaves the mode. A click past the gizmo, or a selection change, drops the settled vertex and reopens the choice.
- **Holding V** while idle reopens the choice. Released over nothing, the old pick returns.

- **V during a drag** toggles the pull toward other objects' vertices. Held past a quarter of a second, it is a clutch: releasing it turns the pull off.
- **On an axis or plane**, from its handle or after **X**, **Y** or **Z**, the pull lands on the point of that axis or plane nearest the target vertex, along the gizmo's axes in Local and Global.
- While the pull is on, grid snapping and the precision modifier stand down. Without it, a drag from a settled vertex snaps and slows down as usual.
- **Alt** (surface snap) suspends the pull while it drives the drag.

Enter makes a settled vertex permanent. Unity cannot move an object's pivot, so Blendon creates an empty on that vertex, parents the selection under it and selects it. The mode closes, and the group turns and scales around that vertex.

- The empty takes the active object's rotation. It is named after the object, as in `Crate Pivot`, or `Pivot Group` for several objects.
- It takes the objects' place in the Hierarchy, or the scene root when they have different parents. Only the topmost selected objects move under it, so a selected child keeps its parent.
- Creating and parenting is one undo step.
- During a grab or a typed value, Enter confirms the transform instead.
- An object inside a prefab instance (other than its outermost root) and the root of the prefab being edited cannot be reparented. Blendon then leaves the selection alone and says why in the Console.

Skinned meshes snap to their posed vertices, not the bind pose.

The mode never re-orients the gizmo. Only Scale's **Force Local Orientation** overrides Unity's handle-rotation toggle.

Both keys are rebindable on the All Tools page or the Keyboard page.

6 Modal numeric input

During any gizmo drag or keyboard grab, type an exact value, as in Blender.




Figure 6.1 Typing 2.5 during a Move drag: the readout shows the typed value.

Key	Effect
`0` - `9`, `.`	Type the value. The first digit enters numeric mode, and the mouse stops driving the transform. A comma also types the decimal point.
X / **Y** / **Z**	Constrain to that axis. Anything already typed carries over to the new axis.
The same axis key again	Switch to the other orientation, as in Blender; see the figure below.
Shift + **X** / **Y** / **Z**	Lock the opposite plane, excluding that axis instead of isolating it. It counts as the same letter for the orientation cycle, and on a rotation it turns about the excluded axis. The modifier is configurable.
`-`	Toggle the sign.
`/`	Toggle the reciprocal, `1/x`.
Backspace	Delete a character. Deleting the last one exits numeric mode and gives the drag back to the mouse at once.
Enter or **left-click**	Confirm.
Esc or **right-click**	Cancel and restore the pre-drag transform.




Figure 6.2 The first press uses the toolbar's orientation, the second the other one, the third drops the constraint on a grab.




Figure 6.3 Shift + Z locks the X-Y plane, so the object never moves on Z.

An axis key before typing does not enter numeric mode: the mouse keeps driving the drag on the new axis or plane. The precision modifier and snapping still work after an axis key, also on a rotation ring. Snapping never rounds a typed value. On a plane handle, the value applies to both axes: Move slides that distance along each, and Scale scales both by the factor.

7 Scene utilities

7.1 Snap to Floor - End

Drops the selected objects onto the first surface drawn in the chosen direction, so a floor needs no collider. The object and its children are skipped. Each object falls straight until its base meets something, even under one corner, so an object hanging over a table edge, or with its pivot outside its body, lands on the table. Its drawn parts, children included, rest on the surface. An object that draws nothing, such as an empty, lands with its pivot on it. Undoable.

With nothing below, an object lands on the Terrain under it, or on the ground plane at Y = 0 when there is no terrain. An object buried in terrain comes back up onto it.




Figure 7.1 Before: a crate floating above a sloped ramp.




Figure 7.2 After pressing End: the crate rests on the ramp.

- **Blendon Context Only.** Off by default. On, the key answers in the Blendon tool context only.
- **Direction.** Down onto floors, or Up onto ceilings.
- **Surface Layers.** Only snap onto surfaces on the chosen layers.
- **Align to Surface.** Also rotate each object so its up axis matches the surface slope.
- **Surface Offset.** A gap between the object's base and the surface.
- An optional bounce animation with an adjustable duration.



Figure 7.3 Align to Surface: the object lies flush with the slope.




Figure 7.4 Direction: down onto floors, or up onto ceilings.




Figure 7.5 The Snap to Floor page.

7.2 Frame Selected - Numpad .

Each press goes to the next of four steps, then the cycle starts over. **Selection Center** turns the camera to the middle of the selection, **Active Pivot** to the active object's pivot, **Zoom In** runs Unity's own Frame Selected for a close-up, and **Back to Start** returns to the starting view. The Sequence table on the page sets which steps the key uses and in what order. Moving the camera yourself between presses restarts the cycle. A step that would not move the view is skipped.




Figure 7.6 Each press steps the camera closer, and a fourth goes back.




Figure 7.7 The four steps of the cycle.

The camera fly-to can be animated instead of snapping, with an adjustable duration. **Blendon Context Only**, off by default, keeps the key to the Blendon tool context.




Figure 7.8 The Frame Selected page.

7.3 Isolate View - Numpad /

Blender-style local view. Blendon hides everything except the selection with Unity's Scene Visibility. Press the key again to restore the scene.




Figure 7.9 Before: the whole scene, with the stack of boxes selected.




Figure 7.10 After Numpad /: only the stack remains.

- **Blendon Context Only.** Off by default. On, the key answers in the Blendon tool context only. An isolation started there stays after you leave, and Unity's own isolation bar ends it.
- **Include Children.** Isolate the whole hierarchy under each selected object. On by default.
- **Frame On Isolate.** Frame the selection when isolating. Off by default.



Figure 7.11 Include Children: on, the table keeps its cup and plate.




Figure 7.12 Frame On Isolate: on, the camera frames what is left.




Figure 7.13 The Isolate View page.

7.4 Navigation History

Browser-style back and forward for your selection and your view, up to 100 entries each.

- **Selection History.** Steps through previous selections. Default: **Mouse 3 / Mouse 4**, the side buttons on most mice. Only scene objects are recorded, so clicking a Project asset adds no step. Opening or creating a scene, except additively, starts the history over.
- **View History.** Undo and redo for Scene view camera positions, optionally animated. Default: **Shift + Mouse 3 / Shift + Mouse 4**.
- **Blendon Context Only.** One per half, off by default. On, its keys answer in the Blendon tool context only. Both halves keep recording everywhere.



Figure 7.14 Selection History: the side buttons step through past selections.




Figure 7.15 View History: with Shift, they step through camera views.




Figure 7.16 The Navigation History page. Each half has its own switch.

7.5 Box Select - Left Mouse drag

Blender's box select: a box dragged over the Scene view selects every object it touches, where the Editor's own box takes only objects wholly inside. On by default. Switching it off from **Scene Tools -> Box Select** or the Overview page gives the drag back to the Editor and also stops Click Selects Parent and the hierarchy keys.




Figure 7.17 Only parts of the ball and the crate are inside the box, yet both are marked and named.

- **Exact, not approximate.** The box tests each object's real triangles, sprite shape or line path, not its bounding box.
- **Visible Only.** On by default: the box selects only what you can see, like Blender with X-Ray off. **C** toggles it, also mid-drag. Sprites, lines and trails are always tested whole.
- **Add, remove and combine.** Hold **Shift** to add and **Ctrl** (**Cmd** on macOS) to remove. **Shift + Ctrl** follows its setting: **Difference** (default) flips everything under the box, **Intersect** keeps only selected objects under the box. These use the Editor's *Add Box Select* and *Invert Box Select* shortcuts, so rebinding those in Unity's Shortcuts window rebinds them here.
- **Move Box.** Hold **Space** while dragging to move the box instead of resizing it. Let go to resize again from the new place.
- **While Dragging. Highlight** (default) marks what the release will select, with an outline or a fill. **Live** selects as you go, Hierarchy and Inspector included. **On Release** shows nothing until the button comes up.
- **Separate Outlines.** On by default: each marked object gets its own line, also where objects overlap, with the nearer line on top. Off, one line runs around them all.
- **Lines Between Objects.** Off by default. On, selected objects also get the lines between them that the Editor's outline leaves out, such as a selected cube on a selected plane, however they were selected. The lines use the *Selected Outline* color and cost a little on each Scene view repaint while two or more objects are selected.

- **Cursor Readout.** Names the objects the release changes, counts them, or both.
- **Fully Enclosed.** Off by default. On, only objects wholly inside the box are selected. With **Visible Only** on, the whole object must still fit, also a part hidden behind others or past the view edge.
- **Select Prefab Roots** and **Respect Selection Base.** As with a click, touching part of a prefab instance selects the instance, and touching an object under a `[SelectionBase]` parent selects that parent.
- **The Scene view's picking rules still apply.** Hidden objects, objects with picking disabled, locked layers and the Prefab Mode stage are respected. In a LOD group only the level on screen counts.
- **Only in the Blendon tool context.** Elsewhere a drag draws the Editor's own box (see The Blendon tool context). The hierarchy keys work in every context.
- **Everything else stays the Editor's.** Handles, Terrain painting, Alt-orbit and tools that take the press, such as ProBuilder's Create Shape, keep the box away as without Blendon. Terrain, particle systems, UI and gizmo icons (lights, cameras) are selected only when wholly inside the box.




Figure 7.18 Visible Only: on, only what you can see; off, hidden objects too.




Figure 7.19 Shift + Ctrl: Difference flips, Intersect keeps the overlap.




Figure 7.20 Hold Space while dragging to move the box.




Figure 7.21 While Dragging: nothing, a highlight, or a live selection.



Figure 7.22 Separate Outlines: one line per object, or one around them all.




Figure 7.23 Lines Between Objects: the lines the Editor's outline leaves out.



Figure 7.24 Fully Enclosed: off, touching is enough; on, only whole objects.




Figure 7.25 Respect Selection Base: touching the leaves selects the whole tree.

Each box is one undo step. **Esc** or a right-click cancels a box mid-drag.

7.5.1 Click Selects Parent

On the same page, on by default. Clicking the selected object again selects its parent, and each further click the next parent up. Past the topmost parent, the click goes to the object under the cursor, so every level can be reached, including parts under a `[SelectionBase]` or a prefab root. Clicks with **Shift**, **Ctrl**, **Alt** or **Cmd** are left alone, as is every click outside the Blendon tool context. A click a tool takes, such as one of ProBuilder's Create Shape, keeps the selection. Only a click that makes the Editor pick an object climbs, or a click without a drag on a Blendon gizmo handle while **Click-select** is on (All Tools page).




Figure 7.26 Each click on the same spot climbs one parent up.

7.5.2 Hierarchy keys

Blender's **[** and **]** walk the hierarchy from the Scene view. An object with no parent or no children to go to stays selected. Objects hidden in the Scene view, with the eye icon or Isolate View, are skipped, here as in Click Selects Parent and the context menu's **Children**, **Hierarchy** and **Parent**. The keys have their own switch in the **Hierarchy Keys** panel. Off, Blendon leaves them alone. Their **Blendon Context Only** row, off by default, keeps them to the Blendon tool context.



Figure 7.27 The hierarchy keys on the stack from the pictures above.




Figure 7.28 The Box Select page.

8 Pie menus

Blender's radial menus, with both of its interaction styles on one key.

- **Flick.** Hold the key, move the mouse in a direction, and release. The item in that direction runs at once.
- **Tap.** Press and release the key without moving, however short the tap. The menu stays open, you can move freely, and a left-click runs an item.
- **Cancel.** Press **Esc**, right-click or click into another window. Releasing the key, or left-clicking an open menu, also cancels while the cursor is in the center deadzone or points at an empty or greyed-out slot.




Figure 8.1 Flick toward an item and let go, or tap to keep the menu open.





Figure 8.2 A tap leaves the menu open, a hold flicks.



Slots 1-4
left, up, right, down

Slots 5-8
upper-right, lower-right, lower-left, upper-left

Selection by angle
only the direction counts, not the distance

Wedges
90 deg with four items, 45 deg with eight

Deadzone
release inside it and nothing runs

Figure 8.3 Four items take the sides, the next four the diagonals.

Only the angle from the menu's center counts, so a flick 500 pixels past an item still picks it. A four-item menu gives each item a 90-degree wedge, and diagonals narrow every wedge to 45 degrees, as in Blender.

An open menu owns the Scene view: no marquee select, orbit, zoom or gizmo drag, and every Blendon shortcut stands down. Number keys, on the top row or the keypad, run the numbered items directly.

An item that matches the Editor's current state, such as the active tool, the draw mode or a snap toggle that is on, is tinted blue. The item under the cursor is lit. An item that cannot run now, such as a Reset with nothing to reset or a tool whose package is not installed, is greyed out in place, so the ring never shifts.

8.1 Built-in pies

Blendon ships eight pies. Each can be switched off on its own, rebound, and edited like your own (see Custom pie menus).

Pie	Default	Items
Draw Mode	Hold **Z**	Wireframe, Unlit, Shaded, Wireframe Shaded
Add Object	Hold **Shift + A**	Cube, Empty, Sphere, Camera, Cylinder, Light, Particle System, Plane
Snapping	Hold **Shift + S**	Incremental, Angle, Scale, Grid
Orientation	Hold **,**	Global, Grid, Local
Pivot Point	Hold **.**	Center, Median, Active, Pivot
Reset	Hold **/**	Position, Scale, Rotation, All
View	Hold **`**	Left, Top, Right, Bottom, Front, Perspective / Orthographic, Camera, Back
Tools	Hold **Q**	Move, Scale, Rotate, Transform, Rect, Hide Gizmo, Create Spline, View

Items fill the ring in the table's order, Blender's own: the first four go **left, up, right and down**, the next four to the **upper-right, lower-right, lower-left and upper-left** diagonals. An empty item leaves its slot blank, so later items keep their places. Orientation's empty slot below is where Blender has an orientation Unity lacks.

8.2 Draw Mode pie - Z

Blender's Z menu, on Unity's four draw modes, since Unity has no matcap Solid mode or HDRI Material Preview. The current mode is tinted. A mode the active render pipeline does not offer is greyed out.




Figure 8.4 The Draw Mode pie, with Shaded current and Wireframe lit.

Item	Unity equivalent
Wireframe	Wireframe draw mode; nothing else is touched
Unlit	Shaded draw mode with Scene Lighting off, so the view is lit from the camera; skybox, particles and visual effects on; post-processing, fog and flares off

Item	Unity equivalent
Shaded	Shaded draw mode with scene lighting, skybox, post-processing, fog, flares, particles and visual effects on, and Always Refresh
Wireframe Shaded	Shaded Wireframe draw mode, with the same lighting and effects as Shaded

Unlit and Shaded are one draw mode told apart by the Lighting toggle, so flipping that toggle by hand changes which one the menu treats as current. Other effect toggles you change are remembered per view and per mode for the Editor session.

In Unity's **Edit -> Shortcuts** window this pie is listed as `Blendon/Pie Menus/Draw Mode`.

8.3 Toggle Wireframe - Shift + Z

The pie's other half, paired as in Blender. **Shift + Z** switches the Scene view to Wireframe. Pressed again, it returns to the mode shown before Wireframe with its effect toggles, also when the Draw Mode pie picked Wireframe. With no previous mode, as in a fresh session or after a debug draw mode the pie does not name, it goes to Shaded.

Toggle Wireframe has its own switch on the Pie Menus page, so it keeps working with every pie off. With the pies off it also ignores their Blendon Context Only and answers in every tool context. During a grab the key is Blender's plane lock and goes to the running manipulation.




Figure 8.5 Shift + Z toggles Wireframe.

8.4 Add Object pie - Shift + A

Blender's Shift + A menu. **Light** is a Point Light.




Figure 8.6 The Add Object pie.

Each item runs Unity's own **GameObject** menu command and places the new object where the pie was opened: on the surface under the cursor, else on the ground at Y = 0. Only over the sky does it use the camera-facing plane through the view's pivot. With **Place On Floor** on (the default), a mesh object rests the bottom of its bounds on that point, whatever its pivot. One undo step covers creation and placement, and the new object stays selected. Placement works for these items in any pie.



Figure 8.7 Place On Floor: on, a new object rests on the point.

8.5 Snapping pie - Shift + S

Toggles Unity's own snap settings, the same state the Scene view toolbar shows and keeps.




Figure 8.8 The Snapping pie.

- **Incremental.** Snap by the increments in Unity's snap settings, relative to where the drag started. Turns Grid off.
- **Grid.** Snap to the Scene grid itself.
- **Angle and Scale.** Snap rotation and scale by their increments. Before Unity 6000.4 the Editor has one toggle for all three increments, so there Incremental, Angle and Scale all flip it.

8.6 Orientation pie - Comma

Blender's Comma menu, on Unity's own handle rotation toggle. **Grid** sits where Blender keeps Gimbal, and is greyed out on Unity versions whose toggle has no Grid, such as 6000.0.




Figure 8.9 The Orientation pie, with Global current.

8.7 Pivot Point pie - Period

Blender's Period menu in Blender's layout, with the toolbar button's short names: **Center** (Bounding Box Center), **Median** (Median Point), **Active** (Active Object) and **Pivot** (Individual Origins). Active sits where Blender keeps 3D Cursor.




Figure 8.10 The Pivot Point pie, with Center current.

A mode works as in the Pivot Point dropdown. With Pivot Point Menu off, or outside the Blendon tool context, Median and Active are greyed out, and Center and Pivot set Unity's own toggle. A mode picked in Blendon's context waits there for your return.

8.8 Reset pie - Slash

Blender's Alt + G, Alt + R and Alt + S on the **/** key. The pie resets the *local* transform of every selected object (position zero, no rotation, scale one), so a child returns to its parent's origin, not the world's. Undoable.




Figure 8.11 The Reset pie, with Scale greyed out on a crate at scale one.

Each item is greyed out while it has nothing to do: **Rotation** when every selected object is already at zero, **Scale** when every one is at one, and the whole pie with nothing selected.

8.9 View pie - Backtick

The numpad's camera moves under the mouse. Each item runs its numpad key's move on the Scene view the pie was opened in.




Figure 8.12 The View pie.

The projection toggle is labelled with the projection it switches *to*, **Perspective** or **Orthographic**. **Camera** aligns the view to the active camera like **Numpad 0**. An axis item is tinted while the view is exactly aligned to it.

8.10 Tools pie - Q

Unity's own tools without the toolbar. The active tool is tinted. Outside the Blendon tool context, **Q** stays the View tool while the pie sits on it, as **Z** stays Toggle Pivot Position for the Draw Mode pie.




Figure 8.13 The Tools pie.

- **Hide Gizmo** is Blender's Show Gizmo reversed. On in the Blendon tool context, it hides Blendon's gizmos and Unity's Rect handle, so nothing covers the selection. Keyboard **G** / **R** / **S** still work. Unity's own tool in a switched-off gizmo's slot stays visible. Outside the Blendon context the item is greyed out. It is tinted while the gizmos are hidden and turns off when Unity restarts.
- **Create Spline** needs the Splines package (`com.unity.splines`) and is greyed out without it. Picking it while it is active drops back to Move.

8.11 Custom pie menus

The **Pie Menus** settings page lists the built-in pies above your own.




Figure 8.14 The pie lists on the Pie Menus page.

Each row has:

- an on/off switch; off frees the pie's key for the rest of the Editor;
- the title, which opens the pie editor;
- the key, highlighted on a clash with another command, and how many slots run something;
- **Edit**, plus **Reset** for a built-in pie (restores the shipped title, items and preset key) or **Remove** for one of your own.




Figure 8.15 A pie of your own, with any key and any action.

Add creates a new pie. There are eight custom slots, each with its own Shortcut Manager entry (`Blendon/Pie Menus/Custom 1` to `Custom 8`), unbound until you give it a key. **Config File** reveals the file that holds every pie (see Data and files).




Figure 8.16 The pie editor on the Add Object pie.

The pie editor edits one menu, built-in or custom:

- **Title.** Drawn over the center of the menu.
- **Shortcut.** Click the field and press the key. A clash is flagged inline, naming the other command. For a built-in pie this is the binding **Edit -> Shortcuts** shows.
- **The ring.** Preview and editor in one, with the eight slots in their real directions. Left-click a slot to set its action, or its icon to set the icon. Right-click a slot for **Change Action**, **Set Icon**, **Rename**, **Copy**, **Paste** and **Clear Action**. A copied slot keeps its icon and name, also when pasted into another pie.
- **The action picker.** Lists every Blendon action under a **Blendon** branch, then every command in Unity's main menu, including those added by other packages and assets. Type to search, or use the shortcut-capture button and press a key to find the menu command bound to it. Menu commands grey out and tint in the ring exactly as the menu bar greys them out or ticks them.
- **Save and Cancel.** Save (**Create** for a new pie) keeps the edits. Cancel, or closing the window, discards them all, the shortcut included. A built-in pie also has **Restore Defaults**.

8.12 Shared pie settings

The top of the Pie Menus page tunes every pie at once.




Figure 8.17 The top of the Pie Menus page.

Setting	Default	Effect
Enable	On	Master switch. Off frees every pie's key, built-in and custom, for the Editor. The bindings stay.
Blendon Context Only	Off	On, every pie key and Toggle Wireframe (while the pies are on) answer in the Blendon tool context only. Off, the Draw Mode and Tools pies still hand **Z** and **Q** back outside it.
Deadzone	12 px	How far the cursor moves from the center before it points at an item. Stays under 3/4 of the Radius, so every item can be reached.
Confirm Distance	0 (off)	Run the highlighted item once the cursor stops this far past the deadzone, without waiting for the key release.
Lock Cursor To Viewport	Off	Keep the cursor inside the Scene view while a pie is open.
Tap Timeout	0.2 s	Release the key faster than this without moving, and the menu stays open for a click.
Recenter Timeout	0 (off)	A menu opened near a view edge is nudged inward. For this long, directions are still measured from the real cursor position.

Setting	Default	Effect
Show Numbers	On	Number the items so their digit keys run them. The keypad digits need NumLock on.
Place On Floor	On	Rest a new mesh object from a pie or the Context Menu's **Add** on the point instead of sinking in. Objects with no mesh are not moved.
Radius	100 px	How far the items sit from the center. Under **Appearance**.
Unfold Time	0.06 s	How long the items take to spring out from the center; 0 shows them at once. Under **Appearance**.
Colors	-	Item, Highlight, Current, Text and Center Ring. Under **Appearance**.




Figure 8.18 Deadzone: how far the cursor moves before it points at an item.



Figure 8.19 Confirm Distance: stop past it and the item runs.

9 Context menu

Right-clicking the Scene view opens Blendon's context menu instead of the Editor's: a compact, searchable panel drawn in the viewport, as in Blender.




Figure 9.1 The context menu for one object: header, quick-action icons, grouped entries.




Figure 9.2 A submenu opens on hover and flips left near the view's edge.

- **Every entry.** The menu holds the entries Unity's right-click menu would show for the selection and active tool, other packages' and assets' included, with the same greyed-out and ticked states. Blendon only arranges them. Unrecognised entries go under **Extensions** or **More**, in the Editor's order.
- **Quick actions.** A row of icon buttons along the top holds Cut, Copy, Paste, Paste As Child, Duplicate, Rename and Delete, whichever Unity offers. Blendon's own **Rename** closes the row. Hover over a button for its name and key.
- **Sections.** The other entries are grouped: aligning to the view and the grid, isolation, object commands, prefab commands, the selection's components, and what the active tool or tool context adds. Each row shows an icon and, if the command has one, its key.
- **Submenus.** A submenu opens beside its row on hover and flips to the left near the view's edge.
- **Search.** The header names the selection and holds a search field with the caret in it. Type to filter every entry, submenus included, and press **Enter** to run the highlighted match. While you type, the Editor's shortcuts stand down, so letters go into the field.




Figure 9.3 Searching “grid”: submenu entries show their path in grey.

- **Rename.** Click the name in the header, or **Rename** in the edit row, and the header becomes a text field with the name selected. **Enter** or a click elsewhere in the menu keeps the new name as one undo step. **Esc** cancels. The menu stays open either way. Rename is there whenever one object in the scene is selected.
- **Extra entries.** Blendon can add entries of its own (table below). Each goes into its own group.
- **Keyboard. Up** and **Down** move the highlight, **Right** opens a submenu or steps along the quick actions, **Left** closes the submenu, **Enter** runs the highlighted entry, and **Esc** closes a submenu, then clears the search, then closes the menu.
- **Closing.** Running an entry, clicking outside, changing the selection or switching windows closes the menu.

9.1 The Editor’s own menu




Figure 9.4 The Classic Unity Menu row opens the Editor’s menu.

Shift + right-click opens the Editor's own menu, with the same entries. So does the **Classic Unity Menu** row at the bottom of Blendon's menu, unless **Classic Menu Row** is off.

A right-click that drags is left alone, so the right-mouse fly-through works as before. A right-click with **Ctrl**, **Alt** or **Cmd** held also goes to the Editor.

9.2 Context menu settings

The **Context Menu** page is under **Keys & Menus**.




Figure 9.5 The Context Menu page.

Setting	Default	Effect
Enable	On	Off gives the right-click back to the Editor's own menu.
Blendon Context Only	Off	On: outside the Blendon tool context, the right-click opens the Editor's own menu. The right button never changes hands, so a context switch never writes your shortcut profile.
Shortcut	Right-click	`Blendon/Context Menu` in Unity's Shortcut Manager. While it holds the right button, the Editor's `Scene View/Menu` is unset; see the right mouse button. On the read-only **Default** profile the Editor's menu keeps the button until the Overview page makes an editable copy. On the Unity keyboard preset Blendon's menu opens on **Alt + right-click**, and Alt + right-drag still zooms.

Setting	Default	Effect
Edit Actions	Icon Row	**Icon Row**: the quick actions as one row of buttons. **List**: ordinary rows with names and keys.
Search Field	On	Off gives the whole header to the selection's name. The Editor's shortcuts still stand down.
Classic Menu Row	On	Shows the **Classic Unity Menu** row at the bottom.

An extra entry the selection cannot take is greyed out, not hidden.




Figure 9.6 Extra Entries: Inline puts a group on one row, the arrows reorder entries.

Extra Entry	Default	What it adds
Add Object	On	An **Add** submenu: empty, primitives, light, camera, particles. The object lands where you right-clicked, on the surface under the cursor or the ground at Y = 0, as the Add pie places things, **Place On Floor** included.
Repeat Last	On	Repeats the last entry you ran, Blendon's or the Editor's, and names it.
Frame Selected	Off	Frames the selection with Blendon's framing cycle when that feature is on, else the Editor's.
Snap to Floor	On	Drops the selection onto whatever is below it, like the **Snap to Floor** shortcut. Greyed while the Snap to Floor page is off.
Reset Transform	Off	A **Reset** submenu for position, rotation, scale, or all three. A channel already at rest (rotation zero, scale one) is greyed out, as in the Reset pie.
Align to Active	On	Moves the rest of the selection to the active object's position, rotation, or both.

Extra Entry	Default	What it adds
Transform Clipboard	On	**Copy Transform** takes the active object's position, rotation and scale. **Paste Transform** applies them to the next selection. Inline by default.
Hide & Show	On	**Hide**, **Hide Others** and **Show All**, using the Editor's scene visibility (the Hierarchy's eye column). Inline by default.
Select Related	Off	**Children**, **Hierarchy** and **Parent** select the children, the whole subtree or the parent. Inline by default; with Inline off they go into a **Select** submenu.
Group & Unparent	Off	**Group** puts the selection under a new empty parent. **Unparent** moves it to the top of the scene. Inline by default.




Figure 9.7 Add: the object lands where you right-clicked.




Figure 9.8 Align to Active: the others move onto the active one.




Figure 9.9 Copy Transform on the source, Paste Transform on the targets.




Figure 9.10 Inline: a group's entries on one row.

The **Essentials** and **Tools Only** presets switch the context menu off. **Full** switches it on.

10 Scene tutorial

The tutorial teaches Blendon by doing. You build a small scene: a floor, a cube, then a second cube placed against the first. Each task leaves the scene ready for the next. The tutorial has a badge in the Scene view and a checklist on the **Tutorial** page of the settings window.

10.1 The badge




Figure 10.1 The badge names the next task and its keys. Hover for a hint.

The badge sits in the bottom-right corner of the Scene view you work in.

- **Starting.** At first the badge reads **Blendon Tutorial**. Click it to start: the settings window opens on the Tutorial page, and the badge then names the next task with its keys.
- **Hint.** Hover over the task's name for a hint and a picture. The Blendon website shows the same cards with a short clip. When a task needs something first, the badge says so, for example "Select the cube first".
- **Ticking off.** A task ticks off only when you perform its gesture. The badge then shows its name with a green tick for a moment.
- **Outside the Blendon context.** Game Object and package contexts leave Blendon's gestures to the Editor. There the badge reads **Switch to Blendon** with the Toggle Blendon key, and clicking it opens that key's row on the Overview page. The Tutorial page shows the same note.
- **Moving and closing.** Drag the badge by its logo to move it; the position is kept per machine. The close button hides it without asking, which pauses the tutorial and keeps your progress. The switch at the top of the Tutorial page brings it back.

10.2 The Tutorial page




Figure 10.2 The Tutorial page: one card per chapter, progress bar and Start Over on top.

The page is under **Get Started**. At the top are the switch that shows or hides the badge, a progress bar with one segment per chapter, and a count of tasks done. Below, each chapter has a card with all its tasks.

- **The current task** is open, with its picture, hint and keys. A finished task turns green.
- **Any order.** Click any open task to do it next. Once it is done, the tutorial goes back to where it was. A gesture done early ticks the first open task that asks for it.
- **The gear** beside a task opens the settings page for its keys, with the row marked.
- **Live keys.** Keys come from your current bindings, so a rebound key shows as you set it.

There are eight chapters and 56 tasks, in order:

1. **First Scene.** Orbit and pan, add a floor, zoom toward one of its corners, drop a cube onto it, frame the cube and orbit around it.
2. **Grab and Move.** Grab, drop and cancel, slide along one axis, lift the cube exactly two metres by typing, drop it back with Snap to Floor, slide it across the floor with the plane lock, then grid steps and precision.
3. **Rotate and Scale.** The rotate grab, an exact 45 degrees, the cube's own axis, the scale grab, and the Reset pie to put the size back.
4. **A Second Cube.** Add or duplicate a second cube, snap a corner onto a corner, and stand it on top of the first with surface snap.

5. **Tools and Handles.** The Tools pie, arrows and plane squares, Local orientation, rotation rings, look-at, a virtual pivot, and keeping that pivot as an empty.
6. **Selecting.** Box select and its modifiers, the hierarchy keys, Click Selects Parent, selection history, the Pivot Point pie and Align to Active.
7. **Views.** The numpad views, perspective and orthographic, orbit steps, axis snap, quick roll, the orientation gizmo, the View pie, the camera view, view history and isolate view.
8. **Pie Menus and You.** The Draw Mode pie flicked and tapped, Toggle Wireframe, running a pie item by its number, the Snapping pie, and giving a shortcut a key of your own.

Unity's own ways count where they do the same job: **W** and **E** or the Tools overlay for the tool tasks, and **Ctrl + D** for the second cube.

10.2.1 Tasks that follow your setup

- **Skipped tasks.** A task whose feature is off or whose key is unbound is skipped. It stays in its chapter, dimmed and tagged **OFF**, and its tooltip says what to switch on.
- **Another way.** Where Blendon has a second way to the same result, the task uses it. On Unity's read-only **Default** profile, where Blendon's right-click menu waits, the floor comes from the Add Object pie. With the Tools pie off, the tool tasks use Unity's keys.
- **Tasks that build on another.** The hierarchy tasks need the empty that **Keep that corner as a pivot** leaves. If that task was skipped, they are skipped too.

Skipped tasks count toward progress. The tutorial ends, and the badge goes away, once every task is done or skipped.

Progress is kept per machine, so it carries across projects. **Reset All Pages** does not touch it. **Start Over** on the Tutorial page asks first, then un-ticks every task and starts from the first.




Figure 10.3 Start Over goes back to chapter 1.

10.3 Shortcut tips

The first time you press a Blendon key that an Editor command also wants, a card slides into the Scene view's bottom-right corner. Each line names a command: its keys, its owner's logo, its name and where it answers. Usually the Editor's command is covered: Blendon answers in the Scene view, the Editor everywhere else. If you moved the Editor's command, its line shows its old key. Commands that clash on one key are all listed, with their keys framed in amber. For a key that follows the Blendon tool context, such as **G**, Blendon's line says so. Orbit Selected and Camera Pan never show a card.




Figure 10.4 First press of G: Blendon's Grab answers in its tool context, Cycle Tool Modes elsewhere.

Each name is a link. Blendon's orange names open the **Keyboard** page. The Editor's blue names open Unity's **Shortcuts** window, with the name copied for its search field. The ring around the close button shows the card's time, about ten seconds. The card stays while the pointer is over it.

Each card shows once per key per Editor session. Rebinding one of its keys, or a clashing Editor command, arms it again. With the tutorial badge showing, the card sits just above it and slides away when the badge's hover card opens. **Shortcut Tips** on the Overview page switches the cards off; **Show Again** arms them all again.




Figure 10.5 The Shortcut Tips switch and the Export buttons.

11 Modifier keys

Blendon's hold-to-engage modifiers are not in Unity's Shortcut Manager. Set them with dropdowns in the settings window; **None** switches the gesture off. The Box Select row is the exception: those are Unity's own shortcuts.




Figure 11.1 The modifier dropdowns on the All Tools page.




Figure 11.2 Precision: slower drag, half the snap step.




Figure 11.3 Aim: Move drops onto a surface, Rotate faces a point.

Gesture	Default	Where to change it
Precision drag (slow drag, half snap increment)	**Shift**	All Tools -> Precision Mode
Aim at surface (Move surface snap, Rotate look-at)	**Alt**	All Tools -> Aim at Surface, or the **Modifier** under Move's Surface Snap and Rotate's Look At
Plane lock (with X / Y / Z during a drag or grab)	**Shift**	All Tools -> Numeric Input
Orbit axis snap	**Alt**	Orbit Selected -> Snap view to world axis
Box Select add / remove	**Shift** / **Ctrl**	Unity's Shortcuts window: *Scene View/Add Box Select* and *Invert Box Select*

On macOS the labels read Cmd and Option instead of Ctrl and Alt.

Unity's **Ctrl** grid snapping works throughout. Vertex snapping is Blendon's own, on **V** and **Shift + V**; see Vertex snapping. Both keyboard presets keep these keys.

12 Default shortcuts

A fresh install has the Blendon preset's keys on any profile. The table lists both presets, with "same" where they agree. The grabs, vertex snapping, Box Select with its **C** and **Space**, and the Draw Mode and Tools pies on **Z** and **Q** answer only in the Blendon tool context. The other keys work in every context, unless their page has **Blendon Context Only** on.

Action	Blendon preset	Unity preset
Orbit Selected	Hold Middle Mouse	Hold Ctrl + Middle Mouse
Quick Roll	Alt + Middle Mouse, flick a direction	Ctrl + Shift + Middle Mouse
Pan	Shift + Middle Mouse	Alt + Middle Mouse
Zoom	Scroll Wheel	same
Zoom In / Out	Numpad + / Numpad -	same
Move Gizmo	W (Move tool)	same
Rotate Gizmo	E (Rotate tool)	same
Scale Gizmo	Shift + R (Scale tool)	R
Transform Gizmo	Y (Transform tool)	same
Toggle Blendon (tool context)	B, in any window	same
Grab / Rotate Grab / Scale Grab	G / R / S	Shift + G / Shift + R / Unbound
Vertex Snap	Hold V	same
Pick Virtual Pivot	Shift + V	same
Frame Selected	Numpad .	same
Snap to Floor	End	same
Isolate View	Numpad /	same
Box Select	Left Mouse drag	same
Box Select: Visible Only	C	same
Box Select: Move Box	Hold Space while dragging	same
Select Parent / Children	[/]	same
Add Parent / Children to selection	Shift + [/ Shift +]	same

Action	Blendon preset	Unity preset
Draw Mode Pie	Hold Z, flick a direction	Hold Alt + Z
Toggle Wireframe	Shift + Z	same
Add Object Pie	Hold Shift + A	same
Snapping Pie	Hold Shift + S	same
Orientation Pie	Hold ,	same
Pivot Point Pie	Hold .	same
Reset Pie	Hold /	same
View Pie	Hold `` ` ``	Hold Ctrl + `` ` ``
Tools Pie	Hold Q	Hold Alt + Q
Custom Pies 1 to 8	Unbound	Unbound
Context Menu	Right-click, without dragging	Alt + Right-click
Editor's own context menu	Shift + Right-click	Right-click
Selection History Back / Forward	Mouse 3 / Mouse 4	same
View History Back / Forward	Shift + Mouse 3 / Shift + Mouse 4	same
View Front / Back	Numpad 1 / Ctrl + Numpad 1	Back: Ctrl + Numpad 5 with URP or HDRP
View Right / Left	Numpad 3 / Ctrl + Numpad 3	Left: Ctrl + Numpad 6 with URP or HDRP
View Top / Bottom	Numpad 7 / Ctrl + Numpad 7	same
Toggle Perspective/Ortho	Numpad 5	same
Orbit Up / Down / Left / Right	Numpad 8 / 2 / 4 / 6	same
Reverse View	Numpad 9	same
Align To Camera	Numpad 0	same

URP and HDRP use Ctrl + Numpad 1 and 3 for decal handles, so with either one the Unity preset moves Back and Left to Ctrl + Numpad 5 and 6.

All of these except the scroll wheel, the box drag and Shift + right-click can be rebound, in Blendon's settings window or in **Edit -> Shortcuts**. Blendon's are the `Blendon/...` entries; W, E, R and Y are Unity's own tool shortcuts. A row whose key differs from the keyboard preset's is marked as modified, and its

restore button puts the preset's key back. Switching a feature off switches its keys off but keeps their bindings: the Editor command on the same key answers at once, and the feature takes the key back when it is on again.




Figure 12.1 The Keyboard page, grouped by feature.

13 Settings window

Open the settings window from **Tools -> Blendon -> Settings**.

The sidebar groups the features into **Get Started**, **Navigating**, **Transform Tools**, **Scene Tools** and **Keys & Menus**. Each feature page switches its feature on or off, rebinds its shortcut and tunes its options. The search field at the top finds a setting, and **Esc** clears it. Each page has a **Reset to Defaults** button in the strip along the bottom (see **Show Reset Bar** on the Overview page); it also puts the page's shortcuts back to the keyboard preset's. On the transform tool pages the defaults are the picked gizmo look's values; see Shared gizmo settings.

Changes apply at once and are kept in `EditorPrefs`. Only values that differ from their default are stored, so an unchanged setting follows the default of the Blendon version you run. A number within 0.0005 of its default counts as the default and its row is not marked. A stored value outside a setting's range, for example from a newer Blendon, is read as the nearest value in range and left as it is.

A changed setting has an accent bar at the start of its row. Right-click the row and pick **Revert to Default** to reset just that setting. Drag the sidebar's edge to resize it, or double-click the edge to collapse it to icons. The window remembers both.

Sidebar group	Pages
Get Started	Blendon (the Overview page), Tutorial
Navigating	Orbit Selected, Pan, Zoom, Numpad Views, Orientation Gizmo
Transform Tools	All Tools, Move, Rotate, Scale, Transform
Scene Tools	Frame Selected, Isolate View, Snap to Floor, Navigation History, Box Select
Keys & Menus	Keyboard, Pie Menus, Context Menu

13.1 Overview page

The window opens on this page the first time, then on the page you last viewed. The setup chapter shows it.

- **Master switch.** Turns every Blendon feature and all its keys off, so the Editor behaves as if the plugin were not installed. The Editor commands the Blendon keyboard preset moved one modifier aside get their keys back, and move again when you switch back on, unless you changed them meanwhile. A shortcut profile you switch to follows at once. The Editor's Scene view menu gets the right mouse button back, and the Scene view returns to the Game Object tool context. Every setting and binding is kept.
- **Presets. Full**, **Essentials** and **Tools Only** only switch features, and switch Blendon on if it is off. The preset your switches match is lit. See Choosing a starting preset.
- **Keyboard Presets.** See Keyboard presets.
- **Feature list.** One row per feature, grouped by category, with the pie menus and the context menu in a **Menus** group. Each row has an on/off toggle and its key, highlighted if it clashes with a Unity command. A feature with several keys, such as a pie menu, lists them under its row. Click a name to open its page.
- **Shortcut Tips.** The switch for the shortcut tip cards, and **Show Again** once a card has been shown.
- **Tool Context. Toggle Blendon** (default **B**) switches to the Blendon tool context and back; only the master switch turns it off. **Esc Keeps Context**, on by default, stops **Esc** in the Scene view from dropping you to Game Object.
- **Links** to this manual and the Blendon website, the Blendon version and **Copy support info**; see Reporting a problem. They work with Blendon off too.
- **Settings Window.** The look of this window only; it works with Blendon off too. **Settings Theme** draws the window in **Unity** (the Editor skin), **Light** or **Dark**, whatever the Editor's skin. The Scene view, gizmos and pie menus are not affected. It starts on **Unity** with the dark skin and on **Light** with the light skin. **Show Reset Bar**, on by default, keeps the bottom strip with the shortcut tip and the reset button; off, the list runs to the bottom edge. **Sticky Search Bar**, on by default, slides the title bar and

search box away as you scroll down and back on any scroll up. They always show at the top of a page and while you search.

- **Export Settings / Import Settings.** Save or load every setting, binding, pie menu and the gizmo look in one JSON file; see Settings backup.
- **Defaults.** The values the rest of Blendon falls back to; see Defaults.
- **Reset All Pages.** Puts every setting back to what ships, including the **Blender** gizmo look. Shortcut keys go back to the keyboard preset's.




Figure 13.1 Master switch off: every key goes back, as if Blendon were not installed.



Figure 13.2 Export: settings, shortcuts and pie menus in one file.




Figure 13.3 Toggle Blendon: B goes to Blendon's context and back.




Figure 13.4 Esc Keeps Context: on, Esc keeps Blendon's tools; off, it drops to Game Object.




Figure 13.5 The feature list. Rows under a feature list its extra keys.

13.1.1 Settings backup

Export Settings writes one JSON file with every Blendon setting, shortcut binding and pie menu, plus the Blendon and Unity versions that wrote it. It names the picked gizmo look and carries every value it covers, so an import brings back the same look. Use it as a backup or to move your setup to another machine. Numbers use a dot as the decimal point, whatever your system's language.

Import Settings asks first, then replaces the current settings, shortcuts and pie menus with the file's. Its closing message says what it could not use:

- An unreadable entry, such as a hand-typed `0,35` or a key Unity does not accept, is skipped and keeps its current value.
- An unknown entry, most likely from a newer Blendon, is skipped too. The message names up to three; the Console lists all. An unknown gizmo look counts as one, and the current look stays.
- Pie menus in a newer format are left out and yours stay; the rest is imported. The same happens while your own pie menu file is not read yet (see Data and files); import again in a moment.
- A file in a format newer than this version reads is not imported.
- An import that fails partway restores the previous settings, shortcuts and pie menus and says so.

On the read-only **Default** profile the import offers an editable copy for the shortcuts. Declined, everything but the shortcuts is imported.

13.2 Defaults and overrides

A few settings matter to many features: animation, dragging, cursor wrap and the axis colors. Set them once in the **Defaults** panel at the bottom of the Overview page. Pages that carry the same setting show the default greyed out, with an **Override** box. Tick it to give that page its own value; the other pages follow the default.




Figure 13.6 The Defaults panel.

Default	Value	Effect
Animate	On	Camera moves (numpad views, the orientation gizmo, frame, history) fly instead of cutting.
Duration	0.35 s	How long each flight takes.
RMB cancels drag	On	A right-click during any Blendon drag abandons it and restores the selection.
Active view only	On	A drag shows only in the Scene view it started in, not in every open Scene view.
Cursor Wrap	On	Lets drags run past the edge of the view.
Method	OS Native	**OS Native**: Blendon teleports the cursor to the opposite edge. **Unity**: the Editor's own edge jumping. **Clamp To View**: no teleport, the drag stops at the border.
Wrap On	Scene View Viewport	Where OS Native wraps: the Scene view's 3D area, the whole **Unity Window**, or the **Screen Boundary**. Under Unity Window, a floating Scene view wraps at its own area. With several displays, Screen Boundary is the monitor under the cursor on Windows; on macOS and Linux it wraps like Scene View Viewport.
Axis Colors	The gizmo look's	X, Y, Z and the outline, for every gizmo and the orientation gizmo. They start from the picked gizmo look (**Blender** or **Unity+**), and a reset restores that look's colors.




Figure 13.7 RMB cancels drag: the object goes back where it started.




Figure 13.8 Active view only: the gizmo shows only in the view you drag in.




Figure 13.9 The three wrap methods.




Figure 13.10 Where OS Native wraps: viewport, Unity window or screen.

13.3 Keyboard page

Every Blendon shortcut in one table, grouped by feature; see Default shortcuts. Each row edits the same binding as the feature's own page. The top shows how many bindings clash. A switched-off feature keeps its rows under a note: its keys do not answer and the Editor's commands on them work, but the bindings stay and can still be changed here.

13.4 Keyboard presets

Blendon and Unity both want G, R, S, Z, Q, V, the backtick, the numpad views, the middle mouse button and the right-click. The **Keyboard Presets** picker on the Overview page settles this on whatever shortcut profile the Editor is on:

Option	Effect
Blendon (recommended)	Blendon's Blender keys, as they ship. Each Editor command on one of them moves one modifier aside (Cycle Tool Modes to **Shift + G**, the Scale tool to **Shift + R**, ...), so it works in the Scene view too. A switched-off feature leaves its Editor command where it is. Where Blendon's command does the Editor's job (vertex snapping, the middle-mouse pans), both keep the key: Blendon's answers in the Scene view, the Editor's elsewhere. The moves and the right mouse button (below) are written into the active profile.

Option	Effect
Unity	The Editor keeps every key and Blendon's contested shortcuts move: orbit to **Ctrl + Middle Mouse**, quick roll to **Ctrl + Shift + Middle Mouse**, pan to **Alt + Middle Mouse**, grab to **Shift + G**, the context menu to **Alt + right-click**, and so on. Scale Grab has no key. Vertex snapping stays on **V** and **Shift + V**, Blendon's in its tool context only. These are written into the active profile, and going back to Blendon clears them. Every Editor command the Blendon preset moves gets its key back, and so does one you moved onto a key Blendon's now takes.

The lit preset is read from the keys themselves, so a copied profile shows the right one. A tie goes to the preset picked last on that profile. Picking a preset, even the lit one, sets every contested pair again. Keys you tuned by hand outside the contested pairs stay as they are. Unity's **Default** profile is read-only: picking a preset there, or editing any key, asks first, then creates and switches to an editable copy named **Default copy**, as Unity's Shortcuts window names it. The first-run question is the one exception: either preset answer already agrees to the copy. Blendon never makes or switches a profile otherwise.

A switched-off feature's keys stop answering and the Editor's command answers instead. An Editor command the Blendon preset moved off one of those keys gets its key back, and moves aside again when the feature is switched on, unless you changed its key meanwhile. Rotate Grab (**R**), the Draw Mode pie (**Z**) and the Tools pie (**Q**) share keys with Unity's Global Scale tool, Toggle Pivot Position and View tool, so these also give the key to the Editor while another window has focus.

The right mouse button. Two menus on one button would make Unity ask which to open on every click. So while Blendon's context menu holds the right button, Blendon unsets the Editor's `Scene View/Menu` and remembers its key, even through a profile rename. The key goes back when the menu or Blendon is switched off, when Blendon's menu moves to another key and when the Editor closes. The next start takes it again. It is the only key Blendon writes by itself. Unity shares shortcut profiles between projects and reads them when an Editor starts. So a project without Blendon that opens on the same profile while Blendon runs has no right-click menu in the Scene view; see Troubleshooting.

On the read-only **Default** profile that write is not possible, so the Editor's menu keeps the button and Blendon's waits. The Overview page shows an **Editable Profile** note, and the sidebar marks the Overview page with a red dot. The note's **Make Editable Copy** copies the profile, switches to it and gives Blendon's menu the right button. It also moves every Editor command Blendon covers one modifier aside, so each works in the Scene view too. Declining changes nothing. A copy made elsewhere, for example by editing a key on another page, skips those moves. The Overview then offers them in a note of its own: **Move All** moves every covered Editor command, **Keep** leaves them covered. Either answer ends the note, and so does picking a preset.




Figure 13.11 A contested key: Blendon answers in the Scene view, the Editor's command waits there.

Below the picker, the contested-keys table lists every pair whose Blendon feature is on: Blendon's shortcut beside the Editor command that wants the same key, as in Step 2. Unity's Shortcuts window does not flag a covered Editor command as a conflict, so this table is where to find them. Each row's button swaps the pair, so the two never share a key:

- ↺ gives the Editor's command its key back and moves Blendon's one modifier aside (Grab Move to **Shift + G**, Grab Rotate to **Shift + R**, …). Grab Scale gets no key, since **Alt + S** is ProBuilder's.
- ↪ gives Blendon's shortcut its key back and moves the Editor's command aside (Cycle Tool Modes to **Shift + G**, the Scale tool to **Shift + R**, …), so it works in the Scene view too. A covered command, still on Blendon's key, also offers ↪.

A swap is written once and not enforced. Picking a preset sets every row again. Pairs where Blendon's command does the Editor's job (vertex snapping, the middle-mouse pans) have nothing to swap. They are listed only once their Editor command was moved by hand, and ↺ gives it its key back. The Editor's Scene view menu is never listed: it follows Blendon's context menu.

A clash outside this system, for example after a hand-edited binding, is still flagged inline wherever that shortcut appears, with the conflicting command and a button to open Unity's Shortcuts window. A key that works in every window, such as **Toggle Blendon**, also clashes with a Scene view command on it, because the Editor's command comes first in the Scene view. Blendon copies the command's name to the clipboard and says so; paste it into the window's search box.

14 Data and files

Blendon is Editor-only and adds nothing to player builds. It writes to three places, all yours to delete.




Figure 14.1 Everything Blendon writes, and where.

- **EditorPrefs.** Every setting in the settings window and the Scene tutorial's progress, under `Blendon.*` keys.
- **Unity's shortcut profiles.** Only keys you change, the keys of the keyboard preset you pick, and the Editor's `Scene View/Menu`, unset while Blendon's context menu holds the right button. On Unity's read-only Default it adds a `Default copy` only with your consent; see Keyboard presets. Unity shares these profiles between all projects on the machine.
- **Your user settings folder.** Pie menu layouts, in `Blendon/PieMenus.json` under `%APPDATA%` on Windows, `~/Library/Application Support` on macOS, and `$XDG_CONFIG_HOME` (or `~/.config`) on Linux. Like EditorPrefs, they apply to every project on the machine.

The file holds the menus; their keys live in the shortcut profile. Custom menus use the slot ids `custom.1` to `custom.8`. Entries under other ids are kept but get no key and no row. A hand-edited menu without an `Id` key, for example a misspelled one, would be dropped by the next save, so the Console names it and keeps the file as it was among the `PieMenus.corrupt-...` copies.

Each save keeps the previous file as `PieMenus.json.bak`. While a second Editor or a sync tool such as OneDrive holds the file, Blendon keeps your pie menu changes in memory and saves them once it is free. If it is still held when the Editor reloads scripts or closes, Blendon tries for half a second, then says in the Console that the last changes are lost. If the file is held at Blendon's first read, the pies open as shipped and editing waits until it can be read; the Pie Menus page and the pie editor say so. A file Blendon cannot read is never written over but set aside as `PieMenus.corrupt-<date and time>.json` in the same folder, keeping the five newest. The Console says so, and Blendon loads the backup, or the shipped pies if that is unreadable too.

Menus a newer Blendon added to the shared file are kept but not listed or opened. If a newer Blendon saved the file in a format this version does not know, this version still uses the menus it knows, but your pie menu changes last only until the Editor closes; the Console says so once.

Blendon makes no network requests, collects no analytics and installs no packages.

15 Troubleshooting

The keyboard presets dialog did not appear. It shows once per install in each project, never while the profile is already on the Unity keys, and an update keeps the earlier answer. Pick a preset on the Overview page at any time; see Keyboard presets.

None of Blendon's shortcuts does anything. Click into the Scene view, since Blendon's keys answer while it has focus, and check the master switch on the Overview page.

G, R, S or V does what it does in plain Unity, and a drag draws Unity's selection box. The Scene view is not in the Blendon tool context, the only place these keys and gestures are Blendon's. Press **B**, or pick **Game Object (Blendon)** in the Tool Contexts overlay; see The Blendon tool context.

Esc drops the Scene view to Game Object. Esc Keeps Context is off on the Overview page, or the master switch or all four gizmos are off. Press **B** to come back, after switching Blendon on if the master switch is off.

A shortcut does nothing. Check the feature's row on the Overview page of **Tools -> Blendon -> Settings**. A switched-off row leaves its keys to the Editor. A highlighted key clashes with another command; see Keyboard presets.

G, S, Z, Q or the backtick no longer runs the Editor's command in the Scene view. On the Blendon keyboard preset, Blendon's command takes that key in the Scene view while its feature is on (for **G**, **S**, **Z** and **Q**, only in the Blendon tool context). The contested-keys table on the Overview page lists every covered command, which Unity's Shortcuts window does not flag. Press ↵ there to give the Editor's command its own key, or pick the **Blendon** or **Unity** preset; see Keyboard presets.

The numpad viewport shortcuts do nothing. Switch NumLock on. The Numpad Views settings page warns inline when it is off.

Pressing R scales instead of starting the rotate grab. R starts Rotate Grab only in a focused Scene view in the Blendon tool context. Click into the Scene view, and press **B** if the context is Unity's. **Grab From Any Window** on the Rotate page lets **R** start the grab from other windows. On the Unity keyboard preset, Rotate Grab is on **Shift + R**.

Unity's own gizmo is drawn instead of Blendon's. That tool is switched off (switch it on from its page or the Overview list), or the Scene view left the Blendon tool context because you picked **Game Object** or a package tool such as ProBuilder's Poly Shape did. Press **B**, or pick **Game Object (Blendon)** in the Tool Contexts overlay; see The Blendon tool context.

Blendon's gizmo does not appear while editing a spline or a ProBuilder mesh. This is on purpose: the Splines and ProBuilder contexts keep their own tools and the Editor's keys. Press **B** for Blendon's context; see The Blendon tool context.

The Pivot Point dropdown shows only Center and Pivot. Switch **Pivot Point Menu** on, on the All Tools page, for all four modes.

The Tool Settings overlay shows Unity's Pivot/Center dropdown, not Blendon's Pivot Point. Blendon's dropdown shows only with its own Move, Rotate, Scale or Transform tool active. The Rect tool, a tool whose Blendon gizmo is off, and other tool contexts keep Unity's.

Right-clicking the Scene view opens Unity's menu instead of Blendon's. Check the **Context Menu** row and the master switch on the Overview page. On Unity's read-only **Default** profile, accept the editable copy the Overview page offers. The **Unity** keyboard preset puts Blendon's menu on **Alt + right-click**, the **Blendon** preset on the plain right-click. **Shift**, **Ctrl**, **Alt** or **Cmd** held opens the Editor's menu, unless the binding uses that modifier. If `Blendon/Context Menu` was rebound in Unity's Shortcuts window, the restore button of its row on the Context Menu page puts the preset's key back.

Right-clicking the Scene view does nothing in a project without Blendon. While an Editor with Blendon runs with its context menu on the right button, the Editor's **Scene View/Menu** has no key on that shared profile; see Keyboard presets. The key comes back when that Editor closes normally (after a crash, not until an Editor with Blendon next does), and the other Editor reads it at its next start. To fix it at once, open **Edit -> Shortcuts** (**Unity -> Shortcuts** on macOS) in that project and reset **Scene View/Menu** to its default; a project with Blendon on the same profile takes the button again when it opens. To avoid this, pick the **Unity** keyboard preset or switch the context menu off in your projects with Blendon. **Prepare Uninstall...** gives the button back on every profile; see Uninstalling.

An entry is missing from the context menu. Blendon's menu has the entries the Editor's menu has for the current selection and active tool. Select the object the entry belongs to, or switch to the tool that adds it, and right-click again.

Dragging over the Scene view draws Unity's box, not Blendon's. Box Select is off, or the Scene view is not in the Blendon tool context (turning all four gizmos off also leaves it). Check its row on the Overview page, or press **B**. Terrain, particle systems, UI and gizmo icons need to be wholly inside the box; see Box Select.

Box Select misses an object that is behind another one. Visible Only is on by default. Press **C** while dragging to include hidden objects, or switch it off on the Box Select page.

Vertex snapping finds no vertices. The target objects need a MeshRenderer or SkinnedMeshRenderer, and must not be hidden by Scene Visibility or excluded by Isolate View.

I want everything back the way it was. The **Master switch** on the Overview page turns every Blendon key off, gives the Editor its right-click menu back and returns the Scene view to Game Object, keeping your settings. To remove Blendon, see Uninstalling.

Something is still wrong. Copy Support Info puts your versions and setup on the clipboard; see Reporting a problem.

16 Uninstalling

Blendon writes nothing into your project, so removing it means deleting its folder. Its settings and Unity's shortcut profiles outlive the folder and every project shares them, so let **Prepare Uninstall...** clean up the profiles first:

1. Open **Tools -> Blendon -> Prepare Uninstall...** and click **Restore**.
2. The second question offers to delete your Blendon settings too. **Keep Settings** (also Esc and the close button) leaves them for your other projects and a reinstall.
3. Delete the Blendon folder from the Project window.

Prepare Uninstall switches Blendon off until the Editor restarts, leaving your master switch as it is. On every editable shortcut profile it:

- gives the Editor's **Scene View/Menu** its right mouse button back (the one key Blendon writes by itself);
- gives its own key back to every Editor command the Blendon preset or a ↪ button on the Overview page moved;
- clears every Blendon key stored there, both keys you changed and the Unity preset's keys.

Unity's read-only **Default** profile is never written and holds none of these. A closing message says what was done and where your pie menus are. Another project using Blendon on the same profile also goes back to the Blender keys.

What stays behind:

- **Settings**, unless you picked **Delete Settings**. They live in `EditorPrefs` (the registry on Windows), shared by every project on the machine, together with the Scene tutorial's progress, a few remembered view states such as where the tutorial badge sits, and the Blendon version that last ran. **Delete Settings** removes all of these for every project on the machine.
- **Pie menus**, either way: the `Blendon` folder in your user settings folder (`%APPDATA%` on Windows, `~/Library/Application Support` on macOS, `$XDG_CONFIG_HOME` or `~/.config` on Linux), with `PieMenus.json`, its `.bak` backup and any `PieMenus.corrupt-...` copies. A reinstall finds them there. Delete the folder only if you want your menus gone for good.
- **A few small `EditorPrefs` entries**, even after **Delete Settings**: one per project recording that the keyboard preset question was asked, and the Blendon version that last ran in your other projects. Only Blendon reads them.

Nothing else is left: no files in the project, and nothing that was ever part of a player build.

If you keep the folder after all, Blendon is back after the restart on the Blender keys, with its settings or, if you deleted them, its defaults. To switch it on at once, flip the master switch on the Overview page or pick a feature preset.

Deleting the folder without Prepare Uninstall. Deleting the folder (or one that holds it) in Unity's Project window gives the Scene View menu and the commands a ↪ button moved their keys back, on the active profile and on every profile Blendon took the menu on. Blendon's own keys stay in the profiles, where they do nothing. After deleting it outside Unity, for example in a file manager, open **Edit -> Shortcuts** (**Unity -> Shortcuts** on macOS) and reset **Scene View/Menu** and any Editor command you moved to their defaults. A project without Blendon on a profile Blendon still holds needs the same step; see Troubleshooting.

Updating. Import the new version over the old one. Deleting the folder first counts as an uninstall: the Editor commands you moved get their own keys back, and on Windows the keyboard preset question comes again.

17 Support

Questions, bug reports and feature requests: blendon@drygiel.com

With a bug report, include the support info below, or at least your Unity version and Editor platform, since much of what Blendon touches differs between them.

The latest manual, the interactive Playground and update news are on blendon.drygiel.com.

17.1 Reporting a problem

Copy Support Info puts a short report of your setup on the clipboard. It is on the Overview page as **Copy support info**, in the line that names your Blendon version, and in the menu bar as **Tools -> Blendon -> Copy Support Info**. Both work while Blendon is off, as do the Overview page's links to this manual and the website.

The report is plain text, one line per item:

- **Blendon version**, and the highest version that ever ran on this machine.
- **Unity**, **OS**, **Render pipeline** and **Editor skin**.
- **Shortcut profile**, whether it is read-only, and the **Keyboard preset** its keys add up to.
- Whether the **Blendon tool context** is active, the **Master switch**, and which features are on or off.
- **Optional packages**: whether the Terrain module, the Video module and the Input System are present.
- **Pie menu file**: whether it can be saved, and its folder.
- **Recent exceptions**: the last five errors Blendon caught, newest first, with the time, type, first line and where each was thrown.

Folders become tokens such as `<project>`, `%APPDATA%` and `~`, and your user and machine names are blanked. Beyond each feature's on/off state the report holds no setting values and no keys. Read it before you send it.

Blendon's Console messages start with **Blendon**. A failing part logs `Blendon: <part> threw <error>. Repeats of this are not logged.`, then the error with its stack trace, once per kind of error until scripts reload or the Editor restarts. Other caught errors read `Blendon: <what> failed with <error>.`, also followed by the error. Copy these entries into your report too.

Send the report to blendon@drygiel.com, with what you did, what you expected and what happened instead.