dbb5qa8fmosn28

kf5_actionscheduler_actions

Column	Type	Null	Default	Comments
action_id *(Primary)*	bigint	No		
hook	varchar(191)	No		
status	varchar(20)	No		
scheduled_date_gmt	datetime	Yes	0000-00-00 00:00:00	
scheduled_date_local	datetime	Yes	0000-00-00 00:00:00	
priority	tinyint	No	10	
args	varchar(191)	Yes	*NULL*	
schedule	longtext	Yes	*NULL*	
group_id	bigint	No	0	
attempts	int	No	0	
last_attempt_gmt	datetime	Yes	0000-00-00 00:00:00	
last_attempt_local	datetime	Yes	0000-00-00 00:00:00	
claim_id	bigint	No	0	
extended_args	varchar(8000)	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	action_id	42053	A	No	
hook_status_scheduled_date_gmt	BTREE	No	No	hook (163)	76	A	No	
				status	105	A	No	
				scheduled_date_gmt	8362	A	Yes	
status_scheduled_date_gmt	BTREE	No	No	status	2	A	No	
				scheduled_date_gmt	9058	A	Yes	
scheduled_date_gmt	BTREE	No	No	scheduled_date_gmt	12223	A	Yes	
args	BTREE	No	No	args	11593	A	Yes	
group_id	BTREE	No	No	group_id	19	A	No	
last_attempt_gmt	BTREE	No	No	last_attempt_gmt	8083	A	Yes	
claim_id_status_priority_scheduled_date_gmt	BTREE	No	No	claim_id	3306	A	No	
				status	3059	A	No	
				priority	7199	A	No	
				scheduled_date_gmt	12383	A	Yes	
status_last_attempt_gmt	BTREE	No	No	status	2	A	No	
				last_attempt_gmt	6719	A	Yes	
status_claim_id	BTREE	No	No	status	1	A	No	
				claim_id	5440	A	No	

kf5_actionscheduler_claims

Column	Type	Null	Default	Comments
claim_id *(Primary)*	bigint	No		
date_created_gmt	datetime	Yes	0000-00-00 00:00:00	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	claim_id	0	A	No	
date_created_gmt	BTREE	No	No	date_created_gmt	0	A	Yes	

kf5_actionscheduler_groups

Column	Type	Null	Default	Comments
group_id *(Primary)*	bigint	No		
slug	varchar(255)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	group_id	10	A	No	
slug	BTREE	No	No	slug (191)	10	A	No	

kf5_actionscheduler_logs

Column	Type	Null	Default	Comments
log_id *(Primary)*	bigint	No		
action_id	bigint	No		
message	text	No		
log_date_gmt	datetime	Yes	0000-00-00 00:00:00	
log_date_local	datetime	Yes	0000-00-00 00:00:00	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	log_id	69412	A	No	
action_id	BTREE	No	No	action_id	22908	A	No	
log_date_gmt	BTREE	No	No	log_date_gmt	6705	A	Yes	

kf5_brikmentor_clicks

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
message_ref	char(36)	No		
flow_key	varchar(40)	No		
step	smallint	No	1	
contact_id	bigint	No	0	
email	varchar(190)	No		
link_key	varchar(60)	No	cta	
destination	text	Yes	*NULL*	
clicked_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
email_time	BTREE	No	No	email	0	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
				clicked_at	0	A	No	
message_ref	BTREE	No	No	message_ref	0	A	No	
clicked_at	BTREE	No	No	clicked_at	0	A	No	

kf5_brikmentor_contacts

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
email	varchar(190)	No		
first_name	varchar(100)	No		
last_name	varchar(100)	No		
user_id	bigint	No	0	
status	varchar(20)	No	subscribed	
consent_source	varchar(40)	No		
consent_date	datetime	Yes	*NULL*	
consent_meta	text	Yes	*NULL*	
tags	varchar(255)	No		
locale	varchar(12)	No		
last_order_at	datetime	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
email	BTREE	Yes	No	email	1	A	No	
status	BTREE	No	No	status	1	A	No	
user_id	BTREE	No	No	user_id	1	A	No	
created_at	BTREE	No	No	created_at	1	A	No	

kf5_brikmentor_conversions

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
order_id	bigint	No		
email	varchar(190)	No		
contact_id	bigint	No	0	
flow_key	varchar(40)	No		
step	smallint	No	1	
message_ref	char(36)	No		
attribution_type	varchar(10)	No	click	
click_id	bigint	No	0	
order_total	decimal(18,4)	No	0.0000	
coupon_discount	decimal(18,4)	No	0.0000	
refund_total	decimal(18,4)	No	0.0000	
currency	char(3)	No		

Column	Type	Null	Default	Comments
order_status	varchar(30)	No		
sent_at	datetime	Yes	*NULL*	
clicked_at	datetime	Yes	*NULL*	
order_created_at	datetime	No		
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
order_id	BTREE	Yes	No	order_id	0	A	No	
flow_month	BTREE	No	No	flow_key	0	A	No	
				attribution_type	0	A	No	
				order_created_at	0	A	No	
order_created_at	BTREE	No	No	order_created_at	0	A	No	
message_ref	BTREE	No	No	message_ref	0	A	No	

kf5_brikmentor_copurchase

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
product_id	bigint	No		
related_id	bigint	No		
together_count	int	No	0	
last_seen	datetime	Yes	*NULL*	
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	
pair	BTREE	Yes	No	product_id	2	A	No	
				related_id	2	A	No	
product_rank	BTREE	No	No	product_id	2	A	No	
				together_count	2	A	No	

kf5_brikmentor_events

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
level	varchar(10)	No	error	
source	varchar(20)	No		
code	varchar(40)	No		
context	text	Yes	*NULL*	
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	6	A	No	
level_id	BTREE	No	No	level	1	A	No	
				id	6	A	No	
created_at	BTREE	No	No	created_at	5	A	No	

kf5_brikmentor_flows

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
flow_key	varchar(40)	No		
flow_type	varchar(40)	No	preset	
enabled	tinyint(1)	No	0	
settings	longtext	Yes	*NULL*	
stats_cache	longtext	Yes	*NULL*	
version	int	No	1	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	8	A	No	
flow_key	BTREE	Yes	No	flow_key	8	A	No	

kf5_brikmentor_flow_drops

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
month	char(7)	No		
flow_key	varchar(40)	No		
reason	varchar(40)	No		
n	int	No	0	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	
month_flow_reason	BTREE	Yes	No	month	1	A	No	
				flow_key	2	A	No	
				reason	2	A	No	
flow_month	BTREE	No	No	flow_key	2	A	No	
				month	2	A	No	

kf5_brikmentor_flow_monthly

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
month	char(7)	No		
flow_key	varchar(40)	No		
triggered	int	Yes	*NULL*	
entered	int	Yes	*NULL*	
sent	int	Yes	*NULL*	
sent_first	int	Yes	*NULL*	
sent_test	int	Yes	*NULL*	
clicked	int	Yes	*NULL*	
click_events	int	Yes	*NULL*	
currency	char(3)	No		
orders	int	No	0	
orders_send	int	No	0	
orders_fx	int	No	0	
revenue	decimal(18,4)	No	0.0000	
revenue_send	decimal(18,4)	No	0.0000	
net_revenue	decimal(18,4)	No	0.0000	
swept	int	Yes	*NULL*	
sealed	tinyint(1)	No	0	
partial	tinyint(1)	No	0	
computed_at	datetime	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	24	A	No	
month_flow	BTREE	Yes	No	month	3	A	No	
				flow_key	24	A	No	
flow_month	BTREE	No	No	flow_key	8	A	No	
				month	24	A	No	

kf5_brikmentor_outreach

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
message_ref	char(36)	No		
channel	varchar(20)	No	whatsapp	
flow_key	varchar(40)	No	cartab_whatsapp	
entry_id	bigint	No	0	
contact_id	bigint	No	0	
email	varchar(190)	No		
user_id	bigint	No	0	
opened_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
ref_time	BTREE	No	No	message_ref	0	A	No	
				opened_at	0	A	No	
entry_channel	BTREE	No	No	entry_id	0	A	No	
				channel	0	A	No	
email_time	BTREE	No	No	email	0	A	No	
				opened_at	0	A	No	
flow_time	BTREE	No	No	flow_key	0	A	No	
				opened_at	0	A	No	

kf5_brikmentor_queue

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
message_ref	char(36)	No		
dedup_key	varchar(120)	No		
flow_key	varchar(40)	No		
step	smallint	No	1	
contact_id	bigint	No	0	
email	varchar(190)	No		
context	longtext	Yes	*NULL*	
status	varchar(20)	No	scheduled	
skip_reason	varchar(40)	No		
scheduled_at	datetime	No		
due_at	datetime	Yes	*NULL*	
action_id	bigint	No	0	
attempts	tinyint	No	0	
last_error	text	Yes	*NULL*	
sent_at	datetime	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
dedup_key	BTREE	Yes	No	dedup_key	0	A	No	
message_ref	BTREE	Yes	No	message_ref	0	A	No	
status_scheduled	BTREE	No	No	status	0	A	No	
				scheduled_at	0	A	No	
email	BTREE	No	No	email	0	A	No	
flow_key	BTREE	No	No	flow_key	0	A	No	
skip_reason_updated	BTREE	No	No	skip_reason	0	A	No	
				updated_at	0	A	No	
created_flow	BTREE	No	No	created_at	0	A	No	
				flow_key	0	A	No	

kf5_brikmentor_send_log

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
message_ref	char(36)	No		
queue_id	bigint	No	0	
flow_key	varchar(40)	No		
step	smallint	No	1	
email	varchar(190)	No		
sent_to	varchar(190)	No		
subject	varchar(255)	No		
html	longtext	Yes	*NULL*	
mode	varchar(10)	No	dry_run	
relay_status	varchar(30)	No		
relay_message_id	varchar(128)	No		
error	text	Yes	*NULL*	
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
message_ref	BTREE	Yes	No	message_ref	0	A	No	
email_flow	BTREE	No	No	email	0	A	No	
				flow_key	0	A	No	
				created_at	0	A	No	
created_at	BTREE	No	No	created_at	0	A	No	

kf5_brikmentor_stock_watch

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
product_id	bigint	No		
variation_id	bigint	No	0	
email	varchar(180)	No		
contact_id	bigint	No	0	
status	varchar(20)	No	pending	
skip_reason	varchar(40)	No		
cycle	int	No	0	
locale	varchar(12)	No		
notified_at	datetime	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
watch	BTREE	Yes	No	product_id	0	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
				variation_id	0	A	No	
				email	0	A	No	
target	BTREE	No	No	product_id	0	A	No	
				variation_id	0	A	No	
				status	0	A	No	
email	BTREE	No	No	email	0	A	No	
status_created	BTREE	No	No	status	0	A	No	
				created_at	0	A	No	
status_updated	BTREE	No	No	status	0	A	No	
				updated_at	0	A	No	

kf5_brikmentor_suppression

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
email	varchar(190)	No		
reason	varchar(30)	No		
tenant_id	varchar(64)	No		
suppressed_at	datetime	No		
synced_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
email	BTREE	Yes	No	email	0	A	No	

kf5_brikpanel_abandoned_carts

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
visitor_id	varchar(64)	No		
email	varchar(190)	No		
first_name	varchar(100)	No		
last_name	varchar(100)	No		
phone	varchar(40)	No		
phone_country	varchar(2)	No		
user_id	bigint	No	0	
source	varchar(20)	No	checkout	
status	varchar(20)	No	active	
cart_items	longtext	Yes	*NULL*	
item_count	int	No	0	
cart_total	decimal(20,4)	No	0.0000	
currency	varchar(10)	No		
order_id	bigint	No	0	
created_at	datetime	No	CURRENT_TIMESTAMP	
updated_at	datetime	No	CURRENT_TIMESTAMP	

Column	Type	Null	Default	Comments
abandoned_at	datetime	Yes	*NULL*	
recovered_at	datetime	Yes	*NULL*	
announced_sig	char(32)	Yes	*NULL*	
announced_at	datetime	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	11	A	No	
idx_visitor_email	BTREE	No	No	visitor_id	11	A	No	
				email	11	A	No	
idx_email	BTREE	No	No	email	3	A	No	
idx_status_updated	BTREE	No	No	status	2	A	No	
				updated_at	6	A	No	
idx_created	BTREE	No	No	created_at	11	A	No	
idx_cart_total	BTREE	No	No	cart_total	8	A	No	
idx_abandoned	BTREE	No	No	abandoned_at	11	A	Yes	

kf5_brikpanel_ad_spend

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
date	date	No		
platform	varchar(20)	No		
account_id	varchar(64)	No		
spend_amount	decimal(20,4)	No	0.0000	
spend_currency	varchar(8)	No		
impressions	bigint	No	0	
clicks	bigint	No	0	
raw_data	longtext	Yes	*NULL*	
fetched_at	datetime	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
uniq_date_platform_account	BTREE	Yes	No	date	0	A	No	
				platform	0	A	No	
				account_id	0	A	No	
idx_platform_date	BTREE	No	No	platform	0	A	No	
				date	0	A	No	
idx_date	BTREE	No	No	date	0	A	No	

kf5_brikpanel_campaign_visits

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
date_column	date	No		

Column	Type	Null	Default	Comments
campaign	varchar(190)	No		
hits	int	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
uniq_day_campaign	BTREE	Yes	No	date_column	0	A	No	
				campaign	0	A	No	

kf5_brikpanel_cart_tracking

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
product_id	bigint	No		
cart_count	int	Yes	0	
date_column	datetime	Yes	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	23	A	No	
product_id	BTREE	No	No	product_id	20	A	No	
idx_date	BTREE	No	No	date_column	22	A	Yes	
idx_product_date	BTREE	No	No	product_id	20	A	No	
				date_column	23	A	Yes	

kf5_brikpanel_cohort_retention

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
cohort_month	date	No		
period_offset	tinyint	No		
cohort_size	int	No	0	
retained_customers	int	No	0	
retention_rate	decimal(5,2)	No	0.00	
computed_at	datetime	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	
uniq_cohort_period	BTREE	Yes	No	cohort_month	1	A	No	
				period_offset	2	A	No	
idx_cohort_month	BTREE	No	No	cohort_month	1	A	No	

kf5_brikpanel_customer_metrics

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
customer_key	varchar(191)	No		
user_id	bigint	Yes	0	
customer_email	varchar(190)	No		
customer_phone	varchar(40)	No		
first_order_date	datetime	Yes	*NULL*	
last_order_date	datetime	Yes	*NULL*	
order_count	int	No	0	
total_spent	decimal(20,4)	No	0.0000	
aov	decimal(20,4)	No	0.0000	
recency_days	int	Yes	*NULL*	
r_score	tinyint	No	0	
f_score	tinyint	No	0	
m_score	tinyint	No	0	
rfm_segment	varchar(40)	Yes	*NULL*	
computed_at	datetime	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
uniq_customer_key	BTREE	Yes	No	customer_key	1	A	No	
idx_user_id	BTREE	No	No	user_id	1	A	Yes	
idx_customer_email	BTREE	No	No	customer_email	1	A	No	
idx_total_spent	BTREE	No	No	total_spent	1	A	No	
idx_rfm_segment	BTREE	No	No	rfm_segment	1	A	Yes	
idx_last_order	BTREE	No	No	last_order_date	1	A	Yes	

kf5_brikpanel_expenses

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
expense_date	date	No		
category	varchar(100)	No		
parent_category	varchar(100)	No		
description	text	Yes	*NULL*	
amount	decimal(20,4)	No	0.0000	
recurring	varchar(20)	No	none	
recurring_parent	bigint	No	0	
kind	varchar(10)	No	fixed	
scope	varchar(64)	No		
created_at	datetime	No	CURRENT_TIMESTAMP	
updated_at	datetime	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
idx_date	BTREE	No	No	expense_date	0	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
idx_category	BTREE	No	No	category	0	A	No	
idx_parent_category	BTREE	No	No	parent_category	0	A	No	
idx_recurring_parent	BTREE	No	No	recurring_parent	0	A	No	

kf5_brikpanel_expense_skips

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
template_id	bigint	No		
skip_date	date	No		
tpl_created_at	datetime	No		
created_at	datetime	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
uniq_template_date	BTREE	Yes	No	template_id	0	A	No	
				skip_date	0	A	No	
idx_template	BTREE	No	No	template_id	0	A	No	

kf5_brikpanel_referrers

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
date_column	date	No		
channel	varchar(20)	No	direct	
host	varchar(190)	No		
hits	int	Yes	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
uniq_day_channel_host	BTREE	Yes	No	date_column	0	A	No	
				channel	0	A	No	
				host	0	A	No	
idx_date	BTREE	No	No	date_column	0	A	No	
idx_channel_date	BTREE	No	No	channel	0	A	No	
				date_column	0	A	No	

kf5_brikpanel_stock_orders

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
vendor_id	bigint	No	0	
reference	varchar(40)	No		
status	varchar(20)	No	draft	

Column	Type	Null	Default	Comments
order_date	date	Yes	*NULL*	
expected_date	date	Yes	*NULL*	
received_date	date	Yes	*NULL*	
subtotal	decimal(20,4)	No	0.0000	
shipping_fee	decimal(20,4)	No	0.0000	
tax	decimal(20,4)	No	0.0000	
total	decimal(20,4)	No	0.0000	
currency	varchar(10)	No		
notes	text	Yes	*NULL*	
created_by	bigint	No	0	
created_at	datetime	No	CURRENT_TIMESTAMP	
updated_at	datetime	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
uniq_reference	BTREE	Yes	No	reference	0	A	No	
idx_vendor	BTREE	No	No	vendor_id	0	A	No	
idx_status	BTREE	No	No	status	0	A	No	
idx_order_date	BTREE	No	No	order_date	0	A	Yes	
idx_received_date	BTREE	No	No	received_date	0	A	Yes	

kf5_brikpanel_stock_order_items

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
order_id	bigint	No		
product_id	bigint	No	0	
variation_id	bigint	No	0	
title	varchar(255)	No		
sku	varchar(100)	No		
qty_ordered	decimal(20,4)	No	0.0000	
qty_received	decimal(20,4)	No	0.0000	
unit_cost	decimal(20,4)	No	0.0000	
line_total	decimal(20,4)	No	0.0000	
sort_order	smallint	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
idx_order_id	BTREE	No	No	order_id	0	A	No	
idx_product	BTREE	No	No	product_id	0	A	No	
idx_variation	BTREE	No	No	variation_id	0	A	No	

kf5_brikpanel_vendors

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
name	varchar(190)	No		
contact_name	varchar(190)	No		
email	varchar(190)	No		
phone	varchar(60)	No		
website	varchar(255)	No		
address	text	Yes	*NULL*	
tax_id	varchar(60)	No		
default_lead_time_days	smallint	No	0	
default_shipping_fee	decimal(20,4)	No	0.0000	
notes	text	Yes	*NULL*	
is_active	tinyint(1)	No	1	
created_at	datetime	No	CURRENT_TIMESTAMP	
updated_at	datetime	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
idx_active	BTREE	No	No	is_active	0	A	No	
idx_name	BTREE	No	No	name	0	A	No	

kf5_brikpanel_visited_pages

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
page_id	bigint	No		
object_type	varchar(20)	No	post	
visit_count	int	Yes	0	
date_column	datetime	Yes	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	12	A	No	
page_id	BTREE	No	No	page_id	1	A	No	
idx_date	BTREE	No	No	date_column	12	A	Yes	
idx_page_date	BTREE	No	No	page_id	1	A	No	
				date_column	12	A	Yes	

kf5_brikpanel_visitors

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
date_column	date	No		
visitor_count	int	Yes	0	
product_count	int	Yes	0	
add_to_cart_count	int	Yes	0	

Column	Type	Null	Default	Comments
checkout_count	int	Yes	0	
mobile_count	int	Yes	0	
tablet_count	int	Yes	0	
desktop_count	int	Yes	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	18	A	No	
idx_date	BTREE	No	No	date_column	18	A	No	

kf5_commentmeta

Column	Type	Null	Default	Comments
meta_id *(Primary)*	bigint	No		
comment_id	bigint	No	0	
meta_key	varchar(255)	Yes	*NULL*	
meta_value	longtext	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	meta_id	20	A	No	
comment_id	BTREE	No	No	comment_id	20	A	No	
meta_key	BTREE	No	No	meta_key (191)	1	A	Yes	

kf5_comments

Column	Type	Null	Default	Comments
comment_ID *(Primary)*	bigint	No		
comment_post_ID	bigint	No	0	
comment_author	tinytext	No		
comment_author_email	varchar(100)	No		
comment_author_url	varchar(200)	No		
comment_author_IP	varchar(100)	No		
comment_date	datetime	No	0000-00-00 00:00:00	
comment_date_gmt	datetime	No	0000-00-00 00:00:00	
comment_content	text	No		
comment_karma	int	No	0	
comment_approved	varchar(20)	No	1	
comment_agent	varchar(255)	No		
comment_type	varchar(20)	No	comment	
comment_parent	bigint	No	0	
user_id	bigint	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	comment_ID	28	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
comment_post_ID	BTREE	No	No	comment_post_ID	7	A	No	
comment_approved_date_gmt	BTREE	No	No	comment_approved	1	A	No	
				comment_date_gmt	14	A	No	
comment_date_gmt	BTREE	No	No	comment_date_gmt	14	A	No	
comment_parent	BTREE	No	No	comment_parent	1	A	No	
comment_author_email	BTREE	No	No	comment_author_email (10)	3	A	No	
woo_idx_comment_type	BTREE	No	No	comment_type	2	A	No	
woo_idx_comment_date_type	BTREE	No	No	comment_date_gmt	14	A	No	
				comment_type	14	A	No	
				comment_approved	14	A	No	
				comment_post_ID	14	A	No	
woo_idx_comment_approved_type	BTREE	No	No	comment_approved	1	A	No	
				comment_type	2	A	No	
				comment_post_ID	7	A	No	

kf5_dtb_accounting_documents

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
environment	varchar(20)	No		
realm_hash	char(64)	No		
source_type	varchar(30)	No		
source_key	varchar(191)	No		
source_id	bigint	No	0	
order_id	bigint	No	0	
document_number	varchar(40)	No		
direction	varchar(20)	No		
currency	char(3)	No	USD	
txn_date	date	Yes	*NULL*	
expected_total	decimal(20,6)	No	0.000000	
payload_total	decimal(20,6)	No	0.000000	
qbo_total	decimal(20,6)	Yes	*NULL*	
variance	decimal(20,6)	No	0.000000	
subtotal	decimal(20,6)	No	0.000000	
tax_total	decimal(20,6)	No	0.000000	
refunded_tax	decimal(20,6)	No	0.000000	
discount_total	decimal(20,6)	No	0.000000	
shipping_total	decimal(20,6)	No	0.000000	
fee_total	decimal(20,6)	No	0.000000	
state	varchar(40)	No	pending	
exception_code	varchar(100)	Yes	*NULL*	
error_message	text	Yes	*NULL*	
retryable	tinyint(1)	No	0	
attempt	int	No	0	
qbo_entity_type	varchar(40)	Yes	*NULL*	
qbo_entity_id	varchar(100)	Yes	*NULL*	
qbo_sync_token	varchar(40)	Yes	*NULL*	

Column	Type	Null	Default	Comments
payload_hash	char(64)	Yes	*NULL*	
policy_version	varchar(50)	No		
safe_snapshot_json	longtext	Yes	*NULL*	
tax_json	longtext	Yes	*NULL*	
trace_id	varchar(191)	Yes	*NULL*	
action_id	bigint	Yes	*NULL*	
external_state	varchar(50)	Yes	*NULL*	
reviewed_by	bigint	Yes	*NULL*	
reviewed_at	datetime	Yes	*NULL*	
posted_at	datetime	Yes	*NULL*	
reconciled_at	datetime	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	
source_identity	BTREE	Yes	No	environment	1	A	No	
				realm_hash	1	A	No	
				source_type	1	A	No	
				source_key	2	A	No	
order_id	BTREE	No	No	order_id	2	A	No	
state_updated	BTREE	No	No	state	1	A	No	
				updated_at	1	A	No	
txn_date	BTREE	No	No	txn_date	2	A	Yes	
qbo_entity	BTREE	No	No	qbo_entity_type	1	A	Yes	
				qbo_entity_id	1	A	Yes	
external_state	BTREE	No	No	external_state	1	A	Yes	

kf5_dtb_admin_audit_log

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
event_type	varchar(120)	No		
module	varchar(40)	No		
record_id	bigint	No		
actor_user_id	bigint	No	0	
actor_label	varchar(200)	No		
visibility	enum('internal', 'customer', 'system')	No	internal	
source	varchar(60)	No	admin_modal	
payload_json	longtext	Yes	*NULL*	
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
module_record	BTREE	No	No	module	0	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
				record_id	0	A	No	
actor	BTREE	No	No	actor_user_id	0	A	No	
created_at	BTREE	No	No	created_at	0	A	No	

kf5_dtb_audit_log

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
log_timestamp	datetime	No		
user_id	bigint	No	0	
event	varchar(120)	No		
context	longtext	No		
ip	varchar(45)	No		
created_at_utc	datetime	No		
action	varchar(120)	No		
context_json	longtext	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	190	A	No	
log_timestamp	BTREE	No	No	log_timestamp	189	A	No	
user_id	BTREE	No	No	user_id	1	A	No	
event	BTREE	No	No	event	1	A	No	
action	BTREE	No	No	action	1	A	No	
created_at_utc	BTREE	No	No	created_at_utc	1	A	No	

kf5_dtb_design_drafts

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
draft_key	varchar(64)	No	default	
schema_version	smallint	No	1	
base_revision_id	bigint	Yes	*NULL*	
revision_seq	bigint	No	1	
payload_json	longtext	No		
autosave_json	longtext	Yes	*NULL*	
dirty	tinyint(1)	No	0	
editor_id	bigint	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
draft_key	BTREE	Yes	No	draft_key	0	A	No	

kf5_dtb_design_preview_sessions

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
token_hash	varchar(64)	No		
draft_key	varchar(64)	No	default	
revision_id	bigint	Yes	*NULL*	
draft_revision_seq	bigint	Yes	*NULL*	
operator_id	bigint	No		
created_at	datetime	No		
expires_at	datetime	No		
revoked	tinyint(1)	No	0	
used_count	int	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
token_hash	BTREE	Yes	No	token_hash	0	A	No	
expires_at	BTREE	No	No	expires_at	0	A	No	

kf5_dtb_design_published

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
draft_key	varchar(64)	No	default	
revision_id	bigint	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
draft_key	BTREE	Yes	No	draft_key	0	A	No	

kf5_dtb_design_revisions

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
revision_uid	varchar(40)	No		
draft_key	varchar(64)	No	default	
schema_version	smallint	No	1	
parent_revision_id	bigint	Yes	*NULL*	
rollback_origin_id	bigint	Yes	*NULL*	
author_id	bigint	Yes	*NULL*	
note	varchar(500)	Yes	*NULL*	
payload_json	longtext	No		
payload_hash	varchar(64)	No		
affected_surfaces_json	text	Yes	*NULL*	

Column	Type	Null	Default	Comments
source_draft_revision_seq	bigint	Yes	*NULL*	
created_at	datetime	No		
published_at	datetime	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
revision_uid	BTREE	Yes	No	revision_uid	0	A	No	
draft_key	BTREE	No	No	draft_key	0	A	No	
created_at	BTREE	No	No	created_at	0	A	No	

kf5_dtb_inventory_events

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
event_type	varchar(64)	No		
sku	varchar(128)	Yes	*NULL*	
universal_part_id	varchar(128)	Yes	*NULL*	
qty_delta	int	Yes	*NULL*	
source	varchar(64)	No		
source_event_id	varchar(191)	Yes	*NULL*	
payload	longtext	Yes	*NULL*	
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
event_type	BTREE	No	No	event_type	0	A	No	
sku	BTREE	No	No	sku	0	A	Yes	
universal_part_id	BTREE	No	No	universal_part_id	0	A	Yes	
created_at	BTREE	No	No	created_at	0	A	No	

kf5_dtb_inventory_rollups

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
universal_part_id	varchar(128)	No		
canonical_name	varchar(255)	Yes	*NULL*	
part_family	varchar(64)	Yes	*NULL*	
total_qty_on_hand	int	No	0	
total_qty_committed	int	No	0	
total_qty_available	int	No	0	
effective_qty_available	int	No	0	
active_member_count	int	No	0	
stocked_member_count	int	No	0	
brand_breakdown	longtext	Yes	*NULL*	

Column	Type	Null	Default	Comments
reorder_signal	varchar(32)	No	none	
days_of_supply	decimal(10,2)	Yes	*NULL*	
last_computed_at	datetime	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
universal_part_id	BTREE	Yes	No	universal_part_id	0	A	No	
effective_qty_available	BTREE	No	No	effective_qty_available	0	A	No	
reorder_signal	BTREE	No	No	reorder_signal	0	A	No	
part_family	BTREE	No	No	part_family	0	A	Yes	

kf5_dtb_inventory_sync_runs

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
job_key	varchar(128)	No		
status	varchar(32)	No		
started_at	datetime	No		
finished_at	datetime	Yes	*NULL*	
duration_ms	int	Yes	*NULL*	
records_seen	int	No	0	
records_updated	int	No	0	
records_failed	int	No	0	
error_message	text	Yes	*NULL*	
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	34	A	No	
job_key	BTREE	No	No	job_key	2	A	No	
status	BTREE	No	No	status	1	A	No	
started_at	BTREE	No	No	started_at	26	A	No	

kf5_dtb_marketplace_audit

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
actor_id	bigint	Yes	*NULL*	
actor_type	varchar(30)	No	operator	
action	varchar(120)	No		
object_type	varchar(80)	No		
object_id	bigint	Yes	*NULL*	
channel_key	varchar(50)	No		

Column	Type	Null	Default	Comments
before_json	longtext	Yes	*NULL*	
after_json	longtext	Yes	*NULL*	
ip_hash	varchar(64)	No		
ua_hash	varchar(64)	No		
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
actor_id	BTREE	No	No	actor_id	0	A	Yes	
action	BTREE	No	No	action	0	A	No	
object_type	BTREE	No	No	object_type	0	A	No	
object_id	BTREE	No	No	object_id	0	A	Yes	
channel_key	BTREE	No	No	channel_key	0	A	No	
created_at	BTREE	No	No	created_at	0	A	No	

kf5_dtb_marketplace_channels

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
channel_key	varchar(50)	No		
account_label	varchar(120)	No		
marketplace_id	varchar(80)	No		
external_account_id	varchar(120)	No		
is_sandbox	tinyint(1)	No	0	
is_enabled	tinyint(1)	No	0	
auth_state	varchar(30)	No	disconnected	
health_state	varchar(30)	No	unknown	
last_sync_at	datetime	Yes	*NULL*	
last_error_at	datetime	Yes	*NULL*	
last_error_msg	varchar(500)	No		
veeqo_channel_id	varchar(80)	No		
settings_json	longtext	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
channel_key	BTREE	Yes	No	channel_key	0	A	No	
auth_state	BTREE	No	No	auth_state	0	A	No	
health_state	BTREE	No	No	health_state	0	A	No	
is_enabled	BTREE	No	No	is_enabled	0	A	No	

kf5_dtb_marketplace_conversations

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
channel_key	varchar(50)	No		
external_conversation_id	varchar(191)	No		
external_order_id	varchar(191)	No		
external_listing_id	varchar(191)	No		
external_item_id	varchar(191)	No		
woo_order_id	bigint	Yes	*NULL*	
marketplace_order_id	bigint	Yes	*NULL*	
buyer_ref_hash	varchar(64)	No		
subject	varchar(500)	No		
status	varchar(30)	No	open	
sla_due_at	datetime	Yes	*NULL*	
sla_state	varchar(20)	No	ok	
last_inbound_at	datetime	Yes	*NULL*	
last_outbound_at	datetime	Yes	*NULL*	
unread_count	int	No	0	
assigned_user_id	bigint	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
channel_conv	BTREE	Yes	No	channel_key	0	A	No	
				external_conversation_id	0	A	No	
channel_key	BTREE	No	No	channel_key	0	A	No	
woo_order_id	BTREE	No	No	woo_order_id	0	A	Yes	
status	BTREE	No	No	status	0	A	No	
sla_due_at	BTREE	No	No	sla_due_at	0	A	Yes	
buyer_ref_hash	BTREE	No	No	buyer_ref_hash	0	A	No	
assigned_user_id	BTREE	No	No	assigned_user_id	0	A	Yes	

kf5_dtb_marketplace_events

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
channel_key	varchar(50)	No		
event_type	varchar(100)	No		
external_event_id	varchar(191)	No		
linked_order_id	bigint	Yes	*NULL*	
linked_conversation_id	bigint	Yes	*NULL*	
linked_message_id	bigint	Yes	*NULL*	
idempotency_key	varchar(191)	Yes	*NULL*	
safe_payload_json	longtext	Yes	*NULL*	
payload_hash	varchar(64)	No		
processing_status	varchar(30)	No	pending	
processed_at	datetime	Yes	*NULL*	

Column	Type	Null	Default	Comments
error_message	varchar(500)	No		
retry_count	int	No	0	
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
idempotency_key	BTREE	Yes	No	idempotency_key	0	A	Yes	
channel_key	BTREE	No	No	channel_key	0	A	No	
event_type	BTREE	No	No	event_type	0	A	No	
processing_status	BTREE	No	No	processing_status	0	A	No	
linked_order_id	BTREE	No	No	linked_order_id	0	A	Yes	
created_at	BTREE	No	No	created_at	0	A	No	

kf5_dtb_marketplace_exceptions

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
category	varchar(80)	No		
severity	varchar(20)	No	error	
channel_key	varchar(50)	No		
linked_record_type	varchar(50)	No		
linked_record_id	bigint	Yes	*NULL*	
error_code	varchar(80)	No		
error_message	varchar(1000)	No		
is_retryable	tinyint(1)	No	1	
resolution_state	varchar(30)	No	open	
resolved_at	datetime	Yes	*NULL*	
resolved_by	bigint	Yes	*NULL*	
retry_count	int	No	0	
next_retry_at	datetime	Yes	*NULL*	
context_json	longtext	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
category	BTREE	No	No	category	0	A	No	
channel_key	BTREE	No	No	channel_key	0	A	No	
resolution_state	BTREE	No	No	resolution_state	0	A	No	
severity	BTREE	No	No	severity	0	A	No	
next_retry_at	BTREE	No	No	next_retry_at	0	A	Yes	
linked_record_type	BTREE	No	No	linked_record_type	0	A	No	
created_at	BTREE	No	No	created_at	0	A	No	

kf5_dtb_marketplace_messages

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
conversation_id	bigint	No		
external_message_id	varchar(191)	No		
direction	varchar(10)	No	inbound	
sender_type	varchar(20)	No	buyer	
body_preview	varchar(500)	No		
body_encrypted	longtext	Yes	*NULL*	
attachment_meta_json	longtext	Yes	*NULL*	
message_status	varchar(30)	No	received	
operator_id	bigint	Yes	*NULL*	
idempotency_key	varchar(191)	Yes	*NULL*	
platform_action	varchar(80)	No		
send_attempt_count	int	No	0	
sent_at	datetime	Yes	*NULL*	
failed_at	datetime	Yes	*NULL*	
failure_reason	varchar(500)	No		
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
conversation_id	BTREE	No	No	conversation_id	0	A	No	
direction	BTREE	No	No	direction	0	A	No	
message_status	BTREE	No	No	message_status	0	A	No	
idempotency_key	BTREE	No	No	idempotency_key	0	A	Yes	
created_at	BTREE	No	No	created_at	0	A	No	

kf5_dtb_marketplace_orders

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
channel_key	varchar(50)	No		
marketplace_order_id	varchar(191)	No		
woo_order_id	bigint	Yes	*NULL*	
veeqo_order_id	varchar(80)	No		
buyer_ref_hash	varchar(64)	No		
payment_state	varchar(50)	No	unknown	
fulfillment_state	varchar(50)	No	unshipped	
tracking_state	varchar(50)	No	none	
message_state	varchar(50)	No	none	
sla_due_at	datetime	Yes	*NULL*	
exception_count	int	No	0	
raw_payload_hash	varchar(64)	No		

Column	Type	Null	Default	Comments
first_synced_at	datetime	Yes	*NULL*	
last_synced_at	datetime	Yes	*NULL*	
order_placed_at	datetime	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
channel_order	BTREE	Yes	No	channel_key	0	A	No	
				marketplace_order_id	0	A	No	
woo_order_id	BTREE	No	No	woo_order_id	0	A	Yes	
channel_key	BTREE	No	No	channel_key	0	A	No	
fulfillment_state	BTREE	No	No	fulfillment_state	0	A	No	
payment_state	BTREE	No	No	payment_state	0	A	No	
sla_due_at	BTREE	No	No	sla_due_at	0	A	Yes	
last_synced_at	BTREE	No	No	last_synced_at	0	A	Yes	

kf5_dtb_order_events

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
order_id	bigint	No		
event_type	varchar(100)	No		
from_status	varchar(50)	Yes	*NULL*	
to_status	varchar(50)	Yes	*NULL*	
actor_type	varchar(50)	No	system	
actor_id	bigint	Yes	*NULL*	
source	varchar(100)	No	system	
visibility	varchar(50)	No	operator	
idempotency_key	varchar(191)	Yes	*NULL*	
payload_json	longtext	Yes	*NULL*	
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	63	A	No	
idempotency_key	BTREE	Yes	No	idempotency_key	29	A	Yes	
order_id	BTREE	No	No	order_id	7	A	No	
event_type	BTREE	No	No	event_type	9	A	No	
visibility	BTREE	No	No	visibility	3	A	No	
created_at	BTREE	No	No	created_at	22	A	No	

kf5_dtb_release_events

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
release_id	varchar(80)	No		
event_type	varchar(64)	No		
ref_type	varchar(20)	Yes	*NULL*	
ref	varchar(191)	Yes	*NULL*	
commit_sha	varchar(40)	Yes	*NULL*	
actor	varchar(191)	Yes	*NULL*	
source	varchar(40)	No	github_actions	
workflow_run_id	varchar(40)	Yes	*NULL*	
payload_json	longtext	Yes	*NULL*	
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
release_event	BTREE	Yes	No	release_id	0	A	No	
				event_type	0	A	No	
event_type	BTREE	No	No	event_type	0	A	No	
created_at	BTREE	No	No	created_at	0	A	No	

kf5_dtb_repair_events

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
repair_id	bigint	No		
event_type	varchar(100)	No		
from_status	varchar(50)	Yes	*NULL*	
to_status	varchar(50)	Yes	*NULL*	
actor_type	varchar(50)	No	system	
actor_id	bigint	Yes	*NULL*	
source	varchar(100)	No	system	
visibility	varchar(50)	No	operator	
payload_json	longtext	Yes	*NULL*	
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	7	A	No	
repair_id	BTREE	No	No	repair_id	1	A	No	
event_type	BTREE	No	No	event_type	5	A	No	
visibility	BTREE	No	No	visibility	3	A	No	
created_at	BTREE	No	No	created_at	3	A	No	

kf5_dtb_schematic_activity

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
operation_type	varchar(64)	No		
operator_id	bigint	Yes	*NULL*	
schematic_id	bigint	Yes	*NULL*	
schematic_canonical_id	varchar(191)	Yes	*NULL*	
dry_run	tinyint(1)	No	1	
result	varchar(32)	No	ok	
examined_count	int	No	0	
changed_count	int	No	0	
skipped_count	int	No	0	
unresolved_count	int	No	0	
source_version	varchar(64)	Yes	*NULL*	
catalog_version	bigint	Yes	*NULL*	
summary	text	Yes	*NULL*	
detail_json	longtext	Yes	*NULL*	
started_at	datetime	No		
completed_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	131	A	No	
operation_type	BTREE	No	No	operation_type	3	A	No	
operator_id	BTREE	No	No	operator_id	1	A	Yes	
schematic_id	BTREE	No	No	schematic_id	1	A	Yes	
result	BTREE	No	No	result	2	A	No	
completed_at	BTREE	No	No	completed_at	74	A	No	
catalog_version	BTREE	No	No	catalog_version	1	A	Yes	

kf5_dtb_support_automation_rules

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
rule_name	varchar(120)	No		
trigger_event	varchar(100)	No		
conditions	longtext	No		
actions	longtext	No		
is_active	tinyint(1)	No	1	
sort_order	int	No	0	
run_count	int	No	0	
last_run_at	datetime	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
trigger_event	BTREE	No	No	trigger_event	0	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
is_active	BTREE	No	No	is_active	0	A	No	
sort_order	BTREE	No	No	sort_order	0	A	No	

kf5_dtb_support_email_outbox

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
ticket_id	bigint	Yes	*NULL*	
recipient_email	varchar(120)	No		
recipient_name	varchar(120)	No		
subject	varchar(255)	No		
body_html	longtext	No		
body_text	longtext	No		
headers	longtext	No		
status	varchar(20)	No	pending	
attempts	int	No	0	
next_attempt_at	datetime	Yes	*NULL*	
sent_at	datetime	Yes	*NULL*	
last_error	text	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
ticket_id	BTREE	No	No	ticket_id	0	A	Yes	
status	BTREE	No	No	status	0	A	No	
next_attempt_at	BTREE	No	No	next_attempt_at	0	A	Yes	
created_at	BTREE	No	No	created_at	0	A	No	

kf5_dtb_support_events

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
ticket_id	bigint	No		
event_type	varchar(100)	No		
from_status	varchar(50)	Yes	*NULL*	
to_status	varchar(50)	Yes	*NULL*	
actor_type	varchar(50)	No	system	
actor_id	bigint	Yes	*NULL*	
source	varchar(100)	No	system	
visibility	varchar(50)	No	operator	
body	longtext	No		
payload_json	longtext	Yes	*NULL*	
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
ticket_id	BTREE	No	No	ticket_id	0	A	No	
event_type	BTREE	No	No	event_type	0	A	No	
visibility	BTREE	No	No	visibility	0	A	No	
created_at	BTREE	No	No	created_at	0	A	No	

kf5_dtb_support_macros

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
macro_name	varchar(120)	No		
category	varchar(80)	No	general	
subject_template	varchar(255)	No		
body_template	longtext	No		
variables	longtext	No		
is_active	tinyint(1)	No	1	
sort_order	int	No	0	
created_by	bigint	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	72	A	No	
category	BTREE	No	No	category	5	A	No	
is_active	BTREE	No	No	is_active	1	A	No	

kf5_dtb_support_tickets

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
ticket_number	varchar(20)	No		
status	varchar(50)	No	open	
ticket_type	varchar(50)	No	contact	
priority	varchar(20)	No	normal	
subject	varchar(255)	No		
customer_name	varchar(120)	No		
customer_email	varchar(120)	No		
customer_phone	varchar(40)	No		
company	varchar(120)	No		
message	longtext	No		
assigned_user_id	bigint	Yes	*NULL*	
source	varchar(80)	No	website	
order_id	bigint	Yes	*NULL*	
tags	varchar(500)	No		
internal_notes	longtext	No		

Column	Type	Null	Default	Comments
first_reply_at	datetime	Yes	*NULL*	
resolved_at	datetime	Yes	*NULL*	
closed_at	datetime	Yes	*NULL*	
sla_first_response_due	datetime	Yes	*NULL*	
sla_resolution_due	datetime	Yes	*NULL*	
sla_state	varchar(20)	No	ok	
last_customer_reply_at	datetime	Yes	*NULL*	
last_staff_reply_at	datetime	Yes	*NULL*	
priority_score	int	No	0	
metadata_json	longtext	Yes	*NULL*	
snooze_until	datetime	Yes	*NULL*	
snooze_reason	varchar(255)	No		
followup_due_at	datetime	Yes	*NULL*	
notification_status	varchar(50)	No		
notification_fail_count	int	No	0	
notification_last_sent_at	datetime	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
ticket_number	BTREE	Yes	No	ticket_number	0	A	No	
status	BTREE	No	No	status	0	A	No	
ticket_type	BTREE	No	No	ticket_type	0	A	No	
priority	BTREE	No	No	priority	0	A	No	
customer_email	BTREE	No	No	customer_email	0	A	No	
assigned_user_id	BTREE	No	No	assigned_user_id	0	A	Yes	
created_at	BTREE	No	No	created_at	0	A	No	
updated_at	BTREE	No	No	updated_at	0	A	No	
priority_score	BTREE	No	No	priority_score	0	A	No	
sla_state	BTREE	No	No	sla_state	0	A	No	
snooze_until	BTREE	No	No	snooze_until	0	A	Yes	
last_customer_reply_at	BTREE	No	No	last_customer_reply_at	0	A	Yes	

kf5_dtb_veeqo_stock

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
sku	varchar(128)	No		
woo_product_id	bigint	Yes	*NULL*	
veeqo_product_id	varchar(128)	Yes	*NULL*	
veeqo_variant_id	varchar(128)	Yes	*NULL*	
qty_on_hand	int	No	0	
qty_committed	int	No	0	
qty_available	int	No	0	
last_synced_at	datetime	Yes	*NULL*	

Column	Type	Null	Default	Comments
sync_source	varchar(32)	No	manual	
raw_payload	longtext	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	672	A	No	
sku	BTREE	Yes	No	sku	672	A	No	
woo_product_id	BTREE	No	No	woo_product_id	672	A	Yes	
qty_available	BTREE	No	No	qty_available	2	A	No	
last_synced_at	BTREE	No	No	last_synced_at	3	A	Yes	

kf5_easy_mcp_ai_approvals

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
approval_id	varchar(36)	No		
auth_source	varchar(16)	No	legacy	
token_id	bigint	No	0	
oauth_client_id	varchar(191)	Yes	*NULL*	
wp_user_id	bigint	No	0	
tool_name	varchar(255)	No		
client_protocol	varchar(16)	Yes	*NULL*	
client_capabilities	text	Yes	*NULL*	
arguments	longtext	Yes	*NULL*	
args_hash	varchar(64)	No		
preview	text	Yes	*NULL*	
preview_hash	varchar(64)	Yes	*NULL*	
status	varchar(16)	No	pending	
card_secret_hash	varchar(64)	Yes	*NULL*	
decided_by	bigint	Yes	*NULL*	
decided_at	datetime	Yes	*NULL*	
decision_via	varchar(16)	Yes	*NULL*	
audit_id	bigint	Yes	*NULL*	
executed_audit_id	bigint	Yes	*NULL*	
result	longtext	Yes	*NULL*	
signature	varchar(64)	Yes	*NULL*	
created_at	datetime	No		
expires_at	datetime	No		
consumed_at	datetime	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
approval_id	BTREE	Yes	No	approval_id	0	A	No	
status_expires	BTREE	No	No	status	0	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
				expires_at	0	A	No	
lookup	BTREE	No	No	auth_source	0	A	No	
				token_id	0	A	No	
				args_hash	0	A	No	
wp_user_id	BTREE	No	No	wp_user_id	0	A	No	
				created_at	0	A	No	

kf5_easy_mcp_ai_audit_log

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
token_id	bigint	No		
tool_name	varchar(255)	No		
arguments	longtext	Yes	*NULL*	
result_status	varchar(20)	No	success	
ip_address	varchar(45)	Yes	*NULL*	
created_at	datetime	No	CURRENT_TIMESTAMP	
auth_source	varchar(16)	Yes	*NULL*	
wp_user_id	bigint	Yes	*NULL*	
oauth_client_id	varchar(191)	Yes	*NULL*	
duration_ms	int	Yes	*NULL*	
approval_id	varchar(36)	Yes	*NULL*	
approved_by	bigint	Yes	*NULL*	
approved_via	varchar(16)	Yes	*NULL*	
approved_at	datetime	Yes	*NULL*	
error_message	text	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	4616	A	No	
token_id	BTREE	No	No	token_id	2	A	No	
tool_name	BTREE	No	No	tool_name (150)	87	A	No	
created_at	BTREE	No	No	created_at	3382	A	No	
user_time	BTREE	No	No	wp_user_id	2	A	Yes	
				created_at	3382	A	No	
source_time	BTREE	No	No	auth_source	2	A	Yes	
				created_at	3382	A	No	

kf5_easy_mcp_ai_change_log

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
audit_id	bigint	Yes	*NULL*	
auth_source	varchar(16)	No	legacy	
token_id	bigint	No	0	
oauth_client_id	varchar(191)	Yes	*NULL*	

Column	Type	Null	Default	Comments
wp_user_id	bigint	No	0	
tool_name	varchar(255)	No		
action	varchar(16)	No		
object_type	varchar(64)	No		
object_id	varchar(191)	No		
object_subtype	varchar(64)	Yes	*NULL*	
before_value	longtext	Yes	*NULL*	
after_value	longtext	Yes	*NULL*	
changed_fields	text	Yes	*NULL*	
revision_id	bigint	Yes	*NULL*	
truncated	tinyint(1)	No	0	
capture_mode	varchar(16)	Yes	*NULL*	
ip_address	varchar(45)	Yes	*NULL*	
created_at	datetime	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	20766	A	No	
object_lookup	BTREE	No	No	object_type	7	A	No	
				object_id (100)	5388	A	No	
				created_at	8543	A	No	
tool_name	BTREE	No	No	tool_name (150)	21	A	No	
				created_at	1017	A	No	
wp_user_id	BTREE	No	No	wp_user_id	1	A	No	
				created_at	1043	A	No	
audit_id	BTREE	No	No	audit_id	814	A	Yes	
created_at	BTREE	No	No	created_at	1043	A	No	
capture_mode	BTREE	No	No	capture_mode	1	A	Yes	
				created_at	1043	A	No	

kf5_easy_mcp_ai_oauth_access_tokens

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
token_hash	char(64)	No		
refresh_hash	char(64)	Yes	*NULL*	
refresh_parent_id	bigint	Yes	*NULL*	
client_id	varchar(64)	No		
wp_user_id	bigint	No		
resource	text	No		
scope	text	No		
expires_at	datetime	No		
refresh_expires_at	datetime	Yes	*NULL*	
is_active	tinyint(1)	No	1	
created_at	datetime	No		
last_used_at	datetime	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
token_hash	BTREE	Yes	No	token_hash	0	A	No	
refresh_hash	BTREE	Yes	No	refresh_hash	0	A	Yes	
client_user_idx	BTREE	No	No	client_id	0	A	No	
				wp_user_id	0	A	No	
refresh_parent_idx	BTREE	No	No	refresh_parent_id	0	A	Yes	
active_expires_idx	BTREE	No	No	is_active	0	A	No	
				expires_at	0	A	No	
expires_at_idx	BTREE	No	No	expires_at	0	A	No	

kf5_easy_mcp_ai_oauth_clients

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
client_id	varchar(64)	No		
client_name	varchar(255)	No		
redirect_uris	longtext	No		
grant_types	varchar(255)	No		
response_types	varchar(255)	No		
scope	varchar(255)	No		
software_id	varchar(255)	Yes	*NULL*	
software_version	varchar(64)	Yes	*NULL*	
created_at	datetime	No		
created_by_ip	varchar(45)	No		
is_active	tinyint(1)	No	1	
client_secret_hash	char(64)	Yes	*NULL*	
token_endpoint_auth_method	varchar(32)	No	none	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
client_id	BTREE	Yes	No	client_id	0	A	No	
is_active_idx	BTREE	No	No	is_active	0	A	No	

kf5_easy_mcp_ai_oauth_codes

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
code_hash	char(64)	No		
client_id	varchar(64)	No		
wp_user_id	bigint	No		
redirect_uri	text	No		
code_challenge	varchar(128)	No		
code_challenge_method	varchar(16)	No	S256	
resource	text	No		

Column	Type	Null	Default	Comments
scope	text	No		
expires_at	datetime	No		
used_at	datetime	Yes	*NULL*	
minted_token_id	bigint	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
code_hash	BTREE	Yes	No	code_hash	0	A	No	
expires_at_idx	BTREE	No	No	expires_at	0	A	No	
client_id_idx	BTREE	No	No	client_id	0	A	No	

kf5_easy_mcp_ai_oauth_consents

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
wp_user_id	bigint	No		
client_id	varchar(64)	No		
scope	text	No		
granted_at	datetime	No		
updated_at	datetime	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
user_client_idx	BTREE	Yes	No	wp_user_id	0	A	No	
				client_id	0	A	No	
client_id_idx	BTREE	No	No	client_id	0	A	No	

kf5_easy_mcp_ai_oauth_device_codes

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
device_code_hash	char(64)	No		
user_code_hash	char(64)	No		
client_id	varchar(64)	No		
wp_user_id	bigint	No	0	
consent_id	bigint	Yes	*NULL*	
resource	text	No		
scope	text	No		
status	varchar(16)	No	pending	
expires_at	datetime	No		
created_at	datetime	No		
last_polled_at	datetime	Yes	*NULL*	
decided_at	datetime	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
device_code_hash	BTREE	Yes	No	device_code_hash	0	A	No	
user_code_hash	BTREE	Yes	No	user_code_hash	0	A	No	
expires_at_idx	BTREE	No	No	expires_at	0	A	No	
client_id_idx	BTREE	No	No	client_id	0	A	No	

kf5_easy_mcp_ai_tasks

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
task_id	varchar(36)	No		
auth_source	varchar(16)	No	legacy	
token_id	bigint	No	0	
oauth_client_id	varchar(191)	Yes	*NULL*	
wp_user_id	bigint	No	0	
tool_name	varchar(255)	No		
arguments	longtext	Yes	*NULL*	
approval_id	varchar(36)	Yes	*NULL*	
mode	varchar(16)	No	cursor	
phase	varchar(16)	No	cursor	
status	varchar(16)	No	working	
status_message	text	Yes	*NULL*	
progress_current	bigint	No	0	
progress_total	bigint	No	0	
task_cursor	longtext	Yes	*NULL*	
job_id	text	Yes	*NULL*	
result	longtext	Yes	*NULL*	
error	text	Yes	*NULL*	
signature	varchar(64)	Yes	*NULL*	
ticks	int	No	0	
lock_token	varchar(32)	Yes	*NULL*	
locked_until	datetime	Yes	*NULL*	
created_at	datetime	No		
updated_at	datetime	No		
completed_at	datetime	Yes	*NULL*	
expires_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
task_id	BTREE	Yes	No	task_id	0	A	No	
status_updated	BTREE	No	No	status	0	A	No	
				updated_at	0	A	No	
expires_at	BTREE	No	No	expires_at	0	A	No	
wp_user_id	BTREE	No	No	wp_user_id	0	A	No	
				created_at	0	A	No	

kf5_easy_mcp_ai_tokens

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
name	varchar(255)	No		
token_hash	varchar(64)	No		
token_prefix	varchar(14)	No		
allowed_tools	longtext	No		
wp_user_id	bigint	No		
last_used_at	datetime	Yes	*NULL*	
expires_at	datetime	Yes	*NULL*	
is_active	tinyint(1)	No	1	
created_at	datetime	No	CURRENT_TIMESTAMP	
updated_at	datetime	No	CURRENT_TIMESTAMP	
created_by	bigint	Yes	*NULL*	
site_host_hash	varchar(64)	Yes	*NULL*	
unattended	tinyint(1)	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	3	A	No	
token_hash	BTREE	Yes	No	token_hash	3	A	No	
wp_user_id	BTREE	No	No	wp_user_id	1	A	No	
is_active	BTREE	No	No	is_active	1	A	No	

kf5_gla_attribute_mapping_rules

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
attribute	varchar(255)	No		
source	varchar(100)	No		
category_condition_type	varchar(10)	No		
categories	text	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_gla_budget_recommendations

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
currency	varchar(3)	No		
country	varchar(2)	No		
daily_budget	int	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	4230	A	No	
country_currency	BTREE	Yes	No	country	94	A	No	
				currency	4230	A	No	

kf5_gla_merchant_issues

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
product_id	bigint	No		
issue	varchar(200)	No		
code	varchar(100)	No		
severity	varchar(20)	No	warning	
product	varchar(100)	No		
action	text	No		
action_url	varchar(1024)	No		
applicable_countries	text	No		
source	varchar(10)	No	mc	
type	varchar(10)	No	product	
created_at	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_gla_merchant_price_benchmarks

Column	Type	Null	Default	Comments
product_id *(Primary)*	bigint	No		
mc_product_id	varchar(255)	No		
mc_product_offer_id	varchar(255)	No		
mc_product_price_micros	varchar(64)	No		
mc_product_currency_code	varchar(3)	No		
mc_price_country_code	varchar(2)	No		
mc_price_benchmark_price_micros	varchar(64)	No		
mc_price_benchmark_price_currency_code	varchar(3)	No		
mc_insights_suggested_price_micros	varchar(64)	No		
mc_insights_suggested_price_currency_code	varchar(3)	No		
mc_insights_predicted_impressions_change_fraction	decimal(10,6)	No		
mc_insights_predicted_clicks_change_fraction	decimal(10,6)	No		
mc_insights_predicted_conversions_change_fraction	decimal(10,6)	No		
mc_insights_effectiveness	tinyint(1)	No		
mc_metrics_clicks	varchar(64)	No		
mc_metrics_impressions	varchar(64)	No		
mc_metrics_ctr	int	No		
mc_metrics_conversions	int	No		
price_compared_with_benchmark	tinyint(1)	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	product_id	0	A	No	
mc_product_id	BTREE	Yes	No	mc_product_id	0	A	No	
mc_insights_effectiveness	BTREE	No	No	mc_insights_effectiveness	0	A	No	
price_compared_with_benchmark	BTREE	No	No	price_compared_with_benchmark	0	A	No	

kf5_gla_shipping_rates

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
country	varchar(2)	No		
currency	varchar(3)	No		
rate	double	No	0	
options	text	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
country	BTREE	No	No	country	0	A	No	
currency	BTREE	No	No	currency	0	A	No	

kf5_gla_shipping_times

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
country	varchar(2)	No		
time	bigint	No	0	
max_time	bigint	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
country	BTREE	No	No	country	0	A	No	

kf5_jetpack_sync_queue

Column	Type	Null	Default	Comments
ID *(Primary)*	bigint	No		
queue_id	varchar(50)	No		
event_id	varchar(100)	No		
event_payload	longtext	No		
timestamp	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	0	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
event_id	BTREE	No	No	event_id	0	A	No	
queue_id	BTREE	No	No	queue_id	0	A	No	
queue_id_event_id	BTREE	No	No	queue_id	0	A	No	
				event_id	0	A	No	
timestamp	BTREE	No	No	timestamp	0	A	No	

kf5_links

Column	Type	Null	Default	Comments
link_id *(Primary)*	bigint	No		
link_url	varchar(255)	No		
link_name	varchar(255)	No		
link_image	varchar(255)	No		
link_target	varchar(25)	No		
link_description	varchar(255)	No		
link_visible	varchar(20)	No	Y	
link_owner	bigint	No	1	
link_rating	int	No	0	
link_updated	datetime	No	0000-00-00 00:00:00	
link_rel	varchar(255)	No		
link_notes	mediumtext	No		
link_rss	varchar(255)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	link_id	0	A	No	
link_visible	BTREE	No	No	link_visible	0	A	No	

kf5_mw_wc_qbo_sync_customer_pairs

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
wc_customerid	int	No		
qbo_customerid	int	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_mw_wc_qbo_sync_log

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
log_title	varchar(255)	No		
details	text	No		
success	int	No		

Column	Type	Null	Default	Comments
log_type	varchar(255)	No		
added_date	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2	A	No	

kf5_mw_wc_qbo_sync_paymentmethod_map

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
wc_paymentmethod	varchar(255)	No		
qbo_account_id	int	No		
currency	varchar(255)	No		
enable_transaction	int	No		
txn_expense_acc_id	int	No		
enable_payment	int	No		
txn_refund	int	No		
enable_refund	int	No		
enable_batch	int	No		
udf_account_id	int	No		
vendor_id	int	No		
qb_p_method_id	int	No		
lump_weekend_batches	int	No		
term_id	int	No		
ps_order_status	varchar(255)	No		
individual_batch_support	int	No		
deposit_cron_utc	varchar(255)	No		
deposit_cron_sch	varchar(255)	No		
inv_due_date_days	int	No		
order_sync_as	varchar(255)	No		
deposit_date_field	varchar(255)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_mw_wc_qbo_sync_payment_id_map

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
wc_payment_id	int	No		
qbo_payment_id	int	No		
is_wc_order	int	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_mw_wc_qbo_sync_product_pairs

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
wc_product_id	int	No		
quickbook_product_id	int	No		
class_id	varchar(255)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_mw_wc_qbo_sync_qbo_customers

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
qbo_customerid	int	No		
first	varchar(255)	No		
middle	varchar(255)	No		
last	varchar(255)	No		
company	varchar(255)	No		
dname	varchar(255)	No		
email	varchar(255)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_mw_wc_qbo_sync_qbo_items

Column	Type	Null	Default	Comments
ID *(Primary)*	int	No		
itemid	int	No		
name	varchar(255)	No		
sku	varchar(255)	No		
product_type	varchar(255)	No		
parent_id	int	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	0	A	No	

kf5_mw_wc_qbo_sync_real_time_sync_history

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
item_type	varchar(255)	No		
item_action	varchar(255)	No		
woocommerce_hook	varchar(255)	No		
item_id	int	No		
run	int	No		
success	int	No		
added_date	datetime	No		
dt_str	varchar(255)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_mw_wc_qbo_sync_real_time_sync_queue

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
item_type	varchar(255)	No		
item_action	varchar(255)	No		
woocommerce_hook	varchar(255)	No		
item_id	int	No		
run	int	No		
success	int	No		
added_date	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_mw_wc_qbo_sync_sessions

Column	Type	Null	Default	Comments
session_id *(Primary)*	bigint	No		
session_key	char(32)	No		
session_value	longtext	No		
session_expiry	bigint	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	session_id	0	A	No	
session_key	BTREE	Yes	No	session_key	0	A	No	

kf5_mw_wc_qbo_sync_shipping_product_map

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
wc_shippingmethod	varchar(255)	No		
qbo_product_id	int	No		
class_id	varchar(255)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_mw_wc_qbo_sync_tax_map

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
wc_tax_id	int	No		
qbo_tax_code	varchar(255)	No		
wc_tax_id_2	int	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_mw_wc_qbo_sync_variation_pairs

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
wc_variation_id	int	No		
quickbook_product_id	int	No		
class_id	varchar(255)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_mw_wc_qbo_sync_wq_cf_map

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
wc_field	text	No		
qb_field	varchar(255)	No		
ext_data	text	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_options

Column	Type	Null	Default	Comments
option_id *(Primary)*	bigint	No		
option_name	varchar(191)	No		
option_value	longtext	No		
autoload	varchar(20)	No	yes	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	option_id	2178	A	No	
option_name	BTREE	Yes	No	option_name	1818	A	No	
autoload	BTREE	No	No	autoload	4	A	No	

kf5_postmeta

Column	Type	Null	Default	Comments
meta_id *(Primary)*	bigint	No		
post_id	bigint	No	0	
meta_key	varchar(255)	Yes	*NULL*	
meta_value	longtext	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	meta_id	146977	A	No	
post_id	BTREE	No	No	post_id	9244	A	No	
meta_key	BTREE	No	No	meta_key (191)	178	A	Yes	

kf5_posts

Column	Type	Null	Default	Comments
ID *(Primary)*	bigint	No		
post_author	bigint	No	0	
post_date	datetime	No	0000-00-00 00:00:00	
post_date_gmt	datetime	No	0000-00-00 00:00:00	
post_content	longtext	No		
post_title	text	No		
post_excerpt	text	No		
post_status	varchar(20)	No	publish	
comment_status	varchar(20)	No	open	
ping_status	varchar(20)	No	open	
post_password	varchar(255)	No		
post_name	varchar(200)	No		
to_ping	text	No		
pinged	text	No		
post_modified	datetime	No	0000-00-00 00:00:00	
post_modified_gmt	datetime	No	0000-00-00 00:00:00	

Column	Type	Null	Default	Comments
post_content_filtered	longtext	No		
post_parent	bigint	No	0	
guid	varchar(255)	No		
menu_order	int	No	0	
post_type	varchar(20)	No	post	
post_mime_type	varchar(100)	No		
comment_count	bigint	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	2747	A	No	
post_name	BTREE	No	No	post_name (191)	2747	A	No	
type_status_date	BTREE	No	No	post_type	10	A	No	
				post_status	16	A	No	
				post_date	515	A	No	
				ID	2747	A	No	
post_parent	BTREE	No	No	post_parent	918	A	No	
post_author	BTREE	No	No	post_author	2	A	No	
type_status_author	BTREE	No	No	post_type	10	A	No	
				post_status	16	A	No	
				post_author	18	A	No	

kf5_sgs_log_events

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
visitor_id	int	No		
ts	int	No	0	
activity	varchar(255)	No		
description	varchar(255)	No		
ip	varchar(55)	No	127.0.0.1	
hostname	varchar(255)	Yes	0	
code	varchar(255)	No		
object_id	varchar(255)	No		
type	varchar(255)	No		
action	varchar(255)	No		
visitor_type	varchar(255)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	2353	A	No	
log_event_index	BTREE	No	No	visitor_id	28	A	No	
				ts	1940	A	No	
				activity	2322	A	No	
				id	2322	A	No	

kf5_sgs_log_visitors

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
ip	varchar(55)	No	127.0.0.1	
user_id	int	No	0	
block	int	No	0	
blocked_on	int	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	21	A	No	
ip_index	BTREE	No	No	ip	20	A	No	
block_user_index	BTREE	No	No	block	1	A	No	
				user_id	4	A	No	

kf5_termmeta

Column	Type	Null	Default	Comments
meta_id *(Primary)*	bigint	No		
term_id	bigint	No	0	
meta_key	varchar(255)	Yes	*NULL*	
meta_value	longtext	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	meta_id	559	A	No	
term_id	BTREE	No	No	term_id	526	A	No	
meta_key	BTREE	No	No	meta_key (191)	4	A	Yes	

kf5_terms

Column	Type	Null	Default	Comments
term_id *(Primary)*	bigint	No		
name	varchar(200)	No		
slug	varchar(200)	No		
term_group	bigint	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	term_id	522	A	No	
slug	BTREE	No	No	slug (191)	509	A	No	
name	BTREE	No	No	name (191)	509	A	No	

kf5_term_relationships

Column	Type	Null	Default	Comments
object_id *(Primary)*	bigint	No	0	
term_taxonomy_id *(Primary)*	bigint	No	0	
term_order	int	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	object_id	1054	A	No	
				term_taxonomy_id	4799	A	No	
term_taxonomy_id	BTREE	No	No	term_taxonomy_id	519	A	No	

kf5_term_taxonomy

Column	Type	Null	Default	Comments
term_taxonomy_id *(Primary)*	bigint	No		
term_id	bigint	No	0	
taxonomy	varchar(32)	No		
description	longtext	No		
parent	bigint	No	0	
count	bigint	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	term_taxonomy_id	542	A	No	
term_id_taxonomy	BTREE	Yes	No	term_id	542	A	No	
				taxonomy	542	A	No	
taxonomy	BTREE	No	No	taxonomy	9	A	No	

kf5_usermeta

Column	Type	Null	Default	Comments
umeta_id *(Primary)*	bigint	No		
user_id	bigint	No	0	
meta_key	varchar(255)	Yes	*NULL*	
meta_value	longtext	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	umeta_id	214	A	No	
user_id	BTREE	No	No	user_id	6	A	No	
meta_key	BTREE	No	No	meta_key (191)	74	A	Yes	

kf5_users

Column	Type	Null	Default	Comments
ID *(Primary)*	bigint	No		
user_login	varchar(60)	No		

Column	Type	Null	Default	Comments
user_pass	varchar(255)	No		
user_nicename	varchar(50)	No		
user_email	varchar(100)	No		
user_url	varchar(100)	No		
user_registered	datetime	No	0000-00-00 00:00:00	
user_activation_key	varchar(255)	No		
user_status	int	No	0	
display_name	varchar(250)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	6	A	No	
user_login_key	BTREE	No	No	user_login	6	A	No	
user_nicename	BTREE	No	No	user_nicename	6	A	No	
user_email	BTREE	No	No	user_email	6	A	No	

kf5_wc_admin_notes

Column	Type	Null	Default	Comments
note_id *(Primary)*	bigint	No		
name	varchar(255)	No		
type	varchar(20)	No		
locale	varchar(20)	No		
title	longtext	No		
content	longtext	No		
content_data	longtext	Yes	*NULL*	
status	varchar(200)	No		
source	varchar(200)	No		
date_created	datetime	No	0000-00-00 00:00:00	
date_reminder	datetime	Yes	*NULL*	
is_snoozable	tinyint(1)	No	0	
layout	varchar(20)	No		
image	varchar(200)	Yes	*NULL*	
is_deleted	tinyint(1)	No	0	
is_read	tinyint(1)	No	0	
icon	varchar(200)	No	info	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	note_id	70	A	No	

kf5_wc_admin_note_actions

Column	Type	Null	Default	Comments
action_id *(Primary)*	bigint	No		
note_id	bigint	No		

Column	Type	Null	Default	Comments
name	varchar(255)	No		
label	varchar(255)	No		
query	longtext	No		
status	varchar(255)	No		
actioned_text	varchar(255)	No		
nonce_action	varchar(255)	Yes	*NULL*	
nonce_name	varchar(255)	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	action_id	97	A	No	
note_id	BTREE	No	No	note_id	68	A	No	

kf5_wc_category_lookup

Column	Type	Null	Default	Comments
category_tree_id *(Primary)*	bigint	No		
category_id *(Primary)*	bigint	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	category_tree_id	35	A	No	
				category_id	62	A	No	

kf5_wc_customer_lookup

Column	Type	Null	Default	Comments
customer_id *(Primary)*	bigint	No		
user_id	bigint	Yes	*NULL*	
username	varchar(60)	No		
first_name	varchar(255)	No		
last_name	varchar(255)	No		
email	varchar(100)	Yes	*NULL*	
date_last_active	timestamp	Yes	*NULL*	
date_registered	timestamp	Yes	*NULL*	
country	char(2)	No		
postcode	varchar(20)	No		
city	varchar(100)	No		
state	varchar(100)	No		
billing_phone	varchar(100)	No		
shipping_phone	varchar(100)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	customer_id	6	A	No	
user_id	BTREE	Yes	No	user_id	6	A	Yes	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
email	BTREE	No	No	email	5	A	Yes	

kf5_wc_download_log

Column	Type	Null	Default	Comments
download_log_id *(Primary)*	bigint	No		
timestamp	datetime	No		
permission_id	bigint	No		
user_id	bigint	Yes	*NULL*	
user_ip_address	varchar(100)	Yes		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	download_log_id	0	A	No	
permission_id	BTREE	No	No	permission_id	0	A	No	
timestamp	BTREE	No	No	timestamp	0	A	No	

kf5_wc_orders

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
status	varchar(20)	Yes	*NULL*	
currency	varchar(10)	Yes	*NULL*	
type	varchar(20)	Yes	*NULL*	
tax_amount	decimal(26,8)	Yes	*NULL*	
total_amount	decimal(26,8)	Yes	*NULL*	
customer_id	bigint	Yes	*NULL*	
billing_email	varchar(320)	Yes	*NULL*	
date_created_gmt	datetime	Yes	*NULL*	
date_updated_gmt	datetime	Yes	*NULL*	
parent_order_id	bigint	Yes	*NULL*	
payment_method	varchar(100)	Yes	*NULL*	
payment_method_title	text	Yes	*NULL*	
transaction_id	varchar(100)	Yes	*NULL*	
ip_address	varchar(100)	Yes	*NULL*	
user_agent	text	Yes	*NULL*	
customer_note	text	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	7	A	No	
status	BTREE	No	No	status	2	A	Yes	
date_created	BTREE	No	No	date_created_gmt	7	A	Yes	
customer_id_billing_email	BTREE	No	No	customer_id	2	A	Yes	
				billing_email (171)	2	A	Yes	
customer_id_status	BTREE	No	No	customer_id	2	A	Yes	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
				status	3	A	Yes	
billing_email	BTREE	No	No	billing_email (191)	1	A	Yes	
transaction_id	BTREE	No	No	transaction_id (20)	7	A	Yes	
type_status_date	BTREE	No	No	type	1	A	Yes	
				status	2	A	Yes	
				date_created_gmt	7	A	Yes	
parent_order_id	BTREE	No	No	parent_order_id	1	A	Yes	
date_updated	BTREE	No	No	date_updated_gmt	3	A	Yes	

kf5_wc_orders_meta

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
order_id	bigint	Yes	*NULL*	
meta_key	varchar(255)	Yes	*NULL*	
meta_value	text	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	270	A	No	
meta_key_value	BTREE	No	No	meta_key (50)	63	A	Yes	
				meta_value (20)	134	A	Yes	
order_id_meta_key_meta_value	BTREE	No	No	order_id	7	A	Yes	
				meta_key (100)	270	A	Yes	
				meta_value (82)	270	A	Yes	

kf5_wc_order_addresses

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
order_id	bigint	No		
address_type	varchar(20)	Yes	*NULL*	
first_name	text	Yes	*NULL*	
last_name	text	Yes	*NULL*	
company	text	Yes	*NULL*	
address_1	text	Yes	*NULL*	
address_2	text	Yes	*NULL*	
city	text	Yes	*NULL*	
state	text	Yes	*NULL*	
postcode	text	Yes	*NULL*	
country	text	Yes	*NULL*	
email	varchar(320)	Yes	*NULL*	
phone	varchar(100)	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	14	A	No	
address_type_order_id	BTREE	Yes	No	address_type	2	A	Yes	
				order_id	14	A	No	
order_id	BTREE	No	No	order_id	7	A	No	
email	BTREE	No	No	email (191)	2	A	Yes	
phone	BTREE	No	No	phone	1	A	Yes	

kf5_wc_order_coupon_lookup

Column	Type	Null	Default	Comments
order_id *(Primary)*	bigint	No		
coupon_id *(Primary)*	bigint	No		
date_created	datetime	No	0000-00-00 00:00:00	
discount_amount	double	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	order_id	0	A	No	
				coupon_id	0	A	No	
coupon_id	BTREE	No	No	coupon_id	0	A	No	
date_created	BTREE	No	No	date_created	0	A	No	

kf5_wc_order_operational_data

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
order_id	bigint	Yes	*NULL*	
created_via	varchar(100)	Yes	*NULL*	
woocommerce_version	varchar(20)	Yes	*NULL*	
prices_include_tax	tinyint(1)	Yes	*NULL*	
coupon_usages_are_counted	tinyint(1)	Yes	*NULL*	
download_permission_granted	tinyint(1)	Yes	*NULL*	
cart_hash	varchar(100)	Yes	*NULL*	
new_order_email_sent	tinyint(1)	Yes	*NULL*	
order_key	varchar(100)	Yes	*NULL*	
order_stock_reduced	tinyint(1)	Yes	*NULL*	
date_paid_gmt	datetime	Yes	*NULL*	
date_completed_gmt	datetime	Yes	*NULL*	
shipping_tax_amount	decimal(26,8)	Yes	*NULL*	
shipping_total_amount	decimal(26,8)	Yes	*NULL*	
discount_tax_amount	decimal(26,8)	Yes	*NULL*	
discount_total_amount	decimal(26,8)	Yes	*NULL*	
recorded_sales	tinyint(1)	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	7	A	No	
order_id	BTREE	Yes	No	order_id	7	A	Yes	
order_key	BTREE	No	No	order_key	7	A	Yes	

kf5_wc_order_product_lookup

Column	Type	Null	Default	Comments
order_item_id *(Primary)*	bigint	No		
order_id *(Primary)*	bigint	No		
product_id	bigint	No		
variation_id	bigint	No		
customer_id	bigint	Yes	*NULL*	
date_created	datetime	No	CURRENT_TIMESTAMP	
product_qty	int	No		
product_net_revenue	double	No	0	
product_gross_revenue	double	No	0	
coupon_amount	double	No	0	
tax_amount	double	No	0	
shipping_amount	double	No	0	
shipping_tax_amount	double	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	order_item_id	8	A	No	
				order_id	8	A	No	
order_id	BTREE	No	No	order_id	6	A	No	
product_id	BTREE	No	No	product_id	2	A	No	
customer_id	BTREE	No	No	customer_id	2	A	Yes	
date_created	BTREE	No	No	date_created	6	A	No	
customer_product_date	BTREE	No	No	customer_id	2	A	Yes	
				product_id	3	A	No	
				date_created	6	A	No	

kf5_wc_order_stats

Column	Type	Null	Default	Comments
order_id *(Primary)*	bigint	No		
parent_id	bigint	No	0	
date_created	datetime	No	0000-00-00 00:00:00	
date_created_gmt	datetime	No	0000-00-00 00:00:00	
date_paid	datetime	Yes	0000-00-00 00:00:00	
date_completed	datetime	Yes	0000-00-00 00:00:00	
num_items_sold	int	No	0	
total_sales	double	No	0	
tax_total	double	No	0	
shipping_total	double	No	0	

Column	Type	Null	Default	Comments
net_total	double	No	0	
returning_customer	tinyint(1)	Yes	*NULL*	
status	varchar(20)	No		
customer_id	bigint	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	order_id	6	A	No	
date_created	BTREE	No	No	date_created	6	A	No	
customer_id	BTREE	No	No	customer_id	2	A	No	
status	BTREE	No	No	status	2	A	No	
idx_date_paid_status_parent	BTREE	No	No	date_paid	6	A	Yes	
				status	6	A	No	
				parent_id	6	A	No	

kf5_wc_order_tax_lookup

Column	Type	Null	Default	Comments
order_id *(Primary)*	bigint	No		
tax_rate_id *(Primary)*	bigint	No		
order_item_id *(Primary)*	bigint	No	0	
date_created	datetime	No	0000-00-00 00:00:00	
shipping_tax	double	No	0	
order_tax	double	No	0	
total_tax	double	No	0	
taxable_amount	double	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	order_id	0	A	No	
				tax_rate_id	0	A	No	
				order_item_id	0	A	No	
tax_rate_id	BTREE	No	No	tax_rate_id	0	A	No	
date_created	BTREE	No	No	date_created	0	A	No	

kf5_wc_product_attributes_lookup

Column	Type	Null	Default	Comments
product_id *(Primary)*	bigint	No		
product_or_parent_id *(Primary)*	bigint	No		
taxonomy *(Primary)*	varchar(32)	No		
term_id *(Primary)*	bigint	No		
is_variation_attribute	tinyint(1)	No		
in_stock	tinyint(1)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	product_or_parent_id	3	A	No	
				term_id	13	A	No	
				product_id	13	A	No	
				taxonomy	13	A	No	
is_variation_attribute_term_id	BTREE	No	No	is_variation_attribute	1	A	No	
				term_id	13	A	No	
taxonomy_term_id_in_stock_product_or_parent_id	BTREE	No	No	taxonomy	2	A	No	
				term_id	13	A	No	
				in_stock	13	A	No	
				product_or_parent_id	13	A	No	
product_id	BTREE	No	No	product_id	13	A	No	

kf5_wc_product_download_directories

Column	Type	Null	Default	Comments
url_id *(Primary)*	bigint	No		
url	varchar(256)	No		
enabled	tinyint(1)	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	url_id	2	A	No	
url	BTREE	No	No	url (191)	2	A	No	

kf5_wc_product_meta_lookup

Column	Type	Null	Default	Comments
product_id *(Primary)*	bigint	No		
sku	varchar(100)	Yes		
global_unique_id	varchar(100)	Yes		
virtual	tinyint(1)	Yes	0	
downloadable	tinyint(1)	Yes	0	
min_price	decimal(19,4)	Yes	*NULL*	
max_price	decimal(19,4)	Yes	*NULL*	
onsale	tinyint(1)	Yes	0	
stock_quantity	double	Yes	*NULL*	
stock_status	varchar(100)	Yes	instock	
rating_count	bigint	Yes	0	
average_rating	decimal(3,2)	Yes	0.00	
total_sales	bigint	Yes	0	
tax_status	varchar(100)	Yes	taxable	
tax_class	varchar(100)	Yes		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	product_id	1134	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
virtual	BTREE	No	No	virtual	1	A	Yes	
downloadable	BTREE	No	No	downloadable	1	A	Yes	
stock_status	BTREE	No	No	stock_status	1	A	Yes	
stock_quantity	BTREE	No	No	stock_quantity	5	A	Yes	
onsale	BTREE	No	No	onsale	2	A	Yes	
min_max_price	BTREE	No	No	min_price	602	A	Yes	
				max_price	682	A	Yes	
sku	BTREE	No	No	sku (50)	1134	A	Yes	
global_unique_id	BTREE	No	No	global_unique_id (50)	1	A	Yes	

kf5_wc_rate_limits

Column	Type	Null	Default	Comments
rate_limit_id *(Primary)*	bigint	No		
rate_limit_key	varchar(200)	No		
rate_limit_expiry	bigint	No		
rate_limit_remaining	smallint	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	rate_limit_id	0	A	No	
rate_limit_key	BTREE	Yes	No	rate_limit_key (191)	0	A	No	

kf5_wc_reserved_stock

Column	Type	Null	Default	Comments
order_id *(Primary)*	bigint	No		
product_id *(Primary)*	bigint	No		
stock_quantity	double	No	0	
timestamp	datetime	No	0000-00-00 00:00:00	
expires	datetime	No	0000-00-00 00:00:00	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	order_id	0	A	No	
				product_id	0	A	No	
product_id_expires	BTREE	No	No	product_id	0	A	No	
				expires	0	A	No	

kf5_wc_stock_notificationmeta

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
notification_id	bigint	No		
meta_key	varchar(255)	Yes	*NULL*	
meta_value	longtext	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
notification_id	BTREE	No	No	notification_id	0	A	No	
meta_key	BTREE	No	No	meta_key (191)	0	A	Yes	

kf5_wc_stock_notifications

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
product_id	bigint	No		
user_id	bigint	No		
user_email	varchar(100)	No		
status	varchar(20)	No	pending	
date_created_gmt	datetime	Yes	*NULL*	
date_modified_gmt	datetime	Yes	*NULL*	
date_confirmed_gmt	datetime	Yes	*NULL*	
date_last_attempt_gmt	datetime	Yes	*NULL*	
date_notified_gmt	datetime	Yes	*NULL*	
date_cancelled_gmt	datetime	Yes	*NULL*	
cancellation_source	varchar(30)	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
product_status_attempt	BTREE	No	No	product_id	0	A	No	
				status	0	A	No	
				date_last_attempt_gmt	0	A	Yes	
				id	0	A	No	
user_lookup	BTREE	No	No	user_id	0	A	No	
				product_id	0	A	No	
				status	0	A	No	
email_lookup	BTREE	No	No	user_email	0	A	No	
				product_id	0	A	No	
				status	0	A	No	

kf5_wc_tax_rate_classes

Column	Type	Null	Default	Comments
tax_rate_class_id *(Primary)*	bigint	No		
name	varchar(200)	No		
slug	varchar(200)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	tax_rate_class_id	2	A	No	
slug	BTREE	Yes	No	slug (191)	2	A	No	

kf5_wc_webhooks

Column	Type	Null	Default	Comments
webhook_id *(Primary)*	bigint	No		
status	varchar(200)	No		
name	text	No		
user_id	bigint	No		
delivery_url	text	No		
secret	text	No		
topic	varchar(200)	No		
date_created	datetime	No	0000-00-00 00:00:00	
date_created_gmt	datetime	No	0000-00-00 00:00:00	
date_modified	datetime	No	0000-00-00 00:00:00	
date_modified_gmt	datetime	No	0000-00-00 00:00:00	
api_version	smallint	No		
failure_count	smallint	No	0	
pending_delivery	tinyint(1)	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	webhook_id	1	A	No	
user_id	BTREE	No	No	user_id	1	A	No	

kf5_woocommerce_api_keys

Column	Type	Null	Default	Comments
key_id *(Primary)*	bigint	No		
user_id	bigint	No		
description	varchar(200)	Yes	*NULL*	
permissions	varchar(10)	No		
consumer_key	char(64)	No		
consumer_secret	char(43)	No		
nonces	longtext	Yes	*NULL*	
truncated_key	char(7)	No		
last_access	datetime	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	key_id	4	A	No	
consumer_key	BTREE	No	No	consumer_key	4	A	No	
consumer_secret	BTREE	No	No	consumer_secret	4	A	No	

kf5_woocommerce_attribute_taxonomies

Column	Type	Null	Default	Comments
attribute_id *(Primary)*	bigint	No		
attribute_name	varchar(200)	No		

Column	Type	Null	Default	Comments
attribute_label	varchar(200)	Yes	*NULL*	
attribute_type	varchar(20)	No		
attribute_orderby	varchar(20)	No		
attribute_public	int	No	1	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	attribute_id	0	A	No	
attribute_name	BTREE	No	No	attribute_name (20)	0	A	No	

kf5_woocommerce_downloadable_product_permissions

Column	Type	Null	Default	Comments
permission_id *(Primary)*	bigint	No		
download_id	varchar(36)	No		
product_id	bigint	No		
order_id	bigint	No	0	
order_key	varchar(200)	No		
user_email	varchar(200)	No		
user_id	bigint	Yes	*NULL*	
downloads_remaining	varchar(9)	Yes	*NULL*	
access_granted	datetime	No	0000-00-00 00:00:00	
access_expires	datetime	Yes	*NULL*	
download_count	bigint	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	permission_id	0	A	No	
download_order_key_product	BTREE	No	No	product_id	0	A	No	
				order_id	0	A	No	
				order_key (16)	0	A	No	
				download_id	0	A	No	
download_order_product	BTREE	No	No	download_id	0	A	No	
				order_id	0	A	No	
				product_id	0	A	No	
order_id	BTREE	No	No	order_id	0	A	No	
user_order_remaining_expires	BTREE	No	No	user_id	0	A	Yes	
				order_id	0	A	No	
				downloads_remaining	0	A	Yes	
				access_expires	0	A	Yes	
idx_user_email	BTREE	No	No	user_email (100)	0	A	No	

kf5_woocommerce_log

Column	Type	Null	Default	Comments
log_id *(Primary)*	bigint	No		

Column	Type	Null	Default	Comments
timestamp	datetime	No		
level	smallint	No		
source	varchar(200)	No		
message	longtext	No		
context	longtext	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	log_id	0	A	No	
level	BTREE	No	No	level	0	A	No	

kf5_woocommerce_order_itemmeta

Column	Type	Null	Default	Comments
meta_id *(Primary)*	bigint	No		
order_item_id	bigint	No		
meta_key	varchar(255)	Yes	*NULL*	
meta_value	longtext	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	meta_id	153	A	No	
order_item_id	BTREE	No	No	order_item_id	18	A	No	
meta_key	BTREE	No	No	meta_key (32)	31	A	Yes	

kf5_woocommerce_order_items

Column	Type	Null	Default	Comments
order_item_id *(Primary)*	bigint	No		
order_item_name	text	No		
order_item_type	varchar(200)	No		
order_id	bigint	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	order_item_id	18	A	No	
order_id	BTREE	No	No	order_id	7	A	No	

kf5_woocommerce_payment_tokenmeta

Column	Type	Null	Default	Comments
meta_id *(Primary)*	bigint	No		
payment_token_id	bigint	No		
meta_key	varchar(255)	Yes	*NULL*	
meta_value	longtext	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	meta_id	0	A	No	
payment_token_id	BTREE	No	No	payment_token_id	0	A	No	
meta_key	BTREE	No	No	meta_key (32)	0	A	Yes	

kf5_woocommerce_payment_tokens

Column	Type	Null	Default	Comments
token_id *(Primary)*	bigint	No		
gateway_id	varchar(200)	No		
token	text	No		
user_id	bigint	No	0	
type	varchar(200)	No		
is_default	tinyint(1)	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	token_id	0	A	No	
user_id	BTREE	No	No	user_id	0	A	No	

kf5_woocommerce_sessions

Column	Type	Null	Default	Comments
session_id *(Primary)*	bigint	No		
session_key	char(32)	No		
session_value	longtext	No		
session_expiry	bigint	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	session_id	17	A	No	
session_key	BTREE	Yes	No	session_key	17	A	No	
session_expiry	BTREE	No	No	session_expiry	17	A	No	

kf5_woocommerce_shipping_zones

Column	Type	Null	Default	Comments
zone_id *(Primary)*	bigint	No		
zone_name	varchar(200)	No		
zone_order	bigint	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	zone_id	0	A	No	
zone_order_id	BTREE	No	No	zone_order	0	A	No	
				zone_id	0	A	No	

kf5_woocommerce_shipping_zone_locations

Column	Type	Null	Default	Comments
location_id *(Primary)*	bigint	No		
zone_id	bigint	No		
location_code	varchar(200)	No		
location_type	varchar(40)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	location_id	0	A	No	
zone_id	BTREE	No	No	zone_id	0	A	No	
location_type_code	BTREE	No	No	location_type (10)	0	A	No	
				location_code (20)	0	A	No	

kf5_woocommerce_shipping_zone_methods

Column	Type	Null	Default	Comments
zone_id	bigint	No		
instance_id *(Primary)*	bigint	No		
method_id	varchar(200)	No		
method_order	bigint	No		
is_enabled	tinyint(1)	No	1	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	instance_id	4	A	No	
zone_id	BTREE	No	No	zone_id	2	A	No	
method_id	BTREE	No	No	method_id (20)	3	A	No	

kf5_woocommerce_tax_rates

Column	Type	Null	Default	Comments
tax_rate_id *(Primary)*	bigint	No		
tax_rate_country	varchar(2)	No		
tax_rate_state	varchar(200)	No		
tax_rate	varchar(8)	No		
tax_rate_name	varchar(200)	No		
tax_rate_priority	bigint	No		
tax_rate_compound	int	No	0	
tax_rate_shipping	int	No	1	
tax_rate_order	bigint	No		
tax_rate_class	varchar(200)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	tax_rate_id	0	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
tax_rate_country	BTREE	No	No	tax_rate_country	0	A	No	
tax_rate_state	BTREE	No	No	tax_rate_state (2)	0	A	No	
tax_rate_class	BTREE	No	No	tax_rate_class (10)	0	A	No	
tax_rate_priority	BTREE	No	No	tax_rate_priority	0	A	No	

kf5_woocommerce_tax_rate_locations

Column	Type	Null	Default	Comments
location_id *(Primary)*	bigint	No		
location_code	varchar(200)	No		
tax_rate_id	bigint	No		
location_type	varchar(40)	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	location_id	2	A	No	
tax_rate_id	BTREE	No	No	tax_rate_id	1	A	No	
location_type_code	BTREE	No	No	location_type (10)	2	A	No	
				location_code (20)	2	A	No	

kf5_wpmailsmtp_debug_events

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
content	text	Yes	*NULL*	
initiator	text	Yes	*NULL*	
event_type	tinyint	No	0	
created_at	timestamp	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_wpmailsmtp_emails_log

Column	Type	Null	Default	Comments
id *(Primary)*	int	No		
subject	varchar(191)	No		
message_id	varchar(255)	Yes	*NULL*	
people	text	No		
headers	text	No		
error_text	text	Yes	*NULL*	
error_code	varchar(64)	Yes	*NULL*	
error_key	varchar(64)	Yes	*NULL*	
content_plain	longtext	No		
content_html	longtext	No		

Column	Type	Null	Default	Comments
status	tinyint	No	0	
date_sent	timestamp	No	CURRENT_TIMESTAMP	
mailer	varchar(255)	No		
attachments	tinyint	No	0	
initiator_name	varchar(255)	Yes	*NULL*	
initiator_file	text	Yes	*NULL*	
parent_id	int	No	0	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	19	A	No	
status	BTREE	No	No	status	2	A	No	
message_id	BTREE	No	No	message_id	19	A	Yes	
date_sent	BTREE	No	No	date_sent	19	A	No	
date_sent_status	BTREE	No	No	date_sent	19	A	No	
				status	19	A	No	
date_sent_status_initiator	BTREE	No	No	date_sent	19	A	No	
				status	19	A	No	
				initiator_name	19	A	Yes	
subject	BTREE	No	No	subject	13	A	No	

kf5_wpmailsmtp_tasks_meta

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
action	varchar(255)	No		
data	longtext	No		
date	datetime	No		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

kf5_wpvibe_audit_log

Column	Type	Null	Default	Comments
id *(Primary)*	bigint	No		
user_id	bigint	No	0	
operation	varchar(64)	No		
command	text	No		
params_json	longtext	Yes	*NULL*	
dry_run_json	longtext	Yes	*NULL*	
result_summary	text	Yes	*NULL*	
created_at	datetime	No	CURRENT_TIMESTAMP	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	12	A	No	
idx_user_created	BTREE	No	No	user_id	1	A	No	
				created_at	6	A	No	
idx_operation	BTREE	No	No	operation	1	A	No	
idx_created	BTREE	No	No	created_at	6	A	No	

kf5_wpvibe_op_receipts

Column	Type	Null	Default	Comments
op_id *(Primary)*	varchar(64)	No		
state	varchar(16)	No	started	
route	varchar(191)	Yes	*NULL*	
http_status	smallint	Yes	*NULL*	
result_summary	text	Yes	*NULL*	
created_at	datetime	No		
finished_at	datetime	Yes	*NULL*	

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	op_id	1	A	No	
idx_created	BTREE	No	No	created_at	1	A	No	