TapeTech®

PROFESSIONAL FINISHING TOOLS

PREMIUM DRYWALL TOOLS




BETTER. FASTER. EVERY TIME.

THE TAPETECH DRYWALL



p42 **PFKEH40TT**
Handle Adapter



p42 **PFK07TT, PFK12TT, PFK14TT, PFK18TT, PFK24TT, PFK32TT, PFK40TT, PFK48TT**
Finishing Knives

Taping

Embedding (1st Coat)

Automatic Taper, Corner Rollers and 2" Nail Spotter


2", 2½" Corner Finishers, 7" Finishing Boxes



p14 **03TT, 07TT, 07TT-C, ATX01TT**
EasyClean Automatic Taper



p17 **16TT, 16TT90**
Applicator Heads




p16 **15TTE, 17TT, 17TTE**
Corner Rollers



p36 **CFA-TT**
Corner Finisher Adapter



p22 **40XTT, 42TT**
Corner Finishers





p12 **76TT, 76XLTT, 85T, 85XLTT**
Pumps, Goosenecks and Adapters



p36 **FHTT, FHTT-CC**
Fiberglass Support Handle with Adapters



p36 **XHTT**
Extension Support Handle with Adapters



p18 **NS02TT**
Nail Spotter



p22 **40XTT, 42TT**
Corner Finishers



p36 **NSA-TT, CFA-TT**
Nail Spotter Adaper, Corner Finisher Adapter



p17 **48TT, 48TTX**
EasyRoll Corner Finishers

Taping | Finishing | Handles | Pumps

Visit our Learning Center at tapetech.com/learning-center/videos for more information.


FINISHING SYSTEM

Embedding (2nd Coat)

3" Corner Finishers, 10" Finishing Boxes

Finishing

3" or 3½" Corner Finishers, 10", 12" or 15" Finishing Boxes and 3" Nail Spotter





p17 **CH55TT, CH75TT, CH83TT, CH90TT**
Cove Applicator Heads



p24 **EZ07TT, EZ10TT, EZ12TT, EZ15TT**
EasyClean Boxes



p30 **QB06-QSX, QB08-QSX**
QuickBox®



p26 **EHC07, EHC10, EHC12**
MaxxBox



p28 **PAHC07, PAHC10, PAHC12**
Power Assist MaxxBox



p12 **76TT, 76XLTT, 90T**
Pumps and Adapters



p59 **CTA01TT**
Compound Tube Filler Adapter



p35 **The Wizard**
Compact Finishing Box Handle




p19 **CA07TT, CA08TT**
Corner Applicators



p18 **NS03TT**
Nail Spotter




p31 **FBH2642TT-CF, FBH4272TT-CF**
Carbon Fiber Box Handle (extendable)



p32 **88TTE, 8034TT, 8042TT, 8054TT, 8072TT**
Box XTender Handle and Box Handles




p20 **MR01TT**
MudRunner Pro



p32 **8134TT, 8142TT, 8154TT, 8172TT**
EasyFinish Handles



p33 **BH, BHE**
Brakeless Box Handles



p59 **CT24TT, CT36TT, CT42TT**
Compound Tubes





New Head Design
features shorter skirt length
for easier cylinder removal

Integrated O-ring
eliminates need
for O-ring enclosure

Integrated Gasket
provides superior seal and eliminates
the need for disposable paper gaskets

PVC Handle Wrap
for easy cleaning

Control Ball
provides secure hand
position when pumping

Easy Clean® Foot Valve
twist-lock design provides secure
attachment and quick removal


Easy Clean® Pumps

TapeTech EasyClean® loading pumps combine reliability with innovation to fill all your automatic taping and finishing tools quickly and efficiently. All TapeTech pumps feature the slim tube design preferred by professional finishers and robust construction for dependable performance and long life. The pumps have a redesigned head and a new Twist-lock foot valve that provides secure attachment and easy removal for cleaning and maintenance. TapeTech pumps do not require a paper gasket for the filler adapter or gooseneck due to an innovative, integrated O-Ring that provides a perfect seal with fewer headaches from lost, worn or damaged paper gaskets you experience with competitor's pumps. Use the pumps with the appropriate filler adapter or gooseneck. TapeTech adapters are engineered to precise tolerances for leak-free performance and long life.



76TT - EasyClean® Pump

Works with most standard buckets. Use with 85T Gooseneck.



76XLTT - Extra Long EasyClean® Pump

Twice the height of the standard 76TT pump, the 76XLTT is designed for 30 gallon barrels or to reduce repetitive bending when filling tools from standard buckets. Use with 85XLTT Gooseneck.



76TT-CA - EasyClean® Pump

For Canada, with extra length for taller buckets. Use with 85T Gooseneck and GSR-TT Gooseneck Riser.



85T & 85XLTT - Gooseneck

The TapeTech Gooseneck Adapter is used with the EasyClean® loading pump to fill the automatic taper. It features a heavy duty, durable design to provide years of service.

Fills TapeTech automatic tapers.

85T fits model 72TT and 73TT pumps (with 700049 gaskets, not included), and 76TT. 85XLTT fits model 76XLTT.



90T - Filler Adapter

Attaches to the TapeTech 76TT, 76XLTT or 76TT-CA EasyClean® pump to fill the MudRunner, Corner Applicators, Nail Spotters and EasyClean, MaxxBox® or Power Assist® Finishing boxes with joint compound. New, longer design makes filling finishing boxes even easier.

Also fits model 72TT and 73TT pumps (with 700049 gaskets, not included).



GSR-TT - Gooseneck Riser

The GSR-TT is used with the 85T Gooseneck to provide stability when using the 76TT-CA EasyClean® Pump.


PARTS KITS


501H - Pump Wear Parts Kit - 72TT/73TT
501J - Pump Wear Parts Kit - 76TT/76TT-CA/76XLTT
501BH - Pump Wear Parts Kit - B74TT/B75TT
502H - Pump Tune Up Kit - 72TT/73TT/76TT/76TT-CA/76XLTT
502BH - Pump Tune Up Kit - B74TT/B75TT
501H1 - Pump Cleaning Kit

COMMON WEAR PARTS

72TT, 73TT, 76TT, 76TT-CA, 76XLTT:
700032F - Screen (fine mesh)
700033F - Screen (coarse mesh)







THE SMOOTHEST & LIGHTEST TAPER IN THE INDUSTRY

Designed to be the most durable, efficient and easy to use taper making you more productive.

Tapers

The TapeTech EasyClean® Automatic Taper simultaneously applies tape and the correct amount of joint compound for all drywall joints - dramatically improving taping efficiency. The Automatic Taper applies paper joint tape and joint compound to flat and butt joints on walls, ceilings and internal corners up to 300% faster than taping by hand. TapeTech Automatic Tapers are designed to be the most durable, efficient and easy to use tapers.



07TT-C - EasyClean® Carbon Fiber Automatic Taper

The world's lightest and smoothest-running taper. Carbon Fiber main tube and control tube with stainless steel parts for long lasting durability.

Specifications - 07TT-C

Empty Weight	5.65 lbs
Full Weight with 250' tape roll	16.1 lbs
Coverage (approximate)	80' per load



07TT - EasyClean® Automatic Taper

The smoothest running taper in the world. Built with stainless steel and gold anodized aluminum for long lasting durability.

Specifications - 07TT

Empty Weight	6.25 lbs
Full Weight with 250' tape roll	16.7 lbs
Coverage (approximate)	80' per load



03TT - EasyClean® Automatic Mini-Taper

At just 40.5" long (103 cm), the 03TT EasyClean® Automatic Mini-Taper is 23% shorter than standard Automatic Tapers and is ideal for working in small spaces like closets and hallways or when working from scaffolding.

Specifications - 03TT

Empty Weight	5.81 lbs
Full Weight with 250' tape roll	14.41 lbs
Coverage (approximate)	62' per load



ATX01TT - Automatic Taper Extension

The TapeTech Automatic Taper Extension adds 30" (76 cm) to your 07TT EasyClean® Automatic Taper. With nearly 60% more length compared to the Taper alone, you'll easily reach joints up to 10' (3.6 m) high without the need to invest in a dedicated, extra-long taper that is only used occasionally.

OFF - Filling Position



ON - Taping Position



OPEN - Cleaning Position



PARTS KITS

PK-AT01 - Taper Wear Parts Kit (03TT, 07TT, 07TT0C)
PK-AT02 - Taper Tune Up Kit (03TT, 07TT, 07TT0C)
501A - Taper Wear Parts Kit (04TT, 05TT)
502A - Taper Tune Up Kit (04TT, 05TT)
200 - Gooser Assembly Replacement Kit
215 - Drive Dog Assembly Replacement Kit
335 - Piston Assembly Replacement Kit
340 - Cutter Chain Assembly Replacement Kit

COMMON WEAR PARTS

03TT, 04TT, 05TT, 07TT, 07TT-C:
059049 - Needle Gooser
056133 - Pyramid Blade
054209F - Cable
059010 - Spring


Hard Anodized Cable Drum & Push Rod

for long life and reduced wear




Adjustable Wheel Brake

maintains desired resistance as the wheels wear









Stainless Steel Rollers
for sharp corners and long life

Aluminum Body
for lighter weight and durability

Standard Fasteners
do not require special tools for maintenance



Industrial Quality Delrin
Rollers won't damage corner bead

TapeTech Corner Rollers apply even pressure to quickly and accurately embed paper joint tape in internal corners and paper-faced corner bead or European-style Flex Tape on outside corners. Use the Inside Corner Roller immediately after applying paper joint tape to the internal corner with the automatic taper. The inside corner roller forces excess joint compound out from behind the tape in preparation for the corner finisher or corner flusher. The TapeTech Inside Corner Roller features stainless steel rollers for crisp inside corners and long life. TapeTech Outside Corner Rollers firmly embed paper-faced corner bead or Flex Tape on external drywall corners and remove the excess joint compound from beneath it.



15TTE - Inside Corner Roller

The stainless steel rollers of the 15TTE set the paper tape into the internal corner and produce crisp, clean corners that are ready to embed with joint compound.

Use with FHTT, FHTT-CC, or XHTT Handles – Not Included



17TT - Outside Corner Roller

The nylon rollers of the 17TT provide a smooth surface to prevent damage to standard paper-faced corner bead.

Use with FHTT, FHTT-CC, or XHTT Handles – Not Included



17TTE - Outside Corner Roller

The 17TTE Outside Corner Roller features nylon rollers with extruded edges that are designed to embed steel reinforced paper faced corner bead, also known as flex corner tape.

Use with FHTT, FHTT-CC, or XHTT Handles – Not Included

PARTS KITS

501RSE - Corner Roller Replacement Kit–15TTE
501RD - Corner Roller Replacement Kit–17TT

RELATED PRODUCTS

FHTT, XHTT, FHTT-CC (see page 36)

Corner Rollers

Improved design with increased head length for greater stability and contoured areas at the top and bottom which allows the head to run over corners again without removing compound. TapeTech Applicator Heads apply a consistent base coat of joint compound for the cleanest and most efficient installation of paper-faced corner bead or joint tape. The Applicator Head applies the correct amount of joint compound to maximize adhesion and reduce clean up. Attach the 16TT Applicator Head to a Corner Applicator (CA07TT or CA08TT), the 14TT MudRunner® or a Compound Tube (CT24TT, CT36TT, CT42TT) to simplify and accelerate installation of paper-faced corner bead for external (outside) drywall corners. Attach the 16TT90 Applicator Head to a Corner Applicator (CA07TT or CA08TT), the 14TT MudRunner® or a Compound Tube (CT24TT, CT36TT, CT42TT) to simplify and accelerate installation of paper-faced corner bead for internal drywall corners. TapeTech Applicator Heads feature an EasyClean design.





Improved design!

16TT - Outside Corner





Improved design!

16TT90 - Inside Corner


TapeTech Cove Applicator Heads apply a bead of gypsum cove adhesive in precisely the right location for optimal adhesion of gypsum cove. They are designed to work with the most common sizes of Gyprock Cornice, Gyproc Cove, GIB-Cove and other brands of gypsum cove and cornice. Cove Applicator Heads attach securely to all TapeTech Corner Applicator tools but are ideally suited to be used with the Compound Tubes.



CH55TT - Cove Applicator Head



CH75TT - Cove Applicator Head



CH83TT - Cove Applicator Head



CH90TT - Cove Applicator Head

RELATED PRODUCTS
MR01TT, CA07TT, CA08TT, CT24TT, CT36TT, CT42TT (see page 19, 20 & 59)





TapeTech Nail Spotters quickly and efficiently fill depressions left from the heads of your drywall fasteners, whether you use nails or screws. Constructed of heavy duty stainless steel, the Nail Spotter is easy to use and extremely durable. A thumb latch and EasyClean® design make access to the body and tool cleaning simple. The blade removes any excess joint compound, leaving the depressions filled for a smooth wall finish. The Nail Spotters feature a reversible carbide blade so you get double the blade life. The blade is easily changed by loosening the nuts that secure the blade holder. The industrial quality gasket provides leak-free performance. TapeTech offers Nail Spotters in two sizes, 2" and 3", to make finishing drywall easy. Nail Spotters require either the XHTT extension handle, the FHTT handle or the FHTT-CC fiberglass handle, each sold separately.



NS02TT - 2" Nail Spotter



NS03TT - 3" Nail Spotter



NEW!

NSW01 - Nailspotter Wheel Kit

Easily add wheels to your TapeTech Nailspotter.



COMMON WEAR PARTS

630015 - 2" Wiper
600005F - 2" Nail Spotter Blade - Carbide
681015 - 3" Wiper
650005F - 3" Nail Spotter Blade - Carbide

RELATED PRODUCTS

FHTT, XHTT, FHTT-CC (see page 36)

TRIANGULAR HARDENED STEEL SKID PLATE

Provides the best protection for the carbide blade against protruding nail or screw heads.

Nail Spotters



D-shaped Fitting
securely positions handle and prevents tool from rotating during use

Corner Applicators supply joint compound to multiple tools as part of both the Taping process and the Finishing process.

Taping - If you use paper-faced corner bead products, attach TapeTech Applicator Heads to the Corner Applicator to quickly and cleanly apply a uniform amount of joint compound to inside or outside corners.

Finishing - When used with TapeTech Corner Finishers, the Corner Applicator supplies the joint compound to finish both sides of an inside corner at the same time.

Constructed of anodized aluminum with a stainless steel nose cone, TapeTech Corner Applicators provide years of dependable service and require very little maintenance. The Corner Applicator is used in conjunction with either the FHTT or FHTT-CC Fiberglass handle, or the XHTT Extension handle, each sold separately.



CA07TT - 7" Corner Applicator



CA08TT - 8" Corner Applicator

COMMON WEAR PARTS		RELATED PRODUCTS
500028 - 7" Wiper	350008 - 8" Wiper	FHTT, XHTT, FHTT-CC (see page 36)




The Corner Applicator that you love is back... and better than ever!

The newly redesigned adapter achieves the exact angle and dimensions of the old Corner Applicator and model HA fiberglass handle that gave you the best feel and results for years. The new adapter retains the D-shape on the adapter that was introduced a few years ago and provides the most secure connection between the tool and the handle. Buy the Corner Applicator (CA07TT or CA08TT) or just the new adapter to retrofit to your current tool. o The adapter fits the FHTT, FHTT-CC, and XHTT support handles.

Corner Applicators

MAXIMUM COVERAGE
MINIMUM WORK

Holds 50% more compound than a 8" Corner Applicator and 70% more than a 7" Corner Applicator.







MudRunner® Pro

The patented MR01TT MudRunner®Pro is the closest thing to an “automatic tool” for the drywall professional. Almost effortlessly, in conjunction with corner finishers or compound applicator heads, it applies joint compound to internal and external corners to install joint tape, corner bead, or cornice. With a patented mechanism to quickly and easily adjust the length of the tool between 52.5” – 60.5”, the tool is versatile enough to fit in closets or tight spaces, and reach tall ceilings with ease. Our new, patented design also makes the twist action of the handle almost effortless – an improvement over the original MudRunner Pro – resulting in comfortable, all-day use and intuitive ease of flow-adjustability while on the wall. The MudRunner Pro has more power than ever, with a 20% increase in the piston pressure to deliver more compound to the joints – faster. Delivering the optimal balance between pressure and flow, the MudRunner Pro is still easy to fill with the loading pump – unlike competitive tools with pistons so strong the tool is difficult to fill. For even more reach, add the MRX01TT MudRunner extension (sold separately).

Taping - Use with TapeTech Applicator Heads to quickly apply joint compound to internal and external corners when installing paper-faced corner bead.

Finishing - Use it with TapeTech Corner Finishers to quickly finish both sides of internal corners. The MudRunner delivers almost twice as much joint compound to the corner finisher compared to standard corner applicators, resulting in maximum coverage over the joint tape and superior results.



MR01TT - MudRunner® Pro


MRX01TT - Extension

PARTS KITS

144001 - MudRunner Tube Replacement Kit

RELATED PRODUCTS

16TT, 16TT90, CH55TT, CH75TT, CH83TT, CH90TT, 40XTT, 42TT, 48TT, 48XTT, CF25TT, CF30TT, CF35TT, CF40TT (see page 17, 22, 23 & 58)











Patented Locking Clip secures the corner finisher to the handle

Corner Finishers are used during both the Embedding and Finishing phases to produce crisp and clean 90 degree internal corners with minimal effort. The Corner Finishers can be used for wall-to-wall internal corners or wall-to-ceiling corners.

Embedding - After using the Inside Corner Roller (15TTE) to force excess joint compound from behind the paper joint tape in the internal corners, attach a Corner Finisher to a XHTT, FHTT, or FHTT-CC support handle and the CFA-TT adapter to wipe down the excess joint compound. This will embed the paper joint tape in compound and smooth both edges simultaneously.

Finishing - Attach TapeTech Corner Finishers to the MudRunner or the Corner Applicator to apply joint compound to both sides of the internal corner simultaneously. Use wider Corner Finishers on successive coats to produce the best results.

TapeTech Corner Finishers feature stainless steel frames and skids plus carbide blades for durability and long life.

TapeTech Corner Finishers feature a unique, patented locking clip on the ball retainer that attaches the finisher securely to the MudRunner, Corner Applicator or support handles. This allows you to easily and confidently reach wall and ceiling corners without worrying if the Corner Finisher will detach while you are working.



Improved design!

40XTT - 2" Corner Finisher



42TT - 2 ½" Corner Finisher

PARTS KITS

502F2 - 2" Corner Finisher Blade Change Kit (40TT)
501F2A - 2" Corner Finisher Maintenance Kit (40TT)
502F2X - 2" Corner Finisher Blade Change Kit (40XTT)
502F25 - 2.5" Corner Finisher Blade Change Kit (42TT)
501F25A - 2" & 2.5" Corner Finisher Maintenance Kit (40XTT & 42TT)
502F3 - 3" Corner Finisher Blade Change Kit (45TT)
501F3A - 3" Corner Finisher Maintenance Kit (45TT)

RELATED PRODUCTS

FHTT, XHTT, FHTT-CC with CFA-TT (see page 36)

COMMON WEAR PARTS

400009F - 2" Carbide Blade
420009 - 2½" Carbide Blade
450009F - 3" Carbide Blade

Corner Finishers

Corner Finishers are used during both the Embedding and Finishing phases to produce crisp and clean 90 degree internal corners with minimal effort. The Corner Finishers can be used for wall-to-wall internal corners or wall-to-ceiling corners.

Embedding - After using the Inside Corner Roller (15TTE) to force excess joint compound from behind the paper joint tape in the internal corners, attach a Corner Finisher to a XHTT, FHTT, or FHTT-CC support handle and the CFA-TT adapter to wipe down the excess joint compound. This will embed the paper joint tape in compound and smooth both edges simultaneously.

Finishing - Attach TapeTech Corner Finishers to the MudRunner or the Corner Applicator to apply joint compound to both sides of the internal corner simultaneously. Use wider Corner Finishers on successive coats to produce the best results.

TapeTech Corner Finishers feature stainless steel frames and skids plus carbide blades for durability and long life.

TapeTech Corner Finishers feature a unique, patented locking clip on the ball retainer that attaches the finisher securely to the MudRunner, Corner Applicator or support handles. This allows you to easily and confidently reach wall and ceiling corners without worrying if the Corner Finisher will detach while you are working.



48TT - 3" EasyRoll® Adjustable Corner Finisher



48XTT - 3 ½" EasyRoll® Adjustable Corner Finisher

PARTS KITS


501F4A - 3" EZ Roll Corner Finisher Maintenance Kit
502F4 - 3" EZ Roll Corner Finisher Blade Change Kit
501F4AX - 3½" EZ Roll Corner Finisher Maintenance Kit
502F4X - 3½" EZ Roll Corner Finisher Blade Change Kit

RELATED PRODUCTS

FHTT, XHTT, FHTT-CC with CFA-TT (see page 36)

COMMON WEAR PARTS

450009F - 3" Carbide Blade
480209 - 3½" Carbide Blade



HOW TO SET SPRING ADJUSTMENT ARMS



Adjustment Arms Engaged

· one set of springs is active
· less pressure on the frames
· allows more joint compound to remain

This is the typical setting on the first coat




Adjustment Arms Disengaged

· both sets of springs are active
· more pressure on the frames

This is the typical setting for the final coat

One adjustment arm can be engaged and the other disengaged to leave more joint compound on one side of the corner only when working with uneven corners.







EasyRoll® Wheels for Outside Corners provides a shoulder to allow finishing of outside corners without after-market attachments or damage to the axle

Pivoting Axle helps to compensate for uneven walls

Adjustable Crown Dial

Stainless Steel Blade and Skids

Gold Anodized Aluminum for durability and long life

EasyClean® Boxes

TapeTech EasyClean® Finishing Boxes have been the industry standard for over 40 years. The finishing box dispenses the proper amount of joint compound over flat joints and butt joints on walls and ceilings. The adjustable crown setting dial allows the user to easily adjust the amount of joint compound applied over the tape on the drywall joint. This is very helpful when progressing from the first embedding application to the second or third finishing coat. The pivoting axle helps to compensate when the drywall or sheetrock on one side of the joint is higher than the other side of the joint. Use the EasyClean Finishing Boxes with any style of TapeTech finishing box handle.



EZ07TT - 7" EasyClean® Box




EZ10TT - 10" EasyClean® Box



EZ12TT - 12" EasyClean® Box



EZ15TT - 15" EasyClean® Box



Approximate Linear Foot Coverage* - Embedding Coat (1st Coat)						
	0	1	2	3	4	5
EZ07TT	15	18	21	24	27	30
EZ10TT	16	18	20	22	24	26
EZ12TT	18	20	22	24	26	28
EZ15TT	23	25	28	30	33	35

Approximate Linear Foot Coverage* - Finishing Coat (2nd Coat)						
	0	1	2	3	4	5
EZ07TT	44	47	50	53	56	60
EZ10TT	48	51	54	57	61	66
EZ12TT	52	55	58	62	66	70
EZ15TT	65	69	73	78	83	88

Recommended Crown Settings				
When Using:	7"	10"	12"	15"
7", 10" and 12"	0-1	2-3	4-5	–
7" and 10"	0-1	3-4	–	–
10" and 12"	–	0-1	3-4	–
10" and 15"	–	0-1	–	3-4

* Coverage data is approximate only. Actual coverage can vary significantly based on many factors, including type of joint compound, viscosity of joint compound, quality of gypsum panel installation, quality of paper tape installation and the condition of the finishing box. There is no guarantee, written or implied, you will achieve the same coverage in all circumstances.

PARTS KITS

501C7 - 7" Wear Parts Kit
501C10 - 10" Wear Parts Kit
501C12 - 12" Wear Parts Kit
501C15 - 15" Wear Parts Kit
EZROLL-KIT - Finishing Box Wheel Replacement Kit

RELATED PRODUCTS:

TC01TT Tool Caddy (see page 59)

COMMON WEAR PARTS

EZ07TT:
200001 - Stainless Steel Blade
200026F - Box Wiper
209039 - Skid Cover (left side)
209006 - Skid Cover (right side)

EZ10TT:
250001 - Stainless Steel Blade
250026F - Box Wiper
209039 - Skid Cover (left side)
209006 - Skid Cover (right side)

EZ12TT:
300001 - Stainless Steel Blade
300026F - Box Wiper
209039 - Skid Cover (left side)
209006 - Skid Cover (right side)

EZ15TT:
340001 - Stainless Steel Blade
340026 - Box Wiper
209039 - Skid Cover (left side)
209006 - Skid Cover (right side)



CAUTION: WIDEST LOAD

The new EZ15TT 15" EasyClean Finishing Box is the widest in the industry. Designed for the perfect final coat over butt or uneven joints, there is no equal!







EasyRoll® Wheels for Outside Corners provides a shoulder to allow finishing of outside corners without after-market attachments or damage to the axle



Pivoting Axle helps to compensate for uneven walls

Adjustable Crown Dial

Gold Anodized Aluminum for durability and long life

Stainless Steel Blade and Skids

MAXXBOX®

*Right sized for **maximum productivity***

THE RIGHT SIZE MATTERS



94% More Usable Capacity

MaxxBox®

Only TapeTech offers high-capacity finishing boxes designed to hold the right amount of joint compound when you really need it – on the first or second coat when you're filling the joint – without the unnecessary weight when you don't need it – on the finish coat. TapeTech MaxxBox® Finishing Boxes are designed with the optimum capacity to weight ratio. The NEW TapeTech MaxxBox® Finishing Boxes are designed with the optimum capacity to weight ratio. This means that you get more "usable" joint compound – the amount that you can actually get out of the finishing box and onto the wall – when you actually need it, like on the first coat. The Finishing Boxes automatically dispense the proper amount of joint compound and feather the edges of butt joints and flat joints in one pass.

With a usable joint compound capacity that varies by less than 10% across the range, the TapeTech MaxxBox finishing boxes hold the right amount of joint compound to keep you on the wall longer without wearing you out. The MaxxBox series features TapeTech's famous EasyClean® design. The adjustable crown setting dial allows the user to easily adjust the amount of joint compound applied over the tape on the drywall joint. This is very helpful when progressing from the first embedding application to the second or third finishing coat. The pivoting axle helps to compensate when the drywall or sheetrock on one side of the joint is higher than the other side of the joint. Use the MaxxBox Finishing Boxes with any style of TapeTech finishing box handle.




EHC07 - 7" MaxxBox® High Capacity Box



EHC10 - 10" MaxxBox® High Capacity Box



EHC12 - 12" MaxxBox® High Capacity Box



Approximate Linear Foot Coverage* - Embedding Coat (1st Coat)						
	0	1	2	3	4	5
EHC07	29	35	41	47	52	58
EHC10	26	29	32	35	38	42
EHC12	22	24	26	29	31	34

Approximate Linear Foot Coverage* - Finishing Coat (2nd Coat)						
	0	1	2	3	4	5
EHC07	85	91	97	103	109	116
EHC10	77	82	86	91	98	106
EHC12	62	66	70	74	79	84

Recommended Crown Settings			
When Using:	7"	10"	12"
7", 10" and 12"	0-1	2-3	4-5
7" and 10"	0-1	3-4	–
10" and 12"	–	0-1	3-4

* Coverage data is approximate only. Actual coverage can vary significantly based on many factors, including type of joint compound, viscosity of joint compound, quality of gypsum panel installation, quality of paper tape installation and the condition of the finishing box. There is no guarantee, written or implied, you will achieve the same coverage in all circumstances.

PARTS KITS

501C7 - 7" Wear Parts Kit
501C10 - 10" Wear Parts Kit
501C12 - 12" Wear Parts Kit
EZROLL-KIT - Finishing Box Wheel Replacement Kit

COMMON WEAR PARTS

EHC07:
200001 - Stainless Steel Blade
210024F - Box Wiper
209039 - Skid Cover (left side)
209006 - Skid Cover (right side)

EHC10:
250001 - Stainless Steel Blade
260024F - Box Wiper
209039 - Skid Cover (left side)
209006 - Skid Cover (right side)

EHC12:
300001 - Stainless Steel Blade
310024F - Box Wiper
209039 - Skid Cover (left side)
209006 - Skid Cover (right side)

RELATED PRODUCTS: TC01TT Tool Caddy (see page 59)

USEABLE CAPACITY OF TAPETECH FINISHING BOXES





Usable Capacity is defined as the amount of joint compound that can be evacuated from the finishing box by fully depressing the pressure plate.







EasyRoll® Wheels for Outside Corners provides a shoulder to allow finishing of outside corners without after-market attachments or damage to the axle

Pivoting Axle helps to compensate for uneven walls

Gold Anodized Aluminum for durability and long life

Adjustable Crown Dial

Stainless Steel Blade and Skids

Power Assist® MAXXBOX®

*Right sized for **maximum productivity***

THE BEST OF BOTH WORLDS

Same professional results with approximately 50% of the effort compared to standard finishing boxes.

Power Assist® MaxxBox®





TapeTech Power Assist® MaxxBox® finishing boxes produce professional results every time with approximately one-half of the effort required when using standard Finishing Boxes due to the patented reverse spring design. The Finishing Boxes automatically dispense the proper amount of joint compound and feather the edges of butt joints and flat joints in one pass. Power Assist® finishing boxes feature a larger capacity that holds more joint compound than the standard EasyClean® Finishing Box and the pressure plate removes easily for even faster, more efficient cleaning.

The adjustable crown setting dial allows the user to easily adjust the amount of joint compound applied over the tape on the drywall joint. This is very helpful when progressing from the first embedding application to the second or third finishing coat. The pivoting axle helps to compensate when the drywall or sheetrock on one side of the joint is higher than the other side of the joint. We highly recommend using the EasyFinish™ bent handles when using the Power Assist Finishing Boxes. The ergonomic bent handle design provides leverage and helps to activate the Power Assist mechanism.




PAHC07 - 7" Power Assist® MaxxBox®



PAHC10 - 10" Power Assist® MaxxBox®



PAHC12 - 12" Power Assist® MaxxBox®



Approximate Linear Foot Coverage* - Embedding Coat (1st Coat)						
	0	1	2	3	4	5
PAHC07	24	28	33	38	42	47
PAHC10	19	21	24	26	29	31
PAHC12	15	17	19	20	22	24

Approximate Linear Foot Coverage* - Finishing Coat (2nd Coat)						
	0	1	2	3	4	5
PAHC07	69	74	79	83	88	94
PAHC10	57	61	64	68	73	79
PAHC12	44	47	49	53	56	60

Recommended Crown Settings			
When Using:	7"	10"	12"
7", 10" and 12"	0-1	2-3	4-5
7" and 10"	0-1	3-4	–
10" and 12"	–	0-1	3-4

* Coverage data is approximate only. Actual coverage can vary significantly based on many factors, including type of joint compound, viscosity of joint compound, quality of gypsum panel installation, quality of paper tape installation and the condition of the finishing box. There is no guarantee, written or implied, you will achieve the same coverage in all circumstances.

PARTS KITS

501C7 - 7" Wear Parts Kit
501C10 - 10" Wear Parts Kit
501C12 - 12" Wear Parts Kit
EZROLL-KIT - Finishing Wheel Replacement Kit

COMMON WEAR PARTS

PAHC07:
200001 - Stainless Steel Blade
210024F - Box Wiper
209039 - Skid Cover (left side)
209006 - Skid Cover (right side)

PAHC10:
250001 - Stainless Steel Blade
260024F - Box Wiper
209039 - Skid Cover (left side)
209006 - Skid Cover (right side)

PAHC12:
300001 - Stainless Steel Blade
310024F - Box Wiper
209039 - Skid Cover (left side)
209006 - Skid Cover (right side)

RELATED PRODUCTS: TC01TT Tool Caddy (see page 59)







Pressure Plate Opens
Completely accommodates filling with hand tools

Glass-filled Polypropylene Shell
provides a slick surface with maximum strength and durability

EasyChange™ Blade System
requires no tools
QB06-QSX - 4 Blade Profiles
QB08-QSX - 3 Blade Profiles
match the application, eliminating the need for crown adjustments



QB06-QSX - 6 ½" QuickBox® Finishing Box

2x Capacity
of QB06-QSX



QB08-QSX - 8 ½" QuickBox® Finishing Box

The QuickBox® QSX is the perfect tool for contractors who use fast-setting joint compound for the first coat over the paper or fiberglass joint tape. Constructed from advanced space age materials, fast-setting joint compound is easily removed from the finishing box, even hours or days later. Now you get all the benefits of using a finishing box without worrying if the joint compound dries in the tool. QuickBox® QSX works with all finishing box handles, including the Wizard®. It's about time someone made a finishing box for fast-setting compound!

COMMON WEAR PARTS

QB6003-5, QB8003-5 Flat Finishing	QB6023-5, QB8023-5 .045 Crowned Finishing	QB6033-5 Crowned for exterior seaming applications	QB6043-5, QB8043-5 Notched for adhesive applications

RELATED PRODUCTS: FBH2743TT-CF, FBH4373TT-CF, 88TTE, BH, BHE, BHE-SW, 8034TT, 8042TT, 8054TT, 8072TT, 8134TT, 8142TT, 8154TT, 8172TT, 8000TT (see page 31-35)

Designed for Fast-Setting Joint Compound

QuickBox® QSX







COMING SOON

The TapeTech Carbon Fiber Finishing Box Extension Handles are the lightest box handles available. Weighing just 2.6 pounds, the FBH4272TT-CF is also the longest professional finishing box handle available, provides 30″ of extension (42″-72″), and weighs 28% less than the 88TTE. The FBH2642TT-CF is ideal for small spaces and scaffolding, weighing just 1.9 pounds and providing 16″ of extension, from 26″-42″. The 1 ¼” handle diameter is recognized as the most ergonomic and comfortable handle shape for tools.



FBH2642TT-CF - Carbon Fiber Box Handle (extendable)



FBH4272TT-CF - Carbon Fiber Box Handle (extendable)


Carbon Fiber Box Handles

The TapeTech XTender® Finishing Box Handle attaches to the EasyClean®, EasyClean® High Capacity or Power Assist® Finishing Boxes and provides control to cleanly sweep the boxes off the joint for a perfect finish. The XTender is the strongest extendable finishing box handle in the industry and adjusts from 41" to 63" for increased reach and versatility. The XTender handle features a wrap-around style brake system. The wrap-around brake provides a greater working range than the quadrant brake. The ergonomic grip that controls the brake can be adjusted to accommodate different hand sizes and preferences.



88TTE - Box XTender® Handle

TapeTech Finishing Box Handles provide support and control for TapeTech EasyClean®, MaxxBox® and Power Assist® Finishing Boxes. The anodized aluminum tubes make the handles lightweight and durable. The standard straight fixed-length handles feature a quadrant style brake system. Many contractors prefer this brake style that features a set screw and detent design as it is easier to adjust due to normal wear. The control ball provides positive grip for your top hand and is easily adjusted along the entire straight section of any fixed length handle.



8034TT - 34" Box Handle


8042TT - 42" Box Handle

8054TT - 54" Box Handle

8072TT - 72" Box Handle

TapeTech EasyFinish™ Box Handles provide support and control for TapeTech EasyClean®, MaxxBox® and Power Assist® Finishing Boxes. TapeTech EasyFinish box handles feature an ergonomic bent handle design for increased leverage and reduced effort. When the gypsum board panels have been installed vertically and the finishing box is starting at the top of the wall, these handles make it easier to push on the pressure plate of the finishing box. The EasyFinish handles feature a quadrant style brake system. Many contractors prefer this brake style that features a set screw and detent design as it is easier to adjust due to normal wear. The control ball provides positive grip for your top hand and is easily adjusted along the entire straight section of any fixed length handle.

EasyFinish box handles are also the preferred handle when working with the Power Assist finishing boxes. The leverage and angle created by the bent handle design help to activate the “power assist” mechanism of the finishing box.



8134TT - 34" EasyFinish™ Handle

8142TT - 42" EasyFinish™ Handle


8154TT - 54" EasyFinish™ Handle

8172TT - 72" EasyFinish™ Handle

Box Handles







The new TapeTech brakeless finishing box handles – Models BH and BHE – are perfect for both new or experienced ATF tool users. The friction brake design eliminates the need for new users to learn how and when to properly apply the brake found on traditional finishing box handles. There is no learning curve! And for experienced users, the BH or BHE handles give your hands a permanent vacation after years of squeezing traditional brake-style handles. Available in fixed length or extendable versions.




BH - Brakeless Box Handle




BHE - Brakeless Box Handle (extendable)

Brakeless Box Handles








BHE-SW - Rotational Brakeless Finishing Box Handle

SIDEWINDER

The SideWinder® is a unique, brakeless finishing box handle with rotating head that allows you to comfortably finish high horizontal joints, sometimes called "band" joints, by keeping the box and handle at the optimal angle for performance. The SideWinder features seven positive-locking head positions, ranging from 90° left to 90° right. The SideWinder minimizes the need to for Stilts and scaffolding when finishing horizontal joints.



SideWinder®

BIG THINGS COME IN SMALL PACKAGES

Easily fit into tight spaces you previously needed to finish by hand.

The Wizard® Compact Finishing Box Handle from TapeTech provides unmatched control, maximum access and eliminates the learning curve of using traditional finishing box brake handles. It is the only finishing box handle that places your hand directly over the pressure plate, reducing the effort required while providing superior control. It fits into the smallest closets or under stairs and is much safer for workers on scaffolding compared to using a finishing box handle of any other length. But it isn't limited to just tight spaces or scaffolds, the Wizard® is the absolute fastest and easiest way to finish any joints, especially horizontal joints. The innovative design, including the ability to reverse the front handle, allows for multiple ergonomic hand positions to reduce worker fatigue and increase productivity. Every drywall finisher needs the Wizard® in their toolbox!



8000TT - Wizard® Compact Finishing Box Handle



8000TT-PA - Wizard® Compact Finishing Box Handle for Power Assist®







The Wizard®


D-SHAPE DESIGN

New handle design features a flat machined area that locks into the Corner Applicator Adapter (CAA-TT) securely positioning the handle and positively preventing the tool from rotating during use.



TapeTech is the first company to introduce an interchangeable handle system that allows one support handle to be used with every tool. And the new, optimal diameter makes TapeTech handles the most ergonomic* in the industry. The base handle fits the corner roller and corner applicator without any adapters. And the heavy duty, easy-to-change adapters connect the new handles to the nail spotters and corner finishers. Both base handles feature a D-shaped fitting that securely positions the handle in the Corner Applicator and positively prevents the tool from rotating during use.

Now your set of tools can include as little as one support handle! Or dedicate adapters to handles for larger crews. The interchangeable system also makes it easy to have both fixed and extension handles in your toolbox without the expense you would incur to do the same with other brands.



XHTT - Extension Handle

TapeTech extension handles are up to 30% longer than the previous models.



FHTT - Fiberglass Handle

TapeTech fiberglass handles are up to 35% longer than the previous models.



FHTT-CC - Closet Crusher Fiberglass Handle

Traditional handles just don't work in tight spaces, like closets and pantries, forcing you to go back to hand finishing and stealing your valuable time and profit. The TapeTech Closet Crusher allows you to roll and finish internal corners in the tightest of spaces making you more efficient and more profitable.



CAA-TT - Corner Applicator Adapter

The Corner Applicator adapter is included with the new Corner Applicators (CA07TT and CA08TT). Or you can purchase it separately to use the new handle system with your existing Corner Applicators.



NSA-TT - Nail Spotter Adapter

The Nail Spotter adapter is included with the new Nail Spotters (Models NS02TT and NS03TT). Or you can purchase it separately to use the new handle system with your existing Nail Spotters.



CFA-TT - Corner Finisher Adapter

The Corner Finisher Adapter quickly and securely attaches to the FHTT or XHTT for use with TapeTech Corner Finishers and Applicator Heads.

*Independent research at the National Institute for Occupational Safety & Health and published in the Journal of Hand Therapy found that the diameter of TapeTech support handles is the optimum size for cylindrical handles. The NIOSH study concluded that the diameter of TapeTech support handles reduces the force required for gripping a tool, protects the underlying joint structures, and reduces the risk of developing cumulative trauma associated with repetitive tasks requiring high grip forces and awkward postures.

Support Handles