

# **Experiment 2**

Student Name: Devansh Sharma UID: 23BAI70166

**Branch:** BE-AIT-CSE **Section/Group:** 23AML\_KRG-1

Semester: 5<sup>th</sup> Date of Performance: 23 August 2025

Subject Name: Full Stack Subject Code: 23CSP-339

1. **Problem Title:** To build an admin dashboard with dynamic theming using CSS Grid and JavaScript.

### 2. Problem Description:

- a. Create grid-based layout
- b. Implement dark/light mode toggle
- c. Design responsive sidebar
- d. Add data visualization placeholders
- e. Persist theme preference using localStorage

## 3. Hardware Requirements:

- a. Processor: Intel i3/ Ryzen 3 or higher.
- b. RAM: 4GB minimum.
- c. Display: 1366x768 resolution.

#### 4. **HTML**:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0"/>
<title>Admin Dashboard</title>
link rel="stylesheet" href="style.css" />
</head>
<body>
<div class="dashboard">
<!-- Sidebar -->
<aside class="sidebar">
<h2>Admin</h2>
```

```
<nav>
    <a href="#">Dashboard</a>
    <a href="#">Users</a>
    <a href="#">Analytics</a>
    <a href="#">Settings</a>
   </nav>
   <button id="theme-toggle">Toggle Theme</button>
  </aside>
  <!-- Main Content -->
  <main class="main">
   <header class="header">
    <h1>Welcome, Admin</h1>
   </header>
   <section class="cards">
    <div class="card">Metric 1</div>
    <div class="card">Metric 2</div>
    <div class="card">Metric 3</div>
    <div class="card">Metric 4</div>
   </section>
   <section class="charts">
    <div class="chart-placeholder">Chart 1 Placeholder</div>
    <div class="chart-placeholder">Chart 2 Placeholder</div>
   </section>
  </main>
 </div>
<script src="script.js"></script>
</body>
</html>
```

### 5. **CSS**:

```
.root {
    --bg-color: #f4f4f4;
    --text-color: #333;
    --card-bg: #fff;
    --sidebar-bg: #2f3542;
    --sidebar-text: #fff;
}

.dark {
    --bg-color: #1e1e1e;
    --text-color: #f4f4f4;
    --card-bg: #2c2c2c;
    --sidebar-bg: #111;
    --sidebar-text: #ccc;
```

```
box-sizing: border-box;
 margin: 0;
 padding: 0;
body {
 font-family: 'Segoe UI', sans-serif;
 background-color: var(--bg-color);
 color: var(--text-color);
 transition: background-color 0.3s ease;
.dashboard {
 display: grid;
 grid-template-columns: 250px 1fr;
 min-height: 100vh;
.sidebar {
 background-color: var(--sidebar-bg);
 color: var(--sidebar-text);
 padding: 20px;
.sidebar h2 {
 margin-bottom: 20px;
.sidebar nav a {
 display: block;
 color: var(--sidebar-text);
 text-decoration: none;
 margin-bottom: 10px;
.sidebar button {
 margin-top: 20px;
 padding: 10px;
 width: 100%;
 cursor: pointer;
```

```
.main {
 padding: 20px;
.header {
margin-bottom: 20px;
.cards {
 display: grid;
 grid-template-columns: repeat(auto-fit, minmax(150px, 1fr));
 gap: 20px;
 margin-bottom: 30px;
.card {
 background-color: var(--card-bg);
 padding: 20px;
 border-radius: 8px;
 box-shadow: 0 2px 6px rgba(0, 0, 0, 0.1);
 transition: background-color 0.3s ease;
.charts {
 display: grid;
 grid-template-columns: 1fr 1fr;
 gap: 20px;
.chart-placeholder {
 background-color: var(--card-bg);
 height: 200px;
 border-radius: 8px;
 display: flex;
 align-items: center;
 justify-content: center;
 font-weight: bold;
 transition: background-color 0.3s ease;
@media (max-width: 768px) {
```

```
.dashboard {
    grid-template-columns: 1fr;
}

.sidebar {
    display: flex;
    justify-content: space-between;
    align-items: center;
}

.charts {
    grid-template-columns: 1fr;
}
```

### 6. JavaScript:

```
const toggleBtn = document.getElementById("theme-toggle");

document.addEventListener("DOMContentLoaded", () => {
   const theme = localStorage.getItem("theme");
   if (theme === "dark") {
      document.body.classList.add("dark");
   }
});

toggleBtn.addEventListener("click", () => {
   document.body.classList.toggle("dark");
   const currentTheme = document.body.classList.contains("dark")? "dark" :
   "light";
   localStorage.setItem("theme", currentTheme);
});
```

# 7. Learning Outcome:

- a. I learnt how to save data in local storage and retrieve it.
- b. I learnt how to handle the eventlistners in js.
- c. I learnt how to work with DOM object model in js.