The Design Recipe

For the word problems below, assume `animalA` and `animalB` are defined as the data rows for Felix and Midnight, respectively.

Directions: Define a function called `lookup-fixed`, which looks up whether or not an animal is fixed.

Contract and Purpose Statement

Every contract has three parts...

```
# lookup-fixed:: (r :: Row) -> Boolean
```

function name | *domain* | *range*

```
# Consumes an animal, and looks up the value in the fixed column.
```

what does the function do?

Examples

Write some examples, then circle and label what changes...

```
examples:
  lookup-fixed ( "animalA" ) is animalA["fixed"]
  lookup-fixed ( "animalB" ) is animalB["fixed"]
end
```

function name | *input(s)* | *what the function produces*

Definition

Write the definition, giving variable names to all your input values...

```
fun lookup-fixed( r ):
  r["fixed"]
end
```

function name | *variable(s)* | *what the function does with those variable(s)*

Directions: Define a function called `lookup-sex`, which consumes a Row of the animals table and looks up the sex of that animal.

Contract and Purpose Statement

Every contract has three parts...

```
# lookup-sex:: (r :: Row) -> String
```

function name | *domain* | *range*

```
# Consumes an animal, and looks up the sex
```

what does the function do?

Examples

Write some examples, then circle and label what changes...

```
examples:
  lookup-sex ( "animalA" ) is animalA["sex"]
  lookup-sex ( "animalB" ) is animalB["sex"]
end
```

function name | *input(s)* | *what the function produces*

Definition

Write the definition, giving variable names to all your input values...

```
fun lookup-sex( r ):
  r["sex"]
end
```

function name | *variable(s)* | *what the function does with those variable(s)*