

THE ALSPAC STUDY

TA FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

My Teenage Son/Daughter

At 157 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 2a of the release file.

June 2008

© University of Bristol

Contents

	Introduction	Page 3
Section A	Your Son's/Daughter's Health	Page 9
Section B	Seeing and Hearing	Page 50
Section C	Tics and Unintended Habits	Page 58
Section D	Social Skills	Page 62
Section E	Attitudes and Behaviour Towards Animals	Page 66
Section F	Medicines, Pills, Lotions, Creams and Immunisations	Page 73
Section G	Moods and Feelings	Page 100
Section H	Dieting, Weight and Body Shape	Page 109
Section I	Strengths and Difficulties	Page 128
Section J	Eating	Page 139
Section K	Completion of Questionnaire	Page 206
Appendix A	General Coding Instructions	Page 213
Appendix B	Specific Coding Instructions	Page 217
Appendix C	Questionnaire Methodology	Page 229

Introduction

Contents

This questionnaire was sent out to carers when their study child was 157 months old. It is in 11 sections. Section A contains standard ALSPAC health related questions including items on allergies, convulsions, hospital admissions and sleep. Section B asks about vision and hearing while section C deals with unintended habits. Section D asks about social skills and section E about attitudes and behaviour towards animals. Section F asks about difficulties the child has in taking medicines and also in some detail about side effects of taking certain medications. Section G contains the Short Moods and Feelings Questionnaire (Angold et al., 1995; Messer et al., 1995) and other questions on the child's behaviour. Section H collects measurements of height and weight and asks about dieting, body shape and eating disorders. Section I contains the Strengths and Difficulties Questionnaire (Goodman, 1997). Section J asks in detail about eating, food and drink including food frequency questionnaires. Finally, section K collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire, although as with all child-based questionnaires there were separate copies for boys and girls. This documentation is based around the girls' copy.

Sample & response rates

There are a total of 15,155 records on this built file. This number is made up of the 14,676 fetuses in the core ALSPAC sample (regardless of whether or not the 157-month questionnaire was sent out for them or whether it was returned) plus 479 eligible children not in the core sample for whom the questionnaires were sent out. Note that this questionnaire was completed for 313 of these 479 children.

Of the 14,676 fetuses in the core ALSPAC sample, 14,062 were live born. The 157-month questionnaire was sent out for 10,135 (72%) of these live born children. As of 31st May 2008 completed questionnaires had been returned for 6,852 (68%) of these children, which is 49% of the 14,062 live born children. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Release file version history

Release version 1a – July 2007

The first version of the release file.

Release version 1b – June 2008

Data from 77 questionnaires returned after 4th July 2006 were added. In addition the responses were changed for one case from whom two questionnaires were returned. The second questionnaire to be returned was actually completed first, much closer to the target age than the questionnaire that was available previously.

Release version 2a – June 2018

Addition of derived variables for SDQ and dietary pattern scores, as well as updating frequencies to reflect the full cohort data and the layout of the documentation to be more in line with other ALSPAC data documentation.

References

Angold, A., Costello, E. J., Messer, S. C., Pickles, A., Winder, F., & Silver, D. (1995). Development of a short questionnaire for use in epidemiological studies of depression in children and adolescents. *International Journal of Methods in Psychiatric Research*, 5(4), 237-249.

Goodman, R. (1997). The strengths and difficulties questionnaire: A research note. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 38(5), 581-586.

Messer, S. C., Angold, A., Costello, E. J., Loeber, R., VanKammen, W., & StouthamerLoeber, M. (1995). Development of a short questionnaire for use in epidemiological studies of depression in children and adolescents: Factor composition and structure across development. *International Journal of Methods in Psychiatric Research*, 5(4), 251-262.

Northstone, K., Smith, A.D.A.C., Cribb V, L., Emmett, P. M., (2013). Dietary patterns in UK adolescents obtained from a dual-source FFQ and their associations with socio-economic position, nutrient intake and modes of eating. *Public Health Nutrition*: doi:10.1017/S1368980013001547

TA File - Introduction
Administrative variables

ta0001 Questionnaire sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	10614	70.0	70.0	70.0
2 No	4541	30.0	30.0	100.0
Total	15155	100.0	100.0	

ta0002 Reminder 1 sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5638	37.2	53.1	53.1
2 No	4976	32.8	46.9	100.0
Total	10614	70.0	100.0	
Missing -2 Questionnaire not sent	4541	30.0		
Total	15155	100.0		

ta0003 Reminder 2 sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4493	29.6	42.3	42.3
2 No	6121	40.4	57.7	100.0
Total	10614	70.0	100.0	
Missing -2 Questionnaire not sent	4541	30.0		
Total	15155	100.0		

ta0004 Eligible for visit

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3218	21.2	30.3	30.3
2 No	7396	48.8	69.7	100.0
Total	10614	70.0	100.0	
Missing -2 Questionnaire not sent	4541	30.0		
Total	15155	100.0		

TA File - Introduction

ta0005 Questionnaire return status (as of 31/05/08)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not returned	3403	22.5	32.1	32.1
	2 Returned, completed	7165	47.3	67.5	99.6
	3 Returned, blank	46	.3	.4	100.0
	Total	10614	70.0	100.0	
Missing	-2 Questionnaire not sent	4541	30.0		
Total		15155	100.0		

ta0006 Questionnaire returned (as of 31/05/08)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7211	47.6	67.9	67.9
	2 No	3403	22.5	32.1	100.0
	Total	10614	70.0	100.0	
	Missing	-2 Questionnaire not sent	4541	30.0	
Total		15155	100.0		

ta0007 Questionnaire completed (as of 31/05/08)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7165	47.3	67.5	67.5
	2 No	3449	22.8	32.5	100.0
	Total	10614	70.0	100.0	
	Missing	-2 Questionnaire not sent	4541	30.0	
Total		15155	100.0		

ta0007a Data available (as of 31/05/08)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7165	47.3	47.3	47.3
	2 No	7990	52.7	52.7	100.0
	Total	15155	100.0	100.0	

ta0008 Questionnaire version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Version 1 - 20/04/04	7165	47.3	100.0	100.0
	Missing	7990	52.7		
	Total	15155	100.0		



Questionnaire no.

--	--	--	--	--	--	--	--	--

MY TEENAGE DAUGHTER

All answers are confidential

This questionnaire is for the study child's mother or the person taking the role of chief carer.

This questionnaire is for the study teenager's mother or person taking the role of chief carer.


To answer simply tick the box which is most accurate in your opinion.

If you do not want to answer a question or if it does not apply to your daughter, put a line through it. There are no good or bad answers. Just tell us what is true for you.


THANK YOU FOR YOUR HELP

SECTION A: YOUR DAUGHTER'S HEALTH

A1. How would you assess the health of your study teenager nowadays?



A2. Has she had any of the following in the past 12 months?



PAGE 4 OF THE QUESTIONNAIRE

A2. cont.

In the past 12 months:	Yes and saw a doctor	Yes but did not see doctor	No did not have
l) breathlessness	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
m) episodes of stopping breathing	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
n) an accident	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
o) headache(s)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
p) constipation	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
q) worm infection	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
r) head lice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
s) scabies	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
t) asthma	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
u) eczema	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
v) hay fever	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
w) other (please tick and describe)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

A3. Which of the following infections has she **ever** had:

	Yes, in the past 12 months	Yes, but not in past 12 months	No, never
a) measles	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) chicken pox	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c) mumps	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d) meningitis	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e) cold sores	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
f) whooping cough	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

TA File – Section A

PAGE 5 OF THE QUESTIONNAIRE

A3. cont.

	Yes, in the past 12 months	Yes, but not not in past 12 months	No, never ↓
g) urinary infection	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
h) eye infection	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
i) ear infection	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
j) chest infection	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
k) tonsillitis or laryngitis	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
l) german measles	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
m) scarlet fever	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
n) influenza (flu)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
o) a cold	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
p) glandular fever	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
q) other infection (please tick & describe)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

A4. a) Has your teenager been admitted to hospital **since her 9th birthday?**

Yes 1

No 2 → If **no**, go to A5 on page 6

If yes,

b) how many times?

PAGE 6 OF THE QUESTIONNAIRE

A4. c) please describe for each admission:

Age of child (years)	Reason for admission	No. of nights child stayed in hospital		
1.			
2.			
3.	<table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td></td><td></td></tr> </table> <div style="text-align: center;">↓</div>		

Write 00 if she did not stay overnight

If more than 3 admissions please describe on separate sheet

d) How often did you see her while she was in hospital?

	1st admission	2nd admission	3rd admission
Not at all	1	1	1
Quite often	2	2	2
Every day	3	3	3
Stayed in the hospital with her	4	4	4

A5. Are there any foods or drinks that your teenager is or has been allergic to?

yes definitely yes possibly no, not at all don't know

If no, or don't know <

go to A6a on page 8

If yes,

a) please describe which foods or drinks

b) was the reaction caused by eating or touching the food or drink?

eating/drinking touching both

TA File – Section A

PAGE 7 OF THE QUESTIONNAIRE

A5. c) what happens when she does have the reaction? (Tick all that apply)

i) bright red rash 1 → If yes, over what part of body?
.....

ii) hives (white raised bumps on skin) 1 → If yes, over what part of body?
.....

iii) wheezing or whistling
in the chest 1

iv) vomiting 1

v) diarrhoea 1

vi) difficulty breathing 1

vii) stop breathing 1

viii) headache 1

ix) swelling 1 → If yes, describe where

x) other reaction 1 → Please tick and describe

.....

d) How long after eating or drinking or touching does this usually happen?

less than 1 hr 1 1-2 hrs 2 3-5 hrs 3

6 hrs or more 4 don't know 9

e) How old was she when this first happened?

years old (put 00 if she was under 12 months)

f) How many times has a reaction happened?

once 1 2-3 times 2 4-9 times 3

10 or more times 4 don't know 9

TA File – Section A

PAGE 8 OF THE QUESTIONNAIRE

A5. g) How old was she the last time a reaction happened?

years old

h) What treatment has your teenager been given for the problem?

None 1 Yes, some treatment 2 → Please describe

.....

A6. a) Apart from food and drink are there any other things to which she is allergic?

Yes 1 No 2 → If **no**, go to A7 below

If **yes**,

b) What is she allergic to? (Tick all that apply)

i) pollen

 1

ii) cat

 1

iii) dog

 1

iv) bee sting

 1

v) wasp sting

 1

vi) house dust

 1

vii) medicine

 1

→ If **yes**, please describe type of medicine

viii) other

 1

→ Please tick and describe

.....

A7. Has she **ever** had a seizure, fit or a convulsion?

Yes 1 No 2 → If **no**, go to A8 on page 10

If **yes**,

a) how many has she had?

TA File – Section A

PAGE 9 OF THE QUESTIONNAIRE

A7. b) did any of them last more than 15 minutes?

Yes 1 No 2 can't say 3

c) did her body shake and jerk on just one side?

Yes, right side 1 Yes, left side 2 No, it was all 3 over can't say 4

d) did she have a fever at the time?

Yes, each time 1 Yes, but not each time 2 No 3 → **If no, go to A7e) below**

If yes,

(i) how high was her temperature? (put NK if you don't know)

(ii) what was the cause of the fever(s)?
.....

(iii) did she have more than one episode of fitting during any feverish illness?

Yes 1 No 2

e) When the first fit or convulsion happened:

how old was she? years

(If less than 1 year put 00)

f) Were there any warning signs before she had a fit or convulsion?

Yes 1 No 2 → **If no, go to A8 on page 10**

If yes,

Please describe:

TA File – Section A

PAGE 10 OF THE QUESTIONNAIRE

A8. Does she often have aches and pains in her arms or legs?

yes arm(s) 1

yes leg(s) 2

yes both 3

no, not often 4



If no, go to A9 below

If yes,

a) does this happen especially when she is tired? Yes 1 No 2

b) what do you think is the cause?
.....

c) do you find any particular treatment helps?
.....

Yes 1

No 2

d) If yes, please describe.....

A9. During sleep, does your study teenager:

	Never	Sometimes	Often
a) snore	1	2	3
b) perspire/sweat a lot	1	2	3
c) fidget	1	2	3
d) talk	1	2	3
e) have nightmares	1	2	3

A10. How often does your teenager wake up in the night?

	Never	Sometimes	Often
a) to go to the toilet	1	2	3
b) because of loud or unusual noises	1	2	3
c) if worried	1	2	3
d) if excited	1	2	3
e) if feeling poorly	1	2	3

TA File – Section A

PAGE 11 OF THE QUESTIONNAIRE

A11. Thinking back over the last month, has your teenager been feeling tired or been lacking in energy?

Yes 1

No 2

→ If no, go to A16 on page 12

If yes,

a) Do you know why she has been feeling tired or lacking in energy?

Yes 1

No 2

→ If no, go to A13 below

A12. What is the main reason she has been feeling tired or lacking in energy?

(please tick all that apply)

a) Illness

 1
 1

b) Problems with sleep

 1
 1

c) Playing a lot of sport
(or other physical exercise)

 1
 1

d) Stress or worry

 1
 1

e) Other reason (please give details)

 1

A13. How long has she been feeling tired or felt she had no energy? (Tick one only)

Less than 3 months

 1

Between 3 and 5 months

 2

Between 6 months and 5 years

 3
 3

More than 5 years

 4

A14. Does she feel better after resting?

Not at all 1

Only a bit 2

Definitely better 3

A15. During the last month, has this tiredness or lack of energy stopped her from playing, taking part in hobbies, sports or other leisure activities?

Not at all 1

Only a little 2

Quite a lot 3

A great deal 4

TA File – Section A

PAGE 12 OF THE QUESTIONNAIRE

A16 During the past year, how many days has your teenager been off school because of this tiredness or lack of energy? (If none, write 00)

days

A17. Has she seen a doctor in the past year because of this tiredness or lack of energy?

Yes 1

No 2

TA File – Section A

ta1000 A1i: Health of teenager in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very healthy, no problems	5051	33.3	72.0	72.0
	2 Healthy, but a few minor problems	1880	12.4	26.8	98.8
	3 Sometimes quite ill	65	.4	.9	99.7
	4 Almost always unwell	22	.1	.3	100.0
	Total	7018	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	141	.9		
	Total	8137	53.7		
Total		15155	100.0		

ta1001 A1ii: Health of teenager in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very healthy, no problems	4272	28.2	62.7	62.7
	2 Healthy, but a few minor problems	2435	16.1	35.7	98.4
	3 Sometimes quite ill	87	.6	1.3	99.7
	4 Almost always unwell	21	.1	.3	100.0
	Total	6815	45.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	344	2.3		
	Total	8340	55.0		
Total		15155	100.0		

TA File – Section A

ta1010 A2a: Teenager had diarrhoea in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	63	.4	.9	.9
	2 Yes, but not see doctor	1554	10.3	22.2	23.1
	3 No, did not have	5381	35.5	76.9	100.0
	Total	6998	46.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	161	1.1		
	Total	8157	53.8		
Total		15155	100.0		

ta1011 A2b: Teenager had blood in stools in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	14	.1	.2	.2
	2 Yes, but not see doctor	25	.2	.4	.6
	3 No, did not have	6951	45.9	99.4	100.0
	Total	6990	46.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	169	1.1		
	Total	8165	53.9		
Total		15155	100.0		

ta1012 A2c: Teenager had vomiting in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	120	.8	1.7	1.7
	2 Yes, but not see doctor	1640	10.8	23.4	25.1
	3 No, did not have	5251	34.6	74.9	100.0
	Total	7011	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	148	1.0		
	Total	8144	53.7		
Total		15155	100.0		

ta1013 A2d: Teenager had cough in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	349	2.3	4.9	4.9
	2 Yes, but not see doctor	4292	28.3	60.8	65.7
	3 No, did not have	2421	16.0	34.3	100.0
	Total	7062	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	97	.6		
	Total	8093	53.4		
Total		15155	100.0		

ta1014 A2e: Teenager had high temp in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	308	2.0	4.4	4.4
	2 Yes, but not see doctor	2292	15.1	32.6	37.0
	3 No, did not have	4423	29.2	63.0	100.0
	Total	7023	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	136	.9		
	Total	8132	53.7		
Total		15155	100.0		

TA File – Section A

ta1015 A2f: Teenager had ear ache in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	382	2.5	5.4	5.4
	2 Yes, but not see doctor	736	4.9	10.5	15.9
	3 No, did not have	5903	39.0	84.1	100.0
	Total	7021	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	138	.9		
	Total	8134	53.7		
Total		15155	100.0		

ta1016 A2g: Teenager had ear discharge (pus, not wax) in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	90	.6	1.3	1.3
	2 Yes, but not see doctor	44	.3	.6	1.9
	3 No, did not have	6860	45.3	98.1	100.0
	Total	6994	46.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	165	1.1		
	Total	8161	53.9		
Total		15155	100.0		

ta1017 A2h: Teenager had convulsions/fits in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	25	.2	.4	.4
	2 Yes, but not see doctor	11	.1	.2	.5
	3 No, did not have	6960	45.9	99.5	100.0
	Total	6996	46.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	163	1.1		
	Total	8159	53.8		
Total		15155	100.0		

ta1018 A2i: Teenager had stomach aches in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	232	1.5	3.3	3.3
	2 Yes, but not see doctor	3590	23.7	50.9	54.2
	3 No, did not have	3225	21.3	45.8	100.0
	Total	7047	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	112	.7		
	Total	8108	53.5		
Total		15155	100.0		

ta1019 A2j: Teenager had rash in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	240	1.6	3.4	3.4
	2 Yes, but not see doctor	781	5.2	11.2	14.6
	3 No, did not have	5983	39.5	85.4	100.0
	Total	7004	46.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	155	1.0		
	Total	8151	53.8		
Total		15155	100.0		

TA File – Section A

ta1020 A2k: Teenager had wheezing in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	243	1.6	3.5	3.5
	2 Yes, but not see doctor	500	3.3	7.1	10.6
	3 No, did not have	6272	41.4	89.4	100.0
	Total	7015	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	144	1.0		
	Total	8140	53.7		
Total		15155	100.0		

ta1021 A2l: Teenager had breathlessness in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	221	1.5	3.1	3.1
	2 Yes, but not see doctor	339	2.2	4.8	8.0
	3 No, did not have	6458	42.6	92.0	100.0
	Total	7018	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	141	.9		
	Total	8137	53.7		
Total		15155	100.0		

ta1022 A2m: Teenager had episodes when he/she stopped breathing in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	4	.0	.1	.1
	2 Yes, but not see doctor	1	.0	.0	.1
	3 No, did not have	7015	46.3	99.9	100.0
	Total	7020	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	139	.9		
	Total	8135	53.7		
Total		15155	100.0		

ta1023 A2n: Teenager had an accident in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	551	3.6	7.9	7.9
	2 Yes, but not see doctor	204	1.3	2.9	10.8
	3 No, did not have	6245	41.2	89.2	100.0
	Total	7000	46.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	159	1.0		
	Total	8155	53.8		
Total		15155	100.0		

ta1024 A2o: Teenager had headaches in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	229	1.5	3.2	3.2
	2 Yes, but not see doctor	4889	32.3	69.1	72.3
	3 No, did not have	1962	12.9	27.7	100.0
	Total	7080	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	79	.5		
	Total	8075	53.3		
Total		15155	100.0		

TA File – Section A

ta1025 A2p: Teenager had constipation in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	46	.3	.7	.7
	2 Yes, but not see doctor	525	3.5	7.5	8.2
	3 No, did not have	6425	42.4	91.8	100.0
	Total	6996	46.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	163	1.1		
	Total	8159	53.8		
Total		15155	100.0		

ta1026 A2q: Teenager had worm infection in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	22	.1	.3	.3
	2 Yes, but not see doctor	125	.8	1.8	2.1
	3 No, did not have	6873	45.4	97.9	100.0
	Total	7020	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	139	.9		
	Total	8135	53.7		
Total		15155	100.0		

ta1027 A2r: Teenager had head lice in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	11	.1	.2	.2
	2 Yes, but not see doctor	1088	7.2	15.5	15.6
	3 No, did not have	5927	39.1	84.4	100.0
	Total	7026	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	133	.9		
	Total	8129	53.6		
Total		15155	100.0		

ta1028 A2s: Teenager had scabies in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	9	.1	.1	.1
	2 Yes, but not see doctor	2	.0	.0	.2
	3 No, did not have	7006	46.2	99.8	100.0
	Total	7017	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	142	.9		
	Total	8138	53.7		
Total		15155	100.0		

ta1029 A2t: Teenager had asthma in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	371	2.4	5.3	5.3
	2 Yes, but not see doctor	462	3.0	6.6	11.9
	3 No, did not have	6196	40.9	88.1	100.0
	Total	7029	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	130	.9		
	Total	8126	53.6		
Total		15155	100.0		

TA File – Section A

ta1030 A2u: Teenager had eczema in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	226	1.5	3.2	3.2
	2 Yes, but not see doctor	681	4.5	9.7	12.9
	3 No, did not have	6099	40.2	87.1	100.0
	Total	7006	46.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	153	1.0		
	Total	8149	53.8		
Total		15155	100.0		

ta1031 A2v: Teenager had hay fever in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw doctor	348	2.3	5.0	5.0
	2 Yes, but not see doctor	1034	6.8	14.8	19.7
	3 No, did not have	5621	37.1	80.3	100.0
	Total	7003	46.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	156	1.0		
	Total	8152	53.8		
Total		15155	100.0		

ta1032 A2w: Teenager had other in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	63	.4	1.6	1.6
	1 Yes, and saw doctor	356	2.3	9.1	10.8
	2 Yes, but not see doctor	152	1.0	3.9	14.7
	3 No, did not have	3323	21.9	85.3	100.0
Total		3894	25.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	3265	21.5		
	Total	11261	74.3		
Total		15155	100.0		

TA File – Section A

ta1040 A3a: Teenager has ever had measles

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	3	.0	.0	.0
	2 Yes, but not in past 12 months	544	3.6	7.8	7.8
	3 No, never	6461	42.6	92.2	100.0
	Total	7008	46.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	1	.0		
	-1 No response	150	1.0		
	Total	8147	53.8		
Total		15155	100.0		

ta1041 A3b: Teenager has ever had chicken pox

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	63	.4	.9	.9
	2 Yes, but not in past 12 months	6130	40.4	86.4	87.3
	3 No, never	901	5.9	12.7	100.0
	Total	7094	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	65	.4		
	Total	8061	53.2		
Total		15155	100.0		

ta1042 A3c: Teenager has ever had mumps

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	25	.2	.4	.4
	2 Yes, but not in past 12 months	175	1.2	2.5	2.8
	3 No, never	6822	45.0	97.2	100.0
	Total	7022	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	137	.9		
	Total	8133	53.7		
Total		15155	100.0		

ta1043 A3d: Teenager has ever had meningitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes, but not in past 12 months	42	.3	.6	.6
	3 No, never	7000	46.2	99.4	100.0
	Total	7042	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	117	.8		
	Total	8113	53.5		
Total		15155	100.0		

ta1044 A3e: Teenager has ever had cold sores

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	478	3.2	6.8	6.8
	2 Yes, but not in past 12 months	511	3.4	7.2	14.0
	3 No, never	6064	40.0	86.0	100.0
	Total	7053	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	106	.7		
	Total	8102	53.5		
Total		15155	100.0		

TA File – Section A

ta1045 A3f: Teenager has ever had whooping cough

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	8	.1	.1	.1
	2 Yes, but not in past 12 months	166	1.1	2.4	2.5
	3 No, never	6873	45.4	97.5	100.0
	Total	7047	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	112	.7		
	Total	8108	53.5		
		15155	100.0		

ta1046 A3g: Teenager has ever had urinary infection

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	118	.8	1.7	1.7
	2 Yes, but not in past 12 months	896	5.9	12.7	14.3
	3 No, never	6061	40.0	85.7	100.0
	Total	7075	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	84	.6		
	Total	8080	53.3		
		15155	100.0		

ta1047 A3h: Teenager has ever had eye infection

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	226	1.5	3.2	3.2
	2 Yes, but not in past 12 months	1628	10.7	23.1	26.3
	3 No, never	5197	34.3	73.7	100.0
	Total	7051	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	108	.7		
	Total	8104	53.5		
		15155	100.0		

ta1048 A3i: Teenager has ever had ear infection

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	407	2.7	5.8	5.8
	2 Yes, but not in past 12 months	2874	19.0	40.8	46.6
	3 No, never	3767	24.9	53.4	100.0
	Total	7048	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	111	.7		
	Total	8107	53.5		
		15155	100.0		

ta1049 A3j: Teenager has ever had chest infection

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	235	1.6	3.3	3.3
	2 Yes, but not in past 12 months	1751	11.6	24.9	28.3
	3 No, never	5040	33.3	71.7	100.0
	Total	7026	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	133	.9		
	Total	8129	53.6		
		15155	100.0		

TA File – Section A

ta1050 A3k: Teenager has ever had tonsillitis or laryngitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	472	3.1	6.7	6.7
	2 Yes, but not in past 12 months	1575	10.4	22.3	29.0
	3 No, never	5002	33.0	71.0	100.0
	Total	7049	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	110	.7		
	Total	8106	53.5		
Total		15155	100.0		

ta1051 A3l: Teenager has ever had German measles

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	3	.0	.0	.0
	2 Yes, but not in past 12 months	367	2.4	5.2	5.3
	3 No, never	6645	43.8	94.7	100.0
	Total	7015	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	1	.0		
	-1 No response	143	.9		
Total		8140	53.7		
Total		15155	100.0		

ta1052 A3m: Teenager has ever had scarlet fever

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	1	.0	.0	.0
	2 Yes, but not in past 12 months	107	.7	1.5	1.5
	3 No, never	6949	45.9	98.5	100.0
	Total	7057	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	102	.7		
	Total	8098	53.4		
Total		15155	100.0		

ta1053 A3n: Teenager has ever had influenza

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	341	2.3	4.9	4.9
	2 Yes, but not in past 12 months	1292	8.5	18.4	23.3
	3 No, never	5384	35.5	76.7	100.0
	Total	7017	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	142	.9		
	Total	8138	53.7		
Total		15155	100.0		

ta1054 A3o: Teenager has ever had a cold

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	4553	30.0	64.1	64.1
	2 Yes, but not in past 12 months	2254	14.9	31.7	95.8
	3 No, never	301	2.0	4.2	100.0
	Total	7108	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	51	.3		
	Total	8047	53.1		
Total		15155	100.0		

TA File – Section A

ta1055 A3p: Teenager has ever had glandular fever

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past 12 months	25	.2	.4	.4
	2 Yes, but not in past 12 months	68	.4	1.0	1.3
	3 No, never	6942	45.8	98.7	100.0
	Total	7035	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	124	.8		
	Total	8120	53.6		
Total		15155	100.0		

ta1056 A3q: Teenager has ever had other infection

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	31	.2	.7	.7
	1 Yes, in past 12 months	133	.9	3.2	4.0
	2 Yes, but not in past 12 months	178	1.2	4.3	8.2
	3 No, never	3805	25.1	91.8	100.0
	Total	4147	27.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	3012	19.9		
	Total	11008	72.6		
Total		15155	100.0		

TA File – Section A

ta1060 A4a: Teenager has been admitted to hospital since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	843	5.6	11.8	11.8
	2 No	6288	41.5	88.2	100.0
	Total	7131	47.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	28	.2		
	Total	8024	52.9		
Total		15155	100.0		

ta1061 A4b: No. times teenager admitted to hospital since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	15	.1	1.8	1.8
	1	647	4.3	76.2	78.0
	2	115	.8	13.5	91.5
	3	47	.3	5.5	97.1
	4	13	.1	1.5	98.6
	5	4	.0	.5	99.1
	6	2	.0	.2	99.3
	7	2	.0	.2	99.5
	10	1	.0	.1	99.6
	11	1	.0	.1	99.8
	12	1	.0	.1	99.9
	15	1	.0	.1	100.0
	Total	849	5.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6310	41.6		
	Total	14306	94.4		
Total		15155	100.0		

TA File – Section A

ta1070 A4c1: Age of teenager - admission to hospital 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	.0	.1	.1
	4	1	.0	.1	.2
	5	1	.0	.1	.4
	6	1	.0	.1	.5
	8	2	.0	.2	.7
	9	111	.7	13.6	14.3
	10	195	1.3	23.8	38.1
	11	199	1.3	24.3	62.5
	12	243	1.6	29.7	92.2
	13	63	.4	7.7	99.9
	15	1	.0	.1	100.0
	Total	818	5.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	2	.0		
	-1 No response	6339	41.8		
	Total	14337	94.6		
	Total	15155	100.0		

ta1072 A4c1: No. nights teenager stayed in hospital - admission 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	322	2.1	39.2	39.2
	1	242	1.6	29.4	68.6
	2	86	.6	10.5	79.1
	3	46	.3	5.6	84.7
	4	42	.3	5.1	89.8
	5	37	.2	4.5	94.3
	6	13	.1	1.6	95.9
	7	12	.1	1.5	97.3
	8	2	.0	.2	97.6
	9	1	.0	.1	97.7
	10	3	.0	.4	98.1
	11	3	.0	.4	98.4
	14	4	.0	.5	98.9
	17	2	.0	.2	99.1
	28	1	.0	.1	99.3
	30	1	.0	.1	99.4
	35	1	.0	.1	99.5
	42	2	.0	.2	99.8
	45	1	.0	.1	99.9
	98 Lots	1	.0	.1	100.0
	Total	822	5.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6337	41.8		
	Total	14333	94.6		
	Total	15155	100.0		

TA File – Section A

ta1080 A4c2: Age of teenager - admission to hospital 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5	1	.0	.6	.6
	7	1	.0	.6	1.1
	9	10	.1	5.6	6.7
	10	34	.2	19.0	25.7
	11	42	.3	23.5	49.2
	12	77	.5	43.0	92.2
	13	14	.1	7.8	100.0
	Total	179	1.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6980	46.1		
	Total	14976	98.8		
	Total	15155	100.0		

ta1082 A4c2: No. nights teenager stayed in hospital - admission 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	78	.5	43.1	43.1
	1	37	.2	20.4	63.5
	2	19	.1	10.5	74.0
	3	13	.1	7.2	81.2
	4	8	.1	4.4	85.6
	5	7	.0	3.9	89.5
	7	7	.0	3.9	93.4
	8	3	.0	1.7	95.0
	10	2	.0	1.1	96.1
	13	1	.0	.6	96.7
	14	4	.0	2.2	98.9
	15	1	.0	.6	99.4
	28	1	.0	.6	100.0
	Total	181	1.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6978	46.0		
	Total	14974	98.8		
	Total	15155	100.0		

TA File – Section A

ta1090 A4c3: Age of teenager - admission to hospital 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7	1	.0	1.4	1.4
	9	2	.0	2.8	4.2
	10	7	.0	9.7	13.9
	11	19	.1	26.4	40.3
	12	24	.2	33.3	73.6
	13	19	.1	26.4	100.0
	Total	72	.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7087	46.8		
	Total	15083	99.5		
	Total	15155	100.0		

ta1092 A4c3: No. nights teenager stayed in hospital - admission 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	34	.2	44.7	44.7
	1	17	.1	22.4	67.1
	2	6	.0	7.9	75.0
	3	5	.0	6.6	81.6
	4	4	.0	5.3	86.8
	5	3	.0	3.9	90.8
	6	1	.0	1.3	92.1
	7	4	.0	5.3	97.4
	10	1	.0	1.3	98.7
	14	1	.0	1.3	100.0
	Total	76	.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7083	46.7		
	Total	15079	99.5		
	Total	15155	100.0		

TA File – Section A

ta1100 A4d1: Frequency mother saw teenager while in hospital - 1st admission

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	11	.1	1.7	1.7
	2 Quite often	5	.0	.8	2.4
	3 Every day	119	.8	18.1	20.6
	4 Stayed in the hospital with him/her	521	3.4	79.4	100.0
	Total	656	4.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6503	42.9		
	Total	14499	95.7		
Total		15155	100.0		

ta1101 A4d2: Frequency mother saw teenager while in hospital - 2nd admission

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	3	.0	1.8	1.8
	2 Quite often	2	.0	1.2	3.0
	3 Every day	35	.2	21.2	24.2
	4 Stayed in the hospital with him/her	125	.8	75.8	100.0
	Total	165	1.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6994	46.1		
	Total	14990	98.9		
Total		15155	100.0		

ta1102 A4d3 Frequency mother saw teenager while in hospital - 3rd admission

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	1	.0	1.6	1.6
	2 Quite often	1	.0	1.6	3.3
	3 Every day	15	.1	24.6	27.9
	4 Stayed in the hospital with him/her	44	.3	72.1	100.0
	Total	61	.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7098	46.8		
	Total	15094	99.6		
Total		15155	100.0		

TA File – Section A

ta1110 A5: Food or drink to which teenager is/has been allergic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, definitely	333	2.2	4.7	4.7
	2 Yes, possibly	355	2.3	5.0	9.7
	3 No, not at all	5954	39.3	84.0	93.7
	9 Don't know	449	3.0	6.3	100.0
	Total	7091	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-8 Text response	5	.0		
	-1 No response	63	.4		
	Total	8064	53.2		
Total		15155	100.0		

ta1112 A5b: Reaction was caused by eating or touching food/drink

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Eating/drinking	554	3.7	83.6	83.6
	2 Touching	19	.1	2.9	86.4
	3 Both	90	.6	13.6	100.0
	Total	663	4.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6496	42.9		
	Total	14492	95.6		
		15155	100.0		

ta1113 A5c1: Reaction causes red rash

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	201	1.3	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6958	45.9		
	Total	14954	98.7		
Total		15155	100.0		

ta1115 A5c2: Reaction causes hives

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	168	1.1	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6991	46.1		
	Total	14987	98.9		
Total		15155	100.0		

ta1117 A5c3: Reaction causes wheezing/whistling in chest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	80	.5	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7079	46.7		
	Total	15075	99.5		
Total		15155	100.0		

ta1118 A5c4: Reaction causes vomiting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	148	1.0	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7011	46.3		
	Total	15007	99.0		
Total		15155	100.0		

TA File – Section A

ta1119 A5c5: Reaction causes diarrhoea

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	70	.5	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7089	46.8		
Total	15085	99.5		
Total	15155	100.0		

ta1120 A5c6: Reaction causes difficulty breathing

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	56	.4	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7103	46.9		
Total	15099	99.6		
Total	15155	100.0		

ta1121 A5c7: Reaction causes teenager to stop breathing

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7157	47.2		
Total	15153	100.0		
Total	15155	100.0		

ta1122 A5c8: Reaction causes headache

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	62	.4	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7097	46.8		
Total	15093	99.6		
Total	15155	100.0		

ta1123 A5c9: Reaction causes swelling

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	125	.8	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7034	46.4		
Total	15030	99.2		
Total	15155	100.0		

ta1125 A5c10: Reaction causes other reaction

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	229	1.5	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	6930	45.7		
Total	14926	98.5		
Total	15155	100.0		

TA File – Section A

ta1127 A5d: Amount of time after eating/drinking or touching before reaction happens

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 1 hr	376	2.5	57.4	57.4
	2 1-2 hrs	108	.7	16.5	73.9
	3 3-5 hrs	50	.3	7.6	81.5
	4 6 or more hrs	39	.3	6.0	87.5
	9 Don't know	82	.5	12.5	100.0
	Total	655	4.3	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	6504	42.9		
	Total	14500	95.7		
		15155	100.0		

ta1128 A5e: Age when reaction first happened - years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	159	1.0	24.9	24.9
	1	55	.4	8.6	33.5
	2	72	.5	11.3	44.8
	3	68	.4	10.6	55.4
	4	30	.2	4.7	60.1
	5	28	.2	4.4	64.5
	6	27	.2	4.2	68.7
	7	26	.2	4.1	72.8
	8	32	.2	5.0	77.8
	9	34	.2	5.3	83.1
	10	47	.3	7.4	90.5
	11	23	.2	3.6	94.1
	12	30	.2	4.7	98.7
	13	8	.1	1.3	100.0
Missing	Total	639	4.2	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	1	.0		
	-1 No response	6519	43.0		
Total	Total	14516	95.8		
		15155	100.0		

ta1129 A5f: Number of times a reaction has happened

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once	139	.9	20.9	20.9
	2 2-3 times	204	1.3	30.7	51.7
	3 4-9 times	137	.9	20.6	72.3
	4 10+ times	147	1.0	22.1	94.4
	9 Don't know	37	.2	5.6	100.0
	Total	664	4.4	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	6495	42.9		
	Total	14491	95.6		
		15155	100.0		

TA File – Section A

ta1130 A5g: Age of teenager the last time a reaction happened

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	20	.1	3.3	3.3
	1	23	.2	3.8	7.1
	2	35	.2	5.8	12.9
	3	34	.2	5.6	18.5
	4	24	.2	4.0	22.5
	5	32	.2	5.3	27.8
	6	19	.1	3.1	31.0
	7	35	.2	5.8	36.8
	8	33	.2	5.5	42.2
	9	40	.3	6.6	48.8
	10	50	.3	8.3	57.1
	11	46	.3	7.6	64.7
	12	118	.8	19.5	84.3
	13	93	.6	15.4	99.7
	14	1	.0	.2	99.8
	15	1	.0	.2	100.0
Total		604	4.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	3	.0		
	-1 No response	6552	43.2		
	Total	14551	96.0		
Total		15155	100.0		

ta1131 A5h: Teenager been given treatment for the problem

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	417	2.8	64.9	64.9
	2 Yes, some treatment	226	1.5	35.1	100.0
	Total	643	4.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6516	43.0		
	Total	14512	95.8		
	Total	15155	100.0		

TA File – Section A

ta1140 A6a: Teenager is allergic to anything apart from food and drink

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1879	12.4	27.5	27.5
	2 No	4951	32.7	72.5	100.0
	Total	6830	45.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	329	2.2		
	Total	8325	54.9		
Total		15155	100.0		

ta1141 A6b1: Teenager is allergic to pollen

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1000	6.6	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6159	40.6		
Total		14155	93.4		
		15155	100.0		

ta1142 A6b2: Teenager is allergic to cat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	425	2.8	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6734	44.4		
Total		14730	97.2		
		15155	100.0		

ta1143 A6b3: Teenager is allergic to dog

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	177	1.2	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6982	46.1		
Total		14978	98.8		
		15155	100.0		

ta1144 A6b4: Teenager is allergic to bee sting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	34	.2	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7125	47.0		
Total		15121	99.8		
		15155	100.0		

ta1145 A6b5: Teenager is allergic to wasp sting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	48	.3	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7111	46.9		
Total		15107	99.7		
		15155	100.0		

ta1146 A6b6: Teenager is allergic to house dust

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	454	3.0	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6705	44.2		
Total		14701	97.0		
		15155	100.0		

TA File – Section A

ta1147 A6b7: Teenager is allergic to medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	358	2.4	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6801	44.9		
	Total	14797	97.6		
Total		15155	100.0		

ta1149 A6b8: Teenager is allergic to other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	587	3.9	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6572	43.4		
	Total	14568	96.1		
Total		15155	100.0		

TA File – Section A

ta1160 A7: Teenager ever had a seizure, fit or convulsion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	362	2.4	5.1	5.1
	2 No	6708	44.3	94.9	100.0
	Total	7070	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	89	.6		
	Total	8085	53.3		
Total		15155	100.0		

ta1161 A7a: Number of seizures, fits or convulsions teenager has had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	165	1.1	47.8	47.8
	2	60	.4	17.4	65.2
	3	35	.2	10.1	75.4
	4	19	.1	5.5	80.9
	5	15	.1	4.3	85.2
	6	4	.0	1.2	86.4
	7	3	.0	.9	87.2
	8	4	.0	1.2	88.4
	9	2	.0	.6	89.0
	10	6	.0	1.7	90.7
	12	2	.0	.6	91.3
	13	1	.0	.3	91.6
	20	2	.0	.6	92.2
	23	1	.0	.3	92.5
	30	3	.0	.9	93.3
	38	1	.0	.3	93.6
	50	1	.0	.3	93.9
	90	1	.0	.3	94.2
	98 Lots/many	20	.1	5.8	100.0
Missing	Total	345	2.3	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	2	.0		
	-1 No response	6812	44.9		
Total		14810	97.7		
		15155	100.0		

ta1162 A7b: Number of seizures, fits or convulsions that lasted > 15 mins

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	58	.4	15.8	15.8
	2 No	272	1.8	74.3	90.2
	3 Can't say	36	.2	9.8	100.0
	Total	366	2.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6793	44.8		
	Total	14789	97.6		
Total		15155	100.0		

TA File – Section A

ta1163 A7c: Body shake and jerked just on one side

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, right side	6	.0	1.7	1.7
	2 Yes, left side	6	.0	1.7	3.5
	3 No, it was all over	213	1.4	61.7	65.2
	4 Can't say	120	.8	34.8	100.0
Missing	Total	345	2.3	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6814	45.0		
Total	Total	14810	97.7		
		15155	100.0		

ta1164 A7d: Teenager had a fever at the time of seizure/fit/convulsions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, each time (or only time)	214	1.4	60.8	60.8
	2 Yes, but not each time	13	.1	3.7	64.5
	3 No	125	.8	35.5	100.0
	Total	352	2.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	6805	44.9		
	Total	14803	97.7		
Total		15155	100.0		

ta1165 A7d1: Teenager's temperature at time of seizure/fit/convulsions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	38	4	.0	10.8	10.8
	39	11	.1	29.7	40.5
	40	14	.1	37.8	78.4
	41	4	.0	10.8	89.2
	42	2	.0	5.4	94.6
	43	1	.0	2.7	97.3
	44	1	.0	2.7	100.0
	Total	37	.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	188	1.2		
	-1 No response	6934	45.8		
	Total	15118	99.8		
Total		15155	100.0		

ta1167 A7d3: Teenager had > one episode of fitting during feverish illness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	54	.4	22.5	22.5
	2 No	186	1.2	77.5	100.0
	Total	240	1.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6919	45.7		
	Total	14915	98.4		
Total		15155	100.0		

TA File – Section A

ta1168 A7e: Age when first fit/convulsion happened

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	100	.7	28.4	28.4
	1	86	.6	24.4	52.8
	2	53	.3	15.1	67.9
	3	24	.2	6.8	74.7
	4	13	.1	3.7	78.4
	5	9	.1	2.6	81.0
	6	9	.1	2.6	83.5
	7	10	.1	2.8	86.4
	8	3	.0	.9	87.2
	9	5	.0	1.4	88.6
	10	14	.1	4.0	92.6
	11	15	.1	4.3	96.9
	12	9	.1	2.6	99.4
	13	2	.0	.6	100.0
Total		352	2.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6807	44.9		
	Total	14803	97.7		
Total		15155	100.0		

ta1169 A7f: Any warning signs before fit/convulsion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	84	.6	23.7	23.7
	2 No	270	1.8	76.3	100.0
	Total	354	2.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6805	44.9		
	Total	14801	97.7		
Total		15155	100.0		

TA File – Section A

ta1180 A8: Teenager has aches and pains in arm or legs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, arms	33	.2	.5	.5
	2 Yes, leg(s)	1400	9.2	20.6	21.1
	3 Yes, both	766	5.1	11.3	32.4
	4 No, not often	4588	30.3	67.6	100.0
	Total	6787	44.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	372	2.5		
	Total	8368	55.2		
Total		15155	100.0		

ta1181 A8a: This happens especially when she's tired

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1336	8.8	63.9	63.9
	2 No	755	5.0	36.1	100.0
	Total	2091	13.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	5068	33.4		
	Total	13064	86.2		
Total		15155	100.0		

ta1183 A8c: A particular treatment helps

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	965	6.4	46.9	46.9
	2 No	1091	7.2	53.1	100.0
	Total	2056	13.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	5103	33.7		
	Total	13099	86.4		
Total		15155	100.0		

TA File – Section A

ta1190 A9a: Teenager snores during sleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2484	16.4	36.8	36.8
	2 Sometimes	3865	25.5	57.2	94.0
	3 Often	404	2.7	6.0	100.0
	Total	6753	44.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	406	2.7		
	Total	8402	55.4		
Total		15155	100.0		

ta1191 A9b: Teenager perspires/sweats a lot during sleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3722	24.6	56.5	56.5
	2 Sometimes	2516	16.6	38.2	94.7
	3 Often	349	2.3	5.3	100.0
	Total	6587	43.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	572	3.8		
	Total	8568	56.5		
Total		15155	100.0		

ta1192 A9c: Teenager fidgets a lot during sleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2009	13.3	30.1	30.1
	2 Sometimes	3591	23.7	53.8	83.9
	3 Often	1075	7.1	16.1	100.0
	Total	6675	44.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	484	3.2		
	Total	8480	56.0		
Total		15155	100.0		

ta1193 A9d: Teenager talks a lot during sleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2144	14.1	31.5	31.5
	2 Sometimes	4009	26.5	58.9	90.4
	3 Often	652	4.3	9.6	100.0
	Total	6805	44.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	354	2.3		
	Total	8350	55.1		
Total		15155	100.0		

ta1194 A9e: Teenager has nightmares a lot during sleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4042	26.7	60.8	60.8
	2 Sometimes	2523	16.6	38.0	98.8
	3 Often	80	.5	1.2	100.0
	Total	6645	43.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	1	.0		
	-1 No response	513	3.4		
Total		8510	56.2		
Total		15155	100.0		

TA File – Section A

ta1200 A10a: Frequency teenager wakes up in night to go to toilet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2976	19.6	42.2	42.2
	2 Sometimes	3895	25.7	55.2	97.5
	3 Often	179	1.2	2.5	100.0
	Total	7050	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	109	.7		
	Total	8105	53.5		
Total		15155	100.0		

ta1201 A10b: Frequency teenager wakes up because of loud or unusual noises

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4965	32.8	71.6	71.6
	2 Sometimes	1923	12.7	27.7	99.3
	3 Often	47	.3	.7	100.0
	Total	6935	45.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	224	1.5		
	Total	8220	54.2		
Total		15155	100.0		

ta1202 A10c: Frequency teenager wakes up if worried

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4771	31.5	68.9	68.9
	2 Sometimes	2064	13.6	29.8	98.7
	3 Often	93	.6	1.3	100.0
	Total	6928	45.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	231	1.5		
	Total	8227	54.3		
Total		15155	100.0		

ta1203 A10d: Frequency teenager wakes up if excited

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4356	28.7	63.1	63.1
	2 Sometimes	2461	16.2	35.6	98.7
	3 Often	90	.6	1.3	100.0
	Total	6907	45.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	252	1.7		
	Total	8248	54.4		
Total		15155	100.0		

ta1204 A10e: Frequency teenager wakes up if feeling poorly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1598	10.5	22.8	22.8
	2 Sometimes	5225	34.5	74.6	97.4
	3 Often	184	1.2	2.6	100.0
	Total	7007	46.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	152	1.0		
	Total	8148	53.8		
Total		15155	100.0		

TA File – Section A

ta1210 A11: Teenager feeling tired/lacking in energy in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2552	16.8	35.9	35.9
	2 No	4556	30.1	64.1	100.0
	Total	7108	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	51	.3		
Total	Total	8047	53.1		
		15155	100.0		

ta1211 A11a: Mother knows reason why teenager has been tired/lacking in energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2022	13.3	80.6	80.6
	2 No	488	3.2	19.4	100.0
	Total	2510	16.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	4649	30.7		
Total	Total	12645	83.4		
		15155	100.0		

TA File – Section A

ta1220 A12a: Illness is the reason teenager has been tired/lacking in energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	496	3.3		
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6663	44.0		
	Total	14659	96.7		
Total		15155	100.0		

ta1221 A12b: Problems with sleep is the reason teenager has been tired/lacking in energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	381	2.5		
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6778	44.7		
	Total	14774	97.5		
Total		15155	100.0		

ta1222 A12c: Playing lots of sport is the reason teenager has been tired/lacking in energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	784	5.2		
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6375	42.1		
	Total	14371	94.8		
Total		15155	100.0		

ta1223 A12d: Stress/worry is the reason teenager has been tired/lacking in energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	344	2.3		
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6815	45.0		
	Total	14811	97.7		
Total		15155	100.0		

ta1224 A12e: Other is the reason teenager has been tired/lacking in energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	887	5.9		
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6272	41.4		
	Total	14268	94.1		
Total		15155	100.0		

TA File – Section A

ta1230 A13: Length of time teenager has felt tired or had no energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 < 3 months	1605	10.6	65.7	65.7
	2 Between 3 and 5 months	495	3.3	20.3	86.0
	3 Between 6 months and 5 years	295	1.9	12.1	98.1
	4 > 5 years	47	.3	1.9	100.0
	Total	2442	16.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	4717	31.1		
	Total	12713	83.9		
Total		15155	100.0		

ta1240 A14: Teenager feels better after resting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	50	.3	2.0	2.0
	2 Only a bit	529	3.5	20.9	22.9
	3 Definitely better	1952	12.9	77.1	100.0
	Total	2531	16.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	4628	30.5		
	Total	12624	83.3		
Total		15155	100.0		

ta1250 A15: During past month tiredness/lack of energy has stopped teenager taking part in hobbies/sports/activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	1553	10.2	61.1	61.1
	2 Only a little	845	5.6	33.3	94.4
	3 Quite a lot	102	.7	4.0	98.4
	4 A great deal	41	.3	1.6	100.0
	Total	2541	16.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	4618	30.5		
	Total	12614	83.2		
Total		15155	100.0		

TA File – Section A

ta1260 A16: Number of days off school teenager has had because of tiredness or lack of energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5634	37.2	88.6	88.6
	1	188	1.2	3.0	91.6
	2	175	1.2	2.8	94.3
	3	86	.6	1.4	95.7
	4	46	.3	.7	96.4
	5	60	.4	.9	97.4
	6	21	.1	.3	97.7
	7	19	.1	.3	98.0
	8	8	.1	.1	98.1
	9	4	.0	.1	98.2
	10	44	.3	.7	98.9
	11	1	.0	.0	98.9
	12	7	.0	.1	99.0
	13	1	.0	.0	99.0
	14	6	.0	.1	99.1
	15	10	.1	.2	99.3
	18	1	.0	.0	99.3
	20	16	.1	.3	99.5
	21	1	.0	.0	99.5
	25	2	.0	.0	99.6
	28	2	.0	.0	99.6
	30	6	.0	.1	99.7
	31	1	.0	.0	99.7
	40	2	.0	.0	99.7
	45	1	.0	.0	99.8
	62	1	.0	.0	99.8
	80	1	.0	.0	99.8
	180	1	.0	.0	99.8
	240	1	.0	.0	99.8
	998 Unable to attend school	11	.1	.2	100.0
Missing	Total	6357	41.9	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	4	.0		
	-1 No response	798	5.3		
Total	Total	8798	58.1		
		15155	100.0		

ta1270 A17: Teenager seen a doctor in past year because of tiredness/lack of energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	208	1.4	3.3	3.3
	2 No	6035	39.8	96.7	100.0
Missing	Total	6243	41.2	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	916	6.0		
Total	Total	8912	58.8		
		15155	100.0		

SECTION B: SEEING AND HEARING

Just as some people have better long-distance vision than others, so some people are better at remembering faces they have seen, or seeing people or objects in a crowd. We would like to know how your study teenager responds in the situations described below.

However, if your study teenager's sight is so poor that you feel you cannot answer, please tick this box **then go straight to B13 on page 15.**

1

B1. When she sees members of her close family, does she recognise them?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

B2. Does she recognise friends?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

PAGE 13 OF THE QUESTIONNAIRE

B3. Does she recognise people from photographs?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

B4. Does she lose objects around the house?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

B5. Does she have difficulty reaching out for and grasping objects?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

B6. Does she have difficulty distinguishing a step from a line on the ground?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

TA File – Section B

PAGE 14 OF THE QUESTIONNAIRE

B7. Can she find objects on a patterned carpet or bedspread?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

B8. Can she find objects in complex pictures?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

B9. Does she misjudge going through doorways or along corridors?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

B10. Can she find her way around the house?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

PAGE 15 OF THE QUESTIONNAIRE

B11. Does she have difficulty seeing things pointed out in the distance?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

B12. Can she find her way around in new surroundings?

Never	<input type="checkbox"/> 1
Occasionally	<input type="checkbox"/> 2
Most of the time	<input type="checkbox"/> 3
Always	<input type="checkbox"/> 4

B13. Does she prefer music or talking to be loud or soft?

She hates loud sounds	<input type="checkbox"/> 1	She doesn't mind if it's <input type="checkbox"/> 2 loud or not
She loves loud sounds	<input type="checkbox"/> 3	Can't say <input type="checkbox"/> 4

B14. How do you rate her hearing?

Excellent	<input type="checkbox"/> 1
Good	<input type="checkbox"/> 2
OK	<input type="checkbox"/> 3
Some sounds she can't hear	<input type="checkbox"/> 4
She can't hear much at all	<input type="checkbox"/> 5

TA File – Section B

ta2000 B: Teenager's sight too poor to answer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6	.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7153	47.2		
	Total	15149	100.0		
Total		15155	100.0		

ta2010 B1: Teenager recognises members of his/her close family when he/she sees them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	8	.1	.1	.1
	2 Occasionally	9	.1	.1	.2
	3 Most of the time	99	.7	1.4	1.6
	4 Always	6985	46.1	98.4	
	Total	7101	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	58	.4		
	Total	8054	53.1		
Total		15155	100.0		

ta2020 B2: Teenager recognises friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2	.0	.0	.0
	2 Occasionally	9	.1	.1	.2
	3 Most of the time	161	1.1	2.3	2.4
	4 Always	6929	45.7	97.6	
	Total	7101	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	58	.4		
	Total	8054	53.1		
Total		15155	100.0		

ta2030 B3: Teenager recognises people from photographs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6	.0	.1	.1
	2 Occasionally	54	.4	.8	.8
	3 Most of the time	1380	9.1	19.5	20.3
	4 Always	5651	37.3	79.7	
	Total	7091	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	68	.4		
	Total	8064	53.2		
Total		15155	100.0		

ta2040 B4: Teenager loses objects around house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1582	10.4	22.3	22.3
	2 Occasionally	4776	31.5	67.3	89.6
	3 Most of the time	512	3.4	7.2	96.9
	4 Always	223	1.5	3.1	
	Total	7093	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	66	.4		
	Total	8062	53.2		
Total		15155	100.0		

TA File – Section B

ta2050 B5: Teenager has difficulty reaching out for/grasping objects

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6963	45.9	98.1	98.1
	2 Occasionally	117	.8	1.6	99.7
	3 Most of the time	4	.0	.1	99.8
	4 Always	16	.1	.2	100.0
	Total	7100	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	59	.4		
	Total	8055	53.2		
Total		15155	100.0		

ta2060 B6: Teenager has difficulty distinguishing a step from a line on the ground

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6955	45.9	98.1	98.1
	2 Occasionally	103	.7	1.5	99.6
	3 Most of the time	4	.0	.1	99.6
	4 Always	27	.2	.4	100.0
	Total	7089	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	70	.5		
	Total	8066	53.2		
Total		15155	100.0		

ta2070 B7: Teenager can find objects on a patterned carpet or bedspread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	26	.2	.4	.4
	2 Occasionally	60	.4	.8	1.2
	3 Most of the time	1265	8.3	17.9	19.1
	4 Always	5710	37.7	80.9	100.0
	Total	7061	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	98	.6		
	Total	8094	53.4		
Total		15155	100.0		

ta2080 B8: Teenager can find objects in complex pictures

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	20	.1	.3	.3
	2 Occasionally	142	.9	2.0	2.3
	3 Most of the time	2380	15.7	33.9	36.2
	4 Always	4478	29.5	63.8	100.0
	Total	7020	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	139	.9		
	Total	8135	53.7		
Total		15155	100.0		

TA File – Section B

ta2090 B9: Teenager misjudges going through doorways or along corridors

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6453	42.6	91.2	91.2
	2 Occasionally	532	3.5	7.5	98.7
	3 Most of the time	13	.1	.2	98.9
	4 Always	81	.5	1.1	100.0
	Total	7079	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	80	.5		
	Total	8076	53.3		
Total		15155	100.0		

ta2100 B10: Teenager can find his/her way around the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	19	.1	.3	.3
	2 Occasionally	1	.0	.0	.3
	3 Most of the time	17	.1	.2	.5
	4 Always	7056	46.6	99.5	100.0
	Total	7093	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	66	.4		
	Total	8062	53.2		
Total		15155	100.0		

ta2110 B11: Teenager has difficulty seeing things pointed out in distance

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	5380	35.5	76.0	76.0
	2 Occasionally	1421	9.4	20.1	96.1
	3 Most of the time	118	.8	1.7	97.8
	4 Always	159	1.0	2.2	100.0
	Total	7078	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	81	.5		
	Total	8077	53.3		
Total		15155	100.0		

ta2120 B12: Teenager can find his/her way around in new surroundings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	45	.3	.6	.6
	2 Occasionally	152	1.0	2.1	2.8
	3 Most of the time	2670	17.6	37.7	40.5
	4 Always	4208	27.8	59.5	100.0
	Total	7075	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	84	.6		
	Total	8080	53.3		
Total		15155	100.0		

TA File – Section B

ta2130 B13: Volume teenager prefers music/talking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Teenager hates loud sounds	385	2.5	5.4	5.4
	2 Teenager doesn't mind if it's loud or not	5150	34.0	72.7	78.1
	3 Teenager loves loud sounds	1221	8.1	17.2	95.3
	4 Can't say	332	2.2	4.7	100.0
	Total	7088	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	71	.5		
	Total	8067	53.2		
Total		15155	100.0		

ta2140 B14: Mother's rating of teenager's hearing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Excellent	4974	32.8	70.0	70.0
	2 Good	1749	11.5	24.6	94.6
	3 OK	292	1.9	4.1	98.7
	4 Some sounds teenager can't hear	81	.5	1.1	99.9
	5 Teenager can't hear much at all	10	.1	.1	100.0
Missing	Total	7106	46.9	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	53	.3		
Total	Total	8049	53.1		
		15155	100.0		

SECTION C: TICS AND UNINTENDED HABITS

Many teenagers have strange habits that they do not intend and often are not aware of them. Please indicate whether your study teenager has had any of these in the past year.

In the past year:	Definitely	Probably	No, not at all
C1. Repeated movements of parts of the face and head (e.g. eye blinking, grimacing, sticking tongue out, licking lips, spitting)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
C2. Repeated movements of the neck, shoulder or trunk (e.g. twisting around, shoulder shrugging, bending over, nodding)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
C3. Repeated movements of the arms, hands, legs or feet (e.g. clapping hands, touching herself or others, hopping, kicking)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
C4. Repeated noises and sounds (e.g. coughing, clearing throat, grunting, gurgling, hissing)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
C5. Repeated words and phrases	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
C6. If definitely or probably to any of the above:			

a) Please describe what is repeated

.....

b) About how often does/did this happen in the last year?

Less than once a month	<input type="checkbox"/> 1
1-3 times a month	<input type="checkbox"/> 2
about once a week	<input type="checkbox"/> 3
more than once a week	<input type="checkbox"/> 4
every day	<input type="checkbox"/> 5

C6. c) Does this happen more at particular times?

Yes 1 No 2

If **yes**, please tick all that apply:

- (i) when tired
- (ii) when anxious or stressed
- (iii) other time (please tick and describe)

1
1
1

.....

TA File – Section C

ta2500 C1: Teenager had repeated movements of face and head in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Definitely	356	2.3	5.0	5.0
	2 Probably	331	2.2	4.7	9.7
	3 Not at all	6394	42.2	90.3	100.0
	Total	7081	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-8 Text response	1	.0		
	-1 No response	77	.5		
Total	Total	8074	53.3		
		15155	100.0		

ta2510 C2: Teenager had repeated movements of neck, shoulder or trunk in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Definitely	146	1.0	2.1	2.1
	2 Probably	223	1.5	3.2	5.2
	3 Not at all	6682	44.1	94.8	100.0
	Total	7051	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	108	.7		
	Total	8104	53.5		
Total		15155	100.0		

ta2520 C3: Teenager had repeated movements of arms, hands legs or feet in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Definitely	260	1.7	3.7	3.7
	2 Probably	326	2.2	4.6	8.3
	3 Not at all	6464	42.7	91.7	100.0
	Total	7050	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-8 Text response	2	.0		
	-1 No response	107	.7		
Total		8105	53.5		
Total		15155	100.0		

ta2530 C4: Teenager repeated noises and sounds in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Definitely	335	2.2	4.8	4.8
	2 Probably	479	3.2	6.8	11.5
	3 Not at all	6234	41.1	88.5	100.0
	Total	7048	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	111	.7		
	Total	8107	53.5		
Total		15155	100.0		

TA File – Section C

ta2540 C5: Teenager repeated words and phrases in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Definitely	356	2.3	5.1	5.1
	2 Probably	504	3.3	7.2	12.4
	3 Not at all	6097	40.2	87.6	100.0
	Total	6957	45.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	202	1.3		
	Total	8198	54.1		
Total		15155	100.0		

ta2551 C6b: Frequency these habits have happened in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 < Once a month	167	1.1	9.5	9.5
	2 1-3 times a month	175	1.2	9.9	19.4
	3 About once a week	164	1.1	9.3	28.7
	4 More than once a week	535	3.5	30.3	58.9
	5 Everyday	725	4.8	41.1	100.0
Missing	Total	1766	11.7	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	5393	35.6		
Total	Total	13389	88.3		
Total		15155	100.0		

ta2552 C6c: These habits happen at particular times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	663	4.4	37.2	37.2
	2 No	1120	7.4	62.8	100.0
	Total	1783	11.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	5376	35.5		
	Total	13372	88.2		
Total		15155	100.0		

ta2553 C6c1: These habits happen when tired

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	237	1.6	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6922	45.7		
Total	Total	14918	98.4		
Total		15155	100.0		

ta2554 C6c2: These habits happen when anxious

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	329	2.2	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6830	45.1		
Total	Total	14826	97.8		
Total		15155	100.0		

ta2555 C6c3: These habits happen at other time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	380	2.5	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6779	44.7		
Total	Total	14775	97.5		
Total		15155	100.0		

SECTION D: SOCIAL SKILLS

D1. How do you feel your study teenager compares with people of her own age in regard to the following:

A lot worse than average	A bit worse than average	About average ↓	A bit better than average	A lot better than average
---	---	-------------------------------	--	--

- a) Able to laugh around with others, e.g. accepting light-hearted teasing and responding appropriately 1 2 3 4 5
- b) Easy to chat with, even if it isn't on a topic that specially interests her 1 2 3 4 5
- c) Able to compromise and be flexible 1 2 3 4 5
- d) Finds the right thing to say or do in order to defuse a tense or embarrassing situation 1 2 3 4 5
- e) Graceful when she doesn't win or get her own way. A good loser 1 2 3 4 5
- f) Other people feel at ease around her 1 2 3 4 5
- g) By reading between the lines of what people say, she can work out what they are really thinking and feeling 1 2 3 4 5
- h) After doing something wrong, she's able to say sorry and sort it out so that there are no hard feelings. 1 2 3 4 5
- i) Can take the lead without others feeling they are being bossed about 1 2 3 4 5
- j) Aware of what is and isn't appropriate in different social situations 1 2 3 4 5

TA File – Section D

ta3000 D1a: Teenager's ability to laugh around with others, in comparison to others the same age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot worse than average	95	.6	1.3	1.3
	2 A bit worse than average	537	3.5	7.6	8.9
	3 About average	3862	25.5	54.6	63.6
	4 A bit better than average	1571	10.4	22.2	85.8
	5 A lot better than average	1006	6.6	14.2	100.0
	Total	7071	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	88	.6		
	Total	8084	53.3		
Total		15155	100.0		

ta3001 D1b: Teenager's ability to chat easily, even if topic isn't of interest, in comparison to others the same age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot worse than average	97	.6	1.4	1.4
	2 A bit worse than average	574	3.8	8.1	9.5
	3 About average	3300	21.8	46.7	56.2
	4 A bit better than average	1860	12.3	26.3	82.5
	5 A lot better than average	1237	8.2	17.5	100.0
	Total	7068	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	91	.6		
	Total	8087	53.4		
Total		15155	100.0		

ta3002 D1c: Teenager's ability to compromise and be flexible, in comparison to others the same age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot worse than average	113	.7	1.6	1.6
	2 A bit worse than average	715	4.7	10.1	11.7
	3 About average	3491	23.0	49.4	61.1
	4 A bit better than average	1853	12.2	26.2	87.4
	5 A lot better than average	891	5.9	12.6	100.0
	Total	7063	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	96	.6		
	Total	8092	53.4		
Total		15155	100.0		

ta3003 D1d: Teenager's ability to say/do right thing to defuse tense/embarrassing situation, in comparison to others the same age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot worse than average	168	1.1	2.4	2.4
	2 A bit worse than average	864	5.7	12.3	14.7
	3 About average	3532	23.3	50.2	64.9
	4 A bit better than average	1717	11.3	24.4	89.3
	5 A lot better than average	752	5.0	10.7	100.0
	Total	7033	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	126	.8		
	Total	8122	53.6		
Total		15155	100.0		

TA File – Section D

ta3004 D1e: Teenager's ability to be graceful/good loser when things don't go their way, in comparison to others the same age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot worse than average	256	1.7	3.6	3.6
	2 A bit worse than average	1295	8.5	18.3	22.0
	3 About average	3463	22.9	49.1	71.0
	4 A bit better than average	1403	9.3	19.9	90.9
	5 A lot better than average	643	4.2	9.1	100.0
	Total	7060	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	99	.7		
	Total	8095	53.4		
Total		15155	100.0		

ta3005 D1f: Teenager's ability to make other people feel at ease, in comparison to others the same age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot worse than average	42	.3	.6	.6
	2 A bit worse than average	219	1.4	3.1	3.7
	3 About average	2724	18.0	38.6	42.3
	4 A bit better than average	2449	16.2	34.7	77.1
	5 A lot better than average	1617	10.7	22.9	100.0
	Total	7051	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	108	.7		
	Total	8104	53.5		
Total		15155	100.0		

ta3006 D1g: Teenager's ability to read between lines to work out what people think/feel, in comparison to others the same age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot worse than average	134	.9	1.9	1.9
	2 A bit worse than average	591	3.9	8.4	10.3
	3 About average	3268	21.6	46.5	56.8
	4 A bit better than average	2039	13.5	29.0	85.8
	5 A lot better than average	998	6.6	14.2	100.0
	Total	7030	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	129	.9		
	Total	8125	53.6		
Total		15155	100.0		

ta3007 D1h: Teenager's ability to say sorry/sort things out without bad feeling, in comparison to others the same age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot worse than average	147	1.0	2.1	2.1
	2 A bit worse than average	773	5.1	11.0	13.0
	3 About average	3288	21.7	46.6	59.6
	4 A bit better than average	1946	12.8	27.6	87.2
	5 A lot better than average	905	6.0	12.8	100.0
	Total	7059	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	100	.7		
	Total	8096	53.4		
Total		15155	100.0		

TA File – Section D

ta3008 D1i: Teenager's ability to take the lead without others feeling bossed about, in comparison to others the same age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot worse than average	107	.7	1.5	1.5
	2 A bit worse than average	673	4.4	9.6	11.1
	3 About average	3684	24.3	52.3	63.4
	4 A bit better than average	1875	12.4	26.6	90.0
	5 A lot better than average	705	4.7	10.0	100.0
	Total	7044	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	115	.8		
	Total	8111	53.5		
Total		15155	100.0		

ta3009 D1j: Teenager's awareness of what is/isn't appropriate in social situations, in comparison to others the same age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot worse than average	125	.8	1.8	1.8
	2 A bit worse than average	439	2.9	6.2	8.0
	3 About average	2878	19.0	40.8	48.8
	4 A bit better than average	2237	14.8	31.7	80.6
	5 A lot better than average	1369	9.0	19.4	100.0
	Total	7048	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	111	.7		
	Total	8107	53.5		
Total		15155	100.0		

SECTION E: ATTITUDES AND BEHAVIOUR TOWARDS ANIMALS

Some teenagers have had a liking for all animals from being very small. Others are afraid and don't like certain animals. Sometimes they try to hurt or harm animals. We would like to ask you some questions about how your teenager feels towards animals.

How often:	Never	Rarely	Sometimes	Often	Always
E1. Is she scared of dogs?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
E2. Is she scared of insects or spiders?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
E3. Is she rough with animals?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
E4. Does she harm animals?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
E5. Does she show an interest in animals?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
E6. Does she show an interest in insects?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
E7. Does she show concern for the suffering of animals?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

	Never	Accidentally	In curiosity	Maybe on purpose	Definitely on purpose
E8. My teenager has harmed animals	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

	Yes	No	
E9. My teenager has harmed small insects	<input type="checkbox"/> 1	<input type="checkbox"/> 2	
E10. My teenager has harmed the family pets	<input type="checkbox"/> 1	<input type="checkbox"/> 2	Has never had a pet <input type="checkbox"/> 7
E11. My teenager has harmed other people's pets	<input type="checkbox"/> 1	<input type="checkbox"/> 2	
E12. My teenager has harmed animals (not pets)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	

	Never	More than one year ago	Last week	Yesterday	Today	
E13. The last time my teenager hurt an animal was	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
How often:	Never	Rarely	Sometimes	Often	Always	Don't know
E14. Has she hurt animals whilst on her own?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 9
E15. Has she, together with others, hurt animals?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 9
E16. Has she secretly hurt animals?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 9
E17. Has she shown pleasure when hurting animals?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 9
E18. Is she forgiving if an animal bites or scratches?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 9
E19. Will she go out of her way to fuss and stroke an animal?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 9

TA File – Section E

ta3500 E1: Teenager is scared of dogs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3244	21.4	45.5	45.5
	2 Rarely	2086	13.8	29.3	74.8
	3 Sometimes	1355	8.9	19.0	93.8
	4 Often	296	2.0	4.2	98.0
	5 Always	145	1.0	2.0	100.0
	Total	7126	47.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	33	.2		
	Total	8029	53.0		
Total		15155	100.0		

ta3510 E2: Teenager is scared of insects or spiders

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1856	12.2	26.1	26.1
	2 Rarely	1593	10.5	22.4	48.5
	3 Sometimes	2025	13.4	28.5	77.0
	4 Often	897	5.9	12.6	89.6
	5 Always	736	4.9	10.4	100.0
	Total	7107	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	52	.3		
	Total	8048	53.1		
Total		15155	100.0		

ta3520 E3: Teenager is rough with animals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6179	40.8	86.8	86.8
	2 Rarely	737	4.9	10.4	97.2
	3 Sometimes	180	1.2	2.5	99.7
	4 Often	16	.1	.2	99.9
	5 Always	4	.0	.1	100.0
	Total	7116	47.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	43	.3		
	Total	8039	53.0		
Total		15155	100.0		

ta3530 E4: Teenager harms animals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6994	46.1	98.1	98.1
	2 Rarely	110	.7	1.5	99.7
	3 Sometimes	17	.1	.2	99.9
	4 Often	2	.0	.0	99.9
	5 Always	4	.0	.1	100.0
	Total	7127	47.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	32	.2		
	Total	8028	53.0		
Total		15155	100.0		

TA File – Section E

ta3540 E5: Teenager shows an interest in animals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	135	.9	1.9	1.9
	2 Rarely	248	1.6	3.5	5.4
	3 Sometimes	1383	9.1	19.4	24.8
	4 Often	2185	14.4	30.7	55.4
	5 Always	3176	21.0	44.6	100.0
	Total	7127	47.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	32	.2		
	Total	8028	53.0		
Total		15155	100.0		

ta3550 E6: Teenager shows an interest in insects

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1169	7.7	16.4	16.4
	2 Rarely	2071	13.7	29.1	45.6
	3 Sometimes	2430	16.0	34.2	79.7
	4 Often	856	5.6	12.0	91.8
	5 Always	585	3.9	8.2	100.0
	Total	7111	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	48	.3		
	Total	8044	53.1		
Total		15155	100.0		

ta3560 E7: Teenager shows concern for the suffering of animals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	76	.5	1.1	1.1
	2 Rarely	236	1.6	3.3	4.4
	3 Sometimes	1579	10.4	22.2	26.6
	4 Often	1754	11.6	24.7	51.2
	5 Always	3468	22.9	48.8	100.0
	Total	7113	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	46	.3		
	Total	8042	53.1		
Total		15155	100.0		

ta3570 E8: Teenager has harmed animals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6765	44.6	95.2	95.2
	2 Accidentally	269	1.8	3.8	99.0
	3 In curiosity	36	.2	.5	99.5
	4 Maybe on purpose	22	.1	.3	99.8
	5 Definitely on purpose	13	.1	.2	100.0
	Total	7105	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	54	.4		
	Total	8050	53.1		
Total		15155	100.0		

TA File – Section E

ta3580 E9: Teenager has harmed small insects

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1709	11.3	24.3	24.3
	2 No	5326	35.1	75.7	100.0
	Total	7035	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	124	.8		
Total	Total	8120	53.6		
		15155	100.0		

ta3590 E10: Teenager has harmed family pets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	56	.4	.8	.8
	2 No	6386	42.1	89.8	90.6
	7 Has never had a pet	671	4.4	9.4	100.0
Missing	Total	7113	46.9	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
Total	-1 No response	46	.3		
	Total	8042	53.1		
		15155	100.0		

ta3600 E11: Teenager has harmed other people's pets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	10	.1	.1	.1
	2 No	7077	46.7	99.9	100.0
	Total	7087	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	72	.5		
Total	Total	8068	53.2		
		15155	100.0		

ta3610 E12: Teenager has harmed animals (not pets)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	20	.1	.3	.3
	2 No	7061	46.6	99.7	100.0
	Total	7081	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	78	.5		
Total	Total	8074	53.3		
		15155	100.0		

ta3620 E13: The last time teenager hurt an animal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Between 1 week and 1 year ago	4	.0	.1	.1
	1 Never	6614	43.6	96.1	96.2
	2 > One year ago	219	1.4	3.2	99.4
	3 Last week	34	.2	.5	99.9
	4 Yesterday	6	.0	.1	100.0
	5 Today	2	.0	.0	100.0
Missing	Total	6879	45.4	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	280	1.8		
Total	Total	8276	54.6		
		15155	100.0		

TA File – Section E

ta3630 E14: Teenager has hurt animals while on their own

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6629	43.7	94.5	94.5
	2 Rarely	37	.2	.5	95.0
	3 Sometimes	15	.1	.2	95.2
	4 Often	2	.0	.0	95.3
	9 Don't know	333	2.2	4.7	100.0
	Total	7016	46.3	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	143	.9		
	Total	8139	53.7		
Total		15155	100.0		

ta3640 E15: Teenager has hurt animals together with others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6764	44.6	96.4	96.4
	2 Rarely	26	.2	.4	96.8
	3 Sometimes	8	.1	.1	96.9
	4 Often	1	.0	.0	96.9
	9 Don't know	216	1.4	3.1	100.0
	Total	7015	46.3	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	144	1.0		
	Total	8140	53.7		
Total		15155	100.0		

ta3650 E16: Teenager has secretly hurt animals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6390	42.2	91.2	91.2
	2 Rarely	5	.0	.1	91.3
	3 Sometimes	6	.0	.1	91.4
	5 Always	1	.0	.0	91.4
	9 Don't know	605	4.0	8.6	100.0
	Total	7007	46.2	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	152	1.0		
	Total	8148	53.8		
Total		15155	100.0		

ta3660 E17: Teenager has shown pleasure when hurting animals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6793	44.8	97.6	97.6
	2 Rarely	9	.1	.1	97.7
	3 Sometimes	9	.1	.1	97.9
	9 Don't know	149	1.0	2.1	100.0
	Total	6960	45.9	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	199	1.3		
	Total	8195	54.1		
	Total	15155	100.0		

TA File – Section E

ta3670 E18: Teenager is forgiving if an animal bites or scratches

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	359	2.4	5.2	5.2
	2 Rarely	144	1.0	2.1	7.3
	3 Sometimes	791	5.2	11.5	18.8
	4 Often	1728	11.4	25.2	44.0
	5 Always	3049	20.1	44.4	88.4
	9 Don't know	799	5.3	11.6	100.0
	Total	6870	45.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	289	1.9		
	Total	8285	54.7		
Total		15155	100.0		

ta3680 E19: Teenager will go out of his/her way to fuss/stroke an animal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	346	2.3	5.0	5.0
	2 Rarely	570	3.8	8.2	13.1
	3 Sometimes	1698	11.2	24.3	37.4
	4 Often	1842	12.2	26.4	63.8
	5 Always	2451	16.2	35.1	98.9
	9 Don't know	76	.5	1.1	100.0
	Total	6983	46.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	176	1.2		
	Total	8172	53.9		
Total		15155	100.0		

SECTION F: MEDICINES, PILLS, LOTIONS, CREAMS AND IMMUNISATIONS

We are interested in finding out whether children have any difficulties in correctly taking medicines **by mouth**. For example, you may have had to crush tablets/pills or empty out the contents of a capsule and add them to a drink or a spoonful of jam, because of difficulty in swallowing them whole or a dislike of the taste.

F1. Is your study teenager able to swallow pills/tablets **whole**?

Yes 1 No 2 Don't know, never takes any 9

F2 a) Has your study teenager **ever** been given a medicine, pill or capsule that she was unable to take in the correct manner?

Yes 1 No 2 → **If no, go to the top of page 23**

If yes, what type of medicine was difficult for her to take? (tick all that apply)

Yes	Please give name(s) of medicines
i) tablets <input type="checkbox"/> 1	→
ii) hard capsules (usually contain granules or powder) <input type="checkbox"/> 1	→
iii) soft capsules (may contain a liquid) <input type="checkbox"/> 1	→
iv) liquid medicine <input type="checkbox"/> 1	→

b) What did you have to do to help her take the medicine? (If more than 1 type of medicine, answer separately for each)

i) Medicine 1
Name of medicine

Tick one only	Yes
Crush or break up tablets	<input type="checkbox"/> 1
Empty capsules	<input type="checkbox"/> 2
Add the medicine to a drink	<input type="checkbox"/> 3 → If yes, what type of drink?
Other, please tick and describe	<input type="checkbox"/> 4 →

PAGE 22 OF THE QUESTIONNAIRE

F2.b) ii) Medicine 2

Name of medicine

Tick one only**Yes**

Crush or break up tablets

1

Empty capsules

2

Add the medicine to a drink

3

→ **If yes**, what type of drink?

.....

Other, please tick and describe

4

→

iii) Medicine 3

Name of medicine

Tick one only**Yes**

Crush or break up tablets

1

Empty capsules

2

Add the medicine to a drink

3

→ **If yes**, what type of drink?

.....

Other, please tick and describe

4

→

PAGE 23 OF THE QUESTIONNAIRE

Medicines often have some unwanted effects, which we know to expect, such as causing a dry mouth. However, we are interested in finding out about more severe and/or unexpected reactions, which required some further action, such as seeking advice from your doctor or pharmacist, and/or stopping or changing the medicine.

F3. a) Has your daughter ever had a bad reaction or side effect, which was thought to be due to a medicine she was taking or using, and which required some action to be taken? (By medicine we mean **pills/tablets, liquid mixture, cream or ointment, injection or vaccine, eye drops, herbal medicine etc.**)

Yes 1

No 2

→ If no, go to Section G on page 28

If yes,

Please give the details separately for each type of medicine that caused a bad reaction (if she had side effects to more than 3 medicines, give details for the 3 most serious or severe reactions)

	Medicine A	Medicine B	Medicine C
b) Name of medicine:
c) What type of medicine was it?			
tablets/capsules/pills	1	1	1
liquid medicine (taken by mouth)	2	2	2
cream/ointment/lotion	3	3	3
injection/vaccine/immunisation	4	4	4
eye drops/eye ointment	5	5	5
other (please describe)	6	6	6

d) What was the medicine being used for (e.g. chest infection, stomach upset, skin problem)?
e) How old was she at the time the reaction happened?	years	years	years

F4. Which of the following best describes the reaction or side effects? (tick all that apply)

	Medicine A	Medicine B	Medicine C
a) skin rash	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
b) itching	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
c) feeling/being sick	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
d) breathing difficulties	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
e) effects on digestion e.g. diarrhoea	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
f) blood disorder	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
g) bleeding	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
h) bad headache(s)	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
i) dizziness/feeling faint	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
j) blurred vision	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
k) jaundice	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
l) severe allergic reaction or anaphylaxis	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
m) other, please tick and describe	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
.....			
.....			
.....			

PAGE 25 OF THE QUESTIONNAIRE

F5. Please choose **one** of the following for each medicine, that best describes how often, and for how long each time, the side effects happened. (**Tick just one for each medicine**)

	Medicine A	Medicine B	Medicine C
Single isolated incident (e.g. severe allergic reaction)	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
Repeated episodes over 1-2 days (e.g. dizzy spells)	<input type="checkbox"/> 2	<input type="checkbox"/> 2	<input type="checkbox"/> 2
Repeated episodes over 3-7 days (e.g. dizzy spells or headaches)	<input type="checkbox"/> 3	<input type="checkbox"/> 3	<input type="checkbox"/> 3
Repeated episodes over more than 7 days	<input type="checkbox"/> 4	<input type="checkbox"/> 4	<input type="checkbox"/> 4
Continuous, but lasted less than 2 days (e.g. headache or skin rash)	<input type="checkbox"/> 5	<input type="checkbox"/> 5	<input type="checkbox"/> 5
Continuous, lasting 2-7 days (e.g. skin rash, itching)	<input type="checkbox"/> 6	<input type="checkbox"/> 6	<input type="checkbox"/> 6
Continuous, lasting more than 7 days (e.g. blood disorder or jaundice)	<input type="checkbox"/> 7	<input type="checkbox"/> 7	<input type="checkbox"/> 7
Other, please tick and describe	<input type="checkbox"/> 8	<input type="checkbox"/> 8	<input type="checkbox"/> 8
.....
.....
.....

PAGE 26 OF THE QUESTIONNAIRE

F6. How serious, severe and/or unexpected was the reaction? (tick all that apply)

	Medicine A	Medicine B	Medicine C
a) Unexpected (i.e. you were not aware or had not been warned that some people may experience these side effects)	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
b) The side effects were bad enough to prevent her doing things that she would normally have done (after allowing for the illness)	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
c) The side effects were bad enough for advice to be sought from a healthcare professional	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
If so, who was this? (tick all that apply):			
(i) family doctor/GP	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
(ii) hospital doctor	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
(iii) pharmacist/chemist	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
(iv) nurse	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
(v) other (please tick and describe)	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
.....			
d) The reaction was so bad that she had to stop using the medicine (leave blank for one-off doses e.g. vaccines)	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
e) She was admitted to hospital because of the side effects	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
(i) How long did she stay in hospital?	days	days	days

F6. cont.	Medicine A	Medicine B	Medicine C
f) She recovered fully from the side effects after stopping the medicine	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
g) She recovered fully from the side effects and was able to continue taking the medicine	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
h) She has had this medicine again but did not have the same bad reaction	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
i) She has had this medicine again and the side effects were repeated	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
j) She still nowadays has some effects from having taken the medicine	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
F7. As medicines can react with each other, we would like to know if she was using any other medicines at that time, if you can remember.	i)
	ii)
	iii)
	iv)

TA File – Section F

ta4000 F1: Teenager can swallow pills/tablets whole

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4939	32.6	69.3	69.3
	2 No	1612	10.6	22.6	91.9
	9 Don't know, never takes any	576	3.8	8.1	100.0
	Total	7127	47.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	32	.2		
	Total	8028	53.0		
Total		15155	100.0		

ta4010 F2a: Teenager has been given a medicine that they were unable to take in correct manner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1683	11.1	23.9	23.9
	2 No	5356	35.3	76.1	100.0
	Total	7039	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	120	.8		
	Total	8116	53.6		
Total		15155	100.0		

ta4011 F2a1: Tablets were difficult for teenager to take

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1522	10.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	5637	37.2		
	Total	13633	90.0		
Total		15155	100.0		

ta4013 F2a2: Hard capsules were difficult for teenager to take

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	380	2.5	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6779	44.7		
	Total	14775	97.5		
Total		15155	100.0		

ta4015 F2a3: Soft capsules were difficult for teenager to take

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	182	1.2	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6977	46.0		
	Total	14973	98.8		
Total		15155	100.0		

ta4017 F2a4: Liquid medicine was difficult for teenager to take

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	140	.9	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7019	46.3		
	Total	15015	99.1		
Total		15155	100.0		

TA File – Section F

ta4021 F2b1: What mother did to help teenager take medicine 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Crush or break up tablets	811	5.4	49.0	49.0
	2 Empty capsules	49	.3	3.0	52.0
	3 Add medicine to drink	196	1.3	11.8	63.8
	4 Other	599	4.0	36.2	100.0
	Total	1655	10.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	5504	36.3		
	Total	13500	89.1		
Total		15155	100.0		

ta4031 F2b2: What mother did to help teenager take medicine 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Crush or break up tablets	54	.4	20.4	20.4
	2 Empty capsules	39	.3	14.7	35.1
	3 Add medicine to drink	46	.3	17.4	52.5
	4 Other	126	.8	47.5	100.0
	Total	265	1.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6894	45.5		
	Total	14890	98.3		
Total		15155	100.0		

ta4041 F2b3: What mother did to help teenager take medicine 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Crush or break up tablets	5	.0	12.8	12.8
	2 Empty capsules	5	.0	12.8	25.6
	3 Add medicine to drink	4	.0	10.3	35.9
	4 Other	25	.2	64.1	100.0
	Total	39	.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7120	47.0		
	Total	15116	99.7		
Total		15155	100.0		

TA File – Section F

ta4050 F3a: Teenager ever had bad reaction/side effect to medicine that required action

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	492	3.2	7.0	7.0
	2 No	6577	43.4	93.0	100.0
	Total	7069	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	90	.6		
	Total	8086	53.4		
Total		15155	100.0		

ta4061 F3c: Type of medicine that caused reaction/side effect - medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Tablets/capsules/pills	83	.5	17.0	17.0
	2 Liquid medicine (taken by mouth)	310	2.0	63.7	80.7
	3 Cream/ointment/lotion	25	.2	5.1	85.8
	4 Injection/vaccine/immunisation	44	.3	9.0	94.9
	5 Eye drops/eye ointment	4	.0	.8	95.7
	6 Other	21	.1	4.3	100.0
	Total	487	3.2	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6672	44.0		
Total		14668	96.8		
Total		15155	100.0		

ta4064 F3e: Age of teenager at time reaction happened - medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	33	.2	7.0	7.0
	1	69	.5	14.7	21.7
	2	57	.4	12.1	33.8
	3	52	.3	11.1	44.9
	4	26	.2	5.5	50.4
	5	34	.2	7.2	57.7
	6	21	.1	4.5	62.1
	7	18	.1	3.8	66.0
	8	22	.1	4.7	70.6
	9	17	.1	3.6	74.3
	10	25	.2	5.3	79.6
	11	23	.2	4.9	84.5
	12	51	.3	10.9	95.3
	13	22	.1	4.7	100.0
Total		470	3.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	2	.0		
	-1 No response	6687	44.1		
	Total	14685	96.9		
Total		15155	100.0		

TA File – Section F

ta4071 F3c: Type of medicine that caused reaction/side effect - medicine B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Tablets/capsules/pills	12	.1	24.0	24.0
	2 Liquid medicine (taken by mouth)	20	.1	40.0	64.0
	3 Cream/ointment/lotion	5	.0	10.0	74.0
	4 Injection/vaccine/immunisation	6	.0	12.0	86.0
	5 Eye drops/eye ointment	2	.0	4.0	90.0
	6 Other	5	.0	10.0	100.0
	Total	50	.3	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7109	46.9		
Missing	Total	15105	99.7		
	Total	15155	100.0		

ta4074 F3e: Age of teenager at time reaction happened - medicine B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	2.1	2.1
	1	4	.0	8.3	10.4
	2	2	.0	4.2	14.6
	3	4	.0	8.3	22.9
	4	2	.0	4.2	27.1
	5	4	.0	8.3	35.4
	6	4	.0	8.3	43.8
	7	1	.0	2.1	45.8
	8	3	.0	6.3	52.1
	9	1	.0	2.1	54.2
	10	3	.0	6.3	60.4
	11	7	.0	14.6	75.0
	12	9	.1	18.8	93.8
	13	3	.0	6.3	100.0
Missing	Total	48	.3	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	1	.0		
	-1 No response	7110	46.9		
Total	Total	15107	99.7		
	Total	15155	100.0		

ta4081 F3c: Type of medicine that caused reaction/side effect - medicine C

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Tablets/capsules/pills	2	.0	33.3	33.3
	2 Liquid medicine (taken by mouth)	2	.0	33.3	66.7
	3 Cream/ointment/lotion	1	.0	16.7	83.3
	5 Eye drops/eye ointment	1	.0	16.7	100.0
	Total	6	.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7153	47.2		
	Total	15149	100.0		
Total	Total	15155	100.0		

ta4084 F3e: Age of teenager at time reaction happened - medicine C

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	.0	16.7	16.7
	4	1	.0	16.7	33.3
	6	1	.0	16.7	50.0
	8	1	.0	16.7	66.7
	12	2	.0	33.3	100.0
	Total	6	.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7153	47.2		
	Total	15149	100.0		
Total	Total	15155	100.0		

TA File – Section F

ta4100 F4a: A skin rash best describes the reaction/side effect - medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	313	2.1	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	6846	45.2		
Total	14842	97.9		
Total	15155	100.0		

ta4101 F4b: Itching best describes the reaction/side effect - medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	146	1.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7013	46.3		
Total	15009	99.0		
Total	15155	100.0		

ta4102 F4c: Feeling/being sick best describes the reaction/side effect - medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	119	.8	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7040	46.5		
Total	15036	99.2		
Total	15155	100.0		

ta4103 F4d: Breathing difficulties best describes the reaction/side effect - medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	23	.2	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7136	47.1		
Total	15132	99.8		
Total	15155	100.0		

ta4104 F4e: Effects on digestion e.g. diarrhoea best describes the reaction/side effect - medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	47	.3	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7112	46.9		
Total	15108	99.7		
Total	15155	100.0		

ta4105 F4f: Blood disorder best describes the reaction/side effect - medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7158	47.2		
Total	15154	100.0		
Total	15155	100.0		

ta4106 F4g: Bleeding best describes the reaction/side effect - medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7158	47.2		
Total	15154	100.0		
Total	15155	100.0		

TA File – Section F

ta4107 F4h: Bad headaches best describes the reaction/side effect - medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	35	.2	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7124	47.0		
	Total	15120	99.8		
		15155	100.0		

ta4108 F4i: Dizziness/feeling faint best describes the reaction/side effect - medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	33	.2	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7126	47.0		
	Total	15122	99.8		
		15155	100.0		

ta4109 F4j: Blurred vision best describes the reaction/side effect - medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	10	.1	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7149	47.2		
	Total	15145	99.9		
		15155	100.0		

ta4110 F4k: Jaundice best describes the reaction/side effect - medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1	.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7158	47.2		
	Total	15154	100.0		
		15155	100.0		

ta4111 F4l: Severe allergic reaction or anaphylaxis best describes the reaction/side effect - medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	13	.1	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7146	47.2		
	Total	15142	99.9		
		15155	100.0		

ta4112 F4m: Other best describes the reaction/side effect - medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	145	1.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7014	46.3		
	Total	15010	99.0		
		15155	100.0		

TA File – Section F

ta4120 F4a: A skin rash best describes the reaction/side effect - medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	27	.2	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7132	47.1		
Total	15128	99.8		
Total	15155	100.0		

ta4121 F4b: Itching best describes the reaction/side effect - medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	13	.1	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7146	47.2		
Total	15142	99.9		
Total	15155	100.0		

ta4122 F4c: Feeling/being sick best describes the reaction/side effect - medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	12	.1	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7147	47.2		
Total	15143	99.9		
Total	15155	100.0		

ta4123 F4d: Breathing difficulties best describes the reaction/side effect - medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7156	47.2		
Total	15152	100.0		
Total	15155	100.0		

ta4124 F4e: Effects on digestion e.g. diarrhoea best describes the reaction/side effect - medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7152	47.2		
Total	15148	100.0		
Total	15155	100.0		

ta4125 F4f: Blood disorder best describes the reaction/side effect - medicine B

	Frequency	Percent
Missing -11 Triplet / quadruplet	6	.0
-10 Not completed	7990	52.7
-1 No response	7159	47.2
Total	15155	100.0

ta4126 F4g: Bleeding best describes the reaction/side effect - medicine B

	Frequency	Percent
Missing -11 Triplet / quadruplet	6	.0
-10 Not completed	7990	52.7
-1 No response	7159	47.2
Total	15155	100.0

TA File – Section F

ta4127 F4h: Bad headaches best describes the reaction/side effect - medicine B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7157	47.2		
	Total	15153	100.0		
		15155	100.0		

ta4128 F4i: Dizziness/feeling faint best describes the reaction/side effect - medicine B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3	.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7156	47.2		
	Total	15152	100.0		
		15155	100.0		

ta4129 F4j: Blurred vision best describes the reaction/side effect - medicine B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7157	47.2		
	Total	15153	100.0		
		15155	100.0		

ta4130 F4k: Jaundice best describes the reaction/side effect - medicine B

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
	Total	15155	100.0

ta4131 F4l: Severe allergic reaction or anaphylaxis best describes the reaction/side effect - medicine B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7157	47.2		
	Total	15153	100.0		
		15155	100.0		

ta4132 F4m: Other best describes the reaction/side effect - medicine B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	11	.1	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7148	47.2		
	Total	15144	99.9		
		15155	100.0		

TA File – Section F

ta4140 F4a: A skin rash best describes the reaction/side effect - medicine C

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7154	47.2		
Total	15150	100.0		
	15155	100.0		

ta4141 F4b: Itching best describes the reaction/side effect - medicine C

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7158	47.2		
Total	15154	100.0		
	15155	100.0		

ta4142 F4c: Feeling/being sick best describes the reaction/side effect - medicine C

	Frequency	Percent
Missing -11 Triplet / quadruplet	6	.0
-10 Not completed	7990	52.7
-1 No response	7159	47.2
Total	15155	100.0

ta4143 F4d: Breathing difficulties best describes the reaction/side effect - medicine C

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7158	47.2		
Total	15154	100.0		
	15155	100.0		

ta4144 F4e: Effects on digestion e.g. diarrhoea best describes the reaction/side effect - medicine C

	Frequency	Percent
Missing -11 Triplet / quadruplet	6	.0
-10 Not completed	7990	52.7
-1 No response	7159	47.2
Total	15155	100.0

ta4145 F4f: Blood disorder best describes the reaction/side effect - medicine C

	Frequency	Percent
Missing -11 Triplet / quadruplet	6	.0
-10 Not completed	7990	52.7
-1 No response	7159	47.2
Total	15155	100.0

ta4146 F4g: Bleeding best describes the reaction/side effect - medicine C

	Frequency	Percent
Missing -11 Triplet / quadruplet	6	.0
-10 Not completed	7990	52.7
-1 No response	7159	47.2
Total	15155	100.0

TA File – Section F

ta4147 F4h: Bad headaches best describes the reaction/side effect - medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
	Total	15155	100.0

ta4148 F4i: Dizziness/feeling faint best describes the reaction/side effect - medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
	Total	15155	100.0

ta4149 F4j: Blurred vision best describes the reaction/side effect - medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
	Total	15155	100.0

ta4150 F4k: Jaundice best describes the reaction/side effect - medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
	Total	15155	100.0

ta4151 F4l: Severe allergic reaction or anaphylaxis best describes the reaction/side effect - medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
	Total	15155	100.0

ta4152 F4m: Other best describes the reaction/side effect - medicine C

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7157	47.2		
Total	15153	100.0		
Total	15155	100.0		

TA File – Section F

ta4160 F5: Frequency and duration of side effects - medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Single isolated incident	230	1.5	48.4	48.4
	2 Repeated episodes over 1-2 days	23	.2	4.8	53.3
	3 Repeated episodes over 3-7 days	19	.1	4.0	57.3
	4 Repeated episodes over > 7 days	8	.1	1.7	58.9
	5 Continuous but lasted < 2 days	60	.4	12.6	71.6
	6 Continuous but lasting 2-7 days	85	.6	17.9	89.5
	7 Continuous lasting > 7 days	6	.0	1.3	90.7
	8 Other	44	.3	9.3	100.0
	Total	475	3.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6684	44.1		
	Total	14680	96.9		
Total		15155	100.0		

ta4170 F5: Frequency and duration of side effects - medicine B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Single isolated incident	11	.1	22.4	22.4
	2 Repeated episodes over 1-2 days	5	.0	10.2	32.7
	3 Repeated episodes over 3-7 days	2	.0	4.1	36.7
	4 Repeated episodes over > 7 days	1	.0	2.0	38.8
	5 Continuous but lasted < 2 days	12	.1	24.5	63.3
	6 Continuous but lasting 2-7 days	9	.1	18.4	81.6
	8 Other	9	.1	18.4	100.0
	Total	49	.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7110	46.9		
	Total	15106	99.7		
Total		15155	100.0		

ta4180 F5: Frequency and duration of side effects - medicine C

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Single isolated incident	2	.0	33.3	33.3
	6 Continuous but lasting 2-7 days	3	.0	50.0	83.3
	8 Other	1	.0	16.7	100.0
	Total	6	.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7153	47.2		
	Total	15149	100.0		
Total		15155	100.0		

TA File – Section F

ta4200 F6a: The reaction was unexpected - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	220	1.5	100.0	
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	6939	45.8		
Total	14935	98.5		
	15155	100.0		

ta4201 F6b: Side effects were bad enough to prevent teenager doing things would normally have done - Medicine A

Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	95	.6	100.0	
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7064	46.6		
Total	15060	99.4		
	15155	100.0		

ta4202 F6c: Side effects were bad enough for advice to be sought from healthcare professional - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	336	2.2	100.0	
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	6823	45.0		
Total	14819	97.8		
	15155	100.0		

ta4203 F6c1: A family doctor was sought for advice for bad side effects - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	274	1.8	100.0	
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	6885	45.4		
Total	14881	98.2		
	15155	100.0		

ta4204 F6c2: A hospital doctor was sought for advice for bad side effects - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	60	.4	100.0	
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7099	46.8		
Total	15095	99.6		
	15155	100.0		

ta4205 F6c3: A pharmacist/chemist was sought for advice for bad side effects - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	12	.1	100.0	
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7147	47.2		
Total	15143	99.9		
	15155	100.0		

ta4206 F6c4: A nurse was sought for advice for bad side effects - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	8	.1	100.0	
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7151	47.2		
Total	15147	99.9		
	15155	100.0		

TA File – Section F

ta4207 F6c5: Other was sought for advice for bad side effects - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	19	.1	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7140	47.1		
Total	15136	99.9		
Total	15155	100.0		

ta4209 F6d: Reaction was so bad that teenager had to stop using medicine - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	271	1.8	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	6888	45.5		
Total	14884	98.2		
Total	15155	100.0		

ta4210 F6e: Teenager was admitted to hospital because of side effects - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	17	.1	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7142	47.1		
Total	15138	99.9		
Total	15155	100.0		

ta4211 F6e1: Number of days teenager stayed in hospital - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	4	.0	19.0	19.0
1	8	.1	38.1	57.1
2	3	.0	14.3	71.4
6	2	.0	9.5	81.0
7	1	.0	4.8	85.7
14	2	.0	9.5	95.2
17	1	.0	4.8	100.0
Total	21	.1	100.0	
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7138	47.1		
Total	15134	99.9		
Total	15155	100.0		

ta4212 F6f: Teenager recovered fully from side effects after stopping the medicine - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	410	2.7	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	6749	44.5		
Total	14745	97.3		
Total	15155	100.0		

ta4213 F6g: Teenager recovered fully from side effects and was able to continue taking medicine - Medicine A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	11	.1	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7148	47.2		
Total	15144	99.9		
Total	15155	100.0		

TA File – Section F

ta4214 F6h: Teenager has had this medicine again but didn't have same reaction - Medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	24	.2	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7135	47.1		
	Total	15131	99.8		
Total		15155	100.0		

ta4215 F6i: Teenager has had this medicine again and side effects were repeated - Medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	35	.2	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7124	47.0		
	Total	15120	99.8		
Total		15155	100.0		

ta4216 F6j: Teenager still has some effects from having taken the medicine - Medicine A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	15	.1	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7144	47.1		
	Total	15140	99.9		
Total		15155	100.0		

TA File – Section F

ta4220 F6a: The reaction was unexpected - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	12	.1	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7147	47.2		
Total	15143	99.9		
	15155	100.0		

ta4221 F6b: Side effects were bad enough to prevent teenager doing things would normally have done - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	18	.1	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7141	47.1		
Total	15137	99.9		
	15155	100.0		

ta4222 F6c: Side effects were bad enough for advice to be sought from healthcare professional - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	32	.2	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7127	47.0		
Total	15123	99.8		
	15155	100.0		

ta4223 F6c1: A family doctor was sought for advice for bad side effects - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	25	.2	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7134	47.1		
Total	15130	99.8		
	15155	100.0		

ta4224 F6c2: A hospital doctor was sought for advice for bad side effects - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7153	47.2		
Total	15149	100.0		
	15155	100.0		

ta4225 F6c3: A pharmacist/chemist was sought for advice for bad side effects - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7158	47.2		
Total	15154	100.0		
	15155	100.0		

ta4226 F6c4: A nurse was sought for advice for bad side effects - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7156	47.2		
Total	15152	100.0		
	15155	100.0		

TA File – Section F

ta4227 F6c5: Other was sought for advice for bad side effects - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7157	47.2		
Total	15153	100.0		
	15155	100.0		

ta4229 F6d: Reaction was so bad that teenager had to stop using medicine - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	26	.2	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7133	47.1		
Total	15129	99.8		
	15155	100.0		

ta4230 F6e: Teenager was admitted to hospital because of side effects - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7156	47.2		
Total	15152	100.0		
	15155	100.0		

ta4231 F6e1: Number of days teenager stayed in hospital - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	2	.0	50.0	50.0
10	1	.0	25.0	75.0
17	1	.0	25.0	100.0
Total	4	.0	100.0	
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7155	47.2		
Total	15151	100.0		
	15155	100.0		

ta4232 F6f: Teenager recovered fully from side effects after stopping the medicine - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	37	.2	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7122	47.0		
Total	15118	99.8		
	15155	100.0		

ta4233 F6g: Teenager recovered fully from side effects and was able to continue taking medicine - Medicine B

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4	.0	100.0	100.0
Missing -11 Triplet / quadruplet	6	.0		
-10 Not completed	7990	52.7		
-1 No response	7155	47.2		
Total	15151	100.0		
	15155	100.0		

TA File – Section F

ta4234 F6h: Teenager has had this medicine again but didn't have same reaction - Medicine B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1	.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7158	47.2		
	Total	15154	100.0		
	Total	15155	100.0		

ta4235 F6i: Teenager has had this medicine again and side effects were repeated - Medicine B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6	.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7153	47.2		
	Total	15149	100.0		
	Total	15155	100.0		

ta4236 F6j: Teenager still has some effects from having taken the medicine - Medicine B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3	.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7156	47.2		
	Total	15152	100.0		
	Total	15155	100.0		

TA File – Section F

ta4240 F6a: The reaction was unexpected - Medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
	Total	15155	100.0

ta4241 F6b: Side effects were bad enough to prevent teenager doing things would normally have done - Medicine C

Medicine C

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.0		
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7157	47.2		
	Total	15153	100.0		
		15155	100.0		

ta4242 F6c: Side effects were bad enough for advice to be sought from healthcare professional - Medicine C

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4	.0		
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7155	47.2		
	Total	15151	100.0		
		15155	100.0		

ta4243 F6c1: A family doctor was sought for advice for bad side effects - Medicine C

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3	.0		
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7156	47.2		
	Total	15152	100.0		
		15155	100.0		

ta4244 F6c2: A hospital doctor was sought for advice for bad side effects - Medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
	Total	15155	100.0

ta4245 F6c3: A pharmacist/chemist was sought for advice for bad side effects - Medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
	Total	15155	100.0

ta4246 F6c4: A nurse was sought for advice for bad side effects - Medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
	Total	15155	100.0

ta4247 F6c5: Other was sought for advice for bad side effects - Medicine C

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1	.0		
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7158	47.2		
	Total	15154	100.0		
		15155	100.0		

TA File – Section F

ta4249 F6d: Reaction was so bad that teenager had to stop using medicine - Medicine C

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4	.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7155	47.2		
Total		15151	100.0		
		15155	100.0		

ta4250 F6e: Teenager was admitted to hospital because of side effects - Medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
Total		15155	100.0

ta4251 F6e1: Number of days teenager stayed in hospital - Medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
Total		15155	100.0

ta4252 F6f: Teenager recovered fully from side effects after stopping the medicine - Medicine C

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5	.0	100.0	100.0
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	7154	47.2		
Total		15150	100.0		
		15155	100.0		

ta4253 F6g: Teenager recovered fully from side effects and was able to continue taking medicine - Medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
Total		15155	100.0

ta4254 F6h: Teenager has had this medicine again but didn't have same reaction - Medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
Total		15155	100.0

ta4255 F6i: Teenager has had this medicine again and side effects were repeated - Medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
Total		15155	100.0

ta4256 F6j: Teenager still has some effects from having taken the medicine - Medicine C

		Frequency	Percent
Missing	-11 Triplet / quadruplet	6	.0
	-10 Not completed	7990	52.7
	-1 No response	7159	47.2
Total		15155	100.0

SECTION G: MOODS AND FEELINGS

G1. We are interested in studying the patterns of behaviour that children have. Please could you try to describe the kind of person your child is. When answering the questions, think about how she has tended to feel, think, and act over the past several years. Remember that there are no correct answers.

	Is often like this	Is sometimes like this	Is never like this
a) She goes to extremes to prevent those she loves from leaving her	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) She either loves someone or hates them, with nothing in between	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c) She often wonders who she really is	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d) She has tried to hurt or kill herself	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e) She is a very moody girl	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
f) She feels her life is dull and meaningless	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
g) She has difficulty controlling her anger or temper	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
h) When she gets stressed out, things happen, e.g. she gets paranoid or complains of feeling detached from herself or things around her	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

G2. As far as you know, has she done things on impulse that can get her into trouble?

	Yes	No
a) Has she gone on eating binges?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b) Has she drunk too much alcohol?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c) Has she taken drugs?	<input type="checkbox"/> 1	<input type="checkbox"/> 2

		Yes	No
G2. d)	Has she spent more money than she has?	1	2
e)	Has she yelled at people?	1	2
f)	Has she broken things?	1	2
g)	Has she hit people?	1	2
h)	Has she stolen things?	1	2

These questions are about how your teenager may have been feeling or acting recently. For each question, please say how much you think she has felt or acted this way in the past two weeks.

In the past 2 weeks:		True	Sometimes true	Not true
G3.	She felt miserable or unhappy	1	2	3
G4.	She didn't enjoy anything at all	1	2	3
G5.	She felt so tired that she just sat around and did nothing	1	2	3
G6.	She was very restless	1	2	3
G7.	She felt she was no good any more	1	2	3
G8.	She cried a lot	1	2	3
G9.	She found it hard to think properly or concentrate	1	2	3
G10.	She hated herself	1	2	3
G11.	She felt she was a bad person	1	2	3
G12.	She felt lonely	1	2	3
G13.	She thought nobody really loved her	1	2	3
G14.	She thought she could never be as good as other kids	1	2	3
G15.	She felt she did everything wrong	1	2	3

TA File – Section G

ta5000 G1a: Teenager goes to extremes to prevent those they love from leaving

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Is often like this	179	1.2	2.5	2.5
	2 Is sometimes like this	1095	7.2	15.5	18.1
	3 Is never like this	5774	38.1	81.9	100.0
	Total	7048	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	111	.7		
	Total	8107	53.5		
Total		15155	100.0		

ta5001 G1b: Teenager either loves someone or hates them, nothing in between

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Is often like this	218	1.4	3.1	3.1
	2 Is sometimes like this	1391	9.2	19.7	22.8
	3 Is never like this	5455	36.0	77.2	100.0
	Total	7064	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	95	.6		
	Total	8091	53.4		
Total		15155	100.0		

ta5002 G1c: Teenager often wonders who they really are

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Is often like this	83	.5	1.2	1.2
	2 Is sometimes like this	840	5.5	12.0	13.1
	3 Is never like this	6101	40.3	86.9	100.0
	Total	7024	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	135	.9		
	Total	8131	53.7		
Total		15155	100.0		

ta5003 G1d: Teenager has tried to hurt or kill themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Is often like this	6	.0	.1	.1
	2 Is sometimes like this	170	1.1	2.4	2.5
	3 Is never like this	6914	45.6	97.5	100.0
	Total	7090	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	69	.5		
	Total	8065	53.2		
Total		15155	100.0		

ta5004 G1e: Teenager is very moody

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Is often like this	385	2.5	5.4	5.4
	2 Is sometimes like this	3580	23.6	50.5	55.9
	3 Is never like this	3123	20.6	44.1	100.0
	Total	7088	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	71	.5		
	Total	8067	53.2		
Total		15155	100.0		

TA File – Section G

ta5005 G1f: Teenager feels life is dull and meaningless

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Is often like this	81	.5	1.1	1.1
	2 Is sometimes like this	1076	7.1	15.3	16.4
	3 Is never like this	5895	38.9	83.6	100.0
	Total	7052	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	107	.7		
	Total	8103	53.5		
Total		15155	100.0		

ta5006 G1g: Teenager has difficulty controlling anger/temper

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Is often like this	422	2.8	6.0	6.0
	2 Is sometimes like this	2551	16.8	36.0	41.9
	3 Is never like this	4115	27.2	58.1	100.0
	Total	7088	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	71	.5		
	Total	8067	53.2		
Total		15155	100.0		

ta5007 G1h: When teenager stressed out, things happen, feels paranoid, detached from self or things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Is often like this	139	.9	2.0	2.0
	2 Is sometimes like this	740	4.9	10.5	12.5
	3 Is never like this	6164	40.7	87.5	100.0
	Total	7043	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	116	.8		
	Total	8112	53.5		
Total		15155	100.0		

TA File – Section G

ta5010 G2a: Teenager gone on eating binges

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	178	1.2	2.5	2.5
	2 No	6936	45.8	97.5	100.0
	Total	7114	46.9	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	45	.3		
	Total	8041	53.1		
		15155	100.0		

ta5011 G2b: Teenager drunk too much alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	157	1.0	2.2	2.2
	2 No	6963	45.9	97.8	100.0
	Total	7120	47.0	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	39	.3		
	Total	8035	53.0		
		15155	100.0		

ta5012 G2c: Teenager taken drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	25	.2	.4	.4
	2 No	7086	46.8	99.6	100.0
	Total	7111	46.9	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	48	.3		
	Total	8044	53.1		
		15155	100.0		

ta5013 G2d: Teenager spent more money than has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	513	3.4	7.2	7.2
	2 No	6601	43.6	92.8	100.0
	Total	7114	46.9	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	45	.3		
	Total	8041	53.1		
		15155	100.0		

ta5014 G2e: Teenager yelled at people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3580	23.6	50.4	50.4
	2 No	3527	23.3	49.6	100.0
	Total	7107	46.9	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	52	.3		
	Total	8048	53.1		
		15155	100.0		

ta5015 G2f: Teenager broken things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1031	6.8	14.5	14.5
	2 No	6072	40.1	85.5	100.0
	Total	7103	46.9	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	56	.4		
	Total	8052	53.1		
		15155	100.0		

TA File – Section G

ta5016 G2g: Teenager hit people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1528	10.1	21.5	21.5
	2 No	5578	36.8	78.5	100.0
	Total	7106	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	53	.3		
	Total	8049	53.1		
Total		15155	100.0		

ta5017 G2h: Teenager stolen things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	322	2.1	4.5	4.5
	2 No	6773	44.7	95.5	100.0
	Total	7095	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	64	.4		
	Total	8060	53.2		
Total		15155	100.0		

TA File – Section G

ta5020 G3: Teenager feels miserable or unhappy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	309	2.0	4.4	4.4
	2 Sometimes true	2671	17.6	37.6	42.0
	3 Not true	4121	27.2	58.0	100.0
	Total	7101	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	58	.4		
	Total	8054	53.1		
Total		15155	100.0		

ta5021 G4: Teenager didn't enjoy anything at all

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	85	.6	1.2	1.2
	2 Sometimes true	921	6.1	13.0	14.2
	3 Not true	6088	40.2	85.8	100.0
	Total	7094	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	65	.4		
	Total	8061	53.2		
Total		15155	100.0		

ta5022 G5: Teenager felt so tired that they sat around and did nothing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	190	1.3	2.7	2.7
	2 Sometimes true	1750	11.5	24.7	27.3
	3 Not true	5157	34.0	72.7	100.0
	Total	7097	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	62	.4		
	Total	8058	53.2		
Total		15155	100.0		

ta5023 G6: Teenager was very restless

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	142	.9	2.0	2.0
	2 Sometimes true	1786	11.8	25.2	27.2
	3 Not true	5171	34.1	72.8	100.0
	Total	7099	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	60	.4		
	Total	8056	53.2		
Total		15155	100.0		

ta5024 G7: Teenager felt they were no good anymore

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	79	.5	1.1	1.1
	2 Sometimes true	614	4.1	8.7	9.8
	3 Not true	6392	42.2	90.2	100.0
	Total	7085	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	74	.5		
	Total	8070	53.2		
Total		15155	100.0		

TA File – Section G

ta5025 G8: Teenager cried a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	57	.4	.8	.8
	2 Sometimes true	502	3.3	7.1	7.9
	3 Not true	6543	43.2	92.1	100.0
	Total	7102	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	57	.4		
	Total	8053	53.1		
Total		15155	100.0		

ta5026 G9: Teenager found it hard to think properly or concentrate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	145	1.0	2.0	2.0
	2 Sometimes true	1361	9.0	19.2	21.2
	3 Not true	5584	36.8	78.8	100.0
	Total	7090	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	69	.5		
	Total	8065	53.2		
Total		15155	100.0		

ta5027 G10: Teenager hated himself/herself

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	51	.3	.7	.7
	2 Sometimes true	423	2.8	6.0	6.7
	3 Not true	6609	43.6	93.3	100.0
	Total	7083	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	76	.5		
	Total	8072	53.3		
Total		15155	100.0		

ta5028 G11: Teenager felt he/she was a bad person

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	33	.2	.5	.5
	2 Sometimes true	341	2.3	4.8	5.3
	3 Not true	6709	44.3	94.7	100.0
	Total	7083	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	76	.5		
	Total	8072	53.3		
Total		15155	100.0		

ta5029 G12: Teenager felt lonely

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	82	.5	1.2	1.2
	2 Sometimes true	1043	6.9	14.7	15.9
	3 Not true	5952	39.3	84.1	100.0
	Total	7077	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	82	.5		
	Total	8078	53.3		
Total		15155	100.0		

TA File – Section G

ta5030 G13: Teenager thought nobody really loved him/her

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	79	.5	1.1	1.1
	2 Sometimes true	608	4.0	8.6	9.7
	3 Not true	6390	42.2	90.3	100.0
	Total	7077	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	82	.5		
	Total	8078	53.3		
Total		15155	100.0		

ta5031 G14: Teenager thought they could never be as good as other kids

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	117	.8	1.7	1.7
	2 Sometimes true	860	5.7	12.2	13.8
	3 Not true	6098	40.2	86.2	100.0
	Total	7075	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	84	.6		
	Total	8080	53.3		
Total		15155	100.0		

ta5032 G15: Teenager felt they did everything wrong

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	96	.6	1.4	1.4
	2 Sometimes true	1207	8.0	17.1	18.4
	3 Not true	5775	38.1	81.6	100.0
	Total	7078	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	81	.5		
	Total	8077	53.3		
Total		15155	100.0		

SECTION H: DIETING, WEIGHT AND BODY SHAPE

H1. a) What is your study teenager's height at the moment (without shoes)?

feet	inches	OR	metres	centimetres	Don't know
<input type="text"/>	<input type="text"/> <input type="text"/>		<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> 9

[Editing: For 77 imperial heights for which the inches box was left blank (2 of 4ft, 69 of 5ft and 6 of 6ft) the inches variable was recoded to 0. Similarly for one metric height of 1m for which the cm box was left blank the cm variable was recoded to 0. A single variable for height in cm was then created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric heights were reported then the metric height was taken unless the two heights were not equivalent and the imperial height was closer to then median (5ft 3in). The variable was set to -9 if the "Don't know" box had been ticked.]

b) What is her weight at the moment?

Please fill in using kilos or stones.

stones	pounds	OR	kilos	Don't know
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>		<input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> 9

[Editing: One reported imperial weight of 3st was set to -1. One reported metric weight of 496kg was set to -1. For 326 imperial weights for which the pounds box was left blank the pounds variable was recoded to 0. A single variable for weight in kg was then created using a conversion factor of 1lb = 0.4536kg for imperial measurements (rounding to the nearest integer). If both imperial and metric weights were reported then the metric weight was taken unless the two weights were not equivalent and the imperial weight was closer to the median (49kg). The variable was set to -9 if the "Don't know" box had been ticked.]

c) What was her lowest weight in the last 12 months?

stones	pounds	OR	kilos	Don't know
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>		<input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> 9

[Editing: For 110 imperial weights for which the pounds box was left blank the pounds variable was recoded to 0. A single variable for weight in kg was then created using a conversion factor of 1lb = 0.4536kg for imperial measurements (rounding to the nearest integer). If both imperial and metric weights were reported then the metric weight was taken unless the two weights were not equivalent and the imperial weight was closer to the median (48kg). The variable was set to -9 if the "Don't know" box had been ticked.]

TA File – Section H

d) What was her highest weight ever?

stones	pounds	OR	kilos	Don't know								
<table style="width: 100%;"><tr><td style="border: 1px solid black; width: 50%; height: 30px;"></td><td style="border: 1px solid black; width: 50%; height: 30px;"></td></tr></table>			<table style="width: 100%;"><tr><td style="border: 1px solid black; width: 50%; height: 30px;"></td><td style="border: 1px solid black; width: 50%; height: 30px;"></td></tr></table>				<table style="width: 100%;"><tr><td style="border: 1px solid black; width: 33.33%; height: 30px;"></td><td style="border: 1px solid black; width: 33.33%; height: 30px;"></td><td style="border: 1px solid black; width: 33.33%; height: 30px;"></td></tr></table>				<table style="width: 100%;"><tr><td style="border: 1px solid black; width: 100%; height: 30px;"></td></tr></table>	

[Editing: For 127 imperial weights for which the pounds box was left blank the pounds variable was recoded to 0. A single variable for weight in kg was then created using a conversion factor of 1lb = 0.4536kg for imperial measurements (rounding to the nearest integer). If both imperial and metric weights were reported then the metric weight was taken unless the two weights were not equivalent and the imperial weight was closer to the median (50kg). The variable was set to -9 if the “Don't know” box had been ticked.]

H2. At present would you describe your study teenager as:

Very thin	Thin	Average	Plump	Fat					
<table style="width: 100%;"><tr><td style="border: 1px solid red; width: 100%; height: 30px;"></td></tr></table>		<table style="width: 100%;"><tr><td style="border: 1px solid red; width: 100%; height: 30px;"></td></tr></table>		<table style="width: 100%;"><tr><td style="border: 1px solid red; width: 100%; height: 30px;"></td></tr></table>		<table style="width: 100%;"><tr><td style="border: 1px solid red; width: 100%; height: 30px;"></td></tr></table>		<table style="width: 100%;"><tr><td style="border: 1px solid red; width: 100%; height: 30px;"></td></tr></table>	

H3. How do you feel she compares this year with previous years?

Thinner in previous years	About the same		
<table style="width: 100%;"><tr><td style="border: 1px solid red; width: 100%; height: 30px;"></td></tr></table>		<table style="width: 100%;"><tr><td style="border: 1px solid red; width: 100%; height: 30px;"></td></tr></table>	
A little thinner this year	A lot thinner this year		
<table style="width: 100%;"><tr><td style="border: 1px solid red; width: 100%; height: 30px;"></td></tr></table>		<table style="width: 100%;"><tr><td style="border: 1px solid red; width: 100%; height: 30px;"></td></tr></table>	

TA File – Section H

PAGE 31 OF THE QUESTIONNAIRE

H4. At present would she describe herself as:

Very thin

 1

Thin

 2

Average

 3

Plump

 4

Fat

 5

H5. Have you or other people (e.g. family, friend, a doctor) been seriously concerned that her weight has been bad for her physical health?

Yes 1

No 2

H6. Does your study teenager think her weight has been bad for her physical health?

Yes 1

No 2

H7. Is she afraid of gaining weight or getting fat?

No 1

A little 2

A lot 3

It really
terrifies her 4

H8. If a doctor told your study teenager that she needed to put on 5 pounds (2 kilos) for the sake of her health, how would she find this?

She may have a physical problem that makes it hard for her to put on weight. Here we are asking if she is willing to try, not whether she can succeed.

Easy 1

Difficult 2

Impossible 3

H9. Does she avoid the sorts of food that she thinks will make her fat?

No 1

A little 2

A lot 3

H10. How often does she avoid fattening food?

Never 1

Sometimes 2

Most of
the time 3

Always 4

TA File – Section H

PAGE 32 OF THE QUESTIONNAIRE

H11. Does she spend a lot of her time thinking about food?

Yes <input type="checkbox"/> 1	No <input type="checkbox"/> 2	Don't know <input type="checkbox"/> 9
--------------------------------	-------------------------------	---------------------------------------

H12. Sometimes people say that they have such a strong desire for food, and that this desire is so hard to resist, that it is like an addict feels about drugs or alcohol. Does this apply to your study teenager?

No <input type="checkbox"/> 1	A little <input type="checkbox"/> 2	A lot <input type="checkbox"/> 3
-------------------------------	-------------------------------------	----------------------------------

H13. Sometimes people lose control over what they eat, and then they eat a very large amount of food in a short time. Does your study teenager ever do this?

Yes <input type="checkbox"/> 1	No <input type="checkbox"/> 2	→ If no , go to H14 on page 33
--------------------------------	-------------------------------	---------------------------------------

If **yes**,

a) Over the last 3 months, how often has this happened?

Hasn't <input type="checkbox"/> 1	Occasionally <input type="checkbox"/> 2	About once <input type="checkbox"/> 3	Two or more <input type="checkbox"/> 4 times a week
-----------------------------------	---	---------------------------------------	--

b) When this happens, does she have a sense of losing control over her eating?

Yes <input type="checkbox"/> 1	No <input type="checkbox"/> 2	Not sure <input type="checkbox"/> 3
--------------------------------	-------------------------------	-------------------------------------

c) Please describe how much she typically eats during one of her episodes of eating too much:

.....
.....
.....

PAGE 33 OF THE QUESTIONNAIRE

H14. Over the last 3 months, has your study teenager done any of the following to avoid putting on weight?

	No	A little	A lot	Tried to but not allowed	Don't know
a) Ate less at mealtimes	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
b) Skipped meals	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
c) Went without food for long periods, e.g. all day or most of the day	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
d) Hid or threw away food that others gave her	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
e) Exercised more	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
f) Made herself sick	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
g) Took pills or medicines in order to lose weight	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
Please tick & describe what she took:					
.....					
h) Did other things. Please tick and describe what she does:	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
.....					

	Yes	No	Don't know
H15 a) Has your study teenager <u>ever</u> thought she was fat even when other people said she was very thin?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 9
b) Would she be ashamed if other people knew how much she eats?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 9
c) Has she <u>ever</u> deliberately made herself sick?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 9
d) Do worries about eating really interfere with her life?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 9

	Never eats too much		
e) If she eats too much, does she blame herself a lot?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

TA File – Section H

PAGE 34 OF THE QUESTIONNAIRE

	No, not at all	Yes a little	Yes quite a lot	Yes a great deal	Don't know
H16. Is she upset or distressed about her weight or body shape?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9

H17. How much do you think her eating pattern or concern about weight and body shape has interfered with:

	Not at all	A little	Quite a lot	A great deal
a) how well she gets on with you and the rest of the family?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
b) making and keeping friends?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
c) learning or class work?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
d) hobbies, sports or other leisure activities?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4

H18. Has her eating pattern or concern about weight or body shape put a burden on you or the family as a whole?

H19. If she has started her regular periods, have there been any months when the period didn't happen at all?

yes <input type="checkbox"/> 1	No <input type="checkbox"/> 2	Don't know <input type="checkbox"/> 3	Hasn't started her periods yet <input type="checkbox"/> 4
--------------------------------	-------------------------------	---------------------------------------	---

If yes,


a) Has she had any periods in the last 3 months?

yes <input type="checkbox"/> 1	No <input type="checkbox"/> 2
--------------------------------	-------------------------------

[Boys' questionnaire: Question H19 was not present.]

TA File – Section H


ta6000 H1a: Current height (cm)



plus the following missing values and outliers < 130cm:

ta6000 H1a: Current height (cm)


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	100	1	.1	14.3	14.3
	109	1	.1	14.3	28.6
	113	1	.1	14.3	42.9
	122	2	.1	28.6	71.4
	124	1	.1	14.3	85.7
	127	1	.1	14.3	100.0
	Total	7	.4	100.0	
Missing	-11 Triplet/Quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	726	4.8		
	-1 No response	1159	7.6		
	Total	9881	65.2		
Total		15155	100.0		

ta6001 H1b: Current weight (kg)

plus the following missing values and outliers > 95kg:

ta6001 H1b: Current weight (kg)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	102	1	.0	16.7	16.7
	108	2	.1	33.3	50.0
	110	1	.0	16.7	66.7
	111	1	.0	16.7	83.3
	114	1	.0	16.7	100.0
	Total	6	.2	100.0	
Missing	-11 Triplet/quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	1177	7.8		
	-1 No response	1329	8.8		
	Total	10502	69.3		
Total		155565	100.0		


ta6002 H1c: Lowest weight in the last 12 months (kg)

plus the following missing values and outliers > 95kg:

ta6002 H1c: Lowest weight in the last 12 months (kg)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	102	1	.0	33.3	33.3
	114	1	.0	33.3	66.7
	121	1	.0	33.3	100.0
	Total	3	.1	100.0	
Missing	-11 Triplet/quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	4622	30.5		
	-1 No response	1260	8.3		
	Total	13878	91.6		
Total		15155	100.0		

ta6003 H1d: Highest weight ever (kg)



plus the following missing values and outliers > 98kg:

ta6003 H1d: Highest weight ever (kg)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	108	2	.0	66.7	66.7
	117	1	.0	33.3	100.0
	Total	3	.1	100.0	
Missing	-11 Triplet/quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	3733	24.6		
	-1 No response	1351	8.9		
	Total	13080	86.3		
	Total	15155	100.0		

TA File – Section H

ta6010 H2: Description of teenager's physique at present

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very thin	96	.6	1.4	1.4
	2 Thin	1515	10.0	21.6	23.0
	3 Average	4519	29.8	64.4	87.4
	4 Plump	821	5.4	11.7	99.1
	5 Fat	63	.4	.9	100.0
	Total	7014	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	145	1.0		
	Total	8141	53.7		
Total		15155	100.0		

ta6020 H3: Comparison of teenager's weight between this year and previous years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Thinner in previous years	793	5.2	11.3	11.3
	2 About the same	4852	32.0	69.4	80.8
	3 A little thinner this year	1148	7.6	16.4	97.2
	4 A lot thinner this year	194	1.3	2.8	100.0
	Total	6987	46.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	172	1.1		
	Total	8168	53.9		
Total		15155	100.0		

ta6030 H4: Teenager's description of own physique at present

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very thin	67	.4	1.0	1.0
	2 Thin	1146	7.6	16.7	17.7
	3 Average	4179	27.6	61.0	78.7
	4 Plump	1062	7.0	15.5	94.2
	5 Fat	399	2.6	5.8	100.0
	Total	6853	45.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	306	2.0		
	Total	8302	54.8		
Total		15155	100.0		

ta6040 H5: Mother or others have been concerned teenager's weight bad for physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	363	2.4	5.1	5.1
	2 No	6722	44.4	94.9	100.0
	Total	7085	46.8	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	74	.5		
Total	Total	8070	53.2		
		15155	100.0		

ta6050 H6: Teenager thinks own weight is bad for physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	437	2.9	6.2	6.2
	2 No	6564	43.3	93.8	100.0
	Total	7001	46.2	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	158	1.0		
Total	Total	8154	53.8		
		15155	100.0		

TA File – Section H

ta6060 H7: Teenager is afraid of gaining weight or getting fat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3436	22.7	48.9	48.9
	2 A little	3026	20.0	43.0	91.9
	3 A lot	524	3.5	7.5	99.4
	4 It really terrifies him/her	45	.3	.6	100.0
	Total	7031	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	128	.8		
	Total	8124	53.6		
Total		15155	100.0		

ta6070 H8: Teenager's feelings if asked to put on 2 kilos for sake of health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Easy	4808	31.7	71.6	71.6
	2 Difficult	1797	11.9	26.8	98.3
	3 Impossible	112	.7	1.7	100.0
	Total	6717	44.3	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	442	2.9		
	Total	8438	55.7		
		15155	100.0		

ta6080 H9: Teenager avoids foods that will make him/her fat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4888	32.3	69.2	69.2
	2 A little	2044	13.5	28.9	98.1
	3 A lot	131	.9	1.9	100.0
	Total	7063	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	96	.6		
	Total	8092	53.4		
		15155	100.0		

ta6090 H10: Frequency teenager avoids fattening food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3780	24.9	53.6	53.6
	2 Sometimes	2972	19.6	42.1	95.7
	3 Most of the time	281	1.9	4.0	99.7
	4 Always	19	.1	.3	100.0
	Total	7052	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	107	.7		
	Total	8103	53.5		
Total		15155	100.0		

ta6100 H11: Teenager spends a lot of time thinking about food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	824	5.4	11.6	11.6
	2 No	5202	34.3	73.5	85.2
	9 Don't know	1050	6.9	14.8	100.0
	Total	7076	46.7	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	83	.5		
	Total	8079	53.3		
		15155	100.0		

TA File – Section H

ta6110 H12 Teenager has such a strong desire for food, it feels like an addiction

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	6233	41.1	88.5	88.5
	2 A little	733	4.8	10.4	98.9
	3 A lot	78	.5	1.1	100.0
	Total	7044	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	115	.8		
	Total	8111	53.5		
Total		15155	100.0		

ta6120 H13: Teenager loses control of what eaten and eats lots in short time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	378	2.5	5.3	5.3
	2 No	6709	44.3	94.7	100.0
	Total	7087	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	72	.5		
	Total	8068	53.2		
Total		15155	100.0		

ta6121 H13a: Frequency teenager lost control over what eaten/eaten a lot in short time in last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Hasn't happened	50	.3	12.8	12.8
	2 Occasionally	269	1.8	68.6	81.4
	3 About once a week	47	.3	12.0	93.4
	4 Two or more times a week	26	.2	6.6	100.0
Missing	Total	392	2.6	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6767	44.7		
Total		14763	97.4		
		15155	100.0		

ta6122 H13b: When this happens teenager has a sense of losing control over eating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	58	.4	16.0	16.0
	2 No	195	1.3	53.9	69.9
	3 Not sure	109	.7	30.1	100.0
	Total	362	2.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6797	44.8		
	Total	14793	97.6		
Total		15155	100.0		

TA File – Section H

ta6130 H14a: Teenager ate less at mealtimes to avoid putting on weight in last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	5907	39.0	83.5	83.5
	2 A little	985	6.5	13.9	97.5
	3 A lot	79	.5	1.1	98.6
	4 Tried to but not allowed	44	.3	.6	99.2
	9 Don't know	56	.4	.8	100.0
	Total	7071	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	88	.6		
	Total	8084	53.3		
Total		15155	100.0		

ta6131 H14b: Teenager skipped meals to avoid putting on weight in last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	6413	42.3	90.6	90.6
	2 A little	461	3.0	6.5	97.1
	3 A lot	55	.4	.8	97.9
	4 Tried to but not allowed	93	.6	1.3	99.2
	9 Don't know	54	.4	.8	100.0
	Total	7076	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-8 Text response	1	.0		
	-1 No response	82	.5		
	Total	8079	53.3		
Total		15155	100.0		

ta6132 H14c: Teenager went without food for long periods to avoid putting on weight in last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	6698	44.2	94.7	94.7
	2 A little	256	1.7	3.6	98.3
	3 A lot	41	.3	.6	98.9
	4 Tried to but not allowed	44	.3	.6	99.5
	9 Don't know	37	.2	.5	100.0
	Total	7076	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	83	.5		
	Total	8079	53.3		
Total		15155	100.0		

ta6133 H14d: Teenager hid or threw away food that others gave him/her to avoid putting on weight in last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	6854	45.2	96.9	96.9
	2 A little	119	.8	1.7	98.6
	3 A lot	7	.0	.1	98.7
	4 Tried to but not allowed	5	.0	.1	98.7
	9 Don't know	90	.6	1.3	100.0
	Total	7075	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	84	.6		
	Total	8080	53.3		
Total		15155	100.0		

TA File – Section H

ta6134 H14e: Teenager exercised more to avoid putting on weight in last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	5284	34.9	74.8	74.8
	2 A little	1462	9.6	20.7	95.5
	3 A lot	298	2.0	4.2	99.7
	4 Tried to but not allowed	2	.0	.0	99.7
	9 Don't know	18	.1	.3	100.0
	Total	7064	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	95	.6		
	Total	8091	53.4		
Total		15155	100.0		

ta6135 H14f: Teenager made himself/herself sick to avoid putting on weight in last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	7037	46.4	99.5	99.5
	2 A little	6	.0	.1	99.5
	3 A lot	2	.0	.0	99.6
	9 Don't know	30	.2	.4	100.0
	Total	7075	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	84	.6		
	Total	8080	53.3		
Total		15155	100.0		

ta6136 H14g: Teenager took pills or medicines to avoid putting on weight in last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	7038	46.4	99.7	99.7
	3 A lot	2	.0	.0	99.7
	4 Tried to but not allowed	3	.0	.0	99.7
	9 Don't know	18	.1	.3	100.0
	Total	7061	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	98	.6		
	Total	8094	53.4		
Total		15155	100.0		

ta6138 H14h: Teenager did other things to avoid putting on weight in last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	44	.3	1.1	1.1
	1 No	3796	25.0	94.2	95.3
	2 A little	102	.7	2.5	97.8
	3 A lot	55	.4	1.4	99.2
	4 Tried to but not allowed	1	.0	.0	99.2
	9 Don't know	33	.2	.8	100.0
Missing	Total	4031	26.6	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	3128	20.6		
Total	Total	11124	73.4		
Total		15155	100.0		

TA File – Section H

ta6150 H15a: Teenager ever thought they were fat when others said teenager was thin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1261	8.3	17.9	17.9
	2 No	5417	35.7	76.9	94.8
	9 Don't know	369	2.4	5.2	100.0
	Total	7047	46.5	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	112	.7		
	Total	8108	53.5		
		15155	100.0		

ta6151 H15b: Teenager would be ashamed if others knew how much he/she eats

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	134	.9	1.9	1.9
	2 No	6639	43.8	94.0	95.9
	9 Don't know	289	1.9	4.1	100.0
	Total	7062	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	97	.6		
	Total	8093	53.4		
		15155	100.0		

ta6152 H15c: Teenager has ever deliberately made self sick

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	52	.3	.7	.7
	2 No	6940	45.8	98.1	98.8
	9 Don't know	82	.5	1.2	100.0
	Total	7074	46.7	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	85	.6		
	Total	8081	53.3		
		15155	100.0		

ta6153 H15d: Worries about eating really interfere in his/her life

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	78	.5	1.1	1.1
	2 No	6896	45.5	97.6	98.7
	9 Don't know	89	.6	1.3	100.0
	Total	7063	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	96	.6		
	Total	8092	53.4		
		15155	100.0		

ta6154 H15e: When teenager eats too much, he/she blames themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	198	1.3	2.8	2.8
	2 No	3863	25.5	55.6	58.4
	3 Never eats too much	2889	19.1	41.6	100.0
	Total	6950	45.9	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	209	1.4		
	Total	8205	54.1		
		15155	100.0		

TA File – Section H

ta6160 H16: Teenager upset or distressed about weight/body shape

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	4992	32.9	70.9	70.9
	2 Yes, a little	1639	10.8	23.3	94.2
	3 Yes, quite a lot	187	1.2	2.7	96.8
	4 Yes, a great deal	66	.4	.9	97.8
	9 Don't know	157	1.0	2.2	100.0
	Total	7041	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	118	.8		
Total		8114	53.5		
Total		15155	100.0		

TA File – Section H

ta6170 H17a: Teenager's concern about weight/eating has effected how well he/she gets on with rest of family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	6546	43.2	93.6	93.6
	2 Yes, a little	257	1.7	3.7	97.3
	3 Yes, quite a lot	65	.4	.9	98.2
	4 Yes, a great deal	125	.8	1.8	100.0
	Total	6993	46.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	166	1.1		
	Total	8162	53.9		
Total		15155	100.0		

ta6171 H17b: Teenager's concern about weight/eating has effected how well he/she makes/keeps friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	6473	42.7	92.6	92.6
	2 Yes, a little	327	2.2	4.7	97.3
	3 Yes, quite a lot	81	.5	1.2	98.5
	4 Yes, a great deal	106	.7	1.5	100.0
	Total	6987	46.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	172	1.1		
	Total	8168	53.9		
Total		15155	100.0		

ta6172 H17c: Teenager's concern about weight/eating has effected his/her learning or class work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	6639	43.8	95.1	95.1
	2 Yes, a little	183	1.2	2.6	97.8
	3 Yes, quite a lot	76	.5	1.1	98.8
	4 Yes, a great deal	81	.5	1.2	100.0
	Total	6979	46.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	180	1.2		
	Total	8176	53.9		
Total		15155	100.0		

ta6173 H17d: Teenager's concern about weight/eating has effected his/her hobbies, sport, leisure activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	6083	40.1	87.2	87.2
	2 Yes, a little	657	4.3	9.4	96.7
	3 Yes, quite a lot	130	.9	1.9	98.5
	4 Yes, a great deal	103	.7	1.5	100.0
	Total	6973	46.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	186	1.2		
	Total	8182	54.0		
Total		15155	100.0		

TA File – Section H

ta6180 H18: Teenager's concern about weight has put a burden on mother or whole family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	6606	43.6	95.1	95.1
	2 Yes, a little	290	1.9	4.2	99.3
	3 Yes, quite a lot	32	.2	.5	99.7
	4 Yes, a great deal	18	.1	.3	100.0
	Total	6946	45.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	213	1.4		
	Total	8209	54.2		
Total		15155	100.0		

ta6190 H19: There have been months when teenager's period didn't happen at all

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	487	3.2	14.0	14.0
	2 No	1599	10.6	45.8	59.8
	3 Don't know	165	1.1	4.7	64.5
	4 Hasn't started her periods yet	1240	8.2	35.5	100.0
	Total	3491	23.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-7 Male version	3572	23.6		
	-1 No response	96	.6		
	Total	11664	77.0		
Total		15155	100.0		

ta6191 H19a: Teenager has had any periods in last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	503	3.3	94.0	94.0
	2 No	32	.2	6.0	100.0
	Total	535	3.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-7 Male version	3572	23.6		
	-1 No response	3052	20.1		
	Total	14620	96.5		
Total		15155	100.0		

SECTION I: STRENGTHS AND DIFFICULTIES

Please think how your teenager has been in the past 6 months

In the last six months:	Not true	Somewhat true	Certainly true	Don't know
I1. She has been considerate of other people's feelings	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I2. She has been restless, overactive, cannot stay still for long	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I3. She has often complained of headaches, stomach aches or sickness	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I4. She has shared readily with other children and teenagers (treats, toys, pencils etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I5. She has often had temper tantrums or hot tempers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I6. She is rather solitary, tends to play alone	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I7. She is generally obedient, usually does what adults request	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I8. She has many worries, often seems worried	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I9. She is helpful if someone is hurt, upset or feeling ill	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I10. She is constantly fidgeting or squirming	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I11. She has at least one good friend	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I12. She often fights or bullies other children or teenagers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I13. She is often unhappy, down-hearted or tearful	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I14. She is generally liked by other children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I15. She is easily distracted, her concentration wanders	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9
I16. She is nervous or clingy in new situations, easily loses confidence	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 9

In the last six months:		Not true	Somewhat true	Certainly true	Don't know
I17.	She is kind to younger children	1	2	3	9
I18.	She often lies or cheats	1	2	3	9
I19.	She is picked on or bullied by other children	1	2	3	9
I20.	She often volunteers to help others (parents, teachers, other children)	1	2	3	9
I21.	She thinks things out before acting	1	2	3	9
I22.	She steals from home, school or elsewhere	1	2	3	9
I23.	She gets on better with adults than with other teenagers	1	2	3	9
I24.	She has many fears, is easily scared	1	2	3	9
I25.	She sees tasks through to the end, has good attention span	1	2	3	9

TA File – Section I

ta7000 I1: Teenager is considerate of other people's feelings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	145	1.0	2.1	2.1
	2 Somewhat true	2590	17.1	36.6	38.7
	3 Certainly true	4302	28.4	60.9	99.5
	9 Don't know	32	.2	.5	100.0
	Total	7069	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	90	.6		
	Total	8086	53.4		
Total		15155	100.0		

ta7001 I2: Teenager has been restless, overactive and can't stay still for long

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4743	31.3	67.1	67.1
	2 Somewhat true	1854	12.2	26.2	93.3
	3 Certainly true	434	2.9	6.1	99.5
	9 Don't know	37	.2	.5	100.0
	Total	7068	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	91	.6		
	Total	8087	53.4		
Total		15155	100.0		

ta7002 I3: Teenager has often complained of headaches, stomach aches or sickness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4256	28.1	60.2	60.2
	2 Somewhat true	2303	15.2	32.6	92.8
	3 Certainly true	493	3.3	7.0	99.8
	9 Don't know	16	.1	.2	100.0
	Total	7068	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	91	.6		
	Total	8087	53.4		
Total		15155	100.0		

ta7003 I4: Teenager has shared readily with other children/teenagers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	141	.9	2.0	2.0
	2 Somewhat true	1719	11.3	24.3	26.3
	3 Certainly true	5135	33.9	72.7	99.0
	9 Don't know	72	.5	1.0	100.0
	Total	7067	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	92	.6		
	Total	8088	53.4		
Total		15155	100.0		

TA File – Section I

ta7004 I5: Teenager has often had temper tantrums or hot tempers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4098	27.0	58.1	58.1
	2 Somewhat true	2288	15.1	32.4	90.5
	3 Certainly true	651	4.3	9.2	99.7
	9 Don't know	18	.1	.3	100.0
	Total	7055	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	104	.7		
	Total	8100	53.4		
Total		15155	100.0		

ta7005 I6: Teenager is rather solitary, tends to play alone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4897	32.3	69.4	69.4
	2 Somewhat true	1775	11.7	25.2	94.6
	3 Certainly true	361	2.4	5.1	99.7
	9 Don't know	21	.1	.3	100.0
	Total	7054	46.5	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	105	.7		
	Total	8101	53.5		
Total		15155	100.0		

ta7006 I7: Teenager is generally obedient, usually does what adults request

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	289	1.9	4.1	4.1
	2 Somewhat true	2778	18.3	39.4	43.5
	3 Certainly true	3976	26.2	56.4	99.9
	9 Don't know	7	.0	.1	100.0
	Total	7050	46.5	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	109	.7		
	Total	8105	53.5		
Total		15155	100.0		

ta7007 I8: Teenager has many worries, often seems worried

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5221	34.5	73.9	73.9
	2 Somewhat true	1561	10.3	22.1	96.0
	3 Certainly true	222	1.5	3.1	99.2
	9 Don't know	57	.4	.8	100.0
	Total	7061	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	98	.6		
	Total	8094	53.4		
Total		15155	100.0		

ta7008 I9: Teenager is helpful if someone is hurt, upset or ill

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	124	.8	1.8	1.8
	2 Somewhat true	1570	10.4	22.2	24.0
	3 Certainly true	5338	35.2	75.6	99.6
	9 Don't know	27	.2	.4	100.0
	Total	7059	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	100	.7		
	Total	8096	53.4		
Total		15155	100.0		

TA File – Section I

ta7009 I10: Teenager is constantly fidgeting or squirming

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5397	35.6	76.5	76.5
	2 Somewhat true	1288	8.5	18.3	94.8
	3 Certainly true	343	2.3	4.9	99.7
	9 Don't know	24	.2	.3	100.0
	Total	7052	46.5	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	107	.7		
	Total	8103	53.5		
Total		15155	100.0		

ta7010 I11: Teenager has at least one good friend

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	138	.9	2.0	2.0
	2 Somewhat true	632	4.2	9.0	10.9
	3 Certainly true	6248	41.2	88.6	99.5
	9 Don't know	32	.2	.5	100.0
	Total	7050	46.5	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	109	.7		
	Total	8105	53.5		
Total		15155	100.0		

ta7011 I12: Teenager often fights or bullies other children/teenagers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	6658	43.9	94.6	94.6
	2 Somewhat true	265	1.7	3.8	98.4
	3 Certainly true	42	.3	.6	99.0
	9 Don't know	73	.5	1.0	100.0
	Total	7038	46.4	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	121	.8		
	Total	8117	53.6		
Total		15155	100.0		

ta7012 I13: Teenager is often unhappy, down-hearted, tearful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5942	39.2	84.2	84.2
	2 Somewhat true	941	6.2	13.3	97.6
	3 Certainly true	143	.9	2.0	99.6
	9 Don't know	29	.2	.4	100.0
	Total	7055	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	104	.7		
	Total	8100	53.4		
Total		15155	100.0		

ta7013 I14: Teenager is generally liked by other children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	74	.5	1.0	1.0
	2 Somewhat true	1101	7.3	15.6	16.6
	3 Certainly true	5841	38.5	82.7	99.4
	9 Don't know	43	.3	.6	100.0
	Total	7059	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	100	.7		
	Total	8096	53.4		
Total		15155	100.0		

TA File – Section I

ta7014 I15: Teenager is easily distracted, concentration wanders

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	3410	22.5	48.4	48.4
	2 Somewhat true	2678	17.7	38.0	86.3
	3 Certainly true	934	6.2	13.2	99.6
	9 Don't know	29	.2	.4	100.0
	Total	7051	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	108	.7		
	Total	8104	53.5		
Total		15155	100.0		

ta7015 I16: Teenager is nervous/clingy in new situations, easily loses confidence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5115	33.8	72.4	72.4
	2 Somewhat true	1627	10.7	23.0	95.4
	3 Certainly true	294	1.9	4.2	99.6
	9 Don't know	30	.2	.4	100.0
	Total	7066	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	93	.6		
	Total	8089	53.4		
Total		15155	100.0		

ta7016 I17: Teenager is kind to younger children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	18	.1	.3	.3
	2 Somewhat true	1075	7.1	15.2	15.4
	3 Certainly true	5949	39.3	84.1	99.5
	9 Don't know	35	.2	.5	100.0
	Total	7077	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	82	.5		
	Total	8078	53.3		
Total		15155	100.0		

ta7017 I18: Teenager often lies or cheats

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5882	38.8	83.2	83.2
	2 Somewhat true	1012	6.7	14.3	97.5
	3 Certainly true	87	.6	1.2	98.7
	9 Don't know	91	.6	1.3	100.0
	Total	7072	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	87	.6		
	Total	8083	53.3		
Total		15155	100.0		

TA File – Section I

ta7018 I19: Teenager is often picked on or bullied by other children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5522	36.4	78.2	78.2
	2 Somewhat true	1108	7.3	15.7	93.9
	3 Certainly true	229	1.5	3.2	97.1
	9 Don't know	205	1.4	2.9	100.0
	Total	7064	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	95	.6		
	Total	8091	53.4		
Total		15155	100.0		

ta7019 I20: Teenager often volunteers to help others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	647	4.3	9.2	9.2
	2 Somewhat true	3424	22.6	48.5	57.6
	3 Certainly true	2880	19.0	40.8	98.4
	9 Don't know	113	.7	1.6	100.0
	Total	7064	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	95	.6		
	Total	8091	53.4		
Total		15155	100.0		

ta7020 I21: Teenager thinks things out before acting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	824	5.4	11.7	11.7
	2 Somewhat true	4459	29.4	63.2	74.9
	3 Certainly true	1688	11.1	23.9	98.8
	9 Don't know	85	.6	1.2	100.0
	Total	7056	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	103	.7		
	Total	8099	53.4		
Total		15155	100.0		

ta7021 I22: Teenager steals from home, school, elsewhere

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	6800	44.9	96.2	96.2
	2 Somewhat true	158	1.0	2.2	98.5
	3 Certainly true	33	.2	.5	99.0
	9 Don't know	74	.5	1.0	100.0
	Total	7065	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	94	.6		
	Total	8090	53.4		
Total		15155	100.0		

ta7022 I23: Teenager gets on better with adults than other teenagers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5111	33.7	72.5	72.5
	2 Somewhat true	1384	9.1	19.6	92.1
	3 Certainly true	338	2.2	4.8	96.9
	9 Don't know	216	1.4	3.1	100.0
	Total	7049	46.5	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	110	.7		
	Total	8106	53.5		
Total		15155	100.0		

TA File – Section I

ta7023 I24: Teenager has many fears, is easily scared

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5855	38.6	82.8	82.8
	2 Somewhat true	1002	6.6	14.2	97.0
	3 Certainly true	147	1.0	2.1	99.1
	9 Don't know	64	.4	.9	100.0
	Total	7068	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	91	.6		
	Total	8087	53.4		
Total		15155	100.0		


ta7024 I25: Teenager sees tasks through to end, has good attention span

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	888	5.9	12.6	12.6
	2 Somewhat true	3344	22.1	47.3	59.9
	3 Certainly true	2806	18.5	39.7	99.6
	9 Don't know	26	.2	.4	100.0
	Total	7064	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	95	.6		
	Total	8091	53.4		
Total		15155	100.0		


Derived Variables

Questions I1-I25 comprise the parent version of the Strengths and Difficulties Questionnaire by Goodman (1997). The responses are used to create 5 individual component scores and an overall behavior score. The SPSS syntax used to create each score is included below. Please see www.sdqinfo.com/c1.html for further details

ta7025a DV: SDQ emotional symptoms score (prorated)
 $ta7025a = RND(MEAN.3(ta7002,ta7007,ta7012,ta7015,ta7023) * 5) .$




ta7025b DV: SDQ conduct problems score (prorated)
 $RECODE ta7006 (0=2) (1=1) (2=0) (ELSE=SYSMIS) INTO qobeys .$
 $ta7025b = RND(MEAN.3(ta7004,qobeys,ta7011,ta7017,ta7021) * 5) .$



TA File – Section I


ta7025c

DV: SDQ hyperactivity score (prorated)
 RECODE ta7020 (0=2) (1=1) (2=0) (ELSE=SYSMIS) INTO qreflect .
 RECODE ta7024 (0=2) (1=1) (2=0) (ELSE=SYSMIS) INTO qattends .
 ta7025c = RND(MEAN.3(ta7001,ta7009,ta7014,qreflect,qattends) * 5) .



ta7025d

DV: SDQ peer problems score (prorated)
 RECODE ta7010 (0=2) (1=1) (2=0) (ELSE=SYSMIS) INTO qfriend .
 RECODE ta7013 (0=2) (1=1) (2=0) (ELSE=SYSMIS) INTO qpopular .
 ta7025d = RND(MEAN.3(ta7005,qfriend,qpopular,ta7018,ta7022) * 5) .




TA File – Section I

ta7025e

DV: SDQ prosocial score (prorated)

ta7025e = RND(MEAN.3(ta7000,ta7003,ta7008,ta7016,ta7019) * 5) .

DV: SDQ prosocial score (prorated)




ta7025f

DV: SDQ total difficulties score (prorated)

ta7025f = SUM.4(ta7025a,ta7025b,ta7025c,ta7025d) .

DV: SDQ total difficulties score (prorated)



SECTION J: EATING

- J1. a) Some teenagers just have snacks all day while others wait for meals. How would you describe your study teenager?

(i) On school days	(ii) At the weekend	
snacks all day, no real meals	<input type="checkbox"/> 1	<input type="checkbox"/> 1
snacks all day, but also has meals	<input type="checkbox"/> 2	<input type="checkbox"/> 2
doesn't snack much, just has meals	<input type="checkbox"/> 3	<input type="checkbox"/> 3
other (please tick & describe)	<input type="checkbox"/> 4	<input type="checkbox"/> 4
.....		

- b) How many real meals a day does your study teenager have now?

- J2. In the past year have you had difficulties getting her to eat what you wanted her to?

Yes, great difficulty	<input type="checkbox"/> 1	→ If <u>yes</u> , please describe the problems:
Yes, some difficulty	<input type="checkbox"/> 2	
Yes, occasional difficulty	<input type="checkbox"/> 3	
No, no difficulty	<input type="checkbox"/> 4	

- J3. In the past 18 months has she at any time:

	Yes, often	Yes, occasionally	Never
a) deliberately not eaten a sufficient amount of food	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) refused to eat the food you think she should eat	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c) been choosy with food	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d) over-eaten	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e) been difficult to get into an eating routine/missed meals you wanted her to eat	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

J4. **Meals in School in the past year**

a) In term time does your study teenager ever have a mid-day meal provided by the school?

Yes 1

No 2 → **If no, go to J4c below**

If yes,

b) How many times per week?

Rarely,
occasionally 1

Once
a week 2

2 or 3
times
a week 3

4 times
a week 4

5 times
a week 5
or more

c) Does your study teenager ever have a packed lunch provided by you?

Yes 1

No 2 → **If no, go to J5 on page 39**

If yes,

d) How many times per week?

Rarely,
occasionally 1

Once
a week 2

2 or 3
times
a week 3

4 times
a week 4

5 times
a week 5
or more

J5-J25. Thinking about all the food **that you provide** which she eats during the day, **including packed lunches, meals bought out and takeaways**, how often does she eat the following foods? Please answer every question even if she never eats the food (in this case tick “never” or “rarely”). **Do not include meals provided by school.**

J5.	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than once a day
a) Meat sausages, burgers	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
b) Meat pies/pasties (pork pie, steak/meat pie etc.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
c) Vegetarian Pies/ pasties (cheese and onion pasties, vegetable samosa, onion bhaji, vegetable grills etc.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
d) Ham, bacon, and cold meats (e.g. salami, luncheon meat, garlic sausage etc.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
e) Meat roast, chops, stews and curries, shepherds pie, bolognaise etc. (e.g. beef, lamb, pork, mince)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
f) Liver, kidney, heart, pâté	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
g) Chicken/turkey in crispy coating (e.g. chicken nuggets, turkey burgers, chicken fingers etc.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
h) Poultry: roast, grilled, fried, boiled, stewed (chicken, turkey etc.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>

PAGE 40 OF THE QUESTIONNAIRE

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than once a day
i) Shellfish (prawns, crab, cockles, mussels etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
j) White fish in breadcrumbs or batter (e.g. fish fingers/ shapes, chip shop fish, breaded cod etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
k) White fish without coating (eg. grilled fish, cod in parsley sauce etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
l) Tuna	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
m) Other fish (pilchards, sardines, mackerel, herring, kippers, trout, salmon etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
n) Eggs, quiche, omelettes, flan etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
o) Cheese	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
p) Pizza	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
q) Lunchbox snack meals e.g. Lunchables, Snack-attacks, Dunkers etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
r) Oven chips	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
s) Chips (fried), potato waffles or croquettes, Alphabites etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
t) Roast potatoes (cooked in fat or oil)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

PAGE 43 OF THE QUESTIONNAIRE

	Never	Once in More or times	1-3	4-7	
			2 weeks than a week	times	a week
u) Boiled, mashed, jacket potatoes	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
v) Rice (boiled, or fried, <u>not</u> rice pudding)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
w) Canned pasta (spaghetti rings, ravioli, macaroni cheese etc.) Pot Noodles, Super Noodles etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
x) Boiled pasta (e.g. spaghetti, fusilli, lasagna) bulgar wheat and cous-cous	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
y) Fried food (e.g. fried fish, eggs, bacon, chops etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

J6. Does she eat the fat on meat?

yes, all of it	<input type="checkbox"/> 1	no, always <input type="checkbox"/> 3 meat leaves fat	never eats	<input type="checkbox"/> 5
yes, some of it	<input type="checkbox"/> 2	no, never given meat with fat	<input type="checkbox"/> 4	

PAGE 43 OF THE QUESTIONNAIRE

J7. How many times nowadays does she eat:

	Never rarely	Once in More or times	1-3 2 weeks than a week	4-7 times a week	once a day
a) Baked beans	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
b) Peas, broad beans	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
c) Sweetcorn	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
d) Green vegetables (e.g. broccoli, cauliflower, cabbage, leeks, Brussels sprouts, courgettes, green beans etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
e) Carrots	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
f) Other root vegetables (turnip, swede, parsnip etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
g) Tomatoes (cooked or raw)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
h) Salad (lettuce, cucumber, peppers, other raw vegetables etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
i) Pulses and pulse dishes (dahl, lentil soup, falafel, dried peas, beans, chick peas)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
j) Quorn pieces/mince/ fillets, Quorn sausages or burgers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
k) Soya 'Meat', TVP, Soya-type Vegeburgers, Vegebangers, Bean Curd (Tofu, Miso etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
l) Peanuts, peanut butter	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
m) Other nuts (e.g. cashew), nut roast	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
n) Canned fruit	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

PAGE 43 OF THE QUESTIONNAIRE

J7.		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than once a day
		1	2	3	4	5
o)	Yoghurt, Fromage Frais	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
p)	Milk puddings (e.g. rice pudding, semolina), mousse, Angel Delight etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
q)	Ice cream, choc ice, chocolate ice cream bar etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
r)	Ice lollies	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
s)	Pudding (e.g. fruit pie, crumble, cheesecake, gateaux)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
t)	Custard, cream, Elmlea, Tip-Top, evaporated milk etc. on puddings	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
u)	Cakes or buns (fruit cake, sponge, teacake, doughnut, flapjack, scone, custard tart, cream cake etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
v)	Crispbreads (Ryvita, crackerbread etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
w)	Ketchup/brown sauce etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
x)	Mayonnaise, salad cream or dressing etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

PAGE 46 OF THE QUESTIONNAIRE

- J8. a) Taking all foods provided by you together, in total, how many portions of vegetables e.g. broccoli, cauliflower, peas, carrots courgettes, cabbage, leeks, green beans etc. does she eat in a week? **Do not** include potatoes.

portions

- b) Out of these total portions, how many are dark green leafy vegetables e.g. broccoli, Brussels sprouts, cabbage, spinach?

portions

- J9. a) In total how many pieces of raw fruit e.g. apple, banana, orange, Satsuma, peach, grapes, strawberries etc. does she eat in a week? (For small fruit such as grapes etc, one “piece” will be a “helping” e.g. a small dish of strawberries or a small sprig of grapes.)

pieces

- b) Out of these, how many of them are:

- i) citrus fruit e.g. tangerine, orange, satsuma, grapefruit
- ii) bananas
- iii) apples
- iv) other fruit

- J10. a) Does she eat breakfast cereals at all?

Yes No → If no, go to J12 on page 46**If yes,**

What type of breakfast cereal does she eat nowadays?

- | | Never
or
rarely | Once in
2 weeks | 1-3
times
a week | 4-7
times
a week | More
than
once a day |
|--|-----------------------|----------------------|------------------------|------------------------|----------------------------|
| b) Oat cereals (e.g. porridge, Ready Brek, Muesli, chocolate Ready Brek) | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

- | | Never
or
rarely | Once in
2 weeks | 1-3
times
a week | 4-7
times
a week | More
than
once a day |
|------|-----------------------|--------------------|------------------------|------------------------|----------------------------|
| J10. | | | | | |

PAGE 46 OF THE QUESTIONNAIRE

c) Wholegrain or bran cereals (e.g. All Bran, Bran Flakes, Weetabix, Wheatflakes, Fruit & Fibre, Shreddies, Shredded Wheat, Sugar Puffs)

d) Other cereals (e.g. . Cornflakes, Rice Krispies, Frosties, Special K, Coco Pops)

e) Breakfast cereal bars
e.g. Rice Krispies bars, cornflakes bars

<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

J11. When she has breakfast cereals

a) How often are they sugar/honey coated or chocolate flavoured (e.g. Frosties, Coco Pops etc.)

Always

 1

Sometimes

 2

Never

 3
→ If **never** go to J11c below

b) How many teaspoonfuls of sugar does she have on **this type** of cereal (i.e. sugar coated etc.)

None

 1

½ teaspoon

 2

One teaspoon

 3

2 teaspoons

 4

More than 2 teaspoons

 5

c) How many teaspoonfuls of sugar does she have on **other types** of cereal (i.e. plain cereal)?

None

 1

½ teaspoon

 2

One teaspoon

 3

2 teaspoons

 4

More than 2 teaspoons

 5

Doesn't have plain cereal

 7

d) How many times **per week** does she have milk on cereal? Times

PAGE 46 OF THE QUESTIONNAIRE

J12. How many times a week nowadays does she drink:

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than once a day
a) Plain tap water on its own	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
b) Bottled mineral/fizzy water	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
c) Milk on its own	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
d) Flavoured milk drinks (e.g. Horlicks, Ovaltine, milkshakes) or yoghurt drinks	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
e) Fruit juice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

J13. How often does she eat each of these types of bread including in a packed lunch on school days?

	Usually	Sometimes	Never
a) white bread	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) soft grain white bread	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c) brown/granary bread	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d) wholemeal bread	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e) chappatis, pitta bread	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
f) naan bread	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

(i) School days (ii) Other days

- J14.a) How many slices of bread, rolls or chappatis provided by you does she eat on a usual day? (Include packed lunch provided from home)
- b) How many slices of bread (or rolls) spread with butter or margarine does she eat each day? (Include packed lunch provided from home)
- c) How many slices of bread (or rolls) spread with jam/honey/chocolate spread etc. does she eat each day? (Include packed lunch provided from home)

PAGE 47 OF THE QUESTIONNAIRE

J15. What sort of fat does she have:

	(i) on bread or vegetables				(ii) for frying			
	Yes		No		Yes		No	
	1	2	1	2	1	2	1	2
a) Butter, ghee, dripping, lard, solid cooking fat	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Olive oil margarine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Full-fat polyunsaturated margarine (e.g. Flora, Vitalite, sunflower margarine)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Other full-fat margarine e.g. Stork, Blue Band, supermarket own brand, Clover, Golden Crown, Willow	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e) Low-fat polyunsaturated margarine (e.g. Flora lite, Vitalite Lite, low-fat sunflower margarine)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f) Other low-fat spread, not polyunsaturated (e.g. Delight, St Ivel Gold)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
g) Sunflower oil, corn oil, soya oil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
h) Olive oil, hazelnut oil, rapeseed oil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
i) Other vegetable oil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
j) Other (please tick & describe)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PAGE 48 OF THE QUESTIONNAIRE

J16. What type(s) of milk does she have?

	Yes usually	Yes sometimes	No not at all
a) Full fat	1	2	3
b) Semi-skimmed	1	2	3
c) Skimmed	1	2	3
d) Goat/sheep milk	1	2	3
e) Soya milk	1	2	3
f) Flavoured milk	1	2	3
g) Other (please describe)	1	2	3

J17. How many times a week does she eat away from home in each of the following places?

	Never or rarely	Once a month	Once in 2 weeks	1-2 times a week	3-4 times a week	5 times a week or more
a) Fast food restaurant	1	2	3	4	5	6
b) Other café or restaurant	1	2	3	4	5	6
c) Grandparents or other family	1	2	3	4	5	6
d) Friends	1	2	3	4	5	6
e) Childminder	1	2	3	4	5	6

J18. a) Does she drink tea?

Yes 1 No 2 → If no, go to J19a on page 49

If yes,

J18. b) How many cups of tea does she drink in total in a day? (do not include herbal teas) cups a day

c) How many spoons of sugar in each cup? spoons

d) How many of the cups of tea that she drinks are decaffeinated? cups a day

e) Which description best fits the amount of milk in the tea she drinks?

No milk	a little milk	about $\frac{1}{4}$ milk	about $\frac{1}{2}$ milk	about $\frac{3}{4}$ milk	almost all milk
<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6

J19. a) Does she drink coffee?

Yes 1 No 2 → If no, go to J20a on page 50

If yes,

b) How many cups of coffee (real, instant or decaffeinated) does she drink in total in a day? cups a day

c) How many spoons of sugar in each cup? spoons

d) How many of the cups of coffee she drinks are made using real coffee (i.e. not instant)? cups a day

e) How many of the cups of coffee she drinks are decaffeinated? cups a day

f) Which description best fits the amount of milk in the coffee she drinks?

No milk	a little milk	about $\frac{1}{4}$ milk	about $\frac{1}{2}$ milk	about $\frac{3}{4}$ milk	almost all milk
<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6

PAGE 50 OF THE QUESTIONNAIRE

J20. a) Does she drink herbal teas at all?

yes, often 1 yes, occasionally 2 no, not at all 3 → If no, go to J21 below

If yes,

b) how many cups/mugs of herbal tea has she drunk in the past week? cups a week

c) Please list the types of herbal teas she has drunk in the past 3 months:

.....

J21. Apart from herbal teas, are there any other health foods (whether or not bought from a health food shop) that she often eats or drinks?

Yes 1 No 2 → If no, go to J22a below

If yes, please describe:

.....

J22. a) How often does she have any of the following:

	More than once a week	Once a week	Less than once a week	Not at all
i) wine	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
ii) beer, lager	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
iii) spirits (gin, vodka, brandy)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
iv) other alcohol (please tick and describe)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4

.....

PAGE 51 OF THE QUESTIONNAIRE

J22. b) What would you say best describes your teenager's alcohol

drinking: she has a glass of her own containing a normal
adult portion

she has a glass of her own, but less than an adult portion

she just has a taste of other people's drink

she rarely has any alcohol

she never has any alcohol

J23. Is your teenager at present a vegetarian?

Yes

No

J24. Is your teenager at present a vegan (i.e. does not eat meat, poultry, fish, eggs, butter, milk or cheese)?

Yes

No

J25. Is your teenager at present on any other kind of special diet?

Yes

No

If yes,

a) Which kind of special diet?

Yes

(i) gluten-free (coeliac)

(ii) diabetic

(iii) nut free

(iv) other (please tick and..........
describe)

TA File – Section J

ta8000 J1a1: Teenager snacks all day or has meals - school days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Snacks all day, no real meals	90	.6	1.3	1.3
	2 Snacks all day but also has meals	1983	13.1	28.1	29.4
	3 Doesn't snack much, just has meals	4770	31.5	67.6	97.1
	4 Other	208	1.4	2.9	100.0
	Total	7051	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	108	.7		
	Total	8104	53.5		
	Total	15155	100.0		

ta8002 J1a2: Teenager snacks all day or has meals - at weekend

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Snacks all day, no real meals	121	.8	1.7	1.7
	2 Snacks all day but also has meals	3340	22.0	48.2	49.9
	3 Doesn't snack much, just has meals	3316	21.9	47.8	97.8
	4 Other	153	1.0	2.2	100.0
	Total	6930	45.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	229	1.5		
	Total	8225	54.3		
	Total	15155	100.0		

ta8004 J1b: Number of real meals a day teenager has now

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	24	.2	.3	.3
	1	573	3.8	8.3	8.6
	2	1568	10.3	22.6	31.2
	3	4654	30.7	67.2	98.4
	4	75	.5	1.1	99.5
	5	6	.0	.1	99.6
	6	2	.0	.0	99.6
	7	22	.1	.3	99.9
	9	2	.0	.0	100.0
	10	2	.0	.0	100.0
	14	1	.0	.0	100.0
	Total	6929	45.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	230	1.5		
	Total	8226	54.3		
	Total	15155	100.0		

ta8010 J2: Mother has had difficulty getting teenager to eat what she thinks he/she should

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	5	.0	.1	.1
	1 Yes, great difficulty	290	1.9	4.1	4.2
	2 Yes, some difficulty	923	6.1	13.0	17.2
	3 Yes, occasional difficulty	1592	10.5	22.5	39.7
	4 No, no difficulty	4266	28.1	60.3	100.0
	Total	7076	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	83	.5		
	Total	8079	53.3		
	Total	15155	100.0		

TA File – Section J

ta8020 J3a: In past 18 months teenager deliberately not eaten sufficient amount of food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	54	.4	.8	.8
	2 Yes, occasionally	581	3.8	8.3	9.0
	3 Never	6394	42.2	91.0	100.0
	Total	7029	46.4	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	130	.9		
	Total	8126	53.6		
		15155	100.0		

ta8021 J3b: In past 18 months teenager refused to eat food mother thinks he/she should eat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	370	2.4	5.3	5.3
	2 Yes, occasionally	2481	16.4	35.2	40.5
	3 Never	4196	27.7	59.5	100.0
	Total	7047	46.5	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	112	.7		
	Total	8108	53.5		
		15155	100.0		

ta8022 J3c: In past 18 months teenager been choosy with food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	851	5.6	12.1	12.1
	2 Yes, occasionally	3658	24.1	51.9	64.0
	3 Never	2537	16.7	36.0	100.0
	Total	7046	46.5	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	113	.7		
	Total	8109	53.5		
		15155	100.0		

ta8023 J3d: In past 18 months teenager has over eaten

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	99	.7	1.4	1.4
	2 Yes, occasionally	1562	10.3	22.2	23.7
	3 Never	5362	35.4	76.3	100.0
	Total	7023	46.3	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	136	.9		
	Total	8132	53.7		
		15155	100.0		

ta8024 J3e: In past 18 months teenager been difficult to get into eating routine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	152	1.0	2.2	2.2
	2 Yes, occasionally	985	6.5	14.0	16.2
	3 Never	5893	38.9	83.8	100.0
	Total	7030	46.4	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	129	.9		
	Total	8125	53.6		
		15155	100.0		

TA File – Section J

ta8030 J4a: In term time teenager ever has meal provided by school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3516	23.2	49.7	49.7
	2 No	3555	23.5	50.3	100.0
	Total	7071	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	88	.6		
	Total	8084	53.3		
Total		15155	100.0		

ta8031 J4b: Frequency teenager has meal provided by school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely, occasionally	388	2.6	11.0	11.0
	2 Once a week	433	2.9	12.3	23.4
	3 2 or 3 times a week	638	4.2	18.2	41.5
	4 4 times a week	173	1.1	4.9	46.5
	5 5 times a week or more	1881	12.4	53.5	100.0
Missing	Total	3513	23.2	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	3646	24.1		
Total	Total	11642	76.8		
		15155	100.0		

ta8032 J4c: Teenager has packed lunch provided by mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4939	32.6	71.4	71.4
	2 No	1980	13.1	28.6	100.0
	Total	6919	45.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	240	1.6		
	Total	8236	54.3		
Total		15155	100.0		

ta8033 J4d: Frequency teenager has packed lunch provided by mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely, occasionally	327	2.2	6.7	6.7
	2 Once a week	128	.8	2.6	9.3
	3 2 or 3 times a week	715	4.7	14.5	23.8
	4 4 times a week	597	3.9	12.1	35.9
	5 5 times a week or more	3149	20.8	64.1	100.0
Missing	Total	4916	32.4	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	2243	14.8		
Total	Total	10239	67.6		
		15155	100.0		

TA File – Section J

ta8040 J5a: Frequency teenager eats meat sausages or burgers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1667	11.0	23.6	23.6
	2 Once in 2 weeks	2964	19.6	41.9	65.5
	3 1-3 times a week	2196	14.5	31.1	96.6
	4 4-7 times a week	227	1.5	3.2	99.8
	5 > Once a day	14	.1	.2	100.0
	Total	7068	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	91	.6		
	Total	8087	53.4		
Total		15155	100.0		

ta8041 J5b: Frequency teenager eats meat pies/pasties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	4057	26.8	57.4	57.4
	2 Once in 2 weeks	2086	13.8	29.5	86.9
	3 1-3 times a week	882	5.8	12.5	99.4
	4 4-7 times a week	41	.3	.6	99.9
	5 > Once a day	4	.0	.1	100.0
	Total	7070	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	89	.6		
	Total	8085	53.3		
Total		15155	100.0		

ta8042 J5c: Frequency teenager eats vegetarian pies/pasties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	5386	35.5	76.4	76.4
	2 Once in 2 weeks	1218	8.0	17.3	93.7
	3 1-3 times a week	404	2.7	5.7	99.4
	4 4-7 times a week	34	.2	.5	99.9
	5 > Once a day	5	.0	.1	100.0
	Total	7047	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	112	.7		
	Total	8108	53.5		
Total		15155	100.0		

ta8043 J5d: Frequency teenager eats ham, bacon and cold meats

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1098	7.2	15.5	15.5
	2 Once in 2 weeks	1238	8.2	17.5	33.0
	3 1-3 times a week	3378	22.3	47.7	80.8
	4 4-7 times a week	1327	8.8	18.8	99.5
	5 > Once a day	34	.2	.5	100.0
	Total	7075	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	84	.6		
	Total	8080	53.3		
Total		15155	100.0		

TA File – Section J

ta8044 J5e: Frequency teenager eats meat roast, chops, stews, curries shepherds pie, bolognase etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	689	4.5	9.7	9.7
	2 Once in 2 weeks	543	3.6	7.7	17.4
	3 1-3 times a week	4471	29.5	63.2	80.6
	4 4-7 times a week	1366	9.0	19.3	99.9
	5 > Once a day	10	.1	.1	100.0
	Total	7079	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	80	.5		
	Total	8076	53.3		
Total		15155	100.0		

ta8045 J5f: Frequency teenager eats liver, kidney, heart pate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	6643	43.8	94.0	94.0
	2 Once in 2 weeks	342	2.3	4.8	98.8
	3 1-3 times a week	79	.5	1.1	99.9
	4 4-7 times a week	3	.0	.0	100.0
	5 > Once a day	3	.0	.0	100.0
	Total	7070	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	89	.6		
	Total	8085	53.3		
Total		15155	100.0		

ta8046 J5g: Frequency teenager eats chicken/turkey in crispy coating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2646	17.5	37.4	37.4
	2 Once in 2 weeks	2086	13.8	29.5	66.9
	3 1-3 times a week	2149	14.2	30.4	97.3
	4 4-7 times a week	188	1.2	2.7	99.9
	5 > Once a day	4	.0	.1	100.0
	Total	7073	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	86	.6		
	Total	8082	53.3		
Total		15155	100.0		

ta8047 J5h: Frequency teenager eats poultry, roast, grilled, fried, boiled or stewed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	635	4.2	9.0	9.0
	2 Once in 2 weeks	808	5.3	11.4	20.4
	3 1-3 times a week	4896	32.3	69.2	89.5
	4 4-7 times a week	735	4.8	10.4	99.9
	5 > Once a day	5	.0	.1	100.0
	Total	7079	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	80	.5		
	Total	8076	53.3		
Total		15155	100.0		

TA File – Section J

ta8048 J5i: Frequency teenager eats shellfish

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	5556	36.7	78.7	78.7
	2 Once in 2 weeks	1232	8.1	17.4	96.1
	3 1-3 times a week	269	1.8	3.8	99.9
	4 4-7 times a week	5	.0	.1	100.0
	5 > Once a day	1	.0	.0	100.0
	Total	7063	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	96	.6		
	Total	8092	53.4		
Total		15155	100.0		

ta8049 J5j: Frequency teenager eats white fish in breadcrumbs or batter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2261	14.9	32.0	32.0
	2 Once in 2 weeks	2918	19.3	41.3	73.3
	3 1-3 times a week	1857	12.3	26.3	99.6
	4 4-7 times a week	26	.2	.4	100.0
	Total	7062	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	97	.6		
	Total	8093	53.4		
Total		15155	100.0		

ta8050 J5k: Frequency teenager eats white fish without coating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	4565	30.1	65.0	65.0
	2 Once in 2 weeks	1681	11.1	23.9	88.9
	3 1-3 times a week	760	5.0	10.8	99.8
	4 4-7 times a week	17	.1	.2	100.0
	Total	7023	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	136	.9		
	Total	8132	53.7		
Total		15155	100.0		

ta8051 J5l: Frequency teenager eats tuna

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2881	19.0	40.8	40.8
	2 Once in 2 weeks	1745	11.5	24.7	65.6
	3 1-3 times a week	2225	14.7	31.5	97.1
	4 4-7 times a week	203	1.3	2.9	100.0
	5 > Once a day	1	.0	.0	100.0
	Total	7055	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	104	.7		
	Total	8100	53.4		
Total		15155	100.0		

TA File – Section J

ta8052 J5m: Frequency teenager eats other fish

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	5133	33.9	73.0	73.0
	2 Once in 2 weeks	1333	8.8	19.0	91.9
	3 1-3 times a week	552	3.6	7.8	99.8
	4 4-7 times a week	14	.1	.2	100.0
	5 > Once a day	1	.0	.0	100.0
	Total	7033	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	126	.8		
	Total	8122	53.6		
Total		15155	100.0		

ta8053 J5n: Frequency teenager eats eggs, quiche, omelettes, flan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1738	11.5	24.6	24.6
	2 Once in 2 weeks	2365	15.6	33.5	58.1
	3 1-3 times a week	2742	18.1	38.8	97.0
	4 4-7 times a week	207	1.4	2.9	99.9
	5 > Once a day	7	.0	.1	100.0
	Total	7059	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	100	.7		
	Total	8096	53.4		
Total		15155	100.0		

ta8054 J5o: Frequency teenager eats cheese

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	722	4.8	10.2	10.2
	2 Once in 2 weeks	846	5.6	12.0	22.2
	3 1-3 times a week	3463	22.9	49.1	71.3
	4 4-7 times a week	1921	12.7	27.2	98.6
	5 > Once a day	102	.7	1.4	100.0
	Total	7054	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	105	.7		
	Total	8101	53.5		
Total		15155	100.0		

ta8055 J5p: Frequency teenager eats pizza

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	769	5.1	10.9	10.9
	2 Once in 2 weeks	3264	21.5	46.2	57.1
	3 1-3 times a week	2935	19.4	41.5	98.6
	4 4-7 times a week	92	.6	1.3	99.9
	5 > Once a day	5	.0	.1	100.0
	Total	7065	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	94	.6		
	Total	8090	53.4		
Total		15155	100.0		

TA File – Section J

ta8056 J5q: Frequency teenager eats lunchbox snack meals e.g. lunchables, snack-attacks, Dunkers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	5657	37.3	80.4	80.4
	2 Once in 2 weeks	892	5.9	12.7	93.0
	3 1-3 times a week	405	2.7	5.8	98.8
	4 4-7 times a week	79	.5	1.1	99.9
	5 > Once a day	6	.0	.1	
	Total	7039	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	120	.8		
	Total	8116	53.6		
Total		15155	100.0		

ta8057 J5r: Frequency teenager eats oven chips

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2129	14.0	30.2	30.2
	2 Once in 2 weeks	2177	14.4	30.8	61.0
	3 1-3 times a week	2638	17.4	37.4	98.4
	4 4-7 times a week	109	.7	1.5	99.9
	5 > Once a day	4	.0	.1	100.0
	Total	7057	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	102	.7		
	Total	8098	53.4		
Total		15155	100.0		

ta8058 J5s: Frequency teenager eats chips, potato waffles or croquettes, Alphabites

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	3305	21.8	47.2	47.2
	2 Once in 2 weeks	1936	12.8	27.6	74.8
	3 1-3 times a week	1669	11.0	23.8	98.7
	4 4-7 times a week	91	.6	1.3	100.0
	5 > Once a day	3	.0	.0	
	Total	7004	46.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	155	1.0		
	Total	8151	53.8		
Total		15155	100.0		

ta8059 J5t: Frequency teenager eats roast potatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1009	6.7	14.3	14.3
	2 Once in 2 weeks	1961	12.9	27.8	42.1
	3 1-3 times a week	4024	26.6	57.0	99.0
	4 4-7 times a week	68	.4	1.0	100.0
	5 > Once a day	1	.0	.0	
	Total	7063	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	96	.6		
	Total	8092	53.4		
Total		15155	100.0		

TA File – Section J

ta8060 J5u: Frequency teenager eats boiled, mashed, jacket potatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	459	3.0	6.5	6.5
	2 Once in 2 weeks	1026	6.8	14.5	21.0
	3 1-3 times a week	4803	31.7	68.0	89.0
	4 4-7 times a week	776	5.1	11.0	99.9
	5 > Once a day	4	.0	.1	100.0
	Total	7068	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	91	.6		
	Total	8087	53.4		
Total		15155	100.0		

ta8061 J5v: Frequency teenager eats rice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1123	7.4	15.9	15.9
	2 Once in 2 weeks	1661	11.0	23.5	39.4
	3 1-3 times a week	4127	27.2	58.4	97.8
	4 4-7 times a week	154	1.0	2.2	100.0
	5 > Once a day	2	.0	.0	100.0
	Total	7067	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	92	.6		
	Total	8088	53.4		
Total		15155	100.0		

ta8062 J5w: Frequency teenager eats canned pasta

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	3812	25.2	54.0	54.0
	2 Once in 2 weeks	1769	11.7	25.1	79.1
	3 1-3 times a week	1396	9.2	19.8	98.9
	4 4-7 times a week	79	.5	1.1	100.0
	Total	7056	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	103	.7		
	Total	8099	53.4		
	Total	15155	100.0		

ta8063 J5x: Frequency teenager eats boiled pasta

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	632	4.2	8.9	8.9
	2 Once in 2 weeks	1084	7.2	15.3	24.3
	3 1-3 times a week	4901	32.3	69.4	93.6
	4 4-7 times a week	450	3.0	6.4	100.0
	Total	7067	46.6	100.0	
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-1 No response	92	.6		
	Total	8088	53.4		
	Total	15155	100.0		

TA File – Section J

ta8064 J5y: Frequency teenager eats fried food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	3715	24.5	52.6	52.6
	2 Once in 2 weeks	2186	14.4	31.0	83.6
	3 1-3 times a week	1119	7.4	15.9	99.4
	4 4-7 times a week	33	.2	.5	99.9
	5 > Once a day	6	.0	.1	100.0
	Total	7059	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	100	.7		
	Total	8096	53.4		
Total		15155	100.0		

ta8070 J6: Teenager eats the fat on meat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, all of it	439	2.9	6.2	6.2
	2 Yes, some of it	1691	11.2	23.9	30.1
	3 No, always leaves fat	3331	22.0	47.1	77.2
	4 No, never given meat with fat	1167	7.7	16.5	93.7
	5 Never eats meat	443	2.9	6.3	100.0
	Total	7071	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	88	.6		
	Total	8084	53.3		
Total		15155	100.0		

TA File – Section J

ta8080 J7a: Frequency teenager eats baked beans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1847	12.2	26.1	26.1
	2 Once in 2 weeks	1854	12.2	26.2	52.3
	3 1-3 times a week	3174	20.9	44.8	97.1
	4 4-7 times a week	200	1.3	2.8	100.0
	5 > Once a day	3	.0	.0	100.0
	Total	7078	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	81	.5		
	Total	8077	53.3		
Total		15155	100.0		

ta8081 J7b: Frequency teenager eats peas, broad beans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1835	12.1	26.0	26.0
	2 Once in 2 weeks	1292	8.5	18.3	44.3
	3 1-3 times a week	3538	23.3	50.1	94.4
	4 4-7 times a week	392	2.6	5.6	100.0
	5 > Once a day	2	.0	.0	100.0
	Total	7059	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	100	.7		
	Total	8096	53.4		
Total		15155	100.0		

ta8082 J7c: Frequency teenager eats sweet corn

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2006	13.2	28.4	28.4
	2 Once in 2 weeks	1664	11.0	23.5	51.9
	3 1-3 times a week	3116	20.6	44.1	96.0
	4 4-7 times a week	282	1.9	4.0	100.0
	5 > Once a day	2	.0	.0	100.0
	Total	7070	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	89	.6		
	Total	8085	53.3		
Total		15155	100.0		

ta8083 J7d: Frequency teenager eats green vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	899	5.9	12.7	12.7
	2 Once in 2 weeks	505	3.3	7.1	19.9
	3 1-3 times a week	3817	25.2	54.0	73.9
	4 4-7 times a week	1789	11.8	25.3	99.2
	5 > Once a day	55	.4	.8	100.0
	Total	7065	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	94	.6		
	Total	8090	53.4		
Total		15155	100.0		

TA File – Section J

ta8084 J7e: Frequency teenager eats carrots

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	629	4.2	8.9	8.9
	2 Once in 2 weeks	553	3.6	7.8	16.7
	3 1-3 times a week	4420	29.2	62.5	79.3
	4 4-7 times a week	1445	9.5	20.4	99.7
	5 > Once a day	21	.1	.3	100.0
	Total	7068	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	91	.6		
	Total	8087	53.4		
Total		15155	100.0		

ta8085 J7f: Frequency teenager eats other root vegetable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	3064	20.2	43.6	43.6
	2 Once in 2 weeks	1538	10.1	21.9	65.4
	3 1-3 times a week	2202	14.5	31.3	96.7
	4 4-7 times a week	224	1.5	3.2	99.9
	5 > Once a day	5	.0	.1	100.0
	Total	7033	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	126	.8		
	Total	8122	53.6		
Total		15155	100.0		

ta8086 J7g: Frequency teenager eats tomatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2654	17.5	37.6	37.6
	2 Once in 2 weeks	865	5.7	12.3	49.8
	3 1-3 times a week	2593	17.1	36.7	86.6
	4 4-7 times a week	908	6.0	12.9	99.4
	5 > Once a day	40	.3	.6	100.0
	Total	7060	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	99	.7		
	Total	8095	53.4		
Total		15155	100.0		

ta8087 J7h: Frequency teenager eats salad

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1491	9.8	21.1	21.1
	2 Once in 2 weeks	1165	7.7	16.5	37.6
	3 1-3 times a week	3183	21.0	45.0	82.6
	4 4-7 times a week	1166	7.7	16.5	99.1
	5 > Once a day	64	.4	.9	100.0
	Total	7069	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	90	.6		
	Total	8086	53.4		
Total		15155	100.0		

TA File – Section J

ta8088 J7i: Frequency teenager eats pulses and pulse dishes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	5697	37.6	80.6	80.6
	2 Once in 2 weeks	848	5.6	12.0	92.6
	3 1-3 times a week	493	3.3	7.0	99.6
	4 4-7 times a week	28	.2	.4	100.0
	5 > Once a day	1	.0	.0	100.0
	Total	7067	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	92	.6		
	Total	8088	53.4		
Total		15155	100.0		

ta8089 J7j: Frequency teenager eats Quorn pieces/mince/fillets/Quorn sausages/burgers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	6077	40.1	86.0	86.0
	2 Once in 2 weeks	437	2.9	6.2	92.2
	3 1-3 times a week	456	3.0	6.5	98.6
	4 4-7 times a week	92	.6	1.3	99.9
	5 > Once a day	4	.0	.1	100.0
	Total	7066	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	93	.6		
	Total	8089	53.4		
Total		15155	100.0		

ta8090 J7k: Frequency teenager eats Soya 'meat'/Soya-type vegieburgers etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	6506	42.9	92.1	92.1
	2 Once in 2 weeks	296	2.0	4.2	96.3
	3 1-3 times a week	236	1.6	3.3	99.7
	4 4-7 times a week	23	.2	.3	100.0
	5 > Once a day	1	.0	.0	100.0
	Total	7062	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	97	.6		
	Total	8093	53.4		
Total		15155	100.0		

ta8091 J7l: Frequency teenager eats peanuts, peanut butter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	4686	30.9	66.4	66.4
	2 Once in 2 weeks	1319	8.7	18.7	85.0
	3 1-3 times a week	843	5.6	11.9	97.0
	4 4-7 times a week	201	1.3	2.8	99.8
	5 > Once a day	13	.1	.2	100.0
	Total	7062	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	97	.6		
	Total	8093	53.4		
Total		15155	100.0		

TA File – Section J

ta8092 J7m: Frequency teenager eats other nuts

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	5405	35.7	76.8	76.8
	2 Once in 2 weeks	1203	7.9	17.1	93.9
	3 1-3 times a week	385	2.5	5.5	99.4
	4 4-7 times a week	40	.3	.6	100.0
	5 > Once a day	2	.0	.0	100.0
	Total	7035	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	124	.8		
	Total	8120	53.6		
Total		15155	100.0		

ta8093 J7n: Frequency teenager eats canned fruit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	4477	29.5	63.4	63.4
	2 Once in 2 weeks	1845	12.2	26.1	89.6
	3 1-3 times a week	688	4.5	9.7	99.3
	4 4-7 times a week	48	.3	.7	100.0
	5 > Once a day	1	.0	.0	100.0
	Total	7059	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	100	.7		
	Total	8096	53.4		
Total		15155	100.0		

ta8094 J7o: Frequency teenager eats yoghurt/fromage frais

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	883	5.8	12.5	12.5
	2 Once in 2 weeks	1036	6.8	14.6	27.1
	3 1-3 times a week	2602	17.2	36.8	63.9
	4 4-7 times a week	2355	15.5	33.3	97.1
	5 > Once a day	202	1.3	2.9	100.0
	Total	7078	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	81	.5		
	Total	8077	53.3		
Total		15155	100.0		

ta8095 J7p: Frequency teenager eats milk puddings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	3917	25.8	55.4	55.4
	2 Once in 2 weeks	1988	13.1	28.1	83.5
	3 1-3 times a week	1064	7.0	15.0	98.6
	4 4-7 times a week	97	.6	1.4	99.9
	5 > Once a day	4	.0	.1	100.0
	Total	7070	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	89	.6		
	Total	8085	53.3		
Total		15155	100.0		

TA File – Section J

ta8096 J7q: Frequency teenager eats ice cream, choc ice etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	970	6.4	13.7	13.7
	2 Once in 2 weeks	2758	18.2	39.0	52.7
	3 1-3 times a week	2808	18.5	39.7	92.4
	4 4-7 times a week	521	3.4	7.4	99.8
	5 > Once a day	17	.1	.2	100.0
	Total	7074	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	85	.6		
	Total	8081	53.3		
Total		15155	100.0		

ta8097 J7r: Frequency teenager eats ice lollies

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	3066	20.2	43.5	43.5
	2 Once in 2 weeks	2316	15.3	32.9	76.4
	3 1-3 times a week	1358	9.0	19.3	95.7
	4 4-7 times a week	284	1.9	4.0	99.7
	5 > Once a day	22	.1	.3	100.0
	Total	7046	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	113	.7		
	Total	8109	53.5		
Total		15155	100.0		

ta8098 J7s: Frequency teenager eats pudding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2587	17.1	36.7	36.7
	2 Once in 2 weeks	2611	17.2	37.0	73.7
	3 1-3 times a week	1772	11.7	25.1	98.8
	4 4-7 times a week	80	.5	1.1	99.9
	5 > Once a day	5	.0	.1	100.0
	Total	7055	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	104	.7		
	Total	8100	53.4		
Total		15155	100.0		

ta8099 J7t: Frequency teenager eats custard, cream, Elmlea, evaporated milk etc on puddings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	4294	28.3	60.8	60.8
	2 Once in 2 weeks	1793	11.8	25.4	86.2
	3 1-3 times a week	940	6.2	13.3	99.5
	4 4-7 times a week	36	.2	.5	100.0
	5 > Once a day	2	.0	.0	100.0
	Total	7065	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	94	.6		
	Total	8090	53.4		
Total		15155	100.0		

TA File – Section J

ta8100 J7u: Frequency teenager eats cakes or buns

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	779	5.1	11.0	11.0
	2 Once in 2 weeks	1952	12.9	27.6	38.6
	3 1-3 times a week	3269	21.6	46.2	84.8
	4 4-7 times a week	1032	6.8	14.6	99.3
	5 > Once a day	47	.3	.7	100.0
	Total	7079	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	80	.5		
	Total	8076	53.3		
Total		15155	100.0		

ta8101 J7v: Frequency teenager eats crisp breads

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	5497	36.3	77.8	77.8
	2 Once in 2 weeks	911	6.0	12.9	90.7
	3 1-3 times a week	540	3.6	7.6	98.4
	4 4-7 times a week	107	.7	1.5	99.9
	5 > Once a day	9	.1	.1	100.0
	Total	7064	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	95	.6		
	Total	8091	53.4		
Total		15155	100.0		

ta8102 J7w: Frequency teenager eats ketchup/brown sauce


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1205	8.0	17.0	17.0
	2 Once in 2 weeks	1097	7.2	15.5	32.5
	3 1-3 times a week	3209	21.2	45.4	77.9
	4 4-7 times a week	1460	9.6	20.6	98.6
	5 > Once a day	102	.7	1.4	100.0
	Total	7073	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	86	.6		
	Total	8082	53.3		
Total		15155	100.0		

ta8103 J7x: Frequency teenager eats mayonnaise/salad cream/dressing


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2982	19.7	42.2	42.2
	2 Once in 2 weeks	1108	7.3	15.7	57.9
	3 1-3 times a week	2352	15.5	33.3	91.1
	4 4-7 times a week	600	4.0	8.5	99.6
	5 > Once a day	28	.2	.4	100.0
	Total	7070	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	89	.6		
	Total	8085	53.3		
Total		15155	100.0		

TA File – Section J

ta8110 J8a: Number of vegetable portions teenager eats in a week (provided by mother)




ta8111 J8b: Number of these portions that are dark green leafy vegetables




TA File – Section J

ta8120 J9a: Number of pieces of raw fruit teenager eats in a week




ta8122 J9b2: Number of bananas per week




TA File – Section J

ta8123 J9b3: Number of apples per week



ta8124 J9b4: Number of other fruit per week



TA File – Section J

ta8130 J10a: Teenager eats breakfast cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6167	40.7	87.2	87.2
	2 No	903	6.0	12.8	100.0
	Total	7070	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	89	.6		
	Total	8085	53.3		
Total		15155	100.0		

ta8131 J10b: Teenager eats oat cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	3442	22.7	57.6	57.6
	2 Once in 2 weeks	1112	7.3	18.6	76.2
	3 1-3 times a week	1043	6.9	17.5	93.7
	4 4-7 times a week	364	2.4	6.1	99.8
	5 > Once a day	14	.1	.2	100.0
	Total	5975	39.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1184	7.8		
	Total	9180	60.6		
Total		15155	100.0		

ta8132 J10c: Teenager eats wholegrain or bran cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1535	10.1	25.5	25.5
	2 Once in 2 weeks	952	6.3	15.8	41.3
	3 1-3 times a week	2125	14.0	35.3	76.6
	4 4-7 times a week	1325	8.7	22.0	98.6
	5 > Once a day	86	.6	1.4	100.0
	Total	6023	39.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1136	7.5		
	Total	9132	60.3		
Total		15155	100.0		

ta8133 J10d: Teenager eats other cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	858	5.7	14.1	14.1
	2 Once in 2 weeks	917	6.1	15.1	29.3
	3 1-3 times a week	2652	17.5	43.7	73.0
	4 4-7 times a week	1546	10.2	25.5	98.5
	5 > Once a day	93	.6	1.5	100.0
	Total	6066	40.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1093	7.2		
	Total	9089	60.0		
Total		15155	100.0		

ta8134 J10e: Teenager eats other cereal bars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	4016	26.5	70.8	70.8
	2 Once in 2 weeks	652	4.3	11.5	82.3
	3 1-3 times a week	725	4.8	12.8	95.1
	4 4-7 times a week	267	1.8	4.7	99.8
	5 > Once a day	13	.1	.2	100.0
	Total	5673	37.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1486	9.8		
	Total	9482	62.6		
Total		15155	100.0		

TA File – Section J

ta8140 J11a: Frequency teenager has cereals that are sugar/honey coated

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	697	4.6	11.3	11.3
	2 Sometimes	3963	26.1	64.0	75.2
	3 Never	1534	10.1	24.8	100.0
	Total	6194	40.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	965	6.4		
	Total	8961	59.1		
Total		15155	100.0		


ta8141 J11b: Number of teaspoons of sugar teenager has on sugar/honey coated cereal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	4162	27.5	87.5	87.5
	2 Half teaspoon	197	1.3	4.1	91.7
	3 One teaspoon	269	1.8	5.7	97.3
	4 2 teaspoons	105	.7	2.2	99.6
	5 > 2 teaspoons	21	.1	.4	100.0
	Total	4754	31.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	2405	15.9		
	Total	10401	68.6		
Total		15155	100.0		

ta8142 J11c: Number of teaspoons of sugar teenager has on other types of cereal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	2600	17.2	42.6	42.6
	2 half teaspoon	771	5.1	12.6	55.3
	3 One teaspoon	1666	11.0	27.3	82.6
	4 2 teaspoons	732	4.8	12.0	94.6
	5 > 2 teaspoons	148	1.0	2.4	97.0
	7 Doesn't have plain cereal	181	1.2	3.0	100.0
	Total	6098	40.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1061	7.0		
	Total	9057	59.8		
Total		15155	100.0		

ta8143 J11d: Number of times a week teenager has milk on cereal



TA File – Section J

ta8150 J12a: Number of times a week teenager drinks plain tap water

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1492	9.8	21.2	21.2
	2 Once in 2 weeks	508	3.4	7.2	28.4
	3 1-3 times a week	1183	7.8	16.8	45.3
	4 4-7 times a week	1373	9.1	19.5	64.8
	5 > Once a day	2475	16.3	35.2	100.0
	Total	7031	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	128	.8		
	Total	8124	53.6		
Total		15155	100.0		

ta8151 J12b: Number of times a week teenager drinks bottled mineral/fizzy water

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	3734	24.6	53.5	53.5
	2 Once in 2 weeks	952	6.3	13.6	67.2
	3 1-3 times a week	1244	8.2	17.8	85.0
	4 4-7 times a week	712	4.7	10.2	95.2
	5 > Once a day	334	2.2	4.8	100.0
	Total	6976	46.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	183	1.2		
	Total	8179	54.0		
Total		15155	100.0		

ta8152 J12c: Number of times a week teenager drinks milk on its own

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2582	17.0	36.8	36.8
	2 Once in 2 weeks	740	4.9	10.6	47.4
	3 1-3 times a week	1516	10.0	21.6	69.0
	4 4-7 times a week	1417	9.4	20.2	89.2
	5 > Once a day	758	5.0	10.8	100.0
	Total	7013	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	146	1.0		
	Total	8142	53.7		
Total		15155	100.0		

TA File – Section J

ta8153 J12d: Number of times a week teenager drinks flavoured milk drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	3094	20.4	44.2	44.2
	2 Once in 2 weeks	1256	8.3	17.9	62.1
	3 1-3 times a week	1753	11.6	25.0	87.1
	4 4-7 times a week	781	5.2	11.1	98.2
	5 > Once a day	123	.8	1.8	100.0
	Total	7007	46.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	152	1.0		
	Total	8148	53.8		
Total		15155	100.0		

ta8154 J12e: Number of times a week teenager drinks fruit juice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	643	4.2	9.1	9.1
	2 Once in 2 weeks	585	3.9	8.3	17.4
	3 1-3 times a week	1820	12.0	25.8	43.2
	4 4-7 times a week	2712	17.9	38.5	81.7
	5 > Once a day	1292	8.5	18.3	100.0
	Total	7052	46.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	107	.7		
	Total	8103	53.5		
Total		15155	100.0		

TA File – Section J

ta8160 J13a: Frequency teenager eats white bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually	3659	24.1	53.2	53.2
	2 Sometimes	2668	17.6	38.8	92.0
	3 Never	547	3.6	8.0	100.0
	Total	6874	45.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-8 Text response	1	.0		
	-1 No response	284	1.9		
Total	Total	8281	54.6		
		15155	100.0		

ta8161 J13b: Frequency teenager eats soft grain white bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually	809	5.3	12.6	12.6
	2 Sometimes	2993	19.7	46.7	59.4
	3 Never	2601	17.2	40.6	100.0
	Total	6403	42.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	756	5.0		
	Total	8752	57.7		
Total		15155	100.0		

ta8162 J13c: Frequency teenager eats brown/granary bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually	651	4.3	10.1	10.1
	2 Sometimes	3007	19.8	46.5	56.5
	3 Never	2811	18.5	43.5	100.0
	Total	6469	42.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	690	4.6		
	Total	8686	57.3		
Total		15155	100.0		

ta8163 J13d: Frequency teenager eats wholemeal bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually	1222	8.1	18.5	18.5
	2 Sometimes	3108	20.5	47.0	65.5
	3 Never	2284	15.1	34.5	100.0
	Total	6614	43.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-8 Text response	1	.0		
	-1 No response	544	3.6		
Total	Total	8541	56.4		
		15155	100.0		

TA File – Section J

ta8164 J13e: Frequency teenager eats chappatis/pitta bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually	236	1.6	3.6	3.6
	2 Sometimes	3336	22.0	51.3	54.9
	3 Never	2930	19.3	45.1	100.0
	Total	6502	42.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	657	4.3		
	Total	8653	57.1		
Total		15155	100.0		

ta8165 J13f: Frequency teenager eats naan bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually	116	.8	1.8	1.8
	2 Sometimes	3033	20.0	46.7	48.5
	3 Never	3341	22.0	51.5	100.0
	Total	6490	42.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	669	4.4		
	Total	8665	57.2		
Total		15155	100.0		

TA File – Section J

ta8170 J14a1: Number of slices of bread/rolls/chappatis teenager eats on school days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	524	3.5	7.8	7.8
	1	889	5.9	13.3	21.1
	2	3313	21.9	49.4	70.5
	3	770	5.1	11.5	82.0
	4	901	5.9	13.4	95.5
	5	126	.8	1.9	97.4
	6	93	.6	1.4	98.7
	7	16	.1	.2	99.0
	8	27	.2	.4	99.4
	10	28	.2	.4	99.8
	12	1	.0	.0	99.8
	14	3	.0	.0	99.9
	15	2	.0	.0	99.9
	20	2	.0	.0	99.9
	97 Sometimes/occasionally	5	.0	.1	100.0
	Total	6700	44.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	1	.0		
	-1 No response	458	3.0		
	Total	8455	55.8		
	Total	15155	100.0		

ta8171 J14a2: Number of slices of bread/rolls/chappatis teenager eats on other days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	364	2.4	5.6	5.6
	1	828	5.5	12.8	18.4
	2	3211	21.2	49.5	67.8
	3	664	4.4	10.2	78.0
	4	1129	7.4	17.4	95.4
	5	95	.6	1.5	96.9
	6	139	.9	2.1	99.0
	7	15	.1	.2	99.3
	8	27	.2	.4	99.7
	9	2	.0	.0	99.7
	10	8	.1	.1	99.8
	12	2	.0	.0	99.9
	14	1	.0	.0	99.9
	15	4	.0	.1	99.9
	97 Sometimes/occasionally	4	.0	.1	100.0
	Total	6493	42.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	2	.0		
	-1 No response	664	4.4		
	Total	8662	57.2		
	Total	15155	100.0		

TA File – Section J

ta8172 J14b1: Number of slices of bread or rolls teenager eats with butter/margarine on school days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1295	8.5	19.5	19.5
	1	812	5.4	12.2	31.8
	2	2913	19.2	43.9	75.7
	3	630	4.2	9.5	85.2
	4	751	5.0	11.3	96.5
	5	93	.6	1.4	97.9
	6	74	.5	1.1	99.0
	7	10	.1	.2	99.2
	8	21	.1	.3	99.5
	10	19	.1	.3	99.8
	12	1	.0	.0	99.8
	14	4	.0	.1	99.8
	15	3	.0	.0	99.9
	20	3	.0	.0	99.9
	97 Sometimes/occasionally	5	.0	.1	100.0
	Total	6634	43.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	1	.0		
	-1 No response	524	3.5		
	Total	8521	56.2		
	Total	15155	100.0		

ta8173 J14b2: Number of slices of bread or rolls teenager eats with butter/margarine on other days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1127	7.4	17.7	17.7
	1	823	5.4	13.0	30.7
	2	2704	17.8	42.5	73.2
	3	546	3.6	8.6	81.8
	4	934	6.2	14.7	96.5
	5	69	.5	1.1	97.6
	6	105	.7	1.7	99.3
	7	8	.1	.1	99.4
	8	24	.2	.4	99.8
	9	3	.0	.0	99.8
	10	8	.1	.1	99.9
	15	1	.0	.0	100.0
	97 Sometimes/occasionally	3	.0	.0	100.0
	Total	6355	41.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	804	5.3		
	Total	8800	58.1		
	Total	15155	100.0		

TA File – Section J

ta8174 J14c1: Number of slices of bread or rolls teenager eats with jam/honey/chocolate spread on school days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4851	32.0	76.2	76.2
	1	690	4.6	10.8	87.1
	2	650	4.3	10.2	97.3
	3	59	.4	.9	98.2
	4	72	.5	1.1	99.4
	5	15	.1	.2	99.6
	6	3	.0	.0	99.7
	7	3	.0	.0	99.7
	8	2	.0	.0	99.7
	10	3	.0	.0	99.8
	14	1	.0	.0	99.8
	97 Sometimes/occasionally	13	.1	.2	100.0
	Total	6362	42.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	797	5.3		
	Total	8793	58.0		
Total		15155	100.0		

ta8175 J14c2: Number of slices of bread or rolls teenager eats with jam/honey/chocolate spread on other days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4226	27.9	68.4	68.4
	1	891	5.9	14.4	82.8
	2	827	5.5	13.4	96.2
	3	70	.5	1.1	97.3
	4	127	.8	2.1	99.4
	5	9	.1	.1	99.5
	6	15	.1	.2	99.7
	8	1	.0	.0	99.8
	9	1	.0	.0	99.8
	10	1	.0	.0	99.8
	15	1	.0	.0	99.8
	97 Sometimes/occasionally	12	.1	.2	100.0
	Total	6181	40.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	978	6.5		
	Total	8974	59.2		
Total		15155	100.0		

TA File – Section J

ta8180 J15a1: Teenager has butter/ghee/dripping lard/solid cooking fat on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2245	14.8	33.9	33.9
	2 No	4376	28.9	66.1	100.0
	Total	6621	43.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	538	3.5		
Total		8534	56.3		
Total		15155	100.0		

ta8181 J15b1: Teenager has olive oil margarine on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1661	11.0	26.4	26.4
	2 No	4635	30.6	73.6	100.0
	Total	6296	41.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	863	5.7		
Total		8859	58.5		
Total		15155	100.0		

ta8182 J15c1: Teenager has full fat polyunsaturated margarine on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2149	14.2	33.7	33.7
	2 No	4222	27.9	66.3	100.0
	Total	6371	42.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	788	5.2		
Total		8784	58.0		
Total		15155	100.0		

ta8183 J15d1: Teenager has other full fat margarine on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1422	9.4	22.0	22.0
	2 No	5049	33.3	78.0	100.0
	Total	6471	42.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	688	4.5		
Total		8684	57.3		
Total		15155	100.0		

ta8184 J15e1: Teenager has low-fat polyunsaturated margarine on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1638	10.8	25.4	25.4
	2 No	4805	31.7	74.6	100.0
	Total	6443	42.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	716	4.7		
Total		8712	57.5		
Total		15155	100.0		

TA File – Section J

ta8185 J15f1: Teenager has other low fat spread, not polyunsaturated on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	842	5.6	13.2	13.2
	2 No	5516	36.4	86.8	
	Total	6358	42.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	801	5.3		
	Total	8797	58.0		
Total		15155	100.0		

ta8186 J15g1: Teenager has sunflower oil/corn oil/Soya oil on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	376	2.5	6.2	6.2
	2 No	5663	37.4	93.8	
	Total	6039	39.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1120	7.4		
	Total	9116	60.2		
Total		15155	100.0		

ta8187 J15h1: Teenager has olive oil/hazelnut oil/ rapeseed oil on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	774	5.1	12.9	12.9
	2 No	5221	34.5	87.1	
	Total	5995	39.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1164	7.7		
	Total	9160	60.4		
Total		15155	100.0		

ta8188 J15i1: Teenager has other vegetable oil bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	234	1.5	4.0	4.0
	2 No	5617	37.1	96.0	
	Total	5851	38.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1308	8.6		
	Total	9304	61.4		
Total		15155	100.0		

ta8189 J15j1: Teenager has other on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	198	1.3	5.3	5.3
	2 No	3514	23.2	94.7	
	Total	3712	24.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	3447	22.7		
	Total	11443	75.5		
Total		15155	100.0		

TA File – Section J

ta8200 J15a2: Teenager has butter/ghee/dripping lard/solid cooking fat for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	747	4.9	12.1	12.1
	2 No	5437	35.9	87.9	
	Total	6184	40.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	975	6.4		
	Total	8971	59.2		
Total		15155	100.0		

ta8201 J15b2: Teenager has olive oil margarine for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1025	6.8	16.9	16.9
	2 No	5043	33.3	83.1	
	Total	6068	40.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1091	7.2		
	Total	9087	60.0		
Total		15155	100.0		

ta8202 J15c2: Teenager has full fat polyunsaturated margarine for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	446	2.9	7.5	7.5
	2 No	5477	36.1	92.5	
	Total	5923	39.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1236	8.2		
	Total	9232	60.9		
Total		15155	100.0		

ta8203 J15d2: Teenager has other full fat margarine for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	204	1.3	3.4	3.4
	2 No	5796	38.2	96.6	
	Total	6000	39.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1159	7.6		
	Total	9155	60.4		
Total		15155	100.0		

ta8204 J15e2: Teenager has low-fat polyunsaturated margarine for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	220	1.5	3.7	3.7
	2 No	5746	37.9	96.3	
	Total	5966	39.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1193	7.9		
	Total	9189	60.6		
Total		15155	100.0		

TA File – Section J

ta8205 J15f2: Teenager has other low fat spread, not polyunsaturated for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	70	.5	1.2	1.2
	2 No	5827	38.4	98.8	
	Total	5897	38.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1262	8.3		
	Total	9258	61.1		
Total		15155	100.0		

ta8206 J15g2: Teenager has sunflower oil/corn oil/Soya oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3285	21.7	52.4	52.4
	2 No	2980	19.7	47.6	
	Total	6265	41.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	894	5.9		
	Total	8890	58.7		
Total		15155	100.0		

ta8207 J15h2: Teenager has olive oil/hazelnut oil/rapeseed oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3510	23.2	56.1	56.1
	2 No	2749	18.1	43.9	
	Total	6259	41.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	900	5.9		
	Total	8896	58.7		
Total		15155	100.0		

ta8208 J15i2: Teenager has other vegetable oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1558	10.3	26.0	26.0
	2 No	4441	29.3	74.0	
	Total	5999	39.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1160	7.7		
	Total	9156	60.4		
Total		15155	100.0		

ta8209 J15j2: Teenager has other for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	222	1.5	5.8	5.8
	2 No	3575	23.6	94.2	
	Total	3797	25.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	3362	22.2		
	Total	11358	74.9		
Total		15155	100.0		

TA File – Section J

ta8220 J16a: Teenager has full fat milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	1436	9.5	23.7	23.7
	2 Yes, sometimes	931	6.1	15.4	39.0
	3 No, not at all	3695	24.4	61.0	100.0
	Total	6062	40.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1097	7.2		
	Total	9093	60.0		
Total		15155	100.0		

ta8221 J16b: Teenager has semi-skimmed milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	4699	31.0	69.1	69.1
	2 Yes, sometimes	1140	7.5	16.8	85.9
	3 No, not at all	961	6.3	14.1	100.0
	Total	6800	44.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	359	2.4		
	Total	8355	55.1		
Total		15155	100.0		

ta8222 J16c: Teenager has skimmed milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	382	2.5	6.5	6.5
	2 Yes, sometimes	660	4.4	11.2	17.7
	3 No, not at all	4855	32.0	82.3	100.0
	Total	5897	38.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1262	8.3		
	Total	9258	61.1		
Total		15155	100.0		

ta8223 J16d: Teenager has goats/sheep milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	29	.2	.5	.5
	2 Yes, sometimes	41	.3	.7	1.2
	3 No, not at all	5722	37.8	98.8	100.0
	Total	5792	38.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1367	9.0		
	Total	9363	61.8		
Total		15155	100.0		

ta8224 J16e: Teenager has Soya milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	54	.4	.9	.9
	2 Yes, sometimes	124	.8	2.1	3.1
	3 No, not at all	5625	37.1	96.9	100.0
	Total	5803	38.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	1356	8.9		
	Total	9352	61.7		
Total		15155	100.0		

TA File – Section J

ta8225 J16f: Teenager has flavoured milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	110	.7	1.9	1.9
	2 Yes, sometimes	1897	12.5	32.0	33.8
	3 No, not at all	3925	25.9	66.2	100.0
	Total	5932	39.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-8 Text response	1	.0		
	-1 No response	1226	8.1		
	Total	9223	60.9		
Total		15155	100.0		

ta8226 J16g: Teenager has other milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	20	.1	.5	.5
	1 Yes, usually	32	.2	.9	1.4
	2 Yes, sometimes	34	.2	.9	2.3
	3 No, not at all	3630	24.0	97.7	100.0
Missing	Total	3716	24.5	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	3443	22.7		
Total	Total	11439	75.5		
		15155	100.0		

TA File – Section J

ta8230 J17a: Number of times teenager eats in fast food restaurant per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2918	19.3	41.5	41.5
	2 Once a month	2368	15.6	33.7	75.2
	3 Once in two weeks	1305	8.6	18.6	93.8
	4 1-2 times a week	430	2.8	6.1	99.9
	5 3-4 times a week	6	.0	.1	100.0
	6 5 times a week or more	3	.0	.0	100.0
	Total	7030	46.4	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	129	.9		
	Total	8125	53.6		
Total		15155	100.0		

ta8231 J17b: Number of times teenager eats in other café or restaurant per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2761	18.2	39.7	39.7
	2 Once a month	2599	17.1	37.4	77.1
	3 Once in two weeks	1249	8.2	18.0	95.1
	4 1-2 times a week	305	2.0	4.4	99.5
	5 3-4 times a week	17	.1	.2	99.7
	6 5 times a week or more	21	.1	.3	100.0
	Total	6952	45.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	207	1.4		
	Total	8203	54.1		
Total		15155	100.0		

ta8232 J17c: Number of times teenager eats at grandparents or other family per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	2737	18.1	39.2	39.2
	2 Once a month	2012	13.3	28.8	68.1
	3 Once in two weeks	1156	7.6	16.6	84.6
	4 1-2 times a week	970	6.4	13.9	98.5
	5 3-4 times a week	87	.6	1.2	99.8
	6 5 times a week or more	16	.1	.2	100.0
	Total	6978	46.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	181	1.2		
	Total	8177	54.0		
Total		15155	100.0		

ta8233 J17d: Number of times teenager eats at friend's per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	1620	10.7	23.2	23.2
	2 Once a month	2236	14.8	32.0	55.2
	3 Once in two weeks	2163	14.3	30.9	86.1
	4 1-2 times a week	945	6.2	13.5	99.6
	5 3-4 times a week	26	.2	.4	100.0
	6 5 times a week or more	1	.0	.0	100.0
	Total	6991	46.1	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	168	1.1		
	Total	8164	53.9		
Total		15155	100.0		

TA File – Section J

ta8234 J17e: Number of times teenager eats at childminder's per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Rarely or never	6762	44.6	99.2	99.2
	2 Once a month	12	.1	.2	99.4
	3 Once in two weeks	9	.1	.1	99.5
	4 1-2 times a week	20	.1	.3	99.8
	5 3-4 times a week	6	.0	.1	99.9
	6 5 times a week or more	5	.0	.1	100.0
	Total	6814	45.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	345	2.3		
Total	Total	8341	55.0		
		15155	100.0		

TA File – Section J

ta8240 J18a: Teenager drinks tea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3280	21.6	46.4	46.4
	2 No	3789	25.0	53.6	100.0
	Total	7069	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	90	.6		
	Total	8086	53.4		
Total		15155	100.0		

ta8241 J18b: Number of cups of tea teenager drinks per day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	115	.8	3.5	3.5
	1	1875	12.4	57.1	60.6
	2	655	4.3	19.9	80.5
	3	180	1.2	5.5	86.0
	4	72	.5	2.2	88.2
	5	14	.1	.4	88.6
	6	6	.0	.2	88.8
	7	4	.0	.1	88.9
	8	2	.0	.1	89.0
	10	1	.0	.0	89.0
	97 Occasionally	361	2.4	11.0	100.0
	Total	3285	21.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	2	.0		
	-1 No response	3872	25.5		
	Total	11870	78.3		
Total		15155	100.0		

ta8242 J18c: Number of spoons of sugar teenager has in each cup of tea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1281	8.5	39.5	39.5
	1	1110	7.3	34.2	73.7
	2	801	5.3	24.7	98.4
	3	44	.3	1.4	99.7
	4	3	.0	.1	99.8
	5	5	.0	.2	100.0
	11	1	.0	.0	100.0
	Total	3245	21.4	100.0	
	Missing				
	-11 Triplet / quadruplet	6	.0		
Missing	-10 Not completed	7990	52.7		
	-9 Don't know	3	.0		
	-1 No response	3911	25.8		
	Total	11910	78.6		
Total		15155	100.0		

TA File – Section J

ta8243 J18d: Number of cups of tea teenager drinks that are decaffeinated

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2923	19.3	92.4	92.4
	1	157	1.0	5.0	97.4
	2	43	.3	1.4	98.7
	3	8	.1	.3	99.0
	4	6	.0	.2	99.2
	6	1	.0	.0	99.2
	7	1	.0	.0	99.2
	97 Occasionally	13	.1	.4	99.7
	98 All	11	.1	.3	100.0
	Total	3163	20.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	3996	26.4		
	Total	11992	79.1		
	Total	15155	100.0		

ta8244 J18e: Description of amount of milk in the tea teenager drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No milk	29	.2	.9	.9
	2 A little milk	1806	11.9	55.5	56.4
	3 About 1/4 milk	1258	8.3	38.7	95.1
	4 About 1/2 milk	143	.9	4.4	99.5
	5 About 3/4 milk	12	.1	.4	99.8
	6 Almost all milk	5	.0	.2	100.0
	Total	3253	21.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	3906	25.8		
	Total	11902	78.5		
	Total	15155	100.0		

TA File – Section J

ta8250 J19a: Teenager drinks coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	900	5.9	12.8	12.8
	2 No	6156	40.6	87.2	100.0
	Total	7056	46.6	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	103	.7		
	Total	8099	53.4		
	Total	15155	100.0		

ta8251 J19b: Number of cups of coffee teenager drinks per day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	48	.3	5.4	5.4
	1	549	3.6	61.6	67.0
	2	78	.5	8.8	75.8
	3	18	.1	2.0	77.8
	4	2	.0	.2	78.0
	5	1	.0	.1	78.1
	97 Occasionally	195	1.3	21.9	100.0
	Total	891	5.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6268	41.4		
	Total	14264	94.1		
	Total	15155	100.0		

ta8252 J19c: Number of spoons of sugar teenager has in each cup of coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	299	2.0	34.6	34.6
	1	321	2.1	37.2	71.8
	2	225	1.5	26.1	97.9
	3	15	.1	1.7	99.7
	4	2	.0	.2	99.9
	97 Occasionally	1	.0	.1	100.0
	Total	863	5.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	1	.0		
	-1 No response	6295	41.5		
	Total	14292	94.3		
	Total	15155	100.0		

ta8253 J19d: Number of cups of coffee teenager drinks that are real coffee (not instant)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	709	4.7	85.6	85.6
	1	86	.6	10.4	96.0
	2	3	.0	.4	96.4
	3	1	.0	.1	96.5
	5	1	.0	.1	96.6
	97 Occasionally	21	.1	2.5	99.2
	98 Lots	7	.0	.8	100.0
	Total	828	5.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6331	41.8		
	Total	14327	94.5		
	Total	15155	100.0		

TA File – Section J

ta8254 J19e: Number of cups of coffee teenager drinks that are decaffeinated

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	655	4.3	77.9	77.9
	1	155	1.0	18.4	96.3
	2	9	.1	1.1	97.4
	3	4	.0	.5	97.9
	97 Occasionally	12	.1	1.4	99.3
	98 Lots	6	.0	.7	100.0
	Total	841	5.5	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6318	41.7		
	Total	14314	94.5		
	Total	15155	100.0		

ta8255 J19f: Description of amount of milk in the coffee teenager drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No milk	31	.2	3.5	3.5
	2 A little milk	337	2.2	38.4	42.0
	3 About 1/4 milk	400	2.6	45.6	87.6
	4 About 1/2 milk	73	.5	8.3	95.9
	5 About 3/4 milk	10	.1	1.1	97.0
	6 Almost all milk	26	.2	3.0	100.0
	Total	877	5.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	6282	41.5		
	Total	14278	94.2		
	Total	15155	100.0		

TA File – Section J

ta8260 J20a: Teenager drinks herbal teas

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	52	.3	.7	.7
	2 Yes, occasionally	410	2.7	5.8	6.5
	3 No, not at all	6624	43.7	93.5	100.0
	Total	7086	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-8 Text response	1	.0		
	-1 No response	72	.5		
	Total	8069	53.2		
Total		15155	100.0		

ta8261 J20b: Number of cups of herbal tea teenager drunk in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	207	1.4	43.1	43.1
	1	124	.8	25.8	69.0
	2	59	.4	12.3	81.3
	3	39	.3	8.1	89.4
	4	13	.1	2.7	92.1
	5	13	.1	2.7	94.8
	6	7	.0	1.5	96.3
	7	10	.1	2.1	98.3
	8	1	.0	.2	98.5
	9	1	.0	.2	98.8
	14	2	.0	.4	99.2
	16	1	.0	.2	99.4
	97 Occasionally	3	.0	.6	100.0
	Total	480	3.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-9 Don't know	2	.0		
	-1 No response	6677	44.1		
	Total	14675	96.8		
Total		15155	100.0		

ta8270 J21: Other than herbal teas, teenager eats/drinks other health foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	302	2.0	4.6	4.6
	2 No	6215	41.0	95.4	100.0
	Total	6517	43.0	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	642	4.2		
	Total	8638	57.0		
		15155	100.0		

TA File – Section J

ta8280 J22a1: Frequency teenager drinks wine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > Once a week	12	.1	.2	.2
	2 Once a week	87	.6	1.3	1.4
	3 < Once a week	860	5.7	12.4	13.8
	4 Not at all	6001	39.6	86.2	100.0
	Total	6960	45.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	199	1.3		
	Total	8195	54.1		
	Total	15155	100.0		

ta8281 J22a2: Frequency teenager drinks beer/lager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > Once a week	6	.0	.1	.1
	2 Once a week	37	.2	.5	.6
	3 < Once a week	650	4.3	9.4	10.0
	4 Not at all	6248	41.2	90.0	100.0
	Total	6941	45.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	218	1.4		
	Total	8214	54.2		
	Total	15155	100.0		

ta8282 J22a3: Frequency teenager drinks spirits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > Once a week	1	.0	.0	.0
	2 Once a week	6	.0	.1	.1
	3 < Once a week	81	.5	1.2	1.3
	4 Not at all	6834	45.1	98.7	100.0
	Total	6922	45.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	237	1.6		
	Total	8233	54.3		
	Total	15155	100.0		

ta8283 J22a4: Frequency teenager drinks other alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	23	.2	.3	.3
	1 > Once a week	8	.1	.1	.5
	2 Once a week	33	.2	.5	.9
	3 < Once a week	459	3.0	6.8	7.7
	4 Not at all	6257	41.3	92.3	100.0
	Total	6780	44.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	379	2.5		
	Total	8375	55.3		
	Total	15155	100.0		

TA File – Section J

ta8285 J22b: Best description of teenager's alcohol drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Teenager has own glass containing adult portion	120	.8	1.7	1.7
	2 Teenager has own glass containing < adult portion	661	4.4	9.4	11.1
	3 Teenager just has a taste of other people's drink	1131	7.5	16.1	27.3
	4 Teenager rarely has any alcohol	1962	12.9	28.0	55.2
	5 Teenager never has any alcohol	3140	20.7	44.8	100.0
	Total	7014	46.3	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	145	1.0		
	Total	8141	53.7		
Total		15155	100.0		

ta8290 J23: Teenager is vegetarian

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	358	2.4	5.0	5.0
	2 No	6731	44.4	94.9	100.0
	3 Sometimes	2	.0	.0	100.0
	Total	7091	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	68	.4		
	Total	8064	53.2		
Total		15155	100.0		

ta8300 J24: Teenager is a vegan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	10	.1	.1	.1
	2 No	7069	46.6	99.9	100.0
	Total	7079	46.7	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	80	.5		
	Total	8076	53.3		
Total		15155	100.0		

TA File – Section J

ta8310 J25: Teenager is on other kind of special diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	166	1.1	2.3	2.3
	2 No	6929	45.7	97.7	100.0
	Total	7095	46.8	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-1 No response	64	.4		
Total	Total	8060	53.2		
		15155	100.0		

ta8311 J25a1: Teenager is on gluten free diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.1	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
Missing	-1 No response	7145	47.1		
	Total	15141	99.9		
		15155	100.0		

ta8312 J25a2: Teenager is on diabetic diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	17	.1	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
Missing	-1 No response	7142	47.1		
	Total	15138	99.9		
		15155	100.0		

ta8313 J25a3: Teenager is on nut free diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	56	.4	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
Missing	-1 No response	7103	46.9		
	Total	15099	99.6		
		15155	100.0		

ta8314 J25a4: Teenager is on other diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	101	.7	100.0	100.0
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
Missing	-1 No response	7058	46.6		
	Total	15054	99.3		
		15155	100.0		


Derived Variables: Dietary pattern Scores derived using Principal Components Analysis: TA8500 to TA8503

Please see the following papers for detailed information on how these scores were derived:

Northstone, K., Smith, A.D.A.C., Cribb V, L., Emmett, P. M., (2013). Dietary patterns in UK adolescents obtained from a dual-source FFQ and their associations with socio-economic position, nutrient intake and modes of eating. *Public Health Nutrition*: doi:10.1017/S1368980013001547


It should be noted that data from the TA file is combined with that obtained from the child completed questionnaire “Food and things”- The CCM files.

ta8500 DV: Scores for component 1 Traditional/Health conscious




ta8501 DV: Scores for component 2 Processed


TA File – Section J



ta8502 DV: Scores for component 3 Snacks/sugared drinks



ta8503 DV: Scores for component 4 Vegetarian



SECTION K:

K1. This questionnaire was completed by (please tick all that apply):

Yes	Yes		
a) teenager's biological mother	<input type="checkbox"/> 1	d) study teenager	<input type="checkbox"/> 1
b) teenager's mother-figure	<input type="checkbox"/> 1	e) someone else (please describe)	<input type="checkbox"/> 1
c) teenager's biological father	<input type="checkbox"/> 1		

[Editing: If all 5 parts had value -1 then they were set to -6, otherwise values of -1 were recoded to 2 "no".]

ta9980 K1a: Questionnaire completed by teenager's biological mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6900	45.5	97.1	97.1
	2 No	208	1.4	2.9	100.0
	Total	7108	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-6 Question K1 omitted	51	.3		
Total	Total	8047	53.1		
		15155	100.0		

ta9981 K1b: Questionnaire completed by teenager's mother figure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	30	.2	.4	.4
	2 No	7078	46.7	99.6	100.0
	Total	7108	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-6 Question K1 omitted	51	.3		
Total	Total	8047	53.1		
		15155	100.0		

ta9982 K1c: Questionnaire completed by teenager's biological father

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	176	1.2	2.5	2.5
	2 No	6932	45.7	97.5	100.0
	Total	7108	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-6 Question K1 omitted	51	.3		
Total	Total	8047	53.1		
		15155	100.0		

TA File – Section K

ta9983 K1d: Questionnaire completed by study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	437	2.9	6.1	6.1
	2 No	6671	44.0	93.9	100.0
	Total	7108	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-6 Question K1 omitted	51	.3		
	Total	8047	53.1		
Total		15155	100.0		

ta9984 K1e: Questionnaire completed by someone else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	81	.5	1.1	1.1
	2 No	7027	46.4	98.9	100.0
	Total	7108	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-6 Question K1 omitted	51	.3		
	Total	8047	53.1		
Total		15155	100.0		

Derived Variables

Number of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question K1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

ta9986 DV: Number of contributors to questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	6620	43.7	93.1	93.1
	2	461	3.0	6.5	99.6
	3	26	.2	.4	100.0
	4	1	.0	.0	100.0
	Total	7108	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-6 Question K1 omitted	51	.3		
	Total	8047	53.1		
Total		15155	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question K1. It is calculated by recoding values of 1 to powers of 2 (1, 2, 4, 8 and 16 for parts a to e respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

ta9987 DV: Questionnaire completed by...

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mother only	6422	42.4	90.3	90.3
	2 Mother figure only	15	.1	.2	90.6
	3 Mother and mother figure	14	.1	.2	90.8
	4 Father only	124	.8	1.7	92.5
	5 Mother and father	26	.2	.4	92.9
	8 Study teenager only	28	.2	.4	93.3
	9 Mother and study teenager	377	2.5	5.3	98.6
	12 Father and study teenager	4	.0	.1	98.6
	13 Mother, father and study teenager	17	.1	.2	98.9
	16 Other only	31	.2	.4	99.3
	17 Mother and other	34	.2	.5	99.8
	18 Mother figure and other	1	.0	.0	99.8
	20 Father and other	2	.0	.0	99.8
	21 Mother, father and other	2	.0	.0	99.8
	24 Study teenager and other	3	.0	.0	99.9
	25 Mother, study teenager and other	7	.0	.1	100.0
	29 Mother, father, study teenager and other	1	.0	.0	100.0
	Total	7108	46.9	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	-6 Question K1 omitted	51	.3		
	Total	8047	53.1		
Total		15155	100.0		

TA File – Section K

K2. Please give the date on which you completed this questionnaire:

day

month

year

11. 11. 11.

111

2	0	0	
---	---	---	--

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable TA9990c. The month and year of completion were retained on the built file, but the day was dropped.]

ta9990a K2: Date of completion of questionnaire - month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	853	5.6	11.9	11.9
	2 February	594	3.9	8.3	20.2
	3 March	403	2.7	5.6	25.8
	4 April	433	2.9	6.0	31.9
	5 May	434	2.9	6.1	38.0
	6 June	688	4.5	9.6	47.6
	7 July	634	4.2	8.9	56.4
	8 August	657	4.3	9.2	65.6
	9 September	480	3.2	6.7	72.3
	10 October	833	5.5	11.6	83.9
	11 November	740	4.9	10.3	94.3
	12 December	410	2.7	5.7	100.0
Missing	Total	7159	47.2	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	Total	7996	52.8		
Total		15155	100.0		

ta9990b K2: Date of completion of questionnaire - year

Variable: Date of completion of questionnaire - year		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2004	1996	13.2	27.9	27.9
	2005	4346	28.7	60.7	88.6
	2006	805	5.3	11.2	99.8
	2007	11	.1	.2	100.0
	2008	1	.0	.0	100.0
	Total	7159	47.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	Total	7996	52.8		
Total		15155	100.0		

ta9990c DV: Date of completion replaced with date of receipt

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, incomplete d.o.c.	103	.7	1.4	1.4
	2 Yes, illegal d.o.c.	1	.0	.0	1.5
	3 Yes, d.o.c. < d.o.s.	51	.3	.7	2.2
	4 Yes, d.o.c. > d.o.r.	35	.2	.5	2.7
	5 No	6969	46.0	97.3	100.0
Missing	Total	7159	47.2	100.0	
	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
Total		7996	52.8		
Total		15155	100.0		


TA File – Section K

Derived Variables - Age at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

ta9991a DV: Age of study child at completion (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	154	1	.0	.0	.0
	155	1	.0	.0	.0
	156	4	.0	.1	.1
	157	4789	31.6	66.9	67.0
	158	1156	7.6	16.1	83.1
	159	366	2.4	5.1	88.2
	160	232	1.5	3.2	91.5
	161	187	1.2	2.6	94.1
	162	141	.9	2.0	96.1
	163	82	.5	1.1	97.2
	164	46	.3	.6	97.8
	165	34	.2	.5	98.3
	166	27	.2	.4	98.7
	167	29	.2	.4	99.1
	168	15	.1	.2	99.3
	169	9	.1	.1	99.4
	170	7	.0	.1	99.5
	171	5	.0	.1	99.6
	172	9	.1	.1	99.7
	173	3	.0	.0	99.8
	174	2	.0	.0	99.8
	175	3	.0	.0	99.8
	177	3	.0	.0	99.9
	178	1	.0	.0	99.9
	182	1	.0	.0	99.9
	183	2	.0	.0	99.9
	184	2	.0	.0	100.0
	186	1	.0	.0	100.0
	193	1	.0	.0	100.0
	Total	7159	47.2	100.0	
Missing	-11 Triplet / quadruplet	6	.0		
	-10 Not completed	7990	52.7		
	Total	7996	52.8		
	Total	15155	100.0		

ta9991b DV: Age of study child at completion (weeks)

plus the following outliers <682 or >750

ta9991b DV: Age of study child at completion (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	673	1	4.3	4.3	4.3
	674	1	4.3	4.3	8.7
	751	2	8.7	8.7	17.4
	753	2	8.7	8.7	26.1
	755	1	4.3	4.3	30.4
	757	1	4.3	4.3	34.8
	760	1	4.3	4.3	39.1
	762	1	4.3	4.3	43.5
	764	2	8.7	8.7	52.2
	769	2	8.7	8.7	60.9
	773	1	4.3	4.3	65.2
	774	1	4.3	4.3	69.6
	793	1	4.3	4.3	73.9
	797	1	4.3	4.3	78.3
	800	2	8.7	8.7	87.0
	802	1	4.3	4.3	91.3
	809	1	4.3	4.3	95.7
	839	1	4.3	4.3	100.0
Total		23	100.0	100.0	

TA File – Section K

K3. Please give your date of birth:

day month year

19

K4. Please give your study teenager's date of birth:

day month year

199

[Editing: Note that these reported dates of birth were not used.]

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comments you would like to make

NB Please remember we cannot reply to any comment unless you sign it.

When completed, please return the questionnaire to:

**Professor Jean Golding
Children of the Nineties - ALSPAC
24 Tyndall Avenue
Bristol BS8 1BR
Tel: Bristol 928 8793**

For office use only
Coder *Int*

© University of Bristol

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

TA File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow "Post-It" sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder's responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder's marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person's work at regular intervals in order to strive for maximum accuracy.

TA File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

TA File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

Coding instructions for boy and girl first version (20/04/04) "My Teenage Son/Daughter"

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the "My Teenage Son/Daughter" replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires – 3rd revision" document.

In addition, make sure that any names or other identifiers of the respondent are obliterated.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 20/04/04.

If the questionnaire is all blank, e.g. the respondent didn't want to fill in the form, write "BLANK" on the front cover and hand it to the supervisor.

Page 3		
Section A		
A1 i, ii	8	
A2a-k	7	
Page 4		
A2 l-v	7	
A2w	7	If something relevant is written on the 'please describe' line, and there is no corresponding tick on A2w, please code A2w as zero to indicate a text response.
A3a-f	I	If there are multiple ticks including code 3, code as 3.
Page 5		
A3g-p	I	As A3a-f
A3q	I	As A3 a-f. If something relevant is written on the 'please describe' line, and there is no corresponding tick on A3q, please code A3q as zero to indicate a text response.
A4a	I	
A4b	II	
Page 6		
A4c 1 st admission -age	II	If part years given, round down to the next lower age.
A4c 1 st admission - reason		Not being coded here.
A4c 1 st admission – No. of nights	II	This is the number of midnights spent in hospital. If the child was discharged without staying overnight, or if it was day care only, code zeros.
A4c 2 nd , 3 rd admissions		As 1 st admission.

TA File – Appendix B

A4d 1 st admission	7	
A4d 2 nd , 3 rd admissions	7	As for 1 st admission
A5	7	
A5a		Please ensure that any relevant writing on the “please describe” area is matched by a ‘yes’ tick on A5. If it is not, please code a zero on A5 to indicate information in the ‘please describe’ section. Please note that the text response is not being coded here.
A5b	I	If there are multiple ticks, code as 3.
Page 7		
A5ci-x	I	For ci, cii, cix, and cx if a description is given, ensure that the accompanying box is ticked.
A5d	7	
A5e	II	
A5f	8	
Page 8		
A5g	II	
A5h	I	Please ensure that any relevant writing on the ‘please describe’ area is matched by a 'yes' tick on A5h.
A6a	I	
A6bi-vi	I	
A6bvii	I	Please ensure that any relevant writing on the ‘please describe’ area is matched by a 'yes' tick on A6bvii.
A6bviii	I	As A6bvii.
A7	I	
A7a	II	‘Lots’, ‘many’ etc = 98
Page 9		
A7b	I	If ‘Yes’ and ‘No’ are ticked code as 3.
A7c	8	<i>Except:</i> If 1 and 2 are ticked, code as 3.
A7d	I	
A7di	II	
A7dii		Text is not being coded here.
A7diii	I	
A7e	II	
A7f	I	
Please describe..		Text is not being coded here. Please ensure that any relevant writing on the ‘please describe’ area is matched by a 'yes' tick on

TA File – Appendix B

		A7f.
Page 10		
A8	I	If there are multiple ticks code any combination of 1, 2 and 3 as 3. Any combination that includes a 4, code as 4. If there are no ticks in A8 and there are relevant answers in parts a) to d), then code A8 as zero.
A8a	I	
A8b		Note that the text response is not being coded here.
A8c	I	
A8d If yes,...		If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A8c. Note that the text response is not being coded here.
A9a-e	8	
A10a-e	8	
Page 11		
A11	I	
A11a	I	
A12a-d	I	There should either be a tick or a blank here.
A12e	I	As A12a-d. If there is relevant text on the dotted line, ensure there is an accompanying tick in part e).
A13	8	
A14	7	
A15	8	
Page 12		
A16	II	If the child is unable to attend school at all, and if there is no number of days written, then code as 98. If number of days written is 100+, draw an extra box.
A17	I	
Page 12 Section B		
Box	I	If there is a tick in the box concerning the child's poor sight, B1 to B12 should contain no answers.
B1-B2	7	
Page 13		
B3	7	
B4-B6	8	

TA File – Appendix B

Page 14		
B7-B8	7	
B9	8	
B10	7	
Page 15		
B11	8	
B12	7	
B13	I	If there are multiple ticks code as 4.
B14	8	
Page 16 Section C		
C1-C5	I	If 1 and 2 are ticked code as 1. Any combination that includes code 3, code as 3. If C1-C5 are all answered as 'No, not at all', cross out any answers in C6.
C6a		The text is not being coded here. Do not delete it if no questions are ticked in C1 to C5.
C6b	8	
Page 17		
C6c	I	
C6ci, ii	I	There should either be a tick or a blank here.
C6ciii	I	As C6ci, ii. If there is relevant text in the 'please describe' area, ensure that the accompanying box is ticked.
Page 18 Section D		
D1a-j	7	
Page 19 Section E		
E1-E4	8	
E5-E7	7	
E8	8	
E9	I	
E10	I	If multiple ticks include 7, code as 7.
E11-12	I	

TA File – Appendix B

Page 20		
E13	8	If more than a week ago but less than 1 year is indicated, code as zero.
E14-E17	8	
E18-E19	7	
Page 21 Section F		
F1	I	If multiple ticks include 9, code as 9.
F2a	I	
F2ai-iv	I	There should be either a tick or a blank here. If there is text giving information about medicines, ensure that the accompanying box is ticked.
F2bi Name of medicine 1		Text is not being coded here
F2bi tick boxes	I	<p>If the <u>name</u> of the medicine is not stated, do not delete the ticked answer here.</p> <p>For multiple ticks: $1+3 = 3$, $2+3 = 2$, $1+2 = 4$, $1+2+3 = 4$, any number $+4 = 4$ (if moving the answer to code 4, state the code combination on the dotted line).</p> <p>For normal single replies, if the answer is code 3 or 4 ensure that any text describing the type of drink (code 3) or other information (code 4) is accompanied by a tick.</p>
Page 22		
F2bii, iii	I	As F2bi
Page 23		
F3a	I	
F3b Medicine A		Text is not being coded here
F3c Medicine A	I	If there is text it should only apply to 'other' type, in which case ensure that box 6 is ticked. For multiple ticks, code as 6 and write the combination 1+2 or whatever on the dotted line.
F3d Medicine A		Text is not being coded here.
F3e Medicine A	II	

TA File – Appendix B

F3b-e Medicines B and C		As Medicine A
Pages 24		
F4a-l Medicine A		There should only be a tick or a blank here.
F4m Medicine A		As F4a-l. If there is text in the 'please describe' area, ensure that the accompanying box is ticked.
F4a-m Medicines B and C		As Medicine A
Page 25		
F5 Medicine A	8	Text in the 'please describe' area must only apply to something <u>other</u> than a ticked answer above. Therefore, if the text describes something new, ensure the accompanying code 8 box is ticked.
F5 Medicines B and C	8	As Medicine A
Pages 26-27		
F6a-c Medicine A	I	There should be either a tick or a blank here.
F6ci-iv Medicine A	I	There should be either a tick or a blank here.
F6cv Medicine A	I	As i) – iv). If there is text in the 'please describe' area, ensure that the accompanying box is ticked.
F6d, e Medicine A	I	There should be either a tick or a blank here.
F6ei Medicine A	II	
Page 27		
F6f-j Medicine A		There should be either a tick or a blank here.
F7i-iv Medicine A		Text is not being coded here.
Pages 26-27 F6a-j and F7 Medicines B & C		As Medicine A
Page 28		

TA File – Appendix B

Section G		
G1a-h	7	
G2a-c	I	Code ‘sometimes’ as 3
Page 29		
G2d-h	I	As G2a-c
G3-G15	7	
Page 30 Section H		
H1a	II, II	Round fractions down. If the height is given in more than one form, leave them both in. If they have ticked the ‘don’t know’ box, delete any actual measurements given.
H1b	II, II	As for height measurements in H1a.
H1c		As H1a
H1d		As H1b
H2	I	For multiple ticks the order of preference is 1, 5, 2, 4, 3.
H3	8	
Page 31		
H4	8	
H5	I	
H6	I	
H7 – H10	8	
Page 32		
H11	I	If multiple ticks include 9, code as 9.
H12	8	
H13	I	
H13a	8	
H13b	I	If multiple ticks include 3, code as 3.
H13c		Text is not being coded here. If there is relevant text here, ensure that the Yes box is ticked above in H13 (not necessarily in H13b).
Page 33		

TA File – Appendix B

H14a-f	8	
H14g	8	If there is relevant text in the 'please describe' area but no box is ticked, code as zero to indicate text is present.
H14h	8	As H14g
H15a-d	I	If multiple ticks include 9, code as 9.
H15e	I	If multiple ticks include 3, code as 3.
Page 34		
H16	8	
H17a-d	8	
H18	8	
H19	8	Girl's questionnaire only
H19a	I	Girl's questionnaire only
Page 35		
Section I		
I1,4, 7, 9, 11, 14	7	
I2, 3, 5, 6, 8, 10, 12, 13, 15, 16	8	
Page 36		
I17, 20, 21, 25	7	
I18, 19, 22, 23, 24	8	
Page 37		
Section J		
J1ai	7	Except: if multiple ticks include 4, code as 4 and write the additional ticked code numbers on the dotted line. Please ensure that any relevant writing on the 'please describe' area is matched by a tick in box 4. Note that the text response is not being coded here.
J1aii		As J1ai
J1b	II	
J2	7	Please ensure that any relevant writing on the 'please describe' area is matched by a 'yes' tick on J2. If it is not, please code a zero on J2. Note that the text response is not being coded here.
J3a-e	7	
Page 38		

TA File – Appendix B

J4a	I	
J4b	7	If answered, ensure that Yes is ticked in J4a.
J4c	I	
J4d	7	As J4b.
Page 39		
J5a-h	8	Do not allow vegetarian versions here, except in J5c.
Page 40		
J5i-t	8	
Page 41		
J5u-y	8	
J6	7	
J7a-c	8	
Page 42		
J7d-n	8	
Page 43		
J7o-x	8	
Page 44		
J8a	II	If a number per month is stated, divide the number by 4. If this results in <1 code as 97 (rarely/occasionally). 'Lots' = 98.
J8b	II	If the respondent has answered 'per month' previously, then calculate as for J8a
J9a	II	As J8a
J9bi-iv	II	Occasional fruit code as 97.
J10a	I	
J10b	7	
Page 45		
J10c, d	7	
J10e	8	
J11a	7	
J11b, c	8	
J11d	II	Code 'all' or 'every time' as 90
Page 46		

TA File – Appendix B

J12a-e	8	
J13a-f	7	
J14ai, ii	II	If ‘sometimes’ or ‘occasionally’ or similar is written, code as 97.
J14bi, ii		As J14a
J14ci, ii		As J14a
Page 47		
J15ai, ii	I, I	
J15b-i		As J15a
J15j		As J15a. Please ensure that any relevant writing on the ‘please describe’ line is matched by a Yes tick on J15j in the correct i) or ii) column.
Page 48		
J16a-f	7	
J16g	7	Please ensure that any relevant writing on the ‘please describe’ line is matched by a ‘yes’ tick on J16g. If it is not, please code a zero on J16g to indicate information in the ‘please describe’ section
J17a-e	8	
J18a	I	
Page 49		
J18b		If they indicate occasional consumption, e.g. 1 or 2 per week, code as 97. If a range, code the upper limit. If answered, ensure Yes is ticked in J18a.
J18c	II	As J18b. Do not include sweeteners. Round up fractions of spoons.
J18d	II	As J18b. ‘All’ = 98.
J18e	7	
J19a	I	
J19b	II	As J18b. If answered, ensure Yes is ticked in J19a.
J19c	II	As J18b. Do not include sweeteners. Round up fractions of spoons.
J19d, e	II	As J18b. ‘All’ = 98.
J19f	7	
Page 50		
J20a	7	
J20b	II	If they indicate occasional consumption, e.g. once a month, code as 97. If a range, code the upper limit.
J20c		Text is not being coded here.

TA File – Appendix C

J21	I	
J21 If yes.....	Not being coded here	Please ensure that any relevant writing on the 'please describe' area is matched by a 'yes' tick on J21. If it is not, tick the Yes box in J21.
J22ai-iii	7	
J22aiv	7	Please ensure that any relevant writing on the 'please describe' line is matched by a Yes tick on J22aiv. If it is not, please code a zero on J22aiv, to indicate information in the 'please describe' section.
Page 51		
J22b	7	
J23	I	Code 'sometimes' as 3.
J24	I	Code 'sometimes' as 3.
J25	I	
J25ai-iii	I	If there are any positive answers in part a) ensure that Yes is ticked in J25.
J25aiv	I	Please ensure that any relevant writing on the 'please describe' line is matched by a Yes tick on J25aiv.
Page 52		
Section K		
K1a-d		There should be a tick or a blank here
K1e		As K1a-d. If there is relevant writing on the dotted line, ensure the accompanying box in K1e is ticked.
K2	IV	If left blank, copy date that the form was returned from the front cover.
K3	IV	
K4	IV	The year number should be 0, 1, 2 or 3. If any other year is written, strike out, leaving just the day and month. If left blank, copy the date of birth from label on the front cover, using 99 for the day.
Bottom of Page 52		
Coder		Insert your initials here.
Int.		If the questionnaire was completed with the aid of an interviewer, there will be initials here.

END OF QUESTIONNAIRE

MyTeenSonDaugh (20/04/04) Amended June 2006 Sheila Preece

03/08/04

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. If a response was not received after 3 weeks a reminder letter was sent. If there had still not been a response after a further 3 weeks then a second reminder was sent out. If there was still no response 3 weeks after the second reminder had been sent then the case was flagged as being eligible for personal contact by a member of the Family Liaison Team.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20, separately for the male and female versions.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of SPSS data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were put together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifiers ALN & QLET. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variable for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letters “ta” which are followed by four digits and

occasionally a further letter. Then the data from the back page (section K) were edited as described in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t know” to -9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to -8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don’t know	The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”.
-10	Not completed	No completed questionnaire is available for this case. Variable TA0007a = 2 for all such cases.