THE ALSPAC STUDY

E FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Me and My Baby

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 4f of the built file.

January 2019

© University of Bristol

CONTENTS

The ALSPAC Study

Study eligibility criteria Enrolment Questionnaire administration during pregnancy Time of administration

Contents of questionnaire

Coding

Format of the variable descriptors Administration of questionnaires

The variables References Subject index

THE ALSPAC STUDY

This survey is an ongoing longitudinal study of a population of children born to mothers resident in a geographic area.

Study Eligibility Criteria

To be eligible for the study, mothers had to be resident in Avon while pregnant. In addition, their expected date of delivery had to lie between 1st April 1991 and 31st December 1992 inclusive. Mothers who were resident in the area but left shortly after enrolment were omitted from further follow-up. However, those who had completed the questionnaire scheduled for the third trimester of pregnancy before leaving the study area, have been kept in the study, even if they had not delivered at the time of moving.

The study area is well-defined, consisting of that part of the county of Avon that was also within the South West Regional Health Authority. It therefore excludes Bath and district.

Enrolment

Work prior to the start of enrolment in September 1990 had involved meetings with midwives and discussion with groups representing general practitioners as well as detailed discussion with obstetricians in the area.

Posters were printed for display in a variety of different places - including chemist shops, libraries, mother and toddler groups, and pre-school playgroups, general practitioner waiting-rooms, antenatal clinics and any other area where a mother in early pregnancy was likely to be. In addition, there was considerable local and national coverage in the press, radio and television.

The poster displayed the logo of the study 'Children of the Nineties' and asked interested pregnant mothers to get in touch with the study team. In addition, the local community midwives when interviewing the mother for the first time discussed the study with her, and gave her a card with which to send for further details.

The card that the mother completed and sent to the study office contained her full name and date of birth, her address, her last menstrual period, and expected date of delivery.

Once the card had been received at the study office, a brochure was sent to the mother. This outlined the reason for carrying out the study and explained that the mothers themselves would not benefit tangibly, but that the major benefits were likely to be for the next generation. It informed the mother that there was no compulsion for her to take part, and that even if she started within the study she was free to opt out at any point. Thirdly it emphasised the confidential nature of the information that would be collected, and promised that at no time would the names of the mother and/or child be linked to the confidential information collected. Fourthly, it explained that biological samples would be taken, but that these would not be analysed without the signed permission of the mother, and finally it stated that the information given would also be linked to information from the medical records unless the mother let us know that she did not want us to do this. The mother was told in this brochure that we would assume that she wanted to take part in the study unless she informed us otherwise.

A telephone number (the Children of the Nineties hotline) was given for parents to ring. This hotline is manned by volunteers who have been instructed in the confidential nature of the study. They are advised not to do any counselling or persuading, but rather to take messages which are then acted upon by appropriate members of the study team. In instances where parents ring to request help, they are given, if possible, the appropriate telephone number of an organisation set up to perform this type of service.

Questionnaire administration

The questionnaire 'Me and My Baby' was sent to the mother 8 weeks after the child was born. It was accompanied by a questionnaire for the partner entitled 'Being a Father'.

Contents of Questionnaire

This questionnaire was sent to the mother 8 weeks after the birth of the baby. It had 7 sections and was 32 pages long.

Section A. Labour & Delivery

Information was sought on where the baby was born, how the mother felt on going into labour and how much she enjoyed the various facets of labour and delivery. It asked about the equipment used, who delivered the baby, the types of pain-relief and who made the decision as to which pain relief to have, the position the mother was in, and whether her partner, mother or other person was present to support her. In general, the way in which the mother retrospectively viewed birth as a wonderful experience or otherwise was determined and she was allowed to make comments.

Section B. Your Health & Lifestyle in Pregnancy

This section asked for information concerning the various symptoms in the last months of pregnancy. These questions were similar to those in Section B2 of 'Having a Baby'. Information on admission to hospital during pregnancy, and the mother's health during the last 4 weeks of pregnancy were also obtained. Current consumption of caffeine and decaffeinated beverages such as cola, tea and coffee were obtained. Data on smoking in the last two months of pregnancy with the dose, and the habits since having the baby, with dose and type of cigarettes were obtained. Similar information was collected for the partner. The mother was asked whether she had smoked while in labour.

Information on marijuana smoking was obtained for the last two months of pregnancy and since having a baby as were the questions on illicit drugs and alcohol consumption. In addition to the frequency of alcohol consumed, a question on binging in the past month was also asked. Details of antenatal and parent-craft classes with the number of times attended and place attended and whether the partner had also attended were also asked.

Section C. Your Health Now

A battery of 25 questions asked about various symptoms that the mother might have had since having the baby and the duration of those symptoms. Many of these were chosen to mirror the symptoms asked in the post-partum study of MacArthur et al [28]. The mother was also asked about her own hospital admissions since having the baby and whether the baby was admitted as well. She was asked about frequency of currently taking contraceptive pill, iron, vitamins, pills for depression, pain killers and others. She was also asked to list all the preparations taken since the baby was born, with the number of days during which she took each preparation. Current weight and whether she had had a post-natal check-up were also obtained.

Section D. Your Feelings

This section was identical to Section D of 'Having a Baby' in that it asked the questions from the Crown-Crisp Experiential Index and the Edinburgh Post-Natal Depression Scale. In addition, it asked whether the mother had been feeling at all depressed and the question, 'on the whole are there more good days than bad?'.

Section E. Life Events

The life events from the middle of pregnancy until the current stage were obtained. The life events selected were very similar to those asked in 'Having a Baby' Section F. In addition, the mother was asked how much she had been affected by having the baby.

Section F. Looking After Your Baby

This concerned the mother's difficulties with the baby, how many hours sleep she was currently getting and whether she perceived herself as having enough sleep. It asked whether she managed to get out now that she had the baby and also asked about the job situation of the mother and her partner. Details of childcare when the mother was not at home were obtained, as was information on childcare that had been used for previous siblings. For mothers who were not currently in paid work, the mother was asked whether she was likely to start before the baby was 1 year old and if so, what arrangements for looking after the baby were likely to be chosen.

Section G. Support and Help

The first 10 questions of this section were similar to the perceived social support questions first asked in 'About Yourself'. In addition, the mother was asked how much help she had had with various household tasks, and who had helped.

Coding

Most of the self-completion responses are self-coding - the ticked reply box contains a printed number then can be directly keyed. A few questions invite a textual reply, and some participants also amplify a tick response with comments.

Returned questionnaires are coded by our staff. They have to check that each question has no more than one ticked response, and that any comments do not materially affect the sense of the response. On a few occasions they also need to convert dates and similar variables to a standard format. There are rules for each variable, for how to interpret problems such as multiple ticking, or rounding of ages, where months are given and years were requested. All coding is cross-checked by a second person and then keyed and verified.

In general, where more than one box was ticked there was a rule that the 'worst' code would be used. This was indicated by a coding rule such that L indicated that the lower code be used, H the higher. Where no such rules could be made the coding supervisor made a decision.

Textual replies to questions are dealt with separately. The range of responses to a given question is enormous, the variety of questions asked is also large, and this gives problems of maintaining coding consistency across a range of specialist areas, e.g. drugs, accidents, occupations, and environmental exposures. The problem is resolved by keying all written responses into a word processor, splitting the responses by question type, so that finally all the replies to one question are available together in one file. This can then be coded semi-automatically by a specialist in that field. Accuracy and consistency are thus ensured without the expense of training the basic coders in all the different disciplines required.

Format of the variable descriptors

In all that follows:

- i) Each question will be quoted verbatim in italics (with differences between the questionnaire versions, where they exist).
- ii) The coding rule(s) used by the ALSPAC coders will be indicated in square brackets;
- iii) The editing assumptions made preparing this computer file in round brackets;
- iv) The variable no. on file, with the rubic used;
- v) A table of frequencies.

Administration of questionnaires

The first printing of MMB was a version finalished on 18th January 1991. This, however, was found to have a number of errors which were corrected in the 2nd version (8th May 1991). The 3rd (15th July 1991) and 4th versions (6th February 1992) had only minor changes.

The numbers of pregnancies concerned in the data base for which MMB was completed and returned was 11689 (out of an estimated 13998 pregnancies resulting in livebirths surviving to 8 weeks - a response rate of 83.5%). [Mothers were invited to return the questionnaire blank if they had no time or did not want to complete them. These have been omitted from this data set].

| E001 Question | onnaire ver | sion: E fil | .e | | | |
|---------------|-------------|-------------|-----------|---------|------------------|----------------|
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| 250491 | | 1 | 3130 | 26.8 | 26.8 | 26.8 |
| 071191 | | 2 | 1579 | 13.5 | 13.5 | 40.3 |
| 060292 | | 3 | 3935 | 33.7 | 33.7 | 73.9 |
| 180892 | | 4 | 3045 | 26.1 | 26.1 | 100.0 |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11689 | Missing c | ases 0 | | | |

UPDATE SUMMARY

Built version 4b - April 2007

Undocumented changes based on text responses relating to infections.

Built version 4c – December 2008

- The undocumented changes made in creating version 4b have been dropped, but may be reintroduced in a controlled manner in a future update. The changes described below are therefore changes from version 4a.
- 2 records identified as belonging to ineligible pregnancies were removed. Due to extension of direct access to ALSPAC data to non-ALSPAC staff and in order to comply with guidance issued in 1996 by the ALSPAC Law & Ethics Committee regarding the confidentiality of multiple pregnancies 2 records for triplet and quadruplet pregnancies were removed.
- The redundant variable INS was removed.
- The sample size has therefore dropped from 11,714 to 11,710. Note that the frequency tables in this documentation have not been updated.

Built version 4d – January 2009

The measurement variables previously held on the separate EW file have been added to the main E file. For 38 cases that were on the E file but not the EW file variables EW001 & EW002 were set to -1. The EW variables are from question C7. The documentation has been inserted at the relevant points in this documentation file but since the variables start "EW" rather than "E" the variables have been placed at the end of the data file.

Built version 4e - September 2018

The previous version of the file has had the following data added:

• Variable e694 shows the maternal age in years on completion of the questionnaire Label updating, affecting e001, e009, e181, e302, e610 and e612.

Built version 4f – January 2019

• Variable e180 removed for confidentiality, data available on request, tar and nicotine content variables calculated from e180 are in the dataset (e182 & e183).

SECTION A: LABOUR AND DELIVERY

[The first version of this questionnaire (E001=1) started on the inside of the front cover for the first time. Many mothers did not realise this and started at p3 as usual. For the second version, and thereafter, a pointer was added to p3]

Where did you have your baby? *A1*.

| | At home | Southmead | | Weston (| ВМН | |
|---|----------------|-----------------------------|--|--|--|--------------------------------------|
| | Other | (please | describe) | | | |
| E002 Wh | nere baby born | | | Vali | d Cum | |
| Value Label | | Value | Frequency | | | |
| At home Southmead Western gene BMH Other Missing | ral | 1 2 3 4 5 -1 | 188 6009 668 4028 160 636 | 1.6 51.4 5.7 34.5 1.4 5.4 | 1.7 54.4 6.0 36.4 1.4 Missing | 1.7 56.1 62.1 98.6 100.0 |
| Valid cases | 11053 M | lissing c | ases 636 | | | |

Place of birth was identified also from the birth notifications which were available to the study. Where the mother had not completed question A1, the missing data was edited in to variable E003.

| E003 | Where baby born | | | | | |
|-----------|-----------------|----------|-----------|---------|---------|---------|
| | _ | | | | Valid | Cum |
| Value Lab | pel | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| At home | | 1 | 201 | 1.7 | 1.7 | 1.7 |
| Southmead | l | 2 | 6321 | 54.1 | 54.2 | 56.0 |
| Western g | general | 3 | 719 | 6.2 | 6.2 | 62.1 |
| BMH | | 4 | 4246 | 36.3 | 36.4 | 98.6 |
| Other | | 5 | 160 | 1.4 | 1.4 | 99.9 |
| Outside t | he area | 6 | 7 | .1 | .1 | 100.0 |
| Missing | | -1 | 35 | .3 | Missing | |
| | | mo+ol | 11689 | 100.0 | 100.0 | |
| | | Total | 11009 | 100.0 | 100.0 | |
| Valid cas | es 11654 M | issina c | ases 35 | | | |

A2. How did you feel when you first went into labour (or to have your caesarean section)?

| | Not at all | A little | Moderately | Very much so |
|--------|------------|----------|------------|--------------|
| afraid | | | | |

- a)
- *b*) uncertain
- *c*) calm
- excited d)
- happy e)

| E004 Af | | T 3 D | | | | |
|-------------------------|----------------------|-----------|--------------|--------------|-----------------|---------------|
| | raid during | LAB | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| Not at all | | 1 | 4015 | 34.3 | | 36.5 |
| A little Moderately | | 2 | 4791 1286 | 41.0 11.0 | 43.6 11.7 | 80.1 91.8 |
| V much so | | 4 | 907 | 7.8 | 8.2 | 100.0 |
| Missing | | -1 | 690 | 5.9 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 10999 | Missing c | ases 690 | | | |
| | | | | | | |
| E005 Un | certain duri | na IAB | | | | |
| | cercain duri | _ | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| Not at all | | 1 | 3954 | 33.8 | 36.0 | 36.0 |
| A little | | 2 | 4687 | 40.1 | 42.6 | 78.6 |
| Moderately V much so | | 3 4 | 1556 799 | 13.3 6.8 | 14.2 7.3 | 92.7 100.0 |
| Missing | | -1 | 693 | 5.9 | | 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 10996 | | ases 693 | | | |
| varia cases | 10330 | missing c | | | | |
| | | | | | | |
| E006 Ca | lm during L <i>P</i> | ΔB | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| Not at all | | 1 | 2292 | 19.6 | 20.8 | 20.8 |
| A little | | 2 | 1774 | 15.2 | 16.1 | 37.0 |
| Moderately | | 3 | 4918 | 42.1 | 44.7 | 81.7 |
| V much so | | 4 -1 | 2013 692 | 17.2 5.9 | 18.3 | 100.0 |
| Missing | | -1 | 092 | 3.9 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 10997 | Missing c | ases 692 | | | |
| | | | | | | |
| E007 Ex | cited during | g LAB | | | | |
| 77 - 1 T - 1 1 | | 77-3 | | Danie | Valid | |
| Value Label | | value | Frequency | Percent | Percent | Percent |
| Not at all | | 1 | | 12.3 | 13.0 | 13.0 |
| A little | | 2 | 2112 | 18.1 | 19.2 | 32.2 |
| Moderately V much so | | 3 4 | 2904 4552 | 24.8 38.9 | 26.4 41.4 | 58.6 100.0 |
| Missing | | -1 | 689 | 5.9 | | 100.0 |
| | | Total | 11689 | 100.0 | 100 0 | |
| Valid cases | 11000 | | | | | |
| valid cases | 11000 | MISSING C | ases 689 | | | |
| | | | | | | |
| Е008 На | ppy during I | LAB | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | | |
| Not at all | | 1 | | | | |
| A little | | 2 | 1648 | 14.1 | 15.0 | 29.8 |
| Moderately | | 3 | 2895 | 24.8 | 26.3 | 56.2 |
| V much so Missing | | 4 -1 | 4820 694 | 41.2 5.9 | 43.8 Missing | 100.0 |
| | | Total | | | | |
| | | | | | 100.0 | |
| Valid cases | 10995 | Missing c | ases 694 | | | |

Derived variable: Labour score

The variables E004 and E005 were recoded 1,2,3,4 = 4,3,2,1 and then the labour score computed as: E009 = E004 + E005 + E006 + E007 + E008 the higher the score, the more positive the mother.

| E009 DV: | A2: | Positively | scaled la | bour score: | E file | | |
|-----------|-----|------------|-----------|-------------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| | | | | | | | |
| | | | 5 | 31 | .3 | .3 | .3 |
| | | | 6 | 42 | . 4 | . 4 | .7 |
| | | | 7 | 106 | .9 | 1.0 | 1.6 |
| | | | 8 | 380 | 3.3 | | |
| | | | 9 | 337 | 2.9 | 3.1 | 8.2 |
| | | | 10 | 515 | 4.4 | 4.7 | 12.8 |
| | | | 11 | 551 | 4.7 | 5.0 | 17.9 |
| | | | 12 | 644 | 5.5 | 5.9 | 23.7 |
| | | | 13 | 875 | 7.5 | 8.0 | 31.7 |
| | | | 14 | 1253 | 10.7 | 11.4 | 43.1 |
| | | | 15 | 1193 | 10.2 | 10.9 | 53.9 |
| | | | 16 | 1292 | 11.1 | 11.8 | 65.7 |
| | | | 17 | 1404 | 12.0 | 12.8 | 78.5 |
| | | | 18 | 1175 | 10.1 | 10.7 | 89.2 |
| | | | 19 | 752 | 6.4 | 6.8 | 96.0 |
| | | | 20 | 438 | 3.7 | 4.0 | 100.0 |
| Missing | | | -1 | 701 | 6.0 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 10988 | Missing o | cases 701 | | | |

A3. How did you feel while you were having the baby:

neglected okay warmly supported other (please describe)

E011 Feelings during delivery

| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent |
|---|-------|------------------------|-----------------------------------|-----------------------------------|---------------------------------------|------------------------------|
| Neglected OK Warm support Other Missing | | 1 2 3 4 -1 | 171 2232 7911 632 743 | 1.5 19.1 67.7 5.4 6.4 | 1.6 20.4 72.3 5.8 Missing | 1.6 22.0 94.2 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 10946 | Missing c | ases 743 | | | |

A4. In general, did you feel in control of what the doctors and midwives were doing to you during labour?

yes, always yes, most of the time only some of the time no, hardly at all

didn't have any labour

did not have doctor or midwife

[The option 'didn't have any labour' was not in 1st version]

| E012 | E012 Felt control over DR/midwives in LAB | | | | | | | |
|-----------|---|---------|-----------|---------|---------|---------|--|--|
| | | | | | Valid | Cum | | |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent | | |
| | | | | | | | | |
| Y always | | 1 | 3997 | 34.2 | 34.4 | 34.4 | | |
| Y mostly | | 2 | 4951 | 42.4 | 42.6 | 76.9 | | |
| Y SMTS | | 3 | 1359 | 11.6 | 11.7 | 88.6 | | |
| N hardly | at all | 4 | 688 | 5.9 | 5.9 | 94.5 | | |
| No DR/MW | | 5 | 57 | .5 | .5 | 95.0 | | |
| No LAB | | 7 | 582 | 5.0 | 5.0 | 100.0 | | |
| Missing | | -1 | 55 | .5 | Missing | | | |
| | | | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | |
| Valid cas | es 11634 Mi | ssing c | ases 55 | | | | | |
| varia cas | 00 11001 111 | g c | 4505 | | | | | |

A5. During labour, when you needed assistance did you:

feel unable to ask feel you could ask, but didn't ask for help

didn't have any labour

[The option 'didn't have any labour' was not in 1st version]

| E013 Feelings about asking for help in LAB | | | | | | |
|--|----------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| Unable to | ask | 1 | 284 | 2.4 | 2.5 | 2.5 |
| Didnt ask | but able | 2 | 1242 | 10.6 | 10.7 | 13.2 |
| Asked for | help | 3 | 9457 | 80.9 | 81.8 | 95.0 |
| No LAB | | 7 | 582 | 5.0 | 5.0 | 100.0 |
| Missing | | -1 | 124 | 1.1 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11565 | Missing c | ases 124 | | | |
| vallu cas | 62 11303 | MISSING C | ases 124 | | | |

A6. Who delivered your baby?

not sure doctor midwife medical student student midwife other (please describe)

E015 Person who delivered baby

| | | | _ | | Valid | Cum |
|-------------|-------|-----------|-----------|---------|---------|---------|
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| | | | 100 | 4 - | 4 5 | 4 - |
| DK | | 1 | 196 | 1.7 | 1.7 | 1.7 |
| DR | | 2 | 2061 | 17.6 | 18.0 | 19.7 |
| MW | | 3 | 6920 | 59.2 | 60.4 | 80.1 |
| MED student | | 4 | 142 | 1.2 | 1.2 | 81.3 |
| Student MW | | 5 | 764 | 6.5 | 6.7 | 88.0 |
| Other | | 6 | 1377 | 11.8 | 12.0 | 100.0 |
| Missing | | -1 | 229 | 2.0 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11460 | Missing c | ases 229 |) | | |

A7. How did the equipment used on you during labour make you feel: very confident

did not effect me
upset me
didn't have any labour
no equipment was used
I was unaware of equipment used
something else (please describe)

[Options with codes 6 and 7 were not included in 1st version]

| E016 | Feelings | on LAB | equipment | - | | | |
|-----------|----------|--------|------------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| V confide | nt | | 1 | 3503 | 30.0 | 30.3 | 30.3 |
| No effect | | | 2 | 3978 | 34.0 | 34.4 | 64.7 |
| Upset MUM | | | 3 | 701 | 6.0 | 6.1 | 70.8 |
| No EQPT | | | 4 | 1784 | 15.3 | 15.4 | 86.2 |
| Unaware o | f EQPT | | 5 | 560 | 4.8 | 4.8 | 91.1 |
| SMTG else | | | 6 | 447 | 3.8 | 3.9 | 95.0 |
| No LAB | | | 7 | 582 | 5.0 | 5.0 | 100.0 |
| Missing | | | -1 | 134 | 1.1 | Missing | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 1155 | 5 | Missing ca | ases 134 | | | |

A8. a) Did you have any form of pain relief in labour?

Yes No Did not have any labour

[The option 'didn't have any labour' was not included in 1st version]

E020 Pain relief in LAB

| | | | | Vali | .d Cum | 1 |
|-------------|-------|-----------|-----------|---------|---------|---------|
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| Y | | 1 | 9525 | 81.5 | 81.9 | 81.9 |
| N | | 2 | 1527 | 13.1 | 13.1 | 95.0 |
| No LAB | | 7 | 582 | 5.0 | 5.0 | 100.0 |
| Missing | | -1 | 55 | .5 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11634 | Missing o | ases 55 | | | |

b) Who decided whether or not you had any pain relief?

Yes No Don't know i) doctors ii) midwives iii) me iv) my partner

[Mothers often ticked only the 'yes' options to (i) - (v). For simplicity thereafter, all not coded 'yes'

'not known' were coded to 'no']

v)

E021 DR decided on pain relief

| Value Label | Value | Frequency | Percent | Valid Percent | Cum Percent |
|-------------|------------|------------------|---------|------------------|----------------|
| Y N | 1 2 | | 89.2 | | 8.9 98.0 |
| DK | 9 Total | 232 11689 | 2.0 | 2.0 | 100.0 |

other (please describe)

Valid cases 11689 Missing cases 0

E022 Midwives decided on pain relief

| | | | | Valid | Cum |
|-------------|-------|-----------|---------|-------|-------|
| Value Label | Value | Frequency | Percent | | |
| Υ | 1 | 3871 | 33.1 | 33.1 | 33.1 |
| N | 2 | 7679 | 65.7 | 65.7 | 98.8 |
| DK | 9 | 139 | 1.2 | 1.2 | 100.0 |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| | | | | | |

Valid cases 11689 Missing cases 0

| E023 MUN | 1 decided on pa | in relie | ef | | Valid | Cum |
|-------------|-----------------|----------|---------------|---------|------------------|-----|
| Value Label | | Value | Frequency | Percent | | |
| Y N | | 1 2 | 10283 1406 | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11689 Mis | ssing ca | ases 0 | | | |
| E024 Pai | tner decided or | n pain r | relief | | | |
| Value Label | | Value | Frequency | Percent | Valid Percent | |
| Y N | | | 1866 9823 | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11689 Mis | ssing ca | ases 0 | | | |

[v) 'other was labelled v) 'someone else' in the 1st version]

| E025 | Others decide | d on pain r | elief | | | |
|--------------|---------------|-------------|--------------------|-------------------|-------------------|----------------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Y N DK | | 1 2 9 | 195 11408 86 | 1.7 97.6 .7 | 1.7 97.6 .7 | 1.7 99.3 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11689 | Missing c | ases 0 | | | |

c) Were you happy with this decision?

| | Yes | | No | | Un | sure |
|-----------------------------|------------------|-------------------|----------------------------|---------------------------|-------------------------------|-----------------------|
| E026 I | Happy with decis | ion | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | |
| Y N Unsure Missing | | 1 2 9 -1 | 10452 326 460 451 | 89.4 2.8 3.9 3.9 | 93.0 2.9 4.1 Missing | 93.0 95.9 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11238 M | issina c | ases 451 | | | |

d) Were any of the following types of pain relief used?

Yes No Don't know

- i) general anaesthetic
- ii) epidural anaesthetic
- iii) pethidine injection
- iv) gas and air
- v) other (please describe)

[Mothers often ticked only the 'yes' options. For simplicity thereafter, all not coded 'yes' or 'not known' were coded to 'no']

| E030 Ger | neral anaes | thetic used | | | 77-7-1-1 | C |
|--|----------------------|---|---|--|---|--------------------------------------|
| Value Label | | Value | Frequency | Percent | Valid Percent | |
| Y N | | 1 2 | 11101 | 5.0 95.0 | 95.0 | |
| | | Total | 11689 | | | |
| Valid cases | 11689 | Missing c | ases 0 | | | |
| | | | | | | |
| E031 Ep: | idural anae | sthetic use | d | | Valid | Ciim |
| Value Label | | Value | Frequency | Percent | | |
| Y N | | 1 2 | 8632 | | 73.8 | 26.2 100.0 |
| | | Total | 11689 | | | |
| Valid cases | 11689 | Missing c | ases 0 | | | |
| | | | | | | |
| | | | | | | |
| E032 Pet | thidine inj | ection used | | | | |
| E032 Per | _ | | Frequency | | id Cu Percent | |
| | _ | | Frequency 3485 8204 | Percent 29.8 70.2 | 29.8 70.2 | Percent |
| Value Label | _ | Value 1 2 | Frequency | 29.8 70.2 | 29.8 70.2 | Percent 29.8 |
| Value Label | | Value 1 2 Total | 3485 8204 11689 | 29.8 70.2 | 29.8 70.2 | Percent 29.8 |
| Value Label Y N | | Value 1 2 Total | 3485 8204 11689 | 29.8 70.2 | 29.8 70.2 | Percent 29.8 |
| Value Label Y N | 11689 | Value 1 2 Total Missing c | 3485 8204 11689 | 29.8 70.2 | 29.8 70.2 100.0 | 29.8 100.0 |
| Value Label Y N Valid cases | 11689 s & air use | Value 1 2 Total Missing c | 3485 8204 11689 ases 0 | 29.8 70.2 | 29.8 70.2 100.0 | Percent 29.8 100.0 |
| Value Label Y N Valid cases E033 Gas | 11689 s & air use | Value 1 2 Total Missing c | Frequency 3485 8204 11689 ases 0 Frequency 8674 | 29.8 70.2 100.0 Percent | 29.8 70.2 100.0 Valid Percent | Percent 29.8 100.0 Cum Percent 74.2 |
| Value Label Y N Valid cases E033 Gas Value Label Y | 11689 s & air use | Value 1 2 Total Missing c d Value 1 2 | Frequency 3485 8204 11689 ases 0 Frequency 8674 | Percent 29.8 70.2 100.0 Percent 74.2 25.8 | 29.8 70.2 100.0 Valid Percent 74.2 25.8 | Percent 29.8 100.0 Cum Percent 74.2 |

| E034 | Other pain re | lief | | | | |
|-----------|---------------|-----------|---------------|---------|------------------|----------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Y N | | 1 2 | 1121 10568 | 9.6 | 9.6 | 9.6 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11689 | Missing c | ases 0 | | | |

Derived variable

The data from E030-E034 were used to derive a variable indicating the strongest analgesic/anaesthetic, using the 'pecking' order such that precedence was given to general anaesthetic, epidural, pethidine, gas and air, other, in that order.

| E035 | Analgesia in | n labour | | | | |
|-----------|--------------|-----------|-----------|---------|------------------|----------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent |
| G A | | 1 | 588 | 5.0 | 5.0 | 5.0 |
| Epidural | | 2 | 2865 | 24.5 | 24.5 | 29.5 |
| Pethidine | | 3 | 2440 | 20.9 | 20.9 | 50.4 |
| G & A | | 4 | 4340 | 37.1 | 37.1 | 87.5 |
| Other | | 5 | 208 | 1.8 | 1.8 | 89.3 |
| None | | 6 | 1248 | 10.7 | 10.7 | 100.0 |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11689 | Missing c | ases 0 | | | |

A8. e) Did you have a caesarean section?

| Yes after | No | Yes and |
|-----------|----|------------|
| being in | | never had |
| labour | | any labour |

[The first version of this question just had the options 'yes' and 'no'.] These have therefore been combined together as follows:

| E040 | Had | caesarean | section | | | | |
|---|-----|-----------|-------------|----------------------------------|--------------------|--------------------|----------------------|
| Value Labe | el | | Value | Frequency | Percent | Valid Percent | |
| CS no labo CS in labo CS NAD Not CS Missing | | | 2 3 4 | 533 421 244 10406 85 | 3.6 2.1 89.0 | 3.6 2.1 89.7 | 8.2 10.3 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es | 11604 | Missing c | ases 85 | | | |
| E041 | Had | caesarean | section | | | | |
| Value Labe | el | | Value | Frequency | Percent | Valid Percent | |
| Yes No Missing | | | 2 | 1198 10406 85 | 89.0 | 89.7 | 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es | 11604 | Missing c | ases 85 | | | |

A9. How was the pain? in labour during delivery

worse than I expected what I had expected better than I expected did not feel any pain I did not know what to expect other (please describe)

[When more than 1 box ticked, the one with the lower code was taken]

[The first version just had 1 question 'How was the pain during labour and delivery? In order for these mothers to be represented in E045, E046, the answers to the question in the first questionnaire were coded into both.

[N.B. options 5 and 6 were not included in 1st version]

| E045 Pain level in | LAB | | | | |
|----------------------|-----------|-----------|---------|---------|---------|
| 1 | | _ | | Valid | |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Worse than expected | 1 | 3273 | 28.0 | 30.5 | 30.5 |
| As expected | 2 | 4047 | 34.6 | 37.7 | 68.3 |
| Better than expected | 3 | 2450 | 21.0 | 22.9 | 91.1 |
| No pain | 4 | 307 | 2.6 | 2.9 | 94.0 |
| No expectation | 5 | 577 | 4.9 | 5.4 | 99.4 |
| Other | 6 | 68 | .6 | .6 | 100.0 |
| Missing | -1 | | 8.3 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 10722 | Missing c | ases 967 | | | |
| E046 Pain level in | delivery | | | | |
| | | | | Valid | |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Worse than expected | 1 | 3065 | 26.2 | 29.5 | 29.5 |
| As expected | 2 | 3175 | 27.2 | 30.6 | 60.1 |
| Better than expected | 3 | 2417 | 20.7 | 23.3 | 83.4 |
| No pain | 4 | 1134 | 9.7 | 10.9 | 94.4 |
| No expectation | 5 | 495 | 4.2 | 4.8 | 99.1 |
| Other | 6 | 89 | .8 | .9 | 100.0 |
| Missing | -1 | 1314 | 11.2 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 10375 | Missing c | ases 1314 | | | |

A10. labour

Were you able to get into the positions that were most comfortable for you during

and delivery?

in labour during delivery

no, hardly at all yes, some of the time yes, all of the time

[When more than 1 box ticked, the one with the lower code was taken]

[The first version of the questionnaire just gave 1 set of answers for labour and delivery combined. These

answers have therefore been edited in to both E048 and E049.

| E050 In preferred p | osition du | ring LAB | | 777.11 | C |
|--|-------------------|-----------------------------------|------------------------------|---------------------------------|----------------|
| Value Label | Value | Frequency | Percent | Valid Percent | |
| N hardly at all Y SMTS Y always Missing | 1 2 3 -1 | 1938 4749 4296 706 | 40.6 36.8 | | 60.9 |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 10983 | Missing c | ases 706 | i | | |
| E051 In preferred p | osition du | ring delive | ry | | |
| E051 In preferred p | | ring delive Frequency | - | Valid Percent | Cum Percent |
| 1 7 7 7 | | Frequency 2620 3790 4035 | Percent 22.4 32.4 | 25.1 36.3 38.6 | 25.1 61.4 |
| Value Label N hardly at all Y SMTS Y always | Value | Frequency 2620 3790 4035 | Percent 22.4 32.4 34.5 10.6 | 25.1 36.3 38.6 Missing | 25.1 61.4 |

A11. In the first stage of labour what was your position?

| All the | Most of | Sometimes | Never |
|---------|----------|-----------|-------|
| time | the time | | |

- a) lying
- b) sitting
- c) standing/walking

[When more than 1 box ticked, the one with the higher code as taken]

| E053 Ly | ing in 1ST s | tage of LA | В | | | _ |
|--|---------------|------------------------|----------------------|-------------------------------------|--|-----------------------|
| Value Label | | Value | Frequency | Percent | Valid Percent | |
| Always Mostly SMTS Never Missing | | 1 2 3 4 -1 | 1520 3737 4457 | 11.2 13.0 32.0 38.1 5.6 | 13.8 33.9 | 25.7 59.6 100.0 |
| | | Total | 11689 | | 100.0 | |
| Valid cases | 11029 | Missing c | ases 660 | | | |
| E054 Si | tting in 1ST | stage of | LAB | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | | |
| Always Mostly SMTS Never Missing | | 1 2 3 4 -1 | 1572 5187 3793 | 13.4 44.4 32.4 | 4.3 14.3 47.0 34.4 Missing | 18.6 65.6 |
| | | Total | 11689 | | 100.0 | |
| Valid cases | 11029 | Missing c | ases 660 | | | |
| E055 St | anding/walki: | ng in 1ST | stage of LA | В | | |
| Value Label | | Value | Frequency | Percent | Valid Percent | |
| Always Mostly SMTS Never Missing | | 1 2 3 4 -1 | 3035 3814 2814 | 11.7 26.0 32.6 24.1 5.6 | 27.5 34.6 25.5 Missing | 39.9 74.5 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11029 | Missing c | ases 660 | | | |

d) other (please describe)[when more than 1 box ticked, the one with the higher code was taken][If description was given but no box ticked, '0' was coded]

| E056 | Other | r position | in 1ST st | age of LAB | | | |
|-----------|-------|------------|-----------|------------|---------|------------------|----------------|
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Yes, nos | | | 0 | 182 | 1.6 | 1.7 | 1.7 |
| Always | | | 1 | 134 | 1.1 | 1.2 | 2.9 |
| Mostly | | | 2 | 338 | 2.9 | 3.1 | 5.9 |
| SMTS | | | 3 | 670 | 5.7 | 6.1 | 12.0 |
| Never | | | 4 | 9705 | 83.0 | 88.0 | 100.0 |
| Missing | | | -1 | 660 | 5.6 | Missing | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es : | L1029 | Missing o | ases 660 |) | | |

A12. What position were you in at delivery?

lying on back
lying on side
standing
kneeling not known
crouching
other position please describe)

[when more than 1 box ticked, the one with the higher code was taken] [If more than 1 box was ticked, 'other' was coded]

| E059 | Position at d | elivery | | | | |
|---|---------------|-------------------|---------------------------|---------------------------|-------------------------------|-----------------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent |
| On back On side Standing | | 1 2 3 | 8231 744 48 | 70.4 | 75.8 6.9 .4 | 75.8 82.6 83.1 |
| Kneeling Crouching Other Missing | | 4 5 6 -1 | 299 136 1403 828 | 2.6 1.2 12.0 7.1 | 2.8 1.3 12.9 Missing | 85.8 87.1 100.0 |
| - | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 10861 | Missing c | ases 828 | | | |

A13. Who did you have with you?

in labour during delivery

Yes No Yes No

a) my husband/partner
b) my mother
c) other friend or relative

The question in the first questionnaire asked 'who did you have with you during labour and delivery?' without distinguishing between the two. The answers to this version have therefore been assumed true of both labour and delivery. Option '(d) no one' was only included in 1st version.

Some mothers tended to tick only the relevant 'yes' responses and leave the rest blank. All not yes codes have therefore been put to 'no'.

| E060 | PTNR with N | MUM during LAB | | | | _ | | |
|---|---------------------------------|---|---|--|---|---------------------------------------|--|--|
| Value Lak | pel | Value | Frequency | Percent | Valid Percent | | | |
| Y N | | 1 2 | 10173 1516 | 87.0 13.0 | 87.0 13.0 | 87.0 100.0 | | |
| | | Total | 11689 | 100.0 | 100.0 | | | |
| Valid cas | ses 11689 | Missing c | ases 0 | | | | | |
| E061 | PTNR with N | MUM during del | ivery | | TT - 7 1 4 | Q | | |
| Value Lak | pel | Value | Frequency | Percent | Valid Percent | | | |
| Y N | | 1 2 | 9848 1841 | 84.3 15.7 | 84.3 15.7 | 84.3 100.0 | | |
| | | Total | 11689 | | | | | |
| Valid cas | ses 11689 | Missing c | ases 0 | | | | | |
| E062 MOTHER with MUM during LAB | | | | | | | | |
| E062 | MOTHER with | n MUM during L | AB | | 77-7-1 | Quant | | |
| E062 Value Lak | | <u> </u> | AB Frequency | | Valid Percent | | | |
| | | <u> </u> | Frequency 912 10777 | 7.8 92.2 | 7.8 92.2 | Percent 7.8 | | |
| Value Lak | | Value 1 2 | Frequency 912 10777 | 7.8 92.2 | 7.8 92.2 | Percent 7.8 | | |
| Value Lak Y N | pel | Value 1 2 | 912 10777 11689 | 7.8 92.2 | 7.8 92.2 | Percent 7.8 | | |
| Value Lak Y N Valid cas | pel ses 11689 | Value 1 2 Total | 912 10777 11689 ases 0 | 7.8 92.2 | 7.8 92.2 100.0 | 7.8 100.0 | | |
| Value Lak Y N Valid cas | pel ses 11689 MOTHER with | Value 1 2 Total Missing c MUM during d | 912 10777 11689 ases 0 | 7.8 92.2 | 7.8 92.2 100.0 | 7.8 100.0 | | |
| Value Lak Y N Valid cas | pel ses 11689 MOTHER with | Value 1 2 Total Missing c MUM during d | 912 10777 11689 ases 0 elivery Frequency 676 11013 | 7.8 92.2 100.0 Percent 5.8 94.2 | 7.8 92.2 100.0 Valid Percent 5.8 94.2 | 7.8 100.0 Cum Percent 5.8 | | |
| Value Lak Y N Valid cas E063 Value Lak | pel ses 11689 MOTHER with | Value 1 2 Total Missing c Mum during d Value 1 2 | 912 10777 11689 ases 0 elivery Frequency 676 11013 | 7.8 92.2 | 7.8 92.2 100.0 Valid Percent 5.8 94.2 | 7.8 100.0 Cum Percent 5.8 | | |

| E064 C | ther friend/ | REL with MUI | M during LA | В | | |
|-------------|--------------|--------------|--------------|---------|------------------|--|
| Value Label | | Value | Frequency | Percent | Valid Percent | |
| Y N | | | 792 10897 | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11689 | Missing ca | ases 0 | | | |
| E065 C | ther friend/ | REL with MU | M in delive | ry | | |
| Value Label | | Value | Frequency | Percent | Valid Percent | |
| Y N | | | 569 11120 | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11600 | | ases O | | | |

Derived variables

From the variables E060, E062, E064, the variable E068 with mother in labour was created, only 1 category of response being allowed - partner, mother and other taking precedence in that order. When none of these had been ticked, the variable was put to 'no one'.

| E068 | With mother is | n labour | | | | |
|-----------|----------------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| Partner | | 1 | 10173 | 87.0 | 87.0 | 87.0 |
| Mother | | 2 | 315 | 2.7 | 2.7 | 89.7 |
| Other | | 3 | 213 | 1.8 | 1.8 | 91.5 |
| No one | | 4 | 988 | 8.5 | 8.5 | 100.0 |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| | | | | | | |
| Valid cas | es 11689 | Missing c | ases 0 | 1 | | |

The variable E069 with mother at delivery was derived in a similar way to E068.

| E069 Wi | th mother at | delivery | | | | |
|-------------|--------------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| Partner | | 1 | 9848 | 84.3 | 84.3 | 84.3 |
| Mother | | 2 | 299 | 2.6 | 2.6 | 86.8 |
| Other | | 3 | 198 | 1.7 | 1.7 | 88.5 |
| No one | | 4 | 1344 | 11.5 | 11.5 | 100.0 |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11689 | Missing c | ases 0 | | | |
| | | | | | | |

Were there lots of different staff coming in and out of the room while you were in labour?

yes a lot yes, quite a few no, hardly any other, please describe

[When more than 1 box ticked, the one with the lower code was taken]

[The option 'other please describe' was not included in the 1st version; For the later versions, if more than 1 box ticked 'other' was coded.

| E070 | Many | staff | around | during | LAB | | | |
|------------|------|--------|--------|----------|-----------|---------|---------|---------|
| | | | | | | | Valid | Cum |
| Value Labe | el | | | Value | Frequency | Percent | Percent | Percent |
| Y lots | | | | 1 | 926 | 7.9 | 8.4 | 8.4 |
| Y quite a | few | | | 2 | 2415 | 20.7 | 21.9 | 30.3 |
| N hardly a | any | | | 3 | 7527 | 64.4 | 68.2 | 98.4 |
| Other | | | | 4 | 173 | 1.5 | 1.6 | 100.0 |
| Missing | | | | -1 | 648 | 5.5 | Missing | |
| | | | | m1 | 11689 | 100.0 | 100.0 | |
| | | | | Total | 11009 | 100.0 | 100.0 | |
| Valid case | es | 11041 | Mis | ssing ca | ases 648 | | | |
| | | T.C | | | | | | |
| | | If yes | , | | | | | |

b) how did you feel about this?

distressed/annoyed not bothered by it pleased other (please describe)

[If more than 1 box ticked 'other' was coded]

| E071 | Feelings | about | many staf | f during LA | В | | |
|-----------|-----------|-------|-----------|-------------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Distresse | d-annoyed | | 1 | 303 | 2.6 | 7.5 | 7.5 |
| Not bothe | red | | 2 | 3042 | 26.0 | 75.5 | 83.1 |
| Pleased | | | 3 | 499 | 4.3 | 12.4 | 95.5 |
| Other | | | 4 | 183 | 1.6 | 4.5 | 100.0 |
| Missing | | | -1 | 7662 | 65.5 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 402 | 7 | Missing c | ases 7662 | | | |

A15. Did you feel that you lost control of the way you behaved during labour and delivery?

in labour during delivery

yes, most of the time yes, for some of the time no, not at all not applicable (unconscious)

[When more than 1 box ticked, the one with the lower code was taken]

[The first version of the questionnaire did not distinguish between loss of control in labour from at delivery. The responses to the first version have therefore been combined with the responses to both labour and delivery in the later questionnaires.]

| E073 Lost control | of behaviou | r in LAB | | | |
|---|---------------------------|----------------------------|--------------------------------|---------------------------------------|------------------------------|
| | | | | Valid | Cum |
| Value Label | | Frequency | | | |
| Y mostly | | 598 | | | |
| Y SMTS | 2 | 3569 | 30.5 | 32.2 | 37.6 |
| Not at all | 3 | 6803 | 58.2 | 61.5 | 99.1 |
| NA | 7 | 100 | .9 | .9 | 100.0 |
| Missing | | 619 | | | |
| | | | | | |
| | | 11689 | | 100.0 | |
| Valid cases 11070 | Missing c | ases 619 | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| E074 Lost control | of behaviou | r in Delive | ry | | |
| E074 Lost control | of behaviou | r in Delive | - | Valid | Cum |
| E074 Lost control | | r in Delive Frequency | - | | |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Value Label Y mostly | Value 1 | Frequency | Percent | Percent 7.4 | Percent 7.4 |
| Value Label Y mostly Y SMTS | Value 1 2 | Frequency 803 3697 | Percent 6.9 31.6 | 7.4 34.3 | 7.4 41.7 |
| Value Label Y mostly Y SMTS Not at all | Value 1 2 3 | 803 3697 6079 | Percent 6.9 31.6 52.0 | 7.4 34.3 56.4 | 7.4 41.7 98.1 |
| Value Label Y mostly Y SMTS Not at all NA | Value 1 2 3 7 | 803 3697 6079 203 | Percent 6.9 31.6 52.0 1.7 | 7.4 34.3 56.4 1.9 | 7.4 41.7 98.1 100.0 |
| Value Label Y mostly Y SMTS Not at all | Value 1 2 3 7 | 803 3697 6079 | Percent 6.9 31.6 52.0 1.7 | 7.4 34.3 56.4 1.9 | 7.4 41.7 98.1 100.0 |
| Value Label Y mostly Y SMTS Not at all NA | Value 1 2 3 7 -1 | 803 3697 6079 203 | Percent 6.9 31.6 52.0 1.7 7.8 | 7.4 34.3 56.4 1.9 Missing | 7.4 41.7 98.1 100.0 |

A16. Was the birth a wonderful experience for you?

| | Yes | | No | Not sure | | |
|-------------------------------|-------------|-------------------|-----------------------------|-----------------------------|---------------------------------|-----------------------|
| E080 | Found birth | a wonderful | experience | | Valid | Cum |
| Value Labe | el | Value | Frequency | Percent | | Percent |
| Y N Not sure Missing | | 1 2 3 -1 | 7150 2262 2119 158 | 61.2 19.4 18.1 1.4 | 62.0 19.6 18.4 Missing | 62.0 81.6 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 11531 | Missing o | cases 158 | | | |

A17. Space for any comments you might like to make about the delivery of your baby:

Comments were made by 5800 mothers:

| E081 | Comments on b | irth | | | | |
|-----------|---------------|-----------|--------------|--------------|------------------|----------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Yes No | | 1 2 | 5800 5889 | 49.6 50.4 | 49.6 50.4 | 49.6 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11689 | Missing c | ases 0 | | | |

DENTAL CARE

[This section was added using a sticky label in many of the 3rd versions and was printed in all of the 4th versions]

A18. Did you go to the dentist during this pregnancy?

| | | Yes | | No | | | | | | |
|---------------------------------|------|------------|-----------------------|-----------------------------------|---------------------------------|------------------------------------|--------------------------|--|--|--|
| E090 | Visi | ted dentis | Valid | Cum | | | | | | |
| Value Labe Y N Missing | el | | Value 1 2 -1 | Frequency 4135 1344 6210 | Percent 35.4 11.5 53.1 | Percent 75.5 24.5 Missing | Percent 75.5 100.0 | | | |
| | | | Total | 11689 | 100.0 | 100.0 | | | | |
| Valid case | es | 5479 | Missing c | ases 6210 | | | | | | |
| | | If yes | | | | | | | | |

i) how many fillings did you have? (If none put 00)

| E091 | NO of | fillings | | | | | |
|-----------|-------|----------|-----------|-----------|---------|---------|---------|
| | | _ | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| | | | 0 | 4350 | 37.2 | 80.0 | 80.0 |
| | | | 1 | 599 | 5.1 | 11.0 | 91.0 |
| | | | 2 | 299 | 2.6 | 5.5 | 96.5 |
| | | | 3 | 102 | .9 | 1.9 | 98.4 |
| | | | 4 | 48 | . 4 | .9 | 99.3 |
| | | | 5 | 12 | .1 | .2 | 99.5 |
| | | | 6 | 15 | .1 | .3 | 99.8 |
| | | | 7 | 2 | .0 | .0 | 99.8 |
| | | | 8 | 6 | .1 | .1 | 99.9 |
| | | | 9 | 3 | .0 | .1 | 100.0 |
| Missing | | | -1 | 6253 | 53.5 | Missing | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 5436 | Missing c | ases 6253 | 1 | | |

months

ii) how many months pregnant were you when you had the first one?

| E092 | MTHS | PREG | at | 1ST | filling | | | | |
|-----------|------|------|----|-----|-----------|-----------|---------|---------|---------|
| | | | | | | | | Valid | Cum |
| Value Lab | pel | | | | Value | Frequency | Percent | Percent | Percent |
| | | | | | 0 | 471 | 4.0 | 25.8 | 25.8 |
| | | | | | 1 | 29 | .2 | 1.6 | 27.4 |
| | | | | | 2 | 119 | 1.0 | 6.5 | 34.0 |
| | | | | | 3 | 227 | 1.9 | 12.5 | 46.4 |
| | | | | | 4 | 270 | 2.3 | 14.8 | 61.2 |
| | | | | | 5 | 226 | 1.9 | 12.4 | 73.6 |
| | | | | | 6 | 238 | 2.0 | 13.1 | 86.7 |
| | | | | | 7 | 134 | 1.1 | 7.4 | 94.0 |
| | | | | | 8 | 89 | .8 | 4.9 | 98.9 |
| | | | | | 9 | 20 | .2 | 1.1 | 100.0 |
| Missing | | | | | -1 | 9866 | 84.4 | Missing | |
| | | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | ses | 1823 | | M | issing ca | ases 9866 | | | |

SECTION B: YOUR HEALTH AND LIFESTYLE IN PREGNANCY

B1. During the last months of pregnancy (from 7 months onwards) did you experience any of the following:-

| Yes, in | No, not | Don't |
|-----------|-----------|-------|
| last | in last | know |
| months of | months of | |
| pregnancy | pregnancy | |

- a) nausea/feeling sick
- *b)* vomiting
- c) diarrhoea
- d) vaginal bleeding
- e) jaundice
- f) urinary infection
- g) influenza
- h) rubella (german measles)
- j) thrush (candida)
- k) genital herpes
- *l)* other infection (please describe)
- m) injury or shock to you (please describe)
- n) sugar in urine
- o) x-ray
- p) ultrasound scan
- *q)* something else (please describe)

[For all the above, women often just ticked those 'yes' categories that applied to them and left other questions blank. Very few mothers ticked 'not known' box (ó 1.6%). These questions have therefore been edited so that any response that is not 'yes' is put to 'no'}

| E100 | 100 Nausea in PREG from 7MTHS on Valid Cum | | | | | | | | | | |
|-------------------|---|--------------|---------------------|--------------------|-------------------------|---------|--|--|--|--|--|
| Value Labe | 1 | Value | Frequency | Percent | | | | | | | |
| Y N Missing | | 2 | 2744 8895 50 | 76.1 | 76.4 | 100.0 | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | | | | |
| Valid case | s 11639 | Missing ca | ases 50 | | | | | | | | |
| E101 | Vomiting in PRE | G from 7M | THS on | | | | | | | | |
| Value Labe | :1 | Value | Fromionau | Danie | Valid | Cum | | | | | |
| | | | rrequency | Percent | Percent | Percent | | | | | |
| Y N Missing | | 1 2 | 1415 10224 50 | 12.1 87.5 | 12.2 87.8 | Percent | | | | | |
| N | | 1 2 -1 | 1415 10224 | 12.1 87.5 .4 | 12.2 87.8 Missing | Percent | | | | | |

| E102 Dia | arrhoea in PR | EG from 7 | MTHS on | | | |
|---|---------------------------|---|---|---|---|--------------------------------|
| Value Label | | Value | Frequency | Percent | Valid Percent | |
| Y | | 1 | | | 20.0 | |
| N Missing | | 2 -1 | | | 80.0 Missing | 100.0 |
| 111001119 | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11639 | Missing c | ases 50 | | | |
| E103 Va | ginal bleedin | g in PREG | from 7MTHS | on | Valid | Cum |
| Value Label | | Value | Frequency | Percent | | |
| Y | | 1 | | | 4.6 | |
| N Missing | | 2 -1 | | 95.0 .4 | 95.4 Missing | 100.0 |
| - | | Total | 11689 | | | |
| Valid cases | 11639 | Missing c | ases 50 | | | |
| E104 Jai | undice in PRE | G from 7M | THS on | | | |
| Value Label | | | Frequency | Dercon+ | Valid | |
| value Label | | value | | | | |
| Y N | | 1 2 | 14 11625 | .1 99 5 | .1 99.9 | .1 100.0 |
| Missing | | -1 | 50 | . 4 | Missing | 100.0 |
| | | Total | 11689 | | 100.0 | |
| Valid cases | 11639 I | Missina c | ases 50 | | | |
| varia cases | 11000 | riibbing c | abeb 50 | | | |
| | | | | | | |
| E105 Ur: | inary infection | on in PRE | G from 7MTH | S on | | |
| E105 Ur. | inary infection | | G from 7MTH Frequency | | Valid Percent | |
| | inary infectio | | Frequency | Percent | | Percent |
| Value Label Y N | inary infectio | Value 1 2 | Frequency 709 10930 | Percent 6.1 93.5 | Percent 6.1 93.9 | Percent 6.1 |
| Value Label | inary infection | Value | Frequency | Percent 6.1 93.5 | Percent 6.1 | Percent 6.1 |
| Value Label Y N | inary infection | Value 1 2 | 709 10930 50 | Percent 6.1 93.5 .4 | Percent 6.1 93.9 Missing | Percent 6.1 |
| Value Label Y N Missing | inary infection | Value 1 2 -1 Total | 709 10930 50 11689 | 6.1 93.5 .4 | Percent 6.1 93.9 Missing | Percent 6.1 |
| Value Label Y N Missing Valid cases | | Value 1 2 -1 Total Missing c | 709 10930 50 11689 ases 50 | 6.1 93.5 .4 | Percent 6.1 93.9 Missing | Percent 6.1 |
| Value Label Y N Missing Valid cases | 11639 | Value 1 2 -1 Total Missing c | 709 10930 50 11689 ases 50 | 6.1 93.5 .4 100.0 | 6.1 93.9 Missing 100.0 | Percent 6.1 100.0 |
| Value Label Y N Missing Valid cases E106 In: | 11639 | Value 1 2 -1 Total Missing c | 709 10930 50 11689 ases 50 MTHS on Frequency | 93.5 .4 100.0 | 6.1 93.9 Missing 100.0 | Cum Percent |
| Value Label Y N Missing Valid cases E106 In: Value Label Y N | 11639 | Value 1 2 -1 Total Missing c EG from 7 Value 1 2 | 709 10930 50 11689 ases 50 MTHS on Frequency 529 11110 | Percent 6.1 93.5 .4 100.0 Percent 4.5 95.0 | 6.1 93.9 Missing 100.0 Valid Percent 4.5 95.5 | Cum Percent 4.5 100.0 |
| Value Label Y N Missing Valid cases E106 In: Value Label Y | 11639 | Value 1 2 -1 Total Missing c EG from 7 Value 1 2 -1 | 709 10930 50 11689 ases 50 MTHS on Frequency 529 11110 50 | Percent 6.1 93.5 .4 100.0 Percent 4.5 95.0 .4 | Percent 6.1 93.9 Missing 100.0 Valid Percent 4.5 95.5 Missing | Cum Percent 4.5 100.0 |
| Value Label Y N Missing Valid cases E106 In: Value Label Y N | 11639 | Value 1 2 -1 Total Missing c EG from 7 Value 1 2 -1 | Frequency 709 10930 50 11689 ases 50 MTHS on Frequency 529 11110 50 | Percent 6.1 93.5 .4 100.0 Percent 4.5 95.0 .4 | Percent 6.1 93.9 Missing 100.0 Valid Percent 4.5 95.5 Missing | Cum Percent 4.5 100.0 |
| Value Label Y N Missing Valid cases E106 In: Value Label Y N Missing | 11639 | Value 1 2 -1 Total Missing c EG from 7 Value 1 2 -1 Total | 709 10930 50 11689 ases 50 MTHS on Frequency 529 11110 50 11689 | Percent 6.1 93.5 .4 100.0 Percent 4.5 95.0 .4 100.0 | Percent 6.1 93.9 Missing 100.0 Valid Percent 4.5 95.5 Missing | Cum Percent 4.5 100.0 |
| Value Label Y N Missing Valid cases E106 In: Value Label Y N Missing Valid cases | 11639 I | Value 1 2 -1 Total Missing c EG from 7 Value 1 2 -1 Total Missing c | 709 10930 50 11689 ases 50 MTHS on Frequency 529 11110 50 11689 ases 50 | Percent 6.1 93.5 .4 100.0 Percent 4.5 95.0 .4 100.0 | Percent 6.1 93.9 Missing 100.0 Valid Percent 4.5 95.5 Missing 100.0 | Cum Percent 4.5 100.0 |
| Value Label Y N Missing Valid cases E106 In: Value Label Y N Missing Valid cases | 11639 fluenza in PRI | Value 1 2 -1 Total Missing c EG from 7 Value 1 2 -1 Total Missing c from 7MT | 709 10930 50 11689 ases 50 MTHS on Frequency 529 11110 50 11689 ases 50 | Percent 6.1 93.5 .4 100.0 Percent 4.5 95.0 .4 100.0 | Percent 6.1 93.9 Missing 100.0 Valid Percent 4.5 95.5 Missing 100.0 | Cum Percent 4.5 100.0 |
| Value Label Y N Missing Valid cases E106 In: Value Label Y N Missing Valid cases E107 Rul Value Label Y | 11639 fluenza in PRI | Value 1 2 -1 Total Missing c EG from 7 Value 1 2 -1 Total Missing c from 7MT Value 1 | 709 10930 50 11689 ases 50 MTHS on Frequency 529 11110 50 11689 ases 50 HS on Frequency | Percent 6.1 93.5 .4 100.0 Percent 4.5 95.0 .4 100.0 | Percent 6.1 93.9 Missing 100.0 Valid Percent 4.5 95.5 Missing 100.0 | Cum Percent 4.5 100.0 |
| Value Label Y N Missing Valid cases E106 In: Value Label Y N Missing Valid cases E107 Rul Value Label Y N Value Label | 11639 fluenza in PRI | Value 1 2 -1 Total Missing c EG from 7 Value 1 2 -1 Total Missing c from 7MT Value | 709 10930 50 11689 ases 50 MTHS on Frequency 529 11110 50 11689 ases 50 HS on Frequency | Percent 6.1 93.5 .4 100.0 Percent 4.5 95.0 .4 100.0 Percent | Percent 6.1 93.9 Missing 100.0 Valid Percent 4.5 95.5 Missing 100.0 Valid Percent | Cum Percent 4.5 100.0 |
| Value Label Y N Missing Valid cases E106 In: Value Label Y N Missing Valid cases E107 Rul Value Label Y | 11639 fluenza in PRI | Value 1 2 -1 Total Missing c EG from 7 Value 1 2 -1 Total Missing c from 7MT Value 1 2 -1 | 709 10930 50 11689 ases 50 MTHS on Frequency 529 11110 50 11689 ases 50 HS on Frequency | Percent 6.1 93.5 .4 100.0 Percent 4.5 95.0 .4 100.0 Percent .0 99.6 .4 | Percent 6.1 93.9 Missing 100.0 Valid Percent 4.5 95.5 Missing 100.0 Valid Percent .0 0.0 Missing | Cum Percent 4.5 100.0 |
| Value Label Y N Missing Valid cases E106 In: Value Label Y N Missing Valid cases E107 Rul Value Label Y N Missing | 11639 fluenza in PRI | Value 1 2 -1 Total Missing c EG from 7 Value 1 2 -1 Total Missing c from 7MT Value 1 2 -1 Total Total | 709 10930 50 11689 ases 50 MTHS on Frequency 529 11110 50 11689 ases 50 HS on Frequency | Percent 6.1 93.5 .4 100.0 Percent 4.5 95.0 .4 100.0 Percent .0 99.6 .4 100.0 | Percent 6.1 93.9 Missing 100.0 Valid Percent 4.5 95.5 Missing 100.0 Valid Percent .0 0.0 Missing | Cum Percent 4.5 100.0 |

| E108 Thrush in PRE | 108 Thrush in PREG from 7MTHS on Valid Cum | | | | | | | | | |
|--------------------|---|---------------------|---------|------------------|-------|--|--|--|--|--|
| Value Label | Value | Frequency | Percent | | | | | | | |
| Y N Missing | 1 2 -1 | 1470 10169 50 | | 87.4 | | | | | | |
| | Total | 11689 | 100.0 | 100.0 | | | | | | |
| Valid cases 11639 | Missing ca | ases 50 | | | | | | | | |
| E109 Genital herpe | s in PREG f | rom 7MTHS o | n | | | | | | | |
| Value Label | Value | Frequency | Percent | Valid Percent | | | | | | |
| Y | 1 | | .3 | | | | | | | |
| N | | 11606 | | | 100.0 | | | | | |
| Missing | -1 | 50 | .4 | Missing | | | | | | |
| | Total | 11689 | 100.0 | 100.0 | | | | | | |
| Valid cases 11639 | | | | | | | | | | |

For the other infection category, if a description given but no box ticked, this was recoded to yes.

| E110 | Other infect: | ion in PREG f | from 7MTHS | on | | |
|-------------------|---------------|---------------|--------------------|-------------------|------------------------|----------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Y N Missing | | 1 2 -1 | 412 11227 50 | 3.5 96.0 .4 | 3.5 96.5 Missing | 3.5 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11639 | Missing ca | ases 50 | | | |

Derived variable

Any infection since 7 months. This was obtained if any of E105 - E110 = 1

| E111 Any | / infection | | | | | |
|----------------------|-------------|--------------|--------------------|--------------------|-------------------------|----------------|
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Yes No Missing | | 1 2 -1 | 2645 8994 50 | 22.6 76.9 .4 | 22.7 77.3 Missing | 22.7 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11639 | Missing c | ases 50 | | | |

If an injury or shock was described, but no box ticked, this was coded to 'yes'

| E112 | Injui | y or | shock | in | PREG | fro | om 7M | THS | on | | | | | | |
|-----------|-------|------|-------|-----|--------|------|-------|-----|-----|------|---|--------|---|-------|----|
| | | | | | | | | | | | | Valid | | Cum | |
| Value Lab | el | | | , | Value | Fı | reque | ncy | Pei | cent | P | ercent | E | ercer | ıt |
| Y | | | | | 1 | | 6 | 19 | | 5.3 | | 5.3 | | 5.3 | 3 |
| N | | | | | 2 | | 110 | 20 | 9 | 94.3 | | 94.7 | | 100.0 |) |
| Missing | | | | | -1 | | | 50 | | . 4 | М | issing | | | |
| | | | | | | | | | | | - | | | | |
| | | | | | Total | | 116 | 89 | 10 | 0.0 | | 100.0 | | | |
| Valid cas | es 1 | 1639 | | Mis | sing (| case | es | 50 | | | | | | | |

| E113 Sugar in urine in PREG from 7MTHS on Valid Cum | | | | | | | | | | |
|---|-----------|--------------------|---------|------------------|-------|--|--|--|--|--|
| Value Label | Value | Frequency | | | | | | | | |
| Y N Missing | 2 | 2386 9253 50 | 79.2 | 79.5 Missing | 100.0 | | | | | |
| | Total | 11689 | | | | | | | | |
| Valid cases 11639 | Missing c | ases 50 | | | | | | | | |
| E114 X-Ray in PREG f | rom 7MTHS | on | | | _ | | | | | |
| Value Label | Value | Frequency | Percent | Valid Percent | | | | | | |
| Y N Missing | 2 | 333 11306 50 | 96.7 | 97.1 | 100.0 | | | | | |
| | | 11689 | | | | | | | | |
| Valid cases 11639 | Missing c | ases 50 | | | | | | | | |
| E115 Ultrasound scan | in PREG | from 7MTHS | | Valid | Quart | | | | | |
| Value Label | Value | Frequency | | | | | | | | |
| Y N Missing | 2 | 3982 7657 50 | | 65.8 | 100.0 | | | | | |
| | Total | 11689 | 100.0 | 100.0 | | | | | | |
| Valid cases 11639 | Missing c | ases 50 | | | | | | | | |

If something else described, but no box ticked, this was coded to yes.

| E116 | Something | else in | PREG f | rom 7MTHS o | n | | |
|-------------------|-----------|---------|--------------|--------------------|-------------------|------------------------|----------------|
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Y N Missing | | | 1 2 -1 | 758 10881 50 | 6.5 93.1 .4 | 6.5 93.5 Missing | 6.5 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11639 | Mi | ssing c | ases 50 | | | |

B2. During pregnancy, before you went into labour, were you admitted to hospital?

Admitted to HOSP during PREG before LAB Valid Cum Value Label Value Frequency Percent Percent Percent 27.0 1 3129 26.8 27.0 2 73.0 100.0 8448 72.3 Missing Missing -1 112 1.0 11689 100.0 100.0

No

Valid cases 11577 Missing cases 112

Yes

B3. How would you describe your health during the last 4 weeks of pregnancy:

always fit and well mostly felt well and healthy often felt unwell hardly ever felt really well

[When more than 1 box ticked, the one with the higher code was taken]

| E140 | Heal | th in | last | 4WKS of P | REG | | | |
|-----------|-------|-------|------|-----------|-----------|---------|---------|---------|
| | | | | | | | Valid | Cum |
| Value Lab | oel | | | Value | Frequency | Percent | Percent | Percent |
| | | | | | | | | |
| Always we | ell | | | 1 | 4011 | 34.3 | 35.1 | 35.1 |
| Mostly we | ell | | | 2 | 5823 | 49.8 | 50.9 | 86.0 |
| Often unv | vell | | | 3 | 1098 | 9.4 | 9.6 | 95.6 |
| Hardly ev | er we | ell | | 4 | 507 | 4.3 | 4.4 | 100.0 |
| Missing | | | | -1 | 250 | 2.1 | Missing | |
| | | | | | | | | |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | ses | 11439 | | Missing c | ases 250 | | | |

B3. a) On a normal week nowadays how many cans do you have:

- *i)* of decaffeinated cola
- *ii)* of ordinary cola

[These questions were not asked in the 1st version of the questionnaire]

| E150 | NO DECAF cola | cans PWK | | | | |
|------------|---------------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Labe | 1 | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| | | 0 | 6895 | 59.0 | 88.1 | 88.1 |
| | | 1 | 327 | 2.8 | 4.2 | 92.3 |
| | | 2 | 214 | 1.8 | 2.7 | 95.0 |
| | | 3 | 127 | 1.1 | 1.6 | 96.6 |
| | | 4 | 81 | .7 | 1.0 | 97.7 |
| | | 5 | 53 | .5 | .7 | 98.4 |
| | | 6 | 29 | .2 | . 4 | 98.7 |
| | | 7 | 40 | .3 | .5 | 99.2 |
| | | 8 | 8 | .1 | .1 | 99.3 |
| | | 9 | 4 | .0 | .1 | 99.4 |
| | | 10 | 22 | .2 | .3 | 99.7 |
| | | 12 | 5 | .0 | .1 | 99.7 |
| | | 14 | 5 | .0 | .1 | 99.8 |
| | | 15 | 4 | .0 | .1 | 99.8 |
| | | 20 | 6 | .1 | .1 | 99.9 |
| | | 21 | 2 | .0 | .0 | 99.9 |
| | | 30 | 2 | .0 | .0 | 100.0 |
| 1 bottle | | 81 | 1 | .0 | .0 | 100.0 |
| 4 bottles | | 84 | 1 | .0 | .0 | 100.0 |
| Missing | | -1 | 3863 | 33.0 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | s 7826 | Missing o | ases 3863 | } | | |

E151 NO ORD cola cans PWK

| | | | | Valid | Cum |
|-------------|--------|------------|---------|---------|--------------|
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | 0 | 6225 | 53.3 | 76.4 | 76.4 |
| | 1 | 689 | 5.9 | 8.5 | 84.8 |
| | 2 | 535 | 4.6 | 6.6 | 91.4 |
| | 3 | | 2.2 | 3.1 | |
| | 3 4 | 255 138 | 1.2 | 1.7 | 94.5 96.2 |
| | | | | | |
| | 5 6 | 83 50 | .7 | 1.0 | 97.2 97.9 |
| | | | | | |
| | 7 8 | 64 | .5 | .8 | 98.6 |
| | | 22 | .2 | .3 | 98.9 |
| | 9 | 5 | .0 | .1 | 99.0 |
| | 10 | 34 | .3 | . 4 | 99.4 |
| | 11 | 2 | .0 | .0 | 99.4 |
| | 12 | 4 | .0 | .0 | 99.5 |
| | 14 | 9 | .1 | .1 | 99.6 |
| | 15 | 7 | .1 | .1 | 99.7 |
| | 16 | 1 | . 0 | .0 | 99.7 |
| | 20 | 9 | .1 | .1 | 99.8 |
| | 21 | 2 | . 0 | .0 | 99.8 |
| | 24 | 2 | .0 | .0 | 99.8 |
| | 25 | 2 | .0 | .0 | 99.9 |
| | 30 | 3 | .0 | .0 | 99.9 |
| | 36 | 1 | .0 | .0 | 99.9 |
| | 40 | 1 | .0 | .0 | 99.9 |
| 1 bottle | 81 | 4 | .0 | .0 | 100.0 |
| 2 bottles | 82 | 2 | .0 | .0 | 100.0 |
| 3 bottles | 83 | 1 | .0 | .0 | 100.0 |
| Missing | -1 | 3539 | 30.3 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 8150 Missing cases 3539

B3. b) On a normal day, how many cups do you drink:

- i) of decaffeinated tea cups
- ii) of ordinary tea cups
- iii) of decaffeinated instant coffee cups
- iv) of ordinary instant coffee cups
- v) of decaffeinated real coffee cups (not instant)
- vi) of ordinary real coffee cups

[These questions were not asked in the 1st version of the questionnaire]

| E153 | NO | cups of C | RD tea daily | | | ** 1 ! 1 | 9 |
|------------|----|-----------|--|--|---|---|---|
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Value Lab | el | | Value 0 1 2 3 4 5 6 7 8 9 10 11 12 14 15 16 20 21 25 28 | Frequency 1494 865 1432 1377 1159 729 634 156 215 21 171 1 20 7 14 4 11 2 2 | Percent 12.8 7.4 12.3 11.8 9.9 6.2 5.4 1.3 1.8 .2 1.5 .0 .2 .1 .1 .0 .0 .0 | Percent 17.9 10.4 17.2 16.5 13.9 8.8 7.6 1.9 2.6 .3 2.1 .0 .2 .1 .2 .0 .1 .0 .0 .0 | Percent 17.9 28.3 45.5 62.1 76.0 84.8 92.4 94.3 96.8 97.1 99.1 99.2 99.4 99.5 99.7 99.7 99.7 99.8 99.9 |
| Missing | | | 30 35 40 42 50 -1 | 3 1 3 1 1 3365 | .0 .0 .0 .0 | .0 .0 .0 .0 .0 Missing | 99.9 99.9 100.0 100.0 |
| Valid case | es | 8324 | Total Missing c | 11689 ases 3365 | 100.0 | 100.0 | |
| E154 | | cups of D | ECAF INST co | _ | _ | Valid | Cum |
| Value Lab | el | | Value 0 1 2 3 4 5 6 7 8 9 10 12 20 21 22 25 35 -1 | Frequency 5944 472 484 288 201 98 89 13 14 3 13 4 1 2 1 1 1 4060 | Percent 50.9 4.0 4.1 2.5 1.7 .8 .8 .1 .1 .0 .0 .0 .0 .0 .0 .0 .0 34.7 | Percent 77.9 6.2 6.3 3.8 2.6 1.3 1.2 .2 .0 .0 .0 .0 .0 Missing | Percent 77.9 84.1 90.4 94.2 96.9 98.1 99.3 99.5 99.7 99.7 99.9 99.9 100.0 100.0 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |

Valid cases

7629

Missing cases

4060

| E155 | NΟ | cups | οf | ORD | TNST | coffee | dailv |
|------|----|------|----|-----|------|--------|-------|
| | | | | | | | |

| E155 NO cups of ORL | INST COLL | ee dally | | | |
|---------------------|-----------|-----------|-------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | | Percent | Percent |
| | 0 | 3578 | 30.6 | 44.8 | 44.8 |
| | 1 | 1252 | 10.7 | 15.7 | 60.4 |
| | 2 | 1198 | 10.2 | 15.0 | 75.4 |
| | 3 | 723 | 6.2 | 9.0 | 84.4 |
| | 4 | 501 | 4.3 | 6.3 | 90.7 |
| | 5 | 281 | 2.4 | 3.5 | 94.2 |
| | 6 | 241 | 2.1 | 3.0 | 97.2 |
| | 7 | 49 | . 4 | .6 | 97.8 |
| | 8 | 71 | .6 | .9 | 98.7 |
| | 9 | 9 | .1 | .1 | 98.8 |
| | 10 | 53 | .5 | .7 | 99.5 |
| | 11 | 1 | .0 | .0 | 99.5 |
| | 12 | 5 | .0 | .1 | 99.6 |
| | 14 | 4 | .0 | .1 | 99.6 |
| | 15 | 7 | .1 | .1 | 99.7 |
| | 17 | 1 | .0 | .0 | 99.7 |
| | 20 | 7 | .1 | .1 | 99.8 |
| | 21 | 4 | .0 | .1 | 99.9 |
| | 22 | 1 | .0 | .0 | 99.9 |
| | 25 | 1 | .0 | .0 | 99.9 |
| | 30 | 4 | .0 | .1 | 99.9 |
| | 32 | 1 | .0 | .0 | 100.0 |
| | 35 | 1 | .0 | .0 | 100.0 |
| | 50 | 2 | .0 | .0 | 100.0 |
| Missing | -1 | 3694 | 31.6 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 7995 Missing cases 3694

E156 NO cups of DECAF real coffee daily

| | | | | Valid | Cum |
|-------------|-------|-----------|---------|---------|---------|
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | 0 | 7225 | 61.8 | 98.1 | 98.1 |
| | 1 | 83 | .7 | 1.1 | 99.2 |
| | 2 | 25 | .2 | .3 | 99.5 |
| | 3 | 16 | .1 | .2 | 99.8 |
| | 4 | 4 | .0 | .1 | 99.8 |
| | 5 | 8 | .1 | .1 | 99.9 |
| | 6 | 4 | .0 | .1 | 100.0 |
| | 7 | 1 | .0 | .0 | 100.0 |
| | 22 | 1 | .0 | .0 | 100.0 |
| Missing | -1 | 4322 | 37.0 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 7367 Missing cases 4322

E157 NO cups of ORD real coffee daily

| - | | _ | | Valid | Cum |
|-------------|-------|-----------|---------|---------|---------|
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | 0 | 6875 | 58.8 | 92.7 | 92.7 |
| | 1 | 329 | 2.8 | 4.4 | 97.2 |
| | 2 | 121 | 1.0 | 1.6 | 98.8 |
| | 3 | 41 | . 4 | .6 | 99.4 |
| | 4 | 15 | .1 | .2 | 99.6 |
| | 5 | 7 | .1 | .1 | 99.7 |
| | 6 | 13 | .1 | .2 | 99.8 |
| | 7 | 3 | .0 | .0 | 99.9 |
| | 8 | 1 | .0 | .0 | 99.9 |
| | 10 | 3 | .0 | .0 | 99.9 |
| | 12 | 1 | .0 | .0 | 99.9 |
| | 14 | 1 | .0 | .0 | 100.0 |
| | 15 | 1 | .0 | .0 | 100.0 |
| | 18 | 1 | .0 | .0 | 100.0 |
| | 20 | 1 | .0 | .0 | 100.0 |
| Missing | -1 | 4276 | 36.6 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 7413 Missing cases 4276

B4. Did you smoke regularly in the last 2 months of pregnancy and since having the baby?

Last 2 months of Since having the pregnancy baby

Yes No Yes No

- i) cigarettes
- ii) pipe
- iii) cigar
- iv) other

[Mothers often only ticked one box; where boxes have not been ticked they have been edited to 2 (no)]

| E170 Sm | oked CIGS REG in las | 2MTHS of PR | | 1 1 | ~ |
|--|---|---|-------------------------------------|--|----------------|
| Value Label | Value | Frequency | | Valid Percent | |
| Y N | | | 19.6 80.4 | | 19.6 100.0 |
| | Tota | 11689 | | | |
| Valid cases | 11689 Missing | cases (|) | | |
| E171 Sm | oked CIGS REG since b | irth | | TT - 3 ! - 4 | Q |
| Value Label | Value | Frequency | | Valid Percent | |
| Y N | | 2683 | 23.0 77.0 | | |
| | Tota | 11689 | | | |
| Valid cases | 11689 Missing | cases 0 |) | | |
| | | | | | |
| E172 Sm | oked pipe REG in las | 2MTHS of PR | .EG | | |
| E172 Sm | | 2MTHS of PR | | Valid Percent | |
| | Valu | Frequency 2 11687 | Percent .0 100.0 | .0 100.0 | Percent |
| Value Label | Value | Frequency 2 11687 | .0 100.0 | .0 100.0 | Percent |
| Value Label Y N | Value | 2 11687 11689 | .0 100.0 | .0 100.0 | Percent |
| Value Label Y N Valid cases | Value : : Tota: | 2 11687 - 11689 cases 0 | .0 100.0 | .0 100.0 100.0 | .0 100.0 |
| Value Label Y N Valid cases | Value Tota: 11689 Missing oked pipe REG since b | 2 11687 - 11689 cases 0 | .0 100.0 | .0 100.0 100.0 | .0 100.0 |
| Value Label Y N Valid cases E173 Sme | Value Tota 11689 Missing oked pipe REG since b | e Frequency 2 11687 11689 cases Contraction | Percent .0 100.0 100.0 | Percent .0 100.0 100.0 Valid Percent .0 | Cum Percent |
| Value Label Y N Valid cases E173 Sm Value Label Y | Value Tota 11689 Missing oked pipe REG since b | 2 11687 2 11689 cases 0 | Percent | 0 100.0 100.0 Valid Percent .0 100.0 | Cum Percent |

| D1 / 4 | Smoked ciga | rs REG in las | t 2MTHS of | PREG | Valid | Cum |
|--------------------------|-------------|--|--------------------------------------|--|---|----------------------|
| Value Lab | el | Value | Frequency | | | |
| Y N | | | 6 11683 | .1 | .1 99.9 | .1 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11689 | Missing c | ases 0 | | | |
| E175 | Smoked ciga | rs REG since | oirth | | 77-1-1-1 | Com |
| Value Lab | el | Value | Frequency | Percent | Valid Percent | |
| Y N | | 1 2 | 9 11680 | .1 99.9 | .1 99.9 | .1 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11689 | Missing c | ases 0 | | | |
| E176 | Smoked othe | r REG in last | 2MTHS of P | REG | | |
| Value Lab | el | Value | Frequency | Percent. | Valid | Ciim |
| Y | | | | | Percent | |
| N | | 1 2 | 62 11627 | .5 99.5 | .5 99.5 | Percent |
| N | | | 62 11627 11689 | .5 99.5 | .5 99.5 | Percent |
| | es 11689 | | 11689 | .5 99.5 | .5 99.5 | Percent |
| Valid cas | | Total | 11689 ases 0 | .5 99.5 | .5 99.5 100.0 | .5 100.0 |
| Valid cas | Smoked othe | Total Missing c r REG since b Value | 11689 ases 0 irth Frequency | .5 99.5 100.0 Percent .6 99.4 | .5 99.5 100.0 Valid Percent .6 | Cum Percent .6 |
| Valid cas E177 Value Lab | Smoked othe | Total Missing c r REG since b Value 1 2 | 11689 ases 0 irth Frequency 71 11618 | .5 99.5 100.0 Percent .6 99.4 | .5 99.5 100.0 Valid Percent .6 99.4 | Cum Percent .6 |

c) How many cigarettes (pipes or cigars) per day did you smoke
[In the 1st version this was worded 'How many times per day did you smoke]

i) in the last 2 months of pregnancy? per day:

30+ 25-29 20-24 15-19 10-14 5-9 1-4 not at all

[when more than 1 box ticked, the one with the lower code was taken]

E178 NO smoked daily in last 2MTHS of PREG Valid Cum Frequency Percent Value Label Value Percent Percent Not at all 0 9380 80.2 80.4 80.4 1-4 451 3.9 3.9 84.3 88.8 5-9 5 528 4.5 4.5 10-14 10 563 4.8 4.8 93.7 15-19 15 354 3.0 3.0 96.7 20-24 20 262 2.2 2.2 98.9 25-29 25 73 .6 .6 99.6 100.0 30 +30 50 . 4 . 4 Missing -1 28 .2 Missing Total 11689 100.0 100.0 11661 Missing cases 28 Valid cases

-

ii) in the past week? per day:

30+ 25-29 20-24 15-19 10-14 5-9 1-4 not at all

[when more than 1 box ticked, the one with the lower code was taken]

E179 NO smoked daily in past WK Valid Cum Value Label Value Frequency Percent Percent Not at all 0 8985 76.9 77.3 77.3 1-4 463 4.0 4.0 81.3 1 5-9 85.8 5 518 4.4 4.5 10-14 10 673 5.8 5.8 91.6 15-19 15 478 4.1 4.1 95.7 3.1 20-24 20 355 3.0 98.8 25-29 25 .7 .7 85 99.5 30+ 30 60 .5 .5 100.0 Missing -1 72 .6 Missing Total 11689 100.0 100.0 Valid cases 11617 Missing cases 72

| <i>B4</i> . | d) | If you smok | e cigarettes what brand and type of cigarette do you usually |
|-------------|----|-------------|--|
| | | smoke? i) | brand (give full name): |

[The 1st version of this did not include the words 'give full name']

Tar (e182) and nicotine content (e183) were calculated based on cigarette type (e180). Details of cigarette type have been coded and are available on request.

E181 B4.d.ii: Type of cigarette usually smoked by mother: E file

| <i>B</i> 4 | . d |) |
|------------|-----|---|
| | | |

| ii) | type: | filtered | unfilte | red | roll-your | r-own |
|--|-------|-------------------|---------------------------|--------------------------|------------------------------|-----------------------|
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Filtered Unfiltered Roll-your-own Missing | | 1 2 3 -1 | 2507 10 111 9061 | 21.4 .1 .9 77.5 | 95.4 .4 4.2 Missing | 95.4 95.8 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 2628 | Missing c | ases 9061 | | | |

iii) please give tar content and colour of your packet

Please send us an empty packet/carton with your questionnaire.

[These were used to accurately code E180]

Derived variable

From data supplied by the Government Chemist to Ruth Gilchrist, the tar and nicotine content were calculated.

| E182 | Tar | content | of cigarette | brand | | | |
|-----------|-----|---------|--------------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| | | | 3.00 | 11 | .1 | .5 | .5 |
| | | | 4.00 | 100 | .9 | 4.2 | 4.7 |
| | | | 5.00 | 13 | .1 | .5 | 5.2 |
| | | | 7.00 | 303 | 2.6 | 12.8 | 18.0 |
| | | | 8.00 | 111 | .9 | 4.7 | 22.7 |
| | | | 9.00 | 153 | 1.3 | 6.5 | 29.2 |
| | | | 10.00 | 5 | .0 | .2 | 29.4 |
| | | | 11.00 | 8 | .1 | .3 | 29.7 |
| | | | 12.00 | 133 | 1.1 | 5.6 | 35.3 |
| | | | 13.00 | 1124 | 9.6 | 47.4 | 82.7 |
| | | | 14.00 | 358 | 3.1 | 15.1 | 97.8 |
| | | | 15.00 | 34 | .3 | 1.4 | 99.3 |
| | | | 16.00 | 13 | .1 | .5 | 99.8 |
| | | | 17.00 | 4 | .0 | .2 | 100.0 |
| Missing | | | -1.00 | 9319 | 79.7 | Missing | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | ses | 2370 | Missing o | ases 9319 |) | | |

| E183 | Nicotine | content of | cigaret | te brand | | | |
|-----------|----------|------------|---------|----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | Va | lue Fr | equency | Percent | Percent | Percent |
| | | | | | | | |
| | | | .30 | 11 | .1 | .5 | .5 |
| | | | .40 | 100 | . 9 | 4.2 | 4.7 |
| | | | .50 | 13 | .1 | .5 | 5.2 |
| | | | .60 | 23 | .2 | 1.0 | 6.2 |
| | | | .70 | 333 | 2.8 | 14.1 | 20.3 |
| | | | .80 | 147 | 1.3 | 6.2 | 26.5 |
| | | | .90 | 84 | .7 | 3.5 | 30.0 |
| | | 1 | .00 | 142 | 1.2 | 6.0 | 36.0 |
| | | 1 | .10 | 973 | 8.3 | 41.1 | 77.0 |
| | | 1 | .20 | 422 | 3.6 | 17.8 | 94.9 |
| | | 1 | .30 | 98 | .8 | 4.1 | 99.0 |
| | | 1 | .40 | 11 | .1 | .5 | 99.5 |
| | | 1 | .50 | 13 | .1 | .5 | 100.0 |
| Missing | | -1 | .00 | 9319 | 79.7 | Missing | |
| | | | | | | | |
| | | To | tal | 11689 | 100.0 | 100.0 | |
| Valid cas | es 2370 |) Missi | ng case | s 9319 | | | |

B5. a) How many cigarettes (pipes or cigars) per day did your partner smoke,

[In the 1st version of the questionnaire the wording was 'How many times per day did your partner smoke']

[If left blank 0 was assumed]

i) in the last 2 months of your pregnancy? per day

[when more than 1 box ticked, the one with the lower code was taken]

| E185 | NO | PTNR | smoked | in last | 21 | MTHS of PRE | G | | |
|---|----|------|--------|---------|-----------------------|--|--|---|--|
| Value Lab | el | | | Valu | е | Frequency | Percent | Valid Percent | Cum Percent |
| Not at al 1-4 5-9 10-14 15-19 20-24 25-29 30+ DK Missing | 1 | | | | 5 0 5 0 9 | 8256 485 429 572 622 604 206 144 355 | 70.6 4.1 3.7 4.9 5.3 5.2 1.8 1.2 3.0 | 70.7 4.2 3.7 4.9 5.3 5.2 1.8 1.2 3.0 Missing | 70.7 74.9 78.6 83.5 88.8 94.0 95.7 97.0 |
| 111001119 | | | | Tota | _ | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 1167 | 73 | Missing | ca | ases 16 | | | |

ii) in the past week? per day

30+ 25-29 20-24 15-19 10-14 5-9 1-4 not at all don't know

[when more than 1 box ticked, the one with the lower code was taken]

| E186 NO PTNR smoked | in past 2 | WKS | | | |
|---------------------|-----------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Not at all | 0 | 8342 | 71.4 | 71.5 | 71.5 |
| 1-4 | 1 | 462 | 4.0 | 4.0 | 75.4 |
| 5-9 | 5 | 426 | 3.6 | 3.6 | 79.1 |
| 10-14 | 10 | 580 | 5.0 | 5.0 | 84.0 |
| 15-19 | 15 | 592 | 5.1 | 5.1 | 89.1 |
| 20-24 | 20 | 577 | 4.9 | 4.9 | 94.1 |
| 25-29 | 25 | 179 | 1.5 | 1.5 | 95.6 |
| 30+ | 30 | 131 | 1.1 | 1.1 | 96.7 |
| DK | 99 | 384 | 3.3 | 3.3 | 100.0 |
| Missing | -1 | 16 | .1 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |
| Walid gages 11673 | Missing | 2000 16 | | | |

Valid cases 11673 Missing cases 16

B6. Did you smoke at all when you were in labour?

Yes No

Did not go into labour

(This was edited so that all with no labour and those not stated were put to 'no')

| E187 | Smoking | during | LAB | | | | |
|------------|---------|--------|-----------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Y | | | 1 | 726 | 6.2 | 6.2 | 6.2 |
| N | | | 2 | 10930 | 93.5 | 93.8 | 100.0 |
| Missing | | | -1 | 33 | .3 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 116 | 56 | Missing c | ases 33 | | | |

B7. Please indicate how often you smoked marijuana/grass/cannabis/ganja -

| Every | 2-4 | Once | Less | Not at |
|-------|---------|--------|-----------|--------|
| day | times a | a week | than once | all |
| | week | | a week | |

- a) In the last 2 months of pregnancy
- b) Since you had the baby

[when more than 1 box ticked, the one with the lower code was taken]

| E190 FREQ of ganja use | e in las | t 2MTHS of | PREG | Valid | Cum |
|--|--|---|---|---|----------------------------------|
| Value Label Daily | Value 1 | 61 | .5 | Percent .6 | Percent .6 |
| 2-4 PWK Once PWK | 2 | 55 19 | .5 .2 | .5 | 1.1 1.3 |
| <pre><once pre="" pwk<=""></once></pre> | 4 | 80 | .7 | .2 .7 | 2.0 |
| Not at all | 5 | 10473 | 89.6 | 98.0 | 100.0 |
| Missing | -1 | 1001 | 8.6 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 10688 M: | issing c | ases 1001 | | | |
| E191 Used ganja in the | e last 2 | MTHS of PRE | G | 771.22 | C |
| Value Label | Value | Frequency | Percent | Valid Percent | |
| Yes | 1 | 215 | 1.8 | 2.0 | 2.0 |
| No | 2 | 10473 | 89.6 | 98.0 | 100.0 |
| Missing | -1 | 1001 | 8.6 | Missing | |
| | Total | 11689 | | 100.0 | |
| Valid cases 10688 Mi | issing c | ases 1001 | | | |
| | | | | | |
| E192 FREQ of ganja use | e since | birth | | | |
| E192 FREQ of ganja use Value Label | | birth Frequency | Percent | Valid Percent | Cum Percent |
| ~ 3 3 | | | Percent | | |
| Value Label | Value | Frequency | | Percent | Percent |
| Value Label Daily 2-4 PWK Once PWK | Value 1 2 3 | Frequency 62 74 36 | .5 .6 .3 | .6 .7 .3 | .6 1.3 1.6 |
| Value Label Daily 2-4 PWK Once PWK <once pwk<="" td=""><td>Value</td><td>62 74 36 129</td><td>.5 .6 .3</td><td>.6 .7 .3</td><td>.6 1.3 1.6 2.8</td></once> | Value | 62 74 36 129 | .5 .6 .3 | .6 .7 .3 | .6 1.3 1.6 2.8 |
| Value Label Daily 2-4 PWK Once PWK | Value 1 2 3 | Frequency 62 74 36 | .5 .6 .3 1.1 88.8 | .6 .7 .3 | .6 1.3 1.6 |
| Value Label Daily 2-4 PWK Once PWK <once all<="" at="" not="" pwk="" td=""><td>Value</td><td>62 74 36 129 10376</td><td>.5 .6 .3 1.1 88.8</td><td>.6 .7 .3 1.2 97.2</td><td>.6 1.3 1.6 2.8</td></once> | Value | 62 74 36 129 10376 | .5 .6 .3 1.1 88.8 | .6 .7 .3 1.2 97.2 | .6 1.3 1.6 2.8 |
| Value Label Daily 2-4 PWK Once PWK <once all<="" at="" not="" pwk="" td=""><td>Value 1 2 3 4 5 -1 Total</td><td>62 74 36 129 10376 1012 11689</td><td>.5 .6 .3 1.1 88.8 8.7</td><td>.6 .7 .3 1.2 97.2 Missing</td><td>.6 1.3 1.6 2.8</td></once> | Value 1 2 3 4 5 -1 Total | 62 74 36 129 10376 1012 11689 | .5 .6 .3 1.1 88.8 8.7 | .6 .7 .3 1.2 97.2 Missing | .6 1.3 1.6 2.8 |
| Value Label Daily 2-4 PWK Once PWK <once 10677="" all="" at="" cases="" m:<="" missing="" not="" pwk="" td="" valid=""><td>Value 1 2 3 4 5 -1 Total issing c</td><td>62 74 36 129 10376 1012 11689</td><td>.5 .6 .3 1.1 88.8 8.7</td><td>.6 .7 .3 1.2 97.2 Missing</td><td>.6 1.3 1.6 2.8</td></once> | Value 1 2 3 4 5 -1 Total issing c | 62 74 36 129 10376 1012 11689 | .5 .6 .3 1.1 88.8 8.7 | .6 .7 .3 1.2 97.2 Missing | .6 1.3 1.6 2.8 |
| Value Label Daily 2-4 PWK Once PWK <once all="" at="" missing<="" not="" pwk="" td=""><td>Value 1 2 3 4 5 -1 Total issing c</td><td>62 74 36 129 10376 1012 11689</td><td>.5 .6 .3 1.1 88.8 8.7</td><td>.6 .7 .3 1.2 97.2 Missing</td><td>.6 1.3 1.6 2.8 100.0</td></once> | Value 1 2 3 4 5 -1 Total issing c | 62 74 36 129 10376 1012 11689 | .5 .6 .3 1.1 88.8 8.7 | .6 .7 .3 1.2 97.2 Missing | .6 1.3 1.6 2.8 100.0 |
| Value Label Daily 2-4 PWK Once PWK <once 10677="" all="" at="" cases="" m:<="" missing="" not="" pwk="" td="" valid=""><td>Value 1 2 3 4 5 -1 Total issing c</td><td>62 74 36 129 10376 1012 11689</td><td>.5 .6 .3 1.1 88.8 8.7 </td><td>Percent .6 .7 .3 1.2 97.2 Missing 100.0</td><td>.6 1.3 1.6 2.8 100.0</td></once> | Value 1 2 3 4 5 -1 Total issing c | 62 74 36 129 10376 1012 11689 | .5 .6 .3 1.1 88.8 8.7 | Percent .6 .7 .3 1.2 97.2 Missing 100.0 | .6 1.3 1.6 2.8 100.0 |
| Value Label Daily 2-4 PWK Once PWK <pre> Conce PWK Not at all Missing</pre> Valid cases 10677 M: E193 Used ganja since | Value 1 2 3 4 5 -1 Total issing c birth Value 1 | Frequency 62 74 36 129 10376 1012 11689 ases 1012 Frequency 301 | .5 .6 .3 1.1 88.8 8.7 100.0 | Percent .6 .7 .3 1.2 97.2 Missing 100.0 Valid Percent 2.8 | Percent |
| Value Label Daily 2-4 PWK Once PWK <once 10677="" all="" at="" cases="" e193="" ganja="" label="" m:="" missing="" no<="" not="" pwk="" since="" td="" used="" valid="" value="" yes=""><td>Value 1 2 3 4 5 -1 Total issing c birth Value 1 2</td><td>Frequency 62 74 36 129 10376 1012 11689 ases 1012 Frequency 301 10376</td><td>.5 .6 .3 1.1 88.8 8.7 100.0</td><td>Percent .6 .7 .3 1.2 97.2 Missing 100.0 Valid Percent 2.8 97.2</td><td>Percent</td></once> | Value 1 2 3 4 5 -1 Total issing c birth Value 1 2 | Frequency 62 74 36 129 10376 1012 11689 ases 1012 Frequency 301 10376 | .5 .6 .3 1.1 88.8 8.7 100.0 | Percent .6 .7 .3 1.2 97.2 Missing 100.0 Valid Percent 2.8 97.2 | Percent |
| Value Label Daily 2-4 PWK Once PWK <once 10677="" all="" at="" cases="" e193="" ganja="" label="" m:="" missing="" not="" pwk="" since="" td="" used="" valid="" value="" yes<=""><td>Value 1 2 3 4 5 -1 Total issing c birth Value 1</td><td>Frequency 62 74 36 129 10376 1012 11689 ases 1012 Frequency 301</td><td>.5 .6 .3 1.1 88.8 8.7 100.0</td><td>Percent .6 .7 .3 1.2 97.2 Missing 100.0 Valid Percent 2.8 97.2 Missing</td><td>Percent</td></once> | Value 1 2 3 4 5 -1 Total issing c birth Value 1 | Frequency 62 74 36 129 10376 1012 11689 ases 1012 Frequency 301 | .5 .6 .3 1.1 88.8 8.7 100.0 | Percent .6 .7 .3 1.2 97.2 Missing 100.0 Valid Percent 2.8 97.2 Missing | Percent |
| Value Label Daily 2-4 PWK Once PWK <once 10677="" all="" at="" cases="" e193="" ganja="" label="" m:="" missing="" no<="" not="" pwk="" since="" td="" used="" valid="" value="" yes=""><td>Value 1 2 3 4 5 -1 Total issing c birth Value 1 2</td><td>Frequency 62 74 36 129 10376 1012 11689 ases 1012 Frequency 301 10376</td><td>.5 .6 .3 1.1 88.8 8.7 100.0</td><td>Percent .6 .7 .3 1.2 97.2 Missing 100.0 Valid Percent 2.8 97.2</td><td>Percent</td></once> | Value 1 2 3 4 5 -1 Total issing c birth Value 1 2 | Frequency 62 74 36 129 10376 1012 11689 ases 1012 Frequency 301 10376 | .5 .6 .3 1.1 88.8 8.7 100.0 | Percent .6 .7 .3 1.2 97.2 Missing 100.0 Valid Percent 2.8 97.2 | Percent |

B8. How often did you use the following in the last 2 months of pregnancy?

| Not at all | Nearly | At least | At | least |
|------------|--------------|----------------|-----------------|-------|
| | every day | once a week | once a month | |
| | • | | | |

- a) amphetamines
- *b)* barbiturates
- c) crack
- d) cocaine
- e) heroin
- *f) methadone*
- g) ecstasy [only in last 2 questionnaires]
- *other* (*please describe*) [is (g) in 1st 2 questionnaires; coders were asked to code 0 in other if a drug was described but no box was ticked]

[when more than 1 box ticked, the one with the lower code was taken]

| E195 I | FREQ amphetam: | ine use las | t 2MTHS of | PREG | | |
|--|----------------|----------------------------|--------------------------------|-----------------------------|------------------------------------|---------------------|
| Value Label Nearly dail At least 1F Not at all Missing | ly PMTH | 1 3 4 -1 Total | 1 11248 439 11689 | .0 .0 96.2 3.8 | .0 .0 100.0 Missing | Percent .0 .0 |
| E196 F | FREQ barbitura | ate use las | t 2MTHS of | PREG | | |
| Value Label | L | Value | Frequency | Percent | Valid Percent | |
| Nearly dail At least 1M At least 1M Not at all Missing | PWK PMTH | 1 2 3 4 -1 | 1 1 | .0 .0 96.2 3.7 | .0 .0 .0 100.0 Missing | .0 |
| | | Total | 11689 | | | |
| Valid cases | s 11252 | Missing c | ases 437 | | | |
| E197 F | FREQ crack use | e last 2MTH | S of PREG | | Valid | Cum |
| Value Label | 1 | Value | Frequency | Percent | | |
| Not at all Missing | | 4 -1 | | 3.7 | 100.0 Missing | 100.0 |
| | | Total | 11689 | | | |
| Valid cases | s 11252 | Missing c | ases 437 | | | |

| E198 FREQ cocaine w | ıse last 2M | THS of PREG | | | |
|--|------------------------|--------------------------------|--------------------------------|-----------------------------------|-------------------------|
| Value Label | | Frequency | | Valid Percent | |
| At least 1PMTH Not at all Missing | 3 4 -1 | 11284 404 | 3.5 | .0 100.0 Missing | .0 100.0 |
| | Total | 11689 | | | |
| Valid cases 11285 | Missing c | ases 404 | | | |
| E199 FREQ heroin us | se last 2MT | HS of PREG | | Valid | Cum |
| Value Label | Value | Frequency | Percent | | |
| At least 1PWK At least 1PMTH Not at all Missing | | 1 11285 402 11689 | 3.4 100.0 | .0 .0 100.0 Missing | .0 |
| Valid cases 11287 | Missing c | ases 402 | | | |
| E200 FREQ methadone | e use last | 2MTHS of PR | EG | Valid | Cum |
| Value Label | Value | Frequency | Percent | | |
| Nearly daily Not at all Missing | 1 4 -1 | 11278 | | .0 100.0 Missing | .0 100.0 |
| | Total | 11689 | | | |
| Valid cases 11281 | Missing c | ases 408 | | | |
| E201 FREQ ecstasy w | ıse last 2M | THS of PREG | | | |
| Value Label | Value | Frequency | | Valid Percent | |
| Not at all Missing | 4 -1 | | 57.2 42.8 | | 100.0 |
| | Total | | 100.0 | | |
| Valid cases 6688 | Missing c | ases 5001 | | | |
| E202 FREQ other dru | ıg use last | 2MTHS of P | REG | 17-1-1-4 | Comm |
| Value Label | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Nearly daily At least 1PWK At least 1PMTH Not at all Missing | 1 2 3 4 -1 | 7 3 2 9613 2064 | .1 .0 .0 82.2 17.7 | .1 .0 .0 99.9 Missing | .1 .1 .1 100.0 |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 9625 | Missing c | ases 2064 | | | |

Derived variable

Any hard drug in last 2 months coded 'yes' if any of E195-E202 coded 1-3.

| E203 | Hard | drug | in | last | 2 montl | hs | | | |
|----------------------|------|------|----|------|--------------|--------------------|-------------------|-----------------------|----------------|
| Value Labe | el | | | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Yes No Missing | | | | | 1 2 -1 | 22 11288 379 | .2 96.6 3.2 | .2 99.8 Missing | .2 100.0 |
| | | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 1 | 1310 | | Mi | ssing c | ases 379 | | | |

B9. How often have you used the following since having the baby?

| Nearly | At least | At least | Not at |
|--------|----------|----------|--------|
| every | once a | once a | all |
| day | week | month | |

- a) amphetamines
- b) barbiturates
- c) crack
- d) cocaine
- e) heroin
- *f) methadone*
- g) ecstasy [only in last 2 questionnaires]
- *h)* other (please describe) [is (g) in 1st 2 questionnaires; coders were asked to code 0 if a drug was described but no box ticked]

| E205 | FREQ of amphe | etamine use s | since birth | | | ~ |
|---|-----------------|---------------------------------|----------------------------------|-------------------|------------------|----|
| Value Labe | el | Value | Frequency | Percent | Valid Percent | |
| Nearly da: At least: At least: Not at al: Missing | 1 PWK 1 PMTH | 1 2 3 4 -1 Total | 1 5 14 11275 394 | .1 96.5 3.4 | 99.8 Missing | |
| Valid case | es 11295 | Missing ca | ases 394 | | | |
| E206 | FREQ of barb | iturate use s | since birth | | | |
| Value Labe | el | Value | Frequency | Percent | Valid Percent | |
| Nearly da: At least : Not at al: Missing | 1 PMTH | 1 3 4 -1 Total | 1 11291 396 | | | .0 |
| Valid case | es 11293 | Missing ca | ases 396 | | | |

| E207 FREQ of crack | use since b | irth | | | |
|-------------------------------|-------------|------------|------------|------------------|-------------|
| Value Label | Value | Frequency | Percent | Valid Percent | Percent |
| At least 1PMTH Not at all | 3 | 1 11291 | .0 | 100 0 | .0 |
| Missing | -1 | 397 | 3.4 | Missing | |
| | Total | 11689 | 100.0 | | |
| Valid cases 11292 | Missing ca | ises 397 | | | |
| | | | | | |
| E208 FREQ of cocain | e use since | birth | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| At least 1PMTH Not at all | 3 4 | 3 11288 | .0 96.6 | .0 100.0 | .0 100.0 |
| Missing | -1 | 398 | | Missing | |
| | Total | 11689 | | | |
| Valid cases 11291 | Missing ca | ises 398 | | | |
| | | | | | |
| E209 FREQ of heroin | use since | birth | | 77-73-7 | Carm |
| Value Label | Value | Frequency | | Valid Percent | |
| At least 1PWK | 2 | 1 | .0 | .0 | .0 |
| At least 1PMTH Not at all | 3 | 2 11288 | . U | . 0 | . 0 |
| Missing | -1 | 398 | | Missing | |
| | Total | 11689 | | | |
| Valid cases 11291 | Missing ca | ises 398 | | | |
| | | | | | |
| E210 FREQ of methad | one use sin | nce birth | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Nearly daily | 1 | 4 1 | .0 | .0 | .0 |
| At least 1PMTH Not at all | 3 | 11286 | .0 96.6 | 100.0 | 100.0 |
| Missing | -1 | | 3.4 | Missing | |
| | Total | 11689 | 100.0 | | |
| Valid cases 11291 | Missing ca | ises 398 | | | |
| | | | | | |
| E211 FREQ of ecstas | y use since | birth | | 77-1-4 | Cum |
| Value Label | Value | Frequency | Percent | Valid Percent | |
| Nearly daily | 1 | 1 | .0 | .0 | .0 |
| At least 1PWK At least 1PMTH | 2 | 1 | .0 | .0 | .0 .1 |
| Not at all | 4 | | 57.3 | 99.9 | |
| Missing | -1 | 4990 | | Missing | |
| | Total | | 100.0 | | |
| Valid cases 6699 | Missing ca | ises 4990 | | | |
| E010 EDEO | drug nee e' | ngo hi | | | |
| E212 FREQ of other | _ | | | Valid | |
| Value Label | | Frequency | | | |
| Nearly daily At least 1PWK | 1 2 | 17 2 | .1 | .2 | |
| At least 1PMTH | 3 | 8 | .1 | .1 | .3 |
| Not at all | 4 | 9761 | 83.5 | 99.7 | 100.0 |
| Missing | -1 | 1901 | 16.3 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 9788 | Missing ca | ses 1901 | | | |

Derived variable: Any hard drug since delivery

Coded 'yes' if any of E205-E212 coded 1, 2 or 3; otherwise coded 'no'.

| E213 | Hard dr | ıg use | since deli | very | | | |
|------------|---------|--------|------------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Labe | el | | Value | Frequency | Percent | Percent | Percent |
| Yes | | | 1 | 56 | .5 | .5 | .5 |
| No | | | 2 | 11245 | 96.2 | 99.5 | 100.0 |
| Missing | | | -1 | 388 | 3.3 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 113 | 01 | Missing c | ases 388 | | | |

B10. How often have you drunk alcoholic drinks? Please indicate for each of the following times:

| 1 4 | | Not at | Less than | At least | 1-2 glasses | At least | At |
|-----------|------------------|-----------|-----------|----------|-------------|------------------|-------|
| least | | all | once a | once a | every day | 3-9 | 10 |
| glasses | | | week | week | | glassesevery day | every |
| day a) | Last 2 months of | f pregnan | acy | | | | |

- Since you had the baby b)

[By glass we mean a pub measure of spirits, half a pint of lager or cider, a wine glass of wine, etc] [when more than 1 box ticked, the one with the higher code was taken]

| E220 FREQ of alcoho | ol use in l | ast 2MTHS o | f PRE | | | | | | | |
|--|---------------------------|--|---|-----------------------------------|---------------------------------------|--|--|--|--|--|
| | | | | Valid | Cum | | | | | |
| Value Label | Value | Frequency | Percent | Percent | Percent | | | | | |
| | | | | | | | | | | |
| Not at all | 1 | 5748 | | | | | | | | |
| <1PWK | 2 | | | | | | | | | |
| At least 1PWK | 3 | | 15.0 | | | | | | | |
| 1-2 glasses daily | 4 | 187 | 1.6 | 1.6 | 99.9 | | | | | |
| 3-9 glasses daily | 5 | 8 | .1 | .1 | | | | | | |
| >9 glasses daily | 6 | 2 | .0 | .0 | 100.0 | | | | | |
| Missing | -1 | 79 | .7 | Missing | | | | | | |
| | Total | 11689 | 100.0 | 100.0 | | | | | | |
| Valid cases 11610 Missing cases 79 | | | | | | | | | | |
| E221 FREO of alcoho | ol use sinc | e hirth | | | | | | | | |
| E221 FREQ of alcoho | ol use sinc | e birth | | Valid | Cum | | | | | |
| E221 FREQ of alcoho | | e birth Frequency | Percent | | | | | | | |
| ~ | | Frequency | | Percent | Percent | | | | | |
| Value Label | Value | Frequency 2202 | | Percent | Percent 19.0 | | | | | |
| Value Label Not at all | Value | Frequency 2202 5036 | 18.8 43.1 | Percent 19.0 | 19.0 62.5 | | | | | |
| Value Label Not at all <1PWK | Value 1 2 | Frequency 2202 5036 3693 | 18.8 43.1 31.6 | 19.0 43.5 | 19.0 62.5 94.4 | | | | | |
| Value Label Not at all <1PWK At least 1PWK | Value 1 2 3 | Frequency 2202 5036 3693 | 18.8 43.1 31.6 | 19.0 43.5 31.9 | 19.0 62.5 94.4 99.7 | | | | | |
| Value Label Not at all <1PWK At least 1PWK 1-2 glasses daily | Value 1 2 3 4 | 2202 5036 3693 616 | 18.8 43.1 31.6 5.3 | 19.0 43.5 31.9 5.3 | 19.0 62.5 94.4 99.7 100.0 | | | | | |
| Value Label Not at all <1PWK At least 1PWK 1-2 glasses daily 3-9 glasses daily | Value | Frequency 2202 5036 3693 616 35 | 18.8 43.1 31.6 5.3 | 19.0 43.5 31.9 5.3 .3 | 19.0 62.5 94.4 99.7 100.0 | | | | | |
| Value Label Not at all <1PWK At least 1PWK 1-2 glasses daily 3-9 glasses daily >9 glasses daily | Value | 2202 5036 3693 616 35 1 | 18.8 43.1 31.6 5.3 .3 .0 | 19.0 43.5 31.9 5.3 .3 | 19.0 62.5 94.4 99.7 100.0 | | | | | |

c) How many days in the past month have you drunk the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

everyday more than 10 days 5-10 days 3-4 days 1-2 days none

[This question was not asked in 1st version of the questionnaire] [when more than 1 box ticked, the one with the higher code was taken]

NO days of 4units alcohol in past MTH E222 Valid Cum Value Frequency Percent Percent Percent Value Label None 0 5056 43.3 60.4 60.4 1-2 days 1769 15.1 21.1 81.6 812 3-4 days 2 6.9 9.7 91.3 5-10 days 3.7 96.4 430 5.1 >10 days 285 2.4 3.4 99.8 Daily 5 .2 100.0 . 1 28.4 -1 3321 Missing Missing 100.0 Total 11689 100.0 3321 Valid cases 8368 Missing cases

B11. a) Did you attend antenatal or parentcraft classes during your pregnancy? Yes No

| E230 | Antenatal class attendance | | | | | | | | | |
|-------------------|----------------------------|---|--------------|--------------------|--------------------|-------------------------|----------------|--|--|--|
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | Cum Percent | | | |
| Y N Missing | | | 1 2 -1 | 6986 4660 43 | 59.8 39.9 .4 | 60.0 40.0 Missing | 60.0 100.0 | | | |
| | | | Total | 11689 | 100.0 | 100.0 | | | | |
| Valid cas | es 1164 | 6 | Missing c | ases 43 | } | | | | | |

If yes,

b) were they run by the:

Yes No

- i) hospital
- ii) health centre or local antenatal clinic
- iii) NCT (National Childbirth Trust)
- iv) other (please describe)

[Mothers tended to tick relevant 'yes' boxes only. Therefore all not ticked have been coded 'no']

| E231 HOSP | run classes | | | | |
|---|--|--|--|---|--------------------------------|
| Value Label | Value | Frequency | Percent | Valid Percent | |
| Y N Missing | 1 2 -1 | 1047 10604 38 | 90.7 | 91.0 Missing | 9.0 100.0 |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11651 Missing o | cases 38 | | | |
| E232 Healt | th centre run classe | es | | | ~ |
| Value Label | Value | Frequency | Percent | Valid Percent | |
| Y N Missing | 1 2 -1 | | 53.2 46.4 .4 | 53.4 46.6 Missing | 53.4 100.0 |
| | Total | 11689 | | | |
| Valid cases | 11646 Missing o | cases 43 | | | |
| | | | | | |
| E233 NCT | run classes | | | Valid | Cum |
| E233 NCT : | run classes Value | Frequency | Percent | Valid Percent | |
| | Value 1 2 -1 | 530 11116 43 | 4.5 95.1 .4 | Percent 4.6 95.4 Missing | 4.6 100.0 |
| Value Label Y N Missing | Value 1 2 -1 Total | 530 11116 43 11689 | 4.5 95.1 .4 | Percent 4.6 95.4 Missing | 4.6 100.0 |
| Value Label Y N Missing | Value 1 2 -1 | 530 11116 43 11689 | 4.5 95.1 .4 | Percent 4.6 95.4 Missing | 4.6 100.0 |
| Value Label Y N Missing Valid cases | Value 1 2 -1 Total | 530 11116 43 11689 | 4.5 95.1 .4 | 4.6 95.4 Missing 100.0 | 4.6 100.0 |
| Value Label Y N Missing Valid cases | Value 1 2 -1 Total 11646 Missing of | 530 11116 43 11689 | 4.5 95.1 .4 100.0 | 4.6 95.4 Missing 100.0 | Percent 4.6 100.0 |
| Value Label Y N Missing Valid cases E234 Other | Value 1 2 -1 Total 11646 Missing of | 530 11116 43 11689 cases 43 Frequency 160 11486 | 4.5 95.1 .4 100.0 Percent 1.4 98.3 .4 | 4.6 95.4 Missing 100.0 Valid Percent 1.4 98.6 Missing | Percent 4.6 100.0 Cum Percent |
| Value Label Y N Missing Valid cases E234 Other Value Label Y N | Value 1 2 -1 Total 11646 Missing of run classes Value 1 2 -1 | 530 11116 43 11689 cases 43 Frequency 160 11486 43 | 4.5 95.1 .4 100.0 Percent 1.4 98.3 .4 | 4.6 95.4 Missing 100.0 Valid Percent 1.4 98.6 Missing | Percent 4.6 100.0 Cum Percent |

c) how many times did you go? times

| E235 | NO | of | class | attendan | ces | | | | |
|-----------|-----|----|-------|----------|----------|------------|------------|------------------|----------------|
| Value Lab | el | | | Va | lue | Frequency | Percent | Valid Percent | Cum Percent |
| | | | | | 0 | 4660 | 39.9 | 40.9 | 40.0 |
| | | | | | 1 | | | 3.2 | 40.9 |
| | | | | | 2 | 365 396 | 3.1 3.4 | 3.2 | 44.1 47.6 |
| | | | | | 3 | 572 | 4.9 | 5.0 | 52.6 |
| | | | | | 4 | 991 | 8.5 | 8.7 | 61.3 |
| | | | | | 5 | 698 | 6.0 | 6.1 | 67.4 |
| | | | | | 6 | 1420 | 12.1 | 12.5 | 79.9 |
| | | | | | 7 | 413 | 3.5 | 3.6 | 83.5 |
| | | | | | 8 | 546 | 4.7 | 4.8 | 88.3 |
| | | | | | 9 | 175 | 1.5 | 1.5 | 89.8 |
| | | | | | 10 | 367 | 3.1 | 3.2 | 93.1 |
| | | | | | 11 | 25 | .2 | .2 | 93.3 |
| | | | | | 12 | 171 | 1.5 | 1.5 | 94.8 |
| | | | | | 13 | 34 | .3 | .3 | 95.1 |
| | | | | | 14 | 97 | .8 | .9 | 95.9 |
| | | | | | 15 16 | 79 45 | .7 | .7 | 96.6 97.0 |
| | | | | | 17 | 5 | .0 | .0 | 97.0 |
| | | | | | 18 | 22 | .2 | .0 | 97.1 |
| | | | | | 19 | 1 | .0 | .0 | 97.3 |
| | | | | | 20 | 48 | . 4 | . 4 | 97.7 |
| | | | | | 21 | 3 | .0 | .0 | 97.7 |
| | | | | | 22 | 2 | .0 | .0 | 97.7 |
| | | | | | 23 | 1 | .0 | .0 | 97.7 |
| | | | | | 24 | 2 | .0 | .0 | 97.8 |
| | | | | | 25 | 2 | .0 | .0 | 97.8 |
| | | | | | 26 | 1 | .0 | .0 | 97.8 |
| | | | | | 27 | 1 | .0 | .0 | 97.8 |
| | | | | | 28 30 | 1 8 | .0 | .0 | 97.8 97.9 |
| | | | | | 32 | 2 | .0 | .0 | 97.9 |
| | | | | | 36 | 2 | .0 | .0 | 97.9 |
| | | | | | 38 | 1 | .0 | .0 | 97.9 |
| | | | | | 40 | 1 | .0 | .0 | 97.9 |
| | | | | | 90 | 3 | .0 | .0 | 98.0 |
| Once PMTH | I | | | | 93 | 2 | .0 | .0 | 98.0 |
| Occasiona | | | | | 97 | 7 | .1 | .1 | 98.0 |
| All the t | ime | | | | 98 | 61 | .5 | .5 | 98.6 |
| DK | | | | | 99 | 163 | 1.4 | 1.4 | 100.0 |
| Missing | | | | | -1 | 296 | 2.5 | Missing | |
| | | | | Тс | tal | 11689 | 100.0 | 100.0 | |

Valid cases 11393 Missing cases 296

d) did your partner ever go with you?

Yes No

| 236 | PTNR | attending (| classes | | | Valid | Cum |
|--------------------------|------|-------------|-----------------------------|--|---------------------------------|---|---------------|
| Value La | bel | | Value | Frequency | Percent | Percent | |
| Y N DNA Missing | | | 1 2 -2 -1 Total | 3075 3827 4660 127 11689 | 26.3 32.7 39.9 1.1 | 44.6 55.4 Missing Missing 100.0 | 44.6 100.0 |
| Valid ca | ses | 6902 | Missing c | ases 4787 | | | |

SECTION C: YOUR HEALTH NOW

C1. Since having the baby have the following occurred?

Almost all Sometimes Not at all Since having the baby: the time

a) painful stitches [when more than 1 box ticked, the one with the lower code was taken]

| E250 I | Painful stitc | hes since b | irth | | | |
|--|--------------------------|-------------|----------------------------|--------------|------------------|---------------|
| Value Label | - | Value | Frequency | Percent | Valid Percent | |
| Almost always SMTS Not at all Missing | - | 3 | 883 4398 6268 140 | 37.6 53.6 | 54.3 | 45.7 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| | s 11549 Painful stitc | J | | | | |
| | | | | | Valid | |
| Value Label | _ | Value | Frequency | Percent | Percent | Percent |
| Yes No Missing | | 2 | 5281 6268 140 | 53.6 | 54.3 | 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11549 | Missing c | ases 140 | | | |

b) backache [when more than 1 box ticked, the one with the lower code was taken]

| E252 | Bac | kache since | birth | | | | |
|---|-----|-------------|-------------------|-----------|---------------------------|------------------|----------------------|
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Almost al SMTS Not at al Missing | - | | 1 2 3 -1 | | 8.3 58.9 32.1 .7 | 32.3 | 8.4 67.7 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11605 | Missing c | ases 84 | | | |
| E253 | Bac | kache since | birth | | | | |
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Vas | | | 1 | 7857 | 67 2 | 67 7 | 67 7 |

| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent |
|----------------------|-------|--------------|--------------------|--------------------|-------------------------|----------------|
| Yes No Missing | | 1 2 -1 | 7857 3748 84 | 67.2 32.1 .7 | 67.7 32.3 Missing | 67.7 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11605 | Missing c | ases 84 | | | |

11689 100.0 100.0

c) headaches or migraines

[when more than 1 box ticked, the one with the lower code was taken]

| E254 | Headaches | since birth | | | | |
|-----------|-----------|-------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| Almost al | ways | 1 | 293 | 2.5 | 2.5 | 2.5 |
| SMTS | - | 2 | 6359 | 54.4 | 54.9 | 57.4 |
| Not at al | 1 | 3 | 4937 | 42.2 | 42.6 | 100.0 |
| Missing | | -1 | 100 | .9 | Missing | |
| _ | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| | | | | | | |
| Valid cas | es 11589 | Missing c | ases 100 | | | |
| | | | | | | |
| | | | | | | |
| E255 | Headaches | since birth | | | | |
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| Yes | | 1 | 6652 | 56.9 | 57.4 | 57.4 |
| No | | 2 | 4937 | 42.2 | 42.6 | 100.0 |
| Missing | | -1 | 100 | .9 | Missing | |
| = | | | | | = | |

Valid cases 11589 Missing cases 100

d) urinary infection

[when more than 1 box ticked, the one with the lower code was taken]

| E256 | Urin | nary infecti | on since l | birth | | | |
|--|------|-----------------------|------------|---------------------|-------------------|-------------------|----------------------|
| Value Lab Almost al SMTS Not at al Missing | ways | | 1 2 | | .8 6.5 91.8 | .8 6.5 92.7 | Percent .8 7.3 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| | | 11572 nary infecti | - | | | | |
| | | - | | | | Valid | Cum |
| Value Lab Yes No Missing | el | | 1 2 | 845 10727 117 | 7.2 91.8 | 7.3 92.7 | 7.3 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11572 | Missing c | ases 117 | | | |

e) nausea

[when more than 1 box ticked, the one with the lower code was taken]

| E258 | Nausea since birth | | | | | | | | |
|-----------|--------------------|----|-----------|-----------|---------|---------|---------|--|--|
| | | | | | | Valid | Cum | | |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent | | |
| Almost al | ways | | 1 | 33 | .3 | .3 | .3 | | |
| SMTS | | | 2 | 1080 | 9.2 | 9.3 | 9.6 | | |
| Not at al | 1 | | 3 | 10461 | 89.5 | 90.4 | 100.0 | | |
| Missing | | | -1 | 115 | 1.0 | Missing | | | |
| | | | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | | | |
| Valid cas | es 115 | 74 | Missina c | ases 115 | | | | | |

| E259 | Nausea since | birth | | | | |
|----------------------|--------------|--------------|----------------------|--------------------|------------------------|----------------|
| Value Labe | 1 | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Yes No Missing | | 1 2 -1 | 1113 10461 115 | 9.5 89.5 1.0 | 9.6 90.4 Missing | 9.6 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | s 11574 | Missing c | ases 115 | | | |

f) vomiting [when more than 1 box ticked, the one with the lower code was taken]

| E260 Vomiting since | birth | | | 77-714 | Q |
|--|-----------|---------------------|-------------|------------------------------|--------------|
| Value Label | Value | Frequency | Percent | Valid Percent | |
| Almost always SMTS Not at all Missing | 3 | 400 11164 | 3.4 95.5 | .1 3.5 96.4 Missing | 3.6 100.0 |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11576 | Missing c | ases 113 | | | |
| E261 Vomiting since | birth | | | | |
| Value Label | Value | Frequency | Percent | Valid Percent | |
| Yes No Missing | 2 | 412 11164 113 | 95.5 | 3.6 96.4 Missing | 100.0 |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11576 | Missing c | ases 113 | | | |

g) diarrhoea [when more than 1 box ticked, the one with the lower code was taken]

| E262 | Diarrh | noea sin | ce birth | | | ** 7 1 1 | |
|---|--------|----------|-----------|---------------------------|--------------|------------------|---------------|
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | |
| Almost al SMTS Not at al Missing | 1 | | 2 3 | 44 1650 9869 126 | 14.1 84.4 | 14.3 85.3 | 14.7 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11 | .563 | Missing c | ases 126 | | | |
| E263 | Diarrh | noea sin | ce birth | | | | |
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | |
| Yes No Missing | | | 2 | 1694 9869 126 | 84.4 | 85.3 | 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11 | .563 | Missing c | ases 126 | | | |

h) haemorrhoids or piles

[when more than 1 box ticked, the one with the lower code was taken]

| E264 | Haemorrhoids | since birth | | | | |
|------------|--------------|-------------|-----------|---------|-------------|---------|
| | | | | | Valid | Cum |
| Value Labe | el | Value | Frequency | Percent | Percent | Percent |
| Almost al | ways | 1 | 929 | 7.9 | 8.0 | 8.0 |
| SMTS | | 2 | 3540 | 30.3 | 30.6 | 38.6 |
| Not at al | 1 | 3 | 7098 | 60.7 | 61.4 | 100.0 |
| Missing | | -1 | 122 | 1.0 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| | | | | | | |
| Valid case | es 11567 | Missing c | ases 122 | | | |
| | | | | | | |
| | | | | | | |
| E265 | Haemorrhoids | since birth | | | | |
| | | | | | 77 - 7 ! -1 | |

Value Label Value Frequency Percent Percent Yes 1 4469 38.2 38.6 38.6 No 2 7098 60.7 61.4 100.0 Missing -1 122 1.0 Missing Total 11689 100.0 100.0

Valid cases 11567 Missing cases 122

i) infected nipple(s)

[when more than 1 box ticked, the one with the lower code was taken]

| E266 | Inf | ected nipp | le since bi | rth | | | |
|-----------|------|------------|-------------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Almost al | ways | | 1 | 71 | .6 | .6 | .6 |
| SMTS | | | 2 | 844 | 7.2 | 7.3 | 7.9 |
| Not at al | 1 | | 3 | 10620 | 90.9 | 92.1 | 100.0 |
| Missing | | | -1 | 154 | 1.3 | Missing | |
| _ | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11535 | Missing c | ases 154 | | | |
| E267 | Inf | ected nipp | le since bi | rth | | | |
| | | | | | | Valid | Cum |

| | | | | Valid | Cum |
|-------------|-------|-----------|---------|---------|---------|
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Yes | 1 | 915 | 7.8 | 7.9 | 7.9 |
| No | 2 | 10620 | 90.9 | 92.1 | 100.0 |
| Missing | -1 | 154 | 1.3 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| | | | | | |

Valid cases 11535 Missing cases 154

j) other breast problem [when more than 1 box ticked, the one with the lower code was taken]

| E268 | Other | breast | PROB | since | birth | | | |
|-----------|-------|--------|------|---------|-----------|---------|---------|---------|
| | | | | | | | Valid | Cum |
| Value Lab | el | | | Value | Frequency | Percent | Percent | Percent |
| Almost al | ways | | | 1 | 156 | 1.3 | 1.4 | 1.4 |
| SMTS | | | | 2 | 2772 | 23.7 | 24.0 | 25.4 |
| Not at al | 1 | | | 3 | 8600 | 73.6 | 74.6 | 100.0 |
| Missing | | | | -1 | 161 | 1.4 | Missing | |
| | | | | | | | | |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 1 | 1528 | Mi | ssing o | cases 16 | 1 | | |

| E269 | Other breast | PROB since l | birth | | Valid | Cum |
|----------------------|--------------|--------------|---------------------|---------------------|-------------------------|---------------|
| Value Lab | el | Value | Frequency | Percent | | Percent |
| Yes No Missing | | 1 2 -1 | 2928 8600 161 | 25.0 73.6 1.4 | 25.4 74.6 Missing | 25.4 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11528 | Missing c | ases 161 | | | |

k) feeling weepy/tearful [when more than 1 box ticked, the one with the lower code was taken]

| E270 | Feeling weepy | since birt | h | | | |
|---|-----------------------|-------------------|-----------|--------------|--------------------------------|----------------|
| Value Labe | 1 | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Almost alw SMTS Not at all Missing | _ | 1 2 3 -1 | 7836 | 67.0 29.0 | 3.2 67.5 29.2 Missing | 70.8 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| | s 11601 Feeling weepy | _ | | | | |
| | 3 11 | | | | Valid | Cum |
| Value Labe | :1 | Value | Frequency | Percent | Percent | Percent |
| Yes No Missing | | 1 2 -1 | | | 70.8 29.2 Missing | 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | s 11601 | Missing c | ases 88 | | | |

l) feeling irritable[when more than 1 box ticked, the one with the lower code was taken]

| E272 | Feel | ling irritab | ole since b | birth | | | |
|---|------|--------------|-------------|----------------------------|--------------|------------------|---------------|
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | |
| Almost al SMTS Not at al Missing | _ | | 3 | 393 8449 2742 105 | 72.3 23.5 | 23.7 | 76.3 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11584 | Missing c | ases 105 | | | |
| E273 | Feel | ling irritab | ole since l | birth | | | |
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | |
| Yes No Missing | | | 2 | 8842 2742 105 | 23.5 | 23.7 | 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11584 | Missing c | ases 105 | | | |

m) feeling exhausted [when more than 1 box ticked, the one with the lower code was taken]

| E274 | Feeling ex | khausted since l | birth | | | |
|------------|------------|------------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| Almost al | ways | 1 | 1502 | 12.8 | 12.9 | 12.9 |
| SMTS | | 2 | 8773 | 75.1 | 75.6 | 88.5 |
| Not at al | 1 | 3 | 1334 | 11.4 | 11.5 | 100.0 |
| Missing | | -1 | 80 | .7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 11609 | Missing c | ases 80 | | | |
| E275 | Feeling ex | khausted since l | birth | | | |
| | , | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| Yes | | 1 | 10275 | 87.9 | 88.5 | 88.5 |
| No | | 2 | 1334 | | | 100.0 |
| Missing | | -1 | 80 | .7 | Missing | |
| | | m | 11.600 | 100.0 | 100.0 | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11609 | Missina c | ases 80 | | | |

n) varicose veins [when more than 1 box ticked, the one with the lower code was taken]

| E276 Varicose veins | since bir | +h | | | |
|-----------------------|------------|-----------|---------|---------|---------|
| ZZ, G VALIGOGO VOLING | 511100 511 | 011 | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Almost always | 1 | 265 | 2.3 | 2.3 | 2.3 |
| SMTS | | | | | |
| Not at all | | 10638 | | | |
| Missing | -1 | 141 | 1.2 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11548 | Missing c | ases 141 | | | |
| E277 Varicose veins | since bir | th | | | |
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Yes | 1 | 910 | 7.8 | 7.9 | 7.9 |
| No | | 10638 | | | 100.0 |
| Missing | -1 | 141 | 1.2 | Missing | |
| | m - t - 1 | 11600 | 100.0 | 100.0 | |
| | TOTAL | 11689 | 100.0 | 100.0 | |
| Valid cases 11548 | Missing c | ases 141 | | | |

o) passing urine very often [when more than 1 box ticked, the one with the lower code was taken]

| E278 | Passe | ed urine | often since | birth | | | |
|------------|-------|----------|-------------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Almost al | ways | | 1 | 237 | 2.0 | 2.0 | 2.0 |
| SMTS | | | 2 | 2103 | 18.0 | 18.2 | 20.2 |
| Not at al | 1 | | 3 | 9235 | 79.0 | 79.8 | 100.0 |
| Missing | | | -1 | 114 | 1.0 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 1 | 11575 | Missing c | ases 114 | | | |

| E279 | Passed urine | often since | birth | | | | |
|----------------------|--------------|--------------|---------------------|---------------------|-------------------------|----------------|--|
| Value Labe | 1 | Value | Frequency | Percent | Valid Percent | Cum Percent | |
| Yes No Missing | | 1 2 -1 | 2340 9235 114 | 20.0 79.0 1.0 | 20.2 79.8 Missing | 20.2 | |
| | | Total | 11689 | 100.0 | 100.0 | | |
| Valid case | s 11575 | Missing c | ases 114 | | | | |

p) problem holding urine when you jump, sneeze etc [when more than 1 box ticked, the one with the lower code was taken]

| E280 | PROBS holding | urine sinc | e birth | | | |
|---|---------------|------------|----------------------------|---------------------|------------------|---------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | |
| Almost al SMTS Not at al Missing | - | 2 3 | 405 3173 7999 112 | 27.1 68.4 1.0 | 27.4 69.1 | 30.9 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11577 | Missing c | ases 112 | | | |
| E281 | PROBS holding | urine sinc | e birth | | 77-7-1 | Q |
| Value Lab | el | Value | Frequency | Percent | Valid Percent | |
| Yes No Missing | | 2 | 3578 7999 112 | 68.4 | 69.1 | 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11577 | Missing c | ases 112 | | | |

q) indigestion [when more than 1 box ticked, the one with the lower code was taken]

| E282 | Indigestion | since birth | | | Valid | Cum |
|---|-------------|-------------|----------------------------|-------------|------------------|---------------|
| Value Labe | el | Value | Frequency | Percent | | |
| Almost alv SMTS Not at all Missing | - | | 41 1160 10349 139 | 9.9 88.5 | | 10.4 100.0 |
| | | Total | 11689 | 100.0 | | |
| Valid case | es 11550 | Missing c | ases 139 | | | |
| E283 | Indigestion | since birth | | | | |
| Value Labe | el | Value | Frequency | Percent | Valid Percent | |
| Yes No Missing | | 2 | 1201 10349 139 | 88.5 | 89.6 | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 11550 | Missing c | ases 139 | | | |

r) feeling dizzy/fainting [when more than 1 box ticked, the one with the lower code was taken]

| | cciring array | since birtl | 1 | | | |
|-------------|---------------|-----------------------|----------------------------------|---------------------|------------------------------------|--------------------------|
| | | | | | Valid | Cum |
| Value Label | = | Value | Frequency | Percent | Percent | Percent |
| Almost alwa | ıys | 1 | | | .8 | |
| SMTS | | 2 | 2693 | 23.0 | 23.3 | 24.0 |
| Not at all | | 3 | 8793 | 75.2 | 76.0 | 100.0 |
| Missing | | -1 | 112 | 1.0 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| | | | | | | |
| Valid cases | 11577 | Missing c | ases 112 | | | |
| | | | | | | |
| DOG T | eeling dizzy | اعدادا ممادا | _ | | | |
| E20J E | | | | | | |
| | eering drzzy | STREE DITCH | 1 | | 77-11-0 | Ciim |
| Walue Tabel | | | | Dorgont | Valid | |
| Value Label | | Value | Frequency | | Percent | Percent |
| Yes | | Value 1 | Frequency 2784 | 23.8 | Percent 24.0 | Percent 24.0 |
| Yes No | | Value 1 2 | Frequency 2784 8793 | 23.8 75.2 | Percent 24.0 76.0 | Percent 24.0 100.0 |
| Yes | | Value 1 2 | Frequency 2784 | 23.8 75.2 | Percent 24.0 76.0 | Percent 24.0 100.0 |
| Yes No | | Value 1 2 -1 | Frequency 2784 8793 112 | 23.8 75.2 1.0 | Percent 24.0 76.0 Missing | Percent 24.0 100.0 |
| Yes No | | Value 1 2 -1 | Frequency 2784 8793 | 23.8 75.2 1.0 | Percent 24.0 76.0 Missing | Percent 24.0 100.0 |

s) flashing lights/spots before eyes [when more than 1 box ticked, the one with the lower code was taken]

| E286 | Visua | l PROBS | since birth | | | Valid | Cum |
|--|-------|---------|----------------------------|----------------------------------|--------------------|-------------------------------|-----------------------|
| Value Lab Almost al SMTS Not at al Missing | ways | | Value 1 2 3 -1 | | .3 13.7 85.2 | Percent .3 13.8 85.9 | Percent .3 14.1 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| | | | Missing ca | ases 105 | | | |
| | | | | | | Valid | Cum |
| Value Lab Yes No Missing | el | | Value 1 2 -1 | Frequency 1629 9955 105 | 13.9 85.2 | 14.1 85.9 | 14.1 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 1 | 1584 | Missing ca | ases 105 | | | |

t) shoulder ache [when more than 1 box ticked, the one with the lower code was taken]

| E288 | Shou | lder ache | since birt | h | | | |
|-----------|------|-----------|------------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Almost al | ways | | 1 | 385 | 3.3 | 3.3 | 3.3 |
| SMTS | | | 2 | 3603 | 30.8 | 31.1 | 34.5 |
| Not at al | 1 | | 3 | 7582 | 64.9 | 65.5 | 100.0 |
| Missing | | | -1 | 119 | 1.0 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11570 | Missing c | ases 119 | | | |

| E289 | Shoulder ach | e since birt | h | | Valid | Cum |
|----------------------|--------------|--------------|---------------------|---------------------|-------------------------|---------------|
| Value Lab | el | Value | Frequency | Percent | | Percent |
| Yes No Missing | | 1 2 -1 | 3988 7582 119 | 34.1 64.9 1.0 | 34.5 65.5 Missing | 34.5 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11570 | Missing c | ases 119 | | | |

u) tingling in hands/fingers [when more than 1 box ticked, the one with the lower code was taken]

| E290 Ti | ngling in h | ands since b | oirth | | | |
|--|-------------|--------------|----------------------------|--------------|------------------|---------------|
| Value Label | | Value | Frequency | Percent | Valid Percent | |
| Almost always SMTS Not at all Missing | 5 | | 154 1654 9776 105 | 14.2 83.6 | 84.4 | 15.6 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | | 2 | | | | |
| E291 Ti | ngiing in n | ands since i | OTIU | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| Yes No Missing | | 1 2 -1 | 9776 | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11584 | Missing c | ases 105 | | | |

v) tingling in feet/toes [when more than 1 box ticked, the one with the lower code was taken]

| E292 | Tingling i | in feet since b | irth | | 77-7 / 4 | G |
|---|------------|-----------------|---------------------|-------------|------------------|--------------|
| Value Lab | el | Value | Frequency | | Valid Percent | |
| Almost al SMTS Not at al Missing | - | | 873 10627 138 | 7.5 90.9 | Missing | 8.0 100.0 |
| | | Total | 11689 | | | |
| Valid case | es 11551 | Missing c | ases 138 | | | |
| E293 | Tingling i | in feet since b | irth | | | |
| Value Lab | el | Value | Frequency | Percent | Valid Percent | |
| Yes No Missing | | 2 | 924 10627 138 | 90.9 | 92.0 | 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11551 | Missing c | ases 138 | | | |

w) neck ache [when more than 1 box ticked, the one with the lower code was taken]

| E294 Nec | k ache sir | nce birth | | | Valid | Cıım |
|--|------------|-----------|----------------------------|--------------|------------------|---------------|
| Value Label | | Value | Frequency | Percent | | |
| Almost always SMTS Not at all Missing | | 2 | 271 3658 7651 109 | 31.3 65.5 | 31.6 | 33.9 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11580 | Missing c | ases 109 | | | |
| E295 Nec | k ache sir | nce birth | | | | |
| Value Label | | Value | Frequency | | Valid Percent | |
| Yes No Missing | | 2 | 3929 7651 109 | 65.5 | 66.1 | 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11580 | Missing c | ases 109 | | | |

x) feeling depressed[when more than 1 box ticked, the one with the lower code was taken]

| E296 | Fee | ling depres | sed since l | oirth | | | |
|---|------|-------------|-------------------|--------------------|--------------|------------------|----------------|
| | | | | | | Valid | Cum |
| Value Labe | el | | Value | Frequency | Percent | Percent | Percent |
| Almost alv SMTS Not at all Missing | - | | 1 2 3 -1 | | 41.4 55.4 | | 44.1 100.0 |
| MISSING | | | _ | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es | 11597 | Missing c | ases 92 | | | |
| E297 | Fee. | ling depres | sed since l | oirth | | | |
| Value Labe | el | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Yes No Missing | | | 1 2 -1 | 5118 6479 92 | 55.4 | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es | 11597 | Missing c | ases 92 | | | |

y) other problem (please describe)

[coders were asked to check that if something was described, box 1 or 2 should have been ticked - if not 0 was coded]

[when more than 1 box ticked, the one with the lower code was taken]

| E298 Other P | ROB since birth | | | | |
|---|-------------------|-----------------------------------|--------------------|------------------|----------------------|
| Value Label | Value | Frequency | Percent | Valid Percent | |
| Yes nos Almost always SMTS Not at all Missing | 2 3 | 177 276 465 6502 4269 | 2.4 4.0 55.6 | 6.3 87.6 | 6.1 12.4 100.0 |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 74 | 20 Missing c | ases 4269 | | | |
| E299 Other p | roblem since birt | h | | | |
| Value Label | Value | Frequency | Percent | Valid Percent | |
| Yes No Missing | 2 | 918 6502 4269 | 55.6 | 87.6 | 100.0 |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 74 | 20 Missing c | ases 4269 | ı | | |

C2. a) Since having the baby, have you had to stay in hospital again for any reason?

Yes No

| E300 | HOSP stay sir | nce birth | | | | |
|-------------------|---------------|--------------|--------------------|-------------------|------------------------|----------------|
| Value Labe | 1 | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Y N Missing | | 1 2 -1 | 491 11129 69 | 4.2 95.2 .6 | 4.2 95.8 Missing | 4.2 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | s 11620 | Missing c | ases 69 | | | |

If yes,

b) What was the reason for admission [not yet coded]

c) How old was the baby? days [If more than 1 admission the coders were asked to code the age at earliest admission]

For the E files, 60 days or over were coded to 60

| E301 | Age | of | baby | in d | lays | | | | |
|-----------|-----|----|------|------|----------|-----------|----------|------------------|----------------|
| Value Lab | el | | | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| | | | | | 0 | 7 | .1 | 1.5 | 1.5 |
| | | | | | 1 | 9 | .1 | 1.9 | 3.4 |
| | | | | | 2 | 13 | .1 | 2.8 | 6.2 |
| | | | | | 3 | 10 | .1 | 2.1 | 8.4 |
| | | | | | 4 5 | 16 26 | .1 | 3.4 5.6 | 11.8 17.4 |
| | | | | | 6 | 13 | .1 | 2.8 | 20.2 |
| | | | | | 7 | 21 | .2 | 4.5 | 24.7 |
| | | | | | 8 | 18 | .2 | 3.9 | 28.5 |
| | | | | | 9 | 6 | .1 | 1.3 | 29.8 |
| | | | | | 10 | 20 | .2 | 4.3 | 34.1 |
| | | | | | 11 12 | 9 6 | .1 .1 | 1.9 1.3 | 36.1 37.3 |
| | | | | | 13 | 3 | .0 | .6 | 38.0 |
| | | | | | 14 | 34 | .3 | 7.3 | 45.3 |
| | | | | | 15 | 5 | .0 | 1.1 | 46.4 |
| | | | | | 16 | 6 | .1 | 1.3 | 47.6 |
| | | | | | 17 | 7 | .1 | 1.5 | 49.1 |
| | | | | | 18 | 1 | .0 | .2 | 49.4 |
| | | | | | 19 20 | 4 6 | .0 | .9 1.3 | 50.2 51.5 |
| | | | | | 21 | 20 | .2 | 4.3 | 55.8 |
| | | | | | 22 | 1 | .0 | . 2 | 56.0 |
| | | | | | 23 | 4 | .0 | .9 | 56.9 |
| | | | | | 24 | 1 | .0 | .2 | 57.1 |
| | | | | | 25 | 4 | .0 | .9 | 57.9 |
| | | | | | 26 27 | 4 2 | .0 | .9 | 58.8 |
| | | | | | 28 | 19 | .0 | .4 4.1 | 59.2 63.3 |
| | | | | | 29 | 1 | .0 | .2 | 63.5 |
| | | | | | 30 | 5 | .0 | 1.1 | 64.6 |
| | | | | | 31 | 3 | .0 | .6 | 65.2 |
| | | | | | 32 | 1 | .0 | .2 | 65.5 |
| | | | | | 33 | 3 | .0 | .6 6.7 | 66.1 |
| | | | | | 35 36 | 31 3 | .0 | .6 | 72.7 73.4 |
| | | | | | 37 | 2 | .0 | . 4 | 73.8 |
| | | | | | 40 | 4 | .0 | . 9 | 74.7 |
| | | | | | 42 | 24 | .2 | 5.2 | 79.8 |
| | | | | | 43 | 2 | .0 | . 4 | 80.3 |
| | | | | | 44 45 | 5 4 | .0 | 1.1 | 81.3 |
| | | | | | 45 | 1 | .0 | .9 | 82.2 82.4 |
| | | | | | 48 | 1 | .0 | .2 | 82.6 |
| | | | | | 49 | 9 | .1 | 1.9 | 84.5 |
| | | | | | 50 | 3 | .0 | .6 | 85.2 |
| | | | | | 51 | 5 | .0 | 1.1 | 86.3 |
| | | | | | 52 54 | 2 | .0 | . 4 | 86.7 |
| | | | | | 54 56 | 1 22 | .0 | .2 4.7 | 86.9 91.6 |
| | | | | | 57 | 1 | .0 | .2 | 91.8 |
| | | | | | 58 | 2 | .0 | . 4 | 92.3 |
| | | | | | 59 | 1 | .0 | .2 | 92.5 |
| | | | | | 60 | 35 | .3 | 7.5 | 100.0 |
| DNA | | | | | -2 | 11129 | 95.2 | Missing | |
| Missing | | | | | -1 | 94 | .8 | Missing | |
| | | | | | Total | 11689 | 100.0 | 100.0 | |
| | | | | | | | | | |

Valid cases 466 Missing cases 11223

| E302 | DV: | C2.c: | Age | in | days | cat | tegory | of : | study | baby | on ac | | ion t | | ospi | tal: | Ε | file' |
|---------|------|-------|-----|----|------|-----|--------|------|-------|------|-------|-----|-------|----|------|------|---|-------|
| Value L | abel | | | | Valı | ue | Frequ | ency | Per | cent | Perce | ent | Perce | nt | | | | |
| 0-6 | | | | | | 1 | | 94 | | .8 | 20. | . 2 | 20. | 2 | | | | |
| 7-13 | | | | | | 2 | | 83 | | .7 | 17. | . 8 | 38. | 0 | | | | |
| 14-20 | | | | | | 3 | | 63 | | .5 | 13. | . 5 | 51. | 5 | | | | |
| 21-27 | | | | | | 4 | | 36 | | .3 | 7. | . 7 | 59. | 2 | | | | |
| 28-34 | | | | | | 5 | | 32 | | .3 | 6. | . 9 | 66. | 1 | | | | |
| 35-41 | | | | | | 6 | | 40 | | .3 | 8. | . 6 | 74. | 7 | | | | |
| 42-48 | | | | | | 7 | | 37 | | .3 | 7. | . 9 | 82. | 6 | | | | |
| 49-55 | | | | | | 8 | | 20 | | .2 | 4. | . 3 | 86. | 9 | | | | |
| 56+ | | | | | | 9 | | 61 | | .5 | 13. | | 100. | 0 | | | | |
| DNA | | | | | - | -2 | 11 | 129 | 95 | 5.2 | Missi | ing | | | | | | |
| Missing | | | | | - | -1 | | 94 | | .8 | Missi | ing | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | Tota | al | 11 | 689 | 100 | 0.0 | 100. | . 0 | | | | | | |

Valid cases 466 Missing cases 11223

d) Was the baby admitted with you?

| | | Yes | | No | | | |
|--------------------------|----|---------|--------------------|---------------------------|--------------------------|------------------------------------|----------------|
| E304 Value Lab | | dmitted | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Y N DNA Missing | | | 1 2 -2 -1 | 303 158 11129 99 | 2.6 1.4 95.2 .8 | 65.7 34.3 Missing Missing | 65.7 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 461 | Missing c | ases 11228 | | | |

C2. e) If you have had to stay in hospital <u>apart from the birth</u>, how long did you stay?

days

[The 1st version merely said 'How long did you stay']

| E305 | Length of | HOSP stay | | | | |
|-----------|-----------|-----------|------------|---------|---------|---------|
| 77-1 T1- | - 1 | 77-1 | | D | Valid | Cum |
| Value Lab | ет | value | Frequency | Percent | Percent | Percent |
| | | 0 | 13 | .1 | 2.8 | 2.8 |
| | | 1 | 135 | 1.2 | 29.5 | 32.4 |
| | | 2 | 107 | .9 | 23.4 | 55.8 |
| | | 3 | 58 | .5 | 12.7 | 68.5 |
| | | 4 | 32 | .3 | 7.0 | 75.5 |
| | | 5 | 31 | .3 | 6.8 | 82.3 |
| | | 6 | 14 | .1 | 3.1 | 85.3 |
| | | 7 | 20 | .2 | 4.4 | 89.7 |
| | | 8 | 6 | .1 | 1.3 | 91.0 |
| | | 9 | 4 | .0 | . 9 | 91.9 |
| | | 10 | 15 | .1 | 3.3 | 95.2 |
| | | 12 | 2 | .0 | . 4 | 95.6 |
| | | 13 | 2 | .0 | . 4 | 96.1 |
| | | 14 | 7 | .1 | 1.5 | 97.6 |
| | | 16 | 1 | .0 | .2 | 97.8 |
| | | 18 | 1 | .0 | .2 | 98.0 |
| | | 24 | 1 | .0 | .2 | 98.2 |
| | | 25 | 1 | .0 | .2 | 98.5 |
| | | 27 | 1 | .0 | .2 | 98.7 |
| | | 28 | 1 | . 0 | . 2 | 98.9 |
| | | 30 | 2 | .0 | . 4 | 99.3 |
| | | 34 | 1 | .0 | . 2 | 99.6 |
| | | 35 | 1 | .0 | . 2 | 99.8 |
| | | 37 | 1 | .0 | .2 | 100.0 |
| DNA | | -2 | 11129 | 95.2 | Missing | |
| Missing | | -1 | 103 | .9 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 457 | Missina c | ases 11232 | | | |

Valid cases 457 Missing cases 11232

f) What treatment were you given?

[not yet coded]

C3. How would you describe your health now?

always fit and well mostly fit and well often unwell hardly ever well

| E310 | Description of | of health | | | | |
|------------|----------------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| Always we | 11 | 1 | 3988 | 34.1 | 34.7 | 34.7 |
| Mostly we | 11 | 2 | 7214 | 61.7 | 62.8 | 97.5 |
| Often unw | ell | 3 | 255 | 2.2 | 2.2 | 99.8 |
| Hardly eve | er well | 4 | 28 | .2 | .2 | 100.0 |
| Missing | | -1 | 204 | 1.7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 11485 | Missing c | ases 204 | | | |
| | | _ | | | | |

C4. Since having the baby how often have you taken any of the following pills, medicines or ointments?

| Almost | Sometimes | Not |
|-----------|-----------|--------|
| every day | | at all |

a) contraceptive pill [when more than 1 box ticked, the one with the lower code was taken]

| E320 FREQ of THE PI | LL use sin | ce birth | | | |
|---|------------|---------------------|-------------|------------------|---------------|
| Value Label | Value | Frequency | Percent | Valid Percent | |
| Almost daily SMTS Not at all Missing | | 607 6490 | 5.2 55.5 | | 43.9 100.0 |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11575 | , | | | | |
| E321 Taken the PILL | since bir | tn | | Valid | Cum |
| Value Label | Value | Frequency | Percent | | |
| Yes No Missing | 2 | 5085 6490 114 | 55.5 | 56.1 | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11575 | Missing c | ases 114 | | | |

b) iron

[when more than 1 box ticked, the one with the lower code was taken]

| E322 | FREQ of ir | on use since b | irth | | | |
|------------|------------|----------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Labe | el | Value | Frequency | Percent | Percent | Percent |
| Almost da: | ily | 1 | 1301 | 11.1 | 11.3 | 11.3 |
| SMTS | | | 2497 | | | |
| Not at al | L | | 7687 | | | |
| Missing | | -1 | 204 | 1.7 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 11485 | Missing c | ases 204 | | | |
| E323 | Taken iron | since birth | | | | |
| | | | | | Valid | Cum |
| Value Labe | el | | Frequency | | | |
| Yes | | | 3798 | | | |
| No | | | 7687 | | | 100.0 |
| Missing | | -1 | 204 | 1./ | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 11485 | Missing c | ases 204 | | | |

c) vitamins [when more than 1 box ticked, the one with the lower code was taken]

| E324 FREQ of vitami | n use sinc | e birth | | | |
|-----------------------|------------|-------------|-------|---------|-----|
| | | | | Valid | Cum |
| Value Label | | Frequency | | | |
| Almost daily | | 882 | | | |
| SMTS | | 1249 | | | |
| Not at all Missing | | 9330 228 | | | |
| MISSING | -1 | 220 | 2.0 | MISSING | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11461 | Missing c | ases 228 | | | |
| E325 Taken vitamins | since bir | th | | | |
| | | | | Valid | Cum |
| Value Label | | Frequency | | | |
| Yes | | 2131 | | | |
| No | | 9330 | | | |
| Missing | -1 | 228 | 2.0 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11461 | Missing c | ases 228 | | | |

d) pills for depression [when more than 1 box ticked, the one with the lower code was taken]

| E326 | FREÇ | of anti- | -depressant | use since b | irth | Valid | Clim |
|---|------|------------|--------------|---------------------|------------------|-----------------------------|-------------------------------|
| Value Labo Almost da SMTS Not at al Missing | ily | | | 104 | .9 .6 96.1 | Percent .9 .6 98.5 | Percent .9 1.5 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es | 11408 | Missing c | ases 281 | | | |
| E327 | Take | en anti-de | epressant si | nce birth | | | |
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | |
| Yes No Missing | | | | 172 11236 281 | 96.1 | 98.5 | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es | 11408 | Missing c | ases 281 | | | |

e) pain killers [when more than 1 box ticked, the one with the lower code was taken]

| E328 | FRE(| Q of pain- | -killer use | since birth | | Valid | Clim |
|---|------|------------|-------------|----------------------------|--------------|------------------|---------------|
| Value Lab | el | | Value | Frequency | Percent | | |
| Almost da SMTS Not at al Missing | - | | 2 3 | 186 5268 6061 174 | 45.1 51.9 | 45.7 52.6 | 47.4 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11515 | Missing o | ases 174 | | | |
| E329 | Take | en pain-ki | ller since | birth | | | |
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | |
| Yes No Missing | | | 2 | 5454 6061 174 | 51.9 1.5 | 52.6 Missing | 100.0 |
| | | | Total | 11689 | 100.0 | | |
| Valid cas | es | 11515 | Missing o | ases 174 | | | |

f) others [If description written but no box ticked, 0 was coded]

[when more than 1 box ticked, the one with the lower code was taken]

| E330 FREQ of other pill use since birth Valid Cum | | | | | | |
|--|------------|-----------------------------------|---------------------|--------------|--------------------------|--|
| Value Label | Value | Frequency | Percent | | | |
| Yes nos Almost daily SMTS Not at all Missing | 2 3 | 5 301 1204 8035 2144 | 2.6 10.3 68.7 | 12.6 84.2 | 3.2 15.8 100.0 | |
| | Total | 11689 | 100.0 | 100.0 | | |
| Valid cases 9545 | Missing c | ases 2144 | | | | |
| E331 Taken other pi | ll since b | irth | | | | |
| Value Label Yes No Missing | 1 2 | Frequency 1510 8035 2144 | 12.9 68.7 | 15.8 84.2 | Percent 15.8 100.0 | |
| | Total | 11689 | 100.0 | 100.0 | | |
| Valid cases 9545 | Missing c | ases 2144 | | | | |

C5. Please name all the pills, medicines or ointments you are currently using or have used since the baby was born.

What did you take:

About how many days did you take or use it?

No

Check: Have you included herbal remedies, sleeping pills, vitamins, cough medicines, pain killers, iron tablets, homeopathic medicines, the contraceptive pill.

[Coders were asked to count the no. of medicaments listed]

| E332 | MEDTN & length | of use | | | | |
|-----------|----------------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| | | 0 | 5049 | 43.2 | 43.2 | 43.2 |
| | | 1 | 2427 | 20.8 | 20.8 | 64.0 |
| | | 2 | 2008 | 17.2 | 17.2 | 81.1 |
| | | 3 | 1147 | 9.8 | 9.8 | 90.9 |
| | | 4 | 533 | 4.6 | 4.6 | 95.5 |
| | | 5 | 233 | 2.0 | 2.0 | 97.5 |
| | | 6 | 134 | 1.1 | 1.1 | 98.6 |
| | | 7 | 67 | .6 | .6 | 99.2 |
| | | 8 | 29 | .2 | .2 | 99.5 |
| | | 9 | 19 | .2 | .2 | 99.6 |
| | | 10 | 10 | .1 | .1 | 99.7 |
| | | 11 | 4 | .0 | .0 | 99.8 |
| | | 12 | 1 | .0 | .0 | 99.8 |
| DK | | 99 | 28 | .2 | .2 | 100.0 |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11689 | Missing c | ases 0 | | | |
| | | | | | | |

C6. Have you had a postnatal check-up yet?

E340 Postnatal check-up Valid Value Label Value Frequency Percent Percent Percent Υ 10421 89.2 89.9 89.9 1 2 1168 10.0 10.1 100.0 Missing -1 100 .9 Missing 100.0 100.0 Total 11689 Valid cases 11589 Missing cases


Yes

C7. How much do you weigh at the moment (write NK if you do not know) (Please state whether st. lbs. or Kg.)

[The coding instructions were as follows: 'Most people seem to be replying in stones and pounds. Code stones into the first two boxes, pounds into the third and fourth. Thus 8 stone 5 lbs. would be recorded as 0805. If they respond in kilograms, write the weight as a three-digit number, followed by a 'K'. Round parts of a kilo to the nearest whole number. Round exact halves up to the nearest whole number. Similarly if they reply in pounds, a three digit number followed by a 'P' will do no need to convert between measuring systems. If weight varies, code higher value given. If no answer is given, leave the boxes blank. For not known, code 9999.]

Values for this question which did not conform to the coding schedule were only used where a reasonable guess could be made for that value. If guess work was used this information is contained in the variable EW003. The weight can be used in imperial units (pounds, EW001) and metric units (kilograms, EW002).

EW001 mothers postnatal weight (kg)



Mothers postnatal weight (lb)


Statistics of mothers postnatal weight (kg)

| Mean | 65.116 | Std err | .110 | Median | 63.636 |
|----------|----------|----------|------------|----------|---------|
| Mode | 63.636 | Std dev | 10.741 | Variance | 115.373 |
| Kurtosis | 2.183 | S E Kurt | .050 | Skewness | 1.052 |
| S E Skew | .025 | Range | 87.273 | Minimum | 38.182 |
| Mavimum | 125 /155 | Siim | 621008 509 | | |

Centiles of mothers postnatal weight (kg)

| Percentile | Value | Percentile | Value | Percentile | Value |
|-------------|--------|--------------|---------|------------|--------|
| 10.00 | 53.182 | 20.00 | 56.636 | 30.00 | 59.091 |
| 40.00 | 61.364 | 50.00 | 63.636 | 60.00 | 66.364 |
| 70.00 | 69.091 | 80.00 | 72.727 | 90.00 | 79.091 |
| Valid cases | 9537 | Missing case | ae 2139 | | |

EW002 mothers postnatal weight (lb)



Mothers postnatal weight (kg)

Statistics of mothers postnatal weight (1b)

| Mean | 143.255 | Std err | .242 | Median | 140.000 |
|----------|---------|----------|------------|----------|---------|
| Mode | 140.000 | Std dev | 23.631 | Variance | 558.407 |
| Kurtosis | 2.183 | S E Kurt | .050 | Skewness | 1.052 |
| S E Skew | .025 | Range | 192.000 | Minimum | 84.000 |
| Maximum | 276.000 | Sum | 1366218.72 | | |

Centiles of mothers postnatal weight (lb)

| Percentile | Value | Percenti | le Value | Percentile | Value |
|-------------------------|-------------------------------|-------------------------|-------------------------------|-------------------------|-------------------------------|
| 10.00 40.00 70.00 | 117.000 135.000 152.000 | 20.00 50.00 80.00 | 124.600 140.000 160.000 | 30.00 60.00 90.00 | 130.000 146.000 174.000 |
| Valid cases | 9537 | Missing | cases 2139 | | |

SECTION D: YOUR FEELINGS

The questions in this section ask you about your feelings. You may have already answered questions like this during your pregnancy. Please do so again. This is so that we can see how having a baby may have changed the way you feel.

[Questions D1-D23 were part of the Crown-Crisp Experimental Index]

Very Often Not very Never often often

D1. Do you feel upset for no obvious reason? [when more than 1 box ticked, the one with the lower code was taken]

| E348 | Feel | upset | for | no reason | ı | | | |
|------------|------|-------|-----|------------|-----------|---------|---------|---------|
| | _ | | | | | | Valid | Cum |
| Value Labe | :1 | | | Value | Frequency | Percent | Percent | Percent |
| V often | | | | 1 | 308 | 2.6 | 2.7 | 2.7 |
| Often | | | | 2 | 1187 | 10.2 | 10.2 | 12.9 |
| Not V ofte | n | | | 3 | 6770 | 57.9 | 58.3 | 71.1 |
| Never | | | | 4 | 3357 | 28.7 | 28.9 | 100.0 |
| Missing | | | | -1 | 67 | .6 | Missing | |
| | | | | | | | | |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | s 1 | 1622 | | Missing ca | ases 67 | | | |

D2. Do you get troubled by dizziness or shortness of breath? [when more than 1 box ticked, the one with the lower code was taken]

| E349 | Dizziness or | short breat | h | | | |
|---|--------------|------------------------|---------------------------------|---------------------------------|--------------------------------------|----------------------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent |
| V often Often Not V oft Never Missing | en | 1 2 3 4 -1 | 75 398 2225 8934 57 | .6 3.4 19.0 76.4 .5 | .6 3.4 19.1 76.8 Missing | .6 4.1 23.2 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11632 | Missing c | ases 57 | | | |

D3. Have you felt as though you might faint? [when more than 1 box ticked, the one with the lower code was taken]

| E350 | Felt faint | | | | | |
|-----------|------------|-----------|-----------|---------|------------------|---------|
| Value Lab | al | Value | Frequency | Percent | Valid Percent | Cum |
| varue hab | CT | value | rrequency | rercenc | rercenc | rercenc |
| V often | | 1 | 45 | . 4 | . 4 | . 4 |
| Often | | 2 | 282 | 2.4 | 2.4 | 2.8 |
| Not V oft | en | 3 | 2107 | 18.0 | 18.1 | 20.9 |
| Never | | 4 | 9198 | 78.7 | 79.1 | 100.0 |
| Missing | | -1 | 57 | .5 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11632 | Missing c | ases 57 | | | |

D4. Do you feel sick or have indigestion? [when more than 1 box ticked, the one with the lower code was taken]

| E351 | Felt sick or | indigestion | | | | |
|---------------------|--------------|-----------------|------------------|--------------|------------------|----------------|
| Value Labe | :1 | Value | Frequency | Percent | Valid Percent | Cum Percent |
| V often Often | | 1 2 | 33 259 | .3 2.2 | .3 2.2 | .3 2.5 |
| Not V ofte Never | en | 3 4 | 1924 9409 | 16.5 80.5 | 16.6 80.9 | 19.1 100.0 |
| Missing | | -1 -1 | 64 | .5 | Missing | |
| Valid case | es 11625 | Total Missing c | 11689 ases 64 | 100.0 | 100.0 | |

D5. Do you feel that life is too much effort? [when more than 1 box ticked, the one with the lower code was taken]

| E352 | Fee. | l life | is | too much e | ffort | | | |
|-----------|------|--------|----|------------|----------|-----------|------------------|----------------|
| Value Lab | el | | | Value | Frequenc | y Percent | Valid Percent | Cum Percent |
| V often | | | | 1 | 103 | .9 | .9 | .9 |
| Often | | | | 2 | 526 | 4.5 | 4.5 | 5.4 |
| Not V oft | en | | | 3 | 2881 | 24.6 | 24.8 | 30.2 |
| Never | | | | 4 | 8113 | 69.4 | 69.8 | 100.0 |
| Missing | | | | -1 | 66 | .6 | Missing | |
| | | | | | | | | |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11623 | | Missing | cases | 66 | | |

D6. Do you feel uneasy and restless? [when more than 1 box ticked, the one with the lower code was taken]

| E353 | Feel uneas | y & restless | | | | |
|-----------|------------|--------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| V often | | 1 | 123 | 1.1 | 1.1 | 1.1 |
| Often | | 2 | 836 | 7.2 | 7.2 | 8.3 |
| Not V oft | en | 3 | 3531 | 30.2 | 30.5 | 38.8 |
| Never | | 4 | 7084 | 60.6 | 61.2 | 100.0 |
| Missing | | -1 | 115 | 1.0 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11574 | Missing o | cases 115 | | | |

D7. Do you feel tingling or prickling sensations in your body, arms or legs? [when more than 1 box ticked, the one with the lower code was taken]

| E354 | Feel | tingling | sensations | | | | |
|------------|------|----------|------------|-----------|---------|------------------|----------------|
| Value Labe | el | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| V often | | | 1 | 104 | .9 | .9 | . 9 |
| Often | | | 2 | 404 | 3.5 | 3.5 | 4.4 |
| Not V ofte | en | | 3 | 1393 | 11.9 | 12.0 | 16.4 |
| Never | | | 4 | 9711 | 83.1 | 83.6 | 100.0 |
| Missing | | | -1 | 77 | .7 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es : | 11612 | Missing c | ases 77 | | | |

D8. Do you regret much of your past behaviour? [when more than 1 box ticked, the one with the lower code was taken]

| E355 | Regret much | of past beha | viour | | | |
|--|-------------|------------------------|----------------------------------|----------------------------|---------------------------------------|-----------------------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent |
| V often Often Not V ofte Never Missing | en | 1 2 3 4 -1 | 202 673 2994 7752 68 | 1.7 5.8 25.6 66.3 | 1.7 5.8 25.8 66.7 Missing | 1.7 7.5 33.3 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 11621 | Missing c | ases 68 | | | |

D9. Do you sometimes feel panicky? [when more than 1 box ticked, the one with the lower code was taken]

| E356 | Feel panicky | | | | | |
|---------------------|--------------|-----------|--------------|--------------|------------------|----------------|
| Value Labe | el | Value | Frequency | Percent | Valid Percent | Cum Percent |
| V often Often | | 1 2 | 129 590 | 1.1 5.0 | 1.1 5.1 | 1.1 6.2 |
| Not V ofte Never | en | 3 4 | 3150 7724 | 26.9 66.1 | 27.2 66.6 | 33.4 100.0 |
| Missing | | -1 | 96 | .8 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 11593 | Missing c | ases 96 | ; | | |

D10. Do you find that you have little or no appetite? [when more than 1 box ticked, the one with the lower code was taken]

| E357 | Little or no | appetite | | | | |
|--|--------------|------------------------|-----------------------------------|----------------------------|---------------------------------------|------------------------------|
| Value Labe | 1 | Value | Frequency | Percent | Valid Percent | Cum Percent |
| V often Often Not V ofte Never Missing | n | 1 2 3 4 -1 | 272 1111 2687 7536 83 | 2.3 9.5 23.0 64.5 | 2.3 9.6 23.2 64.9 Missing | 2.3 11.9 35.1 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | s 11606 | Missing c | ases 83 | | | |

D11. Do you wake unusually early in the morning [when more than 1 box ticked, the one with the lower code was taken]

| E358 | Wake unusi | ally early | | | | |
|-----------|------------|------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| V often | | 1 | 984 | 8.4 | 8.5 | 8.5 |
| Often | | 2 | 1856 | 15.9 | 16.0 | 24.5 |
| Not V oft | en | 3 | 2693 | 23.0 | 23.3 | 47.8 |
| Never | | 4 | 6047 | 51.7 | 52.2 | 100.0 |
| Missing | | -1 | 109 | .9 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11580 | Missing c | ases 109 | | | |

D12. Do you worry a lot?

[when more than 1 box ticked, the one with the lower code was taken]

| E359 Wor | ry a lot | | | | | |
|-------------|----------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| | | 1 | 720 | | 6.4 | 6 4 |
| V often | | 1 | 739 | 6.3 | 6.4 | 6.4 |
| Often | | 2 | 2581 | 22.1 | 22.2 | 28.6 |
| Not V often | | 3 | 5228 | 44.7 | 45.0 | 73.6 |
| Never | | 4 | 3064 | 26.2 | 26.4 | 100.0 |
| Missing | | -1 | 77 | .7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11612 | Missing c | ases 77 | | | |
| | | | | | | |

D13. Do you feel tired or exhausted?

[when more than 1 box ticked, the one with the lower code was taken]

| E360 F | eel tired | | | | | |
|-------------|-----------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| V often | | 1 | 1543 | 13.2 | 13.3 | 13.3 |
| Often | | 2 | 5051 | 43.2 | 43.5 | 56.8 |
| Not V often | | 3 | 4314 | 36.9 | 37.2 | 94.0 |
| Never | | 4 | 696 | 6.0 | 6.0 | 100.0 |
| Missing | | -1 | 85 | .7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11604 | Missing c | ases 85 | | | |

D14. Do you experience long periods of sadness?

[when more than 1 box ticked, the one with the lower code was taken]

| E361 | Experience | long periods | of sadness | | | |
|-----------|------------|--------------|------------|---------|---------|---------|
| 77-1 Tl- | - 1 | 77-3 | | D | Valid | Cum |
| Value Lab | eī | Value | Frequency | Percent | Percent | Percent |
| V often | | 1 | 228 | 2.0 | 2.0 | 2.0 |
| Often | | 2 | 669 | 5.7 | 5.8 | 7.7 |
| Not V oft | en | 3 | 3153 | 27.0 | 27.2 | 34.9 |
| Never | | 4 | 7558 | 64.7 | 65.1 | 100.0 |
| Missing | | -1 | 81 | .7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11608 | Missing o | cases 81 | | | |

D15. Do you feel strung-up inside?

| E362 | Feel strung-up | inside | | | | |
|---|----------------|------------------------|------------------------------------|-----------------------------|--|------------------------------|
| Value Labe | 1 | Value | Frequency | Percent | Valid Percent | Cum Percent |
| V often Often Not V ofte: Never Missing | n | 1 2 3 4 -1 | 333 1239 3766 6251 100 | 2.8 10.6 32.2 53.5 | 2.9 10.7 32.5 53.9 Missing | 2.9 13.6 46.1 100.0 |
| - | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | s 11589 | Missing c | ases 100 | | | |

D16. Can you get off to sleep alright? [when more than 1 box ticked, the one with the lower code was taken]

| E363 | Fal | l asleep | all right | | | | |
|-----------|-----|----------|-----------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| V often | | | 1 | 7225 | 61.8 | 62.2 | 62.2 |
| Often | | | 2 | 3008 | 25.7 | 25.9 | 88.1 |
| Not V oft | en | | 3 | 890 | 7.6 | 7.7 | 95.8 |
| Never | | | 4 | 489 | 4.2 | 4.2 | 100.0 |
| Missing | | | -1 | 77 | .7 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11612 | Missing o | cases 77 | | | |

D17. Do you ever have the feeling you are going to pieces? [when more than 1 box ticked, the one with the lower code was taken]

| E364 | Feel | L falling | to pieces | | | | |
|-----------|------|-----------|-----------|-----------|---------|------------------|----------------|
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| V often | | | 1 | 231 | 2.0 | 2.0 | 2.0 |
| Often | | | 2 | 666 | 5.7 | 5.7 | 7.7 |
| Not V oft | en | | 3 | 3338 | 28.6 | 28.7 | 36.4 |
| Never | | | 4 | 7405 | 63.4 | 63.6 | 100.0 |
| Missing | | | -1 | 49 | . 4 | Missing | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11640 | Missing c | ases 49 | | | |

D18. Do you often have excessive sweating or fluttering of the heart? [when more than 1 box ticked, the one with the lower code was taken]

| E365 | Excessive sweating or heart flutters | | | | | | | | | |
|--|--------------------------------------|------------------------|----------------------------------|---------------------------------|--------------------------------------|----------------------------|--|--|--|--|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent | | | | |
| V often Often Not V ofte Never Missing | en | 1 2 3 4 -1 | 107 410 1579 9535 58 | .9 3.5 13.5 81.6 .5 | .9 3.5 13.6 82.0 Missing | .9 4.4 18.0 100.0 | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | | | |
| Valid case | es 11631 | Missina c | ases 58 | | | | | | | |

D19. Do you find yourself needing to cry? [when more than 1 box ticked, the one with the lower code was taken]

| E366 | Need to cry | | | | | |
|-----------|-------------|-----------|-----------|---------|------------------|----------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent |
| V often | | 1 | 301 | 2.6 | 2.6 | 2.6 |
| Often | | 2 | 1561 | 13.4 | 13.4 | 16.0 |
| Not V oft | en | 3 | 6227 | 53.3 | 53.5 | 69.5 |
| Never | | 4 | 3552 | 30.4 | 30.5 | 100.0 |
| Missing | | -1 | 48 | . 4 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11641 | Missing c | ases 48 | | | |

D20. Do you have bad dreams which upset you when you wake up? [when more than 1 box ticked, the one with the lower code was taken]

| E367 1 | Upset by dream | s on waken | ing | | | |
|---|----------------|------------------------|----------------------------------|----------------------------|---------------------------------------|-----------------------------|
| Value Labe | 1 | Value | Frequency | Percent | Valid Percent | Cum Percent |
| V often Often Not V ofter Never Missing | n | 1 2 3 4 -1 | 126 495 2865 8146 57 | 1.1 4.2 24.5 69.7 | 1.1 4.3 24.6 70.0 Missing | 1.1 5.3 30.0 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case: | s 11632 | Missing c | ases 57 | | | |

D21. Do you lose the ability to feel sympathy for others? [when more than 1 box ticked, the one with the lower code was taken]

| E368 | Lost | ability | to | feel sym | mpathy for o | thers | | |
|---|------|---------|----|------------------------|----------------------------------|----------------------------|---------------------------------------|-----------------------------|
| Value Lab | el | | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| V often Often Not V oft Never Missing | en | | | 1 2 3 4 -1 | 125 700 3127 7669 68 | 1.1 6.0 26.8 65.6 | 1.1 6.0 26.9 66.0 Missing | 1.1 7.1 34.0 100.0 |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11621 | M | lissing o | cases 68 | 3 | | |

D22. Can you think quickly?

[when more than 1 box ticked, the one with the lower code was taken]

| | | | Valid | Cum |
|-----------|-------------------------|---|---|--|
| Value | Frequency | Percent | Percent | Percent |
| _ | | | | |
| 1 | 2912 | 24.9 | 25.1 | 25.1 |
| 2 | 6010 | 51.4 | 51.8 | 76.8 |
| 3 | 2311 | 19.8 | 19.9 | 96.7 |
| 4 | 380 | 3.3 | 3.3 | 100.0 |
| -1 | 76 | .7 | Missing | |
| | | | | |
| Total | 11689 | 100.0 | 100.0 | |
| Missing c | ases 76 | | | |
| | Value 1 2 3 4 -1 Total | Value Frequency 1 2912 2 6010 3 2311 4 380 -1 76 Total 11689 | Value Frequency Percent 1 2912 24.9 2 6010 51.4 3 2311 19.8 4 380 3.3 -1 76 .7 Total 11689 100.0 | Value Frequency Percent Percent 1 2912 24.9 25.1 2 6010 51.4 51.8 3 2311 19.8 19.9 4 380 3.3 3.3 -1 76 .7 Missing |

D23. Do you have to make a special effort to face up to a crisis or difficulty? [when more than 1 box ticked, the one with the lower code was taken]

| E370 | Have | e to | make | а | special e | ffort for c | risis | | |
|-----------|------|------|------|---|-----------|-------------|---------|---------|---------|
| | | | | | | | | Valid | Cum |
| Value Lab | el | | | | Value | Frequency | Percent | Percent | Percent |
| V often | | | | | 1 | 267 | 2.3 | 2.3 | 2.3 |
| Often | | | | | 2 | 1271 | 10.9 | 11.0 | 13.3 |
| Not V oft | en | | | | 3 | 4521 | 38.7 | 39.1 | 52.4 |
| Never | | | | | 4 | 5505 | 47.1 | 47.6 | 100.0 |
| Missing | | | | | -1 | 125 | 1.1 | Missing | |
| | | | | | | | | | |
| | | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 115 | 64 | | Missing c | ases 125 | 5 | | |

Derived variables

The first 23 questions in this section comprised the sub-scales of Crown-Crisp Experiental Index (CCEI) relating to free-floating anxiety, depression and somaticism. Although the total score of the 48 items in the original index has been shown to be a useful measure of psycho-neurotic pathology in the community, the need to limit the number of items and our specific interest in depression and anxiety guided the selection of these items. Indeed most studies using the CCEI, including those of the original authors have in fact focused on the sub-scales and it has been used in this way in the study of mental health of mothers during pregnancy and the post-natal year. The 3 sub-scales had varying styles of response, some being a two-point yes/no scale, while others had 3- point categories. We modified the response categories for our study so that each item had 4 consistent response categories in which the respondent indicated frequency of symptoms from 'never' to 'very often'. These modifications were extensively pilot tested including a validation study against the Present State Examination (PSE).

Subscales of the Crown-Crisp Experiental Index were derived from questions D1 to D23. The variables were initially recoded as follows: d1, d15, d17, (1,2=2)(3,4=0)/d3, d6, d12, d20, (1,1=2)(3=1) (4=0) d5, d14, d19, d23 (1,2=2)(3=1) (4=0) / d8, d11, d21 (1,2=2)(3,4=0)/d2, d16 (1,2=0) (3,4=2) / d2, d7, d13 (1,2=2) (3=1) (4=0)/d4, d10, d18 (1,2=2) (3,4=0) / d9 (1,",3=2) (4=0).

CCEI Anxiety subscale I

Values

E371 Crown-Crisp Anxiety = d1 + d9 + d15 + d17 + d3 + d6 + d12 + d20 provided all were valid (otherwise put to -1)

| E371 Crown Crisp - | Anxiety | | | | |
|--------------------|-----------|-----------|---------|---------|---------|
| TT-1 T-11 | TT - 3 | | D | Valid | Cum |
| Value Label | value | Frequency | Percent | Percent | Percent |
| not anxious | 0 | 1893 | 16.2 | 16.6 | 16.6 |
| | 1 | 2231 | 19.1 | 19.6 | 36.2 |
| | 2 | 1712 | 14.6 | 15.0 | 51.2 |
| | 3 | 1222 | 10.5 | 10.7 | 61.9 |
| | 4 | 1128 | 9.7 | 9.9 | 71.8 |
| | 5 | 816 | 7.0 | 7.2 | 78.9 |
| | 6 7 | 628 | 5.4 | 5.5 | 84.4 |
| | 7 | 400 | 3.4 | 3.5 | 87.9 |
| | 8 | 320 | 2.7 | 2.8 | 90.7 |
| | 9 | 243 | 2.1 | 2.1 | 92.9 |
| | 10 | 197 | 1.7 | 1.7 | 94.6 |
| | 11 | 161 | 1.4 | 1.4 | 96.0 |
| | 12 | 163 | 1.4 | 1.4 | 97.4 |
| | 13 | 130 | 1.1 | 1.1 | 98.6 |
| | 14 | 97 | .8 | .9 | 99.4 |
| | 15 | 49 | . 4 | . 4 | 99.9 |
| very anxious | 16 | 17 | .1 | .1 | 100.0 |
| Missing | -1 | 282 | 2.4 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11407 | Missing c | ases 282 | | | |

CCEI Anxiety subscale II

E372A Anxiety subscale of CCEI = d1 + d9 + d15 + d17 + d3 + d6 + d12 + d20 putting missing values as the mode . If all 8 variables' values were missing then E372A was coded as -1.

| E372A an: | xiety subscal | Le of CCEI | | | | |
|--------------|---------------|------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| not anxious | | 0 | 1914 | 16.4 | 16.4 | 16.4 |
| noc uninious | | 1 | 2284 | 19.5 | | |
| | | 2 | 1758 | 15.0 | 15.1 | 51.1 |
| | | 3 | 1249 | 10.7 | | 61.8 |
| | | 4 | 1163 | 9.9 | 10.0 | 71.7 |
| | | 5 | 836 | 7.2 | 7.2 | 78.9 |
| | | 6 | 642 | 5.5 | 5.5 | 84.4 |
| | | 7 | 409 | 3.5 | 3.5 | 87.9 |
| | | 8 | 329 | 2.8 | 2.8 | 90.7 |
| | | 9 | 248 | 2.1 | 2.1 | 92.9 |
| | | 10 | 202 | 1.7 | 1.7 | 94.6 |
| | | 11 | 166 | 1.4 | 1.4 | 96.0 |
| | | 12 | 168 | 1.4 | 1.4 | 97.5 |
| | | 13 | 131 | 1.1 | 1.1 | 98.6 |
| | | 14 | 98 | .8 | .8 | 99.4 |
| | | 15 | 49 | . 4 | . 4 | 99.9 |
| very anxious | | 16 | 17 | .1 | .1 | 100.0 |
| Missing | | -1 | 26 | .2 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11663 | Missing c | ases 26 | | | |

No. of variables with missing values on anxiety subscale II.

| E372B | No. | missing | values | in an | xiety subsc | ale | | |
|-----------|-----|---------|--------|-------|-------------|---------|------------------|----------------|
| Value Lab | el | | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| | | | | 0 | 11407 | 97.6 | 97.6 | 97.6 |
| | | | | 1 | 211 | 1.8 | 1.8 | 99.4 |
| | | | | 2 | 13 | .1 | .1 | 99.5 |
| | | | | 3 | 2 | .0 | .0 | 99.5 |
| | | | | 4 | 6 | .1 | .1 | 99.6 |
| | | | | 5 | 4 | .0 | .0 | 99.6 |
| | | | | 6 | 17 | .1 | .1 | 99.8 |
| | | | | 7 | 3 | .0 | .0 | 99.8 |
| | | | | 8 | 26 | .2 | .2 | 100.0 |
| | | | | | | | | |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| | | | | | | | | |

Valid cases 11689 Missing cases 0

CCEI Somatic subscale I

E373 Crown Crisp - Somatic = d2 + d7 + d13 + d4 + d10 + d18 + d16, omitting any that were missing on any of these 7 variables.

| E373 Crown Crisp - Somatic | | | | | | | | | | |
|----------------------------|-------|-----------|-----------|---------|---------|---------|--|--|--|--|
| | | | | | Valid | Cum | | | | |
| Value Label | L | Value | Frequency | Percent | Percent | Percent | | | | |
| not somation | 2 | 0 | 443 | 3.8 | 3.9 | 3.9 | | | | |
| | | 1 | 2751 | 23.5 | 24.0 | 27.8 | | | | |
| | | 2 | 3811 | 32.6 | 33.2 | 61.0 | | | | |
| | | 3 | 1711 | 14.6 | 14.9 | 75.9 | | | | |
| | | 4 | 1375 | 11.8 | 12.0 | 87.9 | | | | |
| | | 5 | 560 | 4.8 | 4.9 | 92.7 | | | | |
| | | 6 | 376 | 3.2 | 3.3 | 96.0 | | | | |
| | | 7 | 181 | 1.5 | 1.6 | 97.6 | | | | |
| | | 8 | 135 | 1.2 | 1.2 | 98.8 | | | | |
| | | 9 | 54 | .5 | .5 | 99.2 | | | | |
| | | 10 | 51 | . 4 | . 4 | 99.7 | | | | |
| | | 11 | 13 | .1 | .1 | 99.8 | | | | |
| | | 12 | 18 | .2 | . 2 | 99.9 | | | | |
| | | 13 | 2 | .0 | .0 | 100.0 | | | | |
| very somat: | ic | 14 | 5 | .0 | .0 | 100.0 | | | | |
| Missing | | -1 | 203 | 1.7 | Missing | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | | | |
| Valid cases | 11486 | Missing c | ases 203 | | | | | | | |

CCEI Somatic II

E374A Somatic subscale of CCEI = E373 (but putting missing values as the mode). If all 7 variables are missing, this was coded as missing

| E374A | somatic subsc | ale of CCEI | | | | |
|-----------|---------------|-------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| not somat | ic | 0 | 447 | 3.8 | 3.8 | 3.8 |
| | | 1 | 2775 | 23.7 | 23.8 | 27.6 |
| | | 2 | 3890 | 33.3 | 33.4 | 61.0 |
| | | 3 | 1739 | 14.9 | 14.9 | 75.9 |
| | | 4 | 1397 | 12.0 | 12.0 | 87.9 |
| | | 5 | 567 | 4.9 | 4.9 | 92.7 |
| | | 6 | 382 | 3.3 | 3.3 | 96.0 |
| | | 7 | 185 | 1.6 | 1.6 | 97.6 |
| | | 8 | 136 | 1.2 | 1.2 | 98.8 |
| | | 9 | 55 | .5 | .5 | 99.2 |
| | | 10 | 51 | . 4 | . 4 | 99.7 |
| | | 11 | 13 | .1 | .1 | 99.8 |
| | | 12 | 19 | .2 | .2 | 99.9 |
| | | 13 | 2 | .0 | .0 | 100.0 |
| very soma | tic | 14 | 5 | .0 | .0 | 100.0 |
| Missing | | -1 | 26 | .2 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11663 | Missing c | ases 26 | | | |

E374B No. of missing values in the 7 variables used in the somatic subscale II.

| E374B | E374B No. missing values in somatic subscale II. | | | | | | | | |
|-----------------------------------|--|--|-------|-----------|---------|---------|---------|--|--|
| | | | | | | Valid | Cum | | |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent | | |
| | | | | | | | | | |
| | | | 0 | 11486 | 98.3 | 98.3 | 98.3 | | |
| | | | 1 | 133 | 1.1 | 1.1 | 99.4 | | |
| | | | 2 | 11 | .1 | .1 | 99.5 | | |
| | | | 3 | 6 | .1 | .1 | 99.5 | | |
| | | | 4 | 6 | .1 | .1 | 99.6 | | |
| | | | 5 | 4 | .0 | .0 | 99.6 | | |
| | | | 6 | 17 | .1 | .1 | 99.8 | | |
| | | | 7 | 26 | .2 | .2 | 100.0 | | |
| | | | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | | | |
| Valid cases 11689 Missing cases 0 | | | | | | | | | |

CCEI Depression subscale I

E375 Crown Crisp - Depression = d5 + d14 + d19 + d23 + d8 + d11 + d21 + d22 provided all 8 values were valid (otherwise put to -1)

| E375 | Crown Crisp - | Depressed | | | | |
|-----------|---------------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| not depre | ssed | 0 | 1539 | 13.2 | 13.5 | 13.5 |
| | | 1 | 1766 | 15.1 | 15.5 | 29.0 |
| | | 2 | 1928 | 16.5 | 16.9 | 45.9 |
| | | 3 | 1527 | 13.1 | 13.4 | 59.3 |
| | | 4 | 1248 | 10.7 | 10.9 | 70.2 |
| | | 5 | 914 | 7.8 | 8.0 | 78.2 |
| | | 6 | 698 | 6.0 | 6.1 | 84.4 |
| | | 7 | 530 | 4.5 | 4.6 | 89.0 |
| | | 8 | 364 | 3.1 | 3.2 | 92.2 |
| | | 9 | 269 | 2.3 | 2.4 | 94.6 |
| | | 10 | 205 | 1.8 | 1.8 | 96.4 |
| | | 11 | 128 | 1.1 | 1.1 | 97.5 |
| | | 12 | 129 | 1.1 | 1.1 | 98.6 |
| | | 13 | 52 | . 4 | .5 | 99.1 |
| | | 14 | 69 | .6 | .6 | 99.7 |
| | | 15 | 10 | .1 | .1 | 99.8 |
| very depr | essed | 16 | 26 | .2 | .2 | 100.0 |
| Missing | | -1 | 287 | 2.5 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11402 | Missing c | ases 287 | | | |

CCEI Depression subscale II

E376A Depression subscale of CCEI = E375 (but putting missing values as the mode); if all 8 variables are missing.

| E376A Depres | sion subscale of C | CEI | | | |
|----------------|--------------------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| not depressed | 0 | 1571 | 13.4 | 13.5 | 13.5 |
| - | 1 | 1808 | 15.5 | 15.5 | 29.0 |
| | 1 2 | 1956 | 16.7 | 16.8 | 45.8 |
| | 3 | 1567 | 13.4 | 13.4 | 59.2 |
| | 4 | 1284 | 11.0 | 11.0 | 70.2 |
| | 5 | 936 | 8.0 | 8.0 | 78.2 |
| | 6 | 717 | 6.1 | 6.1 | 84.4 |
| | 7 | 546 | 4.7 | 4.7 | 89.1 |
| | 8 | 372 | 3.2 | 3.2 | 92.3 |
| | 9 | 275 | 2.4 | 2.4 | 94.6 |
| | 10 | 210 | 1.8 | 1.8 | 96.4 |
| | 11 | 129 | 1.1 | 1.1 | 97.5 |
| | 12 | 129 | 1.1 | 1.1 | 98.6 |
| | 13 | 53 | .5 | .5 | 99.1 |
| | 14 | 70 | .6 | .6 | 99.7 |
| | 15 | 10 | .1 | .1 | 99.8 |
| very depressed | 16 | 26 | .2 | .2 | 100.0 |
| Missing | -1 | 30 | .3 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11 | 659 Missing c | ases 30 | | | |

E376B No. of missing values in the 8 variables used in depression subscale II.

| E376B | E376B No. missing values in depression subscale | | | | | | | | |
|------------|---|-------|-----------|-----------|---------|---------|---------|--|--|
| | | | | | | Valid | Cum | | |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent | | |
| | | | | | | | | | |
| | | | 0 | 11402 | 97.5 | 97.5 | 97.5 | | |
| | | | 1 | 195 | 1.7 | 1.7 | 99.2 | | |
| | | | 2 | 25 | .2 | .2 | 99.4 | | |
| | | | 3 | 7 | .1 | .1 | 99.5 | | |
| | | | 4 | 23 | .2 | .2 | 99.7 | | |
| | | | 5 | 1 | .0 | .0 | 99.7 | | |
| | | | 6 | 4 | .0 | .0 | 99.7 | | |
| | | | 7 | 2 | .0 | .0 | 99.7 | | |
| | | | 8 | 30 | .3 | .3 | 100.0 | | |
| | | | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | | | |
| Valid case | es | 11689 | Missina c | ases 0 | | | | | |

CCEI Score I

Total Crown Crisp Experiental Index score, computed by adding the anxiety, depression and somatic scales.

E377 Crown Crisp - Total = E371 + E373 + E375 All with missing values put to -1.

| E377 C1 | cown Crisp - T | otal | | | Valid | Cum |
|--------------|----------------|----------|------------|------------|------------|--------------|
| Value Label | | Value | Frequency | Percent | | Percent |
| not affected | i | 0 | 153 398 | 1.3 3.4 | 1.4 3.6 | 1.4 5.0 |
| | | 2 | 663 | 5.7 | 6.0 | 10.9 |
| | | 3 | 836 | 7.2 | 7.5 | 18.4 |
| | | 4 | 924 | 7.9 | 8.3 | 26.7 |
| | | 5 | 841 | 7.2 | 7.6 | 34.3 |
| | | 6 | 881 | 7.5 | 7.9 | 42.2 |
| | | 7 | 768 | 6.6 | 6.9 | 49.1 |
| | | 8 | 715 | 6.1 | 6.4 | 55.6 |
| | | 9 | 632 | 5.4 | 5.7 | 61.3 |
| | | 10 | 548 | 4.7 | 4.9 | 66.2 |
| | | 11 | 466 | 4.0 | 4.2 | 70.4 |
| | | 12 | 467 | 4.0 | 4.2 | 74.6 |
| | | 13 14 | 367 325 | 3.1 2.8 | 3.3 2.9 | 77.9 80.8 |
| | | 15 | 268 | 2.3 | 2.4 | 83.2 |
| | | 16 | 238 | 2.0 | 2.1 | 85.3 |
| | | 17 | 192 | 1.6 | 1.7 | 87.1 |
| | | 18 | 170 | 1.5 | 1.5 | 88.6 |
| | | 19 | 162 | 1.4 | 1.5 | 90.1 |
| | | 20 | 153 | 1.3 | 1.4 | 91.4 |
| | | 21 | 111 | .9 | 1.0 | 92.4 |
| | | 22 | 93 | .8 | .8 | 93.3 |
| | | 23 | 100 | . 9 | . 9 | 94.2 |
| | | 24 | 94 | .8 | .8 | 95.0 |
| | | 25 | 80 | .7 | .7 | 95.7 |
| | | 26 27 | 70 47 | .6 .4 | .6 .4 | 96.4 96.8 |
| | | 28 | 61 | .5 | .5 | 97.3 |
| | | 29 | 54 | .5 | .5 | 97.8 |
| | | 30 | 48 | . 4 | . 4 | 98.3 |
| | | 31 | 40 | .3 | . 4 | 98.6 |
| | | 32 | 31 | .3 | .3 | 98.9 |
| | | 33 | 27 | .2 | .2 | 99.1 |
| | | 34 | 24 | .2 | .2 | 99.4 |
| | | 35 | 19 | .2 | .2 | 99.5 |
| | | 36 | 19 | .2 | .2 | 99.7 |
| | | 37 38 | 11 6 | .1 .1 | .1 | 99.8 99.8 |
| | | 39 | 4 | .0 | .0 | 99.9 |
| | | 40 | 4 | .0 | .0 | 99.9 |
| | | 41 | 2 | .0 | .0 | 99.9 |
| | | 42 | 2 | .0 | .0 | 100.0 |
| | | 44 | 4 | .0 | .0 | 100.0 |
| very affects | ed | 46 | 1 | .0 | .0 | 100.0 |
| Missing | | -1 | 570 | 4.9 | Missing | |
| | 11110 | Total | 11689 | 100.0 | 100.0 | |

Valid cases 11119 Missing cases 570

CCEI score II

E378 = E372A + E374A + E376A (but putting missing values as the mode); if all 23 variables missing then was coded as missing

| E378 CCEI | | | | | |
|-------------------|-----------|------------|------------|------------------|----------------|
| Value Label | Value | Frequency | Percent | Valid Percent | Cum Percent |
| not affected | 0 | 158 | 1.4 | 1.4 | 1.4 |
| | 1 | 409 | 3.5 | 3.5 | 4.9 |
| | 2 | 681 | 5.8 | 5.8 | 10.7 |
| | 3 | 862 | 7.4 | 7.4 | 18.1 |
| | 4 | 961 | 8.2 | 8.2 | 26.3 |
| | 5 6 | 875 916 | 7.5 7.8 | 7.5 7.9 | 33.8 |
| | 7 | 809 | 6.9 | 6.9 | 41.7 48.6 |
| | 8 | 756 | 6.5 | 6.5 | 55.1 |
| | 9 | 662 | 5.7 | 5.7 | 60.8 |
| | 10 | 575 | 4.9 | 4.9 | 65.7 |
| | 11 | 501 | 4.3 | 4.3 | 70.0 |
| | 12 | 494 | 4.2 | 4.2 | 74.2 |
| | 13 | 389 | 3.3 | 3.3 | 77.6 |
| | 14 | 346 | 3.0 | 3.0 | 80.5 |
| | 15 | 285 | 2.4 | 2.4 | 83.0 |
| | 16 17 | 258 | 2.2 | 2.2 | 85.2 |
| | 18 | 201 182 | 1.7 1.6 | 1.7 1.6 | 86.9 88.5 |
| | 19 | 166 | 1.4 | 1.4 | 89.9 |
| | 20 | 168 | 1.4 | 1.4 | 91.3 |
| | 21 | 117 | 1.0 | 1.0 | 92.3 |
| | 22 | 99 | .8 | .8 | 93.2 |
| | 23 | 105 | .9 | .9 | 94.1 |
| | 24 | 101 | .9 | .9 | 95.0 |
| | 25 | 86 | .7 | .7 | 95.7 |
| | 26 | 73 | . 6 | . 6 | 96.3 |
| | 27 | 50 | . 4 | . 4 | 96.8 |
| | 28 29 | 65 57 | .6 .5 | .6 .5 | 97.3 97.8 |
| | 30 | 50 | . 4 | . 4 | 98.2 |
| | 31 | 41 | .4 | .4 | 98.6 |
| | 32 | 35 | .3 | .3 | 98.9 |
| | 33 | 29 | .2 | .2 | 99.1 |
| | 34 | 24 | .2 | .2 | 99.3 |
| | 35 | 20 | .2 | .2 | 99.5 |
| | 36 | 20 | .2 | .2 | 99.7 |
| | 37 | 12 | .1 | .1 | 99.8 |
| | 38 | 6 | .1 | .1 | 99.8 |
| | 39 40 | 4 7 | .0 .1 | .0 | 99.9 99.9 |
| | 41 | 2 | .0 | .0 | 99.9 |
| | 42 | 2 | .0 | .0 | 100.0 |
| | 44 | 4 | .0 | .0 | 100.0 |
| very affected | 46 | 1 | .0 | .0 | 100.0 |
| Missing | -1 | 25 | .2 | Missing | |
| | | | | | |
| TT-1:4 11004 | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11664 | Missing c | ases 25 |) | | |

| E379 N | lo of | missing | values in | CCEI | | | |
|-------------|-------|---------|-----------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Label | - | | Value | Frequency | Percent | Percent | Percent |
| | | | 0 | 11119 | 95.1 | 95.1 | 95.1 |
| | | | 1 | 415 | 3.6 | 3.6 | 98.7 |
| | | | 2 | 64 | | | 99.2 |
| | | | | | .5 | .5 | |
| | | | 3 | 18 | .2 | .2 | 99.4 |
| | | | 4 | 3 | . 0 | .0 | 99.4 |
| | | | 5 7 | 5 | .0 | .0 | 99.4 |
| | | | | 8 | .1 | .1 | 99.5 |
| | | | 8 | 2 | .0 | .0 | 99.5 |
| | | | 10 | 1 | .0 | .0 | 99.5 |
| | | | 12 | 2 | .0 | .0 | 99.6 |
| | | | 13 | 1 | .0 | .0 | 99.6 |
| | | | 14 | 3 | .0 | .0 | 99.6 |
| | | | 15 | 3 | .0 | .0 | 99.6 |
| | | | 16 | 14 | .1 | .1 | 99.7 |
| | | | 17 | 1 | .0 | .0 | 99.7 |
| | | | 20 | 2 | .0 | .0 | 99.8 |
| | | | 21 | 2 | .0 | . 0 | 99.8 |
| | | | 22 | 1 | .0 | . 0 | 99.8 |
| | | | 23 | 25 | .2 | .2 | 100.0 |
| | | | 20 | | | | 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 1 | 1689 | Missing o | cases (|) | | |

Questions D24-D33 comprise the Edinburgh Postnatal Depression Scale

Your feelings in the past week.

D24. I have been able to laugh and see the funny side of things:

As much as I always could Not quite so much now Definitely not so much now Not at all

| E380 | Able to see funny side in past WK | | | | | | | |
|-----------|-----------------------------------|-----------|-----------|---------|---------|---------|--|--|
| | | | | | Valid | Cum | | |
| Value Lak | pel | Value | Frequency | Percent | Percent | Percent | | |
| | _ | | 0.404 | | 50.0 | | | |
| Same as b | eiore | 1 | 8491 | 72.6 | 72.9 | 72.9 | | |
| Less thar | before | 2 | 2635 | 22.5 | 22.6 | 95.5 | | |
| Definitel | y less | 3 | 455 | 3.9 | 3.9 | 99.4 | | |
| Not at al | .1 | 4 | 70 | .6 | .6 | 100.0 | | |
| Missing | | -1 | 38 | .3 | Missing | | | |
| | | | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | |
| Valid cas | ses 11651 | Missing c | ases 38 | | | | | |

D25. I have looked forward with enjoyment to things:

As much as I ever did Rather less than I used to Definitely less than I used to Hardly at all

[when more than 1 box ticked, the one with the higher code was taken]

| E381 | Looked | forward | to things | in past WK | | | |
|------------------------------------|---------|---------|-----------|------------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| | | | | | | | |
| As much a | s usual | | 1 | 8867 | 75.9 | 76.1 | 76.1 |
| Less than | usual | | 2 | 2348 | 20.1 | 20.2 | 96.3 |
| Definitely less | | 3 | 358 | 3.1 | 3.1 | 99.3 | |
| Hardly at | all | | 4 | 76 | .7 | . 7 | 100.0 |
| Missing | | | -1 | 40 | .3 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| 77-7-1-1 | 11 | C 4 O | 361 1 | | | | |
| Valid cases 11649 Missing cases 40 | | | | | | | |

D26. I have blamed myself unnecessarily when things went wrong:

Yes, most of the time Yes, some of the time Not very often No never

| E382 | Unnecessary blam | blame in past WK | | | | | | |
|--|------------------|------------------|-----------------------------------|-----------------------------|-----------------------------|------------------------------|--|--|
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent | | |
| Most of t Some of t Not V oft Never | he time | 1 2 3 4 | 584 3165 4154 3735 51 | 5.0 27.1 35.5 32.0 | 5.0 27.2 35.7 32.1 | 5.0 32.2 67.9 100.0 | | |
| Missing | | -1 Total | 11689 | 100.0 | Missing 100.0 | | | |
| Valid cas | es 11638 M | issing c | ases 51 | | | | | |

D27. I have been anxious or worried for no good reason:

No, not at all Hardly ever Yes, sometimes Yes, often

[when more than 1 box ticked, the one with the higher code was taken]

| E383 An: | xious for no | good reas | on in past 1 | WK | | |
|-------------|--------------|-----------|--------------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| Never | | 1 | 4476 | 38.3 | 38.4 | 38.4 |
| Hardly ever | | 2 | 2736 | 23.4 | 23.5 | 61.9 |
| SMTS | | 3 | 3910 | 33.5 | 33.6 | 95.5 |
| Often | | 4 | 523 | 4.5 | 4.5 | 100.0 |
| Missing | | -1 | 44 | . 4 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11645 | Missing c | ases 44 | | | |
| 00000 | | | | | | |

D28. I have felt scared or panicky for no very good reason:

Yes, quite a lot Yes, sometimes No, not much No, not at all

| E384 Sc. | ared for no | good reaso | n in past W | K | | |
|--|-------------|------------------------|-----------------------------------|-----------------------------|--|------------------------------|
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Quite a lot SMTS Not much Not at all Missing | | 1 2 3 4 -1 | 316 1641 2494 7184 54 | 2.7 14.0 21.3 61.5 | 2.7 14.1 21.4 61.7 Missing | 2.7 16.8 38.3 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11635 | Missing c | ases 54 | | | |

D29. Things have been getting on top of me:

Yes, most of the time Yes, sometimes No, hardly ever No, not at all

[when more than 1 box ticked, the one with the lower code was taken]

| E385 Th | ings getting | too much | in past WK | | | |
|--|--------------|------------------------|-----------------------------------|-----------------------------------|--|------------------------------|
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Most of time SMTS Hardly ever Not at all Missing | | 1 2 3 4 -1 | 548 4687 3394 3011 49 | 4.7 40.1 29.0 25.8 .4 | 4.7 40.3 29.2 25.9 Missing | 4.7 45.0 74.1 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11640 | Missing c | ases 49 | | | |

D30. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time Yes, sometimes Not very often No, not at all

| E386 Sleeping PROBS due to sadness in past WK | | | | | | | | |
|---|----------|-----------|-----------|---------|---------|---------|--|--|
| | | | | | Valid | Cum | | |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent | | |
| | | | | | | | | |
| Most of t | ime | 1 | 96 | .8 | .8 | .8 | | |
| SMTS | | 2 | 587 | 5.0 | 5.0 | 5.9 | | |
| Not V oft | en | 3 | 1579 | 13.5 | 13.6 | 19.4 | | |
| Not at al | 1 | 4 | 9378 | 80.2 | 80.6 | 100.0 | | |
| Missing | | -1 | 49 | . 4 | Missing | | | |
| | | | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | |
| | | | | | | | | |
| Valid cas | es 11640 | Missing c | ases 49 | | | | | |

Your feelings in the past week.

D31. I have felt sad or miserable:

Yes, most of the time Yes, quite often Not very often No, not at all

[when more than 1 box ticked, the one with the lower code was taken]

| E387 F€ | elt sad in pa | ıst WK | | | | |
|---|---------------|------------------------|-----------------------------------|-----------------------------|--|------------------------------|
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Most of time Quite often Not V often Not at all Missing | 2 | 1 2 3 4 -1 | 278 1418 5057 4886 50 | 2.4 12.1 43.3 41.8 | 2.4 12.2 43.4 42.0 Missing | 2.4 14.6 58.0 100.0 |
| MISSING | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11639 | Missing c | ases 50 | | | |

D32. I have been so unhappy that I have been crying:

Yes, most of the time Yes, quite often Only occasionally No, never

| E388 C1 | rying due to | unhappines | s in past W | K | | |
|---|--------------|------------------------|----------------------------------|----------------------------------|---------------------------------------|-----------------------------|
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Most of time Quite often Occasionally Never Missing | | 1 2 3 4 -1 | 136 617 3751 7138 47 | 1.2 5.3 32.1 61.1 .4 | 1.2 5.3 32.2 61.3 Missing | 1.2 6.5 38.7 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11642 | Missing c | ases 47 | | | |

D33. The thought of harming myself has occurred to me:

Yes, quite often Sometimes Hardly ever Never

| E389 | Thoughts of | f self-harm in | past WK | | | |
|--|-------------|------------------------|---------------------------------|--------------------------------|-------------------------------------|---------------------------|
| Value Lab | pel | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Quite oft SMTS Hardly ev Never Missing | | 1 2 3 4 -1 | 37 204 383 11017 48 | .3 1.7 3.3 94.3 .4 | .3 1.8 3.3 94.6 Missing | .3 2.1 5.4 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11641 | Missina c | ases 48 | | | |

Derived variable

The 10 items D24-D33 formed the depression scale of the Edinburgh Post-Natal Depression Scale (EPDS) developed by Cox et al (1987). The items in this scale were specifically chosen by the authors because they did not involve somatic items. Each question had 4 response categories scored from 0 to 3 and referred to the feelings of the mother in the past week. Although the measure was developed specifically for use with puerperal women, none of the 10 items is specific to the postnatal experience. The principle feature of the scale that designates it as a post-natal scale is that it does not include somatic items because of the possibility of confounding somatic symptoms of depression with normal physiological symptoms at this time. The feature of the scale was a major factor in its selection for our study which aims to measure depression during pregnancy and the post-partum years. During pregnancy, there is the possibility too of confounding normal physiological symptoms with those of depression. Both our own pilot studies and the study of Murray and Carrothers (1990) found the measure to be acceptable to respondents, producing high completion rates with little evidence of response error. Validation of the scale during pregnancy, the post-partum period and early parenthood has been examined using standardised psychiatric interviews as the validating measures and shown to have high sensitivity and specificity (Thorpe 1993).

```
These variables were recoded as follows: d24, d25, d27, (1 = 0) (2 = 1) (3 = 2) (4 = 3) d26, d28, d29, d30, d31, d32, d33 (1 = 3) (2 = 2) (3 = 1) (4 = 0) and the score calculated as D24 + D25 + [...] + D33.
```

EPDS score I (Any with a missing value on an item put to -1)

| E390 | Edinburgh | Post-natal | Dep | ression Sco | re | Valid | Cum |
|-----------|-----------|------------|-----|-------------|---------|---------|-------|
| Value Lab | el | Val | ue | Frequency | Percent | | |
| not depre | ssed | | 0 | 1162 | 9.9 | 10.1 | 10.1 |
| | | | 1 | 885 | 7.6 | 7.7 | 17.7 |
| | | | 2 | 1066 | 9.1 | 9.2 | 26.9 |
| | | | 3 | 1038 | 8.9 | 9.0 | 35.9 |
| | | | 4 | 1010 | 8.6 | 8.7 | 44.7 |
| | | | 5 | 884 | 7.6 | 7.7 | 52.3 |
| | | | 6 | 836 | 7.2 | 7.2 | 59.6 |
| | | | 7 | 800 | 6.8 | 6.9 | 66.5 |
| | | | 8 | 732 | 6.3 | 6.3 | 72.8 |
| | | | 9 | 644 | 5.5 | 5.6 | 78.4 |
| | | | 10 | 528 | 4.5 | 4.6 | 83.0 |
| | | | 11 | 454 | 3.9 | 3.9 | 86.9 |
| | | | 12 | 339 | 2.9 | 2.9 | 89.8 |
| | | | 13 | 280 | 2.4 | 2.4 | 92.2 |
| | | | 14 | 226 | 1.9 | 2.0 | 94.2 |
| | | | 15 | 153 | 1.3 | 1.3 | 95.5 |
| | | | 16 | 124 | 1.1 | 1.1 | 96.6 |
| | | | 17 | 110 | .9 | 1.0 | 97.6 |
| | | | 18 | 65 | .6 | . 6 | 98.1 |
| | | | 19 | 56 | .5 | .5 | 98.6 |
| | | | 20 | 44 | . 4 | . 4 | 99.0 |
| | | | 21 | 33 | .3 | .3 | 99.3 |
| | | | 22 | 29 | .2 | .3 | 99.5 |
| | | | 23 | 14 | .1 | .1 | 99.6 |
| | | | 24 | 11 | .1 | .1 | 99.7 |
| | | | 25 | 10 | .1 | .1 | 99.8 |
| | | | 26 | 11 | .1 | .1 | 99.9 |
| | | | 27 | 7 | .1 | .1 | 100.0 |
| very depr | essed | | 28 | 3 | .0 | .0 | 100.0 |
| Missing | | | -1 | 135 | 1.2 | Missing | |
| | | Tot | al | 11689 | 100.0 | 100.0 | |

Valid cases 11554 Missing cases 135

EPDS score II (Any with missing value put to mode unless all items missing)

| Value Label not depressed Value 2 Prequency not depressed Frequency 2 Precent 10.0 Percent 10.0 <th< th=""></th<> |
|---|
| not depressed 0 1166 10.0 10.0 10.0 1 894 7.6 7.7 17.6 2 1074 9.2 9.2 26.8 3 1045 8.9 9.0 35.8 4 1033 8.8 8.8 44.6 |
| 1 894 7.6 7.7 17.6 2 1074 9.2 9.2 26.8 3 1045 8.9 9.0 35.8 4 1033 8.8 8.8 44.6 |
| 2 1074 9.2 9.2 26.8 3 1045 8.9 9.0 35.8 4 1033 8.8 8.8 44.6 |
| 3 1045 8.9 9.0 35.8 4 1033 8.8 8.8 44.6 |
| 4 1033 8.8 8.8 44.6 |
| |
| |
| 6 848 7.3 7.3 59.6 |
| 7 808 6.9 6.9 66.5 |
| 8 739 6.3 6.3 72.8 |
| 9 648 5.5 5.6 78.4 |
| 10 533 4.6 4.6 83.0 |
| 11 458 3.9 3.9 86.9 |
| 12 344 2.9 2.9 89.8 |
| 13 283 2.4 2.4 92.2 |
| 14 230 2.0 2.0 94.2 15 155 1.3 1.3 95.5 |
| 15 155 1.3 1.3 95.5 16 125 1.1 1.1 96.6 |
| 17 110 .9 .9 97.6 |
| 18 65 .6 .6 98.1 |
| 19 57 .5 .5 98.6 |
| 20 45 .4 .4 99.0 |
| 21 33 .3 .3 99.3 |
| 22 29 .2 .2 99.5 |
| 23 14 .1 .1 99.6 |
| 24 11 .1 .1 99.7 |
| 25 10 .1 .1 99.8 |
| 26 11 .1 .1 99.9 |
| 27 7 .1 .1 100.0 very depressed 28 3 .0 .0 100.0 |
| very depressed 28 3 .0 .0 100.0 Missing -1 15 .1 Missing |
| -1 13 .1 MISSING |
| Total 11689 100.0 100.0 |
| Valid cases 11674 Missing cases 15 |
| |
| E392 No. missing values in EPDS |
| Valid Cum |
| Value Label Value Frequency Percent Percent |
| 0 11554 98.8 98.8 98.8 |
| 1 64 .5 .5 99.4 |
| 2 23 .2 .2 99.6 |
| 3 8 .1 .1 99.7 |

| | | | | | Valid | Cum |
|-------------|-------|-----------|-----------|---------|---------|---------|
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| | | 0 | 11554 | 98.8 | 98.8 | 98.8 |
| | | 1 | 64 | .5 | .5 | 99.4 |
| | | 2 | 23 | .2 | .2 | 99.6 |
| | | 3 | 8 | .1 | .1 | 99.7 |
| | | 5 | 4 | .0 | .0 | 99.7 |
| | | 7 | 2 | .0 | .0 | 99.7 |
| | | 8 | 19 | .2 | .2 | 99.9 |
| | | 10 | 15 | .1 | .1 | 100.0 |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11689 | Missing c | ases 0 | | | |

D34. Have you been feeling at all depressed?

No, not at all
Only mildly depressed
Yes, quite depressed
Yes, very depressed

[when more than 1 box ticked, the one with the higher code was taken]

| E393 | Feeling d | pressed in pas | st WK | | | |
|----------|-----------|----------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value La | bel | Value | Frequency | Percent | Percent | Percent |
| Not at a | 11 | 1 | 6850 | 58.6 | 58.8 | 58.8 |
| Mildly d | epressed | 2 | 3690 | 31.6 | 31.7 | 90.5 |
| Quite de | pressed | 3 | 672 | 5.7 | 5.8 | 96.3 |
| V depres | sed | 4 | 432 | 3.7 | 3.7 | 100.0 |
| Missing | | -1 | 45 | . 4 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid ca | ses 11644 | Missing o | cases 45 |) | | |

D35. On the whole are there more good days than bad?

Yes, more good days About half and half No, more bad days

| E394 | More | e good | days | than | bad | in past WK | | | |
|----------|--------|--------|------|-------|------|------------|---------|---------|---------|
| | | | | | | | | Valid | Cum |
| Value La | bel | | | Va | lue | Frequency | Percent | Percent | Percent |
| More goo | d days | 3 | | | 1 | 9745 | 83.4 | 83.8 | 83.8 |
| Half & h | alf | | | | 2 | 1591 | 13.6 | 13.7 | 97.4 |
| More bad | days | | | | 3 | 297 | 2.5 | 2.6 | 100.0 |
| Missing | | | | | -1 | 56 | .5 | Missing | |
| | | | | | | | | | |
| | | | | To | tal | 11689 | 100.0 | 100.0 | |
| Valid ca | ses | 11633 | | Missi | ng c | ases 56 | õ | | |

SECTION E: LIFE EVENTS

These involved a life-events inventory of 42 items which were derived for the present study using previous inventories as a basis for selection of items. Three main sources were used in this way those of Brown & Harris, Barnett et al and Stanley. Each life event had 5 response categories indicating not only whether or not the event occurred but also how greatly the respondent was affected by it. An additional open item in which the respondent was able to name any event which was not on the inventory was also included. On the basis of these items, two scores may be calculated, the number of life events occurring, and the perceived impact of life events. Analysis of pilot study results showed these two scores to be highly correlated, but the impact scored being a more sensitive predicator of emotional well-being.

Listed below are a number of events which may have brought changes in your life. Have any of these occurred since the middle of your pregnancy? If so, please assess how much effect it had on you.

| | Yes & | Yes, | Yes, | Yes, but | No |
|--------------------------------|----------|------------|----------|-----------|---------|
| | affected | moderately | mildly | did not | did not |
| Since the middle of pregnancy: | me a lot | affected | affected | affect me | happen |
| | | | | at all | |

E1. Your partner died

[when more than 1 box ticked, the one with the lower code was taken]

| E400 | PTNR died | since MID PREG | 3 | | | |
|------------|-----------|----------------|-----------|---------|------------------|----------------|
| Value Labe | :1 | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Affected a | lot | 1 | 7 | .1 | .1 | .1 |
| Mildly aff | ected | 3 | 2 | .0 | .0 | .1 |
| No effect | | 4 | 1 | .0 | .0 | .1 |
| Did not ha | ippen | 5 | 11598 | 99.2 | 99.9 | 100.0 |
| Missing | | -1 | 81 | .7 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | s 11608 | Missing c | ases 81 | | | |

E2. One of your children died

| E401 | CH d | ied si | nce MID | PREG | | | | |
|---|------|--------|---------|-------------------|-----------------------|------------------------|-----------------------------|-------------------|
| Value Lab | el | | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Affected No effect Did not h Missing | | | | 1 4 5 -1 | 5 3 11603 78 | .0 .0 99.3 .7 | .0 .0 99.9 Missing | .0 .1 100.0 |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es : | 11611 | Mi | ssing c | ases 78 | | | |

E3. A friend or relative died

[when more than 1 box ticked, the one with the lower code was taken]

| E402 | FRD o | r REL | died | since MI | D PREG | | | |
|-----------|--------|-------|------|-----------|-----------|---------|---------|---------|
| | | | | | | | Valid | Cum |
| Value Lab | el | | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | | 1 | 391 | 3.3 | 3.4 | 3.4 |
| MOD affec | ted | | | 2 | 378 | 3.2 | 3.3 | 6.6 |
| Mildly af | fected | L | | 3 | 510 | 4.4 | 4.4 | 11.0 |
| No effect | | | | 4 | 292 | 2.5 | 2.5 | 13.5 |
| Did not h | appen | | | 5 | 10035 | 85.8 | 86.5 | 100.0 |
| Missing | | | | -1 | 83 | .7 | Missing | |
| | | | | | | | | |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 1 | 1606 | 1 | Missing c | ases 83 | | | |

E4. One of your children was ill

[when more than 1 box ticked, the one with the lower code was taken]

| E403 CH ill since M | ID PREG | | | | |
|---------------------|-----------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Affected a lot | 1 | 373 | 3.2 | 3.2 | 3.2 |
| MOD affected | 2 | 316 | 2.7 | 2.7 | 5.9 |
| Mildly affected | 3 | 573 | 4.9 | 4.9 | 10.9 |
| No effect | 4 | 531 | 4.5 | 4.6 | 15.5 |
| Did not happen | 5 | 9792 | 83.8 | 84.5 | 100.0 |
| Missing | -1 | 104 | .9 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| | | | | | |
| Valid cases 11585 | Missing c | ases 104 | | | |

E5. Your partner was ill

| E404 | PTNR ill | since | MID PREG | | | | |
|-----------|----------|-------|-----------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | 1 | 152 | 1.3 | 1.3 | 1.3 |
| MOD affec | ted: | | 2 | 215 | 1.8 | 1.9 | 3.2 |
| Mildly af | fected | | 3 | 419 | 3.6 | 3.6 | 6.8 |
| No effect | | | 4 | 400 | 3.4 | 3.5 | 10.2 |
| Did not h | appen | | 5 | 10406 | 89.0 | 89.8 | 100.0 |
| Missing | | | -1 | 97 | .8 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 1159 | 92 | Missing c | ases 97 | | | |

E6. A friend or relative was ill [when more than 1 box ticked, the one with the lower code was taken]

| E405 | Friend | or | REL | ill | since | MID E | PREG | | | |
|-----------|--------|-----|-----|-----|---------|-------|--------|---------|---------|---------|
| | | | | | | | | | Valid | Cum |
| Value Lab | el | | | | Value | Free | quency | Percent | Percent | Percent |
| Affected | a lot | | | | 1 | | 338 | 2.9 | 2.9 | 2.9 |
| MOD affec | ted | | | | 2 | | 362 | 3.1 | 3.1 | 6.0 |
| Mildly af | fected | | | | 3 | | 546 | 4.7 | 4.7 | 10.7 |
| No effect | | | | | 4 | | 425 | 3.6 | 3.7 | 14.4 |
| Did not h | appen | | | | 5 | | 9928 | 84.9 | 85.6 | 100.0 |
| Missing | | | | | -1 | | 90 | .8 | Missing | |
| | | | | | | | | | | |
| | | | | | Total | - | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11 | 599 | | Mi | ssing o | cases | 90 |) | | |

E7. You were admitted to hospital - including to have your baby [the last phrase was not included in the 1st version of the questionnaire] [when more than 1 box ticked, the one with the lower code was taken]

| E406 Admitted to HOSP since MID PREG | | | | | | | | | |
|--------------------------------------|----------|-----------|-----------|---------|------------------|----------------|--|--|--|
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent | | | |
| Affected | a lot | 1 | 1355 | 11.6 | 11.7 | 11.7 | | | |
| MOD affec | ted | 2 | 939 | 8.0 | 8.1 | 19.9 | | | |
| Mildly af | fected | 3 | 1277 | 10.9 | 11.1 | 30.9 | | | |
| No effect | | 4 | 2108 | 18.0 | 18.3 | 49.2 | | | |
| Did not h | appen | 5 | 5861 | 50.1 | 50.8 | 100.0 | | | |
| Missing | | -1 | 149 | 1.3 | Missing | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | | |
| Valid cas | es 11540 | Missing c | ases 149 | | | | | | |

E8. You were in trouble with the law [when more than 1 box ticked, the one with the lower code was taken]

| E407 | E407 Trouble with law since MID PREG | | | | | | | | | |
|-------------|--------------------------------------|-----------|-----------|---------|------------------|----------------|--|--|--|--|
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent | | | | |
| Affected | a lot | 1 | 16 | .1 | .1 | .1 | | | | |
| MOD affec | ted | 2 | 11 | .1 | .1 | .2 | | | | |
| Mildly af | fected | 3 | 13 | .1 | .1 | .3 | | | | |
| No effect | | 4 | 21 | .2 | .2 | .5 | | | | |
| Did not h | appen | 5 | 11551 | 98.8 | 99.5 | 100.0 | | | | |
| Missing | | -1 | 77 | .7 | Missing | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | | | |
| Valid cas | es 11612 | Missing c | ases 77 | | | | | | | |

E9. You were divorced [when more than 1 box ticked, the one with the lower code was taken]

| E408 | Divorced since | MID PREG | | | | |
|------------|----------------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Labe | el | Value | Frequency | Percent | Percent | Percent |
| Affected a | a lot | 1 | 21 | .2 | .2 | .2 |
| MOD affect | ed | 2 | 9 | .1 | .1 | .3 |
| Mildly aff | fected | 3 | 23 | .2 | .2 | .5 |
| No effect | | 4 | 35 | .3 | .3 | .8 |
| Did not ha | appen | 5 | 11516 | 98.5 | 99.2 | 100.0 |
| Missing | | -1 | 85 | .7 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 11604 | Missing c | ases 85 | | | |

E10. You found that your partner didn't want your child [when more than 1 box ticked, the one with the lower code was taken]

| E409 | PTNR | rejected | CH since M | ID PREG | | | |
|-----------|-------|----------|------------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | 1 | 140 | 1.2 | 1.2 | 1.2 |
| MOD affec | ted | | 2 | 45 | . 4 | . 4 | 1.6 |
| Mildly af | fecte | d | 3 | 48 | . 4 | . 4 | 2.0 |
| No effect | | | 4 | 25 | .2 | .2 | 2.2 |
| Did not h | appen | | 5 | 11337 | 97.0 | 97.8 | 100.0 |
| Missing | | | -1 | 94 | .8 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11595 | Missing c | ases 94 | | | |

E11. You were very ill [when more than 1 box ticked, the one with the lower code was taken]

| E410 | Ill since MID | PREG | | | | |
|-----------|---------------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| Affected | a lot | 1 | 207 | 1.8 | 1.8 | 1.8 |
| MOD affec | ted | 2 | 143 | 1.2 | 1.2 | 3.0 |
| Mildly af | fected | 3 | 173 | 1.5 | 1.5 | 4.5 |
| No effect | | 4 | 84 | .7 | .7 | 5.2 |
| Did not h | appen | 5 | 10997 | 94.1 | 94.8 | 100.0 |
| Missing | | -1 | 85 | .7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11604 | Missina c | ases 85 | | | |

E12. Your partner lost his job

[when more than 1 box ticked, the one with the lower code was taken]

| E411 PTNR lost job | since MID | PREG | | | |
|--------------------|-----------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | | | | | |
| Affected a lot | 1 | 286 | 2.4 | 2.5 | 2.5 |
| MOD affected | 2 | 247 | 2.1 | 2.1 | 4.6 |
| Mildly affected | 3 | 222 | 1.9 | 1.9 | 6.5 |
| No effect | 4 | 112 | 1.0 | 1.0 | 7.5 |
| Did not happen | 5 | 10724 | 91.7 | 92.5 | 100.0 |
| Missing | -1 | 98 | .8 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11591 | Missing c | ases 98 | | | |

E13. Your partner had problems at work

[when more than 1 box ticked, the one with the lower code was taken]

| E412 PTNR had PROBS at work since MID PREG | | | | | | | |
|--|---------------|------|-----------------------------|--|---|---|-------------------------------------|
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Affected MOD affect Mildly af No effect Did not h Missing | ted fected | | 1 2 3 4 5 -1 | 333 561 1004 406 9249 136 | 2.8 4.8 8.6 3.5 79.1 1.2 | 2.9 4.9 8.7 3.5 80.1 Missing | 2.9 7.7 16.4 19.9 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 1155 | 3 Mi | ssing c | ases 136 | | | |

E14. You had problems at work

| E413 | PROI | 3S at | work | since | MID | PREG | | | |
|-----------|--------|-------|------|-------|-------|-----------|---------|---------|---------|
| | | | | | | | | Valid | Cum |
| Value Lal | bel | | | V | alue | Frequency | Percent | Percent | Percent |
| Affected | a lot | 5 | | | 1 | 128 | 1.1 | 1.1 | 1.1 |
| MOD affe | cted | | | | 2 | 179 | 1.5 | 1.5 | 2.6 |
| Mildly a | ffecte | ed | | | 3 | 292 | 2.5 | 2.5 | 5.2 |
| No effec | t | | | | 4 | 100 | .9 | .9 | 6.0 |
| Did not 1 | happer | l | | | 5 | 10892 | 93.2 | 94.0 | 100.0 |
| Missing | | | | | -1 | 98 | .8 | Missing | |
| | | | | | | | | | |
| | | | | T | otal | 11689 | 100.0 | 100.0 | |
| Valid ca | ses | 1159 | 91 | Miss | ing c | ases 9 | 8 | | |

E15. You lost your job

[when more than 1 box ticked, the one with the lower code was taken]

| E414 I | ost job sinc | e MID PREG | | | | |
|-------------|--------------|------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Label | = | Value | Frequency | Percent | Percent | Percent |
| Affected a | lot | 1 | 88 | .8 | .8 | .8 |
| MOD affecte | ed | 2 | 90 | .8 | .8 | 1.5 |
| Mildly affe | cted | 3 | 75 | .6 | .6 | 2.2 |
| No effect | | 4 | 117 | 1.0 | 1.0 | 3.2 |
| Did not hap | pen | 5 | 11232 | 96.1 | 96.8 | 100.0 |
| Missing | | -1 | 87 | .7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11602 | Missing c | ases 87 | | | |

E16. Your partner went away

[when more than 1 box ticked, the one with the lower code was taken]

| d Cum |
|------------|
| nt Percent |
| 6 2.6 |
| 5 4.2 |
| 4 6.6 |
| 8 8.3 |
| 7 100.0 |
| ng |
| |
| 0 |
| |
| |
| |

E17. Your partner was in trouble with the law

[when more than 1 box ticked, the one with the lower code was taken]

| E416 PTNR in trouble | with law | since MID | PREG | | |
|----------------------|-----------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Affected a lot | 1 | 61 | .5 | .5 | .5 |
| MOD affected | 2 | 30 | .3 | .3 | .8 |
| Mildly affected | 3 | 72 | .6 | .6 | 1.4 |
| No effect | 4 | 60 | .5 | .5 | 1.9 |
| Did not happen | 5 | 11375 | 97.3 | 98.1 | 100.0 |
| Missing | -1 | 91 | .8 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11598 | Missing c | ases 91 | | | |

E18. You and your partner separated

| E417 | Separated si | nce MID PREG | | | | |
|-----------|--------------|--------------|-----------|---------|---------|---------|
| | _ | | | | Valid | Cum |
| Value Lak | pel | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | 1 | 251 | 2.1 | 2.2 | 2.2 |
| MOD affec | cted | 2 | 67 | .6 | .6 | 2.7 |
| Mildly af | fected | 3 | 61 | .5 | .5 | 3.3 |
| No effect | | 4 | 51 | . 4 | . 4 | 3.7 |
| Did not h | nappen | 5 | 11169 | 95.6 | 96.3 | 100.0 |
| Missing | | -1 | 90 | .8 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | ses 11599 | Missina c | ases 90 | | | |

E19. Your income was reduced [when more than 1 box ticked, the one with the lower code was taken]

E418 Income reduced since MID PREG

| | | | | Valid | Cum |
|-----------------|-------|-----------|---------|---------|---------|
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Affected a lot | 1 | 875 | 7.5 | 7.5 | 7.5 |
| MOD affected | 2 | 1371 | 11.7 | 11.8 | 19.4 |
| Mildly affected | 3 | 1916 | 16.4 | 16.5 | 35.9 |
| No effect | 4 | 1056 | 9.0 | 9.1 | 45.0 |
| Did not happen | 5 | 6375 | 54.5 | 55.0 | 100.0 |
| Missing | -1 | 96 | .8 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| | | | | | |
| | | | | | |

Valid cases 11593 Missing cases 96

E20. You argued with your partner

[when more than 1 box ticked, the one with the lower code was taken]

| E419 Argued | l with | PTNR | since | MID | PREG |
|-------------|--------|------|-------|-----|------|
|-------------|--------|------|-------|-----|------|

| | | | Valid | Cum |
|-------|-----------------------|---|---|---|
| Value | Frequency | Percent | Percent | Percent |
| 1 | 788 | 6.7 | 6.8 | 6.8 |
| 2 | 875 | 7.5 | 7.6 | 14.4 |
| 3 | 2130 | 18.2 | 18.4 | 32.8 |
| 4 | 2255 | 19.3 | 19.5 | 52.3 |
| 5 | 5527 | 47.3 | 47.7 | 100.0 |
| -1 | 114 | 1.0 | Missing | |
| | | | | |
| Total | 11689 | 100.0 | 100.0 | |
| | | | | |
| | 1 2 3 4 5 | 1 788 2 875 3 2130 4 2255 5 5527 -1 114 | 1 788 6.7 2 875 7.5 3 2130 18.2 4 2255 19.3 5 5527 47.3 -1 114 1.0 | Value Frequency Percent Percent 1 788 6.7 6.8 2 875 7.5 7.6 3 2130 18.2 18.4 4 2255 19.3 19.5 5 5527 47.3 47.7 -1 114 1.0 Missing |

Valid cases 11575 Missing cases 114

E21. You had arguments with your family or friends [when more than 1 box ticked, the one with the lower code was taken]

| E420 Argueo | d with | FAM/FRDS | since | MID | PREG |
|-------------|--------|----------|-------|-----|------|
|-------------|--------|----------|-------|-----|------|

| | | | | valla | Cum |
|-----------------|-------|-----------|---------|---------|---------|
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Affected a lot | 1 | 264 | 2.3 | 2.3 | 2.3 |
| MOD affected | 2 | 331 | 2.8 | 2.9 | 5.1 |
| Mildly affected | 3 | 626 | 5.4 | 5.4 | 10.5 |
| No effect | 4 | 489 | 4.2 | 4.2 | 14.7 |
| Did not happen | 5 | 9894 | 84.6 | 85.3 | 100.0 |
| Missing | -1 | 85 | .7 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| | | | | | |

Valid cases 11604 Missing cases 85

E22. You moved house

[when more than 1 box ticked, the one with the lower code was taken]

| E421 Moved house s | ince PREG | | | | |
|--------------------|-----------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | | | | | |
| Affected a lot | 1 | 350 | 3.0 | 3.0 | 3.0 |
| MOD affected | 2 | 355 | 3.0 | 3.1 | 6.1 |
| Mildly affected | 3 | 350 | 3.0 | 3.0 | 9.1 |
| No effect | 4 | 361 | 3.1 | 3.1 | 12.2 |
| Did not happen | 5 | 10196 | 87.2 | 87.8 | 100.0 |
| Missing | -1 | 77 | .7 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11612 | Missing c | ases 77 | | | |

E23. Your partner hurt you physically

[when more than 1 box ticked, the one with the lower code was taken]

| E422 | PTNR | hurt | MUM | since MID | PREG | | | |
|-----------|-------|-------|-----|-----------|-----------|---------|---------|---------|
| | | | | | | | Valid | Cum |
| Value Lab | el | | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | | 1 | 78 | .7 | .7 | .7 |
| MOD affec | ted | | | 2 | 48 | . 4 | . 4 | 1.1 |
| Mildly af | fecte | d | | 3 | 61 | .5 | .5 | 1.6 |
| No effect | | | | 4 | 19 | .2 | .2 | 1.8 |
| Did not h | appen | | | 5 | 11388 | 97.4 | 98.2 | 100.0 |
| Missing | | | | -1 | 95 | .8 | Missing | |
| | | | | | | | | |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11594 | | Missing | cases 9 | 5 | | |

E24. You became homeless

[when more than 1 box ticked, the one with the lower code was taken]

| E423 | Becam | e homeless | since PI | REG | | | |
|----------|---------|------------|-----------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value La | bel | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | 1 | 80 | .7 | .7 | .7 |
| MOD affe | cted | | 2 | 30 | .3 | .3 | . 9 |
| Mildly a | ffected | | 3 | 23 | .2 | .2 | 1.1 |
| No effec | t | | 4 | 16 | .1 | .1 | 1.3 |
| Did not | happen | | 5 | 11461 | 98.0 | 98.7 | 100.0 |
| Missing | | | -1 | 79 | .7 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid ca | ses 1 | 1610 | Missing (| cases 79 |) | | |

E25. You had a major financial problem

| E424 | Major | financial | PROB sin | ce MID PREG | | | |
|-----------|--------|-----------|-----------|-------------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | 1 | 479 | 4.1 | 4.1 | 4.1 |
| MOD affec | ted | | 2 | 383 | 3.3 | 3.3 | 7.4 |
| Mildly af | fected | | 3 | 451 | 3.9 | 3.9 | 11.3 |
| No effect | | | 4 | 132 | 1.1 | 1.1 | 12.4 |
| Did not h | appen | | 5 | 10169 | 87.0 | 87.6 | 100.0 |
| Missing | | | -1 | 75 | .6 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | 00 11 | 1614 n | Missing a | 2505 75 | | | |

E26. You got married

[when more than 1 box ticked, the one with the lower code was taken]

| E425 | Married sinc | e MID PREG | | | | |
|-----------|--------------|------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | 1 | 70 | .6 | .6 | .6 |
| MOD affec | ted | 2 | 47 | . 4 | . 4 | 1.0 |
| Mildly af | fected | 3 | 38 | .3 | .3 | 1.3 |
| No effect | | 4 | 78 | .7 | .7 | 2.0 |
| Did not h | appen | 5 | 11374 | 97.3 | 98.0 | 100.0 |
| Missing | | -1 | 82 | .7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11607 | Missing c | ases 82 | | | |

E27. Your partner hurt your children physically

[when more than 1 box ticked, the one with the lower code was taken]

| E426 | PTNR hurt (| CHDR since MID | PREG | | | |
|-----------|-------------|----------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | 1 | 6 | .1 | .1 | .1 |
| MOD affec | ted | 2 | 2 | .0 | .0 | .1 |
| Mildly af | fected | 3 | 4 | .0 | .0 | .1 |
| No effect | | 4 | 3 | .0 | .0 | .1 |
| Did not h | appen | 5 | 11581 | 99.1 | 99.9 | 100.0 |
| Missing | | -1 | 93 | .8 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11596 | Missing c | ases 93 | | | |

E28. You attempted suicide

| E427 | Attempted | suicide | since | MID PREG | | | |
|----------|-----------|---------|---------|-----------|---------|---------|---------|
| | _ | | | | | Valid | Cum |
| Value La | bel | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | 1 | 9 | .1 | .1 | .1 |
| MOD affe | cted | | 2 | 4 | .0 | .0 | .1 |
| Mildly a | ffected | | 3 | 3 | .0 | .0 | .1 |
| No effec | t | | 4 | 5 | .0 | .0 | .2 |
| Did not | happen | | 5 | 11594 | 99.2 | 99.8 | 100.0 |
| Missing | | | -1 | 74 | .6 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid ca | ses 11615 | Mis | ssing o | cases 74 | | | |

E29. You were convicted of an offence [when more than 1 box ticked, the one with the lower code was taken]

| E428 | Convicted | since | MID PREG | | | | |
|-----------|-----------|-------|------------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lak | pel | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | 1 | 9 | .1 | .1 | .1 |
| MOD affe | cted | | 2 | 4 | .0 | .0 | .1 |
| Mildly at | fected | | 3 | 3 | .0 | .0 | .1 |
| No effect | 5 | | 4 | 5 | .0 | .0 | .2 |
| Did not h | nappen | | 5 | 11586 | 99.1 | 99.8 | 100.0 |
| Missing | | | -1 | 82 | .7 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | ses 11607 | I | Missing ca | ases 82 | | | |

E30. You were bleeding and thought you might miscarry [when more than 1 box ticked, the one with the lower code was taken]

| E429 | MC scare since | e MID PREG | | | | |
|-----------|----------------|------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | 1 | 314 | 2.7 | 2.7 | 2.7 |
| MOD affec | ted: | 2 | 133 | 1.1 | 1.1 | 3.9 |
| Mildly af | fected | 3 | 100 | .9 | .9 | 4.7 |
| No effect | | 4 | 41 | . 4 | . 4 | 5.1 |
| Did not h | appen | 5 | 11017 | 94.3 | 94.9 | 100.0 |
| Missing | | -1 | 84 | .7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11605 | Missing c | ases 84 | | | |

E31. You started a new job

[when more than 1 box ticked, the one with the lower code was taken]

| E430 | Started new | job since Ml | D PREG | | | |
|----------|-------------|--------------|-----------|---------|---------|---------|
| | | _ | | | Valid | Cum |
| Value La | bel | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | 1 | 24 | .2 | .2 | .2 |
| MOD affe | cted | 2 | 34 | .3 | .3 | .5 |
| Mildly a | ffected | 3 | 36 | .3 | .3 | .8 |
| No effec | t | 4 | 66 | .6 | .6 | 1.4 |
| Did not | happen | 5 | 11432 | 97.8 | 98.6 | 100.0 |
| Missing | | -1 | 97 | .8 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| | | | | | | |
| Valid ca | ses 11592 | Missina d | cases 97 | , | | |

E32. You had a test to see if your baby was abnormal [when more than 1 box ticked, the one with the lower code was taken]

| E431 | Test | for | СН | abnormality | since | MID I | PREG | | |
|-----------|--------|------|----|-------------|-------|-------|---------|---------|---------|
| | | | | | | | | Valid | Cum |
| Value Lab | el | | | Value | Freq | uency | Percent | Percent | Percent |
| Affected | a lot | | | 1 | | 280 | 2.4 | 2.4 | 2.4 |
| MOD affec | ted | | | 2 | | 270 | 2.3 | 2.3 | 4.8 |
| Mildly af | fected | Ĺ | | 3 | | 397 | 3.4 | 3.4 | 8.2 |
| No effect | | | | 4 | | 728 | 6.2 | 6.3 | 14.5 |
| Did not h | appen | | | 5 | | 9901 | 84.7 | 85.5 | 100.0 |
| Missing | | | | -1 | | 113 | 1.0 | Missing | |
| | | | | | | | | | |
| | | | | Total | 1 | 1689 | 100.0 | 100.0 | |
| Valid cas | es : | 1157 | 6 | Missing o | cases | 11 | 3 | | |

E33. You had a result on a test that suggested your baby might not be normal [when more than 1 box ticked, the one with the lower code was taken]

| E432 | Test | suggested | CH PROB : | since MID PR | .EG | | |
|-----------|--------|-----------|-----------|--------------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | pel | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | 1 | 136 | 1.2 | 1.2 | 1.2 |
| MOD affec | cted | | 2 | 52 | . 4 | . 4 | 1.6 |
| Mildly af | fecte | d | 3 | 30 | .3 | .3 | 1.9 |
| No effect | 5 | | 4 | 35 | .3 | .3 | 2.2 |
| Did not h | nappen | | 5 | 11352 | 97.1 | 97.8 | 100.0 |
| Missing | | | -1 | 84 | .7 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | ses | 11605 | Missing o | cases 84 | | | |

E34. You were told that you were going to have twins [when more than 1 box ticked, the one with the lower code was taken]

| E433 | Discovered | having twins | since MID P | REG | | |
|-----------|------------|--------------|-------------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | 1 | 79 | .7 | .7 | .7 |
| MOD affec | ted | 2 | 21 | .2 | .2 | .9 |
| Mildly af | fected | 3 | 26 | .2 | .2 | 1.1 |
| No effect | | 4 | 27 | .2 | .2 | 1.3 |
| Did not h | appen | 5 | 11454 | 98.0 | 98.7 | 100.0 |
| Missing | | -1 | 82 | .7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11607 | Missing o | cases 82 | | | |

E35. You heard that something that had happened might be harmful to the baby [when more than 1 box ticked, the one with the lower code was taken]

| E434 | Heard | event | might | harm C | H since MID | PREG | | |
|-----------|---------|-------|-------|---------|-------------|---------|---------|---------|
| | | | | | | | Valid | Cum |
| Value Lab | oel | | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | | 1 | 176 | 1.5 | 1.5 | 1.5 |
| MOD affe | cted | | | 2 | 135 | 1.2 | 1.2 | 2.7 |
| Mildly a: | ffected | | | 3 | 178 | 1.5 | 1.5 | 4.2 |
| No effect | 5 | | | 4 | 62 | .5 | .5 | 4.8 |
| Did not h | nappen | | | 5 | 11045 | 94.5 | 95.2 | 100.0 |
| Missing | | | | -1 | 93 | .8 | Missing | |
| | | | | | | | | |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | ses 1 | 1596 | Μi | ssina c | ases 93 | | | |

E36. You tried to have an abortion

| E435 | Attempted | abortion since | MID PREG | ≅G | | | | |
|-----------------|-----------|----------------|-----------|---------|---------|---------|--|--|
| | | | | | Valid | Cum | | |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent | | |
| Affected | a lot | 1 | 15 | .1 | .1 | .1 | | |
| MOD affec | ted | 2 | 3 | .0 | .0 | .2 | | |
| Mildly affected | | 3 | 7 | .1 | .1 | .2 | | |
| No effect | • | 4 | 10 | .1 | .1 | .3 | | |
| Did not happen | | 5 | 11572 | 99.0 | 99.7 | 100.0 | | |
| Missing | | -1 | 82 | .7 | Missing | | | |
| | | | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | |
| Valid cas | es 11607 | Missina c | ases 82 | | | | | |

E37. You took an examination

[when more than 1 box ticked, the one with the lower code was taken]

| E436 | Took an exam | since MID P | REG | | | |
|------------|--------------|-------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Labe | el | Value | Frequency | Percent | Percent | Percent |
| Affected a | a lot | 1 | 63 | .5 | .5 | .5 |
| MOD affect | ted | 2 | 75 | .6 | .6 | 1.2 |
| Mildly aft | Tected | 3 | 126 | 1.1 | 1.1 | 2.3 |
| No effect | | 4 | 237 | 2.0 | 2.0 | 4.3 |
| Did not ha | appen | 5 | 11092 | 94.9 | 95.7 | 100.0 |
| Missing | | -1 | 96 | .8 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | es 11593 | Missing c | ases 96 | | | |

E38. Your partner was emotionally cruel to you

[when more than 1 box ticked, the one with the lower code was taken]

| E437 | E437 PTNR EMOT cruel to MUM since MID PREG | | | | | | |
|-----------|--|-----------|-----------|---------|---------|---------|--|
| | | | | | Valid | Cum | |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent | |
| Affected | a lot | 1 | 320 | 2.7 | 2.8 | 2.8 | |
| MOD affec | ted | 2 | 154 | 1.3 | 1.3 | 4.1 | |
| Mildly af | fected | 3 | 203 | 1.7 | 1.8 | 5.8 | |
| No effect | | 4 | 45 | . 4 | . 4 | 6.2 | |
| Did not h | appen | 5 | 10858 | 92.9 | 93.8 | 100.0 | |
| Missing | | -1 | 109 | .9 | Missing | | |
| | | Total | 11689 | 100.0 | 100.0 | | |
| Valid cas | es 11580 | Missing c | ases 109 | | | | |

E39. Your partner was emotionally cruel to your children [when more than 1 box ticked, the one with the lower code was taken]

| E438 PTNR EMOT cruel to CH since MID PREG | | | | | | | |
|---|--------|-----|-----------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | 1 | 43 | . 4 | . 4 | . 4 |
| MOD affec | ted | | 2 | 25 | .2 | .2 | .6 |
| Mildly af | fected | | 3 | 33 | .3 | .3 | .9 |
| No effect | | | 4 | 8 | .1 | .1 | .9 |
| Did not h | appen | | 5 | 11466 | 98.1 | 99.1 | 100.0 |
| Missing | | | -1 | 114 | 1.0 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 115 | 575 | Missing c | ases 114 | | | |

E40. Your house or car was burgled [when more than 1 box ticked, the one with the lower code was taken]

| E439 | House | burglary/car | r theft | since MID | PREG | | |
|-----------|--------|--------------|----------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | | 1 | 126 | 1.1 | 1.1 | 1.1 |
| MOD affec | ted | | 2 | 192 | 1.6 | 1.7 | 2.7 |
| Mildly af | fected | | 3 | 318 | 2.7 | 2.7 | 5.5 |
| No effect | | | 4 | 204 | 1.7 | 1.8 | 7.2 |
| Did not h | appen | | 5 | 10766 | 92.1 | 92.8 | 100.0 |
| Missing | | | -1 | 83 | .7 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 1 | 1606 Mi: | ssing ca | ases 83 | | | |

E41.You had an accident

[when more than 1 box ticked, the one with the lower code was taken]

| E440 | Accident sinc | e MID PREG | | | | |
|-----------|---------------|------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lal | bel | Value | Frequency | Percent | Percent | Percent |
| Affected | a lot | 1 | 55 | .5 | .5 | . 5 |
| MOD affe | cted | 2 | 88 | .8 | .8 | 1.2 |
| Mildly a | ffected | 3 | 157 | 1.3 | 1.4 | 2.6 |
| No effec | t | 4 | 86 | .7 | .7 | 3.3 |
| Did not 1 | happen | 5 | 11203 | 95.8 | 96.7 | 100.0 |
| Missing | | -1 | 100 | .9 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid ca | ses 11589 | Missing c | ases 100 | | | |

E42. Having a baby is an important event. How much did this affect you? a lot moderately mildly not at all

[when more than 1 box ticked, the one with the lower code was taken]

| E441 Strength of effect of giving birth | | | | | | |
|--|----------|------------------------|----------------------------------|----------------------------|---------------------------------------|-------------------------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent |
| A lot MOD Mildly Not at al Missing | 1 | 1 2 3 4 -1 | 8075 2125 857 534 98 | 69.1 18.2 7.3 4.6 | 69.7 18.3 7.4 4.6 Missing | 69.7 88.0 95.4 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11591 | Missing c | ases 98 | | | |

E43. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope since becoming pregnant?

| Yes | | No | | | | |
|-------------------|--------------|--------------|---------------------|---------------------|-------------------------|----------------|
| E442 Oth | ner event re | equiring ef | fort | | | |
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Y N Missing | | 1 2 -1 | 1272 9424 993 | 10.9 80.6 8.5 | 11.9 88.1 Missing | 11.9 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 10696 | Missing c | ases 993 | | | |

If yes, b) please describe:

c) How did this affect you?

a lot moderately mildly not at all

[when more than 1 box ticked, the one with the lower code was taken]

| E443 Efi | tect of event | | | | | |
|-------------|---------------|-----------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| A lot | | 1 | 949 | 8.1 | 8.9 | 8.9 |
| MOD | | 2 | 287 | 2.5 | 2.7 | 11.5 |
| Mildly | | 3 | 56 | .5 | .5 | 12.1 |
| Not at all | | 4 | 9429 | 80.7 | 87.9 | 100.0 |
| Missing | | -1 | 968 | 8.3 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 10721 M | issing c | ases 968 | | | |
| vallu cases | 10/21 | irssind c | ases 900 | | | |

Derived variables: Weighted life events

To calculate E444 the variable E400 to E440 were recoded as follows (1,2,3,4,=4,3,2,1) (5=0).

Missing items were coded to 0 unless all items missing.

 $Weighted life events were derived from variables E400-E440 using the following formula: E444=E400+E401+E402+E403+E404+E405+E406+E407+E408+E409+E410+E411+E412+E413\\ +E414+E415+E416+E417+E418+E419+E420+E421+E422+E423+E424+E425+E426+E427+E428\\ +E429+E430+E431+E432+E433+E434+E435+E436+E437+E438+E439+E440.$

E444 Weighted life events score

| E444 | weighted | lile events | SCO. | re | | 777.11 | C |
|--------|----------|-------------|----------|---------------|------------|------------------|----------------|
| Value | Label | Va. | lue | Frequency | Percent | Valid Percent | Cum Percent |
| | | | 0 | 010 | 7.0 | 7.0 | 7.0 |
| | | | 0 1 | 910 701 | 7.8 6.0 | 7.8 6.0 | 7.8 13.8 |
| | | | 2 | 888 | 7.6 | 7.6 | 21.4 |
| | | | 3 | 835 | 7.1 | 7.2 | 28.6 |
| | | | 4 | 985 | 8.4 | 8.4 | 37.0 |
| | | | 5 | 768 | 6.6 | 6.6 | 43.6 |
| | | | 6 | 811 | 6.9 | 7.0 | 50.6 |
| | | | 7 | 646 | 5.5 | 5.5 | 56.1 |
| | | | 8 | 636 | 5.4 | 5.5 | 61.6 |
| | | | 9 | 538 | 4.6 | 4.6 | 66.2 |
| | | | 10 | 487 | 4.2 | 4.2 | 70.3 |
| | | | 11 12 | 433 | 3.7 3.7 | 3.7 3.7 | 74.1 |
| | | | 13 | 427 332 | 2.8 | 2.8 | 77.7 80.6 |
| | | | 14 | 297 | 2.5 | 2.5 | 83.1 |
| | | | 15 | 244 | 2.1 | 2.1 | 85.2 |
| | | | 16 | 208 | 1.8 | 1.8 | 87.0 |
| | | | 17 | 202 | 1.7 | 1.7 | 88.7 |
| | | | 18 | 174 | 1.5 | 1.5 | 90.2 |
| | | | 19 | 147 | 1.3 | 1.3 | 91.5 |
| | | | 20 | 127 | 1.1 | 1.1 | 92.6 |
| | | | 21 | 103 | .9 | .9 | 93.4 |
| | | | 22 23 | 109 101 | .9 .9 | .9 .9 | 94.4 95.2 |
| | | | 24 | 73 | .6 | .6 | 95.9 |
| | | | 25 | 73 67 | .6 | .6 | 96.4 |
| | | | 26 | 47 | . 4 | . 4 | 96.8 |
| | | | 27 | 42 | . 4 | . 4 | 97.2 |
| | | | 28 | 47 | . 4 | . 4 | 97.6 |
| | | | 29 | 37 | .3 | .3 | 97.9 |
| | | | 30 | 28 | .2 | .2 | 98.2 |
| | | | 31 | 27 | .2 | .2 | 98.4 |
| | | | 32 | 23 | .2 | .2 | 98.6 |
| | | | 33 34 | 19 19 | .2 | .2 | 98.8 98.9 |
| | | | 35 | 19 | .2 | .2 | 99.1 |
| | | | 36 | 23 | .2 | .2 | 99.3 |
| | | | 37 | 11 | .1 | .1 | 99.4 |
| | | | 38 | 7 | .1 | .1 | 99.4 |
| | | | 39 | 5 | .0 | .0 | 99.5 |
| | | | 40 | 7 | .1 | . 1 | 99.5 |
| | | | 41 | 6 | .1 | .1 | 99.6 |
| | | | 42 43 | 4 7 | .0 .1 | .0 .1 | 99.6 99.7 |
| | | | 44 | 2 | .0 | .0 | 99.7 |
| | | | 45 | 6 | .1 | .1 | 99.7 |
| | | | 46 | 4 | .0 | .0 | 99.8 |
| | | | 47 | 2 | .0 | .0 | 99.8 |
| | | | 48 | 2 | .0 | .0 | 99.8 |
| | | | 49 | 3 | .0 | .0 | 99.8 |
| | | | 50 | 4 | .0 | .0 | 99.9 |
| | | | 51 | 2 | .0 | .0 | 99.9 |
| | | | 52 53 | 3 2 | .0 | .0 | 99.9 99.9 |
| | | | 55 55 | 1 | .0 | .0 | 99.9 |
| | | | 56 | 2 | .0 | .0 | 100.0 |
| | | | 57 | 2 | .0 | .0 | 100.0 |
| | | | 59 | 2 | .0 | .0 | 100.0 |
| Missir | ng | | -1 | 25 | .2 | Missing | |
| | | TO: | tal | 11689 | 100.0 | 100.0 | |
| | | 10 | Lal | ±±00 <i>5</i> | 100.0 | 100.0 | |

Valid cases 11664 Missing cases 25

Life events

To calculate E445 the variables E400 to E440 were recoded as follows (1,2,3,4=1) (5=0). If any of the values for the variables E400 to E440 were missing and some of the other values were in the range (1,5), then the missing values were recoded to 0.

 $E445 = E400 + E401 + E402 + E403 + E404 + E405 + E406 + E407 + E408 + E409 + E410 + E411 + E412 + E413 \\ + E414 + E415 + E416 + E417 + E418 + E419 + E420 + E421 + E422 + E423 + E424 + E425 + E426 + E427 + E428 \\ + E429 + E430 + E431 + E432 + E433 + E434 + E435 + E436 + E437 + E438 + E439 + E440.$

| E445 | Life events score | | | | ** 1 1 1 | |
|-----------|-------------------|--------|-----------|---------|----------|---------|
| 77-3 T-1- | - 7 | T7 - 7 | | D | Valid | Cum |
| Value Lab | eı | value | Frequency | Percent | Percent | Percent |
| | | 0 | 910 | 7.8 | 7.8 | 7.8 |
| | | 1 | 1565 | 13.4 | 13.4 | 21.2 |
| | | 2 | 2075 | 17.8 | 17.8 | 39.0 |
| | | 3 | 1952 | 16.7 | 16.7 | 55.7 |
| | | 4 | 1726 | 14.8 | 14.8 | 70.5 |
| | | 5 | 1220 | 10.4 | 10.5 | 81.0 |
| | | 6 | 866 | 7.4 | 7.4 | 88.4 |
| | | 7 | 550 | 4.7 | 4.7 | 93.1 |
| | | 8 | 303 | 2.6 | 2.6 | 95.7 |
| | | 9 | 224 | 1.9 | 1.9 | 97.7 |
| | | 10 | 113 | 1.0 | 1.0 | 98.6 |
| | | 11 | 55 | .5 | .5 | 99.1 |
| | | 12 | 39 | .3 | .3 | 99.4 |
| | | 13 | 25 | .2 | .2 | 99.6 |
| | | 14 | 15 | .1 | .1 | 99.8 |
| | | 15 | 13 | .1 | .1 | 99.9 |
| | | 16 | 4 | .0 | .0 | 99.9 |
| | | 17 | 2 | .0 | .0 | 99.9 |
| | | 18 | 3 | .0 | .0 | 100.0 |
| | | 19 | 1 | .0 | .0 | 100.0 |
| | | 20 | 1 | .0 | .0 | 100.0 |
| | | 26 | 1 | .0 | .0 | 100.0 |
| | | 34 | 1 | .0 | .0 | 100.0 |
| Missing | | -1 | 25 | .2 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| | | | | | | |

Valid cases 11664 Missing cases 25

SECTION F: LOOKING AFTER YOUR BABY

F1. When did you come home from the maternity ward?

days after baby was born

(If same day put 00, if never went into hospital put 77) [77 has been recoded to -2; If < 1day but not same day, 1 was coded]

| E500 | NO of days at | HOSP after | birth | | Valid | Cum |
|-----------|---------------|----------------------|-----------------------------|-----------------------------|-----------------------------|----------------------------------|
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| <1 day | | 0 1 2 | 876 2106 2063 | 7.5 18.0 17.6 | 7.7 18.4 18.0 | 7.7 26.1 44.1 |
| | | 3 4 5 6 | 1729 1513 1658 602 | 14.8 12.9 14.2 5.2 | 15.1 13.2 14.5 5.3 | 59.2 72.5 87.0 92.2 |
| | | 7 8 9 10 | 408 145 63 106 | 3.5 1.2 .5 .9 | 3.6 1.3 .6 .9 | 95.8 97.1 97.6 98.5 |
| | | 11 12 13 14 | 24 27 17 40 | .2 .2 .1 | .2 .2 .1 | 98.7 99.0 99.1 99.5 |
| | | 15 16 17 | 11 5 8 | .1 .0 .1 | .1 .0 .1 | 99.6 99.6 99.7 |
| | | 18 19 20 21 | 5 4 2 11 | .0 .0 .0 | .0 .0 .0 | 99.7 99.8 99.8 99.9 |
| | | 22 23 24 | 1 1 1 | .0 | .0 | 99.9 99.9 99.9 |
| | | 26 28 29 30 | 1 3 1 1 | .0 | .0 | 99.9 99.9 99.9 100.0 |
| | | 31 35 39 40 | 1 1 1 1 | .0 | .0 | 100.0 100.0 100.0 100.0 |
| Non HOSP | birth | 58 -2 -1 | 1 161 91 | .0 1.4 .8 | .0 Missing Missing | 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |

252

Valid cases 11437 Missing cases

F2. Since coming home with my baby I have found it:

easier than expected about as difficult as I expected more difficult than I expected does not apply (baby not home yet)

[when more than 1 box ticked, the one with the higher code was taken]

| E502 | E502 Coping compared to expected coping | | | | | | | | | |
|-----------|---|-------|-----------|-----------|---------|---------|---------|--|--|--|
| | | | | | | Valid | Cum | | | |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent | | | |
| | | | | | | | | | | |
| Easier | | | 1 | 4031 | 34.5 | 34.8 | 34.8 | | | |
| As expect | ed | | 2 | 5091 | 43.6 | 43.9 | 78.7 | | | |
| Harder | | | 3 | 2439 | 20.9 | 21.1 | 99.8 | | | |
| NA | | | 4 | 25 | .2 | .2 | 100.0 | | | |
| Missing | | | -1 | 103 | .9 | Missing | | | | |
| | | | | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | | | | |
| Valid cas | es 1 | L1586 | Missing c | ases 103 | | | | | | |

F3. How many hours sleep do you get altogether now?

0-1 2-3 4-5 6-7 more than hours hours hours hours 7hours

a) during an average night

[when more than 1 box ticked, the one with the lower code was taken]

| E504 NO of | HRS of sleep at ni | ght | | | |
|---------------|--------------------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | | | | | |
| 0-1 | 1 | 13 | .1 | .1 | .1 |
| 2-3 | 2 | 224 | 1.9 | 1.9 | 2.0 |
| 4-5 | 3 | 3073 | 26.3 | 26.5 | 28.5 |
| 6-7 | 4 | 6056 | 51.8 | 52.2 | 80.8 |
| >7 | 5 | 2228 | 19.1 | 19.2 | 100.0 |
| Missing | -1 | 95 | .8 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 1 | 1594 Missing o | cases 95 | | | |

b) during an average day

[when more than 1 box ticked, the one with the lower code was taken]

| E505 NO | of HRS of | sleep in da | У | | | |
|-------------|-----------|-------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| 0 1 | | 1 | 10006 | 00.0 | 05.7 | 05.7 |
| 0-1 | | 1 | 10386 | 88.9 | 95.7 | 95.7 |
| 2-3 | | 2 | 340 | 2.9 | 3.1 | 98.8 |
| 4-5 | | 3 | 64 | .5 | .6 | 99.4 |
| 6-7 | | 4 | 43 | . 4 | . 4 | 99.8 |
| >7 | | 5 | 25 | .2 | .2 | 100.0 |
| Missing | | -1 | 831 | 7.1 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 10858 | Missing c | ases 831 | | | |

F4. Do you feel that you are getting enough sleep?

Yes No

| E508 | Feel | getting | enough slee | ep | | | |
|-----------|------|---------|-------------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Y | | | 1 | 5998 | 51.3 | 51.8 | 51.8 |
| N | | | 2 | 5577 | 47.7 | 48.2 | 100.0 |
| Missing | | | -1 | 114 | 1.0 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 11575 | Missing o | cases 114 | | | |

F5. Do you manage to go out (eg. shopping, visiting friends) now you have the baby?

yes, as much as I always did yes, but a bit less now very much less now no, not at all

[when more than 1 box ticked, the one with the higher code was taken]

| E510 | Goin | g out | since | birth | | | | | |
|-----------|------|-------|-------|-----------|----------|--------|------|---------|---------|
| | | | | | | | | Valid | Cum |
| Value Lab | el | | | Value | Frequenc | y Perc | cent | Percent | Percent |
| Y as befo | re | | | 1 | 4076 | 34 | 1.9 | 35.0 | 35.0 |
| Y but les | s | | | 2 | 5625 | 4.8 | 3.1 | 48.4 | 83.4 |
| Much less | | | | 3 | 1863 | 15 | 5.9 | 16.0 | 99.4 |
| Not at al | 1 | | | 4 | 67 | | .6 | .6 | 100.0 |
| Missing | | | | -1 | 58 | } | .5 | Missing | |
| | | | | | | | | | |
| | | | | Total | 11689 | 100 | 0.0 | 100.0 | |
| Valid cas | es | 11631 | | Missing c | ases | 58 | | | |

F6. What is the present job situation of yourself and your partner?

(i) (ii) Yourself Your partner

working for an employer full-time (more than 30 hours a week) working for an employer part-time (one hour or more a week) self-employed, employing other people self-employed, not employing other people on paid maternity leave on a government employment or training scheme waiting to start a job already accepted unemployed and looking for a job at school or in other full-time education unable to work because of long-term sickness or disability retired from paid work looking after the home or family don't have a partner [option not included in 1st version] other (please describe)

If you are not doing paid work at present then go to F9 below.

[Coders were instructed - if more than 1 box ticked, the 'other' option was coded]

| E520 Job situation of | of MUM | | | | |
|-----------------------|-----------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | | | | | |
| Full time work | 1 | 185 | 1.6 | 1.7 | 1.7 |
| Part time work | 2 | 481 | 4.1 | 4.4 | 6.1 |
| Employ self & others | 3 | 84 | .7 | .8 | 6.8 |
| Employ self only | 4 | 127 | 1.1 | 1.2 | 8.0 |
| Maternity leave | 5 | 3126 | 26.7 | 28.4 | 36.4 |
| Training scheme | 6 | 6 | .1 | .1 | 36.4 |
| Waiting to start job | 7 | 57 | .5 | .5 | 36.9 |
| Unemployed | 8 | 328 | 2.8 | 3.0 | 39.9 |
| Full time education | 9 | 24 | .2 | .2 | 40.1 |
| Sick or disabled | 10 | 38 | .3 | .3 | 40.5 |
| Retired | 11 | 28 | .2 | .3 | 40.7 |
| Home or family care | 12 | 5394 | 46.1 | 49.0 | 89.8 |
| Other | 13 | 1127 | 9.6 | 10.2 | 100.0 |
| Missing | -1 | 684 | 5.9 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| | | | | | |
| Valid cases 11005 | Missing c | ases 684 | | | |

| E521 Job situation | of PTNR | | | | |
|----------------------|-----------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| Full time work | 1 | 7568 | 64.7 | 69.0 | 69.0 |
| Part time work | 2 | 72 | .6 | .7 | 69.6 |
| Employ self & others | 3 | 750 | 6.4 | 6.8 | 76.5 |
| Employ self only | 4 | 1120 | 9.6 | 10.2 | 86.7 |
| Maternity leave | 5 | 1 | .0 | .0 | 86.7 |
| Training scheme | 6 | 43 | . 4 | . 4 | 87.1 |
| Waiting to start job | 7 | 21 | .2 | .2 | 87.3 |
| Unemployed | 8 | 930 | 8.0 | 8.5 | 95.7 |
| Full time education | 9 | 69 | .6 | .6 | 96.4 |
| Sick or disabled | 10 | 64 | .5 | .6 | 96.9 |
| Retired | 11 | 7 | .1 | .1 | 97.0 |
| Home or family care | 12 | 73 | .6 | .7 | 97.7 |
| Other | 13 | 255 | 2.2 | 2.3 | 100.0 |
| No partner | -2 | 302 | 2.6 | Missina | |
| Missing | -1 | 414 | 3.5 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 10973 | Missing c | ases 716 | | | |

F7. How many weeks old was your baby when you began to work? weeks [Coders were asked to round any fraction down to completed weeks. 'From birth' is coded to 0]

| E522 | Age | of | СН | when | MUM began | work | | | |
|-----------|-----|----|----|------|-----------|-----------|-------|---------|---------|
| | _ | | | | | | | Valid | Cum |
| Value Lab | el | | | | Value | Frequency | | Percent | Percent |
| | | | | | 1 | 66 | . 6 | 5.5 | 5.5 |
| | | | | | 2 | 114 | 1.0 | 9.4 | 14.9 |
| | | | | | 3 | 66 | .6 | 5.5 | 20.3 |
| | | | | | 4 | 82 | .7 | 6.8 | 27.1 |
| | | | | | 5 | 63 | .5 | 5.2 | 32.3 |
| | | | | | 6 | 164 | 1.4 | 13.6 | 45.9 |
| | | | | | 7 | 78 | .7 | 6.5 | 52.4 |
| | | | | | 8 | 171 | 1.5 | 14.1 | 66.5 |
| | | | | | 9 | 84 | .7 | 6.9 | 73.4 |
| | | | | | 10 | 81 | .7 | 6.7 | 80.1 |
| | | | | | 11 | 52 | . 4 | 4.3 | 84.4 |
| | | | | | 12 | 93 | .8 | 7.7 | 92.1 |
| | | | | | 13 | 11 | .1 | .9 | 93.1 |
| | | | | | 14 | 20 | .2 | 1.7 | 94.7 |
| | | | | | 15 | 7 | .1 | .6 | 95.3 |
| | | | | | 16 | 17 | .1 | 1.4 | 96.7 |
| | | | | | 17 | 3 | .0 | .2 | 96.9 |
| | | | | | 18 | 11 | .1 | .9 | 97.8 |
| | | | | | 19 | 3 | .0 | .2 | 98.1 |
| | | | | | 20 | 8 | .1 | .7 | 98.8 |
| | | | | | 22 | 2 | .0 | .2 | 98.9 |
| | | | | | 23 | 1 | .0 | .1 | 99.0 |
| | | | | | 24 | 4 | .0 | .3 | 99.3 |
| | | | | | 25 | 1 | .0 | .1 | 99.4 |
| | | | | | 26 | 3 | .0 | .2 | 99.7 |
| | | | | | 27 | 2 | .0 | .2 | 99.8 |
| | | | | | 28 | 1 | .0 | .1 | 99.9 |
| | | | | | 32 | 1 | .0 | .1 | 100.0 |
| Missing | | | | | -1 | 10480 | 89.7 | Missing | |
| | | | | | Total | 11689 | 100.0 | 100.0 | |
| | | | | | | | | | |

Missing cases 10480

Valid cases 1209

F8. How many hours per week do you work? hours

E523 HRS worked PWK

| Value Label | Value | Frequency | Percent | Valid Percent | Cum Percent |
|----------------------|----------|-----------|------------|------------------|----------------|
| | 0 | 69 | .6 | 5.2 | 5.2 |
| | 1 | 11 | .1 | .8 | 6.0 |
| | 2 | 27 | .2 | 2.0 | 8.1 |
| | 3 | 33 | .3 | 2.5 | 10.5 |
| | 4 | 53 | .5 | 4.0 | 14.5 |
| | 5 6 | 44 59 | . 4 . 5 | 3.3 4.4 | 17.8 22.3 |
| | 7 | 36 | .3 | 2.7 | 25.0 |
| | 8 | 72 | .6 | 5.4 | 30.4 |
| | 9 | 39 | .3 | 2.9 | 33.4 |
| | 10 | 114 | 1.0 | 8.6 | 41.9 |
| | 11 | 13 | .1 | 1.0 | 42.9 |
| | 12 13 | 72 9 | .6 .1 | 5.4 .7 | 48.3 49.0 |
| | 14 | 32 | .3 | 2.4 | 51.4 |
| | 15 | 60 | .5 | 4.5 | 55.9 |
| | 16 | 38 | .3 | 2.9 | 58.8 |
| | 17 | 15 | .1 | 1.1 | 59.9 |
| | 18 19 | 25 15 | .2 | 1.9 1.1 | 61.8 63.0 |
| | 20 | 98 | .8 | 7.4 | 70.3 |
| | 21 | 16 | .1 | 1.2 | 71.5 |
| | 22 | 14 | .1 | 1.1 | 72.6 |
| | 23 | 9 | .1 | .7 | 73.3 |
| | 24 25 | 21 20 | .2 | 1.6 1.5 | 74.8 76.4 |
| | 26 | 3 | .0 | .2 | 76.6 |
| | 27 | 4 | .0 | .3 | 76.9 |
| | 28 | 5 | .0 | . 4 | 77.3 |
| | 29 | 1 | .0 | .1 | 77.3 |
| | 30 31 | 32 2 | .3 | 2.4 | 79.7 79.9 |
| | 32 | 9 | .1 | .7 | 80.6 |
| | 33 | 1 | .0 | .1 | 80.6 |
| | 34 | 1 | .0 | .1 | 80.7 |
| | 35 | 38 | .3 | 2.9 | 83.6 |
| | 36 37 | 7 46 | .1 | .5 3.5 | 84.1 87.6 |
| | 38 | 22 | .2 | 1.7 | 89.2 |
| | 39 | 17 | .1 | 1.3 | 90.5 |
| | 40 | 53 | .5 | 4.0 | 94.5 |
| | 41 | 2 | .0 | .2 | 94.7 |
| | 42 43 | 2 | .0 | .2 | 94.8 95.0 |
| | 44 | 1 | .0 | .1 | 95.1 |
| | 45 | 8 | .1 | .6 | 95.7 |
| | 48 | 1 | .0 | .1 | 95.8 |
| | 50 | 3 | .0 | .2 | 96.0 |
| | 57 60 | 1 2 | .0 | .1 | 96.1 96.2 |
| | 70 | 1 | .0 | .1 | 96.3 |
| Full time or 90+ HRS | 90 | 6 | .1 | .5 | 96.8 |
| Occasionally | 97 | 3 | .0 | .2 | 97.0 |
| DK | 99 | 40 | .3 | 3.0 | 100.0 |
| Missing | -1 | 10361 | 88.6 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 1328 Missing cases 10361

Who regularly looks after your baby when you are not there?

(Please answer for each person regularly involved.)

[The words 'when you are not there' were not in the 1st version]

No Yes If yes, Age of baby give hours when this began per week and (in weeks)

- i) partner
- ii) baby's grandparent
- iii) other relative
- iv) friend/neighbour
- v) paid person outside your home (e.g. child minder)
- vi) paid person in your home (eg. nanny, baby sitter)
- vii) day nursery (creche)
- viii) other (please describe)

[Since mothers often ticked 'yes', in the absence of 'yes', the item was coded -2; Since the questions were intended to investigate regular care when the mother was absent coders were told not to code people sharing care such as partners in the evening. Hours were rounded up to a whole no. of hours; 90 was used for 'full time' and for 90+ hours; 97 for 'occasional', 99 for 'varies' or 'not known' (the latter have been recoded to -1). If a range was given, the higher no. was coded.

The age was coded in weeks; rounded down to completed weeks. 'From birth' was coded 0]

| | E524A | PTNR | looks | after | CH | | | | |
|---|------------|------|-------|-------|----------|--------------|--------------|------------------|----------------|
| , | Value Labe | el | | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| | N Y | | | | 1 2 | 4433 7256 | 37.9 62.1 | 37.9 62.1 | 37.9 100.0 |
| | | | | | Total | 11689 | 100.0 | 100.0 | |
| , | Valid case | es 1 | 1689 | M | issing c | ases 0 | | | |

E524B Hours per week

| Value | Label | Value | Frequency | Percent | Valid Percent | Cum Percent |
|---------------|-------|--|--|--|--|--|
| | | 0 1 1 2 3 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 1 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 45 48 49 50 51 52 54 55 56 58 66 66 870 71 | Frequency 9 802 1376 652 625 337 232 207 157 39 333 15 96 6124 99 44 7 17 3 143 32 11 1 28 28 2 6 20 3 50 1 3 1 2 23 11 4 2 6 35 4 1 7 6 2 18 1 1 2 7 1 1 2 7 1 1 3 4 1 2 7 1 1 2 7 1 1 3 4 1 2 7 1 1 2 7 1 1 3 4 1 2 7 1 1 2 7 1 1 3 4 1 2 7 1 1 2 7 1 1 3 4 1 2 7 1 1 2 7 1 1 3 4 1 2 2 7 1 1 3 4 1 2 2 7 1 1 3 4 1 2 2 7 1 3 4 1 2 2 7 1 1 3 4 1 2 2 7 1 1 3 4 1 2 2 7 1 1 3 4 1 2 2 7 1 3 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 2 7 1 1 3 4 4 1 2 4 1 2 2 7 1 1 3 4 4 1 2 2 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | .1 6.9 11.8 5.6 5.3 2.9 2.0 1.8 1.3 2.8 1.1 1.1 .0 1.2 .3 .1 .0 .2 .0 .1 .0 .0 .0 .0 .0 .0 .1 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 | Percent .2 14.1 24.3 11.5 11.0 5.9 4.1 3.6 2.8 .7 5.9 .3 1.7 .1 2.2 1.7 .8 .1 2.5 .6 .2 .0 .5 .5 .0 .1 .4 .1 .9 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .1 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 | Percent .2 14.3 38.6 50.1 61.1 67.0 71.1 74.8 77.5 78.2 84.3 86.0 86.1 88.3 90.1 90.8 91.3 91.3 93.8 94.4 94.6 95.1 95.6 95.6 95.8 96.1 97.1 97.1 97.1 97.2 97.6 97.8 97.8 97.9 98.9 98.9 99.3 99.3 99.3 99.3 99.3 99 |
| DNA Missir | ng | | 1 | | | |
| 1110011 | ·9 | Total | 11689 | 100.0 | 100.0 | |

Valid cases 5672 Missing cases 6017

E524C Age of baby in weeks

| E524C | Age o | f baby | in weeks | | | | |
|------------|-------|--------|----------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Labe | el | | Value | Frequency | Percent | Percent | Percent |
| | | | 0 | 0.21 | 7 1 | 12.6 | 12.6 |
| | | | 0 | 831 | 7.1 | 13.6 | 13.6 |
| | | | 1 | 1611 | 13.8 | 26.4 | 40.1 |
| | | | 2 | 846 | 7.2 | 13.9 | 53.9 |
| | | | 3 | 529 | 4.5 | 8.7 | 62.6 |
| | | | 4 | 622 | 5.3 | 10.2 | 72.8 |
| | | | 5 | 205 | 1.8 | 3.4 | 76.2 |
| | | | 6 | 551 | 4.7 | 9.0 | 85.2 |
| | | | 7 | 196 | 1.7 | 3.2 | 88.4 |
| | | | 8 | 325 | 2.8 | 5.3 | 93.8 |
| | | | 9 | 98 | .8 | 1.6 | 95.4 |
| | | | 10 | 98 | .8 | 1.6 | 97.0 |
| | | | 11 | 37 | .3 | .6 | 97.6 |
| | | | 12 | 73 | .6 | 1.2 | 98.8 |
| | | | 13 | 6 | .1 | .1 | 98.9 |
| | | | 14 | 17 | .1 | .3 | 99.2 |
| | | | 15 | 7 | .1 | .1 | 99.3 |
| | | | 16 | 12 | .1 | .2 | 99.5 |
| | | | 17 | 4 | .0 | .1 | 99.5 |
| | | | 18 | 4 | .0 | .1 | 99.6 |
| | | | 19 | 1 | .0 | .0 | 99.6 |
| | | | 20 | 10 | .1 | .2 | 99.8 |
| | | | 24 | 5 | .0 | .1 | 99.9 |
| | | | 26 | 2 | .0 | .0 | 99.9 |
| | | | 28 | 1 | .0 | .0 | 99.9 |
| | | | 29 | 1 | .0 | .0 | 99.9 |
| | | | 32 | 1 | .0 | .0 | 100.0 |
| | | | 35 | 1 | .0 | .0 | 100.0 |
| | | | 40 | 1 | .0 | .0 | 100.0 |
| | | | 41 | 1 | .0 | .0 | 100.0 |
| DNA | | | -2 | 4433 | 37.9 | Missing | |
| Missing | | | -1 | 1160 | 9.9 | Missing | |
| | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| | | | | | | | |

Valid cases 6096 Missing cases 5593

| | | | 119 | | |
|----------------------|-----------|--------------|--------------|------------------|----------------|
| E525A Grandparent lo | oks after | СН | | | |
| Value Label | Value | Frequency | Percent | Valid Percent | Cum Percent |
| N Y | 1 2 | 7333 4356 | 62.7 37.3 | 62.7 37.3 | 62.7 100.0 |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 11689 | Missing c | ases 0 | | | |
| E525B Hours per week | | | | | |
| - | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | 0 | 10 | .1 | .3 | .3 |
| | 1 | 659 | 5.6 | 18.3 | 18.6 |
| | 2 | 990 | 8.5 | 27.5 | 46.0 |
| | 3 4 | 483 473 | 4.1 4.0 | 13.4 13.1 | 59.4 72.6 |
| | 5 | 240 | 2.1 | 6.7 | 79.2 |
| | 6 | 146 | 1.2 | 4.1 | 83.3 |
| | 7 | 55 | .5 | 1.5 | 84.8 |
| | 8 | 96 | .8 | 2.7 | 87.5 |
| | 9 | 29 | .2 | .8 | 88.3 |
| | 10 | 140 | 1.2 | 3.9 | 92.1 |
| | 11 12 | 2 59 | .0 .5 | .1 1.6 | 92.2 |
| | 13 | 2 | .0 | .1 | 93.8 93.9 |
| | 14 | 23 | .2 | .6 | 94.5 |
| | 15 | 25 | .2 | | 95.2 |
| | 16 | 15 | .1 | . 4 | 95.6 |
| | 17 | 1 | .0 | .0 | 95.7 |

18

19

20

21

22 23

24

25

26

27

28

30

31

32

35

36

37

40

42

43

45

48

50

56

60

-2

-1

Missing cases

.1

.1

.0

.3

.0

.0 .0

.3

.1

.0

.0

.0

.0

.1

.0

.0

.1

.0

.0

.0

.0

.0

.0

62.7

6.4

8

1

35

4

4 2

32 7

1

1

2

20

1

1

9

1

4

9

2

3

4

2

1

7333

752

8085

95.6 95.7

95.9

95.9

96.9

97.0 97.1 97.2

98.1

98.3

98.3 98.3

98.4

98.9

98.9 99.0

99.2 99.3

99.4

99.6

99.6

99.7

99.7

99.8

99.9

100.0

100.0

.0

.2

.0

1.0

.1

.1

.9

.2

.0

.0

.1

.6

.0

.0

.2

.0

.1

.2

.0

.1

.1

.1

.1

.0

Missing

Missing

.0

11689 100.0 100.0 Total

3604

DNA

Missing

Valid cases

E525C Age of baby in weeks

| E525C Age of baby in we | eeks | | | | |
|-------------------------|-------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | | | | | |
| | 0 | 160 | 1.4 | 4.3 | 4.3 |
| | 1 | 468 | 4.0 | 12.7 | 17.0 |
| | 2 | 494 | 4.2 | 13.4 | 30.4 |
| | 3 | 484 | 4.1 | 13.1 | 43.5 |
| | 4 | 599 | 5.1 | 16.2 | 59.7 |
| | 5 | 222 | 1.9 | 6.0 | 65.7 |
| | 6 | 525 | 4.5 | 14.2 | 79.9 |
| | 7 | 181 | 1.5 | 4.9 | 84.8 |
| | 8 | 256 | 2.2 | 6.9 | 91.7 |
| | 9 | 81 | .7 | 2.2 | 93.9 |
| | 10 | 85 | .7 | 2.3 | 96.2 |
| | 11 | 18 | .2 | .5 | 96.7 |
| | 12 | 55 | .5 | 1.5 | 98.2 |
| | 13 | 5 | .0 | .1 | 98.3 |
| | 14 | 12 | .1 | .3 | 98.7 |
| | 15 | 2 | .0 | .1 | 98.7 |
| | 16 | 18 | .2 | .5 | 99.2 |
| | 17 | 2 | .0 | .1 | 99.3 |
| | 18 | 7 | .1 | .2 | 99.5 |
| | 19 | 3 | .0 | .1 | 99.5 |
| | 20 | 9 | .1 | .2 | 99.8 |
| | 23 | 1 | .0 | .0 | 99.8 |
| | 24 | 5 | .0 | .1 | 99.9 |
| | 28 | 2 | .0 | .1 | 100.0 |
| DNA | -2 | 7333 | 62.7 | Missing | |
| Missing | -1 | 662 | 5.7 | Missing | |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |
| | | | | | |

Valid cases 3694 Missing cases 7995

| | | | | 121 | | |
|-------|-------------|-----------------|-----------|---------|--------------|--------------|
| DEOCA | Other DEI | lealer often OU | | | | |
| E320A | Other REL | looks after CH | | | Valid | Cum |
| Value | Label | Value | Frequency | Percent | | |
| N | | 1 | 10756 | 92.0 | 92.0 | 92.0 |
| Y | | 2 | 933 | 8.0 | 8.0 | 100.0 |
| | | Total | | 100.0 | | |
| Valid | cases 11689 | Missing c | ases 0 | | | |
| | | | | | | |
| E526B | Hours per | week | | | Valid | Clim |
| Value | Label | Value | Frequency | Percent | | |
| | | 0 | 2 | .0 | .3 | .3 |
| | | 1 | 189 | 1.6 | 26.5 | 26.8 |
| | | 2 | 182 | 1.6 | 25.5 | 52.2 |
| | | 3 4 | 98 89 | .8 | 13.7 12.5 | 66.0 78.4 |
| | | 5 | 37 | .3 | 5.2 | 83.6 |
| | | 6 | 24 | .2 | 3.4 | 87.0 |
| | | 7 | 11 | .1 | 1.5 | 88.5 |
| | | 8 | 10 | .1 | 1.4 | 89.9 |
| | | 9 | 8 | .1 | 1.1 | 91.0 |
| | | 10 | 14 | .1 | 2.0 | 93.0 |
| | | 11 12 | 1 | .0 | .1 | 93.1 |
| | | 14 | 3 | .0 | .4 | 93.6 94.0 |
| | | 15 | 4 | .0 | .6 | 94.5 |
| | | 16 | 2 | .0 | .3 | 94.8 |
| | | 17 | 1 | .0 | .1 | 95.0 |
| | | 18 | 1 | .0 | .1 | 95.1 |
| | | 20 | 6 | .1 | .8 | 95.9 |
| | | 21 22 | 1 1 | .0 | .1 | 96.1 |
| | | 23 | 1 | .0 | .1 | 96.2 96.4 |
| | | 24 | 7 | .1 | 1.0 | 97.3 |
| | | 25 | 3 | .0 | . 4 | 97.8 |
| | | 28 | 1 | .0 | .1 | 97.9 |
| | | 30 | 3 | .0 | . 4 | 98.3 |
| | | 32 | 1 | .0 | .1 | 98.5 |
| | | 35 | 2 | .0 | .3 | 98.7 |
| | | 37 38 | 2 1 | .0 | .3 .1 | 99.0 99.2 |
| | | 39 | 1 | .0 | .1 | 99.3 |
| | | 40 | 3 | .0 | . 4 | 99.7 |
| | | 43 | 1 | .0 | .1 | 99.9 |
| | | 50 | 1 | .0 | .1 | 100.0 |
| DNA | | -2 | 10756 | 92.0 | Missing | |

Valid cases 714 Missing cases 10975

Missing

-1

Total

11689 100.0 100.0

1.9 Missing

10756

219

E526C Age of baby in weeks

| E526C Age of baby in | weeks | | | | |
|----------------------|-------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | | | | | |
| | 0 | 24 | .2 | 3.2 | 3.2 |
| | 1 | 62 | .5 | 8.2 | 11.4 |
| | 2 | 86 | .7 | 11.4 | 22.8 |
| | 3 | 101 | .9 | 13.4 | 36.2 |
| | 4 | 116 | 1.0 | 15.4 | 51.5 |
| | 5 | 40 | .3 | 5.3 | 56.8 |
| | 6 | 116 | 1.0 | 15.4 | 72.2 |
| | 7 | 39 | .3 | 5.2 | 77.4 |
| | 8 | 80 | .7 | 10.6 | 87.9 |
| | 9 | 20 | .2 | 2.6 | 90.6 |
| | 10 | 26 | .2 | 3.4 | 94.0 |
| | 11 | 11 | .1 | 1.5 | 95.5 |
| | 12 | 15 | .1 | 2.0 | 97.5 |
| | 14 | 4 | .0 | .5 | 98.0 |
| | 15 | 1 | .0 | .1 | 98.1 |
| | 16 | 2 | .0 | .3 | 98.4 |
| | 17 | 2 | .0 | .3 | 98.7 |
| | 18 | 2 | .0 | .3 | 98.9 |
| | 20 | 4 | .0 | .5 | 99.5 |
| | 21 | 1 | .0 | .1 | 99.6 |
| | 27 | 1 | .0 | .1 | 99.7 |
| | 28 | 1 | .0 | .1 | 99.9 |
| | 61 | 1 | .0 | .1 | 100.0 |
| DNA | -2 | 10756 | 92.0 | Missing | |
| Missing | -1 | 178 | 1.5 | Missing | |
| , | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 755 Missing cases 10934

| E527A Friend or neighbo | ur look | s after CH | | Valid | Cum |
|-------------------------|---------|--------------|-------------|-------------|---------------|
| Value Label | Value | Frequency | Percent | | |
| N Y | 1 2 | 10827 862 | 92.6 7.4 | 92.6 7.4 | 92.6 100.0 |
| | Total | 11689 | 100.0 | 100.0 | |

| | Total | 11689 | 100.0 | 100.0 | |
|----------------------|-----------|-----------|---------|------------|--------------|
| Valid cases 11689 | Missing c | ases 0 | | | |
| | | | | | |
| E527B Hours per week | | | | | |
| - | | | | Valid | |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | 0 | 3 | .0 | . 4 | . 4 |
| | 1 | 279 | | 38.5 | |
| | 2 | 193 | 1.7 | | 65.5 |
| | 3 | 88 | .8 | 12.1 | 77.7 |
| | 4 | 65 | .6 | 9.0 | 86.6 |
| | 5 6 | 24 19 | .2 | 3.3 2.6 | 89.9 92.6 |
| | 7 | 6 | .1 | .8 | 93.4 |
| | 8 | 12 | .1 | 1.7 | 95.0 |
| | 9 | 4 | .0 | .6 | 95.6 |
| | 10 | 14 | .1 | 1.9 | 97.5 |
| | 11 | 2 | . 0 | .3 | 97.8 |
| | 12 | 2 | .0 | .3 | 98.1 |
| | 14 | 2 | .0 | .3 | 98.3 |
| | 15 | 2 | .0 | .3 | 98.6 |
| | 16 | 2 | .0 | .3 | |
| | 17 | 1 | .0 | .1 | |
| | 18 | 1 | .0 | .1 | 99.2 |
| | 20 25 | 1 2 | .0 | .1 | 99.3 99.6 |
| | 28 | 1 | .0 | .1 | 99.7 |
| | 32 | 1 | .0 | .1 | 99.9 |
| | 50 | 1 | .0 | .1 | 100.0 |
| DNA | -2 | | 92.6 | | 100.0 |
| Missing | -1 | 137 | | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 725 Missing cases 10964

E527C Age of baby in weeks

| E52/C Age of baby in we | eeks | | | Valid | Cum |
|-------------------------|----------|-----------|------------|----------|---------|
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | 0 | 18 | .2 | 2.5 | 2.5 |
| | 1 | 41 | | 5.7 | 8.1 |
| | 2 | 53 | . 4 . 5 | | |
| | | | | 7.3 | 15.4 |
| | 3 | 57 | .5 | 7.9 | 23.3 |
| | 4 | 119 | 1.0 | 16.4 | 39.7 |
| | 5 | 46 | . 4 | 6.3 | 46.1 |
| | 6 | 131 | 1.1 | 18.1 | 64.1 |
| | 7 | 56 | .5 | 7.7 | 71.9 |
| | 8 | 110 | . 9 | 15.2 | 87.0 |
| | 9 | 33 | .3 | 4.6 | 91.6 |
| | 10 | 18 | .2 | 2.5 | 94.1 |
| | 11 | 4 | .0 | .6 | 94.6 |
| | 12 | 15 | .1 | 2.1 | 96.7 |
| | 13 | 2 | .0 | .3 | 97.0 |
| | 14 | 7 | .1 | 1.0 | 97.9 |
| | 16 | 6 | .1 | .8 | 98.8 |
| | 17 | 1 | .0 | .1 | 98.9 |
| | 18 | 2 | .0 | .3 | 99.2 |
| | 20 | 3 | .0 | . 4 | 99.6 |
| | 24 | 1 | .0 | .1 | 99.7 |
| | 31 | 1 | .0 | .1 | 99.9 |
| | 35 | 1 | .0 | .1 | 100.0 |
| DNA | -2 | 10827 | 92.6 | Missing | 100.0 |
| Missing | -2 -1 | 10827 | 1.2 | Missing | |
| ritootiig | -1 | 137 | 1.2 | HIJSTIIG | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 725 Missing cases 10964

| E528A | Outside paid | help looks a | after CH | | 77-7-1 | 0 |
|-----------|--------------|--------------|--------------|-------------|------------------|----------------|
| Value Lab | pel | Value | Frequency | Percent | Valid Percent | Cum Percent |
| N Y | | 1 2 | 11496 193 | 98.3 1.7 | 98.3 1.7 | 98.3 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | ses 11689 | Missing ca | ases 0 | | | |

| E528B | Hours pe | er week | | | | | |
|-----------|----------|---------|----------|-----------|---------|-------------|--------------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| | | | 1 | 6 | .1 | 3.6 | 3.6 |
| | | | 2 | 13 | .1 | 7.8 | 11.4 |
| | | | 3 | 10 | .1 | 6.0 | 17.5 |
| | | | 4 | 12 | .1 | 7.2 | 24.7 |
| | | | 5 | 5 | .0 | 3.0 | 27.7 |
| | | | 6 | 6 | .1 | 3.6 | 31.3 |
| | | | 7 | 3 | .0 | 1.8 | 33.1 |
| | | | 8 | 9 | .1 | 5.4 | 38.6 |
| | | | 9 | 2 | .0 | 1.2 | 39.8 |
| | | | 10 | 4 | .0 | 2.4 | 42.2 |
| | | | 12 | 2 | .0 | 1.2 | 43.4 |
| | | | 14 | 6 | .1 | 3.6 | 47.0 |
| | | | 15 | 5 | .0 | 3.0 | 50.0 |
| | | | 16 | 5 | .0 | 3.0 | 53.0 |
| | | | 18 20 | 3 19 | .0 | 1.8 | 54.8 |
| | | | 21 | 5 | .2 | 11.4 3.0 | 66.3 |
| | | | 22 | 1 | .0 | .6 | 69.3 69.9 |
| | | | 23 | 2 | .0 | 1.2 | 71.1 |
| | | | 24 | 2 | .0 | 1.2 | 72.3 |
| | | | 25 | 2 | .0 | 1.2 | 73.5 |
| | | | 26 | 2 | .0 | 1.2 | 74.7 |
| | | | 27 | 3 | .0 | 1.8 | 76.5 |
| | | | 28 | 3 | .0 | 1.8 | 78.3 |
| | | | 30 | 3 | .0 | 1.8 | 80.1 |
| | | | 32 | 2 | .0 | 1.2 | 81.3 |
| | | | 34 | 1 | .0 | .6 | 81.9 |
| | | | 35 | 3 | .0 | 1.8 | 83.7 |
| | | | 36 38 | 2 1 | .0 | 1.2 | 84.9 85.5 |
| | | | 39 | 1 | .0 | .6 | 86.1 |
| | | | 40 | 11 | .1 | 6.6 | 92.8 |
| | | | 41 | 1 | .0 | .6 | 93.4 |
| | | | 42 | 2 | .0 | 1.2 | 94.6 |
| | | | 43 | 1 | .0 | .6 | 95.2 |
| | | | 44 | 1 | .0 | .6 | 95.8 |
| | | | 45 | 3 | .0 | 1.8 | 97.6 |
| | | | 49 | 1 | .0 | .6 | 98.2 |
| | | | 50 | 3 | .0 | 1.8 | 100.0 |
| DNA | | | -2 | 11496 | 98.3 | Missing | |
| Missing | | | -1 | 27 | .2 | Missing | |
| | | | motal | 11600 | 100.0 | | |
| | | | Total | 11689 | 100.0 | 100.0 | |

Valid cases 166 Missing cases 11523

E528C Age of baby in weeks

| E528C Age of baby in we | eeks | | | | |
|-------------------------|-------|-----------|---------|---------|---------|
| | | | | Valid | Cum |
| Value Label | Value | Frequency | Percent | Percent | Percent |
| | | | | | |
| | 0 | 2 | .0 | 1.2 | 1.2 |
| | 1 | 4 | .0 | 2.4 | 3.6 |
| | 2 | 5 | .0 | 3.0 | 6.6 |
| | 3 | 4 | .0 | 2.4 | 9.0 |
| | 4 | 8 | .1 | 4.8 | 13.9 |
| | 5 | 8 | .1 | 4.8 | 18.7 |
| | 6 | 21 | .2 | 12.7 | 31.3 |
| | 7 | 10 | .1 | 6.0 | 37.3 |
| | 8 | 18 | .2 | 10.8 | 48.2 |
| | 9 | 15 | .1 | 9.0 | 57.2 |
| | 10 | 21 | .2 | 12.7 | 69.9 |
| | 11 | 9 | .1 | 5.4 | 75.3 |
| | 12 | 11 | .1 | 6.6 | 81.9 |
| | 13 | 2 | .0 | 1.2 | 83.1 |
| | 14 | 5 | .0 | 3.0 | 86.1 |
| | 15 | 2 | .0 | 1.2 | 87.3 |
| | 16 | 6 | .1 | 3.6 | 91.0 |
| | 18 | 7 | .1 | 4.2 | 95.2 |
| | 19 | 1 | .0 | .6 | 95.8 |
| | 22 | 1 | .0 | .6 | 96.4 |
| | 23 | 1 | .0 | .6 | 97.0 |
| | 24 | 2 | .0 | 1.2 | 98.2 |
| | 28 | 1 | .0 | .6 | 98.8 |
| | 32 | 1 | .0 | .6 | 99.4 |
| | 36 | 1 | .0 | .6 | 100.0 |
| DNA | -2 | 11496 | 98.3 | Missing | |
| Missing | -1 | 27 | .2 | Missing | |
| | ma±a1 | 11.000 | 100.0 | 100.0 | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 166 Missing cases 11523

E529A At home paid help looks after CH

| EJZ9A At Home paid Heip | TOOKS | alter Cn | | 1 1 1 | ~ |
|-------------------------|-------|-----------|---------|------------------|----------------|
| Value Label | Value | Frequency | Percent | Valid Percent | Cum Percent |
| N | 1 | 11467 | 98.1 | 98.1 | 98.1 |
| Y | 2 | 222 | 1.9 | 1.9 | 100.0 |
| | | | | | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 11689 Missing cases 0

| E529B | Hours | per | week |
|-------|-------|-----|------|

| E529B | Hours per week | | | | | |
|----------------|----------------|----------|-----------|---------|-----------|--------------|
| | | | | | Valid | Cum |
| Value Lal | pel | Value | Frequency | Percent | Percent | Percent |
| | | 1 | 14 | .1 | 7.4 | 7.4 |
| | | 2 | 16 | .1 | 8.5 | 16.0 |
| | | 3 | 27 | .2 | 14.4 | 30.3 |
| | | 4 | 33 | .3 | 17.6 | 47.9 |
| | | 5 | 10 | .1 | 5.3 | 53.2 |
| | | 6 | 8 | .1 | 4.3 | 57.4 |
| | | 7 | 1 | .0 | .5 | 58.0 |
| | | 8 | 6 | .1 | 3.2 | 61.2 |
| | | 9 | 1 | .0 | .5 | 61.7 |
| | | 10 | 6 | .1 | 3.2 | 64.9 |
| | | 11 | 1 | .0 | .5 | 65.4 |
| | | 12 | 2 | .0 | 1.1 | 66.5 |
| | | 15 | 7 | .1 | 3.7 | 70.2 |
| | | 16 | 2 | .0 | 1.1 | 71.3 |
| | | 18 | 1 | .0 | .5 | 71.8 |
| | | 19 | 1 7 | .0 | .5 | 72.3 |
| | | 20 21 | 1 | .1 | 3.7 .5 | 76.1 76.6 |
| | | 23 | 1 | .0 | .5 | 77.1 |
| | | 24 | 2 | .0 | 1.1 | 78.2 |
| | | 25 | 1 | .0 | .5 | 78.7 |
| | | 30 | 7 | .1 | 3.7 | 82.4 |
| | | 32 | 1 | .0 | .5 | 83.0 |
| | | 35 | 2 | . 0 | 1.1 | 84.0 |
| | | 37 | 1 | .0 | .5 | 84.6 |
| | | 40 | 18 | .2 | 9.6 | 94.1 |
| | | 44 | 1 | .0 | .5 | 94.7 |
| | | 45 | 5 | .0 | 2.7 | 97.3 |
| | | 48 | 1 | .0 | .5 | 97.9 |
| | | 50 | 1 | .0 | .5 | 98.4 |
| | | 55 | 1 | .0 | .5 | 98.9 |
| | | 60 | 1 | .0 | .5 | 99.5 |
| DATA | | 70 | 111467 | .0 | .5 | 100.0 |
| DNA Missing | | -2 -1 | 11467 | 98.1 | Missing | |
| missing | | -1 | 34 | .3 | Missing | |
| | | Total | 11689 | 100.0 | 100.0 | |
| | | 10001 | 11000 | 100.0 | 100.0 | |

Valid cases 188 Missing cases 11501

E529C Age of baby in weeks

| E529C Age of baby i | in weeks | | | Valid | Cum |
|---------------------|----------|-----------|---------|---------|-------|
| Value Label | Value | Frequency | Percent | | |
| | | | | | |
| | 0 | 19 | .2 | 10.2 | 10.2 |
| | 1 | 24 | .2 | 12.9 | 23.1 |
| | 2 | 17 | .1 | 9.1 | 32.3 |
| | 3 | 13 | .1 | 7.0 | 39.2 |
| | 4 | 11 | .1 | 5.9 | 45.2 |
| | 5 | 9 | .1 | 4.8 | 50.0 |
| | 6 | 30 | .3 | 16.1 | 66.1 |
| | 7 | 12 | .1 | 6.5 | 72.6 |
| | 8 | 20 | .2 | 10.8 | 83.3 |
| | 9 | 4 | .0 | 2.2 | 85.5 |
| | 10 | 8 | .1 | 4.3 | 89.8 |
| | 11 | 3 | .0 | 1.6 | 91.4 |
| | 12 | 6 | .1 | 3.2 | 94.6 |
| | 13 | 2 | .0 | 1.1 | 95.7 |
| | 16 | 2 | .0 | 1.1 | 96.8 |
| | 18 | 2 | .0 | 1.1 | 97.8 |
| | 20 | 1 | .0 | .5 | 98.4 |
| | 21 | 1 | .0 | .5 | 98.9 |
| | 24 | 1 | .0 | .5 | 99.5 |
| | 41 | 1 | .0 | .5 | 100.0 |
| DNA | -2 | 11467 | 98.1 | Missing | |
| Missing | -1 | 36 | .3 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 186 Missing cases 11503

| | | | 129 | | |
|----------------------------------|--|--|--|--|---|
| E530A Day nursery loc | | CH Frequency | Percent | Valid Percent | |
| | | | | | |
| N Y | 1 2 | 86 | .7 | | 99.3 100.0 |
| | Total | 11689 | 100.0 | | |
| Valid cases 11689 | Missing c | ases 0 | | | |
| E530B Hours per week | | | | | |
| Value Label | Value | Frequency | Percent | Valid Percent | |
| DNA Missing Valid cases 68 | | 4 1 2 1 3 1 1 1 2 1 3 1 1 11603 18 | 100.0 | 8.8 5.9 1.5 2.9 1.5 4.4 1.5 1.5 2.9 1.5 4.4 1.5 1.5 Missing | 33.8 58.8 67.6 73.5 75.0 77.9 79.4 83.8 85.3 86.8 92.6 97.1 98.5 100.0 |
| E530C Age of baby in | | _ | | Valid | |
| DNA Missing | 1 2 4 5 6 7 8 9 10 13 14 15 18 -2 -1 | ### ### ############################## | .0 .0 .0 .0 .2 .1 .1 .1 .0 .0 .0 .0 .9 .3 .2 | 5.9 | 5.9 |

Valid cases 68 Missing cases 11621

| | | | 130 | | |
|----------------------------------|---|--|---|---|--|
| E531A Other person l | ooks after | СН | | | |
| Value Label | Value | Frequency | | Valid Percent | |
| N Y | 1 2 | 11461 228 | 98.0 2.0 | 98.0 2.0 | 98.0 100.0 |
| | Total | 11689 | 100.0 | | |
| Valid cases 11689 | Missing c | ases 0 | | | |
| E531B Hours per week | | | | | |
| Value Label | Value | Frequency | Percent | Valid Percent | |
| DNA Missing Valid cases 40 | Missing c | 6 4 1 1 1 1 1 3 3 3 1 2 11461 188 | .0 .0 .0 .0 .0 .0 98.0 1.6 | 5.0 15.0 10.0 2.5 2.5 2.5 2.5 2.5 7.5 7.5 2.5 5.0 Missing | 37.5 52.5 62.5 65.0 67.5 70.0 72.5 75.0 77.5 85.0 |
| E531C Age of baby in Value Label | | Frequency | Percent | Valid | |
| DIA | 0 1 2 3 4 5 6 7 8 11 12 13 16 18 | 9 6 9 6 4 1 5 2 3 2 1 1 1 | .1 .1 .1 .0 .0 .0 .0 .0 | 17.6 11.8 17.6 11.8 7.8 2.0 9.8 3.9 5.9 3.9 2.0 2.0 2.0 | 17.6 29.4 47.1 |
| DNA | -2 | 11461 | 98.0 | Missing | |

177

16 18 -2 -1

Total

1.5

11689 100.0 100.0

Missing

Valid cases 51 Missing cases 11638

Missing

If you have had no other children, go to F11 below.

F10. Before you had this baby had you ever used any of the following for child care?

Yes No

- *a)* partner
- b) baby's grandparent
- c) other relative
- *d) friend/neighbour* [not in 1st version]
- e) childminder (outside baby's home) [(d) in 1st version]
- f) babysitter, nanny (in baby's home) [(e) in 1st version, but nanny not mentioned]
- g) day nursery [(f) in 1st version]
- *h)* other (please describe) [(g) in 1st version]

| n_{j} | oiner | (piease aescr | ibe) [(g) III | ist versi | OII] | |
|--------------------------------|------------|-----------------------|-----------------------------------|----------------------|------------------------------------|-----------------|
| E535 | Previously | used PTNR for | CHcare | | Valid | Cum |
| Value Lab Y N Missing | el | Value 1 2 -1 | Frequency 5237 2226 4226 | | Percent | Percent 70.2 |
| | | Total | | 100.0 | 100.0 | |
| Valid cas | es 7463 | Missing c | ases 4226 | | | |
| E536 | Previously | used grandpar | ent for CHc | are | Valid | Cum |
| Value Lab Y N Missing | el | Value 1 2 -1 | 4810 | | 64.6 35.4 | 64.6 |
| | | Total | 11689 | | | |
| Valid cas | es 7442 | Missing c | ases 4247 | | | |
| E537 | Previously | used other RE | L for CHcar | е | Valid | Cum |
| Value Lab Y N Missing | el | Value 1 2 -1 | 2369 4430 4890 | 20.3 37.9 41.8 | Percent 34.8 65.2 Missing | Percent 34.8 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 6799 | Missing c | ases 4890 | | | |
| E538 | Previously | used friend f | or CHcare | | 77-12-1 | G |
| Value Lab | el | Value | Frequency | Percent | Valid Percent | |
| Y N Missing | | 1 2 -1 | | 17.4 18.5 64.1 | 48.4 51.6 Missing | 48.4 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 4194 | Missing c | ases 7495 | | | |

| E539 | Previously | used CHminder | for CHcare | | | |
|-------------------|------------|---------------|----------------------|----------------------|-------------------------|---------------|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | |
| Y N Missing | | 1 2 -1 | 1155 5576 4958 | 9.9 47.7 42.4 | _ | 17.2 100.0 |
| | | Total | | 100.0 | 100.0 | |
| Valid cas | es 6731 | Missing c | ases 4958 | | | |
| E540 | Previously | used babysitt | er for CHca | re | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | | |
| Y N Missing | | 1 2 -1 | 1271 5379 5039 | 10.9 46.0 43.1 | 19.1 80.9 Missing | 19.1 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 6650 | Missing c | ases 5039 | | | |
| E541 | Previously | used day nurs | ery for CHc | are | ** 7 1 1 | • |
| Value Lab | el | Value | Frequency | Percent | Valid Percent | |
| Y N Missing | | 1 2 -1 | 1172 5535 4982 | 10.0 47.4 42.6 | 17.5 82.5 Missing | 17.5 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 6707 | Missing c | ases 4982 | | | |
| E542 | Previously | used other pe | rson for CH | care | | |
| Value Lab | el | Value | Frequency | Percent | Valid Percent | |
| Y N Missing | | 1 2 -1 | 318 4732 6639 | 2.7 40.5 56.8 | 6.3 93.7 Missing | 6.3 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 5050 | Missing c | ases 6639 | 1 | | |

If you are currently in paid work go to F12 on page 29.

F11. a) If you are not now in paid work do you think you will start work before your baby is one year old?

yes no don't know

| E545 | Will | start | work | PRE CH 1 | ST BDAY | | | |
|------------|------|-------|------|-----------|-----------|---------|---------|---------|
| | | | | | | | Valid | Cum |
| Value Lab | el | | | Value | Frequency | Percent | Percent | Percent |
| | | | | | | | | |
| Y | | | | 1 | 3429 | 29.3 | 35.3 | 35.3 |
| N | | | | 2 | 4739 | 40.5 | 48.8 | 84.1 |
| Dont know | | | | 3 | 1539 | 13.2 | 15.9 | 100.0 |
| Missing | | | | -1 | 1982 | 17.0 | Missing | |
| | | | | | | | | |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| | | | | | | | | |
| Valid case | es | 9707 | | Missing c | ases 1982 | | | |

If yes,

b) how old do you think your baby will be when you start work? months

| E546 Age of CH whe | n MUM start | s work | | 77-7-1 | Q |
|--------------------|-------------|-----------|------------|------------------|----------------|
| Value Label | Value | Frequency | Percent | Valid Percent | Cum Percent |
| From birth | 0 | 6 | .1 | .2 | .2 |
| | 1 | 6 | .1 | .2 | . 4 |
| | 2 | 69 | .6 | 2.0 | 2.4 |
| | 3 | 636 | 5.4 | 18.8 | 21.2 |
| | 4 | 593 | 5.1 | 17.5 | 38.7 |
| | 5 | 313 | 2.7 | 9.3 | 48.0 |
| | 6 | 1079 | 9.2 | 31.9 | 79.9 |
| | 7 | 225 | 1.9 | 6.7 | 86.5 |
| | 8 | 103 | .9 | 3.0 | 89.6 |
| | 9 | 128 | 1.1 | 3.8 | 93.3 |
| | 10 | 65 | .6 | 1.9 | 95.3 |
| | 11 | 19 | .2 | .6 | 95.8 |
| | 12 | 52 | . 4 | 1.5 | 97.4 |
| | 14 | 1 | .0 | .0 | 97.4 |
| | 15 | 2 | .0 | .1 | 97.5 |
| | 16 | 4 | .0 | .1 | 97.6 |
| | 17 | 1 | .0 | .0 | 97.6 |
| | 18 | 16 | .1 | . 5 | 98.1 |
| | 20 | 1 | .0 | .0 | 98.1 |
| | 22 | 1 | .0 | .0 | 98.1 |
| | 23 | 1 | .0 | .0 | 98.2 |
| | 24 | 22 | .2 | .7 | 98.8 |
| | 30 | 2 | .0 | .1 | 98.9 |
| | 34 | 1 | .0 | .0 | 98.9 |
| | 36 | 17 | .1 | .5 | 99.4 |
| | 48 60 | 12 | .1 | . 4 | 99.8 |
| | 61 | 6 | .1 | .2 | 99.9 |
| | 70 | 1 1 | .0 | .0 | 100.0 |
| Missing | 70 -1 | 8306 | .0 71.1 | .0 | 100.0 |
| MITSSIIIA | -1 | 0300 | / 1 • 1 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |

Valid cases 3383 Missing cases 8306

F11. c) What arrangements have you made about looking after your baby when you begin work?

Yes No Don't know i) partner ii) baby's grandparent iii) other relative iv) friend/neighbour v) childminder (outside baby's home) vi) babysitter, nanny (in baby's home) vii) day nursery other (please describe) viii) E547 PTNR will look after CH Valid Cum Value Frequency Percent Percent Percent Value Label 14.5 43.5 43.5 2 2200 18.8 56.5 100.0 Missing -1 7792 66.7 Missing 100.0 Total 11689 100.0 7792 Valid cases 3897 Missing cases Grandparent will look after CH Valid C11m Value Frequency Percent Percent Value Label Percent 1 1513 12.9 39.1 39.1 2 2358 20.2 60.9 100.0 Ν Missing -1 7818 66.9 Missing Total 11689 100.0 100.0 Valid cases 3871 Missing cases 7818 Other REL will look after CH Valid Value Label Value Frequency Percent Percent Percent 3.5 1 408 10.8 10.8 2 3386 29.0 Ν 89.2 100.0 7895 67.5 Missing Missing 100.0 100.0 Total 11689 Valid cases 3794 Missing cases 7895 Friend or neighbour will look after CH E550 Valid Value Label Frequency Percent Percent Percent 245 2.1 6.9 6.9 2 3283 28.1 93.1 100.0 Missing -1 8161 69.8 Missing 11689 100.0 100.0 3528 Valid cases Missing cases 8161

| E551 CHminder will | look after | CH | | | |
|---------------------|-------------|-------------------------|------------|-----------------|-------------|
| Value Label | 1 | Frequency 54 | Percent .5 | 1.5 | Percent 1.5 |
| Missing | | 3476 8159 | 29.7 | 98.5 Missing | 100.0 |
| | Total | 11689 | | | |
| Valid cases 3530 | Missing ca | ases 8159 | | | |
| E552 Babysitter wil | ll look aft | er CH | | Valid | Cum |
| Value Label | | Frequency 72 3461 | | Percent | Percent |
| Missing | | 8156 | | Missing | |
| | Total | 11689 | | | |
| Valid cases 3533 | Missing ca | ases 8156 | | | |
| E553 Day nursery wi | ill look af | ter CH | | | |
| Value Label | Value 1 | Frequency | | | Percent |
| Missing | 2 | 3417 8164 | 29.2 | 96.9 | 100.0 |
| | Total | 11689 | 100.0 | 100.0 | |
| Valid cases 3525 | Missing ca | ases 8164 | | | |

Whether or not you go back to work, are you planning to use any form of these in the next few months?

Yes No Don't know

- a) paid help in your home (nanny, baby sitter) [1st version just asked (a) nanny]
- b) child minder (outside your home) [1st version just asked (b) child minder]
- c) other (please describe) [coders were asked to ensure that if a description was given, but yes was not ticked, 0 was coded this has here been recoded to 1].

| E555 | Plan to use | paid CHcare | in home | | Valid | Cum |
|-------------------------|-------------|-------------------|-------------|---------------------|-------------------------------|----------------------|
| Value Lab | el | Value | Frequency | | | |
| Y N DK Missing | | 1 2 9 -1 | 9656 528 | 82.6 4.5 7.1 | 6.2 88.9 4.9 Missing | 95.1 100.0 |
| | | Total | 11689 | | | |
| Valid cas | es 10856 | Missing o | ases 833 | | | |
| E556 | Plan to use | CHminder | | | | |
| Value Lab | el | Value | Frequency | | Valid Percent | |
| Y N DK Missing | | 1 2 9 -1 | 702 | 6.0 | 9.9 84.3 5.8 Missing | 9.9 94.2 100.0 |
| | | Total | 11689 | | 100.0 | |
| Valid cas | es 10987 | Missing c | ases 702 | | | |
| E557 | Plan to use | other help | | | | |
| Value Lab | el | Value | Frequency | | Valid Percent | |
| Y N DK Missing | | 2 9 | 2645 | 62.5 5.2 22.6 | 80.8 6.8 Missing | 93.2 100.0 |
| | | Total | 11689 | 100.0 | | |
| Valid cas | es 9044 | Missing c | ases 2645 | | | |

SECTION G: SUPPORT AND HELP

The following statements are about the help and support you have. You may have already answered questions like this during your pregnancy. Please do so again. This is so that we can see how having a baby may have changed the way you feel.

| This is | This is | This is | I never | Have no |
|---------|---------|-----------|----------|---------|
| exactly | often | how I | feel | partner |
| how I | how I | sometimes | this way | |
| feel | feel | feel | | |

G1. I have no one to share my feelings with [when more than 1 box ticked, the one with the lower code was taken]

| E600 | No-one | e to | share | feelings | with | | | |
|-----------|--------|------|-------|------------|-----------|---------|------------------|----------------|
| Value Lab | el | | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Exact fee | ling | | | 1 | 207 | 1.8 | 1.8 | 1.8 |
| Often fel | - | | | 2 | 644 | 5.5 | 5.6 | 7.4 |
| SMTS feel | | | | 3 | 2994 | 25.6 | 26.0 | 33.3 |
| Never fee | 1 | | | 4 | 7691 | 65.8 | 66.7 | 100.0 |
| Missing | | | | -1 | 153 | 1.3 | Missing | |
| | | | | | | | | |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 1 | 1536 | 1 | Missing ca | ases 153 | | | |

G2. My partner provides the emotional support I need [when more than 1 box ticked, the one with the higher code was taken]

| E601 PTNF | provides | EMOT suppor | rt | | | |
|---------------|----------|-------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| Exact feeling | | 1 | 4640 | 39.7 | 40.4 | 40.4 |
| Often felt | | 2 | 3316 | 28.4 | 28.8 | 69.2 |
| SMTS feel | | 3 | 2411 | 20.6 | 21.0 | 90.2 |
| Never feel | | 4 | 725 | 6.2 | 6.3 | 96.5 |
| No PTNR | | 7 | 402 | 3.4 | 3.5 | 100.0 |
| Missing | | -1 | 195 | 1.7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11494 | Missing c | ases 195 | | | |
| | | | | | | |

G3. There are other mothers with whom I can share my experiences [when more than 1 box ticked, the one with the higher code was taken]

| E602 | E602 Share experiences with other MUMS | | | | | | | | | |
|-----------|--|---------|----------|-----------|---------|------------------|----------------|--|--|--|
| Value Lab | el | | Value | Frequency | Percent | Valid Percent | Cum Percent | | | |
| Exact fee | ling | | 1 | 3454 | 29.5 | 30.0 | 30.0 | | | |
| Often fel | t | | 2 | 3098 | 26.5 | 26.9 | 57.0 | | | |
| SMTS feel | | | 3 | 3260 | 27.9 | 28.4 | 85.3 | | | |
| Never fee | 1 | | 4 | 1686 | 14.4 | 14.7 | 100.0 | | | |
| Missing | | | -1 | 191 | 1.6 | Missing | | | | |
| | | | | | | | | | | |
| | | | Total | 11689 | 100.0 | 100.0 | | | | |
| Valid cas | es 1 | .1498 M | issing c | ases 191 | | | | | | |

G4. I believe in moments of difficulty my neighbours would help me [when more than 1 box ticked, the one with the higher code was taken]

| E603 Believe neighbours would help | | | | | | | | | |
|------------------------------------|-------|------------|-----------|---------|---------|---------|--|--|--|
| | | | | | Valid | Cum | | | |
| Value Label | | Value | Frequency | Percent | Percent | Percent | | | |
| | | | | | | | | | |
| Exact feelir | ng | 1 | 3481 | 29.8 | 30.3 | 30.3 | | | |
| Often felt | | 2 | 2400 | 20.5 | 20.9 | 51.2 | | | |
| SMTS feel | | 3 | 2737 | 23.4 | 23.8 | 75.0 | | | |
| Never feel | | 4 | 2872 | 24.6 | 25.0 | 100.0 | | | |
| Missing | | -1 | 199 | 1.7 | Missing | | | | |
| | | | | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | | |
| | | | | | | | | | |
| Valid cases | 11490 | Missing ca | ases 199 | | | | | | |

G5. I'm worried that my partner might leave me [when more than 1 box ticked, the one with the lower code was taken]

| E604 | Worried Pl | NR might leave | | | | |
|-----------|------------|----------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| Exact fee | ling | 1 | 145 | 1.2 | 1.3 | 1.3 |
| Often fel | t | 2 | 206 | 1.8 | 1.8 | 3.1 |
| SMTS feel | | 3 | 1139 | 9.7 | 9.9 | 13.0 |
| Never fee | 1 | 4 | 9609 | 82.2 | 83.5 | 96.5 |
| No PTNR | | 7 | 402 | 3.4 | 3.5 | 100.0 |
| Missing | | -1 | 188 | 1.6 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11501 | Missing c | ases 188 | | | |

G6. There is always someone with whom I can share my happiness and excitement about my baby

[when more than 1 box ticked, the one with the higher code was taken]

| E605 | Someone to | o share joy of | CH with | | | |
|----------|------------|----------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value La | bel | Value | Frequency | Percent | Percent | Percent |
| Exact fe | eling | 1 | 7173 | 61.4 | 62.4 | 62.4 |
| Often fe | lt | 2 | 2654 | 22.7 | 23.1 | 85.5 |
| SMTS fee | 1 | 3 | 1358 | 11.6 | 11.8 | 97.3 |
| Never fe | el | 4 | 309 | 2.6 | 2.7 | 100.0 |
| Missing | | -1 | 195 | 1.7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid ca | ses 11494 | Missing o | cases 195 | | | |

G7. If I feel tired I can rely on my partner to take over [when more than 1 box ticked, the one with the higher code was taken]

| E606 Car | n rely on F | TNR if tire | d | | | |
|---------------|-------------|-------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| Exact feeling | 3 | 1 | 4371 | 37.4 | 38.0 | 38.0 |
| Often felt | | 2 | 2534 | 21.7 | 22.1 | 60.1 |
| SMTS feel | | 3 | 3152 | 27.0 | 27.4 | 87.5 |
| Never feel | | 4 | 1033 | 8.8 | 9.0 | 96.5 |
| No PTNR | | 7 | 402 | 3.4 | 3.5 | 100.0 |
| Missing | | -1 | 197 | 1.7 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11492 | Missina c | ases 197 | | | |

G8. If I was in financial difficulty I know my family would help if they could [when more than 1 box ticked, the one with the higher code was taken]

| E607 FAM | would he | elp if | financ | ial PROB | | | |
|---|----------|--------|------------------------|------------------------------------|------------------------------------|--|-------------------------------|
| Value Label | | | Value | Frequency | Percent | Valid Percent | Cum Percent |
| Exact feeling Often felt SMTS feel Never feel Missing | | | 1 2 3 4 -1 | 7718 1840 1170 777 184 | 66.0 15.7 10.0 6.6 1.6 | 67.1 16.0 10.2 6.8 Missing | 67.1 83.1 93.2 100.0 |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11505 | Mis | ssina c | ases 184 | | | |

G9. If I was in financial difficulty I know my friends would help if they could [when more than 1 box ticked, the one with the higher code was taken]

| E608 Friends would help if financial PROB | | | | | | | | | | | |
|---|-----------|-----------|---------|---------|---------|--|--|--|--|--|--|
| | | | | Valid | Cum | | | | | | |
| Value Label | Value | Frequency | Percent | Percent | Percent | | | | | | |
| | | | | | | | | | | | |
| Exact feeling | 1 | 3110 | 26.6 | 27.1 | 27.1 | | | | | | |
| Often felt | 2 | 1775 | 15.2 | 15.5 | 42.6 | | | | | | |
| SMTS feel | 3 | 2598 | 22.2 | 22.7 | 65.2 | | | | | | |
| Never feel | 4 | 3987 | 34.1 | 34.8 | 100.0 | | | | | | |
| Missing | -1 | 219 | 1.9 | Missing | | | | | | | |
| | | | | | | | | | | | |
| | Total | 11689 | 100.0 | 100.0 | | | | | | | |
| | | | | | | | | | | | |
| Valid cases 11470 | Missing c | ases 219 | | | | | | | | | |

G10. If all else fails I know the state will support and assist me [when more than 1 box ticked, the one with the higher code was taken]

| E609 State will support if PROB | | | | | | | | | | |
|---|----------|------------------------|------------------------------------|------------------------------------|--|-------------------------------|--|--|--|--|
| Value Lab | el | Value | Frequency | Percent | Valid Percent | Cum Percent | | | | |
| Exact fee Often fel SMTS feel Never fee Missing | t | 1 2 3 4 -1 | 1766 954 2924 5749 296 | 15.1 8.2 25.0 49.2 2.5 | 15.5 8.4 25.7 50.5 Missing | 15.5 23.9 49.5 100.0 | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | | | |
| Valid cas | es 11393 | Missing c | ases 296 | | | | | | | |

Derived variable: Social support score

Social support score = E600 + E601 + E602 + E603 + E604 + E605 + E606 + E607 + E608 + E609. E600 and E604 were recoded as follows (1=0) (2=1) (3=2) (4=3) the other variables were recoded as (1=3) (2=2) (3=1) 4=0).

| E610 | DV: | G1 | to | G10: | Social | su | pport score | : E file | | ~ |
|--------------|-----|----|-----|------|--------|------------------|-------------|------------|------------------|----------------|
| Value Lab | el | | | | Val | ue | Frequency | Percent | Valid Percent | Cum Percent |
| | | | | | | 0 | 1 | .0 | .0 | .0 |
| | | | | | | 1 | 1 | .0 | .0 | .0 |
| | | | | | | 2 | 4 | .0 | .0 | .1 |
| | | | | | | 3 | 11 | .1 | .1 | .2 |
| | | | | | | 4 | 14 | .1 | .1 | .3 |
| | | | | | | 5 | 17 | .1 | .2 | . 4 |
| | | | | | | 6 | 56 | .5 | .5 | 1.0 |
| | | | | | | 7 | 59 | .5 | .5 | 1.5 |
| | | | | | | 8 | 81 | .7 | .8 | 2.3 |
| | | | | | | 9 | 125 | 1.1 | 1.2 | 3.4 |
| | | | | | | 10 | 183 | 1.6 | 1.7 | 5.1 |
| | | | | | | 11 | 237 | 2.0 | 2.2 | 7.3 |
| | | | | | | 12 | 293 | 2.5 | 2.7 | 10.1 |
| | | | | | | 13 | 345 | 3.0 | 3.2 | 13.3 |
| | | | | | | 14 | 379 | 3.2 | 3.5 | 16.8 |
| | | | | | | 15 | 434 | 3.7 | 4.0 | 20.9 |
| | | | | | | 16 | 538 | 4.6 | 5.0 | 25.9 |
| | | | | | | 17 | 594 | 5.1 | 5.5 | 31.4 |
| | | | | | | 18 | 727 | 6.2 | 6.8 | 38.2 |
| | | | | | | 19 | 688 | 5.9 | 6.4 | 44.6 |
| | | | | | | 20 | 697 | 6.0 | 6.5 | 51.1 |
| | | | | | | 21 | 814 | 7.0 | 7.6 | 58.7 |
| | | | | | | 22 | 765 | 6.5 | 7.1 | 65.8 |
| | | | | | | 23 | 720 | 6.2 | 6.7 | 72.5 |
| | | | | | | 24 25 | 745 | 6.4 | 6.9 | 79.4 |
| | | | | | | | 613 | 5.2 | 5.7 | 85.1 |
| | | | | | | 26 27 | 461 516 | 3.9 4.4 | 4.3 4.8 | 89.4 94.2 |
| | | | | | | 2 <i>1</i> 28 | 268 | 2.3 | 2.5 | 96.7 |
| | | | | | | 20 29 | 132 | 1.1 | 1.2 | 98.0 |
| | | | | | | 30 | 219 | 1.9 | 2.0 | 100.0 |
| No partne | r | | | | | -2 | 402 | 3.4 | Z.U Missing | 100.0 |
| Missing | _ | | | | | -1 | 550 | 4.7 | Missing | |
| 1:11:00:1119 | | | | | | _ | | | | |
| | | | | | Tot | al | 11689 | 100.0 | 100.0 | |
| Valid cas | es | 10 | 737 | | Missin | g c | ases 952 | | | |

For the adjusted social support score, any missing values were set to the modes unless all the values were missing. Those who had no partner were recoded as follows: E601, E606 (7=0); E604 (7=3), and E612 calculated in the same way as E610.

| E611 | Number of missi | ing values | | | | |
|-----------|-----------------|------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| No values | missing | 0 | 10737 | 91.9 | 91.9 | 91.9 |
| | | 1 | 272 | 2.3 | 2.3 | 94.2 |
| | | 2 | 82 | .7 | .7 | 94.9 |
| | | 3 | 405 | 3.5 | 3.5 | 98.3 |
| | | 4 | 25 | .2 | .2 | 98.6 |
| | | 5 | 17 | .1 | .1 | 98.7 |
| | | 6 | 6 | .1 | .1 | 98.8 |
| | | 7 | 16 | .1 | .1 | 98.9 |
| | | 8 | 13 | .1 | .1 | 99.0 |
| | | 9 | 25 | .2 | .2 | 99.2 |
| All value | s missing | 10 | 91 | .8 | .8 | 100.0 |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11689 | Missing c | ases 0 | | | |

E612 DV: G1 to G10: Adjusted social support score: E file

| Value Label Value Frequency Percent Percent Percent Percent 0 1 .0 .0 1 1 .0 .0 2 4 .0 .0 3 15 .1 .1 4 16 .1 .1 5 23 .2 .2 6 65 .6 .6 7 70 .6 .6 8 99 .8 .9 9 150 1.3 1.3 10 207 1.8 1.8 11 265 2.3 2.3 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 16 587 5.0 5.1 | |
|--|--------------|
| 1 1 .0 .0 2 4 .0 .0 3 15 .1 .1 4 16 .1 .1 5 23 .2 .2 6 65 .6 .6 7 70 .6 .6 8 99 .8 .9 9 150 1.3 1.3 10 207 1.8 1.8 11 265 2.3 2.3 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 | ercent |
| 2 4 .0 .0 .0 .3 .15 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 .1 | .0 |
| 3 15 .1 .1 4 16 .1 .1 5 23 .2 .2 6 65 .6 .6 7 70 .6 .6 8 99 .8 .9 9 150 1.3 1.3 10 207 1.8 1.8 11 265 2.3 2.3 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 | .0 |
| 4 16 .1 .1 5 23 .2 .2 6 65 .6 .6 7 70 .6 .6 8 99 .8 .9 9 150 1.3 1.3 10 207 1.8 1.8 11 265 2.3 2.3 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 | .1 |
| 5 23 .2 .2 6 65 .6 .6 7 70 .6 .6 8 99 .8 .9 9 150 1.3 1.3 10 207 1.8 1.8 11 265 2.3 2.3 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 | .2 |
| 6 65 .6 .6 .6 .6 .6 .6 .6 .8 .9 .9 .8 .9 .9 .150 1.3 1.3 1.3 1.0 207 1.8 1.8 1.1 265 2.3 2.3 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 | .3 |
| 7 70 .6 .6 .6 8 99 .8 .9 9 150 1.3 1.3 1.3 10 207 1.8 1.8 1.1 265 2.3 2.3 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 | . 5 |
| 8 99 .8 .9 9 150 1.3 1.3 10 207 1.8 1.8 11 265 2.3 2.3 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 | 1.1 |
| 9 150 1.3 1.3 10 207 1.8 1.8 11 265 2.3 2.3 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 | 1.7 |
| 10 207 1.8 1.8 11 265 2.3 2.3 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 | 2.5 |
| 11 265 2.3 2.3 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 | 3.8 |
| 12 322 2.8 2.8 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 | 5.6 |
| 13 385 3.3 3.3 14 431 3.7 3.7 15 492 4.2 4.2 | 7.9 |
| 14 431 3.7 3.7 15 492 4.2 4.2 | 10.7 |
| 15 492 4.2 4.2 | 14.0 |
| | 17.7 |
| 10 307 3.0 3.1 | 22.0 27.0 |
| 17 645 5.5 5.6 | 32.6 |
| 18 788 6.7 6.8 | 39.4 |
| 19 734 6.3 6.3 | 45.7 |
| 20 751 6.4 6.5 | 52.2 |
| 21 884 7.6 7.6 | 59.8 |
| 22 815 7.0 7.0 | 66.8 |
| 23 757 6.5 6.5 | 73.3 |
| 24 816 7.0 7.0 | 80.4 |
| 25 626 5.4 5.4 | 85.8 |
| 26 472 4.0 4.1 | 89.9 |
| 27 542 4.6 4.7 | 94.5 |
| 28 271 2.3 2.3 | 96.9 |
| 29 136 1.2 1.2 | 98.0 |
| 30 228 2.0 2.0 | 100.0 |
| Missing -1 91 .8 Missing | |
| Total 11689 100.0 100.0 | |
| Valid cases 11598 Missing cases 91 | |

G11. How much help would you say you have had with the following since having your baby?

| | | A lot of help | Some help | Hardly any help | No help at all |
|------------|-----------------------|------------------|----------------|--------------------|-------------------|
| a) | shopping | | | | |
| <i>b</i>) | cleaning the home | | | | |
| c) | preparing meals | | | | |
| d) | washing up | | | | |
| e) | changing nappies | | | | |
| f) | washing the clothes | | | | |
| [when | more than 1 box ticke | ed, the one w | ith the higher | code was taken] | |

| E620 | Amount of he | elp with shop | ping | | | |
|-----------|--------------|---------------|------------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |
| A lot | | 1 | 4578 | 39.2 | 39.5 | 39.5 |
| Some | | 2 | 4424 | 37.8 | 38.2 | 77.6 |
| Hardly an | У | 3 | 1661 | 14.2 | 14.3 | 92.0 |
| None | | 4 | 932 | 8.0 | 8.0 | 100.0 |
| Missing | | -1 | 94 | .8 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11595 | Missing c | ases 94 | | | |
| E621 | Amount of he | elp with clea | ning house | | | |
| | | | | | Valid | Cum |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent |

| | | | - · - | | |
|-----------------------------|-------------|----------------------|----------------------|----------------------|----------------------|
| A lot Some Hardly any | 1 2 3 | 2436 4830 2483 | 20.8 41.3 21.2 | 21.0 41.6 21.4 | 21.0 62.6 84.1 |
| None Missing | 4 -1 | 1850 90 | 15.8 .8 | 15.9 Missing | 100.0 |
| | Total | 11689 | 100.0 | | |
| Valid cases 11599 | Missing c | ases 90 | | | |
| E622 Amount of help | with prep | aring meals | | Valid | Cum |
| Value Label | Value | Frequency | Percent | | |
| A lot Some | 1 2 | | 24.9 38.0 | 25.1 38.3 | 25.1 63.4 |
| Hardly any | 3 | 2480 | 21.2 | 21.4 | 84.8 |
| None Missing | 4 -1 | 97 | | 15.2 Missing | 100.0 |
| | Total | 11689 | 100.0 | | |
| Valid cases 11592 | Missing c | ases 97 | | | |
| E623 Amount of help | with wash | ing up | | 77-714 | G |
| Value Label | Value | Frequency | Percent | Valid Percent | |
| A lot | 1 | | 31.3 | 31.7 | 31.7 |
| Some | 2 | | 39.1 15.7 | 39.6 15.9 | 71.3 87.2 |
| Hardly any None | 4 | | 12.6 | 12.8 | 100.0 |
| Missing | -1 | | | Missing | |
| | Total | 11689 | | | |
| Valid cases 11536 | Missing c | ases 153 | | | |
| E624 Amount of help | with chan | ging nappie: | s | Valid | Cum |
| Value Label | Value | Frequency | Percent | | |
| A lot | 1 | 2614 | 22.4 | 22.5 | 22.5 |
| Some | 2 | 4687 | 40.1 | 40.4 | 62.9 |
| Hardly any None | 3 4 | 2401 1898 | 20.5 16.2 | 20.7 16.4 | 83.6 100.0 |
| Missing | -1 | 89 | .8 | Missing | 100.0 |
| | Total | 11689 | 100.0 | | |
| Valid cases 11600 | Missing c | ases 89 | | | |
| E625 Amount of help | with wash | ing clothes | | | |
| Value Label | Value | Frequency | Percent | Valid Percent | |
| A lot | 1 | 1510 | 12.9 | 13.0 | 13.0 |
| Some Hardly any | 2 | 2857 2779 | 24.4 23.8 | 24.6 24.0 | 37.6 61.6 |
| None | 4 | 4456 | 38.1 | 38.4 | 100.0 |
| Missing | -1 | 87 | .7 | Missing | |
| | Total | 11689 | 100.0 | 100.0 | |
| | iotai | 11007 | 100.0 | 100.0 | |

Valid cases 11602 Missing cases 87

g) other tasks (please describe) [coders were instructed to code '0' if description given but no box ticked]

| E626 | Amount of help | with other | r tasks | | | |
|------------|----------------|------------|-----------|---------|---------|---------|
| | | | | Vali | d Cum | ı |
| Value Labe | 1 | Value | Frequency | Percent | Percent | Percent |
| | | | | | | |
| A lot | | 1 | 989 | 8.5 | 24.8 | 24.8 |
| Some | | 2 | 1086 | 9.3 | 27.2 | 52.0 |
| Hardly any | | 3 | 447 | 3.8 | 11.2 | 63.2 |
| None | | 4 | 1467 | 12.6 | 36.8 | 100.0 |
| Missing | | -1 | 7700 | 65.9 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid case | s 3989 | Missing ca | ases 7700 | | | |

Derived variable: Help score

Each of the variables E620-E625 were recoded as follows (1=4) (2=3) (3=2) (4=1) (5=0) (-1=0). If all of E620-E625 were missing E627 was put to missing.

| E627 | Help So | core | | | | | |
|-----------|---------|--------|---------|-----------|---------|---------|---------|
| | | | | | | Valid | Cum |
| Value Lab | el | | Value | Frequency | Percent | Percent | Percent |
| Little he | elp | | 1 | 3 | .0 | .0 | .0 |
| | | | 2 | 2 | .0 | .0 | .0 |
| | | | 3 | 1 | .0 | .0 | .1 |
| | | | 4 | 1 | .0 | .0 | .1 |
| | | | 5 | 4 | .0 | .0 | .1 |
| | | | 6 | 206 | 1.8 | 1.8 | 1.9 |
| | | | 7 | 143 | 1.2 | 1.2 | 3.1 |
| | | | 8 | 299 | 2.6 | 2.6 | 5.7 |
| | | | 9 | 288 | 2.5 | 2.5 | 8.1 |
| | | | 10 | 379 | 3.2 | 3.3 | 11.4 |
| | | | 11 | 447 | 3.8 | 3.8 | 15.2 |
| | | | 12 | 613 | 5.2 | 5.3 | 20.5 |
| | | | 13 | 710 | 6.1 | 6.1 | 26.6 |
| | | | 14 | 807 | 6.9 | 6.9 | 33.6 |
| | | | 15 | 847 | 7.2 | 7.3 | 40.8 |
| | | | 16 | 1017 | 8.7 | 8.7 | 49.6 |
| | | | 17 | 1012 | 8.7 | 8.7 | 58.3 |
| | | | 18 | 1285 | 11.0 | 11.1 | 69.3 |
| | | | 19 | 968 | 8.3 | 8.3 | 77.7 |
| | | | 20 | 752 | 6.4 | 6.5 | 84.1 |
| | | | 21 | 592 | 5.1 | 5.1 | 89.2 |
| | | | 22 | 440 | 3.8 | 3.8 | 93.0 |
| | | | 23 | 300 | 2.6 | 2.6 | 95.6 |
| Massive h | nelp | | 24 | 512 | 4.4 | 4.4 | 100.0 |
| Missing | | | -1 | 61 | .5 | Missing | |
| | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es 11 | 628 Mi | ssing c | ases 61 | | | |

G12. Do you feel you received:

too much help the right amount too little help of help

| E630 | Amou | nt of | help | received | | | | |
|-----------|------|-------|------|-----------|-----------|---------|---------|---------|
| | | | | | | | Valid | Cum |
| Value Lab | el | | | Value | Frequency | Percent | Percent | Percent |
| Too much | | | | 1 | 147 | 1.3 | 1.3 | 1.3 |
| Just righ | t | | | 2 | 8375 | 71.6 | 73.2 | 74.5 |
| Too littl | е | | | 3 | 2917 | 25.0 | 25.5 | 100.0 |
| None need | ed | | | 4 | 4 | .0 | .0 | 100.0 |
| Missing | | | | -1 | 246 | 2.1 | Missing | |
| | | | | | | | | |
| | | | | Total | 11689 | 100.0 | 100.0 | |
| Valid cas | es : | 11443 | | Missing c | ases 246 | | | |

[when more than 1 box ticked, the one with the higher code was taken]

G13. Who has helped with the housework or the baby since your baby was born?

Yes, Yes, No, Not able/ No such helped helped help available person a lot a bit at all to help

[The 1st version of the questionnaire only included the 1st 3 options]

a) partner [when more than 1 box ticked, the one with the higher code was taken]

| E631 F | TNRS help wi | th housewor | k | | | |
|---------------------|--------------|-------------|-----------|---------|---------|---------|
| | | | | | Valid | Cum |
| Value Label | | Value | Frequency | Percent | Percent | Percent |
| Y a lot | | 1 | 5980 | 51.2 | 52.0 | 52.0 |
| Y a bit | | 2 | 4374 | 37.4 | 38.0 | 90.0 |
| None at all | = | 3 | 623 | 5.3 | 5.4 | 95.4 |
| Not able/ available | | 4 | 249 | 2.1 | 2.2 | 97.6 |
| No such person | | 7 | 280 | 2.4 | 2.4 | 100.0 |
| Missing | | -1 | 183 | 1.6 | Missing | |
| | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | |
| Valid cases | 11506 | Missing c | ases 183 | | | |

b) your mother [when more than 1 box ticked, the one with the higher code was taken]

| E632 | Mothers help | with housew | ork | | | | |
|-----------|-------------------------------------|-------------|-----------|---------|---------|---------|--|
| | | | | Vali | d Cum | ı | |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent | |
| Y a lot | | 1 | 3026 | 25.9 | 27.1 | 27.1 | |
| Y a bit | | 2 | 4225 | 36.1 | 37.8 | 64.9 | |
| None at a | 11 | 3 | 1819 | 15.6 | 16.3 | 81.2 | |
| Not able/ | available | 4 | 1722 | 14.7 | 15.4 | 96.6 | |
| No such p | erson | 7 | 382 | 3.3 | 3.4 | 100.0 | |
| Missing | | -1 | 515 | 4.4 | Missing | | |
| | | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | |
| Valid cas | Valid cases 11174 Missing cases 515 | | | | | | |

c) other relative [when more than 1 box ticked, the one with the higher code was taken]

| E633 Other RELS help with housework | | | | | | | | |
|-------------------------------------|------------|-----------|-----------|---------|---------|---------|--|--|
| | | | | | Valid | Cum | | |
| Value Lak | el | Value | Frequency | Percent | Percent | Percent | | |
| Y a lot | | 1 | 1158 | 9.9 | 10.8 | 10.8 | | |
| Y a bit | | 2 | 3528 | 30.2 | 32.8 | 43.6 | | |
| None at a | all | 3 | 3837 | 32.8 | 35.7 | 79.3 | | |
| Not able, | 'available | 4 | 1898 | 16.2 | 17.7 | 97.0 | | |
| No such p | person | 7 | 323 | 2.8 | 3.0 | 100.0 | | |
| Missing | | -1 | 945 | 8.1 | Missing | | | |
| | | | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | |
| Valid cas | ses 10744 | Missing o | cases 945 | | | | | |

d) neighbour

[when more than 1 box ticked, the one with the higher code was taken]

| E634 Neighbours help with housework | | | | | | | |
|-------------------------------------|-----------|-----------|-----------|---------|---------|---------|--|
| | | | | | Valid | Cum | |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent | |
| Y a lot | | 1 | 168 | 1.4 | 1.6 | 1.6 | |
| Y a bit | | 2 | 1391 | 11.9 | 13.2 | 14.8 | |
| None at a | .11 | 3 | 6823 | 58.4 | 64.9 | 79.8 | |
| Not able/ | available | 4 | 1613 | 13.8 | 15.4 | 95.1 | |
| No such p | erson | 7 | 512 | 4.4 | 4.9 | 100.0 | |
| Missing | | -1 | 1182 | 10.1 | Missing | | |
| _ | | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | |
| Valid cas | es 10507 | Missing c | ases 1182 | | | | |

e) friend

[when more than 1 box ticked, the one with the higher code was taken]

| E635 | Friends help w | p with housework | | | | | | |
|-----------|----------------|------------------|-----------|---------|---------|---------|--|--|
| | | | | | Valid | Cum | | |
| Value Lab | el | Value | Frequency | Percent | Percent | Percent | | |
| Y a lot | | 1 | 535 | 4.6 | 5.0 | 5.0 | | |
| Y a bit | | 2 | 2985 | 25.5 | 28.1 | 33.2 | | |
| None at a | 11 | 3 | 5291 | 45.3 | 49.8 | 83.0 | | |
| Not able/ | available | 4 | 1508 | 12.9 | 14.2 | 97.2 | | |
| No such p | erson | 7 | 295 | 2.5 | 2.8 | 100.0 | | |
| Missing | | -1 | 1075 | 9.2 | Missing | | | |
| | | | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | |
| Valid cas | es 10614 | Missing c | ases 1075 | | | | | |

f) paid help [when more than 1 box ticked, the one with the higher code was taken]

| E636 Paid help helps with housework | | | | | | | | |
|-------------------------------------|-----------|-----------|-----------|---------|------------------|----------------|--|--|
| Value Label | | Value | Frequency | Percent | Valid Percent | Cum Percent | | |
| Y a lot | | 1 | 344 | 2.9 | 3.3 | 3.3 | | |
| Y a bit | | 2 | 355 | 3.0 | 3.4 | 6.7 | | |
| None at a | 11 | 3 | 5510 | 47.1 | 53.0 | 59.7 | | |
| Not able/ | available | 4 | 578 | 4.9 | 5.6 | 65.2 | | |
| No such p | erson | 7 | 3616 | 30.9 | 34.8 | 100.0 | | |
| Missing | | -1 | 1286 | 11.0 | Missing | | | |
| | | Total | 11689 | 100.0 | 100.0 | | | |
| Valid cas | es 10403 | Missing c | ases 1286 | | | | | |

g) other (please describe) [when more than 1 box ticked, the one with the higher code was taken]


[If step mother was described she was coded as mother, but mother-in-law was coded as 'other'. If writing was not matched with a tick, 0 was coded]

| E637 Others help with housework | | | | | | | |
|---------------------------------|-----------|-----------|-----------|---------|---------|---------|--|
| | | | | | Valid | Cum | |
| Value Label | | Value | Frequency | Percent | Percent | Percent | |
| | | | | | | | |
| Y a lot | | 1 | 145 | 1.2 | 2.6 | 2.6 | |
| Y a bit | | 2 | 144 | 1.2 | 2.6 | 5.3 | |
| None at a | 11 | 3 | 3324 | 28.4 | 60.4 | 65.7 | |
| Not able/ | available | 4 | 274 | 2.3 | 5.0 | 70.6 | |
| No such p | erson | 7 | 1616 | 13.8 | 29.4 | 100.0 | |
| Missing | | -1 | 6186 | 52.9 | Missing | | |
| | | | | | | | |
| | | Total | 11689 | 100.0 | 100.0 | | |
| | | | | | | | |
| Valid case | es 5503 | Missing c | ases 6186 | | | | |

SECTION H

H1. Please put the date of completing this questionnaire: day month year

| E690 Date of completing questionnaire-month | | | | | | | |
|---|---------------|-------------|-------------|---------|---------|---------|--|
| | | | | | Valid | | |
| Value Label | 1 | Value | Frequency | Percent | Percent | Percent | |
| | | 1 | 1287 | 11.0 | | | |
| | | 2 | 1081 | 9.2 | 9.3 | 20.3 | |
| | | 3 | 661 | 5.7 | 5.7 | 26.0 | |
| | | 4 | 745 | 6.4 | 6.4 | 32.4 | |
| | | 5 | 364 | 3.1 | 3.1 | 35.5 | |
| | | 6 | 969 | 8.3 | 8.3 | 43.8 | |
| | | 7 | 1214 | 10.4 | 10.4 | 54.2 | |
| | | 8 | 1052 | 9.0 | 9.0 | 63.2 | |
| | | 9 | 922 | 7.9 | 7.9 | 71.1 | |
| | | 10 | 1403 | 12.0 | 12.0 | 83.2 | |
| | | 11 | 1074 | 9.2 | 9.2 | 92.4 | |
| | | 12 | 891 | 7.6 | 7.6 | 100.0 | |
| Missing | | -1 | 26 | | Missing | | |
| | | Total | 11689 | 100.0 | 100.0 | | |
| Valid cases | s 11663 | Missing c | ases 26 | | | | |
| | | | | | | | |
| E691 I | Date of compl | eting quest | ionnaire-ye | ar | | | |
| | | | | | Valid | Cum | |
| Value Label | l | Value | 1 1 | | | | |
| | | 91 | 3221 | 27.6 | 27.7 | 27.7 | |
| | | 92 | 7163 | 61.3 | 61.6 | 89.3 | |
| | | 93 | 1243 | 10.6 | 10.7 | 100.0 | |
| Missing | | -1 | 62 | .5 | Missing | | |
| | | Total | 11689 | 100.0 | 100.0 | | |
| Valid cases | s 11627 | Missing c | ases 62 | | | | |



H2. Please give the date of birth of:

a) Yourself

day month year

Valid cases 11656 Missing cases

From this date the current age of the mother at birth of baby was derived.

33

| E695 | Age o | of 1 | mother | at | birth | | | | |
|------------|-------|------|--------|----|-------|-----------|-------|---------|---------|
| | | | | | | | | Valid | Cum |
| Value Labe | :1 | | | | Value | Frequency | | Percent | Percent |
| | | | | | 14 | 2 | .0 | .0 | . 0 |
| | | | | | 15 | 4 | .0 | .0 | .1 |
| | | | | | 16 | 33 | .3 | .3 | .3 |
| | | | | | 17 | 82 | .7 | .7 | 1.0 |
| | | | | | 18 | 109 | .9 | .9 | 2.0 |
| | | | | | 19 | 192 | 1.6 | 1.6 | 3.6 |
| | | | | | 20 | 235 | 2.0 | 2.0 | 5.6 |
| | | | | | 21 | 281 | 2.4 | 2.4 | 8.0 |
| | | | | | 22 | 353 | 3.0 | 3.0 | 11.1 |
| | | | | | 23 | 497 | 4.3 | 4.3 | 15.3 |
| | | | | | 24 | 637 | 5.4 | 5.5 | 20.8 |
| | | | | | 25 | 797 | 6.8 | 6.8 | 27.6 |
| | | | | | 26 | 909 | 7.8 | 7.8 | 35.4 |
| | | | | | 27 | 945 | 8.1 | 8.1 | 43.5 |
| | | | | | 28 | 999 | 8.5 | 8.6 | 52.1 |
| | | | | | 29 | 971 | 8.3 | 8.3 | 60.4 |
| | | | | | 30 | 915 | 7.8 | 7.9 | 68.3 |
| | | | | | 31 | 787 | 6.7 | 6.8 | 75.1 |
| | | | | | 32 | 698 | 6.0 | 6.0 | 81.0 |
| | | | | | 33 | 560 | 4.8 | 4.8 | 85.8 |
| | | | | | 34 | 436 | 3.7 | 3.7 | 89.6 |
| | | | | | 35 | 363 | 3.1 | 3.1 | 92.7 |
| | | | | | 36 | 251 | 2.1 | 2.2 | 94.9 |
| | | | | | 37 | 212 | 1.8 | 1.8 | 96.7 |
| | | | | | 38 | 136 | 1.2 | 1.2 | 97.8 |
| | | | | | 39 | 102 | .9 | .9 | 98.7 |
| | | | | | 40 | 65 | . 6 | . 6 | 99.3 |
| | | | | | 41 | 50 | . 4 | . 4 | 99.7 |
| | | | | | 42 | 18 | . 2 | .2 | 99.9 |
| | | | | | 43 | 9 | .1 | .1 | 99.9 |
| | | | | | 44 | 6 | .1 | .1 | 100.0 |
| | | | | | 45 | 2 | .0 | .0 | 100.0 |
| Missing | | | | | -1 | 33 | .3 | Missing | |
| | | | | | Total | 11689 | 100.0 | 100.0 | |

b) Your baby

day month year

Derived variable: Age of baby at completion of questionnaire (unedited).

| E699 | Weeks | since | delivery | , | | | | |
|------------|-------|-------|----------|----------|-------------|-------------|------------------|----------------|
| Value Labe | el | | Val | lue | Frequency | Percent | Valid Percent | Cum Percent |
| | | | | 0 | 23 | .2 | .2 | .2 |
| | | | | 1 | 2 | .0 | .0 | .2 |
| | | | | 2 | 1 11 | .0 | .0 .1 | .2 |
| | | | | 4 | 43 | . 4 | . 4 | .7 |
| | | | | 5 | 26 | .2 | .2 | .9 |
| | | | | 6 7 | 12 26 | .1 | .1 | 1.0 1.2 |
| | | | | 8 | 4709 | 40.3 | 40.3 | 41.5 |
| | | | | 9 | 2668 | 22.8 | 22.8 | 64.3 |
| | | | | 10 11 | 1711 833 | 14.6 7.1 | 14.6 7.1 | 79.0 86.1 |
| | | | | 12 | 430 | 3.7 | 3.7 | 89.8 |
| | | | | 13 | 245 | 2.1 | 2.1 | 91.9 |
| | | | | 14 | 121 | 1.0 | 1.0 | 92.9 |
| | | | | 15 16 | 93 84 | .8 .7 | .8 .7 | 93.7 94.4 |
| | | | | 17 | 94 | .8 | .8 | 95.2 |
| | | | | 18 | 97 | .8 | .8 | 96.1 |
| | | | | 19 20 | 65 85 | .6 .7 | .6 .7 | 96.6 97.3 |
| | | | | 21 | 74 | .6 | .6 | 98.0 |
| | | | | 22 | 49 | . 4 | . 4 | 98.4 |
| | | | | 23 24 | 37 29 | .3 .2 | .3 .2 | 98.7 99.0 |
| | | | | 25 | 18 | .2 | .2 | 99.1 |
| | | | | 26 | 21 | .2 | .2 | 99.3 |
| | | | | 27 28 | 16 13 | .1 | .1 | 99.4 99.5 |
| | | | | 29 | 8 | .1 | .1 | 99.6 |
| | | | | 30 | 2 | .0 | .0 | 99.6 |
| | | | | 31 32 | 8 2 | .1 | .1 | 99.7 |
| | | | | 33 | 3 | .0 | .0 | 99.7 99.7 |
| | | | | 34 | 1 | .0 | .0 | 99.8 |
| | | | | 35 36 | 3 2 | .0 | .0 | 99.8 |
| | | | | 37 | 1 | .0 | .0 | 99.8 99.8 |
| | | | | 38 | 1 | .0 | .0 | 99.8 |
| | | | | 39 | 2 | .0 | .0 | 99.8 |
| | | | | 40 41 | 2 2 | .0 | .0 | 99.8 99.9 |
| | | | | 42 | 1 | .0 | .0 | 99.9 |
| | | | | 43 | 2 | .0 | .0 | 99.9 |
| | | | | 44 45 | 4 2 | .0 | .0 | 99.9 99.9 |
| | | | | 49 | 1 | .0 | .0 | 99.9 |
| | | | | 50 | 1 | .0 | .0 | 100.0 |
| | | | | 51 54 | 1 1 | .0 | .0 | 100.0 100.0 |
| | | | | 57 | 2 | .0 | .0 | 100.0 |
| | | | | 66 | 1 | .0 | .0 | 100.0 |
| | | | Tot | tal | 11689 | 100.0 | 100.0 | |

Valid cases 11689 Missing cases 0

If you smoke, please remember to send back an empty cigarette packet.

Space for any comments you might like to make:

VERY MANY THANKS FOR ALL YOUR HELP

Please remember, because this is strictly confidential, the people who look at this booklet will not know your name. They will be unable to give you any help or contact anyone after reading what you have written. If you feel you need advice, please feel free to contact our special hot line (Bristol 256260 during office hours). Alternatively, your General Practitioner should be able to advise you. If you would like to talk to someone about how you are feeling, contact your health visitor, or Mothers for Mothers, Tel: (Bristol) 232360 between 9.30am and 2.30pm.

When completed, return the questionnaire to:

Dr. Jean Golding, Children of the Nineties - ALSPAC, Institute of Child Health, 24, Tyndall Avenue, Bristol. BS8 1BR.

REFERENCES

Barnett B, Hanna EW, Parker G. Life events for Obstetric groups. J Psychsomat Res 1983:27:313-320.

Brown GW, Harris T. Social Origins of Depression: a Study of Psychiatric Disorder in Women. London: Tayistock Press 1978.

Cox JL, Holden JM, Sagovsky R. Development of the Edinburgh Postnatal Depression Scale. Br J Psychiatr 1987:150:782-786.

Crown S, Crisp AH. Manual of the Crown-Crisp Experiential Index. London: Hodder & Stroughton, 1979.

Murray L, Carrothers AD. The validation of the Edinburgh Postnatal Depression Scale on a community sample. Br J Psychiatry 1990:157:288-290.

Stanley F. Measures of psychosocial variables for the pregnancy home visiting program, University of Western Australia, Personal communication awaiting publication

Thorpe KJ. A study of the Edinburgh Postnatal Depression Scale for use with parent groups outside the postpartum period. J Reprod Infant Psychology 1993: 11:119-125.

INDEX TO VARIABLES

Abortion, attempted E435

Accident E440

Age of mother - at 1st pregnancy B023

Age of mother - at delivery E695

Alcohol consumption, of mother E220-E222

Amphetamines E195, E205

Analgesia in labour E020-E035

Antenatal classes E230-E236

Anxiety E371, E372A,B, E380

Appetite loss E357

Arguments, with family/friends E420

Arguments, with partner E419

Attitude to having baby E441

Backache E252, E253

Barbiturates E196, E206

Beverage consumption E150-E157

Bleeding, vaginal E103, E429

Blues E270, E271

Breast problems E266-E269

Burgled house/car E439

Caesarean section E040, E041

Cannabis, by mother E190-E193

CCEI E348-E379

Child minder E528A,B,C, E539, E551, E556

Childcare E524 A,B,C - E542

Cleaning, help with E621

Cocaine E198, E208

Coffee consumption E154-E157

Cola consumption E150-E151

Contraception E320, E321

Control in labour E012, E021-E026, E073, E074

Conviction of offence E428

Cooking, help with E622

Coping postnatally E502

Crack E197, E207

Crown-Crisp Experiential Index see CCEI

Date of completion E699

Day nursery E530A,B,C, E541, E553

Death, of child E401

Death, of friend/relative E402

Death, of partner E400

Decaffeinated coffee E154, E156

Decaffeinated cola E150

Decaffeinated tea E154

Delivery - person involved E015

Delivery - equipment E016

Delivery - pain relief E020

Delivery - person accompanying E060

Dental fillings E091-2

Dentist in pregnancy E090-E092

Depression E296, E297, E375, E376A,B, E390-E393

Depression, medication for E326, E327

Diarrhoea E102, E262, E263

Divorce E408

Dizziness E284, E285, E349

Drugs, illicit E190-E213

Drugs, no. of E332 (see also Medication)

Ecstasy E201, E211

Edinburgh Postnatal Depression Scale see EPDS

Emotional abuse see Emotional cruelty

Emotional cruelty, to children E438

Emotional cruelty, to mother E437

Employment E520-E523

Employment, anticipated E545-E546

EPDS E380-E392

Epidural E031

Episiotomy E520, E521

Examination E436

Exhaustion E274, E275

Faint feeling E284, E285, E350

Fatigue E274, E275, E360

Fear E004

Fear partner will leave E604

Financial problem E424

Form type E001

Frequency of urine E278, E279

Friend, childcare by E527A,B,C E538, E550

Friend, help from E635

Gas and air E033

General anaesthetic in labour E030

Genital herpes E109

Glycosuria E113

Going out E510

Grandmother, help from E632

Grandparent, childcare by E525A,B,C, E536, E548

Haemorrhoids E264, E265

Headache E254, E255

Health status, of mother E140, E310

Help in home E620-E637

Heroin E199, E209

Homelessness E423

Hospital admission E120, E300-E305, E406

Hospital stay, postnatal E500

Household move E421

Housework, help with E620-E637

Humour, sense of E380

Illness, of child E403 Illness, of friend/relative E405 Illness, of mother E410 Illness, of partner E404 In trouble with law E407 Income reduction E418 Indigestion E282, E283 Infection, maternal E105-E111 Influenza E106 Injury E112 Iron E322, E323 Irritability E272, E273

Jaundice E104 Job, new E430

Labour E004-E081 Life events E400-E445 Life events score E444-E445

Marijuana - <u>see Cannabis</u> Marriage E425 Medication E320-E332 Methadone E200, E210 Month at completion E690

Nanny E529A,B,C, E540, E552, E555 Nappy changing, help with E624 Nausea E100, E258, E259 NCT classes E233 Neck ache E294, E295 Neighbour, childcare by E527A,B,C, E538, E550 Neighbours, help from E634 Nicotine content, of cigarette E183 Nipples, infected E266, E267

Occupation, maternal E520-B523

Paid help, E636
Pain E520, E521
Pain in labour E045, E046
Pain relief E020-E035
Pain, medication E328, E329
Panicky E356, E384
Parentcraft classes E230-E236
Partner - to AN classes E236
Partner - childcare by E524A, B, C, E535, E547
Partner - at delivery E060, E061
Partner's employment E521
Partner - help from E631

Partner - lost job E411

Partner - left E415

Partner - problems at work E412

Partner - rejected pregnancy E409

Partner - reliability E606

Partner - in trouble with law E416

Pethedine E032

Physical abuse, of children E426

Physical abuse, of mother E422

Piles - see Haemorrhoids

Pill, the E320, E321

Place of delivery E002, E003

Planned pregnancy E435

Position in labour E050, E059

Postnatal check E340

Problems at work E413

Reaction to labour E004-E009, E071

Relative - childcare by E526A,B,C, E537, E549

Relatives, help from E633

Restlessness E353

Roll your own cigarettes E181

Rubella E107

Scan - see Ultrasound

Self-harm E389

Separation from partner E417

Shock E112

Shopping, help with E620

Shoulder ache E288, E289

Sleep, duration E504-E508

Sleeping problems E358, E363

Smoking, brand of cigarette E180, E181

Smoking, in labour E187

Smoking, partner E185, E186

Smoking, post partum E175-E177, E179

Smoking, third trimester E170-E174, E178

Social support E600-E612

Somatic symptoms E373, E374 A,B

Stitches, painful E520, E521

Sugar in urine see Glycosuria

Suicide attempt E427

Support at delivery E060-E069

Support in labour E011

Supportive partner E601

Sweating E365

Tar content, of cigarette E182

Tea consumption E153-E154

Tearful E270, E271

Test result E431, E432

Thrush E108

Tingling E290-E293, E354 Twinning E433

Ultrasound scan E115 Uncertainty E005 Unemployment, of mother E414, E520 Unemployment, of partner E411, E521 Unhappy E361, E386-E388 Urinary infection E105, E256, E257

Vaginal bleeding, <u>see Bleeding</u> Varicose veins E276, E277 Visual disturbance E286, E287 Vitamins E324, E325 Vomiting E101, E260, E261

Washing clothes, help with E625 Washing up, help with E623 Weepy E270, E271, E366, E388 Wetting E280, E281 Working, currently E520, E521 Working, full-time E520 Worried E359

X-ray E114