

# **THE ALSPAC STUDY**

## **PG FILE**

### **DATA COLLECTED FROM THE QUESTIONNAIRE**

***Partner's New Questionnaire***

**At 47 Months**

**Prepared by**

**The ALSPAC Study Team**

**Documentation giving frequencies, background and instructions for use.**

**Last updated for version 2a of the release file.**

**November 2018**

**© University of Bristol**

## Contents

	Introduction	Page 3
	Administrative variables	Page 5
Section A	Your Health Text Frequencies	Page 8 Page 14
Section B	Your Diet Text Frequencies Nutrient Intakes Dietary Patterns	Page 33 Page 44 Page 92 Page 94
Section C	Recent Events Text Frequencies	Page 95 Page 103
Section D	Your Household Text Frequencies	Page 116 Page 123
Section E	Your Partner Text Frequencies	Page 151 Page 154
Section F	Chemicals In Your Environment Text Frequencies	Page 160 Page 163
Section G	Completion of the questionnaire Text Frequencies	Page 173 Page 173
Appendix A	General Coding Instructions	Page 181
Appendix B	Specific Coding Instructions	Page 185
Appendix C	Questionnaire Methodology	Page 193

# Introduction

## Contents

This questionnaire was sent out in a pack addressed to the carer of the study child when her/his study child was 47 months old. The pack contained a copy of "Mother's New Questionnaire" for the carer to complete and a copy of this questionnaire to hand to her/his partner if they wished to do so. It is in 7 sections. Section A contains standard ALSPAC health related questions. Section B contains questions about diet, including tea, coffee and alcohol consumption as well as extensive food frequency questionnaires. Section C asks about recent life events and the effect they have had on the respondent. Section D asks about household composition, financial matters, parent child relationships and also includes the Strengths and Difficulties Questionnaire (Goodman, 1997). Section E collected information about the respondent's partner and section F about exposure to various chemicals. Finally, section G collects the usual "back page" information on who completed the questionnaire and when.

## Questionnaire versions

There were two versions of this questionnaire, with version 2 containing two alterations to the text of version 1. The first concerns the skip statement in question C43. In version 1 respondents were mistakenly instructed to skip to question D1 if they answered 'No' to C43a, thereby omitting question C44 (which large numbers of respondents did). The instruction was corrected to skip to C44a in version 2. The other alteration was a change to the telephone contact number on the back page. This documentation is based around the text of version 2, but the differences in the text in version 1 are described.

## Sample & response rates

There are a total of 14,645 records on this built file. This number is made up of the 14,541 pregnancies in the core ALSPAC sample (regardless of whether or not the 47-month partner questionnaire was sent out for them or whether they were returned) plus 104 eligible pregnancies not in the core sample for which the questionnaire was sent out. Note that this questionnaire was not returned for any of the 104 pregnancies not in the core sample.

Of the 14,541 pregnancies in the core ALSPAC sample, 13,868 resulted in at least one live born child. The 47-month partner questionnaire was sent out for 11,703 (84%) of these pregnancies. As of 30th April 2007 completed questionnaires had been returned for 5,102 (44%) of these pregnancies, which is 37% of the 13,868 pregnancies that resulted in at least one live born child. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

## Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

## **Release file version history**

### Release version 1a – September 2007

The first version of the release file.

### Release version 1b – December 2008

For confidentiality purposes data has been stripped (set to -11) from 1 record relating to a triplet and quadruplet pregnancy and the administration variable pg0007a has been set to 'data not available'. The documentation has not been updated to reflect this.

### Release version 2a – November 2018

The following variables have been added:

- Estimated daily nutrient intakes (pg2500 – pg2536)
- Dietary pattern scores obtained using Principal Components Analysis (pg2540 – pg2543).

## **References**

Goodman, R. (1997). The strengths and difficulties questionnaire: A research note. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 38(5), 581-586.

## Administrative variables

### pg0001 Questionnaire sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	11807	80.6	80.6	80.6
	2 No	2838	19.4	19.4	100.0
	Total	14645	100.0	100.0	

### pg0005 Questionnaire return status (as of 30/04/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not returned	6473	44.2	54.8	54.8
	2 Returned, completed	5102	34.8	43.2	98.0
	3 Returned, blank	232	1.6	2.0	100.0
	Total	11807	80.6	100.0	
Missing	-2 Questionnaire not sent	2838	19.4		
	Total	14645	100.0		

### pg0006 Questionnaire returned (as of 30/04/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5334	36.4	45.2	45.2
	2 No	6473	44.2	54.8	100.0
	Total	11807	80.6	100.0	
Missing	-2 Questionnaire not sent	2838	19.4		
	Total	14645	100.0		

### pg0007 Questionnaire completed (as of 30/04/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5102	34.8	43.2	43.2
	2 No	6705	45.8	56.8	100.0
	Total	11807	80.6	100.0	
Missing	-2 Questionnaire not sent	2838	19.4		
	Total	14645	100.0		

### pg0007a Data available (as of 30/04/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5102	34.8	34.8	34.8
	2 No	9543	65.2	65.2	100.0
	Total	14645	100.0	100.0	

### pg0008 Questionnaire version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Version 1 - 01/05/95	3203	21.9	62.8	62.8
	2 Version 2 - 08/02/96	1899	13.0	37.2	100.0
	Total	5102	34.8	100.0	
Missing	-10 Not completed	9543	65.2		
	Total	14645	100.0		



Questionnaire no.

--	--	--	--	--	--	--	--	--	--	--	--

# **PARTNER'S**

# **NEW QUESTIONNAIRE**

This questionnaire aims to find out what problems parents have. Your answers will help us to identify those problems that may be solved by changes in the health care system. It should be filled in by the mother's partner.

To answer simply tick the box which is most accurate in your opinion.

Some questions are the same as those you have answered before. This is so that we can tell what changes have happened to you.

Please answer all questions if you can, even if they are similar. If you cannot answer a question or if it does not apply to you, put a line through it. There are no good or bad answers. Just tell us what you really think.

All answers are confidential.

**THANK YOU VERY MUCH**

08/02/96

*Recycled Paper*

PAGE 2 OF THE QUESTIONNAIRE

This page only contained a photograph.

**SECTION A: YOUR HEALTH**

A1. Which of the following would you say describes your health now?

- fit and well
- mostly well and healthy
- often feel unwell
- hardly ever feel well

1
2
3
4

A2. Have you had any of the following in the past year?

<b>In the past year:</b>	<b>Yes and consulted doctor</b>	<b>Yes but did not consult doctor</b>	<b>No</b>
a) anxiety or 'nerves'	1	2	3
b) depression	1	2	3
c) headache or migraine	1	2	3
d) backache	1	2	3
e) indigestion	1	2	3
f) cough or cold	1	2	3
g) haemorrhoids/piles	1	2	3
h) influenza	1	2	3
i) wheezing	1	2	3
j) bronchitis	1	2	3
k) stomach ulcer	1	2	3
l) eczema	1	2	3
m) psoriasis	1	2	3
n) arthritis	1	2	3
o) rheumatism	1	2	3
p) urinary infection	1	2	3
q) other problems (please tick and describe)	1	2	3

## PAGE 4 OF THE QUESTIONNAIRE

A3. **In the past year** how often have you taken or used the following?

<b>I have taken:</b>	<b>Every day</b>	<b>Often</b>	<b>Sometimes</b>	<b>Not at all</b>
a) sleeping pills	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
b) vitamins	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
c) cannabis/marihuana	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
d) tranquillisers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
e) pills for depression	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
f) antibiotics	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
g) painkillers (aspirin, paracetamol, etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
h) amphetamines or other stimulants	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
i) iron	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
j) heroin, methadone, crack, cocaine	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
k) anticonvulsants	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
l) steroids	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4

Other pill, medicine, treatment, drug, ointment or cream (please describe each and tick how frequently you have taken **in the past year**.)

m) .....	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
n) .....	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
o) .....	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

## PAGE 5 OF THE QUESTIONNAIRE

- A4. Please list all the names of the actual medicines, pills or ointments that you have taken **in the past month**:

for office use

<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------

**What did you take:****About how many days did you take or use it?****How often per day?**

- |     |       |       |       |
|-----|-------|-------|-------|
| 1.  | ..... | ..... | ..... |
| 2.  | ..... | ..... | ..... |
| 3.  | ..... | ..... | ..... |
| 4.  | ..... | ..... | ..... |
| 5.  | ..... | ..... | ..... |
| 6.  | ..... | ..... | ..... |
| 7.  | ..... | ..... | ..... |
| 8.  | ..... | ..... | ..... |
| 9.  | ..... | ..... | ..... |
| 10. | ..... | ..... | ..... |

**Check****Have you included iron tablets, laxatives, vitamins, sleeping tablets, aspirin, cough mixtures, pain killers, herbal medicine, homeopathic medicine and ointments?**

PAGE 6 OF THE QUESTIONNAIRE

This page only contained a photograph.

## PAGE 7 OF THE QUESTIONNAIRE

A5. a) Since your study child was 3 years old have you had to go and stay in hospital?

Yes  1

No  2

→ If no, go to A6 below

If yes,

b) how many times?

Please describe for each admission.

	1st admission	2nd admission	3rd admission
c) How old was your study child?	months	months	months
d) What were the reasons for your admission? (please describe)	.....	.....	.....
e) How long did you stay?	days	days	days

A6. In the past month, how often have you had the following:

In the past month:	Almost all the time	Sometimes	Not at all
	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
a) backache	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) headaches or migraines	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c) urinary infection	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d) nausea	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e) vomiting	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
f) diarrhoea	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
g) haemorrhoids or piles	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
h) feeling weepy/tearful	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
i) feeling irritable	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
j) feeling exhausted	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
k) varicose veins	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
l) passing urine very often	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
m) problem holding urine when you jump, sneeze etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

## PAGE 8 OF THE QUESTIONNAIRE

A6. (cont.)

**In the past month:**

	<b>Almost all the time</b>	<b>Sometimes</b>	<b>Not at all</b>
n) indigestion	1	2	3
o) feeling dizzy/fainting	1	2	3
p) flashing lights/spots before eyes	1	2	3
q) shoulder ache	1	2	3
r) tingling in hands/fingers	1	2	3
s) tingling in feet/toes	1	2	3
t) neck ache	1	2	3
u) feeling depressed	1	2	3
v) other problem (please tick and describe)	1	2	3

.....

.....

A7. a) How often are you having sexual intercourse now?

not at all	1
less than once a month	2
1-3 times a month	3
about once a week	4
2-4 times a week	5
5 or more times a week	6

A7. b) In general do you enjoy it?

yes, very much	1
yes, somewhat	2
no, not a lot	3
no, not at all	4
no sex at the moment	5

# PG File – Section A

## pg1000 A1: Partner's description of their health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Fit and well	3158	61.9	62.2	62.2
	2 Mostly well and healthy	1769	34.7	34.8	97.0
	3 Often unwell	136	2.7	2.7	99.7
	4 Hardly ever well	15	.3	.3	100.0
	Total	5078	99.5	100.0	
Missing	-1 No response	24	.5		
Total		5102	100.0		

## pg1010 A2a: Partner had anxiety in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	147	2.9	3.0	3.0
	2 Yes but did not consult doctor	871	17.1	17.6	20.6
	3 No	3925	76.9	79.4	100.0
	Total	4943	96.9	100.0	
	Missing	-1 No response	159	3.1	
Total		5102	100.0		

## pg1011 A2b: Partner had depression in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	129	2.5	2.6	2.6
	2 Yes but did not consult doctor	564	11.1	11.4	14.0
	3 No	4240	83.1	86.0	100.0
	Total	4933	96.7	100.0	
	Missing	-1 No response	169	3.3	
Total		5102	100.0		

## pg1012 A2c: Partner had a headache or migraine in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	154	3.0	3.1	3.1
	2 Yes but did not consult doctor	2890	56.6	58.0	61.0
	3 No	1943	38.1	39.0	100.0
	Total	4987	97.7	100.0	
	Missing	-1 No response	115	2.3	
Total		5102	100.0		

## pg1013 A2d: Partner had backache in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	427	8.4	8.5	8.5
	2 Yes but did not consult doctor	2121	41.6	42.5	51.0
	3 No	2447	48.0	49.0	100.0
	Total	4995	97.9	100.0	
	Missing	-1 No response	107	2.1	
Total		5102	100.0		

## PG File – Section A

### pg1014 A2e: Partner had indigestion in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	131	2.6	2.6	2.6
	2 Yes but did not consult doctor	1747	34.2	35.3	37.9
	3 No	3073	60.2	62.1	100.0
	Total	4951	97.0	100.0	
Missing	-1 No response	151	3.0		
Total		5102	100.0		

### pg1015 A2f: Partner had a cough or cold in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	223	4.4	4.4	4.4
	2 Yes but did not consult doctor	3827	75.0	76.1	80.5
	3 No	980	19.2	19.5	100.0
	Total	5030	98.6	100.0	
Missing	-1 No response	72	1.4		
Total		5102	100.0		

### pg1016 A2g: Partner had haemorrhoids in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	88	1.7	1.8	1.8
	2 Yes but did not consult doctor	588	11.5	11.9	13.7
	3 No	4251	83.3	86.3	100.0
	Total	4927	96.6	100.0	
Missing	-1 No response	175	3.4		
Total		5102	100.0		

### pg1017 A2h: Partner had influenza in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	188	3.7	3.8	3.8
	2 Yes but did not consult doctor	750	14.7	15.2	19.0
	3 No	3994	78.3	81.0	100.0
	Total	4932	96.7	100.0	
Missing	-1 No response	170	3.3		
Total		5102	100.0		

### pg1018 A2i: Partner had wheezing in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	130	2.5	2.6	2.6
	2 Yes but did not consult doctor	430	8.4	8.7	11.4
	3 No	4370	85.7	88.6	100.0
	Total	4930	96.6	100.0	
Missing	-1 No response	172	3.4		
Total		5102	100.0		

# PG File – Section A

## pg1019 A2j: Partner had bronchitis in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	95	1.9	1.9	1.9
	2 Yes but did not consult doctor	59	1.2	1.2	3.1
	3 No	4767	93.4	96.9	100.0
	Total	4921	96.5	100.0	
Missing	-1 No response	181	3.5		
Total		5102	100.0		

## pg1020 A2k: Partner had stomach ulcer in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	33	.6	.7	.7
	2 Yes but did not consult doctor	20	.4	.4	1.1
	3 No	4862	95.3	98.9	100.0
	Total	4915	96.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	186	3.6		
Total		187	3.7		
Total		5102	100.0		

## pg1021 A2l: Partner had eczema in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	118	2.3	2.4	2.4
	2 Yes but did not consult doctor	290	5.7	5.9	8.3
	3 No	4520	88.6	91.7	100.0
	Total	4928	96.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	173	3.4		
Total		174	3.4		
Total		5102	100.0		

## pg1022 A2m: Partner had psoriasis in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	61	1.2	1.2	1.2
	2 Yes but did not consult doctor	107	2.1	2.2	3.4
	3 No	4752	93.1	96.6	100.0
	Total	4920	96.4	100.0	
Missing	-1 No response	182	3.6		
Total		5102	100.0		

## pg1023 A2n: Partner had arthritis in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	76	1.5	1.5	1.5
	2 Yes but did not consult doctor	82	1.6	1.7	3.2
	3 No	4762	93.3	96.8	100.0
	Total	4920	96.4	100.0	
Missing	-1 No response	182	3.6		
Total		5102	100.0		

# PG File – Section A

## pg1024 A2o: Partner had rheumatism in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	23	.5	.5	.5
	2 Yes but did not consult doctor	72	1.4	1.5	1.9
	3 No	4815	94.4	98.1	100.0
	Total	4910	96.2	100.0	
Missing	-1 No response	192	3.8		
Total		5102	100.0		

## pg1025 A2p: Partner had a urinary infection in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	71	1.4	1.4	1.4
	2 Yes but did not consult doctor	33	.6	.7	2.1
	3 No	4805	94.2	97.9	100.0
	Total	4909	96.2	100.0	
Missing	-1 No response	193	3.8		
Total		5102	100.0		

## pg1026 A2q: Partner had other problems in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	33	.6	.7	.7
	1 Yes and consulted doctor	631	12.4	13.8	14.5
	2 Yes but did not consult doctor	127	2.5	2.8	17.3
	3 No	3782	74.1	82.7	100.0
Missing	Total	4573	89.6	100.0	
	-1 No response	529	10.4		
Total		5102	100.0		

## pg1030 A3a: Frequency partner has taken sleeping pills in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	5	.1	.1	.1
	2 Often	5	.1	.1	.2
	3 Sometimes	107	2.1	2.1	2.3
	4 Not at all	4886	95.8	97.7	100.0
Missing	Total	5003	98.1	100.0	
	-1 No response	99	1.9		
Total		5102	100.0		

## pg1031 A3b: Frequency partner has taken vitamins in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	218	4.3	4.4	4.4
	2 Often	234	4.6	4.7	9.0
	3 Sometimes	900	17.6	18.0	27.0
	4 Not at all	3658	71.7	73.0	100.0
Missing	Total	5010	98.2	100.0	
	-1 No response	92	1.8		
Total		5102	100.0		

# PG File – Section A

## **pg1032 A3c: Frequency partner has used cannabis/marijuana in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Once	2	.0	.0	.0
	1 Every day	37	.7	.7	.8
	2 Often	63	1.2	1.3	2.0
	3 Sometimes	231	4.5	4.6	6.7
	4 Not at all	4661	91.4	93.3	100.0
	Total	4994	97.9	100.0	
Missing	-1 No response	108	2.1		
Total		5102	100.0		

## **pg1033 A3d: Frequency partner has used tranquillisers in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	4	.1	.1	.1
	2 Often	6	.1	.1	.2
	3 Sometimes	22	.4	.4	.6
	4 Not at all	4962	97.3	99.4	100.0
	Total	4994	97.9	100.0	
	Missing	-1 No response	108	2.1	
Total		5102	100.0		

## **pg1034 A3e: Frequency partner has taken pills for depression in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Once	1	.0	.0	.0
	1 Every day	27	.5	.5	.6
	2 Often	21	.4	.4	1.0
	3 Sometimes	51	1.0	1.0	2.0
	4 Not at all	4894	95.9	98.0	100.0
	Total	4994	97.9	100.0	
Missing	-1 No response	108	2.1		
Total		5102	100.0		

## **pg1035 A3f: Frequency partner has taken antibiotics in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	16	.3	.3	.3
	2 Often	31	.6	.6	.9
	3 Sometimes	1417	27.8	28.4	29.3
	4 Not at all	3534	69.3	70.7	100.0
	Total	4998	98.0	100.0	
	Missing	-9 Don't know	1	.0	
	-1 No response	103	2.0		
	Total	104	2.0		
Total		5102	100.0		

## PG File – Section A

### pg1036 A3g: Frequency partner has taken painkillers in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	56	1.1	1.1	1.1
	2 Often	344	6.7	6.8	7.9
	3 Sometimes	3969	77.8	78.4	86.3
	4 Not at all	694	13.6	13.7	100.0
	Total	5063	99.2	100.0	
Missing	-1 No response	39	.8		
Total		5102	100.0		

### pg1037 A3h: Frequency partner has taken amphetamines or other stimulants in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	1	.0	.0	.0
	2 Often	5	.1	.1	.1
	3 Sometimes	45	.9	.9	1.0
	4 Not at all	4945	96.9	99.0	100.0
	Total	4996	97.9	100.0	
Missing	-1 No response	106	2.1		
Total		5102	100.0		

### pg1038 A3i: Frequency partner has taken iron in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	47	.9	.9	.9
	2 Often	33	.6	.7	1.6
	3 Sometimes	175	3.4	3.5	5.1
	4 Not at all	4743	93.0	94.9	100.0
	Total	4998	98.0	100.0	
Missing	-1 No response	104	2.0		
Total		5102	100.0		

### pg1039 A3j: Frequency partner has taken heroin, methadone, crack or cocaine in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	6	.1	.1	.1
	3 Sometimes	16	.3	.3	.4
	4 Not at all	4975	97.5	99.6	100.0
	Total	4997	97.9	100.0	
	Missing	-1 No response	105	2.1	
Total		5102	100.0		

### pg1040 A3k: Frequency partner has taken anticonvulsants in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	18	.4	.4	.4
	2 Often	1	.0	.0	.4
	3 Sometimes	7	.1	.1	.5
	4 Not at all	4971	97.4	99.5	100.0
	Total	4997	97.9	100.0	
Missing	-1 No response	105	2.1		
Total		5102	100.0		

# PG File – Section A

## **pg1041 A3l: Frequency partner has taken steroids in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	34	.7	.7	.7
	2 Often	26	.5	.5	1.2
	3 Sometimes	81	1.6	1.6	2.8
	4 Not at all	4854	95.1	97.2	100.0
	Total	4995	97.9	100.0	
Missing	-1 No response	107	2.1		
Total		5102	100.0		

## **pg1043 A3m: Frequency partner has used another pill, medicine, drug, ointment or cream in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	10	.2	.8	.8
	1 Every day	319	6.3	24.8	25.6
	2 Often	252	4.9	19.6	45.2
	3 Sometimes	705	13.8	54.8	100.0
	Total	1286	25.2	100.0	
Missing	-1 No response	3816	74.8		
Total		5102	100.0		

## **pg1045 A3n: Frequency partner has used another pill, medicine, drug, ointment or cream in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	6	.1	1.4	1.4
	1 Every day	109	2.1	25.9	27.3
	2 Often	80	1.6	19.0	46.3
	3 Sometimes	226	4.4	53.7	100.0
	Total	421	8.3	100.0	
Missing	-1 No response	4681	91.7		
Total		5102	100.0		

## **pg1047 A3o: Frequency partner has used another pill, medicine, drug, ointment or cream in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	4	.1	2.6	2.6
	1 Every day	36	.7	23.5	26.1
	2 Often	18	.4	11.8	37.9
	3 Sometimes	95	1.9	62.1	100.0
	Total	153	3.0	100.0	
Missing	-1 No response	4949	97.0		
Total		5102	100.0		

## PG File – Section A

**pg1050 A4: Number of medicines, pills or ointments partner has used in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	580	11.4	16.4	16.4
	1	1599	31.3	45.2	61.6
	2	799	15.7	22.6	84.1
	3	344	6.7	9.7	93.8
	4	134	2.6	3.8	97.6
	5	44	.9	1.2	98.9
	6	20	.4	.6	99.4
	7	8	.2	.2	99.7
	8	8	.2	.2	99.9
	9	2	.0	.1	99.9
	10	1	.0	.0	100.0
	11	1	.0	.0	100.0
Total		3540	69.4	100.0	
Missing	-1 No response	1562	30.6		
Total		5102	100.0		

**pg1110 A5a: Partner has been admitted to hospital since study child was 3 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	265	5.2	5.2	5.2
	2 No	4795	94.0	94.8	100.0
	Total	5060	99.2	100.0	
Missing	-1 No response	42	.8		
Total		5102	100.0		

**pg1111 A5b: Number of times partner has been admitted to hospital since study child was 3 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	23	.5	8.2	8.2
	1	231	4.5	82.2	90.4
	2	17	.3	6.0	96.4
	3	7	.1	2.5	98.9
	5	1	.0	.4	99.3
	6	1	.0	.4	99.6
	10	1	.0	.4	100.0
	Total	281	5.5	100.0	
Missing	-1 No response	4821	94.5		
Total		5102	100.0		

# PG File – Section A

**pg1115 A5c: Age of study child in months when partner was admitted to hospital - first time since child's third birthday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 <1 month	1	.0	.4	.4
	1	2	.0	.8	1.2
	3	6	.1	2.3	3.5
	7	2	.0	.8	4.3
	8	1	.0	.4	4.7
	11	1	.0	.4	5.0
	13	1	.0	.4	5.4
	20	2	.0	.8	6.2
	21	1	.0	.4	6.6
	24	3	.1	1.2	7.8
	30	5	.1	1.9	9.7
	31	2	.0	.8	10.5
	33	2	.0	.8	11.2
	34	1	.0	.4	11.6
	35	5	.1	1.9	13.6
	36	25	.5	9.7	23.3
	37	18	.4	7.0	30.2
	38	18	.4	7.0	37.2
	39	13	.3	5.0	42.2
	40	26	.5	10.1	52.3
	41	10	.2	3.9	56.2
	42	40	.8	15.5	71.7
	43	9	.2	3.5	75.2
	44	9	.2	3.5	78.7
	45	16	.3	6.2	84.9
	46	18	.4	7.0	91.9
	47	10	.2	3.9	95.7
	48	6	.1	2.3	98.1
	50	1	.0	.4	98.4
	51	1	.0	.4	98.8
	52	1	.0	.4	99.2
	60	1	.0	.4	99.6
	66	1	.0	.4	100.0
Missing	Total	258	5.1	100.0	
	-9 Don't know	3	.1		
	-1 No response	4841	94.9		
Total		4844	94.9		
Total		5102	100.0		

# PG File – Section A

**pg1117 A5e: Number of days partner stayed in hospital - first admission after child's third birthday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.1	1.5	1.5
	1	74	1.5	28.4	29.9
	2	58	1.1	22.2	52.1
	3	33	.6	12.6	64.8
	4	19	.4	7.3	72.0
	5	22	.4	8.4	80.5
	6	6	.1	2.3	82.8
	7	12	.2	4.6	87.4
	8	6	.1	2.3	89.7
	9	1	.0	.4	90.0
	10	8	.2	3.1	93.1
	11	1	.0	.4	93.5
	12	2	.0	.8	94.3
	14	6	.1	2.3	96.6
	16	1	.0	.4	96.9
	17	1	.0	.4	97.3
	18	2	.0	.8	98.1
	21	3	.1	1.1	99.2
	35	1	.0	.4	99.6
	40	1	.0	.4	100.0
	Total	261	5.1	100.0	
Missing	-1 No response	4841	94.9		
Total		5102	100.0		

**pg1120 A5c: Age of study child in months when partner was admitted to hospital - second time since child's third birthday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	.0	3.6	3.6
	4	1	.0	3.6	7.1
	6	1	.0	3.6	10.7
	9	1	.0	3.6	14.3
	29	1	.0	3.6	17.9
	33	1	.0	3.6	21.4
	36	2	.0	7.1	28.6
	38	1	.0	3.6	32.1
	39	1	.0	3.6	35.7
	41	3	.1	10.7	46.4
	42	3	.1	10.7	57.1
	43	2	.0	7.1	64.3
	44	2	.0	7.1	71.4
	45	3	.1	10.7	82.1
	46	1	.0	3.6	85.7
	47	2	.0	7.1	92.9
	49	1	.0	3.6	96.4
	53	1	.0	3.6	100.0
	Total	28	.5	100.0	
Missing	-1 No response	5074	99.5		
Total		5102	100.0		

## PG File – Section A

**pg1122 A5e: Number of days partner stayed in hospital - second admission after child's third birthday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	8	.2	28.6	28.6
	2	4	.1	14.3	42.9
	3	2	.0	7.1	50.0
	4	2	.0	7.1	57.1
	5	4	.1	14.3	71.4
	6	1	.0	3.6	75.0
	7	3	.1	10.7	85.7
	8	1	.0	3.6	89.3
	10	2	.0	7.1	96.4
	14	1	.0	3.6	100.0
	Total	28	.5	100.0	
Missing	-1 No response	5074	99.5		
Total		5102	100.0		

**pg1125 A5c: Age of study child in months when partner was admitted to hospital - third time since child's third birthday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7	1	.0	10.0	10.0
	31	1	.0	10.0	20.0
	36	1	.0	10.0	30.0
	38	1	.0	10.0	40.0
	42	2	.0	20.0	60.0
	44	1	.0	10.0	70.0
	45	1	.0	10.0	80.0
	46	1	.0	10.0	90.0
	50	1	.0	10.0	100.0
	Total	10	.2	100.0	
Missing	-1 No response	5092	99.8		
Total		5102	100.0		

**pg1127 A5e: Number of days partner stayed in hospital - third admission after child's third birthday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	3	.1	25.0	25.0
	3	2	.0	16.7	41.7
	4	1	.0	8.3	50.0
	5	1	.0	8.3	58.3
	7	1	.0	8.3	66.7
	9	1	.0	8.3	75.0
	12	1	.0	8.3	83.3
	14	1	.0	8.3	91.7
	33	1	.0	8.3	100.0
	Total	12	.2	100.0	
Missing	-1 No response	5090	99.8		
Total		5102	100.0		

## PG File – Section A

### pg1130 A6a: Frequency partner has had backache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	197	3.9	3.9	3.9
	2 Sometimes	1727	33.8	34.5	38.5
	3 Not at all	3076	60.3	61.5	100.0
	Total	5000	98.0	100.0	
Missing	-1 No response	102	2.0		
Total		5102	100.0		

### pg1131 A6b: Frequency partner has had headaches or migraine in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	30	.6	.6	.6
	2 Sometimes	2691	52.7	53.9	54.5
	3 Not at all	2276	44.6	45.5	100.0
	Total	4997	97.9	100.0	
Missing	-1 No response	105	2.1		
Total		5102	100.0		

### pg1132 A6c: Frequency partner has had a urinary infection in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	4	.1	.1	.1
	2 Sometimes	41	.8	.8	.9
	3 Not at all	4921	96.5	99.1	100.0
	Total	4966	97.3	100.0	
Missing	-1 No response	136	2.7		
Total		5102	100.0		

### pg1133 A6d: Frequency partner has had nausea in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	6	.1	.1	.1
	2 Sometimes	278	5.4	5.6	5.7
	3 Not at all	4685	91.8	94.3	100.0
	Total	4969	97.4	100.0	
Missing	-1 No response	133	2.6		
Total		5102	100.0		

### pg1134 A6e: Frequency partner has vomited in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Sometimes	225	4.4	4.5	4.5
	3 Not at all	4742	92.9	95.5	100.0
	Total	4967	97.4	100.0	
	Missing	135	2.6		
Total		5102	100.0		

# PG File – Section A

## pg1135 A6f: Frequency partner has had diarrhoea in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	6	.1	.1	.1
	2 Sometimes	652	12.8	13.1	13.2
	3 Not at all	4310	84.5	86.8	100.0
	Total	4968	97.4	100.0	
Missing	-1 No response	134	2.6		
Total		5102	100.0		

## pg1136 A6g: Frequency partner has had haemorrhoids in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	61	1.2	1.2	1.2
	2 Sometimes	381	7.5	7.7	8.9
	3 Not at all	4528	88.7	91.1	100.0
	Total	4970	97.4	100.0	
Missing	-1 No response	132	2.6		
Total		5102	100.0		

## pg1137 A6h: Frequency partner has been feeling tearful in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	8	.2	.2	.2
	2 Sometimes	412	8.1	8.3	8.5
	3 Not at all	4546	89.1	91.5	100.0
	Total	4966	97.3	100.0	
Missing	-1 No response	136	2.7		
Total		5102	100.0		

## pg1138 A6i: Frequency partner has been feeling irritable in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	67	1.3	1.3	1.3
	2 Sometimes	2661	52.2	53.3	54.7
	3 Not at all	2262	44.3	45.3	100.0
	Total	4990	97.8	100.0	
Missing	-1 No response	112	2.2		
Total		5102	100.0		

## pg1139 A6j: Frequency partner has been feeling exhausted in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	180	3.5	3.6	3.6
	2 Sometimes	2848	55.8	57.0	60.6
	3 Not at all	1967	38.6	39.4	100.0
	Total	4995	97.9	100.0	
Missing	-1 No response	107	2.1		
Total		5102	100.0		

## PG File – Section A

### pg1140 A6k: Frequency partner has had varicose veins in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	41	.8	.8	.8
	2 Sometimes	41	.8	.8	1.7
	3 Not at all	4871	95.5	98.3	100.0
	Total	4953	97.1	100.0	
Missing	-1 No response	149	2.9		
Total		5102	100.0		

### pg1141 A6l: Frequency partner has been passing urine very often in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	27	.5	.5	.5
	2 Sometimes	298	5.8	6.0	6.5
	3 Not at all	4641	91.0	93.5	100.0
	Total	4966	97.3	100.0	
Missing	-1 No response	136	2.7		
Total		5102	100.0		

### pg1142 A6m: Frequency partner has had problems holding urine when jumping / sneezing etc. in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2	.0	.0	.0
	2 Sometimes	29	.6	.6	.6
	3 Not at all	4922	96.5	99.4	100.0
	Total	4953	97.1	100.0	
Missing	-1 No response	149	2.9		
Total		5102	100.0		

### pg1143 A6n: Frequency partner has had indigestion in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	37	.7	.7	.7
	2 Sometimes	1467	28.8	29.1	29.9
	3 Not at all	3530	69.2	70.1	100.0
	Total	5034	98.7	100.0	
Missing	-1 No response	68	1.3		
Total		5102	100.0		

### pg1144 A6o: Frequency partner has felt dizzy or fainted in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	3	.1	.1	.1
	2 Sometimes	307	6.0	6.1	6.2
	3 Not at all	4704	92.2	93.8	100.0
	Total	5014	98.3	100.0	
Missing	-1 No response	88	1.7		
Total		5102	100.0		

## PG File – Section A

**pg1145 A6p: Frequency partner has had flashing lights or spots before the eyes in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	3	.1	.1	.1
	2 Sometimes	287	5.6	5.7	5.8
	3 Not at all	4729	92.7	94.2	100.0
	Total	5019	98.4	100.0	
Missing	-1 No response	83	1.6		
Total		5102	100.0		

**pg1146 A6q: Frequency partner has had shoulder ache in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	88	1.7	1.7	1.7
	2 Sometimes	1086	21.3	21.6	23.3
	3 Not at all	3859	75.6	76.7	100.0
	Total	5033	98.6	100.0	
Missing	-1 No response	69	1.4		
Total		5102	100.0		

**pg1147 A6r: Frequency partner has had tingling in the hands or fingers in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	24	.5	.5	.5
	2 Sometimes	563	11.0	11.2	11.7
	3 Not at all	4435	86.9	88.3	100.0
	Total	5022	98.4	100.0	
Missing	-1 No response	80	1.6		
Total		5102	100.0		

**pg1148 A6s: Frequency partner has had tingling in the toes or feet in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	18	.4	.4	.4
	2 Sometimes	218	4.3	4.3	4.7
	3 Not at all	4779	93.7	95.3	100.0
	Total	5015	98.3	100.0	
Missing	-1 No response	87	1.7		
Total		5102	100.0		

**pg1149 A6t: Frequency partner has had neck ache in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	69	1.4	1.4	1.4
	2 Sometimes	1338	26.2	26.6	28.0
	3 Not at all	3620	71.0	72.0	100.0
	Total	5027	98.5	100.0	
Missing	-1 No response	75	1.5		
Total		5102	100.0		

# PG File – Section A

## pg1150 A6u: Frequency partner has been feeling depressed in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	31	.6	.6	.6
	2 Sometimes	828	16.2	16.5	17.1
	3 Not at all	4167	81.7	82.9	100.0
	Total	5026	98.5	100.0	
Missing	-1 No response	76	1.5		
Total		5102	100.0		

## pg1151 A6v: Frequency partner has had another problem in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	56	1.1	1.3	1.3
	1 Almost always	85	1.7	2.0	3.3
	2 Sometimes	187	3.7	4.3	7.6
	3 Not at all	3992	78.2	92.4	100.0
Total		4320	84.7	100.0	
Missing	-1 No response	782	15.3		
Total		5102	100.0		

## pg1160 A7a: Frequency partner is having sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	317	6.2	6.3	6.3
	2 < once / month	662	13.0	13.2	19.5
	3 1-3 times / month	1575	30.9	31.3	50.8
	4 ~once / week	1216	23.8	24.2	74.9
	5 2-4 times / week	1168	22.9	23.2	98.2
	6 5 or more times / week	93	1.8	1.8	100.0
	Total	5031	98.6	100.0	
Missing	-1 No response	71	1.4		
Total		5102	100.0		

## pg1161 A7b: Partner enjoys sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very much	3422	67.1	68.5	68.5
	2 Yes, somewhat	1258	24.7	25.2	93.6
	3 No, not a lot	81	1.6	1.6	95.3
	4 No, not at all	2	.0	.0	95.3
	5 No sex at the moment	235	4.6	4.7	100.0
	Total	4998	98.0	100.0	
Missing	-1 No response	104	2.0		
Total		5102	100.0		

**SECTION B: YOUR DIET**

B1. How often nowadays do you eat the following foods? Please answer every question even if you never eat the food (in this case tick “Never or rarely”).

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than once a day
a) Oat cereals (e.g. porridge, Ready Brek, muesli)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
b) Wholegrain or bran cereals (e.g. All Bran, Bran Flakes, Weetabix, Wheatflakes, Fruit & Fibre, Shredded Wheat)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
c) Other cereals (e.g. Cornflakes, Rice Krispies, Special K, Frosties)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
d) Sausages, Burgers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
e) Meat Pies, Pasties (pork pie, steak/meat pie, Cornish pastie etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
f) Vegetarian Pies, Pasties (cheese and onion pastry, vegetable samosa, onion bhaji, vegetable grills etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
g) Ham, bacon, paté and cold meats (e.g. salami, luncheon meat, garlic sausage etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
h) Meat: roast, chops and stews etc. (e.g. beef, lamb, pork, mince)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
i) Liver, kidney, heart and other offal	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
j) Chicken/Turkey in crispy coating (e.g. chicken nuggets, turkey burgers, chicken fingers etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
k) Poultry: roast, baked or stewed (chicken, turkey etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
l) Shellfish (prawns, scampi, crab, cockles, mussels etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than once a day
B1. (cont).					
m) White fish in breadcrumbs or batter (e.g. fishfingers, chip shop fish, breaded cod, plaice or haddock,)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
n) White fish without coating (e.g. grilled fish, cod in parsley sauce etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
o) Tuna	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
p) Other fish (pilchards, sardines, mackerel, herrings, kippers, trout, salmon etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
q) Eggs, quiche/flans, omelettes etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
r) Cheese	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
s) Pizza	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
t) Oven chips	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
u) Fried chips, potato waffles and croquettes, Alphabites etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
v) Roast potatoes (cooked in fat or oil)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
w) Boiled, mashed, jacket potatoes	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
x) Rice (boiled, or fried, not rice pudding)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
y) Canned pasta (e.g. spaghetti rings, ravioli, macaroni cheese etc.) Pot Noodles, Super Noodles etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
z) Boiled pasta (e.g. spaghetti, fusilli, lasagne) bulgar wheat and cous-cous	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

## PAGE 11 OF THE QUESTIONNAIRE

B2. Do you eat the fat on meat?

yes, all of it	<input type="checkbox"/> 1
yes, some of it	<input type="checkbox"/> 2
no	<input type="checkbox"/> 3
never eat meat	<input type="checkbox"/> 4

B3. How many times nowadays do you eat:

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than once a day
a) Baked beans	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
b) Peas, broad beans	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
c) Sweetcorn	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
d) Cabbage, brussel sprouts, spinach, broccoli and other dark green leafy vegetables	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
e) Other green vegetables (cauliflower, runner beans, leeks, courgettes etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
f) Carrots	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
g) Other root vegetables (turnip, swede, parsnip etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
h) Tomatoes (cooked or raw)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
i) Salads	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
j) Pulses - dried peas, beans, lentils, chick peas etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
k) Soya 'Meat', TVP, Soya-type Vegeburgers, Bean Curd (Tofu, Miso etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
l) Nuts (eg peanuts, cashews), nut roast etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than once a day
m) Fresh citrus fruit e.g. oranges, grapefruit, satsumas, tangerines etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
n) Other fresh fruit e.g. apple, banana, pear, bunch of grapes, peach etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
o) Canned fruit	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
p) Yoghurt, Fromage Frais, Milk puddings (e.g. rice pudding, semolina) mousse	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
q) Ice cream, choc ice, chocolate ice cream bar etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
r) Pudding e.g. fruit pie, crumble, cheesecake, gateaux	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
s) Custard, cream, Elmlea, Tip-Top, evaporated milk etc. on puddings	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
t) Cakes or buns (fruit cake, sponge, teacake, doughnut, flapjack, scone, custard tart, cream cake etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
u) Crispbreads (Ryvita, crackerbread etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
v) Full-coated chocolate biscuits eg. Club, Kit Kat, Penguin, Breakaway etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
w) Other biscuits eg. rich tea, shortcake, digestive and chocolate digestive, Hob Nobs	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
x) Chocolate (dairy milk or plain, nut, fruit, filled etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
y) Sweets (peppermints, boiled sweets, toffees etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
z) Crisps, corn snacks (e.g. Wotsits, Quavers), tortilla chips etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

## PAGE 13 OF THE QUESTIONNAIRE

B4. How many times a week nowadays do you drink

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than once a day
a) Fruit juice from a carton, tin or freshly squeezed including tomato juice	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
b) Squash, fruit drinks or Ribena	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
c) Cola drinks eg. Coca Cola, Pepsi etc.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
d) Other fizzy drinks e.g. lemonade	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
e) Bottled water	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
f) Water from tap	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
g) Milk on its own	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
h) Flavoured milk drinks (e.g. Horlicks, Ovaltine, milkshakes) or yoghurt drinks	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

B5. When you have a soft drink (e.g. lemonade, cola or squash) how often do you choose low calorie or diet soft drinks?

always	<input type="checkbox"/> 1
sometimes	<input type="checkbox"/> 2
not at all	<input type="checkbox"/> 3
don't drink soft drinks	<input type="checkbox"/> 4

B6. When you have a cola drink how often do you choose decaffeinated cola?

always	<input type="checkbox"/> 1
sometimes	<input type="checkbox"/> 2
not at all	<input type="checkbox"/> 3
don't drink cola	<input type="checkbox"/> 4

## PAGE 14 OF THE QUESTIONNAIRE

B7. How many pieces of bread, rolls or chappatis do you eat on a usual day?

<b>less than 1</b>	<b>1-2</b>	<b>3-4</b>	<b>5 or more</b>
<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4

B8. What type of bread do you eat?

	<b>Yes usually</b>	<b>Yes sometimes</b>	<b>No not at all</b>
a) white bread	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) soft grain white bread (e.g. Mighty White)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c) brown/granary bread	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d) wholemeal bread	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e) chappatis or pitta bread	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
f) naan bread	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

B9. What sort of fat do you mainly use:

	<b>(i) on bread or vegetables</b>		<b>(ii) for frying</b>	
	<b>Yes</b>	<b>No</b>	<b>Yes</b>	<b>No</b>
a) Butter, Ghee, Dripping, Lard , solid cooking fat	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 1	<input type="checkbox"/> 2
b) Polyunsaturated margarine eg Flora, sunflower margarine, Vitalite	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 1	<input type="checkbox"/> 2
c) Hard or soft margarine e.g. Blue Band, Stork, supermarket own brand	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 1	<input type="checkbox"/> 2
d) Low fat spread e.g. Delight, St Ivel Gold, Flora Xtra Light	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 1	<input type="checkbox"/> 2
e) Sunflower oil, corn oil, soya oil	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 1	<input type="checkbox"/> 2
f) Olive oil, hazelnut oil, rapeseed oil	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 1	<input type="checkbox"/> 2
g) Other vegetable oil	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h) Other (please describe )	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 1	<input type="checkbox"/> 2

## PAGE 15 OF THE QUESTIONNAIRE

B10. How many slices of bread (or rolls) spread with fat do you eat each day? (include shop bought sandwiches)

B11. What types of milk do you use?

	Yes usually	Yes sometimes	No not at all
a) Full fat (e.g. silver or gold top )	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) Semi Skimmed (e.g. red stripe )	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c) Skimmed (e.g. blue stripe )	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d) Dried milk (e.g. Marvel )	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e) Goat/sheep milk	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
f) Soya milk	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
g) Other (please describe )	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

.....

B12. Is this milk usually:

Pasteurised	UHT	Sterilised	Other (please describe)
<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4

.....

B13. a) How many cups of tea do you drink in a day?  
(do not include herbal teas )

b) How many spoons of sugar in each cup?

c) How many cups per day are with milk?

d) How many cups per day are decaffeinated?

## PAGE 16 OF THE QUESTIONNAIRE

B14. a) How many cups of coffee do you drink in a day?

b) How many spoons of sugar in each cup?

c) How many cups per day are with milk ?

d) How many cups per day are decaffeinated?

e) How many are made with real (not instant) coffee?

B15. a) Do you drink herbal teas at all?

**yes, often**

**yes, occasionally**

**no, not at all**



**If no, go to B16 below**

**If yes,**

b) how many cups/mugs of herbal teas have you drunk in the past week ?

c) Please list the types of herbal teas you have drunk in the past 3 months:

.....

B16. Apart from herbal teas, are there any other health foods (whether or not bought from a health food shop) that you often eat or drink?

Yes

No

**If yes,** please describe below:

.....

B17. Are you at present on a diet to lose weight?

Yes

No

B18. Are you at present a vegetarian (do not eat any meat or poultry)?

Yes

No

B19. Are you at present a vegan (i.e. do not eat meat, poultry, fish, eggs, butter, milk or cheese)?

Yes

No

## PAGE 17 OF THE QUESTIONNAIRE

B20. Are you at present on any kind of special diet?

Yes

No

If yes, please describe below.

B21. a) During the last week **how many** of each type of alcoholic drink did you have on each day? (Please put a number.)

		Mon.	Tues.	Wed.	Thurs.	Frid.	Sat.	Sun.
(i)	Beer, lager or cider (no. of $\frac{1}{2}$ pints)							
(ii)	Wine (no. of glasses)							
(iii)	Spirits (no. of single pub measures)							
(iv)	Other alcoholic drinks (please describe) (no. of glasses or measures)							
(v)	Low alcohol drink (no. of glasses or $\frac{1}{2}$ pints)							

b) Is this week fairly typical of your alcohol drinking?

No

Yes

→ If yes, go to B22 below

c) If no, would you normally drink

More

Less

B22. For your main meal of the day how often do you eat takeaway foods or have meals out?

Never or rarely

1 - 3 times a month




1- 2 times a week

3-4 times a week

5-7 times a week

## PAGE 18 OF THE QUESTIONNAIRE

B23. For your main meal of the day how often do you eat an oven/microwave ready or convenience meal (e.g. Menu Master lasagne, individual shepherds pie, ready prepared chilli con carne etc.)?

Never or rarely	<input type="checkbox"/> 1
1 - 3 times a month	<input type="checkbox"/> 2
1- 2 times a week	<input type="checkbox"/> 3
3-4 times a week	<input type="checkbox"/> 4
5-7 times a week	<input type="checkbox"/> 5

## PG File – Section B

### pg2000 B1a: Frequency partner eats oat cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3153	61.8	62.4	62.4
	2 once / 2 weeks	763	15.0	15.1	77.5
	3 1-3 times / week	584	11.4	11.6	89.0
	4 4-7 times / week	534	10.5	10.6	99.6
	5 > once / day	21	.4	.4	100.0
	Total	5055	99.1	100.0	
Missing	-1 No response	47	.9		
Total		5102	100.0		

### pg2001 B1b: Frequency partner eats wholegrain or bran cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2125	41.7	42.0	42.0
	2 once / 2 weeks	870	17.1	17.2	59.3
	3 1-3 times / week	1025	20.1	20.3	79.5
	4 4-7 times / week	991	19.4	19.6	99.1
	5 > once / day	43	.8	.9	100.0
	Total	5054	99.1	100.0	
Missing	-1 No response	48	.9		
Total		5102	100.0		

### pg2002 B1c: Frequency partner eats other cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1742	34.1	34.6	34.6
	2 once / 2 weeks	1040	20.4	20.6	55.2
	3 1-3 times / week	1325	26.0	26.3	81.5
	4 4-7 times / week	873	17.1	17.3	98.9
	5 > once / day	57	1.1	1.1	100.0
	Total	5037	98.7	100.0	
Missing	-1 No response	65	1.3		
Total		5102	100.0		

### pg2003 B1d: Frequency partner eats sausages or burgers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	993	19.5	19.6	19.6
	2 once / 2 weeks	2301	45.1	45.4	65.0
	3 1-3 times / week	1697	33.3	33.5	98.4
	4 4-7 times / week	74	1.5	1.5	99.9
	5 > once / day	6	.1	.1	100.0
	Total	5071	99.4	100.0	
Missing	-1 No response	31	.6		
Total		5102	100.0		

## PG File – Section B

### pg2004 B1e: Frequency partner eats meat pies or pasties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1757	34.4	34.6	34.6
	2 once / 2 weeks	1981	38.8	39.1	73.7
	3 1-3 times / week	1243	24.4	24.5	98.2
	4 4-7 times / week	85	1.7	1.7	99.9
	5 > once / day	6	.1	.1	100.0
	Total	5072	99.4	100.0	
Missing	-1 No response	30	.6		
Total		5102	100.0		

### pg2005 B1f: Frequency partner eats vegetarian pies or pasties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3358	65.8	66.3	66.3
	2 once / 2 weeks	1219	23.9	24.1	90.3
	3 1-3 times / week	435	8.5	8.6	98.9
	4 4-7 times / week	44	.9	.9	99.8
	5 > once / day	10	.2	.2	100.0
	Total	5066	99.3	100.0	
Missing	-1 No response	36	.7		
Total		5102	100.0		

### pg2006 B1g: Frequency partner eats ham, bacon, paté or cold meats

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	616	12.1	12.1	12.1
	2 once / 2 weeks	1358	26.6	26.7	38.8
	3 1-3 times / week	2452	48.1	48.2	87.1
	4 4-7 times / week	640	12.5	12.6	99.7
	5 > once / day	16	.3	.3	100.0
	Total	5082	99.6	100.0	
Missing	-1 No response	20	.4		
Total		5102	100.0		

### pg2007 B1h: Frequency partner eats meat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	392	7.7	7.7	7.7
	2 once / 2 weeks	917	18.0	18.0	25.7
	3 1-3 times / week	3165	62.0	62.3	88.0
	4 4-7 times / week	595	11.7	11.7	99.7
	5 > once / day	15	.3	.3	100.0
	Total	5084	99.6	100.0	
Missing	-1 No response	18	.4		
Total		5102	100.0		

## PG File – Section B

### pg2008 B1i: Frequency partner eats liver, kidney, heart or other offal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4064	79.7	80.1	80.1
	2 once / 2 weeks	846	16.6	16.7	96.8
	3 1-3 times / week	147	2.9	2.9	99.7
	4 4-7 times / week	7	.1	.1	99.9
	5 > once / day	7	.1	.1	100.0
	Total	5071	99.4	100.0	
Missing	-1 No response	31	.6		
Total		5102	100.0		

### pg2009 B1j: Frequency partner eats chicken or turkey in crispy coating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2093	41.0	41.2	41.2
	2 once / 2 weeks	1571	30.8	30.9	72.2
	3 1-3 times / week	1309	25.7	25.8	98.0
	4 4-7 times / week	96	1.9	1.9	99.8
	5 > once / day	8	.2	.2	100.0
	Total	5077	99.5	100.0	
Missing	-1 No response	25	.5		
Total		5102	100.0		

### pg2010 B1k: Frequency partner eats poultry

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	363	7.1	7.1	7.1
	2 once / 2 weeks	1554	30.5	30.6	37.7
	3 1-3 times / week	2931	57.4	57.7	95.4
	4 4-7 times / week	231	4.5	4.5	99.9
	5 > once / day	3	.1	.1	100.0
	Total	5082	99.6	100.0	
Missing	-1 No response	20	.4		
Total		5102	100.0		

### pg2011 B1l: Frequency partner eats shellfish

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3415	66.9	67.2	67.2
	2 once / 2 weeks	1310	25.7	25.8	93.0
	3 1-3 times / week	334	6.5	6.6	99.6
	4 4-7 times / week	15	.3	.3	99.9
	5 > once / day	5	.1	.1	100.0
	Total	5079	99.5	100.0	
Missing	-1 No response	23	.5		
Total		5102	100.0		

## PG File – Section B

### pg2012 B1m: Frequency partner eats white fish in breadbrumbs or batter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1276	25.0	25.2	25.2
	2 once / 2 weeks	2362	46.3	46.7	71.9
	3 1-3 times / week	1402	27.5	27.7	99.6
	4 4-7 times / week	20	.4	.4	100.0
	5 > once / day	1	.0	.0	100.0
	Total	5061	99.2	100.0	
Missing	-1 No response	41	.8		
Total		5102	100.0		

### pg2013 B1n: Frequency partner eats white fish without coating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2757	54.0	54.6	54.6
	2 once / 2 weeks	1743	34.2	34.5	89.2
	3 1-3 times / week	522	10.2	10.3	99.5
	4 4-7 times / week	19	.4	.4	99.9
	5 > once / day	4	.1	.1	100.0
	Total	5045	98.9	100.0	
Missing	-1 No response	57	1.1		
Total		5102	100.0		

### pg2014 B1o: Frequency partner eats tuna

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1989	39.0	39.6	39.6
	2 once / 2 weeks	1807	35.4	35.9	75.5
	3 1-3 times / week	1135	22.2	22.6	98.1
	4 4-7 times / week	91	1.8	1.8	99.9
	5 > once / day	7	.1	.1	100.0
	Total	5029	98.6	100.0	
Missing	-1 No response	73	1.4		
Total		5102	100.0		

### pg2015 B1p: Frequency partner eats other fish

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3299	64.7	65.2	65.2
	2 once / 2 weeks	1405	27.5	27.8	93.0
	3 1-3 times / week	336	6.6	6.6	99.7
	4 4-7 times / week	12	.2	.2	99.9
	5 > once / day	5	.1	.1	100.0
	Total	5057	99.1	100.0	
Missing	-1 No response	45	.9		
Total		5102	100.0		

## PG File – Section B

### pg2016 B1q: Frequency partner eats eggs, quiche/flan or omlette

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	642	12.6	12.7	12.7
	2 once / 2 weeks	1946	38.1	38.4	51.1
	3 1-3 times / week	2201	43.1	43.5	94.6
	4 4-7 times / week	265	5.2	5.2	99.8
	5 > once / day	9	.2	.2	100.0
	Total	5063	99.2	100.0	
Missing	-1 No response	39	.8		
Total		5102	100.0		

### pg2017 B1r: Frequency partner eats cheese

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	292	5.7	5.8	5.8
	2 once / 2 weeks	491	9.6	9.7	15.4
	3 1-3 times / week	2318	45.4	45.7	61.2
	4 4-7 times / week	1866	36.6	36.8	98.0
	5 > once / day	102	2.0	2.0	100.0
	Total	5069	99.4	100.0	
Missing	-1 No response	33	.6		
Total		5102	100.0		

### pg2018 B1s: Frequency partner eats pizza

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1374	26.9	27.2	27.2
	2 once / 2 weeks	2475	48.5	48.9	76.1
	3 1-3 times / week	1182	23.2	23.4	99.4
	4 4-7 times / week	26	.5	.5	100.0
	5 > once / day	2	.0	.0	100.0
	Total	5059	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5102	100.0		

### pg2019 B1t: Frequency partner eats oven chips

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2427	47.6	48.0	48.0
	2 once / 2 weeks	1189	23.3	23.5	71.5
	3 1-3 times / week	1317	25.8	26.0	97.5
	4 4-7 times / week	122	2.4	2.4	99.9
	5 > once / day	3	.1	.1	100.0
	Total	5058	99.1	100.0	
Missing	-1 No response	44	.9		
Total		5102	100.0		

## PG File – Section B

### pg2020 B1u: Frequency partner eats fried chips, potato waffles, croquettes, etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1760	34.5	34.8	34.8
	2 once / 2 weeks	1383	27.1	27.3	62.1
	3 1-3 times / week	1692	33.2	33.4	95.5
	4 4-7 times / week	223	4.4	4.4	99.9
	5 > once / day	5	.1	.1	100.0
	Total	5063	99.2	100.0	
Missing	-1 No response	39	.8		
Total		5102	100.0		

### pg2021 B1v: Frequency partner eats roast potatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	982	19.2	19.4	19.4
	2 once / 2 weeks	1847	36.2	36.5	55.8
	3 1-3 times / week	2186	42.8	43.1	99.0
	4 4-7 times / week	49	1.0	1.0	99.9
	5 > once / day	3	.1	.1	100.0
	Total	5067	99.3	100.0	
Missing	-1 No response	35	.7		
Total		5102	100.0		

### pg2022 B1w: Frequency partner eats boiled, mashed or jacket potatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	226	4.4	4.5	4.5
	2 once / 2 weeks	947	18.6	18.7	23.2
	3 1-3 times / week	3080	60.4	60.8	84.0
	4 4-7 times / week	804	15.8	15.9	99.9
	5 > once / day	6	.1	.1	100.0
	Total	5063	99.2	100.0	
Missing	-1 No response	39	.8		
Total		5102	100.0		

### pg2023 B1x: Frequency partner eats rice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	703	13.8	13.9	13.9
	2 once / 2 weeks	1497	29.3	29.7	43.6
	3 1-3 times / week	2615	51.3	51.8	95.5
	4 4-7 times / week	222	4.4	4.4	99.9
	5 > once / day	7	.1	.1	100.0
	Total	5044	98.9	100.0	
Missing	-1 No response	58	1.1		
Total		5102	100.0		

## PG File – Section B

### pg2024 B1y: Frequency partner eats canned pasta, pot noodles, etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3443	67.5	68.1	68.1
	2 once / 2 weeks	963	18.9	19.1	87.2
	3 1-3 times / week	603	11.8	11.9	99.1
	4 4-7 times / week	39	.8	.8	99.9
	5 > once / day	5	.1	.1	100.0
	Total	5053	99.0	100.0	
Missing	-1 No response	49	1.0		
Total		5102	100.0		

### pg2025 B1z: Frequency partner eats boiled pasta, bulgar wheat or cous-cous

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	939	18.4	18.5	18.5
	2 once / 2 weeks	1354	26.5	26.7	45.2
	3 1-3 times / week	2542	49.8	50.2	95.4
	4 4-7 times / week	227	4.4	4.5	99.9
	5 > once / day	6	.1	.1	100.0
	Total	5068	99.3	100.0	
Missing	-1 No response	34	.7		
Total		5102	100.0		

### pg2030 B2: Partner eats fat on meat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, all of it	876	17.2	17.3	17.3
	2 Yes, some of it	2271	44.5	44.8	62.1
	3 No	1766	34.6	34.8	96.9
	4 Never eat meat	156	3.1	3.1	100.0
	Total	5069	99.4	100.0	
	Missing	-1 No response	.6		
Total		5102	100.0		

### pg2040 B3a: Frequency partner eats baked beans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	738	14.5	14.6	14.6
	2 once / 2 weeks	1606	31.5	31.7	46.3
	3 1-3 times / week	2498	49.0	49.3	95.6
	4 4-7 times / week	216	4.2	4.3	99.8
	5 > once / day	8	.2	.2	100.0
	Total	5066	99.3	100.0	
Missing	-1 No response	36	.7		
Total		5102	100.0		

### pg2041 B3b: Frequency partner eats peas or broad beans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	392	7.7	7.7	7.7
	2 once / 2 weeks	1260	24.7	24.9	32.6
	3 1-3 times / week	3103	60.8	61.3	93.9
	4 4-7 times / week	304	6.0	6.0	99.9
	5 > once / day	3	.1	.1	100.0
	Total	5062	99.2	100.0	
Missing	-1 No response	40	.8		
Total		5102	100.0		

## PG File – Section B

### pg2042 B3c: Frequency partner eats sweetcorn

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1341	26.3	26.6	26.6
	2 once / 2 weeks	1728	33.9	34.3	60.8
	3 1-3 times / week	1860	36.5	36.9	97.7
	4 4-7 times / week	113	2.2	2.2	99.9
	5 > once / day	3	.1	.1	100.0
	Total	5045	98.9	100.0	
Missing	-1 No response	57	1.1		
Total		5102	100.0		

### pg2043 B3d: Frequency partner eats cabbage, sprouts, spinach, broccoli, other green leafy vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	536	10.5	10.6	10.6
	2 once / 2 weeks	1251	24.5	24.8	35.5
	3 1-3 times / week	2868	56.2	56.9	92.4
	4 4-7 times / week	372	7.3	7.4	99.8
	5 > once / day	10	.2	.2	100.0
	Total	5037	98.7	100.0	
Missing	-1 No response	65	1.3		
Total		5102	100.0		

### pg2044 B3e: Frequency partner eats other green vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	469	9.2	9.3	9.3
	2 once / 2 weeks	1211	23.7	23.9	33.2
	3 1-3 times / week	3001	58.8	59.3	92.5
	4 4-7 times / week	370	7.3	7.3	99.8
	5 > once / day	8	.2	.2	100.0
	Total	5059	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5102	100.0		

### pg2045 B3f: Frequency partner eats carrots

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	270	5.3	5.3	5.3
	2 once / 2 weeks	896	17.6	17.7	23.1
	3 1-3 times / week	3396	66.6	67.1	90.2
	4 4-7 times / week	491	9.6	9.7	99.9
	5 > once / day	5	.1	.1	100.0
	Total	5058	99.1	100.0	
Missing	-1 No response	44	.9		
Total		5102	100.0		

## PG File – Section B

### pg2046 B3g: Frequency partner eats other root vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1781	34.9	35.3	35.3
	2 once / 2 weeks	1859	36.4	36.8	72.1
	3 1-3 times / week	1322	25.9	26.2	98.3
	4 4-7 times / week	85	1.7	1.7	99.9
	5 > once / day	3	.1	.1	100.0
	Total	5050	99.0	100.0	
Missing	-1 No response	52	1.0		
Total		5102	100.0		

### pg2047 B3h: Frequency partner eats tomatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	553	10.8	10.9	10.9
	2 once / 2 weeks	862	16.9	17.0	27.9
	3 1-3 times / week	2653	52.0	52.4	80.3
	4 4-7 times / week	964	18.9	19.0	99.4
	5 > once / day	32	.6	.6	100.0
	Total	5064	99.3	100.0	
Missing	-1 No response	38	.7		
Total		5102	100.0		

### pg2048 B3i: Frequency partner eats salads

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	761	14.9	15.0	15.0
	2 once / 2 weeks	1531	30.0	30.3	45.3
	3 1-3 times / week	2220	43.5	43.9	89.2
	4 4-7 times / week	534	10.5	10.6	99.7
	5 > once / day	15	.3	.3	100.0
	Total	5061	99.2	100.0	
Missing	-1 No response	41	.8		
Total		5102	100.0		

### pg2049 B3j: Frequency partner eats pulses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3701	72.5	73.2	73.2
	2 once / 2 weeks	863	16.9	17.1	90.3
	3 1-3 times / week	445	8.7	8.8	99.1
	4 4-7 times / week	39	.8	.8	99.9
	5 > once / day	5	.1	.1	100.0
	Total	5053	99.0	100.0	
Missing	-1 No response	49	1.0		
Total		5102	100.0		

## PG File – Section B

**pg2050 B3k: Frequency partner eats soya 'meat', TVP, soya-type vegeburgers or bean curd**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4510	88.4	89.1	89.1
	2 once / 2 weeks	326	6.4	6.4	95.6
	3 1-3 times / week	194	3.8	3.8	99.4
	4 4-7 times / week	25	.5	.5	99.9
	5 > once / day	4	.1	.1	100.0
	Total	5059	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5102	100.0		

**pg2051 B3l: Frequency partner eats nuts**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2456	48.1	48.5	48.5
	2 once / 2 weeks	1773	34.8	35.0	83.5
	3 1-3 times / week	710	13.9	14.0	97.6
	4 4-7 times / week	119	2.3	2.4	99.9
	5 > once / day	4	.1	.1	100.0
	Total	5062	99.2	100.0	
Missing	-1 No response	40	.8		
Total		5102	100.0		

**pg2052 B3m: Frequency partner eats fresh citrus fruit**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1044	20.5	20.6	20.6
	2 once / 2 weeks	1505	29.5	29.7	50.4
	3 1-3 times / week	1612	31.6	31.9	82.2
	4 4-7 times / week	735	14.4	14.5	96.7
	5 > once / day	165	3.2	3.3	100.0
	Total	5061	99.2	100.0	
Missing	-1 No response	41	.8		
Total		5102	100.0		

**pg2053 B3n: Frequency partner eats other fresh fruit**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	376	7.4	7.4	7.4
	2 once / 2 weeks	800	15.7	15.8	23.2
	3 1-3 times / week	1835	36.0	36.3	59.5
	4 4-7 times / week	1590	31.2	31.4	90.9
	5 > once / day	461	9.0	9.1	100.0
	Total	5062	99.2	100.0	
Missing	-1 No response	40	.8		
Total		5102	100.0		

## PG File – Section B

### pg2054 B3o: Frequency partner eats canned fruit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2903	56.9	57.5	57.5
	2 once / 2 weeks	1584	31.0	31.4	88.9
	3 1-3 times / week	529	10.4	10.5	99.3
	4 4-7 times / week	30	.6	.6	99.9
	5 > once / day	4	.1	.1	100.0
	Total	5050	99.0	100.0	
Missing	-1 No response	52	1.0		
Total		5102	100.0		

### pg2055 B3p: Frequency partner eats yoghurt, fromage frais, milk puddings or mousse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1529	30.0	30.3	30.3
	2 once / 2 weeks	1290	25.3	25.6	55.9
	3 1-3 times / week	1468	28.8	29.1	85.0
	4 4-7 times / week	716	14.0	14.2	99.1
	5 > once / day	43	.8	.9	100.0
	Total	5046	98.9	100.0	
Missing	-1 No response	56	1.1		
Total		5102	100.0		

### pg2056 B3q: Frequency partner eats ice cream

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1384	27.1	27.3	27.3
	2 once / 2 weeks	2067	40.5	40.8	68.2
	3 1-3 times / week	1402	27.5	27.7	95.9
	4 4-7 times / week	201	3.9	4.0	99.9
	5 > once / day	7	.1	.1	100.0
	Total	5061	99.2	100.0	
Missing	-1 No response	41	.8		
Total		5102	100.0		

### pg2057 B3r: Frequency partner eats pudding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1520	29.8	30.0	30.0
	2 once / 2 weeks	2202	43.2	43.5	73.5
	3 1-3 times / week	1234	24.2	24.4	97.9
	4 4-7 times / week	100	2.0	2.0	99.9
	5 > once / day	5	.1	.1	100.0
	Total	5061	99.2	100.0	
Missing	-1 No response	41	.8		
Total		5102	100.0		

## PG File – Section B

### pg2058 B3s: Frequency partner eats custard or cream on puddings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2918	57.2	57.7	57.7
	2 once / 2 weeks	1471	28.8	29.1	86.8
	3 1-3 times / week	617	12.1	12.2	99.0
	4 4-7 times / week	47	.9	.9	99.9
	5 > once / day	6	.1	.1	100.0
	Total	5059	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5102	100.0		

### pg2059 B3t: Frequency partner eats cakes or buns

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	881	17.3	17.4	17.4
	2 once / 2 weeks	1787	35.0	35.3	52.7
	3 1-3 times / week	1929	37.8	38.1	90.9
	4 4-7 times / week	438	8.6	8.7	99.5
	5 > once / day	24	.5	.5	100.0
	Total	5059	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5102	100.0		

### pg2060 B3u: Frequency partner eats crispbreads

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3990	78.2	79.0	79.0
	2 once / 2 weeks	666	13.1	13.2	92.1
	3 1-3 times / week	309	6.1	6.1	98.3
	4 4-7 times / week	76	1.5	1.5	99.8
	5 > once / day	12	.2	.2	100.0
	Total	5053	99.0	100.0	
Missing	-1 No response	49	1.0		
Total		5102	100.0		

### pg2061 B3v: Frequency partner eats full-coated chocolate biscuits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1020	20.0	20.2	20.2
	2 once / 2 weeks	1412	27.7	27.9	48.1
	3 1-3 times / week	1629	31.9	32.2	80.3
	4 4-7 times / week	902	17.7	17.8	98.2
	5 > once / day	92	1.8	1.8	100.0
	Total	5055	99.1	100.0	
Missing	-1 No response	47	.9		
Total		5102	100.0		

## PG File – Section B

### pg2062 B3w: Frequency partner eats other biscuits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	677	13.3	13.4	13.4
	2 once / 2 weeks	1152	22.6	22.8	36.2
	3 1-3 times / week	1944	38.1	38.5	74.8
	4 4-7 times / week	1058	20.7	21.0	95.7
	5 > once / day	215	4.2	4.3	100.0
	Total	5046	98.9	100.0	
Missing	-1 No response	56	1.1		
Total		5102	100.0		

### pg2063 B3x: Frequency partner eats chocolate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1057	20.7	20.9	20.9
	2 once / 2 weeks	1667	32.7	33.0	53.9
	3 1-3 times / week	1748	34.3	34.6	88.4
	4 4-7 times / week	519	10.2	10.3	98.7
	5 > once / day	65	1.3	1.3	100.0
	Total	5056	99.1	100.0	
Missing	-1 No response	46	.9		
Total		5102	100.0		

### pg2064 B3y: Frequency partner eats sweets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2195	43.0	43.5	43.5
	2 once / 2 weeks	1554	30.5	30.8	74.3
	3 1-3 times / week	920	18.0	18.2	92.5
	4 4-7 times / week	301	5.9	6.0	98.5
	5 > once / day	75	1.5	1.5	100.0
	Total	5045	98.9	100.0	
Missing	-1 No response	57	1.1		
Total		5102	100.0		

### pg2065 B3z: Frequency partner eats crisps, corn snacks, tortilla chips, etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	657	12.9	13.0	13.0
	2 once / 2 weeks	1078	21.1	21.3	34.3
	3 1-3 times / week	1812	35.5	35.8	70.1
	4 4-7 times / week	1383	27.1	27.3	97.5
	5 > once / day	127	2.5	2.5	100.0
	Total	5057	99.1	100.0	
Missing	-1 No response	45	.9		
Total		5102	100.0		

## PG File – Section B

### pg2070 B4a: Frequency partner drinks fruit juice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1313	25.7	26.0	26.0
	2 once / 2 weeks	1214	23.8	24.0	50.0
	3 1-3 times / week	1325	26.0	26.2	76.1
	4 4-7 times / week	943	18.5	18.6	94.8
	5 > once / day	264	5.2	5.2	100.0
	Total	5059	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5102	100.0		

### pg2071 B4b: Frequency partner drinks squash

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1444	28.3	28.6	28.6
	2 once / 2 weeks	960	18.8	19.0	47.5
	3 1-3 times / week	1395	27.3	27.6	75.1
	4 4-7 times / week	863	16.9	17.1	92.2
	5 > once / day	394	7.7	7.8	100.0
	Total	5056	99.1	100.0	
Missing	-1 No response	46	.9		
Total		5102	100.0		

### pg2072 B4c: Frequency partner drinks cola

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1749	34.3	34.6	34.6
	2 once / 2 weeks	1179	23.1	23.3	58.0
	3 1-3 times / week	1303	25.5	25.8	83.8
	4 4-7 times / week	623	12.2	12.3	96.1
	5 > once / day	197	3.9	3.9	100.0
	Total	5051	99.0	100.0	
Missing	-1 No response	51	1.0		
Total		5102	100.0		

### pg2073 B4d: Frequency partner drinks other fizzy drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1676	32.8	33.3	33.3
	2 once / 2 weeks	1386	27.2	27.5	60.8
	3 1-3 times / week	1366	26.8	27.1	87.9
	4 4-7 times / week	485	9.5	9.6	97.5
	5 > once / day	126	2.5	2.5	100.0
	Total	5039	98.8	100.0	
Missing	-1 No response	63	1.2		
Total		5102	100.0		

## PG File – Section B

### pg2074 B4e: Frequency partner drinks bottled water

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3589	70.3	71.1	71.1
	2 once / 2 weeks	587	11.5	11.6	82.7
	3 1-3 times / week	453	8.9	9.0	91.7
	4 4-7 times / week	237	4.6	4.7	96.4
	5 > once / day	184	3.6	3.6	100.0
	Total	5050	99.0	100.0	
Missing	-1 No response	52	1.0		
Total		5102	100.0		

### pg2075 B4f: Frequency partner drinks tap water

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	986	19.3	19.5	19.5
	2 once / 2 weeks	609	11.9	12.1	31.6
	3 1-3 times / week	1100	21.6	21.8	53.4
	4 4-7 times / week	1052	20.6	20.8	74.2
	5 > once / day	1304	25.6	25.8	100.0
	Total	5051	99.0	100.0	
Missing	-1 No response	51	1.0		
Total		5102	100.0		

### pg2076 B4g: Frequency partner drinks milk on its own

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1820	35.7	36.1	36.1
	2 once / 2 weeks	961	18.8	19.0	55.1
	3 1-3 times / week	1177	23.1	23.3	78.4
	4 4-7 times / week	711	13.9	14.1	92.5
	5 > once / day	378	7.4	7.5	100.0
	Total	5047	98.9	100.0	
Missing	-1 No response	55	1.1		
Total		5102	100.0		

### pg2077 B4h: Frequency partner drinks flavoured milk drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3813	74.7	75.6	75.6
	2 once / 2 weeks	682	13.4	13.5	89.1
	3 1-3 times / week	335	6.6	6.6	95.8
	4 4-7 times / week	193	3.8	3.8	99.6
	5 > once / day	20	.4	.4	100.0
	Total	5043	98.8	100.0	
Missing	-1 No response	59	1.2		
Total		5102	100.0		

## PG File – Section B

**pg2080 B5: Frequency partner chooses low-calorie option when having soft drinks**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	1537	30.1	30.4	30.4
	2 Sometimes	1614	31.6	31.9	62.3
	3 Not at all	1534	30.1	30.3	92.6
	4 Do not drink soft drinks	374	7.3	7.4	100.0
	Total	5059	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5102	100.0		

**pg2090 B6: Frequency partner chooses decaffeinated version when having cola**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	229	4.5	4.5	4.5
	2 Sometimes	945	18.5	18.7	23.2
	3 Not at all	2858	56.0	56.6	79.8
	4 Do not drink cola	1020	20.0	20.2	100.0
	Total	5052	99.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	49	1.0		
	Total	50	1.0		
		5102	100.0		

**pg2100 B7: Number of slices of bread, rolls or chappatis partner eats on a normal day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 < 1	281	5.5	5.6	5.6
	2 1-2	1602	31.4	31.8	37.4
	3 3-4	2218	43.5	44.0	81.4
	4 5 or more	938	18.4	18.6	100.0
	Total	5039	98.8	100.0	
Missing	-1 No response	63	1.2		
Total		5102	100.0		

**pg2110 B8a: Partner eats white bread**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	2522	49.4	52.5	52.5
	2 Yes sometimes	1845	36.2	38.4	90.9
	3 No	438	8.6	9.1	100.0
	Total	4805	94.2	100.0	
	Missing	297	5.8		
Total		5102	100.0		

**pg2111 B8b: Partner eats soft grain white bread**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	226	4.4	5.2	5.2
	2 Yes sometimes	1800	35.3	41.3	46.5
	3 No	2333	45.7	53.5	100.0
	Total	4359	85.4	100.0	
	Missing	743	14.6		
Total		5102	100.0		

## PG File – Section B

### pg2112 B8c: Partner eats brown or granary bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	857	16.8	18.4	18.4
	2 Yes sometimes	2757	54.0	59.2	77.6
	3 No	1041	20.4	22.4	100.0
	Total	4655	91.2	100.0	
Missing	-1 No response	447	8.8		
Total		5102	100.0		

### pg2113 B8d: Partner eats wholemeal bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	1232	24.1	26.2	26.2
	2 Yes sometimes	2381	46.7	50.6	76.7
	3 No	1096	21.5	23.3	100.0
	Total	4709	92.3	100.0	
Missing	-1 No response	393	7.7		
Total		5102	100.0		

### pg2114 B8e: Partner eats chappatis or pitta bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	80	1.6	1.8	1.8
	2 Yes sometimes	2069	40.6	45.9	47.6
	3 No	2361	46.3	52.4	100.0
	Total	4510	88.4	100.0	
Missing	-1 No response	592	11.6		
Total		5102	100.0		

### pg2115 B8f: Partner eats naan bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	38	.3	.8	.8
	2 Yes sometimes	2067	14.1	45.6	46.5
	3 No	2426	16.6	53.5	100.0
	Total	4531	30.9	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	570	3.9		
	Total	10114	69.1		
Total		14645	100.0		

### pg2120 B9a1: Partner mainly uses butter, ghee, dripping or lard on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1653	32.4	34.6	34.6
	2 No	3126	61.3	65.4	100.0
	Total	4779	93.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	322	6.3		
	Total	323	6.3		
Total		5102	100.0		

## PG File – Section B

**pg2121 B9b1: Partner mainly uses polyunsaturated margarine on bread or vegetables**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3081	60.4	63.6	63.6
	2 No	1761	34.5	36.4	
	Total	4842	94.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	259	5.1		
	Total	260	5.1		
Total		5102	100.0		

**pg2122 B9c1: Partner mainly uses hard or soft margarine on bread or vegetables**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	727	14.2	15.5	15.5
	2 No	3977	77.9	84.5	
	Total	4704	92.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	397	7.8		
	Total	398	7.8		
Total		5102	100.0		

**pg2123 B9d1: Partner mainly uses low fat spread on bread or vegetables**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1923	37.7	40.3	40.3
	2 No	2844	55.7	59.7	
	Total	4767	93.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	334	6.5		
	Total	335	6.6		
Total		5102	100.0		

**pg2124 B9e1: Partner mainly uses sunflower oil, corn oil or soya oil on bread or vegetables**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	620	12.2	13.9	13.9
	2 No	3851	75.5	86.1	
	Total	4471	87.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	630	12.3		
	Total	631	12.4		
Total		5102	100.0		

## PG File – Section B

**pg2125 B9f1: Partner mainly uses olive oil, hazelnut oil or rapeseed oil on bread or vegetables**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	630	12.3	13.9	13.9
	2 No	3907	76.6	86.1	
	Total	4537	88.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	564	11.1		
	Total	565	11.1		
Total		5102	100.0		

**pg2126 B9g1: Partner mainly uses other vegetable oil on bread or vegetables**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	317	6.2	7.1	7.1
	2 No	4131	81.0	92.9	
	Total	4448	87.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	653	12.8		
	Total	654	12.8		
Total		5102	100.0		

**pg2127 B9h1: Partner mainly uses other fat on bread or vegetables**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Other text	5	.1	.2	.2
	1 Yes	130	2.5	4.0	
	2 No	3087	60.5	95.8	
Missing	Total	3222	63.2	100.0	
	-9 Don't know	1	.0		
	-1 No response	1879	36.8		
Total		1880	36.8		
Total		5102	100.0		

**pg2130 B9a2: Partner mainly uses butter, ghee, dripping or lard for frying**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1100	7.5	24.4	24.4
	2 No	3403	23.2	75.6	
	Total	4503	30.7	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	2	.0		
Total	-1 No response	596	4.1		
	Total	10142	69.3		
	Total	14645	100.0		

## PG File – Section B

### pg2131 B9b2: Partner mainly uses polyunsaturated margarine for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	821	16.1	18.6	18.6
	2 No	3586	70.3	81.4	
	Total	4407	86.4	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	693	13.6		
	Total	695	13.6		
Total		5102	100.0		

### pg2132 B9c2: Partner mainly uses hard or soft margarine for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	259	5.1	5.9	5.9
	2 No	4120	80.8	94.1	
	Total	4379	85.8	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	721	14.1		
	Total	723	14.2		
Total		5102	100.0		

### pg2133 B9d2: Partner mainly uses low fat spread for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	168	3.3	3.9	3.9
	2 No	4146	81.3	96.1	
	Total	4314	84.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	786	15.4		
	Total	788	15.4		
Total		5102	100.0		

### pg2134 B9e2: Partner mainly uses sunflower oil, corn oil or soya oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3159	61.9	68.6	68.6
	2 No	1444	28.3	31.4	
	Total	4603	90.2	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	497	9.7		
	Total	499	9.8		
Total		5102	100.0		

### pg2135 B9f2: Partner mainly uses olive oil, hazelnut oil or rapeseed oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1735	11.8	38.6	38.6
	2 No	2757	18.8	61.4	
	Total	4492	30.7	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	2	.0		
Total	-1 No response	607	4.1		
	Total	10153	69.3		
		14645	100.0		

## PG File – Section B

### pg2136 B9g2: Partner mainly uses other vegetable oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1341	26.3	30.2	30.2
	2 No	3104	60.8	69.8	100.0
	Total	4445	87.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	655	12.8		
	Total	657	12.9		
Total		5102	100.0		

### pg2137 B9h2: Partner mainly uses other fat for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Other text	5	.1	.2	.2
	1 Yes	85	1.7	2.7	2.8
	2 No	3112	61.0	97.2	100.0
Missing	Total	3202	62.8	100.0	
	-9 Don't know	2	.0		
	-1 No response	1898	37.2		
Total		1900	37.2		
Total		5102	100.0		

### pg2140 B10: Number of slices of bread spread with fat partner eats per day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	472	3.2	9.9	9.9
	1	348	2.4	7.3	17.2
	2	1100	7.5	23.0	40.2
	3	512	3.5	10.7	50.9
	4	1415	9.7	29.6	80.5
	5	282	1.9	5.9	86.4
	6	424	2.9	8.9	95.2
	7	44	.3	.9	96.2
	8	121	.8	2.5	98.7
	9	10	.1	.2	98.9
	10	25	.2	.5	99.4
	11	1	.0	.0	99.4
	12	8	.1	.2	99.6
	14	3	.0	.1	99.7
	15	2	.0	.0	99.7
	16	1	.0	.0	99.7
	20	5	.0	.1	99.8
	24	1	.0	.0	99.9
	70	1	.0	.0	99.9
	90 All	2	.0	.0	99.9
	97 Occasional / not many	4	.0	.1	100.0
	Total	4781	32.6	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	7	.0		
	-1 No response	313	2.1		
	Total	9864	67.4		
	Total	14645	100.0		

## PG File – Section B

### pg2150 B11a: Partner uses full fat milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	1828	12.5	37.6	37.6
	2 Yes sometimes	971	6.6	20.0	57.5
	3 No	2068	14.1	42.5	100.0
	Total	4867	33.2	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	234	1.6		
	Total	9778	66.8		
Total		14645	100.0		

### pg2151 B11b: Partner uses semi skimmed milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	2496	48.9	50.8	50.8
	2 Yes sometimes	1191	23.3	24.3	75.1
	3 No	1223	24.0	24.9	100.0
	Total	4910	96.2	100.0	
Missing	-1 No response	192	3.8		
Total		5102	100.0		

### pg2152 B11c: Partner uses skimmed milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	535	10.5	11.3	11.3
	2 Yes sometimes	558	10.9	11.8	23.1
	3 No	3647	71.5	76.9	100.0
	Total	4740	92.9	100.0	
Missing	-1 No response	362	7.1		
Total		5102	100.0		

### pg2153 B11d: Partner uses dried milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	45	.9	1.0	1.0
	2 Yes sometimes	299	5.9	6.4	7.3
	3 No	4363	85.5	92.7	100.0
	Total	4707	92.3	100.0	
Missing	-1 No response	395	7.7		
Total		5102	100.0		

### pg2154 B11e: Partner uses goat or sheep milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	8	.2	.2	.2
	2 Yes sometimes	35	.7	.7	.9
	3 No	4662	91.4	99.1	100.0
	Total	4705	92.2	100.0	
Missing	-1 No response	397	7.8		
Total		5102	100.0		

## PG File – Section B

### pg2155 B11f: Partner uses soya milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	26	.2	.6	.6
	2 Yes sometimes	40	.3	.8	1.4
	3 No	4641	31.7	98.6	100.0
	Total	4707	32.1	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	394	2.7		
	Total	9938	67.9		
Total		14645	100.0		

### pg2156 B11g: Partner uses other milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	6	.1	.2	.2
	1 Yes usually	33	.6	.9	1.0
	2 Yes sometimes	23	.5	.6	1.7
	3 No	3668	71.9	98.3	100.0
	Total	3730	73.1	100.0	
Missing	-1 No response	1372	26.9		
Total		5102	100.0		

### pg2160 B12: Type of sterilisation used on milk usually used by partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Pasteurised	4636	90.9	92.9	92.9
	2 UHT	175	3.4	3.5	96.5
	3 Sterilised	60	1.2	1.2	97.7
	4 Other	117	2.3	2.3	100.0
	Total	4988	97.8	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	112	2.2		
	Total	114	2.2		
Total		5102	100.0		

PG File – Section B

pg2170 B13a: Number of cups of tea partner drinks per day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	932	6.4	18.5	18.5
	1	500	3.4	9.9	28.4
	2	735	5.0	14.6	43.0
	3	652	4.5	12.9	55.9
	4	676	4.6	13.4	69.3
	5	474	3.2	9.4	78.8
	6	476	3.3	9.4	88.2
	7	120	.8	2.4	90.6
	8	189	1.3	3.8	94.3
	9	22	.2	.4	94.8
	10	187	1.3	3.7	98.5
	11	4	.0	.1	98.6
	12	29	.2	.6	99.1
	13	1	.0	.0	99.1
	14	6	.0	.1	99.3
	15	12	.1	.2	99.5
	16	4	.0	.1	99.6
	18	1	.0	.0	99.6
	20	9	.1	.2	99.8
	25	1	.0	.0	99.8
	30	2	.0	.0	99.8
	97 <1 or occasionally	8	.1	.2	
	Total	5040	34.4	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	4	.0		
	-1 No response	57	.4		
	Total	9605	65.6		
	Total	14645	100.0		

pg2171 B13b: Number of spoons of sugar partner has in each cup of tea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3314	65.0	68.4	68.4
	1	743	14.6	15.3	83.8
	2	675	13.2	13.9	97.7
	3	46	.9	.9	98.6
	4	6	.1	.1	98.8
	5	1	.0	.0	98.8
	6	1	.0	.0	98.8
	10	1	.0	.0	98.8
	97 <1 or occasionally	57	1.1	1.2	100.0
	Total	4844	94.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	257	5.0		
	Total	258	5.1		
	Total	5102	100.0		

## PG File – Section B

**pg2172 B13c: Number of cups of tea with milk partner drinks per day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	848	5.8	17.5	17.5
	1	489	3.3	10.1	27.6
	2	719	4.9	14.9	42.5
	3	629	4.3	13.0	55.5
	4	662	4.5	13.7	69.2
	5	455	3.1	9.4	78.6
	6	457	3.1	9.4	88.1
	7	115	.8	2.4	90.4
	8	182	1.2	3.8	94.2
	9	22	.2	.5	94.6
	10	170	1.2	3.5	98.2
	11	2	.0	.0	98.2
	12	25	.2	.5	98.7
	13	1	.0	.0	98.7
	14	6	.0	.1	98.9
	15	13	.1	.3	99.1
	16	4	.0	.1	99.2
	18	1	.0	.0	99.2
	20	10	.1	.2	99.4
	25	1	.0	.0	99.5
	30	1	.0	.0	99.5
	90 All	21	.1	.4	99.9
	97 <1 or occasionally	4	.0	.1	100.0
	Total	4837	33.0	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	2	.0		
	-1 No response	262	1.8		
	Total	9808	67.0		
Total		14645	100.0		

**pg2173 B13d: Number of cups of decaffeinated tea partner drinks per day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4656	91.3	97.0	97.0
	1	42	.8	.9	97.9
	2	27	.5	.6	98.5
	3	17	.3	.4	98.8
	4	21	.4	.4	99.3
	5	7	.1	.1	99.4
	6	15	.3	.3	99.7
	7	2	.0	.0	99.8
	8	6	.1	.1	99.9
	9	1	.0	.0	99.9
	10	2	.0	.0	100.0
	90 All	2	.0	.0	100.0
	Total	4798	94.0	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	299	5.9		
	Total	304	6.0		
Total		5102	100.0		

## PG File – Section B

**pg2180 B14a: Number of cups of coffee partner drinks per day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	889	6.1	17.6	17.6
	1	604	4.1	12.0	29.6
	2	814	5.6	16.1	45.7
	3	705	4.8	14.0	59.7
	4	735	5.0	14.6	74.2
	5	435	3.0	8.6	82.8
	6	393	2.7	7.8	90.6
	7	92	.6	1.8	92.5
	8	162	1.1	3.2	95.7
	9	21	.1	.4	96.1
	10	134	.9	2.7	98.7
	11	4	.0	.1	98.8
	12	22	.2	.4	99.2
	13	1	.0	.0	99.3
	14	1	.0	.0	99.3
	15	16	.1	.3	99.6
	16	1	.0	.0	99.6
	20	5	.0	.1	99.7
	30	1	.0	.0	99.7
	97 <1 or occasionally	12	.1	.2	100.0
	98 Numerous	1	.0	.0	100.0
	Total	5048	34.5	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	53	.4		
	Total	9597	65.5		
	Total	14645	100.0		

**pg2181 B14b: Number of spoons of sugar partner has in each cup of coffee**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3115	61.1	63.2	63.2
	1	971	19.0	19.7	82.9
	2	710	13.9	14.4	97.4
	3	48	.9	1.0	98.3
	4	13	.3	.3	98.6
	5	2	.0	.0	98.6
	6	2	.0	.0	98.7
	97 <1 or occasionally	65	1.3	1.3	100.0
	Total	4926	96.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	175	3.4		
	Total	176	3.4		
	Total	5102	100.0		

PG File – Section B

pg2182 B14c: Number of cups of coffee with milk partner drinks per day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1331	9.1	27.1	27.1
	1	624	4.3	12.7	39.7
	2	764	5.2	15.5	55.3
	3	584	4.0	11.9	67.1
	4	615	4.2	12.5	79.6
	5	345	2.4	7.0	86.6
	6	307	2.1	6.2	92.9
	7	65	.4	1.3	94.2
	8	119	.8	2.4	96.6
	9	14	.1	.3	96.9
	10	98	.7	2.0	98.9
	11	3	.0	.1	99.0
	12	15	.1	.3	99.3
	13	1	.0	.0	99.3
	14	1	.0	.0	99.3
	15	11	.1	.2	99.5
	20	5	.0	.1	99.6
	90 All	14	.1	.3	99.9
	97 <1 or occasionally	4	.0	.1	100.0
	Total	4920	33.6	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	2	.0		
	-1 No response	179	1.2		
	Total	9725	66.4		
Total		14645	100.0		

pg2183 B14d: Number of cups of decaffeinated coffee partner drinks per day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4138	81.1	84.4	84.4
	1	242	4.7	4.9	89.4
	2	203	4.0	4.1	93.5
	3	112	2.2	2.3	95.8
	4	84	1.6	1.7	97.5
	5	45	.9	.9	98.4
	6	42	.8	.9	99.3
	7	10	.2	.2	99.5
	8	9	.2	.2	99.7
	9	1	.0	.0	99.7
	10	6	.1	.1	99.8
	12	1	.0	.0	99.8
	90 All	2	.0	.0	99.9
	97 <1 or occasionally	6	.1	.1	100.0
	Total	4901	96.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	199	3.9		
	Total	201	3.9		
Total		5102	100.0		

PG File – Section B

pg2184 B14e: Number of cups of non-instant coffee partner drinks per day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	3812	26.0	78.0	78.0
1	472	3.2	9.7	87.6
2	253	1.7	5.2	92.8
3	117	.8	2.4	95.2
4	90	.6	1.8	97.0
5	52	.4	1.1	98.1
6	34	.2	.7	98.8
7	7	.0	.1	98.9
8	16	.1	.3	99.2
9	1	.0	.0	99.3
10	6	.0	.1	99.4
12	2	.0	.0	99.4
15	1	.0	.0	99.4
90 All	3	.0	.1	99.5
97 <1 or occasionally	24	.2	.5	100.0
Total	4890	33.4	100.0	
Missing -11 Triplet / quadruplet	1	.0		
-10 Not completed	9543	65.2		
-9 Don't know	4	.0		
-1 No response	207	1.4		
Total	9755	66.6		
Total	14645	100.0		

pg2190 B15a: Partner drinks herbal tea

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes often	127	.9	2.5	2.5
2 Yes occasionally	535	3.7	10.6	13.1
3 No	4380	29.9	86.9	100.0
Total	5042	34.4	100.0	
Missing -11 Triplet / quadruplet	1	.0		
-10 Not completed	9543	65.2		
-1 No response	59	.4		
Total	9603	65.6		
Total	14645	100.0		

## PG File – Section B

### pg2191 B15b: Number of cups of herbal tea partner drank in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	617	12.1	64.8	64.8
	1	84	1.6	8.8	73.6
	2	74	1.5	7.8	81.4
	3	32	.6	3.4	84.8
	4	21	.4	2.2	87.0
	5	24	.5	2.5	89.5
	6	15	.3	1.6	91.1
	7	20	.4	2.1	93.2
	8	4	.1	.4	93.6
	9	6	.1	.6	94.2
	10	12	.2	1.3	95.5
	12	2	.0	.2	95.7
	14	13	.3	1.4	97.1
	15	10	.2	1.1	98.1
	18	1	.0	.1	98.2
	20	8	.2	.8	99.1
	21	4	.1	.4	99.5
	28	1	.0	.1	99.6
	30	2	.0	.2	99.8
	50	1	.0	.1	99.9
	60	1	.0	.1	100.0
	Total	952	18.7	100.0	
Missing	-1 No response	4150	81.3		
	Total	5102	100.0		

### pg2200 B16: Partner eats or drinks health foods other than herbal tea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	152	1.0	3.1	3.1
	2 No	4711	32.2	96.9	
	Total	4863	33.2	100.0	100.0
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	4	.0		
	-1 No response	234	1.6		
	Total	9782	66.8		
	Total	14645	100.0		

### pg2210 B17: Partner is currently on a weight-loss diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	421	8.3	8.5	8.5
	2 No	4518	88.6	91.5	
	Total	4939	96.8	100.0	100.0
Missing	-9 Don't know	1	.0		
	-1 No response	162	3.2		
	Total	163	3.2		
	Total	5102	100.0		

## PG File – Section B

### pg2220 B18: Partner is currently a vegetarian

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	146	2.9	3.0	3.0
	2 No	4793	93.9	97.0	100.0
	Total	4939	96.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	162	3.2		
	Total	163	3.2		
Total		5102	100.0		

### pg2230 B19: Partner is currently a vegan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8	.2	.2	.2
	2 No	4922	96.5	99.8	100.0
	Total	4930	96.6	100.0	
Missing	-1 No response	172	3.4		
	Total	5102	100.0		

### pg2240 B20: Partner is on a special diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	123	2.4	2.5	2.5
	2 No	4892	95.9	97.5	100.0
	Total	5015	98.3	100.0	
Missing	-1 No response	87	1.7		
	Total	5102	100.0		

### pg2250 B21a1: Number of half-pints of beer, lager or cider partner drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2416	16.5	60.8	60.8
	1	425	2.9	10.7	71.5
	2	536	3.7	13.5	84.9
	3	107	.7	2.7	87.6
	4	260	1.8	6.5	94.2
	5	27	.2	.7	94.8
	6	105	.7	2.6	97.5
	7	4	.0	.1	97.6
	8	58	.4	1.5	99.0
	9	1	.0	.0	99.1
	10	13	.1	.3	99.4
	11	1	.0	.0	99.4
	12	12	.1	.3	99.7
	14	1	.0	.0	99.7
	16	4	.0	.1	99.8
	17	1	.0	.0	99.9
	20	2	.0	.1	99.9
	71 1 can	2	.0	.1	100.0
	81 1 bottle	1	.0	.0	100.0
	Total	3976	27.1	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	6	.0		
	-1 No response	1119	7.6		
	Total	10669	72.9		
	Total	14645	100.0		

## PG File – Section B

**pg2251 B21a1: Number of half-pints of beer, lager or cider partner drank last Tuesday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2441	47.8	61.6	61.6
	1	423	8.3	10.7	72.3
	2	495	9.7	12.5	84.8
	3	108	2.1	2.7	87.5
	4	257	5.0	6.5	94.0
	5	30	.6	.8	94.8
	6	98	1.9	2.5	97.2
	7	8	.2	.2	97.4
	8	61	1.2	1.5	99.0
	9	1	.0	.0	99.0
	10	18	.4	.5	99.4
	11	3	.1	.1	99.5
	12	10	.2	.3	99.8
	14	2	.0	.1	99.8
	15	1	.0	.0	99.8
	16	2	.0	.1	99.9
	20	1	.0	.0	99.9
	71 1 can	2	.0	.1	100.0
	82 2 bottles	1	.0	.0	100.0
Missing	Total	3962	77.7	100.0	
	-9 Don't know	3	.1		
	-1 No response	1137	22.3		
Total		1140	22.3		
Total		5102	100.0		

PG File – Section B

pg2252 B21a1: Number of half-pints of beer, lager or cider partner drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2392	16.3	59.7	59.7
	1	420	2.9	10.5	70.2
	2	511	3.5	12.8	82.9
	3	127	.9	3.2	86.1
	4	263	1.8	6.6	92.7
	5	30	.2	.7	93.4
	6	104	.7	2.6	96.0
	7	14	.1	.3	96.4
	8	78	.5	1.9	98.3
	9	1	.0	.0	98.3
	10	32	.2	.8	99.1
	12	16	.1	.4	99.5
	14	6	.0	.1	99.7
	15	2	.0	.0	99.7
	16	4	.0	.1	99.8
	17	1	.0	.0	99.9
	20	2	.0	.0	99.9
	71 1 can	3	.0	.1	100.0
	74 4 cans	1	.0	.0	100.0
	Total	4007	27.4	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	4	.0		
	-1 No response	1090	7.4		
	Total	10638	72.6		
Total		14645	100.0		

pg2253 B21a1: Number of half-pints of beer, lager or cider partner drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2375	16.2	59.1	59.1
	1	422	2.9	10.5	69.5
	2	495	3.4	12.3	81.8
	3	115	.8	2.9	84.7
	4	317	2.2	7.9	92.6
	5	33	.2	.8	93.4
	6	114	.8	2.8	96.2
	7	9	.1	.2	96.5
	8	75	.5	1.9	98.3
	9	2	.0	.0	98.4
	10	30	.2	.7	99.1
	11	1	.0	.0	99.2
	12	11	.1	.3	99.4
	14	7	.0	.2	99.6
	16	5	.0	.1	99.7
	18	2	.0	.0	99.8
	20	4	.0	.1	99.9
	22	1	.0	.0	99.9
	71 1 can	2	.0	.0	100.0
	72 2 cans	1	.0	.0	100.0
	82 2 bottles	1	.0	.0	100.0
	Total	4022	27.5	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	4	.0		
	-1 No response	1075	7.3		
	Total	10623	72.5		
Total		14645	100.0		

PG File – Section B

pg2254 B21a1: Number of half-pints of beer, lager or cider partner drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1990	13.6	48.3	48.3
	1	379	2.6	9.2	57.5
	2	608	4.2	14.8	72.2
	3	146	1.0	3.5	75.8
	4	410	2.8	9.9	85.7
	5	57	.4	1.4	87.1
	6	195	1.3	4.7	91.8
	7	20	.1	.5	92.3
	8	141	1.0	3.4	95.7
	9	7	.0	.2	95.9
	10	82	.6	2.0	97.9
	11	3	.0	.1	98.0
	12	40	.3	1.0	98.9
	13	1	.0	.0	99.0
	14	11	.1	.3	99.2
	15	2	.0	.0	99.3
	16	14	.1	.3	99.6
	18	4	.0	.1	99.7
	20	9	.1	.2	99.9
	26	1	.0	.0	100.0
	30	1	.0	.0	100.0
	71 1 can	1	.0	.0	100.0
	Total	4122	28.1	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	7	.0		
	-2	1	.0		
	-1 No response	971	6.6		
	Total	10523	71.9		
	Total	14645	100.0		

## pg2255 B21a1: Number of half-pints of beer, lager or cider partner drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1806	12.3	43.3	43.3
	1	389	2.7	9.3	52.6
	2	634	4.3	15.2	67.8
	3	167	1.1	4.0	71.8
	4	440	3.0	10.5	82.3
	5	57	.4	1.4	83.7
	6	237	1.6	5.7	89.4
	7	20	.1	.5	89.9
	8	173	1.2	4.1	94.0
	9	5	.0	.1	94.1
	10	109	.7	2.6	96.7
	12	55	.4	1.3	98.1
	14	18	.1	.4	98.5
	15	5	.0	.1	98.6
	16	23	.2	.6	99.2
	18	6	.0	.1	99.3
	20	17	.1	.4	99.7
	21	1	.0	.0	99.7
	22	2	.0	.0	99.8
	24	1	.0	.0	99.8
	26	1	.0	.0	99.8
	30	2	.0	.0	99.9
	70 <1 can	1	.0	.0	99.9
	71 1 can	3	.0	.1	100.0
	72 2 cans	1	.0	.0	100.0
Missing	Total	4173	28.5	100.0	
	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	9	.1		
	-1 No response	919	6.3		
Total	Total	10472	71.5		
		14645	100.0		

PG File – Section B

pg2256 B21a1: Number of half-pints of beer, lager or cider partner drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2237	15.3	56.3	56.3
	1	369	2.5	9.3	65.6
	2	553	3.8	13.9	79.6
	3	112	.8	2.8	82.4
	4	293	2.0	7.4	89.8
	5	36	.2	.9	90.7
	6	165	1.1	4.2	94.8
	7	8	.1	.2	95.0
	8	97	.7	2.4	97.5
	9	3	.0	.1	97.6
	10	50	.3	1.3	98.8
	12	18	.1	.5	99.3
	14	7	.0	.2	99.4
	16	12	.1	.3	99.7
	18	3	.0	.1	99.8
	20	3	.0	.1	99.9
	22	1	.0	.0	99.9
	30	1	.0	.0	99.9
	71 1 can	1	.0	.0	100.0
	80 <1 bottle	1	.0	.0	100.0
Missing	Total	3970	27.1	100.0	
	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	5	.0		
	-1 No response	1126	7.7		
Total	Total	10675	72.9		
		14645	100.0		

pg2260 B21a2: Number of glasses of wine partner drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2964	20.2	84.3	84.3
	1	200	1.4	5.7	90.0
	2	200	1.4	5.7	95.7
	3	88	.6	2.5	98.2
	4	35	.2	1.0	99.2
	5	6	.0	.2	99.4
	6	16	.1	.5	99.9
	10	3	.0	.1	99.9
	80 <1 bottle	1	.0	.0	100.0
	81 1 bottle	1	.0	.0	100.0
	Total	3514	24.0	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	3	.0		
	-1 No response	1584	10.8		
	Total	11131	76.0		
Total		14645	100.0		

## PG File – Section B

**pg2261 B21a2: Number of glasses of wine partner drank last Tuesday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2955	20.2	83.5	83.5
	1	190	1.3	5.4	88.9
	2	204	1.4	5.8	94.7
	3	109	.7	3.1	97.8
	4	46	.3	1.3	99.1
	5	8	.1	.2	99.3
	6	17	.1	.5	99.8
	8	3	.0	.1	99.9
	9	1	.0	.0	99.9
	10	1	.0	.0	99.9
	80 <1 bottle	2	.0	.1	100.0
	81 1 bottle	1	.0	.0	100.0
	Total	3537	24.2	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	2	.0		
	-1 No response	1562	10.7		
	Total	11108	75.8		
Total		14645	100.0		

**pg2262 B21a2: Number of glasses of wine partner drank last Wednesday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2929	20.0	82.5	82.5
	1	193	1.3	5.4	87.9
	2	224	1.5	6.3	94.2
	3	118	.8	3.3	97.5
	4	48	.3	1.4	98.9
	5	14	.1	.4	99.3
	6	18	.1	.5	99.8
	7	1	.0	.0	99.8
	8	3	.0	.1	99.9
	10	1	.0	.0	99.9
	80 <1 bottle	1	.0	.0	100.0
	81 1 bottle	1	.0	.0	100.0
	Total	3551	24.2	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	1	.0		
	-1 No response	1549	10.6		
	Total	11094	75.8		
Total		14645	100.0		

## PG File – Section B

### pg2263 B21a2: Number of glasses of wine partner drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2958	58.0	83.3	83.3
	1	180	3.5	5.1	88.4
	2	202	4.0	5.7	94.1
	3	124	2.4	3.5	97.6
	4	51	1.0	1.4	99.0
	5	3	.1	.1	99.1
	6	22	.4	.6	99.7
	8	3	.1	.1	99.8
	9	1	.0	.0	99.9
	10	1	.0	.0	99.9
	24	1	.0	.0	99.9
	73 3 cans	1	.0	.0	99.9
	80 <1 bottle	1	.0	.0	100.0
	81 1 bottle	1	.0	.0	100.0
	Total	3549	69.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	1551	30.4		
	Total	1553	30.4		
	Total	5102	100.0		

### pg2264 B21a2: Number of glasses of wine partner drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2785	19.0	76.5	76.5
	1	171	1.2	4.7	81.2
	2	291	2.0	8.0	89.2
	3	213	1.5	5.9	95.1
	4	95	.6	2.6	97.7
	5	29	.2	.8	98.5
	6	39	.3	1.1	99.5
	7	1	.0	.0	99.6
	8	8	.1	.2	99.8
	9	1	.0	.0	99.8
	10	4	.0	.1	99.9
	12	1	.0	.0	99.9
	80 <1 bottle	1	.0	.0	100.0
	81 1 bottle	1	.0	.0	100.0
	Total	3640	24.9	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	1	.0		
	-1 No response	1460	10.0		
	Total	11005	75.1		
	Total	14645	100.0		

## PG File – Section B

### pg2265 B21a2: Number of glasses of wine partner drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2544	49.9	67.6	67.6
	1	214	4.2	5.7	73.2
	2	409	8.0	10.9	84.1
	3	305	6.0	8.1	92.2
	4	152	3.0	4.0	96.2
	5	44	.9	1.2	97.4
	6	64	1.3	1.7	99.1
	7	7	.1	.2	99.3
	8	15	.3	.4	99.7
	9	2	.0	.1	99.7
	10	4	.1	.1	99.8
	14	1	.0	.0	99.9
	20	2	.0	.1	99.9
	80 <1 bottle	2	.0	.1	100.0
	81 1 bottle	1	.0	.0	100.0
	Total	3766	73.8	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	1332	26.1		
	Total	1336	26.2		
	Total	5102	100.0		

### pg2270 B21a3: Number of measures of spirits partner drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3203	21.9	93.0	93.0
	1	109	.7	3.2	96.1
	2	84	.6	2.4	98.6
	3	23	.2	.7	99.2
	4	20	.1	.6	99.8
	6	5	.0	.1	100.0
	20	1	.0	.0	100.0
	Total	3445	23.5	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	2	.0		
	-1 No response	1654	11.3		
	Total	11200	76.5		
	Total	14645	100.0		

### pg2271 B21a3: Number of measures of spirits partner drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3181	62.3	92.6	92.6
	1	125	2.5	3.6	96.2
	2	89	1.7	2.6	98.8
	3	17	.3	.5	99.3
	4	22	.4	.6	99.9
	5	1	.0	.0	99.9
	6	2	.0	.1	100.0
	Total	3437	67.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1664	32.6		
	Total	1665	32.6		
	Total	5102	100.0		

## PG File – Section B

### pg2272 B21a3: Number of measures of spirits partner drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3161	62.0	91.9	91.9
	1	138	2.7	4.0	96.0
	2	96	1.9	2.8	98.7
	3	15	.3	.4	99.2
	4	19	.4	.6	99.7
	5	1	.0	.0	99.8
	6	5	.1	.1	99.9
	8	1	.0	.0	99.9
	10	1	.0	.0	100.0
	20	1	.0	.0	100.0
	Total	3438	67.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1663	32.6		
	Total	1664	32.6		
Total		5102	100.0		

### pg2273 B21a3: Number of measures of spirits partner drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3180	21.7	92.4	92.4
	1	109	.7	3.2	95.6
	2	108	.7	3.1	98.8
	3	12	.1	.3	99.1
	4	27	.2	.8	99.9
	6	1	.0	.0	99.9
	8	1	.0	.0	99.9
	10	2	.0	.1	100.0
	Total	3440	23.5	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	1	.0		
	-1 No response	1660	11.3		
	Total	11205	76.5		
Total		14645	100.0		

### pg2274 B21a3: Number of measures of spirits partner drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3134	61.4	90.4	90.4
	1	132	2.6	3.8	94.3
	2	102	2.0	2.9	97.2
	3	34	.7	1.0	98.2
	4	40	.8	1.2	99.3
	5	4	.1	.1	99.5
	6	7	.1	.2	99.7
	7	2	.0	.1	99.7
	8	4	.1	.1	99.8
	10	3	.1	.1	99.9
	20	2	.0	.1	100.0
Missing	80 <1 bottle	1	.0	.0	100.0
	Total	3465	67.9	100.0	
	-9 Don't know	2	.0		
	-1 No response	1635	32.0		
Total		1637	32.1		
Total		5102	100.0		

## PG File – Section B

### pg2275 B21a3: Number of measures of spirits partner drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3044	59.7	87.0	87.0
	1	163	3.2	4.7	91.7
	2	171	3.4	4.9	96.6
	3	43	.8	1.2	97.8
	4	47	.9	1.3	99.2
	5	4	.1	.1	99.3
	6	12	.2	.3	99.6
	7	3	.1	.1	99.7
	8	5	.1	.1	99.9
	10	1	.0	.0	99.9
	18	1	.0	.0	99.9
	20	3	.1	.1	100.0
Total		3497	68.5	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	1603	31.4		
	Total	1605	31.5		
Total		5102	100.0		

### pg2276 B21a3: Number of measures of spirits partner drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3143	21.5	92.0	92.0
	1	111	.8	3.2	95.2
	2	106	.7	3.1	98.3
	3	21	.1	.6	98.9
	4	21	.1	.6	99.6
	6	7	.0	.2	99.8
	7	1	.0	.0	99.8
	8	3	.0	.1	99.9
	10	1	.0	.0	99.9
	14	1	.0	.0	99.9
	20	1	.0	.0	100.0
	40	1	.0	.0	100.0
	Total	3417	23.3	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	1	.0		
	-1 No response	1683	11.5		
	Total	11228	76.7		
Total		14645	100.0		

## PG File – Section B

### pg2280 B21a4: Number of glasses of other alcoholic drinks partner drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3284	22.4	99.1	99.1
	1	16	.1	.5	99.5
	2	7	.0	.2	99.8
	3	2	.0	.1	99.8
	4	3	.0	.1	99.9
	6	1	.0	.0	99.9
	12	1	.0	.0	100.0
	80 <1 bottle	1	.0	.0	100.0
	Total	3315	22.6	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	1	.0		
	-1 No response	1785	12.2		
	Total	11330	77.4		
Total		14645	100.0		

### pg2281 B21a4: Number of glasses of other alcoholic drinks partner drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3279	22.4	99.1	99.1
	1	14	.1	.4	99.5
	2	10	.1	.3	99.8
	3	2	.0	.1	99.8
	4	3	.0	.1	99.9
	5	1	.0	.0	100.0
	12	1	.0	.0	100.0
	Total	3310	22.6	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	1	.0		
	-1 No response	1790	12.2		
	Total	11335	77.4		
Total		14645	100.0		

### pg2282 B21a4: Number of glasses of other alcoholic drinks partner drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3278	22.4	99.1	99.1
	1	15	.1	.5	99.6
	2	6	.0	.2	99.8
	3	2	.0	.1	99.8
	4	2	.0	.1	99.9
	10	1	.0	.0	99.9
	12	1	.0	.0	99.9
	80 <1 bottle	1	.0	.0	100.0
	81 1 bottle	1	.0	.0	100.0
	Total	3307	22.6	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	1	.0		
	-1 No response	1793	12.2		
	Total	11338	77.4		
Total		14645	100.0		

PG File – Section B

pg2283 B21a4: Number of glasses of other alcoholic drinks partner drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3266	22.3	98.8	98.8
	1	19	.1	.6	99.4
	2	9	.1	.3	99.7
	3	1	.0	.0	99.7
	4	5	.0	.2	99.9
	5	2	.0	.1	99.9
	8	1	.0	.0	100.0
	12	1	.0	.0	100.0
	Total	3304	22.6	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	1	.0		
	-1 No response	1796	12.3		
	Total	11341	77.4		
Total		14645	100.0		

pg2284 B21a4: Number of glasses of other alcoholic drinks partner drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3261	22.3	98.3	98.3
	1	27	.2	.8	99.1
	2	13	.1	.4	99.5
	3	7	.0	.2	99.7
	4	3	.0	.1	99.8
	5	1	.0	.0	99.8
	6	2	.0	.1	99.9
	10	2	.0	.1	100.0
	12	1	.0	.0	100.0
	Total	3317	22.6	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	1784	12.2		
	Total	11328	77.4		
Total		14645	100.0		

pg2285 B21a4: Number of glasses of other alcoholic drinks partner drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3246	22.2	98.2	98.2
	1	29	.2	.9	99.0
	2	16	.1	.5	99.5
	3	6	.0	.2	99.7
	4	6	.0	.2	99.9
	6	1	.0	.0	99.9
	8	1	.0	.0	99.9
	12	1	.0	.0	100.0
	72 2 cans	1	.0	.0	100.0
	Total	3307	22.6	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	2	.0		
	-1 No response	1792	12.2		
	Total	11338	77.4		
Total		14645	100.0		

PG File – Section B

pg2286 B21a4: Number of glasses of other alcoholic drinks partner drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3237	22.1	98.4	98.4
	1	31	.2	.9	99.4
	2	10	.1	.3	99.7
	3	5	.0	.2	99.8
	4	4	.0	.1	99.9
	12	1	.0	.0	100.0
	77 7 cans	1	.0	.0	100.0
	Total	3289	22.5	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	2	.0		
	-1 No response	1810	12.4		
	Total	11356	77.5		
Total		14645	100.0		

pg2290 B21a5: Number of glasses or half pints of low alcohol drinks partner drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3288	22.5	99.2	99.2
	1	15	.1	.5	99.7
	2	5	.0	.2	99.8
	3	2	.0	.1	99.9
	4	1	.0	.0	99.9
	6	2	.0	.1	100.0
	Total	3313	22.6	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	1788	12.2		
	Total	11332	77.4		
Total		14645	100.0		

pg2291 B21a5: Number of glasses or half pints of low alcohol drinks partner drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3281	22.4	99.2	99.2
	1	16	.1	.5	99.7
	2	9	.1	.3	100.0
	4	1	.0	.0	100.0
	Total	3307	22.6	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	1794	12.2		
	Total	11338	77.4		
Total		14645	100.0		

PG File – Section B

pg2292 B21a5: Number of glasses or half pints of low alcohol drinks partner drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3283	22.4	99.3	99.3
	1	10	.1	.3	99.6
	2	9	.1	.3	99.9
	3	2	.0	.1	99.9
	5	1	.0	.0	100.0
	7	1	.0	.0	100.0
	Total	3306	22.6	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	1795	12.3		
	Total	11339	77.4		
Total		14645	100.0		

pg2293 B21a5: Number of glasses or half pints of low alcohol drinks partner drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3276	22.4	99.4	99.4
	1	12	.1	.4	99.7
	2	8	.1	.2	100.0
	3	1	.0	.0	100.0
	Total	3297	22.5	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	1804	12.3		
	Total	11348	77.5		
Total		14645	100.0		

pg2294 B21a5: Number of glasses or half pints of low alcohol drinks partner drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3275	22.4	99.2	99.2
	1	13	.1	.4	99.6
	2	9	.1	.3	99.8
	3	4	.0	.1	100.0
	4	1	.0	.0	100.0
	Total	3302	22.5	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	1799	12.3		
	Total	11343	77.5		
Total		14645	100.0		

pg2295 B21a5: Number of glasses or half pints of low alcohol drinks partner drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3256	22.2	98.8	98.8
	1	19	.1	.6	99.4
	2	12	.1	.4	99.8
	3	1	.0	.0	99.8
	4	4	.0	.1	99.9
	6	1	.0	.0	100.0
	9	1	.0	.0	100.0
	Total	3294	22.5	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	1807	12.3		
	Total	11351	77.5		
Total		14645	100.0		

## PG File – Section B

### pg2296 B21a5: Number of glasses or half pints of low alcohol drinks partner drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3246	22.2	98.8	98.8
	1	22	.2	.7	99.5
	2	12	.1	.4	99.9
	3	1	.0	.0	99.9
	4	2	.0	.1	100.0
	6	1	.0	.0	100.0
	Total	3284	22.4	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	1817	12.4		
	Total	11361	77.6		
Total		14645	100.0		

### pg2300 B21b: Partner's alcohol intake in the past week is typical

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	1324	9.0	26.8	26.8
	2 Yes	3615	24.7	73.2	100.0
	Total	4939	33.7	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	162	1.1		
	Total	9706	66.3		
Total		14645	100.0		

### pg2301 B21c: Amount of alcohol partner would normally drink in relation to the past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 More	269	1.8	20.1	20.1
	2 Less	1067	7.3	79.9	100.0
	Total	1336	9.1	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-9 Don't know	1	.0		
	-1 No response	3764	25.7		
Total		13309	90.9		
Total		14645	100.0		

### pg2310 B22: Frequency partner eats takeaways or eats out for the main meal of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1301	8.9	26.0	26.0
	2 1-3 times / month	2701	18.4	53.9	79.9
	3 1-2 times / week	892	6.1	17.8	97.7
	4 3-4 times / week	90	.6	1.8	99.5
	5 5-7 times / week	25	.2	.5	100.0
	Total	5009	34.2	100.0	
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	92	.6		
	Total	9636	65.8		
Total		14645	100.0		

PG File – Section B

pg2320 B23: Frequency partner eats ready meals for the main meal of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3166	21.6	62.4	62.4
	2 1-3 times / month	1218	8.3	24.0	86.4
	3 1-2 times / week	579	4.0	11.4	97.8
	4 3-4 times / week	95	.6	1.9	99.6
	5 5-7 times / week	18	.1	.4	
	Total	5076	34.7	100.0	100.0
Missing	-11 Triplet / quadruplet	1	.0		
	-10 Not completed	9543	65.2		
	-1 No response	25	.2		
Total		9569	65.3		
Total		14645	100.0		

## Nutrient Intakes

Daily nutrient intakes were estimated using the data collected in the Food Frequency Questionnaire (FFQ: Section B: Your Diet).

The FFQ was used to calculate an approximate daily nutrient intake for each partner. This FFQ modified for some questions; for example, coated chicken/turkey was distinguished from uncoated chicken/turkey as these were frequently eaten and have high energy and fat content. Each food group question was assigned a composition, based on consideration of how commonly various foods included in that food group are consumed, and using an amount equivalent to one portion of that food group. For example, the foods included in calculation of the nutrient content of one portion of leafy green vegetables were 0.4 portions of cabbage, 0.4 portions of brussel sprouts, and 0.2 portions of spring greens. When a question on food consumption had not been answered, it was assumed that the food was rarely or never eaten.

Standard portions were assumed throughout the questionnaire and adapted for the analysis of male subjects by increasing the amounts used. The partners' nutrient calculations were based on the mothers' calculations and increased proportionately to allow for a larger portion size by multiplying by 1.2 for most foods except for alcoholic drinks, soft drinks, milk, bread, and pasta/rice/boiled potatoes. For these, male portion sizes were calculated directly. All partners were assumed to be male for these calculations.

### *Omega 3 from fish calculations*

This FFQ was modified for some questions, where tuna was distinguished from other oily fish, as it is the most commonly consumed food in this fish group, but actually contains relatively little n-3 fat compared to other oily fish. Also, white fish in breadcrumbs or batter was distinguished from uncoated white fish. Variables pg2506, pg2507 and pg2508 are calculated using the data presented in pg2011 – pg2015. Portion sizes were based on typical consumption patterns in Britain. Fatty acid compositions were based on profiles of typical British species:

1. White fish = 50g of fried plaice in batter + 30g of baked cod fillets + 30g of fried haddock in crumbs + 20g of grilled fish fingers
2. Other fish = 60g of tuna canned in brine + 12g of homemade salmon fish cakes + 10g of canned pink salmon + 8g of brown trout + 5g of steamed salmon + 5g of sardines canned in oil + 5g of pilchards canned in tomato sauce + 3g of sardines canned in tomato sauce
3. Shellfish = 43g of scampi, bread-crumbed and fried + 21g of canned crab + 10g of boiled mussels + 15 g of boiled prawns.

Estimates of the omega-3 fatty acid intake for each portion of white fish: 0.32g, oily fish: 0.89g and shellfish: 0.34g. Partner's estimations were again multiplied by 1.2 to allow for larger portion sizes. Calculations for EPA and DHA were calculated using the same method. Omega-3 calculations were obtained from fish sources only.

If responses to the FFQ resulted in unrealistically high or low figures, those individuals were removed from the final data set. Cases were excluded based on examination of histograms of nutrient intakes.

The resulting nutrient values were divided by seven to estimate the daily intake.

## Summary statistics of partners nutrient intakes from the Food Frequency Questionnaire n=4834

	Min	Max	M	SD
pg2500 DV: Daily alcohol intake (g): partner diet: 47 mths	.00	207.34	18.5010	19.33485
pg2501 DV: Daily calcium intake (mg): partner diet: 47 mths	198.00	3546.60	1277.35	369.57
pg2502 DV: Daily carbohydrate intake (g): partner diet: 47 mths	74.23	612.83	299.89	84.32
pg2503 DV: Daily carotene intake (mg): partner diet: 47 mths	42.94	9982.23	2656.50	1245.75
pg2504 DV: Daily cholesterol intake (mg): partner diet: 47 mths	29.18	998.21	324.04	118.10
pg2505 DV: Daily energy intake (kj): partner diet: 47 mths	2974.86	17852.59	10617.69	2716.88
pg2506 DV: Daily fat intake (g): partner diet: 47 mths	17.02	215.42	99.91	31.90
pg2507 DV: Daily n-3 fatty acid intake (g): partner diet: 47 mths	.00	4.45	.25	.29
pg2508 DV: Daily DHA intake (g): partner diet: 47 mths	.00	2.00	.11	.13
pg2509 DV: Daily EPA intake (g): partner diet: 47 mths	.00	1.29	.06	.08
pg2510 DV: Daily folate intake (mg): partner diet: 47 mths	70.61	837.25	311.31	90.42
pg2511 DV: Daily iodine intake (mg): partner diet: 47 mths	40.77	541.35	198.02	64.04
pg2512 DV: Daily iron intake (mg): partner diet: 47 mths	3.08	33.16	13.28	4.04
pg2513 DV: Daily magnesium intake (mg): partner diet: 47 mths	98.34	754.23	350.14	95.56
pg2514 DV: Daily monounsaturated fatty acid intake (g): partner diet: 47 mths	5.72	77.11	33.18	10.84
pg2515 DV: Daily niacin equivalents intake (mg): partner diet: 47 mths	12.91	106.54	45.08	12.51
pg2516 DV: Daily NME sugars intake (g): partner diet: 47 mths	3.30	338.70	86.30	44.89
pg2517 DV: Daily NSP intake (g): partner diet: 47 mths	2.68	46.11	18.38	6.12
pg2518 DV: Daily phosphorus intake (mg): partner diet: 47 mths	554.42	3587.47	1759.14	456.17
pg2519 DV: Daily polyunsaturated fatty acid intake (g): partner diet: 47 mths	1.88	50.97	16.68	6.42
pg2520 DV: Daily potassium intake (mg): partner diet: 47 mths	1127.13	7455.56	3914.14	926.67
pg2521 DV: Daily protein intake (g): partner diet: 47 mths	31.57	205.41	97.46	25.65
pg2522 DV: Daily retinol intake (mg): partner diet: 47 mths	11.16	3767.78	759.70	469.01
pg2523 DV: Daily riboflavin intake (mg): partner diet: 47 mths	.46	6.08	2.29	.71
pg2524 DV: Daily selenium intake (mg): partner diet: 47 mths	18.37	321.75	112.77	42.08
pg2525 DV: Daily saturated fatty acid intake (g): partner diet: 47 mths	4.80	101.54	40.81	14.82
pg2526 DV: Daily sodium intake (mg): partner diet: 47 mths	843.07	7526.30	3245.2231	920.50495
pg2527 DV: Daily starch intake (g): partner diet: 47 mths	24.23	361.84	166.4179	50.24479
pg2528 DV: Daily sugar intake (g): partner diet: 47 mths	11.51	431.69	131.4903	50.63559
pg2529 DV: Daily thiamin intake (mg): partner diet: 47 mths	.47	5.23	1.8809	.57394
pg2530 DV: Daily tryptophan60 intake (mg): partner diet: 47 mths	6.40	42.43	20.7216	5.36006
pg2531 DV: Daily vitamin C intake (mg): partner diet: 47 mths	5.34	301.05	99.3307	45.06622
pg2532 DV: Daily vitamin B6 intake (mg): partner diet: 47 mths	.74	6.23	2.6712	.72321
pg2533 DV: Daily vitamin B12 intake (mg): partner diet: 47 mths	.29	26.19	6.0003	2.87776
pg2534 DV: Daily vitamin D intake (mg): partner diet: 47 mths	.23	19.76	4.0437	1.94190
pg2535 DV: Daily vitamin E intake (mg): partner diet: 47 mths	1.55	46.24	12.7442	5.78123
pg2536 DV: Daily zinc intake (mg): partner diet: 47 mths	3.06	22.81	10.7205	2.84616

## Dietary patterns

Northstone and Emmett (2010) used principal components analysis (PCA) to derive the dietary patterns from the FFQ data. For more detail, please refer to the paper:

Northstone, K., and Emmett P.M. (2010) 'Dietary patterns of men in ALSPAC: associations with socio-demographic and lifestyle characteristics, nutrient intakes and comparison with women's dietary patterns. *European Journal of Clinical Nutrition*. 64: 978-986. doi:10.1038/ejcn.2010.102

**Summary Statistics n=4679**

	Min	Max	Mean	SD
pg2540 DV: Healthy PCA factor score: partner diet: 47 mths	-4.13	3.77	.00	1.00
pg2541 DV: Traditional PCA factor score: partner diet: 47 mths	-2.54	10.53	.00	1.00
pg2542 DV: Processed/Confectionery PCA factor score: partner diet: 47 mths	-3.90	11.40	.00	1.00
pg2543 DV: Semi-Vegetarian PCA factor score: partner diet: 47 mths	-2.34	23.84	.00	1.00

**SECTION C: RECENT EVENTS**

Listed below are a number of events which may have brought changes in your life. Have any of these occurred since the study child was 2½ years old? If so please assess how much effect it had on you.

Since the study child was 2½ years old:	Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No did not happen
	↓	↓	↓		
C1. Your partner died	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C2. One of your children died	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C3. A friend or relative died	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C4. One of your children was ill	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C5. Your partner was ill	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C6. A friend or relative was ill	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C7. You were admitted to hospital	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C8. You were in trouble with the law	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C9. You were divorced	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C10. You found that your partner didn't want your child	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C11. You were very ill	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C12. Your partner lost her job	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C13. Your partner had problems at work	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C14. You had problems at work	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

	Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No did not happen
<b>Since the study child was 2½ years old:</b>	↓	↓	↓		↓
C15. You lost your job	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C16. Your partner went away	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C17. Your partner was in trouble with the law	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C18. You and your partner separated	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C19. Your income was reduced	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C20. You argued with your partner	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C21. You argued with your family and friends	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C22. You moved house	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C23. Your partner was physically cruel to you	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C24. You became homeless	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C25. You had a major financial problem	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C26. You got married	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C27. Your partner was physically cruel to your children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C28. You were physically cruel to your children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C29. You attempted suicide	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C30. You were convicted of an offence	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

Since the study child was 2½ years old:	Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No did not happen
	↓	↓	↓		
C31. Your partner became pregnant	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C32. You started a new job	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C33. Your partner had a miscarriage	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C34. Your partner had an abortion	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C35. You took an examination	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C36. Your partner was emotionally cruel to you	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C37. Your partner was emotionally cruel to your children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C38. You were emotionally cruel to your children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C39. Your house or car was burgled	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C40. Your partner started a new job	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C41. A pet died	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
C42. You had an accident (please tick and describe)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

## PAGE 22 OF THE QUESTIONNAIRE

- C43. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope in the last year?

Yes  1

No  2


→ **If no, go to C44a below**

[Version 1: The skip statement specified “D1 on page 23” instead of “C44a below”.]

**If yes,** b) please describe:

.....  
.....

- c) How did this affect you?



- C44. a) Are you currently employed?

Yes  1

No  2

→ **If no, go to section D on page 23**

**If yes,**

- b) What is your occupation? .....


.....

- c) Have you had the same type of job since this child was 2½ years old?


Yes  1

No  2

- d) Do you work nights?



- e) Do you ever leave home for several days as part of your work?



## PG File – Section C

**pg3000 C1: Degree to which death of a partner affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4 Not at all	1	.0	.0	.0
	5 Did not happen	5080	99.6	100.0	100.0
	Total	5081	99.6	100.0	
Missing	-1 No response	21	.4		
Total		5102	100.0		

**pg3001 C2: Degree to which death of a child affected partner since study child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	14	.3	.3	.3
	2 Moderately	4	.1	.1	.4
	4 Not at all	1	.0	.0	.4
	5 Did not happen	5059	99.2	99.6	100.0
	Total	5078	99.5	100.0	
Missing	-1 No response	24	.5		
Total		5102	100.0		

**pg3002 C3: Degree to which death of a friend or relative affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	239	4.7	4.7	4.7
	2 Moderately	343	6.7	6.8	11.5
	3 Mildly	455	8.9	9.0	20.4
	4 Not at all	371	7.3	7.3	27.7
	5 Did not happen	3672	72.0	72.3	100.0
	Total	5080	99.6	100.0	
Missing	-1 No response	22	.4		
Total		5102	100.0		

**pg3003 C4: Degree to which illness of a child affected partner since study child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	187	3.7	3.7	3.7
	2 Moderately	398	7.8	7.9	11.5
	3 Mildly	940	18.4	18.6	30.1
	4 Not at all	900	17.6	17.8	47.9
	5 Did not happen	2641	51.8	52.1	100.0
	Total	5066	99.3	100.0	
Missing	-1 No response	36	.7		
Total		5102	100.0		

## PG File – Section C

**pg3004 C5: Degree to which illness of a partner affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	215	4.2	4.2	4.2
	2 Moderately	392	7.7	7.7	12.0
	3 Mildly	742	14.5	14.6	26.6
	4 Not at all	629	12.3	12.4	39.0
	5 Did not happen	3098	60.7	61.0	100.0
	Total	5076	99.5	100.0	
Missing	-1 No response	26	.5		
Total		5102	100.0		

**pg3005 C6: Degree to which illness of a friend or relative affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	150	2.9	3.0	3.0
	2 Moderately	301	5.9	5.9	8.9
	3 Mildly	445	8.7	8.8	17.7
	4 Not at all	619	12.1	12.2	29.9
	5 Did not happen	3559	69.8	70.1	100.0
	Total	5074	99.5	100.0	
Missing	-1 No response	28	.5		
Total		5102	100.0		

**pg3006 C7: Degree to which a hospital admission affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	86	1.7	1.7	1.7
	2 Moderately	71	1.4	1.4	3.1
	3 Mildly	81	1.6	1.6	4.7
	4 Not at all	111	2.2	2.2	6.9
	5 Did not happen	4728	92.7	93.1	100.0
	Total	5077	99.5	100.0	
Missing	-1 No response	25	.5		
Total		5102	100.0		

**pg3007 C8: Degree to which legal problems affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	18	.4	.4	.4
	2 Moderately	16	.3	.3	.7
	3 Mildly	35	.7	.7	1.4
	4 Not at all	43	.8	.8	2.2
	5 Did not happen	4968	97.4	97.8	100.0
	Total	5080	99.6	100.0	
Missing	-1 No response	22	.4		
Total		5102	100.0		

## PG File – Section C

**pg3008 C9: Degree to which divorce affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	14	.3	.3	.3
	2 Moderately	8	.2	.2	.4
	3 Mildly	3	.1	.1	.5
	4 Not at all	11	.2	.2	.7
	5 Did not happen	5040	98.8	99.3	100.0
	Total	5076	99.5	100.0	
Missing	-1 No response	26	.5		
Total		5102	100.0		

**pg3009 C10: Degree to which a partner's rejection of a child affected partner since study child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	8	.2	.2	.2
	2 Moderately	1	.0	.0	.2
	3 Mildly	5	.1	.1	.3
	4 Not at all	3	.1	.1	.3
	5 Did not happen	5059	99.2	99.7	100.0
	Total	5076	99.5	100.0	
Missing	-1 No response	26	.5		
Total		5102	100.0		

**pg3010 C11: Degree to which severe illness affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	88	1.7	1.7	1.7
	2 Moderately	71	1.4	1.4	3.1
	3 Mildly	58	1.1	1.1	4.3
	4 Not at all	59	1.2	1.2	5.4
	5 Did not happen	4801	94.1	94.6	100.0
	Total	5077	99.5	100.0	
Missing	-1 No response	25	.5		
Total		5102	100.0		

**pg3011 C12: Degree to which a partner losing a job affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	13	.3	.3	.3
	2 Moderately	21	.4	.4	.7
	3 Mildly	50	1.0	1.0	1.7
	4 Not at all	42	.8	.8	2.5
	5 Did not happen	4951	97.0	97.5	100.0
	Total	5077	99.5	100.0	
Missing	-1 No response	25	.5		
Total		5102	100.0		

## PG File – Section C

**pg3012 C13: Degree to which a partner having work problems affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	41	.8	.8	.8
	2 Moderately	118	2.3	2.3	3.1
	3 Mildly	249	4.9	4.9	8.0
	4 Not at all	149	2.9	2.9	11.0
	5 Did not happen	4517	88.5	89.0	100.0
	Total	5074	99.5	100.0	
Missing	-1 No response	28	.5		
Total		5102	100.0		

**pg3013 C14: Degree to which work problems affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	274	5.4	5.4	5.4
	2 Moderately	352	6.9	6.9	12.3
	3 Mildly	731	14.3	14.4	26.7
	4 Not at all	325	6.4	6.4	33.1
	5 Did not happen	3393	66.5	66.9	100.0
	Total	5075	99.5	100.0	
Missing	-1 No response	27	.5		
Total		5102	100.0		

**pg3014 C15: Degree to which loss of a job affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	137	2.7	2.7	2.7
	2 Moderately	103	2.0	2.0	4.7
	3 Mildly	99	1.9	1.9	6.7
	4 Not at all	59	1.2	1.2	7.8
	5 Did not happen	4679	91.7	92.2	100.0
	Total	5077	99.5	100.0	
Missing	-1 No response	25	.5		
Total		5102	100.0		

**pg3015 C16: Degree to which a partner going away affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	36	.7	.7	.7
	2 Moderately	29	.6	.6	1.3
	3 Mildly	68	1.3	1.3	2.6
	4 Not at all	108	2.1	2.1	4.7
	5 Did not happen	4833	94.7	95.3	100.0
	Total	5074	99.5	100.0	
Missing	-1 No response	28	.5		
Total		5102	100.0		

## PG File – Section C

**pg3016 C17: Degree to which legal problems of a partner affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	3	.1	.1	.1
	2 Moderately	1	.0	.0	.1
	3 Mildly	5	.1	.1	.2
	4 Not at all	10	.2	.2	.4
	5 Did not happen	5055	99.1	99.6	100.0
	Total	5074	99.5	100.0	
Missing	-1 No response	28	.5		
Total		5102	100.0		

**pg3017 C18: Degree to which separation affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	82	1.6	1.6	1.6
	2 Moderately	24	.5	.5	2.1
	3 Mildly	11	.2	.2	2.3
	4 Not at all	6	.1	.1	2.4
	5 Did not happen	4949	97.0	97.6	100.0
	Total	5072	99.4	100.0	
Missing	-1 No response	30	.6		
Total		5102	100.0		

**pg3018 C19: Degree to which reduced income affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	207	4.1	4.1	4.1
	2 Moderately	265	5.2	5.2	9.3
	3 Mildly	335	6.6	6.6	15.9
	4 Not at all	188	3.7	3.7	19.6
	5 Did not happen	4076	79.9	80.4	100.0
	Total	5071	99.4	100.0	
Missing	-1 No response	31	.6		
Total		5102	100.0		

**pg3019 C20: Degree to which arguing with a partner affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	248	4.9	4.9	4.9
	2 Moderately	451	8.8	8.9	13.8
	3 Mildly	1054	20.7	20.8	34.5
	4 Not at all	1296	25.4	25.5	60.1
	5 Did not happen	2025	39.7	39.9	100.0
	Total	5074	99.5	100.0	
Missing	-1 No response	28	.5		
Total		5102	100.0		

## PG File – Section C

**pg3020 C21: Degree to which arguing with family and friends affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	49	1.0	1.0	1.0
	2 Moderately	104	2.0	2.0	3.0
	3 Mildly	279	5.5	5.5	8.5
	4 Not at all	396	7.8	7.8	16.3
	5 Did not happen	4246	83.2	83.7	100.0
	Total	5074	99.5	100.0	
Missing	-1 No response	28	.5		
Total		5102	100.0		

**pg3021 C22: Degree to which moving home affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	153	3.0	3.0	3.0
	2 Moderately	211	4.1	4.2	7.2
	3 Mildly	246	4.8	4.8	12.0
	4 Not at all	291	5.7	5.7	17.8
	5 Did not happen	4175	81.8	82.2	100.0
	Total	5076	99.5	100.0	
Missing	-1 No response	26	.5		
Total		5102	100.0		

**pg3022 C23: Degree to which physical cruelty from a partner affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	18	.4	.4	.4
	2 Moderately	15	.3	.3	.7
	3 Mildly	34	.7	.7	1.3
	4 Not at all	25	.5	.5	1.8
	5 Did not happen	4983	97.7	98.2	100.0
	Total	5075	99.5	100.0	
Missing	-1 No response	27	.5		
Total		5102	100.0		

**pg3023 C24: Degree to which becoming homeless affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	12	.2	.2	.2
	2 Moderately	6	.1	.1	.4
	3 Mildly	6	.1	.1	.5
	4 Not at all	1	.0	.0	.5
	5 Did not happen	5049	99.0	99.5	100.0
	Total	5074	99.5	100.0	
Missing	-1 No response	28	.5		
Total		5102	100.0		

## PG File – Section C

**pg3024 C25: Degree to which a major financial problem affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	155	3.0	3.1	3.1
	2 Moderately	193	3.8	3.8	6.9
	3 Mildly	231	4.5	4.6	11.4
	4 Not at all	111	2.2	2.2	13.6
	5 Did not happen	4384	85.9	86.4	
	Total	5074	99.5	100.0	
Missing	-1 No response	28	.5		
Total		5102	100.0		

**pg3025 C26: Degree to which getting married affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	24	.5	.5	.5
	2 Moderately	17	.3	.3	.8
	3 Mildly	12	.2	.2	1.0
	4 Not at all	28	.5	.6	1.6
	5 Did not happen	4995	97.9	98.4	
	Total	5076	99.5	100.0	
Missing	-1 No response	26	.5		
Total		5102	100.0		

**pg3026 C27: Degree to which physical cruelty from a partner to children affected partner since study child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	3	.1	.1	.1
	2 Moderately	4	.1	.1	.1
	3 Mildly	8	.2	.2	.3
	4 Not at all	7	.1	.1	.4
	5 Did not happen	5052	99.0	99.6	
	Total	5074	99.5	100.0	
Missing	-1 No response	28	.5		
Total		5102	100.0		

**pg3027 C28: Degree to which partner being physically cruel to children affected partner since study child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	4	.1	.1	.1
	2 Moderately	12	.2	.2	.3
	3 Mildly	17	.3	.3	.7
	4 Not at all	6	.1	.1	.8
	5 Did not happen	5037	98.7	99.2	
	Total	5076	99.5	100.0	
Missing	-1 No response	26	.5		
Total		5102	100.0		

## PG File – Section C

**pg3028 C29: Degree to which attempted suicide affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	5	.1	.1	.1
	3 Mildly	2	.0	.0	.1
	4 Not at all	2	.0	.0	.2
	5 Did not happen	5067	99.3	99.8	100.0
	Total	5076	99.5	100.0	
	Missing				
Missing	-1 No response	26	.5		
Total		5102	100.0		

**pg3029 C30: Degree to which a criminal conviction affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	12	.2	.2	.2
	2 Moderately	8	.2	.2	.4
	3 Mildly	14	.3	.3	.7
	4 Not at all	31	.6	.6	1.3
	5 Did not happen	5010	98.2	98.7	100.0
	Total	5075	99.5	100.0	
Missing	-1 No response	27	.5		
Total		5102	100.0		

**pg3030 C31: Degree to which pregnancy of a partner affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	400	7.8	7.9	7.9
	2 Moderately	297	5.8	5.9	13.7
	3 Mildly	267	5.2	5.3	19.0
	4 Not at all	214	4.2	4.2	23.2
	5 Did not happen	3898	76.4	76.8	100.0
	Total	5076	99.5	100.0	
Missing	-1 No response	26	.5		
Total		5102	100.0		

**pg3031 C32: Degree to which starting a new job affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	237	4.6	4.7	4.7
	2 Moderately	257	5.0	5.1	9.7
	3 Mildly	336	6.6	6.6	16.4
	4 Not at all	333	6.5	6.6	22.9
	5 Did not happen	3911	76.7	77.1	100.0
	Total	5074	99.5	100.0	
Missing	-1 No response	28	.5		
Total		5102	100.0		

## PG File – Section C

**pg3032 C33: Degree to which a partner having a miscarriage affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	99	1.9	1.9	1.9
	2 Moderately	75	1.5	1.5	3.4
	3 Mildly	43	.8	.8	4.3
	4 Not at all	6	.1	.1	4.4
	5 Did not happen	4855	95.2	95.6	100.0
	Total	5078	99.5	100.0	
Missing	-1 No response	24	.5		
Total		5102	100.0		

**pg3033 C34: Degree to which a partner having an abortion affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	27	.5	.5	.5
	2 Moderately	14	.3	.3	.8
	3 Mildly	13	.3	.3	1.1
	4 Not at all	2	.0	.0	1.1
	5 Did not happen	5024	98.5	98.9	100.0
	Total	5080	99.6	100.0	
Missing	-1 No response	22	.4		
Total		5102	100.0		

**pg3034 C35: Degree to which taking an exam affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	66	1.3	1.3	1.3
	2 Moderately	95	1.9	1.9	3.2
	3 Mildly	177	3.5	3.5	6.7
	4 Not at all	285	5.6	5.6	12.3
	5 Did not happen	4458	87.4	87.7	100.0
	Total	5081	99.6	100.0	
Missing	-1 No response	21	.4		
Total		5102	100.0		

**pg3035 C36: Degree to which emotional cruelty from a partner affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	97	1.9	1.9	1.9
	2 Moderately	84	1.6	1.7	3.6
	3 Mildly	124	2.4	2.4	6.0
	4 Not at all	55	1.1	1.1	7.1
	5 Did not happen	4713	92.4	92.9	100.0
	Total	5073	99.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	28	.5		
	Total	29	.6		
Total		5102	100.0		

## PG File – Section C

**pg3036 C37: Degree to which emotional cruelty from a partner towards children affected partner since study child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	15	.3	.3	.3
	2 Moderately	19	.4	.4	.7
	3 Mildly	29	.6	.6	1.2
	4 Not at all	16	.3	.3	1.6
	5 Did not happen	4998	98.0	98.4	100.0
	Total	5077	99.5	100.0	
Missing	-1 No response	25	.5		
Total		5102	100.0		

**pg3037 C38: Degree to which partner's emotional cruelty towards children affected partner since study child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	19	.4	.4	.4
	2 Moderately	16	.3	.3	.7
	3 Mildly	34	.7	.7	1.4
	4 Not at all	23	.5	.5	1.8
	5 Did not happen	4985	97.7	98.2	100.0
	Total	5077	99.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	24	.5		
Total		25	.5		
Total		5102	100.0		

**pg3038 C39: Degree to which a burglary affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	48	.9	.9	.9
	2 Moderately	142	2.8	2.8	3.7
	3 Mildly	318	6.2	6.3	10.0
	4 Not at all	233	4.6	4.6	14.6
	5 Did not happen	4335	85.0	85.4	100.0
	Total	5076	99.5	100.0	
Missing	-1 No response	26	.5		
Total		5102	100.0		

**pg3039 C40: Degree to which a partner starting a new job affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	56	1.1	1.1	1.1
	2 Moderately	112	2.2	2.2	3.3
	3 Mildly	260	5.1	5.1	8.4
	4 Not at all	319	6.3	6.3	14.7
	5 Did not happen	4332	84.9	85.3	100.0
	Total	5079	99.5	100.0	
Missing	-1 No response	23	.5		
Total		5102	100.0		

## PG File – Section C

**pg3040 C41: Degree to which death of a pet affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	63	1.2	1.2	1.2
	2 Moderately	90	1.8	1.8	3.0
	3 Mildly	220	4.3	4.3	7.3
	4 Not at all	308	6.0	6.1	13.4
	5 Did not happen	4398	86.2	86.6	100.0
	Total	5079	99.5	100.0	
Missing	-1 No response	23	.5		
Total		5102	100.0		

**pg3041 C42: Degree to which having an accident affected partner since child was 2.5 years old**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	1	.0	.0	.0
	1 A lot	67	1.3	1.3	1.4
	2 Moderately	67	1.3	1.3	2.7
	3 Mildly	106	2.1	2.1	4.8
	4 Not at all	95	1.9	1.9	6.7
	5 Did not happen	4681	91.7	93.3	100.0
	Total	5017	98.3	100.0	
Missing	-1 No response	85	1.7		
Total		5102	100.0		

## PG File – Section C

**pg3050 C43a: Partner has been concerned by something else in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	659	12.9	13.6	13.6
	2 No	4198	82.3	86.4	100.0
	Total	4857	95.2	100.0	
Missing	-1 No response	245	4.8		
Total		5102	100.0		

**pg3052 C43c: Degree to which partner was affected by something else in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	416	8.2	57.3	57.3
	2 Moderately	205	4.0	28.2	85.5
	3 Mildly	55	1.1	7.6	93.1
	4 Not at all	50	1.0	6.9	100.0
	Total	726	14.2	100.0	
Missing	-1 No response	4376	85.8		
Total		5102	100.0		

## PG File – Section C

### pg3060 C44a: Partner is currently employed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3002	58.8	91.3	91.3
	2 No	286	5.6	8.7	
	Total	3288	64.4	100.0	
Missing	-1 No response	1814	35.6		
Total		5102	100.0		

### pg3062 C44c: Partner has held the same type of job since child was 2.5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2667	52.3	88.0	88.0
	2 No	364	7.1	12.0	
	Total	3031	59.4	100.0	
Missing	-1 No response	2071	40.6		
Total		5102	100.0		

### pg3063 C44d: Partner works nights

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Works evenings	10	.2	.3	.3
	1 Yes, always	110	2.2	3.6	
	2 Yes, sometimes	706	13.8	23.3	
	3 No	2199	43.1	72.7	
	Total	3025	59.3	100.0	
	Missing	2077	40.7		
Total		5102	100.0		

### pg3064 C44e: Partner works away from home for several days at a time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	218	4.3	7.2	7.2
	2 Yes, occasionally	1053	20.6	34.7	
	3 No	1760	34.5	58.1	
	Total	3031	59.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	2070	40.6		
	Total	2071	40.6		
Total		5102	100.0		

**SECTION D: YOUR HOUSEHOLD**

D1. a) How many people live in your household now? (including yourself)

- i) adults (over 18 years)
- ii) young adults (16-18 years)
- iii) children (less than 16 years)

b) Please indicate who the adults over 18 are:

	<b>Yes</b>
i) yourself	<input type="checkbox"/> 1
ii) your partner	<input type="checkbox"/> 1
iii) your parent(s)	<input type="checkbox"/> 1
iv) your partner's parent(s)	<input type="checkbox"/> 1
v) other relation(s) of yourself	<input type="checkbox"/> 1
vi) other relation(s) of your partner	<input type="checkbox"/> 1
vii) friend(s)	<input type="checkbox"/> 1
viii) lodger	<input type="checkbox"/> 1
ix) other (please tick and describe)	<input type="checkbox"/> 1

D2 a) Do you have a rule that smoking never happens in particular rooms?

- no smoking in house at all  1
- smoking only allowed in some rooms  2
- smoking allowed anywhere  3

b) How many people living in your household (including yourself) are smokers?

## PAGE 24 OF THE QUESTIONNAIRE

D3. a) What is your present marital status?

- never married .....  1
- widowed .....  2
- divorced .....  3
- separated .....  4
- married (once only) .....  5
- married for second or third time  6

b) If married, what was the date of the most recent marriage?

1	9		
---	---	--	--

[Editing: The day and month components of four invalid dates (e.g. 31<sup>st</sup> November) were set to -1. Ten reported dates later than the corresponding dates of completion were set to -1. In all ten cases the respondent had indicated in D3a that they were currently married (9 said they were "married (once only)" and 1 said they were "separated").]

D4. Please indicate how many of the children living with you have:

**Number of children**

- a) you and your partner as their natural parents
- b) you as their natural father (but their natural mother is not present)
- c) your partner as the natural mother (but you are not their natural father)
- d) neither you nor your partner as natural parents (please describe whether you have adopted fostered etc.)
- .....

D5. Are there other children of yourself or your partner who visit (whether to play or to stay)?

- |  | <b>No</b>                  | <b>Yes</b>                 | <b>Number of children</b> |
|--|----------------------------|----------------------------|---------------------------|
| a) children of my partner but not me     | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | →                         |
| b) children of myself but not my partner | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | →                         |
| c) children of me and my partner         | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | →                         |

## PAGE 25 OF THE QUESTIONNAIRE

D6. Do you or your partner have any chronic illness or disabling condition?

Yes  1

No  2



If no, go to D7 below

If yes, please describe:

**Nature of condition(s)**

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

**Person(s) involved**

(self/partner)

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

D7. a) Do you have any pets?

Yes  1

No  2



If no, go to D8 on page 26

If yes,

b) How many of the following pets do you have?

**Number**

- i) cats
- ii) dogs
- iii) rabbits
- iv) rodents (mice, hamster, gerbil etc)
- v) birds (budgerigar, parrot, etc.)
- vi) fish
- vii) turtles/tortoises/terrapping
- viii) other pets (please say how many and describe)


.....

c) Would you say that owning a pet has helped your health?

Yes  1  
improved it

No, made  2  
it worse

No  3  
effect

## PAGE 26 OF THE QUESTIONNAIRE

D7. d) How often do you take pets along when you visit friends or relatives?

	<b>Never</b>	<b>Occasionally</b>	<b>Sometimes</b>	<b>Often</b>	<b>Always</b>
	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

e) How often are your feelings towards people affected by the way they react to your pets?

	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
--	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

f) Do you keep a picture of your pet(s) with you or on display at home or at work?

<b>Yes</b>	<input type="checkbox"/> 1	<b>No</b>	<input type="checkbox"/> 2
------------	----------------------------	-----------	----------------------------

D8. Below are questions about financial matters. We realise this may be a sensitive subject. As with all our questions you may leave this section out if you want to. [If you can complete it though it will be of great help to the study].

a) On average, about how much is the take home family income each week (include social benefits etc.)?

less than £100	<input type="checkbox"/> 1	£100 - £199	<input type="checkbox"/> 2	£200 - £299	<input type="checkbox"/> 3
£300 - £399	<input type="checkbox"/> 4	£400 or more	<input type="checkbox"/> 5	don't know	<input type="checkbox"/> 9

b) Out of this, how much do you pay for rent, loans or mortgage each week?

nothing	<input type="checkbox"/> 1	less than £20	<input type="checkbox"/> 2	£20 - £39	<input type="checkbox"/> 3	£40 - £59	<input type="checkbox"/> 4
£60 - £79	<input type="checkbox"/> 5	£80 or more	<input type="checkbox"/> 6	don't know	<input type="checkbox"/> 9		

c) About how much do you spend on food for the whole family each week?

less than £20	<input type="checkbox"/> 1	£20 - £29	<input type="checkbox"/> 2	£30 - £39	<input type="checkbox"/> 3	£40 - £49	<input type="checkbox"/> 4
£50 - £59	<input type="checkbox"/> 5	£60 or more	<input type="checkbox"/> 6	don't know	<input type="checkbox"/> 9		

## PAGE 27 OF THE QUESTIONNAIRE

D8. d) How much do you spend on child care each week (playgroup, childminder, baby sitter etc.)

nothing	<input type="checkbox"/> 1	less than £10	<input type="checkbox"/> 2	£10 - £19	<input type="checkbox"/> 3	£20 - £29	<input type="checkbox"/> 4
£30 - £39	<input type="checkbox"/> 5	£40 - £49	<input type="checkbox"/> 6	£50 or more	<input type="checkbox"/> 7		
varies	<input type="checkbox"/> 8	don't know	<input type="checkbox"/> 9				

e) Do you manage to save at all? Yes  1 No  2

f) Do you receive any financial help from your parents or other relatives?

Yes  1 No  2

g) Do you give financial help to your parents or other relatives?

Yes  1 No  2

D9. Now we would like you to think about your 4 year old study child's behaviour over the last six months.

The study child:	Doesn't apply	Applies somewhat	Certainly applies
a) Is considerate of other people's feelings	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) Is restless, overactive, cannot stay still for long	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c) Often complains of headaches, stomach-aches or sickness	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d) Shares readily with other children (treats, toys, pencils etc.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e) Often has temper tantrums or hot tempers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
f) Is rather solitary, tends to play alone	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
g) Is generally obedient, usually does what adults request	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
h) Has many worries, often seems worried	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

D9. (cont.)

**The study child:**

	<b>Doesn't apply</b>	<b>Applies somewhat</b>	<b>Certainly applies</b>
i) Is helpful if someone is hurt, upset or feeling ill	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
j) Is constantly fidgeting or squirming	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
k) Has at least one good friend	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
l) Often fights with other children or bullies them	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
m) Is often unhappy, down hearted or tearful	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
n) Is generally liked by other children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
o) Is easily distracted, concentration wanders	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
p) Is nervous or clingy in new situations, easily loses confidence	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
q) Is kind to younger children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
r) Often lies or cheats	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
s) Is picked on or bullied by other children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
t) Often volunteers to help others (parents, teachers, other children)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
u) Thinks things out before acting	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
v) Steals from home, school or elsewhere	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
w) Gets on better with adults than with other children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
x) Has many fears, is easily scared	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
y) Sees tasks through to the end, has good attention span	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

**You and your study child:**

D10. Below are some statements about relationships with children. Please indicate how you think these apply in your situation

	Yes	No
--	-----	----

**Your 4 year old study child:**

- |  |                            |                            |
|--|----------------------------|----------------------------|
| a) I really love this child                                  | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b) I often get very irritated with this child                | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c) I don't mind the mess and noise that surrounds this child | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d) This child makes me pretty happy                          | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e) I have frequent battles of will with this child           | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f) This child is very affectionate to me                     | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| g) This child gets on my nerves                              | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| h) I feel very close to this child                           | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

**Your partner and your study child:**

D11. Below are some statements about your partner's relationships with children. Please indicate how you think these apply in your situation.

**The 4 year old study child:**

- |   | Yes                        | No                         | Have no partner            |
|---|----------------------------|----------------------------|----------------------------|
| a) My partner really loves this child                                   | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 7 |
| b) My partner often gets very irritated with this child                 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |                            |
| c) My partner doesn't mind the mess and noise that surrounds this child | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |                            |
| d) This child makes my partner pretty happy                             | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |                            |
| e) My partner has frequent battles of will with this child              | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |                            |
| f) This child is very affectionate to my partner                        | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |                            |
| g) This child gets on my partner's nerves                               | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |                            |
| h) My partner seems to feel very close to this child                    | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |                            |

→ Go to E1  
on page 30

## PG File – Section D

### pg4000 D1a1: Number of adults living in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	7	.1	.1	.1
	1	65	1.3	1.3	1.4
	2	4782	93.7	94.7	96.2
	3	137	2.7	2.7	98.9
	4	43	.8	.9	99.7
	5	9	.2	.2	99.9
	6	2	.0	.0	99.9
	7	2	.0	.0	100.0
	12	1	.0	.0	100.0
	Total	5048	98.9	100.0	
Missing	-1 No response	54	1.1		
Total		5102	100.0		

### pg4001 D1a2: Number of young adults living in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3304	64.8	97.3	97.3
	1	76	1.5	2.2	99.6
	2	7	.1	.2	99.8
	3	5	.1	.1	99.9
	4	3	.1	.1	100.0
	Total	3395	66.5	100.0	
Missing	-1 No response	1707	33.5		
Total		5102	100.0		

### pg4002 D1a3: Number of children living in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	34	.7	.7	.7
	1	657	12.9	13.1	13.7
	2	3034	59.5	60.4	74.1
	3	1020	20.0	20.3	94.4
	4	233	4.6	4.6	99.0
	5	38	.7	.8	99.8
	6	7	.1	.1	99.9
	7	2	.0	.0	100.0
	8	1	.0	.0	100.0
	Total	5026	98.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	75	1.5		
Total		5102	100.0		

### pg4010 D1b1: Partner lives in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5029	98.6	100.0	100.0
Missing	-1 No response	73	1.4		
Total		5102	100.0		

## PG File – Section D

### pg4011 D1b2: Partner's partner lives in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4988	97.8	100.0	100.0
Missing	-1 No response	114	2.2		
Total		5102	100.0		

### pg4012 D1b3: Partner's parents live in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	31	.6	100.0	100.0
Missing	-1 No response	5071	99.4		
Total		5102	100.0		

### pg4013 D1b4: Partner's partner's parents live in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	40	.8	100.0	100.0
Missing	-1 No response	5062	99.2		
Total		5102	100.0		

### pg4014 D1b5: Other relation of partner lives in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	38	.7	100.0	100.0
Missing	-1 No response	5064	99.3		
Total		5102	100.0		

### pg4015 D1b6: Other relation of partner's partner lives in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	33	.6	100.0	100.0
Missing	-1 No response	5069	99.4		
Total		5102	100.0		

### pg4016 D1b7: Freind(s) live in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	22	.4	100.0	100.0
Missing	-1 No response	5080	99.6		
Total		5102	100.0		

### pg4017 D1b8: Lodger lives in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	33	.6	100.0	100.0
Missing	-1 No response	5069	99.4		
Total		5102	100.0		

### pg4018 D1b9: Someone else lives in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	50	1.0	100.0	100.0
Missing	-1 No response	5052	99.0		
Total		5102	100.0		

## PG File – Section D

### pg4030 D2a: Locations where smoking is allowed in partner's home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No smoking in house	3195	62.6	63.8	63.8
	2 Smoking only allowed in some rooms	1234	24.2	24.6	88.4
	3 Smoking allowed anywhere	580	11.4	11.6	100.0
	Total	5009	98.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	92	1.8		
	Total	93	1.8		
Total		5102	100.0		

### pg4031 D2b: Number of smokers living in partner's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3114	61.0	65.6	65.6
	1	1041	20.4	21.9	87.6
	2	566	11.1	11.9	99.5
	3	18	.4	.4	99.9
	4	5	.1	.1	100.0
	6	1	.0	.0	100.0
	Total	4745	93.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	356	7.0		
	Total	357	7.0		
Total		5102	100.0		

## PG File – Section D

### pg4040 D3a: Current marital status of partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never married	352	6.9	6.9	6.9
	2 Widowed	1	.0	.0	7.0
	3 Divorced	105	2.1	2.1	9.0
	4 Separated	55	1.1	1.1	10.1
	5 Married once	3999	78.4	78.9	89.0
	6 Second or third marriage	559	11.0	11.0	100.0
Total		5071	99.4	100.0	
Missing	-1 No response	31	.6		
Total		5102	100.0		

### pg4041a D3b: Date of partner's most recent marriage - month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	87	1.7	2.0	2.0
	2 February	133	2.6	3.0	5.0
	3 March	235	4.6	5.4	10.4
	4 April	366	7.2	8.4	18.8
	5 May	482	9.4	11.0	29.9
	6 June	545	10.7	12.5	42.4
	7 July	568	11.1	13.0	55.4
	8 August	641	12.6	14.7	70.1
	9 September	681	13.3	15.6	85.7
	10 October	357	7.0	8.2	93.9
	11 November	113	2.2	2.6	96.4
	12 December	155	3.0	3.6	100.0
Total		4363	85.5	100.0	
Missing	-1 No response	739	14.5		
Total		5102	100.0		

PG File – Section D

**pg4041b D3b: Date of partner's most recent marriage - year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1950	1	.0	.0	.0
	1960	2	.0	.0	.1
	1961	1	.0	.0	.1
	1962	1	.0	.0	.1
	1966	1	.0	.0	.1
	1969	1	.0	.0	.2
	1970	1	.0	.0	.2
	1971	7	.1	.2	.3
	1972	6	.1	.1	.5
	1973	2	.0	.0	.5
	1974	14	.3	.3	.8
	1975	14	.3	.3	1.2
	1976	17	.3	.4	1.5
	1977	24	.5	.5	2.1
	1978	28	.5	.6	2.7
	1979	68	1.3	1.5	4.3
	1980	91	1.8	2.1	6.4
	1981	115	2.3	2.6	9.0
	1982	151	3.0	3.4	12.4
	1983	179	3.5	4.1	16.5
	1984	243	4.8	5.5	22.0
	1985	362	7.1	8.2	30.3
	1986	398	7.8	9.1	39.3
	1987	498	9.8	11.3	50.7
	1988	514	10.1	11.7	62.4
	1989	508	10.0	11.6	74.0
	1990	460	9.0	10.5	84.5
	1991	333	6.5	7.6	92.0
	1992	122	2.4	2.8	94.8
	1993	88	1.7	2.0	96.8
	1994	61	1.2	1.4	98.2
	1995	64	1.3	1.5	99.7
	1996	14	.3	.3	100.0
	Total	4389	86.0	100.0	
Missing	-1 No response	713	14.0		
Total		5102	100.0		

## PG File – Section D

**pg4050 D4a: Number of children living with partner who have partner and partner's partner as natural parents**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	74	1.5	1.5	1.5
	1	745	14.6	14.9	16.4
	2	3049	59.8	61.0	77.3
	3	903	17.7	18.1	95.4
	4	195	3.8	3.9	99.3
	5	29	.6	.6	99.9
	6	6	.1	.1	100.0
	7	1	.0	.0	100.0
Total		5002	98.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	98	1.9		
	Total	100	2.0		
Total		5102	100.0		

**pg4051 D4b: Number of children living with partner who have partner as their natural father, but mother is not present**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2752	53.9	96.2	96.2
	1	43	.8	1.5	97.7
	2	41	.8	1.4	99.2
	3	15	.3	.5	99.7
	4	7	.1	.2	99.9
	5	2	.0	.1	100.0
	Total	2860	56.1	100.0	
	Missing	-1 No response	2242	43.9	
Total		5102	100.0		

**pg4052 D4c: Number of children living with partner who have partner's partner as natural mother, but father is not present**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2593	50.8	87.0	87.0
	1	207	4.1	6.9	94.0
	2	123	2.4	4.1	98.1
	3	37	.7	1.2	99.4
	4	14	.3	.5	99.8
	5	2	.0	.1	99.9
	6	2	.0	.1	100.0
	7	1	.0	.0	100.0
Total		2979	58.4	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	2121	41.6		
	Total	2123	41.6		
Total		5102	100.0		

## PG File – Section D

**pg4053 D4d: Number of children living with partner who have neither natural parent present**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2767	54.2	99.1	99.1
	1	18	.4	.6	99.8
	2	4	.1	.1	99.9
	3	1	.0	.0	100.0
	4	1	.0	.0	100.0
Total		2791	54.7	100.0	
Missing	-1 No response	2311	45.3		
Total		5102	100.0		

## PG File – Section D

### **pg4060 D5a: Children of partner's partner visit partner's household**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4534	88.9	98.2	98.2
	2 Yes	83	1.6	1.8	
	Total	4617	90.5	100.0	
Missing	-1 No response	485	9.5		
	Total	5102	100.0		

### **pg4061 D5a: Number of partner's partner's children who visit partner's household**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	109	2.1	62.3	62.3
	1	37	.7	21.1	
	2	23	.5	13.1	
	3	5	.1	2.9	
	5	1	.0	.6	
	Total	175	3.4	100.0	
	Missing	3	.1		
Missing	-9 Don't know	4924	96.5		
	-1 No response	4927	96.6		
	Total	5102	100.0		

### **pg4062 D5b: Children of partner, but not partner's partner visit partner's household**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4408	86.4	94.4	94.4
	2 Yes	260	5.1	5.6	
	Total	4668	91.5	100.0	
Missing	-1 No response	434	8.5		
	Total	5102	100.0		

### **pg4063 D5b: Number of partner's children who visit partner's household**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	96	1.9	28.0	28.0
	1	93	1.8	27.1	
	2	120	2.4	35.0	
	3	29	.6	8.5	
	4	4	.1	1.2	
	5	1	.0	.3	
	Total	343	6.7	100.0	
Missing	-9 Don't know	4	.1		
Missing	-1 No response	4755	93.2		
	Total	4759	93.3		
	Total	5102	100.0		

## PG File – Section D

### **pg4064 D5c: Children of partner and partner's partner visit partner's household**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4407	86.4	97.7	97.7
	2 Yes	103	2.0	2.3	100.0
	Total	4510	88.4	100.0	
Missing	-1 No response	592	11.6		
Total		5102	100.0		

### **pg4065 D5c: Number of children of partner and partner's partner who visit partner's household**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	107	2.1	53.5	53.5
	1	28	.5	14.0	67.5
	2	44	.9	22.0	89.5
	3	15	.3	7.5	97.0
	4	5	.1	2.5	99.5
	6	1	.0	.5	100.0
	Total	200	3.9	100.0	
	Missing	4	.1		
Missing	-9 Don't know	4	.1		
	-1 No response	4898	96.0		
	Total	4902	96.1		
	Total	5102	100.0		

## PG File – Section D

### pg4070 D6: Partner or partner's partner have a chronic illness or disabling condition

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	369	7.2	7.3	7.3
	2 No	4671	91.6	92.7	100.0
	Total	5040	98.8	100.0	
Missing	-1 No response	62	1.2		
Total		5102	100.0		

## PG File – Section D

### pg4100 D7a: Partner has any pets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3038	59.5	60.0	60.0
	2 No	2022	39.6	40.0	100.0
	Total	5060	99.2	100.0	
Missing	-1 No response	42	.8		
	Total	5102	100.0		

### pg4101 D7b1: Number of cats partner has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1603	31.4	51.6	51.6
	1	924	18.1	29.8	81.4
	2	457	9.0	14.7	96.1
	3	86	1.7	2.8	98.9
	4	22	.4	.7	99.6
	5	5	.1	.2	99.7
	6	5	.1	.2	99.9
	8	1	.0	.0	99.9
	12	1	.0	.0	100.0
	14	1	.0	.0	100.0
	Total	3105	60.9	100.0	
	Missing				
Missing	-9 Don't know	1	.0		
	-1 No response	1996	39.1		
	Total	1997	39.1		
	Total	5102	100.0		

### pg4102 D7b2: Number of dogs partner has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2143	42.0	69.3	69.3
	1	773	15.2	25.0	94.2
	2	149	2.9	4.8	99.1
	3	22	.4	.7	99.8
	4	4	.1	.1	99.9
	5	2	.0	.1	100.0
	7	1	.0	.0	100.0
	Total	3094	60.6	100.0	
	Missing				
Missing	-9 Don't know	1	.0		
	-1 No response	2007	39.3		
	Total	2008	39.4		
	Total	5102	100.0		

## PG File – Section D

### pg4103 D7b3: Number of rabbits partner has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2469	48.4	79.9	79.9
	1	474	9.3	15.3	95.3
	2	114	2.2	3.7	99.0
	3	19	.4	.6	99.6
	4	5	.1	.2	99.7
	5	4	.1	.1	99.9
	8	1	.0	.0	99.9
	11	2	.0	.1	100.0
	18	1	.0	.0	100.0
	Total	3089	60.5	100.0	
Missing	-1 No response	2013	39.5		
Total		5102	100.0		

### pg4104 D7b4: Number of rodents partner has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2528	49.5	82.0	82.0
	1	335	6.6	10.9	92.9
	2	154	3.0	5.0	97.9
	3	33	.6	1.1	99.0
	4	10	.2	.3	99.3
	5	6	.1	.2	99.5
	6	4	.1	.1	99.6
	7	4	.1	.1	99.7
	8	3	.1	.1	99.8
	9	1	.0	.0	99.9
	10	1	.0	.0	99.9
	14	1	.0	.0	99.9
	20	1	.0	.0	100.0
	26	1	.0	.0	100.0
	Total	3082	60.4	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	2018	39.6		
Total		2020	39.6		
Total		5102	100.0		

# PG File – Section D

## pg4105 D7b5: Number of birds partner has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2803	54.9	90.9	90.9
	1	169	3.3	5.5	96.3
	2	63	1.2	2.0	98.4
	3	8	.2	.3	98.6
	4	5	.1	.2	98.8
	5	2	.0	.1	98.9
	6	5	.1	.2	99.0
	7	3	.1	.1	99.1
	8	1	.0	.0	99.2
	9	1	.0	.0	99.2
	10	5	.1	.2	99.4
	11	2	.0	.1	99.4
	12	1	.0	.0	99.4
	14	1	.0	.0	99.5
	15	3	.1	.1	99.6
	18	2	.0	.1	99.6
	20	2	.0	.1	99.7
	25	1	.0	.0	99.7
	28	1	.0	.0	99.8
	30	1	.0	.0	99.8
	40	3	.1	.1	99.9
	46	1	.0	.0	99.9
	50	1	.0	.0	100.0
	70	1	.0	.0	100.0
	Total	3085	60.5	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	2014	39.5		
	Total	2017	39.5		
Total		5102	100.0		

# PG File – Section D

## pg4106 D7b6: Number of fish partner has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2190	42.9	71.0	71.0
	1	167	3.3	5.4	76.4
	2	230	4.5	7.5	83.8
	3	76	1.5	2.5	86.3
	4	57	1.1	1.8	88.1
	5	53	1.0	1.7	89.9
	6	33	.6	1.1	90.9
	7	26	.5	.8	91.8
	8	22	.4	.7	92.5
	9	13	.3	.4	92.9
	10	43	.8	1.4	94.3
	11	4	.1	.1	94.4
	12	20	.4	.6	95.1
	13	3	.1	.1	95.2
	14	4	.1	.1	95.3
	15	19	.4	.6	95.9
	16	7	.1	.2	96.1
	18	2	.0	.1	96.2
	19	4	.1	.1	96.3
	20	42	.8	1.4	97.7
	21	1	.0	.0	97.7
	24	3	.1	.1	97.8
	25	10	.2	.3	98.2
	26	1	.0	.0	98.2
	28	2	.0	.1	98.3
	29	1	.0	.0	98.3
	30	22	.4	.7	99.0
	31	2	.0	.1	99.1
	35	1	.0	.0	99.1
	36	1	.0	.0	99.1
	38	1	.0	.0	99.2
	40	12	.2	.4	99.5
	43	1	.0	.0	99.6
	45	1	.0	.0	99.6
	50	6	.1	.2	99.8
	52	1	.0	.0	99.8
	60	2	.0	.1	99.9
	70	2	.0	.1	100.0
	80	1	.0	.0	100.0
	Total	3086	60.5	100.0	
Missing	-9 Don't know	7	.1		
	-1 No response	2009	39.4		
	Total	2016	39.5		
Total		5102	100.0		

## PG File – Section D

### pg4107 D7b7: Number of turtles, tortoises or terrapins partner has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3050	59.8	99.0	99.0
	1	23	.5	.7	99.7
	2	1	.0	.0	99.7
	3	6	.1	.2	99.9
	4	1	.0	.0	100.0
	24	1	.0	.0	100.0
	Total	3082	60.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	2019	39.6		
	Total	2020	39.6		
Total		5102	100.0		

### pg4108 D7b8: Number of other pets partner has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2939	57.6	96.0	96.0
	1	38	.7	1.2	97.2
	2	26	.5	.8	98.0
	3	9	.2	.3	98.3
	4	12	.2	.4	98.7
	5	6	.1	.2	98.9
	6	4	.1	.1	99.1
	7	3	.1	.1	99.2
	8	2	.0	.1	99.2
	9	1	.0	.0	99.2
	10	5	.1	.2	99.4
	12	3	.1	.1	99.5
	15	2	.0	.1	99.6
	17	1	.0	.0	99.6
	21	1	.0	.0	99.6
	24	1	.0	.0	99.7
	30	3	.1	.1	99.8
	34	1	.0	.0	99.8
	35	1	.0	.0	99.8
	36	1	.0	.0	99.9
	40	1	.0	.0	99.9
	45	2	.0	.1	100.0
	50	1	.0	.0	100.0
	Total	3063	60.0	100.0	
Missing	-9 Don't know	6	.1		
	-1 No response	2033	39.8		
	Total	2039	40.0		
Total		5102	100.0		

## PG File – Section D

### **pg4110 D7c: Owning a pet has improved partner's health**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	438	8.6	14.2	14.2
	2 No, made it worse	110	2.2	3.6	17.8
	3 No effect	2539	49.8	82.2	100.0
	Total	3087	60.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	2014	39.5		
	Total	2015	39.5		
Total		5102	100.0		

### **pg4111 D7d: Frequency partner takes pet when visiting friends or relatives**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2498	49.0	78.7	78.7
	2 Occasionally	342	6.7	10.8	89.5
	3 Sometimes	166	3.3	5.2	94.7
	4 Often	133	2.6	4.2	98.9
	5 Always	35	.7	1.1	100.0
	Total	3174	62.2	100.0	
Missing	-1 No response	1928	37.8		
Total		5102	100.0		

### **pg4112 D7e: Frequency partner's feelings towards people are affected by their reaction to pet**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2130	41.7	68.1	68.1
	2 Occasionally	569	11.2	18.2	86.3
	3 Sometimes	319	6.3	10.2	96.5
	4 Often	74	1.5	2.4	98.9
	5 Always	34	.7	1.1	100.0
	Total	3126	61.3	100.0	
Missing	-1 No response	1976	38.7		
Total		5102	100.0		

### **pg4113 D7f: Partner keeps a picture of pet with them or on display at home or work**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	434	8.5	13.8	13.8
	2 No	2704	53.0	86.2	100.0
	Total	3138	61.5	100.0	
	Missing	1964	38.5		
Total		5102	100.0		

## PG File – Section D

### pg4120 D8a: Average weekly take-home income of partner's family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 < £100	99	1.9	2.0	2.0
	2 £100 - £199	482	9.4	9.9	11.9
	3 £200 - £299	1224	24.0	25.1	37.0
	4 £300 - £399	1237	24.2	25.4	62.4
	5 £400 or more	1793	35.1	36.8	99.2
	9 Do not know	38	.7	.8	100.0
	Total	4873	95.5	100.0	
	Missing	-1 No response	229	4.5	
Total		5102	100.0		

### pg4121 D8b: Weekly cost of rent, loans and mortgages for partner's family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	243	4.8	5.0	5.0
	2 < £20	77	1.5	1.6	6.6
	3 £29 - £39	234	4.6	4.8	11.4
	4 £40 - £59	703	13.8	14.5	25.9
	5 £60 - £79	795	15.6	16.4	42.3
	6 £80 or more	2701	52.9	55.7	98.0
	9 Do not know	96	1.9	2.0	100.0
	Total	4849	95.0	100.0	
Missing	-1 No response	253	5.0		
Total		5102	100.0		

### pg4122 D8c: Weekly cost of food for partner's family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 < £20	29	.6	.6	.6
	2 £20 - £29	122	2.4	2.5	3.1
	3 £30 - £39	354	6.9	7.2	10.3
	4 £40 - £49	648	12.7	13.2	23.6
	5 £50 - £59	1023	20.1	20.9	44.5
	6 £60 or more	2514	49.3	51.4	95.9
	9 Do not know	202	4.0	4.1	100.0
	Total	4892	95.9	100.0	
Missing	-1 No response	210	4.1		
Total		5102	100.0		

### pg4123 D8d: Weekly cost of child care for partner's family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	1140	22.3	23.4	23.4
	2 < £10	1164	22.8	23.9	47.2
	3 £10 - £19	816	16.0	16.7	63.9
	4 £20 - £29	384	7.5	7.9	71.8
	5 £30 - £39	219	4.3	4.5	76.3
	6 £40 - £49	162	3.2	3.3	79.6
	7 £50 or more	665	13.0	13.6	93.3
	8 Varies	81	1.6	1.7	94.9
Missing	9 Do not know	248	4.9	5.1	100.0
	Total	4879	95.6	100.0	
	-1 No response	223	4.4		
Total		5102	100.0		

## PG File – Section D

### pg4124 D8e: Partner manages to save money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2614	51.2	54.3	54.3
	2 No	2201	43.1	45.7	
	Total	4815	94.4	100.0	
Missing	-1 No response	287	5.6		
Total		5102	100.0		

### pg4125 D8f: Partner receives financial help from other relatives

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	686	13.4	13.9	13.9
	2 No	4237	83.0	86.1	
	Total	4923	96.5	100.0	
Missing	-1 No response	179	3.5		
Total		5102	100.0		

### pg4126 D8g: Partner gives financial help to other relatives

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	308	6.0	6.3	6.3
	2 No	4609	90.3	93.7	
	Total	4917	96.4	100.0	
Missing	-1 No response	185	3.6		
Total		5102	100.0		

## PG File – Section D

### pg4130 D9a: Child has been considerate of other people's feelings in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	318	6.2	6.3	6.3
	2 Applies somewhat	2784	54.6	55.1	61.4
	3 Certainly applies	1950	38.2	38.6	100.0
	Total	5052	99.0	100.0	
Missing	-1 No response	50	1.0		
Total		5102	100.0		

### pg4131 D9b: Child has been restless or overactive in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	1834	35.9	36.2	36.2
	2 Applies somewhat	2221	43.5	43.8	80.0
	3 Certainly applies	1012	19.8	20.0	100.0
	Total	5067	99.3	100.0	
Missing	-1 No response	35	.7		
Total		5102	100.0		

### pg4132 D9c: Child has often complained of headaches, stomach aches or sickness in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	4055	79.5	80.0	80.0
	2 Applies somewhat	914	17.9	18.0	98.1
	3 Certainly applies	97	1.9	1.9	100.0
	Total	5066	99.3	100.0	
Missing	-1 No response	36	.7		
Total		5102	100.0		

### pg4133 D9d: Child has shared readily with other children in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	221	4.3	4.4	4.4
	2 Applies somewhat	2818	55.2	55.6	60.0
	3 Certainly applies	2025	39.7	40.0	100.0
	Total	5064	99.3	100.0	
Missing	-1 No response	38	.7		
Total		5102	100.0		

### pg4134 D9e: Child has often had temper tantrums in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	1660	32.5	32.8	32.8
	2 Applies somewhat	2613	51.2	51.6	84.4
	3 Certainly applies	790	15.5	15.6	100.0
	Total	5063	99.2	100.0	
Missing	-1 No response	39	.8		
Total		5102	100.0		

## PG File – Section D

### pg4135 D9f: Child has been solitary in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	3383	66.3	66.8	66.8
	2 Applies somewhat	1482	29.0	29.3	96.1
	3 Certainly applies	198	3.9	3.9	100.0
	Total	5063	99.2	100.0	
Missing	-1 No response	39	.8		
Total		5102	100.0		

### pg4136 D9g: Child has been obedient in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	302	5.9	6.0	6.0
	2 Applies somewhat	2919	57.2	57.6	63.6
	3 Certainly applies	1844	36.1	36.4	100.0
	Total	5065	99.3	100.0	
Missing	-1 No response	37	.7		
Total		5102	100.0		

### pg4137 D9h: Child has been worried often in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	4504	88.3	89.0	89.0
	2 Applies somewhat	503	9.9	9.9	99.0
	3 Certainly applies	51	1.0	1.0	100.0
	Total	5058	99.1	100.0	
Missing	-1 No response	44	.9		
Total		5102	100.0		

### pg4138 D9i: Child has been helpful to people feeling hurt, upset or ill in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	189	3.7	3.7	3.7
	2 Applies somewhat	1944	38.1	38.4	42.2
	3 Certainly applies	2925	57.3	57.8	100.0
	Total	5058	99.1	100.0	
Missing	-1 No response	44	.9		
Total		5102	100.0		

### pg4139 D9j: Child has been constantly fidgeting in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	2714	53.2	53.7	53.7
	2 Applies somewhat	1847	36.2	36.6	90.3
	3 Certainly applies	490	9.6	9.7	100.0
	Total	5051	99.0	100.0	
Missing	-1 No response	51	1.0		
Total		5102	100.0		

## PG File – Section D

### pg4140 D9k: Child has had at least one good friend in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	283	5.5	5.6	5.6
	2 Applies somewhat	1091	21.4	21.6	27.2
	3 Certainly applies	3679	72.1	72.8	100.0
	Total	5053	99.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	48	.9		
	Total	49	1.0		
Total		5102	100.0		

### pg4141 D9l: Child has bullied or fought often with other children in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	4110	80.6	81.3	81.3
	2 Applies somewhat	872	17.1	17.3	98.6
	3 Certainly applies	73	1.4	1.4	100.0
	Total	5055	99.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	46	.9		
	Total	47	.9		
Total		5102	100.0		

### pg4142 D9m: Child has been unhappy often in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	4356	85.4	86.1	86.1
	2 Applies somewhat	635	12.4	12.6	98.7
	3 Certainly applies	66	1.3	1.3	100.0
	Total	5057	99.1	100.0	
Missing	-1 No response	45	.9		
Total		5102	100.0		

### pg4143 D9n: Child has been liked by other children in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	47	.9	.9	.9
	2 Applies somewhat	1151	22.6	22.8	23.7
	3 Certainly applies	3859	75.6	76.3	100.0
	Total	5057	99.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	43	.8		
	Total	45	.9		
Total		5102	100.0		

### pg4144 D9o: Child has been easily distracted in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	1911	37.5	37.8	37.8
	2 Applies somewhat	2545	49.9	50.4	88.2
	3 Certainly applies	597	11.7	11.8	100.0
	Total	5053	99.0	100.0	
Missing	-1 No response	49	1.0		
Total		5102	100.0		

## PG File – Section D

### **pg4145 D9p: Child has been nervous or clingy in new situations in the last six months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	2303	45.1	45.6	45.6
	2 Applies somewhat	2190	42.9	43.3	88.9
	3 Certainly applies	561	11.0	11.1	100.0
	Total	5054	99.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	47	.9		
	Total	48	.9		
Total		5102	100.0		

### **pg4146 D9q: Child has been kind to younger children in the last six months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	150	2.9	3.0	3.0
	2 Applies somewhat	1790	35.1	35.5	38.4
	3 Certainly applies	3106	60.9	61.6	100.0
	Total	5046	98.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	55	1.1		
	Total	56	1.1		
Total		5102	100.0		

### **pg4147 D9r: Child has often lied or cheated in the last six months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	3974	77.9	78.6	78.6
	2 Applies somewhat	1010	19.8	20.0	98.6
	3 Certainly applies	71	1.4	1.4	100.0
	Total	5055	99.1	100.0	
Missing	-1 No response	47	.9		
Total		5102	100.0		

### **pg4148 D9s: Child has been picked on or bullied by other children in the last six months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	4526	88.7	89.6	89.6
	2 Applies somewhat	478	9.4	9.5	99.0
	3 Certainly applies	48	.9	1.0	100.0
	Total	5052	99.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	48	.9		
	Total	50	1.0		
Total		5102	100.0		

## PG File – Section D

### **pg4149 D9t: Child has often volunteered to help others in the last six months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	565	11.1	11.2	11.2
	2 Applies somewhat	2701	52.9	53.6	64.8
	3 Certainly applies	1775	34.8	35.2	100.0
	Total	5041	98.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	60	1.2		
	Total	61	1.2		
Total		5102	100.0		

### **pg4150 D9u: Child has thought things out before acting in the last six months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	899	17.6	17.9	17.9
	2 Applies somewhat	3194	62.6	63.5	81.3
	3 Certainly applies	939	18.4	18.7	100.0
	Total	5032	98.6	100.0	
Missing	-1 No response	70	1.4		
Total		5102	100.0		

### **pg4151 D9v: Child has stolen from home, school or elsewhere in the last six months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	4982	97.6	98.5	98.5
	2 Applies somewhat	62	1.2	1.2	99.8
	3 Certainly applies	12	.2	.2	100.0
	Total	5056	99.1	100.0	
Missing	-1 No response	46	.9		
Total		5102	100.0		

### **pg4152 D9w: Child has got on better with adults than other children in the last six months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	3485	68.3	69.3	69.3
	2 Applies somewhat	1369	26.8	27.2	96.5
	3 Certainly applies	177	3.5	3.5	100.0
	Total	5031	98.6	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	67	1.3		
	Total	71	1.4		
Total		5102	100.0		

### **pg4153 D9x: Child has been easily scared in the last six months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	3573	70.0	70.7	70.7
	2 Applies somewhat	1335	26.2	26.4	97.1
	3 Certainly applies	147	2.9	2.9	100.0
	Total	5055	99.1	100.0	
Missing	-1 No response	47	.9		
Total		5102	100.0		

## PG File – Section D

### pg4154 D9y: Child has had a good attention span in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Does not apply	747	14.6	14.8	14.8
	2 Applies somewhat	3077	60.3	60.9	75.7
	3 Certainly applies	1229	24.1	24.3	100.0
	Total	5053	99.0	100.0	
Missing	-1 No response	49	1.0		
Total		5102	100.0		

## PG File – Section D

### pg4160 D10a: Partner really loves child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5043	98.8	99.6	99.6
	2 No	18	.4	.4	100.0
	3 Sometimes	1	.0	.0	100.0
	Total	5062	99.2	100.0	
Missing	-1 No response	40	.8		
Total		5102	100.0		

### pg4161 D10b: Partner often gets very irritated with this child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1402	27.5	27.8	27.8
	2 No	3596	70.5	71.3	99.0
	3 Sometimes	48	.9	1.0	100.0
	Total	5046	98.9	100.0	
Missing	-1 No response	56	1.1		
Total		5102	100.0		

### pg4162 D10c: Partner doesn't mind the mess and noise surrounding child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2852	55.9	56.7	56.7
	2 No	2140	41.9	42.5	99.2
	3 Sometimes	38	.7	.8	100.0
	Total	5030	98.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	70	1.4		
	Total	72	1.4		
Total		5102	100.0		

### pg4163 D10d: Child makes partner feel pretty happy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5002	98.0	99.0	99.0
	2 No	45	.9	.9	99.9
	3 Sometimes	7	.1	.1	100.0
	Total	5054	99.1	100.0	
Missing	-1 No response	48	.9		
Total		5102	100.0		

### pg4164 D10e: Partner had frequent battles of will with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1982	38.8	39.2	39.2
	2 No	3028	59.3	59.9	99.2
	3 Sometimes	41	.8	.8	100.0
	Total	5051	99.0	100.0	
Missing	-1 No response	51	1.0		
Total		5102	100.0		

## PG File – Section D

### pg4165 D10f: Child is very affectionate to partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4889	95.8	96.7	96.7
	2 No	148	2.9	2.9	99.6
	3 Sometimes	18	.4	.4	100.0
	Total	5055	99.1	100.0	
Missing	-1 No response	47	.9		
Total		5102	100.0		

### pg4166 D10g: Child gets on partner's nerves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	607	11.9	12.0	12.0
	2 No	4392	86.1	87.0	99.0
	3 Sometimes	49	1.0	1.0	100.0
	Total	5048	98.9	100.0	
Missing	-1 No response	54	1.1		
Total		5102	100.0		

### pg4167 D10h: Partner feels very close to child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4968	97.4	98.3	98.3
	2 No	78	1.5	1.5	99.9
	3 Sometimes	6	.1	.1	100.0
	Total	5052	99.0	100.0	
Missing	-1 No response	50	1.0		
Total		5102	100.0		

## PG File – Section D

### pg4170 D11a: Partner's partner really loves child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5038	98.7	99.6	99.6
	2 No	10	.2	.2	99.8
	7 No partner	9	.2	.2	100.0
	Total	5057	99.1	100.0	
Missing	-1 No response	45	.9		
Total		5102	100.0		

### pg4171 D11b: Partner's partner often gets very irritated with this child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1758	34.5	34.9	34.9
	2 No	3234	63.4	64.2	99.1
	3 Sometimes	46	.9	.9	100.0
	Total	5038	98.7	100.0	
Missing	-1 No response	64	1.3		
Total		5102	100.0		

### pg4172 D11c: Partner's partner doesn't mind the mess and noise surrounding child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2736	53.6	54.5	54.5
	2 No	2251	44.1	44.8	99.3
	3 Sometimes	36	.7	.7	100.0
	Total	5023	98.5	100.0	
Missing	-1 No response	79	1.5		
Total		5102	100.0		

### pg4173 D11d: Child makes partner's partner feel pretty happy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4977	97.5	98.8	98.8
	2 No	52	1.0	1.0	99.9
	3 Sometimes	7	.1	.1	100.0
	Total	5036	98.7	100.0	
Missing	-1 No response	66	1.3		
Total		5102	100.0		

### pg4174 D11e: Partner's partner had frequent battles of will with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2489	48.8	49.4	49.4
	2 No	2488	48.8	49.4	98.8
	3 Sometimes	58	1.1	1.2	100.0
	Total	5035	98.7	100.0	
Missing	-1 No response	67	1.3		
Total		5102	100.0		

## PG File – Section D

### pg4175 D11f: Child is very affectionate to partner's partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4956	97.1	98.3	98.3
	2 No	79	1.5	1.6	99.9
	3 Sometimes	6	.1	.1	100.0
	Total	5041	98.8	100.0	
Missing	-1 No response	61	1.2		
Total		5102	100.0		

### pg4176 D11g: Child gets on partner's partner's nerves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	930	18.2	18.5	18.5
	2 No	4043	79.2	80.3	98.8
	3 Sometimes	59	1.2	1.2	100.0
	Total	5032	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	69	1.4		
Total		70	1.4		
Total		5102	100.0		

### pg4177 D11h: Partner's partner feels very close to child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4959	97.2	98.4	98.4
	2 No	77	1.5	1.5	99.9
	3 Sometimes	5	.1	.1	100.0
	Total	5041	98.8	100.0	
Missing	-1 No response	61	1.2		
Total		5102	100.0		

**SECTION E YOUR PARTNER**

This section below is concerned with your relationship with your partner. (The partner will be referred to as 'she', although the questions refer to all partners).

E1. How would you assess your partner's physical health?

always fit and well	<input type="checkbox" value="1"/>
mostly well and healthy	<input type="checkbox" value="2"/>
often feels unwell	<input type="checkbox" value="3"/>
hardly ever feels well	<input type="checkbox" value="4"/>

E2. How many cigarettes per day does your partner currently smoke? (If none, put 00)

E3. a) Is your partner currently employed?

Yes	<input type="checkbox" value="1"/>	No	<input type="checkbox" value="2"/>	 If <b>no</b> , go to E4a on page 31
-----	------------------------------------	----	------------------------------------	--

**If yes,**

b) What is her occupation? .....

.....

c) Has she had the same type of job since this child was 2½ years old?

Yes	<input type="checkbox" value="1"/>	No	<input type="checkbox" value="2"/>
-----	------------------------------------	----	------------------------------------

d) Does she work nights?

yes, always	<input type="checkbox" value="1"/>
yes, sometimes	<input type="checkbox" value="2"/>
no, never	<input type="checkbox" value="3"/>

e) Does she ever leave home for several days as part of her work?

yes, often	<input type="checkbox" value="1"/>
yes, occasionally	<input type="checkbox" value="2"/>
no, never	<input type="checkbox" value="3"/>

## PAGE 31 OF THE QUESTIONNAIRE

E4. a) How many evenings a month do you go out and do things on your own or with your own friends?

none	<input type="checkbox"/> 1	once	<input type="checkbox"/> 2	2-3 times	<input type="checkbox"/> 3	4-7 times	<input type="checkbox"/> 4	8 or more times	<input type="checkbox"/> 5
------	----------------------------	------	----------------------------	-----------	----------------------------	-----------	----------------------------	-----------------	----------------------------

b) How manytimes a month does your partner go out and do things on her own or with her own friends?

none	<input type="checkbox"/> 1	once	<input type="checkbox"/> 2	2-3 times	<input type="checkbox"/> 3	4-7 times	<input type="checkbox"/> 4	8 or more times	<input type="checkbox"/> 5
------	----------------------------	------	----------------------------	-----------	----------------------------	-----------	----------------------------	-----------------	----------------------------

E5. How often in a week, on average, would you and your partner:

	Never ↓	Less than once a week	1-3 times a week	Most days
a) discuss work or how the day has gone	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
b) laugh together	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
c) calmly talk over something (e.g. the news, a hobby or interest)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
d) kiss or hug	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
e) make plans	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
f) talk over feelings or worries	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4

E6. a) Which of the following statements about alcohol best applies to you and you partner:

	(i) You	(ii) Your partner
Never drinks alcohol	<input type="checkbox"/> 1	<input type="checkbox"/> 1
Very occasionally (less than once a week)	<input type="checkbox"/> 2	<input type="checkbox"/> 2
Occasionally (at least once a week)	<input type="checkbox"/> 3	<input type="checkbox"/> 3
Drinks 1-2 glasses* nearly every day	<input type="checkbox"/> 4	<input type="checkbox"/> 4
Drinks 3-9 glasses* every day	<input type="checkbox"/> 5	<input type="checkbox"/> 5
Drinks at least 10 glasses* a day	<input type="checkbox"/> 6	<input type="checkbox"/> 6
Don't know	<input type="checkbox"/> 9	<input type="checkbox"/> 9

[\*by glass we mean a pub measure (1oz) of spirits or ½ pint of beer or cider, a wine glass of wine etc.]

E6. b) How many days in the past month did you have the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

every day	<input type="checkbox"/> 1	more than 10 days	<input type="checkbox"/> 2	don't know	<input type="checkbox"/> 9
5-10 days	<input type="checkbox"/> 3	3-4 days	<input type="checkbox"/> 4		
1-2 days	<input type="checkbox"/> 5	none	<input type="checkbox"/> 6		

## PG File – Section E

### pg5000 E1: Partner's assessment of partner's partner's health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always fit and well	1702	33.4	33.7	33.7
	2 Mostly well and healthy	2908	57.0	57.6	91.3
	3 Often feels unwell	412	8.1	8.2	99.5
	4 Hardly ever feels well	26	.5	.5	100.0
	Total	5048	98.9	100.0	
Missing	-1 No response	54	1.1		
Total		5102	100.0		

### pg5010 E2: Number of cigarettes smoked per day by partner's partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4103	80.4	81.7	81.7
	1	24	.5	.5	82.2
	2	41	.8	.8	83.0
	3	39	.8	.8	83.8
	4	21	.4	.4	84.2
	5	92	1.8	1.8	86.0
	6	29	.6	.6	86.6
	7	16	.3	.3	86.9
	8	20	.4	.4	87.3
	9	2	.0	.0	87.3
	10	193	3.8	3.8	91.2
	11	1	.0	.0	91.2
	12	14	.3	.3	91.5
	15	147	2.9	2.9	94.4
	16	3	.1	.1	94.5
	20	228	4.5	4.5	99.0
	22	1	.0	.0	99.0
	25	15	.3	.3	99.3
	30	25	.5	.5	99.8
	35	1	.0	.0	99.8
	40	7	.1	.1	100.0
	45	1	.0	.0	100.0
	Total	5023	98.5	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	75	1.5		
	Total	79	1.5		
Total		5102	100.0		

## PG File – Section E

### pg5020 E3a: Partner's partner is currently employed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2784	54.6	55.3	55.3
	2 No	2254	44.2	44.7	100.0
	Total	5038	98.7	100.0	
Missing	-1 No response	64	1.3		
Total		5102	100.0		

### pg5022 E3c: Partner's partner has had the same type of job since child was 2.5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2225	43.6	76.2	76.2
	2 No	696	13.6	23.8	100.0
	Total	2921	57.3	100.0	
Missing	-1 No response	2181	42.7		
Total		5102	100.0		

### pg5023 E3d: Partner's partner works nights

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Works evenings	26	.5	.9	.9
	1 Yes, always	284	5.6	9.7	10.6
	2 Yes, sometimes	417	8.2	14.2	24.8
	3 No	2200	43.1	75.2	100.0
	Total	2927	57.4	100.0	
Missing	-1 No response	2175	42.6		
Total		5102	100.0		

### pg5024 E3e: Partner's partner works away from home for several days at a time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	15	.3	.5	.5
	2 Yes, occasionally	198	3.9	6.8	7.3
	3 No	2711	53.1	92.7	100.0
	Total	2924	57.3	100.0	
Missing	-1 No response	2178	42.7		
Total		5102	100.0		

## PG File – Section E

**pg5030 E4a: Number of evenings per month that partner spends time alone or with own friends**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1192	23.4	23.6	23.6
	2 1	1146	22.5	22.7	46.3
	3 2 - 3	1222	24.0	24.2	70.6
	4 4 - 7	1100	21.6	21.8	92.4
	5 8 or more	385	7.5	7.6	100.0
	Total	5045	98.9	100.0	
Missing	-1 No response	57	1.1		
Total		5102	100.0		

**pg5031 E4b: Number of evenings per month that partner's partner spends time alone or with own friends**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1226	24.0	24.5	24.5
	2 1	1312	25.7	26.2	50.6
	3 2 - 3	1281	25.1	25.6	76.2
	4 4 - 7	921	18.1	18.4	94.6
	5 8 or more	273	5.4	5.4	100.0
	Total	5013	98.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	88	1.7		
Total		89	1.7		
Total		5102	100.0		

## PG File – Section E

**pg5040 E5a: Number of times per week that partner and partner's partner discuss work or how the day has gone**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	92	1.8	1.8	1.8
	2 < 1	329	6.4	6.5	8.4
	3 1 - 3	1069	21.0	21.2	29.6
	4 Most days	3545	69.5	70.4	100.0
	Total	5035	98.7	100.0	
	Missing				
Missing	-1 No response	67	1.3		
Total		5102	100.0		

**pg5041 E5b: Number of times per week that partner and partner's partner laugh together**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	46	.9	.9	.9
	2 < 1	254	5.0	5.0	6.0
	3 1 - 3	1308	25.6	26.0	31.9
	4 Most days	3426	67.2	68.1	100.0
	Total	5034	98.7	100.0	
	Missing				
Missing	-1 No response	68	1.3		
Total		5102	100.0		

**pg5042 E5c: Number of times per week that partner and partner's partner calmly talk over something**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	56	1.1	1.1	1.1
	2 < 1	385	7.5	7.6	8.8
	3 1 - 3	1582	31.0	31.4	40.2
	4 Most days	3011	59.0	59.8	100.0
	Total	5034	98.7	100.0	
	Missing				
Missing	-1 No response	68	1.3		
Total		5102	100.0		

**pg5043 E5d: Number of times per week that partner and partner's partner kiss or hug**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	110	2.2	2.2	2.2
	2 < 1	361	7.1	7.2	9.4
	3 1 - 3	930	18.2	18.5	27.8
	4 Most days	3633	71.2	72.2	100.0
	Total	5034	98.7	100.0	
	Missing				
Missing	-1 No response	68	1.3		
Total		5102	100.0		

## PG File – Section E

**pg5044 E5e: Number of times per week that partner and partner's partner make plans**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	75	1.5	1.5	1.5
	2 < 1	707	13.9	14.1	15.5
	3 1 - 3	2054	40.3	40.8	56.4
	4 Most days	2196	43.0	43.6	100.0
	Total	5032	98.6	100.0	
Missing	-1 No response	70	1.4		
Total		5102	100.0		

**pg5045 E5f: Number of times per week that partner and partner's partner talk over feelings or worries**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	143	2.8	2.8	2.8
	2 < 1	1083	21.2	21.5	24.4
	3 1 - 3	1841	36.1	36.6	61.0
	4 Most days	1962	38.5	39.0	100.0
	Total	5029	98.6	100.0	
Missing	-1 No response	73	1.4		
Total		5102	100.0		

## PG File – Section E

### pg5050 E6a1: Amount of alcohol normally consumed by partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never drink alcohol	235	4.6	4.7	4.7
	2 < once / week	918	18.0	18.3	22.9
	3 at least once / week	2178	42.7	43.3	66.3
	4 1 - 2 glasses / day	1208	23.7	24.0	90.3
	5 3 - 9 glasses / day	458	9.0	9.1	99.4
	6 at least 10 glasses / day	21	.4	.4	99.8
	9 Do not know	8	.2	.2	100.0
	Total	5026	98.5	100.0	
	Missing	-1 No response	76	1.5	
Total		5102	100.0		

### pg5051 E6a2: Amount of alcohol normally consumed by partner's partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never drink alcohol	486	9.5	9.7	9.7
	2 < once / week	1630	31.9	32.5	42.2
	3 at least once / week	1972	38.7	39.3	81.4
	4 1 - 2 glasses / day	814	16.0	16.2	97.6
	5 3 - 9 glasses / day	107	2.1	2.1	99.8
	6 at least 10 glasses / day	4	.1	.1	99.9
	9 Do not know	7	.1	.1	100.0
	Total	5020	98.4	100.0	
	Missing	-1 No response	82	1.6	
Total		5102	100.0		

### pg5052 E6b: Number of days in the last month that partner had two pints of beer, four glasses of wine or four measures of spirits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	200	3.9	4.0	4.0
	2 > 10	786	15.4	15.6	19.6
	3 5 - 10	1236	24.2	24.5	44.1
	4 3 - 4	895	17.5	17.8	61.9
	5 1 - 2	922	18.1	18.3	80.2
	6 None	901	17.7	17.9	98.0
	9 Do not know	99	1.9	2.0	100.0
	Total	5039	98.8	100.0	
	Missing	-1 No response	63	1.2	
Total		5102	100.0		

**SECTION F: CHEMICALS IN YOUR ENVIRONMENT**

F1. In the last few months, how often have you used the following (whether at home or at work):

	<b>Every day</b>	<b>Most days</b>	<b>About once a week</b>	<b>Less than once a week</b>	<b>Not at all</b>
a) disinfectant	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
b) bleach	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
c) window cleaner	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
d) carpet shampoo	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
e) oven/drain cleaner	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
f) dry cleaning fluid	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
g) turpentine/white spirit	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
h) paint stripper	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
i) household paint or varnish	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
j) weed killers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
k) pesticides/insect killers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
l) aerosols or sprays, including hair spray	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
m) hair dye/bleach	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
n) deodorants	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
o) air fresheners (spray, stick or aerosol)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

		Every day	Most days	About once a week	Less than once a week	Not at all
F1.	p) ceramics/enamels	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	q) solder	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	r) dental amalgam	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	s) electroplating	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	t) glues	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	u) leather work	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	v) fabric/textiles	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	w) dyes	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	x) radiation (x-ray or other)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	y) plastics	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	z) metal cleaners/degreasers, polishers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	za) petrol	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	zb) machining	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	zc) photographic chemicals	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	zd) electrical wiring	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	ze) diesel	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
	zf) other chemical (please tick and describe)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

## PAGE 35 OF THE QUESTIONNAIRE

F2. Do you drive a car, van or lorry?

Yes  1      No  2       **Go to F3 below**

**If yes**, what type of fuel is used?

a) diesel

 1

b) lead free petrol

 1

c) other petrol

 1

F3. How often during the day are you in a room or enclosed place where other people are smoking?

	<b>(i) weekdays</b>	<b>(ii) weekends</b>
all the time	<input type="checkbox"/> 1	<input type="checkbox"/> 1
more than 5 hours	<input type="checkbox"/> 2	<input type="checkbox"/> 2
3-5 hours	<input type="checkbox"/> 3	<input type="checkbox"/> 3
1-2 hours	<input type="checkbox"/> 4	<input type="checkbox"/> 4
less than 1 hour	<input type="checkbox"/> 5	<input type="checkbox"/> 5
not at all	<input type="checkbox"/> 6	<input type="checkbox"/> 6

## PG File – Section F

### pg6000 F1a: Frequency partner has used disinfectant in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	148	2.9	2.9	2.9
	2 Most days	453	8.9	9.0	11.9
	3 ~ once / week	1110	21.8	22.0	33.9
	4 < once / week	1590	31.2	31.5	65.4
	5 Not at all	1746	34.2	34.6	100.0
	Total	5047	98.9	100.0	
Missing	-1 No response	55	1.1		
Total		5102	100.0		

### pg6001 F1b: Frequency partner has used bleach in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	86	1.7	1.7	1.7
	2 Most days	275	5.4	5.4	7.1
	3 ~ once / week	1027	20.1	20.3	27.5
	4 < once / week	1504	29.5	29.8	57.2
	5 Not at all	2160	42.3	42.8	100.0
	Total	5052	99.0	100.0	
Missing	-1 No response	50	1.0		
Total		5102	100.0		

### pg6002 F1c: Frequency partner has used window cleaner in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	29	.6	.6	.6
	2 Most days	59	1.2	1.2	1.7
	3 ~ once / week	419	8.2	8.3	10.0
	4 < once / week	1747	34.2	34.6	44.6
	5 Not at all	2795	54.8	55.4	100.0
	Total	5049	99.0	100.0	
Missing	-1 No response	53	1.0		
Total		5102	100.0		

### pg6003 F1d: Frequency partner has used carpet shampoo in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	4	.1	.1	.1
	2 Most days	19	.4	.4	.5
	3 ~ once / week	122	2.4	2.4	2.9
	4 < once / week	1157	22.7	22.9	25.8
	5 Not at all	3748	73.5	74.2	100.0
	Total	5050	99.0	100.0	
Missing	-1 No response	52	1.0		
Total		5102	100.0		

## PG File – Section F

### pg6004 F1e: Frequency partner has used oven or drain cleaner in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	7	.1	.1	.1
	2 Most days	23	.5	.5	.6
	3 ~ once / week	129	2.5	2.6	3.2
	4 < once / week	997	19.5	19.8	22.9
	5 Not at all	3888	76.2	77.1	100.0
	Total	5044	98.9	100.0	
Missing	-1 No response	58	1.1		
Total		5102	100.0		

### pg6005 F1f: Frequency partner has used dry cleaning fluid in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	12	.2	.2	.2
	2 Most days	15	.3	.3	.5
	3 ~ once / week	23	.5	.5	1.0
	4 < once / week	199	3.9	3.9	4.9
	5 Not at all	4793	93.9	95.1	100.0
	Total	5042	98.8	100.0	
Missing	-1 No response	60	1.2		
Total		5102	100.0		

### pg6006 F1g: Frequency partner has used turpentine in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	37	.7	.7	.7
	2 Most days	84	1.6	1.7	2.4
	3 ~ once / week	418	8.2	8.3	10.7
	4 < once / week	2157	42.3	42.7	53.4
	5 Not at all	2353	46.1	46.6	100.0
	Total	5049	99.0	100.0	
Missing	-1 No response	53	1.0		
Total		5102	100.0		

### pg6007 F1h: Frequency partner has used paint stripper in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	7	.1	.1	.1
	2 Most days	13	.3	.3	.4
	3 ~ once / week	70	1.4	1.4	1.8
	4 < once / week	576	11.3	11.4	13.2
	5 Not at all	4380	85.8	86.8	100.0
	Total	5046	98.9	100.0	
Missing	-1 No response	56	1.1		
Total		5102	100.0		

## PG File – Section F

**pg6008 F1i: Frequency partner has used household paint or varnish in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	15	.3	.3	.3
	2 Most days	60	1.2	1.2	1.5
	3 ~ once / week	348	6.8	6.9	8.4
	4 < once / week	1990	39.0	39.4	47.8
	5 Not at all	2635	51.6	52.2	100.0
	Total	5048	98.9	100.0	
Missing	-1 No response	54	1.1		
Total		5102	100.0		

**pg6009 F1j: Frequency partner has used weed killer in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	1	.0	.0	.0
	2 Most days	7	.1	.1	.2
	3 ~ once / week	54	1.1	1.1	1.2
	4 < once / week	910	17.8	18.0	19.3
	5 Not at all	4076	79.9	80.7	100.0
	Total	5048	98.9	100.0	
Missing	-1 No response	54	1.1		
Total		5102	100.0		

**pg6010 F1k: Frequency partner has used pesticides in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	5	.1	.1	.1
	2 Most days	20	.4	.4	.5
	3 ~ once / week	120	2.4	2.4	2.9
	4 < once / week	960	18.8	19.0	21.9
	5 Not at all	3937	77.2	78.1	100.0
	Total	5042	98.8	100.0	
Missing	-1 No response	60	1.2		
Total		5102	100.0		

**pg6011 F1l: Frequency partner has used aerosols in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	814	16.0	16.2	16.2
	2 Most days	939	18.4	18.7	34.9
	3 ~ once / week	572	11.2	11.4	46.2
	4 < once / week	792	15.5	15.8	62.0
	5 Not at all	1911	37.5	38.0	100.0
	Total	5028	98.5	100.0	
Missing	-1 No response	74	1.5		
Total		5102	100.0		

## PG File – Section F

**pg6012 F1m: Frequency partner has used hair dye or bleach in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	8	.2	.2	.2
	2 Most days	6	.1	.1	.3
	3 ~ once / week	22	.4	.4	.7
	4 < once / week	144	2.8	2.9	3.6
	5 Not at all	4857	95.2	96.4	100.0
	Total	5037	98.7	100.0	
Missing	-1 No response	65	1.3		
Total		5102	100.0		

**pg6013 F1n: Frequency partner has used deodorants in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2862	56.1	56.6	56.6
	2 Most days	1316	25.8	26.0	82.7
	3 ~ once / week	175	3.4	3.5	86.1
	4 < once / week	161	3.2	3.2	89.3
	5 Not at all	541	10.6	10.7	100.0
	Total	5055	99.1	100.0	
Missing	-1 No response	47	.9		
Total		5102	100.0		

**pg6014 F1o: Frequency partner has used air fresheners in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	335	6.6	6.6	6.6
	2 Most days	598	11.7	11.9	18.5
	3 ~ once / week	767	15.0	15.2	33.7
	4 < once / week	855	16.8	17.0	50.7
	5 Not at all	2486	48.7	49.3	100.0
	Total	5041	98.8	100.0	
Missing	-1 No response	61	1.2		
Total		5102	100.0		

**pg6015 F1p: Frequency partner has used ceramics or enamels in the past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	41	.8	.8	.8
	2 Most days	40	.8	.8	1.6
	3 ~ once / week	48	.9	1.0	2.6
	4 < once / week	156	3.1	3.1	5.7
	5 Not at all	4733	92.8	94.3	100.0
	Total	5018	98.4	100.0	
Missing	-1 No response	84	1.6		
Total		5102	100.0		

## PG File – Section F

### pg6016 F1q: Frequency partner has used solder in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	35	.7	.7	.7
	2 Most days	76	1.5	1.5	2.2
	3 ~ once / week	162	3.2	3.2	5.4
	4 < once / week	652	12.8	13.0	18.4
	5 Not at all	4089	80.1	81.6	
	Total	5014	98.3	100.0	
Missing	-1 No response	88	1.7		
Total		5102	100.0		

### pg6017 F1r: Frequency partner has used dental amalgam in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	33	.6	.7	.7
	2 Most days	5	.1	.1	.8
	3 ~ once / week	5	.1	.1	.9
	4 < once / week	85	1.7	1.7	2.6
	5 Not at all	4857	95.2	97.4	
	Total	4985	97.7	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	115	2.3		
Total		117	2.3		
Total		5102	100.0		

### pg6018 F1s: Frequency partner has used electroplating in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	3	.1	.1	.1
	2 Most days	6	.1	.1	.2
	3 ~ once / week	16	.3	.3	.5
	4 < once / week	25	.5	.5	1.0
	5 Not at all	4958	97.2	99.0	
	Total	5008	98.2	100.0	
Missing	-1 No response	94	1.8		
Total		5102	100.0		

### pg6019 F1t: Frequency partner has used glues in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	61	1.2	1.2	1.2
	2 Most days	140	2.7	2.8	4.0
	3 ~ once / week	611	12.0	12.2	16.2
	4 < once / week	2250	44.1	44.8	61.0
	5 Not at all	1957	38.4	39.0	
	Total	5019	98.4	100.0	
Missing	-1 No response	83	1.6		
Total		5102	100.0		

## PG File – Section F

### pg6020 F1u: Frequency partner has used leather work in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	18	.4	.4	.4
	2 Most days	10	.2	.2	.6
	3 ~ once / week	8	.2	.2	.7
	4 < once / week	74	1.5	1.5	2.2
	5 Not at all	4907	96.2	97.8	
	Total	5017	98.3	100.0	
Missing	-1 No response	85	1.7		
Total		5102	100.0		

### pg6021 F1v: Frequency partner has used fabric or textiles in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	66	1.3	1.3	1.3
	2 Most days	34	.7	.7	2.0
	3 ~ once / week	45	.9	.9	2.9
	4 < once / week	152	3.0	3.0	5.9
	5 Not at all	4721	92.5	94.1	
	Total	5018	98.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	83	1.6		
Total		84	1.6		
Total		5102	100.0		

### pg6022 F1w: Frequency partner has used dyes in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	7	.1	.1	.1
	2 Most days	13	.3	.3	.4
	3 ~ once / week	9	.2	.2	.6
	4 < once / week	62	1.2	1.2	1.8
	5 Not at all	4931	96.6	98.2	
	Total	5022	98.4	100.0	
Missing	-1 No response	80	1.6		
Total		5102	100.0		

### pg6023 F1x: Frequency partner has used radiation in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	28	.5	.6	.6
	2 Most days	34	.7	.7	1.2
	3 ~ once / week	25	.5	.5	1.7
	4 < once / week	157	3.1	3.1	4.9
	5 Not at all	4778	93.6	95.1	
	Total	5022	98.4	100.0	
Missing	-1 No response	80	1.6		
Total		5102	100.0		

## PG File – Section F

### pg6024 F1y: Frequency partner has used plastics in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	169	3.3	3.4	3.4
	2 Most days	180	3.5	3.6	7.0
	3 ~ once / week	160	3.1	3.2	10.2
	4 < once / week	327	6.4	6.5	16.7
	5 Not at all	4165	81.6	83.3	100.0
	Total	5001	98.0	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	98	1.9		
	Total	101	2.0		
Total		5102	100.0		

### pg6025 F1z: Frequency partner has used metal cleaners or polish in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	87	1.7	1.7	1.7
	2 Most days	180	3.5	3.6	5.3
	3 ~ once / week	279	5.5	5.6	10.9
	4 < once / week	838	16.4	16.7	27.6
	5 Not at all	3628	71.1	72.4	100.0
	Total	5012	98.2	100.0	
Missing	-1 No response	90	1.8		
	Total	5102	100.0		

### pg6026 F1za: Frequency partner has used petrol in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	289	5.7	5.8	5.8
	2 Most days	610	12.0	12.2	18.0
	3 ~ once / week	1767	34.6	35.3	53.2
	4 < once / week	829	16.2	16.6	69.8
	5 Not at all	1512	29.6	30.2	100.0
	Total	5007	98.1	100.0	
Missing	-1 No response	95	1.9		
	Total	5102	100.0		

### pg6027 F1zb: Frequency partner has used machining in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	150	2.9	3.0	3.0
	2 Most days	174	3.4	3.5	6.5
	3 ~ once / week	118	2.3	2.4	8.8
	4 < once / week	201	3.9	4.0	12.9
	5 Not at all	4355	85.4	87.1	100.0
	Total	4998	98.0	100.0	
Missing	-1 No response	104	2.0		
	Total	5102	100.0		

## PG File – Section F

### pg6028 F1zc: Frequency partner has used photographic chemicals in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	15	.3	.3	.3
	2 Most days	20	.4	.4	.7
	3 ~ once / week	30	.6	.6	1.3
	4 < once / week	69	1.4	1.4	2.7
	5 Not at all	4886	95.8	97.3	100.0
	Total	5020	98.4	100.0	
Missing	-1 No response	82	1.6		
Total		5102	100.0		

### pg6029 F1zd: Frequency partner has used electrical wiring in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	141	2.8	2.8	2.8
	2 Most days	203	4.0	4.0	6.9
	3 ~ once / week	242	4.7	4.8	11.7
	4 < once / week	979	19.2	19.5	31.2
	5 Not at all	3452	67.7	68.8	100.0
	Total	5017	98.3	100.0	
Missing	-1 No response	85	1.7		
Total		5102	100.0		

### pg6030 F1ze: Frequency partner has used diesel in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	216	4.2	4.3	4.3
	2 Most days	320	6.3	6.4	10.7
	3 ~ once / week	471	9.2	9.4	20.1
	4 < once / week	310	6.1	6.2	26.2
	5 Not at all	3702	72.6	73.8	100.0
	Total	5019	98.4	100.0	
Missing	-1 No response	83	1.6		
Total		5102	100.0		

### pg6031 F1zf: Frequency partner has used other chemicals in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	40	.8	1.0	1.0
	1 Every day	120	2.4	2.9	3.8
	2 Most days	132	2.6	3.2	7.0
	3 ~ once / week	67	1.3	1.6	8.6
	4 < once / week	54	1.1	1.3	9.9
	5 Not at all	3771	73.9	90.1	100.0
	Total	4184	82.0	100.0	
Missing	-1 No response	918	18.0		
Total		5102	100.0		

## PG File – Section F

### pg6040 F2: Partner drives a car, van or lorry

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4816	94.4	95.3	95.3
	2 No	236	4.6	4.7	100.0
	Total	5052	99.0	100.0	
Missing	-1 No response	50	1.0		
Total		5102	100.0		

### pg6041 F2a: Vehicle driven by partner uses diesel

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1154	22.6	100.0	100.0
Missing	-1 No response	3948	77.4		
Total		5102	100.0		

### pg6042 F2b: Vehicle driven by partner uses unleaded petrol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2694	52.8	100.0	100.0
Missing	-1 No response	2408	47.2		
Total		5102	100.0		

### pg6043 F2c: Vehicle driven by partner uses other petrol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1497	29.3	100.0	100.0
Missing	-1 No response	3605	70.7		
Total		5102	100.0		

## PG File – Section F

**pg6050 F3i: Length of time per day partner is in an enclosed space with someone who is smoking on weekdays**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	225	4.4	4.5	4.5
	2 > 5 hours	215	4.2	4.3	8.8
	3 3 - 5 hours	395	7.7	7.9	16.6
	4 1 - 2 hours	565	11.1	11.3	27.9
	5 < 1 hour	1351	26.5	26.9	54.8
	6 Not at all	2265	44.4	45.2	100.0
	Total	5016	98.3	100.0	
Missing	-1 No response	86	1.7		
Total		5102	100.0		

**pg6051 F3ii: Length of time per day partner is in an enclosed space with someone who is smoking on weekends**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	176	3.4	3.6	3.6
	2 > 5 hours	227	4.4	4.7	8.3
	3 3 - 5 hours	441	8.6	9.1	17.4
	4 1 - 2 hours	603	11.8	12.4	29.8
	5 < 1 hour	1049	20.6	21.6	51.3
	6 Not at all	2366	46.4	48.7	100.0
	Total	4862	95.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	239	4.7		
Total		240	4.7		
Total		5102	100.0		

**THANK YOU VERY MUCH FOR YOUR HELP**

G1. This questionnaire was completed by:

- a) child's father
- b) child's mother
- c) someone else  
(please describe)

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 "no".]

**pg9980 G1a: Questionnaire completed by child's father**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4775	93.6	96.7	96.7
	2 No	162	3.2	3.3	100.0
	Total	4937	96.8	100.0	
Missing	-5 Question G1 omitted	165	3.2		
Total		5102	100.0		

**pg9981 G1b: Questionnaire completed by child's mother**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	97	1.9	2.0	2.0
	2 No	4840	94.9	98.0	100.0
	Total	4937	96.8	100.0	
Missing	-5 Question G1 omitted	165	3.2		
Total		5102	100.0		

**pg9982 G1c: Questionnaire completed by someone else**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	91	1.8	1.8	1.8
	2 No	4846	95.0	98.2	100.0
	Total	4937	96.8	100.0	
Missing	-5 Question G1 omitted	165	3.2		
Total		5102	100.0		

## Derived Variables

### Number of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question G1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

#### pg9984 DV: Number of contributors to questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4911	96.3	99.5	99.5
	2	26	.5	.5	100.0
	Total	4937	96.8	100.0	
Missing	-5 Question G1 omitted	165	3.2		
Total		5102	100.0		

### Questionnaire completed by...

This variable details the combinations of respondents reported in question G1. It is calculated by recoding values of 1 to powers of 2 (1, 2, and 4 for parts a to c respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

#### pg9985 DV: Questionnaire completed by...

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Father only	4749	93.1	96.2	96.2
	2 Mother only	72	1.4	1.5	97.7
	3 Father & mother	25	.5	.5	98.2
	4 Other only	90	1.8	1.8	100.0
	5 Father & other	1	.0	.0	100.0
	Total	4937	96.8	100.0	
Missing	-5 Question G1 omitted	165	3.2		
Total		5102	100.0		

## PG File – Section G

G2. Please give the date on which you completed this questionnaire:

<b>day</b>	<b>month</b>	<b>year</b>
<input style="width: 100%; height: 40px; border: 1px solid red;" type="text"/>	<input style="width: 100%; height: 40px; border: 1px solid red;" type="text"/>	<input style="width: 100%; height: 40px; border: 1px solid red;" type="text"/>

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31<sup>st</sup> November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable PG9990c. The month and year of completion were retained on the built file, but the day was dropped.]

**pg9990a G2: Date of completion of questionnaire - month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	382	7.5	7.5	7.5
	2 February	295	5.8	5.8	13.3
	3 March	311	6.1	6.1	19.4
	4 April	263	5.2	5.2	24.5
	5 May	282	5.5	5.5	30.0
	6 June	844	16.5	16.5	46.6
	7 July	515	10.1	10.1	56.7
	8 August	502	9.8	9.8	66.5
	9 September	587	11.5	11.5	78.0
	10 October	484	9.5	9.5	87.5
	11 November	436	8.5	8.5	96.1
	12 December	201	3.9	3.9	
	Total	5102	100.0	100.0	

**pg9990b G2: Date of completion of questionnaire - year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1995	2106	41.3	41.3	41.3
	1996	2932	57.5	57.5	98.7
	1997	61	1.2	1.2	99.9
	1998	3	.1	.1	100.0
	Total	5102	100.0	100.0	

**pg9990c DV: Date of completion replaced with date of receipt**


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, incomplete d.o.c.	212	4.2	4.2	4.2
	3 Yes, d.o.c. < d.o.s.	42	.8	.8	5.0
	4 Yes, d.o.c. > d.o.r.	47	.9	.9	5.9
	5 No	4801	94.1	94.1	
	Total	5102	100.0	100.0	

**Derived Variables - Age of Study Child at Completion**

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

**pg9991a DV: Age of study child at completion (months)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	46	986	19.3	19.3	19.3
	47	2909	57.0	57.0	76.3
	48	681	13.3	13.3	89.7
	49	273	5.4	5.4	95.0
	50	140	2.7	2.7	97.8
	51	44	.9	.9	98.6
	52	21	.4	.4	99.1
	53	9	.2	.2	99.2
	54	8	.2	.2	99.4
	55	5	.1	.1	99.5
	56	4	.1	.1	99.6
	57	7	.1	.1	99.7
	58	3	.1	.1	99.8
	59	3	.1	.1	99.8
	60	1	.0	.0	99.8
	61	3	.1	.1	99.9
	62	1	.0	.0	99.9
	63	1	.0	.0	99.9
	65	1	.0	.0	100.0
	66	1	.0	.0	100.0
	70	1	.0	.0	100.0
Total		5102	100.0	100.0	

**pg9991b: DV: Age of study child at completion (weeks)**

plus the following outliers >240:

**pg9991b DV: Age of study child at completion (weeks)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	241	2	6.9	6.9	6.9
	243	1	3.4	3.4	10.3
	244	2	6.9	6.9	17.2
	245	1	3.4	3.4	20.7
	247	1	3.4	3.4	24.1
	248	3	10.3	10.3	34.5
	249	1	3.4	3.4	37.9
	250	1	3.4	3.4	41.4
	251	2	6.9	6.9	48.3
	254	2	6.9	6.9	55.2
	256	1	3.4	3.4	58.6
	257	1	3.4	3.4	62.1
	258	1	3.4	3.4	65.5
	260	1	3.4	3.4	69.0
	264	1	3.4	3.4	72.4
	266	1	3.4	3.4	75.9
	268	1	3.4	3.4	79.3
	269	2	6.9	6.9	86.2
	275	1	3.4	3.4	89.7
	287	1	3.4	3.4	93.1
	289	1	3.4	3.4	96.6
	308	1	3.4	3.4	100.0
	Total	29	100.0	100.0	

## PG File – Section G


G3. Please give **your** date of birth:

day	month	year
<input type="text"/>	<input type="text"/>	<input type="text"/> 1 <input type="text"/> 9 <input type="text"/>

Space for any additional comments you would like to make.

[Editing: If the date of birth was not a valid date (e.g. 31<sup>st</sup> November), then the day & month were set to -1. Values of 1869 & 1991-1996 in the year variable were recoded to -1. If the year was missing then day and month were also set to -1. otherwise, if a valid year was reported, value of -1 in day were recoded to 15 and in month to 6. This action was flagged in variable PG9996b. The date of birth was not retained on the file.]

## pg9996a: DV: Age of respondent at completion of questionnaire (years)



plus the following missing values and outliers <20 or >60:

## pg9996a DV: Age of respondent at completion of questionnaire (years)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18	1	.3	9.1	9.1
	19	1	.3	9.1	18.2
	61	1	.3	9.1	27.3
	62	2	.6	18.2	45.5
	63	1	.3	9.1	54.5
	64	3	.9	27.3	81.8
	68	1	.3	9.1	90.9
	70	1	.3	9.1	100.0
	Total	11	3.4	100.0	
Missing	-1 Missing date of birth	309	96.6		
	Total	320	100.0		

## pg9996b DV: Components of respondent's date of birth imputed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	5094	99.8	99.8	99.8
	1 Day	3	.1	.1	99.9
	3 Day & month	5	.1	.1	100.0
	Total	5102	100.0	100.0	

**NB Please remember that we cannot respond personally to your comments unless they are signed.**

When completed, please return the questionnaire to:

**Dr. Jean Golding,  
Children of the Nineties - ALSPAC  
Institute of Child Health  
24 Tyndall Avenue  
Bristol  
BS8 1BR      Tel: Bristol 928 5007**

[Version 1: The telephone number was “925 6260”.]

For office use only:

coder

--	--

Int

--	--

## Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. Note that this is the 2003 revision, which dates from after this questionnaire was coded. However, the revision did not alter the content but rather streamlined the text by simplifying sentences and introducing headings. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

## PG File – Appendix A

### General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

#### General Coding instructions for ALSPAC questionnaires – 3rd revision

##### *What is “coding”?*

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

##### *What data are keyed?*

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

##### *Clarity*

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

##### *Striving for accuracy*

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow "Post-It" sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder's responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

##### *Final checks*

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder's marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person's work at regular intervals in order to strive for maximum accuracy.

## PG File – Appendix A

### *Practical details*

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

### *Specific details*

#### Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

#### Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

## PG File – Appendix A

### II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

### IV Code as ddmmyy for days, months, years. See instructions above about dates.

#### "Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

## **Appendix B**

This appendix contains the coding instructions specific to this questionnaire.

## PG File – Appendix B

### **Coding Instructions for first version (01/05/95) and 2<sup>nd</sup> version (08/02/96) “Partner’s New Questionnaire”**

All questionnaires in the same batch should have the same ‘Date of form’ on their front cover. Keep all the questionnaires in a batch together.

#### Coding the “Partner’s New Questionnaire” replies

Follow the general rules outlined in the “General coding instruction for ALSPAC questionnaires - 2nd revision” document.

#### **Front Cover**

Check that the questionnaire number is legible, and that the date of form is 01/05/95.

\*\*\*\*\*If the questionnaire is all blank, e.g. the partner didn’t want to fill in the form, write “ALL BLANK” on the front cover and move on to the next questionnaire.

\*\*\*\*\*

<b>Page 3, Section A</b>		
A1	8	
A2a to A2p	7	
A2q	7	Please ensure that if something is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, please write a zero to indicate information in section.
<b>Page 4</b>		
A3a to A3l	7	If ‘once’ is written, code as zero.
A3m to A3o	7	If something is written, but no ticks, please write a zero to indicate information in this question.
<b>Page 5</b>		
A4	II	Count the number of items listed, and enter the count in the two boxes. If nothing listed, leave blank, but if they say none or “N/A”, or not applicable, code a zero.
<b>Page 7</b>		
A5a	I	
A5b	II	
A5c	II	Code in months, rounding down to the nearest whole month, if part months or weeks given, Assume 4 weeks = 1 month. If less than four weeks, put zero.
A5d		Not being coded here
A5e	II	This should be the number of different days they were in hospital for each admission

A6a-m	7	

## PG File – Appendix B

<b>Page 8</b>		
A6n to u	7	
A6v	7	as A2q
A7a	7	
A7b	8	
<b>Pages 9 &amp; 10</b>		
B1a to c	8	
B1d	8	‘Veggie burgers’ must not be included here. Move those to part (f) and code for the highest frequency if there is already a tick in (f).
B1e to z	8	
<b>Pages 11 &amp; 12</b>		
B2	7	
B3a to z	8	

<b>Page 13</b>		
B4a to h	8	
B5	I	
B6	I	
<b>Page 14</b>		
B7	8	
B8a to f	I	
B9ai,ii	I,I	
B9b to g		As B9a
B9h	I,I	Please ensure that if something is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, please code as zero, to indicate information in the “please describe” section.
<b>Page 15</b>		
B10	II	For occasional eaters, code “97” If they indicate that every slice has fat on it, but don’t say how many, code as “90”. If there is a range code for the highest number.
B11a to f	I	
B11g	I	Please ensure that if something is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, code as zero, to indicate information in the “please describe” section.

## PG File – Appendix B

B12	I	Please ensure that if something is written in the “please describe” section, that the previous box is ticked appropriately. If there is no tick, please code as zero, to indicate information in the “please describe” section.
B13a	II	Occasional use to be coded as “97”
B13b	II	If less than one, or occasional, code as “97”
B13c,d	II	Code “all” as 90, occasional as “97”
<b>Pages 16 &amp; 17</b>		
B14a-d	II	As B13
B14e	II	Code “all” as 90, occasional as “97”
B15a	I	
B15b	II	
B15c		Not being coded here
B16	<b>I</b>	
B17	I	
B18	I	Code ‘sometimes’ as 3
B19-B20	I	
B21a (i)-(v)	II	<p>Please note the units the questions are asked in, and convert if necessary. Code a two digit number for each day of the week where a response is made - leave blank boxes blank. Round fractions to the nearest whole number, but if the fraction is exactly half, round up to the next whole number. If the nearest whole number is zero, or they say ‘sometimes’ or ‘occasionally’, code as 97. Code ‘lots’ as 98. If a range is given, code to the upper limit. If none or n/a is given, code as zero.</p> <p>If specified in units of bottles or litres, code &lt;1 bottle as 80, 1 as 81, 2 as 82 etc.</p> <p>If specified in units of cans, code &lt;1 can as 70, 1 as 71, 2 as 72 etc.</p>
B21b	I	
B21c	I	
B22	8	
<b>Page 18</b>		
B23	8	
<b>Pages19-21, Section C</b>		
C1-C41	7	

## PG File – Appendix B

C42	7	Please ensure that if something is written in the “please describe” section, that the previous box is ticked appropriately. If there is no tick, please code as zero, to indicate information in the “please describe” section.
<b>Page 22</b>		
C43a	I	If yes is ticked, check that the description differs from the events listed previously in this section. If it is the same, recode it as that event, and tick ‘no’ for C44a.
C43b		Not being coded here
C43c	7	
C44a	I	
C44b		Not being coded here
C44c,d,e	I	d) Code evening work/twilight shift as zero.
<b>Page 23, Section D</b>		
D1a(i) to (iii)	II	If “not applicable”, “N/A”, or box struck out, code as zero.
D1b(i)-(viii)	I	A tick or a blank is the normal situation here, the only other possibility would be to code a 9 for “don’t know”
D1b(ix)	I	Please ensure that if something is written in the “please describe” section, that the previous box is ticked appropriately. If there is no tick, please code as zero, to indicate information in the “please describe” section.
D2a	I	
D2b	II	
<b>Page 24</b>		
D3a	7	
D3b	IV	
D4a-d	II	If “not applicable”, “N/A”, or box struck out, code as zero.
D5a	I,II	Code the No/yes part, then the number of children. What is needed here is the total number of such children - not necessarily the maximum at any one time. If “not applicable”, “N/A”, or box struck out, code as zero.
D5b,c		As D5a
<b>Page 25</b>		
D6	I	Please ensure that if something is written in the “please describe” section, that the previous box is ticked appropriately.

## PG File – Appendix B

D7a	I	
D7b(i)-(vii)	II	If some categories are answered, either with a tick or with a number, code the unanswered pets as zero.
D7b(viii)		Recode pets listed here as categories (i) to (vii) if that is where they belong. If other pets listed here, and no number is given, code the number as 99. The number here should indicate the total number of other pets, so for example 2 monkeys and 3 chinchillas would be coded as 05.
D7c	8	but if 2+3 ticked, code as 2
<b>Page 26</b>		
D7d	8	
D7e	8	
D7f	I	
D8a	7	
D8b-c	8	but excluding code '9'
<b>Page 27</b>		
D8d-g	I	Code 'sometimes' as 1
D9a	7	
D9b	8	
D9c	8	
D9d	7	
D9e	8	
D9f	8	
D9g	7	
D9h	8	
<b>Page 28</b>		
D9i	7	
D9j	8	
D9k	7	
D9l	8	
D9m	8	
D9n	7	
D9o	8	
D9p	8	
D9q	7	
D9r	8	
D9s	8	
D9t	7	
D9u	7	
D9v	8	
D9w	8	

**PG File – Appendix B**

D9x	8	
D9y	7	
<b>Page 29</b>		
D10a-h	I	Code ‘sometimes’ as 3
D11a-h	I	Code ‘sometimes’ as 3
<b>Page 30, Section E</b>		
E1	8	
E2	II	
E3	I	
E3b		Not being coded here
E3c	I	
E3d	7	Code ‘evening work/twilight shift’ as zero
E3e	7	
<b>Page 31</b>		
E4a	7	
E4b	7	
E5a-f	7	
E6a i,ii	8	
<b>Page 32</b>		
E6b	7	
<b>Page 33, Section F</b>		
F1a-o	7	
<b>Page 34</b>		
F1p-ze	7	
F1zf	7	Please ensure that if something is written in the “please describe” section, that the previous box is ticked appropriately. If there is no tick, please code as zero, to indicate information in the “please describe” section.
<b>Page 35</b>		
F2	I	

## PG File – Appendix B

F2a-c	I	
F3(i),(ii)	7	
<b>Page 36</b>		
G1a-b	I	
G1c	I	Please ensure that if something is written in the “please describe” section, that the previous box is ticked appropriately. If there is no tick, please code as zero, to indicate information in the “please describe” section.
G2	IV	If blank, copy month and year form was returned from the stamped receipt date on the front cover and code the days as 99
G3	IV	Any valid date has to be accepted here.

**Bottom of Page 36 For Office Use Only**

## Coder

Insert your initials here.

Int.

If the questionnaire was completed with the aid of an interviewer, there will be initials here.

27/7/95

d:\usr\hugh\nucoding\panewq1.doc

# Appendix C: Questionnaire Methodology

## Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. No reminders were issued specific to partner questionnaires.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20.

## Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected, or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason, students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of CSV (comma separated values) data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were read into SPSS, added together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifier ALN. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letter “pg” which are followed by four digits and occasionally a further letter. Then the data from the back page were edited as described in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t

## PG File – Appendix C

know" to -9. Note that where there was actually a tick box category for "Don't know" that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to -8. See Table 1 for an overview of the common missing values on this data file.

**Table 1: Common missing value categories on release files and their interpretation**

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don't know	The respondent wrote "Don't know", or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for "Don't know".
-10	Not completed	No completed questionnaire is available for this case. Variable PG0007a = 2 for all such cases.

At some point in the future the data may be reissued as a "built" file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.