

THE ALSPAC STUDY

KL FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Development and Health of my Son / Daughter

At 57 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 2a of the built file.

April 2019

© University of Bristol

Contents

| | | |
|--------------|------------------------------|----------|
| Introduction | | Page 3 |
| Section A | Going to School | |
| | Text | Page 8 |
| | Frequencies | Page 24 |
| Section B | Eating Habits | |
| | Text | Page 64 |
| | Frequencies | Page 68 |
| Section C | Problems and Treatment | |
| | Text | Page 80 |
| | Frequencies | Page 92 |
| Section D | Accidents and Injuries | |
| | Text | Page 124 |
| | Frequencies | Page 126 |
| Section E | Your Child's Environment | |
| | Text | Page 130 |
| | Frequencies | Page 141 |
| Section F | You and Your Child | |
| | Text | Page 173 |
| | Frequencies | Page 186 |
| Section G | | Page 232 |
| Appendix A | General Coding Instructions | Page 238 |
| Appendix B | Specific Coding Instructions | Page 242 |
| Appendix C | Questionnaire Methodology | Page 253 |

Introduction

Contents

This questionnaire was sent out to carers when their study child was 57 months old and is in 7 sections. Section A contains standard ALSPAC health questions including: general health, hospital admissions, asthma & eczema symptoms, colds, stomach pain & diarrhoea, convulsions and infections. Section B contains questions on sleeping. Section C asks about aspects of the relationship between the study child and the carer and their partner and also television viewing habits and gender behaviour via the PSAI instrument (Golombok & Rust, 1993).

Section D collects information on upsetting events that have occurred since the child was three years old, whilst section E is about the child's development and language. Section F concerns the temperament and behaviour of the child, including questions on relationships with adults and children. Finally, section G collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire, although as with all child-based questionnaires there were separate copies for boys and girls. This documentation is based around the girls' copy.

Sample & response rates

There are a total of 14,754 records on this built file. This number is made up of the 14,676 fetuses in the core ALSPAC sample (regardless of whether or not the 57-month questionnaire was sent out for them or whether it was returned) plus 78 eligible children not in the core sample for whom questionnaires were sent out. Note that questionnaires were not returned for any of these 78 children.

Of the 14,676 fetuses in the core ALSPAC sample, 14,062 were live born. The 57-month questionnaire was sent out for 12,128 (86%) of these live born children. As of 31st August 2001 completed questionnaires had been returned for 9531 (79%) of these children, which is 68% of the 14,062 live born children. At the time of writing one further questionnaire had been returned, in November 2003. This has not yet been keyed. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Release file version history

Release version 1a – July 2006

The first version of the release file.

Built file version 2a – April 2019

Addition of EAS derived variables, kl720a to kl723c.

References

- Golombok, S., & Rust, J. (1993). The Pre-School Activities Inventory: A Standardized Assessment of Gender Role in Children. *Psychological Assessment*, 5(2), 131-136.

KL File – Introduction
Administrative variables

kl001 Questionnaire sent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 12206 | 82.7 | 82.7 | 82.7 |
| | 2 No | 2548 | 17.3 | 17.3 | 100.0 |
| | Total | 14754 | 100.0 | 100.0 | |

kl002 Reminder 1 sent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 6026 | 40.8 | 49.4 | 49.4 |
| | 2 No | 6180 | 41.9 | 50.6 | 100.0 |
| | Total | 12206 | 82.7 | 100.0 | |
| Missing | -2 Questionnaire not sent | 2548 | 17.3 | | |
| | Total | 14754 | 100.0 | | |

kl003 Reminder 2 sent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 4058 | 27.5 | 33.2 | 33.2 |
| | 2 No | 8148 | 55.2 | 66.8 | 100.0 |
| | Total | 12206 | 82.7 | 100.0 | |
| Missing | -2 Questionnaire not sent | 2548 | 17.3 | | |
| | Total | 14754 | 100.0 | | |

kl004 Eligible for visit

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1251 | 8.5 | 10.2 | 10.2 |
| | 2 No | 10955 | 74.3 | 89.8 | 100.0 |
| | Total | 12206 | 82.7 | 100.0 | |
| Missing | -2 Questionnaire not sent | 2548 | 17.3 | | |
| | Total | 14754 | 100.0 | | |

kl005 Questionnaire return status (as of 31/08/01)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Not returned | 2631 | 17.8 | 21.6 | 21.6 |
| | 2 Returned, completed | 9531 | 64.6 | 78.1 | 99.6 |
| | 3 Returned, blank | 44 | .3 | .4 | 100.0 |
| | Total | 12206 | 82.7 | 100.0 | |
| Missing | -2 Questionnaire not sent | 2548 | 17.3 | | |
| | Total | 14754 | 100.0 | | |

KL File – Introduction

kl006 Questionnaire returned (as of 31/08/01)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9575 | 64.9 | 78.4 | 78.4 |
| | 2 No | 2631 | 17.8 | 21.6 | |
| | Total | 12206 | 82.7 | 100.0 | |
| Missing | -2 Questionnaire not sent | 2548 | 17.3 | | |
| Total | | 14754 | 100.0 | | |

kl007 Questionnaire completed (as of 31/08/01)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9531 | 64.6 | 78.1 | 78.1 |
| | 2 No | 2675 | 18.1 | 21.9 | |
| | Total | 12206 | 82.7 | 100.0 | |
| Missing | -2 Questionnaire not sent | 2548 | 17.3 | | |
| Total | | 14754 | 100.0 | | |

kl007a Data available (as of 31/08/01)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9531 | 64.6 | 64.6 | 64.6 |
| | 2 No | 5223 | 35.4 | 35.4 | |
| | Total | 14754 | 100.0 | 100.0 | |

kl008 Questionnaire version

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Version 1 - 08/12/95 | 9531 | 64.6 | 100.0 | 100.0 |
| | Missing -10 Not completed | 5223 | 35.4 | | |
| | Total | 14754 | 100.0 | | |



| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|

DEVELOPMENT AND HEALTH OF MY DAUGHTER

This questionnaire asks some more questions about your study child. We are interested to know about her health and behaviour and how she gets on with other children.

This questionnaire is like the other questionnaires you have received. To answer simply tick the box which best describes your child or your child's situation. Please answer all questions that you can. If you cannot answer any question or if they do not apply to you please put a line through them. There are no right or wrong answers. Please just describe what happens in your situation. You may make additional comments at the end. All answers are confidential.


Many of the questions ask you to describe what has happened since your child was 3 - by this we mean since her 3rd birthday.

THANK YOU FOR YOUR HELP

08/12/95

SECTION A: YOUR CHILD'S HEALTH

A1. How would you assess the health of your child now?



A2. Has she had fluoride supplements (tablets or drops) in the past 2 years?

Yes 1 No 2 → If no or not known ← Not known 3

go to A3a below

If yes, (i) for how long did she have them?

less than 1 month 1 1-2 months 2 3-5 months 3 6-11 months 4

more than 12 months 5 don't know 9

ii) How old was she when she last had fluoride supplements? years old
(put 6 if she still has them)

A3. a) Since your child was 3 years old, has the doctor been called to your home because she was unwell?

Yes 1 No 2 → If no, go to A4 on page 3

PAGE 3 OF THE QUESTIONNAIRE

If yes,

b) how many times?

once 1 twice 2 3-4 times 3 5 or more times 4

A4. Has she had any of the following since she was 3 years old?

| Since 3 years old | Yes and saw a doctor | Yes but did not see doctor | No did not have |
|-----------------------------------|----------------------------|----------------------------|----------------------------|
| a) diarrhoea | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| b) blood in the stools | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| c) vomiting | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| d) cough | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| e) high temperature | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| f) snuffles/cold | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| g) ear ache | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| h) ear discharge (pus not wax) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| i) convulsions/fits | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| j) stomach ache(s) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| k) rash | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| l) wheezing | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| m) breathlessness | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| n) episodes of stopping breathing | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| o) an accident | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| p) urinary infection | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |

KL File – Section A

PAGE 4 OF THE QUESTIONNAIRE

| Since 3 years old | Yes and saw a doctor | Yes but did not see doctor | No did not have |
|-------------------------------------|----------------------|----------------------------|-----------------|
| q) headache(s) | 1 | 2 | 3 |
| r) constipation | 1 | 2 | 3 |
| s) worm infections | 1 | 2 | 3 |
| t) lice or scabies | 1 | 2 | 3 |
| u) other (please tick and describe) | 1 | 2 | 3 |

.....

A5. a) Has your child been admitted to hospital since she was 3 years old?

Yes 1 No 2 → If **no**, go to A6 on page 5

If **yes**,



b) how many times?

. c) please describe for each admission:

| Age of child (years) | Reason for admission | No. of nights child stayed in hospital |
|-----------------------------|----------------------|---|
| 1. <input type="checkbox"/> | | <input type="checkbox"/> <input type="checkbox"/> |
| 2. <input type="checkbox"/> | | <input type="checkbox"/> <input type="checkbox"/> |
| 3. <input type="checkbox"/> | | <input type="checkbox"/> <input type="checkbox"/> |

PAGE 5 OF THE QUESTIONNAIRE

A5. d) How often did you see her while she was in hospital?

A6. Has she **ever** had any of the following operations?

A7. a) Since she was 3 years old has she had any periods when there was wheezing with whistling on her chest when she breathed?

Yes No → If **no**, go to A7g on page 7

KL File – Section A

PAGE 6 OF THE QUESTIONNAIRE

If yes,

A7. b) How many separate times has this happened since she was 3 years old?

once 1 twice 2 3-4 times 3 5 or more times 4 don't know 9

c) How many days altogether would you say she had wheezed since she was 3 years old?

1 day 1 2-3 days 2 4-9 days 3 10-19 days 4 20 or more days 5 don't know 9

d) Was she breathless during any of these times?

Yes for all 1 Yes for some 2 No not at all 3

e) Did she have a fever during any of these times?

Yes for all 1 Yes for some 2 No not at all 3

f) What do you think brings the wheezing attacks on?

| | Yes | No |
|-------------------------------------|----------------------------|----------------------------|
| i) chest infection or bronchitis | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| ii) being in a smoky room | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| iii) cold weather | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| iv) I don't know | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| v) other (please tick and describe) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

KL File – Section A

PAGE 7 OF THE QUESTIONNAIRE

A7. g) Have any of your other children had spells of wheezing with whistling on the chest?

Yes 1 No 2 have no other children 7

A8. a) Has your child had any itchy, dry skin rash in the joints and creases of her body (e.g. behind the knees, elbows, under the arms) since she was 3 years old?

Yes 1 No 2 → If no, go to A9a below

If yes,

b) how bad was this?

very bad 1 quite bad 2 mild 3 no problem 4

c) does she have this sort of rash now?

Yes 1 No 2

Yes 1 No 2

d) did the rash ever become sore and oozy?

Yes 1 No 2

e) was it made worse by irritants such as bubble bath, soap, wool or nylon clothing?

Yes 1 No 2

A9. a) Has she had an itchy, dry, rash on her hands since she was 3 years old?

Yes 1 No 2

b) Has she had an itchy, dry rash on her feet since she was 3 years old?

Yes 1 No 2 → If no, go to A9c on page 8

If yes, please describe which parts of her feet

KL File – Section A

PAGE 8 OF THE QUESTIONNAIRE

A9. c) Does her skin get itchy when she gets sweaty? (e.g. in a hot room or when she has been playing)

Yes 1 No 2

A10. Has she ever had a skin reaction (e.g. redness or itching) which you thought was due to some food that she had eaten?

Yes 1 No 2 → If no, go to A11a below

If yes,

- i) please describe the food(s)
- ii) how long after the food was eaten did the reaction appear?.....
- iii) where was the reaction? mouth 1
other part 2 → please say where
.....

A11. a) Has she had vomiting spells since she was 3 years old?

Yes 1 No 2 → If no, go to A12a on page 9

If yes,

b) How many times?

once 1 twice 2 3-9 times 3 10 or more times 4

PAGE 9 OF THE QUESTIONNAIRE

A11. c) With the vomiting attacks, did she also have:

| | | Always | Frequently | Sometimes | Rarely | Never |
|-----|--|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| i) | diarrhoea | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | 5 |
| ii) | chestiness (wheezing or coughing or grunting) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

A12. a) Since she was 3 years old has she had diarrhoea or gastro-enteritis?

Yes 1

No 2

→ If no go to A13a on page 10

If yes,

b) how many times?

| | |
|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> |
|--------------------------|--------------------------|

c) how many days did the worst
attack last?

| | |
|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> |
|--------------------------|--------------------------|

d) Did you:

Yes

No

i) call the doctor to come to your home?

| |
|----------------------------|
| <input type="checkbox"/> 1 |
|----------------------------|

| |
|----------------------------|
| <input type="checkbox"/> 2 |
|----------------------------|

ii) go to your doctor?

| |
|----------------------------|
| <input type="checkbox"/> 1 |
|----------------------------|

| |
|----------------------------|
| <input type="checkbox"/> 2 |
|----------------------------|

iii) treat it yourself?

| |
|----------------------------|
| <input type="checkbox"/> 1 |
|----------------------------|

| |
|----------------------------|
| <input type="checkbox"/> 2 |
|----------------------------|

iv) do something else? (please tick and
describe)

| |
|----------------------------|
| <input type="checkbox"/> 1 |
|----------------------------|

| |
|----------------------------|
| <input type="checkbox"/> 2 |
|----------------------------|

.....

e) Did she continue to eat as usual?

Yes 1 → If yes, go to A12f on page 10

No 2

KL File – Section A

PAGE 10 OF THE QUESTIONNAIRE

If no, i) how long was normal feeding disturbed?

| | | | | | |
|--------------------|----------------------------|-------------------|----------------------------|--------|----------------------------|
| less than 1 day | <input type="checkbox"/> 1 | 1 day | <input type="checkbox"/> 2 | 2 days | <input type="checkbox"/> 3 |
| 3-4 days | <input type="checkbox"/> 4 | 5 or more days | <input type="checkbox"/> 5 | | |

A12. f) Was she given an oral rehydration solution?

| | | | | | |
|-----|----------------------------|----|----------------------------|------------|----------------------------|
| Yes | <input type="checkbox"/> 1 | No | <input type="checkbox"/> 2 | Don't know | <input type="checkbox"/> 9 |
|-----|----------------------------|----|----------------------------|------------|----------------------------|

↓

If no or don't know, go to A12g below

If yes, i) give type if known:

ii) how long was the solution given?

| | | | | | |
|--------------------|----------------------------|-------------------|----------------------------|--------|----------------------------|
| less than 1 day | <input type="checkbox"/> 1 | 1 day | <input type="checkbox"/> 2 | 2 days | <input type="checkbox"/> 3 |
| 3-4 days | <input type="checkbox"/> 4 | 5 or more days | <input type="checkbox"/> 5 | | |

A12. g) What other treatment was given?

.....
.....

A13. a) Since she was 3 years old has your child ever had a time when she has coughed off and on for at least 2 days?

Yes 1 No 2 → If no, go to A14a on page 11

If yes,

b) how many times has this happened since she was 3 years old?

once 1 twice 2 3-9 times 3 10 or more times 4

KL File – Section A

PAGE 11 OF THE QUESTIONNAIRE

A13. c) Did she have a fever at any of these times?

Yes for all 1 Yes for some 2 No, not at all 3

d) Did she have a runny nose during any of these spells?

Yes for all 1 Yes for some 2 No, not at all 3

A14. The following questions are about your child's ears or hearing.

a) Nowadays, does your child listen to people or to things that happen nearby:

| | | | |
|------------|----------------------------|--------------------------------|----------------------------|
| Yes always | <input type="checkbox"/> 1 | Yes often | <input type="checkbox"/> 2 |
| Sometimes | <input type="checkbox"/> 3 | Usually not | <input type="checkbox"/> 4 |
| Never | <input type="checkbox"/> 5 | Child unable to hear at all | <input type="checkbox"/> 7 |

b) Does she turn her head towards sounds?

| | |
|----------------------------|----------------------------|
| yes usually | <input type="checkbox"/> 1 |
| yes sometimes | <input type="checkbox"/> 2 |
| only to very loud sounds | <input type="checkbox"/> 3 |
| never turns towards sounds | <input type="checkbox"/> 4 |
| don't know | <input type="checkbox"/> 9 |

c) During or after a cold, is her hearing worse than usual?

| | | | |
|----------------------|----------------------------|---------------------|----------------------------|
| yes, much worse | <input type="checkbox"/> 1 | yes, a little worse | <input type="checkbox"/> 2 |
| no, about the same | <input type="checkbox"/> 3 | don't know | <input type="checkbox"/> 9 |
| has never had a cold | <input type="checkbox"/> 7 | | |

PAGE 12 OF THE QUESTIONNAIRE

A14. d) During recent colds, is the dripping (discharge) from her nose:

| | Yes usually | Yes sometimes | No never | Don't know | Hasn't had a cold | |
|--|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------|
| i) clear | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 | <input type="checkbox"/> 7 | → Go to A14e below |
| ii) slightly white in colour | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 | | |
| iii) thick heavy yellow and/or green in colour (catarrh) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 | | |
| iv) very little discharge occurs at all | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 | | |

e) Has pus or sticky mucus (not ear wax) leaked out of her ear since she was 3 years old?


| | |
|----------------|----------------------------|
| never | <input type="checkbox"/> 1 |
| once | <input type="checkbox"/> 2 |
| more than once | <input type="checkbox"/> 3 |
| don't know | <input type="checkbox"/> 9 |

f) Does she breathe through her mouth rather than through her nose?


| | (i) when asleep | (ii) when awake |
|------------------|----------------------------|----------------------------|
| all the time | <input type="checkbox"/> 1 | <input type="checkbox"/> 1 |
| much of the time | <input type="checkbox"/> 2 | <input type="checkbox"/> 2 |
| sometimes | <input type="checkbox"/> 3 | <input type="checkbox"/> 3 |
| rarely | <input type="checkbox"/> 4 | <input type="checkbox"/> 4 |
| never | <input type="checkbox"/> 5 | <input type="checkbox"/> 5 |
| don't know | <input type="checkbox"/> 9 | <input type="checkbox"/> 9 |

PAGE 13 OF THE QUESTIONNAIRE

A14. g) Does she snore for more than a few minutes at a time?



h) When she is asleep, does she seem to stop breathing or hold her breath for several seconds at a time?



A15. a) Have there been times since she was 3 years old when she has had a pain in her stomach?

Yes 1 No 2 → If no, go to A16a on page 14

If yes,

b) How many separate times has this happened since she was 3 years old?

once 1 twice 2 3-4 times 3 5 or more times 4 don't know 9

c) Did she have vomiting or diarrhoea at the same time as the pain?

yes every time 1 yes, for some of the the times 2 no, not at all 3

PAGE 14 OF THE QUESTIONNAIRE

A15. d) What do you think are the causes of her stomach pains (tick all that apply)?

- i) something she ate 1
- ii) an infection 1
- iii) constipation 1
- iv) other
(please describe) 1

.....

- v) don't know 1

A16. a) Does she often have aches and pains in her arms or legs?

yes arm(s) 1 yes leg(s) 2 yes both 3 no, not often 4



If no, go to A17a
on page 15

b) **If yes,**

- i) does this happen especially when she is tired? Yes 1 No 2
- ii) what do you think is the cause ?
.....


- iii) do you find any particular treatment helps ?

Yes 1 No 2

If yes, please describe.....

PAGE 15 OF THE QUESTIONNAIRE

- A17. a) Since she was 3 years old has she had any form of convulsion, fit, seizure or other turn in which consciousness was lost or any part of the body made an abnormal movement?



If yes,

- b) Please describe the first attack since her 3rd birthday:
-
-

- c) Did she have a high temperature at the time?

Yes 1 No 2 Not known 9

- d) How old was she at the time?

3 years 1 4 years 2 5 years old 3

- e) How many attacks has she had since her 3rd birthday?

one 1 two 2 3-4 3 5 or more 4

PAGE 16 OF THE QUESTIONNAIRE

A17. f) By whom was she seen for these attack(s)? (tick all that apply)

- Yes**
- | | | |
|--------------------------------------|--------------------------|---|
| i) general practitioner (GP) at home | <input type="checkbox"/> | 1 |
| ii) GP at surgery | <input type="checkbox"/> | 1 |
| iii) hospital outpatients | <input type="checkbox"/> | 1 |
| iv) admitted to hospital | <input type="checkbox"/> | 1 |

g) What investigations, if any, have been carried out?

.....

.....

h) Did later attacks differ from the first one ?

Yes 1 No 2 → **If no, go to (j) below**

If yes, please describe

.....

j) What were these thought to be due to? (Tick all that apply)

- | | | |
|-----------------------------|--------------------------|---|
| i) febrile convulsions | <input type="checkbox"/> | 1 |
| ii) fainting and blackouts | <input type="checkbox"/> | 1 |
| iii) epilepsy | <input type="checkbox"/> | 1 |
| iv) breath holding | <input type="checkbox"/> | 1 |
| v) reaction to immunisation | <input type="checkbox"/> | 1 |
| vi) other (please specify) | <input type="checkbox"/> | 1 |
| vii) don't know | <input type="checkbox"/> | 1 |
-

PAGE 17 OF THE QUESTIONNAIRE

A18. Since she was 3 years old, has she had the following infections?

| | | Yes | No |
|----|--|-----|----|
| a) | measles | 1 | 2 |
| b) | chicken pox | 1 | 2 |
| c) | mumps | 1 | 2 |
| d) | meningitis | 1 | 2 |
| e) | cold sores | 1 | 2 |
| f) | whooping cough | 1 | 2 |
| g) | urinary infection | 1 | 2 |
| h) | eye infection | 1 | 2 |
| i) | ear infection | 1 | 2 |
| j) | chest infection | 1 | 2 |
| k) | other infection (please tick and describe) | 1 | 2 |

.....

A19. Approximately how many times **in the last 12 months** has:

- a) the family doctor come to your home because your study child was ill times (put 00 if not at all)
- b) the family doctor seen your study child in his surgery because she was unwell? times (put 00 if not at all)
- c) a doctor seen your study child for a routine check? times (put 00 if not at all)

KL File – Section A

kl010 A1i: Parent's assessment of child's health in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very healthy, no problems | 6167 | 64.7 | 67.4 | 67.4 |
| | 2 Healthy, a few minor problems | 2802 | 29.4 | 30.6 | 98.0 |
| | 3 Sometimes quite ill | 147 | 1.5 | 1.6 | 99.6 |
| | 4 Almost always unwell | 36 | .4 | .4 | 100.0 |
| | Total | 9152 | 96.0 | 100.0 | |
| Missing | -1 No response | 379 | 4.0 | | |
| Total | | 9531 | 100.0 | | |

kl011 A1ii: Parent's assessment of child's health in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very healthy, no problems | 4749 | 49.8 | 52.2 | 52.2 |
| | 2 Healthy, a few minor problems | 4073 | 42.7 | 44.8 | 97.0 |
| | 3 Sometimes quite ill | 249 | 2.6 | 2.7 | 99.8 |
| | 4 Almost always unwell | 21 | .2 | .2 | 100.0 |
| | Total | 9092 | 95.4 | 100.0 | |
| Missing | -1 No response | 439 | 4.6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl013 A2: Child had fluoride supplements in past 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 372 | 3.9 | 3.9 | 3.9 |
| | 2 No | 9018 | 94.6 | 95.3 | 99.2 |
| | 3 Not Known | 73 | .8 | .8 | 100.0 |
| | Total | 9463 | 99.3 | 100.0 | |
| Missing | -1 No response | 68 | .7 | | |
| | Total | 9531 | 100.0 | | |

kl014 A2i: Length of time child had fluoride supplements

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 < 1 month | 45 | .5 | 12.3 | 12.3 |
| | 2 1-2 months | 55 | .6 | 15.0 | 27.2 |
| | 3 3-5 months | 61 | .6 | 16.6 | 43.9 |
| | 4 6-11 months | 58 | .6 | 15.8 | 59.7 |
| | 5 12+ months | 133 | 1.4 | 36.2 | 95.9 |
| | 9 Don't know | 15 | .2 | 4.1 | 100.0 |
| | Total | 367 | 3.9 | 100.0 | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 9163 | 96.1 | | |
| Missing | Total | 9164 | 96.1 | | |
| | Total | 9531 | 100.0 | | |

kl015 A2ii: Age of child when they last had fluoride supplements - years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 4 | .0 | 1.1 | 1.1 |
| | 1 | 6 | .1 | 1.6 | 2.7 |
| | 2 | 23 | .2 | 6.2 | 8.8 |
| | 3 | 64 | .7 | 17.2 | 26.0 |
| | 4 | 85 | .9 | 22.8 | 48.8 |
| | 6 Child still has them | 191 | 2.0 | 51.2 | 100.0 |
| | Total | 373 | 3.9 | 100.0 | |
| | -9 Don't know | 2 | .0 | | |
| | -1 No response | 9156 | 96.1 | | |
| Missing | Total | 9158 | 96.1 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl017 A3a: Doctor called to home because child was unwell since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 2019 | 21.2 | 21.7 | 21.7 |
| | 2 No | 7284 | 76.4 | 78.3 | 100.0 |
| | Total | 9303 | 97.6 | 100.0 | |
| Missing | -1 No response | 228 | 2.4 | | |
| | Total | 9531 | 100.0 | | |

kl018 A3b: Number of times doctor called to home because child unwell since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Once | 1165 | 12.2 | 58.3 | 58.3 |
| | 2 Twice | 569 | 6.0 | 28.5 | 86.7 |
| | 3 3-4 times | 211 | 2.2 | 10.6 | 97.3 |
| | 4 5+ times | 55 | .6 | 2.8 | 100.0 |
| | Total | 2000 | 21.0 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 7528 | 79.0 | | |
| | Total | 7531 | 79.0 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl020 A4a: Child had diarrhoea since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 821 | 8.6 | 8.7 | 8.7 |
| | 2 Yes, did not see a doctor | 4793 | 50.3 | 51.0 | 59.7 |
| | 3 No, did not have | 3793 | 39.8 | 40.3 | 100.0 |
| | Total | 9407 | 98.7 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 122 | 1.3 | | |
| | Total | 124 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl021 A4b: Child had blood in stools since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 103 | 1.1 | 1.1 | 1.1 |
| | 2 Yes, did not see a doctor | 79 | .8 | .8 | 1.9 |
| | 3 No, did not have | 9207 | 96.6 | 98.1 | 100.0 |
| | Total | 9389 | 98.5 | 100.0 | |
| Missing | -1 No response | 142 | 1.5 | | |
| Total | | 9531 | 100.0 | | |

kl022 A4c: Child had vomiting since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 1073 | 11.3 | 11.4 | 11.4 |
| | 2 Yes, did not see a doctor | 5603 | 58.8 | 59.5 | 70.9 |
| | 3 No, did not have | 2736 | 28.7 | 29.1 | 100.0 |
| | Total | 9412 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 117 | 1.2 | | |
| | Total | 119 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl023 A4d: Child had cough since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 2762 | 29.0 | 29.3 | 29.3 |
| | 2 Yes, did not see a doctor | 6026 | 63.2 | 63.8 | 93.1 |
| | 3 No, did not have | 651 | 6.8 | 6.9 | 100.0 |
| | Total | 9439 | 99.0 | 100.0 | |
| Missing | -1 No response | 92 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl024 A4e: Child had high temperature since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 2542 | 26.7 | 27.0 | 27.0 |
| | 2 Yes, did not see a doctor | 4508 | 47.3 | 48.0 | 75.0 |
| | 3 No, did not have | 2349 | 24.6 | 25.0 | 100.0 |
| | Total | 9399 | 98.6 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 130 | 1.4 | | |
| | Total | 132 | 1.4 | | |
| Total | | 9531 | 100.0 | | |

kl025 A4f: Child had snuffles/cold since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 819 | 8.6 | 8.7 | 8.7 |
| | 2 Yes, did not see a doctor | 8287 | 86.9 | 87.9 | 96.6 |
| | 3 No, did not have | 325 | 3.4 | 3.4 | 100.0 |
| | Total | 9431 | 99.0 | 100.0 | |
| Missing | -1 No response | 100 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl026 A4g: Child had earache since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 2991 | 31.4 | 31.7 | 31.7 |
| | 2 Yes, did not see a doctor | 867 | 9.1 | 9.2 | 40.9 |
| | 3 No, did not have | 5568 | 58.4 | 59.1 | 100.0 |
| | Total | 9426 | 98.9 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 104 | 1.1 | | |
| | Total | 105 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl027 A4h: Child had ear discharge (pus) since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 590 | 6.2 | 6.3 | 6.3 |
| | 2 Yes, did not see a doctor | 109 | 1.1 | 1.2 | 7.4 |
| | 3 No, did not have | 8686 | 91.1 | 92.6 | 100.0 |
| | Total | 9385 | 98.5 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 145 | 1.5 | | |
| | Total | 146 | 1.5 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl028 A4i: Child had convulsions/fits since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 132 | 1.4 | 1.4 | 1.4 |
| | 2 Yes, did not see a doctor | 12 | .1 | .1 | 1.5 |
| | 3 No, did not have | 9277 | 97.3 | 98.5 | 100.0 |
| | Total | 9421 | 98.8 | 100.0 | |
| Missing | -1 No response | 110 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl029 A4j: Child had stomach ache(s) since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 592 | 6.2 | 6.3 | 6.3 |
| | 2 Yes, did not see a doctor | 4371 | 45.9 | 46.4 | 52.7 |
| | 3 No, did not have | 4460 | 46.8 | 47.3 | 100.0 |
| | Total | 9423 | 98.9 | 100.0 | |
| Missing | -1 No response | 108 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl030 A4k: Child had rash since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 1332 | 14.0 | 14.2 | 14.2 |
| | 2 Yes, did not see a doctor | 1251 | 13.1 | 13.3 | 27.5 |
| | 3 No, did not have | 6826 | 71.6 | 72.5 | 100.0 |
| | Total | 9409 | 98.7 | 100.0 | |
| Missing | -1 No response | 122 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl031 A4l: Child had wheezing since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 1091 | 11.4 | 11.6 | 11.6 |
| | 2 Yes, did not see a doctor | 440 | 4.6 | 4.7 | 16.3 |
| | 3 No, did not have | 7887 | 82.8 | 83.7 | 100.0 |
| | Total | 9418 | 98.8 | 100.0 | |
| Missing | -1 No response | 113 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl032 A4m: Child had breathlessness since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 621 | 6.5 | 6.6 | 6.6 |
| | 2 Yes, did not see a doctor | 181 | 1.9 | 1.9 | 8.5 |
| | 3 No, did not have | 8610 | 90.3 | 91.5 | 100.0 |
| | Total | 9412 | 98.8 | 100.0 | |
| Missing | -1 No response | 119 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl033 A4n: Child had episodes of stopping breathing since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 55 | .6 | .6 | .6 |
| | 2 Yes, did not see a doctor | 36 | .4 | .4 | |
| | 3 No, did not have | 9322 | 97.8 | 99.0 | |
| | Total | 9413 | 98.8 | 100.0 | |
| Missing | -1 No response | 118 | 1.2 | | |
| | Total | 9531 | 100.0 | | |

kl034 A4o: Child had accident since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 1096 | 11.5 | 11.7 | 11.7 |
| | 2 Yes, did not see a doctor | 491 | 5.2 | 5.2 | |
| | 3 No, did not have | 7820 | 82.0 | 83.1 | |
| | Total | 9407 | 98.7 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 123 | 1.3 | | |
| | Total | 124 | 1.3 | | |
| | Total | 9531 | 100.0 | | |

kl035 A4p: Child had urinary infection since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 526 | 5.5 | 5.6 | 5.6 |
| | 2 Yes, did not see a doctor | 34 | .4 | .4 | |
| | 3 No, did not have | 8862 | 93.0 | 94.1 | |
| | Total | 9422 | 98.9 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 108 | 1.1 | | |
| | Total | 109 | 1.1 | | |
| | Total | 9531 | 100.0 | | |

kl036 A4q: Child had headache(s) since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 343 | 3.6 | 3.6 | 3.6 |
| | 2 Yes, did not see a doctor | 2682 | 28.1 | 28.4 | |
| | 3 No, did not have | 6423 | 67.4 | 68.0 | |
| | Total | 9448 | 99.1 | 100.0 | |
| Missing | -1 No response | 83 | .9 | | |
| | Total | 9531 | 100.0 | | |

kl037 A4r: Child had constipation since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 267 | 2.8 | 2.8 | 2.8 |
| | 2 Yes, did not see a doctor | 1093 | 11.5 | 11.6 | |
| | 3 No, did not have | 8087 | 84.8 | 85.6 | |
| | Total | 9447 | 99.1 | 100.0 | |
| Missing | -1 No response | 84 | .9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl038 A4s: Child had worm infections since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 442 | 4.6 | 4.7 | 4.7 |
| | 2 Yes, did not see a doctor | 433 | 4.5 | 4.6 | 9.3 |
| | 3 No, did not have | 8574 | 90.0 | 90.7 | 100.0 |
| | Total | 9449 | 99.1 | 100.0 | |
| Missing | -1 No response | 82 | .9 | | |
| | Total | 9531 | 100.0 | | |

kl039 A4t: Child had lice or scabies since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw a doctor | 278 | 2.9 | 2.9 | 2.9 |
| | 2 Yes, did not see a doctor | 1134 | 11.9 | 12.0 | 14.9 |
| | 3 No, did not have | 8034 | 84.3 | 85.1 | 100.0 |
| | Total | 9446 | 99.1 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 84 | .9 | | |
| | Total | 85 | .9 | | |
| | Total | 9531 | 100.0 | | |

kl040 A4u: Child had other condition since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 51 | .5 | .8 | .8 |
| | 1 Yes, saw a doctor | 628 | 6.6 | 10.1 | 10.9 |
| | 2 Yes, did not see a doctor | 137 | 1.4 | 2.2 | 13.1 |
| | 3 No, did not have | 5412 | 56.8 | 86.9 | 100.0 |
| | Total | 6228 | 65.3 | 100.0 | |
| Missing | -1 No response | 3303 | 34.7 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl045 A5a: Child admitted to hospital since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1010 | 10.6 | 10.6 | 10.6 |
| | 2 No | 8484 | 89.0 | 89.4 | 100.0 |
| | Total | 9494 | 99.6 | 100.0 | |
| Missing | -1 No response | 37 | .4 | | |
| Total | | 9531 | 100.0 | | |

kl046 A5b: Number of times child admitted to hospital since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 | 861 | 9.0 | 86.4 | 86.4 |
| | 2 | 108 | 1.1 | 10.8 | 97.2 |
| | 3 | 21 | .2 | 2.1 | 99.3 |
| | 4 | 5 | .1 | .5 | 99.8 |
| | 5 | 2 | .0 | .2 | 100.0 |
| | Total | 997 | 10.5 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 8531 | 89.5 | | |
| | Total | 8534 | 89.5 | | |
| | Total | 9531 | 100.0 | | |

kl047 A5c1: Age of child (years) at admission #1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 | 3 | .0 | .3 | .3 |
| | 2 | 2 | .0 | .2 | .5 |
| | 3 | 469 | 4.9 | 48.4 | 48.9 |
| | 4 | 493 | 5.2 | 50.8 | 99.7 |
| | 5 | 3 | .0 | .3 | 100.0 |
| | Total | 970 | 10.2 | 100.0 | |
| Missing | -9 Don't know | 8 | .1 | | |
| | -1 No response | 8553 | 89.7 | | |
| | Total | 8561 | 89.8 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl051 A5c1: Nights child stayed in hospital admission #1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 431 | 4.5 | 44.6 | 44.6 |
| | 1 | 340 | 3.6 | 35.2 | 79.7 |
| | 2 | 64 | .7 | 6.6 | 86.3 |
| | 3 | 54 | .6 | 5.6 | 91.9 |
| | 4 | 21 | .2 | 2.2 | 94.1 |
| | 5 | 18 | .2 | 1.9 | 96.0 |
| | 6 | 8 | .1 | .8 | 96.8 |
| | 7 | 11 | .1 | 1.1 | 97.9 |
| | 8 | 4 | .0 | .4 | 98.3 |
| | 9 | 1 | .0 | .1 | 98.4 |
| | 10 | 6 | .1 | .6 | 99.1 |
| | 14 | 1 | .0 | .1 | 99.2 |
| | 15 | 1 | .0 | .1 | 99.3 |
| | 20 | 1 | .0 | .1 | 99.4 |
| | 21 | 3 | .0 | .3 | 99.7 |
| | 35 | 1 | .0 | .1 | 99.8 |
| | 40 | 1 | .0 | .1 | 99.9 |
| | 42 | 1 | .0 | .1 | 100.0 |
| | Total | 967 | 10.1 | 100.0 | |
| Missing | -9 Don't know | 8 | .1 | | |
| | -1 No response | 8556 | 89.8 | | |
| | Total | 8564 | 89.9 | | |
| | Total | 9531 | 100.0 | | |

kl052 A5c2: Age of child (years) at admission #2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 | 3 | .0 | 2.3 | 2.3 |
| | 3 | 54 | .6 | 41.2 | 43.5 |
| | 4 | 74 | .8 | 56.5 | 100.0 |
| | Total | 131 | 1.4 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 9397 | 98.6 | | |
| | Total | 9400 | 98.6 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl056 A5c2: Nights child stayed in hospital admission #2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 56 | .6 | 43.4 | 43.4 |
| | 1 | 39 | .4 | 30.2 | 73.6 |
| | 2 | 17 | .2 | 13.2 | 86.8 |
| | 3 | 10 | .1 | 7.8 | 94.6 |
| | 4 | 3 | .0 | 2.3 | 96.9 |
| | 5 | 1 | .0 | .8 | 97.7 |
| | 6 | 1 | .0 | .8 | 98.4 |
| | 7 | 1 | .0 | .8 | 99.2 |
| | 17 | 1 | .0 | .8 | 100.0 |
| | Total | 129 | 1.4 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 9399 | 98.6 | | |
| | Total | 9402 | 98.6 | | |
| Total | | 9531 | 100.0 | | |

kl057 A5c3: Age of child (years) at admission #3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 3 | 10 | .1 | 30.3 | 30.3 |
| | 4 | 23 | .2 | 69.7 | 100.0 |
| | Total | 33 | .3 | 100.0 | |
| Missing | -1 No response | 9498 | 99.7 | | |
| | Total | 9531 | 100.0 | | |

kl061 A5c3: Nights child stayed in hospital admission #3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 13 | .1 | 33.3 | 33.3 |
| | 1 | 15 | .2 | 38.5 | 71.8 |
| | 2 | 5 | .1 | 12.8 | 84.6 |
| | 3 | 1 | .0 | 2.6 | 87.2 |
| | 4 | 1 | .0 | 2.6 | 89.7 |
| | 5 | 3 | .0 | 7.7 | 97.4 |
| | 10 | 1 | .0 | 2.6 | 100.0 |
| | Total | 39 | .4 | 100.0 | |
| Missing | -1 No response | 9492 | 99.6 | | |
| | Total | 9531 | 100.0 | | |

kl063 A5d1: Frequency parent saw child in hospital - admission #1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Not at all | 11 | .1 | 1.2 | 1.2 |
| | 2 Quite often | 3 | .0 | .3 | 1.5 |
| | 3 Every day | 36 | .4 | 3.8 | 5.3 |
| | 4 Stayed in hospital with child | 889 | .93 | 94.7 | 100.0 |
| | Total | 939 | .99 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 8590 | 90.1 | | |
| | Total | 8592 | 90.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl064 A5d2: Frequency parent saw child in hospital - admission #2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Not at all | 2 | .0 | 1.6 | 1.6 |
| | 3 Every day | 10 | .1 | 8.1 | 9.7 |
| | 4 Stayed in hospital with child | 112 | 1.2 | 90.3 | 100.0 |
| | Total | 124 | 1.3 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 9405 | 98.7 | | |
| | Total | 9407 | 98.7 | | |
| Total | | 9531 | 100.0 | | |

kl065 A5d3: Frequency parent saw child in hospital - admission #3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Not at all | 1 | .0 | 3.0 | 3.0 |
| | 2 Quite often | 2 | .0 | 6.1 | 9.1 |
| | 3 Every day | 7 | .1 | 21.2 | 30.3 |
| | 4 Stayed in hospital with child | 23 | .2 | 69.7 | 100.0 |
| Missing | Total | 33 | .3 | 100.0 | |
| | -8 Text response | 2 | .0 | | |
| | -1 No response | 9496 | 99.6 | | |
| Total | | 9498 | 99.7 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl070 A6a: Child has at some time had a hernia repair

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 172 | 1.8 | 1.9 | 1.9 |
| | 2 No | 9102 | 95.5 | 98.1 | 100.0 |
| | Total | 9274 | 97.3 | 100.0 | |
| Missing | -1 No response | 257 | 2.7 | | |
| | Total | 9531 | 100.0 | | |

kl071 A6b: Child has at some time had their tonsils out

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 141 | 1.5 | 1.5 | 1.5 |
| | 2 No | 9130 | 95.8 | 98.5 | 100.0 |
| | Total | 9271 | 97.3 | 100.0 | |
| Missing | -1 No response | 260 | 2.7 | | |
| | Total | 9531 | 100.0 | | |

kl072 A6c: Child has at some time had their adenoids out

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 308 | 3.2 | 3.3 | 3.3 |
| | 2 No | 8968 | 94.1 | 96.7 | 100.0 |
| | Total | 9276 | 97.3 | 100.0 | |
| Missing | -1 No response | 255 | 2.7 | | |
| | Total | 9531 | 100.0 | | |

kl073 A6d: Child has at some time had an appendicectomy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 12 | .1 | .1 | .1 |
| | 2 No | 9244 | 97.0 | 99.9 | 100.0 |
| | Total | 9256 | 97.1 | 100.0 | |
| Missing | -1 No response | 275 | 2.9 | | |
| | Total | 9531 | 100.0 | | |

kl074 A6e: Child has at some time had grommets put in their ears

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 378 | 4.0 | 4.1 | 4.1 |
| | 2 No | 8899 | 93.4 | 95.9 | 100.0 |
| | Total | 9277 | 97.3 | 100.0 | |
| Missing | -1 No response | 254 | 2.7 | | |
| | Total | 9531 | 100.0 | | |

kl075 A6f: Child has at some time had a squint repair

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 57 | .6 | .6 | .6 |
| | 2 No | 9201 | 96.5 | 99.4 | 100.0 |
| | Total | 9258 | 97.1 | 100.0 | |
| Missing | -1 No response | 273 | 2.9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl076 A6g: Child has at some time had teeth pulled out

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 312 | 3.3 | 3.4 | 3.4 |
| | 2 No | 8949 | 93.9 | 96.6 | 100.0 |
| | Total | 9261 | 97.2 | 100.0 | |
| Missing | -1 No response | 270 | 2.8 | | |
| Total | | 9531 | 100.0 | | |

kl077 A6h: Child has at some time had other operations

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 464 | 4.9 | 5.9 | 5.9 |
| | 2 No | 7389 | 77.5 | 94.1 | 100.0 |
| | Total | 7853 | 82.4 | 100.0 | |
| Missing | -1 No response | 1678 | 17.6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl080 A7a: Child had periods when there was wheezing/whistling as they breathed since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1516 | 15.9 | 16.0 | 16.0 |
| | 2 No | 7970 | 83.6 | 84.0 | 100.0 |
| | Total | 9486 | 99.5 | 100.0 | |
| Missing | -1 No response | 45 | .5 | | |
| | Total | 9531 | 100.0 | | |

kl081 A7b: Number of separate times child had wheezing/whistling since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Once | 246 | 2.6 | 16.3 | 16.3 |
| | 2 Twice | 275 | 2.9 | 18.3 | 34.6 |
| | 3 3-4 times | 416 | 4.4 | 27.6 | 62.2 |
| | 4 5+ times | 477 | 5.0 | 31.7 | 93.9 |
| | 9 Don't know | 92 | 1.0 | 6.1 | 100.0 |
| | Total | 1506 | 15.8 | 100.0 | |
| | | | | | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 8023 | 84.2 | | |
| | Total | 8025 | 84.2 | | |
| | Total | 9531 | 100.0 | | |

kl082 A7c: Number of days child wheezed since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 1 day | 49 | .5 | 3.2 | 3.2 |
| | 2 2-3 days | 320 | 3.4 | 21.1 | 24.3 |
| | 3 4-9 days | 408 | 4.3 | 26.9 | 51.2 |
| | 4 10-19 days | 246 | 2.6 | 16.2 | 67.4 |
| | 5 20+ days | 352 | 3.7 | 23.2 | 90.6 |
| | 9 Don't know | 142 | 1.5 | 9.4 | 100.0 |
| | Total | 1517 | 15.9 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 8013 | 84.1 | | |
| | Total | 8014 | 84.1 | | |
| | Total | 9531 | 100.0 | | |

kl083 A7d: Child was breathless at some time when they wheezed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, for all | 101 | 1.1 | 6.7 | 6.7 |
| | 2 Yes, for some | 777 | 8.2 | 51.2 | 57.9 |
| | 3 No, not at all | 639 | 6.7 | 42.1 | 100.0 |
| | Total | 1517 | 15.9 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 8013 | 84.1 | | |
| | Total | 8014 | 84.1 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl084 A7e: Child had fever when they wheezed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, for all | 91 | 1.0 | 6.0 | 6.0 |
| | 2 Yes, for some | 819 | 8.6 | 53.9 | 59.9 |
| | 3 No, not at all | 610 | 6.4 | 40.1 | 100.0 |
| | Total | 1520 | 15.9 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 8010 | 84.0 | | |
| | Total | 8011 | 84.1 | | |
| Total | | 9531 | 100.0 | | |

kl089 A7f1: Parent thinks chest infection or bronchitis brings on child's wheezing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1015 | 10.6 | 81.6 | 81.6 |
| | 2 No | 229 | 2.4 | 18.4 | 100.0 |
| | Total | 1244 | 13.1 | 100.0 | |
| Missing | -1 No response | 8287 | 86.9 | | |
| | Total | 9531 | 100.0 | | |

kl090 A7f2: Parent thinks being in a smoky room brings on child's wheezing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 224 | 2.4 | 23.1 | 23.1 |
| | 2 No | 745 | 7.8 | 76.9 | 100.0 |
| | Total | 969 | 10.2 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 8559 | 89.8 | | |
| | Total | 8562 | 89.8 | | |
| Total | | 9531 | 100.0 | | |

kl091 A7f3: Parent thinks cold weather brings on child's wheezing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 655 | 6.9 | 58.6 | 58.6 |
| | 2 No | 462 | 4.8 | 41.4 | 100.0 |
| | Total | 1117 | 11.7 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 8413 | 88.3 | | |
| | Total | 8414 | 88.3 | | |
| Total | | 9531 | 100.0 | | |

kl092 A7f4: Parent does not know what brings on child's wheezing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 169 | 1.8 | 28.8 | 28.8 |
| | 2 No | 417 | 4.4 | 71.2 | 100.0 |
| | Total | 586 | 6.1 | 100.0 | |
| Missing | -1 No response | 8945 | 93.9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl093 A7f5: Parent thinks other factor brings on child's wheezing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 549 | 5.8 | 70.2 | 70.2 |
| | 2 No | 233 | 2.4 | 29.8 | 100.0 |
| | Total | 782 | 8.2 | 100.0 | |
| Missing | -1 No response | 8749 | 91.8 | | |
| | Total | 9531 | 100.0 | | |

kl097 A7g: Parent's other children have had spells of wheezing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1812 | 19.0 | 19.8 | 19.8 |
| | 2 No | 6278 | 65.9 | 68.5 | 88.3 |
| | 7 Have no other children | 1074 | 11.3 | 11.7 | 100.0 |
| | Total | 9164 | 96.1 | 100.0 | |
| Missing | -1 No response | 367 | 3.9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl100 A8a: Child had itchy, dry skin rash in joints since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 2263 | 23.7 | 24.2 | 24.2 |
| | 2 No | 7089 | 74.4 | 75.8 | 100.0 |
| | Total | 9352 | 98.1 | 100.0 | |
| Missing | -1 No response | 179 | 1.9 | | |
| Total | | 9531 | 100.0 | | |

kl101 A8b: Severity of child's dry, itchy rash

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very bad | 120 | 1.3 | 5.2 | 5.2 |
| | 2 Quite bad | 528 | 5.5 | 23.1 | 28.3 |
| | 3 Mild | 1388 | 14.6 | 60.7 | 89.0 |
| | 4 No problem | 252 | 2.6 | 11.0 | 100.0 |
| | Total | 2288 | 24.0 | 100.0 | |
| Missing | -1 No response | 7243 | 76.0 | | |
| Total | | 9531 | 100.0 | | |

kl102 A8c: Child has rash now

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1012 | 10.6 | 43.9 | 43.9 |
| | 2 No | 1295 | 13.6 | 56.1 | 100.0 |
| | Total | 2307 | 24.2 | 100.0 | |
| Missing | -1 No response | 7224 | 75.8 | | |
| Total | | 9531 | 100.0 | | |

kl103 A8d: Child's rash has at some time become sore or oozy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 457 | 4.8 | 20.1 | 20.1 |
| | 2 No | 1820 | 19.1 | 79.9 | 100.0 |
| | Total | 2277 | 23.9 | 100.0 | |
| Missing | -1 No response | 7254 | 76.1 | | |
| Total | | 9531 | 100.0 | | |

kl104 A8e: Child's rash was made worse by irritants

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1435 | 15.1 | 65.4 | 65.4 |
| | 2 No | 758 | 8.0 | 34.6 | 100.0 |
| | Total | 2193 | 23.0 | 100.0 | |
| Missing | -9 Don't know | 5 | .1 | | |
| | | 2 | .0 | | |
| Missing | -8 Text response | 2 | .0 | | |
| Missing | -1 No response | 7331 | 76.9 | | |
| | | 7338 | 77.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl110 A9a: Child had an itchy, dry rash on their hands since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 515 | 5.4 | 5.5 | 5.5 |
| | 2 No | 8840 | 92.7 | 94.5 | 100.0 |
| | Total | 9355 | 98.2 | 100.0 | |
| Missing | -1 No response | 176 | 1.8 | | |
| | Total | 9531 | 100.0 | | |

kl111 A9b: Child had an itchy, dry rash on their feet since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 299 | 3.1 | 3.3 | 3.3 |
| | 2 No | 8749 | 91.8 | 96.7 | 100.0 |
| | Total | 9048 | 94.9 | 100.0 | |
| Missing | -1 No response | 483 | 5.1 | | |
| | Total | 9531 | 100.0 | | |

kl113 A9c: Child's skin gets itchy when they get sweaty

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1594 | 16.7 | 17.2 | 17.2 |
| | 2 No | 7688 | 80.7 | 82.8 | 100.0 |
| | Total | 9282 | 97.4 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -1 No response | 245 | 2.6 | | |
| | Total | 249 | 2.6 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl115 A10: Child has at some time had a skin reaction to food

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 772 | 8.1 | 8.2 | 8.2 |
| | 2 No | 8619 | 90.4 | 91.8 | 100.0 |
| | Total | 9391 | 98.5 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 137 | 1.4 | | |
| | Total | 140 | 1.5 | | |
| Total | | 9531 | 100.0 | | |

kl118 A10iii: Site of child's skin reaction

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Mouth | 162 | 1.7 | 23.0 | 23.0 |
| | 2 Site other than mouth | 487 | 5.1 | 69.1 | 92.1 |
| | 3 Mouth and other site | 56 | .6 | 7.9 | 100.0 |
| Missing | Total | 705 | 7.4 | 100.0 | |
| | -9 Don't know | 2 | .0 | | |
| | -1 No response | 8824 | 92.6 | | |
| Total | | 8826 | 92.6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl120 A11a: Child had vomiting spells since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 4792 | 50.3 | 51.2 | 51.2 |
| | 2 No | 4576 | 48.0 | 48.8 | 100.0 |
| | Total | 9368 | 98.3 | 100.0 | |
| Missing | -1 No response | 163 | 1.7 | | |
| | Total | 9531 | 100.0 | | |

kl121 A11b: Number of times child had vomiting spells since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Once | 1796 | 18.8 | 37.1 | 37.1 |
| | 2 Twice | 2020 | 21.2 | 41.8 | 78.9 |
| | 3 3-9 times | 942 | 9.9 | 19.5 | 98.4 |
| | 4 10+ times | 78 | .8 | 1.6 | 100.0 |
| | Total | 4836 | 50.7 | 100.0 | |
| Missing | -1 No response | 4695 | 49.3 | | |
| | Total | 9531 | 100.0 | | |

kl122 A11c1: Child had diarrhoea with vomiting attack

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 453 | 4.8 | 9.3 | 9.3 |
| | 2 Frequently | 202 | 2.1 | 4.2 | 13.5 |
| | 3 Sometimes | 1550 | 16.3 | 31.9 | 45.3 |
| | 4 Rarely | 693 | 7.3 | 14.2 | 59.6 |
| | 5 Never | 1968 | 20.6 | 40.4 | 100.0 |
| | Total | 4866 | 51.1 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -1 No response | 4661 | 48.9 | | |
| | Total | 4665 | 48.9 | | |
| Total | | 9531 | 100.0 | | |

kl123 A11c2: Child had chestiness (wheezing, coughing or grunting) with vomiting attack

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 186 | 2.0 | 4.0 | 4.0 |
| | 2 Frequently | 209 | 2.2 | 4.5 | 8.5 |
| | 3 Sometimes | 555 | 5.8 | 11.9 | 20.4 |
| | 4 Rarely | 237 | 2.5 | 5.1 | 25.4 |
| | 5 Never | 3480 | 36.5 | 74.6 | 100.0 |
| | Total | 4667 | 49.0 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 4863 | 51.0 | | |
| | Total | 4864 | 51.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl125 A12a: Child had diarrhoea or gastro-enteritis since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 4689 | 49.2 | 49.6 | 49.6 |
| | 2 No | 4767 | 50.0 | 50.4 | 100.0 |
| | Total | 9456 | 99.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 74 | .8 | | |
| | Total | 75 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl126 A12b: Number of times child had diarrhoea or gastro-enteritis since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 | 2470 | 25.9 | 54.2 | 54.2 |
| | 2 | 1419 | 14.9 | 31.2 | 85.4 |
| | 3 | 420 | 4.4 | 9.2 | 94.6 |
| | 4 | 129 | 1.4 | 2.8 | 97.5 |
| | 5 | 53 | .6 | 1.2 | 98.6 |
| | 6 | 29 | .3 | .6 | 99.3 |
| | 7 | 4 | .0 | .1 | 99.3 |
| | 8 | 2 | .0 | .0 | 99.4 |
| | 9 | 3 | .0 | .1 | 99.5 |
| | 10 | 18 | .2 | .4 | 99.8 |
| | 12 | 2 | .0 | .0 | 99.9 |
| | 20 | 1 | .0 | .0 | 99.9 |
| | 90 All the time | 1 | .0 | .0 | 99.9 |
| | 97 A few times | 3 | .0 | .1 | 100.0 |
| Missing | Total | 4554 | 47.8 | 100.0 | |
| | -9 Don't know | 75 | .8 | | |
| | -1 No response | 4902 | 51.4 | | |
| Total | | 4977 | 52.2 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl127 A12c: Number of days worst attack of diarrhoea or gastro-enteritis lasted

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 | 1538 | 16.1 | 34.0 | 34.0 |
| | 2 | 1648 | 17.3 | 36.5 | 70.5 |
| | 3 | 649 | 6.8 | 14.4 | 84.8 |
| | 4 | 267 | 2.8 | 5.9 | 90.7 |
| | 5 | 180 | 1.9 | 4.0 | 94.7 |
| | 6 | 44 | .5 | 1.0 | 95.7 |
| | 7 | 107 | 1.1 | 2.4 | 98.1 |
| | 8 | 12 | .1 | .3 | 98.3 |
| | 9 | 10 | .1 | .2 | 98.5 |
| | 10 | 33 | .3 | .7 | 99.3 |
| | 12 | 5 | .1 | .1 | 99.4 |
| | 14 | 17 | .2 | .4 | 99.8 |
| | 15 | 2 | .0 | .0 | 99.8 |
| | 16 | 1 | .0 | .0 | 99.8 |
| | 20 | 1 | .0 | .0 | 99.8 |
| | 21 | 2 | .0 | .0 | 99.9 |
| | 23 | 1 | .0 | .0 | 99.9 |
| | 24 | 1 | .0 | .0 | 99.9 |
| | 30 | 1 | .0 | .0 | 100.0 |
| | 45 | 1 | .0 | .0 | 100.0 |
| | 60 | 1 | .0 | .0 | 100.0 |
| | Total | 4521 | 47.4 | 100.0 | |
| Missing | -9 Don't know | 25 | .3 | | |
| | -1 No response | 4985 | 52.3 | | |
| | Total | 5010 | 52.6 | | |
| | Total | 9531 | 100.0 | | |

kl128 A12d1: Doctor called to home when child had diarrhoea or gastro-enteritis attack

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 339 | 3.6 | 8.6 | 8.6 |
| | 2 No | 3612 | 37.9 | 91.4 | 100.0 |
| | Total | 3951 | 41.5 | 100.0 | |
| Missing | -1 No response | 5580 | 58.5 | | |
| | Total | 9531 | 100.0 | | |

kl129 A12d2: Child went to doctor when child had diarrhoea or gastro-enteritis attack

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 944 | 9.9 | 23.6 | 23.6 |
| | 2 No | 3051 | 32.0 | 76.4 | 100.0 |
| | Total | 3995 | 41.9 | 100.0 | |
| Missing | -1 No response | 5536 | 58.1 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl130 A12d3: Parent treated child's diarrhoea or gastro-enteritis attack themselves

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 3263 | 34.2 | 80.3 | 80.3 |
| | 2 No | 803 | 8.4 | 19.7 | |
| | Total | 4066 | 42.7 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 5464 | 57.3 | | |
| | Total | 5465 | 57.3 | | |
| Total | | 9531 | 100.0 | | |

kl131 A12d4: Parent did something else when child had diarrhoea or gastro-enteritis attack

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 357 | 3.7 | 16.0 | 16.0 |
| | 2 No | 1879 | 19.7 | 84.0 | |
| | Total | 2236 | 23.5 | 100.0 | |
| Missing | -1 No response | 7295 | 76.5 | | |
| | Total | 9531 | 100.0 | | |

kl133 A12e: Child continued to eat as usual when they had diarrhoea or gastro-enteritis attack

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1537 | 16.1 | 32.7 | 32.7 |
| | 2 No | 3170 | 33.3 | 67.3 | |
| | Total | 4707 | 49.4 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 4823 | 50.6 | | |
| | Total | 4824 | 50.6 | | |
| Total | | 9531 | 100.0 | | |

kl134 A12e1: Length of time normal feeding was disturbed when child had diarrhoea or gastro-enteritis

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 < 1 day | 295 | 3.1 | 8.8 | 8.8 |
| | 2 1 day | 980 | 10.3 | 29.2 | |
| | 3 2 days | 1084 | 11.4 | 32.3 | |
| | 4 3-4 days | 715 | 7.5 | 21.3 | |
| | 5 5+ days | 285 | 3.0 | 8.5 | |
| | Total | 3359 | 35.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 6171 | 64.7 | | |
| | Total | 6172 | 64.8 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl135 A12f: Child was given an oral rehydration solution

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1357 | 14.2 | 29.0 | 29.0 |
| | 2 No | 3243 | 34.0 | 69.4 | 98.4 |
| | 9 Don't know | 76 | .8 | 1.6 | 100.0 |
| | Total | 4676 | 49.1 | 100.0 | |
| Missing | -1 No response | 4855 | 50.9 | | |
| Total | | 9531 | 100.0 | | |

kl137 A12f2: Length of time for which child was given rehydration solution

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 < 1 day | 260 | 2.7 | 19.1 | 19.1 |
| | 2 1 day | 480 | 5.0 | 35.3 | 54.4 |
| | 3 2 days | 404 | 4.2 | 29.7 | 84.1 |
| | 4 3-4 days | 180 | 1.9 | 13.2 | 97.3 |
| | 5 5+ days | 37 | .4 | 2.7 | 100.0 |
| | Total | 1361 | 14.3 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 8169 | 85.7 | | |
| | Total | 8170 | 85.7 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl140 A13a: Child had a time when they coughed for at least 2 days since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 6764 | 71.0 | 72.5 | 72.5 |
| | 2 No | 2566 | 26.9 | 27.5 | |
| | Total | 9330 | 97.9 | 100.0 | |
| Missing | -1 No response | 201 | 2.1 | | |
| | Total | 9531 | 100.0 | | |

kl141 A13b: Number of times child coughed off and on since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Once | 1226 | 12.9 | 18.2 | 18.2 |
| | 2 Twice | 2567 | 26.9 | 38.0 | |
| | 3 3-9 times | 2583 | 27.1 | 38.3 | |
| | 4 10+ times | 372 | 3.9 | 5.5 | |
| | Total | 6748 | 70.8 | 100.0 | |
| Missing | -9 Don't know | 6 | .1 | | |
| | -1 No response | 2777 | 29.1 | | |
| | Total | 2783 | 29.2 | | |
| | Total | 9531 | 100.0 | | |

kl142 A13c: Child had fever when they coughed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, for all | 266 | 2.8 | 3.8 | 3.8 |
| | 2 Yes, for some | 3500 | 36.7 | 50.4 | |
| | 3 No, not at all | 3179 | 33.4 | 45.8 | |
| | Total | 6945 | 72.9 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 2583 | 27.1 | | |
| | Total | 2586 | 27.1 | | |
| | Total | 9531 | 100.0 | | |

kl143 A13d: Child had runny nose when they coughed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, for all | 1279 | 13.4 | 18.5 | 18.5 |
| | 2 Yes, for some | 4995 | 52.4 | 72.2 | |
| | 3 No, not at all | 647 | 6.8 | 9.3 | |
| | Total | 6921 | 72.6 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 2609 | 27.4 | | |
| | Total | 2610 | 27.4 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl145 A14a: Child listens to people or things that happen nearby

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 6631 | 69.6 | 70.1 | 70.1 |
| | 2 Yes, often | 1933 | 20.3 | 20.4 | 90.5 |
| | 3 Sometimes | 854 | 9.0 | 9.0 | 99.5 |
| | 4 Usually not | 32 | .3 | .3 | 99.8 |
| | 5 Never | 7 | .1 | .1 | 99.9 |
| | 7 Child unable to hear at all | 8 | .1 | .1 | 100.0 |
| | Total | 9465 | 99.3 | 100.0 | |
| | | | | | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 65 | .7 | | |
| | Total | 66 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl146 A14b: Child turns their head towards sounds

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, usually | 8521 | 89.4 | 89.8 | 89.8 |
| | 2 Yes, sometimes | 815 | 8.6 | 8.6 | 98.4 |
| | 3 Only to very loud sounds | 85 | .9 | .9 | 99.3 |
| | 4 Never turns toward sounds | 17 | .2 | .2 | 99.5 |
| | 9 Don't know | 51 | .5 | .5 | 100.0 |
| | Total | 9489 | 99.6 | 100.0 | |
| | | | | | |
| | | | | | |
| Missing | -1 No response | 42 | .4 | | |
| | Total | 9531 | 100.0 | | |

kl147 A14c: Child's hearing gets worse than usual during or after a cold

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, much worse | 476 | 5.0 | 5.0 | 5.0 |
| | 2 Yes, a little worse | 2058 | 21.6 | 21.7 | 26.7 |
| | 3 No, about the same | 5877 | 61.7 | 62.0 | 88.8 |
| | 7 Child has never had a cold | 58 | .6 | .6 | 89.4 |
| | 9 Don't know | 1007 | 10.6 | 10.6 | 100.0 |
| | Total | 9476 | 99.4 | 100.0 | |
| | | | | | |
| | | | | | |
| Missing | -1 No response | 55 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl148 A14d1: Child's nasal discharge clear during a cold

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, usually | 4579 | 48.0 | 53.2 | 53.2 |
| | 2 Yes, sometimes | 3481 | 36.5 | 40.4 | 93.6 |
| | 3 No never | 197 | 2.1 | 2.3 | 95.9 |
| | 7 Child has never had a cold | 294 | 3.1 | 3.4 | 99.3 |
| | 9 Don't know | 63 | .7 | .7 | 100.0 |
| | Total | 8614 | 90.4 | 100.0 | |
| | | | | | |
| | | | | | |
| Missing | -1 No response | 917 | 9.6 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl149 A14d2: Child's nasal discharge slightly white during a cold

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, usually | 339 | 3.6 | 5.0 | 5.0 |
| | 2 Yes, sometimes | 3857 | 40.5 | 57.4 | 62.4 |
| | 3 No never | 2256 | 23.7 | 33.6 | 96.0 |
| | 9 Don't know | 267 | 2.8 | 4.0 | 100.0 |
| | Total | 6719 | 70.5 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 2811 | 29.5 | | |
| | Total | 2812 | 29.5 | | |
| Total | | 9531 | 100.0 | | |

kl150 A14d3: Child's nasal discharge thick, heavy yellow during a cold

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, usually | 765 | 8.0 | 9.9 | 9.9 |
| | 2 Yes, sometimes | 4600 | 48.3 | 59.7 | 69.6 |
| | 3 No never | 2236 | 23.5 | 29.0 | 98.7 |
| | 9 Don't know | 103 | 1.1 | 1.3 | 100.0 |
| | Total | 7704 | 80.8 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 1825 | 19.1 | | |
| | Total | 1827 | 19.2 | | |
| Total | | 9531 | 100.0 | | |

kl151 A14d4: Child has very little nasal discharge during a cold

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, usually | 566 | 5.9 | 12.0 | 12.0 |
| | 2 Yes, sometimes | 1580 | 16.6 | 33.5 | 45.5 |
| | 3 No never | 2391 | 25.1 | 50.7 | 96.3 |
| | 9 Don't know | 176 | 1.8 | 3.7 | 100.0 |
| | Total | 4713 | 49.4 | 100.0 | |
| Missing | -1 No response | 4818 | 50.6 | | |
| Total | | 9531 | 100.0 | | |

kl153 A14e: Child has had pus or sticky mucus leaking from their ear since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 8493 | 89.1 | 89.9 | 89.9 |
| | 2 Once | 496 | 5.2 | 5.2 | 95.1 |
| | 3 More than once | 338 | 3.5 | 3.6 | 98.7 |
| | 9 Don't know | 125 | 1.3 | 1.3 | 100.0 |
| | Total | 9452 | 99.2 | 100.0 | |
| Missing | -1 No response | 79 | .8 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl154 A14f1: Child breathes through mouth when asleep

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 All the time | 648 | 6.8 | 6.9 | 6.9 |
| | 2 Much of the time | 1468 | 15.4 | 15.7 | 22.6 |
| | 3 Sometimes | 3451 | 36.2 | 36.9 | 59.5 |
| | 4 Rarely | 2111 | 22.1 | 22.5 | 82.0 |
| | 5 Never | 862 | 9.0 | 9.2 | 91.2 |
| | 9 Don't know | 824 | 8.6 | 8.8 | |
| | Total | 9364 | 98.2 | 100.0 | |
| Missing | -1 No response | 167 | 1.8 | | |
| Total | | 9531 | 100.0 | | |

kl155 A14f2: Child breathes through mouth when awake

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 All the time | 459 | 4.8 | 5.0 | 5.0 |
| | 2 Much of the time | 852 | 8.9 | 9.3 | 14.3 |
| | 3 Sometimes | 2401 | 25.2 | 26.1 | 40.4 |
| | 4 Rarely | 2834 | 29.7 | 30.8 | 71.2 |
| | 5 Never | 1855 | 19.5 | 20.2 | 91.4 |
| | 9 Don't know | 792 | 8.3 | 8.6 | |
| | Total | 9193 | 96.5 | 100.0 | |
| Missing | -1 No response | 338 | 3.5 | | |
| Total | | 9531 | 100.0 | | |

kl157 A14g: Child snores for more than a few minutes at a time

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Most nights | 672 | 7.1 | 7.1 | 7.1 |
| | 2 Quite often | 671 | 7.0 | 7.1 | 14.1 |
| | 3 Sometimes | 1945 | 20.4 | 20.5 | 34.6 |
| | 4 Only rarely | 3286 | 34.5 | 34.6 | 69.2 |
| | 5 Never | 2443 | 25.6 | 25.7 | 95.0 |
| | 9 Don't know | 478 | 5.0 | 5.0 | |
| | Total | 9495 | 99.6 | 100.0 | |
| Missing | -1 No response | 36 | .4 | | |
| Total | | 9531 | 100.0 | | |

kl158 A14h: Child stops breathing/holds breath when sleeping

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, often | 134 | 1.4 | 1.4 | 1.4 |
| | 2 Yes, sometimes | 1055 | 11.1 | 11.1 | 12.5 |
| | 3 No | 6919 | 72.6 | 73.0 | 85.5 |
| | 9 Don't know | 1376 | 14.4 | 14.5 | |
| | Total | 9484 | 99.5 | 100.0 | |
| Missing | -1 No response | 47 | .5 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl160 A15a: Child had pain in stomach since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 5187 | 54.4 | 54.8 | 54.8 |
| | 2 No | 4281 | 44.9 | 45.2 | 100.0 |
| | Total | 9468 | 99.3 | 100.0 | |
| Missing | -1 No response | 63 | .7 | | |
| | Total | 9531 | 100.0 | | |

kl161 A15b: Number of times child had stomach ache since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Once | 829 | 8.7 | 16.0 | 16.0 |
| | 2 Twice | 1439 | 15.1 | 27.7 | 43.7 |
| | 3 3-4 times | 1637 | 17.2 | 31.5 | 75.2 |
| | 4 5+ times | 1002 | 10.5 | 19.3 | 94.5 |
| | 9 Don't know | 287 | 3.0 | 5.5 | 100.0 |
| | Total | 5194 | 54.5 | 100.0 | |
| Missing | -1 No response | 4337 | 45.5 | | |
| | Total | 9531 | 100.0 | | |

kl162 A15c: Child had vomiting or diarrhoea at same time as stomach pain

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, every time | 698 | 7.3 | 13.4 | 13.4 |
| | 2 Yes, for some of the times | 2265 | 23.8 | 43.5 | 56.9 |
| | 3 No, not at all | 2246 | 23.6 | 43.1 | 100.0 |
| | Total | 5209 | 54.7 | 100.0 | |
| Missing | -1 No response | 4322 | 45.3 | | |
| | Total | 9531 | 100.0 | | |

kl163 A15d1: Something child ate caused stomach ache

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1486 | 15.6 | 100.0 | 100.0 |
| Missing | -1 No response | 8045 | 84.4 | | |
| | Total | 9531 | 100.0 | | |

kl164 A15d2: Infection caused child's stomach ache

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1752 | 18.4 | 100.0 | 100.0 |
| Missing | -1 No response | 7779 | 81.6 | | |
| | Total | 9531 | 100.0 | | |

kl165 A15d3: Constipation caused child's stomach ache

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1176 | 12.3 | 100.0 | 100.0 |
| Missing | -1 No response | 8355 | 87.7 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl166 A15d4: Other factor caused child's stomach ache

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1486 | 15.6 | 100.0 | 100.0 |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 8044 | 84.4 | | |
| | Total | 8045 | 84.4 | | |
| | Total | 9531 | 100.0 | | |

kl168 A15d5: Parent does not know what caused child's stomach ache

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 741 | 7.8 | 100.0 | 100.0 |
| Missing | -1 No response | 8790 | 92.2 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl170 A16a: Child often has pains in their arms or legs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, arm(s) | 13 | .1 | .1 | .1 |
| | 2 Yes, leg(s) | 1144 | 12.0 | 12.2 | 12.3 |
| | 3 Yes, both | 227 | 2.4 | 2.4 | 14.8 |
| | 4 No, not often | 7992 | 83.9 | 85.2 | 100.0 |
| | Total | 9376 | 98.4 | 100.0 | |
| Missing | -1 No response | 155 | 1.6 | | |
| Total | | 9531 | 100.0 | | |

kl171 A16b1: Child gets arm/leg pain when they are tired

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1175 | 12.3 | 83.9 | 83.9 |
| | 2 No | 225 | 2.4 | 16.1 | 100.0 |
| | Total | 1400 | 14.7 | 100.0 | |
| Missing | -9 Don't know | 5 | .1 | | |
| | -1 No response | 8126 | 85.3 | | |
| | Total | 8131 | 85.3 | | |
| Total | | 9531 | 100.0 | | |

kl173 A16b3: Parent thinks particular treatment helps child's arm/leg pain

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 721 | 7.6 | 54.2 | 54.2 |
| | 2 No | 610 | 6.4 | 45.8 | 100.0 |
| | Total | 1331 | 14.0 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 8199 | 86.0 | | |
| | Total | 8200 | 86.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl180 A17a: Child had a form of convulsion/fit since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 207 | 2.2 | 2.2 | 2.2 |
| | 2 No | 9175 | 96.3 | 96.7 | 98.9 |
| | 9 Not known | 104 | 1.1 | 1.1 | 100.0 |
| | Total | 9486 | 99.5 | 100.0 | |
| Missing | -1 No response | 45 | .5 | | |
| Total | | 9531 | 100.0 | | |

kl182 A17c: Child had a high temperature when they had convulsion

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 121 | 1.3 | 56.5 | 56.5 |
| | 2 No | 84 | .9 | 39.3 | 95.8 |
| | 9 Not known | 9 | .1 | 4.2 | 100.0 |
| | Total | 214 | 2.2 | 100.0 | |
| Missing | -1 No response | 9317 | 97.8 | | |
| Total | | 9531 | 100.0 | | |

kl183 A17d: Age of child when they had convulsion

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 3 years | 119 | 1.2 | 59.8 | 59.8 |
| | 2 4 years | 79 | .8 | 39.7 | 99.5 |
| | 3 5 years | 1 | .0 | .5 | 100.0 |
| | Total | 199 | 2.1 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 9331 | 97.9 | | |
| | Total | 9332 | 97.9 | | |
| Total | | 9531 | 100.0 | | |

kl184 A17e: Number of convulsion attacks child has had since 3rd birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 One | 104 | 1.1 | 52.0 | 52.0 |
| | 2 Two | 38 | .4 | 19.0 | 71.0 |
| | 3 3-4 | 30 | .3 | 15.0 | 86.0 |
| | 4 5+ | 28 | .3 | 14.0 | 100.0 |
| | Total | 200 | 2.1 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 9330 | 97.9 | | |
| | Total | 9331 | 97.9 | | |
| Total | | 9531 | 100.0 | | |

kl185 A17f1: Child seen by GP at home for convulsion attack

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 73 | .8 | 100.0 | 100.0 |
| Missing | -1 No response | 9458 | 99.2 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl186 A17f2: Child seen by GP at surgery for convulsion attack

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 60 | .6 | 100.0 | 100.0 |
| Missing | -1 No response | 9471 | 99.4 | | |
| Total | | 9531 | 100.0 | | |

kl187 A17f3: Child seen at hospital outpatients for convulsion attack

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 72 | .8 | 100.0 | 100.0 |
| Missing | -1 No response | 9459 | 99.2 | | |
| Total | | 9531 | 100.0 | | |

kl188 A17f4: Child admitted to hospital for convulsion attack

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 71 | .7 | 100.0 | 100.0 |
| Missing | -1 No response | 9460 | 99.3 | | |
| Total | | 9531 | 100.0 | | |

kl190 A17h: Later convulsive attacks differed from first

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 38 | .4 | 22.0 | 22.0 |
| | 2 No | 135 | 1.4 | 78.0 | 100.0 |
| | Total | 173 | 1.8 | 100.0 | |
| Missing | -1 No response | 9358 | 98.2 | | |
| Total | | 9531 | 100.0 | | |

kl192 A17j1: Later convulsive attack due to febrile convulsions

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 76 | .8 | 100.0 | 100.0 |
| Missing | -1 No response | 9455 | 99.2 | | |
| Total | | 9531 | 100.0 | | |

kl193 A17j2: Later convulsive attack due to fainting and blackouts

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 10 | .1 | 100.0 | 100.0 |
| Missing | -1 No response | 9521 | 99.9 | | |
| Total | | 9531 | 100.0 | | |

kl194 A17j3: Later convulsive attack due to epilepsy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 26 | .3 | 100.0 | 100.0 |
| Missing | -1 No response | 9505 | 99.7 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl195 A17j4: Later convulsive attack due to breath holding

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 20 | .2 | 100.0 | 100.0 |
| Missing | -1 No response | 9511 | 99.8 | | |
| Total | | 9531 | 100.0 | | |

kl196 A17j5: Later convulsive attack due to reaction to immunisation

| | Frequency | Percent |
|---------|----------------|---------|
| Missing | -1 No response | 9531 |

kl197 A17j6: Later convulsive attack due to other factor

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|---------|---------------|--------------------|
| Valid | 1 Yes | .4 | 100.0 | 100.0 |
| Missing | -1 No response | 9492 | 99.6 | |
| Total | | 9531 | 100.0 | |

kl199 A17j7: Parent does not know what caused later convulsive attack

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|---------|---------------|--------------------|
| Valid | 1 Yes | .3 | 100.0 | 100.0 |
| Missing | -1 No response | 9501 | 99.7 | |
| Total | | 9531 | 100.0 | |

KL File – Section A

kl200 A18a: Child had measles since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 180 | 1.9 | 1.9 | 1.9 |
| | 2 No | 9138 | 95.9 | 98.1 | 100.0 |
| | Total | 9318 | 97.8 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 210 | 2.2 | | |
| | Total | 213 | 2.2 | | |
| Total | | 9531 | 100.0 | | |

kl201 A18b: Child had chicken pox since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 3679 | 38.6 | 39.2 | 39.2 |
| | 2 No | 5705 | 59.9 | 60.8 | 100.0 |
| | Total | 9384 | 98.5 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 144 | 1.5 | | |
| | Total | 147 | 1.5 | | |
| Total | | 9531 | 100.0 | | |

kl202 A18c: Child had mumps since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 55 | .6 | .6 | .6 |
| | 2 No | 9273 | 97.3 | 99.4 | 100.0 |
| | Total | 9328 | 97.9 | 100.0 | |
| Missing | -1 No response | 203 | 2.1 | | |
| Total | | 9531 | 100.0 | | |

kl203 A18d: Child had meningitis since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 6 | .1 | .1 | .1 |
| | 2 No | 9320 | 97.8 | 99.9 | 100.0 |
| | Total | 9326 | 97.8 | 100.0 | |
| Missing | -1 No response | 205 | 2.2 | | |
| Total | | 9531 | 100.0 | | |

kl204 A18e: Child had cold sores since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 667 | 7.0 | 7.1 | 7.1 |
| | 2 No | 8662 | 90.9 | 92.9 | 100.0 |
| | Total | 9329 | 97.9 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 200 | 2.1 | | |
| | Total | 202 | 2.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl205 A18f: Child had whooping cough since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 86 | .9 | .9 | .9 |
| | 2 No | 9242 | 97.0 | 99.1 | 100.0 |
| | Total | 9328 | 97.9 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 201 | 2.1 | | |
| | Total | 203 | 2.1 | | |
| Total | | 9531 | 100.0 | | |

kl206 A18g: Child had urinary infection since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 592 | 6.2 | 6.3 | 6.3 |
| | 2 No | 8735 | 91.6 | 93.7 | 100.0 |
| | Total | 9327 | 97.9 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 203 | 2.1 | | |
| | Total | 204 | 2.1 | | |
| Total | | 9531 | 100.0 | | |

kl207 A18h: Child had eye infection since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1429 | 15.0 | 15.3 | 15.3 |
| | 2 No | 7896 | 82.8 | 84.7 | 100.0 |
| | Total | 9325 | 97.8 | 100.0 | |
| Missing | -1 No response | 206 | 2.2 | | |
| Total | | 9531 | 100.0 | | |

kl208 A18i: Child had ear infection since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 3118 | 32.7 | 33.3 | 33.3 |
| | 2 No | 6243 | 65.5 | 66.7 | 100.0 |
| | Total | 9361 | 98.2 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -1 No response | 166 | 1.7 | | |
| | Total | 170 | 1.8 | | |
| Total | | 9531 | 100.0 | | |

kl209 A18j: Child had chest infection since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 2170 | 22.8 | 23.3 | 23.3 |
| | 2 No | 7153 | 75.0 | 76.7 | 100.0 |
| | Total | 9323 | 97.8 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -1 No response | 204 | 2.1 | | |
| | Total | 208 | 2.2 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl210 A18k: Child had other infection since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 782 | 8.2 | 12.6 | 12.6 |
| | 2 No | 5416 | 56.8 | 87.4 | 100.0 |
| | Total | 6198 | 65.0 | 100.0 | |
| Missing | -1 No response | 3333 | 35.0 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section A

kl215 A19a: Number of times doctor called to home because study child was ill in last 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 7826 | 82.1 | 83.2 | 83.2 |
| | 1 | 1102 | 11.6 | 11.7 | 94.9 |
| | 2 | 345 | 3.6 | 3.7 | 98.5 |
| | 3 | 72 | .8 | .8 | 99.3 |
| | 4 | 42 | .4 | .4 | 99.7 |
| | 5 | 11 | .1 | .1 | 99.9 |
| | 6 | 9 | .1 | .1 | 100.0 |
| | 8 | 1 | .0 | .0 | 100.0 |
| | 10 | 1 | .0 | .0 | 100.0 |
| | 12 | 1 | .0 | .0 | 100.0 |
| | 20 | 1 | .0 | .0 | 100.0 |
| | Total | 9411 | 98.7 | 100.0 | |
| Missing | -9 Don't know | 7 | .1 | | |
| | -1 No response | 113 | 1.2 | | |
| | Total | 120 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl216 A19b: Number of times doctor has seen study child at surgery because study child was ill in last 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 2245 | 23.6 | 24.0 | 24.0 |
| | 1 | 2522 | 26.5 | 27.0 | 51.0 |
| | 2 | 2145 | 22.5 | 23.0 | 74.0 |
| | 3 | 1066 | 11.2 | 11.4 | 85.4 |
| | 4 | 623 | 6.5 | 6.7 | 92.0 |
| | 5 | 275 | 2.9 | 2.9 | 95.0 |
| | 6 | 230 | 2.4 | 2.5 | 97.4 |
| | 7 | 47 | .5 | .5 | 97.9 |
| | 8 | 64 | .7 | .7 | 98.6 |
| | 9 | 7 | .1 | .1 | 98.7 |
| | 10 | 81 | .8 | .9 | 99.6 |
| | 11 | 3 | .0 | .0 | 99.6 |
| | 12 | 14 | .1 | .1 | 99.8 |
| | 13 | 1 | .0 | .0 | 99.8 |
| | 14 | 2 | .0 | .0 | 99.8 |
| | 15 | 5 | .1 | .1 | 99.8 |
| | 20 | 10 | .1 | .1 | 99.9 |
| | 22 | 1 | .0 | .0 | 100.0 |
| | 25 | 1 | .0 | .0 | 100.0 |
| | 98 Lots | 3 | .0 | .0 | 100.0 |
| | Total | 9345 | 98.0 | 100.0 | |
| Missing | -9 Don't know | 39 | .4 | | |
| | -1 No response | 147 | 1.5 | | |
| | Total | 186 | 2.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section A

kl217 A19c: Number of times doctor has seen study child for routine check in last 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 4656 | 48.9 | 50.1 | 50.1 |
| | 1 | 4135 | 43.4 | 44.5 | 94.7 |
| | 2 | 325 | 3.4 | 3.5 | 98.2 |
| | 3 | 85 | .9 | .9 | 99.1 |
| | 4 | 46 | .5 | .5 | 99.6 |
| | 5 | 11 | .1 | .1 | 99.7 |
| | 6 | 15 | .2 | .2 | 99.8 |
| | 7 | 5 | .1 | .1 | 99.9 |
| | 9 | 2 | .0 | .0 | 99.9 |
| | 10 | 4 | .0 | .0 | 100.0 |
| | 12 | 1 | .0 | .0 | 100.0 |
| | 15 | 1 | .0 | .0 | 100.0 |
| | 98 Lots | 1 | .0 | .0 | 100.0 |
| Missing | Total | 9287 | 97.4 | 100.0 | |
| | -9 Don't know | 21 | .2 | | |
| | -1 No response | 223 | 2.3 | | |
| | Total | 244 | 2.6 | | |
| Total | | 9531 | 100.0 | | |

SECTION B: SLEEPING

B1. Does your child have a regular sleeping routine?

Yes 1 No 2

B2. a) How many hours sleep does she usually have during the day time?

none 1 less than 2 1-2 3 hours more than 4 9 don't know

b) Normally what time in the evening does your child go to sleep?

B3. a) What time does she normally wake up in the morning?

b) How often during the night does she usually wake? times

c) How often during a normal day does she have a sleep? times

B4. a) Where does the child usually sleep?

| | |
|--|--|
| (i) | (ii) |
| When she goes to bed at night | When she wakes in the morning |

in her own room on her own

in a room with other children

in your bedroom

(ii)
**When she wakes
in the morning**

in a room with other adults

other place

(please tick and describe)

B4.b) Does the child sleep on her own most nights or does she share a bed or cot?

| | (i) When she goes to bed at night | (ii) When she wakes in the morning |
|---|--|--|
| in her own bed | <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 | <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 |
| in a bed with other children | | |
| in your bed with you | | |
| in a bed with other adult | | |
| other place (please tick and describe) | | |

c) How often does she sleep?

| | Always | Usually | Sometimes | Hardly ever |
|-------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| i) on her back | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| ii) on her side | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| iii) on her front | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |

PAGE 20 OF THE QUESTIONNAIRE

B4. d) In the room where the child sleeps most of the night:

| | In Winter | | | In Summer | | |
|--|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| | Yes always | Yes some- times | No not at all | Yes always | Yes some- times | No not at all |
| i) is the heating on all night? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| ii) is the heating on part of the night? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| iii) is there a window open at night? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| iv) does she sleep with a duvet? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| v) does she have an electric blanket? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| vi) does she sleep with a pillow? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |

B5. Do you feel her sleep pattern is :

better than other children of the same age

| |
|---|
| 1 |
| 2 |
| 3 |
| 9 |

same as other children of the same age

worse than other children of the same age

don't know

B6. **In the past year** has your child regularly:

| | Yes, but did not worry me | Yes, worried me a bit | Yes, worried me greatly | No, did not happen | Don't know ↓ |
|---|--|--------------------------------------|--|-----------------------------------|----------------------------|
| a) refused to go to bed | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 9 |
| b) woken very early | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 9 |
| c) had difficulty going to sleep | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 9 |
| d) had nightmares | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 9 |
| e) continued to get up after being put to bed | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 9 |
| f) woken in the night | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 9 |
| g) got up after only a few hours sleep | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 9 |

hours minutes

B7. What time in the evening do you (first) put your child to bed?

| | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|

 p.m.

KL File – Section B

kl220 B1: Child has a regular sleeping routine

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 8912 | 93.5 | 94.3 | 94.3 |
| | 2 No | 539 | 5.7 | 5.7 | 100.0 |
| | 3 Varies / sometimes | 4 | .0 | .0 | 100.0 |
| | Total | 9455 | 99.2 | 100.0 | |
| Missing | -1 No response | 76 | .8 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section B

kl221 B2a: Number of hours sleep child has during the day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 None | 9002 | 94.4 | 95.0 | 95.0 |
| | 2 < 1 hour | 284 | 3.0 | 3.0 | 98.0 |
| | 3 1-2 hours | 156 | 1.6 | 1.6 | 99.6 |
| | 4 2+ hours | 22 | .2 | .2 | 99.9 |
| | 9 Don't know | 13 | .1 | .1 | 100.0 |
| | Total | 9477 | 99.4 | 100.0 | |
| Missing | -1 No response | 54 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl222a B2b: Time child goes to sleep in evening - Hour

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 3 | 1 | .0 | .0 | .0 |
| | 4 | 1 | .0 | .0 | .0 |
| | 5 | 13 | .1 | .1 | .2 |
| | 6 | 469 | 4.9 | 5.0 | 5.1 |
| | 7 | 4912 | 51.5 | 52.0 | 57.1 |
| | 8 | 3321 | 34.8 | 35.1 | 92.2 |
| | 9 | 586 | 6.1 | 6.2 | 98.4 |
| | 10 | 130 | 1.4 | 1.4 | 99.8 |
| | 11 | 16 | .2 | .2 | 99.9 |
| | 12 | 5 | .1 | .1 | 100.0 |
| | 97 Varies | 1 | .0 | .0 | 100.0 |
| | Total | 9455 | 99.2 | 100.0 | |
| Missing | -9 Don't know | 13 | .1 | | |
| | -1 No response | 63 | .7 | | |
| | Total | 76 | .8 | | |
| | Total | 9531 | 100.0 | | |

kl222b B2b: Time child goes to sleep in evening - Minutes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 4177 | 43.8 | 44.4 | 44.4 |
| | 5 | 4 | .0 | .0 | 44.5 |
| | 7 | 1 | .0 | .0 | 44.5 |
| | 10 | 25 | .3 | .3 | 44.8 |
| | 15 | 400 | 4.2 | 4.3 | 49.0 |
| | 20 | 14 | .1 | .1 | 49.2 |
| | 30 | 4443 | 46.6 | 47.3 | 96.4 |
| | 35 | 1 | .0 | .0 | 96.4 |
| | 40 | 18 | .2 | .2 | 96.6 |
| | 45 | 306 | 3.2 | 3.3 | 99.9 |
| | 50 | 9 | .1 | .1 | 100.0 |
| | 97 Varies | 1 | .0 | .0 | 100.0 |
| | Total | 9399 | 98.6 | 100.0 | |
| Missing | -9 Don't know | 58 | .6 | | |
| | -1 No response | 74 | .8 | | |
| | Total | 132 | 1.4 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section B

kl223a B3a: Time child wakes in morning - Hour

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 3 | 1 | .0 | .0 | .0 |
| | 4 | 8 | .1 | .1 | .1 |
| | 5 | 73 | .8 | .8 | .9 |
| | 6 | 1994 | 20.9 | 21.1 | 21.9 |
| | 7 | 6314 | 66.2 | 66.7 | 88.6 |
| | 8 | 1023 | 10.7 | 10.8 | 99.4 |
| | 9 | 47 | .5 | .5 | 99.9 |
| | 10 | 6 | .1 | .1 | 100.0 |
| | 11 | 1 | .0 | .0 | 100.0 |
| | Total | 9467 | 99.3 | 100.0 | |
| Missing | -9 Don't know | 7 | .1 | | |
| | -1 No response | 57 | .6 | | |
| | Total | 64 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl223b B3a: Time child wakes in morning - Minutes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 4834 | 50.7 | 51.3 | 51.3 |
| | 5 | 5 | .1 | .1 | 51.4 |
| | 9 | 1 | .0 | .0 | 51.4 |
| | 10 | 28 | .3 | .3 | 51.7 |
| | 11 | 1 | .0 | .0 | 51.7 |
| | 15 | 372 | 3.9 | 3.9 | 55.6 |
| | 20 | 21 | .2 | .2 | 55.9 |
| | 25 | 3 | .0 | .0 | 55.9 |
| | 30 | 3580 | 37.6 | 38.0 | 93.9 |
| | 33 | 1 | .0 | .0 | 93.9 |
| | 35 | 2 | .0 | .0 | 93.9 |
| | 40 | 16 | .2 | .2 | 94.1 |
| | 45 | 526 | 5.5 | 5.6 | 99.7 |
| | 50 | 23 | .2 | .2 | 99.9 |
| | 55 | 8 | .1 | .1 | 100.0 |
| | Total | 9421 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 43 | .5 | | |
| | -1 No response | 67 | .7 | | |
| | Total | 110 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section B

kl226 B3b: Number of times child wakes during the night

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 6501 | 68.2 | 69.5 | 69.5 |
| | 1 | 2279 | 23.9 | 24.4 | 93.9 |
| | 2 | 421 | 4.4 | 4.5 | 98.4 |
| | 3 | 93 | 1.0 | 1.0 | 99.4 |
| | 4 | 28 | .3 | .3 | 99.7 |
| | 5 | 12 | .1 | .1 | 99.8 |
| | 6 | 4 | .0 | .0 | 99.8 |
| | 7 | 3 | .0 | .0 | 99.9 |
| | 9 | 2 | .0 | .0 | 99.9 |
| | 97 Occasionally | 10 | .1 | .1 | 100.0 |
| Missing | Total | 9353 | 98.1 | 100.0 | |
| | -9 Don't know | 20 | .2 | | |
| | -1 No response | 158 | 1.7 | | |
| Total | | 178 | 1.9 | | |
| Total | | 9531 | 100.0 | | |

kl227 B3c: Number of times child has a sleep during a normal day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 8899 | 93.4 | 95.7 | 95.7 |
| | 1 | 388 | 4.1 | 4.2 | 99.9 |
| | 2 | 9 | .1 | .1 | 100.0 |
| | 7 | 1 | .0 | .0 | 100.0 |
| | Total | 9297 | 97.5 | 100.0 | |
| Missing | -9 Don't know | 6 | .1 | | |
| | -1 No response | 228 | 2.4 | | |
| | Total | 234 | 2.5 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section B

kl230 B4a1: Where child sleeps when they go to bed at night

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked in part 1 or 2 | 2 | .0 | .0 | .0 |
| | 1 In their own room, on their own | 5717 | 60.0 | 60.4 | 60.5 |
| | 2 In a room with other children | 3186 | 33.4 | 33.7 | 94.1 |
| | 3 In parent's bedroom | 298 | 3.1 | 3.2 | 97.3 |
| | 4 In a room with other adults | 36 | .4 | .4 | 97.7 |
| | 5 Other place | 220 | 2.3 | 2.3 | |
| | Total | 9459 | 99.2 | 100.0 | |
| Missing | -1 No response | 72 | .8 | | |
| | Total | 9531 | 100.0 | | |

kl232 B4a2: Where child sleeps when they wake up in the morning

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked in part 1 or 2 | 2 | .0 | .0 | .0 |
| | 1 In their own room, on their own | 4729 | 49.6 | 51.6 | 51.7 |
| | 2 In a room with other children | 2796 | 29.3 | 30.5 | 82.2 |
| | 3 In parent's bedroom | 1110 | 11.6 | 12.1 | 94.3 |
| | 4 In a room with other adults | 81 | .8 | .9 | 95.2 |
| | 5 Other place | 438 | 4.6 | 4.8 | |
| | Total | 9156 | 96.1 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 374 | 3.9 | | |
| | Total | 375 | 3.9 | | |
| | Total | 9531 | 100.0 | | |

kl235 B4b1: Child sleeps on own or shares a bed or cot when they go to bed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked in part 1 or 2 | 2 | .0 | .0 | .0 |
| | 1 In their own bed | 8927 | 93.7 | 94.3 | 94.3 |
| | 2 In a bed with other children | 171 | 1.8 | 1.8 | 96.1 |
| | 3 In parent's bed with parent | 186 | 2.0 | 2.0 | 98.1 |
| | 4 In a bed with other adult | 18 | .2 | .2 | 98.3 |
| | 5 Other place | 165 | 1.7 | 1.7 | |
| | Total | 9469 | 99.3 | 100.0 | |
| Missing | -1 No response | 62 | .7 | | |
| | Total | 9531 | 100.0 | | |

kl237 B4b2: Child sleeps on own or shares a bed or cot when they wake up

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked in part 1 or 2 | 2 | .0 | .0 | .0 |
| | 1 In their own bed | 7451 | 78.2 | 81.8 | 81.9 |
| | 2 In a bed with other children | 181 | 1.9 | 2.0 | 83.8 |
| | 3 In parent's bed with parent | 1060 | 11.1 | 11.6 | 95.5 |
| | 4 In a bed with other adult | 63 | .7 | .7 | 96.2 |
| | 5 Other place | 348 | 3.7 | 3.8 | |
| | Total | 9105 | 95.5 | 100.0 | |
| Missing | -1 No response | 426 | 4.5 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section B

kl240 B4c1: Frequency child sleeps on their back

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 568 | 6.0 | 6.2 | 6.2 |
| | 2 Usually | 2957 | 31.0 | 32.4 | 38.6 |
| | 3 Sometimes | 5098 | 53.5 | 55.9 | 94.5 |
| | 4 Hardly ever | 502 | 5.3 | 5.5 | 100.0 |
| | Total | 9125 | 95.7 | 100.0 | |
| Missing | -9 Don't know | 6 | .1 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 399 | 4.2 | | |
| | Total | 406 | 4.3 | | |
| Total | | 9531 | 100.0 | | |

kl241 B4c2: Frequency child sleeps on their side

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 474 | 5.0 | 5.2 | 5.2 |
| | 2 Usually | 2714 | 28.5 | 29.8 | 35.0 |
| | 3 Sometimes | 5478 | 57.5 | 60.1 | 95.0 |
| | 4 Hardly ever | 454 | 4.8 | 5.0 | 100.0 |
| | Total | 9120 | 95.7 | 100.0 | |
| Missing | -9 Don't know | 6 | .1 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 404 | 4.2 | | |
| | Total | 411 | 4.3 | | |
| Total | | 9531 | 100.0 | | |

kl242 B4c3: Frequency child sleeps on their front

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 83 | .9 | 1.0 | 1.0 |
| | 2 Usually | 489 | 5.1 | 5.7 | 6.7 |
| | 3 Sometimes | 3373 | 35.4 | 39.3 | 46.0 |
| | 4 Hardly ever | 4628 | 48.6 | 53.9 | 99.9 |
| | 5 Never | 9 | .1 | .1 | 100.0 |
| Missing | Total | 8582 | 90.0 | 100.0 | |
| | -9 Don't know | 6 | .1 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 942 | 9.9 | | |
| Total | Total | 949 | 10.0 | | |
| | | 9531 | 100.0 | | |

kl245 B4d1: Heating is on all night in room where child sleeps in Winter

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 404 | 4.2 | 4.3 | 4.3 |
| | 2 Yes, sometimes | 2095 | 22.0 | 22.3 | 26.7 |
| | 3 No, not at all | 6876 | 72.1 | 73.3 | 100.0 |
| | Total | 9375 | 98.4 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 155 | 1.6 | | |
| | Total | 156 | 1.6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section B

kl246 B4d1: Heating is on all night in room where child sleeps in Summer

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 4 | .0 | .0 | .0 |
| | 2 Yes, sometimes | 69 | .7 | .7 | .8 |
| | 3 No, not at all | 9286 | 97.4 | 99.2 | 100.0 |
| | Total | 9359 | 98.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 171 | 1.8 | | |
| | Total | 172 | 1.8 | | |
| Total | | 9531 | 100.0 | | |

kl248 B4d2: Heating is on part of night in room where child sleeps in Winter

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 1609 | 16.9 | 17.4 | 17.4 |
| | 2 Yes, sometimes | 5214 | 54.7 | 56.4 | 73.8 |
| | 3 No, not at all | 2416 | 25.3 | 26.2 | 100.0 |
| | Total | 9239 | 96.9 | 100.0 | |
| Missing | -1 No response | 292 | 3.1 | | |
| Total | | 9531 | 100.0 | | |

kl249 B4d2: Heating is on part of night in room where child sleeps in Summer

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 8 | .1 | .1 | .1 |
| | 2 Yes, sometimes | 449 | 4.7 | 4.9 | 5.0 |
| | 3 No, not at all | 8697 | 91.2 | 95.0 | 100.0 |
| | Total | 9154 | 96.0 | 100.0 | |
| Missing | -1 No response | 377 | 4.0 | | |
| Total | | 9531 | 100.0 | | |

kl251 B4d3: A window is open at night in room where child sleeps in Winter

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 553 | 5.8 | 6.0 | 6.0 |
| | 2 Yes, sometimes | 2483 | 26.1 | 26.8 | 32.7 |
| | 3 No, not at all | 6242 | 65.5 | 67.3 | 100.0 |
| | Total | 9278 | 97.3 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 252 | 2.6 | | |
| | Total | 253 | 2.7 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section B

kl252 B4d3: A window is open at night in room where child sleeps in Summer

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 3247 | 34.1 | 34.8 | 34.8 |
| | 2 Yes, sometimes | 4711 | 49.4 | 50.5 | 85.3 |
| | 3 No, not at all | 1374 | 14.4 | 14.7 | 100.0 |
| | Total | 9332 | 97.9 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 198 | 2.1 | | |
| | Total | 199 | 2.1 | | |
| Total | | 9531 | 100.0 | | |

kl254 B4d4: Child sleeps with a duvet in Winter

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 9163 | 96.1 | 96.9 | 96.9 |
| | 2 Yes, sometimes | 207 | 2.2 | 2.2 | 99.1 |
| | 3 No, not at all | 83 | .9 | .9 | 100.0 |
| | Total | 9453 | 99.2 | 100.0 | |
| Missing | -1 No response | 78 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl255 B4d4: Child sleeps with a duvet in Summer

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 6192 | 65.0 | 66.4 | 66.4 |
| | 2 Yes, sometimes | 2742 | 28.8 | 29.4 | 95.8 |
| | 3 No, not at all | 387 | 4.1 | 4.2 | 100.0 |
| | Total | 9321 | 97.8 | 100.0 | |
| Missing | -1 No response | 210 | 2.2 | | |
| Total | | 9531 | 100.0 | | |

kl257 B4d5: Child has an electric blanket in Winter

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 42 | .4 | .4 | .4 |
| | 2 Yes, sometimes | 80 | .8 | .8 | 1.3 |
| | 3 No, not at all | 9316 | 97.7 | 98.7 | 100.0 |
| | Total | 9438 | 99.0 | 100.0 | |
| Missing | -1 No response | 93 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl258 B4d5: Child has an electric blanket in Summer

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 5 | .1 | .1 | .1 |
| | 2 Yes, sometimes | 5 | .1 | .1 | .1 |
| | 3 No, not at all | 9300 | 97.6 | 99.9 | 100.0 |
| | Total | 9310 | 97.7 | 100.0 | |
| Missing | -1 No response | 221 | 2.3 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section B

kl260 B4d6: Child sleeps with a pillow in Winter

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 9051 | 95.0 | 95.7 | 95.7 |
| | 2 Yes, sometimes | 323 | 3.4 | 3.4 | 99.1 |
| | 3 No, not at all | 81 | .8 | .9 | 100.0 |
| | Total | 9455 | 99.2 | 100.0 | |
| Missing | -1 No response | 76 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl261 B4d6: Child sleeps with a pillow in Summer

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 8869 | 93.1 | 95.0 | 95.0 |
| | 2 Yes, sometimes | 333 | 3.5 | 3.6 | 98.6 |
| | 3 No, not at all | 130 | 1.4 | 1.4 | 100.0 |
| | Total | 9332 | 97.9 | 100.0 | |
| Missing | -1 No response | 199 | 2.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section B

kl263 B5: Parent's assessment of child's sleep pattern relative to peers

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Better than peers | 2195 | 23.0 | 23.2 | 23.2 |
| | 2 Same as peers | 6132 | 64.3 | 64.8 | 88.0 |
| | 3 Worse than peers | 747 | 7.8 | 7.9 | 95.9 |
| | 9 Don't know | 392 | 4.1 | 4.1 | 100.0 |
| | Total | 9466 | 99.3 | 100.0 | |
| Missing | -1 No response | 65 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl265 B6a: Child has regularly refused to go to bed in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, did not worry parent | 3176 | 33.3 | 33.6 | 33.6 |
| | 2 Yes, worried parent a bit | 482 | 5.1 | 5.1 | 38.7 |
| | 3 Yes, worried parent greatly | 93 | 1.0 | 1.0 | 39.7 |
| | 4 No, did not happen | 5696 | 59.8 | 60.2 | 99.9 |
| | 9 Don't know | 11 | .1 | .1 | 100.0 |
| Total | | 9458 | 99.2 | 100.0 | |
| Missing | -1 No response | 73 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl266 B6b: Child has regularly woken very early in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, did not worry parent | 4101 | 43.0 | 43.4 | 43.4 |
| | 2 Yes, worried parent a bit | 594 | 6.2 | 6.3 | 49.7 |
| | 3 Yes, worried parent greatly | 82 | .9 | .9 | 50.5 |
| | 4 No, did not happen | 4662 | 48.9 | 49.3 | 99.9 |
| | 9 Don't know | 13 | .1 | .1 | 100.0 |
| Total | | 9452 | 99.2 | 100.0 | |
| Missing | -1 No response | 79 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl267 B6c: Child has regularly had difficulty going to sleep in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, did not worry parent | 2968 | 31.1 | 31.5 | 31.5 |
| | 2 Yes, worried parent a bit | 702 | 7.4 | 7.4 | 38.9 |
| | 3 Yes, worried parent greatly | 108 | 1.1 | 1.1 | 40.1 |
| | 4 No, did not happen | 5644 | 59.2 | 59.8 | 99.9 |
| | 9 Don't know | 11 | .1 | .1 | 100.0 |
| Total | | 9433 | 99.0 | 100.0 | |
| Missing | -1 No response | 98 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section B

kl268 B6d: Child has had nightmares in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, did not worry parent | 2015 | 21.1 | 21.4 | 21.4 |
| | 2 Yes, worried parent a bit | 1418 | 14.9 | 15.0 | 36.4 |
| | 3 Yes, worried parent greatly | 155 | 1.6 | 1.6 | 38.1 |
| | 4 No, did not happen | 5747 | 60.3 | 61.0 | 99.0 |
| | 9 Don't know | 94 | 1.0 | 1.0 | 100.0 |
| | Total | 9429 | 98.9 | 100.0 | |
| Missing | -1 No response | 102 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl269 B6e: Child has continued to get up after being put to bed in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, did not worry parent | 2449 | 25.7 | 26.0 | 26.0 |
| | 2 Yes, worried parent a bit | 657 | 6.9 | 7.0 | 32.9 |
| | 3 Yes, worried parent greatly | 144 | 1.5 | 1.5 | 34.5 |
| | 4 No, did not happen | 6156 | 64.6 | 65.3 | 99.8 |
| | 9 Don't know | 21 | .2 | .2 | 100.0 |
| | Total | 9427 | 98.9 | 100.0 | |
| Missing | -1 No response | 104 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl270 B6f: Child has regularly woken in the night in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, did not worry parent | 4960 | 52.0 | 52.6 | 52.6 |
| | 2 Yes, worried parent a bit | 880 | 9.2 | 9.3 | 61.9 |
| | 3 Yes, worried parent greatly | 158 | 1.7 | 1.7 | 63.6 |
| | 4 No, did not happen | 3420 | 35.9 | 36.2 | 99.8 |
| | 9 Don't know | 18 | .2 | .2 | 100.0 |
| | Total | 9436 | 99.0 | 100.0 | |
| Missing | -1 No response | 95 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl271 B6g: Child has regularly got up after a few hours sleep in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, did not worry parent | 857 | 9.0 | 9.1 | 9.1 |
| | 2 Yes, worried parent a bit | 232 | 2.4 | 2.5 | 11.5 |
| | 3 Yes, worried parent greatly | 57 | .6 | .6 | 12.2 |
| | 4 No, did not happen | 8248 | 86.5 | 87.5 | 99.6 |
| | 9 Don't know | 36 | .4 | .4 | 100.0 |
| | Total | 9430 | 98.9 | 100.0 | |
| Missing | -1 No response | 101 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section B

kl275a B7: Time in evening child is put to bed - Hours

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 2 | 1 | .0 | .0 | .0 |
| | 4 | 1 | .0 | .0 | .0 |
| | 5 | 36 | .4 | .4 | .4 |
| | 6 | 738 | 7.7 | 7.9 | 8.3 |
| | 7 | 5770 | 60.5 | 61.9 | 70.2 |
| | 8 | 2456 | 25.8 | 26.3 | 96.5 |
| | 9 | 272 | 2.9 | 2.9 | 99.4 |
| | 10 | 51 | .5 | .5 | 100.0 |
| | 11 | 2 | .0 | .0 | 100.0 |
| | Total | 9327 | 97.9 | 100.0 | |
| Missing | -9 Don't know | 30 | .3 | | |
| | -1 No response | 174 | 1.8 | | |
| | Total | 204 | 2.1 | | |
| Total | | 9531 | 100.0 | | |

kl275b B7: Time in evening child is put to bed - Minutes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 4253 | 44.6 | 45.7 | 45.7 |
| | 3 | 2 | .0 | .0 | 45.8 |
| | 5 | 2 | .0 | .0 | 45.8 |
| | 7 | 1 | .0 | .0 | 45.8 |
| | 10 | 23 | .2 | .2 | 46.0 |
| | 15 | 499 | 5.2 | 5.4 | 51.4 |
| | 20 | 34 | .4 | .4 | 51.8 |
| | 25 | 5 | .1 | .1 | 51.8 |
| | 29 | 1 | .0 | .0 | 51.8 |
| | 30 | 4034 | 42.3 | 43.4 | 95.2 |
| | 36 | 2 | .0 | .0 | 95.2 |
| | 40 | 8 | .1 | .1 | 95.3 |
| | 45 | 415 | 4.4 | 4.5 | 99.8 |
| | 50 | 20 | .2 | .2 | 100.0 |
| | Total | 9299 | 97.6 | 100.0 | |
| Missing | -9 Don't know | 53 | .6 | | |
| | -1 No response | 179 | 1.9 | | |
| | Total | 232 | 2.4 | | |
| Total | | 9531 | 100.0 | | |

SECTION C: YOU AND YOUR CHILD

C1. a) Do you ever have a battle of wills with your child?

| | | |
|------------|----------------------------|------------------------------------|
| never | <input type="checkbox"/> 1 | → If <u>never</u> , go to C2 below |
| rarely | <input type="checkbox"/> 2 | |
| sometimes | <input type="checkbox"/> 3 | |
| frequently | <input type="checkbox"/> 4 | |

b) What are they usually about:

.....

.....

c) Who most often wins?

| | |
|---------------|----------------------------|
| me | <input type="checkbox"/> 1 |
| she does | <input type="checkbox"/> 2 |
| about even | <input type="checkbox"/> 3 |
| neither of us | <input type="checkbox"/> 4 |

C2. How often does she refuse to go to bed?

| | |
|------------------|----------------------------|
| most of the time | <input type="checkbox"/> 1 |
| often | <input type="checkbox"/> 2 |
| at times | <input type="checkbox"/> 3 |
| rarely | <input type="checkbox"/> 4 |
| never | <input type="checkbox"/> 5 |

PAGE 23 OF THE QUESTIONNAIRE

C3. a) How often does she have temper tantrums?

more than once a day

| |
|---|
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |

most days

at least once a week

less than once a week

never

→ If never, go to C4 on
page 24

If she has temper tantrums:

b) Why do you think they happen? (please tick all that apply)

i) failure to get what she wants

| |
|---|
| 1 |
|---|

ii) failure to make herself understood

| |
|---|
| 1 |
|---|

iii) reaction to being corrected

| |
|---|
| 1 |
|---|

iv) no particular reason

| |
|---|
| 1 |
|---|

v) other (please tick and describe)

| |
|---|
| 1 |
|---|

.....

c) When she has temper tantrums how often do you:

| | Often | Sometimes | Never |
|--|----------------------------|----------------------------|----------------------------|
| i) ignore it, let her get it out of her system | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| ii) send her away for 'time out' eg. send her to her bedroom | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| iii) try to hold and cuddle her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| iv) try to reason with her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |

PAGE 24 OF THE QUESTIONNAIRE

C3. c)

| | Often | Sometimes | Never |
|--|-------|-----------|-------|
|--|-------|-----------|-------|

- | | | | |
|---|----------------------------|----------------------------|----------------------------|
| v) leave it for someone else to cope with | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| vi) slap or hit her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| vii) try to distract her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| viii) shout at her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| ix) other (please tick and describe) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |

.....

C4. How often does she do the following:

| | Often | Sometimes | Never |
|--|-------|-----------|-------|
|--|-------|-----------|-------|

- | | | | |
|---|----------------------------|----------------------------|----------------------------|
| a) repeatedly rocks her head or body for no reason | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| b) has a tic or twitch | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| c) has other unusual behaviour (please tick and describe) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |

.....

C5.

- | About how often does she go to: | Nearly every day | 2 - 5 times a week | Once a week | Once a month | A few times per year | Never |
|---------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 |
| a) local shops | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 |
| b) department store | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 |
| c) supermarket | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 |
| d) park or playground | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 |

PAGE 25 OF THE QUESTIONNAIRE

| | Nearly every day | 2 - 5 times a week | Once a week | Once a month | A few times per year | Never |
|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| C5.e) visits to friends | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 |
| f) visits to relatives | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 |
| g) library | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 |
| h) places of interest (e.g. Zoo, museum) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 |
| i) places of entertainment (e.g. funfair) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 |
| j) swimming pool or other sporting area | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 |

C6. How much choice do you allow her in deciding what foods she eats at meals?

| | Main meal | Snacks |
|--|----------------------------|----------------------------|
| she can choose from any food available | <input type="checkbox"/> 1 | <input type="checkbox"/> 1 |
| she is given a choice from a few alternatives that an adult chooses | <input type="checkbox"/> 2 | <input type="checkbox"/> 2 |
| an adult decides what she will eat | <input type="checkbox"/> 3 | <input type="checkbox"/> 3 |

C7. Do you allow her to choose what clothes she will wear?

| | |
|---|----------------------------|
| she always takes part in choosing | <input type="checkbox"/> 1 |
| she has some choice | <input type="checkbox"/> 2 |
| she has no choice in what she will wear | <input type="checkbox"/> 3 |


KL File – Section C

PAGE 26 OF THE QUESTIONNAIRE


C8. Does your child have:

| | Yes | No |
|---|-----|----|
| a) cuddly toys | 1 | 2 |
| b) construction toys (e.g. lego) | 1 | 2 |
| c) co-ordination toys (eg. set of blocks, shape posting box, stacking cups) | 1 | 2 |
| d) jigsaw puzzles | 1 | 2 |
| e) action dolls (e.g. Barbie, Power Ranger) | 1 | 2 |
| f) computer games | 1 | 2 |
| g) toy cars | 1 | 2 |

C9. About how many books does she have of her own or that she shares with brothers or sisters?



C10. How often do you talk to her while you do housework or are occupied in some other way?



C11. a) Do you have a television set?

Yes 1 No 2 → If no, go to C12 on page 28

If yes,

C11. b) How often is your child allowed to watch the television or a video?

whenever she wants


| |
|---|
| 1 |
| 2 |
| 3 |

when I decide it is suitable


hardly ever

→ If hardly ever, go to
C12 on page 28

c) When do you normally have the television on?



d) Does your child watch television or a video when it is on?



If she does watch TV,

C11. e) what programmes does she see? (tick all that apply)

Don't know

- i) children's programmes
- ii) other programmes
- iii) children's videos
- iv) other videos

| |
|---|
| 1 |
| 1 |
| 1 |
| 1 |
| 9 |

KL File – Section C

PAGE 28 OF THE QUESTIONNAIRE

C11. f) About how close to the TV does she usually sit?

| | | | | | |
|----------------------|----------------------------|------------------|----------------------------|----------------------|----------------------------|
| less than 1 metre | <input type="checkbox"/> 1 | about 1 metre | <input type="checkbox"/> 2 | more than 1 metre | <input type="checkbox"/> 3 |
| varies | <input type="checkbox"/> 4 | | | | |

C12. How often does she play with other children (other than brothers or sisters)?

| | |
|-----------------------|----------------------------|
| every day | <input type="checkbox"/> 1 |
| 2 - 6 times a week | <input type="checkbox"/> 2 |
| once a week | <input type="checkbox"/> 3 |
| less than once a week | <input type="checkbox"/> 4 |
| never | <input type="checkbox"/> 5 |

C13. When you and your child meet again after being apart for an hour or more, does she tell you what she's been doing?

| | | | | | |
|-------------|----------------------------|-----------------------|----------------------------|-------------|----------------------------|
| yes, always | <input type="checkbox"/> 1 | yes, sometimes | <input type="checkbox"/> 2 | hardly ever | <input type="checkbox"/> 3 |
| never | <input type="checkbox"/> 4 | we are never apart | <input type="checkbox"/> 7 | | |

C14. a) Many children have particular types of activities that they prefer or toys they play with.

How often has your daughter played with the following in the past month:

| Plays with: | Never | Hardly ever | Some- times | Often | Very often |
|-------------|-------|----------------|----------------|-------|---------------|
|-------------|-------|----------------|----------------|-------|---------------|

| | | | | | |
|--------------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| i) Guns (or objects used as guns) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| ii) Jewellery | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| iii) Tool set | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| iv) Dolls | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

| C14.a) Plays with: | Never | Hardly ever | Sometimes | Often | Very often |
|--|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| v) Trains, cars or aeroplanes | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| vi) Swords (or objects used as swords) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| vii) Tea set | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

C14. b) How often in the past month has she done the following:

| | Never | Hardly ever | Sometimes | Often | Very often |
|--|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| i) Played house (e.g. cleaning, cooking) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| ii) Played with girls | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| iii) Pretended to be a female person (e.g. a princess) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| iv) Pretended to be a male character (e.g. a soldier) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| v) Played at fighting | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| vi) Played at being a mother or father | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| vii) Played ball games | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| viii) Climbed (fence, tree, climbing frame) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| ix) Played at looking after babies | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

KL File – Section C

PAGE 30 OF THE QUESTIONNAIRE

C14. b) How often in the past month has she done the following:

| | | Never | Hardly ever | Sometimes | Often | Very often |
|------|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| x) | Showed interest in real cars, trains and aeroplanes | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| xi) | Dressed up in girlish clothes | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| xii) | Played with boys | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

C14. c) How often does she:

| | | Never | Hardly ever | Sometimes | Often | Very often |
|------|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| i) | Like to explore new surroundings | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| ii) | Enjoy rough and tumble play | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| iii) | Show interest in spiders, insects or snakes | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| iv) | Avoid getting dirty | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| v) | Like pretty things | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| vi) | Avoid taking risks | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

C15. Do you feel that she dominates the household?

Yes, usually

 1

Yes, sometimes

 2

No, not at all

 3

PAGE 31 OF THE QUESTIONNAIRE

C16. Do you start by being firm but then give way?

Yes, usually

1

Yes, sometimes

2

No, not at all

3

C17. Space for comments:

.....
.....

C18. How often does your partner do these activities with your child?

Partner:

| | Often | Sometimes | Rarely | Never | Have no partner |
|--|----------------------------|----------------------------|----------------------------|----------------------------|--|
| a) gives her a bath or shower | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 7 <input type="checkbox"/> → Go to C19 on page 32 |
| b) makes things with her | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |
| c) sings to her | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |
| d) reads to her | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |
| e) plays with toys | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |
| f) cuddles her | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |
| g) active play (eg. ball games, hide and seek) | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |
| h) takes her to a park or playground | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |
| i) puts her to bed | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |
| j) takes her swimming | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |
| k) draws or paints with her | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |
| l) prepares food for her | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |
| m) other (please tick and describe) | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | |

PAGE 32 OF THE QUESTIONNAIRE

C19. How often do you do these activities with your child?

You:

| | Often | Sometimes | Rarely | Never |
|--|----------------------------|----------------------------|----------------------------|----------------------------|
| a) bath (or shower) her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| b) make things with her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| c) sing to her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| d) read to her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| e) play with toys | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| f) cuddle her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| g) active play (eg. ball games, hide and seek) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| h) take her to the park or playground | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| i) put her to bed | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| j) take her swimming or other activity | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| k) draw or paint with her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| l) prepare food for her | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| m) other (please describe) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |

PAGE 33 OF THE QUESTIONNAIRE

C20. About how often does your child do the following:

| | Every day | 2-6 times a week | once a week | once a month | not at all |
|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| a) Go to a park or playground | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| b) Go swimming | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| c) Play a musical instrument (e.g. piano, recorder) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| d) Go to a library | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| e) Go to special groups (such as Beavers or Rainbows) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

Please tick and describe

| | | | | | |
|--|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| f) Go to Sunday school | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| g) Go to special classes or clubs for some activity (e.g. dancing, judo, sports) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

Please tick and describe.....

| | | | | | |
|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| h) Go to special classes because of learning difficulty | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|

Please tick and describe.....

| | | | | | |
|-------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| i) Have physiotherapy | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| j) See her grandparents | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| k) Play computer games | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| l) Help in the house | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

C21. Has she had her ears pierced ? Yes 1 No 2

KL File – Section C

kl280 C1a: Parent some times has a battle of wills with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Part b answered but part a omitted | 1 | .0 | .0 | .0 |
| | 1 Never | 719 | 7.5 | 7.6 | 7.6 |
| | 2 Rarely | 1465 | 15.4 | 15.4 | 23.0 |
| | 3 Sometimes | 4997 | 52.4 | 52.6 | 75.6 |
| | 4 Frequently | 2315 | 24.3 | 24.4 | 100.0 |
| | Total | 9497 | 99.6 | 100.0 | |
| Missing | -1 No response | 34 | .4 | | |
| Total | | 9531 | 100.0 | | |

kl282 C1c: Most frequent winner of battles of will between parent and child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Parent | 5185 | 54.4 | 59.7 | 59.7 |
| | 2 Child | 236 | 2.5 | 2.7 | 62.4 |
| | 3 About even | 2751 | 28.9 | 31.7 | 94.1 |
| | 4 Neither | 515 | 5.4 | 5.9 | 100.0 |
| | Total | 8687 | 91.1 | 100.0 | |
| | | | | | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 843 | 8.8 | | |
| | Total | 844 | 8.9 | | |
| Total | | 9531 | 100.0 | | |

kl283 C2: Frequency child refuses to go to bed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Most of the time | 303 | 3.2 | 3.2 | 3.2 |
| | 2 Often | 422 | 4.4 | 4.5 | 7.7 |
| | 3 At times | 1776 | 18.6 | 18.7 | 26.4 |
| | 4 Rarely | 4002 | 42.0 | 42.2 | 68.6 |
| | 5 Never | 2974 | 31.2 | 31.4 | 100.0 |
| | Total | 9477 | 99.4 | 100.0 | |
| Missing | -1 No response | 54 | .6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl285 C3a: Frequency child has temper tantrums

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 > once / day | 203 | 2.1 | 2.1 | 2.1 |
| | 2 Most days | 1083 | 11.4 | 11.4 | 13.6 |
| | 3 At least once / week | 1995 | 20.9 | 21.0 | 34.6 |
| | 4 < once / week | 3766 | 39.5 | 39.7 | 74.3 |
| | 5 Never | 2441 | 25.6 | 25.7 | 100.0 |
| | Total | 9488 | 99.5 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 42 | .4 | | |
| | Total | 43 | .5 | | |
| Total | | 9531 | 100.0 | | |

kl286 C3b1: Child has tantrum when they fail to get what they want

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 6015 | 63.1 | 100.0 | 100.0 |
| Missing | -1 No response | 3516 | 36.9 | | |
| Total | | 9531 | 100.0 | | |

kl287 C3b2: Child has tantrum due to failure to make themselves understood

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1086 | 11.4 | 100.0 | 100.0 |
| Missing | -1 No response | 8445 | 88.6 | | |
| Total | | 9531 | 100.0 | | |

kl288 C3b3: Child's tantrum is a reaction to being corrected

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 2268 | 23.8 | 100.0 | 100.0 |
| Missing | -1 No response | 7263 | 76.2 | | |
| Total | | 9531 | 100.0 | | |

kl289 C3b4: Child has tantrum for no particular reason

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 483 | 5.1 | 100.0 | 100.0 |
| Missing | -1 No response | 9048 | 94.9 | | |
| Total | | 9531 | 100.0 | | |

kl290 C3b5: Child has tantrum for other reason

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 970 | 10.2 | 100.0 | 100.0 |
| Missing | -1 No response | 8561 | 89.8 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl292 C3c1: Parent ignores child/lets them get it out of system when child has tantrum

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 1907 | 20.0 | 28.3 | 28.3 |
| | 2 Sometimes | 4208 | 44.2 | 62.3 | 90.6 |
| | 3 Never | 634 | 6.7 | 9.4 | 100.0 |
| | Total | 6749 | 70.8 | 100.0 | |
| Missing | -1 No response | 2782 | 29.2 | | |
| Total | | 9531 | 100.0 | | |

kl293 C3c2: Parent sends child for time out when child has tantrum

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 1549 | 16.3 | 22.9 | 22.9 |
| | 2 Sometimes | 4282 | 44.9 | 63.2 | 86.1 |
| | 3 Never | 939 | 9.9 | 13.9 | 100.0 |
| | Total | 6770 | 71.0 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 2760 | 29.0 | | |
| | Total | 2761 | 29.0 | | |
| Total | | 9531 | 100.0 | | |

kl294 C3c3: Parent tries to hold/cuddle child when child has tantrum

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 560 | 5.9 | 8.6 | 8.6 |
| | 2 Sometimes | 4017 | 42.1 | 61.3 | 69.9 |
| | 3 Never | 1971 | 20.7 | 30.1 | 100.0 |
| | Total | 6548 | 68.7 | 100.0 | |
| Missing | -1 No response | 2983 | 31.3 | | |
| Total | | 9531 | 100.0 | | |

kl295 C3c4: Parent tries to reason with child when child has tantrum

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 2426 | 25.5 | 35.2 | 35.2 |
| | 2 Sometimes | 4126 | 43.3 | 59.8 | 95.0 |
| | 3 Never | 344 | 3.6 | 5.0 | 100.0 |
| | Total | 6896 | 72.4 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 2634 | 27.6 | | |
| | Total | 2635 | 27.6 | | |
| Total | | 9531 | 100.0 | | |

kl296 C3c5: Parent leaves someone else to cope when child has tantrum

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 13 | .1 | .2 | .2 |
| | 2 Sometimes | 1358 | 14.2 | 20.0 | 20.2 |
| | 3 Never | 5420 | 56.9 | 79.8 | 100.0 |
| | Total | 6791 | 71.3 | 100.0 | |
| Missing | -1 No response | 2740 | 28.7 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl297 C3c6: Parent slaps or hits child when child has tantrum

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 15 | .2 | .2 | .2 |
| | 2 Sometimes | 2745 | 28.8 | 40.5 | 40.7 |
| | 3 Never | 4015 | 42.1 | 59.3 | 100.0 |
| | Total | 6775 | 71.1 | 100.0 | |
| Missing | -1 No response | 2756 | 28.9 | | |
| Total | | 9531 | 100.0 | | |

kl298 C3c7: Parent tries to distract child when child has tantrum

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 1202 | 12.6 | 17.7 | 17.7 |
| | 2 Sometimes | 4714 | 49.5 | 69.4 | 87.1 |
| | 3 Never | 879 | 9.2 | 12.9 | 100.0 |
| | Total | 6795 | 71.3 | 100.0 | |
| Missing | -1 No response | 2736 | 28.7 | | |
| Total | | 9531 | 100.0 | | |

kl299 C3c8: Parent shouts at child when child has tantrum

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 827 | 8.7 | 12.0 | 12.0 |
| | 2 Sometimes | 5345 | 56.1 | 77.5 | 89.5 |
| | 3 Never | 723 | 7.6 | 10.5 | 100.0 |
| | Total | 6895 | 72.3 | 100.0 | |
| Missing | -1 No response | 2636 | 27.7 | | |
| Total | | 9531 | 100.0 | | |

kl300 C3c9: Parent tries other action when child has tantrum

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 53 | .6 | 3.4 | 3.4 |
| | 1 Often | 99 | 1.0 | 6.4 | 9.8 |
| | 2 Sometimes | 160 | 1.7 | 10.3 | 20.0 |
| | 3 Never | 1245 | 13.1 | 80.0 | 100.0 |
| | Total | 1557 | 16.3 | 100.0 | |
| Missing | -1 No response | 7974 | 83.7 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl305 C4a: Frequency child repeatedly rocks head or body for no reason

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 33 | .3 | .4 | .4 |
| | 2 Sometimes | 94 | 1.0 | 1.0 | 1.4 |
| | 3 Never | 9269 | 97.3 | 98.6 | 100.0 |
| | Total | 9396 | 98.6 | 100.0 | |
| Missing | -1 No response | 135 | 1.4 | | |
| Total | | 9531 | 100.0 | | |

kl306 C4b: Frequency child has a tic or twitch

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 8 | .1 | .1 | .1 |
| | 2 Sometimes | 87 | .9 | .9 | 1.0 |
| | 3 Never | 9279 | 97.4 | 99.0 | 100.0 |
| | Total | 9374 | 98.4 | 100.0 | |
| Missing | -1 No response | 157 | 1.6 | | |
| Total | | 9531 | 100.0 | | |

kl307 C4c: Frequency child has other unusual behaviour

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 34 | .4 | .4 | .4 |
| | 1 Often | 145 | 1.5 | 1.7 | 2.0 |
| | 2 Sometimes | 213 | 2.2 | 2.4 | 4.5 |
| | 3 Never | 8373 | 87.9 | 95.5 | 100.0 |
| Missing | Total | 8765 | 92.0 | 100.0 | |
| Missing | -1 No response | 766 | 8.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl310 C5a: Frequency child goes to local shops

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Nearly every day | 2012 | 21.1 | 21.3 | 21.3 |
| | 2 2-5 times / week | 3872 | 40.6 | 40.9 | 62.2 |
| | 3 Once / week | 3011 | 31.6 | 31.8 | 94.0 |
| | 4 Once / month | 441 | 4.6 | 4.7 | 98.7 |
| | 5 A few times per year | 92 | 1.0 | 1.0 | 99.7 |
| | 6 Never | 32 | .3 | .3 | 100.0 |
| | Total | 9460 | 99.3 | 100.0 | |
| Missing | -1 No response | 71 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl311 C5b: Frequency child goes to department stores

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Nearly every day | 14 | .1 | .1 | .1 |
| | 2 2-5 times / week | 180 | 1.9 | 1.9 | 2.1 |
| | 3 Once / week | 1436 | 15.1 | 15.3 | 17.4 |
| | 4 Once / month | 4110 | 43.1 | 43.8 | 61.2 |
| | 5 A few times per year | 3333 | 35.0 | 35.5 | 96.7 |
| | 6 Never | 308 | 3.2 | 3.3 | 100.0 |
| | Total | 9381 | 98.4 | 100.0 | |
| Missing | -1 No response | 150 | 1.6 | | |
| Total | | 9531 | 100.0 | | |

kl312 C5c: Frequency child goes to supermarket

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Nearly every day | 182 | 1.9 | 1.9 | 1.9 |
| | 2 2-5 times / week | 1420 | 14.9 | 15.0 | 16.9 |
| | 3 Once / week | 5271 | 55.3 | 55.7 | 72.7 |
| | 4 Once / month | 2083 | 21.9 | 22.0 | 94.7 |
| | 5 A few times per year | 476 | 5.0 | 5.0 | 99.7 |
| | 6 Never | 27 | .3 | .3 | 100.0 |
| | Total | 9459 | 99.2 | 100.0 | |
| Missing | -1 No response | 72 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl313 C5d: Frequency child goes to park or playground

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Nearly every day | 919 | 9.6 | 9.8 | 9.8 |
| | 2 2-5 times / week | 2749 | 28.8 | 29.2 | 39.0 |
| | 3 Once / week | 3717 | 39.0 | 39.5 | 78.4 |
| | 4 Once / month | 1509 | 15.8 | 16.0 | 94.4 |
| | 5 A few times per year | 494 | 5.2 | 5.2 | 99.7 |
| | 6 Never | 29 | .3 | .3 | 100.0 |
| | Total | 9417 | 98.8 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 113 | 1.2 | | |
| Total | | 114 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl314 C5e: Frequency child goes to visit friends

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Nearly every day | 761 | 8.0 | 8.1 | 8.1 |
| | 2 2-5 times / week | 3545 | 37.2 | 37.7 | 45.8 |
| | 3 Once / week | 3577 | 37.5 | 38.0 | 83.8 |
| | 4 Once / month | 1065 | 11.2 | 11.3 | 95.1 |
| | 5 A few times per year | 374 | 3.9 | 4.0 | 99.1 |
| | 6 Never | 89 | .9 | .9 | 100.0 |
| | Total | 9411 | 98.7 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 119 | 1.2 | | |
| | Total | 120 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl315 C5f: Frequency child goes to visit relatives

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Nearly every day | 658 | 6.9 | 7.0 | 7.0 |
| | 2 2-5 times / week | 3130 | 32.8 | 33.1 | 40.1 |
| | 3 Once / week | 2986 | 31.3 | 31.6 | 71.6 |
| | 4 Once / month | 1591 | 16.7 | 16.8 | 88.5 |
| | 5 A few times per year | 1027 | 10.8 | 10.9 | 99.3 |
| | 6 Never | 64 | .7 | .7 | 100.0 |
| | Total | 9456 | 99.2 | 100.0 | |
| Missing | -1 No response | 75 | .8 | | |
| | Total | 9531 | 100.0 | | |

kl316 C5g: Frequency child goes to the library

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Nearly every day | 27 | .3 | .3 | .3 |
| | 2 2-5 times / week | 87 | .9 | .9 | 1.2 |
| | 3 Once / week | 1084 | 11.4 | 11.5 | 12.7 |
| | 4 Once / month | 3493 | 36.6 | 37.1 | 49.8 |
| | 5 A few times per year | 2373 | 24.9 | 25.2 | 74.9 |
| | 6 Never | 2363 | 24.8 | 25.1 | 100.0 |
| | Total | 9427 | 98.9 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 102 | 1.1 | | |
| | Total | 104 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl317 C5h: Frequency child goes to places of interest

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Nearly every day | 1 | .0 | .0 | .0 |
| | 2 2-5 times / week | 81 | .8 | .9 | .9 |
| | 3 Once / week | 1003 | 10.5 | 10.6 | 11.5 |
| | 4 Once / month | 3389 | 35.6 | 35.8 | 47.3 |
| | 5 A few times per year | 4840 | 50.8 | 51.2 | 98.5 |
| | 6 Never | 142 | 1.5 | 1.5 | 100.0 |
| | Total | 9456 | 99.2 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 74 | .8 | | |
| | Total | 75 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl318 C5i: Frequency child goes to places of entertainment

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Nearly every day | 2 | .0 | .0 | .0 |
| | 2 2-5 times / week | 28 | .3 | .3 | .3 |
| | 3 Once / week | 357 | 3.7 | 3.8 | 4.1 |
| | 4 Once / month | 2151 | 22.6 | 22.8 | 26.9 |
| | 5 A few times per year | 6258 | 65.7 | 66.4 | 93.4 |
| | 6 Never | 622 | 6.5 | 6.6 | 100.0 |
| | Total | 9418 | 98.8 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 111 | 1.2 | | |
| | Total | 113 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl319 C5j: Frequency child goes to the swimming pool or other sporting area

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Nearly every day | 26 | .3 | .3 | .3 |
| | 2 2-5 times / week | 563 | 5.9 | 6.0 | 6.2 |
| | 3 Once / week | 3169 | 33.2 | 33.6 | 39.8 |
| | 4 Once / month | 2629 | 27.6 | 27.9 | 67.7 |
| | 5 A few times per year | 2652 | 27.8 | 28.1 | 95.8 |
| | 6 Never | 396 | 4.2 | 4.2 | 100.0 |
| | Total | 9435 | 99.0 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 95 | 1.0 | | |
| | Total | 96 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl325 C6: Amount of choice child is allowed deciding what they eat - Main Meal

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 1 Child chooses from any food available | 1299 | 13.6 | 14.0 | 14.0 |
| | 2 Child chooses from a few alternatives adult provides | 4535 | 47.6 | 48.8 | 62.7 |
| | 3 Adult decides what child will eat | 3466 | 36.4 | 37.3 | 100.0 |
| | Total | 9300 | 97.6 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 229 | 2.4 | | |
| | Total | 231 | 2.4 | | |
| Total | | 9531 | 100.0 | | |

kl326 C6: Amount of choice child is allowed deciding what they eat - Snacks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 1 Child chooses from any food available | 3771 | 39.6 | 41.2 | 41.2 |
| | 2 Child chooses from a few alternatives adult provides | 4619 | 48.5 | 50.5 | 91.7 |
| | 3 Adult decides what child will eat | 757 | 7.9 | 8.3 | 100.0 |
| | Total | 9147 | 96.0 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 382 | 4.0 | | |
| | Total | 384 | 4.0 | | |
| Total | | 9531 | 100.0 | | |

kl328 C7: Parent allows child to choose what they wear

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Child always takes part in choosing | 3484 | 36.6 | 36.8 | 36.8 |
| | 2 Child has some choice | 5528 | 58.0 | 58.3 | 95.1 |
| | 3 Child has no choice | 463 | 4.9 | 4.9 | 100.0 |
| | Total | 9475 | 99.4 | 100.0 | |
| Missing | -1 No response | 56 | .6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl330 C8a: Child has cuddly toys

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9416 | 98.8 | 99.2 | 99.2 |
| | 2 No | 72 | .8 | .8 | 100.0 |
| | Total | 9488 | 99.5 | 100.0 | |
| Missing | -1 No response | 43 | .5 | | |
| | Total | 9531 | 100.0 | | |

kl331 C8b: Child has construction toys

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9320 | 97.8 | 98.4 | 98.4 |
| | 2 No | 150 | 1.6 | 1.6 | 100.0 |
| | Total | 9470 | 99.4 | 100.0 | |
| Missing | -1 No response | 61 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl332 C8c: Child has co-ordination toys

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 8637 | 90.6 | 91.4 | 91.4 |
| | 2 No | 810 | 8.5 | 8.6 | 100.0 |
| | Total | 9447 | 99.1 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 83 | .9 | | |
| | Total | 84 | .9 | | |
| | Total | 9531 | 100.0 | | |

kl333 C8d: Child has jigsaw puzzles

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9356 | 98.2 | 98.7 | 98.7 |
| | 2 No | 126 | 1.3 | 1.3 | 100.0 |
| | Total | 9482 | 99.5 | 100.0 | |
| Missing | -1 No response | 49 | .5 | | |
| | Total | 9531 | 100.0 | | |

kl334 C8e: Child has action dolls

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 8072 | 84.7 | 85.2 | 85.2 |
| | 2 No | 1407 | 14.8 | 14.8 | 100.0 |
| | Total | 9479 | 99.5 | 100.0 | |
| Missing | -1 No response | 52 | .5 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section C

kl335 C8f: Child has computer games

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 4968 | 52.1 | 52.6 | 52.6 |
| | 2 No | 4467 | 46.9 | 47.3 | 100.0 |
| | 4 Child has access to these elsewhere | 3 | .0 | .0 | 100.0 |
| | Total | 9438 | 99.0 | 100.0 | |
| Missing | -1 No response | 93 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl336 C8g: Child has toy cars

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|----------------|---------|---------------|--------------------|
| Valid | 1 Yes | 8640 | 90.7 | 91.2 | 91.2 |
| | 2 No | 830 | 8.7 | 8.8 | 100.0 |
| | Total | 9470 | 99.4 | 100.0 | |
| | Missing | -1 No response | .6 | | |
| Total | | 9531 | 100.0 | | |

kl337 C9: Number of books child has or shares with brothers and sisters

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|----------------|---------|---------------|--------------------|
| Valid | 1 None | 31 | .3 | .3 | .3 |
| | 2 1-2 books | 18 | .2 | .2 | .5 |
| | 3 3-9 books | 162 | 1.7 | 1.7 | 2.2 |
| | 4 10+ | 9265 | 97.2 | 97.8 | 100.0 |
| | Total | 9476 | 99.4 | 100.0 | |
| | Missing | -1 No response | .6 | | |
| Total | | 9531 | 100.0 | | |

kl339 C10: Frequency parent talks to child when doing another task

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 7 | .1 | .1 | .1 |
| | 2 Rarely | 63 | .7 | .7 | .7 |
| | 3 Sometimes | 1060 | 11.1 | 11.2 | 11.9 |
| | 4 Often | 2845 | 29.8 | 30.0 | 42.0 |
| | 5 Almost always | 5496 | 57.7 | 58.0 | 100.0 |
| | Total | 9471 | 99.4 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 59 | .6 | | |
| | Total | 60 | .6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl340 C11a: Household has a television set

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9395 | 98.6 | 99.1 | 99.1 |
| | 2 No | 89 | .9 | .9 | 100.0 |
| | Total | 9484 | 99.5 | 100.0 | |
| Missing | -1 No response | 47 | .5 | | |
| | Total | 9531 | 100.0 | | |

kl341 C11b: Frequency child is allowed to watch TV or a video

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Whenever they want | 3308 | 34.7 | 35.3 | 35.3 |
| | 2 When parent decides it is suitable | 5950 | 62.4 | 63.6 | 98.9 |
| | 3 Hardly ever | 100 | 1.0 | 1.1 | 100.0 |
| | Total | 9358 | 98.2 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 171 | 1.8 | | |
| | Total | 173 | 1.8 | | |
| | Total | 9531 | 100.0 | | |

kl342 C11c: Time television is normally on - Weekday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 All day | 200 | 2.1 | 2.2 | 2.2 |
| | 2 Most of day | 691 | 7.3 | 7.5 | 9.6 |
| | 3 Half the day | 1637 | 17.2 | 17.6 | 27.3 |
| | 4 < half the day | 6608 | 69.3 | 71.2 | 98.5 |
| | 5 Not at all | 138 | 1.4 | 1.5 | 100.0 |
| | 6 Specific programmes only | 1 | .0 | .0 | 100.0 |
| | Total | 9275 | 97.3 | 100.0 | |
| Missing | -1 No response | 256 | 2.7 | | |
| | Total | 9531 | 100.0 | | |

kl343 C11c: Time television is normally on - Weekend

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 All day | 369 | 3.9 | 4.0 | 4.0 |
| | 2 Most of day | 1466 | 15.4 | 15.9 | 19.9 |
| | 3 Half the day | 2465 | 25.9 | 26.7 | 46.7 |
| | 4 < half the day | 4845 | 50.8 | 52.6 | 99.2 |
| | 5 Not at all | 70 | .7 | .8 | 100.0 |
| | Total | 9215 | 96.7 | 100.0 | |
| Missing | -8 Text response | 3 | .0 | | |
| | -1 No response | 313 | 3.3 | | |
| | Total | 316 | 3.3 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section C

kl345 C11d1: Child plays at same time as watching TV or video

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 875 | 9.2 | 10.7 | 10.7 |
| | 2 Sometimes | 6861 | 72.0 | 83.6 | 94.3 |
| | 3 Never | 467 | 4.9 | 5.7 | 100.0 |
| | Total | 8203 | 86.1 | 100.0 | |
| Missing | -1 No response | 1328 | 13.9 | | |
| Total | | 9531 | 100.0 | | |

kl346 C11d2: Child watches TV and pays attention when TV is on

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 2391 | 25.1 | 27.2 | 27.2 |
| | 2 Sometimes | 6377 | 66.9 | 72.4 | 99.6 |
| | 3 Never | 34 | .4 | .4 | 100.0 |
| | Total | 8802 | 92.4 | 100.0 | |
| Missing | -1 No response | 729 | 7.6 | | |
| Total | | 9531 | 100.0 | | |

kl347 C11d3: Child ignores TV when it is on

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 29 | .3 | .4 | .4 |
| | 2 Sometimes | 3299 | 34.6 | 50.9 | 51.4 |
| | 3 Never | 3152 | 33.1 | 48.6 | 100.0 |
| | Total | 6480 | 68.0 | 100.0 | |
| Missing | -1 No response | 3051 | 32.0 | | |
| Total | | 9531 | 100.0 | | |

kl349 C11e1: Child watches childrens programmes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9215 | 96.7 | 100.0 | 100.0 |
| | 9 Don't know | 2 | .0 | .0 | 100.0 |
| | Total | 9217 | 96.7 | 100.0 | |
| | Missing | 314 | 3.3 | | |
| Total | | 9531 | 100.0 | | |

kl350 C11e2: Child watches other programmes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 4990 | 52.4 | 100.0 | 100.0 |
| | Missing | 4541 | 47.6 | | |
| | Total | 9531 | 100.0 | | |

kl351 C11e3: Child watches children's videos

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9040 | 94.8 | 100.0 | 100.0 |
| | Missing | 491 | 5.2 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section C

kl352 C11e4: Child watches other videos

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1451 | 15.2 | 100.0 | 100.0 |
| Missing | -1 No response | 8080 | 84.8 | | |
| Total | | 9531 | 100.0 | | |

kl354 C11f: Distance child usually sits to TV

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 < 1 metre | 235 | 2.5 | 2.6 | 2.6 |
| | 2 ~ 1 metre | 1314 | 13.8 | 14.3 | 16.8 |
| | 3 > 1 metre | 5430 | 57.0 | 59.0 | 75.8 |
| | 4 varies | 2232 | 23.4 | 24.2 | 100.0 |
| | Total | 9211 | 96.6 | 100.0 | |
| Missing | -1 No response | 320 | 3.4 | | |
| Total | | 9531 | 100.0 | | |

kl356 C12: Frequency child plays with children other than brothers or sisters

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 5721 | 60.0 | 60.5 | 60.5 |
| | 2 2-6 times / week | 3373 | 35.4 | 35.6 | 96.1 |
| | 3 Once / week | 269 | 2.8 | 2.8 | 98.9 |
| | 4 < once / week | 84 | .9 | .9 | 99.8 |
| | 5 Never | 16 | .2 | .2 | 100.0 |
| | Total | 9463 | 99.3 | 100.0 | |
| Missing | -1 No response | 68 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl358 C13: Child tells parent what they have been doing when meeting after being apart for an hour or more

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always | 3624 | 38.0 | 38.3 | 38.3 |
| | 2 Yes, sometimes | 5468 | 57.4 | 57.8 | 96.1 |
| | 3 Hardly ever | 320 | 3.4 | 3.4 | 99.5 |
| | 4 Never | 44 | .5 | .5 | 99.9 |
| | 7 Parent and child are never apart | 6 | .1 | .1 | 100.0 |
| | Total | 9462 | 99.3 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 68 | .7 | | |
| | Total | 69 | .7 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl360 C14a1: Frequency child has played with guns in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 4149 | 43.5 | 43.9 | 43.9 |
| | 2 Hardly ever | 2105 | 22.1 | 22.3 | 66.2 |
| | 3 Sometimes | 2218 | 23.3 | 23.5 | 89.7 |
| | 4 Often | 719 | 7.5 | 7.6 | 97.3 |
| | 5 Very often | 258 | 2.7 | 2.7 | 100.0 |
| | Total | 9449 | 99.1 | 100.0 | |
| Missing | -1 No response | 82 | .9 | | |
| Total | | 9531 | 100.0 | | |

kl361 C14a2: Frequency child has played with jewellery in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2592 | 27.2 | 27.4 | 27.4 |
| | 2 Hardly ever | 1790 | 18.8 | 18.9 | 46.4 |
| | 3 Sometimes | 2783 | 29.2 | 29.5 | 75.8 |
| | 4 Often | 1600 | 16.8 | 16.9 | 92.8 |
| | 5 Very often | 682 | 7.2 | 7.2 | 100.0 |
| | Total | 9447 | 99.1 | 100.0 | |
| Missing | -1 No response | 84 | .9 | | |
| Total | | 9531 | 100.0 | | |

kl362 C14a3: Frequency child has played with tool sets in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2506 | 26.3 | 26.6 | 26.6 |
| | 2 Hardly ever | 2109 | 22.1 | 22.4 | 48.9 |
| | 3 Sometimes | 3512 | 36.8 | 37.2 | 86.2 |
| | 4 Often | 1032 | 10.8 | 10.9 | 97.1 |
| | 5 Very often | 273 | 2.9 | 2.9 | 100.0 |
| | Total | 9432 | 99.0 | 100.0 | |
| Missing | -1 No response | 99 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl363 C14a4: Frequency child has played with dolls in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1424 | 14.9 | 15.1 | 15.1 |
| | 2 Hardly ever | 1415 | 14.8 | 15.0 | 30.0 |
| | 3 Sometimes | 2695 | 28.3 | 28.5 | 58.6 |
| | 4 Often | 1939 | 20.3 | 20.5 | 79.1 |
| | 5 Very often | 1978 | 20.8 | 20.9 | 100.0 |
| | Total | 9451 | 99.2 | 100.0 | |
| Missing | -1 No response | 80 | .8 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl364 C14a5: Frequency child has played with trains/cars/aeroplanes in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 490 | 5.1 | 5.2 | 5.2 |
| | 2 Hardly ever | 1075 | 11.3 | 11.4 | 16.6 |
| | 3 Sometimes | 3567 | 37.4 | 37.7 | 54.3 |
| | 4 Often | 2406 | 25.2 | 25.5 | 79.8 |
| | 5 Very often | 1914 | 20.1 | 20.2 | 100.0 |
| | Total | 9452 | 99.2 | 100.0 | |
| Missing | -1 No response | 79 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl365 C14a6: Frequency child has played with swords in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 3770 | 39.6 | 40.0 | 40.0 |
| | 2 Hardly ever | 1947 | 20.4 | 20.6 | 60.6 |
| | 3 Sometimes | 2281 | 23.9 | 24.2 | 84.8 |
| | 4 Often | 984 | 10.3 | 10.4 | 95.2 |
| | 5 Very often | 452 | 4.7 | 4.8 | 100.0 |
| | Total | 9434 | 99.0 | 100.0 | |
| Missing | -1 No response | 97 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl366 C14a7: Frequency child has played with tea sets in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1475 | 15.5 | 15.6 | 15.6 |
| | 2 Hardly ever | 1666 | 17.5 | 17.6 | 33.3 |
| | 3 Sometimes | 4192 | 44.0 | 44.4 | 77.6 |
| | 4 Often | 1613 | 16.9 | 17.1 | 94.7 |
| | 5 Very often | 500 | 5.2 | 5.3 | 100.0 |
| | Total | 9446 | 99.1 | 100.0 | |
| Missing | -1 No response | 85 | .9 | | |
| Total | | 9531 | 100.0 | | |

kl367 C14b1: Frequency child has played house in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 741 | 7.8 | 7.9 | 7.9 |
| | 2 Hardly ever | 1191 | 12.5 | 12.6 | 20.5 |
| | 3 Sometimes | 4002 | 42.0 | 42.4 | 62.9 |
| | 4 Often | 2397 | 25.1 | 25.4 | 88.3 |
| | 5 Very often | 1105 | 11.6 | 11.7 | 100.0 |
| | Total | 9436 | 99.0 | 100.0 | |
| Missing | -1 No response | 95 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl368 C14b2: Frequency child has played with girls in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 71 | .7 | .8 | .8 |
| | 2 Hardly ever | 285 | 3.0 | 3.0 | 3.8 |
| | 3 Sometimes | 2381 | 25.0 | 25.2 | 28.9 |
| | 4 Often | 3804 | 39.9 | 40.2 | 69.2 |
| | 5 Very often | 2914 | 30.6 | 30.8 | 100.0 |
| | Total | 9455 | 99.2 | 100.0 | |
| Missing | -1 No response | 76 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl369 C14b3: Frequency child has pretended to be a female person in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 3241 | 34.0 | 34.4 | 34.4 |
| | 2 Hardly ever | 1397 | 14.7 | 14.8 | 49.2 |
| | 3 Sometimes | 1677 | 17.6 | 17.8 | 67.0 |
| | 4 Often | 1624 | 17.0 | 17.2 | 84.3 |
| | 5 Very often | 1480 | 15.5 | 15.7 | 100.0 |
| | Total | 9419 | 98.8 | 100.0 | |
| Missing | -1 No response | 112 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl370 C14b4: Frequency child has pretended to be a male character in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2009 | 21.1 | 21.3 | 21.3 |
| | 2 Hardly ever | 1923 | 20.2 | 20.4 | 41.8 |
| | 3 Sometimes | 3045 | 31.9 | 32.3 | 74.1 |
| | 4 Often | 1703 | 17.9 | 18.1 | 92.2 |
| | 5 Very often | 737 | 7.7 | 7.8 | 100.0 |
| | Total | 9417 | 98.8 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 113 | 1.2 | | |
| | Total | 114 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl371 C14b5: Frequency child has played at fighting in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1808 | 19.0 | 19.1 | 19.1 |
| | 2 Hardly ever | 1721 | 18.1 | 18.2 | 37.4 |
| | 3 Sometimes | 3252 | 34.1 | 34.4 | 71.8 |
| | 4 Often | 1825 | 19.1 | 19.3 | 91.1 |
| | 5 Very often | 836 | 8.8 | 8.9 | 100.0 |
| | Total | 9442 | 99.1 | 100.0 | |
| Missing | -1 No response | 89 | .9 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl372 C14b6: Frequency child has played at being mother or father in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1064 | 11.2 | 11.3 | 11.3 |
| | 2 Hardly ever | 1034 | 10.8 | 11.0 | 22.3 |
| | 3 Sometimes | 3469 | 36.4 | 36.8 | 59.1 |
| | 4 Often | 2522 | 26.5 | 26.8 | 85.9 |
| | 5 Very often | 1333 | 14.0 | 14.1 | 100.0 |
| | Total | 9422 | 98.9 | 100.0 | |
| Missing | -1 No response | 109 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl373 C14b7: Frequency child has played ball games in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 95 | 1.0 | 1.0 | 1.0 |
| | 2 Hardly ever | 626 | 6.6 | 6.6 | 7.6 |
| | 3 Sometimes | 3900 | 40.9 | 41.3 | 49.0 |
| | 4 Often | 3284 | 34.5 | 34.8 | 83.7 |
| | 5 Very often | 1535 | 16.1 | 16.3 | 100.0 |
| | Total | 9440 | 99.0 | 100.0 | |
| Missing | -1 No response | 91 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl374 C14b8: Frequency child has climbed in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 742 | 7.8 | 7.9 | 7.9 |
| | 2 Hardly ever | 1313 | 13.8 | 13.9 | 21.8 |
| | 3 Sometimes | 3157 | 33.1 | 33.5 | 55.3 |
| | 4 Often | 2784 | 29.2 | 29.5 | 84.8 |
| | 5 Very often | 1428 | 15.0 | 15.2 | 100.0 |
| | Total | 9424 | 98.9 | 100.0 | |
| Missing | -1 No response | 107 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl375 C14b9: Frequency child has played at looking after babies in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1666 | 17.5 | 17.7 | 17.7 |
| | 2 Hardly ever | 1596 | 16.7 | 16.9 | 34.6 |
| | 3 Sometimes | 2860 | 30.0 | 30.3 | 64.9 |
| | 4 Often | 1980 | 20.8 | 21.0 | 85.8 |
| | 5 Very often | 1336 | 14.0 | 14.2 | 100.0 |
| | Total | 9438 | 99.0 | 100.0 | |
| Missing | -1 No response | 93 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl376 C14b10: Frequency child has shown interest in real vehicles in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 484 | 5.1 | 5.1 | 5.1 |
| | 2 Hardly ever | 1264 | 13.3 | 13.3 | 18.4 |
| | 3 Sometimes | 3035 | 31.8 | 32.0 | 50.5 |
| | 4 Often | 2690 | 28.2 | 28.4 | 78.9 |
| | 5 Very often | 2004 | 21.0 | 21.1 | 100.0 |
| | Total | 9477 | 99.4 | 100.0 | |
| Missing | -1 No response | 54 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl377 C14b11: Frequency child has dressed up in girlish clothes in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 3722 | 39.1 | 39.3 | 39.3 |
| | 2 Hardly ever | 1242 | 13.0 | 13.1 | 52.5 |
| | 3 Sometimes | 1749 | 18.4 | 18.5 | 70.9 |
| | 4 Often | 1668 | 17.5 | 17.6 | 88.6 |
| | 5 Very often | 1081 | 11.3 | 11.4 | 100.0 |
| | Total | 9462 | 99.3 | 100.0 | |
| Missing | -1 No response | 69 | .7 | | |
| | Total | 9531 | 100.0 | | |

kl378 C14b12: Frequency child has played with boys in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 37 | .4 | .4 | .4 |
| | 2 Hardly ever | 276 | 2.9 | 2.9 | 3.3 |
| | 3 Sometimes | 2381 | 25.0 | 25.1 | 28.4 |
| | 4 Often | 3662 | 38.4 | 38.7 | 67.1 |
| | 5 Very often | 3118 | 32.7 | 32.9 | 100.0 |
| | Total | 9474 | 99.4 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 55 | .6 | | |
| | Total | 57 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl379 C14c1: Frequency child likes to explore new surroundings

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 74 | .8 | .8 | .8 |
| | 2 Hardly ever | 474 | 5.0 | 5.0 | 5.8 |
| | 3 Sometimes | 3129 | 32.8 | 33.1 | 38.9 |
| | 4 Often | 3885 | 40.8 | 41.1 | 80.0 |
| | 5 Very often | 1886 | 19.8 | 20.0 | 100.0 |
| | Total | 9448 | 99.1 | 100.0 | |
| Missing | -1 No response | 83 | .9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section C

kl380 C14c2: Frequency child enjoys rough and tumble play

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 78 | .8 | .8 | .8 |
| | 2 Hardly ever | 499 | 5.2 | 5.3 | 6.1 |
| | 3 Sometimes | 2717 | 28.5 | 28.6 | 34.7 |
| | 4 Often | 3721 | 39.0 | 39.2 | 74.0 |
| | 5 Very often | 2469 | 25.9 | 26.0 | 100.0 |
| | Total | 9484 | 99.5 | 100.0 | |
| Missing | -1 No response | 47 | .5 | | |
| | Total | 9531 | 100.0 | | |

kl381 C14c3: Frequency child shows interest in spiders/snakes/insects

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 494 | 5.2 | 5.2 | 5.2 |
| | 2 Hardly ever | 1092 | 11.5 | 11.5 | 16.7 |
| | 3 Sometimes | 2841 | 29.8 | 30.0 | 46.7 |
| | 4 Often | 2990 | 31.4 | 31.5 | 78.2 |
| | 5 Very often | 2064 | 21.7 | 21.8 | 100.0 |
| | Total | 9481 | 99.5 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 49 | .5 | | |
| | Total | 50 | .5 | | |
| | Total | 9531 | 100.0 | | |

kl382 C14c4: Frequency child avoids getting dirty

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 3183 | 33.4 | 33.6 | 33.6 |
| | 2 Hardly ever | 3268 | 34.3 | 34.5 | 68.1 |
| | 3 Sometimes | 2225 | 23.3 | 23.5 | 91.6 |
| | 4 Often | 644 | 6.8 | 6.8 | 98.4 |
| | 5 Very often | 153 | 1.6 | 1.6 | 100.0 |
| | Total | 9473 | 99.4 | 100.0 | |
| Missing | -1 No response | 58 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl383 C14c5: Frequency child likes pretty things

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 653 | 6.9 | 6.9 | 6.9 |
| | 2 Hardly ever | 918 | 9.6 | 9.7 | 16.6 |
| | 3 Sometimes | 3306 | 34.7 | 35.0 | 51.6 |
| | 4 Often | 2570 | 27.0 | 27.2 | 78.8 |
| | 5 Very often | 2005 | 21.0 | 21.2 | 100.0 |
| | Total | 9452 | 99.2 | 100.0 | |
| Missing | -1 No response | 79 | .8 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section C

kl384 C14c6: Frequency child avoids taking risks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1084 | 11.4 | 11.5 | 11.5 |
| | 2 Hardly ever | 2397 | 25.1 | 25.5 | 37.0 |
| | 3 Sometimes | 4259 | 44.7 | 45.3 | 82.3 |
| | 4 Often | 1329 | 13.9 | 14.1 | 96.4 |
| | 5 Very often | 335 | 3.5 | 3.6 | 100.0 |
| | Total | 9404 | 98.7 | 100.0 | |
| Missing | -1 No response | 127 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl390 C15: Parent feels child dominates household

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, usually | 817 | 8.6 | 8.6 | 8.6 |
| | 2 Yes, sometimes | 4606 | 48.3 | 48.7 | 57.4 |
| | 3 No, not at all | 4029 | 42.3 | 42.6 | 100.0 |
| | Total | 9452 | 99.2 | 100.0 | |
| | Missing | 79 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl391 C16: Parent starts being firm with child and then gives way

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, usually | 303 | 3.2 | 3.2 | 3.2 |
| | 2 Yes, sometimes | 6427 | 67.4 | 68.2 | 71.4 |
| | 3 No, not at all | 2692 | 28.2 | 28.6 | 100.0 |
| | Total | 9422 | 98.9 | 100.0 | |
| | Missing | 109 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl400 C18a: Partner gives child a bath or shower

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 3273 | 34.3 | 34.6 | 34.6 |
| | 2 Sometimes | 3379 | 35.5 | 35.7 | 70.3 |
| | 3 Rarely | 1524 | 16.0 | 16.1 | 86.3 |
| | 4 Never | 607 | 6.4 | 6.4 | 92.8 |
| | 7 Parent has no partner | 686 | 7.2 | 7.2 | 100.0 |
| | Total | 9469 | 99.3 | 100.0 | |
| | Missing | 62 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl401 C18b: Partner makes things with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 2010 | 21.1 | 22.9 | 22.9 |
| | 2 Sometimes | 4333 | 45.5 | 49.4 | 72.3 |
| | 3 Rarely | 1987 | 20.8 | 22.7 | 95.0 |
| | 4 Never | 438 | 4.6 | 5.0 | 100.0 |
| | Total | 8768 | 92.0 | 100.0 | |
| | Missing | 763 | 8.0 | | |
| | Total | 9531 | 100.0 | | |

kl402 C18c: Partner sings to child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 1424 | 14.9 | 16.2 | 16.2 |
| | 2 Sometimes | 2998 | 31.5 | 34.2 | 50.4 |
| | 3 Rarely | 2761 | 29.0 | 31.5 | 81.9 |
| | 4 Never | 1591 | 16.7 | 18.1 | 100.0 |
| | Total | 8774 | 92.1 | 100.0 | |
| | Missing | 1 | .0 | | |
| | -8 Text response | 756 | 7.9 | | |
| Total | | 757 | 7.9 | | |
| Total | | 9531 | 100.0 | | |

kl403 C18d: Partner reads to child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 4345 | 45.6 | 49.5 | 49.5 |
| | 2 Sometimes | 3347 | 35.1 | 38.1 | 87.6 |
| | 3 Rarely | 886 | 9.3 | 10.1 | 97.7 |
| | 4 Never | 200 | 2.1 | 2.3 | 100.0 |
| | Total | 8778 | 92.1 | 100.0 | |
| | Missing | 753 | 7.9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section C

kl404 C18e: Partner plays with toys with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 3521 | 36.9 | 40.2 | 40.2 |
| | 2 Sometimes | 4116 | 43.2 | 47.0 | 87.1 |
| | 3 Rarely | 981 | 10.3 | 11.2 | 98.3 |
| | 4 Never | 148 | 1.6 | 1.7 | 100.0 |
| | Total | 8766 | 92.0 | 100.0 | |
| Missing | -1 No response | 765 | 8.0 | | |
| | Total | 9531 | 100.0 | | |

kl405 C18f: Partner cuddles child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 7329 | 76.9 | 83.5 | 83.5 |
| | 2 Sometimes | 1281 | 13.4 | 14.6 | 98.1 |
| | 3 Rarely | 145 | 1.5 | 1.7 | 99.7 |
| | 4 Never | 26 | .3 | .3 | 100.0 |
| | Total | 8781 | 92.1 | 100.0 | |
| Missing | -1 No response | 750 | 7.9 | | |
| | Total | 9531 | 100.0 | | |

kl406 C18g: Partner takes part in active play with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 3676 | 38.6 | 41.9 | 41.9 |
| | 2 Sometimes | 3999 | 42.0 | 45.6 | 87.5 |
| | 3 Rarely | 934 | 9.8 | 10.7 | 98.2 |
| | 4 Never | 159 | 1.7 | 1.8 | 100.0 |
| | Total | 8768 | 92.0 | 100.0 | |
| Missing | -1 No response | 763 | 8.0 | | |
| | Total | 9531 | 100.0 | | |

kl407 C18h: Partner takes child to park or playground

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 2080 | 21.8 | 23.7 | 23.7 |
| | 2 Sometimes | 4532 | 47.6 | 51.6 | 75.3 |
| | 3 Rarely | 1842 | 19.3 | 21.0 | 96.3 |
| | 4 Never | 326 | 3.4 | 3.7 | 100.0 |
| | Total | 8780 | 92.1 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 750 | 7.9 | | |
| | Total | 751 | 7.9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section C

kl408 C18i: Partner puts child to bed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 4506 | 47.3 | 51.3 | 51.3 |
| | 2 Sometimes | 3055 | 32.1 | 34.8 | 86.1 |
| | 3 Rarely | 948 | 9.9 | 10.8 | 96.9 |
| | 4 Never | 269 | 2.8 | 3.1 | 100.0 |
| | Total | 8778 | 92.1 | 100.0 | |
| Missing | -1 No response | 753 | 7.9 | | |
| Total | | 9531 | 100.0 | | |

kl409 C18j: Partner takes child swimming

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 1535 | 16.1 | 17.5 | 17.5 |
| | 2 Sometimes | 2947 | 30.9 | 33.6 | 51.1 |
| | 3 Rarely | 2528 | 26.5 | 28.8 | 80.0 |
| | 4 Never | 1755 | 18.4 | 20.0 | 100.0 |
| | Total | 8765 | 92.0 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 765 | 8.0 | | |
| | Total | 766 | 8.0 | | |
| Total | | 9531 | 100.0 | | |

kl410 C18k: Partner draws or paints with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 1347 | 14.1 | 15.4 | 15.4 |
| | 2 Sometimes | 3825 | 40.1 | 43.6 | 58.9 |
| | 3 Rarely | 2773 | 29.1 | 31.6 | 90.6 |
| | 4 Never | 829 | 8.7 | 9.4 | 100.0 |
| | Total | 8774 | 92.1 | 100.0 | |
| Missing | -1 No response | 757 | 7.9 | | |
| Total | | 9531 | 100.0 | | |

kl411 C18l: Partner prepares food for child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 2683 | 28.2 | 30.6 | 30.6 |
| | 2 Sometimes | 3727 | 39.1 | 42.5 | 73.0 |
| | 3 Rarely | 1896 | 19.9 | 21.6 | 94.7 |
| | 4 Never | 469 | 4.9 | 5.3 | 100.0 |
| | Total | 8775 | 92.1 | 100.0 | |
| Missing | -1 No response | 756 | 7.9 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl412 C18m: Partner does other activity with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 64 | .7 | 3.8 | 3.8 |
| | 1 Often | 781 | 8.2 | 46.3 | 50.1 |
| | 2 Sometimes | 385 | 4.0 | 22.8 | 73.0 |
| | 3 Rarely | 44 | .5 | 2.6 | 75.6 |
| | 4 Never | 412 | 4.3 | 24.4 | 100.0 |
| Total | | 1686 | 17.7 | 100.0 | |
| Missing | -1 No response | 7845 | 82.3 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl420 C19a: Parent gives child a bath or shower

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 7908 | 83.0 | 83.4 | 83.4 |
| | 2 Sometimes | 1353 | 14.2 | 14.3 | 97.7 |
| | 3 Rarely | 178 | 1.9 | 1.9 | 99.6 |
| | 4 Never | 41 | .4 | .4 | 100.0 |
| | Total | 9480 | 99.5 | 100.0 | |
| Missing | -1 No response | 51 | .5 | | |
| Total | | 9531 | 100.0 | | |

kl421 C19b: Parent makes things with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 3969 | 41.6 | 41.9 | 41.9 |
| | 2 Sometimes | 4875 | 51.1 | 51.5 | 93.4 |
| | 3 Rarely | 593 | 6.2 | 6.3 | 99.7 |
| | 4 Never | 29 | .3 | .3 | 100.0 |
| | Total | 9466 | 99.3 | 100.0 | |
| Missing | -1 No response | 65 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl422 C19c: Parent sings to child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 4412 | 46.3 | 46.6 | 46.6 |
| | 2 Sometimes | 3809 | 40.0 | 40.2 | 86.8 |
| | 3 Rarely | 1068 | 11.2 | 11.3 | 98.1 |
| | 4 Never | 178 | 1.9 | 1.9 | 100.0 |
| | Total | 9467 | 99.3 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 63 | .7 | | |
| | Total | 64 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl423 C19d: Parent reads to child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 7599 | 79.7 | 80.2 | 80.2 |
| | 2 Sometimes | 1771 | 18.6 | 18.7 | 98.9 |
| | 3 Rarely | 102 | 1.1 | 1.1 | 99.9 |
| | 4 Never | 6 | .1 | .1 | 100.0 |
| | Total | 9478 | 99.4 | 100.0 | |
| Missing | -1 No response | 53 | .6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl424 C19e: Parent plays with toys with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 4755 | 49.9 | 50.2 | 50.2 |
| | 2 Sometimes | 4164 | 43.7 | 44.0 | 94.2 |
| | 3 Rarely | 535 | 5.6 | 5.7 | 99.9 |
| | 4 Never | 14 | .1 | .1 | 100.0 |
| | Total | 9468 | 99.3 | 100.0 | |
| Missing | -1 No response | 63 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl425 C19f: Parent cuddles child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 9120 | 95.7 | 96.3 | 96.3 |
| | 2 Sometimes | 341 | 3.6 | 3.6 | 99.9 |
| | 3 Rarely | 11 | .1 | .1 | 100.0 |
| | 4 Never | 1 | .0 | .0 | 100.0 |
| | Total | 9473 | 99.4 | 100.0 | |
| Missing | -1 No response | 58 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl426 C19g: Parent takes part in active play with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 2434 | 25.5 | 25.7 | 25.7 |
| | 2 Sometimes | 5460 | 57.3 | 57.7 | 83.5 |
| | 3 Rarely | 1486 | 15.6 | 15.7 | 99.2 |
| | 4 Never | 76 | .8 | .8 | 100.0 |
| | Total | 9456 | 99.2 | 100.0 | |
| Missing | -1 No response | 75 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl427 C19h: Parent takes child to park or playground

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 3030 | 31.8 | 32.0 | 32.0 |
| | 2 Sometimes | 5445 | 57.1 | 57.5 | 89.5 |
| | 3 Rarely | 956 | 10.0 | 10.1 | 99.6 |
| | 4 Never | 42 | .4 | .4 | 100.0 |
| | Total | 9473 | 99.4 | 100.0 | |
| Missing | -1 No response | 58 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl428 C19i: Parent puts child to bed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 7913 | 83.0 | 83.5 | 83.5 |
| | 2 Sometimes | 1354 | 14.2 | 14.3 | 97.8 |
| | 3 Rarely | 192 | 2.0 | 2.0 | 99.9 |
| | 4 Never | 14 | .1 | .1 | 100.0 |
| | Total | 9473 | 99.4 | 100.0 | |
| Missing | -1 No response | 58 | .6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl429 C19j: Parent takes child swimming

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 2911 | 30.5 | 30.8 | 30.8 |
| | 2 Sometimes | 4335 | 45.5 | 45.8 | 76.6 |
| | 3 Rarely | 1756 | 18.4 | 18.6 | 95.1 |
| | 4 Never | 460 | 4.8 | 4.9 | 100.0 |
| | Total | 9462 | 99.3 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 68 | .7 | | |
| | Total | 69 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl430 C19k: Parent draws or paints with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 3583 | 37.6 | 37.8 | 37.8 |
| | 2 Sometimes | 5008 | 52.5 | 52.9 | 90.7 |
| | 3 Rarely | 817 | 8.6 | 8.6 | 99.4 |
| | 4 Never | 61 | .6 | .6 | 100.0 |
| | Total | 9469 | 99.3 | 100.0 | |
| Missing | -1 No response | 62 | .7 | | |
| | Total | 9531 | 100.0 | | |

kl431 C19l: Parent prepares food for child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Often | 8829 | 92.6 | 93.2 | 93.2 |
| | 2 Sometimes | 582 | 6.1 | 6.1 | 99.3 |
| | 3 Rarely | 58 | .6 | .6 | 99.9 |
| | 4 Never | 7 | .1 | .1 | 100.0 |
| | Total | 9476 | 99.4 | 100.0 | |
| Missing | -1 No response | 55 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl432 C19m: Parent does other activity with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 72 | .8 | 5.6 | 5.6 |
| | 1 Often | 700 | 7.3 | 54.2 | 59.8 |
| | 2 Sometimes | 187 | 2.0 | 14.5 | 74.2 |
| | 3 Rarely | 8 | .1 | .6 | 74.8 |
| | 4 Never | 325 | 3.4 | 25.2 | 100.0 |
| Missing | Total | 1292 | 13.6 | 100.0 | |
| | -1 No response | 8239 | 86.4 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl440 C20a: Frequency child goes to park or playground

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 592 | 6.2 | 6.3 | 6.3 |
| | 2 2-6 times / week | 2622 | 27.5 | 27.9 | 34.2 |
| | 3 Once / week | 3810 | 40.0 | 40.5 | 74.7 |
| | 4 Once / month | 2213 | 23.2 | 23.5 | 98.2 |
| | 5 Not at all | 156 | 1.6 | 1.7 | 99.9 |
| | 6 Rarely | 9 | .1 | .1 | 100.0 |
| | Total | 9402 | 98.6 | 100.0 | |
| Missing | -8 Text response | 8 | .1 | | |
| | -1 No response | 121 | 1.3 | | |
| | Total | 129 | 1.4 | | |
| Total | | 9531 | 100.0 | | |

kl441 C20b: Frequency child goes swimming

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 25 | .3 | .3 | .3 |
| | 2 2-6 times / week | 476 | 5.0 | 5.1 | 5.3 |
| | 3 Once / week | 3152 | 33.1 | 33.6 | 38.9 |
| | 4 Once / month | 4225 | 44.3 | 45.0 | 83.9 |
| | 5 Not at all | 1401 | 14.7 | 14.9 | 98.9 |
| | 6 Rarely | 106 | 1.1 | 1.1 | 100.0 |
| | Total | 9385 | 98.5 | 100.0 | |
| Missing | -8 Text response | 16 | .2 | | |
| | -1 No response | 130 | 1.4 | | |
| | Total | 146 | 1.5 | | |
| Total | | 9531 | 100.0 | | |

kl442 C20c: Frequency child plays a musical instrument

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 130 | 1.4 | 1.4 | 1.4 |
| | 2 2-6 times / week | 806 | 8.5 | 8.6 | 10.0 |
| | 3 Once / week | 1418 | 14.9 | 15.1 | 25.0 |
| | 4 Once / month | 1566 | 16.4 | 16.7 | 41.7 |
| | 5 Not at all | 5474 | 57.4 | 58.2 | 99.9 |
| | 6 Rarely | 10 | .1 | .1 | 100.0 |
| | Total | 9404 | 98.7 | 100.0 | |
| Missing | -8 Text response | 4 | .0 | | |
| | -1 No response | 123 | 1.3 | | |
| | Total | 127 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl443 C20d: Frequency child goes to a library

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 16 | .2 | .2 | .2 |
| | 2 2-6 times / week | 91 | 1.0 | 1.0 | 1.1 |
| | 3 Once / week | 1155 | 12.1 | 12.3 | 13.4 |
| | 4 Once / month | 4907 | 51.5 | 52.3 | 65.7 |
| | 5 Not at all | 3151 | 33.1 | 33.6 | 99.3 |
| | 6 Rarely | 70 | .7 | .7 | 100.0 |
| | Total | 9390 | 98.5 | 100.0 | |
| Missing | -8 Text response | 8 | .1 | | |
| | -1 No response | 133 | 1.4 | | |
| | Total | 141 | 1.5 | | |
| Total | | 9531 | 100.0 | | |

kl444 C20e: Frequency child goes to special groups

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 12 | .1 | .1 | .1 |
| | 1 Every day | 19 | .2 | .2 | .3 |
| | 2 2-6 times / week | 97 | 1.0 | 1.1 | 1.4 |
| | 3 Once / week | 491 | 5.2 | 5.3 | 6.7 |
| | 4 Once / month | 59 | .6 | .6 | 7.4 |
| | 5 Not at all | 8544 | 89.6 | 92.6 | 100.0 |
| | 6 Rarely | 1 | .0 | .0 | 100.0 |
| Missing | Total | 9223 | 96.8 | 100.0 | |
| | -1 No response | 308 | 3.2 | | |
| Total | | 9531 | 100.0 | | |

kl446 C20f: Frequency child goes to Sunday School

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 7 | .1 | .1 | .1 |
| | 2 2-6 times / week | 17 | .2 | .2 | .3 |
| | 3 Once / week | 1227 | 12.9 | 13.0 | 13.2 |
| | 4 Once / month | 482 | 5.1 | 5.1 | 18.4 |
| | 5 Not at all | 7703 | 80.8 | 81.6 | 99.9 |
| | 6 Rarely | 8 | .1 | .1 | 100.0 |
| | Total | 9444 | 99.1 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 86 | .9 | | |
| | Total | 87 | .9 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl447 C20g: Frequency child goes to special classes for some activity

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 26 | .3 | .3 | .3 |
| | 1 Every day | 10 | .1 | .1 | .4 |
| | 2 2-6 times / week | 345 | 3.6 | 3.7 | 4.1 |
| | 3 Once / week | 2259 | 23.7 | 24.1 | 28.1 |
| | 4 Once / month | 106 | 1.1 | 1.1 | 29.3 |
| | 5 Not at all | 6634 | 69.6 | 70.7 | 100.0 |
| | 6 Rarely | 3 | .0 | .0 | 100.0 |
| | Total | 9383 | 98.4 | 100.0 | |
| Missing | -1 No response | 148 | 1.6 | | |
| Total | | 9531 | 100.0 | | |

kl449 C20h: Frequency child goes to special classes because of learning difficulty

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 7 | .1 | .1 | .1 |
| | 1 Every day | 27 | .3 | .3 | .4 |
| | 2 2-6 times / week | 44 | .5 | .5 | .8 |
| | 3 Once / week | 47 | .5 | .5 | 1.3 |
| | 4 Once / month | 41 | .4 | .4 | 1.8 |
| | 5 Not at all | 9125 | 95.7 | 98.2 | 100.0 |
| | 6 Rarely | 3 | .0 | .0 | 100.0 |
| | Total | 9294 | 97.5 | 100.0 | |
| Missing | -1 No response | 237 | 2.5 | | |
| Total | | 9531 | 100.0 | | |

kl451 C20i: Frequency child has physiotherapy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 18 | .2 | .2 | .2 |
| | 2 2-6 times / week | 18 | .2 | .2 | .4 |
| | 3 Once / week | 4 | .0 | .0 | .4 |
| | 4 Once / month | 26 | .3 | .3 | .7 |
| | 5 Not at all | 9143 | 95.9 | 99.2 | 99.9 |
| | 6 Rarely | 6 | .1 | .1 | 100.0 |
| | Total | 9215 | 96.7 | 100.0 | |
| | | | | | |
| Missing | -8 Text response | 3 | .0 | | |
| | -1 No response | 313 | 3.3 | | |
| | Total | 316 | 3.3 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section C

kl452 C20j: Frequency child sees their grandparents

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 807 | 8.5 | 8.7 | 8.7 |
| | 2 2-6 times / week | 3083 | 32.3 | 33.2 | 41.9 |
| | 3 Once / week | 2804 | 29.4 | 30.2 | 72.1 |
| | 4 Once / month | 2139 | 22.4 | 23.0 | 95.1 |
| | 5 Not at all | 260 | 2.7 | 2.8 | 97.9 |
| | 6 Rarely | 194 | 2.0 | 2.1 | 100.0 |
| | Total | 9287 | 97.4 | 100.0 | |
| Missing | -8 Text response | 30 | .3 | | |
| | -1 No response | 214 | 2.2 | | |
| | Total | 244 | 2.6 | | |
| Total | | 9531 | 100.0 | | |

kl453 C20k: Frequency child plays computer games

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 263 | 2.8 | 2.8 | 2.8 |
| | 2 2-6 times / week | 1617 | 17.0 | 17.3 | 20.1 |
| | 3 Once / week | 2134 | 22.4 | 22.9 | 43.0 |
| | 4 Once / month | 1557 | 16.3 | 16.7 | 59.7 |
| | 5 Not at all | 3755 | 39.4 | 40.2 | 99.9 |
| | 6 Rarely | 5 | .1 | .1 | 100.0 |
| | Total | 9331 | 97.9 | 100.0 | |
| Missing | -8 Text response | 5 | .1 | | |
| | -1 No response | 195 | 2.0 | | |
| | Total | 200 | 2.1 | | |
| Total | | 9531 | 100.0 | | |

kl454 C20l: Frequency child helps in the house

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 1503 | 15.8 | 16.1 | 16.1 |
| | 2 2-6 times / week | 3798 | 39.8 | 40.6 | 56.6 |
| | 3 Once / week | 2802 | 29.4 | 29.9 | 86.6 |
| | 4 Once / month | 693 | 7.3 | 7.4 | 94.0 |
| | 5 Not at all | 557 | 5.8 | 6.0 | 99.9 |
| | 6 Rarely | 5 | .1 | .1 | 100.0 |
| | Total | 9358 | 98.2 | 100.0 | |
| Missing | -8 Text response | 3 | .0 | | |
| | -1 No response | 170 | 1.8 | | |
| | Total | 173 | 1.8 | | |
| Total | | 9531 | 100.0 | | |

kl458 C21: Child has had their ears pierced

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 884 | 9.3 | 9.4 | 9.4 |
| | 2 No | 8502 | 89.2 | 90.6 | 100.0 |
| | Total | 9386 | 98.5 | 100.0 | |
| Missing | -1 No response | 145 | 1.5 | | |
| | Total | 9531 | 100.0 | | |

SECTION D: UPSETTING EVENTS

Below are listed some events that might upset some children. Please state whether any of these has happened since she was 3 years old.

| Since her 3rd birthday: | Yes and she was very upset | Yes and she was quite upset | Yes and she was a bit upset | Yes but she wasn't upset | No did not happen |
|--|-------------------------------------|--------------------------------------|--------------------------------------|-----------------------------------|----------------------------|
| D1. She was taken into care* | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D2. A pet died | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D3. She moved home | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D4. She had a shock or fright* | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D5. She was physically hurt by someone* | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D6. She was sexually abused* | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D7. She was separated from her mother* | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D8. She was separated from her father* | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D9. She acquired a new mother or father* | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D10. She had a new brother or sister | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D11. She was admitted to hospital | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D12. She changed care taker (i.e. the person mostly looking after her) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

KL File – Section D

PAGE 35 OF THE QUESTIONNAIRE

| Since her 3rd birthday: | Yes and she was very upset | Yes and she was quite upset | Yes and she was a bit upset | Yes but she wasn't upset | No did not happen |
|---|-------------------------------------|--------------------------------------|--------------------------------------|-----------------------------------|----------------------------|
| D13. She was separated from someone else* | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D14. She started a <u>new</u> nursery or kindergarten | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D15. She started school | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| D16. Something else* | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

If yes, to any marked *, please give details below:

.....

KL File – Section D

kl470 D1: Child taken into care since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 4 | .0 | .0 | .0 |
| | 2 Yes, child was quite upset | 1 | .0 | .0 | .1 |
| | 3 Yes, child was a bit upset | 9 | .1 | .1 | .1 |
| | 4 Yes, child was not upset | 5 | .1 | .1 | .2 |
| | 5 No, did not happen | 9469 | 99.3 | 99.8 | 100.0 |
| Missing | Total | 9488 | 99.5 | 100.0 | |
| | -1 No response | 43 | .5 | | |
| Total | | 9531 | 100.0 | | |

kl471 D2: A pet died since child age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 266 | 2.8 | 2.8 | 2.8 |
| | 2 Yes, child was quite upset | 451 | 4.7 | 4.8 | 7.6 |
| | 3 Yes, child was a bit upset | 1000 | 10.5 | 10.5 | 18.1 |
| | 4 Yes, child was not upset | 590 | 6.2 | 6.2 | 24.3 |
| | 5 No, did not happen | 7180 | 75.3 | 75.7 | 100.0 |
| Missing | Total | 9487 | 99.5 | 100.0 | |
| | -1 No response | 44 | .5 | | |
| Total | | 9531 | 100.0 | | |

kl472 D3: Child moved home since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 47 | .5 | .5 | .5 |
| | 2 Yes, child was quite upset | 140 | 1.5 | 1.5 | 2.0 |
| | 3 Yes, child was a bit upset | 444 | 4.7 | 4.7 | 6.7 |
| | 4 Yes, child was not upset | 1322 | 13.9 | 13.9 | 20.6 |
| | 5 No, did not happen | 7529 | 79.0 | 79.4 | 100.0 |
| Missing | Total | 9482 | 99.5 | 100.0 | |
| | -1 No response | 49 | .5 | | |
| Total | | 9531 | 100.0 | | |

kl473 D4: Child had shock or fright since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 223 | 2.3 | 2.4 | 2.4 |
| | 2 Yes, child was quite upset | 230 | 2.4 | 2.4 | 4.8 |
| | 3 Yes, child was a bit upset | 290 | 3.0 | 3.1 | 7.9 |
| | 4 Yes, child was not upset | 110 | 1.2 | 1.2 | 9.0 |
| | 5 No, did not happen | 8592 | 90.1 | 91.0 | 100.0 |
| Missing | Total | 9445 | 99.1 | 100.0 | |
| | -1 No response | 86 | .9 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section D

kl474 D5: Child was physically hurt by someone since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 60 | .6 | .6 | .6 |
| | 2 Yes, child was quite upset | 86 | .9 | .9 | 1.5 |
| | 3 Yes, child was a bit upset | 153 | 1.6 | 1.6 | 3.2 |
| | 4 Yes, child was not upset | 59 | .6 | .6 | 3.8 |
| | 5 No, did not happen | 9112 | 95.6 | 96.2 | 100.0 |
| | Total | 9470 | 99.4 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 60 | .6 | | |
| | Total | 61 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl475 D6: Child was sexually abused since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------------------------|----------------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 4 | .0 | .0 | .0 |
| | 2 Yes, child was quite upset | 4 | .0 | .0 | .1 |
| | 3 Yes, child was a bit upset | 1 | .0 | .0 | .1 |
| | 5 No, did not happen | 9475 | 99.4 | 99.9 | 100.0 |
| | Total | 9484 | 99.5 | 100.0 | |
| | Missing | -1 No response | .5 | | |
| Total | | 9531 | 100.0 | | |

kl476 D7: Child separated from mother since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 1 | .0 | .0 | .0 |
| | 1 Yes, child was very upset | 77 | .8 | .8 | .8 |
| | 2 Yes, child was quite upset | 92 | 1.0 | 1.0 | 1.8 |
| | 3 Yes, child was a bit upset | 184 | 1.9 | 1.9 | 3.7 |
| | 4 Yes, child was not upset | 236 | 2.5 | 2.5 | 6.2 |
| | 5 No, did not happen | 8893 | 93.3 | 93.8 | 100.0 |
| Missing | Total | 9483 | 99.5 | 100.0 | |
| | -1 No response | 48 | .5 | | |
| Total | | 9531 | 100.0 | | |

kl477 D8: Child separated from father since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 3 | .0 | .0 | .0 |
| | 1 Yes, child was very upset | 135 | 1.4 | 1.4 | 1.5 |
| | 2 Yes, child was quite upset | 185 | 1.9 | 2.0 | 3.4 |
| | 3 Yes, child was a bit upset | 359 | 3.8 | 3.8 | 7.2 |
| | 4 Yes, child was not upset | 348 | 3.7 | 3.7 | 10.9 |
| | 5 No, did not happen | 8421 | 88.4 | 89.1 | 100.0 |
| Missing | Total | 9451 | 99.2 | 100.0 | |
| | -1 No response | 80 | .8 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section D

kl478 D9: Child acquired new mother or father since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 1 | .0 | .0 | .0 |
| | 1 Yes, child was very upset | 2 | .0 | .0 | .0 |
| | 2 Yes, child was quite upset | 11 | .1 | .1 | .1 |
| | 3 Yes, child was a bit upset | 24 | .3 | .3 | .4 |
| | 4 Yes, child was not upset | 118 | 1.2 | 1.2 | 1.6 |
| | 5 No, did not happen | 9315 | 97.7 | 98.4 | |
| Total | | 9471 | 99.4 | 100.0 | 100.0 |
| Missing | -1 No response | 60 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl479 D10: Child had new brother or sister since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 19 | .2 | .2 | .2 |
| | 2 Yes, child was quite upset | 77 | .8 | .8 | 1.0 |
| | 3 Yes, child was a bit upset | 236 | 2.5 | 2.5 | 3.5 |
| | 4 Yes, child was not upset | 1576 | 16.5 | 16.6 | 20.1 |
| | 5 No, did not happen | 7571 | 79.4 | 79.9 | |
| | Total | 9479 | 99.5 | 100.0 | 100.0 |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 51 | .5 | | |
| Total | | 52 | .5 | | |
| Total | | 9531 | 100.0 | | |

kl480 D11: Child admitted to hospital since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 114 | 1.2 | 1.2 | 1.2 |
| | 2 Yes, child was quite upset | 143 | 1.5 | 1.5 | 2.7 |
| | 3 Yes, child was a bit upset | 317 | 3.3 | 3.3 | 6.1 |
| | 4 Yes, child was not upset | 405 | 4.2 | 4.3 | 10.3 |
| | 5 No, did not happen | 8499 | 89.2 | 89.7 | |
| | Total | 9478 | 99.4 | 100.0 | 100.0 |
| Missing | -8 Text response | 3 | .0 | | |
| | -1 No response | 50 | .5 | | |
| Total | | 53 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl481 D12: Child changed care taker since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 19 | .2 | .2 | .2 |
| | 2 Yes, child was quite upset | 47 | .5 | .5 | .7 |
| | 3 Yes, child was a bit upset | 149 | 1.6 | 1.6 | 2.3 |
| | 4 Yes, child was not upset | 368 | 3.9 | 3.9 | 6.2 |
| | 5 No, did not happen | 8876 | 93.1 | 93.8 | |
| | Total | 9459 | 99.2 | 100.0 | 100.0 |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 71 | .7 | | |
| Total | | 72 | .8 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section D

kl482 D13: Child separated from someone else since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 62 | .7 | .7 | .7 |
| | 2 Yes, child was quite upset | 82 | .9 | .9 | 1.5 |
| | 3 Yes, child was a bit upset | 151 | 1.6 | 1.6 | 3.1 |
| | 4 Yes, child was not upset | 88 | .9 | .9 | 4.1 |
| | 5 No, did not happen | 9045 | 94.9 | 95.9 | 100.0 |
| | Total | 9428 | 98.9 | 100.0 | |
| Missing | -1 No response | 103 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl483 D14: Child started new nursery/kindergarten since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 79 | .8 | .9 | .9 |
| | 2 Yes, child was quite upset | 180 | 1.9 | 2.0 | 2.8 |
| | 3 Yes, child was a bit upset | 774 | 8.1 | 8.4 | 11.2 |
| | 4 Yes, child was not upset | 2671 | 28.0 | 29.0 | 40.2 |
| | 5 No, did not happen | 5513 | 57.8 | 59.8 | 100.0 |
| | Total | 9217 | 96.7 | 100.0 | |
| Missing | -1 No response | 314 | 3.3 | | |
| Total | | 9531 | 100.0 | | |

kl484 D15: Child started school since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, child was very upset | 114 | 1.2 | 1.2 | 1.2 |
| | 2 Yes, child was quite upset | 306 | 3.2 | 3.2 | 4.5 |
| | 3 Yes, child was a bit upset | 1189 | 12.5 | 12.6 | 17.1 |
| | 4 Yes, child was not upset | 5547 | 58.2 | 58.9 | 76.0 |
| | 5 No, did not happen | 2262 | 23.7 | 24.0 | 100.0 |
| | Total | 9418 | 98.8 | 100.0 | |
| Missing | -1 No response | 113 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl485 D16: Child experienced other event which may be upsetting since age 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text, but no box ticked | 26 | .3 | .5 | .5 |
| | 1 Yes, child was very upset | 158 | 1.7 | 3.0 | 3.4 |
| | 2 Yes, child was quite upset | 182 | 1.9 | 3.4 | 6.9 |
| | 3 Yes, child was a bit upset | 180 | 1.9 | 3.4 | 10.2 |
| | 4 Yes, child was not upset | 113 | 1.2 | 2.1 | 12.4 |
| | 5 No, did not happen | 4676 | 49.1 | 87.6 | 100.0 |
| Missing | Total | 5335 | 56.0 | 100.0 | |
| | -1 No response | 4196 | 44.0 | | |
| Total | | 9531 | 100.0 | | |

SECTION E: ABILITIES AND DISABILITIES

Children in this study have a range of skills and abilities and some have a number of disabilities. These questions will enable us to get a picture of your child. Please answer each question: If you don't know the answer ask your child to do the task.

| E1. | Yes, can do well | Yes, does but not very well | Has not yet done | Is unable to try this |
|--|-----------------------------|--|-----------------------------|--------------------------------------|
| a) Is she is able to walk? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| b) Is she able to stoop down and pick up something from the floor? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| c) Is she able to run? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| d) Can she jump forward with both feet together? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| e) Can she walk on tiptoe? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| f) Can she run on tiptoe? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| g) Can she hop on one foot for 3 steps? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| h) Can she walk backwards for 4 steps? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| i) Can she stand on 1 foot for at least 8 seconds? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| j) Can she walk upstairs, putting both feet on each step? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| k) Can she walk upstairs, putting one foot on each step? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| l) Can she walk downstairs, putting both feet on each step? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| m) Can she walk downstairs, putting one foot on each step? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |

KL File – Section E

PAGE 37 OF THE QUESTIONNAIRE

| E1. | Yes, can do well | Yes, does but not very well | Has not yet done | Is unable to try this |
|---|----------------------------|-----------------------------|----------------------------|----------------------------|
| n) Can she run upstairs? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| o) Can she ride a tricycle? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| p) Can she ride a bicycle? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| q) Can she swim with waterwings? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| r) Can she swim without waterwings? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| s) Can she do a handstand against the wall? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| t) Can she skip with a skipping rope? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| u) Can she stand on her head? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| E2. | | | | |
| a) Can she hold a pencil and scribble? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| b) Can she copy a vertical line with a pencil? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| c) Can she wiggle her thumb? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| d) Can she draw a circle (more or less)? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| e) Can she bang together two objects that she is holding? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| f) Can she draw (or copy) a cross? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |

PAGE 38 OF THE QUESTIONNAIRE

| E2. | Yes, can do well | Yes, does but not very well | Has not yet done | Is unable to try this |
|---|---|------------------------------------|----------------------------|------------------------------|
| g) Can she draw (or copy) a square? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| h) Can she write her name? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| i) Can she write any numbers? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| j) If you ask her to draw a man, what is the result likely to be? | just a scribble <input type="checkbox"/> 1 a head and not much else <input type="checkbox"/> 2 a head and body <input type="checkbox"/> 3 | | | |
| | a head, body and legs <input type="checkbox"/> 4 head, body, arms, legs <input type="checkbox"/> 5 | | | |
| | other (please describe) <input type="checkbox"/> 6 | | | |

| E3. | Yes, can do well | Yes, does but not very well | Has not yet done | Is unable to try this |
|--|----------------------------|------------------------------------|----------------------------|------------------------------|
| a) Can she pick up a small object using finger and thumb only? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| b) Can she turn the pages of a book? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| c) Can she build a tower putting one object on top of another? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| d) Can she build a tower of 4 bricks? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| e) Can she build a tower of 6 bricks? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| f) Can she build a tower of 8 bricks? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| g) Can she put bricks together to make a bridge? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |

PAGE 39 OF THE QUESTIONNAIRE

| E4. | Yes, can do well | Yes, does but not very well | Has not yet done | Is unable to try this |
|---|----------------------------|-----------------------------|----------------------------|----------------------------|
| a) Does she show interest in pictures in books? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| b) Does she notice details in pictures and photographs? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| c) Can she recognise the colours red, yellow and blue? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| d) Can she recognise orange, brown and purple? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| e) Can she recognise her name when written? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| f) Does she know at least 3 letters of the alphabet? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| g) Does she know at least 10 letters of the alphabet? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| h) Can she read simple words ? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| i) Can she read a story with less than 10 words a page? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| j) Can she read a story with more than 10 words a page? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| k) Does she understand numbers 1 and 2? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| l) Does she understand numbers 3 and 4? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| m) Does she understand numbers 5 to 10? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| n) Can she count up to 20? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| o) Can she count up to 100? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |

| E5. | Yes, can do well | Yes, does but not very well | Has not yet done | Is unable to try this |
|---|----------------------------|-----------------------------|----------------------------|----------------------------|
| a) Does she share her toys with other children? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| b) Does she share the toys of other children, understanding that they are not hers? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| c) Does she feel sympathy for someone if they are hurt? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| d) Does she think of things to do to please you? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| e) Can she kick a large ball? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| f) Can she throw a small ball underarm? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| g) Can she throw a small ball overarm? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| h) Can she throw a ball against a wall and catch it? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| i) Does she take turns in a game without fuss? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| j) Can she play card games (e.g. snap) ? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| k) Can she play any board games? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |

| E6. | Yes, can do well | Yes, does but not very well | Has not yet done | Is unable to try this |
|--|----------------------------|-----------------------------|----------------------------|----------------------------|
| a) Does she drink from a cup or mug? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| b) Does she eat skilfully with a spoon? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| c) Does she eat with fork and spoon in each hand? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| d) Does she cut her food with a knife? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| e) Can she sit at table and cope with a whole meal without help? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| f) Can she wash and dry her hands on her own? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| g) Can she brush her teeth on her own? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| h) Can she get dressed without help? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| i) Can she get undressed without help? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| j) Can she do up buttons? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| k) Can she tie a bow? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| l) Can she brush and comb her hair? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |

PAGE 42 OF THE QUESTIONNAIRE

| E7. | Yes, can do well | Yes, does but not very well | Has not yet done | Is unable to try this |
|---|----------------------------|------------------------------------|----------------------------|------------------------------|
| a) Can she listen to a short story from start to finish? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| b) Can she understand instructions such as: 'Find the jumper that Granny gave you'? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| c) Does she talk clearly? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| d) Does she sing songs (even if the words are not clear)? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| e) Does she ask sensible questions? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| f) Can she carry on a conversation? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| g) Can she say at least 3 nursery rhymes? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| h) Can she sing at least 3 songs? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| i) Can she hum a tune? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| j) Can she beat a rhythm by clapping hands in time to the music? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |

PAGE 43 OF THE QUESTIONNAIRE

| E8. | Never | Sometimes | Often | Always |
|---|----------------------------|----------------------------|----------------------------|----------------------------|
| a) Does she stumble or get stuck on words, or repeat them many times? (e.g. I I I I want a sweet) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| b) Is her voice hoarse or husky? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| c) Can <u>you</u> understand what she says? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| d) Can your family understand what she says? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |
| e) Can visitors to your house understand what she says? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 7 |

E9.a) Does she prefer to use gestures (pointing or pulling) to get what she wants instead of asking?

Yes, still does

| |
|----------------------------|
| <input type="checkbox"/> 1 |
| <input type="checkbox"/> 2 |
| <input type="checkbox"/> 3 |

Yes, did in past, not now

No, never did

b) When she talks nowadays, what is the most words she can put together (e.g. "I want juice" would be 3).

| | | | | |
|---|--------------------------------------|---|---------------------------------------|--|
| one word <input type="checkbox"/> 1 | two words <input type="checkbox"/> 2 | 3 or 4 words <input type="checkbox"/> 3 | 5 -8 words <input type="checkbox"/> 4 | 9 or more words <input type="checkbox"/> 5 |
| does not talk at all <input type="checkbox"/> 6 | | | | |

KL File – Section E

PAGE 44 OF THE QUESTIONNAIRE

E10. Some children enjoy talking and others do not.

| Does your child: | Always | Sometimes | Never |
|--|----------------------------|----------------------------|----------------------------|
| a) talk a lot | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| b) stay mainly silent | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| c) seem to avoid looking at people's faces when she talks | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| d) echo what has just been said to her (e.g. you say; 'we are going out now' she says: 'going out now'.) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |

E11. a) Does your daughter have difficulty in pronouncing certain sounds (e.g. th, sss, t)?

Yes 1 No 2

b) If yes, please describe

E12. a) Are there any other languages apart from English spoken in your household?

Yes 1 No 2 → If no, go to E13 on page 45

If yes, please say which

.....

PAGE 45 OF THE QUESTIONNAIRE

E12. b) Is English the main language spoken?

| | (i) By mother | (ii) By study child | (iii) By partner | (iv) By other children |
|--|----------------------------|------------------------------|----------------------------|---------------------------------|
| English is the main language spoken | <input type="checkbox"/> 1 | <input type="checkbox"/> 1 | <input type="checkbox"/> 1 | <input type="checkbox"/> 1 |
| both English and other language used equally | <input type="checkbox"/> 2 | <input type="checkbox"/> 2 | <input type="checkbox"/> 2 | <input type="checkbox"/> 2 |
| other is the main language spoken | <input type="checkbox"/> 3 | <input type="checkbox"/> 3 | <input type="checkbox"/> 3 | <input type="checkbox"/> 3 |
| no such person at home | <input type="checkbox"/> 7 | | <input type="checkbox"/> 7 | <input type="checkbox"/> 7 |

Space for comments.

E13. Are you worried about any aspects of your child's growth and development?

| | Yes I am worried | No I am not worried |
|----------------------------|----------------------------|----------------------------|
| a) her speech | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b) her weight | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c) her height | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d) her behaviour | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e) her general development | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f) other | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

KL File – Section E

PAGE 46 OF THE QUESTIONNAIRE

If yes, to any of these, please describe what worries you:

.....

.....

.....

This is confidential information. We cannot make any response to what you put. If you are worried about your child's development we suggest you contact your family doctor or your health visitor.

KL File – Section E

kl500 E1a: Child is able to walk

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9461 | 99.3 | 99.6 | 99.6 |
| | 2 Yes, does but not very well | 19 | .2 | .2 | 99.8 |
| | 3 Has not done yet | 3 | .0 | .0 | 99.9 |
| | 7 Is unable to try this | 13 | .1 | .1 | 100.0 |
| | Total | 9496 | 99.6 | 100.0 | |
| Missing | -1 No response | 35 | .4 | | |
| | Total | 9531 | 100.0 | | |

kl501 E1b: Child is able to stoop and pick something off the floor

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9466 | 99.3 | 99.7 | 99.7 |
| | 2 Yes, does but not very well | 16 | .2 | .2 | 99.9 |
| | 3 Has not done yet | 2 | .0 | .0 | 99.9 |
| | 7 Is unable to try this | 12 | .1 | .1 | 100.0 |
| | Total | 9496 | 99.6 | 100.0 | |
| Missing | -1 No response | 35 | .4 | | |
| | Total | 9531 | 100.0 | | |

kl502 E1c: Child is able to run

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9395 | 98.6 | 99.0 | 99.0 |
| | 2 Yes, does but not very well | 82 | .9 | .9 | 99.8 |
| | 3 Has not done yet | 3 | .0 | .0 | 99.9 |
| | 7 Is unable to try this | 14 | .1 | .1 | 100.0 |
| | Total | 9494 | 99.6 | 100.0 | |
| Missing | -1 No response | 37 | .4 | | |
| | Total | 9531 | 100.0 | | |

kl503 E1d: Child can jump forward with both feet together

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9318 | 97.8 | 98.4 | 98.4 |
| | 2 Yes, does but not very well | 112 | 1.2 | 1.2 | 99.6 |
| | 3 Has not done yet | 23 | .2 | .2 | 99.8 |
| | 7 Is unable to try this | 16 | .2 | .2 | 100.0 |
| | Total | 9469 | 99.3 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 61 | .6 | | |
| | Total | 62 | .7 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section E

kl504 E1e: Child can walk on tiptoe

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9193 | 96.5 | 97.2 | 97.2 |
| | 2 Yes, does but not very well | 202 | 2.1 | 2.1 | 99.3 |
| | 3 Has not done yet | 49 | .5 | .5 | 99.8 |
| | 7 Is unable to try this | 18 | .2 | .2 | 100.0 |
| | Total | 9462 | 99.3 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 68 | .7 | | |
| | Total | 69 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl505 E1f: Child can run on tiptoe

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8252 | 86.6 | 88.2 | 88.2 |
| | 2 Yes, does but not very well | 653 | 6.9 | 7.0 | 95.2 |
| | 3 Has not done yet | 413 | 4.3 | 4.4 | 99.6 |
| | 7 Is unable to try this | 37 | .4 | .4 | 100.0 |
| | Total | 9355 | 98.2 | 100.0 | |
| Missing | -9 Don't know | 12 | .1 | | |
| | -1 No response | 164 | 1.7 | | |
| | Total | 176 | 1.8 | | |
| Total | | 9531 | 100.0 | | |

kl506 E1g: Child can hop on one foot for three steps

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8522 | 89.4 | 90.4 | 90.4 |
| | 2 Yes, does but not very well | 716 | 7.5 | 7.6 | 98.0 |
| | 3 Has not done yet | 164 | 1.7 | 1.7 | 99.7 |
| | 7 Is unable to try this | 26 | .3 | .3 | 100.0 |
| | Total | 9428 | 98.9 | 100.0 | |
| Missing | -1 No response | 103 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl507 E1h: Child can walk backwards for four steps

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9198 | 96.5 | 97.6 | 97.6 |
| | 2 Yes, does but not very well | 164 | 1.7 | 1.7 | 99.4 |
| | 3 Has not done yet | 40 | .4 | .4 | 99.8 |
| | 7 Is unable to try this | 19 | .2 | .2 | 100.0 |
| | Total | 9421 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 107 | 1.1 | | |
| | Total | 110 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl508 E1i: Child can stand on one foot for at least 8 seconds

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 7884 | 82.7 | 84.7 | 84.7 |
| | 2 Yes, does but not very well | 1156 | 12.1 | 12.4 | 97.1 |
| | 3 Has not done yet | 245 | 2.6 | 2.6 | 99.7 |
| | 7 Is unable to try this | 24 | .3 | .3 | 100.0 |
| | Total | 9309 | 97.7 | 100.0 | |
| Missing | -9 Don't know | 5 | .1 | | |
| | -1 No response | 217 | 2.3 | | |
| | Total | 222 | 2.3 | | |
| Total | | 9531 | 100.0 | | |

kl509 E1j: Child can walk upstairs putting both feet on each step

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9180 | 96.3 | 98.1 | 98.1 |
| | 2 Yes, does but not very well | 103 | 1.1 | 1.1 | 99.2 |
| | 3 Has not done yet | 49 | .5 | .5 | 99.8 |
| | 7 Is unable to try this | 22 | .2 | .2 | 100.0 |
| | Total | 9354 | 98.1 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 176 | 1.8 | | |
| | Total | 177 | 1.9 | | |
| Total | | 9531 | 100.0 | | |

kl510 E1k: Child can walk upstairs putting one foot on each step

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9140 | 95.9 | 97.0 | 97.0 |
| | 2 Yes, does but not very well | 202 | 2.1 | 2.1 | 99.2 |
| | 3 Has not done yet | 62 | .7 | .7 | 99.8 |
| | 7 Is unable to try this | 18 | .2 | .2 | 100.0 |
| | Total | 9422 | 98.9 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 107 | 1.1 | | |
| | Total | 109 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl511 E1l: Child can walk downstairs putting both feet on each step

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9195 | 96.5 | 98.0 | 98.0 |
| | 2 Yes, does but not very well | 114 | 1.2 | 1.2 | 99.3 |
| | 3 Has not done yet | 48 | .5 | .5 | 99.8 |
| | 7 Is unable to try this | 21 | .2 | .2 | 100.0 |
| | Total | 9378 | 98.4 | 100.0 | |
| Missing | -1 No response | 153 | 1.6 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section E

kl512 E1m: Child can walk downstairs putting one foot on each step

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8644 | 90.7 | 91.9 | 91.9 |
| | 2 Yes, does but not very well | 564 | 5.9 | 6.0 | 97.9 |
| | 3 Has not done yet | 181 | 1.9 | 1.9 | 99.8 |
| | 7 Is unable to try this | 20 | .2 | .2 | 100.0 |
| | Total | 9409 | 98.7 | 100.0 | |
| Missing | -1 No response | 122 | 1.3 | | |
| | Total | 9531 | 100.0 | | |

kl513 E1n: Child can run upstairs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8534 | 89.5 | 90.5 | 90.5 |
| | 2 Yes, does but not very well | 571 | 6.0 | 6.1 | 96.6 |
| | 3 Has not done yet | 287 | 3.0 | 3.0 | 99.6 |
| | 7 Is unable to try this | 36 | .4 | .4 | 100.0 |
| | Total | 9428 | 98.9 | 100.0 | |
| Missing | -1 No response | 103 | 1.1 | | |
| | Total | 9531 | 100.0 | | |

kl514 E1o: Child can ride a tricycle

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8945 | 93.9 | 94.8 | 94.8 |
| | 2 Yes, does but not very well | 308 | 3.2 | 3.3 | 98.1 |
| | 3 Has not done yet | 130 | 1.4 | 1.4 | 99.4 |
| | 7 Is unable to try this | 54 | .6 | .6 | 100.0 |
| | Total | 9437 | 99.0 | 100.0 | |
| Missing | -1 No response | 94 | 1.0 | | |
| | Total | 9531 | 100.0 | | |

kl515 E1p: Child can ride a bicycle

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 4605 | 48.3 | 48.9 | 48.9 |
| | 2 Yes, does but not very well | 1872 | 19.6 | 19.9 | 68.8 |
| | 3 Has not done yet | 2802 | 29.4 | 29.8 | 98.6 |
| | 7 Is unable to try this | 133 | 1.4 | 1.4 | 100.0 |
| | Total | 9412 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 10 | .1 | | |
| | -1 No response | 108 | 1.1 | | |
| | Total | 119 | 1.2 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section E

kl1516 E1q: Child can swim with waterwings

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 6004 | 63.0 | 64.0 | 64.0 |
| | 2 Yes, does but not very well | 1950 | 20.5 | 20.8 | 84.9 |
| | 3 Has not done yet | 1260 | 13.2 | 13.4 | 98.3 |
| | 7 Is unable to try this | 160 | 1.7 | 1.7 | 100.0 |
| | Total | 9374 | 98.4 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 154 | 1.6 | | |
| | Total | 157 | 1.6 | | |
| Total | | 9531 | 100.0 | | |

kl1517 E1r: Child can swim without waterwings

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 1089 | 11.4 | 11.5 | 11.5 |
| | 2 Yes, does but not very well | 1908 | 20.0 | 20.2 | 31.8 |
| | 3 Has not done yet | 5886 | 61.8 | 62.4 | 94.2 |
| | 7 Is unable to try this | 546 | 5.7 | 5.8 | 100.0 |
| | Total | 9429 | 98.9 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 100 | 1.0 | | |
| | Total | 102 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl1518 E1s: Child can do a handstand against a wall

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 510 | 5.4 | 5.4 | 5.4 |
| | 2 Yes, does but not very well | 1087 | 11.4 | 11.6 | 17.0 |
| | 3 Has not done yet | 7139 | 74.9 | 76.2 | 93.2 |
| | 7 Is unable to try this | 633 | 6.6 | 6.8 | 100.0 |
| | Total | 9369 | 98.3 | 100.0 | |
| Missing | -9 Don't know | 9 | .1 | | |
| | -1 No response | 153 | 1.6 | | |
| | Total | 162 | 1.7 | | |
| Total | | 9531 | 100.0 | | |

kl1519 E1t: Child can skip with a skipping rope

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 603 | 6.3 | 6.4 | 6.4 |
| | 2 Yes, does but not very well | 3585 | 37.6 | 38.1 | 44.5 |
| | 3 Has not done yet | 4887 | 51.3 | 52.0 | 96.5 |
| | 7 Is unable to try this | 328 | 3.4 | 3.5 | 100.0 |
| | Total | 9403 | 98.7 | 100.0 | |
| Missing | -9 Don't know | 6 | .1 | | |
| | -1 No response | 122 | 1.3 | | |
| | Total | 128 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl520 E1u: Child can stand on their head

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 734 | 7.7 | 7.8 | 7.8 |
| | 2 Yes, does but not very well | 1866 | 19.6 | 19.9 | 27.7 |
| | 3 Has not done yet | 6288 | 66.0 | 67.0 | 94.7 |
| | 7 Is unable to try this | 495 | 5.2 | 5.3 | 100.0 |
| | Total | 9383 | 98.4 | 100.0 | |
| Missing | -9 Don't know | 10 | .1 | | |
| | -1 No response | 138 | 1.4 | | |
| | Total | 148 | 1.6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl530 E2a: Child can hold a pencil and scribble

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9354 | 98.1 | 98.6 | 98.6 |
| | 2 Yes, does but not very well | 120 | 1.3 | 1.3 | 99.9 |
| | 3 Has not done yet | 3 | .0 | .0 | 99.9 |
| | 7 Is unable to try this | 8 | .1 | .1 | 100.0 |
| | Total | 9485 | 99.5 | 100.0 | |
| Missing | -1 No response | 46 | .5 | | |
| | Total | 9531 | 100.0 | | |

kl531 E2b: Child can copy a vertical line with a pencil

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8967 | 94.1 | 94.7 | 94.7 |
| | 2 Yes, does but not very well | 443 | 4.6 | 4.7 | 99.4 |
| | 3 Has not done yet | 48 | .5 | .5 | 99.9 |
| | 7 Is unable to try this | 13 | .1 | .1 | 100.0 |
| | Total | 9471 | 99.4 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 59 | .6 | | |
| | Total | 60 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl532 E2c: Child can wiggle their thumb

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9125 | 95.7 | 97.7 | 97.7 |
| | 2 Yes, does but not very well | 132 | 1.4 | 1.4 | 99.1 |
| | 3 Has not done yet | 73 | .8 | .8 | 99.9 |
| | 7 Is unable to try this | 11 | .1 | .1 | 100.0 |
| | Total | 9341 | 98.0 | 100.0 | |
| Missing | -9 Don't know | 9 | .1 | | |
| | -1 No response | 181 | 1.9 | | |
| | Total | 190 | 2.0 | | |
| | Total | 9531 | 100.0 | | |

kl533 E2d: Child can draw a circle

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9141 | 95.9 | 96.5 | 96.5 |
| | 2 Yes, does but not very well | 295 | 3.1 | 3.1 | 99.6 |
| | 3 Has not done yet | 27 | .3 | .3 | 99.9 |
| | 7 Is unable to try this | 10 | .1 | .1 | 100.0 |
| | Total | 9473 | 99.4 | 100.0 | |
| Missing | -1 No response | 58 | .6 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section E

kl534 E2e: Child can bang two objects they are holding together

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9440 | 99.0 | 99.6 | 99.6 |
| | 2 Yes, does but not very well | 27 | .3 | .3 | 99.9 |
| | 3 Has not done yet | 5 | .1 | .1 | 99.9 |
| | 7 Is unable to try this | 5 | .1 | .1 | 100.0 |
| | Total | 9477 | 99.4 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 53 | .6 | | |
| | Total | 54 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl535 E2f: Child can draw or copy a cross

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9181 | 96.3 | 96.9 | 96.9 |
| | 2 Yes, does but not very well | 227 | 2.4 | 2.4 | 99.3 |
| | 3 Has not done yet | 53 | .6 | .6 | 99.9 |
| | 7 Is unable to try this | 11 | .1 | .1 | 100.0 |
| | Total | 9472 | 99.4 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 58 | .6 | | |
| | Total | 59 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl536 E2g: Child can draw or copy a square

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8166 | 85.7 | 86.9 | 86.9 |
| | 2 Yes, does but not very well | 1078 | 11.3 | 11.5 | 98.3 |
| | 3 Has not done yet | 144 | 1.5 | 1.5 | 99.9 |
| | 7 Is unable to try this | 13 | .1 | .1 | 100.0 |
| | Total | 9401 | 98.6 | 100.0 | |
| Missing | -1 No response | 130 | 1.4 | | |
| Total | | 9531 | 100.0 | | |

kl537 E2h: Child can write their name

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 7768 | 81.5 | 82.1 | 82.1 |
| | 2 Yes, does but not very well | 1359 | 14.3 | 14.4 | 96.4 |
| | 3 Has not done yet | 311 | 3.3 | 3.3 | 99.7 |
| | 7 Is unable to try this | 27 | .3 | .3 | 100.0 |
| | Total | 9465 | 99.3 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 65 | .7 | | |
| | Total | 66 | .7 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl538 E2i: Child can write any numbers

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 7149 | 75.0 | 75.7 | 75.7 |
| | 2 Yes, does but not very well | 1774 | 18.6 | 18.8 | 94.5 |
| | 3 Has not done yet | 485 | 5.1 | 5.1 | 99.7 |
| | 7 Is unable to try this | 30 | .3 | .3 | 100.0 |
| | Total | 9438 | 99.0 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 91 | 1.0 | | |
| | Total | 93 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl539 E2j: Result produced by child when asked to draw a man

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Just a scribble | 168 | 1.8 | 1.8 | 1.8 |
| | 2 Head and not much else | 478 | 5.0 | 5.1 | 6.9 |
| | 3 Head and body | 408 | 4.3 | 4.4 | 11.3 |
| | 4 Head, body and legs | 368 | 3.9 | 4.0 | 15.3 |
| | 5 Head, body, arms and legs | 6054 | 63.5 | 65.0 | 80.3 |
| | 6 Other | 1838 | 19.3 | 19.7 | 100.0 |
| | Total | 9314 | 97.7 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 214 | 2.2 | | |
| | Total | 217 | 2.3 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl550 E3a: Child can pick up a small object using finger and thumb only

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9373 | 98.3 | 99.3 | 99.3 |
| | 2 Yes, does but not very well | 50 | .5 | .5 | 99.8 |
| | 3 Has not done yet | 11 | .1 | .1 | 99.9 |
| | 7 Is unable to try this | 7 | .1 | .1 | 100.0 |
| | Total | 9441 | 99.1 | 100.0 | |
| Missing | -1 No response | 90 | .9 | | |
| Total | | 9531 | 100.0 | | |

kl551 E3b: Child can turn the pages of a book

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------------------------|----------------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9413 | 98.8 | 99.5 | 99.5 |
| | 2 Yes, does but not very well | 49 | .5 | .5 | 100.0 |
| | 7 Is unable to try this | 3 | .0 | .0 | 100.0 |
| | Total | 9465 | 99.3 | 100.0 | |
| | Missing | -1 No response | .7 | | |
| Total | | 9531 | 100.0 | | |

kl552 E3c: Child can build a tower putting one object on top of another

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9424 | 98.9 | 99.7 | 99.7 |
| | 2 Yes, does but not very well | 23 | .2 | .2 | 99.9 |
| | 3 Has not done yet | 5 | .1 | .1 | 99.9 |
| | 7 Is unable to try this | 5 | .1 | .1 | 100.0 |
| | Total | 9457 | 99.2 | 100.0 | |
| Missing | -1 No response | 74 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl553 E3d: Child can build a tower of four bricks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9426 | 98.9 | 99.7 | 99.7 |
| | 2 Yes, does but not very well | 14 | .1 | .1 | 99.9 |
| | 3 Has not done yet | 6 | .1 | .1 | 99.9 |
| | 7 Is unable to try this | 5 | .1 | .1 | 100.0 |
| | Total | 9451 | 99.2 | 100.0 | |
| Missing | -1 No response | 80 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl554 E3e: Child can build a tower of six bricks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9344 | 98.0 | 99.1 | 99.1 |
| | 2 Yes, does but not very well | 58 | .6 | .6 | 99.7 |
| | 3 Has not done yet | 16 | .2 | .2 | 99.9 |
| | 7 Is unable to try this | 9 | .1 | .1 | 100.0 |
| | Total | 9427 | 98.9 | 100.0 | |
| Missing | -1 No response | 104 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl555 E3f: Child can build a tower of eight bricks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8922 | 93.6 | 94.9 | 94.9 |
| | 2 Yes, does but not very well | 395 | 4.1 | 4.2 | 99.1 |
| | 3 Has not done yet | 65 | .7 | .7 | 99.8 |
| | 7 Is unable to try this | 16 | .2 | .2 | 100.0 |
| | Total | 9398 | 98.6 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 130 | 1.4 | | |
| | Total | 133 | 1.4 | | |
| Total | | 9531 | 100.0 | | |

kl556 E3g: Child can put bricks together to make a bridge

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 7878 | 82.7 | 84.7 | 84.7 |
| | 2 Yes, does but not very well | 745 | 7.8 | 8.0 | 92.7 |
| | 3 Has not done yet | 647 | 6.8 | 7.0 | 99.6 |
| | 7 Is unable to try this | 34 | .4 | .4 | 100.0 |
| | Total | 9304 | 97.6 | 100.0 | |
| Missing | -9 Don't know | 11 | .1 | | |
| | -1 No response | 216 | 2.3 | | |
| | Total | 227 | 2.4 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl560 E4a: Child shows an interest in pictures in books

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9405 | 98.7 | 99.2 | 99.2 |
| | 2 Yes, does but not very well | 66 | .7 | .7 | 99.9 |
| | 3 Has not done yet | 2 | .0 | .0 | 100.0 |
| | 7 Is unable to try this | 4 | .0 | .0 | 100.0 |
| | Total | 9477 | 99.4 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 53 | .6 | | |
| | Total | 54 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl561 E4b: Child notices details in pictures and photographs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9236 | 96.9 | 97.6 | 97.6 |
| | 2 Yes, does but not very well | 193 | 2.0 | 2.0 | 99.7 |
| | 3 Has not done yet | 25 | .3 | .3 | 99.9 |
| | 7 Is unable to try this | 6 | .1 | .1 | 100.0 |
| | Total | 9460 | 99.3 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 70 | .7 | | |
| | Total | 71 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl562 E4c: Child can recognise colours red, yellow and blue

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9273 | 97.3 | 97.9 | 97.9 |
| | 2 Yes, does but not very well | 166 | 1.7 | 1.8 | 99.7 |
| | 3 Has not done yet | 21 | .2 | .2 | 99.9 |
| | 7 Is unable to try this | 8 | .1 | .1 | 100.0 |
| | Total | 9468 | 99.3 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 60 | .6 | | |
| | Total | 63 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl563 E4d: Child can recognise colours orange, brown and purple

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8900 | 93.4 | 94.3 | 94.3 |
| | 2 Yes, does but not very well | 446 | 4.7 | 4.7 | 99.0 |
| | 3 Has not done yet | 84 | .9 | .9 | 99.9 |
| | 7 Is unable to try this | 10 | .1 | .1 | 100.0 |
| | Total | 9440 | 99.0 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -1 No response | 87 | .9 | | |
| | Total | 91 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl564 E4e: Child can recognise their name when written

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9224 | 96.8 | 97.3 | 97.3 |
| | 2 Yes, does but not very well | 167 | 1.8 | 1.8 | 99.1 |
| | 3 Has not done yet | 77 | .8 | .8 | 99.9 |
| | 7 Is unable to try this | 9 | .1 | .1 | 100.0 |
| | Total | 9477 | 99.4 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 53 | .6 | | |
| | Total | 54 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl565 E4f: Child knows at least three letters of the alphabet

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9042 | 94.9 | 95.6 | 95.6 |
| | 2 Yes, does but not very well | 266 | 2.8 | 2.8 | 98.4 |
| | 3 Has not done yet | 138 | 1.4 | 1.5 | 99.9 |
| | 7 Is unable to try this | 12 | .1 | .1 | 100.0 |
| | Total | 9458 | 99.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 72 | .8 | | |
| | Total | 73 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl566 E4g: Child knows at least 10 letters of the alphabet

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 7614 | 79.9 | 80.9 | 80.9 |
| | 2 Yes, does but not very well | 1078 | 11.3 | 11.4 | 92.3 |
| | 3 Has not done yet | 697 | 7.3 | 7.4 | 99.7 |
| | 7 Is unable to try this | 28 | .3 | .3 | 100.0 |
| | Total | 9417 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 6 | .1 | | |
| | -1 No response | 108 | 1.1 | | |
| | Total | 114 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl567 E4h: Child can read simple words

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 5776 | 60.6 | 61.2 | 61.2 |
| | 2 Yes, does but not very well | 1700 | 17.8 | 18.0 | 79.2 |
| | 3 Has not done yet | 1907 | 20.0 | 20.2 | 99.4 |
| | 7 Is unable to try this | 60 | .6 | .6 | 100.0 |
| | Total | 9443 | 99.1 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 84 | .9 | | |
| | Total | 88 | .9 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl568 E4i: Child can read a story with less than 10 words a page

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 3439 | 36.1 | 36.5 | 36.5 |
| | 2 Yes, does but not very well | 1505 | 15.8 | 16.0 | 52.5 |
| | 3 Has not done yet | 4278 | 44.9 | 45.4 | 98.0 |
| | 7 Is unable to try this | 191 | 2.0 | 2.0 | 100.0 |
| | Total | 9413 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 117 | 1.2 | | |
| | Total | 118 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl569 E4j: Child can read a story with more than 10 words a page

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 1407 | 14.8 | 15.0 | 15.0 |
| | 2 Yes, does but not very well | 1456 | 15.3 | 15.5 | 30.5 |
| | 3 Has not done yet | 6224 | 65.3 | 66.3 | 96.8 |
| | 7 Is unable to try this | 299 | 3.1 | 3.2 | 100.0 |
| | Total | 9386 | 98.5 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 143 | 1.5 | | |
| | Total | 145 | 1.5 | | |
| Total | | 9531 | 100.0 | | |

kl570 E4k: Child understands numbers 1 and 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9180 | 96.3 | 97.1 | 97.1 |
| | 2 Yes, does but not very well | 209 | 2.2 | 2.2 | 99.3 |
| | 3 Has not done yet | 58 | .6 | .6 | 99.9 |
| | 7 Is unable to try this | 10 | .1 | .1 | 100.0 |
| | Total | 9457 | 99.2 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 72 | .8 | | |
| | Total | 74 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl571 E4l: Child understands numbers 3 and 4

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9064 | 95.1 | 95.8 | 95.8 |
| | 2 Yes, does but not very well | 295 | 3.1 | 3.1 | 98.9 |
| | 3 Has not done yet | 93 | 1.0 | 1.0 | 99.9 |
| | 7 Is unable to try this | 11 | .1 | .1 | 100.0 |
| | Total | 9463 | 99.3 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 67 | .7 | | |
| | Total | 68 | .7 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl572 E4m: Child understands numbers 5 to 10

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8284 | 86.9 | 87.7 | 87.7 |
| | 2 Yes, does but not very well | 824 | 8.6 | 8.7 | 96.4 |
| | 3 Has not done yet | 323 | 3.4 | 3.4 | 99.8 |
| | 7 Is unable to try this | 17 | .2 | .2 | 100.0 |
| | Total | 9448 | 99.1 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 80 | .8 | | |
| | Total | 83 | .9 | | |
| Total | | 9531 | 100.0 | | |

kl573 E4n: Child can count up to 20

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 7249 | 76.1 | 76.6 | 76.6 |
| | 2 Yes, does but not very well | 1479 | 15.5 | 15.6 | 92.3 |
| | 3 Has not done yet | 689 | 7.2 | 7.3 | 99.5 |
| | 7 Is unable to try this | 43 | .5 | .5 | 100.0 |
| | Total | 9460 | 99.3 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 69 | .7 | | |
| | Total | 71 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl574 E4o: Child can count up to 100

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 1306 | 13.7 | 13.9 | 13.9 |
| | 2 Yes, does but not very well | 1995 | 20.9 | 21.2 | 35.0 |
| | 3 Has not done yet | 5781 | 60.7 | 61.4 | 96.4 |
| | 7 Is unable to try this | 340 | 3.6 | 3.6 | 100.0 |
| | Total | 9422 | 98.9 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 104 | 1.1 | | |
| | Total | 109 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl580 E5a: Child shares their toys with other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 7981 | 83.7 | 84.3 | 84.3 |
| | 2 Yes, does but not very well | 1455 | 15.3 | 15.4 | 99.7 |
| | 3 Has not done yet | 14 | .1 | .1 | 99.9 |
| | 7 Is unable to try this | 12 | .1 | .1 | 100.0 |
| | Total | 9462 | 99.3 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 68 | .7 | | |
| | Total | 69 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl581 E5b: Child shares others toys understanding they are not theirs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8617 | 90.4 | 91.2 | 91.2 |
| | 2 Yes, does but not very well | 799 | 8.4 | 8.5 | 99.6 |
| | 3 Has not done yet | 19 | .2 | .2 | 99.8 |
| | 7 Is unable to try this | 15 | .2 | .2 | 100.0 |
| | Total | 9450 | 99.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 80 | .8 | | |
| | Total | 81 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl582 E5c: Child feels sympathy for someone if they are hurt

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8766 | 92.0 | 92.8 | 92.8 |
| | 2 Yes, does but not very well | 601 | 6.3 | 6.4 | 99.1 |
| | 3 Has not done yet | 70 | .7 | .7 | 99.9 |
| | 7 Is unable to try this | 14 | .1 | .1 | 100.0 |
| | Total | 9451 | 99.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 79 | .8 | | |
| | Total | 80 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl583 E5d: Child thinks of things to do to please parent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8122 | 85.2 | 86.5 | 86.5 |
| | 2 Yes, does but not very well | 1016 | 10.7 | 10.8 | 97.3 |
| | 3 Has not done yet | 238 | 2.5 | 2.5 | 99.8 |
| | 7 Is unable to try this | 16 | .2 | .2 | 100.0 |
| | Total | 9392 | 98.5 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 137 | 1.4 | | |
| | Total | 139 | 1.5 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl584 E5e: Child can kick a large ball

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9102 | 95.5 | 96.1 | 96.1 |
| | 2 Yes, does but not very well | 354 | 3.7 | 3.7 | 99.9 |
| | 3 Has not done yet | 5 | .1 | .1 | 99.9 |
| | 7 Is unable to try this | 9 | .1 | .1 | 100.0 |
| | Total | 9470 | 99.4 | 100.0 | |
| Missing | -1 No response | 61 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl585 E5f: Child can throw a small ball underarm

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8298 | 87.1 | 88.3 | 88.3 |
| | 2 Yes, does but not very well | 948 | 9.9 | 10.1 | 98.4 |
| | 3 Has not done yet | 141 | 1.5 | 1.5 | 99.9 |
| | 7 Is unable to try this | 12 | .1 | .1 | 100.0 |
| | Total | 9399 | 98.6 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 130 | 1.4 | | |
| | Total | 132 | 1.4 | | |
| | Total | 9531 | 100.0 | | |

kl586 E5g: Child can throw a small ball overarm

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 6351 | 66.6 | 68.0 | 68.0 |
| | 2 Yes, does but not very well | 1916 | 20.1 | 20.5 | 88.5 |
| | 3 Has not done yet | 1060 | 11.1 | 11.3 | 99.8 |
| | 7 Is unable to try this | 19 | .2 | .2 | 100.0 |
| | Total | 9346 | 98.1 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 182 | 1.9 | | |
| | Total | 185 | 1.9 | | |
| | Total | 9531 | 100.0 | | |

kl587 E5h: Child can throw a small ball against a wall and catch it

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 1834 | 19.2 | 19.6 | 19.6 |
| | 2 Yes, does but not very well | 3955 | 41.5 | 42.3 | 61.9 |
| | 3 Has not done yet | 3488 | 36.6 | 37.3 | 99.2 |
| | 7 Is unable to try this | 72 | .8 | .8 | 100.0 |
| | Total | 9349 | 98.1 | 100.0 | |
| Missing | -9 Don't know | 8 | .1 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 173 | 1.8 | | |
| | Total | 182 | 1.9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section E

kl588 E5i: Child can take turns in a game without fuss

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 5917 | 62.1 | 62.8 | 62.8 |
| | 2 Yes, does but not very well | 3372 | 35.4 | 35.8 | 98.6 |
| | 3 Has not done yet | 112 | 1.2 | 1.2 | 99.8 |
| | 7 Is unable to try this | 19 | .2 | .2 | 100.0 |
| | Total | 9420 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 109 | 1.1 | | |
| | Total | 111 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl589 E5j: Child can play card games

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 6014 | 63.1 | 63.6 | 63.6 |
| | 2 Yes, does but not very well | 2429 | 25.5 | 25.7 | 89.3 |
| | 3 Has not done yet | 948 | 9.9 | 10.0 | 99.4 |
| | 7 Is unable to try this | 60 | .6 | .6 | 100.0 |
| | Total | 9451 | 99.2 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 77 | .8 | | |
| | Total | 80 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl590 E5k: Child can play any board games

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 5271 | 55.3 | 55.8 | 55.8 |
| | 2 Yes, does but not very well | 2995 | 31.4 | 31.7 | 87.5 |
| | 3 Has not done yet | 1120 | 11.8 | 11.9 | 99.4 |
| | 7 Is unable to try this | 57 | .6 | .6 | 100.0 |
| | Total | 9443 | 99.1 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 85 | .9 | | |
| | Total | 88 | .9 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl600 E6a: Child drinks from a cup or mug

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9410 | 98.7 | 99.4 | 99.4 |
| | 2 Yes, does but not very well | 57 | .6 | .6 | 100.0 |
| | 3 Has not done yet | 1 | .0 | .0 | 100.0 |
| | 7 Is unable to try this | 2 | .0 | .0 | 100.0 |
| | Total | 9470 | 99.4 | 100.0 | |
| Missing | -1 No response | 61 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl601 E6b: Child eats skilfully with a spoon

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9236 | 96.9 | 97.6 | 97.6 |
| | 2 Yes, does but not very well | 209 | 2.2 | 2.2 | 99.8 |
| | 3 Has not done yet | 10 | .1 | .1 | 99.9 |
| | 7 Is unable to try this | 5 | .1 | .1 | 100.0 |
| | Total | 9460 | 99.3 | 100.0 | |
| Missing | -1 No response | 71 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl602 E6c: Child eats with a spoon and fork in each hand

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8106 | 85.0 | 86.8 | 86.8 |
| | 2 Yes, does but not very well | 969 | 10.2 | 10.4 | 97.1 |
| | 3 Has not done yet | 246 | 2.6 | 2.6 | 99.8 |
| | 7 Is unable to try this | 22 | .2 | .2 | 100.0 |
| | Total | 9343 | 98.0 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -8 Text response | 2 | .0 | | |
| | -1 No response | 183 | 1.9 | | |
| | Total | 188 | 2.0 | | |
| Total | | 9531 | 100.0 | | |

kl603 E6d: Child cuts food with a knife

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 4535 | 47.6 | 47.9 | 47.9 |
| | 2 Yes, does but not very well | 4352 | 45.7 | 46.0 | 93.9 |
| | 3 Has not done yet | 549 | 5.8 | 5.8 | 99.7 |
| | 7 Is unable to try this | 24 | .3 | .3 | 100.0 |
| | Total | 9460 | 99.3 | 100.0 | |
| Missing | -1 No response | 71 | .7 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl604 E6e: Child can sit at table and cope with a whole meal without help

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 7257 | 76.1 | 76.8 | 76.8 |
| | 2 Yes, does but not very well | 1999 | 21.0 | 21.2 | 98.0 |
| | 3 Has not done yet | 179 | 1.9 | 1.9 | 99.9 |
| | 7 Is unable to try this | 12 | .1 | .1 | 100.0 |
| | Total | 9447 | 99.1 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 82 | .9 | | |
| | Total | 84 | .9 | | |
| Total | | 9531 | 100.0 | | |

kl605 E6f: Child can wash and dry hands on their own

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9083 | 95.3 | 95.8 | 95.8 |
| | 2 Yes, does but not very well | 363 | 3.8 | 3.8 | 99.7 |
| | 3 Has not done yet | 18 | .2 | .2 | 99.9 |
| | 7 Is unable to try this | 13 | .1 | .1 | 100.0 |
| | Total | 9477 | 99.4 | 100.0 | |
| Missing | -1 No response | 54 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl606 E6g: Child can brush their teeth on their own

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 7877 | 82.6 | 83.1 | 83.1 |
| | 2 Yes, does but not very well | 1458 | 15.3 | 15.4 | 98.5 |
| | 3 Has not done yet | 126 | 1.3 | 1.3 | 99.8 |
| | 7 Is unable to try this | 15 | .2 | .2 | 100.0 |
| | Total | 9476 | 99.4 | 100.0 | |
| Missing | -1 No response | 55 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl607 E6h: Child can get dressed without help

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 7515 | 78.8 | 79.3 | 79.3 |
| | 2 Yes, does but not very well | 1845 | 19.4 | 19.5 | 98.8 |
| | 3 Has not done yet | 89 | .9 | .9 | 99.8 |
| | 7 Is unable to try this | 22 | .2 | .2 | 100.0 |
| | Total | 9471 | 99.4 | 100.0 | |
| Missing | -1 No response | 60 | .6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl608 E6i: Child can get undressed without help

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8585 | 90.1 | 90.7 | 90.7 |
| | 2 Yes, does but not very well | 826 | 8.7 | 8.7 | 99.4 |
| | 3 Has not done yet | 40 | .4 | .4 | 99.8 |
| | 7 Is unable to try this | 16 | .2 | .2 | 100.0 |
| | Total | 9467 | 99.3 | 100.0 | |
| Missing | -1 No response | 64 | .7 | | |
| | Total | 9531 | 100.0 | | |

kl609 E6j: Child can do up buttons

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 6532 | 68.5 | 69.0 | 69.0 |
| | 2 Yes, does but not very well | 2560 | 26.9 | 27.0 | 96.1 |
| | 3 Has not done yet | 345 | 3.6 | 3.6 | 99.7 |
| | 7 Is unable to try this | 28 | .3 | .3 | 100.0 |
| | Total | 9465 | 99.3 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 65 | .7 | | |
| | Total | 66 | .7 | | |
| | Total | 9531 | 100.0 | | |

kl610 E6k: Child can tie a bow

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 640 | 6.7 | 6.8 | 6.8 |
| | 2 Yes, does but not very well | 1648 | 17.3 | 17.4 | 24.2 |
| | 3 Has not done yet | 6951 | 72.9 | 73.5 | 97.6 |
| | 7 Is unable to try this | 223 | 2.3 | 2.4 | 100.0 |
| | Total | 9462 | 99.3 | 100.0 | |
| Missing | -1 No response | 69 | .7 | | |
| | Total | 9531 | 100.0 | | |

kl611 E6l: Child can brush and comb their own hair

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 5756 | 60.4 | 60.9 | 60.9 |
| | 2 Yes, does but not very well | 3269 | 34.3 | 34.6 | 95.5 |
| | 3 Has not done yet | 389 | 4.1 | 4.1 | 99.6 |
| | 7 Is unable to try this | 37 | .4 | .4 | 100.0 |
| | Total | 9451 | 99.2 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 78 | .8 | | |
| | Total | 80 | .8 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section E

kl620 E7a: Child can listen to a short story from start to finish

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9208 | 96.6 | 97.2 | 97.2 |
| | 2 Yes, does but not very well | 251 | 2.6 | 2.6 | 99.8 |
| | 3 Has not done yet | 10 | .1 | .1 | 99.9 |
| | 7 Is unable to try this | 5 | .1 | .1 | 100.0 |
| | Total | 9474 | 99.4 | 100.0 | |
| Missing | -1 No response | 57 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl621 E7b: Child can understand instructions

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9263 | 97.2 | 97.8 | 97.8 |
| | 2 Yes, does but not very well | 167 | 1.8 | 1.8 | 99.6 |
| | 3 Has not done yet | 22 | .2 | .2 | 99.8 |
| | 7 Is unable to try this | 15 | .2 | .2 | 100.0 |
| | Total | 9467 | 99.3 | 100.0 | |
| Missing | -1 No response | 64 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl622 E7c: Child talks clearly

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8845 | 92.8 | 93.5 | 93.5 |
| | 2 Yes, does but not very well | 548 | 5.7 | 5.8 | 99.3 |
| | 3 Has not done yet | 47 | .5 | .5 | 99.8 |
| | 7 Is unable to try this | 20 | .2 | .2 | 100.0 |
| | Total | 9460 | 99.3 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 70 | .7 | | |
| | Total | 71 | .7 | | |
| Total | | 9531 | 100.0 | | |

kl623 E7d: Child sings songs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9181 | 96.3 | 97.0 | 97.0 |
| | 2 Yes, does but not very well | 260 | 2.7 | 2.7 | 99.7 |
| | 3 Has not done yet | 12 | .1 | .1 | 99.9 |
| | 7 Is unable to try this | 14 | .1 | .1 | 100.0 |
| | Total | 9467 | 99.3 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 63 | .7 | | |
| | Total | 64 | .7 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl624 E7e: Child asks sensible questions

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9142 | 95.9 | 96.7 | 96.7 |
| | 2 Yes, does but not very well | 259 | 2.7 | 2.7 | 99.4 |
| | 3 Has not done yet | 32 | .3 | .3 | 99.7 |
| | 7 Is unable to try this | 25 | .3 | .3 | 100.0 |
| | Total | 9458 | 99.2 | 100.0 | |
| Missing | -1 No response | 73 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl625 E7f: Child can carry on a conversation

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 9124 | 95.7 | 96.5 | 96.5 |
| | 2 Yes, does but not very well | 270 | 2.8 | 2.9 | 99.3 |
| | 3 Has not done yet | 37 | .4 | .4 | 99.7 |
| | 7 Is unable to try this | 25 | .3 | .3 | 100.0 |
| | Total | 9456 | 99.2 | 100.0 | |
| Missing | -1 No response | 75 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl626 E7g: Child can say at least three nursery rhymes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8933 | 93.7 | 94.6 | 94.6 |
| | 2 Yes, does but not very well | 371 | 3.9 | 3.9 | 98.5 |
| | 3 Has not done yet | 114 | 1.2 | 1.2 | 99.7 |
| | 7 Is unable to try this | 26 | .3 | .3 | 100.0 |
| | Total | 9444 | 99.1 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 85 | .9 | | |
| | Total | 87 | .9 | | |
| Total | | 9531 | 100.0 | | |

kl627 E7h: Child can sing at least three songs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8672 | 91.0 | 91.8 | 91.8 |
| | 2 Yes, does but not very well | 591 | 6.2 | 6.3 | 98.1 |
| | 3 Has not done yet | 156 | 1.6 | 1.7 | 99.7 |
| | 7 Is unable to try this | 27 | .3 | .3 | 100.0 |
| | Total | 9446 | 99.1 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 83 | .9 | | |
| | Total | 85 | .9 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl628 E7i: Child can hum a tune

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 8174 | 85.8 | 86.8 | 86.8 |
| | 2 Yes, does but not very well | 802 | 8.4 | 8.5 | 95.3 |
| | 3 Has not done yet | 409 | 4.3 | 4.3 | 99.7 |
| | 7 Is unable to try this | 30 | .3 | .3 | 100.0 |
| | Total | 9415 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 113 | 1.2 | | |
| | Total | 116 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl629 E7j: Child can beat a rhythm by clapping in time to the music

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, can do well | 7102 | 74.5 | 76.0 | 76.0 |
| | 2 Yes, does but not very well | 1543 | 16.2 | 16.5 | 92.5 |
| | 3 Has not done yet | 670 | 7.0 | 7.2 | 99.7 |
| | 7 Is unable to try this | 29 | .3 | .3 | 100.0 |
| | Total | 9344 | 98.0 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -1 No response | 183 | 1.9 | | |
| | Total | 187 | 2.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl640 E8a: Child stumbles or gets stuck on words

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 6107 | 64.1 | 64.8 | 64.8 |
| | 2 Sometimes | 3027 | 31.8 | 32.1 | 96.9 |
| | 3 Often | 263 | 2.8 | 2.8 | 99.7 |
| | 7 Always | 31 | .3 | .3 | 100.0 |
| | Total | 9428 | 98.9 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 102 | 1.1 | | |
| | Total | 103 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl641 E8b: Child's voice is hoarse or husky

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 7667 | 80.4 | 81.5 | 81.5 |
| | 2 Sometimes | 1550 | 16.3 | 16.5 | 98.0 |
| | 3 Often | 112 | 1.2 | 1.2 | 99.2 |
| | 7 Always | 76 | .8 | .8 | 100.0 |
| | Total | 9405 | 98.7 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 125 | 1.3 | | |
| | Total | 126 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl642 E8c: Parent can understand what child says

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 605 | 6.3 | 6.4 | 6.4 |
| | 2 Sometimes | 125 | 1.3 | 1.3 | 7.7 |
| | 3 Often | 809 | 8.5 | 8.6 | 16.3 |
| | 7 Always | 7906 | 83.0 | 83.7 | 100.0 |
| | Total | 9445 | 99.1 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 85 | .9 | | |
| | Total | 86 | .9 | | |
| Total | | 9531 | 100.0 | | |

kl643 E8d: Family can understand what child says

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 592 | 6.2 | 6.3 | 6.3 |
| | 2 Sometimes | 268 | 2.8 | 2.8 | 9.1 |
| | 3 Often | 1377 | 14.4 | 14.6 | 23.7 |
| | 7 Always | 7203 | 75.6 | 76.3 | 100.0 |
| | Total | 9440 | 99.0 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 89 | .9 | | |
| | Total | 91 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl644 E8e: Visitors can understand what child says

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 594 | 6.2 | 6.3 | 6.3 |
| | 2 Sometimes | 430 | 4.5 | 4.5 | 10.8 |
| | 3 Often | 1715 | 18.0 | 18.1 | 29.0 |
| | 7 Always | 6719 | 70.5 | 71.0 | 100.0 |
| | Total | 9458 | 99.2 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 72 | .8 | | |
| | Total | 73 | .8 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl650 E9a: Child prefers to use gestures to get what they want

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, still does | 335 | 3.5 | 3.5 | 3.5 |
| | 2 Yes, in past not now | 3921 | 41.1 | 41.5 | 45.0 |
| | 3 No, never did | 5199 | 54.5 | 55.0 | 100.0 |
| | Total | 9455 | 99.2 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 74 | .8 | | |
| | Total | 76 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl651 E9b: Highest number of words child can put together

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 One word | 7 | .1 | .1 | .1 |
| | 2 Two words | 11 | .1 | .1 | .2 |
| | 3 3 or 4 words | 91 | 1.0 | 1.0 | 1.2 |
| | 4 5-8 words | 575 | 6.0 | 6.1 | 7.2 |
| | 5 9+ words | 8759 | 91.9 | 92.6 | 99.8 |
| | 6 Does not talk at all | 16 | .2 | .2 | 100.0 |
| | Total | 9459 | 99.2 | 100.0 | |
| Missing | -1 No response | 72 | .8 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl660 E10a: Child talks a lot

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 7930 | 83.2 | 83.7 | 83.7 |
| | 2 Sometimes | 1498 | 15.7 | 15.8 | 99.5 |
| | 3 Never | 46 | .5 | .5 | 100.0 |
| | Total | 9474 | 99.4 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 56 | .6 | | |
| | Total | 57 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl661 E10b: Child stays mainly silent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 28 | .3 | .3 | .3 |
| | 2 Sometimes | 1524 | 16.0 | 17.1 | 17.4 |
| | 3 Never | 7386 | 77.5 | 82.6 | 100.0 |
| | Total | 8938 | 93.8 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 592 | 6.2 | | |
| | Total | 593 | 6.2 | | |
| Total | | 9531 | 100.0 | | |

kl662 E10c: Child seems to avoid looking at people's faces when child talks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 173 | 1.8 | 1.9 | 1.9 |
| | 2 Sometimes | 2078 | 21.8 | 23.0 | 24.9 |
| | 3 Never | 6784 | 71.2 | 75.1 | 100.0 |
| | Total | 9035 | 94.8 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 494 | 5.2 | | |
| | Total | 496 | 5.2 | | |
| Total | | 9531 | 100.0 | | |

kl663 E10d: Child echos what has just been said to them

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always | 198 | 2.1 | 2.2 | 2.2 |
| | 2 Sometimes | 2724 | 28.6 | 30.3 | 32.5 |
| | 3 Never | 6073 | 63.7 | 67.5 | 100.0 |
| | Total | 8995 | 94.4 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 534 | 5.6 | | |
| | Total | 536 | 5.6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl666 E11a: Child has difficulty pronouncing certain sounds

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 2663 | 27.9 | 28.4 | 28.4 |
| | 2 No | 6726 | 70.6 | 71.6 | 100.0 |
| | Total | 9389 | 98.5 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 141 | 1.5 | | |
| | Total | 142 | 1.5 | | |
| Total | | 9531 | 100.0 | | |

kl670 E12a: Other languages apart from english are spoken in household

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 427 | 4.5 | 4.5 | 4.5 |
| | 2 No | 8980 | 94.2 | 95.5 | 100.0 |
| | Total | 9407 | 98.7 | 100.0 | |
| Missing | -1 No response | 124 | 1.3 | | |
| | Total | 9531 | 100.0 | | |

kl672 E12b1: English is main language spoken by mother

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, English is the main language spoken | 2559 | 26.8 | 95.5 | 95.5 |
| | 2 Both English and other language equally spoken | 76 | .8 | 2.8 | 98.4 |
| | 3 No, other is the main language spoken | 41 | .4 | 1.5 | 99.9 |
| | 7 No such person at home | 3 | .0 | .1 | 100.0 |
| | Total | 2679 | 28.1 | 100.0 | |
| | Missing | 1 | .0 | | |
| | Total | 6851 | 71.9 | | |
| Total | | 6852 | 71.9 | | |
| Total | | 9531 | 100.0 | | |

kl673 E12b2: English is main language spoken by study child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, English is the main language spoken | 2484 | 26.1 | 97.1 | 97.1 |
| | 2 Both English and other language equally spoken | 50 | .5 | 2.0 | 99.0 |
| | 3 No, other is the main language spoken | 25 | .3 | 1.0 | 100.0 |
| | Total | 2559 | 26.8 | 100.0 | |
| Missing | -1 No response | 6972 | 73.2 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl674 E12b3: English is main language spoken by partner

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, English is the main language spoken | 2394 | 25.1 | 94.3 | 94.3 |
| | 2 Both English and other language equally spoken | 67 | .7 | 2.6 | 97.0 |
| | 3 No, other is the main language spoken | 37 | .4 | 1.5 | 98.4 |
| | 7 No such person at home | 40 | .4 | 1.6 | 100.0 |
| | Total | 2538 | 26.6 | 100.0 | |
| Missing | -1 No response | 6993 | 73.4 | | |
| Total | | 9531 | 100.0 | | |

kl675 E12b4: English is main language spoken by other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, English is the main language spoken | 2221 | 23.3 | 95.7 | 95.7 |
| | 2 Both English and other language equally spoken | 40 | .4 | 1.7 | 97.4 |
| | 3 No, other is the main language spoken | 18 | .2 | .8 | 98.1 |
| | 7 No such person at home | 43 | .5 | 1.9 | 100.0 |
| | Total | 2322 | 24.4 | 100.0 | |
| Missing | -1 No response | 7209 | 75.6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section E

kl680 E13a: Parent is worried about child's speech

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 527 | 5.5 | 5.6 | 5.6 |
| | 2 No | 8923 | 93.6 | 94.4 | 100.0 |
| | Total | 9450 | 99.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 79 | .8 | | |
| | Total | 81 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl681 E13b: Parent is worried about child's weight

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 344 | 3.6 | 3.6 | 3.6 |
| | 2 No | 9093 | 95.4 | 96.4 | 100.0 |
| | Total | 9437 | 99.0 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 93 | 1.0 | | |
| | Total | 94 | 1.0 | | |
| | Total | 9531 | 100.0 | | |

kl682 E13c: Parent is worried about child's height

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 176 | 1.8 | 1.9 | 1.9 |
| | 2 No | 9251 | 97.1 | 98.1 | 100.0 |
| | Total | 9427 | 98.9 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 102 | 1.1 | | |
| | Total | 104 | 1.1 | | |
| | Total | 9531 | 100.0 | | |

kl683 E13d: Parent is worried about child's behaviour

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 641 | 6.7 | 6.8 | 6.8 |
| | 2 No | 8789 | 92.2 | 93.2 | 100.0 |
| | Total | 9430 | 98.9 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 100 | 1.0 | | |
| | Total | 101 | 1.1 | | |
| | Total | 9531 | 100.0 | | |

kl684 E13e: Parent is worried about child's general development

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 199 | 2.1 | 2.1 | 2.1 |
| | 2 No | 9225 | 96.8 | 97.9 | 100.0 |
| | Total | 9424 | 98.9 | 100.0 | |
| Missing | -1 No response | 107 | 1.1 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section E

kl685 E13f: Parent is worried about other aspect of child's development

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 469 | 4.9 | 6.7 | 6.7 |
| | 2 No | 6482 | 68.0 | 93.3 | 100.0 |
| | Total | 6951 | 72.9 | 100.0 | |
| Missing | -1 No response | 2580 | 27.1 | | |
| | Total | 9531 | 100.0 | | |

SECTION F: TEMPERAMENT AND BEHAVIOUR

How often is your child's behaviour like that given below:

| | Never | Rarely | Some-times | Often | Always |
|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| F1. She tends to be shy | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F2. She cries easily | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F3. She likes to be with people | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F4. She is always on the go | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F5. She prefers playing with others rather than alone | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F6. She is somewhat emotional | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F7. When she moves about she moves slowly | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F8. She makes friends easily | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F9. She is off and running as soon as she wakes up in the morning | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F10. She finds people more stimulating than anything else | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F11. She fusses and cries | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

| | Never | Rarely | Sometimes | Often | Always |
|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| F12. She is very sociable | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F13. She is very energetic | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F14. She takes a long time to warm to strangers | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F15. She gets upset easily | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F16. She is something of a loner | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F17. She prefers quiet inactive games to more active ones | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F18. When alone she feels isolated | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F19. She reacts intensely when upset | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F20. She is very friendly with strangers | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F21. She bullies other children | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F22. She is very restless, hardly ever still. | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F23. She is squirmy or fidgety | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F24. She destroys her own things or those belonging to others | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

| | Never | Rarely | Sometimes | Often | Always |
|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| F25. She fights with other children | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F26. She is not much liked by other children | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F27. She worries about many things | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F28. She does things on her own. She is rather solitary | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F29. She is irritable. Is quick to fly off the handle | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F30. She appears miserable unhappy, tearful or distressed | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F31. She takes things belonging to others | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F32. She bites her nails or fingers | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F33. She is disobedient | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F34. She cannot settle to do anything for more than a few moments | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |
| F35. She is afraid of new things or new situations | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 |

| | Never | Rarely | Some-times | Often | Always | | | | | | | | |
|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|---------------|----------------------------|-----------|----------------------------|-----------|----------------------------|---------------|----------------------------|
| F36. She is fussy or over-particular | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | | | | | | | | |
| F37. She tells lies | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | | | | | | | | |
| F38. She likes to sit and watch TV rather than play active games | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | | | | | | | | |
| F39. She laughs a lot | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | | | | | | | | |
| F40. She smiles when she sees her parent(s) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | | | | | | | | |
| F41. She likes a cuddle | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | | | | | | | | |
| F42. She really enjoys life | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | | | | | | | | |
| <p>F43. How often does she join in with others?</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 33%;">Never</td> <td style="width: 33%; text-align: center;"><input type="checkbox"/> 1</td> <td style="width: 33%; text-align: center;">Often</td> <td style="width: 33%; text-align: center;"><input type="checkbox"/> 2</td> <td style="width: 33%; text-align: center;">Sometimes</td> <td style="width: 33%; text-align: center;"><input type="checkbox"/> 3</td> </tr> </table> | | | | | | Never | <input type="checkbox"/> 1 | Often | <input type="checkbox"/> 2 | Sometimes | <input type="checkbox"/> 3 | | |
| Never | <input type="checkbox"/> 1 | Often | <input type="checkbox"/> 2 | Sometimes | <input type="checkbox"/> 3 | | | | | | | | |
| <p>F44. How often does she find it hard to wait for her turn in a game?</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 25%;">Never</td> <td style="width: 25%; text-align: center;"><input type="checkbox"/> 1</td> <td style="width: 25%; text-align: center;">Sometimes</td> <td style="width: 25%; text-align: center;"><input type="checkbox"/> 2</td> <td style="width: 25%; text-align: center;">Often</td> <td style="width: 25%; text-align: center;"><input type="checkbox"/> 3</td> <td style="width: 25%; text-align: center;">Always</td> <td style="width: 25%; text-align: center;"><input type="checkbox"/> 4</td> </tr> </table> | | | | | | Never | <input type="checkbox"/> 1 | Sometimes | <input type="checkbox"/> 2 | Often | <input type="checkbox"/> 3 | Always | <input type="checkbox"/> 4 |
| Never | <input type="checkbox"/> 1 | Sometimes | <input type="checkbox"/> 2 | Often | <input type="checkbox"/> 3 | Always | <input type="checkbox"/> 4 | | | | | | |
| <p>F45. How many children choose to play with her?</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 25%;">None</td> <td style="width: 25%; text-align: center;"><input type="checkbox"/> 1</td> <td style="width: 25%; text-align: center;">1 or 2</td> <td style="width: 25%; text-align: center;"><input type="checkbox"/> 2</td> <td style="width: 25%; text-align: center;">3 or more</td> <td style="width: 25%; text-align: center;"><input type="checkbox"/> 3</td> </tr> </table> | | | | | | None | <input type="checkbox"/> 1 | 1 or 2 | <input type="checkbox"/> 2 | 3 or more | <input type="checkbox"/> 3 | | |
| None | <input type="checkbox"/> 1 | 1 or 2 | <input type="checkbox"/> 2 | 3 or more | <input type="checkbox"/> 3 | | | | | | | | |
| <p>F46. How upset does she get over quite small things? (e.g. breaking things, getting dirty hands, falling over?)</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 25%;">Not at all</td> <td style="width: 25%; text-align: center;"><input type="checkbox"/> 1</td> <td style="width: 25%; text-align: center;">Sometimes</td> <td style="width: 25%; text-align: center;"><input type="checkbox"/> 2</td> <td style="width: 25%; text-align: center;">Often</td> <td style="width: 25%; text-align: center;"><input type="checkbox"/> 3</td> <td style="width: 25%; text-align: center;">Nearly always</td> <td style="width: 25%; text-align: center;"><input type="checkbox"/> 4</td> </tr> </table> | | | | | | Not at all | <input type="checkbox"/> 1 | Sometimes | <input type="checkbox"/> 2 | Often | <input type="checkbox"/> 3 | Nearly always | <input type="checkbox"/> 4 |
| Not at all | <input type="checkbox"/> 1 | Sometimes | <input type="checkbox"/> 2 | Often | <input type="checkbox"/> 3 | Nearly always | <input type="checkbox"/> 4 | | | | | | |

KL File – Section F

PAGE 51 OF THE QUESTIONNAIRE

F47. How easy is it to comfort her when she is upset?

| | | | | | | | |
|-----------|----------------------------|------------|----------------------------|------------|----------------------------|-----------|----------------------------|
| Very easy | <input type="checkbox"/> 1 | Quite easy | <input type="checkbox"/> 2 | Quite hard | <input type="checkbox"/> 3 | Very hard | <input type="checkbox"/> 4 |
|-----------|----------------------------|------------|----------------------------|------------|----------------------------|-----------|----------------------------|

F48. How often will she comfort another child who is upset, or get someone else to help?

| | | | | | | | |
|-------|----------------------------|-----------|----------------------------|-------|----------------------------|--------|----------------------------|
| Never | <input type="checkbox"/> 1 | Sometimes | <input type="checkbox"/> 2 | Often | <input type="checkbox"/> 3 | Always | <input type="checkbox"/> 4 |
|-------|----------------------------|-----------|----------------------------|-------|----------------------------|--------|----------------------------|

F49. How often does she tell you things about others that **you know are not true** to get **them into trouble**.

| | | | | | | | |
|-------|----------------------------|-----------|----------------------------|-------|----------------------------|--------|----------------------------|
| Never | <input type="checkbox"/> 1 | Sometimes | <input type="checkbox"/> 2 | Often | <input type="checkbox"/> 3 | Always | <input type="checkbox"/> 4 |
|-------|----------------------------|-----------|----------------------------|-------|----------------------------|--------|----------------------------|

F50. How often, when you ask her to do something does she do it straight away?.

| | | | | | | | |
|-------|----------------------------|-----------|----------------------------|-------|----------------------------|--------|----------------------------|
| Never | <input type="checkbox"/> 1 | Sometimes | <input type="checkbox"/> 2 | Often | <input type="checkbox"/> 3 | Always | <input type="checkbox"/> 4 |
|-------|----------------------------|-----------|----------------------------|-------|----------------------------|--------|----------------------------|

F51. How good would you describe her at sitting still (for a meal or story)?

Is very active - doesn't sit still when she should

| |
|----------------------------|
| <input type="checkbox"/> 1 |
| <input type="checkbox"/> 2 |
| <input type="checkbox"/> 3 |
| <input type="checkbox"/> 4 |

Can usually sit still when she should

Can sit still for a long time

Is very inactive

F52. How long can she concentrate on a game or task you have given her to do?

| | | | | | |
|-----------------|----------------------------|----------------------|----------------------------|--------------|----------------------------|
| Up to 2 minutes | <input type="checkbox"/> 1 | 2-5 minutes | <input type="checkbox"/> 2 | 5-10 minutes | <input type="checkbox"/> 3 |
| 10-15 minutes | <input type="checkbox"/> 4 | More than 15 minutes | <input type="checkbox"/> 5 | | |

KL File – Section F

PAGE 52 OF THE QUESTIONNAIRE

F53. How often is she too demanding of you? (e.g. asking for help for a task she can do herself)

| | | | | | |
|------------------------|----------------------------|----------------------|----------------------------|-------------|----------------------------|
| Less than once a month | <input type="checkbox"/> 1 | Once a month | <input type="checkbox"/> 2 | Once a week | <input type="checkbox"/> 3 |
| Once a day | <input type="checkbox"/> 4 | More than once a day | <input type="checkbox"/> 5 | | |

F54. How often, does she whine or moan with little reason?

| | | | | | |
|------------------------|----------------------------|--------------------------|----------------------------|-------------|----------------------------|
| Less than once a month | <input type="checkbox"/> 1 | Once a month | <input type="checkbox"/> 2 | Once a week | <input type="checkbox"/> 3 |
| Once a day | <input type="checkbox"/> 4 | Two or three times a day | <input type="checkbox"/> 5 | | |

F55. How often, is she unhappy for no apparent reason?

| | | | | | |
|------------------------|----------------------------|--------------------------|----------------------------|-------------|----------------------------|
| Less than once a month | <input type="checkbox"/> 1 | Once a month | <input type="checkbox"/> 2 | Once a week | <input type="checkbox"/> 3 |
| Once a day | <input type="checkbox"/> 4 | Two or three times a day | <input type="checkbox"/> 5 | | |

F56. How often, if you leave the room does she want to follow you?

| | | | | | | | |
|-------|----------------------------|-----------|----------------------------|-------|----------------------------|--------|----------------------------|
| Never | <input type="checkbox"/> 1 | Sometimes | <input type="checkbox"/> 2 | Often | <input type="checkbox"/> 3 | Always | <input type="checkbox"/> 4 |
|-------|----------------------------|-----------|----------------------------|-------|----------------------------|--------|----------------------------|

| | No not at all | Yes sometimes | Yes often | Yes always |
|--|----------------------------|----------------------------|----------------------------|----------------------------|
| F57. Does she ever refuse to do as she's told by other adults (not her parents)? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| F58. Does she interrupt, butt in, when others are talking | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| F59. Does she talk far too much? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |

KL File – Section F

PAGE 53 OF THE QUESTIONNAIRE

F60. How often do you understand what she says?

| | | | | | |
|------------------|----------------------------|--------------|----------------------------|---------------------|----------------------------|
| Never | <input type="checkbox"/> 1 | Occasionally | <input type="checkbox"/> 2 | About half the time | <input type="checkbox"/> 3 |
| Most of the time | <input type="checkbox"/> 4 | Always | <input type="checkbox"/> 5 | | |

F61. When you tell her something how often does she try to understand?

| | | | | | | | |
|-------|----------------------------|-----------|----------------------------|-------|----------------------------|--------|----------------------------|
| Never | <input type="checkbox"/> 1 | Sometimes | <input type="checkbox"/> 2 | Often | <input type="checkbox"/> 3 | Always | <input type="checkbox"/> 4 |
|-------|----------------------------|-----------|----------------------------|-------|----------------------------|--------|----------------------------|

F62. a) Does your study child have brothers or sisters?

| | | | | |
|-----|----------------------------|----|----------------------------|---|
| Yes | <input type="checkbox"/> 1 | No | <input type="checkbox"/> 2 | —————> If <u>no</u> , go to F63a on page 54 |
|-----|----------------------------|----|----------------------------|---|

If yes:

| How often: | Never | Sometimes | Often | Not sure |
|---|----------------------------|----------------------------|----------------------------|----------------------------|
| b) Is she teased by them? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| c) Does she tease them? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| d) Is she deliberately provoked by them? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| e) Does she deliberately provoke them? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| f) Is she willing to share things with them? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| g) Is she interrupted by them when she is working or playing? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |

PAGE 54 OF THE QUESTIONNAIRE

F63. a) Does your study child have contact with other children?

Yes 1

No 2

—————> If no, go to F64 below

If yes:

| How often: | Never | Sometimes | Often | Not sure |
|--|----------------------------|----------------------------|----------------------------|----------------------------|
| b) Is she teased by them? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| c) Does she tease them | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| d) Is she deliberately provoked by them? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| e) Does she deliberately provoke them? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| f) Will she share things with them? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| g) Is she interrupted by them when she is doing something? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |

F64. Please tick any of the following activities your child willingly undertakes.

- a) Handicraft (e.g. painting, drawing, making things) 1
- b) Playing on mobile toys (e.g. cycle, scooter, ride on trucks) 1
- c) Music (e.g. listening, singing, dancing) 1
- d) Climbing on things (e.g. climbing frame, low walls) 1
- e) Constructive toys (e.g. lego) 1
- f) Imaginative play (pretend games) 1

PAGE 55 OF THE QUESTIONNAIRE

- F64. g) Messy play (e.g. sand, water, mud) 1
- h) Investigative play (finding out how things work) 1
- i) Other (please tick and describe) 1

.....

- F65. How often does she speak freely when she is with adults?

| | Never | Sometimes | Often | Nearly always | Not sure |
|--------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| a) Adults who are family | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 9 |
| b) Other adults | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 9 |

- F66. How often does she speak freely when she is with children?

| | Never | Sometimes | Often | Nearly always | Not sure | No such children |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| a) Children who are family | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 9 | <input type="checkbox"/> 7 |
| b) Other children | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 9 | |

- F67. How often does she:

| | Never | Sometimes | Often | Don't know |
|---|----------------------------|----------------------------|----------------------------|----------------------------|
| a) Deliberately tear things (e.g. wallpaper, books) | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| b) Deliberately break toys | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| c) Wander about aimlessly | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| d) Stare into space | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| e) Seem to have nothing to do | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |

PAGE 56 OF THE QUESTIONNAIRE

F68. When you **take her out somewhere**, how often does she behave in the ways listed below?
(Please put a tick against EACH listed behaviour)

| | Never | Sometimes | Often | Always |
|--|----------------------------|----------------------------|----------------------------|----------------------------|
| a) Does what <i>you</i> ask | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| b) Runs off | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| c) Has a tantrum | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| d) Is fun to be with | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| e) Is interested in what is going on | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |
| f) Is aware of the reactions of others | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 |

F69. When trying to tell you something, does she:

| | Yes | No |
|---------------------------------------|----------------------------|----------------------------|
| a) Have a stutter or stammer ? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b) Have a lisp? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c) Say things that do not make sense? | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

F70. How often does she do the things listed below to **family members**?

| Does she: | FAMILY | | | | | |
|--------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| | (i) ADULTS | | | (ii) CHILDREN | | |
| | Never | Sometimes | Often | Never | Sometimes | Often |
| a) Kick them | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| b) Hit them | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| c) Fight them | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| d) Swear at them | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| e) Use angry words | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |

F71. As far as you know, how often does she do the things below to people who are **not family members**?

| | NOT FAMILY | | | | | |
|--------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| | (i) ADULTS | | | (ii) CHILDREN | | |
| | Never | Sometimes | Often | Never | Sometimes | Often |
| a) Kick them | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| b) Hit them | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| c) Fight them | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| d) Swear at them | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| e) Use angry words | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |

F72. Most children have some fears. Is your child ever afraid of:

| | | Yes | No | Has not experienced this |
|----|----------------------------------|-----|----|--------------------------|
| a) | Haircut | 1 | 2 | 7 |
| b) | Using the toilet | 1 | 2 | 7 |
| c) | Doctors | 1 | 2 | 7 |
| d) | Hospital | 1 | 2 | 7 |
| e) | TV programmes | 1 | 2 | 7 |
| f) | Vacuum cleaner | 1 | 2 | 7 |
| g) | Being alone | 1 | 2 | 7 |
| h) | Stories | 1 | 2 | 7 |
| i) | Dogs | 1 | 2 | 7 |
| j) | Cats | 1 | 2 | 7 |
| k) | Other animals | 1 | 2 | 7 |
| l) | Insects | 1 | 2 | 7 |
| m) | Thunder/loud noises | 1 | 2 | 7 |
| n) | The dark | 1 | 2 | 7 |
| o) | Strangers | 1 | 2 | 7 |
| p) | Going out | 1 | 2 | 7 |
| q) | Car, bus, train, tube train | 1 | 2 | 7 |
| r) | Lift, escalator | 1 | 2 | 7 |
| s) | Water, the bath | 1 | 2 | 7 |
| t) | Getting dirty | 1 | 2 | 7 |
| u) | Other (please tick and describe) | 1 | 2 | 7 |

PAGE 59 OF THE QUESTIONNAIRE

F73. How often does she do the following things?

| | Never | Sometimes | Often |
|---|----------------------------|----------------------------|----------------------------|
| a) Wet the bed when she is ill | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| b) Wet the bed when she is nervous or excited about something | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| c) Wet the bed when there is no apparent reason | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |

F74. As far as you know, how often does she take things and keep them without permission?

| | Never | Sometimes | Often | Not sure |
|--------------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| a) Takes from children in the family | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| b) Takes from other children | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| c) Takes from adults in the family | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |
| d) Takes from other adults | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 9 |

F75. Does your child show any other behaviours that cause problems?

Yes 1

No 1

If yes, please describe

.....

.....

F76. Space for you to describe the strong points of her behaviour.

.....

.....

KL File – Section F

kl700 F1: Child tends to be shy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1164 | 12.2 | 12.3 | 12.3 |
| | 2 Rarely | 3278 | 34.4 | 34.6 | 46.9 |
| | 3 Sometimes | 4478 | 47.0 | 47.2 | 94.1 |
| | 4 Often | 498 | 5.2 | 5.3 | 99.4 |
| | 5 Always | 61 | .6 | .6 | 100.0 |
| | Total | 9479 | 99.5 | 100.0 | |
| Missing | -1 No response | 52 | .5 | | |
| | Total | 9531 | 100.0 | | |

kl701 F2: Child cries easily

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 761 | 8.0 | 8.0 | 8.0 |
| | 2 Rarely | 3623 | 38.0 | 38.2 | 46.3 |
| | 3 Sometimes | 4208 | 44.2 | 44.4 | 90.7 |
| | 4 Often | 751 | 7.9 | 7.9 | 98.6 |
| | 5 Always | 134 | 1.4 | 1.4 | 100.0 |
| | Total | 9477 | 99.4 | 100.0 | |
| Missing | -1 No response | 54 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl702 F3: Child likes to be with people

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 12 | .1 | .1 | .1 |
| | 2 Rarely | 36 | .4 | .4 | .5 |
| | 3 Sometimes | 708 | 7.4 | 7.5 | 8.0 |
| | 4 Often | 4276 | 44.9 | 45.1 | 53.1 |
| | 5 Always | 4448 | 46.7 | 46.9 | 100.0 |
| | Total | 9480 | 99.5 | 100.0 | |
| Missing | -1 No response | 51 | .5 | | |
| | Total | 9531 | 100.0 | | |

kl703 F4: Child is always on the go

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 16 | .2 | .2 | .2 |
| | 2 Rarely | 123 | 1.3 | 1.3 | 1.5 |
| | 3 Sometimes | 1308 | 13.7 | 13.8 | 15.3 |
| | 4 Often | 3638 | 38.2 | 38.4 | 53.6 |
| | 5 Always | 4395 | 46.1 | 46.4 | 100.0 |
| | Total | 9480 | 99.5 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 50 | .5 | | |
| | Total | 51 | .5 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl704 F5: Child prefers playing with others rather than alone

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 43 | .5 | .5 | .5 |
| | 2 Rarely | 254 | 2.7 | 2.7 | 3.1 |
| | 3 Sometimes | 3722 | 39.1 | 39.3 | 42.4 |
| | 4 Often | 3483 | 36.5 | 36.8 | 79.2 |
| | 5 Always | 1968 | 20.6 | 20.8 | 100.0 |
| | Total | 9470 | 99.4 | 100.0 | |
| Missing | -1 No response | 61 | .6 | | |
| Total | | 9531 | 100.0 | | |

kl705 F6: Child is somewhat emotional

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 632 | 6.6 | 6.7 | 6.7 |
| | 2 Rarely | 3021 | 31.7 | 32.0 | 38.6 |
| | 3 Sometimes | 4512 | 47.3 | 47.7 | 86.4 |
| | 4 Often | 1052 | 11.0 | 11.1 | 97.5 |
| | 5 Always | 238 | 2.5 | 2.5 | 100.0 |
| | Total | 9455 | 99.2 | 100.0 | |
| Missing | -1 No response | 76 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl706 F7: When child moves about they move slowly

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 4352 | 45.7 | 46.0 | 46.0 |
| | 2 Rarely | 4192 | 44.0 | 44.3 | 90.4 |
| | 3 Sometimes | 775 | 8.1 | 8.2 | 98.6 |
| | 4 Often | 80 | .8 | .8 | 99.4 |
| | 5 Always | 57 | .6 | .6 | 100.0 |
| | Total | 9456 | 99.2 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 74 | .8 | | |
| | Total | 75 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl707 F8: Child makes friends easily

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 41 | .4 | .4 | .4 |
| | 2 Rarely | 238 | 2.5 | 2.5 | 2.9 |
| | 3 Sometimes | 1638 | 17.2 | 17.3 | 20.2 |
| | 4 Often | 3898 | 40.9 | 41.2 | 61.4 |
| | 5 Always | 3653 | 38.3 | 38.6 | 100.0 |
| | Total | 9468 | 99.3 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 61 | .6 | | |
| | Total | 63 | .7 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl708 F9: Child is off and running as soon as they wake in morning

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 86 | .9 | .9 | .9 |
| | 2 Rarely | 783 | 8.2 | 8.3 | 9.2 |
| | 3 Sometimes | 2437 | 25.6 | 25.8 | 35.0 |
| | 4 Often | 3106 | 32.6 | 32.8 | 67.8 |
| | 5 Always | 3046 | 32.0 | 32.2 | 100.0 |
| | Total | 9458 | 99.2 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 72 | .8 | | |
| | Total | 73 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl709 F10: Child finds people more stimulating than anything else

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 78 | .8 | .8 | .8 |
| | 2 Rarely | 559 | 5.9 | 6.0 | 6.8 |
| | 3 Sometimes | 3725 | 39.1 | 39.9 | 46.7 |
| | 4 Often | 3163 | 33.2 | 33.8 | 80.5 |
| | 5 Always | 1822 | 19.1 | 19.5 | 100.0 |
| | Total | 9347 | 98.1 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 179 | 1.9 | | |
| | Total | 184 | 1.9 | | |
| Total | | 9531 | 100.0 | | |

kl710 F11: Child fusses and cries

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1538 | 16.1 | 16.3 | 16.3 |
| | 2 Rarely | 4420 | 46.4 | 46.7 | 63.0 |
| | 3 Sometimes | 2951 | 31.0 | 31.2 | 94.2 |
| | 4 Often | 457 | 4.8 | 4.8 | 99.0 |
| | 5 Always | 92 | 1.0 | 1.0 | 100.0 |
| | Total | 9458 | 99.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 72 | .8 | | |
| | Total | 73 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl711 F12: Child is very sociable

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 32 | .3 | .3 | .3 |
| | 2 Rarely | 178 | 1.9 | 1.9 | 2.2 |
| | 3 Sometimes | 1613 | 16.9 | 17.1 | 19.3 |
| | 4 Often | 3861 | 40.5 | 40.9 | 60.2 |
| | 5 Always | 3758 | 39.4 | 39.8 | 100.0 |
| | Total | 9442 | 99.1 | 100.0 | |
| Missing | -1 No response | 89 | .9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl712 F13: Child is very energetic

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 11 | .1 | .1 | .1 |
| | 2 Rarely | 95 | 1.0 | 1.0 | 1.1 |
| | 3 Sometimes | 1293 | 13.6 | 13.7 | 14.8 |
| | 4 Often | 3648 | 38.3 | 38.7 | 53.5 |
| | 5 Always | 4382 | 46.0 | 46.5 | 100.0 |
| | Total | 9429 | 98.9 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 101 | 1.1 | | |
| | Total | 102 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl713 F14: Child takes a long time to warm to strangers

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 685 | 7.2 | 7.3 | 7.3 |
| | 2 Rarely | 3576 | 37.5 | 38.0 | 45.2 |
| | 3 Sometimes | 4083 | 42.8 | 43.3 | 88.6 |
| | 4 Often | 767 | 8.0 | 8.1 | 96.7 |
| | 5 Always | 308 | 3.2 | 3.3 | 100.0 |
| | Total | 9419 | 98.8 | 100.0 | |
| Missing | -1 No response | 112 | 1.2 | | |
| | Total | 9531 | 100.0 | | |

kl714 F15: Child gets upset easily

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 559 | 5.9 | 5.9 | 5.9 |
| | 2 Rarely | 3692 | 38.7 | 39.1 | 45.0 |
| | 3 Sometimes | 4220 | 44.3 | 44.7 | 89.7 |
| | 4 Often | 772 | 8.1 | 8.2 | 97.9 |
| | 5 Always | 198 | 2.1 | 2.1 | 100.0 |
| | Total | 9441 | 99.1 | 100.0 | |
| Missing | -1 No response | 90 | .9 | | |
| | Total | 9531 | 100.0 | | |

kl715 F16: Child is something of a loner

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 3939 | 41.3 | 41.7 | 41.7 |
| | 2 Rarely | 3784 | 39.7 | 40.1 | 81.9 |
| | 3 Sometimes | 1468 | 15.4 | 15.6 | 97.4 |
| | 4 Often | 200 | 2.1 | 2.1 | 99.5 |
| | 5 Always | 44 | .5 | .5 | 100.0 |
| | Total | 9435 | 99.0 | 100.0 | |
| Missing | -1 No response | 96 | 1.0 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl716 F17: Child prefers quiet inactive games to more active ones

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2254 | 23.6 | 23.9 | 23.9 |
| | 2 Rarely | 3905 | 41.0 | 41.5 | 65.4 |
| | 3 Sometimes | 2954 | 31.0 | 31.4 | 96.8 |
| | 4 Often | 272 | 2.9 | 2.9 | 99.7 |
| | 5 Always | 29 | .3 | .3 | 100.0 |
| | Total | 9414 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 115 | 1.2 | | |
| | Total | 117 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl717 F18: When alone child feels isolated

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2731 | 28.7 | 29.5 | 29.5 |
| | 2 Rarely | 3464 | 36.3 | 37.4 | 66.9 |
| | 3 Sometimes | 2211 | 23.2 | 23.9 | 90.8 |
| | 4 Often | 694 | 7.3 | 7.5 | 98.3 |
| | 5 Always | 154 | 1.6 | 1.7 | 100.0 |
| | Total | 9254 | 97.1 | 100.0 | |
| Missing | -9 Don't know | 24 | .3 | | |
| | -8 Text response | 4 | .0 | | |
| | -1 No response | 249 | 2.6 | | |
| | Total | 277 | 2.9 | | |
| Total | | 9531 | 100.0 | | |

kl718 F19: Child reacts intensely when upset

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1332 | 14.0 | 14.2 | 14.2 |
| | 2 Rarely | 3038 | 31.9 | 32.5 | 46.7 |
| | 3 Sometimes | 3465 | 36.4 | 37.1 | 83.8 |
| | 4 Often | 1127 | 11.8 | 12.1 | 95.8 |
| | 5 Always | 390 | 4.1 | 4.2 | 100.0 |
| | Total | 9352 | 98.1 | 100.0 | |
| Missing | -1 No response | 179 | 1.9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl719 F20: Child is very friendly with strangers

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 899 | 9.4 | 9.6 | 9.6 |
| | 2 Rarely | 2762 | 29.0 | 29.4 | 38.9 |
| | 3 Sometimes | 3297 | 34.6 | 35.0 | 74.0 |
| | 4 Often | 1757 | 18.4 | 18.7 | 92.6 |
| | 5 Always | 693 | 7.3 | 7.4 | 100.0 |
| | Total | 9408 | 98.7 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 122 | 1.3 | | |
| | Total | 123 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

Derived Variables – EAS Temperament

The 20 questions in section F comprise the sub-scales of the EAS Temperament Scale (see Table 1). Note that the scores for the 7th, 8th, 12th, 16th, 17th and 20th items (asterisked in Table 1) must be reversed before summing to calculate the scores. The original EAS paper suggests dividing each subscale score by 5 after summing to give a discrete non-integer score on a scale of 1 to 5 to aid interpretation along the lines of the category labels. This has not been done here as it is felt that it is clearer to leave the scores as integers. Note that the range of each subscale score is [5, 25].

Table 1: Components of the EAS subscales

| Subscale | Number of Items | Item Question Numbers | Item Variable Names |
|--------------|-----------------|--------------------------|--------------------------------------|
| Emotionality | 5 | F2, F6, F11, F15, F19 | KL701, KL705, KL710, KL714, KL718 |
| Activity | 5 | F4, F7*, F9, F13, F17* | KL703, KL706*, KL708, KL712, KL716* |
| Shyness | 5 | F1, F8*, F12*, F14, F20* | KL700, KL707*, KL711*, KL713, KL719* |
| Sociability | 5 | F3, F5, F10, F16*, F18 | KL702, KL704, KL709, KL715*, KL717 |


Emotionality Subscale

This score, on a scale of 5 to 25, is a weighted sum of the responses to the following 5 questions: F2, F6, F11, F15 and F19. A high score corresponds to a high level of emotionality. Two versions of the score are provided. For most analyses the prorated score, KL720b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then KL720c can be used to set further cases to missing.


The EAS Emotionality Subscale Score was created by recoding (missing = 0)(else = copy) in KL701, KL705, KL710, KL714 & KL718 and summing. The score based on complete cases only is KL720a. If any of the components were missing then KL720a was set to -5. Variable KL720c is the number of missing components. The prorated score is KL720b. If more than two components were missing then KL720b was set to -5. Otherwise KL720b is scaled by a factor of 5 / (5 - KL720c) and rounded to the nearest integer.

KL File – Section F

KI720a DV: EAS emotionality score (complete cases)



KI720b DV: EAS emotionality (prorated)



KL File – Section F

kl720c DV: Number of missing EAS emotionality components

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 9294 | 63.0 | 98.0 | 98.0 |
| | 1 | 121 | .8 | 1.3 | 99.3 |
| | 2 | 51 | .3 | .5 | 99.8 |
| | 3 | 12 | .1 | .1 | 99.9 |
| | 4 | 2 | .0 | .0 | 100.0 |
| | 5 | 3 | .0 | .0 | 100.0 |
| Total | | 9483 | 64.3 | 100.0 | |
| Missing | -11 Triplet/Quadruplet | 10 | .1 | | |
| | -10 Not Completed | 5223 | 35.4 | | |
| | -6 Section F omitted | 38 | .3 | | |
| | Total | 5271 | 35.7 | | |
| Total | | 14754 | 100.0 | | |


Activity Subscale

This score, on a scale of 5 to 25, is a weighted sum of the responses to the following 5 questions: F4, F7, F9, F13 and F17. A high score corresponds to a high level of activity. Two versions of the score are provided. For most analyses the prorated score, KL721b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then KL721c can be used to set further cases to missing.


The EAS Activity Subscale Score was created by recoding (missing = 0)(else = copy) in KL703, KL708 & KL712 and (missing = 0)(5 = 1)(4 = 2)(3 = 3)(2 = 4)(1 = 5) in KL706 & KL716 and summing. The score based on complete cases only is KL721a. If any of the components were missing then KL721a was set to -5. Variable KL721c is the number of missing components. The prorated score is KL721b. If more than two components were missing then KL721b was set to -5. Otherwise KL721b is scaled by a factor of $5 / (5 - KL721c)$ and rounded to the nearest integer.

KL File – Section F

KI721a DV: EAS activity score (complete cases)



KI721b DV: EAS activity score (prorated)



KL File – Section F

kl721c DV: Number of missing EAS activity components

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 9347 | 63.4 | 98.6 | 98.6 |
| | 1 | 72 | .5 | .8 | 99.3 |
| | 2 | 45 | .3 | .5 | 99.8 |
| | 3 | 12 | .1 | .1 | 99.9 |
| | 4 | 5 | .0 | .1 | 100.0 |
| | 5 | 2 | .0 | .0 | 100.0 |
| | Total | 9483 | 64.3 | 100.0 | |
| Missing | -11 Triplet/Quadruplet | 10 | .1 | | |
| | -10 Not Completed | 5223 | 35.4 | | |
| | -6 Section F omitted | 38 | .3 | | |
| | Total | 5271 | 35.7 | | |
| Total | | 14754 | 100.0 | | |


Shyness Subscale

This score, on a scale of 5 to 25, is a weighted sum of the responses to the following 5 questions: F1, F8, F12, F14 and F20. A high score corresponds to a high level of shyness. Two versions of the score are provided. For most analyses the prorated score, KL722b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then KL722c can be used to set further cases to missing.


The EAS Shyness Subscale Score was created by recoding (missing = 0)(else = copy) in KL700 & KL713 and (missing = 0)(5 = 1)(4 = 2)(3 = 3)(2 = 4)(1 = 5) in KL707, KL711 & KL719 and summing. The score based on complete cases only is KL722a. If any of the components were missing then KL722a was set to -5. Variable KL722c is the number of missing components. The prorated score is KL722b. If more than two components were missing then KL722b was set to -5. Otherwise KL722b is scaled by a factor of 5 / (5 - KL722c) and rounded to the nearest integer.

KL File – Section F

KI722a DV: EAS shyness score (complete cases)



KI722b DV: EAS shyness score (prorated)



KL File – Section F

kl722c DV: Number of missing EAS shyness components

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 9341 | 63.3 | 98.5 | 98.5 |
| | 1 | 86 | .6 | .9 | 99.4 |
| | 2 | 11 | .1 | .1 | 99.5 |
| | 3 | 39 | .3 | .4 | 99.9 |
| | 4 | 6 | .0 | .1 | 100.0 |
| Total | | 9483 | 64.3 | 100.0 | |
| Missing | -11 Triplet/Quadruplet | 10 | .1 | | |
| | -10 Not Completed | 5223 | 35.4 | | |
| | -6 Section F omitted | 38 | .3 | | |
| | Total | 5271 | 35.7 | | |
| Total | | 14754 | 100.0 | | |


Sociability Subscale

This score, on a scale of 5 to 25, is a weighted sum of the responses to the following 5 questions: F3, F5, F10, F16 and F18. A high score corresponds to a high level of sociability. Two versions of the score are provided. For most analyses the prorated score, KL723b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then KL723c can be used to set further cases to missing.


The EAS Sociability Subscale Score was created by recoding (missing = 0)(else = copy) in KL702, KL704, KL709 & KL717 and (missing = 0)(5 = 1)(4 = 2)(3 = 3)(2 = 4)(1 = 5) in KL715 and summing. The score based on complete cases only is KL723a. If any of the components were missing then KL723a was set to -5. Variable KL723c is the number of missing components. The prorated score is KL723b. If more than two components were missing then KL723b was set to -5. Otherwise KL723b is scaled by a factor of 5 / (5 - KL723c) and rounded to the nearest integer.

KL File – Section F

KI723a DV: EAS sociability score (complete cases)



KI723b DV: EAS sociability score (prorated)



KL File – Section F

kl723c DV: Number of missing EAS sociability components

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 9117 | 61.8 | 96.1 | 96.1 |
| | 1 | 284 | 1.9 | 3.0 | 99.1 |
| | 2 | 63 | .4 | .7 | 99.8 |
| | 3 | 16 | .1 | .2 | 100.0 |
| | 4 | 1 | .0 | .0 | 100.0 |
| | 5 | 2 | .0 | .0 | 100.0 |
| Total | | 9483 | 64.3 | 100.0 | |
| Missing | -11 Triplet/Quadruplet | 10 | .1 | | |
| | -10 Not Completed | 5223 | 35.4 | | |
| | -6 Section F omitted | 38 | .3 | | |
| | Total | 5271 | 35.7 | | |
| Total | | 14754 | 100.0 | | |

KL File – Section F

kl730 F21: Child bullies other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 5550 | 58.2 | 58.9 | 58.9 |
| | 2 Rarely | 2955 | 31.0 | 31.4 | 90.3 |
| | 3 Sometimes | 848 | 8.9 | 9.0 | 99.3 |
| | 4 Often | 56 | .6 | .6 | 99.9 |
| | 5 Always | 11 | .1 | .1 | 100.0 |
| | Total | 9420 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 5 | .1 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 105 | 1.1 | | |
| | Total | 111 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl731 F22: Child is very restless, hardly ever still

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1198 | 12.6 | 12.7 | 12.7 |
| | 2 Rarely | 2928 | 30.7 | 31.1 | 43.9 |
| | 3 Sometimes | 3112 | 32.7 | 33.1 | 77.0 |
| | 4 Often | 1426 | 15.0 | 15.2 | 92.1 |
| | 5 Always | 740 | 7.8 | 7.9 | 100.0 |
| | Total | 9404 | 98.7 | 100.0 | |
| Missing | -1 No response | 127 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl732 F23: Child is squirmy or fidgety

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1958 | 20.5 | 20.8 | 20.8 |
| | 2 Rarely | 3009 | 31.6 | 32.0 | 52.8 |
| | 3 Sometimes | 3053 | 32.0 | 32.5 | 85.3 |
| | 4 Often | 991 | 10.4 | 10.5 | 95.9 |
| | 5 Always | 390 | 4.1 | 4.1 | 100.0 |
| | Total | 9401 | 98.6 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 128 | 1.3 | | |
| | Total | 130 | 1.4 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl733 F24: Child destroys her own things or those belonging to others

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 5324 | 55.9 | 56.5 | 56.5 |
| | 2 Rarely | 2856 | 30.0 | 30.3 | 86.8 |
| | 3 Sometimes | 1068 | 11.2 | 11.3 | 98.1 |
| | 4 Often | 124 | 1.3 | 1.3 | 99.4 |
| | 5 Always | 54 | .6 | .6 | 100.0 |
| | Total | 9426 | 98.9 | 100.0 | |
| Missing | -1 No response | 105 | 1.1 | | |
| | Total | 9531 | 100.0 | | |

kl734 F25: Child fights with other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2846 | 29.9 | 30.1 | 30.1 |
| | 2 Rarely | 3898 | 40.9 | 41.3 | 71.4 |
| | 3 Sometimes | 2484 | 26.1 | 26.3 | 97.7 |
| | 4 Often | 189 | 2.0 | 2.0 | 99.7 |
| | 5 Always | 25 | .3 | .3 | 100.0 |
| | Total | 9442 | 99.1 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 87 | .9 | | |
| | Total | 89 | .9 | | |
| | Total | 9531 | 100.0 | | |

kl735 F26: Child is not much liked by other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 5455 | 57.2 | 58.2 | 58.2 |
| | 2 Rarely | 3416 | 35.8 | 36.5 | 94.7 |
| | 3 Sometimes | 327 | 3.4 | 3.5 | 98.2 |
| | 4 Often | 101 | 1.1 | 1.1 | 99.3 |
| | 5 Always | 67 | .7 | .7 | 100.0 |
| | Total | 9366 | 98.3 | 100.0 | |
| Missing | -9 Don't know | 5 | .1 | | |
| | -1 No response | 160 | 1.7 | | |
| | Total | 165 | 1.7 | | |
| | Total | 9531 | 100.0 | | |

kl736 F27: Child worries about many things

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2104 | 22.1 | 22.4 | 22.4 |
| | 2 Rarely | 3857 | 40.5 | 41.0 | 63.4 |
| | 3 Sometimes | 2881 | 30.2 | 30.6 | 94.0 |
| | 4 Often | 475 | 5.0 | 5.0 | 99.0 |
| | 5 Always | 90 | .9 | 1.0 | 100.0 |
| | Total | 9407 | 98.7 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -1 No response | 120 | 1.3 | | |
| | Total | 124 | 1.3 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl737 F28: Child is rather solitary

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2509 | 26.3 | 26.7 | 26.7 |
| | 2 Rarely | 4413 | 46.3 | 46.9 | 73.6 |
| | 3 Sometimes | 2200 | 23.1 | 23.4 | 96.9 |
| | 4 Often | 250 | 2.6 | 2.7 | 99.6 |
| | 5 Always | 39 | .4 | .4 | 100.0 |
| | Total | 9411 | 98.7 | 100.0 | |
| Missing | -1 No response | 120 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl738 F29: Child is irritable. Is quick to fly off the handle

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2730 | 28.6 | 29.0 | 29.0 |
| | 2 Rarely | 3673 | 38.5 | 39.0 | 67.9 |
| | 3 Sometimes | 2472 | 25.9 | 26.2 | 94.1 |
| | 4 Often | 444 | 4.7 | 4.7 | 98.8 |
| | 5 Always | 109 | 1.1 | 1.2 | 100.0 |
| | Total | 9428 | 98.9 | 100.0 | |
| Missing | -1 No response | 103 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl739 F30: Child appears miserable, unhappy, tearful or distressed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 4045 | 42.4 | 42.9 | 42.9 |
| | 2 Rarely | 4221 | 44.3 | 44.7 | 87.6 |
| | 3 Sometimes | 1074 | 11.3 | 11.4 | 99.0 |
| | 4 Often | 83 | .9 | .9 | 99.8 |
| | 5 Always | 15 | .2 | .2 | 100.0 |
| | Total | 9438 | 99.0 | 100.0 | |
| Missing | -1 No response | 93 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl740 F31: Child takes things belonging to others

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 5649 | 59.3 | 59.9 | 59.9 |
| | 2 Rarely | 2818 | 29.6 | 29.9 | 89.8 |
| | 3 Sometimes | 866 | 9.1 | 9.2 | 99.0 |
| | 4 Often | 82 | .9 | .9 | 99.8 |
| | 5 Always | 15 | .2 | .2 | 100.0 |
| | Total | 9430 | 98.9 | 100.0 | |
| Missing | -1 No response | 101 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl741 F32: Child bites their nails or fingers

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 6420 | 67.4 | 68.0 | 68.0 |
| | 2 Rarely | 1070 | 11.2 | 11.3 | 79.3 |
| | 3 Sometimes | 1091 | 11.4 | 11.6 | 90.9 |
| | 4 Often | 551 | 5.8 | 5.8 | 96.7 |
| | 5 Always | 310 | 3.3 | 3.3 | 100.0 |
| | Total | 9442 | 99.1 | 100.0 | |
| Missing | -1 No response | 89 | .9 | | |
| Total | | 9531 | 100.0 | | |

kl742 F33: Child is disobedient

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1250 | 13.1 | 13.3 | 13.3 |
| | 2 Rarely | 2978 | 31.2 | 31.6 | 44.9 |
| | 3 Sometimes | 4385 | 46.0 | 46.5 | 91.4 |
| | 4 Often | 743 | 7.8 | 7.9 | 99.3 |
| | 5 Always | 66 | .7 | .7 | 100.0 |
| | Total | 9422 | 98.9 | 100.0 | |
| Missing | -1 No response | 109 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl743 F34: Child cannot settle to do anything for more than a few moments

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 3019 | 31.7 | 32.0 | 32.0 |
| | 2 Rarely | 4179 | 43.8 | 44.3 | 76.3 |
| | 3 Sometimes | 1819 | 19.1 | 19.3 | 95.6 |
| | 4 Often | 306 | 3.2 | 3.2 | 98.9 |
| | 5 Always | 106 | 1.1 | 1.1 | 100.0 |
| | Total | 9429 | 98.9 | 100.0 | |
| Missing | -1 No response | 102 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl744 F35: Child is afraid of new things or new situations

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2354 | 24.7 | 25.0 | 25.0 |
| | 2 Rarely | 3916 | 41.1 | 41.5 | 66.5 |
| | 3 Sometimes | 2740 | 28.7 | 29.1 | 95.6 |
| | 4 Often | 327 | 3.4 | 3.5 | 99.0 |
| | 5 Always | 91 | 1.0 | 1.0 | 100.0 |
| | Total | 9428 | 98.9 | 100.0 | |
| Missing | -1 No response | 103 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl745 F36: Child is fussy or over-particular

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1913 | 20.1 | 20.3 | 20.3 |
| | 2 Rarely | 3537 | 37.1 | 37.6 | 57.9 |
| | 3 Sometimes | 3310 | 34.7 | 35.1 | 93.0 |
| | 4 Often | 581 | 6.1 | 6.2 | 99.2 |
| | 5 Always | 76 | .8 | .8 | 100.0 |
| | Total | 9417 | 98.8 | 100.0 | |
| Missing | -1 No response | 114 | 1.2 | | |
| | Total | 9531 | 100.0 | | |

kl746 F37: Child tells lies

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2247 | 23.6 | 23.8 | 23.8 |
| | 2 Rarely | 4500 | 47.2 | 47.7 | 71.6 |
| | 3 Sometimes | 2497 | 26.2 | 26.5 | 98.1 |
| | 4 Often | 176 | 1.8 | 1.9 | 99.9 |
| | 5 Always | 7 | .1 | .1 | 100.0 |
| | Total | 9427 | 98.9 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 103 | 1.1 | | |
| | Total | 104 | 1.1 | | |
| | Total | 9531 | 100.0 | | |

kl747 F38: Child likes to sit and watch TV rather than play active games

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 850 | 8.9 | 9.0 | 9.0 |
| | 2 Rarely | 3307 | 34.7 | 35.1 | 44.1 |
| | 3 Sometimes | 4930 | 51.7 | 52.3 | 96.5 |
| | 4 Often | 296 | 3.1 | 3.1 | 99.6 |
| | 5 Always | 37 | .4 | .4 | 100.0 |
| | Total | 9420 | 98.8 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 110 | 1.2 | | |
| | Total | 111 | 1.2 | | |
| | Total | 9531 | 100.0 | | |

kl748 F39: Child laughs a lot

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 8 | .1 | .1 | .1 |
| | 2 Rarely | 60 | .6 | .6 | .7 |
| | 3 Sometimes | 1438 | 15.1 | 15.2 | 15.9 |
| | 4 Often | 5306 | 55.7 | 56.2 | 72.1 |
| | 5 Always | 2634 | 27.6 | 27.9 | 100.0 |
| | Total | 9446 | 99.1 | 100.0 | |
| Missing | -1 No response | 85 | .9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl749 F40: Child smiles when child sees their parent(s)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 6 | .1 | .1 | .1 |
| | 2 Rarely | 23 | .2 | .2 | .3 |
| | 3 Sometimes | 399 | 4.2 | 4.2 | 4.5 |
| | 4 Often | 3128 | 32.8 | 33.1 | 37.7 |
| | 5 Always | 5886 | 61.8 | 62.3 | |
| | Total | 9442 | 99.1 | 100.0 | |
| Missing | -1 No response | 89 | .9 | | |
| | Total | 9531 | 100.0 | | |

kl750 F41: Child likes a cuddle

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 4 | .0 | .0 | .0 |
| | 2 Rarely | 14 | .1 | .1 | .2 |
| | 3 Sometimes | 396 | 4.2 | 4.2 | 4.4 |
| | 4 Often | 2261 | 23.7 | 23.9 | 28.3 |
| | 5 Always | 6768 | 71.0 | 71.7 | |
| | Total | 9443 | 99.1 | 100.0 | |
| Missing | -1 No response | 88 | .9 | | |
| | Total | 9531 | 100.0 | | |

kl751 F42: Child really enjoys life

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 24 | .3 | .3 | .3 |
| | 2 Rarely | 9 | .1 | .1 | .3 |
| | 3 Sometimes | 353 | 3.7 | 3.7 | 4.1 |
| | 4 Often | 2962 | 31.1 | 31.4 | 35.5 |
| | 5 Always | 6085 | 63.8 | 64.5 | |
| | Total | 9433 | 99.0 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 95 | 1.0 | | |
| | Total | 98 | 1.0 | | |
| | Total | 9531 | 100.0 | | |

kl760 F43: Frequency child joins in with others

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 16 | .2 | .2 | .2 |
| | 2 Often | 8476 | 88.9 | 89.7 | 89.9 |
| | 3 Sometimes | 957 | 10.0 | 10.1 | 100.0 |
| | Total | 9449 | 99.1 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 81 | .8 | | |
| | Total | 82 | .9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl761 F44: Frequency child finds it hard to wait their turn in a game

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1429 | 15.0 | 15.2 | 15.2 |
| | 2 Sometimes | 6734 | 70.7 | 71.4 | 86.6 |
| | 3 Often | 1084 | 11.4 | 11.5 | 98.1 |
| | 4 Always | 182 | 1.9 | 1.9 | 100.0 |
| | Total | 9429 | 98.9 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 101 | 1.1 | | |
| | Total | 102 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl762 F45: Number of children who choose to play with child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 None | 20 | .2 | .2 | .2 |
| | 2 1 or 2 | 1844 | 19.3 | 19.8 | 20.0 |
| | 3 3+ | 7426 | 77.9 | 79.7 | 99.7 |
| | 9 Depends/varies | 24 | .3 | .3 | 100.0 |
| | Total | 9314 | 97.7 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 215 | 2.3 | | |
| | Total | 217 | 2.3 | | |
| Total | | 9531 | 100.0 | | |

kl763 F46: Child gets upset over small things

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Not at all | 1568 | 16.5 | 16.6 | 16.6 |
| | 2 Sometimes | 6482 | 68.0 | 68.8 | 85.5 |
| | 3 Often | 1052 | 11.0 | 11.2 | 96.6 |
| | 4 Nearly always | 316 | 3.3 | 3.4 | 100.0 |
| | Total | 9418 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 111 | 1.2 | | |
| | Total | 113 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl764 F47: It is easy to comfort child when they get upset

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very easy | 2821 | 29.6 | 29.9 | 29.9 |
| | 2 Quite easy | 5914 | 62.1 | 62.6 | 92.5 |
| | 3 Quite hard | 671 | 7.0 | 7.1 | 99.6 |
| | 4 Very hard | 35 | .4 | .4 | 100.0 |
| | Total | 9441 | 99.1 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 87 | .9 | | |
| | Total | 90 | .9 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl765 F48: Frequency child will comfort another child who is upset

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 120 | 1.3 | 1.3 | 1.3 |
| | 2 Sometimes | 3231 | 33.9 | 34.3 | 35.6 |
| | 3 Often | 4079 | 42.8 | 43.4 | 79.0 |
| | 4 Always | 1979 | 20.8 | 21.0 | 100.0 |
| | Total | 9409 | 98.7 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 117 | 1.2 | | |
| | Total | 122 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl766 F49: Frequency child tells parent untrue things about others to get them in trouble

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 5531 | 58.0 | 58.9 | 58.9 |
| | 2 Sometimes | 3665 | 38.5 | 39.0 | 97.9 |
| | 3 Often | 183 | 1.9 | 1.9 | 99.8 |
| | 4 Always | 16 | .2 | .2 | 100.0 |
| | Total | 9395 | 98.6 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 132 | 1.4 | | |
| | Total | 136 | 1.4 | | |
| Total | | 9531 | 100.0 | | |

kl767 F50: Frequency child does what they are asked straight away

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 294 | 3.1 | 3.1 | 3.1 |
| | 2 Sometimes | 5449 | 57.2 | 57.8 | 60.9 |
| | 3 Often | 3461 | 36.3 | 36.7 | 97.6 |
| | 4 Always | 222 | 2.3 | 2.4 | 100.0 |
| | Total | 9426 | 98.9 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 103 | 1.1 | | |
| | Total | 105 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl768 F51: Child is good at sitting still

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 1 Child very active, does not sit still when they should | 1000 | 10.5 | 10.6 | 10.6 |
| | 2 Child can usually sit still when they should | 6707 | 70.4 | 71.2 | 81.8 |
| | 3 Child can sit still for a long time | 1687 | 17.7 | 17.9 | 99.7 |
| | 4 Child very inactive | 18 | .2 | .2 | 99.9 |
| | 9 Varies | 8 | .1 | .1 | 100.0 |
| | Total | 9420 | 98.8 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 110 | 1.2 | | |
| | Total | 111 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl769 F52: Length of time child can concentrate on a game or task

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 < 2 minutes | 107 | 1.1 | 1.1 | 1.1 |
| | 2 2-5 minutes | 844 | 8.9 | 9.0 | 10.2 |
| | 3 5-10 minutes | 2520 | 26.4 | 27.0 | 37.2 |
| | 4 10-15 minutes | 2447 | 25.7 | 26.2 | 63.3 |
| | 5 >15 minutes | 3424 | 35.9 | 36.7 | 100.0 |
| | Total | 9342 | 98.0 | 100.0 | |
| Missing | -9 Don't know | 20 | .2 | | |
| | -8 Text response | 5 | .1 | | |
| | -1 No response | 164 | 1.7 | | |
| | Total | 189 | 2.0 | | |
| Total | | 9531 | 100.0 | | |

kl770 F53: Frequency child is too demanding of parent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 < Once / month | 1140 | 12.0 | 12.3 | 12.3 |
| | 2 Once / month | 776 | 8.1 | 8.3 | 20.6 |
| | 3 Once / week | 2982 | 31.3 | 32.1 | 52.6 |
| | 4 Once / day | 3100 | 32.5 | 33.3 | 86.0 |
| | 5 > Once / day | 1305 | 13.7 | 14.0 | 100.0 |
| | Total | 9303 | 97.6 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -8 Text response | 4 | .0 | | |
| | -1 No response | 221 | 2.3 | | |
| | Total | 228 | 2.4 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl771 F54: Frequency child whines or moans with little reason

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 < Once / month | 1372 | 14.4 | 14.7 | 14.7 |
| | 2 Once / month | 924 | 9.7 | 9.9 | 24.5 |
| | 3 Once / week | 3012 | 31.6 | 32.2 | 56.7 |
| | 4 Once / day | 2985 | 31.3 | 31.9 | 88.6 |
| | 5 Two or three times a day | 1067 | 11.2 | 11.4 | 100.0 |
| | Total | 9360 | 98.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 4 | .0 | | |
| | -1 No response | 166 | 1.7 | | |
| | Total | 171 | 1.8 | | |
| Total | | 9531 | 100.0 | | |

kl772 F55: Frequency child is unhappy for no apparent reason

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 < Once / month | 5092 | 53.4 | 55.1 | 55.1 |
| | 2 Once / month | 1503 | 15.8 | 16.3 | 71.4 |
| | 3 Once / week | 1866 | 19.6 | 20.2 | 91.6 |
| | 4 Once / day | 661 | 6.9 | 7.2 | 98.7 |
| | 5 Two or three times a day | 119 | 1.2 | 1.3 | 100.0 |
| | Total | 9241 | 97.0 | 100.0 | |
| Missing | -9 Don't know | 5 | .1 | | |
| | -8 Text response | 9 | .1 | | |
| | -1 No response | 276 | 2.9 | | |
| | Total | 290 | 3.0 | | |
| Total | | 9531 | 100.0 | | |

kl773 F56: Frequency child wants to follow if parent leaves room

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1390 | 14.6 | 14.8 | 14.8 |
| | 2 Sometimes | 6182 | 64.9 | 65.7 | 80.5 |
| | 3 Often | 1493 | 15.7 | 15.9 | 96.4 |
| | 4 Always | 339 | 3.6 | 3.6 | 100.0 |
| | Total | 9404 | 98.7 | 100.0 | |
| | | | | | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 126 | 1.3 | | |
| | Total | 127 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl774 F57: Child some times refuses to do what other adults tell them

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 No, not at all | 4865 | 51.0 | 51.8 | 51.8 |
| | 2 Yes, sometimes | 4274 | 44.8 | 45.5 | 97.3 |
| | 3 Yes, often | 225 | 2.4 | 2.4 | 99.7 |
| | 4 Yes, always | 29 | .3 | .3 | 100.0 |
| | Total | 9393 | 98.6 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -1 No response | 134 | 1.4 | | |
| | Total | 138 | 1.4 | | |
| Total | | 9531 | 100.0 | | |

kl775 F58: Child some times interrupts/butts in when others are talking

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 No, not at all | 361 | 3.8 | 3.8 | 3.8 |
| | 2 Yes, sometimes | 6348 | 66.6 | 67.4 | 71.2 |
| | 3 Yes, often | 2325 | 24.4 | 24.7 | 95.9 |
| | 4 Yes, always | 388 | 4.1 | 4.1 | 100.0 |
| | Total | 9422 | 98.9 | 100.0 | |
| Missing | -1 No response | 109 | 1.1 | | |
| | Total | 9531 | 100.0 | | |

kl776 F59: Child talks far too much

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 No, not at all | 2935 | 30.8 | 31.3 | 31.3 |
| | 2 Yes, sometimes | 4221 | 44.3 | 44.9 | 76.2 |
| | 3 Yes, often | 1469 | 15.4 | 15.6 | 91.8 |
| | 4 Yes, always | 767 | 8.0 | 8.2 | 100.0 |
| | Total | 9392 | 98.5 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 137 | 1.4 | | |
| | Total | 139 | 1.5 | | |
| Total | | 9531 | 100.0 | | |

kl777 F60: Frequency parent understands what child says

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 9 | .1 | .1 | .1 |
| | 2 Occasionally | 42 | .4 | .4 | .5 |
| | 3 About half the time | 91 | 1.0 | 1.0 | 1.5 |
| | 4 Most of the time | 1700 | 17.8 | 18.0 | 19.5 |
| | 5 Always | 7596 | 79.7 | 80.5 | 100.0 |
| Missing | Total | 9438 | 99.0 | 100.0 | |
| | -1 No response | 93 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl778 F61: Frequency child trys to understand when told something new

| | | Frequency | Percent | Valid Percen | Cumulativ e |
|---------|----------------|-----------|---------|-----------------|----------------|
| Valid | 1 Never | 17 | .2 | .2 | .2 |
| | 2 Sometimes | 393 | 4.1 | 4.2 | 4.4 |
| | 3 Often | 2236 | 23.5 | 23.8 | 28.1 |
| | 4 Always | 6763 | 71.0 | 71.9 | 100.0 |
| | Total | 9409 | 98.7 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 121 | 1.3 | | |
| | Total | 122 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl790 F62a: Study child has brothers and sisters

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 8323 | 87.3 | 88.2 | 88.2 |
| | 2 No | 1118 | 11.7 | 11.8 | 100.0 |
| | Total | 9441 | 99.1 | 100.0 | |
| Missing | -1 No response | 90 | .9 | | |
| Total | | 9531 | 100.0 | | |

kl791 F62b: Child is teased by brothers and sisters

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1671 | 17.5 | 20.2 | 20.2 |
| | 2 Sometimes | 4796 | 50.3 | 57.9 | 78.0 |
| | 3 Often | 1771 | 18.6 | 21.4 | 99.4 |
| | 9 Not sure | 51 | .5 | .6 | 100.0 |
| | Total | 8289 | 87.0 | 100.0 | |
| Missing | -1 No response | 1242 | 13.0 | | |
| Total | | 9531 | 100.0 | | |

kl792 F62c: Child teases brothers and sisters

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 690 | 7.2 | 8.3 | 8.3 |
| | 2 Sometimes | 5687 | 59.7 | 68.6 | 76.9 |
| | 3 Often | 1876 | 19.7 | 22.6 | 99.5 |
| | 9 Not sure | 39 | .4 | .5 | 100.0 |
| | Total | 8292 | 87.0 | 100.0 | |
| Missing | -1 No response | 1239 | 13.0 | | |
| Total | | 9531 | 100.0 | | |

kl793 F62d: Child is deliberately provoked by brothers and sisters

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1666 | 17.5 | 20.2 | 20.2 |
| | 2 Sometimes | 5085 | 53.4 | 61.5 | 81.7 |
| | 3 Often | 1422 | 14.9 | 17.2 | 98.9 |
| | 9 Not sure | 94 | 1.0 | 1.1 | 100.0 |
| | Total | 8267 | 86.7 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 1263 | 13.3 | | |
| | Total | 1264 | 13.3 | | |
| Total | | 9531 | 100.0 | | |

kl794 F62e: Child deliberately provokes brothers and sisters

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1137 | 11.9 | 13.7 | 13.7 |
| | 2 Sometimes | 5538 | 58.1 | 66.9 | 80.7 |
| | 3 Often | 1506 | 15.8 | 18.2 | 98.9 |
| | 9 Not sure | 94 | 1.0 | 1.1 | 100.0 |
| | Total | 8275 | 86.8 | 100.0 | |
| Missing | -1 No response | 1256 | 13.2 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl795 F62f: Child is willing to share with brothers and sisters

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 72 | .8 | .9 | .9 |
| | 2 Sometimes | 2641 | 27.7 | 31.9 | 32.7 |
| | 3 Often | 5561 | 58.3 | 67.1 | 99.8 |
| | 9 Not sure | 16 | .2 | .2 | 100.0 |
| | Total | 8290 | 87.0 | 100.0 | |
| Missing | -1 No response | 1241 | 13.0 | | |
| Total | | 9531 | 100.0 | | |

kl796 F62g: Child is interrupted by brothers and sisters when working or playing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 414 | 4.3 | 5.0 | 5.0 |
| | 2 Sometimes | 5445 | 57.1 | 65.7 | 70.7 |
| | 3 Often | 2405 | 25.2 | 29.0 | 99.7 |
| | 9 Not sure | 28 | .3 | .3 | 100.0 |
| | Total | 8292 | 87.0 | 100.0 | |
| Missing | -1 No response | 1239 | 13.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl800 F63a: Child has contact with other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9369 | 98.3 | 99.5 | 99.5 |
| | 2 No | 50 | .5 | .5 | 100.0 |
| | Total | 9419 | 98.8 | 100.0 | |
| Missing | -1 No response | 112 | 1.2 | | |
| | Total | 9531 | 100.0 | | |

kl801 F63b: Child is teased by other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1904 | 20.0 | 20.4 | 20.4 |
| | 2 Sometimes | 5279 | 55.4 | 56.5 | 76.9 |
| | 3 Often | 163 | 1.7 | 1.7 | 78.7 |
| | 9 Not sure | 1993 | 20.9 | 21.3 | |
| | Total | 9339 | 98.0 | 100.0 | |
| Missing | -1 No response | 192 | 2.0 | | |
| | Total | 9531 | 100.0 | | |

kl802 F63c: Child teases other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2340 | 24.6 | 25.1 | 25.1 |
| | 2 Sometimes | 4938 | 51.8 | 52.9 | 77.9 |
| | 3 Often | 149 | 1.6 | 1.6 | 79.5 |
| | 9 Not sure | 1910 | 20.0 | 20.5 | 100.0 |
| | Total | 9337 | 98.0 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 192 | 2.0 | | |
| | Total | 194 | 2.0 | | |
| | Total | 9531 | 100.0 | | |

kl803 F63d: Child is deliberately provoked by other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2588 | 27.2 | 27.8 | 27.8 |
| | 2 Sometimes | 4341 | 45.5 | 46.6 | 74.4 |
| | 3 Often | 198 | 2.1 | 2.1 | 76.5 |
| | 9 Not sure | 2187 | 22.9 | 23.5 | |
| | Total | 9314 | 97.7 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 215 | 2.3 | | |
| | Total | 217 | 2.3 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl804 F63e: Child deliberately provokes other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 3126 | 32.8 | 33.6 | 33.6 |
| | 2 Sometimes | 3896 | 40.9 | 41.8 | 75.4 |
| | 3 Often | 144 | 1.5 | 1.5 | 77.0 |
| | 9 Not sure | 2146 | 22.5 | 23.0 | 100.0 |
| | Total | 9312 | 97.7 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 217 | 2.3 | | |
| | Total | 219 | 2.3 | | |
| Total | | 9531 | 100.0 | | |

kl805 F63f: Child is willing to share with other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 45 | .5 | .5 | .5 |
| | 2 Sometimes | 1957 | 20.5 | 20.9 | 21.4 |
| | 3 Often | 6896 | 72.4 | 73.7 | 95.1 |
| | 9 Not sure | 454 | 4.8 | 4.9 | 100.0 |
| | Total | 9352 | 98.1 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 178 | 1.9 | | |
| | Total | 179 | 1.9 | | |
| Total | | 9531 | 100.0 | | |

kl806 F63g: Child is interrupted by other children when doing something

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 475 | 5.0 | 5.1 | 5.1 |
| | 2 Sometimes | 5781 | 60.7 | 62.1 | 67.2 |
| | 3 Often | 1007 | 10.6 | 10.8 | 78.0 |
| | 9 Not sure | 2047 | 21.5 | 22.0 | 100.0 |
| | Total | 9310 | 97.7 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 220 | 2.3 | | |
| | Total | 221 | 2.3 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl810 F64a: Child willingly undertakes handicrafts

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9197 | 96.5 | 100.0 | 100.0 |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 333 | 3.5 | | |
| | Total | 334 | 3.5 | | |
| | Total | 9531 | 100.0 | | |

kl811 F64b: Child willingly undertakes playing on mobile toys

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9170 | 96.2 | 100.0 | 100.0 |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 360 | 3.8 | | |
| | Total | 361 | 3.8 | | |
| | Total | 9531 | 100.0 | | |

kl812 F64c: Child willingly undertakes music

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 8929 | 93.7 | 100.0 | 100.0 |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 599 | 6.3 | | |
| | Total | 602 | 6.3 | | |
| | Total | 9531 | 100.0 | | |

kl813 F64d: Child willingly undertakes climbing on things

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 8812 | 92.5 | 100.0 | 100.0 |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 718 | 7.5 | | |
| | Total | 719 | 7.5 | | |
| | Total | 9531 | 100.0 | | |

kl814 F64e: Child willingly undertakes using constructive toys

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 8937 | 93.8 | 100.0 | 100.0 |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 593 | 6.2 | | |
| | Total | 594 | 6.2 | | |
| | Total | 9531 | 100.0 | | |

kl815 F64f: Child willingly undertakes imaginative play

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9065 | 95.1 | 100.0 | 100.0 |
| Missing | -1 No response | 466 | 4.9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl816 F64g: Child willingly undertakes messy play

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 8908 | 93.5 | 100.0 | 100.0 |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 622 | 6.5 | | |
| | Total | 623 | 6.5 | | |
| | Total | 9531 | 100.0 | | |

kl817 F64h: Child willingly undertakes investigative play

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 7891 | 82.8 | 100.0 | 100.0 |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 1637 | 17.2 | | |
| | Total | 1640 | 17.2 | | |
| | Total | 9531 | 100.0 | | |

kl818 F64i: Child willingly undertakes other activity

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1145 | 12.0 | 100.0 | 100.0 |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 8385 | 88.0 | | |
| | Total | 8386 | 88.0 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl830 F65a: Frequency child speaks freely when with adults who are family

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 16 | .2 | .2 | .2 |
| | 2 Sometimes | 217 | 2.3 | 2.3 | 2.5 |
| | 3 Often | 2020 | 21.2 | 21.4 | 23.9 |
| | 4 Nearly always | 7177 | 75.3 | 76.1 | 99.9 |
| | 9 Not sure | 5 | .1 | .1 | 100.0 |
| | Total | 9435 | 99.0 | 100.0 | |
| | | | | | |
| Missing | -8 Text response | 3 | .0 | | |
| | -1 No response | 93 | 1.0 | | |
| | Total | 96 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl831 F65b: Frequency child speaks freely when with other adults

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 102 | 1.1 | 1.1 | 1.1 |
| | 2 Sometimes | 2100 | 22.0 | 22.4 | 23.5 |
| | 3 Often | 3232 | 33.9 | 34.5 | 57.9 |
| | 4 Nearly always | 3848 | 40.4 | 41.0 | 99.0 |
| | 9 Not sure | 96 | 1.0 | 1.0 | 100.0 |
| | Total | 9378 | 98.4 | 100.0 | |
| | | | | | |
| Missing | -8 Text response | 3 | .0 | | |
| | -1 No response | 150 | 1.6 | | |
| | Total | 153 | 1.6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl835 F66a: Frequency child speaks freely when with children who are family

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 17 | .2 | .2 | .2 |
| | 2 Sometimes | 148 | 1.6 | 1.6 | 1.8 |
| | 3 Often | 1856 | 19.5 | 19.7 | 21.4 |
| | 4 Nearly always | 7177 | 75.3 | 76.2 | 97.6 |
| | 7 No such children | 190 | 2.0 | 2.0 | 99.6 |
| | 9 Not sure | 35 | .4 | .4 | 100.0 |
| | Total | 9423 | 98.9 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 106 | 1.1 | | |
| | Total | 108 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl836 F66b: Frequency child speaks freely when with other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 29 | .3 | .3 | .3 |
| | 2 Sometimes | 629 | 6.6 | 6.7 | 7.0 |
| | 3 Often | 2747 | 28.8 | 29.2 | 36.2 |
| | 4 Nearly always | 5788 | 60.7 | 61.6 | 97.9 |
| | 9 Not sure | 201 | 2.1 | 2.1 | 100.0 |
| | Total | 9394 | 98.6 | 100.0 | |
| | | | | | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 135 | 1.4 | | |
| | Total | 137 | 1.4 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl840 F67a: Frequency child deliberately tears things

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 6827 | 71.6 | 72.3 | 72.3 |
| | 2 Sometimes | 2438 | 25.6 | 25.8 | 98.2 |
| | 3 Often | 123 | 1.3 | 1.3 | 99.5 |
| | 9 Don't know | 51 | .5 | .5 | 100.0 |
| | Total | 9439 | 99.0 | 100.0 | |
| Missing | -1 No response | 92 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl841 F67b: Frequency child deliberately breaks toys

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 7571 | 79.4 | 80.2 | 80.2 |
| | 2 Sometimes | 1742 | 18.3 | 18.5 | 98.7 |
| | 3 Often | 74 | .8 | .8 | 99.5 |
| | 9 Don't know | 49 | .5 | .5 | 100.0 |
| | Total | 9436 | 99.0 | 100.0 | |
| Missing | -1 No response | 95 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl842 F67c: Frequency child wanders about aimlessly

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 6695 | 70.2 | 71.1 | 71.1 |
| | 2 Sometimes | 2523 | 26.5 | 26.8 | 98.0 |
| | 3 Often | 107 | 1.1 | 1.1 | 99.1 |
| | 9 Don't know | 85 | .9 | .9 | 100.0 |
| | Total | 9410 | 98.7 | 100.0 | |
| Missing | -1 No response | 121 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl843 F67d: Frequency child stares into space

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 7331 | 76.9 | 77.7 | 77.7 |
| | 2 Sometimes | 1911 | 20.1 | 20.3 | 98.0 |
| | 3 Often | 69 | .7 | .7 | 98.7 |
| | 9 Don't know | 118 | 1.2 | 1.3 | 100.0 |
| | Total | 9429 | 98.9 | 100.0 | |
| Missing | -1 No response | 102 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl844 F67e: Frequency child seems to have nothing to do

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 5464 | 57.3 | 58.0 | 58.0 |
| | 2 Sometimes | 3758 | 39.4 | 39.9 | 97.9 |
| | 3 Often | 161 | 1.7 | 1.7 | 99.6 |
| | 9 Don't know | 41 | .4 | .4 | 100.0 |
| | Total | 9424 | 98.9 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 106 | 1.1 | | |
| | Total | 107 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl850 F68a: Frequency child does what they are asked by parent when taken out

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 64 | .7 | .7 | .7 |
| | 2 Sometimes | 2788 | 29.3 | 29.5 | 30.2 |
| | 3 Often | 5233 | 54.9 | 55.4 | 85.7 |
| | 4 Always | 1353 | 14.2 | 14.3 | 100.0 |
| | Total | 9438 | 99.0 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 92 | 1.0 | | |
| | Total | 93 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl851 F68b: Frequency child runs off when taken out

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 4218 | 44.3 | 44.7 | 44.7 |
| | 2 Sometimes | 4626 | 48.5 | 49.0 | 93.7 |
| | 3 Often | 520 | 5.5 | 5.5 | 99.3 |
| | 4 Always | 70 | .7 | .7 | 100.0 |
| | Total | 9434 | 99.0 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 95 | 1.0 | | |
| | Total | 97 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl852 F68c: Frequency child has a tantrum when taken out

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 4780 | 50.2 | 50.8 | 50.8 |
| | 2 Sometimes | 4408 | 46.2 | 46.8 | 97.6 |
| | 3 Often | 196 | 2.1 | 2.1 | 99.7 |
| | 4 Always | 28 | .3 | .3 | 100.0 |
| | Total | 9412 | 98.8 | 100.0 | |
| Missing | -1 No response | 119 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl853 F68d: Frequency child is fun to be with when taken out somewhere

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 10 | .1 | .1 | .1 |
| | 2 Sometimes | 1100 | 11.5 | 11.7 | 11.8 |
| | 3 Often | 5093 | 53.4 | 54.0 | 65.8 |
| | 4 Always | 3227 | 33.9 | 34.2 | 100.0 |
| | Total | 9430 | 98.9 | 100.0 | |
| Missing | -1 No response | 101 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl854 F68e: Frequency child is interested in what is going on when taken out

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 12 | .1 | .1 | .1 |
| | 2 Sometimes | 629 | 6.6 | 6.7 | 6.8 |
| | 3 Often | 3927 | 41.2 | 41.6 | 48.4 |
| | 4 Always | 4874 | 51.1 | 51.6 | 100.0 |
| | Total | 9442 | 99.1 | 100.0 | |
| Missing | -1 No response | 89 | .9 | | |
| | Total | 9531 | 100.0 | | |

kl855 F68f: Frequency child is aware of reactions of others when taken out

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 157 | 1.6 | 1.7 | 1.7 |
| | 2 Sometimes | 2261 | 23.7 | 24.1 | 25.8 |
| | 3 Often | 4203 | 44.1 | 44.8 | 70.6 |
| | 4 Always | 2761 | 29.0 | 29.4 | 100.0 |
| | Total | 9382 | 98.4 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -1 No response | 145 | 1.5 | | |
| | Total | 149 | 1.6 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl860 F69a: Child has stutter/stammer when trying to tell parent something

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 588 | 6.2 | 6.3 | 6.3 |
| | 2 No | 8771 | 92.0 | 93.7 | 100.0 |
| | Total | 9359 | 98.2 | 100.0 | |
| Missing | -1 No response | 172 | 1.8 | | |
| | Total | 9531 | 100.0 | | |

kl861 F69b: Child has a lisp when trying to tell parent something

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 479 | 5.0 | 5.1 | 5.1 |
| | 2 No | 8836 | 92.7 | 94.9 | 100.0 |
| | Total | 9315 | 97.7 | 100.0 | |
| Missing | -1 No response | 216 | 2.3 | | |
| | Total | 9531 | 100.0 | | |

kl862 F69c: Child says things that do not make sense when trying to tell parent something

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1182 | 12.4 | 12.7 | 12.7 |
| | 2 No | 8145 | 85.5 | 87.3 | 100.0 |
| | Total | 9327 | 97.9 | 100.0 | |
| Missing | -1 No response | 204 | 2.1 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl870 F70a1: Frequency child kicks adults who are family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 7821 | 82.1 | 83.0 | 83.0 |
| | 2 Sometimes | 1560 | 16.4 | 16.5 | 99.5 |
| | 3 Often | 45 | .5 | .5 | 100.0 |
| | Total | 9426 | 98.9 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 104 | 1.1 | | |
| | Total | 105 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl871 F70b1: Frequency child hits adults who are family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 5679 | 59.6 | 60.3 | 60.3 |
| | 2 Sometimes | 3657 | 38.4 | 38.8 | 99.1 |
| | 3 Often | 81 | .8 | .9 | 100.0 |
| | Total | 9417 | 98.8 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 113 | 1.2 | | |
| | Total | 114 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl872 F70c1: Frequency child fights adults who are family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 6990 | 73.3 | 74.4 | 74.4 |
| | 2 Sometimes | 2281 | 23.9 | 24.3 | 98.7 |
| | 3 Often | 122 | 1.3 | 1.3 | 100.0 |
| | Total | 9393 | 98.6 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 137 | 1.4 | | |
| | Total | 138 | 1.4 | | |
| Total | | 9531 | 100.0 | | |

kl873 F70d1: Frequency child swears at adults who are family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 8889 | 93.3 | 94.3 | 94.3 |
| | 2 Sometimes | 513 | 5.4 | 5.4 | 99.7 |
| | 3 Often | 26 | .3 | .3 | 100.0 |
| | Total | 9428 | 98.9 | 100.0 | |
| Missing | -1 No response | 103 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl874 F70e1: Frequency child uses angry words to adults who are family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 4241 | 44.5 | 45.0 | 45.0 |
| | 2 Sometimes | 4941 | 51.8 | 52.5 | 97.5 |
| | 3 Often | 235 | 2.5 | 2.5 | 100.0 |
| | Total | 9417 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 113 | 1.2 | | |
| | Total | 114 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl880 F70a2: Frequency child kicks children who are family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 5523 | 57.9 | 60.0 | 60.0 |
| | 2 Sometimes | 3517 | 36.9 | 38.2 | 98.2 |
| | 3 Often | 169 | 1.8 | 1.8 | 100.0 |
| | Total | 9209 | 96.6 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 320 | 3.4 | | |
| | Total | 322 | 3.4 | | |
| Total | | 9531 | 100.0 | | |

kl881 F70b2: Frequency child hits children who are family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2646 | 27.8 | 28.7 | 28.7 |
| | 2 Sometimes | 6247 | 65.5 | 67.8 | 96.5 |
| | 3 Often | 327 | 3.4 | 3.5 | 100.0 |
| | Total | 9220 | 96.7 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 309 | 3.2 | | |
| | Total | 311 | 3.3 | | |
| Total | | 9531 | 100.0 | | |

kl882 F70c2: Frequency child fights children who are family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 3800 | 39.9 | 41.3 | 41.3 |
| | 2 Sometimes | 4988 | 52.3 | 54.2 | 95.4 |
| | 3 Often | 422 | 4.4 | 4.6 | 100.0 |
| | Total | 9210 | 96.6 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 319 | 3.3 | | |
| | Total | 321 | 3.4 | | |
| Total | | 9531 | 100.0 | | |

kl883 F70d2: Frequency child swears at children who are family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 8451 | 88.7 | 91.9 | 91.9 |
| | 2 Sometimes | 683 | 7.2 | 7.4 | 99.3 |
| | 3 Often | 60 | .6 | .7 | 100.0 |
| | Total | 9194 | 96.5 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 334 | 3.5 | | |
| | Total | 337 | 3.5 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl884 F70e2: Frequency child uses angry words to children who are family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 3401 | 35.7 | 36.9 | 36.9 |
| | 2 Sometimes | 5361 | 56.2 | 58.2 | 95.1 |
| | 3 Often | 449 | 4.7 | 4.9 | 100.0 |
| | Total | 9211 | 96.6 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 318 | 3.3 | | |
| | Total | 320 | 3.4 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl890 F71a1: Frequency child kicks adults who are not family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 9200 | 96.5 | 98.1 | 98.1 |
| | 2 Sometimes | 176 | 1.8 | 1.9 | 99.9 |
| | 3 Often | 5 | .1 | .1 | 100.0 |
| | Total | 9381 | 98.4 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 147 | 1.5 | | |
| | Total | 150 | 1.6 | | |
| Total | | 9531 | 100.0 | | |

kl891 F71b1: Frequency child hits adults who are not family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 9001 | 94.4 | 96.0 | 96.0 |
| | 2 Sometimes | 364 | 3.8 | 3.9 | 99.9 |
| | 3 Often | 8 | .1 | .1 | 100.0 |
| | Total | 9373 | 98.3 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 155 | 1.6 | | |
| | Total | 158 | 1.7 | | |
| Total | | 9531 | 100.0 | | |

kl892 F71c1: Frequency child fights adults who are not family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 9038 | 94.8 | 96.5 | 96.5 |
| | 2 Sometimes | 323 | 3.4 | 3.4 | 99.9 |
| | 3 Often | 7 | .1 | .1 | 100.0 |
| | Total | 9368 | 98.3 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 160 | 1.7 | | |
| | Total | 163 | 1.7 | | |
| Total | | 9531 | 100.0 | | |

kl893 F71d1: Frequency child swears at adults who are not family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 9278 | 97.3 | 99.0 | 99.0 |
| | 2 Sometimes | 89 | .9 | .9 | 99.9 |
| | 3 Often | 5 | .1 | .1 | 100.0 |
| | Total | 9372 | 98.3 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 157 | 1.6 | | |
| | Total | 159 | 1.7 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl894 F71e1: Frequency child uses angry words to adults who are not family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 8241 | 86.5 | 88.1 | 88.1 |
| | 2 Sometimes | 1093 | 11.5 | 11.7 | 99.8 |
| | 3 Often | 21 | .2 | .2 | 100.0 |
| | Total | 9355 | 98.2 | 100.0 | |
| Missing | -9 Don't know | 5 | .1 | | |
| | -1 No response | 171 | 1.8 | | |
| | Total | 176 | 1.8 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl900 F71a2: Frequency child kicks children who are not family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 7858 | 82.4 | 84.8 | 84.8 |
| | 2 Sometimes | 1390 | 14.6 | 15.0 | 99.8 |
| | 3 Often | 20 | .2 | .2 | 100.0 |
| | Total | 9268 | 97.2 | 100.0 | |
| Missing | -9 Don't know | 12 | .1 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 250 | 2.6 | | |
| | Total | 263 | 2.8 | | |
| Total | | 9531 | 100.0 | | |

kl901 F71b2: Frequency child hits children who are not family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 6265 | 65.7 | 67.7 | 67.7 |
| | 2 Sometimes | 2968 | 31.1 | 32.1 | 99.7 |
| | 3 Often | 27 | .3 | .3 | 100.0 |
| | Total | 9260 | 97.2 | 100.0 | |
| Missing | -9 Don't know | 15 | .2 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 255 | 2.7 | | |
| | Total | 271 | 2.8 | | |
| Total | | 9531 | 100.0 | | |

kl902 F71c2: Frequency child fights children who are not family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 6619 | 69.4 | 71.5 | 71.5 |
| | 2 Sometimes | 2598 | 27.3 | 28.1 | 99.6 |
| | 3 Often | 41 | .4 | .4 | 100.0 |
| | Total | 9258 | 97.1 | 100.0 | |
| Missing | -9 Don't know | 12 | .1 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 260 | 2.7 | | |
| | Total | 273 | 2.9 | | |
| Total | | 9531 | 100.0 | | |

kl903 F71d2: Frequency child swears at children who are not family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 8856 | 92.9 | 95.6 | 95.6 |
| | 2 Sometimes | 392 | 4.1 | 4.2 | 99.8 |
| | 3 Often | 14 | .1 | .2 | 100.0 |
| | Total | 9262 | 97.2 | 100.0 | |
| Missing | -9 Don't know | 12 | .1 | | |
| | -1 No response | 257 | 2.7 | | |
| | Total | 269 | 2.8 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl904 F71e2: Frequency child uses angry words to children who are not family members

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 5308 | 55.7 | 57.4 | 57.4 |
| | 2 Sometimes | 3855 | 40.4 | 41.7 | 99.1 |
| | 3 Often | 81 | .8 | .9 | 100.0 |
| | Total | 9244 | 97.0 | 100.0 | |
| Missing | -9 Don't know | 16 | .2 | | |
| | -8 Text response | 1 | .0 | | |
| | -1 No response | 270 | 2.8 | | |
| | Total | 287 | 3.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl910 F72a: Child is some times afraid of haircuts

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 791 | 8.3 | 8.4 | 8.4 |
| | 2 No | 8571 | 89.9 | 90.7 | 99.1 |
| | 3 Sometimes | 6 | .1 | .1 | 99.1 |
| | 7 Has not experienced this | 83 | .9 | .9 | 100.0 |
| | Total | 9451 | 99.2 | 100.0 | |
| Missing | -1 No response | 80 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl911 F72b: Child is some times afraid of using the toilet

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 304 | 3.2 | 3.2 | 3.2 |
| | 2 No | 9123 | 95.7 | 96.5 | 99.7 |
| | 3 Sometimes | 6 | .1 | .1 | 99.7 |
| | 7 Has not experienced this | 24 | .3 | .3 | 100.0 |
| | Total | 9457 | 99.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 73 | .8 | | |
| | Total | 74 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl912 F72c: Child is some times afraid of doctors

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1119 | 11.7 | 11.8 | 11.8 |
| | 2 No | 8310 | 87.2 | 87.9 | 99.7 |
| | 3 Sometimes | 8 | .1 | .1 | 99.8 |
| | 7 Has not experienced this | 17 | .2 | .2 | 100.0 |
| | Total | 9454 | 99.2 | 100.0 | |
| Missing | -1 No response | 77 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl913 F72d: Child is some times afraid of hospital

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1050 | 11.0 | 11.1 | 11.1 |
| | 2 No | 6870 | 72.1 | 72.8 | 83.9 |
| | 3 Sometimes | 7 | .1 | .1 | 83.9 |
| | 7 Has not experienced this | 1516 | 15.9 | 16.1 | 100.0 |
| | Total | 9443 | 99.1 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 87 | .9 | | |
| | Total | 88 | .9 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl914 F72e: Child is some times afraid of TV programs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 2045 | 21.5 | 21.7 | 21.7 |
| | 2 No | 7281 | 76.4 | 77.2 | 98.9 |
| | 3 Sometimes | 24 | .3 | .3 | 99.2 |
| | 7 Has not experienced this | 80 | .8 | .8 | 100.0 |
| | Total | 9430 | 98.9 | 100.0 | |
| Missing | -1 No response | 101 | 1.1 | | |
| Total | | 9531 | 100.0 | | |

kl915 F72f: Child is some times afraid of the vacuum cleaner

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 338 | 3.5 | 3.6 | 3.6 |
| | 2 No | 9090 | 95.4 | 96.1 | 99.7 |
| | 3 Sometimes | 3 | .0 | .0 | 99.7 |
| | 7 Has not experienced this | 28 | .3 | .3 | 100.0 |
| | Total | 9459 | 99.2 | 100.0 | |
| Missing | -1 No response | 72 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl916 F72g: Child is some times afraid of being alone

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 2917 | 30.6 | 31.0 | 31.0 |
| | 2 No | 5713 | 59.9 | 60.6 | 91.6 |
| | 3 Sometimes | 21 | .2 | .2 | 91.8 |
| | 7 Has not experienced this | 769 | 8.1 | 8.2 | 100.0 |
| | Total | 9420 | 98.8 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 110 | 1.2 | | |
| | Total | 111 | 1.2 | | |
| Total | | 9531 | 100.0 | | |

kl917 F72h: Child is some times afraid of stories

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 735 | 7.7 | 7.8 | 7.8 |
| | 2 No | 8683 | 91.1 | 91.9 | 99.7 |
| | 3 Sometimes | 5 | .1 | .1 | 99.7 |
| | 7 Has not experienced this | 24 | .3 | .3 | 100.0 |
| | Total | 9447 | 99.1 | 100.0 | |
| Missing | -1 No response | 84 | .9 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl918 F72i: Child is some times afraid of dogs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 2964 | 31.1 | 31.4 | 31.4 |
| | 2 No | 6437 | 67.5 | 68.1 | 99.5 |
| | 3 Sometimes | 22 | .2 | .2 | 99.7 |
| | 7 Has not experienced this | 26 | .3 | .3 | 100.0 |
| | Total | 9449 | 99.1 | 100.0 | |
| Missing | -1 No response | 82 | .9 | | |
| Total | | 9531 | 100.0 | | |

kl919 F72j: Child is some times afraid of cats

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 587 | 6.2 | 6.2 | 6.2 |
| | 2 No | 8819 | 92.5 | 93.3 | 99.5 |
| | 3 Sometimes | 6 | .1 | .1 | 99.6 |
| | 7 Has not experienced this | 39 | .4 | .4 | 100.0 |
| | Total | 9451 | 99.2 | 100.0 | |
| Missing | -1 No response | 80 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl920 F72k: Child is some times afraid of other animals

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1427 | 15.0 | 15.2 | 15.2 |
| | 2 No | 7796 | 81.8 | 82.8 | 98.0 |
| | 3 Sometimes | 9 | .1 | .1 | 98.1 |
| | 7 Has not experienced this | 178 | 1.9 | 1.9 | 100.0 |
| | Total | 9410 | 98.7 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 120 | 1.3 | | |
| | Total | 121 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl921 F72l: Child is some times afraid of insects

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 3359 | 35.2 | 35.6 | 35.6 |
| | 2 No | 6018 | 63.1 | 63.8 | 99.4 |
| | 3 Sometimes | 18 | .2 | .2 | 99.5 |
| | 7 Has not experienced this | 43 | .5 | .5 | 100.0 |
| | Total | 9438 | 99.0 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 91 | 1.0 | | |
| | Total | 93 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl922 F72m: Child is some times afraid of thunder/loud noises

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 3412 | 35.8 | 36.2 | 36.2 |
| | 2 No | 5900 | 61.9 | 62.6 | 98.7 |
| | 3 Sometimes | 14 | .1 | .1 | 98.9 |
| | 7 Has not experienced this | 105 | 1.1 | 1.1 | 100.0 |
| | Total | 9431 | 99.0 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 99 | 1.0 | | |
| | Total | 100 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl923 F72n: Child is some times afraid of the dark

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 4929 | 51.7 | 52.2 | 52.2 |
| | 2 No | 4440 | 46.6 | 47.0 | 99.2 |
| | 3 Sometimes | 45 | .5 | .5 | 99.7 |
| | 7 Has not experienced this | 26 | .3 | .3 | 100.0 |
| | Total | 9440 | 99.0 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -1 No response | 87 | .9 | | |
| | Total | 91 | 1.0 | | |
| Total | | 9531 | 100.0 | | |

kl924 F72o: Child is some times afraid of strangers

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 3145 | 33.0 | 33.5 | 33.5 |
| | 2 No | 5977 | 62.7 | 63.7 | 97.3 |
| | 3 Sometimes | 40 | .4 | .4 | 97.7 |
| | 7 Has not experienced this | 214 | 2.2 | 2.3 | 100.0 |
| | Total | 9376 | 98.4 | 100.0 | |
| Missing | -9 Don't know | 4 | .0 | | |
| | -1 No response | 151 | 1.6 | | |
| | Total | 155 | 1.6 | | |
| Total | | 9531 | 100.0 | | |

kl925 F72p: Child is some times afraid of going out

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 47 | .5 | .5 | .5 |
| | 2 No | 9387 | 98.5 | 99.4 | 99.9 |
| | 3 Sometimes | 2 | .0 | .0 | 99.9 |
| | 7 Has not experienced this | 12 | .1 | .1 | 100.0 |
| | Total | 9448 | 99.1 | 100.0 | |
| Missing | -1 No response | 83 | .9 | | |
| | Total | 9531 | 100.0 | | |

KL File – Section F

kl926 F72q: Child is some times afraid of cars, buses, trains, tube trains

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 123 | 1.3 | 1.3 | 1.3 |
| | 2 No | 9308 | 97.7 | 98.5 | 99.8 |
| | 7 Has not experienced this | 20 | .2 | .2 | 100.0 |
| | Total | 9451 | 99.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 79 | .8 | | |
| | Total | 80 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl927 F72r: Child is some times afraid of lifts, escalators

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 417 | 4.4 | 4.4 | 4.4 |
| | 2 No | 8971 | 94.1 | 94.9 | 99.3 |
| | 3 Sometimes | 2 | .0 | .0 | 99.3 |
| | 7 Has not experienced this | 62 | .7 | .7 | 100.0 |
| Missing | Total | 9452 | 99.2 | 100.0 | |
| | -9 Don't know | 1 | .0 | | |
| | -1 No response | 78 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl928 F72s: Child is some times afraid of water, the bath

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 161 | 1.7 | 1.7 | 1.7 |
| | 2 No | 9280 | 97.4 | 98.2 | 99.9 |
| | 3 Sometimes | 2 | .0 | .0 | 99.9 |
| | 7 Has not experienced this | 11 | .1 | .1 | 100.0 |
| Missing | Total | 9454 | 99.2 | 100.0 | |
| | -1 No response | 77 | .8 | | |
| Total | | 9531 | 100.0 | | |

kl929 F72t: Child is some times afraid of getting dirty

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 272 | 2.9 | 2.9 | 2.9 |
| | 2 No | 9163 | 96.1 | 97.0 | 99.8 |
| | 3 Sometimes | 4 | .0 | .0 | 99.9 |
| | 7 Has not experienced this | 11 | .1 | .1 | 100.0 |
| Missing | Total | 9450 | 99.2 | 100.0 | |
| | -9 Don't know | 1 | .0 | | |
| | -1 No response | 80 | .8 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl930 F72u: Child is some times afraid of something else

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 683 | 7.2 | 19.5 | 19.5 |
| | 2 No | 2720 | 28.5 | 77.8 | 97.3 |
| | 7 Has not experienced this | 93 | 1.0 | 2.7 | 100.0 |
| | Total | 3496 | 36.7 | 100.0 | |
| Missing | -1 No response | 6035 | 63.3 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl935 F73a: Frequency child wets the bed when ill

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Still wearing nappies | 165 | 1.7 | 1.8 | 1.8 |
| | 1 Never | 6708 | 70.4 | 72.2 | 74.0 |
| | 2 Sometimes | 2107 | 22.1 | 22.7 | 96.7 |
| | 3 Often | 310 | 3.3 | 3.3 | 100.0 |
| | Total | 9290 | 97.5 | 100.0 | |
| Missing | -9 Don't know | 7 | .1 | | |
| | -1 No response | 234 | 2.5 | | |
| | Total | 241 | 2.5 | | |
| Total | | 9531 | 100.0 | | |

kl936 F73b: Frequency child wets the bed when excited

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Still wearing nappies | 154 | 1.6 | 1.7 | 1.7 |
| | 1 Never | 7767 | 81.5 | 84.0 | 85.7 |
| | 2 Sometimes | 1079 | 11.3 | 11.7 | 97.4 |
| | 3 Often | 241 | 2.5 | 2.6 | 100.0 |
| | Total | 9241 | 97.0 | 100.0 | |
| Missing | -9 Don't know | 7 | .1 | | |
| | -1 No response | 283 | 3.0 | | |
| | Total | 290 | 3.0 | | |
| Total | | 9531 | 100.0 | | |

kl937 F73c: Frequency child wets the bed for no apparent reason

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Still wearing nappies | 171 | 1.8 | 1.8 | 1.8 |
| | 1 Never | 7296 | 76.6 | 77.8 | 79.6 |
| | 2 Sometimes | 1508 | 15.8 | 16.1 | 95.7 |
| | 3 Often | 402 | 4.2 | 4.3 | 100.0 |
| | Total | 9377 | 98.4 | 100.0 | |
| Missing | -9 Don't know | 3 | .0 | | |
| | -1 No response | 151 | 1.6 | | |
| | Total | 154 | 1.6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section F

kl940 F74a: Frequency child takes things from children in the family

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 6949 | 72.9 | 73.9 | 73.9 |
| | 2 Sometimes | 2173 | 22.8 | 23.1 | 97.0 |
| | 3 Often | 150 | 1.6 | 1.6 | 98.6 |
| | 9 Not sure | 136 | 1.4 | 1.4 | 100.0 |
| | Total | 9408 | 98.7 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 122 | 1.3 | | |
| | Total | 123 | 1.3 | | |
| Total | | 9531 | 100.0 | | |

kl941 F74b: Frequency child takes things from other children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 8546 | 89.7 | 90.5 | 90.5 |
| | 2 Sometimes | 630 | 6.6 | 6.7 | 97.2 |
| | 3 Often | 13 | .1 | .1 | 97.3 |
| | 9 Not sure | 252 | 2.6 | 2.7 | 100.0 |
| | Total | 9441 | 99.1 | 100.0 | |
| Missing | -1 No response | 90 | .9 | | |
| | Total | 9531 | 100.0 | | |

kl942 F74c: Frequency child takes things from adults in the family

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 8205 | 86.1 | 87.0 | 87.0 |
| | 2 Sometimes | 1098 | 11.5 | 11.6 | 98.6 |
| | 3 Often | 42 | .4 | .4 | 99.1 |
| | 9 Not sure | 87 | .9 | .9 | 100.0 |
| | Total | 9432 | 99.0 | 100.0 | |
| Missing | -1 No response | 99 | 1.0 | | |
| | Total | 9531 | 100.0 | | |

kl943 F74d: Frequency child takes things from other adults

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 9178 | 96.3 | 97.3 | 97.3 |
| | 2 Sometimes | 139 | 1.5 | 1.5 | 98.8 |
| | 3 Often | 8 | .1 | .1 | 98.9 |
| | 9 Not sure | 106 | 1.1 | 1.1 | 100.0 |
| | Total | 9431 | 99.0 | 100.0 | |
| Missing | -1 No response | 100 | 1.0 | | |
| | Total | 9531 | 100.0 | | |

kl945 F75: Child shows other behaviours that cause problems

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 656 | 6.9 | 7.1 | 7.1 |
| | 2 No | 8565 | 89.9 | 92.9 | 100.0 |
| | Total | 9221 | 96.7 | 100.0 | |
| Missing | -1 No response | 310 | 3.3 | | |
| | Total | 9531 | 100.0 | | |

SECTION G

G1. This questionnaire was completed by: (tick all that apply)

a) mother

| |
|---|
| 1 |
| 1 |
| 1 |

b) father

c) other (please describe)

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 "no".]

kl980 G1a: Questionnaire completed by mother

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 9238 | 96.9 | 97.6 | 97.6 |
| | 2 No | 232 | 2.4 | 2.4 | |
| | Total | 9470 | 99.4 | 100.0 | |
| Missing | -5 Question G1 omitted | 61 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl981 G1b: Questionnaire completed by father

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 547 | 5.7 | 5.8 | 5.8 |
| | 2 No | 8923 | 93.6 | 94.2 | |
| | Total | 9470 | 99.4 | 100.0 | |
| Missing | -5 Question G1 omitted | 61 | .6 | | |
| | Total | 9531 | 100.0 | | |

kl982 G1c: Questionnaire completed by other person

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 127 | 1.3 | 1.3 | 1.3 |
| | 2 No | 9343 | 98.0 | 98.7 | |
| | Total | 9470 | 99.4 | 100.0 | |
| Missing | -5 Question G1 omitted | 61 | .6 | | |
| | Total | 9531 | 100.0 | | |

Derived Variables

Number of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question G1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

kl984 DV: Number of contributors to questionnaire

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 | 9050 | 95.0 | 95.6 | 95.6 |
| | 2 | 398 | 4.2 | 4.2 | 99.8 |
| | 3 | 22 | .2 | .2 | 100.0 |
| | Total | 9470 | 99.4 | 100.0 | |
| Missing | -5 Question G1 omitted | 61 | .6 | | |
| Total | | 9531 | 100.0 | | |

Questionnaire completed by...

This variable details the combinations of respondents reported in question G1. It is calculated by recoding values of 1 to powers of 2 (1, 2 and 4 for parts a, b and c respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

kl985 DV: Questionnaire completed by...

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Mother only | 8820 | 92.5 | 93.1 | 93.1 |
| | 2 Father only | 175 | 1.8 | 1.8 | 95.0 |
| | 3 Mother & father | 348 | 3.7 | 3.7 | 98.7 |
| | 4 Other only | 55 | .6 | .6 | 99.2 |
| | 5 Mother & other | 48 | .5 | .5 | 99.7 |
| | 6 Father & other | 2 | .0 | .0 | 99.8 |
| | 7 Mother, father & other | 22 | .2 | .2 | 100.0 |
| | Total | 9470 | 99.4 | 100.0 | |
| Missing | -5 Question G1 omitted | 61 | .6 | | |
| Total | | 9531 | 100.0 | | |

KL File – Section G

G2. Please give the date on which you completed this questionnaire:

| day | month | year |
|-----|-------|-------|
| | | 1 9 9 |

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable KL990c. The month and year of completion were retained on the built file, but the day was dropped.]

kl990a E2: Date questionnaire completed - month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | 1 January | 670 | 7.0 | 7.0 | 7.0 |
| | 2 February | 944 | 9.9 | 9.9 | 16.9 |
| | 3 March | 774 | 8.1 | 8.1 | 25.1 |
| | 4 April | 1057 | 11.1 | 11.1 | 36.1 |
| | 5 May | 845 | 8.9 | 8.9 | 45.0 |
| | 6 June | 964 | 10.1 | 10.1 | 55.1 |
| | 7 July | 955 | 10.0 | 10.0 | 65.1 |
| | 8 August | 900 | 9.4 | 9.4 | 74.6 |
| | 9 September | 959 | 10.1 | 10.1 | 84.7 |
| | 10 October | 639 | 6.7 | 6.7 | 91.4 |
| | 11 November | 510 | 5.4 | 5.4 | 96.7 |
| | 12 December | 314 | 3.3 | 3.3 | 100.0 |
| | Total | 9531 | 100.0 | 100.0 | |

kl990b E2: Date questionnaire completed - year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 1996 | 4872 | 51.1 | 51.1 | 51.1 |
| | 1997 | 4622 | 48.5 | 48.5 | 99.6 |
| | 1998 | 31 | .3 | .3 | 99.9 |
| | 1999 | 3 | .0 | .0 | 100.0 |
| | 2000 | 3 | .0 | .0 | 100.0 |
| | Total | 9531 | 100.0 | 100.0 | |

kl990c DV: Date of receipt used instead of date of completion

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 176 | 1.8 | 1.8 | 1.8 |
| | 2 No | 9355 | 98.2 | 98.2 | 100.0 |
| | Total | 9531 | 100.0 | 100.0 | |

KL File – Section G

Derived Variables - Age at Completion


The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

kl991a DV: Age of study child at completion (months)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 56 | 27 | .3 | .3 | .3 |
| | 57 | 6883 | 72.2 | 72.2 | 72.5 |
| | 58 | 1728 | 18.1 | 18.1 | 90.6 |
| | 59 | 358 | 3.8 | 3.8 | 94.4 |
| | 60 | 300 | 3.1 | 3.1 | 97.5 |
| | 61 | 130 | 1.4 | 1.4 | 98.9 |
| | 62 | 43 | .5 | .5 | 99.3 |
| | 63 | 22 | .2 | .2 | 99.6 |
| | 64 | 9 | .1 | .1 | 99.7 |
| | 65 | 6 | .1 | .1 | 99.7 |
| | 66 | 5 | .1 | .1 | 99.8 |
| | 67 | 4 | .0 | .0 | 99.8 |
| | 68 | 4 | .0 | .0 | 99.9 |
| | 71 | 1 | .0 | .0 | 99.9 |
| | 72 | 1 | .0 | .0 | 99.9 |
| | 73 | 2 | .0 | .0 | 99.9 |
| | 74 | 1 | .0 | .0 | 99.9 |
| | 75 | 1 | .0 | .0 | 99.9 |
| | 77 | 2 | .0 | .0 | 100.0 |
| | 80 | 1 | .0 | .0 | 100.0 |
| | 88 | 1 | .0 | .0 | 100.0 |
| | 93 | 1 | .0 | .0 | 100.0 |
| | 94 | 1 | .0 | .0 | 100.0 |
| | Total | 9531 | 100.0 | 100.0 | |

KL File – Section G

kl991b



plus the following outliers > 280:

kl991b DV: Age of study child at completion (weeks)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----|-----------|---------|---------------|--------------------|
| Valid | 281 | 2 | 5.7 | 5.7 | 5.7 |
| | 282 | 3 | 8.6 | 8.6 | 14.3 |
| | 283 | 2 | 5.7 | 5.7 | 20.0 |
| | 285 | 1 | 2.9 | 2.9 | 22.9 |
| | 286 | 2 | 5.7 | 5.7 | 28.6 |
| | 287 | 1 | 2.9 | 2.9 | 31.4 |
| | 288 | 1 | 2.9 | 2.9 | 34.3 |
| | 289 | 1 | 2.9 | 2.9 | 37.1 |
| | 290 | 2 | 5.7 | 5.7 | 42.9 |
| | 293 | 2 | 5.7 | 5.7 | 48.6 |
| | 295 | 2 | 5.7 | 5.7 | 54.3 |
| | 296 | 1 | 2.9 | 2.9 | 57.1 |
| | 299 | 2 | 5.7 | 5.7 | 62.9 |
| | 300 | 1 | 2.9 | 2.9 | 65.7 |
| | 308 | 1 | 2.9 | 2.9 | 68.6 |
| | 316 | 1 | 2.9 | 2.9 | 71.4 |
| | 319 | 2 | 5.7 | 5.7 | 77.1 |
| | 323 | 1 | 2.9 | 2.9 | 80.0 |
| | 329 | 1 | 2.9 | 2.9 | 82.9 |
| | 334 | 1 | 2.9 | 2.9 | 85.7 |
| | 338 | 1 | 2.9 | 2.9 | 88.6 |
| | 349 | 1 | 2.9 | 2.9 | 91.4 |
| | 386 | 1 | 2.9 | 2.9 | 94.3 |
| | 405 | 1 | 2.9 | 2.9 | 97.1 |
| | 411 | 1 | 2.9 | 2.9 | 100.0 |
| Total | | 35 | 100.0 | 100.0 | |

KL File – Section G

G3. Please give the date of birth of your child:

| | | |
|---|---|---|
| day | month | year |
| <input type="text"/> <input type="text"/> | <input type="text"/> <input type="text"/> | <input type="text"/> 1 <input type="text"/> 9 <input type="text"/> 9 <input type="text"/> |

[Editing: Note that this reported date of birth is not used.]

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comments you would like to make

NB. Please remember that we cannot respond personally to your comments unless they are signed.

When completed, please return the questionnaire to:

**Professor Jean Golding
Children of the Nineties - ALSPAC
Institute of Child Health
24 Tyndall Avenue
Bristol
BS8 1BR Tel: Bristol 9285007**

For office use only:

| | | | |
|-------|---|-----|---|
| Coder | <input type="text"/> <input type="text"/> | Int | <input type="text"/> <input type="text"/> |
|-------|---|-----|---|

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. Note that this is the 2003 revision, which dates from some time after this questionnaire was coded. However, the revision did not alter the content but rather streamlined the text by simplifying sentences and introducing headings. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

KL File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow "Post-It" sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder's responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder's marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person's work at regular intervals in order to strive for maximum accuracy.

KL File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

KL File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

KL File – Appendix B

Coding instructions for first version (8/12/95) "Development and Health of My Son/Daughter"

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the "Development and Health of My Son/Daughter replies

Follow the general rules outlined in the "General coding instruction for ALSPAC questionnaires - 2nd revision " document.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 8/12/95.

*****If the questionnaire is all blank, e.g. the woman didn't want to fill in the form, write "ALL BLANK" on the front cover and move on to the next questionnaire.

Page 2 Section A

| | | |
|---------|----|--|
| A1 i,ii | 8 | |
| A2 | I | "sometimes"=1 |
| A2i | 8 | |
| A2ii | II | If part years given, round down to the next lower age. |

| | |
|-----|---|
| A3a | I |
|-----|---|

Page 3

| | |
|----------|---|
| A3b | 8 |
| A4a to p | 7 |

Page 4

| | | |
|--|----|---|
| A4q to t | 7 | |
| A4u | 7 | If something is written on the 'please describe' line, and there is no corresponding tick on A4u, please code A4u as zero to indicate a text response |
| A5a | I | |
| A5b | II | If a range is given, take the higher number |
| A5c 1 st admission - age | II | If part years given, round down to the next lower age. If there is anything relevant here , please ensure that thereis a count in A5b. |
| A5c 1 st admission - reason | | Not being coded here |
| A5c 1 st admission - No of nights | II | This is the number of midnights spent in hospital. If the child was discharged without staying overnight, or if it was day care only, code as zero. |
| 2 nd , 3 rd admissions | | As 1 st admission. |

Page 5

| | | |
|--|---|--|
| A5d 1 st admission | 7 | |
| 2 nd , 3 rd admissions | 7 | |
| A6a to g | I | |
| A6h | I | If something relevant is written on the 'please describe' line, please |

KL File – Appendix B

ensure that there is a corresponding ‘yes’ tick on A6h.

A7a I

Page 6

| | |
|------------|---|
| A7b | 8 |
| A7c | 8 |
| A7d | 7 |
| A7e | 7 |
| A7fi to iv | I |
| A7fv | I |

If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A7fv.

Page 7

| | |
|-----|---|
| A7g | I |
| A8a | I |
| A8b | 7 |
| A8c | I |
| A8d | I |
| A8e | I |

| | | |
|------------|----------------------|--|
| A9a, b | I | Code ‘sometimes’ as yes. |
| If yes,... | Not being coded here | If something is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A9a or b. |

Page 8

| | | |
|--------|----------------------|---|
| A9c | I | Code ‘sometimes’ as yes. |
| A10 | I | |
| A10i | Not being coded here | If something is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A10. |
| A10ii | Not being coded here | If something is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A10. |
| A10iii | I | If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on A10iii, please code A10iii as “mouth” or “other part”, or else as zero, depending on the text response. If 1 and 2 are ticked, code as 3. |
| A11a | I | |
| A11b | 8 | |

Page 9

| | | |
|------------|----|---|
| A11ci | 7 | |
| A11cii | 7 | |
| A12a | I | |
| A12b | II | |
| A12c | II | Round up fractions to next whole day |
| A12di | I | |
| A12dii,iii | I | |
| A12div | I | If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A12div. |

KL File – Appendix B

A12e

I

Page 10

| | | |
|--------|----------------------|---|
| A12ei | 8 | |
| A12f | I | |
| A12fi | Not being coded here | If something is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A12fi. |
| A12fii | 8 | |
| A12g | | Not being coded here |
| A13a | I | |
| A13b | 8 | |

Page 11

| | | |
|------|---|--|
| A13c | 7 | |
| A13d | 7 | |
| A14a | 8 | |
| A14b | 8 | |
| A14c | 7 | |

Page 12

| | | |
|----------|---|--|
| A14di | 8 | |
| A14dii | 7 | |
| A14diii | 7 | |
| A14div | 8 | |
| A14e | 8 | |
| A14fi,ii | 7 | |

Page 13

| | | |
|------|---|--|
| A14g | 7 | |
| A14h | 7 | |
| A15a | I | |
| A15b | 8 | |
| A15c | 7 | |

Page 14

| | | |
|--------------|----------------------|---|
| A15di to iii | I | 'Dont Know' responses should be put in A15d(v) - leave the corresponding component of (i) to (iv) unticked. |
| A15div | I | If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A15div. |
| A15dv | I | |
| A16a | I | |
| A16bi | I | |
| A16bii | Not being coded here | If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A16bi. |
| A16biii | I | |
| If yes,... | Not being coded here | If something is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A16biii. |

Page 15

KL File – Appendix B

| | | |
|------|----------------------|---|
| A17a | I | |
| A17b | Not being coded here | If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A17a. |
| A17c | I | |
| A17d | 7 | |
| A17e | 8 | |

Page 16

| | | |
|-------------|----------------------|---|
| A17fi to iv | I | |
| A17g | Not being coded here | |
| A17h | I | |
| If yes,... | Not being coded here | If something is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A17h. |
| A17ji to v | I | |
| A17jvi | I | If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A17jvi. |
| A17jvii | I | |

Page 17

| | | |
|-----------|----|---|
| A18a to j | I | |
| A18k | I | If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A18k. |
| A19a to c | II | If a range is given, take the upper limit. |

Page 18, Section B

| | | |
|---------|-------|---|
| B1 | I | Code “varies, sometimes” as 3, |
| B2a | 7 | |
| B2b | II,II | Note that this question is asked, expecting a p.m. time, so code it on the 12-hour clock basis. So, code 19.30 as 0730, and code 7.30 as 0730 as well. P.M is assumed. If a range of times is given take the later. |
| B3a | II,II | As B2b, but assuming A.M. times. If a range is given, take the earliest. |
| B3b, c | II | If a range is given, take the upper limit. |
| B4ai,ii | I | If more than one box is ticked, tick “other” instead, and list the numbers of boxes originally ticked on the dotted line. If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on B4a, please code B4a as zero to indicate a text response. Try and determine whether it should be on B4ai or B4aii - if you can’t, code both as zero. |

Page 19

| | | |
|-------------|---|--------------------|
| B4bi,ii | I | As B4a |
| B4ci to iii | 7 | Code “never” as 5. |

Page 20

| | | |
|--------------------|---|---------------------|
| B4di to vi, Winter | I | Code “varies” as 2. |
| B4di to vi, Summer | I | Code “varies” as 2. |
| B5 | 8 | Excluding ‘9’ |

Page 21

KL File – Appendix B

| | | |
|----------|--------|--------|
| B6a to g | 8 | |
| B7 | II, II | As B2b |

Page 22, Section C

| | | |
|-----|---|---|
| C1a | 8 | Code zero if C1b is answered, and C1a is not. |
| C1b | | Not being coded here |
| C1c | I | If 1 and 2 are both ticked, or “sometimes” is written by the side, code as 3. |
| C2 | 7 | |

Page 23

| | | |
|--------------|---|---|
| C3a | 7 | |
| C3bi to iv | I | |
| C3bv | I | If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on C3bv. |
| C3ci to ii | 7 | |
| C3ciii to iv | 8 | |

Page 24

| | | |
|----------------|---|--|
| C3cv, vi, viii | 7 | |
| C3cvii | 8 | |
| C3cix | 7 | If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on C3cix, please code C3cix as zero to indicate a text response |
| C4a,b | 7 | |
| C4c | 7 | If something is written on the ‘please describe’ line, and there is no corresponding tick on C4c, please code C4c as zero to indicate a text response |

| | | |
|----------|---|--|
| C5a to d | 8 | |
|----------|---|--|

Page 25

| | | |
|--------------|---|---|
| C5e to j | 8 | |
| C6 Main meal | I | Code as style 7 for multiple ticks, unless a preference is stated. E.g. “usually 2, sometimes 1” is coded as 2. |
| C6 Snacks | I | As for main meal. |
| C7 | 8 | |

Page 26

| | | |
|----------|---|--|
| C8a to g | I | This question is about ownership - if the child has access to the toys elsewhere, code as 4. |
| C9 | 7 | Code “shares with others” as 1 (i.e. the same as the “none” response) |
| C10 | 7 | |
| C11a | I | |

KL File – Appendix B

Page 27

| | | |
|---------------|---|--|
| C11b | 7 | Code this even if C11a is “no”, implying the child watches someone else’s TV |
| C11c Weekdays | 7 | Code as ‘6’ for “specific programmes only” |
| C11c Weekends | 7 | As for weekdays. |
| C11d i to iii | I | Code - multiple ticks - different reactions to different programmes as 2. |
| C11e i to iv | I | |

Page 28

| | |
|--------------|---|
| C11f | 7 |
| C12 | 8 |
| C13 | 8 |
| C14a i to iv | 7 |

Page 29

| | |
|---------------|---|
| C14a v to vii | 7 |
| C14b i to ix | 7 |

Page 30

| | |
|---------------|---|
| C14b x to xii | 7 |
| C14c i to iii | 7 |
| C14c iv | 8 |
| C14c v | 7 |
| C14c vi | 8 |
| C15 | 7 |

Page 31

| | | |
|-----------|---|--|
| C16 | 7 | Code “occasionally”, ” rarely” as 2. |
| C17 | | Not being coded here |
| C18a to l | 8 | |
| C18m | 8 | If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on C18m, please code C18m as zero to indicate a text response |

Page 32

| | |
|------------|---|
| C19 a to l | 8 |
| C19m | 8 |

If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on C19m, please code C19m as zero to indicate a text response

Page 33

| | | |
|-----------|---|--|
| C20a to d | 8 | C20 a to l ...code "every 6 weeks" as "once a month". Code "not very often" or "twice a year" etc as 6, meaning "rarely" Do not count school playground |
| C20e | 8 | If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on C20e, please code C20e as zero to indicate a text response |

KL File – Appendix B

| | | |
|-----------|---|--|
| C20f | 8 | |
| C20g | 8 | If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on C20g, please code C20g as zero to indicate a text response |
| C20h | 8 | If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on C20h, please code C20h as zero to indicate a text response |
| C20i to l | 8 | (k) Allow school computer. |
| C21 | I | |

Page 34, Section D

| | |
|----------|---|
| D1 to 12 | 7 |
|----------|---|

Page 35

| | | |
|-----------|---|--|
| D13 to 15 | 7 | |
| D16 | 7 | Please ensure that any writing in the box is relevant to one of the asterisked D questions. If the relevant question does not have a tick, code it as 0. If the writing does not refer to one of the asterisked questions, make sure that D16 is ticked, and, if it isn't, code a ‘0’ there to indicate that another upsetting event has occurred. |

Page 36, Section E

In E1 to 7, code “sometimes/occasionally” as 2.

| | |
|----------|---|
| E1a to m | 8 |
|----------|---|

Page 37

| | | |
|----------|---|---|
| E1n to u | 8 | E1p, If they mention stabilisers, recode the answer to E1o. |
| E2a to f | 8 | |

Page 38

| | | |
|----------|---|---|
| E2g to i | 8 | |
| E2j | 7 | If 6 is ticked as well as another box, recode as 6 and write e.g.3+...on the dotted line. |

| | |
|----------|---|
| E3a to g | 8 |
|----------|---|

Page 39

| | |
|----------|---|
| E4a to o | 8 |
|----------|---|

Page 40

| | |
|----------|---|
| E5a to k | 8 |
|----------|---|

Page 41

| | |
|----------|---|
| E6a to l | 8 |
|----------|---|

Page 42

| | |
|----------|---|
| E7a to j | 8 |
|----------|---|

KL File – Appendix B

Page 43

| | |
|----------|---|
| E8a to e | 7 |
| E9a | 7 |
| E9b | 7 |

Page 44

| | | |
|-------------|----------------------|---|
| E10a | 8 | |
| E10b to d | 7 | |
| E11a | I | |
| E11b | Not being coded here | If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on E11a. |
| E12a | I | |
| If yes,.... | Not being coded here | If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on E12a. |

Page 45

| | | |
|-------------|---|------------------------|
| E12bi | I | |
| E12bii | I | |
| E12biii, iv | I | |
| E13a to f | I | Code "sometimes" as 1. |

Page 46

| | | |
|-------------|----------------------|--|
| If yes,.... | Not being coded here | Please ensure that anything relevant here has an appropriate code on E13a-f. |
|-------------|----------------------|--|

Page 47, Section F

| | |
|---------------|---|
| F1,2,6,7,11 | 8 |
| F3,4,5,8,9,10 | 7 |

Page 48

| | |
|--------------|---|
| F12,13,20 | 7 |
| F14-19,21-24 | 8 |

Page 49

| | |
|------------|---|
| F25 to F35 | 8 |
|------------|---|

Page 50

| | | |
|-----------|---|--------------------|
| F36,37,38 | 8 | |
| F39-42 | 7 | |
| F43 | I | |
| F44 | 8 | |
| F45 | 7 | Depends/varies =9. |
| F46 | 8 | |

KL File – Appendix B

Page 51

| | | |
|-----|---|----------|
| F47 | 8 | |
| F48 | 7 | |
| F49 | 8 | |
| F50 | 7 | |
| F51 | 7 | Varies=9 |
| F52 | 7 | |

Page 52

| | | |
|--------|---|--|
| F53 | 8 | |
| F54-59 | 8 | |

Page 53

| | | |
|-----------|---|--|
| F60,61 | 7 | |
| F62a | I | Count sibs not living with her, or step sibs living with her, etc. |
| F62b to e | 8 | |
| F62f | 7 | |
| F62g | 8 | |

Page 54

| | | |
|-----------|---|--|
| F63a | I | Sibs not living with her, or step sibs living with her, etc should be dealt with in F62. |
| F63b to e | 8 | |
| F63f | 7 | |
| F63g | 8 | |

F64a to f I Code “sometimes” as 1.

Page 55

| | | |
|-----------|---|---|
| F64g,h | I | |
| F64i | I | If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on F64i. |
| F65a,b | 7 | |
| F66a,b | 7 | |
| F67a to e | 8 | |

Page 56

| | | |
|------------|---|--|
| F68a,d,e,f | 7 | |
| F68b,c | 8 | |
| F69a,b,c | I | |

KL File – Appendix B

Page 57

F70 a to e Adults 8
F70 a to e Children 8

F71 a to e Adults 8
F71 a to e Children 8

Page 58

| | | |
|-----------|---|---|
| F72a to t | I | Code “sometimes” as 3. |
| F72u | I | If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on F72u. |

Page 59

| | | |
|------------|----------------------|--|
| F73a to c | 8 | If still wearing nappies, code as zero. |
| F74a to d | 8 | |
| F75 | I | ***IF NO IS TICKED, CODE AS 2*** |
| If yes,... | Not being coded here | If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on F75. |
| F76 | Not being coded here | |

Page 60, Section G

| | | |
|-------|----|--|
| G1a,b | I | |
| G1c | I | If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on G1c. |
| G2 | IV | If left blank, copy month and year that the form was returned from the front cover. |
| G3 | IV | As G2, using child’s date of birth from front cover. |

Bottom of Page 60, For Office Use Only

| | |
|-------|---|
| Coder | Insert your initials here. |
| Int. | If the questionnaire was completed with the aid of an interviewer, there will be initials here. |

END OF QUESTIONNAIRE
Hugh Simmons 30/3/98 \nucoding\devhmsd1

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. If a response was not received after 3 weeks a reminder letter was sent. If there had still not been a response after a further 3 weeks then a second reminder was sent out. If there was still no response 3 weeks after the second reminder had been sent then the case was flagged as being eligible for personal contact by a member of the Family Liaison Team.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20, separately for the male and female versions.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of SPSS data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were put together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifiers ALN & QLET. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variable for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letters “kl” which are followed by three digits and occasionally a further letter. Then the data from the back page (section G) were edited as

KL File – Appendix C

described in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t know” were recoded to –9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to –8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

| Value | Label | Comment |
|--------------|---------------|--|
| -1 | No response | The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question. |
| -8 | Text response | The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options |
| -9 | Don’t know | The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”. |
| -10 | Not completed | No completed questionnaire is available for this case. Variable KL007a = 2 for all such cases. |

At some point in the future the data will be reissued as a “built” with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.