

THE ALSPAC STUDY

PF FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Partner's Health, Events And Feelings

At 33 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 1a of the release file.

December 2008

© University of Bristol

Contents

Introduction		Page 3
Section A	Your Health	
	Text	Page 7
	Frequencies	Page 13
Section B	More About Yourself	
	Text	Page 33
	Frequencies	Page 37
Section C	Your Opinion Of Yourself	
	Text	Page 50
	Frequencies	Page 51
Section D	Your Feelings	
	Text	Page 54
	Frequencies	Page 58
Section E	Recent Events	
	Text	Page 67
	Frequencies	Page 70
Section F	Your Partner	
	Text	Page 81
	Frequencies	Page 88
Section G	Your Occupation And Lifestyle	
	Text	Page 115
	Frequencies	Page 119
Section H	Your Home And Neighbourhood	
	Text	Page 130
	Frequencies	Page 132
Section I	Chemicals In Your Environment	
	Text	Page 138
	Frequencies	Page 141
Section J		Page 151
Appendix A	General Coding Instructions	Page 160
Appendix B	Specific Coding Instructions	Page 164
Appendix C	Questionnaire Methodology	Page 172

Introduction

Contents

This questionnaire was sent out in a pack addressed to the carer of the study child when her/his study child was 33 months old. The pack contained a copy of "Your Health, Events And Feelings" for the carer to complete and a copy of this questionnaire to hand to her/his partner if they wished to do so. It is in 10 sections. Section A contains standard ALSPAC health related questions including drug use and hospital admissions. Section B contains questions about laterality adapted from (Coren, 1992) and also asks about the respondent's childhood, including issues of abuse. Section C contains the Bachman self esteem scale (Bachman & O'Malley, 1977) while section D contains the Crown Crisp Experiential Index (Crown & Crisp, 1979) and the Edinburgh Postnatal Depression scale (Cox, Holden, & Sagovsky, 1987). Section E asks about life events since the study child was 18 months old. Section F contains questions about the respondent's partner and their relationship, including included a series of 24 questions which form part of the Intimate Bond Measure (Wilhelm & Parker, 1988) and also asks about the respondent's relationship with the study child. Section G asks about exercise, occupation, travel, smoking and drinking and section H contains a few questions about the respondent's home and neighbourhood. Section I collects information about exposure to various chemicals. Finally, section J collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There were two versions of this questionnaire, with version 2 containing three minor alterations to the text on the back page (p36). There was no change to the text of any of the questions. This documentation is based around the text of version 2.

Sample & response rates

There are a total of 14,655 records on this built file. This number is made up of the 14,541 pregnancies in the core ALSPAC sample (regardless of whether or not the 47-month partner questionnaire was sent out for them or whether they were returned) plus 114 eligible pregnancies not in the core sample for which the questionnaire was sent out. Note that this questionnaire was not returned for any of the 114 pregnancies not in the core sample.

Of the 14,541 pregnancies in the core ALSPAC sample, 13,868 resulted in at least one live born child. The 33-month partner questionnaire was sent out for 11,971 (86%) of these pregnancies. As of 30th September 2008 completed questionnaires had been returned for 5,453 (46%) of these pregnancies, which is 39% of the 13,868 pregnancies that resulted in at least one live born child. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

For reasons of confidentiality the data from 1 triplet pregnancy are not available, with the questionnaire variables being set to -11. The administrative variables are available for this case.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Release file version history

Release version 1a – December 2008

The first version of the release file.

References

Bachman, J. G., & O'Malley, P. M. (1977). Self-Esteem in Young Men - Longitudinal Analysis of Impact of Educational and Occupational Attainment. *Journal of Personality and Social Psychology*, 35(6), 365-380.

Coren, S. (1992). *Left Hander: Everything You Need to Know About Left-handedness*. London: John Murray.

Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of Postnatal Depression - Development of the 10-Item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, 150, 782-786.

Crown, S., & Crisp, A. H. (1979). *Manual of the Crown-Crisp Experiential Index*. London: Hodder & Stoughton.

Wilhelm, K., & Parker, G. (1988). The Development of a Measure of Intimate Bonds. *Psychological Medicine*, 18(1), 225-234.

PF File - Introduction

Administrative variables

pf0001 Questionnaire sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	12085	82.5	82.5	82.5
2 No	2570	17.5	17.5	100.0
Total	14655	100.0	100.0	

pf0005 Questionnaire return status (as of 30/09/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Not returned	6382	43.5	52.8	52.8
2 Returned, completed	5453	37.2	45.1	97.9
3 Returned, blank	250	1.7	2.1	100.0
Total	12085	82.5	100.0	
Missing -2 Questionnaire not sent	2570	17.5		
Total	14655	100.0		

pf0006 Questionnaire returned (as of 30/09/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5703	38.9	47.2	47.2
2 No	6382	43.5	52.8	100.0
Total	12085	82.5	100.0	
Missing -2 Questionnaire not sent	2570	17.5		
Total	14655	100.0		

pf0007 Questionnaire completed (as of 30/09/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5453	37.2	45.1	45.1
2 No	6632	45.3	54.9	100.0
Total	12085	82.5	100.0	
Missing -2 Questionnaire not sent	2570	17.5		
Total	14655	100.0		

pf0007a Data available (as of 30/09/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5452	37.2	37.2	37.2
2 No	9203	62.8	62.8	100.0
Total	14655	100.0	100.0	

pf0008 Questionnaire version

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Version 1 - 31/03/94	3296	22.5	60.5	60.5
2 Version 2 - 01/10/94	2156	14.7	39.5	100.0
Total	5452	37.2	100.0	
Missing -11 Triplet / quadruplet	1	.0		
-10 Not completed	9202	62.8		
Total	9203	62.8		
Total	14655	100.0		

Questionnaire No:

PARTNER'S HEALTH, EVENTS AND FEELINGS

This questionnaire asks about your lifestyle and the role you have in bringing up a child and any problems you have.

It asks you a number of questions. To answer you simply tick the box which is most accurate in your opinion.

Please answer all questions if you can, even if some are similar to those you may have answered before. If you cannot answer a question or if it does not apply to you, put a line through it. There are no good or bad answers. Just tell us what you think. All answers are confidential.

THANK YOU VERY MUCH FOR YOUR HELP

01/10/94

Recycled Paper

PAGE 2 OF THE QUESTIONNAIRE

SECTION A: YOUR HEALTH

A1. Which of the following would you say describes your health now?

- | | |
|-------------------------|---|
| fit and well | 1 |
| mostly well and healthy | 2 |
| often feel unwell | 3 |
| hardly ever feel well | 4 |

A2. Have you had any of the following since your study child was 18 months old?

- | | Yes and
consulted
doctor | Yes but
did not
consult
doctor | No
↓ |
|---|---|---|----------------|
| a) anxiety or 'nerves' | 1 | 2 | 3 |
| b) depression | 1 | 2 | 3 |
| c) headache or migraine | 1 | 2 | 3 |
| d) back ache | 1 | 2 | 3 |
| e) indigestion | 1 | 2 | 3 |
| f) cough or cold | 1 | 2 | 3 |
| g) haemorrhoids/piles | 1 | 2 | 3 |
| h) influenza | 1 | 2 | 3 |
| i) wheezing | 1 | 2 | 3 |
| j) bronchitis | 1 | 2 | 3 |
| k) stomach ulcer | 1 | 2 | 3 |
| l) eczema | 1 | 2 | 3 |
| m) psoriasis | 1 | 2 | 3 |
| n) arthritis | 1 | 2 | 3 |
| o) rheumatism | 1 | 2 | 3 |
| p) urinary infection | 1 | 2 | 3 |
| q) other problems
(please tick and describe) | 1 | 2 | 3 |

.....

PAGE 3 OF THE QUESTIONNAIRE

A3. Since your study child was 18 months old how often have you taken the following?

I have taken:		Every day	Often	Sometimes	Not at all
a)	sleeping pills	1	2	3	4
b)	vitamins	1	2	3	4
c)	cannabis/marihuana	1	2	3	4
d)	tranquillisers	1	2	3	4
e)	pills for depression	1	2	3	4
f)	antibiotics	1	2	3	4
g)	painkillers (aspirin, paracetamol, etc)	1	2	3	4
h)	amphetamines or other stimulants	1	2	3	4
i)	iron	1	2	3	4
j)	heroin, methadone, crack, cocaine	1	2	3	4
k)	anticonvulsants	1	2	3	4
l)	steroids	1	2	3	4

Other pill, medicine, treatment, drug or medicine (please describe each and state how frequently taken (since your study child was 18 months old)).

m)	1	2	3	4
n)	1	2	3	4
o)	1	2	3	4

PAGE 4 OF THE QUESTIONNAIRE

A4. Please list all the names of the actual medicines, pills or ointments that you have taken in the past month:

For office use

	What did you take:	About how many days did you take or use it?	How often per day?
1.
2.
3.
4.
5.
6.
7.
8.
9.
10.

Check Have you included iron tablets, laxatives, vitamins, sleeping tablets, aspirin, cough mixture, pain killers, herbal medicine and homeopathic preparations?

PAGE 5 OF THE QUESTIONNAIRE

A5. a) Since your study child was 18 months old have you had to go and stay in hospital?

Yes 1 No 2 → If no, go to A6 below

If yes,

b) how many times?

Please describe for each admission.

	1st admission	2nd admission	3rd admission
c) How old was your study child?	months	months	months
d) What were the reasons for your admission? (please describe)

e) How long did you stay?	days	days	days

A6. In the past month, have you had any of the following:

In the past month:	Almost all the time	Sometimes	Not at all
a) backache	1	2	3
b) headaches or migraines	1	2	3
c) urinary infection	1	2	3
d) nausea	1	2	3
e) vomiting	1	2	3
f) diarrhoea	1	2	3
g) haemorrhoids or piles	1	2	3

PAGE 6 OF THE QUESTIONNAIRE

A6. In the past month:	Almost all the time	Sometimes	Not at all
h) feeling weepy/tearful	1	2	3
i) feeling irritable	1	2	3
j) feeling exhausted	1	2	3
k) varicose veins	1	2	3
l) passing urine very often	1	2	3
m) problem holding urine when you jump, sneeze etc	1	2	3
n) indigestion	1	2	3
o) feeling dizzy/fainting	1	2	3
p) flashing lights/spots before eyes	1	2	3
q) shoulder ache	1	2	3
r) tingling in hands/fingers	1	2	3
s) tingling in feet/toes	1	2	3
t) neck ache	1	2	3
u) feeling depressed	1	2	3
v) other problem (please tick and describe)	1	2	3

.....

.....

PAGE 7 OF THE QUESTIONNAIRE

A7. a) How often are you having sexual intercourse now?

- | | |
|------------------------|---|
| not at all | 1 |
| less than once a month | 2 |
| 1-3 times a month | 3 |
| about once a week | 4 |
| 2-4 times a week | 5 |
| 5 or more times a week | 6 |

b) In general do you enjoy it?

- | | |
|----------------------|---|
| yes, very much | 1 |
| yes, somewhat | 2 |
| no, not a lot | 3 |
| no, not at all | 4 |
| no sex at the moment | 5 |

PF File – Section A

pf1000 A1: Assessment of partner's current health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Fit and well	3341	61.3	62.8	62.8
	2 Mostly well and healthy	1820	33.4	34.2	97.1
	3 Often feel unwell	142	2.6	2.7	99.7
	4 Hardly ever feel well	14	.3	.3	100.0
	Total	5317	97.5	100.0	
Missing	-1 No response	135	2.5		
Total		5452	100.0		

pf1010 A2a: Partner has had anxiety or nerves since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	128	2.3	2.5	2.5
	2 Yes, but did not consult doctor	744	13.6	14.7	17.2
	3 No	4196	77.0	82.8	100.0
	Total	5068	93.0	100.0	
Missing	-1 No response	384	7.0		
Total		5452	100.0		

pf1011 A2b: Partner has had depression since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	106	1.9	2.1	2.1
	2 Yes, but did not consult doctor	558	10.2	11.0	13.1
	3 No	4402	80.7	86.9	100.0
	Total	5066	92.9	100.0	
Missing	-1 No response	386	7.1		
Total		5452	100.0		

pf1012 A2c: Partner has had headache or migraine since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	153	2.8	3.0	3.0
	2 Yes, but did not consult doctor	2775	50.9	53.7	56.7
	3 No	2238	41.0	43.3	100.0
	Total	5166	94.8	100.0	
Missing	-1 No response	286	5.2		
Total		5452	100.0		

pf1013 A2d: Partner has had back ache since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	414	7.6	8.1	8.1
	2 Yes, but did not consult doctor	2037	37.4	39.6	47.7
	3 No	2690	49.3	52.3	100.0
	Total	5141	94.3	100.0	
Missing	-1 No response	311	5.7		
Total		5452	100.0		

PF File – Section A

pf1014 A2e: Partner has had indigestion since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	102	1.9	2.0	2.0
	2 Yes, but did not consult doctor	1704	31.3	33.5	35.5
	3 No	3277	60.1	64.5	100.0
	Total	5083	93.2	100.0	
Missing	-1 No response	369	6.8		
Total		5452	100.0		

pf1015 A2f: Partner has had cough or cold since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	279	5.1	5.3	5.3
	2 Yes, but did not consult doctor	3883	71.2	74.4	79.7
	3 No	1060	19.4	20.3	100.0
	Total	5222	95.8	100.0	
Missing	-1 No response	230	4.2		
Total		5452	100.0		

pf1016 A2g: Partner has had haemorrhoids/piles since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	95	1.7	1.9	1.9
	2 Yes, but did not consult doctor	513	9.4	10.2	12.0
	3 No	4446	81.5	88.0	100.0
	Total	5054	92.7	100.0	
Missing	-1 No response	398	7.3		
Total		5452	100.0		

pf1017 A2h: Partner has had influenza since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	219	4.0	4.3	4.3
	2 Yes, but did not consult doctor	735	13.5	14.5	18.8
	3 No	4111	75.4	81.2	100.0
	Total	5065	92.9	100.0	
Missing	-1 No response	387	7.1		
Total		5452	100.0		

pf1018 A2i: Partner has had wheezing since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	172	3.2	3.4	3.4
	2 Yes, but did not consult doctor	377	6.9	7.5	10.9
	3 No	4508	82.7	89.1	100.0
	Total	5057	92.8	100.0	
Missing	-1 No response	395	7.2		
Total		5452	100.0		

PF File – Section A

pf1019 A2j: Partner has had bronchitis since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	91	1.7	1.8	1.8
	2 Yes, but did not consult doctor	54	1.0	1.1	2.9
	3 No	4887	89.6	97.1	100.0
	Total	5032	92.3	100.0	
Missing	-1 No response	420	7.7		
Total		5452	100.0		

pf1020 A2k: Partner has had stomach ulcer since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	30	.6	.6	.6
	2 Yes, but did not consult doctor	19	.3	.4	1.0
	3 No	4975	91.3	99.0	100.0
	Total	5024	92.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	427	7.8		
	Total	428	7.9		
Total		5452	100.0		

pf1021 A2l: Partner has had eczema since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	105	1.9	2.1	2.1
	2 Yes, but did not consult doctor	292	5.4	5.8	7.9
	3 No	4650	85.3	92.1	100.0
	Total	5047	92.6	100.0	
Missing	-1 No response	405	7.4		
Total		5452	100.0		

pf1022 A2m: Partner has had psoriasis since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	61	1.1	1.2	1.2
	2 Yes, but did not consult doctor	97	1.8	1.9	3.1
	3 No	4873	89.4	96.9	100.0
	Total	5031	92.3	100.0	
Missing	-1 No response	421	7.7		
Total		5452	100.0		

pf1023 A2n: Partner has had arthritis since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	61	1.1	1.2	1.2
	2 Yes, but did not consult doctor	64	1.2	1.3	2.5
	3 No	4903	89.9	97.5	100.0
	Total	5028	92.2	100.0	
Missing	-1 No response	424	7.8		
Total		5452	100.0		

PF File – Section A

pf1024 A2o: Partner has had rheumatism since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	19	.3	.4	.4
	2 Yes, but did not consult doctor	62	1.1	1.2	1.6
	3 No	4941	90.6	98.4	100.0
	Total	5022	92.1	100.0	
Missing	-1 No response	430	7.9		
Total		5452	100.0		

pf1025 A2p: Partner has had urinary infection since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and consulted doctor	73	1.3	1.5	1.5
	2 Yes, but did not consult doctor	30	.6	.6	2.1
	3 No	4917	90.2	97.9	100.0
	Total	5020	92.1	100.0	
Missing	-1 No response	432	7.9		
Total		5452	100.0		

pf1026 A2q: Partner has had other problems since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	33	.6	.7	.7
	1 Yes, and consulted doctor	468	8.6	10.2	10.9
	2 Yes, but did not consult doctor	82	1.5	1.8	12.7
	3 No	4023	73.8	87.3	100.0
	Total	4606	84.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	845	15.5		
	Total	846	15.5		
Total		5452	100.0		

PF File – Section A

pf1030 A3a: Frequency partner has taken sleeping pills since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2	.0	.0	.0
	2 Often	4	.1	.1	.1
	3 Sometimes	96	1.8	1.8	1.9
	4 Not at all	5243	96.2	98.1	100.0
	Total	5345	98.0	100.0	
Missing	-1 No response	107	2.0		
Total		5452	100.0		

pf1031 A3b: Frequency partner has taken vitamins since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	206	3.8	3.8	3.8
	2 Often	220	4.0	4.1	7.9
	3 Sometimes	931	17.1	17.4	25.3
	4 Not at all	4003	73.4	74.7	100.0
	Total	5360	98.3	100.0	
Missing	-1 No response	92	1.7		
Total		5452	100.0		

pf1032 A3c: Frequency partner has taken cannabis/marihuana since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	52	1.0	1.0	1.0
	2 Often	63	1.2	1.2	2.2
	3 Sometimes	236	4.3	4.4	6.6
	4 Not at all	4993	91.6	93.4	100.0
	Total	5344	98.0	100.0	
Missing	-1 No response	108	2.0		
Total		5452	100.0		

pf1033 A3d: Frequency partner has taken tranquillisers since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2	.0	.0	.0
	2 Often	2	.0	.0	.1
	3 Sometimes	27	.5	.5	.6
	4 Not at all	5306	97.3	99.4	100.0
	Total	5337	97.9	100.0	
Missing	-1 No response	115	2.1		
Total		5452	100.0		

PF File – Section A

pf1034 A3e: Frequency partner has taken pills for depression since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	23	.4	.4	.4
	2 Often	11	.2	.2	.6
	3 Sometimes	38	.7	.7	1.3
	4 Not at all	5271	96.7	98.7	100.0
	Total	5343	98.0	100.0	
Missing	-1 No response	109	2.0		
Total		5452	100.0		

pf1035 A3f: Frequency partner has taken anitbiotics since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	17	.3	.3	.3
	2 Often	30	.6	.6	.9
	3 Sometimes	1512	27.7	28.3	29.2
	4 Not at all	3780	69.3	70.8	100.0
	Total	5339	97.9	100.0	
Missing	-8 Text response	3	.1		
	-1 No response	110	2.0		
	Total	113	2.1		
Total		5452	100.0		

pf1036 A3g: Frequency partner has taken painkillers (aspirin, paracetamol etc) since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	38	.7	.7	.7
	2 Often	330	6.1	6.1	6.8
	3 Sometimes	4137	75.9	76.5	83.3
	4 Not at all	902	16.5	16.7	100.0
	Total	5407	99.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	44	.8		
	Total	45	.8		
Total		5452	100.0		

pf1037 A3h: Frequency partner has taken amphetamines or other stimulants since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	1	.0	.0	.0
	2 Often	4	.1	.1	.1
	3 Sometimes	45	.8	.8	.9
	4 Not at all	5284	96.9	99.1	100.0
	Total	5334	97.8	100.0	
Missing	-1 No response	118	2.2		
Total		5452	100.0		

PF File – Section A

pf1038 A3i: Frequency partner has taken iron since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	43	.8	.8	.8
	2 Often	39	.7	.7	1.5
	3 Sometimes	196	3.6	3.7	5.2
	4 Not at all	5050	92.6	94.8	100.0
	Total	5328	97.7	100.0	
Missing	-1 No response	124	2.3		
Total		5452	100.0		

pf1039 A3j: Frequency partner has taken heroin/methadone/crack/cocaine since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2	.0	.0	.0
	2 Often	2	.0	.0	.1
	3 Sometimes	10	.2	.2	.3
	4 Not at all	5323	97.6	99.7	100.0
	Total	5337	97.9	100.0	
Missing	-1 No response	115	2.1		
Total		5452	100.0		

pf1040 A3k: Frequency partner has taken anticonvulsants since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	24	.4	.4	.4
	3 Sometimes	1	.0	.0	.5
	4 Not at all	5310	97.4	99.5	100.0
	Total	5335	97.9	100.0	
Missing	-1 No response	117	2.1		
Total		5452	100.0		

pf1041 A3l: Frequency partner has taken steroids since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	33	.6	.6	.6
	2 Often	24	.4	.5	1.1
	3 Sometimes	87	1.6	1.6	2.7
	4 Not at all	5189	95.2	97.3	100.0
	Total	5333	97.8	100.0	
Missing	-1 No response	119	2.2		
Total		5452	100.0		

PF File – Section A

pf1043 A3m: Frequency partner has taken the first other pill, medicine, treatment, drug or medicine since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	16	.3	.9	.9
	1 Every day	297	5.4	16.7	17.6
	2 Often	157	2.9	8.8	26.4
	3 Sometimes	420	7.7	23.6	50.1
	4 Not at all	888	16.3	49.9	100.0
	Total	1778	32.6	100.0	
Missing	-1 No response	3674	67.4		
Total		5452	100.0		

pf1045 A3n: Frequency partner has taken the second other pill, medicine, treatment, drug or medicine since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	1	.0	.1	.1
	1 Every day	83	1.5	7.7	7.8
	2 Often	49	.9	4.5	12.3
	3 Sometimes	109	2.0	10.1	22.4
	4 Not at all	839	15.4	77.6	100.0
	Total	1081	19.8	100.0	
Missing	-1 No response	4371	80.2		
Total		5452	100.0		

pf1047 A3o: Frequency partner has taken the third other pill, medicine, treatment, drug or medicine since the study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	2	.0	.2	.2
	1 Every day	26	.5	2.9	3.1
	2 Often	9	.2	1.0	4.1
	3 Sometimes	25	.5	2.8	6.9
	4 Not at all	843	15.5	93.1	100.0
	Total	905	16.6	100.0	
Missing	-1 No response	4547	83.4		
Total		5452	100.0		

PF File – Section A

pf1050 A4: Number of names of actual medicines, pills or ointments that partner has taken in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	720	13.2	19.5	19.5
	1	1733	31.8	47.0	66.5
	2	753	13.8	20.4	87.0
	3	292	5.4	7.9	94.9
	4	118	2.2	3.2	98.1
	5	38	.7	1.0	99.1
	6	20	.4	.5	99.7
	7	3	.1	.1	99.8
	8	3	.1	.1	99.8
	9	2	.0	.1	99.9
	10	3	.1	.1	100.0
	11	1	.0	.0	100.0
	Total	3686	67.6	100.0	
Missing	-1 No response	1766	32.4		
Total		5452	100.0		

PF File – Section A

pf1110 A5a: Partner has had to go and stay in hospital since the study child was 18 months old

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	292	5.4	5.4	5.4
2 No	5128	94.1	94.6	100.0
Total	5420	99.4	100.0	
Missing -1 No response	32	.6		
Total	5452	100.0		

pf1111 A5b: Number of times partner has had to go and stay in hospital since the study child was 18 months old

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	28	.5	8.8	8.8
1	253	4.6	79.8	88.6
2	26	.5	8.2	96.8
3	9	.2	2.8	99.7
5	1	.0	.3	100.0
Total	317	5.8	100.0	
Missing -9 Don't know	1	.0		
-1 No response	5134	94.2		
Total	5135	94.2		
Total	5452	100.0		

PF File – Section A

pf1115 A5c: Age of study child on partner's 1st hospital admission (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	.4	.4
	2	2	.0	.7	1.1
	3	1	.0	.4	1.4
	5	1	.0	.4	1.8
	10	1	.0	.4	2.2
	12	2	.0	.7	2.9
	13	1	.0	.4	3.2
	15	1	.0	.4	3.6
	16	1	.0	.4	4.0
	17	1	.0	.4	4.3
	18	17	.3	6.1	10.4
	19	14	.3	5.0	15.5
	20	13	.2	4.7	20.1
	21	12	.2	4.3	24.5
	22	9	.2	3.2	27.7
	23	13	.2	4.7	32.4
	24	33	.6	11.9	44.2
	25	5	.1	1.8	46.0
	26	19	.3	6.8	52.9
	27	15	.3	5.4	58.3
	28	15	.3	5.4	63.7
	29	14	.3	5.0	68.7
	30	35	.6	12.6	81.3
	31	11	.2	4.0	85.3
	32	17	.3	6.1	91.4
	33	10	.2	3.6	95.0
	34	5	.1	1.8	96.8
	35	1	.0	.4	97.1
	37	2	.0	.7	97.8
	39	1	.0	.4	98.2
	40	1	.0	.4	98.6
	46	2	.0	.7	99.3
	48	2	.0	.7	100.0
	Total	278	5.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	5172	94.9		
	Total	5174	94.9		
Total		5452	100.0		

PF File – Section A

pf1117 A5e: Length of stay of partner's stay 1st hospital admission (days)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5	.1	1.8	1.8
	1	86	1.6	30.4	32.2
	2	57	1.0	20.1	52.3
	3	44	.8	15.5	67.8
	4	13	.2	4.6	72.4
	5	26	.5	9.2	81.6
	6	11	.2	3.9	85.5
	7	11	.2	3.9	89.4
	8	4	.1	1.4	90.8
	9	3	.1	1.1	91.9
	10	7	.1	2.5	94.3
	12	3	.1	1.1	95.4
	14	4	.1	1.4	96.8
	15	2	.0	.7	97.5
	16	1	.0	.4	97.9
	17	1	.0	.4	98.2
	20	1	.0	.4	98.6
	21	1	.0	.4	98.9
	30	1	.0	.4	99.3
	46	1	.0	.4	99.6
	48	1	.0	.4	100.0
Total		283	5.2	100.0	
Missing	-1 No response	5169	94.8		
Total		5452	100.0		

PF File – Section A

pf1120 A5c: Age of study child on partner's 2nd hospital admission (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	.0	5.4	5.4
	3	1	.0	2.7	8.1
	20	1	.0	2.7	10.8
	21	4	.1	10.8	21.6
	22	3	.1	8.1	29.7
	23	1	.0	2.7	32.4
	24	2	.0	5.4	37.8
	25	1	.0	2.7	40.5
	26	2	.0	5.4	45.9
	27	1	.0	2.7	48.6
	28	1	.0	2.7	51.4
	29	2	.0	5.4	56.8
	30	7	.1	18.9	75.7
	31	1	.0	2.7	78.4
	32	2	.0	5.4	83.8
	33	1	.0	2.7	86.5
	34	1	.0	2.7	89.2
	35	1	.0	2.7	91.9
	38	1	.0	2.7	94.6
	49	1	.0	2.7	97.3
	52	1	.0	2.7	100.0
	Total	37	.7	100.0	
Missing	-1 No response	5415	99.3		
Total		5452	100.0		

pf1122 A5e: Length of stay of partner's stay 2nd hospital admission (days)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	11	.2	31.4	31.4
	2	7	.1	20.0	51.4
	3	2	.0	5.7	57.1
	4	1	.0	2.9	60.0
	5	5	.1	14.3	74.3
	6	1	.0	2.9	77.1
	7	1	.0	2.9	80.0
	10	2	.0	5.7	85.7
	14	2	.0	5.7	91.4
	23	1	.0	2.9	94.3
	30	1	.0	2.9	97.1
	40	1	.0	2.9	100.0
	Total	35	.6	100.0	
Missing	-1 No response	5417	99.4		
Total		5452	100.0		

PF File – Section A

pf1125 A5c: Age of study child on partner's 3rd hospital admission (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	25	1	.0	11.1	11.1
	26	1	.0	11.1	22.2
	28	1	.0	11.1	33.3
	30	1	.0	11.1	44.4
	31	1	.0	11.1	55.6
	32	1	.0	11.1	66.7
	36	1	.0	11.1	77.8
	38	1	.0	11.1	88.9
	52	1	.0	11.1	100.0
	Total	9	.2	100.0	
Missing	-1 No response	5443	99.8		
Total		5452	100.0		

pf1127 A5e: Length of stay of partner's stay 3rd hospital admission (days)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	9.1	9.1
	2	2	.0	18.2	27.3
	3	2	.0	18.2	45.5
	4	2	.0	18.2	63.6
	7	1	.0	9.1	72.7
	9	1	.0	9.1	81.8
	22	1	.0	9.1	90.9
	33	1	.0	9.1	100.0
	Total	11	.2	100.0	
Missing	-1 No response	5441	99.8		
Total		5452	100.0		

PF File – Section A

pf1130 A6a: Partner has had a backache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	195	3.6	3.6	3.6
	2 Sometimes	1830	33.6	34.2	37.8
	3 Not at all	3332	61.1	62.2	100.0
	Total	5357	98.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	94	1.7		
	Total	95	1.7		
Total		5452	100.0		

pf1131 A6b: Partner has had headaches or migraines in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	28	.5	.5	.5
	2 Sometimes	2774	50.9	51.7	52.2
	3 Not at all	2566	47.1	47.8	100.0
	Total	5368	98.5	100.0	
Missing	-1 No response	84	1.5		
Total		5452	100.0		

pf1132 A6c: Partner has had a urinary infection in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	3	.1	.1	.1
	2 Sometimes	36	.7	.7	.7
	3 Not at all	5269	96.6	99.3	100.0
	Total	5308	97.4	100.0	
Missing	-1 No response	144	2.6		
Total		5452	100.0		

pf1133 A6d: Partner has had nausea in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	3	.1	.1	.1
	2 Sometimes	277	5.1	5.2	5.3
	3 Not at all	5024	92.1	94.7	100.0
	Total	5304	97.3	100.0	
Missing	-1 No response	148	2.7		
Total		5452	100.0		

pf1134 A6e: Partner has been vomiting in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	5	.1	.1	.1
	2 Sometimes	212	3.9	4.0	4.1
	3 Not at all	5090	93.4	95.9	100.0
	Total	5307	97.3	100.0	
Missing	-1 No response	145	2.7		
Total		5452	100.0		

PF File – Section A

pf1135 A6f: Partner has had diarrhoea in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	11	.2	.2	.2
	2 Sometimes	666	12.2	12.5	12.7
	3 Not at all	4648	85.3	87.3	100.0
	Total	5325	97.7	100.0	
Missing	-1 No response	127	2.3		
Total		5452	100.0		

pf1136 A6g: Partner has had haemorrhoids or piles in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	49	.9	.9	.9
	2 Sometimes	326	6.0	6.1	7.1
	3 Not at all	4939	90.6	92.9	100.0
	Total	5314	97.5	100.0	
Missing	-1 No response	138	2.5		
Total		5452	100.0		

pf1137 A6h: Partner has felt weepy/tearful in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	12	.2	.2	.2
	2 Sometimes	529	9.7	9.9	10.1
	3 Not at all	4816	88.3	89.9	100.0
	Total	5357	98.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	94	1.7		
	Total	95	1.7		
Total		5452	100.0		

pf1138 A6i: Partner has felt irritable in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	75	1.4	1.4	1.4
	2 Sometimes	3433	63.0	63.7	65.1
	3 Not at all	1882	34.5	34.9	100.0
	Total	5390	98.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	61	1.1		
	Total	62	1.1		
Total		5452	100.0		

pf1139 A6j: Partner had felt exhausted in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	215	3.9	4.0	4.0
	2 Sometimes	3485	63.9	64.5	68.5
	3 Not at all	1701	31.2	31.5	100.0
	Total	5401	99.1	100.0	
Missing	-1 No response	51	.9		
Total		5452	100.0		

PF File – Section A

pf1140 A6k: Partner had had varicose veins in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	38	.7	.7	.7
	2 Sometimes	50	.9	.9	1.6
	3 Not at all	5249	96.3	98.4	100.0
	Total	5337	97.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	114	2.1		
	Total	115	2.1		
Total		5452	100.0		

pf1141 A6l: Partner has passed urine very often in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	40	.7	.7	.7
	2 Sometimes	362	6.6	6.8	7.5
	3 Not at all	4936	90.5	92.5	100.0
	Total	5338	97.9	100.0	
Missing	-9 Don't know	3	.1		
	-8 Text response	1	.0		
	-1 No response	110	2.0		
	Total	114	2.1		
Total		5452	100.0		

pf1142 A6m: Partner has had problem holding urine when jumped, sneeze etc in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	3	.1	.1	.1
	2 Sometimes	30	.6	.6	.6
	3 Not at all	5317	97.5	99.4	100.0
	Total	5350	98.1	100.0	
Missing	-1 No response	102	1.9		
Total		5452	100.0		

pf1143 A6n: Partner has had indigestion in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	38	.7	.7	.7
	2 Sometimes	1336	24.5	24.9	25.6
	3 Not at all	3988	73.1	74.4	100.0
	Total	5362	98.3	100.0	
Missing	-1 No response	90	1.7		
Total		5452	100.0		

PF File – Section A

pf1144 A6o: Partner has felt dizzy or fainted in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	3	.1	.1	.1
	2 Sometimes	270	5.0	5.0	5.1
	3 Not at all	5081	93.2	94.9	100.0
	Total	5354	98.2	100.0	
Missing	-1 No response	98	1.8		
Total		5452	100.0		

pf1145 A6p: Partner has had flashing lights/spots before eyes in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	5	.1	.1	.1
	2 Sometimes	309	5.7	5.8	5.9
	3 Not at all	5040	92.4	94.1	100.0
	Total	5354	98.2	100.0	
Missing	-1 No response	98	1.8		
Total		5452	100.0		

pf1146 A6q: Partner has had shoulder ache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	68	1.2	1.3	1.3
	2 Sometimes	1090	20.0	20.3	21.6
	3 Not at all	4200	77.0	78.4	100.0
	Total	5358	98.3	100.0	
Missing	-1 No response	94	1.7		
Total		5452	100.0		

pf1147 A6r: Partner has had tingling in hands/fingers in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	18	.3	.3	.3
	2 Sometimes	525	9.6	9.8	10.1
	3 Not at all	4812	88.3	89.9	100.0
	Total	5355	98.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	96	1.8		
	Total	97	1.8		
Total		5452	100.0		

PF File – Section A

pf1148 A6s: Partner has had tingling in feet/toes in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	11	.2	.2	.2
	2 Sometimes	236	4.3	4.4	4.6
	3 Not at all	5092	93.4	95.4	100.0
	Total	5339	97.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	112	2.1		
	Total	113	2.1		
Total		5452	100.0		

pf1149 A6t: Partner has had neck ache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	57	1.0	1.1	1.1
	2 Sometimes	1322	24.2	24.6	25.7
	3 Not at all	3986	73.1	74.3	100.0
	Total	5365	98.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	86	1.6		
	Total	87	1.6		
Total		5452	100.0		

pf1150 A6u: Partner has felt depressed in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	36	.7	.7	.7
	2 Sometimes	876	16.1	16.4	17.0
	3 Not at all	4440	81.4	83.0	100.0
	Total	5352	98.2	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	98	1.8		
	Total	100	1.8		
Total		5452	100.0		

pf1151 A6v: Partner has had other problems in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	43	.8	1.0	1.0
	1 Almost all the time	60	1.1	1.3	2.3
	2 Sometimes	208	3.8	4.6	6.9
	3 Not at all	4180	76.7	93.1	100.0
	Total	4491	82.4	100.0	
Missing	-1 No response	961	17.6		
Total		5452	100.0		

PF File – Section A

pf1160 A7a: Frequency partner is currently having sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	394	7.2	7.3	7.3
	2 Less than once a month	772	14.2	14.4	21.7
	3 1-3 times a month	1656	30.4	30.8	52.5
	4 About once a week	1303	23.9	24.2	76.7
	5 2-4 times a week	1156	21.2	21.5	98.2
	6 5+ times a week	96	1.8	1.8	100.0
	Total	5377	98.6	100.0	
Missing	-8 Text response	3	.1		
	-1 No response	72	1.3		
	Total	75	1.4		
Total		5452	100.0		

pf1161 A7b: Partner enjoys sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very much	3616	66.3	67.5	67.5
	2 Yes, somewhat	1342	24.6	25.0	92.5
	3 No, not a lot	107	2.0	2.0	94.5
	4 No, not at all	5	.1	.1	94.6
	5 No sex at the moment	291	5.3	5.4	100.0
	Total	5361	98.3	100.0	
Missing	-1 No response	91	1.7		
Total		5452	100.0		

PAGE 8 OF THE QUESTIONNAIRE

SECTION B: MORE ABOUT YOURSELF

B1. **Handedness.** Read each of the questions below. Decide which hand you use for each activity. If you are unsure, try it out.

Which hand:	Left	Right	Either
a) do you normally use to write?	1	2	3
b) do you use to draw?	1	2	3
c) do you use to throw a ball?	1	2	3
d) would you use to hold a racket or bat?	1	2	3
e) do you use to hold your toothbrush to clean your teeth?	1	2	3
f) holds a knife when you are cutting things?	1	2	3
g) holds a hammer when you are driving a nail?	1	2	3
h) would you use to hold a match to strike it?	1	2	3
i) would you use to hold a rubber to rub out a mark on paper?	1	2	3
j) do you use to deal from a pack of cards?	1	2	3
k) do you use to hold the thread when threading a needle?	1	2	3

B2. **Footedness**

Which foot:	Left	Right	Either
a) would you use to kick a ball to someone?	1	2	3
b) would you use to pick up a pebble with your toes?	1	2	3
c) would you use to step on an insect or something similar?	1	2	3
d) would you put on a chair first if you had to step onto the chair?	1	2	3

PAGE 9 OF THE QUESTIONNAIRE

B3. **Eyedness**

		Left	Right	Either
a)	which eye would you use to look through a telescope?	1	2	3
b)	if you had to look into a dark bottle to see how full it was, which eye would you use?	1	2	3

B4. Which hands do various members of your family use?

		Left	Right	Either	Don't Know
a)	your own mother	1	2	3	9
b)	your own father	1	2	3	9

B5. Thinking back to your childhood, (i.e. up to the age of 16) please answer the following questions:

a) What sort of home were you mostly brought up in?

(i) house 1 flat 2 caravan 3
other 4 please describe

ii) was this: council housing 1 being bought 2 owned 3

other rented 4 other 5 please describe

don't know 9

b) Did you have any household pets?

Yes always 1 Yes, for part of time 2 No, not at all 3

c) Would you say that as a family you did things together?

Yes often 1 Yes, sometimes 2 No, not at all 3

was not in a family 7

d) Did you feel neglected emotionally during your childhood?

1 Yes, severely neglected

2 Yes, somewhat neglected

3 No, not at all

PAGE 10 OF THE QUESTIONNAIRE

B5. e) Were you physically neglected as a child (e.g. not fed or clothed properly)?

1 Yes, severely neglected

2 Yes, somewhat neglected

3 No, not at all

f) Were you physically abused (e.g. beaten) as a child?

1 Yes, severely abused

2 Yes, somewhat abused

3 No, not at all —————> Go to B5g below

If yes,

who abused you? (tick all that apply)

Yes

No

(i) mother

1

2

(ii) father

1

2

(iii) someone else

1

please describe

(iv) how old were you when this first happened?

years

B5. g) How would you describe the relationship between your mother and father when you were growing up?

Was it:	Yes, always	Yes, frequently	Yes sometimes	No, not at all	Single parent family always
(i) violent	1	2	3	4	
(ii) affectionate	1	2	3	4	7
(iii) quarrelsome	1	2	3	4	
(iv) happy	1	2	3	4	
(v) frightening	1	2	3	4	
(vi) friendly	1	2	3	4	

↓
go to h
on page
11

PAGE 11 OF THE QUESTIONNAIRE

Were your parents:			Yes, always	Yes, frequently	Yes, sometimes	No, not at all
B5.	g)	(vii) respectful of one another	1	2	3	4
		(viii) remote or distant from one another	1	2	3	4

h) Space for anything else you might like to tell us about your childhood:

B6. How many brothers and sisters did you have in the family where you grew up:

Brothers Sisters

a) older than you

b) younger than you

c) did you have a twin?

yes, twin brother	1	→	If <u>yes</u> , go to B6 i) below
yes, twin sister	2] →	Go to Section C on page 12
no	3		

If you had a twin brother:

B6. i) were you identical twins?

yes 1 no 2 not sure 3

ii) did you usually dress alike?

yes, usually 1 yes, sometimes 2 no, not at all 3

PF File – Section B

pf2000 B1a: Hand which partner uses normally to write

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	610	11.2	11.2	11.2
	2 Right	4826	88.5	88.7	99.9
	3 Either	7	.1	.1	100.0
	Total	5443	99.8	100.0	
Missing	-1 No response	9	.2		
Total		5452	100.0		

pf2001 B1b: Hand which partner uses to draw

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	611	11.2	11.2	11.2
	2 Right	4812	88.3	88.4	99.7
	3 Either	18	.3	.3	100.0
	Total	5441	99.8	100.0	
Missing	-1 No response	11	.2		
Total		5452	100.0		

pf2002 B1c: Hand which partner uses to throw a ball

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	504	9.2	9.3	9.3
	2 Right	4689	86.0	86.2	95.5
	3 Either	246	4.5	4.5	100.0
	Total	5439	99.8	100.0	
Missing	-1 No response	13	.2		
Total		5452	100.0		

pf2003 B1d: Hand which partner uses to hold a racket or bat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	450	8.3	8.3	8.3
	2 Right	4776	87.6	87.8	96.1
	3 Either	212	3.9	3.9	100.0
	Total	5438	99.7	100.0	
Missing	-1 No response	14	.3		
Total		5452	100.0		

PF File – Section B

pf2004 B1e: Hand which partner uses to hold a toothbrush to clean teeth

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	537	9.8	9.9	9.9
	2 Right	4716	86.5	86.7	96.5
	3 Either	189	3.5	3.5	100.0
	Total	5442	99.8	100.0	
Missing	-1 No response	10	.2		
Total		5452	100.0		

pf2005 B1f: Hand which partner uses to hold a knife to cut things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	484	8.9	8.9	8.9
	2 Right	4755	87.2	87.4	96.3
	3 Either	201	3.7	3.7	100.0
	Total	5440	99.8	100.0	
Missing	-1 No response	12	.2		
Total		5452	100.0		

pf2006 B1g: Hand which partner uses to hold a hammer when driving a nail

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	478	8.8	8.8	8.8
	2 Right	4782	87.7	87.9	96.7
	3 Either	179	3.3	3.3	100.0
	Total	5439	99.8	100.0	
Missing	-1 No response	13	.2		
Total		5452	100.0		

pf2007 B1h: Hand which partner uses to hold a match to strike it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	531	9.7	9.8	9.8
	2 Right	4617	84.7	84.9	94.7
	3 Either	287	5.3	5.3	100.0
	Total	5435	99.7	100.0	
Missing	-1 No response	17	.3		
Total		5452	100.0		

PF File – Section B

pf2008 B1i: Hand which partner uses to hold a rubber to rub out a mark on paper

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	546	10.0	10.0	10.0
	2 Right	4576	83.9	84.2	94.2
	3 Either	315	5.8	5.8	100.0
	Total	5437	99.7	100.0	
Missing	-1 No response	15	.3		
Total		5452	100.0		

pf2009 B1j: Hand which partner uses to deal a pack of cards

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	836	15.3	15.4	15.4
	2 Right	4476	82.1	82.4	97.8
	3 Either	118	2.2	2.2	100.0
	Total	5430	99.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	21	.4		
	Total	22	.4		
Total		5452	100.0		

pf2010 B1k: Hand which partner uses to hold the thread when threading a needle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	716	13.1	13.3	13.3
	2 Right	4442	81.5	82.2	95.5
	3 Either	245	4.5	4.5	100.0
	Total	5403	99.1	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	1	.0		
	-1 No response	46	.8		
	Total	49	.9		
Total		5452	100.0		

PF File – Section B

pf2020 B2a: Foot which partner uses to kick a ball to someone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	532	9.8	9.8	9.8
	2 Right	3386	62.1	62.3	72.0
	3 Either	1520	27.9	28.0	100.0
	Total	5438	99.7	100.0	
Missing	-1 No response	14	.3		
Total		5452	100.0		

pf2021 B2b: Foot which partner uses to pick up a pebble with their toes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	397	7.3	7.4	7.4
	2 Right	3097	56.8	57.4	64.8
	3 Either	1900	34.8	35.2	100.0
	Total	5394	98.9	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	3	.1		
	-1 No response	54	1.0		
	Total	58	1.1		
Total		5452	100.0		

pf2022 B2c: Foot which partner uses to step on an insect or something similar

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	358	6.6	6.7	6.7
	2 Right	2971	54.5	55.5	62.2
	3 Either	2025	37.1	37.8	100.0
	Total	5354	98.2	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	13	.2		
	-1 No response	84	1.5		
	Total	98	1.8		
Total		5452	100.0		

pf2023 B2d: Foot which partner puts on a chair first if you had to step onto the chair

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Left	747	13.7	13.8	13.8
	2 Right	3092	56.7	57.0	70.7
	3 Either	1588	29.1	29.3	100.0
	Total	5427	99.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	24	.4		
	Total	25	.5		
Total		5452	100.0		

PF File – Section B

pf2030 B3a: Eye which partner uses to look through a telescope

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Left	953	17.5	17.6	17.6
2 Right	3720	68.2	68.5	86.1
3 Either	755	13.8	13.9	100.0
Total	5428	99.6	100.0	
Missing -1 No response	24	.4		
Total	5452	100.0		

pf2031 B3b: Eye which partner uses to look into a dark bottle to see how full it was

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Left	901	16.5	16.7	16.7
2 Right	3529	64.7	65.2	81.9
3 Either	979	18.0	18.1	100.0
Total	5409	99.2	100.0	
Missing -8 Text response	1	.0		
-1 No response	42	.8		
Total	43	.8		
Total	5452	100.0		

pf2040 B4a: Hand which partner's mother uses

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Left	310	5.7	5.7	5.7
2 Right	4699	86.2	86.9	92.7
3 Either	102	1.9	1.9	94.6
9 Don't know	294	5.4	5.4	100.0
Total	5405	99.1	100.0	
Missing -8 Text response	1	.0		
-1 No response	46	.8		
Total	47	.9		
Total	5452	100.0		

pf2041 B4b: Hand which partner's father uses

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Left	342	6.3	6.4	6.4
2 Right	4430	81.3	82.6	89.0
3 Either	161	3.0	3.0	92.0
9 Don't know	431	7.9	8.0	100.0
Total	5364	98.4	100.0	
Missing -8 Text response	8	.1		
-1 No response	80	1.5		
Total	88	1.6		
Total	5452	100.0		

PF File – Section B

pf2050 B5a1: Sort of home in which partner mostly grew up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 House	5128	94.1	94.4	94.4
	2 Flat	154	2.8	2.8	97.2
	3 Caravan	8	.1	.1	97.3
	4 Other	145	2.7	2.7	100.0
	Total	5435	99.7	100.0	
Missing	-1 No response	17	.3		
Total		5452	100.0		

pf2052 B5a2: Type of home in which partner mostly grew up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Council House	1330	24.4	24.6	24.6
	2 Being bought	1953	35.8	36.1	60.7
	3 Owned	1658	30.4	30.7	91.4
	4 Other rented	181	3.3	3.3	94.7
	5 Other	275	5.0	5.1	99.8
	9 Don't know	9	.2	.2	100.0
	Total	5406	99.2	100.0	
Missing	-1 No response	46	.8		
Total		5452	100.0		

pf2054 B5b: Partner had household pets during childhood

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes always	2146	39.4	39.5	39.5
	2 Yes, for part of the time	2600	47.7	47.9	87.4
	3 No, not at all	686	12.6	12.6	100.0
	Total	5432	99.6	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	19	.3		
	Total	20	.4		
Total		5452	100.0		

pf2055 B5c: Partner would say that as a family they did things together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	2127	39.0	39.3	39.3
	2 Yes, sometimes	2869	52.6	53.1	92.4
	3 No, not at all	400	7.3	7.4	99.8
	7 Was not in a family	11	.2	.2	100.0
	Total	5407	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	44	.8		
	Total	45	.8		
Total		5452	100.0		

PF File – Section B

pf2060 B5d: Partner felt neglected emotionally during childhood

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, severely neglected	106	1.9	2.0	2.0
	2 Yes, somewhat neglected	976	17.9	18.0	20.0
	3 No, not at all	4330	79.4	80.0	100.0
	Total	5412	99.3	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	2	.0		
	-1 No response	37	.7		
	Total	40	.7		
Total		5452	100.0		

pf2061 B5e: Partner was physically neglected as a child e.g. not fed or clothed properly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, severely neglected	22	.4	.4	.4
	2 Yes, somewhat neglected	117	2.1	2.2	2.6
	3 No, not at all	5286	97.0	97.4	100.0
	Total	5425	99.5	100.0	
Missing	-1 No response	27	.5		
Total		5452	100.0		

pf2062 B5f: Partner was physically abused e.g. beaten as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, severely abused	40	.7	.7	.7
	2 Yes, somewhat abused	274	5.0	5.1	5.8
	3 No, not at all	5108	93.7	94.2	100.0
	Total	5422	99.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	29	.5		
	Total	30	.6		
Total		5452	100.0		

PF File – Section B

pf2063 B5f1: Partner was abused by mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	104	1.9	35.9	35.9
	2 No	186	3.4	64.1	100.0
	Total	290	5.3	100.0	
Missing	-1 No response	5162	94.7		
Total		5452	100.0		

pf2064 B5f2: Partner was abused by father

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	220	4.0	67.1	67.1
	2 No	108	2.0	32.9	100.0
	Total	328	6.0	100.0	
Missing	-1 No response	5124	94.0		
Total		5452	100.0		

pf2065 B5f3: Partner was abused by someone else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	79	1.4	100.0	100.0
Missing	-1 No response	5373	98.6		
Total		5452	100.0		

pf2067 B5f4: Partner's age when first abused in years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	.1	1.2	1.2
	1	7	.1	2.8	4.1
	2	12	.2	4.9	8.9
	3	18	.3	7.3	16.3
	4	26	.5	10.6	26.8
	5	41	.8	16.7	43.5
	6	26	.5	10.6	54.1
	7	24	.4	9.8	63.8
	8	28	.5	11.4	75.2
	9	15	.3	6.1	81.3
	10	15	.3	6.1	87.4
	11	10	.2	4.1	91.5
	12	11	.2	4.5	95.9
	13	3	.1	1.2	97.2
	14	5	.1	2.0	99.2
	16	1	.0	.4	99.6
	23	1	.0	.4	100.0
	Total	246	4.5	100.0	
Missing	-9 Don't know	33	.6		
	-1 No response	5173	94.9		
	Total	5206	95.5		
Total		5452	100.0		

PF File – Section B

pf2070 B5g1: Partner's mother and father had a violent relationship when he/she was growing up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, always	14	.3	.3	.3
	2 Yes, frequently	100	1.8	2.1	2.4
	3 Yes, sometimes	475	8.7	10.0	12.3
	4 No, not at all	4182	76.7	87.7	100.0
	Total	4771	87.5	100.0	
Missing	-1 No response	681	12.5		
Total		5452	100.0		

pf2071 B5g2: Partner's mother and father had an affectionate relationship when he/she was growing up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, always	630	11.6	12.8	12.8
	2 Yes, frequently	1295	23.8	26.3	39.1
	3 Yes, sometimes	2414	44.3	49.1	88.2
	4 No, not at all	457	8.4	9.3	97.5
	7 Single parent family always	125	2.3	2.5	100.0
	Total	4921	90.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	530	9.7		
	Total	531	9.7		
Total		5452	100.0		

pf2072 B5g3: Partner's mother and father had a quarrelsome relationship when he/she was growing up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, always	93	1.7	1.9	1.9
	2 Yes, frequently	681	12.5	14.1	16.0
	3 Yes, sometimes	2826	51.8	58.5	74.5
	4 No, not at all	1231	22.6	25.5	100.0
	Total	4831	88.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	620	11.4		
	Total	621	11.4		
Total		5452	100.0		

pf2073 B5g4: Partner's mother and father had a happy relationship when he/she was growing up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, always	1030	18.9	21.2	21.2
	2 Yes, frequently	2212	40.6	45.6	66.8
	3 Yes, sometimes	1435	26.3	29.6	96.4
	4 No, not at all	175	3.2	3.6	100.0
	Total	4852	89.0	100.0	
Missing	-1 No response	600	11.0		
Total		5452	100.0		

PF File – Section B

pf2074 B5g5: Partner's mother and father had a frightening relationship when he/she was growing up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, always	27	.5	.6	.6
	2 Yes, frequently	101	1.9	2.1	2.7
	3 Yes, sometimes	673	12.3	14.1	16.7
	4 No, not at all	3986	73.1	83.3	100.0
	Total	4787	87.8	100.0	
Missing	-1 No response	665	12.2		
Total		5452	100.0		

pf2075 B5g6: Partner's mother and father had a friendly relationship when he/she was growing up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, always	1751	32.1	36.3	36.3
	2 Yes, frequently	1794	32.9	37.2	73.5
	3 Yes, sometimes	1137	20.9	23.6	97.1
	4 No, not at all	139	2.5	2.9	100.0
	Total	4821	88.4	100.0	
Missing	-1 No response	631	11.6		
Total		5452	100.0		

pf2076 B5g7: Partner's mother and father were respectful of one another when he/she was growing up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, always	2207	40.5	42.4	42.4
	2 Yes, frequently	1629	29.9	31.3	73.7
	3 Yes, sometimes	1133	20.8	21.8	95.5
	4 No, not at all	234	4.3	4.5	100.0
	Total	5203	95.4	100.0	
Missing	-9 Don't know	3	.1		
	-8 Text response	1	.0		
	-1 No response	245	4.5		
	Total	249	4.6		
Total		5452	100.0		

pf2077 B5g8: Partner's mother and father were remote or distant from one another when he/she was growing up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, always	110	2.0	2.2	2.2
	2 Yes, frequently	425	7.8	8.3	10.5
	3 Yes, sometimes	1739	31.9	34.0	44.5
	4 No, not at all	2835	52.0	55.5	100.0
	Total	5109	93.7	100.0	
Missing	-9 Don't know	5	.1		
	-8 Text response	1	.0		
	-1 No response	337	6.2		
	Total	343	6.3		
Total		5452	100.0		

PF File – Section B

pf2080 B6a: Number of brothers older than partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1566	28.7	42.5	42.5
	1	1435	26.3	38.9	81.4
	2	492	9.0	13.3	94.7
	3	123	2.3	3.3	98.0
	4	48	.9	1.3	99.3
	5	18	.3	.5	99.8
	6	5	.1	.1	100.0
	7	1	.0	.0	100.0
	Total	3688	67.6	100.0	
Missing	-1 No response	1764	32.4		
Total		5452	100.0		

pf2081 B6a: Number of sisters older than partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1642	30.1	45.1	45.1
	1	1390	25.5	38.2	83.3
	2	427	7.8	11.7	95.1
	3	111	2.0	3.1	98.1
	4	41	.8	1.1	99.2
	5	21	.4	.6	99.8
	6	3	.1	.1	99.9
	7	1	.0	.0	99.9
	8	1	.0	.0	99.9
	11	1	.0	.0	100.0
	12	1	.0	.0	100.0
	Total	3639	66.7	100.0	
Missing	-1 No response	1813	33.3		
Total		5452	100.0		

PF File – Section B

pf2082 B6b: Number of brothers younger than partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1631	29.9	43.6	43.6
	1	1555	28.5	41.5	85.1
	2	439	8.1	11.7	96.8
	3	81	1.5	2.2	99.0
	4	34	.6	.9	99.9
	5	3	.1	.1	100.0
	6	1	.0	.0	100.0
	Total	3744	68.7	100.0	
Missing	-1 No response	1708	31.3		
Total		5452	100.0		

pf2083 B6b: Number of sisters younger than partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1685	30.9	45.2	45.2
	1	1540	28.2	41.3	86.6
	2	382	7.0	10.3	96.8
	3	84	1.5	2.3	99.1
	4	23	.4	.6	99.7
	5	6	.1	.2	99.9
	6	2	.0	.1	99.9
	7	1	.0	.0	99.9
	9	1	.0	.0	100.0
	10	1	.0	.0	100.0
	Total	3725	68.3	100.0	
Missing	-1 No response	1727	31.7		
Total		5452	100.0		

PF File – Section B

pf2084 B6c: Partner has a twin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, twin brother	83	1.5	1.6	1.6
	2 Yes, twin sister	43	.8	.8	2.4
	3 No	5070	93.0	97.6	100.0
	Total	5196	95.3	100.0	
Missing	-8 Text response	3	.1		
	-1 No response	253	4.6		
	Total	256	4.7		
Total		5452	100.0		

pf2085 B6c1: Partner was an identical twin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	27	.5	16.7	16.7
	2 No	125	2.3	77.2	93.8
	3 Not sure	10	.2	6.2	100.0
	Total	162	3.0	100.0	
Missing	-1 No response	5290	97.0		
Total		5452	100.0		

pf2086 B6c2: Partner dressed alike as identical twin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	31	.6	26.1	26.1
	2 Yes, sometimes	35	.6	29.4	55.5
	3 No, not at all	53	1.0	44.5	100.0
	Total	119	2.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	5332	97.8		
	Total	5333	97.8		
Total		5452	100.0		

PAGE 12 OF THE QUESTIONNAIRE

SECTION C: YOUR OPINION OF YOURSELF

Below are some statements. Please say how true they are of you.

		Almost always true	Often true	Sometimes true	Seldom true	Never true
C1.	I feel that I am a person of worth, at least equal to others.	1	2	3	4	5
C2.	I feel I have a number of good qualities.	1	2	3	4	5
C3.	I am able to do things as well as most other people.	1	2	3	4	5
C4.	I feel I do not have much to be proud of.	1	2	3	4	5
C5.	I take a positive attitude towards myself.	1	2	3	4	5
C6.	Sometimes I think I am no good at all.	1	2	3	4	5
C7.	I am a useful person to have around.	1	2	3	4	5
C8.	I feel I cannot do anything right.	1	2	3	4	5
C9.	When I do a job I do it well.	1	2	3	4	5
C10.	I feel that my life is not very useful.	1	2	3	4	5
C11.	I am unlucky.	1	2	3	4	5

PF File – Section C

pf3000 C1: Partner feels they are a person of worth at least equal to others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	3199	58.7	59.2	59.2
	2 Often true	1594	29.2	29.5	88.7
	3 Sometimes true	537	9.8	9.9	98.6
	4 Seldom true	51	.9	.9	99.6
	5 Never true	23	.4	.4	100.0
	Total	5404	99.1	100.0	
Missing	-1 No response	48	.9		
Total		5452	100.0		

pf3001 C2: Partner feels they have a number of good qualities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	2853	52.3	52.7	52.7
	2 Often true	1970	36.1	36.4	89.1
	3 Sometimes true	547	10.0	10.1	99.3
	4 Seldom true	32	.6	.6	99.9
	5 Never true	8	.1	.1	100.0
	Total	5410	99.2	100.0	
Missing	-1 No response	42	.8		
Total		5452	100.0		

pf3002 C3: Partner feels they are able to do things as well as most other people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	2562	47.0	47.4	47.4
	2 Often true	2093	38.4	38.7	86.1
	3 Sometimes true	681	12.5	12.6	98.7
	4 Seldom true	60	1.1	1.1	99.8
	5 Never true	13	.2	.2	100.0
	Total	5409	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5452	100.0		

pf3003 C4: Partner feels they do not have much to be proud of

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	170	3.1	3.1	3.1
	2 Often true	248	4.5	4.6	7.7
	3 Sometimes true	700	12.8	12.9	20.7
	4 Seldom true	2048	37.6	37.9	58.6
	5 Never true	2241	41.1	41.4	100.0
	Total	5407	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	44	.8		
	Total	45	.8		
Total		5452	100.0		

PF File – Section C

pf3004 C5: Partner feels they have a positive attitude towards themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	2015	37.0	37.3	37.3
	2 Often true	2170	39.8	40.1	77.4
	3 Sometimes true	1046	19.2	19.3	96.7
	4 Seldom true	163	3.0	3.0	99.8
	5 Never true	13	.2	.2	100.0
	Total	5407	99.2	100.0	
Missing	-1 No response	45	.8		
Total		5452	100.0		

pf3005 C6: Partner feels that sometimes they are no good at all

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	25	.5	.5	.5
	2 Often true	130	2.4	2.4	2.9
	3 Sometimes true	889	16.3	16.4	19.3
	4 Seldom true	1777	32.6	32.9	52.2
	5 Never true	2588	47.5	47.8	100.0
	Total	5409	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5452	100.0		

pf3006 C7: Partner feels they are a useful person to have around

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	1804	33.1	33.4	33.4
	2 Often true	2422	44.4	44.8	78.1
	3 Sometimes true	1070	19.6	19.8	97.9
	4 Seldom true	92	1.7	1.7	99.6
	5 Never true	21	.4	.4	100.0
	Total	5409	99.2	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	41	.8		
	Total	43	.8		
Total		5452	100.0		

pf3007 C8: Partner feels they cannot get anything right

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	23	.4	.4	.4
	2 Often true	110	2.0	2.0	2.5
	3 Sometimes true	839	15.4	15.5	18.0
	4 Seldom true	2049	37.6	37.9	55.9
	5 Never true	2384	43.7	44.1	100.0
	Total	5405	99.1	100.0	
Missing	-1 No response	47	.9		
Total		5452	100.0		

PF File – Section C

pf3008 C9: Partner feels that when they do a job they do it well

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	2128	39.0	39.4	39.4
	2 Often true	2445	44.8	45.2	84.6
	3 Sometimes true	788	14.5	14.6	99.1
	4 Seldom true	42	.8	.8	99.9
	5 Never true	4	.1	.1	100.0
	Total	5407	99.2	100.0	
Missing	-1 No response	45	.8		
Total		5452	100.0		

pf3009 C10: Partner has felt their life is not very useful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	35	.6	.6	.6
	2 Often true	108	2.0	2.0	2.6
	3 Sometimes true	547	10.0	10.1	12.8
	4 Seldom true	1384	25.4	25.6	38.4
	5 Never true	3334	61.2	61.6	100.0
	Total	5408	99.2	100.0	
Missing	-1 No response	44	.8		
Total		5452	100.0		

pf3010 C11: Partner has felt they are unlucky

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	158	2.9	2.9	2.9
	2 Often true	333	6.1	6.2	9.1
	3 Sometimes true	1518	27.8	28.2	37.3
	4 Seldom true	1683	30.9	31.3	68.6
	5 Never true	1692	31.0	31.4	100.0
	Total	5384	98.8	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	2	.0		
	-1 No response	65	1.2		
	Total	68	1.2		
Total		5452	100.0		

PAGE 13 OF THE QUESTIONNAIRE

SECTION D: YOUR FEELINGS

The questions in this section ask you about your feelings and the way you behave. You have answered these questions in other questionnaires, but you may be feeling differently now.

Please indicate the way you feel.

	Very often	Often	Not very often	Never
D1. Do you feel upset for no obvious reason?	1	2	3	4
D2. Do you get troubled by dizziness or shortness of breath?	1	2	3	4
D3. Have you felt as though you might faint?	1	2	3	4
D4. Do you feel sick or have indigestion?	1	2	3	4
D5. Do you feel that life is too much effort?	1	2	3	4
D6. Do you feel uneasy and restless?	1	2	3	4
D7. Do you feel tingling or prickling sensations in your body, arms or legs?	1	2	3	4
D8. Do you regret much of your past behaviour?	1	2	3	4
D9. Do you sometimes feel panicky?	1	2	3	4
D10. Do you find that you have little or no appetite?	1	2	3	4
D11. Do you wake unusually early in the morning even when you haven't been woken by the family?	1	2	3	4
D12. Do you worry a lot?	1	2	3	4
D13. Do you feel tired or exhausted?	1	2	3	4

PAGE 14 OF THE QUESTIONNAIRE

	Very often	Often	Not very often	Never
D14. Do you experience long periods of sadness?	1	2	3	4
D15. Do you feel strung up inside?	1	2	3	4
D16. Can you go to sleep alright?	1	2	3	4
D17. Do you ever have the feeling you are going to pieces?	1	2	3	4
D18. Do you often have excessive sweating or fluttering of the heart?	1	2	3	4
D19. Do you find yourself needing to cry?	1	2	3	4
D20. Do you have bad dreams which upset you when you wake up?	1	2	3	4
D21. Do you lose the ability to feel sympathy for others?	1	2	3	4
D22. Can you think as quickly as you used to?	1	2	3	4
D23. Do you have to make a special effort to face up to a crisis or difficulty?	1	2	3	4

Your feelings in the past week.

D24. I have been able to laugh and see the funny side of things:

As much as I always could	1
Not quite so much now	2
Definitely not so much now	3
Not at all	4

D25. I have looked forward with enjoyment to things:

As much as I ever did	1
Rather less than I used to	2
Definitely less than I used to	3
Hardly at all	4

PAGE 15 OF THE QUESTIONNAIRE

In the past week:

- D26. I have blamed myself unnecessarily when things went wrong:
- | | |
|-----------------------|---|
| Yes, most of the time | 1 |
| Yes, some of the time | 2 |
| Not very often | 3 |
| Never | 4 |
- D27. I have been anxious or worried for no good reason:
- | | |
|----------------|---|
| No, not at all | 1 |
| Hardly ever | 2 |
| Yes, sometimes | 3 |
| Yes, often | 4 |
- D28. I have felt scared or panicky for no very good reason:
- | | |
|------------------|---|
| Yes, quite a lot | 1 |
| Yes, sometimes | 2 |
| No, not much | 3 |
| No, not at all | 4 |
- D29. Things have been getting on top of me:
- | | |
|---|---|
| Yes, most of the time I haven't been able to cope | 1 |
| Yes, sometimes I haven't been coping as well as usual | 2 |
| No, most of the time I have coped quite well | 3 |
| No, I have been coping as well as ever | 4 |
- D30. I have been so unhappy that I have had difficulty sleeping:
- | | |
|-----------------------|---|
| Yes, most of the time | 1 |
| Yes, sometimes | 2 |
| Not very often | 3 |
| No, not at all. | 4 |

PAGE 16 OF THE QUESTIONNAIRE

In the past week:

D31. I have felt sad or miserable:

Yes, most of the time	1
Yes, quite often	2
Not very often	3
No, not at all	4

D32. I have been so unhappy that I have been crying:

Yes, most of the time	1
Yes, quite often	2
Only occasionally	3
Never	4

D33. The thought of harming myself has occurred to me:

Yes, quite often	1
Sometimes	2
Hardly ever	3
Never	4

D34. On the whole are there more good days than bad?

Yes, more good days	1
About half and half	2
No, more bad days	3

PF File – Section D

pf4000 D1: Partner feels upset for no obvious reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	15	.3	.3	.3
	2 Often	156	2.9	2.9	3.2
	3 Not very often	2072	38.0	38.2	41.4
	4 Never	3176	58.3	58.6	100.0
	Total	5419	99.4	100.0	
Missing	-1 No response	33	.6		
Total		5452	100.0		

pf4001 D2: Partner feels troubled by dizziness or shortness of breath

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	25	.5	.5	.5
	2 Often	103	1.9	1.9	2.4
	3 Not very often	875	16.0	16.1	18.5
	4 Never	4416	81.0	81.5	100.0
	Total	5419	99.4	100.0	
Missing	-1 No response	33	.6		
Total		5452	100.0		

pf4002 D3: Partner feels as though they might faint

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	5	.1	.1	.1
	2 Often	31	.6	.6	.7
	3 Not very often	801	14.7	14.8	15.4
	4 Never	4585	84.1	84.6	100.0
	Total	5422	99.4	100.0	
Missing	-1 No response	30	.6		
Total		5452	100.0		

pf4003 D4: Partner feels as sick or had indigestion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	41	.8	.8	.8
	2 Often	272	5.0	5.0	5.8
	3 Not very often	2111	38.7	39.0	44.7
	4 Never	2993	54.9	55.3	100.0
	Total	5417	99.4	100.0	
Missing	-1 No response	35	.6		
Total		5452	100.0		

PF File – Section D

pf4004 D5: Partner feels that life is too much effort

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	20	.4	.4	.4
	2 Often	182	3.3	3.4	3.7
	3 Not very often	1552	28.5	28.7	32.4
	4 Never	3656	67.1	67.6	100.0
	Total	5410	99.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	41	.8		
	Total	42	.8		
Total		5452	100.0		

pf4005 D6: Partner feels uneasy or restless

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	45	.8	.8	.8
	2 Often	526	9.6	9.8	10.6
	3 Not very often	2452	45.0	45.5	56.0
	4 Never	2371	43.5	44.0	100.0
	Total	5394	98.9	100.0	
Missing	-1 No response	58	1.1		
Total		5452	100.0		

pf4006 D7: Partner feels tingling or prickling sensations in their body, arms or legs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	28	.5	.5	.5
	2 Often	144	2.6	2.7	3.2
	3 Not very often	807	14.8	14.9	18.1
	4 Never	4433	81.3	81.9	100.0
	Total	5412	99.3	100.0	
Missing	-1 No response	40	.7		
Total		5452	100.0		

pf4007 D8: Partner feels regret over past behaviour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	89	1.6	1.6	1.6
	2 Often	465	8.5	8.6	10.2
	3 Not very often	2684	49.2	49.5	59.8
	4 Never	2180	40.0	40.2	100.0
	Total	5418	99.4	100.0	
Missing	-1 No response	34	.6		
Total		5452	100.0		

PF File – Section D

pf4008 D9: Partner sometimes feels panicky

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	15	.3	.3	.3
	2 Often	135	2.5	2.5	2.8
	3 Not very often	1561	28.6	28.9	31.7
	4 Never	3685	67.6	68.3	100.0
	Total	5396	99.0	100.0	
Missing	-1 No response	56	1.0		
Total		5452	100.0		

pf4009 D10: Partner has little or no appetite

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	18	.3	.3	.3
	2 Often	119	2.2	2.2	2.5
	3 Not very often	1365	25.0	25.2	27.8
	4 Never	3905	71.6	72.2	100.0
	Total	5407	99.2	100.0	
Missing	-1 No response	45	.8		
Total		5452	100.0		

pf4010 D11: Partner wakes early in the morning, even when not woken by family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	238	4.4	4.4	4.4
	2 Often	813	14.9	15.0	19.4
	3 Not very often	2081	38.2	38.4	57.8
	4 Never	2285	41.9	42.2	100.0
	Total	5417	99.4	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	33	.6		
	Total	35	.6		
Total		5452	100.0		

pf4011 D12: Partner worries a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	188	3.4	3.5	3.5
	2 Often	1156	21.2	21.3	24.8
	3 Not very often	3180	58.3	58.6	83.4
	4 Never	898	16.5	16.6	100.0
	Total	5422	99.4	100.0	
Missing	-1 No response	30	.6		
Total		5452	100.0		

PF File – Section D

pf4012 D13: Partner has felt tired or exhausted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	252	4.6	4.7	4.7
	2 Often	1710	31.4	31.6	36.2
	3 Not very often	2841	52.1	52.4	88.6
	4 Never	615	11.3	11.4	100.0
	Total	5418	99.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	33	.6		
	Total	34	.6		
Total		5452	100.0		

pf4013 D14: Partner has experienced long periods of sadness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	17	.3	.3	.3
	2 Often	153	2.8	2.8	3.1
	3 Not very often	1446	26.5	26.8	29.9
	4 Never	3784	69.4	70.1	100.0
	Total	5400	99.0	100.0	
Missing	-1 No response	52	1.0		
Total		5452	100.0		

pf4014 D15: Partner has felt strung-up inside

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	57	1.0	1.1	1.1
	2 Often	547	10.0	10.1	11.2
	3 Not very often	2391	43.9	44.4	55.6
	4 Never	2396	43.9	44.4	100.0
	Total	5391	98.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	60	1.1		
	Total	61	1.1		
Total		5452	100.0		

pf4015 D16: Partner can go to sleep alright

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	3276	60.1	60.8	60.8
	2 Often	1555	28.5	28.9	89.7
	3 Not very often	342	6.3	6.4	96.1
	4 Never	211	3.9	3.9	100.0
	Total	5384	98.8	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	67	1.2		
	Total	68	1.2		
Total		5452	100.0		

PF File – Section D

pf4016 D17: Partner has felt they are going to pieces

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	20	.4	.4	.4
	2 Often	136	2.5	2.5	2.9
	3 Not very often	1280	23.5	23.8	26.7
	4 Never	3935	72.2	73.3	100.0
	Total	5371	98.5	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	80	1.5		
	Total	81	1.5		
Total		5452	100.0		

pf4017 D18: Partner often suffers from excessive sweating or fluttering of the heart

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	31	.6	.6	.6
	2 Often	141	2.6	2.6	3.2
	3 Not very often	1005	18.4	18.6	21.8
	4 Never	4214	77.3	78.2	100.0
	Total	5391	98.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	60	1.1		
	Total	61	1.1		
Total		5452	100.0		

pf4018 D19: Partner finds themselves needing to cry

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	8	.1	.1	.1
	2 Often	75	1.4	1.4	1.5
	3 Not very often	1473	27.0	27.3	28.8
	4 Never	3840	70.4	71.2	100.0
	Total	5396	99.0	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	55	1.0		
	Total	56	1.0		
Total		5452	100.0		

pf4019 D20: Partner has had bad dreams which upset them when they wake up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	13	.2	.2	.2
	2 Often	64	1.2	1.2	1.4
	3 Not very often	1079	19.8	20.0	21.4
	4 Never	4238	77.7	78.6	100.0
	Total	5394	98.9	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	56	1.0		
	Total	58	1.1		
Total		5452	100.0		

PF File – Section D

pf4020 D21: Partner has lost the ability to feel sympathy for others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	91	1.7	1.7	1.7
	2 Often	539	9.9	10.0	11.7
	3 Not very often	2548	46.7	47.3	59.0
	4 Never	2210	40.5	41.0	100.0
	Total	5388	98.8	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	62	1.1		
	Total	64	1.2		
Total		5452	100.0		

pf4021 D22: Partner can think as quickly as they used to

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	2532	46.4	47.1	47.1
	2 Often	2077	38.1	38.6	85.7
	3 Not very often	595	10.9	11.1	96.7
	4 Never	176	3.2	3.3	100.0
	Total	5380	98.7	100.0	
Missing	-8 Text response	5	.1		
	-1 No response	67	1.2		
	Total	72	1.3		
Total		5452	100.0		

pf4022 D23: Partner makes a special effort to face up to a crisis or difficulty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	92	1.7	1.7	1.7
	2 Often	568	10.4	10.6	12.3
	3 Not very often	2544	46.7	47.4	59.7
	4 Never	2166	39.7	40.3	100.0
	Total	5370	98.5	100.0	
Missing	-8 Text response	5	.1		
	-1 No response	77	1.4		
	Total	82	1.5		
Total		5452	100.0		

PF File – Section D

pf4030 D24: Partner is able to laugh and see funny side of things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as I always could	4169	76.5	77.3	77.3
	2 Not quite so much now	1000	18.3	18.5	95.8
	3 Definitely not so much now	197	3.6	3.7	99.5
	4 Not at all	27	.5	.5	100.0
	Total	5393	98.9	100.0	
Missing	-1 No response	59	1.1		
Total		5452	100.0		

pf4031 D25: Partner looks forward with enjoyment to things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as I ever did	4265	78.2	79.1	79.1
	2 Rather less than I used to	944	17.3	17.5	96.6
	3 Definitely less than I used to	151	2.8	2.8	99.4
	4 Hardly at all	30	.6	.6	100.0
	Total	5390	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5452	100.0		

pf4032 D26: Partner blames themselves unnecessarily when things go wrong

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	90	1.7	1.7	1.7
	2 Yes, some of the time	884	16.2	16.4	18.1
	3 Not very often	2143	39.3	39.8	57.8
	4 Never	2273	41.7	42.2	100.0
	Total	5390	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5452	100.0		

pf4033 D27: Partner has been anxious or worried for no good reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	3007	55.2	55.8	55.8
	2 Hardly ever	1194	21.9	22.2	78.0
	3 Yes, sometimes	1034	19.0	19.2	97.1
	4 Yes, often	154	2.8	2.9	100.0
	Total	5389	98.8	100.0	
Missing	-1 No response	63	1.2		
Total		5452	100.0		

pf4034 D28: Partner has felt scared or panicky for no very good reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite a lot	65	1.2	1.2	1.2
	2 Yes, sometimes	284	5.2	5.3	6.5
	3 No, not much	850	15.6	15.8	22.3
	4 No, not at all	4186	76.8	77.7	100.0
	Total	5385	98.8	100.0	
Missing	-1 No response	67	1.2		
Total		5452	100.0		

PF File – Section D

pf4035 D29: Partner has let thing get on top of them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time partner hasn't been able to cope	49	.9	.9	.9
	2 Yes, sometimes partner hasn't been coping as well as usual	685	12.6	12.7	13.6
	3 No, most of the time partner has coped quite well	2027	37.2	37.6	51.3
	4 No, partner has been coping as well as ever	2623	48.1	48.7	100.0
	Total	5384	98.8	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	67	1.2		
	Total	68	1.2		
Total		5452	100.0		

pf4036 D30: Partner has been so unhappy that has had difficulty sleeping

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	26	.5	.5	.5
	2 Yes, sometimes	230	4.2	4.3	4.8
	3 Not very often	725	13.3	13.5	18.2
	4 No, not at all	4405	80.8	81.8	100.0
	Total	5386	98.8	100.0	
Missing	-1 No response	66	1.2		
Total		5452	100.0		

pf4037 D31: Partner has felt sad or miserable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	47	.9	.9	.9
	2 Yes, quite often	358	6.6	6.6	7.5
	3 Not very often	1705	31.3	31.7	39.2
	4 Not, not at all	3277	60.1	60.8	100.0
	Total	5387	98.8	100.0	
Missing	-1 No response	65	1.2		
Total		5452	100.0		

pf4038 D32: Partner has been so unhappy that they have been crying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	3	.1	.1	.1
	2 Yes, quite often	18	.3	.3	.4
	3 Only occasionally	299	5.5	5.6	5.9
	4 Never	5066	92.9	94.1	100.0
	Total	5386	98.8	100.0	
Missing	-1 No response	66	1.2		
Total		5452	100.0		

PF File – Section D

pf4039 D33: Partner has thought of harming themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite often	10	.2	.2	.2
	2 Sometimes	51	.9	.9	1.1
	3 Hardly ever	204	3.7	3.8	4.9
	4 Never	5123	94.0	95.1	100.0
	Total	5388	98.8	100.0	
Missing	-1 No response	64	1.2		
Total		5452	100.0		

pf4040 D34: Partners thinks that they are more good days than bad

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, more good days	4577	84.0	85.0	85.0
	2 About half and half	670	12.3	12.4	97.5
	3 No, more bad days	137	2.5	2.5	100.0
	Total	5384	98.8	100.0	
Missing	-1 No response	68	1.2		
Total		5452	100.0		

PAGE 17 OF THE QUESTIONNAIRE

SECTION E: RECENT EVENTS

Listed below are a number of events which may have brought changes in your life. Have any of these occurred since the study child was 18 months old? If so, please assess how much effect it had on you.

	Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No did not happen
Since the study child was 18 months old:					
E1. Your partner died	1	2	3	4	5
E2. One of your children died	1	2	3	4	5
E3. A friend or relative died	1	2	3	4	5
E4. One of your children was ill	1	2	3	4	5
E5. Your partner was ill	1	2	3	4	5
E6. A friend or relative was ill	1	2	3	4	5
E7. You were admitted to hospital	1	2	3	4	5
E8. You were in trouble with the law	1	2	3	4	5
E9. You were divorced	1	2	3	4	5
E10. You found that your partner didn't want your child	1	2	3	4	5
E11. You were very ill	1	2	3	4	5
E12. Your partner lost her job	1	2	3	4	5
E13. Your partner had problems at work	1	2	3	4	5
E14. You had problems at work	1	2	3	4	5
E15. You lost your job	1	2	3	4	5
E16. Your partner went away	1	2	3	4	5
E17. Your partner was in trouble with the law	1	2	3	4	5

PAGE 18 OF THE QUESTIONNAIRE

	Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No did not happen
Since the study child was 18 months old:					
E18. You and your partner separated	1	2	3	4	5
E19. Your income was reduced	1	2	3	4	5
E20. You argued with your partner	1	2	3	4	5
E21. You argued with your family and friends	1	2	3	4	5
E22. You moved house	1	2	3	4	5
E23. Your partner was physically cruel to you	1	2	3	4	5
E24. You became homeless	1	2	3	4	5
E25. You had a major financial problem	1	2	3	4	5
E26. You got married	1	2	3	4	5
E27. Your partner was physically cruel to your children	1	2	3	4	5
E28. You were physically cruel to your children	1	2	3	4	5
E29. You attempted suicide	1	2	3	4	5
E30. You were convicted of an offence	1	2	3	4	5
E31. Your partner became pregnant	1	2	3	4	5
E32. You started a new job	1	2	3	4	5
E33. Your partner had a miscarriage	1	2	3	4	5
E34. Your partner had an Abortion	1	2	3	4	5
E35. You took an examination	1	2	3	4	5

PAGE 19 OF THE QUESTIONNAIRE

	Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No did not happen
Since the study child was 18 months old:					
E36. Your partner was emotionally cruel to you	1	2	3	4	5
E37. Your partner was emotionally cruel to your children	1	2	3	4	5
E38. You were emotionally cruel to your children	1	2	3	4	5
E39. Your house or car was burgled	1	2	3	4	5
E40. Your partner started a new job	1	2	3	4	5
E41. A pet died	1	2	3	4	5
E42. You had an accident (please tick and describe)	1	2	3	4	5

.....

E43. a) Is there anything else which is not on the list which has concerned
you or required additional effort from you to cope in the last year?

Yes 1 No 2

If yes, b) please describe :

.....
.....

c) How did this affect you?

a lot 1
moderately 2
mildly 3
not at all 4

PF File – Section E

pf5000 E1: Partner's partner has died since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes, moderately affected	1	.0	.0	.0
	3 Yes, mildly affected	2	.0	.0	.1
	5 No did not happen	5382	98.7	99.9	100.0
	Total	5385	98.8	100.0	
Missing	-1 No response	67	1.2		
Total		5452	100.0		

pf5001 E2: Partner's child has died since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	19	.3	.4	.4
	2 Yes, moderately affected	4	.1	.1	.4
	5 No did not happen	5355	98.2	99.6	100.0
	Total	5378	98.6	100.0	
Missing	-1 No response	74	1.4		
Total		5452	100.0		

pf5002 E3: Partner's friend or relative has died since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	291	5.3	5.4	5.4
	2 Yes, moderately affected	400	7.3	7.4	12.8
	3 Yes, mildly affected	548	10.1	10.2	23.0
	4 Yes, but did not affect me at all	389	7.1	7.2	30.2
	5 No did not happen	3755	68.9	69.8	100.0
	Total	5383	98.7	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	68	1.2		
	Total	69	1.3		
Total		5452	100.0		

pf5003 E4: Partner's children was ill since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	254	4.7	4.7	4.7
	2 Yes, moderately affected	465	8.5	8.6	13.4
	3 Yes, mildly affected	1001	18.4	18.6	32.0
	4 Yes, but did not affect me at all	795	14.6	14.8	46.8
	5 No did not happen	2864	52.5	53.2	100.0
	Total	5379	98.7	100.0	
Missing	-1 No response	73	1.3		
Total		5452	100.0		

PF File – Section E

pf5004 E5: Partner's partner was ill since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	261	4.8	4.9	4.9
	2 Yes, moderately affected	363	6.7	6.7	11.6
	3 Yes, mildly affected	784	14.4	14.6	26.2
	4 Yes, but did not affect me at all	570	10.5	10.6	36.8
	5 No did not happen	3403	62.4	63.2	100.0
	Total	5381	98.7	100.0	
Missing	-1 No response	71	1.3		
Total		5452	100.0		

pf5005 E6: Partner's friend or relative was ill since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	155	2.8	2.9	2.9
	2 Yes, moderately affected	330	6.1	6.1	9.0
	3 Yes, mildly affected	570	10.5	10.6	19.6
	4 Yes, but did not affect me at all	590	10.8	11.0	30.6
	5 No did not happen	3737	68.5	69.4	100.0
	Total	5382	98.7	100.0	
Missing	-1 No response	70	1.3		
Total		5452	100.0		

pf5006 E7: Partner was admitted to hospital since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	69	1.3	1.3	1.3
	2 Yes, moderately affected	68	1.2	1.3	2.5
	3 Yes, mildly affected	80	1.5	1.5	4.0
	4 Yes, but did not affect me at all	119	2.2	2.2	6.2
	5 No did not happen	5045	92.5	93.8	100.0
	Total	5381	98.7	100.0	
Missing	-1 No response	71	1.3		
Total		5452	100.0		

pf5007 E8: Partner was in trouble with the law since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	24	.4	.4	.4
	2 Yes, moderately affected	12	.2	.2	.7
	3 Yes, mildly affected	45	.8	.8	1.5
	4 Yes, but did not affect me at all	53	1.0	1.0	2.5
	5 No did not happen	5253	96.3	97.5	100.0
	Total	5387	98.8	100.0	
Missing	-1 No response	65	1.2		
Total		5452	100.0		

PF File – Section E

pf5008 E9: Partner was divorced since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	4	.1	.1	.1
	2 Yes, moderately affected	3	.1	.1	.1
	3 Yes, mildly affected	5	.1	.1	.2
	4 Yes, but did not affect me at all	6	.1	.1	.3
	5 No did not happen	5368	98.5	99.7	100.0
	Total	5386	98.8	100.0	
Missing	-1 No response	66	1.2		
Total		5452	100.0		

pf5009 E10: Partner found out their partner did not want to have their child since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	10	.2	.2	.2
	2 Yes, moderately affected	9	.2	.2	.4
	3 Yes, mildly affected	7	.1	.1	.5
	4 Yes, but did not affect me at all	2	.0	.0	.5
	5 No did not happen	5356	98.2	99.5	100.0
	Total	5384	98.8	100.0	
Missing	-1 No response	68	1.2		
Total		5452	100.0		

pf5010 E11: Partner was very ill since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	83	1.5	1.5	1.5
	2 Yes, moderately affected	70	1.3	1.3	2.8
	3 Yes, mildly affected	81	1.5	1.5	4.3
	4 Yes, but did not affect me at all	69	1.3	1.3	5.6
	5 No did not happen	5082	93.2	94.4	100.0
	Total	5385	98.8	100.0	
Missing	-1 No response	67	1.2		
Total		5452	100.0		

pf5011 E12: Partner's partner has lost their job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	12	.2	.2	.2
	2 Yes, moderately affected	26	.5	.5	.7
	3 Yes, mildly affected	46	.8	.9	1.6
	4 Yes, but did not affect me at all	42	.8	.8	2.3
	5 No did not happen	5256	96.4	97.7	100.0
	Total	5382	98.7	100.0	
Missing	-1 No response	70	1.3		
Total		5452	100.0		

PF File – Section E

pf5012 E13: Partner's partner has had problems at work since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	39	.7	.7	.7
	2 Yes, moderately affected	108	2.0	2.0	2.7
	3 Yes, mildly affected	310	5.7	5.8	8.5
	4 Yes, but did not affect me at all	159	2.9	3.0	11.5
	5 No did not happen	4760	87.3	88.5	100.0
	Total	5376	98.6	100.0	
Missing	-1 No response	76	1.4		
Total		5452	100.0		

pf5013 E14: Partner has had problems at work since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	314	5.8	5.8	5.8
	2 Yes, moderately affected	473	8.7	8.8	14.6
	3 Yes, mildly affected	810	14.9	15.1	29.7
	4 Yes, but did not affect me at all	511	9.4	9.5	39.2
	5 No did not happen	3268	59.9	60.8	100.0
	Total	5376	98.6	100.0	
Missing	-1 No response	76	1.4		
Total		5452	100.0		

pf5014 E15: Partner has lost their job since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	167	3.1	3.1	3.1
	2 Yes, moderately affected	97	1.8	1.8	4.9
	3 Yes, mildly affected	81	1.5	1.5	6.4
	4 Yes, but did not affect me at all	52	1.0	1.0	7.4
	5 No did not happen	4983	91.4	92.6	100.0
	Total	5380	98.7	100.0	
Missing	-1 No response	72	1.3		
Total		5452	100.0		

pf5015 E16: Partner's partner went away since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	34	.6	.6	.6
	2 Yes, moderately affected	32	.6	.6	1.2
	3 Yes, mildly affected	51	.9	.9	2.2
	4 Yes, but did not affect me at all	79	1.4	1.5	3.6
	5 No did not happen	5186	95.1	96.4	100.0
	Total	5382	98.7	100.0	
Missing	-1 No response	70	1.3		
Total		5452	100.0		

PF File – Section E

pf5016 E17: Partner's partner was in trouble with the law since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	4	.1	.1	.1
	2 Yes, moderately affected	1	.0	.0	.1
	3 Yes, mildly affected	6	.1	.1	.2
	4 Yes, but did not affect me at all	9	.2	.2	.4
	5 No did not happen	5360	98.3	99.6	100.0
	Total	5380	98.7	100.0	
Missing	-1 No response	72	1.3		
Total		5452	100.0		

pf5017 E18: Partner and partner's partner have separated since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	80	1.5	1.5	1.5
	2 Yes, moderately affected	14	.3	.3	1.7
	3 Yes, mildly affected	16	.3	.3	2.0
	4 Yes, but did not affect me at all	7	.1	.1	2.2
	5 No did not happen	5273	96.7	97.8	100.0
	Total	5390	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5452	100.0		

pf5018 E19: Partner's income was reduced since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	281	5.2	5.2	5.2
	2 Yes, moderately affected	312	5.7	5.8	11.0
	3 Yes, mildly affected	481	8.8	8.9	20.0
	4 Yes, but did not affect me at all	247	4.5	4.6	24.5
	5 No did not happen	4061	74.5	75.5	100.0
	Total	5382	98.7	100.0	
Missing	-1 No response	70	1.3		
Total		5452	100.0		

pf5019 E20: Partner has argued with their partner since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	273	5.0	5.1	5.1
	2 Yes, moderately affected	456	8.4	8.5	13.6
	3 Yes, mildly affected	1344	24.7	25.0	38.6
	4 Yes, but did not affect me at all	1523	27.9	28.4	67.0
	5 No did not happen	1775	32.6	33.0	100.0
	Total	5371	98.5	100.0	
Missing	-1 No response	81	1.5		
Total		5452	100.0		

PF File – Section E

pf5020 E21: Partner has argued with family and friends since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	54	1.0	1.0	1.0
	2 Yes, moderately affected	116	2.1	2.2	3.2
	3 Yes, mildly affected	360	6.6	6.7	9.8
	4 Yes, but did not affect me at all	489	9.0	9.1	18.9
	5 No did not happen	4369	80.1	81.1	100.0
	Total	5388	98.8	100.0	
Missing	-1 No response	64	1.2		
Total		5452	100.0		

pf5021 E22: Partner has moved house since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	156	2.9	2.9	2.9
	2 Yes, moderately affected	221	4.1	4.1	7.0
	3 Yes, mildly affected	294	5.4	5.5	12.5
	4 Yes, but did not affect me at all	327	6.0	6.1	18.5
	5 No did not happen	4390	80.5	81.5	100.0
	Total	5388	98.8	100.0	
Missing	-1 No response	64	1.2		
Total		5452	100.0		

pf5022 E23: Partner's partner was physically cruel to them since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	15	.3	.3	.3
	2 Yes, moderately affected	17	.3	.3	.6
	3 Yes, mildly affected	45	.8	.8	1.4
	4 Yes, but did not affect me at all	35	.6	.6	2.1
	5 No did not happen	5276	96.8	97.9	100.0
	Total	5388	98.8	100.0	
Missing	-1 No response	64	1.2		
Total		5452	100.0		

pf5023 E24: Partner became homeless since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	14	.3	.3	.3
	2 Yes, moderately affected	6	.1	.1	.4
	3 Yes, mildly affected	13	.2	.2	.6
	4 Yes, but did not affect me at all	6	.1	.1	.7
	5 No did not happen	5351	98.1	99.3	100.0
	Total	5390	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5452	100.0		

PF File – Section E

pf5024 E25: Partner has had major financial problem since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	209	3.8	3.9	3.9
	2 Yes, moderately affected	216	4.0	4.0	7.9
	3 Yes, mildly affected	337	6.2	6.3	14.1
	4 Yes, but did not affect me at all	169	3.1	3.1	17.3
	5 No did not happen	4459	81.8	82.7	100.0
	Total	5390	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5452	100.0		

pf5025 E26: Partner has got married since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	19	.3	.4	.4
	2 Yes, moderately affected	13	.2	.2	.6
	3 Yes, mildly affected	21	.4	.4	1.0
	4 Yes, but did not affect me at all	47	.9	.9	1.9
	5 No did not happen	5287	97.0	98.1	100.0
	Total	5387	98.8	100.0	
Missing	-1 No response	65	1.2		
Total		5452	100.0		

pf5026 E27: Partner's partner was physically cruel to their children since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	1	.0	.0	.0
	2 Yes, moderately affected	5	.1	.1	.1
	3 Yes, mildly affected	11	.2	.2	.3
	4 Yes, but did not affect me at all	8	.1	.1	.5
	5 No did not happen	5363	98.4	99.5	100.0
	Total	5388	98.8	100.0	
Missing	-1 No response	64	1.2		
Total		5452	100.0		

pf5027 E28: Partner was physically cruel to their children since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	6	.1	.1	.1
	2 Yes, moderately affected	9	.2	.2	.3
	3 Yes, mildly affected	19	.3	.4	.6
	4 Yes, but did not affect me at all	10	.2	.2	.8
	5 No did not happen	5347	98.1	99.2	100.0
	Total	5391	98.9	100.0	
Missing	-1 No response	61	1.1		
Total		5452	100.0		

PF File – Section E

pf5028 E29: Partner attempted suicide since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	3	.1	.1	.1
	4 Yes, but did not affect me at all	2	.0	.0	.1
	5 No did not happen	5385	98.8	99.9	100.0
	Total	5390	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5452	100.0		

pf5029 E30: Partner was convicted of an offence since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	11	.2	.2	.2
	2 Yes, moderately affected	7	.1	.1	.3
	3 Yes, mildly affected	22	.4	.4	.7
	4 Yes, but did not affect me at all	39	.7	.7	1.5
	5 No did not happen	5311	97.4	98.5	100.0
	Total	5390	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5452	100.0		

pf5030 E31: Partner's partner became pregnant since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	550	10.1	10.2	10.2
	2 Yes, moderately affected	421	7.7	7.8	18.0
	3 Yes, mildly affected	303	5.6	5.6	23.7
	4 Yes, but did not affect me at all	303	5.6	5.6	29.3
	5 No did not happen	3804	69.8	70.7	100.0
	Total	5381	98.7	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	70	1.3		
	Total	71	1.3		
Total		5452	100.0		

pf5031 E32: Partner started a new job since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	280	5.1	5.2	5.2
	2 Yes, moderately affected	290	5.3	5.4	10.6
	3 Yes, mildly affected	250	4.6	4.6	15.2
	4 Yes, but did not affect me at all	297	5.4	5.5	20.8
	5 No did not happen	4262	78.2	79.2	100.0
	Total	5379	98.7	100.0	
Missing	-1 No response	73	1.3		
Total		5452	100.0		

PF File – Section E

pf5032 E33: Partner's partner had a miscarriage since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	142	2.6	2.6	2.6
	2 Yes, moderately affected	77	1.4	1.4	4.1
	3 Yes, mildly affected	41	.8	.8	4.8
	4 Yes, but did not affect me at all	19	.3	.4	5.2
	5 No did not happen	5106	93.7	94.8	100.0
	Total	5385	98.8	100.0	
Missing	-1 No response	67	1.2		
Total		5452	100.0		

pf5033 E34: Partner's partner had an abortion since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	23	.4	.4	.4
	2 Yes, moderately affected	16	.3	.3	.7
	3 Yes, mildly affected	8	.1	.1	.9
	4 Yes, but did not affect me at all	2	.0	.0	.9
	5 No did not happen	5339	97.9	99.1	100.0
	Total	5388	98.8	100.0	
Missing	-1 No response	64	1.2		
Total		5452	100.0		

pf5034 E35: Partner took an examination since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	78	1.4	1.4	1.4
	2 Yes, moderately affected	120	2.2	2.2	3.7
	3 Yes, mildly affected	159	2.9	3.0	6.6
	4 Yes, but did not affect me at all	279	5.1	5.2	11.8
	5 No did not happen	4749	87.1	88.2	100.0
	Total	5385	98.8	100.0	
Missing	-1 No response	67	1.2		
Total		5452	100.0		

pf5035 E36: Partner's partner was emotionally cruel to them since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	142	2.6	2.6	2.6
	2 Yes, moderately affected	115	2.1	2.1	4.8
	3 Yes, mildly affected	219	4.0	4.1	8.8
	4 Yes, but did not affect me at all	90	1.7	1.7	10.5
	5 No did not happen	4827	88.5	89.5	100.0
	Total	5393	98.9	100.0	
Missing	-1 No response	59	1.1		
Total		5452	100.0		

PF File – Section E

pf5036 E37: Partner's partner was emotionally cruel to their children since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	22	.4	.4	.4
	2 Yes, moderately affected	30	.6	.6	1.0
	3 Yes, mildly affected	36	.7	.7	1.6
	4 Yes, but did not affect me at all	20	.4	.4	2.0
	5 No did not happen	5285	96.9	98.0	100.0
	Total	5393	98.9	100.0	
Missing	-1 No response	59	1.1		
Total		5452	100.0		

pf5037 E38: Partner was emotionally cruel to their children since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	20	.4	.4	.4
	2 Yes, moderately affected	20	.4	.4	.7
	3 Yes, mildly affected	46	.8	.9	1.6
	4 Yes, but did not affect me at all	22	.4	.4	2.0
	5 No did not happen	5279	96.8	98.0	100.0
	Total	5387	98.8	100.0	
Missing	-1 No response	65	1.2		
Total		5452	100.0		

pf5038 E39: Partner's car or house was burgled since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	80	1.5	1.5	1.5
	2 Yes, moderately affected	169	3.1	3.1	4.6
	3 Yes, mildly affected	352	6.5	6.5	11.2
	4 Yes, but did not affect me at all	315	5.8	5.8	17.0
	5 No did not happen	4473	82.0	83.0	100.0
	Total	5389	98.8	100.0	
Missing	-1 No response	63	1.2		
Total		5452	100.0		

pf5039 E40: Partner's partner has started a new job since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	56	1.0	1.0	1.0
	2 Yes, moderately affected	142	2.6	2.6	3.7
	3 Yes, mildly affected	231	4.2	4.3	8.0
	4 Yes, but did not affect me at all	292	5.4	5.4	13.4
	5 No did not happen	4666	85.6	86.6	100.0
	Total	5387	98.8	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	64	1.2		
	Total	65	1.2		
Total		5452	100.0		

PF File – Section E

pf5040 E41: Partner's pet died since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected me a lot	59	1.1	1.1	1.1
	2 Yes, moderately affected	93	1.7	1.7	2.8
	3 Yes, mildly affected	167	3.1	3.1	5.9
	4 Yes, but did not affect me at all	248	4.5	4.6	10.5
	5 No did not happen	4823	88.5	89.5	100.0
	Total	5390	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5452	100.0		

pf5041 E42: Partner has had an accident since study child was 18 months old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	3	.1	.1	.1
	1 Yes & affected me a lot	71	1.3	1.4	1.4
	2 Yes, moderately affected	73	1.3	1.4	2.8
	3 Yes, mildly affected	129	2.4	2.5	5.3
	4 Yes, but did not affect me at all	114	2.1	2.2	7.5
	5 No did not happen	4831	88.6	92.5	100.0
	Total	5221	95.8	100.0	
Missing	-1 No response	231	4.2		
Total		5452	100.0		

pf5050 E43a: Other things which have concerned the partner over the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	697	12.8	15.1	15.1
	2 No	3908	71.7	84.9	100.0
	Total	4605	84.5	100.0	
Missing	-1 No response	847	15.5		
Total		5452	100.0		

pf5052 E43c: Degree at which these other things affected partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	453	8.3	46.9	46.9
	2 Moderately	215	3.9	22.3	69.2
	3 Mildly	71	1.3	7.4	76.6
	4 Not at all	226	4.1	23.4	100.0
	Total	965	17.7	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	4486	82.3		
	Total	4487	82.3		
Total		5452	100.0		

PAGE 20 OF THE QUESTIONNAIRE

SECTION F: YOUR PARTNER

The section below is concerned with your relationship with your partner. (The partner will be referred to as 'she', although the questions refer to all partners.)

F1. How would you assess your partner's physical health?

always fit and well	1
mostly well and healthy	2
often feels unwell	3
hardly ever feels well	4

F2. How would you rate her on these characteristics?

	Almost always	Sometimes	Hardly ever	Never
a) helpful, cooperative	1	2	3	4
b) quiet, reserved	1	2	3	4
c) unreliable	1	2	3	4
d) sociable, outgoing	1	2	3	4
e) dominating, assertive	1	2	3	4
f) understanding	1	2	3	4
g) quicktempered, easily upset	1	2	3	4
h) cheerful, easygoing	1	2	3	4

F3. Who does these various household tasks?

	Me always	Me mostly	Sometimes me, some- times my partner	Partner mostly	Partner always	Always both of us together	Some- one else
a) shopping for groceries	1	2	3	4	5	6	0
b) cooking	1	2	3	4	5	6	0

PAGE 21 OF THE QUESTIONNAIRE

F3.		Me always	Me mostly	Sometimes me, some- times my partner	Partner mostly	Partner always	Always both of us together	Some- one else
c)	cleaning house	1	2	3	4	5	6	0
d)	repairs in home	1	2	3	4	5	6	0
e)	looking after children	1	2	3	4	5	6	0
f)	washing clothes	1	2	3	4	5	6	0
g)	ironing	1	2	3	4	5	6	0

F4.	Who decides:	Me always	Me mostly	Sometimes me, some- times my partner	Partner mostly	Partner always	Always both of us	Some- one else
a)	how to spend free time	1	2	3	4	5	6	0
b)	how much to see family or friends	1	2	3	4	5	6	0
c)	when to do repairs or redecorate	1	2	3	4	5	6	0
d)	how we should spend our money	1	2	3	4	5	6	0

F5.	People vary greatly in the amount they are satisfied or dissatisfied with their relationship. How do you feel about the following aspects of your life together?	Very satisfied	Moderately satisfied	Somewhat dissatisfied	Very dissatisfied
a)	handling family finances	1	2	3	4
b)	demonstrations of affection	1	2	3	4

PAGE 22 OF THE QUESTIONNAIRE

F5.		Very satisfied	Moderately satisfied	Somewhat dissatisfied	Very dissatisfied
c)	sex	1	2	3	4
d)	amount of time spent together	1	2	3	4
e)	making major decisions	1	2	3	4
f)	household tasks	1	2	3	4
g)	leisure time interests & activities	1	2	3	4

F6. a) How often recently have you been irritable with your partner?

not at all	1	less than once a week	2	1-2 times a week	3	3-6 times a week	4	every day	5
---------------	---	-----------------------------	---	---------------------	---	---------------------	---	--------------	---

b) How often has she been irritable with you?

not at all	1	less than once a week	2	1-2 times a week	3	3-6 times a week	4	every day	5
---------------	---	-----------------------------	---	---------------------	---	---------------------	---	--------------	---

F7. a) How many arguments or disagreements have you had in the past three months?

none	1	1-3	2	4-7	3	8-13	4	14 or more	5
------	---	-----	---	-----	---	------	---	------------	---

b) In the past 3 months, have any of these happened?

	Yes, I did this	Yes, she did this	Yes, we both did this	No, not at all
i) not speaking to partner for more than half an hour	1	2	3	4
ii) one of you walking out of the house	1	2	3	4
iii) shouting at partner and/ or calling partner names	1	2	3	4
iv) hitting or slapping partner	1	2	3	4
v) throwing or deliberately breaking things	1	2	3	4

PAGE 23 OF THE QUESTIONNAIRE

F8. In the past three months how often have you done these things **with your partner?**

		Never ↓	Less than once a month	Less than once a week	At least once a week
a)	gone out for a meal	1	2	3	4
b)	gone out for a drink	1	2	3	4
c)	visited friends	1	2	3	4
d)	visited family	1	2	3	4
e)	gone to the cinema or theatre	1	2	3	4

F9. a) How many evenings a month do you go out and do things **on your own** or with your own friends?

none	1	once	2	2-3 times	3	4-7 times	4	8 or more times	5
------	---	------	---	--------------	---	--------------	---	--------------------	---

b) How many times a month does your partner go out and do things **on her own** or with friends?

none	1	once	2	2-3 times	3	4-7 times	4	8 or more times	5
------	---	------	---	--------------	---	--------------	---	--------------------	---

F10. How often in a week, on average, would you and your partner:

		Never	Less than once a week	1-3 times a week	Most days
a)	discuss work or how the day has gone	1	2	3	4
b)	laugh together	1	2	3	4
c)	calmly talk over some thing (eg. the news, a hobby or interest)	1	2	3	4
d)	kiss or hug	1	2	3	4
e)	make plans	1	2	3	4
f)	talk over feelings or worries	1	2	3	4

PAGE 24 OF THE QUESTIONNAIRE

F11. a) Which of the following statements about alcohol best applies to your partner:

Never drinks alcohol	1
Very occasionally (less than once a week)	2
Occasionally (at least once a week)	3
Drinks 12 glasses* nearly every day	4
Drinks 39 glasses* every day	5
Drinks at least 10 glasses* a day	6
Don't know	9

[*by glass we mean pub measures (10z) of spirits or $\frac{1}{2}$ pints ($\frac{1}{4}$ litre) of beer or cider]

b) How many days in the past month do you think she had the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

every day	1	more than 10 days	2	don't know	9
5-10 days	3	3-4 days	4		
1-2 days	5	none	6		

F12. Below are attitudes and behaviours which people reveal in their close relationships. Please rate your partner's attitudes and behaviour towards you in recent times and tick the most appropriate box for each item.

My partner:		Very true	Moderately true	Somewhat true	Not at all true
a)	Is very considerate of me	1	2	3	4
b)	Wants me to take her side in an argument	1	2	3	4
c)	Wants to know exactly what I'm doing and where I am	1	2	3	4
d)	Is a good companion	1	2	3	4
e)	Is affectionate to me	1	2	3	4
f)	Is clearly hurt if I don't accept her views	1	2	3	4
g)	Tends to try to change me	1	2	3	4

PAGE 25 OF THE QUESTIONNAIRE

	My partner:	Very true	Moderately true	Somewhat true	Not at all true
F12	h) Confides closely in me	1	2	3	4
	i) Tends to criticize me over small issues	1	2	3	4
	j) Understands my problems and worries	1	2	3	4
	k) Tends to order me about	1	2	3	4
	l) Insists I do exactly as I'm told	1	2	3	4
	m) Is physically gentle and considerate	1	2	3	4
	n) Makes me feel needed	1	2	3	4
	o) Wants me to change in small ways	1	2	3	4
	p) Is very loving to me	1	2	3	4
	q) Seeks to dominate me	1	2	3	4
	r) Is fun to be with	1	2	3	4
	s) Wants to change me in big ways	1	2	3	4
	t) Tends to control everything I do	1	2	3	4
	u) Shows her appreciation of me	1	2	3	4
	v) Is critical of me in private	1	2	3	4
	w) Is gentle and kind to me	1	2	3	4
	x) Speaks to me in a warm and friendly voice	1	2	3	4

PAGE 26 OF THE QUESTIONNAIRE

F13. **You and the study child.**

The following statements are about how you feel about the study child.

	This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way
a) I really enjoy this child	1	2	3	4
b) I would have preferred that we had not had this child when we did	1	2	3	4
c) I feel confident with my child	1	2	3	4
d) I dislike the mess that surrounds my child	1	2	3	4
e) It is a great pleasure to watch my child develop	1	2	3	4
f) I really cannot bear it when the child cries	1	2	3	4
g) I feel constantly unsure if I'm doing the right thing for my child	1	2	3	4
h) I feel I should be enjoying my child but am not	1	2	3	4
i) I feel I have no time to myself	1	2	3	4
j) Having this child has made me feel more fulfilled	1	2	3	4
k) Children are fun	1	2	3	4

PF File – Section F

pf6000 F1: Partner's assessment of their partner's physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always fit and well	1487	27.3	27.5	27.5
	2 Mostly well and healthy	3339	61.2	61.8	89.3
	3 Often feels unwell	529	9.7	9.8	99.1
	4 Hardly ever feels well	47	.9	.9	100.0
	Total	5402	99.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	49	.9		
	Total	50	.9		
Total		5452	100.0		

pf6010 F2a: Frequency partner's partner is helpful or co-operative

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	4116	75.5	76.5	76.5
	2 Sometimes	1201	22.0	22.3	98.8
	3 Hardly ever	58	1.1	1.1	99.9
	4 Never	8	.1	.1	100.0
	Total	5383	98.7	100.0	
Missing	-1 No response	69	1.3		
Total		5452	100.0		

pf6011 F2b: Frequency partner's partner is quiet or reserved

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	529	9.7	9.8	9.8
	2 Sometimes	2579	47.3	48.0	57.8
	3 Hardly ever	1785	32.7	33.2	91.0
	4 Never	484	8.9	9.0	100.0
	Total	5377	98.6	100.0	
Missing	-1 No response	75	1.4		
Total		5452	100.0		

pf6012 F2c: Frequency partner's partner is unreliable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	127	2.3	2.4	2.4
	2 Sometimes	508	9.3	9.5	11.8
	3 Hardly ever	1699	31.2	31.6	43.4
	4 Never	3040	55.8	56.6	100.0
	Total	5374	98.6	100.0	
Missing	-1 No response	78	1.4		
Total		5452	100.0		

PF File – Section F

pf6013 F2d: Frequency partner's partner is sociable or outgoing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2758	50.6	51.3	51.3
	2 Sometimes	2224	40.8	41.4	92.7
	3 Hardly ever	337	6.2	6.3	98.9
	4 Never	58	1.1	1.1	100.0
	Total	5377	98.6	100.0	
Missing	-1 No response	75	1.4		
Total		5452	100.0		

pf6014 F2e: Frequency partner's partner is dominating or assertive

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	519	9.5	9.7	9.7
	2 Sometimes	2526	46.3	47.1	56.8
	3 Hardly ever	1600	29.3	29.8	86.6
	4 Never	718	13.2	13.4	100.0
	Total	5363	98.4	100.0	
Missing	-1 No response	89	1.6		
Total		5452	100.0		

pf6015 F2f: Frequency partner's partner is understanding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	3239	59.4	60.2	60.2
	2 Sometimes	1920	35.2	35.7	96.0
	3 Hardly ever	193	3.5	3.6	99.6
	4 Never	24	.4	.4	100.0
	Total	5376	98.6	100.0	
Missing	-1 No response	76	1.4		
Total		5452	100.0		

pf6016 F2g: Frequency partner's partner is quick-tempered or easily upset

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	761	14.0	14.1	14.1
	2 Sometimes	2643	48.5	49.1	63.3
	3 Hardly ever	1576	28.9	29.3	92.6
	4 Never	399	7.3	7.4	100.0
	Total	5379	98.7	100.0	
Missing	-1 No response	73	1.3		
Total		5452	100.0		

pf6017 F2h: Frequency partner's partner is cheerful and easygoing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2848	52.2	52.9	52.9
	2 Sometimes	2209	40.5	41.1	94.0
	3 Hardly ever	289	5.3	5.4	99.4
	4 Never	34	.6	.6	100.0
	Total	5380	98.7	100.0	
Missing	-1 No response	72	1.3		
Total		5452	100.0		

PF File – Section F

pf6020 F3a: Person who shops for groceries for household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Someone else	10	.2	.2	.2
	1 Always partner	137	2.5	2.5	2.7
	2 Mostly partner	352	6.5	6.5	9.3
	3 Sometimes partner, sometimes partner's partner	1063	19.5	19.7	29.0
	4 Mostly partner's partner	2091	38.4	38.8	67.8
	5 Always partner's partner	872	16.0	16.2	84.0
	6 Always both together	862	15.8	16.0	100.0
	Total	5387	98.8	100.0	
Missing	-1 No response	65	1.2		
Total		5452	100.0		

pf6021 F3b: Person who cooks for household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Someone else	7	.1	.1	.1
	1 Always partner	78	1.4	1.4	1.6
	2 Mostly partner	317	5.8	5.9	7.5
	3 Sometimes partner, sometimes partner's partner	1381	25.3	25.6	33.1
	4 Mostly partner's partner	2396	43.9	44.5	77.6
	5 Always partner's partner	1140	20.9	21.2	98.7
	6 Always both together	66	1.2	1.2	99.9
	7 Someone else, plus partner and/or partner's partner	3	.1	.1	100.0
	Total	5388	98.8	100.0	
Missing	-1 No response	64	1.2		
Total		5452	100.0		

pf6022 F3c: Person who cleans the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Someone else	243	4.5	4.5	4.5
	1 Always partner	55	1.0	1.0	5.5
	2 Mostly partner	151	2.8	2.8	8.3
	3 Sometimes partner, sometimes partner's partner	1162	21.3	21.6	29.9
	4 Mostly partner's partner	2517	46.2	46.7	76.6
	5 Always partner's partner	1102	20.2	20.4	97.0
	6 Always both together	126	2.3	2.3	99.4
	7 Someone else, plus partner and/or partner's partner	34	.6	.6	100.0
	Total	5390	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5452	100.0		

PF File – Section F

pf6023 F3d: Person who does repairs in the home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Someone else	146	2.7	2.7	2.7
	1 Always partner	2084	38.2	38.7	41.4
	2 Mostly partner	2383	43.7	44.2	85.6
	3 Sometimes partner, sometimes partner's partner	607	11.1	11.3	96.8
	4 Mostly partner's partner	88	1.6	1.6	98.5
	5 Always partner's partner	29	.5	.5	99.0
	6 Always both together	40	.7	.7	99.8
	7 Someone else, plus partner and/or partner's partner	13	.2	.2	100.0
	Total	5390	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5452	100.0		

pf6024 F3e: Person who looks after the children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Someone else	30	.6	.6	.6
	1 Always partner	19	.3	.4	.9
	2 Mostly partner	86	1.6	1.6	2.5
	3 Sometimes partner, sometimes partner's partner	2288	42.0	42.5	45.0
	4 Mostly partner's partner	2509	46.0	46.6	91.5
	5 Always partner's partner	133	2.4	2.5	94.0
	6 Always both together	280	5.1	5.2	99.2
	7 Someone else, plus partner and/or partner's partner	43	.8	.8	100.0
	Total	5388	98.8	100.0	
Missing	-1 No response	64	1.2		
Total		5452	100.0		

pf6025 F3f: Person who washes the clothes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Someone else	23	.4	.4	.4
	1 Always partner	63	1.2	1.2	1.6
	2 Mostly partner	88	1.6	1.6	3.2
	3 Sometimes partner, sometimes partner's partner	618	11.3	11.5	14.7
	4 Mostly partner's partner	1903	34.9	35.3	50.0
	5 Always partner's partner	2664	48.9	49.4	99.4
	6 Always both together	27	.5	.5	99.9
	7 Someone else, plus partner and/or partner's partner	4	.1	.1	100.0
	Total	5390	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5452	100.0		

PF File – Section F

pf6026 F3g: Person who does the ironing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Someone else	207	3.8	3.9	3.9
	1 Always partner	114	2.1	2.1	6.0
	2 Mostly partner	178	3.3	3.3	9.4
	3 Sometimes partner, sometimes partner's partner	797	14.6	15.0	24.3
	4 Mostly partner's partner	1406	25.8	26.4	50.8
	5 Always partner's partner	2554	46.8	48.0	98.7
	6 Always both together	43	.8	.8	99.5
	7 Someone else, plus partner and/or partner's partner	24	.4	.5	100.0
	Total	5323	97.6	100.0	
Missing	-1 No response	129	2.4		
Total		5452	100.0		

PF File – Section F

pf6030 F4a: Person who decides how to spend free time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Someone else	2	.0	.0	.0
	1 Always partner	29	.5	.5	.6
	2 Mostly partner	278	5.1	5.2	5.7
	3 Sometimes partner, sometimes partner's partner	3238	59.4	60.2	66.0
	4 Mostly partner's partner	459	8.4	8.5	74.5
	5 Always partner's partner	34	.6	.6	75.1
	6 Always both together	1337	24.5	24.9	100.0
	Total	5377	98.6	100.0	
Missing	-1 No response	75	1.4		
Total		5452	100.0		

pf6031 F4b: Person who decides how much to see family and friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Someone else	4	.1	.1	.1
	1 Always partner	20	.4	.4	.4
	2 Mostly partner	129	2.4	2.4	2.8
	3 Sometimes partner, sometimes partner's partner	2895	53.1	53.8	56.7
	4 Mostly partner's partner	864	15.8	16.1	72.7
	5 Always partner's partner	59	1.1	1.1	73.8
	6 Always both together	1409	25.8	26.2	100.0
	Total	5380	98.7	100.0	
Missing	-1 No response	72	1.3		
Total		5452	100.0		

pf6032 F4c: Person who decides when to do repairs or redecorate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Someone else	14	.3	.3	.3
	1 Always partner	190	3.5	3.5	3.8
	2 Mostly partner	751	13.8	14.0	17.7
	3 Sometimes partner, sometimes partner's partner	2031	37.3	37.7	55.5
	4 Mostly partner's partner	1038	19.0	19.3	74.8
	5 Always partner's partner	155	2.8	2.9	77.7
	6 Always both together	1202	22.0	22.3	100.0
	Total	5381	98.7	100.0	
Missing	-1 No response	71	1.3		
Total		5452	100.0		

PF File – Section F

pf6033 F4d: Person who decides how to spend money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Someone else	1	.0	.0	.0
	1 Always partner	39	.7	.7	.7
	2 Mostly partner	486	8.9	9.0	9.8
	3 Sometimes partner, sometimes partner's partner	2540	46.6	47.2	57.0
	4 Mostly partner's partner	557	10.2	10.4	67.3
	5 Always partner's partner	97	1.8	1.8	69.1
	6 Always both together	1660	30.4	30.9	100.0
	Total	5380	98.7	100.0	
Missing	-1 No response	72	1.3		
Total		5452	100.0		

PF File – Section F

pf6040 F5a: Partner's satisfaction on the handling of family finances

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2399	44.0	44.6	44.6
	2 Moderately satisfied	2430	44.6	45.2	89.8
	3 Somewhat dissatisfied	486	8.9	9.0	98.9
	4 Very dissatisfied	61	1.1	1.1	100.0
	Total	5376	98.6	100.0	
Missing	-1 No response	76	1.4		
Total		5452	100.0		

pf6041 F5b: Partner's satisfaction on demonstrations of affections

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2068	37.9	38.6	38.6
	2 Moderately satisfied	2376	43.6	44.4	83.0
	3 Somewhat dissatisfied	735	13.5	13.7	96.7
	4 Very dissatisfied	177	3.2	3.3	100.0
	Total	5356	98.2	100.0	
Missing	-1 No response	96	1.8		
Total		5452	100.0		

pf6042 F5c: Partner's satisfaction on sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1682	30.9	31.6	31.6
	2 Moderately satisfied	2213	40.6	41.5	73.1
	3 Somewhat dissatisfied	1066	19.6	20.0	93.1
	4 Very dissatisfied	366	6.7	6.9	100.0
	Total	5327	97.7	100.0	
Missing	-1 No response	125	2.3		
Total		5452	100.0		

pf6043 F5d: Partner's satisfaction on amount of time spent together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1386	25.4	26.0	26.0
	2 Moderately satisfied	2789	51.2	52.4	78.4
	3 Somewhat dissatisfied	1043	19.1	19.6	98.0
	4 Very dissatisfied	105	1.9	2.0	100.0
	Total	5323	97.6	100.0	
Missing	-1 No response	129	2.4		
Total		5452	100.0		

pf6044 F5e: Partner's satisfaction on making major decisions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2713	49.8	50.9	50.9
	2 Moderately satisfied	2362	43.3	44.3	95.2
	3 Somewhat dissatisfied	232	4.3	4.4	99.5
	4 Very dissatisfied	24	.4	.5	100.0
	Total	5331	97.8	100.0	
Missing	-1 No response	121	2.2		
Total		5452	100.0		

PF File – Section F

pf6045 F5f: Partner's satisfaction on household tasks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2167	39.7	40.6	40.6
	2 Moderately satisfied	2856	52.4	53.5	94.1
	3 Somewhat dissatisfied	284	5.2	5.3	99.4
	4 Very dissatisfied	31	.6	.6	100.0
	Total	5338	97.9	100.0	
Missing	-1 No response	114	2.1		
Total		5452	100.0		

pf6046 F5g: Partner's satisfaction on leisure time interests & activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1577	28.9	29.6	29.6
	2 Moderately satisfied	2742	50.3	51.4	81.0
	3 Somewhat dissatisfied	894	16.4	16.8	97.7
	4 Very dissatisfied	122	2.2	2.3	100.0
	Total	5335	97.9	100.0	
Missing	-1 No response	117	2.1		
Total		5452	100.0		

PF File – Section F

pf6050 F6a: Partner has recently been irritable with their partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	581	10.7	10.8	10.8
	2 Less than once a week	2641	48.4	49.3	60.1
	3 1-2 times a week	1598	29.3	29.8	89.9
	4 3-6 times a week	440	8.1	8.2	98.1
	5 Every day	101	1.9	1.9	100.0
	Total	5361	98.3	100.0	
Missing	-1 No response	91	1.7		
Total		5452	100.0		

pf6051 F6b: Partner's partner has recently been irritable with their partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	411	7.5	7.7	7.7
	2 Less than once a week	2264	41.5	42.2	49.9
	3 1-2 times a week	1822	33.4	34.0	83.9
	4 3-6 times a week	677	12.4	12.6	96.5
	5 Every day	189	3.5	3.5	100.0
	Total	5363	98.4	100.0	
Missing	-1 No response	89	1.6		
Total		5452	100.0		

PF File – Section F

pf6060 F7a: Frequency of arguments or disagreements with each other in the past three months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	630	11.6	11.8	11.8
	2 1-3	2432	44.6	45.6	57.4
	3 4-7	1334	24.5	25.0	82.3
	4 8-13	490	9.0	9.2	91.5
	5 14 or more	453	8.3	8.5	100.0
	Total	5339	97.9	100.0	
Missing	-9 Don't know	3	.1		
	-8 Text response	2	.0		
	-1 No response	108	2.0		
	Total	113	2.1		
Total		5452	100.0		

pf6061 F7b1: Partner not speaking to their partner for more than half an hour in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, I did this	490	9.0	9.1	9.1
	2 Yes, she did this	383	7.0	7.1	16.3
	3 Yes, we both did this	1246	22.9	23.2	39.5
	4 No, not at all	3241	59.4	60.5	100.0
	Total	5360	98.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	91	1.7		
	Total	92	1.7		
Total		5452	100.0		

pf6062 F7b2: Partner or their partner has walked out of the house in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, I did this	365	6.7	6.8	6.8
	2 Yes, she did this	276	5.1	5.1	12.0
	3 Yes, we both did this	106	1.9	2.0	13.9
	4 No, not at all	4614	84.6	86.1	100.0
	Total	5361	98.3	100.0	
Missing	-1 No response	91	1.7		
Total		5452	100.0		

pf6063 F7b3: Partner has shouted or called their partner names in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, I did this	361	6.6	6.7	6.7
	2 Yes, she did this	241	4.4	4.5	11.2
	3 Yes, we both did this	1944	35.7	36.3	47.5
	4 No, not at all	2813	51.6	52.5	100.0
	Total	5359	98.3	100.0	
Missing	-1 No response	93	1.7		
Total		5452	100.0		

PF File – Section F

pf6064 F7b4: Partner has hit or slapped their partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, I did this	57	1.0	1.1	1.1
	2 Yes, she did this	122	2.2	2.3	3.3
	3 Yes, we both did this	76	1.4	1.4	4.8
	4 No, not at all	5109	93.7	95.2	100.0
	Total	5364	98.4	100.0	
Missing	-1 No response	88	1.6		
Total		5452	100.0		

pf6065 F7b5: Partner has thrown or deliberately broken things in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, I did this	167	3.1	3.1	3.1
	2 Yes, she did this	188	3.4	3.5	6.6
	3 Yes, we both did this	69	1.3	1.3	7.9
	4 No, not at all	4936	90.5	92.1	100.0
	Total	5360	98.3	100.0	
Missing	-1 No response	92	1.7		
Total		5452	100.0		

PF File – Section F

pf6070 F8a: Frequency partner has gone for a meal with their partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1395	25.6	25.9	25.9
	2 Less than once a month	2724	50.0	50.6	76.5
	3 Less than once a week	1091	20.0	20.3	96.8
	4 At least once a week	173	3.2	3.2	100.0
	Total	5383	98.7	100.0	
Missing	-1 No response	69	1.3		
Total		5452	100.0		

pf6071 F8b: Frequency partner has gone out for a drink with their partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1517	27.8	28.2	28.2
	2 Less than once a month	2280	41.8	42.4	70.6
	3 Less than once a week	1169	21.4	21.7	92.4
	4 At least once a week	409	7.5	7.6	100.0
	Total	5375	98.6	100.0	
Missing	-1 No response	77	1.4		
Total		5452	100.0		

pf6072 F8c: Frequency partner has visited friends with their partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	598	11.0	11.1	11.1
	2 Less than once a month	1677	30.8	31.2	42.3
	3 Less than once a week	1973	36.2	36.7	79.1
	4 At least once a week	1125	20.6	20.9	100.0
	Total	5373	98.6	100.0	
Missing	-1 No response	79	1.4		
Total		5452	100.0		

PF File – Section F

pf6073 F8d: Frequency partner has visited family with their partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	274	5.0	5.1	5.1
	2 Less than once a month	1236	22.7	23.0	28.1
	3 Less than once a week	1602	29.4	29.8	57.9
	4 At least once a week	2266	41.6	42.1	100.0
	Total	5378	98.6	100.0	
Missing	-1 No response	74	1.4		
Total		5452	100.0		

pf6074 F8e: Frequency partner has gone to cinema or theatre with their partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3624	66.5	67.4	67.4
	2 Less than once a month	1498	27.5	27.9	95.3
	3 Less than once a week	229	4.2	4.3	99.5
	4 At least once a week	26	.5	.5	100.0
	Total	5377	98.6	100.0	
Missing	-1 No response	75	1.4		
Total		5452	100.0		

PF File – Section F

pf6080 F9a: Frequency partner goes out on their own or with their friends for an evening in a month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1408	25.8	26.2	26.2
	2 Once	1109	20.3	20.7	46.9
	3 2-3 times	1253	23.0	23.4	70.3
	4 4-7 times	1143	21.0	21.3	91.6
	5 8 or more times	451	8.3	8.4	100.0
	Total	5364	98.4	100.0	
Missing	-1 No response	88	1.6		
Total		5452	100.0		

pf6081 F9b: Frequency partner's partner goes out on their own or with their friends for an evening in a month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1359	24.9	25.3	25.3
	2 Once	1244	22.8	23.2	48.5
	3 2-3 times	1360	24.9	25.4	73.9
	4 4-7 times	1072	19.7	20.0	93.9
	5 8 or more times	328	6.0	6.1	100.0
	Total	5363	98.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	88	1.6		
	Total	89	1.6		
Total		5452	100.0		

PF File – Section F

pf6090 F10a: Frequency partner and their partner discuss work or how the day has gone in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	120	2.2	2.2	2.2
	2 Less than once a week	392	7.2	7.3	9.5
	3 1-3 times a week	1097	20.1	20.4	29.9
	4 Most days	3776	69.3	70.1	100.0
	Total	5385	98.8	100.0	
Missing	-1 No response	67	1.2		
Total		5452	100.0		

pf6091 F10b: Frequency partner and their partner laugh in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	35	.6	.7	.7
	2 Less than once a week	264	4.8	4.9	5.6
	3 1-3 times a week	1369	25.1	25.5	31.0
	4 Most days	3711	68.1	69.0	100.0
	Total	5379	98.7	100.0	
Missing	-1 No response	73	1.3		
Total		5452	100.0		

pf6092 F10c: Frequency partner and their partner calmly talk over something in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	79	1.4	1.5	1.5
	2 Less than once a week	383	7.0	7.1	8.6
	3 1-3 times a week	1489	27.3	27.7	36.3
	4 Most days	3426	62.8	63.7	100.0
	Total	5377	98.6	100.0	
Missing	-1 No response	75	1.4		
Total		5452	100.0		

pf6093 F10d: Frequency partner and their partner kiss or hug in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	119	2.2	2.2	2.2
	2 Less than once a week	394	7.2	7.3	9.5
	3 1-3 times a week	992	18.2	18.4	28.0
	4 Most days	3874	71.1	72.0	100.0
	Total	5379	98.7	100.0	
Missing	-1 No response	73	1.3		
Total		5452	100.0		

pf6094 F10e: Frequency partner and their partner make plans in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	80	1.5	1.5	1.5
	2 Less than once a week	894	16.4	16.6	18.1
	3 1-3 times a week	2209	40.5	41.1	59.2
	4 Most days	2192	40.2	40.8	100.0
	Total	5375	98.6	100.0	
Missing	-1 No response	77	1.4		
Total		5452	100.0		

PF File – Section F

pf6095 F10f: Frequency partner and their partner talk over feelings or worries in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	177	3.2	3.3	3.3
	2 Less than once a week	1384	25.4	25.7	29.0
	3 1-3 times a week	1864	34.2	34.6	63.6
	4 Most days	1956	35.9	36.4	100.0
	Total	5381	98.7	100.0	
Missing	-1 No response	71	1.3		
Total		5452	100.0		

PF File – Section F

pf6100 F11a: Assessment of partner's partner alcohol intake

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never drinks alcohol	571	10.5	10.6	10.6
	2 Very occasionally (less than once a week)	2149	39.4	39.8	50.4
	3 Occasionally (at least once a week)	1981	36.3	36.7	87.0
	4 Drinks 1-2 glasses nearly every day	619	11.4	11.5	98.5
	5 Drinks 3-9 glasses nearly every day	71	1.3	1.3	99.8
	9 Don't know	11	.2	.2	100.0
	Total	5402	99.1	100.0	
Missing	-1 No response	50	.9		
Total		5452	100.0		

pf6101 F11b: Number of days in the past month does partner think their partner has had equivalent of 2 pints of beer etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	26	.5	.5	.5
	2 More than 10 days	237	4.3	4.4	4.9
	3 5-10 days	464	8.5	8.7	13.6
	4 3-4 days	683	12.5	12.8	26.3
	5 1-2 days	1199	22.0	22.4	48.7
	6 None	2570	47.1	48.0	96.7
	9 Don't know	176	3.2	3.3	100.0
	Total	5355	98.2	100.0	
Missing	-1 No response	97	1.8		
Total		5452	100.0		

PF File – Section F

pf6110 F12a: Partner's partner is very considerate to partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2497	45.8	46.5	46.5
	2 Moderately true	1928	35.4	35.9	82.4
	3 Somewhat true	848	15.6	15.8	98.2
	4 Not at all true	97	1.8	1.8	100.0
	Total	5370	98.5	100.0	
Missing	-1 No response	82	1.5		
Total		5452	100.0		

pf6111 F12b: Partner's partner wants partner to take their side in an argument

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1160	21.3	21.7	21.7
	2 Moderately true	1776	32.6	33.3	55.0
	3 Somewhat true	1462	26.8	27.4	82.4
	4 Not at all true	937	17.2	17.6	100.0
	Total	5335	97.9	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	2	.0		
	-1 No response	113	2.1		
	Total	117	2.1		
Total		5452	100.0		

pf6112 F12c: Partner's partner wants to know exactly what partner is doing and where they are

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1173	21.5	21.8	21.8
	2 Moderately true	1381	25.3	25.7	47.5
	3 Somewhat true	1838	33.7	34.2	81.7
	4 Not at all true	984	18.0	18.3	100.0
	Total	5376	98.6	100.0	
Missing	-1 No response	76	1.4		
Total		5452	100.0		

pf6113 F12d: Partner's partner is a good companion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3623	66.5	67.4	67.4
	2 Moderately true	1245	22.8	23.2	90.5
	3 Somewhat true	451	8.3	8.4	98.9
	4 Not at all true	58	1.1	1.1	100.0
	Total	5377	98.6	100.0	
Missing	-1 No response	75	1.4		
Total		5452	100.0		

PF File – Section F

pf6114 F12e: Partner's partner is affectionate to partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2510	46.0	46.7	46.7
	2 Moderately true	1756	32.2	32.7	79.3
	3 Somewhat true	882	16.2	16.4	95.7
	4 Not at all true	230	4.2	4.3	100.0
	Total	5378	98.6	100.0	
Missing	-1 No response	74	1.4		
Total		5452	100.0		

pf6115 F12f: Partner's partner is clearly hurt if partner does not accept their views

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	544	10.0	10.1	10.1
	2 Moderately true	1375	25.2	25.6	35.7
	3 Somewhat true	2063	37.8	38.4	74.1
	4 Not at all true	1391	25.5	25.9	100.0
	Total	5373	98.6	100.0	
Missing	-1 No response	79	1.4		
Total		5452	100.0		

pf6116 F12g: Partner's partner tends to try to change partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	351	6.4	6.5	6.5
	2 Moderately true	861	15.8	16.0	22.6
	3 Somewhat true	1705	31.3	31.7	54.3
	4 Not at all true	2456	45.0	45.7	100.0
	Total	5373	98.6	100.0	
Missing	-1 No response	79	1.4		
Total		5452	100.0		

pf6117 F12h: Partner's partner confides closely in partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2868	52.6	53.3	53.3
	2 Moderately true	1636	30.0	30.4	83.7
	3 Somewhat true	706	12.9	13.1	96.8
	4 Not at all true	170	3.1	3.2	100.0
	Total	5380	98.7	100.0	
Missing	-1 No response	72	1.3		
Total		5452	100.0		

pf6118 F12i: Partner's partner tends to criticise partner over small issues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	668	12.3	12.4	12.4
	2 Moderately true	1159	21.3	21.6	34.0
	3 Somewhat true	1980	36.3	36.9	70.9
	4 Not at all true	1563	28.7	29.1	100.0
	Total	5370	98.5	100.0	
Missing	-1 No response	82	1.5		
Total		5452	100.0		

PF File – Section F

pf6119 F12j: Partner's partner understands partner's problems and worries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1763	32.3	32.8	32.8
	2 Moderately true	2019	37.0	37.5	70.3
	3 Somewhat true	1337	24.5	24.9	95.2
	4 Not at all true	258	4.7	4.8	100.0
	Total	5377	98.6	100.0	
Missing	-1 No response	75	1.4		
Total		5452	100.0		

pf6120 F12k: Partner's partner tends to order partner about

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	343	6.3	6.4	6.4
	2 Moderately true	818	15.0	15.2	21.6
	3 Somewhat true	1662	30.5	30.9	52.5
	4 Not at all true	2552	46.8	47.5	100.0
	Total	5375	98.6	100.0	
Missing	-1 No response	77	1.4		
Total		5452	100.0		

pf6121 F12l: Partner's partner insists partner does exactly as they are told

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	147	2.7	2.7	2.7
	2 Moderately true	352	6.5	6.5	9.3
	3 Somewhat true	806	14.8	15.0	24.3
	4 Not at all true	4073	74.7	75.7	100.0
	Total	5378	98.6	100.0	
Missing	-1 No response	74	1.4		
Total		5452	100.0		

pf6122 F12m: Partner's partner is physically gentle and considerate to partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2662	48.8	49.6	49.6
	2 Moderately true	1484	27.2	27.6	77.2
	3 Somewhat true	1024	18.8	19.1	96.3
	4 Not at all true	201	3.7	3.7	100.0
	Total	5371	98.5	100.0	
Missing	-1 No response	81	1.5		
Total		5452	100.0		

pf6123 F12n: Partner's partner makes partner feel needed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2354	43.2	43.8	43.8
	2 Moderately true	1761	32.3	32.7	76.5
	3 Somewhat true	1011	18.5	18.8	95.3
	4 Not at all true	252	4.6	4.7	100.0
	Total	5378	98.6	100.0	
Missing	-1 No response	74	1.4		
Total		5452	100.0		

PF File – Section F

pf6124 F12o: Partner's partner wants to change partner in small ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	553	10.1	10.3	10.3
	2 Moderately true	1292	23.7	24.0	34.3
	3 Somewhat true	2245	41.2	41.8	76.1
	4 Not at all true	1286	23.6	23.9	100.0
	Total	5376	98.6	100.0	
Missing	-1 No response	76	1.4		
Total		5452	100.0		

pf6125 F12p: Partner's partner is very loving to partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2462	45.2	45.8	45.8
	2 Moderately true	1634	30.0	30.4	76.2
	3 Somewhat true	971	17.8	18.1	94.3
	4 Not at all true	307	5.6	5.7	100.0
	Total	5374	98.6	100.0	
Missing	-1 No response	78	1.4		
Total		5452	100.0		

pf6126 F12q: Partner's partner seeks to dominate partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	182	3.3	3.4	3.4
	2 Moderately true	414	7.6	7.7	11.1
	3 Somewhat true	984	18.0	18.3	29.4
	4 Not at all true	3798	69.7	70.6	100.0
	Total	5378	98.6	100.0	
Missing	-1 No response	74	1.4		
Total		5452	100.0		

pf6127 F12r: Partner's partner is fun to be with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2643	48.5	49.1	49.1
	2 Moderately true	1867	34.2	34.7	83.8
	3 Somewhat true	762	14.0	14.2	98.0
	4 Not at all true	109	2.0	2.0	100.0
	Total	5381	98.7	100.0	
Missing	-1 No response	71	1.3		
Total		5452	100.0		

pf6128 F12s: Partner's partner wants to change partner in big ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	173	3.2	3.2	3.2
	2 Moderately true	297	5.4	5.5	8.7
	3 Somewhat true	728	13.4	13.5	22.3
	4 Not at all true	4179	76.7	77.7	100.0
	Total	5377	98.6	100.0	
Missing	-1 No response	75	1.4		
Total		5452	100.0		

PF File – Section F

pf6129 F12t: Partner's partner tends to control everything partner does

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	82	1.5	1.5	1.5
	2 Moderately true	243	4.5	4.5	6.0
	3 Somewhat true	785	14.4	14.6	20.6
	4 Not at all true	4266	78.2	79.4	100.0
	Total	5376	98.6	100.0	
Missing	-1 No response	76	1.4		
Total		5452	100.0		

pf6130 F12u: Partner's partner shows their appreciation of partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1827	33.5	34.1	34.1
	2 Moderately true	2023	37.1	37.7	71.8
	3 Somewhat true	1221	22.4	22.8	94.6
	4 Not at all true	291	5.3	5.4	100.0
	Total	5362	98.3	100.0	
Missing	-1 No response	90	1.7		
Total		5452	100.0		

pf6131 F12v: Partner's partner is critical of partner in private

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	217	4.0	4.1	4.1
	2 Moderately true	541	9.9	10.2	14.2
	3 Somewhat true	1577	28.9	29.6	43.8
	4 Not at all true	2992	54.9	56.2	100.0
	Total	5327	97.7	100.0	
Missing	-9 Don't know	11	.2		
	-1 No response	114	2.1		
	Total	125	2.3		
Total		5452	100.0		

pf6132 F12w: Partner's partner is gentle and kind to partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2544	46.7	47.3	47.3
	2 Moderately true	1673	30.7	31.1	78.4
	3 Somewhat true	979	18.0	18.2	96.5
	4 Not at all true	186	3.4	3.5	100.0
	Total	5382	98.7	100.0	
Missing	-1 No response	70	1.3		
Total		5452	100.0		

PF File – Section F

pf6133 F12x: Partner's partner speaks to partner in a warm and friendly voice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2112	38.7	39.2	39.2
	2 Moderately true	1970	36.1	36.6	75.9
	3 Somewhat true	1121	20.6	20.8	96.7
	4 Not at all true	178	3.3	3.3	100.0
	Total	5381	98.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	70	1.3		
	Total	71	1.3		
Total		5452	100.0		

PF File – Section F

pf6140 F13a: Partner really enjoys study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how I feel	4085	74.9	75.6	75.6
	2 This is often how I feel	1165	21.4	21.6	97.2
	3 This is how I sometimes feel	146	2.7	2.7	99.9
	4 I never feel this way	6	.1	.1	100.0
	Total	5402	99.1	100.0	
Missing	-1 No response	50	.9		
Total		5452	100.0		

pf6141 F13b: Partner would have preferred that they not had study child when they did

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how I feel	68	1.2	1.3	1.3
	2 This is often how I feel	51	.9	.9	2.2
	3 This is how I sometimes feel	417	7.6	7.7	9.9
	4 I never feel this way	4859	89.1	90.1	100.0
	Total	5395	99.0	100.0	
Missing	-1 No response	57	1.0		
Total		5452	100.0		

pf6142 F13c: Partner feels confident with study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how I feel	4578	84.0	84.8	84.8
	2 This is often how I feel	719	13.2	13.3	98.1
	3 This is how I sometimes feel	77	1.4	1.4	99.5
	4 I never feel this way	26	.5	.5	100.0
	Total	5400	99.0	100.0	
Missing	-1 No response	52	1.0		
Total		5452	100.0		

pf6143 F13d: Partner dislike the mess that surrounds study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how I feel	131	2.4	2.4	2.4
	2 This is often how I feel	430	7.9	8.0	10.4
	3 This is how I sometimes feel	2530	46.4	46.9	57.3
	4 I never feel this way	2307	42.3	42.7	100.0
	Total	5398	99.0	100.0	
Missing	-1 No response	54	1.0		
Total		5452	100.0		

pf6144 F13e: Partner finds it a great pleasure to watch the study child develop

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how I feel	4838	88.7	89.6	89.6
	2 This is often how I feel	476	8.7	8.8	98.4
	3 This is how I sometimes feel	70	1.3	1.3	99.7
	4 I never feel this way	18	.3	.3	100.0
	Total	5402	99.1	100.0	
Missing	-1 No response	50	.9		
Total		5452	100.0		

PF File – Section F

pf6145 F13f: Partner cannot bear it when study child cries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how I feel	193	3.5	3.6	3.6
	2 This is often how I feel	497	9.1	9.2	12.8
	3 This is how I sometimes feel	2733	50.1	50.7	63.5
	4 I never feel this way	1970	36.1	36.5	100.0
	Total	5393	98.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	58	1.1		
	Total	59	1.1		
Total		5452	100.0		

pf6146 F13g: Partner feels constantly unsure if they are doing the right thing for study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how I feel	152	2.8	2.8	2.8
	2 This is often how I feel	220	4.0	4.1	6.9
	3 This is how I sometimes feel	1523	27.9	28.3	35.2
	4 I never feel this way	3496	64.1	64.8	100.0
	Total	5391	98.9	100.0	
Missing	-1 No response	61	1.1		
Total		5452	100.0		

pf6147 F13h: Partner feels they should be enjoying study child but are not

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how I feel	47	.9	.9	.9
	2 This is often how I feel	101	1.9	1.9	2.7
	3 This is how I sometimes feel	750	13.8	13.9	16.6
	4 I never feel this way	4502	82.6	83.4	100.0
	Total	5400	99.0	100.0	
Missing	-1 No response	52	1.0		
Total		5452	100.0		

pf6148 F13i: Partner feels they have no time to themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how I feel	202	3.7	3.7	3.7
	2 This is often how I feel	664	12.2	12.3	16.0
	3 This is how I sometimes feel	2686	49.3	49.8	65.8
	4 I never feel this way	1846	33.9	34.2	100.0
	Total	5398	99.0	100.0	
Missing	-1 No response	54	1.0		
Total		5452	100.0		

PF File – Section F

pf6149 F13j: Partner feels having the study child made them feel more fulfilled

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how I feel	3046	55.9	56.6	56.6
	2 This is often how I feel	1407	25.8	26.2	82.8
	3 This is how I sometimes feel	648	11.9	12.0	94.8
	4 I never feel this way	278	5.1	5.2	100.0
	Total	5379	98.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	72	1.3		
	Total	73	1.3		
Total		5452	100.0		

pf6150 F13k: Partner feels children are fun

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how I feel	3666	67.2	67.9	67.9
	2 This is often how I feel	1403	25.7	26.0	93.9
	3 This is how I sometimes feel	318	5.8	5.9	99.8
	4 I never feel this way	11	.2	.2	100.0
	Total	5398	99.0	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	53	1.0		
	Total	54	1.0		
Total		5452	100.0		

PAGE 27 OF THE QUESTIONNAIRE

SECTION G: YOUR OCCUPATION AND LIFESTYLE

G1. Compared with other parents of your age, would you consider yourself to be:

- | | |
|----------------------|---|
| much more active | 1 |
| somewhat more active | 2 |
| about the same | 3 |
| somewhat less active | 4 |

G2. a) At least once a week do you engage in any regular activity like brisk walking, jogging, cycling, etc. long enough to work up a sweat?

- | | | | |
|-----|---|----|---|
| Yes | 1 | No | 2 |
|-----|---|----|---|

If **yes**,

b) how many days a week: days

G3. As far as you can, please describe your actual job, occupation, trade or profession. (Use precise terms such as radio mechanic, woodworking machinist, toolroom foreman. If the occupation is known by a special name, please use that name. If in H.M. Forces, give the rank in addition to the actual job. Please also describe the type of industry or service given: i.e. give details of what is made, materials used, or services given).

Your present job or last main job.

a) Actual job, occupation, trade or profession

.....

b) Please tick which of the following apply to you:

- | | |
|---------------|---|
| foreman | 1 |
| manager | 2 |
| supervisor | 3 |
| leading hand | 4 |
| self-employed | 5 |
| none of these | 6 |

PAGE 28 OF THE QUESTIONNAIRE

G3. c) Type of industry or service given (main things done in job):

.....

d) How would you describe the physical effort you need for your current job?

very little effort, mostly sitting	1
some physical effort	2
quite a lot of physical effort	3
considerable physical effort	4
don't have a job	7 → Go to G9 on page 29

G4. Do you find your job satisfying?

Yes	1	No	2
-----	---	----	---

G5. Do you wish that you could generally spend more time with your study child?

yes often	1
yes sometimes	2
yes but rarely	3
no not at all	4

G6. a) How do you usually travel to work? (Tick all that apply)

	Yes	No	Work at home
i) public transport (bus, train)	1	2	7 → Go to G7 on page 29
ii) car	1	2	
iii) cycle	1	2	
iv) walk	1	2	
v) other (please describe)	1	2	

.....

PAGE 29 OF THE QUESTIONNAIRE

G6. b) How long does it usually take:

	Less than 15 mins	15-29 mins	30-59 mins	An hour or more
i) to travel to work	1	2	3	4
ii) to travel home from work	1	2	3	4

G7. Below are statements about how working affects being a parent. Please indicate which is true for you:

	Yes almost always	Yes often	Not very often	Never
a) I enjoy seeing my child after work	1	2	3	4
b) After a day at work I find it hard to cope with a young child	1	2	3	4

G8. a) Do you worry about your study child when you are at work?

Yes often 1 Yes sometimes 2 No 2

b) Does he/she cry when you leave him/her?

Yes 1 No 2

G9. How many cigarettes per day do you currently smoke?

30+ 30	25-29 25	20-24 2	15-19 15
10-14 10	5-9 05	1-4 01	none 00
pipe only 08	cigars only 09		

G10. a) How much alcohol do you drink?

never drink alcohol	1
very occasionally (less than once a week)	2
occasionally (at least once a week)	3
drink 1-2 glasses* nearly every day	4
drink 3-9 glasses* every day	5
drink at least 10 glasses* a day	6

(* by glass we mean a pub measure (1oz) of spirits, half a pint ($\frac{1}{4}$ litre) of lager or cider, a wine glass of wine, etc)

PAGE 30 OF THE QUESTIONNAIRE

G10. b) How many days in the past month do you think you have had the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

every day	1	more than 10 days	2
5-10 days	3	3-4 days	4
1-2 days	5	none	6

c) Do you or your partner make your own alcoholic drinks?

Yes **No**

(i) wine 1 2

(ii) beer 1 2

(iii) spirits 1 2

G11. How difficult at the moment do you find it to afford these items:

		Very difficult	Fairly difficult	Slightly difficult	Not difficult	Paid directly by Social Security
a) food	1	2	3	4		↓
b) clothing	1	2	3	4		
c) heating	1	2	3	4	5	
d) rent or mortgage	1	2	3	4	5	
e) things you need for this study child	1	2	3	4		

G12. How many hours sleep do you get altogether now?

		None	1 - 3 hours	4 - 5 hours	6 - 7 hours	More than 7 hours
a) during an average night	1	2	3	4	5	
b) during an average day	1	2	3	4	5	
c) do you feel you are getting enough sleep?						
Yes	1	No	2			

PF File – Section G

pf7000 G1: Partner's assessment of their activity compared to other parents their age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Much more active	807	14.8	14.9	14.9
	2 Somewhat more active	1486	27.3	27.5	42.5
	3 About the same	2639	48.4	48.9	91.4
	4 Somewhat less active	466	8.5	8.6	100.0
	Total	5398	99.0	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	49	.9		
	Total	54	1.0		
Total		5452	100.0		

pf7010 G2a: Partner engages in regular activity such as brisk walking, jogging or cycling at least once a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3032	55.6	56.1	56.1
	2 No	2371	43.5	43.9	100.0
	Total	5403	99.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	48	.9		
	Total	49	.9		
Total		5452	100.0		

pf7011 G2b: Number of days a week which partner engages in regular exercise

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	40	.7	1.3	1.3
	1	732	13.4	24.1	25.4
	2	733	13.4	24.1	49.5
	3	532	9.8	17.5	66.9
	4	271	5.0	8.9	75.8
	5	371	6.8	12.2	88.0
	6	144	2.6	4.7	92.8
	7	218	4.0	7.2	99.9
	10	2	.0	.1	100.0
	Total	3043	55.8	100.0	
Missing	-1 No response	2409	44.2		
Total		5452	100.0		

PF File – Section G

pf7021 G3b: Description of partner's job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Foreman	79	1.4	1.5	1.5
	2 Manager	1409	25.8	26.6	28.1
	3 Supervisor	490	9.0	9.2	37.3
	4 Leading hand	349	6.4	6.6	43.9
	5 Self-employed	969	17.8	18.3	62.1
	6 None of these	2008	36.8	37.9	100.0
	Total	5304	97.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	147	2.7		
	Total	148	2.7		
Total		5452	100.0		

pf7023 G3d: Description of physical effort that is required for partner's current job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very little effort, mostly sitting	1923	35.3	36.0	36.0
	2 Some physical effort	1365	25.0	25.6	61.5
	3 Quite a lot of physical effort	1041	19.1	19.5	81.0
	4 Considerate physical effort	748	13.7	14.0	95.0
	7 Don't have a job	265	4.9	5.0	100.0
	Total	5342	98.0	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	109	2.0		
	Total	110	2.0		
Total		5452	100.0		

pf7030 G4: Partner finds their job satisfying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4183	76.7	82.6	82.6
	2 No	832	15.3	16.4	99.1
	3 Sometimes	48	.9	.9	100.0
	Total	5063	92.9	100.0	
Missing	-9 Don't know	3	.1		
	-8 Text response	2	.0		
	-1 No response	384	7.0		
	Total	389	7.1		
Total		5452	100.0		

pf7040 G5: Partner wishes they could spend more time with study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	2099	38.5	41.2	41.2
	2 Yes sometimes	2257	41.4	44.3	85.5
	3 Yes but rarely	464	8.5	9.1	94.6
	4 No not at all	275	5.0	5.4	100.0
	Total	5095	93.5	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	355	6.5		
	Total	357	6.5		
Total		5452	100.0		

PF File – Section G

pf7050 G6a1: Partner travels to work by public transport (bus or train)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	410	7.5	20.9	20.9
	2 No	1395	25.6	71.0	91.8
	7 Work at home	161	3.0	8.2	100.0
	Total	1966	36.1	100.0	
Missing	-1 No response	3486	63.9		
Total		5452	100.0		

pf7051 G6a2: Partner travels to work by car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3871	71.0	93.4	93.4
	2 No	272	5.0	6.6	100.0
	Total	4143	76.0	100.0	
Missing	-1 No response	1309	24.0		
Total		5452	100.0		

pf7052 G6a3: Partner cycles to work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	609	11.2	32.3	32.3
	2 No	1276	23.4	67.7	100.0
	Total	1885	34.6	100.0	
Missing	-1 No response	3567	65.4		
Total		5452	100.0		

pf7053 G6a4: Partner walks to work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	460	8.4	26.3	26.3
	2 No	1291	23.7	73.7	100.0
	Total	1751	32.1	100.0	
Missing	-1 No response	3701	67.9		
Total		5452	100.0		

pf7054 G6a5: Partner travels to work by other means

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	519	9.5	33.1	33.1
	2 No	1049	19.2	66.9	100.0
	Total	1568	28.8	100.0	
Missing	-1 No response	3884	71.2		
Total		5452	100.0		

PF File – Section G

pf7060 G6b1: Length of time partner takes to travel to work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 15 mins	1373	25.2	28.1	28.1
	2 15-29 mins	1969	36.1	40.3	68.3
	3 30-59 mins	1065	19.5	21.8	90.1
	4 An hour or more	449	8.2	9.2	99.3
	9 Various/depends	34	.6	.7	100.0
	Total	4890	89.7	100.0	
Missing	-8 Text response	13	.2		
	-1 No response	549	10.1		
	Total	562	10.3		
Total		5452	100.0		

pf7061 G6b2: Length of time partner takes to travel home from work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 15 mins	1236	22.7	27.0	27.0
	2 15-29 mins	1818	33.3	39.7	66.7
	3 30-59 mins	1046	19.2	22.8	89.5
	4 An hour or more	444	8.1	9.7	99.2
	9 Various/depends	35	.6	.8	100.0
	Total	4579	84.0	100.0	
Missing	-8 Text response	13	.2		
	-1 No response	860	15.8		
	Total	873	16.0		
Total		5452	100.0		

PF File – Section G

pf7070 G7a: Partner enjoys seeing child after work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes almost always	3935	72.2	78.0	78.0
	2 Yes often	1050	19.3	20.8	98.8
	3 Not very often	58	1.1	1.1	99.9
	4 Never	4	.1	.1	100.0
	Total	5047	92.6	100.0	
Missing	-8 Text response	6	.1		
	-1 No response	399	7.3		
	Total	405	7.4		
Total		5452	100.0		

pf7071 G7b: Partner finds it hard to cope with child after a day at work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes almost always	79	1.4	1.6	1.6
	2 Yes often	565	10.4	11.3	12.9
	3 Not very often	3135	57.5	62.9	75.9
	4 Never	1203	22.1	24.1	100.0
	Total	4982	91.4	100.0	
Missing	-8 Text response	8	.1		
	-1 No response	462	8.5		
	Total	470	8.6		
Total		5452	100.0		

PF File – Section G

pf7080 G8a: Partner worries about study child when at work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	260	4.8	5.1	5.1
	2 Yes sometimes	2396	43.9	47.2	52.4
	3 No	2415	44.3	47.6	100.0
	Total	5071	93.0	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	380	7.0		
	Total	381	7.0		
Total		5452	100.0		

pf7081 G8b: Study child cries when they are left by partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	768	14.1	15.2	15.2
	2 No	4212	77.3	83.2	98.4
	3 Sometimes	82	1.5	1.6	100.0
	Total	5062	92.8	100.0	
Missing	-8 Text response	7	.1		
	-1 No response	383	7.0		
	Total	390	7.2		
Total		5452	100.0		

PF File – Section G

pf7090 G9: Number of cigarettes smokes by partner per day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	3972	72.9	74.0	74.0
	1 1-4	184	3.4	3.4	77.4
	5 5-9	147	2.7	2.7	80.2
	8 Pipe only	13	.2	.2	80.4
	9 Cigars only	135	2.5	2.5	82.9
	10 10-14	271	5.0	5.0	88.0
	15 15-19	234	4.3	4.4	92.3
	20 20-24	276	5.1	5.1	97.5
	25 25-29	81	1.5	1.5	99.0
	30 30+	55	1.0	1.0	100.0
	Total	5368	98.5	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	80	1.5		
	Total	84	1.5		
Total		5452	100.0		

pf7100 G10a: Amount of alcohol drank by partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never drink alcohol	257	4.7	4.8	4.8
	2 Very occasionally (less than once a week)	1383	25.4	25.6	30.4
	3 Occasionally (at least once a week)	2331	42.8	43.2	73.6
	4 Drink 1-2 glasses nearly every day	1080	19.8	20.0	93.6
	5 Drink 3-9 glasses every day	332	6.1	6.2	99.7
	6 Drink at least 10 glasses a day	14	.3	.3	100.0
	Total	5397	99.0	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	53	1.0		
	Total	55	1.0		
Total		5452	100.0		

pf7101 G10b: Number of days in the past month on which partner has had the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	176	3.2	3.3	3.3
	2 More than 10 days	732	13.4	13.6	16.9
	3 5-10 days	1230	22.6	22.9	39.8
	4 3-4 days	1058	19.4	19.7	59.6
	5 1-2 days	1209	22.2	22.5	82.1
	6 None	961	17.6	17.9	100.0
	Total	5366	98.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	85	1.6		
	Total	86	1.6		
Total		5452	100.0		

PF File – Section G

pf7102 G10c1: Partner or their partner makes own wine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	276	5.1	5.2	5.2
	2 No	5019	92.1	94.8	100.0
	Total	5295	97.1	100.0	
Missing	-1 No response	157	2.9		
Total		5452	100.0		

pf7103 G10c2: Partner or their partner makes own beer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	237	4.3	4.5	4.5
	2 No	5013	91.9	95.5	100.0
	Total	5250	96.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	201	3.7		
	Total	202	3.7		
Total		5452	100.0		

pf7104 G10c3: Partner or their partner makes own spirits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	21	.4	.4	.4
	2 No	5133	94.1	99.6	100.0
	Total	5154	94.5	100.0	
Missing	-1 No response	298	5.5		
Total		5452	100.0		

PF File – Section G

pf7110 G11a: Partner finds it difficult at the moment to afford food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	68	1.2	1.3	1.3
	2 Fairly difficult	286	5.2	5.3	6.6
	3 Slightly difficult	815	14.9	15.2	21.7
	4 Not difficult	4208	77.2	78.3	100.0
	Total	5377	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	74	1.4		
	Total	75	1.4		
Total		5452	100.0		

pf7111 G11b: Partner finds it difficult at the moment to afford clothing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	383	7.0	7.1	7.1
	2 Fairly difficult	732	13.4	13.6	20.8
	3 Slightly difficult	1713	31.4	31.9	52.6
	4 Not difficult	2544	46.7	47.4	100.0
	Total	5372	98.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	79	1.4		
	Total	80	1.5		
Total		5452	100.0		

pf7112 G11c: Partner finds it difficult at the moment to afford heating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	112	2.1	2.1	2.1
	2 Fairly difficult	380	7.0	7.1	9.2
	3 Slightly difficult	984	18.0	18.3	27.5
	4 Not difficult	3876	71.1	72.2	99.6
	5 Paid directly by Social Security	19	.3	.4	100.0
	Total	5371	98.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	80	1.5		
	Total	81	1.5		
Total		5452	100.0		

pf7113 G11d: Partner finds it difficult at the moment to afford rent or mortgage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	141	2.6	2.6	2.6
	2 Fairly difficult	403	7.4	7.5	10.2
	3 Slightly difficult	1068	19.6	19.9	30.1
	4 Not difficult	3529	64.7	65.9	96.0
	5 Paid directly by Social Security	214	3.9	4.0	100.0
	Total	5355	98.2	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	2	.0		
	-1 No response	94	1.7		
	Total	97	1.8		
Total		5452	100.0		

PF File – Section G

pf7114 G11e: Partner finds it difficult at the moment to afford things that they need for study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	107	2.0	2.0	2.0
	2 Fairly difficult	399	7.3	7.4	9.4
	3 Slightly difficult	1276	23.4	23.8	33.3
	4 Not difficult	3576	65.6	66.7	100.0
	Total	5358	98.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	93	1.7		
	Total	94	1.7		
Total		5452	100.0		

PF File – Section G

pf7120 G12a: Number of hours sleep partner gets during an average night

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	41	.8	.8	.8
	2 1-3 hours	23	.4	.4	1.2
	3 4-5 hours	505	9.3	9.4	10.6
	4 6-7 hours	3504	64.3	65.4	76.0
	5 More than 7 hours	1283	23.5	24.0	100.0
	Total	5356	98.2	100.0	
Missing	-8 Text response	9	.2		
	-1 No response	87	1.6		
	Total	96	1.8		
Total		5452	100.0		

pf7121 G12b: Number of hours sleep partner gets during an average day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	4688	86.0	92.2	92.2
	2 1-3 hours	141	2.6	2.8	94.9
	3 4-5 hours	62	1.1	1.2	96.2
	4 6-7 hours	148	2.7	2.9	99.1
	5 More than 7 hours	47	.9	.9	100.0
	Total	5086	93.3	100.0	
Missing	-8 Text response	6	.1		
	-1 No response	360	6.6		
	Total	366	6.7		
Total		5452	100.0		

pf7122 G12c: Partner feels they get enough sleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3231	59.3	60.4	60.4
	2 No	2110	38.7	39.4	99.8
	3 Sometimes	9	.2	.2	100.0
	Total	5350	98.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	100	1.8		
	Total	102	1.9		
Total		5452	100.0		

PAGE 31 OF THE QUESTIONNAIRE

SECTION H: YOUR HOME AND NEIGHBOURHOOD

H1. Here is a list of some things that can be a problem in people's homes or in the neighbourhood. How much of a problem are the following for you and your family?

		Serious problem	Minor problem	Not a problem	No opinion
a)	Badly fitted doors and windows	1	2	3	4
b)	Poor ventilation	1	2	3	4
c)	Noise travelling between the rooms of your home	1	2	3	4
d)	Noise from other homes	1	2	3	4
e)	Noise from outside in the street	1	2	3	4
f)	Rubbish or litter dumped around your neighbourhood	1	2	3	4
g)	Dog dirt on pavements/walkways	1	2	3	4
h)	Worry about vandalism	1	2	3	4
i)	Worry about burglaries	1	2	3	4
j)	Worry about muggings or attacks	1	2	3	4
k)	Disturbance from teenagers or youths	1	2	3	4
l)	Other problems (please tick and describe)	1	2	3	4

.....

.....

PAGE 32 OF THE QUESTIONNAIRE

H2. How would you rate your home in relation to that of other homes with young children?

- | | | |
|----|-----------------|---|
| a) | much cleaner | 1 |
| | a bit cleaner | 2 |
| | about the same | 3 |
| | less clean | 4 |
| | much less clean | 5 |
| | don't know | 9 |

- | | | | |
|-----|----|----------------|---|
| H2. | b) | much tidier | 1 |
| | | a bit tidier | 2 |
| | | about the same | 3 |
| | | less tidy | 4 |
| | | much less tidy | 5 |
| | | don't know | 9 |

H3. How many people living in your household (including yourself) are smokers?

H4. a) What is your present marital status?

- | | |
|----------------------------------|---|
| never married | 1 |
| widowed | 2 |
| divorced | 3 |
| separated | 4 |
| married (once only) | 5 |
| married for second or third time | 6 |

b) If married, what was the date of the most recent marriage? 19

H5. What do you think of your neighbourhood as a place to live?

- | | |
|---------------------------------|---|
| a very good place to live | 1 |
| a fairly good place to live | 2 |
| not a very good place to live | 3 |
| not at all a good place to live | 4 |

pf8000 H1a: Badly fitted doors and windows are a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	115	2.1	2.1	2.1
	2 Minor problem	980	18.0	18.2	20.4
	3 Not a problem	4164	76.4	77.4	97.8
	4 No opinion	121	2.2	2.2	100.0
	Total	5380	98.7	100.0	
Missing	-1 No response	72	1.3		
Total		5452	100.0		

pf8001 H1b: Poor ventilation is a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	65	1.2	1.2	1.2
	2 Minor problem	444	8.1	8.3	9.5
	3 Not a problem	4741	87.0	88.2	97.6
	4 No opinion	128	2.3	2.4	100.0
	Total	5378	98.6	100.0	
Missing	-1 No response	74	1.4		
Total		5452	100.0		

pf8002 H1c: Noise travelling between rooms of their home is a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	61	1.1	1.1	1.1
	2 Minor problem	936	17.2	17.4	18.5
	3 Not a problem	4282	78.5	79.6	98.1
	4 No opinion	102	1.9	1.9	100.0
	Total	5381	98.7	100.0	
Missing	-1 No response	71	1.3		
Total		5452	100.0		

pf8003 H1d: Noise from other homes is a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	114	2.1	2.1	2.1
	2 Minor problem	1034	19.0	19.2	21.3
	3 Not a problem	4173	76.5	77.5	98.9
	4 No opinion	61	1.1	1.1	100.0
	Total	5382	98.7	100.0	
Missing	-1 No response	70	1.3		
Total		5452	100.0		

pf8004 H1e: Noise from the outside street is a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	108	2.0	2.0	2.0
	2 Minor problem	1309	24.0	24.3	26.3
	3 Not a problem	3903	71.6	72.6	98.9
	4 No opinion	59	1.1	1.1	100.0
	Total	5379	98.7	100.0	
Missing	-1 No response	73	1.3		
Total		5452	100.0		

PF File – Section H

pf8005 H1f: Rubbish and litter dumped around their neighbourhood is a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	127	2.3	2.4	2.4
	2 Minor problem	870	16.0	16.2	18.5
	3 Not a problem	4320	79.2	80.3	98.8
	4 No opinion	63	1.2	1.2	100.0
	Total	5380	98.7	100.0	
Missing	-1 No response	72	1.3		
Total		5452	100.0		

pf8006 H1g: Dog dirt on pavements/walkways is a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	536	9.8	10.0	10.0
	2 Minor problem	1954	35.8	36.3	46.3
	3 Not a problem	2838	52.1	52.7	99.0
	4 No opinion	53	1.0	1.0	100.0
	Total	5381	98.7	100.0	
Missing	-1 No response	71	1.3		
Total		5452	100.0		

pf8007 H1h: Worry about vandalism is a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	239	4.4	4.4	4.4
	2 Minor problem	1441	26.4	26.8	31.2
	3 Not a problem	3633	66.6	67.6	98.8
	4 No opinion	65	1.2	1.2	100.0
	Total	5378	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	73	1.3		
	Total	74	1.4		
Total		5452	100.0		

pf8008 H1i: Worry about burglaries is a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	502	9.2	9.3	9.3
	2 Minor problem	2761	50.6	51.3	60.6
	3 Not a problem	2068	37.9	38.4	99.1
	4 No opinion	51	.9	.9	100.0
	Total	5382	98.7	100.0	
Missing	-1 No response	70	1.3		
Total		5452	100.0		

PF File – Section H

pf8009 H1j: Worry about muggings and attacks are a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	168	3.1	3.1	3.1
	2 Minor problem	1036	19.0	19.3	22.4
	3 Not a problem	4098	75.2	76.2	98.6
	4 No opinion	78	1.4	1.4	100.0
	Total	5380	98.7	100.0	
Missing	-1 No response	72	1.3		
Total		5452	100.0		

pf8010 H1k: Disturbance from teenagers or youths is a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	147	2.7	2.7	2.7
	2 Minor problem	1273	23.3	23.7	26.4
	3 Not a problem	3898	71.5	72.4	98.8
	4 No opinion	64	1.2	1.2	100.0
	Total	5382	98.7	100.0	
Missing	-1 No response	70	1.3		
Total		5452	100.0		

pf8011 H1l: Other problems are a problem for partner and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	46	.8	1.6	1.6
	1 Serious problem	170	3.1	5.9	7.5
	2 Minor problem	182	3.3	6.3	13.7
	3 Not a problem	1765	32.4	60.9	74.7
	4 No opinion	733	13.4	25.3	100.0
	Total	2896	53.1	100.0	
Missing	-1 No response	2556	46.9		
Total		5452	100.0		

PF File – Section H

pf8020 H2a: Partner's assessment of their home's cleanliness compared to other homes with young children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Much cleaner	914	16.8	16.9	16.9
	2 A bit cleaner	1123	20.6	20.8	37.7
	3 About the same	2943	54.0	54.5	92.2
	4 Less clean	245	4.5	4.5	96.8
	5 Much less clean	27	.5	.5	97.3
	9 Don't know	147	2.7	2.7	100.0
	Total	5399	99.0	100.0	
Missing	-1 No response	53	1.0		
Total		5452	100.0		

pf8021 H2b: Partner's assessment of their home's tidiness compared to other homes with young children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Much tidier	842	15.4	15.9	15.9
	2 A bit tidier	1183	21.7	22.4	38.4
	3 About the same	2590	47.5	49.1	87.4
	4 Less tidy	473	8.7	9.0	96.4
	5 Much less tidy	66	1.2	1.3	97.6
	9 Don't know	126	2.3	2.4	100.0
	Total	5280	96.8	100.0	
Missing	-1 No response	172	3.2		
Total		5452	100.0		

pf8030 H3: Number of people living in partner's household who are smokers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3553	65.2	67.3	67.3
	1	1051	19.3	19.9	87.2
	2	569	10.4	10.8	98.0
	3	33	.6	.6	98.7
	4	44	.8	.8	99.5
	5	19	.3	.4	99.8
	6	4	.1	.1	99.9
	7	3	.1	.1	100.0
	10	1	.0	.0	100.0
	Total	5277	96.8	100.0	
Missing	-1 No response	175	3.2		
Total		5452	100.0		

PF File – Section H

pf8040 H4a: Partner's present marital status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never married	402	7.4	7.5	7.5
	2 Widowed	3	.1	.1	7.5
	3 Divorced	100	1.8	1.9	9.4
	4 Separated	46	.8	.9	10.2
	5 Married (only once)	4270	78.3	79.2	89.4
	6 Married for second or third time	571	10.5	10.6	100.0
	Total	5392	98.9	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	58	1.1		
	Total	60	1.1		
Total		5452	100.0		

pf8041a H4b: Date of most recent marriage - month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	94	1.7	2.0	2.0
	2	141	2.6	3.0	5.1
	3	273	5.0	5.9	10.9
	4	362	6.6	7.8	18.7
	5	532	9.8	11.4	30.2
	6	598	11.0	12.9	43.0
	7	636	11.7	13.7	56.7
	8	659	12.1	14.2	70.9
	9	705	12.9	15.2	86.0
	10	373	6.8	8.0	94.1
	11	130	2.4	2.8	96.9
	12	146	2.7	3.1	100.0
Total		4649	85.3	100.0	
Missing	-1 No response	803	14.7		
Total		5452	100.0		

PF File – Section H

pf8041b H4b: Date of most recent marriage - year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1955	1	.0	.0	.0
	1957	1	.0	.0	.0
	1959	1	.0	.0	.1
	1962	1	.0	.0	.1
	1966	1	.0	.0	.1
	1970	2	.0	.0	.1
	1971	5	.1	.1	.3
	1972	6	.1	.1	.4
	1973	4	.1	.1	.5
	1974	14	.3	.3	.8
	1975	13	.2	.3	1.0
	1976	22	.4	.5	1.5
	1977	30	.6	.6	2.2
	1978	24	.4	.5	2.7
	1979	76	1.4	1.6	4.3
	1980	110	2.0	2.4	6.7
	1981	121	2.2	2.6	9.2
	1982	138	2.5	3.0	12.2
	1983	194	3.6	4.2	16.3
	1984	266	4.9	5.7	22.0
	1985	359	6.6	7.7	29.7
	1986	423	7.8	9.1	38.8
	1987	532	9.8	11.4	50.1
	1988	569	10.4	12.2	62.3
	1989	519	9.5	11.1	73.4
	1990	500	9.2	10.7	84.1
	1991	385	7.1	8.2	92.4
	1992	149	2.7	3.2	95.5
	1993	90	1.7	1.9	97.5
	1994	85	1.6	1.8	99.3
	1995	30	.6	.6	99.9
	1996	2	.0	.0	100.0
	1997	1	.0	.0	100.0
	Total	4674	85.7	100.0	
Missing	-1 No response	778	14.3		
Total		5452	100.0		

pf8050 H5: Partner's assessment of the neighbourhood where they live

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A very good place to live	2583	47.4	48.3	48.3
	2 A fairly good place to live	2513	46.1	47.0	95.3
	3 Not a very good place to live	214	3.9	4.0	99.3
	4 Not at all a good place to live	36	.7	.7	100.0
	Total	5346	98.1	100.0	
Missing	-1 No response	106	1.9		
Total		5452	100.0		

PAGE 33 OF THE QUESTIONNAIRE

SECTION I: CHEMICALS IN YOUR ENVIRONMENT

11. In the last few months, how often have you used the following at home:

	Every day	Most days	About once a week	Less than once a week	Not at all
a) disinfectant	1	2	3	4	5
b) bleach	1	2	3	4	5
c) window cleaner	1	2	3	4	5
d) chemical carpet cleaner	1	2	3	4	5
e) oven/drain cleaner	1	2	3	4	5
f) dry cleaning fluid	1	2	3	4	5
g) turpentine/white spirit	1	2	3	4	5
h) paint stripper	1	2	3	4	5
i) household paint or varnish	1	2	3	4	5
j) weed killers	1	2	3	4	5
k) pesticides/insect killers	1	2	3	4	5
l) air fresheners (spray, stick or aerosol)	1	2	3	4	5
m) other aerosols or sprays including hair spray	1	2	3	4	5
n) vacuum cleaner	1	2	3	4	5
o) broom/carpet sweeper	1	2	3	4	5
p) glue	1	2	3	4	5
q) nail varnish/acetone	1	2	3	4	5
r) metal cleaners/degreasers, polishers	1	2	3	4	5

PAGE 34 OF THE QUESTIONNAIRE

		Every day	Most days	About once a week	Less than once a week	Not at all
I1.	s) petrol	1	2	3	4	5
	t) moth repellent (moth balls)	1	2	3	4	5
	u) other chemical (please tick and describe)	1	2	3	4	5

.....

I2. How often during the day are you in a room or enclosed place where people are smoking?

	(i) weekdays	(ii) weekends
all the time	1	1
more than 5 hours	2	2
35 hours	3	3
12 hours	4	4
less than 1 hour	5	5
not at all	6	6

I3. Have you ever had any training in first aid?

Yes 1 No 2



If yes, please describe

I4. Do you agree with the statements:

	Strongly agree	Agree	Disagree	Strongly disagree
a) No family is complete until there is a pet in the home	1	2	3	4
b) Pets should have the same rights and privileges as family members	1	2	3	4

PAGE 35 OF THE QUESTIONNAIRE

I5. a) Do you have any pets?

Yes 1 No 2 —————> If no, go to J1 on page 36

If yes,

b) Would you say that owning a pet has helped your health?

Yes, 1 No, made 2 No 3
improved it it worse effect

	Never	Occasionally	Sometimes	Often	Always
c) How often do you take pets along when you visit friends or relatives?	1	2	3	4	5
d) How often are your feelings towards people affected by the way they react to your pets?	1	2	3	4	5
e) Do you keep a picture of your pet(s) with you or on display at home or at work?					

Yes 1 No 2

PF File – Section I

pf9000 I1a: Frequency that partner has used disinfectant at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	200	3.7	3.7	3.7
	2 Most days	763	14.0	14.2	17.9
	3 About once a week	1515	27.8	28.2	46.1
	4 Less than once a week	1560	28.6	29.0	75.1
	5 Not at all	1339	24.6	24.9	100.0
	Total	5377	98.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	73	1.3		
	Total	75	1.4		
Total		5452	100.0		

pf9001 I1b: Frequency that partner has used bleach at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	121	2.2	2.3	2.3
	2 Most days	469	8.6	8.7	11.0
	3 About once a week	1490	27.3	27.7	38.7
	4 Less than once a week	1520	27.9	28.3	67.0
	5 Not at all	1775	32.6	33.0	100.0
	Total	5375	98.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	75	1.4		
	Total	77	1.4		
Total		5452	100.0		

pf9002 I1c: Frequency that partner has used window cleaner at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	19	.3	.4	.4
	2 Most days	59	1.1	1.1	1.5
	3 About once a week	654	12.0	12.2	13.6
	4 Less than once a week	2290	42.0	42.6	56.2
	5 Not at all	2356	43.2	43.8	100.0
	Total	5378	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	73	1.3		
	Total	74	1.4		
Total		5452	100.0		

PF File – Section I

pf9003 I1d: Frequency that partner has used chemical carpet cleaner at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	7	.1	.1	.1
	2 Most days	26	.5	.5	.6
	3 About once a week	179	3.3	3.3	3.9
	4 Less than once a week	1587	29.1	29.5	33.5
	5 Not at all	3579	65.6	66.5	100.0
	Total	5378	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	73	1.3		
	Total	74	1.4		
Total		5452	100.0		

pf9004 I1e: Frequency that partner has used oven/drain cleaner at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	10	.2	.2	.2
	2 Most days	30	.6	.6	.7
	3 About once a week	187	3.4	3.5	4.2
	4 Less than once a week	1603	29.4	29.8	34.0
	5 Not at all	3548	65.1	66.0	100.0
	Total	5378	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	73	1.3		
	Total	74	1.4		
Total		5452	100.0		

pf9005 I1f: Frequency that partner has used dry cleaning fluid at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	7	.1	.1	.1
	2 Most days	10	.2	.2	.3
	3 About once a week	29	.5	.5	.9
	4 Less than once a week	335	6.1	6.2	7.1
	5 Not at all	4997	91.7	92.9	100.0
	Total	5378	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	73	1.3		
	Total	74	1.4		
Total		5452	100.0		

pf9006 I1g: Frequency that partner has used turpentine/white spirit at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	17	.3	.3	.3
	2 Most days	50	.9	.9	1.2
	3 About once a week	339	6.2	6.3	7.5
	4 Less than once a week	2647	48.6	49.2	56.7
	5 Not at all	2328	42.7	43.3	100.0
	Total	5381	98.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	70	1.3		
	Total	71	1.3		
Total		5452	100.0		

pf9007 I1h: Frequency that partner has used paint stripper at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	4	.1	.1	.1
	2 Most days	6	.1	.1	.2
	3 About once a week	52	1.0	1.0	1.2
	4 Less than once a week	787	14.4	14.6	15.8
	5 Not at all	4525	83.0	84.2	100.0
	Total	5374	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	77	1.4		
	Total	78	1.4		
Total		5452	100.0		

pf9008 I1i: Frequency that partner has used household paint or varnish at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	12	.2	.2	.2
	2 Most days	45	.8	.8	1.1
	3 About once a week	350	6.4	6.5	7.6
	4 Less than once a week	2627	48.2	48.8	56.4
	5 Not at all	2345	43.0	43.6	100.0
	Total	5379	98.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	72	1.3		
	Total	73	1.3		
Total		5452	100.0		

PF File – Section I

pf9009 I1j: Frequency that partner has used weed killers at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	4	.1	.1	.1
	2 Most days	2	.0	.0	.1
	3 About once a week	57	1.0	1.1	1.2
	4 Less than once a week	1220	22.4	22.7	23.9
	5 Not at all	4092	75.1	76.1	100.0
	Total	5375	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	76	1.4		
	Total	77	1.4		
Total		5452	100.0		

pf9010 I1k: Frequency that partner has used pesticides/insect killers at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	7	.1	.1	.1
	2 Most days	18	.3	.3	.5
	3 About once a week	157	2.9	2.9	3.4
	4 Less than once a week	1349	24.7	25.2	28.5
	5 Not at all	3832	70.3	71.5	100.0
	Total	5363	98.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	88	1.6		
	Total	89	1.6		
Total		5452	100.0		

pf9011 I1l: Frequency that partner has used air fresheners at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	345	6.3	6.4	6.4
	2 Most days	766	14.0	14.3	20.7
	3 About once a week	869	15.9	16.2	36.9
	4 Less than once a week	1202	22.0	22.4	59.3
	5 Not at all	2188	40.1	40.7	100.0
	Total	5370	98.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	81	1.5		
	Total	82	1.5		
Total		5452	100.0		

PF File – Section I

pf9012 I1m: Frequency that partner has used other aerosols or sprays at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	1116	20.5	20.8	20.8
	2 Most days	1153	21.1	21.5	42.3
	3 About once a week	453	8.3	8.4	50.8
	4 Less than once a week	737	13.5	13.7	64.5
	5 Not at all	1903	34.9	35.5	100.0
	Total	5362	98.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	89	1.6		
	Total	90	1.7		
Total		5452	100.0		

pf9013 I1n: Frequency that partner has used a vacuum cleaner at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	712	13.1	13.3	13.3
	2 Most days	1128	20.7	21.0	34.2
	3 About once a week	1734	31.8	32.3	66.5
	4 Less than once a week	1208	22.2	22.5	89.0
	5 Not at all	591	10.8	11.0	100.0
	Total	5373	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	78	1.4		
	Total	79	1.4		
Total		5452	100.0		

pf9014 I1o: Frequency that partner has used a broom/carpet sweeper at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	256	4.7	4.8	4.8
	2 Most days	692	12.7	12.9	17.7
	3 About once a week	1043	19.1	19.4	37.1
	4 Less than once a week	1088	20.0	20.3	57.3
	5 Not at all	2291	42.0	42.7	100.0
	Total	5370	98.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	81	1.5		
	Total	82	1.5		
Total		5452	100.0		

PF File – Section I

pf9015 I1p: Frequency that partner has used glue at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	18	.3	.3	.3
	2 Most days	82	1.5	1.5	1.9
	3 About once a week	544	10.0	10.1	12.0
	4 Less than once a week	2445	44.8	45.5	57.5
	5 Not at all	2281	41.8	42.5	100.0
	Total	5370	98.5	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	80	1.5		
	Total	82	1.5		
Total		5452	100.0		

pf9016 I1q: Frequency that partner has used nail varnish/acetone at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	8	.1	.1	.1
	2 Most days	54	1.0	1.0	1.2
	3 About once a week	137	2.5	2.6	3.7
	4 Less than once a week	415	7.6	7.7	11.5
	5 Not at all	4746	87.1	88.5	100.0
	Total	5360	98.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	91	1.7		
	Total	92	1.7		
Total		5452	100.0		

pf9017 I1r: Frequency that partner has used metal cleaners/degreasers/polishers at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	56	1.0	1.0	1.0
	2 Most days	93	1.7	1.7	2.8
	3 About once a week	254	4.7	4.7	7.5
	4 Less than once a week	1061	19.5	19.8	27.3
	5 Not at all	3901	71.6	72.7	100.0
	Total	5365	98.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	86	1.6		
	Total	87	1.6		
Total		5452	100.0		

PF File – Section I

pf9018 I1s: Frequency that partner has used petrol at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	338	6.2	6.3	6.3
	2 Most days	479	8.8	8.9	15.2
	3 About once a week	1211	22.2	22.6	37.8
	4 Less than once a week	614	11.3	11.5	49.3
	5 Not at all	2717	49.8	50.7	100.0
	Total	5359	98.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	92	1.7		
	Total	93	1.7		
Total		5452	100.0		

pf9019 I1t: Frequency that partner has used moth repellent at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	7	.1	.1	.1
	2 Most days	3	.1	.1	.2
	3 About once a week	5	.1	.1	.3
	4 Less than once a week	85	1.6	1.6	1.9
	5 Not at all	5224	95.8	98.1	100.0
	Total	5324	97.7	100.0	
Missing	-1 No response	128	2.3		
	Total	5452	100.0		

pf9020 I1u: Frequency that partner has used other chemicals at home in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	9	.2	.2	.2
	1 Every day	78	1.4	1.8	2.0
	2 Most days	70	1.3	1.6	3.6
	3 About once a week	76	1.4	1.8	5.4
	4 Less than once a week	107	2.0	2.5	7.8
	5 Not at all	3995	73.3	92.2	100.0
	Total	4335	79.5	100.0	
	-1 No response	1117	20.5		
Total		5452	100.0		

PF File – Section I

pf9030 I2i: During weekdays frequency at which partner in room or enclosed space with smokers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	231	4.2	4.3	4.3
	2 More than 5 hours	270	5.0	5.1	9.4
	3 3-5 hours	351	6.4	6.6	16.0
	4 1-2 hours	550	10.1	10.3	26.2
	5 Less than 1 hour	1458	26.7	27.3	53.5
	6 Not at all	2481	45.5	46.5	100.0
	Total	5341	98.0	100.0	
Missing	-1 No response	111	2.0		
Total		5452	100.0		

pf9031 I2ii: During weekends frequency at which partner in room or enclosed space with smokers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	188	3.4	3.6	3.6
	2 More than 5 hours	275	5.0	5.3	9.0
	3 3-5 hours	382	7.0	7.4	16.4
	4 1-2 hours	579	10.6	11.2	27.6
	5 Less than 1 hour	1045	19.2	20.3	47.9
	6 Not at all	2683	49.2	52.1	100.0
	Total	5152	94.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	299	5.5		
	Total	300	5.5		
Total		5452	100.0		

pf9040 I3: Partner has had training in first aid

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2379	43.6	44.3	44.3
	2 No	2992	54.9	55.7	100.0
	Total	5371	98.5	100.0	
Missing	-1 No response	81	1.5		
Total		5452	100.0		

PF File – Section I

pf9050 I4a: Partner's opinion on no family is complete until there is a pet in the home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly agree	123	2.3	2.3	2.3
	2 Agree	636	11.7	12.1	14.4
	3 Disagree	2943	54.0	56.0	70.4
	4 Strongly disagree	1558	28.6	29.6	100.0
	Total	5260	96.5	100.0	
Missing	-9 Don't know	5	.1		
	-8 Text response	5	.1		
	-1 No response	182	3.3		
	Total	192	3.5		
Total		5452	100.0		

pf9051 I4b: Partner's opinion on pets should have the same rights and privileges as family members

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strongly agree	139	2.5	2.6	2.6
	2 Agree	964	17.7	18.3	21.0
	3 Disagree	2497	45.8	47.5	68.5
	4 Strongly disagree	1657	30.4	31.5	100.0
	Total	5257	96.4	100.0	
Missing	-9 Don't know	5	.1		
	-8 Text response	3	.1		
	-1 No response	187	3.4		
	Total	195	3.6		
Total		5452	100.0		

PF File – Section I

pf9060 I5a: Partner has pets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2904	53.3	53.9	53.9
	2 No	2485	45.6	46.1	100.0
	Total	5389	98.8	100.0	
Missing	-1 No response	63	1.2		
Total		5452	100.0		

pf9061 I5b: Partner thinks that owning a pet has helped their health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, improved it	362	6.6	12.1	12.1
	2 No, made it worse	112	2.1	3.7	15.8
	3 No effect	2521	46.2	84.2	100.0
	Total	2995	54.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	2456	45.0		
	Total	2457	45.1		
Total		5452	100.0		

pf9062 I5c: Frequency at which partner takes pets along to visit friends and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2204	40.4	74.2	74.2
	2 Occasionally	375	6.9	12.6	86.8
	3 Sometimes	209	3.8	7.0	93.8
	4 Often	147	2.7	4.9	98.8
	5 Always	37	.7	1.2	100.0
	Total	2972	54.5	100.0	
Missing	-1 No response	2480	45.5		
Total		5452	100.0		

pf9063 I5d: Frequency at which partner's feelings towards people are affected by their reaction to their pets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1820	33.4	61.8	61.8
	2 Occasionally	629	11.5	21.4	83.2
	3 Sometimes	389	7.1	13.2	96.4
	4 Often	73	1.3	2.5	98.8
	5 Always	34	.6	1.2	100.0
	Total	2945	54.0	100.0	
Missing	-1 No response	2507	46.0		
Total		5452	100.0		

pf9064 I5e: Partner keeps picture with them or on display at home or work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	470	8.6	15.8	15.8
	2 No	2504	45.9	84.2	100.0
	Total	2974	54.5	100.0	
Missing	-1 No response	2478	45.5		
Total		5452	100.0		

PAGE 36 OF THE QUESTIONNAIRE

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comments you would like to make:

NB Please remember that we cannot respond personally to your comments unless they are signed.

PAGE 36 OF THE QUESTIONNAIRE CONTINUED

J1. This questionnaire was completed by:

	Yes	No
a) child's mother	1	2
b) child's father	1	2
c) someone else (please describe)	1	2

.....

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 “no”.]

pf9980 J1a: Questionnaire completed by child's mother

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	123	2.3	2.3	2.3
2 No	5146	94.4	97.7	100.0
Total	5269	96.6	100.0	
Missing -5 Question J1 omitted	183	3.4		
Total	5452	100.0		

pf9981 J1b: Questionnaire completed by child's father

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5158	94.6	97.9	97.9
2 No	111	2.0	2.1	100.0
Total	5269	96.6	100.0	
Missing -5 Question J1 omitted	183	3.4		
Total	5452	100.0		

pf9982 J1c: Questionnaire completed by someone else

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	46	.8	.9	.9
2 No	5223	95.8	99.1	100.0
Total	5269	96.6	100.0	
Missing -5 Question J1 omitted	183	3.4		
Total	5452	100.0		

Derived VariablesNumber of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question J1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

pf9984 DV: Number of contributors to questionnaire

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	5211	95.6	98.9	98.9
2	58	1.1	1.1	100.0
Total	5269	96.6	100.0	
Missing -5 Question J1 omitted	183	3.4		
Total	5452	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question J1. It is calculated by recoding values of 1 to powers of 2 (1, 2, and 4 for parts a to c respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

pf9985 DV: Questionnaire completed by...

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Mother only	65	1.2	1.2	1.2
2 Father only	5100	93.5	96.8	98.0
3 Mother & father	58	1.1	1.1	99.1
4 Other only	46	.8	.9	100.0
Total	5269	96.6	100.0	
Missing -5 Question J1 omitted	183	3.4		
Total	5452	100.0		

PAGE 36 OF THE QUESTIONNAIRE CONTINUED

J2. Please give the date on which you completed this questionnaire:

day month year

1 9 9

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable PF9990c. The month and year of completion were retained on the built file, but the day was dropped.]

pf9990a J2: Date of completion of questionnaire - month

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 January	381	7.0	7.0	7.0
2 February	307	5.6	5.6	12.6
3 March	317	5.8	5.8	18.4
4 April	241	4.4	4.4	22.9
5 May	957	17.6	17.6	40.4
6 June	701	12.9	12.9	53.3
7 July	597	11.0	11.0	64.2
8 August	508	9.3	9.3	73.5
9 September	523	9.6	9.6	83.1
10 October	399	7.3	7.3	90.4
11 November	344	6.3	6.3	96.8
12 December	177	3.2	3.2	100.0
Total	5452	100.0	100.0	

pf9990b J2: Date of completion of questionnaire - year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1994	2694	49.4	49.4	49.4
1995	2746	50.4	50.4	99.8
1996	8	.1	.1	99.9
1997	2	.0	.0	100.0
2001	2	.0	.0	100.0
Total	5452	100.0	100.0	

pf9990c DV: Date of completion replaced with date of receipt

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes, incomplete d.o.c.	165	3.0	3.0	3.0
2 Yes, illegal d.o.c.	3	.1	.1	3.1
3 Yes, d.o.c. < d.o.s.	52	1.0	1.0	4.0
4 Yes, d.o.c. > d.o.r.	77	1.4	1.4	5.4
5 No	5155	94.6	94.6	100.0
Total	5452	100.0	100.0	


Derived Variables - Age of Study Child at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

pf9991a DV: Age of study child at completion (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	32	2	.0	.0	.0
	33	3510	64.4	64.4	64.4
	34	1051	19.3	19.3	83.7
	35	384	7.0	7.0	90.7
	36	244	4.5	4.5	95.2
	37	143	2.6	2.6	97.8
	38	53	1.0	1.0	98.8
	39	23	.4	.4	99.2
	40	10	.2	.2	99.4
	41	5	.1	.1	99.5
	42	11	.2	.2	99.7
	43	4	.1	.1	99.8
	44	2	.0	.0	99.8
	45	1	.0	.0	99.8
	46	3	.1	.1	99.9
	47	1	.0	.0	99.9
	50	2	.0	.0	99.9
	56	1	.0	.0	100.0
	102	1	.0	.0	100.0
	109	1	.0	.0	100.0
Total		5452	100.0	100.0	

pf9991b: DV: Age of study child at completion (weeks)



plus the following outliers <144 or >190:

pf9991b DV: Age of study child at completion (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	141	1	5.9	5.9	5.9
	142	1	5.9	5.9	11.8
	143	3	17.6	17.6	29.4
	192	1	5.9	5.9	35.3
	193	1	5.9	5.9	41.2
	199	1	5.9	5.9	47.1
	200	1	5.9	5.9	52.9
	203	1	5.9	5.9	58.8
	204	1	5.9	5.9	64.7
	207	1	5.9	5.9	70.6
	217	1	5.9	5.9	76.5
	221	1	5.9	5.9	82.4
	245	1	5.9	5.9	88.2
	444	1	5.9	5.9	94.1
	477	1	5.9	5.9	100.0
	Total	17	100.0	100.0	

PAGE 36 OF THE QUESTIONNAIRE CONTINUED

J3. Please give your date of birth:


day month year

1 9

[Editing: If the date of birth was not a valid date (e.g. 31st November), then the day & month were set to -1. Values of 1902, & 1987 onwards in the year variable were recoded to -1. If the year was missing then day and month were also set to -1. Otherwise, if a valid year was reported, values of -1 in day were recoded to 15 and in month to 6. This action was flagged in variable PF9996b. The date of birth was not retained on the file.]

Derived Variables - Age of Respondent at Completion

The date of completion and the respondent's dates of birth were used to calculate the respondent's age at completion in completed years.

pf9996b: DV: Age of respondent at completion of questionnaire (years)

plus the following missing values:

pf9996a DV: Age of respondent at completion of questionnaire (years)

	Frequency	Percent
Missing -1 Missing date of birth	259	100.0

pf9996b DV: Components of respondent's date of birth imputed

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 None	5446	99.9	99.9	99.9
1 Day	1	.0	.0	99.9
3 Day & month	5	.1	.1	100.0
Total	5452	100.0	100.0	

PAGE 36 OF THE QUESTIONNAIRE CONTINUED

When completed, please return the questionnaire to:

Dr. Jean Golding,
Children of the Nineties ALSPAC,
Institute of Child Health,
24, Tyndall Avenue,
Bristol.
BS8 1BR. Te;: Bristol 925 6260

For office use only:
Coder

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. Note that this is the 2003 revision, which dates from after this questionnaire was coded. However, the revision did not alter the content but rather streamlined the text by simplifying sentences and introducing headings. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

PF File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow “Post-It” sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder's responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder's marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person's work at regular intervals in order to strive for maximum accuracy.

PF File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

II Code as a number.

PF File – Appendix A

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g. occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

PF File – Appendix B

Coding Instructions for first version (31/03/94) Partner's Health Events and Feelings

General Coding Instructions

Follow the general rules outlined in the "General coding instruction for ALSPAC questionnaires - 2nd revision" document.

Coding the Partner's Health Events and Feelings: Replies.

Front Cover

Check that the questionnaire number is legible and the date of form is 31/03/94

*****If the questionnaire number is all blank, e.g. the partner didn't want to fill in the form, write "ALL BLANK" on the front cover and move on to the next questionnaire.

Page 2, Section A

A1	8	
A2a to A2p	7	
A2q	7	Please ensure that if something is written in the "please describe" section, that the previous boxes are ticked appropriately. If there is no tick, please write a zero in A2q to indicate information in the "please describe" section.

Page 3

A3a to A3l	7	
A3m to A3o	7	If something is written, but no ticks, please write a zero to indicate information in this question.

Page 4

A4	II	Count the number of items listed, and enter the count in the two boxes. If nothing listed, leave blank, but if they say none or "n/a", or not applicable, code a zero.
----	----	--

Page 5

A5a	I	
A5b	II	
A5c	II	Code in months, rounding down to the nearest whole month, if part months or weeks given. Assume 4 weeks = 1 month. If less than four weeks, put zero.
A5d	Not being coded here	
A5e	II	This should be the number of different days they were in hospital in the admission in question
A6a to g	7	

Page 6

A6h to u	7	
A6v	7	as A2q

PF File – Appendix B

Page 7

A7a	7
A7b	8

Page 8, Section B

B1a to k	I	If 1+2 ticked code as '3'
B2a to d	I	If 1+2 ticked code as '3'

Page 9

B3a,b	I	If 1+2 ticked code as 3
B4a,b	I	As B3 including "it depends"
B5ai	I	Please ensure that if something is written in the "please describe" section, that the previous boxes are ticked appropriately. If there is no tick, please make one here, to indicate information in the "please describe" section. If there are multiple ticks, transfer the tick to "other" and write the original ticked code numbers on the dotted line.
B5aii	I	As B5ai. If 1 and 2 are ticked, code as 2.
B5b	I	
B5c	8	
B5d	7	

Page 10

B5e	7	
B5f	7	If sexual abuse only is written, code as '9'
B5fi to ii	I	
B5fiii	I	As B5a
B5fiv	II	
B5gi	7	
B5gii	8	
B5giii	7	
B5giv	8	
B5gv	7	
B5gvi	8	

Page 11

B5gvii	8	
B5gviii	7	
B6a	II II	If "not applicable", "n/a" or box struck out, code as zero.
B6b	II II	
B6c	I	
B6ci	I	
B6cii	I	

Page 12, Section C

C1 to C3	8
C4	7
C5	8
C6	7

PF File – Appendix B

C7	8
C8	7
C9	8
C10	7
C11	7

Page 13, Section D

D1 to D13	7
-----------	---

Page 14

D14 to D23	7
D24	8
D25	8

Page 15

D26	7
D27	8
D28	7
D29	7
D30	7

Page 16

D31	7
D32	7
D33	7
D34	8

Page 17, Section E

E1 to E17	7
-----------	---

Page 18

E18 to E35	7
------------	---

Page 19

E36 to E41	7
------------	---

E42	7
-----	---

If something is written on the "please describe" line, but no box is ticked, code as a zero

E43a	I
------	---

If yes is ticked, check that the description differs from the events listed previously in section E. If it is the same, recode it as that event, and tick "no" for E43a

E43b	Not being coded here
------	----------------------

E43c	7
------	---

PF File – Appendix B

Page 20, Section F

F1	8
F2a to h	I
F3a to b	I

If 'always' i.e. code 5 or 6 plus something else is ticked, code for 'always', i.e. the 5 or the 6. If 3+4 are ticked, code 4. Use A for 2+0 or 3+0 or 4+0.

Page 21

F3c to g	I	As F3a
F4a to d	I	As F3a
F5a,b	8	

Page 22

F5c to g	8
F6a,b	8
F7a	8
F7bi to v	I

Page 23

F8a to e	7
F9a	7
F9b	7
F10a to f	7

Page 24

F11a	8
F11b	7
F12a	8
F12b,c	7
F12d,e	8
F12f,g	7

Page 25

F12h	8
F12i	7
F12j	8
F12k,l	7
F12m,n	8
F12o	7
F12p	8
F12q	7
F12r	8
F12s,t	7
F12u	8
F12v	7
F12w,x	8

PF File – Appendix B

Page 26

F13a	8
F13b	7
F13c	8
F13d	7
F13e	8
F13f,g,h,i	7
F13j,k	8

Page 27, Section G

G1	8	
G2a	I	
G2b	II	
G3a	Not being coded here	
G3b	7	If multiple ticks including '5' code as '5'. If two jobs mentioned code for main job if possible

Page 28

G3c	Not being coded here	
G3d	8	If two jobs have been mentioned in G3a code for main job if possible
G4	I	
G5	I	Code “sometimes” as 3.
G6ai to iv	I	If work at home as well as yes or no - code for yes/no if rest of question answered
G6v	I	As A2q

Page 29

G6bi,ii	8	If various/depends written code as '9' if no box ticked
G7a	8	
G7b	7	
G8a	7	Misprint in questionnaire: if the “No” box is ticked draw a new box with a code 3.
G8b	I	Code “sometimes” as 3.
G9	I	Note a two digit number is keyed here, so "not known" is '99'. If a range is stated and it overlaps 2 boxes, take the highest. Lots = 98 ; Occasional = 97.
G10a	8	
G10b	7	

Page 30

G10b	7	
G10ci to iii	I	
G11a to e	7	Except that for c and d, code 5 over-rides any other tick on that line.

PF File – Appendix B

G12a to b	7	Code "varies", "don't know" as '9'
G12c	I	Code "sometimes" as 3. If "shift worker" is written and there is no tick, code as zero.
Page 31, Section H		
H1a to k	7	
H1l	7	As A2q
Page 32		
H2a	8	
H2b	8	
H3	II	
H4a	7	
H4b	IV	
H5	8	
Page 33, Section I		
I1a to r	7	
Page 34		
I1s to t	7	
I1u	7	If something is written on the dotted line, please ensure that a box is ticked on I1u. If not, code as zero
I2i,ii	7	Be sure to code both columns
I3	I	If comment is written on the dotted line, please ensure that the relevant box is ticked.
I4a,b	8	
Page 35		
I5a	I	
I5b	I	
I5c	8	
I5d	8	
I5e	I	
Page 36		
J1a,b	I	
J1c	I	As I3
J2	IV	If blank, copy month and year form was returned from the stamped receipt date on the front cover, and code the days as 99
J3	IV	Any valid date has to be accepted here

**Bottom of Page
36, For Office
Use Only
N.B. Please draw
in a set of two
boxes for coders
initials.**

Coder	Insert your initials here
-------	------------------------------

END OF QUESTIONNAIRE
11/8/94 Updated 23/9/03
\\usr\hugh\nucoding\phef1

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. No reminders were issued specific to partner questionnaires.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of column format data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were read into SPSS, added together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifier ALN. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letter “p” which are followed by four digits and occasionally a further letter. Then the data from the back page were edited as described in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t

know” to –9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to –8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don’t know	The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”.
-10	Not completed	No completed questionnaire is available for this case. Variable PF0007a = 2 for all such cases.

At some point in the future the data may be reissued as a “built” file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.