

THE ALSPAC STUDY

T FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

You and Your Life

At 18 years

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 2a of the BUILT file.

July 2019

© University of Bristol

Contents

	Introduction	Page 4
	Administrative variables	Page 8
Section A	Your Household Text Frequencies My Spouse/Partner Text Frequencies Employment Text Frequencies Your Finances Text Frequencies Where you live Text Frequencies You and gambling Text Frequencies	Page 12 Page 14 Page 23 Page 27 Page 40 Page 46 Page 64 Page 73 Page 93 Page 97 Page 106 Page 108
Section B	Your trip to/from work Text Frequencies Travelling by car, bus, train and bike Text Frequencies Accidents Text Frequencies	Page 112 Page 114 Page 119 Page 121 Page 126 Page 129
Section C	Physical activity Text Frequencies	Page 134 Page 137
Section D	Your Feelings Text Frequencies Life events Text Frequencies	Page 150 Page 154 Page 166 Page 170
Section E	Your Health Text Frequencies Other People's health Text Frequencies	Page 186 Page 191 Page 219 Page 220

	Sexual & reproductive health Text Frequencies Other health issues Text Frequencies Your Medications Text Frequencies Alcohol and cigarettes Text Frequencies	Page 222 Page 232 Page 299 Page 308 Page 343 Page 344 Page 356 Page 358
Section F	About You Text Frequencies	Page 368 Page 370
Section G	Completion of the questionnaire Text Frequencies	Page 377 Page 378
Appendix A	General Coding Instructions	Page 383
Appendix B	Questionnaire Methodology	Page 386

Introduction

This questionnaire was sent out to study mothers when their children were approximately 18 years of age. It is in 7 sections:

Briefly, Section A asks the respondent about their home and who lives with them, involvement of the biological father and relationships with her partner. Detailed information is obtained on employment, income and expenditure, debt and financial difficulties. The Confusion, Hubbub and Order scale (CHAOS) was included (Matheny *et al*, 1995) as were some vignettes about other people's lives. Questions about the respondent's neighbourhood and her social network were also included as was the Problem gambling section of the Canadian Problem Gambling Index (CPGI User manual).

Section B asks about the use of various types of Transport whether the respondent has had any accidents while section C enquires about different types of physical activity. In Section D, the mother completes questions asking about self esteem (The Bachman revision (called RSE-B) of the Rosenberg's Self-Esteem Scale (Rosenberg, 1965)); locus of control (CNSIE, Nowicki & Strickland, 1973); depression (EPDS, Cox *et al*, 1978), negative self schema (Evans *et al*, 2005) and live events.

Section E contains the SF-36v2 Health Survey (Ware *et al*, 1993), vignettes about other people's health and a wide range of health question. Recent medication use is also determined. Also in this section, alcohol use was measured using the Alcohol Use Disorders Identification Test (AUDIT, Babor *et al*, 2001) and smoking was assessed using the Fagestrom Test for Nicotine Dependence (FTND; Heatherton *et al*, 2001).

Section F asks the mother to provide data on her body composition and finally, Section G collects the usual "back page" information on who completed the Questionnaire and when.

Collaborators and funders

The following table summarises the sections of the questionnaires together with the collaborator who requested inclusion and the funding body where appropriate:

Section	Topic/specific Measure	Collaborator	Funder
A	Your Household My Spouse/Partner Employment Your Finances Your family life Other people's lives	Jon Ayres Paul Gregg, University of Bath Carol Joinson, University of Bristol Carol Propper, University of Bristol	- - -

Section	Topic/specific Measure	Collaborator	Funder
	Where you live You and gambling	Glyn Lewis, University of Bristol Alan Emond, University of Bristol	- Research in Gambling Trust
B	Your trip to/from work Travelling by car, bus, train and bike Accidents	Alan Emond, University of Bristol Alan Emond, University of Bristol Alan Emond, University of Bristol	- - -
C	Physical activity	Debbie Lawlor	-
D	Your Feeling: Self esteem Locus of control Depression, Negative self schema and Life events	Carol Joinson, University of Bristol Steve Nowicki, Jonathan Evan, University of Bristol	- - -
E	Your Health Other People's health Sexual & reproductive health Other health issues Your Medications Alcohol and cigarettes	Core Carol Propper, University of Bristol Debbie Lawlor, University of Bristol Debbie Lawlor, University of Bristol Debbie Lawlor, University of Bristol John Macleod and Marcus Munafo, University of Bristol	
F	About You	Paul Gregg, University of Bath	
G	Administrative data	n/a	Core ALSPAC

Questionnaire versions

There was only one version of this questionnaire.

Sample & response rates

There are a total of 14,541 records on this built file comprising the core sample of pregnancies originally enrolled in the study. This has been completed by 4175 carers. For further information on the ALSPAC sample, please see section 6 of the "Guide to ALSPAC data".

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire as it was sent and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been added before the relevant frequency tables. The algorithms used to create derived variables are also included where appropriate.

Release file version history

Release version 1a – October 2012; The first version of the built file.

Release version 1b – July 2018; Corrected issues with raw score derivation for SF36.

Release version 1c – July 2018; Corrected documentation issues with SF36 derivation, added maternal BMI and t9985 (whether respondent lives at same address as study teenager)

Built version 2a – July 2019; added in variables for questions a37a to a37j (t1380 to t1389) and added maternal age at date of completion t9994 (note t9994 variable number out of order due to lack of space). Plus some value label corrections.

References

- Babor TF, Higgins, Biddle JC, Saunders JB, Monteiro MG. Alcohol Use Disorders Identification Test: Guidelines for use in Primary Care, 2nd edition. World Health Organisation, 2011.
- Cox JL, Holden JM, Sagovsky R. Detection of postnatal depression. Development of the 10-item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry* 1987; 150: 782 -786.
- Evans J, Heron J, Lewis G, Araya R, Wolke D, 'Negative self-schemas and the onset of depression in women: longitudinal study.', *Br J Psychiatry* 2005; 186, 302-307.
- Heatherton TF, Kozlowski LT, Frecker RC, Fagerstrom K. The Fagerstrom Test for Nicotine Dependence: a revision of the Fagerstrom Tolerance Questionnaire. *British Journal of Addiction* 1991; 86:1119-1127
- Matheny AP, Wachs TD, Ludwig JL, Phillips K. Bring order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. *Journal of Applied Developmental Psychology* 1995, 16, 429–444.
- Canadian Problem Gambling Index user manual 2001:
<http://www.ccsa.ca/2003%20and%20earlier%20CCSA%20Documents/ccsa-009381-2001.pdf>
- Nowicki S and Strickland BR. A locus of control scale for children. *Journal of Consulting and Clinical Psychology* 1973 40: 148–154.
- Rosenberg M. Society and the adolescent self-image. Princeton: 1995, NJ: Princeton University Press.
- Ware J.E., Jr., Kosinski M., Bjorner J.B., Turner-Bowker, D.M., Gandek, B. and Maruish, M.E. (2007) User's Manual for the SF-36v2TM Health Survey (2nd Ed). Lincoln, RI, QualityMetric Incorporated.

Administrative variables

t0001 Questionnaire sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	9028	62.1	62.1	62.1
	2 No	5513	37.9	37.9	100.0
	Total	14541	100.0	100.0	

t0002 Reminder sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5283	36.3	58.5	58.5
	2 No	3745	25.8	41.5	100.0
	Total	9028	62.1	100.0	
Missing	-2 Questionnaire not sent	5513	37.9		
	Total	14541	100.0		

t0005 Questionnaire return status (as of 18/05/12)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not returned	4820	33.1	53.4	53.4
	2 Returned, completed	4175	28.7	46.2	99.6
	3 Returned, blank	33	.2	.4	100.0
	Total	9028	62.1	100.0	
Missing	-2 Questionnaire not sent	5513	37.9		
	Total	14541	100.0		

t0006 Questionnaire returned (as of 05/07/12)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4175	28.7	46.2	46.2
	2 No	4853	33.4	53.8	100.0
	Total	9028	62.1	100.0	
Missing	-2 Questionnaire not sent	5513	37.9		
	Total	14541	100.0		

t0007 Questionnaire completed (as of 05/07/12)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4175	28.7	46.2	46.2
	2 No	4853	33.4	53.8	100.0
	Total	9028	62.1	100.0	
Missing	-2 Questionnaire not sent	5513	37.9		
	Total	14541	100.0		

t0007a Data available (as of 18/05/12)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4175	28.7	28.7	28.7
	2 No	10366	71.3	71.3	100.0
	Total	14541	100.0	100.0	

t0008 Questionnaire version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Version 1 - 15/04/2010	4175	28.7	100.0	100.0
Missing	-10 Not completed	10366	71.3		
Total		14541	100.0		



Questionnaire Number

You and Your Life

**This questionnaire is for the study child's mother
or the person taking the role of the mother**

15/04/2010

55972



FILLING IN THE QUESTIONNAIRE

Please use **black** pen. To answer questions simply put a cross in the box which is most accurate in your opinion, like this:



If you make a mistake, shade the box in like this:




then cross the correct box.

If you are answering questions which ask you to give further details, please make sure you write inside the boxes.

If you do not want to answer a question or if it does not apply to you, leave it blank. There are no right or wrong answers. Just tell us what is true for you.

THANK YOU FOR YOUR HELP



Section A

Section A: Your Home Life

Your Household

('Household' is the people living with you in your house or flat)

A1. When did you move to your present address? Month Year

A2. How many times have you moved home since your study teenager was 10 years old?

--	--

 times

A3. Is your home (Please mark **one** box only).

Owned - with mortgage

Being bought from council 2

Owned - with no mortgage 3

Rented from council 4

Rented from private
landlord - furnished

Rented from private
landlord - unfurnished

Rented from housing association

Other (please mark & describe):

1. *What is the primary purpose of the study?*

A4. If you know your council tax band (A, B, C, etc.) please write it here:

A5. How many people live in your household now (including yourself)?

a) Adults (18 years and older)

10 of 10


b) Young adults (16-17 years)

c) Older children (14-15 years)

111

d) Younger children (less than 14 years)

111



Section A

A6. Please indicate how many of the children/young people (under 18 years) living in your household have:

- a) You and your partner as their natural parents
- b) Their natural mother present (but their natural father is not present)
- c) The natural father present (but not their natural mother)
- d) Neither natural parent present (please describe whether you have adopted, fostered, etc.)

--	--

--	--

--	--

--	--

--	--

A7. Are there other children of yourself or your partner who visit? (Please mark one box on each line and if yes, write in the number)

	No	Yes	(i) (ii) Number of children			
a) Children of my partner but not me	1 <input type="checkbox"/>	2 <input type="checkbox"/>	→	<table border="1"><tr><td></td><td></td></tr></table>		
b) Children of myself but not my partner	1 <input type="checkbox"/>	2 <input type="checkbox"/>	→	<table border="1"><tr><td></td><td></td></tr></table>		
c) Children of me and my partner	1 <input type="checkbox"/>	2 <input type="checkbox"/>	→	<table border="1"><tr><td></td><td></td></tr></table>		

A8. How many brothers and sisters does your study teenager have that live with you or visit at least 1 day a week? (Include half-brothers and half-sisters, step-brothers and step-sisters, fostered or adopted children).

	(i) Brothers	(ii) Sisters				
a) Younger	<table border="1"><tr><td></td><td></td></tr></table>			<table border="1"><tr><td></td><td></td></tr></table>		
b) Same age (i.e. twin of study teenager)	<table border="1"><tr><td></td><td></td></tr></table>			<table border="1"><tr><td></td><td></td></tr></table>		
c) Older	<table border="1"><tr><td></td><td></td></tr></table>			<table border="1"><tr><td></td><td></td></tr></table>		


55972

Section A

t1000 A1: When respondent moved to present address: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	199	1.4	4.9	4.9
	2	237	1.6	5.8	10.7
	3	275	1.9	6.7	17.4
	4	347	2.4	8.5	25.9
	5	404	2.8	9.9	35.9
	6	356	2.4	8.7	44.6
	7	420	2.9	10.3	54.9
	8	535	3.7	13.1	68.0
	9	344	2.4	8.4	76.4
	10	343	2.4	8.4	84.8
	11	292	2.0	7.2	92.0
	12	326	2.2	8.0	100.0
	Total	4078	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	97	.7		
	Total	10463	72.0		
Total		14541	100.0		

t1001 A1: When respondent moved to present address: year



Section A

t1005 A2: Number of times respondent moved home since study teenager was 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2780	19.1	67.5	67.5
	1	917	6.3	22.3	89.7
	2	255	1.8	6.2	95.9
	3	107	.7	2.6	98.5
	4	38	.3	.9	99.4
	5	13	.1	.3	99.8
	6 6 or more	10	.1	.2	100.0
Missing	Total	4120	28.3	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	55	.4		
Total		10421	71.7		
Total		14541	100.0		

t1010 A3: Home ownership/rental status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Owned - with mortgage	2773	19.1	66.7	66.7
	2 Being bought from council	12	.1	.3	67.0
	3 Owned - with no mortgage to pay	953	6.6	22.9	89.9
	4 Rented from council	120	.8	2.9	92.8
	5 Rented from private landlord - furnished	20	.1	.5	93.3
	6 Rented from private landlord - unfurnished	134	.9	3.2	96.5
	7 Rented from housing association	90	.6	2.2	98.7
	8 Other (please mark & describe)	56	.4	1.3	100.0
	Total	4158	28.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	17	.1		
	Total	10383	71.4		
Total		14541	100.0		

[Derived variable: recode t1010 (1- 3=1)(4=2)(7=2)(5-6=3)(8=3) into t1011]

t1011 DV: Housing tenure summary

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Owner/occupied	3738	25.7	89.9	89.9
	2 Council/Housing association	210	1.4	5.1	94.9
	3 Private rented/Other	210	1.4	5.1	100.0
	Total	4158	28.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1	17	.1		
	Total	10383	71.4		
Total		14541	100.0		

Section A

t1013 A4: Respondent's council tax band

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A	83	.6	3.0	3.0
	2 B	550	3.8	20.0	23.0
	3 C	653	4.5	23.7	46.7
	4 D	713	4.9	25.9	72.7
	5 E	358	2.5	13.0	85.7
	6 F	216	1.5	7.9	93.5
	7 G	146	1.0	5.3	98.8
	8 H or I	32	.2	1.2	100.0
	Total	2751	18.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	1424	9.8		
	Total	11790	81.1		
Total		14541	100.0		

t1015 A5a: Number of people living in household: adults (18 years and older)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	13	.1	.3	.3
	1	188	1.3	4.5	4.9
	2	1001	6.9	24.2	29.0
	3	1888	13.0	45.6	74.7
	4	882	6.1	21.3	96.0
	5	140	1.0	3.4	99.3
	6	21	.1	.5	99.9
	7	6	.0	.1	100.0
	Total	4139	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	36	.2		
	Total	10402	71.5		
Total		14541	100.0		

t1016 A5b: Number of people living in household: young adults (16-17 years)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	353	2.4	16.9	16.9
	1	1613	11.1	77.2	94.1
	2	117	.8	5.6	99.7
	3	4	.0	.2	99.9
	4	1	.0	.0	100.0
	6	1	.0	.0	100.0
	Total	2089	14.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2086	14.3		
	Total	12452	85.6		
Total		14541	100.0		

Section A

t1017 A5c: Number of people living in household: older children (14-15 years)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	511	3.5	33.3	33.3
	1	976	6.7	63.6	96.9
	2	46	.3	3.0	99.9
	3	1	.0	.1	100.0
	Total	1534	10.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2641	18.2		
	Total	13007	89.5		
Total		14541	100.0		

t1018 A5d: Number of people living in household: younger children (less than 14 years)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	553	3.8	40.5	40.5
	1	644	4.4	47.2	87.7
	2	142	1.0	10.4	98.1
	3	18	.1	1.3	99.4
	4	6	.0	.4	99.9
	5	1	.0	.1	99.9
	6	1	.0	.1	100.0
Missing	Total	1365	9.4	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	2810	19.3		
Total		13176	90.6		
Total		14541	100.0		

t1020 A6a: Number of children/young people in household who have respondent and respondent's partner as their natural parents

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	315	2.2	12.1	12.1
	1	1302	9.0	49.9	62.0
	2	730	5.0	28.0	89.9
	3	206	1.4	7.9	97.8
	4	47	.3	1.8	99.6
	5	8	.1	.3	99.9
	6	2	.0	.1	100.0
Missing	Total	2610	17.9	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	1565	10.8		
Total		11931	82.1		
Total		14541	100.0		

Section A

t1021 A6b: Number of children/young people in household who have their natural mother present but not natural father

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	383	2.6	36.8	36.8
	1	389	2.7	37.4	74.2
	2	192	1.3	18.5	92.7
	3	62	.4	6.0	98.7
	4	9	.1	.9	99.5
	5	1	.0	.1	99.6
	6	3	.0	.3	99.9
	10	1	.0	.1	100.0
	Total	1040	7.2	100.0	
	Missing				
Missing	-10 Not completed	10366	71.3		
	-1 No response	3135	21.6		
	Total	13501	92.8		
Total		14541	100.0		

t1022 A6c: Number of children/young people in household who have their natural father present but not natural mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	499	3.4	92.2	92.2
	1	26	.2	4.8	97.0
	2	15	.1	2.8	99.8
	3	1	.0	.2	100.0
	Total	541	3.7	100.0	
	Missing				
Missing	-10 Not completed	10366	71.3		
	-1 No response	3634	25.0		
	Total	14000	96.3		
Total		14541	100.0		

t1023 A6d: Number of children/young people in household who have neither natural parent present

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	483	3.3	93.1	93.1
	1	24	.2	4.6	97.7
	2	7	.0	1.3	99.0
	3	4	.0	.8	99.8
	5	1	.0	.2	100.0
	Total	519	3.6	100.0	
	Missing				
Missing	-10 Not completed	10366	71.3		
	-1 No response	3656	25.1		
	Total	14022	96.4		
Total		14541	100.0		

[Logical Edits: if T1031 ge 1 then T1030 eq 2; if T1030 eq 1 then T1031 eq 0]

Section A

t1030 A7a1: Children of respondent's partner (but not respondent) visit respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2996	20.6	91.3	91.3
	2 Yes	286	2.0	8.7	100.0
	Total	3282	22.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	893	6.1		
	Total	11259	77.4		
Total		14541	100.0		

t1031 A7a2: Number of children of respondent's partner (but not respondent) that visit respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3039	20.9	91.7	91.7
	1	117	.8	3.5	95.2
	2	124	.9	3.7	99.0
	3	29	.2	.9	99.8
	4	5	.0	.2	100.0
	Total	3314	22.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	861	5.9		
	Total	11227	77.2		
Total		14541	100.0		

[Logical Edits: if T1033 ge 1 then T1032 eq 2; if T1032 eq 1 then T1033 eq 0]

t1032 A7b1: Children of respondent (but not partner) visit respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2955	20.3	92.8	92.8
	2 Yes	228	1.6	7.2	100.0
	Total	3183	21.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	992	6.8		
	Total	11358	78.1		
Total		14541	100.0		

t1033 A7b2: Number of children of respondent (but not partner) that visit respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2995	20.6	93.2	93.2
	1	130	.9	4.0	97.2
	2	66	.5	2.1	99.3
	3	19	.1	.6	99.9
	4	4	.0	.1	100.0
	Total	3214	22.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	961	6.6		
	Total	11327	77.9		
Total		14541	100.0		

Section A

[Logical Edits: if T1035 ge 1 then T1034 eq 2; if T1035 eq 1 then T1033 eq 0]

t1034 A7c1: Children of respondent and partner visit respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2849	19.6	88.1	88.1
	2 Yes	384	2.6	11.9	100.0
	Total	3233	22.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	942	6.5		
	Total	11308	77.8		
Total		14541	100.0		

t1035 A7c2: Number of children of respondent and partner that visit respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2896	19.9	88.6	88.6
	1	243	1.7	7.4	96.0
	2	88	.6	2.7	98.7
	3	32	.2	1.0	99.7
	4	7	.0	.2	99.9
	5	1	.0	.0	99.9
	6	2	.0	.1	100.0
	Total	3269	22.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	906	6.2		
	Total	11272	77.5		
Total		14541	100.0		

t1040 A8a1: Number of younger brothers of study teenager who live with respondent or visit at least one day a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	703	4.8	36.7	36.7
	1	1017	7.0	53.1	89.9
	2	163	1.1	8.5	98.4
	3	27	.2	1.4	99.8
	4	3	.0	.2	99.9
	6	1	.0	.1	100.0
	Total	1914	13.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2261	15.5		
	Total	12627	86.8		
Total		14541	100.0		

Section A

t1041 A8a2: Number of younger sisters of study teenager who live with respondent or visit at least one day a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	711	4.9	37.2	37.2
	1	1028	7.1	53.8	91.0
	2	139	1.0	7.3	98.3
	3	27	.2	1.4	99.7
	4	3	.0	.2	99.9
	5	2	.0	.1	100.0
	Total	1910	13.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2265	15.6		
	Total	12631	86.9		
Total		14541	100.0		

t1042 A8b1: Number of same age brothers of study teenager who live with respondent or visit at least one day a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	890	6.1	97.7	97.7
	1	21	.1	2.3	100.0
	Total	911	6.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3264	22.4		
	Total	13630	93.7		
Total		14541	100.0		

t1043 A8b2: Number of same age sisters of study teenager who live with respondent or visit at least one day a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	887	6.1	97.7	97.7
	1	21	.1	2.3	100.0
	Total	908	6.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3267	22.5		
	Total	13633	93.8		
Total		14541	100.0		

Section A

t1044 A8c1: Number of older brothers of study teenager who live with respondent or visit at least one day a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	756	5.2	45.3	45.3
	1	786	5.4	47.1	92.4
	2	112	.8	6.7	99.1
	3	13	.1	.8	99.9
	4	2	.0	.1	100.0
	Total	1669	11.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2506	17.2		
	Total	12872	88.5		
Total		14541	100.0		

t1045 A8c2: Number of older sisters of study teenager who live with respondent or visit at least one day a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	783	5.4	48.5	48.5
	1	722	5.0	44.7	93.2
	2	96	.7	5.9	99.1
	3	13	.1	.8	99.9
	4	1	.0	.1	100.0
	Total	1615	11.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2560	17.6		
	Total	12926	88.9		
Total		14541	100.0		

Section A

A9. a) What is your **present** marital/relationship status? (Mark **one** only)

Never married	1 <input type="checkbox"/>	Widowed	2 <input type="checkbox"/>	Divorced	3 <input type="checkbox"/>
Separated	4 <input type="checkbox"/>	Married (once only)	5 <input type="checkbox"/>	Married for second time	6 <input type="checkbox"/>
Married for third time or more	7 <input type="checkbox"/>	Living as married	8 <input type="checkbox"/>	Civil partnership	9 <input type="checkbox"/>

b) If married, what was the date
of the most recent marriage?

Day	Month	Year
<input type="text"/>	<input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>

A10.a) Does the biological (natural) father of your study teenager live with him/her?

Yes 1 No 2



If yes, go to A10b) on the next page

i) How old was he/she when the natural father stopped living with your study
teenager?

<input type="text"/>	<input type="text"/>
----------------------	----------------------

years

or if less than one year

<input type="text"/>	<input type="text"/>
----------------------	----------------------

months

(put 00 if the father never
lived with the study teenager)

ii) How often does the natural father see your study teenager?

Not at all 1 Less than once 2 About once 3
a month a month

About once 4 Once or twice 5 Nearly every 6
a fortnight a week day

Study teenager's 7 → Go to A10b) on the next page
father is dead

55972



Section A

A10.a) iii) Does he help support your study teenager financially?

Yes, on a regular basis 1 Yes, occasionally 2 No 3

b) Does the biological (natural) mother of your study teenager live with him/her?

Yes 1 No 2

If yes, go to A11 below

i) How old was he/she when the natural mother stopped living with your study teenager?

--	--

 years or if less than one year

--	--

 months

(put 00 if the mother never lived with the study teenager)

ii) How often does the natural mother see your study teenager?

Not at all 1 Less than once 2 a month About once 3 a month

About once 4 a fortnight Once or twice 5 a week Nearly every 6 day

Study teenager's 7 → **Go to A11 below**
mother is dead

iii) Does she help support your study teenager financially?

Yes, on a regular basis 1 Yes, occasionally 2 No 3

A11. Do you currently have a partner who lives with you?

Yes 1 No 2 → **If no, go to A13 on page 8**

55972

Section A

A12. Below are attitudes and behaviours which people reveal in their close relationships. Please rate your spouse's/partner's attitudes and behaviour towards you in recent times and mark the most appropriate box for each item.

My spouse/partner:	Very true	Moderately true	Somewhat true	Not at all true
a) Is very considerate of me	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
b) Wants me to take his/her side in an argument	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
c) Wants to know exactly what I'm doing and where I am	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
d) Is a good companion	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
e) Is affectionate to me	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
f) Is clearly hurt if I don't accept his/her views	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
g) Tends to try and change me	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
h) Confides closely in me	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
i) Tends to criticise me over small issues	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
j) Understands my problems and worries	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
k) Tends to order me about	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
l) Insists I do exactly as I'm told	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
m) Is physically gentle and considerate	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
n) Makes me feel needed	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
o) Wants me to change in small ways	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
p) Is very loving to me	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
q) Seeks to dominate me	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>

55972



Section A

A12. cont. My spouse/partner:	Very true	Moderately true	Somewhat true	Not at all true
r) Is fun to be with	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
s) Wants to change me in big ways	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
t) Tends to control everything I do	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
u) Shows his/her appreciation of me	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
v) Is critical of me in private	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
w) Is gentle and kind to me	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
x) Speaks to me in a warm and friendly voice	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>

The section below is about your employment and that of your partner.

*If you do not currently have a partner **who lives with you**
please only complete the sections about yourself.*

Your job

A13. Are you / your partner currently (please mark all that apply for each person)?


	(i) Yourself	(ii) Your partner
a) Employed in a paid job (full or part-time)	1 <input type="checkbox"/>	1 <input type="checkbox"/>
b) Retired	1 <input type="checkbox"/>	1 <input type="checkbox"/>
c) Unemployed and seeking work	1 <input type="checkbox"/>	1 <input type="checkbox"/>
d) Unable to work through sickness/disability	1 <input type="checkbox"/>	1 <input type="checkbox"/>
e) Full/part-time student	1 <input type="checkbox"/>	1 <input type="checkbox"/>
f) Doing voluntary work	1 <input type="checkbox"/>	1 <input type="checkbox"/>
g) Looking after family/home	1 <input type="checkbox"/>	1 <input type="checkbox"/>
h) Self employed	1 <input type="checkbox"/>	1 <input type="checkbox"/>
i) Other, please describe:	1 <input type="checkbox"/>	1 <input type="checkbox"/>

Section A

t1050 A9a: Present marital/relationship status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never married	142	1.0	3.4	3.4
	2 Widowed	53	.4	1.3	4.7
	3 Divorced	420	2.9	10.1	14.8
	4 Separated	148	1.0	3.6	18.3
	5 Married (once only)	2673	18.4	64.2	82.6
	6 Married for second time	473	3.3	11.4	93.9
	7 Married for third time or more	33	.2	.8	94.7
	8 Living as married	211	1.5	5.1	99.8
	9 Civil partnership	8	.1	.2	100.0
	Total	4161	28.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	14	.1		
	Total	10380	71.4		
Total		14541	100.0		

t1051 A9b: Date of most recent marriage: day




Section A

t1052 A9b: Date of most recent marriage: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	64	.4	2.0	2.0
	2	83	.6	2.6	4.7
	3	184	1.3	5.9	10.5
	4	281	1.9	8.9	19.5
	5	348	2.4	11.1	30.6
	6	417	2.9	13.3	43.8
	7	413	2.8	13.1	57.0
	8	463	3.2	14.7	71.7
	9	444	3.1	14.1	85.8
	10	241	1.7	7.7	93.5
	11	90	.6	2.9	96.4
	12	114	.8	3.6	100.0
Total		3142	21.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	1033	7.1		
	Total	11399	78.4		
Total		14541	100.0		

t1053 A1: When respondent moved to present address: year



Section A

t1055 A10a: Biological (natural) father of study teenager lives with him/her

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3006	20.7	72.5	72.5
	2 No	1140	7.8	27.5	100.0
	Total	4146	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	29	.2		
	Total	10395	71.5		
Total		14541	100.0		

[Logical Edits: if T1056 ge 0 or any of T1056 to T1059 gt 1 then T1055 eq 2; if T1020 eq 1 then T1056 to T1059 eq -2]

t1056 A10a1: Age of study teenager when natural father stopped living with him/her: years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	85	.6	8.6	8.6
	1	32	.2	3.2	11.8
	2	73	.5	7.4	19.2
	3	55	.4	5.5	24.7
	4	82	.6	8.3	33.0
	5	44	.3	4.4	37.4
	6	60	.4	6.0	43.4
	7	48	.3	4.8	48.3
	8	59	.4	5.9	54.2
	9	60	.4	6.0	60.3
	10	58	.4	5.8	66.1
	11	48	.3	4.8	71.0
	12	42	.3	4.2	75.2
	13	47	.3	4.7	79.9
	14	36	.2	3.6	83.6
	15	32	.2	3.2	86.8
	16	45	.3	4.5	91.3
	17	43	.3	4.3	95.7
	18	36	.2	3.6	99.3
	19	7	.0	.7	100.0
Missing	Total	992	6.8	100.0	
	-10 Not completed	10366	71.3		
	-2 Father lives with teenager	3006	20.7		
	-1 No response	177	1.2		
Total		13549	93.2		
Total		14541	100.0		

Section A

t1057 A10a1: If less than one year old, age of study teenager when natural father stopped living with him/her: months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	23	.2	18.7	18.7
	1	7	.0	5.7	24.4
	2	5	.0	4.1	28.5
	3	12	.1	9.8	38.2
	4	6	.0	4.9	43.1
	5	6	.0	4.9	48.0
	6	24	.2	19.5	67.5
	7	3	.0	2.4	69.9
	8	8	.1	6.5	76.4
	9	13	.1	10.6	87.0
	10	8	.1	6.5	93.5
	11	8	.1	6.5	100.0
	Total	123	.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Father lives with teenager	3006	20.7		
	-1 No response	1046	7.2		
	Total	14418	99.2		
Total		14541	100.0		

t1058 A10a2: Frequency natural father sees study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	211	1.5	19.1	19.1
	2 Less than once a month	269	1.8	24.4	43.5
	3 About once a month	108	.7	9.8	53.3
	4 About once a fortnight	140	1.0	12.7	66.0
	5 Once or twice a month	225	1.5	20.4	86.4
	6 Nearly every day	68	.5	6.2	92.6
	7 Study teenager's father is dead	82	.6	7.4	100.0
	Total	1103	7.6	100.0	
	-10 Not completed	10366	71.3		
	-2 Father lives with teenager	3006	20.7		
	-1 No response	66	.5		
	Total	13438	92.4		
Total		14541	100.0		

Section A

t1059 A10a3: Natural father helps support study teenager financially

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, on a regular basis	372	2.6	36.5	36.5
	2 Yes, occasionally	143	1.0	14.0	50.5
	3 No	504	3.5	49.5	100.0
	Total	1019	7.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Father lives with teenager	3006	20.7		
	-1 No response	150	1.0		
	Total	13522	93.0		
Total		14541	100.0		

[Logical Edits: if any of T1061 to T1064 gt 0 then T1605 eq 2; if T1060 eq 1 then T1061 to T1064 eq -2]

t1060 A10b: Biological (natural) mother of study teenager lives with him/her

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3895	26.8	95.3	95.3
	2 No	190	1.3	4.7	100.0
	Total	4085	28.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	90	.6		
	Total	10456	71.9		
		14541	100.0		

t1061 A10b1: Age of study teenager when natural mother stopped living with him/her: years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.0	2.9	2.9
	1	3	.0	2.1	5.0
	2	2	.0	1.4	6.4
	3	1	.0	.7	7.1
	8	1	.0	.7	7.9
	9	1	.0	.7	8.6
	13	3	.0	2.1	10.7
	14	6	.0	4.3	15.0
	15	5	.0	3.6	18.6
	16	17	.1	12.1	30.7
	17	29	.2	20.7	51.4
	18	56	.4	40.0	91.4
	19	12	.1	8.6	100.0
	Total	140	1.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Father lives with teenager	3895	26.8		
	-1 No response	140	1.0		
	Total	14401	99.0		
Total		14541	100.0		

Section A

t1062 A10b1: If less than one year old, age of study teenager when natural mother stopped living with him/her: months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	15.4	15.4
	2	2	.0	15.4	30.8
	4	1	.0	7.7	38.5
	6	1	.0	7.7	46.2
	8	3	.0	23.1	69.2
	9	1	.0	7.7	76.9
	11	3	.0	23.1	100.0
	Total	13	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Father lives with teenager	3895	26.8		
	-1 No response	267	1.8		
	Total	14528	99.9		
Total		14541	100.0		

t1063 A10b2: Frequency natural mother sees study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	.6	.6
	2	21	.1	13.6	14.3
	3	19	.1	12.3	26.6
	4	17	.1	11.0	37.7
	5	64	.4	41.6	79.2
	6	32	.2	20.8	100.0
	Total	154	1.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Father lives with teenager	3895	26.8		
	-1 No response	126	.9		
	Total	14387	98.9		
Total		14541	100.0		

t1064 A10b3: Natural mother helps support study teenager financially

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, on a regular basis	61	.4	42.1	42.1
	2 Yes, occasionally	58	.4	40.0	82.1
	3 No	26	.2	17.9	100.0
	Total	145	1.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Father lives with teenager	3895	26.8		
	-1 No response	135	.9		
	Total	14396	99.0		
Total		14541	100.0		

Section A

t1065 A11: Respondent cohabits with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3350	23.0	82.5	82.5
	2 No	710	4.9	17.5	100.0
	Total	4060	27.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	115	.8		
	Total	10481	72.1		
Total		14541	100.0		

t1100 A12a: Spouse/partner is very considerate of respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1997	13.7	58.7	58.7
	2 Moderately true	981	6.7	28.8	87.5
	3 Somewhat true	386	2.7	11.3	98.8
	4 Not at all true	40	.3	1.2	100.0
	Total	3404	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	771	5.3		
	Total	11137	76.6		
Total		14541	100.0		

t1101 A12b: Spouse/partner wants respondent to take his/her side in argument

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	451	3.1	13.4	13.4
	2 Moderately true	905	6.2	26.8	40.2
	3 Somewhat true	983	6.8	29.2	69.4
	4 Not at all true	1032	7.1	30.6	100.0
	Total	3371	23.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	804	5.5		
	Total	11170	76.8		
Total		14541	100.0		

t1102 A12c: Spouse/partner wants to know exactly what respondent is doing and where they are

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	162	1.1	4.8	4.8
	2 Moderately true	394	2.7	11.6	16.4
	3 Somewhat true	1187	8.2	35.0	51.3
	4 Not at all true	1653	11.4	48.7	100.0
	Total	3396	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	779	5.4		
	Total	11145	76.6		
Total		14541	100.0		

Section A

t1103 A12d: Spouse/partner is a good companion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2215	15.2	65.4	65.4
	2 Moderately true	757	5.2	22.4	87.7
	3 Somewhat true	362	2.5	10.7	98.4
	4 Not at all true	53	.4	1.6	100.0
	Total	3387	23.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	788	5.4		
	Total	11154	76.7		
Total		14541	100.0		

t1104 A12e: Spouse/partner is affectionate to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1988	13.7	58.5	58.5
	2 Moderately true	841	5.8	24.7	83.2
	3 Somewhat true	463	3.2	13.6	96.9
	4 Not at all true	107	.7	3.1	100.0
	Total	3399	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	776	5.3		
	Total	11142	76.6		
Total		14541	100.0		

t1105 A12f: Spouse/partner is clearly hurt if respondent does not accept his/her views

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	210	1.4	6.2	6.2
	2 Moderately true	534	3.7	15.7	21.9
	3 Somewhat true	1157	8.0	34.1	56.0
	4 Not at all true	1494	10.3	44.0	100.0
	Total	3395	23.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	780	5.4		
	Total	11146	76.7		
Total		14541	100.0		

t1106 A12g: Spouse/partner tends to try and change respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	48	.3	1.4	1.4
	2 Moderately true	210	1.4	6.2	7.6
	3 Somewhat true	535	3.7	15.8	23.4
	4 Not at all true	2598	17.9	76.6	100.0
	Total	3391	23.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	784	5.4		
	Total	11150	76.7		
Total		14541	100.0		

Section A

t1107 A12h: Spouse/partner confides closely in respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1701	11.7	50.0	50.0
	2 Moderately true	904	6.2	26.6	76.6
	3 Somewhat true	601	4.1	17.7	94.3
	4 Not at all true	194	1.3	5.7	100.0
	Total	3400	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	775	5.3		
	Total	11141	76.6		
Total		14541	100.0		

t1108 A12i: Spouse/partner tends to criticise respondent over small issues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	153	1.1	4.5	4.5
	2 Moderately true	283	1.9	8.3	12.8
	3 Somewhat true	999	6.9	29.4	42.3
	4 Not at all true	1961	13.5	57.7	100.0
	Total	3396	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	779	5.4		
	Total	11145	76.6		
Total		14541	100.0		

t1109 A12j: Spouse/partner understands respondent's problems and worries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1034	7.1	30.4	30.4
	2 Moderately true	1242	8.5	36.5	66.9
	3 Somewhat true	939	6.5	27.6	94.5
	4 Not at all true	188	1.3	5.5	100.0
	Total	3403	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	772	5.3		
	Total	11138	76.6		
Total		14541	100.0		

t1110 A12k: Spouse/partner tends to order respondent about

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	52	.4	1.5	1.5
	2 Moderately true	147	1.0	4.3	5.8
	3 Somewhat true	486	3.3	14.3	20.1
	4 Not at all true	2718	18.7	79.9	100.0
	Total	3403	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	772	5.3		
	Total	11138	76.6		
Total		14541	100.0		

Section A

t1111 A12l: Spouse/partner insists respondent does exactly as told

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	14	.1	.4	.4
	2 Moderately true	50	.3	1.5	1.9
	3 Somewhat true	126	.9	3.7	5.6
	4 Not at all true	3211	22.1	94.4	100.0
	Total	3401	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	774	5.3		
	Total	11140	76.6		
Total		14541	100.0		

t1112 A12m: Spouse/partner is physically gentle and considerate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2377	16.3	69.8	69.8
	2 Moderately true	587	4.0	17.2	87.0
	3 Somewhat true	376	2.6	11.0	98.1
	4 Not at all true	65	.4	1.9	100.0
	Total	3405	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	770	5.3		
	Total	11136	76.6		
Total		14541	100.0		

t1113 A12n: Spouse/partner makes respondent feel needed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1702	11.7	50.0	50.0
	2 Moderately true	963	6.6	28.3	78.4
	3 Somewhat true	582	4.0	17.1	95.5
	4 Not at all true	154	1.1	4.5	100.0
	Total	3401	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	774	5.3		
	Total	11140	76.6		
Total		14541	100.0		

t1114 A12o: Spouse/partner wants to change respondent in small ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	74	.5	2.2	2.2
	2 Moderately true	269	1.8	7.9	10.1
	3 Somewhat true	1024	7.0	30.1	40.2
	4 Not at all true	2030	14.0	59.8	100.0
	Total	3397	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	778	5.4		
	Total	11144	76.6		
Total		14541	100.0		

Section A

t1115 A12p: Spouse/partner is very loving to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1874	12.9	55.0	55.0
	2 Moderately true	811	5.6	23.8	78.8
	3 Somewhat true	545	3.7	16.0	94.8
	4 Not at all true	177	1.2	5.2	100.0
	Total	3407	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	768	5.3		
	Total	11134	76.6		
Total		14541	100.0		

t1116 A12q: Spouse/partner seeks to dominate respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	57	.4	1.7	1.7
	2 Moderately true	109	.7	3.2	4.9
	3 Somewhat true	364	2.5	10.7	15.6
	4 Not at all true	2872	19.8	84.4	100.0
	Total	3402	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	773	5.3		
	Total	11139	76.6		
Total		14541	100.0		

t1117 A12r: Spouse/partner is fun to be with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1519	10.4	44.7	44.7
	2 Moderately true	1160	8.0	34.1	78.8
	3 Somewhat true	599	4.1	17.6	96.5
	4 Not at all true	120	.8	3.5	100.0
	Total	3398	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	777	5.3		
	Total	11143	76.6		
Total		14541	100.0		

t1118 A12s: Spouse/partner wants to change respondent in big ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	23	.2	.7	.7
	2 Moderately true	55	.4	1.6	2.3
	3 Somewhat true	183	1.3	5.4	7.7
	4 Not at all true	3134	21.6	92.3	100.0
	Total	3395	23.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	780	5.4		
	Total	11146	76.7		
Total		14541	100.0		

Section A

t1119 A12t: Spouse/partner tends to control everything respondent does

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	16	.1	.5	.5
	2 Moderately true	57	.4	1.7	2.2
	3 Somewhat true	207	1.4	6.1	8.3
	4 Not at all true	3111	21.4	91.7	100.0
	Total	3391	23.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	784	5.4		
	Total	11150	76.7		
Total		14541	100.0		

t1120 A12u: Spouse/partner shows his/her appreciation of respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1370	9.4	40.3	40.3
	2 Moderately true	1138	7.8	33.4	73.7
	3 Somewhat true	743	5.1	21.8	95.5
	4 Not at all true	152	1.0	4.5	100.0
	Total	3403	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	772	5.3		
	Total	11138	76.6		
Total		14541	100.0		

t1121 A12v: Spouse/partner is critical of respondent in private

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	54	.4	1.6	1.6
	2 Moderately true	112	.8	3.3	4.9
	3 Somewhat true	659	4.5	19.5	24.4
	4 Not at all true	2552	17.6	75.6	100.0
	Total	3377	23.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	798	5.5		
	Total	11164	76.8		
Total		14541	100.0		

t1122 A12w: Spouse/partner is gentle and kind to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2060	14.2	60.6	60.6
	2 Moderately true	731	5.0	21.5	82.1
	3 Somewhat true	524	3.6	15.4	97.5
	4 Not at all true	85	.6	2.5	100.0
	Total	3400	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	775	5.3		
	Total	11141	76.6		
Total		14541	100.0		

Section A

t1123 A12x: Spouse/partner speaks to respondent in a warm and friendly voice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1783	12.3	52.5	52.5
	2 Moderately true	925	6.4	27.2	79.7
	3 Somewhat true	580	4.0	17.1	96.8
	4 Not at all true	109	.7	3.2	100.0
	Total	3397	23.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	778	5.4		
	Total	11144	76.6		
Total		14541	100.0		

Section A

A12. cont. My spouse/partner:	Very true	Moderately true	Somewhat true	Not at all true
r) Is fun to be with	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
s) Wants to change me in big ways	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
t) Tends to control everything I do	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
u) Shows his/her appreciation of me	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
v) Is critical of me in private	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
w) Is gentle and kind to me	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
x) Speaks to me in a warm and friendly voice	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>

The section below is about your employment and that of your partner.

*If you do not currently have a partner **who lives with you**
please only complete the sections about yourself.*

Your job

A13. Are you / your partner currently (please mark all that apply for each person)?

	(i) Yourself	(ii) Your partner
a) Employed in a paid job (full or part-time)	1 <input type="checkbox"/>	1 <input type="checkbox"/>
b) Retired	1 <input type="checkbox"/>	1 <input type="checkbox"/>
c) Unemployed and seeking work	1 <input type="checkbox"/>	1 <input type="checkbox"/>
d) Unable to work through sickness/disability	1 <input type="checkbox"/>	1 <input type="checkbox"/>
e) Full/part-time student	1 <input type="checkbox"/>	1 <input type="checkbox"/>
f) Doing voluntary work	1 <input type="checkbox"/>	1 <input type="checkbox"/>
g) Looking after family/home	1 <input type="checkbox"/>	1 <input type="checkbox"/>
h) Self employed	1 <input type="checkbox"/>	1 <input type="checkbox"/>
i) Other, please describe:	1 <input type="checkbox"/>	1 <input type="checkbox"/>

55972



Section A

- A14 a) In your job, do you or your partner have any formal responsibility for supervising the work of other employees? Do not include supervising children e.g. teachers.

	(i) Yourself	(ii) Your partner
Yes	1 <input type="checkbox"/>	1 <input type="checkbox"/>
No	2 <input type="checkbox"/>	2 <input type="checkbox"/>

- b) How many people work for your employer in the place where you or your partner work? We mean the actual building/branch or part of a building.

	(i) Yourself	(ii) Your partner
1-9	1 <input type="checkbox"/>	1 <input type="checkbox"/>
10-24	2 <input type="checkbox"/>	2 <input type="checkbox"/>
25-499	3 <input type="checkbox"/>	3 <input type="checkbox"/>
500 or more	4 <input type="checkbox"/>	4 <input type="checkbox"/>

- c) If self employed, do you work on your own or do you have employees?

	(i) Yourself	(ii) Your partner
On own or with partner but no employees	1 <input type="checkbox"/>	1 <input type="checkbox"/>
With employees	2 <input type="checkbox"/>	2 <input type="checkbox"/>

55972

Section A

- A15. Please describe the current or most recent job held by **yourself and your partner**.

(If you have more than one job, please describe your main role)

(Use precise terms such as Primary Teacher, Laboratory Technician, Care Assistant, Mortgage Adviser, Bus Driver, Software Developer, Call Centre Operator. If the occupation is known by a special name, please use that name. If in HM Forces, give the rank in addition to the actual job. Please also describe the type of industry or service given and give details of what is made, materials used or services given).

	(i) Yourself					(ii) Your partner					
a) What is the job title?											
b) What is the business/industry?											
c) Please describe the main things you do, or your partner does, in this job.											
d) When did you/your partner start this job?	Month	Year					Month	Year			
e) If not current, when did you/your partner end this job.											

Section A

A16. What is the individual total take-home pay each month of yourself/your partner (after tax and national insurance are removed as appropriate)? If possible, please refer to a recent payslip. If this is not possible, please estimate. Please mark only one box for **each person**.

i) **Yourself:**

Up to £399	1 <input type="checkbox"/>	£400-£599	2 <input type="checkbox"/>	£600-£899	3 <input type="checkbox"/>
£900-£1149	4 <input type="checkbox"/>	£1150-£1499	5 <input type="checkbox"/>	£1500-£1899	6 <input type="checkbox"/>
£1900-£2249	7 <input type="checkbox"/>	£2250-£2749	8 <input type="checkbox"/>	£2750-£3299	9 <input type="checkbox"/>
£3300 and above	10 <input type="checkbox"/>	Not doing paid work	11 <input type="checkbox"/>		

ii) **Your partner:**

Up to £399	1 <input type="checkbox"/>	£400-£599	2 <input type="checkbox"/>	£600-£899	3 <input type="checkbox"/>
£900-£1149	4 <input type="checkbox"/>	£1150-£1499	5 <input type="checkbox"/>	£1500-£1899	6 <input type="checkbox"/>
£1900-£2249	7 <input type="checkbox"/>	£2250-£2749	8 <input type="checkbox"/>	£2750-£3299	9 <input type="checkbox"/>
£3300 and above	10 <input type="checkbox"/>	Not doing paid work	11 <input type="checkbox"/>		

A17. How many hours do you work in a usual week?

--	--

 hours

A18. How many hours does your partner work in a usual week?

--	--

 hours

A19. Have you or your partner started a new job in the last five years? Please mark one box only.

Yes, I have

1

2

3

Yes, my partner has

Please answer A20 & 21

Yes, we both have

No, neither of us has

4

Go to A22 on page 14

55972

Section A

- A20 a) In your **previous** job, were you or your partner working as employees or were you self employed?

	(i) Yourself	(ii) Your partner
Employee	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Self-employed	2 <input type="checkbox"/>	2 <input type="checkbox"/>

- b) In your **previous** job, did you or your partner have any formal responsibility for supervising the work of other employees? Do not include supervising children e.g. teachers.

	(i) Yourself	(ii) Your partner
Yes	1 <input type="checkbox"/>	1 <input type="checkbox"/>
No	2 <input type="checkbox"/>	2 <input type="checkbox"/>

- c) How many people worked for your employer in the place where you or your partner worked? We mean the actual building/branch or part of a building.

	(i) Yourself	(ii) Your partner
1-9	1 <input type="checkbox"/>	1 <input type="checkbox"/>
10-24	2 <input type="checkbox"/>	2 <input type="checkbox"/>
25-499	3 <input type="checkbox"/>	3 <input type="checkbox"/>
500 or more	4 <input type="checkbox"/>	4 <input type="checkbox"/>

- d) If self employed, did you work on your own or did you have employees?

	(i) Yourself	(ii) Your partner
On own or with partner but no employees	1 <input type="checkbox"/>	1 <input type="checkbox"/>
With employees	2 <input type="checkbox"/>	2 <input type="checkbox"/>

55972

Section A

- A21. Please describe the previous paid job held by **yourself and your partner** (the job held before the job you described in question 16).

(As before, please use precise terms and describe the type of industry or service given, and give details of what is made, materials used, or services given).

	(i) Yourself				(ii) Your partner			
a) What was the job title?								
b) What was the business /industry?								
c) Please describe the main things you or your partner did in this job.								
d) When did you/your partner start this job?	Month	Year			Month	Year		
	<input type="text"/>							
e) When did you/ your partner end this job?	Month	Year			Month	Year		
	<input type="text"/>							

55972

Section A

t1150 A13a1: Respondent currently employed in paid job (full or part time)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3288	22.6	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	887	6.1		
	Total	11253	77.4		
Total		14541	100.0		

t1151 A13a2: Partner currently employed in paid job (full or part time)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2706	18.6	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	1469	10.1		
	Total	11835	81.4		
Total		14541	100.0		

t1152 A13b1: Respondent currently retired

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	41	.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	4134	28.4		
	Total	14500	99.7		
Total		14541	100.0		

t1153 A13b2: Partner currently retired

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	144	1.0	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	4031	27.7		
	Total	14397	99.0		
Total		14541	100.0		

t1154 A13c1: Respondent currently unemployed and seeking work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	82	.6	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	4093	28.1		
	Total	14459	99.4		
Total		14541	100.0		

Section A

t1155 A13c2: Partner currently unemployed and seeking work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	65	.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	4110	28.3		
	Total	14476	99.6		
Total		14541	100.0		

t1156 A13d1: Respondent currently unable to work through sickness/disability

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	105	.7	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	4070	28.0		
	Total	14436	99.3		
Total		14541	100.0		

t1157 A13d2: Partner currently unable to work through sickness/disability

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	70	.5	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	4105	28.2		
	Total	14471	99.5		
Total		14541	100.0		

t1158 A13e1: Respondent currently full/part-time student

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	107	.7	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	4068	28.0		
	Total	14434	99.3		
Total		14541	100.0		

t1159 A13e2: Partner currently full/part-time student

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	24	.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	4151	28.5		
	Total	14517	99.8		
Total		14541	100.0		

t1160 A13f1: Respondent currently doing voluntary work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	234	1.6	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	3941	27.1		
	Total	14307	98.4		
Total		14541	100.0		

Section A

t1161 A13f2: Partner currently doing voluntary work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	66	.5	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	4109	28.3		
	Total	14475	99.5		
Total		14541	100.0		

t1162 A13g1: Respondent currently looking after family/home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	862	5.9	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	3313	22.8		
	Total	13679	94.1		
Total		14541	100.0		

t1163 A13g2: Partner currently looking after family/home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	211	1.5	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	3964	27.3		
	Total	14330	98.5		
Total		14541	100.0		

t1164 A13h1: Respondent currently self employed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	447	3.1	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	3728	25.6		
	Total	14094	96.9		
Total		14541	100.0		

t1165 A13h2: Partner currently self employed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	719	4.9	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	3456	23.8		
	Total	13822	95.1		
Total		14541	100.0		

Section A

t1166 A13I1: Respondent currently has other employment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	61	.4	100.0	100.0
	-10 Not completed	10366	71.3		
	-1 No response	4114	28.3		
	Total	14480	99.6		
Total		14541	100.0		

t1167 A13I2: Partner currently has other employment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	36	.2	100.0	100.0
	-10 Not completed	10366	71.3		
	-1 No response	4139	28.5		
	Total	14505	99.8		
Total		14541	100.0		

t1180 A14a1: Respondent has formal responsibility for supervising work of other employees in job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1408	9.7	35.9	35.9
	2 No	2519	17.3		
	Total	3927	27.0		
				100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	248	1.7		
	Total	10614	73.0		
		14541	100.0		

t1181 A14a2: Partner has formal responsibility for supervising work of other employees in job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1944	13.4	57.4	57.4
	2 No	1445	9.9		
	Total	3389	23.3		
				100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	786	5.4		
	Total	11152	76.7		
		14541	100.0		

t1182 A14b1: Number of people employed at respondent's place of work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1-9	827	5.7	23.9	23.9
	2 10-24	733	5.0		
	3 25-499	1466	10.1		
	4 500 or more	431	3.0		
Missing	Total	3457	23.8	100.0	100.0
	-10 Not completed	10366	71.3		
	-1 No response	718	4.9		
	Total	11084	76.2		
Total		14541	100.0		

Section A

t1183 A14b2: Number of people employed at partner's place of work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1-9	834	5.7	28.0	28.0
	2 10-24	482	3.3	16.2	44.3
	3 25-499	1229	8.5	41.3	85.6
	4 500 or more	429	3.0	14.4	100.0
Missing	Total	2974	20.5	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	1201	8.3		
Total	Total	11567	79.5		
		14541	100.0		

t1184 A14c1: If self employed, respondent has employees

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, respondent works on own or with partner	387	2.7	63.3	63.3
	2 Yes	224	1.5	36.7	100.0
	Total	611	4.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3564	24.5		
	Total	13930	95.8		
Total		14541	100.0		

t1185 A14c2: If self employed, partner has employees

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, respondent works on own or with partner	476	3.3	54.5	54.5
	2 Yes	397	2.7	45.5	100.0
	Total	873	6.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3302	22.7		
	Total	13668	94.0		
Total		14541	100.0		


Section A

t1200 A15d1: Date respondent started current or most recent job: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	364	2.5	10.5	10.5
	2	190	1.3	5.5	16.0
	3	216	1.5	6.2	22.2
	4	334	2.3	9.6	31.9
	5	228	1.6	6.6	38.5
	6	258	1.8	7.4	45.9
	7	218	1.5	6.3	52.2
	8	199	1.4	5.7	57.9
	9	807	5.5	23.3	81.2
	10	310	2.1	8.9	90.2
	11	232	1.6	6.7	96.9
	12	108	.7	3.1	100.0
	Total	3464	23.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	711	4.9		
	Total	11077	76.2		
Total		14541	100.0		

Section A


t1201 A15d1: Date respondent started current or most recent job: year



t1205 A15d2: Date partner started current or most recent job: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	283	1.9	11.8	11.8
	2	139	1.0	5.8	17.6
	3	143	1.0	6.0	23.6
	4	223	1.5	9.3	32.9
	5	156	1.1	6.5	39.4
	6	229	1.6	9.6	48.9
	7	206	1.4	8.6	57.5
	8	186	1.3	7.8	65.3
	9	417	2.9	17.4	82.7
	10	203	1.4	8.5	91.2
	11	135	.9	5.6	96.8
	12	77	.5	3.2	100.0
Total		2397	16.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	1778	12.2		
	Total	12144	83.5		
Total		14541	100.0		

Section A




A15d2: Date partner started current or most recent job: year

t1210 A15e1: Date respondent ended most recent job: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	19	.1	9.6	9.6
	2	13	.1	6.6	16.2
	3	10	.1	5.1	21.2
	4	17	.1	8.6	29.8
	5	11	.1	5.6	35.4
	6	19	.1	9.6	44.9
	7	21	.1	10.6	55.6
	8	22	.2	11.1	66.7
	9	21	.1	10.6	77.3
	10	16	.1	8.1	85.4
	11	8	.1	4.0	89.4
	12	21	.1	10.6	100.0
Total		198	1.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3977	27.4		
	Total	14343	98.6		
Total		14541	100.0		

Section A



t1215 A15e2: Date partner ended most recent job: month					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	9	.1	8.3	8.3
	2	8	.1	7.4	15.7
	3	5	.0	4.6	20.4
	4	10	.1	9.3	29.6
	5	7	.0	6.5	36.1
	6	11	.1	10.2	46.3
	7	13	.1	12.0	58.3
	8	7	.0	6.5	64.8
	9	13	.1	12.0	76.9
	10	8	.1	7.4	84.3
	11	7	.0	6.5	90.7
	12	10	.1	9.3	100.0
Total		108	.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4067	28.0		
	Total	14433	99.3		
Total		14541	100.0		

Section A

t1216 A15e2: Date partner ended most recent job: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1970	1	.0	.8	.8
	1978	1	.0	.8	1.6
	1989	2	.0	1.6	3.3
	1990	1	.0	.8	4.1
	1991	2	.0	1.6	5.7
	1992	1	.0	.8	6.5
	1994	1	.0	.8	7.3
	1995	6	.0	4.9	12.2
	1996	3	.0	2.4	14.6
	1998	2	.0	1.6	16.3
	1999	5	.0	4.1	20.3
	2000	2	.0	1.6	22.0
	2001	3	.0	2.4	24.4
	2002	1	.0	.8	25.2
	2004	2	.0	1.6	26.8
	2005	5	.0	4.1	30.9
	2006	7	.0	5.7	36.6
	2007	9	.1	7.3	43.9
	2008	17	.1	13.8	57.7
	2009	24	.2	19.5	77.2
	2010	28	.2	22.8	100.0
	Total	123	.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4052	27.9		
	Total	14418	99.2		
Total		14541	100.0		

t1250 A16l: Respondent's individual total monthly take-home pay


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Up to £399	331	2.3	9.0	9.0
	2 £400-£599	402	2.8	10.9	19.8
	3 £600-£899	619	4.3	16.8	36.6
	4 £900-£1149	572	3.9	15.5	52.1
	5 £1150-1499	530	3.6	14.3	66.4
	6 £1500-1899	292	2.0	7.9	74.3
	7 £1900-2249	283	1.9	7.7	82.0
	8 £2250-2749	168	1.2	4.5	86.5
	9 £2750-3299	78	.5	2.1	88.6
	10 £3300 and above	120	.8	3.2	91.9
	11 Not doing paid work	300	2.1	8.1	100.0
	Total	3695	25.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	480	3.3		
	Total	10846	74.6		
Total		14541	100.0		

Section A


t1251 A16II: Partner's individual total monthly take-home pay

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Up to £399	63	.4	2.1	2.1
	2 £400-£599	72	.5	2.4	4.6
	3 £600-£899	81	.6	2.8	7.3
	4 £900-£1149	231	1.6	7.8	15.2
	5 £1150-1499	405	2.8	13.8	28.9
	6 £1500-1899	381	2.6	12.9	41.9
	7 £1900-2249	440	3.0	14.9	56.8
	8 £2250-2749	376	2.6	12.8	69.6
	9 £2750-3299	253	1.7	8.6	78.2
	10 £3300 and above	509	3.5	17.3	95.4
	11 Not doing paid work	134	.9	4.6	100.0
	Total	2945	20.3		
Missing	-10 Not completed	10366	71.3		
	-1 No response	1230	8.5		
	Total	11596	79.7		
Total		14541	100.0		

T1252 A17: Number of hours respondent works in a usual week



Section A



t1254 A19: Respondent or partner started new job in last five years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, respondent has	1017	7.0	26.1	26.1
	2 Yes, respondent's partner has	496	3.4	12.7	38.8
	3 Yes, respondent and partner have	327	2.2	8.4	47.2
	4 No, neither respondent or partner has	2060	14.2	52.8	100.0
	Total	3900	26.8		
Missing	-10 Not completed	10366	71.3		
	-1 No response	275	1.9		
	Total	10641	73.2		
Total		14541	100.0		

t1260 A20a1: Employment status of respondent in previous job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Employee	1356	9.3	90.9	90.9
	2 Self-employed	135	.9	9.1	100.0
	Total	1491	10.3		
Missing	-10 Not completed	10366	71.3		
	-1 No response	2684	18.5		
	Total	13050	89.7		
Total		14541	100.0		

Section A

t1261 A20a2: Employment status of partner in previous job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Employee	837	5.8	82.5	82.5
	2 Self-employed	178	1.2	17.5	100.0
	Total	1015	7.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3160	21.7		
	Total	13526	93.0		
Total		14541	100.0		

t1262 A20b1: Respondent had formal responsibility for supervising work of other employees in previous job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	524	3.6	35.1	35.1
	2 No	970	6.7	64.9	100.0
	Total	1494	10.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2681	18.4		
	Total	13047	89.7		
Total		14541	100.0		

t1263 A20b2: Partner had formal responsibility for supervising work of other employees in previous job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	554	3.8	55.5	55.5
	2 No	444	3.1	44.5	100.0
	Total	998	6.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3177	21.8		
	Total	13543	93.1		
Total		14541	100.0		

t1264 A20c1: Number of people employed at place of respondent's previous work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1-9	374	2.6	26.9	26.9
	2 10-24	295	2.0	21.2	48.1
	3 25-499	567	3.9	40.8	88.9
	4 500 or more	154	1.1	11.1	100.0
	Total	1390	9.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2785	19.2		
	Total	13151	90.4		
Total		14541	100.0		

Section A

t1265 A20c2: Number of people employed at place of partner's previous work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1-9	218	1.5	23.8	23.8
	2 10-24	171	1.2	18.7	42.5
	3 25-499	402	2.8	43.9	86.4
	4 500 or more	124	.9	13.6	
	Total	915	6.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	3260	22.4		
	Total	13626	93.7		
Total		14541	100.0		

t1266 A20d1: If self employed, respondent had employees in previous job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, respondent worked on own or with partner	126	.9	67.7	67.7
	2 Yes	60	.4	32.3	
	Total	186	1.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	3989	27.4		
	Total	14355	98.7		
Total		14541	100.0		

t1267 A20d2: If self employed, partner had employees in previous job


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, respondent worked on own or with partner	115	.8	57.5	57.5
	2 Yes	85	.6	42.5	
	Total	200	1.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	3975	27.3		
	Total	14341	98.6		
Total		14541	100.0		

Section A

t1280 A21d1: Date respondent started previous job: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	124	.9	10.6	10.6
	2	68	.5	5.8	16.4
	3	76	.5	6.5	22.8
	4	114	.8	9.7	32.6
	5	91	.6	7.8	40.3
	6	76	.5	6.5	46.8
	7	73	.5	6.2	53.0
	8	69	.5	5.9	58.9
	9	278	1.9	23.7	82.6
	10	95	.7	8.1	90.7
	11	73	.5	6.2	96.9
	12	36	.2	3.1	100.0
Total		1173	8.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3002	20.6		
	Total	13368	91.9		
Total		14541	100.0		

t1281 A21d1: Date respondent started previous job: year




Section A

t1285 A21d2: Date partner started previous job: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	.0	.5	.5
	1	75	.5	12.7	13.2
	2	37	.3	6.3	19.5
	3	46	.3	7.8	27.2
	4	66	.5	11.2	38.4
	5	37	.3	6.3	44.7
	6	53	.4	9.0	53.6
	7	42	.3	7.1	60.7
	8	55	.4	9.3	70.1
	9	87	.6	14.7	84.8
	10	49	.3	8.3	93.1
	11	23	.2	3.9	97.0
	12	18	.1	3.0	100.0
Total		591	4.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3584	24.6		
	Total	13950	95.9		
Total		14541	100.0		

t1286 A21d2: Date partner started previous job: year




Section A

t1290 A21e1: Date respondent ended previous job: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	.1	.1
	1	68	.5	7.1	7.2
	2	62	.4	6.5	13.8
	3	66	.5	6.9	20.7
	4	83	.6	8.7	29.4
	5	61	.4	6.4	35.8
	6	70	.5	7.4	43.2
	7	132	.9	13.9	57.0
	8	100	.7	10.5	67.5
	9	84	.6	8.8	76.4
	10	85	.6	8.9	85.3
	11	48	.3	5.0	90.3
	12	92	.6	9.7	100.0
Total		952	6.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3223	22.2		
	Total	13589	93.5		
Total		14541	100.0		

t1291 A21d2: Date partner started previous job: year




Section A

t1295 A21e2: Date partner ended previous job: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	41	.3	6.8	6.8
	2	39	.3	6.5	13.3
	3	37	.3	6.1	19.4
	4	74	.5	12.3	31.7
	5	39	.3	6.5	38.1
	6	59	.4	9.8	47.9
	7	57	.4	9.5	57.4
	8	66	.5	10.9	68.3
	9	48	.3	8.0	76.3
	10	46	.3	7.6	83.9
	11	40	.3	6.6	90.5
	12	57	.4	9.5	100.0
Total		603	4.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3572	24.6		
	Total	13938	95.9		
Total		14541	100.0		

t1296 A21e2: Date partner ended previous job: year



Section A

Your finances

- A22. On average, about how much is the **take-home household income each month?**
Include all earnings, social benefits, tax credits etc.

Less than £899	1 <input type="checkbox"/>	£900-£1149	2 <input type="checkbox"/>	£1150-£1549	3 <input type="checkbox"/>
£1550-£1849	4 <input type="checkbox"/>	£1850-£2099	5 <input type="checkbox"/>	£2100-£2399	6 <input type="checkbox"/>
£2400-£2799	7 <input type="checkbox"/>	£2800-£3399	8 <input type="checkbox"/>	£3400-£4000	9 <input type="checkbox"/>
£4001 and over	10 <input type="checkbox"/>	Don't know	11 <input type="checkbox"/>		

- A23. How much do you, as a household, pay for rent or mortgage **each month?**

Nothing	1 <input type="checkbox"/>	Less than £200	2 <input type="checkbox"/>	£200-£249	3 <input type="checkbox"/>
£250-£299	4 <input type="checkbox"/>	£300-£349	5 <input type="checkbox"/>	£350-£399	6 <input type="checkbox"/>
£400-£499	7 <input type="checkbox"/>	£500-£599	8 <input type="checkbox"/>	£600-£699	9 <input type="checkbox"/>
£700-£799	10 <input type="checkbox"/>	£800-£999	11 <input type="checkbox"/>	£1000 or more	12 <input type="checkbox"/>
Don't know	13 <input type="checkbox"/>	Paid in full by social security	14 <input type="checkbox"/>	Part paid by social security	15 <input type="checkbox"/>

- A24. How much do you, as a household, spend on childcare **each month** (e.g. after-school club, sitters, nursery)?

Nothing	1 <input type="checkbox"/>	Less than £200	2 <input type="checkbox"/>	£200-£249	3 <input type="checkbox"/>
£250-£299	4 <input type="checkbox"/>	£300-£349	5 <input type="checkbox"/>	£350-£399	6 <input type="checkbox"/>
£400-£499	7 <input type="checkbox"/>	£500-£599	8 <input type="checkbox"/>	£600-£799	9 <input type="checkbox"/>
£800-£999	10 <input type="checkbox"/>	£1000 or more	11 <input type="checkbox"/>	Don't know	12 <input type="checkbox"/>

55972

Section A

A25. How much do you, as a household, spend on electricity, gas, water and telephone (including mobile phones and Broadband each month)?

Less than £200	1 <input type="checkbox"/>	£200-£249	2 <input type="checkbox"/>	£250-£299	3 <input type="checkbox"/>
£300-£349	4 <input type="checkbox"/>	£350-£399	5 <input type="checkbox"/>	£400-£449	6 <input type="checkbox"/>
£450-£499	7 <input type="checkbox"/>	£500-£549	8 <input type="checkbox"/>	£550 or more	9 <input type="checkbox"/>
Don't know	10 <input type="checkbox"/>				

A26. About how much do you, as a household, spend on food for the whole family each month?

Nothing	1 <input type="checkbox"/>	Less than £200	2 <input type="checkbox"/>	£200-£249	3 <input type="checkbox"/>
£250-£299	4 <input type="checkbox"/>	£300-£349	5 <input type="checkbox"/>	£350-£399	6 <input type="checkbox"/>
£400-£449	7 <input type="checkbox"/>	£450-£499	8 <input type="checkbox"/>	£500-£549	9 <input type="checkbox"/>
£550-£599	10 <input type="checkbox"/>	£600-£649	11 <input type="checkbox"/>	£650-£699	12 <input type="checkbox"/>
£700-£749	13 <input type="checkbox"/>	£750-£799	14 <input type="checkbox"/>	£800 or more	15 <input type="checkbox"/>
Don't know	16 <input type="checkbox"/>				

55972



Section A

A27. About how much do you, as a household, spend on clothing, hobbies and entertainment each month?

Less than £200	1 <input type="checkbox"/>	£200-£249	2 <input type="checkbox"/>	£250-£299	3 <input type="checkbox"/>
£300-£349	4 <input type="checkbox"/>	£350-£399	5 <input type="checkbox"/>	£400-£449	6 <input type="checkbox"/>
£450-£499	7 <input type="checkbox"/>	£500 or more	8 <input type="checkbox"/>	Don't know	9 <input type="checkbox"/>

A28. Do you, as a household, have any outstanding debts (not including mortgages)?

Yes, I/we owe money 1 No 2 → If no, go to A32 on page 18

A29. How much do you, as a household, pay for loans/debt repayment (not including mortgage) each month?

Nothing	1 <input type="checkbox"/>	Less than £50	2 <input type="checkbox"/>	£50-£99	3 <input type="checkbox"/>
£100-£199	4 <input type="checkbox"/>	£200-£299	5 <input type="checkbox"/>	£300-£399	6 <input type="checkbox"/>
£400-£499	7 <input type="checkbox"/>	£500-£599	8 <input type="checkbox"/>	£600-£799	9 <input type="checkbox"/>
£800-£999	10 <input type="checkbox"/>	£1000 or more	11 <input type="checkbox"/>	Don't know	12 <input type="checkbox"/>

55972

Section A

A30. Please mark which of the following you, as a household, owe money to:

	(a) Mark <u>all</u> that apply	(b) Mark the <u>one</u> you owe most on
i) Hire purchase or rental purchase agreement	1 <input type="checkbox"/>	1 <input type="checkbox"/>
ii) Personal loans (but not a mortgage or student loan)	1 <input type="checkbox"/>	1 <input type="checkbox"/>
iii) Car finance or credit agreement	1 <input type="checkbox"/>	1 <input type="checkbox"/>
iv) Mail order purchases that you are paying in instalments	1 <input type="checkbox"/>	1 <input type="checkbox"/>
v) DSS social fund loan	1 <input type="checkbox"/>	1 <input type="checkbox"/>
vi) Credit union loan	1 <input type="checkbox"/>	1 <input type="checkbox"/>
vii) Loans from a pawn broker or cash converter that you intend to repay	1 <input type="checkbox"/>	1 <input type="checkbox"/>
viii) Loans from individuals	1 <input type="checkbox"/>	1 <input type="checkbox"/>
ix) Overdraft (that you do not repay in full each month)	1 <input type="checkbox"/>	1 <input type="checkbox"/>
x) Store card (that you do not repay in full each month)	1 <input type="checkbox"/>	1 <input type="checkbox"/>
xi) Credit card	1 <input type="checkbox"/>	1 <input type="checkbox"/>
xii) Student loan	1 <input type="checkbox"/>	1 <input type="checkbox"/>

A31. How much do you, as a household, owe in total (including all borrowing on credit cards, credit agreements, social fund loans, but not including mortgage)?

Nothing	1 <input type="checkbox"/>	Less than £1000	2 <input type="checkbox"/>	£1000-£1999	3 <input type="checkbox"/>
£2000-£2999	4 <input type="checkbox"/>	£3000-£3999	5 <input type="checkbox"/>	£4000-£4999	6 <input type="checkbox"/>
£5000-£5999	7 <input type="checkbox"/>	£6000-£7999	8 <input type="checkbox"/>	£8000-£9999	9 <input type="checkbox"/>
£10,000-£11,999	10 <input type="checkbox"/>	£12,000-£14,999	11 <input type="checkbox"/>	£15,000 and over	12 <input type="checkbox"/>
Don't know	13 <input type="checkbox"/>				

55972

Section A

A32. How often do you, as a household, have money left over at the end of the month that you could save?

Always	1 <input type="checkbox"/>	Most months	2 <input type="checkbox"/>	More often than not	3 <input type="checkbox"/>
Sometimes	4 <input type="checkbox"/>	Hardly ever	5 <input type="checkbox"/>	Never	6 <input type="checkbox"/>
Don't know/ too hard to say/ varies too much to say					

A33. Does your household save on a regular basis or just from time to time when it can?

Regular basis	1 <input type="checkbox"/>	From time to time	2 <input type="checkbox"/>	Very occasionally	3 <input type="checkbox"/>
Never	4 <input type="checkbox"/>				

A34. About how much, on average, of any leftover money does your household manage to save a month (excluding pensions)?

Nothing	1 <input type="checkbox"/>	£1-£20	2 <input type="checkbox"/>	£21-£40	3 <input type="checkbox"/>
£41-£60	4 <input type="checkbox"/>	£61-£80	5 <input type="checkbox"/>	£81-£100	6 <input type="checkbox"/>
£101-£150	7 <input type="checkbox"/>	£151-£200	8 <input type="checkbox"/>	£201-£400	9 <input type="checkbox"/>
£401-£600	10 <input type="checkbox"/>	£600 or more	11 <input type="checkbox"/>	Don't know	12 <input type="checkbox"/>

A35. How well would you say your household is managing financially these days?
Would you say you are:

Living comfortably	1 <input type="checkbox"/>	Doing alright	2 <input type="checkbox"/>	Just about getting by	3 <input type="checkbox"/>
Finding it quite difficult	4 <input type="checkbox"/>	Finding it very difficult	5 <input type="checkbox"/>	Don't know	6 <input type="checkbox"/>

55972

Section A

A36. How difficult does your household, find it at the moment to afford each of the following? (Please mark one box on each line).

		Very difficult	Fairly difficult	Slightly difficult	Not difficult	Paid by Government (e.g. DSS /LEA)	Don't pay for this
a)	Food	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
b)	Clothing	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
c)	Heating	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
d)	Rent/mortgage	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
e)	Things you need for your children	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
f)	Costs of educational resources for your study teenager (music lessons/school trips/school uniform)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
g)	Medical or dental care	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
h)	Childcare	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>

A37. Your family life

		True	False
a)	There is very little commotion in our home	1 <input type="checkbox"/>	2 <input type="checkbox"/>
b)	We can usually find things when we need them	1 <input type="checkbox"/>	2 <input type="checkbox"/>
c)	We almost always seem to be rushed	1 <input type="checkbox"/>	2 <input type="checkbox"/>
d)	We are usually able to stay on top of things	1 <input type="checkbox"/>	2 <input type="checkbox"/>
e)	No matter how hard we try, we always seem to be running late	1 <input type="checkbox"/>	2 <input type="checkbox"/>
f)	It's a real zoo in our home	1 <input type="checkbox"/>	2 <input type="checkbox"/>

55972

Section A

A37 cont.

		True	False
g)	At home we can talk to each other without being interrupted	1 <input type="checkbox"/>	2 <input type="checkbox"/>
h)	There is often a fuss going on at our home	1 <input type="checkbox"/>	2 <input type="checkbox"/>
i)	No matter what our family plans, it usually doesn't seem to work out	1 <input type="checkbox"/>	2 <input type="checkbox"/>
j)	You can't hear yourself think in our home	1 <input type="checkbox"/>	2 <input type="checkbox"/>
k)	I often get drawn into other people's arguments at home	1 <input type="checkbox"/>	2 <input type="checkbox"/>
l)	Our home is a good place to relax	1 <input type="checkbox"/>	2 <input type="checkbox"/>
m)	The telephone takes up a lot of our time at home	1 <input type="checkbox"/>	2 <input type="checkbox"/>
n)	The atmosphere in our home is calm	1 <input type="checkbox"/>	2 <input type="checkbox"/>
o)	First thing in the day, we have a regular routine at home	1 <input type="checkbox"/>	2 <input type="checkbox"/>

Other people's lives

We will now describe some examples of other people's lives. We would like to know how satisfied you think these people would be with their lives. Please assume that the person in each example has the same age and background that you have (unless indicated otherwise). If you are not sure, please give us your best guess.

Please mark one of the answers for every question.

A38. Jim is married and has two children; the total (after tax) household income of his family is £900 per month.

How satisfied do you think Jim is with the total income of his household?

Not satisfied 1 Very unsatisfied 2 Fairly unsatisfied 3

Neither satisfied 4 Fairly satisfied 5 Very satisfied 6
or unsatisfied

Completely satisfied 7

55972

Section A

- A39. Anne is married and has two children; the total (after tax) household income of her family is £1600 per month.

How satisfied do you think Anne is with the total income of her household?

Not satisfied 1 Very unsatisfied 2 Fairly unsatisfied 3

Neither satisfied 4 Fairly satisfied 5 Very satisfied 6
or unsatisfied

Completely 7
satisfied

- A40. John is single, but gets on well with his relatives and has a large circle of friends. They often go out together to attend sporting events or to have a meal.

How satisfied do you think John is with his social contacts (family, friends, etc.)?

Not satisfied 1 Very unsatisfied 2 Fairly unsatisfied 3

Neither satisfied 4 Fairly satisfied 5 Very satisfied 6
or unsatisfied

Completely 7
satisfied

- A41. Mary has been married for many years. Lately she has spent little time with her husband and they have been quarrelling more. They seem to prefer spending time with others rather than with each other. Both of them have many friends.

How satisfied do you think Mary is with her social contacts (family, friends, etc.)?

Not satisfied 1 Very unsatisfied 2 Fairly unsatisfied 3

Neither satisfied 4 Fairly satisfied 5 Very satisfied 6
or unsatisfied

Completely 7
satisfied

55972

Section A

- A42. Mike works full-time, five days per week; in principle, he can organise his work in his own way but is still often under a lot of pressure to meet deadlines. He works for a big company and feels that his job is quite secure.

How satisfied do you think Mike is with his job?

Not satisfied 1 Very unsatisfied 2 Fairly unsatisfied 3

Neither satisfied 4 Fairly satisfied 5 Very satisfied 6
or unsatisfied

Completely 7
satisfied

- A43. Sally works four days per week and does not experience her job as stressful; she has little say over what she is doing, this is decided by her boss. She feels it is a very secure job.

How satisfied do you think Sally is with her job?

Not satisfied 1 Very unsatisfied 2 Fairly unsatisfied 3

Neither satisfied 4 Fairly satisfied 5 Very satisfied 6
or unsatisfied

Completely 7
satisfied

- A44. John is 63 years old. His wife died 2 years ago and he still spends a lot of time thinking about her. He has 4 children and 10 grandchildren who visit him regularly. John can make ends meet but has no money for extras such as expensive gifts to his grandchildren. He has had to stop working recently due to heart problems. He gets tired easily. Otherwise, he has no serious health conditions.

How satisfied with his life do you think John is?

Not satisfied 1 Very unsatisfied 2 Fairly unsatisfied 3

Neither satisfied 4 Fairly satisfied 5 Very satisfied 6
or unsatisfied

Completely 7
satisfied

55972



Section A

t1300 A22: Average take-home household income each month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than £899	160	1.1	4.4	4.4
	2 £900-£1149	174	1.2	4.8	9.2
	3 £1150-1549	279	1.9	7.7	16.8
	4 £1550-1849	241	1.7	6.6	23.5
	5 £1850-2099	246	1.7	6.8	30.2
	6 £2100-2399	303	2.1	8.3	38.6
	7 £2400-2799	392	2.7	10.8	49.3
	8 £2800-3399	533	3.7	14.7	64.0
	9 £3400-4000	404	2.8	11.1	75.1
	10 £4001 and over	722	5.0	19.8	94.9
	11 Do not know	184	1.3	5.1	100.0
	Total	3638	25.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	537	3.7		
	Total	10903	75.0		
Total		14541	100.0		

t1301 A23: Respondent's household rent or mortgage payments each month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	930	6.4	24.2	24.2
	2 Less than £200	344	2.4	9.0	33.2
	3 £200-£249	137	.9	3.6	36.8
	4 £250-£299	192	1.3	5.0	41.8
	5 £300-£349	249	1.7	6.5	48.3
	6 £350-£399	147	1.0	3.8	52.1
	7 £400-£499	311	2.1	8.1	60.2
	8 £500-£599	284	2.0	7.4	67.6
	9 £600-£699	240	1.7	6.3	73.9
	10 £700-£799	213	1.5	5.6	79.4
	11 £800-£999	261	1.8	6.8	86.2
	12 £1000 or more	408	2.8	10.6	96.8
	13 Do not know	73	.5	1.9	98.7
	14 Paid in full by social security	33	.2	.9	99.6
	15 Part paid by social security	15	.1	.4	100.0
Missing	Total	3837	26.4	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	338	2.3		
Total		10704	73.6		
		14541	100.0		

Section A

t1302 A24: Respondent's household childcare expenses each month (e.g. after-school club, sitters, nursery)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	3632	25.0	93.3	93.3
	2 Less than £200	158	1.1	4.1	97.4
	3 £200-£249	21	.1	.5	97.9
	4 £250-£299	11	.1	.3	98.2
	5 £300-£349	7	.0	.2	98.4
	6 £350-£399	4	.0	.1	98.5
	7 £400-£499	5	.0	.1	98.6
	8 £500-£599	3	.0	.1	98.7
	9 £600-£799	6	.0	.2	98.8
	10 £800-£999	6	.0	.2	99.0
	11 £1000 or more	14	.1	.4	99.4
	12 Do not know	25	.2	.6	100.0
	Total	3892	26.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	283	1.9		
	Total	10649	73.2		
Total		14541	100.0		

t1303 A25: Respondent's household electricity, gas, water and telephone (including mobile phones and broadband) expenses each month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than £200	677	4.7	18.0	18.0
	2 £200-£249	917	6.3	24.3	42.3
	3 £250-£299	622	4.3	16.5	58.8
	4 £300-£349	430	3.0	11.4	70.2
	5 £350-£399	239	1.6	6.3	76.5
	6 £400-£449	154	1.1	4.1	80.6
	7 £450-£499	79	.5	2.1	82.7
	8 £500-£549	62	.4	1.6	84.4
	9 £550 or more	139	1.0	3.7	88.1
	10 Do not know	450	3.1	11.9	100.0
	Total	3769	25.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	406	2.8		
	Total	10772	74.1		
Total		14541	100.0		

Section A

t1304 A26: Respondent's household food expenses for the whole family each month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Less than £200	161	1.1	4.1	4.1
	3 £200-£249	303	2.1	7.7	11.8
	4 £250-£299	298	2.0	7.6	19.4
	5 £300-£349	353	2.4	9.0	28.5
	6 £350-£399	422	2.9	10.8	39.2
	7 £400-£449	648	4.5	16.5	55.8
	8 £450-£499	470	3.2	12.0	67.8
	9 £500-£549	313	2.2	8.0	75.8
	10 £550-£599	226	1.6	5.8	81.5
	11 £600-£649	256	1.8	6.5	88.1
	12 £650-£699	87	.6	2.2	90.3
	13 £700-£749	88	.6	2.2	92.5
	14 £750-£799	57	.4	1.5	94.0
	15 £800 or more	138	.9	3.5	97.5
	16 Do not know	98	.7	2.5	100.0
	Total	3918	26.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	257	1.8		
	Total	10623	73.1		
Total		14541	100.0		

t1305 A27: Respondent's household clothing, hobbies and entertainment expenses each month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than £200	2030	14.0	52.4	52.4
	2 £200-£249	611	4.2	15.8	68.2
	3 £250-£299	290	2.0	7.5	75.7
	4 £300-£349	197	1.4	5.1	80.8
	5 £350-£399	129	.9	3.3	84.1
	6 £400-£449	95	.7	2.5	86.6
	7 £450-£499	54	.4	1.4	88.0
	8 £500 or more	132	.9	3.4	91.4
	9 Do not know	334	2.3	8.6	100.0
	Total	3872	26.6	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	303	2.1		
	Total	10669	73.4		
		14541	100.0		

[logical edit: if t1307 gt 1 then t1306 eq 1; if t1306 eq 2 then t1307 eq 1.
If t1307 eq 1 then t1320 to t1343 and t1350 eq 1]

Section A

t1306 A28: Respondent's household has outstanding debts (not including mortgages)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1716	11.8	43.7	43.7
	2 No	2215	15.2	56.3	100.0
	Total	3931	27.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	244	1.7		
	Total	10610	73.0		
Total		14541	100.0		

t1307 A29: Amount of respondent's household loans/debt repayment (not including mortgage) each month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	2348	16.1	61.1	61.1
	2 Less than £50	98	.7	2.5	63.6
	3 £50-£99	125	.9	3.3	66.9
	4 £100-£199	322	2.2	8.4	75.3
	5 £200-£299	279	1.9	7.3	82.5
	6 £300-£399	199	1.4	5.2	87.7
	7 £400-£499	124	.9	3.2	90.9
	8 £500-£599	92	.6	2.4	93.3
	9 £600-£799	60	.4	1.6	94.9
	10 £800-£999	37	.3	1.0	95.8
	11 £1000 or more	74	.5	1.9	97.8
	12 Do not know	86	.6	2.2	100.0
	Total	3844	26.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	331	2.3		
	Total	10697	73.6		
Total		14541	100.0		

t1320 A30a1: Respondent's household owe money for hire purchase or rental purchase agreement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	185	1.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1642	11.3		
	Total	14356	98.7		
Total		14541	100.0		

t1321 A30b1: Of all household debts, respondent's household owe the most money for hire purchase or rental purchase agreement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	42	.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1785	12.3		
	Total	14499	99.7		
Total		14541	100.0		

Section A

t1322 A30a2: Respondent's household owe money for personal loans (but not a mortgage or student loan)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	718	4.9	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1109	7.6		
	Total	13823	95.1		
Total		14541	100.0		

t1323 A30b2: Of all household debts, respondent's household owe the most money for personal loans (but not a mortgage or student loan)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	403	2.8	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1424	9.8		
	Total	14138	97.2		
Total		14541	100.0		

t1324 A30a3: Respondent's household owe money for car finance or credit agreement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	425	2.9	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1402	9.6		
	Total	14116	97.1		
Total		14541	100.0		

t1325 A30b3: Of all household debts, respondent's household owe the most money for car finance or credit agreement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	198	1.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1629	11.2		
	Total	14343	98.6		
Total		14541	100.0		

t1326 A30a4: Respondent's household owe money for mail order purchases that they are paying in instalments

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	222	1.5	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1605	11.0		
	Total	14319	98.5		
Total		14541	100.0		

Section A

t1327 A30b4: Of all household debts, respondent's household owe the most money for mail order purchases that they are paying in instalments.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	20	.1	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1807	12.4		
	Total	14521	99.9		
Total		14541	100.0		

t1328 A30a5: Respondent's household owe money for DSS social fund loan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	21	.1	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1806	12.4		
	Total	14520	99.9		
Total		14541	100.0		

t1329 A30b5: Of all household debts, respondent's household owe the most money for DSS social fund loan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	8	.1	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1819	12.5		
	Total	14533	99.9		
Total		14541	100.0		

t1330 A30a6: Respondent's household owe money for credit union loan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	12	.1	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1815	12.5		
	Total	14529	99.9		
Total		14541	100.0		

t1331 A30b6: Of all household debts, respondent's household owe the most money for credit union loan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	7	.0	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1820	12.5		
	Total	14534	100.0		
Total		14541	100.0		

Section A

t1332 A30a7: Respondent's household owe money for loans from a pawn broker or cash converter that they intend to repay

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	5	.0	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1822	12.5		
	Total	14536	100.0		
Total		14541	100.0		

t1333 A30b7: Of all household debts, respondent's household owe the most money for loans from a pawn broker or cash converter that they intend to repay

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	5	.0	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1822	12.5		
	Total	14536	100.0		
Total		14541	100.0		

t1334 A30a8: Respondent's household owe money for loans from individuals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	73	.5	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1754	12.1		
	Total	14468	99.5		
Total		14541	100.0		

t1335 A30b8: Of all household debts, respondent's household owe the most money for loans from individuals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	20	.1	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1807	12.4		
	Total	14521	99.9		
Total		14541	100.0		

t1336 A30a9: Respondent's household owe money for overdraft (that they do not repay in full each month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	439	3.0	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1388	9.5		
	Total	14102	97.0		
Total		14541	100.0		

Section A

t1337 A30b9: Of all household debts, respondent's household owe the most money for overdraft (which they do not repay in full each month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	70	.5	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1757	12.1		
	Total	14471	99.5		
Total		14541	100.0		

t1338 A30a10: Respondent's household owe money on store card (that they do not repay in full each month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	220	1.5	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1607	11.1		
	Total	14321	98.5		
Total		14541	100.0		

t1339 A30b10: Of all household debts, respondent's household owe the most money on store card (that they do not repay in full each month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	21	.1	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1806	12.4		
	Total	14520	99.9		
Total		14541	100.0		

t1340 A30a11: Respondent's household owe money on credit card

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	990	6.8	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	837	5.8		
	Total	13551	93.2		
Total		14541	100.0		

t1341 A30b11: Of all household debts, respondent's household owe the most money on credit card

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	377	2.6	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1450	10.0		
	Total	14164	97.4		
Total		14541	100.0		

Section A

t1342 A30a12: Respondent's household owe money for student loan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	113	.8	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1714	11.8		
	Total	14428	99.2		
Total		14541	100.0		

t1343 A30b12: Of all household debts, respondent's household owe the most money for student loan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	45	.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	1782	12.3		
	Total	14496	99.7		
Total		14541	100.0		

t1350 A31: Total amount respondent's household owes (including all borrowing on credit cards, credit agreements, social fund loans, but not including mortgage)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	48	.3	3.2	3.2
	2 Less than £1000	164	1.1	10.9	14.1
	3 £1000-£1999	132	.9	8.8	22.9
	4 £2000-£2999	99	.7	6.6	29.5
	5 £3000-£3999	99	.7	6.6	36.1
	6 £4000-£4999	82	.6	5.5	41.5
	7 £5000-£5999	77	.5	5.1	46.6
	8 £6000-£7999	110	.8	7.3	54.0
	9 £8000-£9999	99	.7	6.6	60.5
	10 £10000-£11999	106	.7	7.1	67.6
	11 £12000-£14999	87	.6	5.8	73.4
	12 £15000 and over	297	2.0	19.8	93.1
	13 Do not know	103	.7	6.9	100.0
	Total	1503	10.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'no debts or nothing owed'	2348	16.1		
	-1 No response	324	2.2		
	Total	13038	89.7		
Total		14541	100.0		

Section A

t1351 A32: Frequency respondent's household has money left over at end of month that they could save

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	1040	7.2	26.3	26.3
	2 Most months	698	4.8	17.6	43.9
	3 More often than not	116	.8	2.9	46.9
	4 Sometimes	673	4.6	17.0	63.9
	5 Hardly ever	662	4.6	16.7	80.6
	6 Never	598	4.1	15.1	95.7
	9 Do not know/too hard to say/varies too much to say	170	1.2	4.3	100.0
	Total	3957	27.2	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	218	1.5		
Total		10584	72.8		
Total		14541	100.0		

t1352 A33: Frequency respondent's household saves money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Regularly	1855	12.8	47.0	47.0
	2 From time to time	1096	7.5	27.8	74.7
	3 Very occasionally	483	3.3	12.2	87.0
	4 Never	514	3.5	13.0	100.0
	Total	3948	27.2	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	227	1.6		
	Total	10593	72.8		
	Total	14541	100.0		

t1353 A34: Average amount of money that respondent's household manages to save a month (excluding pensions)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	779	5.4	21.1	21.1
	2 £1-£20	160	1.1	4.3	25.4
	3 £21-£40	166	1.1	4.5	29.9
	4 £41-£60	196	1.3	5.3	35.2
	5 £61-£80	91	.6	2.5	37.7
	6 £81-£100	296	2.0	8.0	45.7
	7 £101-£150	234	1.6	6.3	52.0
	8 £151-£200	290	2.0	7.9	59.9
	9 £201-£400	394	2.7	10.7	70.5
	10 £401-£600	192	1.3	5.2	75.7
	11 £600 or more	319	2.2	8.6	84.4
	12 Do not know	577	4.0	15.6	100.0
	Total	3694	25.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	481	3.3		
	Total	10847	74.6		
Total		14541	100.0		

Section A

t1354 A35: Degree to which respondent's household is managing financially these days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Living comfortably	1377	9.5	34.5	34.5
	2 Doing alright	1390	9.6	34.8	69.3
	3 Just about getting by	753	5.2	18.9	88.2
	4 Finding it quite difficult	260	1.8	6.5	94.7
	5 Finding it very difficult	203	1.4	5.1	99.8
	9 Do not know	9	.1	.2	100.0
	Total	3992	27.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	183	1.3		
	Total	10549	72.5		
Total		14541	100.0		

t1360 A36a: Degree of difficulty respondent's household finds at the moment trying to afford food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	42	.3	1.1	1.1
	2 Fairly difficult	118	.8	3.0	4.0
	3 Slightly difficult	406	2.8	10.2	14.2
	4 Not difficult	3406	23.4	85.6	99.9
	5 Paid by Govt	2	.0	.1	99.9
	6 Do not pay for this	3	.0	.1	100.0
	Total	3977	27.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	198	1.4		
	Total	10564	72.6		
Total		14541	100.0		

t1361 A36b: Degree of difficulty respondent's household finds at the moment trying to afford clothing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	173	1.2	4.4	4.4
	2 Fairly difficult	287	2.0	7.2	11.6
	3 Slightly difficult	839	5.8	21.2	32.8
	4 Not difficult	2657	18.3	67.1	99.9
	5 Paid by Govt	2	.0	.1	99.9
	6 Do not pay for this	3	.0	.1	100.0
	Total	3961	27.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	214	1.5		
	Total	10580	72.8		
Total		14541	100.0		

Section A

t1362 A36c: Degree of difficulty respondent's household finds at the moment trying to afford heating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	85	.6	2.2	2.2
	2 Fairly difficult	165	1.1	4.2	6.3
	3 Slightly difficult	527	3.6	13.3	19.7
	4 Not difficult	3158	21.7	79.9	99.6
	5 Paid by Govt	2	.0	.1	99.6
	6 Do not pay for this	14	.1	.4	100.0
	Total	3951	27.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	224	1.5		
	Total	10590	72.8		
Total		14541	100.0		

t1363 A36d: Degree of difficulty respondent's household finds at the moment trying to afford rent/mortgage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	66	.5	1.7	1.7
	2 Fairly difficult	117	.8	3.0	4.7
	3 Slightly difficult	386	2.7	9.9	14.6
	4 Not difficult	2590	17.8	66.4	81.0
	5 Paid by Govt	50	.3	1.3	82.2
	6 Do not pay for this	693	4.8	17.8	100.0
	Total	3902	26.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	273	1.9		
	Total	10639	73.2		
Total		14541	100.0		

t1364 A36e: Degree of difficulty respondent's household finds at the moment trying to afford things needed for respondent's children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	104	.7	2.7	2.7
	2 Fairly difficult	236	1.6	6.0	8.7
	3 Slightly difficult	815	5.6	20.8	29.5
	4 Not difficult	2625	18.1	67.1	96.7
	5 Paid by Govt	4	.0	.1	96.8
	6 Do not pay for this	126	.9	3.2	100.0
	Total	3910	26.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	265	1.8		
	Total	10631	73.1		
Total		14541	100.0		

Section A

t1365 A36f: Degree of difficulty respondent's household finds at the moment trying to afford educational resources for study teenager (music lessons/school trips/school uniform)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	163	1.1	4.2	4.2
	2 Fairly difficult	274	1.9	7.0	11.2
	3 Slightly difficult	783	5.4	20.1	31.3
	4 Not difficult	2023	13.9	51.9	83.2
	5 Paid by Govt	8	.1	.2	83.4
	6 Do not pay for this	646	4.4	16.6	100.0
	Total	3897	26.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	278	1.9		
	Total	10644	73.2		
Total		14541	100.0		

t1366 A36g: Degree of difficulty respondent's household finds at the moment trying to afford medical or dental care

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	132	.9	3.3	3.3
	2 Fairly difficult	199	1.4	5.0	8.4
	3 Slightly difficult	606	4.2	15.4	23.8
	4 Not difficult	2561	17.6	64.9	88.7
	5 Paid by Govt	85	.6	2.2	90.8
	6 Do not pay for this	361	2.5	9.2	100.0
	Total	3944	27.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	231	1.6		
	Total	10597	72.9		
Total		14541	100.0		

t1367 A36h: Degree of difficulty respondent's household finds at the moment trying to afford childcare

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	12	.1	.3	.3
	2 Fairly difficult	8	.1	.2	.5
	3 Slightly difficult	29	.2	.8	1.3
	4 Not difficult	561	3.9	15.0	16.3
	5 Paid by Govt	3	.0	.1	16.4
	6 Do not pay for this	3134	21.6	83.6	100.0
	Total	3747	25.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	428	2.9		
	Total	10794	74.2		
Total		14541	100.0		

Section A

t1380 A37a: There is very little commotion in respondent's home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	2824	19.4	70.2	70.2
	2 False	1196	8.2	29.8	100.0
	Total	4020	27.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 NS/NA	155	1.1		
	Total	10521	72.4		
Total		14541	100.0		

t1381 A37b: Respondent's family can usually find things when needed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	3723	25.6	92.0	92.0
	2 False	325	2.2	8.0	100.0
	Total	4048	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 NS/NA	127	.9		
	Total	10493	72.2		
Total		14541	100.0		

t1382 A37c: Respondent's family almost always seem rushed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	1461	10.0	36.4	36.4
	2 False	2557	17.6	63.6	100.0
	Total	4018	27.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 NS/NA	157	1.1		
	Total	10523	72.4		
Total		14541	100.0		

t1383 A37d: Respondent's family is usually able to stay on top of things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	3680	25.3	91.0	91.0
	2 False	362	2.5	9.0	100.0
	Total	4042	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 NS/NA	133	.9		
	Total	10499	72.2		
Total		14541	100.0		

Section A

t1384 A37e: Respondent's family always seem to be running late no matter how hard they try

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	609	4.2	15.2	15.2
	2 False	3408	23.4	84.8	100.0
	Total	4017	27.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 NS/NA	158	1.1		
	Total	10524	72.4		
Total		14541	100.0		

t1385 A37f: It is a real zoo in respondent's home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	304	2.1	7.6	7.6
	2 False	3714	25.5	92.4	100.0
	Total	4018	27.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 NS/NA	157	1.1		
	Total	10523	72.4		
Total		14541	100.0		

t1386 A37g: At home respondent's family can talk to each other without being interrupted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	3308	22.7	81.8	81.8
	2 False	737	5.1	18.2	100.0
	Total	4045	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 NS/NA	130	.9		
	Total	10496	72.2		
Total		14541	100.0		

t1387 A37h: There is often a fuss going on at respondent's home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	720	5.0	17.9	17.9
	2 False	3301	22.7	82.1	100.0
	Total	4021	27.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 NS/NA	154	1.1		
	Total	10520	72.3		
Total		14541	100.0		

Section A

t1388 A37i: No matter what respondent's family's plans, it usually does not seem to work out

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	361	2.5	9.0	9.0
	2 False	3662	25.2	91.0	100.0
	Total	4023	27.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 NS/NA	152	1.0		
	Total	10518	72.3		
Total		14541	100.0		

t1389 A37j: Respondent cannot hear herself think in her own home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	269	1.8	6.7	6.7
	2 False	3766	25.9	93.3	100.0
	Total	4035	27.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 NS/NA	140	1.0		
	Total	10506	72.3		
Total		14541	100.0		

t1390 A37k: Respondent often gets drawn into other people's arguments at home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	951	6.5	23.6	23.6
	2 False	3077	21.2	76.4	100.0
	Total	4028	27.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	147	1.0		
	Total	10513	72.3		
Total		14541	100.0		

t1391 A37l: Respondent's home is a good place to relax

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	3623	24.9	90.5	90.5
	2 False	379	2.6	9.5	100.0
	Total	4002	27.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	173	1.2		
	Total	10539	72.5		
Total		14541	100.0		

Section A
t1392 A37m: The telephone takes up a lot of time in respondent's home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	438	3.0	10.9	10.9
	2 False	3597	24.7	89.1	
	Total	4035	27.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	140	1.0		
	Total	10506	72.3		
Total		14541	100.0		

t1393 A37n: Atmosphere in respondent's home is calm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	3298	22.7	83.7	83.7
	2 False	642	4.4	16.3	
	Total	3940	27.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	235	1.6		
	Total	10601	72.9		
Total		14541	100.0		

t1394 A37o: First thing in the day, respondent's family has a regular routine at home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	3439	23.7	85.2	85.2
	2 False	597	4.1	14.8	
	Total	4036	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	139	1.0		
	Total	10505	72.2		
Total		14541	100.0		

Section A

Derived variable: CHAOS (Confusion, Hubbub and Order) score

Recode t1380 - t1394 (1=1)(2=0)

t1395 = sum (t1380 – t1394)

Higher score indicates greater 'CHAOS'

t1395 DV: CHAOS Total score

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	.0	.1	.1
	2	1	.0	.0	.1
	3	16	.1	.4	.5
	4	53	.4	1.4	1.9
	5	173	1.2	4.6	6.6
	6	560	3.9	15.0	21.6
	7	1648	11.3	44.2	65.7
	8	821	5.6	22.0	87.8
	9	339	2.3	9.1	96.8
	10	89	.6	2.4	99.2
	11	23	.2	.6	99.8
	12	4	.0	.1	99.9
	13	2	.0	.1	100.0
Total		3731	25.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 At least one missing item	444	3.1		
	Total	10810	74.3		
Total		14541	100.0		

Section A

t1396 DV: Number of missing items in CHAOS Total score

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3731	25.7	89.4	89.4
	1	200	1.4	4.8	94.2
	2	47	.3	1.1	95.3
	3	27	.2	.6	95.9
	4	9	.1	.2	96.1
	5	18	.1	.4	96.6
	6	12	.1	.3	96.9
	7	4	.0	.1	97.0
	8	5	.0	.1	97.1
	9	14	.1	.3	97.4
	10	10	.1	.2	97.7
	11	3	.0	.1	97.7
	12	4	.0	.1	97.8
	13	5	.0	.1	97.9
	14	6	.0	.1	98.1
	15	80	.6	1.9	100.0
Total		4175	28.7	100.0	
Missing	-10 Not completed	10366	71.3		
Total		14541	100.0		

t2000 A38: Degree to which Jim is satisfied with the total income of his household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not satisfied	1574	10.8	39.7	39.7
	2 Very unsatisfied	1267	8.7	31.9	71.6
	3 Fairly unsatisfied	762	5.2	19.2	90.8
	4 Neither satisfied or unsatisfied	179	1.2	4.5	95.3
	5 Fairly satisfied	157	1.1	4.0	99.2
	6 Very satisfied	21	.1	.5	99.8
	7 Completely satisfied	9	.1	.2	100.0
	Total	3969	27.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	206	1.4		
	Total	10572	72.7		
Total		14541	100.0		

Section A

t2001 A39: Degree to which Anne is satisfied with the total income of her household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not satisfied	435	3.0	11.0	11.0
	2 Very unsatisfied	269	1.8	6.8	17.8
	3 Fairly unsatisfied	1010	6.9	25.5	43.3
	4 Neither satisfied or unsatisfied	636	4.4	16.1	59.4
	5 Fairly satisfied	1231	8.5	31.1	90.5
	6 Very satisfied	313	2.2	7.9	98.4
	7 Completely satisfied	65	.4	1.6	100.0
	Total	3959	27.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	216	1.5		
	Total	10582	72.8		
Total		14541	100.0		

t2002 A40: Degree to which John is satisfied with his social contacts (family, friends, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not satisfied	6	.0	.2	.2
	2 Very unsatisfied	241	1.7	6.0	6.2
	3 Fairly unsatisfied	59	.4	1.5	7.7
	4 Neither satisfied or unsatisfied	90	.6	2.3	9.9
	5 Fairly satisfied	969	6.7	24.3	34.2
	6 Very satisfied	2096	14.4	52.6	86.8
	7 Completely satisfied	525	3.6	13.2	100.0
	Total	3986	27.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	189	1.3		
	Total	10555	72.6		
Total		14541	100.0		

t2003 A41: Degree to which Mary is satisfied with her social contacts (family, friends, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not satisfied	261	1.8	6.6	6.6
	2 Very unsatisfied	328	2.3	8.3	14.9
	3 Fairly unsatisfied	906	6.2	22.9	37.8
	4 Neither satisfied or unsatisfied	589	4.1	14.9	52.6
	5 Fairly satisfied	1426	9.8	36.0	88.6
	6 Very satisfied	421	2.9	10.6	99.3
	7 Completely satisfied	29	.2	.7	100.0
	Total	3960	27.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	215	1.5		
	Total	10581	72.8		
Total		14541	100.0		

Section A

t2004 A42: Degree to which Mike is satisfied with his job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not satisfied	37	.3	.9	.9
	2 Very unsatisfied	75	.5	1.9	2.8
	3 Fairly unsatisfied	357	2.5	9.0	11.9
	4 Neither satisfied or unsatisfied	417	2.9	10.6	22.4
	5 Fairly satisfied	2400	16.5	60.8	83.2
	6 Very satisfied	615	4.2	15.6	98.8
	7 Completely satisfied	47	.3	1.2	100.0
	Total	3948	27.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	227	1.6		
	Total	10593	72.8		
Total		14541	100.0		

t2005 A43: Degree to which Sally is satisfied with her job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not satisfied	49	.3	1.2	1.2
	2 Very unsatisfied	106	.7	2.7	3.9
	3 Fairly unsatisfied	412	2.8	10.5	14.4
	4 Neither satisfied or unsatisfied	773	5.3	19.6	34.0
	5 Fairly satisfied	1833	12.6	46.5	80.5
	6 Very satisfied	685	4.7	17.4	97.9
	7 Completely satisfied	84	.6	2.1	100.0
	Total	3942	27.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	233	1.6		
	Total	10599	72.9		
Total		14541	100.0		

t2006 A44: Degree to which John is satisfied with his life

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not satisfied	321	2.2	8.1	8.1
	2 Very unsatisfied	614	4.2	15.6	23.7
	3 Fairly unsatisfied	1557	10.7	39.5	63.2
	4 Neither satisfied or unsatisfied	696	4.8	17.7	80.9
	5 Fairly satisfied	725	5.0	18.4	99.2
	6 Very satisfied	26	.2	.7	99.9
	7 Completely satisfied	4	.0	.1	100.0
	Total	3943	27.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	232	1.6		
	Total	10598	72.9		
Total		14541	100.0		

Section A

Where you live

A45. Here is a list of some things that can be a problem in people's homes or in the neighbourhood. How much of a problem are the following for you and your family? (Please mark one box on each line)

	Serious problem	Minor problem	Not a problem	No opinion
a) Noise from other homes	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
b) Noise from outside in the street	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
c) Rubbish or litter dumped around your neighbourhood	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
d) Dog dirt on pavement/walkways	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
e) Worry about vandalism	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
f) Worry about burglaries	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
g) Worry about muggings or attacks	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
h) Disturbance from teenagers or youths	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
i) Traffic	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
j) Parking	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>

A46.a) How often do the other people in your neighbourhood do each of the following? (Please mark one box on each line):

	Never	Rarely	Sometimes	Often	Always
i) Visit your home	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
ii) Argue with you	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
iii) Look after your children	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
iv) Keep to themselves	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>

55972



Section A

A46. cont.

b) How often do you do each of the following?

	Never	Rarely	Sometimes	Often	Always
i) Visit the home of your neighbours	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
ii) Argue with your neighbours	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
iii) Look after your neighbours' children	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
iv) Keep to yourself	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>

A47. What do you think of your neighbourhood as a place to live?

A very good place to live 1 A fairly good place to live 2
Not a very good place to live 3 Not at all a good place to live 4

A48. How heavy is the traffic on the street where you live?

Very 1 Quite 2 Not very 3 Hardly any 4
heavy heavy heavy traffic

Your friends and family

Please mark one box on each line:

None One Two to four More than 4

A49. How many of your relatives and your partner's relatives do you see at least twice a year?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A50. About how many friends do you have?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A51. How many people are there that you can talk to about personal problems?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A52. How many people talk to you about their personal problems or their private feelings?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A53. If you have to make an important decision, how many people are there with whom you can discuss it?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>

55972



Section A

Please mark **one** box on each line.

		None	One	Two to four	More than 4
A54.	How many people are there among your family and friends from whom you could borrow £200 if you needed to?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A55.	How many of your family and friends would help you in times of trouble?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A56.	During the last month, how many times did you get together with one or more friends?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A57.	During the last month, how many times did you get together with one or more of your relatives or your partner's relatives?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A58.	Overall, would you say you belong to a close circle of friends?	Yes 1 <input type="checkbox"/>	No 2 <input type="checkbox"/>		

You and gambling

For the next set of questions about gambling (by "gambling" we mean **all gambling for money including bingo, scratch cards and the lottery**), please indicate the extent to which each one has applied to you in the last 12 months. Please mark **one** box for each question:

A59. In the last 12 months, have you ever gambled for money?

Yes 1 No 2 → If **no**, go to Section B on page 27

A60. How often have you bet more than you could really afford to lose?

Never 1 Sometimes 2 Most of the time 3 Almost always 4

A61. How often have you needed to gamble with larger amounts of money to get the same excitement?

Never 1 Sometimes 2 Most of the time 3 Almost always 4

55972

Section A

t2010 A45a: Severity of problem in respondent's home or neighbourhood: noise from other homes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	76	.5	1.8	1.8
	2 Minor problem	666	4.6	16.1	17.9
	3 Not a problem	3375	23.2	81.6	99.6
	4 No opinion	17	.1	.4	100.0
	Total	4134	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	41	.3		
	Total	10407	71.6		
Total		14541	100.0		

t2011 A45b: Severity of problem in study respondent's home or neighbourhood: noise from outside in the street

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	59	.4	1.4	1.4
	2 Minor problem	839	5.8	20.3	21.7
	3 Not a problem	3220	22.1	78.0	99.7
	4 No opinion	12	.1	.3	100.0
	Total	4130	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	45	.3		
	Total	10411	71.6		
Total		14541	100.0		

t2012 A45c: Severity of problem in respondent's home or neighbourhood: rubbish or litter dumped around neighbourhood

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	85	.6	2.1	2.1
	2 Minor problem	731	5.0	17.7	19.8
	3 Not a problem	3293	22.6	79.8	99.6
	4 No opinion	17	.1	.4	100.0
	Total	4126	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	49	.3		
	Total	10415	71.6		
Total		14541	100.0		

t2013 A45d: Severity of problem in respondent's home or neighbourhood: dog dirt on pavement/walkways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	141	1.0	3.4	3.4
	2 Minor problem	1145	7.9	27.7	31.1
	3 Not a problem	2827	19.4	68.5	99.6
	4 No opinion	17	.1	.4	100.0
	Total	4130	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	45	.3		
	Total	10411	71.6		
Total		14541	100.0		

Section A

t2014 A45e: Severity of problem in respondent's home or neighbourhood: worry about vandalism

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	61	.4	1.5	1.5
	2 Minor problem	766	5.3	18.6	20.0
	3 Not a problem	3278	22.5	79.5	99.5
	4 No opinion	20	.1	.5	100.0
	Total	4125	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	50	.3		
	Total	10416	71.6		
Total		14541	100.0		

t2015 A45f: Severity of problem in respondent's home or neighbourhood: worry about burglaries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	124	.9	3.0	3.0
	2 Minor problem	1630	11.2	39.5	42.5
	3 Not a problem	2350	16.2	57.0	99.5
	4 No opinion	22	.2	.5	100.0
	Total	4126	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	49	.3		
	Total	10415	71.6		
Total		14541	100.0		

t2016 A45g: Severity of problem in respondent's home or neighbourhood: worry about muggings or attacks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	68	.5	1.6	1.6
	2 Minor problem	573	3.9	13.9	15.5
	3 Not a problem	3451	23.7	83.6	99.1
	4 No opinion	38	.3	.9	100.0
	Total	4130	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	45	.3		
	Total	10411	71.6		
Total		14541	100.0		

t2017 A45h: Severity of problem in respondent's home or neighbourhood: disturbance from teenagers or youths

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	89	.6	2.2	2.2
	2 Minor problem	872	6.0	21.1	23.3
	3 Not a problem	3145	21.6	76.2	99.5
	4 No opinion	21	.1	.5	100.0
	Total	4127	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	48	.3		
	Total	10414	71.6		

Section A

t2017 A45h: Severity of problem in respondent's home or neighbourhood: disturbance from teenagers or youths

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	89	.6	2.2	2.2
	2 Minor problem	872	6.0	21.1	23.3
	3 Not a problem	3145	21.6	76.2	99.5
	4 No opinion	21	.1	.5	100.0
	Total	4127	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	48	.3		
	Total	10414	71.6		
Total		14541	100.0		

t2018 A45i: Severity of problem in respondent's home or neighbourhood: traffic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	167	1.1	4.0	4.0
	2 Minor problem	1153	7.9	27.9	32.0
	3 Not a problem	2797	19.2	67.8	99.7
	4 No opinion	11	.1	.3	100.0
	Total	4128	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	47	.3		
	Total	10413	71.6		
Total		14541	100.0		

t2019 A45j: Severity of problem in respondent's home or neighbourhood: parking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	310	2.1	7.5	7.5
	2 Minor problem	1325	9.1	32.1	39.6
	3 Not a problem	2479	17.0	60.1	99.7
	4 No opinion	12	.1	.3	100.0
	Total	4126	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	49	.3		
	Total	10415	71.6		
Total		14541	100.0		

t2025 A46a1: Frequency other people in neighbourhood visit respondent's home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	639	4.4	15.5	15.5
	2 Rarely	1344	9.2	32.5	48.0
	3 Sometimes	1630	11.2	39.4	87.4
	4 Often	476	3.3	11.5	99.0
	5 Always	43	.3	1.0	100.0
Missing	Total	4132	28.4	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	43	.3		
Total	Total	10409	71.6		
Total		14541	100.0		

Section A

t2026 A46a2: Frequency other people in neighbourhood argue with respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3472	23.9	84.1	84.1
	2 Rarely	580	4.0	14.0	98.1
	3 Sometimes	74	.5	1.8	99.9
	4 Often	3	.0	.1	100.0
	Total	4129	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	46	.3		
	Total	10412	71.6		
Total		14541	100.0		

t2027 A46a3: Frequency other people in neighbourhood look after respondent's children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3387	23.3	83.7	83.7
	2 Rarely	346	2.4	8.5	92.2
	3 Sometimes	287	2.0	7.1	99.3
	4 Often	26	.2	.6	100.0
	5 Always	2	.0	.0	100.0
	Total	4048	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	127	.9		
	Total	10493	72.2		
Total		14541	100.0		

t2028 A46a4: Frequency other people in neighbourhood keep to themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	57	.4	1.4	1.4
	2 Rarely	294	2.0	7.1	8.5
	3 Sometimes	1550	10.7	37.6	46.1
	4 Often	1705	11.7	41.3	87.4
	5 Always	520	3.6	12.6	100.0
	Total	4126	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	49	.3		
	Total	10415	71.6		
Total		14541	100.0		

t2030 A46b1: Frequency respondent visits the home of neighbours

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	707	4.9	17.1	17.1
	2 Rarely	1391	9.6	33.7	50.8
	3 Sometimes	1630	11.2	39.5	90.3
	4 Often	371	2.6	9.0	99.3
	5 Always	30	.2	.7	100.0
	Total	4129	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	46	.3		
	Total	10412	71.6		
Total		14541	100.0		

Section A

t2031 A46b2: Frequency respondent argues with neighbours

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3611	24.8	87.5	87.5
	2 Rarely	461	3.2	11.2	98.6
	3 Sometimes	51	.4	1.2	99.9
	4 Often	5	.0	.1	100.0
	5 Always	1	.0	.0	100.0
	Total	4129	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	46	.3		
	Total	10412	71.6		
Total		14541	100.0		

t2032 A46b3: Frequency respondent looks after neighbours' children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3190	21.9	77.8	77.8
	2 Rarely	460	3.2	11.2	89.0
	3 Sometimes	410	2.8	10.0	99.0
	4 Often	38	.3	.9	100.0
	5 Always	1	.0	.0	100.0
	Total	4099	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	76	.5		
	Total	10442	71.8		
Total		14541	100.0		

t2033 A46b4: Frequency respondent keeps to themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	177	1.2	4.3	4.3
	2 Rarely	391	2.7	9.5	13.8
	3 Sometimes	1614	11.1	39.1	52.9
	4 Often	1431	9.8	34.7	87.6
	5 Always	512	3.5	12.4	100.0
	Total	4125	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	50	.3		
	Total	10416	71.6		
Total		14541	100.0		

Section A

t2035 A47: Respondent's opinion of her neighbourhood as place to live

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A very good place to live	2715	18.7	65.7	65.7
	2 A fairly good place to live	1360	9.4	32.9	98.7
	3 Not a very good place to live	41	.3	1.0	99.7
	4 Not at all a good place to live	14	.1	.3	100.0
	Total	4130	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	45	.3		
	Total	10411	71.6		
Total		14541	100.0		

t2036 A48: Volume of traffic on respondent's street

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very heavy	145	1.0	3.5	3.5
	2 Quite heavy	644	4.4	15.6	19.2
	3 Not very heavy	1545	10.6	37.5	56.7
	4 Hardly any traffic	1783	12.3	43.3	100.0
	Total	4117	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	58	.4		
	Total	10424	71.7		
Total		14541	100.0		

t2040 A49: Number of respondent's and partner's relatives seen at least twice a year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	131	.9	3.2	3.2
	2 One	133	.9	3.2	6.4
	3 Two to four	875	6.0	21.2	27.6
	4 More than 4	2983	20.5	72.4	100.0
	Total	4122	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	53	.4		
	Total	10419	71.7		
Total		14541	100.0		

t2041 A50: Number of friends respondent has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	52	.4	1.3	1.3
	2 One	49	.3	1.2	2.5
	3 Two to four	560	3.9	13.6	16.1
	4 More than 4	3453	23.7	83.9	100.0
	Total	4114	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	61	.4		
	Total	10427	71.7		
Total		14541	100.0		

Section A

t2042 A51: Number of people respondent can talk to about personal problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	103	.7	2.5	2.5
	2 One	282	1.9	6.9	9.4
	3 Two to four	1865	12.8	45.3	54.7
	4 More than 4	1866	12.8	45.3	100.0
	Total	4116	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	59	.4		
	Total	10425	71.7		
Total		14541	100.0		

t2043 A52: Number of people who talk to respondent about personal problems or private feelings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	68	.5	1.7	1.7
	2 One	168	1.2	4.1	5.7
	3 Two to four	1750	12.0	42.5	48.3
	4 More than 4	2127	14.6	51.7	100.0
	Total	4113	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	62	.4		
	Total	10428	71.7		
Total		14541	100.0		

t2044 A53: Number of people respondent can discuss important decisions with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	67	.5	1.6	1.6
	2 One	312	2.1	7.6	9.2
	3 Two to four	1787	12.3	43.4	52.6
	4 More than 4	1949	13.4	47.4	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

t2045 A54: Number of people among family and friends from whom respondent could borrow £200 if needed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	200	1.4	4.9	4.9
	2 One	503	3.5	12.2	17.1
	3 Two to four	1901	13.1	46.3	63.4
	4 More than 4	1505	10.4	36.6	100.0
	Total	4109	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	66	.5		
	Total	10432	71.7		
Total		14541	100.0		

Section A

t2046 A55: Number of family and friends who would help respondent in times of trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	49	.3	1.2	1.2
	2 One	155	1.1	3.8	5.0
	3 Two to four	1344	9.2	32.7	37.6
	4 More than 4	2565	17.6	62.4	100.0
	Total	4113	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	62	.4		
	Total	10428	71.7		
Total		14541	100.0		

t2047 A56: Number of times respondent got together with one or more friends during last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	281	1.9	6.8	6.8
	2 One	512	3.5	12.4	19.3
	3 Two to four	1617	11.1	39.3	58.6
	4 More than 4	1706	11.7	41.4	100.0
	Total	4116	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	59	.4		
	Total	10425	71.7		
Total		14541	100.0		

t2048 A57: Number of times respondent got together with one or more relatives or partner's relatives during last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	442	3.0	10.7	10.7
	2 One	708	4.9	17.2	27.9
	3 Two to four	1676	11.5	40.7	68.7
	4 More than 4	1290	8.9	31.3	100.0
	Total	4116	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	59	.4		
	Total	10425	71.7		
Total		14541	100.0		

t2049 A58: Respondent belongs to close circle of friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3083	21.2	75.4	75.4
	2 No	1007	6.9	24.6	100.0
	Total	4090	28.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	85	.6		
	Total	10451	71.9		
Total		14541	100.0		

Section A

Derived variable: Social network score

Recode t2040 to t2048 (1=0)(2=1)(3=2)(4=3)(5=4) and then sum.

Higher score implies a better social network

t2050 DV: Social Network total score

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	.0	.0
	2	2	.0	.0	.1
	3	1	.0	.0	.1
	4	2	.0	.0	.2
	5	4	.0	.1	.3
	6	5	.0	.1	.4
	7	6	.0	.1	.5
	8	15	.1	.4	.9
	9	16	.1	.4	1.3
	10	30	.2	.7	2.0
	11	24	.2	.6	2.6
	12	44	.3	1.1	3.7
	13	63	.4	1.6	5.3
	14	66	.5	1.6	6.9
	15	84	.6	2.1	9.0
	16	147	1.0	3.6	12.6
	17	172	1.2	4.2	16.9
	18	224	1.5	5.5	22.4
	19	241	1.7	6.0	28.3
	20	343	2.4	8.5	36.8
	21	355	2.4	8.8	45.6
	22	358	2.5	8.8	54.4
	23	373	2.6	9.2	63.6
	24	387	2.7	9.6	73.2
	25	386	2.7	9.5	82.7
	26	372	2.6	9.2	91.9
	27	328	2.3	8.1	100.0
	Total	4050	27.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 At least one missing item	125	.9		
	Total	10491	72.1		
	Total	14541	100.0		

[Logical edits: if any of t2101 to t2109 gt 1 then t2100 eq 1; if t2100 eq 2 then t2101 to t2109 eq -2]

Section A

Please mark **one** box on each line.

		None	One	Two to four	More than 4
A54.	How many people are there among your family and friends from whom you could borrow £200 if you needed to?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A55.	How many of your family and friends would help you in times of trouble?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A56.	During the last month, how many times did you get together with one or more friends?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A57.	During the last month, how many times did you get together with one or more of your relatives or your partner's relatives?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
A58.	Overall, would you say you belong to a close circle of friends?	Yes 1 <input type="checkbox"/>	No 2 <input type="checkbox"/>		

You and gambling

For the next set of questions about gambling (by "gambling" we mean **all gambling for money including bingo, scratch cards and the lottery**), please indicate the extent to which each one has applied to you in the last 12 months. Please mark **one** box for each question:

A59. In the last 12 months, have you ever gambled for money?

Yes 1 No 2 → If **no**, go to Section B on page 27

A60. How often have you bet more than you could really afford to lose?

Never 1 Sometimes 2 Most of the time 3 Almost always 4

A61. How often have you needed to gamble with larger amounts of money to get the same excitement?

Never 1 Sometimes 2 Most of the time 3 Almost always 4

55972

Section A

A62. How often have you gone back to try to win back the money you'd lost?

Never 1 Sometimes 2 Most of the time 3 Almost always 4

A63. How often have you borrowed money or sold anything to get money to gamble?

Never 1 Sometimes 2 Most of the time 3 Almost always 4

A64. How often have you felt that you might have a problem with gambling?

Never 1 Sometimes 2 Most of the time 3 Almost always 4

A65. How often have you felt that gambling has caused you any health problems, including stress or anxiety?

Never 1 Sometimes 2 Most of the time 3 Almost always 4

A66. How often have people criticised your betting, or told you that you have a gambling problem, whether or not you thought it is true?

Never 1 Sometimes 2 Most of the time 3 Almost always 4

A67. How often have you felt your gambling has caused financial problems for you or your household?

Never 1 Sometimes 2 Most of the time 3 Almost always 4

A68. How often have you felt guilty about the way you gamble or what happens when you gamble?

Never 1 Sometimes 2 Most of the time 3 Almost always 4

Go to Section B on the next page →

55972

Section A

t2100 A59: Respondent has gambled for money in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1529	10.5	37.0	37.0
	2 No	2602	17.9	63.0	100.0
	Total	4131	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	44	.3		
	Total	10410	71.6		
Total		14541	100.0		

t2101 A60: Frequency respondent has bet more than they could really afford to lose in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1479	10.2	96.7	96.7
	2 Sometimes	37	.3	2.4	99.1
	3 Most of the time	7	.0	.5	99.6
	4 Almost always	6	.0	.4	100.0
	Total	1529	10.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2	2602	17.9		
	-1 No response	44	.3		
	Total	13012	89.5		
Total		14541	100.0		

t2102 A61: Frequency respondent has bet larger amounts of money to get same excitement in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1519	10.4	99.4	99.4
	2 Sometimes	8	.1	.5	99.9
	4 Almost always	1	.0	.1	100.0
	Total	1528	10.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2	2602	17.9		
	-1 No response	45	.3		
	Total	13013	89.5		
Total		14541	100.0		

t2103 A62: Frequency respondent has gone back to try to win back money they lost in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1478	10.2	97.0	97.0
	2 Sometimes	44	.3	2.9	99.9
	3 Most of the time	1	.0	.1	99.9
	4 Almost always	1	.0	.1	100.0
	Total	1524	10.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2	2602	17.9		
	-1 No response	49	.3		
	Total	13017	89.5		
Total		14541	100.0		

Section A

t2104 A63: Frequency respondent has borrowed money or sold anything to get money to gamble in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1518	10.4	99.6	99.6
	2 Sometimes	6	.0	.4	100.0
	Total	1524	10.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2	2602	17.9		
	-1 No response	49	.3		
Total	Total	13017	89.5		
		14541	100.0		

t2105 A64: Frequency respondent felt they might have a problem with gambling in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1511	10.4	99.1	99.1
	2 Sometimes	12	.1	.8	99.9
	3 Most of the time	1	.0	.1	100.0
Missing	Total	1524	10.5	100.0	
	-10 Not completed	10366	71.3		
	-2	2602	17.9		
Total	-1 No response	49	.3		
	Total	13017	89.5		
Total		14541	100.0		

t2106 A65: Frequency respondent felt gambling has caused them health problems, including stress or anxiety in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1521	10.5	99.8	99.8
	2 Sometimes	2	.0	.1	99.9
	3 Most of the time	1	.0	.1	100.0
Missing	Total	1524	10.5	100.0	
	-10 Not completed	10366	71.3		
	-2	2602	17.9		
Total	-1 No response	49	.3		
	Total	13017	89.5		
Total		14541	100.0		

t2107 A66: Frequency others have criticised respondent's betting, or told them they have a gambling problem in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1512	10.4	99.2	99.2
	2 Sometimes	11	.1	.7	99.9
	3 Most of the time	1	.0	.1	100.0
Missing	Total	1524	10.5	100.0	
	-10 Not completed	10366	71.3		
	-2	2602	17.9		
Total	-1 No response	49	.3		
	Total	13017	89.5		
Total		14541	100.0		

Section A

t2108 A67: Frequency respondent felt that gambling has caused financial problems for them or their household in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1514	10.4	99.4	99.4
	2 Sometimes	8	.1	.5	99.9
	3 Most of the time	1	.0	.1	100.0
	Total	1523	10.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2	2602	17.9		
	-1 No response	50	.3		
	Total	13018	89.5		
Total		14541	100.0		

t2109 A68: Frequency respondent has felt guilty about gambling, or what happens when they gamble in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1506	10.4	98.9	98.9
	2 Sometimes	15	.1	1.0	99.9
	3 Most of the time	2	.0	.1	100.0
	Total	1523	10.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2	2602	17.9		
	-1 No response	50	.3		
	Total	13018	89.5		
Total		14541	100.0		

Derived variables: Canadian Problem Gambling Index – t2120

Recode t2101 to t2109 (1=0)(2=1)(3=2)(4=3) then sum t2101 to t2109

t2121 is grouped version of t2120 to obtain gambling type

t2120 DV: CPGI score

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1418	9.8	93.5	93.5
	1	66	.5	4.4	97.8
	2	13	.1	.9	98.7
	3	10	.1	.7	99.3
	4	2	.0	.1	99.5
	5	3	.0	.2	99.7
	6	1	.0	.1	99.7
	7	1	.0	.1	99.8
	9	2	.0	.1	99.9
	16	1	.0	.1	100.0
	Total	1517	10.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 At least one missing item	56	.4		
	-1 Non-gambler	2602	17.9		
	Total	13024	89.6		
Total		14541	100.0		

Section A

t2121 DV: CPGI Gambling type

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Non-gambler	2602	17.9	63.2	63.2
	1 No problem gambler	1418	9.8	34.4	97.6
	2 Low risk gambler	79	.5	1.9	99.5
	3 Moderate risk gambler	17	.1	.4	99.9
	4 Problem gambler	3	.0	.1	100.0
	Total	4119	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 At least one missing item	56	.4		
Total		10422	71.7		
Total		14541	100.0		

Section B

Section B: Transport and Accidents

Your trip to work (this morning, or the last time you went to work)

B1. How long did your trip take? (Mark **one** box only).

Less than 5 minutes 1 5-10 minutes 2 11-20 minutes 3

21-30 minutes 4 31-45 minutes 5 More than 45 minutes 6

I always work at home 7 Have never worked 8 → Go to B7 on page 28

B2. How did you get to work? (You can mark **more than one** answer).

a) On foot 1

b) By bus 1

c) By car 1

d) By motor bike 1

e) By taxi 1

f) By bicycle 1

g) By train 1

h) Other, please describe 1 →

B3. If you had a complete choice, what would be your preferred way to travel to and from work? (Mark **one** box only)

On foot 1 By bicycle 2 By car 3

By train 4 By taxi 5 By bus 6

By motor bike 7

Do not wish to change the way I travel 8

55972



Section B

Your trip home from work (yesterday, or the last time you came home from work)

B4. How long did your trip home take? (Mark **one** box only).

- Less than 5 1 5-10 minutes 2 11-20 minutes 3
minutes
- 21-30 minutes 4 31-45 minutes 5 More than 45 6
minutes

B5. How did you go home from work? (You can mark **more** than **one** answer).

- a) On foot 1
b) By bus 1
c) By car 1
d) By motor bike 1
e) By taxi 1
f) By bicycle 1
g) By train 1
h) Other, please describe 1 →

B6. How safe do you feel crossing the roads outside your workplace?

- Very safe 1 Quite safe 2 A bit unsafe 3 Not safe 4
at all

B7. How safe do you feel crossing the roads near where you live?

- Very safe 1 Quite safe 2 A bit unsafe 3 Not safe 4
at all

55972

Section B

[Logical edits: if t2500 eq 8 then recode t2015 to t2508 and t2510 to t2525 = -2]

t2500 B1: Duration of most recent journey to work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 5 minutes	392	2.7	9.7	9.7
	2 5-10 minutes	874	6.0	21.6	31.2
	3 11-20 minutes	1106	7.6	27.3	58.5
	4 21-30 minutes	742	5.1	18.3	76.9
	5 31-45 minutes	439	3.0	10.8	87.7
	6 More than 45 minutes	214	1.5	5.3	93.0
	7 I always work at home	201	1.4	5.0	97.9
	8 Have never worked	84	.6	2.1	100.0
	Total	4052	27.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	123	.8		
	Total	10489	72.1		
Total		14541	100.0		

t2501 B2a: Mode of transport used for most recent journey to work: on foot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	820	5.6	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	3271	22.5		
	Total	13721	94.4		
Total		14541	100.0		

t2502 B2b: Mode of transport used for most recent journey to work: bus

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	190	1.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	3901	26.8		
	Total	14351	98.7		
Total		14541	100.0		

t2503 B2c: Mode of transport used for most recent journey to work: car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	2986	20.5	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	1105	7.6		
	Total	11555	79.5		
Total		14541	100.0		

Section B

t2504 B2d: Mode of transport used for most recent journey to work: motor bike

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	15	.1	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	4076	28.0		
	Total	14526	99.9		
Total		14541	100.0		

t2505 B2e: Mode of transport used for most recent journey to work: taxi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	11	.1	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	4080	28.1		
	Total	14530	99.9		
Total		14541	100.0		

t2506 B2f: Mode of transport used for most recent journey to work: bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	181	1.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	3910	26.9		
	Total	14360	98.8		
Total		14541	100.0		

t2507 B2g: Mode of transport used for most recent journey to work: train

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	56	.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	4035	27.7		
	Total	14485	99.6		
Total		14541	100.0		

t2508 B2h: Mode of transport used for most recent journey to work: other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	55	.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	4036	27.8		
	Total	14486	99.6		
Total		14541	100.0		

Section B

t2510 B3: Preferred mode of transport to and from work if given complete choice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 On foot	1423	9.8	36.9	36.9
	2 By bicycle	395	2.7	10.2	47.2
	3 By car	929	6.4	24.1	71.3
	4 By train	71	.5	1.8	73.1
	5 By taxi	16	.1	.4	73.5
	6 By bus	73	.5	1.9	75.4
	7 By motor bike	11	.1	.3	75.7
	8 Do not wish to change the way I travel	937	6.4	24.3	100.0
	Total	3855	26.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	236	1.6		
	Total	10686	73.5		
Total		14541	100.0		

t2515 B4: Duration of most recent journey home from work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 5 minutes	420	2.9	11.0	11.0
	2 5-10 minutes	885	6.1	23.3	34.3
	3 11-20 minutes	1088	7.5	28.6	62.9
	4 21-30 minutes	742	5.1	19.5	82.4
	5 31-45 minutes	443	3.0	11.6	94.0
	6 More than 45 minutes	228	1.6	6.0	100.0
	Total	3806	26.2	100.0	
	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
Missing	-1 No response	285	2.0		
	Total	10735	73.8		
		14541	100.0		

t2516 B5a: Mode of transport used for most recent journey home from work: on foot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	755	5.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	3336	22.9		
	Total	13786	94.8		
Total		14541	100.0		

t2517 B5b: Mode of transport used for most recent journey home from work: bus

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	184	1.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	3907	26.9		
	Total	14357	98.7		
Total		14541	100.0		

Section B

t2518 B5c: Mode of transport used for most recent journey home from work: car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	2937	20.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	1154	7.9		
	Total	11604	79.8		
Total		14541	100.0		

t2519 B5d: Mode of transport used for most recent journey home from work: motor bike

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	12	.1	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	4079	28.1		
	Total	14529	99.9		
Total		14541	100.0		

t2520 B5e: Mode of transport used for most recent journey home from work: taxi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	8	.1	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	4083	28.1		
	Total	14533	99.9		
Total		14541	100.0		

t2521 B5f: Mode of transport used for most recent journey home from work: bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	168	1.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	3923	27.0		
	Total	14373	98.8		
Total		14541	100.0		

t2522 B5g: Mode of transport used for most recent journey home from work: train

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	44	.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	4047	27.8		
	Total	14497	99.7		
Total		14541	100.0		

Section B

t2523 B5h: Mode of transport used for most recent journey home from work: other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	36	.2	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	4055	27.9		
	Total	14505	99.8		
Total		14541	100.0		

t2525 B6: Degree to which respondent feels safe crossing roads outside workplace

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very safe	1796	12.4	47.4	47.4
	2 Quite safe	1577	10.8	41.6	89.0
	3 A bit unsafe	371	2.6	9.8	98.7
	4 Not safe at all	48	.3	1.3	100.0
	Total	3792	26.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never worked	84	.6		
	-1 No response	299	2.1		
	Total	10749	73.9		
Total		14541	100.0		

t2526 B7: Degree to which respondent feels safe crossing roads near home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very safe	2296	15.8	56.7	56.7
	2 Quite safe	1491	10.3	36.8	93.5
	3 A bit unsafe	235	1.6	5.8	99.3
	4 Not safe at all	27	.2	.7	100.0
	Total	4049	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	126	.9		
	Total	10492	72.2		
Total		14541	100.0		

Section B

Travelling by car, bus, train and bike

B8. When was the last time you travelled in a car, van or taxi? (Mark **one** box only).

Today	1 <input type="checkbox"/>	Yesterday	2 <input type="checkbox"/>	2-4 days ago	3 <input type="checkbox"/>
5-7 days ago	4 <input type="checkbox"/>	Between 1 and 4 weeks ago	5 <input type="checkbox"/>	More than a month ago	6 <input type="checkbox"/>
Never	7 <input type="checkbox"/>	→ If <u>never</u> , go to B12 below			

B9. The last time you travelled in a car, van or taxi, did you sit in the front seat or the back seat? (Mark **one** box only)

Front seat	1 <input type="checkbox"/>	Back seat	2 <input type="checkbox"/>	Can't remember	3 <input type="checkbox"/>
------------	----------------------------	-----------	----------------------------	----------------	----------------------------

B10. The last time you travelled in a car, van or taxi, did you wear a seat belt?

Yes	1 <input type="checkbox"/>	No	2 <input type="checkbox"/>	Can't remember	3 <input type="checkbox"/>
			↓		↓
		Go to B12		Go to B12	

B11. If you did wear a seat belt, was this because: (Mark **one** box only)

You chose to obey the law 1 The driver asked you to 2
Everyone else had theirs on and 3
you didn't want to be different

B12. Does someone in your household own a car or van?

Yes	1 <input type="checkbox"/>	No	2 <input type="checkbox"/>
-----	----------------------------	----	----------------------------

B13. When was the last time you travelled on a bus? (Mark **one** box only)

Today	1 <input type="checkbox"/>	Yesterday	2 <input type="checkbox"/>	2-4 days ago	3 <input type="checkbox"/>
5-7 days ago	4 <input type="checkbox"/>	Between 1 and 4 weeks ago	5 <input type="checkbox"/>	More than a month ago	6 <input type="checkbox"/>
Never	7 <input type="checkbox"/>				

55972

Section B

B14. Do you own a bicycle?

Yes 1

No 2

B15. Do you own a bicycle helmet?

Yes 1

No 2

B16. When was the last time you rode a bicycle? (Mark **one** box only)

Today 1

Yesterday 2

2-4 days ago 3

5-7 days 4
ago

Between 1 and 5
4 weeks ago

More than a
month ago 6

Never 7

→ If never, go to B20 on the next page

B17. How far did you ride your bicycle at that time? (Mark **one** box only)

Less than 1
a mile

1-3 miles 2

4-5 miles 3

More than 5
miles

B18. How safe do you feel riding your bicycle near where you live? (Mark **one** box only)

Very safe 1

Quite safe 2

A bit unsafe 3

Not safe 4
at all

B19. The last time you rode a bicycle did you wear? (Mark **one** box on each line)

	Yes	No	Can't remember
--	-----	----	-------------------

a) A helmet 1 2 3

b) Fluorescent clothing 1 2 3

c) Reflective clothing 1 2 3

55972

Section B

[Logical edits: if t2527 eq 7 then recode t2528 to t2530=-2]

t2527 B8: Last time respondent travelled in car, van or taxi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Today	2817	19.4	68.1	68.1
	2 Yesterday	992	6.8	24.0	92.1
	3 2-4 days ago	241	1.7	5.8	97.9
	4 5-7 days ago	31	.2	.7	98.7
	5 Between 1 and 4 weeks ago	36	.2	.9	99.6
	6 More than a month ago	16	.1	.4	100.0
	7 Never	2	.0	.0	100.0
	Total	4135	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	40	.3		
	Total	10406	71.6		
Total		14541	100.0		

t2528 B9: Seat respondent sat in during last time travelled in car, van or taxi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Front seat	3953	27.2	96.1	96.1
	2 Back seat	154	1.1	3.7	99.9
	3 Cannot remember	5	.0	.1	100.0
	Total	4112	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	63	.4		
	Total	10429	71.7		
Total		14541	100.0		

[Logical edits: if t2530 ge 1 then recode t2529=1; if t2529 ge 2 then t2530=-3]

t2529 B10: Respondent wore seat belt last time travelled in car, van or taxi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4121	28.3	99.6	99.6
	2 No	16	.1	.4	100.0
	Total	4137	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	38	.3		
	Total	10404	71.5		
Total		14541	100.0		

Section B

t2530 B11: Reason for wearing seat belt last time travelled in car, van or taxi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Chose to obey the law	4033	27.7	99.8	99.8
	2 Driver asked respondent to	7	.0	.2	100.0
	3 Everyone else had theirs on and respondent did not want to be different	1	.0	.0	100.0
	Total	4041	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-3 Did not wear seatbelt	16	.1		
	-1 No response	118	.8		
	Total	10500	72.2		
Total		14541	100.0		

t2531 B12: Someone in household owns car or van

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3989	27.4	96.3	96.3
	2 No	155	1.1	3.7	100.0
	Total	4144	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	31	.2		
	Total	10397	71.5		
Total		14541	100.0		

t2532 B13: Last time respondent travelled on bus

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Today	112	.8	2.7	2.7
	2 Yesterday	115	.8	2.8	5.5
	3 2-4 days ago	241	1.7	5.8	11.3
	4 5-7 days ago	210	1.4	5.1	16.4
	5 Between 1 and 4 weeks ago	633	4.4	15.3	31.7
	6 More than a month ago	2589	17.8	62.5	94.2
	7 Never	240	1.7	5.8	100.0
	Total	4140	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	35	.2		
	Total	10401	71.5		
Total		14541	100.0		

t2550 B14: Respondent owns bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2605	17.9	63.0	63.0
	2 No	1533	10.5	37.0	100.0
	Total	4138	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	37	.3		
	Total	10403	71.5		
Total		14541	100.0		

Section B

t2551 B15: Respondent owns bicycle helmet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1437	9.9	35.3	35.3
	2 No	2634	18.1	64.7	100.0
	Total	4071	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	104	.7		
	Total	10470	72.0		
Total		14541	100.0		

[Logical edits: if t2552 eq 7 then recode t2553 to t2557=-2]

t2552 B16: Last time respondent rode bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Today	102	.7	2.5	2.5
	2 Yesterday	105	.7	2.6	5.0
	3 2-4 days ago	164	1.1	4.0	9.0
	4 5-7 days ago	121	.8	2.9	12.0
	5 Between 1 and 4 weeks ago	386	2.7	9.4	21.4
	6 More than a month ago	2638	18.1	64.3	85.7
	7 Never	588	4.0	14.3	100.0
	Total	4104	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	71	.5		
	Total	10437	71.8		
Total		14541	100.0		

t2553 B17: Distance respondent cycled last time rode bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than a mile	624	4.3	18.5	18.5
	2 1-3 miles	1492	10.3	44.3	62.8
	3 4-5 miles	534	3.7	15.9	78.7
	4 More than 5 miles	719	4.9	21.3	100.0
	Total	3369	23.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never ridden a bicycle	588	4.0		
	-1 No response	218	1.5		
	Total	11172	76.8		
Total		14541	100.0		

Section B

t2554 B18: Degree to which respondent feels safe riding bicycle near home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very safe	727	5.0	21.9	21.9
	2 Quite safe	1380	9.5	41.6	63.5
	3 A bit unsafe	863	5.9	26.0	89.5
	4 Not safe at all	347	2.4	10.5	100.0
	Total	3317	22.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never ridden a bicycle	588	4.0		
	-1 No response	270	1.9		
	Total	11224	77.2		
Total		14541	100.0		

t2555 B19a: Last time rode bicycle respondent wore a helmet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1242	8.5	36.3	36.3
	2 No	2084	14.3	60.9	97.2
	3 Cannot remember	97	.7	2.8	100.0
	Total	3423	23.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never ridden a bicycle	588	4.0		
	-1 No response	164	1.1		
	Total	11118	76.5		
Total		14541	100.0		

t2556 B19b: Last time rode bicycle respondent wore fluorescent clothing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	255	1.8	7.6	7.6
	2 No	3001	20.6	89.9	97.6
	3 Cannot remember	81	.6	2.4	100.0
	Total	3337	22.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never ridden a bicycle	588	4.0		
	-1 No response	250	1.7		
	Total	11204	77.1		
Total		14541	100.0		

t2557 B19c: Last time rode bicycle respondent wore reflective clothing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	275	1.9	8.3	8.3
	2 No	2968	20.4	89.1	97.3
	3 Cannot remember	89	.6	2.7	100.0
	Total	3332	22.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never ridden a bicycle	588	4.0		
	-1 No response	255	1.8		
	Total	11209	77.1		

Section B

t2557 B19c: Last time rode bicycle respondent wore reflective clothing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	275	1.9	8.3	8.3
	2 No	2968	20.4	89.1	97.3
	3 Cannot remember	89	.6	2.7	100.0
	Total	3332	22.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never ridden a bicycle	588	4.0		
	-1 No response	255	1.8		
	Total	11209	77.1		
Total		14541	100.0		

Section B

■ Accidents ■

B20. In the last 6 months, have you had any kind of accident which caused you to see a doctor or to go to hospital? (Mark **one** box on each line).

	Yes	No
a) Fall	1 <input type="checkbox"/>	2 <input type="checkbox"/>
b) Fracture (broken bone), please describe:	1 <input type="checkbox"/>	2 <input type="checkbox"/>
c) Burn or scald	1 <input type="checkbox"/>	2 <input type="checkbox"/>
d) Ingestion/swallowing something	1 <input type="checkbox"/>	2 <input type="checkbox"/>
e) Sports injury	1 <input type="checkbox"/>	2 <input type="checkbox"/>
f) Other, please describe:	1 <input type="checkbox"/>	2 <input type="checkbox"/>

B21. Since the birth of your study child have you had a head injury resulting in loss of consciousness?

Yes 1 No 2

If yes,

Please describe:

B22. In the last year, have you been involved in a road accident?

Yes 1 No 2 → If no, go to Section C on page 34



If yes, go to B23 on the next page

55972



Section B

B23. Thinking about the last road accident you had, how were you travelling?
(Mark **one** box only)

In a car as 1
a driver

In a car as a 2
passenger

As a pedestrian 3

As a cyclist 4

Something else, 5
please describe:

B24. Who was with you at the time of the road accident? (Mark all that apply)

a) On my own 1

b) With other adult(s) 1

c) With child(ren) 1

B25. What were you doing at the time of the road accident? (Mark **one** box only)

Going to or from work 1

Going to or from a social 2
engagement

Transporting children 3

Going to or from shops 4

Going to or from church, 5
temple, synagogue or
mosque

Other journey, 6
please describe:

55972



Section B

B26. When did the accident happen? (Mark **one** box only)

On a normal weekday 1 At the weekend 2

During holidays 3

B27. Were you hurt?

Yes 1 No 2 → If no, go to Section C on page 34

B28. Did you see a family doctor?

Yes 1 No 2

B29. Did you go to the casualty (A + E) department at hospital?

Yes 1 No 2

B30. If you went to the casualty (A + E) department, did you stay overnight in hospital?

Yes 1 No 2

55972



Section B

t2600 B20a: Respondent had accident causing visit to doctor or hospital in last six months: fall

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	131	.9	3.2	3.2
	2 No	3940	27.1	96.8	
	Total	4071	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	104	.7		
	Total	10470	72.0		
Total		14541	100.0		

t2601 B20b: Respondent had accident causing visit to doctor or hospital in last six months: fracture (broken bone)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	66	.5	1.8	1.8
	2 No	3701	25.5	98.2	
	Total	3767	25.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	408	2.8		
	Total	10774	74.1		
Total		14541	100.0		

t2602 B20c: Respondent had accident causing visit to doctor or hospital in last six months: burn or scald

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	27	.2	.7	.7
	2 No	3861	26.6	99.3	
	Total	3888	26.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	287	2.0		
	Total	10653	73.3		
Total		14541	100.0		

t2603 B20d: Respondent had accident causing visit to doctor or hospital in last six months: ingestion/swallowing something

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	26	.2	.7	.7
	2 No	3858	26.5	99.3	
	Total	3884	26.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	291	2.0		
	Total	10657	73.3		
Total		14541	100.0		

Section B

t2604 B20e: Respondent had accident causing visit to doctor or hospital in last six months: sports injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	97	.7	2.5	2.5
	2 No	3792	26.1	97.5	100.0
	Total	3889	26.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	286	2.0		
	Total	10652	73.3		
Total		14541	100.0		

t2605 B20f: Respondent had accident causing visit to doctor or hospital in last six months: other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	147	1.0	5.1	5.1
	2 No	2756	19.0	94.9	100.0
	Total	2903	20.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	1272	8.7		
	Total	11638	80.0		
Total		14541	100.0		

t2610 B21: Respondent had head injury resulting in loss of consciousness since birth of study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	117	.8	2.8	2.8
	2 No	4023	27.7	97.2	100.0
	Total	4140	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	35	.2		
	Total	10401	71.5		
Total		14541	100.0		

[Logical edits: if t2615 eq 2 then recode t2616 to t2625=-2]

t2615 B22: Respondent involved in road accident in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	188	1.3	4.5	4.5
	2 No	3954	27.2	95.5	100.0
	Total	4142	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	33	.2		
	Total	10399	71.5		
Total		14541	100.0		

Section B

t2616 B23: Mode of transport (driving car, passenger in car, pedestrian, etc.) used during last road accident

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 In car as driver	136	.9	71.6	71.6
	2 In car as passenger	40	.3	21.1	92.6
	3 As pedestrian	4	.0	2.1	94.7
	4 As cyclist	6	.0	3.2	97.9
	5 Other	4	.0	2.1	100.0
	Total	190	1.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Not had a road accident	3954	27.2		
	-1 No response	31	.2		
	Total	14351	98.7		
Total		14541	100.0		

t2617 B24a: Respondent on own at time of accident

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	102	.7	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 Not had a road accident	3954	27.2		
	-1 No response	119	.8		
	Total	14439	99.3		
Total		14541	100.0		

t2618 B24b: Respondent with other adult(s) at time of accident

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	59	.4	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 Not had a road accident	3954	27.2		
	-1 No response	162	1.1		
	Total	14482	99.6		
Total		14541	100.0		

t2619 B24c: Respondent with child(ren) at time of accident

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	52	.4	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 Not had a road accident	3954	27.2		
	-1 No response	169	1.2		
	Total	14489	99.6		
Total		14541	100.0		

Section B

t2620 B25: Purpose of journey in which accident occurred

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Going to or from work	64	.4	34.6	34.6
	2 Going to or from a social engagement	31	.2	16.8	51.4
	3 Transporting children	16	.1	8.6	60.0
	4 Going to or from the shops	41	.3	22.2	82.2
	5 Going to or from church, temple, synagogue or mosque	1	.0	.5	82.7
	6 Other journey	32	.2	17.3	100.0
	Total	185	1.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Not had a road accident	3954	27.2		
	-1 No response	36	.2		
	Total	14356	98.7		
Total		14541	100.0		

t2621 B26: When accident happened

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 On a normal weekday	130	.9	68.1	68.1
	2 At the weekend	41	.3	21.5	89.5
	3 During holidays	20	.1	10.5	100.0
	Total	191	1.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Not had a road accident	3954	27.2		
	-1 No response	30	.2		
	Total	14350	98.7		
Total		14541	100.0		

[Logical edits: if t2622 eq 2 then recode t2623 to t2625=-3]

t2622 B27: Respondent hurt in the accident

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	70	.5	36.6	36.6
	2 No	121	.8	63.4	100.0
	Total	191	1.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Not had a road accident	3954	27.2		
	-1 No response	30	.2		
	Total	14350	98.7		
Total		14541	100.0		

Section B

t2623 B28: Respondent saw family doctor because of the accident

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	44	.3	62.9	62.9
	2 No	26	.2	37.1	100.0
	Total	70	.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-3 Not hurt in road accident	121	.8		
	-2 Not had a road accident	3954	27.2		
	-1 No response	30	.2		
	Total	14471	99.5		
Total		14541	100.0		

t2624 B29: Respondent went to casualty (A+E) department at hospital because of the accident

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	28	.2	40.0	40.0
	2 No	42	.3	60.0	100.0
	Total	70	.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-3 Not hurt in road accident	121	.8		
	-2 Not had a road accident	3954	27.2		
	-1 No response	30	.2		
	Total	14471	99.5		
Total		14541	100.0		

t2625 B30: Respondent stayed overnight in hospital because of the accident

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3	.0	10.7	10.7
	2 No	25	.2	89.3	100.0
	Total	28	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-3 Not hurt in road accident	121	.8		
	-2 Not had a road accident	3954	27.2		
	-1 No response	72	.5		
	Total	14513	99.8		
Total		14541	100.0		

Section C

Section C: Your Physical Activity

- C1. Which of the following forms of transport do you use most often? (Please mark one box only)

Car 1 Motorbike 2 Public transport 3

Cycle 4 Walk 5 Not applicable 7

- C2. Do you make regular journeys every day or most days either walking or cycling?

No 1 I walk 2 I cycle 3 Both 4

- C3. Which of the following best describes your walking pace?

Slow 1 Steady 2 Fairly 3 Fast (at least 4 miles/hr)
average brisk 4

- C4. If you cycle regularly, how long do you spend cycling in an average week?

--	--

Hours/week

- C5. a) Do you take part in physical activity (e.g. running, swimming, dancing, golf, tennis, squash, jogging, bowls)?

No 1 Occasionally (less than monthly) 2 Frequently (once a month or more) 3

↓
Go to C6 on the next page

↓
If frequently go to C5b below

- b) How many times on average do you take part in these activities?

(i) Summer

--	--

 times per week

(ii) Winter

--	--

 times per week

55972

Section C

- C6. In a typical **week** during the past year, how many hours did you spend each week in the following activities? (Please write 00 in the boxes if you did not do this activity).

	(i) Summer (hours/week)	(ii) Winter (hours/week)
a) Walking to work, shopping or leisure		
b) Cycling, including to work and leisure		
c) Gardening, light e.g. pruning, watering		
d) Gardening, heavy e.g. digging, mowing		
e) Physical exercise e.g. fitness, aerobics, sports		
f) DIY e.g. on house or car		
g) Household activities, light e.g. cooking, washing up		
h) Household activities, heavy e.g. hoovering, cleaning windows		

- C7. a) In a typical **week** in the **last year**, did you do any of these activities vigorously enough to cause breathlessness, sweating or a faster heartbeat?

Yes 1

No 2 → If no, go to C8 on page 36

↓
If yes,

- b) For how many **minutes** each week did you perform vigorous activity?

--	--	--

minutes/week

55972

Section C

C8. In a typical weekday in the last year, how many flights of stairs did you climb?

--	--

 flights per day

C9. a) Compared with your activity level two years ago, are you doing?

More 1 Same 2 Less 3

If not the same,


b) Please give a reason:

C10. Compared with other people your age, are you?

Much more active 1 More active 2 Similar 3

Less active 4 Much less active 5

55972



Section C

t3000 C1: Mode of transport respondent uses most often

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Car	3412	23.5	84.1	84.1
	2 Motorbike	8	.1	.2	84.3
	3 Public transport	119	.8	2.9	87.3
	4 Cycle	103	.7	2.5	89.8
	5 Walk	412	2.8	10.2	100.0
	7 Not applicable	2	.0	.0	100.0
	Total	4056	27.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	119	.8		
	Total	10485	72.1		
Total		14541	100.0		

t3001 C2: Respondent makes regular walking/cycling journeys every day or most days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2116	14.6	51.5	51.5
	2 Yes - walk	1722	11.8	41.9	93.4
	3 Yes - cycle	109	.7	2.7	96.0
	4 Yes - walk and cycle	164	1.1	4.0	100.0
	Total	4111	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	64	.4		
	Total	10430	71.7		
Total		14541	100.0		

t3002 C3: Respondent's walking pace

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Slow	230	1.6	5.6	5.6
	2 Steady average	1800	12.4	43.8	49.4
	3 Fairly brisk	1911	13.1	46.5	96.0
	4 Fast (at least 4miles/hr)	166	1.1	4.0	100.0
	Total	4107	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	68	.5		
	Total	10434	71.8		
Total		14541	100.0		

Section C

t3005 C4: If respondent cycles regularly, quantity hours spent cycling during average week


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	282	1.9	39.4	39.4
	1	143	1.0	20.0	59.4
	2	125	.9	17.5	76.8
	3	64	.4	8.9	85.8
	4	37	.3	5.2	90.9
	5	27	.2	3.8	94.7
	6	16	.1	2.2	96.9
	7	8	.1	1.1	98.0
	8	6	.0	.8	98.9
	10	4	.0	.6	99.4
	12	2	.0	.3	99.7
	15	1	.0	.1	99.9
	40	1	.0	.1	100.0
Total		716	4.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3459	23.8		
	Total	13825	95.1		
Total		14541	100.0		

t3010 C5a: Respondent participates in physical activity (e.g. running, swimming, dancing, golf, tennis, squash, jogging, bowls)


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	1669	11.5	41.4	41.4
	2 Occasionally (less than monthly)	582	4.0	14.5	55.9
	3 Frequently (once a month or more)	1776	12.2	44.1	100.0
	Total	4027	27.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	148	1.0		
	Total	10514	72.3		
Total		14541	100.0		

Section C

t3011 C5b1: Number of times per week on average respondent takes part in physical activities during summer




t3012 C5b2: Number of times per week on average respondent takes part in physical activities during winter




Section C

t3020 C6a1: Number of hours respondent spent walking to work, shopping or leisure in typical week during summer in past year




t3021 C6a2: Number of hours respondent spent walking to work, shopping or leisure in typical week during winter in past year




Section C

t3022 C6b1: Number of hours respondent spent cycling, including to work & leisure, in typical week during summer in past year



C6b1: Number of hours respondent spent cycling, including to work & leisure, in typical week during summer in past year


t3023 C6b2: Number of hours respondent spent cycling, including to work & leisure, in typical week during winter in past year



C6b2: Number of hours respondent spent cycling, including to work & leisure, in typical week during winter in past year


Section C

t3024 C6c1: Number of hours respondent spent on light gardening (e.g. pruning, watering) in typical week during summer in past year



C6c1: Number of hours respondent spent on light gardening (e.g. pruning, watering) in typical week during summer in past year


t3025 C6c2: Number of hours respondent spent on light gardening (e.g. pruning, watering) in typical week during winter in past year




C6c2: Number of hours respondent spent on light gardening (e.g. pruning, watering) in typical week during winter in past year

Section C

t3026 C6d1: Number of hours respondent spent on heavy gardening (e.g. digging, mowing) in typical week during summer in past year




t3027 C6d2: Number of hours respondent spent on heavy gardening (e.g. digging, mowing) in typical week during winter in past year




Section C

t3028 C6e1: Number of hours respondent spent on physical exercise (e.g. fitness, aerobics, sports) in typical week during summer in past year



C6e1: Number of hours respondent spent on physical exercise (e.g. fitness, aerobics, sports) in typical week during summer in past year


t3029 C6e2: Number of hours respondent spent on physical exercise (e.g. fitness, aerobics, sports) in typical week during winter in past year



C6e2: Number of hours respondent spent on physical exercise (e.g. fitness, aerobics, sports) in typical week during winter in past year


Section C

t3030 C6f1: Number of hours respondent spent on DIY (e.g. on house or car) in typical week during summer in past year



C6f1: Number of hours respondent spent on DIY (e.g. on house or car) in typical week during summer in past year


t3031 C6f2: Number of hours respondent spent on DIY (e.g. on house or car) in typical week during winter in past year



C6f2: Number of hours respondent spent on DIY (e.g. on house or car) in typical week during winter in past year


Section C

t3032 C6g1: Number of hours respondent spent on light household activities (e.g. cooking, washing up) in typical week during summer in past year



C6g1: Number of hours respondent spent on light household activities (e.g. cooking, washing up) in typical week during summer in past year


t3033 C6g2: Number of hours respondent spent on light household activities (e.g. cooking, washing up) in typical week during winter in past year



C6g2: Number of hours respondent spent on light household activities (e.g. cooking, washing up) in typical week during winter in past year


Section C

t3034 C6h2: Number of hours respondent spent on heavy household activities (e.g. hoovering, cleaning windows) in typical week during winter in past year



C6h2: Number of hours respondent spent on heavy household activities (e.g. hoovering, cleaning windows) in typical week during winter in past year

t3035 C6h2: Number of hours respondent spent on heavy household activities (e.g. hoovering, cleaning windows) in typical week during winter in past year




C6h2: Number of hours respondent spent on heavy household activities (e.g. hoovering, cleaning windows) in typical week during winter in past year

Section C

t3050 C7a: Respondent performed activities vigorously enough to cause breathlessness, sweating or a faster heartbeat in typical week in last year


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2419	16.6	61.2	61.2
	2 No	1533	10.5	38.8	100.0
	Total	3952	27.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	223	1.5		
	Total	10589	72.8		
Total		14541	100.0		

t3051 C7b: Number of minutes each week respondent performed vigorous activity in typical week in last year



Section C

t3055 C8: Number of flights of stairs respondent climbed in typical weekday in last year



C8: Number of flights of stairs respondent climbed in typical weekday in last year

t3060 C9a: Amount of activity respondent is doing compared with activity level two years ago

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 More	943	6.5	23.2	23.2
	2 Same	2204	15.2	54.3	77.5
	3 Less	913	6.3	22.5	100.0
	Total	4060	27.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	115	.8		
	Total	10481	72.1		
Total		14541	100.0		

t3065 C10: Respondent's degree of activity compared with others of same age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Much more active	327	2.2	8.1	8.1
	2 More active	1110	7.6	27.3	35.4
	3 Similar	2000	13.8	49.3	84.7
	4 Less active	531	3.7	13.1	97.7
	5 Much less active	92	.6	2.3	100.0
	Total	4060	27.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	115	.8		
	Total	10481	72.1		
Total		14541	100.0		

Section D

Section D: Your Feelings


Below are some statements. Please say how true they are of you.

	Almost always true	Often true	Some- times true	Seldom true	Never true
D1. I feel that I am a person of worth, at least equal to others	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D2. I feel I have a number of good qualities	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D3. I am able to do things as well as most other people	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D4. I feel I do not have much to be proud of	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D5. I take a positive attitude towards myself	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D6. Sometimes I think I am no good at all	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D7. I am a useful person to have around	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D8. I feel I cannot do anything right	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D9. When I do a job I do it well	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D10. I feel that my life is not very useful	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D11. I am unlucky	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>

Your outlook on life:

	Yes	No
D12. Did getting good marks at school mean a great deal to you?	1 <input type="checkbox"/>	2 <input type="checkbox"/>
D13. Are you often blamed for things that just are not your fault?	1 <input type="checkbox"/>	2 <input type="checkbox"/>
D14. Do you feel that most of the time it does not pay to try hard because things never turn out right anyway?	1 <input type="checkbox"/>	2 <input type="checkbox"/>

55972



Section D

		Yes	No
D15. Do you feel that if things start out well in the morning then it's going to be a good day no matter what you do?		1 <input type="checkbox"/>	2 <input type="checkbox"/>
D16. Do you believe that whether or not people like you depends on how you act?		1 <input type="checkbox"/>	2 <input type="checkbox"/>
D17. Do you believe that when bad things are going to happen they are just going to happen no matter what you try to do to stop them?		1 <input type="checkbox"/>	2 <input type="checkbox"/>
D18. Do you feel that when good things happen they happen because of hard work?		1 <input type="checkbox"/>	2 <input type="checkbox"/>
D19. Do you feel that when someone does not like you there is little you can do about it?		1 <input type="checkbox"/>	2 <input type="checkbox"/>
D20. Did you usually feel that it was almost useless to try in school because most other children were cleverer than you?		1 <input type="checkbox"/>	2 <input type="checkbox"/>
D21. Are you the kind of person who believes that planning ahead makes things turn out better?		1 <input type="checkbox"/>	2 <input type="checkbox"/>
D22. Most of the time, do you feel that you have little to say about what your family decides to do?		1 <input type="checkbox"/>	2 <input type="checkbox"/>
D23. Do you think it's better to be clever than to be lucky?		1 <input type="checkbox"/>	2 <input type="checkbox"/>

The questions in this section ask you about your feelings and the way you behave. You may have answered these questions in other questionnaires, but you might be feeling differently now.

Your feelings in the past week.

D24. I have been able to laugh and see the funny side of things:

As much as I always could	1 <input type="checkbox"/>	Not quite so much now	2 <input type="checkbox"/>
Definitely not so much now	3 <input type="checkbox"/>	Not at all	4 <input type="checkbox"/>

D25. I have looked forward with enjoyment to things:

As much as I ever did	1 <input type="checkbox"/>	Rather less than I used to	2 <input type="checkbox"/>
Definitely less than I used to	3 <input type="checkbox"/>		
Hardly at all	4 <input type="checkbox"/>		

55972

Section D

D26. I have blamed myself unnecessarily when things went wrong:

Yes, most of the time	1 <input type="checkbox"/>	Yes, some of the time	2 <input type="checkbox"/>
Not very often	3 <input type="checkbox"/>	Never	4 <input type="checkbox"/>

D27. I have been anxious or worried for no good reason:

No, not at all	1 <input type="checkbox"/>	Hardly ever	2 <input type="checkbox"/>
Yes, sometimes	3 <input type="checkbox"/>	Yes, often	4 <input type="checkbox"/>

D28. I have felt scared or panicky for no good reason:

Yes, quite a lot	1 <input type="checkbox"/>	Yes, sometimes	2 <input type="checkbox"/>
No, not much	3 <input type="checkbox"/>	No, not at all	4 <input type="checkbox"/>

D29. Things have been getting on top of me:

Yes, most of the time I haven't been able to cope	1 <input type="checkbox"/>	Yes, sometimes I haven't been coping as well as usual	2 <input type="checkbox"/>
No, most of the time I have coped quite well	3 <input type="checkbox"/>	No, I have been coping as well as ever	4 <input type="checkbox"/>

D30. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time	1 <input type="checkbox"/>	Yes, sometimes	2 <input type="checkbox"/>
Not very often	3 <input type="checkbox"/>	No, not at all	4 <input type="checkbox"/>

D31. I have felt sad or miserable:

Yes, most of the time	1 <input type="checkbox"/>	Yes, sometimes	2 <input type="checkbox"/>
Not very often	3 <input type="checkbox"/>	No, not at all	4 <input type="checkbox"/>

55972

Section D

D32. I have been so unhappy that I have been crying:

Yes, most of the time 1

Yes, quite often 2

Only occasionally 3

Never 4

D33. The thought of harming myself has occurred to me:

Yes, quite often 1

Sometimes 2

Hardly ever 3

Never 4

D34.

	Very like me	Moderately like me	Moderately unlike me	Very unlike me
--	-----------------	-----------------------	-------------------------	-------------------

- a) I avoid saying what I think for fear of being rejected. 1 2 3 4
- b) If others knew the real me they would not like me. 1 2 3 4
- c) If other people knew what I am really like they would think less of me. 1 2 3 4
- d) I always expect criticism. 1 2 3 4
- e) I don't like people to really know me. 1 2 3 4
- f) My value as a person depends enormously on what others think of me. 1 2 3 4

55972

Section D

t3200 D1: Respondent feels they are a person of worth, at least equal to others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	1946	13.4	47.4	47.4
	2 Often true	1296	8.9	31.6	79.0
	3 Sometimes true	737	5.1	18.0	97.0
	4 Seldom true	104	.7	2.5	99.5
	5 Never true	20	.1	.5	100.0
	Total	4103	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	72	.5		
	Total	10438	71.8		
Total		14541	100.0		

t3201 D2: Respondent feels they have a number of good qualities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	1888	13.0	45.9	45.9
	2 Often true	1540	10.6	37.5	83.4
	3 Sometimes true	609	4.2	14.8	98.2
	4 Seldom true	64	.4	1.6	99.8
	5 Never true	8	.1	.2	100.0
	Total	4109	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	66	.5		
	Total	10432	71.7		
Total		14541	100.0		

t3202 D3: Respondent is able to do things as well as most other people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	1539	10.6	37.5	37.5
	2 Often true	1607	11.1	39.1	76.6
	3 Sometimes true	829	5.7	20.2	96.8
	4 Seldom true	117	.8	2.8	99.6
	5 Never true	16	.1	.4	100.0
	Total	4108	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	67	.5		
	Total	10433	71.7		
Total		14541	100.0		

Section D

t3203 D4: Respondent feels they do not have much to be proud of

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	134	.9	3.3	3.3
	2 Often true	213	1.5	5.2	8.5
	3 Sometimes true	711	4.9	17.4	25.8
	4 Seldom true	1519	10.4	37.1	62.9
	5 Never true	1518	10.4	37.1	100.0
	Total	4095	28.2		
Missing	-10 Not completed	10366	71.3		
	-1 No response	80	.6		
	Total	10446	71.8		
Total		14541	100.0		

t3204 D5: Respondent takes a positive attitude towards themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	1178	8.1	28.7	28.7
	2 Often true	1531	10.5	37.3	66.0
	3 Sometimes true	1063	7.3	25.9	91.9
	4 Seldom true	300	2.1	7.3	99.2
	5 Never true	32	.2	.8	100.0
	Total	4104	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	71	.5		
	Total	10437	71.8		
Total		14541	100.0		

t3205 D6: Respondent sometimes thinks they are no good at all

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	37	.3	.9	.9
	2 Often true	200	1.4	4.9	5.8
	3 Sometimes true	972	6.7	23.7	29.4
	4 Seldom true	1415	9.7	34.4	63.9
	5 Never true	1484	10.2	36.1	100.0
	Total	4108	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	67	.5		
	Total	10433	71.7		
Total		14541	100.0		

Section D

t3206 D7: Respondent is a useful person to have around

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	1171	8.1	28.5	28.5
	2 Often true	1791	12.3	43.7	72.2
	3 Sometimes true	1011	7.0	24.6	96.9
	4 Seldom true	109	.7	2.7	99.5
	5 Never true	20	.1	.5	100.0
	Total	4102	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	73	.5		
	Total	10439	71.8		
Total		14541	100.0		

t3207 D8: Respondent feels they cannot do anything right

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	26	.2	.6	.6
	2 Often true	113	.8	2.8	3.4
	3 Sometimes true	853	5.9	20.8	24.2
	4 Seldom true	1589	10.9	38.7	62.9
	5 Never true	1522	10.5	37.1	100.0
	Total	4103	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	72	.5		
	Total	10438	71.8		
Total		14541	100.0		

t3208 D9: When respondent does a job they do it well

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	1675	11.5	40.8	40.8
	2 Often true	1875	12.9	45.7	86.4
	3 Sometimes true	527	3.6	12.8	99.3
	4 Seldom true	27	.2	.7	99.9
	5 Never true	3	.0	.1	100.0
	Total	4107	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	68	.5		
	Total	10434	71.8		
Total		14541	100.0		

t3209 D10: Respondent feels their life is not very useful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	34	.2	.8	.8
	2 Often true	153	1.1	3.7	4.6
	3 Sometimes true	671	4.6	16.3	20.9
	4 Seldom true	1239	8.5	30.2	51.1
	5 Never true	2007	13.8	48.9	100.0
	Total	4104	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	71	.5		
	Total	10437	71.8		
Total		14541	100.0		

Section D

t3210 D11: Respondent is unlucky


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	146	1.0	3.6	3.6
	2 Often true	257	1.8	6.3	9.9
	3 Sometimes true	798	5.5	19.5	29.4
	4 Seldom true	1231	8.5	30.1	59.5
	5 Never true	1658	11.4	40.5	100.0
	Total	4090	28.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	85	.6		
	Total	10451	71.9		
Total		14541	100.0		

Derived variable: Self esteem score

Recode t3200 t3201 t3202 t3204 t3206 and t3208 (1=5)(2=4)(3=3)(4=2)(5=1)

Compute t3215 = mean (t3200 to t3208)

A higher score implies higher self esteem



Section D

t3220 D12: Getting good marks at school meant a great deal to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2868	19.7	70.0	70.0
	2 No	1228	8.4	30.0	100.0
	Total	4096	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	79	.5		
	Total	10445	71.8		
Total		14541	100.0		

t3221 D13: Respondent is often blamed for things that just are not their fault

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	612	4.2	14.9	14.9
	2 No	3483	24.0	85.1	100.0
	Total	4095	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	80	.6		
	Total	10446	71.8		
Total		14541	100.0		

t3222 D14: Respondent feels that most of the time it does not pay to try hard because things never turn out right anyway

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	276	1.9	6.7	6.7
	2 No	3815	26.2	93.3	100.0
	Total	4091	28.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	84	.6		
	Total	10450	71.9		
Total		14541	100.0		

t3223 D15: Respondent feels that if things start out well in the morning then it is going to be a good day no matter what they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1736	11.9	42.7	42.7
	2 No	2332	16.0	57.3	100.0
	Total	4068	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	107	.7		
	Total	10473	72.0		
Total		14541	100.0		

Section D

t3224 D16: Respondent believes that whether or not people like them depends on how they act

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3133	21.5	76.8	76.8
	2 No	948	6.5	23.2	
	Total	4081	28.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	94	.6		
	Total	10460	71.9		
Total		14541	100.0		

t3225 D17: Respondent believes that when bad things are going to happen they are just going to happen no matter what they try to do to stop them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1933	13.3	47.9	47.9
	2 No	2105	14.5	52.1	
	Total	4038	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	137	.9		
	Total	10503	72.2		
Total		14541	100.0		

t3226 D18: Respondent feels that when good things happen they happen because of hard work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2177	15.0	54.5	54.5
	2 No	1819	12.5	45.5	
	Total	3996	27.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	179	1.2		
	Total	10545	72.5		
Total		14541	100.0		

t3227 D19: Respondent feels that when someone does not like them there is little they can do about it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2251	15.5	55.6	55.6
	2 No	1795	12.3	44.4	
	Total	4046	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	129	.9		
	Total	10495	72.2		
Total		14541	100.0		

Section D

t3228 D20: Respondent usually felt it was almost useless to try in school because most other children were cleverer than them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	445	3.1	10.9	10.9
	2 No	3641	25.0	89.1	100.0
	Total	4086	28.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	89	.6		
	Total	10455	71.9		
Total		14541	100.0		

t3229 D21: Respondent is kind of person who believes that planning ahead makes things turn out better

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3424	23.5	84.1	84.1
	2 No	647	4.4	15.9	100.0
	Total	4071	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	104	.7		
	Total	10470	72.0		
Total		14541	100.0		

t3230 D22: Most of the time, respondent feels that they have little to say about what their family decides to do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	407	2.8	10.0	10.0
	2 No	3663	25.2	90.0	100.0
	Total	4070	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	105	.7		
	Total	10471	72.0		
Total		14541	100.0		

t3231 D23: Respondent thinks it is better to be clever than to be lucky

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2238	15.4	57.3	57.3
	2 No	1671	11.5	42.7	100.0
	Total	3909	26.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	266	1.8		
	Total	10632	73.1		
Total		14541	100.0		

Section D

Derived variable: Locus of Control

Recode t3220 t3224 t3226 t3229 t3231 (1=0)(2=1)

Recode t3221 t3222 t3223 t3225 t3227 t3228 t3230 (1=1)(2=0)

Compute t3235 = sum (t3220 to t3230)

t3235 DV: Locus of Control score (CNSIE)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	177	1.2	4.8	4.8
	1	476	3.3	12.8	17.5
	2	638	4.4	17.1	34.7
	3	702	4.8	18.9	53.5
	4	634	4.4	17.0	70.6
	5	479	3.3	12.9	83.4
	6	324	2.2	8.7	92.2
	7	171	1.2	4.6	96.7
	8	83	.6	2.2	99.0
	9	25	.2	.7	99.7
	10	10	.1	.3	99.9
	11	3	.0	.1	100.0
Total		3722	25.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 At least one missing item	453	3.1		
	Total	10819	74.4		
Total		14541	100.0		

t3240 D24: Respondent has been able to laugh and see the funny side of things in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as I always could	3110	21.4	75.6	75.6
	2 Not quite so much now	758	5.2	18.4	94.0
	3 Definitely not so much now	218	1.5	5.3	99.3
	4 Not at all	28	.2	.7	100.0
	Total	4114	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	61	.4		
	Total	10427	71.7		
Total		14541	100.0		

Section D

t3241 D25: Respondent has looked forward with enjoyment to things in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as I ever did	3073	21.1	74.8	74.8
	2 Rather less than I used to	662	4.6	16.1	90.9
	3 Definitely less than I used to	328	2.3	8.0	98.9
	4 Hardly at all	47	.3	1.1	100.0
	Total	4110	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	65	.4		
	Total	10431	71.7		
Total		14541	100.0		

t3242 D26: Respondent has blamed themselves unnecessarily when things went wrong in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	192	1.3	4.7	4.7
	2 Yes, some of the time	1434	9.9	34.8	39.5
	3 Not very often	1641	11.3	39.9	79.4
	4 Never	848	5.8	20.6	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

t3243 D27: Respondent has been anxious or worried for no good reason in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	1013	7.0	24.6	24.6
	2 Hardly ever	1177	8.1	28.6	53.2
	3 Yes, sometimes	1661	11.4	40.4	93.6
	4 Yes, often	265	1.8	6.4	100.0
	Total	4116	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	59	.4		
	Total	10425	71.7		
Total		14541	100.0		

t3244 D28: Respondent has felt scared or panicky for no good reason in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite a lot	144	1.0	3.5	3.5
	2 Yes, sometimes	972	6.7	23.6	27.1
	3 No, not much	980	6.7	23.8	50.9
	4 No, not at all	2021	13.9	49.1	100.0
	Total	4117	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	58	.4		
	Total	10424	71.7		
Total		14541	100.0		

Section D

t3245 D29: Things have been getting on top of respondent in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time respondent has not been able to cope	60	.4	1.5	1.5
	2 Yes, sometimes respondent has not been coping as well as usual	1167	8.0	28.4	29.8
	3 No, most of the time respondent has coped quite well	1428	9.8	34.7	64.6
	4 No, respondent has been coping as well as ever	1457	10.0	35.4	100.0
	Total	4112	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	63	.4		
	Total	10429	71.7		
Total		14541	100.0		

t3246 D30: Respondent has been so unhappy that they have had difficulty sleeping in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	109	.7	2.6	2.6
	2 Yes, sometimes	822	5.7	20.0	22.6
	3 Not very often	899	6.2	21.8	44.5
	4 No, not at all	2286	15.7	55.5	100.0
	Total	4116	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	59	.4		
	Total	10425	71.7		
Total		14541	100.0		

t3247 D31: Respondent has felt sad or miserable in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	122	.8	3.0	3.0
	2 Yes, sometimes	1545	10.6	37.5	40.5
	3 Not very often	1140	7.8	27.7	68.2
	4 No, not at all	1310	9.0	31.8	100.0
	Total	4117	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	58	.4		
	Total	10424	71.7		
Total		14541	100.0		

Section D

t3248 D32: Respondent has been so unhappy that they have been crying in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	21	.1	.5	.5
	2 Yes, quite often	233	1.6	5.7	6.2
	3 Only occasionally	1715	11.8	41.7	47.9
	4 Never	2140	14.7	52.1	100.0
	Total	4109	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	66	.5		
	Total	10432	71.7		
Total		14541	100.0		

t3249 D33: The thought of harming themselves occurred to respondent in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite often	17	.1	.4	.4
	2 Sometimes	173	1.2	4.2	4.6
	3 Hardly ever	229	1.6	5.6	10.2
	4 Never	3683	25.3	89.8	100.0
	Total	4102	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	73	.5		
	Total	10439	71.8		
Total		14541	100.0		

Derived variable: EPDS depression score

Recode t3240 t3241 t3243 (1=0)(2=1)(3=2)(4=3)

Recode t3242 t3244 t3245 t3246 t3247 t3248 t3249 (1=3)(2=2)(3=1)(4=0)

Compute t3255 = sum (t3240 to t3249)

Section D

t3255 DV: EPDS Total score

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	300	2.1	7.4	7.4
	1	226	1.6	5.6	12.9
	2	298	2.0	7.3	20.3
	3	312	2.1	7.7	27.9
	4	302	2.1	7.4	35.3
	5	288	2.0	7.1	42.4
	6	286	2.0	7.0	49.5
	7	262	1.8	6.4	55.9
	8	263	1.8	6.5	62.4
	9	219	1.5	5.4	67.7
	10	217	1.5	5.3	73.1
	11	192	1.3	4.7	77.8
	12	163	1.1	4.0	81.8
	13	143	1.0	3.5	85.3
	14	110	.8	2.7	88.0
	15	107	.7	2.6	90.7
	16	93	.6	2.3	92.9
	17	74	.5	1.8	94.8
	18	57	.4	1.4	96.2
	19	45	.3	1.1	97.3
	20	31	.2	.8	98.0
	21	25	.2	.6	98.6
	22	17	.1	.4	99.1
	23	12	.1	.3	99.4
	24	7	.0	.2	99.5
	25	9	.1	.2	99.8
	26	2	.0	.0	99.8
	27	2	.0	.0	99.9
	28	4	.0	.1	100.0
	30	2	.0	.0	100.0
	Total	4068	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 At least one missing item	107	.7		
	Total	10473	72.0		
Total		14541	100.0		

Section D

Events in your life

Listed below are a number of events which may have brought changes in your life. Have any of these occurred in the last year?

	Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No, did not happen
In the last year:					
D35. Your partner died	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D36. One of your children died	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D37. A friend or relative died	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D38. One of your children was ill	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D39. Your partner was ill	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D40. A friend or relative was ill	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D41. You were admitted to hospital	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D42. You were in trouble with the law	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D43. You were divorced	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D44. You were very ill	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D45. Your partner lost his job	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D46. Your partner had problems at work	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D47. You had problems at work	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D48. You lost your job	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D49. Your partner went away	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D50. Your partner was in trouble with the law	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>

55972



Section D

	Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No, did not happen
In the last year::					
D51. You and your partner separated	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D52. Your income was reduced	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D53. You argued with your partner	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D54. You argued with your family and friends	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D55. You moved house	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D56. Your partner was physically cruel to you	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D57. You became homeless	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D58. You had a major financial problem	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D59. You got married	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D60. Your partner was physically cruel to your children	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D61. You were physically cruel to your children	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D62. You attempted suicide	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D63. You were convicted of an offence	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D64. You became pregnant	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D65. You started a new job	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D66. You returned to work	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D67. You had a miscarriage	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D68. You had an abortion	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>

55972



Section D

	Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No, did not happen
In the last year:					
D69. You took an examination	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D70. Your partner was emotionally cruel to you	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D71. Your partner was emotionally cruel to your children	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D72. You were emotionally cruel to your children	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D73. Your house or car was burgled	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D74. You found a new partner	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D75. One of your children started school	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D76. Your partner started a new job	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D77. A pet died	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
D78. You had an accident (please mark and describe):	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>



55972



Section D

- D79.a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope in the last year?

Yes 1

No 2 → If no, go to Section E on page 45

If yes,

- b) Please describe what happened for each event:

(i)

(ii)

(iii)

55972



Section D

t3260 D34a: Degree to which respondent avoids saying what they think for fear of being rejected

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very like	215	1.5	5.3	5.3
	2 Moderately like	1082	7.4	26.7	31.9
	3 Moderately unlike	1001	6.9	24.7	56.6
	4 Very unlike	1762	12.1	43.4	100.0
	Total	4060	27.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	115	.8		
	Total	10481	72.1		
Total		14541	100.0		

t3261 D34b: Degree to which respondent thinks that if others knew the real them they would not like them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very like	75	.5	1.9	1.9
	2 Moderately like	332	2.3	8.2	10.1
	3 Moderately unlike	690	4.7	17.1	27.2
	4 Very unlike	2938	20.2	72.8	100.0
	Total	4035	27.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	140	1.0		
	Total	10506	72.3		
Total		14541	100.0		

t3262 D34c: Degree to which respondent thinks that if other people knew what respondent is really like they would think less of them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very like	85	.6	2.1	2.1
	2 Moderately like	342	2.4	8.5	10.6
	3 Moderately unlike	711	4.9	17.7	28.3
	4 Very unlike	2886	19.8	71.7	100.0
	Total	4024	27.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	151	1.0		
	Total	10517	72.3		
Total		14541	100.0		

t3263 D34d: Degree to which respondent always expects criticism

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very like	212	1.5	5.3	5.3
	2 Moderately like	879	6.0	21.8	27.0
	3 Moderately unlike	1026	7.1	25.4	52.5
	4 Very unlike	1919	13.2	47.5	100.0
	Total	4036	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	139	1.0		
	Total	10505	72.2		

Section D

t3263 D34d: Degree to which respondent always expects criticism

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very like	212	1.5	5.3	5.3
	2 Moderately like	879	6.0	21.8	27.0
	3 Moderately unlike	1026	7.1	25.4	52.5
	4 Very unlike	1919	13.2	47.5	100.0
	Total	4036	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	139	1.0		
	Total	10505	72.2		
Total		14541	100.0		

t3264 D34e: Degree to which respondent does not like people to really know them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very like	131	.9	3.2	3.2
	2 Moderately like	594	4.1	14.7	18.0
	3 Moderately unlike	878	6.0	21.7	39.7
	4 Very unlike	2434	16.7	60.3	100.0
	Total	4037	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	138	.9		
	Total	10504	72.2		
Total		14541	100.0		

t3265 D34f: Degree to which respondent thinks that their value as a person depends enormously on what others think of them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very like	286	2.0	7.1	7.1
	2 Moderately like	1130	7.8	28.0	35.1
	3 Moderately unlike	987	6.8	24.5	59.6
	4 Very unlike	1631	11.2	40.4	100.0
	Total	4034	27.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	141	1.0		
	Total	10507	72.3		
Total		14541	100.0		

Derived variable: Negative self schema score

Recode t3260 to t3265 (1=4)(2=3)(3=2)(4=1)

Compute t3270 = sum (t3260 to t3265)

Section D

t3270 DV: Negative self schema score

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	6	9	.1	.2	.2
	7	11	.1	.3	.5
	8	15	.1	.4	.9
	9	22	.2	.6	1.4
	10	20	.1	.5	1.9
	11	41	.3	1.0	3.0
	12	92	.6	2.3	5.3
	13	77	.5	1.9	7.2
	14	122	.8	3.1	10.3
	15	137	.9	3.5	13.8
	16	199	1.4	5.0	18.8
	17	222	1.5	5.6	24.4
	18	326	2.2	8.2	32.6
	19	277	1.9	7.0	39.5
	20	375	2.6	9.4	49.0
	21	380	2.6	9.6	58.6
	22	487	3.3	12.3	70.8
	23	423	2.9	10.7	81.5
	24	735	5.1	18.5	100.0
	Total	3970	27.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 At least one missing item	205	1.4		
	Total	10571	72.7		
Total		14541	100.0		

t3300 D35: Respondent's partner died in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	15	.1	.4	.4
	5 No, did not happen	4098	28.2	99.6	100.0
	Total	4113	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	62	.4		
	Total	10428	71.7		
Total		14541	100.0		

t3301 D36: One of respondent's children died in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	5	.0	.1	.1
	5 No, did not happen	4110	28.3	99.9	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

Section D

t3302 D37: A friend or relative of respondent died in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	453	3.1	11.0	11.0
	2 Yes, respondent moderately affected	379	2.6	9.2	20.2
	3 Yes, respondent mildly affected	440	3.0	10.7	30.9
	4 Yes, but did not affect respondent at all	131	.9	3.2	34.1
	5 No, did not happen	2707	18.6	65.9	
	Total	4110	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	65	.4		
	Total	10431	71.7		
Total		14541	100.0		

t3303 D38: One of respondent's children was ill in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	223	1.5	5.4	5.4
	2 Yes, respondent moderately affected	184	1.3	4.5	9.9
	3 Yes, respondent mildly affected	277	1.9	6.7	16.6
	4 Yes, but did not affect respondent at all	150	1.0	3.6	20.3
	5 No, did not happen	3278	22.5	79.7	
	Total	4112	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	63	.4		
	Total	10429	71.7		
Total		14541	100.0		

t3304 D39: Respondent's partner was ill in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	167	1.1	4.1	4.1
	2 Yes, respondent moderately affected	173	1.2	4.2	8.3
	3 Yes, respondent mildly affected	205	1.4	5.0	13.3
	4 Yes, but did not affect respondent at all	102	.7	2.5	15.8
	5 No, did not happen	3455	23.8	84.2	
	Total	4102	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	73	.5		
	Total	10439	71.8		
Total		14541	100.0		

Section D

t3305 D40: A friend or relative of respondent was ill in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	499	3.4	12.1	12.1
	2 Yes, respondent moderately affected	526	3.6	12.8	24.9
	3 Yes, respondent mildly affected	540	3.7	13.1	38.0
	4 Yes, but did not affect respondent at all	189	1.3	4.6	42.6
	5 No, did not happen	2366	16.3	57.4	100.0
	Total	4120	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	55	.4		
	Total	10421	71.7		
Total		14541	100.0		

t3306 D41: Respondent was admitted to hospital in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	119	.8	2.9	2.9
	2 Yes, respondent moderately affected	94	.6	2.3	5.2
	3 Yes, respondent mildly affected	98	.7	2.4	7.6
	4 Yes, but did not affect respondent at all	69	.5	1.7	9.2
	5 No, did not happen	3735	25.7	90.8	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

t3307 D42: Respondent was in trouble with the law in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	6	.0	.1	.1
	2 Yes, respondent moderately affected	4	.0	.1	.2
	3 Yes, respondent mildly affected	8	.1	.2	.4
	4 Yes, but did not affect respondent at all	4	.0	.1	.5
	5 No, did not happen	4096	28.2	99.5	100.0
	Total	4118	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	57	.4		
	Total	10423	71.7		
Total		14541	100.0		

Section D

t3308 D43: Respondent was divorced in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	43	.3	1.0	1.0
	2 Yes, respondent moderately affected	10	.1	.2	1.3
	3 Yes, respondent mildly affected	11	.1	.3	1.6
	4 Yes, but did not affect respondent at all	11	.1	.3	1.8
	5 No, did not happen	4041	27.8	98.2	100.0
	Total	4116	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	59	.4		
	Total	10425	71.7		
Total		14541	100.0		

t3309 D44: Respondent was very ill in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	127	.9	3.1	3.1
	2 Yes, respondent moderately affected	86	.6	2.1	5.2
	3 Yes, respondent mildly affected	66	.5	1.6	6.8
	4 Yes, but did not affect respondent at all	25	.2	.6	7.4
	5 No, did not happen	3811	26.2	92.6	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

t3310 D45: Respondent's partner lost job in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	98	.7	2.4	2.4
	2 Yes, respondent moderately affected	82	.6	2.0	4.4
	3 Yes, respondent mildly affected	39	.3	1.0	5.3
	4 Yes, but did not affect respondent at all	12	.1	.3	5.6
	5 No, did not happen	3871	26.6	94.4	100.0
	Total	4102	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	73	.5		
	Total	10439	71.8		
Total		14541	100.0		

Section D

t3311 D46: Respondent's partner had problems at work in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	168	1.2	4.1	4.1
	2 Yes, respondent moderately affected	276	1.9	6.7	10.8
	3 Yes, respondent mildly affected	350	2.4	8.5	19.4
	4 Yes, but did not affect respondent at all	80	.6	2.0	21.3
	5 No, did not happen	3221	22.2	78.7	100.0
	Total	4095	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	80	.6		
	Total	10446	71.8		
Total		14541	100.0		

t3312 D47: Respondent had problems at work in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	257	1.8	6.3	6.3
	2 Yes, respondent moderately affected	340	2.3	8.3	14.5
	3 Yes, respondent mildly affected	410	2.8	10.0	24.5
	4 Yes, but did not affect respondent at all	120	.8	2.9	27.4
	5 No, did not happen	2983	20.5	72.6	100.0
	Total	4110	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	65	.4		
	Total	10431	71.7		
Total		14541	100.0		

t3313 D48: Respondent lost their job in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	65	.4	1.6	1.6
	2 Yes, respondent moderately affected	40	.3	1.0	2.6
	3 Yes, respondent mildly affected	23	.2	.6	3.1
	4 Yes, but did not affect respondent at all	14	.1	.3	3.5
	5 No, did not happen	3967	27.3	96.5	100.0
	Total	4109	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	66	.5		
	Total	10432	71.7		
Total		14541	100.0		

Section D

t3314 D49: Respondent's partner went away in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	65	.4	1.6	1.6
	2 Yes, respondent moderately affected	31	.2	.8	2.3
	3 Yes, respondent mildly affected	85	.6	2.1	4.4
	4 Yes, but did not affect respondent at all	96	.7	2.3	6.8
	5 No, did not happen	3825	26.3	93.2	100.0
	Total	4102	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	73	.5		
	Total	10439	71.8		
Total		14541	100.0		

t3315 D50: Respondent's partner was in trouble with the law in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	15	.1	.4	.4
	2 Yes, respondent moderately affected	8	.1	.2	.6
	3 Yes, respondent mildly affected	7	.0	.2	.7
	4 Yes, but did not affect respondent at all	3	.0	.1	.8
	5 No, did not happen	4068	28.0	99.2	100.0
	Total	4101	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	74	.5		
	Total	10440	71.8		
Total		14541	100.0		

t3316 D51: Respondent and partner separated in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	117	.8	2.8	2.8
	2 Yes, respondent moderately affected	37	.3	.9	3.7
	3 Yes, respondent mildly affected	23	.2	.6	4.3
	4 Yes, but did not affect respondent at all	5	.0	.1	4.4
	5 No, did not happen	3928	27.0	95.6	100.0
	Total	4110	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	65	.4		
	Total	10431	71.7		
Total		14541	100.0		

Section D

t3317 D52: Respondent's income was reduced in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	329	2.3	8.0	8.0
	2 Yes, respondent moderately affected	376	2.6	9.2	17.2
	3 Yes, respondent mildly affected	417	2.9	10.2	27.3
	4 Yes, but did not affect respondent at all	165	1.1	4.0	31.3
	5 No, did not happen	2820	19.4	68.7	100.0
	Total	4107	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	68	.5		
	Total	10434	71.8		
Total		14541	100.0		

t3318 D53: Respondent argued with partner in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	291	2.0	7.1	7.1
	2 Yes, respondent moderately affected	369	2.5	9.0	16.1
	3 Yes, respondent mildly affected	726	5.0	17.8	33.9
	4 Yes, but did not affect respondent at all	661	4.5	16.2	50.1
	5 No, did not happen	2040	14.0	49.9	100.0
	Total	4087	28.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	88	.6		
	Total	10454	71.9		
Total		14541	100.0		

t3319 D54: Respondent argued with family and friends in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	148	1.0	3.6	3.6
	2 Yes, respondent moderately affected	155	1.1	3.8	7.4
	3 Yes, respondent mildly affected	299	2.1	7.3	14.6
	4 Yes, but did not affect respondent at all	187	1.3	4.5	19.2
	5 No, did not happen	3325	22.9	80.8	100.0
	Total	4114	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	61	.4		
	Total	10427	71.7		
Total		14541	100.0		

Section D

t3320 D55: Respondent moved house in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	58	.4	1.4	1.4
	2 Yes, respondent moderately affected	46	.3	1.1	2.5
	3 Yes, respondent mildly affected	42	.3	1.0	3.5
	4 Yes, but did not affect respondent at all	35	.2	.9	4.4
	5 No, did not happen	3933	27.0	95.6	100.0
	Total	4114	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	61	.4		
	Total	10427	71.7		
Total		14541	100.0		

t3321 D56: Respondent's partner was physically cruel to respondent in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	32	.2	.8	.8
	2 Yes, respondent moderately affected	8	.1	.2	1.0
	3 Yes, respondent mildly affected	14	.1	.3	1.3
	4 Yes, but did not affect respondent at all	5	.0	.1	1.4
	5 No, did not happen	4051	27.9	98.6	100.0
	Total	4110	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	65	.4		
	Total	10431	71.7		
Total		14541	100.0		

t3322 D57: Respondent became homeless in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	2	.0	.0	.0
	2 Yes, respondent moderately affected	1	.0	.0	.1
	3 Yes, respondent mildly affected	2	.0	.0	.1
	5 No, did not happen	4112	28.3	99.9	100.0
	Total	4117	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	58	.4		
	Total	10424	71.7		
Total		14541	100.0		

Section D

t3323 D58: Respondent had a major financial problem in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	189	1.3	4.6	4.6
	2 Yes, respondent moderately affected	177	1.2	4.3	8.9
	3 Yes, respondent mildly affected	128	.9	3.1	12.0
	4 Yes, but did not affect respondent at all	29	.2	.7	12.7
	5 No, did not happen	3599	24.8	87.3	100.0
	Total	4122	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	53	.4		
	Total	10419	71.7		
Total		14541	100.0		

t3324 D59: Respondent got married in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	16	.1	.4	.4
	2 Yes, respondent moderately affected	3	.0	.1	.5
	3 Yes, respondent mildly affected	5	.0	.1	.6
	4 Yes, but did not affect respondent at all	9	.1	.2	.8
	5 No, did not happen	4082	28.1	99.2	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

t3325 D60: Respondent's partner was physically cruel to respondent's children in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	13	.1	.3	.3
	2 Yes, respondent moderately affected	5	.0	.1	.4
	3 Yes, respondent mildly affected	4	.0	.1	.5
	5 No, did not happen	4086	28.1	99.5	100.0
	Total	4108	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	67	.5		
	Total	10433	71.7		
Total		14541	100.0		

Section D

t3326 D61: Respondent was physically cruel to own children in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	1	.0	.0	.0
	2 Yes, respondent moderately affected	2	.0	.0	.1
	3 Yes, respondent mildly affected	5	.0	.1	.2
	5 No, did not happen	4108	28.3	99.8	
	Total	4116	28.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	59	.4		
	Total	10425	71.7		
Total		14541	100.0		

t3327 D62: Respondent attempted suicide in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	10	.1	.2	.2
	2 Yes, respondent moderately affected	4	.0	.1	.3
	3 Yes, respondent mildly affected	2	.0	.0	.4
	5 No, did not happen	4099	28.2	99.6	
	Total	4115	28.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

t3328 D63: Respondent was convicted of an offence in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	4	.0	.1	.1
	3 Yes, respondent mildly affected	4	.0	.1	.2
	4 Yes, but did not affect respondent at all	4	.0	.1	.3
	5 No, did not happen	4105	28.2	99.7	
	Total	4117	28.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	58	.4		
	Total	10424	71.7		
Total		14541	100.0		

Section D

t3329 D64: Respondent became pregnant in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	7	.0	.2	.2
	2 Yes, respondent moderately affected	3	.0	.1	.2
	4 Yes, but did not affect respondent at all	2	.0	.0	.3
	5 No, did not happen	4105	28.2	99.7	100.0
	Total	4117	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	58	.4		
	Total	10424	71.7		
Total		14541	100.0		

t3330 D65: Respondent started a new job in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	117	.8	2.8	2.8
	2 Yes, respondent moderately affected	163	1.1	4.0	6.8
	3 Yes, respondent mildly affected	144	1.0	3.5	10.3
	4 Yes, but did not affect respondent at all	116	.8	2.8	13.1
	5 No, did not happen	3575	24.6	86.9	100.0
Missing	Total	4115	28.3	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
Total	Total	10426	71.7		
Total		14541	100.0		

t3331 D66: Respondent returned to work in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	39	.3	.9	.9
	2 Yes, respondent moderately affected	38	.3	.9	1.9
	3 Yes, respondent mildly affected	28	.2	.7	2.6
	4 Yes, but did not affect respondent at all	31	.2	.8	3.3
	5 No, did not happen	3978	27.4	96.7	100.0
Missing	Total	4114	28.3	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	61	.4		
Total	Total	10427	71.7		
Total		14541	100.0		

Section D

t3332 D67: Respondent had a miscarriage in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	4	.0	.1	.1
	3 Yes, respondent mildly affected	2	.0	.0	.1
	5 No, did not happen	4110	28.3	99.9	100.0
	Total	4116	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	59	.4		
	Total	10425	71.7		
Total		14541	100.0		

t3333 D68: Respondent had an abortion in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	2	.0	.0	.0
	3 Yes, respondent mildly affected	1	.0	.0	.1
	5 No, did not happen	4112	28.3	99.9	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

t3334 D69: Respondent took an examination in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	74	.5	1.8	1.8
	2 Yes, respondent moderately affected	156	1.1	3.8	5.6
	3 Yes, respondent mildly affected	184	1.3	4.5	10.1
	4 Yes, but did not affect respondent at all	150	1.0	3.6	13.7
	5 No, did not happen	3554	24.4	86.3	100.0
	Total	4118	28.3	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	57	.4		
	Total	10423	71.7		
	Total	14541	100.0		

t3335 D70: Respondent's partner was emotionally cruel to respondent in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	139	1.0	3.4	3.4
	2 Yes, respondent moderately affected	101	.7	2.5	5.9
	3 Yes, respondent mildly affected	97	.7	2.4	8.2
	4 Yes, but did not affect respondent at all	26	.2	.6	8.9
	5 No, did not happen	3732	25.7	91.1	100.0
	Total	4095	28.2	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	80	.6		
	Total	10446	71.8		
	Total	14541	100.0		

Section D

t3336 D71: Respondent's partner was emotionally cruel to respondent's children in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	73	.5	1.8	1.8
	2 Yes, respondent moderately affected	69	.5	1.7	3.5
	3 Yes, respondent mildly affected	42	.3	1.0	4.5
	4 Yes, but did not affect respondent at all	3	.0	.1	4.6
	5 No, did not happen	3916	26.9	95.4	
	Total	4103	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	72	.5		
	Total	10438	71.8		
Total		14541	100.0		

t3337 D72: Respondent was emotionally cruel to own children in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	10	.1	.2	.2
	2 Yes, respondent moderately affected	11	.1	.3	.5
	3 Yes, respondent mildly affected	25	.2	.6	1.1
	5 No, did not happen	4068	28.0	98.9	
	Total	4114	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	61	.4		
	Total	10427	71.7		
Total		14541	100.0		

t3338 D73: Respondent's house or car was burgled in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	29	.2	.7	.7
	2 Yes, respondent moderately affected	41	.3	1.0	1.7
	3 Yes, respondent mildly affected	47	.3	1.1	2.8
	4 Yes, but did not affect respondent at all	20	.1	.5	3.3
	5 No, did not happen	3982	27.4	96.7	
	Total	4119	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	56	.4		
	Total	10422	71.7		
Total		14541	100.0		

Section D

t3339 D74: Respondent found a new partner in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	38	.3	.9	.9
	2 Yes, respondent moderately affected	12	.1	.3	1.2
	3 Yes, respondent mildly affected	11	.1	.3	1.5
	4 Yes, but did not affect respondent at all	7	.0	.2	1.7
	5 No, did not happen	4043	27.8	98.3	100.0
	Total	4111	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	64	.4		
	Total	10430	71.7		
Total		14541	100.0		

t3340 D75: One of respondent's children started school in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	16	.1	.4	.4
	2 Yes, respondent moderately affected	36	.2	.9	1.3
	3 Yes, respondent mildly affected	34	.2	.8	2.1
	4 Yes, but did not affect respondent at all	34	.2	.8	2.9
	5 No, did not happen	3995	27.5	97.1	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

t3341 D76: Respondent's partner started a new job in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	37	.3	.9	.9
	2 Yes, respondent moderately affected	75	.5	1.8	2.7
	3 Yes, respondent mildly affected	94	.6	2.3	5.0
	4 Yes, but did not affect respondent at all	84	.6	2.0	7.1
	5 No, did not happen	3812	26.2	92.9	100.0
	Total	4102	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	73	.5		
	Total	10439	71.8		
Total		14541	100.0		

Section D

t3342 D77: A pet died in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	154	1.1	3.7	3.7
	2 Yes, respondent moderately affected	173	1.2	4.2	7.9
	3 Yes, respondent mildly affected	192	1.3	4.7	12.6
	4 Yes, but did not affect respondent at all	84	.6	2.0	14.6
	5 No, did not happen	3519	24.2	85.4	100.0
	Total	4122	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	53	.4		
	Total	10419	71.7		
Total		14541	100.0		

t3343 D78: Respondent had an accident in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	62	.4	1.5	1.5
	2 Yes, respondent moderately affected	65	.4	1.6	3.1
	3 Yes, respondent mildly affected	66	.5	1.6	4.8
	4 Yes, but did not affect respondent at all	29	.2	.7	5.5
	5 No, did not happen	3841	26.4	94.5	100.0
	Total	4063	27.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	112	.8		
	Total	10478	72.1		
Total		14541	100.0		

t3370 D79a: Anything else not on list which has concerned respondent or required additional effort to cope in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	998	6.9	33.5	33.5
	2 No	1979	13.6	66.5	100.0
	Total	2977	20.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	1198	8.2		
	Total	11564	79.5		
Total		14541	100.0		

Section E

Section E: Your Health

The following questions ask for your views about your health and how you feel about life in general. If you are unsure about how to answer any question, try and think about your overall health and give the best answer you can. Do not spend too much time answering, as your immediate response is likely to be the most accurate.

- E1. In general, would you say your health is: (Please mark **one** box)

Excellent 1 Very good 2 Good 3 Fair 4 Poor 5

- E2. Compared to 3 months ago, how would you rate your health in general now? (Please mark **one** box).

Much better than 3 months ago 1 Somewhat better than 3 months ago 2 About the same 3

Somewhat worse now than 3 months ago 4 Much worse now than 3 months ago 5

- E3. The following questions are about activities you might do during a typical day. Does your health limit you in these activities? If so, how much? (Please mark **one** box on each line).

		Yes, limited a lot	Yes, limited a little	No, not limited at all
a)	Vigorous activities , such as running, lifting heavy objects, participating in strenuous sports.	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b)	Moderate activities , such as moving a table, pushing a vacuum, bowling or playing golf.	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c)	Lifting or carrying groceries	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d)	Climbing several flights of stairs	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e)	Climbing one flight of stairs	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
f)	Bending, kneeling or stooping	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
g)	Walking more than a mile	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
h)	Walking half a mile	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

55972



Section E

E3. cont.

	Yes, limited a lot	Yes, limited a little	No, not limited at all
i) Walking 100 yards	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
j) Bathing and dressing yourself	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

E4. During the **past 2 weeks**, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of your physical health? (Please mark **one** box on each line)

	All of the time	Most of the time	Some of the time	A little of the time	None of the time
a) Cut down on the amount of time you spent on work or other activities	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
b) Accomplished less than you would like	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
c) Were limited in the kind of work or other activities	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
d) Had difficulty performing the work or other activities (e.g. it took more effort)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>

E5. During the **past 2 weeks**, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)? (Please mark **one** box on each line)

	All of the time	Most of the time	Some of the time	A little of the time	None of the time
a) Cut down on the amount of time you spent on work or other activities	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
b) Accomplished less than you would like	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
c) Didn't do work or other activities as carefully as usual	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>

55972



Section E

- E6. During the past 2 weeks, to what extent have your physical health or emotional problems interfered with your normal social activities with family, neighbours or groups? (Please mark **one** box).

Not at all 1 Slightly 2 Moderately 3
Quite a bit 4 Extremely 5

- E7. How much bodily pain have you had during the past 2 weeks? (Please mark **one** box).

None 1 Very mild 2 Mild 3
Moderate 4 Severe 5 Very severe 6

- E8. During the past 2 weeks, how much did pain interfere with your normal work (including both outside the home and housework)? (Please mark **one** box).

Not at all 1 Slightly 2 Moderately 3
Quite a bit 4 Extremely 5

- E9. These questions are about how you feel and how things have been with you during the past 2 weeks. For each question please give one answer that comes closest to the way you have been feeling. (Please mark **one** box on each line)

How much time during the last 2 weeks:	All of the time	Most of the time	A good bit of the time	Some of the time	A little of the time	None of the time
a) Did you feel full of life?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
b) Have you been a very nervous person?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
c) Have you felt so down in the dumps that nothing would cheer you up?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>

55972

Section E

E9. cont.

How much time during the last 2 weeks:	All of the time	Most of the time	A good bit of the time	Some of the time	A little of the time	None of the time
d) Have you felt calm and peaceful?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
e) Did you have a lot of energy?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
f) Have you felt downhearted and low?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
g) Did you feel worn out?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
h) Have you been a happy person?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>
i) Did you feel tired?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>	6 <input type="checkbox"/>

E10. During the past 2 weeks, how much of your time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)? (Please mark **one** box).

All of the time 1 Most of the time 2 Some of the time 3
 A little of the time 4 None of the time 5

E11. How **TRUE** or **FALSE** is each of the following statements for you? (Please mark **one** box on each line)

	Definitely true	Mostly true	Not sure	Mostly false	Definitely false
a) I seem to get ill more easily than other people	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
b) I am as healthy as anybody I know	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
c) I expect my health to get worse	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
d) My health is excellent	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>

55972

Section E

t3500 E1: Respondent's health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Excellent	755	5.2	18.3	18.3
	2 Very good	1845	12.7	44.7	63.1
	3 Good	1115	7.7	27.0	90.1
	4 Fair	338	2.3	8.2	98.3
	5 Poor	70	.5	1.7	100.0
	Total	4123	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	52	.4		
	Total	10418	71.6		
Total		14541	100.0		

t3501 E2: Respondent's health now compared to three months ago

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Much better than 3 months ago	263	1.8	6.4	6.4
	2 Somewhat better than 3 months ago	371	2.6	9.0	15.4
	3 About the same	3192	22.0	77.3	92.7
	4 Somewhat worse now than 3 months ago	253	1.7	6.1	98.8
	5 Much worse now than 3 months ago	49	.3	1.2	100.0
	Total	4128	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	47	.3		
	Total	10413	71.6		
Total		14541	100.0		

t3505 E3a: Respondent's health limits vigorous activities (e.g. running, lifting heavy objects, participating in strenuous sports)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	522	3.6	12.7	12.7
	2 Yes, limited a little	1234	8.5	30.1	42.8
	3 No, not limited at all	2349	16.2	57.2	100.0
	Total	4105	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	70	.5		
	Total	10436	71.8		
Total		14541	100.0		

Section E

t3506 E3b: Respondent's health limits moderate activities (e.g. moving a table, pushing a vacuum, bowling or playing golf)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	127	.9	3.1	3.1
	2 Yes, limited a little	433	3.0	10.5	13.6
	3 No, not limited at all	3559	24.5	86.4	100.0
	Total	4119	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	56	.4		
	Total	10422	71.7		
Total		14541	100.0		

t3507 E3c: Respondent's health limits lifting or carrying groceries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	117	.8	2.8	2.8
	2 Yes, limited a little	580	4.0	14.1	17.0
	3 No, not limited at all	3409	23.4	83.0	100.0
	Total	4106	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	69	.5		
	Total	10435	71.8		
Total		14541	100.0		

t3508 E3d: Respondent's health limits climbing several flights of stairs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	138	.9	3.3	3.3
	2 Yes, limited a little	526	3.6	12.7	16.1
	3 No, not limited at all	3465	23.8	83.9	100.0
	Total	4129	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	46	.3		
	Total	10412	71.6		
Total		14541	100.0		

t3509 E3e: Respondent's health limits climbing one flight of stairs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	52	.4	1.3	1.3
	2 Yes, limited a little	172	1.2	4.2	5.4
	3 No, not limited at all	3898	26.8	94.6	100.0
	Total	4122	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	53	.4		
	Total	10419	71.7		
Total		14541	100.0		

Section E

t3510 E3f: Respondent's health limits bending, kneeling or stooping

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	142	1.0	3.4	3.4
	2 Yes, limited a little	743	5.1	18.0	21.4
	3 No, not limited at all	3245	22.3	78.6	
	Total	4130	28.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	45	.3		
	Total	10411	71.6		
Total		14541	100.0		

t3511 E3g: Respondent's health limits walking more than a mile

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	162	1.1	3.9	3.9
	2 Yes, limited a little	319	2.2	7.7	11.6
	3 No, not limited at all	3648	25.1	88.4	
	Total	4129	28.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	46	.3		
	Total	10412	71.6		
Total		14541	100.0		

t3512 E3h: Respondent's health limits walking half a mile

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	97	.7	2.3	2.3
	2 Yes, limited a little	173	1.2	4.2	6.5
	3 No, not limited at all	3858	26.5	93.5	
	Total	4128	28.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	47	.3		
	Total	10413	71.6		
Total		14541	100.0		

t3513 E3i: Respondent's health limits walking 100 yards

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	53	.4	1.3	1.3
	2 Yes, limited a little	95	.7	2.3	3.6
	3 No, not limited at all	3975	27.3	96.4	
	Total	4123	28.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	52	.4		
	Total	10418	71.6		
Total		14541	100.0		

t3514 E3j: Respondent's health limits bathing and dressing

Section E

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	34	.2	.8	.8
	2 Yes, limited a little	106	.7	2.6	3.4
	3 No, not limited at all	3980	27.4	96.6	
	Total	4120	28.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	55	.4		
	Total	10421	71.7		
Total		14541	100.0		

t3520 E4a: Amount of time respondent cut down on work or other activities during past two weeks as a result of physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	60	.4	1.5	1.5
	2 Most of the time	61	.4	1.5	3.0
	3 Some of the time	140	1.0	3.4	6.4
	4 A little of the time	196	1.3	4.8	11.2
	5 None of the time	3621	24.9	88.8	
	Total	4078	28.0	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	97	.7		
	Total	10463	72.0		
Total		14541	100.0		

t3521 E4b: Amount of time respondent accomplished less than would like during past two weeks as a result of physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	85	.6	2.1	2.1
	2 Most of the time	95	.7	2.3	4.4
	3 Some of the time	252	1.7	6.2	10.6
	4 A little of the time	385	2.6	9.4	20.0
	5 None of the time	3261	22.4	80.0	
	Total	4078	28.0	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	97	.7		
	Total	10463	72.0		
Total		14541	100.0		

t3522 E4c: Amount of time respondent was limited in the kind of work or other activities respondent could perform during past two weeks as a result of physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	88	.6	2.2	2.2
	2 Most of the time	85	.6	2.1	4.2
	3 Some of the time	196	1.3	4.8	9.1
	4 A little of the time	262	1.8	6.4	15.5
	5 None of the time	3446	23.7	84.5	
	Total	4077	28.0	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	98	.7		
	Total	10464	72.0		

Section E

t3522 E4c: Amount of time respondent was limited in the kind of work or other activities respondent could perform during past two weeks as a result of physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	88	.6	2.2	2.2
	2 Most of the time	85	.6	2.1	4.2
	3 Some of the time	196	1.3	4.8	9.1
	4 A little of the time	262	1.8	6.4	15.5
	5 None of the time	3446	23.7	84.5	100.0
	Total	4077	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	98	.7		
	Total	10464	72.0		
Total		14541	100.0		

t3523 E4d: Amount of time respondent had difficulty performing work or other activities during past two weeks as a result of physical health (e.g. it took more effort)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	77	.5	1.9	1.9
	2 Most of the time	91	.6	2.2	4.1
	3 Some of the time	214	1.5	5.2	9.4
	4 A little of the time	304	2.1	7.5	16.8
	5 None of the time	3391	23.3	83.2	100.0
	Total	4077	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	98	.7		
	Total	10464	72.0		
Total		14541	100.0		

t3530 E5a: Amount of time respondent cut down on work or other activities during past two weeks as a result of emotional problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	36	.2	.9	.9
	2 Most of the time	44	.3	1.1	2.0
	3 Some of the time	198	1.4	4.9	6.8
	4 A little of the time	303	2.1	7.4	14.3
	5 None of the time	3491	24.0	85.7	100.0
	Total	4072	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	103	.7		
	Total	10469	72.0		
Total		14541	100.0		

Section E

t3531 E5b: Amount of time respondent accomplished less than would like during past two weeks as a result of emotional problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	37	.3	.9	.9
	2 Most of the time	94	.6	2.3	3.2
	3 Some of the time	284	2.0	7.0	10.2
	4 A little of the time	478	3.3	11.7	21.9
	5 None of the time	3183	21.9	78.1	100.0
	Total	4076	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	99	.7		
	Total	10465	72.0		
Total		14541	100.0		

t3532 E5c: Amount of time respondent did not do work or other activities as carefully as usual during past two weeks as a result of emotional problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	28	.2	.7	.7
	2 Most of the time	45	.3	1.1	1.8
	3 Some of the time	227	1.6	5.6	7.4
	4 A little of the time	391	2.7	9.6	17.0
	5 None of the time	3382	23.3	83.0	100.0
	Total	4073	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	102	.7		
	Total	10468	72.0		
Total		14541	100.0		

t3535 E6: Extent to which physical health or emotional problems interfered with normal social activities with family, neighbours or groups during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	3099	21.3	75.5	75.5
	2 Slightly	657	4.5	16.0	91.5
	3 Moderately	158	1.1	3.8	95.3
	4 Quite a bit	133	.9	3.2	98.6
	5 Extremely	58	.4	1.4	100.0
	Total	4105	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	70	.5		
	Total	10436	71.8		
Total		14541	100.0		

Section E

t3536 E7: Amount of bodily pain respondent experienced during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1686	11.6	41.1	41.1
	2 Very mild	1056	7.3	25.8	66.9
	3 Mild	654	4.5	16.0	82.8
	4 Moderate	531	3.7	13.0	95.8
	5 Severe	135	.9	3.3	99.1
	6 Very severe	38	.3	.9	100.0
	Total	4100	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	75	.5		
	Total	10441	71.8		
Total		14541	100.0		

t3537 E8: Extent to which pain interfered with normal work (outside home and housework) during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	2845	19.6	69.4	69.4
	2 Slightly	859	5.9	20.9	90.3
	3 Moderately	180	1.2	4.4	94.7
	4 Quite a bit	147	1.0	3.6	98.3
	5 Extremely	70	.5	1.7	100.0
	Total	4101	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	74	.5		
	Total	10440	71.8		
Total		14541	100.0		

t3540 E9a: Amount of time respondent felt full of life during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	222	1.5	5.4	5.4
	2 Most of the time	1573	10.8	38.3	43.7
	3 A good bit of the time	911	6.3	22.2	65.9
	4 Some of the time	808	5.6	19.7	85.6
	5 A little of the time	377	2.6	9.2	94.8
	6 None of the time	214	1.5	5.2	100.0
	Total	4105	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	70	.5		
	Total	10436	71.8		
Total		14541	100.0		

Section E

t3541 E9b: Amount of time respondent been a very nervous person during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	31	.2	.8	.8
	2 Most of the time	77	.5	1.9	2.6
	3 A good bit of the time	104	.7	2.5	5.2
	4 Some of the time	384	2.6	9.4	14.5
	5 A little of the time	986	6.8	24.0	38.5
	6 None of the time	2523	17.4	61.5	
	Total	4105	28.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	70	.5		
	Total	10436	71.8		
Total		14541	100.0		

t3542 E9c: Amount of time respondent felt so down in the dumps that nothing would cheer respondent them up during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	18	.1	.4	.4
	2 Most of the time	64	.4	1.6	2.0
	3 A good bit of the time	111	.8	2.7	4.7
	4 Some of the time	322	2.2	7.8	12.5
	5 A little of the time	863	5.9	21.0	33.6
	6 None of the time	2727	18.8	66.4	
	Total	4105	28.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	70	.5		
	Total	10436	71.8		
Total		14541	100.0		

t3543 E9d: Amount of time respondent has felt calm and peaceful during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	159	1.1	3.9	3.9
	2 Most of the time	1240	8.5	30.2	34.1
	3 A good bit of the time	1001	6.9	24.4	58.5
	4 Some of the time	1030	7.1	25.1	83.6
	5 A little of the time	554	3.8	13.5	97.1
	6 None of the time	119	.8	2.9	
	Total	4103	28.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	72	.5		
	Total	10438	71.8		
Total		14541	100.0		

Section E

t3544 E9e: Amount of time respondent had a lot of energy during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	131	.9	3.2	3.2
	2 Most of the time	1152	7.9	28.1	31.3
	3 A good bit of the time	1001	6.9	24.4	55.7
	4 Some of the time	1107	7.6	27.0	82.6
	5 A little of the time	447	3.1	10.9	93.5
	6 None of the time	266	1.8	6.5	
	Total	4104	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	71	.5		
	Total	10437	71.8		
Total		14541	100.0		

t3545 E9f: Amount of time respondent felt downhearted and low during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	33	.2	.8	.8
	2 Most of the time	133	.9	3.2	4.0
	3 A good bit of the time	198	1.4	4.8	8.9
	4 Some of the time	728	5.0	17.7	26.6
	5 A little of the time	1492	10.3	36.4	63.0
	6 None of the time	1518	10.4	37.0	
	Total	4102	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	73	.5		
	Total	10439	71.8		
Total		14541	100.0		

t3546 E9g: Amount of time respondent felt worn out during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	88	.6	2.1	2.1
	2 Most of the time	251	1.7	6.1	8.3
	3 A good bit of the time	463	3.2	11.3	19.6
	4 Some of the time	1275	8.8	31.1	50.6
	5 A little of the time	1455	10.0	35.5	86.1
	6 None of the time	570	3.9	13.9	
	Total	4102	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	73	.5		
	Total	10439	71.8		
Total		14541	100.0		

Section E

t3547 E9h: Amount of time respondent been a happy person during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	352	2.4	8.6	8.6
	2 Most of the time	1957	13.5	47.7	56.3
	3 A good bit of the time	771	5.3	18.8	75.1
	4 Some of the time	688	4.7	16.8	91.8
	5 A little of the time	275	1.9	6.7	98.5
	6 None of the time	60	.4	1.5	100.0
	Total	4103	28.2		
Missing	-10 Not completed	10366	71.3		
	-1 No response	72	.5		
	Total	10438	71.8		
Total		14541	100.0		

t3548 E9i: Amount of time respondent felt tired during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	185	1.3	4.5	4.5
	2 Most of the time	411	2.8	10.0	14.5
	3 A good bit of the time	691	4.8	16.8	31.4
	4 Some of the time	1591	10.9	38.8	70.1
	5 A little of the time	1120	7.7	27.3	97.4
	6 None of the time	106	.7	2.6	100.0
	Total	4104	28.2		
Missing	-10 Not completed	10366	71.3		
	-1 No response	71	.5		
	Total	10437	71.8		
Total		14541	100.0		

t3560 E10: Amount of time physical health or emotional problems have interfered with respondent's social activities during past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	69	.5	1.7	1.7
	2 Most of the time	122	.8	3.0	4.7
	3 Some of the time	394	2.7	9.6	14.3
	4 A little of the time	528	3.6	12.9	27.1
	5 None of the time	2989	20.6	72.9	100.0
	Total	4102	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	73	.5		
	Total	10439	71.8		
Total		14541	100.0		

Section E

t3565 E11a: Respondent seems to get ill more easily than other people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Definitely true	64	.4	1.6	1.6
	2 Mostly true	119	.8	2.9	4.4
	3 Not sure	313	2.2	7.6	12.1
	4 Mostly false	649	4.5	15.8	27.8
	5 Definitely false	2970	20.4	72.2	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

t3566 E11b: Respondent is as healthy as anybody they know

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Definitely true	1759	12.1	42.8	42.8
	2 Mostly true	1508	10.4	36.7	79.5
	3 Not sure	428	2.9	10.4	89.9
	4 Mostly false	229	1.6	5.6	95.5
	5 Definitely false	184	1.3	4.5	100.0
	Total	4108	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	67	.5		
	Total	10433	71.7		
Total		14541	100.0		

t3567 E11c: Respondent expects their health to get worse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Definitely true	137	.9	3.3	3.3
	2 Mostly true	508	3.5	12.4	15.7
	3 Not sure	1179	8.1	28.8	44.5
	4 Mostly false	760	5.2	18.5	63.0
	5 Definitely false	1516	10.4	37.0	100.0
	Total	4100	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	75	.5		
	Total	10441	71.8		
Total		14541	100.0		

Section E

t3568 E11d: Respondent's health is excellent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Definitely true	988	6.8	24.1	24.1
	2 Mostly true	2097	14.4	51.1	75.2
	3 Not sure	419	2.9	10.2	85.4
	4 Mostly false	341	2.3	8.3	93.7
	5 Definitely false	258	1.8	6.3	100.0
	Total	4103	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	72	.5		
	Total	10438	71.8		
Total		14541	100.0		

Derived variables: These were created according to the scoring procedures detailed in the SF-36v2 User's Manual (Ware et al, 2007). For each of the eight health domain subscales, raw scores and norm-based scores are created (note that the norm based scores are base on US-based norms exactly as detailed in the manual). For each subscale only the raw and norm based scores are included on the built file together with the number of missing items for each subscale.

General rules are as follows: Raw sub scale scores are created by summing the individual items comprising that item after any relevant recodes and missing value imputations. Raw scores are then transformed to a 0-100 scale score using the formula

$$\frac{(\text{actual raw score} - \text{lowest possible raw score})}{\text{Possible raw score range}} \times 1000$$


These 0-100 scores are then transformed to z-scores using the means and standard deviations taken from the 1998 US general population. These z-scores are then transformed to norm-based scores using a T-score transformation (mean=50; SD=10).

Please see the following pages for specific details for each subscale:

Physical Functioning (PF): The PF scale is calculated if at least five out of ten individual items are not missing. If there are less than five items missing, the raw and norm-based scores are calculated by imputing the average of the non-missing items.

Raw score = sum (T3505 to T3514)

Section E



t3601 DV: SF-36 - Physical Functioning sub scale, total number of items missing


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	4045	27.8	96.9	96.9
	1.00	69	.5	1.7	98.5
	2.00	12	.1	.3	98.8
	3.00	1	.0	.0	98.9
	4.00	1	.0	.0	98.9
	5.00	3	.0	.1	98.9
	6.00	1	.0	.0	99.0
	7.00	2	.0	.0	99.0
	8.00	3	.0	.1	99.1
	10.00	38	.3	.9	100.0
	Total	4175	28.7	100.0	
Missing	-10.00 Not completed	10366	71.3		
Total		14541	100.0		

Raw PF score is transformed to 0-100 scale; $PF_s = (T3600 - 10) / 20 \times 100$;

this is then transformed to a z-score; $PF_z = (PF_s - 83.29094) / 23.75833$;


Final norm-based score created as $T3605 = 50 + (PF_z \times 10)$

Section E



Role Physical (RP): The RP scale is calculated if at least two out of four individual items are not missing. If there are less than two items missing, the raw and norm-based scores are calculated by imputing the average of the non-missing items.

Raw score = sum (T3520 to T3523)



Section E

t3611 DV: SF-36 - Role Physical sub scale, total number of items missing


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	4066	28.0	97.4	97.4
	1.00	12	.1	.3	97.7
	2.00	3	.0	.1	97.7
	3.00	4	.0	.1	97.8
	4.00	90	.6	2.2	100.0
	Total	4175	28.7	100.0	
Missing	-10.00 Not completed	10366	71.3		
Total		14541	100.0		

Raw RP score is transformed to 0-100 scale; $RP_s = (T3610 - 4) / 16 \times 100$;

this is then transformed to a z-score; $RP_z = (RP_s - 85.20964) / 25.52028$;

Final norm-based score created as $T3615 = 50 + (RP_z \times 10)$

t3615 DV: SF-36 - Role Physical sub scale Norm-based score (Based on US Norms)




Section E

Bodily Pain (BP): The BP scale is calculated if both items are not missing. Prior to calculating the raw score, recode T3536 (1=6)(2=5.4)(3=4.2)(4=3.1)(5=2.2)(6=1); for T3537 the following recodes apply:

If T3537 eq 1 and T3536 eq 1, T3537=6
 If T3537 eq 1 and T3536 eq 2, T3537=5
 If T3537 eq 2 and T3536 ge 1, T3537=4
 If T3537 eq 3 and T3536 ge 1, T3537=3
 If T3537 eq 4 and T3536 ge 1, T3537=2
 If T3537 eq 5 and T3536 ge 1, T3537=1

If either item is missing, the raw and norm-based scores are calculated by imputing the value of the recoded other item.

Raw score = T3536 + T3537.




t3621 DV: SF-36 - Bodily Pain sub scale, total number of items missing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	4054	27.9	97.1	97.1
	1.00	55	.4	1.3	98.4
	2.00	66	.5	1.6	100.0
	Total	4175	28.7	100.0	
Missing	-10.00 Not completed	10366	71.3		
Total		14541	100.0		

Section E

Raw BP score is transformed to 0-100 scale; $BP_s = (T3620 - 2) / 10 \times 100$; this is then transformed to a z-score; $BP_z = (BP_s - 71.32527) / 23.66224$; Final norm-based score created as $T3625 = 50 + (BP_z \times 10)$

t3625 DV: SF-36 - Bodily Pain sub scale Norm-based score (Based on US Norms)



General Health (GH): The GH scale is calculated if at least three out of five individual items are not missing. If there are less than three items missing, the raw and norm-based scores are calculated by imputing the average of the non-missing items after recoding.


Prior to calculating the raw score, recode:

T3500 (1=5)(2=4.4)(3=3.4)(4=2.0)(5=1)

T3566, T3568 (1=5)(2=4)(3=3)(4=2)(5=1)

Raw score = T3500 + T3565 + T3566 + T3567 + T3568

Section E



t3631 DV: SF-36 - General Health sub scale, total number of items missing


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	4060	27.9	97.2	97.2
	1.00	50	.3	1.2	98.4
	2.00	4	.0	.1	98.5
	3.00	2	.0	.0	98.6
	4.00	33	.2	.8	99.4
	5.00	26	.2	.6	100.0
	Total	4175	28.7	100.0	
Missing	-10.00 Not completed	10366	71.3		
Total		14541	100.0		

Raw GH score is transformed to 0-100 scale; $GH_s = (T3630 - 5) / 10 \times 100$;

this is then transformed to a z-score; $GH_z = (GH_s - 70.84570) / 20.97821$;

Final norm-based score created as $T3635 = 50 + (GH_z \times 10)$

Section E




Vitality (V): The V scale is calculated if at least two out of four individual items are not missing. If there are less than two items missing, the raw and norm-based scores are calculated by imputing the average of the non-missing items after recoding.

Prior to calculating the raw score, recode:

T3540 and T3548 (1=5)(2=4.4)(3=3.4)(4=2.0)(5=1) Raw

score = T3540 + T3544 + T3546 + T3548

Section E



t3641 DV: SF-36 - Vitality sub scale, total number of items missing


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	3188	21.9	76.4	76.4
	1.00	667	4.6	16.0	92.3
	2.00	246	1.7	5.9	98.2
	3.00	14	.1	.3	98.6
	4.00	60	.4	1.4	100.0
	Total	4175	28.7	100.0	
Missing	-10.00 Not completed	10366	71.3		
Total		14541	100.0		

Raw V score is transformed to 0-100 scale; $V_s = (T3640 - 4) / 16 \times 100$;

this is then transformed to a z-score; $V_z = (V_s - 58.31411) / 20.01923$;

Final norm-based score created as $T3645 = 50 + (V_z \times 10)$

Section E




Social Functioning (SF): The SF scale is calculated if both items are not missing. Prior to calculating the raw score, recode T3535 (1=5)(2=4)(3=3)(4=2)(5=1);

If either item is missing, the raw and norm-based scores are calculated by imputing the value of the recoded other item.

Raw score = T3535 + T3560

Section E



t3651 DV: SF-36 - Social Functioning sub scale, total number of items missing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	4085	28.1	97.8	97.8
	1.00	37	.3	.9	98.7
	2.00	53	.4	1.3	100.0
	Total	4175	28.7	100.0	
Missing	-10.00 Not completed	10366	71.3		
Total		14541	100.0		


Raw SF score is transformed to 0-100 scale; $SF_s = (T3650 - 2) / 8 \times 100$;

this is then transformed to a z-score; $SF_z = (SF_s - 84.30250) / 22.91921$;

Final norm-based score created as $T3655 = 50 + (SF_z \times 10)$

Section E


t3655 DV: SF-36 - Social Functioning sub scale Norm-based score (Based on US Norms)



Role Emotional (RE): The RE scale is calculated if at least two out of three individual items are not missing. If there are less than two items missing, the raw and norm-based scores are calculated by imputing the average of the non-missing items after recoding.

Raw score = T3530 + T3531 + T3532

Section E



t3661 DV: SF-36 - Role Emotional sub scale, total number of items missing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	4066	28.0	97.4	97.4
	1.00	10	.1	.2	97.6
	2.00	3	.0	.1	97.7
	3.00	96	.7	2.3	
	Total	4175	28.7	100.0	100.0
	Missing	10366	71.3		
Total		14541	100.0		


Raw RE score is transformed to 0-100 scale; $RE_s = (T3660 - 3) / 12 \times 100$;

this is then transformed to a z-score; $RE_z = (RE_s - 87.39733) / 21.43778$;

Final norm-based score created as $T3665 = 50 + (RE_z \times 10)$

Section E


t3665 DV: SF-36 - Role Emotional sub scale Norm-based score (Based on US Norms)



Mental Health (MH): The MH scale is calculated if at least three out of five individual items are not missing. If there are less than three items missing, the raw and norm-based scores are calculated by imputing the average of the non-missing items after recoding.

Prior to calculating the raw score, recode: T3543 and T3547 (1=5)(2=4)(3=3)(4=2)(5=1) Raw

score = T3541 + T3542 + T3543 + T3545 + T3547



Section E

t3671 DV: SF-36 - Mental Health sub scale, total number of items missing


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	744	5.1	17.8	17.8
	1.00	1030	7.1	24.7	42.5
	2.00	1077	7.4	25.8	68.3
	3.00	1241	8.5	29.7	98.0
	4.00	18	.1	.4	98.4
	5.00	65	.4	1.6	100.0
	Total	4175	28.7	100.0	
Missing	-10.00 Not completed	10366	71.3		
Total		14541	100.0		

Raw MH score is transformed to 0-100 scale; $MH_s = (T3670 - 5) / 20 \times 100$;

this is then transformed to a z-score; $MH_z = (MH_s - 74.98685) / 17.75604$;

Final norm-based score created as $T3675 = 50 + (MH_z \times 10)$

t3675 DV: SF-36 - Mental Health sub scale Norm-based score (Based on US Norms)



Section E

The Physical component summary (PCS) and the Mental component summary (MCS) are calculated based on the eight health domain scales already computed. Each of these domain scales are standardised using US norms (means and SDs from the 1998 US general population) as previously described. Those standardized scores are then aggregated using factor score coefficients from the 1990 US general population. Finally, those aggregated scores are standardised using a mean of 50 and an SD of 10.

If more than one individual domain scale score is missing the MCS and PCS are set to missing.

Firstly calculate:


$$\text{PCS}_a = (\text{PF}_z * 0.42402) + (\text{RP}_z * 0.35119) + (\text{BP}_z * 0.31754) + (\text{GH}_z * 0.24954) + (\text{VT}_z * 0.02877) + (\text{SF}_z * -0.00753) + (\text{RE}_z * -0.19206) + (\text{MH}_z * -0.22069)$$

$$\text{MCS}_a = (\text{PF}_z * -0.22999) + (\text{RP}_z * -0.12329) + (\text{BP}_z * -0.09731) + (\text{GH}_z * -0.01571) + (\text{VT}_z * 0.23534) + (\text{SF}_z * 0.26876) + (\text{RE}_z * 0.43407) + (\text{MH}_z * 0.48581)$$


Then,

$$T3680 = 50 + (\text{PCS}_a * 10)$$

$$T3685 = 50 + (\text{MCS}_a * 10)$$



Section E



Section E

Other people's health

- E12. Paul has a headache once a month that is relieved after taking a pill. During the headache he can carry on with his day-to-day affairs.

In your opinion, what degree of bodily aches or pains does Paul have?

None 1 Mild 2 Moderate 3 Severe 4 Extreme 5

- E13. Karen enjoys her work and social activities and is generally satisfied with her life. She gets depressed every 3 weeks for a day or two and loses interest in what she usually enjoys but is able to carry on with her day-to-day activities.

How much of a problem does Karen have with feeling sad, low or depressed?

None 1 Mild 2 Moderate 3 Severe 4 Extreme 5

- E14. Kevin suffers from back pain that causes stiffness in his back especially at work but is relieved with low doses of medication. He does not have any pains other than this generalised discomfort.

What degree of impairment or health problem does Kevin have that limits his daily activities, including work?

None 1 Mild 2 Moderate 3 Severe 4 Extreme 5

- E15. Anthony generally enjoys his work. He gets depressed every 3 weeks for a day or two and loses interest in what he usually enjoys but is able to carry on with his day-to-day activities on the job.

What degree of impairment or health problem does Anthony have that limits the kind or amount of work he can do?

None 1 Mild 2 Moderate 3 Severe 4 Extreme 5

55972

Section E

t4000 E12: Degree of bodily aches and pains experienced by Paul

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	983	6.8	24.1	24.1
	2 Mild	2822	19.4	69.0	93.1
	3 Moderate	272	1.9	6.7	99.8
	4 Severe	10	.1	.2	100.0
	Total	4087	28.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	88	.6		
	Total	10454	71.9		
Total		14541	100.0		

t4001 E13: Extent of problem Karen has with feeling sad, low or depressed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	189	1.3	4.6	4.6
	2 Mild	2369	16.3	58.1	62.7
	3 Moderate	1364	9.4	33.5	96.2
	4 Severe	151	1.0	3.7	99.9
	5 Extreme	4	.0	.1	100.0
	Total	4077	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	98	.7		
	Total	10464	72.0		
Total		14541	100.0		

t4002 E14: Degree of impairment or health problem limiting daily activities and work experienced by Kevin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	161	1.1	4.0	4.0
	2 Mild	2167	14.9	53.2	57.2
	3 Moderate	1620	11.1	39.8	97.0
	4 Severe	118	.8	2.9	99.9
	5 Extreme	5	.0	.1	100.0
	Total	4071	28.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	104	.7		
	Total	10470	72.0		
Total		14541	100.0		

Section E

t4003 E15: Degree of impairment or health problem limiting the kind or amount of work Anthony can do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	467	3.2	11.5	11.5
	2 Mild	2323	16.0	57.2	68.7
	3 Moderate	1148	7.9	28.3	96.9
	4 Severe	119	.8	2.9	99.9
	5 Extreme	6	.0	.1	100.0
	Total	4063	27.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	112	.8		
Total		10478	72.1		
Total		14541	100.0		

Section E

Sexual and Reproductive Health

E16.a) How often are you having sexual intercourse now?

Not at all	1 <input type="checkbox"/>	Less than once a month	2 <input type="checkbox"/>	1-3 times a month	3 <input type="checkbox"/>
About once a week	4 <input type="checkbox"/>	2-4 times a week	5 <input type="checkbox"/>	5 or more times a week	6 <input type="checkbox"/>

b) In general, do you enjoy it?

Yes, very much	1 <input type="checkbox"/>	Yes, somewhat	2 <input type="checkbox"/>	No, not a lot	3 <input type="checkbox"/>
No, not at all	4 <input type="checkbox"/>	No sex at the moment	5 <input type="checkbox"/>		

E17.a) Are you currently pregnant?

Yes 1 No 2 → If no, go to E18 below
↓
If yes,

b) How long were you trying before you became pregnant?

--	--

 months → Go to E20 on page 52

E18.a) Are you currently trying to get pregnant?

Yes, we are 1 No, but intend to later 2 No 3
↓ ↓
If yes, If no, go to E19 on the next page

b) For how long have you been trying?

--	--

 months

55972

Section E

E19. What forms of contraception are you and your partner using now? (Mark all that you have used **in the past 3 months**).

	Yes	No
a) Withdrawal	1 <input type="checkbox"/>	2 <input type="checkbox"/>
b) The pill	1 <input type="checkbox"/>	2 <input type="checkbox"/>
c) IUCD/coil	1 <input type="checkbox"/>	2 <input type="checkbox"/>
d) Condom/sheath	1 <input type="checkbox"/>	2 <input type="checkbox"/>
e) Calendar/rhythm method	1 <input type="checkbox"/>	2 <input type="checkbox"/>
f) Diaphragm/cap	1 <input type="checkbox"/>	2 <input type="checkbox"/>
g) Spermicide	1 <input type="checkbox"/>	2 <input type="checkbox"/>
h) I have been sterilised	1 <input type="checkbox"/>	2 <input type="checkbox"/>
i) My partner has been sterilised	1 <input type="checkbox"/>	2 <input type="checkbox"/>
j) I am no longer fertile	1 <input type="checkbox"/>	2 <input type="checkbox"/>
k) None	1 <input type="checkbox"/>	2 <input type="checkbox"/>
l) Other, please describe:	1 <input type="checkbox"/>	2 <input type="checkbox"/>

55972



Section E

E20.a) Since your study teenager's 7th birthday, how many times have you been pregnant?

--	--

 times

(put 00 if none)

A small black arrow pointing to the right, indicating a continuation or next step.

If none, go to E21 on page 55

E20.b) How many of these pregnancies ended as:

Number

i) Miscarriages

100

- ii) Termination because pregnancy was not wanted, or you were unable to cope

100

iii) Termination for medical reasons

--	--

iv) Twins/multiple births



v) Baby born dead

100

vi) Baby born alive but died in 1st month

100

vii) Baby born alive but died after 1st month


100

viii) Children still alive

1. 

ix) Other, please describe:

□ □



Section E

E20.c) For these pregnancies please tell us what happened:

1st pregnancy		2nd pregnancy		3rd pregnancy	
i) Miscarriage	<input type="checkbox"/> 1	Miscarriage	<input type="checkbox"/> 1	Miscarriage	<input type="checkbox"/> 1
Abortion/termination for unwanted pregnancies	<input type="checkbox"/> 2	Abortion/termination for unwanted pregnancies	<input type="checkbox"/> 2	Abortion/termination for unwanted pregnancies	<input type="checkbox"/> 2
Termination for problem, (please describe)	<input type="checkbox"/> 3	Termination for problem, (please describe)	<input type="checkbox"/> 3	Termination for problem, (please describe)	<input type="checkbox"/> 3
Still pregnant	<input type="checkbox"/> 4	Still pregnant	<input type="checkbox"/> 4	Still pregnant	<input type="checkbox"/> 4
Baby born	<input type="checkbox"/> 5	Baby born	<input type="checkbox"/> 5	Baby born	<input type="checkbox"/> 5
Other (please describe)	<input type="checkbox"/> 6	Other (please describe)	<input type="checkbox"/> 6	Other (please describe)	<input type="checkbox"/> 6

(continued overleaf)

If you have had more than 3 pregnancies in this time,
please continue on a separate sheet.

55972

Section E

E20.c) For these pregnancies please give:

ii) Date of your last period before the pregnancy

1st pregnancy		MM	
DD			
/			
YYYY			

2nd pregnancy		MM	
DD			
/			
YYYY			

3rd pregnancy		MM	
DD			
/			
YYYY			

iii) Please give actual date of delivery or end of pregnancy (if still pregnant, leave blank)

1st pregnancy		MM	
DD			
/			
YYYY			

2nd pregnancy		MM	
DD			
/			
YYYY			

3rd pregnancy		MM	
DD			
/			
YYYY			

iv) Do/did you have any problems?

1st pregnancy

Yes 1 No 2

If yes, please describe:

2nd pregnancy

Yes 1 No 2

If yes, please describe:

3rd pregnancy

Yes 1 No 2

If yes, please describe:

55972



Section E

E21. Have you ever had any of the following operations? (For each operation mark "No" or "Yes" box. If "Yes", please give the date of the operation. If you cannot remember the month and year give your age at the time of the operation).

a) Removal of uterus (womb) and both ovaries Yes 1 No 2
(hysterectomy and bilateral oopherectomy)

Month Year Age
if yes OR years

b) Removal of uterus (womb) only Yes 1 No 2
(hysterectomy)

Month Year Age
if yes **OR** years

c) Removal of uterus (womb) and one ovary
(hysterectomy and oophorectomy) Yes 1 No 2

if yes

--	--

--	--	--	--

OR

--	--

 years

d) Removal of both ovaries only (bilateral oophorectomy) Yes 1 No 2

if yes

Month	Year
-------	------

OR

Age	years
-----	-------

e) Removal of one ovary only (oophorectomy) Yes 1 No 2

if yes Month Year Age OR years

55972

Section E

E22.a) In the last 12 months have you had a period or menstrual bleeding?

Yes 1

No 2 → If no, continue to E22b

↓
If yes, go to E23 below

E22.b) Were your periods stopped by: (You can mark more than one box).

i) Surgery? 1

ii) Chemotherapy or radiation therapy? 1

iii) Pregnancy or breastfeeding? 1

iv) No obvious reason/menopause? 1

v) Other reason, please describe: 1

--

→ Now go to E25
on the next page

E23. In the last 3 months have you had a period or menstrual bleeding?

Yes 1

No 2

E24. When was your last period? (Include current period if bleeding now).

Month	

Year			

If you cannot remember the month and year please give your age at the time:

--	--

 years

55972

Section E

E25. These questions are for everybody. If you are still having periods tell us about the most recent changes. If your periods have stopped tell us about the changes before your last period.

- a) In the last few years/in the years before your last period did your periods? (Please mark **one** box only).

Become more regular 1 → **go to E25b) below**

Become less regular 2 → **go to E25b) below**

Remain about the same 3 → **go to E25c) below**
(i.e. as regular/irregular
as before)

- b) If more or less regular, when did you first notice this change? (Please mark **one** box only)

Up to 1 year before
last period 1

Between 1 and 2 years 2
before last period

Between 2 and 3 years 3

Between 3 and 4 years 4
before last period

More than 4 years 5

- c) Please describe your most recent periods:

	Very	Moderately	Mildly	Not at all	No periods
i) How heavy are your periods?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	7 <input type="checkbox"/>
ii) How painful are your periods?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	go to E27a) on the next page
iii) Are your periods irregular?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	
iv) How many days does bleeding usually last?					

--	--

days

55972

Section E

E26. Do you generally find that in the days before or during your periods you have particular problems? (Please mark all that apply)

- | | (i) Yes, before | (ii) Yes, during |
|---|----------------------------|----------------------------|
| a) Very fatigued | 1 <input type="checkbox"/> | 1 <input type="checkbox"/> |
| b) Irritable | 1 <input type="checkbox"/> | 1 <input type="checkbox"/> |
| c) Depressed | 1 <input type="checkbox"/> | 1 <input type="checkbox"/> |
| d) Anxious | 1 <input type="checkbox"/> | 1 <input type="checkbox"/> |
| e) Other, please mark and describe below: | 1 <input type="checkbox"/> | 1 <input type="checkbox"/> |

--	--

E27.a) Have you had a D and C (scrape) since your study teenager's 7th birthday?

Yes 1 No 2 Don't know 9

If yes, go to E27b) below If no, or don't know, go to E28 on the next page

E27.b) Was this because of? (mark one box on each line)

- | | Yes | No |
|---------------------------------------|----------------------------|----------------------------|
| i) Heavy periods | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> |
| ii) Painful periods | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> |
| iii) Fibroids | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> |
| iv) Termination | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> |
| v) Infertility | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> |
| vi) Miscarriage | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> |
| vii) Don't know | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> |
| viii) Other, (mark box and describe): | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> |

--

55972



Section E

E28. Have you ever had hormone replacement therapy (HRT)?

Yes 1

No 2 → If no, go to E33 on page 60



If yes, go to E29 below

E29. When did you first start HRT?

Month	Year
<input type="text"/>	<input type="text"/>

If you cannot remember the month and year please give your age at the time: years

E30.a) Before you first started HRT had your menstrual periods stopped?

Yes 1

No 2 → If no, go to E31 below



If yes,

b) What was the date of your last period before starting HRT?

Month	Year
<input type="text"/>	<input type="text"/>

If you cannot remember the month and year please give your age at the time: years

E31. Have you ever stopped HRT and then started again?

Yes 1

No 2

E32. Are you currently on HRT?

Yes 1

No 2

55972



Section E

t4500 E16a: Frequency respondent currently has sexual intercourse now

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	775	5.3	19.6	19.6
	2 Less than once a month	698	4.8	17.7	37.3
	3 1-3 times a month	860	5.9	21.8	59.1
	4 About once a week	860	5.9	21.8	80.8
	5 2-4 times a week	705	4.8	17.8	98.7
	6 5 or more times a week	52	.4	1.3	100.0
	Total	3950	27.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	225	1.5		
	Total	10591	72.8		
Total		14541	100.0		

t4501 E16b: Respondent enjoys sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very much	1536	10.6	39.7	39.7
	2 Yes, somewhat	1411	9.7	36.5	76.1
	3 No, not a lot	288	2.0	7.4	83.6
	4 No, not at all	44	.3	1.1	84.7
	5 No sex at the moment	591	4.1	15.3	100.0
	Total	3870	26.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	305	2.1		
	Total	10671	73.4		
Total		14541	100.0		

[Logical edits: if t4511 gt 0 then t4510 eq 1; if t4510 eq 2 then t4511 eq -2]

t4510 E17a: Currently pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	12	.1	.3	.3
	2 No	4047	27.8	99.7	100.0
	Total	4059	27.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	116	.8		
	Total	10482	72.1		
Total		14541	100.0		

Section E

[Logical edits: if t4511 eq 1 then t4512 and t4513 eq 3; if t4513 gt 0 then t4512 eq 1; if t4512 ge 2 then t4513 eq -2]]

t4511 E17b: Months trying before became pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.0	27.3	27.3
	3	2	.0	18.2	45.5
	6	2	.0	18.2	63.6
	7	1	.0	9.1	72.7
	9	1	.0	9.1	81.8
	10	2	.0	18.2	100.0
	Total	11	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Not pregnant	4047	27.8		
	-1 No response	117	.8		
	Total	14530	99.9		
Total		14541	100.0		

t4512 E18a: Currently trying to get pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, trying	12	.1	.3	.3
	2 No, but intend trying later	159	1.1	4.2	4.5
	3 No	3596	24.7	95.5	100.0
	Total	3767	25.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-3 Already pregnant	3	.0		
	-1 No response	405	2.8		
	Total	10774	74.1		
Total		14541	100.0		

t4513 E18b: Months trying to get pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	10.0	10.0
	2	1	.0	10.0	20.0
	3	2	.0	20.0	40.0
	6	3	.0	30.0	70.0
	10	1	.0	10.0	80.0
	24	1	.0	10.0	90.0
	36	1	.0	10.0	100.0
Missing	Total	10	.1	100.0	
	-10 Not completed	10366	71.3		
	-3 Already pregnant	3	.0		
	-2 Not trying	3755	25.8		
	-1 No response	407	2.8		
Total	Total	14531	99.9		
		14541	100.0		

Section E

t4520 E19a: Form of contraception used in past three months: withdrawal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	161	1.1	9.7	9.7
	2 No	1496	10.3	90.3	100.0
	Total	1657	11.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2518	17.3		
	Total	12884	88.6		
Total		14541	100.0		

t4521 E19b: Form of contraception used in past three months: the pill

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	254	1.7	14.8	14.8
	2 No	1458	10.0	85.2	100.0
	Total	1712	11.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2463	16.9		
	Total	12829	88.2		
Total		14541	100.0		

t4522 E19c: Form of contraception used in past three months: IUCD/coil

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	546	3.8	28.9	28.9
	2 No	1341	9.2	71.1	100.0
	Total	1887	13.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2288	15.7		
	Total	12654	87.0		
Total		14541	100.0		

t4523 E19d: Form of contraception used in past three months: condom/sheath

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	379	2.6	21.6	21.6
	2 No	1379	9.5	78.4	100.0
	Total	1758	12.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2417	16.6		
	Total	12783	87.9		
Total		14541	100.0		

Section E

t4524 E19e: Form of contraception used in past three months: calendar/rhythm method

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	43	.3	2.7	2.7
	2 No	1529	10.5	97.3	100.0
	Total	1572	10.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2603	17.9		
	Total	12969	89.2		
Total		14541	100.0		

t4525 E19f: Form of contraception used in past three months: diaphragm/cap

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	20	.1	1.3	1.3
	2 No	1545	10.6	98.7	100.0
	Total	1565	10.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2610	17.9		
	Total	12976	89.2		
Total		14541	100.0		

t4526 E19g: Form of contraception used in past three months: spermicide

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	16	.1	1.0	1.0
	2 No	1539	10.6	99.0	100.0
	Total	1555	10.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2620	18.0		
	Total	12986	89.3		
Total		14541	100.0		

t4527 E19h: Form of contraception used in past three months: respondent sterilised

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	460	3.2	24.9	24.9
	2 No	1387	9.5	75.1	100.0
	Total	1847	12.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2328	16.0		
	Total	12694	87.3		
Total		14541	100.0		

Section E

t4528 E19i: Form of contraception used in past three months: partner sterilised

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1241	8.5	54.9	54.9
	2 No	1018	7.0	45.1	100.0
	Total	2259	15.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	1916	13.2		
	Total	12282	84.5		
Total		14541	100.0		

t4529 E19j: Form of contraception used in past three months: respondent no longer fertile

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	696	4.8	35.4	35.4
	2 No	1272	8.7	64.6	100.0
	Total	1968	13.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2207	15.2		
	Total	12573	86.5		
Total		14541	100.0		

t4530 E19k: Form of contraception used in past three months: none

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	447	3.1	28.0	28.0
	2 No	1152	7.9	72.0	100.0
	Total	1599	11.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2576	17.7		
	Total	12942	89.0		
Total		14541	100.0		

t4531 E19l: Form of contraception used in past three months: other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	132	.9	13.1	13.1
	2 No	878	6.0	86.9	100.0
	Total	1010	6.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3165	21.8		
	Total	13531	93.1		
Total		14541	100.0		

Section E

[Logical edits: if t4540 eq 0 then t4541 to t4627 eq -2]

t4540 E20a: Number of times pregnant since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3278	22.5	81.2	81.2
	1	490	3.4	12.1	93.3
	2	180	1.2	4.5	97.8
	3	54	.4	1.3	99.1
	4	17	.1	.4	99.5
	5	10	.1	.2	99.8
	6	4	.0	.1	99.9
	7	1	.0	.0	99.9
	8	2	.0	.0	100.0
	14	1	.0	.0	100.0
	20	1	.0	.0	100.0
	Total	4038	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	137	.9		
	Total	10503	72.2		
Total		14541	100.0		

t4541 E20b1: Number of pregnancies ended as miscarriages since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	266	1.8	59.4	59.4
	1	133	.9	29.7	89.1
	2	34	.2	7.6	96.7
	3	7	.0	1.6	98.2
	4	5	.0	1.1	99.3
	5	2	.0	.4	99.8
	11	1	.0	.2	100.0
	Total	448	3.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	449	3.1		
	Total	14093	96.9		
Total		14541	100.0		

t4542 E20b2: Number of pregnancies ended as termination because pregnancy not wanted or respondent unable to cope since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	273	1.9	74.0	74.0
	1	90	.6	24.4	98.4
	2	6	.0	1.6	100.0
	Total	369	2.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	528	3.6		
	Total	14172	97.5		
Total		14541	100.0		

Section E

t4543 E20b3: Number of pregnancies ended as termination for medical reasons since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	289	2.0	94.4	94.4
	1	16	.1	5.2	99.7
	2	1	.0	.3	100.0
	Total	306	2.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	591	4.1		
	Total	14235	97.9		
Total		14541	100.0		

t4544 E20b4: Number of pregnancies ended as twins/multiple births since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	290	2.0	98.3	98.3
	1	5	.0	1.7	100.0
	Total	295	2.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	602	4.1		
	Total	14246	98.0		
Total		14541	100.0		

t4545 E20b5: Number of pregnancies ended as baby born dead since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	292	2.0	97.7	97.7
	1	7	.0	2.3	100.0
	Total	299	2.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	598	4.1		
	Total	14242	97.9		
Total		14541	100.0		

t4546 E20b6: Number of pregnancies ended as baby born alive but died in first month, since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	291	2.0	99.7	99.7
	1	1	.0	.3	100.0
	Total	292	2.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	605	4.2		
	Total	14249	98.0		
Total		14541	100.0		

Section E

t4547 E20b7: Number of pregnancies ended as baby born alive but died after first month, since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	292	2.0	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	605	4.2		
	Total	14249	98.0		
Total		14541	100.0		

t4548 E20b8: Number of pregnancies since study teenager's 7th birthday in which children still alive

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	28	.2	4.5	4.5
	1	448	3.1	72.5	77.0
	2	113	.8	18.3	95.3
	3	21	.1	3.4	98.7
	4	5	.0	.8	99.5
	5	2	.0	.3	99.8
	8	1	.0	.2	100.0
	Total	618	4.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	279	1.9		
	Total	13923	95.7		
Total		14541	100.0		

t4549 E20b9: Number of pregnancies ended since study teenager's 7th birthday: other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	179	1.2	94.7	94.7
	1	9	.1	4.8	99.5
	2	1	.0	.5	100.0
	Total	189	1.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	708	4.9		
	Total	14352	98.7		
Total		14541	100.0		

t4560 E20c1p1: Outcome of first pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	143	1.0	20.3	20.3
	2 Abortion/termination for unwanted pregnancies	60	.4	8.5	28.8
	3 Termination for problem	11	.1	1.6	30.4
	4 Still pregnant	2	.0	.3	30.7
	5 Baby born	484	3.3	68.8	99.4
	6 Other	4	.0	.6	100.0
	Total	704	4.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	193	1.3		
	Total	13837	95.2		

Section E

t4548 E20b8: Number of pregnancies since study teenager's 7th birthday in which children still alive

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	28	.2	4.5	4.5
	1	448	3.1	72.5	77.0
	2	113	.8	18.3	95.3
	3	21	.1	3.4	98.7
	4	5	.0	.8	99.5
	5	2	.0	.3	99.8
	8	1	.0	.2	100.0
	Total	618	4.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	279	1.9		
	Total	13923	95.7		
Total		14541	100.0		

t4561 E20c1p2: Outcome of second pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	64	.4	22.4	22.4
	2 Abortion/termination for unwanted pregnancies	23	.2	8.0	30.4
	3 Termination for problem	4	.0	1.4	31.8
	4 Still pregnant	1	.0	.3	32.2
	5 Baby born	191	1.3	66.8	99.0
	6 Other	3	.0	1.0	100.0
	Total	286	2.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	611	4.2		
	Total	14255	98.0		
Total		14541	100.0		

t4562 E20c1p3: Outcome of third pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	30	.2	28.6	28.6
	2 Abortion/termination for unwanted pregnancies	12	.1	11.4	40.0
	3 Termination for problem	2	.0	1.9	41.9
	5 Baby born	61	.4	58.1	100.0
	Total	105	.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	792	5.4		
	Total	14436	99.3		
Total		14541	100.0		

Section E

t4570 E20c2p1: Date of last period before first pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	15	.1	16.0	16.0
	2	2	.0	2.1	18.1
	3	5	.0	5.3	23.4
	4	1	.0	1.1	24.5
	5	4	.0	4.3	28.7
	6	1	.0	1.1	29.8
	7	3	.0	3.2	33.0
	8	2	.0	2.1	35.1
	9	4	.0	4.3	39.4
	10	5	.0	5.3	44.7
	11	6	.0	6.4	51.1
	12	2	.0	2.1	53.2
	13	2	.0	2.1	55.3
	14	3	.0	3.2	58.5
	15	5	.0	5.3	63.8
	16	2	.0	2.1	66.0
	17	1	.0	1.1	67.0
	18	4	.0	4.3	71.3
	19	2	.0	2.1	73.4
	20	5	.0	5.3	78.7
	21	2	.0	2.1	80.9
	23	4	.0	4.3	85.1
	24	2	.0	2.1	87.2
	26	2	.0	2.1	89.4
	28	5	.0	5.3	94.7
	29	1	.0	1.1	95.7
	30	3	.0	3.2	98.9
	31	1	.0	1.1	100.0
	Total	94	.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	803	5.5		
	Total	14447	99.4		
Total		14541	100.0		

Section E

t4571 E20c2p1: Date of last period before first pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	21	.1	9.0	9.0
	2	25	.2	10.7	19.7
	3	14	.1	6.0	25.8
	4	19	.1	8.2	33.9
	5	17	.1	7.3	41.2
	6	21	.1	9.0	50.2
	7	20	.1	8.6	58.8
	8	22	.2	9.4	68.2
	9	15	.1	6.4	74.7
	10	13	.1	5.6	80.3
	11	20	.1	8.6	88.8
	12	26	.2	11.2	100.0
	Total	233	1.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	664	4.6		
	Total	14308	98.4		
Total		14541	100.0		

t4572 E20c2p1: Date of last period before first pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	2	.0	.8	.8
	1992	10	.1	3.8	4.6
	1993	25	.2	9.5	14.1
	1994	17	.1	6.5	20.5
	1995	7	.0	2.7	23.2
	1996	10	.1	3.8	27.0
	1997	15	.1	5.7	32.7
	1998	29	.2	11.0	43.7
	1999	37	.3	14.1	57.8
	2000	24	.2	9.1	66.9
	2001	26	.2	9.9	76.8
	2002	12	.1	4.6	81.4
	2003	13	.1	4.9	86.3
	2004	7	.0	2.7	89.0
	2005	6	.0	2.3	91.3
	2006	7	.0	2.7	93.9
	2007	7	.0	2.7	96.6
	2008	4	.0	1.5	98.1
	2009	2	.0	.8	98.9
	2010	2	.0	.8	99.6
	2011	1	.0	.4	100.0
	Total	263	1.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	634	4.4		
	Total	14278	98.2		
Total		14541	100.0		

Section E

t4580 E202p2: Date of last period before second pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	5	.0	17.2	17.2
	2	1	.0	3.4	20.7
	3	2	.0	6.9	27.6
	5	1	.0	3.4	31.0
	7	2	.0	6.9	37.9
	8	1	.0	3.4	41.4
	10	3	.0	10.3	51.7
	16	1	.0	3.4	55.2
	17	1	.0	3.4	58.6
	19	2	.0	6.9	65.5
	20	1	.0	3.4	69.0
	21	2	.0	6.9	75.9
	22	2	.0	6.9	82.8
	23	1	.0	3.4	86.2
	25	2	.0	6.9	93.1
	28	1	.0	3.4	96.6
	31	1	.0	3.4	100.0
	Total	29	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	868	6.0		
	Total	14512	99.8		
Total		14541	100.0		

t4581 E20c2p2: Date of last period before second pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	7	.0	9.6	9.6
	2	4	.0	5.5	15.1
	3	5	.0	6.8	21.9
	4	10	.1	13.7	35.6
	5	8	.1	11.0	46.6
	6	7	.0	9.6	56.2
	7	7	.0	9.6	65.8
	8	9	.1	12.3	78.1
	9	3	.0	4.1	82.2
	10	3	.0	4.1	86.3
	11	3	.0	4.1	90.4
	12	7	.0	9.6	100.0
	Total	73	.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	824	5.7		
	Total	14468	99.5		
Total		14541	100.0		

Section E

t4582 E20c2p2: Date of last period before second pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	1	.0	1.2	1.2
	1993	3	.0	3.6	4.8
	1994	4	.0	4.8	9.5
	1995	6	.0	7.1	16.7
	1996	2	.0	2.4	19.0
	1998	3	.0	3.6	22.6
	1999	5	.0	6.0	28.6
	2000	6	.0	7.1	35.7
	2001	10	.1	11.9	47.6
	2002	11	.1	13.1	60.7
	2003	8	.1	9.5	70.2
	2004	5	.0	6.0	76.2
	2005	7	.0	8.3	84.5
	2006	2	.0	2.4	86.9
	2007	3	.0	3.6	90.5
	2008	5	.0	6.0	96.4
	2009	3	.0	3.6	100.0
	Total	84	.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	813	5.6		
	Total	14457	99.4		
Total		14541	100.0		

t4590 E20c2p3: Date of last period before third pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	12.5	12.5
	3	1	.0	12.5	25.0
	4	1	.0	12.5	37.5
	8	1	.0	12.5	50.0
	10	1	.0	12.5	62.5
	12	1	.0	12.5	75.0
	13	1	.0	12.5	87.5
	15	1	.0	12.5	100.0
	Total	8	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	889	6.1		
	Total	14533	99.9		
Total		14541	100.0		

Section E

t4591 E20c2p3: Date of last period before third pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.0	13.0	13.0
	2	2	.0	8.7	21.7
	3	4	.0	17.4	39.1
	4	2	.0	8.7	47.8
	6	1	.0	4.3	52.2
	7	3	.0	13.0	65.2
	8	1	.0	4.3	69.6
	9	4	.0	17.4	87.0
	10	1	.0	4.3	91.3
	11	1	.0	4.3	95.7
	12	1	.0	4.3	100.0
	Total	23	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	874	6.0		
	Total	14518	99.8		
Total		14541	100.0		

t4592 E20c2p3: Date of last period before third pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1992	1	.0	3.6	3.6
	1993	1	.0	3.6	7.1
	1994	1	.0	3.6	10.7
	1995	1	.0	3.6	14.3
	1996	1	.0	3.6	17.9
	1998	1	.0	3.6	21.4
	2000	1	.0	3.6	25.0
	2002	3	.0	10.7	35.7
	2003	3	.0	10.7	46.4
	2004	2	.0	7.1	53.6
	2005	1	.0	3.6	57.1
	2006	5	.0	17.9	75.0
	2007	4	.0	14.3	89.3
	2008	2	.0	7.1	96.4
	2010	1	.0	3.6	100.0
	Total	28	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	869	6.0		
	Total	14513	99.8		
Total		14541	100.0		

Section E

t4600 E20c3p1: Date of delivery or end of first pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	10	.1	2.4	2.4
	2	14	.1	3.3	5.7
	3	12	.1	2.9	8.6
	4	17	.1	4.1	12.7
	5	16	.1	3.8	16.5
	6	10	.1	2.4	18.9
	7	8	.1	1.9	20.8
	8	8	.1	1.9	22.7
	9	14	.1	3.3	26.1
	10	11	.1	2.6	28.7
	11	10	.1	2.4	31.1
	12	15	.1	3.6	34.7
	13	28	.2	6.7	41.4
	14	11	.1	2.6	44.0
	15	12	.1	2.9	46.9
	16	12	.1	2.9	49.8
	17	12	.1	2.9	52.6
	18	12	.1	2.9	55.5
	19	13	.1	3.1	58.6
	20	10	.1	2.4	61.0
	21	15	.1	3.6	64.6
	22	18	.1	4.3	68.9
	23	15	.1	3.6	72.5
	24	14	.1	3.3	75.8
	25	13	.1	3.1	78.9
	26	19	.1	4.5	83.5
	27	13	.1	3.1	86.6
	28	19	.1	4.5	91.1
	29	14	.1	3.3	94.5
	30	13	.1	3.1	97.6
	31	10	.1	2.4	100.0
	Total	418	2.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	479	3.3		
	Total	14123	97.1		
Total		14541	100.0		

Section E

t4601 E20c3p1: Date of delivery or end of first pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	36	.2	8.0	8.0
	2	30	.2	6.6	14.6
	3	52	.4	11.5	26.1
	4	49	.3	10.8	36.9
	5	40	.3	8.8	45.8
	6	31	.2	6.9	52.7
	7	36	.2	8.0	60.6
	8	39	.3	8.6	69.2
	9	31	.2	6.9	76.1
	10	37	.3	8.2	84.3
	11	39	.3	8.6	92.9
	12	32	.2	7.1	100.0
	Total	452	3.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	445	3.1		
	Total	14089	96.9		
Total		14541	100.0		

t4602 E20c3p1: Date of delivery or end of first pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	3	.0	.7	.7
	1992	8	.1	1.8	2.4
	1993	23	.2	5.1	7.6
	1994	49	.3	10.9	18.5
	1995	34	.2	7.6	26.1
	1996	16	.1	3.6	29.6
	1997	19	.1	4.2	33.9
	1998	39	.3	8.7	42.5
	1999	63	.4	14.0	56.6
	2000	57	.4	12.7	69.3
	2001	35	.2	7.8	77.1
	2002	28	.2	6.2	83.3
	2003	20	.1	4.5	87.8
	2004	17	.1	3.8	91.5
	2005	8	.1	1.8	93.3
	2006	13	.1	2.9	96.2
	2007	8	.1	1.8	98.0
	2008	3	.0	.7	98.7
	2009	3	.0	.7	99.3
	2010	3	.0	.7	100.0
	Total	449	3.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	448	3.1		
	Total	14092	96.9		
Total		14541	100.0		

Section E

t4610 E20c3p2: Date of delivery or end of second pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	7	.0	4.5	4.5
	2	3	.0	1.9	6.5
	3	5	.0	3.2	9.7
	4	5	.0	3.2	12.9
	5	2	.0	1.3	14.2
	6	2	.0	1.3	15.5
	7	4	.0	2.6	18.1
	8	7	.0	4.5	22.6
	9	5	.0	3.2	25.8
	10	5	.0	3.2	29.0
	11	5	.0	3.2	32.3
	12	6	.0	3.9	36.1
	13	3	.0	1.9	38.1
	14	8	.1	5.2	43.2
	15	6	.0	3.9	47.1
	16	2	.0	1.3	48.4
	17	3	.0	1.9	50.3
	18	4	.0	2.6	52.9
	19	2	.0	1.3	54.2
Missing	20	15	.1	9.7	63.9
	21	6	.0	3.9	67.7
	22	7	.0	4.5	72.3
	23	3	.0	1.9	74.2
	24	3	.0	1.9	76.1
	25	8	.1	5.2	81.3
	26	7	.0	4.5	85.8
	27	6	.0	3.9	89.7
	28	3	.0	1.9	91.6
	29	6	.0	3.9	95.5
Total	30	4	.0	2.6	98.1
	31	3	.0	1.9	100.0
	Total	155	1.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	742	5.1		
Total		14386	98.9		
Total		14541	100.0		

Section E

t4611 E20c3p2: Date of delivery or end of second pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	15	.1	8.9	8.9
	2	15	.1	8.9	17.8
	3	13	.1	7.7	25.4
	4	17	.1	10.1	35.5
	5	19	.1	11.2	46.7
	6	15	.1	8.9	55.6
	7	14	.1	8.3	63.9
	8	16	.1	9.5	73.4
	9	9	.1	5.3	78.7
	10	11	.1	6.5	85.2
	11	7	.0	4.1	89.3
	12	18	.1	10.7	100.0
	Total	169	1.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	728	5.0		
	Total	14372	98.8		
Total		14541	100.0		

t4612 E20c3p2: Date of delivery or end of second pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	2	.0	1.2	1.2
	1992	3	.0	1.8	2.9
	1993	4	.0	2.3	5.3
	1994	5	.0	2.9	8.2
	1995	7	.0	4.1	12.3
	1996	9	.1	5.3	17.5
	1997	6	.0	3.5	21.1
	1998	12	.1	7.0	28.1
	1999	7	.0	4.1	32.2
	2000	12	.1	7.0	39.2
	2001	18	.1	10.5	49.7
	2002	15	.1	8.8	58.5
	2003	17	.1	9.9	68.4
	2004	12	.1	7.0	75.4
	2005	14	.1	8.2	83.6
	2006	9	.1	5.3	88.9
	2007	7	.0	4.1	93.0
	2008	6	.0	3.5	96.5
	2009	5	.0	2.9	99.4
	2010	1	.0	.6	100.0
	Total	171	1.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	726	5.0		
	Total	14370	98.8		
Total		14541	100.0		

Section E

t4620 E20c3p3: Date of delivery or end of third pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.0	6.0	6.0
	2	3	.0	6.0	12.0
	3	2	.0	4.0	16.0
	5	1	.0	2.0	18.0
	6	2	.0	4.0	22.0
	7	1	.0	2.0	24.0
	8	3	.0	6.0	30.0
	9	3	.0	6.0	36.0
	10	2	.0	4.0	40.0
	12	3	.0	6.0	46.0
	13	1	.0	2.0	48.0
	14	2	.0	4.0	52.0
	15	2	.0	4.0	56.0
	16	3	.0	6.0	62.0
	17	1	.0	2.0	64.0
	19	1	.0	2.0	66.0
	20	1	.0	2.0	68.0
	22	4	.0	8.0	76.0
	23	3	.0	6.0	82.0
	24	2	.0	4.0	86.0
	26	1	.0	2.0	88.0
	27	1	.0	2.0	90.0
	28	1	.0	2.0	92.0
	29	2	.0	4.0	96.0
	31	2	.0	4.0	100.0
	Total	50	.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	847	5.8		
	Total	14491	99.7		
Total		14541	100.0		

Section E

t4621 E20c3p3: Date of delivery or end of third pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	.0	7.3	7.3
	2	3	.0	5.5	12.7
	3	3	.0	5.5	18.2
	4	8	.1	14.5	32.7
	5	3	.0	5.5	38.2
	6	10	.1	18.2	56.4
	7	1	.0	1.8	58.2
	8	5	.0	9.1	67.3
	9	5	.0	9.1	76.4
	10	3	.0	5.5	81.8
	11	2	.0	3.6	85.5
	12	8	.1	14.5	100.0
	Total	55	.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	842	5.8		
	Total	14486	99.6		
Total		14541	100.0		

t4622 E20c3p3: Date of delivery or end of third pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	3	.0	5.3	5.3
	1993	1	.0	1.8	7.0
	1994	3	.0	5.3	12.3
	1995	2	.0	3.5	15.8
	1996	4	.0	7.0	22.8
	1997	1	.0	1.8	24.6
	1998	1	.0	1.8	26.3
	1999	2	.0	3.5	29.8
	2000	1	.0	1.8	31.6
	2001	6	.0	10.5	42.1
	2002	5	.0	8.8	50.9
	2003	2	.0	3.5	54.4
	2004	4	.0	7.0	61.4
	2005	3	.0	5.3	66.7
	2006	5	.0	8.8	75.4
	2007	6	.0	10.5	86.0
	2008	5	.0	8.8	94.7
	2009	2	.0	3.5	98.2
	2010	1	.0	1.8	100.0
	Total	57	.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	840	5.8		
	Total	14484	99.6		
Total		14541	100.0		

Section E

t4625 E20c4p1: Problems with first pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	113	.8	24.9	24.9
	2 No	341	2.3	75.1	100.0
	Total	454	3.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	443	3.0		
	Total	14087	96.9		
Total		14541	100.0		

t4626 E20c4p2: Problems with second pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	44	.3	28.0	28.0
	2 No	113	.8	72.0	100.0
	Total	157	1.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	740	5.1		
	Total	14384	98.9		
Total		14541	100.0		

t4627 E20c4p3: Problems with third pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.1	28.0	28.0
	2 No	36	.2	72.0	100.0
	Total	50	.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	847	5.8		
	Total	14491	99.7		
Total		14541	100.0		

t4500 E16a: Frequency respondent currently has sexual intercourse now

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	775	5.3	19.6	19.6
	2 Less than once a month	698	4.8	17.7	37.3
	3 1-3 times a month	860	5.9	21.8	59.1
	4 About once a week	860	5.9	21.8	80.8
	5 2-4 times a week	705	4.8	17.8	98.7
	6 5 or more times a week	52	.4	1.3	100.0
	Total	3950	27.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	225	1.5		
	Total	10591	72.8		
Total		14541	100.0		

Section E

t4501 E16b: Respondent enjoys sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very much	1536	10.6	39.7	39.7
	2 Yes, somewhat	1411	9.7	36.5	76.1
	3 No, not a lot	288	2.0	7.4	83.6
	4 No, not at all	44	.3	1.1	84.7
	5 No sex at the moment	591	4.1	15.3	
	Total	3870	26.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	305	2.1		
	Total	10671	73.4		
Total		14541	100.0		

t4510 E17a: Currently pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	12	.1	.3	.3
	2 No	4047	27.8	99.7	
	Total	4059	27.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	116	.8		
	Total	10482	72.1		
Total		14541	100.0		

t4511 E17b: Months trying before became pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.0	27.3	27.3
	3	2	.0	18.2	45.5
	6	2	.0	18.2	63.6
	7	1	.0	9.1	72.7
	9	1	.0	9.1	81.8
	10	2	.0	18.2	
	Total	11	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Not pregnant	4047	27.8		
	-1 No response	117	.8		
	Total	14530	99.9		
Total		14541	100.0		

t4512 E18a: Currently trying to get pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, trying	12	.1	.3	.3
	2 No, but intend trying later	159	1.1	4.2	4.5
	3 No	3596	24.7	95.5	
	Total	3767	25.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-3 Already pregnant	3	.0		
	-1 No response	405	2.8		
	Total	10774	74.1		
Total		14541	100.0		

Section E

t4513 E18b: Months trying to get pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	10.0	10.0
	2	1	.0	10.0	20.0
	3	2	.0	20.0	40.0
	6	3	.0	30.0	70.0
	10	1	.0	10.0	80.0
	24	1	.0	10.0	90.0
	36	1	.0	10.0	100.0
	Total	10	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-3 Already pregnant	3	.0		
	-2 Not trying	3755	25.8		
	-1 No response	407	2.8		
Total		14531	99.9		
Total		14541	100.0		

t4520 E19a: Form of contraception used in past three months: withdrawal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	161	1.1	9.7	9.7
	2 No	1496	10.3	90.3	100.0
	Total	1657	11.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2518	17.3		
	Total	12884	88.6		
Total		14541	100.0		

t4521 E19b: Form of contraception used in past three months: the pill

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	254	1.7	14.8	14.8
	2 No	1458	10.0	85.2	100.0
	Total	1712	11.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2463	16.9		
	Total	12829	88.2		
Total		14541	100.0		

t4522 E19c: Form of contraception used in past three months: IUCD/coil

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	546	3.8	28.9	28.9
	2 No	1341	9.2	71.1	100.0
	Total	1887	13.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2288	15.7		
	Total	12654	87.0		
Total		14541	100.0		

Section E

t4523 E19d: Form of contraception used in past three months: condom/sheath

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	379	2.6	21.6	21.6
	2 No	1379	9.5	78.4	100.0
	Total	1758	12.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2417	16.6		
	Total	12783	87.9		
Total		14541	100.0		

t4524 E19e: Form of contraception used in past three months: calendar/rhythm method

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	43	.3	2.7	2.7
	2 No	1529	10.5	97.3	100.0
	Total	1572	10.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2603	17.9		
	Total	12969	89.2		
Total		14541	100.0		

t4525 E19f: Form of contraception used in past three months: diaphragm/cap

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	20	.1	1.3	1.3
	2 No	1545	10.6	98.7	100.0
	Total	1565	10.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2610	17.9		
	Total	12976	89.2		
Total		14541	100.0		

t4526 E19g: Form of contraception used in past three months: spermicide

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	16	.1	1.0	1.0
	2 No	1539	10.6	99.0	100.0
	Total	1555	10.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2620	18.0		
	Total	12986	89.3		
Total		14541	100.0		

Section E

t4527 E19h: Form of contraception used in past three months: respondent sterilised

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	460	3.2	24.9	24.9
	2 No	1387	9.5	75.1	100.0
	Total	1847	12.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2328	16.0		
	Total	12694	87.3		
Total		14541	100.0		

t4528 E19i: Form of contraception used in past three months: partner sterilised

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1241	8.5	54.9	54.9
	2 No	1018	7.0	45.1	100.0
	Total	2259	15.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	1916	13.2		
	Total	12282	84.5		
Total		14541	100.0		

t4529 E19j: Form of contraception used in past three months: respondent no longer fertile

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	696	4.8	35.4	35.4
	2 No	1272	8.7	64.6	100.0
	Total	1968	13.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2207	15.2		
	Total	12573	86.5		
Total		14541	100.0		

t4530 E19k: Form of contraception used in past three months: none

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	447	3.1	28.0	28.0
	2 No	1152	7.9	72.0	100.0
	Total	1599	11.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2576	17.7		
	Total	12942	89.0		
Total		14541	100.0		

Section E

t4531 E19I: Form of contraception used in past three months: other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	132	.9	13.1	13.1
	2 No	878	6.0	86.9	100.0
	Total	1010	6.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3165	21.8		
	Total	13531	93.1		
Total		14541	100.0		

t4540 E20a: Number of times pregnant since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3278	22.5	81.2	81.2
	1	490	3.4	12.1	93.3
	2	180	1.2	4.5	97.8
	3	54	.4	1.3	99.1
	4	17	.1	.4	99.5
	5	10	.1	.2	99.8
	6	4	.0	.1	99.9
	7	1	.0	.0	99.9
	8	2	.0	.0	100.0
	14	1	.0	.0	100.0
	20	1	.0	.0	100.0
	Total	4038	27.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	137	.9		
	Total	10503	72.2		
Total		14541	100.0		

t4541 E20b1: Number of pregnancies ended as miscarriages since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	266	1.8	59.4	59.4
	1	133	.9	29.7	89.1
	2	34	.2	7.6	96.7
	3	7	.0	1.6	98.2
	4	5	.0	1.1	99.3
	5	2	.0	.4	99.8
	11	1	.0	.2	100.0
	Total	448	3.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	449	3.1		
	Total	14093	96.9		
Total		14541	100.0		

Section E

t4542 E20b2: Number of pregnancies ended as termination because pregnancy not wanted or respondent unable to cope since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	273	1.9	74.0	74.0
	1	90	.6	24.4	98.4
	2	6	.0	1.6	100.0
	Total	369	2.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	528	3.6		
	Total	14172	97.5		
Total		14541	100.0		

t4543 E20b3: Number of pregnancies ended as termination for medical reasons since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	289	2.0	94.4	94.4
	1	16	.1	5.2	99.7
	2	1	.0	.3	100.0
	Total	306	2.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	591	4.1		
	Total	14235	97.9		
Total		14541	100.0		

t4544 E20b4: Number of pregnancies ended as twins/multiple births since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	290	2.0	98.3	98.3
	1	5	.0	1.7	100.0
	Total	295	2.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	602	4.1		
	Total	14246	98.0		
Total		14541	100.0		

t4545 E20b5: Number of pregnancies ended as baby born dead since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	292	2.0	97.7	97.7
	1	7	.0	2.3	100.0
	Total	299	2.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	598	4.1		
	Total	14242	97.9		
Total		14541	100.0		

Section E

t4546 E20b6: Number of pregnancies ended as baby born alive but died in first month, since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	291	2.0	99.7	99.7
	1	1	.0	.3	100.0
	Total	292	2.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	605	4.2		
	Total	14249	98.0		
Total		14541	100.0		

t4547 E20b7: Number of pregnancies ended as baby born alive but died after first month, since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	292	2.0	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	605	4.2		
Total		14249	98.0		
Total		14541	100.0		

t4548 E20b8: Number of pregnancies since study teenager's 7th birthday in which children still alive

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	28	.2	4.5	4.5
	1	448	3.1	72.5	77.0
	2	113	.8	18.3	95.3
	3	21	.1	3.4	98.7
	4	5	.0	.8	99.5
	5	2	.0	.3	99.8
	8	1	.0	.2	100.0
	Total	618	4.3	100.0	
	Missing	10366	71.3		
Missing		3278	22.5		
-1 No response		279	1.9		
Total		13923	95.7		
Total		14541	100.0		

t4549 E20b9: Number of pregnancies ended since study teenager's 7th birthday: other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	179	1.2	94.7	94.7
	1	9	.1	4.8	99.5
	2	1	.0	.5	100.0
	Total	189	1.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	708	4.9		
	Total	14352	98.7		
Total		14541	100.0		

Section E

t4560 E20c1p1: Outcome of first pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	143	1.0	20.3	20.3
	2 Abortion/termination for unwanted pregnancies	60	.4	8.5	28.8
	3 Termination for problem	11	.1	1.6	30.4
	4 Still pregnant	2	.0	.3	30.7
	5 Baby born	484	3.3	68.8	99.4
	6 Other	4	.0	.6	100.0
	Total	704	4.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	193	1.3		
	Total	13837	95.2		
Total		14541	100.0		

t4561 E20c1p2: Outcome of second pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	64	.4	22.4	22.4
	2 Abortion/termination for unwanted pregnancies	23	.2	8.0	30.4
	3 Termination for problem	4	.0	1.4	31.8
	4 Still pregnant	1	.0	.3	32.2
	5 Baby born	191	1.3	66.8	99.0
	6 Other	3	.0	1.0	100.0
	Total	286	2.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	611	4.2		
	Total	14255	98.0		
Total		14541	100.0		

t4562 E20c1p3: Outcome of third pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	30	.2	28.6	28.6
	2 Abortion/termination for unwanted pregnancies	12	.1	11.4	40.0
	3 Termination for problem	2	.0	1.9	41.9
	5 Baby born	61	.4	58.1	100.0
	Total	105	.7	100.0	
	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
Missing	-1 No response	792	5.4		
	Total	14436	99.3		
		14541	100.0		

Section E

t4570 E20c2p1: Date of last period before first pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	15	.1	16.0	16.0
	2	2	.0	2.1	18.1
	3	5	.0	5.3	23.4
	4	1	.0	1.1	24.5
	5	4	.0	4.3	28.7
	6	1	.0	1.1	29.8
	7	3	.0	3.2	33.0
	8	2	.0	2.1	35.1
	9	4	.0	4.3	39.4
	10	5	.0	5.3	44.7
	11	6	.0	6.4	51.1
	12	2	.0	2.1	53.2
	13	2	.0	2.1	55.3
	14	3	.0	3.2	58.5
	15	5	.0	5.3	63.8
	16	2	.0	2.1	66.0
	17	1	.0	1.1	67.0
	18	4	.0	4.3	71.3
	19	2	.0	2.1	73.4
	20	5	.0	5.3	78.7
	21	2	.0	2.1	80.9
	23	4	.0	4.3	85.1
	24	2	.0	2.1	87.2
	26	2	.0	2.1	89.4
	28	5	.0	5.3	94.7
	29	1	.0	1.1	95.7
	30	3	.0	3.2	98.9
	31	1	.0	1.1	100.0
	Total	94	.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	803	5.5		
	Total	14447	99.4		
Total		14541	100.0		

Section E

t4571 E20c2p1: Date of last period before first pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	21	.1	9.0	9.0
	2	25	.2	10.7	19.7
	3	14	.1	6.0	25.8
	4	19	.1	8.2	33.9
	5	17	.1	7.3	41.2
	6	21	.1	9.0	50.2
	7	20	.1	8.6	58.8
	8	22	.2	9.4	68.2
	9	15	.1	6.4	74.7
	10	13	.1	5.6	80.3
	11	20	.1	8.6	88.8
	12	26	.2	11.2	100.0
	Total	233	1.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	664	4.6		
	Total	14308	98.4		
Total		14541	100.0		

t4572 E20c2p1: Date of last period before first pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	2	.0	.8	.8
	1992	10	.1	3.8	4.6
	1993	25	.2	9.5	14.1
	1994	17	.1	6.5	20.5
	1995	7	.0	2.7	23.2
	1996	10	.1	3.8	27.0
	1997	15	.1	5.7	32.7
	1998	29	.2	11.0	43.7
	1999	37	.3	14.1	57.8
	2000	24	.2	9.1	66.9
	2001	26	.2	9.9	76.8
	2002	12	.1	4.6	81.4
	2003	13	.1	4.9	86.3
	2004	7	.0	2.7	89.0
	2005	6	.0	2.3	91.3
	2006	7	.0	2.7	93.9
	2007	7	.0	2.7	96.6
	2008	4	.0	1.5	98.1
	2009	2	.0	.8	98.9
	2010	2	.0	.8	99.6
	2011	1	.0	.4	100.0
	Total	263	1.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	634	4.4		
	Total	14278	98.2		
Total		14541	100.0		

Section E

t4580 E202p2: Date of last period before second pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	5	.0	17.2	17.2
	2	1	.0	3.4	20.7
	3	2	.0	6.9	27.6
	5	1	.0	3.4	31.0
	7	2	.0	6.9	37.9
	8	1	.0	3.4	41.4
	10	3	.0	10.3	51.7
	16	1	.0	3.4	55.2
	17	1	.0	3.4	58.6
	19	2	.0	6.9	65.5
	20	1	.0	3.4	69.0
	21	2	.0	6.9	75.9
	22	2	.0	6.9	82.8
	23	1	.0	3.4	86.2
	25	2	.0	6.9	93.1
	28	1	.0	3.4	96.6
	31	1	.0	3.4	100.0
	Total	29	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	868	6.0		
	Total	14512	99.8		
Total		14541	100.0		

t4581 E20c2p2: Date of last period before second pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	7	.0	9.6	9.6
	2	4	.0	5.5	15.1
	3	5	.0	6.8	21.9
	4	10	.1	13.7	35.6
	5	8	.1	11.0	46.6
	6	7	.0	9.6	56.2
	7	7	.0	9.6	65.8
	8	9	.1	12.3	78.1
	9	3	.0	4.1	82.2
	10	3	.0	4.1	86.3
	11	3	.0	4.1	90.4
	12	7	.0	9.6	100.0
	Total	73	.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	824	5.7		
	Total	14468	99.5		
Total		14541	100.0		

Section E

t4582 E20c2p2: Date of last period before second pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	1	.0	1.2	1.2
	1993	3	.0	3.6	4.8
	1994	4	.0	4.8	9.5
	1995	6	.0	7.1	16.7
	1996	2	.0	2.4	19.0
	1998	3	.0	3.6	22.6
	1999	5	.0	6.0	28.6
	2000	6	.0	7.1	35.7
	2001	10	.1	11.9	47.6
	2002	11	.1	13.1	60.7
	2003	8	.1	9.5	70.2
	2004	5	.0	6.0	76.2
	2005	7	.0	8.3	84.5
	2006	2	.0	2.4	86.9
	2007	3	.0	3.6	90.5
	2008	5	.0	6.0	96.4
	2009	3	.0	3.6	100.0
	Total	84	.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	813	5.6		
	Total	14457	99.4		
Total		14541	100.0		

t4590 E20c2p3: Date of last period before third pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	12.5	12.5
	3	1	.0	12.5	25.0
	4	1	.0	12.5	37.5
	8	1	.0	12.5	50.0
	10	1	.0	12.5	62.5
	12	1	.0	12.5	75.0
	13	1	.0	12.5	87.5
	15	1	.0	12.5	100.0
	Total	8	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	889	6.1		
	Total	14533	99.9		
Total		14541	100.0		

Section E

t4591 E20c2p3: Date of last period before third pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.0	13.0	13.0
	2	2	.0	8.7	21.7
	3	4	.0	17.4	39.1
	4	2	.0	8.7	47.8
	6	1	.0	4.3	52.2
	7	3	.0	13.0	65.2
	8	1	.0	4.3	69.6
	9	4	.0	17.4	87.0
	10	1	.0	4.3	91.3
	11	1	.0	4.3	95.7
	12	1	.0	4.3	100.0
	Total	23	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	874	6.0		
	Total	14518	99.8		
Total		14541	100.0		

t4592 E20c2p3: Date of last period before third pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1992	1	.0	3.6	3.6
	1993	1	.0	3.6	7.1
	1994	1	.0	3.6	10.7
	1995	1	.0	3.6	14.3
	1996	1	.0	3.6	17.9
	1998	1	.0	3.6	21.4
	2000	1	.0	3.6	25.0
	2002	3	.0	10.7	35.7
	2003	3	.0	10.7	46.4
	2004	2	.0	7.1	53.6
	2005	1	.0	3.6	57.1
	2006	5	.0	17.9	75.0
	2007	4	.0	14.3	89.3
	2008	2	.0	7.1	96.4
	2010	1	.0	3.6	100.0
	Total	28	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	869	6.0		
	Total	14513	99.8		
Total		14541	100.0		

Section E

t4600 E20c3p1: Date of delivery or end of first pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	10	.1	2.4	2.4
	2	14	.1	3.3	5.7
	3	12	.1	2.9	8.6
	4	17	.1	4.1	12.7
	5	16	.1	3.8	16.5
	6	10	.1	2.4	18.9
	7	8	.1	1.9	20.8
	8	8	.1	1.9	22.7
	9	14	.1	3.3	26.1
	10	11	.1	2.6	28.7
	11	10	.1	2.4	31.1
	12	15	.1	3.6	34.7
	13	28	.2	6.7	41.4
	14	11	.1	2.6	44.0
	15	12	.1	2.9	46.9
	16	12	.1	2.9	49.8
	17	12	.1	2.9	52.6
	18	12	.1	2.9	55.5
	19	13	.1	3.1	58.6
	20	10	.1	2.4	61.0
	21	15	.1	3.6	64.6
	22	18	.1	4.3	68.9
	23	15	.1	3.6	72.5
	24	14	.1	3.3	75.8
	25	13	.1	3.1	78.9
	26	19	.1	4.5	83.5
	27	13	.1	3.1	86.6
	28	19	.1	4.5	91.1
	29	14	.1	3.3	94.5
	30	13	.1	3.1	97.6
	31	10	.1	2.4	100.0
	Total	418	2.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	479	3.3		
	Total	14123	97.1		
Total		14541	100.0		

Section E

t4601 E20c3p1: Date of delivery or end of first pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	36	.2	8.0	8.0
	2	30	.2	6.6	14.6
	3	52	.4	11.5	26.1
	4	49	.3	10.8	36.9
	5	40	.3	8.8	45.8
	6	31	.2	6.9	52.7
	7	36	.2	8.0	60.6
	8	39	.3	8.6	69.2
	9	31	.2	6.9	76.1
	10	37	.3	8.2	84.3
	11	39	.3	8.6	92.9
	12	32	.2	7.1	100.0
	Total	452	3.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	445	3.1		
	Total	14089	96.9		
Total		14541	100.0		

t4602 E20c3p1: Date of delivery or end of first pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	3	.0	.7	.7
	1992	8	.1	1.8	2.4
	1993	23	.2	5.1	7.6
	1994	49	.3	10.9	18.5
	1995	34	.2	7.6	26.1
	1996	16	.1	3.6	29.6
	1997	19	.1	4.2	33.9
	1998	39	.3	8.7	42.5
	1999	63	.4	14.0	56.6
	2000	57	.4	12.7	69.3
	2001	35	.2	7.8	77.1
	2002	28	.2	6.2	83.3
	2003	20	.1	4.5	87.8
	2004	17	.1	3.8	91.5
	2005	8	.1	1.8	93.3
	2006	13	.1	2.9	96.2
	2007	8	.1	1.8	98.0
	2008	3	.0	.7	98.7
	2009	3	.0	.7	99.3
	2010	3	.0	.7	100.0
	Total	449	3.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	448	3.1		
	Total	14092	96.9		
Total		14541	100.0		

Section E

t4610 E20c3p2: Date of delivery or end of second pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	7	.0	4.5	4.5
	2	3	.0	1.9	6.5
	3	5	.0	3.2	9.7
	4	5	.0	3.2	12.9
	5	2	.0	1.3	14.2
	6	2	.0	1.3	15.5
	7	4	.0	2.6	18.1
	8	7	.0	4.5	22.6
	9	5	.0	3.2	25.8
	10	5	.0	3.2	29.0
	11	5	.0	3.2	32.3
	12	6	.0	3.9	36.1
	13	3	.0	1.9	38.1
	14	8	.1	5.2	43.2
	15	6	.0	3.9	47.1
	16	2	.0	1.3	48.4
	17	3	.0	1.9	50.3
	18	4	.0	2.6	52.9
	19	2	.0	1.3	54.2
Missing	20	15	.1	9.7	63.9
	21	6	.0	3.9	67.7
	22	7	.0	4.5	72.3
	23	3	.0	1.9	74.2
	24	3	.0	1.9	76.1
	25	8	.1	5.2	81.3
	26	7	.0	4.5	85.8
	27	6	.0	3.9	89.7
	28	3	.0	1.9	91.6
	29	6	.0	3.9	95.5
Total	30	4	.0	2.6	98.1
	31	3	.0	1.9	100.0
	Total	155	1.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	742	5.1		
Total		14386	98.9		
Total		14541	100.0		

Section E

t4611 E20c3p2: Date of delivery or end of second pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	15	.1	8.9	8.9
	2	15	.1	8.9	17.8
	3	13	.1	7.7	25.4
	4	17	.1	10.1	35.5
	5	19	.1	11.2	46.7
	6	15	.1	8.9	55.6
	7	14	.1	8.3	63.9
	8	16	.1	9.5	73.4
	9	9	.1	5.3	78.7
	10	11	.1	6.5	85.2
	11	7	.0	4.1	89.3
	12	18	.1	10.7	100.0
	Total	169	1.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	728	5.0		
	Total	14372	98.8		
Total		14541	100.0		

t4612 E20c3p2: Date of delivery or end of second pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	2	.0	1.2	1.2
	1992	3	.0	1.8	2.9
	1993	4	.0	2.3	5.3
	1994	5	.0	2.9	8.2
	1995	7	.0	4.1	12.3
	1996	9	.1	5.3	17.5
	1997	6	.0	3.5	21.1
	1998	12	.1	7.0	28.1
	1999	7	.0	4.1	32.2
	2000	12	.1	7.0	39.2
	2001	18	.1	10.5	49.7
	2002	15	.1	8.8	58.5
	2003	17	.1	9.9	68.4
	2004	12	.1	7.0	75.4
	2005	14	.1	8.2	83.6
	2006	9	.1	5.3	88.9
	2007	7	.0	4.1	93.0
	2008	6	.0	3.5	96.5
	2009	5	.0	2.9	99.4
	2010	1	.0	.6	100.0
	Total	171	1.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	726	5.0		
	Total	14370	98.8		
Total		14541	100.0		

Section E

t4620 E20c3p3: Date of delivery or end of third pregnancy since study teenager's 7th birthday: day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.0	6.0	6.0
	2	3	.0	6.0	12.0
	3	2	.0	4.0	16.0
	5	1	.0	2.0	18.0
	6	2	.0	4.0	22.0
	7	1	.0	2.0	24.0
	8	3	.0	6.0	30.0
	9	3	.0	6.0	36.0
	10	2	.0	4.0	40.0
	12	3	.0	6.0	46.0
	13	1	.0	2.0	48.0
	14	2	.0	4.0	52.0
	15	2	.0	4.0	56.0
	16	3	.0	6.0	62.0
	17	1	.0	2.0	64.0
	19	1	.0	2.0	66.0
	20	1	.0	2.0	68.0
	22	4	.0	8.0	76.0
	23	3	.0	6.0	82.0
	24	2	.0	4.0	86.0
	26	1	.0	2.0	88.0
	27	1	.0	2.0	90.0
	28	1	.0	2.0	92.0
	29	2	.0	4.0	96.0
	31	2	.0	4.0	100.0
	Total	50	.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	847	5.8		
	Total	14491	99.7		
Total		14541	100.0		

Section E

t4621 E20c3p3: Date of delivery or end of third pregnancy since study teenager's 7th birthday: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	.0	7.3	7.3
	2	3	.0	5.5	12.7
	3	3	.0	5.5	18.2
	4	8	.1	14.5	32.7
	5	3	.0	5.5	38.2
	6	10	.1	18.2	56.4
	7	1	.0	1.8	58.2
	8	5	.0	9.1	67.3
	9	5	.0	9.1	76.4
	10	3	.0	5.5	81.8
	11	2	.0	3.6	85.5
	12	8	.1	14.5	100.0
	Total	55	.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	842	5.8		
	Total	14486	99.6		
Total		14541	100.0		

t4622 E20c3p3: Date of delivery or end of third pregnancy since study teenager's 7th birthday: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	3	.0	5.3	5.3
	1993	1	.0	1.8	7.0
	1994	3	.0	5.3	12.3
	1995	2	.0	3.5	15.8
	1996	4	.0	7.0	22.8
	1997	1	.0	1.8	24.6
	1998	1	.0	1.8	26.3
	1999	2	.0	3.5	29.8
	2000	1	.0	1.8	31.6
	2001	6	.0	10.5	42.1
	2002	5	.0	8.8	50.9
	2003	2	.0	3.5	54.4
	2004	4	.0	7.0	61.4
	2005	3	.0	5.3	66.7
	2006	5	.0	8.8	75.4
	2007	6	.0	10.5	86.0
	2008	5	.0	8.8	94.7
	2009	2	.0	3.5	98.2
	2010	1	.0	1.8	100.0
	Total	57	.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	840	5.8		
	Total	14484	99.6		
Total		14541	100.0		

Section E

t4625 E20c4p1: Problems with first pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	113	.8	24.9	24.9
	2 No	341	2.3	75.1	100.0
	Total	454	3.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	443	3.0		
	Total	14087	96.9		
Total		14541	100.0		

t4626 E20c4p2: Problems with second pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	44	.3	28.0	28.0
	2 No	113	.8	72.0	100.0
	Total	157	1.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	740	5.1		
	Total	14384	98.9		
Total		14541	100.0		

t4627 E20c4p3: Problems with third pregnancy since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.1	28.0	28.0
	2 No	36	.2	72.0	100.0
	Total	50	.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No pregnancies	3278	22.5		
	-1 No response	847	5.8		
	Total	14491	99.7		
Total		14541	100.0		

t4700 E21a: Respondent has ever had an operation for removal of uterus (womb) and both ovaries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	96	.7	2.4	2.4
	2 No	3920	27.0	97.6	100.0
	Total	4016	27.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	159	1.1		
	Total	10525	72.4		
		14541	100.0		

Section E

t4701 E21a: Date of operation for removal of uterus (womb) and both ovaries: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	8	.1	12.9	12.9
	2	3	.0	4.8	17.7
	3	8	.1	12.9	30.6
	4	6	.0	9.7	40.3
	5	4	.0	6.5	46.8
	6	7	.0	11.3	58.1
	7	2	.0	3.2	61.3
	8	7	.0	11.3	72.6
	9	2	.0	3.2	75.8
	10	8	.1	12.9	88.7
	11	4	.0	6.5	95.2
	12	3	.0	4.8	100.0
Total		62	.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4113	28.3		
	Total	14479	99.6		
Total		14541	100.0		

t4702 E21a: Date of operation for removal of uterus (womb) and both ovaries: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1993	1	.0	1.5	1.5
	1994	3	.0	4.5	6.0
	1995	1	.0	1.5	7.5
	1996	1	.0	1.5	9.0
	1997	1	.0	1.5	10.4
	1998	5	.0	7.5	17.9
	1999	2	.0	3.0	20.9
	2000	4	.0	6.0	26.9
	2001	4	.0	6.0	32.8
	2002	5	.0	7.5	40.3
	2003	4	.0	6.0	46.3
	2004	4	.0	6.0	52.2
	2005	7	.0	10.4	62.7
	2006	3	.0	4.5	67.2
	2007	3	.0	4.5	71.6
	2008	5	.0	7.5	79.1
	2009	7	.0	10.4	89.6
	2010	7	.0	10.4	100.0
Total		67	.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4108	28.3		
	Total	14474	99.5		
Total		14541	100.0		

Section E

t4703 E21a: Age when operated on for removal of uterus (womb) and both ovaries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	30	2	.0	4.1	4.1
	32	1	.0	2.0	6.1
	36	4	.0	8.2	14.3
	37	1	.0	2.0	16.3
	38	11	.1	22.4	38.8
	39	2	.0	4.1	42.9
	40	5	.0	10.2	53.1
	41	2	.0	4.1	57.1
	42	2	.0	4.1	61.2
	44	2	.0	4.1	65.3
	45	2	.0	4.1	69.4
	46	4	.0	8.2	77.6
	47	2	.0	4.1	81.6
	48	2	.0	4.1	85.7
	50	2	.0	4.1	89.8
	51	1	.0	2.0	91.8
	53	2	.0	4.1	95.9
	54	1	.0	2.0	98.0
	55	1	.0	2.0	100.0
	Total	49	.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4126	28.4		
	Total	14492	99.7		
Total		14541	100.0		

t4710 E21b: Respondent has ever had operation for removal of uterus (womb) only

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	143	1.0	3.6	3.6
	2 No	3810	26.2	96.4	100.0
	Total	3953	27.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	222	1.5		
	Total	10588	72.8		
Total		14541	100.0		

Section E

t4711 E21b: Date of operation for removal of uterus (womb) only: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	10	.1	8.1	8.1
	2	12	.1	9.8	17.9
	3	8	.1	6.5	24.4
	4	19	.1	15.4	39.8
	5	9	.1	7.3	47.2
	6	10	.1	8.1	55.3
	7	12	.1	9.8	65.0
	8	6	.0	4.9	69.9
	9	13	.1	10.6	80.5
	10	8	.1	6.5	87.0
	11	10	.1	8.1	95.1
	12	6	.0	4.9	100.0
	Total	123	.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4052	27.9		
	Total	14418	99.2		
Total		14541	100.0		

t4712 E21b: Date of operation for removal of uterus (womb) only: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1989	1	.0	.7	.7
	1992	3	.0	2.1	2.9
	1993	4	.0	2.9	5.7
	1994	2	.0	1.4	7.1
	1995	3	.0	2.1	9.3
	1996	11	.1	7.9	17.1
	1997	9	.1	6.4	23.6
	1998	7	.0	5.0	28.6
	1999	7	.0	5.0	33.6
	2000	8	.1	5.7	39.3
	2001	8	.1	5.7	45.0
	2002	6	.0	4.3	49.3
	2003	8	.1	5.7	55.0
	2004	8	.1	5.7	60.7
	2005	5	.0	3.6	64.3
	2006	8	.1	5.7	70.0
	2007	5	.0	3.6	73.6
	2008	18	.1	12.9	86.4
	2009	11	.1	7.9	94.3
	2010	8	.1	5.7	100.0
	Total	140	1.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4035	27.7		
	Total	14401	99.0		
Total		14541	100.0		

Section E

t4713 E21b: Age when operated on for removal of uterus (womb) only

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	26	1	.0	1.0	1.0
	27	1	.0	1.0	2.1
	28	1	.0	1.0	3.1
	29	4	.0	4.1	7.2
	30	2	.0	2.1	9.3
	32	3	.0	3.1	12.4
	33	5	.0	5.2	17.5
	34	3	.0	3.1	20.6
	35	5	.0	5.2	25.8
	36	5	.0	5.2	30.9
	37	5	.0	5.2	36.1
	38	6	.0	6.2	42.3
	39	9	.1	9.3	51.5
	40	11	.1	11.3	62.9
	41	3	.0	3.1	66.0
	42	3	.0	3.1	69.1
	43	4	.0	4.1	73.2
	44	5	.0	5.2	78.4
	45	6	.0	6.2	84.5
	46	3	.0	3.1	87.6
	47	1	.0	1.0	88.7
	48	5	.0	5.2	93.8
	49	2	.0	2.1	95.9
	50	1	.0	1.0	96.9
	51	1	.0	1.0	97.9
	52	1	.0	1.0	99.0
	57	1	.0	1.0	100.0
Total		97	.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4078	28.0		
	Total	14444	99.3		
Total		14541	100.0		

t4720 E21c: Respondent has ever had operation for removal of uterus (womb) and one ovary

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	23	.2	.6	.6
	2 No	3890	26.8	99.4	100.0
	Total	3913	26.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	262	1.8		
	Total	10628	73.1		
Total		14541	100.0		

Section E

t4721 E21c: Date of operation for removal of uterus (womb) and one ovary: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	.0	12.5	12.5
	2	1	.0	6.3	18.8
	4	3	.0	18.8	37.5
	5	1	.0	6.3	43.8
	6	2	.0	12.5	56.3
	7	2	.0	12.5	68.8
	9	3	.0	18.8	87.5
	11	1	.0	6.3	93.8
	12	1	.0	6.3	100.0
	Total	16	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4159	28.6		
	Total	14525	99.9		
Total		14541	100.0		

t4722 E21c: Date of operation for removal of uterus (womb) and one ovary: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1996	1	.0	5.9	5.9
	1998	1	.0	5.9	11.8
	1999	1	.0	5.9	17.6
	2000	2	.0	11.8	29.4
	2002	1	.0	5.9	35.3
	2003	1	.0	5.9	41.2
	2004	2	.0	11.8	52.9
	2005	1	.0	5.9	58.8
	2006	3	.0	17.6	76.5
	2007	1	.0	5.9	82.4
	2008	2	.0	11.8	94.1
	2010	1	.0	5.9	100.0
	Total	17	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4158	28.6		
	Total	14524	99.9		
Total		14541	100.0		

t4723 E21c: Age when operated on for removal of uterus (womb) and one ovary

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	32	1	.0	8.3	8.3
	36	1	.0	8.3	16.7
	37	1	.0	8.3	25.0
	38	1	.0	8.3	33.3
	39	2	.0	16.7	50.0
	40	1	.0	8.3	58.3
	41	3	.0	25.0	83.3
	45	1	.0	8.3	91.7
	49	1	.0	8.3	100.0
	Total	12	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4163	28.6		
	Total	14529	99.9		

Section E

t4721 E21c: Date of operation for removal of uterus (womb) and one ovary: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	.0	12.5	12.5
	2	1	.0	6.3	18.8
	4	3	.0	18.8	37.5
	5	1	.0	6.3	43.8
	6	2	.0	12.5	56.3
	7	2	.0	12.5	68.8
	9	3	.0	18.8	87.5
	11	1	.0	6.3	93.8
	12	1	.0	6.3	100.0
	Total	16	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4159	28.6		
	Total	14525	99.9		
Total		14541	100.0		

t4730 E21d: Respondent has ever had operation for removal of both ovaries only

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.1	.4	.4
	2 No	3895	26.8	99.6	100.0
	Total	3909	26.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	266	1.8		
	Total	10632	73.1		
Total		14541	100.0		

t4731 E21d: Date of operation for removal of both ovaries only: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	.0	6.7	6.7
	3	2	.0	13.3	20.0
	4	1	.0	6.7	26.7
	5	3	.0	20.0	46.7
	7	3	.0	20.0	66.7
	8	1	.0	6.7	73.3
	11	3	.0	20.0	93.3
	12	1	.0	6.7	100.0
	Total	15	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4160	28.6		
	Total	14526	99.9		
Total		14541	100.0		

Section E

t4732 E21d: Date of operation for removal of both ovaries only: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1994	1	.0	6.3	6.3
	2004	2	.0	12.5	18.8
	2005	2	.0	12.5	31.3
	2006	2	.0	12.5	43.8
	2007	1	.0	6.3	50.0
	2008	4	.0	25.0	75.0
	2009	2	.0	12.5	87.5
	2010	2	.0	12.5	100.0
	Total	16	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4159	28.6		
	Total	14525	99.9		
Total		14541	100.0		

t4733 E21d: Age when operated on for removal of both ovaries only

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	32	1	.0	12.5	12.5
	35	1	.0	12.5	25.0
	40	1	.0	12.5	37.5
	45	2	.0	25.0	62.5
	48	1	.0	12.5	75.0
	49	1	.0	12.5	87.5
	53	1	.0	12.5	100.0
	Total	8	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4167	28.7		
	Total	14533	99.9		
Total		14541	100.0		

t4740 E21e: Respondent has ever had operation for removal of one ovary only

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	67	.5	1.7	1.7
	2 No	3846	26.4	98.3	100.0
	Total	3913	26.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	262	1.8		
	Total	10628	73.1		
Total		14541	100.0		

Section E

t4741 E21e: Date of operation for removal of one ovary only: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	.0	8.7	8.7
	2	6	.0	13.0	21.7
	3	3	.0	6.5	28.3
	4	3	.0	6.5	34.8
	5	3	.0	6.5	41.3
	6	4	.0	8.7	50.0
	7	2	.0	4.3	54.3
	8	6	.0	13.0	67.4
	9	4	.0	8.7	76.1
	10	4	.0	8.7	84.8
	11	3	.0	6.5	91.3
	12	4	.0	8.7	100.0
Total		46	.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4129	28.4		
	Total	14495	99.7		
Total		14541	100.0		

Section E

t4742 E21e: Date of operation for removal of one ovary only: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1971	1	.0	1.8	1.8
	1974	1	.0	1.8	3.6
	1976	1	.0	1.8	5.5
	1977	2	.0	3.6	9.1
	1978	1	.0	1.8	10.9
	1979	1	.0	1.8	12.7
	1981	1	.0	1.8	14.5
	1982	1	.0	1.8	16.4
	1983	2	.0	3.6	20.0
	1985	2	.0	3.6	23.6
	1987	1	.0	1.8	25.5
	1988	1	.0	1.8	27.3
	1989	3	.0	5.5	32.7
	1990	2	.0	3.6	36.4
	1991	4	.0	7.3	43.6
	1992	4	.0	7.3	50.9
	1993	1	.0	1.8	52.7
	1994	3	.0	5.5	58.2
	1996	1	.0	1.8	60.0
	1997	2	.0	3.6	63.6
	1998	2	.0	3.6	67.3
	1999	2	.0	3.6	70.9
	2000	5	.0	9.1	80.0
	2001	1	.0	1.8	81.8
	2002	2	.0	3.6	85.5
	2003	1	.0	1.8	87.3
	2005	1	.0	1.8	89.1
	2006	2	.0	3.6	92.7
	2007	2	.0	3.6	96.4
	2008	2	.0	3.6	100.0
Missing	Total	55	.4	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	4120	28.3		
Total	Total	14486	99.6		
		14541	100.0		

Section E

t4743 E21e: Age when operated on for removal of one ovary only

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	11	1	.0	2.6	2.6
	15	1	.0	2.6	5.1
	17	2	.0	5.1	10.3
	18	1	.0	2.6	12.8
	20	2	.0	5.1	17.9
	21	2	.0	5.1	23.1
	22	1	.0	2.6	25.6
	25	2	.0	5.1	30.8
	27	1	.0	2.6	33.3
	28	5	.0	12.8	46.2
	30	1	.0	2.6	48.7
	31	1	.0	2.6	51.3
	33	2	.0	5.1	56.4
	34	2	.0	5.1	61.5
	35	1	.0	2.6	64.1
	36	1	.0	2.6	66.7
	38	2	.0	5.1	71.8
	40	1	.0	2.6	74.4
	41	2	.0	5.1	79.5
	42	3	.0	7.7	87.2
	45	1	.0	2.6	89.7
	48	2	.0	5.1	94.9
	49	1	.0	2.6	97.4
	50	1	.0	2.6	100.0
Total		39	.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	4136	28.4		
	Total	14502	99.7		
Total		14541	100.0		

[Logical edits: If any of t4801 to t4805 eq 2 then t4800 eq 2; if t4800 eq 1 then t4801 to t4805 eq =2]

t4800 E22a: Respondent had a period or menstrual bleeding in last twelve months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2648	18.2	64.1	64.1
	2 No	1480	10.2	35.9	100.0
Total		4128	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	47	.3		
	Total	10413	71.6		
Total		14541	100.0		

Section E

t4801 E22b1: Periods stopped by: surgery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	297	2.0	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Had periods in last 12 mths	2648	18.2		
	-1 No response	1230	8.5		
	Total	14244	98.0		
Total		14541	100.0		

t4802 E22b2: Periods stopped by: chemotherapy or radiation therapy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	64	.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Had periods in last 12 mths	2648	18.2		
	-1 No response	1463	10.1		
	Total	14477	99.6		
Total		14541	100.0		

t4803 E22b3: Periods stopped by: pregnancy or breastfeeding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	11	.1	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Had periods in last 12 mths	2648	18.2		
	-1 No response	1516	10.4		
	Total	14530	99.9		
Total		14541	100.0		

t4804 E22b4: Periods stopped by: no obvious reason/menopause

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	797	5.5	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Had periods in last 12 mths	2648	18.2		
	-1 No response	730	5.0		
	Total	13744	94.5		
Total		14541	100.0		

t4805 E22b5: Periods stopped by: other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	235	1.6	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Had periods in last 12 mths	2648	18.2		
	-1 No response	1292	8.9		
	Total	14306	98.4		
Total		14541	100.0		

Section E

t4810 E23: Respondent had a period or menstrual bleeding in the last three months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2469	17.0	75.7	75.7
	2 No	791	5.4	24.3	100.0
	Total	3260	22.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	915	6.3		
	Total	11281	77.6		
Total		14541	100.0		

t4811 E24: Last period: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	49	.3	1.8	1.8
	2	43	.3	1.6	3.4
	3	54	.4	2.0	5.4
	4	82	.6	3.0	8.4
	5	263	1.8	9.7	18.0
	6	318	2.2	11.7	29.7
	7	682	4.7	25.0	54.7
	8	480	3.3	17.6	72.3
	9	416	2.9	15.3	87.6
	10	187	1.3	6.9	94.5
	11	98	.7	3.6	98.1
	12	52	.4	1.9	100.0
	26	1	.0	.0	100.0
Total		2725	18.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	1450	10.0		
	Total	11816	81.3		
Total		14541	100.0		

Section E

t4812 E24: Last period: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1992	1	.0	.0	.0
	1994	4	.0	.1	.2
	1995	2	.0	.1	.3
	1996	4	.0	.1	.4
	1997	3	.0	.1	.5
	1998	4	.0	.1	.6
	1999	2	.0	.1	.7
	2000	9	.1	.3	1.0
	2001	5	.0	.2	1.2
	2002	7	.0	.3	1.5
	2003	14	.1	.5	2.0
	2004	9	.1	.3	2.3
	2005	11	.1	.4	2.7
	2006	21	.1	.8	3.4
	2007	23	.2	.8	4.3
	2008	39	.3	1.4	5.6
	2009	86	.6	3.1	8.7
	2010	2488	17.1	88.9	97.6
	2011	64	.4	2.3	99.9
	2101	1	.0	.0	100.0
	2110	1	.0	.0	100.0
	Total	2798	19.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	1377	9.5		
	Total	11743	80.8		
	Total	14541	100.0		

Section E

t4813 E24: Age at last period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	12	1	.0	.2	.2
	23	1	.0	.2	.4
	27	1	.0	.2	.6
	30	5	.0	1.1	1.7
	31	1	.0	.2	1.9
	32	1	.0	.2	2.1
	33	2	.0	.4	2.5
	34	2	.0	.4	3.0
	35	7	.0	1.5	4.4
	36	3	.0	.6	5.1
	37	3	.0	.6	5.7
	38	8	.1	1.7	7.4
	39	11	.1	2.3	9.7
	40	20	.1	4.2	13.9
	41	16	.1	3.4	17.3
	42	18	.1	3.8	21.1
	43	26	.2	5.5	26.6
	44	18	.1	3.8	30.4
	45	35	.2	7.4	37.8
	46	24	.2	5.1	42.8
	47	29	.2	6.1	48.9
	48	43	.3	9.1	58.0
	49	37	.3	7.8	65.8
	50	43	.3	9.1	74.9
	51	37	.3	7.8	82.7
	52	38	.3	8.0	90.7
	53	20	.1	4.2	94.9
	54	11	.1	2.3	97.3
	55	6	.0	1.3	98.5
	56	4	.0	.8	99.4
	57	2	.0	.4	99.8
	98	1	.0	.2	100.0
	Total	474	3.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3701	25.5		
	Total	14067	96.7		
Total		14541	100.0		

t4820 E25a: Change in regularity of periods in last few years/in years before last period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 More regular	302	2.1	7.6	7.6
	2 Less regular	1581	10.9	39.8	47.4
	3 Remained about the same	2086	14.3	52.6	100.0
	Total	3969	27.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	206	1.4		
	Total	10572	72.7		
Total		14541	100.0		

Section E

[Logical edits: if t4820 eq 3 then t4830 eq -2]

t4830 E25b: If periods became more or less regular, when respondent first noticed this change

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Up to 1 year before last period	699	4.8	39.0	39.0
	2 Between 1 and 2 years before last period	394	2.7	22.0	60.9
	3 Between 2 and 3 years before last period	414	2.8	23.1	84.0
	4 Between 3 and 4 years before last period	98	.7	5.5	89.5
	5 More than 4 years before last period	189	1.3	10.5	100.0
	Total	1794	12.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No period changes	2086	14.3		
	-1 No response	295	2.0		
	Total	12747	87.7		
Total		14541	100.0		

[Logical edits: if t4835 eq 7 then t4836 to t4859 eq -2]

t4835 E25c1: Degree to which most recent periods were: heavy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	760	5.2	19.4	19.4
	2 Moderately	1287	8.9	32.8	52.2
	3 Mildly	705	4.8	18.0	70.2
	4 Not at all	342	2.4	8.7	78.9
	7 No periods	828	5.7	21.1	100.0
	Total	3922	27.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	253	1.7		
	Total	10619	73.0		
Total		14541	100.0		

t4836 E25c2: Degree to which most recent periods were: painful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	263	1.8	8.6	8.6
	2 Moderately	794	5.5	26.0	34.6
	3 Mildly	1116	7.7	36.6	71.2
	4 Not at all	879	6.0	28.8	100.0
	Total	3052	21.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No periods	828	5.7		
	-1 No response	295	2.0		
	Total	11489	79.0		
Total		14541	100.0		

Section E

t4837 E25c3: Degree to which most recent periods were: irregular

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	663	4.6	22.2	22.2
	2 Moderately	449	3.1	15.0	37.2
	3 Mildly	569	3.9	19.0	56.2
	4 Not at all	1310	9.0	43.8	100.0
	Total	2991	20.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No periods	828	5.7		
	-1 No response	356	2.4		
	Total	11550	79.4		
Total		14541	100.0		

t4838 E25c4: Number of days menstrual bleeding usually lasts

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	.1	.1
	1	27	.2	.9	1.0
	2	105	.7	3.5	4.5
	3	316	2.2	10.5	14.9
	4	560	3.9	18.6	33.5
	5	953	6.6	31.7	65.2
	6	401	2.8	13.3	78.5
	7	430	3.0	14.3	92.8
	8	65	.4	2.2	95.0
	9	28	.2	.9	95.9
	10	67	.5	2.2	98.1
	11	3	.0	.1	98.2
	12	12	.1	.4	98.6
	13	1	.0	.0	98.6
	14	18	.1	.6	99.2
	15	5	.0	.2	99.4
	16	3	.0	.1	99.5
	18	1	.0	.0	99.5
	20	2	.0	.1	99.6
	21	5	.0	.2	99.8
	25	1	.0	.0	99.8
	28	3	.0	.1	99.9
	30	2	.0	.1	100.0
	31	1	.0	.0	100.0
	Total	3011	20.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No periods	828	5.7		
	-1 No response	336	2.3		
	Total	11530	79.3		
Total		14541	100.0		

Section E

t4850 E26a1: Problems in the days before periods: very fatigued

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	1253	8.6		
Missing	-10 Not completed	10366	71.3	100.0	100.0
	-2 No periods	828	5.7		
	-1 No response	2094	14.4		
	Total	13288	91.4		
Total		14541	100.0		

t4851 E26a2: Problems during periods: very fatigued

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	1040	7.2		
Missing	-10 Not completed	10366	71.3	100.0	100.0
	-2 No periods	828	5.7		
	-1 No response	2307	15.9		
	Total	13501	92.8		
Total		14541	100.0		

t4852 E26b1: Problems in the days before periods: irritable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	2096	14.4		
Missing	-10 Not completed	10366	71.3	100.0	100.0
	-2 No periods	828	5.7		
	-1 No response	1251	8.6		
	Total	12445	85.6		
Total		14541	100.0		

t4853 E26b2: Problems during periods: irritable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	598	4.1		
Missing	-10 Not completed	10366	71.3	100.0	100.0
	-2 No periods	828	5.7		
	-1 No response	2749	18.9		
	Total	13943	95.9		
Total		14541	100.0		

t4854 E26c1: Problems in the days before periods: depressed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	860	5.9		
Missing	-10 Not completed	10366	71.3	100.0	100.0
	-2 No periods	828	5.7		
	-1 No response	2487	17.1		
	Total	13681	94.1		
Total		14541	100.0		

Section E

t4855 E26c2: Problems during periods: depressed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	268	1.8	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 No periods	828	5.7		
	-1 No response	3079	21.2		
	Total	14273	98.2		
Total		14541	100.0		

t4856 E26d1: Problems in the days before periods: anxious

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	633	4.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 No periods	828	5.7		
	-1 No response	2714	18.7		
	Total	13908	95.6		
Total		14541	100.0		

t4857 E26d2: Problems during periods: anxious

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	192	1.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 No periods	828	5.7		
	-1 No response	3155	21.7		
	Total	14349	98.7		
Total		14541	100.0		

t4858 E26e1: Problems in the days before periods: other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	364	2.5	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 No periods	828	5.7		
	-1 No response	2983	20.5		
	Total	14177	97.5		
Total		14541	100.0		

t4859 E26e2: Problems during periods: other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	131	.9	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 No periods	828	5.7		
	-1 No response	3216	22.1		
	Total	14410	99.1		
Total		14541	100.0		

Section E

[Logical edits: if t4900 eq 2 then t4901 to t4098 eq -2]

t4900 E27a: Respondent had a D and C (scrape) since study teenager's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	269	1.8	6.7	6.7
	2 No	3660	25.2	91.4	98.1
	9 Don't know	77	.5	1.9	100.0
	Total	4006	27.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	169	1.2		
	Total	10535	72.5		
Total		14541	100.0		

t4901 E27b1: Reason for D and C (scrape): heavy periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	115	.8	77.2	77.2
	2 No	34	.2	22.8	100.0
	Total	149	1.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No D and C	3660	25.2		
	-1 No response	366	2.5		
	Total	14392	99.0		
Total		14541	100.0		

t4902 E27b2: Reason for D and C (scrape): painful periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	52	.4	52.0	52.0
	2 No	48	.3	48.0	100.0
	Total	100	.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No D and C	3660	25.2		
	-1 No response	415	2.9		
	Total	14441	99.3		
Total		14541	100.0		

t4903 E27b3: Reason for D and C (scrape): fibroids

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	49	.3	45.4	45.4
	2 No	59	.4	54.6	100.0
	Total	108	.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No D and C	3660	25.2		
	-1 No response	407	2.8		
	Total	14433	99.3		
Total		14541	100.0		

Section E

t4904 E27b4: Reason for D and C (scrape): termination

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	32	.2	31.1	31.1
	2 No	71	.5	68.9	100.0
	Total	103	.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No D and C	3660	25.2		
	-1 No response	412	2.8		
	Total	14438	99.3		
Total		14541	100.0		

t4905 E27b5: Reason for D and C (scrape): infertility

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.0	2.5	2.5
	2 No	77	.5	97.5	100.0
	Total	79	.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No D and C	3660	25.2		
	-1 No response	436	3.0		
	Total	14462	99.5		
Total		14541	100.0		

t4906 E27b6: Reason for D and C (scrape): miscarriage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	79	.5	57.2	57.2
	2 No	59	.4	42.8	100.0
	Total	138	.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No D and C	3660	25.2		
	-1 No response	377	2.6		
	Total	14403	99.1		
Total		14541	100.0		

t4907 E27b7: Reason for D and C (scrape): do not know

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8	.1	13.6	13.6
	2 No	51	.4	86.4	100.0
	Total	59	.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No D and C	3660	25.2		
	-1 No response	456	3.1		
	Total	14482	99.6		
Total		14541	100.0		

Section E

t4908 E27b8: Reason for D and C (scrape): other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	37	.3	45.7	45.7
	2 No	44	.3	54.3	100.0
	Total	81	.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No D and C	3660	25.2		
	-1 No response	434	3.0		
	Total	14460	99.4		
Total		14541	100.0		

[Logical edits: if t4920 eq 3 then t4921 to t4961 eq -2]

t4920 E28: Respondent has had hormone replacement therapy (HRT)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	398	2.7	9.7	9.7
	2 No	3708	25.5	90.3	100.0
	Total	4106	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	69	.5		
	Total	10435	71.8		
		14541	100.0		

t4921 E29M: Date first started HRT: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	20	.1	11.0	11.0
	2	8	.1	4.4	15.4
	3	17	.1	9.3	24.7
	4	19	.1	10.4	35.2
	5	22	.2	12.1	47.3
	6	12	.1	6.6	53.8
	7	15	.1	8.2	62.1
	8	17	.1	9.3	71.4
	9	13	.1	7.1	78.6
	10	19	.1	10.4	89.0
	11	14	.1	7.7	96.7
	12	6	.0	3.3	100.0
	Total	182	1.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No HRT	3708	25.5		
	-1 No response	285	2.0		
	Total	14359	98.7		
Total		14541	100.0		

Section E

t4922 E29Y: Date first started HRT: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1984	1	.0	.4	.4
	1990	1	.0	.4	.8
	1992	2	.0	.8	1.7
	1993	3	.0	1.2	2.9
	1994	4	.0	1.7	4.5
	1995	3	.0	1.2	5.8
	1996	4	.0	1.7	7.4
	1997	2	.0	.8	8.3
	1998	11	.1	4.5	12.8
	1999	6	.0	2.5	15.3
	2000	6	.0	2.5	17.8
	2001	9	.1	3.7	21.5
	2002	8	.1	3.3	24.8
	2003	9	.1	3.7	28.5
	2004	14	.1	5.8	34.3
	2005	18	.1	7.4	41.7
	2006	13	.1	5.4	47.1
	2007	13	.1	5.4	52.5
	2008	30	.2	12.4	64.9
	2009	46	.3	19.0	83.9
	2010	38	.3	15.7	99.6
	2011	1	.0	.4	100.0
	Total	242	1.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No HRT	3708	25.5		
	-1 No response	225	1.5		
	Total	14299	98.3		
Total		14541	100.0		

Section E

t4923 E29: Age first started HRT

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	25	1	.0	.5	.5
	26	1	.0	.5	1.0
	30	2	.0	1.0	2.1
	31	1	.0	.5	2.6
	32	2	.0	1.0	3.6
	33	1	.0	.5	4.1
	35	5	.0	2.6	6.7
	36	4	.0	2.1	8.8
	37	3	.0	1.5	10.3
	38	5	.0	2.6	12.9
	39	5	.0	2.6	15.5
	40	7	.0	3.6	19.1
	41	8	.1	4.1	23.2
	42	10	.1	5.2	28.4
	43	7	.0	3.6	32.0
	44	8	.1	4.1	36.1
	45	15	.1	7.7	43.8
	46	11	.1	5.7	49.5
	47	18	.1	9.3	58.8
	48	12	.1	6.2	64.9
	49	13	.1	6.7	71.6
	50	20	.1	10.3	82.0
	51	12	.1	6.2	88.1
	52	7	.0	3.6	91.8
	53	4	.0	2.1	93.8
	54	8	.1	4.1	97.9
	55	4	.0	2.1	100.0
	Total	194	1.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No HRT	3708	25.5		
	-1 No response	273	1.9		
	Total	14347	98.7		
Total		14541	100.0		

[Logical edits: if t4950 eq 2 then t4951 to t4953 eq -3]

t4950 E30a: Menstrual periods had stopped before first started HRT

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	195	1.3	50.9	50.9
	2 No	188	1.3	49.1	100.0
	Total	383	2.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No HRT	3708	25.5		
	-1 No response	84	.6		
	Total	14158	97.4		
Total		14541	100.0		

Section E

t4951 E30b: Date of last period before starting HRT: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	11	.1	16.9	16.9
	2	6	.0	9.2	26.2
	3	4	.0	6.2	32.3
	4	7	.0	10.8	43.1
	5	4	.0	6.2	49.2
	6	7	.0	10.8	60.0
	7	2	.0	3.1	63.1
	8	2	.0	3.1	66.2
	9	4	.0	6.2	72.3
	10	5	.0	7.7	80.0
	11	4	.0	6.2	86.2
	12	9	.1	13.8	100.0
	Total	65	.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-3 no HRT before periods stopped	188	1.3		
	-2 No HRT	3708	25.5		
	-1 No response	214	1.5		
	Total	14476	99.6		
Total		14541	100.0		

t4952 E30b: Date of last period before starting HRT: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1992	1	.0	1.3	1.3
	1993	1	.0	1.3	2.5
	1994	1	.0	1.3	3.8
	1996	6	.0	7.6	11.4
	1997	6	.0	7.6	19.0
	1998	1	.0	1.3	20.3
	1999	4	.0	5.1	25.3
	2000	8	.1	10.1	35.4
	2001	2	.0	2.5	38.0
	2002	5	.0	6.3	44.3
	2003	7	.0	8.9	53.2
	2004	4	.0	5.1	58.2
	2005	5	.0	6.3	64.6
	2006	4	.0	5.1	69.6
	2007	3	.0	3.8	73.4
	2008	8	.1	10.1	83.5
	2009	7	.0	8.9	92.4
	2010	6	.0	7.6	100.0
	Total	79	.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-3 no HRT before periods stopped	188	1.3		
	-2 No HRT	3708	25.5		
	-1 No response	200	1.4		
	Total	14462	99.5		
Total		14541	100.0		

Section E

t4953 E30b: Age at the time of last period before starting HRT

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5	1	.0	.9	.9
	19	1	.0	.9	1.7
	28	1	.0	.9	2.6
	30	4	.0	3.5	6.1
	32	1	.0	.9	7.0
	33	2	.0	1.7	8.7
	35	3	.0	2.6	11.3
	36	3	.0	2.6	13.9
	37	1	.0	.9	14.8
	38	10	.1	8.7	23.5
	39	4	.0	3.5	27.0
	40	3	.0	2.6	29.6
	41	5	.0	4.3	33.9
	42	6	.0	5.2	39.1
	43	5	.0	4.3	43.5
	44	6	.0	5.2	48.7
	45	12	.1	10.4	59.1
	46	6	.0	5.2	64.3
	47	9	.1	7.8	72.2
	48	8	.1	7.0	79.1
	49	3	.0	2.6	81.7
	50	5	.0	4.3	86.1
	51	7	.0	6.1	92.2
	52	3	.0	2.6	94.8
	53	3	.0	2.6	97.4
	54	1	.0	.9	98.3
	55	2	.0	1.7	100.0
Total		115	.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-3 no HRT before periods stopped	188	1.3		
	-2 No HRT	3708	25.5		
	-1 No response	164	1.1		
	Total	14426	99.2		
Total		14541	100.0		

t4960 E31: Respondent has stopped HRT and then started again

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	81	.6	20.7	20.7
	2 No	310	2.1	79.3	100.0
	Total	391	2.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No HRT	3708	25.5		
	-1 No response	76	.5		
	Total	14150	97.3		
Total		14541	100.0		

Section E

t4961 E32 : Respondent currently on HRT

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	203	1.4	52.5	52.5
	2 No	184	1.3	47.5	100.0
	Total	387	2.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No HRT	3708	25.5		
	-1 No response	80	.6		
	Total	14154	97.3		
Total		14541	100.0		

Section E

Other Health Issues

E33. Have you ever been told that you have had any of the following conditions?
Please **mark** one box for each answer.

	(i)		(ii)	
	Yes	No	If yes, please give the year of most recent diagnosis	
a) Heart attack (coronary thrombosis or myocardial infarction)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>
b) Heart failure	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>
c) Angina	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>
d) Other heart trouble	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>
e) Aortic aneurysm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>
f) Narrowing or hardening of the arteries in the leg (including claudication)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>
g) High blood pressure	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>
h) High cholesterol	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>
i) Pulmonary embolism (PE)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>
j) Deep vein thrombosis (DVT)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>

E34. Have you ever been told by the doctor that you have had a stroke?

Yes

No

→ If no, go to E35) on the next page



If yes,

a) Please give year of most recent stroke:

Year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

55972



Section E

E34. continued...

b) Did the symptoms last more than 24 hours?

Yes 1 No 2

c) Have you made a complete recovery from your stroke?

Yes 1 No 2

E35. Have you ever been told by a doctor that you have cancer?

Yes 1 No 2 → If no, go to E36) below

↓
If yes,

a) What type of cancer(s)? Please write in the space below starting with the most recent:

(i)	Year of diagnosis?	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
(ii)	Year of diagnosis?	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
(iii)	Year of diagnosis?	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

E36. Have you ever been told by a doctor that you have osteoporosis?

Yes 1 No 2 → If no, go to E37) on the next page

↓
If yes,

a) What year was it diagnosed?

55972

Section E

E37. Have you ever been told by a doctor that you have arthritis?

Yes 1

↓
If yes,

No 2 → If no, go to E38 on page 63

a) What year was it diagnosed?

--	--	--	--

b) Please give the type of arthritis if known (mark one box only):

Osteoarthritis 1

Rheumatoid arthritis 2

Other (please give details): 3

c) Which joints are affected? (Please mark all that apply)

i) Knees 1

ii) Hips 1

iii) Hands and / or wrists 1

iv) Back 1

v) Neck 1

vi) Shoulders 1

vii) Other (please give details): 1

55972



Section E

E37. cont.

- d) During the past year have you had pain, aching, stiffness or swelling on most days for at least one month, in your: (Please mark all that apply)

 - i) Knees 1
 - ii) Hips 1
 - iii) Hands/wrists 1
 - iv) Back 1
 - v) Neck 1
 - vi) Shoulders 1
 - vii) Other (please give details): 1

1. **What is the primary purpose of the study?** (e.g., to evaluate the effectiveness of a new treatment, to explore a new research question, to describe a population, etc.)

E38. Have you had a fall in the last 12 months?

Yes 1

No 2 □

→ If no, go to E39 below

If yes,

- a) How many times have you fallen? times

b) Did you seek medical attention?

E39 Have you ever fractured your hip?

$\mathbf{Vec} = 1$ \square

N 3 □

→ If no, go to E40 on the next page

If yes,

- a) What was the year of your last fracture?

55972

Section E

E40. Have you ever fractured your wrist?

Yes 1

No 2  If no, go to E41 below



If yes,

a) What was the year of your last fracture?

--	--	--	--

E41. Are you troubled by shortness of breath when hurrying on level ground or walking up a slight hill?

Yes 1

No 2

Unable to walk 3

E42. Do you get short of breath walking with other people of your own age on level ground?

Yes 1

No 2

Unable to walk 3

E43. In the past twelve months, have you at any time been awoken at night by an attack of shortness of breath?

Yes 1

No 2

E44. Have you ever been told by a doctor that you have chronic bronchitis or emphysema?

Yes 1

No 2

E45. Have you ever been told by a doctor that you have asthma?

Yes 1

No 2

55972



Section E

E46.a) Have you ever been told by a doctor that you have diabetes?

Yes 1 No 2 **→ If no, go to E47a) below**

If yes,

b) What year was this first diagnosed?

--	--	--	--

c) How is your diabetes controlled? (Please mark all that apply).


- i) Diet 1
- ii) Tablets 1
- iii) Insulin 1

E47.a) Do you ever have any pain or discomfort in your chest?

Yes 1 No 2 **→ If no, go to E53 on the next page**

If yes,

b) Where do you get this pain or discomfort? Please mark the appropriate boxes underneath the diagram.



A B C D E F

E48. When you walk at an ordinary pace on the level does this produce the pain?

Yes 1 No 2 Unable to walk 3

55972



Section E

E49. When you walk uphill or hurry does this produce the pain?

Yes 1 No 2 Unable to walk 3

E50. When you get any pain or discomfort in your chest on walking, what do you do?

Stop 1 Slow 2 Continue at 3 Not applicable 7
down same pace

E51. Does the pain or discomfort in your chest go away if you stand still?

Yes 1 No 2

E52. How long does it take to go away?

10 minutes or less 1 More than 10 minutes 2

Your family's health

The next set of questions are about you and your biological (natural) family. By biological we mean people related by birth, not through adoption or marriage. By sibling we mean natural brother or sister. Please mark one box on each line.

E53. Have any of the following people ever been admitted to hospital for a psychiatric or mental health problem?

	Yes	No	Don't know
a) You	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b) Any of your biological parents or siblings	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c) Your child (who is a study child)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d) Another of your children (who is not a study child)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e) Someone else in your biological family	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
f) Your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
g) Parents or siblings of your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
h) Another family member of your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

55972

Section E

■ E54. Have any of the following people ever had an illness that included hearing voices or seeing things that weren't there?

	Yes	No	Don't know
a) You	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b) Any of your biological parents or siblings	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c) Your child (who is a study child)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d) Another of your children (who is not a study child)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e) Someone else in your biological family	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
f) Your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
g) Parents or siblings of your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
h) Another family member of your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

E55. Have any of the following people ever had an illness that included feeling very paranoid (feeling persecuted or under threat) or developed other unusual beliefs that were not true?

	Yes	No	Don't know
a) You	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b) Any of your biological parents or siblings	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c) Your child (who is a study child)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d) Another of your children (who is not a study child)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e) Someone else in your biological family	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
f) Your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
g) Parents or siblings of your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
h) Another family member of your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

55972



Section E

E56. Have any of the following people ever suffered from schizophrenia?

	Yes	No	Don't know
a) You	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b) Any of your biological parents or siblings	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c) Your child (who is a study child)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d) Another of your children (who is not a study child)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e) Someone else in your biological family	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
f) Your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
g) Parents or siblings of your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
h) Another family member of your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

E57. Have any of the following people ever suffered from a manic illness (also called manic depression or bipolar disorder)?

	Yes	No	Don't know
a) You	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b) Any of your biological parents or siblings	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c) Your child (who is a study child)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d) Another of your children (who is not a study child)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e) Someone else in your biological family	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
f) Your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
g) Parents or siblings of your study child's biological father	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
h) Another family member of your study child's biological father.	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

55972

Section E

[Logical edits:

if t5001 gt 0 then t5000 eq 1; if t5011 gt 0 then t5010 eq 1; if t5021 gt 0 then t5020 eq 1; if t5031 gt 0 then t5030 eq 1; if t5041 gt 0 then t5040 eq 1; if t5051 gt 0 then t5050 eq 1; if t5061 gt 0 then t5060 eq 1; if t5071 gt 0 then t5070 eq 1; if t5081 gt 0 then t5080 eq 1; if t5091 gt 0 then t5090 eq 1;
 if t5000 eq 2 then t5001 eq -2; if t5010 eq 2 then t5011 eq -2; if t5020 eq 2 then t5021 eq -2;
 if t5030 eq 2 then t5031 eq -2; if t5040 eq 2 then t5041 eq -2; if t5050 eq 2 then t5051 eq -2;
 if t5060 eq 2 then t5061 eq -2; if t5070 eq 2 then t5071 eq -2; if t5080 eq 2 then t5081 eq -2;
 if t5090 eq 2 then t5091 eq -2]

t5000 E33a1: Respondent ever told they had heart attack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	22	.2	.5	.5 100.0
	2 No	4107	28.2	99.5	
	Total	4129	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	46	.3		
	Total	10412	71.6		
Total		14541	100.0		

t5001 E33a2: Year of most recent diagnosis for heart attack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1994	1	.0	10.0	10.0 20.0 30.0 40.0 50.0 70.0 100.0
	1999	1	.0	10.0	
	2003	1	.0	10.0	
	2005	1	.0	10.0	
	2008	1	.0	10.0	
	2009	2	.0	20.0	
	2010	3	.0	30.0	
	Total	10	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'Never diagnosed'	4107	28.2		
	-1 No response	58	.4		
	Total	14531	99.9		
Total		14541	100.0		

t5010 E33b1: Respondent ever told they had heart failure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.1	.3	.3 100.0
	2 No	4115	28.3	99.7	
	Total	4129	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	46	.3		
	Total	10412	71.6		
Total		14541	100.0		

Section E

t5011 E33b2: Year of most recent diagnosis for heart failure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2004	1	.0	33.3	33.3
	2005	1	.0	33.3	66.7
	2009	1	.0	33.3	100.0
	Total	3	.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'Never diagnosed'	4115	28.3		
	-1 No response	57	.4		
	Total	14538	100.0		
Total		14541	100.0		

t5020 E33c1: Respondent ever told they had angina

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	25	.2	.6	.6
	2 No	4099	28.2	99.4	100.0
	Total	4124	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	51	.4		
	Total	10417	71.6		
	Total	14541	100.0		

t5021 E33c2: Year of most recent diagnosis for angina

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2000	1	.0	12.5	12.5
	2004	1	.0	12.5	25.0
	2005	2	.0	25.0	50.0
	2006	1	.0	12.5	62.5
	2008	1	.0	12.5	75.0
	2009	1	.0	12.5	87.5
	2010	1	.0	12.5	100.0
	Total	8	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'Never diagnosed'	4099	28.2		
	-1 No response	68	.5		
	Total	14533	99.9		
Total		14541	100.0		

t5030 E33d1: Respondent ever told they had other heart trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	115	.8	2.8	2.8
	2 No	4008	27.6	97.2	100.0
	Total	4123	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	52	.4		
	Total	10418	71.6		
	Total	14541	100.0		

Section E

t5031 E33d2: Year of most recent diagnosis for other heart trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1960	1	.0	1.1	1.1
	1961	1	.0	1.1	2.2
	1962	1	.0	1.1	3.3
	1963	1	.0	1.1	4.4
	1964	1	.0	1.1	5.5
	1970	2	.0	2.2	7.7
	1974	1	.0	1.1	8.8
	1978	2	.0	2.2	11.0
	1982	2	.0	2.2	13.2
	1983	1	.0	1.1	14.3
	1985	1	.0	1.1	15.4
	1986	1	.0	1.1	16.5
	1988	1	.0	1.1	17.6
	1990	4	.0	4.4	22.0
	1991	1	.0	1.1	23.1
	1992	1	.0	1.1	24.2
	1993	1	.0	1.1	25.3
	1995	1	.0	1.1	26.4
	1996	2	.0	2.2	28.6
	1998	2	.0	2.2	30.8
	1999	2	.0	2.2	33.0
	2000	5	.0	5.5	38.5
	2002	1	.0	1.1	39.6
	2003	1	.0	1.1	40.7
	2004	4	.0	4.4	45.1
	2005	1	.0	1.1	46.2
	2007	6	.0	6.6	52.7
	2008	18	.1	19.8	72.5
	2009	11	.1	12.1	84.6
	2010	14	.1	15.4	100.0
	Total	91	.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'Never diagnosed'	4008	27.6		
	-1 No response	76	.5		
	Total	14450	99.4		
Total		14541	100.0		

t5040 E33e1: Respondent ever told they had aortic aneurysm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	16	.1	.4	.4
	2 No	4078	28.0	99.6	100.0
	Total	4094	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	81	.6		
	Total	10447	71.8		
Total		14541	100.0		

Section E

t5041 E33e2: Year of most recent diagnosis for aortic aneurysm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1997	1	.0	16.7	16.7
	2005	1	.0	16.7	33.3
	2008	3	.0	50.0	83.3
	2009	1	.0	16.7	100.0
	Total	6	.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'Never diagnosed'	4078	28.0		
	-1 No response	91	.6		
	Total	14535	100.0		
Total		14541	100.0		

t5050 E33f1: Respondent ever told they had narrowing or hardening of arteries in leg (including claudication)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	13	.1	.3	.3
	2 No	4111	28.3	99.7	100.0
	Total	4124	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	51	.4		
	Total	10417	71.6		
Total		14541	100.0		

t5051 E33f2: Year of most recent diagnosis for narrowing or hardening of arteries in leg (including claudication)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2005	1	.0	33.3	33.3
	2008	2	.0	66.7	100.0
	Total	3	.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'Never diagnosed'	4111	28.3		
	-1 No response	61	.4		
	Total	14538	100.0		
Total		14541	100.0		

t5060 E33g1: Respondent ever told they had high blood pressure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	577	4.0	14.0	14.0
	2 No	3557	24.5	86.0	100.0
	Total	4134	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	41	.3		
	Total	10407	71.6		
Total		14541	100.0		

Section E

t5061 E33g2: Year of most recent diagnosis for high blood pressure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1982	1	.0	.3	.3
	1983	1	.0	.3	.5
	1984	2	.0	.5	1.0
	1985	1	.0	.3	1.3
	1986	1	.0	.3	1.5
	1987	1	.0	.3	1.8
	1988	5	.0	1.3	3.0
	1989	6	.0	1.5	4.5
	1990	1	.0	.3	4.8
	1991	10	.1	2.5	7.3
	1992	17	.1	4.3	11.6
	1994	10	.1	2.5	14.1
	1995	8	.1	2.0	16.1
	1996	3	.0	.8	16.9
	1997	2	.0	.5	17.4
	1998	7	.0	1.8	19.1
	1999	4	.0	1.0	20.2
	2000	9	.1	2.3	22.4
	2001	5	.0	1.3	23.7
	2002	12	.1	3.0	26.7
	2003	6	.0	1.5	28.2
	2004	9	.1	2.3	30.5
	2005	14	.1	3.5	34.0
	2006	17	.1	4.3	38.3
	2007	27	.2	6.8	45.1
	2008	56	.4	14.1	59.2
	2009	77	.5	19.4	78.6
	2010	83	.6	20.9	99.5
	2011	2	.0	.5	100.0
	Total	397	2.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'Never diagnosed'	3557	24.5		
	-1 No response	221	1.5		
	Total	14144	97.3		
Total		14541	100.0		

t5070 E33h1: Respondent ever told they had high cholesterol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	299	2.1	7.3	7.3
	2 No	3823	26.3	92.7	100.0
	Total	4122	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	53	.4		
	Total	10419	71.7		
Total		14541	100.0		

Section E

t5071 E33h2: Year of most recent diagnosis for high cholesterol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	909	1	.0	.5	.5
	1980	1	.0	.5	1.0
	1990	2	.0	1.0	2.0
	1991	2	.0	1.0	3.0
	1993	1	.0	.5	3.5
	1995	1	.0	.5	4.0
	1996	3	.0	1.5	5.5
	1998	4	.0	2.0	7.5
	1999	2	.0	1.0	8.5
	2000	3	.0	1.5	10.1
	2002	5	.0	2.5	12.6
	2003	8	.1	4.0	16.6
	2004	3	.0	1.5	18.1
	2005	16	.1	8.0	26.1
	2006	12	.1	6.0	32.2
	2007	11	.1	5.5	37.7
	2008	28	.2	14.1	51.8
	2009	47	.3	23.6	75.4
	2010	49	.3	24.6	
	Total	199	1.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'Never diagnosed'	3823	26.3		
	-1 No response	153	1.1		
	Total	14342	98.6		
Total		14541	100.0		

t5080 E33i1: Respondent ever told they had pulmonary embolism (PE)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	36	.2	.9	.9
	2 No	4080	28.1	99.1	
	Total	4116	28.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-1 No response	59	.4		
	Total	10425	71.7		
Total		14541	100.0		

Section E

t5081 E33i2: Year of most recent diagnosis for pulmonary embolism (PE)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1981	1	.0	5.0	5.0
	1984	1	.0	5.0	10.0
	1985	1	.0	5.0	15.0
	1986	1	.0	5.0	20.0
	1991	2	.0	10.0	30.0
	1992	1	.0	5.0	35.0
	1994	1	.0	5.0	40.0
	1997	1	.0	5.0	45.0
	1999	1	.0	5.0	50.0
	2000	1	.0	5.0	55.0
	2003	1	.0	5.0	60.0
	2004	1	.0	5.0	65.0
	2008	3	.0	15.0	80.0
	2009	4	.0	20.0	100.0
	Total	20	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'Never diagnosed'	4080	28.1		
	-1 No response	75	.5		
	Total	14521	99.9		
Total		14541	100.0		

t5090 E33j1: Respondent ever told they had deep vein thrombosis (DVT)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	54	.4	1.3	1.3
	2 No	4061	27.9	98.7	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

Section E

t5091 E33j2: Year of most recent diagnosis for deep vein thrombosis (DVT)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1978	1	.0	2.6	2.6
	1981	2	.0	5.3	7.9
	1982	1	.0	2.6	10.5
	1983	1	.0	2.6	13.2
	1985	1	.0	2.6	15.8
	1986	2	.0	5.3	21.1
	1987	2	.0	5.3	26.3
	1991	3	.0	7.9	34.2
	1992	1	.0	2.6	36.8
	1993	2	.0	5.3	42.1
	1995	1	.0	2.6	44.7
	1996	1	.0	2.6	47.4
	1997	1	.0	2.6	50.0
	1998	2	.0	5.3	55.3
	2000	1	.0	2.6	57.9
	2004	4	.0	10.5	68.4
	2005	2	.0	5.3	73.7
	2007	1	.0	2.6	76.3
	2008	2	.0	5.3	81.6
	2009	7	.0	18.4	100.0
Missing	Total	38	.3	100.0	
	-10 Not completed	10366	71.3		
	-2 'Never diagnosed'	4061	27.9		
	-1 No response	76	.5		
Total	Total	14503	99.7		
		14541	100.0		

[logical edits: if t5101 gt 0 or t5102 eq 1 or t5103 eq 1 then t5100 eq 1; if t5100 eq 2 then t5101 to t5103 eq -2]

t5100 E34: Respondent ever told by doctor that they had stroke

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	31	.2	.7	.7
	2 No	4111	28.3	99.3	100.0
	Total	4142	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	33	.2		
	Total	10399	71.5		
Total		14541	100.0		

Section E

t5101 E34a: Year of most recent stroke

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1972	1	.0	4.3	4.3
	1982	1	.0	4.3	8.7
	1993	2	.0	8.7	17.4
	1994	2	.0	8.7	26.1
	1995	1	.0	4.3	30.4
	1997	2	.0	8.7	39.1
	1999	1	.0	4.3	43.5
	2001	2	.0	8.7	52.2
	2002	2	.0	8.7	60.9
	2004	1	.0	4.3	65.2
	2005	2	.0	8.7	73.9
	2008	2	.0	8.7	82.6
	2009	3	.0	13.0	95.7
	2010	1	.0	4.3	100.0
Total		23	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No stroke'	4111	28.3		
	-1 No response	41	.3		
	Total	14518	99.8		
Total		14541	100.0		

t5102 E34b: Stroke symptoms lasted more than 24 hours

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	21	.1	70.0	70.0
	2 No	9	.1	30.0	100.0
	Total	30	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No stroke'	4111	28.3		
	-1 No response	34	.2		
	Total	14511	99.8		
Total		14541	100.0		

t5103 E34c: Respondent made complete recovery from stroke

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	21	.1	80.8	80.8
	2 No	5	.0	19.2	100.0
	Total	26	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No stroke'	4111	28.3		
	-1 No response	38	.3		
	Total	14515	99.8		
Total		14541	100.0		

Section E

[logical edits: if t5116 gt 0 or t5126 gt 0 or t5136 gt 0 then t5110 eq 1; if t5110 eq 2 then t5116 to t5136 eq -2]

t5110 E35: Respondent ever told by doctor that they have cancer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	226	1.6	5.5	5.5
	2 No	3890	26.8	94.5	100.0
	Total	4116	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	59	.4		
	Total	10425	71.7		
Total		14541	100.0		

t5116 E35a1y: Respondent ever told by doctor that they have cancer: year of diagnosis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1976	1	.0	.5	.5
	1981	1	.0	.5	.9
	1982	3	.0	1.4	2.3
	1983	3	.0	1.4	3.6
	1986	1	.0	.5	4.1
	1987	2	.0	.9	5.0
	1988	3	.0	1.4	6.3
	1989	3	.0	1.4	7.7
	1990	1	.0	.5	8.1
	1991	3	.0	1.4	9.5
	1992	3	.0	1.4	10.8
	1993	9	.1	4.1	14.9
	1994	1	.0	.5	15.3
	1995	2	.0	.9	16.2
	1996	8	.1	3.6	19.8
	1997	7	.0	3.2	23.0
	1998	3	.0	1.4	24.3
	1999	7	.0	3.2	27.5
	2000	10	.1	4.5	32.0
	2001	10	.1	4.5	36.5
	2002	13	.1	5.9	42.3
	2003	11	.1	5.0	47.3
	2004	10	.1	4.5	51.8
	2005	7	.0	3.2	55.0
	2006	19	.1	8.6	63.5
	2007	17	.1	7.7	71.2
	2008	18	.1	8.1	79.3
	2009	27	.2	12.2	91.4
	2010	19	.1	8.6	100.0
Missing	Total	222	1.5	100.0	
	-10 Not completed	10366	71.3		
	-2 'No cancer'	3890	26.8		
	-1 No response	63	.4		
Total		14319	98.5		
Total		14541	100.0		

Section E

t5126 E35a2y: Respondent ever told by doctor that they have cancer: year of diagnosis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	1	.0	5.3	5.3
	1995	1	.0	5.3	10.5
	1997	1	.0	5.3	15.8
	2003	1	.0	5.3	21.1
	2005	2	.0	10.5	31.6
	2006	1	.0	5.3	36.8
	2007	3	.0	15.8	52.6
	2008	3	.0	15.8	68.4
	2009	3	.0	15.8	84.2
	2010	3	.0	15.8	100.0
	Total	19	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No cancer'	3890	26.8		
	-1 No response	266	1.8		
	Total	14522	99.9		
Total		14541	100.0		

t5136 E35a3y: Respondent ever told by doctor that they have cancer: year of diagnosis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1993	1	.0	10.0	10.0
	2005	2	.0	20.0	30.0
	2007	1	.0	10.0	40.0
	2008	2	.0	20.0	60.0
	2009	1	.0	10.0	70.0
	2010	3	.0	30.0	100.0
	Total	10	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No cancer'	3890	26.8		
	-1 No response	275	1.9		
	Total	14531	99.9		
Total		14541	100.0		

t5150 E36: Respondent ever told by doctor that they have osteoporosis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	42	.3	1.0	1.0
	2 No	4049	27.8	99.0	100.0
	Total	4091	28.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	84	.6		
	Total	10450	71.9		
Total		14541	100.0		

Section E

t5151 E36a: Year osteoporosis diagnosed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1990	1	.0	2.4	2.4
	1993	1	.0	2.4	4.9
	1994	1	.0	2.4	7.3
	1998	1	.0	2.4	9.8
	2000	2	.0	4.9	14.6
	2001	1	.0	2.4	17.1
	2002	1	.0	2.4	19.5
	2003	1	.0	2.4	22.0
	2004	3	.0	7.3	29.3
	2005	5	.0	12.2	41.5
	2006	1	.0	2.4	43.9
	2007	4	.0	9.8	53.7
	2008	6	.0	14.6	68.3
	2009	9	.1	22.0	90.2
	2010	4	.0	9.8	100.0
	Total	41	.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No osteoporosis'	4049	27.8		
	-1 No response	85	.6		
	Total	14500	99.7		
Total		14541	100.0		

[logical edits: if t5161 or t5162 gt 0 or t5126 to t5186 eq 1 then t5160 eq 1; if t5160 eq 2 then t5161 to t5186 eq -2]

t5160 E37: Respondent ever told by doctor that they have arthritis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	898	6.2	21.7	21.7
	2 No	3239	22.3	78.3	100.0
	Total	4137	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	38	.3		
	Total	10404	71.5		
Total		14541	100.0		

Section E

t5161 E37a: Year arthritis diagnosed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1960	1	.0	.2	.2
	1962	1	.0	.2	.4
	1964	1	.0	.2	.6
	1965	1	.0	.2	.8
	1967	1	.0	.2	1.0
	1970	1	.0	.2	1.2
	1973	2	.0	.4	1.7
	1975	3	.0	.6	2.3
	1976	1	.0	.2	2.5
	1977	1	.0	.2	2.7
	1978	3	.0	.6	3.3
	1979	2	.0	.4	3.7
	1980	2	.0	.4	4.1
	1981	3	.0	.6	4.8
	1982	1	.0	.2	5.0
	1983	2	.0	.4	5.4
	1984	2	.0	.4	5.8
	1985	3	.0	.6	6.4
	1986	2	.0	.4	6.8
	1987	4	.0	.8	7.7
	1988	2	.0	.4	8.1
	1989	2	.0	.4	8.5
	1990	9	.1	1.9	10.4
	1992	5	.0	1.0	11.4
	1993	6	.0	1.2	12.6
	1994	7	.0	1.4	14.1
	1995	9	.1	1.9	15.9
	1996	11	.1	2.3	18.2
	1997	6	.0	1.2	19.5
	1998	10	.1	2.1	21.5
	1999	12	.1	2.5	24.0
	2000	17	.1	3.5	27.5
	2001	9	.1	1.9	29.4
	2002	17	.1	3.5	32.9
	2003	15	.1	3.1	36.0
	2004	21	.1	4.3	40.4
	2005	22	.2	4.6	44.9
	2006	35	.2	7.2	52.2
	2007	36	.2	7.5	59.6
	2008	66	.5	13.7	73.3
	2009	60	.4	12.4	85.7
	2010	66	.5	13.7	99.4
	2011	3	.0	.6	100.0
	Total	483	3.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	453	3.1		
	Total	14058	96.7		
Total		14541	100.0		

Section E

t5162 E37b: Type of arthritis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Osteoarthritis	262	1.8	58.2	58.2
	2 Rheumatoid arthritis	130	.9	28.9	87.1
	3 Other	58	.4	12.9	100.0
	Total	450	3.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	486	3.3		
	Total	14091	96.9		
Total		14541	100.0		

t5170 E37c1: Joints affected by arthritis: knees

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	266	1.8	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	670	4.6		
Total	Total	14275	98.2		
		14541	100.0		

t5171 E37c2: Joints affected by arthritis: hips

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	151	1.0	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	785	5.4		
Total	Total	14390	99.0		
		14541	100.0		

t5172 E37c3: Joints affected by arthritis: hands and/or wrists

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	257	1.8	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	679	4.7		
Total	Total	14284	98.2		
		14541	100.0		

t5173 E37c4: Joints affected by arthritis: back

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	135	.9	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	801	5.5		
Total	Total	14406	99.1		
		14541	100.0		

Section E

t5174 E37c5: Joints affected by arthritis: neck

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	145	1.0	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	791	5.4		
	Total	14396	99.0		
Total		14541	100.0		

t5175 E37c6: Joints affected by arthritis: shoulders

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	112	.8	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	824	5.7		
	Total	14429	99.2		
Total		14541	100.0		

t5176 E37c7: Joints affected by arthritis: other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	85	.6	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	851	5.9		
	Total	14456	99.4		
Total		14541	100.0		

t5180 E37d1: Pain, aching, stiffness or swelling on most days for at least a month during past year: knees

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	349	2.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	587	4.0		
	Total	14192	97.6		
Total		14541	100.0		

t5181 E37d2: Pain, aching, stiffness or swelling on most days for at least a month during past year: hips

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	209	1.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	727	5.0		
	Total	14332	98.6		
Total		14541	100.0		

Section E

t5182 E37d3: Pain, aching, stiffness or swelling on most days for at least a month during past year: hands/wrists

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	290	2.0	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	646	4.4		
	Total	14251	98.0		
Total		14541	100.0		

t5183 E37d4: Pain, aching, stiffness or swelling on most days for at least a month during past year: back

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	312	2.1	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	624	4.3		
	Total	14229	97.9		
Total		14541	100.0		

t5184 E37d5: Pain, aching, stiffness or swelling on most days for at least a month during past year: neck

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	251	1.7	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	685	4.7		
	Total	14290	98.3		
Total		14541	100.0		

t5185 E37d6: Pain, aching, stiffness or swelling on most days for at least a month during past year: shoulders

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	250	1.7	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	686	4.7		
	Total	14291	98.3		
Total		14541	100.0		

t5186 E37d7: Pain, aching, stiffness or swelling on most days for at least a month during past year: other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	121	.8	100.0	100.0
	-10 Not completed	10366	71.3		
	-2 'No arthritis'	3239	22.3		
	-1 No response	815	5.6		
	Total	14420	99.2		
Total		14541	100.0		

Section E

[logical edits: if t5191 gt 0 or t5192 eq 1 then t5190 eq 1; if t5190 eq 2 then t5191 and t5192 eq -2]

t5190 E38: Respondent had a fall in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	480	3.3	11.6	11.6
	2 No	3655	25.1	88.4	
	Total	4135	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	40	.3		
	Total	10406	71.6		
Total		14541	100.0		

t5191 E38a: Number of times fallen in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	326	2.2	68.8	68.8
	2	87	.6	18.4	87.1
	3	30	.2	6.3	93.5
	4	12	.1	2.5	96.0
	5	3	.0	.6	96.6
	6	5	.0	1.1	97.7
	10	6	.0	1.3	98.9
	12	2	.0	.4	99.4
	20	1	.0	.2	99.6
	30	1	.0	.2	99.8
	60	1	.0	.2	100.0
	Total	474	3.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No fall	3655	25.1		
	-1 No response	46	.3		
Total		14067	96.7		
Total		14541	100.0		

t5192 E38b: Sought medical attention for fall in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	176	1.2	37.4	37.4
	2 No	294	2.0	62.6	
	Total	470	3.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 No fall	3655	25.1		
	-1 No response	50	.3		
Total		14071	96.8		
Total		14541	100.0		

Section E

[logical edits: if t5201 gt 0 then t5200 eq 1; if t5200 eq 2 then t5201 eq -2]

t5200 E39: Respondent has fractured hip

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	12	.1	.3	.3
	2 No	3923	27.0	99.7	100.0
	Total	3935	27.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	240	1.7		
	Total	10606	72.9		
Total		14541	100.0		

t5201 E39a: Year of last hip fracture

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1969	1	.0	8.3	8.3
	1985	3	.0	25.0	33.3
	1988	1	.0	8.3	41.7
	2005	1	.0	8.3	50.0
	2006	1	.0	8.3	58.3
	2007	1	.0	8.3	66.7
	2009	3	.0	25.0	91.7
	2010	1	.0	8.3	100.0
	Total	12	.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 "No hip fracture"	3923	27.0		
	-1 No response	240	1.7		
	Total	14529	99.9		
Total		14541	100.0		

[logical edits: if t5211 gt 0 then t5210 eq 1; if t5210 eq 2 then t5211 eq -2]

t5210 E40: Respondent has fractured wrist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	364	2.5	8.8	8.8
	2 No	3766	25.9	91.2	100.0
	Total	4130	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	45	.3		
	Total	10411	71.6		
Total		14541	100.0		

t5211 E40a: Year of last wrist fracture

Section E

t5220 E41: Respondent troubled by shortness of breath when hurrying on level ground or walking up a slight hill

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	616	4.2	14.9	14.9
	2 No	3502	24.1	84.8	99.8
	3 Unable to walk	10	.1	.2	100.0
	Total	4128	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	47	.3		
	Total	10413	71.6		
Total		14541	100.0		

t5221 E42: Respondent troubled by shortness of breath when walking with other people of same age on level ground

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	304	2.1	7.4	7.4
	2 No	3817	26.2	92.4	99.8
	3 Unable to walk	8	.1	.2	100.0
	Total	4129	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	46	.3		
	Total	10412	71.6		
Total		14541	100.0		

t5222 E43: Respondent has awoken at night by attack of shortness of breath during past twelve months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	152	1.0	3.7	3.7
	2 No	3982	27.4	96.3	100.0
	Total	4134	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	41	.3		
	Total	10407	71.6		
Total		14541	100.0		

t5223 E44: Respondent ever told by doctor that they have: chronic bronchitis or emphysema

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	52	.4	1.3	1.3
	2 No	4080	28.1	98.7	100.0
	Total	4132	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	43	.3		
	Total	10409	71.6		
Total		14541	100.0		

Section E

t5224 E45: Respondent ever told by doctor that they have: asthma

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	580	4.0	14.0	14.0
	2 No	3551	24.4	86.0	100.0
	Total	4131	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	44	.3		
	Total	10410	71.6		
Total		14541	100.0		

[logical edits: if t5231 gt 0 or t5235, t5236 or t5237 eq 1 then t5230 eq 1; if t5230 eq 2 then t5231 to t5237 eq -2]

t5230 E46a: Respondent ever told by doctor that they have: diabetes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	92	.6	2.2	2.2
	2 No	4049	27.8	97.8	100.0
	Total	4141	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	34	.2		
	Total	10400	71.5		
Total		14541	100.0		

Section E

t5231 E46b: Year diabetes first diagnosed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1960	1	.0	1.2	1.2
	1963	1	.0	1.2	2.4
	1970	1	.0	1.2	3.6
	1972	1	.0	1.2	4.8
	1973	1	.0	1.2	6.0
	1975	1	.0	1.2	7.1
	1976	1	.0	1.2	8.3
	1977	1	.0	1.2	9.5
	1978	1	.0	1.2	10.7
	1979	1	.0	1.2	11.9
	1985	2	.0	2.4	14.3
	1988	2	.0	2.4	16.7
	1989	3	.0	3.6	20.2
	1990	1	.0	1.2	21.4
	1991	1	.0	1.2	22.6
	1992	4	.0	4.8	27.4
	1994	3	.0	3.6	31.0
	1995	1	.0	1.2	32.1
	1996	2	.0	2.4	34.5
	1997	1	.0	1.2	35.7
	1999	3	.0	3.6	39.3
	2000	4	.0	4.8	44.0
	2002	3	.0	3.6	47.6
	2003	3	.0	3.6	51.2
	2004	4	.0	4.8	56.0
	2005	3	.0	3.6	59.5
	2006	4	.0	4.8	64.3
	2007	6	.0	7.1	71.4
	2008	9	.1	10.7	82.1
	2009	7	.0	8.3	90.5
	2010	8	.1	9.5	100.0
	Total	84	.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No diabetes'	4049	27.8		
	-1 No response	42	.3		
	Total	14457	99.4		
Total		14541	100.0		

t5235 E46c1: Method by which diabetes is controlled: diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	45	.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No diabetes'	4049	27.8		
	-1 No response	81	.6		
	Total	14496	99.7		
Total		14541	100.0		

Section E

t5236 E46c2: Method by which diabetes is controlled: tablets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	42	.3	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No diabetes'	4049	27.8		
	-1 No response	84	.6		
	Total	14499	99.7		
Total		14541	100.0		

t5237 E46c3: Method by which diabetes is controlled: insulin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Y	31	.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No diabetes'	4049	27.8		
	-1 No response	95	.7		
	Total	14510	99.8		
Total		14541	100.0		

[logical edits: if t5241 to t5246 eq 1 or t5250 to t5254 ge 1 then t5240 eq 1; if t5240 eq 2 then t5241 to t5254 eq -2]

t5240 E47a: Respondent ever has pain or discomfort in chest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	964	6.6	23.3	23.3
	2 No	3176	21.8	76.7	100.0
	Total	4140	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	35	.2		
	Total	10401	71.5		
Total		14541	100.0		

t5241 E47ba: Location of pain or discomfort in chest: box A

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A	75	.5	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No chest pain'	3176	21.8		
	-1 No response	924	6.4		
	Total	14466	99.5		
Total		14541	100.0		

Section E

t5242 E47bb: Location of pain or discomfort in chest: box B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 B	232	1.6	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No chest pain'	3176	21.8		
	-1 No response	767	5.3		
	Total	14309	98.4		
Total		14541	100.0		

t5243 E47bc: Location of pain or discomfort in chest: box C

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 C	178	1.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No chest pain'	3176	21.8		
	-1 No response	821	5.6		
	Total	14363	98.8		
Total		14541	100.0		

t5244 E47bd: Location of pain or discomfort in chest: box D

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 D	58	.4	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No chest pain'	3176	21.8		
	-1 No response	941	6.5		
	Total	14483	99.6		
Total		14541	100.0		

t5245 E47be: Location of pain or discomfort in chest: box E

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 E	154	1.1	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No chest pain'	3176	21.8		
	-1 No response	845	5.8		
	Total	14387	98.9		
Total		14541	100.0		

t5246 E47bf: Location of pain or discomfort in chest: box F

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 F	119	.8	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 'No chest pain'	3176	21.8		
	-1 No response	880	6.1		
	Total	14422	99.2		
Total		14541	100.0		

Section E

t5250 E48: Pain in chest produced when walking at ordinary pace on the level

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	26	.2	3.2	3.2
	2 No	772	5.3	96.4	99.6
	3 Unable to walk	3	.0	.4	100.0
	Total	801	5.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No chest pain'	3176	21.8		
	-1 No response	198	1.4		
	Total	13740	94.5		
Total		14541	100.0		

t5251 E49: Pain in chest produced when walk uphill or hurry

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	107	.7	12.8	12.8
	2 No	723	5.0	86.5	99.3
	3 Unable to walk	6	.0	.7	100.0
	Total	836	5.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No chest pain'	3176	21.8		
	-1 No response	163	1.1		
	Total	13705	94.3		
Total		14541	100.0		

t5252 E50: Action taken when pain or discomfort experienced in chest during walking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Stop	39	.3	5.3	5.3
	2 Slow down	175	1.2	24.0	29.3
	3 Continue at same pace	32	.2	4.4	33.7
	7 Not applicable	484	3.3	66.3	100.0
Missing	Total	730	5.0	100.0	
	-10 Not completed	10366	71.3		
	-2 'No chest pain'	3176	21.8		
	-1 No response	269	1.8		
Total	Total	13811	95.0		
		14541	100.0		

t5253 E51: Pain or discomfort goes away if respondent stands still

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	197	1.4	42.9	42.9
	2 No	262	1.8	57.1	100.0
	Total	459	3.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No chest pain'	3176	21.8		
	-1 No response	540	3.7		
	Total	14082	96.8		
Total		14541	100.0		

Section E

t5254 E52: Time taken for pain or discomfort to go away when standing still after walking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 10 minutes or less	282	1.9	71.8	71.8
	2 More than 10 minutes	111	.8	28.2	100.0
	Total	393	2.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 'No chest pain'	3176	21.8		
	-1 No response	606	4.2		
Total	Total	14148	97.3		
		14541	100.0		

t5300 E53a: Respondent ever admitted to hospital for psychiatric or mental health problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	92	.6	2.2	2.2
	2 No	4030	27.7	97.6	99.8
	3 Do not know	9	.1	.2	100.0
Missing	Total	4131	28.4	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	44	.3		
Total	Total	10410	71.6		
		14541	100.0		

t5301 E53b: Respondent's biological parents or siblings ever admitted to hospital for psychiatric or mental health problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	431	3.0	10.4	10.4
	2 No	3616	24.9	87.7	98.1
	3 Do not know	78	.5	1.9	100.0
Missing	Total	4125	28.4	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	50	.3		
Total	Total	10416	71.6		
		14541	100.0		

t5302 E53c: Respondent's child (study child) ever admitted to hospital for psychiatric or mental health problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	39	.3	.9	.9
	2 No	4076	28.0	98.8	99.8
	3 Do not know	9	.1	.2	100.0
Missing	Total	4124	28.4	100.0	
	-10 Not completed	10366	71.3		
	-1 No response	51	.4		
Total	Total	10417	71.6		
		14541	100.0		

Section E

t5303 E53d: Respondent's child (not a study child) ever admitted to hospital for psychiatric or mental health problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	48	.3	1.2	1.2
	2 No	4043	27.8	98.6	99.8
	3 Do not know	10	.1	.2	100.0
	Total	4101	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	74	.5		
	Total	10440	71.8		
Total		14541	100.0		

t5304 E53e: Someone else in respondent's biological family ever admitted to hospital for psychiatric or mental health problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	293	2.0	7.1	7.1
	2 No	3725	25.6	90.5	97.7
	3 Do not know	96	.7	2.3	100.0
	Total	4114	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	61	.4		
	Total	10427	71.7		
Total		14541	100.0		

t5305 E53f: Study child's biological father ever admitted to hospital for psychiatric or mental health problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	84	.6	2.0	2.0
	2 No	3960	27.2	96.1	98.1
	3 Do not know	78	.5	1.9	100.0
	Total	4122	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	53	.4		
	Total	10419	71.7		
Total		14541	100.0		

t5306 E53g: Parents or siblings of study child's biological father ever admitted to hospital for psychiatric or mental health problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	249	1.7	6.1	6.1
	2 No	3703	25.5	90.0	96.0
	3 Do not know	163	1.1	4.0	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

Section E

t5307 E53h: Another family member of study child's biological father ever admitted to hospital for psychiatric or mental health problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	179	1.2	4.4	4.4
	2 No	3655	25.1	88.9	93.2
	3 Do not know	278	1.9	6.8	100.0
	Total	4112	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	63	.4		
	Total	10429	71.7		
Total		14541	100.0		

t5320 E54a: Respondent has ever had an illness that included hearing voices or seeing things that were not there

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	33	.2	.8	.8
	2 No	4093	28.1	99.0	99.8
	3 Do not know	8	.1	.2	100.0
	Total	4134	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	41	.3		
	Total	10407	71.6		
Total		14541	100.0		

t5321 E54b: Respondent's biological parents or siblings ever had an illness that included hearing voices or seeing things that were not there

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	176	1.2	4.3	4.3
	2 No	3843	26.4	93.2	97.5
	3 Do not know	103	.7	2.5	100.0
	Total	4122	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	53	.4		
	Total	10419	71.7		
Total		14541	100.0		

t5322 E54c: Respondent's child (study child) ever had an illness that included hearing voices or seeing things that were not there

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	33	.2	.8	.8
	2 No	4063	27.9	98.5	99.3
	3 Do not know	27	.2	.7	100.0
	Total	4123	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	52	.4		
	Total	10418	71.6		
Total		14541	100.0		

Section E

t5323 E54d: Respondent's child (not a study child) ever had an illness that included hearing voices or seeing things that were not there

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	44	.3	1.1	1.1
	2 No	4045	27.8	98.4	99.5
	3 Do not know	21	.1	.5	100.0
	Total	4110	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	65	.4		
	Total	10431	71.7		
Total		14541	100.0		

t5324 E54e: Someone else in respondent's biological family ever had an illness that included hearing voices or seeing things that were not there

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	126	.9	3.1	3.1
	2 No	3832	26.4	93.1	96.1
	3 Do not know	160	1.1	3.9	100.0
	Total	4118	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	57	.4		
	Total	10423	71.7		
Total		14541	100.0		

t5325 E54f: Study child's biological family ever had an illness that included hearing voices or seeing things that were not there

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	29	.2	.7	.7
	2 No	3967	27.3	96.2	96.9
	3 Do not know	126	.9	3.1	100.0
	Total	4122	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	53	.4		
	Total	10419	71.7		
Total		14541	100.0		

t5326 E54g: Parents or siblings of study child's biological father ever had an illness that included hearing voices or seeing things that were not there

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	94	.6	2.3	2.3
	2 No	3774	26.0	91.6	93.9
	3 Do not know	253	1.7	6.1	100.0
	Total	4121	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	54	.4		
	Total	10420	71.7		
Total		14541	100.0		

Section E

t5327 E54h: Another family member of study child's biological father ever had an illness that included hearing voices or seeing things that were not there

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	63	.4	1.5	1.5
	2 No	3701	25.5	89.9	91.5
	3 Do not know	351	2.4	8.5	100.0
	Total	4115	28.3		
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

t5340 E55a: Respondent ever had an illness with paranoid delusions or developed unusual false beliefs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	58	.4	1.4	1.4
	2 No	4064	27.9	98.4	99.8
	3 Do not know	8	.1	.2	100.0
	Total	4130	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	45	.3		
	Total	10411	71.6		
Total		14541	100.0		

t5341 E55b: Respondent's biological parents or siblings ever had an illness with paranoid delusions or developed unusual false beliefs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	231	1.6	5.6	5.6
	2 No	3788	26.1	91.9	97.5
	3 Do not know	102	.7	2.5	100.0
	Total	4121	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	54	.4		
	Total	10420	71.7		
Total		14541	100.0		

t5342 E55c: Respondent's child (study child) ever had an illness with paranoid delusions or developed unusual false beliefs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	47	.3	1.1	1.1
	2 No	4047	27.8	98.2	99.3
	3 Do not know	27	.2	.7	100.0
	Total	4121	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	54	.4		
	Total	10420	71.7		
Total		14541	100.0		

Section E

t5343 E55d: Respondent's child (not a study child) ever had an illness with paranoid delusions or developed unusual false beliefs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	55	.4	1.3	1.3
	2 No	4029	27.7	98.0	99.3
	3 Do not know	27	.2	.7	100.0
	Total	4111	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	64	.4		
	Total	10430	71.7		
Total		14541	100.0		

t5344 E55e: Someone else in respondent's biological family ever had an illness with paranoid delusions or developed unusual false beliefs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	138	.9	3.3	3.3
	2 No	3822	26.3	92.8	96.1
	3 Do not know	160	1.1	3.9	100.0
	Total	4120	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	55	.4		
	Total	10421	71.7		
Total		14541	100.0		

t5345 E55f: Study child's biological father ever had an illness with paranoid delusions or developed unusual false beliefs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	78	.5	1.9	1.9
	2 No	3904	26.8	94.8	96.7
	3 Do not know	135	.9	3.3	100.0
	Total	4117	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	58	.4		
	Total	10424	71.7		
Total		14541	100.0		

t5346 E55g: Parents or siblings of study child's biological father ever had an illness with paranoid delusions or developed unusual false beliefs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	132	.9	3.2	3.2
	2 No	3723	25.6	90.4	93.6
	3 Do not know	264	1.8	6.4	100.0
	Total	4119	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	56	.4		
	Total	10422	71.7		
Total		14541	100.0		

Section E

t5347 E55h: Another family member of study child's biological father ever had an illness with paranoid delusions or developed unusual false beliefs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	82	.6	2.0	2.0
	2 No	3665	25.2	89.1	91.1
	3 Do not know	368	2.5	8.9	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

t5360 E56a: Respondent ever suffered from schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3	.0	.1	.1
	2 No	4110	28.3	99.8	99.9
	3 Do not know	6	.0	.1	100.0
	Total	4119	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	56	.4		
	Total	10422	71.7		
Total		14541	100.0		

t5361 E56b: Respondent's biological parents or siblings ever suffered from schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	69	.5	1.7	1.7
	2 No	3972	27.3	96.6	98.3
	3 Do not know	70	.5	1.7	100.0
	Total	4111	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	64	.4		
	Total	10430	71.7		
Total		14541	100.0		

t5362 E56c: Respondent's child (study child) ever suffered from schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1	.0	.0	.0
	2 No	4098	28.2	99.6	99.6
	3 Do not know	16	.1	.4	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

Section E

t5363 E56d: Respondent's child (not a study child) ever suffered from schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6	.0	.1	.1
	2 No	4076	28.0	99.4	99.5
	3 Do not know	20	.1	.5	100.0
	Total	4102	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	73	.5		
	Total	10439	71.8		
Total		14541	100.0		

t5364 E56e: Someone else in respondent's biological family ever suffered from schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	91	.6	2.2	2.2
	2 No	3883	26.7	94.5	96.7
	3 Do not know	137	.9	3.3	100.0
	Total	4111	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	64	.4		
	Total	10430	71.7		
Total		14541	100.0		

t5365 E56f: Study child's biological father ever suffered from schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6	.0	.1	.1
	2 No	4000	27.5	97.3	97.4
	3 Do not know	106	.7	2.6	100.0
	Total	4112	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	63	.4		
	Total	10429	71.7		
Total		14541	100.0		

t5366 E56g: Parents or siblings of study child's biological father have ever suffered from schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	41	.3	1.0	1.0
	2 No	3875	26.6	94.3	95.3
	3 Do not know	194	1.3	4.7	100.0
	Total	4110	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	65	.4		
	Total	10431	71.7		
Total		14541	100.0		

Section E

t5367 E56h: Another family member of study child's biological father ever suffered from schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	47	.3	1.1	1.1
	2 No	3750	25.8	91.3	92.4
	3 Do not know	311	2.1	7.6	100.0
	Total	4108	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	67	.5		
	Total	10433	71.7		
Total		14541	100.0		

t5380 E57a: Respondent ever suffered from a manic illness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	33	.2	.8	.8
	2 No	4060	27.9	98.6	99.4
	3 Do not know	26	.2	.6	100.0
	Total	4119	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	56	.4		
	Total	10422	71.7		
Total		14541	100.0		

t5381 E57b: Respondent's biological parents or siblings ever suffered from a manic illness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	165	1.1	4.0	4.0
	2 No	3850	26.5	93.6	97.6
	3 Do not know	98	.7	2.4	100.0
	Total	4113	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	62	.4		
	Total	10428	71.7		
Total		14541	100.0		

t5382 E57c: Respondent's child (study child) ever suffered from a manic illness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.1	.3	.3
	2 No	4083	28.1	99.2	99.6
	3 Do not know	18	.1	.4	100.0
	Total	4115	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	60	.4		
	Total	10426	71.7		
Total		14541	100.0		

Section E

t5383 E57d: Respondent's child (not a study child) ever suffered from a manic illness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	21	.1	.5	.5
	2 No	4065	28.0	99.0	99.5
	3 Do not know	19	.1	.5	100.0
	Total	4105	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	70	.5		
	Total	10436	71.8		
Total		14541	100.0		

t5384 E57e: Someone else in respondent's biological family ever suffered from a manic illness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	126	.9	3.1	3.1
	2 No	3819	26.3	92.9	95.9
	3 Do not know	167	1.1	4.1	100.0
	Total	4112	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	63	.4		
	Total	10429	71.7		
Total		14541	100.0		

t5385 E57f: Study child's biological father ever suffered from a manic illness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	59	.4	1.4	1.4
	2 No	3939	27.1	95.8	97.2
	3 Do not know	114	.8	2.8	100.0
	Total	4112	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	63	.4		
	Total	10429	71.7		
Total		14541	100.0		

t5386 E57g: Parents or siblings of study child's biological father ever suffered from a manic illness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	116	.8	2.8	2.8
	2 No	3747	25.8	91.2	94.0
	3 Do not know	246	1.7	6.0	100.0
	Total	4109	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	66	.5		
	Total	10432	71.7		
Total		14541	100.0		

Section E

t5387 E57h: Another family member of study child's biological father ever suffered from a manic illness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	66	.5	1.6	1.6
	2 No	3680	25.3	89.7	91.3
	3 Do not know	358	2.5	8.7	100.0
	Total	4104	28.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	71	.5		
	Total	10437	71.8		
Total		14541	100.0		

Section E

Your medications

E58. Do you currently take any regular medication? Yes 1 No 2

If yes, please complete the separate medication sheet after completing this questionnaire.

E59. In the last 2 years how often have you taken the following?

In the last 2 years:	Every day	Often	Sometimes	Not at all
a) Sleeping pills	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
b) Vitamins	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
c) Cannabis/marijuana	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
d) Tranquillisers	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
e) Pills for depression	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
f) Antibiotics	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
g) Cocaine	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
h) Aspirin, acylpyrin	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
i) Paracetamol	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
j) Other painkillers	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
k) Amphetamines, ecstasy or other stimulants	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
l) Iron	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
m) Heroin, methadone, crack, other hard drug	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
n) Anticonvulsants	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
o) Contraceptive pill	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
p) Other hormone tablets	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>

55972

Section E

t5390 E58: Respondent currently takes regular medication

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1805	12.4	45.6	45.6
	2 No	2157	14.8	54.4	100.0
	Total	3962	27.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	213	1.5		
	Total	10579	72.8		
Total		14541	100.0		

t5400 E59a: Frequency respondent taken sleeping pills in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	14	.1	.4	.4
	2 Often	31	.2	.8	1.2
	3 Sometimes	315	2.2	8.1	9.2
	4 Not at all	3542	24.4	90.8	100.0
	Total	3902	26.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	273	1.9		
	Total	10639	73.2		
Total		14541	100.0		

t5401 E59b: Frequency respondent taken vitamins in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	544	3.7	13.8	13.8
	2 Often	296	2.0	7.5	21.3
	3 Sometimes	1100	7.6	27.9	49.3
	4 Not at all	1997	13.7	50.7	100.0
	Total	3937	27.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	238	1.6		
	Total	10604	72.9		
Total		14541	100.0		

t5402 E59c: Frequency respondent taken cannabis/marijuana in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	9	.1	.2	.2
	2 Often	11	.1	.3	.5
	3 Sometimes	76	.5	1.9	2.5
	4 Not at all	3809	26.2	97.5	100.0
	Total	3905	26.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	270	1.9		
	Total	10636	73.1		

Section E

t5402 E59c: Frequency respondent taken cannabis/marijuana in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	9	.1	.2	.2
	2 Often	11	.1	.3	.5
	3 Sometimes	76	.5	1.9	2.5
	4 Not at all	3809	26.2	97.5	100.0
	Total	3905	26.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	270	1.9		
	Total	10636	73.1		
Total		14541	100.0		

t5403 E59d: Frequency respondent taken tranquillisers in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	8	.1	.2	.2
	2 Often	6	.0	.2	.4
	3 Sometimes	50	.3	1.3	1.6
	4 Not at all	3832	26.4	98.4	100.0
	Total	3896	26.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	279	1.9		
	Total	10645	73.2		
Total		14541	100.0		

t5404 E59e: Frequency respondent taken pills for depression in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	261	1.8	6.7	6.7
	2 Often	44	.3	1.1	7.8
	3 Sometimes	131	.9	3.3	11.1
	4 Not at all	3479	23.9	88.9	100.0
	Total	3915	26.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	260	1.8		
	Total	10626	73.1		
Total		14541	100.0		

t5405 E59f: Frequency respondent taken antibiotics in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	28	.2	.7	.7
	2 Often	53	.4	1.4	2.1
	3 Sometimes	1370	9.4	35.1	37.2
	4 Not at all	2453	16.9	62.8	100.0
	Total	3904	26.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	271	1.9		
	Total	10637	73.2		

Section E

t5405 E59f: Frequency respondent taken antibiotics in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	28	.2	.7	.7
	2 Often	53	.4	1.4	2.1
	3 Sometimes	1370	9.4	35.1	37.2
	4 Not at all	2453	16.9	62.8	100.0
	Total	3904	26.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	271	1.9		
	Total	10637	73.2		
Total		14541	100.0		

t5406 E59g: Frequency respondent taken cocaine in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Often	3	.0	.1	.1
	3 Sometimes	20	.1	.5	.6
	4 Not at all	3866	26.6	99.4	100.0
	Total	3889	26.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	286	2.0		
	Total	10652	73.3		
Total		14541	100.0		

t5407 E59h: Frequency respondent taken aspirin/acylpyn in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	39	.3	1.0	1.0
	2 Often	36	.2	.9	1.9
	3 Sometimes	665	4.6	17.1	19.1
	4 Not at all	3143	21.6	80.9	100.0
	Total	3883	26.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	292	2.0		
	Total	10658	73.3		
Total		14541	100.0		

t5408 E59i: Frequency respondent taken paracetamol in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	63	.4	1.6	1.6
	2 Often	533	3.7	13.5	15.1
	3 Sometimes	2918	20.1	73.9	89.0
	4 Not at all	433	3.0	11.0	100.0
	Total	3947	27.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	228	1.6		
	Total	10594	72.9		
Total		14541	100.0		

Section E

t5409 E59j: Frequency respondent taken other painkillers in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	123	.8	3.1	3.1
	2 Often	331	2.3	8.4	11.6
	3 Sometimes	1993	13.7	50.9	62.5
	4 Not at all	1471	10.1	37.5	100.0
	Total	3918	26.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	257	1.8		
	Total	10623	73.1		
Total		14541	100.0		

t5410 E59k: Frequency respondent taken amphetamines, ecstasy or other stimulants in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	3	.0	.1	.1
	3 Sometimes	15	.1	.4	.5
	4 Not at all	3878	26.7	99.5	100.0
	Total	3896	26.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	279	1.9		
	Total	10645	73.2		
Total		14541	100.0		

t5411 E59l: Frequency respondent taken iron in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	178	1.2	4.6	4.6
	2 Often	133	.9	3.4	8.0
	3 Sometimes	382	2.6	9.8	17.7
	4 Not at all	3213	22.1	82.3	100.0
	Total	3906	26.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	269	1.8		
	Total	10635	73.1		
Total		14541	100.0		

t5412 E59m: Frequency respondent taken heroin, methadone, crack or other hard drug in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Often	1	.0	.0	.0
	3 Sometimes	1	.0	.0	.1
	4 Not at all	3897	26.8	99.9	100.0
	Total	3899	26.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	276	1.9		
	Total	10642	73.2		
Total		14541	100.0		

Section E

t5413 E59n: Frequency respondent taken anticonvulsants in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	23	.2	.6	.6
	2 Often	1	.0	.0	.6
	3 Sometimes	2	.0	.1	.7
	4 Not at all	3867	26.6	99.3	100.0
	Total	3893	26.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	282	1.9		
	Total	10648	73.2		
Total		14541	100.0		

t5414 E59o: Frequency respondent taken contraceptive pill in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	260	1.8	6.6	6.6
	2 Often	32	.2	.8	7.4
	3 Sometimes	36	.2	.9	8.4
	4 Not at all	3594	24.7	91.6	100.0
	Total	3922	27.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	253	1.7		
	Total	10619	73.0		
Total		14541	100.0		

t5415 E59p: Frequency respondent taken other hormone tablets in last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	218	1.5	5.6	5.6
	2 Often	19	.1	.5	6.1
	3 Sometimes	47	.3	1.2	7.3
	4 Not at all	3619	24.9	92.7	100.0
	Total	3903	26.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	272	1.9		
	Total	10638	73.2		
Total		14541	100.0		

Section E

Alcohol and Cigarettes

In this question count one drink as approximately half a pint of beer, a small glass of wine or a single pub measure of spirits etc.

E60. a) How often do you have a drink containing alcohol?

Never

1



Go to E61 on page 72

Monthly or less

2

2 to 4 times a month

3

2 to 3 times a week

4

4 or more times a week

5

b) How many drinks containing alcohol do you have on a typical day when you are drinking?

1 or 2

1

3 or 4

2

5 or 6

3

7, 8 or 9

4

10 or more

5

c) How often do you have six or more drinks on one occasion?

Never

1

Less than monthly

2

Monthly

3

Weekly

4

Daily or almost daily

5

d) How often during the last year have you found that you were not able to stop drinking once you had started?

Never

1

Less than monthly

2

Monthly

3

Weekly

4

Daily or almost daily

5

e) How often during the last year have you failed to do what was normally expected from you because of drinking?

Never

1

Less than monthly

2

Monthly

3

Weekly

4

Daily or almost daily

5

55972



Section E

E60. f) How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?

Never	1 <input type="checkbox"/>	Less than monthly	2 <input type="checkbox"/>	Monthly	3 <input type="checkbox"/>
Weekly	4 <input type="checkbox"/>	Daily or almost daily	5 <input type="checkbox"/>		

g). How often during the last year have you had a feeling of guilt or remorse after drinking?

Never	1 <input type="checkbox"/>	Less than monthly	2 <input type="checkbox"/>	Monthly	3 <input type="checkbox"/>
Weekly	4 <input type="checkbox"/>	Daily or almost daily	5 <input type="checkbox"/>		

h) How often during the last year have you been unable to remember what happened the night before because you had been drinking?

Never	1 <input type="checkbox"/>	Less than monthly	2 <input type="checkbox"/>	Monthly	3 <input type="checkbox"/>
Weekly	4 <input type="checkbox"/>	Daily or almost daily	5 <input type="checkbox"/>		

i) Have you or someone else been injured as a result of your drinking?

Yes, during the last year	1 <input type="checkbox"/>	Yes, but not in the last year	2 <input type="checkbox"/>	No	3 <input type="checkbox"/>
---------------------------	----------------------------	-------------------------------	----------------------------	----	----------------------------

j) Has a relative or friend or a doctor or another health worker been concerned about your drinking or suggested you cut down?

Yes, during the last year	1 <input type="checkbox"/>	Yes, but not in the last year	2 <input type="checkbox"/>	No	3 <input type="checkbox"/>
---------------------------	----------------------------	-------------------------------	----------------------------	----	----------------------------

55972



Section E

t5500 E60a: Frequency of alcohol consumption

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	419	2.9	10.2	10.2
	2 Monthly or less	679	4.7	16.5	26.6
	3 2 to 4 times a month	787	5.4	19.1	45.7
	4 2 to 3 times a week	1324	9.1	32.1	77.8
	5 4 or more times a week	915	6.3	22.2	100.0
	Total	4124	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	51	.4		
	Total	10417	71.6		
Total		14541	100.0		

t5501 E60b: Number of alcoholic drinks consumed on typical day when drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1 or 2	2486	17.1	68.1	68.1
	2 3 or 4	934	6.4	25.6	93.7
	3 5 or 6	174	1.2	4.8	98.4
	4 7,8 or 9	49	.3	1.3	99.8
	5 10 or more	8	.1	.2	100.0
	Total	3651	25.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Do not drink alcohol	419	2.9		
	-1 No response	105	.7		
	Total	10890	74.9		
Total		14541	100.0		

t5502 E60c: Frequency respondent consumes six or more drinks on one occasion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2246	15.4	61.0	61.0
	2 Less than monthly	946	6.5	25.7	86.7
	3 Monthly	227	1.6	6.2	92.9
	4 Weekly	228	1.6	6.2	99.1
	5 Daily or almost daily	33	.2	.9	100.0
	Total	3680	25.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Do not drink alcohol	419	2.9		
	-1 No response	76	.5		
	Total	10861	74.7		
Total		14541	100.0		

Section E

t5503 E60d: Frequency respondent unable to stop drinking once started during last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3394	23.3	92.5	92.5
	2 Less than monthly	178	1.2	4.9	97.4
	3 Monthly	34	.2	.9	98.3
	4 Weekly	50	.3	1.4	99.6
	5 Daily or almost daily	13	.1	.4	100.0
	Total	3669	25.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Do not drink alcohol	419	2.9		
	-1 No response	87	.6		
	Total	10872	74.8		
Total		14541	100.0		

t5504 E60e: Frequency respondent failed to carry out normal activities due to drinking during last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3481	23.9	94.7	94.7
	2 Less than monthly	181	1.2	4.9	99.6
	3 Monthly	9	.1	.2	99.9
	4 Weekly	4	.0	.1	100.0
	5 Daily or almost daily	1	.0	.0	100.0
	Total	3676	25.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Do not drink alcohol	419	2.9		
	-1 No response	80	.6		
	Total	10865	74.7		
Total		14541	100.0		

t5505 E60f: Frequency respondent needed first drink in the morning to get going after heavy drinking session during last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3649	25.1	99.6	99.6
	2 Less than monthly	6	.0	.2	99.8
	3 Monthly	2	.0	.1	99.8
	4 Weekly	5	.0	.1	99.9
	5 Daily or almost daily	2	.0	.1	100.0
	Total	3664	25.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Do not drink alcohol	419	2.9		
	-1 No response	92	.6		
	Total	10877	74.8		
Total		14541	100.0		

Section E

t5506 E60g: Frequency respondent felt guilt or remorse after drinking during last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3232	22.2	88.3	88.3
	2 Less than monthly	296	2.0	8.1	96.4
	3 Monthly	48	.3	1.3	97.7
	4 Weekly	57	.4	1.6	99.3
	5 Daily or almost daily	27	.2	.7	
	Total	3660	25.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Do not drink alcohol	419	2.9		
	-1 No response	96	.7		
	Total	10881	74.8		
Total		14541	100.0		

t5507 E60h: Frequency respondent unable to remember what happened night before due to drinking during last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3349	23.0	91.4	91.4
	2 Less than monthly	263	1.8	7.2	98.5
	3 Monthly	32	.2	.9	99.4
	4 Weekly	19	.1	.5	99.9
	5 Daily or almost daily	3	.0	.1	
	Total	3666	25.2	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Do not drink alcohol	419	2.9		
	-1 No response	90	.6		
	Total	10875	74.8		
Total		14541	100.0		

t5508 E60i: Respondent injured self or other as a result of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, during last year	81	.6	2.2	2.2
	2 Yes, but not in last year	45	.3	1.2	3.5
	3 No	3515	24.2	96.5	
	Total	3641	25.0	100.0	100.0
Missing	-10 Not completed	10366	71.3		
	-2 Do not drink alcohol	419	2.9		
	-1 No response	115	.8		
	Total	10900	75.0		
Total		14541	100.0		

Section E

t5509 E60j: Relative/friend/doctor/other health worker concerned about respondent's drinking or suggested respondent cut down

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, during last year	133	.9	3.7	3.7
	2 Yes, but not in last year	43	.3	1.2	4.8
	3 No	3466	23.8	95.2	100.0
	Total	3642	25.0	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Do not drink alcohol	419	2.9		
	-1 No response	114	.8		
	Total	10899	75.0		
Total		14541	100.0		

Section E

Derived variable: The Alcohol Use Disorders Identification Test (AUDIT) total Score

Recode t5500 to t5507 (1=0)(2=1)(3=2)(4=3)(5=4) and t5508, t5509 (1=0)(3=2)(5=4)
 Compute t5510 = sum (t5500 to t5509)

t5510 DV: AUDIT total score

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	13	.1	.4	.4
	2	13	.1	.4	.8
	3	10	.1	.3	1.0
	4	18	.1	.5	1.6
	5	446	3.1	12.9	14.5
	6	484	3.3	14.0	28.6
	7	784	5.4	22.8	51.3
	8	619	4.3	18.0	69.3
	9	356	2.4	10.3	79.6
	10	208	1.4	6.0	85.6
	11	126	.9	3.7	89.3
	12	101	.7	2.9	92.2
	13	79	.5	2.3	94.5
	14	65	.4	1.9	96.4
	15	40	.3	1.2	97.6
	16	17	.1	.5	98.1
	17	9	.1	.3	98.3
	18	12	.1	.3	98.7
	19	13	.1	.4	99.0
	20	7	.0	.2	99.2
	21	7	.0	.2	99.4
	22	5	.0	.1	99.6
	23	5	.0	.1	99.7
	24	5	.0	.1	99.9
	25	1	.0	.0	99.9
	26	1	.0	.0	99.9
	31	1	.0	.0	100.0
	34	1	.0	.0	100.0
Missing	Total	3446	23.7	100.0	
	-10 Not completed	10366	71.3		
	-2 At least one missing item	729	5.0		
Total		11095	76.3		
Total		14541	100.0		

Section E

E61. Are you currently a smoker (cigarettes or tobacco)?

Yes 1 No 2 → If no, go to E71 on page 73

E62. Do you smoke every day?

Yes 1 No 2  If no, go to Section F on page 74

If yes,

E63. How old were you when you started smoking regularly (at least one cigarette or equivalent per day)? years old

E64.a) How many cigarettes do you usually smoke each day? cigarettes

b) If hand-rolled, how much tobacco do you use per week?

--	--

 oz OR

--	--	--

 grams

E65. How soon after you wake up do you smoke your first cigarette?

Within 5 minutes 1 6-30 minutes 2

31-60 minutes **3** After 60 minutes **4**

E66. Do you find it difficult to refrain from smoking in places where it is forbidden, e.g. at work, restaurants, cinema and other public places.?

Yes 1 No 2

E67. Do you smoke more frequently during the first hours after waking than during the rest of the day?

Yes No

E68. Do you smoke if you are so ill that you are in bed most of the day?


Yes 1 No 2



Section E

E69. Which cigarette would you hate most to give up?

The first one in the morning 1 Any other 2



Now go to Section F on the next page

E70. In the UK, smoking is now banned in many public places. Has this affected how much you smoke?

Yes, smoke less 1 No, smoke same amount 2 Yes, smoke more than before 3

For non-smokers only:

E71. Have you ever smoked in the past?

Yes 1 No 2 → If no, go to Section F on the next page

E72. When you smoked in the past did you smoke every day?

Yes 1 No 2 → If no, go to Section F on the next page

If yes,

E73. How old were you when you started smoking regularly (at least one cigarette or equivalent per day)?

--	--

 years old

E74.a) How many cigarettes did you usually smoke each day?

--	--

 cigarettes

b) If hand-rolled, how much tobacco did you use per week?

--	--

 oz OR

--	--	--

 grams

E75. How long ago did you stop smoking? If you can't remember give your age at the time you stopped.

years

--	--

 months

--	--

 ago OR

--	--

 years old

55972



Section E


t5520 E61: Currently a smoker

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	458	3.1	11.1	11.1
	2 No	3666	25.2	88.9	100.0
	Total	4124	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	51	.4		
	Total	10417	71.6		
Total		14541	100.0		

t5521 E62: Smokes every day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	400	2.8	86.4	86.4
	2 No	63	.4	13.6	100.0
	Total	463	3.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Does not smoke at all	3666	25.2		
	-1 No response	46	.3		
Total		14078	96.8		
Total		14541	100.0		

t5525 E63: Age when started smoking regularly



Section E

t5526 E64a: Number of cigarettes usually smoked each day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	.5	.5
	1	10	.1	2.6	3.1
	2	11	.1	2.9	6.0
	3	8	.1	2.1	8.1
	4	14	.1	3.7	11.8
	5	43	.3	11.3	23.1
	6	10	.1	2.6	25.7
	7	9	.1	2.4	28.1
	8	20	.1	5.2	33.3
	9	2	.0	.5	33.9
	10	67	.5	17.6	51.4
	11	1	.0	.3	51.7
	12	7	.0	1.8	53.5
	13	3	.0	.8	54.3
	14	3	.0	.8	55.1
	15	78	.5	20.5	75.6
	16	1	.0	.3	75.9
	17	1	.0	.3	76.1
	18	2	.0	.5	76.6
	20	69	.5	18.1	94.8
Missing	23	1	.0	.3	95.0
	25	8	.1	2.1	97.1
	26	1	.0	.3	97.4
	30	8	.1	2.1	99.5
	35	1	.0	.3	99.7
	40	1	.0	.3	100.0
	Total	381	2.6	100.0	
Total	-10 Not completed	10366	71.3		
	-2 Does not smoke at all	3666	25.2		
	-1 No response	128	.9		
	Total	14160	97.4		
		14541	100.0		

Section E

t5530 E64b: Amount of hand-rolled tobacco used per week: oz

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	8	.1	34.8	34.8
	1	4	.0	17.4	52.2
	2	1	.0	4.3	56.5
	7	1	.0	4.3	60.9
	10	1	.0	4.3	65.2
	12	2	.0	8.7	73.9
	13	1	.0	4.3	78.3
	25	3	.0	13.0	91.3
	35	1	.0	4.3	95.7
	50	1	.0	4.3	100.0
Total		23	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Does not smoke at all	3666	25.2		
	-1 No response	486	3.3		
	Total	14518	99.8		
Total		14541	100.0		

t5531 E64b: Amount of hand-rolled tobacco used per week: grams

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	2.6	2.6
	4	1	.0	1.3	3.8
	5	1	.0	1.3	5.1
	7	1	.0	1.3	6.4
	12	6	.0	7.7	14.1
	13	3	.0	3.8	17.9
	15	1	.0	1.3	19.2
	20	4	.0	5.1	24.4
	25	19	.1	24.4	48.7
	30	1	.0	1.3	50.0
	35	1	.0	1.3	51.3
	36	1	.0	1.3	52.6
	38	1	.0	1.3	53.8
	40	3	.0	3.8	57.7
	45	1	.0	1.3	59.0
	50	22	.2	28.2	87.2
	60	1	.0	1.3	88.5
	70	1	.0	1.3	89.7
	75	1	.0	1.3	91.0
	100	2	.0	2.6	93.6
	125	3	.0	3.8	97.4
	150	1	.0	1.3	98.7
	200	1	.0	1.3	100.0
Total		78	.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Does not smoke at all	3666	25.2		
	-1 No response	431	3.0		
	Total	14463	99.5		
Total		14541	100.0		

Section E

t5540 E65: How soon respondent has first cigarette after waking up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 5 minutes or less	56	.4	14.6	14.6
	2 6-30 minutes	169	1.2	44.0	58.6
	3 31-60 minutes	59	.4	15.4	74.0
	4 More than 60 minutes	100	.7	26.0	100.0
	Total	384	2.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Does not smoke at all	3666	25.2		
	-1 No response	125	.9		
	Total	14157	97.4		
Total		14541	100.0		

t5541 E66: Finds it difficult to refrain from smoking in forbidden places (e.g. at work, restaurants, cinema and other public places)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	40	.3	10.3	10.3
	2 No	349	2.4	89.7	100.0
	Total	389	2.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Does not smoke at all	3666	25.2		
	-1 No response	120	.8		
	Total	14152	97.3		
Total		14541	100.0		

t5542 E67: Smokes more frequently during first hours after waking than rest of day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	123	.8	31.5	31.5
	2 No	267	1.8	68.5	100.0
	Total	390	2.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Does not smoke at all	3666	25.2		
	-1 No response	119	.8		
	Total	14151	97.3		
Total		14541	100.0		

t5543 E68: Smokes when ill in bed most of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	50	.3	13.0	13.0
	2 No	335	2.3	87.0	100.0
	Total	385	2.6	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Does not smoke at all	3666	25.2		
	-1 No response	124	.9		
	Total	14156	97.4		
Total		14541	100.0		

Section E

t5550 E69: Cigarette would hate most to give up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 The first one in the morning	179	1.2	49.7	49.7
	2 Any other	181	1.2	50.3	100.0
	Total	360	2.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Does not smoke at all	3666	25.2		
	-1 No response	149	1.0		
	Total	14181	97.5		
Total		14541	100.0		

t5551 E70: Impact of UK public smoking ban on amount smoked

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Smoke less than before	123	.8	40.3	40.3
	2 Smoke same amount	179	1.2	58.7	99.0
	3 Smoke more than before	3	.0	1.0	100.0
	Total	305	2.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Does not smoke at all	3666	25.2		
	-1 No response	204	1.4		
	Total	14236	97.9		
Total		14541	100.0		

Derived variable: Fagestrom Test for Nicotine Dependence (FTND) Total score

Recode t5331 (1=0)(3=2)(2=2)(1=3) and recode t5526 (1-10 =0)(11-20=1)(21-30=2)(31+=3) and recode t5541 t5542 t5543 t5550 (1=1)(2=0)

T5555 = t5521+t5526+t5541+t5542+t5543+t5550

t5555 DV: FTND total score

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	62	.4	18.8	18.8
	1.00	32	.2	9.7	28.6
	2.00	37	.3	11.2	39.8
	3.00	49	.3	14.9	54.7
	4.00	53	.4	16.1	70.8
	5.00	53	.4	16.1	86.9
	6.00	20	.1	6.1	93.0
	7.00	14	.1	4.3	97.3
	8.00	6	.0	1.8	99.1
	9.00	3	.0	.9	100.0
Missing	Total	329	2.3	100.0	
	-10.00 Not completed	10366	71.3		
	-3.00 Does not smoke at all	3666	25.2		
	-2.00 At least one missing item	180	1.2		
Total	Total	14212	97.7		
		14541	100.0		

Section E

Derived variable: Classification of independence based on FTND score

Recode t5555 (0-2=1)(3-4=2)(5=3)(6-7=4)(8-10=5)

t5556 DV: FTND classification of dependence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00 Very low	131	.9	39.8	39.8
	2.00 Low	102	.7	31.0	70.8
	3.00 Moderate	53	.4	16.1	86.9
	4.00 High	34	.2	10.3	97.3
	5.00 Very high	9	.1	2.7	
	Total	329	2.3	100.0	
Missing	-10.00 Not completed	10366	71.3		
	-2.00 At least one missing item	180	1.2		
	System	3666	25.2		
	Total	14212	97.7		
Total		14541	100.0		


t5560 E71: Respondent ever smoked in the past

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1430	9.8	40.2	40.2
	2 No	2124	14.6	59.8	100.0
	Total	3554	24.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	621	4.3		
	Total	10987	75.6		
Total		14541	100.0		

t5561 E72: Smoked every day when smoker in past

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	969	6.7	67.2	67.2
	2 No	473	3.3	32.8	100.0
	Total	1442	9.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never smoked	2124	14.6		
	-1 No response	609	4.2		
	Total	13099	90.1		
Total		14541	100.0		

Section E



t5566 E74a: Number of cigarettes usually smoked each day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	.2	.2
	1	18	.1	1.8	2.0
	2	36	.2	3.6	5.6
	3	41	.3	4.1	9.7
	4	25	.2	2.5	12.2
	5	140	1.0	14.0	26.2
	6	25	.2	2.5	28.7
	7	13	.1	1.3	30.0
	8	18	.1	1.8	31.8
	10	283	1.9	28.3	60.0
	12	9	.1	.9	60.9
	15	102	.7	10.2	71.1
	16	2	.0	.2	71.3
	18	3	.0	.3	71.6
	20	234	1.6	23.4	95.0
	25	16	.1	1.6	96.6
	30	19	.1	1.9	98.5
	40	11	.1	1.1	99.6
	60	4	.0	.4	100.0
	Total	1001	6.9	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never smoked	2124	14.6		
	-1 No response	1050	7.2		
	Total	13540	93.1		
Total		14541	100.0		

Section E


t5570 E74b: Amount of hand-rolled tobacco used per week: oz

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	28	.2	56.0	56.0
	1	13	.1	26.0	82.0
	2	3	.0	6.0	88.0
	3	1	.0	2.0	90.0
	4	4	.0	8.0	98.0
	6	1	.0	2.0	100.0
	Total	50	.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never smoked	2124	14.6		
	-1 No response	2001	13.8		
	Total	14491	99.7		
Total		14541	100.0		

t5571 E74b: Amount of hand-rolled tobacco used per week: grams

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	17	.1	53.1	53.1
	10	1	.0	3.1	56.3
	13	1	.0	3.1	59.4
	25	5	.0	15.6	75.0
	50	4	.0	12.5	87.5
	75	1	.0	3.1	90.6
	125	1	.0	3.1	93.8
	175	1	.0	3.1	96.9
	500	1	.0	3.1	100.0
	Total	32	.2	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never smoked	2124	14.6		
	-1 No response	2019	13.9		
	Total	14509	99.8		
Total		14541	100.0		


Section E



t5581 E75: Time passed since stopped smoking: months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	69	.5	20.9	20.9
	1	27	.2	8.2	29.1
	2	24	.2	7.3	36.4
	3	35	.2	10.6	47.0
	4	18	.1	5.5	52.4
	5	17	.1	5.2	57.6
	6	56	.4	17.0	74.5
	7	14	.1	4.2	78.8
	8	19	.1	5.8	84.5
	9	26	.2	7.9	92.4
	10	17	.1	5.2	97.6
	11	8	.1	2.4	100.0
Total		330	2.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-2 Never smoked	2124	14.6		
	-1 No response	1721	11.8		
	Total	14211	97.7		
Total		14541	100.0		

Section E



Section F

Section F: About You

F1. What colour eyes do you have?

Blue 1 Green 2 Brown 3
Grey 4 Other 5

F2. What is your **natural** hair colour? (i.e. when you were aged 20)

Blond 1 Light brown 2 Dark brown 3
Black 4 Ginger/red 5

F3. About how tall, would you say, the natural father of your study teenager was?

metres centimetres OR feet inches
 OR Don't know 9

F4. What colour eyes does the natural father of your study teenager have?

Blue 1 Green 2 Brown 3
Grey 4 Other 5 Don't know 9

F5. What is the **natural** hair colour (i.e. when he was aged 20) of the natural father of your study teenager?

Blond 1 Light brown 2 Dark brown 3
Black 4 Ginger/red 5 Don't know 9

F6. What hand does the natural father of your study teenager use to write with?

Right 1 Left 2 Either 3 Don't know 9

F7. About how tall, would you say, your current partner is (if not natural father)?

metres centimetres OR feet inches OR No partner 1
 OR Don't know 9

55972

Section F

F8. What colour eyes does your current partner have (if not natural father)?

Blue 1 Green 2 Brown 3 Grey 4
Other 5 No partner 6 Don't know 9

F9. What is the **natural** hair colour of your current partner (if not natural father)?
(i.e. when they were aged 20)

Blond 1 Light brown 2 Dark brown 3 Black 4
Ginger/red 5 No partner 6 Don't know 9

F10. What hand does your current partner use to write with (if not natural father)?

Right 1 Left 2 Either 3
No partner 4 Don't know 9

F11. Please give your **present** weight and measurements if you know them.

metres centimetres feet inches
a) Height OR OR Don't know 9

b) Weight kg OR st lbs Don't know 9

c) Bust cm OR inches OR Don't know 9

d) Hips cm OR inches OR Don't know 9

e) Waist cm OR inches OR Don't know 9

Now go to Section G on the back page



55972

Section F


t6000 F1: Respondent's eye colour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Blue	1616	11.1	39.1	39.1
	2 Green	898	6.2	21.7	60.8
	3 Brown	1112	7.6	26.9	87.7
	4 Grey	232	1.6	5.6	93.3
	5 Other	276	1.9	6.7	100.0
	Total	4134	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	41	.3		
	Total	10407	71.6		
Total		14541	100.0		

t6001 F2: Respondent's natural hair colour (i.e. when aged 20)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Blond	552	3.8	13.3	13.3
	2 Light brown	1702	11.7	41.1	54.5
	3 Dark brown	1637	11.3	39.6	94.1
	4 Black	85	.6	2.1	96.1
	5 Ginger/red	161	1.1	3.9	100.0
	Total	4137	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	38	.3		
	Total	10404	71.5		
Total		14541	100.0		

t6015 DV: F3 combined - Height of natural father of study teenager: cms



Section F

t6020 F4: Eye colour of natural father of study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Blue	1732	11.9	42.1	42.1
	2 Green	563	3.9	13.7	55.7
	3 Brown	1350	9.3	32.8	88.5
	4 Grey	234	1.6	5.7	94.2
	5 Other	143	1.0	3.5	97.7
	9 Do not know	96	.7	2.3	100.0
	Total	4118	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	57	.4		
	Total	10423	71.7		
Total		14541	100.0		

t6021 F5: Natural hair colour (i.e. when aged 20) of natural father of study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Blond	420	2.9	10.2	10.2
	2 Light brown	1279	8.8	31.0	41.1
	3 Dark brown	1700	11.7	41.2	82.3
	4 Black	537	3.7	13.0	95.3
	5 Ginger/red	157	1.1	3.8	99.1
	9 Do not know	36	.2	.9	100.0
	Total	4129	28.4	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	46	.3		
	Total	10412	71.6		
Total		14541	100.0		

t6022 F6: Hand natural father of study teenager uses to write with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Right	3599	24.8	87.0	87.0
	2 Left	479	3.3	11.6	98.5
	3 Either	6	.0	.1	98.7
	9 Do not know	55	.4	1.3	100.0
	Total	4139	28.5	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	36	.2		
	Total	10402	71.5		
Total		14541	100.0		

Section F

t6040 F8: Eye colour of current partner (if not natural father)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Blue	385	2.6	32.6	32.6
	2 Green	105	.7	8.9	41.5
	3 Brown	218	1.5	18.5	60.0
	4 Grey	44	.3	3.7	63.7
	5 Other	20	.1	1.7	65.4
	6 No partner	394	2.7	33.4	98.8
	9 Do not know	14	.1	1.2	100.0
	Total	1180	8.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	2995	20.6		
	Total	13361	91.9		
Total		14541	100.0		

t6041 F9: Natural hair colour (i.e. when aged 20) of current partner (if not natural father)


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Blond	81	.6	7.2	7.2
	2 Light brown	233	1.6	20.6	27.8
	3 Dark brown	297	2.0	26.3	54.1
	4 Black	90	.6	8.0	62.1
	5 Ginger/red	33	.2	2.9	65.0
	6 No partner	378	2.6	33.5	98.5
	9 Do not know	17	.1	1.5	100.0
	Total	1129	7.8	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3046	20.9		
	Total	13412	92.2		
Total		14541	100.0		

t6042 F10: Hand current partner uses to write with (if not natural father)


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Right	649	4.5	57.6	57.6
	2 Left	91	.6	8.1	65.7
	3 Either	3	.0	.3	66.0
	4 No partner	370	2.5	32.9	98.8
	9 Do not know	13	.1	1.2	100.0
	Total	1126	7.7	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 No response	3049	21.0		
	Total	13415	92.3		
Total		14541	100.0		

Section F



t6030 DV: F7 combined - Height of current partner (if not natural father): cms



t6055 DV: F11a combined - Respondent's current height: cms




Section F




Section G

t6085 DV: F11d combined - Respondent's current hip measurement: cms




t6095 DV: F11e combined - Respondent's current waist measurement: cms



Section G

Maternal BMI was derived from self-reported height and weight, as height (m)² / weight (kg) using the following syntax:

Height = (t6055/100) * (t6055/100)
Compute t6099=(t6065/height)



Section G

Section G:

G1. This questionnaire was completed by:

- a) teenager's biological mother 1
- b) teenager's mother figure 1
- c) someone else 1 (please mark box and describe):

G2. Do you live in the same house as the study teenager? Yes 1 No 2

G3. On what date did you complete this questionnaire?

DD	MM	YYYY
<input type="text"/>	<input type="text"/>	<input type="text"/>

G4. Please give your date of birth:

DD	MM	YYYY
<input type="text"/>	<input type="text"/>	<input type="text"/>

G5. Please give your study teenager's date of birth:

DD	MM	YYYY
<input type="text"/>	<input type="text"/>	<input type="text"/>

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comments you would like to make

NB: Please remember we cannot reply to any comment unless you sign it.

When completed, please send this back to:

**Professor George Davey-Smith
Children of the Nineties - ALSPAC
Oakfield House
Oakfield Grove
Bristol BS8 2BN**

Office use only

55972



<http://www.alspac.bris.ac.uk/>

© University of Bristol



Section G

[Editing note – G1: If all three parts of question G1 were omitted then variables T9980 to T9982 were all set to –5. If either of the variables for parts a & b had value 1 then the initial indicator variable (T9980) was set to 2 and values of –1 in T9981 & T9982 recoded to 2 'No'.]

t9980 G1a: Study teenager's biological mother completed questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4074	28.0	98.9	98.9
	2 No	46	.3	1.1	100.0
	Total	4120	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-5 Question G1 omitted	55	.4		
	Total	10421	71.7		
Total		14541	100.0		

t9981 G1b: Study teenager's mother figure completed questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	42	.3	1.0	1.0
	2 No	4078	28.0	99.0	100.0
	Total	4120	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-5 Question G1 omitted	55	.4		
	Total	10421	71.7		
Total		14541	100.0		

t9982 G1c: Someone else completed questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4	.0	.1	.1
	2 No	4116	28.3	99.9	100.0
	Total	4120	28.3	100.0	
Missing	-10 Not completed	10366	71.3		
	-5 Question G1 omitted	55	.4		
	Total	10421	71.7		
Total		14541	100.0		

t9985 G2: Respondent lives at same address as study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3840	26.4	93.8	93.8
	2 No	252	1.7	6.2	100.0
	Total	4092	28.1	100.0	
Missing	-10 Not completed	10366	71.3		
	-1 Missing	83	.6		
	Total	10449	71.9		
Total		14541	100.0		

Section G

[Editing note – G3: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSPAC. The month and year of completion are retained on the built file, but the day is dropped.]

t9990a G3M: Date respondent completed questionnaire: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	42	.3	1.0	1.0
	2	19	.1	.5	1.5
	3	10	.1	.2	1.7
	4	19	.1	.5	2.2
	5	261	1.8	6.3	8.4
	6	299	2.1	7.2	15.6
	7	1088	7.5	26.1	41.6
	8	802	5.5	19.2	60.8
	9	892	6.1	21.4	82.2
	10	425	2.9	10.2	92.4
	11	250	1.7	6.0	98.4
	12	68	.5	1.6	100.0
	Total	4175	28.7	100.0	
Missing	-10 Not completed	10366	71.3		
Total		14541	100.0		


t9990b G3Y: Date respondent completed questionnaire: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2010	4017	27.6	96.2	96.2
	2011	156	1.1	3.7	100.0
	2012	2	.0	.0	100.0
	Total	4175	28.7	100.0	
Missing	-10 Not completed	10366	71.3		
Total		14541	100.0		

Section G

Derived Variables - Age at completion: Maternal


The date of completion and the mother's dates of birth from ALSPAC's central database, were used to calculate the mother's age at completion in years.



Section G


Derived Variables - Age at completion: Study Child

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.




Section G

t9991b DV: Age of study child at completion (weeks)



t9991c DV: Age of study child at completion (years)



Appendix A

This appendix contains the general verification instructions for scanned questionnaires that are referred to whenever any questionnaire is being verified. This document provides a general overview to the verification process. Verification instructions specific to this questionnaire are available on request.

General Verification Instructions

Document Control

Version	1
Date of introduction	12/03/2008
Date of termination	
Number of pages	2
Author	David Herrick

For general guidance on scanning and verifying see the relevant page on the ALSPAC intranet:

<http://alsp-buzzard.alspac.bris.ac.uk:9080/ALSPNet/projects/Scanning/scanning.html>

The purpose of verifying is to resolve the queries produced by the software. The general aim is to ensure that the exact response is entered, regardless of whether or not it makes sense. Genuinely reported values that are unlikely or even impossible will be resolved at a later stage of the data preparation process.

When verifying a scanned form you will need to reference the specific verification instructions for that form. These will detail the data type of each response on the form and any verification rules additional to the general guidelines specified below:

Code	Data Type	General Verification Guidance
S	A single check box that the respondent can either cross or leave blank.	
M	Multiple check boxes from which the respondent is expected to either cross one or leave all blank.	<p>Occasionally respondents will cross more than one box; the verification instructions for the form will detail how to resolve any such occurrences. The following codes are used as shorthand for commonly occurring instructions:</p> <ul style="list-style-type: none">• 7: If more than one box is crossed, choose the one with the lowest code number.• 8: If more than one box is crossed, choose the one with the highest code number.• I: If 'Yes' and 'No' are both crossed in a stand-alone question, then leave the response blank. However, if 'Yes' and 'No' are both crossed in a lead question then it should be possible to determine the intended response from the information in the follow up questions. <p>If it is clear that the respondent attempted to cancel a cross by filling in a box then discard that value.</p>

Appendices

N	<p>A numerical response. The respondent is provided with one or more boxes within which they are expected to write Arabic numerals (one per box).</p>	<p>The verifier will query anything that it cannot recognise as a number. Please note the following general guidelines:</p> <ul style="list-style-type: none"> • If "N/A" or question marks or anything similar are written in the boxes, leave as blank. • If more than one digit has been written in any box then enter the value if it is possible to do so (i.e. there were enough boxes but the digits were misplaced). However, if the response is too large for the number of boxes (e.g. 11 where only a single digit is expected) then record it in the form notes and leave the value as blank. • If the answer is not legible on the scanned image and therefore cannot be corrected then record in the form notes and leave the value as blank. It may be possible for the value to be corrected later on by looking at the paper copy of the questionnaire. <p>In addition the verifier may also be set up to query values outside of a specific range (this will be documented in the verification instructions for the form). If a queried value is clearly what was written then accept it even if it is outside the range of values in the verification rule. This applies even if the value is impossible (e.g. value 34 in a response for number of hours per day).</p>
D	<p>A date. The respondent is provided with boxes within which to write the numerals of a date. Some boxes may be pre-filled.</p>	<p>The general guidelines for numerical responses apply here. In addition note that the verifier will query any invalid dates, including any dates where there are empty boxes. As with numerical responses these should be left as reported by the respondent. In the days of keyed questionnaires coders were instructed, for example, to use the date of receipt to fill in missing dates of completion. This sort of thing is not required of validation – the date captured should be as reported.</p>
C	<p>Constrained text. The respondent is provided with a series of boxes within which to write text; one character per box.</p>	<p>The text should be entered as close as is possible to what the respondent wrote, so observe errors in spelling, grammar etc.</p> <p>It is not possible to enter more characters than there are boxes on the questionnaire. Longer responses must be recorded in the form notes.</p> <p>Note that it is not possible to enter the character "?". If the respondent wrote "?" as part of the response in the text box then enter this as "[Question mark]".</p>
T	<p>Unconstrained text. The respondent is provided with a large box within which to write freely.</p>	<p>The verifier will attempt to interpret this but will almost always flag for verification if anything is detected. Simply type in the text response as best you can. The text should be entered as close as is possible to what the respondent wrote, so observe errors in spelling, grammar etc. Note that if the response is split over several lines then if captured in multiple lines this formatting can be kept, but new line breaks cannot be inserted.</p> <p>Note that it is not possible to enter the character "?". If the respondent wrote "?" as part of the response in the text box then enter this as "[Question mark]".</p> <p>Occasionally the verification instructions for the form will instruct you to enter something new in an unconstrained text box (e.g. details of multiple crossing in data type M). To do this click on the box on the form and start typing in the grey area below. In order to differentiate between text from the respondent and text entered at verification start anything you add with "V: " and enclose in square brackets, e.g. "[V:1+2+5]".</p>

Appendix B: Questionnaire Methodology

Administration

Questionnaires were identified by a 9 digit check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. These numbers, together with bar codes, were printed on sticky labels that were then applied to the front pages of the questionnaires prior to being mailed out. If a response was not received after 3 weeks a reminder letter was sent.

The receipt of questionnaires was logged by the Questionnaire Administration Department using a bar code scanning system, which recorded the date of receipt. If returned blank by the respondent (but not, for example, if returned as "not known at this address") this was flagged. The questionnaires were examined and if badly completed (e.g. marks not in boxes) or if text was written outside of supplied boxes then the office use box on the back page was marked in order to flag that detailed checking was required at the verification stage (see below). Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20, separately for the male and female versions.

Data handling

The questionnaires were designed using the Teleform data capture software. The questionnaires were booklets with A5 pages, stapled in the folded spine. The expected responses to the questions fall into four categories: self-coding tick boxes, numeric, free text and occasionally constrained print (text entered one letter to a box).

Completed questionnaires had the spine guillotined off and were then fed into a document scanner. The data were captured from the resulting images by the Teleform software. Any anomalies, such as multiple ticks or numeric / constrained print responses that the system could not interpret were flagged by the software and corrected by an operator at the verification stage. During verification the captured free text was also checked for accuracy. The rules for correcting multiple ticks and other anomalies were set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B). The numeric, tick box and any constrained print data were then exported to an SPSS data file and the free text exported to a database. The images of the forms were exported to the ADOS image storage system for archiving.

The SPSS data files then had appropriate variable and value labels applied. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifiers ALN & QLET. At the end of this process the data were classified as clean; they are deemed to accurately represent what the respondent actually entered on the questionnaire, except that the text responses have not been processed. The

Appendices

free text is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letters "CT" which are followed by four digits and occasionally a further letter. Then the data from the back page (section G) were edited as described in the relevant section of this documentation.

The data for this questionnaire has been issued as a "built" file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables as described in the preceding text.