THE ALSPAC STUDY

XB FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

About Eating

Prepared by The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 2a of the BUILT file.

May 2019

© University of Bristol

XB File

Introduction and methodology

Contents

Two methods were used to collect this data: *online* questionnaire (see Appendix A) and *paper* questionnaire (see Appendix B). The data were kept separate at the clean file stage and brought together to create a single built file. The variable 'XB008' distinguishes between the two sets of data.

The paper questionnaire comprised two pages, the online questionnaire comprised six webpages (three of which were administrative and contained no questions – see Appendix B, pages 1, 2 and 6). Q1a – Q1d ask respondents about their feelings with regard to their weight and shape. Q2 – Q2a ask respondents about eating a large amount of food/experiencing a loss of control when eating. Q3 – Q6 ask respondents about measures taken to reduce their weight. Q7 and Q8 ask respondents height and weight, respectively.

Questionnaire versions

There are, as indicated above, two versions of the questionnaire: online and paper. There is only one version of each of these. Because there are separate versions screenshots of both are included in appendices at the end of this documentation.

Administration

A letter was sent out to mothers with a password to access the questionnaire on the website 'Bristol Online Surveys' (BOS: http://www.survey.bris.ac.uk/). A paper version of the questionnaire was also included – respondents could complete either the paper or online version. The letters/questionnaires were sent on the following dates in the corresponding quantities:

| Date | Quantity |
|------------|----------|
| 06/07/2009 | 400 |
| 26/08/2009 | 2000 |
| 09/09/2009 | 2000 |
| 18/09/2009 | 2000 |
| 28/09/2009 | 2000 |
| 30/09/2009 | 1016 |

A reminder was sent to 4738 mothers on 30/11/2009.

Sample & response rates

There are a total of 14,766 cases on this built file. This number is made up of the 14,541 mothers in the core ALSPAC sample (regardless of whether or not they were sent the About Eating questionnaire or whether they returned it) plus 225 eligible mothers not in the core sample for whom questionnaires were sent out.

The About Eating questionnaire was sent out to 9,011 mothers in the core sample (62% of the total mothers in the core sample). As of 20th January 2011 completed questionnaires had been returned in paper form/completed online for 5,436 (60%) of the 9,011 core sample mothers who were sent the questionnaire. Overall the questionnaire was sent to 9,236 mothers and the total response rate to date is therefore 61% (5,661 total responses).

Of the 5,661 responses 1,141 (20%) were completed online and 4,520 (80%) through the paper questionnaire.

For further information on the ALSPAC sample please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Built file version history

Version 1 – January 2011

Version 2a – Inclusion of the month (xb990) and the year (xb991) of completion, Mother's age at completion in years (xb995) and Study person's age at completion in months (xb996).

Administrative variables

XB001 Questionnaire sent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|-----------------------|
| Valid | 1 Yes | 9236 | 62.5 | 62.5 | 62.5 |
| | 2 No | 5530 | 37.5 | 37.5 | 100.0 |
| | Total | 14766 | 100.0 | 100.0 | |

XB002 Reminder 1 sent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 Yes | 4560 | 30.9 | 49.4 | 49.4 |
| | 2 No | 4676 | 31.7 | 50.6 | 100.0 |
| | Total | 9236 | 62.5 | 100.0 | |
| Missing | -2 Questionnaire not sent | 5530 | 37.5 | | |
| Total | | 14766 | 100.0 | | |

XB003 Reminder 2 sent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|-----------------------|
| Valid | 2 No | 9236 | 62.5 | 100.0 | 100.0 |
| Missing | -2 Questionnaire not sent | 5530 | 37.5 | | |
| Total | | 14766 | 100.0 | | |

XB004 Eligible for visit

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|-----------------------|
| Valid | 2 No | 9236 | 62.5 | 100.0 | 100.0 |
| Missing | -2 Questionnaire not sent | 5530 | 37.5 | | |
| Total | | 14766 | 100.0 | | |

XB005 Questionnaire return status (as of 12/01/2011)

| | | | | | Cumulative |
|---------|---------------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 1 Returned, completed | 5661 | 38.3 | 61.3 | 61.3 |
| | 2 Returned, blank | 10 | .1 | .1 | 61.4 |
| | 3 Not returned | 3565 | 24.1 | 38.6 | 100.0 |
| | Total | 9236 | 62.5 | 100.0 | |
| Missing | -2 Questionnaire not sent | 5530 | 37.5 | | |
| Total | | 14766 | 100.0 | | |

XB006 Questionnaire returned (as of 12/01/2011)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 Yes | 5671 | 38.4 | 61.4 | 61.4 |
| | 2 No | 3565 | 24.1 | 38.6 | 100.0 |
| | Total | 9236 | 62.5 | 100.0 | |
| Missing | -2 Questionnaire not sent | 5530 | 37.5 | | |
| Total | | 14766 | 100.0 | | |

XB007 Questionnaire completed (as of 12/01/2011)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 Yes | 5661 | 38.3 | 61.3 | 61.3 |
| | 2 No | 3575 | 24.2 | 38.7 | 100.0 |
| | Total | 9236 | 62.5 | 100.0 | |
| Missing | -2 Questionnaire not sent | 5530 | 37.5 | | |
| Total | | 14766 | 100.0 | | |

XB008 Version of questionnaire (paper or online)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 Online | 1141 | 7.7 | 20.2 | 20.2 |
| | 2 Paper | 4520 | 30.6 | 79.8 | 100.0 |
| | Total | 5661 | 38.3 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| Total | | 14766 | 100.0 | | |

n.b. version can only be specified for questionnaires that were completed as respondents had a choice of completing one version or the other.

About Eating

<u>Coding</u>: Coding instructions are not applicable for data collected online because multiple ticks, etc. cannot occur. All coding instructions therefore refer to data collected through paper questionnaires. Editing applies to both.

Editing: The following editing instructions apply to all of the below: Values for cases that did not complete the questionnaire were set to -10 ('Not completed'). Values for cases that did complete the questionnaire but not this particular question were set to -1 ('NS/NA'). XB070 and XB080 have additional editing instructions.

XB010 Q1a: Respondent ever felt fat

| | | | | | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 0 Not at all | 444 | 3.0 | 7.9 | 7.9 |
| | 1 1-Slightly | 429 | 2.9 | 7.6 | 15.5 |
| | 2 2-Slightly | 1211 | 8.2 | 21.4 | 36.9 |
| | 3 1-Moderately | 543 | 3.7 | 9.6 | 46.5 |
| | 4 2-Moderately | 1402 | 9.5 | 24.8 | 71.3 |
| | 5 1-Extremely | 730 | 4.9 | 12.9 | 84.2 |
| | 6 2-Extremely | 891 | 6.0 | 15.8 | 100.0 |
| | Total | 5650 | 38.3 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 11 | .1 | | |
| | Total | 9116 | 61.7 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the highest value was taken.

XB011 Q1b: Respondent ever had definite fear might gain weight or become fat

| | | | | | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 0 Not at all | 1222 | 8.3 | 21.8 | 21.8 |
| | 1 1-Slightly | 674 | 4.6 | 12.0 | 33.8 |
| | 2 2-Slightly | 1118 | 7.6 | 19.9 | 53.7 |
| | 3 1-Moderately | 537 | 3.6 | 9.6 | 63.3 |
| | 4 2-Moderately | 917 | 6.2 | 16.3 | 79.6 |
| | 5 1-Extremely | 518 | 3.5 | 9.2 | 88.9 |
| | 6 2-Extremely | 625 | 4.2 | 11.1 | 100.0 |
| | Total | 5611 | 38.0 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 50 | .3 | | |
| | Total | 9155 | 62.0 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the highest value was taken.

XB File XB012 Q1c: Weight ever influenced how respondent thought about (judged) self as a person

| | | | | | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 0 Not at all | 1295 | 8.8 | 23.0 | 23.0 |
| | 1 1-Slightly | 638 | 4.3 | 11.4 | 34.4 |
| | 2 2-Slightly | 1051 | 7.1 | 18.7 | 53.1 |
| | 3 1-Moderately | 486 | 3.3 | 8.6 | 61.8 |
| | 4 2-Moderately | 878 | 5.9 | 15.6 | 77.4 |
| | 5 1-Extremely | 587 | 4.0 | 10.4 | 87.8 |
| | 6 2-Extremely | 684 | 4.6 | 12.2 | 100.0 |
| | Total | 5619 | 38.1 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 42 | .3 | | |
| | Total | 9147 | 61.9 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the highest value was taken.

XB013 Q1d: Shape ever influenced how respondent thought about (judged) self as a person

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|-----------------------|
| Valid | 0 Not at all | 1193 | 8.1 | 21.3 | 21.3 |
| | 1 1-Slightly | 702 | 4.8 | 12.5 | 33.8 |
| | 2 2-Slightly | 1063 | 7.2 | 18.9 | 52.7 |
| | 3 1-Moderately | 536 | 3.6 | 9.6 | 62.3 |
| | 4 2-Moderately | 880 | 6.0 | 15.7 | 78.0 |
| | 5 1-Extremely | 570 | 3.9 | 10.2 | 88.1 |
| | 6 2-Extremely | 667 | 4.5 | 11.9 | 100.0 |
| | Total | 5611 | 38.0 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 50 | .3 | | |
| | Total | 9155 | 62.0 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the highest value was taken.

XB020 Q2: Ever been times when respondent felt had eaten what other people would regard as unusually large amount of food given circumstances

| | | | | | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 1 Yes | 1531 | 10.4 | 27.1 | 27.1 |
| | 2 No | 4113 | 27.9 | 72.9 | 100.0 |
| | Total | 5644 | 38.2 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 17 | .1 | | |
| | Total | 9122 | 61.8 | | |
| Total | | 14766 | 100.0 | | |

XB File XB021 Q2a: When respondent ate unusually large amount of food respondent experienced loss of control, could not stop eating or control amount eaten

| | | | | | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 1 Yes | 762 | 5.2 | 51.7 | 51.7 |
| | 2 No | 713 | 4.8 | 48.3 | 100.0 |
| | Total | 1475 | 10.0 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 4186 | 28.3 | | |
| | Total | 13291 | 90.0 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the question was changed to -1 (NS/NA). If Q2 was '2' (No) and Q2a was completed then Q2a was changed to '-1' (NS/NA) (because no response was required).

XB022 Q2a1: At its worst number of days per week on average respondent ate unusually large amount of food and experienced loss of control

| | | _ | | | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 1 | 244 | 1.7 | 31.7 | 31.7 |
| | 2 | 149 | 1.0 | 19.4 | 51.0 |
| | 3 | 148 | 1.0 | 19.2 | 70.3 |
| | 4 | 82 | .6 | 10.6 | 80.9 |
| | 5 | 63 | .4 | 8.2 | 89.1 |
| | 6 | 6 | .0 | .8 | 89.9 |
| | 7 | 78 | .5 | 10.1 | 100.0 |
| | Total | 770 | 5.2 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 4891 | 33.1 | | |
| | Total | 13996 | 94.8 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the highest value was taken. If either Q2 or Q2a were '2' (No) and Q2a1 was completed then Q2a1 was changed to '-1' (NS/NA) (because no response was required).

XB File
XB023 Q2a2: At its worst number of times per week on average respondent ate unusually large amount of food and experienced loss of control

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 | 209 | 1.4 | 27.5 | 27.5 |
| | 2 | 127 | .9 | 16.7 | 44.2 |
| | 3 | 100 | .7 | 13.1 | 57.3 |
| | 4 | 92 | .6 | 12.1 | 69.4 |
| | 5 | 60 | .4 | 7.9 | 77.3 |
| | 6 | 32 | .2 | 4.2 | 81.5 |
| | 7 | 47 | .3 | 6.2 | 87.6 |
| | 8 | 10 | .1 | 1.3 | 89.0 |
| | 9 | 13 | .1 | 1.7 | 90.7 |
| | 10 | 23 | .2 | 3.0 | 93.7 |
| | 11 | 1 | .0 | .1 | 93.8 |
| | 12 | 6 | .0 | .8 | 94.6 |
| | 13 | 1 | .0 | .1 | 94.7 |
| | 14 | 40 | .3 | 5.3 | 100.0 |
| | Total | 761 | 5.2 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 4900 | 33.2 | | |
| | Total | 14005 | 94.8 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the highest value was taken. If either Q2 or Q2a were '2' (No) and Q2a2 was completed then Q2a2 was changed to '-1' (NS/NA) (because no response was required).

XB024 Q2a3: Respondent ate much more rapidly than usual

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 Yes | 515 | 3.5 | 66.1 | 66.1 |
| | 2 No | 264 | 1.8 | 33.9 | 100.0 |
| | Total | 779 | 5.3 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 4882 | 33.1 | | |
| | Total | 13987 | 94.7 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the question was changed to -1 (NS/NA). If either Q2 or Q2a were '2' (No) and Q2a3 was completed then Q2a3 was changed to '-1' (NS/NA) (because no response was required).

XB025 Q2a4: Respondent ate until felt uncomfortably full

| | | | | | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 1 Yes | 683 | 4.6 | 87.5 | 87.5 |
| | 2 No | 98 | .7 | 12.5 | 100.0 |
| | Total | 781 | 5.3 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 4880 | 33.0 | | |
| | Total | 13985 | 94.7 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the question was changed to -1 (NS/NA). If either Q2 or Q2a were '2' (No) and Q2a4 was completed then Q2a4 was changed to '-1' (NS/NA) (because no response was required).

XB026 Q2a5: Respondent ate large amounts of food when did not feel physically hungry

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 Yes | 660 | 4.5 | 84.9 | 84.9 |
| | 2 No | 117 | .8 | 15.1 | 100.0 |
| | Total | 777 | 5.3 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 4884 | 33.1 | | |
| | Total | 13989 | 94.7 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the question was changed to -1 (NS/NA). If either Q2 or Q2a were '2' (No) and Q2a5 was completed then Q2a5 was changed to '-1' (NS/NA) (because no response was required).

XB027 Q2a6: Respondent ate alone because embarrassed by amount of food consumed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 Yes | 524 | 3.5 | 67.4 | 67.4 |
| | 2 No | 254 | 1.7 | 32.6 | 100.0 |
| | Total | 778 | 5.3 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 4883 | 33.1 | | |
| | Total | 13988 | 94.7 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the question was changed to -1 (NS/NA). If either Q2 or Q2a were '2' (No) and Q2a6 was completed then Q2a6 was changed to '-1' (NS/NA) (because no response was required).

XB File XB028 Q2a7: Respondent felt disgusted with self, depressed or very guilty after overeating

| | | | | | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 1 Yes | 707 | 4.8 | 90.5 | 90.5 |
| | 2 No | 74 | .5 | 9.5 | 100.0 |
| | Total | 781 | 5.3 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 4880 | 33.0 | | |
| | Total | 13985 | 94.7 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the question was changed to -1 (NS/NA). If either Q2 or Q2a were '2' (No) and Q2a7 was completed then Q2a7 was changed to '-1' (NS/NA) (because no response was required).

XB029 Q2a8: Respondent felt very upset about uncontrollable overeating or resulting weight gain

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 Yes | 637 | 4.3 | 81.6 | 81.6 |
| | 2 No | 144 | 1.0 | 18.4 | 100.0 |
| | Total | 781 | 5.3 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 4880 | 33.0 | | |
| | Total | 13985 | 94.7 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the question was changed to -1 (NS/NA). If either Q2 or Q2a were '2' (No) and Q2a8 was completed then Q2a8 was changed to '-1' (NS/NA) (because no response was required).

XB030 Q3: Respondent ever made self vomit to prevent weight gain or counteract effects of overeating

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 Yes | 335 | 2.3 | 6.0 | 6.0 |
| | 2 No | 5248 | 35.5 | 94.0 | 100.0 |
| | Total | 5583 | 37.8 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 78 | .5 | | |
| | Total | 9183 | 62.2 | | |
| Total | | 14766 | 100.0 | | |

XB File XB031 Q3a: At its worst how many times per week on average respondent made self vomit to prevent weight gain or counteract effects of eating

| | | | | | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 1 | 77 | .5 | 23.8 | 23.8 |
| | 2 | 51 | .3 | 15.8 | 39.6 |
| | 3 | 36 | .2 | 11.1 | 50.8 |
| | 4 | 39 | .3 | 12.1 | 62.8 |
| | 5 | 25 | .2 | 7.7 | 70.6 |
| | 6 | 8 | .1 | 2.5 | 73.1 |
| | 7 | 43 | .3 | 13.3 | 86.4 |
| | 8 | 1 | .0 | .3 | 86.7 |
| | 9 | 1 | .0 | .3 | 87.0 |
| | 10 | 12 | .1 | 3.7 | 90.7 |
| | 11 | 1 | .0 | .3 | 91.0 |
| | 12 | 2 | .0 | .6 | 91.6 |
| | 13 | 1 | .0 | .3 | 92.0 |
| | 14 | 26 | .2 | 8.0 | 100.0 |
| | Total | 323 | 2.2 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 5338 | 36.2 | | |
| | Total | 14443 | 97.8 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the highest value was taken. If Q3 was '2' (No) and Q3a was completed then Q3a was set to '-1' (NS/NA) (because no response was required).

XB040 Q4: Respondent ever used laxatives or diuretics to prevent weight gain or counteract effects of eating

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 Yes | 392 | 2.7 | 7.0 | 7.0 |
| | 2 No | 5203 | 35.2 | 93.0 | 100.0 |
| | Total | 5595 | 37.9 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 66 | .4 | | |
| | Total | 9171 | 62.1 | | |
| Total | | 14766 | 100.0 | | |

XB File
XB041 Q4a: At its worst how many times per week on average respondent used laxatives
or diuretics to prevent weight gain or counteract effects of eating

| | | | Damant | Valid Dansart | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 1 | 75 | .5 | 19.0 | 19.0 |
| | 2 | 72 | .5 | 18.2 | 37.2 |
| | 3 | 55 | .4 | 13.9 | 51.1 |
| | 4 | 38 | .3 | 9.6 | 60.8 |
| | 5 | 33 | .2 | 8.4 | 69.1 |
| | 6 | 5 | .0 | 1.3 | 70.4 |
| | 7 | 82 | .6 | 20.8 | 91.1 |
| | 8 | 2 | .0 | .5 | 91.6 |
| | 10 | 5 | .0 | 1.3 | 92.9 |
| | 12 | 2 | .0 | .5 | 93.4 |
| | 14 | 26 | .2 | 6.6 | 100.0 |
| | Total | 395 | 2.7 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 5266 | 35.7 | | |
| | Total | 14371 | 97.3 | | |
| | Total | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the highest value was taken. If Q4 was '2' (No) and Q4a was completed then Q4a was set to '-1' (NS/NA) (because no response was required).

XB050 Q5: Respondent ever fasted (skipped at least 2 meals in a row) to prevent weight gain or counteract effects of eating

| | | | | | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 1 Yes | 1058 | 7.2 | 18.9 | 18.9 |
| | 2 No | 4551 | 30.8 | 81.1 | 100.0 |
| | Total | 5609 | 38.0 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 52 | .4 | | |
| | Total | 9157 | 62.0 | | |
| Total | | 14766 | 100.0 | | |

XB File
XB051 Q5a: At its worst how many times per week on average respondent fasted
(skipped at least 2 meals in a row) to prevent weight gain or counteract effects of eating

| | | | Doroont | Valid Daveant | Cumulative |
|---------|-------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 1 | 194 | 1.3 | 19.1 | 19.1 |
| | 2 | 245 | 1.7 | 24.2 | 43.3 |
| | 3 | 159 | 1.1 | 15.7 | 59.0 |
| | 4 | 103 | .7 | 10.2 | 69.1 |
| | 5 | 80 | .5 | 7.9 | 77.0 |
| | 6 | 29 | .2 | 2.9 | 79.9 |
| | 7 | 128 | .9 | 12.6 | 92.5 |
| | 8 | 4 | .0 | .4 | 92.9 |
| | 9 | 2 | .0 | .2 | 93.1 |
| | 10 | 10 | .1 | 1.0 | 94.1 |
| | 12 | 7 | .0 | .7 | 94.8 |
| | 14 | 53 | .4 | 5.2 | 100.0 |
| | Total | 1014 | 6.9 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 4647 | 31.5 | | |
| | Total | 13752 | 93.1 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the highest value was taken. If Q5 was '2' (No) and Q5a was completed then Q5a was set to '-1' (NS/NA) (because no response was required).

XB060 Q6: Respondent ever engaged in excessive exercise specifically to counteract effects of overeating episodes


| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|------------|---------|-----------------|-----------------------|
| | | rrequericy | reicent | Vallu i elcelli | i elcelli |
| Valid | 1 Yes | 386 | 2.6 | 6.9 | 6.9 |
| | 2 No | 5222 | 35.4 | 93.1 | 100.0 |
| | Total | 5608 | 38.0 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 53 | .4 | | |
| | Total | 9158 | 62.0 | | |
| Total | | 14766 | 100.0 | | |
| | | | | | |

Coding: If more than one box was marked (on the paper questionnaire) the question was changed to -1 (NS/NA). If Q6 was '2' (No) and Q6a was completed then Q6a was set to '-1' (NS/NA) (because no response was required).

XB File
XB061 Q6a: At its worst how many times per week on average respondent engaged in excessive exercise specifically to counteract effects of overeating episodes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|-----------------------|
| Valid | 1 | 28 | .2 | 7.4 | 7.4 |
| | 2 | 42 | .3 | 11.1 | 18.5 |
| | 3 | 67 | .5 | 17.7 | 36.1 |
| | 4 | 51 | .3 | 13.5 | 49.6 |
| | 5 | 45 | .3 | 11.9 | 61.5 |
| | 6 | 14 | .1 | 3.7 | 65.2 |
| | 7 | 89 | .6 | 23.5 | 88.7 |
| | 8 | 3 | .0 | .8 | 89.4 |
| | 10 | 5 | .0 | 1.3 | 90.8 |
| | 11 | 2 | .0 | .5 | 91.3 |
| | 12 | 1 | .0 | .3 | 91.6 |
| | 14 | 32 | .2 | 8.4 | 100.0 |
| | Total | 379 | 2.6 | 100.0 | |
| Missing | -10 Not completed | 9105 | 61.7 | | |
| | -1 NS/NA | 5282 | 35.8 | | |
| | Total | 14387 | 97.4 | | |
| Total | | 14766 | 100.0 | | |

Coding: If more than one box was marked (on the paper questionnaire) the highest value was taken. If Q6 was '2' (No) and Q6a was completed then Q6a was set to '-1' (NS/NA) (because no response was required).




Coding: n/a

Editing: Respondents gave their height in either metric (cms) or imperial (ft/in) form. All imperial data were converted to metric form using the ratios:

1 foot: 30.48 cm 1 inch: 2.54 cm

All heights were rounded to the nearest whole number.



Coding: n/a

Editing: Respondents gave their weight in either metric (kgs) or imperial (st/lb) form. All imperial data were converted to metric form using the ratios:

1 stone: 6.35029318 kg 1 pound: 0.45359237 kg

All weights were rounded to the nearest whole number.

xb990 Month of completion of 'About eating' questionnaire: XB file


| | | | | | Cumulative |
|---------|---------------------------------|-----------|---------|---------------|------------|
| | | Frequency | Percent | Valid Percent | Percent |
| Valid | 1 | 199 | 1.3 | 3.5 | 3.5 |
| | 2 | 63 | .4 | 1.1 | 4.6 |
| | 3 | 40 | .3 | .7 | 5.3 |
| | 4 | 7 | .0 | .1 | 5.5 |
| | 5 | 11 | .1 | .2 | 5.7 |
| | 6 | 9 | .1 | .2 | 5.8 |
| | 7 | 166 | 1.1 | 2.9 | 8.7 |
| | 8 | 18 | .1 | .3 | 9.1 |
| | 9 | 1936 | 13.1 | 34.2 | 43.3 |
| | 10 | 2235 | 15.1 | 39.5 | 82.8 |
| | 11 | 258 | 1.7 | 4.6 | 87.3 |
| | 12 | 717 | 4.9 | 12.7 | 100.0 |
| | Total | 5659 | 38.3 | 100.0 | |
| Missing | -11 Triplets/Quadruplets | 2 | .0 | | |
| | -10 Questionnaire not completed | 9105 | 61.7 | | |
| | Total | 9107 | 61.7 | | |
| Total | | 14766 | 100.0 | | |

xb991 Year of completion of 'About eating' questionnaire: XB file


| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------|-----------|---------|---------------|--------------------|
| Valid | 2009 | 5315 | 36.0 | 93.9 | 93.9 |
| | 2010 | 344 | 2.3 | 6.1 | 100.0 |
| | Total | 5659 | 38.3 | 100.0 | |
| Missing | -11 Triplets/Quadruplets | 2 | .0 | | |
| | -10 Questionnaire not completed | 9105 | 61.7 | | |
| | Total | 9107 | 61.7 | | |
| Total | | 14766 | 100.0 | | |

Coding: n/a

Editing: Date of completion includes the date of submission generated from the online version of the questionnaire and the date of receipt stamped when the paper copies were received.



xb995 DV: Mother's age in years on completion of the 'About eating' questionnaire: XB file



xb996 DV: Study person's age in months on mother's completion of the 'About eating' questionnaire: XB file

Appendix A - Online Questionnaire


Page 1




Page 2




Page 3



Page 4



Page 5



Page 6





About Eating



Please put a **cross** through one box for each question, in black pen, like so:



| | | | Not at all | ۱ 5 | Slightly | Мо | deratel | y E | xtremely |
|-------|-------|--|---------------|---------------------|----------|---------|---------|-------------|----------|
| Q1a | Ha | ave you ever felt fat? | 0 □ | 1 🗆 | 2 □ | 3 □ | 4 □ | 5 □ | 6 □ |
| Q1b | | ave you ever had a definite fearthat you ight gain weight or become fat? | 0 □ | 1 🗆 | 2 □ | 3 □ | 4 🗆 | 5 □ | 6 □ |
| Q1c | | as your weight ever influenced how you ink about (judge) yourself as a person? | 0 🗆 | 1 🗆 | 2 □ | 3 □ | 4 □ | 5 □ | 6 □ |
| Q1d | | as your shape ever influenced how you ink about (judge) yourself as a person? | 0 □ | 1 🗆 | 2 □ | 3 □ | 4 🗆 | 5 □ | 6 □ |
| Q2 | ot | ave there ever been times when you felt y her people would regard as an unusually .g., a whole tub of ice cream) given the cir | large amou | unt of | | | Yes □ | | No □ |
| | lf | yes, continue. If no, go to Q3 over the | page. | | | | | | |
| Q2a | di | uring the times when you ate an unusually d you experience a loss of control (feel yo control what or how much you were eatin | ou couldn't | | | | Yes □ | | No □ |
| | lf | yes, continue. If no, go to Q3 over the | page. | | | | | | |
| Q2a(i | i) | At its worst, how many DAYS per weel on average did you eat an unusually large amount of food and experience a loss of control? | k 1 □ | 2□ | 3 □ | 4 🗆 | 5 □ | 6 □ | 7 □ |
| Q2a(i | ii) | At its worst, how many TIMES per wee | ek 1 □ | 2 □ | 3 □ | 4 □ | 5 □ | 6 □ | 7 □ |
| | | on average did you eat an unusually large amount of food and experience a loss of control? | 8 🗆 | 9 □ | 10 □ | 11 🗆 | 12 □ | 13 □ | 14 □ |
| Q2a(i | iii) | Did you eat much more rapidly than norr | mal? | | , | Yes □ | | No 🗆 | |
| Q2a(i | iv) | Did you eat until you felt uncomfortably f | full? | | | Yes □ | | No □ | |
| Q2a(\ | v) | Did you eat large amounts of food when physically hungry? | youdidn't | oudidn't feel Yes □ | | | No □ | | |
| Q2a(v | vi) | Did you eat alone because you were emhow much you were eating? | nbarrassed by | | Yes□ | | | No □ | |
| Q2a(v | vii) | Feel disgusted with yourself, depressed, after overeating? | or very gui | ilty | | Yes □ | | No □ | |
| Q2a(v | viii) | Feel very upset about your uncontrollable or resulting weight gain? | e overeatir | ng | | Yes □ | | No □ | 64 |
| | | Page | e 1 of 2 | pl | lease tu | ırn ove | r | | |
| | | | | | | | | | |

| Q3 | Have you ever made yourself vomitto preven weight gain or counteract the effects of eating | | | | Yes □ | | No 🗆 | |
|-----|--|----------|--------|-----------|--------|--------|----------|------|
| | If yes, continue. If no go to Q4 below. | | | | | | | |
| Q3a | At its worst, how many times per week | 1 🗆 | 2 □ | 3 □ | 4 □ | 5 □ | 6 □ | 7 🗆 |
| | on average did you make yourself vomit to prevent weight gain or counteract the effects of eating? | 8 🗆 | 9 🗆 | 10 🗆 | 11 🗆 | 12 🗆 | 13 🗆 | 14 🗆 |
| Q4 | Have you ever used laxatives or diuretics to p weight gain or counteract the effects of eating | | | | Yes □ | | No □ | |
| | If yes, continue. If no go to Q5 below. | | | | | | | |
| Q4a | At its worst, how many times per week on average have you used laxatives or | 1 🗆 | 2 □ | 3 □ | 4 □ | 5 □ | 6 □ | 7 □ |
| | diuretics to prevent weight gain or counteract the effects of eating? | 8 🗆 | 9 🗆 | 10 🗆 | 11 🗆 | 12 🗆 | 13 🗆 | 14 🗆 |
| Q5 | Have you ever fasted (skipped at least 2 mea to prevent weight gain or counteract the effect | | | | Yes □ | | No 🗆 | |
| | If yes, continue. If no go to Q6 below. | | | | | | | |
| Q5a | At its worst, how many times per week on average did you fast (skip at least 2 | 1 🗆 | 2 □ | 3 □ | 4 □ | 5 □ | 6 □ | 7 □ |
| | meals in a row) to prevent weight gain or counteract the effects of eating? | 8 🗆 | 9 🗆 | 10 🗆 | 11 🗆 | 12 🗆 | 13 🗆 | 14 🗆 |
| Q6 | Have you ever engaged in excessive exercise to counteract the effects of overeating episod | | ically | | Yes □ | | No 🗆 | |
| | If yes, continue. If no go to Q7 below. | | | | | | | |
| Q6a | At its worst, how many times per week on average have you engaged in excessive | 1 🗆 | 2□ | 3 □ | 4 □ | 5 □ | 6 □ | 7 □ |
| | exercise specifically to counteract the effects of overeating episodes? | 8 🗆 | 9 🗆 | 10 🗆 | 11 🗆 | 12 🗆 | 13 🗆 | 14 🗆 |
| Q7 | How tall are you? | | | feet | | | inches | |
| | | | | OR | | | cn | n |
| Q8 | What was your lowest weight at this height? | | | stone | s | | lbs | |
| | | | | OR | | | kg | |
| | | | | OR | Dont k | now (c | ross box | |
| | Thank you for taking the time t | | mnla | ta th: | e | ction | naira | |
| | Thank you for taking the time to When completed, please send this back | | - | | - | | | |
| | Children of the N | ineties | - ALSF | PAC, | | | | 64 |
| | Oakfield House, 15-23 Oak | tield Gr | ove, B | rıstol, B | 582BN | | 232 | 04 |

Page 2 of 2