

# **THE ALSPAC STUDY**

**PD FILES**

## **DATA COLLECTED FROM THE QUESTIONNAIRE**

### **‘The Baby and Me’**

**Prepared by**

**Jean Golding, Andrea Sherriff,**

**Barbara Stowe & Jackie Bishop**

**Document giving frequencies, background and instructions for use.**

**September, 1996**

**© University of Bristol**

# **CONTENTS**

## **The ALSPAC Study**

- Study eligibility criteria
- Enrolment
- Questionnaire administration during pregnancy
- Time of administration

## **Contents of questionnaire**

Coding

- Format of the variable descriptors
- Administration of questionnaires

- The variables
- References
- Subject index

## **THE ALSPAC STUDY**

This survey is an ongoing longitudinal study of a population of children born to mothers resident in a geographic area.

### **Study Eligibility Criteria**

To be eligible for the study, mothers had to be resident in Avon while pregnant. In addition, their expected date of delivery had to lie between 1st April 1991 and 31st December 1992 inclusive. Mothers who were resident in the area but left shortly after enrolment were omitted from further follow-up. However, those who had completed the questionnaire scheduled for the third trimester of pregnancy before leaving the study area, have been kept in the study, even if they had not delivered at the time of moving.

The study area is well-defined, consisting of that part of the county of Avon that was also within the South West Regional Health Authority. It therefore excludes Bath and district.

### **Enrolment**

Work prior to the start of enrolment in September 1990 had involved meetings with midwives and discussion with groups representing general practitioners as well as detailed discussion with obstetricians in the area.

Posters were printed for display in a variety of different places - including chemist shops, libraries, mother and toddler groups, and pre-school playgroups, general practitioner waiting-rooms, antenatal clinics and any other area where a mother in early pregnancy was likely to be. In addition, there was considerable local and national coverage in the press, radio and television.

The poster displayed the logo of the study 'Children of the Nineties' and asked interested pregnant mothers to get in touch with the study team. In addition, the local community midwives when interviewing the mother for the first time discussed the study with her, and gave her a card with which to send for further details.

The card that the mother completed and sent to the study office contained her full name and date of birth, her address, her last menstrual period, and expected date of delivery.

Once the card had been received at the study office, a brochure was sent to the mother. This outlined the reason for carrying out the study and explained that the mothers themselves would not benefit tangibly, but that the major benefits were likely to be for the next generation. It informed the mother that there was no compulsion for her to take part, and that even if she started within the study she was free to opt out at any point. Thirdly it emphasised the confidential nature of the information that would be collected, and promised that at no time would the names of the mother and/or child be linked to the confidential information collected. Fourthly, it explained that biological

samples would be taken, but that these would not be analysed without the signed permission of the mother, and finally it stated that the information given would also be linked to information from the medical records unless the mother let us know that she did not want us to do this. The mother was told in this brochure that we would assume that she wanted to take part in the study unless she informed us otherwise.

A telephone number (the Children of the Nineties hotline) was given for parents to ring. This hotline is manned by volunteers who have been instructed in the confidential nature of the study. They are advised not to do any counselling or persuading, but rather to take messages which are then acted upon by appropriate members of the study team. In instances where parents ring to request help, they are given, if possible, the appropriate telephone number of an organisation set up to perform this type of service.

## **The Partner**

Questionnaires were also designed for the partner. We did not, however, have the name of the mother's partner and indeed we did not want to involve the partner without the mother's permission.

We therefore invoked the following procedure. Questionnaires for partners were timed to coincide with a questionnaire for the mother. The pair was sent together to the mother, accompanied by a letter which explained that we were enclosing a questionnaire for her partner: if she would like him to be involved, then we would like her to hand it to him, but if she did not want him to be involved that was fine. The decision was hers. We did not stipulate a particular definition of partner (i.e. male or female), and left it to the mother to make such a decision. Nevertheless, information obtained from the partner identifies whether he is (or thinks he is) the biological father of the child and indeed whether he is living with the mother of the child. A letter was enclosed with each partner's questionnaire and also a pre-paid envelope, so that his responses could remain confidential if he so wished. If a woman wrote and informed us that she had no partner, or that he was not interested, then we did not include questionnaires for him from then on. Later, in the postnatal phase, the mother was informed that although the words he/him were used throughout, we welcomed response by all partners.

## **Questionnaire administration**

This questionnaire was sent to the mother at 8 months to hand to the partner if she so wished. There were 9 sections, the last of which involved the early sexual experience questions and therefore the covering letter contained a warning. The questionnaire was 32 pages in length.

### **Section A. Your Health**

The questions comprised most of those included in Section A of 'Looking After the Baby' (the questionnaire sent to the mother at this time - for more detail see the documentation for the F Files).

Section B. Being a Parent

Attitudes identical to section B of 'Looking After the Baby'.

Section C. Your Feelings

Depression and anxiety, identical to Section C of 'Looking After the Baby'.

Section D. Recent Events

Life events similar to those asked in Section D of 'Looking After the Baby', but the questions on holidays were not asked.

Section E. Your Partner

Similar to questions G5 and G8 of 'Looking After the Baby'.

Section F. Your Occupation & Lifestyle

Cigarette consumption, alcohol intake, current occupation, financial difficulty scale, help in the home, hours of sleep, perceived effect of having a baby.

Section G. Being a Parent

Attitudes similar to I3 of 'Looking After the Baby'. Perceived social support similar to J3 of 'Looking After the Baby'.

Section H. Chemicals in Your Environment

Identical to section K of 'Looking After the Baby'.

Section I. Early Sexual Experiences

This set of 7 questions was used to identify child sexual abuse. It was derived by Dr. Jean Price and the ALSPAC team after review of the literature and extensive piloting. It asked specific questions concerning first of all whether the described experience had happened to the father before the age of 16, whether it had happened more than once, who was involved and whether the mother had desired it to happen. Information on the age of the father at the time of the first occurrence was also obtained. The questions were similar to those asked of the mother in Section K of 'Your Pregnancy' and described further in the C Files.

## **Coding**

Most of the self-completion responses are self-coding - the ticked reply box contains a printed number that can be directly keyed. A few questions invite a textual reply, and some participants also amplify a tick response with comments.

Returned questionnaires are coded by our staff. They have to check that each question has no more than one ticked response, and that any comments do not materially affect the sense of the response. On a few occasions they also need to convert dates and similar variables to a standard format. There are rules for each variable, for how to interpret problems such as multiple ticking, or rounding of ages, where months are given and years were requested. All coding is cross-checked by a second person and then keyed and verified.

In general, where more than one box was ticked there was a rule that the 'worst' code would be used. This was indicated by a coding rule such that L indicated that the lower code be used, H the higher. Where no such rules could be made the coding supervisor made a decision.

Textual replies to questions are dealt with separately. The range of responses to a given question is enormous, the variety of questions asked is also large, and this gives problems of maintaining coding consistency across a range of specialist areas, e.g. drugs, accidents, occupations, and environmental exposures. The problem is resolved by keying all written responses into a word processor, splitting the responses by question type, so that finally all the replies to one question are available together in one file. This can then be coded semi-automatically by a specialist in that field. Accuracy and consistency are thus ensured without the expense of training the basic coders in all the different disciplines required.

## **Format of the variable descriptors**

In all that follows:

- i) Each question will be quoted verbatim in italics (with differences between the questionnaire versions, where they exist);
- ii) The coding rule(s) used by the ALSPAC coders will be indicated in square brackets;
- iii) The editing assumptions made preparing this computer file in round brackets;
- iv) The variable no. on file, with the rubric used;
- v) A table of frequencies.

### Response rates

The number of partners responding to this questionnaire was 6861, which is 61% of the number of mother's questionnaires returned at this time (n=11213), or 64% of the no. of mothers who said that they had a current partner (n=10655).

There were 3 versions of the questionnaire, differing very slightly from one another.

### **Form no.**

PD001

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	60292	1254	18.3	18.3	18.3
	100992	3090	45.0	45.1	63.4
	230392	2513	36.6	36.6	100.0
	-1	4	.1	Missing	
	Total	6861	100.0	100.0	
Valid cases	6857	Missing cases	4		

## SECTION A: YOUR HEALTH

A1. Which of the following would you say describes your health now?

always fit and well  
 mostly feel well and healthy  
 often feel unwell  
 hardly ever feel really well

[If multiple ticks are given, coded for the highest value given]

PD010 Description of Health Now					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always Fit & Well	1	3040	44.3	44.4	44.4
Mostly Feel Well	2	3601	52.5	52.6	97.0
Often Feel Unwell	3	170	2.5	2.5	99.5
Hardly Ever Well	4	32	.5	.5	100.0
	-1	18	.3	Missing	
	Total	6861	100.0	100.0	
Valid cases	6843	Missing cases	18		

A2. a) Since the baby was born have you had to stay in hospital?

Yes No

PD011 Stayed in Hospital Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	193	2.8	2.8	2.8
No	2	6593	96.1	97.2	100.0
	-1	75	1.1	Missing	
	Total	6861	100.0	100.0	
Valid cases	6786	Missing cases	75		

If yes,

A2. b) how many times:

PD012 Times Stayed in Hosp Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	6668	97.2	97.2	97.2
	1	174	2.5	2.5	99.7
	2	15	.2	.2	100.0
	3	3	.0	.0	100.0
	-1	1	.0	Missing	
	Total	6861	100.0	100.0	
Valid cases	6860	Missing cases	1		



A2. c) what were the reasons for each admission? (please describe)

1st time      2nd time      3rd time

[Not coded - keyed as text]

A2. d) how long did you stay? each time?      days      days      |days

[This should be number of different days they were in hospital in admission question above]

PD013A      Length of 1st Hosp Stay - Days

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2	.0	1.0	1.0
	1	49	.7	25.5	26.6
	2	42	.6	21.9	48.4
	3	38	.6	19.8	68.2
	4	13	.2	6.8	75.0
	5	13	.2	6.8	81.8
	6	4	.1	2.1	83.9
	7	16	.2	8.3	92.2
	8	1	.0	.5	92.7
	10	6	.1	3.1	95.8
	14	3	.0	1.6	97.4
	16	1	.0	.5	97.9
	21	1	.0	.5	98.4
	22	2	.0	1.0	99.5
	25	1	.0	.5	100.0
NA	-2	6668	97.2	Missing	
	-1	1	.0	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	
Valid cases	192	Missing cases	6669		

PD013B      Length of 2nd Hosp Stay - Days

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	4	.1	21.1	21.1
	2	3	.0	15.8	36.8
	3	4	.1	21.1	57.9
	4	2	.0	10.5	68.4
	5	2	.0	10.5	78.9
	7	2	.0	10.5	89.5
	13	2	.0	10.5	100.0
NA	-2	6668	97.2	Missing	
	-1	174	2.5	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	
Valid cases	19	Missing cases	6842		

PD013C	Length of 3rd Hosp Stay - Days				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2	1	.0	33.3	33.3
	3	1	.0	33.3	66.7
	6	1	.0	33.3	100.0
NA	-2	6668	97.2	Missing	
	-1	190	2.8	Missing	
	Total	6861	100.0	100.0	
Valid cases	3	Missing cases	6858		

A3. Have you had any of the following since the new baby was born?

	Yes and consulted doctor	Yes but did not consult doctor	No
A3. a)	anxiety or 'nerves'		
A3. b)	depression		
A3. c)	headache or migraine		
A3. d)	back ache		
A3. e)	indigestion		
A3. f)	cough or cold		
A3. g)	influenza		
A3. h)	haemorrhoids/piles		
A3. i)	wheezing		
A3. j)	bronchitis		
A3. k)	stomach ulcer		
A3. l)	eczema		
A3. m)	psoriasis		
A3. n)	arthritis		
A3. o)	rheumatism		
A3. p)	urinary infection		
A3. q)	other problems (please describe)		

[If multiple ticks are given, coded for the lowest value given]

[If something is written on 'please describe' line coder ensures the appropriate boxes have been ticked. If no tick is given, zero is coded to show information in A3q). Coder checks comment given cannot be recoded elsewhere]

PD020	Had Anxiety/Nerves Since Baby Born				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	110	1.6	1.6	1.6
Yes, No Doctor	2	834	12.2	12.2	13.8
No	3	5886	85.8	86.2	100.0
	-1	31	.5	Missing	
	Total	6861	100.0	100.0	
Valid cases	6830	Missing cases	31		

PD020A Had anxiety since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	944	13.8	13.8	13.8
No	2.00	5917	86.2	86.2	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD021 Had Depression Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	73	1.1	1.1	1.1
Yes, No Doctor	2	658	9.6	9.6	10.7
No	3	6097	88.9	89.3	100.0
	-1	33	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6828 Missing cases 33

PD021A Had depression since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	731	10.7	10.7	10.7
No	2.00	6130	89.3	89.3	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD022 Had Headache/Migraine Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	155	2.3	2.3	2.3
Yes, No Doctor	2	2995	43.7	43.9	46.1
No	3	3677	53.6	53.9	100.0
	-1	34	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6827 Missing cases 34

PD022A Had headache or migraine since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3150	45.9	45.9	45.9
No	2.00	3711	54.1	54.1	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD023 Had Backache Since Baby Born						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes, Saw Doctor	1	288	4.2	4.2	4.2	
Yes, No Doctor	2	2232	32.5	32.7	36.9	
No	3	4306	62.8	63.1	100.0	
DK	9	1	.0	.0	100.0	
	-1	34	.5	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases 6827 Missing cases 34						

PD023A Had backache since birth						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1.00	2520	36.7	36.7	36.7	
No	2.00	4341	63.3	63.3	100.0	
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases 6861 Missing cases 0						

PD024 Had Indigestion Since Baby Born						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes, Saw Doctor	1	94	1.4	1.4	1.4	
Yes, No Doctor	2	1764	25.7	25.8	27.2	
No	3	4970	72.4	72.8	100.0	
	-1	33	.5	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases 6828 Missing cases 33						

PD024A Had indigestion since birth						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1.00	1858	27.1	27.1	27.1	
No	2.00	5003	72.9	72.9	100.0	
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases 6861 Missing cases 0						

PD025 Had Cough or Cold Since Baby Born						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes, Saw Doctor	1	263	3.8	3.9	3.9	
Yes, No Doctor	2	4395	64.1	64.4	68.2	
No	3	2167	31.6	31.8	100.0	
	-1	36	.5	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases 6825 Missing cases 36						

PD025A Had cough or cold since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	4658	67.9	67.9	67.9
No	2.00	2203	32.1	32.1	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD026 Had Influenza Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	168	2.4	2.5	2.5
Yes, No Doctor	2	620	9.0	9.1	11.5
No	3	6040	88.0	88.4	100.0
DK	9	2	.0	.0	100.0
	-1	31	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6830 Missing cases 31

PD026A Had influenza since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	788	11.5	11.5	11.5
No	2.00	6073	88.5	88.5	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD027 Had Haemorrhoids/Piles Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	79	1.2	1.2	1.2
Yes, No Doctor	2	479	7.0	7.0	8.2
No	3	6270	91.4	91.8	100.0
	-1	33	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6828 Missing cases 33

PD027A Had piles since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	558	8.1	8.1	8.1
No	2.00	6303	91.9	91.9	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD028 Had Wheezing Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	106	1.5	1.6	1.6
Yes, No Doctor	2	448	6.5	6.6	8.1
No	3	6275	91.5	91.9	100.0
	-1	32	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6829 Missing cases 32

PD028A Had wheezing since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	554	8.1	8.1	8.1
No	2.00	6307	91.9	91.9	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD029 Had Bronchitis Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	62	.9	.9	.9
Yes, No Doctor	2	58	.8	.8	1.8
No	3	6710	97.8	98.2	100.0
	-1	31	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6830 Missing cases 31

PD029A Had bronchitis since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	120	1.7	1.7	1.7
No	2.00	6741	98.3	98.3	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD030 Had Stomach Ulcer Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	33	.5	.5	.5
Yes, No Doctor	2	23	.3	.3	.8
No	3	6773	98.7	99.2	100.0
	-1	32	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6829 Missing cases 32

PD030A Had stomach ulcer since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	56	.8	.8	.8
No	2.00	6805	99.2	99.2	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD031 Had Eczema Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	97	1.4	1.4	1.4
Yes, No Doctor	2	310	4.5	4.5	6.0
No	3	6422	93.6	94.0	100.0
	-1	32	.5	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6829 Missing cases 32

PD031A Had eczema since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	407	5.9	5.9	5.9
No	2.00	6454	94.1	94.1	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD032 Had Psoriasis Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	45	.7	.7	.7
Yes, No Doctor	2	99	1.4	1.4	2.1
No	3	6685	97.4	97.9	100.0
	-1	32	.5	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6829 Missing cases 32

PD032A Had psoriasis since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	144	2.1	2.1	2.1
No	2.00	6717	97.9	97.9	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD033 Had Arthritis Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	49	.7	.7	.7
Yes, No Doctor	2	77	1.1	1.1	1.8
No	3	6704	97.7	98.2	100.0
	-1	31	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6830 Missing cases 31

PD033A Had arthritis since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	126	1.8	1.8	1.8
No	2.00	6735	98.2	98.2	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD034 Had Rheumatism Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	16	.2	.2	.2
Yes, No Doctor	2	71	1.0	1.0	1.3
No	3	6743	98.3	98.7	100.0
	-1	31	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6830 Missing cases 31

PD034A Had rheumatism since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	87	1.3	1.3	1.3
No	2.00	6774	98.7	98.7	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD035 Had Urinary Infection Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Saw Doctor	1	64	.9	.9	.9
Yes, No Doctor	2	29	.4	.4	1.4
No	3	6737	98.2	98.6	100.0
	-1	31	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6830 Missing cases 31



PD035A Had urinary infection since birth						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1.00	93	1.4	1.4	1.4	
No	2.00	6768	98.6	98.6	100.0	
	Total	6861	100.0	100.0		
Valid cases	6861	Missing cases	0			

PD036 Had Other Problem Since Baby Born						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes, Not Stated	0	28	.4	.4	.4	
Yes, Saw Doctor	1	418	6.1	6.1	6.5	
Yes, No Doctor	2	143	2.1	2.1	8.6	
No	3	6241	91.0	91.4	100.0	
	-1	31	.5	Missing		
	Total	6861	100.0	100.0		
Valid cases	6830	Missing cases	31			

PD036A Had other PROBS since birth						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1.00	589	8.6	8.6	8.6	
No	2.00	6272	91.4	91.4	100.0	
	Total	6861	100.0	100.0		
Valid cases	6861	Missing cases	0			

A4. Since the baby was born how often have you used any of the following?

	Every day	Often	Some-times	Not at all
A4. a)	sleeping pills			
A4. b)	cannabis/marihuana			
A4. c)	tranquillisers			
A4. d)	pills for depression			
A4. e)	antibiotics			
A4. f)	painkillers (aspirin, paracetamol, etc.)			
A4. g)	amphetamines or other stimulants			
A4. h)	heroin, methadone, crack, cocaine			
A4. i)	anticonvulsants			
A4. j)	steroids			
A4. k)	iron			
A4. l)	vitamins			

[If multiple ticks are given, coded for the lowest value given]

PD060 Used Sleeping Pills Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	4	.1	.1	.1
Often	2	7	.1	.1	.2
Sometimes	3	54	.8	.8	1.0
Not At All	4	6776	98.8	99.0	100.0
	-1	20	.3	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6841 Missing cases 20

PD060A Taken sleeping pill since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	65	.9	.9	.9
No	2.00	6796	99.1	99.1	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD061 Used Cannabis/Marijuana Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	50	.7	.7	.7
Often	2	77	1.1	1.1	1.9
Sometimes	3	235	3.4	3.4	5.3
Not At All	4	6477	94.4	94.7	100.0
	-1	22	.3	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6839 Missing cases 22

PD061A Taken cannabis since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	362	5.3	5.3	5.3
No	2.00	6499	94.7	94.7	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD062 Used Tranquillisers Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	5	.1	.1	.1
Often	2	5	.1	.1	.1
Sometimes	3	16	.2	.2	.4
Not At All	4	6814	99.3	99.6	100.0
	-1	21	.3	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6840 Missing cases 21

PD062A Taken tranquilliser since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	26	.4	.4	.4
No	2.00	6835	99.6	99.6	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD063 Used Pills for Depression Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	13	.2	.2	.2
Often	2	6	.1	.1	.3
Sometimes	3	26	.4	.4	.7
Not At All	4	6795	99.0	99.3	100.0
	-1	21	.3	Missing	
	Total	6861	100.0	100.0	

Valid cases 6840 Missing cases 21

PD063A Taken anti-depressant since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	45	.7	.7	.7
No	2.00	6816	99.3	99.3	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD064 Used Antibiotics Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	19	.3	.3	.3
Often	2	19	.3	.3	.6
Sometimes	3	895	13.0	13.1	13.6
Not At All	4	5908	86.1	86.4	100.0
	-1	20	.3	Missing	
	Total	6861	100.0	100.0	

Valid cases 6841 Missing cases 20

PD064A Taken antibiotic since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	933	13.6	13.6	13.6
No	2.00	5928	86.4	86.4	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD065      Used Painkillers Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	1	.0	.0	.0
Every Day	1	36	.5	.5	.5
Often	2	270	3.9	3.9	4.5
Sometimes	3	4436	64.7	64.8	69.3
Not At All	4	2098	30.6	30.7	100.0
	-1	20	.3	Missing	
	Total	6861	100.0	100.0	

Valid cases      6841      Missing cases      20

PD065A      Taken painkiller since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	4742	69.1	69.1	69.1
No	2.00	2119	30.9	30.9	100.0
	Total	6861	100.0	100.0	

Valid cases      6861      Missing cases      0

PD066      Used Amphetamines Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Often	2	7	.1	.1	.1
Sometimes	3	52	.8	.8	.9
Not At All	4	6781	98.8	99.1	100.0
	-1	21	.3	Missing	
	Total	6861	100.0	100.0	

Valid cases      6840      Missing cases      21

PD066A      Taken amphetamine since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	59	.9	.9	.9
No	2.00	6802	99.1	99.1	100.0
	Total	6861	100.0	100.0	

Valid cases      6861      Missing cases      0

PD067      Used Heroin, Cocaine Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	2	.0	.0	.0
Often	2	1	.0	.0	.0
Sometimes	3	13	.2	.2	.2
Not At All	4	6824	99.5	99.8	100.0
	-1	21	.3	Missing	
	Total	6861	100.0	100.0	

Valid cases      6840      Missing cases      21

PD067A      Taken    heroin, cocaine since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	16	.2	.2	.2
No	2.00	6845	99.8	99.8	100.0
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases      6861      Missing cases      0

PD068      Used Anticonvulsants Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	23	.3	.3	.3
Often	2	1	.0	.0	.4
Sometimes	3	1	.0	.0	.4
Not At All	4	6815	99.3	99.6	100.0
	-1	21	.3	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases      6840      Missing cases      21

PD068A      Taken anticonvulsants since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	25	.4	.4	.4
No	2.00	6836	99.6	99.6	100.0
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases      6861      Missing cases      0

PD069      Used Steroids Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	28	.4	.4	.4
Often	2	15	.2	.2	.6
Sometimes	3	66	1.0	1.0	1.6
Not At All	4	6731	98.1	98.4	100.0
	-1	21	.3	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases      6840      Missing cases      21

PD069A      Taken    steroid since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	109	1.6	1.6	1.6
No	2.00	6752	98.4	98.4	100.0
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases      6861      Missing cases      0

PD070      Used Iron Tablets Since Baby Born						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	38	.6	.6	.6
Often		2	28	.4	.4	1.0
Sometimes		3	167	2.4	2.4	3.4
Not At All		4	6606	96.3	96.6	100.0
		-1	22	.3	Missing	
			-----	-----	-----	
Total			6861	100.0	100.0	
Valid cases		6839	Missing cases		22	

PD070A      Taken iron tablets since birth						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	233	3.4	3.4	3.4
No		2.00	6628	96.6	96.6	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

PD071      Used Vitamins Since Baby Born						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	167	2.4	2.4	2.4
Often		2	153	2.2	2.2	4.7
Sometimes		3	698	10.2	10.2	14.9
Not At All		4	5822	84.9	85.1	100.0
		-1	21	.3	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6840	Missing cases		21	

PD071A      Taken vitamin since birth					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1018	14.8	14.8	14.8
No	2.00	5843	85.2	85.2	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

A4. m) other pill, medicine or ointment (including herbal and homeopathic remedies) please describe and state how frequently taken

[If something is written on 'please describe' line coder ensures the appropriate boxes have been ticked. If no tick is given, zero is coded to show information. Coder checks comment given cannot be recoded elsewhere]

[“(including herbal and homeopathic remedies)” in Question A4 m) only occurs in version 10/09/92]

PD072      Used other Pill/Medicine/Ointment					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	93	1.4	1.4	1.4
Every Day	1	266	3.9	3.9	5.2
Often	2	125	1.8	1.8	7.1
Sometimes	3	527	7.7	7.7	14.8
Not At All	4	5828	84.9	85.2	100.0
	-1	22	.3	Missing	
	Total	6861	100.0	100.0	
Valid cases	6839	Missing cases	22		

PD072A      Taken other substance since birth					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1011	14.7	14.7	14.7
No	2.00	5850	85.3	85.3	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

## SECTION B: BEING A PARENT

The following questions are about how you feel about having a baby in the house.

This is exactly  
how I feel

This is often  
how I feel

This is how I  
sometimes feel

I never feel  
this way

B1. I really enjoy the baby

[If multiple ticks are given, coded for the highest value given]

PD100 Enjoy the Baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	4833	70.4	70.8	70.8
Feel Often	2	1711	24.9	25.1	95.9
Feel Sometimes	3	260	3.8	3.8	99.7
Never Feel	4	18	.3	.3	100.0
	-1	39	.6	Missing	
	Total	6861	100.0	100.0	

Valid cases 6822 Missing cases 39

B2. I would have preferred that we had not had this baby when we did

[If multiple ticks are given, coded for the lowest value given]

PD101 Preferred Not to Have Had Baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	104	1.5	1.5	1.5
Feel Often	2	72	1.0	1.1	2.6
Feel Sometimes	3	654	9.5	9.6	12.2
Never Feel	4	5972	87.0	87.8	100.0
	-1	59	.9	Missing	
	Total	6861	100.0	100.0	

Valid cases 6802 Missing cases 59

B3. I feel confident with the baby

[If multiple ticks are given, coded for the highest value given]

PD102 Feel Confident With Baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	5296	77.2	77.7	77.7
Feel Often	2	1280	18.7	18.8	96.4
Feel Sometimes	3	186	2.7	2.7	99.2
Never Feel	4	57	.8	.8	100.0
	-1	42	.6	Missing	
	Total	6861	100.0	100.0	

Valid cases 6819 Missing cases 42



**B4. I dislike the mess that surrounds the baby**  
 [If multiple ticks are given, coded for the lowest value given]

PD103 Dislike Mess Surrounding Baby						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	139	2.0	2.0	2.0
Feel Often		2	261	3.8	3.8	5.9
Feel Sometimes		3	2212	32.2	32.5	38.3
Never Feel		4	4200	61.2	61.7	100.0
		-1	49	.7	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6812	Missing cases	49			

**B5. It is a great pleasure to watch the baby develop**  
 [If multiple ticks are given, coded for the highest value given]

PD104 Pleasure Watching Baby Develop						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	6118	89.2	89.7	89.7
Feel Often		2	569	8.3	8.3	98.1
Feel Sometimes		3	110	1.6	1.6	99.7
Never Feel		4	22	.3	.3	100.0
		-1	42	.6	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6819	Missing cases	42			

**B6. I really cannot bear it when the baby cries**  
 [If multiple ticks are given, coded for the lowest value given]

PD105 Find Baby Crying Unbearable						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	199	2.9	2.9	2.9
Feel Often		2	391	5.7	5.7	8.7
Feel Sometimes		3	3599	52.5	52.9	61.5
Never Feel		4	2619	38.2	38.5	100.0
		-1	53	.8	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6808	Missing cases	53			

**B7. I feel constantly unsure if I'm doing the right thing for the baby**  
 [If multiple ticks are given, coded for the lowest value given]

PD106      Constantly Unsure Whether Doing Right Thing						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	161	2.3	2.4	2.4
Feel Often		2	189	2.8	2.8	5.1
Feel Sometimes		3	1774	25.9	26.1	31.2
Never Feel		4	4681	68.2	68.8	100.0
		-1	56	.8	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6805	Missing cases	56			

**B8. I feel I should be enjoying the baby but am not**  
 [If multiple ticks are given, coded for the lowest value given]

PD107	Feel Should Enjoy Baby But Am Not					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	40	.6	.6	.6
Feel Often		2	79	1.2	1.2	1.7
Feel Sometimes		3	719	10.5	10.6	12.3
Never Feel		4	5974	87.1	87.7	100.0
		-1	49	.7	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6812	Missing cases	49			

**B9. I feel I have no time to myself**  
 [If multiple ticks are given, coded for the lowest value given]

PD108      No Time To Self					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	177	2.6	2.6	2.6
Feel Often	2	640	9.3	9.4	12.0
Feel Sometimes	3	3280	47.8	48.2	60.2
Never Feel	4	2711	39.5	39.8	100.0
	-1	53	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6808	Missing cases	53		

**B10. A baby has made me feel more fulfilled**  
 [If multiple ticks are given, coded for the highest value given]

PD109 Baby Made Feel More Fulfilled						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	3346	48.8	49.5	49.5
Feel Often		2	1922	28.0	28.4	77.9
Feel Sometimes		3	976	14.2	14.4	92.3
Never Feel		4	518	7.5	7.7	100.0
		-1	99	1.4	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6762	Missing cases	99			

**B11. Babies are fun**  
 [If multiple ticks are given, coded for the highest value given]

PD110      Feel Babies Are Fun						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	4336	63.2	63.7	63.7
Feel Often		2	1926	28.1	28.3	92.1
Feel Sometimes		3	489	7.1	7.2	99.3
Never Feel		4	51	.7	.7	100.0
		-1	59	.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6802	Missing cases	59			

## Derived variables: Parental involvement scores

Variables recoded as follows:

PD100, PD102, PD104, PD109, PD110 (1=3)(2=2)(3=1)(4=0)  
 PD101, PD103, PD105-PD108 (1=0)(2=1)(3=2)(4=3)

## Paternal enjoyment scores

PD111 = PD100 + PD104 + PD107 + PD109 + PD110

If any of PD100, PD104, PD107, PD109, PD110 = -1, PD111 put to -1

PD111 Paternal Enjoyment Scale					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	1	.0	.0	.0
	2.00	2	.0	.0	.0
	3.00	9	.1	.1	.2
	4.00	20	.3	.3	.5
	5.00	36	.5	.5	1.0
	6.00	54	.8	.8	1.8
	7.00	79	1.2	1.2	3.0
	8.00	140	2.0	2.1	5.1
	9.00	203	3.0	3.0	8.1
	10.00	322	4.7	4.8	12.9
	11.00	475	6.9	7.1	19.9
	12.00	754	11.0	11.2	31.1
	13.00	833	12.1	12.4	43.5
	14.00	1053	15.3	15.6	59.1
	15.00	2756	40.2	40.9	100.0
	-1.00	124	1.8	Missing	
		-----	-----	-----	-----
Total		6861	100.0	100.0	
Valid cases	6737	Missing cases	124		

PD112 was created as for PD111 but putting missing values to modes unless all values missing.

PD112 Paternal Enjoyment Score with Modes					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5.00	2	.0	.0	.0
	6.00	20	.3	.3	.3
	7.00	52	.8	.8	1.1
	8.00	102	1.5	1.5	2.6
	9.00	165	2.4	2.4	5.0
	10.00	279	4.1	4.1	9.1
	11.00	459	6.7	6.7	15.8
	12.00	696	10.1	10.2	26.0
	13.00	936	13.6	13.7	39.7
	14.00	1164	17.0	17.0	56.8
	15.00	2953	43.0	43.2	100.0
	-1.00	33	.5	Missing	
		-----	-----	-----	-----
Total		6861	100.0	100.0	
Valid cases	6828	Missing cases	33		

PD113	Number of Missing Values in Paternal Enjoyment				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6737	98.2	98.2	98.2
	1.00	74	1.1	1.1	99.3
	2.00	7	.1	.1	99.4
	3.00	5	.1	.1	99.4
	4.00	5	.1	.1	99.5
	5.00	33	.5	.5	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

## Paternal confidence scores

$$PD114 = PD101 + PD102 + PD103 + PD105 + PD106 + PD108$$

PD114	Paternal Confidence Score				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1	.0	.0	.0
	3.00	1	.0	.0	.0
	4.00	5	.1	.1	.1
	5.00	5	.1	.1	.2
	6.00	18	.3	.3	.4
	7.00	12	.2	.2	.6
	8.00	41	.6	.6	1.2
	9.00	55	.8	.8	2.0
	10.00	88	1.3	1.3	3.3
	11.00	155	2.3	2.3	5.6
	12.00	318	4.6	4.7	10.3
	13.00	531	7.7	7.9	18.2
	14.00	848	12.4	12.5	30.7
	15.00	1214	17.7	18.0	48.7
	16.00	1323	19.3	19.6	68.3
	17.00	1170	17.1	17.3	85.6
	18.00	975	14.2	14.4	100.0
	-1.00	101	1.5	Missing	
	Total	6861	100.0	100.0	
Valid cases	6760	Missing cases	101		

PD115	Paternal Confidence Scores with Modes				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	8.00	7	.1	.1	.1
	9.00	11	.2	.2	.3
	10.00	50	.7	.7	1.0
	11.00	114	1.7	1.7	2.7
	12.00	259	3.8	3.8	6.5
	13.00	483	7.0	7.1	13.5
	14.00	842	12.3	12.3	25.9
	15.00	1241	18.1	18.2	44.1
	16.00	1479	21.6	21.7	65.7
	17.00	1300	18.9	19.1	84.8
	18.00	1038	15.1	15.2	100.0
	-1.00	37	.5	Missing	
	Total	6861	100.0	100.0	
Valid cases	6824	Missing cases	37		

PD116	Number of Missing Values in pd114				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6760	98.5	98.5	98.5
	1.00	53	.8	.8	99.3
	2.00	4	.1	.1	99.4
	3.00	1	.0	.0	99.4
	4.00	4	.1	.1	99.4
	5.00	2	.0	.0	99.5
	6.00	37	.5	.5	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

## Paternal bonding score

$$PD117 = PD111 + PD114$$

PD117	Paternal Bonding Score				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2.00	1	.0	.0	.0
	7.00	1	.0	.0	.0
	8.00	2	.0	.0	.1
	9.00	4	.1	.1	.1
	10.00	4	.1	.1	.2
	11.00	5	.1	.1	.3
	12.00	7	.1	.1	.4
	13.00	11	.2	.2	.5
	14.00	13	.2	.2	.7
	15.00	16	.2	.2	1.0
	16.00	22	.3	.3	1.3
	17.00	34	.5	.5	1.8
	18.00	43	.6	.6	2.4
	19.00	57	.8	.9	3.3
	20.00	78	1.1	1.2	4.5
	21.00	91	1.3	1.4	5.8
	22.00	138	2.0	2.1	7.9
	23.00	180	2.6	2.7	10.6
	24.00	254	3.7	3.8	14.4
	25.00	323	4.7	4.8	19.2
	26.00	429	6.3	6.4	25.6
	27.00	508	7.4	7.6	33.2
	28.00	654	9.5	9.8	43.0
	29.00	685	10.0	10.2	53.2
	30.00	826	12.0	12.4	65.6
	31.00	820	12.0	12.3	77.8
	32.00	729	10.6	10.9	88.7
	33.00	753	11.0	11.3	100.0
	-1.00	173	2.5	Missing	
	Total	6861	100.0	100.0	
Valid cases	6688	Missing cases	173		

PD118 Paternal Bonding Score with Modes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	12.00	1	.0	.0	.0
	14.00	4	.1	.1	.1
	15.00	2	.0	.0	.1
	16.00	6	.1	.1	.2
	17.00	18	.3	.3	.5
	18.00	20	.3	.3	.7
	19.00	32	.5	.5	1.2
	20.00	59	.9	.9	2.1
	21.00	78	1.1	1.1	3.2
	22.00	111	1.6	1.6	4.8
	23.00	154	2.2	2.3	7.1
	24.00	213	3.1	3.1	10.2
	25.00	303	4.4	4.4	14.7
	26.00	413	6.0	6.0	20.7
	27.00	468	6.8	6.9	27.6
	28.00	642	9.4	9.4	37.0
	29.00	737	10.7	10.8	47.8
	30.00	896	13.1	13.1	60.9
	31.00	978	14.3	14.3	75.2
	32.00	859	12.5	12.6	87.8
	33.00	834	12.2	12.2	100.0
	-1.00	33	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6828 Missing cases 33

PD119 Number of Missing Values in pd117

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6688	97.5	97.5	97.5
	1.00	115	1.7	1.7	99.2
	2.00	8	.1	.1	99.3
	3.00	2	.0	.0	99.3
	4.00	1	.0	.0	99.3
	5.00	5	.1	.1	99.4
	6.00	2	.0	.0	99.4
	7.00	3	.0	.0	99.5
	9.00	2	.0	.0	99.5
	10.00	2	.0	.0	99.5
	11.00	33	.5	.5	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

## SECTION C: YOUR FEELINGS

The questions in this section ask you about your feelings and the way you behave.

Please indicate the way you feel nowadays.

**Questions C1 - C23 were part of the Crown-Crisp Experiential Index.**

Very often      Often      Not very often      Never

**C1. Do you feel upset for no obvious reason?**  
[If multiple ticks given, coded for lowest value given]

PD150      Get Upset For No Obvious Reason						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Very Often	1	23	.3	.3	.3	
Often	2	148	2.2	2.2	2.5	
Not Very Often	3	1780	25.9	26.1	28.6	
Never	4	4879	71.1	71.4	100.0	
	-1	31	.5	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases      6830      Missing cases      31						

**C2. Do you get troubled by dizziness or shortness of breath?**  
[If multiple ticks given, coded for lowest value given]

PD151      Troubled By Dizziness/Short Breath						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Very Often	1	18	.3	.3	.3	
Often	2	100	1.5	1.5	1.7	
Not Very Often	3	754	11.0	11.0	12.8	
Never	4	5960	86.9	87.2	100.0	
	-1	29	.4	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases      6832      Missing cases      29						

**C3. Have you felt as though you might faint?**  
[If multiple ticks given, coded for lowest value given]

PD152      Felt Might Faint						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Very Often	1	7	.1	.1	.1	
Often	2	29	.4	.4	.5	
Not Very Often	3	476	6.9	7.0	7.5	
Never	4	6323	92.2	92.5	100.0	
	-1	26	.4	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases      6835      Missing cases      26						

C4. Do you feel sick or have indigestion?  
[If multiple ticks given, coded for lowest value given]

PD153 Felt Sick or Have Indigestion						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often		1	58	.8	.9	.9
Often		2	240	3.5	3.5	4.4
Not Very Often		3	1650	24.0	24.2	28.6
Never		4	4873	71.0	71.4	100.0
		-1	40	.6	Missing	
			-----	-----	-----	
Total			6861	100.0	100.0	
Valid cases		6821	Missing cases		40	

C5. Do you feel that life is too much effort?  
[If multiple ticks given, coded for lowest value given]

PD154      Feel Life is Too Much Effort						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often		1	30	.4	.4	.4
Often		2	196	2.9	2.9	3.3
Not Very Often		3	1472	21.5	21.6	24.9
Never		4	5124	74.7	75.1	100.0
		-1	39	.6	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6822	Missing cases		39	

C6. Do you feel uneasy and restless?  
[If multiple ticks given, coded for lowest value given]

PD155      Feel Uneasy and Restless						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often		1	40	.6	.6	.6
Often		2	366	5.3	5.4	5.9
Not Very Often		3	2242	32.7	32.8	38.8
Never		4	4178	60.9	61.2	100.0
		-1	35	.5	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6826	Missing cases	35		



C7. Do you feel tingling or prickling sensations in your body, arms or legs?  
[If multiple ticks given, coded for lowest value given]

PD156		Feel Tingling in Arms and Legs			
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	28	.4	.4	.4
Often	2	124	1.8	1.8	2.2
Not Very Often	3	681	9.9	10.0	12.2
Never	4	5997	87.4	87.8	100.0
	-1	31	.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6830	Missing cases	31		

C8. Do you regret much of your past behaviour?  
[If multiple ticks given, coded for lowest value given]

PD157	Regret Much of Past Behaviour				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	123	1.8	1.8	1.8
Often	2	413	6.0	6.1	7.9
Not Very Often	3	2217	32.3	32.5	40.3
Never	4	4072	59.3	59.7	100.0
	-1	36	.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6825	Missing cases	36		

C9. Do you sometimes feel panicky?  
[If multiple ticks given, coded for lowest value given]

PD158 Sometimes Feel Panicky						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often		1	23	.3	.3	.3
Often		2	130	1.9	1.9	2.2
Not Very Often		3	1259	18.4	18.5	20.7
Never		4	5408	78.8	79.3	100.0
		-1	41	.6	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6820	Missing cases		41	

C10. Do you find that you have little or no appetite?  
[If multiple ticks given, coded for lowest value given]

PD159 Find Have Little or No Appetite					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	22	.3	.3	.3
Often	2	135	2.0	2.0	2.3
Not Very Often	3	995	14.5	14.6	16.9
Never	4	5675	82.7	83.1	100.0
	-1	34	.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6827	Missing cases	34		

C11. Do you wake unusually early in the morning even when you haven't been woken by your children  
[If multiple ticks given, coded for lowest value given]

PD160 Wake Unusually Early						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Very Often	1	306	4.5	4.5	4.5	
Often	2	841	12.3	12.3	16.8	
Not Very Often	3	2157	31.4	31.6	48.4	
Never	4	3519	51.3	51.6	100.0	
	-1	38	.6	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases	6823	Missing cases	38			

C12. Do you worry a lot?  
[If multiple ticks given, coded for lowest value given]

PD161      Worry a Lot						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often		1	222	3.2	3.2	3.2
Often		2	989	14.4	14.5	17.7
Not Very Often		3	3385	49.3	49.5	67.3
Never		4	2237	32.6	32.7	100.0
		-1	28	.4	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6833	Missing cases		28	

**C13. Do you feel tired or exhausted?**  
[If multiple ticks given, coded for lowest value given]

PD162      Feel Tired or Exhausted					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	361	5.3	5.3	5.3
Often	2	2037	29.7	29.8	35.1
Not Very Often	3	3352	48.9	49.1	84.2
Never	4	1080	15.7	15.8	100.0
	-1	31	.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases      6830      Missing cases      31					

**C14. Do you experience long periods of sadness?**  
[If multiple ticks given, coded for lowest value given]

PD163      Experience Long Periods of Sadness					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	36	.5	.5	.5
Often	2	131	1.9	1.9	2.4
Not Very Often	3	1157	16.9	16.9	19.4
Never	4	5511	80.3	80.6	100.0
	-1	26	.4	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases      6835      Missing cases      26					

**C15. Do you feel strung-up inside?**  
[If multiple ticks are given, coded for the lowest value given]

PD164      Feel Strung Up Inside					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	102	1.5	1.5	1.5
Often	2	422	6.2	6.2	7.7
Not Very Often	3	1953	28.5	28.6	36.3
Never	4	4351	63.4	63.7	100.0
	-1	33	.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases      6828      Missing cases      33					

C16. Can you get off to sleep all right?  
[If multiple ticks given, coded for lowest value given]

PD165 Can Get to Sleep Alright					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	4585	66.8	67.1	67.1
Often	2	1811	26.4	26.5	93.5
Not Very Often	3	360	5.2	5.3	98.8
Never	4	82	1.2	1.2	100.0
	-1	23	.3	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6838	Missing cases	23		

C17. Do you ever have the feeling you are going to pieces?  
[If multiple ticks given, coded for lowest value given]

PD166 Ever Feel Going to Pieces					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	31	.5	.5	.5
Often	2	146	2.1	2.1	2.6
Not Very Often	3	1094	15.9	16.0	18.6
Never	4	5556	81.0	81.4	100.0
	-1	34	.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6827	Missing cases	34		

C18. Do you often have excessive sweating or fluttering of the heart?  
[If multiple ticks given, coded for lowest value given]

PD167 Often Have Excessive Sweating					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	33	.5	.5	.5
Often	2	147	2.1	2.2	2.6
Not Very Often	3	916	13.4	13.4	16.1
Never	4	5730	83.5	83.9	100.0
	-1	35	.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6826	Missing cases	35		

C19. Do you find yourself needing to cry?  
[If multiple ticks given, coded for lowest value given]

PD168 Find Needing to Cry

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	12	.2	.2	.2
Often	2	87	1.3	1.3	1.4
Not Very Often	3	1146	16.7	16.8	18.2
Never	4	5585	81.4	81.8	100.0
	-1	31	.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6830	Missing cases	31		

C20. Do you have bad dreams which upset you when you wake up?  
[If multiple ticks given, coded for lowest value given]

PD169 Had Bad Dreams

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	16	.2	.2	.2
Often	2	60	.9	.9	1.1
Not Very Often	3	1039	15.1	15.2	16.3
Never	4	5714	83.3	83.7	100.0
	-1	32	.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6829	Missing cases	32		

C21. Do you lose the ability to feel sympathy for others?  
[If multiple ticks given, coded for lowest value given]

PD170 Lost Ability to Feel Sympathy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	106	1.5	1.6	1.6
Often	2	560	8.2	8.2	9.8
Not Very Often	3	2331	34.0	34.2	44.0
Never	4	3822	55.7	56.0	100.0
	-1	42	.6	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6819	Missing cases	42		

**C22 Can you think quickly?**  
[If multiple ticks given, coded for lowest value given]

PD171 Can Think Quickly					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	3620	52.8	53.1	53.1
Often	2	2757	40.2	40.4	93.5
Not Very Often	3	336	4.9	4.9	98.4
Never	4	109	1.6	1.6	100.0
	-1	39	.6	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6822	Missing cases	39		

**C23. Do you have to make a special effort to face up to a crisis or difficulty?**  
[If multiple ticks are given, coded for the lowest value given]

PD172 Make Special Effort In Crisis					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	103	1.5	1.5	1.5
Often	2	533	7.8	7.8	9.3
Not Very Often	3	2740	39.9	40.3	49.6
Never	4	3430	50.0	50.4	100.0
	-1	55	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6806	Missing cases	55		

## Derived variables

The first 23 questions in this section comprised the sub-scales of Crown-Crisp Experiential Index (CCEI) relating to free-floating anxiety, depression and somaticism. Although the total score of the 48 items in the original index has been shown to be a useful measure of psycho-neurotic pathology in the community, the need to limit the number of items and our specific interest in depression and anxiety guided the selection of these items. Indeed most studies using the CCEI, including those of the original authors have in fact focused on the sub-scales and it has been used in this way in the study of mental health of mothers during pregnancy and the post-natal year. The 3 sub-scales had varying styles of response, some being a two-point yes/no scale, while others had 3-point categories. We modified the response categories for our study so that each item had 4 consistent response categories in which the respondent indicated frequency of symptoms from 'never' to 'very often'. These modifications were extensively pilot tested including a validation study against the Present State Examination (PSE).

Subscales of the Crown-Crisp Experiential Index were derived from questions C1 to C23.

The variables were initially recoded as follows: c1, c15, c17, (1,2 = 2)(3,4 = 0) / c3, c6, c12, c20, (1,1 = 2)(3 = 1)(4 = 0) c5, c14, c19, c23 (1,2 = 2)(3 = 1)(4 = 0) / c8, c11, c21, (1,2 = 2)(3,4 = 0) / c22, c16 (1,2 = 0)(3,4 = 2) / c2, c7, c13 (1,2 = 2)(3 = 1)(4 = 0) / c4, c10, c18 (1,2 = 2)(3,4 = 0) / c9 (1,2,3 = 2)(4 = 0).

## CCEI Anxiety subscale I

PD173 = PD150 + PD158 + PD164 + PD166 + PD152 + PD155 + PD161 + PD169

If any of component variables missing, PD173 = -1.

PD173      Crown Crisp-Anxiety					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not anxious	.00	1752	25.5	25.9	25.9
	1.00	1684	24.5	24.9	50.8
	2.00	1193	17.4	17.6	68.4
	3.00	618	9.0	9.1	77.6
	4.00	522	7.6	7.7	85.3
	5.00	355	5.2	5.2	90.5
	6.00	203	3.0	3.0	93.5
	7.00	127	1.9	1.9	95.4
	8.00	108	1.6	1.6	97.0
	9.00	54	.8	.8	97.8
	10.00	48	.7	.7	98.5
	11.00	36	.5	.5	99.1
	12.00	31	.5	.5	99.5
	13.00	15	.2	.2	99.7
	14.00	10	.1	.1	99.9
very anxious	15.00	5	.1	.1	100.0
	16.00	3	.0	.0	100.0
	-1.00	97	1.4	Missing	
Total		6861	100.0	100.0	
Valid cases	6764	Missing cases	97		

## CCEI Anxiety subscale II

As for PD174 but with missing component variables put to mode unless all were missing.

PD174      Anxiety Subscale of CCEI					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	3150	45.9	46.0	46.0
	2.00	1423	20.7	20.8	66.7
	3.00	706	10.3	10.3	77.1
	4.00	553	8.1	8.1	85.1
	5.00	366	5.3	5.3	90.5
	6.00	208	3.0	3.0	93.5
	7.00	129	1.9	1.9	95.4
	8.00	109	1.6	1.6	97.0
	9.00	56	.8	.8	97.8
	10.00	48	.7	.7	98.5
	11.00	38	.6	.6	99.1
	12.00	32	.5	.5	99.5
	13.00	15	.2	.2	99.7
	14.00	10	.1	.1	99.9
	15.00	5	.1	.1	100.0
very anxious	16.00	3	.0	.0	100.0
	-1.00	10	.1	Missing	
Total		6861	100.0	100.0	
Valid cases	6851	Missing cases	10		

PD175	No. Of Missing Values in Anxiety Subscale				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6764	98.6	98.6	98.6
	1.00	54	.8	.8	99.4
	2.00	17	.2	.2	99.6
	4.00	1	.0	.0	99.6
	5.00	2	.0	.0	99.7
	6.00	13	.2	.2	99.9
	8.00	10	.1	.1	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

### CCEI Somatic subscale I

PD176 = PD151 + PD156 + PD162+ PD153 + PD159 + PD165 + PD167

If any component variables missing PD176 = -1.

PD176	Crown Crisp-Somatic				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not somatic	.00	915	13.3	13.5	13.5
	1.00	2601	37.9	38.4	51.9
	2.00	1824	26.6	26.9	78.8
	3.00	635	9.3	9.4	88.2
	4.00	423	6.2	6.2	94.4
	5.00	185	2.7	2.7	97.2
	6.00	92	1.3	1.4	98.5
	7.00	40	.6	.6	99.1
	8.00	20	.3	.3	99.4
	9.00	18	.3	.3	99.7
	10.00	11	.2	.2	99.9
	11.00	5	.1	.1	99.9
	12.00	3	.0	.0	100.0
very somatic	14.00	2	.0	.0	100.0
	-1.00	87	1.3	Missing	
	Total	6861	100.0	100.0	
Valid cases	6774	Missing cases	87		

### CCEI Somatic subscale II

As for PD176 but with missing component variables put to mode unless all were missing.

PD177	Somatic Subscale of CCEI				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	2573	37.5	37.5	37.5
	2.00	2687	39.2	39.2	76.8
	3.00	681	9.9	9.9	86.7
	4.00	514	7.5	7.5	94.2
	5.00	193	2.8	2.8	97.0
	6.00	103	1.5	1.5	98.5
	7.00	42	.6	.6	99.1
	8.00	20	.3	.3	99.4
	9.00	19	.3	.3	99.7
	10.00	11	.2	.2	99.9
	11.00	5	.1	.1	99.9
	12.00	3	.0	.0	100.0
very somatic	14.00	2	.0	.0	100.0
	-1.00	8	.1	Missing	
	Total	6861	100.0	100.0	
Valid cases	6853	Missing cases	8		



PD178	No. Of Missing Values in Somatic Subscale				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6774	98.7	98.7	98.7
	1.00	47	.7	.7	99.4
	2.00	13	.2	.2	99.6
	3.00	1	.0	.0	99.6
	4.00	2	.0	.0	99.7
	5.00	13	.2	.2	99.8
	6.00	3	.0	.0	99.9
	7.00	8	.1	.1	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

## CCEI Depression subscale I

PD 179 = PD154 + PD163 + PD168 + PD172 + PD157 + PD160 + PD170 + PD171

If any component variables missing, PD179 = -1.

PD179	Crown Crisp-Depression				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not depressed	.00	2137	31.1	31.7	31.7
	1.00	1299	18.9	19.3	51.0
	2.00	1170	17.1	17.4	68.4
	3.00	681	9.9	10.1	78.5
	4.00	504	7.3	7.5	86.0
	5.00	324	4.7	4.8	90.8
	6.00	212	3.1	3.1	94.0
	7.00	148	2.2	2.2	96.2
	8.00	95	1.4	1.4	97.6
	9.00	51	.7	.8	98.4
	10.00	44	.6	.7	99.0
	11.00	28	.4	.4	99.4
	12.00	20	.3	.3	99.7
	13.00	14	.2	.2	99.9
	14.00	2	.0	.0	100.0
very depressed	15.00	2	.0	.0	100.0
	16.00	1	.0	.0	100.0
	-1.00	129	1.9	Missing	
	Total	6861	100.0	100.0	
Valid cases	6732	Missing cases	129		

## CCEI Depression subscale II

As for PD179 but with missing component variables put to mode unless all were missing.

PD180 Depression Subscale of CCEI

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	2285	33.3	33.4	33.4
	2.00	1427	20.8	20.8	54.2
	3.00	1187	17.3	17.3	71.5
	4.00	659	9.6	9.6	81.1
	5.00	460	6.7	6.7	87.8
	6.00	311	4.5	4.5	92.4
	7.00	195	2.8	2.8	95.2
	8.00	125	1.8	1.8	97.1
	9.00	72	1.0	1.1	98.1
	10.00	56	.8	.8	98.9
	11.00	30	.4	.4	99.4
	12.00	21	.3	.3	99.7
	13.00	18	.3	.3	99.9
	14.00	2	.0	.0	100.0
	15.00	2	.0	.0	100.0
very depressed	16.00	1	.0	.0	100.0
	-1.00	10	.1	Missing	
	Total	6861	100.0	100.0	

Valid cases 6851 Missing cases 10

PD181 No. Of Missing Values in Depression Subs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6732	98.1	98.1	98.1
	1.00	76	1.1	1.1	99.2
	2.00	11	.2	.2	99.4
	3.00	3	.0	.0	99.4
	4.00	28	.4	.4	99.8
	7.00	1	.0	.0	99.9
	8.00	10	.1	.1	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

## CCEI Malaise score I

Total Crown Crisp Experiental Index score, computed by adding the anxiety, depression and somatic scales.

$$PD182 = PD173 + PD176 + PD179$$

If any variable = -1, PD182 put to -1.

PD182      Crown Crisp-Total (CCEI 1)						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00			502	7.3	7.6	7.6
1.00			554	8.1	8.3	15.9
2.00			751	10.9	11.3	27.2
3.00			734	10.7	11.0	38.2
4.00			713	10.4	10.7	49.0
5.00			587	8.6	8.8	57.8
6.00			493	7.2	7.4	65.2
7.00			433	6.3	6.5	71.7
8.00			304	4.4	4.6	76.3
9.00			278	4.1	4.2	80.5
10.00			228	3.3	3.4	83.9
11.00			170	2.5	2.6	86.5
12.00			155	2.3	2.3	88.8
13.00			124	1.8	1.9	90.7
14.00			102	1.5	1.5	92.2
15.00			110	1.6	1.7	93.9
16.00			63	.9	.9	94.8
17.00			59	.9	.9	95.7
18.00			48	.7	.7	96.4
19.00			31	.5	.5	96.9
20.00			27	.4	.4	97.3
21.00			24	.3	.4	97.7
22.00			18	.3	.3	98.0
23.00			19	.3	.3	98.2
24.00			24	.3	.4	98.6
25.00			16	.2	.2	98.8
26.00			17	.2	.3	99.1
27.00			14	.2	.2	99.3
28.00			13	.2	.2	99.5
29.00			4	.1	.1	99.6
30.00			6	.1	.1	99.7
31.00			6	.1	.1	99.7
32.00			6	.1	.1	99.8
33.00			3	.0	.0	99.9
34.00			2	.0	.0	99.9
36.00			2	.0	.0	99.9
37.00			1	.0	.0	100.0
38.00			2	.0	.0	100.0
46.00			1	.0	.0	100.0
-1.00			217	3.2	Missing	
Total			6861	100.0	100.0	
Valid cases	6644	Missing cases	217			

## CCEI Malaise score II

$$PD183 = PD174 + PD177 + PD180$$

If all variables = -1, PD183 put to -1, else each variable put to mode.

PD183		Crown Crisp Total (CCEI 2)			
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
.00			1	.0	.0
2.00			1	.0	.0
3.00			705	10.3	10.3
4.00			1413	20.6	30.9
5.00			863	12.6	43.5
6.00			815	11.9	55.4
7.00			600	8.7	64.2
8.00			501	7.3	71.5
9.00			351	5.1	76.6
10.00			296	4.3	80.9
11.00			231	3.4	84.3
12.00			187	2.7	87.0
13.00			156	2.3	89.3
14.00			125	1.8	91.1
15.00			121	1.8	92.9
16.00			88	1.3	94.2
17.00			67	1.0	95.2
18.00			58	.8	96.0
19.00			39	.6	96.6
20.00			31	.5	97.0
21.00			27	.4	97.4
22.00			22	.3	97.7
23.00			22	.3	98.1
24.00			29	.4	98.5
25.00			17	.2	98.7
26.00			20	.3	99.0
27.00			13	.2	99.2
28.00			13	.2	99.4
29.00			8	.1	99.5
30.00			6	.1	99.6
31.00			8	.1	99.7
32.00			6	.1	99.8
33.00			4	.1	99.9
34.00			2	.0	99.9
36.00			2	.0	99.9
37.00			1	.0	99.9
38.00			1	.0	100.0
39.00			2	.0	100.0
46.00			1	.0	100.0
-1.00			8	.1	Missing
		Total	6861	100.0	100.0
Valid cases	6853	Missing cases	8		

PD184	Number of Missing Values in CCEI				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6644	96.8	96.8	96.8
	1.00	153	2.2	2.2	99.1
	2.00	15	.2	.2	99.3
	3.00	6	.1	.1	99.4
	5.00	2	.0	.0	99.4
	6.00	1	.0	.0	99.4
	7.00	3	.0	.0	99.5
	8.00	11	.2	.2	99.6
	10.00	1	.0	.0	99.6
	12.00	1	.0	.0	99.7
	14.00	1	.0	.0	99.7
	15.00	12	.2	.2	99.8
	20.00	1	.0	.0	99.9
	21.00	1	.0	.0	99.9
	22.00	1	.0	.0	99.9
	23.00	8	.1	.1	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

### Questions C24 - C33 comprise the Edinburgh Postnatal Depression Scale.

Your feelings in the past week.

C24. I have been able to laugh and see the funny side of things:

As much as I always could  
 Not quite so much now  
 Definitely not so much now  
 Not at all

[If multiple ticks are given, coded for the highest value given]

PD190	Past Wk: Able See Funny Side of Things				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
As Much Always	1	5712	83.3	83.6	83.6
Not Quite So Much	2	947	13.8	13.9	97.4
Definitely Not Much	3	149	2.2	2.2	99.6
Not At All	4	27	.4	.4	100.0
	-1	26	.4	Missing	
	Total	6861	100.0	100.0	
Valid cases	6835	Missing cases	26		

C25. I have looked forward with enjoyment to things:

As much as I ever did  
 Rather less than I used to  
 Definitely less than I used to  
 Hardly at all

[If multiple ticks are given, coded for the highest value given]

PD191 Past Wk: Looked Forward With Enjoyment					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
As Much As Ever	1	5842	85.1	85.5	85.5
Rather Less	2	860	12.5	12.6	98.1
Definitely Less	3	116	1.7	1.7	99.8
Hardly At All	4	13	.2	.2	100.0
	-1	30	.4	Missing	
	Total	6861	100.0	100.0	
Valid cases	6831	Missing cases	30		

C26. I have blamed myself unnecessarily when things went wrong:

Yes, most of the time  
 Yes, some of the time  
 Not very often  
 No never

[If multiple ticks are given, coded for the lowest value given]

PD192 Past Wk: Blamed Self Unnecessarily					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Most of Time	1	162	2.4	2.4	2.4
Yes, Some of Time	2	1041	15.2	15.2	17.6
Not Very Often	3	2420	35.3	35.4	53.0
No Never	4	3214	46.8	47.0	100.0
	-1	24	.3	Missing	
	Total	6861	100.0	100.0	
Valid cases	6837	Missing cases	24		

C27. I have been anxious or worried for no good reason:

No, not at all  
 Hardly ever  
 Yes, sometimes  
 Yes, often

[If multiple ticks are given, coded for the highest value given]

PD193 Past Wk: Been Worried For No Reason					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No, Not at All	1	4195	61.1	61.4	61.4
Hardly Ever	2	1410	20.6	20.6	82.0
Yes Sometimes	3	1077	15.7	15.8	97.8
Yes, Often	4	153	2.2	2.2	100.0
	-1	26	.4	Missing	
	Total	6861	100.0	100.0	
Valid cases	6835	Missing cases	26		

C28. I have felt scared or panicky for no very good reason:

Yes, quite a lot  
 Yes, sometimes  
 No, not much  
 No, not at all

[If multiple ticks are given, coded for the lowest value given]

PD194 Past Wk: Scared/Panicky For No Reason					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Quite A Lot	1	106	1.5	1.5	1.5
Yes Sometimes	2	333	4.9	4.9	6.4
No, Not Much	3	870	12.7	12.7	19.1
No, Not at All	4	5530	80.6	80.9	100.0
	-1	22	.3	Missing	
	Total	6861	100.0	100.0	
Valid cases	6839	Missing cases	22		

C29. Things have been getting on top of me:

Yes, most of the time

Yes, sometimes

No, hardly ever

No, not at all

[If multiple ticks are given, coded for the lowest value given]

PD195 Past Wk: Things Getting on Top of					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Most of Time	1	129	1.9	1.9	1.9
Yes Sometimes	2	1413	20.6	20.7	22.6
No Hardly Ever	3	1960	28.6	28.7	51.2
No Not At All	4	3334	48.6	48.8	100.0
	-1	25	.4	Missing	
	Total	6861	100.0	100.0	
Valid cases	6836	Missing cases	25		

C30. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time

Yes, sometimes

Not very often

No, not at all

[If multiple ticks are given, coded for the lowest value given]

PD196 Past WK: Unhappy So Had Difficulty Sleeping					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Most of Time	1	26	.4	.4	.4
Yes Sometimes	2	191	2.8	2.8	3.2
Not Very Often	3	628	9.2	9.2	12.4
No Not at All	4	5984	87.2	87.6	100.0
	-1	32	.5	Missing	
	Total	6861	100.0	100.0	
Valid cases	6829	Missing cases	32		



C31. I have felt sad or miserable:

Yes, most of the time  
 Yes, quite often  
 Not very often  
 No, not at all

[If multiple ticks are given, coded for the lowest value given]

PD197		Past WK: Felt Sad or Miserable			
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Most of Time	1	39	.6	.6	.6
Yes Quite Often	2	329	4.8	4.8	5.4
Not Very Often	3	1874	27.3	27.5	32.8
No Not at All	4	4584	66.8	67.2	100.0
	-1	35	.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6826	Missing cases	35		

C32. I have been so unhappy that I have been crying:

Yes, most of the time  
 Yes, quite often  
 Only occasionally  
 No, never

[If multiple ticks are given, coded for the lowest value given]

PD198 Past Wk: Felt So Unhappy Been Crying						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes Most of Time	1	5	.1	.1	.1	
Yes Quite Often	2	26	.4	.4	.5	
Only Occasionally	3	342	5.0	5.0	5.5	
No Never	4	6450	94.0	94.5	100.0	
	-1	38	.6	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases	6823	Missing cases	38			

C33. The thought of harming myself has occurred to me:

Yes, quite often  
 Sometimes  
 Hardly ever  
 Never

[If multiple ticks are given, coded for the lowest value given]

PD199 Past Wk: Often Thought of Harming Self						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Quite Often		1	12	.2	.2	.2
Sometimes		2	73	1.1	1.1	1.2
Hardly Ever		3	183	2.7	2.7	3.9
Never		4	6553	95.5	96.1	100.0
		-1	40	.6	Missing	
			-----	-----	-----	
Total			6861	100.0	100.0	
Valid cases 6821 Missing cases 40						

### Derived variable

The 10 items C24 - C33 formed the depression scale of the Edinburgh Post-Natal Depression Scale (EPDS) developed by Cox et al (1987). The items in this scale were specifically chosen by the authors because they did not involve somatic items. Each question had 4 response categories scored from 0 to 3 and referred to the feelings of the mother in the past week. Although the measure was developed specifically for use with puerperal women, none of the 10 items is specific to the post-natal experience. The principle feature of the scale that designates it as a post-natal scale is that it does not include somatic items because of the possibility of confounding somatic symptoms of depression with normal physiological symptoms at this time. The feature of the scale was a major factor in its selection for our study which aims to measure depression during pregnancy and the post-partum years. During pregnancy, there is the possibility too of confounding normal physiological symptoms with those of depression. Both our own pilot studies and the study of Murray and Carrothers (1990) found the measure to be acceptable to respondents, producing high completion rates with little evidence of response error. Validation of the scale during pregnancy, the post-partum period and early parenthood has been examined using standardised psychiatric interviews as the validating measures and shown to have high sensitivity and specificity (Thorpe 1993).

These variables were recoded as follows:

c24, c25, c27, (1=0)(2=1)(3=2)(4=3)  
 c26, c28, c29, c30, c31, c32, c33 (1=3)(2=2)(3=1)(4=0)  
 and the score calculated as C24 + C25 + ... + C33

## EPDS Score I (Any with a missing value on an item put to -1)

PD200      Edinburgh Post-natal Depression Score					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not depressed	.00	1786	26.0	26.4	26.4
	1.00	1054	15.4	15.6	42.0
	2.00	781	11.4	11.5	53.5
	3.00	663	9.7	9.8	63.3
	4.00	530	7.7	7.8	71.1
	5.00	412	6.0	6.1	77.2
	6.00	333	4.9	4.9	82.2
	7.00	274	4.0	4.0	86.2
	8.00	245	3.6	3.6	89.8
	9.00	192	2.8	2.8	92.7
	10.00	123	1.8	1.8	94.5
	11.00	94	1.4	1.4	95.9
	12.00	77	1.1	1.1	97.0
	13.00	47	.7	.7	97.7
	14.00	43	.6	.6	98.3
	15.00	42	.6	.6	99.0
	16.00	22	.3	.3	99.3
	17.00	11	.2	.2	99.5
	18.00	16	.2	.2	99.7
	19.00	11	.2	.2	99.9
	20.00	3	.0	.0	99.9
	21.00	1	.0	.0	99.9
	22.00	4	.1	.1	100.0
	24.00	2	.0	.0	100.0
	-1.00	95	1.4	Missing	
	Total	6861	100.0	100.0	
Valid cases	6766	Missing cases	95		

## EPDS Score II (Any with a missing value put to mode unless all items missing)

PD201      EPDS with Missing Values					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2.00	2814	41.0	41.1	41.1
	3.00	1068	15.6	15.6	56.7
	4.00	707	10.3	10.3	67.0
	5.00	558	8.1	8.1	75.1
	6.00	409	6.0	6.0	81.1
	7.00	311	4.5	4.5	85.6
	8.00	257	3.7	3.8	89.4
	9.00	199	2.9	2.9	92.3
	10.00	144	2.1	2.1	94.4
	11.00	96	1.4	1.4	95.8
	12.00	79	1.2	1.2	96.9
	13.00	51	.7	.7	97.7
	14.00	45	.7	.7	98.3
	15.00	41	.6	.6	98.9
	16.00	24	.3	.4	99.3
	17.00	12	.2	.2	99.5
	18.00	13	.2	.2	99.6
	19.00	14	.2	.2	99.9
	20.00	3	.0	.0	99.9
	21.00	1	.0	.0	99.9
	22.00	4	.1	.1	100.0
	24.00	2	.0	.0	100.0
	-1.00	9	.1	Missing	
	Total	6861	100.0	100.0	
Valid cases	6852	Missing cases	9		

PD202	No. Of Missing Values				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6766	98.6	98.6	98.6
	1.00	46	.7	.7	99.3
	2.00	8	.1	.1	99.4
	3.00	2	.0	.0	99.4
	4.00	20	.3	.3	99.7
	6.00	10	.1	.1	99.9
	10.00	9	.1	.1	100.0
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

C34. On the whole are there more good days than bad?

Yes, more good days

About half and half

No, more bad days

[If multiple ticks are given, coded for the highest value given]

PD205	Past Week: More Good Days Than Bad				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes More Good Days	1	5942	86.6	87.1	87.1
About Half And Half	2	739	10.8	10.8	97.9
No More Bad Days	3	138	2.0	2.0	100.0
	4	2	.0	.0	100.0
	-1	40	.6	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6821	Missing cases	40		

## SECTION D: RECENT EVENTS

These involved a life-events inventory of 42 items which were derived for the present study using previous inventories as a basis for selection items. Three main sources were used in this way - those of Brown & Harris, Barnett et al and Stanley. Each life event had 5 response categories indicating not only whether or not the event occurred but also how greatly the respondent was affected by it. An additional open item in which the respondent was able to name any event which was not on the inventory was also included. On the basis of these items, two scores may be calculated, the number of life events occurring, and the perceived impact of life events. Analysis of pilot study results showed these two scores to be highly correlated, but the impact scored being a more sensitive predictor of emotional well-being.

Listed below are a number of events which may have brought changes in your life. Have any of these occurred since your partner had the baby? If so, please assess how much effect it had on you.

Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me	No, did not happen at all
-------------------------------	--------------------------------	----------------------------	----------------------------------	---------------------------------

D1. Your partner died  
[If multiple ticks given, coded for lowest value given]

PD220 Partner Died Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	3	.0	.0	.0
Yes Mildly Affected	3	2	.0	.0	.1
No Did Not Happen	5	6807	99.2	99.9	100.0
	-1	49	.7	Missing	
Total		6861	100.0	100.0	
Valid cases	6812	Missing cases	49		

PD220A Partner Died Since Baby was Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	5	.1	.1	.1
No	2.00	6856	99.9	99.9	100.0
Total		6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

D2. One of your children died  
[If multiple ticks given, coded for lowest value given]

PD221 Child Died Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	6	.1	.1	.1
Yes Mildly Affected	3	1	.0	.0	.1
No Did Not Happen	5	6804	99.2	99.9	100.0
	-1	50	.7	Missing	
	Total	6861	100.0	100.0	
Valid cases	6811	Missing cases	50		

PD221A Child Died Since Baby was Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	7	.1	.1	.1
No	2.00	6854	99.9	99.9	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

D3. A friend or relative died  
[If multiple ticks given, coded for lowest value given]

PD222 Friend/Relative Died Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	167	2.4	2.5	2.5
Yes Mod Affected	2	238	3.5	3.5	6.0
Yes Mildly Affected	3	410	6.0	6.0	12.0
Yes Did Not Affect	4	318	4.6	4.7	16.6
No Did Not Happen	5	5673	82.7	83.4	100.0
	-1	55	.8	Missing	
	Total	6861	100.0	100.0	
Valid cases	6806	Missing cases	55		

PD222A Friend/Relative Died Since Baby was Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1133	16.5	16.5	16.5
No	2.00	5728	83.5	83.5	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

D4. One of your children was ill  
[If multiple ticks given, coded for lowest value given]

PD223 Child Was Ill Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	340	5.0	5.0	5.0
Yes Mod Affected	2	410	6.0	6.0	11.0
Yes Mildly Affected	3	852	12.4	12.5	23.6
Yes Did Not Affect	4	566	8.2	8.3	31.9
No Did Not Happen	5	4624	67.4	68.1	100.0
	-1	69	1.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6792	Missing cases	69		

PD223A Child Was Ill Since Baby was Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2168	31.6	31.6	31.6
No	2.00	4693	68.4	68.4	100.0
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

D5. Your partner was ill  
[If multiple ticks given, coded for lowest value given]

PD224 Partner Was Ill Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	236	3.4	3.5	3.5
Yes Mod Affected	2	387	5.6	5.7	9.2
Yes Mildly Affected	3	724	10.6	10.6	19.8
Yes Did Not Affect	4	521	7.6	7.7	27.5
No Did Not Happen	5	4935	71.9	72.5	100.0
	-1	58	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6803	Missing cases	58		

PD224A Partner Was Ill Since Baby was Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1868	27.2	27.2	27.2
No	2.00	4993	72.8	72.8	100.0
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

D6. A friend or relative was ill  
[If multiple ticks given, coded for lowest value given]

PD225 Friend/Relative Ill Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	171	2.5	2.5	2.5
Yes Mod Affected	2	237	3.5	3.5	6.0
Yes Mildly Affected	3	433	6.3	6.4	12.4
Yes Did Not Affect	4	478	7.0	7.0	19.4
No Did Not Happen	5	5484	79.9	80.6	100.0
	-1	58	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6803	Missing cases	58		

PD225A Friend/Relative Ill Since Baby was Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1319	19.2	19.2	19.2
No		2.00	5542	80.8	80.8	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D7. You were admitted to hospital  
[If multiple ticks given, coded for lowest value given]

PD226 Admitted to Hospital Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	53	.8	.8	.8
Yes Mod Affected	2	46	.7	.7	1.5
Yes Mildly Affected	3	50	.7	.7	2.2
Yes Did Not Affect	4	73	1.1	1.1	3.3
No Did Not Happen	5	6586	96.0	96.7	100.0
	-1	53	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6808	Missing cases	53		

PD226A Admitted to Hospital Since Baby was Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	222	3.2	3.2	3.2
No	2.00	6639	96.8	96.8	100.0
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		



D8. You were in trouble with the law  
[If multiple ticks given, coded for lowest value given]

PD227 In Trouble With Law Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	27	.4	.4	.4
Yes Mod Affected	2	21	.3	.3	.7
Yes Mildly Affected	3	34	.5	.5	1.2
Yes Did Not Affect	4	52	.8	.8	2.0
No Did Not Happen	5	6675	97.3	98.0	100.0
	-1	52	.8	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6809 Missing cases 52

PD227A In Trouble with Law Since Baby was Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	134	2.0	2.0	2.0
No	2.00	6727	98.0	98.0	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D9. You were divorced  
[If multiple ticks given, coded for lowest value given]

PD228 Divorced Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	5	.1	.1	.1
Yes Mod Affected	2	2	.0	.0	.1
Yes Mildly Affected	3	12	.2	.2	.3
Yes Did Not Affect	4	15	.2	.2	.5
No Did Not Happen	5	6770	98.7	99.5	100.0
	-1	57	.8	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6804 Missing cases 57

PD228A Divorced Since Baby was Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	34	.5	.5	.5
No	2.00	6827	99.5	99.5	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D10. You found that your partner didn't want your child  
[If multiple ticks given, coded for lowest value given]

PD229 Found Partner Did Not Want Baby					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	12	.2	.2	.2
Yes Mod Affected	2	2	.0	.0	.2
Yes Mildly Affected	3	10	.1	.1	.4
Yes Did Not Affect	4	7	.1	.1	.5
No Did Not Happen	5	6778	98.8	99.5	100.0
	-1	52	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6809	Missing cases	52		

PD229A Found Partner Did Not Want Baby						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	31	.5	.5	.5
No		2.00	6830	99.5	99.5	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D11. You were very ill  
[If multiple ticks given, coded for lowest value given]

PD230      Very Ill Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	65	.9	1.0	1.0
Yes Mod Affected	2	65	.9	1.0	1.9
Yes Mildly Affected	3	82	1.2	1.2	3.1
Yes Did Not Affect	4	65	.9	1.0	4.1
No Did Not Happen	5	6530	95.2	95.9	100.0
	-1	54	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6807	Missing cases	54		

PD230A      Very Ill Since Baby was Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	277	4.0	4.0	4.0
No		2.00	6584	96.0	96.0	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6861	Missing cases		0	

D12. Your partner lost her job  
[If multiple ticks given, coded for lowest value given]

PD231 Partner Lost Job Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	Affected A Lot	1	24	.3	.4	.4
Yes	Mod Affected	2	37	.5	.5	.9
Yes	Mildly Affected	3	50	.7	.7	1.6
Yes	Did Not Affect	4	92	1.3	1.4	3.0
No	Did Not Happen	5	6600	96.2	97.0	100.0
		-1	58	.8	Missing	
			-----	-----	-----	
	Total		6861	100.0	100.0	
Valid cases	6803	Missing cases	58			

PD231A Partner Lost Job Since Baby was Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	203	3.0	3.0	3.0
No		2.00	6658	97.0	97.0	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases		0		

D13. Your partner had problems at work  
[If multiple ticks given, coded for lowest value given]

PD232 Partner Had Problems at Work					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	33	.5	.5	.5
Yes Mod Affected	2	97	1.4	1.4	1.9
Yes Mildly Affected	3	231	3.4	3.4	5.3
Yes Did Not Affect	4	130	1.9	1.9	7.2
No Did Not Happen	5	6314	92.0	92.8	100.0
	-1	56	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6805	Missing cases	56		

PD232A Partner Had Problems at Work						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	491	7.2	7.2	7.2
No		2.00	6370	92.8	92.8	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D14. You had problems at work  
[If multiple ticks given, coded for lowest value given]

PD233 Self Had Problems at Work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	325	4.7	4.8	4.8
Yes Mod Affected	2	439	6.4	6.5	11.2
Yes Mildly Affected	3	855	12.5	12.6	23.8
Yes Did Not Affect	4	514	7.5	7.6	31.4
No Did Not Happen	5	4668	68.0	68.6	100.0
	-1	60	.9	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6801 Missing cases 60

PD233A Self Had Problems at Work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2133	31.1	31.1	31.1
No	2.00	4728	68.9	68.9	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D15. You lost your job  
[If multiple ticks given, coded for lowest value given]

PD234 Self Lost Job Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	188	2.7	2.8	2.8
Yes Mod Affected	2	132	1.9	1.9	4.7
Yes Mildly Affected	3	112	1.6	1.6	6.3
Yes Did Not Affect	4	81	1.2	1.2	7.5
No Did Not Happen	5	6292	91.7	92.5	100.0
	-1	56	.8	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6805 Missing cases 56

PD234A Self Lost Job Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	513	7.5	7.5	7.5
No	2.00	6348	92.5	92.5	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D16. Your partner went away  
[If multiple ticks are given, coded for the lowest value given]

PD235 Partner Went Away Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	Affected A Lot	1	32	.5	.5	.5
Yes	Mod Affected	2	33	.5	.5	1.0
Yes	Mildly Affected	3	64	.9	.9	1.9
Yes	Did Not Affect	4	83	1.2	1.2	3.1
No	Did Not Happen	5	6593	96.1	96.9	100.0
		-1	56	.8	Missing	
			-----	-----	-----	
	Total		6861	100.0	100.0	
Valid cases	6805	Missing cases	56			

PD235A Partner Went Away since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	212	3.1	3.1	3.1
No		2.00	6649	96.9	96.9	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D17. Your partner was in trouble with the law  
[If multiple ticks are given, coded for the lowest value given]

PD236 Partner In Trouble With Law Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	3	.0	.0	.0
Yes Mod Affected	2	2	.0	.0	.1
Yes Mildly Affected	3	9	.1	.1	.2
Yes Did Not Affect	4	12	.2	.2	.4
No Did Not Happen	5	6781	98.8	99.6	100.0
	-1	54	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6807	Missing cases	54		

PD236A Partner in Trouble with Law Since Baby B						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	26	.4	.4	.4
No		2.00	6835	99.6	99.6	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D18. You and your partner separated  
[If multiple ticks are given, coded for the lowest value given]

PD237 Separated Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	51	.7	.7	.7
Yes Mod Affected	2	16	.2	.2	1.0
Yes Mildly Affected	3	13	.2	.2	1.2
Yes Did Not Affect	4	12	.2	.2	1.4
No Did Not Happen	5	6711	97.8	98.6	100.0
	-1	58	.8	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6803 Missing cases 58

PD237A Separated Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	92	1.3	1.3	1.3
No	2.00	6769	98.7	98.7	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D19. Your income was reduced  
[If multiple ticks are given, coded for the lowest value given]

PD238 Income Reduced Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	368	5.4	5.4	5.4
Yes Mod Affected	2	482	7.0	7.1	12.5
Yes Mildly Affected	3	726	10.6	10.7	23.2
Yes Did Not Affect	4	374	5.5	5.5	28.7
No Did Not Happen	5	4843	70.6	71.3	100.0
	-1	68	1.0	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6793 Missing cases 68

PD238A Income Reduced Since Baby was Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1950	28.4	28.4	28.4
No	2.00	4911	71.6	71.6	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D20. You argued with your partner  
[If multiple ticks are given, coded for the lowest value given]

PD239A Argued with Partner Since Baby was Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3770	54.9	54.9	54.9
No	2.00	3091	45.1	45.1	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

PD239 Argued With Partner Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	304	4.4	4.5	4.5
Yes Mod Affected	2	463	6.7	6.8	11.3
Yes Mildly Affected	3	1231	17.9	18.2	29.5
Yes Did Not Affect	4	1772	25.8	26.1	55.6
No Did Not Happen	5	3010	43.9	44.4	100.0
	-1	81	1.2	Missing	
	Total	6861	100.0	100.0	
Valid cases	6780	Missing cases	81		

D21. You argued with your family and friends  
[If multiple ticks are given, coded for the lowest value given]

PD240 Argued W Family/Friends Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	68	1.0	1.0	1.0
Yes Mod Affected	2	109	1.6	1.6	2.6
Yes Mildly Affected	3	313	4.6	4.6	7.2
Yes Did Not Affect	4	461	6.7	6.8	14.0
No Did Not Happen	5	5854	85.3	86.0	100.0
	-1	56	.8	Missing	
	Total	6861	100.0	100.0	
Valid cases	6805	Missing cases	56		

PD240A Argued with Family/Friends Since Baby Bo					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	951	13.9	13.9	13.9
No	2.00	5910	86.1	86.1	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

D22. You moved house  
[If multiple ticks are given, coded for the lowest value given]

PD241 Moved House Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	Affected A Lot	1	134	2.0	2.0	2.0
Yes	Mod Affected	2	176	2.6	2.6	4.6
Yes	Mildly Affected	3	171	2.5	2.5	7.1
Yes	Did Not Affect	4	248	3.6	3.6	10.7
No	Did Not Happen	5	6071	88.5	89.3	100.0
		-1	61	.9	Missing	
			-----	-----	-----	
	Total		6861	100.0	100.0	
Valid cases	6800	Missing cases	61			

PD241A Moved House Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	729	10.6	10.6	10.6
No		2.00	6132	89.4	89.4	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D23. Your partner was physically cruel to you  
[If multiple ticks are given, coded for the lowest value given]

PD242 Partner Physically Cruel Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	Affected A Lot	1	14	.2	.2	.2
Yes	Mod Affected	2	21	.3	.3	.5
Yes	Mildly Affected	3	28	.4	.4	.9
Yes	Did Not Affect	4	43	.6	.6	1.6
No	Did Not Happen	5	6694	97.6	98.4	100.0
		-1	61	.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6800	Missing cases	61			

PD242A Partner Physically Cruel Since Baby was						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	106	1.5	1.5	1.5
No		2.00	6755	98.5	98.5	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6861	Missing cases		0	



D24. You became homeless  
[If multiple ticks are given, coded for the lowest value given]

PD243 Became Homeless Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	23	.3	.3	.3
Yes Mod Affected	2	10	.1	.1	.5
Yes Mildly Affected	3	7	.1	.1	.6
Yes Did Not Affect	4	8	.1	.1	.7
No Did Not Happen	5	6753	98.4	99.3	100.0
	-1	60	.9	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6801 Missing cases 60

PD243A Became Homeless Since Baby was Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	48	.7	.7	.7
No	2.00	6813	99.3	99.3	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D25. You had a major financial problem  
[If multiple ticks are given, coded for the lowest value given]

PD244 Major Financial Problem Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	266	3.9	3.9	3.9
Yes Mod Affected	2	302	4.4	4.4	8.4
Yes Mildly Affected	3	394	5.7	5.8	14.2
Yes Did Not Affect	4	191	2.8	2.8	17.0
No Did Not Happen	5	5641	82.2	83.0	100.0
	-1	67	1.0	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6794 Missing cases 67

PD244A Major Financial Problems Since Baby was

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1153	16.8	16.8	16.8
No	2.00	5708	83.2	83.2	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D26. You got married  
[If multiple ticks are given, coded for the lowest value given]

PD245 Got Married Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	44	.6	.6	.6
Yes Mod Affected	2	21	.3	.3	1.0
Yes Mildly Affected	3	26	.4	.4	1.3
Yes Did Not Affect	4	52	.8	.8	2.1
No Did Not Happen	5	6657	97.0	97.9	100.0
	-1	61	.9	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6800 Missing cases 61

PD245A Got Married Since Baby was Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	143	2.1	2.1	2.1
No	2.00	6718	97.9	97.9	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D27. Your partner was physically cruel to your children  
[If multiple ticks are given, coded for the lowest value given]

PD246 Partner Physically Cruel To Children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	3	.0	.0	.0
Yes Mod Affected	2	3	.0	.0	.1
Yes Mildly Affected	3	8	.1	.1	.2
Yes Did Not Affect	4	8	.1	.1	.3
No Did Not Happen	5	6780	98.8	99.7	100.0
	-1	59	.9	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6802 Missing cases 59

PD246A Partner Physically Cruel to Children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	22	.3	.3	.3
No	2.00	6839	99.7	99.7	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D28. You were physically cruel to the children  
[If multiple ticks are given, coded for the lowest value given]

PD247 Self Physically Cruel To Children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	6	.1	.1	.1
Yes Mod Affected	2	7	.1	.1	.2
Yes Mildly Affected	3	7	.1	.1	.3
Yes Did Not Affect	4	7	.1	.1	.4
No Did Not Happen	5	6777	98.8	99.6	100.0
	-1	57	.8	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6804 Missing cases 57

PD247A Self Physically Cruel to Children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	27	.4	.4	.4
No	2.00	6834	99.6	99.6	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D29. You attempted suicide  
[If multiple ticks are given, coded for the lowest value given]

PD248 Attempted Suicide Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	4	.1	.1	.1
Yes Mildly Affected	3	2	.0	.0	.1
Yes Did Not Affect	4	5	.1	.1	.2
No Did Not Happen	5	6793	99.0	99.8	100.0
	-1	57	.8	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6804 Missing cases 57

PD248A Attempted Suicide Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	11	.2	.2	.2
No	2.00	6850	99.8	99.8	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6861 Missing cases 0

D30. You were convicted of an offence  
[If multiple ticks are given, coded for the lowest value given]

PD249 Convicted of Offence Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	14	.2	.2	.2
Yes Mod Affected	2	7	.1	.1	.3
Yes Mildly Affected	3	12	.2	.2	.5
Yes Did Not Affect	4	48	.7	.7	1.2
No Did Not Happen	5	6722	98.0	98.8	100.0
	-1	58	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6803	Missing cases	58		

PD249A Convicted of Offence Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	81	1.2	1.2	1.2
No		2.00	6780	98.8	98.8	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D31. Your partner became pregnant  
[If multiple ticks are given, coded for the lowest value given]

PD250 Partner Became Pregnant Since Baby Born						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes Affected A Lot	1	93	1.4	1.4	1.4	
Yes Mod Affected	2	91	1.3	1.3	2.7	
Yes Mildly Affected	3	58	.8	.9	3.6	
Yes Did Not Affect	4	60	.9	.9	4.4	
No Did Not Happen	5	6497	94.7	95.6	100.0	
	-1	62	.9	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases	6799	Missing cases	62			

PD250A Partner Became Pregnant Since Baby was B						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	302	4.4	4.4	4.4
No		2.00	6559	95.6	95.6	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6861	Missing cases		0	

D32. You started a new job  
[If multiple ticks are given, coded for the lowest value given]

PD251 Started New Job Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	205	3.0	3.0	3.0
Yes Mod Affected	2	161	2.3	2.4	5.4
Yes Mildly Affected	3	203	3.0	3.0	8.4
Yes Did Not Affect	4	232	3.4	3.4	11.8
No Did Not Happen	5	6002	87.5	88.2	100.0
	-1	58	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6803	Missing cases	58		

PD251A Started New Job Since Baby was Born					
Value	Label	Value	Frequency	Percent	Cum Valid Percent
Yes		1.00	801	11.7	11.7
No		2.00	6060	88.3	100.0
			-----	-----	-----
		Total	6861	100.0	100.0
Valid cases	6861	Missing cases	0		

D33. You returned to work  
[If multiple ticks are given, coded for the lowest value given]

PD252      Returned to Work Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	69	1.0	1.0	1.0
Yes Mod Affected	2	56	.8	.8	1.8
Yes Mildly Affected	3	69	1.0	1.0	2.9
Yes Did Not Affect	4	163	2.4	2.4	5.3
No Did Not Happen	5	6429	93.7	94.7	100.0
	-1	75	1.1	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6786	Missing cases	75		

PD252A Returned to Work Since Baby was Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	357	5.2	5.2	5.2
No		2.00	6504	94.8	94.8	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D34. Your partner had a miscarriage  
[If multiple ticks are given, coded for the lowest value given]

PD253 Partner Had Miscarriage Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	Affected A Lot	1	20	.3	.3	.3
Yes	Mod Affected	2	17	.2	.2	.5
Yes	Mildly Affected	3	10	.1	.1	.7
Yes	Did Not Affect	4	8	.1	.1	.8
No	Did Not Happen	5	6751	98.4	99.2	100.0
		-1	55	.8	Missing	
			-----	-----	-----	
	Total		6861	100.0	100.0	
Valid cases	6806	Missing cases	55			

PD253A Partner Had Miscarriage Since Baby was B						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	55	.8	.8	.8
No		2.00	6806	99.2	99.2	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D35. Your partner had an abortion  
[If multiple ticks are given, coded for the lowest value given]

PD254 Partner Had Abortion Since Baby Born					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	10	.1	.1	.1
Yes Mod Affected	2	7	.1	.1	.2
Yes Mildly Affected	3	6	.1	.1	.3
Yes Did Not Affect	4	4	.1	.1	.4
No Did Not Happen	5	6782	98.8	99.6	100.0
	-1	52	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6809	Missing cases	52		

PD254A Partner Had Abortion Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	27	.4	.4	.4
No		2.00	6834	99.6	99.6	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D36. You took an examination  
[If multiple ticks are given, coded for the lowest value given]

PD255 Took Examination Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	57	.8	.8	.8
Yes Mod Affected	2	98	1.4	1.4	2.3
Yes Mildly Affected	3	166	2.4	2.4	4.7
Yes Did Not Affect	4	244	3.6	3.6	8.3
No Did Not Happen	5	6238	90.9	91.7	100.0
	-1	58	.8	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	
Valid cases	6803	Missing cases	58		

PD255A Total Examination Since Baby was Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	565	8.2	8.2	8.2
No	2.00	6296	91.8	91.8	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

D37. Your partner was emotionally cruel to you  
[If multiple ticks are given, coded for the lowest value given]

PD256 Partner Emotionally Cruel Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	102	1.5	1.5	1.5
Yes Mod Affected	2	92	1.3	1.4	2.9
Yes Mildly Affected	3	167	2.4	2.5	5.3
Yes Did Not Affect	4	82	1.2	1.2	6.5
No Did Not Happen	5	6353	92.6	93.5	100.0
	-1	65	.9	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	
Valid cases	6796	Missing cases	65		

PD256A Partner Emotionally Cruel Since Baby was

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	443	6.5	6.5	6.5
No	2.00	6418	93.5	93.5	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

D38. Your partner was emotionally cruel to the children  
[If multiple ticks are given, coded for the lowest value given]

PD257 Partner Emotionally Cruel To Children					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	11	.2	.2	.2
Yes Mod Affected	2	9	.1	.1	.3
Yes Mildly Affected	3	23	.3	.3	.6
Yes Did Not Affect	4	10	.1	.1	.8
No Did Not Happen	5	6747	98.3	99.2	100.0
	-1	61	.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6800	Missing cases	61		

PD257A Partner Emotionally Cruel to Children						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	53	.8	.8	.8
No		2.00	6808	99.2	99.2	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D39. You were emotionally cruel to the children  
[If multiple ticks are given, coded for the lowest value given]

PD258 Self Emotionally Cruel To Children					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Affected A Lot	1	12	.2	.2	.2
Yes Mod Affected	2	12	.2	.2	.4
Yes Mildly Affected	3	23	.3	.3	.7
Yes Did Not Affect	4	12	.2	.2	.9
No Did Not Happen	5	6737	98.2	99.1	100.0
	-1	65	.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6796	Missing cases	65		

PD258A Self Emotionally Cruel to Children						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	59	.9	.9	.9
No		2.00	6802	99.1	99.1	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			



D40. Your house or car was burgled  
[If multiple ticks are given, coded for the lowest value given]

PD259	House/Car Burgled Since Baby Born					
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	Affected A Lot	1	78	1.1	1.1	1.1
Yes	Mod Affected	2	144	2.1	2.1	3.3
Yes	Mildly Affected	3	273	4.0	4.0	7.3
Yes	Did Not Affect	4	276	4.0	4.1	11.3
No	Did Not Happen	5	6032	87.9	88.7	100.0
		-1	58	.8	Missing	
			-----	-----	-----	
	Total		6861	100.0	100.0	
Valid cases	6803	Missing cases	58			

PD259A House/Car Burgled Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	771	11.2	11.2	11.2
No		2.00	6090	88.8	88.8	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6861	Missing cases		0	

D41. Your partner started a new job  
[If multiple ticks are given, coded for the lowest value given]

PD260 Partner Started New Job Since Baby Born						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes Affected A Lot	1	59	.9	.9	.9	
Yes Mod Affected	2	102	1.5	1.5	2.4	
Yes Mildly Affected	3	197	2.9	2.9	5.3	
Yes Did Not Affect	4	266	3.9	3.9	9.2	
No Did Not Happen	5	6181	90.1	90.8	100.0	
	-1	56	.8	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases	6805	Missing cases	56			

PD260A Partner Started New Job Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	624	9.1	9.1	9.1
No		2.00	6237	90.9	90.9	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D42. A pet died  
[If multiple ticks are given, coded for the lowest value given]

PD261 Pet Died Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	Affected A Lot	1	54	.8	.8	.8
Yes	Mod Affected	2	59	.9	.9	1.7
Yes	Mildly Affected	3	116	1.7	1.7	3.4
Yes	Did Not Affect	4	173	2.5	2.5	5.9
No	Did Not Happen	5	6402	93.3	94.1	100.0
		-1	57	.8	Missing	
			-----	-----	-----	
	Total		6861	100.0	100.0	
Valid cases	6804	Missing cases	57			

PD261A Pet Died Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	402	5.9	5.9	5.9
No		2.00	6459	94.1	94.1	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D43. You had an accident (please describe)  
[If something is written on 'please describe' line coder ensures the appropriate boxes have been ticked. If no tick is given, zero is coded to show information. Coder checks comment given cannot be recoded elsewhere]

PD262 Had Accident Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other		0	9	.1	.1	.1
Yes Affected A Lot		1	41	.6	.6	.7
Yes Mod Affected		2	44	.6	.7	1.4
Yes Mildly Affected		3	65	.9	1.0	2.4
Yes Did Not Affect		4	77	1.1	1.2	3.5
No Did Not Happen		5	6451	94.0	96.5	100.0
		-1	174	2.5	Missing	
					-----	
		Total	6861	100.0	100.0	
Valid cases	6687	Missing cases	174			

PD262A Had Accident Since Baby Born						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	236	3.4	3.4	3.4
No		2.00	6625	96.6	96.6	100.0
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0			

D44. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope since the baby was born?

Yes No

[If yes is ticked, coder checks the description differs from events listed previously in Section D. If it is the same information coder recodes as that event and ticks 'No' in D44a]

PD263 Other Concern Since Baby Born

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	536	7.8	9.0	9.0
No	2	5390	78.6	91.0	100.0
	-1	935	13.6	Missing	
	Total	6861	100.0	100.0	

Valid cases 5926 Missing cases 935

If yes,

D44. b) please describe:

[Not coded - keyed as text]

D44. c) How did this affect you?

a lot  
moderately  
mildly  
not at all

[If multiple ticks are given, coded for the lowest value given]

PD264 How Did Other Concern Affect You?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A Lot	1	314	4.6	4.6	4.6
Moderately	2	151	2.2	2.2	6.8
Mildly	3	58	.8	.8	7.6
Not at All	4	4	.1	.1	7.7
	5	6325	92.2	92.3	100.0
	-1	9	.1	Missing	
	Total	6861	100.0	100.0	

Valid cases 6852 Missing cases 9

D45. Space for any comments:

[Coded as '1' if any comments given, if no comments coder leaves blank]  
(computer codes 2 if NE 1)

PD264B Any Comments Written					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Yes		1	105	1.5	1.5
No		2	6756	98.5	98.5 100.0
		Total	6861	100.0	100.0
Valid cases	6861	Missing cases	0		

## Derived variables

### Weighted life events score

Variables PD220 - PD262 recoded (1,2,3,4,5 = 4,3,2,1,0)

Missing items coded 0 unless all items missing

PD265 = PD220 + ... + PD262

PD265 Weighted Life Event Scores					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
.00		641	9.3	9.4	9.4
1.00		451	6.6	6.6	15.9
2.00		555	8.1	8.1	24.1
3.00		527	7.7	7.7	31.8
4.00		563	8.2	8.2	40.0
5.00		472	6.9	6.9	46.9
6.00		436	6.4	6.4	53.2
7.00		398	5.8	5.8	59.0
8.00		370	5.4	5.4	64.5
9.00		341	5.0	5.0	69.4
10.00		280	4.1	4.1	73.5
11.00		234	3.4	3.4	76.9
12.00		230	3.4	3.4	80.3
13.00		156	2.3	2.3	82.6
14.00		180	2.6	2.6	85.2
15.00		122	1.8	1.8	87.0
16.00		110	1.6	1.6	88.6
17.00		95	1.4	1.4	90.0
18.00		97	1.4	1.4	91.4
19.00		87	1.3	1.3	92.7
20.00		75	1.1	1.1	93.8
21.00		69	1.0	1.0	94.8
22.00		49	.7	.7	95.5
23.00		42	.6	.6	96.1
24.00		43	.6	.6	96.7
25.00		33	.5	.5	97.2
26.00		20	.3	.3	97.5
27.00		17	.2	.2	97.8
28.00		24	.3	.4	98.1
29.00		20	.3	.3	98.4
30.00		20	.3	.3	98.7
31.00		14	.2	.2	98.9
32.00		10	.1	.1	99.0
33.00		8	.1	.1	99.2
34.00		7	.1	.1	99.3
35.00		7	.1	.1	99.4
36.00		4	.1	.1	99.4

PD265 (cont.)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	37.00	5	.1	.1	99.5
	38.00	3	.0	.0	99.5
	39.00	5	.1	.1	99.6
	40.00	9	.1	.1	99.7
	41.00	3	.0	.0	99.8
	42.00	3	.0	.0	99.8
	43.00	2	.0	.0	99.9
	44.00	4	.1	.1	99.9
	45.00	1	.0	.0	99.9
	48.00	2	.0	.0	100.0
	55.00	1	.0	.0	100.0
	71.00	1	.0	.0	100.0
	75.00	1	.0	.0	100.0
	-1.00	14	.2	Missing	
Total		6861	100.0	100.0	

Valid cases 6847 Missing cases 14

### Life events score

Variables PD220A - PD262A recoded (1=1)(2=0)(-1=0)

If PD265 = -1, PD266 = -1

PD266 Life Event Scores

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	641	9.3	9.4	9.4
	1.00	932	13.6	13.6	23.0
	2.00	1117	16.3	16.3	39.3
	3.00	1072	15.6	15.7	54.9
	4.00	959	14.0	14.0	68.9
	5.00	728	10.6	10.6	79.6
	6.00	486	7.1	7.1	86.7
	7.00	345	5.0	5.0	91.7
	8.00	238	3.5	3.5	95.2
	9.00	144	2.1	2.1	97.3
	10.00	78	1.1	1.1	98.4
	11.00	38	.6	.6	99.0
	12.00	28	.4	.4	99.4
	13.00	17	.2	.2	99.6
	14.00	9	.1	.1	99.8
	15.00	3	.0	.0	99.8
	16.00	5	.1	.1	99.9
	19.00	2	.0	.0	99.9
	20.00	2	.0	.0	100.0
	21.00	1	.0	.0	100.0
	25.00	1	.0	.0	100.0
	26.00	1	.0	.0	100.0
	-1.00	14	.2	Missing	
Total		6861	100.0	100.0	

Valid cases 6847 Missing cases 14

## SECTION E: YOUR PARTNER

[We assume your partner is female - but recognise that this may not be so]

E1. The following questions are about how your partner gets on with the baby.

Always                      Sometimes                      Never

- E1. a) She really enjoys this baby
- E1. b) She would really have preferred that we had not had this baby when we did
- E1. c) She likes to play with the baby
- E1. d) She is confident with the baby
- E1. e) She takes great pleasure in watching the baby develop
- E1. f) She really cannot bear it when the baby cries
- E1. g) She dislikes the mess that surrounds the baby
- E1. h) I trust her alone with the baby
- E1. i) She takes an active part in bringing up the baby

[E1a) to i) coding sheet specifies code “rarely” as “sometimes”]

PD545 Partner Really Enjoys Baby						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	5992	87.3	87.8	87.8
Sometimes		2	814	11.9	11.9	99.7
Never		3	18	.3	.3	100.0
		-1	37	.5	Missing	
		Total	6861	100.0	100.0	
Valid cases	6824	Missing cases		37		

PD546	Partner Preferred Not To Have Baby					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Always	1	147	2.1	2.2	2.2	
Sometimes	2	571	8.3	8.4	10.5	
Never	3	6106	89.0	89.5	100.0	
	-1	37	.5	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases	6824	Missing cases	37			

PD547 Partner Likes To Play With Baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	5994	87.4	87.8	87.8
Sometimes	2	807	11.8	11.8	99.7
Never	3	23	.3	.3	100.0
	-1	37	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6824 Missing cases 37

PD548 Partner Confident With Baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	6582	95.9	96.5	96.5
Sometimes	2	214	3.1	3.1	99.6
Never	3	28	.4	.4	100.0
	-1	37	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6824 Missing cases 37

PD549 Partner Takes Pleasure Watching Development

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	6685	97.4	98.0	98.0
Sometimes	2	111	1.6	1.6	99.6
Never	3	28	.4	.4	100.0
	-1	37	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6824 Missing cases 37

PD550 Partner Cannot Bear Baby Crying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	500	7.3	7.3	7.3
Sometimes	2	3717	54.2	54.5	61.8
Never	3	2607	38.0	38.2	100.0
	-1	37	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6824 Missing cases 37

PD551 Partner Dislikes Mess Surrounding Baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	259	3.8	3.8	3.8
Sometimes	2	1469	21.4	21.5	25.3
Never	3	5096	74.3	74.7	100.0
	-1	37	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6824 Missing cases 37

PD552 Trust Partner Alone With Baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	3558	51.9	52.1	52.1
Sometimes	2	29	.4	.4	52.6
Never	3	3236	47.2	47.4	100.0
	-1	38	.6	Missing	
	Total	6861	100.0	100.0	

Valid cases 6823 Missing cases 38

PD553 Partner Takes Active Part Bringing Baby Up

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always	1	6710	97.8	98.3	98.3
Sometimes	2	37	.5	.5	98.9
Never	3	77	1.1	1.1	100.0
	-1	37	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6824 Missing cases 37

## Derived variable

### Partner's attitude to baby

PD554 Partners Attitude to Baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2.00	1	.0	.0	.0
	3.00	1	.0	.0	.0
	4.00	1	.0	.0	.0
	5.00	1	.0	.0	.1
	6.00	5	.1	.1	.1
	7.00	7	.1	.1	.2
	8.00	12	.2	.2	.4
	9.00	12	.2	.2	.6
	10.00	36	.5	.5	1.1
	11.00	82	1.2	1.2	2.3
	12.00	202	2.9	3.0	5.3
	13.00	427	6.2	6.3	11.5
	14.00	931	13.6	13.6	25.2
	15.00	1225	17.9	18.0	43.1
	16.00	1560	22.7	22.9	66.0
	17.00	1249	18.2	18.3	84.3
	18.00	1071	15.6	15.7	100.0
	-1.00	38	.6	Missing	
	Total	6861	100.0	100.0	

Valid cases 6823 Missing cases 38



E2. Below are a number of statements. How frequently does each description fit your own partnership?

Very often      Often      Sometimes      Rarely      Never

a) Would you say your partner is loving (affectionate) toward you?  
[If multiple ticks are given, coded for the highest value given]

PD580 Say Partner is Affectionate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	2640	38.5	38.8	38.8
Often	2	2304	33.6	33.8	72.6
Sometimes	3	1470	21.4	21.6	94.2
Rarely	4	355	5.2	5.2	99.4
Never	5	40	.6	.6	100.0
	-1	52	.8	Missing	
	Total	6861	100.0	100.0	

Valid cases 6809 Missing cases 52

E2. b) Does your partner get angry with you?  
[If multiple ticks are given, coded for the lowest value given]

PD581 Does Partner Get Angry

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	246	3.6	3.6	3.6
Often	2	766	11.2	11.2	14.9
Sometimes	3	3457	50.4	50.7	65.6
Rarely	4	2083	30.4	30.6	96.2
Never	5	261	3.8	3.8	100.0
	-1	48	.7	Missing	
	Total	6861	100.0	100.0	

Valid cases 6813 Missing cases 48

E2. c) Does your partner listen to you when you want to discuss your problems or talk about your feelings?  
[If multiple ticks are given, coded for the highest value given]

PD582 Partner Listens to Problems

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	2776	40.5	40.8	40.8
Often	2	2331	34.0	34.2	75.0
Sometimes	3	1341	19.5	19.7	94.7
Rarely	4	287	4.2	4.2	98.9
Never	5	72	1.0	1.1	100.0
	-1	54	.8	Missing	
	Total	6861	100.0	100.0	

Valid cases 6807 Missing cases 54

E2. d) Do you have arguments with your partner?  
[If multiple ticks are given, coded for the lowest value given]

PD583 Have Arguments With Partner					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Very Often		1	153	2.2	2.2
Often		2	506	7.4	7.4
Sometimes		3	3070	44.7	54.7
Rarely		4	2656	38.7	93.7
Never		5	429	6.3	100.0
		-1	47	.7	Missing
			-----	-----	-----
		Total	6861	100.0	100.0
Valid cases	6814	Missing cases	47		

E2. e) Does your partner talk to you about her problems and feelings?  
[If multiple ticks are given, coded for the highest value given]

PD584 Partner Talks About Her Feelings					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	1760	25.7	25.9	25.9
Often	2	2327	33.9	34.2	60.0
Sometimes	3	2070	30.2	30.4	90.5
Rarely	4	554	8.1	8.1	98.6
Never	5	95	1.4	1.4	100.0
	-1	55	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6806	Missing cases	55		

E2. f) Do you get angry with your partner?  
[If multiple ticks are given, coded for the lowest value given]

PD585 Ever Get Angry With Partner						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Very Often	1	89	1.3	1.3	1.3
	Often	2	375	5.5	5.5	6.8
	Sometimes	3	3227	47.0	47.3	54.1
	Rarely	4	2664	38.8	39.1	93.2
	Never	5	463	6.7	6.8	100.0
		-1	43	.6	Missing	
			-----	-----	-----	
	Total		6861	100.0	100.0	
Valid cases	6818	Missing cases	43			

E2. g) Do you enjoy the company of your partner?  
[If multiple ticks are given, coded for the highest value given]

PD586		Enjoy Company of Partner				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Very Often	1	4727	68.9	69.3	69.3
	Often	2	1692	24.7	24.8	94.1
	Sometimes	3	359	5.2	5.3	99.4
	Rarely	4	32	.5	.5	99.9
	Never	5	10	.1	.1	100.0
		-1	41	.6	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6820	Missing cases	41			

E2. h) Does your partner show her approval of you?  
[If multiple ticks are given, coded for the highest value given]

PD587 Partner Shows Approval						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Very Often	1	2616	38.1	38.4	38.4
	Often	2	2187	31.9	32.1	70.6
	Sometimes	3	1544	22.5	22.7	93.2
	Rarely	4	378	5.5	5.6	98.8
	Never	5	82	1.2	1.2	100.0
		-1	54	.8	Missing	
			-----	-----	-----	
	Total		6861	100.0	100.0	
Valid cases	6807	Missing cases	54			

E2. i) Do you behave affectionately toward your partner?  
[If multiple ticks are given, coded for the highest value given]

PD588 Behave Affectionately Toward Partner					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	2591	37.8	38.0	38.0
Often	2	2505	36.5	36.7	74.8
Sometimes	3	1534	22.4	22.5	97.3
Rarely	4	156	2.3	2.3	99.5
Never	5	31	.5	.5	100.0
	-1	44	.6	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6817	Missing cases	44		

E2. j) Do you go out socially together?  
[If multiple ticks are given, coded for the highest value given]

PD589      Go Out Socially With Partner					
Value	Label	Value	Frequency	Percent	Valid Percent      Cum Percent
Very Often		1	662	9.6	9.7      9.7
Often		2	1086	15.8	15.9      25.6
Sometimes		3	2910	42.4	42.7      68.3
Rarely		4	1924	28.0	28.2      96.6
Never		5	233	3.4	3.4      100.0
		-1	46	.7	Missing
			-----	-----	-----
		Total	6861	100.0	100.0
Valid cases	6815	Missing cases	46		

E2. k) Does your partner hug and kiss you?  
[If multiple ticks are given, coded for the highest value given]

PD590 Partner Hugs and Kisses						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Very Often	1	2187	31.9	32.1	32.1
	Often	2	1928	28.1	28.3	60.3
	Sometimes	3	1830	26.7	26.8	87.2
	Rarely	4	720	10.5	10.6	97.7
	Never	5	154	2.2	2.3	100.0
		-1	42	.6	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6819	Missing cases	42			

E2. l) Do you feel parenthood has brought you closer together?  
[If multiple ticks are given, coded for the highest value given]

PD591      Feel Parenthood Brought Closer					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	2128	31.0	31.4	31.4
Often	2	1873	27.3	27.6	59.0
Sometimes	3	1936	28.2	28.6	87.6
Rarely	4	564	8.2	8.3	95.9
Never	5	280	4.1	4.1	100.0
	-1	80	1.2	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6781	Missing cases	80		

E2. m) Does your partner hold you in her arms?  
[If multiple ticks are given, coded for the highest value given]

PD592 Partner Holds in Arms					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	1934	28.2	28.4	28.4
Often	2	1680	24.5	24.6	53.0
Sometimes	3	2098	30.6	30.8	83.7
Rarely	4	837	12.2	12.3	96.0
Never	5	272	4.0	4.0	100.0
	-1	40	.6	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6821	Missing cases	40		

### Derived variables

PD593 Affection Score					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	10.00	185	2.7	2.8	2.8
	11.00	153	2.2	2.3	5.0
	12.00	340	5.0	5.1	10.1
	13.00	326	4.8	4.9	15.0
	14.00	322	4.7	4.8	19.8
	15.00	323	4.7	4.8	24.6
	16.00	316	4.6	4.7	29.3
	17.00	324	4.7	4.8	34.2
	18.00	330	4.8	4.9	39.1
	19.00	324	4.7	4.8	43.9
	20.00	354	5.2	5.3	49.2
	21.00	312	4.5	4.7	53.9
	22.00	353	5.1	5.3	59.2
	23.00	314	4.6	4.7	63.8
	24.00	309	4.5	4.6	68.5
	25.00	296	4.3	4.4	72.9
	26.00	272	4.0	4.1	76.9
	27.00	260	3.8	3.9	80.8
	28.00	222	3.2	3.3	84.1
	29.00	222	3.2	3.3	87.4
	30.00	190	2.8	2.8	90.3
	31.00	127	1.9	1.9	92.2
	32.00	107	1.6	1.6	93.8
	33.00	102	1.5	1.5	95.3
	34.00	77	1.1	1.1	96.4
	35.00	50	.7	.7	97.2
	36.00	43	.6	.6	97.8
	37.00	30	.4	.4	98.3
	38.00	33	.5	.5	98.8
	39.00	21	.3	.3	99.1
	40.00	18	.3	.3	99.4
	41.00	13	.2	.2	99.6
	42.00	13	.2	.2	99.7
	43.00	4	.1	.1	99.8
	44.00	2	.0	.0	99.8
	45.00	2	.0	.0	99.9
	46.00	1	.0	.0	99.9
	47.00	4	.1	.1	99.9
	48.00	1	.0	.0	100.0
	49.00	2	.0	.0	100.0
	50.00	1	.0	.0	100.0
	-1.00	163	2.4	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6698	Missing cases	163		

PD594 No. Of Missing Values

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6698	97.6	97.6	97.6
	1.00	112	1.6	1.6	99.3
	2.00	11	.2	.2	99.4
	3.00	3	.0	.0	99.5
	9.00	5	.1	.1	99.5
	10.00	32	.5	.5	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

PD595 Affection Score with Modes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	10.00	187	2.7	2.7	2.7
	11.00	154	2.2	2.3	5.0
	12.00	345	5.0	5.1	10.0
	13.00	332	4.8	4.9	14.9
	14.00	326	4.8	4.8	19.7
	15.00	333	4.9	4.9	24.6
	16.00	328	4.8	4.8	29.4
	17.00	330	4.8	4.8	34.2
	18.00	337	4.9	4.9	39.1
	19.00	330	4.8	4.8	44.0
	20.00	358	5.2	5.2	49.2
	21.00	320	4.7	4.7	53.9
	22.00	360	5.2	5.3	59.2
	23.00	323	4.7	4.7	63.9
	24.00	314	4.6	4.6	68.5
	25.00	302	4.4	4.4	72.9
	26.00	278	4.1	4.1	77.0
	27.00	263	3.8	3.9	80.8
	28.00	227	3.3	3.3	84.2
	29.00	224	3.3	3.3	87.4
	30.00	193	2.8	2.8	90.3
	31.00	129	1.9	1.9	92.2
	32.00	109	1.6	1.6	93.7
	33.00	104	1.5	1.5	95.3
	34.00	77	1.1	1.1	96.4
	35.00	50	.7	.7	97.1
	36.00	49	.7	.7	97.8
	37.00	30	.4	.4	98.3
	38.00	34	.5	.5	98.8
	39.00	21	.3	.3	99.1
	40.00	18	.3	.3	99.4
	41.00	14	.2	.2	99.6
	42.00	13	.2	.2	99.8
	43.00	4	.1	.1	99.8
	44.00	2	.0	.0	99.8
	45.00	2	.0	.0	99.9
	46.00	1	.0	.0	99.9
	47.00	4	.1	.1	99.9
	48.00	1	.0	.0	100.0
	49.00	2	.0	.0	100.0
	50.00	1	.0	.0	100.0
	-1.00	32	.5	Missing	
	Total	6861	100.0	100.0	
Valid cases	6829	Missing cases	32		

PD596 Aggression Scores

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3.00	38	.6	.6	.6
	4.00	54	.8	.8	1.4
	5.00	95	1.4	1.4	2.8
	6.00	194	2.8	2.9	5.6
	7.00	261	3.8	3.8	9.4
	8.00	440	6.4	6.5	15.9
	9.00	1982	28.9	29.2	45.1
	10.00	890	13.0	13.1	58.2
	11.00	889	13.0	13.1	71.3
	12.00	1385	20.2	20.4	91.7
	13.00	296	4.3	4.4	96.0
	14.00	159	2.3	2.3	98.4
	15.00	112	1.6	1.6	100.0
	-1.00	66	1.0	Missing	
	Total	6861	100.0	100.0	

Valid cases 6795 Missing cases 66

PD597 No. Of Missing Values

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6795	99.0	99.0	99.0
	1.00	27	.4	.4	99.4
	2.00	6	.1	.1	99.5
	3.00	33	.5	.5	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD598 Aggression Score with Modes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3.00	38	.6	.6	.6
	4.00	54	.8	.8	1.3
	5.00	95	1.4	1.4	2.7
	6.00	194	2.8	2.8	5.6
	7.00	262	3.8	3.8	9.4
	8.00	443	6.5	6.5	15.9
	9.00	1992	29.0	29.2	45.1
	10.00	896	13.1	13.1	58.2
	11.00	898	13.1	13.2	71.4
	12.00	1386	20.2	20.3	91.7
	13.00	299	4.4	4.4	96.0
	14.00	159	2.3	2.3	98.4
	15.00	112	1.6	1.6	100.0
	-1.00	33	.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 6828 Missing cases 33

## SECTION F: YOUR OCCUPATION AND LIFESTYLE

F1. How many cigarettes per day do you currently smoke?

30+	25-29	20-24	15-19
10-14	5-9	1-4	none

[Two-digit numbers are keyed here. If respondent only smoked 'occasionally', information would have been coded as 97 - but did not occur here]

PD620 Cigarettes Smoked Per Day						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		0	4936	71.9	72.7	72.7
1-4		1	226	3.3	3.3	76.0
5-9		5	238	3.5	3.5	79.5
10-14		10	393	5.7	5.8	85.3
15-19		15	382	5.6	5.6	91.0
20-24		20	408	5.9	6.0	97.0
25-29		25	124	1.8	1.8	98.8
30+		30	80	1.2	1.2	100.0
		-1	74	1.1	Missing	
		Total	6861	100.0	100.0	
Valid cases	6787	Missing cases	74			

PD621 Cigarettes Smoked per Day						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	None	.00	4936	71.9	72.7	72.7
	<10	1.00	464	6.8	6.8	79.6
	10-19	2.00	775	11.3	11.4	91.0
	20+	3.00	612	8.9	9.0	100.0
		-1.00	74	1.1	Missing	
			-----	-----	-----	
	Total		6861	100.0	100.0	
Valid cases	6787	Missing cases	74			

F2. a) How often do you drink alcoholic drinks?

every day  
 3-6 times per week  
 1-2 times per week  
 occasionally  
 never

[If multiple ticks are given, coded for the lowest value given]



PD625	Frequency Alcoholic Drinks Drunk				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	492	7.2	7.2	7.2
3-6 Times P/Wk	2	1694	24.7	24.8	32.0
1-2 Times P/Wk	3	2072	30.2	30.3	62.3
Occasionally	4	2253	32.8	33.0	95.3
Never	5	320	4.7	4.7	100.0
	-1	30	.4	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6831	Missing cases	30		

F2. b) How many days in the past month do you think you have had the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

every day                      more than 10 days  
5-10 days                      3-4 days  
1-2 days                      none

[If multiple ticks are given, coded for the lowest value given]

PD626	Past Month: Equivalent 2 Pints or 4 Glass				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	211	3.1	3.1	3.1
>10 Days	2	1084	15.8	15.9	19.0
5-10 Days	3	1676	24.4	24.6	43.6
3-4 Days	4	1331	19.4	19.5	63.2
1-2 Days	5	1338	19.5	19.6	82.8
None	6	1170	17.1	17.2	100.0
	-1	51	.7	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6810	Missing cases	51		

F3. Compared with other fathers of your age, would you consider yourself to be:

much more active  
somewhat more active  
about the same  
somewhat less active

[If multiple ticks are given, coded for the highest value given]

PD630	Activity Compared To Other Fathers				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Much More Active	1	997	14.5	14.7	14.7
Somewhat More Active	2	1957	28.5	28.8	43.4
About the Same	3	3434	50.1	50.5	94.0
Somewhat Less Active	4	411	6.0	6.0	100.0
	-1	62	.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6799	Missing cases	62		

F4.                      How many evenings a week do you usually go out?                      evenings

[If range is given the higher number is coded, Fractions are rounded up to next whole number. If fractions are < 0.5 or 'occasionally' is stated coded as 97]  
(This was recoded to 0)

PD631A      No. Evenings Usually Go Out

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	2199	32.1	33.0	33.0
	1.00	2639	38.5	39.6	72.7
	2.00	1198	17.5	18.0	90.7
	3.00	375	5.5	5.6	96.3
	4.00	120	1.7	1.8	98.1
	5.00	66	1.0	1.0	99.1
	6.00	29	.4	.4	99.5
	7.00	30	.4	.5	100.0
	-1.00	205	3.0	Missing	
	Total	6861	100.0	100.0	

Valid cases      6656      Missing cases      205

F5.      What is your present job situation?

employed  
unemployed but looking for a job  
in full-time education  
looking after the home and family  
other (please describe)

[If more than one box is ticked, information is recoded as "other" and the relevant numbers are placed on the "please describe" line]

PD635      Present Job Situation

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Employed	1	5755	83.9	84.9	84.9
Unemployed Seeking Job	2	589	8.6	8.7	93.6
In Full Time Education	3	54	.8	.8	94.4
Looking After Home	4	90	1.3	1.3	95.7
Other	5	290	4.2	4.3	100.0
	-1	83	1.2	Missing	
	Total	6861	100.0	100.0	

Valid cases      6778      Missing cases      83

F6. As far as you can, please describe the actual job, occupation, trade or profession. (Use precise terms such as radio mechanic, woodworking machinist, tool room foreman. If the occupation is known by a special name, please use that name. If in H.M. Forces, give the rank in addition to the actual job. Please also describe the type of industry or service given: i.e. give details of what is made, materials used, or services given.)

Your present job or last main job

F6. i) Actual job, occupation, trade or profession  
[Not coded - keyed as text]

F6. ii) Hours worked per week: (on average)

["Full-time " or any hour "> 90" is coded as 90, "varies" is coded as 99, if range is given; upper limit is coded] (all codes >90 were put to missing)

PD636 Hours Worked Per Week

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		0	11	.2	.2	.2
		4	2	.0	.0	.2
		5	3	.0	.0	.2
		6	1	.0	.0	.3
		7	1	.0	.0	.3
		8	10	.1	.2	.4
		9	5	.1	.1	.5
		10	3	.0	.0	.5
		11	2	.0	.0	.6
		12	4	.1	.1	.6
		15	10	.1	.2	.8
		16	4	.1	.1	.9
		17	1	.0	.0	.9
		18	4	.1	.1	.9
		19	3	.0	.0	1.0
		20	20	.3	.3	1.3
		22	1	.0	.0	1.3
		23	3	.0	.0	1.3
		24	9	.1	.1	1.5
		25	22	.3	.3	1.8
		26	2	.0	.0	1.8
		27	3	.0	.0	1.9
		28	4	.1	.1	2.0
		29	1	.0	.0	2.0
		30	62	.9	.9	2.9
		31	4	.1	.1	3.0
		32	8	.1	.1	3.1
		33	3	.0	.0	3.1
		34	8	.1	.1	3.3
		35	216	3.1	3.3	6.6
		36	64	.9	1.0	7.5
		37	533	7.8	8.1	15.7
		38	321	4.7	4.9	20.6
		39	341	5.0	5.2	25.8
		40	1410	20.6	21.5	47.3
		41	38	.6	.6	47.9
		42	211	3.1	3.2	51.1
		43	78	1.1	1.2	52.3
		44	80	1.2	1.2	53.5
		45	721	10.5	11.0	64.5
		46	57	.8	.9	65.4
		47	48	.7	.7	66.1
		48	184	2.7	2.8	68.9
		49	27	.4	.4	69.3
		50	855	12.5	13.0	82.4

PD636 (cont.)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	51	9	.1	.1	82.5
	52	40	.6	.6	83.1
	53	7	.1	.1	83.2
	54	28	.4	.4	83.7
	55	237	3.5	3.6	87.3
	56	21	.3	.3	87.6
	57	17	.2	.3	87.9
	58	12	.2	.2	88.0
	59	2	.0	.0	88.1
	60	450	6.6	6.9	94.9
	61	2	.0	.0	95.0
	62	4	.1	.1	95.0
	63	2	.0	.0	95.1
	64	4	.1	.1	95.1
	65	80	1.2	1.2	96.3
	66	5	.1	.1	96.4
	67	7	.1	.1	96.5
	68	6	.1	.1	96.6
	70	101	1.5	1.5	98.2
	71	1	.0	.0	98.2
	72	18	.3	.3	98.4
	73	1	.0	.0	98.5
	74	2	.0	.0	98.5
	75	10	.1	.2	98.6
	76	1	.0	.0	98.7
	77	3	.0	.0	98.7
	78	2	.0	.0	98.7
	80	37	.5	.6	99.3
	83	3	.0	.0	99.3
	84	10	.1	.2	99.5
	85	7	.1	.1	99.6
	86	2	.0	.0	99.6
	87	1	.0	.0	99.6
	88	2	.0	.0	99.7
	90	21	.3	.3	100.0
	-1	308	4.5	Missing	
Total		6861	100.0	100.0	
Valid cases	6553	Missing cases	308		

F6.     iii)     Please tick which of the following apply to you:

foreman  
manager  
supervisor  
leading hand  
self-employed  
none of these

[If multiple ticks are given, coded for the lowest value given]

PD637     Job Position

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	125	1.8	1.9	1.9
	2	1581	23.0	23.9	25.8
	3	638	9.3	9.6	35.4
	4	487	7.1	7.4	42.8
	5	1168	17.0	17.6	60.4
None Of These	6	2623	38.2	39.6	100.0
	-1	239	3.5	Missing	
Total		6861	100.0	100.0	
Valid cases	6622	Missing cases	239		

F6. iv) Type of industry or service given (main things done in job):

[Not coded - keyed as text]

F7. Below are statements about how working affects being a parent.  
Please indicate which is true for you:

Yes almost always	Yes often	Not very often	Never	Do not work
-------------------------	--------------	----------------------	-------	----------------

F7. a) I enjoy seeing my baby after work  
[If multiple ticks are given, coded for the highest value given]

PD653      Enjoy Seeing Baby After Work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	10	.1	.2	.2
Yes Almost Always	1	4578	66.7	79.9	80.1
Yes Often	2	1076	15.7	18.8	98.9
Not Very Often	3	52	.8	.9	99.8
Never	4	4	.1	.1	99.8
Do Not Work	7	9	.1	.2	100.0
	-2	1106	16.1	Missing	
	-1	26	.4	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases      5729      Missing cases      1132

F7. b) After a day at work I find it hard to cope with a baby  
[If multiple ticks are given, coded for the lowest value given]

PD654      Hard To Cope With Baby After Work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	8	.1	.1	.1
Yes Almost Always	1	47	.7	.8	1.0
Yes Often	2	448	6.5	7.9	8.8
Not Very Often	3	3119	45.5	54.7	63.6
Never	4	2050	29.9	36.0	99.5
Do Not Work	7	26	.4	.5	100.0
	-2	1106	16.1	Missing	
	-1	57	.8	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases      5698      Missing cases      1163

F8. How difficult do you find it to afford these items nowadays:

Very difficult      Fairly difficult      Slightly difficult      Not difficult

F8. a) food

F8. b) clothing

F8. c) heating

F8. d) rent or mortgage

F8. e) things you need for the baby

[If multiple ticks are given, coded for the lowest value given]

PD680      Difficulty Affording Food

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Difficult	1	110	1.6	1.6	1.6
Fairly Difficult	2	490	7.1	7.2	8.8
Slightly Difficult	3	1295	18.9	19.0	27.8
Not Difficult	4	4924	71.8	72.2	100.0
	-1	42	.6	Missing	
	Total	6861	100.0	100.0	

Valid cases      6819      Missing cases      42

PD681      Difficulty Affording Clothing

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Difficult	1	713	10.4	10.5	10.5
Fairly Difficult	2	1182	17.2	17.3	27.8
Slightly Difficult	3	2312	33.7	33.9	61.7
Not Difficult	4	2612	38.1	38.3	100.0
	-1	42	.6	Missing	
	Total	6861	100.0	100.0	

Valid cases      6819      Missing cases      42

PD682      Difficulty Affording Heating

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Difficult	1	225	3.3	3.3	3.3
Fairly Difficult	2	636	9.3	9.3	12.6
Slightly Difficult	3	1598	23.3	23.4	36.1
Not Difficult	4	4360	63.5	63.9	100.0
	-1	42	.6	Missing	
	Total	6861	100.0	100.0	

Valid cases      6819      Missing cases      42

PD683      Difficulty Affording Rent/Mortgage					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Difficult	1	380	5.5	5.6	5.6
Fairly Difficult	2	636	9.3	9.3	14.9
Slightly Difficult	3	1564	22.8	22.9	37.8
Not Difficult	4	4239	61.8	62.2	100.0
	-1	42	.6	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases      6819      Missing cases      42					

PD684      Difficulty Affording Baby Things					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Difficult	1	186	2.7	2.7	2.7
Fairly Difficult	2	517	7.5	7.6	10.3
Slightly Difficult	3	1713	25.0	25.1	35.4
Not Difficult	4	4403	64.2	64.6	100.0
	-1	42	.6	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases      6819      Missing cases      42					

### Derived variable

Financial difficulties. This was calculated from variables PD680-PD684 using the algorithm:

20 - PD680 - PD681 - PD682 - PD683 - PD684

Thus 0 represented no financial difficulties and 15 the maximum financial difficulties. If any of PD680 - PD684 was missing, PD685 was put to missing.

PD685      Financial Difficulties Score					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	2222	32.4	32.6	32.6
	1.00	1011	14.7	14.8	47.4
	2.00	732	10.7	10.7	58.1
	3.00	543	7.9	8.0	66.1
	4.00	438	6.4	6.4	72.5
	5.00	557	8.1	8.2	80.7
	6.00	290	4.2	4.3	85.0
	7.00	231	3.4	3.4	88.3
	8.00	182	2.7	2.7	91.0
	9.00	138	2.0	2.0	93.0
	10.00	181	2.6	2.7	95.7
	11.00	90	1.3	1.3	97.0
	12.00	66	1.0	1.0	98.0
	13.00	47	.7	.7	98.7
	14.00	18	.3	.3	98.9
	15.00	73	1.1	1.1	100.0
	-1.00	42	.6	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases      6819      Missing cases      42					

F9. How much help would you say you have given with the following since having your baby?

A lot of help      Some help      Hardly any help      No help at all

F9. a) shopping

[If multiple ticks are given, coded for the highest value given]

PD686 Give Help With Shopping

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A Lot of Help	1	3119	45.5	45.8	45.8
Some Help	2	2468	36.0	36.2	82.0
Hardly Any Help	3	912	13.3	13.4	95.4
No Help At All	4	315	4.6	4.6	100.0
	-1	47	.7	Missing	
		Total	6861	100.0	100.0
Valid cases	6814	Missing cases	47		

F9. b) cleaning the home

[If multiple ticks are given, coded for the highest value given]

PD687 Give Help Cleaning The Home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A Lot of Help	1	1412	20.6	20.7	20.7
Some Help	2	3306	48.2	48.6	69.3
Hardly Any Help	3	1617	23.6	23.8	93.1
No Help At All	4	470	6.9	6.9	100.0
	-1	56	.8	Missing	
		Total	6861	100.0	100.0
Valid cases	6805	Missing cases	56		

F9. c) preparing meals

[If multiple ticks are given, coded for the highest value given]

PD688 Give Help Preparing Meals

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A Lot of Help	1	1968	28.7	28.9	28.9
Some Help	2	2756	40.2	40.5	69.4
Hardly Any Help	3	1503	21.9	22.1	91.5
No Help At All	4	576	8.4	8.5	100.0
	-1	58	.8	Missing	
		Total	6861	100.0	100.0
Valid cases	6803	Missing cases	58		



F9. d) washing up  
[If multiple ticks are given, coded for the highest value given]

PD689 Give Help Washing Up					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A Lot of Help	1	3067	44.7	45.1	45.1
Some Help	2	2575	37.5	37.9	83.1
Hardly Any Help	3	735	10.7	10.8	93.9
No Help At All	4	416	6.1	6.1	100.0
	-1	68	1.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6793	Missing cases	68		

F9. e) changing nappies  
[If multiple ticks are given, coded for the highest value given]

PD690 Give Help Changing Nappies					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
A Lot of Help		1	2429	35.4	35.7
Some Help		2	2954	43.1	43.4
Hardly Any Help		3	985	14.4	14.5
No Help At All		4	438	6.4	6.4
		-1	55	.8	Missing
			Total	6861	100.0
Valid cases	6806	Missing cases	55	100.0	100.0

F9. f) washing the clothes  
[If multiple ticks are given, coded for the highest value given]

PD691 Give Help Washing Clothes					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A Lot of Help	1	719	10.5	10.6	10.6
Some Help	2	1403	20.4	20.6	31.2
Hardly Any Help	3	2063	30.1	30.3	61.6
No Help At All	4	2613	38.1	38.4	100.0
	-1	63	.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6798	Missing cases	63		

F9. g) help with the housework  
[If multiple ticks are given, coded for the highest value given]

PD692 Give Help With Housework					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	41	.6	.6	.6
A Lot of Help	1	1217	17.7	17.7	18.3
Some Help	2	1804	26.3	26.3	44.6
Hardly Any Help	3	814	11.9	11.9	56.5
No Help At All	4	2985	43.5	43.5	100.0
		-----	-----	-----	
Total		6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

F9. h) cook meals  
[If multiple ticks are given, coded for the highest value given]

PD693 Give Help Cooking Meals					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A Lot of Help	1	960	14.0	31.4	31.4
Some Help	2	1158	16.9	37.8	69.2
Hardly Any Help	3	588	8.6	19.2	88.4
No Help At All	4	355	5.2	11.6	100.0
	-1	3800	55.4	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	3061	Missing cases	3800		

F9. i) looking after your other children  
[If multiple ticks are given, coded for the highest value given]

PD694 Give Help Looking After Other Kids						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Other	0	33	.5	1.4	1.4	
A Lot of Help	1	1050	15.3	43.6	45.0	
Some Help	2	802	11.7	33.3	78.2	
Hardly Any Help	3	60	.9	2.5	80.7	
No Help At All	4	399	5.8	16.6	97.3	
	7	65	.9	2.7	100.0	
	-1	4452	64.9	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases 2409 Missing cases 4452						

F9. j) other tasks (please describe)  
[If multiple ticks are given, coded for the highest value given]  
[If something is written on 'please describe' line coder ensures the appropriate boxes have been ticked. If no tick is given, zero is coded to show information. Coder checks comment given cannot be recoded elsewhere]

PD695 Give Help in Other Tasks						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other		0	39	.6	4.4	4.4
A Lot of Help		1	340	5.0	38.2	42.6
Some Help		2	165	2.4	18.6	61.2
Hardly Any Help		3	34	.5	3.8	65.0
No Help At All		4	308	4.5	34.6	99.7
		7	3	.0	.3	100.0
		-1	5972	87.0	Missing	
			-----	-----	-----	
	Total		6861	100.0	100.0	
Valid cases	889	Missing cases	5972			

## Derived variable

PD696 Help Score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	24	.3	.8	.8
	4.00	1	.0	.0	.8
	8.00	3	.0	.1	.9
	9.00	22	.3	.7	1.7
	10.00	1	.0	.0	1.7
	11.00	15	.2	.5	2.2
	12.00	8	.1	.3	2.5
	13.00	13	.2	.4	2.9
	14.00	20	.3	.7	3.6
	15.00	27	.4	.9	4.5
	16.00	43	.6	1.4	5.9
	17.00	44	.6	1.5	7.4
	18.00	67	1.0	2.2	9.6
	19.00	102	1.5	3.4	13.0
	20.00	98	1.4	3.3	16.3
	21.00	143	2.1	4.8	21.1
	22.00	180	2.6	6.0	27.1
	23.00	201	2.9	6.7	33.8
	24.00	235	3.4	7.9	41.7
	25.00	233	3.4	7.8	49.4
	26.00	239	3.5	8.0	57.4
	27.00	251	3.7	8.4	65.8
	28.00	219	3.2	7.3	73.1
	29.00	182	2.7	6.1	79.2
	30.00	160	2.3	5.3	84.6
	31.00	123	1.8	4.1	88.7
	32.00	101	1.5	3.4	92.0
	33.00	73	1.1	2.4	94.5
	34.00	50	.7	1.7	96.2
	35.00	34	.5	1.1	97.3
	36.00	81	1.2	2.7	100.0
	-1.00	3868	56.4	Missing	
Total		6861	100.0	100.0	
Valid cases	2993	Missing cases	3868		

F10. How many hours sleep do you get altogether now?

None      1 - 3      4 - 5      6 - 7      more than  
             hours      hours      hours      7 hours

F10. a) during an average night

F10. b) during an average day

[If multiple ticks are given, coded for the lowest value given]

PD700 Hours Sleep During Average Night

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	48	.7	.7	.7
1-3 Hours	2	23	.3	.3	1.0
4-5 Hours	3	625	9.1	9.2	10.3
6-7 Hours	4	4231	61.7	62.4	72.6
> 7 Hours	5	1855	27.0	27.4	100.0
	-1	79	1.2	Missing	
Total		6861	100.0	100.0	
Valid cases	6782	Missing cases	79		

PD701      Hours Sleep During Average Day						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	None	1	5781	84.3	90.4	90.4
	1-3 Hours	2	266	3.9	4.2	94.5
	4-5 Hours	3	71	1.0	1.1	95.6
	6-7 Hours	4	195	2.8	3.0	98.7
	> 7 Hours	5	84	1.2	1.3	100.0
		-1	464	6.8	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6397	Missing cases	464			

F11.      Do you feel that you are getting enough sleep?

Yes              No

["Sometimes" is coded "3"]

PD702      Feel Getting Enough Sleep						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	4354	63.5	64.1	64.1
Sometimes		2	28	.4	.4	64.5
No		3	2409	35.1	35.5	100.0
		-1	70	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6791	Missing cases		70	

F12.      On balance what would you say was the result of having this young baby?

Yes              No              Can't say

- F12.    a)      It has made a big difference to the way I live  
F12.    b)      It has meant that I have less money to spend on myself  
F12.    c)      It has meant that I have had to stay at home more than I used to  
F12.    d)      I have felt more fulfilled

PD710      Having Baby - Big Difference to Lifestyle						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	4450	64.9	65.5	65.5
No		2	2002	29.2	29.4	94.9
Cannot Say		3	347	5.1	5.1	100.0
		-1	62	.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6799	Missing cases	62		

PD711      Having Baby - Less Money For Self					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3491	50.9	51.4	51.4
No	2	2785	40.6	41.0	92.4
Cannot Say	3	517	7.5	7.6	100.0
	-1	68	1.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6793	Missing cases	68		

PD712      Having Baby - Stay In More					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3236	47.2	47.6	47.6
No	2	3309	48.2	48.7	96.3
Cannot Say	3	255	3.7	3.8	100.0
	-1	61	.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6800	Missing cases	61		

PD713      Having Baby - Feel More Fulfilled						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	5426	79.1	79.8	79.8
No		2	567	8.3	8.3	88.2
Cannot Say		3	801	11.7	11.8	100.0
		4	2	.0	.0	100.0
		-1	65	.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6796	Missing cases		65	

## SECTION G: BEING A PARENT

Below are a number of statements about how some people think a parent should behave with a baby. Please indicate how much you agree with them.

Yes, I agree	I'm unsure but probably agree	I'm unsure but probably disagree	No, I disagree
-----------------	-------------------------------------	--	-------------------

G1. Babies should be picked up when ever they cry  
[If multiple ticks are given, coded for the highest value given]

PD720 Babies Should Be Picked Up When Cry

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Agree	1	1219	17.8	18.0	18.0
Unsure But Agree	2	1482	21.6	21.8	39.8
Unsure But Disagree	3	1157	16.9	17.0	56.8
No Disagree	4	2929	42.7	43.2	100.0
	-1	74	1.1	Missing	
Total		6861	100.0	100.0	

Valid cases 6787 Missing cases 74

G2. It is important to develop a regular pattern of feeding and sleeping with a baby  
[If multiple ticks are given, coded for the highest value given]

PD721 Important to Develop Regular Pattern

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Agree	1	5484	79.9	80.6	80.6
Unsure But Agree	2	898	13.1	13.2	93.8
Unsure But Disagree	3	212	3.1	3.1	96.9
No Disagree	4	213	3.1	3.1	100.0
	-1	54	.8	Missing	
Total		6861	100.0	100.0	

Valid cases 6807 Missing cases 54

G3. Babies should be fed whenever they are hungry  
[If multiple ticks are given, coded for the highest value given]

PD722 Babies Should Be Fed When Hungry

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Agree	1	4084	59.5	60.1	60.1
Unsure But Agree	2	1634	23.8	24.0	84.2
Unsure But Disagree	3	576	8.4	8.5	92.6
No Disagree	4	501	7.3	7.4	100.0
	-1	66	1.0	Missing	
Total		6861	100.0	100.0	

Valid cases 6795 Missing cases 66

G4. Babies need to be stimulated if they are to develop well  
[If multiple ticks are given, coded for the highest value given]

PD723 Babies Stimulated to Develop Well					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Agree	1	6068	88.4	89.5	89.5
Unsure But Agree	2	605	8.8	8.9	98.4
Unsure But Disagree	3	65	.9	1.0	99.4
No Disagree	4	44	.6	.6	100.0
	-1	79	1.2	Missing	
	Total	6861	100.0	100.0	
Valid cases	6782	Missing cases	79		

G5. Babies need quiet secure surroundings and should not be disturbed too much  
[If multiple ticks are given, coded for the highest value given]

PD724 Babies Need Quiet Secure Surroundings						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Agree		1	1626	23.7	24.0	24.0
Unsure But Agree		2	1484	21.6	21.9	46.0
Unsure But Disagree		3	1515	22.1	22.4	68.4
No Disagree		4	2136	31.1	31.6	100.0
		-1	100	1.5	Missing	
			-----	-----	-----	
Total			6861	100.0	100.0	
Valid cases		6761	Missing cases		100	

G6. Parents need to adapt their lives to the baby's demands  
[If multiple ticks are given, coded for the highest value given]

PD725 Parents Need to Adapt Lives To Babies Need					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Agree	1	2591	37.8	38.2	38.2
Unsure But Agree	2	1545	22.5	22.8	61.0
Unsure But Disagree	3	1016	14.8	15.0	76.0
No Disagree	4	1622	23.6	23.9	100.0
DK	9	2	.0	.0	100.0
	-1	85	1.2	Missing	
		-----	-----		
	Total	6861	100.0	100.0	
Valid cases	6776	Missing cases	85		

G7. A baby should fit into its parents' routine  
[If multiple ticks are given, coded for the highest value given]

PD726 Baby Should Fit Into Parents Routine					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Agree	1	1915	27.9	28.4	28.4
Unsure But Agree	2	1546	22.5	22.9	51.3
Unsure But Disagree	3	1445	21.1	21.4	72.7
No Disagree	4	1842	26.8	27.3	100.0
	-1	113	1.6	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases 6748 Missing cases 113					

G8. Babies should be left to develop naturally  
[If multiple ticks are given, coded for the highest value given]

PD727 Babies Should Be Left to Develop Naturally						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Other		0	6	.1	.1	.1
Yes Agree		1	1501	21.9	22.3	22.4
Unsure But Agree		2	1308	19.1	19.4	41.9
Unsure But Disagree		3	1505	21.9	22.4	64.2
No Disagree		4	2382	34.7	35.4	99.6
DK		9	24	.3	.4	100.0
		-1	135	2.0	Missing	
			-----	-----	-----	
Total			6861	100.0	100.0	
Valid cases		6726	Missing cases		135	

G9. Talking, to even a very young baby, is important  
[If multiple ticks are given, coded for the highest value given]

PD728 Talking To Baby Is Important					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Agree	1	6659	97.1	97.7	97.7
Unsure But Agree	2	141	2.1	2.1	99.8
Unsure But Disagree	3	11	.2	.2	99.9
No Disagree	4	4	.1	.1	100.0
	-1	46	.7	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6815	Missing cases	46		



G10. Cuddling a baby is very important  
[If multiple ticks are given, coded for the highest value given]

PD729 Cuddling Baby Is Very Important					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Agree	1	6677	97.3	98.0	98.0
Unsure But Agree	2	116	1.7	1.7	99.7
Unsure But Disagree	3	13	.2	.2	99.9
No Disagree	4	8	.1	.1	100.0
	-1	47	.7	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6814	Missing cases	47		

The following statements are about the help and support you have.

This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way
-------------------------------	-----------------------------	---------------------------------	--------------------------

G11. I have no one to share my feelings with  
[If multiple ticks are given, coded for the lowest value given]

PD740 Have No one To Share Feelings With					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	109	1.6	1.6	1.6
Feel Often	2	366	5.3	5.4	7.0
Feel Sometimes	3	1582	23.1	23.2	30.2
Never Feel	4	4748	69.2	69.8	100.0
	-1	56	.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6805	Missing cases	56		

G12. My partner provides the emotional support I need  
[If multiple ticks are given, coded for the highest value given]

PD741 Partner Provides Emotional Support Needed						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	3413	49.7	50.2	50.2
Feel Often		2	1721	25.1	25.3	75.6
Feel Sometimes		3	1284	18.7	18.9	94.5
Never Feel		4	377	5.5	5.5	100.0
		-1	66	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6795	Missing cases		66	

G13. There are other fathers with whom I can share my experiences  
[If multiple ticks are given, coded for the highest value given]

PD742 Other Fathers To Share Experiences With

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	1280	18.7	18.9	18.9
Feel Often	2	1276	18.6	18.8	37.7
Feel Sometimes	3	2073	30.2	30.6	68.2
Never Feel	4	2155	31.4	31.8	100.0
	-1	77	1.1	Missing	
	Total	6861	100.0	100.0	

Valid cases 6784 Missing cases 77

G14. I believe in moments of difficulty my neighbours would help me  
[If multiple ticks are given, coded for the highest value given]

PD743 Neighbours Would Help In Difficult Moments

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	1654	24.1	24.4	24.4
Feel Often	2	1251	18.2	18.4	42.8
Feel Sometimes	3	1772	25.8	26.1	68.9
Never Feel	4	2110	30.8	31.1	100.0
	-1	74	1.1	Missing	
	Total	6861	100.0	100.0	

Valid cases 6787 Missing cases 74

G15. I'm worried that my partner might leave me  
[If multiple ticks are given, coded for the lowest value given]

PD744 Worried Partner Might Leave

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	88	1.3	1.3	1.3
Feel Often	2	106	1.5	1.6	2.9
Feel Sometimes	3	814	11.9	12.0	14.8
Never Feel	4	5784	84.3	85.2	100.0
	-1	69	1.0	Missing	
	Total	6861	100.0	100.0	

Valid cases 6792 Missing cases 69

G16. There is always someone with whom I can share my happiness and excitement about my family  
[If multiple ticks are given, coded for the highest value given]

PD745 Always Someone to Share Happiness With

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	3430	50.0	50.6	50.6
Feel Often	2	1686	24.6	24.9	75.4
Feel Sometimes	3	1235	18.0	18.2	93.6
Never Feel	4	433	6.3	6.4	100.0
	-1	77	1.1	Missing	
	Total	6861	100.0	100.0	

Valid cases 6784 Missing cases 77

G17. If I feel tired I can rely on my partner to take over  
[If multiple ticks are given, coded for the highest value given]

PD746 Rely on Partner Taking Over When Tired

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	3541	51.6	52.1	52.1
Feel Often	2	1860	27.1	27.4	79.5
Feel Sometimes	3	1119	16.3	16.5	95.9
Never Feel	4	277	4.0	4.1	100.0
	-1	64	.9	Missing	
	Total	6861	100.0	100.0	

Valid cases 6797 Missing cases 64

G18. If I was in financial difficulty I know my family would help if they could  
[If multiple ticks are given, coded for the highest value given]

PD747 Family Would Help In Financial Difficulty

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	4248	61.9	62.6	62.6
Feel Often	2	1066	15.5	15.7	78.3
Feel Sometimes	3	825	12.0	12.2	90.4
Never Feel	4	651	9.5	9.6	100.0
	-1	71	1.0	Missing	
	Total	6861	100.0	100.0	

Valid cases 6790 Missing cases 71

G19. If I was in financial difficulty I know my friends would help if they could

[If multiple ticks are given, coded for the highest value given]

PD748 Friends Would Help In Financial Difficulty					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	1680	24.5	24.7	24.7
Feel Often	2	998	14.5	14.7	39.4
Feel Sometimes	3	1556	22.7	22.9	62.3
Never Feel	4	2557	37.3	37.7	100.0
	-1	70	1.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6791	Missing cases	70		

G20. If all else fails I know the state will support and assist me

[If multiple ticks are given, coded for the highest value given]

PD749 State Will Support If All Else Fails					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	888	12.9	13.1	13.1
Feel Often	2	479	7.0	7.1	20.2
Feel Sometimes	3	1692	24.7	25.0	45.2
Never Feel	4	3716	54.2	54.8	100.0
	-1	86	1.3	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6775	Missing cases	86		

### Derived variables: Social support scores.

The following recodes were first undertaken:

PD740, PD744: (1=0)(2=1)(3=2)(4=3);

PD741-3, PD745-9: (1=3)(2=2)(3=1)(4=0)

### Social Support I

The variables PD740 - PD749 were then summed;

If any of PD740-9 was missing, PD750 was put to missing.

PD750 Social Support Score 1				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
.00		1	.0	.0	.0
1.00		1	.0	.0	.0
2.00		3	.0	.0	.1
3.00		8	.1	.1	.2
4.00		4	.1	.1	.3
5.00		16	.2	.2	.5
6.00		38	.6	.6	1.1
7.00		38	.6	.6	1.6
8.00		66	1.0	1.0	2.6
9.00		78	1.1	1.2	3.8
10.00		117	1.7	1.7	5.5
11.00		168	2.4	2.5	8.0
12.00		219	3.2	3.3	11.3
13.00		233	3.4	3.5	14.8
14.00		309	4.5	4.6	19.4
15.00		389	5.7	5.8	25.2
16.00		404	5.9	6.0	31.3
17.00		418	6.1	6.2	37.5
18.00		483	7.0	7.2	44.7
19.00		480	7.0	7.2	51.9
20.00		428	6.2	6.4	58.3
21.00		534	7.8	8.0	66.3
22.00		417	6.1	6.2	72.5
23.00		385	5.6	5.8	78.3
24.00		422	6.2	6.3	84.6
25.00		279	4.1	4.2	88.8
26.00		238	3.5	3.6	92.3
27.00		230	3.4	3.4	95.8
28.00		114	1.7	1.7	97.5
29.00		61	.9	.9	98.4
30.00		108	1.6	1.6	100.0
-1.00		172	2.5	Missing	
Total		6861	100.0	100.0	
Valid cases	6689	Missing cases	172		

## Social Support II

As above but missing values put to the mode for that variable, unless all were missing.

PD751 No. Of Missing Values

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6672	97.2	97.2	97.2
	1.00	108	1.6	1.6	98.8
	2.00	10	.1	.1	99.0
	3.00	13	.2	.2	99.2
	4.00	2	.0	.0	99.2
	6.00	1	.0	.0	99.2
	7.00	5	.1	.1	99.3
	8.00	1	.0	.0	99.3
	9.00	4	.1	.1	99.3
	10.00	45	.7	.7	100.0
	Total	6861	100.0	100.0	

Valid cases 6861 Missing cases 0

PD752 Social Support Score with Modes for Miss

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1	.0	.0	.0
	1.00	1	.0	.0	.0
	2.00	3	.0	.0	.1
	3.00	8	.1	.1	.2
	4.00	4	.1	.1	.2
	5.00	16	.2	.2	.5
	6.00	38	.6	.6	1.0
	7.00	38	.6	.6	1.6
	8.00	66	1.0	1.0	2.6
	9.00	80	1.2	1.2	3.7
	10.00	117	1.7	1.7	5.5
	11.00	172	2.5	2.5	8.0
	12.00	223	3.3	3.3	11.3
	13.00	235	3.4	3.4	14.7
	14.00	314	4.6	4.6	19.3
	15.00	398	5.8	5.8	25.1
	16.00	411	6.0	6.0	31.2
	17.00	427	6.2	6.3	37.4
	18.00	490	7.1	7.2	44.6
	19.00	492	7.2	7.2	51.8
	20.00	431	6.3	6.3	58.2
	21.00	545	7.9	8.0	66.2
	22.00	428	6.2	6.3	72.4
	23.00	396	5.8	5.8	78.3
	24.00	435	6.3	6.4	84.6
	25.00	285	4.2	4.2	88.8
	26.00	245	3.6	3.6	92.4
	27.00	234	3.4	3.4	95.8
	28.00	114	1.7	1.7	97.5
	29.00	61	.9	.9	98.4
	30.00	108	1.6	1.6	100.0
	-1.00	45	.7	Missing	
	Total	6861	100.0	100.0	

Valid cases 6816 Missing cases 45

## SECTION H: CHEMICALS IN YOUR ENVIRONMENT

In the last few months, how often have you used the following (whether at home or at work):

Every day	Most days	About once a week	Less than once a week	Not at all
--------------	--------------	-------------------------	-----------------------------	---------------

H1. a) disinfectant

[If multiple ticks are given, coded for the lowest value given]

PD760 Freq. Disinfectant Use Past Months						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	290	4.2	4.3	4.3
Most Days		2	724	10.6	10.7	14.9
About Once a Week		3	1500	21.9	22.1	37.0
< Once a Week		4	2303	33.6	33.9	70.9
Not at All		5	1977	28.8	29.1	100.0
		-1	67	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6794	Missing cases		67		

PD760A Disinfectant Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	4817	70.2	70.9	70.9
No		2.00	1977	28.8	29.1	100.0
		-1.00	67	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6794	Missing cases	67			

H1. b) bleach

[If multiple ticks are given, coded for the lowest value given]

PD761 Freq. Bleach Use Past Months						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	139	2.0	2.0	2.0
Most Days		2	381	5.6	5.6	7.7
About Once a Week		3	1292	18.8	19.0	26.7
< Once a Week		4	2251	32.8	33.1	59.8
Not at All		5	2732	39.8	40.2	100.0
		-1	66	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6795	Missing cases	66			

PD761A Bleach Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	4063	59.2	59.8	59.8
No		2.00	2732	39.8	40.2	100.0
		-1.00	66	1.0	Missing	
			-----	-----	-----	
Total			6861	100.0	100.0	
Valid cases	6795	Missing cases	66			

H1. c) window cleaner  
[If multiple ticks are given, coded for the lowest value given]

PD762 Freq. Window Cleaner Use Past Months					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Every Day		1	51	.7	.8
Most Days		2	79	1.2	1.2 1.9
About Once a Week		3	485	7.1	7.1 9.0
< Once a Week		4	2596	37.8	38.2 47.2
Not at All		5	3586	52.3	52.8 100.0
		-1	64	.9	Missing
			-----	-----	-----
		Total	6861	100.0	100.0
Valid cases	6797	Missing cases	64		

PD762A Window Cleaner Use In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	3211	46.8	47.2	47.2
No		2.00	3586	52.3	52.8	100.0
		-1.00	64	.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6797	Missing cases	64			

H1. d) carpet shampoo  
[If multiple ticks are given, coded for the lowest value given]

PD763 Freq. Carpet Shampoo Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	11	.2	.2	.2
Most Days		2	36	.5	.5	.7
About Once a Week		3	146	2.1	2.2	2.8
< Once a Week		4	1778	25.9	26.2	29.0
Not at All		5	4818	70.2	71.0	100.0
		-1	72	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6789	Missing cases	72			

PD763A Carpet Shampoo In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1971	28.7	29.0	29.0
No		2.00	4818	70.2	71.0	100.0
		-1.00	72	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6789	Missing cases	72			



H1. e) oven/drain cleaner  
[If multiple ticks are given, coded for the lowest value given]

PD764 Freq. Oven/Drain Cleaner Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	Every Day	27	.4	.4	.4	
2	Most Days	53	.8	.8	1.2	
3	About Once a Week	229	3.3	3.4	4.6	
4	< Once a Week	1654	24.1	24.4	28.9	
5	Not at All	4828	70.4	71.1	100.0	
-1		70	1.0	Missing		
		-----	-----	-----		
Total		6861	100.0	100.0		
Valid cases		6791	Missing cases		70	

PD764A      Oven/Drain Cleaner In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1963	28.6	28.9	28.9
No		2.00	4828	70.4	71.1	100.0
		-1.00	70	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6791	Missing cases	70			

H1. f) dry cleaning fluid  
[If multiple ticks are given, coded for the lowest value given]

PD765 Freq. Dry Cleaning Fluid Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	Every Day	21	.3	.3	.3	
2	Most Days	34	.5	.5	.8	
3	About Once a Week	45	.7	.7	1.5	
4	< Once a Week	382	5.6	5.6	7.1	
5	Not at All	6294	91.7	92.9	100.0	
-1		85	1.2	Missing		
		-----	-----	-----		
Total		6861	100.0	100.0		
Valid cases		6776	Missing cases	85		

PD765A Dry Cleaning Fluid In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	482	7.0	7.1	7.1
No		2.00	6294	91.7	92.9	100.0
		-1.00	85	1.2	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6776	Missing cases	85			

H1. g) turpentine/white spirit  
[If multiple ticks are given, coded for the lowest value given]

PD766 Freq. Turps/White Spirit Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	81	1.2	1.2	1.2
Most Days		2	159	2.3	2.3	3.5
About Once a Week		3	519	7.6	7.6	11.2
< Once a Week		4	3115	45.4	45.9	57.0
Not at All		5	2919	42.5	43.0	100.0
		-1	68	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6793	Missing cases	68			

PD766A Turps/White Spirit In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	3874	56.5	57.0	57.0
No		2.00	2919	42.5	43.0	100.0
		-1.00	68	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6793	Missing cases	68			

H1. h) paint stripper  
[If multiple ticks are given, coded for the lowest value given]

PD767 Freq. Paint Stripper Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Every Day	1	22	.3	.3	.3
	Most Days	2	40	.6	.6	.9
	About Once a Week	3	84	1.2	1.2	2.2
	< Once a Week	4	1053	15.3	15.5	17.7
	Not at All	5	5587	81.4	82.3	100.0
		-1	75	1.1	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6786	Missing cases	75			

PD767A Paint Stripper In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1199	17.5	17.7	17.7
No		2.00	5587	81.4	82.3	100.0
		-1.00	75	1.1	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6786	Missing cases	75			

H1. i) household paint or varnish  
[If multiple ticks are given, coded for the lowest value given]

PD768 Freq. Paint/Varnish Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	54	.8	.8	.8
Most Days		2	109	1.6	1.6	2.4
About Once a Week		3	416	6.1	6.1	8.5
< Once a Week		4	3182	46.4	46.8	55.3
Not at All		5	3035	44.2	44.7	100.0
		-1	65	.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6796	Missing cases	65			

PD768A Paint/Varnish In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	3761	54.8	55.3	55.3
No		2.00	3035	44.2	44.7	100.0
		-1.00	65	.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6796	Missing cases	65			

H1. j) weed killers  
[If multiple ticks are given, coded for the lowest value given]

PD769 Freq. Weedkiller Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	5	.1	.1	.1
Most Days		2	7	.1	.1	.2
About Once a Week		3	65	.9	1.0	1.1
< Once a Week		4	1479	21.6	21.8	22.9
Not at All		5	5233	76.3	77.1	100.0
		-1	72	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6789	Missing cases	72			

PD769A Weedkiller In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1556	22.7	22.9	22.9
No		2.00	5233	76.3	77.1	100.0
		-1.00	72	1.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6789	Missing cases	72			

H1. k) pesticides/insect killers  
[If multiple ticks are given, coded for the lowest value given]

PD770 Freq. Pesticide Use Past Months						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Every Day	1	8	.1	.1	.1	
Most Days	2	26	.4	.4	.5	
About Once a Week	3	160	2.3	2.4	2.9	
< Once a Week	4	1559	22.7	23.0	25.8	
Not at All	5	5030	73.3	74.2	100.0	
	-1	78	1.1	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases	6783	Missing cases	78			

PD770A Pesticides In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1753	25.6	25.8	25.8
No		2.00	5030	73.3	74.2	100.0
		-1.00	78	1.1	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6783	Missing cases	78			

H1. l) aerosols or sprays including hair spray  
[If multiple ticks are given, coded for the lowest value given]

PD771 Freq. Aerosol/Spray Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Every Day	1	1388	20.2	20.5	20.5
	Most Days	2	1321	19.3	19.5	39.9
	About Once a Week	3	655	9.5	9.7	49.6
	< Once a Week	4	1217	17.7	17.9	67.5
	Not at All	5	2202	32.1	32.5	100.0
		-1	78	1.1	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6783	Missing cases	78			

PD771A Aerosol Spray In Past Months						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1.00	4581	66.8	67.5	67.5	
No	2.00	2202	32.1	32.5	100.0	
	-1.00	78	1.1	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases	6783	Missing cases	78			

H1. m) hair dye/bleach  
[If multiple ticks are given, coded for the lowest value given]

PD772 Freq. Hair Dye/Bleach Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	23	.3	.3	.3
Most Days		2	8	.1	.1	.5
About Once a Week		3	14	.2	.2	.7
< Once a Week		4	165	2.4	2.4	3.1
Not at All		5	6560	95.6	96.9	100.0
		-1	91	1.3	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6770	Missing cases	91			

PD772A Hair Dye/Bleach In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	210	3.1	3.1	3.1
No		2.00	6560	95.6	96.9	100.0
		-1.00	91	1.3	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6770	Missing cases	91			

H1. n) deodorants  
[If multiple ticks are given, coded for the lowest value given]

PD773 Freq. Deodorant Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Every Day	1	4037	58.8	59.6	59.6
	Most Days	2	1429	20.8	21.1	80.6
	About Once a Week	3	261	3.8	3.9	84.5
	< Once a Week	4	274	4.0	4.0	88.5
	Not at All	5	778	11.3	11.5	100.0
		-1	82	1.2	Missing	
			-----	-----	-----	
	Total		6861	100.0	100.0	
Valid cases	6779	Missing cases	82			

PD773A Deodorant In Past Months						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1.00	6001	87.5	88.5	88.5	
No	2.00	778	11.3	11.5	100.0	
	-1.00	82	1.2	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases	6779	Missing cases	82			

H1. o) air fresheners (spray, stick or aerosol)  
[If multiple ticks are given, coded for the lowest value given]

PD774 Freq. Air Freshener Use Past Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	534	7.8	7.9	7.9
Most Days	2	776	11.3	11.4	19.3
About Once a Week	3	877	12.8	12.9	32.2
< Once a Week	4	1261	18.4	18.6	50.8
Not at All	5	3336	48.6	49.2	100.0
	-1	77	1.1	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6784 Missing cases 77

PD774A Air Freshener In Past Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3448	50.3	50.8	50.8
No	2.00	3336	48.6	49.2	100.0
	-1.00	77	1.1	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6784 Missing cases 77

H1. p) ceramics/enamels  
[If multiple ticks are given, coded for the lowest value given]

PD775 Freq. Ceramics/Enamels Use Past Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	80	1.2	1.2	1.2
Most Days	2	63	.9	.9	2.1
About Once a Week	3	61	.9	.9	3.0
< Once a Week	4	284	4.1	4.2	7.2
Not at All	5	6276	91.5	92.8	100.0
	-1	97	1.4	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6764 Missing cases 97

PD775A Ceramics/Enamels In Past Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	488	7.1	7.2	7.2
No	2.00	6276	91.5	92.8	100.0
	-1.00	97	1.4	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6764 Missing cases 97

H1. q) soldering  
[If multiple ticks are given, coded for the lowest value given]

PD776 Freq. Soldering Past Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	89	1.3	1.3	1.3
Most Days	2	141	2.1	2.1	3.4
About Once a Week	3	208	3.0	3.1	6.5
< Once a Week	4	873	12.7	12.9	19.3
Not at All	5	5472	79.8	80.7	100.0
	-1	78	1.1	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6783 Missing cases 78

PD776A Soldering In Past Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1311	19.1	19.3	19.3
No	2.00	5472	79.8	80.7	100.0
	-1.00	78	1.1	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6783 Missing cases 78

H1. r) dental amalgam  
[If multiple ticks are given, coded for the lowest value given]

PD777 Freq. Dental Amalgam Use Past Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	83	1.2	1.2	1.2
Most Days	2	37	.5	.6	1.8
About Once a Week	3	19	.3	.3	2.1
< Once a Week	4	211	3.1	3.1	5.2
Not at All	5	6364	92.8	94.8	100.0
	-1	147	2.1	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6714 Missing cases 147

PD777A Dental Amalgam In Past Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	350	5.1	5.2	5.2
No	2.00	6364	92.8	94.8	100.0
	-1.00	147	2.1	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 6714 Missing cases 147

H1. s) electroplating  
[If multiple ticks are given, coded for the lowest value given]

PD778 Freq. Electroplating Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	Every Day	1	9	.1	.1	.1
2	Most Days	2	11	.2	.2	.3
3	About Once a Week	3	12	.2	.2	.5
4	< Once a Week	4	50	.7	.7	1.2
5	Not at All	5	6697	97.6	98.8	100.0
-1		-1	82	1.2	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6779	Missing cases		82	

PD778A Electroplating In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	82	1.2	1.2	1.2
No		2.00	6697	97.6	98.8	100.0
		-1.00	82	1.2	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6779	Missing cases	82			

H1. t) glues  
[If multiple ticks are given, coded for the lowest value given]

PD779 Freq. Glue Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	Every Day	1	121	1.8	1.8	1.8
2	Most Days	2	227	3.3	3.3	5.1
3	About Once a Week	3	617	9.0	9.1	14.2
4	< Once a Week	4	3023	44.1	44.6	58.8
5	Not at All	5	2792	40.7	41.2	100.0
-1		-1	81	1.2	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		6780	Missing cases		81	

PD779A      Glue Use In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	3988	58.1	58.8	58.8
No		2.00	2792	40.7	41.2	100.0
		-1.00	81	1.2	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6780	Missing cases	81			



H1. u) leather working  
[If multiple ticks are given, coded for the lowest value given]

PD780 Freq. Leather Working Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	29	.4	.4	.4
Most Days		2	8	.1	.1	.5
About Once a Week		3	13	.2	.2	.7
< Once a Week		4	57	.8	.8	1.6
Not at All		5	6666	97.2	98.4	100.0
		-1	88	1.3	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6773	Missing cases	88			

PD780A Leather Working In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	107	1.6	1.6	1.6
No		2.00	6666	97.2	98.4	100.0
		-1.00	88	1.3	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6773	Missing cases	88			

H1. v) fabric/textiles  
[If multiple ticks are given, coded for the lowest value given]

PD781 Freq. Fabric/Textile Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	126	1.8	1.9	1.9
Most Days		2	56	.8	.8	2.7
About Once a Week		3	38	.6	.6	3.2
< Once a Week		4	239	3.5	3.5	6.8
Not at All		5	6318	92.1	93.2	100.0
		-1	84	1.2	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6777	Missing cases	84			

PD781A Fabric/Textile Use In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	459	6.7	6.8	6.8
No		2.00	6318	92.1	93.2	100.0
		-1.00	84	1.2	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6777	Missing cases	84			

H1. w) dyes  
[If multiple ticks are given, coded for the lowest value given]

PD782 Freq. Dye Use Past Months					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Every Day		1	22	.3	.3
Most Days		2	18	.3	.6
About Once a Week		3	17	.2	.8
< Once a Week		4	84	1.2	2.1
Not at All		5	6640	96.8	100.0
		-1	80	1.2	Missing
			-----	-----	-----
		Total	6861	100.0	100.0
Valid cases	6781	Missing cases	80		

PD782A Dye Use In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	141	2.1	2.1	2.1
No		2.00	6640	96.8	97.9	100.0
		-1.00	80	1.2	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6781	Missing cases	80			

H1. x) radiation (x-ray or other)  
[If multiple ticks are given, coded for the lowest value given]

PD783 Freq. Radiation Use Past Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	41	.6	.6	.6
Most Days	2	49	.7	.7	1.3
About Once a Week	3	40	.6	.6	1.9
< Once a Week	4	247	3.6	3.6	5.6
Not at All	5	6404	93.3	94.4	100.0
	-1	80	1.2	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6781	Missing cases	80		

PD783A Radiation Use In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	377	5.5	5.6	5.6
No		2.00	6404	93.3	94.4	100.0
		-1.00	80	1.2	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6781	Missing cases	80			

H1. y) plastics  
[If multiple ticks are given, coded for the lowest value given]

PD784 Freq. Plastics Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	Every Day	337	4.9	5.0	5.0	
2	Most Days	244	3.6	3.6	8.6	
3	About Once a Week	173	2.5	2.6	11.2	
4	< Once a Week	464	6.8	6.9	18.1	
5	Not at All	5519	80.4	81.9	100.0	
-1		124	1.8	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases	6737	Missing cases	124			

PD784A Plastics Use In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1218	17.8	18.1	18.1
No		2.00	5519	80.4	81.9	100.0
		-1.00	124	1.8	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6737	Missing cases	124			

H1. z) metal cleaners/degreasers, polishers  
[If multiple ticks are given, coded for the lowest value given]

PD785 Freq. Metal Cleaner Use Past Months						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	183	2.7	2.7	2.7
Most Days		2	278	4.1	4.1	6.8
About Once a Week		3	395	5.8	5.9	12.7
< Once a Week		4	1247	18.2	18.5	31.2
Not at All		5	4646	67.7	68.8	100.0
		-1	112	1.6	Missing	
			-----	-----	-----	
Total			6861	100.0	100.0	
Valid cases		6749	Missing cases		112	

PD785A Metal Cleaner Use In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	2103	30.7	31.2	31.2
No		2.00	4646	67.7	68.8	100.0
		-1.00	112	1.6	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6749	Missing cases	112			

H1.      za)      petrol  
[If multiple ticks are given, coded for the lowest value given]

PD786      Freq. Petrol Use Past Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	640	9.3	9.4	9.4
Most Days	2	997	14.5	14.7	24.2
About Once a Week	3	2426	35.4	35.8	60.0
< Once a Week	4	930	13.6	13.7	73.7
Not at All	5	1780	25.9	26.3	100.0
	-1	88	1.3	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6773	Missing cases	88		

PD786A      Petrol Use In Past Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	4993	72.8	73.7	73.7
No	2.00	1780	25.9	26.3	100.0
	-1.00	88	1.3	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6773	Missing cases	88		

H1.      zb)      machining  
[If multiple ticks are given, coded for the lowest value given]

PD787      Freq. Machining Past Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	282	4.1	4.2	4.2
Most Days	2	271	3.9	4.0	8.2
About Once a Week	3	186	2.7	2.8	10.9
< Once a Week	4	297	4.3	4.4	15.3
Not at All	5	5719	83.4	84.7	100.0
	-1	106	1.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6755	Missing cases	106		

PD787A      Machining In Past Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1036	15.1	15.3	15.3
No	2.00	5719	83.4	84.7	100.0
	-1.00	106	1.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6755	Missing cases	106		

H1.      zc)      photographic chemicals  
[If multiple ticks are given, coded for the lowest value given]

PD788      Freq. Photographic Chemicals Use Past Months					
Value	Label	Value	Frequency	Percent	Valid Percent      Cum Percent
Every Day		1	22	.3	.3
Most Days		2	33	.5	.8
About Once a Week		3	32	.5	1.3
< Once a Week		4	129	1.9	3.2
Not at All		5	6561	95.6	100.0
		-1	84	1.2	Missing
			-----	-----	-----
		Total	6861	100.0	100.0
Valid cases	6777	Missing cases	84		

PD788A      Photographic Chemicals Use In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	216	3.1	3.2	3.2
No		2.00	6561	95.6	96.8	100.0
		-1.00	84	1.2	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6777	Missing cases	84			

H1.      zd)      electrical wiring  
[If multiple ticks are given, coded for the lowest value given]

PD789	Freq. Electrical Wiring Use Past Months				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	291	4.2	4.3	4.3
Most Days	2	259	3.8	3.8	8.1
About Once a Week	3	366	5.3	5.4	13.5
< Once a Week	4	1615	23.5	23.8	37.4
Not at All	5	4242	61.8	62.6	100.0
	-1	88	1.3	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6773	Missing cases	88		

PD789A      Electrical Wiring Use In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	2531	36.9	37.4	37.4
No		2.00	4242	61.8	62.6	100.0
		-1.00	88	1.3	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6773	Missing cases	88			

H1. ze) diesel  
[If multiple ticks are given, coded for the lowest value given]

PD790 Freq. Diesel Use Past Months						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Every Day	1	323	4.7	4.8	4.8	
Most Days	2	330	4.8	4.9	9.6	
About Once a Week	3	387	5.6	5.7	15.3	
< Once a Week	4	359	5.2	5.3	20.6	
Not at All	5	5377	78.4	79.4	100.0	
	-1	85	1.2	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases	6776	Missing cases	85			

PD790A Diesel Use In Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1399	20.4	20.6	20.6
No		2.00	5377	78.4	79.4	100.0
		-1.00	85	1.2	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6776	Missing cases	85			

H1. zf) other chemical (please describe)  
[If multiple ticks are given, coded for the lowest value given]  
[If something is written on 'please describe' line coder ensures the appropriate boxes have been ticked. If no tick is given, zero is coded to show information. Coder checks comment given cannot be recoded elsewhere]

PD791 Freq. Other Chemical Use Past Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other		0	80	1.2	1.6	1.6
Every Day		1	175	2.6	3.4	4.9
Most Days		2	145	2.1	2.8	7.8
About Once a Week		3	94	1.4	1.8	9.6
< Once a Week		4	72	1.0	1.4	11.0
Not at All		5	4589	66.9	89.0	100.0
		-1	1706	24.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	5155	Missing cases	1706			

PD791A Other Chemical Use In Past Months						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
		1.00	566	8.2	11.0	11.0
		2.00	4589	66.9	89.0	100.0
		-1.00	1706	24.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	5155	Missing cases	1706			

## SECTION I

II. Did anyone ever purposefully expose/flash themselves to you before you were 16?

Yes, happened once only

Yes, happened more than once

No, did not happen

[If II is not ticked but an incident is reported in II a-h, II is coded zero]

PD830 Anyone Expose Themselves <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Ns	0	5	.1	.1	.1
Yes, once only	1	290	4.2	4.5	4.6
More often	2	453	6.6	7.0	11.6
No	3	5689	82.9	88.4	100.0
	-1	424	6.2	Missing	
	Total	6861	100.0	100.0	

Valid cases 6437 Missing cases 424

If yes,

(i)

Who was involved?

(ii)

If yes, did you want this to happen with this person?

No Yes

No Yes Unsure

II. a) boy friend

PD831 Boy Friend Exposed Themselves <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	691	10.1	92.4	92.4
Yes	2	57	.8	7.6	100.0
NA	-2	6113	89.1	Missing	
	Total	6861	100.0	100.0	

Valid cases 748 Missing cases 6113

PD832 Wanted Boy Friend To Expose Themselves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	8	.1	14.3	14.3
Yes	2	33	.5	58.9	73.2
Unsure	9	15	.2	26.8	100.0
NA	-2	6804	99.2	Missing	
	-1	1	.0	Missing	
	Total	6861	100.0	100.0	

Valid cases 56 Missing cases 6805

II. b) girl friend

PD833 Girl Friend Exposed Themselves <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	400	5.8	53.5	53.5
Yes		2	348	5.1	46.5	100.0
NA		-2	6113	89.1	Missing	
			-----	-----	-----	
Total			6861	100.0	100.0	
Valid cases		748	Missing cases		6113	

PD834      Wanted Girl Friend To Expose Themselves						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	2	.0	.6	.6
Yes		2	322	4.7	92.8	93.4
Unsure		9	23	.3	6.6	100.0
NA		-2	6513	94.9	Missing	
		-1	1	.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	347	Missing cases	6514			

II. c) parent or parent figure

PD835 Parent Exposed Themselves <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	734	10.7	98.1	98.1
Yes		2	14	.2	1.9	100.0
NA		-2	6113	89.1	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		748	Missing cases		6113	

PD836      Wanted Parent To Expose Themselves						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	10	.1	76.9	76.9
Unsure		9	3	.0	23.1	100.0
NA		-2	6847	99.8	Missing	
		-1	1	.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	13	Missing cases	6848			



II. d) brother or sister

PD837 Brother/Sister Exposed Themselves <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	706	10.3	94.5	94.5
Yes	2	41	.6	5.5	100.0
	.	1	.0	Missing	
NA	-2	6113	89.1	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 747 Missing cases 6114

PD838 Wanted Brother/Sister To Expose Themselves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	5	.1	12.2	12.2
Yes	2	20	.3	48.8	61.0
Unsure	9	16	.2	39.0	100.0
NA	-2	6819	99.4	Missing	
	-1	1	.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 41 Missing cases 6820

II. e) other relative

PD839 Other Relative Exposed Themselves <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	723	10.5	96.7	96.7
Yes	2	25	.4	3.3	100.0
NA	-2	6113	89.1	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 748 Missing cases 6113

PD840 Wanted Other Relative To Expose Themselves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	7	.1	29.2	29.2
Yes	2	9	.1	37.5	66.7
Unsure	9	8	.1	33.3	100.0
NA	-2	6836	99.6	Missing	
	-1	1	.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 24 Missing cases 6837

II. f) family friend

PD841 Family Friend Exposed Themselves <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	686	10.0	91.7	91.7
Yes	2	62	.9	8.3	100.0
NA	-2	6113	89.1	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	
Valid cases	748	Missing cases	6113		

PD842 Wanted Family Friend To Expose Themselves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	34	.5	57.6	57.6
Yes	2	11	.2	18.6	76.3
Unsure	9	14	.2	23.7	100.0
NA	-2	6799	99.1	Missing	
	-1	3	.0	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	
Valid cases	59	Missing cases	6802		

II. g) stranger

PD843 Stranger Exposed Themselves <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	513	7.5	68.7	68.7
Yes	2	234	3.4	31.3	100.0
	.	1	.0	Missing	
NA	-2	6113	89.1	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	
Valid cases	747	Missing cases	6114		

PD844 Wanted Stranger To Expose Themselves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	210	3.1	90.1	90.1
Yes	2	4	.1	1.7	91.8
Unsure	9	19	.3	8.2	100.0
NA	-2	6626	96.6	Missing	
	-1	2	.0	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	
Valid cases	233	Missing cases	6628		

II. h) other (please describe)

[If something is written on 'please describe' line coder ensures the appropriate boxes have been ticked. If no tick is given, zero is coded to show information. Coder checks comment given cannot be recoded elsewhere] (No 0s were coded)

PD845 Other Person Exposed Themselves <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	675	9.8	90.4	90.4
Yes	2	72	1.0	9.6	100.0
.	.	1	.0	Missing	
NA	-2	6113	89.1	Missing	
	Total	6861	100.0	100.0	

Valid cases 747 Missing cases 6114

PD846 Wanted Other Person to Expose Themselves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	23	.3	33.8	33.8
Yes	2	19	.3	27.9	61.8
Unsure	9	26	.4	38.2	100.0
.	.	1	.0	Missing	
NA	-2	6788	98.9	Missing	
	-1	4	.1	Missing	
	Total	6861	100.0	100.0	

Valid cases 68 Missing cases 6793

II. iii) how old were you when this first happened: years

[Coder rounds down ages]

PD847 Age First Exposed To

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	4	3	.0	.5	.5
	5	13	.2	2.0	2.5
	6	15	.2	2.3	4.8
	7	38	.6	5.9	10.7
	8	48	.7	7.5	18.2
	9	46	.7	7.1	25.3
	10	75	1.1	11.6	37.0
	11	38	.6	5.9	42.9
	12	94	1.4	14.6	57.5
	13	80	1.2	12.4	69.9
	14	109	1.6	16.9	86.8
	15	85	1.2	13.2	100.0
	-1	6217	90.6	Missing	
	Total	6861	100.0	100.0	

Valid cases 644 Missing cases 6217

## Derived variable

From PD830 - PD846, a variable was derived distinguishing flashing by a stranger from unwanted or abusive flashing by a non-stranger using the following rules:

If PD843 = 2 then PD848 = 1 (stranger)

If (PD832 = 1 or PD834 = 1 or PD835 = 2 or PD837 = 2 or PD839 = 2 or PD841 = 2) then PD848 = 2 other abusive flashing

Otherwise PD848 = 3

PD848 Abuse/ Flash					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1.00	Stranger	1.00	234	3.4	3.4
2.00	Non-Stranger	2.00	130	1.9	1.9
3.00	No	3.00	6496	94.7	94.7
.		.	1	.0	Missing
		Total	6861	100.0	100.0
Valid cases	6860	Missing cases	1		

I2. Did anyone masturbate in front of you before you were 16?

Yes, happened once only

Yes, happened more than once

No, did not happen

[If I2 is not ticked but an incident is reported in I2 a-h, I2 is coded zero]

PD850 Anyone Masturbate in Front Of <16					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
0	Yes, Ns	0	1	.0	.0
1	Yes, once only	1	216	3.1	3.4
2	More often	2	342	5.0	5.3
3	No	3	5839	85.1	91.3
-1		-1	463	6.7	Missing
		Total	6861	100.0	100.0
Valid cases	6398	Missing cases	463		

If yes,

(i)

Who was involved?

No

Yes

(ii)

If yes, did you want this to happen with this person?

No

Yes

Unsure

I2. a) boy friend

PD851 Boy Friend Masturbated in Front Of <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	409	6.0	73.2	73.2
Yes	2	150	2.2	26.8	100.0
NA	-2	6302	91.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 559 Missing cases 6302

PD852 Wanted Boy Friend To Masturbate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	22	.3	14.9	14.9
Yes	2	70	1.0	47.3	62.2
Unsure	9	56	.8	37.8	100.0
NA	-2	6711	97.8	Missing	
	-1	2	.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 148 Missing cases 6713

I2. b) girl friend

PD853 Girl Friend Masturbated In Front Of <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	447	6.5	80.0	80.0
Yes	2	112	1.6	20.0	100.0
NA	-2	6302	91.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 559 Missing cases 6302

PD854 Wanted Girl Friend To Masturbate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	1	.0	.9	.9
Yes	2	103	1.5	92.8	93.7
Unsure	9	7	.1	6.3	100.0
NA	-2	6749	98.4	Missing	
	-1	1	.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 111 Missing cases 6750

I2. c) parent or parent figure

PD855 Parent Masturbated In Front Of <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	549	8.0	98.2	98.2
Yes		2	10	.1	1.8	100.0
NA		-2	6302	91.9	Missing	
			-----	-----	-----	
Total			6861	100.0	100.0	
Valid cases		559	Missing cases		6302	

PD856      Wanted Parent To Masturbate						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	8	.1	100.0	100.0
NA		-2	6851	99.9	Missing	
		-1	2	.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		8	Missing cases		6853	

I2. d) brother or sister

PD857 Brother/Sister Masturbated In Front Of <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	518	7.5	92.7	92.7
Yes		2	41	.6	7.3	100.0
NA		-2	6302	91.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	559	Missing cases	6302			

PD858		Wanted Brother/Sister To Masturbate				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	8	.1	19.5	19.5
Yes		2	9	.1	22.0	41.5
Unsure		9	24	.3	58.5	100.0
NA		-2	6820	99.4	Missing	
		-----		-----	-----	
		Total	6861	100.0	100.0	
Valid cases	41	Missing cases	6820			

I2. e) other relative

PD859 Other Relative Masturbated In Front Of <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	533	7.8	95.3	95.3
Yes		2	26	.4	4.7	100.0
NA		-2	6302	91.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		559	Missing cases		6302	

PD860      Wanted Other Relative To Masturbate						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	9	.1	34.6	34.6
Yes		2	7	.1	26.9	61.5
Unsure		9	10	.1	38.5	100.0
NA		-2	6835	99.6	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		26	Missing cases		6835	

I2. f) family friend

PD861 Family Friend Masturbated In Front Of <16					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
No		1	491	7.2	87.8 87.8
Yes		2	68	1.0	12.2 100.0
NA		-2	6302	91.9	Missing
			-----	-----	
		Total	6861	100.0	100.0
Valid cases	559	Missing cases	6302		

PD862      Wanted Family Friend To Masturbate						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	31	.5	47.0	47.0
Yes		2	13	.2	19.7	66.7
Unsure		9	22	.3	33.3	100.0
NA		-2	6793	99.0	Missing	
		-1	2	.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	66	Missing cases	6795			

I2. g) stranger

PD863 Stranger Masturbated In Front Of <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	490	7.1	87.7	87.7
Yes	2	69	1.0	12.3	100.0
NA	-2	6302	91.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 559 Missing cases 6302

PD864 Wanted Stranger To Masturbate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	55	.8	83.3	83.3
Yes	2	2	.0	3.0	86.4
Unsure	9	9	.1	13.6	100.0
NA	-2	6792	99.0	Missing	
	-1	3	.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 66 Missing cases 6795

I2. h) other (please describe)

[If something is written on 'please describe' line coder ensures the appropriate boxes have been ticked. If no tick is given, zero is coded to show information. Coder checks comment given cannot be recoded elsewhere]

PD865 Other Person Masturbated In front Of <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2	.0	.4	.4
No	1	443	6.5	79.2	79.6
Yes	2	114	1.7	20.4	100.0
NA	-2	6302	91.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 559 Missing cases 6302

PD866 Wanted Other Person To Masturbate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2	.0	2.2	2.2
No	1	33	.5	36.7	38.9
Yes	2	23	.3	25.6	64.4
Unsure	9	32	.5	35.6	100.0
NA	-2	6745	98.3	Missing	
	-1	26	.4	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 90 Missing cases 6771

I2. iii) how old were you when this first happened: years

[Coder rounds down ages]



PD867	Age First Masturbated In Front Of				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	4	.1	.8	.8
	6	7	.1	1.4	2.2
	7	7	.1	1.4	3.5
	8	21	.3	4.1	7.6
	9	12	.2	2.3	10.0
	10	53	.8	10.4	20.4
	11	41	.6	8.0	28.4
	12	74	1.1	14.5	42.9
	13	106	1.5	20.7	63.6
	14	115	1.7	22.5	86.1
	15	71	1.0	13.9	100.0
	-1	6350	92.6	Missing	
	Total	6861	100.0	100.0	
Valid cases	511	Missing cases	6350		

## Derived variables

From PD850 - PD866 a variable was derived distinguishing masturbation by a stranger from unwanted or abusive masturbation by a non-stranger using the following rules:

If PD863 = 2 then PD868 = 1.

If (PD852 or PD854 = 1) or (PD855, PD857, PD859 or PD861 = 2) PD868 = 2.  
Otherwise PD868 = 3.

PD868	Abuse/ Masturbate				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Stranger	1.00	69	1.0	1.0	1.0
Non-Stranger	2.00	159	2.3	2.3	3.3
No	3.00	6633	96.7	96.7	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

I3. Did anyone ever touch or fondle your body, including your backside or genitals, or attempt to arouse you sexually before you were 16?

Yes, happened once only  
 Yes, happened more than once  
 No, did not happen

[If I3 is not ticked but an incident is reported in I3 a-h, I3 is coded zero]

PD870 Anyone Touch or Fondle Body <16					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, Ns	0	4	.1	.1	.1
Once	1	265	3.9	4.2	4.2
More Often	2	2014	29.4	31.6	35.8
No	3	4096	59.7	64.2	100.0
	-1	482	7.0	Missing	
	Total	6861	100.0	100.0	
Valid cases	6379	Missing cases	482		

If <u>yes</u> ,	(i)	(ii)
	Who was involved?	If yes, did you want this to happen with this person?
	No    Yes	No    Yes    Unsure

I3. a) boy friend

PD871 Boy Friend Touched Body <16					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2189	31.9	95.9	95.9
Yes	2	94	1.4	4.1	100.0
NA	-2	4578	66.7	Missing	
	Total	6861	100.0	100.0	
Valid cases	2283	Missing cases	4578		

PD872 Wanted Boy Friend To Touch Body					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	16	.2	17.4	17.4
Yes	2	53	.8	57.6	75.0
Unsure	9	23	.3	25.0	100.0
NA	-2	6767	98.6	Missing	
	-1	2	.0	Missing	
	Total	6861	100.0	100.0	
Valid cases	92	Missing cases	6769		

I3. b) girl friend

PD873 Girl Friend Touched Body <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	366	5.3	16.0	16.0
Yes	2	1917	27.9	84.0	100.0
NA	-2	4578	66.7	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	2283	Missing cases	4578		

PD874 Wanted Girl Friend To Touch Body

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.1	.1
No	1	4	.1	.2	.3
Yes	2	1837	26.8	97.0	97.3
Unsure	9	52	.8	2.7	100.0
	.	2	.0	Missing	
NA	-2	4944	72.1	Missing	
	-1	21	.3	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	1894	Missing cases	4967		

I3. c) parent or parent figure

PD875 Parent Touched Body <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2268	33.1	99.3	99.3
Yes	2	15	.2	.7	100.0
NA	-2	4578	66.7	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	2283	Missing cases	4578		

PD876 Wanted Parent To Touch body

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	14	.2	100.0	100.0
NA	-2	6846	99.8	Missing	
	-1	1	.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	14	Missing cases	6847		

I3. d) brother or sister

PD877 Brother/Sister Touched Body <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2243	32.7	98.2	98.2
Yes	2	40	.6	1.8	100.0
NA	-2	4578	66.7	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	2283	Missing cases	4578		

PD878 Wanted Brother/Sister To Touch Body

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	7	.1	17.5	17.5
Yes	2	19	.3	47.5	65.0
Unsure	9	14	.2	35.0	100.0
NA	-2	6821	99.4	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	40	Missing cases	6821		

I3. e) other relative

PD879 Other Relative Touched Body <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2240	32.6	98.1	98.1
Yes	2	43	.6	1.9	100.0
NA	-2	4578	66.7	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	2283	Missing cases	4578		

PD880 Wanted Other Relative To Touch Body

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	15	.2	34.9	34.9
Yes	2	19	.3	44.2	79.1
Unsure	9	9	.1	20.9	100.0
NA	-2	6818	99.4	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	43	Missing cases	6818		

I3. f) family friend

PD881 Family Friend Touched Body <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2210	32.2	96.8	96.8
Yes	2	73	1.1	3.2	100.0
NA	-2	4578	66.7	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 2283 Missing cases 4578

PD882 Wanted Family Friend To Touch Body

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	30	.4	43.5	43.5
Yes	2	24	.3	34.8	78.3
Unsure	9	15	.2	21.7	100.0
NA	-2	6788	98.9	Missing	
	-1	4	.1	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 69 Missing cases 6792

I3. g) stranger

PD883 Stranger Touched Body <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2188	31.9	95.9	95.9
Yes	2	94	1.4	4.1	100.0
	.	1	.0	Missing	
NA	-2	4578	66.7	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 2282 Missing cases 4579

PD884 Wanted Stranger To touch Body

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	62	.9	68.9	68.9
Yes	2	20	.3	22.2	91.1
Unsure	9	8	.1	8.9	100.0
	.	1	.0	Missing	
NA	-2	6766	98.6	Missing	
	-1	4	.1	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 90 Missing cases 6771

I3. h) other (please describe)

[If something is written on 'please describe' line coder ensures the appropriate boxes have been ticked. If no tick is given, zero is coded to show information. Coder checks comment given cannot be recoded elsewhere]

PD885 Other Person Touched Body <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.0	.0
No	1	2163	31.5	94.8	94.9
Yes	2	117	1.7	5.1	100.0
	.	2	.0	Missing	
NA	-2	4578	66.7	Missing	
	Total	6861	100.0	100.0	

Valid cases 2281 Missing cases 4580

PD886 Wanted Other Person To Touch Body

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2	.0	1.9	1.9
No	1	43	.6	40.6	42.5
Yes	2	36	.5	34.0	76.4
Unsure	9	25	.4	23.6	100.0
NA	-2	6741	98.3	Missing	
	-1	14	.2	Missing	
	Total	6861	100.0	100.0	

Valid cases 106 Missing cases 6755

I3. iii) how old were you when this first happened: years

[Round down ages]

PD887 Age First Touched/Fondled

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3	1	.0	.1	.1
	4	1	.0	.1	.1
	5	4	.1	.2	.3
	6	9	.1	.5	.8
	7	17	.2	.9	1.6
	8	30	.4	1.5	3.1
	9	32	.5	1.6	4.8
	10	59	.9	3.0	7.8
	11	67	1.0	3.4	11.1
	12	135	2.0	6.8	18.0
	13	290	4.2	14.7	32.7
	14	634	9.2	32.1	64.8
	15	695	10.1	35.2	100.0
	-2	4578	66.7	Missing	
	-1	309	4.5	Missing	
	Total	6861	100.0	100.0	

Valid cases 1974 Missing cases 4887

## Derived variable

From PD870 - PD886 a variable was derived, distinguishing fondling by a stranger from unwanted or abusive fondling by a non-stranger using the following rules:

If PD883 = 2 then PD888 = 1.

If (PD872 or PD874 = 1) or (PD875, PD877, PD879, or PD881 = 2) PD888 = 2.

Otherwise PD888 = 3.

PD888 Abuse/ Fondled					
Value	Label	Value	Frequency	Percent	Valid Percent
1.00	Stranger	1.00	94	1.4	1.4
2.00	Non-Stranger	2.00	175	2.6	2.6
3.00	No	3.00	6589	96.0	96.1
.		.	3	.0	Missing
Total			6861	100.0	100.0
Valid cases		6858	Missing cases		3

I4. Did anyone try to have you arouse them, or touch their body in a sexual way before you were 16?

Yes, happened once only  
 Yes, happened more than once  
 No, did not happen

[If I3 is not ticked but an incident is reported in I3 a-h, I3 is coded zero]

PD890 Anyone Have You Arouse Them <16					
Value	Label	Value	Frequency	Percent	Valid Percent
0	Yes, NOS	0	5	.1	.1
1	Once	1	230	3.4	3.6
2	More Often	2	2062	30.1	32.4
3	No	3	4076	59.4	64.0
-1		-1	488	7.1	Missing
Total			6861	100.0	100.0
Valid cases		6373	Missing cases		488

If <u>yes</u> ,	(i)	(ii)
	Who was involved?	If yes, did you want this to happen with this person?
	No    Yes	No    Yes    Unsure

I4. a) boy friend

PD891 Boy Friend Had You Arouse Them <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	2199	32.1	95.7	95.7
Yes		2	98	1.4	4.3	100.0
NA		-2	4564	66.5	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		2297	Missing cases		4564	

PD892      Wanted Boy Friend Have You Arouse Them						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	18	.3	18.6	18.6
Yes		2	50	.7	51.5	70.1
Unsure		9	29	.4	29.9	100.0
NA		-2	6763	98.6	Missing	
		-1	1	.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	97	Missing cases	6764			

I4. b) girl friend

PD893 Girl Friend Had You Arouse Them <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	298	4.3	13.0	13.0
Yes		2	1998	29.1	87.0	100.0
		.	1	.0	Missing	
NA		-2	4564	66.5	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	2296	Missing cases	4565			

PD894      Wanted Girl Friend Have You Arouse Them						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		0	2	.0	.1	.1
No		1	8	.1	.4	.5
Yes		2	1893	27.6	96.9	97.4
Unsure		9	50	.7	2.6	100.0
		.	2	.0	Missing	
NA		-2	4862	70.9	Missing	
		-1	44	.6	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	1953	Missing cases	4908			



I4. c) parent or parent figure

PD895 Parent Had You Arouse Them <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2286	33.3	99.5	99.5
Yes	2	11	.2	.5	100.0
NA	-2	4564	66.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 2297 Missing cases 4564

PD896 Wanted Parent Have You Arouse Them

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	9	.1	90.0	90.0
Yes	2	1	.0	10.0	100.0
NA	-2	6850	99.8	Missing	
	-1	1	.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 10 Missing cases 6851

I4. d) brother or sister

PD897 Brother/Sister Had You Arouse Them <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2257	32.9	98.3	98.3
Yes	2	40	.6	1.7	100.0
NA	-2	4564	66.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 2297 Missing cases 4564

PD898 Wanted Brother/Sister Have You Arouse Them

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	7	.1	17.5	17.5
Yes	2	18	.3	45.0	62.5
Unsure	9	15	.2	37.5	100.0
NA	-2	6821	99.4	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 40 Missing cases 6821

I4. e) other relative

PD899 Other Relative Had You Arouse Them <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2258	32.9	98.3	98.3
Yes	2	39	.6	1.7	100.0
NA	-2	4564	66.5	Missing	
	Total	6861	100.0	100.0	
Valid cases	2297	Missing cases	4564		

PD900 Wanted Other Relative Have You Arouse Them

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	6	.1	15.4	15.4
Yes	2	23	.3	59.0	74.4
Unsure	9	10	.1	25.6	100.0
NA	-2	6822	99.4	Missing	
	Total	6861	100.0	100.0	
Valid cases	39	Missing cases	6822		

I4. f) family friend

PD901 Family Friend Had You Arouse Them <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2228	32.5	97.0	97.0
Yes	2	69	1.0	3.0	100.0
NA	-2	4564	66.5	Missing	
	Total	6861	100.0	100.0	
Valid cases	2297	Missing cases	4564		

PD902 Wanted Family Friend Have You Arouse Them

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	27	.4	39.7	39.7
Yes	2	26	.4	38.2	77.9
Unsure	9	15	.2	22.1	100.0
NA	-2	6792	99.0	Missing	
	-1	1	.0	Missing	
	Total	6861	100.0	100.0	
Valid cases	68	Missing cases	6793		

I4. g) stranger

PD903 Stranger Had You Arouse Them <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2232	32.5	97.2	97.2
Yes	2	65	.9	2.8	100.0
NA	-2	4564	66.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 2297 Missing cases 4564

PD904 Wanted Stranger Have You Arouse Them

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	40	.6	63.5	63.5
Yes	2	15	.2	23.8	87.3
Unsure	9	8	.1	12.7	100.0
NA	-2	6796	99.1	Missing	
	-1	2	.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 63 Missing cases 6798

I4. h) other (please describe)

[Coder ensures any writing on "please describe" line is matched by a "yes" tick on I4h)  
(i). If not zero is coded on I4h) (i) to indicate information.]

PD905 Other Had You Arouse Them <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	2214	32.3	96.4	96.4
Yes	2	83	1.2	3.6	100.0
NA	-2	4564	66.5	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 2297 Missing cases 4564

PD906 Wanted Other Have You Arouse Them

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	1.3	1.3
No	1	22	.3	28.6	29.9
Yes	2	31	.5	40.3	70.1
Unsure	9	23	.3	29.9	100.0
NA	-2	6778	98.8	Missing	
	-1	6	.1	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 77 Missing cases 6784

I4.      iii)      how old were you when this first happened:      years

[Round down ages]

PD907	Age 1st Had Person Have You Arouse Them				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3	1	.0	.1	.1
	4	1	.0	.1	.1
	5	4	.1	.2	.3
	6	8	.1	.4	.7
	7	14	.2	.7	1.4
	8	28	.4	1.4	2.9
	9	24	.3	1.2	4.1
	10	58	.8	3.0	7.1
	11	64	.9	3.3	10.4
	12	123	1.8	6.3	16.7
	13	285	4.2	14.6	31.3
	14	648	9.4	33.3	64.6
	15	689	10.0	35.4	100.0
	-2	4564	66.5	Missing	
	-1	350	5.1	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	1947	Missing cases	4914		

#### Derived variable

From PD890 - PD906 a variable was derived, distinguishing arousal by or of a stranger from unwanted or abusive arousal by a non-stranger using the following rules:

If PD903 = 2 then PD908 = 1.

If (PD892 or PD894 = 1) or (pd895, PD897, PD899 or PD901 = 2) PD908 = 2.

Otherwise PD908 = 3.

PD908	Abuse/ Aroused Another					
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Stranger		1.00	65	.9	.9	.9
Non-Stranger		2.00	170	2.5	2.5	3.4
No		3.00	6624	96.5	96.6	100.0
		.	2	.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6859	Missing cases	2			

I5. Did anybody rub their genitals against your body in a sexual way before you were 16?

Yes, happened once only  
 Yes, happened more than once  
 No, did not happen

[If I5 is not ticked but an incident is reported in I5 a-h, I5 is coded zero]

PD910	Anyone Rub Genitals Against You <16				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes, NOS	0	3	.0	.0	.0
Once	1	138	2.0	2.2	2.2
More Often	2	1446	21.1	22.8	25.0
No	3	4768	69.5	75.0	100.0
	9	1	.0	.0	100.0
	-1	505	7.4	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6356	Missing cases	505		

If yes,

(i)	(ii)
Who was involved?	If yes, did you want this to happen with this person?
No Yes	No Yes Unsure

I5. a) boy friend

PD911 Boy Friend Rubbed Genitals Against <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	1533	22.3	96.5	96.5
Yes		2	55	.8	3.5	100.0
NA		-2	5273	76.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		1588	Missing cases		5273	

PD912      Wanted Boy Friend Rub Genitals Against						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	7	.1	13.5	13.5
Yes		2	31	.5	59.6	73.1
Unsure		9	14	.2	26.9	100.0
NA		-2	6806	99.2	Missing	
		-1	3	.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	52	Missing cases	6809			

I5. b) girl friend

PD913 Girl Friend Rubbed Genitals Against <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	169	2.5	10.6	10.6
Yes		2	1419	20.7	89.4	100.0
NA		-2	5273	76.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	1588	Missing cases	5273			

PD914	Wanted Girl Friend Rub Genitals Against					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
	0	1	.0	.1	.1	
No	1	2	.0	.1	.2	
Yes	2	1345	19.6	97.5	97.7	
Unsure	9	32	.5	2.3	100.0	
	.	1	.0	Missing		
NA	-2	5442	79.3	Missing		
	-1	38	.6	Missing		
		-----	-----	-----		
	Total	6861	100.0	100.0		
Valid cases	1380	Missing cases	5481			

I5. c) parent or parent figure

PD915 Parent Rubbed Genitals Against <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	1582	23.1	99.6	99.6
Yes		2	6	.1	.4	100.0
NA		-2	5273	76.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		1588	Missing cases		5273	

PD916      Wanted Parent Rub Genitals Against						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	5	.1	100.0	100.0
NA		-2	6855	99.9	Missing	
		-1	1	.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		5	Missing cases		6856	

I5. d) brother or sister

PD917 Brother/Sister Rubbed Genitals Against <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	1573	22.9	99.1	99.1
Yes		2	15	.2	.9	100.0
NA		-2	5273	76.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	1588	Missing cases	5273			

PD918		Wanted Brother/Sister Rub Genitals Against				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	3	.0	20.0	20.0
Yes		2	5	.1	33.3	53.3
Unsure		9	7	.1	46.7	100.0
NA		-2	6846	99.8	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		15	Missing cases		6846	

I5. e) other relative

PD919 Other Relative Rubbed Genitals Against <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	1565	22.8	98.6	98.6
Yes		2	23	.3	1.4	100.0
NA		-2	5273	76.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	1588	Missing cases	5273			

PD920      Wanted Other Relative Rub Genitals Against						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	8	.1	36.4	36.4
Yes		2	9	.1	40.9	77.3
Unsure		9	5	.1	22.7	100.0
NA		-2	6838	99.7	Missing	
		-1	1	.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		22	Missing cases	6839		

I5. f) family friend

PD921 Family Friend Rubbed Genitals Against <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	1551	22.6	97.7	97.7
Yes		2	37	.5	2.3	100.0
NA		-2	5273	76.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	1588	Missing cases	5273			

PD922      Wanted Family Friend Rub Genitals Against						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	12	.2	33.3	33.3
Yes		2	16	.2	44.4	77.8
Unsure		9	8	.1	22.2	100.0
NA		-2	6824	99.5	Missing	
		-1	1	.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	36	Missing cases	6825			

I5. g) stranger

PD923 Stranger Rubbed Genitals Against <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	1556	22.7	98.0	98.0
Yes		2	32	.5	2.0	100.0
NA		-2	5273	76.9	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	1588	Missing cases	5273			

PD924      Wanted Stranger Rub Genitals Against						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	15	.2	53.6	53.6
Yes		2	10	.1	35.7	89.3
Unsure		9	3	.0	10.7	100.0
NA		-2	6829	99.5	Missing	
		-1	4	.1	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		28	Missing cases	6833		



I5. h) other (please describe)

[Coder ensures any writing on "please describe" line is matched by a "yes" tick on I3h)  
(i). If not zero is coded on I3h) (i) to indicate information.]

PD925 Other Rubbed Genitals Against <16					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	1544	22.5	97.2	97.2
Yes	2	44	.6	2.8	100.0
NA	-2	5273	76.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	1588	Missing cases	5273		

PD926 Wanted Other Rub Genitals Against					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2	.0	5.1	5.1
No	1	10	.1	25.6	30.8
Yes	2	19	.3	48.7	79.5
Unsure	9	8	.1	20.5	100.0
NA	-2	6817	99.4	Missing	
	-1	5	.1	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	39	Missing cases	6822		

I5. iii) how old were you when this first happened: years

[Round down ages]

PD927 Age Had Person Rub Genitals Against					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	2	.0	.2	.2
	6	4	.1	.3	.5
	7	10	.1	.8	1.2
	8	18	.3	1.4	2.6
	9	8	.1	.6	3.2
	10	28	.4	2.1	5.3
	11	35	.5	2.7	8.0
	12	71	1.0	5.4	13.3
	13	190	2.8	14.4	27.7
	14	441	6.4	33.4	61.2
	15	512	7.5	38.8	100.0
	-2	5273	76.9	Missing	
	-1	269	3.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	1319	Missing cases	5542		

## Derived variable

From PD910 to PD926 a variable was derived, distinguishing genital rubbing by a stranger from unwanted or abusive rubbing by a non-stranger using the following rules:

If PD923 = 2 then PD928 = 1.

If (PD912 OR PD914 = 1) or (PD915, PD917, PD919 or PD921 = 2) PD928 = 2.

Otherwise PD928 = 3.

PD928 Abuse/ Genital rubbing					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Stranger		1.00	32	.5	.5
Non-Stranger		2.00	83	1.2	1.2
No		3.00	6745	98.3	98.3
.		.	1	.0	Missing
Total			6861	100.0	100.0
Valid cases	6860	Missing cases	1		

I6. Did anyone have sexual intercourse with you before you were 16?

Yes, happened once only

Yes, happened more than once

No, did not happen

[If I6 is not ticked but an incident is reported in I6 a-h, I6 is coded zero]

PD930 Anyone Have Sexual Intercourse With <16					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Yes, NOS		0	4	.1	.1
Once		1	179	2.6	2.8
More Often		2	1138	16.6	17.9
No		3	5040	73.5	79.2
.		-1	500	7.3	Missing
Total			6861	100.0	100.0
Valid cases	6361	Missing cases	500		

If yes,

(i)

Who was involved?

No Yes

(ii)

If yes, did you want this to happen with this person?

No Yes Unsure

I6. a) boy friend

PD931 Boy Friend Had Sexual Intercourse With <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	1314	19.2	99.5	99.5
Yes	2	7	.1	.5	100.0
NA	-2	5540	80.7	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 1321 Missing cases 5540

PD932 Wanted Boy Friend Have Sexual Intercourse

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	1	.0	14.3	14.3
Yes	2	6	.1	85.7	100.0
NA	-2	6854	99.9	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 7 Missing cases 6854

I6. b) girl friend

PD933 Girl Friend Had Sexual Intercourse With <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	62	.9	4.7	4.7
Yes	2	1259	18.4	95.3	100.0
NA	-2	5540	80.7	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 1321 Missing cases 5540

PD934 Wanted Girl Friend Have Sexual Intercourse

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	3	.0	.2	.2
Yes	2	1197	17.4	97.4	97.6
Unsure	9	29	.4	2.4	100.0
NA	-2	5602	81.6	Missing	
	-1	30	.4	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 1229 Missing cases 5632

I6. c) parent or parent figure

PD935 Parent Had Sexual Intercourse With <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	1315	19.2	99.5	99.5
Yes		2	6	.1	.5	100.0
NA		-2	5540	80.7	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	1321	Missing cases	5540			

PD936      Wanted Parent Have Sexual Intercourse With						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	4	.1	80.0	80.0
Yes		2	1	.0	20.0	100.0
NA		-2	6855	99.9	Missing	
		-1	1	.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	5	Missing cases	6856			

I6. d) brother or sister

PD937 Brother/Sister Had Sexual Intercourse With <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	1316	19.2	99.6	99.6
Yes		2	5	.1	.4	100.0
NA		-2	5540	80.7	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	1321	Missing cases	5540			

PD938      Wanted Brother/Sister Have Sexual Intercourse With					
Value	Label	Value	Frequency	Percent	Cum Valid Percent
No		1	1	.0	20.0
Yes		2	4	.1	80.0
NA		-2	6856	99.9	Missing
			-----	-----	-----
		Total	6861	100.0	100.0
Valid cases	5	Missing cases	6856		

I6. e) other relative

PD939 Other Relative Had Sexual Intercourse With <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	1318	19.2	99.8	99.8
Yes		2	3	.0	.2	100.0
NA		-2	5540	80.7	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	1321	Missing cases	5540			

PD940      Wanted Other Relative Have Sexual Intercourse With						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	1	.0	33.3	33.3
Yes		2	1	.0	33.3	66.7
Unsure		9	1	.0	33.3	100.0
NA		-2	6858	100.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases		3	Missing cases		6858	

I6. f) family friend

PD941 Family Friend Had Sexual Intercourse With <16						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		1	1302	19.0	98.6	98.6
Yes		2	19	.3	1.4	100.0
NA		-2	5540	80.7	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	1321	Missing cases	5540			

PD942      Wanted Family Friend Have Sexual Intercourse					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	3	.0	15.8	15.8
Yes	2	12	.2	63.2	78.9
Unsure	9	4	.1	21.1	100.0
NA	-2	6842	99.7	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	19	Missing cases	6842		

I6. g) stranger

PD943 Stranger Had Sexual Intercourse With <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	1297	18.9	98.2	98.2
Yes	2	24	.3	1.8	100.0
NA	-2	5540	80.7	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 1321 Missing cases 5540

PD944 Wanted Stranger Have Sexual Intercourse

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	4	.1	19.0	19.0
Yes	2	16	.2	76.2	95.2
Unsure	9	1	.0	4.8	100.0
NA	-2	6837	99.7	Missing	
	-1	3	.0	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 21 Missing cases 6840

I6. h) other (please describe)

[Coder ensures any writing on "please describe" line is matched by a "yes" tick on I6h)

(i). If not zero is coded on I6h) (i) to indicate information.]

PD945 Other Had Sexual Intercourse With <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	1308	19.1	99.0	99.0
Yes	2	13	.2	1.0	100.0
NA	-2	5540	80.7	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 1321 Missing cases 5540

PD946 Wanted Other Have Sexual Intercourse With

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	1	.0	8.3	8.3
Yes	2	10	.1	83.3	91.7
Unsure	9	1	.0	8.3	100.0
NA	-2	6848	99.8	Missing	
	-1	1	.0	Missing	
		-----	-----	-----	
Total		6861	100.0	100.0	

Valid cases 12 Missing cases 6849

I6.      iii)      how old were you when this first happened:      years

[Round down ages]

PD947      Age First Had Sexual Intercourse					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	1	.0	.1	.1
	7	4	.1	.4	.5
	8	5	.1	.5	.9
	9	2	.0	.2	1.1
	10	2	.0	.2	1.3
	11	13	.2	1.2	2.5
	12	45	.7	4.1	6.6
	13	142	2.1	12.9	19.5
	14	333	4.9	30.4	49.9
	15	550	8.0	50.1	100.0
	-2	5540	80.7	Missing	
	-1	224	3.3	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	1097	Missing cases	5764		

## Derived variable

From PD930 to PD946 a variable was derived, distinguishing sexual intercourse with a stranger from unwanted or abusive intercourse by a non-stranger using the following rules:

If PD943 = 2, then PD948 = 1.

If (PD932 or PD934 = 1) or (PD935, PD937, PD939 or PD941 = 2) PD948 = 2.

Otherwise PD948 = 3.

PD948      Abuse/ Intercourse					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Stranger	1.00	24	.3	.3	.3
Non-Stranger	2.00	33	.5	.5	.8
No	3.00	6804	99.2	99.2	100.0
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

I7 Did anyone ever try to put their penis into your mouth before you were 16?

Yes, happened once only  
 Yes, happened more than once  
 No, did not happen

[If I7 is not ticked but an incident is reported in I7 a-h, I7 is coded zero]

PD950 Anyone Try Put Penis In Mouth <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Once	1	31	.5	.5	.5
More Often	2	43	.6	.7	1.2
No	3	6303	91.9	98.8	100.0
	-1	484	7.1	Missing	
	Total	6861	100.0	100.0	

Valid cases 6377 Missing cases 484

If yes, (i) Who was involved? (ii) If yes, did you want this to happen with this person?

No Yes No Yes Unsure

I7. a) boy friend

PD951 Boy Friend Put Penis In Mouth <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	43	.6	58.1	58.1
Yes	2	31	.5	41.9	100.0
NA	-2	6787	98.9	Missing	
	Total	6861	100.0	100.0	

Valid cases 74 Missing cases 6787

PD952 Wanted Boy Friend Put Penis In Mouth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	5	.1	17.2	17.2
Yes	2	18	.3	62.1	79.3
Unsure	9	6	.1	20.7	100.0
NA	-2	6830	99.5	Missing	
	-1	2	.0	Missing	
	Total	6861	100.0	100.0	

Valid cases 29 Missing cases 6832



I7. b) father or father figure

PD953 Father Put Penis In Mouth <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	69	1.0	93.2	93.2
Yes	2	5	.1	6.8	100.0
NA	-2	6787	98.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	74	Missing cases	6787		

PD954 Wanted Father Put Penis In Mouth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	4	.1	80.0	80.0
Unsure	9	1	.0	20.0	100.0
NA	-2	6856	99.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	5	Missing cases	6856		

I7. c) brother

PD955 Brother Put penis In Mouth <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	61	.9	82.4	82.4
Yes	2	13	.2	17.6	100.0
NA	-2	6787	98.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	74	Missing cases	6787		

PD956 Wanted Brother Put penis In Mouth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	5	.1	38.5	38.5
Yes	2	1	.0	7.7	46.2
Unsure	9	7	.1	53.8	100.0
NA	-2	6848	99.8	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	
Valid cases	13	Missing cases	6848		

I7. d) other relative

PD957 Other Relative Put Penis In Mouth <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	71	1.0	95.9	95.9
Yes	2	3	.0	4.1	100.0
NA	-2	6787	98.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 74 Missing cases 6787

PD958 Wanted Other Relative Put Penis In Mouth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	1	.0	33.3	33.3
Unsure	9	2	.0	66.7	100.0
NA	-2	6858	100.0	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 3 Missing cases 6858

I7. e) family friend

PD959 Family Friend Put Penis In Mouth <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	69	1.0	93.2	93.2
Yes	2	5	.1	6.8	100.0
NA	-2	6787	98.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 74 Missing cases 6787

PD960 Wanted Family Friend Put Penis In Mouth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	3	.0	60.0	60.0
Yes	2	1	.0	20.0	80.0
Unsure	9	1	.0	20.0	100.0
NA	-2	6856	99.9	Missing	
		-----	-----	-----	
	Total	6861	100.0	100.0	

Valid cases 5 Missing cases 6856

I7. f) stranger

PD961 Stranger Put Penis In Mouth <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	67	1.0	90.5	90.5
Yes	2	7	.1	9.5	100.0
NA	-2	6787	98.9	Missing	
	Total	6861	100.0	100.0	
Valid cases	74	Missing cases	6787		

PD962 Wanted Stranger Put Penis In Mouth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	6	.1	85.7	85.7
Yes	2	1	.0	14.3	100.0
NA	-2	6854	99.9	Missing	
	Total	6861	100.0	100.0	
Valid cases	7	Missing cases	6854		

I7. g) other (please describe)

[Coder ensures any writing on "please describe" line is matched by a "yes" tick on I7h)

(i). If not zero is coded on I7h) (i) to indicate information]

PD963 Other Put Penis In Mouth <16

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	61	.9	82.4	82.4
Yes	2	13	.2	17.6	100.0
NA	-2	6787	98.9	Missing	
	Total	6861	100.0	100.0	
Valid cases	74	Missing cases	6787		

PD964 Wanted Other Put penis In Mouth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	7	.1	58.3	58.3
Yes	2	3	.0	25.0	83.3
Unsure	9	2	.0	16.7	100.0
NA	-2	6848	99.8	Missing	
	-1	1	.0	Missing	
	Total	6861	100.0	100.0	
Valid cases	12	Missing cases	6849		

I7.      iii)      how old were you when this first happened:      years

[Round down ages]

PD965      Age Someone Put Penis In Mouth					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	4	.1	5.5	5.5
	5	2	.0	2.7	8.2
	6	3	.0	4.1	12.3
	7	4	.1	5.5	17.8
	8	8	.1	11.0	28.8
	9	1	.0	1.4	30.1
	10	7	.1	9.6	39.7
	11	2	.0	2.7	42.5
	12	7	.1	9.6	52.1
	13	11	.2	15.1	67.1
	14	16	.2	21.9	89.0
	15	8	.1	11.0	100.0
	-2	6787	98.9	Missing	
	-1	1	.0	Missing	
	Total	6861	100.0	100.0	
Valid cases	73	Missing cases	6788		

## Derived variable

From PD910 to PD926 a variable was derived, distinguishing genital rubbing by a stranger from unwanted or abusive rubbing by a non-stranger using the following rules:

If PD923 = 2 then PD928 = 1.

If (PD912 or PD914 = 1) or (PD915, PD917, PD919 or PD921 = 2) PD928 = 2.

Otherwise PD928 = 3.

PD968      Abuse / Oral Sex					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Stranger	1.00	13	.2	.2	.2
Non-Stranger	2.00	34	.5	.5	.7
No	3.00	6814	99.3	99.3	100.0
	Total	6861	100.0	100.0	
Valid cases	6861	Missing cases	0		

### Derived variable: Any sexual abuse

The variable 'Any abuse' was derived from PD848, PD868, PD888, PD908, PD928, PD948 and PD968 using the following:

Put PD970 = 1 if any of PD848, PD868, PD888, PD908, PD928, PD948 and PD968 = 1.

Put PD970 = 2 if any of PD848, PD868, PD888, PD908, PD928, PD948 and PD968 = 2.

Otherwise put PD970 = 3.

PD970      Any Abuse					
Value	Label	Value	Frequency	Percent	Valid Percent      Cum Percent
	Stranger Only	1.00	348	5.1	5.1      5.1
	Non-Stranger	2.00	330	4.8	4.8      9.9
	No	3.00	6177	90.0	90.1      100.0
		-1.00	6	.1	Missing
		Total	6861	100.0	100.0
Valid cases	6855	Missing cases	6		

## SECTION J

J1. Please put the date of completing this questionnaire:

day month year

[Dates are coded ddmmyy]

[If blank, coder copies month & year form was returned from the stamped receipt date on the front cover and the days are coded '99']

PD990 Date Completed Questionnaire - Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	524	7.6	7.7	7.7
	2	364	5.3	5.3	13.0
	3	413	6.0	6.1	19.1
	4	811	11.8	11.9	31.0
	5	929	13.5	13.6	44.6
	6	1086	15.8	15.9	60.5
	7	740	10.8	10.9	71.4
	8	438	6.4	6.4	77.8
	9	473	6.9	6.9	84.7
	10	398	5.8	5.8	90.6
	11	395	5.8	5.8	96.3
	12	249	3.6	3.7	100.0
	-1	41	.6	Missing	
Total		6861	100.0	100.0	

Valid cases 6820 Missing cases 41

PD991 Date Completed Questionnaire - Year

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	91	11	.2	.2	.2
	92	3815	55.6	56.1	56.2
	93	2971	43.3	43.7	99.9
	94	9	.1	.1	100.0
	-1	55	.8	Missing	
Total		6861	100.0	100.0	

Valid cases 6806 Missing cases 55

From this date and the child's date of birth, age of baby at completion was coded.

PD992 Age of Child at Completion of Questionnaire

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	7.00	882	12.9	13.5	13.5
	8.00	3348	48.8	51.2	64.7
	9.00	909	13.2	13.9	78.7
	10.00	671	9.8	10.3	88.9
	11.00	322	4.7	4.9	93.8
	12.00	223	3.3	3.4	97.3
	13.00	98	1.4	1.5	98.8
	14.00	26	.4	.4	99.2
	15.00	17	.2	.3	99.4
	16.00	15	.2	.2	99.6
	17.00	5	.1	.1	99.7
	18.00	4	.1	.1	99.8
	19.00	1	.0	.0	99.8
	20.00	5	.1	.1	99.9
	21.00	3	.0	.0	99.9
	22.00	1	.0	.0	99.9
	23.00	3	.0	.0	100.0
	27.00	1	.0	.0	100.0
	-1.00	327	4.8	Missing	
	Total	6861	100.0	100.0	

Valid cases 6534 Missing cases 327

J2. Please give your date of birth:

day month year

[Dates are coded ddmmyy]

[Any valid date has to be accepted]

PD994 DOB - Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	562	8.2	8.5	8.5
	2	587	8.6	8.9	17.4
	3	617	9.0	9.4	26.8
	4	581	8.5	8.8	35.6
	5	579	8.4	8.8	44.4
	6	523	7.6	7.9	52.3
	7	528	7.7	8.0	60.3
	8	576	8.4	8.7	69.0
	9	525	7.7	8.0	77.0
	10	557	8.1	8.4	85.4
	11	440	6.4	6.7	92.1
	12	521	7.6	7.9	100.0
	-1	265	3.9	Missing	
	Total	6861	100.0	100.0	

Valid cases 6596 Missing cases 265

From this date, the age of the partner at completion of the questionnaire was calculated.  
The range was from 16 to 76.

PD996		Age of Father at Completion of Questionnaire				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<19		18.00	8	.1	.1	.1
		19.00	19	.3	.3	.4
		20.00	40	.6	.6	1.0
		21.00	43	.6	.7	1.7
		22.00	77	1.1	1.2	2.9
		23.00	96	1.4	1.5	4.4
		24.00	155	2.3	2.4	6.9
		25.00	222	3.2	3.5	10.3
		26.00	294	4.3	4.6	14.9
		27.00	377	5.5	5.9	20.8
		28.00	447	6.5	7.0	27.8
		29.00	545	7.9	8.5	36.4
		30.00	515	7.5	8.1	44.4
		31.00	505	7.4	7.9	52.3
		32.00	493	7.2	7.7	60.1
		33.00	399	5.8	6.2	66.3
		34.00	417	6.1	6.5	72.8
		35.00	327	4.8	5.1	78.0
		36.00	299	4.4	4.7	82.6
		37.00	225	3.3	3.5	86.2
		38.00	160	2.3	2.5	88.7
		39.00	139	2.0	2.2	90.9
		40.00	125	1.8	2.0	92.8
		41.00	86	1.3	1.3	94.2
		42.00	68	1.0	1.1	95.2
		43.00	78	1.1	1.2	96.4
		44.00	51	.7	.8	97.2
		45.00	43	.6	.7	97.9
		46.00	29	.4	.5	98.4
		47.00	17	.2	.3	98.6
		48.00	21	.3	.3	99.0
		49.00	21	.3	.3	99.3
50+		50.00	45	.7	.7	100.0
		-1.00	475	6.9	Missing	
			-----	-----	-----	
			Total	6861	100.0	100.0
Valid cases	6386	Missing cases	475			

J3. This questionnaire was filled in by:

baby's father

baby's mother

other (please describe your relationship to the baby - e.g. mother's partner, foster mother, etc.)

[If more than one box ticked, recoded as "someone else" and numbers are written on "please describe" line]

PD997		Person Completing Questionnaire				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Baby's Father	1	6437	93.8	97.7	97.7
	Baby's Mother	2	96	1.4	1.5	99.2
	Other	3	53	.8	.8	100.0
	Mother + Other	4	2	.0	.0	100.0
		-1	273	4.0	Missing	
			-----	-----	-----	
		Total	6861	100.0	100.0	
Valid cases	6588	Missing cases	273			