

THE ALSPAC STUDY

PL FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Father and Family

At 97 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 1a of the release file.

April 2008

© University of Bristol

Contents

Introduction		Page 3
Section A	Your Medical History	
	Text	Page 8
	Frequencies	Page 17
Section B	About the Health of Your Parents	
	Text	Page 44
	Frequencies	Page 46
Section C	You and Food	
	Text	Page 54
	Frequencies	Page 57
Section D	You and Your Current Partner	
	Text	Page 68
	Frequencies	Page 72
Section E	Education and Occupation	
	Text	Page 83
	Frequencies	Page 89
Section F	Your Household	
	Text	Page 115
	Frequencies	Page 121
Section G	Your Feelings	
	Text	Page 141
	Frequencies	Page 146
Section H	Your Diet	
	Text	Page 159
	Frequencies	Page 171
Section J	Lifestyle	
	Text	Page 225
	Frequencies	Page 229
Section K		Page 244
Appendix A	General Coding Instructions	Page 250
Appendix B	Specific Coding Instructions	Page 254
Appendix C	Questionnaire Methodology	Page 264

Introduction

Contents

This questionnaire was sent out in a pack addressed to the carer of the study child when her/his study child was 97 months old. The pack contained a copy of "Mother and Family" for the carer to complete and a copy of this questionnaire to hand to her/his partner if they wished to do so. It is in 10 sections. Section A contains standard ALSPAC health related questions including: infections, operations, diabetes & hypertension, allergies, measurements and vision & hearing. Section B asks about the health of the respondent's parents and whether they are still alive. In section C the respondent is asked about their attitudes to food, cooking and meals while in section D they are asked about their relationship with their current partner. Section E contains questions on education, occupation and ethnicity and section F asks about household composition and financial matters. Section G contains the State-trait anxiety scale (Spielberger, Gorsuch, Lushene, Vagg, & Jacobs, 1983) and the Edinburgh Postnatal Depression scale (Cox, Holden, & Sagovsky, 1987). Section H contains questions about diet, including tea, coffee and alcohol consumption as well extensive food frequency questionnaires. Section J asks about smoking and exercise. Finally, section K collects the usual "back page" information on who completed the questionnaire and when, although the date of birth of the respondent was not collected as is usual in carer questionnaires.

Questionnaire versions

There was only one version of this questionnaire.

Sample & response rates

There are a total of 14,888 records on this built file. This number is made up of the 14,541 pregnancies in the core ALSPAC sample (regardless of whether or not the 97-month partner questionnaire was sent out for them or whether they were returned) plus 347 eligible pregnancies not in the core sample for which the questionnaire was sent out. Note that this questionnaire was completed for 143 of these 347 pregnancies.

Of the 14,541 pregnancies in the core ALSPAC sample, 13,868 resulted in at least one live born child. The 97-month partner questionnaire was sent out for 7,419 (53%) of these pregnancies. As of 29th February 2008 completed questionnaires had been returned for 3,904 (53%) of these pregnancies, which is 28% of the 13,868 pregnancies that resulted in at least one live born child. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Variable names

The variable names have the same numerical components as the equivalent variables on the N file, which is based on the 97-month carer questionnaire. For example, the variable for the respondent's weight is PL1140 on this file and N1140 on the N file. However, variables PL1025 & PL1030 are not equivalent to N1025 & N1030 as questions A2f & A2k, on which they are based) differ between the partner and carer questionnaires.

Note that sections F & J of the carer questionnaire were reversed in the partner questionnaire. As a result of this the variables from section F of the partner questionnaire appear between those of sections H & K in this data file and the variables from section J between those of sections E & G. For similar reasons the order of the variables from F4a/b and F4c are reversed on this data file.

Release file version history

Release version 1a – April 2008

The first version of the release file.

References

Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of Postnatal Depression - Development of the 10-Item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, 150, 782-786.

Spielberger, C. D., Gorsuch, R. L., Lushene, R., Vagg, P. R., & Jacobs, G. A. (1983). *Manual for the State-Trait Anxiety Inventory*. Palo Alto, California: Consulting Psychologists Press.

Administrative variables**pl0001 Questionnaire sent**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7766	52.2	52.2	52.2
2 No	7122	47.8	47.8	100.0
Total	14888	100.0	100.0	

pl0005 Questionnaire return status (as of 29/02/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Not returned	3575	24.0	46.0	46.0
2 Returned, completed	4047	27.2	52.1	98.1
3 Returned, blank	144	1.0	1.9	100.0
Total	7766	52.2	100.0	
Missing -2 Questionnaire not sent	7122	47.8		
Total	14888	100.0		

pl0006 Questionnaire returned (as of 29/02/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4191	28.2	54.0	54.0
2 No	3575	24.0	46.0	100.0
Total	7766	52.2	100.0	
Missing -2 Questionnaire not sent	7122	47.8		
Total	14888	100.0		

pl0007 Questionnaire completed (as of 29/02/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4047	27.2	52.1	52.1
2 No	3719	25.0	47.9	100.0
Total	7766	52.2	100.0	
Missing -2 Questionnaire not sent	7122	47.8		
Total	14888	100.0		

pl0007a Data available (as of 29/02/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4047	27.2	27.2	27.2
2 No	10841	72.8	72.8	100.0
Total	14888	100.0	100.0	

pl0008 Questionnaire version

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Version 1 - 13/09/99	4047	27.2	100.0	100.0
Missing -10 Not completed	10841	72.8		
Total	14888	100.0		



Questionnaire No:

--	--	--	--	--	--	--	--	--

FATHER AND THE FAMILY

This questionnaire allows us to catch up with your current circumstances, health, diet and lifestyle.

It is for the study child's father or person who takes the role of father. This could be the mother's husband or partner.

If this is relevant to more than one person, it should be the one who is most involved with the study child.

We are very grateful to you for helping us in this way.

THANK YOU SO MUCH

13/09/99

PAGE 2 OF THE QUESTIONNAIRE

[This page only contained a photograph.]

PAGE 3 OF THE QUESTIONNAIRE

General instruction for completing this booklet:

Please tick the box that most applies to you. If there is a question or section that you do not wish to answer, please put a line through it.

SECTION A: YOUR MEDICAL HISTORY

A1. Have you ever had any of the following infections?

	Yes	No, never	Don't know
a) measles	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) mumps	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) chicken pox	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) whooping cough	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e) cold sores	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f) meningitis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
g) genital herpes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
h) syphilis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
i) gonorrhea	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
j) urinary infection, cystitis, pyelitis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
k) thrush	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
l) have you ever had any other unusual infections? (Please tick and describe)	<input type="checkbox"/>	<input type="checkbox"/>	

.....

.....

PAGE 4 OF THE QUESTIONNAIRE

A2. Have you ever had any of the following operations:

	Yes	No
a) tonsils out	<div>1</div>	<div>2</div>
b) adenoids out	<div>1</div>	<div>2</div>
c) hernia repair	<div>1</div>	<div>2</div>
d) appendix out	<div>1</div>	<div>2</div>
e) gall bladder out	<div>1</div>	<div>2</div>
f) operation for undescended testes	<div>1</div>	<div>2</div>
g) varicose vein repair	<div>1</div>	<div>2</div>
h) squint repaired	<div>1</div>	<div>2</div>
i) plastic surgery	<div>1</div>	<div>2</div>
j) grommets/tubes in your ears	<div>1</div>	<div>2</div>
k) hypospadias repair	<div>1</div>	<div>2</div>
l) hip replacement	<div>1</div>	<div>2</div>
m) wisdom tooth removed	<div>1</div>	<div>2</div>
n) other type of operation (please tick & describe)	<div>1</div>	<div>2</div>

.....

.....

.....

PAGE 5 OF THE QUESTIONNAIRE

A3. Have you ever had any of the following problems:

	Yes, had it recently (in past year)	Yes, in past, not now	No never
a) hay fever	<div>1</div>	<div>2</div>	<div>3</div>
b) indigestion	<div>1</div>	<div>2</div>	<div>3</div>
c) bulimia	<div>1</div>	<div>2</div>	<div>3</div>
d) asthma	<div>1</div>	<div>2</div>	<div>3</div>
e) eczema	<div>1</div>	<div>2</div>	<div>3</div>
f) epilepsy	<div>1</div>	<div>2</div>	<div>3</div>
g) ME or chronic fatigue syndrome	<div>1</div>	<div>2</div>	<div>3</div>
h) migraine	<div>1</div>	<div>2</div>	<div>3</div>
i) back pain/slipped disc	<div>1</div>	<div>2</div>	<div>3</div>
j) kidney disease*	<div>1</div>	<div>2</div>	<div>3</div>
k) varicose veins	<div>1</div>	<div>2</div>	<div>3</div>
l) haemorrhoids/piles	<div>1</div>	<div>2</div>	<div>3</div>
m) rheumatism	<div>1</div>	<div>2</div>	<div>3</div>
n) arthritis	<div>1</div>	<div>2</div>	<div>3</div>
o) psoriasis	<div>1</div>	<div>2</div>	<div>3</div>
p) stomach ulcer	<div>1</div>	<div>2</div>	<div>3</div>
q) drug addiction	<div>1</div>	<div>2</div>	<div>3</div>
r) alcoholism	<div>1</div>	<div>2</div>	<div>3</div>

PAGE 6 OF THE QUESTIONNAIRE

	Yes, had it recently (in past year)	Yes, in past, not now	No never
A3. s) schizophrenia	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
t) anorexia nervosa	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
u) severe depression	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
v) other psychiatric problem*	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
w) other problem(s)* (please tick & describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	

* please tick appropriate box and describe below

.....

.....

.....

A4. a) Have you ever had diabetes?

Yes No → If **no**, go to (b) below

If **yes**

i) How is/was it treated?

insulin injections

other drugs

diet only

ii) How old were you when you first developed it?

years

b) Have you ever had hypertension (high blood pressure)?

Yes No → If **no**, go to A5 on page 7

If **yes**

i) How old were you when you first developed it?

years

PAGE 7 OF THE QUESTIONNAIRE

ii) Do you have hypertension nowadays?

Yes ☐ No ☐

1

2

A5. a) Are there any problems for which you have **regular** treatment or medicine nowadays?

Yes ☐ No ☐ → If **no**, go to A6 below

1

2

b) If **yes**, please describe the problem and regular treatment or medicine:

Problem

Treatment or medicine

.....

.....

.....

.....

.....

.....

.....

.....

A6. a) Would you say that you were allergic to anything?

Yes ☐ No ☐ → If **no**, go to A7 on page 8

1

2

b) If **yes**, is it to:

Yes

No

i) cat

1

2

ii) pollen

1

2

iii) dust

1

2

iv) insect bites
or stings

1

2

v) medication
(e.g. penicillin)

1

2

vi) something else
(Please tick & describe)

1

2

.....

PAGE 8 OF THE QUESTIONNAIRE

A7. Have you had any of the following **in the past two years**:

In the past 2 years:		Yes often	Yes, sometimes	No, not at all
a)	attacks of wheezing with whistling on the chest	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
b)	a dry itchy rash	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
c)	a blotchy blistery rash (hives)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
d)	sneezing attacks	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
e)	runny nose	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
f)	watery eyes	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
g)	attacks of breathlessness	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
h)	cough often during the night	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
i)	cough often when you wake in the morning	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>

A8. a) What is your weight nowadays?

stones	pounds	total pounds	kilos
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

OR

OR

i) Are you certain of this?

Yes	1 <input type="text"/>	No	2 <input type="text"/>
-----	------------------------	----	------------------------

[Editing: Outlying metric weights of 175kg, 178kg, 185kg & 188kg were recoded to -1. For 8 imperial weights for which the pounds box was left blank but where the respondent also reported a metric weight the stones variable was set to -1. For 337 imperial weights for which the pounds box was left blank the pounds variable was recoded to 0. Weights reported in total pounds were converted into stones and pounds.]

A single variable for weight in kg was then created using a conversion factor of 1lb = 0.4536kg for imperial measurements (rounding to the nearest integer). If both imperial and metric weights were reported then the metric weight was taken unless the two weights were not equivalent and the imperial weight was closer to the median (83kg).]

PAGE 8 OF THE QUESTIONNAIRE CONTINUED

b) What is your size nowadays in:-

i) hips

--	--

 ins. OR

--	--	--

 cms

[Editing: A single variable for hip measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to then median (38in).]

ii) waist

--	--

 ins. OR

--	--	--

 cms

[Editing: Reported metric measurements of 18 & 910 were set to -1. A single variable for waist measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to then median (34in).]

iii) chest

--	--

 ins. OR

--	--	--

 cms

(If you don't know write NK at the side)

[Editing: One imperial measurements of 19, 24 & 26 were recoded to -1 Outlying metric measurements of 65 and 980 were recoded to. A single variable for bust measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to then median (41in).]

PAGE 9 OF THE QUESTIONNAIRE

A8. c) How tall are you?

feet	inches		centimetres
<input style="width: 40px; height: 30px;" type="text"/>	<input style="width: 40px; height: 30px;" type="text"/> <input style="width: 40px; height: 30px;" type="text"/>	OR	<input style="width: 40px; height: 30px;" type="text"/> <input style="width: 40px; height: 30px;" type="text"/> <input style="width: 40px; height: 30px;" type="text"/>

i) Are you certain of this?

Yes	<input style="width: 40px; height: 30px;" type="text"/>	No	<input style="width: 40px; height: 30px;" type="text"/>
-----	---	----	---

[Editing: One reported metric value of 570 was recoded to -1. Imperial heights of 0ft 0in, 1ft 2in, 3ft 11in, 4ft 10in, 7ft 2in & 7ft 5in were set to -1. For 81 imperial heights for which the inches box was left blank (3 of 5ft and 78 of 6ft) the inches variable was recoded to 0. A single variable for height in cm was then created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric heights were reported then the metric height was taken unless the two heights were not equivalent and the imperial height was closer to then median (5ft 11in).]

A9. **Your hearing**

How would you rate your hearing in each ear?

	(i) Left ear	(ii) Right ear
always very good	<input style="width: 40px; height: 30px;" type="text"/>	<input style="width: 40px; height: 30px;" type="text"/>
occasional problems (e.g. infections or glue ear)	<input style="width: 40px; height: 30px;" type="text"/>	<input style="width: 40px; height: 30px;" type="text"/>
there are some sounds I cannot hear	<input style="width: 40px; height: 30px;" type="text"/>	<input style="width: 40px; height: 30px;" type="text"/>
never very good	<input style="width: 40px; height: 30px;" type="text"/>	<input style="width: 40px; height: 30px;" type="text"/>
I cannot hear much at all	<input style="width: 40px; height: 30px;" type="text"/>	<input style="width: 40px; height: 30px;" type="text"/>

A10. **Your eyesight**

a) How would you rate your sight without glasses?

	(i) Left eye	(ii) Right eye
Without glasses: always very good	<input style="width: 40px; height: 30px;" type="text"/>	<input style="width: 40px; height: 30px;" type="text"/>
I can't see clearly at a distance	<input style="width: 40px; height: 30px;" type="text"/>	<input style="width: 40px; height: 30px;" type="text"/>
I can't see clearly close up	<input style="width: 40px; height: 30px;" type="text"/>	<input style="width: 40px; height: 30px;" type="text"/>
I can't see much at all	<input style="width: 40px; height: 30px;" type="text"/>	<input style="width: 40px; height: 30px;" type="text"/>

PAGE 10 OF THE QUESTIONNAIRE

A10. b) Do you wear glasses?

yes always

1

yes sometimes

2

no never

3

c) Are you colour blind?

Yes

1

No

2

Don't know

3

A11. When you were a child, what was the maximum number of brothers and sisters that lived with you at any one time? (Include half-brothers and sisters, step-brothers and sisters)

brothers

sisters

a) older than you

b) younger than you

c) a twin to you

PL File – Section A

pl1000 A1a: Respondent has ever had measles

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2888	71.4	72.8	72.8
	2 No, never	505	12.5	12.7	85.5
	3 Don't know	576	14.2	14.5	100.0
	Total	3969	98.1	100.0	
Missing	-1 No response	78	1.9		
Total		4047	100.0		

pl1001 A1b: Respondent has ever had mumps

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2072	51.2	52.7	52.7
	2 No, never	1170	28.9	29.8	82.5
	3 Don't know	690	17.0	17.5	100.0
	Total	3932	97.2	100.0	
Missing	-1 No response	115	2.8		
Total		4047	100.0		

pl1002 A1c: Respondent has ever had chicken pox

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3546	87.6	88.9	88.9
	2 No, never	176	4.3	4.4	93.3
	3 Don't know	266	6.6	6.7	100.0
	Total	3988	98.5	100.0	
Missing	-1 No response	59	1.5		
Total		4047	100.0		

pl1003 A1d: Respondent has ever had whooping cough

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	475	11.7	12.3	12.3
	2 No, never	2767	68.4	71.6	83.9
	3 Don't know	622	15.4	16.1	100.0
	Total	3864	95.5	100.0	
Missing	-1 No response	183	4.5		
Total		4047	100.0		

pl1004 A1e: Respondent has ever had cold sores

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1694	41.9	43.1	43.1
	2 No, never	2072	51.2	52.7	95.8
	3 Don't know	166	4.1	4.2	100.0
	Total	3932	97.2	100.0	
Missing	-1 No response	115	2.8		
Total		4047	100.0		

PL File – Section A

pl1005 A1f: Respondent has ever had meningitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	66	1.6	1.7	1.7
	2 No, never	3768	93.1	96.8	98.5
	3 Don't know	58	1.4	1.5	100.0
	Total	3892	96.2	100.0	
Missing	-1 No response	155	3.8		
Total		4047	100.0		

pl1006 A1g: Respondent has ever had genital herpes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	60	1.5	1.5	1.5
	2 No, never	3773	93.2	97.0	98.5
	3 Don't know	57	1.4	1.5	100.0
	Total	3890	96.1	100.0	
Missing	-1 No response	157	3.9		
Total		4047	100.0		

pl1007 A1h: Respondent has ever had syphilis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3	.1	.1	.1
	2 No, never	3842	94.9	98.8	98.9
	3 Don't know	44	1.1	1.1	100.0
	Total	3889	96.1	100.0	
Missing	-1 No response	158	3.9		
Total		4047	100.0		

pl1008 A1i: Respondent has ever had gonorrhoea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	50	1.2	1.3	1.3
	2 No, never	3790	93.6	97.5	98.8
	3 Don't know	46	1.1	1.2	100.0
	Total	3886	96.0	100.0	
Missing	-1 No response	161	4.0		
Total		4047	100.0		

pl1009 A1j: Respondent has ever had urinary infection/cystitis/pyelitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	504	12.5	12.9	12.9
	2 No, never	3256	80.5	83.5	96.4
	3 Don't know	139	3.4	3.6	100.0
	Total	3899	96.3	100.0	
Missing	-1 No response	148	3.7		
Total		4047	100.0		

PL File – Section A

pl1010 A1k: Respondent has ever had thrush

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	721	17.8	18.5	18.5
2 No, never	3063	75.7	78.5	96.9
3 Don't know	120	3.0	3.1	100.0
Total	3904	96.5	100.0	
Missing -1 No response	143	3.5		
Total	4047	100.0		

pl1011 A1l: Respondent has ever had other unusual infection

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	448	11.1	13.4	13.4
2 No, never	2889	71.4	86.6	100.0
Total	3337	82.5	100.0	
Missing -1 No response	710	17.5		
Total	4047	100.0		

PL File – Section A

pl1020 A2a: Respondent has ever had their tonsils out

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	908	22.4	23.0	23.0
2 No	3046	75.3	77.0	100.0
Total	3954	97.7	100.0	
Missing -1 No response	93	2.3		
Total	4047	100.0		

pl1021 A2b: Respondent has ever had their adenoids out

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	453	11.2	11.5	11.5
2 No	3482	86.0	88.5	100.0
Total	3935	97.2	100.0	
Missing -1 No response	112	2.8		
Total	4047	100.0		

pl1022 A2c: Respondent has ever had hernia repair

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	269	6.6	6.8	6.8
2 No	3673	90.8	93.2	100.0
Total	3942	97.4	100.0	
Missing -1 No response	105	2.6		
Total	4047	100.0		

pl1023 A2d: Respondent has ever had their appendix out

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	394	9.7	10.0	10.0
2 No	3560	88.0	90.0	100.0
Total	3954	97.7	100.0	
Missing -1 No response	93	2.3		
Total	4047	100.0		

pl1024 A2e: Respondent has ever had their gall bladder out

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	17	.4	.4	.4
2 No	3923	96.9	99.6	100.0
Total	3940	97.4	100.0	
Missing -1 No response	107	2.6		
Total	4047	100.0		

pl1025 A2f: Respondent has ever had operation for undescended testes

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	95	2.3	2.4	2.4
2 No	3837	94.8	97.6	100.0
Total	3932	97.2	100.0	
Missing -1 No response	115	2.8		
Total	4047	100.0		

PL File – Section A

pl1026 A2g: Respondent has ever had varicose vein repair

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	49	1.2	1.2	1.2
2 No	3893	96.2	98.8	100.0
Total	3942	97.4	100.0	
Missing -1 No response	105	2.6		
Total	4047	100.0		

pl1027 A2h: Respondent has ever had squint repair

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	80	2.0	2.0	2.0
2 No	3860	95.4	98.0	100.0
Total	3940	97.4	100.0	
Missing -1 No response	107	2.6		
Total	4047	100.0		

pl1028 A2i: Respondent has ever had plastic surgery

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	66	1.6	1.7	1.7
2 No	3875	95.7	98.3	100.0
Total	3941	97.4	100.0	
Missing -1 No response	106	2.6		
Total	4047	100.0		

pl1029 A2j: Respondent has ever had grommets/tubes in their ears

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	83	2.1	2.1	2.1
2 No	3856	95.3	97.9	100.0
Total	3939	97.3	100.0	
Missing -1 No response	108	2.7		
Total	4047	100.0		

pl1030 A2k: Respondent has ever had hypospadias repair

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	.0	.0
2 No	3920	96.9	100.0	100.0
Total	3921	96.9	100.0	
Missing -1 No response	126	3.1		
Total	4047	100.0		

pl1031 A2l: Respondent has ever had a hip replacement

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5	.1	.1	.1
2 No	3921	96.9	99.9	100.0
Total	3926	97.0	100.0	
Missing -1 No response	121	3.0		
Total	4047	100.0		

PL File – Section A

pl1032 A2m: Respondent has ever had a wisdom tooth removed

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1311	32.4	33.2	33.2
2 No	2636	65.1	66.8	100.0
Total	3947	97.5	100.0	
Missing -1 No response	100	2.5		
Total	4047	100.0		

pl1034 A2n: Respondent has ever had another type of operation

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1287	31.8	36.5	36.5
2 No	2235	55.2	63.5	100.0
Total	3522	87.0	100.0	
Missing -1 No response	525	13.0		
Total	4047	100.0		

PL File – Section A

pl1040 A3a: Respondent has ever had hay fever

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	1032	25.5	25.9	25.9
	2 Yes, in past not now	460	11.4	11.6	37.5
	3 No, never	2487	61.5	62.5	100.0
	Total	3979	98.3	100.0	
Missing	-1 No response	68	1.7		
Total		4047	100.0		

pl1041 A3b: Respondent has ever had indigestion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	1637	40.4	41.0	41.0
	2 Yes, in past not now	1363	33.7	34.2	75.2
	3 No, never	988	24.4	24.8	100.0
	Total	3988	98.5	100.0	
Missing	-1 No response	59	1.5		
Total		4047	100.0		

pl1042 A3c: Respondent has ever had bulimia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	2	.0	.1	.1
	2 Yes, in past not now	14	.3	.4	.4
	3 No, never	3945	97.5	99.6	100.0
	Total	3961	97.9	100.0	
Missing	-1 No response	86	2.1		
Total		4047	100.0		

pl1043 A3d: Respondent has ever had asthma

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	391	9.7	9.8	9.8
	2 Yes, in past not now	306	7.6	7.7	17.6
	3 No, never	3273	80.9	82.4	100.0
	Total	3970	98.1	100.0	
Missing	-1 No response	77	1.9		
Total		4047	100.0		

pl1044 A3e: Respondent has ever had eczema

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	395	9.8	10.0	10.0
	2 Yes, in past not now	429	10.6	10.8	20.8
	3 No, never	3143	77.7	79.2	100.0
	Total	3967	98.0	100.0	
Missing	-1 No response	80	2.0		
Total		4047	100.0		

PL File – Section A

pl1045 A3f: Respondent has ever had epilepsy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	14	.3	.4	.4
	2 Yes, in past not now	33	.8	.8	1.2
	3 No, never	3922	96.9	98.8	100.0
	Total	3969	98.1	100.0	
Missing	-1 No response	78	1.9		
Total		4047	100.0		

pl1046 A3g: Respondent has ever had ME/chronic fatigue syndrome

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	15	.4	.4	.4
	2 Yes, in past not now	36	.9	.9	1.3
	3 No, never	3909	96.6	98.7	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

pl1047 A3h: Respondent has ever had a migraine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	525	13.0	13.2	13.2
	2 Yes, in past not now	667	16.5	16.8	30.0
	3 No, never	2777	68.6	70.0	100.0
	Total	3969	98.1	100.0	
Missing	-1 No response	78	1.9		
Total		4047	100.0		

pl1048 A3i: Respondent has ever had back pain/slipped disc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	1149	28.4	28.8	28.8
	2 Yes, in past not now	1210	29.9	30.4	59.2
	3 No, never	1626	40.2	40.8	100.0
	Total	3985	98.5	100.0	
Missing	-1 No response	62	1.5		
Total		4047	100.0		

pl1049 A3j: Respondent has ever had kidney disease

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	29	.7	.7	.7
	2 Yes, in past not now	74	1.8	1.9	2.6
	3 No, never	3858	95.3	97.4	100.0
	Total	3961	97.9	100.0	
Missing	-1 No response	86	2.1		
Total		4047	100.0		

PL File – Section A

pl1050 A3k: Respondent has ever had varicose veins

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	142	3.5	3.6	3.6
	2 Yes, in past not now	51	1.3	1.3	4.9
	3 No, never	3771	93.2	95.1	100.0
	Total	3964	97.9	100.0	
Missing	-1 No response	83	2.1		
Total		4047	100.0		

pl1051 A3l: Respondent has ever had haemorrhoids/piles

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	517	12.8	13.0	13.0
	2 Yes, in past not now	741	18.3	18.6	31.6
	3 No, never	2717	67.1	68.4	100.0
	Total	3975	98.2	100.0	
Missing	-1 No response	72	1.8		
Total		4047	100.0		

pl1052 A3m: Respondent has ever had rheumatism

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	109	2.7	2.8	2.8
	2 Yes, in past not now	83	2.1	2.1	4.9
	3 No, never	3764	93.0	95.1	100.0
	Total	3956	97.8	100.0	
Missing	-1 No response	91	2.2		
Total		4047	100.0		

pl1053 A3n: Respondent has ever had arthritis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	231	5.7	5.8	5.8
	2 Yes, in past not now	90	2.2	2.3	8.1
	3 No, never	3643	90.0	91.9	100.0
	Total	3964	97.9	100.0	
Missing	-1 No response	83	2.1		
Total		4047	100.0		

pl1054 A3o: Respondent has ever had psoriasis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	144	3.6	3.6	3.6
	2 Yes, in past not now	77	1.9	1.9	5.6
	3 No, never	3737	92.3	94.4	100.0
	Total	3958	97.8	100.0	
Missing	-1 No response	89	2.2		
Total		4047	100.0		

PL File – Section A

pl1055 A3p: Respondent has ever had stomach ulcer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	41	1.0	1.0	1.0
	2 Yes, in past not now	126	3.1	3.2	4.2
	3 No, never	3801	93.9	95.8	100.0
	Total	3968	98.0	100.0	
Missing	-1 No response	79	2.0		
Total		4047	100.0		

pl1057 A3q: Respondent has ever had drug addiction

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	4	.1	.1	.1
	2 Yes, in past not now	16	.4	.4	.5
	3 No, never	3948	97.6	99.5	100.0
	Total	3968	98.0	100.0	
Missing	-1 No response	79	2.0		
Total		4047	100.0		

pl1058 A3r: Respondent has ever had alcoholism

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	12	.3	.3	.3
	2 Yes, in past not now	48	1.2	1.2	1.5
	3 No, never	3908	96.6	98.5	100.0
	Total	3968	98.0	100.0	
Missing	-1 No response	79	2.0		
Total		4047	100.0		

pl1059 A3s: Respondent has ever had schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes, in past not now	4	.1	.1	.1
	3 No, never	3990	98.6	99.9	100.0
	Total	3994	98.7	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	52	1.3		
	Total	53	1.3		
Total		4047	100.0		

pl1060 A3t: Respondent has ever had anorexia nervosa

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes, in past not now	7	.2	.2	.2
	3 No, never	3988	98.5	99.8	100.0
	Total	3995	98.7	100.0	
Missing	-1 No response	52	1.3		
Total		4047	100.0		

PL File – Section A

pl1061 A3u: Respondent has ever had severe depression

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, recently	60	1.5	1.5	1.5
	2 Yes, in past not now	170	4.2	4.3	5.8
	3 No, never	3764	93.0	94.2	100.0
	Total	3994	98.7	100.0	
Missing	-1 No response	53	1.3		
Total		4047	100.0		

pl1062 A3v: Respondent has ever had another psychiatric problem

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	2	.0	.1	.1
	1 Yes, recently	39	1.0	1.0	1.0
	2 Yes, in past not now	71	1.8	1.8	2.8
	3 No, never	3828	94.6	97.2	100.0
	Total	3940	97.4	100.0	
Missing	-1 No response	107	2.6		
Total		4047	100.0		

pl1063 A3w: Respondent has ever had other problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	13	.3	5.9	5.9
	1 Yes, recently	130	3.2	59.4	65.3
	2 Yes, in past not now	76	1.9	34.7	100.0
	Total	219	5.4	100.0	
Missing	-1 No response	3828	94.6		
Total		4047	100.0		

PL File – Section A

pl1070 A4a: Respondent has ever had diabetes

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	38	.9	.9	.9
2 No	3976	98.2	99.1	100.0
Total	4014	99.2	100.0	
Missing -1 No response	33	.8		
Total	4047	100.0		

pl1072 A4a1: Treatment received for diabetes

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Insulin injections	20	.5	54.1	54.1
2 Other drugs	10	.2	27.0	81.1
3 Diet only	7	.2	18.9	100.0
Total	37	.9	100.0	
Missing -1 No response	4010	99.1		
Total	4047	100.0		


pl1073 A4a2: Age of respondent when first developed diabetes

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	2	.0	5.6	5.6
7	1	.0	2.8	8.3
8	1	.0	2.8	11.1
11	1	.0	2.8	13.9
13	1	.0	2.8	16.7
14	1	.0	2.8	19.4
17	1	.0	2.8	22.2
22	1	.0	2.8	25.0
25	2	.0	5.6	30.6
26	2	.0	5.6	36.1
28	2	.0	5.6	41.7
30	2	.0	5.6	47.2
31	1	.0	2.8	50.0
32	1	.0	2.8	52.8
35	2	.0	5.6	58.3
36	1	.0	2.8	61.1
37	2	.0	5.6	66.7
38	2	.0	5.6	72.2
39	1	.0	2.8	75.0
40	1	.0	2.8	77.8
41	2	.0	5.6	83.3
42	1	.0	2.8	86.1
45	1	.0	2.8	88.9
47	1	.0	2.8	91.7
52	1	.0	2.8	94.4
56	2	.0	5.6	100.0
Total	36	.9	100.0	
Missing -1 No response	4011	99.1		
Total	4047	100.0		

pl1080 A4b: Respondent has ever had hypertension

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	240	5.9	6.3	6.3
	2 No	3574	88.3	93.7	100.0
	Total	3814	94.2	100.0	
Missing	-1 No response	233	5.8		
Total		4047	100.0		

pl1082 A4b1: Age of respondent when first developed hypertension



plus the following missing values:

pl1082 A4b1: Age of respondent when first developed hypertension

		Frequency	Percent
Missing	-9 Don't know	2	.1
	-1 No response	3817	99.9
Total		3819	100.0

pl1083 A4b2: Respondent has hypertension now

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	124	3.1	21.5	21.5
	2 No	454	11.2	78.5	100.0
	Total	578	14.3	100.0	
Missing	-1 No response	3469	85.7		
Total		4047	100.0		

PL File – Section A

pl1090 A5a: Respondent currently has regular treatment/medicine for a problem

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	758	18.7	19.7	19.7
	2 No	3094	76.5	80.3	100.0
	Total	3852	95.2	100.0	
Missing	-1 No response	195	4.8		
Total		4047	100.0		

PL File – Section A

pl1100 A6a: Respondent has an allergy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1356	33.5	34.8	34.8
	2 No	2536	62.7	65.2	100.0
	Total	3892	96.2	100.0	
Missing	-1 No response	155	3.8		
Total		4047	100.0		

pl1101 A6b1: Respondent is allergic to cats

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	409	10.1	39.2	39.2
	2 No	634	15.7	60.8	100.0
	Total	1043	25.8	100.0	
Missing	-1 No response	3004	74.2		
Total		4047	100.0		

pl1102 A6b2: Respondent is allergic to pollen

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	754	18.6	64.7	64.7
	2 No	412	10.2	35.3	100.0
	Total	1166	28.8	100.0	
Missing	-1 No response	2881	71.2		
Total		4047	100.0		

pl1103 A6b3: Respondent is allergic to dust

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	551	13.6	51.2	51.2
	2 No	526	13.0	48.8	100.0
	Total	1077	26.6	100.0	
Missing	-1 No response	2970	73.4		
Total		4047	100.0		

pl1104 A6b4: Respondent is allergic to insect bites/stings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	125	3.1	12.7	12.7
	2 No	861	21.3	87.3	100.0
	Total	986	24.4	100.0	
Missing	-1 No response	3061	75.6		
Total		4047	100.0		

pl1105 A6b5: Respondent is allergic to medication

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	269	6.6	24.9	24.9
	2 No	813	20.1	75.1	100.0
	Total	1082	26.7	100.0	
Missing	-1 No response	2965	73.3		
Total		4047	100.0		

PL File – Section A

pl1106 A6b6: Respondent is allergic to something else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	402	9.9	38.3	38.3
	2 No	647	16.0	61.7	100.0
	Total	1049	25.9	100.0	
Missing	-1 No response	2998	74.1		
Total		4047	100.0		

PL File – Section A

pl1110 A7a: Respondent has had attacks of wheezing with whistling on chest in the past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	128	3.2	3.2	3.2
	2 Yes, sometimes	607	15.0	15.3	18.6
	3 No, not at all	3225	79.7	81.4	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

pl1111 A7b: Respondent has had dry itchy rash in the past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	132	3.3	3.3	3.3
	2 Yes, sometimes	686	17.0	17.3	20.7
	3 No, not at all	3137	77.5	79.3	100.0
	Total	3955	97.7	100.0	
Missing	-1 No response	92	2.3		
Total		4047	100.0		

pl1112 A7c: Respondent has had a blotchy blistery rash/hives in the past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	20	.5	.5	.5
	2 Yes, sometimes	105	2.6	2.7	3.2
	3 No, not at all	3807	94.1	96.8	100.0
	Total	3932	97.2	100.0	
Missing	-1 No response	115	2.8		
Total		4047	100.0		

pl1113 A7d: Respondent has had sneezing attacks in the past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	194	4.8	4.9	4.9
	2 Yes, sometimes	1045	25.8	26.4	31.3
	3 No, not at all	2718	67.2	68.7	100.0
	Total	3957	97.8	100.0	
Missing	-1 No response	90	2.2		
Total		4047	100.0		

pl1114 A7e: Respondent has had runny nose in the past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	210	5.2	5.3	5.3
	2 Yes, sometimes	2458	60.7	62.0	67.3
	3 No, not at all	1297	32.0	32.7	100.0
	Total	3965	98.0	100.0	
Missing	-1 No response	82	2.0		
Total		4047	100.0		

PL File – Section A

pl1115 A7f: Respondent has had watery eyes in the past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	159	3.9	4.0	4.0
	2 Yes, sometimes	1367	33.8	34.7	38.7
	3 No, not at all	2413	59.6	61.3	100.0
	Total	3939	97.3	100.0	
Missing	-1 No response	108	2.7		
Total		4047	100.0		

pl1116 A7g: Respondent has had attacks of breathlessness in the past 2 years


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	76	1.9	1.9	1.9
	2 Yes, sometimes	444	11.0	11.2	13.2
	3 No, not at all	3429	84.7	86.8	100.0
	Total	3949	97.6	100.0	
Missing	-1 No response	98	2.4		
Total		4047	100.0		

pl1117 A7h: Respondent has often had cough during the night in the past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	77	1.9	1.9	1.9
	2 Yes, sometimes	866	21.4	21.9	23.8
	3 No, not at all	3018	74.6	76.2	100.0
	Total	3961	97.9	100.0	
Missing	-1 No response	86	2.1		
Total		4047	100.0		

pl1118 A7i: Respondent has often had cough on waking in the morning in the past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	101	2.5	2.6	2.6
	2 Yes, sometimes	660	16.3	16.7	19.3
	3 No, not at all	3182	78.6	80.7	100.0
	Total	3943	97.4	100.0	
Missing	-1 No response	104	2.6		
Total		4047	100.0		

pl1140 A8a: Respondent's weight (kg)

plus the following missing values and outliers > 130:

pl1140 A8a: Respondent's weight (kg)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	133	3	1.6	37.5	37.5
	135	2	1.1	25.0	62.5
	136	1	.5	12.5	75.0
	140	1	.5	12.5	87.5
	143	1	.5	12.5	100.0
	Total	8	4.2	100.0	
Missing	-1 No response	182	95.8		
Total		190	100.0		

pl1141 A8a1: Respondent is sure of their correct weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3186	78.7	83.2	83.2
	2 No	644	15.9	16.8	100.0
	Total	3830	94.6	100.0	
Missing	-1 No response	217	5.4		
Total		4047	100.0		

PL File – Section A

pl1142 A8b1: Respondent's hip measurement (cm)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	71	1	.0	.1	.1
	74	1	.0	.1	.1
	76	14	.3	1.0	1.2
	79	2	.0	.1	1.3
	81	52	1.3	3.8	5.2
	84	13	.3	1.0	6.1
	85	1	.0	.1	6.2
	86	99	2.4	7.3	13.5
	87	1	.0	.1	13.6
	88	1	.0	.1	13.7
	89	52	1.3	3.8	17.5
	90	3	.1	.2	17.7
	91	215	5.3	15.9	33.6
	92	4	.1	.3	33.9
	94	77	1.9	5.7	39.6
	95	5	.1	.4	40.0
	96	7	.2	.5	40.5
	97	225	5.6	16.6	57.1
	98	2	.0	.1	57.2
	99	104	2.6	7.7	64.9
	100	8	.2	.6	65.5
	101	1	.0	.1	65.6
	102	160	4.0	11.8	77.4
	103	2	.0	.1	77.5
	104	76	1.9	5.6	83.2
	105	3	.1	.2	83.4
	106	3	.1	.2	83.6
	107	103	2.5	7.6	91.2
	108	1	.0	.1	91.3
	109	24	.6	1.8	93.1
	110	2	.0	.1	93.2
	111	1	.0	.1	93.3
	112	56	1.4	4.1	97.4
	114	9	.2	.7	98.1
	117	9	.2	.7	98.7
	119	2	.0	.1	98.9
	122	7	.2	.5	99.4
	124	5	.1	.4	99.8
	127	1	.0	.1	99.9
	135	1	.0	.1	99.9
	160	1	.0	.1	100.0
	Total	1354	33.5	100.0	
Missing	-1 No response	2693	66.5		
Total		4047	100.0		

PL File – Section A


pl1143 A8b2: Respondent's waist measurement (cm)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	69	1	.0	.0	.0
	71	14	.3	.4	.4
	74	15	.4	.4	.9
	75	1	.0	.0	.9
	76	136	3.4	4.0	4.9
	79	65	1.6	1.9	6.8
	80	5	.1	.1	7.0
	81	542	13.4	16.0	23.0
	82	2	.0	.1	23.0
	83	2	.0	.1	23.1
	84	222	5.5	6.5	29.6
	85	5	.1	.1	29.8
	86	847	20.9	25.0	54.8
	87	4	.1	.1	54.9
	88	3	.1	.1	55.0
	89	175	4.3	5.2	60.1
	90	4	.1	.1	60.2
	91	636	15.7	18.8	79.0
	92	4	.1	.1	79.1
	93	4	.1	.1	79.2
	94	74	1.8	2.2	81.4
	95	2	.0	.1	81.5
	96	5	.1	.1	81.6
	97	320	7.9	9.4	91.1
	98	1	.0	.0	91.1
	99	32	.8	.9	92.0
	100	3	.1	.1	92.1
	102	138	3.4	4.1	96.2
	103	1	.0	.0	96.2
	104	12	.3	.4	96.6
	105	1	.0	.0	96.6
	107	53	1.3	1.6	98.2
	109	11	.3	.3	98.5
	112	32	.8	.9	99.4
	114	3	.1	.1	99.5
	117	6	.1	.2	99.7
	119	1	.0	.0	99.7
	122	5	.1	.1	99.9
	127	1	.0	.0	99.9
	130	1	.0	.0	99.9
	132	1	.0	.0	100.0
	147	1	.0	.0	100.0
	Total	3391	83.8	100.0	
Missing	-1 No response	656	16.2		
Total		4047	100.0		

PL File – Section A

pl1144 A8b3: Respondent's chest measurement (cm)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	81	2	.0	.1	.1
	82	2	.0	.1	.1
	84	2	.0	.1	.2
	86	20	.5	.7	.9
	87	1	.0	.0	.9
	88	3	.1	.1	1.0
	89	10	.2	.3	1.3
	90	5	.1	.2	1.5
	91	116	2.9	3.8	5.3
	92	5	.1	.2	5.5
	93	2	.0	.1	5.6
	94	77	1.9	2.6	8.1
	95	6	.1	.2	8.3
	96	2	.0	.1	8.4
	97	471	11.6	15.6	24.0
	98	6	.1	.2	24.2
	99	114	2.8	3.8	28.0
	100	7	.2	.2	28.2
	101	1	.0	.0	28.2
	102	627	15.5	20.8	49.0
	103	2	.0	.1	49.1
	104	91	2.2	3.0	52.1
	105	1	.0	.0	52.2
	106	3	.1	.1	52.3
	107	674	16.7	22.3	74.6
	108	1	.0	.0	74.6
	109	59	1.5	2.0	76.6
	110	3	.1	.1	76.7
	112	420	10.4	13.9	90.6
	113	1	.0	.0	90.6
	114	24	.6	.8	91.4
	116	2	.0	.1	91.5
	117	130	3.2	4.3	95.8
	119	6	.1	.2	96.0
	120	1	.0	.0	96.1
	122	82	2.0	2.7	98.8
	124	4	.1	.1	98.9
	127	16	.4	.5	99.4
	132	6	.1	.2	99.6
	137	6	.1	.2	99.8
	142	4	.1	.1	100.0
	147	1	.0	.0	100.0
	Total	3016	74.5	100.0	
Missing	-1 No response	1031	25.5		
Total		4047	100.0		

pl1145 A8c: Respondent's height (cm)

plus the following missing values:

pl1145 A8c: Respondent's height (cm)

		Frequency	Percent
Missing	-1 No response	117	100.0

pl1146 A8c1: Respondent is certain of their correct height

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3711	91.7	95.5	95.5
	2 No	174	4.3	4.5	100.0
	Total	3885	96.0	100.0	
Missing	-1 No response	162	4.0		
Total		4047	100.0		

PL File – Section A

pl1150 A9i: Respondent's assessment of hearing in left ear

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always very good	3154	77.9	78.8	78.8
	2 Occasional problems	371	9.2	9.3	88.0
	3 Some sounds cannot hear	386	9.5	9.6	97.7
	4 Never very good	69	1.7	1.7	99.4
	5 Cannot hear much at all	25	.6	.6	100.0
	Total	4005	99.0	100.0	
Missing	-1 No response	42	1.0		
Total		4047	100.0		

pl1151 A9ii: Respondent's assessment of hearing in right ear

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always very good	3168	78.3	79.1	79.1
	2 Occasional problems	360	8.9	9.0	88.1
	3 Some sounds cannot hear	379	9.4	9.5	97.5
	4 Never very good	67	1.7	1.7	99.2
	5 Cannot hear much at all	32	.8	.8	100.0
	Total	4006	99.0	100.0	
Missing	-1 No response	41	1.0		
Total		4047	100.0		

PL File – Section A

pl1160 A10a1: Respondent's assessment of sight in left eye

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always very good	1988	49.1	49.7	49.7
	2 Can't see clearly at a distance	1200	29.7	30.0	79.7
	3 Can't see clearly close up	538	13.3	13.4	93.1
	4 Can't see much at all	276	6.8	6.9	100.0
	Total	4002	98.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	44	1.1		
	Total	45	1.1		
Total		4047	100.0		

pl1161 A10a2: Respondent's assessment of sight in right eye

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always very good	1992	49.2	49.8	49.8
	2 Can't see clearly at a distance	1210	29.9	30.2	80.0
	3 Can't see clearly close up	548	13.5	13.7	93.7
	4 Can't see much at all	253	6.3	6.3	100.0
	Total	4003	98.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	43	1.1		
	Total	44	1.1		
Total		4047	100.0		

pl1162 A10b: Respondent wears glasses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, always	1104	27.3	27.5	27.5
	2 Yes, sometimes	930	23.0	23.2	50.7
	3 No, never	1974	48.8	49.2	99.9
	4 Uses contact lenses	4	.1	.1	100.0
	Total	4012	99.1	100.0	
Missing	-1 No response	35	.9		
Total		4047	100.0		

pl1163 A10c: Respondent is colour blind

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	227	5.6	5.7	5.7
	2 No	3725	92.0	93.3	98.9
	3 Don't know	42	1.0	1.1	100.0
	Total	3994	98.7	100.0	
Missing	-1 No response	53	1.3		
Total		4047	100.0		

PL File – Section A

pl1170 A11a: Maximum number of older brothers that lived with respondent as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1100	27.2	42.1	42.1
	1	1043	25.8	40.0	82.1
	2	352	8.7	13.5	95.6
	3	80	2.0	3.1	98.7
	4	21	.5	.8	99.5
	5	8	.2	.3	99.8
	6	5	.1	.2	100.0
	8	1	.0	.0	100.0
	Total	2610	64.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1436	35.5		
	Total	1437	35.5		
Total		4047	100.0		

pl1171 A11a: Maximum number of older sisters that lived with respondent as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1139	28.1	44.4	44.4
	1	1017	25.1	39.6	84.1
	2	297	7.3	11.6	95.6
	3	80	2.0	3.1	98.8
	4	22	.5	.9	99.6
	5	7	.2	.3	99.9
	6	1	.0	.0	99.9
	7	1	.0	.0	100.0
	9	1	.0	.0	100.0
	Total	2565	63.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1481	36.6		
	Total	1482	36.6		
Total		4047	100.0		

PL File – Section A

pl1172 A11b: Maximum number of younger brothers that lived with respondent as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1076	26.6	41.3	41.3
	1	1115	27.6	42.8	84.2
	2	326	8.1	12.5	96.7
	3	57	1.4	2.2	98.9
	4	24	.6	.9	99.8
	5	5	.1	.2	100.0
	Total	2603	64.3	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	1442	35.6		
	Total	1444	35.7		
Total		4047	100.0		

pl1173 A11b: Maximum number of younger sisters that lived with respondent as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1080	26.7	41.4	41.4
	1	1162	28.7	44.6	86.0
	2	284	7.0	10.9	96.9
	3	59	1.5	2.3	99.1
	4	16	.4	.6	99.7
	5	6	.1	.2	100.0
	6	1	.0	.0	100.0
	Total	2608	64.4	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	1437	35.5		
	Total	1439	35.6		
Total		4047	100.0		

pl1174 A11c: Maximum number of twin brothers that lived with respondent as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1438	35.5	97.6	97.6
	1	36	.9	2.4	100.0
	Total	1474	36.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	2572	63.6		
	Total	2573	63.6		
Total		4047	100.0		

pl1175 A11c: Maximum number of twin sisters that lived with respondent as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1428	35.3	97.8	97.8
	1	32	.8	2.2	100.0
	Total	1460	36.1	100.0	
Missing	-1 No response	2587	63.9		
Total		4047	100.0		

PAGE 11 OF THE QUESTIONNAIRE

SECTION B: ABOUT THE HEALTH OF YOUR PARENTSB1. Has your natural mother and/or natural father ever had any of the following:

		(i) Natural mother			(ii) Natural father		
		Yes	No	Don't know	Yes	No	Don't know
a)	diabetes treated with insulin	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
b)	other diabetes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
c)	coronary heart disease	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
d)	rheumatism	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
e)	arthritis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
f)	multiple sclerosis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
g)	breast cancer (mother) prostate cancer (father)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
h)	other cancer*	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
i)	hypertension (high blood pressure)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
j)	an alcohol problem	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
k)	schizophrenia	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
l)	chronic bronchitis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
m)	a stroke	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
n)	depression or 'nerves'	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>
o)	other problem*	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="9"/>

* (Please tick and describe)

.....

PAGE 12 OF THE QUESTIONNAIRE

B2. Are your natural parents still alive?

	Yes	No	Don't know								
a) Mother is alive	<div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">1</div>	<div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">2</div>	<div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">9</div>								
<div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; width: 300px; height: 1px; margin-right: 5px;"></div> <div style="border-left: 1px solid black; width: 10px; height: 1px; margin-right: 5px;"></div> <div style="border-top: 1px solid black; width: 10px; height: 1px; margin-right: 5px;"></div> <div style="border-bottom: 1px solid black; width: 10px; height: 1px; margin-right: 5px;"></div> <div style="border-left: 1px solid black; width: 10px; height: 1px; margin-right: 5px;"></div> <div style="text-align: center;">↓</div> </div>											
If <u>no</u>,											
(i) How old was she when she died? <div style="display: inline-block; border: 1px solid black; width: 30px; height: 20px; margin: 0 5px;"></div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 20px; margin: 0 5px;"></div> years											
(ii) What did she die of?											
<table border="0" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 40%;"></th> <th style="width: 15%; text-align: center;">Yes</th> <th style="width: 15%; text-align: center;">No</th> <th style="width: 30%; text-align: center;">Don't know</th> </tr> </thead> <tbody> <tr> <td>b) Father is alive</td> <td style="text-align: center;"><div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">1</div></td> <td style="text-align: center;"><div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">2</div></td> <td style="text-align: center;"><div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">9</div></td> </tr> </tbody> </table>					Yes	No	Don't know	b) Father is alive	<div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">1</div>	<div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">2</div>	<div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">9</div>
	Yes	No	Don't know								
b) Father is alive	<div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">1</div>	<div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">2</div>	<div style="border: 1px solid black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center;">9</div>								
<div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; width: 300px; height: 1px; margin-right: 5px;"></div> <div style="border-left: 1px solid black; width: 10px; height: 1px; margin-right: 5px;"></div> <div style="border-top: 1px solid black; width: 10px; height: 1px; margin-right: 5px;"></div> <div style="border-bottom: 1px solid black; width: 10px; height: 1px; margin-right: 5px;"></div> <div style="border-left: 1px solid black; width: 10px; height: 1px; margin-right: 5px;"></div> <div style="text-align: center;">↓</div> </div>											
If <u>no</u>,											
(i) How old was he when he died? <div style="display: inline-block; border: 1px solid black; width: 30px; height: 20px; margin: 0 5px;"></div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 20px; margin: 0 5px;"></div> years											
(ii) What did he die of?											

[Editing: Two values of <14 reported in b(i) (one each of 3 & 6) were recoded to -1.]

PL File – Section B

pl2000 B1a1: Respondent's natural mother had diabetes treated with insulin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	65	1.6	1.7	1.7
	2 No	3668	90.6	93.7	95.4
	9 Don't know	182	4.5	4.6	100.0
	Total	3915	96.7	100.0	
Missing	-1 No response	132	3.3		
Total		4047	100.0		

pl2001 B1b1: Respondent's natural mother had other diabetes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	141	3.5	3.6	3.6
	2 No	3568	88.2	91.4	95.1
	9 Don't know	193	4.8	4.9	100.0
	Total	3902	96.4	100.0	
Missing	-1 No response	145	3.6		
Total		4047	100.0		

pl2002 B1c1: Respondent's natural mother had coronary heart disease

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	247	6.1	6.4	6.4
	2 No	3429	84.7	88.7	95.1
	9 Don't know	190	4.7	4.9	100.0
	Total	3866	95.5	100.0	
Missing	-1 No response	181	4.5		
Total		4047	100.0		

pl2003 B1d1: Respondent's natural mother had rheumatism

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	795	19.6	20.4	20.4
	2 No	2667	65.9	68.5	89.0
	9 Don't know	430	10.6	11.0	100.0
	Total	3892	96.2	100.0	
Missing	-1 No response	155	3.8		
Total		4047	100.0		

pl2004 B1e1: Respondent's natural mother had arthritis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1129	27.9	29.0	29.0
	2 No	2375	58.7	61.1	90.1
	9 Don't know	383	9.5	9.9	100.0
	Total	3887	96.0	100.0	
Missing	-1 No response	160	4.0		
Total		4047	100.0		

PL File – Section B

pl2005 B1f1: Respondent's natural mother had multiple sclerosis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	16	.4	.4	.4
	2 No	3733	92.2	95.4	95.8
	9 Don't know	163	4.0	4.2	100.0
	Total	3912	96.7	100.0	
Missing	-1 No response	135	3.3		
Total		4047	100.0		

pl2006 B1g1: Respondent's natural mother had breast cancer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	213	5.3	5.4	5.4
	2 No	3535	87.3	90.4	95.8
	9 Don't know	163	4.0	4.2	100.0
	Total	3911	96.6	100.0	
Missing	-1 No response	136	3.4		
Total		4047	100.0		

pl2007 B1h1: Respondent's natural mother had other cancer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	423	10.5	10.9	10.9
	2 No	3290	81.3	84.6	95.4
	9 Don't know	177	4.4	4.6	100.0
	Total	3890	96.1	100.0	
Missing	-1 No response	157	3.9		
Total		4047	100.0		

pl2008 B1i1: Respondent's natural mother had hypertension

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	875	21.6	22.5	22.5
	2 No	2522	62.3	65.0	87.5
	9 Don't know	484	12.0	12.5	100.0
	Total	3881	95.9	100.0	
Missing	-1 No response	166	4.1		
Total		4047	100.0		

pl2009 B1j1: Respondent's natural mother had an alcohol problem

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	90	2.2	2.3	2.3
	2 No	3683	91.0	94.0	96.3
	9 Don't know	147	3.6	3.8	100.0
	Total	3920	96.9	100.0	
Missing	-1 No response	127	3.1		
Total		4047	100.0		

PL File – Section B

pl2010 B1k1: Respondent's natural mother had schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	18	.4	.5	.5
	2 No	3737	92.3	95.4	95.9
	9 Don't know	162	4.0	4.1	100.0
	Total	3917	96.8	100.0	
Missing	-1 No response	130	3.2		
Total		4047	100.0		

pl2011 B1l1: Respondent's natural mother had chronic bronchitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	174	4.3	4.5	4.5
	2 No	3517	86.9	90.0	94.5
	9 Don't know	215	5.3	5.5	100.0
	Total	3906	96.5	100.0	
Missing	-1 No response	141	3.5		
Total		4047	100.0		

pl2012 B1m1: Respondent's natural mother had a stroke

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	214	5.3	5.5	5.5
	2 No	3542	87.5	90.8	96.3
	9 Don't know	144	3.6	3.7	100.0
	Total	3900	96.4	100.0	
Missing	-1 No response	147	3.6		
Total		4047	100.0		

pl2013 B1n1: Respondent's natural mother had depression/nerves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	732	18.1	18.7	18.7
	2 No	2913	72.0	74.5	93.2
	9 Don't know	267	6.6	6.8	100.0
	Total	3912	96.7	100.0	
Missing	-1 No response	135	3.3		
Total		4047	100.0		

pl2014 B1o1: Respondent's natural mother had another problem

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	6	.1	.2	.2
	1 Yes	587	14.5	17.0	17.2
	2 No	2354	58.2	68.2	85.4
	9 Don't know	505	12.5	14.6	100.0
	Total	3452	85.3	100.0	
Missing	-1 No response	595	14.7		
Total		4047	100.0		

PL File – Section B

pl2020 B1a2: Respondent's natural father had diabetes treated with insulin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	93	2.3	2.4	2.4
	2 No	3556	87.9	91.2	93.6
	9 Don't know	249	6.2	6.4	100.0
	Total	3898	96.3	100.0	
Missing	-1 No response	149	3.7		
Total		4047	100.0		

pl2021 B1b2: Respondent's natural father had other diabetes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	209	5.2	5.4	5.4
	2 No	3417	84.4	87.8	93.2
	9 Don't know	265	6.5	6.8	100.0
	Total	3891	96.1	100.0	
Missing	-1 No response	156	3.9		
Total		4047	100.0		

pl2022 B1c2: Respondent's natural father had coronary heart disease

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	728	18.0	18.7	18.7
	2 No	2890	71.4	74.1	92.8
	9 Don't know	280	6.9	7.2	100.0
	Total	3898	96.3	100.0	
Missing	-1 No response	149	3.7		
Total		4047	100.0		

pl2023 B1d2: Respondent's natural father had rheumatism

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	413	10.2	10.7	10.7
	2 No	2996	74.0	77.4	88.1
	9 Don't know	460	11.4	11.9	100.0
	Total	3869	95.6	100.0	
Missing	-1 No response	178	4.4		
Total		4047	100.0		

pl2024 B1e2: Respondent's natural father had arthritis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	599	14.8	15.4	15.4
	2 No	2831	70.0	72.9	88.3
	9 Don't know	456	11.3	11.7	100.0
	Total	3886	96.0	100.0	
Missing	-1 No response	161	4.0		
Total		4047	100.0		

PL File – Section B

pl2025 B1f2: Respondent's natural father had multiple sclerosis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	11	.3	.3	.3
	2 No	3650	90.2	93.7	94.0
	9 Don't know	233	5.8	6.0	100.0
	Total	3894	96.2	100.0	
Missing	-1 No response	153	3.8		
Total		4047	100.0		

pl2026 B1g2: Respondent's natural father had prostate cancer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	111	2.7	2.9	2.9
	2 No	3509	86.7	90.3	93.1
	9 Don't know	268	6.6	6.9	100.0
	Total	3888	96.1	100.0	
Missing	-1 No response	159	3.9		
Total		4047	100.0		

pl2027 B1h1: Respondent's natural father had other cancer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	452	11.2	11.6	11.6
	2 No	3175	78.5	81.7	93.3
	9 Don't know	259	6.4	6.7	100.0
	Total	3886	96.0	100.0	
Missing	-1 No response	161	4.0		
Total		4047	100.0		

pl2028 B1i2: Respondent's natural father had hypertension

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	826	20.4	21.4	21.4
	2 No	2485	61.4	64.3	85.7
	9 Don't know	553	13.7	14.3	100.0
	Total	3864	95.5	100.0	
Missing	-1 No response	183	4.5		
Total		4047	100.0		

pl2029 B1j2: Respondent's natural father had an alcohol problem

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	194	4.8	5.0	5.0
	2 No	3462	85.5	88.7	93.6
	9 Don't know	248	6.1	6.4	100.0
	Total	3904	96.5	100.0	
Missing	-1 No response	143	3.5		
Total		4047	100.0		

PL File – Section B

pl2030 B1k2: Respondent's natural father had schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7	.2	.2	.2
	2 No	3643	90.0	93.6	93.8
	9 Don't know	243	6.0	6.2	100.0
	Total	3893	96.2	100.0	
Missing	-1 No response	154	3.8		
Total		4047	100.0		

pl2031 B1l2: Respondent's natural father had chronic bronchitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	199	4.9	5.1	5.1
	2 No	3390	83.8	87.0	92.1
	9 Don't know	307	7.6	7.9	100.0
	Total	3896	96.3	100.0	
Missing	-1 No response	151	3.7		
Total		4047	100.0		

pl2032 B1m2: Respondent's natural father had a stroke

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	372	9.2	9.5	9.5
	2 No	3290	81.3	84.4	94.0
	9 Don't know	235	5.8	6.0	100.0
	Total	3897	96.3	100.0	
Missing	-1 No response	150	3.7		
Total		4047	100.0		

pl2033 B1n2: Respondent's natural father had depression/nerves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	302	7.5	7.8	7.8
	2 No	3234	79.9	83.1	90.9
	9 Don't know	356	8.8	9.1	100.0
	Total	3892	96.2	100.0	
Missing	-1 No response	155	3.8		
Total		4047	100.0		

pl2034 B1o2: Respondent's natural father had another problem


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	6	.1	.2	.2
	1 Yes	620	15.3	17.7	17.9
	2 No	2327	57.5	66.6	84.5
	9 Don't know	542	13.4	15.5	100.0
	Total	3495	86.4	100.0	
Missing	-1 No response	552	13.6		
Total		4047	100.0		

PL File – Section B

pl2040 B2a: Respondents mother is still alive

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3259	80.5	81.6	81.6
	2 No	680	16.8	17.0	98.6
	9 Don't know	57	1.4	1.4	100.0
	Total	3996	98.7	100.0	
Missing	-1 No response	51	1.3		
Total		4047	100.0		

pl2041 B2a1: Age of respondent's mother when she died



plus the following missing values:

pl2041 B2a1: Age of respondent's mother when she died


		Frequency	Percent
Missing	-9 Don't know	4	.1
	-1 No response	3399	99.9
Total		3403	100.0

PL File – Section B

pl2050 B2b: Respondents father is still alive

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2549	63.0	65.3	65.3
	2 No	1253	31.0	32.1	97.4
	9 Don't know	100	2.5	2.6	100.0
	Total	3902	96.4	100.0	
Missing	-1 No response	145	3.6		
Total		4047	100.0		

pl2051 B2b1: Age of respondent's father when he died



plus the following missing values:

pl2051 B2b1: Age of respondent's father when he died

		Frequency	Percent
Missing	-9 Don't know	9	.3
	-1 No response	2840	99.7
	Total	2849	100.0

PAGE 13 OF THE QUESTIONNAIRE

SECTION C: YOU AND FOOD

C1. How far do the following statements describe you?

	Yes, most of the time	Yes sometimes	No, not at all
a) I like to try different foods	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) I prefer to eat familiar foods	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) I prefer to eat the sort of foods I ate when I was a child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) I would like to try different foods but my partner/family only like familiar foods	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e) I would be willing to try almost any food if it were offered to me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f) I greatly enjoy eating	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g) I eat because I need to, not because I enjoy it	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

C2. Which **one** of these statements best describes the way you feel about cooking?

I always enjoy cooking	<input type="text" value="1"/>
I enjoy cooking when I can take time over it	<input type="text" value="2"/>
I cook only because I have to, not because I enjoy it	<input type="text" value="3"/>
I avoid cooking if at all possible	<input type="text" value="4"/>
I have no real feeling towards cooking	<input type="text" value="5"/>

C3. How often do you:

	Always	Often	Sometimes	Rarely	Never	Don't do cooking
a) Add salt to vegetables, potatoes rice or pasta during cooking?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="7"/>
b) Add salt to food at the table?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	
c) Add herbs to food during cooking?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="7"/>

PAGE 14 OF THE QUESTIONNAIRE

C3. How often do you:

	Always	Often	Sometimes	Rarely	Never
d) Add sauces to food at the table? (please specify type of sauce e.g. Tomato Ketchup)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

.....

C4. When you are choosing food for meals, how much do the following influence your choice?

	A lot	Quite a bit	A little	Not at all	Don't choose food
a) Cost	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="7"/>
b) What your children prefer to eat	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	go to C5 below
c) What you prefer to eat	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
d) What other people prefer to eat (e.g. partner, other adult)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
e) Convenience of preparation	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
f) What is good (healthy) for us to eat	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
g) The special offers available when shopping	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
h) Adverts on the television/radio	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
j) Articles about food and recipes in newspapers/magazines	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
k) Dietary requirements of a member of the family	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
l) Other (please tick and describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>		

.....

.....

C5. a) Do you read the labels on packaged food?

Always	<input type="text" value="1"/>	Sometimes	<input type="text" value="2"/>	No	<input type="text" value="3"/>
--------	--------------------------------	-----------	--------------------------------	----	--------------------------------

PAGE 15 OF THE QUESTIONNAIRE

C5. b) Do you understand the information about contents and nutrition on the labels?

Usually Partly No

c) Do you prefer the family to have food without artificial additives?

Yes No Don't mind

C6. a) Do you work irregular hours?

Yes No → If no, go to C7 below

If yes,

b) Does this affect your eating habits?

	Yes	No
i) Type of food eaten	<input type="text" value="1"/>	<input type="text" value="2"/>
ii) Times of meals	<input type="text" value="1"/>	<input type="text" value="2"/>

C7. How often do you yourself usually eat something at each of the following meals?

	Never	Less than once a week	Once a week	2-4 times a week	5-6 times a week	Every day
a) Breakfast	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
b) Mid-morning snack	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
c) Mid-day meal/snack	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
d) Mid-afternoon snack	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
e) Evening meal/snack	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
f) Late night snack/ supper	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>

PL File – Section C

pl2500 C1a: Respondent likes to try different foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	2306	57.0	57.9	57.9
	2 Yes, sometimes	1547	38.2	38.8	96.7
	3 No, not at all	130	3.2	3.3	100.0
	Total	3983	98.4	100.0	
Missing	-1 No response	64	1.6		
Total		4047	100.0		

pl2501 C1b: Respondent likes to eat familiar foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	1032	25.5	26.0	26.0
	2 Yes, sometimes	2169	53.6	54.6	80.7
	3 No, not at all	768	19.0	19.3	100.0
	Total	3969	98.1	100.0	
Missing	-1 No response	78	1.9		
Total		4047	100.0		

pl2502 C1c: Respondent prefers to eat the foods they ate as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	234	5.8	5.9	5.9
	2 Yes, sometimes	1462	36.1	36.9	42.8
	3 No, not at all	2263	55.9	57.2	100.0
	Total	3959	97.8	100.0	
Missing	-1 No response	88	2.2		
Total		4047	100.0		

pl2503 C1d: Respondent would like to try new foods but family/partner only like familiar food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	206	5.1	5.2	5.2
	2 Yes, sometimes	813	20.1	20.5	25.7
	3 No, not at all	2941	72.7	74.3	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

pl2504 C1e: Respondent would be willing to try almost any food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	2210	54.6	55.6	55.6
	2 Yes, sometimes	1256	31.0	31.6	87.1
	3 No, not at all	512	12.7	12.9	100.0
	Total	3978	98.3	100.0	
Missing	-1 No response	69	1.7		
Total		4047	100.0		

PL File – Section C

pl2505 C1f: Respondent greatly enjoys eating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	2968	73.3	74.5	74.5
	2 Yes, sometimes	949	23.4	23.8	98.4
	3 No, not at all	65	1.6	1.6	100.0
	Total	3982	98.4	100.0	
Missing	-1 No response	65	1.6		
Total		4047	100.0		

pl2506 C1g: Respondent eats because they have to not for pleasure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	271	6.7	6.9	6.9
	2 Yes, sometimes	1091	27.0	27.6	34.4
	3 No, not at all	2592	64.0	65.6	100.0
	Total	3954	97.7	100.0	
Missing	-1 No response	93	2.3		
Total		4047	100.0		

PL File – Section C

pl2510 C2: Respondent's attitude towards cooking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always enjoys cooking	1092	27.0	27.3	27.3
	2 Enjoys cooking when take time over it	1441	35.6	36.0	63.3
	3 Cooks because they have to	501	12.4	12.5	75.9
	4 Avoids cooking if possible	431	10.6	10.8	86.6
	5 No real feeling towards cooking	534	13.2	13.4	100.0
	Total	3999	98.8	100.0	
Missing	-1 No response	48	1.2		
Total		4047	100.0		

PL File – Section C

pl2520 C3a: Frequency respondent adds salt to vegetables/potatoes/rice/pasta during cooking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	919	22.7	23.0	23.0
	2 Often	523	12.9	13.1	36.1
	3 Sometimes	601	14.9	15.0	51.2
	4 Rarely	543	13.4	13.6	64.7
	5 Never	906	22.4	22.7	87.4
	7 Don't cook	502	12.4	12.6	100.0
	Total	3994	98.7	100.0	
Missing	-1 No response	53	1.3		
Total		4047	100.0		

pl2521 C3b: Frequency respondent adds salt to food at the table

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	462	11.4	11.8	11.8
	2 Often	643	15.9	16.5	28.3
	3 Sometimes	1034	25.5	26.5	54.7
	4 Rarely	947	23.4	24.2	79.0
	5 Never	821	20.3	21.0	100.0
	Total	3907	96.5	100.0	
Missing	-1 No response	140	3.5		
Total		4047	100.0		

pl2522 C3c: Frequency respondent adds herbs to food during cooking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	310	7.7	7.8	7.8
	2 Often	1402	34.6	35.3	43.1
	3 Sometimes	1196	29.6	30.1	73.2
	4 Rarely	328	8.1	8.3	81.5
	5 Never	233	5.8	5.9	87.3
	7 Don't cook	503	12.4	12.7	100.0
	Total	3972	98.1	100.0	
Missing	-1 No response	75	1.9		
Total		4047	100.0		

pl2523 C3d: Frequency respondent adds sauce to food at the table

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	1	.0	.0	.0
	1 Always	170	4.2	4.2	4.3
	2 Often	795	19.6	19.9	24.1
	3 Sometimes	1910	47.2	47.7	71.9
	4 Rarely	912	22.5	22.8	94.7
	5 Never	213	5.3	5.3	100.0
	Total	4001	98.9	100.0	
Missing	-1 No response	46	1.1		
Total		4047	100.0		

PL File – Section C

pl2530 C4a: Cost influences respondent's choice of foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	282	7.0	7.1	7.1
	2 Quite a bit	1049	25.9	26.3	33.4
	3 A little	1567	38.7	39.3	72.7
	4 Not at all	486	12.0	12.2	84.9
	7 Don't choose food	602	14.9	15.1	100.0
	Total	3986	98.5	100.0	
Missing	-1 No response	61	1.5		
Total		4047	100.0		

pl2531 C4b: Children's food preferences influence respondent's choice of foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	611	15.1	18.1	18.1
	2 Quite a bit	1699	42.0	50.4	68.6
	3 A little	870	21.5	25.8	94.4
	4 Not at all	189	4.7	5.6	100.0
	Total	3369	83.2	100.0	
Missing	-1 No response	678	16.8		
Total		4047	100.0		

pl2532 C4c: Respondent's food preferences influence their choice of foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	831	20.5	25.2	25.2
	2 Quite a bit	1840	45.5	55.7	80.9
	3 A little	580	14.3	17.6	98.5
	4 Not at all	50	1.2	1.5	100.0
	Total	3301	81.6	100.0	
Missing	-1 No response	746	18.4		
Total		4047	100.0		

pl2533 C4d: Other people's food preferences influence respondent's choice of foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	512	12.7	15.3	15.3
	2 Quite a bit	1884	46.6	56.3	71.6
	3 A little	739	18.3	22.1	93.7
	4 Not at all	212	5.2	6.3	100.0
	Total	3347	82.7	100.0	
Missing	-1 No response	700	17.3		
Total		4047	100.0		

PL File – Section C

pl2534 C4e: Convenience of preparation influences respondent's choice of foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	225	5.6	6.7	6.7
	2 Quite a bit	1155	28.5	34.3	41.0
	3 A little	1577	39.0	46.8	87.8
	4 Not at all	412	10.2	12.2	100.0
	Total	3369	83.2	100.0	
Missing	-1 No response	678	16.8		
Total		4047	100.0		

pl2535 C4f: Healthiness influences respondent's choice of foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	757	18.7	22.4	22.4
	2 Quite a bit	1739	43.0	51.6	74.0
	3 A little	764	18.9	22.7	96.7
	4 Not at all	112	2.8	3.3	100.0
	Total	3372	83.3	100.0	
Missing	-1 No response	675	16.7		
Total		4047	100.0		

pl2536 C4g: Special offers when shopping influence respondent's choice of foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	486	12.0	14.4	14.4
	2 Quite a bit	1186	29.3	35.1	49.5
	3 A little	1289	31.9	38.1	87.6
	4 Not at all	418	10.3	12.4	100.0
	Total	3379	83.5	100.0	
Missing	-1 No response	668	16.5		
Total		4047	100.0		

pl2537 C4h: Adverts on television/radio influence respondent's choice of foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	8	.2	.2	.2
	2 Quite a bit	68	1.7	2.0	2.2
	3 A little	1056	26.1	31.2	33.5
	4 Not at all	2248	55.5	66.5	100.0
	Total	3380	83.5	100.0	
Missing	-1 No response	667	16.5		
Total		4047	100.0		

PL File – Section C

pl2538 C4j: Articles about food/recipes in newspapers/magazines influence respondent's choice of foods

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 A lot	18	.4	.5	.5
2 Quite a bit	218	5.4	6.5	7.0
3 A little	1430	35.3	42.3	49.3
4 Not at all	1713	42.3	50.7	100.0
Total	3379	83.5	100.0	
Missing -1 No response	668	16.5		
Total	4047	100.0		

pl2539 C4k: Family members dietary requirements influence respondent's choice of foods

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 A lot	222	5.5	6.6	6.6
2 Quite a bit	505	12.5	15.1	21.7
3 A little	678	16.8	20.2	41.9
4 Not at all	1947	48.1	58.1	100.0
Total	3352	82.8	100.0	
Missing -1 No response	695	17.2		
Total	4047	100.0		

pl2540 C4l: Other factors influence respondent's choice of foods

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Relevant text but no box ticked	8	.2	4.9	4.9
1 A lot	85	2.1	51.8	56.7
2 Quite a bit	37	.9	22.6	79.3
3 A little	34	.8	20.7	100.0
Total	164	4.1	100.0	
Missing -1 No response	3883	95.9		
Total	4047	100.0		

PL File – Section C

pl2550 C5a: Respondent reads the labels on packaged foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	560	13.8	14.2	14.2
	2 Sometimes	2580	63.8	65.3	79.5
	3 No	812	20.1	20.5	100.0
	Total	3952	97.7	100.0	
Missing	-1 No response	95	2.3		
Total		4047	100.0		

pl2551 C5b: Respondent understands the nutritional information on food labels

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually	1877	46.4	46.9	46.9
	2 Partly	1659	41.0	41.5	88.4
	3 No	466	11.5	11.6	100.0
	Total	4002	98.9	100.0	
Missing	-1 No response	45	1.1		
Total		4047	100.0		

pl2552 C5c: Respondent prefers that their family has food with no artificial additives

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2280	56.3	57.1	57.1
	2 No	146	3.6	3.7	60.7
	3 Don't mind	1568	38.7	39.3	100.0
	Total	3994	98.7	100.0	
Missing	-1 No response	53	1.3		
Total		4047	100.0		

PL File – Section C

pl2560 C6a: Respondent works irregular hours

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1638	40.5	40.9	40.9
2 No	2366	58.5	59.1	100.0
Total	4004	98.9	100.0	
Missing -1 No response	43	1.1		
Total	4047	100.0		

pl2562 C6b1: Working irregular hours affects the type of food eaten

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1061	26.2	61.4	61.4
2 No	668	16.5	38.6	100.0
Total	1729	42.7	100.0	
Missing -1 No response	2318	57.3		
Total	4047	100.0		

pl2563 C6b2: Working irregular hours affects the times of meals

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1411	34.9	81.9	81.9
2 No	312	7.7	18.1	100.0
Total	1723	42.6	100.0	
Missing -1 No response	2324	57.4		
Total	4047	100.0		

PL File – Section C

pl2570 C7a: Frequency respondent eats something at breakfast

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	311	7.7	7.8	7.8
	2 < Once a week	305	7.5	7.6	15.4
	3 Once a week	258	6.4	6.5	21.9
	4 2-4 times a week	630	15.6	15.8	37.7
	5 5-6 times a week	332	8.2	8.3	46.0
	6 Every day	2154	53.2	54.0	100.0
	Total	3990	98.6	100.0	
Missing	-1 No response	57	1.4		
Total		4047	100.0		

pl2571 C7b: Frequency respondent eats something for a mid morning snack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1054	26.0	26.9	26.9
	2 < Once a week	729	18.0	18.6	45.5
	3 Once a week	379	9.4	9.7	55.2
	4 2-4 times a week	882	21.8	22.5	77.8
	5 5-6 times a week	428	10.6	10.9	88.7
	6 Every day	443	10.9	11.3	100.0
	Total	3915	96.7	100.0	
Missing	-1 No response	132	3.3		
Total		4047	100.0		

pl2572 C7c: Frequency respondent eats something at mid-day meal/snack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	92	2.3	2.3	2.3
	2 < Once a week	98	2.4	2.5	4.8
	3 Once a week	113	2.8	2.9	7.7
	4 2-4 times a week	683	16.9	17.3	24.9
	5 5-6 times a week	674	16.7	17.0	41.9
	6 Every day	2299	56.8	58.1	100.0
	Total	3959	97.8	100.0	
Missing	-1 No response	88	2.2		
Total		4047	100.0		

pl2573 C7d: Frequency respondent eats something for a mid-afternoon snack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1566	38.7	41.0	41.0
	2 < Once a week	947	23.4	24.8	65.7
	3 Once a week	420	10.4	11.0	76.7
	4 2-4 times a week	585	14.5	15.3	92.0
	5 5-6 times a week	123	3.0	3.2	95.2
	6 Every day	183	4.5	4.8	100.0
	Total	3824	94.5	100.0	
Missing	-1 No response	223	5.5		
Total		4047	100.0		

PL File – Section C

pl2574 C7e: Frequency respondent eats something at evening meal/snack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	27	.7	.7	.7
	2 < Once a week	44	1.1	1.1	1.8
	3 Once a week	41	1.0	1.0	2.8
	4 2-4 times a week	249	6.2	6.3	9.1
	5 5-6 times a week	475	11.7	11.9	21.0
	6 Every day	3139	77.6	79.0	100.0
	Total	3975	98.2	100.0	
Missing	-1 No response	72	1.8		
Total		4047	100.0		

pl2575 C7f: Frequency respondent eats something for a late night snack/supper

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	739	18.3	18.8	18.8
	2 < Once a week	945	23.4	24.1	42.9
	3 Once a week	582	14.4	14.8	57.8
	4 2-4 times a week	1128	27.9	28.8	86.5
	5 5-6 times a week	246	6.1	6.3	92.8
	6 Every day	282	7.0	7.2	100.0
	Total	3922	96.9	100.0	
Missing	-1 No response	125	3.1		
Total		4047	100.0		

PAGE 16 OF THE QUESTIONNAIRE

SECTION D: YOU AND YOUR CURRENT PARTNER

D1. a) Do you have a wife/partner at the moment?

yes, lives with me

yes, but does not live with me

no, don't have

→ If **no**, go to Section E on page 20b) If **yes**, is this:

your wife

a female partner

a male partner

→ If a male partner, please answer the questions below even though they refer to a female partner

Please describe your current relationship using the statements below:

	No, not true	Sometimes true	Yes, very true	Can't say
D2. We support each other during difficult times	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
D3. We disagree about what to do when the children are naughty	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
D4. It is easy for both of us to express our opinion to each other	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
D5. My wife/partner and I agree completely about how to raise the children	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
D6. I feel that our relationship is very stable	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
D7. We discuss problems and feel good about the solutions	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
D8. I worry that my wife/partner is too strict with the children	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 17 OF THE QUESTIONNAIRE

	No, not true	Sometimes true	Yes, very true	Can't say
D9. My wife/partner treats me like a king	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
D10. She spoils the children too much	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
D11. She is perfectly honest and truthful with me	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
D12. I feel that I can trust her completely	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
D13. We feel very close to each other	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
D14. I can count on my wife/partner to help me	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
D15. She is sincere in her promises	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
D16. She can be relied on to help me however big a problem I have	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
D17. My wife/partner makes me feel loved	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
D18. My wife/partner helps me out with the children	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

No matter how well a couple get on there may be times when they disagree, get annoyed or have quarrels or fights because they're in a bad mood, tired or for some other reason.

	No	Yes, sometimes	Yes, often
D19. Have you cursed or sworn at your wife/partner?	<div>1</div>	<div>2</div>	<div>3</div>
D20. Has your wife/partner cursed or sworn at you?	<div>1</div>	<div>2</div>	<div>3</div>
D21. Have you ordered your wife/partner around?	<div>1</div>	<div>2</div>	<div>3</div>
D22. Has she ordered you around?	<div>1</div>	<div>2</div>	<div>3</div>

PAGE 18 OF THE QUESTIONNAIRE

	No	Yes, sometimes	Yes, often
D23. Have you insulted or shamed her in front of others?	<div>1</div>	<div>2</div>	<div>3</div>
D24. Has she insulted or shamed you in front of others?	<div>1</div>	<div>2</div>	<div>3</div>
D25. Have you pushed, grabbed, or shoved your wife/partner?	<div>1</div>	<div>2</div>	<div>3</div>
D26. Has your wife/partner pushed, grabbed or shoved you?	<div>1</div>	<div>2</div>	<div>3</div>
D27. Have you ever slapped her?	<div>1</div>	<div>2</div>	<div>3</div>
D28. Has she ever slapped you?	<div>1</div>	<div>2</div>	<div>3</div>
D29. Have you ever shaken your wife/partner?	<div>1</div>	<div>2</div>	<div>3</div>
D30. Has your wife/partner ever shaken you?	<div>1</div>	<div>2</div>	<div>3</div>
D31. Have you ever thrown an object at your wife/partner that could hurt her?	<div>1</div>	<div>2</div>	<div>3</div>
D32. Has she thrown an object at you that could hurt you?	<div>1</div>	<div>2</div>	<div>3</div>
D33. Have you ever kicked, bitten, or hit your wife/partner with a fist?	<div>1</div>	<div>2</div>	<div>3</div>
D34. Has she kicked, bitten, or hit you with a fist?	<div>1</div>	<div>2</div>	<div>3</div>
D35. Have you ever hit or tried to hit your wife/partner with something?	<div>1</div>	<div>2</div>	<div>3</div>
D36. Has she ever hit or tried to hit you with something?	<div>1</div>	<div>2</div>	<div>3</div>
D37. Have you ever physically twisted her arm?	<div>1</div>	<div>2</div>	<div>3</div>

PAGE 19 OF THE QUESTIONNAIRE

	No	Yes, sometimes	Yes, often
D38. Has she ever physically twisted your arm?	<div>1</div>	<div>2</div>	<div>3</div>
D39. Have you ever thrown or tried to throw your wife/partner bodily?	<div>1</div>	<div>2</div>	<div>3</div>
D40. Has she ever thrown or tried to throw you bodily?	<div>1</div>	<div>2</div>	<div>3</div>
D41. Have you ever beaten up your wife/partner (multiple blows)?	<div>1</div>	<div>2</div>	<div>3</div>
D42. Has she ever beaten you up (multiple blows)?	<div>1</div>	<div>2</div>	<div>3</div>
D43. Have you ever tried to choke or strangle her?	<div>1</div>	<div>2</div>	<div>3</div>
D44. Has she ever tried to choke or strangle you?	<div>1</div>	<div>2</div>	<div>3</div>
D45. Have you ever threatened your wife/partner with a knife or other weapon?	<div>1</div>	<div>2</div>	<div>3</div>
D46. Has she ever threatened you with a knife or other weapon?	<div>1</div>	<div>2</div>	<div>3</div>
D47. Have you ever used a knife or other weapon on your wife/partner?	<div>1</div>	<div>2</div>	<div>3</div>
D48. Has she ever used a knife or other weapon on you?	<div>1</div>	<div>2</div>	<div>3</div>

PL File – Section D

pl3000 D1a: Respondent has a wife/partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, lives with them	3909	96.6	97.4	97.4
	2 Yes, does not live with them	49	1.2	1.2	98.6
	3 No, doesn't have	55	1.4	1.4	100.0
	Total	4013	99.2	100.0	
Missing	-1 No response	34	.8		
Total		4047	100.0		

pl3001 D1b: Respondent's description of wife/partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Wife	3629	89.7	92.2	92.2
	2 Female partner	302	7.5	7.7	99.8
	3 Male partner	2	.0	.1	99.9
	4 Wife/female partner	4	.1	.1	100.0
	Total	3937	97.3	100.0	
Missing	-1 No response	110	2.7		
Total		4047	100.0		

PL File – Section D

pl3010 D2: Respondent and partner support each other during difficult times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	35	.9	.9	.9
	2 Sometimes true	696	17.2	17.7	18.6
	3 Yes, very true	3194	78.9	81.1	99.6
	4 Can't say	14	.3	.4	100.0
	Total	3939	97.3	100.0	
Missing	-1 No response	108	2.7		
Total		4047	100.0		

pl3011 D3: Respondent and partner disagree about disciplining the children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	1533	37.9	38.9	38.9
	2 Sometimes true	2211	54.6	56.1	94.9
	3 Yes, very true	186	4.6	4.7	99.6
	4 Can't say	14	.3	.4	100.0
	Total	3944	97.5	100.0	
Missing	-1 No response	103	2.5		
Total		4047	100.0		

pl3012 D4: Respondent and partner find it easy to express their opinions to each other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	175	4.3	4.4	4.4
	2 Sometimes true	1456	36.0	37.0	41.4
	3 Yes, very true	2291	56.6	58.1	99.5
	4 Can't say	18	.4	.5	100.0
	Total	3940	97.4	100.0	
Missing	-1 No response	107	2.6		
Total		4047	100.0		

pl3013 D5: Respondent and partner agree completely about how to raise the children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	155	3.8	3.9	3.9
	2 Sometimes true	1536	38.0	39.0	42.9
	3 Yes, very true	2227	55.0	56.5	99.5
	4 Can't say	21	.5	.5	100.0
	Total	3939	97.3	100.0	
Missing	-1 No response	108	2.7		
Total		4047	100.0		

PL File – Section D

pl3014 D6: Respondent feels their relationship with partner is very stable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	124	3.1	3.1	3.1
	2 Sometimes true	650	16.1	16.5	19.6
	3 Yes, very true	3139	77.6	79.6	99.2
	4 Can't say	30	.7	.8	100.0
	Total	3943	97.4	100.0	
Missing	-1 No response	104	2.6		
Total		4047	100.0		

pl3015 D7: Respondent and partner discuss problems and feel good about the solutions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	154	3.8	3.9	3.9
	2 Sometimes true	1796	44.4	45.6	49.5
	3 Yes, very true	1956	48.3	49.6	99.1
	4 Can't say	35	.9	.9	100.0
	Total	3941	97.4	100.0	
Missing	-1 No response	106	2.6		
Total		4047	100.0		

pl3016 D8: Respondent worries partner is too strict with the children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	3161	78.1	80.2	80.2
	2 Sometimes true	710	17.5	18.0	98.2
	3 Yes, very true	42	1.0	1.1	99.2
	4 Can't say	30	.7	.8	100.0
	Total	3943	97.4	100.0	
Missing	-1 No response	104	2.6		
Total		4047	100.0		

pl3017 D9: Respondent's partner treats them like a king

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	2386	59.0	60.7	60.7
	2 Sometimes true	1160	28.7	29.5	90.2
	3 Yes, very true	273	6.7	6.9	97.2
	4 Can't say	111	2.7	2.8	100.0
	Total	3930	97.1	100.0	
Missing	-1 No response	117	2.9		
Total		4047	100.0		

PL File – Section D

pl3018 D10: Respondent's partner spoils the children too much

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	2144	53.0	54.5	54.5
	2 Sometimes true	1614	39.9	41.0	95.5
	3 Yes, very true	153	3.8	3.9	99.3
	4 Can't say	26	.6	.7	100.0
	Total	3937	97.3	100.0	
Missing	-1 No response	110	2.7		
Total		4047	100.0		

pl3019 D11: Respondent's partner is honest/truthful with them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	89	2.2	2.3	2.3
	2 Sometimes true	674	16.7	17.1	19.4
	3 Yes, very true	3079	76.1	78.2	97.6
	4 Can't say	96	2.4	2.4	100.0
	Total	3938	97.3	100.0	
Missing	-1 No response	109	2.7		
Total		4047	100.0		

pl3020 D12: Respondent can trust their partner completely

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	76	1.9	1.9	1.9
	2 Sometimes true	408	10.1	10.4	12.3
	3 Yes, very true	3430	84.8	87.1	99.4
	4 Can't say	24	.6	.6	100.0
	Total	3938	97.3	100.0	
Missing	-1 No response	109	2.7		
Total		4047	100.0		

pl3021 D13: Respondent and partner feel very close to each other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	144	3.6	3.7	3.7
	2 Sometimes true	1046	25.8	26.6	30.2
	3 Yes, very true	2729	67.4	69.3	99.5
	4 Can't say	19	.5	.5	100.0
	Total	3938	97.3	100.0	
Missing	-1 No response	109	2.7		
Total		4047	100.0		

pl3022 D14: Respondent can count on partner to help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	85	2.1	2.2	2.2
	2 Sometimes true	586	14.5	14.9	17.0
	3 Yes, very true	3257	80.5	82.7	99.7
	4 Can't say	12	.3	.3	100.0
	Total	3940	97.4	100.0	
Missing	-1 No response	107	2.6		
Total		4047	100.0		

PL File – Section D

pl3023 D15: Respondent's partner is sincere in her promises

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	62	1.5	1.6	1.6
	2 Sometimes true	530	13.1	13.5	15.0
	3 Yes, very true	3305	81.7	84.0	99.0
	4 Can't say	39	1.0	1.0	100.0
	Total	3936	97.3	100.0	
Missing	-1 No response	111	2.7		
Total		4047	100.0		

pl3024 D16: Respondent's partner can be relied upon to help however big a problem they have

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	86	2.1	2.2	2.2
	2 Sometimes true	644	15.9	16.4	18.5
	3 Yes, very true	3182	78.6	80.8	99.3
	4 Can't say	26	.6	.7	100.0
	Total	3938	97.3	100.0	
Missing	-1 No response	109	2.7		
Total		4047	100.0		

pl3025 D17: Respondent's partner makes respondent feel loved

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	211	5.2	5.4	5.4
	2 Sometimes true	1165	28.8	29.6	35.0
	3 Yes, very true	2543	62.8	64.6	99.5
	4 Can't say	18	.4	.5	100.0
	Total	3937	97.3	100.0	
Missing	-1 No response	110	2.7		
Total		4047	100.0		

pl3026 D18: Respondent's partner helps out with the children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not true	16	.4	.4	.4
	2 Sometimes true	239	5.9	6.1	6.5
	3 Yes, very true	3661	90.5	93.1	99.6
	4 Can't say	17	.4	.4	100.0
	Total	3933	97.2	100.0	
Missing	-1 No response	114	2.8		
Total		4047	100.0		

PL File – Section D

pl3030 D19: Respondent has cursed/sworn at their partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	1188	29.4	30.1	30.1
	2 Yes, sometimes	2593	64.1	65.8	95.9
	3 Yes, often	162	4.0	4.1	100.0
	Total	3943	97.4	100.0	
Missing	-1 No response	104	2.6		
Total		4047	100.0		

pl3031 D20: Respondent's partner has cursed/sworn at them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	1063	26.3	27.0	27.0
	2 Yes, sometimes	2685	66.3	68.1	95.1
	3 Yes, often	195	4.8	4.9	100.0
	Total	3943	97.4	100.0	
Missing	-1 No response	104	2.6		
Total		4047	100.0		

pl3032 D21: Respondent has ordered their partner around

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2595	64.1	65.8	65.8
	2 Yes, sometimes	1299	32.1	32.9	98.8
	3 Yes, often	49	1.2	1.2	100.0
	Total	3943	97.4	100.0	
Missing	-1 No response	104	2.6		
Total		4047	100.0		

pl3033 D22: Respondent's partner has ordered them around

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2141	52.9	54.3	54.3
	2 Yes, sometimes	1647	40.7	41.8	96.1
	3 Yes, often	154	3.8	3.9	100.0
	Total	3942	97.4	100.0	
Missing	-1 No response	105	2.6		
Total		4047	100.0		

pl3034 D23: Respondent has insulted/shamed their partner in front of others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3294	81.4	83.8	83.8
	2 Yes, sometimes	628	15.5	16.0	99.8
	3 Yes, often	7	.2	.2	100.0
	Total	3929	97.1	100.0	
Missing	-1 No response	118	2.9		
Total		4047	100.0		

PL File – Section D

pl3035 D24: Respondent's partner has insulted/shamed them in front of others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3210	79.3	81.7	81.7
	2 Yes, sometimes	692	17.1	17.6	99.4
	3 Yes, often	25	.6	.6	100.0
	Total	3927	97.0	100.0	
Missing	-1 No response	120	3.0		
Total		4047	100.0		

pl3036 D25: Respondent has pushed/grabbed/shoved their partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3295	81.4	83.9	83.9
	2 Yes, sometimes	634	15.7	16.1	100.0
	Total	3929	97.1	100.0	
Missing	-1 No response	118	2.9		
Total		4047	100.0		

pl3037 D26: Respondent's partner has pushed/grabbed/shoved them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3170	78.3	80.7	80.7
	2 Yes, sometimes	748	18.5	19.0	99.8
	3 Yes, often	9	.2	.2	100.0
	Total	3927	97.0	100.0	
Missing	-1 No response	120	3.0		
Total		4047	100.0		

pl3038 D27: Respondent has slapped their partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3699	91.4	94.2	94.2
	2 Yes, sometimes	228	5.6	5.8	100.0
	Total	3927	97.0	100.0	
Missing	-1 No response	120	3.0		
Total		4047	100.0		

pl3039 D28: Respondent's partner has slapped them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3381	83.5	86.0	86.0
	2 Yes, sometimes	546	13.5	13.9	99.9
	3 Yes, often	4	.1	.1	100.0
	Total	3931	97.1	100.0	
Missing	-1 No response	116	2.9		
Total		4047	100.0		

PL File – Section D

pl3040 D29: Respondent has shaken their partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3688	91.1	93.9	93.9
	2 Yes, sometimes	237	5.9	6.0	100.0
	3 Yes, often	1	.0	.0	100.0
	Total	3926	97.0	100.0	
Missing	-1 No response	121	3.0		
Total		4047	100.0		

pl3041 D30: Respondent's partner has shaken them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3710	91.7	94.4	94.4
	2 Yes, sometimes	217	5.4	5.5	99.9
	3 Yes, often	2	.0	.1	100.0
	Total	3929	97.1	100.0	
Missing	-1 No response	118	2.9		
Total		4047	100.0		

pl3042 D31: Respondent has thrown an object at their partner which could have hurt them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3768	93.1	96.0	96.0
	2 Yes, sometimes	158	3.9	4.0	100.0
	3 Yes, often	1	.0	.0	100.0
	Total	3927	97.0	100.0	
Missing	-1 No response	120	3.0		
Total		4047	100.0		

pl3043 D32: Respondent's partner has thrown an object at them which could have hurt them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3405	84.1	86.7	86.7
	2 Yes, sometimes	519	12.8	13.2	99.9
	3 Yes, often	5	.1	.1	100.0
	Total	3929	97.1	100.0	
Missing	-1 No response	118	2.9		
Total		4047	100.0		

pl3044 D33: Respondent has ever bitten/kicked/hit their partner with a fist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3831	94.7	97.5	97.5
	2 Yes, sometimes	98	2.4	2.5	100.0
	Total	3929	97.1	100.0	
Missing	-1 No response	118	2.9		
Total		4047	100.0		

PL File – Section D

pl3045 D34: Respondent's partner has ever bitten/kicked/hit them with a fist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3630	89.7	92.4	92.4
	2 Yes, sometimes	296	7.3	7.5	99.9
	3 Yes, often	3	.1	.1	100.0
	Total	3929	97.1	100.0	
Missing	-1 No response	118	2.9		
Total		4047	100.0		

pl3046 D35: Respondent has tried to hit their partner with something

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3875	95.7	98.7	98.7
	2 Yes, sometimes	51	1.3	1.3	100.0
	Total	3926	97.0	100.0	
Missing	-1 No response	121	3.0		
Total		4047	100.0		

pl3047 D36: Respondent's partner has tried to hit them with something

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3711	91.7	94.4	94.4
	2 Yes, sometimes	217	5.4	5.5	99.9
	3 Yes, often	2	.0	.1	100.0
	Total	3930	97.1	100.0	
Missing	-1 No response	117	2.9		
Total		4047	100.0		

pl3048 D37: Respondent has tried to twist their partner's arm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3852	95.2	98.0	98.0
	2 Yes, sometimes	78	1.9	2.0	100.0
	Total	3930	97.1	100.0	
Missing	-1 No response	117	2.9		
Total		4047	100.0		

pl3049 D38: Respondent's partner has tried to twist their arm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3889	96.1	98.7	98.7
	2 Yes, sometimes	50	1.2	1.3	100.0
	Total	3939	97.3	100.0	
Missing	-1 No response	108	2.7		
Total		4047	100.0		

PL File – Section D

pl3050 D39: Respondent has ever thrown/tried to throw their partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3881	95.9	98.7	98.7
	2 Yes, sometimes	53	1.3	1.3	100.0
	Total	3934	97.2	100.0	
Missing	-1 No response	113	2.8		
Total		4047	100.0		

pl3051 D40: Respondent's partner has ever thrown/tried to throw them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3886	96.0	98.7	98.7
	2 Yes, sometimes	51	1.3	1.3	100.0
	3 Yes, often	1	.0	.0	100.0
	Total	3938	97.3	100.0	
Missing	-1 No response	109	2.7		
Total		4047	100.0		

pl3052 D41: Respondent has ever beaten up their partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3918	96.8	99.6	99.6
	2 Yes, sometimes	15	.4	.4	100.0
	Total	3933	97.2	100.0	
Missing	-1 No response	114	2.8		
Total		4047	100.0		

pl3053 D42: Respondent's partner has ever beaten them up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3903	96.4	99.1	99.1
	2 Yes, sometimes	34	.8	.9	100.0
	Total	3937	97.3	100.0	
Missing	-1 No response	110	2.7		
Total		4047	100.0		

pl3054 D43: Respondent has ever tried to choke their partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3912	96.7	99.3	99.3
	2 Yes, sometimes	25	.6	.6	100.0
	3 Yes, often	1	.0	.0	100.0
	Total	3938	97.3	100.0	
Missing	-1 No response	109	2.7		
Total		4047	100.0		

PL File – Section D

pl3055 D44: Respondent's partner has ever tried to choke them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3924	97.0	99.7	99.7
	2 Yes, sometimes	11	.3	.3	99.9
	3 Yes, often	2	.0	.1	100.0
	Total	3937	97.3	100.0	
Missing	-1 No response	110	2.7		
Total		4047	100.0		

pl3056 D45: Respondent has ever threatened their partner with a knife/weapon

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3927	97.0	99.8	99.8
	2 Yes, sometimes	8	.2	.2	100.0
	Total	3935	97.2	100.0	
Missing	-1 No response	112	2.8		
Total		4047	100.0		

pl3057 D46: Respondent's partner has ever threatened them with a knife/weapon

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3867	95.6	98.2	98.2
	2 Yes, sometimes	69	1.7	1.8	100.0
	3 Yes, often	1	.0	.0	100.0
	Total	3937	97.3	100.0	
Missing	-1 No response	110	2.7		
Total		4047	100.0		

pl3058 D47: Respondent has ever used a knife/weapon on their partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3936	97.3	100.0	100.0
Missing	-1 No response	111	2.7		
Total		4047	100.0		

pl3059 D48: Respondent's partner has ever used a knife/weapon on them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3920	96.9	99.5	99.5
	2 Yes, sometimes	18	.4	.5	100.0
	Total	3938	97.3	100.0	
Missing	-1 No response	109	2.7		
Total		4047	100.0		

PAGE 20 OF THE QUESTIONNAIRE

SECTION E: EDUCATION AND OCCUPATION

E1. What educational qualifications do you, your wife or partner, your mother, and your father have? Please tick all that apply. (**By wife or partner we mean your current live-in wife or partner**).

	(i) Your self	(ii) Your wife/ partner	(iii) Your mother*	(iv) Your father*
a) CSE or GCSE (D, E, F or G)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) O-level or GCSE (A, B, or C)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) A-level	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Qualifications in shorthand/ typing/or other skills, e.g. hairdressing	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e) Apprenticeship	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f) State enrolled nurse	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
g) State registered nurse	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
h) City & Guilds intermediate technical	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
i) City & Guilds final technical	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
j) City & Guilds full technical	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
k) Teaching qualification	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
l) University degree	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
m) No qualifications	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
n) Qualifications not known	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
o) Not applicable, no such person		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
p) Other (Please tick & describe)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

(* by this we mean the mother figure or father figure who was mostly responsible for bringing you up)

PAGE 21 OF THE QUESTIONNAIRE

E2. What is the present employment situation of yourself and your current live-in wife or partner? Please tick all that apply.

	(i) Yourself	(ii) Your wife or partner	No live-in wife/ partner
a) Working for an employer full-time (more than 30 hours a week)	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 7
b) Working for an employer part-time (one hour or more a week)	<input type="checkbox"/> 1	<input type="checkbox"/> 1	
c) Self-employed, employing other people	<input type="checkbox"/> 1	<input type="checkbox"/> 1	
d) Self-employed, not employing other people	<input type="checkbox"/> 1	<input type="checkbox"/> 1	
e) On a government employment or training scheme	<input type="checkbox"/> 1	<input type="checkbox"/> 1	
f) Waiting to start a job already accepted	<input type="checkbox"/> 1	<input type="checkbox"/> 1	
g) Unemployed and looking for a job	<input type="checkbox"/> 1	<input type="checkbox"/> 1	
h) At school or in other full-time education	<input type="checkbox"/> 1	<input type="checkbox"/> 1	
i) Unable to work because of long-term sickness or disability	<input type="checkbox"/> 1	<input type="checkbox"/> 1	
j) Retired from paid work	<input type="checkbox"/> 1	<input type="checkbox"/> 1	
k) Looking after the home or family	<input type="checkbox"/> 1	<input type="checkbox"/> 1	
l) Carrying out voluntary work	<input type="checkbox"/> 1	<input type="checkbox"/> 1	
m) Other (please tick & describe)	<input type="checkbox"/> 1	<input type="checkbox"/> 1	

.....

PAGE 22 OF THE QUESTIONNAIRE

E3. To recap, are you in a paid job at the moment?

Yes No → **If no, go to E4 on page 23**

If yes,

These questions are about your present job
(If you have more than one job, answer for the main job)

		Yes usually	Yes sometimes	No ↓
a)	Can you decide yourself when to have a holiday?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b)	Can you decide what you do at work?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c)	Can you decide the order in which you do your different tasks at work?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d)	Can you decide when to take a break?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e)	Is your work monotonous?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f)	Do you have scope for on-the-job development?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g)	Does the job fit well with your educational background and/or experience?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
h)	Do you have to work at a fast pace?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

PAGE 23 OF THE QUESTIONNAIRE

Your present job (or last main job(s))

E4. As far as you can, please describe the actual job, occupation, trade or profession. (Use precise terms such as shoe shop supervisor, car mechanic, primary school teacher, toolroom foreman, van driver. If the occupation is known by a special name, please use that name. If in H.M. forces, give the rank in addition to the actual job. Please also describe the type of industry or service given: i.e. Give details of what is made, materials used, or services given).

- a) Actual job, occupation, trade or profession

.....

- b) Type of industry or service given (main things done in job)

.....

- c) Hours worked in a normal week:

--	--

- d) How long have you had this job?

less than 1 year	1
1-2 years	2
3 years or more	3

- e) Have you been promoted since starting this job?

Yes	1	No	2
-----	---	----	---

- f) How much paid holiday are you allowed?

--	--

 days per year (don't count Bank Holidays)

- g) Please tick which of the following currently apply to you:

foreman	1
manager	2
supervisor	3
leading hand	4
self-employed	5
none of these	6

PAGE 24 OF THE QUESTIONNAIRE

E4. h) Are you in contact with particular fumes or chemicals in your job?

always	<input type="text" value="1"/>	often	<input type="text" value="2"/>	sometimes	<input type="text" value="3"/>
rarely	<input type="text" value="4"/>	never	<input type="text" value="5"/>	don't know	<input type="text" value="9"/>

Please describe the fumes or chemicals

.....

E5. Do you think you have been unfairly treated in the last 12 months because of:

	Yes often	Yes sometimes	No not at all
a) Your sex	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) Your skin colour	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) The way you dress	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) Your family background	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e) The way you speak	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f) Your religion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g) Other (please tick & describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

.....

PAGE 25 OF THE QUESTIONNAIRE

E6. How would you describe the race or ethnic group of yourself, your live-in wife or partner and your natural parents?

	(i) Yourself	(ii) Wife/ partner	(iii) Your mother	(iv) Your father
white	<input type="text" value="01"/>	<input type="text" value="01"/>	<input type="text" value="01"/>	<input type="text" value="01"/>
black/Caribbean	<input type="text" value="02"/>	<input type="text" value="02"/>	<input type="text" value="02"/>	<input type="text" value="02"/>
black/African	<input type="text" value="03"/>	<input type="text" value="03"/>	<input type="text" value="03"/>	<input type="text" value="03"/>
black/other (please describe below)	<input type="text" value="04"/>	<input type="text" value="04"/>	<input type="text" value="04"/>	<input type="text" value="04"/>
Indian	<input type="text" value="05"/>	<input type="text" value="05"/>	<input type="text" value="05"/>	<input type="text" value="05"/>
Pakistani	<input type="text" value="06"/>	<input type="text" value="06"/>	<input type="text" value="06"/>	<input type="text" value="06"/>
Bangladeshi	<input type="text" value="07"/>	<input type="text" value="07"/>	<input type="text" value="07"/>	<input type="text" value="07"/>
Chinese	<input type="text" value="08"/>	<input type="text" value="08"/>	<input type="text" value="08"/>	<input type="text" value="08"/>
any other ethnic group (please tick & describe)	<input type="text" value="09"/>	<input type="text" value="09"/>	<input type="text" value="09"/>	<input type="text" value="09"/>

.....

PL File – Section E

pl4000 E1a1: Respondent has CSE/GCSE grades D/E/F/G

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2040	50.4	100.0	100.0
Missing -1 No response	2007	49.6		
Total	4047	100.0		

pl4001 E1b1: Respondent has CSE/GCSE grades A/B/C

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2950	72.9	100.0	100.0
Missing -1 No response	1097	27.1		
Total	4047	100.0		

pl4002 E1c1: Respondent has A-levels

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1689	41.7	100.0	100.0
Missing -1 No response	2358	58.3		
Total	4047	100.0		

pl4003 E1d1: Respondent has qualifications in shorthand/typing/other skills

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	197	4.9	100.0	100.0
Missing -1 No response	3850	95.1		
Total	4047	100.0		

pl4004 E1e1: Respondent has an apprenticeship

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	935	23.1	100.0	100.0
Missing -1 No response	3112	76.9		
Total	4047	100.0		

pl4005 E1f1: Respondent is a state enrolled nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7	.2	100.0	100.0
Missing -1 No response	4040	99.8		
Total	4047	100.0		

pl4006 E1g1: Respondent is a state registered nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	33	.8	100.0	100.0
Missing -1 No response	4014	99.2		
Total	4047	100.0		

PL File – Section E

pl4007 E1h1: Respondent has a City & Guilds intermediate technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	651	16.1	100.0	100.0
Missing -1 No response	3396	83.9		
Total	4047	100.0		

pl4008 E1i1: Respondent has a City & Guilds final technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	400	9.9	100.0	100.0
Missing -1 No response	3647	90.1		
Total	4047	100.0		

pl4009 E1j1: Respondent has a City & Guilds full technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	499	12.3	100.0	100.0
Missing -1 No response	3548	87.7		
Total	4047	100.0		

pl4010 E1k1: Respondent has a teaching qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	279	6.9	100.0	100.0
Missing -1 No response	3768	93.1		
Total	4047	100.0		

pl4011 E1l1: Respondent has a university degree

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1280	31.6	100.0	100.0
Missing -1 No response	2767	68.4		
Total	4047	100.0		

pl4012 E1m1: Respondent has no qualifications

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	191	4.7	100.0	100.0
Missing -1 No response	3856	95.3		
Total	4047	100.0		

pl4013 E1n1: Respondent doesn't know what qualifications they have

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	23	.6	100.0	100.0
Missing -1 No response	4024	99.4		
Total	4047	100.0		

PL File – Section E

pl4015 E1p1: Respondent has other qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Text written, no box ticked	2	.0	.2	.2
	1 Yes	828	20.5	99.8	100.0
	Total	830	20.5	100.0	
Missing	-1 No response	3217	79.5		
Total		4047	100.0		

PL File – Section E

pl4020 E1a2: Respondent's partner has CSE/GCSE grades D/E/F/G

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1971	48.7	100.0	100.0
Missing -1 No response	2076	51.3		
Total	4047	100.0		

pl4021 E1b2: Respondent's partner has CSE/GCSE grades A/B/C

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2916	72.1	100.0	100.0
Missing -1 No response	1131	27.9		
Total	4047	100.0		

pl4022 E1c2: Respondent's partner has A-levels

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1596	39.4	100.0	100.0
Missing -1 No response	2451	60.6		
Total	4047	100.0		

pl4023 E1d2: Respondent's partner has qualifications in shorthand/typing/other skills

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1357	33.5	100.0	100.0
Missing -1 No response	2690	66.5		
Total	4047	100.0		

pl4024 E1e2: Respondent's partner has an apprenticeship

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	69	1.7	100.0	100.0
Missing -1 No response	3978	98.3		
Total	4047	100.0		

pl4025 E1f2: Respondent's partner is a state enrolled nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	94	2.3	100.0	100.0
Missing -1 No response	3953	97.7		
Total	4047	100.0		

pl4026 E1g2: Respondent's partner is a state registered nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	319	7.9	100.0	100.0
Missing -1 No response	3728	92.1		
Total	4047	100.0		

PL File – Section E

pl4027 E1h2: Respondent's partner has a City & Guilds intermediate technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	142	3.5	100.0	100.0
Missing -1 No response	3905	96.5		
Total	4047	100.0		

pl4028 E1i2: Respondent's partner has a City & Guilds final technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	57	1.4	100.0	100.0
Missing -1 No response	3990	98.6		
Total	4047	100.0		

pl4029 E1j2: Respondent's partner has a City & Guilds full technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	76	1.9	100.0	100.0
Missing -1 No response	3971	98.1		
Total	4047	100.0		

pl4030 E1k2: Respondent's partner has a teaching qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	413	10.2	100.0	100.0
Missing -1 No response	3634	89.8		
Total	4047	100.0		

pl4031 E1l2: Respondent's partner has a university degree

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	924	22.8	100.0	100.0
Missing -1 No response	3123	77.2		
Total	4047	100.0		

pl4032 E1m2: Respondent's partner has no qualifications

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	101	2.5	100.0	100.0
Missing -1 No response	3946	97.5		
Total	4047	100.0		

pl4033 E1n2: Respondent doesn't know what qualifications partner has

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	85	2.1	100.0	100.0
Missing -1 No response	3962	97.9		
Total	4047	100.0		

PL File – Section E

pl4034 E1o2: Qualifications not applicable, no partner

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	16	.4	100.0	100.0
Missing -1 No response	4031	99.6		
Total	4047	100.0		

pl4035 E1p2: Respondent's partner has other qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Text written, no box ticked	2	.0	.5	.5
1 Yes	380	9.4	99.5	100.0
Total	382	9.4	100.0	
Missing -1 No response	3665	90.6		
Total	4047	100.0		

PL File – Section E

pl4040 E1a3: Respondent's mother has CSE/GCSE grades D/E/F/G

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	393	9.7	100.0	100.0
Missing -9 Don't know	2	.0		
-1 No response	3652	90.2		
Total	3654	90.3		
Total	4047	100.0		

pl4041 E1b3: Respondent's mother has CSE/GCSE grades A/B/C

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	894	22.1	100.0	100.0
Missing -9 Don't know	3	.1		
-1 No response	3150	77.8		
Total	3153	77.9		
Total	4047	100.0		

pl4042 E1c3: Respondent's mother has A-levels

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	393	9.7	100.0	100.0
Missing -9 Don't know	3	.1		
-1 No response	3651	90.2		
Total	3654	90.3		
Total	4047	100.0		

pl4043 E1d3: Respondent's mother has qualifications in shorthand/typing/other skills

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	645	15.9	100.0	100.0
Missing -1 No response	3402	84.1		
Total	4047	100.0		

pl4044 E1e3: Respondent's mother has an apprenticeship

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	32	.8	100.0	100.0
Missing -1 No response	4015	99.2		
Total	4047	100.0		

pl4045 E1f3: Respondent's mother is a state enrolled nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	76	1.9	100.0	100.0
Missing -9 Don't know	1	.0		
-1 No response	3970	98.1		
Total	3971	98.1		
Total	4047	100.0		

PL File – Section E

pl4046 E1g3: Respondent's mother is a state registered nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	163	4.0	100.0	100.0
Missing -1 No response	3884	96.0		
Total	4047	100.0		

pl4047 E1h3: Respondent's mother has a City & Guilds intermediate technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	20	.5	100.0	100.0
Missing -1 No response	4027	99.5		
Total	4047	100.0		

pl4048 E1i3: Respondent's mother has a City & Guilds final technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	11	.3	100.0	100.0
Missing -1 No response	4036	99.7		
Total	4047	100.0		

pl4049 E1j3: Respondent's mother has a City & Guilds full technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	13	.3	100.0	100.0
Missing -1 No response	4034	99.7		
Total	4047	100.0		

pl4050 E1k3: Respondent's mother has a teaching qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	226	5.6	100.0	100.0
Missing -1 No response	3821	94.4		
Total	4047	100.0		

pl4051 E1l3: Respondent's mother has a university degree

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	204	5.0	100.0	100.0
Missing -1 No response	3843	95.0		
Total	4047	100.0		

pl4052 E1m3: Respondent's mother has no qualifications

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	703	17.4	100.0	100.0
Missing -1 No response	3344	82.6		
Total	4047	100.0		

PL File – Section E

pl4053 E1n3: Respondent doesn't know what qualifications mother has

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	979	24.2	100.0	100.0
Missing -1 No response	3068	75.8		
Total	4047	100.0		

pl4054 E1o3: Qualifications not applicable, no mother

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	10	.2	100.0	100.0
Missing -1 No response	4037	99.8		
Total	4047	100.0		

pl4055 E1p3: Respondent's mother has other qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Text written, no box ticked	2	.0	2.0	2.0
Valid 1 Yes	100	2.5	98.0	100.0
Total	102	2.5	100.0	
Missing -1 No response	3945	97.5		
Total	4047	100.0		

PL File – Section E

pl4060 E1a4: Respondent's father has CSE/GCSE grades D/E/F/G

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	363	9.0	100.0	100.0
Missing -9 Don't know	1	.0		
-1 No response	3683	91.0		
Total	3684	91.0		
Total	4047	100.0		

pl4061 E1b4: Respondent's father has CSE/GCSE grades A/B/C

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	927	22.9	100.0	100.0
Missing -9 Don't know	3	.1		
-1 No response	3117	77.0		
Total	3120	77.1		
Total	4047	100.0		

pl4062 E1c4: Respondent's father has A-levels

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	507	12.5	100.0	100.0
Missing -9 Don't know	2	.0		
-1 No response	3538	87.4		
Total	3540	87.5		
Total	4047	100.0		

pl4063 E1d4: Respondent's father has qualifications in shorthand/typing/other skills

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	90	2.2	100.0	100.0
Missing -1 No response	3957	97.8		
Total	4047	100.0		

pl4064 E1e4: Respondent's father has an apprenticeship

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	852	21.1	100.0	100.0
Missing -1 No response	3195	78.9		
Total	4047	100.0		

pl4065 E1f4: Respondent's father is a state enrolled nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5	.1	100.0	100.0
Missing -1 No response	4042	99.9		
Total	4047	100.0		

PL File – Section E

pl4066 E1g4: Respondent's father is a state registered nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	13	.3	100.0	100.0
Missing -1 No response	4034	99.7		
Total	4047	100.0		

pl4067 E1h4: Respondent's father has a City & Guilds intermediate technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	184	4.5	100.0	100.0
Missing -1 No response	3863	95.5		
Total	4047	100.0		

pl4068 E1i4: Respondent's father has a City & Guilds final technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	149	3.7	100.0	100.0
Missing -1 No response	3898	96.3		
Total	4047	100.0		

pl4069 E1j4: Respondent's father has a City & Guilds full technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	244	6.0	100.0	100.0
Missing -1 No response	3803	94.0		
Total	4047	100.0		

pl4070 E1k4: Respondent's father has a teaching qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	155	3.8	100.0	100.0
Missing -1 No response	3892	96.2		
Total	4047	100.0		

pl4071 E1l4: Respondent's father has a university degree

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	415	10.3	100.0	100.0
Missing -1 No response	3632	89.7		
Total	4047	100.0		

pl4072 E1m4: Respondent's father has no qualifications

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	499	12.3	100.0	100.0
Missing -1 No response	3548	87.7		
Total	4047	100.0		

PL File – Section E

pl4073 E1n4: Respondent doesn't know what qualifications father has

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1023	25.3	100.0	100.0
Missing -1 No response	3024	74.7		
Total	4047	100.0		

pl4074 E1o4: Qualifications not applicable, no father

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	13	.3	100.0	100.0
Missing -1 No response	4034	99.7		
Total	4047	100.0		

pl4075 E1p4: Respondent's father has other qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Text written, no box ticked	2	.0	.7	.7
1 Yes	271	6.7	99.3	100.0
Total	273	6.7	100.0	
Missing -1 No response	3774	93.3		
Total	4047	100.0		

PL File – Section E

pl4100 E2a1: Respondent is working for an employer full time

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3074	76.0	100.0	100.0
Missing -1 No response	973	24.0		
Total	4047	100.0		

pl4101 E2b1: Respondent is working for an employer part time

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	108	2.7	100.0	100.0
Missing -1 No response	3939	97.3		
Total	4047	100.0		

pl4102 E2c1: Respondent is self employed

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	333	8.2	100.0	100.0
Missing -1 No response	3714	91.8		
Total	4047	100.0		

pl4103 E2d1: Respondent is self employed & employing other people

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	408	10.1	100.0	100.0
Missing -1 No response	3639	89.9		
Total	4047	100.0		

pl4104 E2e1: Respondent is on a government employment/training scheme

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6	.1	100.0	100.0
Missing -1 No response	4041	99.9		
Total	4047	100.0		

pl4105 E2f1: Respondent is waiting to start a job they've accepted

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	11	.3	100.0	100.0
Missing -1 No response	4036	99.7		
Total	4047	100.0		

pl4106 E2g1: Respondent is unemployed and looking for a job

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	43	1.1	100.0	100.0
Missing -1 No response	4004	98.9		
Total	4047	100.0		

PL File – Section E

pl4107 E2h1: Respondent is in full time education

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	15	.4	100.0	100.0
Missing -1 No response	4032	99.6		
Total	4047	100.0		

pl4108 E2i1: Respondent is unable to work due to long term sickness/disability

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	54	1.3	100.0	100.0
Missing -1 No response	3993	98.7		
Total	4047	100.0		

pl4109 E2j1: Respondent is retired from paid work

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	29	.7	100.0	100.0
Missing -1 No response	4018	99.3		
Total	4047	100.0		

pl4110 E2k1: Respondent is looking after the home/family

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	166	4.1	100.0	100.0
Missing -1 No response	3881	95.9		
Total	4047	100.0		

pl4111 E2l1: Respondent is doing volunteer work

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	53	1.3	100.0	100.0
Missing -1 No response	3994	98.7		
Total	4047	100.0		

pl4112 E2m1: Respondent is in other employment situation

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	55	1.4	100.0	100.0
Missing -1 No response	3992	98.6		
Total	4047	100.0		

PL File – Section E

pl4120 E2a2: Respondent's partner is working for an employer full time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	647	16.0	92.0	92.0
	7 No live-in wife or partner	56	1.4	8.0	100.0
	Total	703	17.4	100.0	
Missing	-1 No response	3344	82.6		
Total		4047	100.0		

pl4121 E2b2: Respondent's partner is working for an employer part time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1979	48.9	100.0	100.0
Missing	-1 No response	2068	51.1		
Total		4047	100.0		

pl4122 E2c2: Respondent's partner is self employed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	111	2.7	100.0	100.0
Missing	-1 No response	3936	97.3		
Total		4047	100.0		

pl4123 E2d2: Respondent's partner is self employed & employing other people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	259	6.4	100.0	100.0
Missing	-1 No response	3788	93.6		
Total		4047	100.0		

pl4124 E2e2: Respondent's partner is on a government employment/training scheme

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	16	.4	100.0	100.0
Missing	-1 No response	4031	99.6		
Total		4047	100.0		

pl4125 E2f2: Respondent's partner is waiting to start a job they've accepted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	16	.4	100.0	100.0
Missing	-1 No response	4031	99.6		
Total		4047	100.0		

pl4126 E2g2: Respondent's partner is unemployed and looking for a job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	39	1.0	100.0	100.0
Missing	-1 No response	4008	99.0		
Total		4047	100.0		

PL File – Section E

pl4127 E2h2: Respondent's partner is in full time education

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	53	1.3	100.0	100.0
Missing -1 No response	3994	98.7		
Total	4047	100.0		

pl4128 E2i2: Respondent's partner is unable to work due to long term sickness/disability

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	49	1.2	100.0	100.0
Missing -1 No response	3998	98.8		
Total	4047	100.0		

pl4129 E2j2: Respondent's partner is retired from paid work

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	15	.4	100.0	100.0
Missing -1 No response	4032	99.6		
Total	4047	100.0		

pl4130 E2k2: Respondent's partner is looking after the home/family

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1175	29.0	100.0	100.0
Missing -1 No response	2872	71.0		
Total	4047	100.0		

pl4131 E2l2: Respondent's partner is doing volunteer work

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	179	4.4	100.0	100.0
Missing -1 No response	3868	95.6		
Total	4047	100.0		

pl4132 E2m2: Respondent's partner is in other employment situation

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	89	2.2	100.0	100.0
Missing -1 No response	3958	97.8		
Total	4047	100.0		

PL File – Section E

pl4140 E3: Respondent is in a paid job at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3760	92.9	94.6	94.6
	2 No	214	5.3	5.4	100.0
	Total	3974	98.2	100.0	
Missing	-1 No response	73	1.8		
Total		4047	100.0		

pl4141 E3a: Respondent can decide when they have holidays from job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	3158	78.0	84.1	84.1
	2 Yes, sometimes	379	9.4	10.1	94.2
	3 No	218	5.4	5.8	100.0
	Total	3755	92.8	100.0	
Missing	-1 No response	292	7.2		
Total		4047	100.0		

pl4142 E3b: Respondent can decide what they do at work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	1850	45.7	49.3	49.3
	2 Yes, sometimes	1243	30.7	33.1	82.5
	3 No	657	16.2	17.5	100.0
	Total	3750	92.7	100.0	
Missing	-1 No response	297	7.3		
Total		4047	100.0		

pl4143 E3c: Respondent can decide the order in which tasks are completed at work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	2613	64.6	69.6	69.6
	2 Yes, sometimes	851	21.0	22.7	92.3
	3 No	288	7.1	7.7	100.0
	Total	3752	92.7	100.0	
Missing	-1 No response	295	7.3		
Total		4047	100.0		

pl4144 E3d: Respondent can decide when to take a break at work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	2757	68.1	73.4	73.4
	2 Yes, sometimes	649	16.0	17.3	90.7
	3 No	349	8.6	9.3	100.0
	Total	3755	92.8	100.0	
Missing	-1 No response	292	7.2		
Total		4047	100.0		

PL File – Section E

pl4145 E3e: Respondents work is monotonous

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	209	5.2	5.6	5.6
	2 Yes, sometimes	1185	29.3	31.8	37.4
	3 No	2336	57.7	62.6	100.0
	Total	3730	92.2	100.0	
Missing	-1 No response	317	7.8		
Total		4047	100.0		

pl4146 E3f: Respondent has scope for on-the-job development


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	1780	44.0	48.0	48.0
	2 Yes, sometimes	1329	32.8	35.8	83.8
	3 No	602	14.9	16.2	100.0
	Total	3711	91.7	100.0	
Missing	-1 No response	336	8.3		
Total		4047	100.0		

pl4147 E3g: Respondent's job fits well with their educational background

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	2722	67.3	72.7	72.7
	2 Yes, sometimes	694	17.1	18.5	91.3
	3 No	326	8.1	8.7	100.0
	Total	3742	92.5	100.0	
Missing	-1 No response	305	7.5		
Total		4047	100.0		

pl4148 E3h: Respondent has to work at a fast pace

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	1604	39.6	42.8	42.8
	2 Yes, sometimes	1754	43.3	46.8	89.6
	3 No	391	9.7	10.4	100.0
	Total	3749	92.6	100.0	
Missing	-1 No response	298	7.4		
Total		4047	100.0		

pl4153 E4c: Number hours respondent works in one week

plus the following missing values, special codes and outliers < 10 and > 80:

pl4153 E4c: Number hours respondent works in one week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.6	2.4	2.4
	4	2	1.1	4.9	7.3
	5	3	1.7	7.3	14.6
	7	1	.6	2.4	17.1
	8	3	1.7	7.3	24.4
	9	1	.6	2.4	26.8
	82	1	.6	2.4	29.3
	84	6	3.3	14.6	43.9
	97 Varies	13	7.2	31.7	75.6
	98 90+	10	5.5	24.4	100.0
	Total	41	22.7	100.0	
Missing	-9 Don't know	4	2.2		
	-1 No response	136	75.1		
	Total	140	77.3		
Total		181	100.0		


PL File – Section E

pl4154 E4d: Length of time respondent has held this job

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 < 1 year	400	9.9	10.2	10.2
2 1-2 years	525	13.0	13.3	23.5
3 > 3 years	3014	74.5	76.5	100.0
Total	3939	97.3	100.0	
Missing -1 No response	108	2.7		
Total	4047	100.0		

pl4155 E4e: Respondent has been promoted since starting their job

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1805	44.6	47.8	47.8
2 No	1972	48.7	52.2	100.0
Total	3777	93.3	100.0	
Missing -1 No response	270	6.7		
Total	4047	100.0		

pl4156 E4f: Number of days paid holiday respondent is allowed

plus the following missing values, special codes and outliers > 80:

pl4156 E4f: Number of days paid holiday respondent is allowed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	84	3	.7	10.7	10.7
	85	2	.4	7.1	17.9
	86	1	.2	3.6	21.4
	90	3	.7	10.7	32.1
	91	1	.2	3.6	35.7
	97	1	.2	3.6	39.3
	98	2	.4	7.1	46.4
	99	1	.2	3.6	50.0
	170	1	.2	3.6	53.6
	997 Varies	11	2.4	39.3	92.9
	998 Lots	2	.4	7.1	100.0
	Total	28	6.2	100.0	
Missing	-9 Don't know	26	5.7		
	-1 No response	401	88.1		
	Total	427	93.8		
Total		455	100.0		

PL File – Section E

pl4157 E4g: Respondent's managerial responsibility

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Foreman	59	1.5	1.5	1.5
	2 Manager	1273	31.5	32.4	33.9
	3 Supervisor	323	8.0	8.2	42.1
	4 Leading hand	221	5.5	5.6	47.7
	5 Self-employed	585	14.5	14.9	62.6
	6 None of these	1345	33.2	34.2	96.7
	7 Ticked more than one box	128	3.2	3.3	100.0
	Total	3934	97.2	100.0	
Missing	-1 No response	113	2.8		
Total		4047	100.0		

pl4158 E4h: Frequency respondent is in contact with fumes/chemicals at work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	1	.0	.0	.0
	1 Always	171	4.2	4.4	4.4
	2 Often	256	6.3	6.5	10.9
	3 Sometimes	767	19.0	19.5	30.4
	4 Rarely	603	14.9	15.3	45.8
	5 Never	2050	50.7	52.2	97.9
	9 Don't know	81	2.0	2.1	100.0
	Total	3929	97.1	100.0	
Missing	-1 No response	118	2.9		
Total		4047	100.0		

PL File – Section E

pl4170 E5a: Respondent has been treated unfairly in last 12 months due to their sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	32	.8	.8	.8
	2 Yes, sometimes	45	1.1	1.2	2.0
	3 No, not at all	3819	94.4	98.0	100.0
	Total	3896	96.3	100.0	
Missing	-1 No response	151	3.7		
Total		4047	100.0		

pl4171 E5b: Respondent has been treated unfairly in last 12 months due to their skin colour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	27	.7	.7	.7
	2 Yes, sometimes	25	.6	.6	1.3
	3 No, not at all	3843	95.0	98.7	100.0
	Total	3895	96.2	100.0	
Missing	-1 No response	152	3.8		
Total		4047	100.0		

pl4172 E5c: Respondent has been treated unfairly in last 12 months due to the way they dress

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	27	.7	.7	.7
	2 Yes, sometimes	45	1.1	1.2	1.8
	3 No, not at all	3826	94.5	98.2	100.0
	Total	3898	96.3	100.0	
Missing	-1 No response	149	3.7		
Total		4047	100.0		

pl4173 E5d: Respondent has been treated unfairly in last 12 months due to their family background

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	26	.6	.7	.7
	2 Yes, sometimes	25	.6	.6	1.3
	3 No, not at all	3844	95.0	98.7	100.0
	Total	3895	96.2	100.0	
Missing	-1 No response	152	3.8		
Total		4047	100.0		

pl4174 E5e: Respondent has been treated unfairly in last 12 months due to the way they speak

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	32	.8	.8	.8
	2 Yes, sometimes	126	3.1	3.2	4.1
	3 No, not at all	3740	92.4	95.9	100.0
	Total	3898	96.3	100.0	
Missing	-1 No response	149	3.7		
Total		4047	100.0		

PL File – Section E

pl4175 E5f: Respondent has been treated unfairly in last 12 months due to their religion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	26	.6	.7	.7
	2 Yes, sometimes	21	.5	.5	1.2
	3 No, not at all	3845	95.0	98.8	100.0
	Total	3892	96.2	100.0	
Missing	-1 No response	155	3.8		
Total		4047	100.0		

pl4176 E5g: Respondent has been treated unfairly in last 12 months due to other reasons

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	6	.1	.2	.2
	1 Yes, often	46	1.1	1.7	1.9
	2 Yes, sometimes	77	1.9	2.8	4.7
	3 No, not at all	2638	65.2	95.3	100.0
	Total	2767	68.4	100.0	
Missing	-1 No response	1280	31.6		
Total		4047	100.0		

PL File – Section E

pl4180 E6i: Respondent's race/ethnicity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 White	3907	96.5	97.8	97.8
	2 Black, Caribbean	19	.5	.5	98.3
	3 Black, African	7	.2	.2	98.5
	4 Black, other	7	.2	.2	98.7
	5 Indian	6	.1	.2	98.8
	6 Pakistani	3	.1	.1	98.9
	8 Chinese	8	.2	.2	99.1
	9 Other ethnic group	36	.9	.9	100.0
	Total	3993	98.7	100.0	
Missing	-1 No response	54	1.3		
Total		4047	100.0		

pl4181 E6ii: Respondent's partner's race/ethnicity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 White	3859	95.4	98.2	98.2
	2 Black, Caribbean	10	.2	.3	98.5
	3 Black, African	3	.1	.1	98.6
	4 Black, other	4	.1	.1	98.7
	5 Indian	6	.1	.2	98.8
	6 Pakistani	4	.1	.1	98.9
	8 Chinese	13	.3	.3	99.3
	9 Other ethnic group	29	.7	.7	100.0
	Total	3928	97.1	100.0	
Missing	-1 No response	119	2.9		
Total		4047	100.0		

PL File – Section E

pl4182 E6iii: Respondent's mother's race/ethnicity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 White	3815	94.3	98.2	98.2
	2 Black, Caribbean	19	.5	.5	98.7
	3 Black, African	5	.1	.1	98.8
	4 Black, other	5	.1	.1	98.9
	5 Indian	6	.1	.2	99.1
	6 Pakistani	3	.1	.1	99.2
	8 Chinese	8	.2	.2	99.4
	9 Other ethnic group	25	.6	.6	100.0
	Total	3886	96.0	100.0	
Missing	-1 No response	161	4.0		
Total		4047	100.0		

pl4183 E6iv: Respondent's father's race/ethnicity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 White	3788	93.6	97.7	97.7
	2 Black, Caribbean	22	.5	.6	98.3
	3 Black, African	6	.1	.2	98.4
	5 Indian	9	.2	.2	98.7
	6 Pakistani	4	.1	.1	98.8
	8 Chinese	10	.2	.3	99.0
	9 Other ethnic group	38	.9	1.0	100.0
	Total	3877	95.8	100.0	
Missing	-1 No response	170	4.2		
Total		4047	100.0		

PAGE 26 OF THE QUESTIONNAIRE

SECTION F: YOUR HOUSEHOLD

F1. a) How many people live in your household now? (including yourself)

- i) adults (over 18 years)
- ii) young adults (16-18 years)
- iii) children (less than 16 years)

b) Please indicate who the adults over 18 are:

- | | Yes |
|--|---------------------------|
| i) yourself | <input type="text"/>
1 |
| ii) your wife/partner | <input type="text"/>
1 |
| iii) your parent(s) | <input type="text"/>
1 |
| iv) your wife's/partner's parent(s) | <input type="text"/>
1 |
| v) other relation(s) of yourself | <input type="text"/>
1 |
| vi) other relation(s) of your wife/partner | <input type="text"/>
1 |
| vii) friend(s) | <input type="text"/>
1 |
| viii) lodger | <input type="text"/>
1 |
| ix) other (please tick and describe) | <input type="text"/>
1 |

.....

F2. a) Do you have a rule that smoking never happens in particular rooms?

- no smoking in house at all
1
- smoking only allowed in some rooms
2
- smoking allowed anywhere
3

b) How many people living in your household (including yourself) are smokers?

PAGE 27 OF THE QUESTIONNAIRE

F3. a) What is your present marital status?

never married	<input type="text" value="1"/>
widower	<input type="text" value="2"/>
divorced	<input type="text" value="3"/>
separated	<input type="text" value="4"/>
married (once only)	<input type="text" value="5"/>
married for second or third time	<input type="text" value="6"/>

b) If married, what was the date of the most recent marriage?

day	month	year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

F4. a) Does the biological (natural) mother of the 8 year old study child live with the study child?

No Yes → If yes, go to F4c on page 28

If no,

b) i) How old was the child when the natural mother stopped living with the child?

<input type="text"/>	<input type="text"/>
----------------------	----------------------

 months

(put 00 if the mother never lived with the child)

ii) How often does the natural mother see the study child?

not at all	<input type="text" value="1"/>
less than once a month	<input type="text" value="2"/>
about once a month	<input type="text" value="3"/>
about once a fortnight	<input type="text" value="4"/>
once or twice a week	<input type="text" value="5"/>
nearly every day	<input type="text" value="6"/>

child's mother
is dead

Go to F4c
on page 28

PAGE 28 OF THE QUESTIONNAIRE

F4. b) iii) Does she help support the child financially ?

yes, on a regular basis	<input type="text" value="1"/>
yes, occasionally	<input type="text" value="2"/>
no	<input type="text" value="3"/>

c) Does the biological (natural) father of the 8 year old study child live with the study child?

No Yes → **If yes, go to F5 on page 29**

If no,

i) How old was the child when the natural father stopped living with the child?

 months

(put 00 for from birth)

ii) How often does the natural father see the study child?

not at all	<input type="text" value="1"/>
less than once a month	<input type="text" value="2"/>
about once a month	<input type="text" value="3"/>
about once a fortnight	<input type="text" value="4"/>
once or twice a week	<input type="text" value="5"/>
nearly every day	<input type="text" value="6"/>

child's father
is dead

↓
**Go to F5
on page 29**

iii) Does he help support the child financially ?

yes, on a regular basis	<input type="text" value="1"/>
yes, occasionally	<input type="text" value="2"/>
no	<input type="text" value="3"/>

PAGE 29 OF THE QUESTIONNAIRE

To make the questions less complicated, for the rest of this section, for **partner** we mean **wife or partner**.

F5. Please indicate how many of the children living with you have:

Number of children

- | | | |
|----|--|--|
| a) | you and your partner as their natural parents | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle;"></div> |
| b) | you as their natural father (but their natural mother is not present) | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle;"></div> |
| c) | your partner as the natural mother (but you are not their natural father) | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle;"></div> |
| d) | neither you nor your partner as natural parents
(please describe whether you have adopted, fostered etc.) | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle;"></div> |

.....

F6. Are there other children of yourself or your partner who visit (whether to play or to stay)?

- | | No | Yes | Number of children |
|--|---|---|--|
| a) Children of my partner but not me | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">2</div> → | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle;"></div> |
| b) Children of myself but not my partner | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">2</div> → | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle;"></div> |
| c) Children of me and my partner | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">2</div> → | <div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle;"></div> |

F7. Do any of the people living in your household, including yourself and your study child, have a chronic illness or disabling condition?

Yes

1

 No

2

 → **If no, go to F8 on page 30**

If **yes**, please describe:

Nature of condition(s)

Person(s) involved

(state relationship to you - wife/
partner, child, mother, etc.)

.....

.....

.....

.....

.....

.....

.....

.....

PAGE 30 OF THE QUESTIONNAIRE

F8. a) Do you have any pets?

Yes

No

→ If no, go to F9a belowIf yes,

b) How many of the following pets do you have?

Number

i) cats

ii) dogs.

iii) rabbits

iv) rodents (mice, hamster, gerbil etc.)

v) birds (budgerigar, parrot, etc.)

vi) fish

vii) turtles/tortoises/terrapin

viii) other pets (please say how many and describe)

.....

F9. a) On average, about how much is the take home family income each week (include social benefits etc.)?

less than £100

£100 - £199

£200 - £299

£300 - £399

£400 or more

don't know

b) Out of this, how much do you pay for rent, loans or mortgage each week?

nothing

less than £20

£20 - £39

£40 - £59

£60 - £79

£80 - £99

£100 or more

don't know

PAGE 31 OF THE QUESTIONNAIRE

F9. c) About how much do you spend on food for the whole family each week?

less than £20	<input type="text" value="1"/>	£20 - £29	<input type="text" value="2"/>	£30 - £39	<input type="text" value="3"/>	£40 - £49	<input type="text" value="4"/>
£50 - £59	<input type="text" value="5"/>	£60 - £79	<input type="text" value="6"/>	£80 or more	<input type="text" value="7"/>	don't know	<input type="text" value="9"/>

d) How much do you spend on child care each week (playgroup, childminder, baby sitter etc.)

nothing	<input type="text" value="1"/>	less than £20	<input type="text" value="2"/>	£20 - £39	<input type="text" value="3"/>	£40 - £59	<input type="text" value="4"/>
£60 - £79	<input type="text" value="5"/>	£80 - £99	<input type="text" value="6"/>	£100 or more	<input type="text" value="7"/>		
varies	<input type="text" value="8"/>	don't know	<input type="text" value="9"/>				

e) Do you manage to save at all? Yes No

f) Do you receive any financial help from your parents or other relatives?

Yes	<input type="text" value="1"/>	No	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

g) Do you give financial help to your parents or other relatives?

Yes	<input type="text" value="1"/>	No	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

PL File – Section F

pl8000 F1a1: Number of adults living in household

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	3	.1	.1	.1
1	93	2.3	2.3	2.4
2	3724	92.0	93.0	95.4
3	145	3.6	3.6	99.0
4	31	.8	.8	99.8
5	6	.1	.1	100.0
6	2	.0	.0	100.0
Total	4004	98.9	100.0	
Missing -1 No response	43	1.1		
Total	4047	100.0		

pl8001 F1a2: Number of young adults living in household

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1680	41.5	89.6	89.6
1	162	4.0	8.6	98.2
2	30	.7	1.6	99.8
3	2	.0	.1	99.9
4	1	.0	.1	99.9
5	1	.0	.1	100.0
Total	1876	46.4	100.0	
Missing -1 No response	2171	53.6		
Total	4047	100.0		

pl8002 F1a3: Number of children living in household

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	24	.6	.6	.6
1	359	8.9	9.1	9.7
2	2291	56.6	57.9	67.5
3	1029	25.4	26.0	93.5
4	214	5.3	5.4	98.9
5	37	.9	.9	99.8
6	6	.1	.2	100.0
Total	3960	97.9	100.0	
Missing -1 No response	87	2.1		
Total	4047	100.0		

pl8010 F1b1: Number of adults in household includes respondent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3972	98.1	100.0	100.0
Missing -1 No response	75	1.9		
Total	4047	100.0		

pl8011 F1b2: Number of adults in household includes respondent's partner

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3899	96.3	100.0	100.0
Missing -1 No response	148	3.7		
Total	4047	100.0		

PL File – Section F

pl8012 F1b3: Number of adults in household includes respondent's parent/s

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	28	.7	100.0	100.0
Missing -1 No response	4019	99.3		
Total	4047	100.0		

pl8013 F1b4: Number of adults in household includes respondents partner's parent/s

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	28	.7	100.0	100.0
Missing -1 No response	4019	99.3		
Total	4047	100.0		

pl8014 F1b5: Number of adults in household includes other relatives of respondent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	45	1.1	100.0	100.0
Missing -1 No response	4002	98.9		
Total	4047	100.0		

pl8015 F1b6: Number of adults in household includes other relatives of respondent's partner

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	29	.7	100.0	100.0
Missing -1 No response	4018	99.3		
Total	4047	100.0		

pl8016 F1b7: Number of adults in household includes friend/s

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6	.1	100.0	100.0
Missing -1 No response	4041	99.9		
Total	4047	100.0		

pl8017 F1b8: Number of adults in household includes lodger

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	24	.6	100.0	100.0
Missing -1 No response	4023	99.4		
Total	4047	100.0		

pl8018 F1b9: Number of adults in household includes someone else

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	66	1.6	100.0	100.0
Missing -1 No response	3981	98.4		
Total	4047	100.0		

PL File – Section F

pl8030 F2a: Smoking rules in respondent's house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not allowed at all	2908	71.9	73.2	73.2
	2 Only allowed in some rooms	769	19.0	19.4	92.6
	3 Allowed anywhere	295	7.3	7.4	100.0
	Total	3972	98.1	100.0	
Missing	-1 No response	75	1.9		
Total		4047	100.0		

pl8031 F2b: Number of smokers in household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2759	68.2	72.1	72.1
	1	738	18.2	19.3	91.4
	2	311	7.7	8.1	99.6
	3	9	.2	.2	99.8
	4	5	.1	.1	99.9
	5	2	.0	.1	100.0
	6	1	.0	.0	100.0
	Total	3825	94.5	100.0	
Missing	-1 No response	222	5.5		
Total		4047	100.0		

PL File – Section F

pl8040 F3a: Respondents present marital status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never married	188	4.6	4.7	4.7
	2 Widower	5	.1	.1	4.8
	3 Divorced	129	3.2	3.2	8.0
	4 Separated	55	1.4	1.4	9.4
	5 Married	3175	78.5	79.1	88.5
	6 Married, second/third time	460	11.4	11.5	100.0
	Total	4012	99.1	100.0	
Missing	-1 No response	35	.9		
Total		4047	100.0		

pl8041a F3b: Date of most recent marriage: month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	58	1.4	1.6	1.6
	2 February	99	2.4	2.8	4.4
	3 March	202	5.0	5.6	10.0
	4 April	296	7.3	8.2	18.2
	5 May	401	9.9	11.2	29.4
	6 June	469	11.6	13.1	42.5
	7 July	454	11.2	12.6	55.1
	8 August	512	12.7	14.3	69.4
	9 September	576	14.2	16.0	85.4
	10 October	301	7.4	8.4	93.8
	11 November	98	2.4	2.7	96.5
	12 December	125	3.1	3.5	100.0
	Total	3591	88.7	100.0	
Missing	-1 No response	456	11.3		
Total		4047	100.0		

PL File – Section F

pl8041b F3b: Date of most recent marriage: year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1953	1	.0	.0	.0
	1957	1	.0	.0	.1
	1960	2	.0	.1	.1
	1970	2	.0	.1	.2
	1971	4	.1	.1	.3
	1972	6	.1	.2	.4
	1973	2	.0	.1	.5
	1974	12	.3	.3	.8
	1975	18	.4	.5	1.3
	1976	15	.4	.4	1.8
	1977	27	.7	.8	2.5
	1978	24	.6	.7	3.2
	1979	56	1.4	1.6	4.7
	1980	82	2.0	2.3	7.0
	1981	105	2.6	2.9	9.9
	1982	102	2.5	2.8	12.8
	1983	152	3.8	4.2	17.0
	1984	227	5.6	6.3	23.3
	1985	293	7.2	8.1	31.4
	1986	333	8.2	9.3	40.7
	1987	396	9.8	11.0	51.7
	1988	408	10.1	11.3	63.1
	1989	397	9.8	11.0	74.1
	1990	350	8.6	9.7	83.8
	1991	245	6.1	6.8	90.6
	1992	81	2.0	2.3	92.9
	1993	48	1.2	1.3	94.2
	1994	35	.9	1.0	95.2
	1995	35	.9	1.0	96.2
	1996	22	.5	.6	96.8
	1997	27	.7	.8	97.5
	1998	49	1.2	1.4	98.9
	1999	29	.7	.8	99.7
	2000	10	.2	.3	100.0
	2001	1	.0	.0	100.0
	Total	3597	88.9	100.0	
Missing	-1 No response	450	11.1		
Total		4047	100.0		

PL File – Section F

pl8060 F4a: Child's natural mother lives with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	71	1.8	1.8	1.8
	2 Yes	3935	97.2	98.2	100.0
	Total	4006	99.0	100.0	
Missing	-1 No response	41	1.0		
Total		4047	100.0		

pl8061 F4b1: Age of child in months when natural mother stopped living with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	.0	4.2	4.2
	6	3	.1	6.3	10.4
	8	1	.0	2.1	12.5
	12	1	.0	2.1	14.6
	20	2	.0	4.2	18.8
	24	4	.1	8.3	27.1
	36	3	.1	6.3	33.3
	38	1	.0	2.1	35.4
	46	1	.0	2.1	37.5
	48	5	.1	10.4	47.9
	52	1	.0	2.1	50.0
	54	2	.0	4.2	54.2
	60	3	.1	6.3	60.4
	61	1	.0	2.1	62.5
	62	2	.0	4.2	66.7
	66	1	.0	2.1	68.8
	68	1	.0	2.1	70.8
	69	1	.0	2.1	72.9
	72	4	.1	8.3	81.3
	75	1	.0	2.1	83.3
	78	1	.0	2.1	85.4
	84	2	.0	4.2	89.6
	90	3	.1	6.3	95.8
	96	1	.0	2.1	97.9
	97	1	.0	2.1	100.0
	Total	48	1.2	100.0	
Missing	-1 No response	3999	98.8		
Total		4047	100.0		

PL File – Section F

pl8062 F4b2: Frequency natural mother sees study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	3	.1	5.8	5.8
	2 < Once a month	4	.1	7.7	13.5
	4 About once a fortnight	11	.3	21.2	34.6
	5 Once or twice a week	16	.4	30.8	65.4
	6 Nearly every day	13	.3	25.0	90.4
	7 Mother is dead	5	.1	9.6	100.0
	Total	52	1.3	100.0	
Missing	-1 No response	3995	98.7		
Total		4047	100.0		

pl8063 F4b3: Child's natural mother financially supports child


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, on regular basis	344	8.5	72.6	72.6
	2 Yes, occasionally	54	1.3	11.4	84.0
	3 No	76	1.9	16.0	100.0
	Total	474	11.7	100.0	
Missing	-1 No response	3573	88.3		
Total		4047	100.0		

PL File – Section F

pl8050 F4c: Childs natural father lives with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	232	5.7	5.9	5.9
	2 Yes	3720	91.9	94.1	100.0
	Total	3952	97.7	100.0	
Missing	-1 No response	95	2.3		
Total		4047	100.0		

pl8051 F4c1: Age of child in months when natural father stopped living with child



plus the following missing values and outliers > 90:

pl8051 F4c1: Age of child in months when natural father stopped living with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	91	1	.0	6.7	6.7
	92	1	.0	6.7	13.3
	94	2	.1	13.3	26.7
	95	2	.1	13.3	40.0
	96	5	.1	33.3	73.3
	99	3	.1	20.0	93.3
	114	1	.0	6.7	100.0
	Total	15	.4	100.0	
Missing	-1 No response	3834	99.6		
Total		3849	100.0		

PL File – Section F

pl8052 F4c2: Frequency natural father sees study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	37	.9	15.9	15.9
	2 < Once a month	13	.3	5.6	21.6
	3 About once a month	11	.3	4.7	26.3
	4 About once a fortnight	49	1.2	21.1	47.4
	5 Once or twice a week	87	2.1	37.5	84.9
	6 Nearly every day	34	.8	14.7	99.6
	7 Father is dead	1	.0	.4	100.0
	Total	232	5.7	100.0	
Missing	-1 No response	3815	94.3		
Total		4047	100.0		

pl8053 F4c3: Child's natural father financially supports child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, on regular basis	159	3.9	68.5	68.5
	2 Yes, occasionally	19	.5	8.2	76.7
	3 No	54	1.3	23.3	100.0
	Total	232	5.7	100.0	
Missing	-1 No response	3815	94.3		
Total		4047	100.0		

PL File – Section F

pl8070 F5a: Number of children living with the respondent who have the respondent and the respondent's partner as their natural parents

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	96	2.4	2.5	2.5
	1	373	9.2	9.6	12.0
	2	2180	53.9	56.0	68.0
	3	988	24.4	25.4	93.4
	4	218	5.4	5.6	99.0
	5	33	.8	.8	99.9
	6	5	.1	.1	100.0
	Total	3893	96.2	100.0	
Missing	-1 No response	154	3.8		
Total		4047	100.0		

pl8071 F5b: Number of children living with the respondent who have the respondent as their natural father but their natural mother is not present

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1180	29.2	88.9	88.9
	1	39	1.0	2.9	91.9
	2	71	1.8	5.4	97.2
	3	28	.7	2.1	99.3
	4	9	.2	.7	100.0
	Total	1327	32.8	100.0	
Missing	-1 No response	2720	67.2		
Total		4047	100.0		

pl8072 F5c: Number of children living with the respondent who have the respondent's partner as their natural mother but their natural father is not present

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1076	26.6	76.6	76.6
	1	153	3.8	10.9	87.5
	2	125	3.1	8.9	96.4
	3	36	.9	2.6	99.0
	4	14	.3	1.0	100.0
	Total	1404	34.7	100.0	
Missing	-1 No response	2643	65.3		
Total		4047	100.0		

pl8073 F5d: Number of children living with the respondent who have neither the respondent nor the respondent's partner as their natural parents

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1179	29.1	98.4	98.4
	1	13	.3	1.1	99.5
	2	4	.1	.3	99.8
	3	1	.0	.1	99.9
	4	1	.0	.1	100.0
	Total	1198	29.6	100.0	
Missing	-1 No response	2849	70.4		
Total		4047	100.0		

PL File – Section F

pl8080 F6a: Other children of the respondent's partner but not of the respondent visit the respondent's home

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 No	3413	84.3	97.8	97.8
2 Yes	75	1.9	2.2	100.0
Total	3488	86.2	100.0	
Missing -1 No response	559	13.8		
Total	4047	100.0		

pl8081 F6a: Number of other children of the respondent's partner but not of the respondent who visit the respondent's home

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	33	.8	32.4	32.4
1	39	1.0	38.2	70.6
2	21	.5	20.6	91.2
3	7	.2	6.9	98.0
5	2	.0	2.0	100.0
Total	102	2.5	100.0	
Missing -1 No response	3945	97.5		
Total	4047	100.0		

pl8082 F6b: Other children of the respondent but not of the respondent's partner visit the respondent's home

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 No	3346	82.7	93.9	93.9
2 Yes	219	5.4	6.1	100.0
Total	3565	88.1	100.0	
Missing -1 No response	482	11.9		
Total	4047	100.0		

pl8083 F6b: Number of other children of the respondent but not of the respondent's partner who visit the respondent's home

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	35	.9	13.9	13.9
1	76	1.9	30.3	44.2
2	105	2.6	41.8	86.1
3	28	.7	11.2	97.2
4	6	.1	2.4	99.6
6	1	.0	.4	100.0
Total	251	6.2	100.0	
Missing -1 No response	3796	93.8		
Total	4047	100.0		

PL File – Section F

pl8084 F6c: Other children of the respondent and the respondent's partner visit the respondent's home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3314	81.9	97.1	97.1
	2 Yes	99	2.4	2.9	100.0
	Total	3413	84.3	100.0	
Missing	-1 No response	634	15.7		
Total		4047	100.0		

pl8085 F6c: Number of other children of the respondent and the respondent's partner who visit the respondent's home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	34	.8	27.4	27.4
	1	24	.6	19.4	46.8
	2	38	.9	30.6	77.4
	3	23	.6	18.5	96.0
	4	4	.1	3.2	99.2
	10	1	.0	.8	100.0
	Total	124	3.1	100.0	
Missing	-1 No response	3923	96.9		
Total		4047	100.0		

PL File – Section F

pl8090 F7: Member of the household has a chronic illness/disabling condition

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	355	8.8	9.0	9.0
	2 No	3582	88.5	91.0	100.0
	Total	3937	97.3	100.0	
Missing	-1 No response	110	2.7		
Total		4047	100.0		

PL File – Section F

pl8110 F8a: Respondent has pets

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2851	70.4	72.3	72.3
2 No	1094	27.0	27.7	100.0
Total	3945	97.5	100.0	
Missing -1 No response	102	2.5		
Total	4047	100.0		

pl8111 F8b1: Number of cats respondent has

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1717	42.4	58.5	58.5
1	718	17.7	24.5	83.0
2	376	9.3	12.8	95.8
3	83	2.1	2.8	98.6
4	28	.7	1.0	99.6
5	7	.2	.2	99.8
7	2	.0	.1	99.9
8	1	.0	.0	99.9
10	2	.0	.1	100.0
Total	2934	72.5	100.0	
Missing -9 Don't know	1	.0		
-1 No response	1112	27.5		
Total	1113	27.5		
Total	4047	100.0		

pl8112 F8b2: Number of dogs respondent has

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	2098	51.8	71.5	71.5
1	665	16.4	22.7	94.2
2	145	3.6	4.9	99.1
3	19	.5	.6	99.8
4	4	.1	.1	99.9
6	2	.0	.1	100.0
Total	2933	72.5	100.0	
Missing -9 Don't know	2	.0		
-1 No response	1112	27.5		
Total	1114	27.5		
Total	4047	100.0		

PL File – Section F

pl8113 F8b3: Number of rabbits respondent has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2361	58.3	80.5	80.5
	1	405	10.0	13.8	94.3
	2	133	3.3	4.5	98.8
	3	20	.5	.7	99.5
	4	3	.1	.1	99.6
	5	6	.1	.2	99.8
	8	2	.0	.1	99.9
	12	1	.0	.0	99.9
	19	1	.0	.0	100.0
	24	1	.0	.0	100.0
	Total	2933	72.5	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	1112	27.5		
	Total	1114	27.5		
Total		4047	100.0		

pl8114 F8b4: Number of rodents respondent has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1847	45.6	63.0	63.0
	1	524	12.9	17.9	80.8
	2	391	9.7	13.3	94.1
	3	110	2.7	3.7	97.9
	4	40	1.0	1.4	99.3
	5	12	.3	.4	99.7
	6	4	.1	.1	99.8
	7	1	.0	.0	99.8
	8	1	.0	.0	99.9
	9	3	.1	.1	100.0
	12	1	.0	.0	100.0
	Total	2934	72.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1112	27.5		
	Total	1113	27.5		
Total		4047	100.0		

PL File – Section F

pl8115 F8b5: Number of birds respondent has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2714	67.1	92.5	92.5
	1	105	2.6	3.6	96.1
	2	52	1.3	1.8	97.9
	3	9	.2	.3	98.2
	4	10	.2	.3	98.5
	5	6	.1	.2	98.7
	6	5	.1	.2	98.9
	7	2	.0	.1	98.9
	8	3	.1	.1	99.0
	9	4	.1	.1	99.2
	10	3	.1	.1	99.3
	11	1	.0	.0	99.3
	12	1	.0	.0	99.4
	15	3	.1	.1	99.5
	16	1	.0	.0	99.5
	19	1	.0	.0	99.5
	20	3	.1	.1	99.6
	24	1	.0	.0	99.7
	25	1	.0	.0	99.7
	26	1	.0	.0	99.7
	28	1	.0	.0	99.8
	29	1	.0	.0	99.8
	30	1	.0	.0	99.8
	32	1	.0	.0	99.9
	35	1	.0	.0	99.9
	44	1	.0	.0	99.9
	45	1	.0	.0	100.0
	50	1	.0	.0	100.0
	Total	2934	72.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1112	27.5		
	Total	1113	27.5		
Total		4047	100.0		

PL File – Section F

pl8116 F8b6: Number of fish respondent has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1909	47.2	65.4	65.4
	1	177	4.4	6.1	71.4
	2	254	6.3	8.7	80.1
	3	96	2.4	3.3	83.4
	4	76	1.9	2.6	86.0
	5	40	1.0	1.4	87.4
	6	56	1.4	1.9	89.3
	7	14	.3	.5	89.8
	8	26	.6	.9	90.7
	9	14	.3	.5	91.1
	10	52	1.3	1.8	92.9
	11	8	.2	.3	93.2
	12	21	.5	.7	93.9
	13	3	.1	.1	94.0
	14	4	.1	.1	94.1
	15	20	.5	.7	94.8
	16	4	.1	.1	95.0
	17	1	.0	.0	95.0
	18	3	.1	.1	95.1
	19	1	.0	.0	95.1
	20	48	1.2	1.6	96.8
	21	1	.0	.0	96.8
	22	1	.0	.0	96.9
	24	3	.1	.1	97.0
	25	13	.3	.4	97.4
	26	1	.0	.0	97.4
	30	24	.6	.8	98.3
	32	1	.0	.0	98.3
	34	1	.0	.0	98.3
	35	1	.0	.0	98.4
	36	2	.0	.1	98.4
	37	1	.0	.0	98.5
	40	7	.2	.2	98.7
	42	1	.0	.0	98.7
	45	1	.0	.0	98.8
	47	1	.0	.0	98.8
	50	15	.4	.5	99.3
	52	2	.0	.1	99.4
	60	1	.0	.0	99.4
	75	1	.0	.0	99.5
	97 Varies	1	.0	.0	99.5
	98 Lots	15	.4	.5	100.0
	Total	2921	72.2	100.0	
Missing	-9 Don't know	14	.3		
	-1 No response	1112	27.5		
	Total	1126	27.8		
Total		4047	100.0		

PL File – Section F

pl8117 F8b7: Number of turtles/tortoises/terrapins respondent has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2895	71.5	98.6	98.6
	1	22	.5	.7	99.4
	2	6	.1	.2	99.6
	3	7	.2	.2	99.8
	4	4	.1	.1	100.0
	20	1	.0	.0	100.0
	Total	2935	72.5	100.0	
Missing	-1 No response	1112	27.5		
Total		4047	100.0		

pl8118 F8b8: Number of other pets respondent has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2762	68.2	94.3	94.3
	1	58	1.4	2.0	96.3
	2	40	1.0	1.4	97.6
	3	15	.4	.5	98.2
	4	8	.2	.3	98.4
	5	7	.2	.2	98.7
	6	7	.2	.2	98.9
	7	4	.1	.1	99.0
	8	1	.0	.0	99.1
	9	3	.1	.1	99.2
	10	2	.0	.1	99.2
	11	3	.1	.1	99.4
	12	1	.0	.0	99.4
	14	1	.0	.0	99.4
	17	1	.0	.0	99.5
	18	1	.0	.0	99.5
	20	2	.0	.1	99.6
	30	1	.0	.0	99.6
	32	1	.0	.0	99.6
	36	1	.0	.0	99.7
	40	1	.0	.0	99.7
	50	2	.0	.1	99.8
	78	1	.0	.0	99.8
	90 > 100	2	.0	.1	99.9
	98 Lots	4	.1	.1	100.0
	Total	2929	72.4	100.0	
Missing	-9 Don't know	6	.1		
	-1 No response	1112	27.5		
	Total	1118	27.6		
Total		4047	100.0		

PL File – Section F

pl8130 F9a: Average monthly family income

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid				
1 < £100	19	.5	.5	.5
2 £100-£199	124	3.1	3.2	3.6
3 £200-£299	468	11.6	11.9	15.6
4 £300-£399	750	18.5	19.1	34.7
5 > £400	2486	61.4	63.4	98.1
9 Don't know	74	1.8	1.9	100.0
Total	3921	96.9	100.0	
Missing				
-1 No response	126	3.1		
Total	4047	100.0		

pl8131 F9b: Amount spent on rent/loans/mortgage each week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid				
1 Nothing	208	5.1	5.3	5.3
2 < £20	41	1.0	1.1	6.4
3 £20-£39	112	2.8	2.9	9.3
4 £40-£59	339	8.4	8.7	17.9
5 £60-£79	380	9.4	9.7	27.7
6 £80-£99	458	11.3	11.7	39.4
7 > £100	2246	55.5	57.6	97.0
9 Don't know	117	2.9	3.0	100.0
Total	3901	96.4	100.0	
Missing				
-1 No response	146	3.6		
Total	4047	100.0		

pl8132 F9c: Amount spent on food for the family each week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid				
1 < £20	16	.4	.4	.4
2 £20-£29	44	1.1	1.1	1.5
3 £30-£39	92	2.3	2.3	3.9
4 £40-£49	177	4.4	4.5	8.4
5 £50-£59	361	8.9	9.2	17.5
6 £60-£79	977	24.1	24.8	42.4
7 > £80	1989	49.1	50.6	93.0
9 Don't know	276	6.8	7.0	100.0
Total	3932	97.2	100.0	
Missing				
-1 No response	115	2.8		
Total	4047	100.0		

PL File – Section F

pl8133 F9d: Amount spent on childcare each week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	2368	58.5	60.6	60.6
	2 < £20	709	17.5	18.1	78.7
	3 £20-£39	280	6.9	7.2	85.9
	4 £40-£59	110	2.7	2.8	88.7
	5 £60-£79	72	1.8	1.8	90.5
	6 £80-£99	41	1.0	1.0	91.6
	7 > £100	104	2.6	2.7	94.2
	8 Varies	69	1.7	1.8	96.0
	9 Don't know	157	3.9	4.0	100.0
	Total	3910	96.6	100.0	
Missing	-1 No response	137	3.4		
Total		4047	100.0		

pl8134 F9e: Respondent saves money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2721	67.2	69.5	69.5
	2 No	1195	29.5	30.5	100.0
	Total	3916	96.8	100.0	
Missing	-1 No response	131	3.2		
Total		4047	100.0		

pl8135 F9f: Respondent receives financial help from parents/relatives

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	459	11.3	11.6	11.6
	2 No	3502	86.5	88.4	100.0
	Total	3961	97.9	100.0	
Missing	-1 No response	86	2.1		
Total		4047	100.0		

pl8136 F9g: Respondent gives financial help to parents/relatives

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	305	7.5	7.7	7.7
	2 No	3647	90.1	92.3	100.0
	Total	3952	97.7	100.0	
Missing	-1 No response	95	2.3		
Total		4047	100.0		

PAGE 32 OF THE QUESTIONNAIRE

SECTION G: YOUR FEELINGS

G1. Below are a number of statements which you may use to describe yourself. Please indicate if you think these apply to you. Each statement applies to how you feel **nowadays**.

Nowadays:	Doesn't apply	Applies a bit	Moderately applies	Certainly applies
a) I feel calm	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b) I feel secure	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c) I feel tense	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
d) I feel strained	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
e) I feel at ease	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
f) I feel upset	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
g) I am presently worrying over possible misfortunes	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
h) I feel satisfied	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
i) I feel frightened	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
j) I feel comfortable	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
k) I feel self-confident	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
l) I feel nervous	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
m) I am jittery	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
n) I feel indecisive	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
o) I am relaxed	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
p) I feel content	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
q) I am worried	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
r) I feel confused	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
s) I feel steady	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
t) I feel pleasant	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

PAGE 33 OF THE QUESTIONNAIRE

G2. Below are a number of statements which you may use to describe yourself. Please indicate if you think these apply to you. Each statement applies to how you **generally** feel.

Generally:	Doesn't apply	Applies a bit	Moderately applies	Certainly applies
a) I feel pleasant	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b) I tire quickly	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c) I feel like crying	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
d) I wish I could be as happy as others seem to be	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
e) I am losing out on things because I can't make up my mind soon enough	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
f) I feel rested	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
g) I am 'calm, cool and collected'	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
h) I feel that difficulties are piling up so that I cannot overcome them	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
i) I worry too much over something that doesn't really matter	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
j) I am happy	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
k) I am inclined to take things hard	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
l) I lack self-confidence	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
m) I feel secure	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
n) I try to avoid facing a crisis or difficulty	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
o) I feel blue	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
p) I am content	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

PAGE 34 OF THE QUESTIONNAIRE

G2 cont. Generally:	Doesn't apply	Applies a bit	Moderately applies	Certainly applies
q) Some unimportant thought runs through my mind and bothers me	1 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	4 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>
r) I take disappointments so keenly that I can't put them out of my mind	1 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	4 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>
s) I am a steady person	1 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	4 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>
t) I become tense and upset when I think about my present concerns	1 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>	4 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>

Your feelings in the past week:

G3. I have been able to laugh and see the funny side of things:

As much as I always could	1 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>
Not quite so much now	2 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>
Definitely not so much now	3 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>
Not at all	4 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>

G4. I have looked forward with enjoyment to things:

As much as I ever did	1 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>
Rather less than I used to	2 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>
Definitely less than I used to	3 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>
Hardly at all	4 <input style="width: 40px; height: 20px; border: 1px solid red;" type="text"/>

PAGE 35 OF THE QUESTIONNAIRE

In the past week:

G5. I have blamed myself unnecessarily when things went wrong:

- | | |
|-----------------------|--------------------------------|
| Yes, most of the time | <input type="text" value="1"/> |
| Yes, some of the time | <input type="text" value="2"/> |
| Not very often | <input type="text" value="3"/> |
| Never | <input type="text" value="4"/> |

G6. I have been anxious or worried for no good reason:

- | | |
|----------------|--------------------------------|
| No, not at all | <input type="text" value="1"/> |
| Hardly ever | <input type="text" value="2"/> |
| Yes, sometimes | <input type="text" value="3"/> |
| Yes, often | <input type="text" value="4"/> |

G7. I have felt scared or panicky for no very good reason :

- | | |
|------------------|--------------------------------|
| Yes, quite a lot | <input type="text" value="1"/> |
| Yes, sometimes | <input type="text" value="2"/> |
| No, not much | <input type="text" value="3"/> |
| No, not at all | <input type="text" value="4"/> |

G8. Things have been getting on top of me:

- | | |
|---|--------------------------------|
| Yes, most of the time I haven't been able to cope | <input type="text" value="1"/> |
| Yes, sometimes I haven't been coping as well as usual | <input type="text" value="2"/> |
| No, most of the time I have coped quite well | <input type="text" value="3"/> |
| No, I have been coping as well as ever | <input type="text" value="4"/> |

PAGE 36 OF THE QUESTIONNAIRE

In the past week:

G9. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time	<input type="text" value="1"/>
Yes, sometimes	<input type="text" value="2"/>
Not very often	<input type="text" value="3"/>
No, not at all	<input type="text" value="4"/>

G10. I have felt sad or miserable:

Yes, most of the time	<input type="text" value="1"/>
Yes, quite often	<input type="text" value="2"/>
Not very often	<input type="text" value="3"/>
No, not at all	<input type="text" value="4"/>

G11. I have been so unhappy that I have been crying :

Yes, most of the time	<input type="text" value="1"/>
Yes, quite often	<input type="text" value="2"/>
Only occasionally	<input type="text" value="3"/>
Never	<input type="text" value="4"/>

G12. The thought of harming myself has occurred to me :

Yes, quite often	<input type="text" value="1"/>
Sometimes	<input type="text" value="2"/>
Hardly ever	<input type="text" value="3"/>
Never	<input type="text" value="4"/>

PL File – Section G

pl6000 G1a: Respondent feels calm nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	86	2.1	2.2	2.2
	2 Applies a bit	491	12.1	12.4	14.6
	3 Moderately applies	1683	41.6	42.5	57.0
	4 Certainly applies	1702	42.1	43.0	100.0
	Total	3962	97.9	100.0	
Missing	-1 No response	85	2.1		
Total		4047	100.0		

pl6001 G1b: Respondent feels secure nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	110	2.7	2.8	2.8
	2 Applies a bit	379	9.4	9.6	12.3
	3 Moderately applies	1320	32.6	33.3	45.7
	4 Certainly applies	2153	53.2	54.3	100.0
	Total	3962	97.9	100.0	
Missing	-1 No response	85	2.1		
Total		4047	100.0		

pl6002 G1c: Respondent feels tense nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	1269	31.4	32.1	32.1
	2 Applies a bit	1768	43.7	44.7	76.8
	3 Moderately applies	717	17.7	18.1	94.9
	4 Certainly applies	200	4.9	5.1	100.0
	Total	3954	97.7	100.0	
Missing	-1 No response	93	2.3		
Total		4047	100.0		

pl6003 G1d: Respondent feels strained nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	1299	32.1	32.9	32.9
	2 Applies a bit	1727	42.7	43.8	76.7
	3 Moderately applies	679	16.8	17.2	93.9
	4 Certainly applies	241	6.0	6.1	100.0
	Total	3946	97.5	100.0	
Missing	-1 No response	101	2.5		
Total		4047	100.0		

pl6004 G1e: Respondent feels at ease nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	181	4.5	4.6	4.6
	2 Applies a bit	642	15.9	16.2	20.8
	3 Moderately applies	1651	40.8	41.8	62.6
	4 Certainly applies	1477	36.5	37.4	100.0
	Total	3951	97.6	100.0	
Missing	-1 No response	96	2.4		
Total		4047	100.0		

PL File – Section G

pl6005 G1f: Respondent feels upset nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2700	66.7	68.4	68.4
	2 Applies a bit	882	21.8	22.3	90.7
	3 Moderately applies	279	6.9	7.1	97.8
	4 Certainly applies	87	2.1	2.2	100.0
	Total	3948	97.6	100.0	
Missing	-1 No response	99	2.4		
Total		4047	100.0		

pl6006 G1g: Respondent is presently worrying over possible misfortunes nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2363	58.4	59.8	59.8
	2 Applies a bit	1042	25.7	26.4	86.2
	3 Moderately applies	351	8.7	8.9	95.1
	4 Certainly applies	193	4.8	4.9	100.0
	Total	3949	97.6	100.0	
Missing	-1 No response	98	2.4		
Total		4047	100.0		

pl6007 G1h: Respondent feels satisfied nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	174	4.3	4.4	4.4
	2 Applies a bit	605	14.9	15.3	19.7
	3 Moderately applies	1662	41.1	42.1	61.8
	4 Certainly applies	1509	37.3	38.2	100.0
	Total	3950	97.6	100.0	
Missing	-1 No response	97	2.4		
Total		4047	100.0		

pl6008 G1i: Respondent feels frightened nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	3386	83.7	85.8	85.8
	2 Applies a bit	399	9.9	10.1	95.9
	3 Moderately applies	113	2.8	2.9	98.8
	4 Certainly applies	49	1.2	1.2	100.0
	Total	3947	97.5	100.0	
Missing	-1 No response	100	2.5		
Total		4047	100.0		

PL File – Section G

pl6009 G1j: Respondent feels comfortable nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	133	3.3	3.4	3.4
	2 Applies a bit	523	12.9	13.2	16.6
	3 Moderately applies	1474	36.4	37.3	53.9
	4 Certainly applies	1820	45.0	46.1	100.0
	Total	3950	97.6	100.0	
Missing	-1 No response	97	2.4		
Total		4047	100.0		

pl6010 G1k: Respondent feels self-confident nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	144	3.6	3.6	3.6
	2 Applies a bit	511	12.6	12.9	16.6
	3 Moderately applies	1644	40.6	41.6	58.2
	4 Certainly applies	1649	40.7	41.8	100.0
	Total	3948	97.6	100.0	
Missing	-1 No response	99	2.4		
Total		4047	100.0		

pl6011 G1l: Respondent feels nervous nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2616	64.6	66.2	66.2
	2 Applies a bit	1036	25.6	26.2	92.5
	3 Moderately applies	236	5.8	6.0	98.5
	4 Certainly applies	61	1.5	1.5	100.0
	Total	3949	97.6	100.0	
Missing	-1 No response	98	2.4		
Total		4047	100.0		

pl6012 G1m: Respondent feels jittery nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	3433	84.8	87.1	87.1
	2 Applies a bit	356	8.8	9.0	96.1
	3 Moderately applies	100	2.5	2.5	98.6
	4 Certainly applies	54	1.3	1.4	100.0
	Total	3943	97.4	100.0	
Missing	-1 No response	104	2.6		
Total		4047	100.0		

pl6013 G1n: Respondent feels indecisive nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2539	62.7	64.5	64.5
	2 Applies a bit	1082	26.7	27.5	92.0
	3 Moderately applies	240	5.9	6.1	98.0
	4 Certainly applies	77	1.9	2.0	100.0
	Total	3938	97.3	100.0	
Missing	-1 No response	109	2.7		
Total		4047	100.0		

PL File – Section G

pl6014 G1o: Respondent feels relaxed nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	176	4.3	4.5	4.5
	2 Applies a bit	682	16.9	17.3	21.7
	3 Moderately applies	1606	39.7	40.7	62.4
	4 Certainly applies	1486	36.7	37.6	100.0
	Total	3950	97.6	100.0	
Missing	-1 No response	97	2.4		
Total		4047	100.0		

pl6015 G1p: Respondent feels content nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	195	4.8	4.9	4.9
	2 Applies a bit	578	14.3	14.7	19.6
	3 Moderately applies	1576	38.9	40.0	59.6
	4 Certainly applies	1594	39.4	40.4	100.0
	Total	3943	97.4	100.0	
Missing	-1 No response	104	2.6		
Total		4047	100.0		

pl6016 G1q: Respondent feels worried nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	1995	49.3	50.6	50.6
	2 Applies a bit	1450	35.8	36.8	87.4
	3 Moderately applies	348	8.6	8.8	96.2
	4 Certainly applies	150	3.7	3.8	100.0
	Total	3943	97.4	100.0	
Missing	-1 No response	104	2.6		
Total		4047	100.0		

pl6017 G1r: Respondent feels confused nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	3198	79.0	81.1	81.1
	2 Applies a bit	501	12.4	12.7	93.8
	3 Moderately applies	144	3.6	3.7	97.4
	4 Certainly applies	102	2.5	2.6	100.0
	Total	3945	97.5	100.0	
Missing	-1 No response	102	2.5		
Total		4047	100.0		

PL File – Section G

pl6018 G1s: Respondent feels steady nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	224	5.5	5.7	5.7
	2 Applies a bit	563	13.9	14.3	20.0
	3 Moderately applies	1448	35.8	36.8	56.8
	4 Certainly applies	1697	41.9	43.2	100.0
	Total	3932	97.2	100.0	
Missing	-1 No response	115	2.8		
Total		4047	100.0		

pl6019 G1t: Respondent feels pleasant nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	160	4.0	4.1	4.1
	2 Applies a bit	583	14.4	14.8	18.9
	3 Moderately applies	1623	40.1	41.3	60.2
	4 Certainly applies	1563	38.6	39.8	100.0
	Total	3929	97.1	100.0	
Missing	-1 No response	118	2.9		
Total		4047	100.0		

PL File – Section G

pl6030 G2a: Respondent generally feels pleasant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	112	2.8	2.8	2.8
	2 Applies a bit	512	12.7	13.0	15.9
	3 Moderately applies	1543	38.1	39.3	55.1
	4 Certainly applies	1764	43.6	44.9	100.0
	Total	3931	97.1	100.0	
Missing	-1 No response	116	2.9		
Total		4047	100.0		

pl6031 G2b: Respondent generally tires quickly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	1695	41.9	42.8	42.8
	2 Applies a bit	1490	36.8	37.6	80.5
	3 Moderately applies	593	14.7	15.0	95.5
	4 Certainly applies	180	4.4	4.5	100.0
	Total	3958	97.8	100.0	
Missing	-1 No response	89	2.2		
Total		4047	100.0		

pl6032 G2c: Respondent generally feels like crying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	3390	83.8	85.7	85.7
	2 Applies a bit	443	10.9	11.2	96.9
	3 Moderately applies	85	2.1	2.1	99.1
	4 Certainly applies	36	.9	.9	100.0
	Total	3954	97.7	100.0	
Missing	-1 No response	93	2.3		
Total		4047	100.0		

pl6033 G2d: Respondent generally wishes they could be as happy as others seem to be

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2722	67.3	68.8	68.8
	2 Applies a bit	813	20.1	20.6	89.4
	3 Moderately applies	289	7.1	7.3	96.7
	4 Certainly applies	130	3.2	3.3	100.0
	Total	3954	97.7	100.0	
Missing	-1 No response	93	2.3		
Total		4047	100.0		

PL File – Section G

pl6034 G2e: Respondent generally feels they lose out on things because they're indecisive

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	3304	81.6	83.5	83.5
	2 Applies a bit	530	13.1	13.4	96.8
	3 Moderately applies	95	2.3	2.4	99.2
	4 Certainly applies	30	.7	.8	100.0
	Total	3959	97.8	100.0	
Missing	-1 No response	88	2.2		
Total		4047	100.0		

pl6035 G2f: Respondent generally feels rested

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	650	16.1	16.5	16.5
	2 Applies a bit	1151	28.4	29.2	45.6
	3 Moderately applies	1510	37.3	38.2	83.9
	4 Certainly applies	637	15.7	16.1	100.0
	Total	3948	97.6	100.0	
Missing	-1 No response	99	2.4		
Total		4047	100.0		

pl6036 G2g: Respondent generally feels calm/cool/collected

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	290	7.2	7.3	7.3
	2 Applies a bit	911	22.5	23.0	30.4
	3 Moderately applies	1634	40.4	41.3	71.7
	4 Certainly applies	1120	27.7	28.3	100.0
	Total	3955	97.7	100.0	
Missing	-1 No response	92	2.3		
Total		4047	100.0		

pl6037 G2h: Respondent generally feels difficulties are piling up and cannot be overcome

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2787	68.9	70.5	70.5
	2 Applies a bit	896	22.1	22.7	93.1
	3 Moderately applies	196	4.8	5.0	98.1
	4 Certainly applies	76	1.9	1.9	100.0
	Total	3955	97.7	100.0	
Missing	-1 No response	92	2.3		
Total		4047	100.0		

PL File – Section G

pl6038 G2i: Respondent generally feels they worry too much over something that doesn't really matter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2395	59.2	60.6	60.6
	2 Applies a bit	1150	28.4	29.1	89.7
	3 Moderately applies	287	7.1	7.3	96.9
	4 Certainly applies	121	3.0	3.1	100.0
	Total	3953	97.7	100.0	
Missing	-1 No response	94	2.3		
Total		4047	100.0		

pl6039 G2j: Respondent generally feels happy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	94	2.3	2.4	2.4
	2 Applies a bit	438	10.8	11.0	13.4
	3 Moderately applies	1470	36.3	37.1	50.5
	4 Certainly applies	1962	48.5	49.5	100.0
	Total	3964	97.9	100.0	
Missing	-1 No response	83	2.1		
Total		4047	100.0		

pl6040 G2k: Respondent generally feels inclined to take things hard

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	1862	46.0	47.2	47.2
	2 Applies a bit	1445	35.7	36.6	83.8
	3 Moderately applies	517	12.8	13.1	96.9
	4 Certainly applies	124	3.1	3.1	100.0
	Total	3948	97.6	100.0	
Missing	-1 No response	99	2.4		
Total		4047	100.0		

pl6041 G2l: Respondent generally feels they lack self-confidence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2294	56.7	57.9	57.9
	2 Applies a bit	1169	28.9	29.5	87.5
	3 Moderately applies	333	8.2	8.4	95.9
	4 Certainly applies	163	4.0	4.1	100.0
	Total	3959	97.8	100.0	
Missing	-1 No response	88	2.2		
Total		4047	100.0		

PL File – Section G

pl6042 G2m: Respondent generally feels secure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	165	4.1	4.2	4.2
	2 Applies a bit	553	13.7	14.0	18.2
	3 Moderately applies	1349	33.3	34.1	52.3
	4 Certainly applies	1885	46.6	47.7	100.0
	Total	3952	97.7	100.0	
Missing	-1 No response	95	2.3		
Total		4047	100.0		

pl6043 G2n: Respondent generally tries to avoid facing a crisis/difficulty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	1902	47.0	48.1	48.1
	2 Applies a bit	1355	33.5	34.3	82.4
	3 Moderately applies	501	12.4	12.7	95.0
	4 Certainly applies	196	4.8	5.0	100.0
	Total	3954	97.7	100.0	
Missing	-1 No response	93	2.3		
Total		4047	100.0		

pl6044 G2o: Respondent generally feels blue

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2968	73.3	75.8	75.8
	2 Applies a bit	703	17.4	17.9	93.7
	3 Moderately applies	176	4.3	4.5	98.2
	4 Certainly applies	71	1.8	1.8	100.0
	Total	3918	96.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	128	3.2		
	Total	129	3.2		
Total		4047	100.0		

pl6045 G2p: Respondent generally feels content

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	195	4.8	4.9	4.9
	2 Applies a bit	558	13.8	14.1	19.1
	3 Moderately applies	1482	36.6	37.5	56.6
	4 Certainly applies	1717	42.4	43.4	100.0
	Total	3952	97.7	100.0	
Missing	-1 No response	95	2.3		
Total		4047	100.0		

PL File – Section G

pl6046 G2q: Respondent generally feels some unimportant thought runs through their mind and bothers them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2357	58.2	60.0	60.0
	2 Applies a bit	1271	31.4	32.4	92.4
	3 Moderately applies	226	5.6	5.8	98.1
	4 Certainly applies	74	1.8	1.9	100.0
	Total	3928	97.1	100.0	
Missing	-1 No response	119	2.9		
Total		4047	100.0		

pl6047 G2r: Respondent generally takes disappointments so hard they can't put them out of their mind

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2346	58.0	59.8	59.8
	2 Applies a bit	1217	30.1	31.0	90.8
	3 Moderately applies	274	6.8	7.0	97.8
	4 Certainly applies	85	2.1	2.2	100.0
	Total	3922	96.9	100.0	
Missing	-1 No response	125	3.1		
Total		4047	100.0		

pl6048 G2s: Respondent generally feels they are a steady person

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	76	1.9	1.9	1.9
	2 Applies a bit	451	11.1	11.5	13.4
	3 Moderately applies	1498	37.0	38.1	51.6
	4 Certainly applies	1902	47.0	48.4	100.0
	Total	3927	97.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	119	2.9		
	Total	120	3.0		
Total		4047	100.0		

pl6049 G2t: Respondent generally feels tense and upset when thinking about present concerns

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Doesn't apply	2289	56.6	58.3	58.3
	2 Applies a bit	1182	29.2	30.1	88.4
	3 Moderately applies	333	8.2	8.5	96.9
	4 Certainly applies	121	3.0	3.1	100.0
	Total	3925	97.0	100.0	
Missing	-1 No response	122	3.0		
Total		4047	100.0		

PL File – Section G

pl6060 G3: Respondent has been able to laugh and see the funny side of things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as always could	3047	75.3	77.2	77.2
	2 Not quite so much now	710	17.5	18.0	95.1
	3 Definitely not so much now	170	4.2	4.3	99.4
	4 Not at all	22	.5	.6	100.0
	Total	3949	97.6	100.0	
Missing	-1 No response	98	2.4		
Total		4047	100.0		

pl6061 G4: Respondent has looked forward to things with enjoyment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as ever did	3078	76.1	77.9	77.9
	2 Rather less than used to	684	16.9	17.3	95.2
	3 Definitely less than used too	156	3.9	3.9	99.2
	4 Hardly at all	33	.8	.8	100.0
	Total	3951	97.6	100.0	
Missing	-1 No response	96	2.4		
Total		4047	100.0		

pl6062 G5: Respondent has blamed themselves unnecessarily

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	80	2.0	2.0	2.0
	2 Yes, some of the time	760	18.8	19.3	21.3
	3 Not very often	1615	39.9	41.0	62.3
	4 Never	1488	36.8	37.7	100.0
	Total	3943	97.4	100.0	
Missing	-1 No response	104	2.6		
Total		4047	100.0		

pl6063 G6: Respondent has been anxious or worried for no good reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	2017	49.8	51.2	51.2
	2 Hardly ever	932	23.0	23.7	74.8
	3 Yes, sometimes	869	21.5	22.1	96.9
	4 Yes, often	122	3.0	3.1	100.0
	Total	3940	97.4	100.0	
Missing	-1 No response	107	2.6		
Total		4047	100.0		

pl6064 G7: Respondent has felt scared or panicky for no good reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite a lot	59	1.5	1.5	1.5
	2 Yes, sometimes	295	7.3	7.5	9.0
	3 No, not much	700	17.3	17.8	26.8
	4 No, not at all	2883	71.2	73.2	100.0
	Total	3937	97.3	100.0	
Missing	-1 No response	110	2.7		
Total		4047	100.0		

PL File – Section G

pl6065 G8: Respondent feels things have been getting on top of them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of time unable to cope	40	1.0	1.0	1.0
	2 Yes, sometimes doesn't cope as well as usual	538	13.3	13.7	14.7
	3 No, most of time coped quite well	1423	35.2	36.1	50.8
	4 No, coping as well as ever	1938	47.9	49.2	100.0
	Total	3939	97.3	100.0	
Missing	-1 No response	108	2.7		
Total		4047	100.0		

pl6066 G9: Respondent has been so unhappy they have difficulty sleeping

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	46	1.1	1.2	1.2
	2 Yes, sometimes	359	8.9	9.1	10.2
	3 Not very often	674	16.7	17.0	27.3
	4 No, not at all	2878	71.1	72.7	100.0
	Total	3957	97.8	100.0	
Missing	-1 No response	90	2.2		
Total		4047	100.0		

pl6067 G10: Respondent has felt sad/miserable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	34	.8	.9	.9
	2 Yes, quite often	323	8.0	8.2	9.0
	3 Not very often	1214	30.0	30.7	39.7
	4 No, not at all	2387	59.0	60.3	100.0
	Total	3958	97.8	100.0	
Missing	-1 No response	89	2.2		
Total		4047	100.0		

pl6068 G11: Respondent has been so unhappy they have been crying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	7	.2	.2	.2
	2 Yes, quite often	32	.8	.8	1.0
	3 Only occasionally	300	7.4	7.6	8.6
	4 Never	3615	89.3	91.4	100.0
	Total	3954	97.7	100.0	
Missing	-1 No response	93	2.3		
Total		4047	100.0		

PL File – Section G

pl6069 G12: Respondent has thought of harming themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite often	5	.1	.1	.1
	2 Sometimes	71	1.8	1.8	1.9
	3 Hardly ever	153	3.8	3.9	5.8
	4 Never	3728	92.1	94.2	100.0
	Total	3957	97.8	100.0	
Missing	-1 No response	90	2.2		
Total		4047	100.0		

PAGE 37 OF THE QUESTIONNAIRE

SECTION H: YOUR DIET

H1. Families eat a variety of different things. How often nowadays do you eat the following foods? Please answer every question even if you never eat the food (in this case tick “Never or rarely”).

	I eat:	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
a)	Oat cereals (e.g. porridge Ready Brek, muesli)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
b)	Wholegrain or bran cereals (e.g. All Bran, Bran Flakes, Weetabix, Wheatflakes, Fruit & Fibre, Shredded Wheat)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
c)	Other cereals (e.g. Cornflakes Rice Krispies, Special K, Frosties)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
d)	Sausages, Burgers	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
e)	Meat Pies, Pasties (pork pie, steak/meat pie, Cornish pastie etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
f)	Vegetarian Pies, Pasties (cheese and onion pasty, vegetable samosa, onion bhaji, vegetable grills etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
g)	Ham, bacon, paté and cold meats (e.g. salami, luncheon meat, garlic sausage etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
h)	Beef: roast, stews, mince etc.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
i)	Lamb or pork: roast, chops, stews etc.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
j)	Liver, kidney, heart and other offal	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

PAGE 38 OF THE QUESTIONNAIRE

H1.	I eat:	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
k)	Chicken/Turkey in crispy coating (e.g. chicken nuggets, turkey burgers, chicken fingers etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
l)	Poultry: roast, baked or stewed (chicken, turkey etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
m)	Shellfish (prawns, scampi, crab, cockles, mussels etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
n)	White fish in breadcrumbs or batter (e.g. fishfingers, chip shop fish, breaded cod, plaice or haddock).	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
o)	White fish without coating (e.g. grilled fish, cod in parsley sauce etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
p)	Tuna	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
q)	Other fish (pilchards, sardines, mackerel, herrings, kippers, trout, salmon etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
r)	Eggs, quiche/flans, omelettes etc.	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
s)	Cheese	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
t)	Pizza	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
u)	Oven chips	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
v)	Fried chips, potato waffles and croquettes, Alphabites etc.	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
w)	Roast potatoes (cooked in fat or oil)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 39 OF THE QUESTIONNAIRE

H1.	I eat:	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
x)	Boiled, mashed, jacket potatoes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
y)	Rice (boiled, or fried, not rice pudding)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
z)	Canned pasta (e.g. spaghetti rings, ravioli, macaroni cheese etc.) Pot Noodles, Super Noodles etc.	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
za)	Boiled pasta (e.g. spaghetti fusilli, lasagne), bulgar wheat or cous-cous	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

H2. Do you eat the fat on meat?

yes, all of it	<input type="text" value="1"/>
yes, some of it	<input type="text" value="2"/>
no	<input type="text" value="3"/>
never eat meat	<input type="text" value="4"/>

H3. How many times nowadays do you eat;

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
a) Baked beans	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
b) Peas, broad beans	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
c) Sweetcorn	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
d) Cabbage, brussel sprouts spinach, broccoli and other dark green leafy vegetables	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

PAGE 40 OF THE QUESTIONNAIRE

H3. How many times nowadays do you eat;

		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
e)	Other green vegetables (cauliflower, runner beans, leeks, courgettes etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
f)	Carrots	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
g)	Other root vegetables (turnip, swede, parsnip etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
h)	Tomatoes (cooked or raw)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
i)	Salads or raw vegetables	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
j)	Pulses - dried peas, beans, lentils, chick peas etc.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
k)	Soya 'Meat', TVP, Soya-type Vegeburgers, Bean Curd (Tofu, Miso etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
l)	Peanuts (salted or roast, peanut butter)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
m)	Other nuts (e.g. almonds, cashews), and nut roast etc.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
n)	Fresh citrus fruit (e.g. oranges, grapefruit, satsumas, tangerines etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
o)	Other fresh fruit (e.g. apple, banana, pear, bunch of grapes, peach)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
p)	Canned fruit	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
q)	Yoghurt, Fromage Frais, Milk puddings (e.g. rice pudding, semolina), mousse	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
r)	Ice cream, choc ice, chocolate ice cream bar etc.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

PAGE 41 OF THE QUESTIONNAIRE

		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
H3.						
s)	Pudding (e.g. fruit pie crumble, cheesecake, gateaux)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
t)	Custard, cream, Elmlea, Tip-Top, evaporated milk etc. on puddings	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
u)	Cakes or buns (fruit cake, sponge, teacake, doughnut, flapjack, scone, custard tart, cream cake etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
v)	Crispbreads (Ryvita, crackerbread etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
w)	Full-coated chocolate biscuits (e.g. Club, Kit Kat, Penguin, Breakaway etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
x)	Other biscuits e.g. rich tea, shortcakes, digestive and chocolate digestive, Hob Nobs	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
y)	Chocolate (dairy milk or plain nut, fruit, filled etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
z)	Sweets (peppermints, boiled sweets, toffees etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
za)	Crisps, corn snacks (e.g. Wotsits, Quavers), tortilla chips etc.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

PAGE 42 OF THE QUESTIONNAIRE

H4. How many times a week nowadays do you drink:

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
a) Fruit juice from a carton, tin or freshly squeezed including tomato juice	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
b) Squash, fruit drinks or Ribena	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
c) Cola drinks (e.g. Coca Cola, Pepsi etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
d) Other fizzy drinks (e.g. lemonade)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
e) Bottled water	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
f) Water from tap	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
g) Milk on its own	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
h) Flavoured milk drinks (e.g. Horlicks, Ovaltine, milkshakes) or yoghurt drinks	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

H5. When you have a soft drink (e.g. lemonade, cola or squash) how often do you choose low calorie or diet soft drinks?

always	<div>1</div>
sometimes	<div>2</div>
not at all	<div>3</div>
don't drink soft drinks	<div>4</div>

PAGE 43 OF THE QUESTIONNAIRE

H6. When you have a cola drink how often do you choose decaffeinated cola?

always	<input type="text" value="1"/>
sometimes	<input type="text" value="2"/>
not at all	<input type="text" value="3"/>
don't drink cola	<input type="text" value="4"/>

H7. How many pieces of bread, rolls or chappatis do you eat on a usual day?

less than 1	1-2	3-4	5 or more
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

H8. What type of bread do you eat?

	Yes, usually	Yes, sometimes	No, not at all
a) White bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) Soft grain white bread (e.g. Mighty White)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) Brown/granary bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) Wholemeal bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e) Chappatis or pitta bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f) Naan bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

PAGE 44 OF THE QUESTIONNAIRE

H9. What sort of fat do you mainly use?

		(i) On bread or vegetables		(ii) For frying	
		Yes	No	Yes	No
a)	Butter, ghee, dripping, lard, solid cooking fat	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
b)	Polyunsaturated margarine e.g. Flora, sunflower margarine, Vitalite, I-Can't-Believe-its-Not-Butter	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
c)	Hard or soft margarine e.g. Blue Band, Stork, Clover, supermarket own brand	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
d)	Low fat spread e.g. Delight, St Ivel Gold, Flora Xtra Light	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
e)	Olive oil or monounsaturated spread e.g. Olivio, Olive Gold, Mono	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
f)	Sunflower oil, corn oil, soya oil	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
g)	Olive oil, hazelnut oil, rapeseed oil	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
h)	Other vegetable oil	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
i)	Other (please tick and describe)	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
.....				

H10. How many slices of bread (or rolls) spread with fat do you eat each day? (include shop bought sandwiches)

<div></div>	<div></div>
-------------	-------------

PAGE 45 OF THE QUESTIONNAIRE

H11. What types of milk do you use?

	Yes, usually	Yes, sometimes	No, not at all
a) Full fat (e.g. silver or gold top)	1	2	3
b) Semi-skimmed (e.g. red stripe)	1	2	3
c) Skimmed (e.g. blue stripe)	1	2	3
d) Dried Milk (e.g. Marvel)	1	2	3
e) Goat/sheep milk	1	2	3
f) Soya milk	1	2	3
g) Other (please tick and describe)	1	2	3

.....

H12. Is this milk usually:

Pasteurised	UHT	Sterilised	other (please describe)
1	2	3	4

H13. a) How many cups of tea do you drink in a day?
(do not include herbal teas)

--	--

b) How many spoons of sugar in each cup?

--	--

c) How many cups per day are with milk?

--	--

d) How many cups per day are decaffeinated?

--	--

H14. a) How many cups of coffee do you drink in a day ?

--	--

b) How many spoons of sugar in each cup?

--	--

c) How many cups per day are with milk?

--	--

d) How many cups per day are decaffeinated?

--	--

e) How many are made with real (not instant) coffee?

--	--

PAGE 46 OF THE QUESTIONNAIRE

H15. a) Do you drink herbal teas at all?

Yes, often Yes occasionally No, not at all → If **no**, go to
H16 belowIf **yes**,

b) How many cups/mugs of herbal teas have you drunk in the past week?

c) Please list the types of herbal teas you have drunk in the past 3 months:

.....

H16. Do you eat organic foods?

	Yes, usually organic	Yes sometimes organic	No, never organic
a) Fruit	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) Vegetables	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) Meat	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) Other (please tick and describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

.....

H17. Apart from herbal teas, are there any other health foods (whether or not bought from a health food shop) that you often eat or drink?

Yes No If **yes**, please describe below:

.....

H18. Are you at present on any kind of special diet?

Yes No If **yes**, please describe below:

.....

PAGE 47 OF THE QUESTIONNAIRE

H19. a) During the last week **how many** of each type of alcoholic drink did you have on each day? (Please put a number).

		Mon.	Tues.	Wed.	Thurs	Frid.	Sat.	Sun.
(i)	Beer, lager or cider (no. of ½ pints)							
(ii)	Wine (no. of glasses)							
(iii)	Spirits (no. of single pub measures)							
(iv)	Other alcoholic drinks (please describe) (no. of glasses or measures)							
(v)	Low alcohol drink (no. of glasses or ½ pints)							

b) Is this week fairly typical of your alcohol drinking?

No Yes → **If yes, go to H20 below**

c) **If no**, would you normally drink:

More Less

H20. For your main meal of the day how often do you eat take-away foods or have meals out?

Never or rarely	<input type="text" value="1"/>
1-3 times a month	<input type="text" value="2"/>
1-2 times a week	<input type="text" value="3"/>
3-4 times a week	<input type="text" value="4"/>
5-7 times a week	<input type="text" value="5"/>

PAGE 48 OF THE QUESTIONNAIRE

H21. For your main meal of the day how often do you eat an oven/microwave ready or convenience meal (e.g. Menu Master lasagne, individual shepherds pie, ready prepared chilli con carne etc.)?

Never or rarely	<input type="text" value="1"/>
1-3 times a month	<input type="text" value="2"/>
1-2 times a week	<input type="text" value="3"/>
3-4 times a week	<input type="text" value="4"/>
5-7 times a week	<input type="text" value="5"/>

PL File – Section H

pl7000 H1a: Frequency respondent eats oat cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	2208	54.6	56.5	56.5
	2 Once in two weeks	641	15.8	16.4	72.9
	3 1-3 times a week	577	14.3	14.8	87.6
	4 4-7 times a week	431	10.6	11.0	98.7
	5 > 7 times a week	52	1.3	1.3	100.0
	Total	3909	96.6	100.0	
Missing	-1 No response	138	3.4		
Total		4047	100.0		

pl7001 H1b: Frequency respondent eats wholegrain or bran cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	1503	37.1	38.3	38.3
	2 Once in two weeks	689	17.0	17.6	55.9
	3 1-3 times a week	832	20.6	21.2	77.1
	4 4-7 times a week	819	20.2	20.9	98.0
	5 > 7 times a week	78	1.9	2.0	100.0
	Total	3921	96.9	100.0	
Missing	-1 No response	126	3.1		
Total		4047	100.0		

pl7002 H1c: Frequency respondent eats other cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	1391	34.4	36.0	36.0
	2 Once in two weeks	827	20.4	21.4	57.4
	3 1-3 times a week	993	24.5	25.7	83.1
	4 4-7 times a week	594	14.7	15.4	98.4
	5 > 7 times a week	60	1.5	1.6	100.0
	Total	3865	95.5	100.0	
Missing	-1 No response	182	4.5		
Total		4047	100.0		

pl7003 H1d: Frequency respondent eats sausages/burgers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	698	17.2	17.6	17.6
	2 Once in two weeks	1910	47.2	48.3	65.9
	3 1-3 times a week	1281	31.7	32.4	98.3
	4 4-7 times a week	65	1.6	1.6	99.9
	5 > 7 times a week	3	.1	.1	100.0
	Total	3957	97.8	100.0	
Missing	-1 No response	90	2.2		
Total		4047	100.0		

PL File – Section H

pl7004 H1e: Frequency respondent eats meat pies/pasties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	1339	33.1	33.9	33.9
	2 Once in two weeks	1612	39.8	40.8	74.6
	3 1-3 times a week	934	23.1	23.6	98.3
	4 4-7 times a week	65	1.6	1.6	99.9
	5 > 7 times a week	4	.1	.1	100.0
	Total	3954	97.7	100.0	
Missing	-1 No response	93	2.3		
Total		4047	100.0		

pl7005 H1f: Frequency respondent eats vegetarian pies/pasties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	2483	61.4	62.9	62.9
	2 Once in two weeks	1116	27.6	28.3	91.1
	3 1-3 times a week	313	7.7	7.9	99.1
	4 4-7 times a week	31	.8	.8	99.8
	5 > 7 times a week	6	.1	.2	100.0
	Total	3949	97.6	100.0	
Missing	-1 No response	98	2.4		
Total		4047	100.0		

pl7006 H1g: Frequency respondent eats ham/bacon/pate/cold meats

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	440	10.9	11.1	11.1
	2 Once in two weeks	1002	24.8	25.3	36.4
	3 1-3 times a week	1856	45.9	46.9	83.3
	4 4-7 times a week	618	15.3	15.6	98.9
	5 > 7 times a week	42	1.0	1.1	100.0
	Total	3958	97.8	100.0	
Missing	-1 No response	89	2.2		
Total		4047	100.0		

pl7007 H1h: Frequency respondent eats beef

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	539	13.3	13.6	13.6
	2 Once in two weeks	1140	28.2	28.8	42.4
	3 1-3 times a week	2160	53.4	54.6	97.0
	4 4-7 times a week	114	2.8	2.9	99.9
	5 > 7 times a week	5	.1	.1	100.0
	Total	3958	97.8	100.0	
Missing	-1 No response	89	2.2		
Total		4047	100.0		

PL File – Section H

pl7008 H1i: Frequency respondent eats lamb/pork

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	546	13.5	13.8	13.8
	2 Once in two weeks	1434	35.4	36.3	50.1
	3 1-3 times a week	1882	46.5	47.6	97.7
	4 4-7 times a week	85	2.1	2.2	99.9
	5 > 7 times a week	5	.1	.1	100.0
	Total	3952	97.7	100.0	
Missing	-1 No response	95	2.3		
Total		4047	100.0		

pl7009 H1j: Frequency respondent eats liver/kidney/heart/offal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	3197	79.0	80.8	80.8
	2 Once in two weeks	633	15.6	16.0	96.8
	3 1-3 times a week	120	3.0	3.0	99.9
	4 4-7 times a week	4	.1	.1	100.0
	5 > 7 times a week	1	.0	.0	100.0
	Total	3955	97.7	100.0	
Missing	-1 No response	92	2.3		
Total		4047	100.0		

pl7010 H1k: Frequency respondent eats chicken/turkey in crispy coating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	1790	44.2	45.2	45.2
	2 Once in two weeks	1229	30.4	31.0	76.2
	3 1-3 times a week	879	21.7	22.2	98.4
	4 4-7 times a week	54	1.3	1.4	99.8
	5 > 7 times a week	8	.2	.2	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

pl7011 H1l: Frequency respondent eats poultry

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	233	5.8	5.9	5.9
	2 Once in two weeks	1078	26.6	27.2	33.1
	3 1-3 times a week	2460	60.8	62.1	95.2
	4 4-7 times a week	182	4.5	4.6	99.8
	5 > 7 times a week	7	.2	.2	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

PL File – Section H

pl7012 H1m: Frequency respondent eats shellfish

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	2337	57.7	59.1	59.1
	2 Once in two weeks	1274	31.5	32.2	91.3
	3 1-3 times a week	334	8.3	8.4	99.7
	4 4-7 times a week	12	.3	.3	100.0
	Total	3957	97.8	100.0	
Missing	-1 No response	90	2.2		
Total		4047	100.0		

pl7013 H1n: Frequency respondent eats white fish in bread crumbs/batter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	1079	26.7	27.3	27.3
	2 Once in two weeks	1968	48.6	49.8	77.1
	3 1-3 times a week	893	22.1	22.6	99.7
	4 4-7 times a week	11	.3	.3	100.0
	Total	3951	97.6	100.0	
Missing	-1 No response	96	2.4		
Total		4047	100.0		

pl7014 H1o: Frequency respondent eats white fish without coating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	2011	49.7	51.0	51.0
	2 Once in two weeks	1469	36.3	37.2	88.2
	3 1-3 times a week	455	11.2	11.5	99.8
	4 4-7 times a week	9	.2	.2	100.0
	Total	3944	97.5	100.0	
Missing	-1 No response	103	2.5		
Total		4047	100.0		

pl7015 H1p: Frequency respondent eats tuna

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	1327	32.8	33.5	33.5
	2 Once in two weeks	1554	38.4	39.2	72.7
	3 1-3 times a week	984	24.3	24.8	97.5
	4 4-7 times a week	95	2.3	2.4	99.9
	5 > 7 times a week	5	.1	.1	100.0
	Total	3965	98.0	100.0	
Missing	-1 No response	82	2.0		
Total		4047	100.0		

PL File – Section H

pl7016 H1q: Frequency respondent eats other fish

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	2327	57.5	59.2	59.2
	2 Once in two weeks	1246	30.8	31.7	90.9
	3 1-3 times a week	333	8.2	8.5	99.4
	4 4-7 times a week	25	.6	.6	100.0
	Total	3931	97.1	100.0	
Missing	-1 No response	116	2.9		
Total		4047	100.0		

pl7017 H1r: Frequency respondent eats eggs/quiche/flans/omelettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	510	12.6	12.9	12.9
	2 Once in two weeks	1577	39.0	39.9	52.7
	3 1-3 times a week	1670	41.3	42.2	94.9
	4 4-7 times a week	187	4.6	4.7	99.7
	5 > 7 times a week	13	.3	.3	100.0
	Total	3957	97.8	100.0	
Missing	-1 No response	90	2.2		
Total		4047	100.0		

pl7018 H1s: Frequency respondent eats cheese

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	200	4.9	5.0	5.0
	2 Once in two weeks	478	11.8	12.1	17.1
	3 1-3 times a week	1960	48.4	49.4	66.5
	4 4-7 times a week	1184	29.3	29.9	96.4
	5 > 7 times a week	143	3.5	3.6	100.0
	Total	3965	98.0	100.0	
Missing	-1 No response	82	2.0		
Total		4047	100.0		

pl7019 H1t: Frequency respondent eats pizza

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	796	19.7	20.2	20.2
	2 Once in two weeks	1964	48.5	49.8	69.9
	3 1-3 times a week	1156	28.6	29.3	99.2
	4 4-7 times a week	27	.7	.7	99.9
	5 > 7 times a week	3	.1	.1	100.0
	Total	3946	97.5	100.0	
Missing	-1 No response	101	2.5		
Total		4047	100.0		

PL File – Section H

pl7020 H1u: Frequency respondent eats oven chips

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	1506	37.2	38.2	38.2
	2 Once in two weeks	1110	27.4	28.1	66.3
	3 1-3 times a week	1232	30.4	31.2	97.5
	4 4-7 times a week	97	2.4	2.5	100.0
	5 > 7 times a week	1	.0	.0	100.0
	Total	3946	97.5	100.0	
Missing	-1 No response	101	2.5		
Total		4047	100.0		

pl7021 H1v: Frequency respondent eats fried chips/potato waffles/croquettes/Alphabites

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	1561	38.6	39.6	39.6
	2 Once in two weeks	1144	28.3	29.0	68.6
	3 1-3 times a week	1132	28.0	28.7	97.3
	4 4-7 times a week	98	2.4	2.5	99.8
	5 > 7 times a week	9	.2	.2	100.0
	Total	3944	97.5	100.0	
Missing	-1 No response	103	2.5		
Total		4047	100.0		

pl7022 H1w: Frequency respondent eats roast potatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	555	13.7	14.0	14.0
	2 Once in two weeks	1472	36.4	37.1	51.1
	3 1-3 times a week	1887	46.6	47.6	98.8
	4 4-7 times a week	44	1.1	1.1	99.9
	5 > 7 times a week	5	.1	.1	100.0
	Total	3963	97.9	100.0	
Missing	-1 No response	84	2.1		
Total		4047	100.0		

pl7023 H1x: Frequency respondent eats boiled/mashed/jacket potatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	148	3.7	3.7	3.7
	2 Once in two weeks	722	17.8	18.2	21.9
	3 1-3 times a week	2523	62.3	63.6	85.6
	4 4-7 times a week	558	13.8	14.1	99.6
	5 > 7 times a week	14	.3	.4	100.0
	Total	3965	98.0	100.0	
Missing	-1 No response	82	2.0		
Total		4047	100.0		

PL File – Section H

pl7024 H1y: Frequency respondent eats rice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	317	7.8	8.0	8.0
	2 Once in two weeks	939	23.2	23.7	31.7
	3 1-3 times a week	2530	62.5	63.8	95.4
	4 4-7 times a week	171	4.2	4.3	99.7
	5 > 7 times a week	10	.2	.3	100.0
	Total	3967	98.0	100.0	
Missing	-1 No response	80	2.0		
Total		4047	100.0		

pl7025 H1z: Frequency respondent eats canned pasta

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	2704	66.8	68.6	68.6
	2 Once in two weeks	733	18.1	18.6	87.3
	3 1-3 times a week	470	11.6	11.9	99.2
	4 4-7 times a week	31	.8	.8	100.0
	5 > 7 times a week	1	.0	.0	100.0
	Total	3939	97.3	100.0	
Missing	-1 No response	108	2.7		
Total		4047	100.0		

pl7026 H1za: Frequency respondent eats boiled pasta

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	515	12.7	13.0	13.0
	2 Once in two weeks	793	19.6	20.0	33.0
	3 1-3 times a week	2401	59.3	60.6	93.6
	4 4-7 times a week	249	6.2	6.3	99.9
	5 > 7 times a week	4	.1	.1	100.0
	Total	3962	97.9	100.0	
Missing	-1 No response	85	2.1		
Total		4047	100.0		

PL File – Section H

pl7030 H2: Respondent eats the fat on meat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, all of it	580	14.3	14.6	14.6
	2 Yes, some of it	1859	45.9	46.8	61.4
	3 No	1409	34.8	35.4	96.8
	4 Never eat meat	127	3.1	3.2	100.0
	Total	3975	98.2	100.0	
Missing	-1 No response	72	1.8		
Total		4047	100.0		

PL File – Section H

pl7040 H3a: Frequency respondent eats baked beans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	652	16.1	16.4	16.4
	2 Once in two weeks	1345	33.2	33.9	50.3
	3 1-3 times a week	1838	45.4	46.3	96.6
	4 4-7 times a week	129	3.2	3.3	99.9
	5 More than 7 times a week	5	.1	.1	100.0
	Total	3969	98.1	100.0	
Missing	-1 No response	78	1.9		
Total		4047	100.0		

pl7041 H3b: Frequency respondent eats peas/broad beans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	300	7.4	7.6	7.6
	2 Once in two weeks	1039	25.7	26.2	33.7
	3 1-3 times a week	2415	59.7	60.9	94.6
	4 4-7 times a week	208	5.1	5.2	99.8
	5 More than 7 times a week	6	.1	.2	100.0
	Total	3968	98.0	100.0	
Missing	-1 No response	79	2.0		
Total		4047	100.0		

pl7042 H3c: Frequency respondent eats sweetcorn

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	942	23.3	23.8	23.8
	2 Once in two weeks	1347	33.3	34.0	57.8
	3 1-3 times a week	1594	39.4	40.3	98.1
	4 4-7 times a week	75	1.9	1.9	99.9
	5 More than 7 times a week	2	.0	.1	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

pl7043 H3d: Frequency respondent eats cabbage/brussel sprouts/spinach/broccoli/green leafy vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	280	6.9	7.1	7.1
	2 Once in two weeks	660	16.3	16.7	23.7
	3 1-3 times a week	2497	61.7	63.1	86.8
	4 4-7 times a week	505	12.5	12.8	99.5
	5 More than 7 times a week	18	.4	.5	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

PL File – Section H

pl7044 H3e: Frequency respondent eats other green vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	258	6.4	6.5	6.5
	2 Once in two weeks	795	19.6	20.1	26.6
	3 1-3 times a week	2531	62.5	63.9	90.5
	4 4-7 times a week	367	9.1	9.3	99.7
	5 More than 7 times a week	11	.3	.3	100.0
	Total	3962	97.9	100.0	
Missing	-1 No response	85	2.1		
Total		4047	100.0		

pl7045 H3f: Frequency respondent eats carrots

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	179	4.4	4.5	4.5
	2 Once in two weeks	517	12.8	13.1	17.6
	3 1-3 times a week	2812	69.5	71.0	88.6
	4 4-7 times a week	437	10.8	11.0	99.6
	5 More than 7 times a week	14	.3	.4	100.0
	Total	3959	97.8	100.0	
Missing	-1 No response	88	2.2		
Total		4047	100.0		

pl7046 H3g: Frequency respondent eats other root vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1100	27.2	27.8	27.8
	2 Once in two weeks	1443	35.7	36.5	64.3
	3 1-3 times a week	1336	33.0	33.8	98.1
	4 4-7 times a week	72	1.8	1.8	99.9
	5 More than 7 times a week	4	.1	.1	100.0
	Total	3955	97.7	100.0	
Missing	-1 No response	92	2.3		
Total		4047	100.0		

pl7047 H3h: Frequency respondent eats tomatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	365	9.0	9.2	9.2
	2 Once in two weeks	620	15.3	15.7	24.9
	3 1-3 times a week	2118	52.3	53.5	78.4
	4 4-7 times a week	801	19.8	20.2	98.6
	5 More than 7 times a week	54	1.3	1.4	100.0
	Total	3958	97.8	100.0	
Missing	-1 No response	89	2.2		
Total		4047	100.0		

PL File – Section H

pl7048 H3i: Frequency respondent eats salads/raw vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	391	9.7	9.9	9.9
	2 Once in two weeks	932	23.0	23.6	33.6
	3 1-3 times a week	2010	49.7	51.0	84.6
	4 4-7 times a week	568	14.0	14.4	99.0
	5 More than 7 times a week	40	1.0	1.0	100.0
	Total	3941	97.4	100.0	
Missing	-1 No response	106	2.6		
Total		4047	100.0		

pl7049 H3j: Frequency respondent eats pulses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2691	66.5	68.0	68.0
	2 Once in two weeks	833	20.6	21.1	89.1
	3 1-3 times a week	386	9.5	9.8	98.9
	4 4-7 times a week	43	1.1	1.1	99.9
	5 More than 7 times a week	2	.0	.1	100.0
	Total	3955	97.7	100.0	
Missing	-1 No response	92	2.3		
Total		4047	100.0		

pl7050 H3k: Frequency respondent eats soya meat/TVP/soya type vegeburgers/bean curd

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3505	86.6	88.7	88.7
	2 Once in two weeks	240	5.9	6.1	94.7
	3 1-3 times a week	191	4.7	4.8	99.6
	4 4-7 times a week	16	.4	.4	100.0
	5 More than 7 times a week	1	.0	.0	100.0
	Total	3953	97.7	100.0	
Missing	-1 No response	94	2.3		
Total		4047	100.0		

pl7051 H3l: Frequency respondent eats peanuts

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2037	50.3	51.5	51.5
	2 Once in two weeks	1329	32.8	33.6	85.1
	3 1-3 times a week	488	12.1	12.3	97.4
	4 4-7 times a week	91	2.2	2.3	99.7
	5 More than 7 times a week	12	.3	.3	100.0
	Total	3957	97.8	100.0	
Missing	-1 No response	90	2.2		
Total		4047	100.0		

PL File – Section H

pl7052 H3m: Frequency respondent eats other nuts

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2811	69.5	71.2	71.2
	2 Once in two weeks	890	22.0	22.5	93.7
	3 1-3 times a week	209	5.2	5.3	99.0
	4 4-7 times a week	37	.9	.9	100.0
	5 More than 7 times a week	1	.0	.0	100.0
	Total	3948	97.6	100.0	
Missing	-1 No response	99	2.4		
Total		4047	100.0		

pl7053 H3n: Frequency respondent eats fresh citrus fruit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	690	17.0	17.5	17.5
	2 Once in two weeks	1030	25.5	26.0	43.5
	3 1-3 times a week	1300	32.1	32.9	76.4
	4 4-7 times a week	708	17.5	17.9	94.3
	5 More than 7 times a week	226	5.6	5.7	100.0
	Total	3954	97.7	100.0	
Missing	-1 No response	93	2.3		
Total		4047	100.0		

pl7054 H3o: Frequency respondent eats other fresh fruit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	207	5.1	5.2	5.2
	2 Once in two weeks	514	12.7	13.0	18.2
	3 1-3 times a week	1289	31.9	32.6	50.8
	4 4-7 times a week	1358	33.6	34.3	85.1
	5 More than 7 times a week	592	14.6	14.9	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

pl7055 H3p: Frequency respondent eats canned fruit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2417	59.7	61.1	61.1
	2 Once in two weeks	1185	29.3	30.0	91.1
	3 1-3 times a week	320	7.9	8.1	99.1
	4 4-7 times a week	32	.8	.8	99.9
	5 More than 7 times a week	2	.0	.1	100.0
	Total	3956	97.8	100.0	
Missing	-1 No response	91	2.2		
Total		4047	100.0		

PL File – Section H

pl7056 H3q: Frequency respondent eats yoghurt/fromage frais/milk puddings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1223	30.2	31.0	31.0
	2 Once in two weeks	925	22.9	23.4	54.4
	3 1-3 times a week	1099	27.2	27.8	82.2
	4 4-7 times a week	606	15.0	15.3	97.6
	5 More than 7 times a week	96	2.4	2.4	100.0
	Total	3949	97.6	100.0	
Missing	-1 No response	98	2.4		
Total		4047	100.0		

pl7057 H3r: Frequency respondent eats ice cream/choc ice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1245	30.8	31.5	31.5
	2 Once in two weeks	1602	39.6	40.5	71.9
	3 1-3 times a week	987	24.4	24.9	96.9
	4 4-7 times a week	111	2.7	2.8	99.7
	5 More than 7 times a week	12	.3	.3	100.0
	Total	3957	97.8	100.0	
Missing	-1 No response	90	2.2		
Total		4047	100.0		

pl7058 H3s: Frequency respondent eats pudding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1184	29.3	29.9	29.9
	2 Once in two weeks	1713	42.3	43.3	73.2
	3 1-3 times a week	958	23.7	24.2	97.3
	4 4-7 times a week	101	2.5	2.6	99.9
	5 More than 7 times a week	4	.1	.1	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

pl7059 H3t: Frequency respondent eats custard/cream/Elmlea/Tip Top/evaporated milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2248	55.5	56.8	56.8
	2 Once in two weeks	1172	29.0	29.6	86.4
	3 1-3 times a week	510	12.6	12.9	99.3
	4 4-7 times a week	26	.6	.7	100.0
	5 More than 7 times a week	1	.0	.0	100.0
	Total	3957	97.8	100.0	
Missing	-1 No response	90	2.2		
Total		4047	100.0		

PL File – Section H

pl7060 H3u: Frequency respondent eats cakes/buns

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	689	17.0	17.4	17.4
	2 Once in two weeks	1406	34.7	35.5	52.9
	3 1-3 times a week	1477	36.5	37.3	90.2
	4 4-7 times a week	354	8.7	8.9	99.2
	5 More than 7 times a week	32	.8	.8	100.0
	Total	3958	97.8	100.0	
Missing	-1 No response	89	2.2		
Total		4047	100.0		

pl7061 H3v: Frequency respondent eats crispbreads

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3097	76.5	78.4	78.4
	2 Once in two weeks	528	13.0	13.4	91.7
	3 1-3 times a week	248	6.1	6.3	98.0
	4 4-7 times a week	69	1.7	1.7	99.7
	5 More than 7 times a week	10	.2	.3	100.0
	Total	3952	97.7	100.0	
Missing	-1 No response	95	2.3		
Total		4047	100.0		

pl7062 H3w: Frequency respondent eats full coated chocolate biscuits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	672	16.6	17.0	17.0
	2 Once in two weeks	1009	24.9	25.5	42.4
	3 1-3 times a week	1425	35.2	36.0	78.4
	4 4-7 times a week	731	18.1	18.5	96.9
	5 More than 7 times a week	124	3.1	3.1	100.0
	Total	3961	97.9	100.0	
Missing	-1 No response	86	2.1		
Total		4047	100.0		

pl7063 H3x: Frequency respondent eats other biscuits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	620	15.3	15.7	15.7
	2 Once in two weeks	995	24.6	25.1	40.8
	3 1-3 times a week	1507	37.2	38.1	78.8
	4 4-7 times a week	685	16.9	17.3	96.1
	5 More than 7 times a week	153	3.8	3.9	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

PL File – Section H

pl7064 H3y: Frequency respondent eats chocolate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	880	21.7	22.3	22.3
	2 Once in two weeks	1341	33.1	33.9	56.2
	3 1-3 times a week	1305	32.2	33.0	89.2
	4 4-7 times a week	372	9.2	9.4	98.6
	5 More than 7 times a week	56	1.4	1.4	100.0
	Total	3954	97.7	100.0	
Missing	-1 No response	93	2.3		
Total		4047	100.0		

pl7065 H3z: Frequency respondent eats sweets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1612	39.8	40.8	40.8
	2 Once in two weeks	1233	30.5	31.2	71.9
	3 1-3 times a week	807	19.9	20.4	92.3
	4 4-7 times a week	248	6.1	6.3	98.6
	5 More than 7 times a week	55	1.4	1.4	100.0
	Total	3955	97.7	100.0	
Missing	-1 No response	92	2.3		
Total		4047	100.0		

pl7066 H3za: Frequency respondent eats crisps/cornsnacks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	516	12.8	13.0	13.0
	2 Once in two weeks	836	20.7	21.1	34.2
	3 1-3 times a week	1510	37.3	38.2	72.3
	4 4-7 times a week	932	23.0	23.5	95.9
	5 More than 7 times a week	164	4.1	4.1	100.0
	Total	3958	97.8	100.0	
Missing	-1 No response	89	2.2		
Total		4047	100.0		

PL File – Section H

pl7070 H4a: Frequency respondent drinks fruit juice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	805	19.9	20.5	20.5
	2 Once in two weeks	817	20.2	20.8	41.2
	3 1-3 times a week	1199	29.6	30.5	71.7
	4 4-7 times a week	803	19.8	20.4	92.1
	5 More than 7 times a week	311	7.7	7.9	100.0
	Total	3935	97.2	100.0	
Missing	-1 No response	112	2.8		
Total		4047	100.0		

pl7071 H4b: Frequency respondent drinks squash/fruit drinks/Ribena

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1277	31.6	32.5	32.5
	2 Once in two weeks	742	18.3	18.9	51.4
	3 1-3 times a week	1056	26.1	26.9	78.2
	4 4-7 times a week	596	14.7	15.2	93.4
	5 More than 7 times a week	259	6.4	6.6	100.0
	Total	3930	97.1	100.0	
Missing	-1 No response	117	2.9		
Total		4047	100.0		

pl7072 H4c: Frequency respondent drinks cola drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1454	35.9	36.9	36.9
	2 Once in two weeks	973	24.0	24.7	61.6
	3 1-3 times a week	1004	24.8	25.5	87.1
	4 4-7 times a week	376	9.3	9.5	96.6
	5 More than 7 times a week	132	3.3	3.4	100.0
	Total	3939	97.3	100.0	
Missing	-1 No response	108	2.7		
Total		4047	100.0		

pl7073 H4d: Frequency respondent drinks other fizzy drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1476	36.5	37.7	37.7
	2 Once in two weeks	1100	27.2	28.1	65.8
	3 1-3 times a week	987	24.4	25.2	91.1
	4 4-7 times a week	272	6.7	7.0	98.0
	5 More than 7 times a week	77	1.9	2.0	100.0
	Total	3912	96.7	100.0	
Missing	-1 No response	135	3.3		
Total		4047	100.0		

PL File – Section H

pl7074 H4e: Frequency respondent drinks bottled water

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2185	54.0	56.0	56.0
	2 Once in two weeks	644	15.9	16.5	72.5
	3 1-3 times a week	526	13.0	13.5	85.9
	4 4-7 times a week	311	7.7	8.0	93.9
	5 More than 7 times a week	238	5.9	6.1	100.0
	Total	3904	96.5	100.0	
Missing	-1 No response	143	3.5		
Total		4047	100.0		

pl7075 H4f: Frequency respondent drinks tap water

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	663	16.4	16.9	16.9
	2 Once in two weeks	480	11.9	12.2	29.1
	3 1-3 times a week	812	20.1	20.7	49.8
	4 4-7 times a week	789	19.5	20.1	69.9
	5 More than 7 times a week	1180	29.2	30.1	100.0
	Total	3924	97.0	100.0	
Missing	-1 No response	123	3.0		
Total		4047	100.0		

pl7076 H4g: Frequency respondent drinks milk on it's own

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1705	42.1	43.8	43.8
	2 Once in two weeks	711	17.6	18.2	62.0
	3 1-3 times a week	834	20.6	21.4	83.4
	4 4-7 times a week	421	10.4	10.8	94.2
	5 More than 7 times a week	226	5.6	5.8	100.0
	Total	3897	96.3	100.0	
Missing	-1 No response	150	3.7		
Total		4047	100.0		

pl7077 H4h: Frequency respondent drinks flavoured milk drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2980	73.6	76.1	76.1
	2 Once in two weeks	526	13.0	13.4	89.5
	3 1-3 times a week	263	6.5	6.7	96.2
	4 4-7 times a week	127	3.1	3.2	99.4
	5 More than 7 times a week	22	.5	.6	100.0
	Total	3918	96.8	100.0	
Missing	-1 No response	129	3.2		
Total		4047	100.0		

PL File – Section H

pl7080 H5: Frequency respondent chooses low calorie soft drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	1242	30.7	31.6	31.6
	2 Sometimes	1222	30.2	31.1	62.7
	3 Not at all	1126	27.8	28.6	91.3
	4 Don't drink soft drinks	341	8.4	8.7	100.0
	Total	3931	97.1	100.0	
Missing	-1 No response	116	2.9		
Total		4047	100.0		

pl7090 H6: Frequency respondent chooses decaffeinated cola

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	170	4.2	4.3	4.3
	2 Sometimes	682	16.9	17.3	21.6
	3 Not at all	2257	55.8	57.2	78.8
	4 Don't drink cola	838	20.7	21.2	100.0
	Total	3947	97.5	100.0	
Missing	-1 No response	100	2.5		
Total		4047	100.0		

pl7100 H7: Number of pieces of bread/rolls/chapattis eaten on a usual day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 < 1	279	6.9	7.1	7.1
	2 1-2	1404	34.7	35.6	42.6
	3 3-4	1755	43.4	44.5	87.1
	4 > =5	510	12.6	12.9	100.0
	Total	3948	97.6	100.0	
Missing	-1 No response	99	2.4		
Total		4047	100.0		

PL File – Section H

pl7110 H8a: Respondent eats white bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	2135	52.8	57.4	57.4
	2 Yes, sometimes	1396	34.5	37.5	94.9
	3 No, not at all	191	4.7	5.1	100.0
	Total	3722	92.0	100.0	
Missing	-1 No response	325	8.0		
Total		4047	100.0		

pl7111 H8b: Respondent eats soft grain white bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	123	3.0	4.1	4.1
	2 Yes, sometimes	1333	32.9	44.1	48.1
	3 No, not at all	1569	38.8	51.9	100.0
	Total	3025	74.7	100.0	
Missing	-1 No response	1022	25.3		
Total		4047	100.0		

pl7112 H8c: Respondent eats brown/granary bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	620	15.3	18.4	18.4
	2 Yes, sometimes	2198	54.3	65.2	83.5
	3 No, not at all	555	13.7	16.5	100.0
	Total	3373	83.3	100.0	
Missing	-1 No response	674	16.7		
Total		4047	100.0		

pl7113 H8d: Respondent eats wholemeal bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	831	20.5	24.4	24.4
	2 Yes, sometimes	1957	48.4	57.4	81.8
	3 No, not at all	621	15.3	18.2	100.0
	Total	3409	84.2	100.0	
Missing	-1 No response	638	15.8		
Total		4047	100.0		

pl7114 H8e: Respondent eats chapattis/pitta bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	59	1.5	1.9	1.9
	2 Yes, sometimes	1735	42.9	55.6	57.5
	3 No, not at all	1327	32.8	42.5	100.0
	Total	3121	77.1	100.0	
Missing	-1 No response	926	22.9		
Total		4047	100.0		

PL File – Section H

pl7115 H8f: Respondent eats naan bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	51	1.3	1.6	1.6
	2 Yes, sometimes	2027	50.1	62.8	64.4
	3 No, not at all	1148	28.4	35.6	100.0
	Total	3226	79.7	100.0	
Missing	-1 No response	821	20.3		
Total		4047	100.0		

pl7120 H9a1: Respondent mainly uses butter/ghee/dripping/lard/solid cooking fat on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1249	30.9	34.5	34.5
	2 No	2368	58.5	65.5	100.0
	Total	3617	89.4	100.0	
Missing	-1 No response	430	10.6		
Total		4047	100.0		

pl7121 H9b1: Respondent mainly uses polyunsaturated margarine on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2502	61.8	67.6	67.6
	2 No	1199	29.6	32.4	100.0
	Total	3701	91.5	100.0	
Missing	-1 No response	346	8.5		
Total		4047	100.0		

pl7122 H9c1: Respondent mainly uses hard/soft margarine on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	653	16.1	18.6	18.6
	2 No	2864	70.8	81.4	100.0
	Total	3517	86.9	100.0	
Missing	-1 No response	530	13.1		
Total		4047	100.0		

pl7123 H9d1: Respondent mainly uses low fat spread on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1150	28.4	32.5	32.5
	2 No	2384	58.9	67.5	100.0
	Total	3534	87.3	100.0	
Missing	-1 No response	513	12.7		
Total		4047	100.0		

pl7124 H9e1: Respondent mainly uses olive oil/monounsaturated spread on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	971	24.0	28.2	28.2
	2 No	2477	61.2	71.8	100.0
	Total	3448	85.2	100.0	
Missing	-1 No response	599	14.8		
Total		4047	100.0		

PL File – Section H

pl7125 H9f1: Respondent mainly uses sunflower oil/corn oil/soya oil on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	634	15.7	19.1	19.1
	2 No	2684	66.3	80.9	100.0
	Total	3318	82.0	100.0	
Missing	-1 No response	729	18.0		
Total		4047	100.0		

pl7126 H9g1: Respondent mainly uses olive oil/hazelnut oil/rapeseed oil on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	683	16.9	20.5	20.5
	2 No	2656	65.6	79.5	100.0
	Total	3339	82.5	100.0	
Missing	-1 No response	708	17.5		
Total		4047	100.0		

pl7127 H9h1: Respondent mainly uses other vegetable oil on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	272	6.7	8.5	8.5
	2 No	2931	72.4	91.5	100.0
	Total	3203	79.1	100.0	
Missing	-1 No response	844	20.9		
Total		4047	100.0		

pl7128 H9i1: Respondent mainly uses something else on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	30	.7	1.5	1.5
	2 No	1973	48.8	98.5	100.0
	Total	2003	49.5	100.0	
Missing	-1 No response	2044	50.5		
Total		4047	100.0		

pl7140 H9a2: Respondent mainly uses butter/ghee/dripping/lard/solid cooking fat for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	653	16.1	21.6	21.6
2 No	2367	58.5	78.4	100.0
Total	3020	74.6	100.0	
Missing -1 No response	1027	25.4		
Total	4047	100.0		

pl7141 H9b2: Respondent mainly uses polyunsaturated margarine for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	505	12.5	17.3	17.3
2 No	2422	59.8	82.7	100.0
Total	2927	72.3	100.0	
Missing -1 No response	1120	27.7		
Total	4047	100.0		

pl7142 H9c2: Respondent mainly uses hard/soft margarine for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	194	4.8	6.7	6.7
2 No	2700	66.7	93.3	100.0
Total	2894	71.5	100.0	
Missing -1 No response	1153	28.5		
Total	4047	100.0		

pl7143 H9d2: Respondent mainly uses low fat spread for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	110	2.7	3.9	3.9
2 No	2737	67.6	96.1	100.0
Total	2847	70.3	100.0	
Missing -1 No response	1200	29.7		
Total	4047	100.0		

pl7144 H9e2: Respondent mainly uses olive oil/monounsaturated spread for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	922	22.8	30.9	30.9
2 No	2058	50.9	69.1	100.0
Total	2980	73.6	100.0	
Missing -1 No response	1067	26.4		
Total	4047	100.0		

PL File – Section H

pl7145 H9f2: Respondent mainly uses sunflower oil/corn oil/soya oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2186	54.0	68.6	68.6
	2 No	999	24.7	31.4	100.0
	Total	3185	78.7	100.0	
Missing	-1 No response	862	21.3		
Total		4047	100.0		

pl7146 H9g2: Respondent mainly uses olive oil/hazelnut oil/rapeseed oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1399	34.6	46.1	46.1
	2 No	1633	40.4	53.9	100.0
	Total	3032	74.9	100.0	
Missing	-1 No response	1015	25.1		
Total		4047	100.0		

pl7147 H9h2: Respondent mainly uses other vegetable oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	875	21.6	29.7	29.7
	2 No	2074	51.2	70.3	100.0
	Total	2949	72.9	100.0	
Missing	-1 No response	1098	27.1		
Total		4047	100.0		

pl7148 H9i2: Respondent mainly uses something else for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	45	1.1	2.3	2.3
	2 No	1895	46.8	97.7	100.0
	Total	1940	47.9	100.0	
Missing	-1 No response	2107	52.1		
Total		4047	100.0		

PL File – Section H

pl7160 H10: Number of slices of bread spread with fat eaten each day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	323	8.0	9.2	9.2
	1	320	7.9	9.1	18.4
	2	1017	25.1	29.1	47.4
	3	364	9.0	10.4	57.8
	4	999	24.7	28.5	86.4
	5	150	3.7	4.3	90.7
	6	232	5.7	6.6	97.3
	7	15	.4	.4	97.7
	8	53	1.3	1.5	99.2
	10	9	.2	.3	99.5
	12	2	.0	.1	99.5
	14	2	.0	.1	99.6
	17	1	.0	.0	99.6
	20	1	.0	.0	99.7
	30	1	.0	.0	99.7
	97 Occasional	11	.3	.3	100.0
	Total	3500	86.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	546	13.5		
	Total	547	13.5		
Total		4047	100.0		

PL File – Section H

pl7170 H11a: Respondent uses full fat milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	916	22.6	26.9	26.9
	2 Yes, sometimes	679	16.8	19.9	46.8
	3 No, not at all	1814	44.8	53.2	100.0
	Total	3409	84.2	100.0	
Missing	-1 No response	638	15.8		
Total		4047	100.0		

pl7171 H11b: Respondent uses semi skimmed milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	2458	60.7	66.1	66.1
	2 Yes, sometimes	671	16.6	18.0	84.1
	3 No, not at all	591	14.6	15.9	100.0
	Total	3720	91.9	100.0	
Missing	-1 No response	327	8.1		
Total		4047	100.0		

pl7172 H11c: Respondent uses skimmed milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	496	12.3	15.1	15.1
	2 Yes, sometimes	404	10.0	12.3	27.4
	3 No, not at all	2389	59.0	72.6	100.0
	Total	3289	81.3	100.0	
Missing	-1 No response	758	18.7		
Total		4047	100.0		

pl7173 H11d: Respondent uses dried milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	29	.7	.9	.9
	2 Yes, sometimes	136	3.4	4.3	5.2
	3 No, not at all	3009	74.4	94.8	100.0
	Total	3174	78.4	100.0	
Missing	-1 No response	873	21.6		
Total		4047	100.0		

pl7174 H11e: Respondent uses goat/sheep milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	10	.2	.3	.3
	2 Yes, sometimes	28	.7	.9	1.2
	3 No, not at all	3133	77.4	98.8	100.0
	Total	3171	78.4	100.0	
Missing	-1 No response	876	21.6		
Total		4047	100.0		

PL File – Section H

pl7175 H11f: Respondent uses soya milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	20	.5	.6	.6
	2 Yes, sometimes	37	.9	1.2	1.8
	3 No, not at all	3115	77.0	98.2	100.0
	Total	3172	78.4	100.0	
Missing	-1 No response	875	21.6		
Total		4047	100.0		

pl7176 H11g: Respondent uses other type of milk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	2	.0	.1	.1
	1 Yes, usually	34	.8	1.5	1.5
	2 Yes, sometimes	11	.3	.5	2.0
	3 No, not at all	2279	56.3	98.0	100.0
	Total	2326	57.5	100.0	
Missing	-1 No response	1721	42.5		
Total		4047	100.0		

pl7180 H12: Type of preservation/sterilisation method used for milk respondent drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Pasteurised	3615	89.3	93.0	93.0
	2 UHT	151	3.7	3.9	96.9
	3 Sterilised	49	1.2	1.3	98.1
	4 Other	73	1.8	1.9	100.0
	Total	3888	96.1	100.0	
Missing	-1 No response	159	3.9		
Total		4047	100.0		

PL File – Section H

pl7190 H13a: Number of cups of tea respondent drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	675	16.7	17.2	17.2
	1	392	9.7	10.0	27.1
	2	632	15.6	16.1	43.2
	3	553	13.7	14.1	57.3
	4	594	14.7	15.1	72.4
	5	370	9.1	9.4	81.8
	6	315	7.8	8.0	89.8
	7	77	1.9	2.0	91.8
	8	143	3.5	3.6	95.4
	9	11	.3	.3	95.7
	10	125	3.1	3.2	98.9
	11	1	.0	.0	98.9
	12	21	.5	.5	99.4
	14	2	.0	.1	99.5
	15	7	.2	.2	99.6
	16	1	.0	.0	99.7
	18	2	.0	.1	99.7
	20	8	.2	.2	99.9
	30	1	.0	.0	99.9
	97 Occasional	2	.0	.1	100.0
	Total	3932	97.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	114	2.8		
	Total	115	2.8		
Total		4047	100.0		

pl7191 H13b: Number of spoons of sugar in each cup of tea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2617	64.7	71.3	71.3
	1	608	15.0	16.6	87.8
	2	405	10.0	11.0	98.9
	3	39	1.0	1.1	99.9
	4	3	.1	.1	100.0
	Total	3672	90.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	374	9.2		
	Total	375	9.3		
Total		4047	100.0		

PL File – Section H

pl7192 H13c: Number of cups of tea to which milk is added

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	583	14.4	15.7	15.7
	1	383	9.5	10.3	26.0
	2	613	15.1	16.5	42.5
	3	528	13.0	14.2	56.7
	4	563	13.9	15.2	71.9
	5	352	8.7	9.5	81.4
	6	307	7.6	8.3	89.7
	7	75	1.9	2.0	91.7
	8	133	3.3	3.6	95.3
	9	11	.3	.3	95.6
	10	119	2.9	3.2	98.8
	11	1	.0	.0	98.8
	12	21	.5	.6	99.4
	14	2	.0	.1	99.4
	15	7	.2	.2	99.6
	16	1	.0	.0	99.6
	18	2	.0	.1	99.7
	20	7	.2	.2	99.9
	30	1	.0	.0	99.9
	90 All	4	.1	.1	100.0
	Total	3713	91.7	100.0	
Missing	-1 No response	334	8.3		
Total		4047	100.0		

pl7193 H13d: Number of cups of tea that are decaffeinated

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3492	86.3	97.1	97.1
	1	24	.6	.7	97.8
	2	31	.8	.9	98.6
	3	21	.5	.6	99.2
	4	14	.3	.4	99.6
	5	4	.1	.1	99.7
	6	6	.1	.2	99.9
	7	2	.0	.1	99.9
	10	2	.0	.1	100.0
	Total	3596	88.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	449	11.1		
	Total	451	11.1		
Total		4047	100.0		

PL File – Section H

pl7200 H14a: Number of cups of coffee respondent drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	741	18.3	18.8	18.8
	1	497	12.3	12.6	31.5
	2	672	16.6	17.1	48.6
	3	556	13.7	14.1	62.7
	4	578	14.3	14.7	77.4
	5	326	8.1	8.3	85.7
	6	281	6.9	7.1	92.9
	7	62	1.5	1.6	94.4
	8	95	2.3	2.4	96.8
	9	2	.0	.1	96.9
	10	89	2.2	2.3	99.2
	12	7	.2	.2	99.3
	13	1	.0	.0	99.4
	14	4	.1	.1	99.5
	15	7	.2	.2	99.6
	16	1	.0	.0	99.7
	20	5	.1	.1	99.8
	97 Occasional	8	.2	.2	100.0
	Total	3932	97.2	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	113	2.8		
	Total	115	2.8		
Total		4047	100.0		

pl7201 H14b: Number of spoons of sugar in each cup of coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2426	59.9	66.0	66.0
	1	751	18.6	20.4	86.4
	2	444	11.0	12.1	98.5
	3	38	.9	1.0	99.5
	4	8	.2	.2	99.7
	5	2	.0	.1	99.8
	6	3	.1	.1	99.9
	8	1	.0	.0	99.9
	10	2	.0	.1	99.9
	97 Occasional	2	.0	.1	100.0
	Total	3677	90.9	100.0	
Missing	-1 No response	370	9.1		
Total		4047	100.0		

PL File – Section H

pl7202 H14c: Number of cups of coffee tea to which milk is added

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1009	24.9	27.2	27.2
1	481	11.9	13.0	40.2
2	624	15.4	16.8	57.0
3	466	11.5	12.6	69.6
4	456	11.3	12.3	81.9
5	251	6.2	6.8	88.6
6	213	5.3	5.7	94.4
7	46	1.1	1.2	95.6
8	68	1.7	1.8	97.5
9	1	.0	.0	97.5
10	66	1.6	1.8	99.3
11	2	.0	.1	99.3
12	6	.1	.2	99.5
13	1	.0	.0	99.5
14	3	.1	.1	99.6
15	3	.1	.1	99.7
16	1	.0	.0	99.7
20	4	.1	.1	99.8
90 All	4	.1	.1	99.9
97 Occasional	3	.1	.1	100.0
Total	3708	91.6	100.0	
Missing -1 No response	339	8.4		
Total	4047	100.0		

pl7203 H14d: Number of cups of coffee that are decaffeinated

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	3049	75.3	83.7	83.7
1	226	5.6	6.2	89.9
2	127	3.1	3.5	93.4
3	89	2.2	2.4	95.8
4	63	1.6	1.7	97.5
5	38	.9	1.0	98.6
6	31	.8	.9	99.4
7	3	.1	.1	99.5
8	7	.2	.2	99.7
9	1	.0	.0	99.7
10	6	.1	.2	99.9
13	1	.0	.0	99.9
15	1	.0	.0	99.9
97 Occasional	2	.0	.1	100.0
Total	3644	90.0	100.0	
Missing -9 Don't know	1	.0		
-1 No response	402	9.9		
Total	403	10.0		
Total	4047	100.0		

PL File – Section H

pl7204 H14e: Number of cups of coffee made with ground/filter coffee rather than instant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2720	67.2	74.8	74.8
	1	434	10.7	11.9	86.7
	2	222	5.5	6.1	92.8
	3	94	2.3	2.6	95.4
	4	78	1.9	2.1	97.6
	5	33	.8	.9	98.5
	6	19	.5	.5	99.0
	7	5	.1	.1	99.1
	8	4	.1	.1	99.3
	10	8	.2	.2	99.5
	15	1	.0	.0	99.5
	90 All	4	.1	.1	99.6
	97 Occasional	14	.3	.4	100.0
	Total	3636	89.8	100.0	
Missing	-1 No response	411	10.2		
Total		4047	100.0		

PL File – Section H

pl7210 H15a: Respondent drinks herbal teas

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	142	3.5	3.6	3.6
	2 Yes, occasionally	533	13.2	13.4	17.0
	3 No, not at all	3297	81.5	83.0	100.0
	Total	3972	98.1	100.0	
Missing	-1 No response	75	1.9		
Total		4047	100.0		

pl7211 H15b: Number of cups/mugs of herbal tea respondent has drunk in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	430	10.6	54.0	54.0
	1	101	2.5	12.7	66.7
	2	63	1.6	7.9	74.6
	3	39	1.0	4.9	79.5
	4	34	.8	4.3	83.8
	5	14	.3	1.8	85.6
	6	11	.3	1.4	86.9
	7	34	.8	4.3	91.2
	8	8	.2	1.0	92.2
	9	3	.1	.4	92.6
	10	17	.4	2.1	94.7
	12	2	.0	.3	95.0
	14	7	.2	.9	95.9
	15	7	.2	.9	96.7
	16	2	.0	.3	97.0
	18	2	.0	.3	97.2
	20	8	.2	1.0	98.2
	21	1	.0	.1	98.4
	22	1	.0	.1	98.5
	23	2	.0	.3	98.7
	25	3	.1	.4	99.1
	28	2	.0	.3	99.4
	30	3	.1	.4	99.7
	35	1	.0	.1	99.9
	85	1	.0	.1	100.0
	Total	796	19.7	100.0	
Missing	-1 No response	3251	80.3		
Total		4047	100.0		

PL File – Section H

pl7220 H16a: Respondent eats organic fruit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	148	3.7	3.8	3.8
	2 Yes, sometimes	1428	35.3	36.6	40.4
	3 No, never	2324	57.4	59.6	100.0
	Total	3900	96.4	100.0	
Missing	-1 No response	147	3.6		
Total		4047	100.0		

pl7221 H16b: Respondent eats organic vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	212	5.2	5.4	5.4
	2 Yes, sometimes	1571	38.8	40.4	45.8
	3 No, never	2110	52.1	54.2	100.0
	Total	3893	96.2	100.0	
Missing	-1 No response	154	3.8		
Total		4047	100.0		

pl7222 H16c: Respondent eats organic meat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	106	2.6	2.8	2.8
	2 Yes, sometimes	1111	27.5	29.0	31.8
	3 No, never	2608	64.4	68.2	100.0
	Total	3825	94.5	100.0	
Missing	-1 No response	222	5.5		
Total		4047	100.0		

pl7223 H16d: Respondent eats other organic produce

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	6	.1	.3	.3
	1 Yes, usually	85	2.1	3.9	4.1
	2 Yes, sometimes	161	4.0	7.3	11.5
	3 No, never	1946	48.1	88.5	100.0
	Total	2198	54.3	100.0	
Missing	-1 No response	1849	45.7		
Total		4047	100.0		

PL File – Section H

pl7230 H17: Respondent eats health foods other than herbal tea

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	173	4.3	4.4	4.4
2 No	3735	92.3	95.6	100.0
Total	3908	96.6	100.0	
Missing -1 No response	139	3.4		
Total	4047	100.0		

pl7240 H18: Respondent is on a special diet

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	133	3.3	3.4	3.4
2 No	3795	93.8	96.6	100.0
Total	3928	97.1	100.0	
Missing -1 No response	119	2.9		
Total	4047	100.0		

PL File – Section H

pl7250 H19a1: Number of half pint beer/lager/cider drunk in last week:
Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1672	41.3	60.0	60.0
	1	339	8.4	12.2	72.2
	2	367	9.1	13.2	85.4
	3	73	1.8	2.6	88.0
	4	181	4.5	6.5	94.5
	5	11	.3	.4	94.9
	6	70	1.7	2.5	97.4
	7	1	.0	.0	97.4
	8	41	1.0	1.5	98.9
	10	21	.5	.8	99.6
	11	1	.0	.0	99.7
	12	4	.1	.1	99.8
	14	2	.0	.1	99.9
	20	2	.0	.1	100.0
	38	1	.0	.0	100.0
	Total	2786	68.8	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	1259	31.1		
	Total	1261	31.2		
Total		4047	100.0		

pl7251 H19a1: Number of half pint beer/lager/cider drunk in last week:
Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1663	41.1	59.5	59.5
	1	333	8.2	11.9	71.4
	2	367	9.1	13.1	84.5
	3	71	1.8	2.5	87.1
	4	198	4.9	7.1	94.1
	5	15	.4	.5	94.7
	6	68	1.7	2.4	97.1
	7	3	.1	.1	97.2
	8	45	1.1	1.6	98.8
	9	1	.0	.0	98.9
	10	25	.6	.9	99.7
	12	2	.0	.1	99.8
	16	3	.1	.1	99.9
	20	2	.0	.1	100.0
	Total	2796	69.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1250	30.9		
	Total	1251	30.9		
Total		4047	100.0		

PL File – Section H

pl7252 H19a1: Number of half pint beer/lager/cider drunk in last week: Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1600	39.5	56.9	56.9
	1	327	8.1	11.6	68.5
	2	387	9.6	13.8	82.3
	3	90	2.2	3.2	85.5
	4	226	5.6	8.0	93.5
	5	21	.5	.7	94.2
	6	80	2.0	2.8	97.1
	7	1	.0	.0	97.1
	8	43	1.1	1.5	98.6
	10	24	.6	.9	99.5
	12	9	.2	.3	99.8
	13	1	.0	.0	99.9
	14	1	.0	.0	99.9
	16	1	.0	.0	99.9
	20	2	.0	.1	100.0
	Total	2813	69.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1233	30.5		
	Total	1234	30.5		
Total		4047	100.0		

pl7253 H19a1: Number of half pint beer/lager/cider drunk in last week: Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1615	39.9	57.9	57.9
	1	327	8.1	11.7	69.7
	2	369	9.1	13.2	82.9
	3	87	2.1	3.1	86.0
	4	186	4.6	6.7	92.7
	5	13	.3	.5	93.1
	6	87	2.1	3.1	96.3
	7	5	.1	.2	96.4
	8	49	1.2	1.8	98.2
	10	32	.8	1.1	99.4
	12	8	.2	.3	99.6
	14	2	.0	.1	99.7
	16	2	.0	.1	99.8
	18	2	.0	.1	99.9
	20	4	.1	.1	100.0
	Total	2788	68.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	1257	31.1		
	Total	1259	31.1		
Total		4047	100.0		

PL File – Section H

pl7254 H19a1: Number of half pint beer/lager/cider drunk in last week: Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1302	32.2	43.2	43.2
	1	345	8.5	11.4	54.6
	2	439	10.8	14.6	69.2
	3	118	2.9	3.9	73.1
	4	347	8.6	11.5	84.6
	5	37	.9	1.2	85.8
	6	168	4.2	5.6	91.4
	7	8	.2	.3	91.7
	8	117	2.9	3.9	95.6
	9	3	.1	.1	95.7
	10	69	1.7	2.3	97.9
	11	1	.0	.0	98.0
	12	32	.8	1.1	99.0
	14	9	.2	.3	99.3
	15	2	.0	.1	99.4
	16	9	.2	.3	99.7
	18	3	.1	.1	99.8
	20	5	.1	.2	100.0
	81 1 Bottle	1	.0	.0	100.0
	Total	3015	74.5	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	1029	25.4		
	Total	1032	25.5		
Total		4047	100.0		

PL File – Section H

pl7255 H19a1: Number of half pint beer/lager/cider drunk in last week: Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1175	29.0	37.7	37.7
	1	353	8.7	11.3	49.1
	2	530	13.1	17.0	66.1
	3	127	3.1	4.1	70.1
	4	354	8.7	11.4	81.5
	5	43	1.1	1.4	82.9
	6	194	4.8	6.2	89.1
	7	13	.3	.4	89.5
	8	149	3.7	4.8	94.3
	10	78	1.9	2.5	96.8
	11	1	.0	.0	96.9
	12	48	1.2	1.5	98.4
	14	15	.4	.5	98.9
	15	3	.1	.1	99.0
	16	17	.4	.5	99.5
	18	1	.0	.0	99.6
	20	11	.3	.4	99.9
	24	2	.0	.1	100.0
	30	1	.0	.0	100.0
	Total	3115	77.0	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	929	23.0		
	Total	932	23.0		
Total		4047	100.0		

pl7256 H19a1: Number of half pint beer/lager/cider drunk in last week: Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1514	37.4	53.1	53.1
	1	344	8.5	12.1	65.1
	2	406	10.0	14.2	79.4
	3	91	2.2	3.2	82.5
	4	246	6.1	8.6	91.2
	5	18	.4	.6	91.8
	6	103	2.5	3.6	95.4
	7	8	.2	.3	95.7
	8	58	1.4	2.0	97.7
	9	2	.0	.1	97.8
	10	34	.8	1.2	99.0
	12	13	.3	.5	99.4
	14	2	.0	.1	99.5
	16	6	.1	.2	99.7
	18	3	.1	.1	99.8
	20	4	.1	.1	100.0
	72 2 Cans	1	.0	.0	100.0
	Total	2853	70.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1193	29.5		
	Total	1194	29.5		
Total		4047	100.0		

PL File – Section H

pl7260 H19a2: Number of glasses of wine drunk in last week: Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1843	45.5	75.2	75.2
	1	220	5.4	9.0	84.2
	2	230	5.7	9.4	93.6
	3	106	2.6	4.3	97.9
	4	33	.8	1.3	99.3
	5	4	.1	.2	99.4
	6	8	.2	.3	99.8
	7	2	.0	.1	99.8
	8	3	.1	.1	100.0
	10	1	.0	.0	100.0
	Total	2450	60.5	100.0	
Missing	-1 No response	1597	39.5		
Total		4047	100.0		

pl7261 H19a2: Number of glasses of wine drunk in last week: Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1807	44.7	73.8	73.8
	1	228	5.6	9.3	83.1
	2	230	5.7	9.4	92.5
	3	111	2.7	4.5	97.1
	4	39	1.0	1.6	98.7
	5	16	.4	.7	99.3
	6	12	.3	.5	99.8
	7	1	.0	.0	99.8
	8	3	.1	.1	100.0
	10	1	.0	.0	100.0
	Total	2448	60.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1598	39.5		
	Total	1599	39.5		
Total		4047	100.0		

PL File – Section H

pl7262 H19a2: Number of glasses of wine drunk in last week: Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1795	44.4	72.6	72.6
	1	230	5.7	9.3	81.9
	2	261	6.4	10.5	92.4
	3	121	3.0	4.9	97.3
	4	43	1.1	1.7	99.0
	5	6	.1	.2	99.3
	6	10	.2	.4	99.7
	7	1	.0	.0	99.7
	8	3	.1	.1	99.8
	9	1	.0	.0	99.9
	10	2	.0	.1	100.0
	80 < 1 bottle	1	.0	.0	100.0
	Total	2474	61.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	1571	38.8		
	Total	1573	38.9		
Total		4047	100.0		

pl7263 H19a2: Number of glasses of wine drunk in last week: Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1806	44.6	72.4	72.4
	1	210	5.2	8.4	80.9
	2	249	6.2	10.0	90.9
	3	134	3.3	5.4	96.2
	4	64	1.6	2.6	98.8
	5	9	.2	.4	99.2
	6	14	.3	.6	99.7
	7	1	.0	.0	99.8
	8	3	.1	.1	99.9
	9	1	.0	.0	99.9
	10	2	.0	.1	100.0
	Total	2493	61.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1553	38.4		
	Total	1554	38.4		
Total		4047	100.0		

PL File – Section H

pl7264 H19a2: Number of glasses of wine drunk in last week: Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1631	40.3	62.3	62.3
	1	215	5.3	8.2	70.5
	2	343	8.5	13.1	83.5
	3	214	5.3	8.2	91.7
	4	129	3.2	4.9	96.6
	5	32	.8	1.2	97.9
	6	34	.8	1.3	99.2
	7	4	.1	.2	99.3
	8	10	.2	.4	99.7
	9	1	.0	.0	99.7
	10	4	.1	.2	99.9
	12	1	.0	.0	99.9
	15	1	.0	.0	100.0
	80 < 1 bottle	1	.0	.0	100.0
	Total	2620	64.7	100.0	
Missing	-1 No response	1427	35.3		
Total		4047	100.0		

pl7265 H19a2: Number of glasses of wine drunk in last week: Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1522	37.6	55.0	55.0
	1	231	5.7	8.4	63.4
	2	425	10.5	15.4	78.8
	3	282	7.0	10.2	89.0
	4	173	4.3	6.3	95.2
	5	35	.9	1.3	96.5
	6	71	1.8	2.6	99.1
	7	3	.1	.1	99.2
	8	12	.3	.4	99.6
	9	3	.1	.1	99.7
	10	6	.1	.2	99.9
	12	1	.0	.0	100.0
	80 < 1 bottle	1	.0	.0	100.0
	Total	2765	68.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1281	31.7		
	Total	1282	31.7		
Total		4047	100.0		

PL File – Section H

pl7266 H19a2: Number of glasses of wine drunk in last week: Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1572	38.8	58.7	58.7
	1	321	7.9	12.0	70.6
	2	430	10.6	16.0	86.7
	3	203	5.0	7.6	94.3
	4	93	2.3	3.5	97.7
	5	18	.4	.7	98.4
	6	36	.9	1.3	99.7
	8	6	.1	.2	100.0
	10	1	.0	.0	100.0
	Total	2680	66.2	100.0	
Missing	-1 No response	1367	33.8		
Total		4047	100.0		

PL File – Section H

pl7270 H19a3: Number of spirit measures drunk in last week: Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2065	51.0	92.2	92.2
	1	81	2.0	3.6	95.8
	2	60	1.5	2.7	98.5
	3	8	.2	.4	98.8
	4	19	.5	.8	99.7
	5	1	.0	.0	99.7
	6	4	.1	.2	99.9
	7	1	.0	.0	100.0
	10	1	.0	.0	100.0
	Total	2240	55.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1806	44.6		
	Total	1807	44.7		
Total		4047	100.0		

pl7271 H19a3: Number of spirit measures drunk in last week: Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2036	50.3	90.4	90.4
	1	103	2.5	4.6	94.9
	2	76	1.9	3.4	98.3
	3	10	.2	.4	98.8
	4	17	.4	.8	99.5
	5	1	.0	.0	99.6
	6	5	.1	.2	99.8
	7	1	.0	.0	99.8
	8	1	.0	.0	99.9
	9	1	.0	.0	99.9
	10	1	.0	.0	100.0
	14	1	.0	.0	100.0
	Total	2253	55.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1793	44.3		
	Total	1794	44.3		
Total		4047	100.0		

PL File – Section H

pl7272 H19a3: Number of spirit measures drunk in last week: Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2021	49.9	89.6	89.6
	1	111	2.7	4.9	94.5
	2	79	2.0	3.5	98.0
	3	9	.2	.4	98.4
	4	20	.5	.9	99.3
	5	3	.1	.1	99.5
	6	8	.2	.4	99.8
	7	1	.0	.0	99.9
	8	1	.0	.0	99.9
	10	2	.0	.1	100.0
	Total	2255	55.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1791	44.3		
	Total	1792	44.3		
Total		4047	100.0		

pl7273 H19a3: Number of spirit measures drunk in last week: Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2018	49.9	89.1	89.1
	1	118	2.9	5.2	94.3
	2	91	2.2	4.0	98.3
	3	10	.2	.4	98.8
	4	17	.4	.8	99.5
	5	1	.0	.0	99.6
	6	8	.2	.4	99.9
	7	1	.0	.0	100.0
	10	1	.0	.0	100.0
	Total	2265	56.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1781	44.0		
	Total	1782	44.0		
Total		4047	100.0		

PL File – Section H

pl7274 H19a3: Number of spirit measures drunk in last week: Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1979	48.9	85.4	85.4
	1	139	3.4	6.0	91.5
	2	113	2.8	4.9	96.3
	3	19	.5	.8	97.2
	4	39	1.0	1.7	98.8
	5	3	.1	.1	99.0
	6	11	.3	.5	99.4
	7	2	.0	.1	99.5
	8	4	.1	.2	99.7
	10	7	.2	.3	100.0
	Total	2316	57.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1730	42.7		
	Total	1731	42.8		
Total		4047	100.0		

pl7275 H19a3: Number of spirit measures drunk in last week: Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1941	48.0	83.3	83.3
	1	151	3.7	6.5	89.7
	2	140	3.5	6.0	95.8
	3	37	.9	1.6	97.3
	4	36	.9	1.5	98.9
	5	3	.1	.1	99.0
	6	14	.3	.6	99.6
	7	2	.0	.1	99.7
	10	6	.1	.3	100.0
	12	1	.0	.0	100.0
	Total	2331	57.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1715	42.4		
	Total	1716	42.4		
Total		4047	100.0		

PL File – Section H

pl7276 H19a3: Number of spirit measures drunk in last week: Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2014	49.8	90.1	90.1
	1	86	2.1	3.8	93.9
	2	93	2.3	4.2	98.1
	3	9	.2	.4	98.5
	4	21	.5	.9	99.4
	5	2	.0	.1	99.5
	6	3	.1	.1	99.6
	7	1	.0	.0	99.7
	8	3	.1	.1	99.8
	10	3	.1	.1	100.0
	97 Occasional	1	.0	.0	100.0
	Total	2236	55.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1810	44.7		
	Total	1811	44.7		
Total		4047	100.0		

PL File – Section H

pl7280 H19a4: Number of other alcoholic drinks drunk in last week: Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2086	51.5	99.1	99.1
	1	11	.3	.5	99.6
	2	4	.1	.2	99.8
	3	1	.0	.0	99.9
	6	1	.0	.0	99.9
	80 < 1 bottle	1	.0	.0	100.0
	97 Occasional	1	.0	.0	100.0
	Total	2105	52.0	100.0	
Missing	-1 No response	1942	48.0		
Total		4047	100.0		

pl7281 H19a4: Number of other alcoholic drinks drunk in last week: Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2083	51.5	99.0	99.0
	1	14	.3	.7	99.7
	2	4	.1	.2	99.9
	3	1	.0	.0	99.9
	4	1	.0	.0	100.0
	97 Occasional	1	.0	.0	100.0
	Total	2104	52.0	100.0	
Missing	-1 No response	1943	48.0		
Total		4047	100.0		

pl7282 H19a4: Number of other alcoholic drinks drunk in last week: Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2081	51.4	98.8	98.8
	1	18	.4	.9	99.7
	2	3	.1	.1	99.8
	5	1	.0	.0	99.9
	6	1	.0	.0	99.9
	80 < 1 bottle	1	.0	.0	100.0
	97 Occasional	1	.0	.0	100.0
	Total	2106	52.0	100.0	
Missing	-1 No response	1941	48.0		
Total		4047	100.0		

pl7283 H19a4: Number of other alcoholic drinks drunk in last week: Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2080	51.4	99.3	99.3
	1	10	.2	.5	99.8
	2	2	.0	.1	99.9
	3	2	.0	.1	100.0
	97 Occasional	1	.0	.0	100.0
	Total	2095	51.8	100.0	
Missing	-1 No response	1952	48.2		
Total		4047	100.0		

PL File – Section H

pl7284 H19a4: Number of other alcoholic drinks drunk in last week: Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2066	51.1	97.8	97.8
	1	21	.5	1.0	98.8
	2	9	.2	.4	99.2
	3	6	.1	.3	99.5
	4	4	.1	.2	99.7
	6	1	.0	.0	99.8
	8	1	.0	.0	99.8
	10	2	.0	.1	99.9
	84 4 Bottles	1	.0	.0	100.0
	97 Occasional	1	.0	.0	100.0
	Total	2112	52.2	100.0	
Missing	-1 No response	1935	47.8		
Total		4047	100.0		

pl7285 H19a4: Number of other alcoholic drinks drunk in last week: Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2058	50.9	97.1	97.1
	1	34	.8	1.6	98.7
	2	14	.3	.7	99.4
	3	3	.1	.1	99.5
	4	3	.1	.1	99.7
	5	2	.0	.1	99.8
	6	1	.0	.0	99.8
	8	1	.0	.0	99.9
	81 1 Bottle	1	.0	.0	99.9
	84 4 Bottles	1	.0	.0	100.0
	97 Occasional	1	.0	.0	100.0
	Total	2119	52.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1927	47.6		
	Total	1928	47.6		
Total		4047	100.0		

pl7286 H19a4: Number of other alcoholic drinks drunk in last week: Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2057	50.8	98.1	98.1
	1	23	.6	1.1	99.2
	2	11	.3	.5	99.7
	3	2	.0	.1	99.8
	80 < 1 bottle	1	.0	.0	99.9
	81 1 Bottle	2	.0	.1	100.0
	97 Occasional	1	.0	.0	100.0
	Total	2097	51.8	100.0	
Missing	-1 No response	1950	48.2		
Total		4047	100.0		

PL File – Section H

pl7290 H19a5: Number of low alcohol drinks drunk in last week: Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2090	51.6	99.6	99.6
	1	5	.1	.2	99.8
	2	4	.1	.2	100.0
	Total	2099	51.9	100.0	
Missing	-1 No response	1948	48.1		
Total		4047	100.0		

pl7291 H19a5: Number of low alcohol drinks drunk in last week: Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2088	51.6	99.4	99.4
	1	4	.1	.2	99.6
	2	8	.2	.4	100.0
	Total	2100	51.9	100.0	
Missing	-1 No response	1947	48.1		
Total		4047	100.0		

pl7292 H19a5: Number of low alcohol drinks drunk in last week: Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2084	51.5	99.6	99.6
	1	6	.1	.3	99.9
	2	3	.1	.1	100.0
	Total	2093	51.7	100.0	
Missing	-1 No response	1954	48.3		
Total		4047	100.0		

pl7293 H19a5: Number of low alcohol drinks drunk in last week: Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2078	51.3	99.6	99.6
	1	5	.1	.2	99.9
	2	1	.0	.0	99.9
	4	1	.0	.0	100.0
	5	1	.0	.0	100.0
	Total	2086	51.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1960	48.4		
	Total	1961	48.5		
Total		4047	100.0		

pl7294 H19a5: Number of low alcohol drinks drunk in last week: Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2083	51.5	99.5	99.5
	1	7	.2	.3	99.8
	2	2	.0	.1	99.9
	3	2	.0	.1	100.0
	Total	2094	51.7	100.0	
Missing	-1 No response	1953	48.3		
Total		4047	100.0		

PL File – Section H

pl7295 H19a5: Number of low alcohol drinks drunk in last week: Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2077	51.3	99.5	99.5
	1	2	.0	.1	99.6
	2	4	.1	.2	99.8
	3	2	.0	.1	99.9
	6	1	.0	.0	100.0
	8	1	.0	.0	100.0
	Total	2087	51.6	100.0	
Missing	-1 No response	1960	48.4		
Total		4047	100.0		

pl7296 H19a5: Number of low alcohol drinks drunk in last week: Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2070	51.1	99.5	99.5
	1	5	.1	.2	99.7
	2	5	.1	.2	100.0
	3	1	.0	.0	100.0
	Total	2081	51.4	100.0	
Missing	-1 No response	1966	48.6		
Total		4047	100.0		

PL File – Section H

pl7300 H19b: Last week is typical of respondent's alcohol consumption

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	848	21.0	21.7	21.7
	2 Yes	3053	75.4	78.3	100.0
	Total	3901	96.4	100.0	
Missing	-1 No response	146	3.6		
Total		4047	100.0		

pl7301 H19c: Respondent usually drinks more/less than last week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 More	178	4.4	20.9	20.9
	2 Less	674	16.7	79.1	100.0
	Total	852	21.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	3194	78.9		
	Total	3195	78.9		
Total		4047	100.0		

PL File – Section H

pl7310 H20: Frequency respondent eats take-away or has meals out for main meal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	701	17.3	17.8	17.8
	2 1-3 times a month	2296	56.7	58.2	75.9
	3 1-2 times a week	858	21.2	21.7	97.6
	4 3-4 times a week	77	1.9	2.0	99.6
	5 5-7 times a week	16	.4	.4	100.0
	Total	3948	97.6	100.0	
Missing	-1 No response	99	2.4		
Total		4047	100.0		

pl7320 H21: Frequency respondent eats ready meals for main meal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never/rarely	2199	54.3	55.4	55.4
	2 1-3 times a month	1051	26.0	26.5	81.9
	3 1-2 times a week	615	15.2	15.5	97.4
	4 3-4 times a week	86	2.1	2.2	99.5
	5 5-7 times a week	18	.4	.5	100.0
	Total	3969	98.1	100.0	
Missing	-1 No response	78	1.9		
Total		4047	100.0		

PAGE 49 OF THE QUESTIONNAIRE

SECTION J: LIFESTYLE

J1. a) Have you ever been a smoker?

 Yes No → **If no, go to J2 on page 50**
If yes,

b) At what age did you start smoking regularly?

 years

[Editing: Reported values of 2 years and 4 years were recoded to –1.]

c) Which of the following have you ever smoked regularly?

	Yes	No
i) cigarettes	<input type="text" value="1"/>	<input type="text" value="2"/>
ii) pipe	<input type="text" value="1"/>	<input type="text" value="2"/>
iii) cigar	<input type="text" value="1"/>	<input type="text" value="2"/>
iv) other	<input type="text" value="1"/>	<input type="text" value="2"/>

d) Have you now stopped smoking?

 Yes No → **If no, go to (e) below**
If yes, how long ago?
 years months

e) Have you smoked regularly in the last 2 weeks?

 No Yes, cigarettes Yes, cigars Yes, pipe

 Yes, other (please describe)

f) How many times per day have you smoked in the last 2 weeks?

30+	<input type="text" value="30"/>	25-29	<input type="text" value="25"/>	20-24	<input type="text" value="20"/>	15-19	<input type="text" value="15"/>
10-14	<input type="text" value="10"/>	5-9	<input type="text" value="05"/>	1-4	<input type="text" value="01"/>	0	<input type="text" value="00"/>

PAGE 50 OF THE QUESTIONNAIRE

J1. g) What brand of cigarette/tobacco do you smoke?

i) brand

ii) type: filtered 1 unfiltered 2 roll-your-own 3

 pipe/cigar 4

[Editing: Individual variables for each category of g(ii) are presented for cases who ticked more than one box.]

J2. a) Is/was your mother a smoker?

Yes 1 No 2 Don't know 3

If yes,

i) Did she smoke when she was expecting you?

Yes 1 No 2 Don't know 3

b) Is/was your father a smoker?

Yes 1 No 2 Don't know 3

J3. Have you ever actually made yourself sick (vomit) because you wanted to lose weight or because you had eaten too much?

Yes, in past year 1 Yes, but not in past year 2 No, never 3

J4. Have you ever taken laxatives because you wanted to lose weight or because you had eaten too much?

Yes, in past year 1 Yes, but not in past year 2 No, never 3

J5. a) Are you, or have you ever been a vegetarian?

Yes, I am now 1 Yes, in past not now 2 No, never 3

If yes,

i) For how many years of your life have you been or were you a vegetarian?

years (If less than one year put 00)

PAGE 51 OF THE QUESTIONNAIRE

- J5. b) Are you, or have you ever been, a vegan (i.e. do/did not eat meat, poultry, fish, eggs, butter, milk or cheese)?

yes, I am now	<input type="checkbox"/>	yes, in past not now	<input type="checkbox"/>	no, never	<input type="checkbox"/>
	1		2		3

↓
If yes,

- i) For how many years of your life have you been/were you vegan?

<input type="text"/>	<input type="text"/>	years (If less than one year put 00)
----------------------	----------------------	--------------------------------------

- J6. Which of the following statements describes best the way in which you travel nowadays?

usually walk everywhere	<input type="checkbox"/>	cycle mostly	<input type="checkbox"/>
	1		2
usually get in a car	<input type="checkbox"/>	mostly use public transport	<input type="checkbox"/>
	3		4

[Editing: The public transport option has been recoded to 9 for consistency with the equivalent question in the N file. Individual variables for each category are presented for cases who ticked more than one box as well as a count of the number of boxes ticked. Note that this count variable is called PL5106 whereas the equivalent variable in the N file is PL5105. This is because an individual variable was required for motorcycle, which was not required on the N file.]

PAGE 51 OF THE QUESTIONNAIRE CONTINUED

J7. How much do you do the following in a normal week?

	More than 6 hours per week	2-6 hours per week	Less than two hours per week	Never ↓
a) jogging	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b) aerobics	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c) keep-fit exercises	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
d) yoga	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
e) squash	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
f) tennis/badminton	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
g) swimming	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
h) brisk walking	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
i) weight training	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
j) cycling	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
k) other exercise	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

(please tick & describe)

.....

PL File – Section J

pl5000 J1a: Respondent has ever been a smoker

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1921	47.5	48.4	48.4
2 No	2051	50.7	51.6	100.0
Total	3972	98.1	100.0	
Missing -1 No response	75	1.9		
Total	4047	100.0		

pl5001 J1b: Age respondent started smoking regularly

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 6	1	.0	.1	.1
7	1	.0	.1	.1
8	7	.2	.4	.5
9	8	.2	.4	.9
10	21	.5	1.1	2.0
11	58	1.4	3.1	5.1
12	80	2.0	4.2	9.3
13	84	2.1	4.4	13.7
14	204	5.0	10.8	24.5
15	249	6.2	13.1	37.6
16	394	9.7	20.8	58.4
17	169	4.2	8.9	67.3
18	256	6.3	13.5	80.8
19	90	2.2	4.7	85.6
20	105	2.6	5.5	91.1
21	46	1.1	2.4	93.6
22	30	.7	1.6	95.1
23	11	.3	.6	95.7
24	13	.3	.7	96.4
25	31	.8	1.6	98.0
26	6	.1	.3	98.4
27	2	.0	.1	98.5
28	5	.1	.3	98.7
29	1	.0	.1	98.8
30	7	.2	.4	99.2
31	3	.1	.2	99.3
32	2	.0	.1	99.4
33	3	.1	.2	99.6
34	1	.0	.1	99.6
35	2	.0	.1	99.7
39	1	.0	.1	99.8
40	1	.0	.1	99.8
45	2	.0	.1	99.9
50	1	.0	.1	100.0
Total	1895	46.8	100.0	
Missing -9 Don't know	1	.0		
-1 No response	2151	53.2		
Total	2152	53.2		
Total	4047	100.0		

PL File – Section J

pl5002 J1c1: Respondent has regularly smoked cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1830	45.2	96.5	96.5
	2 No	67	1.7	3.5	100.0
	Total	1897	46.9	100.0	
Missing	-1 No response	2150	53.1		
Total		4047	100.0		

pl5003 J1c2: Respondent has regularly smoked a pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	149	3.7	12.5	12.5
	2 No	1047	25.9	87.5	100.0
	Total	1196	29.6	100.0	
Missing	-1 No response	2851	70.4		
Total		4047	100.0		

pl5004 J1c3: Respondent has regularly smoked cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	498	12.3	37.1	37.1
	2 No	845	20.9	62.9	100.0
	Total	1343	33.2	100.0	
Missing	-1 No response	2704	66.8		
Total		4047	100.0		

pl5005 J1c4: Respondent has regularly smoked other tobacco products

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	83	2.1	7.7	7.7
	2 No	990	24.5	92.3	100.0
	Total	1073	26.5	100.0	
Missing	-1 No response	2974	73.5		
Total		4047	100.0		

pl5006 J1d: Respondent has stopped smoking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1171	28.9	61.0	61.0
	2 No	750	18.5	39.0	100.0
	Total	1921	47.5	100.0	
Missing	-1 No response	2126	52.5		
Total		4047	100.0		

PL File – Section J

pl5007a J1d: Length of time since respondent stopped smoking: years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	56	1.4	5.2	5.2
	1	60	1.5	5.5	10.7
	2	63	1.6	5.8	16.5
	3	39	1.0	3.6	20.1
	4	39	1.0	3.6	23.7
	5	53	1.3	4.9	28.6
	6	36	.9	3.3	31.9
	7	28	.7	2.6	34.5
	8	66	1.6	6.1	40.6
	9	33	.8	3.0	43.7
	10	95	2.3	8.8	52.4
	11	25	.6	2.3	54.8
	12	56	1.4	5.2	59.9
	13	25	.6	2.3	62.2
	14	32	.8	3.0	65.2
	15	72	1.8	6.6	71.8
	16	37	.9	3.4	75.3
	17	25	.6	2.3	77.6
	18	36	.9	3.3	80.9
	19	15	.4	1.4	82.3
	20	59	1.5	5.4	87.7
	21	14	.3	1.3	89.0
	22	25	.6	2.3	91.3
	23	14	.3	1.3	92.6
	24	11	.3	1.0	93.6
	25	22	.5	2.0	95.7
	26	9	.2	.8	96.5
	27	5	.1	.5	97.0
	28	8	.2	.7	97.7
	29	1	.0	.1	97.8
	30	11	.3	1.0	98.8
	31	3	.1	.3	99.1
	32	2	.0	.2	99.3
	34	3	.1	.3	99.5
	35	1	.0	.1	99.6
	37	1	.0	.1	99.7
	40	1	.0	.1	99.8
	42	1	.0	.1	99.9
	44	1	.0	.1	100.0
	Total	1083	26.8	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	2961	73.2		
	Total	2964	73.2		
Total		4047	100.0		

PL File – Section J

pl5007b J1d: Length of time since respondent stopped smoking: months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	203	5.0	35.6	35.6
	1	41	1.0	7.2	42.7
	2	57	1.4	10.0	52.7
	3	52	1.3	9.1	61.8
	4	40	1.0	7.0	68.8
	5	15	.4	2.6	71.5
	6	83	2.1	14.5	86.0
	7	15	.4	2.6	88.6
	8	19	.5	3.3	91.9
	9	20	.5	3.5	95.4
	10	16	.4	2.8	98.2
	11	10	.2	1.8	100.0
	Total	571	14.1	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	3473	85.8		
	Total	3476	85.9		
Total		4047	100.0		

pl5008 J1e: Respondent has smoked regularly in the last two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	1132	28.0	59.7	59.7
	2 Yes, cigarettes	610	15.1	32.2	91.9
	3 Yes, cigars	89	2.2	4.7	96.6
	4 Yes, pipe	7	.2	.4	97.0
	5 Yes, other	57	1.4	3.0	100.0
	Total	1895	46.8	100.0	
Missing	-1 No response	2152	53.2		
Total		4047	100.0		

pl5010 J1f: Number of times per day respondent has smoked in last two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	932	23.0	53.7	53.7
	1 1-4	151	3.7	8.7	62.4
	5 5-9	119	2.9	6.9	69.3
	10 10-14	159	3.9	9.2	78.4
	15 15-19	141	3.5	8.1	86.6
	20 20-24	133	3.3	7.7	94.2
	25 25-29	53	1.3	3.1	97.3
	30 30+	45	1.1	2.6	99.9
	97 Infrequent use	2	.0	.1	100.0
	Total	1735	42.9	100.0	
Missing	-1 No response	2312	57.1		
Total		4047	100.0		

PL File – Section J

pl5020 J1g2: Type of cigarette/tobacco that respondent smokes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Filtered	524	12.9	61.4	61.4
	2 Unfiltered	15	.4	1.8	63.2
	3 Roll-your-own	215	5.3	25.2	88.4
	4 Pipe/cigar	99	2.4	11.6	100.0
	Total	853	21.1	100.0	
Missing	-2 Multiple ticks	48	1.2		
	-1 Not stated	3146	77.7		
	Total	3194	78.9		
Total		4047	100.0		

pl5021 J1g2 (multiple ticks): Respondent smokes filtered cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	40	1.0	83.3	83.3
	2 No	8	.2	16.7	100.0
	Total	48	1.2	100.0	
Missing	-2 Single tick	853	21.1		
	-1 Not stated	3146	77.7		
	Total	3999	98.8		
Total		4047	100.0		

pl5022 J1g2 (multiple ticks): Respondent smokes unfiltered cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	10	.2	20.8	20.8
	2 No	38	.9	79.2	100.0
	Total	48	1.2	100.0	
Missing	-2 Single tick	853	21.1		
	-1 Not stated	3146	77.7		
	Total	3999	98.8		
Total		4047	100.0		

pl5023 J1g2 (multiple ticks): Respondent smokes roll-your-own cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	45	1.1	93.8	93.8
	2 No	3	.1	6.3	100.0
	Total	48	1.2	100.0	
Missing	-2 Single tick	853	21.1		
	-1 Not stated	3146	77.7		
	Total	3999	98.8		
Total		4047	100.0		

PL File – Section J

pl5024 J1g2 (multiple ticks): Respondent smokes pipe/cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7	.2	14.6	14.6
	2 No	41	1.0	85.4	100.0
	Total	48	1.2	100.0	
Missing	-2 Single tick	853	21.1		
	-1 Not stated	3146	77.7		
	Total	3999	98.8		
Total		4047	100.0		

pl5025 DV: Number of ticks for question J1g2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3146	77.7	77.7	77.7
	1	853	21.1	21.1	98.8
	2	45	1.1	1.1	99.9
	4	3	.1	.1	100.0
	Total	4047	100.0	100.0	

PL File – Section J

pl5030 J2a: Respondent's mother smokes or has smoked

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1693	41.8	43.7	43.7
	2 No	2119	52.4	54.7	98.3
	3 Don't know	64	1.6	1.7	100.0
	Total	3876	95.8	100.0	
Missing	-1 No response	171	4.2		
Total		4047	100.0		

pl5031 J2a1: Respondent's mother smoked while she was pregnant with respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	526	13.0	23.4	23.4
	2 No	850	21.0	37.9	61.3
	3 Don't know	868	21.4	38.7	100.0
	Total	2244	55.4	100.0	
Missing	-1 No response	1803	44.6		
Total		4047	100.0		

pl5032 J2b: Respondent's father smokes or has smoked

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2225	55.0	66.6	66.6
	2 No	994	24.6	29.8	96.4
	3 Don't know	120	3.0	3.6	100.0
	Total	3339	82.5	100.0	
Missing	-1 No response	708	17.5		
Total		4047	100.0		

PL File – Section J

pl5070 J3: Respondent has made themselves sick to lose weight or because they had eaten too much

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past year	18	.4	.5	.5
	2 Yes, but not in past year	40	1.0	1.0	1.5
	3 No, never	3901	96.4	98.5	100.0
	Total	3959	97.8	100.0	
Missing	-1 No response	88	2.2		
Total		4047	100.0		

pl5080 J4: Respondent has taken laxatives to lose weight or because they had eaten too much

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past year	6	.1	.2	.2
	2 Yes, but not in past year	13	.3	.3	.5
	3 No, never	3941	97.4	99.5	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

PL File – Section J

pl5090 J5a: Respondent is or has ever been a vegetarian

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, am now	112	2.8	2.8	2.8
	2 Yes, not now	206	5.1	5.2	8.0
	3 No, never	3642	90.0	92.0	100.0
	Total	3960	97.9	100.0	
Missing	-1 No response	87	2.1		
Total		4047	100.0		

pl5091 J5a1: Total number of years respondent has been or was vegetarian

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	180	4.4	39.4	39.4
	1	37	.9	8.1	47.5
	2	40	1.0	8.8	56.2
	3	16	.4	3.5	59.7
	4	13	.3	2.8	62.6
	5	20	.5	4.4	67.0
	6	9	.2	2.0	68.9
	7	12	.3	2.6	71.6
	8	13	.3	2.8	74.4
	9	10	.2	2.2	76.6
	10	24	.6	5.3	81.8
	11	2	.0	.4	82.3
	12	11	.3	2.4	84.7
	13	9	.2	2.0	86.7
	14	1	.0	.2	86.9
	15	11	.3	2.4	89.3
	16	6	.1	1.3	90.6
	17	7	.2	1.5	92.1
	18	6	.1	1.3	93.4
	19	1	.0	.2	93.7
	20	8	.2	1.8	95.4
	21	1	.0	.2	95.6
	22	2	.0	.4	96.1
	23	2	.0	.4	96.5
	25	3	.1	.7	97.2
	29	1	.0	.2	97.4
	30	5	.1	1.1	98.5
	31	1	.0	.2	98.7
	33	1	.0	.2	98.9
	35	1	.0	.2	99.1
	39	1	.0	.2	99.3
	42	1	.0	.2	99.6
	45	1	.0	.2	99.8
	49	1	.0	.2	100.0
	Total	457	11.3	100.0	
Missing	-1 No response	3590	88.7		
Total		4047	100.0		

PL File – Section J

pl5092 J5b: Respondent is or has been a vegan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past year	1	.0	.0	.0
	2 Yes, not now	9	.2	.2	.3
	3 No, never	3902	96.4	99.7	100.0
	Total	3912	96.7	100.0	
Missing	-1 No response	135	3.3		
Total		4047	100.0		

pl5093 J5b1: Number of years respondent has been or was a vegan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	66	1.6	91.7	91.7
	2	2	.0	2.8	94.4
	5	1	.0	1.4	95.8
	9	1	.0	1.4	97.2
	16	1	.0	1.4	98.6
	34	1	.0	1.4	100.0
	Total	72	1.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3974	98.2		
	Total	3975	98.2		
Total		4047	100.0		

PL File – Section J

pl5100 J6: Best description of the way in which respondent travels nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually walks everywhere	154	3.8	4.1	4.1
	2 Cycles mostly	209	5.2	5.6	9.8
	3 Usually gets in a car	3228	79.8	86.7	96.5
	4 Motorcycle	32	.8	.9	97.3
	9 Mostly uses public transport	100	2.5	2.7	100.0
	Total	3723	92.0	100.0	
Missing	-2 Multiple ticks	196	4.8		
	-1 Not stated	128	3.2		
	Total	324	8.0		
Total		4047	100.0		

pl5101 J6 (multiple ticks): Respondent walks when travelling nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	140	3.5	71.4	71.4
	2 No	56	1.4	28.6	100.0
	Total	196	4.8	100.0	
Missing	-2 Single tick	3723	92.0		
	-1 Not stated	128	3.2		
	Total	3851	95.2		
Total		4047	100.0		

pl5102 J6 (multiple ticks): Respondent cycles when travelling nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	88	2.2	44.9	44.9
	2 No	108	2.7	55.1	100.0
	Total	196	4.8	100.0	
Missing	-2 Single tick	3723	92.0		
	-1 Not stated	128	3.2		
	Total	3851	95.2		
Total		4047	100.0		

pl5103 J6 (multiple ticks): Respondent gets in a car when travelling nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	156	3.9	79.6	79.6
	2 No	40	1.0	20.4	100.0
	Total	196	4.8	100.0	
Missing	-2 Single tick	3723	92.0		
	-1 Not stated	128	3.2		
	Total	3851	95.2		
Total		4047	100.0		

PL File – Section J

pl5104 J6 (multiple ticks): Respondent uses public transport when travelling nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	54	1.3	27.6	27.6
	2 No	142	3.5	72.4	100.0
	Total	196	4.8	100.0	
Missing	-2 Single tick	3723	92.0		
	-1 Not stated	128	3.2		
	Total	3851	95.2		
Total		4047	100.0		

pl5105 J6 (multiple ticks): Respondent uses a motorcycle when travelling nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	10	.2	5.1	5.1
	2 No	186	4.6	94.9	100.0
	Total	196	4.8	100.0	
Missing	-2 Single tick	3723	92.0		
	-1 Not stated	128	3.2		
	Total	3851	95.2		
Total		4047	100.0		

pl5106 DV: Number of ticks for question F8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	128	3.2	3.2	3.2
	1	3723	92.0	92.0	95.2
	2	151	3.7	3.7	98.9
	3	34	.8	.8	99.7
	4	11	.3	.3	100.0
	Total	4047	100.0	100.0	

PL File – Section J

pl5110 J7a: Time respondent spends jogging in a week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 > 6 hours	28	.7	.7	.7
2 2-6 hours	218	5.4	5.8	6.5
3 < 2 hours	725	17.9	19.1	25.6
4 Never	2816	69.6	74.4	100.0
Total	3787	93.6	100.0	
Missing -1 No response	260	6.4		
Total	4047	100.0		

pl5111 J7b: Time respondent spends doing aerobics in a week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 > 6 hours	5	.1	.1	.1
2 2-6 hours	32	.8	.9	1.0
3 < 2 hours	112	2.8	3.0	4.0
4 Never	3580	88.5	96.0	100.0
Total	3729	92.1	100.0	
Missing -1 No response	318	7.9		
Total	4047	100.0		

pl5112 J7c: Time respondent spends doing keep-fit exercises in a week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 > 6 hours	29	.7	.8	.8
2 2-6 hours	243	6.0	6.4	7.2
3 < 2 hours	549	13.6	14.6	21.8
4 Never	2949	72.9	78.2	100.0
Total	3770	93.2	100.0	
Missing -1 No response	277	6.8		
Total	4047	100.0		

pl5113 J7d: Time respondent spends doing yoga in a week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 > 6 hours	2	.0	.1	.1
2 2-6 hours	8	.2	.2	.3
3 < 2 hours	39	1.0	1.0	1.3
4 Never	3669	90.7	98.7	100.0
Total	3718	91.9	100.0	
Missing -1 No response	329	8.1		
Total	4047	100.0		

pl5114 J7e: Time respondent spends playing squash in a week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 > 6 hours	8	.2	.2	.2
2 2-6 hours	48	1.2	1.3	1.5
3 < 2 hours	203	5.0	5.4	6.9
4 Never	3481	86.0	93.1	100.0
Total	3740	92.4	100.0	
Missing -1 No response	307	7.6		
Total	4047	100.0		

PL File – Section J

pl5115 J7f: Time respondent spends playing tennis/badminton in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > 6 hours	6	.1	.2	.2
	2 2-6 hours	96	2.4	2.6	2.7
	3 < 2 hours	283	7.0	7.6	10.3
	4 Never	3336	82.4	89.7	100.0
	Total	3721	91.9	100.0	
Missing	-1 No response	326	8.1		
Total		4047	100.0		

pl5116 J7g: Time respondent spends swimming in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > 6 hours	5	.1	.1	.1
	2 2-6 hours	122	3.0	3.3	3.4
	3 < 2 hours	1440	35.6	38.5	41.9
	4 Never	2174	53.7	58.1	100.0
	Total	3741	92.4	100.0	
Missing	-1 No response	306	7.6		
Total		4047	100.0		

pl5117 J7h: Time respondent spends walking briskly in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > 6 hours	310	7.7	8.2	8.2
	2 2-6 hours	851	21.0	22.5	30.8
	3 < 2 hours	1421	35.1	37.6	68.4
	4 Never	1193	29.5	31.6	100.0
	Total	3775	93.3	100.0	
Missing	-1 No response	272	6.7		
Total		4047	100.0		

pl5118 J7i: Time respondent spends weight training in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > 6 hours	31	.8	.8	.8
	2 2-6 hours	223	5.5	6.0	6.8
	3 < 2 hours	389	9.6	10.4	17.2
	4 Never	3092	76.4	82.8	100.0
	Total	3735	92.3	100.0	
Missing	-1 No response	312	7.7		
Total		4047	100.0		

pl5119 J7j: Time respondent spends cycling in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > 6 hours	115	2.8	3.0	3.0
	2 2-6 hours	426	10.5	11.3	14.3
	3 < 2 hours	1184	29.3	31.3	45.6
	4 Never	2059	50.9	54.4	100.0
	Total	3784	93.5	100.0	
Missing	-1 No response	263	6.5		
Total		4047	100.0		

PL File – Section J

pl5120 J7k: Time respondent spends doing other exercise in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	50	1.2	1.7	1.7
	1 > 6 hours	193	4.8	6.4	8.0
	2 2-6 hours	416	10.3	13.7	21.8
	3 < 2 hours	341	8.4	11.3	33.0
	4 Never	2027	50.1	67.0	100.0
	Total	3027	74.8	100.0	
Missing	-1 No response	1020	25.2		
Total		4047	100.0		

PAGE 52 OF THE QUESTIONNAIRE

SECTION K:

K1. This questionnaire was completed by: (tick all that apply)

- a) Biological father ☐ 1
- b) Mother's partner ☐ 1
- d) Other (please tick and describe) ☐ 1

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 "no".]

pl9980 K1a: Questionnaire completed by biological father

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3821	94.4	95.8	95.8
2 No	166	4.1	4.2	100.0
Total	3987	98.5	100.0	
Missing -5 Question K1 omitted	60	1.5		
Total	4047	100.0		

pl9981 K1b: Questionnaire completed by mother's partner

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	272	6.7	6.8	6.8
2 No	3715	91.8	93.2	100.0
Total	3987	98.5	100.0	
Missing -5 Question K1 omitted	60	1.5		
Total	4047	100.0		

pl9982 K1d: Questionnaire completed by someone else

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	51	1.3	1.3	1.3
2 No	3936	97.3	98.7	100.0
Total	3987	98.5	100.0	
Missing -5 Question K1 omitted	60	1.5		
Total	4047	100.0		

Derived VariablesNumber of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question K1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

pl9984 DV: Number of contributors to questionnaire

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	3832	94.7	96.1	96.1
2	153	3.8	3.8	99.9
3	2	.0	.1	100.0
Total	3987	98.5	100.0	
Missing -5 Question K1 omitted	60	1.5		
Total	4047	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question K1. It is calculated by recoding values of 1 to powers of 2 (1, 2, and 4 for parts a, b & d respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

pl9985 DV: Questionnaire completed by...

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Biological father only	3671	90.7	92.1	92.1
2 Mother's partner only	128	3.2	3.2	95.3
3 Biological father & mother's partner	137	3.4	3.4	98.7
4 Other only	33	.8	.8	99.5
5 Biological father & other	11	.3	.3	99.8
6 Mother's partner & other	5	.1	.1	99.9
7 Biological father, mother's partner & other	2	.0	.1	100.0
Total	3987	98.5	100.0	
Missing -5 Question K1 omitted	60	1.5		
Total	4047	100.0		

PL File – Section K

K2. Please give the date on which you completed this questionnaire:

day		month		year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable PL9990c. The month and year of completion were retained on the built file, but the day was dropped.]

pl9990a K2: Date of completion of questionnaire - month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	486	12.0	12.0	12.0
	2 February	336	8.3	8.3	20.3
	3 March	256	6.3	6.3	26.6
	4 April	222	5.5	5.5	32.1
	5 May	225	5.6	5.6	37.7
	6 June	206	5.1	5.1	42.8
	7 July	230	5.7	5.7	48.5
	8 August	209	5.2	5.2	53.6
	9 September	213	5.3	5.3	58.9
	10 October	707	17.5	17.5	76.4
	11 November	669	16.5	16.5	92.9
	12 December	288	7.1	7.1	100.0
	Total	4047	100.0	100.0	

pl9990b K2: Date of completion of questionnaire - year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1999	1102	27.2	27.2	27.2
	2000	2489	61.5	61.5	88.7
	2001	446	11.0	11.0	99.8
	2002	7	.2	.2	99.9
	2003	1	.0	.0	100.0
	2004	1	.0	.0	100.0
	2008	1	.0	.0	100.0
	Total	4047	100.0	100.0	

pl9990c DV: Date of completion replaced with date of receipt


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, incomplete d.o.c.	90	2.2	2.2	2.2
	3 Yes, d.o.c. < d.o.s.	15	.4	.4	2.6
	4 Yes, d.o.c. > d.o.r.	11	.3	.3	2.9
	5 No	3931	97.1	97.1	100.0
	Total	4047	100.0	100.0	

Derived Variables - Age of Study Child at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

pl9991a DV: Age of study child at completion (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	96	44	1.1	1.1	1.1
	97	2265	56.0	56.0	57.1
	98	693	17.1	17.1	74.2
	99	301	7.4	7.4	81.6
	100	193	4.8	4.8	86.4
	101	191	4.7	4.7	91.1
	102	99	2.4	2.4	93.6
	103	63	1.6	1.6	95.1
	104	32	.8	.8	95.9
	105	25	.6	.6	96.5
	106	17	.4	.4	96.9
	107	15	.4	.4	97.3
	108	6	.1	.1	97.5
	109	9	.2	.2	97.7
	110	8	.2	.2	97.9
	111	7	.2	.2	98.0
	112	8	.2	.2	98.2
	113	21	.5	.5	98.8
	114	18	.4	.4	99.2
	115	9	.2	.2	99.4
	116	5	.1	.1	99.6
	117	2	.0	.0	99.6
	118	2	.0	.0	99.7
	119	1	.0	.0	99.7
	120	4	.1	.1	99.8
	121	2	.0	.0	99.8
	122	1	.0	.0	99.9
	123	1	.0	.0	99.9
	127	1	.0	.0	99.9
	128	1	.0	.0	99.9
	133	1	.0	.0	100.0
	149	1	.0	.0	100.0
	188	1	.0	.0	100.0
Total		4047	100.0	100.0	

pl9991b DV: Age of study child at completion (weeks)

plus the following outliers >510:

pl9991b DV: Age of study child at completion (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	514	2	12.5	12.5	12.5
	520	1	6.3	6.3	18.8
	522	2	12.5	12.5	31.3
	523	1	6.3	6.3	37.5
	524	1	6.3	6.3	43.8
	527	1	6.3	6.3	50.0
	530	1	6.3	6.3	56.3
	534	1	6.3	6.3	62.5
	537	1	6.3	6.3	68.8
	556	2	12.5	12.5	81.3
	581	1	6.3	6.3	87.5
	652	1	6.3	6.3	93.8
	817	1	6.3	6.3	100.0
	Total	16	100.0	100.0	

K3. Please give the date of birth of your study child:

day		month		year
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	199 <input type="text"/>

[Editing: Note that this reported date of birth was not used.]

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comment you would like to make

NB. Please remember we cannot reply to any comment unless you sign it.

When completed, please return the questionnaire to:

**Professor Jean Golding
Children of the Nineties - ALSPAC
Institute of Child Health
24 Tyndall Avenue
Bristol
BS8 1BR Tel: Bristol 928 5007**

For office use only *coder* *int*

© University of Bristol

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. Note that this is the 2003 revision, which dates from after this questionnaire was coded. However, the revision did not alter the content but rather streamlined the text by simplifying sentences and introducing headings. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

PL File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow “Post-It” sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder’s responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder’s marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person’s work at regular intervals in order to strive for maximum accuracy.

PL File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

PL File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

Coding instructions for first version (13/9/99) “Father and the Family”

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the “Father and the Family” replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires - 2nd revision " document.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 13/9/99.

*****If the questionnaire is all blank, e.g. the man didn't want to fill in the form, write "ALL BLANK" on the front cover and move on to the next questionnaire. *****

Page 3, Section A		
A1a-k	I	
A1L	I	If something relevant is written on the 'please describe' line, but no relevant box is ticked, code A1L as 1 if it is an infection not covered in a to k. Else code as zero.
Page 4		
A2a-m	I	
A2n	I	If something relevant is written on the 'please describe' line, but no relevant box is ticked, code A2n as 1 if it is an operation not covered in a to m. Else code as zero.
Pages 5,6		
A3a-w	I	
A3x	I	If something relevant is written on the 'please describe' line, but no relevant box is ticked, code A3x as 1 if it is a condition not covered in a to w. Else code as zero.
A4a	I	
A4ai	7	
A4aii	II	Round age down - thus 10 1/2 is coded as 10.
A4b	I	
A4bi	II	Round age down.
Page 7		
A4bii	I	
A5a	I	
A5b		To be coded separately. Please ensure that any relevant writing in the "please describe" area is matched by a "yes" tick in A5a.
A6a	I	
A6bi-v	I	
A6bvi	I	Please ensure that any writing in the "please describe" area is matched by a "yes" tick in A6bvi, if it refers to a different allergy to those covered in i to v.

PL File – Appendix B

Page 8		
A7a-i	7	
A8a	II	Round fractions down. If the weight is given in more than one form, leave them both in. If they have written NK or equivalent, code with 9s throughout.
A8ai	I	
A8b	I	
A8b i-iii		As A8a
Page 9		
A8c		As A8a
A8ci	I	
A9i, ii	8	
A10ai, ii	8	Treat contact lenses as though they were glasses, for the purposes of A10a and b.
Page 10		
A10b	7	Consider contact lenses to be included with 'glasses'. If they say they use contact lenses, but give no frequency, code as 4.
A10c	I	
A11a bro sis	II, II	
A11b, c		As A11a
Page 11, Section B		
B1ai	I	
B1aii	I	
B1b to o	As B1a	
"Please tick and describe"		To be coded separately. Please ensure that if something relevant is written in the "please describe" section, that (o) or (h) is ticked appropriately. If not, please write a zero on the (o) line, to indicate information in the "please describe" section.
Page 12		
B2a	I	
B2ai	II	Round ages down.
B2aii		To be coded separately
B2b		As B2a
Page 13, Section C		
C1b,c, g	7	
C1a,d,e,f	8	
C2	8	

PL File – Appendix B

C3a,b	7	
C3c	8	
Page 14		
C3d	8	If something is written on the 'please describe' line, but no relevant box is ticked, code C3d as zero.
C4a-e,g-j	7	
C4f,k	8	
C4l	7	If something relevant is written on the 'please describe' line, but no relevant box is ticked, code C4l as zero.
C5a	8	
Page 15		
C5b	8	
C5c	I	
C6a	I	Code "sometimes" as "yes"
C6bi,ii	7	
C7a-f	7	
Pages 16-19, Section D		
D1a	I	Multiple partners – code 1+2 as 4.
D1b	I	Multiple partners – code 1+2 as 4, 1+3 as 5, 2+3 as 6, 1+2+3 as 7.
D2,4-7,9,11-18	7	
D3,8,10,19-48	8	
Page 20, Section E		
E1a i to iv	I,I,I,I	The only options for these boxes are a tick, (which will get keyed as a 1), a blank, or you putting in a 9 if 'not known' or similar is written.If 'not known' or similar is written at the top of a column, and obviously covers the whole column, tick the 1 in (n).
E1b to o	As E1a	
E1p	As E1a	If something relevant is written on the 'please describe' line, but no relevant box is ticked, code E1p as zero.
Page 21		
E2ai, ii	I,I	The only options for these boxes are a tick, (which will get keyed as a 1), a blank.
E2b to l	As E2a	
E2m	As E2a	If something relevant is written on the 'please describe' line, but no relevant box is ticked, code E2m as zero.
Page 22		

PL File – Appendix B

E3	I	
E3a-d,f,g	8	
E3e,h	7	
Page 23		
E4a,b		Not being coded here
E4c	II	Code "full time" as 90. Code "varies" as 97. If a range is given, code to the upper limit. If 90 hours or more are given, code as 98. Round up half hours. If 2 or more concurrent jobs are stated, sum up the hours.
E4d, e	8, I	
E4f	II	1 week = 5 days. Round up half days. Draw a 3rd box if necessary. Code 'varies' as 997, NK as 999.
E4g	I	For multiple ticks code as 7 and write the multiples in the margin (e.g. 1+5) so that they can be keyed later.
Page 24		
E4h	7	If something appropriate is written on the 'please describe' line, but no relevant box is ticked, code E4h as zero.
E5a to f	7	
E5g	I	If something relevant is written on the 'please describe' line, but no relevant box is ticked, code E5g as zero.
Page 25		
E6i	I	Usually, only one of the boxes in the column should be ticked. If two or more boxes are ticked here, tick box 09 instead, and cross the other ticks out. Write '1+3' (or whatever set of numbers were ticked) on the dotted line. Note that a two-digit number will be coded from E6i-iv.
E6ii	I	As E6i
E6iii	I	As E6i
E6iv	I	As E6i
Page 26, Section F		
F1a(i) to (iii)	II	If "not applicable", "N/A", or box struck out, code as zero.
F1b(i)-(viii)	I	
F1b(ix)	I	Please ensure that if something relevant is written in the "please describe" section, that the 'yes' box is ticked in (ix).
F2a	8	
F2b	II	"Occasional" smokers count as smokers
Page 27		

PL File – Appendix B

F3a	7	
F3b	IV	
F4a	I	
F4b(i)	II	Convert any number of years and months to months. Round down to a whole number of months if necessary, convert weeks to months at a rate of 4 to 1. Draw an extra box if necessary.
F4b(ii)	7	except that if multiple ticks include the '7', code the '7'.
Page 28		
F4b(iii)	8	
F4c	I	
F4c(i)	II	As F4b(i)
F4c(ii)	7	As F4b(ii)
F4c(iii)	8	
Page 29		
F5a-d	II	If "not applicable", "N/A", or box struck out, code as zeroes.
F6a	I,II	Code the No/yes part, then the number of children. What is needed here is the total number of such children - not necessarily the maximum at any one time. If "not applicable", "N/A", or box struck out, code as zeroes.
F6b,c		As F6a
F7	I	Please ensure that if something appropriate is written in the "please describe" section, that the previous box is ticked appropriately.
Page 30		
F8a	I	
F8b(i)-(vii)	II	If some categories are answered, either with a tick or with a number, code the unanswered pets as zero.
F8b(viii)		Recode pets listed here as categories (i) to (vii) if that is where they belong. If other pets listed here, and no number is given, code the number as 99. The number here should indicate the total number of other pets, so for example 2 monkeys and 3 chinchillas would be coded as 05.
F9a	7	
F9b	8	But excluding code '9'
Page 31		
F9c,d		As F9b
F9e-g	I	Code 'sometimes' as 1.
Page 32, Section G		

PL File – Appendix B

G1a,b,e,h,j,k,o,p,s,t	7	
G1c,d,f,g,i,l,m,n,q,r	8	
Pages 33, 34		
G2a,f,g,j,m,p,s	7	
G2b-e,h,i,k,l,n,o,q,r,t	8	
G3, 4	8	
Pages 35-36		
G5	7	
G6	8	
G7-12	7	
Pages 37-41, Section H		
H1a to za	8	Vegetarian foods in d, e should be moved to f.
H2	7	
H3a to za	8	
Page 42		
H4a to h	8	
H5	I	
Page 43		
H6	I	
H7	8	
H8a to f	7	
Page 44		
H9ai,ii	I,I	
H9b to h	As H9a	
H9i	I,I	Please ensure that if something relevant is written in the “please describe “ section, that the previous boxes are ticked appropriately.
H10	II	For occasional eaters, code “97” If they indicate that every slice has fat on it, but don’t say how many, code as “90”. If a range is given, take the highest value.
Page 45		
H11a to f	7	
H11g	I	Please ensure that if something relevant is written in the “please describe “ section, that the previous boxes are ticked appropriately. If there is no tick, please code as zero, to indicate relevant information in the “please describe” section.

PL File – Appendix B

H12	I	Please ensure that if something is written in the “please describe” section, that the previous box is ticked appropriately. If multiple ticks, code as “other” and write the ticked box numbers on the dotted line.
H13a	II	Occasional use to be coded as “97”.
H13b	II	Artificial sweeteners do not count as sugar. Round up halves to the next whole spoonful, and if a range is given, take the upper limit.
H13c,d	II	Code “all” as 90, occasional as “97”
H14a-d	II	As H13
H14e	II	Code “all” as 90, occasional as “97”
Page 46		
H15a	7	
H15b	II	
H15c	Not being coded here	
H16a-c	8	
H16d	I	Please ensure that if something appropriate is written in the “please describe” section, that the previous box is ticked appropriately. If there is no tick, please code as zero, to indicate relevant information in the “please describe” section.
H17,18	I	If description given, but boxes not ticked, code as appropriate.
Page 47		
H19a (i)-(v)	II	Please note the units the questions are asked in, and convert if necessary. Code a two digit number for each day of the week where a response is made - leave blank boxes blank. Round fractions to the nearest whole number, but if the fraction is exactly half, round up to the next whole number. If the nearest whole number is zero, or they say ‘sometimes’ or ‘occasionally’, code as 97. Code ‘lots’ as 98. If a range is given, code to the upper limit. If none or n/a is given, code as zero. If they say none to the whole question, make sure that all boxes have a zero in, but in this case write 0 not 00.
		If specified in units of bottles or litres, code <1 bottle as 80, 1 as 81, 2 as 82 etc.
		If specified in units of cans, code <1 can as 70, 1 as 71, 2 as 72 etc.
H19b	I	
H19c	I	
H20	8	
Page 48		
H21	8	
Page 49, Section J		
J1a	I	

PL File – Appendix B

J1b	II	Round down ages
J1ci-iv	I	
J1d	I	
J1d how long	II, II	
J1e	I	Recode multiple ticks on to the dotted line.
J1f	I	If >1 box ticked, recode as the higher consumption rate. Code infrequent use as 97.
Page 50		
J1gi		Not being coded here
J1gii	I	For multiple ticks, recode as follows:
		A: 1+2
		B: 1+3
		C: 1+4
		D: 1+2+3
		E: 1+2+4
		J: 1+3+4
		G: 1+2+3+4
		H: 2+3
		J: 2+4
		K: 2+3+4
		L: 3+4
J2a	I	If a smoker at some stage in the past, code as 1. So box 1 really means "smoker now, or at some stage in the past", box 2 means "never"
J2ai	I	
J2b	I	As J2a.
J3, 4	I	Code 1 + 2 as 1
J5a	I	
J5ai	II	Code as completed whole years.
Page 51		
J5b, bi		As J5a, ai
J6	I	For more than one tick, cross them all out and code:
		5 For "walk and cycle equally"
		6 For "walk and cycle and car equally"
		A For "walk and car equally"
		B For "walk, car, public transport equally"
		C For "walk and public transport" equally
		D For "car and public transport" equally
		E - "motorcycle"
		F - All ticked
		G – Wheelchair
		H - cycle & motorcycle
		I - cycle and public transport
		J - cycle and car
		K for "walk, cycle and public transport" equally
		L for "cycle, car and public transport" equally
		M for "walk, cycle and m/cycle" equally
		N for "car and m/cycle" equally
		P for "walk and m/cycle" equally

PL File – Appendix B

J7a-j	8	
J7k	8	If something relevant is written on the 'please describe' line, but no corresponding box is ticked, please code J7k as zero.
Page 52, Section K		
K1a,b	I	
K1d	I	If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on K1d.
K2	IV	If left blank, copy date that the form was returned from the front cover.
K3	IV	As K2, using child's date of birth from front cover.
Bottom of Page 52, For Office Use Only		
Coder		Insert your initials here.
Int.		If the questionnaire was completed with the aid of an interviewer, there will be initials here.

END OF QUESTIONNAIRE

pafamly 18/5/01

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. No reminders were issued specific to partner questionnaires.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of CSV (comma separated values) data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were read into SPSS, added together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifier ALN. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letter “pl” which are followed by four digits and occasionally a further letter. Then the data from the back page were edited as described in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t know” to –9.

Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to –8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don’t know	The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”.
-10	Not completed	No completed questionnaire is available for this case. Variable PL0007a = 2 for all such cases.

At some point in the future the data may be reissued as a “built” file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.