

# **THE ALSPAC STUDY**

## **V FILE**

### **DATA COLLECTED FROM THE QUESTIONNAIRE**

***Your Life in 2013***

**Prepared by**

**The ALSPAC Study Team**

**Documentation giving frequencies, background and instructions for use.**

**Last updated for version 1a of the BUILT file.**

**July 2019**

**© University of Bristol**

## Contents

Introduction	1. Background 2. Collaborators and Funders 3. Data Collection 4. Questionnaire Versions 5. Dropped Variables 6. Merged Categories/Values 7. General Information 8. Data to treat with caution 9. Sample and Response Rates 10. Format of this Documentation 11. Important note for all data users 12. Release File Version History 13. References	Page 3 Page 3 Page 3 Page 4 Page 4 Page 7 Page 7 Page 7 Page 9 Page 9 Page 9 Page 10 Page 10
	Administrative variables - Frequencies	Page 11
Section A	Your family and home life Questionnaire Frequencies	Page 16 Page 22
Section B	Your employment and finances Questionnaire Frequencies	Page 39 Page 44
Section C	Your Health Questionnaire Frequencies	Page 68 Page 81
Section-D	Reproductive Health Questionnaire Frequencies	Page 137 Page 145
Section-E	Sexual health Questionnaire Frequencies	Page 199 Page 203
Section-F	Your feelings Questionnaire Frequencies	Page 212 Page 215
Section G	Alcohol and tobacco Questionnaire Frequencies	Page 228 Page 232
Section-H	Your physical activity Questionnaire Frequencies	Page 248 Page 251
Section-I	Completion of the questionnaire Frequencies and Derived Variables	Page 268 Page 270

# Introduction

## 1. Background

This questionnaire was sent out to study mothers in the year 2013, with a small number in 2014. It is in sections:

Briefly, Section A asks about family, home life, and significant events in the respondent's life. Section B about employment of the respondent, their partner, and household finances. Section C collects data on activity, views on health, how they feel about life in general, body weight and measurements. Section D collects data on the respondent's reproductive health, how it is changing, pregnancy outcomes, and contraception. Section E asks the respondent about their sexual health. Section F enquires about feelings and behaviour. Section G, alcohol and tobacco usage. Section H respondent's physical activity. Finally, Section I collects information on questionnaire completion date, date of birth of respondent and study child.

## 2. Collaborators and Funders

The following table summarises the sections of the questionnaire together with the collaborator who requested inclusion and the funding body where appropriate:

Section	Topic/specific Measure	Collaborator	Funder
A	Your family and home life	Debbie Lawlor (University of Bristol)	Lifelong Programme
B	Your employment and finances	Debbie Lawlor (University of Bristol)	Lifelong Programme
C	Your Health	Debbie Lawlor (University of Bristol)	Lifelong Programme
D	Reproductive Health	Debbie Lawlor (University of Bristol)	Lifelong Programme
E	Sexual health	Debbie Lawlor (University of Bristol)	Lifelong Programme
F	Your feelings	Debbie Lawlor (University of Bristol)	Lifelong Programme
G	Alcohol and tobacco	Debbie Lawlor (University of Bristol)	Lifelong Programme
H	Your physical activity	Debbie Lawlor (University of Bristol)	Lifelong Programme
I	Administrative data	Debbie Lawlor (University of Bristol)	Lifelong Programme

## 3. Data Collection

There were three main stages of invites for this questionnaire: Pilot, Version 1, and Version 2 questionnaire. The Pilot questionnaire initial invites were sent between May and August 2013, with first, second, and third reminders in the forms of postcards and emails between the dates of June and October 2013. Version 1 questionnaire initial

invites were sent during September 2013, with first, second, and third reminders in the forms of postcards and emails from October 2013 to December 2013. Version 2 questionnaire initial invites were sent during November 2013, with first, second, third, and forth reminders in the forms of postcards and emails from December 2013 to April 2014.

#### **4. Questionnaire Versions**

There were four versions of the questionnaire, two paper (Version 1 and Version 2), and two online (Version 1 and Version 2).

Some questionnaires did not have certain variables, these are listed below.

##### Not in Online and Paper Version 1 questionnaire:

V0202 A7: Number of children respondents Children of the 90s son or daughter has

V4177 C16dviii: Respondent has other type of arthritis

V4176 C16dvi: Feet/toe joints affected by arthritis

V4186 C16evii: During past year respondent has had pain, aching, stiffness or swelling on most days for at least one month in their feet/toes.

V4450 C34f i: Respondents bra size.

V4451 C34f ii: Respondents bra cup size.

V4452 C34f Dk: Respondent doesn't know their bra cup size.

V4831 D11c: In last few years/in years before respondent's last period, respondent's periods lasted.

V4840 D13a: Respondent generally found in the days before or during their periods they had particular problems.

##### Not in Paper and Online Version 2 questionnaire:

V0411 A17\_xii: Respondent selected none of events which brought changes in their life in last year.

##### Not in Paper Version 2 questionnaire:

A2 Txt: Relationship of respondent to more than 6 children: Description

A3 Txt: Respondent had more than 6 children pass away: Description

A8 Txt: Date of birth of respondents Children of the 90s study son or daughter, more than 4 grandchildren: Description

C33 Txt: Extra space for respondent to comment on medications

D4 Txt: Respondent comments on outcome of pregnancies

##### Not in Online Version 1 and 2, and Paper Version 1:

Comments: Comments space for respondents

#### **5. Dropped Variables**

Due to potentially disclosive information, the following variables were dropped from the documentation:

A2ai Day: Date of birth respondents 1st child - Day

A2ai Month: Date of birth respondents 1st child - Month

A2ai Year: Date of birth respondents 1st child – Year

A2bi Day: Date of birth respondents 2nd child - Day

A2bi Month: Date of birth respondents 2nd child - Month  
A2bi Year: Date of birth respondents 2nd child – Year  
A2ci: Day: Date of birth respondents 3rd child - Day  
A2ci: Month: Date of birth respondents 3rd child - Month  
A2ci Year: Date of birth respondents 3rd child – Year  
A2di Day: Date of birth respondents 4th child - Day  
A2di Month: Date of birth respondents 4th child - Month  
A2di Year: Date of birth respondents 4th child – Year  
A2ei Day: Date of birth respondents 5th child - Day  
A2ei Month: Date of birth respondents 5th child - Month  
A2ei Year: Date of birth respondents 5th child – Year  
A2fi Day: Date of birth respondents 6th child - Day  
A2fi Month: Date of birth respondents 6th child - Month  
A2fi Year: Date of birth respondents 6th child – Year  
A2gi Day: Date of birth respondents 7th child - Day  
A2gi Month: Date of birth respondents 7th child - Month  
A2gi Year: Date of birth respondents 7th child – Year  
A2gii: Sex of respondents 7th child  
A2giii: Relationship of respondent to 7th child  
A2hi Day: Date of birth respondents 8th child - Day  
A2hi Month: Date of birth respondents 8th child - Month  
A2hi Year: Date of birth respondents 8th child – Year  
A2hii: Sex of respondents 8th child  
A2hiii: Relationship of respondent to 8th child  
A2ii Day: Date of birth respondents 9th child - Day  
A2ii Month: Date of birth respondents 9th child - Month  
A2ii Year: Date of birth respondents 9th child – Year  
A2iii: Sex of respondents 9th child  
A2iv: Relationship of respondent to 9th child  
A3 5th: Respondents 5th child passed away  
A3 6th: Respondents 6th child passed away  
A8a Day: Date of birth of respondents Children of the 90s study son or daughter's 1st child - Day  
A8a Month: Date of birth of respondents Children of the 90s study son or daughter's 1st child - Month  
A8a Year: Date of birth of respondents Children of the 90s study son or daughter's 1st child - Year  
A8b Day: Date of birth of respondents Children of the 90s study son or daughter's 2nd child - Day  
A8b Month: Date of birth of respondents Children of the 90s study son or daughter's 2nd child - Month  
A8b Year: Date of birth of respondents Children of the 90s study son or daughter's 2nd child - Year  
A8c Day: Date of birth of respondents Children of the 90s study son or daughter's 3rd child - Day  
A8c Month: Date of birth of respondents Children of the 90s study son or daughter's 3rd child - Month  
A8c Year: Date of birth of respondents Children of the 90s study son or daughter's 3rd child - Year  
A8d Day: Date of birth of respondents Children of the 90s study son or daughter's 4th child - Day

A8d Month: Date of birth of respondents Children of the 90s study son or daughter's 4th child - Month

A8d Year: Date of birth of respondents Children of the 90s study son or daughter's 4th child – Year

A10 Day: Expected due date of respondents Children of the 90s study child or partner - Day

A10 Month: Expected due date of respondents Children of the 90s study child or partner - Month

A10 Year: Expected due date of respondents Children of the 90s study child or partner – Year

C12a Year: Yr resp most recent dignsits hrt attack(cornry thromb/myocard infarct)

C12b Year: Year of respondent's most recent diagnosis of heart failure

C12c Year: Year of respondent's most recent diagnosis of angina

C12d Year: Year of respondent's most recent diagnosis of other heart trouble

C12e Year: Year of respondent's most recent diagnosis of aortic aneurysm

C12f Year: Yr most recent diag narrowing/hardning arteries leg(inc claudication)

C12g Year: Year of respondent's most recent diagnosis of high blood pressure

C12h Year: Year of respondent's most recent diagnosis of high cholesterol

C12i Year: Year of respondent's most recent diagnosis of pulmonary embolism (PE)

C12j Year: Year of respondent most recent diagnosis of deep vein thrombosis(DVT)

D1a: Respondent currently pregnant

D1b: Length of time trying before becoming pregnant (months)

D4k: Outcome of 11th pregnancy

D4k Year: Year pregnancy ended/birth year

D4l: Outcome of 12th pregnancy

D4l Year: Year pregnancy ended/birth year

D4m: Outcome of 13th pregnancy

D4m Year: Year pregnancy ended/birth year

D4n: Outcome of 14th pregnancy

D4n Year: Year pregnancy ended/birth year

D4o: Outcome of 14th pregnancy

D4o Year: Year pregnancy ended/birth year

D4p: Outcome of 15th pregnancy

D4p Year: Year pregnancy ended/birth year

D4q: Outcome of 16th pregnancy

D4q Year: Year pregnancy ended/birth year

I1 Day: Date respondent completed questionnaire – Day

I2 Day: Respondent's date of birth - Day

I2 Month: Respondent's date of birth - Month

I2 Year: Respondent's date of birth - Year

I3 Day: Study child's date of birth - Day

I3 Month: Study child's date of birth - Month

I3 Year: Study child's date of birth – Year

The following variables were dropped as they were used to make Derived Variables.

C34a Metres: Respondents height - Metres

C34a Cent: Respondents height - Centimetres

C34a Feet: Respondents height - Feet

C34a Inch: Respondents height - Inches

C34b Kg: Respondents weight - Kilograms

C34b St: Respondents weight - Stone

C34b Lbs: Respondents weight - Pounds

C34c Cm: Respondents hips - Centimetres  
C34c Inch: Respondents hips - Inches  
C34d Cm: Respondents waist - Centimetres  
C34d Inch: Respondents waist - Inches  
C34e Cm: Respondents bust - Centimetres  
C34e Inch: Respondents bust – Inches

## **6. Merged Categories/Values**

In order to protect participant anonymity, the following categories/values in the following variables

V0101 A1: Number of children respondent has  
V0111 A2aiii: Relationship of respondent to 1st child  
V0121 A2biii: Relationship of respondent to 2nd child  
V0202 A7: Number of children respondents Children of the 90s son or daughter has  
V0320 A16a: Numb adults (18 yrs /older) inc rspndnt currently living in rspndnts house  
  
V0321 A16b: Number young adults (16-17 yrs) currently living respondents household  
V0322 A16c: Number older children (14-15 yrs) currently living respondents household  
V0323 A16d: Number younger children(< 14 years) currently living in rspndnts household  
V4515 D3: Number of pregnancies respondent has ever had

## **7. General Information**

-5 and value labels of “Bad data”

B1: When the Version 1 Online questionnaire was set up there should have been twenty B1 numeric variables, B1i\_you to B1x\_partner, ten questions, one each for "Yourself" and "Your partner". However, only one variable was set-up for both "Yourself" and "Your partner". Where this has happened, responses have been set to -5 with the value label "Bad data". Due to only one variable originally being set up for each question in Online Version 1, and to match to Version 2, extra blank variables were created.

D13b: When the Version 1 Online questionnaire was set up there should have been ten D13b numeric variables, d13bi\_before to d13bv\_during, 5 questions, one each for "\_before" and "\_during". However, only one variable was set-up for both "\_before" and "\_during". Where this has happened, responses have been set to -5 with the value label "Bad data". Due to only one variable originally being set up for each question in Online Version 1, and to match to Version 2, extra blank variables were created.

## **8. Data to treat with caution**

### **Section B**

There are inconsistent answers from B1-B6 mostly based on employed/self-employed status. The data has not been changed or corrected so please treat this data with caution.

## Section D

V4512 "D2a Respondent is currently trying to get pregnant":

Possible high response to "2 No but intend to later". This may have been because respondents just saw a 'no' instead of 'No, but intend to later' and answered this.

V4550-V4565 "D5: What forms of contraception are you and your partner using now? (please cross all that you have used in the past 3 months)":

There are some instances where "V4564 D5n: No contraception used in past 3 months" has been selected and forms of contraception have also been selected.

V4820 "D11a: Frequency respondent's periods in last few years/years before last period" Skip statement:

"If remain about the same or don't remember, go to D12":

The wording at the beginning of D11 states the questions are for **everybody**, which may suggest the skip should be "go to D11c" rather than D12?

V4830 "D11b: If periods more or less regular, time when respondent first noticed change" and V4831 "D11c: In last few years/years before respondent's last period, periods lasted":

o skip corrections were applied to these questions.

When answering "No" to D11a for the online version 1 questionnaire, there was no skip for D11b,

D11c did not exist in version 1 of the online and paper versions of the questionnaires.

Due to the discrepancies between the online and paper questionnaires, different questionnaire versions, and possible confusion regarding the D11a skip statement, care **must** be taken with interpreting the data with these variables.

## Section E

**V5004 E5 skip:**

"E5: Respondent had a sexual partner in the last month". This question has the skip statement "**-> If no, go E8**". – **no skip corrections were applied to questions E6/E7**

Many mothers answered No to E5, yet completed E6 and E7. These questions and skip seem ambiguous and to have confused many respondents. If the skip were applied this data would be lost so has not been applied.

## Section G

Smoking section: Some respondents did not follow the skips correctly, for example, stating not smoking regularly in the past, and completing responses on smoking in the past. Quite a lot of these are also online answers, suggesting that the skip statements in the paper quest were not mirrored in the online version. Please treat responses in the smoking section with caution.

## Section H

V6050 "H7a: Typical wk last yr resp activ cause breathless, sweating/faster heartbeat" When answering "No" to H7a, a large number of respondents went on to complete

H7b and H8 It was decided to leave the data as is. The data should be treated with caution.

## 9. Sample & Response Rates

There are a total of 14,723 records on this built file comprising the core sample of pregnancies originally enrolled in the study. This has been completed by 4,640 carers. For further information on the ALSPAC sample, please see section 6 of the "Guide to ALSPAC data". For further information on the ALSPAC 'Mothers' sample, please see the cohort profile paper (Fraser et al., 2013).

## 10. Format of this documentation

The bulk of this documentation consists of the text of the questionnaire as it was sent and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred, a description has been added before the relevant frequency tables. The algorithms used to create derived variables are also included where appropriate.

## 11. Important note for all data users

Please be aware that some women may appear in the release file more than once. This is due to the way in which women were originally enrolled into the study and were assigned IDs. ALSPAC started by enrolling pregnant women and the main study ID is a pregnancy based ID. Therefore, if a woman enrolled with two different pregnancies (both having an expected delivery date within the recruitment period (April 1991- December 1992)), she will have two separate IDs to uniquely identify these women and their pregnancies. An indicator variable has been included in the file, called mult\_mum to identify these women. If you are carrying out mother based research that does not require you to consider repeat pregnancies for which we have data then please select mult\_mum = 2 to remove the duplicate entries. This will keep one pregnancy and drop the other. If you are matching the data included in this file to child based data or have been provided with a dataset that includes the children of the ALSPAC pregnancies, as well as the mother-based data, you need not do anything as each pregnancy (and hence each child from a separate pregnancy) has a unique identifier and a mother's data has been included/repeated here for each of her pregnancies where appropriate. Each of the frequencies below therefore contains duplicate data due to these multiple pregnancies.

V0001 Entry is a duplicate - Remove if only looking at Mothers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	4640	31.5	96.5	96.5
	1 Yes	168	1.1	3.5	100.0
	Total	4808	32.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
Total		14723	100.0		

## **12. Release file version history**

Release version 1a – July 2019. The first version of the release file.

## **13. References**

Cohort Profile: The Avon Longitudinal Study of Parents and Children: ALSPAC mothers cohort

Abigail Fraser, Corrie Macdonald-Wallis, Kate Tilling, Andy Boyd, Jean Golding, George Davey Smith, John Henderson, John Macleod, Lynn Molloy, Andy Ness, Susan Ring, Scott M Nelson, and Debbie A Lawlor

<http://www.bristol.ac.uk/media-library/sites/alspac/migrated/documents/appendix1b-cohort-profile-mothers.pdf>

Online data collection used: ALSPAC in-house bespoke online data collection system

## Administrative Variables – Frequencies

V0001 Entry is a duplicate - Remove if only looking at Mothers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	4640	31.5	96.5	96.5
	1 Yes	168	1.1	3.5	100.0
	Total	4808	32.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
Total		14723	100.0		

V0002 Individual was sent a questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No – Mother was not sent a questionnaire	4604	31.3	31.3	31.3
	1 Yes – Mother was sent a questionnaire	10119	68.7	68.7	100.0
	Total	14723	100.0	100.0	

V0003 Questionnaire completed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	9915	67.3	67.3	67.3
	1 Yes	4808	32.7	32.7	100.0
	Total	14723	100.0	100.0	

V0004 Data collection method and version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Online Version 1 Data	33	.2	.7	.7
	2 Online Version 2 Data	936	6.4	19.5	20.2
	3 Paper Version 1 Data	154	1.0	3.2	23.4
	4 Paper Version 2 Data	3685	25.0	76.6	100.0
	Total	4808	32.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
Total		14723	100.0		

# Your life in 2013

V2 16/08/2013

Questionnaire number



## Introduction

This questionnaire is for completion by the study child's mother or the person taking the role of the mother.

This questionnaire has been funded by a grant looking at women's health as they age, and is the first in a series of three you will receive between now and 2015. We hope to look at the way your answers change during this important part of your life.

Because we are looking at changes over a number of years, many of the following questions have been asked before and will be included in the subsequent questionnaires. This allows us to pick up on any changes to your health, the way you are feeling or your life in general.

Some questions may also seem very similar to each other; this is because the combination of answers gives a clearer picture than one single answer. There may be questions that seem a bit strange and are not applicable to you because they are concerned with specific feelings or problems.

We would be very grateful if you would try to answer all the questions, but we understand that there may be questions that you either prefer not to answer or are unable to answer. We understand that some of the questions are of a sensitive nature; please remember that your answers are confidential and anonymous.

We appreciate the time and effort required to complete the questionnaire and thank you for your continued support. The success of the study is entirely dependent on the support and goodwill of the participating families.

If you do not wish to complete this questionnaire, please leave it blank and return it to us in the prepaid envelope provided. We will then know not to send you any reminders.

### **Filling in the questionnaire**

Please use **black** pen. To answer questions simply put a cross in the box/circle which is most accurate in your opinion, like this:



If you make a mistake, shade the box/circle in like this:



then cross the correct box.

If you are answering questions which ask you to give further details, please make sure you write inside the boxes. When writing numbers inside boxes, please don't touch the sides of the box.

If you do not want to answer a question or if it does not apply to you, leave it blank. There are no right or wrong answers.

There is a blank sheet available at the back of the questionnaire if you need additional space. If you use this sheet, please clearly indicate the question number you are answering.

## Contents page

Section A: Your family and home life	Page 5 to 10
Section B: Your employment and finances	Page 11 to 15
Section C: Your Health	Page 16 to 28
Section D: Reproductive Health	Page 29 to 36
Section E: Sexual health	Page 37 to 40
Section F: Your feelings	Page 41 to 43
Section G: Alcohol and tobacco	Page 44 to 47
Section H: Your physical activity	Page 48 to 50

## **Section A: Your family and home life**

As you may already know, Children of the 90s is increasingly becoming a study of the whole family. The questions below are to help us build an accurate picture of your wider family structure. We are also asking questions about your home life.

### **Your children**

A1) How many children do you have?   (Insert number)

Please include all children you feel you have parental responsibility for, including biological, step, foster and adopted children. We have included space for up to 6 children. If you have had more than 6 children, please use the blank sheets at the back of the questionnaire and clearly indicate you are answering question A1. Please include any children that have passed away.

A2) What is the date of birth (DOB), sex and your relationship to each of these children?

a) 1st child

i) DOB Day  Month  Year

ii) (cross one option only)

1 Male  2 Female

iii) (cross one option only)

1 Biological  2 Step

3 Foster  4 Adopted

5 Other (please specify)

b) 2nd child

i) DOB Day  Month  Year

ii) (cross one option only)

1 Male  2 Female

iii) (cross one option only)

1 Biological  2 Step

3 Foster  4 Adopted

5 Other (please specify)

c) 3rd child

i) DOB Day      Month      Year  
      □□      □□□      □□□□□

ii) (cross one option only)

1  Male      2  Female

iii) (cross one option only)

1  Biological      2  Step  
3  Foster      4  Adopted  
5  Other (please specify)

d) 4th child

i) DOB Day      Month      Year  
      □□      □□□      □□□□□

ii) (cross one option only)

1  Male      2  Female

iii) (cross one option only)

1  Biological      2  Step  
3  Foster      4  Adopted  
5  Other (please specify)

e) 5th child

i) DOB Day      Month      Year  
      □□      □□□      □□□□□

ii) (cross one option only)

1  Male      2  Female

iii) (cross one option only)

1  Biological      2  Step  
3  Foster      4  Adopted  
5  Other (please specify)

f) 6th child

Day      Month      Year

i) DOB

ii) (cross one option only)

1 Male       2 Female

iii) (cross one option only)

1 Biological       2 Step  
 3 Foster       4 Adopted  
 5 Other (please specify)

A3) Have any of your children passed away?

(cross all that apply)

1 No       1st child  
 2nd child       3rd child  
 4th child       5th child  
 6th child

A4) If your study child has any brothers or sisters, would you be happy to receive further details about the Children of the 90s Brothers and Sisters study to pass on?

(cross one option only)

1 Yes       2 No

If you would like to know more about our plans for the Children of the 90s Brothers and Sisters study please go to [www.childrenofthe90s.ac.uk/go/siblings](http://www.childrenofthe90s.ac.uk/go/siblings). If you have answered yes above, we will contact you about this study later in the year.

## Your grandchildren

A5) Are you a grandparent?

(cross one option only)

1 Yes       2 No  
 3 Don't know

→ If no or don't know, go to A9

- A6) Are any of your grandchildren the children of your Children of the 90s study son or daughter?  
(cross one option only)

1 Yes  2 No

→ If no, go to A9

- A7) How many children does your Children of the 90s son or daughter have?

- A8) What are the dates of birth of your Children of the 90s study son or daughter's children? If you do not know exactly please state month and/or year. We have included space for up to 4 grandchildren. If your study child has had more than 4 children, please use the blank sheets at the back of the questionnaire and clearly indicate you are answering question A8

	Day	Month	Year
a) 1st grandchild	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
b) 2nd grandchild	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
c) 3rd grandchild	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
d) 4th grandchild	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

- A9) Is your Children of the 90s study child or their partner currently pregnant?

(cross one option only)

1 Yes, my study child is pregnant  2 Yes, my study child's partner is pregnant

3 No  4 Don't know

→ If no or don't know, go to A12

- A10) What is the expected due date of their baby? If you do not know the exact date please state month and/or year

Day  Month  Year

- A11) Are you happy to receive further details about the COCO90s (Children of the Children of the 90s) study to pass on to your study child?

(cross one option only)

1 Yes  2 No

3 They are already part of the study

If you would like to know more about our plans for the Children of the Children of the 90s study please go to [www.childrenofthe90s.ac.uk/participants/coco90s/](http://www.childrenofthe90s.ac.uk/participants/coco90s/). We will contact you about this study later in the year



## ■ Your partner

A12) Do you currently have a partner who lives with you?

(cross one option only)

1  Yes

2  No

A13) What is your present marital/relationship status?

(cross one option only)

1  Never married

2  Widowed

3  Divorced

4  Separated

5  Married

6  Living as married

7  Civil partnership

## ■ Your home

A14) Is your home

(cross one option only)

1  Owned - with mortgage?

2  Being bought from council?

3  Owned - with no mortgage to pay?

4  Rented from council?

5  Rented from private landlord – furnished?

6  Rented from private landlord – unfurnished?

7  Rented from housing association?

8  Other?

A15) If you know your council tax band (A, B, C, etc.) please write it here:

A16) How many people live in your household now (including yourself)?

a) Adults (18 years and older)

b) Young adults (16-17 years)

c) Older children (14-15 years)

d) Younger children (less than 14 years)

## Events in your life

A17) Listed below are a number of events which may have brought changes in your life. Have any of these occurred in the last year?

(cross one option on each line)

1 Yes

2 No

Your partner died	<input type="checkbox"/> 1	<input type="checkbox"/> 2
One of your children died	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Your parent died	<input type="checkbox"/> 1	<input type="checkbox"/> 2
You were very ill	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Your partner was very ill	<input type="checkbox"/> 1	<input type="checkbox"/> 2
One of your children was ill	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Your parent was ill	<input type="checkbox"/> 1	<input type="checkbox"/> 2
You lost your job	<input type="checkbox"/> 1	<input type="checkbox"/> 2
You were divorced	<input type="checkbox"/> 1	<input type="checkbox"/> 2
You and your partner separated	<input type="checkbox"/> 1	<input type="checkbox"/> 2
You got married	<input type="checkbox"/> 1	<input type="checkbox"/> 2

## Section A: Your Family and Home Life – Frequencies

V0101 A1: Number of children respondent has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	354	2.4	7.4	7.4
	2	2422	16.5	50.8	58.2
	3	1333	9.1	28.0	86.2
	4	456	3.1	9.6	95.8
	5	135	.9	2.8	98.6
	6	49	.3	1.0	99.6
	7 7+	17	.1	.4	100.0
	<b>Total</b>	<b>4766</b>	<b>32.4</b>	<b>100.0</b>	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	3	.0		
	-1 NS/NK	39	.3		
	<b>Total</b>	<b>9957</b>	<b>67.6</b>		
<b>Total</b>		<b>14723</b>	<b>100.0</b>		

V0110 A2aaii: Sex of respondent's 1st child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Male	2335	15.9	49.2	49.2
	2 Female	2409	16.4	50.8	100.0
	<b>Total</b>	<b>4744</b>	<b>32.2</b>	<b>100.0</b>	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	64	.4		
	<b>Total</b>	<b>9979</b>	<b>67.8</b>		
	<b>Total</b>	<b>14723</b>	<b>100.0</b>		

**V0111 A2aiii: Relationship of respondent to 1st child**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Biological</b>	4667	31.7	98.9	98.9
	<b>2 Step</b>	41	.3	.9	99.8
	<b>5 Adopted / Other</b>	11	.1	.2	100.0
	<b>Total</b>	4719	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	89	.6		
	<b>Total</b>	10004	67.9		
<b>Total</b>		14723	100.0		

**V0120 A2bii: Sex of respondent's 2nd child**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Male</b>	2185	14.8	50.1	50.1
	<b>2 Female</b>	2173	14.8	49.9	100.0
	<b>Total</b>	4358	29.6	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Respondent has 1 child</b>	353	2.4		
	<b>-1 NS/NK</b>	97	.7		
	<b>Total</b>	10365	70.4		
<b>Total</b>		14723	100.0		

**V0121 A2biii: Relationship of respondent to 2nd child**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Biological</b>	4238	28.8	98.7	98.7
	<b>2 Step</b>	41	.3	1.0	99.7
	<b>5 Foster / Adopted / Other</b>	14	.1	.3	100.0
	<b>Total</b>	4293	29.2	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Respondent has 1 child</b>	353	2.4		
	<b>-1 NS/NK</b>	162	1.1		
	<b>Total</b>	10430	70.8		
<b>Total</b>		14723	100.0		

**V0130 A2cii: Sex of respondent's 3rd child**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Male</b>	986	6.7	50.7	50.7
	<b>2 Female</b>	959	6.5	49.3	100.0
	<b>Total</b>	1945	13.2	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 2 or fewer children</b>	2775	18.8		
	<b>-1 NS/NK</b>	88	.6		
	<b>Total</b>	12778	86.8		
<b>Total</b>		14723	100.0		

**V0131 A2ciii: Relationship of respondent to 3rd child**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Biological</b>	1752	11.9	95.3	95.3
	<b>2 Step</b>	61	.4	3.3	98.6
	<b>3 Foster</b>	10	.1	.5	99.2
	<b>4 Adopted</b>	8	.1	.4	99.6
	<b>5 Other (please specify)</b>	7	.0	.4	100.0
	<b>Total</b>	1838	12.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 2 or fewer children</b>	2775	18.8		
	<b>-1 NS/NK</b>	195	1.3		
	<b>Total</b>	12885	87.5		
<b>Total</b>		14723	100.0		

**V0140 A2dii: Sex of respondent's 4th child**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Male</b>	334	2.3	51.9	51.9
	<b>2 Female</b>	310	2.1	48.1	100.0
	<b>Total</b>	644	4.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 3 or fewer children</b>	4106	27.9		
	<b>-1 NS/NK</b>	58	.4		
	<b>Total</b>	14079	95.6		

<b>Total</b>	14723	100.0		
--------------	-------	-------	--	--

**V0141 A2diii: Relationship of respondent to 4th child**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Biological</b>	525	3.6	87.5	87.5
	<b>2 Step</b>	52	.4	8.7	96.2
	<b>3 Foster</b>	15	.1	2.5	98.7
	<b>4 Adopted</b>	3	.0	.5	99.2
	<b>5 Other (please specify)</b>	5	.0	.8	100.0
	<b>Total</b>	600	4.1	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 3 or fewer children</b>	4106	27.9		
	<b>-1 NS/NK</b>	102	.7		
	<b>Total</b>	14123	95.9		
<b>Total</b>		14723	100.0		

**V0150 A2eii: Sex of respondent's 5th child**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Male</b>	101	.7	51.8	51.8
	<b>2 Female</b>	94	.6	48.2	100.0
	<b>Total</b>	195	1.3	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 4 or fewer children</b>	4562	31.0		
	<b>-1 NS/NK</b>	51	.3		
	<b>Total</b>	14528	98.7		
<b>Total</b>		14723	100.0		

**V0151 A2eiii: Relationship of respondent to 5th child**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Biological</b>	150	1.0	79.4	79.4
	<b>2 Step</b>	29	.2	15.3	94.7
	<b>3 Foster</b>	5	.0	2.6	97.4
	<b>5 Other (please specify)</b>	5	.0	2.6	100.0
	<b>Total</b>	189	1.3	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 4 or fewer children</b>	4562	31.0		
	<b>-1 NS/NK</b>	57	.4		
	<b>Total</b>	14534	98.7		
<b>Total</b>		14723	100.0		

**V0160 A2fii: Sex of respondent's 6th child**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Male</b>	30	.2	47.6	47.6
	<b>2 Female</b>	33	.2	52.4	100.0
	<b>Total</b>	63	.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 5 or fewer children</b>	4699	31.9		
	<b>-1 NS/NK</b>	46	.3		
	<b>Total</b>	14660	99.6		
<b>Total</b>		14723	100.0		

**V0161 A2fiii: Relationship of respondent to 6th child**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Biological</b>	48	.3	80.0	80.0
	<b>2 Step</b>	10	.1	16.7	96.7
	<b>3 Foster</b>	2	.0	3.3	100.0
	<b>Total</b>	60	.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 5 or fewer children</b>	4699	31.9		
	<b>-1 NS/NK</b>	49	.3		
	<b>Total</b>	14663	99.6		

<b>Total</b>	14723	100.0		
--------------	-------	-------	--	--

**V0170 A3 : Any of respondent's children have passed away**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 No</b>	4118	28.0	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	690	4.7		
	<b>Total</b>	10605	72.0		
<b>Total</b>		14723	100.0		

**V0171 A3 1st: Respondent's 1st child passed away**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 1st child</b>	37	.3	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	4771	32.4		
	<b>Total</b>	14686	99.7		
<b>Total</b>		14723	100.0		

**V0172 A3 2nd: Respondent's 2nd child passed away**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 2nd child</b>	29	.2	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	4779	32.5		
	<b>Total</b>	14694	99.8		
<b>Total</b>		14723	100.0		

**V0173 A3 3rd: Respondent's 3rd child passed away**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 3rd child</b>	18	.1	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	4790	32.5		
	<b>Total</b>	14705	99.9		
<b>Total</b>		14723	100.0		

V0174 A3 4th: Respondent's 4th child passed away

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 4th child	11	.1	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	4797	32.6		
	Total	14712	99.9		
Total		14723	100.0		

V0180 A4: Study child brother/sister happy receive details Co90s Brother/Sister study

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2953	20.1	73.7	73.7
	2 No	1056	7.2	26.3	100.0
	Total	4009	27.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	799	5.4		
	Total	10714	72.8		
Total		14723	100.0		

V0200 A5: Respondent is a grandparent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	750	5.1	16.1	16.1
	2 No	3894	26.4	83.8	99.9
	3 Don't know	5	.0	.1	100.0
	Total	4649	31.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	159	1.1		
	Total	10074	68.4		
Total		14723	100.0		

**V0201 A6: Any grandchildren are children of CO90s study child**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	209	1.4	27.7	27.7
	<b>2 No</b>	546	3.7	72.3	100.0
	<b>Total</b>	755	5.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	1	.0		
	<b>-2 Not a grandparent</b>	3899	26.5		
	<b>-1 NS/NK</b>	153	1.0		
	<b>Total</b>	13968	94.9		
<b>Total</b>		14723	100.0		

**V0202 A7: Number of children respondent's Study son or daughter has**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>0</b>	3	.0	1.4	1.4
	<b>1</b>	172	1.2	83.1	84.5
	<b>2 2+</b>	32	.2	15.5	100.0
	<b>Total</b>	207	1.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	1	.0		
	<b>-6 Variable not in Version 1 questionnaire</b>	185	1.3		
	<b>-3 Not a grandparent of YP's child</b>	519	3.5		
	<b>-2 Not a grandparent</b>	3736	25.4		
	<b>-1 NS/NK</b>	160	1.1		
	<b>Total</b>	14516	98.6		
<b>Total</b>		14723	100.0		

**V0205 A9: Respondent's study child or partner currently pregnant**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, my study child is pregnant</b>	44	.3	1.0	1.0
	<b>2 Yes, my study child's partner is pregnant</b>	20	.1	.5	1.5
	<b>3 No</b>	4335	29.4	98.4	99.9
	<b>4 Don't know</b>	5	.0	.1	100.0
	<b>Total</b>	4404	29.9	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	404	2.7		
	<b>Total</b>	10319	70.1		
<b>Total</b>		14723	100.0		

**V0300 A12: Respondent currently has a partner who lives with them**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	3914	26.6	82.6	82.6
	<b>2 No</b>	822	5.6	17.4	100.0
	<b>Total</b>	4736	32.2	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	72	.5		
	<b>Total</b>	9987	67.8		
	<b>Total</b>	14723	100.0		

**V0301 A13: Respondent's present marital/relationship status**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Never married</b>	156	1.1	3.3	3.3
	<b>2 Widowed</b>	78	.5	1.6	4.9
	<b>3 Divorced</b>	536	3.6	11.3	16.2
	<b>4 Separated</b>	167	1.1	3.5	19.7
	<b>5 Married</b>	3539	24.0	74.6	94.3
	<b>6 Living as married</b>	258	1.8	5.4	99.7
	<b>7 Civil partnership</b>	13	.1	.3	100.0
	<b>Total</b>	4747	32.2	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	1	.0		
	<b>-1 NS/NK</b>	60	.4		
	<b>Total</b>	9976	67.8		
<b>Total</b>		14723	100.0		

**V0310 A14: Respondent's housing tenure**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Owned - with mortgage</b>	2712	18.4	56.9	56.9
	<b>2 Being bought from council</b>	11	.1	.2	57.2
	<b>3 Owned - with no mortgage to pay</b>	1550	10.5	32.5	89.7
	<b>4 Rented from council</b>	162	1.1	3.4	93.1
	<b>5 Rented from private landlord - furnished</b>	15	.1	.3	93.4
	<b>6 Rented from private landlord - unfurnished</b>	159	1.1	3.3	96.8
	<b>7 Rented from housing association</b>	106	.7	2.2	99.0
	<b>8 Other</b>	48	.3	1.0	100.0
	<b>Total</b>	4763	32.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	45	.3		

	<b>Total</b>	9960	67.6		
<b>Total</b>		14723	100.0		

**V0311 A15: Respondents council tax band**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 A</b>	100	.7	3.3	3.3
	<b>2 B</b>	540	3.7	18.0	21.3
	<b>3 C</b>	709	4.8	23.6	45.0
	<b>4 D</b>	774	5.3	25.8	70.8
	<b>5 E</b>	421	2.9	14.0	84.8
	<b>6 F</b>	227	1.5	7.6	92.4
	<b>7 G</b>	188	1.3	6.3	98.7
	<b>8 H</b>	38	.3	1.3	99.9
	<b>9 Not a Bristol Council Tax Band</b>	2	.0	.1	100.0
<b>Total</b>		2999	20.4	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-9 Don't know</b>	1	.0		
	<b>-1 NS/NK</b>	1808	12.3		
	<b>Total</b>	11724	79.6		
<b>Total</b>		14723	100.0		

**V0320 A16a: Number of adults (18+; inc. respondent) living in household**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1</b>	328	2.2	7.0	7.0
	<b>2</b>	1267	8.6	27.1	34.2
	<b>3</b>	1601	10.9	34.3	68.4
	<b>4</b>	1180	8.0	25.3	93.7
	<b>5</b>	237	1.6	5.1	98.8
	<b>6</b>	44	.3	.9	99.7
	<b>7 7 or more</b>	13	.1	.3	100.0
	<b>Total</b>	4670	31.7	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	27	.2		
	<b>-1 NS/NK</b>	111	.8		
	<b>Total</b>	10053	68.3		

<b>Total</b>	14723	100.0		
--------------	-------	-------	--	--

**V0321 A16b: Number young adults (16-17 yrs) living in respondent's household**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>0</b>	831	5.6	55.9	55.9
	<b>1</b>	628	4.3	42.3	98.2
	<b>2 2 or more</b>	27	.2	1.8	100.0
	<b>Total</b>	1486	10.1	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	16	.1		
	<b>-1 NS/NK</b>	3306	22.5		
	<b>Total</b>	13237	89.9		
<b>Total</b>		14723	100.0		

**V0322 A16c: Number older children (14-15 yrs) living in respondent's household**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>0</b>	817	5.5	68.5	68.5
	<b>1</b>	360	2.4	30.2	98.7
	<b>2 2 or more</b>	15	.1	1.3	100.0
	<b>Total</b>	1192	8.1	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	17	.1		
	<b>-1 NS/NK</b>	3599	24.4		
	<b>Total</b>	13531	91.9		
<b>Total</b>		14723	100.0		

**V0323 A16d: Number younger children(<14 years) living in respondent's household**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	834	5.7	67.4	67.4
	1	325	2.2	26.3	93.6
	2	63	.4	5.1	98.7
	3 3 or more	16	.1	1.3	100.0
	Total	1238	8.4	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	16	.1		
	-1 NS/NK	3554	24.1		
	Total	13485	91.6		
Total		14723	100.0		

**V0400 A17 i: Partner died in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	27	.2	.6	.6
	2 No	4482	30.4	99.4	100.0
	Total	4509	30.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	299	2.0		
	Total	10214	69.4		
	Total	14723	100.0		

**V0401 A17 ii: One of respondent's children died in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.1	.3	.3
	2 No	4491	30.5	99.7	100.0
	Total	4505	30.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	303	2.1		
	Total	10218	69.4		
	Total	14723	100.0		

<b>Total</b>	14723	100.0		
--------------	-------	-------	--	--

**V0402 A17 iii: One of respondent's parents died in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	388	2.6	8.6	8.6
	<b>2 No</b>	4139	28.1	91.4	100.0
	<b>Total</b>	4527	30.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	281	1.9		
	<b>Total</b>	10196	69.3		
<b>Total</b>		14723	100.0		

**V0403 A17 iv: Respondent was very ill in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	267	1.8	5.9	5.9
	<b>2 No</b>	4246	28.8	94.1	100.0
	<b>Total</b>	4513	30.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	295	2.0		
	<b>Total</b>	10210	69.3		
<b>Total</b>		14723	100.0		

**V0404 A17 v: Partner was very ill in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	181	1.2	4.0	4.0
	<b>2 No</b>	4317	29.3	96.0	100.0
	<b>Total</b>	4498	30.6	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	310	2.1		
	<b>Total</b>	10225	69.4		
<b>Total</b>		14723	100.0		

**V0405 A17 vi: One of respondent's children was ill in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	314	2.1	7.0	7.0
	<b>2 No</b>	4194	28.5	93.0	100.0
	<b>Total</b>	4508	30.6	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	300	2.0		
	<b>Total</b>	10215	69.4		
<b>Total</b>		14723	100.0		

**V0406 A17 vii: One of respondent's parents was ill in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	973	6.6	21.5	21.5
	<b>2 No</b>	3557	24.2	78.5	100.0
	<b>Total</b>	4530	30.8	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	278	1.9		
	<b>Total</b>	10193	69.2		
<b>Total</b>		14723	100.0		

**V0407 A17 viii: Respondent lost their job in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	201	1.4	4.5	4.5
	<b>2 No</b>	4295	29.2	95.5	100.0
	<b>Total</b>	4496	30.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	312	2.1		
	<b>Total</b>	10227	69.5		
<b>Total</b>		14723	100.0		

**V0408 A17 ix: Respondent was divorced in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	107	.7	2.4	2.4
	<b>2 No</b>	4381	29.8	97.6	100.0
	<b>Total</b>	4488	30.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	320	2.2		
	<b>Total</b>	10235	69.5		
<b>Total</b>		14723	100.0		

**V0409 A17 x: Respondent separated from their partner in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	166	1.1	3.7	3.7
	<b>2 No</b>	4343	29.5	96.3	100.0
	<b>Total</b>	4509	30.6	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	299	2.0		
	<b>Total</b>	10214	69.4		
<b>Total</b>		14723	100.0		

**V0410 A17 xi: Respondent got married in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	79	.5	1.8	1.8
	<b>2 No</b>	4413	30.0	98.2	100.0
	<b>Total</b>	4492	30.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	316	2.1		
	<b>Total</b>	10231	69.5		
<b>Total</b>		14723	100.0		

**Derived Variable: Count of frequency of life events in the last year**

count numb\_life\_events\_past\_yr=V0400, V0401, V0402, V0403, V0404, V0405, V0406, V0407, V0408, V0409, V0410 (1).

**V0411 DV: Number of life events in the last year**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>0</b>	2948	20.0	61.3	61.3
	1	1238	8.4	25.7	87.1
	2	464	3.2	9.7	96.7
	3	120	.8	2.5	99.2
	4	21	.1	.4	99.6
	5	9	.1	.2	99.8
	6	4	.0	.1	99.9
	7	1	.0	.0	99.9
	10	2	.0	.0	100.0
	11	1	.0	.0	100.0
	<b>Total</b>	4808	32.7	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
<b>Total</b>		14723	100.0		

## **Section B: Your employment and finances**

The section below is about your employment, and that of your partner. If you do not currently have a partner who lives with you, please only complete the sections about yourself. We will also ask some questions about your financial situation.

### **Your job**

B1) Are you/your partner currently?

(cross all that apply on each row)

<sup>1</sup> Yourself

<sup>2</sup> Your partner

Employed in a paid job (full or part-time)	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Retired	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Unemployed and seeking work	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Unable to work through sickness/disability	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Full/part-time student	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Doing voluntary work	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Looking after family/home	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Self employed	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Full/Part time carer	<input type="checkbox"/> 1	<input type="checkbox"/> 2
Other, please describe:	<input type="checkbox"/> 1	<input type="checkbox"/> 2

B2) Please describe the current or most recent job held by yourself and your partner

(If you have more than one job, please describe your main role)

*(Use precise terms such as Primary Teacher, Laboratory Technician, Care Assistant, Mortgage Adviser, Bus Driver, Software Developer, Call Centre Operator. If the occupation is known by a special name, please use that name. If in HM Forces, give the rank in addition to the actual job. Please also describe the type of industry or service given and give details of what is made, materials used or services given).*

	Yourself			Your partner		
a) What is the job title?	<input type="text"/>			<input type="text"/>		
b) What is the business/industry?	<input type="text"/>			<input type="text"/>		
c) Please describe the main things you do, or your partner does, in this job.	<input type="text"/>			<input type="text"/>		
d) When did you/your partner start this job?	Month <input type="text"/> <input type="text"/>	Year <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	Month <input type="text"/> <input type="text"/>	Year <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>		
e) If not current, when did you/your partner end this job?	Month <input type="text"/> <input type="text"/>	Year <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	Month <input type="text"/> <input type="text"/>	Year <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>		
f) How many hours do you/your partner work in a usual week?	Hours (nearest whole hour) <input type="text"/> <input type="text"/> <input type="text"/>			Hours (nearest whole hour) <input type="text"/> <input type="text"/> <input type="text"/>		
g) Are you/your partner employees?	1 <input type="checkbox"/>			1 <input type="checkbox"/>		
→ Complete B3 and B4						
h) Are you/your partner self-employed?	1 <input type="checkbox"/>			1 <input type="checkbox"/>		
→ Complete B5 and B6						

## For employees only

- B3) In your job, do you or your partner have any formal responsibility for supervising the work of other employees? Do not include supervising children e.g. teachers.

(cross one option on each line)

1 Yes      2 No

Yourself       1  2

Your partner       1  2

- B4) How many people work for your employer in the place where you or your partner work? We mean the actual building/branch or part of a building.

(cross one option on each line)

1 1-9      2 10-24      3 25-499      4 500 or more

a) Yourself       1  2  3  4

b) Your partner       1  2  3  4

## For self-employed only

- B5) Do you or your partner work on your own or do you have employees?

(cross one option on each line)

1 On own or with partner but no employees      2 With employees

a) Yourself       1  2

b) Your partner       1  2

- B6) How many people do you or your partner employ where you or your partner work?

(cross one option on each line)

1 1-9      2 10-24      3 25-499      4 500 or more

a) Yourself       1  2  3  4

b) Your partner       1  2  3  4

## ■ Your household finances

- B7) On average, about how much is your take-home household income each month? Include all earnings, social benefits, tax credits etc.

(cross one option only)

1 <input type="checkbox"/> Less than £899	2 <input type="checkbox"/> £900-£1149
3 <input type="checkbox"/> £1150-£1549	4 <input type="checkbox"/> £1550-£1849
5 <input type="checkbox"/> £1850-£2099	6 <input type="checkbox"/> £2100-£2399
7 <input type="checkbox"/> £2400-£2799	8 <input type="checkbox"/> £2800-£3399
9 <input type="checkbox"/> £3400-£4000	10 <input type="checkbox"/> £4001 or more
11 <input type="checkbox"/> Don't know	

- B8) How much do you, as a household, pay for rent or mortgage each month?

(cross one option only)

1 <input type="checkbox"/> Nothing	2 <input type="checkbox"/> Less than £200
3 <input type="checkbox"/> £200-£249	4 <input type="checkbox"/> £250-£299
5 <input type="checkbox"/> £300-£349	6 <input type="checkbox"/> £350-£399
7 <input type="checkbox"/> £400-£499	8 <input type="checkbox"/> £500-£599
9 <input type="checkbox"/> £600-£699	10 <input type="checkbox"/> £700-£799
11 <input type="checkbox"/> £800-£999	12 <input type="checkbox"/> £1000 or more
13 <input type="checkbox"/> Don't know	14 <input type="checkbox"/> Paid in full by benefits

- B9) Do you, as a household, have any outstanding debts (not including mortgages)?

(cross one option only)

1 <input type="checkbox"/> Yes	2 <input type="checkbox"/> No
--------------------------------	-------------------------------

B10) How often do you, as a household, have money left over at the end of the month that you could save?

(cross one option only)

1 <input type="radio"/> Always	2 <input type="radio"/> Most months
3 <input type="radio"/> Sometimes	4 <input type="radio"/> Hardly ever
5 <input type="radio"/> Never	6 <input type="radio"/> Don't know

B11) How often does your household save money?

(cross one option only)

1 <input type="radio"/> Regularly	2 <input type="radio"/> From time to time
3 <input type="radio"/> Very occasionally	4 <input type="radio"/> Never

B12) How well would you say your household is managing financially these days? Would you say you are:

(cross one option only)

1 <input type="radio"/> Living comfortably	2 <input type="radio"/> Doing alright
3 <input type="radio"/> Just about getting by	4 <input type="radio"/> Finding it quite difficult
5 <input type="radio"/> Finding it very difficult	6 <input type="radio"/> Don't know

## Section B: Your employment and finances – Frequencies

V1150 B1i Respondent: currently employed in a paid job (full or part-time)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3594	24.4	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-5 Bad data	187	1.3		
	-1 NS/NK	1027	7.0		
	Total	11129	75.6		
Total		14723	100.0		

V1151 B1i Partner: currently employed in a paid job (full/part-time)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2786	18.9	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-5 Bad data	187	1.3		
	-1 NS/NK	1835	12.5		
	Total	11937	81.1		
Total		14723	100.0		

V1152 B1ii Respondent: currently retired

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	147	1.0	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-5 Bad data	187	1.3		
	-1 NS/NK	4474	30.4		
	Total	14576	99.0		
Total		14723	100.0		

**V1153 B1ii Partner: currently retired**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	316	2.1	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4305	29.2		
	<b>Total</b>	14407	97.9		
<b>Total</b>		14723	100.0		

**V1154 B1iii Respondent: currently unemployed and seeking work**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	80	.5	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4541	30.8		
	<b>Total</b>	14643	99.5		
<b>Total</b>		14723	100.0		

**V1155 B1iii Partner: currently unemployed and seeking work**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	79	.5	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4542	30.8		
	<b>Total</b>	14644	99.5		
<b>Total</b>		14723	100.0		

**V1156 B1iv Respondent: currently unable to work through sickness/disability**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	125	.8	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4496	30.5		
	<b>Total</b>	14598	99.2		
<b>Total</b>		14723	100.0		

**V1157 B1iv Partner: currently unable work sickness/disability**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	84	.6	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4537	30.8		
	<b>Total</b>	14639	99.4		
<b>Total</b>		14723	100.0		

**V1158 B1v Respondent: currently full/part-time student**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	93	.6	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4528	30.8		
	<b>Total</b>	14630	99.4		
<b>Total</b>		14723	100.0		

**V1159 B1v Partner: currently full/part-time student**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	27	.2	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4594	31.2		
	<b>Total</b>	14696	99.8		
<b>Total</b>		14723	100.0		

**V1160 B1vi Respondent: currently doing voluntary work**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	277	1.9	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4344	29.5		
	<b>Total</b>	14446	98.1		
<b>Total</b>		14723	100.0		

**V1161 B1vi Partner: currently doing voluntary work**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	80	.5	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4541	30.8		
	<b>Total</b>	14643	99.5		
<b>Total</b>		14723	100.0		

**V1162 B1vii Respondent: currently looking after family/home**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Yes</b>	716	4.9	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	3905	26.5		
	<b>Total</b>	14007	95.1		
<b>Total</b>		14723	100.0		

**V1163 B1vii Partner: currently looking after family/home**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Yes</b>	157	1.1	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4464	30.3		
	<b>Total</b>	14566	98.9		
<b>Total</b>		14723	100.0		

**V1164 B1viii Respondent: currently self employed**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Yes</b>	572	3.9	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4049	27.5		
	<b>Total</b>	14151	96.1		
<b>Total</b>		14723	100.0		

**V1165 B1viii Partner: currently self employed**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Yes</b>	797	5.4	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	3824	26.0		
	<b>Total</b>	13926	94.6		
<b>Total</b>		14723	100.0		

**V1166 B1ix Respondent: currently full/Part time carer**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Yes</b>	204	1.4	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4417	30.0		
	<b>Total</b>	14519	98.6		
<b>Total</b>		14723	100.0		

**V1167 B1ix Partner: currently full/Part time carer**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Yes</b>	58	.4	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4563	31.0		
	<b>Total</b>	14665	99.6		
<b>Total</b>		14723	100.0		

**V1168 B1x Respondent: in other employment circumstances**


		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Yes</b>	95	.6	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	2	.0		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4524	30.7		
	<b>Total</b>	14628	99.4		
<b>Total</b>		14723	100.0		

**V1169 B1x Partner: in other employment circumstances**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Yes</b>	59	.4	100.0	100.0
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	2	.0		
	<b>-5 Bad data</b>	187	1.3		
	<b>-1 NS/NK</b>	4560	31.0		
	<b>Total</b>	14664	99.6		
<b>Total</b>		14723	100.0		


**V1200 B2d i Month respondent started current or most recent job**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1</b>	433	2.9	11.0	11.0
	<b>2</b>	228	1.5	5.8	16.8
	<b>3</b>	217	1.5	5.5	22.3
	<b>4</b>	355	2.4	9.0	31.3
	<b>5</b>	262	1.8	6.6	37.9
	<b>6</b>	270	1.8	6.9	44.8
	<b>7</b>	256	1.7	6.5	51.3
	<b>8</b>	258	1.8	6.5	57.8
	<b>9</b>	897	6.1	22.8	80.6
	<b>10</b>	365	2.5	9.3	89.9
	<b>11</b>	276	1.9	7.0	96.9
	<b>12</b>	123	.8	3.1	100.0
<b>Total</b>		3940	26.8	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	8	.1		
	<b>-1 NS/NK</b>	860	5.8		
	<b>Total</b>	10783	73.2		
<b>Total</b>		14723	100.0		




V1205 B2d ii Month partner started current/most recent job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	362	2.5	13.4	13.4
	2	117	.8	4.3	17.7
	3	186	1.3	6.9	24.6
	4	259	1.8	9.6	34.2
	5	166	1.1	6.2	40.4
	6	231	1.6	8.6	48.9
	7	212	1.4	7.9	56.8
	8	202	1.4	7.5	64.3
	9	496	3.4	18.4	82.7
	10	224	1.5	8.3	91.0
	11	173	1.2	6.4	97.4
	12	71	.5	2.6	100.0
Total		2699	18.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	7	.0		
	-1 NS/NK	2102	14.3		
	Total	12024	81.7		
Total		14723	100.0		




**V1210 B2e i Month respondent's most recent job ended**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1</b>	23	.2	7.9	7.9
	<b>2</b>	12	.1	4.1	12.0
	<b>3</b>	21	.1	7.2	19.2
	<b>4</b>	17	.1	5.8	25.1
	<b>5</b>	19	.1	6.5	31.6
	<b>6</b>	35	.2	12.0	43.6
	<b>7</b>	37	.3	12.7	56.4
	<b>8</b>	39	.3	13.4	69.8
	<b>9</b>	24	.2	8.2	78.0
	<b>10</b>	20	.1	6.9	84.9
	<b>11</b>	21	.1	7.2	92.1
	<b>12</b>	23	.2	7.9	100.0
<b>Total</b>		291	2.0	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	2	.0		
	<b>-1 NS/NK</b>	4515	30.7		
	<b>Total</b>	14432	98.0		
<b>Total</b>		14723	100.0		




**V1215 B2e ii Month partner's most recent job ended**


		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1</b>	14	.1	6.2	6.2
	<b>2</b>	15	.1	6.6	12.8
	<b>3</b>	13	.1	5.8	18.6
	<b>4</b>	14	.1	6.2	24.8
	<b>5</b>	19	.1	8.4	33.2
	<b>6</b>	17	.1	7.5	40.7
	<b>7</b>	27	.2	11.9	52.7
	<b>8</b>	30	.2	13.3	65.9
	<b>9</b>	38	.3	16.8	82.7
	<b>10</b>	10	.1	4.4	87.2
	<b>11</b>	10	.1	4.4	91.6
	<b>12</b>	19	.1	8.4	100.0
<b>Total</b>		226	1.5	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	1	.0		
	<b>-1 NS/NK</b>	4581	31.1		
	<b>Total</b>	14497	98.5		
<b>Total</b>		14723	100.0		



**V1252 B2f i: Number of hours worked by respondent in usual week (nearest whole hour)**



V1253 B2f ii: Number hrs worked by partner in usual week (nearest whole hour)



**V1255 B2g i: Respondent is employee**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	3674	25.0	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	1134	7.7		
	<b>Total</b>	11049	75.0		
<b>Total</b>		14723	100.0		

**V1256 B2g ii: Partner is employee**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	2712	18.4	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	2096	14.2		
	<b>Total</b>	12011	81.6		
<b>Total</b>		14723	100.0		

**V1257 B2h i: Respondent is self employed**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	669	4.5	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	4139	28.1		
	<b>Total</b>	14054	95.5		
<b>Total</b>		14723	100.0		

**V1258 B2h ii: Partner is self employed**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	967	6.6	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	3841	26.1		
	<b>Total</b>	13756	93.4		
<b>Total</b>		14723	100.0		

**V1262 B3i: Respondent has formal responsibility supervising work of other employees**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	1473	10.0	41.1	41.1
	<b>2 No</b>	2111	14.3	58.9	100.0
	<b>Total</b>	3584	24.3	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	1224	8.3		
	<b>Total</b>	11139	75.7		
<b>Total</b>		14723	100.0		

V1263 B3ii: Partner has formal responsibility supervising work other employees

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1508	10.2	55.1	55.1
	2 No	1227	8.3	44.9	100.0
	Total	2735	18.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2073	14.1		
	Total	11988	81.4		
Total		14723	100.0		

V1264 B4a: Number of people in building/branch/part building where respondent works

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1-9	690	4.7	20.1	20.1
	2 10-24	708	4.8	20.7	40.8
	3 25-499	1590	10.8	46.4	87.2
	4 500 or more	437	3.0	12.8	100.0
	Total	3425	23.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	1383	9.4		
	Total	11298	76.7		
Total		14723	100.0		

V1265 B4b: Number people in building/branch/part building where partner works

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1-9	490	3.3	20.1	20.1
	2 10-24	371	2.5	15.2	35.3
	3 25-499	1178	8.0	48.3	83.6
	4 500 or more	399	2.7	16.4	100.0
	Total	2438	16.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2370	16.1		
	Total	12285	83.4		
Total		14723	100.0		

**V1266 B5a: If self-employed respondent works on own or has employees**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 On own or with partner but no employees</b>	530	3.6	70.6	70.6
	<b>2 With employees</b>	221	1.5	29.4	100.0
	<b>Total</b>	751	5.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	4057	27.6		
	<b>Total</b>	13972	94.9		
<b>Total</b>		14723	100.0		

**V1267 B5b: If self-employed partner works on own or has employees**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 On own or with partner but no employees</b>	602	4.1	61.6	61.6
	<b>2 With employees</b>	376	2.6	38.4	100.0
	<b>Total</b>	978	6.6	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	3830	26.0		
	<b>Total</b>	13745	93.4		
<b>Total</b>		14723	100.0		

**V1268 B6a: If self-employed number of people respondent employs where they work**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>0</b>	1	.0	.4	.4
	<b>1 1-9</b>	185	1.3	71.2	71.5
	<b>2 10-24</b>	37	.3	14.2	85.8
	<b>3 25-499</b>	33	.2	12.7	98.5
	<b>4 500 or more</b>	4	.0	1.5	100.0
	<b>Total</b>	260	1.8	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	4548	30.9		
	<b>Total</b>	14463	98.2		
<b>Total</b>		14723	100.0		

V1269 B6b: If self-employed numb people partner employs where they work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1-9	309	2.1	69.1	69.1
	2 10-24	73	.5	16.3	85.5
	3 25-499	53	.4	11.9	97.3
	4 500 or more	12	.1	2.7	100.0
	<b>Total</b>	<b>447</b>	<b>3.0</b>	<b>100.0</b>	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	4361	29.6		
	<b>Total</b>	<b>14276</b>	<b>97.0</b>		
<b>Total</b>		<b>14723</b>	<b>100.0</b>		

V1300 B7: Respondent's average monthly take-home household income

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 less than £899	216	1.5	4.9	4.9
	2 £900-£1149	229	1.6	5.2	10.2
	3 £1150-£1549	403	2.7	9.2	19.4
	4 £1550-£1849	227	1.5	5.2	24.6
	5 £1850-£2099	320	2.2	7.3	31.9
	6 £2100-£2399	346	2.4	7.9	39.8
	7 £2400-£2799	465	3.2	10.6	50.5
	8 £2800-£3399	601	4.1	13.8	64.2
	9 £3400-£4000	440	3.0	10.1	74.3
	10 £4001 or more	924	6.3	21.1	95.5
	11 Don't know	198	1.3	4.5	100.0
	<b>Total</b>	<b>4369</b>	<b>29.7</b>	<b>100.0</b>	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	439	3.0		
	<b>Total</b>	<b>10354</b>	<b>70.3</b>		
<b>Total</b>		<b>14723</b>	<b>100.0</b>		

V1301 B8: Amount household pays each month for rent or mortgage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Nothing</b>	1471	10.0	33.3	33.3
	<b>2 Less than £200</b>	316	2.1	7.2	40.5
	<b>3 £200-£249</b>	180	1.2	4.1	44.6
	<b>4 £250-£299</b>	122	.8	2.8	47.3
	<b>5 £300-£349</b>	216	1.5	4.9	52.2
	<b>6 £350-£399</b>	192	1.3	4.4	56.6
	<b>7 £400-£499</b>	379	2.6	8.6	65.2
	<b>8 £500-£599</b>	279	1.9	6.3	71.5
	<b>9 £600-£699</b>	256	1.7	5.8	77.3
	<b>10 £700-£799</b>	203	1.4	4.6	81.9
	<b>11 £800-£999</b>	266	1.8	6.0	87.9
	<b>12 £1000 or more</b>	433	2.9	9.8	97.7
	<b>13 Don't know</b>	86	.6	1.9	99.7
	<b>14 Paid in full by benefits</b>	14	.1	.3	100.0
<b>Total</b>		4413	30.0	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	395	2.7		
	<b>Total</b>	10310	70.0		
<b>Total</b>		14723	100.0		

V1306 B9: As a household any outstanding debts (not including mortgages)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	1488	10.1	34.2	34.2
	<b>2 No</b>	2860	19.4	65.8	100.0
	<b>Total</b>	4348	29.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	460	3.1		
	<b>Total</b>	10375	70.5		
<b>Total</b>		14723	100.0		

**V1351 B10: Frequency household has money left over end of month that could be saved**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Always</b>	1271	8.6	27.9	27.9
	<b>2 Most months</b>	791	5.4	17.3	45.2
	<b>3 Sometimes</b>	1064	7.2	23.3	68.5
	<b>4 Hardly ever</b>	682	4.6	14.9	83.5
	<b>5 Never</b>	689	4.7	15.1	98.6
	<b>6 Don't know</b>	65	.4	1.4	100.0
	<b>Total</b>	4562	31.0	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	246	1.7		
	<b>Total</b>	10161	69.0		
<b>Total</b>		14723	100.0		

**V1352 B11: Frequency household saves money**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Regularly</b>	2243	15.2	49.0	49.0
	<b>2 From time to time</b>	1139	7.7	24.9	74.0
	<b>3 Very occasionally</b>	577	3.9	12.6	86.6
	<b>4 Never</b>	614	4.2	13.4	100.0
	<b>Total</b>	4573	31.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	235	1.6		
	<b>Total</b>	10150	68.9		
<b>Total</b>		14723	100.0		

**V1354 B12: Degree to which household is managing financially these days**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Living comfortably</b>	1613	11.0	35.1	35.1
	<b>2 Doing alright</b>	1608	10.9	35.0	70.1
	<b>3 Just about getting by</b>	779	5.3	16.9	87.0
	<b>4 Finding it quite difficult</b>	335	2.3	7.3	94.3
	<b>5 Finding it very difficult</b>	248	1.7	5.4	99.7
	<b>6 Don't know</b>	14	.1	.3	100.0
	<b>Total</b>	4597	31.2	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	211	1.4		
	<b>Total</b>	10126	68.8		
<b>Total</b>		14723	100.0		

### Section C: Your Health

The following questions ask for your views about your health and how you feel about life in general. If you are unsure about how to answer any question, try and think about your overall health and give the best answer you can. Do not spend too much time answering, as your immediate response is likely to be the most accurate.

- C1) In general, would you say your health is:

(cross one option only)

<input type="checkbox"/> 1 Excellent	<input type="checkbox"/> 2 Very good
<input type="checkbox"/> 3 Good	<input type="checkbox"/> 4 Fair
<input type="checkbox"/> 5 Poor	

- C2) Compared to 3 months ago, how would you rate your health in general now?

(cross one option only)

<input type="checkbox"/> 1 Much better than 3 months ago	<input type="checkbox"/> 2 Somewhat better than 3 months ago
<input type="checkbox"/> 3 About the same	<input type="checkbox"/> 4 Somewhat worse now than 3 months ago
<input type="checkbox"/> 5 Much worse now than 3 months ago	

- C3) The following questions are about activities you might do during a typical day. Does your health limit you in these activities? If so, how much?

(cross one option on each line)

1 Yes, limited a lot	2 Yes, limited a little	3 No, not limited at all
----------------------	-------------------------	--------------------------

- |   |                            |                            |                            |
|---|----------------------------|----------------------------|----------------------------|
| a) Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| b) Moderate activities, such as moving a table, pushing a vacuum, bowling or playing golf         | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| c) Lifting or carrying groceries  | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| d) Climbing several flights of stairs   | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| e) Climbing one flight of stairs  | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| f) Bending, kneeling or stooping  | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| g) Walking more than a mile   | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| h) Walking half a mile  | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| i) Walking 100 yards  | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |
| j) Bathing and dressing yourself  | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 |

C4) During the past 2 weeks, has your physical health caused you to:

(cross one option on each line)

1 All of the time    2 Most of the time    3 Some of the time    4 A little of the time    5 None of the time

- a) Cut down on the amount of time you spent on work or other activities

1     2     3     4     5

- b) Accomplish less than you would like

1     2     3     4     5

- c) Be limited in the kind of work or other activities you perform

1     2     3     4     5

- d) Have difficulty performing the work or other activities (e.g. it took more effort)

1     2     3     4     5

C5) During the past 2 weeks have any emotional problems caused you to:

(cross one option on each line)

1 All of the time    2 Most of the time    3 Some of the time    4 A little of the time    5 None of the time

- a) Cut down on the amount of time you spent on work or other activities

1     2     3     4     5

- b) Accomplish less than you would like

1     2     3     4     5

- c) Do work or other activities less carefully than usual

1     2     3     4     5

- C6) During the past 2 weeks, to what extent have your physical health or emotional problems interfered with your normal social activities with family, neighbours or groups?

(cross one option only)

<input type="checkbox"/> 1 Not at all	<input type="checkbox"/> 2 Slightly
<input type="checkbox"/> 3 Moderately	<input type="checkbox"/> 4 Quite a bit
<input type="checkbox"/> 5 Extremely	

- C7) How much bodily pain have you had during the past 2 weeks?

(cross one option only)

<input type="checkbox"/> 1 None	<input type="checkbox"/> 2 Very mild
<input type="checkbox"/> 3 Mild	<input type="checkbox"/> 4 Moderate
<input type="checkbox"/> 5 Severe	<input type="checkbox"/> 6 Very severe

- C8) During the past 2 weeks, how much did pain interfere with your normal work (including both outside the home and housework)?

(cross one option only)

<input type="checkbox"/> 1 Not at all	<input type="checkbox"/> 2 Slightly
<input type="checkbox"/> 3 Moderately	<input type="checkbox"/> 4 Quite a bit
<input type="checkbox"/> 5 Extremely	

- C9) For each question below please give one answer that comes closest to the way you have been feeling.

How much time during the last 2 weeks:

(cross one option on each line)

1 All of the time    2 Most of the time    3 A good bit of the time    4 Some of the time    5 A little of the time    6 None of the time

- a) Did you feel full of life?     1     2     3     4     5     6
- b) Have you been a very nervous person?     1     2     3     4     5     6
- c) Have you felt so down in the dumps that nothing would cheer you up?     1     2     3     4     5     6
- d) Have you felt calm and peaceful?     1     2     3     4     5     6
- e) Did you have a lot of energy?     1     2     3     4     5     6
- f) Have you felt downhearted and low?     1     2     3     4     5     6
- g) Did you feel worn out?     1     2     3     4     5     6
- h) Have you been a happy person?     1     2     3     4     5     6
- i) Did you feel tired?     1     2     3     4     5     6

- C10) During the past 2 weeks, how much of your time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?

(cross one option only)

1 All of the time     2 Most of the time

3 Some of the time     4 A little of the time

5 None of the time

C11) How true or false is each of the following statements for you?

(cross one option on each line)

- a) I seem to get ill more easily than other people 1  2  3  4  5
- b) I am as healthy as anybody I know 1  2  3  4  5
- c) I expect my health to get worse 1  2  3  4  5
- d) My health is excellent 1  2  3  4  5

## Other health issues

C12) Have you ever been told that you have had any of the following conditions?

(cross one option on each line)

1 Yes

2 No

3 If yes, please give the year of most recent diagnosis

- a) Heart attack (coronary thrombosis or myocardial infarction) 1  2
- b) Heart failure 1  2
- c) Angina 1  2
- d) Other heart trouble 1  2
- e) Aortic aneurysm 1  2
- f) Narrowing or hardening of the arteries in the leg (including claudication) 1  2
- g) High blood pressure 1  2
- h) High cholesterol 1  2
- i) Pulmonary embolism (PE) 1  2
- j) Deep vein thrombosis (DVT) 1  2

C13)

a) Have you ever been told by the doctor that you have had a stroke?

(cross one option only)

1 Yes

2 No

→ If no, go to C14

b) Please give year of most recent stroke:

--	--	--	--

c) Did the symptoms last more than 24 hours?

(cross one option only)

1 Yes

2 No

d) Have you made a complete recovery from your stroke?

(cross one option only)

1 Yes

2 No

C14)

a) Have you ever been told by a doctor that you have cancer?

(cross one option only)

1 Yes

2 No

→ If no, go to C15

b) What type of cancer(s)? Please write in the space below starting with the most recent:

					Year of diagnosis				

C15)

- a) Have you ever been told by a doctor that you have osteoporosis?

(cross one option only)

1 Yes

2 No

→ If no, go to C16

- b) What year was it diagnosed?

C16)

- a) Have you ever been told by a doctor that you have arthritis?

(cross one option only)

1 Yes

2 No

→ If no, go to C17

- b) What year was it diagnosed?

- c) Please give the type of arthritis if known:

(cross one option only)

1 Osteoarthritis

2 Rheumatoid arthritis

3 Other (please give details)

- d) Which joints are affected?

(cross one option on each line)

1 Yes      2 No

i) Knees

1 Yes       2 No

ii) Hips

1 Yes       2 No

iii) Hands, fingers and/or wrists

1 Yes       2 No

iv) Back

1 Yes       2 No

v) Neck

1 Yes       2 No

vi) Shoulders

1 Yes       2 No

vii) Feet/toes

1 Yes       2 No

viii) Other (please give details):

1 Yes       2 No



- e) During the past year have you had pain, aching, stiffness or swelling on most days for at least one month, in your:

(cross one option on each line)

<sup>1</sup> Yes      <sup>2</sup> No

- i) Knees      <sup>1</sup>       <sup>2</sup>
- ii) Hips      <sup>1</sup>       <sup>2</sup>
- iii) Hands, fingers and/or wrists      <sup>1</sup>       <sup>2</sup>
- iv) Back      <sup>1</sup>       <sup>2</sup>
- v) Neck      <sup>1</sup>       <sup>2</sup>
- vi) Shoulders      <sup>1</sup>       <sup>2</sup>
- vii) Feet/toes      <sup>1</sup>       <sup>2</sup>
- viii) Other (please give details):      <sup>1</sup>       <sup>2</sup>

C17)

- a) Have you had a fall in the last 12 months?

(cross one option only)

<sup>1</sup>  Yes      <sup>2</sup>  No

→ If no, go to C18

- b) How many times have you fallen in the last 12 months?

- c) Did you seek medical attention?

(cross one option only)

<sup>1</sup>  Yes      <sup>2</sup>  No

C18)

- a) Have you ever fractured your hip?

(cross one option only)

<sup>1</sup>  Yes      <sup>2</sup>  No

→ If no, go to C19

- b) What was the year of your last hip fracture?



C19)

- a) Have you ever fractured your wrist?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

→ If no, go to C20

- b) What was the year of your last wrist fracture?

C20) Are you troubled by shortness of breath when hurrying on level ground or walking up a slight hill?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
<input type="checkbox"/> 3 Unable to walk	

C21) Do you get short of breath walking with other people of your own age on level ground?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
<input type="checkbox"/> 3 Unable to walk	

C22) In the past twelve months, have you at any time been awoken at night by an attack of shortness of breath?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

C23) Have you ever been told by a doctor that you have chronic bronchitis or emphysema?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

C24) Have you ever been told by a doctor that you have asthma?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

C25)

- a) Have you ever been told by a doctor that you have diabetes?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

→ If no, go to C26

- b) What year was this first diagnosed?



- c) How is your diabetes controlled?

(cross one option on each line)

1 Yes

3 No

## Diet

10

20

## Tablets

10

20

## Insulin

10

20

C26)

- a) Do you ever have any pain or discomfort in your chest?


*(cross one option only)*

10 Yes

30/30

→ If no, go to C32

- b) Where do you get this pain or discomfort? Please cross the appropriate boxes underneath the diagram.



|  1 |  2 |  3 |  4 |  5 |  6 |  7 |  8 |  9 |  10 |  11 |  12 |  13 |

- C27) When you walk at an ordinary pace on the level does this produce the pain?

(cross one option only)

10 Yes

80/100

C28) When you walk uphill or hurry does this produce the pain?

(cross one option only)

10 Yes

20 No

C29) When you get any pain or discomfort in your chest on walking, what do you do?

(cross one option only)

<input type="checkbox"/> 1 Stop	<input type="checkbox"/> 2 Slow down
<input type="checkbox"/> 3 Continue at same place	<input type="checkbox"/> 4 Not applicable

C30) Does the pain or discomfort in your chest go away if you stand still?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

C31) How long does it take to go away?

(cross one option only)

<input type="checkbox"/> 1 10 minutes or less	<input type="checkbox"/> 2 More than 10 minutes
---	---

## Your medications

C32) Do you currently take any regular medication?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

→ If no, go to C34

C33) Please tell us which medications you are currently taking. Include all prescription and non-prescription medicines, vitamins, supplements etc

→ We have included space for up to 10 medications on the next page

If you require more space, please use the blank sheets at the back of the questionnaire and clearly indicate you are answering question C33

<b>Reason for taking</b> Example: Back pain									
<b>How often</b> Example: 3 times a day									
<b>Amount</b> Example: 50mg									
<b>Name of medication</b> Example: Paracetamol									
a)									
b)									
c)									
d)									
e)									
f)									
g)									
h)									
i)									
j)									

## Your body

C34) Please tell us your weight and measurements.

Use either metric or imperial measurements.

a) Height Metres      Centimetres      Feet      Inches  
or      or      or       Don't Know

b) Weight Kg      or      St      Lbs  
or      or      or       Don't Know

c) Hips Cm      or      Inches  
or      or       Don't Know

d) Waist Cm      or      Inches  
or      or       Don't Know

e) Bust Cm      or      Inches  
or      or       Don't Know

f) Please tell us your bra measurement

Size eg. 36

Cup

(cross one option only)

1 <input type="radio"/> AA	2 <input type="radio"/> A	3 <input type="radio"/> B	4 <input type="radio"/> C	5 <input type="radio"/> D
6 <input type="radio"/> DD	7 <input type="radio"/> E	8 <input type="radio"/> F	9 <input type="radio"/> FF	10 <input type="radio"/> G
11 <input type="radio"/> GG	12 <input type="radio"/> H	13 <input type="radio"/> HH	14 <input type="radio"/> J	15 <input type="radio"/> JJ
16 <input type="radio"/> K	17 <input type="radio"/> KK	18 <input type="radio"/> L	19 <input type="radio"/> LL	
<input type="checkbox"/> Don't Know				

If you are concerned about any of the health issues raised in this section, you may wish to contact your GP.

## Section C: Your Health – Frequencies

V3500 C1: In general respondent's health is

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Excellent	956	6.5	20.1	20.1
	2 Very good	1378	9.4	29.0	49.0
	3 Good	1814	12.3	38.1	87.2
	4 Fair	449	3.0	9.4	96.6
	5 Poor	162	1.1	3.4	100.0
	Total	4759	32.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	49	.3		
	Total	9964	67.7		
Total		14723	100.0		

V3501 C2: Compared to 3 months ago respondent rates their general health as

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Much better than 3 months ago	188	1.3	4.0	4.0
	2 Somewhat better than 3 months ago	345	2.3	7.3	11.2
	3 About the same	3845	26.1	80.9	92.1
	4 Somewhat worse now than 3 months ago	313	2.1	6.6	98.7
	5 Much worse now than 3 months ago	61	.4	1.3	100.0
	Total	4752	32.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	56	.4		
	Total	9971	67.7		
Total		14723	100.0		

**V3505 C3a: Respondent's health limits vigorous activities on typical day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	651	4.4	13.8	13.8
	2 Yes limited a little	1621	11.0	34.4	48.3
	3 No, not limited at all	2436	16.5	51.7	100.0
	Total	4708	32.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	100	.7		
	Total	10015	68.0		
Total		14723	100.0		

**V3506 C3b: Respondent's health limits moderate activities on typical day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	188	1.3	4.0	4.0
	2 Yes limited a little	542	3.7	11.5	15.4
	3 No, not limited at all	4001	27.2	84.6	100.0
	Total	4731	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	77	.5		
	Total	9992	67.9		
Total		14723	100.0		

**V3507 C3c: Respondent's health limits lifting or carrying groceries on typical day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	185	1.3	3.9	3.9
	2 Yes limited a little	681	4.6	14.4	18.3
	3 No, not limited at all	3866	26.3	81.7	100.0
	Total	4732	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	76	.5		
	Total	9991	67.9		
Total		14723	100.0		

**V3508 C3d: Respondent's health limits climbing flights of stairs on typical day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	228	1.5	4.8	4.8
	2 Yes limited a little	743	5.0	15.7	20.5
	3 No, not limited at all	3757	25.5	79.5	100.0
	Total	4728	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	80	.5		
	Total	9995	67.9		
Total		14723	100.0		

**V3509 C3e: Respondent's health limits climbing one flight of stairs on typical day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	93	.6	2.0	2.0
	2 Yes limited a little	284	1.9	6.0	8.0
	3 No, not limited at all	4343	29.5	92.0	100.0
	Total	4720	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	88	.6		
	Total	10003	67.9		
Total		14723	100.0		

**V3510 C3f: Respondent's health limits bending, kneeling or stooping on typical day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	215	1.5	4.5	4.5
	2 Yes limited a little	966	6.6	20.4	25.0
	3 No, not limited at all	3552	24.1	75.0	100.0
	Total	4733	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	75	.5		
	Total	9990	67.9		
Total		14723	100.0		

**V3511 C3g: Respondent's health limits walking more than a mile on typical day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	241	1.6	5.1	5.1
	2 Yes limited a little	429	2.9	9.1	14.2
	3 No, not limited at all	4053	27.5	85.8	100.0
	Total	4723	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	85	.6		
	Total	10000	67.9		
Total		14723	100.0		

**V3512 C3h: Respondent's health limits walking half a mile on typical day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	174	1.2	3.7	3.7
	2 Yes limited a little	248	1.7	5.3	9.0
	3 No, not limited at all	4286	29.1	91.0	100.0
	Total	4708	32.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	100	.7		
	Total	10015	68.0		
Total		14723	100.0		

**V3513 C3i: Respondent's health limits walking 100 yards on typical day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	97	.7	2.1	2.1
	2 Yes limited a little	155	1.1	3.3	5.3
	3 No, not limited at all	4468	30.3	94.7	100.0
	Total	4720	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	88	.6		
	Total	10003	67.9		
Total		14723	100.0		

V3514 C3j: Respondent's health limits bathing and dressing on typical day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, limited a lot	73	.5	1.5	1.5
	2 Yes limited a little	166	1.1	3.5	5.0
	3 No, not limited at all	4500	30.6	95.0	100.0
	Total	4739	32.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	69	.5		
	Total	9984	67.8		
Total		14723	100.0		

V3520 C4a: Respondent's physical health - cut time on work/activities in past 2 wks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	110	.7	2.3	2.3
	2 Most of the time	79	.5	1.7	4.0
	3 Some of the time	278	1.9	5.9	9.9
	4 A little of the time	373	2.5	7.9	17.7
	5 None of the time	3900	26.5	82.3	100.0
	Total	4740	32.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	68	.5		
	Total	9983	67.8		
Total		14723	100.0		

V3521 C4b: Respondent's physical health - accomplished less in past 2 wks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	127	.9	2.7	2.7
	<b>2 Most of the time</b>	141	1.0	3.0	5.7
	<b>3 Some of the time</b>	332	2.3	7.0	12.7
	<b>4 A little of the time</b>	610	4.1	12.9	25.5
	<b>5 None of the time</b>	3526	23.9	74.5	100.0
	<b>Total</b>	4736	32.2	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	72	.5		
	<b>Total</b>	9987	67.8		
<b>Total</b>		14723	100.0		

V3522 C4c: Respondent's physical health - limited work/activities in past 2 wks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	136	.9	2.9	2.9
	<b>2 Most of the time</b>	128	.9	2.7	5.6
	<b>3 Some of the time</b>	325	2.2	6.9	12.5
	<b>4 A little of the time</b>	530	3.6	11.2	23.7
	<b>5 None of the time</b>	3606	24.5	76.3	100.0
	<b>Total</b>	4725	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	83	.6		
	<b>Total</b>	9998	67.9		
<b>Total</b>		14723	100.0		

V3523 C4d: Respondent's physical health - more effort for work/activities in past 2wks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	117	.8	2.5	2.5
	<b>2 Most of the time</b>	129	.9	2.7	5.2
	<b>3 Some of the time</b>	309	2.1	6.5	11.7
	<b>4 A little of the time</b>	591	4.0	12.5	24.2
	<b>5 None of the time</b>	3582	24.3	75.8	100.0
	<b>Total</b>	4728	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	80	.5		
	<b>Total</b>	9995	67.9		
<b>Total</b>		14723	100.0		

V3530 C5a: Respondent's emotional probs - cut time on work/activities in past 2 wks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	50	.3	1.1	1.1
	<b>2 Most of the time</b>	65	.4	1.4	2.4
	<b>3 Some of the time</b>	262	1.8	5.5	8.0
	<b>4 A little of the time</b>	416	2.8	8.8	16.8
	<b>5 None of the time</b>	3933	26.7	83.2	100.0
	<b>Total</b>	4726	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	82	.6		
	<b>Total</b>	9997	67.9		
<b>Total</b>		14723	100.0		

V3531 C5b: Respondent's emotional probs - accomplished less in past 2 wks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	56	.4	1.2	1.2
	<b>2 Most of the time</b>	110	.7	2.3	3.5
	<b>3 Some of the time</b>	296	2.0	6.3	9.8
	<b>4 A little of the time</b>	566	3.8	12.0	21.7
	<b>5 None of the time</b>	3700	25.1	78.3	100.0
	<b>Total</b>	4728	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	80	.5		
	<b>Total</b>	9995	67.9		
<b>Total</b>		14723	100.0		

V3532 C5c: Respondent's emotional probs - work/other less carefully in past 2 wks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	47	.3	1.0	1.0
	<b>2 Most of the time</b>	57	.4	1.2	2.2
	<b>3 Some of the time</b>	257	1.7	5.4	7.6
	<b>4 A little of the time</b>	460	3.1	9.7	17.3
	<b>5 None of the time</b>	3912	26.6	82.7	100.0
	<b>Total</b>	4733	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	75	.5		
	<b>Total</b>	9990	67.9		
<b>Total</b>		14723	100.0		

V3535 C6: Respondent phys health/emot probs interfere w social activity in past 2 wks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	3440	23.4	72.9	72.9
	2 Slightly	740	5.0	15.7	88.6
	3 Moderately	256	1.7	5.4	94.0
	4 Quite a bit	187	1.3	4.0	97.9
	5 Extremely	97	.7	2.1	100.0
	Total	4720	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	88	.6		
	Total	10003	67.9		
Total		14723	100.0		

V3536 C7: Amount bodily pain respondent had during past 2 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1736	11.8	36.7	36.7
	2 Very mild	1103	7.5	23.3	60.0
	3 Mild	1030	7.0	21.8	81.8
	4 Moderate	639	4.3	13.5	95.3
	5 Severe	176	1.2	3.7	99.0
	6 Very severe	46	.3	1.0	100.0
	Total	4730	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	78	.5		
	Total	9993	67.9		
Total		14723	100.0		

V3537 C8: Pain interfered with normal work (both outside home/housework) past 2 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	3176	21.6	67.1	67.1
	2 Slightly	952	6.5	20.1	87.3
	3 Moderately	350	2.4	7.4	94.7
	4 Quite a bit	159	1.1	3.4	98.0
	5 Extremely	94	.6	2.0	100.0
	Total	4731	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	77	.5		
	Total	9992	67.9		
Total		14723	100.0		

V3540 C9a: Time respondent felt full of life in past 2 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All of the time	224	1.5	4.7	4.7
	2 Most of the time	1753	11.9	37.0	41.8
	3 A good bit of the time	1001	6.8	21.1	62.9
	4 Some of the time	955	6.5	20.2	83.1
	5 A little of the time	508	3.5	10.7	93.8
	6 None of the time	292	2.0	6.2	100.0
	Total	4733	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	75	.5		
	Total	9990	67.9		
Total		14723	100.0		

V3541 C9b: Time respondent been very nervous person in past 2 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	34	.2	.7	.7
	<b>2 Most of the time</b>	83	.6	1.8	2.5
	<b>3 A good bit of the time</b>	139	.9	2.9	5.4
	<b>4 Some of the time</b>	497	3.4	10.5	15.9
	<b>5 A little of the time</b>	1215	8.3	25.7	41.6
	<b>6 None of the time</b>	2764	18.8	58.4	100.0
	<b>Total</b>	4732	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	76	.5		
	<b>Total</b>	9991	67.9		
<b>Total</b>		14723	100.0		

V3542 C9c: Time respondent felt down in dumps in past 2 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	35	.2	.7	.7
	<b>2 Most of the time</b>	80	.5	1.7	2.4
	<b>3 A good bit of the time</b>	125	.8	2.6	5.1
	<b>4 Some of the time</b>	441	3.0	9.3	14.4
	<b>5 A little of the time</b>	967	6.6	20.4	34.8
	<b>6 None of the time</b>	3089	21.0	65.2	100.0
	<b>Total</b>	4737	32.2	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	71	.5		
	<b>Total</b>	9986	67.8		
<b>Total</b>		14723	100.0		

V3543 C9d: Time respondent felt calm and peaceful in past 2 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	168	1.1	3.6	3.6
	<b>2 Most of the time</b>	1420	9.6	30.0	33.6
	<b>3 A good bit of the time</b>	1054	7.2	22.3	55.8
	<b>4 Some of the time</b>	1185	8.0	25.0	80.9
	<b>5 A little of the time</b>	644	4.4	13.6	94.5
	<b>6 None of the time</b>	260	1.8	5.5	100.0
	<b>Total</b>	4731	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	77	.5		
	<b>Total</b>	9992	67.9		
<b>Total</b>		14723	100.0		

V3544 C9e: Time respondent felt they had a lot of energy in past 2 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	166	1.1	3.5	3.5
	<b>2 Most of the time</b>	1373	9.3	29.1	32.6
	<b>3 A good bit of the time</b>	1077	7.3	22.8	55.4
	<b>4 Some of the time</b>	1145	7.8	24.2	79.6
	<b>5 A little of the time</b>	560	3.8	11.9	91.5
	<b>6 None of the time</b>	401	2.7	8.5	100.0
	<b>Total</b>	4722	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	86	.6		
	<b>Total</b>	10001	67.9		
<b>Total</b>		14723	100.0		

V3545 C9f: Time respondent felt downhearted and low in past 2 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	65	.4	1.4	1.4
	<b>2 Most of the time</b>	133	.9	2.8	4.2
	<b>3 A good bit of the time</b>	238	1.6	5.0	9.2
	<b>4 Some of the time</b>	802	5.4	17.0	26.2
	<b>5 A little of the time</b>	1766	12.0	37.4	63.6
	<b>6 None of the time</b>	1719	11.7	36.4	100.0
	<b>Total</b>	4723	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	85	.6		
	<b>Total</b>	10000	67.9		
<b>Total</b>		14723	100.0		

V3546 C9g: Time respondent felt worn out in past 2 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	131	.9	2.8	2.8
	<b>2 Most of the time</b>	286	1.9	6.1	8.8
	<b>3 A good bit of the time</b>	563	3.8	11.9	20.7
	<b>4 Some of the time</b>	1305	8.9	27.6	48.4
	<b>5 A little of the time</b>	1758	11.9	37.2	85.6
	<b>6 None of the time</b>	680	4.6	14.4	100.0
	<b>Total</b>	4723	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	85	.6		
	<b>Total</b>	10000	67.9		
<b>Total</b>		14723	100.0		

V3547 C9h: Time respondent has been a happy person in past 2 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	344	2.3	7.3	7.3
	<b>2 Most of the time</b>	2259	15.3	47.8	55.0
	<b>3 A good bit of the time</b>	869	5.9	18.4	73.4
	<b>4 Some of the time</b>	813	5.5	17.2	90.6
	<b>5 A little of the time</b>	352	2.4	7.4	98.1
	<b>6 None of the time</b>	92	.6	1.9	100.0
	<b>Total</b>	4729	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	79	.5		
	<b>Total</b>	9994	67.9		
<b>Total</b>		14723	100.0		

V3548 C9i: Time respondent felt tired during past 2 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	238	1.6	5.0	5.0
	<b>2 Most of the time</b>	499	3.4	10.5	15.6
	<b>3 A good bit of the time</b>	782	5.3	16.5	32.1
	<b>4 Some of the time</b>	1666	11.3	35.2	67.3
	<b>5 A little of the time</b>	1396	9.5	29.5	96.8
	<b>6 None of the time</b>	150	1.0	3.2	100.0
	<b>Total</b>	4731	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	77	.5		
	<b>Total</b>	9992	67.9		
<b>Total</b>		14723	100.0		

**V3560 C10: Time resp phys health/emot probs interfered social activities past 2 weeks**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 All of the time</b>	126	.9	2.7	2.7
	<b>2 Most of the time</b>	154	1.0	3.3	5.9
	<b>3 Some of the time</b>	543	3.7	11.5	17.5
	<b>4 A little of the time</b>	649	4.4	13.8	31.2
	<b>5 None of the time</b>	3240	22.0	68.8	100.0
	<b>Total</b>	4712	32.0	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	96	.7		
	<b>Total</b>	10011	68.0		
<b>Total</b>		14723	100.0		

**V3565 C11a: Degree to which respondent feels they get ill more easily than others**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Definitely true</b>	60	.4	1.3	1.3
	<b>2 Mostly true</b>	140	1.0	3.0	4.2
	<b>3 Not sure</b>	331	2.2	7.0	11.2
	<b>4 Mostly false</b>	913	6.2	19.3	30.5
	<b>5 Definitely false</b>	3290	22.3	69.5	100.0
	<b>Total</b>	4734	32.2	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	74	.5		
	<b>Total</b>	9989	67.8		
<b>Total</b>		14723	100.0		

V3566 C11b: Degree to which respondent feels they are as healthy as anybody they know

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Definitely true</b>	1882	12.8	39.8	39.8
	<b>2 Mostly true</b>	1716	11.7	36.3	76.0
	<b>3 Not sure</b>	537	3.6	11.3	87.4
	<b>4 Mostly false</b>	341	2.3	7.2	94.6
	<b>5 Definitely false</b>	256	1.7	5.4	100.0
	<b>Total</b>	4732	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	76	.5		
	<b>Total</b>	9991	67.9		
<b>Total</b>		14723	100.0		

V3567 C11c: Degree to which respondent expects their health to get worse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Definitely true</b>	162	1.1	3.4	3.4
	<b>2 Mostly true</b>	604	4.1	12.8	16.2
	<b>3 Not sure</b>	1379	9.4	29.2	45.4
	<b>4 Mostly false</b>	985	6.7	20.9	66.3
	<b>5 Definitely false</b>	1590	10.8	33.7	100.0
	<b>Total</b>	4720	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	88	.6		
	<b>Total</b>	10003	67.9		
<b>Total</b>		14723	100.0		

**V3568 C11d: Degree to which respondent feels their health is excellent**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Definitely true</b>	1074	7.3	22.7	22.7
	<b>2 Mostly true</b>	2395	16.3	50.6	73.4
	<b>3 Not sure</b>	469	3.2	9.9	83.3
	<b>4 Mostly false</b>	446	3.0	9.4	92.7
	<b>5 Definitely false</b>	345	2.3	7.3	100.0
	<b>Total</b>	4729	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	79	.5		
	<b>Total</b>	9994	67.9		
<b>Total</b>		14723	100.0		

**V4010 C12a: Respondent ever been told they had a heart attack**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	19	.1	.4	.4
	<b>2 No</b>	4712	32.0	99.6	100.0
	<b>Total</b>	4731	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	77	.5		
	<b>Total</b>	9992	67.9		
<b>Total</b>		14723	100.0		

**V4011 C12b: Respondent ever been told they had heart failure**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	9	.1	.2	.2
	<b>2 No</b>	4726	32.1	99.8	100.0
	<b>Total</b>	4735	32.2	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	73	.5		
	<b>Total</b>	9988	67.8		
<b>Total</b>		14723	100.0		

**V4012 C12c: Respondent ever been told they had angina**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	19	.1	.4	.4
	<b>2 No</b>	4699	31.9	99.6	100.0
	<b>Total</b>	4718	32.0	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	90	.6		
	<b>Total</b>	10005	68.0		

<b>Total</b>	14723	100.0		
--------------	-------	-------	--	--

**V4013 C12d: Respondent ever been told they had other heart trouble**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Yes</b>	145	1.0	3.1	3.1
	<b>2 No</b>	4572	31.1	96.9	100.0
	<b>Total</b>	4717	32.0	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	91	.6		
	<b>Total</b>	10006	68.0		
<b>Total</b>		14723	100.0		

**V4014 C12e: Respondent ever been told they had aortic aneurysm**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Yes</b>	6	.0	.1	.1
	<b>2 No</b>	4687	31.8	99.9	100.0
	<b>Total</b>	4693	31.9	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	115	.8		
	<b>Total</b>	10030	68.1		
<b>Total</b>		14723	100.0		

**V4015 C12f: Respondent ever been told they had narrowing/hardening arteries in leg**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Yes</b>	6	.0	.1	.1
	<b>2 No</b>	4709	32.0	99.9	100.0
	<b>Total</b>	4715	32.0	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	93	.6		
	<b>Total</b>	10006	68.1		

	<b>Total</b>	10008	68.0		
<b>Total</b>		14723	100.0		

**V4016 C12g: Respondent ever been told they had high blood pressure**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	742	5.0	15.7	15.7
	<b>2 No</b>	3985	27.1	84.3	100.0
	<b>Total</b>	4727	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	81	.6		
	<b>Total</b>	9996	67.9		
<b>Total</b>		14723	100.0		

**V4017 C12h: Respondent ever been told they had high cholesterol**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	551	3.7	11.7	11.7
	<b>2 No</b>	4175	28.4	88.3	100.0
	<b>Total</b>	4726	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	82	.6		
	<b>Total</b>	9997	67.9		
<b>Total</b>		14723	100.0		

**V4018 C12i: Respondent ever been told they had pulmonary embolism**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	25	.2	.5	.5
	<b>2 No</b>	4697	31.9	99.5	100.0
	<b>Total</b>	4722	32.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		

	-1 NS/NK	86	.6		
	Total	10001	67.9		
Total		14723	100.0		


**V4019 C12j Respondent ever been told they had deep vein thrombosis (DVT)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	59	.4	1.2	1.2
	2 No	4668	31.7	98.8	100.0
	Total	4727	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	81	.6		
	Total	9996	67.9		
Total		14723	100.0		

**V4100 C13a: Respondent ever been told by a doctor that they had a stroke**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	47	.3	1.0	1.0
	2 No	4706	32.0	99.0	100.0
	Total	4753	32.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	55	.4		
	Total	9970	67.7		
Total		14723	100.0		

V4101 C13b: Year of respondent's most recent stroke



V4102 C13c: Respondent's stroke symptoms lasted more than 24 hours

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	28	.2	68.3	68.3
	2 No	13	.1	31.7	100.0
	Total	41	.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had stroke	4706	32.0		
	-1 NS/NK	61	.4		
	Total	14682	99.7		


Total	14723	100.0		
-------	-------	-------	--	--

**V4103 C13d: Respondent has made a complete recovery from their stroke**


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	32	.2	76.2	76.2
	2 No	10	.1	23.8	100.0
	Total	42	.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had stroke	4706	32.0		
	-1 NS/NK	60	.4		
	Total	14681	99.7		
Total		14723	100.0		

**V4110 C14a: Respondent has ever been told by a doctor that they have cancer**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	318	2.2	6.8	6.8
	2 No	4350	29.5	93.2	100.0
	Total	4668	31.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	1	.0		
	-1 NS/NK	139	.9		
	Total	10055	68.3		
Total		14723	100.0		



**V4126 C14bii Year: Year of second-most recent cancer diagnosis**



V4136 C14biii Year: Year of third-most recent cancer diagnosis


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2008	1	.0	33.3	33.3
	2009	2	.0	66.7	100.0
	<b>Total</b>	<b>3</b>	<b>.0</b>	<b>100.0</b>	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had cancer	4350	29.5		
	-1 NS/NK	455	3.1		
	<b>Total</b>	<b>14720</b>	<b>100.0</b>		
<b>Total</b>		<b>14723</b>	<b>100.0</b>		

V4150 C15a: Respondent ever been told by a doctor they have osteoporosis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	93	.6	2.0	2.0
	2 No	4645	31.5	98.0	100.0
	<b>Total</b>	<b>4738</b>	<b>32.2</b>	<b>100.0</b>	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	70	.5		

	<b>Total</b>	9985	67.8		
<b>Total</b>		14723	100.0		


**V4151 C15b: Year respondent diagnosed by a doctor having osteoporosis**



V4160 C16a: Respondent ever been told by a doctor they have arthritis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	797	5.4	16.9	16.9
	2 No	3924	26.7	83.1	100.0
	Total	4721	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	2	.0		
	-1 NS/NK	85	.6		
	Total	10002	67.9		
Total		14723	100.0		

V4161 C16b: Year respondent diagnosed by a doctor having arthritis



V4162 C16c: Type of arthritis diagnosed by a doctor if known

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Osteoarthritis	458	3.1	66.0	66.0
	2 Rheumatoid arthritis	118	.8	17.0	83.0
	3 Other or unknown (please give details)	117	.8	16.9	99.9
	4 Osteoarthritis and Rheumatoid Arthritis	1	.0	.1	100.0
	Total	694	4.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had arthritis	3924	26.7		
	-1 NS/NK	190	1.3		
	Total	14029	95.3		
Total		14723	100.0		

V4170 C16di: Knee joints affected by arthritis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	399	2.7	65.8	65.8
	<b>2 No</b>	207	1.4	34.2	100.0
	<b>Total</b>	606	4.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had arthritis</b>	3924	26.7		
	<b>-1 NS/NK</b>	278	1.9		
	<b>Total</b>	14117	95.9		
<b>Total</b>		14723	100.0		

**V4171 C16dii: Hip joints affected by arthritis**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	244	1.7	43.7	43.7
	<b>2 No</b>	314	2.1	56.3	100.0
	<b>Total</b>	558	3.8	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had arthritis</b>	3924	26.7		
	<b>-1 NS/NK</b>	326	2.2		
	<b>Total</b>	14165	96.2		
<b>Total</b>		14723	100.0		

**V4172 C16diii: Hands, fingers and/or wrist joints affected by arthritis**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	423	2.9	66.9	66.9
	<b>2 No</b>	209	1.4	33.1	100.0
	<b>Total</b>	632	4.3	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had arthritis</b>	3924	26.7		
	<b>-1 NS/NK</b>	252	1.7		
	<b>Total</b>	14091	95.7		
<b>Total</b>		14723	100.0		

**V4173 C16div: Back joints affected by arthritis**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	204	1.4	37.4	37.4
	<b>2 No</b>	342	2.3	62.6	100.0
	<b>Total</b>	546	3.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had arthritis</b>	3924	26.7		
	<b>-1 NS/NK</b>	338	2.3		
	<b>Total</b>	14177	96.3		
<b>Total</b>		14723	100.0		

**V4174 C16dv: Neck joints affected by arthritis**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	199	1.4	36.6	36.6
	<b>2 No</b>	344	2.3	63.4	100.0
	<b>Total</b>	543	3.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had arthritis</b>	3924	26.7		
	<b>-1 NS/NK</b>	341	2.3		
	<b>Total</b>	14180	96.3		
<b>Total</b>		14723	100.0		

**V4175 C16dvi: Shoulder joints affected by arthritis**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	161	1.1	30.7	30.7
	<b>2 No</b>	363	2.5	69.3	100.0
	<b>Total</b>	524	3.6	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had arthritis</b>	3924	26.7		
	<b>-1 NS/NK</b>	360	2.4		
	<b>Total</b>	14199	96.4		
<b>Total</b>		14723	100.0		

**V4176 C16dvi: Feet/toe joints affected by arthritis**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	233	1.6	42.3	42.3
	<b>2 No</b>	318	2.2	57.7	100.0
	<b>Total</b>	551	3.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-6 Variable not in Version 1 questionnaire</b>	28	.2		
	<b>-2 Never had arthritis</b>	3924	26.7		
	<b>-1 NS/NK</b>	305	2.1		
	<b>Total</b>	14172	96.3		
<b>Total</b>		14723	100.0		

**V4177 C16viii: Respondent has arthritis in other joints**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	71	.5	20.8	20.8
	<b>2 No</b>	271	1.8	79.2	100.0
	<b>Total</b>	342	2.3	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had arthritis</b>	3924	26.7		
	<b>-1 NS/NK</b>	542	3.7		
	<b>Total</b>	14381	97.7		
<b>Total</b>		14723	100.0		

**V4180 C16ei: Past yr respondent had pain, stiffness etc most days for 1 mth - knees**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	314	2.1	45.1	45.1
	<b>2 No</b>	382	2.6	54.9	100.0
	<b>Total</b>	696	4.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had arthritis</b>	3924	26.7		
	<b>-1 NS/NK</b>	188	1.3		
	<b>Total</b>	14027	95.3		
<b>Total</b>		14723	100.0		

**V4181 C16eii: Past yr resp pain,aching,stifness/swelling most days least 1 month hips**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	222	1.5	33.5	33.5
	2 No	440	3.0	66.5	100.0
	Total	662	4.5	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had arthritis	3924	26.7		
	-1 NS/NK	222	1.5		
	Total	14061	95.5		
Total		14723	100.0		

V4182 C16eiii: Past yr respondent had pain, stiffness etc most days for 1 mth - hand

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	327	2.2	47.3	47.3
	2 No	365	2.5	52.7	100.0
	Total	692	4.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had arthritis	3924	26.7		
	-1 NS/NK	192	1.3		
	Total	14031	95.3		
Total		14723	100.0		

V4183 C16eiv: Past yr respondent had pain, stiffness etc most days for 1 mth - back

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	229	1.6	34.7	34.7
	2 No	431	2.9	65.3	100.0
	Total	660	4.5	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had arthritis	3924	26.7		
	-1 NS/NK	224	1.5		
	Total	14063	95.5		
Total		14723	100.0		

V4184 C16ev: Past yr respondent had pain, stiffness etc most days for 1 mth - neck

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	194	1.3	29.8	29.8
	2 No	457	3.1	70.2	100.0
	Total	651	4.4	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had arthritis	3924	26.7		
	-1 NS/NK	233	1.6		
	Total	14072	95.6		
Total		14723	100.0		

V4185 C16evi: Past yr respondent had pain,stiffness etc most days for 1 mth-shoulders

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	191	1.3	29.5	29.5
	2 No	456	3.1	70.5	100.0
	Total	647	4.4	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had arthritis	3924	26.7		
	-1 NS/NK	237	1.6		
	Total	14076	95.6		
Total		14723	100.0		

V4186 C16evii: Past yr respondent had pain, stiffness etc most days for 1 mth - feet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	209	1.4	32.2	32.2
	2 No	440	3.0	67.8	100.0
	Total	649	4.4	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-6 Variable not in Version 1 questionnaire	29	.2		
	-2 Never had arthritis	3924	26.7		
	-1 NS/NK	206	1.4		
Total		14074	95.6		
Total		14723	100.0		

V4187 C16eviii: Pain,aching,stifnes/sweling most days least 1 mnth other jnts past yr

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	56	.4	13.7	13.7
	<b>2 No</b>	352	2.4	86.3	100.0
	<b>Total</b>	408	2.8	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had arthritis</b>	3924	26.7		
	<b>-1 NS/NK</b>	476	3.2		
	<b>Total</b>	14315	97.2		
<b>Total</b>		14723	100.0		

**V4190 C17a: Respondent has had a fall in the last 12 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	598	4.1	12.6	12.6
	<b>2 No</b>	4157	28.2	87.4	100.0
	<b>Total</b>	4755	32.3	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	53	.4		
	<b>Total</b>	9968	67.7		
	<b>Total</b>	14723	100.0		

V4191 C17b: Number of times respondent has fallen in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	317	2.2	56.7	56.7
	2	139	.9	24.9	81.6
	3	45	.3	8.1	89.6
	4	20	.1	3.6	93.2
	5	7	.0	1.3	94.5
	6	10	.1	1.8	96.2
	7	2	.0	.4	96.6
	8	2	.0	.4	97.0
	9	1	.0	.2	97.1
	10	4	.0	.7	97.9
	12	2	.0	.4	98.2
	18	1	.0	.2	98.4
	20	2	.0	.4	98.7
	30	2	.0	.4	99.1
Missing	37	1	.0	.2	99.3
	40	1	.0	.2	99.5
	60	2	.0	.4	99.8
	144	1	.0	.2	100.0
	Total	559	3.8	100.0	
	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	2	.0		
	-2 Not had fall in last 12 months	4157	28.2		
	-1 NS/NK	90	.6		
	Total	14164	96.2		
Total		14723	100.0		

V4192 C17c: Respondent sought medical attention for fall

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	194	1.3	32.9	32.9
	2 No	396	2.7	67.1	100.0
	Total	590	4.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not had fall in last 12 months	4157	28.2		
	-1 NS/NK	61	.4		
	Total	14133	96.0		
Total		14723	100.0		

V4200 C18a: Respondent has ever fractured their hip

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	20	.1	.4	.4
	2 No	4647	31.6	99.6	100.0
	Total	4667	31.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	141	1.0		
	Total	10056	68.3		
	Total	14723	100.0		


V4201 C18b: Year of last hip fracture

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1970	1	.0	6.3	6.3
	1974	1	.0	6.3	12.5
	1979	1	.0	6.3	18.8
	1985	1	.0	6.3	25.0
	1989	1	.0	6.3	31.3
	1990	1	.0	6.3	37.5
	2006	1	.0	6.3	43.8
	2007	1	.0	6.3	50.0
	2009	1	.0	6.3	56.3
	2011	5	.0	31.3	87.5
	2012	2	.0	12.5	100.0
Total		16	.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never fractured hip	4647	31.6		
	-1 NS/NK	145	1.0		
	Total	14707	99.9		
Total		14723	100.0		

V4210 C19a: Respondent has ever fractured their wrist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	431	2.9	9.2	9.2
	2 No	4274	29.0	90.8	100.0
	Total	4705	32.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	103	.7		
	Total	10018	68.0		
Total		14723	100.0		

V4211 C19b: Year of last wrist fracture



V4220 C20: Respondent short of breath hurrying level ground/walking up slight hill

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	660	4.5	14.0	14.0
	2 No	4058	27.6	85.8	99.8
	3 Unable to walk	11	.1	.2	100.0
	Total	4729	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	79	.5		
	Total	9994	67.9		
Total		14723	100.0		

V4221 C21: Respondent short of breath walking with others of own age on level ground

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	352	2.4	7.4	7.4
	2 No	4368	29.7	92.3	99.8
	3 Unable to walk	11	.1	.2	100.0
	Total	4731	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	77	.5		
	Total	9992	67.9		
Total		14723	100.0		

**V4222 C22: Respondent woken at night by short breath attack in past 12 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	186	1.3	3.9	3.9
	2 No	4554	30.9	96.1	100.0
	Total	4740	32.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	68	.5		
	Total	9983	67.8		
Total		14723	100.0		

**V4223 C23: Respondent ever told by doctor they have chronic bronchitis/emphysema**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	63	.4	1.3	1.3
	2 No	4677	31.8	98.7	100.0
	Total	4740	32.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	68	.5		
	Total	9983	67.8		
Total		14723	100.0		


**V4224 C24: Respondent ever been told by a doctor that they have asthma**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	688	4.7	14.5	14.5
	2 No	4056	27.5	85.5	100.0
	Total	4744	32.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	64	.4		
	Total	9979	67.8		
Total		14723	100.0		

**V4230 C25a: Respondent ever been told by a doctor that they have diabetes**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	122	.8	2.6	2.6
	2 No	4626	31.4	97.4	100.0
	Total	4748	32.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	60	.4		
	Total	9975	67.8		
Total		14723	100.0		

V4231 C25b: Year diabetes first diagnosed



V4235 C25c i: Diet used to control diabetes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	72	.5	75.8	75.8
	2 No	23	.2	24.2	100.0
	Total	95	.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had diabetes	4626	31.4		
	-1 NS/NK	87	.6		
	Total	14628	99.4		
Total		14723	100.0		

**V4236 C25c ii: Tablets used to control diabetes**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	59	.4	65.6	65.6
	2 No	31	.2	34.4	100.0
	Total	90	.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had diabetes	4626	31.4		
	-1 NS/NK	92	.6		
	Total	14633	99.4		
Total		14723	100.0		

**V4237 C25c iii: Insulin used to control diabetes**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	42	.3	48.3	48.3
	2 No	45	.3	51.7	100.0
	Total	87	.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had diabetes	4626	31.4		
	-1 NS/NK	95	.6		
	Total	14636	99.4		
Total		14723	100.0		

**V4240 C26a: Respondent ever has any pain or discomfort in their chest**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	586	4.0	12.4	12.4
	2 No	4133	28.1	87.6	100.0
	Total	4719	32.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	2	.0		
	-1 NS/NK	87	.6		
	Total	10004	67.9		
Total		14723	100.0		

V4241 C26b i: Location of pain or discomfort in respondent's chest - 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	25	.2	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	650	4.4		
	Total	14698	99.8		
Total		14723	100.0		

V4242 C26b ii: Location of pain or discomfort in respondent's chest - 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	38	.3	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	637	4.3		
	Total	14685	99.7		
Total		14723	100.0		

V4243 C26b iii: Location of pain or discomfort in respondent's chest - 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	41	.3	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	634	4.3		
	Total	14682	99.7		
Total		14723	100.0		

**V4244 C26b iv: Location of pain or discomfort in respondent's chest - 4**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	21	.1	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had chest pain</b>	4133	28.1		
	<b>-1 NS/NK</b>	654	4.4		
	<b>Total</b>	14702	99.9		
<b>Total</b>		14723	100.0		

**V4245 C26b v: Location of pain or discomfort in respondent's chest - 5**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	90	.6	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had chest pain</b>	4133	28.1		
	<b>-1 NS/NK</b>	585	4.0		
	<b>Total</b>	14633	99.4		
<b>Total</b>		14723	100.0		

**V4246 C26b vi: Location of pain or discomfort in respondent's chest - 6**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	279	1.9	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had chest pain</b>	4133	28.1		
	<b>-1 NS/NK</b>	396	2.7		
	<b>Total</b>	14444	98.1		
<b>Total</b>		14723	100.0		

V4247 C26b vii: Location of pain or discomfort in respondent's chest - 7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	237	1.6	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	438	3.0		
	<b>Total</b>	14486	98.4		
<b>Total</b>		14723	100.0		

V4248 C26b viii: Location of pain or discomfort in respondent's chest - 8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	48	.3	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	627	4.3		
	<b>Total</b>	14675	99.7		
<b>Total</b>		14723	100.0		

V4249 C26b ix: Location of pain or discomfort in respondent's chest - 9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5	.0	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	670	4.6		
	<b>Total</b>	14718	100.0		
<b>Total</b>		14723	100.0		

V4250 C26b x: Location of pain or discomfort in respondent's chest - 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	71	.5	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	604	4.1		
	<b>Total</b>	14652	99.5		
<b>Total</b>		14723	100.0		

V4251 C26b xi: Location of pain or discomfort in respondent's chest - 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	118	.8	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	557	3.8		
	<b>Total</b>	14605	99.2		
<b>Total</b>		14723	100.0		

V4252 C26b xii: Location of pain or discomfort in respondent's chest - 12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	118	.8	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	557	3.8		
	<b>Total</b>	14605	99.2		
<b>Total</b>		14723	100.0		

V4253 C26b xiii: Location of pain or discomfort in respondent's chest - 13

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	22	.1	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	653	4.4		
	Total	14701	99.9		
Total		14723	100.0		

V4260 C27: When respondent walks at an ordinary pace on the level pain is produced

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	37	.3	6.4	6.4
	2 No	538	3.7	92.8	99.1
	3 Unable to walk	5	.0	.9	100.0
	Total	580	3.9	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	95	.6		
	Total	14143	96.1		
Total		14723	100.0		

V4261 C28: When respondent walks uphill or hurries this produces the pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	130	.9	22.1	22.1
	2 No	453	3.1	77.2	99.3
	3 Unable to walk	4	.0	.7	100.0
	Total	587	4.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	1	.0		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	87	.6		
	Total	14136	96.0		
Total		14723	100.0		

V4262 C29: When respondent gets any pain or discomfort in their chest walking, they

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Stop	57	.4	10.5	10.5
	2 Slow down	160	1.1	29.4	39.8
	3 Continue at same place	32	.2	5.9	45.7
	4 Not applicable	296	2.0	54.3	100.0
	Total	545	3.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	1	.0		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	129	.9		
	Total	14178	96.3		
Total		14723	100.0		

V4263 C30: Pain or discomfort in respondent's chest goes away if stood still

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	176	1.2	39.1	39.1
	2 No	274	1.9	60.9	100.0
	Total	450	3.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	2	.0		
	-2 Never had chest pain	4133	28.1		
	-1 NS/NK	223	1.5		
	Total	14273	96.9		
Total		14723	100.0		

**V4264 C31: Amount time taken for pain or discomfort in respondent's chest to go away**


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 10 minutes or less</b>	293	2.0	69.1	69.1
	<b>2 More than 10 minutes</b>	131	.9	30.9	100.0
	<b>Total</b>	424	2.9	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	1	.0		
	<b>-2 Never had chest pain</b>	4133	28.1		
	<b>-1 NS/NK</b>	250	1.7		
	<b>Total</b>	14299	97.1		
<b>Total</b>		14723	100.0		

**V4390 C32: Respondent currently takes any regular medications**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	2370	16.1	50.3	50.3
	<b>2 No</b>	2346	15.9	49.7	100.0
	<b>Total</b>	4716	32.0	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	92	.6		
	<b>Total</b>	10007	68.0		
<b>Total</b>		14723	100.0		

Derived variable: Respondent's height – cm

$A = ((C34a\_metres \times 100) + (C34a\_cent))$ ;  $B = (((C34a\_feet \times 12) + (C34a\_inch)) \times 2.54)$   
**V4400 = (A+B)**  
 If values in both A and B >-1, A and B summed, and divided by 2.




**V4401 C34a Dk: Respondent doesn't know their height**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	119	.8	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	4689	31.8		
	Total	14604	99.2		
Total		14723	100.0		

Derived variable: Respondent's weight – kg

$$A = (C34b\_st \times 6.35029); B = (C34b\_lbs \times 0.453592)$$

$$V4410 = (A+B)$$




**V4411 C34b Dk: Respondent doesn't know their weight**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	376	2.6	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	4432	30.1		
	<b>Total</b>	<b>14347</b>	<b>97.4</b>		
<b>Total</b>		<b>14723</b>	<b>100.0</b>		

**Derived variable: Respondent's hips - cm**

$$V4420 = ((C34c\_inch \times 2.54) + (C34c\_cm))$$

If values in both C34c\_inch and C34c\_cm >-1, C34c\_inch and C34c\_cm summed, and divided by 2.



**V4421 C34c Dk: Respondent doesn't know their hip measurement**


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1949	13.2	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2859	19.4		
	Total	12774	86.8		
Total		14723	100.0		

Derived variable: Respondent's waist - cm

$$V4430=((c34d\_inch \times 2.54) + (c34d\_cm))$$

If values in both `c34d_inch` and `c34d_cm` >-1, `c34d_inch` and `c34d_cm` summed, and divided by 2.

**V4430 DV: Respondent's waist - cm**



**V4431 C34d Dk: Respondent doesn't know their waist measurement**


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1888	12.8	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2920	19.8		
	Total	12835	87.2		
Total		14723	100.0		

Derived variable: Respondent's bust - cm

$$V4440=((c34e\_inch \times 2.54) + (c34e\_cm))$$

If values in both c34e\_inch and c34e\_cm >-1, c34e\_inch and c34e\_cm summed, and divided by 2.

**V4440 DV: Respondent's bust - cm**



**V4441 C34e Dk: Respondent doesn't know their bust measurement**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1267	8.6	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	3541	24.1		
	<b>Total</b>	<b>13456</b>	<b>91.4</b>		
<b>Total</b>		<b>14723</b>	<b>100.0</b>		

**V4450 C34f i: Respondent's bra size**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>25</b>	1	.0	.0	.0
	<b>28</b>	2	.0	.0	.1
	<b>30</b>	28	.2	.7	.8
	<b>32</b>	317	2.2	7.7	8.5
	<b>33</b>	2	.0	.0	8.5
	<b>34</b>	1192	8.1	29.0	37.6
	<b>35</b>	9	.1	.2	37.8
	<b>36</b>	1376	9.3	33.5	71.3
	<b>37</b>	1	.0	.0	71.3
	<b>38</b>	771	5.2	18.8	90.1
	<b>40</b>	236	1.6	5.7	95.8
	<b>42</b>	117	.8	2.8	98.7
	<b>44</b>	35	.2	.9	99.5
	<b>46</b>	9	.1	.2	99.8
Missing	<b>48</b>	6	.0	.1	99.9
	<b>50</b>	1	.0	.0	99.9
	<b>52</b>	1	.0	.0	100.0
	<b>56</b>	2	.0	.0	100.0
	<b>Total</b>	4106	27.9	100.0	
	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	3	.0		
	<b>-6 Variable not in Version 1 questionnaire</b>	187	1.3		
	<b>-1 NS/NK</b>	512	3.5		
	<b>Total</b>	10617	72.1		
<b>Total</b>		14723	100.0		

**V4451 C34f ii: Respondent's bra cup size**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 AA	94	.6	2.2	2.2
	2 A	353	2.4	8.1	10.2
	3 B	883	6.0	20.2	30.5
	4 C	968	6.6	22.2	52.7
	5 D	707	4.8	16.2	68.9
	6 DD	688	4.7	15.8	84.7
	7 E	250	1.7	5.7	90.4
	8 F	151	1.0	3.5	93.9
	9 FF	73	.5	1.7	95.6
	10 G	95	.6	2.2	97.7
	11 GG	41	.3	.9	98.7
	12 H	26	.2	.6	99.3
	13 HH	12	.1	.3	99.5
	14 J	13	.1	.3	99.8
Missing	-10 Did not complete questionnaire	9915	67.3		
	-6 Variable not in Version 1 questionnaire	187	1.3		
	-1 NS/NK	260	1.8		
	Total	10362	70.4		
Total		14723	100.0		

V4452 C34f Dk: Respondent doesn't know their bra cup size

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	74	.5	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-6 Variable not in Version 1 questionnaire	187	1.3		
	-1 NS/NK	4547	30.9		
	Total	14649	99.5		
Total		14723	100.0		

## **Section D: Reproductive Health**

In this section we will be asking questions about your reproductive health. We know this is a sensitive subject, but it is important to ask about it now because we are interested in all aspects of your health and how it might be changing at this stage in your life.

D1)

a) Are you currently pregnant?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

→ If no, go to D2

b) How long were you trying before you became pregnant?

Months

--	--

→ Go to D3

D2)

a) Are you currently trying to get pregnant?

(cross one option only)

<input type="checkbox"/> 1 Yes, we are trying	<input type="checkbox"/> 2 No, but intend to later
---	--

3 No

→ If no/no, but intend to later, go to D3

b) For how long have you been trying?

Months

--	--

D3) How many pregnancies have you ever had? 

--	--

 → If 00, go to D5

D4) What was the outcome of each of these pregnancies? We have included space for up to 10 pregnancies. If you have had more than 10 pregnancies, please use the blank sheets at the back of the questionnaire and clearly indicate you are answering question D4

		1 Miscarriage	2 Termination of an unwanted pregnancy	3 Termination for medical reasons	4 Baby stillborn	5 Baby born alive	6 Year pregnancy ended/birth year
a)	1st	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
b)	2nd	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
c)	3rd	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
d)	4th	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
e)	5th	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
f)	6th	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
g)	7th	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
h)	8th	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
i)	9th	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
j)	10th	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

D5) What forms of contraception are you and your partner using now? (please cross all that you have used in the past 3 months)

(cross one option on each line)

<sup>1</sup> Yes

<sup>2</sup> No

- a) Withdrawal
- b) The pill
- c) Intrauterine device (coil, no hormones)
- d) Intrauterine device (coil, with hormones, such as a mirena coil)
- e) Condom/sheath
- f) Calendar/rhythm method
- g) Diaphragm/cap
- h) Spermicide
- i) Contraceptive injection (such as Depo-Provera)
- j) Contraceptive implant (such as Implanon)
- k) I have been sterilised
- l) My partner has been sterilised
- m) I am no longer fertile
- n) None
- o) Other (please describe)

D6) Have you ever had any of the following operations? (For each operation cross the no or yes option. If yes, please give the date of the operation. If you cannot remember the month and year give your age at the time of the operation).

a) Removal of uterus (womb) and both ovaries (hysterectomy and bilateral oophorectomy)  1 Yes  2 No

Month Year Age (years)  
If yes      or

b) Removal of uterus (womb) only (hysterectomy)  1 Yes  2 No

Month Year Age (years)  
If yes      or

c) Removal of uterus (womb) and one ovary (hysterectomy and oophorectomy)  1 Yes  2 No

Month Year Age (years)  
If yes      or

d) Removal of both ovaries only (bilateral oophorectomy)  1 Yes  2 No

Month Year Age (years)  
If yes      or

e) Removal of one ovary only (oophorectomy)  1 Yes  2 No

Month Year Age (years)  
If yes      or

D7) In the last 12 months have you had a period or menstrual bleeding?

(cross one option only)

1 Yes  2 No

→ If yes, go to D9

D8) Were your periods stopped by:

(cross all that apply)

1 Surgery?

1 Chemotherapy or radiation therapy?

1 Pregnancy or breastfeeding?

1 No obvious reason/menopause?

1 Contraception?

Other reason, please describe:

→ Go to D10

D9) In the last 3 months have you had a period or menstrual bleeding?

(cross one option only)

1 Yes

2 No

D10) When was your last period? (Include current period if bleeding now).

Month      Year

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	----------------------

If you cannot remember the month and year please give your age at the time:

Years

<input type="text"/>	<input type="text"/>
----------------------	----------------------

D11) These questions are for everybody. If you are still having periods tell us about the most recent changes. If your periods have stopped tell us about the changes before your last period.

a) In the last few years/in the years before your last period did your periods:

(cross one option only)

1 Become more regular?

2 Become less regular?

3 Remain about the same? (i.e. as regular/irregular as before)

4 Don't remember

→ If remain about the same or don't remember, go to D12

b) If more regular or less regular, when did you first notice this change?

(cross one option only)

1 Up to one year before last period

2 Between 1 and 2 years before last period

3 Between 2 and 3 years before last period

4 Between 3 and 4 years before last period

5 More than 4 years before last period

c) In the last few years or in the years before your last period how many days do you/did you usually have between the start (first day) of one period and the start of the next period?

(cross one option only)

1 Less than 21 days

2 21-25 days

3 26-31 days

4 32-39 days

5 40-50 days

6 More than 50 days

7 Too irregular to estimate

D12) Please describe your most recent periods:

(cross one option on each line)

1 Very

2 Moderately

3 Mildly

4 Not at all

- a) How heavy are/were your periods  1  2  3  4
- b) How painful are/were your periods  1  2  3  4
- c) Are/were your periods irregular  1  2  3  4

Days

- d) How many days does/did bleeding usually last?

D13)

- a) Do/did you generally find that in the days before or during your periods you have particular problems?

(cross one option only)

1 Yes

2 No

→ If no, go to D14

- b) Which problems did you experience?

(cross all that apply on each row)

1 Yes, before 2 Yes, during

- i) Very fatigued  1  2
- ii) Irritable  1  2
- iii) Depressed  1  2
- iv) Anxious  1  2
- v) Other (please describe)  1  2

- D14) Have you had a D and C (scrape) since your study child's 7th birthday?

(cross one option only)

1 Yes

2 No

3 Don't know

→ If no or don't know, go to D16

D15) Was this because of?

(cross one option on each line)

1 Yes      2 No

- a) Heavy periods      1  2   
b) Painful periods      1  2   
c) Fibroids      1  2   
d) Termination      1  2   
e) Infertility      1  2   
f) Miscarriage      1  2   
g) Don't know      1  2   
h) Other (please describe)      1  2

D16) Have you ever had hormone replacement therapy (HRT)?

(cross one option only)

1  Yes

2  No

→ If no, go to Section E

D17) When did you first start HRT?

Month      Year

If you cannot remember the month and year please give your age at the time:

Years

D18) Before you first started HRT had your menstrual periods stopped?

(cross one option only)

1  Yes

2  No

→ If no, go to D20

D19) What was the date of your last period before starting HRT?

Month      Year

<input type="text"/>				
----------------------	----------------------	----------------------	----------------------	----------------------

If you cannot remember the month and year please give your age at the time:

Years

<input type="text"/>	<input type="text"/>
----------------------	----------------------

D20) Have you ever stopped HRT and then started again?

(cross one option only)

1 Yes

2 No

D21) Are you currently on HRT?

(cross one option only)

1 Yes

2 No

If you feel you have problems with any of the issues raised in this section, you may wish to contact your GP

## Section D: Reproductive Health – Frequencies

V4512 D2a: Respondent is currently trying to get pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, we are trying	6	.0	.1	.1
	2 No, but intend to later	1055	7.2	23.4	23.5
	3 No	3451	23.4	76.5	100.0
	Total	4512	30.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-3 Currently pregnant	1	.0		
	-1 NS/NK	295	2.0		
	Total	10211	69.4		
Total		14723	100.0		

V4513 D2b: Length of time trying to get pregnant (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	.0	20.0	20.0
	5	1	.0	20.0	40.0
	12	2	.0	40.0	80.0
	30	1	.0	20.0	100.0
	Total	5	.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-3 Currently pregnant	1	.0		
	-2 Not pregnant/intends to later	4506	30.6		
	-1 NS/NK	296	2.0		
	Total	14718	100.0		
Total		14723	100.0		


V4515 D3: Number of pregnancies respondent has ever had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	200	1.4	4.8	4.8
	2	1421	9.7	34.2	39.0
	3	1227	8.3	29.5	68.4
	4	707	4.8	17.0	85.4
	5	315	2.1	7.6	93.0
	6	165	1.1	4.0	97.0
	7	53	.4	1.3	98.2
	8	21	.1	.5	98.8
	9	25	.2	.6	99.4
	10 10 or more	27	.2	.6	100.0
Total		4161	28.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	8	.1		
	-1 NS/NK	639	4.3		
	Total	10562	71.7		
Total		14723	100.0		

V4520 D4a: Outcome of 1st pregnancy


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	493	3.3	12.1	12.1
	2 Termination of an unwanted pregnancy	374	2.5	9.2	21.3
	3 Termination for medical reasons	37	.3	.9	22.3
	4 Baby still born	30	.2	.7	23.0
	5 Baby born alive	3127	21.2	77.0	100.0
	Total	4061	27.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	747	5.1		
	Total	10662	72.4		
Total		14723	100.0		

V4521 D4a Year: Year pregnancy ended/birth year




V4522 D4b: Outcome of 2nd pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Miscarriage</b>	503	3.4	13.0	13.0
	<b>2 Termination of an unwanted pregnancy</b>	71	.5	1.8	14.9
	<b>3 Termination for medical reasons</b>	36	.2	.9	15.8
	<b>4 Baby still born</b>	14	.1	.4	16.2
	<b>5 Baby born alive</b>	3233	22.0	83.8	100.0
	<b>Total</b>	3857	26.2	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	951	6.5		
	<b>Total</b>	10866	73.8		
<b>Total</b>		14723	100.0		




		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	409	2.8	16.4	16.4
	2 Termination of an unwanted pregnancy	97	.7	3.9	20.3
	3 Termination for medical reasons	37	.3	1.5	21.8
	4 Baby still born	17	.1	.7	22.5
	5 Baby born alive	1930	13.1	77.5	100.0
	<b>Total</b>	<b>2490</b>	<b>16.9</b>	<b>100.0</b>	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2318	15.7		
	<b>Total</b>	<b>12233</b>	<b>83.1</b>		
<b>Total</b>		<b>14723</b>	<b>100.0</b>		



V4526 D4d: Outcome of 4th pregnancy


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Miscarriage</b>	249	1.7	19.3	19.3
	<b>2 Termination of an unwanted pregnancy</b>	50	.3	3.9	23.2
	<b>3 Termination for medical reasons</b>	25	.2	1.9	25.2
	<b>4 Baby still born</b>	6	.0	.5	25.6
	<b>5 Baby born alive</b>	958	6.5	74.4	100.0
	<b>Total</b>	1288	8.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	3520	23.9		
	<b>Total</b>	13435	91.3		
<b>Total</b>		14723	100.0		



V4528 D4e: Outcome of 5th pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Miscarriage</b>	122	.8	20.8	20.8
	<b>2 Termination of an unwanted pregnancy</b>	49	.3	8.3	29.1
	<b>3 Termination for medical reasons</b>	10	.1	1.7	30.8
	<b>4 Baby still born</b>	3	.0	.5	31.3
	<b>5 Baby born alive</b>	403	2.7	68.7	100.0
	<b>Total</b>	587	4.0	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	4221	28.7		
	<b>Total</b>	14136	96.0		
<b>Total</b>		14723	100.0		


V4529 D4e Year: Year pregnancy ended/birth year



V4530 D4f: Outcome of 6th pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	55	.4	19.2	19.2
	2 Termination of an unwanted pregnancy	28	.2	9.8	29.0
	3 Termination for medical reasons	4	.0	1.4	30.4
	4 Baby still born	2	.0	.7	31.1
	5 Baby born alive	197	1.3	68.9	100.0
	Total	286	1.9	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	4522	30.7		
	Total	14437	98.1		
Total		14723	100.0		


V4531 D4f Year: Year pregnancy ended/birth year



V4532 D4g: Outcome of 7th pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	58	.4	46.4	46.4
	2 Termination of an unwanted pregnancy	8	.1	6.4	52.8
	3 Termination for medical reasons	1	.0	.8	53.6
	4 Baby still born	2	.0	1.6	55.2
	5 Baby born alive	56	.4	44.8	100.0
	Total	125	.8	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	4683	31.8		
	Total	14598	99.2		
Total		14723	100.0		


V4533 D4g Year: Year pregnancy ended/birth year



V4534 D4h: Outcome of 8th pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Miscarriage</b>	27	.2	38.6	38.6
	<b>2 Termination of an unwanted pregnancy</b>	1	.0	1.4	40.0
	<b>3 Termination for medical reasons</b>	1	.0	1.4	41.4
	<b>4 Baby still born</b>	3	.0	4.3	45.7
	<b>5 Baby born alive</b>	38	.3	54.3	100.0
	<b>Total</b>	70	.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	4738	32.2		
	<b>Total</b>	14653	99.5		
<b>Total</b>		14723	100.0		


V4535 D4h Year: Year pregnancy ended/birth year



V4536 D4i: Outcome of 9th pregnancy


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	17	.1	33.3	33.3
	3 Termination for medical reasons	2	.0	3.9	37.3
	5 Baby born alive	32	.2	62.7	100.0
	Total	51	.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	4757	32.3		
	Total	14672	99.7		
Total		14723	100.0		

V4537 D4i Year: Year pregnancy ended/birth year



V4538 D4j: Outcome of 10th pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Miscarriage	8	.1	32.0	32.0
	5 Baby born alive	17	.1	68.0	100.0
	Total	25	.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	4783	32.5		
	Total	14698	99.8		
Total		14723	100.0		



V4550 D5a: Withdrawal used as contraception in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	137	.9	6.3	6.3
	2 No	2033	13.8	93.7	100.0
	Total	2170	14.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2638	17.9		
	Total	12553	85.3		
Total		14723	100.0		

**V4551 D5b: Pill used as contraception in past 3 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	205	1.4	9.3	9.3
	2 No	2005	13.6	90.7	100.0
	Total	2210	15.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2598	17.6		
	Total	12513	85.0		
Total		14723	100.0		

**V4552 D5c: IUD (coil, no hormones) used as contraception in past 3 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	119	.8	5.5	5.5
	2 No	2032	13.8	94.5	100.0
	Total	2151	14.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2657	18.0		
	Total	12572	85.4		
Total		14723	100.0		

**V4553 D5d: IUD (with hormones) used as contraception in past 3 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	524	3.6	22.1	22.1
	2 No	1842	12.5	77.9	100.0
	Total	2366	16.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2442	16.6		
	Total	12357	83.9		
Total		14723	100.0		

**V4554 D5e: Condom/sheath used as contraception in past 3 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	285	1.9	13.0	13.0
	2 No	1908	13.0	87.0	100.0
	Total	2193	14.9	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2615	17.8		
	Total	12530	85.1		
Total		14723	100.0		

**V4556 D5f: Calendar/rhythm method used as contraception in past 3 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	26	.2	1.2	1.2
	2 No	2056	14.0	98.8	100.0
	Total	2082	14.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2726	18.5		
	Total	12641	85.9		
Total		14723	100.0		

**V4557 D5g: Diaphragm/cap used as contraception in past 3 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	15	.1	.7	.7
	2 No	2052	13.9	99.3	100.0
	Total	2067	14.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2741	18.6		
	Total	12656	86.0		
Total		14723	100.0		

**V4558 D5h: Spermicide used as contraception in past 3 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	12	.1	.6	.6
	2 No	2051	13.9	99.4	100.0
	Total	2063	14.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2745	18.6		
	Total	12660	86.0		
Total		14723	100.0		

**V4559 D5i: Injection used as contraception in past 3 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	30	.2	1.4	1.4
	2 No	2039	13.8	98.6	100.0
	Total	2069	14.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2739	18.6		
	Total	12654	85.9		
Total		14723	100.0		

**V4560 D5j: Implant used as contraception in past 3 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	31	.2	1.5	1.5
	2 No	2049	13.9	98.5	100.0
	Total	2080	14.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2728	18.5		
	Total	12643	85.9		
Total		14723	100.0		

V4561 D5k: Respondent has been sterilised

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	514	3.5	22.1	22.1
	2 No	1809	12.3	77.9	100.0
	Total	2323	15.8	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2485	16.9		
	Total	12400	84.2		
Total		14723	100.0		

V4562 D5l: Partner has been sterilised

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1333	9.1	49.7	49.7
	2 No	1351	9.2	50.3	100.0
	Total	2684	18.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2124	14.4		
	Total	12039	81.8		
Total		14723	100.0		

V4563 D5m: Respondent no longer fertile

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1359	9.2	49.7	49.7
	2 No	1375	9.3	50.3	100.0
	Total	2734	18.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2074	14.1		
	Total	11989	81.4		
Total		14723	100.0		

V4564 D5n: No contraception used in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	827	5.6	40.4	40.4
	2 No	1219	8.3	59.6	100.0
	Total	2046	13.9	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	2762	18.8		
	Total	12677	86.1		
Total		14723	100.0		

V4565 D5o: Other contraception used in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	353	2.4	28.0	28.0
	2 No	907	6.2	72.0	100.0
	Total	1260	8.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	3548	24.1		
	Total	13463	91.4		
Total		14723	100.0		


V4700 D6a: Respondent had uterus and both ovaries removed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	117	.8	2.5	2.5
	2 No	4483	30.4	97.5	100.0
	Total	4600	31.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	2	.0		
	-1 NS/NK	206	1.4		
Total		10123	68.8		
Total		14723	100.0		


V4701 D6a Month: Respondent had uterus & both ovaries removed – Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	6	.0	7.5	7.5
	2	8	.1	10.0	17.5
	3	12	.1	15.0	32.5
	4	14	.1	17.5	50.0
	5	7	.0	8.8	58.8
	6	4	.0	5.0	63.7
	7	5	.0	6.3	70.0
	8	9	.1	11.3	81.3
	9	3	.0	3.8	85.0
	10	5	.0	6.3	91.3
	11	4	.0	5.0	96.3
	12	3	.0	3.8	100.0
Total		80	.5	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not removed	4483	30.4		
	-1 NS/NK	245	1.7		
	Total	14643	99.5		
Total		14723	100.0		

V4702 D6a Year: Respondent had uterus & both ovaries removed- Year



V4703 D6a Age: Respondent had uterus & both ovaries removed - age (years)



D6a Age: Respondent had uterus & both ovaries removed - age (years)


V4710 D6b Respondent had uterus removed


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	237	1.6	5.2	5.2
	2 No	4300	29.2	94.8	100.0
	Total	4537	30.8	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	2	.0		
	-1 NS/NK	269	1.8		
	Total	10186	69.2		
Total		14723	100.0		

V4711 D6b Month: Respondent had uterus removed - Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	12	.1	7.6	7.6
	2	9	.1	5.7	13.3
	3	15	.1	9.5	22.8
	4	21	.1	13.3	36.1
	5	11	.1	7.0	43.0
	6	16	.1	10.1	53.2
	7	14	.1	8.9	62.0
	8	7	.0	4.4	66.5
	9	13	.1	8.2	74.7
	10	13	.1	8.2	82.9
	11	17	.1	10.8	93.7
	12	10	.1	6.3	100.0
Total		158	1.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not removed	4300	29.2		
	-1 NS/NK	350	2.4		
	Total	14565	98.9		
Total		14723	100.0		

V4712 D6b Year: Respondent had uterus removed - Year





**V4720 D6c: Respondent had uterus and one ovary removed**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	26	.2	.6	.6
	2 No	4416	30.0	99.4	100.0
	Total	4442	30.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	2	.0		
	-1 NS/NK	364	2.5		
	Total	10281	69.8		
Total		14723	100.0		

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	.0	14.3	14.3
	2	1	.0	7.1	21.4
	5	1	.0	7.1	28.6
	6	1	.0	7.1	35.7
	7	1	.0	7.1	42.9
	8	2	.0	14.3	57.1
	9	3	.0	21.4	78.6
	10	1	.0	7.1	85.7
	11	1	.0	7.1	92.9
	12	1	.0	7.1	100.0
Total		14	.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not removed	4416	30.0		
	-1 NS/NK	378	2.6		
	Total	14709	99.9		
Total		14723	100.0		

V4722 D6c Year: Respondent had uterus & one ovary removed- Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1996</b>	1	.0	6.3	6.3
	<b>1998</b>	1	.0	6.3	12.5
	<b>2000</b>	2	.0	12.5	25.0
	<b>2001</b>	1	.0	6.3	31.3
	<b>2002</b>	1	.0	6.3	37.5
	<b>2003</b>	2	.0	12.5	50.0
	<b>2006</b>	3	.0	18.8	68.8
	<b>2008</b>	1	.0	6.3	75.0
	<b>2009</b>	1	.0	6.3	81.3
	<b>2012</b>	2	.0	12.5	93.8
	<b>2013</b>	1	.0	6.3	100.0
<b>Total</b>		16	.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Not removed</b>	4416	30.0		
	<b>-1 NS/NK</b>	376	2.6		
	<b>Total</b>	14707	99.9		
<b>Total</b>		14723	100.0		

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	32	1	.0	7.1	7.1
	34	1	.0	7.1	14.3
	36	3	.0	21.4	35.7
	38	1	.0	7.1	42.9
	39	2	.0	14.3	57.1
	40	2	.0	14.3	71.4
	45	1	.0	7.1	78.6
	47	1	.0	7.1	85.7
	48	1	.0	7.1	92.9
	49	1	.0	7.1	100.0
Total		14	.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not removed	4416	30.0		
	-1 NS/NK	378	2.6		
	Total	14709	99.9		
Total		14723	100.0		

**V4730 D6d: Respondent has had both ovaries only removed**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	27	.2	.6	.6
	2 No	4401	29.9	99.4	100.0
	Total	4428	30.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	2	.0		
	-1 NS/NK	378	2.6		
	Total	10295	69.9		
Total		14723	100.0		

**V4731 D6d Month: Respondent had both ovaries only removed - Month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	5.3	5.3

	2	1	.0	5.3	10.5
	3	1	.0	5.3	15.8
	4	1	.0	5.3	21.1
	5	2	.0	10.5	31.6
	6	2	.0	10.5	42.1
	7	2	.0	10.5	52.6
	8	1	.0	5.3	57.9
	11	5	.0	26.3	84.2
	12	3	.0	15.8	100.0
	<b>Total</b>	19	.1	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Not removed</b>	4401	29.9		
	<b>-1 NS/NK</b>	388	2.6		
	<b>Total</b>	14704	99.9		
<b>Total</b>		14723	100.0		

**V4732 D6d Year: Respondent had both ovaries only removed - Year**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1999</b>	1	.0	4.5	4.5
	<b>2004</b>	2	.0	9.1	13.6
	<b>2005</b>	1	.0	4.5	18.2
	<b>2006</b>	1	.0	4.5	22.7
	<b>2007</b>	2	.0	9.1	31.8
	<b>2008</b>	4	.0	18.2	50.0
	<b>2010</b>	1	.0	4.5	54.5
	<b>2011</b>	6	.0	27.3	81.8
	<b>2012</b>	2	.0	9.1	90.9
	<b>2013</b>	2	.0	9.1	100.0
	<b>Total</b>	22	.1	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Not removed</b>	4401	29.9		
	<b>-1 NS/NK</b>	385	2.6		
	<b>Total</b>	14701	99.9		
<b>Total</b>		14723	100.0		

**V4733 D6d Age: Respondent had both ovaries only removed - Age (years)**

		Frequency	Percent	Valid Percent	Cumulative Percent
--	--	-----------	---------	---------------	--------------------

Valid	35	1	.0	8.3	8.3
	38	1	.0	8.3	16.7
	40	1	.0	8.3	25.0
	45	2	.0	16.7	41.7
	46	1	.0	8.3	50.0
	47	2	.0	16.7	66.7
	48	1	.0	8.3	75.0
	52	1	.0	8.3	83.3
	53	1	.0	8.3	91.7
	55	1	.0	8.3	100.0
	<b>Total</b>	12	.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not removed	4401	29.9		
	-1 NS/NK	395	2.7		
	<b>Total</b>	14711	99.9		
<b>Total</b>		14723	100.0		

**V4740 D6e Respondent had one ovary only removed**


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	94	.6	2.1	2.1
	2 No	4332	29.4	97.9	100.0
	<b>Total</b>	4426	30.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	2	.0		
	-1 NS/NK	380	2.6		
	<b>Total</b>	10297	69.9		
<b>Total</b>		14723	100.0		

**V4741 D6e Month: Respondent had one ovary only removed - Month**


	Frequency	Percent	Valid Percent	Cumulative Percent
--	-----------	---------	---------------	--------------------

<b>Valid</b>	<b>1</b>	3	.0	5.2	5.2
	<b>2</b>	4	.0	6.9	12.1
	<b>3</b>	3	.0	5.2	17.2
	<b>4</b>	3	.0	5.2	22.4
	<b>5</b>	4	.0	6.9	29.3
	<b>6</b>	9	.1	15.5	44.8
	<b>7</b>	5	.0	8.6	53.4
	<b>8</b>	4	.0	6.9	60.3
	<b>9</b>	6	.0	10.3	70.7
	<b>10</b>	8	.1	13.8	84.5
	<b>11</b>	5	.0	8.6	93.1
	<b>12</b>	4	.0	6.9	100.0
	<b>Total</b>	58	.4	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Not removed</b>	4332	29.4		
	<b>-1 NS/NK</b>	418	2.8		
	<b>Total</b>	14665	99.6		
<b>Total</b>		14723	100.0		

**V4742 D6e Year: Respondent had one ovary only removed - Year**



V4743 D6e Age: Respondent had one ovary only removed - Age (years)



**V4800 D7: Respondent has had a period or menstrual bleeding in last 12 Months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2186	14.8	46.7	46.7
	2 No	2490	16.9	53.3	100.0
	Total	4676	31.8	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	132	.9		
	Total	10047	68.2		
Total		14723	100.0		

**V4801 D8 Surgery: Respondent's periods were stopped by surgery**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	330	2.2	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Had period in past 12 months	2186	14.8		
	-1 NS/NK	2292	15.6		
	Total	14393	97.8		
Total		14723	100.0		

**V4802 D8 Chemo: Respondent's periods stopped by chemotherapy or radiation therapy**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	69	.5	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Had period in past 12 months	2186	14.8		
	-1 NS/NK	2553	17.3		
	Total	14654	99.5		
Total		14723	100.0		

**V4803 D8 Preg: Respondent's periods were stopped by pregnancy or breastfeeding**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6	.0	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Had period in past 12 months	2186	14.8		
	-1 NS/NK	2616	17.8		
	Total	14717	100.0		
Total		14723	100.0		

**V4804 D8 Noobv: Respondent's periods were stopped by no obvious reason/menopause**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	1506	10.2	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Had period in past 12 months</b>	2186	14.8		
	<b>-1 NS/NK</b>	1116	7.6		
	<b>Total</b>	13217	89.8		
<b>Total</b>		14723	100.0		

**V4805 D8 Contra: Respondent's periods were stopped by contraception**


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	364	2.5	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Had period in past 12 months</b>	2186	14.8		
	<b>-1 NS/NK</b>	2258	15.3		
	<b>Total</b>	14359	97.5		
<b>Total</b>		14723	100.0		


**V4810 D9: Respondent has had a period or menstrual bleeding in the last 3 months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	1835	12.5	83.6	83.6
	<b>2 No</b>	360	2.4	16.4	100.0
	<b>Total</b>	2195	14.9	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-3 Not had period in past 12 months</b>	2490	16.9		
	<b>-1 NS/NK</b>	123	.8		
	<b>Total</b>	12528	85.1		
<b>Total</b>		14723	100.0		

V4811 D10 Month: Respondent's last period (inc current period if bleeding now) - Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	138	.9	4.7	4.7
	2	107	.7	3.7	8.4
	3	101	.7	3.5	11.8
	4	120	.8	4.1	16.0
	5	135	.9	4.6	20.6
	6	167	1.1	5.7	26.3
	7	156	1.1	5.3	31.6
	8	315	2.1	10.8	42.4
	9	824	5.6	28.2	70.7
	10	456	3.1	15.6	86.3
	11	242	1.6	8.3	94.6
	12	159	1.1	5.4	100.0
Total		2920	19.8	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-9 Dont know	1	.0		
	-8 Unresolvable/Value out of possible range	1	.0		
	-1 NS/NK	1886	12.8		
	Total	11803	80.2		
Total		14723	100.0		





V4820 D11a: Frequency respondent's periods in last few years/years before last period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Become more regular	350	2.4	7.7	7.7
	2 Become less regular	2162	14.7	47.5	55.2
	3 Remain about the same (i.e. as regular/irregular as before)	1752	11.9	38.5	93.6
	4 Don't remember	290	2.0	6.4	100.0
	Total	4554	30.9	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	254	1.7		
	Total	10169	69.1		
Total		14723	100.0		

V4830 D11b: If periods more or less regular,time when respondent first noticed change

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Up to one year before last period</b>	753	5.1	32.2	32.2
	<b>2 Between 1 and 2 years before last period</b>	772	5.2	33.0	65.1
	<b>3 Between 2 and 3 years before last period</b>	419	2.8	17.9	83.0
	<b>4 Before 3 and 4 years before last period</b>	185	1.3	7.9	90.9
	<b>5 More than 4 years before last period</b>	212	1.4	9.1	100.0
	<b>Total</b>	2341	15.9	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Periods remained same/Don't remember</b>	2035	13.8		
	<b>-1 NS/NK</b>	432	2.9		
	<b>Total</b>	12382	84.1		
<b>Total</b>		14723	100.0		

V4831 D11c: In last few years/years before respondent's last period, periods lasted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Less than 21 days</b>	327	2.2	11.2	11.2
	<b>2 21-25 days</b>	586	4.0	20.1	31.3
	<b>3 26-31 days</b>	1056	7.2	36.2	67.4
	<b>4 32-39 days</b>	162	1.1	5.5	73.0
	<b>5 40-50 days</b>	78	.5	2.7	75.6
	<b>6 More than 50 days</b>	94	.6	3.2	78.8
	<b>7 Too irregular to estimate</b>	618	4.2	21.2	100.0
	<b>Total</b>	2921	19.8	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-6 Variable not in Version 1 questionnaire</b>	187	1.3		
	<b>-2 Periods remained same/Don't remember</b>	1371	9.3		
	<b>-1 NS/NK</b>	329	2.2		
	<b>Total</b>	11802	80.2		
<b>Total</b>		14723	100.0		

V4835 D12a: How heavy current/most recent periods are/were

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	1283	8.7	29.9	29.9
	2 Moderately	1518	10.3	35.4	65.2
	3 Mildly	919	6.2	21.4	86.7
	4 Not at all	573	3.9	13.3	100.0
	Total	4293	29.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	515	3.5		
	Total	10430	70.8		
Total		14723	100.0		


V4836 D12b: How painful current/most recent periods are/were

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	462	3.1	10.9	10.9
	2 Moderately	1073	7.3	25.3	36.2
	3 Mildly	1424	9.7	33.5	69.7
	4 Not at all	1287	8.7	30.3	100.0
	Total	4246	28.8	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	562	3.8		
	Total	10477	71.2		
Total		14723	100.0		

V4837 D12c: How irregular current/most recent periods are/were

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	1101	7.5	26.1	26.1
	2 Moderately	852	5.8	20.2	46.4
	3 Mildly	813	5.5	19.3	65.7
	4 Not at all	1445	9.8	34.3	100.0
	Total	4211	28.6	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	597	4.1		
	Total	10512	71.4		
Total		14723	100.0		

V4838 D12d: Number of days of bleeding of respondent's most recent period



V4840 D13a: Resp generally found days before/during periods have particular problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2225	15.1	53.1	53.1
	2 No	1968	13.4	46.9	100.0
	Total	4193	28.5	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-5 Bad data	187	1.3		
	-1 NS/NK	428	2.9		
	Total	10530	71.5		
Total		14723	100.0		

V4850 D13bi Before: Respondent felt very fatigue before period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, before	1111	7.5	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-5 Bad data	187	1.3		
	-2 No particular period problems	1968	13.4		
	-1 NS/NK	1542	10.5		
	Total	13612	92.5		
Total		14723	100.0		

V4851 D13bi During: Respondent felt very fatigue during period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, during	762	5.2	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-5 Bad data	187	1.3		
	-2 No particular period problems	1968	13.4		
	-1 NS/NK	1891	12.8		
	Total	13961	94.8		
Total		14723	100.0		

**V4852 D13bii Before: Respondent felt irritable before period**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, before</b>	1730	11.8	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-2 No particular period problems</b>	1968	13.4		
	<b>-1 NS/NK</b>	923	6.3		
	<b>Total</b>	12993	88.2		
<b>Total</b>		14723	100.0		

**V4853 D13bii During: Respondent felt irritable during period**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, during</b>	416	2.8	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-2 No particular period problems</b>	1968	13.4		
	<b>-1 NS/NK</b>	2237	15.2		
	<b>Total</b>	14307	97.2		
<b>Total</b>		14723	100.0		

**V4854 D13biii Before: Respondent felt depressed before period**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, before</b>	756	5.1	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-2 No particular period problems</b>	1968	13.4		
	<b>-1 NS/NK</b>	1897	12.9		
	<b>Total</b>	13967	94.9		
<b>Total</b>		14723	100.0		

**V4855 D13biii During: Respondent felt depressed during period**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, during</b>	232	1.6	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-2 No particular period problems</b>	1968	13.4		
	<b>-1 NS/NK</b>	2421	16.4		
	<b>Total</b>	14491	98.4		
<b>Total</b>		14723	100.0		

**V4856 D13biv Before: Respondent felt anxious before period**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, before</b>	590	4.0	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-2 No particular period problems</b>	1968	13.4		
	<b>-1 NS/NK</b>	2063	14.0		
	<b>Total</b>	14133	96.0		
<b>Total</b>		14723	100.0		

**V4857 D13biv During: Respondent felt anxious before period**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, during</b>	200	1.4	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-5 Bad data</b>	187	1.3		
	<b>-2 No particular period problems</b>	1968	13.4		
	<b>-1 NS/NK</b>	2453	16.7		
	<b>Total</b>	14523	98.6		
<b>Total</b>		14723	100.0		

V4858 D13bv Before: Respondent had other problems before period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, before	366	2.5	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	2	.0		
	-5 Bad data	187	1.3		
	-2 No particular period problems	1968	13.4		
	-1 NS/NK	2285	15.5		
	<b>Total</b>	14357	97.5		
<b>Total</b>		14723	100.0		

V4859 D13bv During: Respondent had other problems during period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, during	155	1.1	100.0	100.0
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	3	.0		
	-5 Bad data	187	1.3		
	-2 No particular period problems	1968	13.4		
	-1 NS/NK	2495	16.9		
	<b>Total</b>	14568	98.9		
<b>Total</b>		14723	100.0		

V4860A DV : Describe other problems generally found days before/during periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>0 Text response in d13bv_txt: Any combination of responses in d13bv_before and d13bv_during</b>	4511	30.6	93.8	93.8
	<b>1 Text response in d13bv_txt: No response in both d13bv_before and d13bv_during</b>	297	2.0	6.2	100.0
	<b>Total</b>	4808	32.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
<b>Total</b>		14723	100.0		

V4900 D14: Respondent has had a D and C (scrape) since study child's 7th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	362	2.5	7.9	7.9
	<b>2 No</b>	4135	28.1	89.7	97.5
	<b>3 Don't know</b>	113	.8	2.5	100.0
	<b>Total</b>	4610	31.3	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	1	.0		
	<b>-1 NS/NK</b>	197	1.3		
	<b>Total</b>	10113	68.7		
<b>Total</b>		14723	100.0		

V4901 D15a: Reason had D&C since study child's 7th birthday - Heavy periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	143	1.0	73.7	73.7
	2 No	51	.3	26.3	100.0
	Total	194	1.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not/don't know if had D&C	4248	28.9		
	-1 NS/NK	366	2.5		
	Total	14529	98.7		
Total		14723	100.0		

V4902 D15b: Reason had D&C since study child 7th birthday - Painful periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	59	.4	43.1	43.1
	2 No	78	.5	56.9	100.0
	Total	137	.9	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not/don't know if had D&C	4248	28.9		
	-1 NS/NK	423	2.9		
	Total	14586	99.1		
Total		14723	100.0		

V4903 D15c: Reason had D&C since study child's 7th birthday - Fibroids

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	97	.7	57.4	57.4
	2 No	72	.5	42.6	100.0
	Total	169	1.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not/don't know if had D&C	4248	28.9		
	-1 NS/NK	391	2.7		
	Total	14554	98.9		
Total		14723	100.0		

V4904 D15d: Reason had D&C since study child's 7th birthday - Termination

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	50	.3	35.2	35.2
	2 No	92	.6	64.8	100.0
	Total	142	1.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not/don't know if had D&C	4248	28.9		
	-1 NS/NK	418	2.8		
	Total	14581	99.0		
Total		14723	100.0		

V4905 D15e:Reason had D&C since study child's 7th birthday - Infertility

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.0	1.8	1.8
	2 No	107	.7	98.2	100.0
	Total	109	.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not/don't know if had D&C	4248	28.9		
	-1 NS/NK	451	3.1		
	Total	14614	99.3		
Total		14723	100.0		

V4906 D15f: Reason had D&C since study child's 7th birthday - Miscarriage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	87	.6	51.8	51.8
	2 No	81	.6	48.2	100.0
	Total	168	1.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not/don't know if had D&C	4248	28.9		
	-1 NS/NK	392	2.7		
	Total	14555	98.9		
Total		14723	100.0		

V4907 D15g: Reason had D&C since study child's 7th birthday - don't know

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	10	.1	15.6	15.6
	2 No	54	.4	84.4	100.0
	Total	64	.4	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not/don't know if had D&C	4248	28.9		
	-1 NS/NK	496	3.4		
	Total	14659	99.6		
Total		14723	100.0		

V4908 D15h: Reason had D&C since study child's 7th birthday - Other


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	63	.4	66.3	66.3
	<b>2 No</b>	32	.2	33.7	100.0
	<b>Total</b>	95	.6	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Not/don't know if had D&amp;C</b>	4248	28.9		
	<b>-1 NS/NK</b>	465	3.2		
	<b>Total</b>	14628	99.4		
<b>Total</b>		14723	100.0		

**V4920 D16: Respondent ever had hormone replacement therapy (HRT)**


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	601	4.1	12.8	12.8
	<b>2 No</b>	4093	27.8	87.2	100.0
	<b>Total</b>	4694	31.9	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	114	.8		
	<b>Total</b>	10029	68.1		
	<b>Total</b>	14723	100.0		

**V4921 D17 Month: Date respondent first started HRT - Month**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1</b>	28	.2	11.3	11.3
	<b>2</b>	17	.1	6.9	18.1
	<b>3</b>	22	.1	8.9	27.0
	<b>4</b>	25	.2	10.1	37.1
	<b>5</b>	22	.1	8.9	46.0
	<b>6</b>	27	.2	10.9	56.9
	<b>7</b>	15	.1	6.0	62.9
	<b>8</b>	16	.1	6.5	69.4
	<b>9</b>	26	.2	10.5	79.8
	<b>10</b>	23	.2	9.3	89.1
	<b>11</b>	16	.1	6.5	95.6
	<b>12</b>	11	.1	4.4	100.0
<b>Total</b>		248	1.7	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had HRT</b>	4093	27.8		
	<b>-1 NS/NK</b>	467	3.2		
	<b>Total</b>	14475	98.3		
<b>Total</b>		14723	100.0		



**V4923 D17 Years: Respondent's estimated age of when first started HRT - Years**



V4950 D18: Respondent's menstrual periods had stopped before starting first HRT


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	346	2.4	59.3	59.3
	2 No	237	1.6	40.7	100.0
	Total	583	4.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had HRT	4093	27.8		
	-1 NS/NK	132	.9		
	Total	14140	96.0		
Total		14723	100.0		

V4951 D19 Month: Date of respondent's last period before starting HRT - Month


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	17	.1	16.5	16.5
	2	10	.1	9.7	26.2

	3	9	.1	8.7	35.0
	4	12	.1	11.7	46.6
	5	5	.0	4.9	51.5
	6	7	.0	6.8	58.3
	7	4	.0	3.9	62.1
	8	9	.1	8.7	70.9
	9	12	.1	11.7	82.5
	10	7	.0	6.8	89.3
	11	5	.0	4.9	94.2
	12	6	.0	5.8	100.0
	<b>Total</b>	103	.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-3 Menstrual periods not stopped before starting HRT	237	1.6		
	-2 Never had HRT	4093	27.8		
	-1 NS/NK	375	2.5		
	<b>Total</b>	14620	99.3		
<b>Total</b>		14723	100.0		

V4952 D19 Year: Date of respondent's last period before starting HRT - Year



**V4953 D19 Years: Estimate of respondent's last period before starting HRT - Age (yrs)**



**V4954 D20: Respondent ever stopped HRT and then started again**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	136	.9	23.4	23.4
	2 No	446	3.0	76.6	100.0
	Total	582	4.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never had HRT	4093	27.8		
	-1 NS/NK	133	.9		
	Total	14141	96.0		
Total		14723	100.0		

**V4955 D21: Respondent currently on HRT**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	272	1.8	45.6	45.6
	2 No	325	2.2	54.4	100.0

	<b>Total</b>	597	4.1	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never had HRT</b>	4093	27.8		
	<b>-1 NS/NK</b>	118	.8		
	<b>Total</b>	14126	95.9		
<b>Total</b>		14723	100.0		

## **Section E: Sexual health**

In addition to the reproductive health questions in the previous section we would like to ask you questions about your sexual health. We know this is a particularly personal subject. Please remember that your answers are confidential and anonymous.

**E1)** Which statement best describes your circumstances?

(cross one option only)

- |   |  |
|---|--|
| <input type="checkbox"/> 1 I live with my sexual partner  | <input type="checkbox"/> 2 I have a sexual partner but we do not live together |
| <input type="checkbox"/> 3 I do not have a sexual partner |  |

**E2)** How often do you think about sex? This includes times of just being interested in sex, daydreaming or fantasizing about sex, as well as times when you wanted to have sex.

(cross one option only)

- |  |   |
|--|---|
| <input type="checkbox"/> 1 Not at all                  | <input type="checkbox"/> 2 Once in the last month |
| <input type="checkbox"/> 3 2-3 times in the last month | <input type="checkbox"/> 4 Once a week            |
| <input type="checkbox"/> 5 2-3 times a week            | <input type="checkbox"/> 6 4-6 times a week       |
| <input type="checkbox"/> 7 Once a day                  | <input type="checkbox"/> 8 More than once a day   |

**E3)** Are you worried or distressed by your current level of sexual drive/desire?

(cross one option only)

- |   |   |
|---|---|
| <input type="checkbox"/> 1 Not at all worried or distressed | <input type="checkbox"/> 2 A little bit worried or distressed |
| <input type="checkbox"/> 3 Moderately worried or distressed | <input type="checkbox"/> 4 Very worried or distressed         |
| <input type="checkbox"/> 5 Extremely worried or distressed  |   |

**E4)** Compared with a year ago, has your sexual drive/desire changed?

(cross one option only)

- |   |   |
|---|---|
| <input type="checkbox"/> 1 Increased a lot                | <input type="checkbox"/> 2 Increased moderately |
| <input type="checkbox"/> 3 Neither increased or decreased | <input type="checkbox"/> 4 Decreased moderately |
| <input type="checkbox"/> 5 Decreased a lot                |   |

**E5)** Did you have a sexual partner in the last month?

(cross one option only)

- |                                |                               |
|--------------------------------|-------------------------------|
| <input type="checkbox"/> 1 Yes | <input type="checkbox"/> 2 No |
|--------------------------------|-------------------------------|

→ If no, go to E8

E6) In the last month, how many times have you attempted sexual intercourse?

(cross one option only)

- |   |  |
|---|--|
| 1 <input type="radio"/> Not at all                  | 2 <input type="radio"/> Once in the last month |
| 3 <input type="radio"/> 2-3 times in the last month | 4 <input type="radio"/> Once a week            |
| 5 <input type="radio"/> 2-3 times a week            | 6 <input type="radio"/> 4-6 times a week       |
| 7 <input type="radio"/> Once a day                  | 8 <input type="radio"/> More than once a day   |

E7) Apart from when you attempted sexual intercourse, how frequently do you engage in activities such as kissing, fondling, petting etc?

(cross one option only)

- |   |  |
|---|--|
| 1 <input type="radio"/> Not at all                  | 2 <input type="radio"/> Once in the last month |
| 3 <input type="radio"/> 2-3 times in the last month | 4 <input type="radio"/> Once a week            |
| 5 <input type="radio"/> 2-3 times a week            | 6 <input type="radio"/> 4-6 times a week       |
| 7 <input type="radio"/> Once a day                  | 8 <input type="radio"/> More than once a day   |

E8) How often do you masturbate?

(cross one option only)

- |   |  |
|---|--|
| 1 <input type="radio"/> Not at all                  | 2 <input type="radio"/> Once in the last month |
| 3 <input type="radio"/> 2-3 times in the last month | 4 <input type="radio"/> Once a week            |
| 5 <input type="radio"/> 2-3 times a week            | 6 <input type="radio"/> 4-6 times a week       |
| 7 <input type="radio"/> Once a day                  | 8 <input type="radio"/> More than once a day   |

E9) Are you worried or distressed by the overall frequency of your sexual activities (including intercourse, kissing etc and masturbation)?

(cross one option only)

- |  |  |
|--|--|
| 1 <input type="radio"/> Not at all worried or distressed | 2 <input type="radio"/> A little bit worried or distressed |
| 3 <input type="radio"/> Moderately worried or distressed | 4 <input type="radio"/> Very worried or distressed         |
| 5 <input type="radio"/> Extremely worried or distressed  |  |

→ If not at all worried or distressed, go to E11

E10) If you are worried or distressed by the current frequency of your sexual activities, do you consider them to be:

(cross one option only)

- |                                       |  |
|---------------------------------------|--|
| 1 <input type="radio"/> Too frequent? | 2 <input type="radio"/> Not frequent enough? |
|---------------------------------------|--|

E11) Compared with a year ago, has the overall frequency of your sexual activities changed?  
(cross one option only)

- |   |   |
|---|---|
| <input type="checkbox"/> 1 Increased a lot                | <input type="checkbox"/> 2 Increased moderately |
| <input type="checkbox"/> 3 Neither increased or decreased | <input type="checkbox"/> 4 Decreased moderately |
| <input type="checkbox"/> 5 Decreased a lot                |   |

E12) It is common for men to experience erectile problems. In the last month how often was your husband/partner able to get and keep an erection good enough for sexual intercourse?

- (cross one option only)
- |   |                                    |
|---|------------------------------------|
| <input type="checkbox"/> 1 Always         | <input type="checkbox"/> 2 Usually |
| <input type="checkbox"/> 3 Sometimes      | <input type="checkbox"/> 4 Never   |
| <input type="checkbox"/> 5 Not applicable |                                    |

E13) When you have sexual stimulation, how often do you have the feeling of orgasm or climax?  
(cross one option only)

- |  |  |
|--|--|
| <input type="checkbox"/> 1 Almost never/never              | <input type="checkbox"/> 2 A few times (much less than half the time)      |
| <input type="checkbox"/> 3 Sometimes (about half the time) | <input type="checkbox"/> 4 Most of the time (much more than half the time) |
| <input type="checkbox"/> 5 Almost always/always            | <input type="checkbox"/> 6 No sexual intercourse/masturbation              |

E14) Are you worried or distressed by your current orgasmic experience?

- (cross one option only)
- |   |   |
|---|---|
| <input type="checkbox"/> 1 Not at all worried or distressed | <input type="checkbox"/> 2 A little bit worried or distressed |
| <input type="checkbox"/> 3 Moderately worried or distressed | <input type="checkbox"/> 4 Very worried or distressed         |
| <input type="checkbox"/> 5 Extremely worried or distressed  |   |

E15) Compared with a year ago, has the enjoyment of your orgasmic experience changed?

- (cross one option only)
- |   |   |
|---|---|
| <input type="checkbox"/> 1 Decreased a lot                | <input type="checkbox"/> 2 Decreased moderately |
| <input type="checkbox"/> 3 Neither increased or decreased | <input type="checkbox"/> 4 Increased moderately |
| <input type="checkbox"/> 5 Increased a lot                |   |

E16) How satisfied are you with your overall sex life?

(cross one option only)

<input type="checkbox"/> 1 Very satisfied	<input type="checkbox"/> 2 Moderately satisfied
<input type="checkbox"/> 3 About equally satisfied and dissatisfied	<input type="checkbox"/> 4 Moderately dissatisfied
<input type="checkbox"/> 5 Very dissatisfied	

E17) How satisfied are you with your general (non-sexual) relationship with your partner?

(cross one option only)

<input type="checkbox"/> 1 Very satisfied	<input type="checkbox"/> 2 Moderately satisfied
<input type="checkbox"/> 3 About equally satisfied and dissatisfied	<input type="checkbox"/> 4 Moderately dissatisfied
<input type="checkbox"/> 5 Very dissatisfied	<input type="checkbox"/> 6 No partner

If you feel you have a problem with any of the issues raised in this section, you may wish to contact:

Bristol NHS Sexual Health Services Advice Line 0117 342 6944, your GP or visit [www.nhs.uk/sexualhealth](http://www.nhs.uk/sexualhealth).

## Section E: Sexual Health – Frequencies

V5000 E1: Respondent's sexual partner circumstances are best described as

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Lives with sexual partner	3716	25.2	80.3	80.3
	2 Has a sexual partner but does not live together	325	2.2	7.0	87.3
	3 Does not have sexual partner	586	4.0	12.7	100.0
	Total	4627	31.4	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	181	1.2		
	Total	10096	68.6		
Total		14723	100.0		

V5001 E2: Freq respondent thinks about sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	526	3.6	11.8	11.8
	2 Once in the last month	520	3.5	11.7	23.5
	3 2-3 times in the last month	955	6.5	21.5	44.9
	4 Once a week	670	4.6	15.0	60.0
	5 2-3 times a week	984	6.7	22.1	82.1
	6 4-6 times a week	359	2.4	8.1	90.2
	7 Once a day	206	1.4	4.6	94.8
	8 More than once a day	232	1.6	5.2	100.0
Missing	Total	4452	30.2	100.0	
	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	356	2.4		
	Total	10271	69.8		
Total		14723	100.0		

V5002 E3: Respondent is worried or distressed by current level of sexual drive/desire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Not at all worried or distressed</b>	3213	21.8	71.2	71.2
	<b>2 A little bit worried or distressed</b>	917	6.2	20.3	91.5
	<b>3 Moderately worried or distressed</b>	317	2.2	7.0	98.5
	<b>4 Very worried or distressed</b>	58	.4	1.3	99.8
	<b>5 Extremely worried or distressed</b>	10	.1	.2	100.0
	<b>Total</b>	4515	30.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	293	2.0		
	<b>Total</b>	10208	69.3		
<b>Total</b>		14723	100.0		

V5003 E4: Compared with a year ago, respondent's sexual drive/desire has changed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Increased a lot</b>	93	.6	2.1	2.1
	<b>2 Increased moderately</b>	229	1.6	5.1	7.2
	<b>3 Neither increased or decreased</b>	2668	18.1	59.3	66.4
	<b>4 Decreased moderately</b>	1001	6.8	22.2	88.6
	<b>5 Decreased a lot</b>	511	3.5	11.4	100.0
	<b>Total</b>	4502	30.6	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	306	2.1		
	<b>Total</b>	10221	69.4		
<b>Total</b>		14723	100.0		

**V5004 E5: Respondent had a sexual partner in the last month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes</b>	3329	22.6	74.4	74.4
	<b>2 No</b>	1143	7.8	25.6	100.0
	<b>Total</b>	4472	30.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	336	2.3		
	<b>Total</b>	10251	69.6		
<b>Total</b>		14723	100.0		

**V5005 E6: Number of times respondent attempted sexual intercourse in last month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Not at all</b>	743	5.0	19.9	19.9
	<b>2 Once in the last month</b>	516	3.5	13.8	33.7
	<b>3 2-3 times in the last month</b>	978	6.6	26.1	59.8
	<b>4 Once a week</b>	652	4.4	17.4	77.2
	<b>5 2-3 times a week</b>	695	4.7	18.6	95.8
	<b>6 4-6 times a week</b>	131	.9	3.5	99.3
	<b>7 Once a day</b>	13	.1	.3	99.7
	<b>8 More than once a day</b>	12	.1	.3	100.0
	<b>Total</b>	3740	25.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	1068	7.3		
	<b>Total</b>	10983	74.6		
<b>Total</b>		14723	100.0		

**V5006 E7: Freq respondent engages in sexual activities but not intercourse**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Not at all</b>	827	5.6	22.4	22.4
	<b>2 Once in the last month</b>	269	1.8	7.3	29.7
	<b>3 2-3 times in the last month</b>	431	2.9	11.7	41.4
	<b>4 Once a week</b>	317	2.2	8.6	50.0
	<b>5 2-3 times a week</b>	624	4.2	16.9	66.9
	<b>6 4-6 times a week</b>	332	2.3	9.0	75.9
	<b>7 Once a day</b>	399	2.7	10.8	86.7
	<b>8 More than once a day</b>	490	3.3	13.3	100.0
	<b>Total</b>	3689	25.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	1119	7.6		
	<b>Total</b>	11034	74.9		
<b>Total</b>		14723	100.0		

**V5007 E8: Frequency respondent masturbates**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Not at all</b>	2332	15.8	55.0	55.0
	<b>2 Once in the last month</b>	866	5.9	20.4	75.4
	<b>3 2-3 times in the last month</b>	575	3.9	13.6	89.0
	<b>4 Once a week</b>	245	1.7	5.8	94.8
	<b>5 2-3 times a week</b>	183	1.2	4.3	99.1
	<b>6 4-6 times a week</b>	25	.2	.6	99.7
	<b>7 Once a day</b>	9	.1	.2	99.9
	<b>8 More than once a day</b>	4	.0	.1	100.0
	<b>Total</b>	4239	28.8	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	569	3.9		
	<b>Total</b>	10484	71.2		
<b>Total</b>		14723	100.0		

**V5008 E9: Respondent worried/distressed by frequency of sexual activities**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Not at all worried or distressed</b>	3130	21.3	71.7	71.7
	<b>2 A little bit worried or distressed</b>	821	5.6	18.8	90.5
	<b>3 Moderately worried or distressed</b>	335	2.3	7.7	98.1
	<b>4 Very worried or distressed</b>	64	.4	1.5	99.6
	<b>5 Extremely worried or distressed</b>	17	.1	.4	100.0
	<b>Total</b>	4367	29.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	441	3.0		
	<b>Total</b>	10356	70.3		
<b>Total</b>		14723	100.0		

**V5009 E10: Respondent considers frequency of sexual activities to be**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Too frequent</b>	31	.2	2.6	2.6
	<b>2 Not enough</b>	1150	7.8	97.4	100.0
	<b>Total</b>	1181	8.0	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Not worried/distressed by frequency sexual activities</b>	3130	21.3		
	<b>-1 NS/NK</b>	497	3.4		
	<b>Total</b>	13542	92.0		
<b>Total</b>		14723	100.0		

V5010 E11: Compared with year ago, overall freq respondent sexual activities changed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Increased a lot	89	.6	2.0	2.0
	2 Increased moderately	196	1.3	4.5	6.5
	3 Neither increased or decreased	2629	17.9	60.1	66.6
	4 Decreased moderately	1003	6.8	22.9	89.5
	5 Decreased a lot	460	3.1	10.5	100.0
	Total	4377	29.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	431	2.9		
	Total	10346	70.3		
Total		14723	100.0		

V5011 E12: Freq last month husband/partner able get/keep erection

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	1880	12.8	43.9	43.9
	2 Usually	533	3.6	12.5	56.4
	3 Sometimes	349	2.4	8.2	64.5
	4 Never	638	4.3	14.9	79.5
	5 Not applicable	879	6.0	20.5	100.0
	Total	4279	29.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	529	3.6		
	Total	10444	70.9		
Total		14723	100.0		

**V5012 E13: When respondent has sexual stimulation, freq have feeling of orgasm/climax**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Almost never/never</b>	258	1.8	6.0	6.0
	<b>2 A few times (much less than half the time)</b>	351	2.4	8.2	14.3
	<b>3 Sometimes (about half the time)</b>	730	5.0	17.1	31.4
	<b>4 Most of the time (much more than half the time)</b>	691	4.7	16.2	47.5
	<b>5 Almost always/always</b>	1931	13.1	45.2	92.8
	<b>6 No sexual intercourse/masturbation</b>	309	2.1	7.2	100.0
	<b>Total</b>	4270	29.0	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	538	3.7		
	<b>Total</b>	10453	71.0		
<b>Total</b>		14723	100.0		

**V5013 E14: Respondent is worried or distressed their current orgasmic experience**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Not at all worried or distressed</b>	3699	25.1	86.9	86.9
	<b>2 A little bit worried or distressed</b>	378	2.6	8.9	95.8
	<b>3 Moderately worried or distressed</b>	147	1.0	3.5	99.3
	<b>4 Very worried or distressed</b>	24	.2	.6	99.8
	<b>5 Extremely worried or distressed</b>	7	.0	.2	100.0
	<b>Total</b>	4255	28.9	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	553	3.8		
	<b>Total</b>	10468	71.1		
<b>Total</b>		14723	100.0		

**V5014 E15: Compared with year ago, respondent's enjoyment orgasmic experience changed**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Decreased a lot</b>	169	1.1	4.0	4.0
	<b>2 Decreased moderately</b>	470	3.2	11.2	15.3
	<b>3 Neither increased or decreased</b>	3286	22.3	78.6	93.9
	<b>4 Increased moderately</b>	181	1.2	4.3	98.2
	<b>5 Increased a lot</b>	76	.5	1.8	100.0
	<b>Total</b>	4182	28.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	626	4.3		
	<b>Total</b>	10541	71.6		
<b>Total</b>		14723	100.0		

**V5015 E16: Degree to which respondent is satisfied with overall sex life**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Very satisfied</b>	1338	9.1	31.4	31.4
	<b>2 Moderately satisfied</b>	952	6.5	22.3	53.7
	<b>3 About equally satisfied and dissatisfied</b>	901	6.1	21.1	74.8
	<b>4 Moderately dissatisfied</b>	709	4.8	16.6	91.4
	<b>5 Very dissatisfied</b>	366	2.5	8.6	100.0
	<b>Total</b>	4266	29.0	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	542	3.7		
	<b>Total</b>	10457	71.0		
<b>Total</b>		14723	100.0		

**V5016 E17: Degree which resp satisfied general (non-sexual) relationship with partner**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Very satisfied</b>	2196	14.9	51.2	51.2
	<b>2 Moderately satisfied</b>	796	5.4	18.5	69.7
	<b>3 About equally satisfied and dissatisfied</b>	481	3.3	11.2	80.9
	<b>4 Moderately dissatisfied</b>	269	1.8	6.3	87.2
	<b>5 Very dissatisfied</b>	146	1.0	3.4	90.6
	<b>6 No partner</b>	405	2.8	9.4	100.0
	<b>Total</b>	4293	29.2	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	515	3.5		
	<b>Total</b>	10430	70.8		
<b>Total</b>		14723	100.0		

## **Section F: Your feelings**

The questions in this section ask you about your feelings and the way you behave. You may have answered these questions in other questionnaires, but you might be feeling differently now. We would be very grateful if you would try to answer all of the questions but we understand if there are questions that you either prefer not to answer or are unable to answer.

Please say how true the following statements are of you.

	(cross one option on each line)				
	1 Very like me	2 Moderately like me	3 Moderately unlike me	4 Very unlike me	
F1) I avoid saying what I think for fear of being rejected	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
F2) If others knew the real me they would not like me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
F3) If other people knew what I am really like they would think less of me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
F4) I always expect criticism	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
F5) I don't like people to really know me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
F6) My value as a person depends enormously on what others think of me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	1 Almost always true	2 Often true	3 Sometimes true	4 Seldom true	5 Never true
F7) I am able to do things as well as most other people	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F8) I feel I do not have much to be proud of	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F9) I take a positive attitude towards myself	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F10) Sometimes I think I am no good at all	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F11) I am a useful person to have around	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F12) I feel I cannot do anything right	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F13) When I do a job I do it well	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F14) I feel that my life is not very useful	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F15) I am unlucky	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

1 Almost  
always true      2 Often true      3 Sometimes  
true      4 Seldom true      5 Never true

F16) I feel that I am a person of  
worth, at least equal to others

1  2  3  4  5

F17) I feel I have a number of good  
qualities

1  2  3  4  5

### In the past week

F18) I have blamed myself unnecessarily when things went wrong

(cross one option only)

- |   |   |
|---|---|
| 1 <input type="radio"/> Yes, most of the time | 2 <input type="radio"/> Yes, some of the time |
| 3 <input type="radio"/> Not very often        | 4 <input type="radio"/> Never                 |

F19) I have been anxious or worried for no good reason

(cross one option only)

- |                                     |  |
|-------------------------------------|--|
| 1 <input type="radio"/> Yes, often  | 2 <input type="radio"/> Yes, sometimes |
| 3 <input type="radio"/> Hardly ever | 4 <input type="radio"/> No, not at all |

F20) I have felt scared or panicky for no good reason

(cross one option only)

- |  |  |
|--|--|
| 1 <input type="radio"/> Yes, quite a lot | 2 <input type="radio"/> Yes, sometimes |
| 3 <input type="radio"/> No, not much     | 4 <input type="radio"/> No, not at all |

F21) Things have been getting on top of me

(cross one option only)

- |  |  |
|--|--|
| 1 <input type="radio"/> Yes, most of the time I haven't been<br>able to cope | 2 <input type="radio"/> Yes, sometimes I haven't been coping<br>as well as usual |
| 3 <input type="radio"/> No, most of the time I have coped quite<br>well      | 4 <input type="radio"/> No, I have been coping as well as ever                   |

F22) I have been so unhappy that I have had difficulty sleeping

(cross one option only)

- |   |  |
|---|--|
| 1 <input type="radio"/> Yes, most of the time | 2 <input type="radio"/> Yes, sometimes |
| 3 <input type="radio"/> Not very often        | 4 <input type="radio"/> No, not at all |

F23) I have felt sad or miserable

(cross one option only)

<input type="checkbox"/> 1 Yes, most of the time	<input type="checkbox"/> 2 Yes, sometimes
<input type="checkbox"/> 3 Not very often	<input type="checkbox"/> 4 No, not at all

F24) I have been so unhappy I have been crying

(cross one option only)

<input type="checkbox"/> 1 Yes, most of the time	<input type="checkbox"/> 2 Yes, quite often
<input type="checkbox"/> 3 Only occasionally	<input type="checkbox"/> 4 Never

F25) The thought of harming myself has occurred to me

(cross one option only)

<input type="checkbox"/> 1 Yes, quite often	<input type="checkbox"/> 2 Sometimes
<input type="checkbox"/> 3 Hardly ever	<input type="checkbox"/> 4 Never

F26) I have been able to laugh and see the funny side of things

(cross one option only)

<input type="checkbox"/> 1 As much as I always could	<input type="checkbox"/> 2 Not quite so much now
<input type="checkbox"/> 3 Definitely not so much now	<input type="checkbox"/> 4 Not at all

F27) I have looked forward with enjoyment to things

(cross one option only)

<input type="checkbox"/> 1 As much as I ever did	<input type="checkbox"/> 2 Rather less than I used to
<input type="checkbox"/> 3 Definitely less than I used to	<input type="checkbox"/> 4 Hardly at all

If you feel concerned about any of the issues raised in this section you may wish to contact Mind on 0300 1233 393, or your GP.

## Section F: Your Feelings – Frequencies

V5100 F1: Respondent avoids saying what thinks for fear of being rejected

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very like me	240	1.6	5.2	5.2
	2 Moderately like me	1248	8.5	26.9	32.1
	3 Moderately unlike me	1098	7.5	23.7	55.8
	4 Very unlike me	2051	13.9	44.2	100.0
	Total	4637	31.5	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	171	1.2		
	Total	10086	68.5		
Total		14723	100.0		

V5101 F2: Respondent feels if others knew real them they would not like them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very like me	100	.7	2.2	2.2
	2 Moderately like me	420	2.9	9.1	11.2
	3 Moderately unlike me	863	5.9	18.7	29.9
	4 Very unlike me	3240	22.0	70.1	100.0
	Total	4623	31.4	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	185	1.3		
	Total	10100	68.6		
Total		14723	100.0		

**V5102 F3: Respondent feels if others knew what really like would think less of them**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Very like me</b>	89	.6	1.9	1.9
	<b>2 Moderately like me</b>	437	3.0	9.5	11.4
	<b>3 Moderately unlike me</b>	817	5.5	17.7	29.1
	<b>4 Very unlike me</b>	3269	22.2	70.9	100.0
	<b>Total</b>	4612	31.3	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	196	1.3		
	<b>Total</b>	10111	68.7		
<b>Total</b>		14723	100.0		

**V5103 F4: Respondent feel they always expect criticism**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Very like me</b>	279	1.9	6.0	6.0
	<b>2 Moderately like me</b>	1099	7.5	23.8	29.9
	<b>3 Moderately unlike me</b>	1139	7.7	24.7	54.6
	<b>4 Very unlike me</b>	2096	14.2	45.4	100.0
	<b>Total</b>	4613	31.3	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	195	1.3		
	<b>Total</b>	10110	68.7		
<b>Total</b>		14723	100.0		

**V5104 F5: Respondent feels they don't like people to really know them**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Very like me</b>	146	1.0	3.2	3.2
	<b>2 Moderately like me</b>	660	4.5	14.3	17.4
	<b>3 Moderately unlike me</b>	970	6.6	21.0	38.4
	<b>4 Very unlike me</b>	2844	19.3	61.6	100.0
	<b>Total</b>	4620	31.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	188	1.3		
	<b>Total</b>	10103	68.6		

<b>Total</b>	14723	100.0		
--------------	-------	-------	--	--

**V5105 F6: Respondent feels value as person depends enormously one what others think**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Very like me</b>	310	2.1	6.7	6.7
	<b>2 Moderately like me</b>	1228	8.3	26.7	33.4
	<b>3 Moderately unlike me</b>	1076	7.3	23.4	56.8
	<b>4 Very unlike me</b>	1989	13.5	43.2	100.0
	<b>Total</b>	4603	31.3	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	205	1.4		
	<b>Total</b>	10120	68.7		
<b>Total</b>		14723	100.0		

**V5110 F7: Frequency respondent feels able to do things as well as most other people**

		Frequency	Percent	Valid Percent	Cumulative Percent
<b>Valid</b>	<b>1 Almost always true</b>	1492	10.1	32.2	32.2
	<b>2 Often true</b>	1914	13.0	41.3	73.4
	<b>3 Sometimes true</b>	1024	7.0	22.1	95.5
	<b>4 Seldom true</b>	152	1.0	3.3	98.8
	<b>5 Never true</b>	56	.4	1.2	100.0
	<b>Total</b>	4638	31.5	100.0	
<b>Missing</b>	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	170	1.2		
	<b>Total</b>	10085	68.5		
<b>Total</b>		14723	100.0		

**V5111 F8: Frequency respondent feels they do not have much to be proud of**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Almost always true</b>	117	.8	2.5	2.5
	<b>2 Often true</b>	241	1.6	5.2	7.7
	<b>3 Sometimes true</b>	855	5.8	18.4	26.2
	<b>4 Seldom true</b>	1667	11.3	36.0	62.1
	<b>5 Never true</b>	1756	11.9	37.9	100.0
	<b>Total</b>	4636	31.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	172	1.2		
	<b>Total</b>	10087	68.5		
<b>Total</b>		14723	100.0		

**V5112 F9: Frequency respondent takes a positive attitude towards them self**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Almost always true</b>	1240	8.4	26.7	26.7
	<b>2 Often true</b>	1671	11.3	36.0	62.8
	<b>3 Sometimes true</b>	1226	8.3	26.4	89.2
	<b>4 Seldom true</b>	411	2.8	8.9	98.1
	<b>5 Never true</b>	88	.6	1.9	100.0
	<b>Total</b>	4636	31.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	172	1.2		
	<b>Total</b>	10087	68.5		
<b>Total</b>		14723	100.0		

**V5113 F10: Frequency respondent sometimes thinks they are no good at all**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Almost always true</b>	58	.4	1.3	1.3
	<b>2 Often true</b>	225	1.5	4.9	6.1
	<b>3 Sometimes true</b>	1007	6.8	21.7	27.8
	<b>4 Seldom true</b>	1536	10.4	33.1	60.9
	<b>5 Never true</b>	1812	12.3	39.1	100.0
	<b>Total</b>	4638	31.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	170	1.2		
	<b>Total</b>	10085	68.5		
<b>Total</b>		14723	100.0		

**V5114 F11: Frequency respondent feels they are a useful person to have around**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Almost always true</b>	1283	8.7	27.7	27.7
	<b>2 Often true</b>	2048	13.9	44.3	72.0
	<b>3 Sometimes true</b>	1111	7.5	24.0	96.0
	<b>4 Seldom true</b>	151	1.0	3.3	99.3
	<b>5 Never true</b>	34	.2	.7	100.0
	<b>Total</b>	4627	31.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	181	1.2		
	<b>Total</b>	10096	68.6		
<b>Total</b>		14723	100.0		

**V5115 F12: Frequency respondent feels they cannot do anything right**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Almost always true</b>	45	.3	1.0	1.0
	<b>2 Often true</b>	159	1.1	3.4	4.4
	<b>3 Sometimes true</b>	963	6.5	20.8	25.2
	<b>4 Seldom true</b>	1747	11.9	37.8	63.0
	<b>5 Never true</b>	1712	11.6	37.0	100.0
	<b>Total</b>	4626	31.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	182	1.2		
	<b>Total</b>	10097	68.6		
<b>Total</b>		14723	100.0		

**V5116 F13: Frequency respondent feels when they do a job they do it well**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Almost always true</b>	1979	13.4	42.7	42.7
	<b>2 Often true</b>	2023	13.7	43.6	86.3
	<b>3 Sometimes true</b>	576	3.9	12.4	98.8
	<b>4 Seldom true</b>	43	.3	.9	99.7
	<b>5 Never true</b>	14	.1	.3	100.0
	<b>Total</b>	4635	31.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	173	1.2		
	<b>Total</b>	10088	68.5		
<b>Total</b>		14723	100.0		

V5117 F14: Frequency respondent feels their life is not very useful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Almost always true</b>	79	.5	1.7	1.7
	<b>2 Often true</b>	183	1.2	4.0	5.7
	<b>3 Sometimes true</b>	742	5.0	16.0	21.7
	<b>4 Seldom true</b>	1321	9.0	28.5	50.2
	<b>5 Never true</b>	2306	15.7	49.8	100.0
	<b>Total</b>	4631	31.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	177	1.2		
	<b>Total</b>	10092	68.5		
<b>Total</b>		14723	100.0		

V5118 F15: Frequency respondent feels they are unlucky

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Almost always true</b>	143	1.0	3.1	3.1
	<b>2 Often true</b>	243	1.7	5.3	8.4
	<b>3 Sometimes true</b>	861	5.8	18.6	27.0
	<b>4 Seldom true</b>	1400	9.5	30.3	57.3
	<b>5 Never true</b>	1972	13.4	42.7	100.0
	<b>Total</b>	4619	31.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	189	1.3		
	<b>Total</b>	10104	68.6		
<b>Total</b>		14723	100.0		

**V5119 F16: Frequency respondent feels they are a person of worth**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Almost always true</b>	1984	13.5	43.1	43.1
	<b>2 Often true</b>	1494	10.1	32.4	75.5
	<b>3 Sometimes true</b>	891	6.1	19.3	94.9
	<b>4 Seldom true</b>	177	1.2	3.8	98.7
	<b>5 Never true</b>	60	.4	1.3	100.0
	<b>Total</b>	4606	31.3	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	202	1.4		
	<b>Total</b>	10117	68.7		
<b>Total</b>		14723	100.0		

**V5120 F17: Frequency respondent feels they have a number of good qualities**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Almost always true</b>	1991	13.5	43.2	43.2
	<b>2 Often true</b>	1717	11.7	37.2	80.4
	<b>3 Sometimes true</b>	799	5.4	17.3	97.7
	<b>4 Seldom true</b>	86	.6	1.9	99.6
	<b>5 Never true</b>	18	.1	.4	100.0
	<b>Total</b>	4611	31.3	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	197	1.3		
	<b>Total</b>	10112	68.7		
<b>Total</b>		14723	100.0		

**V5150 F18: Respondent blamed self unnecessarily when things went wrong past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, most of the time</b>	173	1.2	3.7	3.7
	<b>2 Yes, some of the time</b>	1338	9.1	28.9	32.6
	<b>3 Not very often</b>	1525	10.4	32.9	65.5
	<b>4 Never</b>	1600	10.9	34.5	100.0
	<b>Total</b>	4636	31.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	172	1.2		
	<b>Total</b>	10087	68.5		
<b>Total</b>		14723	100.0		

**V5151 F19: Respondent has been anxious or worried for no good reason in past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes often</b>	359	2.4	7.7	7.7
	<b>2 Yes, sometimes</b>	1472	10.0	31.7	39.4
	<b>3 Hardly ever</b>	1024	7.0	22.1	61.5
	<b>4 No, not at all</b>	1788	12.1	38.5	100.0
	<b>Total</b>	4643	31.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	165	1.1		
	<b>Total</b>	10080	68.5		
<b>Total</b>		14723	100.0		

**V5152 F20: Respondent has felt scared or panicky for no good reason in past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, quite a lot</b>	194	1.3	4.2	4.2
	<b>2 Yes, sometimes</b>	886	6.0	19.1	23.3
	<b>3 No, not much</b>	957	6.5	20.7	44.0

	<b>4 No, not at all</b>	2591	17.6	56.0	100.0
	<b>Total</b>	4628	31.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	180	1.2		
	<b>Total</b>	10095	68.6		
<b>Total</b>		14723	100.0		

**V5153 F21: Respondent has felt things have been getting on top of them in past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, most of the time I haven't been able to cope</b>	117	.8	2.5	2.5
	<b>2 Yes, sometimes I haven't been coping as well as usual</b>	1171	8.0	25.2	27.7
	<b>3 No, most of the time I have coped quite well</b>	1512	10.3	32.6	60.3
	<b>4 No, I have been coping as well as ever</b>	1843	12.5	39.7	100.0
	<b>Total</b>	4643	31.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	165	1.1		
	<b>Total</b>	10080	68.5		
<b>Total</b>		14723	100.0		

**V5154 F22: Respondent been so unhappy they have had difficulty sleeping in past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, most of the time</b>	155	1.1	3.3	3.3
	<b>2 Yes, sometimes</b>	877	6.0	18.9	22.2
	<b>3 Not very often</b>	887	6.0	19.1	41.3
	<b>4 No, not at all</b>	2722	18.5	58.7	100.0
	<b>Total</b>	4641	31.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	167	1.1		
	<b>Total</b>	10082	68.5		
<b>Total</b>		14723	100.0		

**V5155 F23: Respondent has felt sad or miserable in past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	176	1.2	3.8	3.8
	2 Yes, sometimes	1524	10.4	32.9	36.7
	3 Not very often	1303	8.9	28.1	64.8
	4 No, not at all	1629	11.1	35.2	100.0
	Total	4632	31.5	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	176	1.2		
	Total	10091	68.5		
Total		14723	100.0		

**V5156 F24: Respondent has been so unhappy they have been crying in past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	55	.4	1.2	1.2
	2 Yes, quite often	305	2.1	6.6	7.8
	3 Only occasionally	1467	10.0	31.7	39.4
	4 Never	2805	19.1	60.6	100.0
	Total	4632	31.5	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	176	1.2		
	Total	10091	68.5		
Total		14723	100.0		

**V5157 F25: Respondent has thought of harming themselves in past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite often	29	.2	.6	.6
	2 Sometimes	150	1.0	3.2	3.9
	3 Hardly ever	210	1.4	4.5	8.4
	4 Never	4244	28.8	91.6	100.0
	Total	4633	31.5	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	175	1.2		
	Total	10090	68.5		
Total		14723	100.0		

**V5158 F26: Respondent has been able to laugh and see funny side of things past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as I always could	3330	22.6	71.9	71.9
	2 Not quite so much now	916	6.2	19.8	91.6
	3 Definitely not so much now	244	1.7	5.3	96.9
	4 Not at all	144	1.0	3.1	100.0
	Total	4634	31.5	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	174	1.2		
	Total	10089	68.5		
Total		14723	100.0		

V5159 F27: Respondent has looked forward with enjoyment to things in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 As much as I ever did</b>	3308	22.5	71.6	71.6
	<b>2 Rather less than I used to</b>	927	6.3	20.1	91.6
	<b>3 Definitely less than I used to</b>	296	2.0	6.4	98.0
	<b>4 Hardly at all</b>	92	.6	2.0	100.0
	<b>Total</b>	4623	31.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	185	1.3		
	<b>Total</b>	10100	68.6		
<b>Total</b>		14723	100.0		

## **Section G: Alcohol and tobacco**

In this section we are asking about your alcohol and tobacco use. Alcohol includes beer, wine, 'alcopops', cider and spirit drinks like vodka.

- G1) How often do you have a drink containing alcohol?

(cross one option only)

<input type="checkbox"/> 1 Never	<input type="checkbox"/> 2 Once a month or less
<input type="checkbox"/> 3 2 to 4 times a month	<input type="checkbox"/> 4 2 to 3 times a week
<input type="checkbox"/> 5 4 or more times a week	

→ If never, go to G11

Please count one drink as approximately half a pint of beer, a small glass of wine or a single pub measure of spirits.

- G2) How many drinks containing alcohol do you have on a typical day when you are drinking?

(cross one option only)

<input type="checkbox"/> 1 1 or 2	<input type="checkbox"/> 2 3 or 4
<input type="checkbox"/> 3 5 or 6	<input type="checkbox"/> 4 7, 8 or 9
<input type="checkbox"/> 5 10 or more	

- G3) How often do you have six or more drinks on one occasion?

(cross one option only)

<input type="checkbox"/> 1 Never	<input type="checkbox"/> 2 Less than monthly
<input type="checkbox"/> 3 Monthly	<input type="checkbox"/> 4 Weekly
<input type="checkbox"/> 5 Daily or almost daily	

- G4) How often during the last year have you found that you were not able to stop drinking once you had started?

(cross one option only)

<input type="checkbox"/> 1 Never	<input type="checkbox"/> 2 Less than monthly
<input type="checkbox"/> 3 Monthly	<input type="checkbox"/> 4 Weekly
<input type="checkbox"/> 5 Daily or almost daily	

- G5) How often during the last year have you failed to do what was normally expected from you because of drinking?

(cross one option only)

<input type="checkbox"/> 1 Never	<input type="checkbox"/> 2 Less than monthly
<input type="checkbox"/> 3 Monthly	<input type="checkbox"/> 4 Weekly
<input type="checkbox"/> 5 Daily or almost daily	



G6) How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?

(cross one option only)

- |   |   |
|---|---|
| 1 <input type="radio"/> Never                 | 2 <input type="radio"/> Less than monthly |
| 3 <input type="radio"/> Monthly               | 4 <input type="radio"/> Weekly            |
| 5 <input type="radio"/> Daily or almost daily |   |

G7) How often during the last year have you had a feeling of guilt or remorse after drinking?

(cross one option only)

- |   |   |
|---|---|
| 1 <input type="radio"/> Never                 | 2 <input type="radio"/> Less than monthly |
| 3 <input type="radio"/> Monthly               | 4 <input type="radio"/> Weekly            |
| 5 <input type="radio"/> Daily or almost daily |   |

G8) How often during the last year have you been unable to remember what happened the night before because you had been drinking?

(cross one option only)

- |   |   |
|---|---|
| 1 <input type="radio"/> Never                 | 2 <input type="radio"/> Less than monthly |
| 3 <input type="radio"/> Monthly               | 4 <input type="radio"/> Weekly            |
| 5 <input type="radio"/> Daily or almost daily |   |

G9) Have you or someone else been injured as a result of your drinking?

(cross one option only)

- |   |   |
|---|---|
| 1 <input type="radio"/> Yes, during the last year | 2 <input type="radio"/> Yes, but not in the last year |
| 3 <input type="radio"/> No                        |   |

G10) Has a relative, friend, a doctor or another health worker been concerned about your drinking or suggested you cut down?

(cross one option only)

- |   |   |
|---|---|
| 1 <input type="radio"/> Yes, during the last year | 2 <input type="radio"/> Yes, but not in the last year |
| 3 <input type="radio"/> No                        |   |

G11) Are you currently a smoker (cigarettes or tobacco)?

(cross one option only)

1  Yes      2  No

→ If no, go to G15

G12) Do you smoke every day?

(cross one option only)

1  Yes      2  No

→ If no, go to Section H

G13) How old were you when you started smoking regularly  
(at least one cigarette or equivalent per day)?

Years old

--	--

G14)

a) How many cigarettes do you usually smoke each day?

Cigarettes

--	--

b) If hand-rolled, how much tobacco do you use per week?

Oz      Grams

--	--	--	--	--



### For non-smokers only

G15) Have you ever smoked in the past?

(cross one option only)

1 <input type="radio"/> Yes	2 <input type="radio"/> No
-----------------------------	----------------------------

→ If no, go to Section H

G16) When you smoked in the past did you smoke every day?

(cross one option only)

1  Yes      2  No

→ If no, go to Section H

G17) How old were you when you started smoking regularly (at least one cigarette or equivalent per day)?

Years old

10

G18)

a) How many cigarettes did you usually smoke each day?

## Cigarettes

10

b) If hand-rolled, how much tobacco do you use per week?

or

G19) How long ago did you stop smoking? If you can't remember give your age at the time you stopped.

Years      Months      Years old

**or**

If you feel you have any concerns about issues raised in this section, you may wish to contact your GP or Alcoholics Anonymous on 0845 769 7555.

## Section G: Alcohol and Tobacco – Frequencies

V5500 G1: Frequency respondent has a drink containing alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	477	3.2	10.2	10.2
	2 Once a month or less	719	4.9	15.3	25.5
	3 2 to 4 times a month	1051	7.1	22.4	47.8
	4 2 to 3 times a week	1460	9.9	31.1	78.9
	5 4 or more times a week	991	6.7	21.1	100.0
	Total	4698	31.9	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	1	.0		
	-1 NS/NK	109	.7		
	Total	10025	68.1		
Total		14723	100.0		

V5501 G2: Number drinks containing alcohol respondent has on typical day when drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1 or 2	2694	18.3	64.8	64.8
	2 3 or 4	1102	7.5	26.5	91.4
	3 5 or 6	271	1.8	6.5	97.9
	4 7, 8 or 9	66	.4	1.6	99.5
	5 10 or more	22	.1	.5	100.0
	Total	4155	28.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never drinks alcohol	477	3.2		
	-1 NS/NK	176	1.2		
	Total	10568	71.8		
Total		14723	100.0		

**V5502 G3: Frequency respondent has six or more drinks on one occasion**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Never</b>	2613	17.7	62.4	62.4
	<b>2 Less than monthly</b>	968	6.6	23.1	85.5
	<b>3 Monthly</b>	323	2.2	7.7	93.2
	<b>4 Weekly</b>	259	1.8	6.2	99.4
	<b>5 Daily or almost daily</b>	27	.2	.6	100.0
	<b>Total</b>	4190	28.5	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never drinks alcohol</b>	477	3.2		
	<b>-1 NS/NK</b>	141	1.0		
	<b>Total</b>	10533	71.5		
<b>Total</b>		14723	100.0		

**V5503 G4: Freq respondent could not stop drinking once started in past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Never</b>	3893	26.4	93.1	93.1
	<b>2 Less than monthly</b>	171	1.2	4.1	97.2
	<b>3 Monthly</b>	55	.4	1.3	98.5
	<b>4 Weekly</b>	51	.3	1.2	99.7
	<b>5 Daily or almost daily</b>	12	.1	.3	100.0
	<b>Total</b>	4182	28.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never drinks alcohol</b>	477	3.2		
	<b>-1 NS/NK</b>	149	1.0		
	<b>Total</b>	10541	71.6		
<b>Total</b>		14723	100.0		

V5504 G5: Freq respondent failed to do what normally expected in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3995	27.1	95.3	95.3
	2 Less than monthly	175	1.2	4.2	99.5
	3 Monthly	12	.1	.3	99.8
	4 Weekly	7	.0	.2	99.9
	5 Daily or almost daily	3	.0	.1	100.0
	Total	4192	28.5	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never drinks alcohol	477	3.2		
	-1 NS/NK	139	.9		
	Total	10531	71.5		
Total		14723	100.0		

V5505 G6: Freq respondent need 1st drink in morning to get going in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4172	28.3	99.5	99.5
	2 Less than monthly	12	.1	.3	99.8
	3 Monthly	2	.0	.0	99.9
	4 Weekly	4	.0	.1	100.0
	5 Daily or almost daily	2	.0	.0	100.0
	Total	4192	28.5	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never drinks alcohol	477	3.2		
	-1 NS/NK	139	.9		
	Total	10531	71.5		
Total		14723	100.0		

V5506 G7: Frequency respondent had feeling of guilt/remorse after drinking past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3636	24.7	87.0	87.0
	2 Less than monthly	366	2.5	8.8	95.8
	3 Monthly	71	.5	1.7	97.5
	4 Weekly	81	.6	1.9	99.4
	5 Daily or almost daily	23	.2	.6	100.0
	Total	4177	28.4	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never drinks alcohol	477	3.2		
	-1 NS/NK	154	1.0		
	Total	10546	71.6		
Total		14723	100.0		

V5507 G8: Freq respondent unable to recall what happened night before in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3785	25.7	90.7	90.7
	2 Less than monthly	300	2.0	7.2	97.9
	3 Monthly	52	.4	1.2	99.2
	4 Weekly	28	.2	.7	99.8
	5 Daily or almost daily	7	.0	.2	100.0
	Total	4172	28.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Never drinks alcohol	477	3.2		
	-1 NS/NK	159	1.1		
	Total	10551	71.7		
Total		14723	100.0		

**V5508 G9: Respondent or someone else been injured as result of respondent's drinking**


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, during the last year</b>	162	1.1	3.9	3.9
	<b>2 Yes, but not in the last year</b>	51	.3	1.2	5.1
	<b>3 No</b>	3961	26.9	94.9	100.0
	<b>Total</b>	4174	28.4	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never drinks alcohol</b>	477	3.2		
	<b>-1 NS/NK</b>	157	1.1		
	<b>Total</b>	10549	71.6		
<b>Total</b>		14723	100.0		

**V5509 G10: Relative/friend/doctor/health worker concerned with respondent's drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Yes, during the last year</b>	195	1.3	4.7	4.7
	<b>2 Yes, but not in the last year</b>	59	.4	1.4	6.1
	<b>3 No</b>	3918	26.6	93.9	100.0
	<b>Total</b>	4172	28.3	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never drinks alcohol</b>	477	3.2		
	<b>-1 NS/NK</b>	159	1.1		
	<b>Total</b>	10551	71.7		
<b>Total</b>		14723	100.0		

Derived variable: The Alcohol Use Disorders Identification Test (AUDIT) totalScore

Recode V5500 to V5507 (1=0)(2=1)(3=2)(4=3)(5=4) and V5508, V5509 (1=0)(2=2)(3=4)  
 Compute V5510 = sum (V5500 to V5509)




V5520 G11: Respondent is currently a smoker (cigarettes or tobacco)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	477	3.2	10.2	10.2
	2 No	4214	28.6	89.8	100.0
	Total	4691	31.9	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	117	.8		
	Total	10032	68.1		
Total		14723	100.0		


V5521 G12: Respondent smokes every day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	402	2.7	84.8	84.8
	2 No	72	.5	15.2	100.0
	Total	474	3.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-2 Not currently a smoker	4214	28.6		
	-1 NS/NK	120	.8		
	Total	14249	96.8		
Total		14723	100.0		

V5525 G13: Age respondent started smoking regularly (smoker)



V5526 G14a: Number of cigarettes usually smoked each day



G14a: Number of cigarettes usually smoked each day

V5530 G14b Oz: Amount of tobacco respondent uses per week if hand-rolled (Ounces)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>0</b>	2	.0	16.7	16.7
	<b>1</b>	6	.0	50.0	66.7
	<b>2</b>	2	.0	16.7	83.3
	<b>3</b>	1	.0	8.3	91.7
	<b>25</b>	1	.0	8.3	100.0
	<b>Total</b>	12	.1	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	4	.0		
	<b>-3 Does not smoke every day</b>	72	.5		
	<b>-2 Not currently a smoker</b>	4214	28.6		
	<b>-1 NS/NK</b>	506	3.4		
	<b>Total</b>	14711	99.9		
	<b>Total</b>	14723	100.0		

V5531 G14b Grams: Amount of tobacco respondent uses per week if hand-rolled (Grams)



		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>0</b>	1	.0	1.0	1.0
	<b>7</b>	1	.0	1.0	2.0
	<b>9</b>	1	.0	1.0	3.0
	<b>10</b>	5	.0	5.0	8.0
	<b>12</b>	6	.0	6.0	14.0
	<b>15</b>	2	.0	2.0	16.0
	<b>20</b>	4	.0	4.0	20.0
	<b>25</b>	29	.2	29.0	49.0
	<b>30</b>	3	.0	3.0	52.0
	<b>35</b>	2	.0	2.0	54.0
	<b>38</b>	1	.0	1.0	55.0
	<b>40</b>	5	.0	5.0	60.0
	<b>50</b>	34	.2	34.0	94.0
	<b>75</b>	3	.0	3.0	97.0
	<b>100</b>	2	.0	2.0	99.0
	<b>150</b>	1	.0	1.0	100.0
<b>Total</b>		100	.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-3 Does not smoke every day</b>	72	.5		
	<b>-2 Not currently a smoker</b>	4214	28.6		
	<b>-1 NS/NK</b>	422	2.9		
	<b>Total</b>	14623	99.3		
<b>Total</b>		14723	100.0		

**V5560 G15: Respondent ever smoked in the past**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1662	11.3	40.5	40.5
	2 No	2438	16.6	59.5	100.0
	Total	4100	27.8	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-3 Does not smoke every day	72	.5		
	-1 NS/NK	636	4.3		
	Total	10623	72.2		
Total		14723	100.0		

**V5561 G16: When respondent smoked in the past respondent smoked every day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1069	7.3	65.4	65.4
	2 No	565	3.8	34.6	100.0
	Total	1634	11.1	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-4 Never smoked in past	2438	16.6		
	-3 Does not smoke every day	72	.5		
	-1 NS/NK	664	4.5		
	Total	13089	88.9		
Total		14723	100.0		




V5570 G18b Oz: If hand-rolled, amount of tobacco respondent used per week (Ounces)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	8	.1	25.8	25.8
	1	8	.1	25.8	51.6
	2	7	.0	22.6	74.2
	4	3	.0	9.7	83.9
	5	1	.0	3.2	87.1
	6	1	.0	3.2	90.3
	10	1	.0	3.2	93.5
	12	1	.0	3.2	96.8
	15	1	.0	3.2	100.0
	Total	31	.2	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-5 Smoked in past, but not every day	565	3.8		
	-4 Never smoked in past	2438	16.6		
	-3 Does not smoke every day	72	.5		
	-1 NS/NK	1702	11.6		
	Total	14692	99.8		
Total		14723	100.0		

V5571 G18b Grams: If hand-rolled, amount of tobacco respondent used per week (Grams)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5	.0	13.2	13.2
	7	1	.0	2.6	15.8
	10	1	.0	2.6	18.4
	12	2	.0	5.3	23.7
	14	1	.0	2.6	26.3
	18	1	.0	2.6	28.9
	20	1	.0	2.6	31.6
	25	10	.1	26.3	57.9
	30	1	.0	2.6	60.5
	47	1	.0	2.6	63.2
	50	10	.1	26.3	89.5
	100	4	.0	10.5	100.0
Total		38	.3	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	3	.0		
	-5 Smoked in past, but not every day	565	3.8		
	-4 Never smoked in past	2438	16.6		
	-3 Does not smoke every day	72	.5		
	-1 NS/NK	1692	11.5		
	Total	14685	99.7		
Total		14723	100.0		


V5580 G19 Year: Number of years ago respondent stopped smoking - Years



**V5581 G19 Month: Number of months ago respondent stopped smoking - Months**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>0</b>	33	.2	11.5	11.5
	<b>1</b>	25	.2	8.7	20.2
	<b>2</b>	21	.1	7.3	27.5
	<b>3</b>	23	.2	8.0	35.5
	<b>4</b>	29	.2	10.1	45.6
	<b>5</b>	14	.1	4.9	50.5
	<b>6</b>	44	.3	15.3	65.9
	<b>7</b>	9	.1	3.1	69.0
	<b>8</b>	12	.1	4.2	73.2
	<b>9</b>	34	.2	11.8	85.0
	<b>10</b>	26	.2	9.1	94.1
	<b>11</b>	17	.1	5.9	100.0
<b>Total</b>		287	1.9	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	2	.0		
	<b>-5 Smoked in past, but not every day</b>	565	3.8		
	<b>-4 Never smoked in past</b>	2438	16.6		
	<b>-3 Does not smoke every day</b>	72	.5		
	<b>-1 NS/NK</b>	1444	9.8		
	<b>Total</b>	14436	98.1		
<b>Total</b>		14723	100.0		

V5582 G19 Years: Age when respondent stopped smoking - Years old



## Section H: Your physical activity

In this section we are asking about your physical activity. We are interested in how your activities might be changing at this stage in your life.

- H1) Which of the following forms of transport do you use most often?

(cross one option only)

1 <input type="radio"/> Car	2 <input type="radio"/> Motorbike
3 <input type="radio"/> Public transport	4 <input type="radio"/> Cycle
5 <input type="radio"/> Walk	6 <input type="radio"/> Not applicable

- H2) Do you make regular journeys every day or most days either walking or cycling?

(cross one option only)

1 <input type="radio"/> No	2 <input type="radio"/> I walk
3 <input type="radio"/> I cycle	4 <input type="radio"/> Both

- H3) Which of the following best describes your walking pace?

(cross one option only)

1 <input type="radio"/> Slow	2 <input type="radio"/> Steady average
3 <input type="radio"/> Fairly brisk	4 <input type="radio"/> Fast (at least 4 miles/hr)
5 <input type="radio"/> Unable to walk	

- H4) If you cycle regularly, how long do you spend cycling in an average week?

Hours/week

<input type="radio"/> <input type="radio"/>	<input type="checkbox"/> I don't cycle regularly
---	--

- H5)

- a) Do you take part in physical activity (e.g. running, swimming, dancing, golf, tennis, squash, jogging, bowls)?

(cross one option only)

1 <input type="radio"/> No	2 <input type="radio"/> Occasionally (less than monthly)
3 <input type="radio"/> Frequently (once a month or more)	

► If no or occasionally, go to H6

- b) How many times do you take part in these activities on average?

Times per week

i) Summer

Times per week

ii) Winter

- H6) In a typical week during the past year, how many hours did you spend each week in the following activities? Please round up to the nearest hour, or write 00 in the boxes if you did not do this activity.

		1 Summer	2 Winter
a) Walking to work, shopping or leisure		<input type="text"/>	<input type="text"/>
b) Cycling, including to work and leisure		<input type="text"/>	<input type="text"/>
c) Gardening, light. e.g. pruning, watering		<input type="text"/>	<input type="text"/>
d) Gardening, heavy e.g. digging, mowing		<input type="text"/>	<input type="text"/>
e) Physical exercise e.g. fitness, aerobics, sports		<input type="text"/>	<input type="text"/>
f) DIY e.g. on house or car		<input type="text"/>	<input type="text"/>
g) Household activities, light. e.g. cooking, washing up		<input type="text"/>	<input type="text"/>
h) Household activities, heavy e.g. hoovering, cleaning windows		<input type="text"/>	<input type="text"/>

H7)

- a) In a typical week in the last year, did you do any of these activities vigorously enough to cause breathlessness, sweating or a faster heartbeat?

(cross one option only)

1  Yes

2  No

→ If no, go to H9

- b) For how many minutes each week did you perform vigorous activity?

Minutes/week

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

- H8) In a typical weekday in the last year, how many flights of stairs did you climb?

Flights a day

<input type="text"/>	<input type="text"/>
----------------------	----------------------

H9)

- a) Compared with your activity level two years ago, are you doing?

(cross one option only)

1 <input type="checkbox"/> More	2 <input type="checkbox"/> Same
3 <input type="checkbox"/> Less	

→ If same, go to H10

- b) If you have selected more or less above, please give a reason:

H10) Compared with other people your age, are you?

(cross one option only)

1 <input type="checkbox"/> Much more active	2 <input type="checkbox"/> More active
3 <input type="checkbox"/> Similar	4 <input type="checkbox"/> Less active
5 <input type="checkbox"/> Much less active	



## Section H: Your physical activity – Frequencies

V6000 H1: Form of transport respondent uses most often

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Car	3863	26.2	82.1	82.1
	2 Motorbike	8	.1	.2	82.3
	3 Public transport	149	1.0	3.2	85.5
	4 Cycle	112	.8	2.4	87.8
	5 Walk	568	3.9	12.1	99.9
	6 Not applicable	4	.0	.1	100.0
	Total	4704	32.0	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	104	.7		
	Total	10019	68.0		
Total		14723	100.0		

V6001 H2: Respondent makes regular journeys every day/most days walking or cycling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2510	17.0	53.5	53.5
	2 I walk	1841	12.5	39.3	92.8
	3 I cycle	124	.8	2.6	95.4
	4 Both	214	1.5	4.6	100.0
	Total	4689	31.8	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-1 NS/NK	119	.8		
	Total	10034	68.2		
Total		14723	100.0		

V6002 H3: Respondent best describes their walking pace as

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Slow</b>	280	1.9	6.0	6.0
	<b>2 Steady average</b>	1839	12.5	39.1	45.1
	<b>3 Fairly brisk</b>	2271	15.4	48.3	93.4
	<b>4 Fast (at least 4 miles/hr)</b>	302	2.1	6.4	99.8
	<b>5 Unable to walk</b>	10	.1	.2	100.0
	<b>Total</b>	4702	31.9	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	106	.7		
	<b>Total</b>	10021	68.1		
<b>Total</b>		14723	100.0		

V6005 H4: If respondent cycles regularly, number hours spent cycling in average week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1</b>	127	.9	29.2	29.2
	<b>2</b>	122	.8	28.0	57.2
	<b>3</b>	76	.5	17.5	74.7
	<b>4</b>	49	.3	11.3	86.0
	<b>5</b>	24	.2	5.5	91.5
	<b>6</b>	14	.1	3.2	94.7
	<b>7</b>	12	.1	2.8	97.5
	<b>8</b>	3	.0	.7	98.2
	<b>9</b>	1	.0	.2	98.4
	<b>10</b>	2	.0	.5	98.9
	<b>12</b>	1	.0	.2	99.1
	<b>18</b>	1	.0	.2	99.3
	<b>20</b>	1	.0	.2	99.5
	<b>40</b>	1	.0	.2	99.8
	<b>90</b>	1	.0	.2	100.0
	<b>Total</b>	435	3.0	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	4	.0		
	<b>-1 NS/NK</b>	4369	29.7		
	<b>Total</b>	14288	97.0		
<b>Total</b>		14723	100.0		

**V6006 H4I: Respondent doesn't cycle regularly**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 I don't cycle regularly</b>	2614	17.8	100.0	100.0
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	2194	14.9		
	<b>Total</b>	12109	82.2		
	<b>Total</b>	14723	100.0		

**V6010 H5a: Respondent takes part in physical activity**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 No</b>	1956	13.3	41.8	41.8
	<b>2 Occasionally (less than monthly)</b>	492	3.3	10.5	52.3
	<b>3 Frequently (once a month or more)</b>	2231	15.2	47.7	100.0
	<b>Total</b>	4679	31.8	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	129	.9		
	<b>Total</b>	10044	68.2		
<b>Total</b>		14723	100.0		


V6011 H5b i: Freq respondent takes part in physical activities - summer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>0</b>	9	.1	.4	.4
	<b>1</b>	405	2.8	18.7	19.1
	<b>2</b>	476	3.2	21.9	41.0
	<b>3</b>	563	3.8	26.0	67.0
	<b>4</b>	298	2.0	13.7	80.7
	<b>5</b>	220	1.5	10.1	90.9
	<b>6</b>	78	.5	3.6	94.5
	<b>7</b>	92	.6	4.2	98.7
	<b>8</b>	6	.0	.3	99.0
	<b>9</b>	2	.0	.1	99.1
	<b>10</b>	10	.1	.5	99.5
	<b>14</b>	4	.0	.2	99.7
	<b>15</b>	1	.0	.0	99.8
	<b>16</b>	1	.0	.0	99.8
	<b>18</b>	1	.0	.0	99.9
	<b>20</b>	2	.0	.1	100.0
	<b>30</b>	1	.0	.0	100.0
<b>Total</b>		2169	14.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never/Occasionally takes part in physical activity</b>	2448	16.6		
	<b>-1 NS/NK</b>	191	1.3		
	<b>Total</b>	12554	85.3		
<b>Total</b>		14723	100.0		


V6012 H5b ii: Freq respondent takes part in physical activities - winter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>0</b>	44	.3	2.0	2.0
	<b>1</b>	522	3.5	24.2	26.2
	<b>2</b>	514	3.5	23.8	50.0
	<b>3</b>	529	3.6	24.5	74.5
	<b>4</b>	243	1.7	11.3	85.7
	<b>5</b>	162	1.1	7.5	93.2
	<b>6</b>	53	.4	2.5	95.7
	<b>7</b>	67	.5	3.1	98.8
	<b>8</b>	7	.0	.3	99.1
	<b>9</b>	3	.0	.1	99.3
	<b>10</b>	5	.0	.2	99.5
	<b>14</b>	4	.0	.2	99.7
	<b>15</b>	1	.0	.0	99.7
	<b>16</b>	1	.0	.0	99.8
	<b>20</b>	3	.0	.1	99.9
	<b>30</b>	1	.0	.0	100.0
	<b>63</b>	1	.0	.0	100.0
<b>Total</b>		2160	14.7	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-2 Never/Occasionally takes part in physical activity</b>	2448	16.6		
	<b>-1 NS/NK</b>	200	1.4		
	<b>Total</b>	12563	85.3		
<b>Total</b>		14723	100.0		


V6020 H6a i: In typical week in past year, hours spent walking-summer





V6021 H6a ii: In typical week in past year, hours spent walking-winter





V6022 H6b i: In typical week in past year, hours spent cycling-summer





V6023 H6b ii: In typical week in past year, hours spent cycling-winter





**V6025 H6c ii: In typical week in past year, hours spent light gardening-winter**







V6027 H6d ii: In typical week in past year, hours spent heavy gardening-winter




**V6029 H6e ii: In typical week in past year, hours spent exercising-winter**












V6035 H6h ii: In typical wk in past yr, hrs spent doing heavy household chores-winter



V6050 H7a: Typical wk last yr resp activ cause breathless, sweating/faster heartbeat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2765	18.8	60.8	60.8
	2 No	1780	12.1	39.2	100.0
	<b>Total</b>	<b>4545</b>	<b>30.9</b>	<b>100.0</b>	
Missing	-10 Did not complete questionnaire	9915	67.3		
	-8 Unresolvable/Value out of possible range	1	.0		
	-1 NS/NK	262	1.8		
	<b>Total</b>	<b>10178</b>	<b>69.1</b>		
<b>Total</b>		<b>14723</b>	<b>100.0</b>		

V6051 H7b: Mins wk vigorous activity cause breathlessness, sweating/faster heartbeat



V6061 H9a: Compared with respondent's activity level two years ago, respondent doing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 More</b>	861	5.8	18.5	18.5
	<b>2 Same</b>	2671	18.1	57.5	76.0
	<b>3 Less</b>	1114	7.6	24.0	100.0
	<b>Total</b>	4646	31.6	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-8 Unresolvable/Value out of possible range</b>	2	.0		
	<b>-1 NS/NK</b>	160	1.1		
	<b>Total</b>	10077	68.4		
<b>Total</b>		14723	100.0		

V6065 H10: Compared with other people respondent's age, respondent is

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<b>1 Much more active</b>	430	2.9	9.4	9.4
	<b>2 More active</b>	1149	7.8	25.2	34.6
	<b>3 Similar</b>	2218	15.1	48.6	83.1
	<b>4 Less active</b>	576	3.9	12.6	95.8
	<b>5 Much less active</b>	194	1.3	4.2	100.0
	<b>Total</b>	4567	31.0	100.0	
Missing	<b>-10 Did not complete questionnaire</b>	9915	67.3		
	<b>-1 NS/NK</b>	241	1.6		
	<b>Total</b>	10156	69.0		
<b>Total</b>		14723	100.0		

## Section I

- I1) On what date did you complete this questionnaire?

Day      Month      Year

- I2) Please give your date of birth


Day      Month      Year

- I3) Please give your study child's date of birth

Day      Month      Year


### **Extra space for answering questions**

Please clearly indicate the question number(s) your answer applies to.



### Comments box

If you'd like to add a comment, please do so in the box below. Please sign at the bottom if you'd like a response



When completed, please send this questionnaire back in the freepost envelope provided or post to:

Freepost (RRXX-UUZG-HTLK)  
Children of the 90s  
Oakfield House  
Oakfield Grove  
Bristol BS8 2BN

THANK YOU VERY MUCH FOR YOUR HELP

1  For office use only



## Section I: Completing the questionnaire - Frequencies

V9990A I1 Month: Date respondent completed questionnaire - Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	159	1.1	3.3	3.3
	2	109	.7	2.3	5.6
	3	40	.3	.8	6.4
	4	20	.1	.4	6.8
	5	6	.0	.1	6.9
	6	173	1.2	3.6	10.5
	7	24	.2	.5	11.0
	8	11	.1	.2	11.3
	9	1380	9.4	28.7	40.0
	10	1579	10.7	32.8	72.8
	11	874	5.9	18.2	91.0
	12	433	2.9	9.0	100.0
Total		4808	32.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
Total		14723	100.0		


V9990B I1 Year: Date respondent completed questionnaire - Year


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2013	4457	30.3	92.7	92.7
	2014	351	2.4	7.3	100.0
	Total	4808	32.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
Total		14723	100.0		

## Section I: Completion of the questionnaire - Derived Variables

### Age at completion

The variable V9997 indicates the 83 respondents for which 'age at completion' (V9996) was based upon receipt date of their paper questionnaire, rather than completion date written in the questionnaire (V9990A and V9990B). This would occur either if completion date was missing from the questionnaire, or completion date was incomprehensible. Respondent age at completion may therefore carry greater error for these individuals; although receipt date should only be a few days after completion date. However, if participants completed a questionnaire then forgot to post it quickly, or if the returned questionnaire took a while to be scanned by ALSPAC, the receipt date may not match completion date.





V9997 DV: Date of completion replaced with date of receipt for Paper Questionnaires

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	4725	32.1	98.3	98.3
	1 Yes	83	.6	1.7	100.0
	Total	4808	32.7	100.0	
Missing	-10 Did not complete questionnaire	9915	67.3		
Total		14723	100.0		

