

# **THE ALSPAC STUDY**

## **PC FILE**

### **DATA COLLECTED FROM THE QUESTIONNAIRE**

#### ***Being a Father***

**Prepared by**

**The ALSPAC Study Team**

**Documentation giving frequencies, background and instructions for use.**

**Last updated for version 3a of the built file.**

**May 2019**

**© University of Bristol**

# **CONTENTS**

## **The ALSPAC Study**

- Study eligibility criteria
- Enrolment
- Questionnaire administration during pregnancy
- Time of administration

## **Contents of questionnaire**

Coding

- Format of the variable descriptors
- Administration of questionnaires

- The variables
- References
- Subject index

## THE ALSPAC STUDY

This survey is an ongoing longitudinal study of a population of children born to mothers resident in a geographic area.

### Study Eligibility Criteria

To be eligible for the study, mothers had to be resident in Avon while pregnant. In addition, their expected date of delivery had to lie between 1st April 1991 and 31st December 1992 inclusive. Mothers who were resident in the area but left shortly after enrolment were omitted from further follow-up. However, those who had completed the questionnaire scheduled for the third trimester of pregnancy before leaving the study area, have been kept in the study, even if they had not delivered at the time of moving.

The study area is well-defined, consisting of that part of the county of Avon that was also within the South West Regional Health Authority. It therefore excludes Bath and district.

### Enrolment

Work prior to the start of enrolment in September 1990 had involved meetings with midwives and discussion with groups representing general practitioners as well as detailed discussion with obstetricians in the area.

Posters were printed for display in a variety of different places - including chemist shops, libraries, mother and toddler groups, and pre-school playgroups, general practitioner waiting-rooms, antenatal clinics and any other area where a mother in early pregnancy was likely to be. In addition, there was considerable local and national coverage in the press, radio and television.

The poster displayed the logo of the study 'Children of the Nineties' and asked interested pregnant mothers to get in touch with the study team. In addition, the local community midwives when interviewing the mother for the first time discussed the study with her, and gave her a card with which to send for further details.

The card that the mother completed and sent to the study office contained her full name and date of birth, her address, her last menstrual period, and expected date of delivery.

Once the card had been received at the study office, a brochure was sent to the mother. This outlined the reason for carrying out the study and explained that the mothers themselves would not benefit tangibly, but that the major benefits were likely to be for the next generation. It informed the mother that there was no compulsion for her to take part, and that even if she started within the study she was free to opt out at any point. Thirdly it emphasised the confidential nature of the information that would be collected, and promised that at no time would the names of the mother and/or child be linked to the confidential information collected. Fourthly, it explained that biological samples would be taken, but that these would not be analysed without the signed permission of the mother, and finally it stated that the information given would also be linked to information from the medical records unless the mother let us know that she did not want us to do this. The mother was told in this brochure that we would assume that she wanted to take part in the study unless she informed us otherwise.

A telephone number (the Children of the Nineties hotline) was given for parents to ring. This hotline is manned by volunteers who have been instructed in the confidential nature of the study. They are advised not to do any counselling or persuading, but rather to take messages which are then acted upon by appropriate members of the study team. In instances where parents ring to request help, they are given, if possible, the appropriate telephone number of an organisation set up to perform this type of service.

## **Questionnaire administration**

The questionnaire 'Me and My Baby' was sent to the mother 8 weeks after the child was born. It was accompanied by a questionnaire for the partner entitled 'Being a Father'.

## **Being a Father**

This questionnaire was sent out at 8 weeks post-delivery, at the same time as the questionnaire 'Me & My Baby'. There were 7 sections, in 24 pages.

### **Section A: The Birth of the Baby**

This section inquired about the birth of the baby and the effect it had on the partner. It was concerned with the partner's presence during the birth and the way in which the partner was affected by the pain that the mother experienced and whether it was a useful experience for the partner. It included space for comments that the partner might have wanted to make. Information on whether the partner attended antenatal and parent-craft classes with the mother of the baby were also asked.

### **Section B: Your Health Now**

Information on the father's health since having the baby included a sample of the set of questions asked of the mother in Section C of 'Me & My Baby'. Obviously questions such as infected nipples were omitted, but features such as indigestion, shoulder ache, neck ache, were asked.

### **Section C: Your Feelings**

This section was identical to Section D of 'Me & Me Baby'.

### **Section D: Life Events**

These questions were asked about the time from the middle of the partner's pregnancy and were similar to those asked of the mother in Section E of 'Me & My Baby'.

## Section E: Your Health & Lifestyle

The smoking habits of the partner in the last two months of pregnancy and since the baby was born were obtained, including the number of cigarettes per day. In addition, smoking of marijuana and taking of illicit drugs were asked, and the daily frequency of drinking alcoholic drinks in the last two months of pregnancy and since the baby was born were obtained. The partner was also asked whether the mother was breast feeding and his attitudes towards breast feeding. Information on his feelings about sex and whether or not he felt attracted to his partner were obtained.

## Section F: Support & Help

The 10 questions in this Section comprised the perceived social support questions that appeared in Section G of 'Me & My Baby'.

## Section G: Looking After Your Baby

This asked about the hours of sleep that the partner was getting, and whether he felt that it was enough, and how much help he had given since the baby was born in terms of shopping, cleaning the home, preparing meals, washing up, help with housework, washing clothes and looking after the other children. It asked in an ordinary week, how often he changed nappies, bathed the baby, and carried out other activities with the baby. It asked how confident he felt with the baby and other aspects which relate to the way in which he interacted with his partner in their new relationship with the child. Information on current employment and whether he found the tasks with the child too tiring on return home after a day at work were obtained.

## Coding

Most of the self-completion responses are self-coding - the ticked reply box contains a printed number that can be directly keyed. A few questions invite a textual reply, and some participants also amplify a tick response with comments.

Returned questionnaires are coded by our staff. They have to check that each question has no more than one ticked response, and that any comments do not materially affect the sense of the response. On a few occasions they also need to convert dates and similar variables to a standard format. There are rules for each variable, for how to interpret problems such as multiple ticking, or rounding of ages, where months are given and years were requested. All coding is cross-checked by a second person and then keyed and verified.

In general, where more than one box was ticked there was a rule that the 'worst' code would be used. This was indicated by a coding rule such that L indicated that the lower code be used, H the higher. Where no such rules could be made the coding supervisor made a decision.

Textual replies to questions are dealt with separately. The range of responses to a given question is enormous, the variety of questions asked is also large, and this gives problems of maintaining coding consistency across a range of specialist areas, e.g. drugs, accidents, occupations, and environmental exposures. The problem is resolved by keying all written responses into a word processor, splitting the responses by question type, so that finally all the replies to one question are available together in one file. This can then be coded semi-automatically by a specialist in that field. Accuracy and consistency are thus ensured without the expense of training the basic coders in all the different disciplines required.

### Format of the variable descriptors

In all that follows:

- i) Each question will be quoted verbatim in italics (with differences between the questionnaire versions, where they exist).
- ii) The coding rule(s) used by the ALSPAC coders will be indicated in square brackets;
- iii) The editing assumptions made preparing this computer file in round brackets;
- iv) The variable no. on file, with the rubric used;
- v) A table of frequencies.

### Administration of questionnaire

There were 2 versions of the questionnaire. The first was finalised on 25th April 1991 and the second on 6th February 1992 had some minor changes.

The number of livebirths for which this questionnaire could have been given to a partner was 13998. Of these, 8355 questionnaires were returned, a response rate of 60%.

### Form no.

PC001

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
250491	1	3462	41.4	41.4	41.4
60292	2	4893	58.6	58.6	100.0
	Total	8355	100.0	100.0	
Valid cases	8355	Missing cases	0		

## UPDATE SUMMARY

### Built version 2b – December 2008

2 records identified as belonging to ineligible pregnancies were removed. Due to extension of direct access to ALSPAC data to non-ALSPAC staff and in order to comply with guidance issued in 1996 by the ALSPAC Law & Ethics Committee regarding the confidentiality of multiple pregnancies 3 records for triplet and quadruplet pregnancies were removed. The sample size therefore dropped from 8,355 to 8,350.

The redundant variable INS was removed.

Note that the frequency tables in this documentation have not been updated, so they will not exactly match those generated from the current version of the built file.

### Version 3a – November 2018

Addition of Partner's Age at Completion derived variable PC993. Minor label corrections, replaced frequency table with Histogram for PC992 and PC996

**SECTION A: THE BIRTH OF THE BABY**

*These questions are about the birth of the baby and the effect this had on you.*

**A1. a) Were you present at the birth?**

*Yes No*

[If “part of the time” or similar is stated then a 3 is coded. Only 2 such codes were given, and these have been recoded to 1]

PC010 DAD was PRES at birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	7749	92.7	92.9	92.9
N	2	591	7.1	7.1	100.0
	-1	15	.2	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8340	Missing cases	15		

**A1. b) If no, was it entirely your decision?**

*Yes No*

PC011 Not PRES at birth was DADS decision

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	103	1.2	17.8	17.8
N	2	476	5.7	82.2	100.0
Present at birth	-2	7749	92.7	Missing	
	-1	27	.3	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	579	Missing cases	7776		

**A2. Did your partner want you to be present?**

*Yes No Don't know*

PC012 PTNR wanted DAD PRES at birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	8148	97.5	98.6	98.6
N	2	117	1.4	1.4	100.0
	-1	90	1.1	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8265	Missing cases	90		



A3. *Did you feel that there was pressure on you to attend the birth?*

*Yes                      No                      Don't know*

PC013      Pressure on DAD to be at birth						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	1253	15.0	15.4	15.4
N		2	6860	82.1	84.6	100.0
		-1	242	2.9	Missing	
			-----	-----	-----	
		Total	8355	100.0	100.0	
Valid cases	8113	Missing cases	242			

A4. *My partner's pain during labour and delivery:*

*was worse than I thought*  
*was what I had thought* [Version 25/04/91 and 06/02/92 option  
*was better than I thought* "I was not there" is printed]  
*other (give details)* [text keyed in]  
*I was not there*

[Coder has to ensure that details on the dotted line are matched with an 'other' tick in A4; When more than 1 box is ticked, the one with the lower code was taken]

PC014      About PTNRS pain at LAB & birth						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Worse than imagined	1	1970	23.6	25.6	25.6
	As imagined	2	3356	40.2	43.6	69.1
	Better than imagined	3	2110	25.3	27.4	96.5
	Other	4	267	3.2	3.5	100.0
	PTNR absent	-2	592	7.1	Missing	
		-1	60	.7	Missing	
			-----	-----	-----	
		Total	8355	100.0	100.0	
Valid cases	7703	Missing cases	652			

A5. *Did the pain your partner felt make you feel:*

*very distressed*

*occasionally distressed*

*it didn't bother me*

*she didn't feel much pain*

*I was not there*

[Version 25/04/91 & 06/02/92 option  
"I was not there" is printed]

[When more than 1 box is ticked, the one with the lower code was taken]

PC015 Feelings aroused by PTNRS pain

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V distressed		1	1093	13.1	14.3	14.3
Occasional distress		2	5003	59.9	65.3	79.5
Not bothered		3	1067	12.8	13.9	93.4
Little actual pain		4	503	6.0	6.6	100.0
PTNR absent		-2	593	7.1	Missing	
		-1	96	1.1	Missing	
			-----	-----	-----	
Total			8355	100.0	100.0	
Valid cases	7666	Missing cases	689			

A6. *Did you feel actively involved in the birth?*

*yes, very involved*

*yes, moderately involved*

*no, not involved*

*can't remember*

*I was not there*

[Version 25/04/91 & 06/02/92 option  
"I was not there" is printed]

[When more than 1 box is ticked, the one with the lower code was taken]

PC016 Felt involved in the birth

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V involved		1	3564	42.7	46.2	46.2
MOD involved		2	3581	42.9	46.4	92.6
Not involved		3	542	6.5	7.0	99.6
Can not remember		4	27	.3	.4	100.0
PTNR absent		-2	593	7.1	Missing	
		-1	48	.6	Missing	
			-----	-----	-----	
Total			8355	100.0	100.0	
Valid cases	7714	Missing cases	641			

A7. *Were you satisfied with the care you and your partner received during labour?*

*yes, completely satisfied*

*yes, fairly satisfied*

*no, not satisfied*

*I have no particular feeling about it*

*I was not there*

[Version 25/04/91 & 06/02/92 option

“I was not there” is printed]

[When more than 1 box is ticked, the one with the higher code was taken]

PC017 Satisfied with care DAD & PTNR had

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Completely satisfied	1	5451	65.2	70.9	70.9
Fairly satisfied	2	1880	22.5	24.5	95.4
Not satisfied	3	327	3.9	4.3	99.6
Indifferent	4	27	.3	.4	100.0
PTNR absent	-2	592	7.1	Missing	
	-1	78	.9	Missing	
Total		8355	100.0	100.0	
Valid cases	7685	Missing cases	670		

A8. *Was the birth a wonderful experience for you?*

*Yes*

*No*

*Not sure*

*I was not there*

PC018 Birth was wonderful experience

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	6591	78.9	93.7	93.7
N	2	442	5.3	6.3	100.0
PTNR absent	-2	602	7.2	Missing	
	-1	720	8.6	Missing	
Total		8355	100.0	100.0	
Valid cases	7033	Missing cases	1322		

A9. *Space for any comments you might like to make about the birth of the baby:*

[Text keyed in; If any comments made, the coder put a '1' in the Office Use box otherwise it is left blank - but recoded to 2]

PC019 Comments on birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2599	31.1	31.1	31.1
No	2	5756	68.9	68.9	100.0
Total		8355	100.0	100.0	
Valid cases	8355	Missing cases	0		

A10. *Did you attend antenatal or parentcraft classes with your partner during her pregnancy?*

*Yes*                      *No*

[If they say they attended some but not all, the coder puts '3']

PC020      Attended a/n or p/craft classes					
Value	Label	Value	Frequency	Percent	Valid Percent      Cum Percent
Y		1	2519	30.1	30.5      30.5
N		2	5706	68.3	69.1      99.6
Sometimes		3	36	.4	.4      100.0
		-1	94	1.1	Missing
		-----			
		Total	8355	100.0	100.0
Valid cases	8261	Missing cases	94		

**SECTION B: YOUR HEALTH NOW**

**B1.**            *Since the baby was born have you had any of the following?*

*Almost all      Sometimes      Not at all*  
*the time*

*Since having the baby:*

*a)      backache*

[When more than 1 box is ticked, the one with the lower code was taken]

PC030      Backaches since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	225	2.7	2.7	2.7
Sometimes	2	2524	30.2	30.5	33.2
Not at all	3	5527	66.2	66.8	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

PC030A      Backaches since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2749	32.9	33.2	33.2
No	2.00	5527	66.2	66.8	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

**B1.**    *b)      headaches or migraines*

[When more than 1 box is ticked, the one with the lower code was taken]

PC031      Headaches since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	72	.9	.9	.9
Sometimes	2	3075	36.8	37.2	38.0
Not at all	3	5129	61.4	62.0	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

## PC031A Headaches since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3147	37.7	38.0	38.0
No	2.00	5129	61.4	62.0	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

## Bl. c) urinary infection

[When more than 1 box is ticked, the one with the lower code was taken]

## PC032 Urinary infection since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	4	.0	.0	.0
Sometimes	2	53	.6	.6	.7
Not at all	3	8219	98.4	99.3	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

## PC032A Urinary infection since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	57	.7	.7	.7
No	2.00	8219	98.4	99.3	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

## Bl. d) nausea

[When more than 1 box is ticked, the one with the lower code was taken]

## PC033 Nausea since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	8	.1	.1	.1
Sometimes	2	374	4.5	4.5	4.6
Not at all	3	7894	94.5	95.4	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

PC033A Nausea since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	382	4.6	4.6	4.6
No	2.00	7894	94.5	95.4	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

Bl. e) vomiting

[When more than 1 box is ticked, the one with the lower code was taken]

PC034 Vomiting since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	6	.1	.1	.1
Sometimes	2	240	2.9	2.9	3.0
Not at all	3	8030	96.1	97.0	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

PC034A Vomiting since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	246	2.9	3.0	3.0
No	2.00	8030	96.1	97.0	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

Bl. f) diarrhoea

[When more than 1 box is ticked, the one with the lower code was taken]

PC035 Diarrhoea since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	16	.2	.2	.2
Sometimes	2	771	9.2	9.3	9.5
Not at all	3	7489	89.6	90.5	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

PC035A Diarrhoea since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	787	9.4	9.5	9.5
No	2.00	7489	89.6	90.5	100.0
	-1.00	79	.9	Missing	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

Bl. g) *haemorrhoids or piles*

[When more than 1 box is ticked, the one with the lower code was taken]

PC036 Haemorrhoids since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	51	.6	.6	.6
Sometimes	2	392	4.7	4.7	5.4
Not at all	3	7833	93.8	94.6	100.0
	-1	79	.9	Missing	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

PC036A Haemorrhoids since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	443	5.3	5.4	5.4
No	2.00	7833	93.8	94.6	100.0
	-1.00	79	.9	Missing	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

Bl. h) *feeling weepy/tearful*

[When more than 1 box is ticked, the one with the lower code was taken]

PC037 Weepy since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	14	.2	.2	.2
Sometimes	2	1002	12.0	12.1	12.3
Not at all	3	7260	86.9	87.7	100.0
	-1	79	.9	Missing	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		



## PC037A Weepy since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1016	12.2	12.3	12.3
No	2.00	7260	86.9	87.7	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

B1. i) *feeling irritable*

[When more than 1 box is ticked, the one with the lower code was taken]

## PC038 Irritable since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	135	1.6	1.6	1.6
Sometimes	2	4497	53.8	54.3	56.0
Not at all	3	3644	43.6	44.0	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

## PC038A Irritable since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	4632	55.4	56.0	56.0
No	2.00	3644	43.6	44.0	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

B1. j) *varicose veins*

[When more than 1 box is ticked, the one with the lower code was taken]

## PC039 Varicose veins since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	33	.4	.4	.4
Sometimes	2	38	.5	.5	.9
Not at all	3	8205	98.2	99.1	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

## PC039A Varicose veins since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	71	.8	.9	.9
No	2.00	8205	98.2	99.1	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

## B1. k) indigestion

[When more than 1 box is ticked, the one with the lower code was taken]

## PC040 Indigestion since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	86	1.0	1.0	1.0
Sometimes	2	1611	19.3	19.5	20.5
Not at all	3	6579	78.7	79.5	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

## PC040A Indigestion since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1697	20.3	20.5	20.5
No	2.00	6579	78.7	79.5	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

## B1. l) flashing lights/spots before eyes

[When more than 1 box is ticked, the one with the lower code was taken]

## PC041 Spots before eyes since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	10	.1	.1	.1
Sometimes	2	398	4.8	4.8	4.9
Not at all	3	7868	94.2	95.1	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

PC041A Spots before eyes since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	408	4.9	4.9	4.9
No	2.00	7868	94.2	95.1	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

BI. m) *shoulder ache*

[When more than 1 box is ticked, the one with the lower code was taken]

PC042 Shoulder aches since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	103	1.2	1.2	1.2
Sometimes	2	1460	17.5	17.6	18.9
Not at all	3	6713	80.3	81.1	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

PC042A Shoulder aches since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1563	18.7	18.9	18.9
No	2.00	6713	80.3	81.1	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

BI. n) *neck ache*

[When more than 1 box is ticked, the one with the lower code was taken]

PC043 Neck aches since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	94	1.1	1.1	1.1
Sometimes	2	1830	21.9	22.1	23.2
Not at all	3	6352	76.0	76.8	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

PC043A Neck aches since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1924	23.0	23.2	23.2
No	2.00	6352	76.0	76.8	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

B1. o) other problem (please describe)

[When more than 1 box is ticked, the one with the lower code was taken; Coder must ensure any writing on the 'please describe' line is matched by a 'yes' tick on 1.o. If not then B1.o is coded as zero to indicate information in 'please describe' section'] [Text keyed in]

PC044 Other PROB since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost always	1	132	1.6	1.6	1.6
Sometimes	2	300	3.6	3.6	5.2
Not at all	3	7844	93.9	94.8	100.0
	-1	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

PC044A Other PROB since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	432	5.2	5.2	5.2
No	2.00	7844	93.9	94.8	100.0
	-1.00	79	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8276	Missing cases	79		

B2. How would you describe your health during the last 4 weeks of your partner's pregnancy:

always fit and well  
 mostly felt well and healthy  
 often felt unwell  
 hardly ever felt really well

[When more than 1 box is ticked, the one with the higher code is taken]

PC050		Your health in 4WKS before birth				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	Always healthy	1	5084	60.8	61.1	61.1
2	Mostly healthy	2	3049	36.5	36.7	97.8
3	Often unwell	3	144	1.7	1.7	99.5
4	Rarely well	4	39	.5	.5	100.0
-1		-1	39	.5	Missing	
			-----	-----	-----	
			Total	8355	100.0	100.0
Valid cases	8316	Missing cases	39			

**B3.**            *How would you describe your health now?*

*always fit and well*

*mostly fit and well*

*often unwell*

*hardly ever well*

[When more than 1 box is ticked, the one with the higher code is taken]

PC051		Description of health				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	Always healthy	1	4444	53.2	53.4	53.4
2	Mostly healthy	2	3697	44.2	44.5	97.9
3	Often unwell	3	156	1.9	1.9	99.8
4	Rarely well	4	18	.2	.2	100.0
-1		-1	40	.5	Missing	
			-----	-----	-----	
			Total	8355	100.0	100.0
Valid cases	8315	Missing cases	40			

## SECTION C: YOUR FEELINGS

The questions in this section ask you about your feelings. Although you may have answered similar questions before, we would like you to answer them again so that we can see how things may have changed for you.

Very often    Often    Not very often    Never

C1.    *Do you feel upset for no obvious reason?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC060    Feel upset for no reason

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	26	.3	.3	.3
Often	2	171	2.0	2.1	2.4
Not V often	3	2318	27.7	27.9	30.3
Never	4	5792	69.3	69.7	100.0
	-1	48	.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8307	Missing cases	48		

C2.    *Do you get troubled by dizziness or shortness of breath?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC061    Troubled by dizziness & short breath

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	20	.2	.2	.2
Often	2	135	1.6	1.6	1.9
Not V often	3	979	11.7	11.8	13.6
Never	4	7175	85.9	86.4	100.0
	-1	46	.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8309	Missing cases	46		

C3.    *Have you felt as though you might faint?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC062    Feeling faint

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	4	.0	.0	.0
Often	2	34	.4	.4	.5
Not V often	3	615	7.4	7.4	7.9
Never	4	7655	91.6	92.1	100.0
	-1	47	.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8308	Missing cases	47		

*C4. Do you feel sick or have indigestion?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC063      Feel sick or indigestion

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	41	.5	.5	.5
Often	2	273	3.3	3.3	3.8
Not V often	3	1916	22.9	23.1	26.9
Never	4	6074	72.7	73.1	100.0
	-1	51	.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8304	Missing cases	51		

*C5. Do you feel that life is too much effort?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC064      Feel that life is too much effort

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	71	.8	.9	.9
Often	2	303	3.6	3.6	4.5
Not V often	3	1874	22.4	22.6	27.1
Never	4	6061	72.5	72.9	100.0
	-1	46	.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8309	Missing cases	46		

*C6. Do you feel uneasy and restless?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC065      Feel uneasy & restless

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	92	1.1	1.1	1.1
Often	2	663	7.9	8.0	9.1
Not V often	3	2929	35.1	35.3	44.4
Never	4	4622	55.3	55.6	100.0
	-1	49	.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8306	Missing cases	49		

*C7. Do you feel tingling or prickling sensations in your body, arms or legs?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC066      Feel sensations in body arms or legs					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	45	.5	.5	.5
Often	2	145	1.7	1.7	2.3
Not V often	3	775	9.3	9.3	11.6
Never	4	7336	87.8	88.4	100.0
	-1	54	.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8301	Missing cases	54		

*C8. Do you regret much of your past behaviour?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC067      Regret past behaviour					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	190	2.3	2.3	2.3
Often	2	534	6.4	6.4	8.7
Not V often	3	2601	31.1	31.4	40.1
Never	4	4960	59.4	59.9	100.0
	-1	70	.8	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8285	Missing cases	70		

*C9. Do you sometimes feel panicky?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC068      Feel panicky					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	35	.4	.4	.4
Often	2	237	2.8	2.9	3.3
Not V often	3	1923	23.0	23.2	26.4
Never	4	6108	73.1	73.6	100.0
	-1	52	.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8303	Missing cases	52		



*C10. Do you find that you have little or no appetite?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC069 Little or no appetite

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	23	.3	.3	.3
Often	2	187	2.2	2.3	2.5
Not V often	3	1267	15.2	15.3	17.8
Never	4	6826	81.7	82.2	100.0
	-1	52	.6	Missing	
		Total	8355	100.0	100.0
Valid cases	8303	Missing cases	52		

*C11. Do you wake unusually early in the morning*

[When more than 1 box is ticked, the one with the lower code was taken]

PC070 Wake unusually early

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	568	6.8	6.9	6.9
Often	2	1148	13.7	13.8	20.7
Not V often	3	2265	27.1	27.3	48.0
Never	4	4309	51.6	52.0	100.0
	-1	65	.8	Missing	
		Total	8355	100.0	100.0
Valid cases	8290	Missing cases	65		

*C12. Do you worry a lot?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC071 Worry a lot

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	372	4.5	4.5	4.5
Often	2	1291	15.5	15.5	20.0
Not V often	3	4023	48.2	48.4	68.4
Never	4	2621	31.4	31.6	100.0
	-1	48	.6	Missing	
		Total	8355	100.0	100.0
Valid cases	8307	Missing cases	48		

*C13. Do you feel tired or exhausted?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC072      Feel tired						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often		1	572	6.8	6.9	6.9
Often		2	2968	35.5	35.7	42.6
Not V often		3	3986	47.7	48.0	90.6
Never		4	777	9.3	9.4	100.0
		-1	52	.6	Missing	
		-----		-----	-----	
		Total	8355	100.0	100.0	
Valid cases	8303	Missing cases	52			

*C14. Do you experience long periods of sadness?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC073      Experience long periods of sadness						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often		1	41	.5	.5	.5
Often		2	222	2.7	2.7	3.2
Not V often		3	1654	19.8	19.9	23.1
Never		4	6378	76.3	76.9	100.0
		-1	60	.7	Missing	
		-----		-----	-----	
		Total	8355	100.0	100.0	
Valid cases	8295	Missing cases	60			

*C15. Do you feel strung-up inside?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC074      Feel strung-up						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often		1	120	1.4	1.4	1.4
Often		2	660	7.9	8.0	9.4
Not V often		3	2707	32.4	32.7	42.1
Never		4	4802	57.5	57.9	100.0
		-1	66	.8	Missing	
		-----		-----	-----	
		Total	8355	100.0	100.0	
Valid cases	8289	Missing cases	66			

*C16. Can you get off to sleep all right?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC075 Fall asleep alright

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	5229	62.6	63.1	63.1
Often	2	1967	23.5	23.7	86.8
Not V often	3	571	6.8	6.9	93.7
Never	4	519	6.2	6.3	100.0
	-1	69	.8	Missing	
		-----	-----	-----	
Total		8355	100.0	100.0	
Valid cases	8286	Missing cases	69		

*C17. Do you ever have the feeling you are going to pieces?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC076 Feel you are going to pieces

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	52	.6	.6	.6
Often	2	230	2.8	2.8	3.4
Not V often	3	1431	17.1	17.3	20.7
Never	4	6575	78.7	79.3	100.0
	-1	67	.8	Missing	
		-----	-----	-----	
Total		8355	100.0	100.0	
Valid cases	8288	Missing cases	67		

*C18. Do you often have excessive sweating or fluttering of the heart?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC077 Sweating or heart flutters

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	52	.6	.6	.6
Often	2	242	2.9	2.9	3.5
Not V often	3	1200	14.4	14.5	18.0
Never	4	6798	81.4	82.0	100.0
	-1	63	.8	Missing	
		-----	-----	-----	
Total		8355	100.0	100.0	
Valid cases	8292	Missing cases	63		

*C19. Do you find yourself needing to cry?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC078 Need to cry

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	18	.2	.2	.2
Often	2	95	1.1	1.1	1.4
Not V often	3	1468	17.6	17.7	19.1
Never	4	6709	80.3	80.9	100.0
	-1	65	.8	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8290	Missing cases	65		

*C20. Do you have bad dreams which upset you when you wake up?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC079 Upsetting dreams upon waking

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	26	.3	.3	.3
Often	2	103	1.2	1.2	1.6
Not V often	3	1262	15.1	15.2	16.8
Never	4	6907	82.7	83.2	100.0
	-1	57	.7	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8298	Missing cases	57		

*C21. Do you lose the ability to feel sympathy for others?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC080 Unable to feel sympathy for others

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	168	2.0	2.0	2.0
Often	2	671	8.0	8.1	10.1
Not V often	3	2632	31.5	31.8	41.9
Never	4	4814	57.6	58.1	100.0
	-1	70	.8	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8285	Missing cases	70		

*C22. Can you think quickly?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC081 Think quickly

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	4186	50.1	50.6	50.6
Often	2	3404	40.7	41.1	91.7
Not V often	3	472	5.6	5.7	97.4
Never	4	215	2.6	2.6	100.0
	-1	78	.9	Missing	
		-----	-----	-----	
		Total	8355	100.0	100.0
Valid cases	8277	Missing cases	78		

*C23. Do you have to make a special effort to face up to a crisis or difficulty?*

[When more than 1 box is ticked, the one with the lower code was taken]

PC082 Hard to face a crisis or difficulty

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
V often	1	179	2.1	2.2	2.2
Often	2	768	9.2	9.3	11.4
Not V often	3	3128	37.4	37.8	49.3
Never	4	4198	50.2	50.7	100.0
	-1	82	1.0	Missing	
		-----	-----	-----	
		Total	8355	100.0	100.0
Valid cases	8273	Missing cases	82		

## Derived variables

The first 23 questions in this section comprised the sub-scales of Crown-Crisp Experiential Index (CCEI) relating to free-floating anxiety, depression and somaticism. Although the total score of the 48 items in the original index has been shown to be a useful measure of psycho-neurotic pathology in the community, the need to limit the number of items and our specific interest in depression and anxiety guided the selection of these items. Indeed most studies using the CCEI, including those of the original authors have in fact focused on the sub-scales and it has been used in this way in the study of mental health of mothers during pregnancy and the post-natal year. The 3 sub-scales had varying styles of response, some being a two-point yes/no scale, while others had 3-point categories. We modified the response categories for our study so that each item had 4 consistent response categories in which the respondent indicated frequency of symptoms from 'never' to 'very often'. These modifications were extensively pilot tested including a validation study against the Present State Examination (PSE).

Subscales of the Crown-Crisp Experiential Index were derived from questions C1 to C23.

The variables were initially recoded as follows: c1, c15, c17, (1,2 = 2)(3,4 = 0)/ c3, c6, c12, c20, (1,1 = 2)(3 = 1) (4 = 0) c5, c14, c19, c23 (1,2 = 2)(3 = 1) (4 = 0) / c8, c11, c21 (1,2 = 2)(3,4 = 0) / c22, c16 (1,2 = 0) (3,4 = 2) / c2, c7, c13 (1,2 = 2) (3 = 1) (4 = 0)/c4, c10, c18 (1, 2 = 2) (3, 4 = 0) / c9 (1,2,3 = 2) (4 = 0).

## CCEI Anxiety Score I

PC083 Anxiety subscale of CCEI = c1 + c9 + c15 + c17 + c3 + c6 + c12 + c20 omitting any that had a missing value on any of the 8 items.

PC083 CCEI Anxiety subscale I					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not anxious	.00	1986	23.8	24.2	24.2
	1.00	1756	21.0	21.4	45.6
	2.00	1369	16.4	16.7	62.2
	3.00	801	9.6	9.8	72.0
	4.00	760	9.1	9.3	81.2
	5.00	557	6.7	6.8	88.0
	6.00	321	3.8	3.9	91.9
	7.00	178	2.1	2.2	94.1
	8.00	194	2.3	2.4	96.4
	9.00	77	.9	.9	97.4
	10.00	74	.9	.9	98.3
	11.00	47	.6	.6	98.9
	12.00	41	.5	.5	99.4
	13.00	29	.3	.4	99.7
	14.00	18	.2	.2	99.9
Very anxious	15.00	4	.0	.0	100.0
	16.00	2	.0	.0	100.0
	-1.00	141	1.7	Missing	
	Total	8355	100.0	100.0	
Valid cases	8214	Missing cases	141		

**CCEI Anxiety Score II**

As for Anxiety Score I but putting missing values as the mode. If all 8 variables' values were missing then PC084A was coded as -1.

PC084A CCEI Anxiety subscale II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not anxious	.00	2001	23.9	24.0	24.0
	1.00	1790	21.4	21.5	45.5
	2.00	1392	16.7	16.7	62.2
	3.00	817	9.8	9.8	72.0
	4.00	769	9.2	9.2	81.2
	5.00	565	6.8	6.8	88.0
	6.00	328	3.9	3.9	91.9
	7.00	181	2.2	2.2	94.1
	8.00	196	2.3	2.4	96.4
	9.00	77	.9	.9	97.4
	10.00	76	.9	.9	98.3
	11.00	48	.6	.6	98.9
	12.00	42	.5	.5	99.4
	13.00	29	.3	.3	99.7
	14.00	18	.2	.2	99.9
	15.00	4	.0	.0	100.0
Very anxious	16.00	2	.0	.0	100.0
	-1.00	20	.2	Missing	
		-----	-----	-----	
		Total	8355	100.0	100.0
Valid cases	8335	Missing cases	20		

No. of variables with missing values on anxiety subscale II.

PC084B No. missing values in anxiety subscale

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8214	98.3	98.3	98.3
	1.00	69	.8	.8	99.1
	2.00	6	.1	.1	99.2
	3.00	20	.2	.2	99.4
	4.00	5	.1	.1	99.5
	5.00	15	.2	.2	99.7
	6.00	4	.0	.0	99.7
	7.00	2	.0	.0	99.8
	8.00	20	.2	.2	100.0
		-----	-----	-----	
		Total	8355	100.0	100.0
Valid cases	8355	Missing cases	0		

**CCEI Somatic subscale I**

Crown Crisp - Somatic = c2 + c7 + c13 + c4 + c10 + c18 + c16, omitting any that were missing on any of these 7 variables.

PC085 CCEI Somatic subscale I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not somatic	.00	537	6.4	6.5	6.5
	1.00	2895	34.6	35.3	41.8
	2.00	2571	30.8	31.3	73.1
	3.00	986	11.8	12.0	85.1
	4.00	678	8.1	8.3	93.4
	5.00	214	2.6	2.6	96.0
	6.00	176	2.1	2.1	98.1
	7.00	61	.7	.7	98.9
	8.00	46	.6	.6	99.4
	9.00	21	.3	.3	99.7
	10.00	14	.2	.2	99.8
	11.00	8	.1	.1	99.9
	12.00	4	.0	.0	100.0
Very somatic	14.00	1	.0	.0	100.0
	-1.00	143	1.7	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8212	Missing cases	143		



**CCEI Somatic II**

Somatic subscale of CCEI = PC085 (but putting missing values as the mode).  
 If all 7 variables are missing, this was coded as missing

PC086A CCEI Somatic subscale II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not somatic	.00	542	6.5	6.5	6.5
	1.00	2943	35.2	35.3	41.8
	2.00	2617	31.3	31.4	73.2
	3.00	996	11.9	11.9	85.1
	4.00	681	8.2	8.2	93.3
	5.00	219	2.6	2.6	95.9
	6.00	180	2.2	2.2	98.1
	7.00	64	.8	.8	98.9
	8.00	46	.6	.6	99.4
	9.00	21	.3	.3	99.7
	10.00	14	.2	.2	99.8
	11.00	8	.1	.1	99.9
	12.00	4	.0	.0	100.0
Very somatic	14.00	1	.0	.0	100.0
	-1.00	19	.2	Missing	
Total		8355	100.0	100.0	
Valid cases	8336	Missing cases	19		

No. of missing values in the 7 variables used in the somatic subscale II.

PC086B No. missing values in somatic subscale

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8212	98.3	98.3	98.3
	1.00	73	.9	.9	99.2
	2.00	6	.1	.1	99.2
	3.00	21	.3	.3	99.5
	4.00	16	.2	.2	99.7
	5.00	6	.1	.1	99.7
	6.00	2	.0	.0	99.8
	7.00	19	.2	.2	100.0
Total		8355	100.0	100.0	
Valid cases	8355	Missing cases	0		

**CCEI Depression subscale I**

Crown Crisp - Depression = c5 + c14 + c19 + c23 + c8 + c11 + c21 + c22 provided all 8 values were valid (otherwise put to -1)

PC087 CCEI Depression subscale I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not depressed	.00	2393	28.6	29.4	29.4
	1.00	1348	16.1	16.5	45.9
	2.00	1463	17.5	18.0	63.9
	3.00	875	10.5	10.7	74.6
	4.00	708	8.5	8.7	83.3
	5.00	448	5.4	5.5	88.8
	6.00	325	3.9	4.0	92.8
	7.00	197	2.4	2.4	95.2
	8.00	143	1.7	1.8	96.9
	9.00	87	1.0	1.1	98.0
	10.00	57	.7	.7	98.7
	11.00	49	.6	.6	99.3
	12.00	22	.3	.3	99.6
	13.00	13	.2	.2	99.7
	14.00	14	.2	.2	99.9
Very depressed	15.00	4	.0	.0	100.0
	16.00	3	.0	.0	100.0
	-1.00	206	2.5	Missing	
		-----	-----	-----	
		Total	8355	100.0	100.0
Valid cases	8149	Missing cases	206		

**CCEI Depression subscale II**

Depression subscale of CCEI = PC087 (but putting missing values as the mode);  
if all 8 variables are missing, score coded to missing

PC088A CCEI Depression subscale II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not depressed	.00	2443	29.2	29.3	29.3
	1.00	1383	16.6	16.6	45.9
	2.00	1505	18.0	18.1	64.0
	3.00	902	10.8	10.8	74.8
	4.00	720	8.6	8.6	83.4
	5.00	452	5.4	5.4	88.9
	6.00	334	4.0	4.0	92.9
	7.00	199	2.4	2.4	95.2
	8.00	143	1.7	1.7	97.0
	9.00	88	1.1	1.1	98.0
	10.00	58	.7	.7	98.7
	11.00	51	.6	.6	99.3
	12.00	22	.3	.3	99.6
	13.00	13	.2	.2	99.7
	14.00	14	.2	.2	99.9
Very depressed	15.00	4	.0	.0	100.0
	16.00	3	.0	.0	100.0
	-1.00	21	.3	Missing	
		-----	-----	-----	
		Total	8355	100.0	100.0
Valid cases	8334	Missing cases	21		

No. of missing values in the 8 variables used in depression subscale II.

PC088B No.missing values in depression subscale

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8149	97.5	97.5	97.5
	1.00	121	1.4	1.4	99.0
	2.00	16	.2	.2	99.2
	3.00	15	.2	.2	99.4
	4.00	6	.1	.1	99.4
	5.00	21	.3	.3	99.7
	6.00	1	.0	.0	99.7
	7.00	5	.1	.1	99.7
	8.00	21	.3	.3	100.0
		-----	-----	-----	
		Total	8355	100.0	100.0
Valid cases	8355	Missing cases	0		

**CCEI Score I**

**Total Crown Crisp Experiential Index score**, computed by adding the anxiety, depression and somatic scales.

Crown Crisp - Total = PC083 + PC085 + PC087 All with missing values put to -1.

PC089 CCEI Total score I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not affected	.00	261	3.1	3.2	3.2
	1.00	633	7.6	7.9	11.1
	2.00	799	9.6	9.9	21.0
	3.00	815	9.8	10.1	31.2
	4.00	880	10.5	10.9	42.1
	5.00	708	8.5	8.8	50.9
	6.00	615	7.4	7.6	58.6
	7.00	523	6.3	6.5	65.1
	8.00	459	5.5	5.7	70.8
	9.00	409	4.9	5.1	75.9
	10.00	315	3.8	3.9	79.8
	11.00	264	3.2	3.3	83.1
	12.00	222	2.7	2.8	85.8
	13.00	189	2.3	2.3	88.2
	14.00	173	2.1	2.2	90.3
	15.00	144	1.7	1.8	92.1
	16.00	94	1.1	1.2	93.3
	17.00	80	1.0	1.0	94.3
	18.00	74	.9	.9	95.2
	19.00	59	.7	.7	95.9
	20.00	55	.7	.7	96.6
	21.00	43	.5	.5	97.1
	22.00	42	.5	.5	97.7
	23.00	36	.4	.4	98.1
	24.00	21	.3	.3	98.4
	25.00	23	.3	.3	98.7
	26.00	20	.2	.2	98.9
	27.00	13	.2	.2	99.1
	28.00	14	.2	.2	99.2
	29.00	15	.2	.2	99.4
	30.00	10	.1	.1	99.6
	31.00	7	.1	.1	99.6
	32.00	3	.0	.0	99.7
	33.00	5	.1	.1	99.7
	34.00	7	.1	.1	99.8
	35.00	4	.0	.0	99.9
	36.00	3	.0	.0	99.9
	38.00	3	.0	.0	100.0
	40.00	3	.0	.0	100.0
Very affected	41.00	1	.0	.0	100.0
	-1.00	311	3.7	Missing	
Total		8355	100.0	100.0	
Valid cases	8044	Missing cases	311		

**CCEI score II**

PC084A + PC086A + PC088A (but putting missing values as the mode);  
if all 23 variables missing then was coded as missing

PC090 CCEI Total score II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not affected	.00	269	3.2	3.2	3.2
	1.00	646	7.7	7.8	11.0
	2.00	823	9.9	9.9	20.9
	3.00	842	10.1	10.1	31.0
	4.00	908	10.9	10.9	41.9
	5.00	749	9.0	9.0	50.8
	6.00	641	7.7	7.7	58.5
	7.00	540	6.5	6.5	65.0
	8.00	471	5.6	5.7	70.7
	9.00	423	5.1	5.1	75.7
	10.00	328	3.9	3.9	79.7
	11.00	274	3.3	3.3	83.0
	12.00	235	2.8	2.8	85.8
	13.00	196	2.3	2.4	88.1
	14.00	178	2.1	2.1	90.3
	15.00	149	1.8	1.8	92.1
	16.00	97	1.2	1.2	93.2
	17.00	83	1.0	1.0	94.2
	18.00	76	.9	.9	95.1
	19.00	62	.7	.7	95.9
	20.00	55	.7	.7	96.5
	21.00	46	.6	.6	97.1
	22.00	43	.5	.5	97.6
	23.00	38	.5	.5	98.1
	24.00	21	.3	.3	98.3
	25.00	29	.3	.3	98.7
	26.00	20	.2	.2	98.9
	27.00	13	.2	.2	99.1
	28.00	15	.2	.2	99.2
	29.00	16	.2	.2	99.4
	30.00	10	.1	.1	99.6
	31.00	7	.1	.1	99.6
	32.00	4	.0	.0	99.7
	33.00	5	.1	.1	99.7
	34.00	7	.1	.1	99.8
	35.00	4	.0	.0	99.9
	36.00	3	.0	.0	99.9
	38.00	3	.0	.0	100.0
	40.00	3	.0	.0	100.0
Very affected	41.00	1	.0	.0	100.0
	-1.00	22	.3	Missing	
Total		8355	100.0	100.0	
Valid cases	8333	Missing cases	22		

## No. of missing values

PC091 No.missing values in total score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8044	96.3	96.3	96.3
	1.00	195	2.3	2.3	98.6
	2.00	33	.4	.4	99.0
	3.00	9	.1	.1	99.1
	4.00	2	.0	.0	99.1
	5.00	2	.0	.0	99.2
	6.00	3	.0	.0	99.2
	8.00	2	.0	.0	99.2
	9.00	1	.0	.0	99.2
	11.00	21	.3	.3	99.5
	12.00	15	.2	.2	99.7
	14.00	2	.0	.0	99.7
	17.00	1	.0	.0	99.7
	18.00	2	.0	.0	99.7
	19.00	2	.0	.0	99.7
	21.00	1	.0	.0	99.8
	22.00	3	.0	.0	99.8
	23.00	17	.2	.2	100.0
	Total	8355	100.0	100.0	
Valid cases	8355	Missing cases	0		

### Questions C24-C33 comprise the Edinburgh Postnatal Depression Scale

The following questions ask about how you have felt in the past week.

C24. *I have been able to laugh and see the funny side of things:*

*As much as I always could*  
*Not quite so much now*  
*Definitely not so much now*  
*Not at all*

[When more than 1 box is ticked, the one with the higher code is taken]

PC092		Recent ability to laugh & see funny side				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	As previously	1	6890	82.5	82.8	82.8
2	Somewhat less now	2	1190	14.2	14.3	97.1
3	Definitely less now	3	199	2.4	2.4	99.5
4	Not at all	4	41	.5	.5	100.0
-1		-1	35	.4	Missing	
			-----	-----	-----	
		Total	8355	100.0	100.0	
Valid cases	8320	Missing cases	35			

C25. *I have looked forward with enjoyment to things:*

*As much as I ever did*  
*Rather less than I used to*  
*Definitely less than I used to*  
*Hardly at all*

[When more than 1 box is ticked, the one with the higher code is taken]

PC093		Looked forward with enjoyment to things				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	As previously	1	7061	84.5	84.9	84.9
2	Somewhat less now	2	1068	12.8	12.8	97.8
3	Definitely less now	3	145	1.7	1.7	99.5
4	Hardly at all	4	41	.5	.5	100.0
-1		-1	40	.5	Missing	
			-----	-----	-----	
		Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40			

C26. *I have blamed myself unnecessarily when things went wrong:*

*Yes, most of the time*

*Yes, some of the time*

*Not very often*

*No never*

[When more than 1 box is ticked, the one with the lower code was taken]

PC094		Unnecessary selfblame in past WK				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Most of the time	1	267	3.2	3.2	3.2
	Some of the time	2	1710	20.5	20.6	23.8
	Seldom	3	3098	37.1	37.3	61.1
	Never	4	3236	38.7	38.9	100.0
		-1	44	.5	Missing	
			Total	8355	100.0	100.0
Valid cases	8311	Missing cases		44		

C27. *I have been anxious or worried for no good reason:*

*No, not at all*

*Hardly ever*

*Yes, sometimes*

*Yes, often*

[When more than 1 box is ticked, the one with the higher code is taken]

PC095		Unwarranted anxiety in past WK				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Not at all	1	4461	53.4	53.6	53.6
	Hardly ever	2	2043	24.5	24.6	78.2
	Sometimes	3	1622	19.4	19.5	97.7
	Often	4	190	2.3	2.3	100.0
		-1	39	.5	Missing	
			Total	8355	100.0	100.0
Valid cases	8316	Missing cases		39		

C28. *I have felt scared or panicky for no very good reason:*

*Yes, quite a lot*

*Yes, sometimes*

*No, not much*

*No, not at all*

[When more than 1 box is ticked, the one with the lower code was taken]



## PC096 Unwarrented fear or panic in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Quite a lot	1	66	.8	.8	.8
Sometimes	2	440	5.3	5.3	6.1
Not much	3	1204	14.4	14.5	20.6
Not at all	4	6595	78.9	79.4	100.0
	-1	50	.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8305	Missing cases	50		

## C29. Things have been getting on top of me:

*Yes, most of the time**Yes, sometimes**No, hardly ever**No, not at all*

[When more than 1 box is ticked, the one with the lower code was taken]

## PC097 Things getting on top of me in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Most of the time	1	207	2.5	2.5	2.5
Sometimes	2	1971	23.6	23.7	26.2
Hardly ever	3	2215	26.5	26.7	52.9
Not at all	4	3908	46.8	47.1	100.0
	-1	54	.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8301	Missing cases	54		

## C30. I have been so unhappy that I have had difficulty sleeping:

*Yes, most of the time**Yes, sometimes**Not very often**No, not at all*

[When more than 1 box is ticked, the one with the lower code was taken]

## PC098 Sleeping difficulties due to sadness

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Most of the time	1	32	.4	.4	.4
Sometimes	2	265	3.2	3.2	3.6
Seldom	3	950	11.4	11.4	15.0
Not at all	4	7060	84.5	85.0	100.0
	-1	48	.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8307	Missing cases	48		

*C31. I have felt sad or miserable:*

*Yes, most of the time*

*Yes, quite often*

*Not very often*

*No, not at all*

[When more than 1 box is ticked, the one with the lower code was taken]

PC099 Felt sad or miserable in past WK				Valid	Cum
Value Label	Value	Frequency	Percent	Percent	Percent
Most of the time	1	67	.8	.8	.8
Quite often	2	446	5.3	5.4	6.2
Seldom	3	2513	30.1	30.3	36.4
Not at all	4	5280	63.2	63.6	100.0
	-1	49	.6	Missing	
		-----	-----	-----	
Total		8355	100.0	100.0	
Valid cases	8306	Missing cases	49		

*C32. I have been so unhappy that I have been crying:*

*Yes, most of the time*

*Yes, quite often*

*Only occasionally*

*No, never*

[When more than 1 box is ticked, the one with the lower code was taken]

PC100 Crying due to sadness in past WK				Valid	Cum
Value Label	Value	Frequency	Percent	Percent	Percent
Most of the time	1	9	.1	.1	.1
Quite often	2	17	.2	.2	.3
Only occasionally	3	406	4.9	4.9	5.2
Never	4	7870	94.2	94.8	100.0
	-1	53	.6	Missing	
		-----	-----	-----	
Total		8355	100.0	100.0	
Valid cases	8302	Missing cases	53		

C33. *The thought of harming myself has occurred to me:*

*Yes, quite often*

*Sometimes*

*Hardly ever*

*Never*

[When more than 1 box is ticked, the one with the lower code was taken]

PC101 Thought of hurting self in past WK				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
1	Quite often	22	.3	.3	.3
2	Sometimes	104	1.2	1.3	1.5
3	Seldom	207	2.5	2.5	4.0
4	Never	7969	95.4	96.0	100.0
-1		53	.6	Missing	
		Total	8355	100.0	100.0
Valid cases	8302	Missing cases	53		

### Derived variable

The 10 items C24-C33 formed the depression scale of the Edinburgh Post-Natal Depression Scale (EPDS) developed by Cox et al (1987). The items in this scale were specifically chosen by the authors because they did not involve somatic items. Each question had 4 response categories scored from 0 to 3 and referred to the feelings of the mother in the past week. Although the measure was developed specifically for use with puerperal women, none of the 10 items is specific to the post-natal experience. The principle feature of the scale that designates it as a post-natal scale is that it does not include somatic items because of the possibility of confounding somatic symptoms of depression with normal physiological symptoms at this time. The feature of the scale was a major factor in its selection for our study which aims to measure depression during pregnancy and the post-partum years. During pregnancy, there is the possibility too of confounding normal physiological symptoms with those of depression. Both our own pilot studies and the study of Murray and Carrothers (1990) found the measure to be acceptable to respondents, producing high completion rates with little evidence of response error. Validation of the scale during pregnancy, the post-partum period and early parenthood has been examined using standardised psychiatric interviews as the validating measures and shown to have high sensitivity and specificity (Thorpe 1993).

These variables were recoded as follows:

c24, c25, c27, (1 = 0) (2 = 1) (3 = 2) (4 = 3)

c26, c28, c29, c30, c31, c32, c33 (1 = 3) (2 = 2) (3 = 1) (4 = 0)

and the score calculated as C24 + C25 + ..... + C33

**EPDS score I** (Any with a missing value on an item put to -1)

PC102      EPDS Score I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not depressed	.00	1805	21.6	21.9	21.9
	1.00	1090	13.0	13.2	35.1
	2.00	988	11.8	12.0	47.1
	3.00	904	10.8	11.0	58.1
	4.00	697	8.3	8.5	66.5
	5.00	557	6.7	6.8	73.3
	6.00	480	5.7	5.8	79.1
	7.00	394	4.7	4.8	83.9
	8.00	324	3.9	3.9	87.8
	9.00	263	3.1	3.2	91.0
	10.00	217	2.6	2.6	93.6
	11.00	155	1.9	1.9	95.5
	12.00	79	.9	1.0	96.5
	13.00	87	1.0	1.1	97.5
	14.00	55	.7	.7	98.2
	15.00	43	.5	.5	98.7
	16.00	29	.3	.4	99.1
	17.00	21	.3	.3	99.3
	18.00	14	.2	.2	99.5
	19.00	19	.2	.2	99.7
	20.00	5	.1	.1	99.8
	21.00	7	.1	.1	99.9
	22.00	3	.0	.0	99.9
	23.00	5	.1	.1	100.0
	26.00	2	.0	.0	100.0
Very depressed	27.00	1	.0	.0	100.0
	-1.00	111	1.3	Missing	
		-----	-----	-----	
		Total	8355	100.0	100.0
Valid cases	8244	Missing cases	111		

**EPDS score II** (Any with missing value put to mode unless all items missing)

No. missing values

PC103 EPDS Score II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not depressed	.00	1830	21.9	22.0	22.0
	1.00	1103	13.2	13.2	35.2
	2.00	1000	12.0	12.0	47.2
	3.00	911	10.9	10.9	58.1
	4.00	708	8.5	8.5	66.6
	5.00	566	6.8	6.8	73.4
	6.00	484	5.8	5.8	79.2
	7.00	397	4.8	4.8	84.0
	8.00	327	3.9	3.9	87.9
	9.00	263	3.1	3.2	91.0
	10.00	217	2.6	2.6	93.6
	11.00	156	1.9	1.9	95.5
	12.00	79	.9	.9	96.4
	13.00	88	1.1	1.1	97.5
	14.00	56	.7	.7	98.2
	15.00	45	.5	.5	98.7
	16.00	30	.4	.4	99.1
	17.00	21	.3	.3	99.3
	18.00	14	.2	.2	99.5
	19.00	19	.2	.2	99.7
	20.00	5	.1	.1	99.8
	21.00	7	.1	.1	99.9
	22.00	3	.0	.0	99.9
	23.00	5	.1	.1	100.0
	26.00	2	.0	.0	100.0
Very depressed	27.00	1	.0	.0	100.0
	-1.00	18	.2	Missing	
		-----	-----	-----	
		Total	8355	100.0	100.0
Valid cases	8337	Missing cases	18		

No. missing values

PC104 No.missing values in EPDS Score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8244	98.7	98.7	98.7
	1.00	43	.5	.5	99.2
	2.00	7	.1	.1	99.3
	3.00	1	.0	.0	99.3
	4.00	14	.2	.2	99.4
	5.00	1	.0	.0	99.5
	6.00	25	.3	.3	99.8
	7.00	2	.0	.0	99.8
	10.00	18	.2	.2	100.0
		-----	-----	-----	
		Total	8355	100.0	100.0
Valid cases	8355	Missing cases	0		

*C34. Have you been feeling at all depressed?*

*No, not at all*

*Only mildly depressed*

*Yes, quite depressed*

*Yes, very depressed*

[When more than 1 box is ticked, the one with the higher code is taken]

PC105      Feeling depressed in past WK				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Not at all		1	5907	70.7	71.2
Mildly depressed		2	1701	20.4	20.5
Quite depressed		3	256	3.1	3.1
V depressed		4	434	5.2	5.2
		-1	57	.7	Missing
		-----		-----	
		Total	8355	100.0	100.0
Valid cases	8298	Missing cases	57		

*C35. On the whole are there more good days than bad?*

*Yes, more good days*

*About half and half*

*No, more bad days*

[When more than 1 box is ticked, the one with the higher code is taken]

[If “no difference” or “the same” or similar statement made, the coder was told to put “4” in fact there were no such codes]

PC106      More good days than bad in past WK				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
More good days		1	7126	85.3	86.0
Half and half		2	979	11.7	11.8
More bad days		3	183	2.2	2.2
		-1	67	.8	Missing
		-----		-----	
		Total	8355	100.0	100.0
Valid cases	8288	Missing cases	67		

## SECTION D: LIFE EVENTS

These involved a life-events inventory of 42 items which were derived for the present study using previous inventories as a basis for selection of items. Three main sources were used in this way - those of Brown & Harris, Barnett et al and Stanley. Each life event had 5 response categories indicating not only whether or not the event occurred but also how greatly the respondent was affected by it. An additional open item in which the respondent was able to name any event which was not on the inventory was also included. On the basis of these items, two scores may be calculated, the number of life events occurring, and the perceived impact of life events. Analysis of pilot study results showed these two scores to be highly correlated, but the impact scored being a more sensitive predictor of emotional well-being.

*Listed below are a number of events which may have brought changes in your life. Have any of these occurred **since the middle of your partner's pregnancy**? If so, please assess how much effect it had on you.*

<i>Yes &amp; affected me a lot</i>	<i>Yes, moderately affected</i>	<i>Yes, mildly affected</i>	<i>Yes, but did not affect me at all</i>	<i>No did not happen</i>
--	---	-------------------------------------	--	----------------------------------

*Since the middle of your partner's pregnancy:*

### D1. Your partner died

[When more than 1 box is ticked, the one with the lower code was taken]

(N.B. This may not be the mother of study child - but a previous partner)

PC200 PTNR died since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	5	.1	.1	.1
MOD affected	2	1	.0	.0	.1
Mildly affected	3	1	.0	.0	.1
No effect	4	3	.0	.0	.1
Did not happen	5	8305	99.4	99.9	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC200A PTNR died since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	10	.1	.1	.1
No	2.00	8305	99.4	99.9	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D2. One of your children died*

[When more than 1 box is ticked, the one with the lower code was taken]

PC201 One CH died since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	11	.1	.1	.1
Mildly affected	3	3	.0	.0	.2
Did not happen	5	8301	99.4	99.8	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC201A One CH died since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	14	.2	.2	.2
No	2.00	8301	99.4	99.8	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D3. A friend or relative died*

[When more than 1 box is ticked, the one with the lower code was taken]

PC202 Friend or REL died since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	204	2.4	2.5	2.5
MOD affected	2	236	2.8	2.8	5.3
Mildly affected	3	383	4.6	4.6	9.9
No effect	4	295	3.5	3.5	13.4
Did not happen	5	7197	86.1	86.6	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC202A Friend or REL died since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1118	13.4	13.4	13.4
No	2.00	7197	86.1	86.6	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		



*D4. One of your children was ill*

[When more than 1 box is ticked, the one with the lower code was taken]

PC203 One CH ill since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	191	2.3	2.3	2.3
MOD affected	2	192	2.3	2.3	4.6
Mildly affected	3	429	5.1	5.2	9.8
No effect	4	390	4.7	4.7	14.5
Did not happen	5	7113	85.1	85.5	100.0
	-1	40	.5	Missing	
		Total	8355	100.0	100.0
Valid cases	8315	Missing cases	40		

PC203A One CH ill since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1202	14.4	14.5	14.5
No	2.00	7113	85.1	85.5	100.0
	-1.00	40	.5	Missing	
		Total	8355	100.0	100.0
Valid cases	8315	Missing cases	40		

*D5. Your partner was ill*

[When more than 1 box is ticked, the one with the lower code was taken]

PC204 PTNR was ill since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	309	3.7	3.7	3.7
MOD affected	2	372	4.5	4.5	8.2
Mildly affected	3	649	7.8	7.8	16.0
No effect	4	332	4.0	4.0	20.0
Did not happen	5	6653	79.6	80.0	100.0
	-1	40	.5	Missing	
		Total	8355	100.0	100.0
Valid cases	8315	Missing cases	40		

PC204A PTNR was ill since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1662	19.9	20.0	20.0
No	2.00	6653	79.6	80.0	100.0
	-1.00	40	.5	Missing	
		Total	8355	100.0	100.0
Valid cases	8315	Missing cases	40		

*D6. A friend or relative was ill*

[When more than 1 box is ticked, the one with the lower code was taken]

PC205 Friend or REL ill since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	165	2.0	2.0	2.0
MOD affected	2	234	2.8	2.8	4.8
Mildly affected	3	410	4.9	4.9	9.7
No effect	4	474	5.7	5.7	15.4
Did not happen	5	7032	84.2	84.6	100.0
	-1	40	.5	Missing	
Total		8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC205A Friend or REL ill since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1283	15.4	15.4	15.4
No	2.00	7032	84.2	84.6	100.0
	-1.00	40	.5	Missing	
Total		8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D7. You were admitted to hospital*

[When more than 1 box is ticked, the one with the lower code was taken]

PC206 Admitted to HOSP since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	55	.7	.7	.7
MOD affected	2	44	.5	.5	1.2
Mildly affected	3	57	.7	.7	1.9
No effect	4	74	.9	.9	2.8
Did not happen	5	8085	96.8	97.2	100.0
	-1	40	.5	Missing	
Total		8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC206A Admitted to HOSP since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	230	2.8	2.8	2.8
No	2.00	8085	96.8	97.2	100.0
	-1.00	40	.5	Missing	
Total		8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

D8. *You were in trouble with the law*

[When more than 1 box is ticked, the one with the lower code was taken]

PC207 In trouble with law since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	44	.5	.5	.5
MOD affected	2	27	.3	.3	.9
Mildly affected	3	53	.6	.6	1.5
No effect	4	83	1.0	1.0	2.5
Did not happen	5	8108	97.0	97.5	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC207A In trouble with law since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	207	2.5	2.5	2.5
No	2.00	8108	97.0	97.5	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

D9. *You were divorced*

[When more than 1 box is ticked, the one with the lower code was taken]

PC208 Divorced since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	8	.1	.1	.1
MOD affected	2	7	.1	.1	.2
Mildly affected	3	5	.1	.1	.2
No effect	4	24	.3	.3	.5
Did not happen	5	8271	99.0	99.5	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC208A Divorced since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	44	.5	.5	.5
No	2.00	8271	99.0	99.5	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D10. You found that your partner didn't want your child*

[When more than 1 box is ticked, the one with the lower code was taken]

PC209 MUM not wanted DADS CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	22	.3	.3	.3
MOD affected	2	13	.2	.2	.4
Mildly affected	3	18	.2	.2	.6
No effect	4	9	.1	.1	.7
Did not happen	5	8253	98.8	99.3	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC209A MUM not wanted DAD'S CH, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	62	.7	.7	.7
No	2.00	8253	98.8	99.3	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D11. You were very ill*

[When more than 1 box is ticked, the one with the lower code was taken]

PC210 Have been ill since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	63	.8	.8	.8
MOD affected	2	51	.6	.6	1.4
Mildly affected	3	53	.6	.6	2.0
No effect	4	43	.5	.5	2.5
Did not happen	5	8105	97.0	97.5	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC210A Have been ill since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	210	2.5	2.5	2.5
No	2.00	8105	97.0	97.5	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D12. Your partner lost her job*

[When more than 1 box is ticked, the one with the lower code was taken]

PC211 PTNR lost job since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	26	.3	.3	.3
MOD affected	2	66	.8	.8	1.1
Mildly affected	3	81	1.0	1.0	2.1
No effect	4	127	1.5	1.5	3.6
Did not happen	5	8015	95.9	96.4	100.0
	-1	40	.5	Missing	
		Total	8355	100.0	100.0
Valid cases	8315	Missing cases	40		

PC211A PTNR lost job since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	300	3.6	3.6	3.6
No	2.00	8015	95.9	96.4	100.0
	-1.00	40	.5	Missing	
		Total	8355	100.0	100.0
Valid cases	8315	Missing cases	40		

*D13. Your partner had problems at work*

[When more than 1 box is ticked, the one with the lower code was taken]

PC212 PTNR had PROBS at work since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	47	.6	.6	.6
MOD affected	2	116	1.4	1.4	2.0
Mildly affected	3	234	2.8	2.8	4.8
No effect	4	165	2.0	2.0	6.8
Did not happen	5	7753	92.8	93.2	100.0
	-1	40	.5	Missing	
		Total	8355	100.0	100.0
Valid cases	8315	Missing cases	40		

PC212A PTNR/PROBS at work since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	562	6.7	6.8	6.8
No	2.00	7753	92.8	93.2	100.0
	-1.00	40	.5	Missing	
		Total	8355	100.0	100.0
Valid cases	8315	Missing cases	40		

*D14. You had problems at work*

[When more than 1 box is ticked, the one with the lower code was taken]

PC213 DAD had PROBS at work since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	389	4.7	4.7	4.7
MOD affected	2	512	6.1	6.2	10.8
Mildly affected	3	1063	12.7	12.8	23.6
No effect	4	734	8.8	8.8	32.4
Did not happen	5	5617	67.2	67.6	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC213A DAD/PROBS at work since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2698	32.3	32.4	32.4
No	2.00	5617	67.2	67.6	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D15. You lost your job*

[When more than 1 box is ticked, the one with the lower code was taken]

PC214 Lost job since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	259	3.1	3.1	3.1
MOD affected	2	142	1.7	1.7	4.8
Mildly affected	3	159	1.9	1.9	6.7
No effect	4	97	1.2	1.2	7.9
Did not happen	5	7658	91.7	92.1	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC214A Lost job since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	657	7.9	7.9	7.9
No	2.00	7658	91.7	92.1	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D16. Your partner went away*

[When more than 1 box is ticked, the one with the lower code was taken]

PC215 PTNR went away

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	31	.4	.4	.4
MOD affected	2	33	.4	.4	.8
Mildly affected	3	53	.6	.6	1.4
No effect	4	64	.8	.8	2.2
Did not happen	5	8134	97.4	97.8	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC215A PTNR went away, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	181	2.2	2.2	2.2
No	2.00	8134	97.4	97.8	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D17. Your partner was in trouble with the law*

[When more than 1 box is ticked, the one with the lower code was taken]

PC216 PTNR in trouble with law since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	7	.1	.1	.1
MOD affected	2	4	.0	.0	.1
Mildly affected	3	5	.1	.1	.2
No effect	4	12	.1	.1	.3
Did not happen	5	8287	99.2	99.7	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC216A PTNR/trouble with law since MID PREG,Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	28	.3	.3	.3
No	2.00	8287	99.2	99.7	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D18. You and your partner separated*

[When more than 1 box is ticked, the one with the lower code was taken]

PC217 You &amp; PTNR separated since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	63	.8	.8	.8
MOD affected	2	22	.3	.3	1.0
Mildly affected	3	18	.2	.2	1.2
No effect	4	8	.1	.1	1.3
Did not happen	5	8204	98.2	98.7	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC217A You &amp; PTNR separated since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	111	1.3	1.3	1.3
No	2.00	8204	98.2	98.7	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D19. Your income was reduced*

[When more than 1 box is ticked, the one with the lower code was taken]

PC218 Income reduced since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	511	6.1	6.1	6.1
MOD affected	2	538	6.4	6.5	12.6
Mildly affected	3	883	10.6	10.6	23.2
No effect	4	523	6.3	6.3	29.5
Did not happen	5	5860	70.1	70.5	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		



PC218A Income reduced since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2455	29.4	29.5	29.5
No	2.00	5860	70.1	70.5	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D20. You argued with your partner*

[When more than 1 box is ticked, the one with the lower code was taken]

PC219 Argued with PTNR since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	285	3.4	3.4	3.4
MOD affected	2	432	5.2	5.2	8.6
Mildly affected	3	1262	15.1	15.2	23.8
No effect	4	1854	22.2	22.3	46.1
Did not happen	5	4482	53.6	53.9	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC219A Argued with PTNR since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	3833	45.9	46.1	46.1
No	2.00	4482	53.6	53.9	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D21. You had arguments with your family or friends*

[When more than 1 box is ticked, the one with the lower code was taken]

PC220 Argue with family/friends since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	108	1.3	1.3	1.3
MOD affected	2	128	1.5	1.5	2.8
Mildly affected	3	353	4.2	4.2	7.1
No effect	4	581	7.0	7.0	14.1
Did not happen	5	7145	85.5	85.9	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC220A Argue/family/friends since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1170	14.0	14.1	14.1
No	2.00	7145	85.5	85.9	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D22. You moved house*

[When more than 1 box is ticked, the one with the lower code was taken]

PC221 Moved house since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	174	2.1	2.1	2.1
MOD affected	2	204	2.4	2.5	4.5
Mildly affected	3	245	2.9	2.9	7.5
No effect	4	350	4.2	4.2	11.7
Did not happen	5	7342	87.9	88.3	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC221A Moved house since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	973	11.6	11.7	11.7
No	2.00	7342	87.9	88.3	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D23. Your partner hurt you physically*

[When more than 1 box is ticked, the one with the lower code was taken]

PC222 PTNR physically hurt you since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	18	.2	.2	.2
MOD affected	2	13	.2	.2	.4
Mildly affected	3	33	.4	.4	.8
No effect	4	45	.5	.5	1.3
Did not happen	5	8206	98.2	98.7	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC222A PTNR phys. hurt you since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	109	1.3	1.3	1.3
No	2.00	8206	98.2	98.7	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D24. You became homeless*

[When more than 1 box is ticked, the one with the lower code was taken]

PC223 Became homeless since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	35	.4	.4	.4
MOD affected	2	19	.2	.2	.6
Mildly affected	3	17	.2	.2	.9
No effect	4	18	.2	.2	1.1
Did not happen	5	8226	98.5	98.9	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC223A Became homeless since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	89	1.1	1.1	1.1
No	2.00	8226	98.5	98.9	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D25. You had a major financial problem*

[When more than 1 box is ticked, the one with the lower code was taken]

PC224 Major financial PROB since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	297	3.6	3.6	3.6
MOD affected	2	276	3.3	3.3	6.9
Mildly affected	3	445	5.3	5.4	12.2
No effect	4	219	2.6	2.6	14.9
Did not happen	5	7078	84.7	85.1	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC224A Major financial PROB since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1237	14.8	14.9	14.9
No	2.00	7078	84.7	85.1	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D26. You got married*

[When more than 1 box is ticked, the one with the lower code was taken]

PC225 Have married since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	66	.8	.8	.8
MOD affected	2	30	.4	.4	1.2
Mildly affected	3	33	.4	.4	1.6
No effect	4	68	.8	.8	2.4
Did not happen	5	8118	97.2	97.6	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC225A Have married since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	197	2.4	2.4	2.4
No	2.00	8118	97.2	97.6	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D27. Your partner hurt your children physically*

[When more than 1 box is ticked, the one with the lower code was taken]

PC226 PTNR physical-cruel to CH since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	4	.0	.0	.0
MOD affected	2	1	.0	.0	.1
Mildly affected	3	4	.0	.0	.1
No effect	4	6	.1	.1	.2
Did not happen	5	8300	99.3	99.8	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC226A PTNR phys.cruel to CH since MID PREG,Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	15	.2	.2	.2
No	2.00	8300	99.3	99.8	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D28. You attempted suicide*

[When more than 1 box is ticked, the one with the lower code was taken]

PC227 Attempted suicide since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	9	.1	.1	.1
MOD affected	2	3	.0	.0	.1
Mildly affected	3	2	.0	.0	.2
No effect	4	2	.0	.0	.2
Did not happen	5	8299	99.3	99.8	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC227A Attempted suicide since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	16	.2	.2	.2
No	2.00	8299	99.3	99.8	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D29. You were convicted of an offence*

[When more than 1 box is ticked, the one with the lower code was taken]

PC228 Convicted since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	25	.3	.3	.3
MOD affected	2	15	.2	.2	.5
Mildly affected	3	18	.2	.2	.7
No effect	4	49	.6	.6	1.3
Did not happen	5	8208	98.2	98.7	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

## PC228A Convicted since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	107	1.3	1.3	1.3
No	2.00	8208	98.2	98.7	100.0
	-1.00	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D30. You started a new job*

[When more than 1 box is ticked, the one with the lower code was taken]

## PC229 Started a new job since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	225	2.7	2.7	2.7
MOD affected	2	195	2.3	2.3	5.1
Mildly affected	3	225	2.7	2.7	7.8
No effect	4	293	3.5	3.5	11.3
Did not happen	5	7377	88.3	88.7	100.0
	-1	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

## PC229A Started a new job since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	938	11.2	11.3	11.3
No	2.00	7377	88.3	88.7	100.0
	-1.00	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D31. Your partner had a test to see if the baby was abnormal*

[When more than 1 box is ticked, the one with the lower code was taken]

## PC230 PTNR tested for baby abnormality

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	186	2.2	2.2	2.2
MOD affected	2	210	2.5	2.5	4.8
Mildly affected	3	444	5.3	5.3	10.1
No effect	4	1243	14.9	14.9	25.1
Did not happen	5	6232	74.6	74.9	100.0
	-1	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC230A PTNR tested for baby abnormality, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2083	24.9	25.1	25.1
No	2.00	6232	74.6	74.9	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

D32. Your partner had a result on a test that suggested the baby might not be normal

[When more than 1 box is ticked, the one with the lower code was taken]

PC231 PTNRS test suggested PROB with baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	83	1.0	1.0	1.0
MOD affected	2	48	.6	.6	1.6
Mildly affected	3	63	.8	.8	2.3
No effect	4	34	.4	.4	2.7
Did not happen	5	8087	96.8	97.3	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC231A PTNR'S test suggested PROB with baby,Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	228	2.7	2.7	2.7
No	2.00	8087	96.8	97.3	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

D33. You were told that your partner was going to have twins

[When more than 1 box is ticked, the one with the lower code was taken]

PC232 Told to expect twins

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	56	.7	.7	.7
MOD affected	2	31	.4	.4	1.0
Mildly affected	3	20	.2	.2	1.3
No effect	4	16	.2	.2	1.5
Did not happen	5	8192	98.0	98.5	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC232A Told to expect twins, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	123	1.5	1.5	1.5
No	2.00	8192	98.0	98.5	100.0
	-1.00	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D34. You heard that something that had happened might be harmful to the baby*

[When more than 1 box is ticked, the one with the lower code was taken]

PC233 Heard that past event might harm baby

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	100	1.2	1.2	1.2
MOD affected	2	95	1.1	1.1	2.3
Mildly affected	3	96	1.1	1.2	3.5
No effect	4	68	.8	.8	4.3
Did not happen	5	7956	95.2	95.7	100.0
	-1	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC233A Heard past event might harm baby, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	359	4.3	4.3	4.3
No	2.00	7956	95.2	95.7	100.0
	-1.00	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D35. You took an examination*

[When more than 1 box is ticked, the one with the lower code was taken]

PC234 Exam taken since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	67	.8	.8	.8
MOD affected	2	81	1.0	1.0	1.8
Mildly affected	3	104	1.2	1.3	3.0
No effect	4	199	2.4	2.4	5.4
Did not happen	5	7864	94.1	94.6	100.0
	-1	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		



PC234A Exam taken since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	451	5.4	5.4	5.4
No	2.00	7864	94.1	94.6	100.0
	-1.00	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D36. Your partner was emotionally cruel to you*

[When more than 1 box is ticked, the one with the lower code was taken]

PC235 PTNR EMOT cruel to DAD

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	90	1.1	1.1	1.1
MOD affected	2	96	1.1	1.2	2.2
Mildly affected	3	180	2.2	2.2	4.4
No effect	4	132	1.6	1.6	6.0
Did not happen	5	7817	93.6	94.0	100.0
	-1	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC235A PTNR EMOT cruel to DAD, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	498	6.0	6.0	6.0
No	2.00	7817	93.6	94.0	100.0
	-1.00	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D37. Your partner was emotionally cruel to your children*

[When more than 1 box is ticked, the one with the lower code was taken]

PC236 PTNR EMOT cruel to CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	9	.1	.1	.1
MOD affected	2	11	.1	.1	.2
Mildly affected	3	23	.3	.3	.5
No effect	4	14	.2	.2	.7
Did not happen	5	8258	98.8	99.3	100.0
	-1	40	.5	Missing	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC236A PTNR EMOT cruel to CH, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	57	.7	.7	.7
No	2.00	8258	98.8	99.3	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D38. Your house or car was burgled*

[When more than 1 box is ticked, the one with the lower code was taken]

PC237 HSE or car burgled since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	87	1.0	1.0	1.0
MOD affected	2	130	1.6	1.6	2.6
Mildly affected	3	271	3.2	3.3	5.9
No effect	4	265	3.2	3.2	9.1
Did not happen	5	7562	90.5	90.9	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC237A House/car burgled since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	753	9.0	9.1	9.1
No	2.00	7562	90.5	90.9	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D39. You had an accident*

[When more than 1 box is ticked, the one with the lower code was taken]

PC238 Had an accident since MID PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
affected a lot	1	41	.5	.5	.5
MOD affected	2	50	.6	.6	1.1
Mildly affected	3	98	1.2	1.2	2.3
No effect	4	148	1.8	1.8	4.1
Did not happen	5	7978	95.5	95.9	100.0
	-1	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

PC238A Had an accident since MID PREG, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	337	4.0	4.1	4.1
No	2.00	7978	95.5	95.9	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

**Derived variables****Weighted life events**

To calculate this score, variables PC200-PC238 were recoded (1,2,3,4 = 4,3,2,1) (5=0)

PC239=PC200 + PC201+.....+ PC238; If PC200 = -1, PC 239 = -1

PC239      Weighted life events

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1070	12.8	12.9	12.9
	1.00	655	7.8	7.9	20.7
	2.00	768	9.2	9.2	30.0
	3.00	711	8.5	8.6	38.5
	4.00	721	8.6	8.7	47.2
	5.00	519	6.2	6.2	53.4
	6.00	523	6.3	6.3	59.7
	7.00	443	5.3	5.3	65.1
	8.00	417	5.0	5.0	70.1
	9.00	354	4.2	4.3	74.3
	10.00	298	3.6	3.6	77.9
	11.00	242	2.9	2.9	80.8
	12.00	231	2.8	2.8	83.6
	13.00	174	2.1	2.1	85.7
	14.00	157	1.9	1.9	87.6
	15.00	122	1.5	1.5	89.1
	16.00	124	1.5	1.5	90.5
	17.00	104	1.2	1.3	91.8
	18.00	96	1.1	1.2	93.0
	19.00	85	1.0	1.0	94.0
	20.00	80	1.0	1.0	94.9
	21.00	64	.8	.8	95.7
	22.00	53	.6	.6	96.3
	23.00	38	.5	.5	96.8
	24.00	38	.5	.5	97.3
	25.00	28	.3	.3	97.6
	26.00	37	.4	.4	98.0
	27.00	22	.3	.3	98.3
	28.00	19	.2	.2	98.5
	29.00	17	.2	.2	98.7
	30.00	14	.2	.2	98.9
	31.00	9	.1	.1	99.0
	32.00	13	.2	.2	99.2
	33.00	8	.1	.1	99.3
	34.00	11	.1	.1	99.4
	35.00	9	.1	.1	99.5
	36.00	8	.1	.1	99.6
	37.00	5	.1	.1	99.7
	38.00	4	.0	.0	99.7
	39.00	4	.0	.0	99.8
	40.00	1	.0	.0	99.8
	41.00	1	.0	.0	99.8
	42.00	3	.0	.0	99.8
	43.00	1	.0	.0	99.8
	44.00	1	.0	.0	99.8
	45.00	3	.0	.0	99.9
	46.00	1	.0	.0	99.9
	47.00	3	.0	.0	99.9
	48.00	1	.0	.0	99.9
	49.00	1	.0	.0	100.0
	81.00	1	.0	.0	100.0
	118.00	1	.0	.0	100.0
	124.00	1	.0	.0	100.0

PC239 (cont)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	156.00	1	.0	.0	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

**Life events score**

Variables PC200A - PC238A were recoded (2=0)

PC240 = PC200A + PC201A +.....+ PC238A. If PC200A = -1, PC240 = -1.

PC240 Life events

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1070	12.8	12.9	12.9
	1.00	1308	15.7	15.7	28.6
	2.00	1390	16.6	16.7	45.3
	3.00	1190	14.2	14.3	59.6
	4.00	1004	12.0	12.1	71.7
	5.00	746	8.9	9.0	80.7
	6.00	556	6.7	6.7	87.4
	7.00	368	4.4	4.4	91.8
	8.00	221	2.6	2.7	94.4
	9.00	178	2.1	2.1	96.6
	10.00	119	1.4	1.4	98.0
	11.00	76	.9	.9	98.9
	12.00	34	.4	.4	99.3
	13.00	21	.3	.3	99.6
	14.00	16	.2	.2	99.8
	15.00	6	.1	.1	99.9
	16.00	5	.1	.1	99.9
	17.00	2	.0	.0	99.9
	19.00	1	.0	.0	100.0
	34.00	1	.0	.0	100.0
	37.00	1	.0	.0	100.0
	40.00	1	.0	.0	100.0
	42.00	1	.0	.0	100.0
	-1.00	40	.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8315	Missing cases	40		

*D40. Having a baby is a special event. How did this affect you?*

*a lot      moderately      mildly      not at all*

[When more than 1 box is ticked, the one with the lower code was taken]

PC242      Effect of the birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	5831	69.8	70.3	70.3
Moderately	2	1758	21.0	21.2	91.5
Mildly	3	476	5.7	5.7	97.2
Not at all	4	233	2.8	2.8	100.0
	-1	57	.7	Missing	
	Total	8355	100.0	100.0	
Valid cases	8298	Missing cases	57		

*D41. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope during this time?*

*Yes      No*

[If 'yes' is ticked, coder checks that the description differs from events listed previously in Section D. If it is the same it is recoded as that event and 'No' for D41.a) is ticked] (1004 questions were left blank, and have been coded to 2)

PC243      Had other concerns to cope with

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	914	10.9	10.9	10.9
N	2	7441	89.1	89.1	100.0
	Total	8355	100.0	100.0	
Valid cases	8355	Missing cases	0		

*D41. b) If yes, please describe:*

[Text keyed in]

[Coder has to ensure a new entry in D41.b) is matched by a tick in 'Yes' box in D41.a)]

*D41. c) How did this affect you?*

*a lot      moderately      mildly      not at all*

[When more than 1 box is ticked, the one with the lower code was taken]

(941 partners left this questions blank - they were recoded to 5)

PC244 Effect of other concern

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A lot	1	549	6.6	6.6	6.6
Moderately	2	269	3.2	3.2	9.8
Mildly	3	74	.9	.9	10.7
Not at all	4	3	.0	.0	10.7
Did not happen	5	7460	89.3	89.3	100.0
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8355	Missing cases	0		

**SECTION E: YOUR HEALTH AND LIFESTYLE**

E1. In the last 2 months of your partner's pregnancy and since she had the baby did you smoke regularly?

(a) Last 2 months of the pregnancy  
(b) Since the baby was born

Yes No Yes No

i) cigarettes

ii) pipe

iii) cigar

iv) other [Text keyed in]

[Coder must ensure that 'Yes' box is ticked if information is given on 'other' E1.a)iv) and E1.b)iv)]

PC250 Smoke CIGS in last 2MTHS of PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	2340	28.0	28.0	28.0
N		2	6015	72.0	72.0	100.0
			Total	8355	100.0	
Valid cases	8355	Missing cases	0			

PC251 Smoke CIGS since birth

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	2244	26.9	26.9	26.9
N		2	6111	73.1	73.1	100.0
			Total	8355	100.0	
Valid cases	8355	Missing cases	0			

PC252 Smoke pipe in last 2MTHS of PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y		1	36	.4	.4	.4
N		2	8319	99.6	99.6	100.0
			Total	8355	100.0	
Valid cases	8355	Missing cases	0			



## PC253 Smoke pipe since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	35	.4	.4	.4
N	2	8320	99.6	99.6	100.0
		Total	8355	100.0	100.0
Valid cases	8355	Missing cases	0		

## PC254 Smoke cigar in last 2MTHS of PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	287	3.4	3.4	3.4
N	2	8068	96.6	96.6	100.0
		Total	8355	100.0	100.0
Valid cases	8355	Missing cases	0		

## PC255 Smoke cigar since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	308	3.7	3.7	3.7
N	2	8047	96.3	96.3	100.0
		Total	8355	100.0	100.0
Valid cases	8355	Missing cases	0		

## PC256 Smoke other in last 2MTHS of PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	165	2.0	2.0	2.0
N	2	8190	98.0	98.0	100.0
		Total	8355	100.0	100.0
Valid cases	8355	Missing cases	0		

## PC257 Smoke other since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	163	2.0	2.0	2.0
N	2	8192	98.0	98.0	100.0
		Total	8355	100.0	100.0
Valid cases	8355	Missing cases	0		

E1. c) *How many times per day did you smoke -*

i) *in the last 2 months of the pregnancy? per day*

<i>30+</i>	<i>25-29</i>	<i>20-24</i>	<i>15-19</i>
<i>10-14</i>	<i>5-9</i>	<i>1-4</i>	<i>not at all</i>

[When more than 1 box is ticked, the one with the higher code was taken]

[If it's stated they smoke occasionally then '97' is coded. Pipes or cigars are counted as cigarettes]  
(97 was recoded to 0)

PC260 NO smoked daily in last 2MTHS of PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not at all	0	6018	72.0	72.1	72.1
1-4	1	177	2.1	2.1	74.2
5-9	5	305	3.7	3.7	77.9
10-14	10	502	6.0	6.0	83.9
15-19	15	515	6.2	6.2	90.1
20-24	20	512	6.1	6.1	96.2
25-29	25	167	2.0	2.0	98.2
30+	30	149	1.8	1.8	100.0
	-1	10	.1	Missing	
		Total	8355	100.0	100.0
Valid cases	8345	Missing cases	10		

E1. c) ii) *in the past week? per day*

<i>30+</i>	<i>25-29</i>	<i>20-24</i>	<i>15-19</i>
<i>10-14</i>	<i>5-9</i>	<i>1-4</i>	<i>not at all</i>

[When more than 1 box is ticked, the one with the higher code was taken]

[Coded as E1ci) above]

PC261 NO smoked daily in past WK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not at all	0	6159	73.7	73.8	73.8
1-4	1	192	2.3	2.3	76.1
5-9	5	282	3.4	3.4	79.5
10-14	10	493	5.9	5.9	85.4
15-19	15	464	5.6	5.6	91.0
20-24	20	463	5.5	5.6	96.5
25-29	25	148	1.8	1.8	98.3
30+	30	140	1.7	1.7	100.0
	-1	14	.2	Missing	
		Total	8355	100.0	100.0
Valid cases	8341	Missing cases	14		

E2. *Please indicate how often you smoked marijuana/grass/  
cannabis/ganja -*

*Every      2-4 times      Once      Less than      Not at*  
*day      a week      a week      once a week      all*

a) *In the last 2 months of the pregnancy*

[When more than 1 box is ticked, the one with the lower code was taken]

PC265      FREQ cannabis smoked last 2MTHS of PREG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	111	1.3	1.4	1.4
2-4 times PWK	2	115	1.4	1.5	2.9
Once PWK	3	42	.5	.5	3.4
<once PWK	4	140	1.7	1.8	5.2
Not at all	5	7449	89.2	94.8	100.0
	-1	498	6.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	7857	Missing cases	498		

E2.      b) *Since the baby was born*

[When more than 1 box is ticked, the one with the lower code was taken]

PC266      FREQ cannabis smoked since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	101	1.2	1.3	1.3
2-4 times PWK	2	104	1.2	1.3	2.6
Once PWK	3	54	.6	.7	3.3
<once PWK	4	129	1.5	1.6	4.9
Not at all	5	7463	89.3	95.1	100.0
	-1	504	6.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	7851	Missing cases	504		

E3. *How often have you used the following since the baby was born?*

*Nearly      At least      At least      Not at*  
*every      once a      once a      all*  
*day      week      month*

a) *amphetamines*

[When more than 1 box is ticked, the one with the lower code was taken]

## PC267 Use of amphetamines since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly daily	1	1	.0	.0	.0
At least once PWK	2	5	.1	.1	.1
At least once PMTH	3	35	.4	.4	.5
Not at all	4	8150	97.5	99.5	100.0
	-1	164	2.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8191	Missing cases	164		

E3. b) *barbiturates*

[When more than 1 box is ticked, the one with the lower code was taken]

## PC268 Use of barbiturates since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly daily	1	1	.0	.0	.0
At least once PMTH	3	1	.0	.0	.0
Not at all	4	8181	97.9	100.0	100.0
	-1	172	2.1	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8183	Missing cases	172		

E3. c) *crack*

[When more than 1 box is ticked, the one with the lower code was taken]

## PC269 Use of crack since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
At least once PMTH	3	3	.0	.0	.0
Not at all	4	8180	97.9	100.0	100.0
	-1	172	2.1	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8183	Missing cases	172		

## E3. d) cocaine

[When more than 1 box is ticked, the one with the lower code was taken]

## PC270 Use of cocaine since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
At least once PWK	2	1	.0	.0	.0
At least once PMTH	3	6	.1	.1	.1
Not at all	4	8176	97.9	99.9	100.0
	-1	172	2.1	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8183	Missing cases	172		

## E3. e) heroin

[When more than 1 box is ticked, the one with the lower code was taken]

## PC271 Use of heroin since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not at all	4	8179	97.9	100.0	100.0
	-1	176	2.1	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8179	Missing cases	176		

## E3. f) methadone

[When more than 1 box is ticked, the one with the lower code was taken]

## PC272 Use of methadone since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly daily	1	2	.0	.0	.0
At least once PMTH	3	1	.0	.0	.0
Not at all	4	8179	97.9	100.0	100.0
	-1	173	2.1	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8182	Missing cases	173		

E3. g) *ecstasy*

[When more than 1 box is ticked, the one with the lower code was taken]

## PC273 Use of ecstasy since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
At least once PMTH	3	8	.1	.2	.2
Not at all	4	4790	57.3	99.8	100.0
	-1	3557	42.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	4798	Missing cases	3557		

E3. h) *other*

(*please describe*)

[Keyed as text]

[Coder has to ensure any writing on the 'please describe' line is matched by a 'yes' tick on E3h). It if is not the coder codes zero to indicate information in the 'please describe' section]

## PC274 Use of other drugs since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Nearly daily	1	38	.5	.5	.5
At least once PWK	2	20	.2	.3	.8
At least once PMTH	3	27	.3	.4	1.1
Not at all	4	7560	90.5	98.9	100.0
	-1	710	8.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	7645	Missing cases	710		

## PC275 Use of other drugs since birth, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	85	1.0	1.0	1.0
No	2.00	8270	99.0	99.0	100.0
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8355	Missing cases	0		

**Derived variable**

PC276 Hard drugs

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	53	.6	.6	.6
No		2.00	8302	99.4	99.4	100.0
			-----	-----	-----	
Total			8355	100.0	100.0	
Valid cases	8355	Missing cases		0		

*E4. How often have you drunk alcoholic drinks?  
Please indicate for each of the following times:*

<i>Not at all</i>	<i>Less than once a week</i>	<i>At least once a week</i>	<i>1-2 glasses every day</i>	<i>At least 3-9 glasses every day</i>	<i>At least 10 glasses every day</i>
-------------------	------------------------------	-----------------------------	------------------------------	---------------------------------------	--------------------------------------

*[By glass we mean pub measure of spirits, or a half pint of beer, lager or cider]*

*a) Last 2 months of the pregnancy*

[When more than 1 box is ticked, the one with the higher code is taken]

PC280 Drunk alcohol in last 2MTHS of PREG

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not at all		1	769	9.2	9.3	9.3
<once PWK		2	2177	26.1	26.2	35.5
At least once PWK		3	3852	46.1	46.4	82.0
1-2 glasses daily		4	1122	13.4	13.5	95.5
3-9 glasses daily		5	361	4.3	4.4	99.8
>9 glasses daily		6	13	.2	.2	100.0
		-1	61	.7	Missing	
			-----	-----	-----	
Total			8355	100.0	100.0	
Valid cases	8294	Missing cases		61		

*E4. b) Since the baby was born*

[When more than 1 box is ticked, the one with the higher code is taken]

PC281 Drunk alcohol since birth

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not at all		1	605	7.2	7.3	7.3
<once PWK		2	2316	27.7	28.0	35.3
At least once PWK		3	3870	46.3	46.7	82.0
1-2 glasses daily		4	1127	13.5	13.6	95.6
3-9 glasses daily		5	349	4.2	4.2	99.8
>9 glasses daily		6	13	.2	.2	100.0
		-1	75	.9	Missing	
			-----	-----	-----	
Total			8355	100.0	100.0	
Valid cases	8280	Missing cases		75		

E5. *Did/does your partner breast-feed at all?*

*Yes No*

PC300 Did/does PTNR breast-feed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	6159	73.7	74.7	74.7
N	2	2088	25.0	25.3	100.0
	-1	108	1.3	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8247	Missing cases	108		

*If yes, please state how you felt even if your partner is no longer breast feeding.*

*This is This is This is I never  
usually often sometimes feel this  
how I feel how I feel how I feel way*

E5. a) *I'm embarrassed when my partner breast-feeds in front of me*

[When more than 1 box is ticked, the one with the lower code was taken]

PC305 Embarrassed at PTNRs BRST-FDG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually feel	1	7	.1	.1	.1
Often feel	2	8	.1	.1	.2
Sometimes feel	3	57	.7	.9	1.1
Never feel	4	6195	74.1	98.9	100.0
Did not breast-feed	-2	2088	25.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	6267	Missing cases	2088		

E5. b) *I find breast-feeding distasteful to watch*

[When more than 1 box is ticked, the one with the lower code was taken]

PC306 Distaste at seeing BRST-FDG

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually feel	1	14	.2	.2	.2
Often feel	2	13	.2	.2	.4
Sometimes feel	3	78	.9	1.2	1.7
Never feel	4	6162	73.8	98.3	100.0
Did not breast-feed	-2	2088	25.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	6267	Missing cases	2088		



E5. c) *I don't like my partner breast-feeding in front of other people*

[When more than 1 box is ticked, the one with the lower code was taken]

PC307 Dislike PTNR BRST-FDG before others

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually feel	1	459	5.5	7.3	7.3
Often feel	2	239	2.9	3.8	11.1
Sometimes feel	3	1248	14.9	19.9	31.1
Never feel	4	4321	51.7	68.9	100.0
Did not breast-feed	-2	2088	25.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	6267	Missing cases	2088		

E5. d) *I would not want my partner to breast-feed in front of other men*

[When more than 1 box is ticked, the one with the lower code was taken]

PC308 Do not want PTNR BRST-FDG before men

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually feel	1	994	11.9	15.9	15.9
Often feel	2	379	4.5	6.0	21.9
Sometimes feel	3	1188	14.2	19.0	40.9
Never feel	4	3706	44.4	59.1	100.0
Did not breast-feed	-2	2088	25.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	6267	Missing cases	2088		

E5. e) *Because I can't breast-feed I feel excluded*

[When more than 1 box is ticked, the one with the lower code was taken]

PC309 As I cannot BRST-FD I feel excluded

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually feel	1	79	.9	1.3	1.3
Often feel	2	141	1.7	2.2	3.5
Sometimes feel	3	967	11.6	15.4	18.9
Never feel	4	5080	60.8	81.1	100.0
Did not breast-feed	-2	2088	25.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	6267	Missing cases	2088		

E5. f) *Because I can't breast-feed my baby myself I resent my partner doing so*

[When more than 1 box is ticked, the one with the lower code was taken]

PC310 As I cannot BRST-FD I resent PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually feel	1	6	.1	.1	.1
Often feel	2	10	.1	.2	.3
Sometimes feel	3	71	.8	1.1	1.4
Never feel	4	6180	74.0	98.6	100.0
Did not breast-feed	-2	2088	25.0	Missing	
		-----	-----	-----	
Total		8355	100.0	100.0	
Valid cases	6267	Missing cases	2088		

E5. g) *It is a great pleasure watching my partner breast feed*

[When more than 1 box is ticked, the one with the higher code is taken]

PC311 Watching PTNR BRST-FD gives pleasure

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually feel	1	2701	32.3	43.1	43.1
Often feel	2	1123	13.4	17.9	61.0
Sometimes feel	3	1258	15.1	20.1	81.1
Never feel	4	1185	14.2	18.9	100.0
Did not breast-feed	-2	2088	25.0	Missing	
		-----	-----	-----	
Total		8355	100.0	100.0	
Valid cases	6267	Missing cases	2088		

**Derived variable**

Attitude to breast feeding (high = positive attitude; low = negative attitude)  
for each pf PC305 - PC311 recode (-1 = 4)

PC312 = PC305 + PC306 + PC307 + PC308 + PC309 + PC310 - PC311 - 2

If PC311 = -2, put PC312 = -2

PC312      Attitude to breast-feeding

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	11.00	1	.0	.0	.0
	13.00	1	.0	.0	.0
	14.00	2	.0	.0	.1
	15.00	2	.0	.0	.1
	16.00	4	.0	.1	.2
	17.00	11	.1	.2	.3
	18.00	13	.2	.2	.5
	19.00	42	.5	.7	1.2
	20.00	110	1.3	1.8	3.0
	21.00	134	1.6	2.1	5.1
	22.00	168	2.0	2.7	7.8
	23.00	380	4.5	6.1	13.9
	24.00	369	4.4	5.9	19.7
	25.00	578	6.9	9.2	29.0
	26.00	1189	14.2	19.0	47.9
	27.00	1033	12.4	16.5	64.4
	28.00	913	10.9	14.6	79.0
	29.00	1317	15.8	21.0	100.0
Did not breast-feed	-2.00	2088	25.0	Missing	
Total		8355	100.0	100.0	
Valid cases	6267	Missing cases	2088		

*E6. Feelings about sex.*

<i>This is usually how I feel</i>	<i>This is often how I feel</i>	<i>This is sometimes how I feel</i>	<i>I never feel this way</i>
---	---	---	--------------------------------------

a) *Since the birth I have not felt attracted to my partner*

[When more than 1 box is ticked, the one with the lower code was taken]

PC320      Not attracted to PTNR since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually feel	1	136	1.6	1.7	1.7
Often feel	2	158	1.9	1.9	3.6
Sometimes feel	3	1310	15.7	15.9	19.5
Never feel	4	6617	79.2	80.5	100.0
	-1	134	1.6	Missing	
Total		8355	100.0	100.0	
Valid cases	8221	Missing cases	134		

E6. b) *I cannot bear to be touched by my partner*

[When more than 1 box is ticked, the one with the lower code was taken]

PC321 Cannot bear to be touched by PTNR

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually feel	1	21	.3	.3	.3
Often feel	2	24	.3	.3	.5
Sometimes feel	3	230	2.8	2.8	3.3
Never feel	4	7953	95.2	96.7	100.0
	-1	127	1.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8228	Missing cases	127		

E6. c) *I'm happy with our sexual relationship*

[When more than 1 box is ticked, the one with the higher code is taken]

PC322 Happy with sexual relationship

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Usually feel	1	3932	47.1	47.9	47.9
Often feel	2	1621	19.4	19.8	67.7
Sometimes feel	3	1780	21.3	21.7	89.4
Never feel	4	874	10.5	10.6	100.0
	-1	148	1.8	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8207	Missing cases	148		

**Derived variable**

Sexual attitude

(High = +ve; low = -ve)

PC323 = PC320+PC321-PC322+2

PC323      Sexual attitude

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	7	.1	.1	.1
	1.00	9	.1	.1	.2
	2.00	14	.2	.2	.4
	3.00	38	.5	.5	.8
	4.00	80	1.0	1.0	1.8
	5.00	262	3.1	3.2	5.0
	6.00	1208	14.5	14.8	19.8
	7.00	1543	18.5	18.9	38.8
	8.00	1484	17.8	18.2	57.0
	9.00	3507	42.0	43.0	100.0
	-1.00	203	2.4	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8152	Missing cases	203		

**SECTION F: SUPPORT AND HELP**

*The following statements are about the help and support you have.*

<i>This is exactly how I feel</i>	<i>This is often how I feel</i>	<i>This is how I sometimes feel</i>	<i>I never feel this way</i>
---	---	---	--------------------------------------

**F1.** *I have no one to share my feelings with*

[When more than 1 box is ticked, the one with the lower code was taken]

PC330 Have no-one to share feelings with

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	166	2.0	2.0	2.0
Often feel	2	322	3.9	3.9	5.9
Sometimes feel	3	1849	22.1	22.4	28.3
Never feel	4	5927	70.9	71.7	100.0
	-1	91	1.1	Missing	
Total		8355	100.0	100.0	
Valid cases	8264	Missing cases	91		

**F2.** *My partner provides the emotional support I need*

[When more than 1 box is ticked, the one with the higher code is taken]

PC331 PTNR provides EMOT support needed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	3959	47.4	48.1	48.1
Often feel	2	2235	26.8	27.1	75.2
Sometimes feel	3	1361	16.3	16.5	91.7
Never feel	4	683	8.2	8.3	100.0
	-1	117	1.4	Missing	
Total		8355	100.0	100.0	
Valid cases	8238	Missing cases	117		

*F3. There are other fathers with whom I can share my experiences*

[When more than 1 box is ticked, the one with the higher code is taken]

PC332 Share experiences with other dads

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	1458	17.5	17.7	17.7
Often feel	2	1573	18.8	19.1	36.8
Sometimes feel	3	2457	29.4	29.8	66.7
Never feel	4	2745	32.9	33.3	100.0
	-1	122	1.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8233	Missing cases	122		

*F4. I believe in moments of difficulty my neighbours would help me*

[When more than 1 box is ticked, the one with the higher code is taken]

PC333 Believe neighbours would help

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	1744	20.9	21.2	21.2
Often feel	2	1457	17.4	17.7	38.9
Sometimes feel	3	2108	25.2	25.6	64.6
Never feel	4	2913	34.9	35.4	100.0
	-1	133	1.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8222	Missing cases	133		

*F5. I'm worried that my partner might leave me*

[When more than 1 box is ticked, the one with the lower code was taken]

PC334 Worry that PTNR might leave

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	95	1.1	1.2	1.2
Often feel	2	110	1.3	1.3	2.5
Sometimes feel	3	822	9.8	10.0	12.4
Never feel	4	7224	86.5	87.6	100.0
	-1	104	1.2	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8251	Missing cases	104		

*F6. There is always someone with whom I can share my happiness and excitement about the baby*

[When more than 1 box is ticked, the one with the higher code is taken]

PC335 Always someone to share joy RE CH with

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	4343	52.0	52.8	52.8
Often feel	2	2139	25.6	26.0	78.8
Sometimes feel	3	1253	15.0	15.2	94.0
Never feel	4	494	5.9	6.0	100.0
	-1	126	1.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8229	Missing cases	126		

*F7. If I feel tired I can rely on my partner to take over*

[When more than 1 box is ticked, the one with the higher code is taken]

PC336 PTNR will help if MUM tired

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	4396	52.6	53.5	53.5
Often feel	2	2107	25.2	25.6	79.1
Sometimes feel	3	1273	15.2	15.5	94.6
Never feel	4	442	5.3	5.4	100.0
	-1	137	1.6	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8218	Missing cases	137		

*F8. If I was in financial difficulty I know my family would help if they could*

[When more than 1 box is ticked, the one with the higher code is taken]

PC337 Family would help with money PROBS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	5140	61.5	62.4	62.4
Often feel	2	1286	15.4	15.6	78.0
Sometimes feel	3	927	11.1	11.3	89.3
Never feel	4	884	10.6	10.7	100.0
	-1	118	1.4	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8237	Missing cases	118		



*F9. If I was in financial difficulty I know my friends would help if they could*

[When more than 1 box is ticked, the one with the higher code is taken]

PC338 Friends would help with money PROBS

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	2223	26.6	27.0	27.0
Often feel	2	1338	16.0	16.3	43.3
Sometimes feel	3	1973	23.6	24.0	67.3
Never feel	4	2692	32.2	32.7	100.0
	-1	129	1.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8226	Missing cases	129		

*F10. If all else fails I know the state will support and assist me*

[When more than 1 box is ticked, the one with the higher code is taken]

PC339 Believe state would help ultimately

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Felt exactly	1	1069	12.8	13.1	13.1
Often feel	2	610	7.3	7.5	20.5
Sometimes feel	3	2080	24.9	25.4	45.9
Never feel	4	4425	53.0	54.1	100.0
	-1	171	2.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8184	Missing cases	171		

**Derived variable****Social support scores**

PC340 Social support score					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
.00			1	.0	.0 .0
1.00			1	.0	.0 .0
2.00			2	.0	.0 .0
3.00			3	.0	.0 .1
4.00			8	.1	.1 .2
5.00			18	.2	.2 .4
6.00			75	.9	.9 1.3
7.00			56	.7	.7 2.0
8.00			85	1.0	1.1 3.1
9.00			100	1.2	1.2 4.4
10.00			145	1.7	1.8 6.2
11.00			175	2.1	2.2 8.3
12.00			244	2.9	3.0 11.4
13.00			261	3.1	3.3 14.7
14.00			347	4.2	4.3 19.0
15.00			430	5.1	5.4 24.3
16.00			489	5.9	6.1 30.5
17.00			480	5.7	6.0 36.4
18.00			607	7.3	7.6 44.0
19.00			537	6.4	6.7 50.7
20.00			580	6.9	7.2 58.0
21.00			642	7.7	8.0 66.0
22.00			538	6.4	6.7 72.7
23.00			467	5.6	5.8 78.5
24.00			509	6.1	6.4 84.9
25.00			309	3.7	3.9 88.7
26.00			278	3.3	3.5 92.2
27.00			334	4.0	4.2 96.4
28.00			126	1.5	1.6 97.9
29.00			54	.6	.7 98.6
30.00			112	1.3	1.4 100.0
-1.00			342	4.1	Missing
			-----	-----	-----
		Total	8355	100.0	100.0
Valid cases	8013	Missing cases	342		

PC341 Social support score: modes/missing data

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1	.0	.0	.0
	1.00	1	.0	.0	.0
	2.00	2	.0	.0	.0
	3.00	3	.0	.0	.1
	4.00	8	.1	.1	.2
	5.00	18	.2	.2	.4
	6.00	75	.9	.9	1.3
	7.00	60	.7	.7	2.0
	8.00	88	1.1	1.1	3.1
	9.00	103	1.2	1.2	4.3
	10.00	154	1.8	1.9	6.2
	11.00	180	2.2	2.2	8.4
	12.00	254	3.0	3.1	11.4
	13.00	268	3.2	3.2	14.7
	14.00	356	4.3	4.3	19.0
	15.00	447	5.4	5.4	24.4
	16.00	504	6.0	6.1	30.4
	17.00	500	6.0	6.0	36.5
	18.00	651	7.8	7.9	44.3
	19.00	547	6.5	6.6	50.9
	20.00	611	7.3	7.4	58.3
	21.00	666	8.0	8.0	66.3
	22.00	555	6.6	6.7	73.0
	23.00	476	5.7	5.7	78.8
	24.00	523	6.3	6.3	85.1
	25.00	316	3.8	3.8	88.9
	26.00	284	3.4	3.4	92.3
	27.00	342	4.1	4.1	96.5
	28.00	126	1.5	1.5	98.0
	29.00	55	.7	.7	98.6
	30.00	113	1.4	1.4	100.0
	-1.00	68	.8	Missing	
		-----	-----	-----	
Valid cases		Total	8355	100.0	100.0
		Missing cases	68		

PC342 Social support score: no. missing items

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	8013	95.9	95.9	95.9
	1.00	195	2.3	2.3	98.2
	2.00	28	.3	.3	98.6
	3.00	12	.1	.1	98.7
	4.00	6	.1	.1	98.8
	5.00	4	.0	.0	98.8
	6.00	2	.0	.0	98.9
	7.00	5	.1	.1	98.9
	8.00	8	.1	.1	99.0
	9.00	14	.2	.2	99.2
	10.00	68	.8	.8	100.0
		-----	-----	-----	
Valid cases		Total	8355	100.0	100.0
		Missing cases	0		

**SECTION G: LOOKING AFTER YOUR BABY**

G1. *I have found having a baby around:*

*easier than expected*

*about as difficult as I expected*

*more difficult than I expected*

[When more than 1 box is ticked, the one with the higher code is taken]

[If stated “baby not home yet” - coded as ‘7’. If “no change” is stated coded as ‘4’] (In fact only 1 partner coded 4 and 2 coded 7, so these were recoded to -1)

PC350 Having a baby is as expected

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
N, easier	1	2468	29.5	29.9	29.9
Y, as difficult	2	4643	55.6	56.2	86.0
N, more difficult	3	1154	13.8	14.0	100.0
	-1	90	1.1	Missing	
	Total	8355	100.0	100.0	
Valid cases	8265	Missing cases	90		

G2. *How many hours sleep do you get altogether now?*

*0 - 1      2 - 3      4 - 5      6 - 7      more than*  
*hours      hours      hours      hours      7 hours*

a) *during an average night*

[When more than 1 box is ticked, the one with the lower code was taken]

PC353 NO of HRS sleep at night

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0-1 HRS	1	41	.5	.5	.5
2-3 HRS	2	50	.6	.6	1.1
4-5 HRS	3	1321	15.8	16.0	17.1
6-7 HRS	4	4984	59.7	60.5	77.6
>7 HRS	5	1845	22.1	22.4	100.0
	-1	114	1.4	Missing	
	Total	8355	100.0	100.0	
Valid cases	8241	Missing cases	114		

G2. b) *during an average day*

[When more than 1 box is ticked, the one with the lower code was taken]

PC354 NO of HRS sleep in day

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0-1 HRS	1	6758	80.9	91.0	91.0
2-3 HRS	2	157	1.9	2.1	93.2
4-5 HRS	3	130	1.6	1.8	94.9
6-7 HRS	4	277	3.3	3.7	98.6
>7 HRS	5	101	1.2	1.4	100.0
	-1	932	11.2	Missing	
		Total	8355	100.0	100.0
Valid cases	7423	Missing cases	932		

G3. *Do you feel that you are getting enough sleep?*

*Yes No*

[If 'sometimes' or 'Yes' & 'No' stated, 3 was coded]

PC355 PTNR getting enough sleep

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	5270	63.1	63.9	63.9
N	2	2969	35.5	36.0	99.8
Sometimes	3	13	.2	.2	100.0
	-1	103	1.2	Missing	
		Total	8355	100.0	100.0
Valid cases	8252	Missing cases	103		

G4. *How much help would you say you have given with the following since the baby was born:*

*A lot of help      Some help      Hardly any help      No help at all*

a) *shopping*

[When more than 1 box is ticked, the one with the higher code is taken]

PC360 Helped with shopping since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, a lot	1	4284	51.3	51.7	51.7
Y, some	2	2809	33.6	33.9	85.6
Y, hardly any	3	736	8.8	8.9	94.5
N	4	457	5.5	5.5	100.0
	-1	69	.8	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8286	Missing cases	69		

G4. b) *cleaning the home*

[When more than 1 box is ticked, the one with the higher code is taken]

PC361 Helped with cleaning home since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, a lot	1	2107	25.2	25.4	25.4
Y, some	2	3956	47.3	47.8	73.2
Y, hardly any	3	1564	18.7	18.9	92.1
N	4	652	7.8	7.9	100.0
	-1	76	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8279	Missing cases	76		

G4. c) *preparing meals*

[When more than 1 box is ticked, the one with the higher code is taken]

PC362 Helped with meal PREP since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, a lot	1	2797	33.5	33.8	33.8
Y, some	2	3391	40.6	40.9	74.7
Y, hardly any	3	1421	17.0	17.2	91.9
N	4	675	8.1	8.1	100.0
	-1	71	.8	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8284	Missing cases	71		

G4. d) *washing up*

[When more than 1 box is ticked, the one with the higher code is taken]

PC363 Helped with washing up since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, a lot	1	3792	45.4	45.9	45.9
Y, some	2	3059	36.6	37.1	83.0
Y, hardly any	3	817	9.8	9.9	92.9
N	4	585	7.0	7.1	100.0
	-1	102	1.2	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8253	Missing cases	102		

G4. e) *help with the housework*

[When more than 1 box is ticked, the one with the higher code is taken]

PC364 Helped with housework since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, a lot	1	2010	24.1	24.3	24.3
Y, some	2	3847	46.0	46.5	70.8
Y, hardly any	3	1710	20.5	20.7	91.5
N	4	706	8.5	8.5	100.0
	-1	82	1.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8273	Missing cases	82		

G4. f) *cook meals*

[When more than 1 box is ticked, the one with the higher code is taken]

PC365 Helped with cooking meals since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, a lot	1	2861	34.2	34.5	34.5
Y, some	2	3074	36.8	37.1	71.7
Y, hardly any	3	1432	17.1	17.3	89.0
N	4	915	11.0	11.0	100.0
	-1	73	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8282	Missing cases	73		

G4. g) *washing the clothes*

[When more than 1 box is ticked, the one with the higher code is taken]

PC366 Helped with clothes wash since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, a lot	1	1029	12.3	12.4	12.4
Y, some	2	2090	25.0	25.3	37.7
Y, hardly any	3	2124	25.4	25.7	63.4
N	4	3024	36.2	36.6	100.0
	-1	88	1.1	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8267	Missing cases	88		

G4. h) *looking after your other children*

[When more than 1 box is ticked, the one with the higher code is taken]

PC367 Helped with other CHRN since birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, a lot	1	2969	35.5	47.5	47.5
Y, some	2	1735	20.8	27.8	75.3
Y, hardly any	3	143	1.7	2.3	77.6
N	4	1397	16.7	22.4	100.0
	-1	2111	25.3	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	6244	Missing cases	2111		



G4. i) *other tasks (please describe)* [Keyed as text]

[Coder must ensure writing on 'please describe' line is matched by a 'Yes' on G4i). If it is not, coder puts a zero to indicate information in 'please describe' section]

PC368 Helped with other tasks since birth

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, a lot		1	890	10.7	36.7	36.7
Y, some		2	523	6.3	21.5	58.2
Y, hardly any		3	68	.8	2.8	61.0
N		4	947	11.3	39.0	100.0
		-1	5927	70.9	Missing	
			-----	-----	-----	
		Total	8355	100.0	100.0	
Valid cases	2428	Missing cases	5927			

**Derived variable****Help in home score**

For each of PC360-8, recode (-1, 4=0)(1=3)(2=2)3=1)

PC369=PC360+PC361+.....+PC368

PC369 PTNR helping at home score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	135	1.6	1.6	1.6
	1.00	21	.3	.3	1.9
	2.00	53	.6	.6	2.5
	3.00	52	.6	.6	3.1
	4.00	49	.6	.6	3.7
	5.00	58	.7	.7	4.4
	6.00	119	1.4	1.4	5.8
	7.00	127	1.5	1.5	7.3
	8.00	166	2.0	2.0	9.3
	9.00	240	2.9	2.9	12.2
	10.00	311	3.7	3.7	15.9
	11.00	368	4.4	4.4	20.3
	12.00	485	5.8	5.8	26.1
	13.00	574	6.9	6.9	33.0
	14.00	692	8.3	8.3	41.3
	15.00	697	8.3	8.3	49.6
	16.00	713	8.5	8.5	58.2
	17.00	671	8.0	8.0	66.2
	18.00	612	7.3	7.3	73.5
	19.00	546	6.5	6.5	80.1
	20.00	442	5.3	5.3	85.4
	21.00	454	5.4	5.4	90.8
	22.00	232	2.8	2.8	93.6
	23.00	174	2.1	2.1	95.6
	24.00	216	2.6	2.6	98.2
	25.00	37	.4	.4	98.7
	26.00	34	.4	.4	99.1
	27.00	77	.9	.9	100.0
<hr/>					
	Total	8355	100.0	100.0	
Valid cases	8355				
	Missing cases	0			

G5. *In an ordinary week how often do you do the following:*

*Every day      Every couple of days      Once in every 4 days      Once a week      Less than once a week      Never*

a) *change nappies*

[When more than 1 box is ticked, the one with the higher code is taken]

PC380      FREQ PTNR changes nappy since PWK						
		Valid		Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Daily		1	4123	49.3	49.8	49.8
Every other day		2	1706	20.4	20.6	70.3
Every 4 days		3	539	6.5	6.5	76.8
Once PWK		4	449	5.4	5.4	82.3
<once PWK		5	681	8.2	8.2	90.5
Never		6	789	9.4	9.5	100.0
		-1	68	.8	Missing	
		Total		8355	100.0	100.0
Valid cases	8287	Missing cases		68		

G5. b) *bath the baby*

[When more than 1 box is ticked, the one with the higher code is taken]

PC381      FREQ PTNR bathes CH PWK						
		Valid		Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Daily		1	563	6.7	6.8	6.8
Every other day		2	1594	19.1	19.3	26.1
Every 4 days		3	734	8.8	8.9	34.9
Once PWK		4	1032	12.4	12.5	47.4
<once PWK		5	1480	17.7	17.9	65.3
Never		6	2875	34.4	34.7	100.0
		-1	77	.9	Missing	
		Total		8355	100.0	100.0
Valid cases	8278	Missing cases		77		

G5. c) *play with the baby*

[When more than 1 box is ticked, the one with the higher code is taken]

PC382      FREQ PTNR plays with CH PWK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	7567	90.6	91.2	91.2
Every other day	2	521	6.2	6.3	97.5
Every 4 days	3	87	1.0	1.0	98.5
Once PWK	4	52	.6	.6	99.1
<once PWK	5	31	.4	.4	99.5
Never	6	40	.5	.5	100.0
	-1	57	.7	Missing	
		Total	8355	100.0	100.0
Valid cases	8298	Missing cases	57		

G5. d) *take the baby out for a walk*

[When more than 1 box is ticked, the one with the higher code is taken]

PC383      FREQ PTNR walks CH outside PWK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	588	7.0	7.2	7.2
Every other day	2	1746	20.9	21.3	28.4
Every 4 days	3	1145	13.7	13.9	42.4
Once PWK	4	2068	24.8	25.2	67.6
<once PWK	5	1413	16.9	17.2	84.8
Never	6	1251	15.0	15.2	100.0
	-1	144	1.7	Missing	
		Total	8355	100.0	100.0
Valid cases	8211	Missing cases	144		

G5. e) *put the baby to bed*

[When more than 1 box is ticked, the one with the higher code is taken]

PC384      FREQ PTNR puts CH to bed PWK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	2356	28.2	28.6	28.6
Every other day	2	2864	34.3	34.7	63.3
Every 4 days	3	724	8.7	8.8	72.0
Once PWK	4	495	5.9	6.0	78.0
<once PWK	5	658	7.9	8.0	86.0
Never	6	1154	13.8	14.0	100.0
	-1	104	1.2	Missing	
		Total	8355	100.0	100.0
Valid cases	8251	Missing cases	104		

G5. f) *get up at night to feed or help with the baby*

[When more than 1 box is ticked, the one with the higher code is taken]

PC385      FREQ PTNR feeds or helps at night PWK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	1428	17.1	17.4	17.4
Every other day	2	1401	16.8	17.1	34.6
Every 4 days	3	769	9.2	9.4	44.0
Once PWK	4	807	9.7	9.9	53.8
<once PWK	5	1245	14.9	15.2	69.0
Never	6	2535	30.3	31.0	100.0
	-1	170	2.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8185	Missing cases	170		

G5. g) *feed the baby*

*Can't - baby breast fed*

[When more than 1 box is ticked, the one with the higher code is taken]

PC386      FREQ PTNR feeds CH PWK

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Daily	1	3228	38.6	56.3	56.3
Every other day	2	1259	15.1	22.0	78.3
Every 4 days	3	338	4.0	5.9	84.2
Once PWK	4	224	2.7	3.9	88.1
<once PWK	5	310	3.7	5.4	93.5
Never	6	371	4.4	6.5	100.0
Cannot BRST-FD	-2	2437	29.2	Missing	
	-1	188	2.3	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	5730	Missing cases	2625		

**Derived variable****Amount of help score**

PC380-6 recoded (1=5)(2=4)(3=3)(4=2)(5=1)(else=0)

PC387=PC380+.....+PC386

PC387 PTNR helping with CH score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	65	.8	.8	.8
	1.00	11	.1	.1	.9
	2.00	17	.2	.2	1.1
	3.00	10	.1	.1	1.2
	4.00	38	.5	.5	1.7
	5.00	94	1.1	1.1	2.8
	6.00	81	1.0	1.0	3.8
	7.00	108	1.3	1.3	5.1
	8.00	107	1.3	1.3	6.4
	9.00	169	2.0	2.0	8.4
	10.00	169	2.0	2.0	10.4
	11.00	198	2.4	2.4	12.8
	12.00	201	2.4	2.4	15.2
	13.00	224	2.7	2.7	17.9
	14.00	270	3.2	3.2	21.1
	15.00	260	3.1	3.1	24.2
	16.00	306	3.7	3.7	27.9
	17.00	335	4.0	4.0	31.9
	18.00	314	3.8	3.8	35.6
	19.00	422	5.1	5.1	40.7
	20.00	395	4.7	4.7	45.4
	21.00	394	4.7	4.7	50.1
	22.00	439	5.3	5.3	55.4
	23.00	459	5.5	5.5	60.9
	24.00	438	5.2	5.2	66.1
	25.00	431	5.2	5.2	71.3
	26.00	417	5.0	5.0	76.3
	27.00	407	4.9	4.9	81.1
	28.00	362	4.3	4.3	85.5
	29.00	321	3.8	3.8	89.3
	30.00	248	3.0	3.0	92.3
	31.00	204	2.4	2.4	94.7
	32.00	180	2.2	2.2	96.9
	33.00	134	1.6	1.6	98.5
	34.00	83	1.0	1.0	99.5
	35.00	44	.5	.5	100.0
Total		8355	100.0	100.0	
Valid cases	8355	Missing cases	0		

G6. Below are some statements about family life. How often do they apply to you?

<i>I always feel like this</i>	<i>I often feel like this</i>	<i>I sometimes feel like this</i>	<i>I never feel like this</i>
--	---------------------------------------	---	---------------------------------------

a) *My partner excludes me from looking after the baby*

[When more than 1 box is ticked, the one with the lower code was taken]

PC400 MUM excludes PTNR from CHs care

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	55	.7	.7	.7
Often feel	2	78	.9	.9	1.6
Sometimes feel	3	614	7.3	7.4	9.0
Never feel	4	7531	90.1	91.0	100.0
	-1	77	.9	Missing	
	Total	8355	100.0	100.0	
Valid cases	8278	Missing cases	77		

G6. b) *I feel confident with the baby*

[When more than 1 box is ticked, the one with the higher code is taken]

PC401 Feel confident with CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	5850	70.0	70.6	70.6
Often feel	2	1695	20.3	20.5	91.0
Sometimes feel	3	506	6.1	6.1	97.1
Never feel	4	237	2.8	2.9	100.0
	-1	67	.8	Missing	
	Total	8355	100.0	100.0	
Valid cases	8288	Missing cases	67		

G6. c) *I feel my partner does not trust me with the baby*

[When more than 1 box is ticked, the one with the lower code was taken]

PC402 Feel MUM does not trust PTNR with CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	93	1.1	1.1	1.1
Often feel	2	154	1.8	1.9	3.0
Sometimes feel	3	994	11.9	12.0	15.0
Never feel	4	7037	84.2	85.0	100.0
	-1	77	.9	Missing	
	Total	8355	100.0	100.0	
Valid cases	8278	Missing cases	77		

G6. d) *I'm happy with the way my partner is bringing up our baby*

[When more than 1 box is ticked, the one with the higher code is taken]

PC403 Happy with the way MUM brings up CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	7424	88.9	89.6	89.6
Often feel	2	731	8.7	8.8	98.4
Sometimes feel	3	81	1.0	1.0	99.4
Never feel	4	48	.6	.6	100.0
	-1	71	.8	Missing	
		-----	-----	-----	
Total		8355	100.0	100.0	
Valid cases	8284	Missing cases	71		

G6. e) *I'm happy with the way I'm bringing up the baby*

[When more than 1 box is ticked, the one with the higher code is taken]

PC404 Happy with the way PTNR brings up CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	6279	75.2	75.9	75.9
Often feel	2	1576	18.9	19.0	94.9
Sometimes feel	3	332	4.0	4.0	98.9
Never feel	4	88	1.1	1.1	100.0
	-1	80	1.0	Missing	
		-----	-----	-----	
Total		8355	100.0	100.0	
Valid cases	8275	Missing cases	80		

G6. f) *I'm making a strong bond with the baby*

[When more than 1 box is ticked, the one with the higher code is taken]

PC405 Making a strong bond with CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	5173	61.9	62.6	62.6
Often feel	2	2043	24.5	24.7	87.3
Sometimes feel	3	891	10.7	10.8	98.0
Never feel	4	163	2.0	2.0	100.0
	-1	85	1.0	Missing	
		-----	-----	-----	
Total		8355	100.0	100.0	
Valid cases	8270	Missing cases	85		



G6. g) *I'm so stressed at home, it's a bad influence on the baby*

[When more than 1 box is ticked, the one with the lower code was taken]

PC406 My stress is a bad influence on CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	81	1.0	1.0	1.0
Often feel	2	172	2.1	2.1	3.1
Sometimes feel	3	1172	14.0	14.2	17.2
Never feel	4	6852	82.0	82.8	100.0
	-1	78	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8277	Missing cases	78		

G6. h) *The home is the woman's place, I have no part in it*

[When more than 1 box is ticked, the one with the lower code was taken]

PC407 Home is womans place, no part for me

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	90	1.1	1.1	1.1
Often feel	2	77	.9	.9	2.0
Sometimes feel	3	421	5.0	5.1	7.1
Never feel	4	7683	92.0	92.9	100.0
	-1	84	1.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8271	Missing cases	84		

G6. i) *I'm always getting under her feet*

[When more than 1 box is ticked, the one with the lower code was taken]

PC408 PTNR always getting under MUMs feet

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	113	1.4	1.4	1.4
Often feel	2	200	2.4	2.4	3.8
Sometimes feel	3	2119	25.4	25.6	29.4
Never feel	4	5843	69.9	70.6	100.0
	-1	80	1.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8275	Missing cases	80		

G6. j) *She doesn't like me being involved with the baby even if I'd like to be*

[When more than 1 box is ticked, the one with the lower code was taken]

PC409 MUM dislikes PTNR being involved with CH						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Always feel	1	42	.5	.5	.5	
Often feel	2	23	.3	.3	.8	
Sometimes feel	3	203	2.4	2.5	3.2	
Never feel	4	8008	95.8	96.8	100.0	
	-1	79	.9	Missing		
		-----	-----	-----		
	Total	8355	100.0	100.0		
Valid cases	8276	Missing cases	79			

G6. k) *I feel I should be enjoying the baby but am not*

[When more than 1 box is ticked, the one with the lower code was taken]

PC410 PTNR guilty at not enjoying CH						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Always feel	1	77	.9	.9	.9	
Often feel	2	160	1.9	1.9	2.9	
Sometimes feel	3	1198	14.3	14.5	17.3	
Never feel	4	6844	81.9	82.7	100.0	
	-1	76	.9	Missing		
		-----	-----	-----		
	Total	8355	100.0	100.0		
Valid cases	8279	Missing cases	76			

G6. l) *I regret having the baby*

[When more than 1 box is ticked, the one with the lower code was taken]

PC411 PTNR regrets having CH						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Always feel	1	27	.3	.3	.3	
Often feel	2	24	.3	.3	.6	
Sometimes feel	3	374	4.5	4.5	5.1	
Never feel	4	7847	93.9	94.9	100.0	
	-1	83	1.0	Missing		
		-----	-----	-----		
	Total	8355	100.0	100.0		
Valid cases	8272	Missing cases	83			

G6. m) *I wish I'd had more experience of other children before my child was born*

[When more than 1 box is ticked, the one with the lower code was taken]

PC412 PTNR regrets lack of experience of CHDN

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	47	.6	.6	.6
Often feel	2	113	1.4	1.4	1.9
Sometimes feel	3	751	9.0	9.1	11.0
Never feel	4	7338	87.8	89.0	100.0
	-1	106	1.3	Missing	
		Total	8355	100.0	100.0
Valid cases	8249	Missing cases	106		

G6. n) *Having a baby has made me feel more fulfilled*

[When more than 1 box is ticked, the one with the higher code is taken]

PC413 This CH has made PTNR more fulfilled

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	3746	44.8	45.6	45.6
Often feel	2	2321	27.8	28.2	73.8
Sometimes feel	3	1307	15.6	15.9	89.7
Never feel	4	846	10.1	10.3	100.0
	-1	135	1.6	Missing	
		Total	8355	100.0	100.0
Valid cases	8220	Missing cases	135		

G6. o) *Parenthood has brought my partner and me closer together*

[When more than 1 box is ticked, the one with the higher code is taken]

PC414 Parenthood has made PTNR and MUM closer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	2754	33.0	33.6	33.6
Often feel	2	2195	26.3	26.8	60.4
Sometimes feel	3	2065	24.7	25.2	85.6
Never feel	4	1184	14.2	14.4	100.0
	-1	157	1.9	Missing	
		Total	8355	100.0	100.0
Valid cases	8198	Missing cases	157		

G6. p) *My partner no longer gives me any attention*

[When more than 1 box is ticked, the one with the lower code was taken]

PC415 MUM no longer gives PTNR attention

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	168	2.0	2.0	2.0
Often feel	2	468	5.6	5.7	7.7
Sometimes feel	3	2427	29.0	29.4	37.1
Never feel	4	5201	62.3	62.9	100.0
	-1	91	1.1	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8264	Missing cases	91		

G6. q) *I feel hurt by the attention my partner gives the baby*

[When more than 1 box is ticked, the one with the lower code was taken]

PC416 Feel hurt by attention MUM gives CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	34	.4	.4	.4
Often feel	2	59	.7	.7	1.1
Sometimes feel	3	414	5.0	5.0	6.1
Never feel	4	7772	93.0	93.9	100.0
	-1	76	.9	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8279	Missing cases	76		

G6. r) *I was adequately prepared for the birth of the child and early infant care*

[When more than 1 box is ticked, the one with the higher code is taken]

PC417 PTNR well prepared for birth and CH care

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	4103	49.1	49.9	49.9
Often feel	2	2228	26.7	27.1	77.1
Sometimes feel	3	1287	15.4	15.7	92.7
Never feel	4	597	7.1	7.3	100.0
	-1	140	1.7	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8215	Missing cases	140		

G6. s) *My partner gives me no encouragement in bringing up the baby*

[When more than 1 box is ticked, the one with the lower code was taken]

PC418 MUM gives PTNR no encouragement

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always feel	1	295	3.5	3.6	3.6
Often feel	2	163	2.0	2.0	5.6
Sometimes feel	3	368	4.4	4.5	10.0
Never feel	4	7413	88.7	90.0	100.0
	-1	116	1.4	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8239	Missing cases	116		

**Derived variable**

(PC419 = PC400 - PC401 + PC402 - PC403 - PC404 - PC405 + PC406 + PC407 + PC408 + PC409 + PC410 + PC411 + PC412 - PC413 - PC414 + PC415 + PC416 - PC417 + PC418 - 5)

PC419      Attitude to fatherhood score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1	.0	.0	.0
	2.00	1	.0	.0	.0
	8.00	1	.0	.0	.0
	10.00	3	.0	.0	.1
	11.00	1	.0	.0	.1
	12.00	6	.1	.1	.2
	13.00	2	.0	.0	.2
	14.00	2	.0	.0	.2
	15.00	4	.0	.0	.3
	16.00	6	.1	.1	.3
	17.00	3	.0	.0	.4
	18.00	7	.1	.1	.4
	19.00	12	.1	.1	.6
	20.00	9	.1	.1	.7
	21.00	16	.2	.2	.9
	22.00	18	.2	.2	1.1
	23.00	27	.3	.3	1.4
	24.00	76	.9	.9	2.3
	25.00	42	.5	.5	2.8
	26.00	57	.7	.7	3.5
	27.00	85	1.0	1.0	4.5
	28.00	78	.9	.9	5.5
	29.00	100	1.2	1.2	6.7
	30.00	128	1.5	1.5	8.2
	31.00	165	2.0	2.0	10.2
	32.00	203	2.4	2.4	12.6
	33.00	241	2.9	2.9	15.5
	34.00	328	3.9	3.9	19.4
	35.00	363	4.3	4.3	23.8
	36.00	417	5.0	5.0	28.7
	37.00	502	6.0	6.0	34.8
	38.00	603	7.2	7.2	42.0
	39.00	755	9.0	9.0	51.0
	40.00	688	8.2	8.2	59.2
	41.00	746	8.9	8.9	68.2
	42.00	811	9.7	9.7	77.9
	43.00	619	7.4	7.4	85.3
	44.00	551	6.6	6.6	91.9
	45.00	678	8.1	8.1	100.0
		-----	-----	-----	
Valid cases		Total	8355	100.0	100.0
Missing cases			0		

G7. *Are you currently employed?*

*Yes*                      *No*

PC430      Currently employed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y	1	7280	87.1	88.5	88.5
N	2	947	11.3	11.5	100.0
	-1	128	1.5	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8227	Missing cases	128		

*If yes,*

*Yes, often*      *Yes, sometimes*      *Not very often*      *Never*

G7. a) *When I finish work my partner expects me to take the baby*

[When more than 1 box is ticked, the one with the higher code is taken]

PC431      MUM expects PTNR to take CH after work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, often	1	1621	19.4	22.4	22.4
Y, Sometimes	2	3097	37.1	42.8	65.1
Y, occasionally	3	1686	20.2	23.3	88.4
Never	4	840	10.1	11.6	100.0
Not working	-2	947	11.3	Missing	
	-1	164	2.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	7244	Missing cases	1111		

G7. b) *When I finish work I feel too tired to take the baby*

[When more than 1 box is ticked, the one with the lower code was taken]

PC432      PTNR too tired to take CH after work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, often	1	537	6.4	7.4	7.4
Y, Sometimes	2	2561	30.7	35.4	42.8
Y, occasionally	3	2310	27.6	31.9	74.7
Never	4	1834	22.0	25.3	100.0
Not working	-2	947	11.3	Missing	
	-1	166	2.0	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	7242	Missing cases	1113		

G7. c) *I enjoy getting home from work to see my partner and child*

[When more than 1 box is ticked, the one with the higher code is taken]

PC433      PTNR enjoys getting home to see MUM & CH					
Value Label		Value	Frequency	Percent	Valid Percent      Cum Percent
Y, often		1	6501	77.8	90.0      90.0
Y,Sometimes		2	636	7.6	8.8      98.8
Y, occasionally		3	60	.7	.8      99.6
Never		4	29	.3	.4      100.0
Not working		-2	947	11.3	Missing
		-1	182	2.2	Missing
			-----	-----	-----
Total			8355	100.0	100.0
Valid cases	7226	Missing cases	1129		

G7. d) *When I finish work I take the child and let my partner get on with something she wants to do*

[When more than 1 box is ticked, the one with the higher code is taken]

PC434		PTNR takes CH after work, so MUM free				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Y, often		1	2186	26.2	30.2	30.2
Y,Sometimes		2	3721	44.5	51.4	81.7
Y, occasionally		3	1130	13.5	15.6	97.3
Never		4	197	2.4	2.7	100.0
Not working		-2	947	11.3	Missing	
		-1	174	2.1	Missing	
			-----	-----	-----	
		Total	8355	100.0	100.0	
Valid cases	7234	Missing cases	1121			

G7. e) *After a day at work I find the baby hard to cope with*

[When more than 1 box is ticked, the one with the lower code was taken]

PC435 PTNR finds CH hard to manage after work						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Y, often		1	310	3.7	4.3	4.3
Y,Sometimes		2	1942	23.2	26.8	31.1
Y, occasionally		3	2580	30.9	35.7	66.8
Never		4	2405	28.8	33.2	100.0
Not working		-2	947	11.3	Missing	
		-1	171	2.0	Missing	
			-----	-----	-----	
		Total	8355	100.0	100.0	
Valid cases	7237	Missing cases	1118			



**Derived variable****Work and parenthood score**

(PC436=PC432-PC433-PC434+PC435)

PC436      Work and parenthood score

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		.00	3	.0	.0	.0
		1.00	6	.1	.1	.1
		2.00	15	.2	.2	.3
		3.00	53	.6	.7	1.1
		4.00	116	1.4	1.6	2.7
		5.00	279	3.3	3.9	6.6
		6.00	573	6.9	8.0	14.6
		7.00	912	10.9	12.7	27.3
		8.00	1224	14.6	17.1	44.3
		9.00	1343	16.1	18.7	63.0
		10.00	1093	13.1	15.2	78.3
		11.00	919	11.0	12.8	91.1
		12.00	641	7.7	8.9	100.0
Not working		-2.00	947	11.3	Missing	
		-1.00	231	2.8	Missing	
			-----	-----	-----	
			Total	8355	100.0	100.0
Valid cases	7177	Missing cases		1178		

**SECTION H**

H1. Please put the date of completing this questionnaire:

day month year

[Coded as ddmmyy for days, months, years.

(If the year is known but the day or month are stated “not known”, then coder puts days and months as 99,99 but fills in correct year)]


PC990 Month of completing questionnaire

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	933	11.2	11.2	11.2
	2	732	8.8	8.8	20.0
	3	503	6.0	6.0	26.0
	4	512	6.1	6.1	32.2
	5	281	3.4	3.4	35.5
	6	653	7.8	7.8	43.4
	7	875	10.5	10.5	53.9
	8	790	9.5	9.5	63.4
	9	687	8.2	8.2	71.6
	10	964	11.5	11.6	83.2
	11	760	9.1	9.1	92.3
	12	640	7.7	7.7	100.0
	-1	25	.3	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8330	Missing cases	25		


PC991 Year of completing questionnaire

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	91	2321	27.8	27.9	27.9
	92	5077	60.8	61.0	88.9
	93	919	11.0	11.0	100.0
	94	1	.0	.0	100.0
	-1	37	.4	Missing	
		-----	-----	-----	
	Total	8355	100.0	100.0	
Valid cases	8318	Missing cases	37		

PC992 Baby's age (wks) on completion of questionnaire



PC993 DV: Age of partner at completion (years)



H2. *Please give your date of birth:*

*day      month      year*


[Coded as ddmmyy for days, months, years. (If the year is known but the day or month are stated “not known”, then coder puts days and months as 99,99 but fills in correct year)]

[Coder has to accept any valid date given]

PC995      PTNR'S month of birth

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	666	8.0	8.1	8.1
	2	706	8.5	8.6	16.7
	3	769	9.2	9.4	26.1
	4	710	8.5	8.7	34.7
	5	717	8.6	8.7	43.5
	6	669	8.0	8.2	51.6
	7	666	8.0	8.1	59.7
	8	678	8.1	8.3	68.0
	9	668	8.0	8.1	76.2
	10	697	8.3	8.5	84.6
	11	606	7.3	7.4	92.0
	12	654	7.8	8.0	100.0
	-1	149	1.8	Missing	
Total		8355	100.0	100.0	
Valid cases	8206	Missing cases	149		

PC996 Age of PTNR (yrs) at birth of baby



*Space for any comments you might like to make:*

[Keyed in as text]

If the questionnaire was completed with the aid of an interviewer, there will be initials here]

PC999 INT

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No		2.00	8355	100.0	100.0	100.0
			-----	-----	-----	
		Total	8355	100.0	100.0	
Valid cases	8355	Missing cases	0			