THE ALSPAC STUDY

TC FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Your Daughter/Son 16+ Years On At 198 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 2a of the release file.

May 2018

© University of Bristol

Contents

	Introduction & Contents	of Questionnaire	Page 3
Section A	Your Study Teenager		
		Text	Page 10
		Frequencies	Page 18
Section B	Things Your Teenager	Does	
		Text	Page 41
		Frequencies	Page 45
Section C	Your Teenager's Activi	ties and Interests	
	_	Text	Page 58
		Frequencies	Page 64
Section D	Your Teenager's Feelin	ngs	
	_	Text	Page 94
		Frequencies	Page 100
Section E	Your Teenager's Eating	g Patterns	
	_	Text	Page 122
		Frequencies	Page 129
Section F	Your Teenager's Health	า	
	_	Text	Page 144
		Frequencies	Page 150
Section G	Your Teenager's Future	Э	
		Text	Page 165
		Frequencies	Page 167
Section H	Your Teenager and Mo	ney	
		Text	Page 168
		Frequencies	Page 169
Section I	Your Teenager and Wo	ork	
		Text	Page 170
		Frequencies	Page 172
Section J	Completion of the ques	stionnaire	
		Text	Page182
		Frequencies	Page183
Appendix A	General Verification Inst	tructions	Page 189
Appendix B	Specific Verification Inst	ructions	Page 192
Appendix C	Questionnaire Methodol	logy	Page 201

Introduction

Contents

This questionnaire was sent out to carers when their study child was 198 months old. It is in 10 sections. Section A asks the respondent about different aspects of their relationship with the study child and section B about the study child's use of alcohol, tobacco and drugs and also about antisocial behaviour. Section C contains questions about the study child's activities and interests while section D contains the Strengths and Difficulties Questionnaire (Goodman, 1997), the Short Moods and Feelings Questionnaire (Angold et al., 1995; Messer et al., 1995), the Skuse social cognition scale (Skuse et al., 1997), which is designed to summarise the main features of the social cognition behaviour of individuals, and finally some questions about self harm.

Section E collects measurements of height and weight and asks about dieting, body shape and eating disorders. Then, in section F, the respondent is asked about the health of their study child, in particular about symptoms related to asthma, eczema and tiredness. The respondent is asked about their aspirations and expectations for their study child in section G and then about their study child's attitude to money in section H and their study child's employment history in section I. Finally, section J collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire, although as with all child-based questionnaires there were separate male and female copies. This documentation is based around the female copy. Apart from differences in gender in the text the only difference was that question E20 was not in the male copy.

Sample & response rates

There are a total of 15,107 records on this built file. This number is made up of the 14,676 fetuses in the core ALSPAC sample (regardless of whether or not the 198-month questionnaire was sent out for them or whether it was returned) plus 431 eligible children not in the core sample for whom the questionnaires were sent out. Note that this questionnaire was completed for 225 of these 431 children.

Of the 14,676 fetuses in the core ALSPAC sample, 14,062 were live born. The 198-month questionnaire was sent out for 9,533 (68%) of these live born children. As of 5th March 2010 completed questionnaires had been returned for 5,500 (58%) of these children, which is 39% of the 14,062 live born children. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Note that 5 of the 5,725 completed questionnaires belong to children from triplet or quadruplet pregnancies, all of whom are in the core sample. For reasons of confidentiality the data from these questionnaires are not available. The administrative variables TC0001 to TC0007 remain, but TC0007a has been set to 2 "No" and all other variables have been set to –11.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Release file version history

Release version 1a – June 2010

The first version of the release file.

Release version 2a – May 2018

Addition of SDQ Derived Variables as well as updating the layout of the documentation to be more in line with other ALSPAC data documentation.

References

Angold, A., Costello, E. J., Messer, S. C., Pickles, A., Winder, F., & Silver, D. (1995). Development of a short questionnaire for use in epidemiological studies of depression in children and adolescents. *International Journal of Methods in Psychiatric Research*, *5*(4), 237-249.

Goodman, R. (1997). The strengths and difficulties questionnaire: A research note. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, *38*(5), 581-586.

Messer, S. C., Angold, A., Costello, E. J., Loeber, R., VanKammen, W., & StouthamerLoeber, M. (1995). Development of a short questionnaire for use in epidemiological studies of depression in children and adolescents: Factor composition and structure across development. *International Journal of Methods in Psychiatric Research*, 5(4), 251-262.

Skuse, D. H., James, R. S., Bishop, D. V. M., Coppin, B., Dalton, P., Aamodt-Leeper, G., et al. (1997). Evidence from Turner's syndrome of an imprinted X-linked locus affecting cognitive function. *Nature*, *387*(6634), 705-708.

Administrative variables

tc0001 Questionnaire sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	9964	66.0	66.0	66.0
	2 No	5143	34.0	34.0	100.0
	Total	15107	100.0	100.0	

tc0002 Reminder sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5173	34.2	51.9	51.9
	2 No	4791	31.7	48.1	100.0
	Total	9964	66.0	100.0	
Missing	-2 Questionnaire not sent	5143	34.0		
Total		15107	100.0		

tc0003 Reminder 2 sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4796	31.7	48.1	48.1
	2 No	5168	34.2	51.9	100.0
	Total	9964	66.0	100.0	
Missing	-2 Questionnaire not sent	5143	34.0		
Total		15107	100.0		

tc0004 Eligible for visit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 No	9964	66.0	100.0	100.0
Missing	-2 Questionnaire not sent	5143	34.0		
Total		15107	100.0		

tc0005 Questionnaire return status (as of 10/11/09)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not returned	4199	27.8	42.1	42.1
	2 Returned, completed	5725	37.9	57.5	99.6
	3 Returned, blank	40	.3	.4	100.0
	Total	9964	66.0	100.0	
Missing	-2 Questionnaire not sent	5143	34.0		
Total		15107	100.0		

tc0006 Questionnaire returned (as of 05/03/10)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5765	38.2	57.9	57.9
	2 No	4199	27.8	42.1	100.0
	Total	9964	66.0	100.0	
Missing	-2 Questionnaire not sent	5143	34.0		
Total		15107	100.0		

tc0007 Questionnaire completed (as of 05/03/10)


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5725	37.9	57.5	57.5
	2 No	4239	28.1	42.5	100.0
	Total	9964	66.0	100.0	
Missing	-2 Questionnaire not sent	5143	34.0		
Total		15107	100.0		

tc0007a Data available (as of 05/03/10)

		•	•		
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5720	37.9	37.9	37.9
	2 No	9387	62.1	62.1	100.0
	Total	15107	100.0	100.0	

tc0008 Questionnaire version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Female version 1 - 28/07/2008	2946	19.5	51.5	51.5
	2 Male version 1 - 29/07/2008	2774	18.4	48.5	100.0
	Total	5720	37.9	100.0	
Missing	-11 Triplet / quadruplet	5	.0		
	-10 Not completed	9382	62.1		
	Total	9387	62.1		
Total		15107	100.0		




Your Daughter 16+ Years On

All answers are confidential

This questionnaire is for the study teenager's mother or the person taking the role of the mother.

28/07/2008

1



Your Son 16+ Years On

All answers are confidential

This questionnaire is for the study teenager's mother or the person taking the role of the mother.

29/07/2008

57265



1

FILLING IN THE QUESTIONNAIRE

Please use **black** pen. To answer questions simply put a cross in the box which is most accurate in your opinion, like this:



If you make a mistake, shade the box in like this:

then cross the correct box.

If you are answering questions which ask you to give further details, please make sure you write inside the boxes.

If you do not want to answer a question or if it does not apply to you, leave it blank. There are no right or wrong answers. Just tell us what is true for you.

THANK YOU FOR YOUR HELP

28291



A1. a)	How much tin (Mark one bo	•	u usually spend having a c	conversa	tion with her?	
	Never	1	Rarely (once a week)	2	Sometimes (several 3 times a week)	
	Often (nearly every day)	4 🔲	More than once a day	5 🔲		
b)			your husband/partner or so (Mark one box only).	omeone	else usually spend having a	
	Never	1	Rarely (once a week)	2 🔲	Sometimes (several ³ ☐ times a week)	
	Often (nearly every day)	4 🔲	More than once a day	5 🔲		
A2. a)	How much time do you usually spend doing things with her (e.g. playing sports or going out)? (Mark one box only).					
	Never	1 🔲	Rarely (once a week)	2 🔲	Sometimes (several 3 times a week)	
	Often (nearly every day)	4 🔲	More than once a day	5		
b)	How much time does your husband/partner or someone else usually spend doing things with her (e.g. playing sports or going out)? (Mark one box only).					
	Never	1 🔲	Rarely (once a week)	2 🔲	Sometimes (several 3 times a week)	
	Often (nearly every day)	4	More than once a day	5		

PAGE 4 OF THE QUESTIONNAIRE

	When she went out during the last year, (Mark one box on every line).	, 110 11 01101	raia you mio	•••	
		Always	Usually	Sometimes	Never
a)	What she was doing inher spare time?	1	2	3	4
b)	Where she was going?	1	2 🔲	3 🔲	4
c)	Who she was going out with?	1 🔲	2 🔲	3 🔲	4
d)	What time she would be home?	1 🔲	2 🔲	3 🔲	4
A4.	How sure are you that she would ask you (Mark one box on every line).	our permiss	sion first if sh	e wanted to:	
	(Mark one son on every mile).		Very Fai sure sur		Very unsure
a)	Stay out late on a weekday evening (aft	er 10pm)?	1 2	3	4
b)	Stay out late on a weekend evening (aft	er 10pm)?	1 2	3 🗖	4 🔲
c)	Go to a disco or club after 10pm at the weekend?		1 2	3 🗖	4 🔲
d)	Supposing that she did stay out really lasure are you that she would tell you tru where she had been?		1 2	3 🗍	4
A5.	How often does she tell you about: (Mark one box on every line).	Often	Sometimes	Hardly ever	Never
a)	Things that happen at school/college/work?	1	2 🔲	3 🔲	4
b)	What she has been doing while she's been out?	1 🔲	2 🔲	3 🔲	4 🔲

PAGE 5 OF THE QUESTIONNAIRE

A6.	During the past year, how often have you done each of these things? (Mark one box on every line).							
			Often	Sometime	es Hardly ever	Never		
a)	Asked her about things that happe at school/college/work	ened	1	2	3 □	4		
b)	Started a conversation with her ab what she was doing in her spare ti		1	2 🔲	3 🔲	4		
c)	Talked with her friends		1 🔲	2 🔲	3 🔲	4		
d)	Talked with the parents of her frie	ends	1	2 🔲	3 🔲	4 🔲		
A7. a)	Does she share her feelings and w	orries v	with you'	?				
	Yes, ¹ ☐ Yes, ² ☐ always sometimes			ardly ₃ □	Nev	ver 4 □		
b)	Do you think she likes to be with:	you?						
	Yes, ¹□ Yes, always sometime			ardly ³ □	Nev	ver 4□		
A8.	Most parents argue with their chil each of these things? (Mark one b				ue with her	about		
		Most days		at least I once a week	Less than once a week	Never or hardly ever		
a)	How tidy her room is	1 🔲		2 🔲	3 🔲	4 🔲		
b)	What she does when she goes out	1		2 🔲	3	4		
c)	What time she comes home	1		2 🔲	3 🔲	4		
d)	Who she hangs about with	1		2 🔲	3 🔲	4 🔲		
	continued overleaf							

PAGE 6 OF THE QUESTIONNAIRE

A8. co	ntinued	Most days	At least once a week	Less than once a week	Never or hardly ever
e)	About her clothes or appearance	1 🔲	2	3 🔲	4
f)	Getting up in the morning	1 🔲	2	3 🔲	4
g)	Smoking cigarettes	1 🔲	2	3 🔲	4
h)	Drinking alcohol	1 🔲	2 🔲	3 🔲	4
i)	Taking drugs or smoking cannabis	1 🔲	2	3 🔲	4
j)	Doing household chores	1 🔲	2 🔲	3 🔲	4
k)	Other reason (please mark box	1 🔲	2 🔲	3 🔲	4
A9.	How often do you give up when you (Mark one box only).	ı ask her to o	do somethiną	g and she doe	sn't do it?
A9.			do something		sn't do it?
	How often do you give up when you (Mark one box only). Always ¹ Usually ² Usually ² When you disagree about things with	So	ometimes ³ [
	How often do you give up when you (Mark one box only). Always 1 Usually 2 Usually 2	So	ometimes ³ [□ Neve	er 4 🔲
	How often do you give up when you (Mark one box only). Always ¹ Usually ² Usually ² When you disagree about things with	So th her, how o	ometimes ³ [□ Neve	er 4 🔲
A10.	How often do you give up when you (Mark one box only). Always ¹ Usually ² Usually ² When you disagree about things with (Mark one box on every line).	So th her, how o Alway	ometimes ³ [often: es Usually	Neve	er ⁴ □
A10. a)	How often do you give up when you (Mark one box only). Always ¹ Usually ² Usually ² When you disagree about things wir (Mark one box on every line). Do you discuss it calmly?	So th her, how o Alway	ometimes 3 Coften: Solution Usually 2 \square	Neve	er 4 🔲 nes Never

PAGE 7 OF THE QUESTIONNAIRE

A 11.	How often does she get into a real	l rage? (Ma	rk one	box or	nly).	
	More than once ₁ ☐ Maday	lost days	2		At least once a week	3 🔲
	Less than once ₄ ☐ N a week	ever	5		If <u>never</u> , go to	o A14 on page 8
A12.	Why do you think she has these ra (Mark one box on every line).	nges?		Yes	No	Don't know
a)	Failure to get what she wants			1	2 🔲	9 🔲
b)	Failure to make herself understoo	od		1	2 🔲	9 🔲
c)	She feels that no-one understands	her		1	2 🔲	9 🔲
d)	Reaction to being corrected	Reaction to being corrected		1	2 🔲	9 🔲
e)	She rejects everything			1	2 🔲	9 🔲
f)	Failure to get attention			1	2 🔲	9 🔲
g)	Feeling that a brother or sister get treatment	ts preferent	ial	1	2 🔲	9 🔲
h)	She just doesn't know what she w	vants		1	2 🔲	9 🔲
i)	No particular reason			1	2 🔲	9 🔲
j)	As a negative reaction to someon	e		1	2 🔲	9 🔲
k)	Other reason (please mark and de	escribe)		1	2 🔲	9 🔲
					282	01

PAGE 8 OF THE QUESTIONNAIRE

A13.	When she has rages or tantrums how ofte (Mark one box on every line).	en do you:			
		Always	Often	Sometimes	Never
a)	Ignore it, let her get it out of her system?	1	2	3	4
b)	Ask her to go to her room?	1 🔲	2	3 🔲	4
c)	Try to calm/pacify her?	1 🔲	2	3	4
d)	Try to reason with her?	1	2	3 🔲	4
e)	Threaten her?	1	2	3 🔲	4 🔲
f)	Say hurtful things you regret later?	1 🔲	2 🔲	3 🔲	4
g)	Say hurtful things and mean it?	1 🔲	2	3 🔲	4
h)	Ask someone else to intervene?	1	2	3	4 🔲
i)	Slap or hit her?	1	2	3	4 🔲
j)	Try to distract her?	1 🔲	2	3 🔲	4
k)	Shout at her?	1 🔲	2	3	4
1)	Something else? (please mark and describe):	1	2 🔲	3 🗖	4 🔲
A 14.	Some questions on discipline.				
a)	Who has most control over her? (Please n	nark <u>one</u> b	oox only.)		
	I do 1 ☐ My husband/ 2 ☐ partner does (plea	Someon else doe se say who	es	No-o does	ne 4 🔲
				28291	

PAGE 9 OF THE QUESTIONNAIRE

	Who usually to	ells her off? (Please ma	ark <u>one</u> bo	x only.)		
	I do ⊥ □	My husband/ 2 partner does	els	meone 3 e does y who below		No-one 4 ☐ does
c)	Who usually t	ies to put sanctions on	her if nece	essary? (Plea	ase mark <u>one</u>	box only.)
	I do ⊥□	My husband/ ² partner does	els	meone 3 C e does y who below		No-one 4 ☐ does
A15.		you punish her inthe ox on each line).	·			
			Most days	At least once a week	Less than once a week	Never or hardly ever
1)	Tell her off		1 🔲	2 🔲	3 🔲	4
))	'Ground' her	or stop her going out	1 🔲	2 🔲	3 🔲	4 🔲
2)	Stop her pocl	ket money	1 🗖	2 🔲	3 🗖	4 🔲
1)	Stop her from	n seeing friends	1 🗖	2 🔲	3 🗖	4
3)	Hit or slap he	r	1 🗖	2 🔲	3 🗖	4 🗖
f)	Tell her to ge or lock her or	et out of the house,	1 🗖	2 🔲	3 🗖	4 🔲
`	Punish her so (please descr	ome other way ibe below):	1 🗖	² 🗖	3 🗖	4 🗖
<u>3</u>)						

PAGE 10 OF THE QUESTIONNAIRE

A16.	Do you know who her	r friends are?		
	Yes, some 1 □	Yes, mos	t or all 2	No 3 🗖
A17.a)	Are her friends:			
	Mostly ¹ □ boys?	Mostly ² □ girls?	Mixture? ₃ □	Don't 9 ☐ know
b)	Does she have a 'best'	friend'?		
	Yes ¹□	N	0 2 🔲	Don't know 9 □
A18.	How many evenings a	week does she see	her friends? (Mark or	ne box only).
	None ∘ □	One 1 🗆	Two ₂ □	Three ₃ □
	Four 4 □	Five ⁵ □	Six 6 □	Seven 7 □
A19.a)	Does she have a <u>roman</u>	ntic relationship? (N	Mark one box only).	
	Yes, with a girl		Go to A19b) below	
	Yes, with a girl	1 🗆 🗪	Go to A19b) below Go to A19b) below	
				age 11
	Yes, with a boy		Go to A19b) below	age 11
b)	Yes, with a boy	2	Go to A19b) below Go to Section B on p	age 11
b)	Yes, with a boy No, not yet If yes,	2	Go to A19b) below Go to Section B on p	age 11 Three ₃ □
b)	Yes, with a boy No, not yet If yes, How many evenings a Less 0	$\begin{array}{c c} & 1 & \longrightarrow & 0 \\ & 2 & \longrightarrow & 0 \\ & 3 & \longrightarrow & 0 \end{array}$ week does she see	Go to A19b) below Go to Section B on p her boy/girl friend?	
b)	Yes, with a boy No, not yet If ves, How many evenings a Less o than one	$\begin{array}{c cccc} & & & & & & & & & & & \\ & 2 & & & & & & & & \\ & 3 & & & & & & & & \\ & & & & & & & & & \\ & & & &$	Go to A19b) below Go to Section B on p her boy/girl friend? Two 2	Three ₃ □

tc1000 A1a: Frequency respondent usually spend having a conversation with study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3	.1	.1	.1
	2 Rarely (once a week)	107	1.9	1.9	1.9
	3 Sometimes (several times a week)	642	11.2	11.3	13.2
	4 Often (nearly every day)	1584	27.7	27.8	41.0
	5 More than once a day	3368	58.9	59.0	100.0
	Total	5704	99.7	100.0	
Missing	-1 No response	16	.3		
Total		5720	100.0		

tc1001 A1b: Frequency respondent's husband/partner /someone else usually spend having a conversation with study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	107	1.9	1.9	1.9
	2 Rarely (once a week)	453	7.9	8.1	10.0
	3 Sometimes (several times a week)	1106	19.3	19.7	29.7
	4 Often (nearly every day	1681	29.4	30.0	59.7
	5 More than once a day	2259	39.5	40.3	100.0
	Total	5606	98.0	100.0	
Missing	-1 No response	114	2.0		
Total		5720	100.0		

tc1010 A2a: Frequency respondent and study teenager usually spend doing things together e.g. playing sports or going out)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	230	4.0	4.1	4.1
	2 Rarely (once a week)	2660	46.5	46.8	50.9
	3 Sometimes (several times a week)	2083	36.4	36.7	87.6
	4 Often (nearly every day)	578	10.1	10.2	97.7
	5 More than once a day	128	2.2	2.3	100.0
	Total	5679	99.3	100.0	
Missing	-1 No response	41	.7		
Total		5720	100.0		

tc1011 A2b: Frequency respondent's husband/partner /someone else and study teenager usually spend doing things together (e.g. playing sports or going out)

	spania aamig aimiga tagamai (aigi	pia, mg apart	gg	-,	
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	600	10.5	10.7	10.7
	2 Rarely (once a week)	2941	51.4	52.7	63.4
	3 Sometimes (several times a week)	1627	28.4	29.1	92.6
	4 Often (nearly every day)	334	5.8	6.0	98.5
	5 More than once a day	82	1.4	1.5	100.0
	Total	5584	97.6	100.0	
Missing	-1 No response	136	2.4		
Total		5720	100.0		

tc1020 A3a: Frequency respondent knew what study teenager was doing in their spare time when they went out during the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	2252	39.4	39.5	39.5
	2 Usually	2919	51.0	51.2	90.7
	3 Sometimes	518	9.1	9.1	99.8
	4 Never	10	.2	.2	100.0
	Total	5699	99.6	100.0	
Missing	-1 No response	21	.4		
Total		5720	100.0		

tc1021 A3b: Frequency respondent knew where study teenager was going when they went out during the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	2898	50. 7	51. 0	51. 0
	2 Usually	2404	42. 0	42. 3	93. 4
	3 Sometimes	373	6. 5	6. 6	99. 9
	4 Never	4	.1	.1	100. 0
	Total	5679	99. 3	100. 0	
Missing	-1 No response	41	.7		
Total		5720	100. 0		

tc1022 A3c: Frequency respondent knew who study teenager was going with $\,\varrho\,$ during the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	2514	44. 0	44. 3	44. 3
	2 Usually	2666	46. 6	47. 0	91. 3
	3 Sometimes	483	8. 4	8. 5	99. 8
	4 Never	10	.2	.2	100. 0
	Total	5673	99. 2	100. 0	
Missing	-1 No response	47	.8		
Total		5720	100. 0		

tc1023 A3d: Frequency respondent knew what time study teenager would be home during the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	2949	51. 6	52. 0	52. 0
	2 Usually	2240	39. 2	39. 5	91. 5
	3 Sometimes	451	7. 9	8. 0	99. 4
	4 Never	32	.6	.6	100. 0
	Total	5672	99. 2	100. 0	
Missing	-1 No response	48	.8		
Total		5720	100. 0		

tc1030 A4a: Respondent's degree of certainty that study teenager would ask permission to stay out late on a weekday evening (after 10pm)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very sure	4486	78. 4	79. 2	79. 2
	2 Fairly sure	913	16. 0	16. 1	95. 3
	3 Fairly unsure	136	2. 4	2. 4	97. 7
	4 Very unsure	131	2. 3	2. 3	100. 0
	Total	5666	99. 1	100. 0	
Missing	-1 No response	54	.9		
Total		5720	100. 0		

tc1031 A4b: Respondent's degree of certainty that study teenager would ask c permission to stay out late on a weekend evening (after 10pm)

pormission to stay out late on a most office or offing						
		Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	1 Very sure	4274	74. 7	75. 5	75. 5	
	2 Fairly sure	1027	18. 0	18. 1	93. 6	
	3 Fairly unsure	197	3. 4	3. 5	97. 1	
	4 Very unsure	165	2. 9	2. 9	100. 0	
	Total	5663	99. 0	100.0		
Missing	-1 No response	57	1. 0			
Total		5720	100. 0			

tc1032 A4c: Respondent's degree of certainty that study teenager would ask permission to go to a disco or club after 10pm on a weekend

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very sure	4479	78. 3	79. 9	79. 9
	2 Fairly sure	838	14. 7	14. 9	94. 8
	3 Fairly unsure	163	2. 8	2. 9	97. 7
	4 Very unsure	128	2. 2	2. 3	100. 0
	Total	5608	98. 0	100. 0	
Missing	-1 No response	112	2. 0		
Total		5720	100. 0		

tc1033 A4d: Respondent's degree of certainty that study teenager would be c truthful on where they had been if they did stay out really late

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very sure	3163	55. 3	55. 9	55. 9
	2 Fairly sure	2281	39. 9	40. 3	96. 2
	3 Fairly unsure	165	2. 9	2. 9	99. 2
	4 Very unsure	48	.8	.8	100. 0
	Total	5657	98. 9	100. 0	
Missing	-1 No response	63	1. 1		
Total		5720	100.0		

tc1040 A5a: Frequency that study teenager tells respondent about things that happen at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	3659	64. 0	64. 3	64. 3
	2 Sometimes	1734	30. 3	30. 5	94. 8
	3 Hardly ever	285	5. 0	5. 0	99. 8
	4 Never	12	.2	.2	100. 0
	Total	5690	99. 5	100. 0	
Missing	-1 No response	30	.5		
Total		5720	100. 0		

tc1041 A5b: Frequency that study teenager tells respondent about things that they did whilst out

		Frequency	Percent	Valid Percent	Cumulative Percent		
Valid	1 Often	2885	50. 4	50. 7	50. 7		
	2 Sometimes	2416	42. 2	42. 5	93. 2		
	3 Hardly ever	368	6. 4	6. 5	99. 7		
	4 Never	16	.3	.3	100. 0		
	Total	5685	99. 4	100. 0			
Missing	-1 No response	35	.6				
Total		5720	100. 0				

tc1050 A6a: In the past year, frequency respondent has asked study teenager about things that happened at school/college/work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	5333	93.2	93.6	93.6
	2 Sometimes	337	5.9	5.9	99.6
	3 Hardly ever	24	.4	.4	100.0
	4 Never	1	.0	.0	100.0
	Total	5695	99.6	100.0	
Missing	-1 No response	25	.4		
Total		5720	100.0		

tc1051 A6b: In the past year, frequency respondent has asked study teenager about what they do in their spare time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	4718	82.5	82.9	82.9
	2 Sometimes	930	16.3	16.3	99.2
	3 Hardly ever	43	.8	.8	100.0
	4 Never	1	.0	.0	100.0
	Total	5692	99.5	100.0	
Missing	-1 No response	28	.5		
Total		5720	100.0		

tc1052 A6c: In the past year, frequency respondent talks to study teenager's $\,\,{\rm g}$ friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	2397	41. 9	42. 1	42. 1
	2 Sometimes	2566	44. 9	45. 1	87. 2
	3 Hardly ever	646	11. 3	11. 4	98. 6
	4 Never	82	1. 4	1. 4	100.0
	Total	5691	99. 5	100. 0	
Missing	-1 No response	29	.5		
Total		5720	100.0		

tc1053 A6d: In the past year, frequency respondent talks to parent's of s teenager's friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	771	13. 5	13. 6	13. 6
	2 Sometimes	2324	40. 6	40. 9	54. 4
	3 Hardly ever	2052	35. 9	36. 1	90. 5
	4 Never	542	9. 5	9. 5	100.0
	Total	5689	99. 5	100. 0	
Missing	-1 No response	31	.5		
Total		5720	100.0		

tc1060 A7a: Frequency study teenager shares their feelings and worries with respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	1520	26. 6	26. 7	26. 7
	2 Sometimes	3666	64. 1	64. 3	91. 0
	3 Hardly ever	478	8. 4	8. 4	99. 3
	4 Never	38	.7	.7	100. 0
	Total	5702	99. 7	100. 0	
Missing	-1 No response	18	.3		
Total		5720	100. 0		

tc1061 A7b: Frequency respondent believes study teenager likes to be them $\, v \,$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	1473	25. 8	25. 9	25. 9
	2 Sometimes	3928	68. 7	69. 1	95. 0
	3 Hardly ever	267	4. 7	4. 7	99. 7
	4 Never	19	.3	.3	100. 0
	Total	5687	99. 4	100.0	
Missing	-1 No response	33	.6		
Total		5720	100. 0		

tc1070 A8a: Frequency that respondent argues with study teenager about tidying their room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	526	9.2	9.2	9.2
	2 At least once a week	1442	25.2	25.3	34.5
	3 Less than once a week	1645	28.8	28.9	63.4
	4 Never or hardly ever	2088	36.5	36.6	100.0
	Total	5701	99.7	100.0	
Missing	-1 No response	19	.3		
Total		5720	100.0		

tc1071 A8b: Frequency that respondent argues with study teenager about what they do when they are out

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	41	.7	.7	.7
	2 At least once a week	258	4.5	4.5	5.3
	3 Less than once a week	1268	22.2	22.3	27.5
	4 Never or hardly ever	4122	72.1	72.5	100.0
	Total	5689	99.5	100.0	
Missing	-1 No response	31	.5		
Total		5720	100.0		

tc1072 A8c: Frequency that respondent argues with study teenager about time they come home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	76	1.3	1.3	1.3
	2 At least once a week	339	5.9	6.0	7.3
	3 Less than once a week	1225	21.4	21.5	28.8
	4 Never or hardly ever	4047	70.8	71.2	100.0
	Total	5687	99.4	100.0	
Missing	-1 No response	33	.6		
Total		5720	100.0		

tc1073 A8d: Frequency that respondent argues with study teenager about who they hang out with $\,$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	45	.8	.8	.8
	2 At least once a week	112	2. 0	2. 0	2. 8
	3 Less than once a week	645	11. 3	11. 3	14. 1
	4 Never or hardly ever	4881	85. 3	85. 9	100. 0
	Total	5683	99. 4	100. 0	
Missing	-1 No response	37	.6		
Total		5720	100. 0		

tc1074 A8e : Frequency that respondent argues with study teenager about clothes or appearance

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	64	1.1	1.1	1.1
	2 At least once a week	273	4.8	4.8	5.9
	3 Less than once a week	856	15.0	15.1	21.0
	4 Never or hardly ever	4494	78.6	79.0	100.0
	Total	5687	99.4	100.0	
Missing	-1 No response	33	.6		
Total		5720	100.0		

tc1075 A8f: Frequency that respondent argues with study teenager about getting up in the morning

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most days	550	9.6	9.7	9.7
	2 At least once a week	723	12.6	12.7	22.4
	3 Less than once a week	1069	18.7	18.8	41.2
	4 Never or hardly ever	3342	58.4	58.8	100.0
	Total	5684	99.4	100.0	
Missing	-1 No response	36	.6		
Total		5720	100.0		

tc1076 A8g: Frequency that respondent argues with study teenager about smoking ligarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	88	1.5	1.6	1.6
	2 At least once a week	135	2.4	2.4	3.9
	3 Less than once a week	194	3.4	3.4	7.4
	4 Never or hardly ever	5239	91.6	92.6	100.0
	Total	5656	98.9	100.0	
Missing	-1 No response	64	1.1		
Total		5720	100.0		

tc1077 A8h: Frequency that respondent argues with study teenager about drinking alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	8	.1	.1	.1
	2 At least once a week	102	1.8	1.8	1.9
	3 Less than once a week	747	13.1	13.2	15.1
	4 Never or hardly ever	4801	83.9	84.9	100.0
	Total	5658	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5720	100.0		

tc1078 A8i: Frequency that respondent argues with study teenager about taking drugs or smoking cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	11	.2	.2	.2
	2 At least once a week	34	.6	.6	.8
	3 Less than once a week	128	2.2	2.3	3.1
	4 Never or hardly ever	5468	95.6	96.9	100.0
	Total	5641	98.6	100.0	
Missing	-1 No response	79	1.4		
Total		5720	100.0		

tc1079 A8j: Frequency that respondent argues with study teenager about doing household chores

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	402	7.0	7.1	7.1
	2 At least once a week	1592	27.8	28.0	35.1
	3 Less than once a week	1988	34.8	35.0	70.1
	4 Never or hardly ever	1699	29.7	29.9	100.0
	Total	5681	99.3	100.0	
Missing	-1 No response	39	.7		
Total		5720	100.0		

tc1080 A8k : Frequency that respondent argue s with study teenager about another reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	164	2.9	7.8	7.8
	2 At least once a week	345	6.0	16.3	24.1
	3 Less than once a week	232	4.1	11.0	35.1
	4 Never or hardly ever	1373	24.0	64.9	100.0
	Total	2114	37.0	100.0	
Missing	-1 No response	3606	63.0		
Total		5720	100.0		

tc1090 A9: Frequency that respondent gives up after requests to do something are not done by study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	55	1. 0	1. 0	1.0
	2 Usually	651	11.4	11. 6	12. 5
	3 Sometimes	3735	65. 3	66. 3	78. 9
	4 Never	1191	20. 8	21. 1	100.0
	Total	5632	98. 5	100. 0	
Missing	-1 No response	88	1. 5		
Total		5720	100.0		

tc1100 A10a: Frequency that respondent discusses things calmly with study teenager when disagreeing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	723	12. 6	12. 7	12. 7
	2 Usually	2982	52. 1	52. 5	65. 3
	3 Sometimes	1891	33. 1	33. 3	98. 6
	4 Never	80	1. 4	1. 4	100.0
	Total	5676	99. 2	100. 0	
Missing	-1 No response	44	.8		
Total		5720	100.0		

tc1101 A10b: Frequency that respondent's point of view is listened to by study teenager when disagreeing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	529	9. 2	9. 3	9. 3
	2 Usually	2418	42. 3	42. 6	51.9
	3 Sometimes	2601	45. 5	45. 8	97. 7
	4 Never	132	2. 3	2. 3	100.0
	Total	5680	99. 3	100. 0	
Missing	-1 No response	40	.7		
Total		5720	100.0		

tc1102 A10c: Frequency that respondent listens to study teenager's point of r view when disagreeing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	1012	17. 7	17. 8	17. 8
	2 Usually	3094	54. 1	54. 4	72. 2
	3 Sometimes	1561	27. 3	27. 5	99. 7
	4 Never	18	.3	.3	100.0
	Total	5685	99. 4	100. 0	
Missing	-1 No response	35	.6		
Total		5720	100.0		

tc1103 A10d: Frequency that respondent tells the study teenager to accept what they have said when disagreeing

mat they have early men alougheemig						
		Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	1 Always	54	.9	1.0	1.0	
	2 Usually	407	7.1	7.2	8.1	
	3 Sometimes	3430	60.0	60.5	68.6	
	4 Never	1778	31.1	31.4	100.0	
	Total	5669	99.1	100.0		
Missing	-1 No response	51	.9			
Total		5720	100.0			

tc1110 A11: Frequency that study teenager gets into a real rage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 More than once a day	19	.3	.3	.3
	2 Most day s	114	2. 0	2. 0	2. 3
	3 At least once a week	455	8. 0	8. 0	10. 4
	4 Less than once a week	2064	36. 1	36. 4	46. 8
	5 Never	3014	52. 7	53. 2	100. 0
	Total	5666	99. 1	100. 0	
Missing	-1 No response	54	.9		
Total		5720	100. 0		

tc1120 A12a: Respondent believes rages are caused by study teenager's failure to get what they want

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1388	24.3	52.9	52.9
	2 No	1023	17.9	39.0	91.9
	9 Don't know	213	3.7	8.1	100.0
	Total	2624	45.9	100.0	
Missing	-1 No response	3096	54.1		
Total		5720	100.0		

tc1121 A12b: Respondent believes rages are caused by study teenager's failure to make themselves understood

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1235	21.6	47.2	47.2
	2 No	1157	20.2	44.2	91.4
	9 Don't know	225	3.9	8.6	100.0
	Total	2617	45.8	100.0	
Missing	-1 No response	3103	54.2		
Total		5720	100.0		

tc1122 A12c: Respondent believes rages are caused because study teenager feels that no one understands them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1258	22.0	48.1	48.1
	2 No	1076	18.8	41.1	89.2
	9 Don't know	283	4.9	10.8	100.0
	Total	2617	45.8	100.0	
Missing	-1 No response	3103	54.2		
Total		5720	100.0		

tc1123 A12d: Respondent believes rages are caused because study teenager has been corrected

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1440	25.2	55.0	55.0
	2 No	992	17.3	37.9	92.8
	9 Don't know	188	3.3	7.2	100.0
	Total	2620	45.8	100.0	
Missing	-1 No response	3100	54.2		
Total		5720	100.0		

tc1124 A12e: Respondent believes rages are caused because study teenager rejects everything

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	250	4.4	9.6	9.6
	2 No	2088	36.5	80.2	89.8
	9 Don't know	265	4.6	10.2	100.0
	Total	2603	45.5	100.0	
Missing	-1 No response	3117	54.5		
Total		5720	100.0		

tc1125 A12f: Respondent believes rages are caused by study teenager's failure to get attention

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	282	4.9	10.8	10.8
	2 No	2106	36.8	80.8	91.6
	9 Don't know	218	3.8	8.4	100.0
	Total	2606	45.6	100.0	
Missing	-1 No response	3114	54.4		
Total		5720	100.0		

tc1126 A12g: Respondent believes rages are caused because study teenager feels brother or sister gets preferential treatment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1029	18.0	39.6	39.6
	2 No	1368	23.9	52.7	92.3
	9 Don't know	199	3.5	7.7	100.0
	Total	2596	45.4	100.0	
Missing	-1 No response	3124	54.6		
Total		5720	100.0		

tc1127 A12h: Respondent believes rages are caused by study teenager's not sknowing what they want

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	666	11.6	25.7	25.7
	2 No	1620	28.3	62.4	88.1
	9 Don't know	309	5.4	11.9	100.0
	Total	2595	45.4	100.0	
Missing	-1 No response	3125	54.6		
Total		5720	100.0		

tc1128 A12i: Respondent believes rages are caused by study teenager for no oparticular reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	609	10.6	23.6	23.6
	2 No	1626	28.4	63.0	86.6
	9 Don't know	346	6.0	13.4	100.0
	Total	2581	45.1	100.0	
Missing	-1 No response	3139	54.9		
Total		5720	100.0		

tc1129 A12j: Respondent believes rages are caused by study teenager negative reaction to someone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	900	15.7	34.8	34.8
	2 No	1404	24.5	54.2	89.0
	9 Don't know	285	5.0	11.0	100.0
	Total	2589	45.3	100.0	
Missing	-1 No response	3131	54.7		
Total		5720	100.0		

tc1130 A12k: Respondent believes rages are caused by study teenager for another reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	442	7.7	41.0	41.0
	2 No	423	7.4	39.3	80.3
	9 Don't know	212	3.7	19.7	100.0
	Total	1077	18.8	100.0	
Missing	-1 No response	4643	81.2		
Total		5720	100.0		

tc1140 A13a: Frequency that respondent ignores rage or tantrum and lets study teenager get it out of their system

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	160	2. 8	6. 0	6. 0
	2 Usually	715	12. 5	26. 8	32. 9
	3 Sometimes	1534	26. 8	57. 6	90. 5
	4 Never	254	4. 4	9. 5	100. 0
	Total	2663	46. 6	100. 0	
Missing	-1 No response	3057	53. 4		
Total		5720	100. 0		

tc1141 A13b: Frequency that respondent asks study teenager to go to their room during rage or tantrum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	58	1. 0	2. 2	2. 2
	2 Usually	236	4. 1	8. 9	11. 1
	3 Sometimes	1140	19. 9	43. 1	54. 2
	4 Never	1212	21. 2	45. 8	100. 0
	Total	2646	46. 3	100. 0	
Missing	-1 No response	3074	53. 7		
Total		5720	100. 0		

tc1142 A13c: Frequency that respondent tries to calm/pacify study teenager during rage or tantrum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	185	3. 2	7. 0	7. 0
	2 Usually	612	10. 7	23. 1	30. 1
	3 Sometimes	1528	26. 7	57. 6	87. 7
	4 Never	326	5. 7	12. 3	100.0
	Total	2651	46. 3	100. 0	
Missing	-1 No response	3069	53. 7		
Total		5720	100.0		

tc1143 A13d: Frequency that respondent tries to reason with study teenager during rage or tantrum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	336	5. 9	12. 6	12. 6
	2 Usually	952	16. 6	35. 8	48. 4
	3 Sometimes	1243	21. 7	46. 7	95. 1
	4 Never	131	2. 3	4. 9	100. 0
	Total	2662	46. 5	100. 0	
Missing	-1 No response	3058	53. 5		
Total		5720	100. 0		

tc1144 A13e: Frequency that respondent threatens study teenager during rage or tantrum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	6	.1	.2	.2
	2 Usually	59	1. 0	2. 2	2. 5
	3 Sometimes	829	14. 5	31. 4	33. 8
	4 Never	1748	30. 6	66. 2	100. 0
	Total	2642	46. 2	100. 0	
Missing	-1 No response	3078	53. 8		
Total		5720	100. 0		

tc1145 A13f: Frequency that respondent says hurtful things they regret later to study teenager during rage or tantrum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	6	.1	.2	.2
	2 Usually	54	.9	2. 0	2. 3
	3 Sometimes	1077	18. 8	40. 6	42. 8
	4 Never	1518	26. 5	57. 2	100. 0
	Total	2655	46. 4	100. 0	
Missing	-1 No response	3065	53. 6		
Total		5720	100. 0		

tc1146 A13g: Frequency that respondent says hurtful things that they mean to study teenager during rage or tantrum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Usually	7	.1	.3	.3
	3 Sometimes	288	5.0	10.9	11.1
	4 Never	2352	41.1	88.9	100.0
	Total	2647	46.3	100.0	
Missing	-1 No response	3073	53.7		
Total		5720	100.0		

tc1147 A13h: Frequency that respondent asks someone else to intervene during rage or tantrum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	2	.0	.1	.1
	2 Usually	92	1.6	3.5	3.5
	3 Sometimes	1170	20.5	44.2	47.7
	4 Never	1385	24.2	52.3	100.0
	Total	2649	46.3	100.0	
Missing	-1 No response	3071	53.7		
Total		5720	100.0		

tc1148 A13i: Frequency that respondent slaps or hits study teenager during rage or tantrum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Usually	4	.1	.2	.2
	3 Sometimes	180	3.1	6.8	6.9
	4 Never	2464	43.1	93.1	100.0
	Total	2648	46.3	100.0	
Missing	-1 No response	3072	53.7		
Total		5720	100.0		

tc1149 A13j: Frequency that respondent tries to distract study teenager during rage or tantrum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	15	.3	.6	.6
	2 Usually	175	3. 1	6. 6	7. 2
	3 Sometimes	1342	23. 5	50. 9	58. 1
	4 Never	1103	19. 3	41. 9	100. 0
	Total	2635	46. 1	100. 0	
Missing	-1 No response	3085	53. 9		
Total		5720	100. 0		

tc1150 A13k: Frequency that respondent shouts at study teenager during rage or tantrum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	69	1. 2	2. 6	2. 6
	2 Usually	491	8. 6	18. 4	21. 0
	3 Sometimes	1734	30. 3	65. 0	86. 0
	4 Never	372	6. 5	14. 0	100. 0
	Total	2666	46. 6	100.0	
Missing	-1 No response	3054	53. 4		
Total		5720	100. 0		

tc1151 A13I: Frequency that respondent does something else with/to study teenager during rage or tantrum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	24	.4	3. 1	3. 1
	2 Usually	68	1. 2	8. 9	12. 0
	3 Sometimes	72	1. 3	9. 4	21. 4
	4 Never	603	10. 5	78. 6	100. 0
	Total	767	13. 4	100. 0	
Missing	-1 No response	4953	86. 6		
Total		5720	100. 0		

tc1160 A14a: Individual with most control over study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Respondent does	3485	60.9	65.8	65.8
	2 Respondent's husband/partner does	1130	19.8	21.3	87.2
	3 Someone else does	143	2.5	2.7	89.9
	4 No-one does	537	9.4	10.1	100.0
	Total	5295	92.6	100.0	
Missing	-1 No response	425	7.4		
Total		5720	100.0		

tc1162 A14b: Individual who usually tells off the study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Respondent does	4011	70.1	73.7	73.7
	2 Respondent's husband/partner does	1004	17.6	18.5	92.2
	3 Someone else does	161	2.8	3.0	95.2
	4 No-one does	263	4.6	4.8	100.0
	Total	5439	95.1	100.0	
Missing	-1 No response	281	4.9		
Total		5720	100.0		

tc1164 A14c: Individual who usually puts sanctions on study teenager if necessary

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Respondent does	3393	59.3	63.4	63.4
	2 Respondent's husband/partner does	1112	19.4	20.8	84.1
	3 Someone else does	115	2.0	2.1	86.3
	4 No-one does	735	12.8	13.7	100.0
	Total	5355	93.6	100.0	
Missing	-1 No response	365	6.4		
Total		5720	100.0		

tc1170 A15a: Frequency that respondent tells off study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	162	2.8	2.9	2.9
	2 At least once a week	1218	21.3	21.5	24.4
	3 Less than once a week	2379	41.6	42.0	66.4
	4 Never or hardly ever	1903	33.3	33.6	100.0
	Total	5662	99.0	100.0	
Missing	-1 No response	58	1.0		
Total		5720	100.0		

tc1171 A15b: Frequency that respondent 'grounds' or stops study teenager from going out

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	2	.0	.0	.0
	2 At least once a week	23	.4	.4	.4
	3 Less than once a week	581	10.2	10.3	10.7
	4 Never or hardly ever	5044	88.2	89.3	100.0
	Total	5650	98.8	100.0	
Missing	-1 No response	70	1.2		
Total		5720	100.0		

tc1172 A15c: Frequency that respondent stops study teenager's pocket money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	8	.1	.1	.1
	2 At least once a week	22	.4	.4	.5
	3 Less than once a week	312	5.5	5.6	6.1
	4 Never or hardly ever	5228	91.4	93.9	100.0
	Total	5570	97.4	100.0	
Missing	-1 No response	150	2.6		
Total		5720	100.0		

tc1173 A15d: Frequency that respondent stops study teenager seeing their friends

		Frequency	Percent	Valid	Cumulative
		- 1 7		Percent	Percent
Valid	1 Most day s	1	.0	.0	.0
	2 At least once a week	11	.2	.2	.2
	3 Less than once a week	321	5.6	5.7	5.9
	4 Never or hardly ever	5316	92.9	94.1	100.0
	Total	5649	98.8	100.0	
Missing	-1 No response	71	1.2		
Total		5720	100.0		

tc1174 A15e: Frequency that respondent hits or slaps study teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	1	.0	.0	.0
	2 At least once a week	4	.1	.1	.1
	3 Less than once a week	65	1.1	1.2	1.2
	4 Never or hardly ever	5574	97.4	98.8	100.0
	Total	5644	98.7	100.0	
Missing	-1 No response	76	1.3		
Total		5720	100.0		

tc1175 A15f: Frequency that respondent tells the study teenager to get out of the house or lock them out

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 At least once a week	8	.1	.1	.1
	3 Less than once a week	108	1.9	1.9	2.1
	4 Never or hardly ever	5530	96.7	97.9	100.0
	Total	5646	98.7	100.0	
Missing	-1 No response	74	1.3		
Total		5720	100.0		

tc1176 A15g: Frequency that respondent punishes study teenager in some other way_{ε}

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most day s	6	.1	.1	.1
	2 At least once a week	52	.9	1.2	1.3
	3 Less than once a week	384	6.7	8.6	9.9
	4 Never or hardly ever	4031	70.5	90.1	100.0
	Total	4473	78.2	100.0	
Missing	-1 No response	1247	21.8		
Total		5720	100.0		

tc1180 A16: Respondent knows who the study teenager 's friends are

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, some	1419	24.8	25.0	25.0
	2 Yes, most or all	4213	73.7	74.1	99.1
	3 No	54	.9	.9	100.0
	Total	5686	99.4	100.0	
Missing	-1 No response	34	.6		
Total		5720	100.0		

tc1190 A17a: Gender of study teenager's friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mostly boys	1056	18.5	18.6	18.6
	2 Mostly girls	809	14.1	14.2	32.8
	3 Mixture	3789	66.2	66.6	99.4
	9 Don't know	33	.6	.6	100.0
	Total	5687	99.4	100.0	
Missing	-1 No response	33	.6		
Total		5720	100.0		

tc1191 A17b: Study teenager has a best friend

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3354	58.6	59.3	59.3
	2 No	1974	34.5	34.9	94.2
	9 Don't know	330	5.8	5.8	100.0
	Total	5658	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5720	100.0		

tc1200 A18: Number of evenings a week that study teenager sees their friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	596	10. 4	10. 6	10. 6
	1 One	1102	19. 3	19. 6	30. 2
	2 Two	1447	25. 3	25. 7	55. 9
	3 Three	1037	18. 1	18. 4	74. 3
	4 Four	556	9. 7	9. 9	84. 2
	5 Fiv e	449	7. 8	8. 0	92. 1
	6 Six	206	3. 6	3. 7	95. 8
	7 Sev en	237	4. 1	4. 2	100. 0
	Total	5630	98. 4	100. 0	
Missing	-1 No response	90	1. 6		
Total		5720	100. 0		

tc1210 A19a: Study teenager has a romantic relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, with a girl	842	14.7	15.1	15.1
	2 Yes, with a boy	1222	21.4	22.0	37.1
	3 No, not y et	3500	61.2	62.9	100.0
	Total	5564	97.3	100.0	
Missing	-1 No response	156	2.7		
Total		5720	100.0		

tc1211 A19b: Number of evenings a week that study teenager sees boy/girl ç friend

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Less than one	241	4.2	11.5	11.5
	1 One	249	4.4	11.9	23.5
	2 Two	498	8.7	23.8	47.3
	3 Three	418	7.3	20.0	67.3
	4 Four	254	4.4	12.2	79.5
	5 Five	203	3.5	9.7	89.2
	6 Six	91	1.6	4.4	93.5
	7 Sev en	135	2.4	6.5	100.0
	Total	2089	36.5	100.0	
Missing	-1 No response	3631	63.5		
Total		5720	100.0		

Section B: Things Your Teenager Does




The next set of questions are about your teenager's intake of alcohol and drugs, and also her smoking and anti-social behaviour. We realise that these may not be relevant or be difficult to answer, but we would be grateful if you can answer as many as possible, even if you feel you don't really know. We would like to understand if there is a difference between what teenagers say they do and what parents (in general) know.

B1. Has she ever been offered: (Mark one box on each line).

		Yes, and I know about it	Probably	Possibly	I don't think so	Don't know
a)	Alcohol?	1 🔲	2 🔲	3 🔲	4 🔲	9 🔲
b)	Cigarettes?	1 🔲	2 🔲	3 🔲	4 🔲	9 🔲
c)	Cannabis?	1 🔲	2 🔲	з 🔲	4 🔲	9 🔲
d)	Ecstasy?	1 🔲	2 🔲	з 🔲	4 🔲	9 🔲
e)	Other illicit drugs?	1 🔲	2 🔲	з 🔲	4 🔲	9 🔲

B2. Has she ever tried: (Mark one box on each line).

		Yes, and I know about it	Probably	Possibly	I don't think so	Don't know
a)	Alcohol?	1 🔲	2 🔲	3 🔲	4 🔲	9 🔲
b)	Cigarettes?	1 🔲	2 🔲	3 🔲	4 🔲	9 🔲
c)	Cannabis?	1 🔲	2 🔲	3 🔲	4 🔲	9 🔲
d)	Ecstasy?	1 🔲	2 🔲	3 🔲	4 🔲	9 🔲
e)	Other illicit drugs?	1 🔲	2 🔲	3 🔲	4 🔲	9 🔲







PAGE 12 OF THE QUESTIONNAIRE

If you a	answered	d <u>ves (</u> first column),	to any of the p	revious	questio	n B2(a)-	(e), plea	ase
answer the following question B3. Otherwise skip to B4 below.								
В3.	What ag	ge was she when she t	tried them? (Plea	ase put 9	9 if you	ı don't kn	ow)	
	a)	Alcohol	year	rs.				
	b)	Cigarettes	year	:s				
	c)	Cannabis	year	rs.				
	d)	Ecstasy	year	rs.				
	e)	Other illicit drugs	year	's				
B4.	How oft	ten in the last year ha	s she: (Mark on				_	
B4.	How of	ten in the last year ha	s she: (Mark on	e box on Not at all	each lin Just once	2-5 times	6 or more times	Don't know
a)	Travelle	ten in the last year ha ed on a bus or train w money or using some	rithout paying	Not at all	Just	2-5	more	
	Travelle enough	ed on a bus or train w	vithout paying eone else's pass?	Not at all	Just once	2-5 times	more times	know
a)	Travelle enough Written	ed on a bus or train w money or using some	vithout paying eone else's pass? int on property?	Not at all	Just once 2 □ 2 □	2-5 times 3 3	more times 4 4	know 9 □
a) b)	Travelle enough Written Stolen s	ed on a bus or train w money or using some things or sprayed pa	vithout paying eone else's pass? int on property? p or store?	Not at all	Just once 2	2-5 times 3 3	more times 4 4	know 9 □ 9 □
a)b)c)	Travelle enough Written Stolen s	ed on a bus or train we money or using some things or sprayed paragonathing from a should be allegal drug to some on a stolen car or van	vithout paying eone else's pass? int on property? p or store?	Not at all	Just once 2	2-5 times 3	more times 4 4 4 4 4 4 4 4 4 4 4 4 4	know 9 □ 9 □ 9 □
a)b)c)d)	Travelle enough Written Stolen s Sold an	ed on a bus or train we money or using some things or sprayed paragonathing from a should be allegal drug to some on a stolen car or van	vithout paying eone else's pass? int on property? p or store?	Not at all	Just once 2	2-5 times 3	## A	know 9 □ 9 □ 9 □

PAGE 13 OF THE QUESTIONNAIRE

		Not at all	Just once	2-5 times	6 or more times	Don't know
	Broken into a car or van to try and steal something out of it?	1 🔲	2 🔲	3 🔲	4	9 🔲
_	Done any of these things to someone she knows:					
	i) Ignored them on purpose or left them out of things?	1 🔲	2 🔲	3 🔲	4	9 🔲
	ii) Said nasty things, slagged them off or called them names?	1	2 🔲	3 🔲	4	9 🔲
	iii) Threatened to hurt them?	1 🔲	2	3 🔲	4	9 🔲
	iv) Hit, spat or threw stones at them?	1 🔲	2 🔲	3 🔲	4 🔲	9 🔲
	v) Got other people to do the things listed above in (i) to (iv)?	1 🔲	2	3	4	9 🔲
	Broken into a house or building to try and steal something?	1 🔲	2	3	4	9 🔲
,	Hit, kicked or punched a brother or sister on purpose?	1 🔲	2	3 🔲	4	9 🔲
	Hit, kicked or punched someone else on purpose with the intention of really hurting them?	1 🔲	2	3 🔲	4	9 🔲
	Deliberately damaged or destroyed property on purpose?	1 🔲	2	3 🔲	4	9 🔲
	Sold something that didn't belong to her or that she knew was stolen?	1	2 🔲	3	4	9 🔲

PAGE 14 OF THE QUESTIONNAIRE

		Not at all	Just once	2-5 times	6 or more times	Don't know
m)	Stolen any money or property that someone was holding, carrying or wearing at the time?	1	2 🔲	3 🔲	4 🔲	9 🔲
n)	Used force, threats or a weapon to steal money or something else from somebody?	1	2 🔲	3	4	9 🗖
o)	Hit or picked on someone because of their race or skin colour?	1	2 🔲	3 🔲	4	9 🔲
p)	Hurt or injured animals or birds on purpose?	1	2 🔲	3 🔲	4	9 🔲
q)	Set fire or tried to set fire to something on purpose?	1 🔲	2 🔲	3 🔲	4	9 🔲
r)	Carried a knife or other weapon for protection or in case it was needed in a fight?	1	2 🔲	3 🔲	4	9 🔲
s)	Been rowdy or rude in a public place so that people complained or she got into trouble?	1 🔲	2 🔲	3 🔲	4 🔲	9 🔲
t)	Stolen money or something else from school/college/work?	1	2 🔲	3 🔲	4 🔲	9 🔲
u)	Stolen money or something else from home?	1	2 🔲	3	4	9 🗖
B5.	Has she ever run away fromhome?					
	Yes ¹□ No, but has tried to	2		No, but though	ht of	
	No, never ₄ ☐ Don't know	9 🔲		30mg		

tc2000 B1a: Study teenager has been offered alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and respondent knows about it	4831	84.5	85.3	85.3
	2 Probably	378	6.6	6.7	92.0
	3 Possibly	128	2.2	2.3	94.2
	4 Respondent doesn't think so	249	4.4	4.4	98.6
	9 Don't know	79	1.4	1.4	100.0
	Total	5665	99.0	100.0	
Missing	-1 No response	55	1.0		
Total		5720	100.0		

tc2001 B1b: Study teenager has been offered cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and respondent knows about it	1851	32.4	32.8	32.8
	2 Probably	1476	25.8	26.1	58.9
	3 Possibly	659	11.5	11.7	70.6
	4 Respondent doesn't think so	1281	22.4	22.7	93.3
	9 Don't know	381	6.7	6.7	100.0
	Total	5648	98.7	100.0	
Missing	-1 No response	72	1.3		
Total		5720	100.0		

tc2002 B1c: Study teenager has been offered cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and respondent knows about it	764	13.4	13.6	13.6
	2 Probably	670	11.7	11.9	25.4
	3 Possibly	801	14.0	14.2	39.7
	4 Respondent doesn't think so	2666	46.6	47.3	87.0
	9 Don't know	735	12.8	13.0	100.0
	Total	5636	98.5	100.0	
Missing	-1 No response	84	1.5		
Total		5720	100.0		

tc2003 B1d: Study teenager has been offered ecstasy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and respondent knows about it	140	2.4	2.5	2.5
	2 Probably	313	5.5	5.6	8.1
	3 Possibly	538	9.4	9.6	17.6
	4 Respondent doesn't think so	3650	63.8	64.9	82.6
	9 Don't know	979	17.1	17.4	100.0
	Total	5620	98.3	100.0	
Missing	-1 No response	100	1.7		
Total		5720	100.0		

tc2004 B1e : Study teenager has been offered other illicit drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and respondent knows about it	158	2.8	2.8	2.8
	2 Probably	290	5.1	5.2	8.0
	3 Possibly	498	8.7	8.9	16.9
	4 Respondent doesn't think so	3604	63.0	64.4	81.3
	9 Don't know	1050	18.4	18.8	100.0
	Total	5600	97.9	100.0	
Missing	-1 No response	120	2.1		
Total		5720	100.0		

tc2010 B2a: Study teenager has tried alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and respondent knows about it	5292	92. 5	93. 0	93. 0
	2 Probably	79	1. 4	1. 4	94. 4
	3 Possibly	52	.9	.9	95. 3
	4 Respondent doesn't think so	246	4. 3	4. 3	99. 6
	9 Don't know	23	.4	.4	100. 0
	Total	5692	99. 5	100. 0	
Missing	-1 No response	28	.5		
Total		5720	100. 0		

tc2011 B2b: Study teenager has tried cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and respondent knows about it	1424	24.9	25.1	25.1
	2 Probably	353	6.2	6.2	31.4
	3 Possibly	341	6.0	6.0	37.4
	4 Respondent doesn't think so	3260	57.0	57.6	95.0
	9 Don't know	286	5.0	5.0	100.0
	Total	5664	99.0	100.0	
Missing	-1 No response	56	1.0		
Total		5720	100.0		

tc2012 B2c: Study teenager has tried cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and respondent knows about it	464	8.1	8.2	8.2
	2 Probably	166	2.9	2.9	11.2
	3 Possibly	260	4.5	4.6	15.8
	4 Respondent doesn't think so	4281	74.8	75.9	91.6
	9 Don't know	472	8.3	8.4	100.0
	Total	5643	98.7	100.0	
Missing	-1 No response	77	1.3		
Total		5720	100.0		

tc2013 B2d: Study teenager has tried ecstasy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and respondent knows about it	41	.7	.7	.7
	2 Probably	35	.6	.6	1.3
	3 Possibly	111	1.9	2.0	3.3
	4 Respondent doesn't think so	4852	84.8	86.0	89.3
	9 Don't know	601	10.5	10.7	100.0
	Total	5640	98.6	100.0	
Missing	-1 No response	80	1.4		
Total		5720	100.0		

tc2014 B2e: Study teenager has tried other illicit drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and respondent knows about it	54	.9	1.0	1.0
	2 Probably	36	.6	.6	1.6
	3 Possibly	90	1.6	1.6	3.2
	4 Respondent doesn't think so	4823	84.3	86.0	89.2
	9 Don't know	608	10.6	10.8	100.0
	Total	5611	98.1	100.0	
Missing	-1 No response	109	1.9		
Total		5720	100.0		

tc2020 B3a: Age at which study teenager tried alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.1	.1	.1
	2	14	.2	.3	.3
	3	14	.2	.3	.6
	4	6	.1	.1	.7
	5	33	.6	.6	1. 4
	6	15	.3	.3	1. 7
	7	30	.5	.6	2. 2
	8	48	.8	.9	3. 2
	9	30	.5	.6	3. 8
	10	181	3. 2	3. 5	7. 3
	11	81	1. 4	1.6	8. 9
	12	346	6. 0	6. 8	15. 6
	13	513	9. 0	10. 0	25. 6
	14	1239	21. 7	24. 2	49. 8
	15	1342	23. 5	26. 2	76. 0
	16	727	12. 7	14. 2	90. 2
	17	57	1. 0	1. 1	91. 3
	99 Don't know	445	7. 8	8. 7	100. 0
	Total	5124	89. 6	100. 0	
Missing	-1 No response	596	10. 4		
Total		5720	100. 0		

tc2021 B3b: Age at which study teenager tried cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	.1	.1
	4	1	.0	.0	.1
	6	1	.0	.0	.2
	7	1	.0	.0	.2
	8	3	.1	.1	.4
	9	6	.1	.3	.6
	10	19	.3	.8	1.5
	11	29	.5	1.3	2.8
	12	87	1.5	3.9	6.6
	13	145	2.5	6.5	13.1
	14	364	6.4	16.2	29.3
	15	384	6.7	17.1	46.4
	16	264	4.6	11.8	58.2
	17	23	.4	1.0	59.2
	99 Don't know	915	16.0	40.8	100.0
	Total	2244	39.2	100.0	
Missing	-1 No response	3476	60.8		
Total		5720	100.0		

tc2022 B3c: Age at which study teenager tried cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	.1	.1
	4	1	.0	.1	.2
	10	2	.0	.1	.3
	11	5	.1	.3	.7
	12	13	.2	.9	1.5
	13	34	.6	2.3	3.8
	14	93	1.6	6.2	10.0
	15	167	2.9	11.1	21.0
	16	122	2.1	8.1	29.1
	17	18	.3	1.2	30.3
	99 Don't know	1050	18.4	69.7	100.0
	Total	1507	26.3	100.0	
Missing	-1 No response	4213	73.7		
Total		5720	100.0		

tc2023 B3d: Age at which study teenager tried ecstasy

			<u> </u>		
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	.2	.2
	11	6	.1	.5	.7
	12	2	.0	.2	.8
	13	1	.0	.1	.9
	14	4	.1	.3	1.3
	15	13	.2	1.1	2.4
	16	21	.4	1.8	4.1
	17	7	.1	.6	4.7
	99 Don't know	1126	19.7	95.3	100.0
	Total	1182	20.7	100.0	
Missing	-1 No response	4538	79.3		
Total		5720	100.0		

tc2024 B3e: Age at which study teenager tried other illicit drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	.2	.2
	9	1	.0	.1	.3
	11	9	.2	.8	1.0
	12	1	.0	.1	1.1
	13	1	.0	.1	1.2
	14	5	.1	.4	1.6
	15	19	.3	1.6	3.2
	16	18	.3	1.5	4.7
	17	6	.1	.5	5.2
	99 Don't know	1122	19.6	94.8	100.0
	Total	1184	20.7	100.0	
Missing	-1 No response	4536	79.3		
Total		5720	100.0		

tc2030 B4a: Number of times study teenager has travelled on a bus or train without paying enough money or using someone else's pass in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4319	75.5	76.0	76.0
	2 Just once	196	3.4	3.5	79.5
	3 2-5 times	263	4.6	4.6	84.1
	4 6 or more times	176	3.1	3.1	87.2
	9 Don't know	726	12.7	12.8	100.0
	Total	5680	99.3	100.0	
Missing	-1 No response	40	.7		
Total		5720	100.0		

tc2031 B4b: Number of times study teenager has written things/sprayed on property in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5328	93.1	93.7	93.7
	2 Just once	31	.5	.5	94.3
	3 2-5 times	12	.2	.2	94.5
	4 6 or more times	12	.2	.2	94.7
	9 Don't know	301	5.3	5.3	100.0
	Total	5684	99.4	100.0	
Missing	-1 No response	36	.6		
Total		5720	100.0		

tc2032 B4c: Number of times study teenager has stolen something from a shop/store in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5170	90.4	90.9	90.9
	2 Just once	86	1.5	1.5	92.5
	3 2-5 times	29	.5	.5	93.0
	4 6 or more times	8	.1	.1	93.1
	9 Don't know	392	6.9	6.9	100.0
	Total	5685	99.4	100.0	
Missing	-1 No response	35	.6		
Total		5720	100.0		

tc2033 B4d: Number of times study teenager has sold an illegal drug to someone in the last year $\,$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5462	95.5	96.0	96.0
	2 Just once	2	.0	.0	96.0
	3 2-5 times	5	.1	.1	96.1
	4 6 or more times	6	.1	.1	96.2
	9 Don't know	216	3.8	3.8	100.0
	Total	5691	99.5	100.0	
Missing	-1 No response	29	.5		
Total		5720	100.0		

tc2034 B4e : Number of times study teenager has ridden in a stolen car/van or on a stolen motorbike in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5455	95.4	96.1	96.1
	2 Just once	10	.2	.2	96.3
	3 2-5 times	1	.0	.0	96.3
	4 6 or more times	2	.0	.0	96.4
	9 Don't know	207	3.6	3.6	100.0
	Total	5675	99.2	100.0	
Missing	-1 No response	45	.8		
Total		5720	100.0		

tc2035 B4f: Number of times study teenager has broken into a car/van to and steal something out of it in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5556	97. 1	97. 6	97. 6
	2 Just once	1	.0	.0	97. 7
	3 2-5 times	1	.0	.0	97. 7
	9 Don't know	132	2. 3	2. 3	100. 0
	Total	5690	99. 5	100. 0	
Missing	-1 No response	30	.5		
Total		5720	100.0		

tc2036 B4g1: Number of times study teenager has ignored someone on purpose or left them out of things in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	2997	52.4	52.8	52.8
	2 Just once	221	3.9	3.9	56.7
	3 2-5 times	325	5.7	5.7	62.5
	4 6 or more times	128	2.2	2.3	64.7
	9 Don't know	2002	35.0	35.3	100.0
	Total	5673	99.2	100.0	
Missing	-1 No response	47	.8		
Total		5720	100.0		

tc2037 B4g2: Number of times study participant has said nasty things to someone they know, slagged them off or called them names in the last year

, , ,					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	2972	52.0	52.4	52.4
	2 Just once	232	4.1	4.1	56.5
	3 2-5 times	449	7.8	7.9	64.4
	4 6 or more times	275	4.8	4.8	69.3
	9 Don't know	1743	30.5	30.7	100.0
	Total	5671	99.1	100.0	
Missing	-1 No response	49	.9		
Total		5720	100.0		

tc2038 B4g3: Number of times study teenager has threatened to hurt someone they know in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4609	80.6	81.2	81.2
	2 Just once	95	1.7	1.7	82.9
	3 2-5 times	116	2.0	2.0	84.9
	4 6 or more times	62	1.1	1.1	86.0
	9 Don't know	792	13.8	14.0	100.0
	Total	5674	99.2	100.0	
Missing	-1 No response	46	.8		
Total		5720	100.0		

tc2039 B4g4: Number of times study teenager has hit, spat or thrown stones r at someone they know in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5012	87.6	88.3	88.3
	2 Just once	42	.7	.7	89.0
	3 2-5 times	37	.6	.7	89.7
	4 6 or more times	19	.3	.3	90.0
	9 Don't know	568	9.9	10.0	100.0
	Total	5678	99.3	100.0	
Missing	-1 No response	42	.7		
Total		5720	100.0		

tc2040 B4g5: Number of times study teenager has got other people to do things listed in B4g1-B4g4 to someone they know in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4854	84.9	86.0	86.0
	2 Just once	12	.2	.2	86.2
	3 2-5 times	19	.3	.3	86.5
	4 6 or more times	3	.1	.1	86.6
	9 Don't know	759	13.3	13.4	100.0
	Total	5647	98.7	100.0	
Missing	-1 No response	73	1.3		
Total		5720	100.0		

tc2041 B4h: Number of times study teenager has broken into a house or building to try and steal something in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5524	96.6	97.2	97.2
	2 Just once	8	.1	.1	97.3
	3 2-5 times	1	.0	.0	97.3
	4 6 or more times	1	.0	.0	97.3
	9 Don't know	152	2.7	2.7	100.0
	Total	5686	99.4	100.0	
Missing	-1 No response	34	.6		
Total		5720	100.0		

tc2042 B4i: Number of times study teenager has hit, kicked or punched a brother or sister on purpose in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4096	71.6	72.3	72.3
	2 Just once	373	6.5	6.6	78.9
	3 2-5 times	659	11.5	11.6	90.5
	4 6 or more times	379	6.6	6.7	97.2
	9 Don't know	159	2.8	2.8	100.0
	Total	5666	99.1	100.0	
Missing	-1 No response	54	.9		
Total		5720	100.0		

tc2043 B4j: Number of times study teenager has hit, kicked or punched someone else on purpose with the intention of really hurting them in the year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5047	88.2	88.9	88.9
	2 Just once	126	2.2	2.2	91.1
	3 2-5 times	79	1.4	1.4	92.5
	4 6 or more times	19	.3	.3	92.9
	9 Don't know	405	7.1	7.1	100.0
	Total	5676	99.2	100.0	
Missing	-1 No response	44	.8		
Total		5720	100.0		

tc2044 B4k : Number of times study teenager has deliberately damaged or destroyed property on purpose in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5212	91.1	91.8	91.8
	2 Just once	100	1.7	1.8	93.6
	3 2-5 times	91	1.6	1.6	95.2
	4 6 or more times	16	.3	.3	95.4
	9 Don't know	259	4.5	4.6	100.0
	Total	5678	99.3	100.0	
Missing	-1 No response	42	.7		
Total		5720	100.0		

tc2045 B4I: Number of times study teenager has sold something that didn't belong to them or that they know was stolen in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5423	94.8	95.5	95.5
	2 Just once	13	.2	.2	95.7
	3 2-5 times	11	.2	.2	95.9
	4 6 or more times	3	.1	.1	96.0
	9 Don't know	230	4.0	4.0	100.0
	Total	5680	99.3	100.0	
Missing	-1 No response	40	.7		
Total		5720	100.0		

tc2046 B4m : Number of times study teenager has stolen any money or property that someone else was holding, carrying or wearing at the time last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5492	96.0	96.6	96.6
	2 Just once	7	.1	.1	96.8
	3 2-5 times	5	.1	.1	96.9
	4 6 or more times	2	.0	.0	96.9
	9 Don't know	177	3.1	3.1	100.0
	Total	5683	99.4	100.0	
Missing	-1 No response	37	.6		
Total		5720	100.0		

tc2047 B4n: Number of times study teenager has used force, threats or weapon to steal money or something else from somebody in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5559	97.2	97.8	97.8
	3 2-5 times	3	.1	.1	97.9
	9 Don't know	121	2.1	2.1	100.0
	Total	5683	99.4	100.0	
Missing	-1 No response	37	.6		
Total		5720	100.0		

tc2048 B4o: Number of times study teenager has hit or picked on someone c because of their race or skin colour in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5528	96.6	97.3	97.3
	2 Just once	4	.1	.1	97.4
	3 2-5 times	1	.0	.0	97.4
	9 Don't know	148	2.6	2.6	100.0
	Total	5681	99.3	100.0	
Missing	-1 No response	39	.7		
Total		5720	100.0		

tc2049 B4p: Number of times study teenager has hurt or injured animals or $$\tt o$ birds on purpose in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5583	97.6	98.3	98.3
	2 Just once	3	.1	.1	98.4
	3 2-5 times	4	.1	.1	98.5
	4 6 or more times	1	.0	.0	98.5
	9 Don't know	87	1.5	1.5	100.0
	Total	5678	99.3	100.0	
Missing	-1 No response	42	.7		
Total		5720	100.0		

tc2050 B4q: Number of times study teenager has set fire or tried to set fire to something on purpose in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5502	96.2	96.9	96.9
	2 Just once	26	.5	.5	97.4
	3 2-5 times	11	.2	.2	97.6
	4 6 or more times	3	.1	.1	97.6
	9 Don't know	134	2.3	2.4	100.0
	Total	5676	99.2	100.0	
Missing	-1 No response	44	.8		
Total		5720	100.0		

tc2051 B4r: Number of times study teenager has carried a knife or other weapon for protection or in case it was needed in a fight in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5504	96.2	97.0	97.0
	2 Just once	27	.5	.5	97.5
	3 2-5 times	12	.2	.2	97.7
	4 6 or more times	3	.1	.1	97.7
	9 Don't know	129	2.3	2.3	100.0
	Total	5675	99.2	100.0	
Missing	-1 No response	45	.8		
Total		5720	100.0		

tc2052 B4s: Number of times study teenager has been rowdy or rude in a public place so that people complained or they got in trouble in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5129	89.7	90.4	90.4
	2 Just once	138	2.4	2.4	92.8
	3 2-5 times	48	.8	.8	93.7
	4 6 or more times	10	.2	.2	93.8
	9 Don't know	350	6.1	6.2	100.0
	Total	5675	99.2	100.0	
Missing	-1 No response	45	.8		
Total		5720	100.0		

tc2053 B4t: Number of times study teenager has stolen money or something else from school/college/work in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5416	94. 7	95. 5	95. 5
	2 Just once	22	.4	.4	95. 9
	3 2-5 t imes	15	.3	.3	96. 1
	9 Don't know	220	3. 8	3. 9	100. 0
	Total	5673	99. 2	100. 0	
Missing	-1 No response	47	.8		
Total		5720	100. 0		

tc2054 B4u: Number of times study teenager has stolen money or something else from home in the last year $\,$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5256	91.9	92.9	92.9
	2 Just once	86	1.5	1.5	94.4
	3 2-5 times	70	1.2	1.2	95.7
	4 6 or more times	25	.4	.4	96.1
	9 Don't know	221	3.9	3.9	100.0
	Total	5658	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5720	100.0		

tc2060 B5: Study teenager has run away from home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	170	3.0	3.0	3.0
	2 No, but has tried to	82	1.4	1.4	4.4
	3 No, but has thought of doing so	308	5.4	5.4	9.9
	4 No, Never	5097	89.1	89.7	99.6
	9 Don't know	24	.4	.4	100.0
	Total	5681	99.3	100.0	
Missing	-1 No response	39	.7		
Total		5720	100.0		

ר ד		

Section C: Your Teenager's Activities and Interests



Now some questions about what she does in her free time. On a day when she does any of the things below, about how long altogether does she usually spend? (Mark **one** box on **each** line)

		Under 30 mins	30 mins - 1 hour	1-2 hours	2-4 hours	4-6 hours	Over 6 hours	Never
a)	Reading a book (not a school/college book)	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6	7
b)	Reading a comic or magazine	1 🔲	2	3 🔲	4 🔲	5 🔲	6 🔲	7
c)	Watching TV on Saturdays	1 🔲	2	3 🔲	4 🔲	5 🔲	6 🔲	7 🗖
d)	Watching TV on Sundays	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲	7
e)	Watching TV on a weekday	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲	7
f)	Watching a DVD/video	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲	7
g)	Listening to music	1 🔲	2	3 🔲	4 🔲	5 🔲	6 🔲	7
h)	Playing a computer or video game	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲	7
i)	Using a computer for school/college work	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲	7
j)	Using the internet for non-school/college work activiti		2	3 🔲	4 🔲	5 🔲	6 🔲	7
k)	Talking on the phone	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲	7
1)	Sending text (SMS) messages	1 🔲	2 🔲	3 🔲	4 🔲	5 🔲	6 🔲	7
			15				28291	



PAGE 16 OF THE QUESTIONNAIRE

C2.	How often does she go to these place (Mark one box on each line).	s in her spare tii	me?	
		At least once a week	At least once a month	Hardly ever or never
a)	Go shopping	1 🔲	2 🔲	3 🔲
b)	Go out for something to eat	1 🔲	2 🔲	3 🔲
c)	Go to the cinema, theatre or concerts	1 🔲	2 🔲	3 🔲
d)	Go to an amusement arcade	1 🔲	2 🔲	3 🔲
e)	Go to watch football or other sports	1 🔲	2 🔲	3 🔲
f)	Go to discos, nightclubs or raves	1 🔲	2 🔲	3 🔲
	Yes ¹ ☐ No ² If yes ,	□ →	If <u>no</u> , go to C4	on page 18
a)	How often does she usually go out to	youth, sports cl	ubs or groups?	
	(Maula area la arra 1-1-)			
	(Mark one box only).		At least once a v	wals a \square
	Most evenings 1 □		At least once a v	
	•		Hardly ever or n	

PAGE 17 OF THE QUESTIONNAIRE

C3. b)	What ki	nd of club or group does she go to? (Mark as	many boxes as you need to).
	i)	A youth club or group	1 🔲
	ii)	A sports club or sports centre	1 🗖
	iii)	Keep fit, aerobics or dancing classes	1 🔲
	iv)	Music club or group	1 🔲
	v)	Drama club	1 🗖
	vi)	Another kind of club or group (please state)	1 🔲
c)		oes to a sports club, which sports does she do? s many boxes as you need to).	
	i)	Tennis	1 🔲
	ii)	Swimming	1 🔲
	iii)	Wrestling	1 🔲
	iv)	Gymnastics	1 🗖
	v)	Martial arts (please state):	1 🔲
	vi)	Football	1 🔲
	vii)	Boxing (including kickboxing)	1 🗖
	viii)	Netball/basketball	1 🔲
	ix)	Weight training	1 🔲
	x)	Hockey	1 🗖
	xi)	Other (please state)	1 🔲

PAGE 18 OF THE QUESTIONNAIRE

C3. d)	Are adults in charge of the clubs sh	ne goes to?						
	Yes, always 1 □	Yes, some	etimes 2 🔲	No	3 🔲			
C4.	Which of these things, if any , are (i) more or less permanently in her room, (ii) do you have elsewhere in the house, (iii) have you bought in the last 6 months , or (iv) intend to buy in the next 6 months ? (You can mark more than one box on each line).							
	me).	(i) In her room	(ii) Have in house	(iii) Bought in last 6 months	(iv) Intend to buy			
a)	TV set	1 🔲	1 🔲	1 🔲	1 🔲			
b)	Cable/satellite/digital TV	1	1	1 🔲	1 🔲			
c)	DVD/video	1 🔲	1 🔲	1	1 🔲			
d)	Radio	1 🔲	1 🔲	1 🗖	1 🔲			
e)	TV-linked games system (e.g. Xbox, Playstation)	1 🔲	1 🔲	1	1 🔲			
f)	Computer with internet access	1 🗖	1 🔲	1 🗖	1			
g)	Computer without internet access	1 🔲	1 🔲	1	1 🔲			
h)	Mobile phone	1 🔲	1 🔲	1 🗖	1 🔲			
i)	Landline phone	1 🗖	1 🔲	1 🔲	1 🔲			
j)	Shelf of books (not school books)	1	1 🔲	1 🔲	1 🔲			
k)	Digital camera	1 🔲	1 🔲	1 🔲	1 🔲			
1)	None of the above	1	1 🔲	1 🔲	1 🔲			
		18		2829	11			

PAGE 19 OF THE QUESTIONNAIRE

	(Mark one box only)	•	rs and how to us		
	Me 1 □	My partner	2 🔲	Study teen	ager 3 □
	_	Teenager's sister	5 🔲	No differen	nce 6□
	Don't know/ ⁹ □ can't say				
C6.	For which of the following activities (Mark one box on each line).	s does she us	se the internet?		
		Often	Occasionally	Rarely	I don't know
a)	Social networking (e.g. Bebo, MySpace, Facebook)	1 🔲	2 🔲	3 🔲	9
b)	Instant messaging 'Chat' (e.g. MSN)	1 🔲	2 🔲	3 🔲	9 🗖
c)	Watching video (e.g. YouTube)	1	2 🔲	3 🔲	9 🗖
d)	Researching homework	1 🔲	2 🔲	3 🔲	9 🗖
e)	E-mail using her own e-mail addres	s 1 🔲	2 🔲	3 🔲	9 🗖
f)	E-mail using a family e-mail address	SS 1	2 🔲	3 🔲	9 🗖
g)	Playing games	1 🔲	2 🔲	3 🔲	9 🗖
h)	Downloading music from commercial sites (e.g. iTunes)	1	2 🔲	3 🔲	9 🗖
i)	Downloading pirated music (e.g. via LimeWire or BitTorrent)	a 1 🗆	2 🔲	3 🔲	9 🗖

PAGE 20 OF THE QUESTIONNAIRE

C7.	Which of the following have you ever done to manage her internet use? (Mark one box on each line).							
		Not done this	Yes, once	Yes, more than once				
a)	Checked her files or folders on a computer for content	1 🔲	2 🔲	3 🔲				
b)	Restricted the amount of time she is allowed online	1 🔲	2 🔲	3 🔲				
c)	Accessed her e-mail or other account without her knowledge	1 🔲	2 🔲	3				
d)	Accessed her e-mail or other account with her knowledge	1 🗖	2 🔲	3 🔲				
e)	Restricted the type of activities she is allowed to use on the internet	1 🔲	2 🔲	3 🔲				
f)	Restricted use of a social networking site (e.g. Bebo)	1 🔲	2 🔲	3				
g)	Viewed her profile on a social networking site without her knowledge	1 🔲	2 🔲	3				
h)	Asked for a password to access a computer or folder	1 🔲	2 🔲	3 🔲				
i)	Installed filtering software to restrict access to certain types of sites	1 🔲	2 🔲	3 🔲				
j)	Installed monitoring software on a computer	1 🔲	2 🔲	3 🔲				
k)	Examined browsing history or cache	1 🔲	2 🔲	3 🔲				
1)	Monitored her mobile telephone records	1 🗖	2 🔲	3 🔲				
m)	Examined the content of her phone (e.g. text messages or photographs) without her knowledge or consent	1 🗖	2 🔲	3 🔲				
			2	8291				

tc3000 C1a: Length of time study teenager spends reading a book (not a school/college book) on a day when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	1825	31. 9	32. 4	32. 4
	2 30 mins - 1 hour	1443	25. 2	25. 6	57. 9
	3 1-2 hours	804	14. 1	14. 3	72. 2
	4 2-4 hours	267	4. 7	4. 7	76. 9
	5 4-6 hours	43	.8	.8	77. 7
	6 Over 6 hours	32	.6	.6	78. 3
	7 Never	1226	21. 4	21. 7	100. 0
	Total	5640	98. 6	100. 0	
Missing	-1 No response	80	1. 4		
Total		5720	100. 0		

tc3001 C1b: Length of time study teenager spends reading a comic or magazine on a day when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	2524	44. 1	44. 9	44. 9
	2 30 mins - 1 hour	1792	31. 3	31. 9	76. 9
	3 1-2 hours	476	8. 3	8. 5	85. 3
	4 2-4 hours	53	.9	.9	86. 3
	5 4-6 hours	12	.2	.2	86. 5
	6 Over 6 hours	6	.1	.1	86. 6
	7 Never	753	13. 2	13. 4	100. 0
	Total	5616	98. 2	100. 0	
Missing	-1 No response	104	1. 8		
Total		5720	100. 0		

tc3002 C1c: Length of time study teenager spends watching TV on Saturday on a day when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	244	4.3	4.3	4.3
	2 30 mins - 1 hour	540	9.4	9.5	13.8
	3 1-2 hours	1821	31.8	32.1	46.0
	4 2-4 hours	2176	38.0	38.4	84.4
	5 4-6 hours	666	11.6	11.8	96.1
	6 Over 6 hours	129	2.3	2.3	98.4
	7 Never	92	1.6	1.6	100.0
	Total	5668	99.1	100.0	
Missing	-1 No response	52	.9		
Total		5720	100.0		

tc3003 C1d: Length of time study teenager spends watching TV on Sundays on $_{\mbox{\scriptsize J}}$ a day when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	224	3.9	4.0	4.0
	2 30 mins - 1 hour	556	9.7	9.8	13.8
	3 1-2 hours	1833	32.0	32.4	46.2
	4 2-4 hours	2191	38.3	38.7	84.9
	5 4-6 hours	629	11.0	11.1	96.0
	6 Over 6 hours	134	2.3	2.4	98.4
	7 Never	93	1.6	1.6	100.0
	Total	5660	99.0	100.0	
Missing	-1 No response	60	1.0		
Total		5720	100.0		

tc3004 C1e : Length of time study teenager spends watching TV on a weekday $\,$ k on a day when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	316	5. 5	5. 6	5. 6
	2 30 mins - 1 hour	1030	18. 0	18. 2	23. 8
	3 1-2 hours	2398	41. 9	42. 4	66. 2
	4 2-4 hours	1517	26. 5	26. 8	93. 0
	5 4-6 hours	275	4. 8	4. 9	97. 8
	6 Over 6 hours	54	.9	1. 0	98. 8
	7 Never	68	1. 2	1. 2	100. 0
	Total	5658	98. 9	100. 0	
Missing	-1 No response	62	1. 1		
Total		5720	100. 0		

tc3005 C1f: Length of time study teenager spends watching a DVD/video on a day when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	575	10.1	10.3	10.3
	2 30 mins - 1 hour	656	11.5	11.8	22.1
	3 1-2 hours	2837	49.6	50.9	72.9
	4 2-4 hours	1136	19.9	20.4	93.3
	5 4-6 hours	101	1.8	1.8	95.1
	6 Over 6 hours	25	.4	.4	95.6
	7 Never	247	4.3	4.4	100.0
	Total	5577	97.5	100.0	
Missing	-1 No response	143	2.5		
Total		5720	100.0		

tc3006 C1g: Length of time study teenager spends listening to music on a day when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	191	3. 3	3. 4	3. 4
	2 30 mins - 1 hour	645	11. 3	11. 4	14. 8
	3 1-2 hours	1586	27. 7	28. 0	42. 7
	4 2-4 hours	1865	32. 6	32. 9	75. 7
	5 4-6 hours	838	14. 7	14. 8	90. 5
	6 Over 6 hours	482	8. 4	8. 5	99. 0
	7 Never	59	1. 0	1. 0	100. 0
	Total	5666	99. 1	100. 0	
Missing	-1 No response	54	.9		
Total		5720	100. 0		

tc3007 C1h: Length of time study teenager spends playing a computer or game $\boldsymbol{\nu}$ on a day when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	893	15.6	15.9	15.9
	2 30 mins - 1 hour	844	14.8	15.0	30.8
	3 1-2 hours	1298	22.7	23.0	53.9
	4 2-4 hours	1080	18.9	19.2	73.0
	5 4-6 hours	398	7.0	7.1	80.1
	6 Over 6 hours	192	3.4	3.4	83.5
	7 Never	929	16.2	16.5	100.0
	Total	5634	98.5	100.0	
Missing	-1 No response	86	1.5		
Total		5720	100.0		

tc3008 C1i: Length of time study teenager spends using a computer for school/college work on a day when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	337	5.9	6.0	6.0
	2 30 mins - 1 hour	1006	17.6	17.8	23.8
	3 1-2 hours	2231	39.0	39.5	63.2
	4 2-4 hours	1342	23.5	23.7	87.0
	5 4-6 hours	303	5.3	5.4	92.3
	6 Over 6 hours	152	2.7	2.7	95.0
	7 Never	281	4.9	5.0	100.0
	Total	5652	98.8	100.0	
Missing	-1 No response	68	1.2		
Total		5720	100.0		

tc3009 C1j: Length of time study teenager spends using the internet for non-school/college work activities on a day when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	355	6. 2	6. 3	6. 3
	2 30 mins - 1 hour	1168	20. 4	20. 7	26. 9
	3 1-2 hours	2130	37. 2	37. 7	64. 6
	4 2-4 hours	1327	23. 2	23. 5	88. 1
	5 4-6 hours	410	7. 2	7. 3	95. 3
	6 Over 6 hours	183	3. 2	3. 2	98. 6
	7 Never	81	1. 4	1. 4	100. 0
	Total	5654	98. 8	100. 0	
Missing	-1 No response	66	1. 2		
Total		5720	100. 0		

tc3010 C1k : Length of time study teenager spends talking on a phone on when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	2624	45. 9	46. 4	46. 4
	2 30 mins - 1 hour	1469	25. 7	26. 0	72. 3
	3 1-2 hours	815	14. 2	14. 4	86. 7
	4 2-4 hours	312	5. 5	5. 5	92. 2
	5 4-6 hours	88	1. 5	1. 6	93. 8
	6 Over 6 hours	78	1. 4	1. 4	95. 2
	7 Never	274	4. 8	4. 8	100. 0
	Total	5660	99. 0	100. 0	
Missing	-1 No response	60	1. 0		
Total		5720	100. 0		

tc3011 C1I: Length of time study teenager spends sending text (SMS) messages on a day when they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 30 mins	2496	43.6	44.1	44.1
	2 30 mins - 1 hour	1510	26.4	26.7	70.8
	3 1-2 hours	831	14.5	14.7	85.5
	4 2-4 hours	344	6.0	6.1	91.6
	5 4-6 hours	140	2.4	2.5	94.0
	6 Over 6 hours	151	2.6	2.7	96.7
	7 Never	186	3.3	3.3	100.0
	Total	5658	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5720	100.0		

tc3020 C2a: Frequency that study teenager goes shopping

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 At least once a week	2281	39.9	40.2	40.2
	2 At least once a month	2356	41.2	41.5	81.7
	3 Hardly ever or never	1037	18.1	18.3	100.0
	Total	5674	99.2	100.0	
Missing	-1 No response	46	.8		
Total		5720	100.0		

tc3021 C2b: Frequency that study teenager goes out for something to eat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 At least once a week	1401	24.5	24.8	24.8
	2 At least once a month	2975	52.0	52.6	77.4
	3 Hardly ever or never	1277	22.3	22.6	100.0
	Total	5653	98.8	100.0	
Missing	-1 No response	67	1.2		
Total		5720	100.0		

tc3022 C2c: Frequency that study teenager goes to the cinema, theatre or concerts $\,\varepsilon\,$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 At least once a week	402	7.0	7.1	7.1
	2 At least once a month	3760	65.7	66.4	73.5
	3 Hardly ever or never	1504	26.3	26.5	100.0
	Total	5666	99.1	100.0	
Missing	-1 No response	54	.9		
Total		5720	100.0		

tc3023 C2d: Frequency that study teenager goes to an amusement arcade

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 At least once a week	21	.4	.4	.4
	2 At least once a month	127	2.2	2.2	2.6
	3 Hardly ever or never	5512	96.4	97.4	100.0
	Total	5660	99.0	100.0	
Missing	-1 No response	60	1.0		
Total		5720	100.0		

tc3024 C2e: Frequency that study teenager goes to watch football or other sports

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 At least once a week	582	10.2	10.3	10.3
	2 At least once a month	864	15.1	15.3	25.6
	3 Hardly ever or never	4213	73.7	74.4	100.0
	Total	5659	98.9	100.0	
Missing	-1 No response	61	1.1		
Total		5720	100.0		

tc3025 C2f: Frequency that study teenager goes to discos, nightclubs or raves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 At least once a week	144	2.5	2.5	2.5
	2 At least once a month	1078	18.8	19.1	21.6
	3 Hardly ever or never	4430	77.4	78.4	100.0
	Total	5652	98.8	100.0	
Missing	-1 No response	68	1.2		
Total		5720	100.0		

tc3030 C3: Study teenager goes to youth clubs, groups or sports centres in the evening or at weekends ${\bf r}$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2380	41.6	42.2	42.2
	2 No	3255	56.9	57.8	100.0
	Total	5635	98.5	100.0	
Missing	-1 No response	85	1.5		
Total		5720	100.0		

tc3031 C3a: Frequency that study teenager goes out to youth clubs, groups or sports centres

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most evenings	249	4.4	9.5	9.5
	2 At least once a week	1940	33.9	74.4	83.9
	3 Less than once a week	226	4.0	8.7	92.6
	4 Hardly ever or never	194	3.4	7.4	100.0
	Total	2609	45.6	100.0	
Missing	-1 No response	3111	54.4		
Total		5720	100.0		

tc3040 C3b1: Study teenager goes to a youth club or group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	495	8.7	100.0	100.0
Missing	-1 No response	5225	91.3		
Total		5720	100.0		

tc3041 C3b2: Study teenager goes to a sports club or sports centre

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1495	26.1	100.0	100.0
Missing	-1 No response	4225	73.9		
Total		5720	100.0		

tc3042 C3b3: Study teenager goes to keep fit, aerobics or dancing class

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	361	6.3	100.0	100.0
Missing	-1 No response	5359	93.7		
Total		5720	100.0		

tc3043 C3b4: Study teenager goes to a music club or group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	241	4.2	100.0	100.0
Missing	-1 No response	5479	95.8		
Total		5720	100.0		

tc3044 C3b5: Study teenager goes to a drama club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	204	3.6	100.0	100.0
Missing	-1 No response	5516	96.4		
Total		5720	100.0		

tc3045 C3b6: Study teenager goes to another kind of club or group

				_	-
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	580	10.1	100.0	100.0
Missing	-1 No response	5140	89.9		
Total		5720	100.0		

tc3050 C3c1: Study teenager plays tennis at a sports club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	180	3.1	100.0	100.0
Missing	-1 No response	5540	96.9		
Total		5720	100.0		

tc3051 C3c2: Study teenager swims at a sports club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	339	5.9	100.0	100.0
Missing	-1 No response	5381	94.1		
Total		5720	100.0		

tc3052 C3c3: Study teenager wrestles at a sports club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1	.0	100.0	100.0
Missing	-1 No response	5719	100.0		
Total		5720	100.0		

tc3053 C3c4: Study teenager does gymnastics at a sports club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	73	1.3	100.0	100.0
Missing	-1 No response	5647	98.7		
Total		5720	100.0		

tc3054 C3c5: Study teenager does martial arts at a sports club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	145	2.5	100.0	100.0
Missing	-1 No response	5575	97.5		
Total		5720	100.0		

tc3056 C3c6: Study teenager plays football at a sports club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	466	8.1	100.0	100.0
Missing	-1 No response	5254	91.9		
Total		5720	100.0		

tc3057 C3c7: Study teenager does boxing (including kick boxing) at a sports club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	49	.9	100.0	100.0
Missing	-1 No response	5671	99.1		
Total		5720	100.0		

tc3058 C3c8: Study teenager plays netball/basketball at a sports club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	158	2.8	100.0	100.0
Missing	-1 No response	5562	97.2		
Total		5720	100.0		

tc3059 C3c8: Study teenager does weight training at a sports club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	335	5.9	100.0	100.0
Missing	-1 No response	5385	94.1		
Total		5720	100.0		

tc3060 C3c10: Study teenager plays hockey at a sports club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	164	2.9	100.0	100.0
Missing	-1 No response	5556	97.1		
Total		5720	100.0		

tc3061 C3c11: Study teenager plays other sport at a sports club

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	610	10.7	100.0	100.0
Missing	-1 No response	5110	89.3		
Total		5720	100.0		

tc3065 C3d: Adults are in charge of the club where the study teenager attends $\,\varepsilon\,$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, Always	2242	39.2	89.5	89.5
	2 Yes, sometimes	199	3.5	7.9	97.5
	3 No	63	1.1	2.5	100.0
	Total	2504	43.8	100.0	
Missing	-1 No response	3216	56.2		
Total		5720	100.0		

tc3070 C4a1: Study teenager has a TV set more or less permanently in their I room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3781	66.1	100.0	100.0
Missing	-1 No response	1939	33.9		
Total		5720	100.0		

tc3071 C4a2: Respondent has a TV set elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4029	70.4	100.0	100.0
Missing	-1 No response	1691	29.6		
Total		5720	100.0		

tc3072 C4a3: Respondent has bought a TV set in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	330	5.8	100.0	100.0
Missing	-1 No response	5390	94.2		
Total		5720	100.0		

tc3073 C4a4: Respondent intends to buy a TV set in the next 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	49	.9	100.0	100.0
Missing	-1 No response	5671	99.1		
Total		5720	100.0		

tc3080 C4b1: Cable/satellite/digital TV are more or less permanently in study teenager's room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1596	27.9	100.0	100.0
Missing	-1 No response	4124	72.1		
Total		5720	100.0		

tc3081 C4b2: Cable/satellite/digital TV are elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4336	75.8	100.0	100.0
Missing	-1 No response	1384	24.2		
Total		5720	100.0		

tc3082 C4b3: Cable/satellite/digital TV has been bought in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	177	3.1	100.0	100.0
Missing	-1 No response	5543	96.9		
Total		5720	100.0		

tc3083 C4b4: Cable/satellite/digital TV are intended to be bought in the next 6 $\,\varepsilon$ months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	82	1.4	100.0	100.0
Missing	-1 No response	5638	98.6		
Total		5720	100.0		

tc3090 C4c1: DVD/video are more or less permanently in study teenager's room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3226	56.4	100.0	100.0
Missing	-1 No response	2494	43.6		
Total		5720	100.0		

tc3091 C4c2: DVD/video are elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4239	74.1	100.0	100.0
Missing	-1 No response	1481	25.9		
Total		5720	100.0		

tc3092 C4c3: DVD/video has been bought in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	98	1.7	100.0	100.0
Missing	-1 No response	5622	98.3		
Total		5720	100.0		

tc3093 C4c4: DVD/video is intended to be bought in the next 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	9	.2	100.0	100.0
Missing	-1 No response	5711	99.8		
Total		5720	100.0		

tc3100 C4d1: Radio is more or less permanently in study teenager's room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3581	62.6	100.0	100.0
Missing	-1 No response	2139	37.4		
Total		5720	100.0		

tc3101 C4d2: Radio is elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3887	68.0	100.0	100.0
Missing	-1 No response	1833	32.0		
Total		5720	100.0		

tc3102 C4d3: Radio has been bought in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	48	.8	100.0	100.0
Missing	-1 No response	5672	99.2		
Total		5720	100.0		

tc3103 C4d4: Radio is intended to be bought in the next 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8	.1	100.0	100.0
Missing	-1 No response	5712	99.9		
Total		5720	100.0		

tc3110 C4e 1: TV-linked games system (e.g. Xbox, playstation) are more less permanently in study teenager's room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1956	34.2	100.0	100.0
Missing	-1 No response	3764	65.8		
Total		5720	100.0		

tc3111 C4e 2: TV-linked games system (e.g. Xbox, playstation) are elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3110	54.4	100.0	100.0
Missing	-1 No response	2610	45.6		
Total		5720	100.0		

tc3112 C4e 3: TV-linked games system (e.g. Xbox, playstation) has been bought in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	130	2.3	100.0	100.0
Missing	-1 No response	5590	97.7		
Total		5720	100.0		

tc3113 C4e 4: TV-linked games system (e.g. Xbox, playstation) are intended to be bought in the next 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	1 Yes	26	.5	100.0	100.0
Missing -	-1 No response	5694	99.5		
Total		5720	100.0		

tc3120 C4f1: Computer with internet access is more or less permanently study teenager's room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2655	46.4	100.0	100.0
Missing	-1 No response	3065	53.6		
Total		5720	100.0		

tc3121 C4f2: Computer with internet access is elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4381	76.6	100.0	100.0
Missing	-1 No response	1339	23.4		
Total		5720	100.0		

tc3122 C4f3: Computer with internet access has been bought in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	112	2.0	100.0	100.0
Missing	-1 No response	5608	98.0		
Total		5720	100.0		

tc3123 C4f4: Computer with internet access is intended to be bought in the next 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	45	.8	100. 0	100.0
Missing	-1 No response	5675	99. 2		
Total		5720	100. 0		

tc3130 C4g1: Computer without internet access is more or less permanently in study teenager's room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	423	7.4	100.0	100.0
Missing	-1 No response	5297	92.6		
Total		5720	100.0		

tc3131 C4g2: Computer without internet access is elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	684	12.0	100.0	100.0
Missing	-1 No response	5036	88.0		
Total		5720	100.0		

tc3132 C4g3: Computer without internet access has been bought in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	10	.2	100. 0	100.0
Missing	-1 No response	5710	99. 8		
Total		5720	100. 0		

tc3133 C4g4: Computer without internet access is intended to be bought in the next 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	18	.3	100.0	100.0
Missing	-1 No response	5702	99.7		
Total		5720	100.0		

tc3140 C4h1: Mobile phone is more or less permanently in study tee nag room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5283	92.4	100.0	100.0
Missing	-1 No response	437	7.6		
Total		5720	100.0		

tc3141 C4h2: Mobile phone is elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2751	48.1	100.0	100.0
Missing	-1 No response	2969	51.9		
Total		5720	100.0		

tc3142 C4h3: Mobile phone has been bought in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	184	3.2	100.0	100.0
Missing	-1 No response	5536	96.8		
Total		5720	100.0		

tc3143 C4h4: Mobile phone is intended to be bought in the next 6 month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	19	.3	100.0	100.0
Missing	-1 No response	5701	99.7		
Total		5720	100.0		

tc3150 C4i1: Landline phone is more or less permanently in study teenager's room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	533	9.3	100.0	100.0
Missing	-1 No response	5187	90.7		
Total		5720	100.0		

tc3151 C4i2: Landline phone is elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5212	91.1	100.0	100.0
Missing	-1 No response	508	8.9		
Total		5720	100.0		

tc3152 C4i3: Landline phone has been bought in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	23	.4	100.0	100.0
Missing	-1 No response	5697	99.6		
Total		5720	100.0		

tc3153 C4i4: Landline phone is intended to be bought in the next 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.2	100.0	100.0
Missing	-1 No response	5706	99.8		
Total		5720	100.0		

tc3160 C4j1: Shelf of books (not school books) is more or less permanently in study teenager's room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3807	66.6	100.0	100.0
Missing	-1 No response	1913	33.4		
Total		5720	100.0		

tc3161 C4j2: Shelf of books (not school books) is elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3716	65.0	100.0	100.0
Missing	-1 No response	2004	35.0		
Total		5720	100.0		

tc3162 C4j3: Shelf of books (not school books) has been bought in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	144	2.5	100.0	100.0
Missing	-1 No response	5576	97.5		
Total		5720	100.0		

tc3163 C4j4: Shelf of books (not school books) is intended to be bought the next 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	84	1.5	100.0	100.0
Missing	-1 No response	5636	98.5		
Total		5720	100.0		

tc3170 C4k 1: Digital camera is more or less permanently in study teenager's room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2315	40. 5	100. 0	100.0
Missing	-1 No response	3405	59. 5		
Total		5720	100. 0		

tc3171 C4k 2: Digital camera is elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4249	74.3	100.0	100.0
Missing	-1 No response	1471	25.7		
Total		5720	100.0		

tc3172 C4k 3: Digital camera has been bought in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	89	1.6	100.0	100.0
Missing	-1 No response	5631	98.4		
Total		5720	100.0		

tc3173 C4k 4: Digital camera is intended to be bought in the next 6 month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	67	1.2	100.0	100.0
Missing	-1 No response	5653	98.8		
Total		5720	100.0		

tc3180 C4l1: None of the above are more or less permanently in study teenager's room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7	.1	100.0	100.0
Missing	-1 No response	5713	99.9		
Total		5720	100.0		

tc3181 C4I2: None of the above are elsewhere in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	9	.2	100.0	100.0
Missing	-1 No response	5711	99.8		
Total		5720	100.0		

tc3182 C4I3: None of the above has been bought in the last 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.2	100.0	100.0
Missing	-1 No response	5706	99.8		
Total		5720	100.0		

tc3183 C4I4: None of the above are intended to be bought in the next 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	29	.5	100.0	100.0
Missing	-1 No response	5691	99.5		
Total		5720	100.0		

[Editing note – C5: A single variable (TC3190) is presented for respondents who only ticked one box, as intended. Separate variables for each of categories 1 to 5 (TC3191 – TC3195) are presented for respondents who ticked multiple boxes. A variable indicating the number of boxes ticked was derived as TC3196.]

tc3190 C5: Person in respondent's family who knows most about computers and how to use them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Respondent	495	8.7	9.2	9.2
	2 Respondent's partner	1517	26.5	28.2	37.4
	3 Study teenager	1949	34.1	36.3	73.7
	4 Teenager's brother	670	11.7	12.5	86.2
	5 Teenager's sister	250	4.4	4.7	90.8
	6 No difference	316	5.5	5.9	96.7
	9 Don't know / can't say	178	3.1	3.3	100.0
	Total	5375	94.0	100.0	
Missing	-2 Multiple tick s	267	4.7		
	-1 No response	78	1.4		
	Total	345	6.0		
Total		5720	100.0		

tc3191 C5 (multiple ticks): Respondent is one of the people in their family who knows most about computers and how to use them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	121	2.1	45.3	45.3
	2 No	146	2.6	54.7	100.0
	Total	267	4.7	100.0	
Missing	-2 Single tick	5375	94.0		
	-1 No response	78	1.4		
	Total	5453	95.3		
Total		5720	100.0		

tc3192 C5 (multiple ticks): Respondent's partner is one of the people in respondent's family who knows most about computers and how to use them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	160	2. 8	59. 9	59. 9
	2 No	107	1. 9	40. 1	100. 0
	Total	267	4. 7	100.0	
Missing	-2 Single tick	5375	94. 0		
	-1 No response	78	1. 4		
	Total	5453	95. 3		
Total		5720	100. 0		

tc3193 C5 (multiple ticks): Study teenager is one of the people in respondent's family who knows most about computers and how to use

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	232	4. 1	86. 9	86. 9
	2 No	35	.6	13. 1	100. 0
	Total	267	4. 7	100. 0	
Missing	-2 Single tick	5375	94. 0		
	-1 No response	78	1. 4		
	Total	5453	95. 3		
Total		5720	100. 0		

tc3194 C5 (multiple ticks): Teenager's brother is one of the people in respondent's family who knows most about computers and how to use

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	124	2. 2	46. 4	46. 4
	2 No	143	2. 5	53. 6	100. 0
	Total	267	4. 7	100.0	
Missing	-2 Single tick	5375	94. 0		
	-1 No response	78	1. 4		
	Total	5453	95. 3		
Total		5720	100. 0		

tc3195 C5 (multiple ticks): Teenager's sister is one of the people in respondent's family who knows most about computers and how to use

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	114	2. 0	42. 7	42. 7
	2 No	153	2. 7	57. 3	100. 0
	Total	267	4. 7	100. 0	
Missing	-2 Single tick	5375	94. 0		
	-1 No response	78	1. 4		
	Total	5453	95. 3		
Total		5720	100. 0		

tc3196 DV: Number of ticks for question C5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	78	1.4	1.4	1.4
	1	5375	94.0	94.0	95.3
	2	128	2.2	2.2	97.6
	3	74	1.3	1.3	98.9
	4	52	.9	.9	99.8
	5	13	.2	.2	100.0
	Total	5720	100.0	100.0	

tc3200 C6a: Frequency study teenager uses the internet for social networking (e.g. Bebo, MySpace, Facebook)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	3728	65.2	66.6	66.6
	2 Occasionally	1011	17.7	18.1	84.6
	3 Rarely	686	12.0	12.3	96.9
	9 Don't know	174	3.0	3.1	100.0
	Total	5599	97.9	100.0	
Missing	-1 No response	121	2.1		
Total		5720	100.0		

tc3201 C6b: Frequency study teenager uses the internet for instant messaging 'Chat' (e.g. MSN)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	3577	62.5	64.2	64.2
	2 Occasionally	1075	18.8	19.3	83.5
	3 Rarely	698	12.2	12.5	96.0
	9 Don't know	224	3.9	4.0	100.0
	Total	5574	97.4	100.0	
Missing	-1 No response	146	2.6		
Total		5720	100.0		

tc3202 C6c: Frequency study teenager uses the internet for watching video (e.g. YouTube)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	1860	32. 5	33. 4	33. 4
	2 Occasionally	2371	41.5	42. 6	76. 0
	3 Rarely	1063	18. 6	19. 1	95. 1
	9 Don't know	275	4. 8	4. 9	100.0
	Total	5569	97. 4	100. 0	
Missing	-1 No response	151	2. 6		
Total		5720	100.0		

tc3203 C6d: Frequency study teenager uses the internet for researching homework

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	3522	61. 6	63. 0	63. 0
	2 Occasionally	1540	26. 9	27. 5	90. 5
	3 Rarely	460	8. 0	8. 2	98. 7
	9 Don't know	71	1. 2	1. 3	100. 0
	Total	5593	97. 8	100. 0	
Missing	-1 No response	127	2. 2		
Total		5720	100. 0		

g

tc3204 C6e : Frequency study teenager uses the internet for e -mail us in theirç own email address

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	2477	43. 3	44. 4	44. 4
	2 Occasionally	1995	34. 9	35. 7	80. 1
	3 Rarely	912	15. 9	16. 3	96. 4
	9 Don't know	201	3. 5	3. 6	100.0
	Total	5585	97. 6	100. 0	
Missing	-1 No response	135	2. 4		
Total		5720	100.0		

tc3205 C6f: Frequency study teenager uses the internet for e -mail using family email address

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	247	4. 3	5. 0	5. 0
	2 Occasionally	875	15. 3	17. 8	22. 8
	3 Rarely	3202	56. 0	65. 0	87. 7
	9 Don't know	604	10.6	12. 3	100.0
	Total	4928	86. 2	100. 0	
Missing	-1 No response	792	13. 8		
Total		5720	100.0		

tc3206 C6g: Frequency study teenager uses the internet for playing games

	• • •	. ,			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	1424	24.9	25.7	25.7
	2 Occasionally	1852	32.4	33.4	59.1
	3 Rarely	1980	34.6	35.7	94.9
	9 Don't know	285	5.0	5.1	100.0
	Total	5541	96.9	100.0	
Missing	-1 No response	179	3.1		
Total		5720	100.0		

tc3207 C6h: Frequency study teenager uses the internet for downloading music from commercial sites (e.g. iTunes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	2185	38.2	39.3	39.3
	2 Occasionally	1973	34.5	35.5	74.7
	3 Rarely	1013	17.7	18.2	92.9
	9 Don't know	394	6.9	7.1	100.0
	Total	5565	97.3	100.0	
Missing	-1 No response	155	2.7		
Total		5720	100.0		

tc3208 C6i: Frequency study teenager uses the internet for downloading pirated music (e.g. via Lime Wire or BitTorrent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	617	10. 8	11.7	11.7
	2 Occasionally	793	13. 9	15. 1	26. 8
	3 Rarely	1591	27. 8	30. 3	57. 1
	9 Don't know	2256	39. 4	42. 9	100.0
	Total	5257	91. 9	100.0	
Missing	-1 No response	463	8. 1		
Total		5720	100. 0		

tc3210 C7a: Respondent has checked files or folders on a computer for content to manage study teenager's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	4075	71.2	72.5	72.5
	2 Yes, once	537	9.4	9.6	82.1
	3 Yes, more than once	1008	17.6	17.9	100.0
	Total	5620	98.3	100.0	
Missing	-1 No response	100	1.7		
Total		5720	100.0		

tc3211 C7b: Respondent has restricted the amount of time allowed online to manage study teenager's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	2872	50.2	51.1	51.1
	2 Yes, once	454	7.9	8.1	59.2
	3 Yes, more than once	2295	40.1	40.8	100.0
	Total	5621	98.3	100.0	
Missing	-1 No response	99	1.7		
Total		5720	100.0		

tc3212 C7c: Respondent has accessed their e-mail or other account without their knowledge to manage study teenager's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	5235	91.5	93.2	93.2
	2 Yes, once	138	2.4	2.5	95.7
	3 Yes, more than once	241	4.2	4.3	100.0
	Total	5614	98.1	100.0	
Missing	-1 No response	106	1.9		
Total		5720	100.0		

tc3213 C7d: Respondent has accessed their e-m ail or other account with their knowledge to manage study teenager 's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	4756	83.1	84.9	84.9
	2 Yes, once	298	5.2	5.3	90.2
	3 Yes, more than once	547	9.6	9.8	100.0
	Total	5601	97.9	100.0	
Missing	-1 No response	119	2.1		
Total		5720	100.0		

tc3214 C7e : Respondent has restricted the type of activities allowed on the internet to manage study teenager's internet usage

	oo. to manage cana, teenage e miernet acage				
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	3917	68.5	70.0	70.0
	2 Yes, once	331	5.8	5.9	75.9
	3 Yes, more than once	1351	23.6	24.1	100.0
	Total	5599	97.9	100.0	
Missing	-1 No response	121	2.1		
Total		5720	100.0		

tc3215 C7f: Respondent has restricted use of a social networking site (e.g. Bebo) to manage study teenager's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	4676	81.7	83.8	83.8
	2 Yes, once	227	4.0	4.1	87.9
	3 Yes, more than once	676	11.8	12.1	100.0
	Total	5579	97.5	100.0	
Missing	-1 No response	141	2.5		
Total		5720	100.0		

tc3216 C7g: Respondent has viewed their profile on a social networking site without their knowledge to manage study teenager's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	4832	84.5	86.4	86.4
	2 Yes, once	387	6.8	6.9	93.3
	3 Yes, more than once	373	6.5	6.7	100.0
	Total	5592	97.8	100.0	
Missing	-1 No response	128	2.2		
Total		5720	100.0		

tc3217 C7h: Respondent has asked for a password to access their computer folder to manage study teenager's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	4788	83.7	85.6	85.6
	2 Yes, once	339	5.9	6.1	91.7
	3 Yes, more than once	467	8.2	8.3	100.0
	Total	5594	97.8	100.0	
Missing	-1 No response	126	2.2		
Total		5720	100.0		

tc3218 C7i: Respondent has installed filtering software to restrict access to certain types of sites to manage study teenager's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	3693	64.6	66.2	66.2
	2 Yes, once	536	9.4	9.6	75.8
	3 Yes, more than once	1348	23.6	24.2	100.0
	Total	5577	97.5	100.0	
Missing	-1 No response	143	2.5		
Total		5720	100.0		

tc3219 C7j: Respondent has installed monitoring software on a computer to manage study teenager's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	4720	82.5	85.4	85.4
	2 Yes, once	236	4.1	4.3	89.7
	3 Yes, more than once	571	10.0	10.3	100.0
	Total	5527	96.6	100.0	
Missing	-1 No response	193	3.4		
Total		5720	100.0		

tc3220 C7k : Respondent has examined browsing history or cache to manage study teenager's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	3975	69.5	71.2	71.2
	2 Yes, once	451	7.9	8.1	79.3
	3 Yes, more than once	1154	20.2	20.7	100.0
	Total	5580	97.6	100.0	
Missing	-1 No response	140	2.4		
Total		5720	100.0		

tc3221 C7I: Respondent has monitored their mobile telephone records to manage r study teenager's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	4562	79.8	81.4	81.4
	2 Yes, once	226	4.0	4.0	85.5
	3 Yes, more than once	813	14.2	14.5	100.0
	Total	5601	97.9	100.0	
Missing	-1 No response	119	2.1		
Total		5720	100.0		

tc3222 C7m : Respondent has examined contents of their phone (e.g. text messages or photographs) without their knowledge or consent to manage study teenager's internet usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not done this	4693	82.0	83.7	83.7
	2 Yes, once	441	7.7	7.9	91.5
	3 Yes, more than once	474	8.3	8.5	100.0
	Total	5608	98.0	100.0	
Missing	-1 No response	112	2.0		
Total		5720	100.0		

Section D: Your Teenager's Feelings Please think how your teenager has been in the **past 6 months**. Not Somewhat Certainly Don't In the past six months: true true true know D1. She has been considerate of other 2 9 1 🔲 3 people's feelings D2. She has been restless, overactive, 1 🔲 2 3 9 cannot stay still for long D3. She has often complained of headaches, $1 \square$ 2 3 9 stomach aches or sickness D4. She has shared readily with other 1 🔲 2 3 9 children and teenagers D5. She has often had temper tantrums or 1 🔲 2 3 9 hot tempers D6. She is rather solitary, tends to be alone 1 🔲 2 3 9 D7. She is generally obedient, usually does 1 🔲 2 3 9 what adults request D8. She has many worries, often seems 2 9 1 🔲 3 worried D9. She is helpful if someone is hurt, 1 🔲 2 3 9 upset or feeling ill D10. She is constantly fidgeting or 1 🔲 2 3 9 squirming D11. She has at least one good friend 1 🔲 2 3 9 D12. She often fights or bullies other 1 🔲 2 3 9 children or teenagers D13. She is often unhappy, down-hearted 1 🔲 2 3 9 or tearful D14. She is generally liked by others 1 🔲 2 3 9 D15. She is easily distracted, her 1 🔲 2 3 9 concentration wanders D16. She is nervous or clingy in new 1 2 3 9 situations, easily loses confidence 21

PAGE 22 OF THE QUESTIONNAIRE

In the	past six months:	Not true	Somewhat true	Certainly true	Don't know
D17.	She is kind to younger children	1 🔲	2 🗖	3 🔲	9 🗖
D18.	She often lies or cheats	¹ 🗖	2 🔲	3 🔲	9 🗖
D19.	She is picked on or bullied by other teenagers	1 □	2 🔲	3 🔲	9
D20.	She often volunteers to help others (parents, teachers, other teenagers)	1 🔲	2 🗖	3 🔲	9 🔲
D21.	She thinks things out before acting	1 🔲	2 🔲	3 🔲	9 🔲
D22.	She steals from home, school or elsewhere	1 🗖	2 🔲	3 🔲	9 🗖
D23.	She gets on better with adults than with other teenagers	1 🔲	2 🔲	3 🔲	9 🔲
D24.	She has many fears, is easily scared	1 🔲	2 🔲	3 🔲	9 🔲
D25.	She sees tasks through to the end, has good attention span	1 🔲	2 🔲	3 🔲	9 🔲
	questions are about how your child may				
•	past 2 weeks:	nas ien o	·	Sometimes true	Not true
D26.	She felt miserable or unhappy		1 🔲	2 🔲	3 🔲
D_{20} .	She didn't enjoy anything at all		1 🔲	2 🔲	3
D27.	one didn't enjoy anything at an		_	2 🔲	3 🔲
	She felt so tired that she just sat aroun	nd	1 🔲		
D27.		nd	1 🔲	2 🔲	3 🔲
D27. D28.	She felt so tired that she just sat aroun and did nothing	nd		2 🔲	3 🔲
D27. D28. D29.	She felt so tired that she just sat aroun and did nothing She was very restless	nd	1 🗖	_	

PAGE 23 OF THE QUESTIONNAIRE

In the p	past 2 weeks:	True	Sometimes true	Not true
D32.	She found it hard to think properly or concentrate	1 🔲	2	3
D33.	She hated herself	1 🗖	2 🗖	3 🔲
D34.	She felt she was a bad person	1 🔲	2 🗖	3
D35.	She felt lonely	1 🔲	2 🗖	3
D36.	She thought nobody really loved her	1	2 🔲	3 🔲
D37.	She thought she could never be as good as others	1 🔲	2 🔲	3
D38.	She felt she did everything wrong	1 🔲	2 🔲	3
D39.	How much do the following descriptions apply to y	your stud	ly teenager?	
Ov	er the last 6 months:	Not true	Quite or sometimes true	Very or often true
a)	Not aware of other people's feelings	1 🔲	2 🔲	3 🔲
b)	Does not realise when others are upset or angry	1	2 🔲	3 🔲
	Does not notice the effect of her behaviour on other members of the family	1 🗖	2 🗖	3 🔲
c)	•			
c)d)	Her behaviour often disrupts normal family life	1 🔲	2 🔲	3
ŕ	Her behaviour often disrupts normal family life Verydemanding of other people's time	1	²	3 🔲
d)	•	_	_	_
d) e)	Verydemanding of other people's time	_ 1	2 □	3 🔲

PAGE 24 OF THE QUESTIONNAIRE

	ontinued er the last 6 months:	Not true	Quite or sometimes true	Very or often true
i)	Does not understand how she should behave when	1 	2 □	3 🔲
,	she is out, e.g. in shops or other people's houses		_	_
j)	Does not realise that she offends people with her behaviour	1	2	3 🔲
k)	Does not respond when told to do something	1	2 🔲	3 🔲
1)	Cannot follow a command unless it is carefully worded	1	2 🔲	3 🔲
m)	Do you have any other comments or concerns? If yes, please mark and describe:		Yes 1 □	No 2 □
ad tha ut it is	s many ups and downs. Sometimes people feel very it people may feel suicidal or want to self-harm. We important to ask about it now, as it is not uncomn rm we can find ways of helping people.	e knov	v this is a sensit	ive subject,
ad tha ut it is elf-ha	t people may feel suicidal or want to self-harm. We	e knov non. B	w this is a sensite By finding out ab But and a sensite	ive subject, out
ad tha ut it is elf-ha	It people may feel suicidal or want to self-harm. We important to ask about it now, as it is not uncommerm we can find ways of helping people. Has your daughter <u>ever</u> hurt herself on purpose <u>in a</u> (e.g. by taking an overdose of pills, or by cutting h	e knownon. B	w this is a sensite By finding out ab But and a sensite	ive subject, out ware of
ad tha ut it is elf-ha	It people may feel suicidal or want to self-harm. We important to ask about it now, as it is not uncommerm we can find ways of helping people. Has your daughter <u>ever</u> hurt herself on purpose <u>in a</u> (e.g. by taking an overdose of pills, or by cutting h	e knownon. B	w this is a sensite by finding out ab av that you are a o?	ive subject, out ware of
ad tha out it is elf-ha	the people may feel suicidal or want to self-harm. We important to ask about it now, as it is not uncommerm we can find ways of helping people. Has your daughter ever hurt herself on purpose in a (e.g. by taking an overdose of pills, or by cutting her yes 1 \text{No} 2 \text{The Ino,}	e know non. B any wa erself)	w this is a sensite by finding out about about about about about are about are about a section E on page and a section E on page about a section E on page a section E on pa	ive subject, out ware of age 27
ad tha ut it is elf-han	It people may feel suicidal or want to self-harm. We important to ask about it now, as it is not uncommorm we can find ways of helping people. Has your daughter ever hurt herself on purpose in a (e.g. by taking an overdose of pills, or by cutting how the property of the people in a people in	e knownon. By any waterself) go to	w this is a sensite by finding out about about about about about are about a section E on page a secti	ware of age 27
ad tha ut it is elf-han	It people may feel suicidal or want to self-harm. We important to ask about it now, as it is not uncommerm we can find ways of helping people. Has your daughter ever hurt herself on purpose in a (e.g. by taking an overdose of pills, or by cutting how yes a long to No 2 long. If no, If yes, How many times has she done this in the last year?	e known on. By the server of t	e mark one box of More 10 times.	ware of age 27 only. than 4 nes

PAGE 25 OF THE QUESTIONNAIRE

,	The <u>last time</u> she hurt herself on purpose, which of the a what she did? Please mark all boxes that apply.	actions below best describe
	i) Swallowed pills or something poisonous	1
	ii) Cut herself	1 🗖
	iii) Burnt herself, e.g. with a cigarette	1 🗖
	iv) Something else, please say what:	1 🗖
	The last time she hurt herself on purpose did she or you medical help / first aid from any of the following? Pleas	se mark all boxes that apply
	medical help / first aid from any of the following? Pleas i) GP (family doctor)	
	 i) GP (family doctor) ii) Hospital casualty / emergency department 	se mark all boxes that apply
	medical help / first aid from any of the following? Pleas i) GP (family doctor)	se mark all boxes that apply
	 i) GP (family doctor) ii) Hospital casualty / emergency department iii) Other health professional, 	se mark all boxes that apply
1 41.a) H	 i) GP (family doctor) ii) Hospital casualty / emergency department iii) Other health professional, 	te mark all boxes that apply

PAGE 26 OF THE QUESTIONNAIRE

		_
If <u>ves</u> ,		
	ve you been to for help? Please mark all boxes th	at apply.
i)	A family member	1 🗖
ii)	A friend	1 🗖
iii)	A staff member in her school/college/work	1 🗖
iv)	A GP (family doctor)	1 🗖
v)	Social services	1 🗖
vi)	A telephone help line, if so, which?	1
Г	n so, wateri	
vii	Somewhere else (e.g. internet, book, magazine, other person, etc.), please say what or who:	1
by continuous www.s Young 10-4 M	n get information and advice relating to any acting the organisations below: elfharm.org.uk run by National Children's Minds Parents information service 0800 01 on to Fri and 6-8 Wed	Bureau
Parent	line Plus Bristol 0117 953 5525	
	26	28291

tc4000 D1: In the past 6 months, study teenager has been considerate of other people's feelings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	176	3.1	3.1	3.1
	2 Somewhat true	1835	32.1	32.3	35.4
	3 Certainly true	3647	63.8	64.2	99.6
	9 Don't know	22	.4	.4	100.0
	Total	5680	99.3	100.0	
Missing	-1 No response	40	.7		
Total		5720	100.0		

tc4001 D2: In the past 6 months, study teenager has been restless, overactive, cannot stay still for long

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4080	71.3	72.0	72.0
	2 Somewhat true	1180	20.6	20.8	92.9
	3 Certainly true	358	6.3	6.3	99.2
	9 Don't know	46	.8	.8	100.0
	Total	5664	99.0	100.0	
Missing	-1 No response	56	1.0		
Total		5720	100.0		

tc4002 D3: In the past 6 months, study teenager has often complained of headaches, stomach aches or sickness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	3547	62. 0	62. 5	62. 5
	2 Somewhat true	1607	28. 1	28. 3	90. 9
	3 Certainly true	494	8. 6	8. 7	99. 6
	9 Don't know	23	.4	.4	100. 0
	Total	5671	99. 1	100. 0	
Missing	-1 No response	49	.9		
Total		5720	100. 0		

tc4003 D4: In the past 6 months, study teenager has shared readily with other children and teenagers $\,$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	177	3.1	3.1	3.1
	2 Somewhat true	1508	26.4	26.7	29.8
	3 Certainly true	3780	66.1	66.9	96.7
	9 Don't know	186	3.3	3.3	100.0
	Total	5651	98.8	100.0	
Missing	-1 No response	69	1.2		
Total		5720	100.0		

tc4004 D5: In the past 6 months, study teenager has often had temper tantrums or hot tempers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	3991	69.8	70.4	70.4
	2 Somewhat true	1230	21.5	21.7	92.1
	3 Certainly true	430	7.5	7.6	99.7
	9 Don't know	19	.3	.3	100.0
	Total	5670	99.1	100.0	
Missing	-1 No response	50	.9		
Total		5720	100.0		

tc4005 D6: In the past 6 months, study teenager is rather solitary, tends to be ε alone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	3667	64.1	64.6	64.6
	2 Somewhat true	1565	27.4	27.6	92.2
	3 Certainly true	430	7.5	7.6	99.8
	9 Don't know	13	.2	.2	100.0
	Total	5675	99.2	100.0	
Missing	-1 No response	45	.8		
Total		5720	100.0		

tc4006 D7: In the past 6 months, study teenager is generally obedient, usually $\,\iota$ does what adults request

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	247	4.3	4.4	4.4
	2 Somewhat true	2123	37.1	37.4	41.7
	3 Certainly true	3298	57.7	58.1	99.8
	9 Don't know	9	.2	.2	100.0
	Total	5677	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5720	100.0		

tc4007 D8: In the past 6 months, study teenager has many worries, often seems worried

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	3688	64.5	65.1	65.1
	2 Somewhat true	1558	27.2	27.5	92.6
	3 Certainly true	327	5.7	5.8	98.4
	9 Don't know	93	1.6	1.6	100.0
	Total	5666	99.1	100.0	
Missing	-1 No response	54	.9		
Total		5720	100.0		

tc4008 D9: In the past 6 months, study teenager is helpful if someone is hurt, upset or feeling ill

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	113	2.0	2.0	2.0
	2 Somewhat true	1556	27.2	27.4	29.4
	3 Certainly true	3975	69.5	70.0	99.4
	9 Don't know	33	.6	.6	100.0
	Total	5677	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5720	100.0		

tc4009 D10: In the past 6 months, study teenager is constantly fidgeting or squirming

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4848	84.8	85.7	85.7
	2 Somewhat true	616	10.8	10.9	96.6
	3 Certainly true	162	2.8	2.9	99.4
	9 Don't know	33	.6	.6	100.0
	Total	5659	98.9	100.0	
Missing	-1 No response	61	1.1		
Total		5720	100.0		

tc4010 D11: In the past 6 months, study teenager has at least one good friend

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	125	2.2	2.2	2.2
	2 Somewhat true	570	10.0	10.0	12.2
	3 Certainly true	4913	85.9	86.5	98.8
	9 Don't know	69	1.2	1.2	100.0
	Total	5677	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5720	100.0		

tc4011 D12: In the past 6 months, study teenager often fights or bullies other children or teenagers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5473	95.7	96.5	96.5
	2 Somewhat true	99	1.7	1.7	98.3
	3 Certainly true	23	.4	.4	98.7
	9 Don't know	76	1.3	1.3	100.0
	Total	5671	99.1	100.0	
Missing	-1 No response	49	.9		
Total		5720	100.0		

tc4012 D13: In the past 6 months, study teenager is often unhappy, downhearted or tearful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4720	82.5	83.2	83.2
	2 Somewhat true	746	13.0	13.2	96.4
	3 Certainly true	162	2.8	2.9	99.2
	9 Don't know	43	.8	.8	100.0
	Total	5671	99.1	100.0	
Missing	-1 No response	49	.9		
Total		5720	100.0		

tc4013 D14: In the past 6 months, study teenager is generally liked by others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	22	.4	.4	.4
	2 Somewhat true	678	11.9	11.9	12.3
	3 Certainly true	4934	86.3	86.9	99.2
	9 Don't know	47	.8	.8	100.0
	Total	5681	99.3	100.0	
Missing	-1 No response	39	.7		
Total		5720	100.0		

tc4014 D15: In the past 6 months, study teenager is easily distracted, concentration wanders

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	3168	55.4	55.9	55.9
	2 Somewhat true	1877	32.8	33.1	89.0
	3 Certainly true	572	10.0	10.1	99.1
	9 Don't know	51	.9	.9	100.0
	Total	5668	99.1	100.0	
Missing	-1 No response	52	.9		
Total		5720	100.0		

tc4015 D16: In the past 6 months, study teenager is nervous or clingy in new situations, easily loses confidence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4306	75.3	76.0	76.0
	2 Somewhat true	1063	18.6	18.8	94.7
	3 Certainly true	255	4.5	4.5	99.2
	9 Don't know	45	.8	.8	100.0
	Total	5669	99.1	100.0	
Missing	-1 No response	51	.9		
Total		5720	100.0		

tc4016 D17: In the past 6 months, study teenager is kind to younger children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	29	.5	.5	.5
	2 Somewhat true	910	15.9	16.0	16.5
	3 Certainly true	4647	81.2	81.8	98.4
	9 Don't know	92	1.6	1.6	100.0
	Total	5678	99.3	100.0	
Missing	-1 No response	42	.7		
Total		5720	100.0		

tc4017 D18: In the past 6 months, study teenager often lies or cheats

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4940	86.4	87.1	87.1
	2 Somewhat true	511	8.9	9.0	96.1
	3 Certainly true	77	1.3	1.4	97.4
	9 Don't know	146	2.6	2.6	100.0
	Total	5674	99.2	100.0	
Missing	-1 No response	46	.8		
Total		5720	100.0		

tc4018 D19: In the past 6 months, study teenager is picked on or bullied by other teenagers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5012	87. 6	88. 3	88. 3
	2 Somewhat true	332	5. 8	5. 9	94. 2
	3 Certainly true	76	1. 3	1. 3	95. 5
	9 Don't know	255	4. 5	4. 5	100. 0
	Total	5675	99. 2	100. 0	
Missing	-1 No response	45	.8		
Total		5720	100. 0		

tc4019 D20: In the past 6 months, study teenager often volunteers to help others (parents, teachers, other teenagers)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	840	14.7	14.9	14.9
	2 Somewhat true	2691	47.0	47.6	62.4
	3 Certainly true	1868	32.7	33.0	95.5
	9 Don't know	256	4.5	4.5	100.0
	Total	5655	98.9	100.0	
Missing	-1 No response	65	1.1		
Total		5720	100.0		

tc4020 D21: In the past 6 months, study teenager thinks things out before acting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	581	10.2	10.4	10.4
	2 Somewhat true	3228	56.4	57.7	68.0
	3 Certainly true	1700	29.7	30.4	98.4
	9 Don't know	89	1.6	1.6	100.0
	Total	5598	97.9	100.0	
Missing	-1 No response	122	2.1		
Total		5720	100.0		

tc4021 D22: In the past 6 months, study teenager steals from home, school or elsewhere

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5445	95.2	95.9	95.9
	2 Somewhat true	91	1.6	1.6	97.5
	3 Certainly true	27	.5	.5	98.0
	9 Don't know	115	2.0	2.0	100.0
	Total	5678	99.3	100.0	
Missing	-1 No response	42	.7		
Total		5720	100.0		

tc4022 D23: In the past 6 months, study teenager gets on better with adults than with other teenagers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4005	70.0	70.9	70.9
	2 Somewhat true	1113	19.5	19.7	90.6
	3 Certainly true	249	4.4	4.4	95.0
	9 Don't know	285	5.0	5.0	100.0
	Total	5652	98.8	100.0	
Missing	-1 No response	68	1.2		
Total		5720	100.0		

tc4023 D24: In the past 6 months, study teenager has many fears , is easily scared $\,$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4797	83.9	84.6	84.6
	2 Somewhat true	657	11.5	11.6	96.2
	3 Certainly true	113	2.0	2.0	98.2
	9 Don't know	104	1.8	1.8	100.0
	Total	5671	99.1	100.0	
Missing	-1 No response	49	.9		
Total		5720	100.0		


tc4024 D25: In the past 6 months, study teenager sees tasks through to the end has good attention span $\,$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	669	11.7	11.8	11.8
	2 Somewhat true	2647	46.3	46.7	58.5
	3 Certainly true	2315	40.5	40.8	99.3
	9 Don't know	37	.6	.7	100.0
	Total	5668	99.1	100.0	
Missing	-1 No response	52	.9		
Total		5720	100.0		

Derived Variables

Questions D1 to D25 comprise the parent version of the Strengths and Difficulties Questionnaire by Goodman (1997). The responses are used to create 5 individual component scores and an overall behaviour score. The SPSS syntax used to create each score is included below. Please see www.sdginfo.com/c1.html for further details


tc4025a DV: SDQ emotional symptoms score (prorated) tc4025a = RND(MEAN.3(tc4002,tc4007,tc4012,tc4015,tc4023) * 5)



tc4025b DV: SDQ conduct problems score (prorated)

RECODE tc4006 (0=2) (1=1) (2=0) (ELSE=SYSMIS) INTO qobeys . tc4025b = RND(MEAN.3(tc4004,qobeys,tc4011,tc4017,tc4021) * 5) .






DV: SDQ conduct problems score (prorated)

tc4025c DV: SDQ hyperactivity score (prorated)

RECODE tc4020 (0=2) (1=1) (2=0) (ELSE=SYSMIS) INTO qreflect . RECODE tc4024 (0=2) (1=1) (2=0) (ELSE=SYSMIS) INTO qattends . tc4025c = RND(MEAN.3(tc4001,tc4009,tc4014,qreflect,qattends) * 5) .

DV: SDQ hyperactivity score (prorated)




DV: SDQ hyperactivity score (prorated)

tc4025d

DV: SDQ peer problems score (prorated) RECODE tc4010 (0=2) (1=1) (2=0) (ELSE=SYSMIS) INTO qfriend . RECODE tc4013 (0=2) (1=1) (2=0) (ELSE=SYSMIS) INTO qpopular . tc4025d = RND(MEAN.3(tc4005,qfriend,qpopular,tc4018,tc4022) * 5) .


DV: SDQ peer problems score (prorated)




DV: SDQ peer problems score (prorated)

tc4025e

DV: SDQ prosocial score (prorated) tc4025e = RND(MEAN.3(tc4000,tc4003,tc4008,tc4016,tc4019) * 5).



DV: SDQ prosocial score (prorated)



110

tc4030 D26: In the past 2 weeks, study teenager has felt miserable or unhappy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	297	5.2	5.2	5.2
	2 Sometimes true	1633	28.5	28.8	34.0
	3 Not true	3747	65.5	66.0	100.0
	Total	5677	99.2	100.0	
Missing	-1 No response	43	.8		
Total		5720	100.0		

tc4031 D27: In the past 2 weeks, study teenager didn't enjoy anything at all

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	77	1.3	1.4	1.4
	2 Sometimes true	512	9.0	9.0	10.4
	3 Not true	5081	88.8	89.6	100.0
	Total	5670	99.1	100.0	
Missing	-1 No response	50	.9		
Total		5720	100.0		

tc4032 D28: In the past 2 weeks, study teenager felt so tired that they just sat around and did nothing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	277	4.8	4.9	4.9
	2 Sometimes true	1648	28.8	29.1	33.9
	3 Not true	3746	65.5	66.1	100.0
	Total	5671	99.1	100.0	
Missing	-1 No response	49	.9		
Total		5720	100.0		

tc4033 D29: In the past 2 weeks, study teenager was very restless

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	94	1.6	1.7	1.7
	2 Sometimes true	655	11.5	11.6	13.3
	3 Not true	4900	85.7	86.7	100.0
	Total	5649	98.8	100.0	
Missing	-1 No response	71	1.2		
Total		5720	100.0		

tc4034 D30: In the past 2 weeks, study teenager felt they were no good anymore

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	84	1.5	1.5	1.5
	2 Sometimes true	490	8.6	8.7	10.2
	3 Not true	5076	88.7	89.8	100.0
	Total	5650	98.8	100.0	
Missing	-1 No response	70	1.2		
Total		5720	100.0		

tc4035 D31: In the past 2 weeks, study teenager cried a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	72	1.3	1.3	1.3
	2 Sometimes true	288	5.0	5.1	6.4
	3 Not true	5295	92.6	93.6	100.0
	Total	5655	98.9	100.0	
Missing	-1 No response	65	1.1		
Total		5720	100.0		

tc4036 D32: In the past 2 weeks, study teenager found it hard to think properly or concentrate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	127	2.2	2.2	2.2
	2 Sometimes true	1221	21.3	21.6	23.8
	3 Not true	4309	75.3	76.2	100.0
	Total	5657	98.9	100.0	
Missing	-1 No response	63	1.1		
Total		5720	100.0		

tc4037 D33: In the past 2 weeks, study teenager hated themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	54	.9	1.0	1.0
	2 Sometimes true	323	5.6	5.7	6.7
	3 Not true	5275	92.2	93.3	100.0
	Total	5652	98.8	100.0	
Missing	-1 No response	68	1.2		
Total		5720	100.0		

tc4038 D34: In the past 2 weeks, study teenager felt they were a bad person

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	47	.8	.8	.8
	2 Sometimes true	189	3.3	3.4	4.2
	3 Not true	5405	94.5	95.8	100.0
	Total	5641	98.6	100.0	
Missing	-1 No response	79	1.4		
Total		5720	100.0		

tc4039 D35: In the past 2 weeks, study teenager felt lonely

Valid Cumulative Percent Percent
1 CICCIII
1.6 1.6
11.6 13.2
86.8 100.0
100.0

tc4040 D36: In the past 2 weeks, study teenager thought nobody really loved them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	53	.9	.9	.9
	2 Sometimes true	351	6.1	6.2	7.2
	3 Not true	5230	91.4	92.8	100.0
	Total	5634	98.5	100.0	
Missing	-1 No response	86	1.5		
Total		5720	100.0		

tc4041 D37: In the past 2 weeks, study teenager thought they could never be as good as others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	103	1.8	1.8	1.8
	2 Sometimes true	764	13.4	13.5	15.4
	3 Not true	4777	83.5	84.6	100.0
	Total	5644	98.7	100.0	
Missing	-1 No response	76	1.3		
Total		5720	100.0		

tc4042 D38: In the past 2 weeks, study teenager felt they did everything wrong

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	83	1.5	1.5	1.5
	2 Sometimes true	596	10.4	10.6	12.1
	3 Not true	4954	86.6	87.9	100.0
	Total	5633	98.5	100.0	
Missing	-1 No response	87	1.5		
Total		5720	100.0		

tc4050 D39a: Over the last 6 months, study teenager was not aware of other people's $\, c \,$ feelings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4177	73.0	73.6	73.6
	2 Quite or sometimes true	1355	23.7	23.9	97.5
	3 Very or often true	142	2.5	2.5	100.0
	Total	5674	99.2	100.0	
Missing	-1 No response	46	.8		
Total		5720	100.0		

tc4051 D39b: Over the last 6 months, study teenager did not realise when others are upset or angry

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4585	80.2	80.8	80.8
	2 Quite or sometimes true	917	16.0	16.2	96.9
	3 Very or often true	176	3.1	3.1	100.0
	Total	5678	99.3	100.0	
Missing	-1 No response	42	.7		
Total		5720	100.0		

tc4052 D39c: Over the last 6 months, study teenager did not notice the effect their behaviour has on other members of the family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	3513	61.4	61.9	61.9
	2 Quite or sometimes true	1808	31.6	31.9	93.8
	3 Very or often true	351	6.1	6.2	100.0
	Total	5672	99.2	100.0	
Missing	-1 No response	48	.8		
Total		5720	100.0		

tc4053 D39d: Over the last 6 months, study teenager's behaviour often disrupts normal family life

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4290	75.0	75.7	75.7
	2 Quite or sometimes true	1075	18.8	19.0	94.7
	3 Very or often true	302	5.3	5.3	100.0
	Total	5667	99.1	100.0	
Missing	-1 No response	53	.9		
Total		5720	100.0		

tc4054 D39e: Over the last 6 months, study teenager has been very demanding of other people's time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4704	82.2	82.9	82.9
	2 Quite or sometimes true	802	14.0	14.1	97.0
	3 Very or often true	170	3.0	3.0	100.0
	Total	5676	99.2	100.0	
Missing	-1 No response	44	.8		
Total		5720	100.0		

tc4055 D39f: Over the last 6 months, study teenager has been difficult to reason with when upset

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	3481	60.9	61.4	61.4
	2 Quite or sometimes true	1744	30.5	30.7	92.1
	3 Very or often true	447	7.8	7.9	100.0
	Total	5672	99.2	100.0	
Missing	-1 No response	48	.8		
Total		5720	100.0		

tc4056 D39g: Over the last 6 months, study teenager did not seem to understand social skills, e.g. interrupts conversations constantly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5052	88.3	89.0	89.0
	2 Quite or sometimes true	520	9.1	9.2	98.2
	3 Very or often true	103	1.8	1.8	100.0
	Total	5675	99.2	100.0	
Missing	-1 No response	45	.8		
Total		5720	100.0		

tc4057 D39h: Over the last 6 months, study teenager did not pick up on body language

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4675	81.7	82.6	82.6
	2 Quite or sometimes true	850	14.9	15.0	97.6
	3 Very or often true	133	2.3	2.4	100.0
	Total	5658	98.9	100.0	
Missing	-1 No response	62	1.1		
Total		5720	100.0		

tc4058 D39i: Over the last 6 months, study teenager did not understand how they should behave when they are out, e.g. in shops or other people's houses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5337	93.3	94.2	94.2
	2 Quite or sometimes true	145	2.5	2.6	96.7
	3 Very or often true	186	3.3	3.3	100.0
	Total	5668	99.1	100.0	
Missing	-1 No response	52	.9		
Total		5720	100.0		

tc4059 D39j: Over the last 6 months, study teenager did not realise that they offend people with their behaviour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4934	86.3	87.6	87.6
	2 Quite or sometimes true	622	10.9	11.0	98.7
	3 Very or often true	74	1.3	1.3	100.0
	Total	5630	98.4	100.0	
Missing	-1 No response	90	1.6		
Total		5720	100.0		

tc4060 D39k: Over the last 6 months, study teenager did not respond when told to do something

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4138	72.3	73.1	73.1
	2 Quite or sometimes true	1381	24.1	24.4	97.5
	3 Very or often true	142	2.5	2.5	100.0
	Total	5661	99.0	100.0	
Missing	-1 No response	59	1.0		
Total		5720	100.0		

tc4061 D39I: Over the last 6 months, study teenager could not follow a command unless it was carefully worded

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5205	91.0	92.3	92.3
	2 Quite or sometimes true	364	6.4	6.5	98.8
	3 Very or often true	69	1.2	1.2	100.0
	Total	5638	98.6	100.0	
Missing	-1 No response	82	1.4		
Total		5720	100.0		

tc4062 D39m : Respondent has further comment or concerns about study teenager's behaviour in the past 6 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	256	4.5	8.3	8.3
	2 No	2830	49.5	91.7	100.0
	Total	3086	54.0	100.0	
Missing	-1 No response	2634	46.0		
Total		5720	100.0		

tc4070 D40a: Study teenager has hurt themselves on purpose in any way that y respondent is aware of (e.g. by taking an overdose of pills, or by cutting themselves)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	368	6.4	6.5	6.5
	2 No	5268	92.1	93.5	100.0
	Total	5636	98.5	100.0	
Missing	-1 No response	84	1.5		
Total		5720	100.0		

tc4071 D40b: Number of times that study teenager has hurt themselves on purpose in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once	128	2.2	56.1	56.1
	2 2-5 times	76	1.3	33.3	89.5
	3 6-10 times	14	.2	6.1	95.6
	4 More than 10 times	10	.2	4.4	100.0
	Total	228	4.0	100.0	
Missing	-1 No response	5492	96.0		
Total		5720	100.0		

tc4072 D40c: Study teenager last hurt themself on purpose in any way that respondent was aware of

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 In the last week	9	.2	2.5	2.5
	2 More than a week ago but in the last y ear	125	2.2	34.1	36.5
	3 More than a y ear ago	233	4.1	63.5	100.0
	Total	367	6.4	100.0	
Missing	-1 No response	5353	93.6		
Total		5720	100.0		

tc4080 D40d1: The last time the study teenager hurt themself on purpose they swallowed pills or something poisonous

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	42	.7	100. 0	100.0
Missing	-1 No response	5678	99. 3		
Total		5720	100. 0		

tc4081 D40d2: The last time the study teenager hurt themself on purpose they cut themself

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	276	4.8	100.0	100.0
Missing	-1 No response	5444	95.2		
Total		5720	100.0		

tc4082 D40d3: The last time the study teenager hurt themself on purpose they burnt themself e.g. with a cigarette

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.2	100.0	100.0
Missing	-1 No response	5706	99.8		
Total		5720	100.0		

tc4083 D40d4: The last time the study teenager hurt themself on purpose they did something else $\,$

• • • • • • • • • • • • • • • • • • •				
	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	47	.8	100.0	100.0
Missing -1 No response	5673	99.2		
Total	5720	100.0		

tc4090 D40e 1: The last time the study teenager hurt themself on purpose they or the respondent on their behalf sought medical help/first aid from a GRm (family doctor)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	70	1.2	100.0	100.0
Missing	-1 No response	5650	98.8		
Total		5720	100.0		

tc4091 D40e 2: The last time the study teenager hurt themself on purpose they or the respondent on their behalf sought medical help/first aid from a m hospital casualty/emergency department

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	40	.7	100.0	100.0
Missing	-1 No response	5680	99.3		
Total		5720	100.0		

tc4092 D40e 3: The last time the study teenager hurt themself on purpose they or the respondent on their behalf sought medical help/first aid from another health professional

		Frequency	Percent	Valid Percen	Cumulative Percent
Valid	1 Yes	61	1. 1	100. 0	100. 0
Missing	-1 No response	5659	98. 9		
Total		5720	100. 0		

tc4100 D41a: Respondent has ever tried to get help from someone or somewhere about their study teenager hurting themselves on purpose

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	150	2.6	39.1	39.1
	2 No	234	4.1	60.9	100.0
	Total	384	6.7	100.0	
Missing	-1 No response	5336	93.3		
Total		5720	100.0		

tc4101 D41b1: Respondent has been to a family member for help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	48	.8	100.0	100.0
Missing	-1 No response	5672	99.2		
Total		5720	100.0		

tc4102 D41b2: Respondent has been to a friend for help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	38	.7	100.0	100.0
Missing	-1 No response	5682	99.3		
Total		5720	100.0		

tc4103 D41b3: Respondent has been to a staff member in her school/college/work for help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	56	1. 0	100. 0	100.0
Missing	-1 No response	5664	99. 0		
Total		5720	100. 0		

tc4104 D41b4: Respondent has been to a GP (family doctor) for help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	104	1.8	100.0	100.0
Missing	-1 No response	5616	98.2		
Total		5720	100.0		

tc4105 D41b5: Respondent has been to social services for help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	30	.5	100.0	100.0
Missing	-1 No response	5690	99.5		
Total		5720	100.0		

tc4106 D41b6: Respondent has been to a telephone helpline for help

					- F
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	16	.3	100.0	100.0
Missing	-1 No response	5704	99.7		
Total		5720	100.0		

tc4108 D41b7: Respondent has been to somewhere else (e.g. internet, book, magazine, other person etc) for help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	44	.8	100.0	100.0
Missing	-1 No response	5676	99.2		
Total		5720	100.0		

	Section E: Your Teenager's Eating Patterns
E1. a)	What is her height at the moment (without shoes)? The best way to measure height is to stand barefoot as straight as possible against a wall, and then ask someone to make a mark on the wall at the highest point on your head, and to measure the distance from the mark to the floor.
	feet inches OR metres centimetres don't know
b)	What is her weight at the moment (without shoes)? Please fill in using kilos or stones.
	stones pounds OR kilos don't know
c)	What was her lowest weight in the last 12 months? Please fill in using kilos or stones.
	stones pounds OR kilos don't know
d)	What was her highest weight in the last 12 months? Please fill in using kilos or stones.
	stones pounds OR kilos don't know
	28291

PAGE 28 OF THE QUESTIONNAIRE

E2.	At present would you describe her as:
	Very thin 1 ☐ Thin 2 ☐ Average 3 ☐ Plump 4 ☐ Fat 5 ☐
E3.	How do you feel she compares this year with previous years?
	Thinner in ¹□ About the same ²□ A little thinner ³□ previous years this year
	A lot thinner 4 Less thin than 5 this year in previous years
E4.	At present would she describe herself as:
	Very thin 1 ☐ Thin 2 ☐ Average 3 ☐ Plump 4 ☐ Fat 5 ☐
E5.	Have you or other people (e.g. family, friend, a doctor) been seriously concerned that her weight has been bad for her physical health? Yes ¹□ No ²□
E6.	Is she afraid of gaining weight or getting fat? No ¹□ A little ²□ A lot ³□ It really terrifies her ⁴□
E7.	Does she avoid the sorts of food that she thinks will make her fat?
	No ¹ ☐ A little ² ☐ A lot ³ ☐
E8.	How often does she avoid fattening food?
	Never ¹ ☐ Sometimes ² ☐ Most of the time ³ ☐ Always ⁴ ☐
	28291

PAGE 29 OF THE QUESTIONNAIRE

E9. Does she spend a lot of her time thinking about food? Yes Don't know Don't							
Yes							
Yes							
E10. Sometimes people say that they have such a strong desire for food, and that this desire is so hard to resist, that it is like what an addict feels about drugs or alcohol. Does this apply to her? No	E9.	Does she spend a lot o	f her time thinking	g about food?	_		
E10. Sometimes people say that they have such a strong desire for food, and that this desire is so hard to resist, that it is like what an addict feels about drugs or alcohol. Does this apply to her? No			N. E	Dooklass	_		
desire is so hard to resist, that it is like what an addict feels about drugs or alcohol. Does this apply to her? No 1		Yes 1	NO 2 📙	Don't know	9 🔲		
E11.a) Sometimes people lose control over what they eat, and then they eat a very large amount of food in a short time. Does she ever do this? Yes 1 No 2 Hino, go to E12 on page 30 If yes. b) Over the last 3 months, how often has this happened? Hasn't happened 1 Occasionally 2 About once a 3 Two or more 4 times a week c) When this happens, does she have a sense of losing control over her eating? Yes 1 No 2 Not sure 3 d) Please describe how much she typically eats during one of her episodes of eating to much:	E10.	desire is so hard to res	ist, that it is like w				
amount of food in a short time. Does she ever do this? Yes ¹ □ No ² □ → If no, go to E12 on page 30 If yes. b) Over the last 3 months, how often has this happened? Hasn't happened ¹ □ Occasionally ² □ About once a ³ □ Two or more ⁴ □ week times a week c) When this happens, does she have a sense of losing control over her eating? Yes ¹ □ No ² □ Not sure ³ □ d) Please describe how much she typically eats during one of her episodes of eating to much:		No 1	A little ² □	A lot	3 🔲		
If yes, b) Over the last 3 months, how often has this happened? Hasn't happened	E11.a)				n they eat a very large		
b) Over the last 3 months, how often has this happened? Hasn't happened		Yes ¹□	No 2 🗆 —	→ If <u>no</u> , go to	E12 on page 30		
Hasn't happened Occasionally 2 About once a 3 Two or more 4 times a week c) When this happens, does she have a sense of losing control over her eating? Yes No Not sure 3 d) Please describe how much she typically eats during one of her episodes of eating to much:		If <u>ves</u> ,					
About once a week times a week c) When this happens, does she have a sense of losing control over her eating? Yes No Not sure Not sure Describe how much she typically eats during one of her episodes of eating to much:	b)	Over the <u>last 3 months</u> , how often has this happened?					
week times a week c) When this happens, does she have a sense of losing control over her eating? Yes 1 No 2 Not sure 3 Please describe how much she typically eats during one of her episodes of eating to much:		Hasn't happened	1	Occasionally	2 🔲		
Yes 1 No 2 Not sure 3 Please describe how much she typically eats during one of her episodes of eating to much:			3 🔲		4 🔲		
d) Please describe how much she typically eats during one of her episodes of eating to much: 28291	c)	When this happens, do	es she have a sens	e of losing contro	ol over her eating?		
much: 28291		Yes 1	No 2	Not sure	3 🔲		
	d)		auch she typically	eats during one o	f her episodes of eating too		
29					28291		
2)			29				

PAGE 30 OF THE QUESTIONNAIRE

	weight?	No	A little	A lot	Tried to but not allowed	Don't know
a)	Ate less at mealtimes	1	2 🔲	3	4 □	9 🔲
b)	Skipped meals	1	2 🗖	3	4 🗖	9 🗖
c)	Went without food for long periods, e.g. all day or most of the day	1	2 🔲	3 🔲	4 🔲	9 🔲
d)	Hid or threw away food that others gave her	1	2 🔲	3 🔲	4	9 🗖
e)	Exercised more	1 🗖	2 🔲	3 🔲	4	9 🗖
f)	Made herself sick	1	2 🔲	3 🔲	4 🔲	9 🔲
g)	Took pills or medication in order to lose weight: (Please mark & describe what she took)	1 🔲	2 🗖	3 🗖	4 🔲	9 🗖
h)	Did other things: (Please mark & describe what she does)	1 🗖	2 🗖	3 🗖	4 🔲	9 🔲

PAGE 31 OF THE QUESTIONNAIRE

E13.	If she eats too much, does she blame herse	elf a lot?			
	Yes 1 ☐ No 2 ☐		Never ea	ats too mu	1ch 3 □
E14.	Is she upset or distressed about her weight	or body sha	ipe?		
	No, not at all □ Yes, a	a little 2	Ye	s, quite a l	lot 3 🔲
	Yes, a great deal ⁴ ☐ Don't	know 9 □			
E15.	How much do you think her eating pattern has interfered with:	or concern	about weig	tht and bo	dy shape
	nas interfered with.	Not at all	A little	Quite a lot	A great deal
a)	How well she gets on with you and the res of the family.	t 1 🗖	2 🔲	3 🔲	4 🔲
b)	Making and keeping friends.	1 🔲	2 🔲	3 🔲	4 🔲
c)	Learning or class work.	1	2	3 🔲	4 🔲
d)	Hobbies, sports or other leisure activities.	1 🗖	2 🔲	3 🔲	4 🔲
E16.	If a doctor told her that she needed to put health, how would she find this? She may hard for her to put on weight. Here we are whether she can succeed.	have a phys	ical proble	em that ma	akes it
	Easy ¹ Difficult	t 2 🗖		Impossi	ble ₃ □
				2829)1

PAGE 32 OF THE FEMALE QUESTIONNAIRE


E17.	Has her eating pattern of or the family as a whole		out weight	or body	y shape pi	ıt a burde	en on you
	Not at all □	A little 2		Quite a l	lot 3 🔲	A gr	eat deal 4 🗖
E18.					Yes	No	Don't know
a)	Has she ever thought she people said she was ver		en when ot	her	1	2 🔲	3 🔲
b)	Would she be ashamed much she eats?	if other peop	le knew ho)W	1 🗖	2	3 🔲
c)	Has she ever deliberate	ly made herse	elf sick?		1	2	3 🔲
d)	Do worries about eating	g really interfe	ere with he	er life?	1	2 🔲	3 🔲
E19.	Does she think her weig	ht has been b	ad for her	physica	al health?		
	Yes ¹□	No	2 🔲				
E20a)	If she has started her reg didn't happen at all?	gular periods,	have ther	e been a	any month	ns when t	he period
	Yes 1	No	2 🔲		Don't kno	ow ₃ 🗆	l
			Hasn't sta	rted her	periods y	vet 4 □	
	If <u>ves</u> ,						
b)	Has she had any periods	s in the last 3	months?				
	Yes ¹□	No	2 🔲			282	291 <u></u>
		32	2				

PAGE 32 OF THE MALE QUESTIONNAIRE

E17.	Has his eating pattern or concern about weight or boo or the family as a whole?	dy shape p	ıt a burde	en on you
	Not at all ¹ ☐ A little ² ☐ Quite a	a lot 3	A gr	eat deal 4 🗖
E18.		Yes	No	Don't know
a)	Has he <u>ever</u> thought he was fat even when other people said he was very thin?	1	2 🔲	3 🔲
b)	Would he be ashamed if other people knew how much he eats?	1	2 🔲	3 🔲
c)	Has he <u>ever</u> deliberately made himselfsick?	1 🔲	2 🔲	3 🔲
d)	Do worries about eating really interfere with his life?	1	2 🔲	3 🗖
E19.	Does he think his weight has been bad for his physical Yes 1 No 2 No	al health?		
	32		57	265

[Editing note – E1a: For 75 imperial heights for which the inches box was left blank (15 of 5ft and 60 of 6ft) the inches variable was recoded to 0. A single variable for height in cm was then created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric heights were reported then the metric height was taken unless the two heights were not equivalent and the imperial height was closer to the median (5ft 5in for females and 5ft 11in for males). The variable was set to –9 if the "Don"t know" box had been ticked.]

tc5000 E1a: Current height (cm)




plus the following missing values:

tc5000 E1a: Current height (cm)

		Frequency	Percent
Missing	-9 Don't know	318	40.4
	-1 No response	470	59.6
	Total	788	100.0

[Editing: For 399 imperial weights for which the pounds box was left blank the pounds variable was recoded to 0. A single variable for weight in kg was then created using a conversion factor of 1lb = 0.4536kg for imperial measurements (rounding to the nearest integer). If both imperial and metric weights were reported then the metric weight was taken unless the two weights were not equivalent and the imperial weight was closer to the median (57kg for females and 67kg for males). The variable was set to –9 if the "Don"t know" box had been ticked.]

tc5001 E1b: Current weight (kg)




plus the following missing values and outliers < 37kg or > 114kg:

tc5001 E1b: Current weight (kg)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	34	1	.1	12. 5	12. 5
	117	1	.1	12. 5	25. 0
	121	1	.1	12. 5	37. 5
	122	1	.1	12. 5	50. 0
	129	1	.1	12. 5	62. 5
	132	1	.1	12. 5	75. 0
	133	1	.1	12. 5	87. 5
	140	1	.1	12. 5	100. 0
	Total	8	.4	100. 0	
Missing	-9 Don't know	1216	64. 9		
	-1 No response	650	34. 7		
	Total	1866	99. 6		
Total		1874	100. 0		

[Editing: For 208 imperial weights for which the pounds box was left blank the pounds variable was recoded to 0. A single variable for weight in kg was then created using a conversion factor of 1lb = 0.4536kg for imperial measurements (rounding to the nearest integer). If both imperial and metric weights were reported then the metric weight was taken unless the two weights were not equivalent and the imperial weight was closer to the median (57kg for females and 67kg for males). The variable was set to -9 if the "Don"t know" box had been ticked.]

tc5002 E1c: Lowest weight in the last 12 months (kg)




plus the following missing values and outliers < 35kg or > 111kg:

tc5002 E1c: Lowest weight in the last 12 months (k g)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	32	1	.0	16.7	16.7
	121	1	.0	16.7	33.3
	122	1	.0	16.7	50.0
	127	1	.0	16.7	66.7
	131	1	.0	16.7	83.3
	140	1	.0	16.7	100.0
	Total	6	.2	100.0	
Missing	-9 Don't know	3110	81.7		
	-1 No response	690	18.1		
	Total	3800	99.8		
Total		3806	100.0		

[Editing: For 206 imperial weights for which the pounds box was left blank the pounds variable was recoded to 0. A single variable for weight in kg was then created using a conversion factor of 1lb = 0.4536kg for imperial measurements (rounding to the nearest integer). If both imperial and metric weights were reported then the metric weight was taken unless the two weights were not equivalent and the imperial weight was closer to the median (57kg for females and 67kg for males). The variable was set to -9 if the "Don"t know" box had been ticked.]

ta5003 E1d: Highest weight ever (kg)



plus the following missing values and outliers > 115kg:

tc5003 E1d: Highest weight in the last 12 months (k g)

			•	0,	
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	117	1	.0	11.1	11.1
	121	1	.0	11.1	22.2
	125	1	.0	11.1	33.3
	129	1	.0	11.1	44.4
	130	1	.0	11.1	55.6
	131	1	.0	11.1	66.7
	133	1	.0	11.1	77.8
	134	1	.0	11.1	88.9
	144	1	.0	11.1	100.0
	Total	9	.2	100.0	
Missing	-9 Don't know	2984	80.4		
	-1 No response	720	19.4		
	Total	3704	99.8		
Total		3713	100.0		

tc5010 E2: Respondent's description of study teenager's body shape

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very thin	90	1.6	1.6	1.6
	2 Thin	1371	24.0	24.3	25.8
	3 Average	3685	64.4	65.2	91.0
	4 Plump	443	7.7	7.8	98.9
	5 Fat	64	1.1	1.1	100.0
	Total	5653	98.8	100.0	
Missing	-1 No response	67	1.2		
Total		5720	100.0		

tc5020 E3: Respondent's opinion of how study teenager's body shape this year compares a with previous years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Thinner in previous y ears	528	9.2	9.4	9.4
	2 About the same	3646	63.7	64.6	74.0
	3 A little thinner this year	784	13.7	13.9	87.9
	4 A lot thinner this year	183	3.2	3.2	91.2
	5 Less thin than in prevous years	499	8.7	8.8	100.0
	Total	5640	98.6	100.0	
Missing	-1 No response	80	1.4		
Total		5720	100.0		

tc5030 E4: Respondent's opinion of how study teenager would describe their body shape

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very thin	67	1.2	1.2	1.2
	2 Thin	950	16.6	17.1	18.3
	3 Average	3541	61.9	63.8	82.1
	4 Plump	720	12.6	13.0	95.1
	5 Fat	271	4.7	4.9	100.0
	Total	5549	97.0	100.0	
Missing	-1 No response	171	3.0		
Total		5720	100.0		

tc5040 E5: Respondent or other people (e.g. family, friend, a doctor) have been seriously concerned that study teenager's weight has been bad for their physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	364	6.4	6.4	6.4
	2 No	5287	92.4	93.6	100.0
	Total	5651	98.8	100.0	
Missing	-1 No response	69	1.2		
Total		5720	100.0		

tc5050 E6: Study teenager is afraid of gaining weight or getting fat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2765	48.3	49.0	49.0
	2 A little	2440	42.7	43.3	92.3
	3 A lot	388	6.8	6.9	99.1
	4 It really terrifies her	48	.8	.9	100.0
	Total	5641	98.6	100.0	
Missing	-1 No response	79	1.4		
Total		5720	100.0		

tc5060 E7: Study teenager avoids the sorts of food that they think will make $% \left(1\right) =\left(1\right) +\left(1\right$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3874	67.7	68.5	68.5
	2 A little	1651	28.9	29.2	97.7
	3 A lot	129	2.3	2.3	100.0
	Total	5654	98.8	100.0	
Missing	-1 No response	66	1.2		
Total		5720	100.0		

tc5070 E8: Frequency at which study teenager avoids fattening foods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2973	52.0	52.6	52.6
	2 Sometimes	2438	42.6	43.1	95.7
	3 Most of the time	231	4.0	4.1	99.8
	4 Always	14	.2	.2	100.0
	Total	5656	98.9	100.0	
Missing	-1 No response	64	1.1		
Total		5720	100.0		

tc5080 E9: Study teenager spends a lot of their time thinking about food

	, ,	<u> </u>			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	681	11.9	12.0	12.0
	2 No	4069	71.1	71.8	83.9
	9 Don't know	914	16.0	16.1	100.0
	Total	5664	99.0	100.0	
Missing	-1 No response	56	1.0		
Total		5720	100.0		

tc5090 E10: Study teenager has a really strong desire for food that is hard to resist, like what an addict feels about drugs or alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	5104	89.2	90.8	90.8
	2 A little	452	7.9	8.0	98.9
	3 A lot	63	1.1	1.1	100.0
	Total	5619	98.2	100.0	
Missing	-1 No response	101	1.8		
Total		5720	100.0		

tc5100 E11a: Study teenager loses control over what they eat and eats a very large amount of food in a short time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	303	5.3	5.4	5.4
	2 No	5336	93.3	94.6	100.0
	Total	5639	98.6	100.0	
Missing	-1 No response	81	1.4		
Total		5720	100.0		

tc5101 E11b: Over the last 3 months, frequency at which study teenager loses control over what they eat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Hasn't happened	80	1.4	21.9	21.9
	2 Occasionally	194	3.4	53.2	75.1
	3 About once a week	44	.8	12.1	87.1
	4 Two or more times a week	47	.8	12.9	100.0
	Total	365	6.4	100.0	
Missing	-1 No response	5355	93.6		
Total		5720	100.0		

tc5102 E11c: Study teenager has a sense of losing control over their eating when they eat a very large amount of food in a short time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	56	1.0	17.8	17.8
	2 No	158	2.8	50.3	68.2
	3 Not sure	100	1.7	31.8	100.0
	Total	314	5.5	100.0	
Missing	-1 No response	5406	94.5		
Total		5720	100.0		

tc5110 E12a: Over the last 3 months, study teenager has eaten less at mealtimes to avoid putting on weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4261	74.5	75.4	75.4
	2 A little	1155	20.2	20.4	95.9
	3 A lot	116	2.0	2.1	97.9
	4 Tried to but not allowed	35	.6	.6	98.5
	9 Don't know	82	1.4	1.5	100.0
	Total	5649	98.8	100.0	
Missing	-1 No response	71	1.2		
Total		5720	100.0		

tc5111 E12b: Over the last 3 months, study teenager has skipped meals to avoid putting on weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4607	80.5	81.6	81.6
	2 A little	789	13.8	14.0	95.6
	3 A lot	110	1.9	1.9	97.5
	4 Tried to but not allowed	49	.9	.9	98.4
	9 Don't know	92	1.6	1.6	100.0
	Total	5647	98.7	100.0	
Missing	-1 No response	73	1.3		
Total		5720	100.0		

tc5112 E12c: Over the last 3 months, study teenager has gone without food for long periods e.g. all day or most of the day to avoid putting on weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	5060	88.5	89.6	89.6
	2 A little	409	7.2	7.2	96.8
	3 A lot	82	1.4	1.5	98.3
	4 Tried to but not allowed	23	.4	.4	98.7
	9 Don't know	73	1.3	1.3	100.0
	Total	5647	98.7	100.0	
Missing	-1 No response	73	1.3		
Total		5720	100.0		

tc5113 E12d: Over the last 3 months, study teenager hidden or thrown away food that others gave her to avoid putting on weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	5401	94.4	96.0	96.0
	2 A little	91	1.6	1.6	97.7
	3 A lot	13	.2	.2	97.9
	4 Tried to but not allowed	4	.1	.1	98.0
	9 Don't know	115	2.0	2.0	100.0
	Total	5624	98.3	100.0	
Missing	-1 No response	96	1.7		
Total		5720	100.0		

tc5114 E12e : Over the last 3 months, study teenager exercised more to avoid putting on weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3982	69. 6	70. 5	70. 5
	2 A little	1364	23. 8	24. 1	94. 6
	3 A lot	266	4. 7	4. 7	99. 3
	9 Don't know	40	.7	.7	100. 0
	Total	5652	98. 8	100.0	
Missing	-1 No response	68	1. 2		
Total		5720	100. 0		

tc5115 E12f: Over the last 3 months, study teenager made themself sick to avoid putting on weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	5502	96.2	97.8	97.8
	2 A little	15	.3	.3	98.1
	3 A lot	2	.0	.0	98.1
	9 Don't know	106	1.9	1.9	100.0
	Total	5625	98.3	100.0	
Missing	-1 No response	95	1.7		
Total		5720	100.0		

tc5116 E12g: Over the last 3 months, study teenager took pills or medications in order to lose weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	5466	95.6	98.4	98.4
	2 A little	18	.3	.3	98.8
	3 A lot	2	.0	.0	98.8
	9 Don't know	67	1.2	1.2	100.0
	Total	5553	97.1	100.0	
Missing	-1 No response	167	2.9		
Total		5720	100.0		

tc5118 E12h: Over the last 3 months, study teenager did other things to avoid ϵ putting on weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2986	52. 2	94. 6	94. 6
	2 A little	65	1. 1	2. 1	96. 6
	3 A lot	51	.9	1. 6	98. 3
	9 Don't know	55	1. 0	1. 7	100. 0
	Total	3157	55. 2	100. 0	
Missing	-1 No response	2563	44. 8		
Total		5720	100. 0		

tc5130 E13: Study teenager blames them self if they eat too much

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	311	5.4	5.6	5.6
	2 No	3500	61.2	62.7	68.3
	3 Never eats too much	1767	30.9	31.7	100.0
	Total	5578	97.5	100.0	
Missing	-1 No response	142	2.5		
Total		5720	100.0		

tc5140 E14: Study teenager is upset or distressed about their weight or body shape

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	3868	67.6	68.5	68.5
	2 Yes, a little	1343	23.5	23.8	92.2
	3 Yes, quite a lot	160	2.8	2.8	95.1
	4 Yes, a great deal	66	1.2	1.2	96.2
	9 Don't know	213	3.7	3.8	100.0
	Total	5650	98.8	100.0	
Missing	-1 No response	70	1.2		
Total		5720	100.0		

tc5150 E15a: Study teenager's eating pattern or concern about weight and body shape has interfered with how well they get on with you and the rest of the family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5240	91.6	93.2	93.2
	2 A little	283	4.9	5.0	98.3
	3 Quite a lot	49	.9	.9	99.1
	4 A great deal	49	.9	.9	100.0
	Total	5621	98.3	100.0	
Missing	-1 No response	99	1.7		
Total		5720	100.0		

tc5151 E15b: Study teenager's eating pattern or concern about weight and body shape has interfered with making and keeping friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5356	93. 6	95. 2	95. 2
	2 A little	190	3. 3	3. 4	98. 6
	3 Quite a lot	38	.7	.7	99. 3
	4 A great deal	42	.7	.7	100. 0
	Total	5626	98. 4	100.0	
Missing	-1 No response	94	1. 6		
Total		5720	100. 0		

tc5152 E15c: Study teenager's eating pattern or concern about weight and body shape has interfered with learning or class work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5383	94. 1	95. 9	95. 9
	2 A little	157	2. 7	2. 8	98. 7
	3 Quite a lot	38	.7	.7	99. 4
	4 A great deal	33	.6	.6	100. 0
	Total	5611	98. 1	100.0	
Missing	-1 No response	109	1. 9		
Total		5720	100. 0		

tc5153 E15d: Study teenager's eating pattern or concern about weight and body shape has interfered with hobbies, sports or other leisure activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5047	88. 2	90. 0	90. 0
	2 A little	432	7. 6	7. 7	97. 7
	3 Quite a lot	79	1. 4	1. 4	99. 1
	4 A great deal	50	.9	.9	100. 0
	Total	5608	98. 0	100. 0	
Missing	-1 No response	112	2. 0		
Total		5720	100. 0		

tc5160 E16: Degree of difficulty study teenager would have trying to put on 5 c pounds (2 kilos) if a doctor told them that they needed to for the sake of their health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Easy	4484	78. 4	82. 3	82. 3
	2 Difficult	916	16. 0	16. 8	99. 1
	3 Impossible	48	.8	.9	100. 0
	Total	5448	95. 2	100. 0	
Missing	-1 No response	272	4. 8		
Total		5720	100. 0		

tc5170 E17: Study teenager's eating pattern or concern about weight and body shape has put burden on respondent or family as a whole

	<u> </u>	•			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5105	89. 2	91. 1	91. 1
	2 A little	387	6. 8	6. 9	98. 0
	3 Quite a lot	74	1. 3	1. 3	99. 4
	4 A great deal	36	.6	.6	100. 0
	Total	5602	97. 9	100. 0	
Missing	-1 No response	118	2. 1		
Total		5720	100. 0		

tc5180 E18a: Study teenager thought they were fat even if other people said they were very thin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	897	15.7	16.0	16.0
	2 No	4367	76.3	77.9	93.9
	3 Don't know	343	6.0	6.1	100.0
	Total	5607	98.0	100.0	
Missing	-1 No response	113	2.0		
Total		5720	100.0		

tc5181 E18b: Study teenager would be ashamed if other people knew how much they ate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	118	2.1	2.1	2.1
	2 No	5240	91.6	93.3	95.4
	3 Don't know	261	4.6	4.6	100.0
	Total	5619	98.2	100.0	
Missing	-1 No response	101	1.8		
Total		5720	100.0		

tc5182 E18c: Study teenager has deliberately made themselves sick

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	61	1.1	1.1	1.1
	2 No	5333	93.2	94.8	95.8
	3 Don't know	234	4.1	4.2	100.0
	Total	5628	98.4	100.0	
Missing	-1 No response	92	1.6		
Total		5720	100.0		

tc5183 E18d: Study teenager's worries about eating really interferes with their life

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	78	1.4	1.4	1.4
	2 No	5383	94.1	96.3	97.7
	3 Don't know	129	2.3	2.3	100.0
	Total	5590	97.7	100.0	
Missing	-1 No response	130	2.3		
Total		5720	100.0		

tc5190 E19: Study teenager thinks their weight is bad for their physical health

	, ,	•	J	•	•
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	238	4.2	4.3	4.3
	2 No	5346	93.5	95.7	100.0
	Total	5584	97.6	100.0	
Missing	-1 No response	136	2.4		
Total		5720	100.0		

[Editing note – E20: Variables TC5200 & TC5201 were set to -7 for respondents who completed the male version of the questionnaire.]

tc5200 E20a: Study teenager has had any months when her period didn't happen at all ϵ

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	429	7. 5	14. 8	14. 8
	2 No	2187	38. 2	75. 7	90. 6
	3 Don't know	263	4. 6	9. 1	99. 7
	4 Hasn't started periods yet	10	.2	.3	100. 0
	Total	2889	50. 5	100. 0	
Missing	-7 Male version	2774	48. 5		
	-1 No response	57	1. 0		
	Total	2831	49. 5		
Total		5720	100. 0		

tc5201 E20b: Study teenager has had any periods in the past 3 months

	_	J	, .	-	
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1570	27.4	95.3	95.3
	2 No	77	1.3	4.7	100.0
	Total	1647	28.8	100.0	
Missing	-7 Male version	2774	48.5		
	-1 No response	1299	22.7		
	Total	4073	71.2		
Total		5720	100.0		

	Section F: Your Teenager's Health
F1.	Has she ever had wheezing or whistling in the chest at any time in the past?
	Yes $1 \square$ No $2 \square$ \longrightarrow If $\underline{\mathbf{no}}$, go to F5 below
F2. a)	Has she had wheezing or whistling in the chest in the past 12 months?
	Yes $1 \square$ No $2 \square$ \longrightarrow If no, go to F5 below
	If <u>ves</u> ,
b)	How many attacks of wheezing has she had in the past 12 months?
	None ¹ ☐ 1 to 3 ² ☐ 4 to 12 ³ ☐ More than 12 ⁴ ☐
F3.	<u>In the past 12 months</u> , how often, on average has her sleep been disturbed due to wheezing?
	Never woken 1 ☐ Less than one 2 ☐ One or more 3 ☐ night per week nights per week
F4.	In the past 12 months, has the wheezing ever been severe enough to limit her speech to only one or two words at a time between breaths?
	Yes 1 No 2 No
F5.	Has she <u>ever</u> had asthma?
	Yes 1 □ No 2 □
F6.	In the past 12 months, has her chest sounded wheezy during or after exercise?
	Yes 1 □ No 2 □
	33
	33

PAGE 34 OF THE QUESTIONNAIRE

F7.	In the past 12 months, associated with a cold of	•	ough at night, apart	t from a cough
	Yes ¹□	No ²		
F8.	These questions are about or the 'flu.	out problems which o	occur when she D (DES NOT have a cold
a)	Has she <u>ever</u> had a prob DID NOT have a cold of		or a runny or block	ted nose when she
	Yes 1	No 2 🗆 —	► If <u>no</u> , go to	F9 on page 35
b)	In the past 12 months, nose when she DID NO			or a runny or blocked
	Yes 1	No 2 🗆 —	► If <u>no</u> , go to	F9 on page 35
c)	In the past 12 months, eyes?	has this nose proble	m been accompan	ied by itchy-watery
	Yes 1	No 2 🗖		
d)	In which of the past 12 (Please mark all that ap		ose problem occur	?
	January 1 🗖	May	1 🔲	September □
	February 1	June	1	October 1
	March □	July	1 🔲	November 1
	April 1 🗖	August	1 🗖	December ¹□
e)	In the past 12 months, activities?	how much did this r	nose problem inter	fere with her daily
	Not at ⊥□ all	A little ² □	A moderate 3 amount	A lot ₄ □
		34		28291
		34		

PAGE 35 OF THE QUESTIONNAIRE

			_
F9.	Has she <u>ever</u> had hayfever?	,	
	Yes ¹□	No 2 🗖	
F10.	Has she eve r had an itchy ra	ash which was coming and going for a	nt least six months?
	Yes 1	No 2 ☐ → If <u>no</u> , go to F11 on	page 36.
	If <u>ves</u> ,		
a)	Has she had this itchy rash a	at any time in the past 12 months?	
	Yes 1	No ² □ → If <u>no</u> , go to F11 on	page 36.
b)	In the past 12 months was the	he rash: (Mark all that apply).	
			Yes
	i) Confined to the cre	eases of the knees/ankles/elbows or wi	rists 1 🗖
	ii) Covering the trunk	3	1 🗖
	iii) Affecting the face		1 🗖
c)	•	etely at any time during the past 12 m No $^{-2}$	onths?
d)	In the past 12 months, how this itchy rash?	w often on average, has she been kept	awake at night by
	Never in the □ □ past 12 months	Less than one ² □ night per week	One or more 3 nights per week
		35	28291

PAGE 36 OF THE QUESTIONNAIRE

F11.	Has she ever had eczema?		
	Yes ¹□ No ²		
F12.a)	Have there been times in the pas	t year, when she has had	a pain in her stomach?
	Yes 1 ☐ No 2	☐ — If <u>no</u> , go	to F13a) on page 37.
	If <u>ves</u> ,		
b)	How many separate times has thi	s happened <u>in the past ve</u>	ear?
	Once	Twice ² □	3-4 times ₃ □
	5 or more ⁴ □ times	Don't ⁹ □ know	
c)	Did she have vomiting or diarrho	ea at the same time as the	pain?
	Yes, every time □	Yes, for some ² □ of the times	No, not all ₃ ☐
d)	What do you think were the cause	es of her stomach pains? (Mark all that apply).
	i) Something she ate	1 🗖	
	ii) An infection	1 🗖	
	iii) Constipation	1 🗖	
	iv) Other, please describe:	1 🗖	
	v) Don't know	1 🗖	
			28291

PAGE 37 OF THE QUESTIONNAIRE

,	Yes, arm(s) ☐	Yes, leg(s)			
	Yes, both 3	No, not often			
	If <u>ves</u> ,				
b)	Does this happen especially v	when she is tired?			
	Yes 1 □	No 2 🗖			
F14.	Thinking back over the last n energy?	nonth, has she been	feeling tired or felt she had no		
	Yes ¹□	No 2 □	If no. go to Section G on page 39		
	If <u>yes</u> ,				
a)	Do you know why she has been feeling like this?				
	Yes 1 □	No 2 □ →	If no. go to Section G on page 39		
	If <u>ves</u> ,				
b)	What are the main reasons sho (You can mark more than on	_	red or felt she had no energy?		
b)		_	red or felt she had no energy?		
b)	(You can mark more than on	_	_		
b)	(You can mark more than on i) Illness	e answer).	1 🗆		
b)	(You can mark more than oni) Illnessii) Problems with sleep	e answer).	1 🗆		
b)	(You can mark more than oni) Illnessii) Problems with sleepiii) Playing a lot of spor	e answer). t (or other physical e	1		
b)	 i) Illness ii) Problems with sleep iii) Playing a lot of sportiv) Stress or worry 	e answer). t (or other physical e	1		

PAGE 38 OF THE QUESTIONNAIRE

F15.	How long has she been feeling tir	ed or felt she had no energy? (Mark one only).
	Less than 3 months □	Between 3 and 5 months ² □
	Between 6 months ³ and 5 years	More than 5 years 4 □
F16.	Does she feel better after resting?	
	Not at all □	Only a bit 2 Definitely better 3 Definitely better 3 Definitely
F17.	During the last month , has this ti playing, taking part in hobbies, sp	redness or lack of energy stopped her from port or leisure activities?
	Not at all □	Only a little 2 □
	Quite a lot ₃ □	A great deal ₄ □
F18.	During the past year, how many d of this tiredness or lack of energy	ays has she been off school/college/work because? (If none, write 00)
	days	
F19.	Has she seen a doctor in the past	year because of this tiredness or lack of energy?
	Yes ¹□	No 2 □
		28291

tc6000 F1: Study teenager has had wheezing or whistling in the chest at any time in the past

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1291	22.6	22.8	22.8
	2 No	4366	76.3	77.2	100.0
	Total	5657	98.9	100.0	
Missing	-1 No response	63	1.1		
Total		5720	100.0		

tc6010 F2a: Study teenager has had wheezing or whistling in their chest in the past 12 months $\frac{1}{2}$

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	600	10.5	28.9	28.9
	2 No	1479	25.9	71.1	100.0
	Total	2079	36.3	100.0	
Missing	-1 No response	3641	63.7		
Total		5720	100.0		

tc6011 F2b: Number of attacks of wheezing study teenager has had in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	246	4. 3	28. 9	28. 9
	2 1 to 3	437	7. 6	51. 4	80. 3
	3 4 to 12	125	2. 2	14. 7	94. 9
	4 More than 12	43	.8	5. 1	100. 0
	Total	851	14. 9	100.0	
Missing	-1 No response	4869	85. 1		
Total		5720	100. 0		

tc6020 F3: Average frequency, study teenager has had disturbed sleep due to wheezing in 2 the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent		
Valid	1 Never woken with wheezing	687	12.0	72.2	72.2		
	2 Less than one night per week	220	3.8	23.1	95.4		
	3 One or more night per week	44	.8	4.6	100.0		
	Total	951	16.6	100.0			
Missing	-1 No response	4769	83.4				
Total		5720	100.0				

tc6030 F4: In the past 12 months, wheezing has been severe enough to limit study teenager's speech to only one or two words at a time between breaths

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	46	.8	5.0	5.0
	2 No	865	15.1	95.0	100.0
	Total	911	15.9	100.0	
Missing	-1 No response	4809	84.1		
Total		5720	100.0		

tc6040 F5: Study teenager has had asthma

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1416	24. 8	25. 3	25. 3
	2 No	4189	73. 2	74. 7	100. 0
	Total	5605	98. 0	100. 0	
Missing	-1 No response	115	2. 0		
Total		5720	100. 0		

tc6050 F6: In past 12 months, study teenager has had wheezy sounding chest during or after exercise

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	492	8.6	9.0	9.0
	2 No	4972	86.9	91.0	100.0
	Total	5464	95.5	100.0	
Missing	-1 No response	256	4.5		
Total		5720	100.0		

tc6060 F7: In past 12 months, study teenager has had a dry cough at night apart from a cough associated with a cold or a chest infection

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	529	9.2	9.4	9.4
	2 No	5106	89.3	90.6	100.0
	Total	5635	98.5	100.0	
Missing	-1 No response	85	1.5		
Total		5720	100.0		

tc6070 F8a: Study teenager has had a problem with sneezing, or a runny/blocked nose when they did not have a cold or 'flu'

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1288	22.5	22.9	22.9
	2 No	4326	75.6	77.1	100.0
	Total	5614	98.1	100.0	
Missing	-1 No response	106	1.9		
Total		5720	100.0		

tc6071 F8b: Study teenager has had problem with sneezing, or a runny/blocked nose when they did not have a cold or 'flu' in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1197	20.9	53.4	53.4
	2 No	1044	18.3	46.6	100.0
	Total	2241	39.2	100.0	
Missing	-1 No response	3479	60.8		
Total		5720	100.0		

tc6072 F8c: Study teenager has had nose problem accompanied with itchy-watery eyes, in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	840	14.7	48.8	48.8
	2 No	883	15.4	51.2	100.0
	Total	1723	30.1	100.0	
Missing	-1 No response	3997	69.9		
Total		5720	100.0		

tc6073 F8d: Study teenager's nose problem occurred in January

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	271	4.7	100.0	100.0
Missing	-1 No response	5449	95.3		
Total		5720	100.0		

tc6074 F8d: Study teenager's nose problem occurred in February

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	268	4.7	100.0	100.0
Missing	-1 No response	5452	95.3		
Total		5720	100.0		

tc6075 F8d: Study teenager's nose problem occurred in March

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	335	5.9	100.0	100.0
Missing	-1 No response	5385	94.1		
Total		5720	100.0		

tc6076 F8d: Study teenager's nose problem occurred in April

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	523	9.1	100.0	100.0
Missing	-1 No response	5197	90.9		
Total		5720	100.0		

tc6077 F8d: Study teenager's nose problem occurred in May

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	824	14.4	100.0	100.0
Missing	-1 No response	4896	85.6		
Total		5720	100.0		

tc6078 F8d: Study teenager's nose problem occurred in June

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	908	15.9	100.0	100.0
Missing	-1 No response	4812	84.1		
Total		5720	100.0		

tc6079 F8d: Study teenager's nose problem occurred in July

	•	•		•	
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	791	13.8	100.0	100.0
Missing	-1 No response	4929	86.2		
Total		5720	100.0		

tc6080 F8d: Study teenager's nose problem occurred in August

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	593	10.4	100.0	100.0
Missing	-1 No response	5127	89.6		
Total		5720	100.0		

tc6081 F8d: Study teenager's nose problem occurred in September

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	415	7.3	100.0	100.0
Missing	-1 No response	5305	92.7		
Total		5720	100.0		

tc6082 F8d: Study teenager's nose problem occurred in October

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	332	5.8	100.0	100.0
Missing	-1 No response	5388	94.2		
Total		5720	100.0		

tc6083 F8d: Study teenager's nose problem occurred in November

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	262	4.6	100.0	100.0
Missing	-1 No response	5458	95.4		
Total		5720	100.0		

tc6084 F8d: Study teenager's nose problem occurred in December

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	246	4.3	100.0	100.0
Missing	-1 No response	5474	95.7		
Total		5720	100.0		

 $tc6085\ F8e:$ Degree to which study teenager's nose problem interfered with daily activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	494	8.6	38.6	38.6
	2 A little	585	10.2	45.7	84.3
	3 A moderate amount	164	2.9	12.8	97.1
	4 A lot	37	.6	2.9	100.0
	Total	1280	22.4	100.0	
Missing	-1 No response	4440	77.6		
Total		5720	100.0		

tc6090 F9: Study teenager has had hayfever

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1854	32.4	33.1	33.1
	2 No	3750	65.6	66.9	100.0
	Total	5604	98.0	100.0	
Missing	-1 No response	116	2.0		
Total		5720	100.0		

tc6100 F10: Study teenager has had an itchy rash which came and went for at least six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	853	14.9	15.3	15.3
	2 No	4713	82.4	84.7	100.0
	Total	5566	97.3	100.0	
Missing	-1 No response	154	2.7		
Total		5720	100.0		

tc6101 F10a: Study teenager has had this itchy rash at any time in the past 12 s months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	616	10.8	42.7	42.7
	2 No	828	14.5	57.3	100.0
	Total	1444	25.2	100.0	
Missing	-1 No response	4276	74.8		
Total		5720	100.0		

tc6102 F10b1: In the past 12 months the rash was confined to creases of the knees/ankles/elbows or wrists

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	397	6.9	100.0	100.0
Missing	-1 No response	5323	93.1		
Total		5720	100.0		

tc6103 F10b2: In the past 12 months the rash covered the trunk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	174	3.0	100.0	100.0
Missing	-1 No response	5546	97.0		
Total		5720	100.0		

tc6104 F10b3: In the past 12 months the rash affected the face

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	158	2.8	100.0	100.0
Missing	-1 No response	5562	97.2		
Total		5720	100.0		

tc6105 F10c: Rash cleared up completely in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	484	8.5	76.7	76.7
	2 No	147	2.6	23.3	100.0
	Total	631	11.0	100.0	
Missing	-1 No response	5089	89.0		
Total		5720	100.0		

tc6106 F10d: In the past 12 months, average frequency which study teenager was kept awake due to itchy rash

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never in the past 12 months	457	8.0	70.0	70.0
	2 Less than one night per week	155	2.7	23.7	93.7
	3 One or more nights per week	41	.7	6.3	100.0
	Total	653	11.4	100.0	
Missing	-1 No response	5067	88.6		
Total		5720	100.0		

tc6110 F11: Study teenager has had eczema

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1943	34. 0	34. 7	34. 7
	2 No	3650	63. 8	65. 3	100. 0
	Total	5593	97. 8	100. 0	
Missing	-1 No response	127	2. 2		
Total		5720	100. 0		

tc6120 F12a: In the past year, study teenager had stomach pains

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2271	39.7	40.8	40.8
	2 No	3293	57.6	59.2	100.0
	Total	5564	97.3	100.0	
Missing	-1 No response	156	2.7		
Total		5720	100.0		

tc6121 F12b: Number of separate times in the past year, study teenager had stomach pains

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once	191	3.3	8.4	8.4
	2 Twice	356	6.2	15.6	24.0
	3 3-4 times	620	10.8	27.2	51.2
	4 5 or more times	844	14.8	37.0	88.2
	9 Don't know	268	4.7	11.8	100.0
	Total	2279	39.8	100.0	
Missing	-1 No response	3441	60.2		
Total		5720	100.0		

tc6122 F12c: Study teenager had vomiting or diarrhoea at the same time as stomach pains

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every time	149	2.6	6.5	6.5
	2 Yes, f or some of the times	605	10.6	26.4	32.9
	3 No, not at all	1538	26.9	67.1	100.0
	Total	2292	40.1	100.0	
Missing	-1 No response	3428	59.9		
Total		5720	100.0		

tc6123 F12d1: Respondent thinks that the study teenager's stomach pain were caused by something they ate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	500	8.7	100.0	100.0
Missing	-1 No response	5220	91.3		
Total		5720	100.0		

tc6124 F12d2: Respondent think s that the study teenager's stomach pain were caused by an infection

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	339	5.9	100.0	100.0
Missing	-1 No response	5381	94.1		
Total		5720	100.0		

tc6125 F12d3: Respondent thinks that the study teenager's stomach pain were caused by constipation

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	382	6.7	100.0	100.0
Missing	-1 No response	5338	93.3		
Total		5720	100.0		

tc6126 F12d4: Respondent thinks that the study teenager's stomach pain were caused by something else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	958	16. 7	100. 0	100.0
Missing	-1 No response	4762	83. 3		
Total		5720	100. 0		

tc6128 F12d5: Respondent does not know what caused the study teenagers stomach pains

		Frequency	Percent	Valid Percent	Cumulative Percent			
Valid	1 Yes	446	7.8	100.0	100.0			
Missing	-1 No response	5274	92.2					
Total		5720	100.0					

tc6140 F13a: Study teenager often has aches and pain in their arms or legs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, arm(s)	32	.6	.6	.6
	2 Yes, leg(s)	691	12.1	12.4	13.0
	3 Yes, both	418	7.3	7.5	20.4
	4 No, not often	4442	77.7	79.6	100.0
	Total	5583	97.6	100.0	
Missing	-1 No response	137	2.4		
Total		5720	100.0		

tc6141 F13b: Study teenager's aches and pains happen when they are tired

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	646	11. 3	53. 1	53. 1
	2 No	571	10. 0	46. 9	100. 0
	Total	1217	21. 3	100. 0	
Missing	-1 No response	4503	78. 7		
Total		5720	100. 0		

tc6150 F14: Over the last month, study teenager has been feeling tired or has no energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2295	40.1	41.0	41.0
	2 No	3300	57.7	59.0	100.0
	Total	5595	97.8	100.0	
Missing	-1 No response	125	2.2		
Total		5720	100.0		

tc6151 F14a: Respondent knows why study teenager has been feeling tired or i has no energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1790	31.3	76.3	76.3
	2 No	557	9.7	23.7	100.0
	Total	2347	41.0	100.0	
Missing	-1 No response	3373	59.0		
Total		5720	100.0		

tc6152 F14b1: Study teenager is feeling tired or has no energy due to illness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	384	6.7	100.0	100.0
Missing	-1 No response	5336	93.3		
Total		5720	100.0		

tc6153 F14b2: Study teenager is feeling tired or has no energy due to problems with sleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	525	9.2	100.0	100.0
Missing	-1 No response	5195	90.8		
Total		5720	100.0		

tc6154 F14b3: Study teenager is feeling tired or has no energy due to playing a lot of sports (or other physical exercise)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	505	8. 8	100. 0	100.0
Missing	-1 No response	5215	91. 2		
Total		5720	100. 0		

tc6155 F14b4: Study teenager is feeling tired or has no energy due to stress or worry

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	548	9.6	100.0	100.0
Missing	-1 No response	5172	90.4		
Total		5720	100.0		

tc6156 F14b5: Study teenager is feeling tired or has no energy due to other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	702	12.3	100.0	100.0
Missing	-1 No response	5018	87.7		
Total		5720	100.0		

tc6160 F15: Length of time that study teenager has been feeling tired or has no energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 3 months	1177	20.6	64.0	64.0
	2 Between 3 and 5 months	289	5.1	15.7	79.7
	3 Between 6 months and 5 y ears	333	5.8	18.1	97.8
	4 More than 5 y ears	41	.7	2.2	100.0
	Total	1840	32.2	100.0	
Missing	-1 No response	3880	67.8		
Total		5720	100.0		

tc6170 F16: Study teenager feels better after resting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	47	.8	2.5	2.5
	2 Only a bit	395	6.9	20.8	23.3
	3 Definitely better	1453	25.4	76.7	100.0
	Total	1895	33.1	100.0	
Missing	-1 No response	3825	66.9		
Total		5720	100.0		

tc6180 F17: In the last month, tiredness or lack of energy stopped study teenager from playing, taking part in hobbies, sport or leisure activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	1255	21. 9	64. 9	64. 9
	2 Only a little	547	9. 6	28. 3	93. 1
	3 Quite a lot	88	1. 5	4. 5	97. 7
	4 A great deal	45	.8	2. 3	100. 0
	Total	1935	33. 8	100. 0	
Missing	-1 No response	3785	66. 2		
Total		5720	100. 0		

tc6190 F18: Number of days that study teenager has taken off school/college/work due to tiredness or lack of energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1433	25.1	74.6	74.6
	1	109	1.9	5.7	80.2
	2	107	1.9	5.6	85.8
	3	61	1.1	3.2	89.0
	4	29	.5	1.5	90.5
	5	52	.9	2.7	93.2
	6	18	.3	.9	94.1
	7	13	.2	.7	94.8
	8	10	.2	.5	95.3
	9	2	.0	.1	95.4
	10	28	.5	1.5	96.9
	11	1	.0	.1	96.9
	12	3	.1	.2	97.1
	14	6	.1	.3	97.4
	15	5	.1	.3	97.7
	20	17	.3	.9	98.5
	21	2	.0	.1	98.6
	22	1	.0	.1	98.7
	24	1	.0	.1	98.8
	26	2	.0	.1	98.9
	28	1	.0	.1	98.9
	30	10	.2	.5	99.4
	40	1	.0	.1	99.5
	50	3	.1	.2	99.6
	60	1	.0	.1	99.7
	80	1	.0	.1	99.7
	88	1	.0	.1	99.8
	90	2	.0	.1	99.9
	99	2	.0	.1	100.0
	Total	1922	33.6	100.0	
Missing	-1 No response	3798	66.4		
Total		5720	100.0		

tc6200 F19: Study teenager has seen doctor due to tiredness or lack of energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	299	5.2	15.3	15.3
	2 No	1653	28.9	84.7	100.0
	Total	1952	34.1	100.0	
Missing	-1 No response	3768	65.9		
Total		5720	100.0		

1.	What are your <u>aspirations</u> for your daughter's future job? Please m show which best describes the sort of work you <u>would like</u> to <u>see</u> h eventually.	
	Higher professional occupations such as: accountant - lawyer - doctor - engineer - solicitor - scientist -academic - managing directors - actuarial - investment bankers	1 🗆
	Lower professional occupations such as: teacher - nurse - manager - senior administrator (usually responsible for planning, organising and co-ordinating work and for finance)	2 🔲
	Intermediate / Technical such as: IT specialist - electronic technician - medical technician - clerical officer - legal secretaries	3 🗖
	Skilled manual workers <i>such as:</i> plumbers - electricians - plasterers - roofers - forestry workers - gardeners - farm hands - hairdressers	4 🔲
	Small business employers / Self-employed <i>such as:</i> small business owners - farmers - builders - driving instructors - shopkeepers - hairdressers	5 🗖
	Lower supervisory <i>such as:</i> secretaries - administrative - foreman - bar manager - restaurant manager - retail manager	6
	Routine manual and non-manual such as: van driver - cleaner - porter - packer - sewing machinist - shop worker - labourer - waitress - bar staff	7 🔲
	39	28291

PAGE 40 OF THE QUESTIONNAIRE

G2.	What are your <u>expectations</u> for your daughter's future job? Please me show which best describes the sort of work you <u>think</u> she <u>will</u> end up	
	Higher professional occupations <i>such as:</i> accountant - lawyer - doctor - engineer - solicitor - scientist -academic - managing directors - actuarial - investment bankers	1 🔲
	Lower professional occupations such as: teacher - nurse - manager - senior administrator (usually responsible for planning, organising and co-ordinating work and for finance)	2 🔲
	Intermediate / Technical such as: IT specialist - electronic technician - medical technician - clerical officer - legal secretaries	3 🔲
	Skilled manual workers <i>such as:</i> plumbers - electricians - plasterers - roofers - forestry workers - gardeners - farm hands - hairdressers	4 🔲
	Small business employers / Self-employed such as: small business owners - farmers - builders - driving instructors - shopkeepers - hairdressers	5 🔲
	Lower supervisory <i>such as:</i> secretaries - administrative - foreman - bar manager - restaurant manager - retail manager	6
	Routine manual and non-manual such as: van driver - cleaner - porter - packer - sewing machinist - shop worker - labourer - waitress - bar staff	7 🗖
	40	28291

tc7000 G1: Respondent's aspirations for study teenager's future job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Higher professional occupation	1974	34.5	37.2	37.2
	2 Lower professional occupations	1888	33.0	35.6	72.8
	3 Intermediate/technical	482	8.4	9.1	81.9
	4 Skilled manual workers	587	10.3	11.1	92.9
	5 Small business employers/self -employed	240	4.2	4.5	97.4
	6 Lower supervisory	97	1.7	1.8	99.3
	7 Routine manual and non-manual	39	.7	.7	100.0
	Total	5307	92.8	100.0	
Missing	-1 No response	413	7.2		
Total		5720	100.0		

tc7010 G2: Respondent's expectations for study teenager's future job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Higher professional occupation	1636	28.6	31.0	31.0
	2 Lower professional occupations	1919	33.5	36.4	67.3
	3 Intermediate/technical	552	9.7	10.5	77.8
	4 Skilled manual workers	642	11.2	12.2	90.0
	5 Small business employers/self -employed	246	4.3	4.7	94.6
	6 Lower supervisory	174	3.0	3.3	97.9
	7 Routine manual and non-manual	110	1.9	2.1	100.0
	Total	5279	92.3	100.0	
Missing	-1 No response	441	7.7		
Total		5720	100.0		

	Section H: Your Teenas	ger and Money	
H1.	If it varies, please mark the ar	mount you would mo noney weekly, please	e calculate how much the monthly
	Nothing ¹□	Less than £10 ² □	£10-£29 3 🗖
	£30-£49 4 🗆	£50-£69 5 🗆	£70-£89 6 □
	£90-£109 ⁷ □	£110-£129 °□	£130+ 9 🗖
H2.	What does she do with her po-	cket money/allowand	ce? Please mark all that apply.
	a) Spends it all immedi	ately	Yes □
	b) Saves towards big it (e.g. expensive cloth	ems for herself now	
	c) Saves in a savings ac	ccount	1 🗖
	d) Saves towards expective (e.g. educational fee		e 1 🗆
			28291
		41	

tc8000 H1: Amount of pocket money/allowance given to study teenager each month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	1458	25.5	26.2	26.2
	2 Less than £10	316	5.5	5.7	31.9
	3 £10-£29	1607	28.1	28.9	60.7
	4 £30-£49	1165	20.4	20.9	81.7
	5 £50-£69	507	8.9	9.1	90.8
	6 £70-£89	234	4.1	4.2	95.0
	7 £90-£109	135	2.4	2.4	97.4
	8 £110-£129	87	1.5	1.6	99.0
	9 £130+	57	1.0	1.0	100.0
	Total	5566	97.3	100.0	
Missing	-1 No response	154	2.7		
Total		5720	100.0		

tc8010 H2a: Study teenager spends all their pocket money/allowance immediately

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1546	27.0	100.0	100.0
Missing	-1 No response	4174	73.0		
Total		5720	100.0		

tc8011 H2b: Study teenager saves their pocket money/allowance toward big items for themselves now

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2808	49.1	100.0	100.0
Missing	-1 No response	2912	50.9		
Total		5720	100.0		

tc8012 H2c: Study teenager saves their pocket money/allowance in a savings account

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1483	25.9	100.0	100.0
Missing	-1 No response	4237	74.1		
Total		5720	100.0		

tc8013 H2d: Study teenager saves their pocket money/allowance toward expected costs of adult life (e.g. educational fees, car, house)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	632	11. 0	100. 0	100.0
Missing	-1 No response	5088	89. 0		
Total		5720	100. 0		

We a	are interested in whether your daughter works	or not, and the type of work she does.
I 1.	Is she in full-time education?	
	Yes \Box \longrightarrow If <u>yes</u> , go to I2 below	No $2 \square \longrightarrow \text{If } \underline{\text{no}}, \text{ go to } I3 \text{ below}$
I2.	Does she ever do any work in a <u>spare-time</u> pai for an hour or two now and then)? Please don school holidays or voluntary work.	
	Yes □ → If <u>yes</u> , go to I4 below	No ² □ → If <u>no</u> , go to I5 on page 43
I3.	Is she currently? (You can mark more than or	ne box).
	a) Unemployed and seeking work	□ — Go to I5 on page 43
	b) Unemployed through sickness/disabi	lity □ — Go to I5 on page 43
	c) Doing voluntary work	□ — Go to I5 on page 43
	d) Working part-time	¹ ☐▶ Go to I4a) below
	e) Working full-time	□ — Go to I4a) below
I4. a	What is her current job title?	
b	Month When did she start her current job?	Year /
c	Please describe the main things she does in the	isjob.
	Now go to I5 on page 43	28291

PAGE 43 OF THE QUESTIONNAIRE

I5.	_	had any paid jobs? If <u>ves</u> , go to	No 2 ☐ — If <u>no,</u> go to Section
	1681	I6 below	on the back page
I6.	Please fill in as mu	ch information for al	l of the jobs she has had in the past.
	Month From donute the material of the material	Year	b) To Month Year
	ob title and the ma	in unigs sie die	
	Month From dob title and the ma	Year in things she did	b) To Month Year
iii) a) F	From Month	Year	b) To Month Year
c) J	ob title and the ma	nin things she did	
_			28291

tc9000 I1: Study teenager is in full-time education

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5110	89.3	90.8	90.8
	2 No	520	9.1	9.2	100.0
	Total	5630	98.4	100.0	
Missing	-1 No response	90	1.6		
Total		5720	100.0		

tc9010 I2: Study teenager does a spare -time paid job in term -time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3076	53.8	59.8	59.8
	2 No	2068	36.2	40.2	100.0
	Total	5144	89.9	100.0	
Missing	-1 No response	576	10.1		
Total		5720	100.0		

tc9020 I3a: Study teenager is unemployed and seeking work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	201	3.5	100.0	100.0
Missing	-1 No response	5519	96.5		
Total		5720	100.0		

tc9021 l3b: Study teenager is unemployed through sickness /disability

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	12	.2	100.0	100.0
Missing	-1 No response	5708	99.8		
Total		5720	100.0		

tc9022 l3c: Study teenager is doing voluntary work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	72	1.3	100.0	100.0
Missing	-1 No response	5648	98.7		
Total		5720	100.0		

tc9023 l3d: Study teenager is working part-time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1052	18.4	100.0	100.0
Missing	-1 No response	4668	81.6		
Total		5720	100.0		

tc9024 l3e: Study teenager is working full-time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	244	4.3	100.0	100.0
Missing	-1 No response	5476	95.7		
Total		5720	100.0		

tc9031a I4b: Date that study teenager started their current job - month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.1	.1	.1
	1	161	2. 8	5. 1	5. 2
	2	100	1. 7	3. 2	8. 4
	3	108	1. 9	3. 4	11. 9
	4	159	2. 8	5. 1	16. 9
	5	160	2. 8	5. 1	22. 0
	6	265	4. 6	8. 4	30. 4
	7	324	5. 7	10. 3	40. 7
	8	371	6. 5	11. 8	52. 5
	9	743	13. 0	23. 6	76. 1
	10	445	7. 8	14. 1	90. 2
	11	214	3. 7	6. 8	97. 0
	12	93	1. 6	3. 0	100. 0
	Total	3147	55. 0	100. 0	
Missing	-1 No response	2573	45. 0		
Total		5720	100. 0		

tc9031b I4b: Date that study teenager started their current job - year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2000	1	.0	.0	.0
	2001	1	.0	.0	.1
	2002	2	.0	.1	.1
	2003	6	.1	.2	.3
	2004	25	.4	.8	1.1
	2005	69	1.2	2.1	3.2
	2006	196	3.4	6.0	9.2
	2007	749	13.1	22.9	32.1
	2008	2042	35.7	62.5	94.6
	2009	175	3.1	5.4	100.0
	2010	1	.0	.0	100.0
	Total	3267	57.1	100.0	
Missing	-1 No response	2453	42.9		
Total		5720	100.0		

tc9040 I5: Study teenager has had paid job in the past

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2273	39.7	43.4	43.4
	2 No	2964	51.8	56.6	100.0
	Total	5237	91.6	100.0	
Missing	-1 No response	483	8.4		
Total		5720	100.0		

tc9050a l6a1: Month that study teenager started job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	125	2.2	6.9	6.9
	2	92	1.6	5.0	11.9
	3	88	1.5	4.8	16.7
	4	128	2.2	7.0	23.8
	5	125	2.2	6.9	30.6
	6	247	4.3	13.5	44.2
	7	246	4.3	13.5	57.7
	8	181	3.2	9.9	67.6
	9	247	4.3	13.5	81.1
	10	161	2.8	8.8	90.0
	11	110	1.9	6.0	96.0
	12	73	1.3	4.0	100.0
	Total	1823	31.9	100.0	
Missing	-1 No response	3897	68.1		
Total		5720	100.0		

tc9050b l6a1: Year that study teenager started job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1994	1	.0	.1	.1
	2000	3	.1	.2	.2
	2001	4	.1	.2	.4
	2002	7	.1	.4	.8
	2003	15	.3	.8	1.5
	2004	96	1.7	4.9	6.4
	2005	218	3.8	11.1	17.5
	2006	321	5.6	16.3	33.8
	2007	618	10.8	31.5	65.3
	2008	652	11.4	33.2	98.5
	2009	30	.5	1.5	100.0
	Total	1965	34.4	100.0	
Missing	-1 No response	3755	65.6		
Total		5720	100.0		

tc9051a l6b1: Month that study teenager finished job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	122	2.1	7.4	7.4
	2	69	1.2	4.2	11.7
	3	63	1.1	3.8	15.5
	4	88	1.5	5.4	20.9
	5	91	1.6	5.6	26.4
	6	119	2.1	7.3	33.7
	7	153	2.7	9.3	43.0
	8	249	4.4	15.2	58.2
	9	291	5.1	17.8	76.0
	10	166	2.9	10.1	86.1
	11	105	1.8	6.4	92.6
	12	122	2.1	7.4	100.0
	Total	1638	28.6	100.0	
Missing	-1 No response	4082	71.4		
Total		5720	100.0		

tc9051b I6b1: Year that study teenager finished job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2002	1	.0	.1	.1
	2003	2	.0	.1	.2
	2004	5	.1	.3	.5
	2005	34	.6	2.0	2.4
	2006	105	1.8	6.1	8.5
	2007	349	6.1	20.2	28.7
	2008	1086	19.0	62.8	91.4
	2009	148	2.6	8.6	100.0
	Total	1730	30.2	100.0	
Missing	-1 No response	3990	69.8		
Total		5720	100.0		

tc9060a l6a2: Month that study teenager started job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	28	.5	6.6	6.6
	2	15	.3	3.5	10.1
	3	16	.3	3.8	13.9
	4	31	.5	7.3	21.2
	5	32	.6	7.5	28.7
	6	63	1.1	14.8	43.5
	7	64	1.1	15.1	58.6
	8	43	.8	10.1	68.7
	9	56	1.0	13.2	81.9
	10	43	.8	10.1	92.0
	11	19	.3	4.5	96.5
	12	15	.3	3.5	100.0
	Total	425	7.4	100.0	
Missing	-1 No response	5295	92.6		
Total		5720	100.0		

tc9060b I6a2: Year that study teenager started job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2003	4	.1	.9	.9
	2004	18	.3	3. 9	4. 7
	2005	36	.6	7. 7	12. 4
	2006	77	1. 3	16. 5	29. 0
	2007	143	2. 5	30. 7	59. 7
	2008	179	3. 1	38. 4	98. 1
	2009	9	.2	1. 9	100. 0
	Total	466	8. 1	100.0	
Missing	-1 No response	5254	91. 9		
Total		5720	100. 0		

tc9061a l6b2: Month that study teenager finished job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	18	.3	5.3	5.3
	2	19	.3	5.6	10.8
	3	10	.2	2.9	13.7
	4	14	.2	4.1	17.8
	5	12	.2	3.5	21.3
	6	33	.6	9.6	31.0
	7	36	.6	10.5	41.5
	8	59	1.0	17.3	58.8
	9	55	1.0	16.1	74.9
	10	34	.6	9.9	84.8
	11	24	.4	7.0	91.8
	12	28	.5	8.2	100.0
	Total	342	6.0	100.0	
Missing	-1 No response	5378	94.0		
Total		5720	100.0		

tc9061b I6b2: Year that study teenager finished job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2003	1	.0	.3	.3
	2005	9	.2	2. 4	2. 6
	2006	22	.4	5. 8	8. 4
	2007	106	1. 9	27. 9	36. 3
	2008	212	3. 7	55. 8	92. 1
	2009	30	.5	7. 9	100. 0
	Total	380	6. 6	100. 0	
Missing	-1 No response	5340	93. 4		
Total		5720	100. 0		

tc9070a l6a3: Month that study teenager started job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	6	.1	6.4	6.4
	2	5	.1	5.3	11.7
	3	6	.1	6.4	18.1
	4	7	.1	7.4	25.5
	5	5	.1	5.3	30.9
	6	12	.2	12.8	43.6
	7	10	.2	10.6	54.3
	8	8	.1	8.5	62.8
	9	18	.3	19.1	81.9
	10	13	.2	13.8	95.7
	11	3	.1	3.2	98.9
	12	1	.0	1.1	100.0
	Total	94	1.6	100.0	
Missing	-1 No response	5626	98.4		
Total		5720	100.0		

tc9070b l6a3: Year that study teenager started job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1998	1	.0	.9	.9
	2000	1	.0	.9	1.9
	2004	6	.1	5.6	7.5
	2005	9	.2	8.4	15.9
	2006	21	.4	19.6	35.5
	2007	22	.4	20.6	56.1
	2008	45	.8	42.1	98.1
	2009	2	.0	1.9	100.0
	Total	107	1.9	100.0	
Missing	-1 No response	5613	98.1		
Total		5720	100.0		

tc9071a I6b3: Month that study teenager finished job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.1	4.1	4.1
	2	3	.1	4.1	8.1
	3	4	.1	5.4	13.5
	4	2	.0	2.7	16.2
	5	6	.1	8.1	24.3
	6	4	.1	5.4	29.7
	7	6	.1	8.1	37.8
	8	11	.2	14.9	52.7
	9	14	.2	18.9	71.6
	10	13	.2	17.6	89.2
	11	4	.1	5.4	94.6
	12	4	.1	5.4	100.0
	Total	74	1.3	100.0	
Missing	-1 No response	5646	98.7		
Total		5720	100.0		

tc9071b I6b3: Year that study teenager finished job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2005	1	.0	1.1	1.1
	2006	11	.2	12.6	13.8
	2007	22	.4	25.3	39.1
	2008	47	.8	54.0	93.1
	2009	6	.1	6.9	100.0
	Total	87	1.5	100.0	
Missing	-1 No response	5633	98.5		
Total		5720	100.0		

J1.	This questionnaire was completed by: (mark all that apply)
	a) teenager's biological mother □
	b) teenager's mother figure □
	c) teenager's biological father 1
	d) teenager's father figure
	e) study teenager
	f) someone else (please mark and say who):
J2.	Please give the date on Day Month Year
	which you completed this questionnaire:
J3.	Please give the date Day Month Year
	of birth of your study teenager:
	Space for any additional comment you would like to make NB: Please remember we cannot reply to any comment unless you sign it.
When	NB: Please remember we cannot reply to any comment unless you sign it. completed, please send this back to:
	NB: Please remember we cannot reply to any comment unless you sign it.

[Editing note - J1: If all 6 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 "no".]

tc9980 J1a: Questionnaire completed by teenager's biological mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5501	96.2	97.0	97.0
	2 No	168	2.9	3.0	100.0
	Total	5669	99.1	100.0	
Missing	-5 Question J 1 omitted	51	.9		
Total		5720	100.0		

tc9981 J1b: Questionnaire completed by teenager's mother figure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	85	1.5	1.5	1.5
	2 No	5584	97.6	98.5	100.0
	Total	5669	99.1	100.0	
Missing	-5 Question J 1 omitted	51	.9		
Total		5720	100.0		

tc9982 J1c: Questionnaire completed by teenager's biological father

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	164	2.9	2.9	2.9
	2 No	5505	96.2	97.1	100.0
	Total	5669	99.1	100.0	
Missing	-5 Question J 1 omitted	51	.9		
Total		5720	100.0		

tc9983 J1d: Questionnaire completed by teenager's father figure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	13	.2	.2	.2
	2 No	5656	98.9	99.8	100.0
	Total	5669	99.1	100.0	
Missing	-5 Question J 1 omitted	51	.9		
Total		5720	100.0		

tc9984 J1e: Questionnaire completed by study teenager

tooot. The reduction and completion by claus toolings.							
		Frequency	Percent	Valid Percent	Cumulative Percent		
Valid	1 Yes	117	2.0	2.1	2.1		
	2 No	5552	97.1	97.9	100.0		
	Total	5669	99.1	100.0			
Missing	-5 Question J 1 omitted	51	.9				
Total		5720	100.0				

tc9985 J1f: Questionnaire completed by someone else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	31	.5	.5	.5
	2 No	5638	98.6	99.5	100.0
	Total	5669	99.1	100.0	
Missing	-5 Question J 1 omitted	51	.9		
Total		5720	100.0		

Derived Variables

Number of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question J1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

tc9987 DV: Number of contributors to Questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	5452	95.3	96.2	96.2
	2	193	3.4	3.4	99.6
	3	23	.4	.4	100.0
	4	1	.0	.0	100.0
	Total	5669	99.1	100.0	
Missing	-5 Question J 1 omitted	51	.9		
Total		5720	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question J1. It is calculated by recoding values of 1 to powers of 2 (1, 2, 4, 8, 16 and 32 for parts a to f respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

tc9988 DV: Questionnaire completed by...

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mother only	5297	92.6	93.4	93.4
	2 Mother figure only	37	.6	.7	94.1
	3 Mother and mother figure	37	.6	.7	94.7
	4 Father only	96	1.7	1.7	96.4
	5 Mother and father	41	.7	.7	97.2
	6 Mother figure and father	2	.0	.0	97.2
	7 Mother, mother figure and father	1	.0	.0	97.2
	8 Father figure only	4	.1	.1	97.3
	9 Mother and father figure	4	.1	.1	97.4
	12 Father and father figure	3	.1	.1	97.4
	13 Mother, father and father figure	1	.0	.0	97.4
	16 Study teenager only	10	.2	.2	97.6
	17 Mother and study teenager	81	1.4	1.4	99.0
	18 Mother figure and study teenager	3	.1	.1	99.1
	19 Mother, mother figure and study teenager	2	.0	.0	99.1
	20 Father and study teenager	1	.0	.0	99.1
	21 Mother, father and study teenager	17	.3	.3	99.4
	25 Mother, father figure and study teenager	1	.0	.0	99.5
	32 Other only	8	.1	.1	99.6
	33 Mother and other	17	.3	.3	99.9
	34 Mother figure and other	3	.1	.1	99.9
	36 Father and other	1	.0	.0	100.0
	49 Mother, study teenager and other	1	.0	.0	100.0
	53 Mother, father, study teenager and other	1	.0	.0	100.0
	Total	5669	99.1	100.0	
Missing	-5 Question J 1 omitted	51	.9		
Total		5720	100.0		

[Editing note – J2: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC"s administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable TC9990c. The month and year of completion were retained on the built file, but the day was dropped.]

tc9990a J2: Date of completion of Questionnaire - month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	621	10.9	10. 9	10.9
	2 February	419	7. 3	7. 3	18. 2
	3 March	349	6. 1	6. 1	24. 3
	4 April	310	5. 4	5. 4	29. 7
	5 May	263	4. 6	4. 6	34. 3
	6 June	255	4. 5	4. 5	38. 8
	7 July	150	2. 6	2. 6	41.4
	8 August	44	.8	.8	42. 2
	9 September	23	.4	.4	42. 6
	10 October	1331	23. 3	23. 3	65. 8
	11 Nov ember	1655	28. 9	28. 9	94. 8
	12 December	300	5. 2	5. 2	100. 0
	Total	5720	100. 0	100. 0	

tc9990b J2: Date of completion of questionnaire - year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2008	3260	57. 0	57. 0	57. 0
	2009	2453	42. 9	42. 9	99. 9
	2010	7	.1	.1	100. 0
	Total	5720	100. 0	100. 0	

tc9990c DV : Date of completion replaced with date of receipt

	•	•		•	
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, incomplete d.o.c.	80	1.4	1.4	1.4
	3 Yes, d.o.c. < d.o.s.	56	1.0	1.0	2.4
	4 Yes, d.o.c. > d.o.r.	54	.9	.9	3.3
	5 No	5530	96.7	96.7	100.0
	Total	5720	100.0	100.0	


Derived Variables - Age at Completion

The date of completion and the children's dates of birth from ALSPAC"s central database, were used to calculate the child's age at completion in completed weeks and completed months.

tc9991a DV: Age of study teenager at completion (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	198	1927	33.7	33.7	33.7
	199	604	10.6	10.6	44.2
	200	363	6.3	6.3	50.6
	201	280	4.9	4.9	55.5
	202	278	4.9	4.9	60.3
	203	283	4.9	4.9	65.3
	204	289	5.1	5.1	70.3
	205	280	4.9	4.9	75.2
	206	255	4.5	4.5	79.7
	207	276	4.8	4.8	84.5
	208	269	4.7	4.7	89.2
	209	222	3.9	3.9	93.1
	210	186	3.3	3.3	96.4
	211	102	1.8	1.8	98.1
	212	51	.9	.9	99.0
	213	24	.4	.4	99.5
	214	15	.3	.3	99.7
	215	5	.1	.1	99.8
	216	3	.1	.1	99.9
	217	4	.1	.1	99.9
	218	3	.1	.1	100.0
	220	1	.0	.0	100.0
	Total	5720	100.0	100.0	

tc9991b DV: Age of study child at completion (weeks)



plus the following outliers < 861 or > 935:

tc9991b DV : Age of study teenager at completion (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	860	1	6.3	6.3	6.3
	937	3	18.8	18.8	25.0
	938	1	6.3	6.3	31.3
	939	1	6.3	6.3	37.5
	940	2	12.5	12.5	50.0
	944	3	18.8	18.8	68.8
	947	1	6.3	6.3	75.0
	949	1	6.3	6.3	81.3
	950	1	6.3	6.3	87.5
	952	1	6.3	6.3	93.8
	960	1	6.3	6.3	100.0
	Total	16	100.0	100.0	

[Editing note – J3: The reported date of birth is not used.]

Appendix A

This appendix contains the general verification instructions for scanned questionnaires that are referred to whenever any questionnaire is being verified. This document provides a general overview to the verification process as well as defining abbreviations for standard methods that are used in the specific verification instructions for the questionnaire (see Appendix B).

General Verification Instructions

Document Control

Version	1
Date of introduction	12/03/2008
Date of termination	
Number of pages	2
Author	David Herrick

For general guidance on scanning and verifying see the relevant page on the ALSPAC intranet:

http://alsp-buzzard.alspac.bris.ac.uk:9080/ALSPNet/projects/Scanning/scanning.html

The purpose of verifying is to resolve the queries produced by the software. The general aim is to ensure that the exact response is entered, regardless of whether or not it makes sense. Genuinely reported values that are unlikely or even impossible will be resolved at a later stage of the data preparation process.

When verifying a scanned form you will need to reference the specific verification instructions for that form. These will detail the data type of each response on the form and any verification rules additional to the general guidelines specified below:

Code	Data Type	General Verification Guidance
S	A single check box that the respondent can either cross or leave blank.	
M	Multiple check boxes from which the respondent is expected to either cross one or leave all blank.	Occasionally respondents will cross more than one box; the verification instructions for the form will detail how to resolve any such occurrences. The following codes are used as shorthand for commonly occurring instructions:
		7: If more than one box is crossed, choose the one with the lowest code number.
		8: If more than one box is crossed, choose the one with the highest code number.
		I: If "Yes" and "No" are both crossed in a stand-alone question, then leave the response blank. However, if "Yes" and "No" are both crossed in a lead question then it should be possible to determine the intended response from the information in the follow up questions.
		If it is clear that the respondent attempted to cancel a cross by filling in a box then discard that value.

N	A numerical response. The respondent is provided with one or more boxes within which they are expected to write Arabic numerals (one per box).	 The verifier will query anything that it cannot recognise as a number. Please note the following general guidelines: If "N/A" or question marks or anything similar are written in the boxes, leave as blank. If more than one digit has been written in any box then enter the value if it is possible to do so (i.e. there were enough boxes but the digits were misplaced). However, if the response is too large for the number of boxes (e.g. 11 where only a single digit is expected) then record it in the form notes and leave the value as blank. If the answer is not legible on the scanned image and therefore cannot be corrected then record in the form notes and leave the value as blank. It may be possible for the value to be corrected 				
		later on by looking at the paper copy of the questionnaire. In addition the verifier may also be set up to query values outside of a specific range (this will be documented in the verification instructions for the form). If a queried value is clearly what was written then accept it even if it is outside the range of values in the verification rule. This applies even if the value is impossible (e.g. value 34 in a response for number of hours per day).				
D	A date. The respondent is provided with boxes within which to write the numerals of a date. Some boxes may be prefilled.	The general guidelines for numerical responses apply here. In addition note that the verifier will query any invalid dates, including any dates where there are empty boxes. As with numerical responses these should be left as reported by the respondent. In the days of keyed questionnaires coders were instructed, for example, to use the date of receipt to fill in missing dates of completion. This sort of thing is not required of validation – the date captured should be as reported.				
С	Constrained text. The respondent is provided with a series of boxes within which to write text; one character per box.	The text should be entered as close as is possible to what the respondent wrote, so observe errors in spelling, grammar etc. It is not possible to enter more characters than there are boxes on the questionnaire. Longer responses must be recorded in the form notes. Note that it is not possible to enter the character "?". If the respondent wrote "?" as part of the response in the text box then enter this as "[Question mark]".				
Т	Unconstrained text. The respondent is provided with a large box within which to write freely.	The verifier will attempt to interpret this but will almost always flag for verification if anything is detected. Simply type in the text response as best you can. The text should be entered as close as is possible to what the respondent wrote, so observe errors in spelling, grammar etc. Note that if the response is split over several lines then if captured in multiple lines this formatting can be kept, but new line breaks cannot be inserted. Note that it is not possible to enter the character "?". If the respondent wrote "?" as part of the response in the text box then enter this as "[Question mark]".				
		Occasionally the verification instructions for the form will instruct you to enter something new in an unconstrained text box (e.g. details of multiple crossing in data type M). To do this click on the box on the form and start typing in the grey area below. In order to differentiate between text from the respondent and text entered at verification start anything you add with "V: " and enclose in square brackets, e.g. "[V: 1+2+5]".				

Appendix B

This appendix contains the verification instructions specific to this questionnaire.

Verifying version 1 of "Your Son/Daughter 16+ Years On"

This document provides specific verification instructions for this form. It must be read in conjunction with the "General Verification Instructions" document.

Form Details

Form ID	57265 (Male) & 28291 (Female)
Form Title	Your Son/Daughter 16+ Years On
Form Code	Y16b
Form Version	1
Form Date	29/07/2008 (Male) & 28/07/2008 (Female)

Document Control

Version	1
Date of introduction	13/02/09
Date of termination	
Number of pages	8
Author	David Herrick

Question Specific Instructions

Overtion	Data Type	Valid range	Correction		
Question			Code	Comment	
Page 1 Front Cover					
QNO				QNO = Y16B_ID + Y16B_LET and is verified by a database lookup. For reference the valid range of Y16B_ID is 510034946 – 512107536.	
Page 2 No questions					
Page 3 Section A					
A1a & A1b	М		7		
A2a & A2b	М		7		
Page 4					
A3a to A3d	М		8		
A4a to A4d	М		8		
A5a & A5b	М		8		
Page 5					
A6a to A6d	М		8		
A7a & A7b	М		8		

A8a to A8d	М	7	
Page 6			
A8e to A8k	М	7	
A8k text	Т		
A9	М	7	
A10a to A10d	М	8	
Page 7			
A11	M	7	
A12a to A12k	M		If multiple boxes are crossed including box 9 "Don"t know", record as 9. If both box 1 "Yes" and box 2 "No" only are crossed then record as blank.
A12k text	Т		
Page 8			
A13a to A13I	M	7	
A13I text	Т		
A14a	M		If multiple boxes are crossed including box 4 "No-one" then record as 4. Otherwise record as 3 "Someone else does" and enter the combination of crosses in the text box for A14a, e.g. "[V: 1+2]".
A14a text	Т		
Page 9			
A14b & A14c			As for A14a.
A15a to A15g	M	7	
A15g text	Т		
Page 10			
A16	M	7	Except that box 3 overrides boxes 1 & 2.
A17a	M		If multiple boxes are crossed including box 9 then record as 9. Otherwise, if multiple boxes are crossed including box 3 then record as 3. If boxes 1 & 2 only are crossed then record as 3.
A17b	М		If multiple boxes are crossed including box 9 "Don"t know", record as 9. If both box 1 "Yes" and box 2 "No" only are crossed then record as blank.
A18	М	7	
A19a	М		If multiple boxes are crossed including box 3 "No, not yet", record as 3. Otherwise record multiple responses in form notes and leave A19a blank.
A19b	М	7	

Page 11, Section B				
B1a to B1e	М		7	Except that box 9 "Don"t know" overrides other boxes.
B2a to B2e	М		7	Except that box 9 "Don"t know" overrides other boxes.
Page 12				
B3a to B3e	N	08 - 18, 99		
B4a to B4e	М		8	
Page 13				
B4f	М		8	
B4g(i) to g(v)	М		8	
B4h to B4l	М		8	
Page 14				
B4m to B4u	М		8	
B5	М		7	Except that box 9 "Don"t know" overrides other boxes.
Page 15, Section C				
C1a to C1I	М		8	
Page 16				
C2a to C2f	М		7	
C3	М		ı	
СЗа	М		7	
Page 17				
C3b(i) to b(vi)	S			
C3b(vi) text	Т			
C3c(i) to c(v)	S			
C3c(v) text	Т			
C3c(vi) to c(xi)	S			
C3c(xi) text	Т			
Page 18				
C3d	М		8	
C4a(i) to a(iv)	S			
C4b to C4l				As for C4a.

Page 19			
C5	М		If multiple boxes are crossed including box 9 then record as 9. Otherwise, if multiple boxes are crossed including box 6 then record as 6. Otherwise record combinations of boxes 1–5 only in the form notes and leave C5 blank.
C6a to C6i	М	7	Except that box 9 "Don"t know" overrides other boxes.
Page 20			
C7a to C7m	М	8	
Page 21, Section D			
D1, D4, D7, D9, D11, D14	М	7	Except that box 9 "Don"t know" overrides other boxes.
D2, D3, D5, D6, D8, D10, D12, D13, D15, D16	М	8	
Page 22			
D17, D20, D21, D25	М	7	Except that box 9 "Don"t know" overrides other boxes.
D18, D19, D22, D23, D24	М	8	
D26 to D31	М	7	
Page 23			
D32 to D38	М	7	
D39a to D39h	М	8	
Page 24			
D39i to D39l	М	8	
D39m	М	1	
D39m text	Т		
D40a	М	I	
D40b	М	8	
D40c	М	7	
Page 25			
D40d(i) to d(iv)	S		
D40d(iv) text	Т		
D40e(i) to e(iii)	S		
D40e(iii) text	Т		
D41a	М	I	

Page 26				
D41b(i) to b(vi)	S			
D41b(vi) text	Т			
D41b(vii)	S			
D41b(vii) text	Т			
Page 27, Section E				N.B. The verification ranges for some parts of E1 differ between the male and female versions.
E1a ft	Ν	M: 5, 6 F: 5		
E1a in	N	00 - 11		Round fractions down.
E1a m	N	1		
E1a cm	N	M: 65 - 95 F: 50 - 80		Round fractions down. Convert 100+ centimetres to metres and centimetres if metres box is blank, otherwise record in form notes and leave centimetres variable blank as per standard practice for data type N.
E1a dk	S			
E1b st	N	M: 08 - 16 F: 07 - 15		
E1b lb	N	00 - 13		Round fractions down. Convert 100+ pounds to stones and pounds if stones box is blank, otherwise record in form notes and leave pounds variable blank as per standard practice for data type N.
E1b kg	N	M: 050 - 100 F: 045 - 095		Round fractions down.
E1b dk	S			
E1c, E1d				As for E1b.
Page 28				
E2	М			If multiple boxes are crossed then the order of preference is as follows: 1, 5, 2, 4, 3.
E3	М		8	
E4	М			As for E2.
E5	М		ı	
E6	М		8	
E7	М		8	
E8	М		8	

Page 29			
E9	М		If multiple boxes are crossed including box 9 "Don"t know", record as 9. If both box 1 "Yes" and box 2 "No" only are crossed then record as blank.
E10	М	8	
E11a	М	I	
E11b	М	8	
E11c	М		If multiple boxes are crossed including box 3 "Not sure", record as 3. If both box 1 "Yes" and box 2 "No" only are crossed then record as blank.
E11d	T		
Page 30			
E12a to E12g	М	8	
E12g text	Т		
E12h	М	8	
E12h text	Т		
Page 31			
E13	М		If multiple boxes are crossed including box 3, record as 3. If both box 1 "Yes" and box 2 "No" only are crossed then record as blank.
E14	М	8	
E15a to E15d	М	8	
E16	М	8	
Page 32			
E17	М	8	
E18a to E18d	М		If multiple boxes are crossed including box 3 "Don"t know", record as 3. If both box 1 "Yes" and box 2 "No" only are crossed, record as blank.
E19	М	I	
E20a	M		N.B. Female version only. If multiple boxes are crossed including box 4, record as 4. Otherwise, if multiple boxes are crossed including box 3, record as 3. If both boxes 1 & 2 only are crossed then record as blank.
E20b	М	I	N.B. Female version only.
Page 33, Section F			
F1	М	I	
F2a	M	I	
F2b	М	8	
F3	М	8	
F4 to F6	М	l	

Page 34				
F7	М		ı	
F8a to F8c	М		1	
F8d January to December	S			
F8e	М		8	
Page 35				
F9	М		I	
F10 & F10a	М		I	
F10b(i) to b(iii)	S			
F10c	М		I	
F10d	М		8	
Page 36				
F11	М		I	
F12a	М		I	
F12b	М		8	
F12c	М		7	
F12d(i) to d(iv)	S			
F12d(iv) text	Т			
F12d(v)	S			
Page 37				
F13a	М			If multiple boxes are crossed including box 4, record as 4. Otherwise record any combination of boxes 1 to 3 as 3.
F13b	М		I	
F14, F14a	М		I	
F14b(i) to b(v)	S			
F14b(v) text	Т			
Page 38				
F15	М		8	
F16	М		7	
F17	М		8	
F18	N	00 - 30		
F19	М		I	
Page 39, Section G				
G1	М		8	

Page 40				
G2	М		8	
Page 41, Section H				
H1	М		8	
H2a to H2d	S			
Page 42, Section I				
l1 & l2	М		1	
l3a to l3e	S			
l4a	Т			
I4b month	N	01 – 12		
I4b year	N	20, 2004 - 2010		N.B. First two digits are pre-filled (2 0).
I4c	Т			
Page 43				
15	М		ı	
I6(i)a month	N	01 – 12		
I6(i)a year	N	02 – 10		
I6(i)b month	N	01 – 12		
l6(i)b year	N	02 – 10		
I6(i)c	Т			
16(ii) & 16(iii)				As I6(i)
Page 44 Section M				
J1a to J1f	S			
J1f text	Т			
J2	D	01/10/2008 – 31/12/2010		This is a required field so any blank dates will be flagged for verification. However, there is no need to fill in using date of completion.
J3	D	01/03/1991 - 31/01/1993		This is a required field so any blank dates will be flagged for verification. However, there is no need to attempt to fill in using information from other sources.

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a 9 digit check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. These numbers, together with bar codes, were printed on sticky labels that were then applied to the front pages of the questionnaires prior to being mailed out. If a response was not received after 3 weeks a reminder letter was sent. If there had still not been a response after a further 3 weeks then a second reminder was sent out. If there was still no response 3 weeks after the second reminder had been sent then the usual procedure was for the case to be flagged as being eligible for personal contact by a member of the Family Liaison Team. However, due to resource issues resulting from the number of concurrent data collections ongoing at the time, this final step was not enacted for this particular questionnaire.

The receipt of questionnaires was logged by the Questionnaire Administration Department using a bar code scanning system, which recorded the date of receipt. If returned blank by the respondent (but not, for example, if returned as "not known at this address") this was flagged. The questionnaires were examined and if badly completed (e.g. marks not in boxes) or if text was written outside of supplied boxes then the office use box on the back page was marked in order to flag that detailed checking was required at the verification stage (see below). Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20, separately for the male and female versions.

Data handling

The questionnaires were designed using the Teleform data capture software. The questionnaires were booklets with A5 pages, stapled in the folded spine. The expected responses to the questions fall into four categories: self-coding tick boxes, numeric, free text and occasionally constrained print (text entered one letter to a box).

Completed questionnaires had the spine guillotined off and were then fed into a document scanner. The data were captured from the resulting images by the Teleform software. Any anomalies, such as multiple ticks or numeric / constrained print responses that the system could not interpret were flagged by the software and corrected by an operator at the verification stage. During verification the captured free text was also checked for accuracy. The rules for correcting multiple ticks and other anomalies were set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B). The numeric, tick box and any constrained print data were then exported to an SPSS data file and the free text exported to a database.

The SPSS data files then had appropriate variable and value labels applied. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifiers ALN & QLET. At the end of this process the data were classified as clean; they are deemed to accurately represent what the respondent actually entered on the questionnaire, except that the text responses have not been processed. The free text is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a

questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letters "tc" which are followed by three digits and occasionally a further letter. Then the data from the back page (section J) were edited as described in the relevant section of this documentation.