

THE ALSPAC STUDY

PH FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Study Partner's Questionnaire

At 61 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 1c of the built file.

April 2019

© University of Bristol

Contents

	Introduction	Page 3
	Administrative variables	Page 5
Section A	Your Health Text Frequencies	Page 7 Page 14
Section B	Your Opinion of Yourself Text Frequencies	Page 36 Page 37
Section C	Your Feelings Text Frequencies	Page 41 Page 46
Section D	Recent Events Text Frequencies	Page 55 Page 59
Section E	Your Occupation and Lifestyle Text Frequencies	Page 71 Page 82
Section F	Your Home and Neighbourhood Text Frequencies	Page 126 Page 129
Section G	Your Family and Friends Text Frequencies	Page 136 Page 140
Section H	Completing the Questionnaire Text Frequencies	Page 147 Page 147
Appendix A	General Coding Instructions	Page 153
Appendix B	Specific Coding Instructions	Page 157
Appendix C	Questionnaire Methodology	Page 164

Introduction

Contents

This questionnaire was sent out in a pack addressed to the carer of the study child when her/his study child was 61 months old. The pack contained a copy of "Study Mother's Questionnaire" for the carer to complete and a copy of this questionnaire to hand to her/his partner if they wished to do so. It is in 8 sections. Section A contains standard ALSPAC health related questions including medicine use and hospital admissions. Section B contains the Bachman self-esteem scale (Bachman & O'Malley, 1977) while section C contains the Crown Crisp Experiential Index (Crown & Crisp, 1979) and the Edinburgh Postnatal Depression scale (Cox, Holden, & Sagovsky, 1987). Section D asks about life events in the past year. Section E asks about employment, financial matters, religion and education. Section F asks briefly about the respondent's home and neighbourhood and section G contains questions on support from family and friends. Finally, section H collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire.

Sample & response rates

There are a total of 14,591 records on this built file. This number is made up of the 14,541 pregnancies in the core ALSPAC sample (regardless of whether or not the 61-month partner questionnaire was sent out for them or whether they were returned) plus 50 eligible pregnancies not in the core sample for which the questionnaire was sent out. Note that this questionnaire was not completed for any of these 50 pregnancies.

Of the 14,541 pregnancies in the core ALSPAC sample, 13,868 resulted in at least one live born child. The 61-month partner questionnaire was sent out for 11,116 (80%) of these pregnancies. As of 31st December 2007 completed questionnaires had been returned for 4,523 (41%) of these pregnancies, which is 33% of the 13,868 pregnancies that resulted in at least one live born child. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Variable names

The variable names mostly have the same numerical components as the equivalent variables on the K file, which is based on the 61-month carer questionnaire. For example, the variable for whether or not the respondent believes in God is PH6240 on this file and K6240 on the K file. However, section F of this questionnaire contains questions reordered from sections E and G of the 61-month carer questionnaire as well as a question not asked in the carer questionnaire. The variables from this section do not have the consistency of numbering described above.

Release file version history

Release version 1a – March 2008

The first version of the release file.

Release version 1b – December 2008

Release version 1c – April 2019

Minor changes to missing values in the dataset and a minor change to the documentation regarding completion of the questionnaire.

References

Bachman, J. G., & O'Malley, P. M. (1977). Self-Esteem in Young Men - Longitudinal Analysis of Impact of Educational and Occupational Attainment. *Journal of Personality and Social Psychology*, 35(6), 365-380.

Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of Postnatal Depression - Development of the 10-Item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, 150, 782-786.

Crown, S., & Crisp, A. H. (1979). *Manual of the Crown-Crisp Experiential Index*. London: Hodder & Stoughton.

PH File - Introduction

Administrative variables

ph0001 Questionnaire sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	11166	76.5	76.5	76.5
2 No	3425	23.5	23.5	100.0
Total	14591	100.0	100.0	

ph0005 Questionnaire return status (as of 31/12/07)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Not returned	6398	43.8	57.3	57.3
2 Returned, completed	4523	31.0	40.5	97.8
3 Returned, blank	245	1.7	2.2	100.0
Total	11166	76.5	100.0	
Missing -2 Questionnaire not sent	3425	23.5		
Total	14591	100.0		

ph0006 Questionnaire returned (as of 31/12/07)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4768	32.7	42.7	42.7
2 No	6398	43.8	57.3	100.0
Total	11166	76.5	100.0	
Missing -2 Questionnaire not sent	3425	23.5		
Total	14591	100.0		

ph0007 Questionnaire completed (as of 31/12/07)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4523	31.0	40.5	40.5
2 No	6643	45.5	59.5	100.0
Total	11166	76.5	100.0	
Missing -2 Questionnaire not sent	3425	23.5		
Total	14591	100.0		

ph0007a Data available (as of 31/12/07)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4523	31.0	31.0	31.0
2 No	10068	69.0	69.0	100.0
Total	14591	100.0	100.0	

ph0008 Questionnaire version

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Version 1 - 29/03/96	4523	31.0	100.0	100.0
Missing -10 Not completed	10068	69.0		
Total	14591	100.0		

PAGE 1 OF THE QUESTIONNAIRE

Questionnaire No:

--	--	--	--	--	--	--	--	--

STUDY

PARTNER'S

QUESTIONNAIRE

This questionnaire asks about your lifestyle and the role you have in bringing up a child and any problems you have.

It asks you a number of questions. To answer please tick the box which is most accurate in your opinion.

Please answer all questions if you can, even if some are similar to those you may have answered before. If you cannot answer a question or if it does not apply to you, put a line through it. There are no good or bad answers. Just tell us what you think.

All answers are confidential

THANK YOU FOR YOUR HELP

29/03/96

Recycled paper

PAGE 2 OF THE QUESTIONNAIRE

SECTION A: YOUR HEALTH

A1. Which of the following would you say describes your health now?

fit and well	<div>1</div>
mostly well and healthy	<div>2</div>
often feel unwell	<div>3</div>
hardly ever feel well	<div>4</div>

A2. Have you had any of the following in the past year (since your study child was 4 years old)?

In past year:	Yes and consulted doctor	Yes but did not consult doctor	No ↓
a) anxiety or 'nerves'	<div>1</div>	<div>2</div>	<div>3</div>
b) depression	<div>1</div>	<div>2</div>	<div>3</div>
c) headache or migraine	<div>1</div>	<div>2</div>	<div>3</div>
d) epilepsy	<div>1</div>	<div>2</div>	<div>3</div>
e) back pain, sciatica, slipped disc	<div>1</div>	<div>2</div>	<div>3</div>
f) indigestion	<div>1</div>	<div>2</div>	<div>3</div>
g) high blood pressure	<div>1</div>	<div>2</div>	<div>3</div>
h) cough or cold	<div>1</div>	<div>2</div>	<div>3</div>
i) diabetes	<div>1</div>	<div>2</div>	<div>3</div>
j) haemorrhoids/piles	<div>1</div>	<div>2</div>	<div>3</div>
k) schizophrenia	<div>1</div>	<div>2</div>	<div>3</div>
l) influenza	<div>1</div>	<div>2</div>	<div>3</div>

PAGE 3 OF THE QUESTIONNAIRE

A2. (cont.)

In the past year:	Yes and consulted doctor	Yes but did not consult doctor	No ↓
m) alcohol problem	1	2	3
n) wheezing or asthma	1	2	3
o) bronchitis	1	2	3
p) stomach ulcer	1	2	3
q) eczema	1	2	3
r) psoriasis	1	2	3
s) arthritis	1	2	3
t) rheumatism	1	2	3
u) urinary infection	1	2	3
v) syphilis	1	2	3
w) gonorrhoea	1	2	3
x) other problems (please tick & describe)	1	2	3

.....

PAGE 4 OF THE QUESTIONNAIRE

A3. **In the past year** how often have you taken the following?

	Every day	Often	Sometimes	Not at all
a) sleeping pills	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b) vitamins	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c) cannabis/marihuana	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
d) tranquillisers	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
e) pills for depression	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
f) hormone tablets	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
g) antibiotics	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
h) aspirin	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
i) paracetamol	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
j) other painkillers	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
k) amphetamines or other stimulants	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
l) iron	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
m) heroin, methadone, crack, cocaine	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
n) anticonvulsants	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
o) steroids	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

other pill, medicine, drug or treatment (please describe each and state how frequently taken)

p)	<div>1</div>	<div>2</div>	<div>3</div>
q)	<div>1</div>	<div>2</div>	<div>3</div>
r)	<div>1</div>	<div>2</div>	<div>3</div>

PAGE 5 OF THE QUESTIONNAIRE

A4. Please list all the drugs, medicines and ointments that you have taken or used **in the past month:**

For office use

--	--

What did you take:	About how many days did you take or use it?	How often per day?
1.
2.
3.
4.
5.
6.
7.
8.
9.
10.

Check

Have you included iron tablets, laxatives, vitamins, sleeping tablets, aspirin, cough mixture, pain killers, herbal medicine, and homeopathic remedies?

PAGE 6 OF THE QUESTIONNAIRE

A5. a) Since your study child was 4 years old have you had to go and stay in hospital?

Yes No → If **no**, go to A6 below

If **yes**,

b) how many times?

c) for how many different reasons?

Reason for each hospital stay:

How long did you stay?

d)	<input type="text"/>	<input type="text"/>	nights
e)	<input type="text"/>	<input type="text"/>	nights
f)	<input type="text"/>	<input type="text"/>	nights
g)	<input type="text"/>	<input type="text"/>	nights
h)	<input type="text"/>	<input type="text"/>	nights

A6. In the past month, how often have you had any of the following:

In the past month:	Almost all the time	Sometimes	Once	Not at all
a) backache	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) headache or migraine	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) urinary infection	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) nausea	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) vomiting	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) diarrhoea	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) haemorrhoids or piles	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 7 OF THE QUESTIONNAIRE

A6. (cont.)

In the past month:	Almost all the time	Sometimes	Once	Not at all
h) feeling weepy/tearful	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
i) feeling irritable	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
j) feeling exhausted	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
k) varicose veins	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
l) passing urine very often	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
m) problem holding urine when you jump, sneeze etc.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
n) indigestion	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
o) feeling dizzy/fainting	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
p) flashing lights/spots before eyes	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
q) shoulder ache	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
r) tingling in hands/fingers	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
s) tingling in feet/toes	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
t) neck ache	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
u) feeling depressed	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
v) pain in your knee(s)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
w) other problem (please tick & describe)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

.....

.....

PAGE 8 OF THE QUESTIONNAIRE

A7. a) Have you ever had pain in one or both of your knees lasting for at least a month?

Yes, one Yes, both No → If **no**, go to A8 below

If **yes**,

b) about how old were you when this first happened?

Less than 10 10-13 14-16 17-19 20 or more

c) Have you had pain in your knees in the past month?

Yes No

A8. a) How often are you having sexual intercourse now?

not at all	<input type="text" value="1"/>
less than once a month	<input type="text" value="2"/>
1-3 times a month	<input type="text" value="3"/>
about once a week	<input type="text" value="4"/>
2-4 times a week	<input type="text" value="5"/>
5 or more times a week	<input type="text" value="6"/>

b) In general, do you enjoy it?

yes, very much	<input type="text" value="1"/>
yes, somewhat	<input type="text" value="2"/>
no, not a lot	<input type="text" value="3"/>
no, not at all	<input type="text" value="4"/>
no sex at the moment	<input type="text" value="5"/>

PH File – Section A

ph1000 A1: Indication of health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Fit and well	2798	61.9	62.4	62.4
	2 Mostly well and healthy	1544	34.1	34.4	96.8
	3 Often feel unwell	124	2.7	2.8	99.6
	4 Hardly ever feel well	18	.4	.4	100.0
	Total	4484	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4523	100.0		

ph1010 A2a: Respondent had anxiety/nerves in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	135	3.0	3.1	3.1
	2 Yes, did not consult a doctor	657	14.5	14.9	18.0
	3 No	3612	79.9	82.0	100.0
	Total	4404	97.4	100.0	
Missing	-1 No response	119	2.6		
Total		4523	100.0		

ph1011 A2b: Respondent had depression in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	130	2.9	3.0	3.0
	2 Yes, did not consult a doctor	429	9.5	9.8	12.7
	3 No	3832	84.7	87.3	100.0
	Total	4391	97.1	100.0	
Missing	-1 No response	132	2.9		
Total		4523	100.0		

ph1012 A2c: Respondent had headache/migraine in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	118	2.6	2.7	2.7
	2 Yes, did not consult a doctor	2353	52.0	53.0	55.7
	3 No	1966	43.5	44.3	100.0
	Total	4437	98.1	100.0	
Missing	-1 No response	86	1.9		
Total		4523	100.0		

ph1013 A2d: Respondent had epilepsy in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	6	.1	.1	.1
	2 Yes, did not consult a doctor	3	.1	.1	.2
	3 No	4349	96.2	99.8	100.0
	Total	4358	96.4	100.0	
Missing	-1 No response	165	3.6		
Total		4523	100.0		

PH File – Section A

ph1014 A2e: Respondent had back pain/sciatica/slipped disc in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	368	8.1	8.3	8.3
	2 Yes, did not consult a doctor	1215	26.9	27.6	35.9
	3 No	2827	62.5	64.1	100.0
	Total	4410	97.5	100.0	
Missing	-1 No response	113	2.5		
Total		4523	100.0		

ph1015 A2f: Respondent had indigestion in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	107	2.4	2.4	2.4
	2 Yes, did not consult a doctor	1576	34.8	35.7	38.2
	3 No	2728	60.3	61.8	100.0
	Total	4411	97.5	100.0	
Missing	-1 No response	112	2.5		
Total		4523	100.0		

ph1016 A2g: Respondent had high blood pressure in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	105	2.3	2.4	2.4
	2 Yes, did not consult a doctor	55	1.2	1.3	3.7
	3 No	4195	92.7	96.3	100.0
	Total	4355	96.3	100.0	
Missing	-9 Don't know	3	.1		
	-8 Text response	1	.0		
	-1 No response	164	3.6		
	Total	168	3.7		
Total		4523	100.0		

ph1017 A2h: Respondent had cough/cold in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	265	5.9	5.9	5.9
	2 Yes, did not consult a doctor	3191	70.6	71.5	77.5
	3 No	1004	22.2	22.5	100.0
	Total	4460	98.6	100.0	
Missing	-1 No response	63	1.4		
Total		4523	100.0		

ph1018 A2i: Respondent had diabetes in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	21	.5	.5	.5
	2 Yes, did not consult a doctor	2	.0	.0	.5
	3 No	4343	96.0	99.5	100.0
	Total	4366	96.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	156	3.4		
	Total	157	3.5		
Total		4523	100.0		

PH File – Section A

ph1019 A2j: Respondent had haemorrhoids/piles in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	101	2.2	2.3	2.3
	2 Yes, did not consult a doctor	430	9.5	9.8	12.1
	3 No	3859	85.3	87.9	100.0
	Total	4390	97.1	100.0	
Missing	-1 No response	133	2.9		
Total		4523	100.0		

ph1020 A2k: Respondent had schizophrenia in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	2	.0	.0	.0
	2 Yes, did not consult a doctor	3	.1	.1	.1
	3 No	4367	96.6	99.9	100.0
	Total	4372	96.7	100.0	
Missing	-1 No response	151	3.3		
Total		4523	100.0		

ph1021 A2l: Respondent had influenza in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	204	4.5	4.6	4.6
	2 Yes, did not consult a doctor	607	13.4	13.8	18.5
	3 No	3582	79.2	81.5	100.0
	Total	4393	97.1	100.0	
Missing	-1 No response	130	2.9		
Total		4523	100.0		

ph1022 A2m: Respondent had alcohol problems in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	8	.2	.2	.2
	2 Yes, did not consult a doctor	55	1.2	1.2	1.4
	3 No	4366	96.5	98.6	100.0
	Total	4429	97.9	100.0	
Missing	-1 No response	94	2.1		
Total		4523	100.0		

ph1023 A2n: Respondent had wheezing/asthma in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	203	4.5	4.6	4.6
	2 Yes, did not consult a doctor	320	7.1	7.2	11.8
	3 No	3912	86.5	88.2	100.0
	Total	4435	98.1	100.0	
Missing	-1 No response	88	1.9		
Total		4523	100.0		

PH File – Section A

ph1024 A2o: Respondent had bronchitis in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	85	1.9	1.9	1.9
	2 Yes, did not consult a doctor	46	1.0	1.0	3.0
	3 No	4298	95.0	97.0	100.0
	Total	4429	97.9	100.0	
Missing	-1 No response	94	2.1		
Total		4523	100.0		

ph1025 A2p: Respondent had stomach ulcer in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	25	.6	.6	.6
	2 Yes, did not consult a doctor	22	.5	.5	1.1
	3 No	4379	96.8	98.9	100.0
	Total	4426	97.9	100.0	
Missing	-1 No response	97	2.1		
Total		4523	100.0		

ph1026 A2q: Respondent had eczema in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	79	1.7	1.8	1.8
	2 Yes, did not consult a doctor	251	5.5	5.7	7.5
	3 No	4098	90.6	92.5	100.0
	Total	4428	97.9	100.0	
Missing	-1 No response	95	2.1		
Total		4523	100.0		

ph1027 A2r: Respondent had psoriasis in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	54	1.2	1.2	1.2
	2 Yes, did not consult a doctor	109	2.4	2.5	3.7
	3 No	4261	94.2	96.3	100.0
	Total	4424	97.8	100.0	
Missing	-1 No response	99	2.2		
Total		4523	100.0		

ph1028 A2s: Respondent had arthritis in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	74	1.6	1.7	1.7
	2 Yes, did not consult a doctor	76	1.7	1.7	3.4
	3 No	4273	94.5	96.6	100.0
	Total	4423	97.8	100.0	
Missing	-1 No response	100	2.2		
Total		4523	100.0		

PH File – Section A

ph1029 A2t: Respondent had rheumatism in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	25	.6	.6	.6
	2 Yes, did not consult a doctor	70	1.5	1.6	2.1
	3 No	4324	95.6	97.9	100.0
	Total	4419	97.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	103	2.3		
	Total	104	2.3		
Total		4523	100.0		

ph1030 A2u: Respondent had a urinary infection in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	59	1.3	1.3	1.3
	2 Yes, did not consult a doctor	33	.7	.7	2.1
	3 No	4333	95.8	97.9	100.0
	Total	4425	97.8	100.0	
Missing	-1 No response	98	2.2		
Total		4523	100.0		

ph1033 A2v: Respondent had syphilis in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 No	4422	97.8	100.0	100.0
Missing	-1 No response	101	2.2		
Total		4523	100.0		

ph1034 A2w: Respondent had gonorrhoea in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted a doctor	1	.0	.0	.0
	2 Yes, did not consult a doctor	2	.0	.0	.1
	3 No	4413	97.6	99.9	100.0
	Total	4416	97.6	100.0	
Missing	-1 No response	107	2.4		
Total		4523	100.0		

ph1036 A2x: Respondent had other problems in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	17	.4	.4	.4
	1 Yes, consulted a doctor	421	9.3	9.9	10.3
	2 Yes, did not consult a doctor	64	1.4	1.5	11.8
	3 No	3735	82.6	88.2	100.0
	Total	4237	93.7	100.0	
Missing	-1 No response	286	6.3		
Total		4523	100.0		

PH File – Section A

ph1040 A3a: Frequency in the past year respondent has taken sleeping pills

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Often	13	.3	.3	.3
	3 Sometimes	119	2.6	2.7	3.0
	4 Not at all	4327	95.7	97.0	100.0
	Total	4459	98.6	100.0	
Missing	-1 No response	64	1.4		
Total		4523	100.0		

ph1041 A3b: Frequency in the past year respondent has taken vitamins

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	233	5.2	5.2	5.2
	2 Often	238	5.3	5.3	10.5
	3 Sometimes	896	19.8	20.0	30.5
	4 Not at all	3108	68.7	69.5	100.0
	Total	4475	98.9	100.0	
Missing	-1 No response	48	1.1		
Total		4523	100.0		

ph1042 A3c: Frequency in the past year respondent has taken cannabis/marihuana

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	33	.7	.7	.7
	2 Often	55	1.2	1.2	2.0
	3 Sometimes	199	4.4	4.5	6.4
	4 Not at all	4173	92.3	93.6	100.0
	Total	4460	98.6	100.0	
Missing	-1 No response	63	1.4		
Total		4523	100.0		

ph1043 A3d: Frequency in the past year respondent has taken tranquillisers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	3	.1	.1	.1
	2 Often	6	.1	.1	.2
	3 Sometimes	25	.6	.6	.8
	4 Not at all	4419	97.7	99.2	100.0
	Total	4453	98.5	100.0	
Missing	-1 No response	70	1.5		
Total		4523	100.0		

PH File – Section A

ph1044 A3e: Frequency in the past year respondent has taken pills for depression

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	43	1.0	1.0	1.0
	2 Often	15	.3	.3	1.3
	3 Sometimes	48	1.1	1.1	2.4
	4 Not at all	4349	96.2	97.6	100.0
	Total	4455	98.5	100.0	
Missing	-1 No response	68	1.5		
Total		4523	100.0		

ph1045 A3f: Frequency in the past year respondent has taken hormone tablets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2	.0	.0	.0
	3 Sometimes	5	.1	.1	.2
	4 Not at all	4444	98.3	99.8	100.0
	Total	4451	98.4	100.0	
Missing	-1 No response	72	1.6		
Total		4523	100.0		

ph1046 A3g: Frequency in the past year respondent has taken antibiotics

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	9	.2	.2	.2
	2 Often	24	.5	.5	.7
	3 Sometimes	1248	27.6	28.0	28.7
	4 Not at all	3176	70.2	71.3	100.0
	Total	4457	98.5	100.0	
Missing	-1 No response	66	1.5		
Total		4523	100.0		

ph1047 A3h: Frequency in the past year respondent has taken aspirin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	22	.5	.5	.5
	2 Often	65	1.4	1.5	2.0
	3 Sometimes	1631	36.1	36.9	38.8
	4 Not at all	2708	59.9	61.2	100.0
	Total	4426	97.9	100.0	
Missing	-1 No response	97	2.1		
Total		4523	100.0		

PH File – Section A

ph1048 A3i: Frequency in the past year respondent has taken paracetamol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	12	.3	.3	.3
	2 Often	236	5.2	5.3	5.5
	3 Sometimes	3543	78.3	78.9	84.4
	4 Not at all	699	15.5	15.6	100.0
	5 Once	1	.0	.0	100.0
	Total	4491	99.3	100.0	
Missing	-1 No response	32	.7		
Total		4523	100.0		

ph1049 A3j: Frequency in the past year respondent has taken other painkillers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	35	.8	.8	.8
	2 Often	99	2.2	2.2	3.0
	3 Sometimes	1068	23.6	24.0	27.0
	4 Not at all	3257	72.0	73.0	100.0
	Total	4459	98.6	100.0	
Missing	-1 No response	64	1.4		
Total		4523	100.0		

ph1050 A3k: Frequency in the past year respondent has taken amphetamines/other stimulants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	1	.0	.0	.0
	2 Often	4	.1	.1	.1
	3 Sometimes	46	1.0	1.0	1.1
	4 Not at all	4403	97.3	98.9	100.0
	Total	4454	98.5	100.0	
Missing	-1 No response	69	1.5		
Total		4523	100.0		

ph1052 A3l: Frequency in the past year respondent has taken iron

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	43	1.0	1.0	1.0
	2 Often	27	.6	.6	1.6
	3 Sometimes	174	3.8	3.9	5.5
	4 Not at all	4209	93.1	94.5	100.0
	Total	4453	98.5	100.0	
Missing	-1 No response	70	1.5		
Total		4523	100.0		

PH File – Section A

ph1053 A3m: Frequency in the past year respondent has taken heroin/methadone/crack/cocaine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 Sometimes	10	.2	.2	.2
	4 Not at all	4441	98.2	99.8	100.0
	Total	4451	98.4	100.0	
Missing	-1 No response	72	1.6		
Total		4523	100.0		

ph1054 A3n: Frequency in the past year respondent has taken anticonvulsants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	15	.3	.3	.3
	2 Often	1	.0	.0	.4
	3 Sometimes	5	.1	.1	.5
	4 Not at all	4431	98.0	99.5	100.0
	Total	4452	98.4	100.0	
Missing	-1 No response	71	1.6		
Total		4523	100.0		

ph1055 A3o: Frequency in the past year respondent has taken steroids

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	27	.6	.6	.6
	2 Often	14	.3	.3	.9
	3 Sometimes	62	1.4	1.4	2.3
	4 Not at all	4335	95.8	97.7	100.0
	Total	4438	98.1	100.0	
Missing	-1 No response	85	1.9		
Total		4523	100.0		

ph1057 A3p: Frequency in the past year respondent has taken first other specified medicine/pill/drug/treatment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	16	.4	1.9	1.9
	1 Every day	294	6.5	34.4	36.3
	2 Often	128	2.8	15.0	51.3
	3 Sometimes	416	9.2	48.7	100.0
	Total	854	18.9	100.0	
Missing	-1 No response	3669	81.1		
Total		4523	100.0		

PH File – Section A

ph1059 A3q: Frequency in the past year respondent has taken second other specified medicine/pill/drug/treatment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	5	.1	1.8	1.8
	1 Every day	92	2.0	33.5	35.3
	2 Often	35	.8	12.7	48.0
	3 Sometimes	143	3.2	52.0	100.0
	Total	275	6.1	100.0	
Missing	-1 No response	4248	93.9		
Total		4523	100.0		

ph1061 A3r: Frequency in the past year respondent has taken third other specified medicine/pill/drug/treatment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	24	.5	22.2	22.2
	2 Often	7	.2	6.5	28.7
	3 Sometimes	77	1.7	71.3	100.0
	Total	108	2.4	100.0	
Missing	-1 No response	4415	97.6		
Total		4523	100.0		

ph1070 A4: Number of drugs/medicines/oointments taken in the last month as indicated in A41 to A410

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	369	8.2	12.4	12.4
	1	1360	30.1	45.6	58.0
	2	729	16.1	24.4	82.4
	3	314	6.9	10.5	93.0
	4	131	2.9	4.4	97.4
	5	47	1.0	1.6	98.9
	6	17	.4	.6	99.5
	7	11	.2	.4	99.9
	8	2	.0	.1	99.9
	9	2	.0	.1	100.0
	Total	2982	65.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	1539	34.0		
	Total	1541	34.1		
Total		4523	100.0		

ph1130 A5a: Respondent has had to stay in hospital since study child was 4 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	247	5.5	5.5	5.5
	2 No	4239	93.7	94.5	100.0
	Total	4486	99.2	100.0	
Missing	-1 No response	37	.8		
Total		4523	100.0		

PH File – Section A

ph1131 A5b: Number of times respondent has stayed in hospital since study child was 4 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	.8	.8
	1	216	4.8	86.7	87.6
	2	21	.5	8.4	96.0
	3	5	.1	2.0	98.0
	4	2	.0	.8	98.8
	8	1	.0	.4	99.2
	15	2	.0	.8	100.0
	Total	249	5.5	100.0	
Missing	-1 No response	4274	94.5		
Total		4523	100.0		

ph1132 A5c: Number of reasons respondent has stayed in hospital since study child was 4 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.1	1.7	1.7
	1	221	4.9	91.3	93.0
	2	14	.3	5.8	98.8
	3	2	.0	.8	99.6
	4	1	.0	.4	100.0
	Total	242	5.4	100.0	
Missing	-1 No response	4281	94.6		
Total		4523	100.0		

ph1134 A5d: Number of nights stayed in hospital for the first incidence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	27	.6	11.4	11.4
	1	76	1.7	32.1	43.5
	2	41	.9	17.3	60.8
	3	22	.5	9.3	70.0
	4	16	.4	6.8	76.8
	5	18	.4	7.6	84.4
	6	9	.2	3.8	88.2
	7	13	.3	5.5	93.7
	8	3	.1	1.3	94.9
	9	1	.0	.4	95.4
	10	3	.1	1.3	96.6
	17	1	.0	.4	97.0
	20	1	.0	.4	97.5
	21	3	.1	1.3	98.7
	35	1	.0	.4	99.2
	90	1	.0	.4	99.6
	98 Lots	1	.0	.4	100.0
	Total	237	5.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	4285	94.7		
	Total	4286	94.8		
Total		4523	100.0		

PH File – Section A

ph1136 A5e: Number of nights stayed in hospital for the second incidence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5	.1	18.5	18.5
	1	5	.1	18.5	37.0
	2	5	.1	18.5	55.6
	3	3	.1	11.1	66.7
	4	1	.0	3.7	70.4
	5	1	.0	3.7	74.1
	7	3	.1	11.1	85.2
	8	2	.0	7.4	92.6
	13	1	.0	3.7	96.3
	36	1	.0	3.7	100.0
	Total	27	.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	4495	99.4		
	Total	4496	99.4		
Total		4523	100.0		

ph1138 A5f: Number of nights stayed in hospital for the third incidence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	12.5	12.5
	2	1	.0	12.5	25.0
	3	2	.0	25.0	50.0
	4	1	.0	12.5	62.5
	9	1	.0	12.5	75.0
	10	1	.0	12.5	87.5
	30	1	.0	12.5	100.0
	Total	8	.2	100.0	
Missing	-1 No response	4515	99.8		
Total		4523	100.0		

ph1140 A5g: Number of nights stayed in hospital for in the fourth incidence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	.0	50.0	50.0
	14	1	.0	25.0	75.0
	24	1	.0	25.0	100.0
	Total	4	.1	100.0	
Missing	-1 No response	4519	99.9		
Total		4523	100.0		

ph1142 A5h: Number of nights stayed in hospital for in the fith incidence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	23	1	.0	100.0	100.0
Missing	-1 No response	4522	100.0		
Total		4523	100.0		

PH File – Section A

ph1150 A6a: Frequency in the past month respondent has had backache

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	176	3.9	4.1	4.1
	2 Sometimes	1038	22.9	24.2	28.3
	3 Once	550	12.2	12.8	41.1
	4 Not at all	2525	55.8	58.9	100.0
	Total	4289	94.8	100.0	
Missing	-1 No response	234	5.2		
Total		4523	100.0		

ph1151 A6b: Frequency in the past month respondent has had a headache/migraine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	21	.5	.5	.5
	2 Sometimes	1438	31.8	33.4	33.9
	3 Once	1076	23.8	25.0	58.9
	4 Not at all	1768	39.1	41.1	100.0
	Total	4303	95.1	100.0	
Missing	-1 No response	220	4.9		
Total		4523	100.0		

ph1152 A6c: Frequency in the past month respondent has had a urinary infection

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	5	.1	.1	.1
	2 Sometimes	5	.1	.1	.2
	3 Once	32	.7	.7	1.0
	4 Not at all	4232	93.6	99.0	100.0
	Total	4274	94.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	248	5.5		
	Total	249	5.5		
Total		4523	100.0		

ph1153 A6d: Frequency in the past month respondent has had nausea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	1	.0	.0	.0
	2 Sometimes	121	2.7	2.8	2.9
	3 Once	191	4.2	4.5	7.3
	4 Not at all	3960	87.6	92.7	100.0
	Total	4273	94.5	100.0	
Missing	-1 No response	250	5.5		
Total		4523	100.0		

PH File – Section A

ph1154 A6e: Frequency in the past month respondent has had vomiting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Sometimes	56	1.2	1.3	1.3
	3 Once	183	4.0	4.3	5.6
	4 Not at all	4037	89.3	94.4	100.0
	Total	4276	94.5	100.0	
Missing	-1 No response	247	5.5		
Total		4523	100.0		

ph1155 A6f: Frequency in the past month respondent has had diarrhoea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	10	.2	.2	.2
	2 Sometimes	248	5.5	5.8	6.0
	3 Once	462	10.2	10.8	16.8
	4 Not at all	3567	78.9	83.2	100.0
	Total	4287	94.8	100.0	
Missing	-1 No response	236	5.2		
Total		4523	100.0		

ph1156 A6g: Frequency in the past month respondent has had haemorrhoids/piles

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	49	1.1	1.1	1.1
	2 Sometimes	171	3.8	4.0	5.1
	3 Once	137	3.0	3.2	8.3
	4 Not at all	3926	86.8	91.7	100.0
	Total	4283	94.7	100.0	
Missing	-1 No response	240	5.3		
Total		4523	100.0		

ph1157 A6h: Frequency in the past month respondent has felt weepy/tearful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	13	.3	.3	.3
	2 Sometimes	297	6.6	6.7	7.0
	3 Once	310	6.9	7.0	13.9
	4 Not at all	3833	84.7	86.1	100.0
	Total	4453	98.5	100.0	
Missing	-1 No response	70	1.5		
Total		4523	100.0		

ph1158 A6i: Frequency in the past month respondent has felt irritable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	53	1.2	1.2	1.2
	2 Sometimes	2418	53.5	54.0	55.2
	3 Once	492	10.9	11.0	66.2
	4 Not at all	1514	33.5	33.8	100.0
	Total	4477	99.0	100.0	
Missing	-1 No response	46	1.0		
Total		4523	100.0		

PH File – Section A

ph1159 A6j: Frequency in the past month respondent has felt exhausted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	162	3.6	3.6	3.6
	2 Sometimes	2418	53.5	53.9	57.5
	3 Once	477	10.5	10.6	68.1
	4 Not at all	1432	31.7	31.9	100.0
	Total	4489	99.2	100.0	
Missing	-1 No response	34	.8		
Total		4523	100.0		

ph1160 A6k: Frequency in the past month respondent has had varicose veins

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	44	1.0	1.0	1.0
	2 Sometimes	38	.8	.9	1.8
	3 Once	9	.2	.2	2.0
	4 Not at all	4368	96.6	98.0	100.0
	Total	4459	98.6	100.0	
Missing	-1 No response	64	1.4		
Total		4523	100.0		

ph1161 A6l: Frequency in the past month respondent has been passing urine very often

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	31	.7	.7	.7
	2 Sometimes	269	5.9	6.0	6.7
	3 Once	59	1.3	1.3	8.0
	4 Not at all	4103	90.7	92.0	100.0
	Total	4462	98.7	100.0	
Missing	-1 No response	61	1.3		
Total		4523	100.0		

ph1162 A6m: Frequency in the past month respondent has had problems holding urine when jumping/sneezing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	3	.1	.1	.1
	2 Sometimes	24	.5	.5	.6
	3 Once	4	.1	.1	.7
	4 Not at all	4437	98.1	99.3	100.0
	Total	4468	98.8	100.0	
Missing	-1 No response	55	1.2		
Total		4523	100.0		

PH File – Section A

ph1163 A6n: Frequency in the past month respondent has had indigestion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	25	.6	.6	.6
	2 Sometimes	832	18.4	18.6	19.2
	3 Once	506	11.2	11.3	30.5
	4 Not at all	3111	68.8	69.5	100.0
	Total	4474	98.9	100.0	
Missing	-1 No response	49	1.1		
Total		4523	100.0		

ph1164 A6o: Frequency in the past month respondent felt dizzy/fainting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	2	.0	.0	.0
	2 Sometimes	140	3.1	3.1	3.2
	3 Once	203	4.5	4.5	7.7
	4 Not at all	4122	91.1	92.3	100.0
	Total	4467	98.8	100.0	
Missing	-1 No response	56	1.2		
Total		4523	100.0		

ph1165 A6p: Frequency in the past month respondent has had flashing lights/spots before their eyes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Sometimes	138	3.1	3.1	3.1
	3 Once	160	3.5	3.6	6.7
	4 Not at all	4170	92.2	93.3	100.0
	Total	4468	98.8	100.0	
Missing	-1 No response	55	1.2		
Total		4523	100.0		

ph1166 A6q: Frequency in the past month respondent has had shoulder ache

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	83	1.8	1.9	1.9
	2 Sometimes	648	14.3	14.5	16.3
	3 Once	309	6.8	6.9	23.2
	4 Not at all	3435	75.9	76.8	100.0
	Total	4475	98.9	100.0	
Missing	-1 No response	48	1.1		
Total		4523	100.0		

PH File – Section A

ph1167 A6r: Frequency in the past month respondent has had tingling in hands/fingers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	22	.5	.5	.5
	2 Sometimes	343	7.6	7.7	8.2
	3 Once	161	3.6	3.6	11.8
	4 Not at all	3949	87.3	88.2	100.0
	Total	4475	98.9	100.0	
Missing	-1 No response	48	1.1		
Total		4523	100.0		

ph1168 A6s: Frequency in the past month respondent has had tingling in feet/toes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	13	.3	.3	.3
	2 Sometimes	181	4.0	4.1	4.3
	3 Once	60	1.3	1.3	5.7
	4 Not at all	4210	93.1	94.3	100.0
	Total	4464	98.7	100.0	
Missing	-1 No response	59	1.3		
Total		4523	100.0		

ph1169 A6t: Frequency in the past month respondent has had neck ache

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	65	1.4	1.5	1.5
	2 Sometimes	784	17.3	17.5	19.0
	3 Once	408	9.0	9.1	28.1
	4 Not at all	3218	71.1	71.9	100.0
	Total	4475	98.9	100.0	
Missing	-1 No response	48	1.1		
Total		4523	100.0		

ph1170 A6u: Frequency in the past month respondent has felt depressed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	27	.6	.6	.6
	2 Sometimes	517	11.4	11.6	12.2
	3 Once	316	7.0	7.1	19.3
	4 Not at all	3593	79.4	80.7	100.0
	Total	4453	98.5	100.0	
Missing	-1 No response	70	1.5		
Total		4523	100.0		

PH File – Section A

ph1171 A6v: Frequency in the past month respondent has had pain in knees

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	113	2.5	2.5	2.5
	2 Sometimes	606	13.4	13.6	16.1
	3 Once	199	4.4	4.4	20.5
	4 Not at all	3554	78.6	79.5	100.0
	Total	4472	98.9	100.0	
Missing	-1 No response	51	1.1		
Total		4523	100.0		

ph1172 A6w: Frequency in the past month respondent has had another problem

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	47	1.0	1.2	1.2
	1 Almost all the time	70	1.5	1.8	3.0
	2 Sometimes	143	3.2	3.7	6.7
	3 Once	67	1.5	1.7	8.4
	4 Not at all	3582	79.2	91.6	100.0
	Total	3909	86.4	100.0	
Missing	-1 No response	614	13.6		
Total		4523	100.0		

ph1180 A7a: Respondent has had pain in one or both knees lasting at least one month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, one	521	11.5	11.6	11.6
	2 Yes, both	233	5.2	5.2	16.8
	3 No	3722	82.3	83.2	100.0
	Total	4476	99.0	100.0	
Missing	-1 No response	47	1.0		
Total		4523	100.0		

ph1181 A7b: Age pain in one or both knees first happened

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 10	11	.2	1.4	1.4
	2 10-13	47	1.0	6.2	7.6
	3 14-16	59	1.3	7.7	15.4
	4 17-19	78	1.7	10.2	25.6
	5 20 or more	567	12.5	74.4	100.0
	Total	762	16.8	100.0	
Missing	-1 No response	3761	83.2		
Total		4523	100.0		

ph1182 A7c: Respondent has had pain in one or both knees in the last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	503	11.1	49.1	49.1
	2 No	522	11.5	50.9	100.0
	Total	1025	22.7	100.0	
Missing	-1 No response	3498	77.3		
Total		4523	100.0		

PH File – Section A

ph1190 A8a: Frequency respondent has sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	264	5.8	6.0	6.0
	2 Less than once a month	559	12.4	12.7	18.7
	3 1-3 times a month	1399	30.9	31.8	50.5
	4 About once a week	1043	23.1	23.7	74.1
	5 2-4 times a week	1061	23.5	24.1	98.2
	6 5 or more times a week	78	1.7	1.8	100.0
	Total	4404	97.4	100.0	
Missing	-1 No response	119	2.6		
Total		4523	100.0		

ph1191 A8b: Respondent enjoys sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very much	2987	66.0	68.3	68.3
	2 Yes, somewhat	1089	24.1	24.9	93.2
	3 No, not a lot	81	1.8	1.9	95.0
	4 No, not at all	3	.1	.1	95.1
	5 No sex at the moment	214	4.7	4.9	100.0
	Total	4374	96.7	100.0	
Missing	-1 No response	149	3.3		
Total		4523	100.0		

PAGE 9 OF THE QUESTIONNAIRE

SECTION B: YOUR OPINION OF YOURSELF

Below are some statements. Please say how true they are of you.

		Almost always	Often true	Sometimes true	Seldom true	Never true
B1.	I feel that I am a person of worth, at least equal to others.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
B2.	I feel I have a number of good qualities.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
B3.	I am able to do things as well as most other people.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
B4.	I feel I do not have much to be proud of.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
B5.	I take a positive attitude towards myself.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
B6.	Sometimes I think I am no good at all.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
B7.	I am a useful person to have around.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
B8.	I feel I cannot do anything right.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
B9.	When I do a job I do it well.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
B10.	I feel that my life is not very useful.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
B11.	I am unlucky.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

PH File – Section B

ph2000 B1: Respondent feels they are a person of equal worth to others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2564	56.7	57.1	57.1
	2 Often true	1404	31.0	31.3	88.4
	3 Sometimes true	443	9.8	9.9	98.3
	4 Seldom true	42	.9	.9	99.2
	5 Never true	35	.8	.8	100.0
	Total	4488	99.2	100.0	
Missing	-1 No response	35	.8		
Total		4523	100.0		

ph2001 B2: Respondent feels they have a number of good qualities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2464	54.5	54.9	54.9
	2 Often true	1581	35.0	35.2	90.1
	3 Sometimes true	416	9.2	9.3	99.4
	4 Seldom true	17	.4	.4	99.7
	5 Never true	12	.3	.3	100.0
	Total	4490	99.3	100.0	
Missing	-1 No response	33	.7		
Total		4523	100.0		

ph2002 B3: Respondent feels they are able to do things as well as most other people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2193	48.5	48.8	48.8
	2 Often true	1737	38.4	38.7	87.5
	3 Sometimes true	503	11.1	11.2	98.7
	4 Seldom true	44	1.0	1.0	99.7
	5 Never true	13	.3	.3	100.0
	Total	4490	99.3	100.0	
Missing	-1 No response	33	.7		
Total		4523	100.0		

ph2003 B4: Respondent feels they do not have much to be proud of

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	223	4.9	5.0	5.0
	2 Often true	203	4.5	4.5	9.5
	3 Sometimes true	516	11.4	11.5	21.0
	4 Seldom true	1479	32.7	33.0	54.0
	5 Never true	2065	45.7	46.0	100.0
	Total	4486	99.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	36	.8		
	Total	37	.8		
Total		4523	100.0		

PH File – Section B

ph2004 B5: Respondent feels they take a positive attitude towards themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	1907	42.2	42.5	42.5
	2 Often true	1737	38.4	38.7	81.2
	3 Sometimes true	713	15.8	15.9	97.1
	4 Seldom true	118	2.6	2.6	99.7
	5 Never true	14	.3	.3	100.0
	Total	4489	99.2	100.0	
Missing	-1 No response	34	.8		
Total		4523	100.0		

ph2005 B6: Respondent sometimes feels they are no good at all

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	21	.5	.5	.5
	2 Often true	74	1.6	1.6	2.1
	3 Sometimes true	586	13.0	13.1	15.2
	4 Seldom true	1299	28.7	28.9	44.1
	5 Never true	2509	55.5	55.9	100.0
	Total	4489	99.2	100.0	
Missing	-1 No response	34	.8		
Total		4523	100.0		

ph2006 B7: Respondent feels they are a useful person

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	1682	37.2	37.5	37.5
	2 Often true	1930	42.7	43.0	80.5
	3 Sometimes true	794	17.6	17.7	98.2
	4 Seldom true	58	1.3	1.3	99.4
	5 Never true	25	.6	.6	100.0
	Total	4489	99.2	100.0	
Missing	-1 No response	34	.8		
Total		4523	100.0		

ph2007 B8: Respondent feels they cannot do anything right

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	27	.6	.6	.6
	2 Often true	89	2.0	2.0	2.6
	3 Sometimes true	664	14.7	14.8	17.4
	4 Seldom true	1528	33.8	34.0	51.4
	5 Never true	2182	48.2	48.6	100.0
	Total	4490	99.3	100.0	
Missing	-1 No response	33	.7		
Total		4523	100.0		

PH File – Section B

ph2008 B9: Respondent feels that when they do a job they do it well

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	1826	40.4	40.7	40.7
	2 Often true	2054	45.4	45.8	86.5
	3 Sometimes true	570	12.6	12.7	99.2
	4 Seldom true	29	.6	.6	99.8
	5 Never true	8	.2	.2	100.0
	Total	4487	99.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	35	.8		
	Total	36	.8		
Total		4523	100.0		

ph2009 B10: Respondent feels that their life is not very useful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	38	.8	.8	.8
	2 Often true	85	1.9	1.9	2.7
	3 Sometimes true	428	9.5	9.5	12.3
	4 Seldom true	972	21.5	21.7	33.9
	5 Never true	2966	65.6	66.1	100.0
	Total	4489	99.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	33	.7		
	Total	34	.8		
Total		4523	100.0		

ph2010 B11: Respondent feels that they're unlucky

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	149	3.3	3.3	3.3
	2 Often true	261	5.8	5.8	9.1
	3 Sometimes true	1111	24.6	24.8	33.9
	4 Seldom true	1315	29.1	29.3	63.3
	5 Never true	1645	36.4	36.7	100.0
	Total	4481	99.1	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	40	.9		
	Total	42	.9		
Total		4523	100.0		

PAGE 10 OF THE QUESTIONNAIRE

SECTION C: YOUR FEELINGS

The questions in this section ask you about your feelings and the way you behave. You have answered these questions in other questionnaires, but you might be feeling differently **now**.

Please indicate the way you feel.

		Very often	Often	Not very often	Never
C1.	Do you feel upset for no obvious reason?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C2.	Do you get troubled by dizziness or shortness of breath?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C3.	Have you felt as though you might faint?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C4.	Do you feel sick or have indigestion?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C5.	Do you feel that life is too much effort?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C6.	Do you feel uneasy and restless?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C7.	Do you feel tingling or prickling sensations in your body, arms or legs?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C8.	Do you regret much of your past behaviour?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C9.	Do you sometimes feel panicky?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C10.	Do you find that you have little or no appetite?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C11.	Do you wake unusually early in the morning even when you haven't been woken by your children?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C12.	Do you worry a lot?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

PAGE 11 OF THE QUESTIONNAIRE

		Very often	Often	Not very often	Never
C13.	Do you feel tired or exhausted?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C14.	Do you experience long periods of sadness?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C15.	Do you feel strung-up inside?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C16.	Can you go to sleep all right?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C17.	Do you ever have the feeling you are going to pieces?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C18.	Do you often have excessive sweating or fluttering of the heart?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C19.	Do you find yourself needing to cry?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C20.	Do you have bad dreams which upset you when you wake up?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C21.	Do you lose the ability to feel sympathy for others?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C22.	Can you think as quickly as you used to?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
C23.	Do you have to make a special effort to face up to a crisis or difficulty?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

PAGE 12 OF THE QUESTIONNAIRE

Your feelings in the past week.

C24. I have been able to laugh and see the funny side of things:

As much as I always could	1
Not quite so much now	2
Definitely not so much now	3
Not at all	4

C25. I have looked forward with enjoyment to things:

As much as I ever did	1
Rather less than I used to	2
Definitely less than I used to	3
Hardly at all	4

C26. I have blamed myself unnecessarily when things went wrong:

Yes, most of the time	1
Yes, some of the time	2
Not very often	3
Never	4

C27. I have been anxious or worried for no good reason:

No, not at all	1
Hardly ever	2
Yes, sometimes	3
Yes, often	4

PAGE 13 OF THE QUESTIONNAIRE

In the past week:

C28. I have felt scared or panicky for no good reason:

Yes, quite a lot	<div>1</div>
Yes, sometimes	<div>2</div>
No, not much	<div>3</div>
No, not at all	<div>4</div>

C29. Things have been getting on top of me:

Yes, most of the time I haven't been able to cope	<div>1</div>
Yes, sometimes I haven't been coping as well as usual	<div>2</div>
No, most of the time I have coped quite well	<div>3</div>
No, I have been coping as well as ever	<div>4</div>

C30. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time	<div>1</div>
Yes, sometimes	<div>2</div>
Not very often	<div>3</div>
No, not at all	<div>4</div>

C31. I have felt sad or miserable:

Yes, most of the time	<div>1</div>
Yes, quite often	<div>2</div>
Not very often	<div>3</div>
No, not at all	<div>4</div>

PAGE 14 OF THE QUESTIONNAIRE

In the past week:

C32. I have been so unhappy that I have been crying:

Yes, most of the time	<div>1</div>
Yes, quite often	<div>2</div>
Only occasionally	<div>3</div>
Never	<div>4</div>

C33. The thought of harming myself has occurred to me:

Yes, quite often	<div>1</div>
Sometimes	<div>2</div>
Hardly ever	<div>3</div>
Never	<div>4</div>

C34. On the whole are there more good days than bad?

Yes, more good days	<div>1</div>
About half and half	<div>2</div>
No, more bad days	<div>3</div>

PH File – Section C

ph3000 C1: Frequency respondent feels upset for no obvious reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	18	.4	.4	.4
	2 Often	104	2.3	2.3	2.7
	3 Not very often	1505	33.3	33.6	36.3
	4 Never	2858	63.2	63.7	100.0
	Total	4485	99.2	100.0	
Missing	-1 No response	38	.8		
Total		4523	100.0		

ph3001 C2: Frequency respondent is troubled by dizziness/shortness of breath

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	11	.2	.2	.2
	2 Often	83	1.8	1.9	2.1
	3 Not very often	722	16.0	16.1	18.2
	4 Never	3666	81.1	81.8	100.0
	Total	4482	99.1	100.0	
Missing	-1 No response	41	.9		
Total		4523	100.0		

ph3002 C3: Frequency respondent has felt like they might faint

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	4	.1	.1	.1
	2 Often	24	.5	.5	.6
	3 Not very often	611	13.5	13.6	14.2
	4 Never	3846	85.0	85.8	100.0
	Total	4485	99.2	100.0	
Missing	-1 No response	38	.8		
Total		4523	100.0		

ph3003 C4: Frequency respondent feels sick or has indigestion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	21	.5	.5	.5
	2 Often	225	5.0	5.0	5.5
	3 Not very often	1678	37.1	37.4	42.9
	4 Never	2561	56.6	57.1	100.0
	Total	4485	99.2	100.0	
Missing	-1 No response	38	.8		
Total		4523	100.0		

PH File – Section C

ph3004 C5: Frequency respondent feels life is too much effort

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	16	.4	.4	.4
	2 Often	163	3.6	3.6	4.0
	3 Not very often	1207	26.7	26.9	30.9
	4 Never	3095	68.4	69.1	100.0
	Total	4481	99.1	100.0	
Missing	-1 No response	42	.9		
Total		4523	100.0		

ph3005 C6: Frequency respondent feels uneasy and restless

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	37	.8	.8	.8
	2 Often	399	8.8	8.9	9.7
	3 Not very often	1961	43.4	43.8	53.5
	4 Never	2080	46.0	46.5	100.0
	Total	4477	99.0	100.0	
Missing	-1 No response	46	1.0		
Total		4523	100.0		

ph3006 C7: Frequency respondent feels tingling/prickling sensations in their body/arms/legs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	27	.6	.6	.6
	2 Often	118	2.6	2.6	3.2
	3 Not very often	618	13.7	13.8	17.0
	4 Never	3717	82.2	83.0	100.0
	Total	4480	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4523	100.0		

ph3007 C8: Frequency respondent regrets much of their past behaviour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	81	1.8	1.8	1.8
	2 Often	305	6.7	6.8	8.6
	3 Not very often	2070	45.8	46.2	54.8
	4 Never	2027	44.8	45.2	100.0
	Total	4483	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4523	100.0		

PH File – Section C

ph3008 C9: Frequency respondent feels panicky

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	19	.4	.4	.4
	2 Often	138	3.1	3.1	3.5
	3 Not very often	1154	25.5	25.8	29.3
	4 Never	3167	70.0	70.7	100.0
	Total	4478	99.0	100.0	
Missing	-1 No response	45	1.0		
Total		4523	100.0		

ph3009 C10: Frequency respondent has little or no appetite

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	18	.4	.4	.4
	2 Often	98	2.2	2.2	2.6
	3 Not very often	1016	22.5	22.7	25.3
	4 Never	3345	74.0	74.7	100.0
	Total	4477	99.0	100.0	
Missing	-1 No response	46	1.0		
Total		4523	100.0		

ph3010 C11: Frequency respondent wakes unusually early if not woken by children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	227	5.0	5.1	5.1
	2 Often	743	16.4	16.6	21.7
	3 Not very often	1746	38.6	39.0	60.7
	4 Never	1761	38.9	39.3	100.0
	Total	4477	99.0	100.0	
Missing	-1 No response	46	1.0		
Total		4523	100.0		

ph3011 C12: Frequency respondent worries a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	170	3.8	3.8	3.8
	2 Often	878	19.4	19.6	23.4
	3 Not very often	2627	58.1	58.6	82.0
	4 Never	806	17.8	18.0	100.0
	Total	4481	99.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	41	.9		
	Total	42	.9		
Total		4523	100.0		

PH File – Section C

ph3012 C13: Frequency respondent feels tired or exhausted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	269	5.9	6.0	6.0
	2 Often	1500	33.2	33.5	39.5
	3 Not very often	2330	51.5	52.0	91.5
	4 Never	383	8.5	8.5	100.0
	Total	4482	99.1	100.0	
Missing	-1 No response	41	.9		
Total		4523	100.0		

ph3013 C14: Frequency respondent experiences long periods of sadness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	26	.6	.6	.6
	2 Often	166	3.7	3.7	4.3
	3 Not very often	1123	24.8	25.1	29.4
	4 Never	3164	70.0	70.6	100.0
	Total	4479	99.0	100.0	
Missing	-1 No response	44	1.0		
Total		4523	100.0		

ph3014 C15: Frequency respondent feels strung up inside

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	65	1.4	1.5	1.5
	2 Often	431	9.5	9.6	11.1
	3 Not very often	1823	40.3	40.7	51.8
	4 Never	2157	47.7	48.2	100.0
	Total	4476	99.0	100.0	
Missing	-1 No response	47	1.0		
Total		4523	100.0		

ph3015 C16: Frequency respondent can go to sleep alright

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	2767	61.2	61.7	61.7
	2 Often	1250	27.6	27.9	89.6
	3 Not very often	312	6.9	7.0	96.6
	4 Never	152	3.4	3.4	100.0
	Total	4481	99.1	100.0	
Missing	-1 No response	42	.9		
Total		4523	100.0		

ph3016 C17: Frequency respondent feels that they are going to pieces

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	25	.6	.6	.6
	2 Often	122	2.7	2.7	3.3
	3 Not very often	958	21.2	21.4	24.7
	4 Never	3372	74.6	75.3	100.0
	Total	4477	99.0	100.0	
Missing	-1 No response	46	1.0		
Total		4523	100.0		

PH File – Section C

ph3017 C18: Frequency respondent experiences excessive sweating or fluttering of the heart

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	22	.5	.5	.5
	2 Often	117	2.6	2.6	3.1
	3 Not very often	741	16.4	16.5	19.6
	4 Never	3601	79.6	80.4	100.0
	Total	4481	99.1	100.0	
Missing	-1 No response	42	.9		
Total		4523	100.0		

ph3018 C19: Frequency respondent feels themselves needing to cry

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	9	.2	.2	.2
	2 Often	83	1.8	1.9	2.1
	3 Not very often	1053	23.3	23.5	25.6
	4 Never	3336	73.8	74.4	100.0
	Total	4481	99.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	41	.9		
	Total	42	.9		
Total		4523	100.0		

ph3019 C20: Frequency respondent has bad dreams which and feels upset when they wake up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	11	.2	.2	.2
	2 Often	49	1.1	1.1	1.3
	3 Not very often	845	18.7	18.8	20.2
	4 Never	3580	79.2	79.8	100.0
	Total	4485	99.2	100.0	
Missing	-1 No response	38	.8		
Total		4523	100.0		

PH File – Section C

ph3020 C21: Frequency respondent loses the ability to feel sympathy for others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	87	1.9	1.9	1.9
	2 Often	425	9.4	9.5	11.4
	3 Not very often	2084	46.1	46.5	58.0
	4 Never	1883	41.6	42.0	100.0
	Total	4479	99.0	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	43	1.0		
	Total	44	1.0		
Total		4523	100.0		

ph3021 C22: Frequency respondent can think as quickly as they used to

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	2078	45.9	46.4	46.4
	2 Often	1792	39.6	40.0	86.5
	3 Not very often	466	10.3	10.4	96.9
	4 Never	139	3.1	3.1	100.0
	Total	4475	98.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	47	1.0		
	Total	48	1.1		
Total		4523	100.0		

ph3022 C23: Frequency respondent makes a special effort to face up to crisis or difficulty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	68	1.5	1.5	1.5
	2 Often	436	9.6	9.7	11.3
	3 Not very often	2132	47.1	47.6	58.8
	4 Never	1844	40.8	41.2	100.0
	Total	4480	99.0	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	41	.9		
	Total	43	1.0		
Total		4523	100.0		

PH File – Section C

ph3030 C24: Frequency in the past week respondent has been able to laugh and see the funny side of things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as I always could	3419	75.6	76.3	76.3
	2 Not quite so much now	873	19.3	19.5	95.8
	3 Definitely not so much now	170	3.8	3.8	99.6
	4 Not at all	18	.4	.4	100.0
	Total	4480	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4523	100.0		

ph3031 C25: Frequency in the past week respondent has looked forward to things with enjoyment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as I ever did	3452	76.3	77.1	77.1
	2 Rather less than I used to	862	19.1	19.2	96.3
	3 Definitely less than I used to	141	3.1	3.1	99.4
	4 Hardly at all	25	.6	.6	100.0
	Total	4480	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4523	100.0		

ph3032 C26: Frequency in the past week respondent has blamed themselves unnecessarily when things go wrong

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	95	2.1	2.1	2.1
	2 Yes, some of the time	922	20.4	20.6	22.7
	3 Not very often	1888	41.7	42.2	64.9
	4 Never	1574	34.8	35.1	100.0
	Total	4479	99.0	100.0	
Missing	-1 No response	44	1.0		
Total		4523	100.0		

ph3033 C27: Frequency in the past week respondent has been anxious or worried for no good reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	2402	53.1	53.6	53.6
	2 Hardly ever	1123	24.8	25.1	78.7
	3 Yes, sometimes	862	19.1	19.2	97.9
	4 Yes, often	92	2.0	2.1	100.0
	Total	4479	99.0	100.0	
Missing	-1 No response	44	1.0		
Total		4523	100.0		

PH File – Section C

ph3034 C28: Frequency in the past week respondent has felt scared or panicky for no good reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite a lot	35	.8	.8	.8
	2 Yes, sometimes	216	4.8	4.8	5.6
	3 No, not much	672	14.9	15.0	20.6
	4 No, not at all	3556	78.6	79.4	100.0
	Total	4479	99.0	100.0	
Missing	-1 No response	44	1.0		
Total		4523	100.0		

ph3035 C29: Frequency in the past week respondent has felt things were getting on top of them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time I haven't been able to cope	42	.9	.9	.9
	2 Yes, sometimes I haven't been coping as well as usual	559	12.4	12.5	13.4
	3 No, most of the time I have coped quite well	1619	35.8	36.1	49.6
	4 No, I have been coping as well as ever	2259	49.9	50.4	100.0
	Total	4479	99.0	100.0	
Missing	-1 No response	44	1.0		
Total		4523	100.0		

ph3036 C30: Frequency in the past week respondent has been so unhappy they have difficulty sleeping

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	25	.6	.6	.6
	2 Yes, sometimes	221	4.9	4.9	5.5
	3 Not very often	665	14.7	14.8	20.3
	4 No, not at all	3568	78.9	79.7	100.0
	Total	4479	99.0	100.0	
Missing	-1 No response	44	1.0		
Total		4523	100.0		

ph3037 C31: Frequency in the past week respondent has felt sad or miserable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	41	.9	.9	.9
	2 Yes, quite often	308	6.8	6.9	7.8
	3 Not very often	1485	32.8	33.1	40.9
	4 No, not at all	2646	58.5	59.1	100.0
	Total	4480	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4523	100.0		

PH File – Section C

ph3038 C32: Frequency in the past week respondent has been so unhappy they were crying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	4	.1	.1	.1
	2 Yes, quite often	18	.4	.4	.5
	3 Only occasionally	273	6.0	6.1	6.6
	4 Never	4187	92.6	93.4	100.0
	Total	4482	99.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	40	.9		
	Total	41	.9		
Total		4523	100.0		

ph3039 C33: Frequency in the past week respondent has thought of harming themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite often	7	.2	.2	.2
	2 Sometimes	65	1.4	1.5	1.6
	3 Hardly ever	166	3.7	3.7	5.3
	4 Never	4242	93.8	94.7	100.0
	Total	4480	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4523	100.0		

ph3040 C34: Respondent believes on the whole there are more good days than bad

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, more good days	3859	85.3	86.1	86.1
	2 About half and half	508	11.2	11.3	97.5
	3 No, more bad days	113	2.5	2.5	100.0
	Total	4480	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4523	100.0		

PAGE 15 OF THE QUESTIONNAIRE

SECTION D: RECENT EVENTS

Listed below are a number of events which may have brought changes in your life. Have any of the these occurred in the past year (since your study child was 4). If so, please assess how much effect it had on you.

		Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No did not happen
In the past year:						
D1.	Your partner died	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D2.	One of your children died	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D3.	A friend or relative died	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D4.	One of your children was ill	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D5.	Your partner was ill	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D6.	A friend or relative was ill	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D7.	You were admitted to hospital	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D8.	You were in trouble with the law	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D9.	You were divorced	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D10.	You found that your partner didn't want your child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D11.	You were very ill	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D12.	Your partner lost her job	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

PAGE 16 OF THE QUESTIONNAIRE

		Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No did not happen
In the past year:						
D13.	Your partner had problems at work	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D14.	You had problems at work	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D15.	You lost your job	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D16.	Your partner went away	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D17.	Your partner was in trouble with the law	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D18.	You and your partner separated	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D19.	Your income was reduced	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D20.	You argued with your partner	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D21.	You argued with your family and friends	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D22.	You moved house	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D23.	Your partner was physically cruel to you	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D24.	You became homeless	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D25.	You had a major financial problem	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D26.	You got married	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

PAGE 17 OF THE QUESTIONNAIRE

		Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No did not happen
In the past year:						
D27.	Your partner was physically cruel to your children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D28.	You were physically cruel to your children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D29.	You attempted suicide	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D30.	You were convicted of an offence	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D31.	Your partner became pregnant	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D32.	You started a new job	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D33.	Your partner had a miscarriage	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D34.	Your partner had an abortion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D35.	You took an examination	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D36.	Your partner was emotionally cruel to you	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D37.	Your partner was emotionally cruel to your children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D38.	You were emotionally cruel to your children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D39.	Your house or car was burgled	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

PAGE 18 OF THE QUESTIONNAIRE

	Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me at all	No did not happen
In the past year:					
D40. Your partner started a new job	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D41. A pet died	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
D42. You had an accident (please tick & describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

.....

D43. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope in the last year?

Yes No → If **no**, go to Section E on page 19

If **yes**, b) please describe:

.....

.....

c) How did this affect you?

a lot	<input type="text" value="1"/>
moderately	<input type="text" value="2"/>
mildly	<input type="text" value="3"/>
not at all	<input type="text" value="4"/>

PH File – Section D

ph4000 D1: Respondent's assessment of how much the death of their partner in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4 Yes, but did not affect me at all	1	.0	.0	.0
	5 No, did not happen	4482	99.1	100.0	100.0
	Total	4483	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4523	100.0		

ph4001 D2: Respondent's assessment of how much one of their children dying in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	11	.2	.2	.2
	3 Yes, mildly affected	1	.0	.0	.3
	5 No, did not happen	4471	98.9	99.7	100.0
	Total	4483	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4523	100.0		

ph4002 D3: Respondent's assessment of how much the death of a friend/relative in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	212	4.7	4.7	4.7
	2 Yes, moderately affected	264	5.8	5.9	10.6
	3 Yes, mildly affected	418	9.2	9.3	20.0
	4 Yes, but did not affect me at all	289	6.4	6.4	26.4
	5 No, did not happen	3298	72.9	73.6	100.0
	Total	4481	99.1	100.0	
Missing	-1 No response	42	.9		
Total		4523	100.0		

ph4003 D4: Respondent's assessment of how much the illness of one of their children in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	171	3.8	3.8	3.8
	2 Yes, moderately affected	312	6.9	7.0	10.8
	3 Yes, mildly affected	777	17.2	17.4	28.2
	4 Yes, but did not affect me at all	777	17.2	17.4	45.5
	5 No, did not happen	2439	53.9	54.5	100.0
	Total	4476	99.0	100.0	
Missing	-1 No response	47	1.0		
Total		4523	100.0		

PH File – Section D

ph4004 D5: Respondent's assessment of how much the illness of thier partner in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	188	4.2	4.2	4.2
	2 Yes, moderately affected	330	7.3	7.4	11.6
	3 Yes, mildly affected	574	12.7	12.8	24.4
	4 Yes, but did not affect me at all	487	10.8	10.9	35.3
	5 No, did not happen	2900	64.1	64.7	100.0
	Total	4479	99.0	100.0	
Missing	-1 No response	44	1.0		
Total		4523	100.0		

ph4005 D6: Respondent's assessment of how much the illness of a friend/relative in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	123	2.7	2.7	2.7
	2 Yes, moderately affected	268	5.9	6.0	8.7
	3 Yes, mildly affected	450	9.9	10.0	18.8
	4 Yes, but did not affect me at all	528	11.7	11.8	30.6
	5 No, did not happen	3109	68.7	69.4	100.0
	Total	4478	99.0	100.0	
Missing	-1 No response	45	1.0		
Total		4523	100.0		

ph4006 D7: Respondent's assessment of how much being admitted to hospital in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	62	1.4	1.4	1.4
	2 Yes, moderately affected	52	1.1	1.2	2.5
	3 Yes, mildly affected	80	1.8	1.8	4.3
	4 Yes, but did not affect me at all	87	1.9	1.9	6.3
	5 No, did not happen	4204	92.9	93.7	100.0
	Total	4485	99.2	100.0	
Missing	-1 No response	38	.8		
Total		4523	100.0		

ph4007 D8: Respondent's assessment of how much being in trouble with the law in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	17	.4	.4	.4
	2 Yes, moderately affected	14	.3	.3	.7
	3 Yes, mildly affected	41	.9	.9	1.6
	4 Yes, but did not affect me at all	33	.7	.7	2.3
	5 No, did not happen	4379	96.8	97.7	100.0
	Total	4484	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4523	100.0		

PH File – Section D

ph4008 D9: Respondent's assessment of how much their partner not wanting their child in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	13	.3	.3	.3
	2 Yes, moderately affected	6	.1	.1	.4
	3 Yes, mildly affected	2	.0	.0	.5
	4 Yes, but did not affect me at all	4	.1	.1	.6
	5 No, did not happen	4458	98.6	99.4	100.0
	Total	4483	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4523	100.0		

ph4009 D10: Respondent's assessment of how much being very ill in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	5	.1	.1	.1
	2 Yes, moderately affected	3	.1	.1	.2
	3 Yes, mildly affected	5	.1	.1	.3
	4 Yes, but did not affect me at all	3	.1	.1	.4
	5 No, did not happen	4464	98.7	99.6	100.0
	Total	4480	99.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	42	.9		
	Total	43	1.0		
Total		4523	100.0		

ph4010 D11: Respondent's assessment of how much being very ill in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	72	1.6	1.6	1.6
	2 Yes, moderately affected	49	1.1	1.1	2.7
	3 Yes, mildly affected	82	1.8	1.8	4.5
	4 Yes, but did not affect me at all	56	1.2	1.3	5.8
	5 No, did not happen	4221	93.3	94.2	100.0
	Total	4480	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4523	100.0		

ph4011 D12: Respondent's assessment of how much their partner losing their job in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	7	.2	.2	.2
	2 Yes, moderately affected	20	.4	.4	.6
	3 Yes, mildly affected	33	.7	.7	1.3
	4 Yes, but did not affect me at all	39	.9	.9	2.2
	5 No, did not happen	4380	96.8	97.8	100.0
	Total	4479	99.0	100.0	
Missing	-1 No response	44	1.0		
Total		4523	100.0		

PH File – Section D

ph4012 D13: Respondent's assessment of how much their partner having problems at work in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	44	1.0	1.0	1.0
	2 Yes, moderately affected	148	3.3	3.3	4.3
	3 Yes, mildly affected	399	8.8	8.9	13.2
	4 Yes, but did not affect me at all	282	6.2	6.3	19.5
	5 No, did not happen	3607	79.7	80.5	100.0
	Total	4480	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4523	100.0		

ph4013 D14: Respondent's assessment of how much having problems at work in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	266	5.9	5.9	5.9
	2 Yes, moderately affected	398	8.8	8.9	14.8
	3 Yes, mildly affected	840	18.6	18.8	33.6
	4 Yes, but did not affect me at all	503	11.1	11.2	44.8
	5 No, did not happen	2468	54.6	55.2	100.0
	Total	4475	98.9	100.0	
Missing	-1 No response	48	1.1		
Total		4523	100.0		

ph4014 D15: Respondent's assessment of how much losing their job in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	84	1.9	1.9	1.9
	2 Yes, moderately affected	52	1.1	1.2	3.0
	3 Yes, mildly affected	58	1.3	1.3	4.3
	4 Yes, but did not affect me at all	43	1.0	1.0	5.3
	5 No, did not happen	4240	93.7	94.7	100.0
	Total	4477	99.0	100.0	
Missing	-1 No response	46	1.0		
Total		4523	100.0		

ph4015 D16: Respondent's assessment of how much their partner going away in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	30	.7	.7	.7
	2 Yes, moderately affected	25	.6	.6	1.2
	3 Yes, mildly affected	46	1.0	1.0	2.3
	4 Yes, but did not affect me at all	104	2.3	2.3	4.6
	5 No, did not happen	4271	94.4	95.4	100.0
	Total	4476	99.0	100.0	
Missing	-1 No response	47	1.0		
Total		4523	100.0		

PH File – Section D

ph4016 D17: Respondent's assessment of how much their partner being in trouble with the law in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	3	.1	.1	.1
	2 Yes, moderately affected	2	.0	.0	.1
	3 Yes, mildly affected	7	.2	.2	.3
	4 Yes, but did not affect me at all	4	.1	.1	.4
	5 No, did not happen	4464	98.7	99.6	100.0
	Total	4480	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4523	100.0		

ph4017 D18: Respondent's assessment of how much separating from their partner in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	79	1.7	1.8	1.8
	2 Yes, moderately affected	16	.4	.4	2.1
	3 Yes, mildly affected	4	.1	.1	2.2
	4 Yes, but did not affect me at all	8	.2	.2	2.4
	5 No, did not happen	4373	96.7	97.6	100.0
	Total	4480	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4523	100.0		

ph4018 D19: Respondent's assessment of how much a reduction of their income in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	139	3.1	3.1	3.1
	2 Yes, moderately affected	160	3.5	3.6	6.7
	3 Yes, mildly affected	283	6.3	6.3	13.0
	4 Yes, but did not affect me at all	168	3.7	3.7	16.7
	5 No, did not happen	3732	82.5	83.3	100.0
	Total	4482	99.1	100.0	
Missing	-1 No response	41	.9		
Total		4523	100.0		

ph4019 D20: Respondent's assessment of how much arguing with their partner in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	261	5.8	5.8	5.8
	2 Yes, moderately affected	401	8.9	9.0	14.8
	3 Yes, mildly affected	990	21.9	22.1	36.9
	4 Yes, but did not affect me at all	1021	22.6	22.8	59.7
	5 No, did not happen	1806	39.9	40.3	100.0
	Total	4479	99.0	100.0	
Missing	-1 No response	44	1.0		
Total		4523	100.0		

PH File – Section D

ph4020 D21: Respondent's assessment of how much arguing with friends/family in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	57	1.3	1.3	1.3
	2 Yes, moderately affected	109	2.4	2.4	3.7
	3 Yes, mildly affected	242	5.4	5.4	9.1
	4 Yes, but did not affect me at all	296	6.5	6.6	15.7
	5 No, did not happen	3772	83.4	84.3	100.0
	Total	4476	99.0	100.0	
Missing	-1 No response	47	1.0		
Total		4523	100.0		

ph4021 D22: Respondent's assessment of how much moving house in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	115	2.5	2.6	2.6
	2 Yes, moderately affected	138	3.1	3.1	5.6
	3 Yes, mildly affected	183	4.0	4.1	9.7
	4 Yes, but did not affect me at all	139	3.1	3.1	12.8
	5 No, did not happen	3908	86.4	87.2	100.0
	Total	4483	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4523	100.0		

ph4022 D23: Respondent's assessment of how much their partner being physically cruel in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	17	.4	.4	.4
	2 Yes, moderately affected	9	.2	.2	.6
	3 Yes, mildly affected	27	.6	.6	1.2
	4 Yes, but did not affect me at all	23	.5	.5	1.7
	5 No, did not happen	4407	97.4	98.3	100.0
	Total	4483	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4523	100.0		

ph4023 D24: Respondent's assessment of how much becoming homeless in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	6	.1	.1	.1
	2 Yes, moderately affected	6	.1	.1	.3
	3 Yes, mildly affected	3	.1	.1	.3
	5 No, did not happen	4468	98.8	99.7	100.0
	Total	4483	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4523	100.0		

PH File – Section D

ph4024 D25: Respondent's assessment of how much major financial problems in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	121	2.7	2.7	2.7
	2 Yes, moderately affected	140	3.1	3.1	5.8
	3 Yes, mildly affected	221	4.9	4.9	10.8
	4 Yes, but did not affect me at all	106	2.3	2.4	13.1
	5 No, did not happen	3894	86.1	86.9	100.0
	Total	4482	99.1	100.0	
Missing	-1 No response	41	.9		
Total		4523	100.0		

ph4025 D26: Respondent's assessment of how much getting married in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	16	.4	.4	.4
	2 Yes, moderately affected	6	.1	.1	.5
	3 Yes, mildly affected	8	.2	.2	.7
	4 Yes, but did not affect me at all	11	.2	.2	.9
	5 No, did not happen	4443	98.2	99.1	100.0
	Total	4484	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4523	100.0		

ph4026 D27: Respondent's assessment how much their partner being physically cruel to the children in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	4	.1	.1	.1
	2 Yes, moderately affected	8	.2	.2	.3
	3 Yes, mildly affected	13	.3	.3	.6
	4 Yes, but did not affect me at all	2	.0	.0	.6
	5 No, did not happen	4456	98.5	99.4	100.0
	Total	4483	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4523	100.0		

ph4027 D28: Respondent's assessment of how much being physically cruel to the children in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	16	.4	.4	.4
	2 Yes, moderately affected	12	.3	.3	.6
	3 Yes, mildly affected	16	.4	.4	1.0
	4 Yes, but did not affect me at all	5	.1	.1	1.1
	5 No, did not happen	4435	98.1	98.9	100.0
	Total	4484	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4523	100.0		

PH File – Section D

ph4028 D29: Respondent's assessment of how much attempting suicide in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	4	.1	.1	.1
	3 Yes, mildly affected	1	.0	.0	.1
	4 Yes, but did not affect me at all	1	.0	.0	.1
	5 No, did not happen	4478	99.0	99.9	100.0
	Total	4484	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4523	100.0		

ph4029 D30: Respondent's assessment of how much being convicted of an offence in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	10	.2	.2	.2
	2 Yes, moderately affected	15	.3	.3	.6
	3 Yes, mildly affected	9	.2	.2	.8
	4 Yes, but did not affect me at all	31	.7	.7	1.4
	5 No, did not happen	4419	97.7	98.6	100.0
	Total	4484	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4523	100.0		

ph4030 D31: Respondent's assessment of how much their partner becoming pregnant in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	165	3.6	3.7	3.7
	2 Yes, moderately affected	104	2.3	2.3	6.0
	3 Yes, mildly affected	81	1.8	1.8	7.8
	4 Yes, but did not affect me at all	58	1.3	1.3	9.1
	5 No, did not happen	4070	90.0	90.9	100.0
	Total	4478	99.0	100.0	
Missing	-1 No response	45	1.0		
Total		4523	100.0		

ph4031 D32: Respondent's assessment of how much starting a new job in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	190	4.2	4.2	4.2
	2 Yes, moderately affected	215	4.8	4.8	9.0
	3 Yes, mildly affected	209	4.6	4.7	13.7
	4 Yes, but did not affect me at all	223	4.9	5.0	18.7
	5 No, did not happen	3645	80.6	81.3	100.0
	Total	4482	99.1	100.0	
Missing	-1 No response	41	.9		
Total		4523	100.0		

PH File – Section D

ph4033 D33: Respondent's assessment of how much their partner having a miscarriage in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	42	.9	.9	.9
	2 Yes, moderately affected	30	.7	.7	1.6
	3 Yes, mildly affected	16	.4	.4	2.0
	4 Yes, but did not affect me at all	2	.0	.0	2.0
	5 No, did not happen	4393	97.1	98.0	100.0
	Total	4483	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4523	100.0		

ph4034 D34: Respondent's assessment of how much their partner having an abortion in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	12	.3	.3	.3
	2 Yes, moderately affected	4	.1	.1	.4
	3 Yes, mildly affected	8	.2	.2	.5
	4 Yes, but did not affect me at all	2	.0	.0	.6
	5 No, did not happen	4456	98.5	99.4	100.0
	Total	4482	99.1	100.0	
Missing	-1 No response	41	.9		
Total		4523	100.0		

ph4035 D35: Respondent's assessment of how much taking an examination in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	48	1.1	1.1	1.1
	2 Yes, moderately affected	69	1.5	1.5	2.6
	3 Yes, mildly affected	141	3.1	3.1	5.8
	4 Yes, but did not affect me at all	220	4.9	4.9	10.7
	5 No, did not happen	4002	88.5	89.3	100.0
	Total	4480	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4523	100.0		

ph4036 D36: Respondent's assessment of how much their partner being emotionally cruel to them in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	99	2.2	2.2	2.2
	2 Yes, moderately affected	78	1.7	1.7	4.0
	3 Yes, mildly affected	134	3.0	3.0	6.9
	4 Yes, but did not affect me at all	46	1.0	1.0	8.0
	5 No, did not happen	4119	91.1	92.0	100.0
	Total	4476	99.0	100.0	
Missing	-1 No response	47	1.0		
Total		4523	100.0		

PH File – Section D

ph4037 D37: Respondent's assessment of how much their partner being emotionally cruel to the children in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	24	.5	.5	.5
	2 Yes, moderately affected	28	.6	.6	1.2
	3 Yes, mildly affected	41	.9	.9	2.1
	4 Yes, but did not affect me at all	13	.3	.3	2.4
	5 No, did not happen	4377	96.8	97.6	100.0
	Total	4483	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4523	100.0		

ph4038 D38: Respondent's assessment of how much being emotionally cruel to their children in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	23	.5	.5	.5
	2 Yes, moderately affected	33	.7	.7	1.2
	3 Yes, mildly affected	36	.8	.8	2.1
	4 Yes, but did not affect me at all	21	.5	.5	2.5
	5 No, did not happen	4371	96.6	97.5	100.0
	Total	4484	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4523	100.0		

ph4039 D39: Respondent's assessment of how much their house being burgled/car stolen in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	42	.9	.9	.9
	2 Yes, moderately affected	103	2.3	2.3	3.2
	3 Yes, mildly affected	206	4.6	4.6	7.8
	4 Yes, but did not affect me at all	176	3.9	3.9	11.8
	5 No, did not happen	3955	87.4	88.2	100.0
	Total	4482	99.1	100.0	
Missing	-1 No response	41	.9		
Total		4523	100.0		

PH File – Section D

ph4040 D40: Respondent's assessment of how much their partner starting a new job in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	51	1.1	1.1	1.1
	2 Yes, moderately affected	126	2.8	2.8	3.9
	3 Yes, mildly affected	269	5.9	6.0	9.9
	4 Yes, but did not affect me at all	363	8.0	8.1	18.0
	5 No, did not happen	3687	81.5	82.0	100.0
	Total	4496	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4523	100.0		

ph4041 D41: Respondent's assessment of how much the death of a pet in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, affected me a lot	50	1.1	1.1	1.1
	2 Yes, moderately affected	78	1.7	1.7	2.8
	3 Yes, mildly affected	176	3.9	3.9	6.8
	4 Yes, but did not affect me at all	321	7.1	7.1	13.9
	5 No, did not happen	3872	85.6	86.1	100.0
	Total	4497	99.4	100.0	
Missing	-1 No response	26	.6		
Total		4523	100.0		

ph4042 D42: Respondent's assessment of how much having an accident in the last year has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	3	.1	.1	.1
	1 Yes, affected me a lot	40	.9	.9	1.0
	2 Yes, moderately affected	38	.8	.9	1.8
	3 Yes, mildly affected	92	2.0	2.1	3.9
	4 Yes, but did not affect me at all	94	2.1	2.1	6.0
	5 No, did not happen	4178	92.4	94.0	100.0
	Total	4445	98.3	100.0	
Missing	-1 No response	78	1.7		
Total		4523	100.0		

PH File – Section D

ph4050 D43a: Respondent indicated another event in the last year which has required additional effort to cope with

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	585	12.9	15.1	15.1
2 No	3291	72.8	84.9	100.0
Total	3876	85.7	100.0	
Missing -1 No response	647	14.3		
Total	4523	100.0		

ph4052 D43c: Respondent's assessment of how much the event specified in D43a has affected them

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 A lot	367	8.1	59.3	59.3
2 Moderately	176	3.9	28.4	87.7
3 Mildly	53	1.2	8.6	96.3
4 Not at all	23	.5	3.7	100.0
Total	619	13.7	100.0	
Missing -1 No response	3904	86.3		
Total	4523	100.0		

PAGE 19 OF THE QUESTIONNAIRE

SECTION E: YOUR OCCUPATION AND LIFESTYLE

E1. a) In the last year have you worked at all?

no

→ If **no**, go to Question E7 on page 22

yes, paid work at home

yes, paid work outside home

yes, paid work both at home and outside home

If **yes**,

b) how old was this study child when you started your most recent job?

years

months

(If started before the child was born put 0 00)

c) are you still working?

Yes

No

month

If **no**,

i) when did you finish?

199

Now go to E7
→ on page 22

If **yes**,

ii) how many jobs are you now doing?

d) As far as you can, please describe your actual job, occupation, trade or profession.

(Use precise terms such as radio mechanic, woodworking machinist, toolroom foreman. If the occupation is known by a special name, please use that name. If in HM Forces, give the rank in addition to the actual job. Please also describe the type of industry or service given: i.e. give details of what is made, materials used, or services given).

Your present job or last main job.

i) Actual job, occupation, trade or profession

.....

.....

.....

PAGE 20 OF THE QUESTIONNAIRE

E1d ii) Please tick which of the following apply to you:

foreman	<input type="checkbox"/>
manager	<input type="checkbox"/>
supervisor	<input type="checkbox"/>
leading hand	<input type="checkbox"/>
self-employed	<input type="checkbox"/>
none of these	<input type="checkbox"/>

iii) Type of industry or service given (main things done in job):

.....

e) How many hours a week altogether do you now work? hours

i) Does this include weekends ?

Yes ☐ No ☐ Sometimes ☐

ii) Do you work in the evenings or at night ?

Yes ☐ No ☐ Sometimes ☐

f) How would you describe the physical effort you need for your current job(s)?

very little effort, mostly sitting	<input type="checkbox"/>
some physical effort	<input type="checkbox"/>
quite a lot of physical effort	<input type="checkbox"/>
considerable physical effort	<input type="checkbox"/>

PAGE 21 OF THE QUESTIONNAIRE

E2. Are you working at the same status as you were 5 years ago?

no, lower level

1

yes, same level

2

no, higher level

3

didn't work 5 years ago

7

E3. Do you find your job satisfying?

Yes

1

No

2

Sometimes

3

E4. a) How do you usually travel to work? (Tick all that apply)

Yes

No

Work at home

i) public transport (bus, train)

1

2

7

→ Go to E8 on page 23

ii) car

1

2

iii) cycle

1

2

iv) walk

1

2

v) other

1

2

E4. b) How long does it usually take:

Less than
15 mins15-29
mins30-59
minsAn hour
or more

i) to travel to work

1

2

3

4

ii) to travel home from work

1

2

3

4

PAGE 22 OF THE QUESTIONNAIRE

E5. Below are statements about how working affects being a parent.
Please indicate which is true for you:

		Yes almost always	Yes often	Not very often	Never
a)	I enjoy seeing my child after work	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b)	After a day working I find it hard to cope with a young child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

E6. a) Do you worry about your study child when you are at work?

Yes Yes, sometimes No

b) Does he/she make a fuss when you leave him/her?

Yes No

If you are not working:

E7. a) Have you chosen not to work so that you can stay at home with your child?

No Yes → **If yes, go to E8 on page 23**

If no,

b) Have you been looking for work? Yes No → **If no, go to E8 on page 23**

c) How long have you been seeking work? months

PAGE 23 OF THE QUESTIONNAIRE

E8. a) Please list all previous paid jobs since the day the study child was born:

Job done	Hours/ week (average)	Month started	Year started	Month finished	Year finished
1.			199 <input type="text"/>		199 <input type="text"/>
2.			199 <input type="text"/>		199 <input type="text"/>
3.			199 <input type="text"/>		199 <input type="text"/>
4.			199 <input type="text"/>		199 <input type="text"/>
5.			199 <input type="text"/>		199 <input type="text"/>

b) Did any of these jobs involve working at weekends?

Yes No → If **no**, go to E8d below

c) If **yes**, which ones? (Tick all that apply)

Job No.				
1	2	3	4	5
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

d) Did any of these jobs involve working in the evenings or at nights?

Yes No

e) If **yes**, which ones? (Tick all that apply)

Job No.				
1	2	3	4	5
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

E9. How many cigarettes per day do you currently smoke?

30+ <input type="text"/>	25-29 <input type="text"/>	20-24 <input type="text"/>	15-19 <input type="text"/>
10-14 <input type="text"/>	5-9 <input type="text"/>	1-4 <input type="text"/>	none <input type="text"/>
pipe only <input type="text"/>	cigars only <input type="text"/>		

PAGE 24 OF THE QUESTIONNAIRE

E10. a) How much alcohol do you drink?

never drink alcohol

1

very occasionally (less than once a week)

2

occasionally (at least once a week)

3

drink 1-2 glasses* nearly every day

4

drink 3-9 glasses* every day

5

drink at least 10 glasses* a day

6

(* by glass we mean a pub measure (1oz) of spirits, half a pint ($\frac{1}{4}$ litre) of lager or cider, a wine glass of wine, etc.)

b) How many days in the past month do you think you had the equivalent of at least 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

every day

1

more than 10 days

2

5-10 days

3

3-4 days

4

1-2 days

5

none

6

c) Do you or your partner make your own alcoholic drinks?

Yes**No**

i) wine

1

2

ii) beer

1

2

iii) spirits

1

2

PAGE 25 OF THE QUESTIONNAIRE

E11. How difficult at the moment do you find it to afford these items:

		Very difficult	Fairly difficult	Slightly difficult	Not difficult	Paid directly by Social Security
a)	food	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>↓</div> <div><div>5</div></div> <div><div>5</div></div>
b)	clothing	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
c)	heating	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
d)	rent or mortgage	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
e)	things you need for your children	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
f)	costs of educational courses (e.g. music, sport, etc)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
g)	medical care	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
h)	your spare time activities	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
i)	something else (please tick and describe)	<div>1</div>	<div>2</div>	<div>3</div>		

.....

E12. How many hours sleep do you get altogether now?

		None	1-3 hours	4-5 hours	6-7 hours	More than 7 hours
a)	during an average night	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
b)	during an average day	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
c)	Do you feel that you are getting enough sleep?					
	Yes	<div>1</div>	No	<div>2</div>		

PAGE 26 OF THE QUESTIONNAIRE

E13. a) Do you believe in God or in some divine power?

Yes Am not sure No, not at all

b) Do you feel that God (or some divine power) has helped you at any time?

Yes Not sure No

c) Would you appeal to God for help if you were in trouble?

Yes Not sure No

d) What sort of religious faith would you say you had? (tick one only)

Church of England	<input type="text" value="01"/>	Roman Catholic	<input type="text" value="02"/>
Jehovah's Witness	<input type="text" value="03"/>	Christian Science	<input type="text" value="04"/>
Mormon	<input type="text" value="05"/>	Other Christian (please describe)	<input type="text" value="06"/>

Jewish	<input type="text" value="07"/>	Buddhist	<input type="text" value="08"/>
Sikh	<input type="text" value="09"/>	Hindu	<input type="text" value="10"/>
Muslim	<input type="text" value="11"/>	Rastafarian	<input type="text" value="12"/>
None	<input type="text" value="00"/>	Other (please describe)	<input type="text" value="13"/>

PAGE 27 OF THE QUESTIONNAIRE

E13. e) How long have you had this particular faith?

all my life

1

more than 5 years

2

3-5 years

3

1-2 years

4

less than a year

5

E13. f) Do you go to a place of worship?

yes, at least once a week

1

yes, at least once a month

2

yes, at least once a year

3

no, not at all

4

g) Do you obtain help and support from leaders or others members of religious groups?

Help from:**Yes****No**i) Leaders of your religious group
(e.g. priests, rabbis, imams)

1

2

ii) Other members of your religious group

1

2

iii) Members of other religious group(s)
(please describe)

1

2

.....

E14. a) Do you, in your spare time, belong to any organisations or groups of people (e.g. choir, gardening club, sports club, charity fund raising etc.)?

Yes

1

No

2

i) If yes, please describe:

.....

PAGE 28 OF THE QUESTIONNAIRE

E14. b) Are you on any committees?

Yes No

If **yes**, please describe

c) Do you do any voluntary work?

Yes No

If **yes**, please describe

E15. In the past 2 years have you taken any courses or other educational training?

Yes

No

a) training within my job

b) evening classes

c) university

d) other
(please describe)

.....

PAGE 29 OF THE QUESTIONNAIRE

E16. What educational qualifications do you, and your partner, have?
Please tick all that apply.

	(i) Your self	(ii) Your partner
a) No qualifications	<input type="checkbox"/>	<input type="checkbox"/>
b) CSE or GCSE (D, E, F or G)	<input type="checkbox"/>	<input type="checkbox"/>
c) O-level or GCSE (A, B or C)	<input type="checkbox"/>	<input type="checkbox"/>
d) A-level	<input type="checkbox"/>	<input type="checkbox"/>
e) Qualifications in shorthand/typing/ or other skills, e.g. hairdressing	<input type="checkbox"/>	<input type="checkbox"/>
f) Apprenticeship	<input type="checkbox"/>	<input type="checkbox"/>
g) State enrolled nurse	<input type="checkbox"/>	<input type="checkbox"/>
h) State registered nurse	<input type="checkbox"/>	<input type="checkbox"/>
i) City & Guilds intermediate technical	<input type="checkbox"/>	<input type="checkbox"/>
j) City & Guilds final technical	<input type="checkbox"/>	<input type="checkbox"/>
k) City & Guilds full technical	<input type="checkbox"/>	<input type="checkbox"/>
l) Teaching qualification	<input type="checkbox"/>	<input type="checkbox"/>
m) University degree	<input type="checkbox"/>	<input type="checkbox"/>
n) Qualifications not known	<input type="checkbox"/>	<input type="checkbox"/>
o) Not applicable, no such person		<input type="checkbox"/>
p) Other (please tick & describe)	<input type="checkbox"/>	<input type="checkbox"/>

.....

.....

PH File – Section E

ph6000 E1a: Respondent has worked in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	191	4.2	4.3	4.3
	2 Yes, paid work at home	55	1.2	1.2	5.5
	3 Yes, paid work outside home	3758	83.1	84.1	89.6
	4 Yes, paid work both at home and outside home	467	10.3	10.4	100.0
	Total	4471	98.9	100.0	
Missing	-1 No response	52	1.1		
Total		4523	100.0		

ph6001a E1b: Age of study child when respondent started work: Years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2512	55.5	60.0	60.0
	1	165	3.6	3.9	63.9
	2	270	6.0	6.4	70.4
	3	374	8.3	8.9	79.3
	4	683	15.1	16.3	95.6
	5	184	4.1	4.4	100.0
	6	1	.0	.0	100.0
	Total	4189	92.6	100.0	
Missing	-1 No response	334	7.4		
Total		4523	100.0		

ph6001b E1b: Age of study child when respondent started work: Months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2625	58.0	64.4	64.4
	1	157	3.5	3.9	68.3
	2	119	2.6	2.9	71.2
	3	124	2.7	3.0	74.3
	4	90	2.0	2.2	76.5
	5	91	2.0	2.2	78.7
	6	297	6.6	7.3	86.0
	7	68	1.5	1.7	87.7
	8	120	2.7	2.9	90.6
	9	110	2.4	2.7	93.3
	10	139	3.1	3.4	96.7
	11	134	3.0	3.3	100.0
	Total	4074	90.1	100.0	
Missing	-1 No response	449	9.9		
Total		4523	100.0		

PH File – Section E

ph6002 E1c: Respondent is still working

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4147	91.7	97.6	97.6
	2 No	102	2.3	2.4	100.0
	Total	4249	93.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	273	6.0		
	Total	274	6.1		
Total		4523	100.0		

ph6003a E1c1: Date respondent stopped working: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	7	.2	6.7	6.7
	2	7	.2	6.7	13.3
	3	9	.2	8.6	21.9
	4	7	.2	6.7	28.6
	5	14	.3	13.3	41.9
	6	2	.0	1.9	43.8
	7	7	.2	6.7	50.5
	8	10	.2	9.5	60.0
	9	14	.3	13.3	73.3
	10	7	.2	6.7	80.0
	11	10	.2	9.5	89.5
	12	11	.2	10.5	100.0
	Total	105	2.3	100.0	
Missing	-1 No response	4418	97.7		
Total		4523	100.0		

ph6003b E1c1: Date respondent stopped working: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1966	1	.0	.9	.9
	1990	2	.0	1.9	2.8
	1992	2	.0	1.9	4.7
	1994	2	.0	1.9	6.5
	1995	6	.1	5.6	12.1
	1996	57	1.3	53.3	65.4
	1997	33	.7	30.8	96.3
	1998	4	.1	3.7	100.0
	Total	107	2.4	100.0	
Missing	-1 No response	4416	97.6		
Total		4523	100.0		


PH File – Section E

ph6004 E1c2: Number of jobs respondent has at time of completion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	20	.4	.5	.5
	1	3564	78.8	93.0	93.6
	2	198	4.4	5.2	98.7
	3	35	.8	.9	99.6
	4	7	.2	.2	99.8
	5	2	.0	.1	99.9
	6	2	.0	.1	99.9
	7	3	.1	.1	100.0
	Total	3831	84.7	100.0	
Missing	-1 No response	692	15.3		
Total		4523	100.0		

ph6006 E1d2: Job role that respondent holds

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Foreman	64	1.4	1.5	1.5
	2 Manager	1390	30.7	33.2	34.7
	3 Supervisor	344	7.6	8.2	42.9
	4 Leading hand	240	5.3	5.7	48.7
	5 Self-employed	751	16.6	17.9	66.6
	6 None of these	1400	31.0	33.4	100.0
	Total	4189	92.6	100.0	
Missing	-1 No response	334	7.4		
Total		4523	100.0		

ph6008 E1e: Number of hours a week respondent works

plus the following missing values, special codes and outliers > 80:

ph6008 E1e: Number of hours a week respondent works

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	84	10	2.7	20.4	20.4
	85	7	1.9	14.3	34.7
	87	1	.3	2.0	36.7
	88	2	.5	4.1	40.8
	90 90 hours or more	7	1.9	14.3	55.1
	95 Part Time	1	.3	2.0	57.1
	96 Full time	2	.5	4.1	61.2
	97 Occasional	2	.5	4.1	65.3
	98 Lots	1	.3	2.0	67.3
	99 Varies	16	4.3	32.7	100.0
	Total	49	13.1	100.0	
Missing	-1 No response	325	86.9		
Total		374	100.0		

PH File – Section E

ph6009 E1e1: Respondent works weekends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1171	25.9	27.8	27.8
	2 No	1451	32.1	34.4	62.3
	3 Sometimes	1590	35.2	37.7	100.0
	Total	4212	93.1	100.0	
Missing	-1 No response	311	6.9		
Total		4523	100.0		

ph6010 E1e2: Respondent works evenings/nights

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1017	22.5	24.2	24.2
	2 No	1270	28.1	30.2	54.3
	3 Sometimes	1922	42.5	45.7	100.0
	Total	4209	93.1	100.0	
Missing	-1 No response	314	6.9		
Total		4523	100.0		

ph6011 E1f: Respondent's assessment of the physical effort required to do their job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very little effort, mostly sitting	1709	37.8	40.6	40.6
	2 Some physical effort	1232	27.2	29.3	69.9
	3 Quite a lot of physical effort	808	17.9	19.2	89.0
	4 Considerable effort	461	10.2	11.0	100.0
	Total	4210	93.1	100.0	
Missing	-1 No response	313	6.9		
Total		4523	100.0		

ph6030 E2: Respondent is working at the same level as they did 5 years ago

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, lower level	272	6.0	6.5	6.5
	2 Yes, same level	1781	39.4	42.3	48.7
	3 No, higher level	2106	46.6	50.0	98.7
	7 Didn't work 5 years ago	53	1.2	1.3	100.0
	Total	4212	93.1	100.0	
Missing	-1 No response	311	6.9		
Total		4523	100.0		

ph6040 E3: Respondent finds their job satisfying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2643	58.4	62.7	62.7
	2 No	312	6.9	7.4	70.1
	3 Sometimes	1258	27.8	29.9	100.0
	Total	4213	93.1	100.0	
Missing	-1 No response	310	6.9		
Total		4523	100.0		

PH File – Section E

ph6060 E4a1: Respondent usually travels to work by public transport

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	388	8.6	22.2	22.2
	2 No	1240	27.4	71.0	93.2
	7 Work at home	118	2.6	6.8	100.0
	Total	1746	38.6	100.0	
Missing	-1 No response	2777	61.4		
Total		4523	100.0		

ph6061 E4a2: Respondent usually travels to work by car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3331	73.6	93.2	93.2
	2 No	242	5.4	6.8	100.0
	Total	3573	79.0	100.0	
Missing	-1 No response	950	21.0		
Total		4523	100.0		

ph6062 E4a3: Respondent usually travels to work by bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	591	13.1	34.9	34.9
	2 No	1100	24.3	65.1	100.0
	Total	1691	37.4	100.0	
Missing	-1 No response	2832	62.6		
Total		4523	100.0		

ph6063 E4a4: Respondent usually walks to work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	409	9.0	26.0	26.0
	2 No	1164	25.7	74.0	99.9
	9 Varies/depends	1	.0	.1	100.0
	Total	1574	34.8	100.0	
Missing	-1 No response	2949	65.2		
Total		4523	100.0		

ph6064 E4a5: Respondent usually travels to work by another method

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	366	8.1	23.9	23.9
	2 No	1164	25.7	76.1	100.0
	Total	1530	33.8	100.0	
Missing	-1 No response	2993	66.2		
Total		4523	100.0		

PH File – Section E

ph6065 E4b1: Time taken to travel to work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 15 minutes	1092	24.1	26.9	26.9
	2 15-29 minutes	1576	34.8	38.8	65.7
	3 30-59 minutes	924	20.4	22.8	88.5
	4 An hour or more	414	9.2	10.2	98.7
	9 Varies/depends	54	1.2	1.3	100.0
	Total	4060	89.8	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	462	10.2		
	Total	463	10.2		
Total		4523	100.0		

ph6066 E4b2: Time taken to travel home from work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 15 minutes	1005	22.2	25.4	25.4
	2 15-29 minutes	1539	34.0	38.9	64.2
	3 30-59 minutes	949	21.0	24.0	88.2
	4 An hour or more	411	9.1	10.4	98.6
	9 Varies/depends	56	1.2	1.4	100.0
	Total	3960	87.6	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	562	12.4		
	Total	563	12.4		
Total		4523	100.0		

ph6070 E5a: Respondent enjoys seeing their child after work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, almost always	3200	70.7	77.3	77.3
	2 Yes, often	886	19.6	21.4	98.7
	3 Not very often	46	1.0	1.1	99.8
	4 Never	4	.1	.1	99.9
	7 Don't see child after work	4	.1	.1	100.0
	Total	4140	91.5	100.0	
Missing	-1 No response	383	8.5		
Total		4523	100.0		

ph6071 E5b: Respondent finds it hard to cope with a young child after work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, almost always	54	1.2	1.3	1.3
	2 Yes, often	516	11.4	12.6	13.9
	3 Not very often	2674	59.1	65.3	79.2
	4 Never	847	18.7	20.7	99.9
	7 Don't see child after work	3	.1	.1	100.0
	Total	4094	90.5	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	427	9.4		
	Total	429	9.5		
Total		4523	100.0		

PH File – Section E

ph6080 E6a: Respondent worries about their study child whilst at work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	225	5.0	5.4	5.4
	2 Yes, sometimes	1986	43.9	47.8	53.2
	3 No	1947	43.0	46.8	100.0
	Total	4158	91.9	100.0	
Missing	-1 No response	365	8.1		
Total		4523	100.0		

ph6081 E6b: Study child makes a fuss when the respondent leaves them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	707	15.6	17.1	17.1
	2 No	3437	76.0	82.9	100.0
	Total	4144	91.6	100.0	
Missing	-1 No response	379	8.4		
Total		4523	100.0		

ph6090 E7a: Respondent has chosen not to work so that they can stay at home with their child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	715	15.8	87.7	87.7
	2 Yes	100	2.2	12.3	100.0
	Total	815	18.0	100.0	
Missing	-1 No response	3708	82.0		
Total		4523	100.0		


ph6091 E7b: Respondent has been looking for work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	146	3.2	23.7	23.7
	2 No	469	10.4	76.3	100.0
	Total	615	13.6	100.0	
Missing	-1 No response	3908	86.4		
Total		4523	100.0		

PH File – Section E

ph6092 E7c: Time in months that respondent has been seeking work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	8	.2	6.0	6.0
	1	17	.4	12.8	18.8
	2	9	.2	6.8	25.6
	3	6	.1	4.5	30.1
	4	11	.2	8.3	38.3
	5	1	.0	.8	39.1
	6	5	.1	3.8	42.9
	7	3	.1	2.3	45.1
	8	2	.0	1.5	46.6
	9	3	.1	2.3	48.9
	10	1	.0	.8	49.6
	11	3	.1	2.3	51.9
	12	14	.3	10.5	62.4
	13	3	.1	2.3	64.7
	14	2	.0	1.5	66.2
	15	1	.0	.8	66.9
	16	1	.0	.8	67.7
	18	5	.1	3.8	71.4
	20	1	.0	.8	72.2
	22	1	.0	.8	72.9
	23	1	.0	.8	73.7
	24	14	.3	10.5	84.2
	33	1	.0	.8	85.0
	34	1	.0	.8	85.7
	36	4	.1	3.0	88.7
	40	1	.0	.8	89.5
	46	1	.0	.8	90.2
	48	1	.0	.8	91.0
	56	1	.0	.8	91.7
	60	8	.2	6.0	97.7
	84	3	.1	2.3	100.0
	Total	133	2.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	4389	97.0		
	Total	4390	97.1		
Total		4523	100.0		

ph6101 E8a1: Average number of hours per week respondent worked in previous job number 1

plus the following missing values, special codes and outliers > 80:

ph6101 E8a1: Average number of hours per week respondent worked in previous job number 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	84	8	.3	13.1	13.1
	90 90 or more hours	6	.2	9.8	23.0
	99 Varies	47	1.5	77.0	100.0
	Total	61	2.0	100.0	
Missing	-1 No response	3054	98.0		
Total		3115	100.0		

PH File – Section E

ph6102a E8a1: Date respondent started previous job number 1 (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	159	3.5	13.1	13.1
	2 February	90	2.0	7.4	20.5
	3 March	82	1.8	6.7	27.2
	4 April	113	2.5	9.3	36.5
	5 May	94	2.1	7.7	44.2
	6 June	103	2.3	8.5	52.7
	7 July	86	1.9	7.1	59.7
	8 August	88	1.9	7.2	67.0
	9 September	147	3.3	12.1	79.0
	10 October	111	2.5	9.1	88.2
	11 November	85	1.9	7.0	95.2
	12 December	59	1.3	4.8	100.0
	Total	1217	26.9	100.0	
Missing	-1 No response	3306	73.1		
Total		4523	100.0		

ph6102b E8a1: Date respondent started previous job number 1 (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1990	267	5.9	26.5	26.5
	1991	239	5.3	23.7	50.1
	1992	236	5.2	23.4	73.5
	1993	93	2.1	9.2	82.8
	1994	71	1.6	7.0	89.8
	1995	52	1.1	5.2	94.9
	1996	39	.9	3.9	98.8
	1997	8	.2	.8	99.6
	1998	1	.0	.1	99.7
	1999	3	.1	.3	100.0
	Total	1009	22.3	100.0	
Missing	-7 Code D: 1985-89	240	5.3		
	-6 Code C: 1980-84	55	1.2		
	-5 Code B: 1975-79	34	.8		
	-4 Code A: 1970-74	14	.3		
	-1 No response	3171	70.1		
	Total	3514	77.7		
Total		4523	100.0		

PH File – Section E

ph6103a E8a1: Date respondent finished previous job number 1 (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	66	1.5	5.1	5.1
	2 February	100	2.2	7.8	12.9
	3 March	123	2.7	9.6	22.5
	4 April	118	2.6	9.2	31.6
	5 May	91	2.0	7.1	38.7
	6 June	108	2.4	8.4	47.1
	7 July	104	2.3	8.1	55.2
	8 August	113	2.5	8.8	63.9
	9 September	128	2.8	9.9	73.9
	10 October	124	2.7	9.6	83.5
	11 November	90	2.0	7.0	90.5
	12 December	122	2.7	9.5	100.0
	Total	1287	28.5	100.0	
Missing	-1 No response	3236	71.5		
Total		4523	100.0		

ph6103b E8a1: Date respondent finished previous job number 1 (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1990	1	.0	.1	.1
	1991	24	.5	1.8	1.9
	1992	148	3.3	11.1	12.9
	1993	230	5.1	17.2	30.1
	1994	241	5.3	18.0	48.2
	1995	313	6.9	23.4	71.6
	1996	260	5.7	19.4	91.0
	1997	115	2.5	8.6	99.6
	1998	5	.1	.4	100.0
	Total	1337	29.6	100.0	
Missing	-7 Code D: 1985-89	1	.0		
	-6 Code C: 1980-84	1	.0		
	-5 Code B: 1975-79	1	.0		
	-1 No response	3183	70.4		
	Total	3186	70.4		
Total		4523	100.0		

PH File – Section E

ph6111 E8a2: Average number of hours per week respondent worked in previous job number 2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1	.0	.2	.2
8	3	.1	.5	.7
10	4	.1	.7	1.4
12	2	.0	.4	1.8
15	4	.1	.7	2.5
18	1	.0	.2	2.6
20	7	.2	1.2	3.9
21	1	.0	.2	4.0
23	1	.0	.2	4.2
24	1	.0	.2	4.4
25	2	.0	.4	4.7
26	1	.0	.2	4.9
30	10	.2	1.8	6.7
35	29	.6	5.1	11.7
36	2	.0	.4	12.1
37	39	.9	6.8	18.9
38	21	.5	3.7	22.6
39	11	.2	1.9	24.5
40	122	2.7	21.4	45.9
41	2	.0	.4	46.2
42	10	.2	1.8	48.0
44	2	.0	.4	48.3
45	53	1.2	9.3	57.6
46	2	.0	.4	58.0
47	3	.1	.5	58.5
48	11	.2	1.9	60.4
49	1	.0	.2	60.6
50	90	2.0	15.8	76.4
52	2	.0	.4	76.7
55	14	.3	2.5	79.2
56	1	.0	.2	79.3
58	1	.0	.2	79.5
60	52	1.1	9.1	88.6
62	2	.0	.4	89.0
65	6	.1	1.1	90.0
67	1	.0	.2	90.2
70	11	.2	1.9	92.1
72	5	.1	.9	93.0
75	2	.0	.4	93.3
80	7	.2	1.2	94.6
84	2	.0	.4	94.9
90 90 or more hours	5	.1	.9	95.8
99 Varies	24	.5	4.2	100.0
Total	571	12.6	100.0	
Missing -1 No response	3952	87.4		
Total	4523	100.0		

PH File – Section E

ph6112a E8a2: Date respondent started previous job number 2 (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	51	1.1	10.0	10.0
	2 February	44	1.0	8.6	18.6
	3 March	47	1.0	9.2	27.7
	4 April	43	1.0	8.4	36.1
	5 May	41	.9	8.0	44.1
	6 June	38	.8	7.4	51.6
	7 July	28	.6	5.5	57.0
	8 August	45	1.0	8.8	65.8
	9 September	69	1.5	13.5	79.3
	10 October	41	.9	8.0	87.3
	11 November	45	1.0	8.8	96.1
	12 December	20	.4	3.9	100.0
	Total	512	11.3	100.0	
Missing	-1 No response	4011	88.7		
Total		4523	100.0		

ph6112b E8a2: Date respondent started previous job number 2 (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1990	14	.3	2.7	2.7
	1991	28	.6	5.4	8.0
	1992	90	2.0	17.2	25.3
	1993	122	2.7	23.4	48.7
	1994	128	2.8	24.5	73.2
	1995	94	2.1	18.0	91.2
	1996	35	.8	6.7	97.9
	1997	9	.2	1.7	99.6
	1998	1	.0	.2	99.8
	1999	1	.0	.2	100.0
	Total	522	11.5	100.0	
Missing	-7 Code D: 1985-89	9	.2		
	-6 Code C: 1980-84	3	.1		
	-4 Code A: 1970-74	2	.0		
	-1 No response	3987	88.1		
	Total	4001	88.5		
Total		4523	100.0		

PH File – Section E

ph6113a E8a2: Date respondent finished previous job number 2 (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	36	.8	7.3	7.3
	2 February	31	.7	6.3	13.5
	3 March	46	1.0	9.3	22.8
	4 April	53	1.2	10.7	33.5
	5 May	30	.7	6.0	39.5
	6 June	41	.9	8.3	47.8
	7 July	42	.9	8.5	56.3
	8 August	44	1.0	8.9	65.1
	9 September	44	1.0	8.9	74.0
	10 October	36	.8	7.3	81.3
	11 November	32	.7	6.5	87.7
	12 December	61	1.3	12.3	100.0
	Total	496	11.0	100.0	
Missing	-1 No response	4027	89.0		
Total		4523	100.0		

ph6113b E8a2: Date respondent finished previous job number 2 (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	2	.0	.4	.4
	1992	16	.4	3.1	3.5
	1993	40	.9	7.7	11.2
	1994	125	2.8	24.2	35.4
	1995	139	3.1	26.9	62.3
	1996	142	3.1	27.5	89.7
	1997	50	1.1	9.7	99.4
	1998	2	.0	.4	99.8
	1999	1	.0	.2	100.0
	Total	517	11.4	100.0	
Missing	-7 Code D: 1985-89	3	.1		
	-1 No response	4003	88.5		
	Total	4006	88.6		
Total		4523	100.0		

PH File – Section E

ph6121 E8a3: Average number of hours per week respondent worked in previous job number 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	2	.0	.9	.9
	5	1	.0	.4	1.3
	8	1	.0	.4	1.7
	10	1	.0	.4	2.2
	12	1	.0	.4	2.6
	14	1	.0	.4	3.0
	15	1	.0	.4	3.5
	18	2	.0	.9	4.3
	20	2	.0	.9	5.2
	25	2	.0	.9	6.1
	30	2	.0	.9	6.9
	34	1	.0	.4	7.4
	35	7	.2	3.0	10.4
	36	1	.0	.4	10.8
	37	13	.3	5.6	16.5
	38	4	.1	1.7	18.2
	39	3	.1	1.3	19.5
	40	52	1.1	22.5	42.0
	42	7	.2	3.0	45.0
	43	1	.0	.4	45.5
	45	22	.5	9.5	55.0
	48	3	.1	1.3	56.3
	50	38	.8	16.5	72.7
	52	1	.0	.4	73.2
	55	6	.1	2.6	75.8
	56	1	.0	.4	76.2
	60	20	.4	8.7	84.8
	65	5	.1	2.2	87.0
	67	1	.0	.4	87.4
	70	3	.1	1.3	88.7
	72	2	.0	.9	89.6
	73	1	.0	.4	90.0
	74	1	.0	.4	90.5
	80	2	.0	.9	91.3
	84	3	.1	1.3	92.6
	90 90 or more hours	2	.0	.9	93.5
	99 Varies	15	.3	6.5	100.0
	Total	231	5.1	100.0	
Missing	-1 No response	4292	94.9		
Total		4523	100.0		

PH File – Section E

ph6122a E8a3: Date respondent started previous job number 3 (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	29	.6	14.4	14.4
	2 February	18	.4	8.9	23.3
	3 March	14	.3	6.9	30.2
	4 April	25	.6	12.4	42.6
	5 May	12	.3	5.9	48.5
	6 June	20	.4	9.9	58.4
	7 July	14	.3	6.9	65.3
	8 August	14	.3	6.9	72.3
	9 September	20	.4	9.9	82.2
	10 October	17	.4	8.4	90.6
	11 November	12	.3	5.9	96.5
	12 December	7	.2	3.5	100.0
	Total	202	4.5	100.0	
Missing	-1 No response	4321	95.5		
Total		4523	100.0		

ph6122b E8a3: Date respondent started previous job number 3 (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1990	9	.2	4.7	4.7
	1991	10	.2	5.2	9.9
	1992	15	.3	7.8	17.7
	1993	25	.6	13.0	30.7
	1994	40	.9	20.8	51.6
	1995	57	1.3	29.7	81.3
	1996	33	.7	17.2	98.4
	1997	3	.1	1.6	100.0
	Total	192	4.2	100.0	
Missing	-7 Code D: 1985-89	11	.2		
	-6 Code C: 1980-84	4	.1		
	-1 No response	4316	95.4		
	Total	4331	95.8		
Total		4523	100.0		

PH File – Section E

ph6123a E8a3: Date respondent finished previous job number 3 (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	17	.4	8.7	8.7
	2 February	13	.3	6.6	15.3
	3 March	9	.2	4.6	19.9
	4 April	16	.4	8.2	28.1
	5 May	15	.3	7.7	35.7
	6 June	21	.5	10.7	46.4
	7 July	25	.6	12.8	59.2
	8 August	16	.4	8.2	67.3
	9 September	24	.5	12.2	79.6
	10 October	20	.4	10.2	89.8
	11 November	9	.2	4.6	94.4
	12 December	11	.2	5.6	100.0
	Total	196	4.3	100.0	
Missing	-1 No response	4327	95.7		
Total		4523	100.0		

ph6123b E8a3: Date respondent finished previous job number 3 (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	5	.1	2.5	2.5
	1992	8	.2	4.0	6.6
	1993	15	.3	7.6	14.1
	1994	35	.8	17.7	31.8
	1995	50	1.1	25.3	57.1
	1996	58	1.3	29.3	86.4
	1997	25	.6	12.6	99.0
	1998	2	.0	1.0	100.0
	Total	198	4.4	100.0	
Missing	-7 Code D: 1985-89	1	.0		
	-1 No response	4324	95.6		
	Total	4325	95.6		
Total		4523	100.0		

PH File – Section E

ph6131 E8a4: Average number of hours per week respondent worked in previous job number 4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	.0	2.2	2.2
	10	1	.0	1.1	3.3
	14	1	.0	1.1	4.4
	15	1	.0	1.1	5.5
	18	1	.0	1.1	6.6
	20	1	.0	1.1	7.7
	35	2	.0	2.2	9.9
	36	1	.0	1.1	11.0
	37	9	.2	9.9	20.9
	38	3	.1	3.3	24.2
	40	11	.2	12.1	36.3
	44	2	.0	2.2	38.5
	45	4	.1	4.4	42.9
	47	1	.0	1.1	44.0
	48	4	.1	4.4	48.4
	50	13	.3	14.3	62.6
	52	1	.0	1.1	63.7
	55	3	.1	3.3	67.0
	60	7	.2	7.7	74.7
	65	2	.0	2.2	76.9
	66	1	.0	1.1	78.0
	70	2	.0	2.2	80.2
	72	2	.0	2.2	82.4
	75	1	.0	1.1	83.5
	80	1	.0	1.1	84.6
	82	1	.0	1.1	85.7
	84	1	.0	1.1	86.8
	89	1	.0	1.1	87.9
	90 90 or more hours	3	.1	3.3	91.2
	99 Varies	8	.2	8.8	100.0
	Total	91	2.0	100.0	
Missing	-1 No response	4432	98.0		
Total		4523	100.0		

PH File – Section E

ph6132a E8a4: Date respondent started previous job number 4 (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	13	.3	17.6	17.6
	2 February	5	.1	6.8	24.3
	3 March	5	.1	6.8	31.1
	4 April	4	.1	5.4	36.5
	5 May	2	.0	2.7	39.2
	6 June	9	.2	12.2	51.4
	7 July	9	.2	12.2	63.5
	8 August	4	.1	5.4	68.9
	9 September	8	.2	10.8	79.7
	10 October	8	.2	10.8	90.5
	11 November	5	.1	6.8	97.3
	12 December	2	.0	2.7	100.0
	Total	74	1.6	100.0	
Missing	-1 No response	4449	98.4		
Total		4523	100.0		

ph6132b E8a4: Date respondent started previous job number 4 (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1990	4	.1	5.3	5.3
	1991	2	.0	2.7	8.0
	1992	9	.2	12.0	20.0
	1993	2	.0	2.7	22.7
	1994	11	.2	14.7	37.3
	1995	22	.5	29.3	66.7
	1996	17	.4	22.7	89.3
	1997	8	.2	10.7	100.0
	Total	75	1.7	100.0	
Missing	-7 Code D: 1985-89	3	.1		
	-6 Code C: 1980-84	2	.0		
	-1 No response	4443	98.2		
	Total	4448	98.3		
Total		4523	100.0		

PH File – Section E

ph6133a E8a4: Date respondent finished previous job number 4 (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	2	.0	2.9	2.9
	2 February	10	.2	14.7	17.6
	3 March	6	.1	8.8	26.5
	4 April	7	.2	10.3	36.8
	5 May	3	.1	4.4	41.2
	6 June	6	.1	8.8	50.0
	7 July	8	.2	11.8	61.8
	8 August	6	.1	8.8	70.6
	9 September	8	.2	11.8	82.4
	10 October	6	.1	8.8	91.2
	11 November	4	.1	5.9	97.1
	12 December	2	.0	2.9	100.0
	Total	68	1.5	100.0	
Missing	-1 No response	4455	98.5		
Total		4523	100.0		

ph6133b E8a4: Date respondent finished previous job number 4 (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	2	.0	2.9	2.9
	1992	5	.1	7.1	10.0
	1993	7	.2	10.0	20.0
	1994	8	.2	11.4	31.4
	1995	12	.3	17.1	48.6
	1996	21	.5	30.0	78.6
	1997	14	.3	20.0	98.6
	1998	1	.0	1.4	100.0
	Total	70	1.5	100.0	
Missing	-1 No response	4453	98.5		
Total		4523	100.0		

PH File – Section E

ph6141 E8a5: Average number of hours per week respondent worked in previous job number 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5	1	.0	3.3	3.3
	36	1	.0	3.3	6.7
	37	2	.0	6.7	13.3
	38	3	.1	10.0	23.3
	40	1	.0	3.3	26.7
	42	1	.0	3.3	30.0
	45	1	.0	3.3	33.3
	48	1	.0	3.3	36.7
	50	2	.0	6.7	43.3
	55	1	.0	3.3	46.7
	60	4	.1	13.3	60.0
	66	1	.0	3.3	63.3
	72	1	.0	3.3	66.7
	77	1	.0	3.3	70.0
	84	1	.0	3.3	73.3
	90 90 or more hours	1	.0	3.3	76.7
	99 Varies	7	.2	23.3	100.0
	Total	30	.7	100.0	
Missing	-1 No response	4493	99.3		
Total		4523	100.0		

ph6142a E8a5: Date respondent started previous job number 5 (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 March	1	.0	4.8	4.8
	4 April	1	.0	4.8	9.5
	5 May	2	.0	9.5	19.0
	6 June	1	.0	4.8	23.8
	7 July	2	.0	9.5	33.3
	8 August	5	.1	23.8	57.1
	9 September	5	.1	23.8	81.0
	10 October	3	.1	14.3	95.2
	11 November	1	.0	4.8	100.0
	Total	21	.5	100.0	
Missing	-1 No response	4502	99.5		
Total		4523	100.0		

ph6142b E8a5: Date respondent started previous job number 5 (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1991	2	.0	9.5	9.5
	1992	3	.1	14.3	23.8
	1993	2	.0	9.5	33.3
	1994	1	.0	4.8	38.1
	1995	4	.1	19.0	57.1
	1996	6	.1	28.6	85.7
	1997	3	.1	14.3	100.0
	Total	21	.5	100.0	
Missing	-1 No response	4502	99.5		
Total		4523	100.0		

PH File – Section E

ph6143a E8a5: Date respondent finished previous job number 5 (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 February	4	.1	23.5	23.5
	3 March	1	.0	5.9	29.4
	4 April	1	.0	5.9	35.3
	7 July	3	.1	17.6	52.9
	8 August	1	.0	5.9	58.8
	10 October	4	.1	23.5	82.4
	11 November	3	.1	17.6	100.0
	Total	17	.4	100.0	
Missing	-1 No response	4506	99.6		
Total		4523	100.0		

ph6143b E8a5: Date respondent finished previous job number 5 (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1992	1	.0	5.9	5.9
	1993	2	.0	11.8	17.6
	1994	4	.1	23.5	41.2
	1996	5	.1	29.4	70.6
	1997	4	.1	23.5	94.1
	1998	1	.0	5.9	100.0
	Total	17	.4	100.0	
Missing	-1 No response	4506	99.6		
Total		4523	100.0		

ph6150 E8b: One or more of the jobs specified in section E8a involved working at weekends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1059	23.4	62.4	62.4
	2 No	638	14.1	37.6	100.0
	Total	1697	37.5	100.0	
Missing	-1 No response	2826	62.5		
Total		4523	100.0		

ph6151 E8c1: The job specified in section E8a1 involved working at weekends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	867	19.2	100.0	100.0
Missing	-1 No response	3656	80.8		
Total		4523	100.0		

ph6152 E8c2: The job specified in section E8a2 involved working at weekends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	337	7.5	100.0	100.0
Missing	-1 No response	4186	92.5		
Total		4523	100.0		

PH File – Section E

ph6153 E8c3: The job specified in section E8a3 involved working at weekends

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	137	3.0	100.0	100.0
Missing -1 No response	4386	97.0		
Total	4523	100.0		

ph6154 E8c4: The job specified in section E8a4 involved working at weekends

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	67	1.5	100.0	100.0
Missing -1 No response	4456	98.5		
Total	4523	100.0		

ph6155 E8c5: The job specified in section E8a5 involved working at weekends

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	26	.6	100.0	100.0
Missing -1 No response	4497	99.4		
Total	4523	100.0		

ph6160 E8d: One or more of the jobs specified in section E8a involved working evenings/nights

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1019	22.5	62.3	62.3
2 No	616	13.6	37.7	100.0
Total	1635	36.1	100.0	
Missing -1 No response	2888	63.9		
Total	4523	100.0		

ph6161 E8e1: The job specified in section E8a1 involved working evenings/nights

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	834	18.4	100.0	100.0
Missing -1 No response	3689	81.6		
Total	4523	100.0		

ph6162 E8e2: The job specified in section E8a2 involved working evenings/nights

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	343	7.6	100.0	100.0
Missing -1 No response	4180	92.4		
Total	4523	100.0		

PH File – Section E

ph6163 E8e3 The job specified in section E8a3 involved working evenings/nights

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	136	3.0	100.0	100.0
Missing -1 No response	4387	97.0		
Total	4523	100.0		

ph6164 E8e4: The job specified in section E8a4 involved working evenings/nights

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	62	1.4	100.0	100.0
Missing -1 No response	4461	98.6		
Total	4523	100.0		

ph6165 E8e5: The job specified in section E8a5 involved working evenings/nights

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	22	.5	100.0	100.0
Missing -1 No response	4501	99.5		
Total	4523	100.0		

ph6180 E9: Number of cigarettes respondent smokes per day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 None	3305	73.1	75.4	75.4
1 1-4	114	2.5	2.6	78.0
5 5-9	127	2.8	2.9	80.9
8 Pipe only	11	.2	.3	81.2
9 Cigars only	124	2.7	2.8	84.0
10 10-14	184	4.1	4.2	88.2
15 15-19	206	4.6	4.7	92.9
20 20-24	185	4.1	4.2	97.1
25 25-29	73	1.6	1.7	98.8
30 30+	53	1.2	1.2	100.0
97 Occasionally	1	.0	.0	100.0
Total	4383	96.9	100.0	
Missing -9 Don't know	1	.0		
-1 No response	139	3.1		
Total	140	3.1		
Total	4523	100.0		

PH File – Section E

ph6190 E10a: Amount of alcohol respondent consumes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never drink alcohol	152	3.4	3.4	3.4
	2 Very occasionally (less than once a week)	951	21.0	21.2	24.5
	3 Occasionally (at least once a week)	1867	41.3	41.6	66.1
	4 Drink 1-2 glasses nearly every day	1139	25.2	25.4	91.5
	5 Drink 3-9 glasses every day	371	8.2	8.3	99.7
	6 Drink at least 10 glasses a day	13	.3	.3	100.0
	Total	4493	99.3	100.0	
Missing	-1 No response	30	.7		
Total		4523	100.0		

ph6191 E10b: Number of days in the past month respondent had equivalent of 2 pints beer/4 glasses wine/4 measures spirits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Everyday	202	4.5	4.5	4.5
	2 More than 10 days	694	15.3	15.5	20.1
	3 5-10 days	1134	25.1	25.4	45.5
	4 3-4 days	893	19.7	20.0	65.5
	5 1-2 days	821	18.2	18.4	83.9
	6 None	721	15.9	16.1	100.0
	Total	4465	98.7	100.0	
Missing	-1 No response	58	1.3		
Total		4523	100.0		

ph6192 E10c1: Respondent and/or their partner makes their own wine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	179	4.0	4.0	4.0
	2 No	4252	94.0	96.0	100.0
	Total	4431	98.0	100.0	
Missing	-1 No response	92	2.0		
Total		4523	100.0		

ph6193 E10c2: Respondent and/or their partner makes their own beer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	130	2.9	3.0	3.0
	2 No	4240	93.7	97.0	100.0
	Total	4370	96.6	100.0	
Missing	-1 No response	153	3.4		
Total		4523	100.0		

ph6194 E10c3: Respondent and/or their partner makes their own spirits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	25	.6	.6	.6
	2 No	4292	94.9	99.4	100.0
	Total	4317	95.4	100.0	
Missing	-1 No response	206	4.6		
Total		4523	100.0		

PH File – Section E

ph6200 E11a: Ease with which respondent can afford food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Difficult	31	.7	.7	.7
	2 Fairly Difficult	140	3.1	3.1	3.8
	3 Slightly Difficult	525	11.6	11.7	15.5
	4 Not Difficult	3790	83.8	84.5	100.0
	Total	4486	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	36	.8		
	Total	37	.8		
Total		4523	100.0		

ph6201 E11b: Ease with which respondent can afford clothing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Difficult	173	3.8	3.9	3.9
	2 Fairly Difficult	435	9.6	9.7	13.6
	3 Slightly Difficult	1262	27.9	28.1	41.7
	4 Not Difficult	2616	57.8	58.3	100.0
	Total	4486	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	36	.8		
	Total	37	.8		
Total		4523	100.0		

ph6202 E11c: Ease with which respondent can afford heating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Difficult	51	1.1	1.1	1.1
	2 Fairly Difficult	160	3.5	3.6	4.7
	3 Slightly Difficult	580	12.8	13.0	17.7
	4 Not Difficult	3671	81.2	82.0	99.7
	5 Paid Directly by Social Security	15	.3	.3	100.0
	Total	4477	99.0	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	44	1.0		
	Total	46	1.0		
Total		4523	100.0		

PH File – Section E

ph6203 E11d: Ease with which respondent can afford the rent/mortgage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Difficult	59	1.3	1.3	1.3
	2 Fairly Difficult	188	4.2	4.2	5.5
	3 Slightly Difficult	662	14.6	14.8	20.4
	4 Not Difficult	3429	75.8	76.9	97.3
	5 Paid Directly by Social Security	122	2.7	2.7	100.0
	Total	4460	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	61	1.3		
	Total	63	1.4		
Total		4523	100.0		

ph6204 E11e: Ease with which respondent can afford things they need for the children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Difficult	74	1.6	1.7	1.7
	2 Fairly Difficult	247	5.5	5.5	7.2
	3 Slightly Difficult	1090	24.1	24.4	31.6
	4 Not Difficult	3059	67.6	68.4	100.0
	Total	4470	98.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	52	1.1		
	Total	53	1.2		
Total		4523	100.0		

ph6205 E11f: Ease with which respondent can afford the costs of educational courses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Difficult	151	3.3	3.5	3.5
	2 Fairly Difficult	270	6.0	6.3	9.7
	3 Slightly Difficult	864	19.1	20.0	29.7
	4 Not Difficult	3035	67.1	70.3	100.0
	Total	4320	95.5	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	201	4.4		
	Total	203	4.5		
Total		4523	100.0		

PH File – Section E

ph6206 E11g: Ease with which respondent can afford medical care

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Difficult	143	3.2	3.3	3.3
	2 Fairly Difficult	138	3.1	3.2	6.6
	3 Slightly Difficult	419	9.3	9.8	16.4
	4 Not Difficult	3577	79.1	83.6	100.0
	Total	4277	94.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	245	5.4		
	Total	246	5.4		
Total		4523	100.0		

ph6207 E11h: Ease with which respondent can afford spare time activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Difficult	277	6.1	6.3	6.3
	2 Fairly Difficult	539	11.9	12.2	18.5
	3 Slightly Difficult	1285	28.4	29.1	47.6
	4 Not Difficult	2314	51.2	52.4	100.0
	Total	4415	97.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	107	2.4		
	Total	108	2.4		
Total		4523	100.0		

ph6208 E11i: Ease with which respondent can afford other things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	10	.2	2.5	2.5
	1 Very Difficult	126	2.8	31.1	33.6
	2 Fairly Difficult	135	3.0	33.3	66.9
	3 Slightly Difficult	134	3.0	33.1	100.0
	Total	405	9.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	4117	91.0		
	Total	4118	91.0		
Total		4523	100.0		

PH File – Section E

ph6230 E12a: Number of hours sleep respondent gets during an average night

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	33	.7	.7	.7
	2 1-3 Hours	21	.5	.5	1.2
	3 4-5 Hours	414	9.2	9.2	10.5
	4 6-7 Hours	2880	63.7	64.3	74.8
	5 More than 7 Hours	1128	24.9	25.2	100.0
	Total	4476	99.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	46	1.0		
	Total	47	1.0		
Total		4523	100.0		

ph6231 E12b: Number of hours sleep respondent gets during an average day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	3736	82.6	90.5	90.5
	2 1-3 Hours	118	2.6	2.9	93.4
	3 4-5 Hours	64	1.4	1.6	95.0
	4 6-7 Hours	149	3.3	3.6	98.6
	5 More than 7 Hours	59	1.3	1.4	100.0
	Total	4126	91.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	396	8.8		
	Total	397	8.8		
Total		4523	100.0		

ph6232 E12c: Respondent feels that they get enough sleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2800	61.9	62.3	62.3
	2 No	1691	37.4	37.7	100.0
	Total	4491	99.3	100.0	
Missing	-1 No response	32	.7		
Total		4523	100.0		

PH File – Section E

ph6240 E13a: Respondent believes in god or some divine power

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1505	33.3	33.6	33.6
	2 Am not sure	1573	34.8	35.1	68.6
	3 No, not at all	1406	31.1	31.4	100.0
	Total	4484	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4523	100.0		

ph6241 E13b: Respondent believes that god/divine power has helped them at some time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1031	22.8	23.0	23.0
	2 Not sure	1430	31.6	32.0	55.0
	3 No	2013	44.5	45.0	100.0
	Total	4474	98.9	100.0	
Missing	-1 No response	49	1.1		
Total		4523	100.0		

ph6242 E13c Respondent would appeal to god/divine power for help if in trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1586	35.1	35.5	35.5
	2 Not sure	1319	29.2	29.5	65.0
	3 No	1566	34.6	35.0	100.0
	Total	4471	98.9	100.0	
Missing	-1 No response	52	1.1		
Total		4523	100.0		

ph6243 E13d: Respondent's religion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	1050	23.2	24.0	24.0
	1 Church of England	2462	54.4	56.4	80.4
	2 Roman Catholic	319	7.1	7.3	87.7
	3 Jehovah's Witness	22	.5	.5	88.2
	4 Christian Science	8	.2	.2	88.4
	5 Mormon	11	.2	.3	88.7
	6 Other Christian	366	8.1	8.4	97.0
	7 Jewish	5	.1	.1	97.2
	8 Buddhist	10	.2	.2	97.4
	9 Sikh	3	.1	.1	97.5
	10 Hindu	3	.1	.1	97.5
	11 Muslim	16	.4	.4	97.9
	12 Rastafarian	1	.0	.0	97.9
	13 Other	91	2.0	2.1	100.0
	Total	4367	96.6	100.0	
Missing	-1 No response	156	3.4		
Total		4523	100.0		

PH File – Section E

ph6246 E13e: Length of time respondent has believed in god/divine power

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All my life	3052	67.5	78.3	78.3
	2 More than 5 years	744	16.4	19.1	97.4
	3 3-5 Years	48	1.1	1.2	98.7
	4 1-2 Years	29	.6	.7	99.4
	5 Less than a year	23	.5	.6	100.0
	Total	3896	86.1	100.0	
Missing	-1 No response	627	13.9		
Total		4523	100.0		

ph6247 E13f: Respondent attends a place of worship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes at least once a week	358	7.9	8.2	8.2
	2 Yes, at least once a month	282	6.2	6.5	14.7
	3 Yes, at least once a year	987	21.8	22.7	37.5
	4 No, not at all	2712	60.0	62.5	100.0
	5 Occasional worship	2	.0	.0	100.0
	Total	4341	96.0	100.0	
Missing	-1 No response	182	4.0		
Total		4523	100.0		

ph6248 E13g1: Respondent obtains help/support from leaders of their religious group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	301	6.7	7.1	7.1
	2 No	3947	87.3	92.9	100.0
	Total	4248	93.9	100.0	
Missing	-1 No response	275	6.1		
Total		4523	100.0		

ph6249 E13g2: Respondent obtains help/support from other members of their religious group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	335	7.4	7.9	7.9
	2 No	3894	86.1	92.1	100.0
	Total	4229	93.5	100.0	
Missing	-1 No response	294	6.5		
Total		4523	100.0		

ph6250 E13g3: Respondent obtains help/support from members of other religious groups

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	65	1.4	1.6	1.6
	2 No	4093	90.5	98.4	100.0
	Total	4158	91.9	100.0	
Missing	-1 No response	365	8.1		
Total		4523	100.0		

PH File – Section E

ph6260 E14a: Respondent belongs to organisations/groups of people in their spare time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1814	40.1	41.0	41.0
	2 No	2614	57.8	59.0	100.0
	Total	4428	97.9	100.0	
Missing	-1 No response	95	2.1		
Total		4523	100.0		

ph6262 E14b: Respondent belongs to a committee in their spare time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	888	19.6	19.9	19.9
	2 No	3574	79.0	80.1	100.0
	Total	4462	98.7	100.0	
Missing	-1 No response	61	1.3		
Total		4523	100.0		

ph6264 E14c: Respondent does voluntary work in their spare time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	472	10.4	10.7	10.7
	2 No	3931	86.9	89.3	100.0
	Total	4403	97.3	100.0	
Missing	-1 No response	120	2.7		
Total		4523	100.0		

ph6270 E15a: Respondent has taken training within their job in the past two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2511	55.5	59.1	59.1
	2 No	1735	38.4	40.9	100.0
	Total	4246	93.9	100.0	
Missing	-1 No response	277	6.1		
Total		4523	100.0		

ph6271 E15b: Respondent has taken evening classes in the past two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	383	8.5	9.9	9.9
	2 No	3502	77.4	90.1	100.0
	Total	3885	85.9	100.0	
Missing	-1 No response	638	14.1		
Total		4523	100.0		

PH File – Section E

ph6272 E15c: Respondent has taken classes at university in the past two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	171	3.8	4.5	4.5
	2 No	3635	80.4	95.5	100.0
	Total	3806	84.1	100.0	
Missing	-1 No response	717	15.9		
Total		4523	100.0		

ph6273 E15d: Respondent has taken other training in the past two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	276	6.1	7.5	7.5
	2 No	3396	75.1	92.5	100.0
	Total	3672	81.2	100.0	
Missing	-1 No response	851	18.8		
Total		4523	100.0		

ph6280 E16a1: Respondent has no qualifications

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	267	5.9	100.0	100.0
Missing	-1 No response	4256	94.1		
Total		4523	100.0		

ph6281 E16b1: Respondent has CSE's/GCSE's at grade D/E/F/G

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2133	47.2	100.0	100.0
Missing	-1 No response	2390	52.8		
Total		4523	100.0		

ph6282 E16c1: Respondent has O-levels/GCSE's at grade A/B/C

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3272	72.3	100.0	100.0
Missing	-1 No response	1251	27.7		
Total		4523	100.0		

ph6283 E16d1: Respondent has A-levels

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1766	39.0	100.0	100.0
Missing	-1 No response	2757	61.0		
Total		4523	100.0		

ph6284 E16e1: Respondent has qualifications in shorthand/typing/other skills

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	186	4.1	100.0	100.0
Missing	-1 No response	4337	95.9		
Total		4523	100.0		

PH File – Section E

ph6285 E16f1: Respondent has an apprenticeship

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	993	22.0	100.0	100.0
Missing -1 No response	3530	78.0		
Total	4523	100.0		

ph6286 E16g1: Respondent is a state enrolled nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	11	.2	100.0	100.0
Missing -1 No response	4512	99.8		
Total	4523	100.0		

ph6287 E16h1: Respondent is a state registered nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	44	1.0	100.0	100.0
Missing -1 No response	4479	99.0		
Total	4523	100.0		

ph6288 E16i1: Respondent has a City & Guilds intermediate technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	676	14.9	100.0	100.0
Missing -1 No response	3847	85.1		
Total	4523	100.0		

ph6289 E16j1: Respondent has a City & Guilds final technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	409	9.0	100.0	100.0
Missing -1 No response	4114	91.0		
Total	4523	100.0		

ph6290 E16k1: Respondent has a City & Guilds full technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	532	11.8	100.0	100.0
Missing -1 No response	3991	88.2		
Total	4523	100.0		

ph6291 E16l1: Respondent has a teaching qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	258	5.7	100.0	100.0
Missing -1 No response	4265	94.3		
Total	4523	100.0		

PH File – Section E

ph6292 E16m1: Respondent has a university degree

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1237	27.3	100.0	100.0
Missing -1 No response	3286	72.7		
Total	4523	100.0		

ph6293 E16n1: Respondent's qualifications are unknown

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	94	2.1	100.0	100.0
Missing -1 No response	4429	97.9		
Total	4523	100.0		

ph6295 E16p1: Respondent has other qualifications

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Relevant text but no box ticked in column 1 or 2	47	1.0	3.4	3.4
1 Yes	1328	29.4	96.6	100.0
Total	1375	30.4	100.0	
Missing -1 No response	3148	69.6		
Total	4523	100.0		

ph6300 E16a2: Respondent's partner has no qualifications

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	169	3.7	100.0	100.0
Missing -1 No response	4354	96.3		
Total	4523	100.0		

ph6301 E16b2: Respondent's partner has CSE's/GCSE's at grade D/E/F/G

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2033	44.9	100.0	100.0
Missing -1 No response	2490	55.1		
Total	4523	100.0		

ph6302 E16c2i: Respondent's partner has O-levels/GCSE's at grade A/B/C

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3230	71.4	100.0	100.0
Missing -1 No response	1293	28.6		
Total	4523	100.0		

ph6303 E16d2: Respondent's partner has A-levels

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1619	35.8	100.0	100.0
Missing -1 No response	2904	64.2		
Total	4523	100.0		

PH File – Section E

ph6304 E16e2: Respondent's partner has qualifications in shorthand/typing/other skills

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1333	29.5	100.0	100.0
Missing -1 No response	3190	70.5		
Total	4523	100.0		

ph6305 E16f2: Respondent's partner has an apprenticeship

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	88	1.9	100.0	100.0
Missing -1 No response	4435	98.1		
Total	4523	100.0		

ph6306 E16g2: Respondent's partner is a state enrolled nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	122	2.7	100.0	100.0
Missing -1 No response	4401	97.3		
Total	4523	100.0		

ph6307 E16h2: Respondent's partner is a state registered nurse

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	331	7.3	100.0	100.0
Missing -1 No response	4192	92.7		
Total	4523	100.0		

ph6308 E16i2: Respondent's partner has a City & Guilds intermediate technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	151	3.3	100.0	100.0
Missing -1 No response	4372	96.7		
Total	4523	100.0		

ph6309 E16j2: Respondent's partner has a City & Guilds final technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	65	1.4	100.0	100.0
Missing -1 No response	4458	98.6		
Total	4523	100.0		

ph6310 E16k2: Respondent's partner has a City & Guilds full technical qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	84	1.9	100.0	100.0
Missing -1 No response	4439	98.1		
Total	4523	100.0		

PH File – Section E

ph6311 E16l2: Respondent's partner has a teaching qualification

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	379	8.4	100.0	100.0
Missing -1 No response	4144	91.6		
Total	4523	100.0		

ph6312 E16m2: Respondent's partner has a university degree

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	916	20.3	100.0	100.0
Missing -1 No response	3607	79.7		
Total	4523	100.0		

ph6313 E16n2: Respondent's partner's qualifications are unknown

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	132	2.9	100.0	100.0
Missing -1 No response	4391	97.1		
Total	4523	100.0		

ph6314 E16o2: Not applicable/no such person

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6	.1	100.0	100.0
Missing -1 No response	4517	99.9		
Total	4523	100.0		

ph6315 E16p2: Respondent's partner has other qualifications

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Relevant text but no box ticked in column 1 or 2	47	1.0	7.3	7.3
1 Yes	595	13.2	92.7	100.0
Total	642	14.2	100.0	
Missing -1 No response	3881	85.8		
Total	4523	100.0		

PAGE 30 OF THE QUESTIONNAIRE

SECTION F: YOUR HOME AND NEIGHBOURHOOD

F1. Here is a list of some things that can be a problem in people's homes or in the neighbourhood. How much of a problem are the following for you and your family?

		Serious problem	Minor problem	Not a problem	No opinion
a)	Badly fitted doors and windows	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b)	Poor ventilation	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c)	Noise travelling between the rooms of your home	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
d)	Noise from other homes	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
e)	Noise from outside in the street	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
f)	Rubbish or litter dumped around your neighbourhood	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
g)	Dog dirt on pavement/walkways	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
h)	Worry about vandalism	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
i)	Worry about burglaries	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
j)	Worry about muggings or attacks	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
k)	Disturbance from teenagers or youths	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
l)	Other problems (please tick & describe)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

.....

.....

PAGE 31 OF THE QUESTIONNAIRE

F2. a) How would you rate your home in relation to that of other families?

much cleaner

1

a bit cleaner

2

about the same

3

less clean

4

much less clean

5

don't know

9

b) much tidier

1

a bit tidier

2

about the same

3

less tidy

4

much less tidy

5

don't know

9

F3. How many people living in your household
(**including yourself**) are smokers ?

F4. a) What is your present marital status?

never married

1

widowed

2

divorced

3

separated

4

married (once only)

5

married for second or
third time

6

PAGE 32 OF THE QUESTIONNAIRE

F4. b) If married, what was the date
of the most recent marriage?

1	9		
---	---	--	--

F5. What do you think of your neighbourhood as a place to live?

a very good place to live

1

a fairly good place to live

2

not a very good place to live

3

not at all a good place to live

4

F6. Taking everything into account, which of the following best describes your feeling
about your home?

satisfied

1

fairly satisfied

2

dissatisfied

3

very dissatisfied

4

PH File – Section F

ph7000 F1a: Badly fitted doors are a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	84	1.9	1.9	1.9
	2 Minor problem	912	20.2	20.3	22.2
	3 Not a problem	3330	73.6	74.1	96.3
	4 No opinion	165	3.6	3.7	100.0
	Total	4491	99.3	100.0	
Missing	-1 No response	32	.7		
Total		4523	100.0		

ph7001 F1b: Poor ventilation is a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	25	.6	.6	.6
	2 Minor problem	376	8.3	8.4	8.9
	3 Not a problem	3902	86.3	86.9	95.8
	4 No opinion	187	4.1	4.2	100.0
	Total	4490	99.3	100.0	
Missing	-1 No response	33	.7		
Total		4523	100.0		

ph7002 F1c: Noise travelling between rooms is a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	44	1.0	1.0	1.0
	2 Minor problem	805	17.8	17.9	18.9
	3 Not a problem	3503	77.4	78.0	96.9
	4 No opinion	138	3.1	3.1	100.0
	Total	4490	99.3	100.0	
Missing	-1 No response	33	.7		
Total		4523	100.0		

ph7003 F1d: Noise from other homes is a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	63	1.4	1.4	1.4
	2 Minor problem	776	17.2	17.3	18.7
	3 Not a problem	3530	78.0	78.6	97.3
	4 No opinion	123	2.7	2.7	100.0
	Total	4492	99.3	100.0	
Missing	-1 No response	31	.7		
Total		4523	100.0		

PH File – Section F

ph7004 F1e: Noise from outside in the street is a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	88	1.9	2.0	2.0
	2 Minor problem	1058	23.4	23.6	25.5
	3 Not a problem	3237	71.6	72.1	97.6
	4 No opinion	109	2.4	2.4	100.0
	Total	4492	99.3	100.0	
Missing	-1 No response	31	.7		
Total		4523	100.0		

ph7005 F1f: Rubbish and litter dumped in the neighbourhood is a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	79	1.7	1.8	1.8
	2 Minor problem	732	16.2	16.3	18.1
	3 Not a problem	3551	78.5	79.1	97.2
	4 No opinion	126	2.8	2.8	100.0
	Total	4488	99.2	100.0	
Missing	-1 No response	35	.8		
Total		4523	100.0		

ph7006 F1g: Dog dirt on the pavement is a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	390	8.6	8.7	8.7
	2 Minor problem	1693	37.4	37.7	46.4
	3 Not a problem	2303	50.9	51.3	97.7
	4 No opinion	102	2.3	2.3	100.0
	Total	4488	99.2	100.0	
Missing	-1 No response	35	.8		
Total		4523	100.0		

ph7007 F1h: Worries about vandalism are a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	132	2.9	2.9	2.9
	2 Minor problem	1123	24.8	25.0	28.0
	3 Not a problem	3119	69.0	69.5	97.4
	4 No opinion	115	2.5	2.6	100.0
	Total	4489	99.2	100.0	
Missing	-1 No response	34	.8		
Total		4523	100.0		

PH File – Section F

ph7008 F1i: Worries about burglaries are a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	277	6.1	6.2	6.2
	2 Minor problem	2234	49.4	49.7	55.9
	3 Not a problem	1888	41.7	42.0	98.0
	4 No opinion	92	2.0	2.0	100.0
	Total	4491	99.3	100.0	
Missing	-1 No response	32	.7		
Total		4523	100.0		

ph7009 F1j: Worries about muggings/attacks are a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	80	1.8	1.8	1.8
	2 Minor problem	710	15.7	15.8	17.6
	3 Not a problem	3566	78.8	79.4	97.0
	4 No opinion	134	3.0	3.0	100.0
	Total	4490	99.3	100.0	
Missing	-1 No response	33	.7		
Total		4523	100.0		

ph7010 F1k: Disturbance from teenagers/youths is a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Serious problem	101	2.2	2.2	2.2
	2 Minor problem	1067	23.6	23.8	26.0
	3 Not a problem	3219	71.2	71.7	97.7
	4 No opinion	105	2.3	2.3	100.0
	Total	4492	99.3	100.0	
Missing	-1 No response	31	.7		
Total		4523	100.0		

ph7011 F1l: Other things are a problem for the respondent/family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	18	.4	.7	.7
	1 Serious problem	96	2.1	3.5	4.1
	2 Minor problem	142	3.1	5.1	9.3
	3 Not a problem	1925	42.6	69.7	79.0
	4 No opinion	581	12.8	21.0	100.0
	Total	2762	61.1	100.0	
Missing	-1 No response	1761	38.9		
Total		4523	100.0		

PH File – Section F

ph7020 F2a: Respondent's assessment of the cleanliness of their home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Much cleaner	675	14.9	15.1	15.1
	2 A bit cleaner	858	19.0	19.1	34.2
	3 About the same	2528	55.9	56.4	90.6
	4 Less clean	261	5.8	5.8	96.4
	5 Much less clean	36	.8	.8	97.2
	9 Don't know	125	2.8	2.8	100.0
	Total	4483	99.1	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	38	.8		
	Total	40	.9		
Total		4523	100.0		

ph7021 F2b: Respondent's assessment of the tidiness of their home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Much tidier	614	13.6	14.0	14.0
	2 A bit tidier	883	19.5	20.1	34.0
	3 About the same	2064	45.6	46.9	80.9
	4 Less tidy	608	13.4	13.8	94.8
	5 Much less tidy	117	2.6	2.7	97.4
	9 Don't know	114	2.5	2.6	100.0
	Total	4400	97.3	100.0	
Missing	-8 Text response	3	.1		
	-1 No response	120	2.7		
	Total	123	2.7		
Total		4523	100.0		

ph7030 F3: Number of smokers living in respondent's household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2977	65.8	68.2	68.2
	1	824	18.2	18.9	87.1
	2	434	9.6	9.9	97.0
	3	27	.6	.6	97.7
	4	60	1.3	1.4	99.0
	5	28	.6	.6	99.7
	6	11	.2	.3	99.9
	7	2	.0	.0	100.0
	8	1	.0	.0	100.0
	Total	4364	96.5	100.0	
Missing	-1 No response	159	3.5		
Total		4523	100.0		

PH File – Section F

ph7040 F4a: Respondent's marital status at time of completion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never married	273	6.0	6.1	6.1
	2 Widowed	1	.0	.0	6.1
	3 Divorced	89	2.0	2.0	8.1
	4 Separated	56	1.2	1.2	9.3
	5 Married (once only)	3559	78.7	79.3	88.6
	6 Married for the second or third time	510	11.3	11.4	100.0
	Total	4488	99.2	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	33	.7		
	Total	35	.8		
Total		4523	100.0		

ph7041a F4b: Date of respondent's most recent marriage: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	74	1.6	1.9	1.9
	2 February	121	2.7	3.1	5.0
	3 March	226	5.0	5.8	10.7
	4 April	314	6.9	8.0	18.7
	5 May	452	10.0	11.5	30.2
	6 June	492	10.9	12.5	42.7
	7 July	524	11.6	13.3	56.1
	8 August	570	12.6	14.5	70.6
	9 September	589	13.0	15.0	85.6
	10 October	328	7.3	8.3	93.9
	11 November	103	2.3	2.6	96.5
	12 December	136	3.0	3.5	100.0
	Total	3929	86.9	100.0	
Missing	-1 No response	594	13.1		
Total		4523	100.0		

PH File – Section F

ph7041b F4b: Date of respondent's most recent marriage: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1952	1	.0	.0	.0
	1969	1	.0	.0	.1
	1970	3	.1	.1	.1
	1971	3	.1	.1	.2
	1972	5	.1	.1	.3
	1973	3	.1	.1	.4
	1974	15	.3	.4	.8
	1975	15	.3	.4	1.2
	1976	20	.4	.5	1.7
	1977	24	.5	.6	2.3
	1978	29	.6	.7	3.0
	1979	61	1.3	1.5	4.6
	1980	100	2.2	2.5	7.1
	1981	110	2.4	2.8	9.9
	1982	109	2.4	2.8	12.6
	1983	163	3.6	4.1	16.8
	1984	215	4.8	5.4	22.2
	1985	324	7.2	8.2	30.4
	1986	374	8.3	9.5	39.9
	1987	462	10.2	11.7	51.6
	1988	461	10.2	11.7	63.2
	1989	435	9.6	11.0	74.3
	1990	405	9.0	10.3	84.5
	1991	288	6.4	7.3	91.8
	1992	96	2.1	2.4	94.2
	1993	66	1.5	1.7	95.9
	1994	47	1.0	1.2	97.1
	1995	56	1.2	1.4	98.5
	1996	36	.8	.9	99.4
	1997	22	.5	.6	100.0
	1998	1	.0	.0	100.0
	Total	3950	87.3	100.0	
Missing	-1 No response	573	12.7		
Total		4523	100.0		

PH File – Section F

ph7050 F5: Respondent's assessment of their neighbourhood

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A very good place to live	2411	53.3	53.7	53.7
	2 A fairly good place to live	1923	42.5	42.9	96.6
	3 Not a very good place to live	122	2.7	2.7	99.3
	4 Not at all a good place to live	31	.7	.7	100.0
	Total	4487	99.2	100.0	
Missing	-1 No response	36	.8		
Total		4523	100.0		

ph7060 F6: Respondent's satisfaction with their home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Satisfied	2461	54.4	54.9	54.9
	2 Fairly satisfied	1821	40.3	40.6	95.5
	3 Dissatisfied	170	3.8	3.8	99.3
	4 Very dissatisfied	33	.7	.7	100.0
	Total	4485	99.2	100.0	
Missing	-1 No response	38	.8		
Total		4523	100.0		

PAGE 33 OF THE QUESTIONNAIRE

SECTION G: YOUR FAMILY AND FRIENDS

G1. Excluding your partner and children, how many of your relatives and your partner's relatives do you see at least twice a year?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G2. About how many friends do you have (people you know more than just casually)?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G3. Overall, would you say you belong to a close circle of friends?

Yes <input type="text" value="1"/>	No <input type="text" value="2"/>
------------------------------------	-----------------------------------

G4. How many people are there, including your partner, that you can talk to about personal problems?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G5. How many people, including your partner, talk to you about their personal problems or their private feelings?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G6. If you have to make an important decision, how many people, including your partner are there with whom you can discuss it?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G7. How many people are there among your family and friends from whom you could borrow £100 if you needed to?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 34 OF THE QUESTIONNAIRE

G8. How many of your family and friends would help you in times of trouble?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G9. During the last month, how many times did you get together with one or more friends?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G10. During the last month, how many times did you get together with one or more of your relatives or your partner's relatives?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

The following statements are about the help and support you have.

	This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way
G11. I have no one to share my feelings with	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
G12. My partner provides the emotional support I need	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
				no partner <input type="text" value="7"/>
G13. I believe in moments of difficulty my neighbours would help me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
G14. I'm worried that my partner might leave me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
				no partner <input type="text" value="7"/>
G15. There is always someone with whom I can share my happiness and excitement about my child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 35 OF THE QUESTIONNAIRE

		This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way	
G16.	If I feel tired I can rely on my partner to take over	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	no partner <div>7</div>
G17.	If I was in financial difficulty I know my family would help if they could	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
G18.	If I was in financial difficulty I know my friends would help if they could	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
G19.	If all else fails I know the state will support and assist me	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	

G20. How often during the day are you in a room or enclosed place where people are smoking?

	(i) weekdays	(ii) weekends
all the time	<div>1</div>	<div>1</div>
more than 5 hours	<div>2</div>	<div>2</div>
3-5 hours	<div>3</div>	<div>3</div>
1-2 hours	<div>4</div>	<div>4</div>
less than 1 hour	<div>5</div>	<div>5</div>
not at all	<div>6</div>	<div>6</div>

PH File – Section G

ph8000 G1: Number of relatives respondent sees at least twice a year excluding their partner and children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	75	1.7	1.7	1.7
	2 1	81	1.8	1.8	3.5
	3 2-4	799	17.7	17.9	21.4
	4 More than 4	3517	77.8	78.6	100.0
	Total	4472	98.9	100.0	
Missing	-1 No response	51	1.1		
Total		4523	100.0		

ph8001 G2: Number of friends respondent has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	159	3.5	3.6	3.6
	2 1	90	2.0	2.0	5.6
	3 2-4	1004	22.2	22.5	28.0
	4 More than 4	3216	71.1	72.0	100.0
	Total	4469	98.8	100.0	
Missing	-1 No response	54	1.2		
Total		4523	100.0		

ph8002 G3: Respondent belongs to a large group of friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2320	51.3	52.0	52.0
	2 No	2140	47.3	48.0	100.0
	Total	4460	98.6	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	60	1.3		
	Total	63	1.4		
Total		4523	100.0		

ph8003 G4: Number of people including their partner respondent can talk to about personal problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	420	9.3	9.4	9.4
	2 1	811	17.9	18.1	27.5
	3 2-4	2361	52.2	52.8	80.4
	4 More than 4	878	19.4	19.6	100.0
	Total	4470	98.8	100.0	
Missing	-1 No response	53	1.2		
Total		4523	100.0		

PH File – Section G

ph8004 G5: Number of people including their partner that talk to respondent about personal problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	311	6.9	7.0	7.0
	2 1	761	16.8	17.0	24.0
	3 2-4	2392	52.9	53.6	77.6
	4 More than 4	1002	22.2	22.4	100.0
	Total	4466	98.7	100.0	
Missing	-1 No response	57	1.3		
Total		4523	100.0		

ph8005 G6: Number of people including their partner that respondent can talk to about important decisions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	239	5.3	5.4	5.4
	2 1	911	20.1	20.4	25.8
	3 2-4	2258	49.9	50.6	76.3
	4 More than 4	1056	23.3	23.7	100.0
	Total	4464	98.7	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	58	1.3		
	Total	59	1.3		
Total		4523	100.0		

ph8006 G7: Number of people among family/friends partner could borrow £100 from

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	154	3.4	3.5	3.5
	2 1	338	7.5	7.6	11.0
	3 2-4	1957	43.3	43.9	54.9
	4 More than 4	2012	44.5	45.1	100.0
	Total	4461	98.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	60	1.3		
	Total	62	1.4		
Total		4523	100.0		

PH File – Section G

ph8007 G8: Number of people among family/friends that would help respondent when in trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	38	.8	.8	.8
	2 1	125	2.8	2.8	3.6
	3 2-4	1400	31.0	31.3	34.9
	4 More than 4	2914	64.4	65.1	100.0
	Total	4477	99.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	44	1.0		
	Total	46	1.0		
Total		4523	100.0		

ph8008 G9: Number of occasions in the last month respondent has met with one or more friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	451	10.0	10.1	10.1
	2 1	640	14.1	14.3	24.4
	3 2-4	1932	42.7	43.3	67.7
	4 More than 4	1441	31.9	32.3	100.0
	Total	4464	98.7	100.0	
Missing	-1 No response	59	1.3		
Total		4523	100.0		

ph8009 G10: Number of occasions in the last month respondent has met with one or more relatives/partner's relatives

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	322	7.1	7.2	7.2
	2 1	682	15.1	15.3	22.5
	3 2-4	2154	47.6	48.2	70.6
	4 More than 4	1312	29.0	29.4	100.0
	Total	4470	98.8	100.0	
Missing	-1 No response	53	1.2		
Total		4523	100.0		

PH File – Section G

ph8020 G11: Respondent feels they have no one to share their feelings with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Feels exactly	81	1.8	1.8	1.8
	2 Feels often	234	5.2	5.2	7.1
	3 Feels sometimes	1057	23.4	23.7	30.7
	4 Never feels	3095	68.4	69.3	100.0
	Total	4467	98.8	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	55	1.2		
	Total	56	1.2		
Total		4523	100.0		

ph8021 G12: Respondent feels their partner provides them with emotional support

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Feels exactly	1896	41.9	42.5	42.5
	2 Feels often	1446	32.0	32.4	74.8
	3 Feels sometimes	850	18.8	19.0	93.9
	4 Never feels	237	5.2	5.3	99.2
	7 No partner	37	.8	.8	100.0
	Total	4466	98.7	100.0	
Missing	-1 No response	57	1.3		
Total		4523	100.0		

ph8023 G13: Respondent feels in times of difficulty neighbours would help them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Feels exactly	860	19.0	19.3	19.3
	2 Feels often	930	20.6	20.9	40.2
	3 Feels sometimes	1362	30.1	30.6	70.8
	4 Never feels	1298	28.7	29.2	100.0
	Total	4450	98.4	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	71	1.6		
	Total	73	1.6		
Total		4523	100.0		

PH File – Section G

ph8024 G14: Respondent is worried that their partner might leave them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Feels exactly	53	1.2	1.2	1.2
	2 Feels often	82	1.8	1.8	3.0
	3 Feels sometimes	689	15.2	15.4	18.5
	4 Never feels	3601	79.6	80.6	99.1
	7 No partner	40	.9	.9	100.0
	Total	4465	98.7	100.0	
Missing	-1 No response	58	1.3		
Total		4523	100.0		

ph8025 G15: Respondent feels there is always someone with whom they can share happiness/excitement about their child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Feels exactly	2731	60.4	61.2	61.2
	2 Feels often	1215	26.9	27.2	88.4
	3 Feels sometimes	411	9.1	9.2	97.6
	4 Never feels	106	2.3	2.4	100.0
	Total	4463	98.7	100.0	
Missing	-1 No response	60	1.3		
Total		4523	100.0		

ph8026 G16: When they are tired respondent can rely on their partner to take over

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Feels exactly	1983	43.8	44.5	44.5
	2 Feels often	1299	28.7	29.1	73.6
	3 Feels sometimes	934	20.7	20.9	94.5
	4 Never feels	208	4.6	4.7	99.2
	7 No partner	37	.8	.8	100.0
	Total	4461	98.6	100.0	
Missing	-1 No response	62	1.4		
Total		4523	100.0		

PH File – Section G

ph8027 G17: Respondent feels their family would help with financial difficulties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Feels exactly	2808	62.1	63.0	63.0
	2 Feels often	921	20.4	20.7	83.6
	3 Feels sometimes	469	10.4	10.5	94.1
	4 Never feels	262	5.8	5.9	100.0
	Total	4460	98.6	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	62	1.4		
	Total	63	1.4		
Total		4523	100.0		

ph8028 G18: Respondent feels their friends would help with financial difficulties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Feels exactly	1533	33.9	34.5	34.5
	2 Feels often	929	20.5	20.9	55.3
	3 Feels sometimes	986	21.8	22.2	77.5
	4 Never feels	1001	22.1	22.5	100.0
	Total	4449	98.4	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	72	1.6		
	Total	74	1.6		
Total		4523	100.0		

ph8029 G19: Respondent feels the state would support and assist them with financial difficulties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Feels exactly	338	7.5	7.6	7.6
	2 Feels often	251	5.5	5.7	13.3
	3 Feels sometimes	1091	24.1	24.6	37.8
	4 Never feels	2760	61.0	62.2	100.0
	Total	4440	98.2	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	79	1.7		
	Total	83	1.8		
Total		4523	100.0		

PH File – Section G

ph8040 G20i: Time per day respondent spends in an enclosed space with people smoking on weekdays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	139	3.1	3.1	3.1
	2 More than 5 hours	212	4.7	4.8	7.9
	3 3-5 hours	311	6.9	7.0	15.0
	4 1-2 hours	449	9.9	10.2	25.1
	5 Less than 1 hour	1148	25.4	26.0	51.1
	6 Not at all	2162	47.8	48.9	100.0
	Total	4421	97.7	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	100	2.2		
	Total	102	2.3		
Total		4523	100.0		

ph8041 G20ii: Time per day respondent spends in an enclosed space with people smoking on weekends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	126	2.8	2.9	2.9
	2 More than 5 hours	229	5.1	5.2	8.1
	3 3-5 hours	359	7.9	8.2	16.3
	4 1-2 hours	571	12.6	13.1	29.4
	5 Less than 1 hour	968	21.4	22.2	51.6
	6 Not at all	2114	46.7	48.4	100.0
	Total	4367	96.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	155	3.4		
	Total	156	3.4		
Total		4523	100.0		

PAGE 36 OF THE QUESTIONNAIRE

H1. This questionnaire was completed by:

a) mother

1

b) father

1

c) other (please
(describe)

1

.....

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 “no”.]

ph9980 H1a: Questionnaire completed by mother

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	85	1.9	1.9	1.9
2 No	4395	97.2	98.1	100.0
Total	4480	99.0	100.0	
Missing -5 Question H1 omitted	43	1.0		
Total	4523	100.0		

ph9981 H1b: Questionnaire completed by father

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4319	95.5	96.4	96.4
2 No	161	3.6	3.6	100.0
Total	4480	99.0	100.0	
Missing -5 Question H1 omitted	43	1.0		
Total	4523	100.0		

ph9982 H1c: Questionnaire completed by someone else

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	98	2.2	2.2	2.2
2 No	4382	96.9	97.8	100.0
Total	4480	99.0	100.0	
Missing -5 Question H1 omitted	43	1.0		
Total	4523	100.0		

Derived VariablesNumber of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question H1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

ph9984 DV: Number of contributors to questionnaire

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	4458	98.6	99.5	99.5
2	22	.5	.5	100.0
Total	4480	99.0	100.0	
Missing -5 Question H1 omitted	43	1.0		
Total	4523	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question H1. It is calculated by recoding values of 1 to powers of 2 (1, 2 and 4 for parts a to c respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

ph9985 DV: Questionnaire completed by...

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Mother only	63	1.4	1.4	1.4
2 Father only	4297	95.0	95.9	97.3
3 Mother & father	22	.5	.5	97.8
4 Other only	98	2.2	2.2	100.0
Total	4480	99.0	100.0	
Missing -5 Question H1 omitted	43	1.0		
Total	4523	100.0		

PH File – Section H

H2. Please give the date on which you completed this questionnaire

day month year

1	9	9	
---	---	---	--

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable PH9990c. The month and year of completion were retained on the built file, but the day was dropped.]

Please note: Partner's age of completion is not available for this file as partner date of birth was not asked in the questionnaire.

ph9990a H2: Date of completion of questionnaire - month

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 January	462	10.2	10.2	10.2
2 February	370	8.2	8.2	18.4
3 March	261	5.8	5.8	24.2
4 April	250	5.5	5.5	29.7
5 May	322	7.1	7.1	36.8
6 June	372	8.2	8.2	45.0
7 July	391	8.6	8.6	53.7
8 August	428	9.5	9.5	63.1
9 September	484	10.7	10.7	73.8
10 October	465	10.3	10.3	84.1
11 November	454	10.0	10.0	94.2
12 December	264	5.8	5.8	100.0
Total	4523	100.0	100.0	

ph9990b H2: Date of completion of questionnaire - year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1996	1408	31.1	31.1	31.1
1997	2692	59.5	59.5	90.6
1998	421	9.3	9.3	100.0
1999	1	.0	.0	100.0
2000	1	.0	.0	100.0
Total	4523	100.0	100.0	

ph9990c DV: Date of completion replaced with date of receipt


	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes, incomplete d.o.c.	65	1.4	1.4	1.4
2 Yes, illegal d.o.c.	2	.0	.0	1.5
3 Yes, d.o.c. < d.o.s.	28	.6	.6	2.1
4 Yes, d.o.c. > d.o.r.	40	.9	.9	3.0
5 No	4388	97.0	97.0	100.0
Total	4523	100.0	100.0	

Derived Variables - Age of Study Child at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

ph9991a DV: Age of study child at completion (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	61	3275	72.4	72.4	72.4
	62	843	18.6	18.6	91.0
	63	192	4.2	4.2	95.3
	64	91	2.0	2.0	97.3
	65	49	1.1	1.1	98.4
	66	19	.4	.4	98.8
	67	14	.3	.3	99.1
	68	12	.3	.3	99.4
	69	10	.2	.2	99.6
	70	6	.1	.1	99.7
	71	2	.0	.0	99.8
	72	4	.1	.1	99.9
	74	2	.0	.0	99.9
	75	2	.0	.0	100.0
	76	1	.0	.0	100.0
	85	1	.0	.0	100.0
	Total	4523	100.0	100.0	

ph9991b DV: Age of study child at completion of questionnaire (weeks)

plus the following outliers > 300:

ph9991b DV: Age of study child at completion (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	301	4	16.7	16.7	16.7
	302	2	8.3	8.3	25.0
	305	1	4.2	4.2	29.2
	307	3	12.5	12.5	41.7
	308	3	12.5	12.5	54.2
	311	1	4.2	4.2	58.3
	313	2	8.3	8.3	66.7
	315	2	8.3	8.3	75.0
	321	1	4.2	4.2	79.2
	324	1	4.2	4.2	83.3
	326	1	4.2	4.2	87.5
	329	1	4.2	4.2	91.7
	332	1	4.2	4.2	95.8
	370	1	4.2	4.2	100.0
Total		24	100.0	100.0	

PH File – Section H

H3. Please give the date of birth of your child:

day

month

year

--	--

--	--

1	9	9	
---	---	---	--

[Editing: Note that this reported date of birth was not used.]

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comments you would like to make.

NB. Please remember we cannot reply personally to your comments unless they are signed.

When completed, please return the questionnaire to:

**Professor Jean Golding
Children of the Nineties - ALSPAC
Institute of Child Health
24 Tyndall Avenue
Bristol
BS8 1BR Tel: Bristol (0117) 928 5007**

For Office use only

Coder

Int

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. Note that this is the 2003 revision, which dates from after this questionnaire was coded. However, the revision did not alter the content but rather streamlined the text by simplifying sentences and introducing headings. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

PH File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow "Post-It" sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder's responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder's marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person's work at regular intervals in order to strive for maximum accuracy.

PH File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write “Wrong version” alongside. At the top of the list write “19 questionnaires only” or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write “Blank” alongside and “19 questionnaires only” or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped “Copied”, indicating that the post department have noted the information. If the given information is not stamped “Copied”, copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

PH File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

PH File – Appendix B

Coding Instructions for first version (29.03.96) “Study Partner’s Questionnaire”

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the “Study Partner’s Questionnaire” replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires - 2nd revision" document.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 29/03/96.

*****If the questionnaire is all blank, e.g. the man didn't want to fill in the form, write "ALL BLANK" on the front cover and move on to the next questionnaire.

Page 2, Section A		
A1	8	
A2a to A2l	7	
Page 3		
A2m to A2w	7	
A2x	7	Please ensure that if something is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, please write a zero on A2x to indicate information in this section.
Page 4		
A3a to A3o	7	If the answer “once” is given with no tick, code as 5.
A3p to A3r	7	If something is written, but no ticks, please write a zero to indicate information in this question.
Page 5		
A4 “for office use”	II	Count the number of items listed, and enter the count in the two boxes. If nothing listed, leave blank, but if they say none or “N/A”, or not applicable, code “00”.
A4 1 - 10		Not being coded here.
Page 6		
A5a	I	
A5b	II	If a range is given, round up.
A5c	II	If a range is given, round up.
A5d to A5h	II	This should be the number of different nights they were in hospital for each admission. If less than one day is given, code as “00”. Note that the reason is not being coded here.
A6a to A6g	7	
A6h to A6v	7	
A6w	7	As A2x

PH File – Appendix B

Page 8		
A7a	I	Except if 1+2 are ticked, code as “2”.
Page 7	7	
A7c	I	Code “sometimes” as “1”.
A8a	7	
A8b	8	
Page 9, Section B		
B1 - B3	8	
B4	7	
B5	8	
B6	7	
B7	8	
B8	7	
B9	8	
B10	7	
B11	7	
Page 10, Section C		
C1 - C12	7	
Page 11		
C13 - C23	7	
Page 12		
C24, C25	8	
C26	7	
C27	8	
Page 13		
C28-31	7	
Page 14		
C32,33	7	
C34	8	
Pages 15 - 18, Section D		
D1 - D41	7	
D42	7	Please ensure that if something is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, please write a zero to indicate information in this section.
D43a	I	If yes is ticked, check that the description differs from the events listed previously in this section. If it is the same, recode it as that event, and tick “no” for D43a.

PH File – Appendix B

D43b		Please check that if something is written in the “please describe” section that the previous boxes are ticked appropriately. If there is no tick, tick the “yes” box to indicate information in this section. Note that the text response is not being coded here.
D43c	7	
Page 19, Section E		
E1a	I	Code working inside and outside home as “4”.
E1b	II, II	Round down to a whole number of months. Convert weeks to months at a rate of 4:1. If less than a month, code “00”. If “before child was born” written, code as “0 00”. Convert “months” to “months and years” if necessary.
E1c	I	If “maternity leave” is written, code as “no”.
E1ci	IV	
E1cii	II	
E1di		Not being coded here.
Page 20		
E1dii	7	If multiple ticks including “5” code as “5”. If two jobs mentioned, code for main job if possible.
E1diii		Not being coded here.
E1e	II	Round up to the nearest whole number of hours. Code “occasional” as “97”, “varies” as “99”. If a range is given, take the upper limit. Over 90 code as “90”. Code “lots” as 98, “part time” as 95, “full time” as 96.
E1ei	I	
E1eii	I	
E1f	8	If multiple ticks, try to code for <u>main</u> job, i.e. job which takes up most time. If main job not identifiable, use style 8.
Page 21		
E2	7	Code “jobs not comparable” as 0
E3	I	
E4ai to v	I	If 7 and any other yes boxes in (i) - (v), ignore 7. Code “depends”, “varies” as “9”.
E4bi, ii	8	If “various/depends” written, code as “9” if no box ticked.
Page 22		
E5a	8	Code “don’t see”, “work shifts” etc. as “7”.
E5b	7	
E6a	7	
E6b	I	
E7a, b	I	
E7c	II	If a range is given, take the upper limit. If a fraction is given, round down to the nearest number of whole months. Convert weeks to months at a rate of 4:1. If <1 month, code “00”.
Page 23		
E8a 1 - 5 “job done”		Not being coded here.

PH File – Appendix B

E8a 1 - 5 “hours/week”	II	If a range is given, code as the average. Otherwise, code as E1e
E8a 1 - 5 “date started”	IV	Note that there is no day for coding here, just month and year. If the job started before the baby was born, code A,B,C,D in the boxes for 1970-74,75-79,80-84,85-89 respectively.
E8a 1 - 5 “date finished”	IV	Note that there is no day for coding here, just month and year.
E8b	I	
E8c		A “yes” answer should appear as a tick here and a “no” answer should be left as a blank. If the answer “sometimes” is given, regard this as a “yes” answer and tick accordingly. The answer may include up to 5 ticks.
E8d	I	
E8e		A “yes” answer should appear as a tick here and a “no” answer should be left as a blank. If the answer “sometimes” is given, regard this as a “yes” answer and tick accordingly. The answer may include up to 5 ticks.
E9	I	Note a two digit number is keyed here, so “not known” is “99”. Code “occasionally” as code “97”. For cigarettes, if multiple ticks are given, code the highest number of cigarettes. If just 8 and 9 are ticked, code as “9”.
Page 24		
E10a	8	
E10b	7	
E10ci to ciii	I	
Page 25		
E11a, b	7	
E11c, d	7	If multiple ticks are given, including 5, code as “5”. Otherwise use coding style 7.
E11e to h	7	
E11i	7	Please ensure that if something is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, please code a zero here, to indicate information in the “please describe” section.
E12a, b	7	Code “varies”, “don’t know” as “9”.
E12c	I	
Page 26		
E13a to c	I	
E13d		If more than one box is ticked, recode as “other” (or “other Christian” if relevant) and write the numbers of the ticked boxes on the dotted line. For example, if 1 and 4 are ticked, recode them as 6, and write “1 + 4” on the dotted line.
E13d Other Christian (please describe)		Please ensure that if something is written in the please describe section, that the previous boxes are ticked appropriately. If there is no tick, tick “other Christian”, to indicate information in the “please describe” section. Note that the text response is not being coded here.
E13d Other (please describe)		Please ensure that if something is written in the please describe section, that the previous boxes are ticked appropriately. If there is no tick, tick “other”, to indicate information in the “please describe” section. Note that the text response is not being coded here.
Page 27		

PH File – Appendix B

E13e	7	
E13f	7	Code “5” for occasional worship.
E13gi - ii	I	
E13giii other groups (please describe)	I	Please ensure that any writing in the “please describe” area is matched by a “yes” tick on E13giii. Please note that the text response is not being coded here.
E14a	I	
E14a (please describe)		Please ensure that any relevant writing in the “please describe” area is matched by a “yes” tick on E14a. Please note that the text response is not being coded here.
Page 28		
E14b	I	
E14b (please describe)		Please ensure that any writing in the “please describe” area is matched by a “yes” tick on E14b. Please note that the text response is not being coded here.
E14c	I	
E14c (please describe)		Please ensure that any writing in the “please describe” area is matched by a “yes” tick on E14c. Please note that the text response is not being coded here.
E15a to c	I	
E15d other (please describe)	I	Please ensure that any writing in the “please describe” area is matched by a “yes” tick on E14d. Please note that the text response is not being coded here.
Page 29		
E16ai to ii	I, I	The only options for these boxes are a tick, (which will get keyed as a 1), a blank, or you putting in a 9 for not knowns, or a zero in E16p.
E16b to p		As E16a
E16p “other (please describe)”		Not being coded here. Please ensure that any writing on the “please describe” line is matched by a tick on E16p. If it is not, please code a zero on E16p, to indicate information in the “please describe” section. Try to determine which the written comments apply to, yourself or your partner. If this is not possible, code E16pi and E16pii as “0”.
Page 30, Section F		
F1a - k	7	
F1l	7	As A2x, but check that the description differs from the issues listed in a to k. If it is the same, recode it as one (or several) of a to k.
Page 31		
F2a, b	8	
F3	II	
F4a	7	
Page 32		
F4b	IV	
F5, 6	8	
Page 33, Section G		
G1 - G2	7	

PH File – Appendix B

G3	I	
G4 - G7	7	
Page 34		
G8 - G11	7	
G12	8	But if box 7 is ticked, with anything else, code as 7.
G13	8	
G14	7	But if box 7 is ticked, with anything else, code as 7.
G15	8	
Page 35		
G16 - G19	8	
G20i, ii	7	Code each column separately.
Page 36, Section H		
H1a to b	I	
H1c (please describe)	I	Please ensure that if something is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, please tick the “other” box, to indicate information in the “please describe” section.
H2	IV	If left blank, copy month and year that the form was returned from the stamped receipt date on the front cover, and code the days as 99.
H3	IV	Any valid date has to be accepted here.
Space for comments		Not being coded here.
Bottom of Page 36, For Office Use Only		
Coder		Insert your initials here.
Int.		If the questionnaire was completed with the aid of an interviewer, there will be initials here.

END OF QUESTIONNAIRE

Hugh Simmons 14 July 98

\spqqcod

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. No reminders were issued specific to partner questionnaires.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of CSV (comma separated values) data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were read into SPSS, added together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifier ALN. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letter “ph” which are followed by four digits and occasionally a further letter. Then the data from the back page were edited as described in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t

know” to –9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to –8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don’t know	The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”.
-10	Not completed	No completed questionnaire is available for this case. Variable PH0007a = 2 for all such cases.

At some point in the future the data may be reissued as a “built” file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.