

THE ALSPAC STUDY

S FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Twelve Years On

At 145 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 1a of the release file.

February 2008

© University of Bristol

Contents

Introduction		Page 3
Section A	Your Health	
	Text	Page 9
	Frequencies	Page 19
Section B	Life In The Last 4 Weeks	
	Text	Page 53
	Frequencies	Page 56
Section C	Your Husband/Partner	
	Text	Page 58
	Frequencies	Page 70
Section D	Pills and Potions	
	Text	Page 112
	Frequencies	Page 118
Section E	Breaking The Law	
	Text	Page 154
	Frequencies	Page 163
Section F	Your Family And Friends	
	Text	Page 184
	Frequencies	Page 187
Section G	Your Diet	
	Text	Page 193
	Frequencies	Page 206
Section H	Your Environment	
	Text	Page 271
	Frequencies	Page 272
Section J		Page 274
Appendix A	General Coding Instructions	Page 283
Appendix B	Specific Coding Instructions	Page 287
Appendix C	Questionnaire Methodology	Page 298

Introduction

Contents

This questionnaire was sent out to carers when their study child was 145 months old. It is in 9 sections. Section A contains standard ALSPAC health related questions, including hospital admissions, medicine use, contraception, measurements and smoking. Section B asks about how the respondent has felt in the last 4 weeks while section C collects information about the respondent's partner including health, smoking and occupation as well as asking questions about the quality of the relationship. Section D collects information on medications taken and the conditions they were taken for and Section E asks about breaking the law. Section G contains questions about diet including detailed food frequency questionnaires, fat use and tea, coffee and alcohol consumption. Section H briefly asks about mobile phone use, smoking exposure and static electricity. Section J collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire.

Sample & response rates

There are a total of 14,999 records on this built file. This number is made up of the 14,541 pregnancies in the core ALSPAC sample (regardless of whether or not the 145-month questionnaire was sent out for them or whether they were returned) plus 458 eligible pregnancies not in the core sample for which the questionnaire was sent out. Note that this questionnaire was completed for 278 of these 458 pregnancies.

Of the 14,541 pregnancies in the core ALSPAC sample, 13,868 resulted in at least one live born child. The 145-month questionnaire was sent out for 9,709 (70%) of these pregnancies. As of 31st December 2007 completed questionnaires had been returned for 6,773 (70%) of these pregnancies, which is 49% of the 13,868 pregnancies that resulted in at least one live born child. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Release file version history

Release version 1a – February 2008

The first version of the release file.

S File - Introduction

Administrative variables

s0001 Questionnaire sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	10167	67.8	67.8	67.8
2 No	4832	32.2	32.2	100.0
Total	14999	100.0	100.0	

s0002 Reminder 1 sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5805	38.7	57.1	57.1
2 No	4362	29.1	42.9	100.0
Total	10167	67.8	100.0	
Missing -2 Questionnaire not sent	4832	32.2		
Total	14999	100.0		

s0003 Reminder 2 sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4390	29.3	43.2	43.2
2 No	5777	38.5	56.8	100.0
Total	10167	67.8	100.0	
Missing -2 Questionnaire not sent	4832	32.2		
Total	14999	100.0		

s0004 Eligible for visit

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2714	18.1	26.7	26.7
2 No	7453	49.7	73.3	100.0
Total	10167	67.8	100.0	
Missing -2 Questionnaire not sent	4832	32.2		
Total	14999	100.0		

S File - Introduction

s0005 Questionnaire return status (as of 31/12/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not returned	3063	20.4	30.1	30.1
	2 Returned, completed	7051	47.0	69.4	99.5
	3 Returned, blank	53	.4	.5	100.0
	Total	10167	67.8	100.0	
Missing	-2 Questionnaire not sent	4832	32.2		
Total		14999	100.0		

s0006 Questionnaire returned (as of 31/12/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7104	47.4	69.9	69.9
	2 No	3063	20.4	30.1	100.0
	Total	10167	67.8	100.0	
Missing	-2 Questionnaire not sent	4832	32.2		
Total		14999	100.0		

s0007 Questionnaire completed (as of 31/12/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7051	47.0	69.4	69.4
	2 No	3116	20.8	30.6	100.0
	Total	10167	67.8	100.0	
Missing	-2 Questionnaire not sent	4832	32.2		
Total		14999	100.0		

s0007a Data available (as of 31/12/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7051	47.0	47.0	47.0
	2 No	7948	53.0	53.0	100.0
	Total	14999	100.0	100.0	

s0008 Questionnaire version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Version 1 - 11/04/03	7051	47.0	100.0	100.0
Missing	-10 Not completed	7948	53.0		
Total		14999	100.0		



Questionnaire No:

--	--	--	--	--	--	--	--	--

TWELVE YEARS ON

All answers are confidential

--

--

This questionnaire is for the study child's mother or the person taking the role of the mother.

11/04/03

PAGE 2 OF THE QUESTIONNAIRE

BLANK PAGE

PAGE 3 OF THE QUESTIONNAIRE

This questionnaire is for the study child's mother or person taking the role of mother. To answer simply tick the box which is most accurate in your opinion.

Changes are occurring around our study children all the time, both in the family and in life outside. Some questions we ask in this questionnaire are the same as those you have answered before. This is so that we can tell what changes there may be in your health and lifestyle.



If you do not want to answer a question or if it does not apply to you, put a line through it. There are no good or bad answers. Just tell us what is true for you.

ALL ANSWERS ARE CONFIDENTIAL

Thank you for your help

PAGE 4 OF THE QUESTIONNAIRE

SECTION A: YOUR HEALTH

A1. Which of the following would you say describes your health now?

fit and well	<div>1</div>
mostly well and healthy	<div>2</div>
often feel unwell	<div>3</div>
hardly ever feel well	<div>4</div>

A2. Have you had any of the following in the last 2 years (since your study child's 10th birthday)?

	Yes and consulted doctor	Yes but did not consult doctor	No ↓
In last 2 years:			
a) anxiety or 'nerves'	<div>1</div>	<div>2</div>	<div>3</div>
b) depression	<div>1</div>	<div>2</div>	<div>3</div>
c) headache or migraine	<div>1</div>	<div>2</div>	<div>3</div>
d) epilepsy	<div>1</div>	<div>2</div>	<div>3</div>
e) back pain, sciatica, slipped disc	<div>1</div>	<div>2</div>	<div>3</div>
f) indigestion	<div>1</div>	<div>2</div>	<div>3</div>
g) high blood pressure	<div>1</div>	<div>2</div>	<div>3</div>
h) cough or cold	<div>1</div>	<div>2</div>	<div>3</div>
i) diabetes	<div>1</div>	<div>2</div>	<div>3</div>
j) haemorrhoids/piles	<div>1</div>	<div>2</div>	<div>3</div>
k) schizophrenia	<div>1</div>	<div>2</div>	<div>3</div>
l) influenza	<div>1</div>	<div>2</div>	<div>3</div>

PAGE 5 OF THE QUESTIONNAIRE

A2 cont.

	Yes and consulted doctor	Yes but did not consult doctor	No ↓
In last 2 years:			
m) alcohol problem	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
n) wheezing or asthma	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
o) bronchitis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
p) stomach ulcer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
q) eczema	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
r) psoriasis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
s) arthritis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
t) rheumatism	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
u) urinary infection	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
v) problems with your periods	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
w) problems with a pregnancy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
x) syphilis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
y) gonorrhoea	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
z) cancer (please state type)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

.....

za) other problems
(please tick and describe)

☐☐

.....

PAGE 6 OF THE QUESTIONNAIRE

A3. In the last 2 years how often have you taken the following?

In last 2 years:	Every day	Often	Sometimes	Not at all
a) antibiotics	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b) aspirin	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c) paracetamol	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
d) other painkillers	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

A4. a) In the past year have you taken or used any homeopathic medicine(s) or remedies?

yes, often

1

 yes, sometimes

2

 no

3

 → **If no, go to A5 below**

b) **If yes**, please describe the name(s) of the homeopathic medicine(s) and the reason for taking/using them:

Name:

Reason:

- | | |
|---------|-------|
| 1. | |
| 2. | |
| 3. | |
| 4. | |
| 5. | |

A5. Please list all the other drugs, medicines and ointments that you have taken or used **in the past month:**

What did you take:

About how many days did you take or use it?

How often per day?

- | | | |
|---------|-------|-------|
| 1. | | |
| 2. | | |
| 3. | | |
| 4. | | |

PAGE 7 OF THE QUESTIONNAIRE

	What did you take:	About how many days did you take or use it?	How often per day?
A5.	5.
	6.
	7.
	8.
	9.
	10.

Check Have you included the contraceptive pill, iron tablets, laxatives, skin creams, vitamins, sleeping tablets, aspirin, cough mixture, pain killers, herbal medicine, slimming pills?

A6. a) Since your study child's 9th birthday have you been admitted to hospital?

Yes No → If **no**, go to A7 on page 8

If **yes**,

b) how many times?

c) for how many different reasons?

Reason for each hospital stay:

How long did you stay?

d)	<input type="text"/> <input type="text"/>	nights
e)	<input type="text"/> <input type="text"/>	nights
f)	<input type="text"/> <input type="text"/>	nights
g)	<input type="text"/> <input type="text"/>	nights
h)	<input type="text"/> <input type="text"/>	nights

↓
Write 00 if you did not stay overnight

PAGE 8 OF THE QUESTIONNAIRE

A7. In the past month, how often have you had any of the following:

In the past month:	Almost all the time	Sometimes	Not at all
a) backache	<div>1</div>	<div>2</div>	<div>3</div>
b) headache or migraine	<div>1</div>	<div>2</div>	<div>3</div>
c) urinary infection	<div>1</div>	<div>2</div>	<div>3</div>
d) nausea	<div>1</div>	<div>2</div>	<div>3</div>
e) vomiting	<div>1</div>	<div>2</div>	<div>3</div>
f) diarrhoea	<div>1</div>	<div>2</div>	<div>3</div>
g) haemorrhoids or piles	<div>1</div>	<div>2</div>	<div>3</div>
h) feeling weepy/tearful	<div>1</div>	<div>2</div>	<div>3</div>
i) feeling irritable	<div>1</div>	<div>2</div>	<div>3</div>
j) feeling exhausted	<div>1</div>	<div>2</div>	<div>3</div>
k) varicose veins	<div>1</div>	<div>2</div>	<div>3</div>
l) passing urine very often	<div>1</div>	<div>2</div>	<div>3</div>
m) problem holding urine when you jump, sneeze etc.	<div>1</div>	<div>2</div>	<div>3</div>
n) indigestion	<div>1</div>	<div>2</div>	<div>3</div>
o) feeling dizzy/fainting	<div>1</div>	<div>2</div>	<div>3</div>
p) flashing lights/spots before eyes	<div>1</div>	<div>2</div>	<div>3</div>
q) shoulder ache	<div>1</div>	<div>2</div>	<div>3</div>
r) tingling in hands/fingers	<div>1</div>	<div>2</div>	<div>3</div>
s) tingling in feet/toes	<div>1</div>	<div>2</div>	<div>3</div>
t) neck ache	<div>1</div>	<div>2</div>	<div>3</div>
u) feeling depressed	<div>1</div>	<div>2</div>	<div>3</div>

PAGE 9 OF THE QUESTIONNAIRE

A7

**Almost all
the time****Sometimes****Not at all****In the past month:**v) other problem
(please tick and describe)

.....

.....

A8. a) How often are you having sexual intercourse now?

not at all

less than once a month

1-3 times a month

about once a week

2-4 times a week

5 or more times a week

b) In general, do you enjoy it?

yes, very much

yes, somewhat

no, not a lot

no, not at all

no sex at the moment

PAGE 10 OF THE QUESTIONNAIRE

A9. a) Are you currently trying to get pregnant?

no

1

no, but intend to later

2

yes, we are trying

3

I am already pregnant

4

→ **If yes,** (i) for how long have you been trying?

months

→ **If yes,** (ii) how long were you trying before you became pregnant?

now go to
A10 on
page 11

months

now go to A10 on page 11

A9. b) What forms of contraception are you and your partner using now? (tick all that you have used in the past 3 months)

Yes

i) withdrawal

1

ii) the pill

1

iii) IUCD/coil

1

iv) condom/sheath

1

v) calendar/rhythm method

1

vi) diaphragm/cap

1

vii) spermicide

1

viii) I am no longer fertile
(have been sterilised, etc.)

1

ix) my partner has been
sterilised

1

x) none

1

xi) other (please describe)

1

.....

PAGE 11 OF THE QUESTIONNAIRE

A10. Please describe your most recent periods:

	Very	Moderately	Mildly	Not at all	No periods	
a) how heavy are your periods?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="7"/>	→ go to A11 on page 12
b) how painful are your periods?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>		
c) are your periods irregular?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>		
d) how many days does bleeding usually last?					<input type="text" value=""/> <input type="text" value=""/>	days

e) Do you generally find in the days before or during your periods that you have particular problems (please tick all that apply)?

	Yes before	Yes during
i) Very fatigued	<input type="text" value="1"/>	<input type="text" value="1"/>
ii) Irritable	<input type="text" value="1"/>	<input type="text" value="1"/>
iii) Depressed	<input type="text" value="1"/>	<input type="text" value="1"/>
iv) Anxious	<input type="text" value="1"/>	<input type="text" value="1"/>
v) Other (please tick & describe)	<input type="text" value="1"/>	<input type="text" value="1"/>

.....

PAGE 12 OF THE QUESTIONNAIRE

A11. Please give below your present weights and measurements if you know them.

a) weight kg or stones pounds

[Editing: There were twenty reported metric weights >100kg. After comparison with reported weights from previous questionnaires, six of these occurrences were deemed highly likely to be total numbers of pounds and treated as imperial weights accordingly. One of these occurrences was for a respondent who also reported an imperial weight that was, unlike the metric weight, longitudinally consistent. The metric weight was therefore dropped for this case. Of the remaining thirteen occurrences, eleven were deemed highly likely to be valid numbers of kilograms and two were difficult to determine due to a lack of recent longitudinal data. All thirteen were left as metric measurements.

One reported imperial weight of 10lb was set to -1. For five imperial weights for which the pounds box was left blank but where the respondent also reported a metric weight the stones variable was set to -1. For six hundred and five imperial weights for which the pounds box was left blank the pounds variable was recoded to 0. A single variable for weight in kg was then created using a conversion factor of 1lb = 0.4536kg for imperial measurements (rounding to the nearest integer). If both imperial and metric weights were reported then the metric weight was taken unless the two weights were not equivalent and the imperial weight was closer to the median (65kg).]

b) height cm or ft in

[Editing: One reported metric height of 117cm was set to -1 as the respondent also reported an imperial height of 5ft. For fifty-three imperial heights for which the inches box was left blank (forty-eight of 5ft and five of 6ft) the inches variable was recoded to 0. Nine reported imperial heights greater than 6ft 3 in were set to -1 after consultation with reported heights from previous questionnaires. A single variable for height in cm was then created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric heights were reported then the metric height was taken unless the two heights were not equivalent and the imperial height was closer to then median (5ft 4in).]

c) inside leg measurement cm or in

[Editing: Twenty reported metric measurements with values between 22 & 35 (with the next lowest reported value being 53) were assumed to be imperial values and moved to the inches variable. Two outlying imperial measurements of 0in and one each of 38in, 39in & 51in were recoded to -1. A single variable for inside leg measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to then median (30in).]

S File – Section A

d) bust cm or in

[Editing: Thirty-two reported metric measurements with values between 32 & 42 (with the next lowest reported value being 67) were assumed to be imperial values and moved to the inches variable. One outlying imperial measurement of 0in was set to -1. A single variable for bust measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to then median (36in).]

e) hips cm or in

[Editing: Seventeen reported metric measurements with values between 34 & 42 (with the next lowest reported value being 72) were assumed to be imperial values and moved to the inches variable. Three outlying imperial measurements of 0in, 12in & 18in were set to -1. A single variable for hip measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to then median (38in).]

f) waist cm or in

[Editing: Eighteen reported metric measurements with values between 25 & 39 (with the next lowest reported value being 61) were assumed to be imperial values and moved to the inches variable. Three reported imperial measurements with values between 14 & 18 (possibly dress sizes) were set to -1. A single variable for waist measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to then median (30in).]

A12. a) How many cigarettes do you smoke nowadays per day? (If none, put 00)

i) weekday ii) weekend day

b) Do you smoke:

**Yes
every day**

**Yes
sometimes**

**No
never**

(i) pipe

(ii) cigar/cigarillo

S File – Section A

s1000 A1: Mother's assessment of own health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Fit and well	3962	56.2	56.5	56.5
	2 Mostly well and healthy	2691	38.2	38.4	94.9
	3 Often feels unwell	331	4.7	4.7	99.7
	4 Hardly ever feels well	24	.3	.3	100.0
	Total	7008	99.4	100.0	
Missing	-1 No response	43	.6		
Total		7051	100.0		

s1010 A2a: Mother has had anxiety or nerves in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	649	9.2	9.5	9.5
	2 Yes, did not consult doctor	1107	15.7	16.1	25.6
	3 No	5110	72.5	74.4	100.0
	Total	6866	97.4	100.0	
Missing	-1 No response	185	2.6		
Total		7051	100.0		

s1011 A2b: Mother has had depression in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	797	11.3	11.6	11.6
	2 Yes, did not consult doctor	753	10.7	10.9	22.5
	3 No	5339	75.7	77.5	100.0
	Total	6889	97.7	100.0	
Missing	-1 No response	162	2.3		
Total		7051	100.0		

s1012 A2c: Mother has had headache or migraine in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	480	6.8	6.9	6.9
	2 Yes, did not consult doctor	4848	68.8	69.8	76.7
	3 No	1620	23.0	23.3	100.0
	Total	6948	98.5	100.0	
Missing	-1 No response	103	1.5		
Total		7051	100.0		

s1013 A2d: Mother has had epilepsy in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	39	.6	.6	.6
	2 Yes, did not consult doctor	13	.2	.2	.8
	3 No	6774	96.1	99.2	100.0
	Total	6826	96.8	100.0	
Missing	-1 No response	225	3.2		
Total		7051	100.0		

S File – Section A

s1014 A2e: Mother has had back pain, sciatica or slipped disc in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	837	11.9	12.1	12.1
	2 Yes, did not consult doctor	2036	28.9	29.5	41.6
	3 No	4032	57.2	58.4	100.0
	Total	6905	97.9	100.0	
Missing	-1 No response	146	2.1		
Total		7051	100.0		

s1015 A2f: Mother has had indigestion in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	230	3.3	3.3	3.3
	2 Yes, did not consult doctor	2194	31.1	31.9	35.2
	3 No	4458	63.2	64.8	100.0
	Total	6882	97.6	100.0	
Missing	-1 No response	169	2.4		
Total		7051	100.0		

s1016 A2g: Mother has had high blood pressure in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	354	5.0	5.2	5.2
	2 Yes, did not consult doctor	91	1.3	1.3	6.5
	3 No	6408	90.9	93.5	100.0
	Total	6853	97.2	100.0	
Missing	-1 No response	198	2.8		
Total		7051	100.0		

s1017 A2h: Mother has had a cough or cold in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	288	4.1	4.1	4.1
	2 Yes, did not consult doctor	5356	76.0	77.1	81.2
	3 No	1307	18.5	18.8	100.0
	Total	6951	98.6	100.0	
Missing	-1 No response	100	1.4		
Total		7051	100.0		

s1018 A2i: Mother has had diabetes in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	66	.9	1.0	1.0
	2 Yes, did not consult doctor	16	.2	.2	1.2
	3 No	6762	95.9	98.8	100.0
	Total	6844	97.1	100.0	
Missing	-1 No response	207	2.9		
Total		7051	100.0		

S File – Section A

s1019 A2j: Mother has had haemorrhoids/piles in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	168	2.4	2.4	2.4
	2 Yes, did not consult doctor	1106	15.7	16.1	18.5
	3 No	5599	79.4	81.5	100.0
	Total	6873	97.5	100.0	
Missing	-1 No response	178	2.5		
Total		7051	100.0		

s1020 A2k: Mother has had schizophrenia in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	1	.0	.0	.0
	2 Yes, did not consult doctor	5	.1	.1	.1
	3 No	6843	97.1	99.9	100.0
	Total	6849	97.1	100.0	
Missing	-1 No response	202	2.9		
Total		7051	100.0		

s1021 A2l: Mother has had influenza in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	171	2.4	2.5	2.5
	2 Yes, did not consult doctor	603	8.6	8.8	11.3
	3 No	6091	86.4	88.7	100.0
	Total	6865	97.4	100.0	
Missing	-1 No response	186	2.6		
Total		7051	100.0		

s1022 A2m: Mother has had an alcohol problem in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	29	.4	.4	.4
	2 Yes, did not consult doctor	47	.7	.7	1.1
	3 No	6842	97.0	98.9	100.0
	Total	6918	98.1	100.0	
Missing	-1 No response	133	1.9		
Total		7051	100.0		

s1023 A2n: Mother has had wheezing or asthma in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	395	5.6	5.7	5.7
	2 Yes, did not consult doctor	367	5.2	5.3	11.0
	3 No	6157	87.3	89.0	100.0
	Total	6919	98.1	100.0	
Missing	-1 No response	132	1.9		
Total		7051	100.0		

S File – Section A

s1024 A2o: Mother has had bronchitis in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	181	2.6	2.6	2.6
	2 Yes, did not consult doctor	39	.6	.6	3.2
	3 No	6695	95.0	96.8	100.0
	Total	6915	98.1	100.0	
Missing	-1 No response	136	1.9		
Total		7051	100.0		

s1025 A2p: Mother has had a stomach ulcer in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	39	.6	.6	.6
	2 Yes, did not consult doctor	15	.2	.2	.8
	3 No	6848	97.1	99.2	100.0
	Total	6902	97.9	100.0	
Missing	-1 No response	149	2.1		
Total		7051	100.0		

s1026 A2q: Mother has had eczema in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	250	3.5	3.6	3.6
	2 Yes, did not consult doctor	556	7.9	8.0	11.7
	3 No	6105	86.6	88.3	100.0
	Total	6911	98.0	100.0	
Missing	-1 No response	140	2.0		
Total		7051	100.0		

s1027 A2r: Mother has had psoriasis in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	93	1.3	1.3	1.3
	2 Yes, did not consult doctor	171	2.4	2.5	3.8
	3 No	6644	94.2	96.2	100.0
	Total	6908	98.0	100.0	
Missing	-1 No response	143	2.0		
Total		7051	100.0		

s1028 A2s: Mother has had arthritis in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	218	3.1	3.2	3.2
	2 Yes, did not consult doctor	196	2.8	2.8	6.0
	3 No	6493	92.1	94.0	100.0
	Total	6907	98.0	100.0	
Missing	-1 No response	144	2.0		
Total		7051	100.0		

S File – Section A

s1029 A2t: Mother has had rheumatism in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	57	.8	.8	.8
	2 Yes, did not consult doctor	132	1.9	1.9	2.7
	3 No	6693	94.9	97.3	100.0
	Total	6882	97.6	100.0	
Missing	-1 No response	169	2.4		
Total		7051	100.0		

s1030 A2u: Mother has had a urinary infection in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	532	7.5	7.7	7.7
	2 Yes, did not consult doctor	220	3.1	3.2	10.9
	3 No	6125	86.9	89.1	100.0
	Total	6877	97.5	100.0	
Missing	-1 No response	174	2.5		
Total		7051	100.0		

s1031 A2v: Mother has had period problems in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	975	13.8	14.1	14.1
	2 Yes, did not consult doctor	598	8.5	8.6	22.7
	3 No	5354	75.9	77.3	100.0
	Total	6927	98.2	100.0	
Missing	-1 No response	124	1.8		
Total		7051	100.0		

s1032 A2w: Mother has had pregnancy problems in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	120	1.7	1.7	1.7
	2 Yes, did not consult doctor	14	.2	.2	1.9
	3 No	6767	96.0	98.1	100.0
	Total	6901	97.9	100.0	
Missing	-1 No response	150	2.1		
Total		7051	100.0		

s1033 A2x: Mother has had syphilis in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes, did not consult doctor	1	.0	.0	.0
	3 No	6904	97.9	100.0	100.0
	Total	6905	97.9	100.0	
Missing	-1 No response	146	2.1		
Total		7051	100.0		

S File – Section A

s1034 A2y: Mother has had gonorrhoea in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	1	.0	.0	.0
	2 Yes, did not consult doctor	1	.0	.0	.0
	3 No	6904	97.9	100.0	100.0
	Total	6906	97.9	100.0	
Missing	-1 No response	145	2.1		
Total		7051	100.0		

s1035 A2z: Mother has had cancer in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, consulted doctor	71	1.0	1.0	1.0
	2 Yes, did not consult doctor	2	.0	.0	1.1
	3 No	6806	96.5	98.9	100.0
	Total	6879	97.6	100.0	
Missing	-1 No response	172	2.4		
Total		7051	100.0		

s1037 A2za: Mother has had other problems in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	44	.6	.9	.9
	1 Yes, consulted doctor	987	14.0	20.8	21.7
	2 Yes, did not consult doctor	91	1.3	1.9	23.6
	3 No	3631	51.5	76.4	100.0
	Total	4753	67.4	100.0	
Missing	-1 No response	2298	32.6		
Total		7051	100.0		

S File – Section A

s1050 A3a: Frequency mother has used antibiotics in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	46	.7	.7	.7
	2 Often	64	.9	.9	1.6
	3 Sometimes	2338	33.2	34.3	35.9
	4 Not at all	4369	62.0	64.1	100.0
	5 Once	2	.0	.0	100.0
	Total	6819	96.7	100.0	
Missing	-1 No response	232	3.3		
Total		7051	100.0		

s1051 A3b: Frequency mother has used aspirin in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	35	.5	.5	.5
	2 Often	80	1.1	1.2	1.7
	3 Sometimes	1502	21.3	22.7	24.4
	4 Not at all	5008	71.0	75.6	100.0
	Total	6625	94.0	100.0	
Missing	-1 No response	426	6.0		
Total		7051	100.0		

s1052 A3c: Frequency mother has used paracetamol in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	33	.5	.5	.5
	2 Often	789	11.2	11.4	11.9
	3 Sometimes	5497	78.0	79.4	91.3
	4 Not at all	600	8.5	8.7	100.0
	5 Once	1	.0	.0	100.0
	Total	6920	98.1	100.0	
Missing	-1 No response	131	1.9		
Total		7051	100.0		

s1053 A3d: Frequency mother has used other painkillers in last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	127	1.8	1.9	1.9
	2 Often	439	6.2	6.6	8.5
	3 Sometimes	3071	43.6	45.9	54.3
	4 Not at all	3058	43.4	45.7	100.0
	Total	6695	95.0	100.0	
Missing	-1 No response	356	5.0		
Total		7051	100.0		

S File – Section A

s1080 A4a: Mother has used homeopathic medicines or remedies in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text in part b but no box ticked	15	.2	.2	.2
	1 Yes, often	214	3.0	3.1	3.3
	2 Yes, sometimes	688	9.8	10.0	13.3
	3 No	5970	84.7	86.7	100.0
	Total	6887	97.7	100.0	
Missing	-1 No response	164	2.3		
Total		7051	100.0		

s1110 A5: Number of other drugs, medicines or ointments mother used in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	392	5.6	7.4	7.4
	1	1766	25.0	33.3	40.7
	2	1356	19.2	25.6	66.2
	3	822	11.7	15.5	81.7
	4	436	6.2	8.2	90.0
	5	232	3.3	4.4	94.3
	6	120	1.7	2.3	96.6
	7	77	1.1	1.5	98.0
	8	48	.7	.9	98.9
	9	27	.4	.5	99.5
	10	14	.2	.3	99.7
	11	6	.1	.1	99.8
	12	3	.0	.1	99.9
	13	2	.0	.0	99.9
	14	1	.0	.0	99.9
	16	1	.0	.0	100.0
	18	1	.0	.0	100.0
	98 Lots	1	.0	.0	100.0
	Total	5305	75.2	100.0	
Missing	-1 No response	1746	24.8		
Total		7051	100.0		

S File – Section A

s1170 A6a: Mother has been admitted to hospital since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1228	17.4	17.7	17.7
	2 No	5729	81.3	82.3	100.0
	Total	6957	98.7	100.0	
Missing	-1 No response	94	1.3		
Total		7051	100.0		

s1171 A6b: Number of times mother has been admitted to hospital since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	.2	.2
	1	868	12.3	72.0	72.1
	2	239	3.4	19.8	92.0
	3	58	.8	4.8	96.8
	4	27	.4	2.2	99.0
	5	8	.1	.7	99.7
	6	1	.0	.1	99.8
	7	1	.0	.1	99.8
	10	1	.0	.1	99.9
	11	1	.0	.1	100.0
	Total	1206	17.1	100.0	
Missing	-1 No response	5845	82.9		
Total		7051	100.0		

s1172 A6c: Number of different reasons mother was admitted to hospital since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	.1	.1
	1	869	12.3	82.1	82.2
	2	163	2.3	15.4	97.5
	3	24	.3	2.3	99.8
	4	2	.0	.2	100.0
	Total	1059	15.0	100.0	
Missing	-1 No response	5992	85.0		
Total		7051	100.0		

S File – Section A

**s1174 A6d: Number of nights mother stayed in hospital - first admission
since study child's 9th birthday**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	325	4.6	27.0	27.0
1	322	4.6	26.7	53.7
2	142	2.0	11.8	65.5
3	96	1.4	8.0	73.4
4	70	1.0	5.8	79.3
5	84	1.2	7.0	86.2
6	39	.6	3.2	89.5
7	44	.6	3.7	93.1
8	8	.1	.7	93.8
9	5	.1	.4	94.2
10	16	.2	1.3	95.5
11	5	.1	.4	95.9
12	2	.0	.2	96.1
13	2	.0	.2	96.3
14	12	.2	1.0	97.3
15	3	.0	.2	97.5
16	2	.0	.2	97.7
17	2	.0	.2	97.8
20	1	.0	.1	97.9
21	4	.1	.3	98.3
28	6	.1	.5	98.8
30	2	.0	.2	98.9
34	1	.0	.1	99.0
35	3	.0	.2	99.3
42	3	.0	.2	99.5
47	1	.0	.1	99.6
56	1	.0	.1	99.7
60	1	.0	.1	99.8
90	2	.0	.2	99.9
180	1	.0	.1	100.0
Total	1205	17.1	100.0	
Missing -9 Don't know	2	.0		
-1 No response	5844	82.9		
Total	5846	82.9		
Total	7051	100.0		

S File – Section A

s1176 A6e: Number of nights mother stayed in hospital - second admission since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	83	1.2	25.9	25.9
	1	91	1.3	28.4	54.4
	2	36	.5	11.3	65.6
	3	26	.4	8.1	73.8
	4	24	.3	7.5	81.3
	5	18	.3	5.6	86.9
	6	8	.1	2.5	89.4
	7	13	.2	4.1	93.4
	8	1	.0	.3	93.8
	9	5	.1	1.6	95.3
	10	7	.1	2.2	97.5
	11	1	.0	.3	97.8
	12	1	.0	.3	98.1
	14	1	.0	.3	98.4
	21	1	.0	.3	98.8
	28	2	.0	.6	99.4
	30	1	.0	.3	99.7
	300	1	.0	.3	100.0
	Total	320	4.5	100.0	
Missing	-1 No response	6731	95.5		
Total		7051	100.0		

s1178 A6f: Number of nights mother stayed in hospital - third admission since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	24	.3	25.3	25.3
	1	15	.2	15.8	41.1
	2	13	.2	13.7	54.7
	3	11	.2	11.6	66.3
	4	7	.1	7.4	73.7
	5	8	.1	8.4	82.1
	6	3	.0	3.2	85.3
	7	5	.1	5.3	90.5
	8	1	.0	1.1	91.6
	10	3	.0	3.2	94.7
	14	2	.0	2.1	96.8
	28	1	.0	1.1	97.9
	33	1	.0	1.1	98.9
	180	1	.0	1.1	100.0
	Total	95	1.3	100.0	
Missing	-1 No response	6956	98.7		
Total		7051	100.0		

S File – Section A

s1180 A6g: Number of nights mother stayed in hospital - fourth admission since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6	.1	18.8	18.8
	1	8	.1	25.0	43.8
	2	2	.0	6.3	50.0
	3	2	.0	6.3	56.3
	4	1	.0	3.1	59.4
	5	3	.0	9.4	68.8
	7	3	.0	9.4	78.1
	9	1	.0	3.1	81.3
	10	1	.0	3.1	84.4
	14	1	.0	3.1	87.5
	21	1	.0	3.1	90.6
	25	1	.0	3.1	93.8
	28	1	.0	3.1	96.9
	180	1	.0	3.1	100.0
	Total	32	.5	100.0	
Missing	-1 No response	7019	99.5		
Total		7051	100.0		

s1182 A6h: Number of nights mother stayed in hospital - fifth admission since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	.0	25.0	25.0
	3	4	.1	33.3	58.3
	4	1	.0	8.3	66.7
	5	2	.0	16.7	83.3
	7	1	.0	8.3	91.7
	180	1	.0	8.3	100.0
	Total	12	.2	100.0	
Missing	-1 No response	7039	99.8		
Total		7051	100.0		

S File – Section A

s1190 A7a: Frequency mother had backache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	439	6.2	6.3	6.3
	2 Sometimes	3169	44.9	45.6	52.0
	3 Not at all	3337	47.3	48.0	100.0
	Total	6945	98.5	100.0	
Missing	-1 No response	106	1.5		
Total		7051	100.0		

s1191 A7b: Frequency mother had headache or migraine in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	121	1.7	1.7	1.7
	2 Sometimes	5084	72.1	73.0	74.8
	3 Not at all	1755	24.9	25.2	100.0
	Total	6960	98.7	100.0	
Missing	-1 No response	91	1.3		
Total		7051	100.0		

s1192 A7c: Frequency mother had urinary infection in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	14	.2	.2	.2
	2 Sometimes	260	3.7	3.8	4.0
	3 Not at all	6646	94.3	96.0	100.0
	Total	6920	98.1	100.0	
Missing	-1 No response	131	1.9		
Total		7051	100.0		

s1193 A7d: Frequency mother had nausea in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	28	.4	.4	.4
	2 Sometimes	1073	15.2	15.5	15.9
	3 Not at all	5813	82.4	84.1	100.0
	Total	6914	98.1	100.0	
Missing	-1 No response	137	1.9		
Total		7051	100.0		

s1194 A7e: Frequency mother suffered from vomiting in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	3	.0	.0	.0
	2 Sometimes	445	6.3	6.4	6.5
	3 Not at all	6472	91.8	93.5	100.0
	Total	6920	98.1	100.0	
Missing	-1 No response	131	1.9		
Total		7051	100.0		

S File – Section A

s1195 A7f: Frequency mother had diarrhoea in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	30	.4	.4	.4
	2 Sometimes	1203	17.1	17.4	17.8
	3 Not at all	5691	80.7	82.2	100.0
	Total	6924	98.2	100.0	
Missing	-1 No response	127	1.8		
Total		7051	100.0		

s1196 A7g: Frequency mother had haemorrhoids or piles in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	142	2.0	2.1	2.1
	2 Sometimes	773	11.0	11.2	13.2
	3 Not at all	6006	85.2	86.8	100.0
	Total	6921	98.2	100.0	
Missing	-1 No response	130	1.8		
Total		7051	100.0		

s1197 A7h: Frequency mother felt weepy/tearful in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	123	1.7	1.8	1.8
	2 Sometimes	2726	38.7	39.3	41.1
	3 Not at all	4081	57.9	58.9	100.0
	Total	6930	98.3	100.0	
Missing	-1 No response	121	1.7		
Total		7051	100.0		

s1198 A7i: Frequency mother felt irritable in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	116	1.6	1.7	1.7
	2 Sometimes	4558	64.6	65.6	67.3
	3 Not at all	2269	32.2	32.7	100.0
	Total	6943	98.5	100.0	
Missing	-1 No response	108	1.5		
Total		7051	100.0		

s1199 A7j: Frequency mother felt exhausted in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	384	5.4	5.5	5.5
	2 Sometimes	4269	60.5	61.4	66.9
	3 Not at all	2304	32.7	33.1	100.0
	Total	6957	98.7	100.0	
Missing	-1 No response	94	1.3		
Total		7051	100.0		

S File – Section A

s1200 A7k: Frequency mother had varicose veins in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	318	4.5	4.6	4.6
	2 Sometimes	321	4.6	4.7	9.3
	3 Not at all	6261	88.8	90.7	100.0
	Total	6900	97.9	100.0	
Missing	-1 No response	151	2.1		
Total		7051	100.0		

s1201 A7l: Frequency mother passed urine very often in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	130	1.8	1.9	1.9
	2 Sometimes	883	12.5	12.8	14.7
	3 Not at all	5901	83.7	85.3	100.0
	Total	6914	98.1	100.0	
Missing	-1 No response	137	1.9		
Total		7051	100.0		

s1202 A7m: Frequency mother had problems holding urine when jumping, sneezing, etc. in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	322	4.6	4.6	4.6
	2 Sometimes	1916	27.2	27.6	32.3
	3 Not at all	4694	66.6	67.7	100.0
	Total	6932	98.3	100.0	
Missing	-1 No response	119	1.7		
Total		7051	100.0		

s1203 A7n: Frequency mother had indigestion in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	41	.6	.6	.6
	2 Sometimes	1760	25.0	25.4	26.0
	3 Not at all	5126	72.7	74.0	100.0
	Total	6927	98.2	100.0	
Missing	-1 No response	124	1.8		
Total		7051	100.0		

s1204 A7o: Frequency mother suffered from dizziness/fainting in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	16	.2	.2	.2
	2 Sometimes	968	13.7	14.0	14.2
	3 Not at all	5930	84.1	85.8	100.0
	Total	6914	98.1	100.0	
Missing	-1 No response	137	1.9		
Total		7051	100.0		

S File – Section A

s1205 A7p: Frequency mother suffered from flashing lights in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	9	.1	.1	.1
	2 Sometimes	719	10.2	10.4	10.5
	3 Not at all	6185	87.7	89.5	100.0
	Total	6913	98.0	100.0	
Missing	-1 No response	138	2.0		
Total		7051	100.0		

s1206 A7q: Frequency mother had shoulder ache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	238	3.4	3.4	3.4
	2 Sometimes	1893	26.8	27.3	30.8
	3 Not at all	4799	68.1	69.2	100.0
	Total	6930	98.3	100.0	
Missing	-1 No response	121	1.7		
Total		7051	100.0		

s1207 A7r: Frequency mother had tingling in hands/fingers in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	89	1.3	1.3	1.3
	2 Sometimes	1224	17.4	17.7	19.0
	3 Not at all	5609	79.5	81.0	100.0
	Total	6922	98.2	100.0	
Missing	-1 No response	129	1.8		
Total		7051	100.0		

s1208 A7s: Frequency mother had tingling in feet/toes in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	51	.7	.7	.7
	2 Sometimes	489	6.9	7.1	7.8
	3 Not at all	6365	90.3	92.2	100.0
	Total	6905	97.9	100.0	
Missing	-1 No response	146	2.1		
Total		7051	100.0		

s1209 A7t: Frequency mother had neck ache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	229	3.2	3.3	3.3
	2 Sometimes	2197	31.2	31.7	35.0
	3 Not at all	4507	63.9	65.0	100.0
	Total	6933	98.3	100.0	
Missing	-1 No response	118	1.7		
Total		7051	100.0		

S File – Section A

s1210 A7u: Frequency mother felt depressed in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	145	2.1	2.1	2.1
	2 Sometimes	1690	24.0	24.4	26.5
	3 Not at all	5088	72.2	73.5	100.0
	Total	6923	98.2	100.0	
Missing	-1 No response	128	1.8		
Total		7051	100.0		

s1211 A7v: Frequency mother had other problem in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	55	.8	1.3	1.3
	1 Almost all the time	220	3.1	5.2	6.6
	2 Sometimes	273	3.9	6.5	13.1
	3 Not at all	3648	51.7	86.9	100.0
	Total	4196	59.5	100.0	
Missing	-1 No response	2855	40.5		
Total		7051	100.0		

S File – Section A

s1230 A8a: Frequency mother is having sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	886	12.6	13.2	13.2
	2 < once a month	913	12.9	13.6	26.8
	3 1-3 times a month	1726	24.5	25.7	52.6
	4 about once a week	1507	21.4	22.5	75.0
	5 2-4 times a week	1533	21.7	22.9	97.9
	6 >=5 times a week	140	2.0	2.1	100.0
	Total	6705	95.1	100.0	
Missing	-1 No response	346	4.9		
Total		7051	100.0		

s1231 A8b: Mother enjoys sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very much	2926	41.5	44.5	44.5
	2 Yes, somewhat	2551	36.2	38.8	83.4
	3 No, not a lot	423	6.0	6.4	89.8
	4 No, not at all	42	.6	.6	90.4
	5 No sex at the moment	628	8.9	9.6	100.0
	Total	6570	93.2	100.0	
Missing	-1 No response	481	6.8		
Total		7051	100.0		

S File – Section A

s1240 A9a: Mother is trying to get pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	6848	97.1	98.5	98.5
	2 No, but intend to later	28	.4	.4	98.9
	3 Yes	41	.6	.6	99.5
	4 Already pregnant	36	.5	.5	100.0
	Total	6953	98.6	100.0	
Missing	-1 No response	98	1.4		
Total		7051	100.0		

s1241 A9a1: Number of months that mother has been trying to become pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	.1	10.5	10.5
	3	4	.1	10.5	21.1
	4	1	.0	2.6	23.7
	5	2	.0	5.3	28.9
	6	2	.0	5.3	34.2
	8	2	.0	5.3	39.5
	10	2	.0	5.3	44.7
	12	3	.0	7.9	52.6
	18	4	.1	10.5	63.2
	19	1	.0	2.6	65.8
	20	1	.0	2.6	68.4
	21	1	.0	2.6	71.1
	24	2	.0	5.3	76.3
	28	2	.0	5.3	81.6
	36	2	.0	5.3	86.8
	48	1	.0	2.6	89.5
	62	1	.0	2.6	92.1
	86	1	.0	2.6	94.7
	96	1	.0	2.6	97.4
	132	1	.0	2.6	100.0
	Total	38	.5	100.0	
Missing	-1 No response	7013	99.5		
Total		7051	100.0		

S File – Section A

s1242 A9a2: Number of months mother was trying to become pregnant before succeeding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	11	.2	33.3	33.3
	1	9	.1	27.3	60.6
	2	3	.0	9.1	69.7
	3	1	.0	3.0	72.7
	4	1	.0	3.0	75.8
	5	1	.0	3.0	78.8
	10	2	.0	6.1	84.8
	12	2	.0	6.1	90.9
	36	2	.0	6.1	97.0
	99 Unplanned pregnancy	1	.0	3.0	100.0
	Total	33	.5	100.0	
Missing	-1 No response	7018	99.5		
Total		7051	100.0		

s1243 A9b1: Mother has used withdrawal method of contraception in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	327	4.6	100.0	100.0
Missing	-1 No response	6724	95.4		
Total		7051	100.0		

s1244 A9b2: Mother has used contraceptive pill in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	811	11.5	100.0	100.0
Missing	-1 No response	6240	88.5		
Total		7051	100.0		

s1245 A9b3: Mother has used IUCD/coil in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	818	11.6	100.0	100.0
Missing	-1 No response	6233	88.4		
Total		7051	100.0		

s1246 A9b4: Mother's partner has used condom/sheath in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	925	13.1	100.0	100.0
Missing	-1 No response	6126	86.9		
Total		7051	100.0		

s1247 A9b5: Mother has used calendar/rhythm method of contraception in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	88	1.2	100.0	100.0
Missing	-1 No response	6963	98.8		
Total		7051	100.0		

S File – Section A

s1248 A9b6: Mother has used diaphragm/cap for contraception in past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	61	.9	100.0	100.0
Missing -1 No response	6990	99.1		
Total	7051	100.0		

s1249 A9b7: Mother has used spermicide for contraception in past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	38	.5	100.0	100.0
Missing -1 No response	7013	99.5		
Total	7051	100.0		

s1250 A9b8: Mother is no longer fertile

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1052	14.9	100.0	100.0
Missing -1 No response	5999	85.1		
Total	7051	100.0		

s1251 A9b9: Mother's partner has been sterilised

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2082	29.5	100.0	100.0
Missing -1 No response	4969	70.5		
Total	7051	100.0		

s1252 A9b10: Mother has used no contraception in past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	604	8.6	100.0	100.0
Missing -1 No response	6447	91.4		
Total	7051	100.0		

s1253 A9b11: Mother has used other method of contraception in past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	210	3.0	100.0	100.0
Missing -1 No response	6841	97.0		
Total	7051	100.0		

S File – Section A

s1260 A10a: Degree to which mother's most recent periods were heavy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	1110	15.7	16.0	16.0
	2 Moderately	2941	41.7	42.4	58.4
	3 Mildly	1354	19.2	19.5	78.0
	4 Not at all	590	8.4	8.5	86.5
	7 No periods	937	13.3	13.5	100.0
	Total	6932	98.3	100.0	
Missing	-1 No response	119	1.7		
Total		7051	100.0		

s1261 A10b: Degree to which mother's most recent periods were painful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	452	6.4	7.6	7.6
	2 Moderately	1643	23.3	27.6	35.2
	3 Mildly	2229	31.6	37.4	72.6
	4 Not at all	1635	23.2	27.4	100.0
	Total	5959	84.5	100.0	
Missing	-1 No response	1092	15.5		
Total		7051	100.0		

s1262 A10c: Degree to which mother's most recent periods were irregular

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	762	10.8	12.8	12.8
	2 Moderately	698	9.9	11.8	24.6
	3 Mildly	1143	16.2	19.3	43.9
	4 Not at all	3329	47.2	56.1	100.0
	Total	5932	84.1	100.0	
Missing	-1 No response	1119	15.9		
Total		7051	100.0		

S File – Section A

s1263 A10d: Number of days bleeding usually lasts during periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	12	.2	.2	.2
	1	40	.6	.7	.9
	2	151	2.1	2.6	3.6
	3	556	7.9	9.7	13.3
	4	1170	16.6	20.5	33.8
	5	1968	27.9	34.5	68.2
	6	787	11.2	13.8	82.0
	7	689	9.8	12.1	94.1
	8	122	1.7	2.1	96.2
	9	41	.6	.7	96.9
	10	102	1.4	1.8	98.7
	11	5	.1	.1	98.8
	12	14	.2	.2	99.1
	13	1	.0	.0	99.1
	14	23	.3	.4	99.5
	15	5	.1	.1	99.6
	18	2	.0	.0	99.6
	21	2	.0	.0	99.6
	25	3	.0	.1	99.7
	27	1	.0	.0	99.7
	28	2	.0	.0	99.7
	29	1	.0	.0	99.8
	30	3	.0	.1	99.8
	34	1	.0	.0	99.8
	60	1	.0	.0	99.8
	97 Varies	9	.1	.2	100.0
	Total	5711	81.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	1338	19.0		
	Total	1340	19.0		
Total		7051	100.0		

S File – Section A

s1270 A10e1: Mother generally feels very fatigued in the days before her period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2497	35.4	100.0	100.0
Missing -1 No response	4554	64.6		
Total	7051	100.0		

s1271 A10e2: Mother generally feels irritable in the days before her period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4643	65.8	100.0	100.0
Missing -1 No response	2408	34.2		
Total	7051	100.0		

s1272 A10e3: Mother generally feels depressed in the days before her period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1579	22.4	100.0	100.0
Missing -1 No response	5472	77.6		
Total	7051	100.0		

s1273 A10e4: Mother generally feels anxious in the days before her period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1365	19.4	100.0	100.0
Missing -1 No response	5686	80.6		
Total	7051	100.0		

s1274 A10e5: Mother generally has other feelings in the days before her period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Relevant text but no box ticked in either column	65	.9	6.9	6.9
Valid 1 Yes	881	12.5	93.1	100.0
Total	946	13.4	100.0	
Missing -1 No response	6105	86.6		
Total	7051	100.0		

S File – Section A

s1280 A10e1: Mother generally feels very fatigued during her period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1843	26.1	100.0	100.0
Missing -1 No response	5208	73.9		
Total	7051	100.0		

s1281 A10e2: Mother generally feels irritable during her period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1133	16.1	100.0	100.0
Missing -1 No response	5918	83.9		
Total	7051	100.0		

s1282 A10e3: Mother generally feels depressed during her period


	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	454	6.4	100.0	100.0
Missing -1 No response	6597	93.6		
Total	7051	100.0		

s1283 A10e4: Mother generally feels anxious during her period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	355	5.0	100.0	100.0
Missing -1 No response	6696	95.0		
Total	7051	100.0		

s1284 A10e5: Mother generally has other feelings during her period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Relevant text but no box ticked in either column	65	.9	16.8	16.8
Valid 1 Yes	323	4.6	83.2	100.0
Total	388	5.5	100.0	
Missing -1 No response	6663	94.5		
Total	7051	100.0		

s1290 A11a: Respondent's weight (kg)

plus the following missing values and outliers < 40 or > 130:

s1290 A11a: Respondent's weight (kg)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	35	1	.1	10.0	10.0
	38	2	.2	20.0	30.0
	133	1	.1	10.0	40.0
	136	1	.1	10.0	50.0
	138	1	.1	10.0	60.0
	140	1	.1	10.0	70.0
	146	1	.1	10.0	80.0
	156	1	.1	10.0	90.0
	160	1	.1	10.0	100.0
	Total	10	.8	100.0	
Missing	-1 No response	1202	99.2		
Total		1212	100.0		

S File – Section A

s1291 A11b: Respondent's height (cm)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	132	1	.0	.0	.0
	135	3	.0	.0	.1
	140	2	.0	.0	.1
	142	3	.0	.0	.1
	145	5	.1	.1	.2
	147	13	.2	.2	.4
	150	74	1.0	1.2	1.7
	151	2	.0	.0	1.7
	152	209	3.0	3.4	5.1
	153	5	.1	.1	5.2
	154	5	.1	.1	5.3
	155	315	4.5	5.2	10.5
	156	5	.1	.1	10.6
	157	686	9.7	11.3	21.9
	158	13	.2	.2	22.1
	159	6	.1	.1	22.2
	160	668	9.5	11.0	33.2
	161	6	.1	.1	33.3
	162	7	.1	.1	33.4
	163	1031	14.6	17.0	50.4
	164	21	.3	.3	50.8
	165	704	10.0	11.6	62.4
	166	14	.2	.2	62.6
	167	8	.1	.1	62.7
	168	834	11.8	13.7	76.5
	169	5	.1	.1	76.6
	170	588	8.3	9.7	86.3
	171	9	.1	.1	86.4
	172	10	.1	.2	86.6
	173	382	5.4	6.3	92.9
	174	8	.1	.1	93.0
	175	187	2.7	3.1	96.1
	176	7	.1	.1	96.2
	178	148	2.1	2.4	98.6
	180	56	.8	.9	99.6
	182	1	.0	.0	99.6
	183	20	.3	.3	99.9
	184	1	.0	.0	99.9
	185	2	.0	.0	100.0
	188	3	.0	.0	100.0
	Total	6067	86.0	100.0	
Missing	-1 No response	984	14.0		
Total		7051	100.0		

S File – Section A


s1292 A11c: Respondent's inside leg measurement (cm)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	46	3	.0	.1	.1
	48	2	.0	.1	.2
	51	3	.0	.1	.3
	53	7	.1	.2	.5
	56	8	.1	.3	.8
	57	2	.0	.1	.9
	58	7	.1	.2	1.1
	59	1	.0	.0	1.2
	61	6	.1	.2	1.4
	64	16	.2	.6	2.0
	65	2	.0	.1	2.0
	66	35	.5	1.2	3.3
	67	1	.0	.0	3.3
	68	2	.0	.1	3.4
	69	185	2.6	6.6	9.9
	70	10	.1	.4	10.3
	71	246	3.5	8.7	19.0
	72	4	.1	.1	19.2
	73	11	.2	.4	19.6
	74	609	8.6	21.6	41.2
	75	12	.2	.4	41.6
	76	549	7.8	19.5	61.1
	77	6	.1	.2	61.3
	78	9	.1	.3	61.6
	79	485	6.9	17.2	78.8
	80	13	.2	.5	79.3
	81	300	4.3	10.6	90.0
	82	13	.2	.5	90.4
	83	3	.0	.1	90.5
	84	173	2.5	6.1	96.7
	85	4	.1	.1	96.8
	86	59	.8	2.1	98.9
	89	18	.3	.6	99.5
	90	1	.0	.0	99.6
	91	12	.2	.4	100.0
	Total	2817	40.0	100.0	
Missing	-1 No response	4234	60.0		
Total		7051	100.0		

S File – Section A

s1293 A11d: Respondent's bust measurement (cm)


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	67	1	.0	.0	.0
	75	1	.0	.0	.0
	76	8	.1	.2	.2
	79	4	.1	.1	.3
	80	1	.0	.0	.3
	81	255	3.6	5.4	5.7
	82	3	.0	.1	5.8
	83	4	.1	.1	5.9
	84	88	1.2	1.9	7.7
	85	5	.1	.1	7.8
	86	1261	17.9	26.7	34.5
	87	8	.1	.2	34.7
	88	8	.1	.2	34.8
	89	118	1.7	2.5	37.3
	90	15	.2	.3	37.6
	91	1466	20.8	31.0	68.6
	92	6	.1	.1	68.8
	93	7	.1	.1	68.9
	94	107	1.5	2.3	71.2
	95	4	.1	.1	71.2
	96	3	.0	.1	71.3
	97	739	10.5	15.6	86.9
	98	7	.1	.1	87.1
	99	57	.8	1.2	88.3
	100	5	.1	.1	88.4
	101	1	.0	.0	88.4
	102	266	3.8	5.6	94.0
	103	1	.0	.0	94.1
	104	22	.3	.5	94.5
	105	1	.0	.0	94.5
	107	124	1.8	2.6	97.2
	108	1	.0	.0	97.2
	109	19	.3	.4	97.6
	110	2	.0	.0	97.6
	112	64	.9	1.4	99.0
	114	5	.1	.1	99.1
	116	2	.0	.0	99.1
	117	19	.3	.4	99.5
	119	2	.0	.0	99.6
	120	1	.0	.0	99.6
	122	10	.1	.2	99.8
	124	1	.0	.0	99.8
	127	3	.0	.1	99.9
	130	1	.0	.0	99.9
	137	3	.0	.1	100.0
	140	1	.0	.0	100.0
	Total	4730	67.1	100.0	
Missing	-1 No response	2321	32.9		
Total		7051	100.0		

s1294 A11e: Respondent's hip measurement (cm)

plus the following missing values and outliers < 65 or > 137:

s1294 A11e: Respondent's hip measurement (cm)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	61	3	.1	50.0	50.0
	142	2	.1	33.3	83.3
	152	1	.0	16.7	100.0
	Total	6	.2	100.0	
Missing	-1 No response	3829	99.8		
Total		3835	100.0		

s1295 A11f: Respondent's waist measurement (cm)

plus the following missing values and outliers > 117:

s1295 A11f: Respondent's waist measurement (cm)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	122	1	.0	25.0	25.0
	124	1	.0	25.0	50.0
	130	1	.0	25.0	75.0
	135	1	.0	25.0	100.0
	Total	4	.1	100.0	
Missing	-1 No response	3769	99.9		
Total		3773	100.0		

S File – Section A

s1300 A12a1: Number of cigarettes mother smokes per day - weekdays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5708	81.0	83.4	83.4
	1	33	.5	.5	83.8
	2	46	.7	.7	84.5
	3	45	.6	.7	85.2
	4	29	.4	.4	85.6
	5	95	1.3	1.4	87.0
	6	30	.4	.4	87.4
	7	22	.3	.3	87.7
	8	45	.6	.7	88.4
	9	6	.1	.1	88.5
	10	273	3.9	4.0	92.5
	11	1	.0	.0	92.5
	12	29	.4	.4	92.9
	13	1	.0	.0	92.9
	14	5	.1	.1	93.0
	15	181	2.6	2.6	95.6
	16	3	.0	.0	95.7
	17	4	.1	.1	95.7
	18	5	.1	.1	95.8
	20	235	3.3	3.4	99.2
	23	1	.0	.0	99.3
	25	17	.2	.2	99.5
	27	1	.0	.0	99.5
	30	27	.4	.4	99.9
	40	3	.0	.0	100.0
	50	1	.0	.0	100.0
	60	1	.0	.0	100.0
	100	1	.0	.0	100.0
	Total	6848	97.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	202	2.9		
	Total	203	2.9		
Total		7051	100.0		

S File – Section A

s1301 A12a2: Number of cigarettes mother smokes per day - weekends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5641	80.0	82.9	82.9
	1	32	.5	.5	83.3
	2	56	.8	.8	84.2
	3	48	.7	.7	84.9
	4	29	.4	.4	85.3
	5	86	1.2	1.3	86.6
	6	35	.5	.5	87.1
	7	14	.2	.2	87.3
	8	27	.4	.4	87.7
	9	2	.0	.0	87.7
	10	268	3.8	3.9	91.6
	12	23	.3	.3	92.0
	13	3	.0	.0	92.0
	14	4	.1	.1	92.1
	15	189	2.7	2.8	94.9
	16	4	.1	.1	94.9
	17	3	.0	.0	95.0
	18	4	.1	.1	95.0
	20	264	3.7	3.9	98.9
	25	27	.4	.4	99.3
	27	1	.0	.0	99.3
	28	1	.0	.0	99.3
	30	34	.5	.5	99.8
	35	2	.0	.0	99.9
	40	6	.1	.1	99.9
	50	1	.0	.0	100.0
	60	1	.0	.0	100.0
	85	1	.0	.0	100.0
	100	1	.0	.0	100.0
	Total	6807	96.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	243	3.4		
	Total	244	3.5		
Total		7051	100.0		

S File – Section A

s1302 A12b1: Mother smokes a pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	1	.0	.0	.0
	2 Yes, sometimes	2	.0	.0	.0
	3 No	6211	88.1	100.0	100.0
	Total	6214	88.1	100.0	
Missing	-1 No response	837	11.9		
Total		7051	100.0		

s1303 A12b2: Mother smokes cigars/cigarillos

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	109	1.5	1.7	1.7
	2 Yes, sometimes	29	.4	.5	2.2
	3 No	6139	87.1	97.8	100.0
	Total	6277	89.0	100.0	
Missing	-1 No response	774	11.0		
Total		7051	100.0		

PAGE 13 OF THE QUESTIONNAIRE

SECTION B: LIFE IN THE LAST 4 WEEKS

- B1. During the past 4 weeks what was the hardest physical activity you could do for at least 2 minutes?

Very heavy e.g. run at a fast pace	<div>1</div>
Heavy e.g. jog at a slow pace	<div>2</div>
Moderate e.g. walk at a fast pace	<div>3</div>
Light e.g. walk at a medium pace	<div>4</div>
Very light e.g. walk at a slow pace	<div>5</div>

- B2. During the past 4 weeks how much have you been bothered by emotional problems such as feeling anxious, depressed, or downhearted and sad?

Not at all	<div>1</div>
Hardly ever	<div>2</div>
Sometimes	<div>3</div>
Quite a lot	<div>4</div>
A great deal	<div>5</div>

- B3. During the past 4 weeks how much difficulty have you had doing your usual activities both inside and outside the house, because of your physical and/or emotional health?

No difficulty	<div>1</div>
A little difficulty	<div>2</div>
Some difficulty	<div>3</div>
Much difficulty	<div>4</div>
Could not do	<div>5</div>

PAGE 14 OF THE QUESTIONNAIRE

B4. During the past 4 weeks how much has your physical and/or emotional health limited your social activities with family, friends, neighbours or groups?

Not at all	<input type="text" value="1"/>
Hardly ever	<input type="text" value="2"/>
Sometimes	<input type="text" value="3"/>
Quite a lot	<input type="text" value="4"/>
A great deal	<input type="text" value="5"/>

B5. During the past 4 weeks how much bodily pain have you generally had?

None at all	<input type="text" value="1"/>
Very mild pain	<input type="text" value="2"/>
Mild pain	<input type="text" value="3"/>
Moderate pain	<input type="text" value="4"/>
Severe pain	<input type="text" value="5"/>

B6. During the past 4 weeks how would you rate your health in general?

Excellent	<input type="text" value="1"/>
Very good	<input type="text" value="2"/>
Good	<input type="text" value="3"/>
Fair	<input type="text" value="4"/>
Poor	<input type="text" value="5"/>

PAGE 15 OF THE QUESTIONNAIRE

B7. During the past 4 weeks was someone available to help if you needed and wanted help?

Yes, as much as I wanted	<input type="text" value="1"/>
Yes, quite a bit	<input type="text" value="2"/>
Yes some of the time	<input type="text" value="3"/>
Yes, a little of the time	<input type="text" value="4"/>
No, not at all	<input type="text" value="5"/>

B8. How well have things been going for you during the past 4 weeks?

Very well	<input type="text" value="1"/>
Pretty good	<input type="text" value="2"/>
An equal mix of good and bad	<input type="text" value="3"/>
Pretty bad	<input type="text" value="4"/>
Very bad	<input type="text" value="5"/>
Dreadful	<input type="text" value="6"/>

S File – Section B

s2000 B1: Level of activity mother was able to maintain for at least two minutes in the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very heavy	1429	20.3	20.9	20.9
	2 Heavy	2021	28.7	29.6	50.5
	3 Moderate	2589	36.7	37.9	88.4
	4 Light	647	9.2	9.5	97.9
	5 Very light	143	2.0	2.1	100.0
	Total	6829	96.9	100.0	
Missing	-1 No response	222	3.1		
Total		7051	100.0		

s2010 B2: Degree to which mother has been bothered by emotional problems in the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	1735	24.6	24.8	24.8
	2 Hardly ever	1719	24.4	24.6	49.3
	3 Sometimes	2443	34.6	34.9	84.2
	4 Quite a lot	748	10.6	10.7	94.9
	5 A great deal	357	5.1	5.1	100.0
	Total	7002	99.3	100.0	
Missing	-1 No response	49	.7		
Total		7051	100.0		

s2020 B3: Level of difficulty mother had doing usual activities due to physical/emotional problems in the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No difficulty	4685	66.4	66.9	66.9
	2 A little difficulty	1302	18.5	18.6	85.6
	3 Some difficulty	737	10.5	10.5	96.1
	4 Much difficulty	245	3.5	3.5	99.6
	5 Could not do	29	.4	.4	100.0
	Total	6998	99.2	100.0	
Missing	-1 No response	53	.8		
Total		7051	100.0		

s2030 B4: Frequency physical/emotional problems limited mother's social activity in the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4853	68.8	69.4	69.4
	2 Hardly ever	897	12.7	12.8	82.3
	3 Sometimes	894	12.7	12.8	95.1
	4 Quite a lot	251	3.6	3.6	98.7
	5 A great deal	93	1.3	1.3	100.0
	Total	6988	99.1	100.0	
Missing	-1 No response	63	.9		
Total		7051	100.0		

S File – Section B

s2040 B5: Level of bodily pain mother has generally had in the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None at all	2773	39.3	39.8	39.8
	2 Very mild	2265	32.1	32.5	72.3
	3 Mild	1008	14.3	14.5	86.7
	4 Moderate	741	10.5	10.6	97.3
	5 Severe	186	2.6	2.7	100.0
	Total	6973	98.9	100.0	
Missing	-1 No response	78	1.1		
Total		7051	100.0		

s2050 B6: Mother's rating of own health in the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Excellent	1373	19.5	19.6	19.6
	2 Very good	2704	38.3	38.6	58.3
	3 Good	1822	25.8	26.0	84.3
	4 Fair	881	12.5	12.6	96.9
	5 Poor	217	3.1	3.1	100.0
	Total	6997	99.2	100.0	
Missing	-1 No response	54	.8		
Total		7051	100.0		

s2060 B7: Someone was available to help if mother needed and wanted help in the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, as much as wanted	2737	38.8	39.4	39.4
	2 Yes, quite a bit	1607	22.8	23.2	62.6
	3 Yes, some of the time	1344	19.1	19.4	82.0
	4 Yes, a little of the time	857	12.2	12.4	94.3
	5 No	394	5.6	5.7	100.0
	Total	6939	98.4	100.0	
Missing	-1 No response	112	1.6		
Total		7051	100.0		

s2070 B8: Mother's rating of how things have been going during the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very well	1843	26.1	26.3	26.3
	2 Pretty good	2899	41.1	41.4	67.7
	3 Equal mix good and bad	1881	26.7	26.9	94.6
	4 Pretty bad	266	3.8	3.8	98.4
	5 Very bad	58	.8	.8	99.2
	6 Dreadful	56	.8	.8	100.0
	Total	7003	99.3	100.0	
Missing	-1 No response	48	.7		
Total		7051	100.0		

PAGE 16 OF THE QUESTIONNAIRE

SECTION C: YOUR HUSBAND/PARTNER

C1. a) Do you currently have a husband or partner?

yes, a husband

yes, a male partner

yes, a female partner

no partner

→ If **no partner**, go to Section D on page 28If **yes**,

b) does your partner or husband live with you?

Yes

No

→ If **no**, go to C2 belowIf **yes**,

c) how long have you lived together?

years

months

d) is this the same partner or husband as the one you had when the study child had his/her 9th birthday?

Yes the same

No, a new partner

I don't remember

The section below is concerned with your relationship with your partner. (The partner will be referred to as 'he', although the questions refer to all partners.)

C2. How would you assess your husband/partner's physical health?

always fit and well

mostly well and healthy

often feels unwell

hardly ever feels well

PAGE 17 OF THE QUESTIONNAIRE

C3. Below are listed a number of conditions which your husband/partner might have had. Please indicate whether he has had any of these since your study child's 10th birthday.

In the last 2 years husband/partner had:	Yes, and saw a doctor	Yes, but did not see a doctor	No, not at all	Do not know
a) headaches or migraine	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
b) indigestion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
c) epilepsy	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
d) depression	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
e) anxiety or nerves	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
f) haemorrhoids/piles	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
g) cough or cold	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
h) influenza	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
i) bronchitis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
j) high blood pressure (hypertension)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
k) diabetes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
l) schizophrenia	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
m) drink (alcohol) problem	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
n) stomach ulcer	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
o) asthma or wheezing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
p) eczema	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
q) psoriasis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
r) arthritis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
s) urinary infection	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
t) rheumatism	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
u) back pain, sciatica or slipped disc	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>

PAGE 18 OF THE QUESTIONNAIRE

In the last 2 years husband/partner had:		Yes, and saw a doctor	Yes, but did not see a doctor	No, not at all	Do not know
v)	syphilis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
w)	gonorrhoea	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
x)	other condition(s) (please tick and describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>

.....

C4. Below are some statements about fathers' and partners' relationships with young children. Please indicate how you feel in your particular situation.

In regard to the study child:		This is always how I feel	This is sometimes how I feel	I never feel this way
a)	He really loves this child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b)	He is glad that I had this child when I did	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c)	I like to watch him play with the child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d)	I am afraid to leave the child alone with him because I think he might be violent	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e)	He seems to feel very close to the child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f)	This child gets on his nerves	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g)	He really cannot bear it when this child cries or whines	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
h)	I think he is interested as he watches the child develop	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

PAGE 19 OF THE QUESTIONNAIRE

		This is always how I feel	This is sometimes how I feel	I never feel this way
C4. (cont.)				
i)	He feels anxious when the child is staying with others	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
j)	He doesn't mind the mess that surrounds children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
k)	This child makes him very happy	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
			(i) weekday	(ii) weekend day
C5.	a) How many cigarettes does your husband or partner currently smoke <u>per day</u> ? (If none, put 00)		<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>
		Yes every day	Yes sometimes	No never
	b) Does he smoke:			
	(i) pipe	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
	(ii) cigar/cigarillo	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
C6.	a) Is your husband/partner currently employed?			
	Yes <input type="text" value="1"/> No <input type="text" value="2"/> → If <u>no</u>, go to C7 on page 21			

If yes,

- b) (i) What is his occupation?.....
- (ii) Please give industry or trade
- c) Has he had the same job since the study child's 10th birthday?
- Yes No

PAGE 20 OF THE QUESTIONNAIRE

C6. d) Does he work nights?

yes, always

yes, sometimes

no, never

e) Does he leave home for several days as part of his work?

yes, often

yes, occasionally

no, never

f) Does he work shifts?

yes, often

yes, occasionally

no, never

g) How many hours a week does he normally work?

i) If his hours are regular, please state how many

(put 99 if don't know)

ii) If his hours vary, please put the minimum

and the maximum

h) Does he usually work:

the basic no. of hours per week

basic hours plus paid overtime

longer than basic hours (but
not paid extra)self-employed - as long as
necessary

PAGE 21 OF THE QUESTIONNAIRE

C6. i) Does he get home after work before the study child is in bed?

yes, usually yes, sometimes no, never

C7. How would you rate him on these characteristics?

	Almost always	Sometimes	Hardly ever
a) helpful, co-operative	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) quiet, reserved	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) unreliable	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) sociable, outgoing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e) dominating	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f) understanding	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g) quick-tempered, easily upset	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
h) cheerful, easygoing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

C8. Who does these various household tasks?

	Me always ↓	Me mostly ↓	Sometimes me, some- times he does	He does mostly ↓	He does always ↓	Someone else ↓
a) shopping for groceries	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
b) cooking	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
c) cleaning	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
d) repairs in home	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
e) looking after children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
f) washing clothes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
g) ironing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>

PAGE 22 OF THE QUESTIONNAIRE

C9. Who decides:

	Me always ↓	Me mostly ↓	Sometimes me, some- times he does	He does mostly ↓	He does always ↓
a) how to spend free time	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
b) how much to see family or friends	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
c) when to do repairs or redecorate	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
d) how we should spend our money	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

C10. People vary greatly in the amount they are satisfied or dissatisfied with their relationship. How do you feel about the following aspects of your life together?

	Very satisfied	Moderately satisfied	Somewhat dissatisfied	Very dissatisfied
a) handling family finances	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) demonstrations of affection	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) sex	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) amount of time spent together	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) making major decisions	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) household tasks	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) leisure time interests & activities	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

C11. a) How often recently have you been irritable with your husband or partner?

not at all	<input type="text" value="1"/>	less than once a week	<input type="text" value="2"/>	1-2 times a week	<input type="text" value="3"/>	3-6 times a week	<input type="text" value="4"/>	every day	<input type="text" value="5"/>
------------	--------------------------------	-----------------------	--------------------------------	------------------	--------------------------------	------------------	--------------------------------	-----------	--------------------------------

PAGE 23 OF THE QUESTIONNAIRE

C11. b) How often has he been irritable with you?

not	less than		1-2 times	3-6 times	every
at all	once a		a week	a week	day
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	

C12. a) How many arguments or disagreements have you had with one another in the past three months?

None	1-3	4-7	8-13	14 or more
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

In the past 3 months, have any of these happened?

	Yes, I did this	Yes, he did this	Yes, we both did this	No, not at all
b) not speaking for more than half an hour	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) one of you walking out of the house	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) shouting or calling one another names	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) hitting or slapping	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) throwing or breaking things	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 24 OF THE QUESTIONNAIRE

C13. In the past three months how often have you done these things **with your husband/partner**?

		Never ↓	Less than once a month	Less than once a week	At least once a week
Together we have:					
a)	gone out for a meal	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b)	gone out for a drink	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c)	visited friends	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
d)	visited family	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
e)	gone to the cinema or theatre	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
f)	other (please tick & describe)		<div>2</div>	<div>3</div>	<div>4</div>

.....

C14. a) How many evenings a month do you go out and do things **on your own** or with your own friends?

none	<div>1</div>	once	<div>2</div>	2-3 times	<div>3</div>
4-7 times	<div>4</div>	8 or more times	<div>5</div>		

b) How many times a month does your husband/partner go out and do things **on his own** or with friends?

none	<div>1</div>	once	<div>2</div>	2-3 times	<div>3</div>
4-7 times	<div>4</div>	8 or more times	<div>5</div>		

PAGE 25 OF THE QUESTIONNAIRE

C15. How often in a week, on average, would you and your husband/partner:

		Never ↓	Less than once a week	1-3 times a week	Most days ↓
a)	discuss work or how the day has gone	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b)	laugh together	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c)	calmly talk over something (e.g. the news, a hobby or interest)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
d)	kiss or hug	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
e)	make plans	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
f)	talk over feelings or worries	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

C16. a) Which of the following statements about alcohol best applies to your husband/partner:

Never drinks alcohol	<div>1</div>
Very occasionally (less than once a week)	<div>2</div>
Occasionally (at least once a week)	<div>3</div>
Drinks 1-2 glasses* nearly every day	<div>4</div>
Drinks 3-9 glasses* every day	<div>5</div>
Drinks at least 10 glasses a day	<div>6</div>
Don't know	<div>9</div>

[*by glass we mean pub measures (1oz) of spirits, 1 glass of wine or ½ pint (¼ litre) of beer or cider]

PAGE 26 OF THE QUESTIONNAIRE

- C16. b) How many days **in the past month** do you think he had the equivalent of at least 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

every day	<input type="text" value="1"/>	more than 10 days	<input type="text" value="2"/>
5-10 days	<input type="text" value="3"/>	3-4 days	<input type="text" value="4"/>
1-2 days	<input type="text" value="5"/>	none	<input type="text" value="6"/>

- C17. Below are attitudes and behaviours which people reveal in their close relationships. Please rate your husband/partner's attitudes and behaviour towards you in recent times and tick the most appropriate box for each item.

My husband/partner:	Very true	Moderately true	Somewhat true	Not at all true
a) Is very considerate of me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) Wants me to take his side in an argument	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) Wants to know exactly what I'm doing and where I am	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) Is a good companion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) Is affectionate to me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) Is clearly hurt if I don't accept his views	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) Tends to try to change me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
h) Confides closely in me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
i) Tends to criticise me over small issues	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
j) Understands my problems and worries	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
k) Tends to order me about	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
l) Insists I do exactly as I'm told	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
m) Is physically gentle and considerate	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 27 OF THE QUESTIONNAIRE

C17. cont.

	Very true	Moderately true	Somewhat true	Not at all true
My husband/partner:				
n) Makes me feel needed	1	2	3	4
o) Wants me to change in small ways	1	2	3	4
p) Is very loving to me	1	2	3	4
q) Seeks to dominate me	1	2	3	4
r) Is fun to be with	1	2	3	4
s) Wants to change me in big ways	1	2	3	4
t) Tends to control everything I do	1	2	3	4
u) Shows his appreciation of me	1	2	3	4
v) Is critical of me in private	1	2	3	4
w) Is gentle and kind to me	1	2	3	4
x) Speaks to me in a warm and friendly voice	1	2	3	4

S File – Section C

s3000 C1a: Mother currently has a husband/partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, husband	5437	77.1	77.5	77.5
	2 Yes, male partner	919	13.0	13.1	90.6
	3 Yes, female partner	14	.2	.2	90.8
	4 No	642	9.1	9.2	100.0
	Total	7012	99.4	100.0	
Missing	-1 No response	39	.6		
Total		7051	100.0		

s3001 C1b: Mother's husband/partner lives with mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6008	85.2	94.4	94.4
	2 No	357	5.1	5.6	100.0
	Total	6365	90.3	100.0	
Missing	-1 No response	686	9.7		
Total		7051	100.0		

S File – Section C

s3002a C1c: Length of time mother has lived with partner - years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	17	.2	.3	.3
	1	48	.7	.8	1.1
	2	83	1.2	1.4	2.5
	3	69	1.0	1.2	3.7
	4	70	1.0	1.2	4.9
	5	67	1.0	1.1	6.0
	6	61	.9	1.0	7.1
	7	45	.6	.8	7.8
	8	46	.7	.8	8.6
	9	37	.5	.6	9.3
	10	48	.7	.8	10.1
	11	30	.4	.5	10.6
	12	91	1.3	1.6	12.1
	13	311	4.4	5.3	17.4
	14	426	6.0	7.3	24.7
	15	614	8.7	10.5	35.2
	16	605	8.6	10.3	45.5
	17	578	8.2	9.9	55.3
	18	567	8.0	9.7	65.0
	19	426	6.0	7.3	72.3
	20	524	7.4	8.9	81.2
	21	231	3.3	3.9	85.1
	22	248	3.5	4.2	89.4
	23	186	2.6	3.2	92.5
	24	125	1.8	2.1	94.7
	25	105	1.5	1.8	96.5
	26	52	.7	.9	97.3
	27	38	.5	.6	98.0
	28	42	.6	.7	98.7
	29	24	.3	.4	99.1
	30	25	.4	.4	99.5
	31	10	.1	.2	99.7
	32	12	.2	.2	99.9
	33	4	.1	.1	100.0
	34	1	.0	.0	100.0
	Total	5866	83.2	100.0	
Missing	-1 No response	1185	16.8		
Total		7051	100.0		

S File – Section C

s3002b C1c: Length of time mother has lived with partner - months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	453	6.4	12.0	12.0
	1	268	3.8	7.1	19.1
	2	350	5.0	9.3	28.4
	3	350	5.0	9.3	37.7
	4	311	4.4	8.2	45.9
	5	279	4.0	7.4	53.3
	6	542	7.7	14.4	67.7
	7	261	3.7	6.9	74.6
	8	250	3.5	6.6	81.2
	9	250	3.5	6.6	87.8
	10	272	3.9	7.2	95.0
	11	187	2.7	5.0	100.0
	Total	3773	53.5	100.0	
Missing	-1 No response	3278	46.5		
Total		7051	100.0		

s3003 C1d: Mother's current partner is the same as on study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5765	81.8	96.9	96.9
	2 No	177	2.5	3.0	99.8
	3 Don't remember	9	.1	.2	100.0
	Total	5951	84.4	100.0	
Missing	-1 No response	1100	15.6		
Total		7051	100.0		

s3010 C2: Mother's assessment of partner's health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always fit and well	2067	29.3	32.5	32.5
	2 Mostly well and healthy	3816	54.1	60.0	92.6
	3 Often feels unwell	418	5.9	6.6	99.2
	4 Hardly ever feels well	54	.8	.8	100.0
	Total	6355	90.1	100.0	
Missing	-1 No response	696	9.9		
Total		7051	100.0		

S File – Section C

s3020 C3a: Mother's partner has had headaches or migraine since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	242	3.4	3.9	3.9
	2 Yes, did not see doctor	4000	56.7	63.8	67.6
	3 No	1727	24.5	27.5	95.2
	9 Do not know	303	4.3	4.8	100.0
	Total	6272	89.0	100.0	
Missing	-1 No response	779	11.0		
Total		7051	100.0		

s3021 C3b: Mother's partner has had indigestion since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	228	3.2	3.6	3.6
	2 Yes, did not see doctor	2470	35.0	39.5	43.1
	3 No	2966	42.1	47.4	90.6
	9 Do not know	591	8.4	9.4	100.0
	Total	6255	88.7	100.0	
Missing	-1 No response	796	11.3		
Total		7051	100.0		

s3022 C3c: Mother's partner has had epilepsy since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	27	.4	.4	.4
	2 Yes, did not see doctor	9	.1	.1	.6
	3 No	5663	80.3	91.0	91.5
	9 Do not know	527	7.5	8.5	100.0
	Total	6226	88.3	100.0	
Missing	-1 No response	825	11.7		
Total		7051	100.0		

s3023 C3d: Mother's partner has had depression since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	360	5.1	5.8	5.8
	2 Yes, did not see doctor	652	9.2	10.5	16.2
	3 No	4552	64.6	73.0	89.2
	9 Do not know	673	9.5	10.8	100.0
	Total	6237	88.5	100.0	
Missing	-1 No response	814	11.5		
Total		7051	100.0		

S File – Section C

s3024 C3e: Mother's partner has had anxiety/nerves since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	250	3.5	4.0	4.0
	2 Yes, did not see doctor	960	13.6	15.4	19.4
	3 No	4311	61.1	69.2	88.6
	9 Do not know	713	10.1	11.4	100.0
	Total	6234	88.4	100.0	
Missing	-1 No response	817	11.6		
Total		7051	100.0		

s3025 C3f: Mother's partner has had haemorrhoids/piles since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	160	2.3	2.6	2.6
	2 Yes, did not see doctor	671	9.5	10.8	13.4
	3 No	4594	65.2	73.9	87.3
	9 Do not know	789	11.2	12.7	100.0
	Total	6214	88.1	100.0	
Missing	-1 No response	837	11.9		
Total		7051	100.0		

s3026 C3g: Mother's partner has had a cough/cold since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	193	2.7	3.1	3.1
	2 Yes, did not see doctor	4851	68.8	77.3	80.3
	3 No	1084	15.4	17.3	97.6
	9 Do not know	151	2.1	2.4	100.0
	Total	6279	89.1	100.0	
Missing	-1 No response	772	10.9		
Total		7051	100.0		

s3027 C3h: Mother's partner has had influenza since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	105	1.5	1.7	1.7
	2 Yes, did not see doctor	626	8.9	10.1	11.7
	3 No	4997	70.9	80.2	92.0
	9 Do not know	500	7.1	8.0	100.0
	Total	6228	88.3	100.0	
Missing	-1 No response	823	11.7		
Total		7051	100.0		

S File – Section C

s3028 C3i: Mother's partner has had bronchitis since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	118	1.7	1.9	1.9
	2 Yes, did not see doctor	47	.7	.8	2.6
	3 No	5533	78.5	88.9	91.5
	9 Do not know	529	7.5	8.5	100.0
	Total	6227	88.3	100.0	
Missing	-1 No response	824	11.7		
Total		7051	100.0		

s3029 C3j: Mother's partner has had high blood pressure since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	529	7.5	8.5	8.5
	2 Yes, did not see doctor	97	1.4	1.6	10.0
	3 No	4865	69.0	78.1	88.1
	9 Do not know	739	10.5	11.9	100.0
	Total	6230	88.4	100.0	
Missing	-1 No response	821	11.6		
Total		7051	100.0		

s3030 C3k: Mother's partner has had diabetes since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	109	1.5	1.7	1.7
	2 Yes, did not see doctor	10	.1	.2	1.9
	3 No	5599	79.4	89.8	91.7
	9 Do not know	515	7.3	8.3	100.0
	Total	6233	88.4	100.0	
Missing	-1 No response	818	11.6		
Total		7051	100.0		

s3031 C3l: Mother's partner has had schizophrenia since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	2	.0	.0	.0
	2 Yes, did not see doctor	7	.1	.1	.1
	3 No	5706	80.9	91.6	91.8
	9 Do not know	511	7.2	8.2	100.0
	Total	6226	88.3	100.0	
Missing	-1 No response	825	11.7		
Total		7051	100.0		

S File – Section C

s3032 C3m: Mother's partner has had an alcohol problem since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	32	.5	.5	.5
	2 Yes, did not see doctor	157	2.2	2.5	3.0
	3 No	5537	78.5	88.9	92.0
	9 Do not know	501	7.1	8.0	100.0
	Total	6227	88.3	100.0	
Missing	-1 No response	824	11.7		
Total		7051	100.0		

s3033 C3n: Mother's partner has had a stomach ulcer since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	59	.8	.9	.9
	2 Yes, did not see doctor	39	.6	.6	1.6
	3 No	5612	79.6	90.1	91.7
	9 Do not know	518	7.3	8.3	100.0
	Total	6228	88.3	100.0	
Missing	-1 No response	823	11.7		
Total		7051	100.0		

s3034 C3o: Mother's partner has had asthma/wheezing since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	331	4.7	5.3	5.3
	2 Yes, did not see doctor	365	5.2	5.9	11.2
	3 No	5076	72.0	81.5	92.7
	9 Do not know	455	6.5	7.3	100.0
	Total	6227	88.3	100.0	
Missing	-1 No response	824	11.7		
Total		7051	100.0		

s3035 C3p: Mother's partner has had eczema since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	118	1.7	1.9	1.9
	2 Yes, did not see doctor	291	4.1	4.7	6.6
	3 No	5339	75.7	85.7	92.3
	9 Do not know	482	6.8	7.7	100.0
	Total	6230	88.4	100.0	
Missing	-1 No response	821	11.6		
Total		7051	100.0		

S File – Section C

s3036 C3q: Mother's partner has had psoriasis since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	98	1.4	1.6	1.6
	2 Yes, did not see doctor	133	1.9	2.1	3.7
	3 No	5509	78.1	88.4	92.1
	9 Do not know	493	7.0	7.9	100.0
	Total	6233	88.4	100.0	
Missing	-1 No response	818	11.6		
Total		7051	100.0		

s3037 C3r: Mother's partner has had arthritis since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	147	2.1	2.4	2.4
	2 Yes, did not see doctor	142	2.0	2.3	4.6
	3 No	5429	77.0	87.2	91.8
	9 Do not know	509	7.2	8.2	100.0
	Total	6227	88.3	100.0	
Missing	-1 No response	824	11.7		
Total		7051	100.0		

s3038 C3s: Mother's partner has had a urinary infection since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	93	1.3	1.5	1.5
	2 Yes, did not see doctor	18	.3	.3	1.8
	3 No	5583	79.2	89.6	91.4
	9 Do not know	535	7.6	8.6	100.0
	Total	6229	88.3	100.0	
Missing	-1 No response	822	11.7		
Total		7051	100.0		

s3039 C3t: Mother's partner has had rheumatism since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	43	.6	.7	.7
	2 Yes, did not see doctor	76	1.1	1.2	1.9
	3 No	5570	79.0	89.6	91.6
	9 Do not know	525	7.4	8.4	100.0
	Total	6214	88.1	100.0	
Missing	-1 No response	837	11.9		
Total		7051	100.0		

S File – Section C

s3040 C3u: Mother's partner has had back pain/sciatica/slipped disc since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	750	10.6	12.0	12.0
	2 Yes, did not see doctor	1727	24.5	27.7	39.7
	3 No	3412	48.4	54.6	94.3
	9 Do not know	355	5.0	5.7	100.0
	Total	6244	88.6	100.0	
Missing	-1 No response	807	11.4		
Total		7051	100.0		

s3041 C3v: Mother's partner has had syphilis since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes, did not see doctor	2	.0	.0	.0
	3 No	5948	84.4	95.5	95.5
	9 Do not know	278	3.9	4.5	100.0
	Total	6228	88.3	100.0	
Missing	-1 No response	823	11.7		
Total		7051	100.0		

s3042 C3w: Mother's partner has had gonorrhoea since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, saw a doctor	2	.0	.0	.0
	2 Yes, did not see doctor	2	.0	.0	.1
	3 No	5941	84.3	95.5	95.5
	9 Do not know	277	3.9	4.5	100.0
	Total	6222	88.2	100.0	
Missing	-1 No response	829	11.8		
Total		7051	100.0		

s3043 C3x: Mother's partner has had other conditions since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	84	1.2	1.7	1.7
	1 Yes, saw a doctor	632	9.0	12.6	14.3
	2 Yes, did not see doctor	105	1.5	2.1	16.4
	3 No	3907	55.4	78.0	94.3
	9 Do not know	284	4.0	5.7	100.0
	Total	5012	71.1	100.0	
Missing	-1 No response	2039	28.9		
Total		7051	100.0		

S File – Section C

s3050 C4a: Mother feels partner really loves study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always feels this	5258	74.6	85.2	85.2
	2 Sometimes feels this	792	11.2	12.8	98.1
	3 Never feels this	120	1.7	1.9	100.0
	Total	6170	87.5	100.0	
Missing	-1 No response	881	12.5		
Total		7051	100.0		

s3051 C4b: Mother feels partner is glad mother had study child when she did

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always feels this	5039	71.5	85.4	85.4
	2 Sometimes feels this	646	9.2	10.9	96.3
	3 Never feels this	218	3.1	3.7	100.0
	Total	5903	83.7	100.0	
Missing	-1 No response	1148	16.3		
Total		7051	100.0		

s3052 C4c: Mother enjoys watching partner play with study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always feels this	5262	74.6	86.2	86.2
	2 Sometimes feels this	724	10.3	11.9	98.0
	3 Never feels this	121	1.7	2.0	100.0
	Total	6107	86.6	100.0	
Missing	-1 No response	944	13.4		
Total		7051	100.0		

s3053 C4d: Mother is afraid to leave study child alone with partner because partner may be violent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always feels this	46	.7	.7	.7
	2 Sometimes feels this	59	.8	1.0	1.7
	3 Never feels this	6063	86.0	98.3	100.0
	Total	6168	87.5	100.0	
Missing	-1 No response	883	12.5		
Total		7051	100.0		

s3054 C4e: Mother's partner seems very close to study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always feels this	4094	58.1	66.7	66.7
	2 Sometimes feels this	1740	24.7	28.4	95.1
	3 Never feels this	301	4.3	4.9	100.0
	Total	6135	87.0	100.0	
Missing	-1 No response	916	13.0		
Total		7051	100.0		

S File – Section C

s3055 C4f: Mother feels study child gets on partner's nerves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always feels this	135	1.9	2.2	2.2
	2 Sometimes feels this	2492	35.3	40.4	42.6
	3 Never feels this	3541	50.2	57.4	100.0
	Total	6168	87.5	100.0	
Missing	-1 No response	883	12.5		
Total		7051	100.0		

s3056 C4g: Mother feels partner cannot stand it when study child cries or whines

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always feels this	218	3.1	3.6	3.6
	2 Sometimes feels this	1250	17.7	20.5	24.0
	3 Never feels this	4644	65.9	76.0	100.0
	Total	6112	86.7	100.0	
Missing	-1 No response	939	13.3		
Total		7051	100.0		

s3057 C4h: Mother thinks partner is interested watching the child develop

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always feels this	4930	69.9	80.4	80.4
	2 Sometimes feels this	1028	14.6	16.8	97.2
	3 Never feels this	173	2.5	2.8	100.0
	Total	6131	87.0	100.0	
Missing	-1 No response	920	13.0		
Total		7051	100.0		

s3058 C4i: Mother feels partner is anxious when study child is staying with others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always feels this	267	3.8	4.3	4.3
	2 Sometimes feels this	1465	20.8	23.9	28.2
	3 Never feels this	4409	62.5	71.8	100.0
	Total	6141	87.1	100.0	
Missing	-1 No response	910	12.9		
Total		7051	100.0		

s3059 C4j: Mother feels partner doesn't mind the mess that surrounds children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always feels this	2216	31.4	36.1	36.1
	2 Sometimes feels this	2982	42.3	48.6	84.7
	3 Never feels this	941	13.3	15.3	100.0
	Total	6139	87.1	100.0	
Missing	-1 No response	912	12.9		
Total		7051	100.0		

S File – Section C

s3060 C4k: Mother feels study child makes partner very happy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always feels this	4508	63.9	73.5	73.5
	2 Sometimes feels this	1451	20.6	23.6	97.1
	3 Never feels this	177	2.5	2.9	100.0
	Total	6136	87.0	100.0	
Missing	-1 No response	915	13.0		
Total		7051	100.0		

S File – Section C

s3070 C5a1: Number of cigarettes mother's partner smokes per day - weekdays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5079	72.0	82.2	82.2
	1	39	.6	.6	82.8
	2	37	.5	.6	83.4
	3	34	.5	.6	84.0
	4	17	.2	.3	84.2
	5	86	1.2	1.4	85.6
	6	23	.3	.4	86.0
	7	12	.2	.2	86.2
	8	13	.2	.2	86.4
	9	2	.0	.0	86.4
	10	221	3.1	3.6	90.0
	12	17	.2	.3	90.3
	13	2	.0	.0	90.3
	14	2	.0	.0	90.4
	15	143	2.0	2.3	92.7
	16	2	.0	.0	92.7
	17	2	.0	.0	92.7
	18	2	.0	.0	92.8
	20	330	4.7	5.3	98.1
	24	1	.0	.0	98.1
	25	28	.4	.5	98.6
	28	1	.0	.0	98.6
	30	54	.8	.9	99.5
	35	3	.0	.0	99.5
	40	24	.3	.4	99.9
	50	3	.0	.0	100.0
	60	1	.0	.0	100.0
	98 Lots	2	.0	.0	100.0
	Total	6180	87.6	100.0	
Missing	-9 Don't know	6	.1		
	-1 No response	865	12.3		
	Total	871	12.4		
Total		7051	100.0		

S File – Section C

s3071 C5a2: Number of cigarettes mother's partner smokes per day - weekends

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	4987	70.7	81.7	81.7
1	40	.6	.7	82.4
2	38	.5	.6	83.0
3	33	.5	.5	83.6
4	20	.3	.3	83.9
5	75	1.1	1.2	85.1
6	16	.2	.3	85.4
7	9	.1	.1	85.5
8	13	.2	.2	85.7
9	1	.0	.0	85.8
10	200	2.8	3.3	89.0
12	16	.2	.3	89.3
14	4	.1	.1	89.4
15	154	2.2	2.5	91.9
16	1	.0	.0	91.9
18	3	.0	.0	92.0
20	334	4.7	5.5	97.4
24	1	.0	.0	97.4
25	36	.5	.6	98.0
28	2	.0	.0	98.1
30	68	1.0	1.1	99.2
35	4	.1	.1	99.2
40	40	.6	.7	99.9
50	3	.0	.0	100.0
60	1	.0	.0	100.0
98 Lots	2	.0	.0	100.0
Total	6101	86.5	100.0	
Missing -9 Don't know	6	.1		
-1 No response	944	13.4		
Total	950	13.5		
Total	7051	100.0		

S File – Section C

s3072 C5b1: Mother's partner smokes a pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	12	.2	.2	.2
	2 Yes, sometimes	18	.3	.3	.6
	3 No	5382	76.3	99.4	100.0
	Total	5412	76.8	100.0	
Missing	-1 No response	1639	23.2		
Total		7051	100.0		

s3073 C5b2: Mother's partner smokes cigars/cigarillos

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	197	2.8	3.6	3.6
	2 Yes, sometimes	296	4.2	5.3	8.9
	3 No	5055	71.7	91.1	100.0
	Total	5548	78.7	100.0	
Missing	-1 No response	1503	21.3		
Total		7051	100.0		

S File – Section C

s3080 C6a: Mother's partner is currently employed

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5935	84.2	94.3	94.3
2 No	361	5.1	5.7	100.0
Total	6296	89.3	100.0	
Missing -1 No response	755	10.7		
Total	7051	100.0		

s3083 C6c: Mother's partner has had the same job since study child's 10th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4937	70.0	84.1	84.1
2 No	936	13.3	15.9	100.0
Total	5873	83.3	100.0	
Missing -1 No response	1178	16.7		
Total	7051	100.0		

s3084 C6d: Mother's partner works nights


	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Evening/twilight shift	10	.1	.2	.2
1 Yes, always	174	2.5	2.9	3.1
2 Yes, sometimes	1002	14.2	16.9	20.0
3 No	4744	67.3	80.0	100.0
Total	5930	84.1	100.0	
Missing -1 No response	1121	15.9		
Total	7051	100.0		

s3085 C6e: Mother's partner leaves home for several days as part of work

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes, often	452	6.4	7.6	7.6
2 Yes, occasionally	1743	24.7	29.5	37.1
3 No	3714	52.7	62.9	100.0
Total	5909	83.8	100.0	
Missing -1 No response	1142	16.2		
Total	7051	100.0		

s3086 C6f: Mother's partner works shifts


	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes, often	641	9.1	10.9	10.9
2 Yes, occasionally	366	5.2	6.2	17.1
3 No	4890	69.4	82.9	100.0
Total	5897	83.6	100.0	
Missing -1 No response	1154	16.4		
Total	7051	100.0		

s3087 C6g1: Number of hours mother's partner normally works per week

plus the following missing values, special codes and outliers > 80:

s3087 C6g1: Number of hours mother's partner normally works per week


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	84	3	.1	27.3	27.3
	85	1	.0	9.1	36.4
	86	1	.0	9.1	45.5
	90	3	.1	27.3	72.7
	97 Varies	1	.0	9.1	81.8
	98 98 or more	2	.1	18.2	100.0
	Total	11	.3	100.0	
Missing	-9 Don't know	458	14.0		
	-1 No response	2791	85.6		
	Total	3249	99.7		
Total		3260	100.0		

s3088 C6g2: Minimum number of hours mother's partner works per week

plus the following missing values, special codes and outliers > 70:

s3088 C6g2: Minimum number of hours mother's partner works per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	72	5	.1	50.0	50.0
	80	2	.0	20.0	70.0
	84	2	.0	20.0	90.0
	98	1	.0	10.0	100.0
	Total	10	.2	100.0	
Missing	-9 Don't know	18	.3		
	-1 No response	5181	99.5		
	Total	5199	99.8		
Total		5209	100.0		

s3089 C6g2: Maximum number of hours mother's partner works per week

plus the following missing values and outliers > 90:

s3089 C6g2: Maximum number of hours mother's partner works per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	92	1	.0	4.0	4.0
	95	3	.1	12.0	16.0
	98 98 or more	21	.4	84.0	100.0
	Total	25	.5	100.0	
Missing	-9 Don't know	45	.8		
	-1 No response	5256	98.7		
	Total	5301	99.5		
Total		5326	100.0		

S File – Section C

s3090 C6h: Amount of time mother's partner works relative to basic hours per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Basic hours	1400	19.9	24.1	24.1
	2 Basic hours, plus paid overtime	1155	16.4	19.9	44.1
	3 Longer than basic hours, not paid extra	1825	25.9	31.5	75.5
	4 Self-employed - as long as necessary	1420	20.1	24.5	100.0
	Total	5800	82.3	100.0	
Missing	-1 No response	1251	17.7		
Total		7051	100.0		

s3091 C6i: Mother's partner gets home from work before study child is in bed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	3028	42.9	52.6	52.6
	2 Yes, sometimes	1175	16.7	20.4	73.0
	3 No	1554	22.0	27.0	100.0
	Total	5757	81.6	100.0	
Missing	-1 No response	1294	18.4		
Total		7051	100.0		

S File – Section C

s3100 C7a: Mother's partner is helpful/co-operative

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	4045	57.4	64.8	64.8
	2 Sometimes	2060	29.2	33.0	97.8
	3 Hardly ever	135	1.9	2.2	100.0
	Total	6240	88.5	100.0	
Missing	-1 No response	811	11.5		
Total		7051	100.0		

s3101 C7b: Mother's partner is quiet/reserved

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	746	10.6	12.0	12.0
	2 Sometimes	3164	44.9	50.8	62.8
	3 Hardly ever	2319	32.9	37.2	100.0
	Total	6229	88.3	100.0	
Missing	-1 No response	822	11.7		
Total		7051	100.0		

s3102 C7c: Mother's partner is unreliable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	203	2.9	3.3	3.3
	2 Sometimes	1253	17.8	20.1	23.4
	3 Hardly ever	4767	67.6	76.6	100.0
	Total	6223	88.3	100.0	
Missing	-1 No response	828	11.7		
Total		7051	100.0		

s3103 C7d: Mother's partner is sociable/outgoing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2956	41.9	47.3	47.3
	2 Sometimes	2821	40.0	45.2	92.5
	3 Hardly ever	466	6.6	7.5	100.0
	Total	6243	88.5	100.0	
Missing	-1 No response	808	11.5		
Total		7051	100.0		

s3104 C7e: Mother's partner is dominating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	332	4.7	5.3	5.3
	2 Sometimes	2155	30.6	34.7	40.0
	3 Hardly ever	3728	52.9	60.0	100.0
	Total	6215	88.1	100.0	
Missing	-1 No response	836	11.9		
Total		7051	100.0		

S File – Section C

s3105 C7f: Mother's partner is understanding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	3414	48.4	54.8	54.8
	2 Sometimes	2604	36.9	41.8	96.5
	3 Hardly ever	216	3.1	3.5	100.0
	Total	6234	88.4	100.0	
Missing	-1 No response	817	11.6		
Total		7051	100.0		

s3106 C7g: Mother's partner is quick-tempered/easily upset

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	438	6.2	7.0	7.0
	2 Sometimes	2652	37.6	42.6	49.6
	3 Hardly ever	3137	44.5	50.4	100.0
	Total	6227	88.3	100.0	
Missing	-1 No response	824	11.7		
Total		7051	100.0		

s3107 C7h: Mother's partner is cheerful/easygoing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	3326	47.2	53.3	53.3
	2 Sometimes	2565	36.4	41.1	94.5
	3 Hardly ever	345	4.9	5.5	100.0
	Total	6236	88.4	100.0	
Missing	-1 No response	815	11.6		
Total		7051	100.0		

S File – Section C

s3110 C8a: Person who shops for groceries for household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Always mother and partner	60	.9	1.0	1.0
	1 Always mother	2328	33.0	37.2	38.2
	2 Mostly mother	1983	28.1	31.7	69.9
	3 Sometimes mother, sometimes partner	1439	20.4	23.0	92.9
	4 Mostly partner	345	4.9	5.5	98.4
	5 Always partner	90	1.3	1.4	99.9
	6 Someone else	6	.1	.1	100.0
	7 Someone else, plus mother and/or partner	3	.0	.0	100.0
	Total	6254	88.7	100.0	
Missing	-1 No response	797	11.3		
Total		7051	100.0		

s3111 C8b: Person who cooks for household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Always mother and partner	3	.0	.0	.0
	1 Always mother	2049	29.1	32.7	32.8
	2 Mostly mother	2381	33.8	38.0	70.8
	3 Sometimes mother, sometimes partner	1465	20.8	23.4	94.1
	4 Mostly partner	300	4.3	4.8	98.9
	5 Always partner	43	.6	.7	99.6
	6 Someone else	13	.2	.2	99.8
	7 Someone else, plus mother and/or partner	11	.2	.2	100.0
	Total	6265	88.9	100.0	
Missing	-1 No response	786	11.1		
Total		7051	100.0		

s3112 C8c: Person who cleans for household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Always mother and partner	7	.1	.1	.1
	1 Always mother	2428	34.4	38.8	38.9
	2 Mostly mother	2374	33.7	38.0	76.9
	3 Sometimes mother, sometimes partner	1022	14.5	16.3	93.2
	4 Mostly partner	107	1.5	1.7	94.9
	5 Always partner	10	.1	.2	95.1
	6 Someone else	235	3.3	3.8	98.8
	7 Someone else, plus mother and/or partner	72	1.0	1.2	100.0
	Total	6255	88.7	100.0	
Missing	-1 No response	796	11.3		
Total		7051	100.0		

S File – Section C

s3113 C8d: Person who performs household repairs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Always mother and partner	2	.0	.0	.0
	1 Always mother	193	2.7	3.1	3.1
	2 Mostly mother	281	4.0	4.5	7.6
	3 Sometimes mother, sometimes partner	1287	18.3	20.6	28.3
	4 Mostly partner	2992	42.4	48.0	76.2
	5 Always partner	1191	16.9	19.1	95.3
	6 Someone else	250	3.5	4.0	99.3
	7 Someone else, plus mother and/or partner	43	.6	.7	100.0
	Total	6239	88.5	100.0	
Missing	-1 No response	812	11.5		
Total		7051	100.0		

s3114 C8e: Person who looks after children for household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Always mother and partner	6	.1	.1	.1
	1 Always mother	765	10.8	12.2	12.3
	2 Mostly mother	2628	37.3	42.0	54.4
	3 Sometimes mother, sometimes partner	2769	39.3	44.3	98.7
	4 Mostly partner	55	.8	.9	99.6
	5 Always partner	5	.1	.1	99.6
	6 Someone else	8	.1	.1	99.8
	7 Someone else, plus mother and/or partner	15	.2	.2	100.0
	Total	6251	88.7	100.0	
Missing	-1 No response	800	11.3		
Total		7051	100.0		

s3115 C8f: Person who washes clothes for household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Always mother and partner	2	.0	.0	.0
	1 Always mother	3704	52.5	59.2	59.2
	2 Mostly mother	1717	24.4	27.4	86.6
	3 Sometimes mother, sometimes partner	691	9.8	11.0	97.7
	4 Mostly partner	95	1.3	1.5	99.2
	5 Always partner	20	.3	.3	99.5
	6 Someone else	21	.3	.3	99.9
	7 Someone else, plus mother and/or partner	9	.1	.1	100.0
	Total	6259	88.8	100.0	
Missing	-1 No response	792	11.2		
Total		7051	100.0		

S File – Section C

s3116 C8g: Person who irons for household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Always mother and partner	1	.0	.0	.0
	1 Always mother	3572	50.7	58.0	58.0
	2 Mostly mother	1277	18.1	20.7	78.7
	3 Sometimes mother, sometimes partner	765	10.8	12.4	91.1
	4 Mostly partner	199	2.8	3.2	94.4
	5 Always partner	61	.9	1.0	95.4
	6 Someone else	244	3.5	4.0	99.3
	7 Someone else, plus mother and/or partner	42	.6	.7	100.0
	Total	6161	87.4	100.0	
Missing	-1 No response	890	12.6		
Total		7051	100.0		

S File – Section C

s3120 C9a: Person who decides how to spend free time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Always mother and partner	10	.1	.2	.2
	1 Always mother	164	2.3	2.6	2.8
	2 Mostly mother	885	12.6	14.2	17.0
	3 Sometimes mother, sometimes partner	4955	70.3	79.6	96.6
	4 Mostly partner	197	2.8	3.2	99.8
	5 Always partner	15	.2	.2	100.0
	Total	6226	88.3	100.0	
Missing	-1 No response	825	11.7		
Total		7051	100.0		

s3121 C9b: Person who decides how much to see family or friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Always mother and partner	8	.1	.1	.1
	1 Always mother	216	3.1	3.5	3.6
	2 Mostly mother	1331	18.9	21.5	25.1
	3 Sometimes mother, sometimes partner	4503	63.9	72.6	97.7
	4 Mostly partner	132	1.9	2.1	99.9
	5 Always partner	9	.1	.1	100.0
	Total	6199	87.9	100.0	
Missing	-1 No response	852	12.1		
Total		7051	100.0		

s3122 C9c: Person who decides when to do repairs or redecorate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Always mother and partner	5	.1	.1	.1
	1 Always mother	359	5.1	5.8	5.9
	2 Mostly mother	1448	20.5	23.3	29.2
	3 Sometimes mother, sometimes partner	3488	49.5	56.2	85.4
	4 Mostly partner	811	11.5	13.1	98.5
	5 Always partner	93	1.3	1.5	100.0
	Total	6204	88.0	100.0	
Missing	-1 No response	847	12.0		
Total		7051	100.0		

s3123 C9d: Person who decides how money should be spent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Always mother and partner	8	.1	.1	.1
	1 Always mother	143	2.0	2.3	2.5
	2 Mostly mother	750	10.6	12.2	14.6
	3 Sometimes mother, sometimes partner	4762	67.5	77.4	92.0
	4 Mostly partner	454	6.4	7.4	99.4
	5 Always partner	37	.5	.6	100.0
	Total	6154	87.3	100.0	
Missing	-1 No response	897	12.7		
Total		7051	100.0		

S File – Section C

s3130 C10a: Degree to which mother is satisfied with handling of family finances with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2956	41.9	48.4	48.4
	2 Moderately satisfied	2448	34.7	40.1	88.6
	3 Somewhat dissatisfied	534	7.6	8.8	97.3
	4 Very dissatisfied	164	2.3	2.7	100.0
	Total	6102	86.5	100.0	
Missing	-1 No response	949	13.5		
Total		7051	100.0		

s3131 C10b: Degree to which mother is satisfied with demonstrations of affection from partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2640	37.4	43.1	43.1
	2 Moderately satisfied	2433	34.5	39.7	82.8
	3 Somewhat dissatisfied	802	11.4	13.1	95.9
	4 Very dissatisfied	250	3.5	4.1	100.0
	Total	6125	86.9	100.0	
Missing	-1 No response	926	13.1		
Total		7051	100.0		

s3132 C10c: Degree to which mother is satisfied with sex with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2464	34.9	40.9	40.9
	2 Moderately satisfied	2501	35.5	41.5	82.4
	3 Somewhat dissatisfied	759	10.8	12.6	95.0
	4 Very dissatisfied	301	4.3	5.0	100.0
	Total	6025	85.4	100.0	
Missing	-1 No response	1026	14.6		
Total		7051	100.0		

s3133 C10d: Degree to which mother is satisfied with amount of time spent with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1811	25.7	29.6	29.6
	2 Moderately satisfied	3014	42.7	49.2	78.7
	3 Somewhat dissatisfied	1105	15.7	18.0	96.8
	4 Very dissatisfied	198	2.8	3.2	100.0
	Total	6128	86.9	100.0	
Missing	-1 No response	923	13.1		
Total		7051	100.0		

S File – Section C

s3134 C10e: Degree to which mother is satisfied with making major decisions with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	3076	43.6	50.4	50.4
	2 Moderately satisfied	2415	34.3	39.6	89.9
	3 Somewhat dissatisfied	481	6.8	7.9	97.8
	4 Very dissatisfied	134	1.9	2.2	100.0
	Total	6106	86.6	100.0	
Missing	-1 No response	945	13.4		
Total		7051	100.0		

s3135 C10f: Degree to which mother is satisfied with household tasks with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1803	25.6	29.5	29.5
	2 Moderately satisfied	3053	43.3	50.0	79.5
	3 Somewhat dissatisfied	1027	14.6	16.8	96.3
	4 Very dissatisfied	224	3.2	3.7	100.0
	Total	6107	86.6	100.0	
Missing	-1 No response	944	13.4		
Total		7051	100.0		

s3136 C10g: Degree to which mother is satisfied with leisure time, interests & activities with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1894	26.9	30.9	30.9
	2 Moderately satisfied	3163	44.9	51.7	82.6
	3 Somewhat dissatisfied	867	12.3	14.2	96.7
	4 Very dissatisfied	199	2.8	3.3	100.0
	Total	6123	86.8	100.0	
Missing	-1 No response	928	13.2		
Total		7051	100.0		

S File – Section C

s3140 C11a: Frequency mother has been irritable with partner lately

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	489	6.9	7.9	7.9
	2 < once a week	2809	39.8	45.2	53.1
	3 1-2 times a week	2065	29.3	33.2	86.3
	4 3-6 times a week	611	8.7	9.8	96.2
	5 Every day	238	3.4	3.8	100.0
	Total	6212	88.1	100.0	
Missing	-1 No response	839	11.9		
Total		7051	100.0		

s3141 C11b: Frequency partner has been irritable with mother lately

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	804	11.4	13.0	13.0
	2 < once a week	2921	41.4	47.2	60.2
	3 1-2 times a week	1732	24.6	28.0	88.2
	4 3-6 times a week	539	7.6	8.7	96.9
	5 Every day	192	2.7	3.1	100.0
	Total	6188	87.8	100.0	
Missing	-1 No response	863	12.2		
Total		7051	100.0		

S File – Section C

s3150 C12a: Number of arguments or disagreements mother had with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1073	15.2	17.3	17.3
	2 1-3	3128	44.4	50.5	67.9
	3 4-7	1298	18.4	21.0	88.8
	4 8-13	390	5.5	6.3	95.1
	5 14 or more	302	4.3	4.9	100.0
	Total	6191	87.8	100.0	
Missing	-1 No response	860	12.2		
Total		7051	100.0		

s3151 C12b: Mother or partner has not spoken for more than half an hour in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mother did this	867	12.3	14.0	14.0
	2 Partner did this	204	2.9	3.3	17.2
	3 Mother and partner both did this	1509	21.4	24.3	41.5
	4 No, not at all	3632	51.5	58.5	100.0
	Total	6212	88.1	100.0	
Missing	-1 No response	839	11.9		
Total		7051	100.0		

s3152 C12c: Mother or partner has walked out of the house in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mother did this	262	3.7	4.2	4.2
	2 Partner did this	340	4.8	5.5	9.7
	3 Mother and partner both did this	98	1.4	1.6	11.3
	4 No, not at all	5508	78.1	88.7	100.0
	Total	6208	88.0	100.0	
Missing	-1 No response	843	12.0		
Total		7051	100.0		

s3153 C12d: Mother or partner have shouted or called each other names in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mother did this	306	4.3	4.9	4.9
	2 Partner did this	162	2.3	2.6	7.5
	3 Mother and partner both did this	1388	19.7	22.4	29.9
	4 No, not at all	4350	61.7	70.1	100.0
	Total	6206	88.0	100.0	
Missing	-1 No response	845	12.0		
Total		7051	100.0		

S File – Section C

s3154 C12e: Mother or partner have hit or slapped each other in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mother did this	42	.6	.7	.7
	2 Partner did this	34	.5	.5	1.2
	3 Mother and partner both did this	24	.3	.4	1.6
	4 No, not at all	6108	86.6	98.4	100.0
	Total	6208	88.0	100.0	
Missing	-1 No response	843	12.0		
Total		7051	100.0		

s3155 C12f: Mother or partner have thrown or broken things in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mother did this	77	1.1	1.2	1.2
	2 Partner did this	112	1.6	1.8	3.0
	3 Mother and partner both did this	17	.2	.3	3.3
	4 No, not at all	6005	85.2	96.7	100.0
	Total	6211	88.1	100.0	
Missing	-1 No response	840	11.9		
Total		7051	100.0		

S File – Section C

s3160 C13a: Frequency mother has gone out for a meal with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1140	16.2	18.3	18.3
	2 < once a month	2914	41.3	46.8	65.2
	3 < once a week	1574	22.3	25.3	90.5
	4 At least once a week	594	8.4	9.5	100.0
	Total	6222	88.2	100.0	
Missing	-1 No response	829	11.8		
Total		7051	100.0		

s3161 C13b: Frequency mother has gone out for a drink with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1952	27.7	31.5	31.5
	2 < once a month	2208	31.3	35.6	67.2
	3 < once a week	1316	18.7	21.2	88.4
	4 At least once a week	718	10.2	11.6	100.0
	Total	6194	87.8	100.0	
Missing	-1 No response	857	12.2		
Total		7051	100.0		

s3162 C13c: Frequency mother has visited friends with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1079	15.3	17.4	17.4
	2 < once a month	2190	31.1	35.4	52.8
	3 < once a week	1934	27.4	31.2	84.0
	4 At least once a week	988	14.0	16.0	100.0
	Total	6191	87.8	100.0	
Missing	-1 No response	860	12.2		
Total		7051	100.0		

s3163 C13d: Frequency mother has visited family with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	639	9.1	10.3	10.3
	2 < once a month	1991	28.2	32.2	42.5
	3 < once a week	1806	25.6	29.2	71.8
	4 At least once a week	1745	24.7	28.2	100.0
	Total	6181	87.7	100.0	
Missing	-1 No response	870	12.3		
Total		7051	100.0		

S File – Section C

s3164 C13e: Frequency mother has gone to cinema/theatre with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2773	39.3	44.9	44.9
	2 < once a month	2607	37.0	42.2	87.1
	3 < once a week	719	10.2	11.6	98.8
	4 At least once a week	75	1.1	1.2	100.0
	Total	6174	87.6	100.0	
Missing	-1 No response	877	12.4		
Total		7051	100.0		

s3165 C13f: Frequency mother done something else with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	50	.7	10.3	10.3
	2 < once a month	150	2.1	30.8	41.1
	3 < once a week	110	1.6	22.6	63.7
	4 At least once a week	177	2.5	36.3	100.0
	Total	487	6.9	100.0	
Missing	-1 No response	6564	93.1		
Total		7051	100.0		

S File – Section C

s3170 C14a: Number of evenings a month mother goes out and does things on own or with own friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 0	1772	25.1	28.3	28.3
	2 1	1869	26.5	29.9	58.2
	3 2-3	1439	20.4	23.0	81.3
	4 4-7	917	13.0	14.7	95.9
	5 >=8	255	3.6	4.1	100.0
	Total	6252	88.7	100.0	
Missing	-1 No response	799	11.3		
Total		7051	100.0		

s3171 C14b: Number of evenings a month mother's partner goes out and does things on own or with own friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 0	1518	21.5	24.4	24.4
	2 1	1264	17.9	20.3	44.7
	3 2-3	1438	20.4	23.1	67.9
	4 4-7	1367	19.4	22.0	89.9
	5 >=8	630	8.9	10.1	100.0
	Total	6217	88.2	100.0	
Missing	-1 No response	834	11.8		
Total		7051	100.0		

S File – Section C

s3180 C15a: Frequency mother and partner discuss work or how the day has gone per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	96	1.4	1.5	1.5
	2 < once a week	282	4.0	4.5	6.1
	3 1-3 times a week	828	11.7	13.3	19.3
	4 Most days	5041	71.5	80.7	100.0
	Total	6247	88.6	100.0	
Missing	-1 No response	804	11.4		
Total		7051	100.0		

s3181 C15b: Frequency mother and partner laugh together per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	77	1.1	1.2	1.2
	2 < once a week	489	6.9	7.8	9.1
	3 1-3 times a week	1468	20.8	23.6	32.6
	4 Most days	4199	59.6	67.4	100.0
	Total	6233	88.4	100.0	
Missing	-1 No response	818	11.6		
Total		7051	100.0		

s3182 C15c: Frequency mother and partner calmly talk over something per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	71	1.0	1.1	1.1
	2 < once a week	417	5.9	6.7	7.8
	3 1-3 times a week	1489	21.1	23.9	31.7
	4 Most days	4257	60.4	68.3	100.0
	Total	6234	88.4	100.0	
Missing	-1 No response	817	11.6		
Total		7051	100.0		

s3183 C15d: Frequency mother and partner kiss or hug per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	231	3.3	3.7	3.7
	2 < once a week	553	7.8	8.9	12.6
	3 1-3 times a week	1023	14.5	16.4	29.0
	4 Most days	4419	62.7	71.0	100.0
	Total	6226	88.3	100.0	
Missing	-1 No response	825	11.7		
Total		7051	100.0		

S File – Section C

s3184 C15e: Frequency mother and partner make plans per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	122	1.7	2.0	2.0
	2 < once a week	1154	16.4	18.6	20.5
	3 1-3 times a week	2311	32.8	37.2	57.7
	4 Most days	2630	37.3	42.3	100.0
	Total	6217	88.2	100.0	
Missing	-1 No response	834	11.8		
Total		7051	100.0		

s3185 C15f: Frequency mother and partner talk over feelings or worries per week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	238	3.4	3.8	3.8
	2 < once a week	1351	19.2	21.7	25.5
	3 1-3 times a week	1831	26.0	29.4	55.0
	4 Most days	2801	39.7	45.0	100.0
	Total	6221	88.2	100.0	
Missing	-1 No response	830	11.8		
Total		7051	100.0		

S File – Section C

s3190 C16a: Frequency alcohol drunk by mother's partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never drinks alcohol	336	4.8	5.4	5.4
	2 Very occasionally (< once a week)	1122	15.9	17.9	23.3
	3 Occasionally (>= once a week)	2366	33.6	37.8	61.1
	4 Nearly every day (1-2 glasses)	1786	25.3	28.5	89.6
	5 Every day (3-9 glasses)	588	8.3	9.4	99.0
	6 10 or more glasses a day	34	.5	.5	99.5
	9 Do not know	31	.4	.5	100.0
	Total	6263	88.8	100.0	
Missing	-1 No response	788	11.2		
Total		7051	100.0		

s3191 C16b: Number of days in the past month mother's partner had at least 2 pints of beer, 4 glasses of wine or 4 measures of spirit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	437	6.2	7.1	7.1
	2 >10	1015	14.4	16.6	23.7
	3 5-10	1311	18.6	21.4	45.1
	4 3-4	1073	15.2	17.5	62.6
	5 1-2	1131	16.0	18.5	81.1
	6 None	1157	16.4	18.9	100.0
	Total	6124	86.9	100.0	
Missing	-1 No response	927	13.1		
Total		7051	100.0		

S File – Section C

s3200 C17a: Partner is very considerate of mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2829	40.1	45.8	45.8
	2 Moderately true	2032	28.8	32.9	78.7
	3 Somewhat true	1126	16.0	18.2	96.9
	4 Not at all true	191	2.7	3.1	100.0
	Total	6178	87.6	100.0	
Missing	-1 No response	873	12.4		
Total		7051	100.0		

s3201 C17b: Partner wants mother to take partner's side in an argument

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	695	9.9	11.5	11.5
	2 Moderately true	1503	21.3	24.8	36.2
	3 Somewhat true	1814	25.7	29.9	66.1
	4 Not at all true	2056	29.2	33.9	100.0
	Total	6068	86.1	100.0	
Missing	-1 No response	983	13.9		
Total		7051	100.0		

s3202 C17c: Partner wants to know exactly what mother is doing and where mother is

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	508	7.2	8.2	8.2
	2 Moderately true	920	13.0	14.9	23.1
	3 Somewhat true	1845	26.2	29.9	53.0
	4 Not at all true	2898	41.1	47.0	100.0
	Total	6171	87.5	100.0	
Missing	-1 No response	880	12.5		
Total		7051	100.0		

s3203 C17d: Partner is a good companion to mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3564	50.5	57.7	57.7
	2 Moderately true	1513	21.5	24.5	82.2
	3 Somewhat true	909	12.9	14.7	97.0
	4 Not at all true	187	2.7	3.0	100.0
	Total	6173	87.5	100.0	
Missing	-1 No response	878	12.5		
Total		7051	100.0		

S File – Section C

s3204 C17e: Partner is affectionate to mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3207	45.5	51.9	51.9
	2 Moderately true	1674	23.7	27.1	79.0
	3 Somewhat true	981	13.9	15.9	94.9
	4 Not at all true	313	4.4	5.1	100.0
	Total	6175	87.6	100.0	
Missing	-1 No response	876	12.4		
Total		7051	100.0		

s3205 C17f: Partner is clearly hurt if mother does not accept views

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	367	5.2	6.0	6.0
	2 Moderately true	891	12.6	14.5	20.4
	3 Somewhat true	1905	27.0	31.0	51.4
	4 Not at all true	2991	42.4	48.6	100.0
	Total	6154	87.3	100.0	
Missing	-1 No response	897	12.7		
Total		7051	100.0		

s3206 C17g: Partner tends to try to change mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	165	2.3	2.7	2.7
	2 Moderately true	405	5.7	6.6	9.2
	3 Somewhat true	1046	14.8	17.0	26.2
	4 Not at all true	4548	64.5	73.8	100.0
	Total	6164	87.4	100.0	
Missing	-1 No response	887	12.6		
Total		7051	100.0		

s3207 C17h: Partner confides closely in mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2695	38.2	43.8	43.8
	2 Moderately true	1586	22.5	25.8	69.5
	3 Somewhat true	1323	18.8	21.5	91.0
	4 Not at all true	555	7.9	9.0	100.0
	Total	6159	87.3	100.0	
Missing	-1 No response	892	12.7		
Total		7051	100.0		

s3208 C17i: Partner tends to criticise mother over small issues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	373	5.3	6.1	6.1
	2 Moderately true	572	8.1	9.3	15.4
	3 Somewhat true	1723	24.4	28.0	43.3
	4 Not at all true	3488	49.5	56.7	100.0
	Total	6156	87.3	100.0	
Missing	-1 No response	895	12.7		
Total		7051	100.0		

S File – Section C

s3209 C17j: Partner understands mother's problems and worries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1621	23.0	26.3	26.3
	2 Moderately true	2030	28.8	32.9	59.2
	3 Somewhat true	1984	28.1	32.2	91.3
	4 Not at all true	535	7.6	8.7	100.0
	Total	6170	87.5	100.0	
Missing	-1 No response	881	12.5		
Total		7051	100.0		

s3210 C17k: Partner tends to order mother about

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	143	2.0	2.3	2.3
	2 Moderately true	329	4.7	5.3	7.7
	3 Somewhat true	899	12.7	14.6	22.2
	4 Not at all true	4796	68.0	77.8	100.0
	Total	6167	87.5	100.0	
Missing	-1 No response	884	12.5		
Total		7051	100.0		

s3211 C17l: Partner insists mother does exactly as told

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	65	.9	1.1	1.1
	2 Moderately true	111	1.6	1.8	2.9
	3 Somewhat true	249	3.5	4.0	6.9
	4 Not at all true	5744	81.5	93.1	100.0
	Total	6169	87.5	100.0	
Missing	-1 No response	882	12.5		
Total		7051	100.0		

s3212 C17m: Partner is physically gentle and considerate to mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3849	54.6	62.6	62.6
	2 Moderately true	1165	16.5	19.0	81.6
	3 Somewhat true	907	12.9	14.8	96.3
	4 Not at all true	225	3.2	3.7	100.0
	Total	6146	87.2	100.0	
Missing	-1 No response	905	12.8		
Total		7051	100.0		

s3213 C17n: Partner makes mother feel needed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2792	39.6	45.3	45.3
	2 Moderately true	1742	24.7	28.3	73.5
	3 Somewhat true	1206	17.1	19.6	93.1
	4 Not at all true	425	6.0	6.9	100.0
	Total	6165	87.4	100.0	
Missing	-1 No response	886	12.6		
Total		7051	100.0		

S File – Section C

s3214 C17o: Partner wants mother to change in small ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	215	3.0	3.5	3.5
	2 Moderately true	652	9.2	10.6	14.1
	3 Somewhat true	1780	25.2	28.9	43.0
	4 Not at all true	3510	49.8	57.0	100.0
	Total	6157	87.3	100.0	
Missing	-1 No response	894	12.7		
Total		7051	100.0		

s3215 C17p: Partner is very loving to mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3040	43.1	49.2	49.2
	2 Moderately true	1546	21.9	25.0	74.3
	3 Somewhat true	1171	16.6	19.0	93.2
	4 Not at all true	418	5.9	6.8	100.0
	Total	6175	87.6	100.0	
Missing	-1 No response	876	12.4		
Total		7051	100.0		

s3216 C17q: Partner seeks to dominate mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	166	2.4	2.7	2.7
	2 Moderately true	251	3.6	4.1	6.8
	3 Somewhat true	759	10.8	12.3	19.0
	4 Not at all true	4999	70.9	81.0	100.0
	Total	6175	87.6	100.0	
Missing	-1 No response	876	12.4		
Total		7051	100.0		

s3217 C17r: Partner is fun to be with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2576	36.5	41.7	41.7
	2 Moderately true	2066	29.3	33.5	75.2
	3 Somewhat true	1262	17.9	20.4	95.6
	4 Not at all true	271	3.8	4.4	100.0
	Total	6175	87.6	100.0	
Missing	-1 No response	876	12.4		
Total		7051	100.0		

s3218 C17s: Partner wants to change mother in big ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	98	1.4	1.6	1.6
	2 Moderately true	150	2.1	2.4	4.0
	3 Somewhat true	351	5.0	5.7	9.7
	4 Not at all true	5568	79.0	90.3	100.0
	Total	6167	87.5	100.0	
Missing	-1 No response	884	12.5		
Total		7051	100.0		

S File – Section C

s3219 C17t: Partner tends to control everything mother does

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	70	1.0	1.1	1.1
	2 Moderately true	110	1.6	1.8	2.9
	3 Somewhat true	422	6.0	6.8	9.8
	4 Not at all true	5568	79.0	90.2	100.0
	Total	6170	87.5	100.0	
Missing	-1 No response	881	12.5		
Total		7051	100.0		

s3220 C17u: Partner shows appreciation of mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2000	28.4	32.4	32.4
	2 Moderately true	2026	28.7	32.8	65.3
	3 Somewhat true	1663	23.6	27.0	92.2
	4 Not at all true	480	6.8	7.8	100.0
	Total	6169	87.5	100.0	
Missing	-1 No response	882	12.5		
Total		7051	100.0		

s3221 C17v: Partner is critical of mother in private

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	161	2.3	2.6	2.6
	2 Moderately true	224	3.2	3.7	6.3
	3 Somewhat true	1109	15.7	18.1	24.4
	4 Not at all true	4631	65.7	75.6	100.0
	Total	6125	86.9	100.0	
Missing	-1 No response	926	13.1		
Total		7051	100.0		

s3222 C17w: Partner is gentle and kind to mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3529	50.0	57.2	57.2
	2 Moderately true	1347	19.1	21.8	79.1
	3 Somewhat true	1078	15.3	17.5	96.5
	4 Not at all true	213	3.0	3.5	100.0
	Total	6167	87.5	100.0	
Missing	-1 No response	884	12.5		
Total		7051	100.0		

s3223 C17x: Partner speaks to mother in a warm and friendly voice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2959	42.0	48.0	48.0
	2 Moderately true	1827	25.9	29.6	77.6
	3 Somewhat true	1152	16.3	18.7	96.2
	4 Not at all true	233	3.3	3.8	100.0
	Total	6171	87.5	100.0	
Missing	-1 No response	880	12.5		
Total		7051	100.0		

PAGE 28 OF THE QUESTIONNAIRE

SECTION D: PILLS AND POTIONS

D1. Please indicate below if you have used any **medicines** (pills, syrups, inhalers, drops, sprays, suppositories, pessaries, ointments etc including homeopathic and herbal remedies) in the last 12 months.

Please include medicines prescribed by your doctor and also those you may have purchased over the counter. (**Do not include vitamins and supplements** unless taken for a specific medical condition, as these are covered in the next section).

If possible give the full name of the medicine and indicate how often it was used. If you need more lines for a particular category please include the additional medicines under the ‘Other conditions’ section at the end of this question on pages 31/32.

Medicine, pills, drops, ointment etc for:	Yes in past 12 months	If yes, give name of substance	How often did you take/use this?			
			Every day	Most days	Some times	Once or twice
a) Headache or or migraine	<input type="text" value="1"/>	i) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) Backache	<input type="text" value="1"/>	i) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) Period pain	<input type="text" value="1"/>	i) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) Other pain	<input type="text" value="1"/>	i) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) Indigestion	<input type="text" value="1"/>	i) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) Nausea	<input type="text" value="1"/>	i) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii) →	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 29 OF THE QUESTIONNAIRE

D1.		How often did you take/use this?				
Medicine, pills, drops, ointment etc for:	Yes in past 12 months	If yes, give name of substance	Every day	Most days	Some times	Once or twice
g) Vomiting	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
h) Diarrhoea	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
i) Piles or haemorrhoids	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
j) Constipation	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
k) Depression	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
l) Anxiety or nerves	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
m) Sleeping	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
n) Psoriasis	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
o) Eczema	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 30 OF THE QUESTIONNAIRE

D1.		How often did you take/use this?				
Medicine, pills, drops, ointment etc for:	Yes in past 12 months	If yes, give name of substance	Every day	Most days	Some times	Once or twice
p) Asthma	<input type="text" value="1"/>	i)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
q) Hay fever	<input type="text" value="1"/>	i)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
r) Other allergies	<input type="text" value="1"/>	i)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
s) Sore throat	<input type="text" value="1"/>	i)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
t) Cough	<input type="text" value="1"/>	i)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
u) A cold	<input type="text" value="1"/>	i)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
v) Flu	<input type="text" value="1"/>	i)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
w) Other infection	<input type="text" value="1"/>	i)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)→	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 31 OF THE QUESTIONNAIRE

D1.		How often did you take/use this?				
Medicine, pills, drops, ointment etc for:	Yes in past 12 months	If yes, give name of substance	Every day	Most days	Some times	Once or twice
x) Thrush	<input type="checkbox"/>	i)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1	ii)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
y) Cystitis	<input type="checkbox"/>	i)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1	ii)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
z) Diabetes	<input type="checkbox"/>	i)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1	ii)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
za) Epilepsy	<input type="checkbox"/>	i)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1	ii)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zb) High blood pressure	<input type="checkbox"/>	i)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1	ii)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zc) Oral contraceptive	<input type="checkbox"/>	i)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1	ii)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zd) HRT (hormone replacement therapy)	<input type="checkbox"/>	i)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1	ii)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ze) Other condition (please tick & describe)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1					
zf) Other condition (please tick & describe)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1					

PAGE 32 OF THE QUESTIONNAIRE

D1. **How often did you take/use this?**

Medicine, pills, drops, or ointment etc for:	Yes in past 12 months	If yes, give name of substance	Every day	Most days	Some times	Once or twice
zg) Other condition (please tick & describe)	<input type="checkbox"/>→	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zh) Other condition (please tick & describe)	<input type="checkbox"/>→	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zi) Took/used no medicines, pills, drops or ointment	<input type="checkbox"/>					

D2. Vitamin, mineral and other supplements are widely used. Some people take them regularly for their health, whereas others may use them more sporadically to try to improve a specific area of their health. Please indicate below whether you have used such supplements regularly, occasionally or not at all **in the last 12 months**.

		Used in last 12 months		
		Regularly	Occasionally	Not at all
a)	Vitamins	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b)	Minerals (e.g. calcium, iron)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c)	Oil supplements e.g. fish oils, evening primrose oil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d)	Other supplements e.g. Ginseng	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

D3. Please describe below any vitamins, minerals such as iron or calcium or other supplements taken in the **past month** and indicate how often you used them.

	Every day	Most days	About 1-2 times a week	Less than once a week	Not at all
a) Vitamins (Please say which vitamins and give brand name)					
i)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ii)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
iii)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PAGE 33 OF THE QUESTIONNAIRE

	Every day	Most days	About 1-2 times a week	Less than once a week	Not at all
b) Mineral supplements (Please say which minerals e.g. iron, calcium, and give brand name)					
i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
iii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
c) Oil supplements (Please say which, e.g. fish oils, Evening Primrose oil, and give brand name)					
i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
iii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
d) Other supplements (Please say which, e.g. Ginseng, Royal Jelly, and give brand name)					
i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
iii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

S File – Section D

s4000 D1a: Mother has taken medication for headache or migraine in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5623	79.7	100.0	100.0
Missing -1 No response	1428	20.3		
Total	7051	100.0		

s4003 D1a1: Frequency mother took medication 1 for headache or migraine in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	43	.6	.8	.8
1 Every day	71	1.0	1.3	2.0
2 Most days	166	2.4	3.0	5.0
3 Sometimes	3520	49.9	63.3	68.3
4 Once or twice	1762	25.0	31.7	100.0
Total	5562	78.9	100.0	
Missing -1 No response	1489	21.1		
Total	7051	100.0		

s4005 D1a2: Frequency mother took medication 2 for headache or migraine in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	74	1.0	5.4	5.4
1 Every day	16	.2	1.2	6.5
2 Most days	29	.4	2.1	8.6
3 Sometimes	925	13.1	66.9	75.5
4 Once or twice	339	4.8	24.5	100.0
Total	1383	19.6	100.0	
Missing -1 No response	5668	80.4		
Total	7051	100.0		

S File – Section D

s4010 D1b: Mother has taken medication for backache in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1515	21.5	100.0	100.0
Missing -1 No response	5536	78.5		
Total	7051	100.0		

s4013 D1b1: Frequency mother took medication 1 for backache in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	34	.5	2.3	2.3
1 Every day	103	1.5	7.1	9.4
2 Most days	80	1.1	5.5	14.9
3 Sometimes	872	12.4	59.8	74.7
4 Once or twice	369	5.2	25.3	100.0
Total	1458	20.7	100.0	
Missing -1 No response	5593	79.3		
Total	7051	100.0		

s4015 D1b2: Frequency mother took medication 2 for backache in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	12	.2	3.9	3.9
1 Every day	43	.6	13.9	17.8
2 Most days	16	.2	5.2	23.0
3 Sometimes	190	2.7	61.5	84.5
4 Once or twice	48	.7	15.5	100.0
Total	309	4.4	100.0	
Missing -1 No response	6742	95.6		
Total	7051	100.0		

S File – Section D

s4020 D1c: Mother has taken medication for period pain in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1899	26.9	100.0	100.0
Missing -1 No response	5152	73.1		
Total	7051	100.0		

s4023 D1c1: Frequency mother took medication 1 for period pain in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	37	.5	2.0	2.0
1 Every day	32	.5	1.7	3.7
2 Most days	58	.8	3.1	6.9
3 Sometimes	1212	17.2	65.7	72.6
4 Once or twice	505	7.2	27.4	100.0
Total	1844	26.2	100.0	
Missing -1 No response	5207	73.8		
Total	7051	100.0		

s4025 D1c2: Frequency mother took medication 2 for period pain in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	14	.2	5.5	5.5
1 Every day	6	.1	2.3	7.8
2 Most days	10	.1	3.9	11.7
3 Sometimes	173	2.5	67.6	79.3
4 Once or twice	53	.8	20.7	100.0
Total	256	3.6	100.0	
Missing -1 No response	6795	96.4		
Total	7051	100.0		

S File – Section D

s4030 D1d: Mother has taken medication for other pain in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	785	11.1	100.0	100.0
Missing -1 No response	6266	88.9		
Total	7051	100.0		

s4033 D1d1: Frequency mother took medication 1 for other pain in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	25	.4	3.3	3.3
1 Every day	96	1.4	12.6	15.9
2 Most days	54	.8	7.1	22.9
3 Sometimes	411	5.8	53.9	76.8
4 Once or twice	177	2.5	23.2	100.0
Total	763	10.8	100.0	
Missing -1 No response	6288	89.2		
Total	7051	100.0		

s4035 D1d2: Frequency mother took medication 2 for other pain in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	19	.3	11.3	11.3
1 Every day	33	.5	19.6	31.0
2 Most days	17	.2	10.1	41.1
3 Sometimes	74	1.0	44.0	85.1
4 Once or twice	25	.4	14.9	100.0
Total	168	2.4	100.0	
Missing -1 No response	6883	97.6		
Total	7051	100.0		

S File – Section D

s4040 D1e: Mother has taken medication for indigestion in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1060	15.0	100.0	100.0
Missing -1 No response	5991	85.0		
Total	7051	100.0		

s4043 D1e1: Frequency mother took medication 1 for indigestion in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	22	.3	2.1	2.1
1 Every day	56	.8	5.4	7.5
2 Most days	66	.9	6.4	13.9
3 Sometimes	563	8.0	54.2	68.0
4 Once or twice	332	4.7	32.0	100.0
Total	1039	14.7	100.0	
Missing -1 No response	6012	85.3		
Total	7051	100.0		

s4045 D1e2: Frequency mother took medication 2 for indigestion in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	6	.1	6.4	6.4
1 Every day	3	.0	3.2	9.6
2 Most days	8	.1	8.5	18.1
3 Sometimes	50	.7	53.2	71.3
4 Once or twice	27	.4	28.7	100.0
Total	94	1.3	100.0	
Missing -1 No response	6957	98.7		
Total	7051	100.0		

S File – Section D

s4050 D1f: Mother has taken medication for nausea in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	167	2.4	100.0	100.0
Missing	-1 No response	6884	97.6		
Total		7051	100.0		

s4053 D1f1: Frequency mother took medication 1 for nausea in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	4	.1	2.6	2.6
	1 Every day	15	.2	9.7	12.3
	2 Most days	7	.1	4.5	16.8
	3 Sometimes	64	.9	41.3	58.1
	4 Once or twice	65	.9	41.9	100.0
	Total	155	2.2	100.0	
Missing	-1 No response	6896	97.8		
Total		7051	100.0		

s4055 D1f2: Frequency mother took medication 2 for nausea in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	1	.0	10.0	10.0
	1 Every day	1	.0	10.0	20.0
	2 Most days	1	.0	10.0	30.0
	3 Sometimes	5	.1	50.0	80.0
	4 Once or twice	2	.0	20.0	100.0
	Total	10	.1	100.0	
Missing	-1 No response	7041	99.9		
Total		7051	100.0		

S File – Section D

s4060 D1g: Mother has taken medication for vomiting in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	52	.7	100.0	100.0
Missing -1 No response	6999	99.3		
Total	7051	100.0		

s4063 D1g1: Frequency mother took medication 1 for vomiting in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	3	.0	7.0	7.0
1 Every day	2	.0	4.7	11.6
2 Most days	1	.0	2.3	14.0
3 Sometimes	15	.2	34.9	48.8
4 Once or twice	22	.3	51.2	100.0
Total	43	.6	100.0	
Missing -1 No response	7008	99.4		
Total	7051	100.0		

s4065 D1g2: Frequency mother took medication 2 for vomiting in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Every day	1	.0	33.3	33.3
3 Sometimes	2	.0	66.7	100.0
Total	3	.0	100.0	
Missing -1 No response	7048	100.0		
Total	7051	100.0		

S File – Section D

s4070 D1h: Mother has taken medication for diarrhoea in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	248	3.5	100.0	100.0
Missing -1 No response	6803	96.5		
Total	7051	100.0		

s4073 D1h1: Frequency mother took medication 1 for diarrhoea in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	9	.1	3.8	3.8
1 Every day	11	.2	4.7	8.5
2 Most days	7	.1	3.0	11.5
3 Sometimes	67	1.0	28.6	40.2
4 Once or twice	140	2.0	59.8	100.0
Total	234	3.3	100.0	
Missing -1 No response	6817	96.7		
Total	7051	100.0		

s4075 D1h2: Frequency mother took medication 2 for diarrhoea in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	2	.0	13.3	13.3
1 Every day	2	.0	13.3	26.7
3 Sometimes	5	.1	33.3	60.0
4 Once or twice	6	.1	40.0	100.0
Total	15	.2	100.0	
Missing -1 No response	7036	99.8		
Total	7051	100.0		

S File – Section D

s4080 D1i: Mother has taken medication for piles or haemorrhoids in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	408	5.8	100.0	100.0
Missing -1 No response	6643	94.2		
Total	7051	100.0		

s4083 D1i1: Frequency mother took medication 1 for piles or haemorrhoids in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	11	.2	2.8	2.8
1 Every day	22	.3	5.7	8.5
2 Most days	24	.3	6.2	14.7
3 Sometimes	204	2.9	52.6	67.3
4 Once or twice	127	1.8	32.7	100.0
Total	388	5.5	100.0	
Missing -1 No response	6663	94.5		
Total	7051	100.0		

s4085 D1i2: Frequency mother took medication 2 for piles or haemorrhoids in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3 Sometimes	20	.3	76.9	76.9
4 Once or twice	6	.1	23.1	100.0
Total	26	.4	100.0	
Missing -1 No response	7025	99.6		
Total	7051	100.0		

S File – Section D

s4090 D1j: Mother has taken medication for constipation in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	354	5.0	100.0	100.0
Missing -1 No response	6697	95.0		
Total	7051	100.0		

s4093 D1j1: Frequency mother took medication 1 for constipation in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	4	.1	1.2	1.2
1 Every day	30	.4	8.8	9.9
2 Most days	19	.3	5.6	15.5
3 Sometimes	170	2.4	49.7	65.2
4 Once or twice	119	1.7	34.8	100.0
Total	342	4.9	100.0	
Missing -1 No response	6709	95.1		
Total	7051	100.0		

s4095 D1j2: Frequency mother took medication 2 for constipation in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	2	.0	6.9	6.9
1 Every day	5	.1	17.2	24.1
2 Most days	1	.0	3.4	27.6
3 Sometimes	14	.2	48.3	75.9
4 Once or twice	7	.1	24.1	100.0
Total	29	.4	100.0	
Missing -1 No response	7022	99.6		
Total	7051	100.0		

S File – Section D

s4100 D1k: Mother has taken medication for depression in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	538	7.6	100.0	100.0
Missing -1 No response	6513	92.4		
Total	7051	100.0		

s4103 D1k1: Frequency mother took medication 1 for depression in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	15	.2	2.9	2.9
1 Every day	399	5.7	76.7	79.6
2 Most days	40	.6	7.7	87.3
3 Sometimes	55	.8	10.6	97.9
4 Once or twice	11	.2	2.1	100.0
Total	520	7.4	100.0	
Missing -1 No response	6531	92.6		
Total	7051	100.0		

s4105 D1k2: Frequency mother took medication 2 for depression in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	1	.0	3.6	3.6
1 Every day	20	.3	71.4	75.0
2 Most days	1	.0	3.6	78.6
3 Sometimes	5	.1	17.9	96.4
4 Once or twice	1	.0	3.6	100.0
Total	28	.4	100.0	
Missing -1 No response	7023	99.6		
Total	7051	100.0		

S File – Section D

s4110 D11: Mother has taken medication for anxiety or nerves in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	301	4.3	100.0	100.0
Missing -1 No response	6750	95.7		
Total	7051	100.0		

s4113 D111: Frequency mother took medication 1 for anxiety or nerves in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	12	.2	4.2	4.2
1 Every day	115	1.6	40.4	44.6
2 Most days	17	.2	6.0	50.5
3 Sometimes	95	1.3	33.3	83.9
4 Once or twice	46	.7	16.1	100.0
Total	285	4.0	100.0	
Missing -1 No response	6766	96.0		
Total	7051	100.0		

s4115 D112: Frequency mother took medication 2 for anxiety or nerves in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	2	.0	8.3	8.3
1 Every day	4	.1	16.7	25.0
2 Most days	1	.0	4.2	29.2
3 Sometimes	11	.2	45.8	75.0
4 Once or twice	6	.1	25.0	100.0
Total	24	.3	100.0	
Missing -1 No response	7027	99.7		
Total	7051	100.0		

S File – Section D

s4120 D1m: Mother has taken medication for sleeping in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	371	5.3	100.0	100.0
Missing	-1 No response	6680	94.7		
Total		7051	100.0		

s4123 D1m1: Frequency mother took medication 1 for sleeping in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	11	.2	3.1	3.1
	1 Every day	57	.8	16.0	19.1
	2 Most days	18	.3	5.1	24.2
	3 Sometimes	180	2.6	50.6	74.7
	4 Once or twice	90	1.3	25.3	100.0
	Total	356	5.0	100.0	
Missing	-1 No response	6695	95.0		
Total		7051	100.0		

s4125 D1m2: Frequency mother took medication 2 for sleeping in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	1	.0	3.7	3.7
	1 Every day	2	.0	7.4	11.1
	2 Most days	2	.0	7.4	18.5
	3 Sometimes	19	.3	70.4	88.9
	4 Once or twice	3	.0	11.1	100.0
	Total	27	.4	100.0	
Missing	-1 No response	7024	99.6		
Total		7051	100.0		

S File – Section D

s4130 D1n: Mother has taken medication for psoriasis in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	122	1.7	100.0	100.0
Missing -1 No response	6929	98.3		
Total	7051	100.0		

s4133 D1n1: Frequency mother took medication 1 for psoriasis in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	4	.1	3.4	3.4
1 Every day	31	.4	26.3	29.7
2 Most days	24	.3	20.3	50.0
3 Sometimes	48	.7	40.7	90.7
4 Once or twice	11	.2	9.3	100.0
Total	118	1.7	100.0	
Missing -1 No response	6933	98.3		
Total	7051	100.0		

s4135 D1n2: Frequency mother took medication 2 for psoriasis in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	1	.0	5.3	5.3
1 Every day	6	.1	31.6	36.8
2 Most days	5	.1	26.3	63.2
3 Sometimes	5	.1	26.3	89.5
4 Once or twice	2	.0	10.5	100.0
Total	19	.3	100.0	
Missing -1 No response	7032	99.7		
Total	7051	100.0		

S File – Section D

s4140 D1o: Mother has taken medication for eczema in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	505	7.2	100.0	100.0
Missing -1 No response	6546	92.8		
Total	7051	100.0		

s4143 D1o1: Frequency mother took medication 1 for eczema in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	11	.2	2.2	2.2
1 Every day	69	1.0	14.1	16.3
2 Most days	57	.8	11.6	28.0
3 Sometimes	292	4.1	59.6	87.6
4 Once or twice	61	.9	12.4	100.0
Total	490	6.9	100.0	
Missing -1 No response	6561	93.1		
Total	7051	100.0		

s4145 D1o2: Frequency mother took medication 2 for eczema in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	3	.0	3.4	3.4
1 Every day	24	.3	27.6	31.0
2 Most days	11	.2	12.6	43.7
3 Sometimes	42	.6	48.3	92.0
4 Once or twice	7	.1	8.0	100.0
Total	87	1.2	100.0	
Missing -1 No response	6964	98.8		
Total	7051	100.0		

S File – Section D

s4150 D1p: Mother has taken medication for asthma in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	546	7.7	100.0	100.0
Missing -1 No response	6505	92.3		
Total	7051	100.0		

s4153 D1p1: Frequency mother took medication 1 for asthma in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	8	.1	1.5	1.5
1 Every day	227	3.2	42.2	43.7
2 Most days	73	1.0	13.6	57.2
3 Sometimes	178	2.5	33.1	90.3
4 Once or twice	52	.7	9.7	100.0
Total	538	7.6	100.0	
Missing -1 No response	6513	92.4		
Total	7051	100.0		

s4155 D1p2: Frequency mother took medication 2 for asthma in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	8	.1	3.1	3.1
1 Every day	119	1.7	45.6	48.7
2 Most days	37	.5	14.2	62.8
3 Sometimes	87	1.2	33.3	96.2
4 Once or twice	10	.1	3.8	100.0
Total	261	3.7	100.0	
Missing -1 No response	6790	96.3		
Total	7051	100.0		

S File – Section D

s4160 D1q: Mother has taken medication for hay fever in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	755	10.7	100.0	100.0
Missing	-1 No response	6296	89.3		
Total		7051	100.0		

s4163 D1q1: Frequency mother took medication 1 for hay fever in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	16	.2	2.2	2.2
	1 Every day	127	1.8	17.3	19.5
	2 Most days	114	1.6	15.6	35.1
	3 Sometimes	410	5.8	55.9	91.0
	4 Once or twice	66	.9	9.0	100.0
	Total	733	10.4	100.0	
Missing	-1 No response	6318	89.6		
Total		7051	100.0		

s4165 D1q2: Frequency mother took medication 2 for hay fever in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	5	.1	4.2	4.2
	1 Every day	29	.4	24.6	28.8
	2 Most days	25	.4	21.2	50.0
	3 Sometimes	53	.8	44.9	94.9
	4 Once or twice	6	.1	5.1	100.0
	Total	118	1.7	100.0	
Missing	-1 No response	6933	98.3		
Total		7051	100.0		

S File – Section D

s4170 D1r: Mother has taken medication for other allergies in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	222	3.1	100.0	100.0
Missing -1 No response	6829	96.9		
Total	7051	100.0		

s4173 D1r1: Frequency mother took medication 1 for other allergies in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	3	.0	1.4	1.4
1 Every day	36	.5	16.5	17.9
2 Most days	17	.2	7.8	25.7
3 Sometimes	111	1.6	50.9	76.6
4 Once or twice	51	.7	23.4	100.0
Total	218	3.1	100.0	
Missing -1 No response	6833	96.9		
Total	7051	100.0		

s4175 D1r2: Frequency mother took medication 2 for other allergies in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	4	.1	16.7	16.7
1 Every day	7	.1	29.2	45.8
2 Most days	1	.0	4.2	50.0
3 Sometimes	12	.2	50.0	100.0
Total	24	.3	100.0	
Missing -1 No response	7027	99.7		
Total	7051	100.0		

S File – Section D

s4180 D1s: Mother has taken medication for a sore throat in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1027	14.6	100.0	100.0
Missing -1 No response	6024	85.4		
Total	7051	100.0		

s4183 D1s1: Frequency mother took medication 1 for a sore throat in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	28	.4	2.8	2.8
1 Every day	26	.4	2.6	5.4
2 Most days	26	.4	2.6	8.1
3 Sometimes	498	7.1	50.2	58.2
4 Once or twice	415	5.9	41.8	100.0
Total	993	14.1	100.0	
Missing -1 No response	6058	85.9		
Total	7051	100.0		

s4185 D1s2: Frequency mother took medication 2 for a sore throat in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	7	.1	6.4	6.4
1 Every day	3	.0	2.8	9.2
2 Most days	4	.1	3.7	12.8
3 Sometimes	60	.9	55.0	67.9
4 Once or twice	35	.5	32.1	100.0
Total	109	1.5	100.0	
Missing -1 No response	6942	98.5		
Total	7051	100.0		

S File – Section D

s4190 D1t: Mother has taken medication for a cough in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	571	8.1	100.0	100.0
Missing -1 No response	6480	91.9		
Total	7051	100.0		

s4193 D1t1: Frequency mother took medication 1 for a cough in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	24	.3	4.5	4.5
1 Every day	21	.3	3.9	8.4
2 Most days	21	.3	3.9	12.4
3 Sometimes	253	3.6	47.4	59.7
4 Once or twice	215	3.0	40.3	100.0
Total	534	7.6	100.0	
Missing -1 No response	6517	92.4		
Total	7051	100.0		

s4195 D1t2: Frequency mother took medication 2 for a cough in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	5	.1	11.1	11.1
1 Every day	2	.0	4.4	15.6
2 Most days	2	.0	4.4	20.0
3 Sometimes	26	.4	57.8	77.8
4 Once or twice	10	.1	22.2	100.0
Total	45	.6	100.0	
Missing -1 No response	7006	99.4		
Total	7051	100.0		

S File – Section D

s4200 D1u: Mother has taken medication for a cold in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1630	23.1	100.0	100.0
Missing -1 No response	5421	76.9		
Total	7051	100.0		

s4203 D1u1: Frequency mother took medication 1 for a cold in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	80	1.1	5.1	5.1
1 Every day	40	.6	2.5	7.6
2 Most days	51	.7	3.2	10.9
3 Sometimes	797	11.3	50.7	61.5
4 Once or twice	605	8.6	38.5	100.0
Total	1573	22.3	100.0	
Missing -1 No response	5478	77.7		
Total	7051	100.0		

s4205 D1u2: Frequency mother took medication 2 for a cold in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	18	.3	8.1	8.1
1 Every day	7	.1	3.2	11.3
2 Most days	6	.1	2.7	14.0
3 Sometimes	131	1.9	59.0	73.0
4 Once or twice	60	.9	27.0	100.0
Total	222	3.1	100.0	
Missing -1 No response	6829	96.9		
Total	7051	100.0		

S File – Section D

s4210 D1v: Mother has taken medication for flu in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	380	5.4	100.0	100.0
Missing -1 No response	6671	94.6		
Total	7051	100.0		

s4213 D1v1: Frequency mother took medication 1 for flu in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	21	.3	5.7	5.7
1 Every day	29	.4	7.9	13.6
2 Most days	20	.3	5.4	19.1
3 Sometimes	171	2.4	46.6	65.7
4 Once or twice	126	1.8	34.3	100.0
Total	367	5.2	100.0	
Missing -1 No response	6684	94.8		
Total	7051	100.0		

s4215 D1v2: Frequency mother took medication 2 for flu in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	6	.1	10.0	10.0
1 Every day	5	.1	8.3	18.3
2 Most days	4	.1	6.7	25.0
3 Sometimes	29	.4	48.3	73.3
4 Once or twice	16	.2	26.7	100.0
Total	60	.9	100.0	
Missing -1 No response	6991	99.1		
Total	7051	100.0		

S File – Section D

s4220 D1w: Mother has taken medication for other infection in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	415	5.9	100.0	100.0
Missing -1 No response	6636	94.1		
Total	7051	100.0		

s4223 D1w1: Frequency mother took medication 1 for other infection in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	36	.5	9.1	9.1
1 Every day	85	1.2	21.5	30.6
2 Most days	9	.1	2.3	32.8
3 Sometimes	150	2.1	37.9	70.7
4 Once or twice	116	1.6	29.3	100.0
Total	396	5.6	100.0	
Missing -1 No response	6655	94.4		
Total	7051	100.0		

s4225 D1w2: Frequency mother took medication 2 for other infection in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	7	.1	10.4	10.4
1 Every day	13	.2	19.4	29.9
2 Most days	5	.1	7.5	37.3
3 Sometimes	30	.4	44.8	82.1
4 Once or twice	12	.2	17.9	100.0
Total	67	1.0	100.0	
Missing -1 No response	6984	99.0		
Total	7051	100.0		

S File – Section D

s4230 D1x: Mother has taken medication for thrush in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	793	11.2	100.0	100.0
Missing -1 No response	6258	88.8		
Total	7051	100.0		

s4233 D1x1: Frequency mother took medication 1 for thrush in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	21	.3	2.7	2.7
1 Every day	32	.5	4.1	6.8
2 Most days	18	.3	2.3	9.2
3 Sometimes	287	4.1	37.0	46.2
4 Once or twice	417	5.9	53.8	100.0
Total	775	11.0	100.0	
Missing -1 No response	6276	89.0		
Total	7051	100.0		

s4235 D1x2: Frequency mother took medication 2 for thrush in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	7	.1	7.7	7.7
1 Every day	2	.0	2.2	9.9
2 Most days	2	.0	2.2	12.1
3 Sometimes	35	.5	38.5	50.5
4 Once or twice	45	.6	49.5	100.0
Total	91	1.3	100.0	
Missing -1 No response	6960	98.7		
Total	7051	100.0		

S File – Section D

s4240 D1y: Mother has taken medication for cystitis in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	235	3.3	100.0	100.0
Missing	-1 No response	6816	96.7		
Total		7051	100.0		

s4243 D1y1: Frequency mother took medication 1 for cystitis in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	14	.2	6.1	6.1
	1 Every day	23	.3	10.0	16.2
	2 Most days	4	.1	1.7	17.9
	3 Sometimes	74	1.0	32.3	50.2
	4 Once or twice	114	1.6	49.8	100.0
	Total	229	3.2	100.0	
Missing	-1 No response	6822	96.8		
Total		7051	100.0		

s4245 D1y2: Frequency mother took medication 2 for cystitis in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	2	.0	7.4	7.4
	1 Every day	5	.1	18.5	25.9
	3 Sometimes	10	.1	37.0	63.0
	4 Once or twice	10	.1	37.0	100.0
	Total	27	.4	100.0	
Missing	-1 No response	7024	99.6		
Total		7051	100.0		

S File – Section D

s4250 D1z: Mother has taken medication for diabetes in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	60	.9	100.0	100.0
Missing	-1 No response	6991	99.1		
Total		7051	100.0		

s4253 D1z1: Frequency mother took medication 1 for diabetes in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	58	.8	96.7	96.7
	2 Most days	1	.0	1.7	98.3
	4 Once or twice	1	.0	1.7	100.0
	Total	60	.9	100.0	
Missing	-1 No response	6991	99.1		
Total		7051	100.0		

s4255 D1z2: Frequency mother took medication 2 for diabetes in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	1	.0	3.2	3.2
	1 Every day	30	.4	96.8	100.0
	Total	31	.4	100.0	
Missing	-1 No response	7020	99.6		
Total		7051	100.0		

s4260 D1za: Mother has taken medication for epilepsy in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	43	.6	100.0	100.0
Missing	-1 No response	7008	99.4		
Total		7051	100.0		

s4263 D1za1: Frequency mother took medication 1 for epilepsy in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	41	.6	97.6	97.6
	4 Once or twice	1	.0	2.4	100.0
	Total	42	.6	100.0	
Missing	-1 No response	7009	99.4		
Total		7051	100.0		

s4265 D1za2: Frequency mother took medication 2 for epilepsy in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	11	.2	91.7	91.7
	3 Sometimes	1	.0	8.3	100.0
	Total	12	.2	100.0	
Missing	-1 No response	7039	99.8		
Total		7051	100.0		

S File – Section D

s4270 D1zb: Mother has taken medication for high blood pressure in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	187	2.7	100.0	100.0
Missing -1 No response	6864	97.3		
Total	7051	100.0		

s4273 D1zb1: Frequency mother took medication 1 for high blood pressure in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	1	.0	.5	.5
1 Every day	173	2.5	95.1	95.6
2 Most days	3	.0	1.6	97.3
3 Sometimes	3	.0	1.6	98.9
4 Once or twice	2	.0	1.1	100.0
Total	182	2.6	100.0	
Missing -1 No response	6869	97.4		
Total	7051	100.0		

s4275 D1zb2: Frequency mother took medication 2 for high blood pressure in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	1	.0	1.5	1.5
1 Every day	62	.9	95.4	96.9
2 Most days	1	.0	1.5	98.5
3 Sometimes	1	.0	1.5	100.0
Total	65	.9	100.0	
Missing -1 No response	6986	99.1		
Total	7051	100.0		

S File – Section D

s4280 D1zc: Mother has taken oral contraceptive in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	784	11.1	100.0	100.0
Missing -1 No response	6267	88.9		
Total	7051	100.0		

s4283 D1zc1: Frequency mother took oral contraceptive 1 in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	26	.4	3.3	3.3
1 Every day	559	7.9	71.9	75.3
2 Most days	178	2.5	22.9	98.2
3 Sometimes	12	.2	1.5	99.7
4 Once or twice	2	.0	.3	100.0
Total	777	11.0	100.0	
Missing -1 No response	6274	89.0		
Total	7051	100.0		

s4285 D1zc2: Frequency mother took oral contraceptive 2 in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Every day	6	.1	60.0	60.0
2 Most days	3	.0	30.0	90.0
4 Once or twice	1	.0	10.0	100.0
Total	10	.1	100.0	
Missing -1 No response	7041	99.9		
Total	7051	100.0		

S File – Section D

s4290 D1zd: Mother has taken hormone replacement therapy in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	191	2.7	100.0	100.0
Missing	-1 No response	6860	97.3		
Total		7051	100.0		

s4293 D1zd1: Frequency mother took hormone replacement therapy 1 in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	7	.1	3.7	3.7
	1 Every day	148	2.1	78.7	82.4
	2 Most days	14	.2	7.4	89.9
	3 Sometimes	13	.2	6.9	96.8
	4 Once or twice	6	.1	3.2	100.0
	Total	188	2.7	100.0	
Missing	-1 No response	6863	97.3		
Total		7051	100.0		

s4295 D1zd2: Frequency mother took hormone replacement therapy 2 in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Other text answer	1	.0	14.3	14.3
	1 Every day	3	.0	42.9	57.1
	3 Sometimes	2	.0	28.6	85.7
	4 Once or twice	1	.0	14.3	100.0
	Total	7	.1	100.0	
Missing	-1 No response	7044	99.9		
Total		7051	100.0		

s4300 D1ze: Mother has taken medication for other condition in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1062	15.1	100.0	100.0
Missing	-1 No response	5989	84.9		
Total		7051	100.0		

s4303 D1ze1: Frequency mother took medication for other condition in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	36	.5	3.4	3.4
	1 Every day	490	6.9	46.8	50.3
	2 Most days	76	1.1	7.3	57.6
	3 Sometimes	297	4.2	28.4	85.9
	4 Once or twice	147	2.1	14.1	100.0
	Total	1046	14.8	100.0	
Missing	-1 No response	6005	85.2		
Total		7051	100.0		

S File – Section D

s4310 D1zf: Mother has taken medication for other condition in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	384	5.4	100.0	100.0
Missing -1 No response	6667	94.6		
Total	7051	100.0		

s4313 D1zf1: Frequency mother took medication for other condition in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	28	.4	7.4	7.4
1 Every day	163	2.3	43.1	50.5
2 Most days	31	.4	8.2	58.7
3 Sometimes	114	1.6	30.2	88.9
4 Once or twice	42	.6	11.1	100.0
Total	378	5.4	100.0	
Missing -1 No response	6673	94.6		
Total	7051	100.0		

s4320 D1zg: Mother has taken medication for other condition in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	160	2.3	100.0	100.0
Missing -1 No response	6891	97.7		
Total	7051	100.0		

s4323 D1zg1: Frequency mother took medication for other condition in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	4	.1	2.5	2.5
1 Every day	65	.9	40.9	43.4
2 Most days	20	.3	12.6	56.0
3 Sometimes	54	.8	34.0	89.9
4 Once or twice	16	.2	10.1	100.0
Total	159	2.3	100.0	
Missing -1 No response	6892	97.7		
Total	7051	100.0		

S File – Section D

s4330 D1zh: Mother has taken medication for other condition in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	50	.7	100.0	100.0
Missing -1 No response	7001	99.3		
Total	7051	100.0		

s4333 D1zh1: Frequency mother took medication for other condition in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Other text answer	2	.0	4.2	4.2
1 Every day	21	.3	43.8	47.9
2 Most days	3	.0	6.3	54.2
3 Sometimes	14	.2	29.2	83.3
4 Once or twice	8	.1	16.7	100.0
Total	48	.7	100.0	
Missing -1 No response	7003	99.3		
Total	7051	100.0		

s4340 D1zi: Mother has not taken any medicines, pills, drops or ointments in the past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	83	1.2	100.0	100.0
Missing -1 No response	6968	98.8		
Total	7051	100.0		

S File – Section D

s4350 D2a: Frequency mother has taken vitamins in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Regularly	986	14.0	18.3	18.3
	2 Occasionally	969	13.7	18.0	36.3
	3 Not at all	3432	48.7	63.7	100.0
	Total	5387	76.4	100.0	
Missing	-1 No response	1664	23.6		
Total		7051	100.0		

s4351 D2b: Frequency mother has taken minerals in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Regularly	612	8.7	12.8	12.8
	2 Occasionally	515	7.3	10.8	23.6
	3 Not at all	3645	51.7	76.4	100.0
	Total	4772	67.7	100.0	
Missing	-1 No response	2279	32.3		
Total		7051	100.0		

s4352 D2c: Frequency mother has taken oil supplements in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Regularly	1032	14.6	19.8	19.8
	2 Occasionally	610	8.7	11.7	31.6
	3 Not at all	3558	50.5	68.4	100.0
	Total	5200	73.7	100.0	
Missing	-1 No response	1851	26.3		
Total		7051	100.0		

s4353 D2d: Frequency mother has taken other supplements in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Regularly	294	4.2	6.8	6.8
	2 Occasionally	240	3.4	5.5	12.3
	3 Not at all	3814	54.1	87.7	100.0
	Total	4348	61.7	100.0	
Missing	-1 No response	2703	38.3		
Total		7051	100.0		

S File – Section D

s4360 D3a: Frequency mother has taken vitamins in the past month - 1st vitamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	15	.2	.4	.4
	1 Every day	557	7.9	15.1	15.5
	2 Most days	271	3.8	7.3	22.8
	3 About 1-2 times a week	173	2.5	4.7	27.5
	4 < once a week	190	2.7	5.1	32.6
	5 Not at all	2493	35.4	67.4	100.0
	Total	3699	52.5	100.0	
Missing	-1 No response	3352	47.5		
Total		7051	100.0		

s4370 D3a: Frequency mother has taken vitamins in the past month - 2nd vitamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	4	.1	.3	.3
	1 Every day	138	2.0	9.8	10.1
	2 Most days	46	.7	3.3	13.4
	3 About 1-2 times a week	37	.5	2.6	16.0
	4 < once a week	20	.3	1.4	17.5
	5 Not at all	1159	16.4	82.5	100.0
	Total	1404	19.9	100.0	
Missing	-1 No response	5647	80.1		
Total		7051	100.0		

s4380 D3a: Frequency mother has taken vitamins in the past month - 3rd vitamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	1	.0	.1	.1
	1 Every day	48	.7	3.9	3.9
	2 Most days	17	.2	1.4	5.3
	3 About 1-2 times a week	14	.2	1.1	6.4
	4 < once a week	12	.2	1.0	7.4
	5 Not at all	1149	16.3	92.6	100.0
	Total	1241	17.6	100.0	
Missing	-1 No response	5810	82.4		
Total		7051	100.0		

S File – Section D

s4390 D3b: Frequency mother has taken mineral supplements in the past month - 1st supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	7	.1	.2	.2
	1 Every day	276	3.9	9.1	9.3
	2 Most days	115	1.6	3.8	13.1
	3 About 1-2 times a week	65	.9	2.1	15.2
	4 < once a week	81	1.1	2.7	17.8
	5 Not at all	2505	35.5	82.2	100.0
	Total	3049	43.2	100.0	
Missing	-1 No response	4002	56.8		
Total		7051	100.0		

s4400 D3b: Frequency mother has taken mineral supplements in the past month - 2nd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	2	.0	.2	.2
	1 Every day	43	.6	3.7	3.8
	2 Most days	18	.3	1.5	5.4
	3 About 1-2 times a week	10	.1	.9	6.2
	4 < once a week	9	.1	.8	7.0
	5 Not at all	1090	15.5	93.0	100.0
	Total	1172	16.6	100.0	
Missing	-1 No response	5879	83.4		
Total		7051	100.0		

s4410 D3b: Frequency mother has taken mineral supplements in the past month - 3rd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	15	.2	1.3	1.3
	2 Most days	3	.0	.3	1.6
	3 About 1-2 times a week	1	.0	.1	1.7
	4 < once a week	5	.1	.4	2.2
	5 Not at all	1089	15.4	97.8	100.0
	Total	1113	15.8	100.0	
Missing	-1 No response	5938	84.2		
Total		7051	100.0		

S File – Section D

s4420 D3c: Frequency mother has taken oil supplements in the past month - 1st supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	27	.4	.7	.7
	1 Every day	767	10.9	20.3	21.0
	2 Most days	275	3.9	7.3	28.3
	3 About 1-2 times a week	168	2.4	4.4	32.7
	4 < once a week	154	2.2	4.1	36.8
	5 Not at all	2393	33.9	63.2	100.0
	Total	3784	53.7	100.0	
Missing	-1 No response	3267	46.3		
Total		7051	100.0		

s4430 D3c: Frequency mother has taken oil supplements in the past month - 2nd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	13	.2	1.0	1.0
	1 Every day	160	2.3	12.3	13.3
	2 Most days	47	.7	3.6	16.9
	3 About 1-2 times a week	23	.3	1.8	18.7
	4 < once a week	17	.2	1.3	20.0
	5 Not at all	1041	14.8	80.0	100.0
	Total	1301	18.5	100.0	
Missing	-1 No response	5750	81.5		
Total		7051	100.0		

s4440 D3c: Frequency mother has taken oil supplements in the past month - 3rd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	3	.0	.3	.3
	1 Every day	16	.2	1.5	1.8
	2 Most days	6	.1	.6	2.3
	3 About 1-2 times a week	3	.0	.3	2.6
	4 < once a week	1	.0	.1	2.7
	5 Not at all	1042	14.8	97.3	100.0
	Total	1071	15.2	100.0	
Missing	-1 No response	5980	84.8		
Total		7051	100.0		

S File – Section D

s4450 D3d: Frequency mother has taken other supplements in the past month - 1st supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	26	.4	.8	.8
	1 Every day	435	6.2	13.5	14.3
	2 Most days	179	2.5	5.6	19.9
	3 About 1-2 times a week	102	1.4	3.2	23.0
	4 < once a week	76	1.1	2.4	25.4
	5 Not at all	2403	34.1	74.6	100.0
	Total	3221	45.7	100.0	
Missing	-1 No response	3830	54.3		
Total		7051	100.0		

s4460 D3d: Frequency mother has taken other supplements in the past month - 2nd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	4	.1	.3	.3
	1 Every day	95	1.3	7.8	8.2
	2 Most days	40	.6	3.3	11.4
	3 About 1-2 times a week	16	.2	1.3	12.8
	4 < once a week	14	.2	1.2	13.9
	5 Not at all	1045	14.8	86.1	100.0
	Total	1214	17.2	100.0	
Missing	-1 No response	5837	82.8		
Total		7051	100.0		

s4470 D3d: Frequency mother has taken other supplements in the past month - 3rd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	4	.1	.4	.4
	1 Every day	26	.4	2.4	2.7
	2 Most days	10	.1	.9	3.7
	3 About 1-2 times a week	2	.0	.2	3.8
	4 < once a week	7	.1	.6	4.5
	5 Not at all	1046	14.8	95.5	100.0
	Total	1095	15.5	100.0	
Missing	-1 No response	5956	84.5		
Total		7051	100.0		

PAGE 34 OF THE QUESTIONNAIRE

SECTION E: BREAKING THE LAW

Most of us have broken the law at some time or other, maybe when larking around in our youth, or on the spur of the moment, or because of circumstances in our lives.

In this section there are some questions about such experiences which we hope you will share with us.

As always, your answers are completely confidential and cannot be linked to your name.

If you are not happy to complete this section for any reason at all, please **go to Section F on page 43**

E1. a) Have you **ever** been in trouble with the law?

Yes ☐ ₁ No ☐ ₂ → **If no, go to E2 below**

b) When did this happen? (Please tick all that apply)

(i)	As a child (before the age of 13)	<input type="checkbox"/> ₁
(ii)	As a teenager	<input type="checkbox"/> ₁
(iii)	As an adult	<input type="checkbox"/> ₁

c) Has this happened in the last year?

Yes ☐ ₁ No ☐ ₂

E2. a) Apart from speeding have you **ever** been convicted of an offence?

Yes ☐ ₁ No ☐ ₂ → **If no, go to E3 on page 35**

b) When did this happen? (Please tick all that apply)

(i)	As a child (before the age of 13)	<input type="checkbox"/> ₁
(ii)	As a teenager	<input type="checkbox"/> ₁
(iii)	As an adult	<input type="checkbox"/> ₁

c) Has this happened in the last year?

Yes ☐ ₁ No ☐ ₂

PAGE 35 OF THE QUESTIONNAIRE

This next set of questions are about things relating to **vehicles**. By vehicles we mean cars, vans, motorbikes, or other motor vehicles.

- E3. a) Have you **ever** driven a vehicle on a public road without vehicle insurance or a driving licence?

Yes No → **If no, go to E4 below**

- b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)
 (ii) As a teenager
 (iii) As an adult

- c) Has this happened in the last year? Yes No

- E4. a) Have you **ever** driven a vehicle when you thought at the time you could have been over the legal limit for alcohol?

Yes No → **If no, go to E5 below**

- b) When did this happen? (Please tick all that apply)

(i) As a teenager
 (ii) As an adult

- c) Have you done this in the last year? Yes No

- E5. a) Have you **ever** stolen, or driven a vehicle away without permission, even if the owner got it back?

Yes No → **If no, go to E6 on page 36**

PAGE 36 OF THE QUESTIONNAIRE

E5. b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐E6. a) Have you **ever** stolen any parts off a vehicle or anything from inside a vehicle?

Yes

☐

No

☐→ **If no, go to E7 below**

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐E7. a) Have you **ever** damaged any vehicle in any way on purpose, for example by scratching it or breaking a window?

Yes

☐

No

☐→ **If no, go to E8 on page 37**

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐

PAGE 37 OF THE QUESTIONNAIRE

These next questions are about other things you may have done.

- E8. a) Have you **ever** gone into someone's home without their permission because you wanted to steal or damage something?

Yes No → **If no, go to E9 below**

- b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

(ii) As a teenager

(iii) As an adult

- c) Have you done this in the last year? Yes No

- E9. a) Thinking about other types of buildings such as a factory, office, shop, hospital, school etc. Have you **ever** gone into any of these types of buildings, without permission because you wanted to steal or damage something?

Yes No → **If no, go to E10 below**

- b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

(ii) As a teenager

(iii) As an adult

- c) Have you done this in the last year? Yes No

- E10. a) Have you **ever** painted or written graffiti on anything without permission?

Yes No → **If no, go to E11 on page 38**

PAGE 38 OF THE QUESTIONNAIRE

E10. b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐E11. a) Have you **ever** damaged anything that didn't belong to you or your family on purpose, for example by burning, smashing, or breaking it?

Yes

☐

No

☐→ If **no**, go to E12 below

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐If **yes**,

d) In the past year, what have you damaged that didn't belong to you?

.....

E12. a) Have you **ever** used force, violence or threats against anyone in order to steal from a shop, petrol station, bank or other business?

Yes

☐

No

☐→ If **no**, go to E13 on page 39

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

PAGE 39 OF THE QUESTIONNAIRE

E12. c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

E13. a) Have you **ever** used force, violence or threats, against anyone in order to steal something from them?

Yes ☐ 1 No ☐ 2 → **If no, go to E14 below**

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13) ☐ 1

(ii) As a teenager ☐ 1

(iii) As an adult ☐ 1

c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

E14. a) Have you without using force, violence or threats, **ever** stolen anything someone was carrying or wearing, for example by taking something from their hand, pocket or bag?

Yes ☐ 1 No ☐ 2 → **If no, go to E15 below**

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13) ☐ 1

(ii) As a teenager ☐ 1

(iii) As an adult ☐ 1

c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

E15. a) Have you without using force, violence or threats, **ever** stolen anything from a shop?

Yes ☐ 1 No ☐ 2 → **If no, go to E16 on page 40**

PAGE 40 OF THE QUESTIONNAIRE

E15. b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐E16. a) Have you **ever** stolen anything from where you work(ed) or went to school?

Yes

☐

No

☐→ If **no**, go to E17 below

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐

d) In the past year, what have you stolen from work?

.....

E17. a) Apart from anything you have already mentioned, have you **ever** stolen anything else?

Yes

☐

No

☐→ If **no**, go to E18 on page 41

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

PAGE 41 OF THE QUESTIONNAIRE

E17. c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

d) In the past year, what have you stolen ?

.....

E18. a) Have you **ever** used force on anyone on purpose, for example scratching, hitting, kicking, throwing things, which you think physically injured them in some way?

Yes ☐ 1 No ☐ 2 → If **no**, go to E19 below

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13) ☐ 1

(ii) As a teenager ☐ 1

(iii) As an adult ☐ 1

c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

E19. a) Have you **ever** carried a weapon in case you needed it in a fight?

Yes ☐ 1 No ☐ 2 → If **no**, go to E20 below

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13) ☐ 1

(ii) As a teenager ☐ 1

(iii) As an adult ☐ 1

c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

E20. a) Have you **ever** used a weapon to injure anyone on purpose?

Yes ☐ 1 No ☐ 2 → If **no**, go to E21 on page 42

PAGE 42 OF THE QUESTIONNAIRE

E20. b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐

E21. If you answered yes to any of the questions in Section E, have you regretted any of your actions?

No, not
at all

☐

Yes,
a little

☐

Yes, quite
a lot

☐

Yes,
very much

☐

S File – Section E

s5000 E1a: Mother has ever been in trouble with the law

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	566	8.0	8.1	8.1
2 No	6390	90.6	91.9	100.0
Total	6956	98.7	100.0	
Missing -1 No response	95	1.3		
Total	7051	100.0		

s5001 E1b1: Mother was in trouble with the law as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	91	1.3	100.0	100.0
Missing -1 No response	6960	98.7		
Total	7051	100.0		

s5002 E1b2: Mother was in trouble with the law as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	232	3.3	100.0	100.0
Missing -1 No response	6819	96.7		
Total	7051	100.0		

s5003 E1b3: Mother was in trouble with the law as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	266	3.8	100.0	100.0
Missing -1 No response	6785	96.2		
Total	7051	100.0		

s5004 E1c: Mother was in trouble with the law in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	61	.9	10.9	10.9
2 No	498	7.1	89.1	100.0
Total	559	7.9	100.0	
Missing -1 No response	6492	92.1		
Total	7051	100.0		

S File – Section E

s5010 E2a: Mother has ever been convicted of an offence

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	238	3.4	3.4	3.4
2 No	6665	94.5	96.6	100.0
Total	6903	97.9	100.0	
Missing -1 No response	148	2.1		
Total	7051	100.0		

s5011 E2b1: Mother was convicted of an offence as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	13	.2	100.0	100.0
Missing -1 No response	7038	99.8		
Total	7051	100.0		

s5012 E2b2: Mother was convicted of an offence as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	88	1.2	100.0	100.0
Missing -1 No response	6963	98.8		
Total	7051	100.0		

s5013 E2b3: Mother was convicted of an offence as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	144	2.0	100.0	100.0
Missing -1 No response	6907	98.0		
Total	7051	100.0		

s5014 E2c: Mother was convicted of an offence in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	15	.2	6.2	6.2
2 No	228	3.2	93.8	100.0
Total	243	3.4	100.0	
Missing -1 No response	6808	96.6		
Total	7051	100.0		

S File – Section E

s5020 E3a: Mother has ever driven without a licence/insurance

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	285	4.0	4.1	4.1
2 No	6635	94.1	95.9	100.0
Total	6920	98.1	100.0	
Missing -1 No response	131	1.9		
Total	7051	100.0		

s5021 E3b1: Mother drove without a licence/insurance as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3	.0	100.0	100.0
Missing -1 No response	7048	100.0		
Total	7051	100.0		

s5022 E3b2: Mother drove without a licence/insurance as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	124	1.8	100.0	100.0
Missing -1 No response	6927	98.2		
Total	7051	100.0		

s5023 E3b3: Mother drove without a licence/insurance as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	159	2.3	100.0	100.0
Missing -1 No response	6892	97.7		
Total	7051	100.0		

s5024 E3c: Mother drove without a licence/insurance in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	24	.3	8.6	8.6
2 No	255	3.6	91.4	100.0
Total	279	4.0	100.0	
Missing -1 No response	6772	96.0		
Total	7051	100.0		

S File – Section E

s5030 E4a: Mother has ever driven when over the alcohol limit

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1701	24.1	24.6	24.6
2 No	5207	73.8	75.4	100.0
Total	6908	98.0	100.0	
Missing -1 No response	143	2.0		
Total	7051	100.0		

s5032 E4b1: Mother drove when over the alcohol limit as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	629	8.9	100.0	100.0
Missing -1 No response	6422	91.1		
Total	7051	100.0		

s5033 E4b2: Mother drove when over the alcohol limit as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1190	16.9	100.0	100.0
Missing -1 No response	5861	83.1		
Total	7051	100.0		

s5034 E4c: Mother drove when over the alcohol limit in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	280	4.0	16.7	16.7
2 No	1393	19.8	83.3	100.0
Total	1673	23.7	100.0	
Missing -1 No response	5378	76.3		
Total	7051	100.0		

S File – Section E

s5040 E5a: Mother has ever stolen or driven a vehicle away without permission

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	14	.2	.2	.2
2 No	6844	97.1	99.8	100.0
Total	6858	97.3	100.0	
Missing -1 No response	193	2.7		
Total	7051	100.0		

s5041 E5b1: Mother stole or drove a vehicle away without permission as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	100.0	100.0
Missing -1 No response	7050	100.0		
Total	7051	100.0		

s5042 E5b2: Mother stole or drove a vehicle away without permission as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6	.1	100.0	100.0
Missing -1 No response	7045	99.9		
Total	7051	100.0		

s5043 E5b3: Mother stole or drove a vehicle away without permission as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	8	.1	100.0	100.0
Missing -1 No response	7043	99.9		
Total	7051	100.0		

s5044 E5c: Mother stole or drove a vehicle away without permission in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2 No	18	.3	100.0	100.0
Missing -1 No response	7033	99.7		
Total	7051	100.0		

S File – Section E

s5050 E6a: Mother has ever stolen parts from a vehicle or anything from inside a vehicle

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	26	.4	.4	.4
2 No	6896	97.8	99.6	100.0
Total	6922	98.2	100.0	
Missing -1 No response	129	1.8		
Total	7051	100.0		

s5051 E6b1: Mother stole parts from a vehicle or anything from inside a vehicle as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7	.1	100.0	100.0
Missing -1 No response	7044	99.9		
Total	7051	100.0		

s5052 E6b2: Mother stole parts from a vehicle or anything from inside a vehicle as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	13	.2	100.0	100.0
Missing -1 No response	7038	99.8		
Total	7051	100.0		

s5053 E6b3: Mother stole parts from a vehicle or anything from inside a vehicle as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7	.1	100.0	100.0
Missing -1 No response	7044	99.9		
Total	7051	100.0		

s5054 E6c: Mother stole parts from a vehicle or anything from inside a vehicle in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2 No	32	.5	100.0	100.0
Missing -1 No response	7019	99.5		
Total	7051	100.0		

S File – Section E

s5060 E7a: Mother has ever damaged a vehicle on purpose

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	124	1.8	1.8	1.8
2 No	6801	96.5	98.2	100.0
Total	6925	98.2	100.0	
Missing -1 No response	126	1.8		
Total	7051	100.0		

s5061 E7b1: Mother damaged a vehicle on purpose as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	17	.2	100.0	100.0
Missing -1 No response	7034	99.8		
Total	7051	100.0		

s5062 E7b2: Mother damaged a vehicle on purpose as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	48	.7	100.0	100.0
Missing -1 No response	7003	99.3		
Total	7051	100.0		

s5063 E7b3: Mother damaged a vehicle on purpose as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	58	.8	100.0	100.0
Missing -1 No response	6993	99.2		
Total	7051	100.0		

s5064 E7c: Mother damaged a vehicle on purpose in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	8	.1	6.6	6.6
2 No	114	1.6	93.4	100.0
Total	122	1.7	100.0	
Missing -1 No response	6929	98.3		
Total	7051	100.0		

S File – Section E

s5070 E8a: Mother has ever entered someone's home without permission to steal or damage something

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	28	.4	.4	.4
2 No	6930	98.3	99.6	100.0
Total	6958	98.7	100.0	
Missing -1 No response	93	1.3		
Total	7051	100.0		

s5071 E8b1: Mother entered someone's home without permission to steal or damage something as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	8	.1	100.0	100.0
Missing -1 No response	7043	99.9		
Total	7051	100.0		

s5072 E8b2: Mother entered someone's home without permission to steal or damage something as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	17	.2	100.0	100.0
Missing -1 No response	7034	99.8		
Total	7051	100.0		

s5073 E8b3: Mother entered someone's home without permission to steal or damage something as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5	.1	100.0	100.0
Missing -1 No response	7046	99.9		
Total	7051	100.0		

s5074 E8c: Mother entered someone's home without permission to steal or damage something in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	3.1	3.1
2 No	31	.4	96.9	100.0
Total	32	.5	100.0	
Missing -1 No response	7019	99.5		
Total	7051	100.0		

S File – Section E

s5080 E9a: Mother has ever entered another type of building without permission to steal or damage something

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	83	1.2	1.2	1.2
2 No	6851	97.2	98.8	100.0
Total	6934	98.3	100.0	
Missing -1 No response	117	1.7		
Total	7051	100.0		

s5081 E9b1: Mother entered another type of building without permission to steal or damage something as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	36	.5	100.0	100.0
Missing -1 No response	7015	99.5		
Total	7051	100.0		

s5082 E9b2: Mother entered another type of building without permission to steal or damage something as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	45	.6	100.0	100.0
Missing -1 No response	7006	99.4		
Total	7051	100.0		

s5083 E9b3: Mother entered another type of building without permission to steal or damage something as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	9	.1	100.0	100.0
Missing -1 No response	7042	99.9		
Total	7051	100.0		

s5084 E9c: Mother entered another type of building without permission to steal or damage something in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	1.2	1.2
2 No	80	1.1	98.8	100.0
Total	81	1.1	100.0	
Missing -1 No response	6970	98.9		
Total	7051	100.0		

S File – Section E

s5090 E10a: Mother has ever painted or written graffiti on something without permission

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	367	5.2	5.3	5.3
2 No	6547	92.9	94.7	100.0
Total	6914	98.1	100.0	
Missing -1 No response	137	1.9		
Total	7051	100.0		

s5091 E10b1: Mother painted or wrote graffiti on something without permission as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	177	2.5	100.0	100.0
Missing -1 No response	6874	97.5		
Total	7051	100.0		

s5092 E10b2: Mother painted or wrote graffiti on something without permission as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	196	2.8	100.0	100.0
Missing -1 No response	6855	97.2		
Total	7051	100.0		

s5093 E10b3: Mother painted or wrote graffiti on something without permission as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	21	.3	100.0	100.0
Missing -1 No response	7030	99.7		
Total	7051	100.0		

s5094 E10c: Mother painted or wrote graffiti on something without permission in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2	.0	.6	.6
2 No	334	4.7	99.4	100.0
Total	336	4.8	100.0	
Missing -1 No response	6715	95.2		
Total	7051	100.0		

S File – Section E

s5100 E11a: Mother has ever damaged someone else's property on purpose

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	137	1.9	2.0	2.0
2 No	6784	96.2	98.0	100.0
Total	6921	98.2	100.0	
Missing -1 No response	130	1.8		
Total	7051	100.0		

s5101 E11b1: Mother damaged someone else's property on purpose as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	61	.9	100.0	100.0
Missing -1 No response	6990	99.1		
Total	7051	100.0		

s5102 E11b2: Mother damaged someone else's property on purpose as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	51	.7	100.0	100.0
Missing -1 No response	7000	99.3		
Total	7051	100.0		

s5103 E11b3: Mother damaged someone else's property on purpose as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	37	.5	100.0	100.0
Missing -1 No response	7014	99.5		
Total	7051	100.0		

s5104 E11c: Mother damaged someone else's property on purpose in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6	.1	4.6	4.6
2 No	125	1.8	95.4	100.0
Total	131	1.9	100.0	
Missing -1 No response	6920	98.1		
Total	7051	100.0		

S File – Section E

s5110 E12a: Mother has ever used force, violence or threats to steal from a business

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2	.0	.0	.0
2 No	6937	98.4	100.0	100.0
Total	6939	98.4	100.0	
Missing -1 No response	112	1.6		
Total	7051	100.0		

s5111 E12b1: Mother used force, violence or threats to steal from a business as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2	.0	100.0	100.0
Missing -1 No response	7049	100.0		
Total	7051	100.0		

s5112 E12b2: Mother used force, violence or threats to steal from a business as a teenager

	Frequency	Percent
Missing -1 No response	7051	100.0

s5113 E12b3: Mother used force, violence or threats to steal from a business as an adult

	Frequency	Percent
Missing -1 No response	7051	100.0

s5114 E12c: Mother used force, violence or threats to steal from a business in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2 No	3	.0	100.0	100.0
Missing -1 No response	7048	100.0		
Total	7051	100.0		

S File – Section E

s5120 E13a: Mother has ever used force, violence or threats against someone to steal from them

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7	.1	.1	.1
2 No	6848	97.1	99.9	100.0
Total	6855	97.2	100.0	
Missing -1 No response	196	2.8		
Total	7051	100.0		

s5121 E13b1: Mother used force, violence or threats against someone to steal from them as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3	.0	100.0	100.0
Missing -1 No response	7048	100.0		
Total	7051	100.0		

s5122 E13b2: Mother used force, violence or threats against someone to steal from them as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2	.0	100.0	100.0
Missing -1 No response	7049	100.0		
Total	7051	100.0		

s5123 E13b3: Mother used force, violence or threats against someone to steal from them as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2	.0	100.0	100.0
Missing -1 No response	7049	100.0		
Total	7051	100.0		

s5124 E13c: Mother used force, violence or threats against someone to steal from them in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2 No	6	.1	100.0	100.0
Missing -1 No response	7045	99.9		
Total	7051	100.0		

S File – Section E

s5130 E14a: Mother has ever stolen something someone was carrying or wearing without using force

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	36	.5	.5	.5
2 No	6894	97.8	99.5	100.0
Total	6930	98.3	100.0	
Missing -1 No response	121	1.7		
Total	7051	100.0		

s5131 E14b1: Mother stole something someone was carrying or wearing without using force as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	25	.4	100.0	100.0
Missing -1 No response	7026	99.6		
Total	7051	100.0		

s5132 E14b2: Mother stole something someone was carrying or wearing without using force as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	12	.2	100.0	100.0
Missing -1 No response	7039	99.8		
Total	7051	100.0		

s5133 E14b3: Mother stole something someone was carrying or wearing without using force as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3	.0	100.0	100.0
Missing -1 No response	7048	100.0		
Total	7051	100.0		

s5134 E14c: Mother stole something someone was carrying or wearing without using force in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2	.0	6.3	6.3
2 No	30	.4	93.8	100.0
Total	32	.5	100.0	
Missing -1 No response	7019	99.5		
Total	7051	100.0		

S File – Section E

s5140 E15a: Mother has ever stolen something from a shop without using force

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1370	19.4	20.2	20.2
2 No	5425	76.9	79.8	100.0
Total	6795	96.4	100.0	
Missing -1 No response	256	3.6		
Total	7051	100.0		

s5141 E15b1: Mother stole something from a shop without using force as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	896	12.7	100.0	100.0
Missing -1 No response	6155	87.3		
Total	7051	100.0		

s5142 E15b2: Mother stole something from a shop without using force as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	481	6.8	100.0	100.0
Missing -1 No response	6570	93.2		
Total	7051	100.0		

s5143 E15b3: Mother stole something from a shop without using force as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	122	1.7	100.0	100.0
Missing -1 No response	6929	98.3		
Total	7051	100.0		

s5144 E15c: Mother stole something from a shop without using force in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	32	.5	2.6	2.6
2 No	1191	16.9	97.4	100.0
Total	1223	17.3	100.0	
Missing -1 No response	5828	82.7		
Total	7051	100.0		

S File – Section E

s5150 E16a: Mother has ever stolen something from work or school

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	831	11.8	12.0	12.0
2 No	6094	86.4	88.0	100.0
Total	6925	98.2	100.0	
Missing -1 No response	126	1.8		
Total	7051	100.0		

s5151 E16b1: Mother stole something from work or school as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	216	3.1	100.0	100.0
Missing -1 No response	6835	96.9		
Total	7051	100.0		

s5152 E16b2: Mother stole something from work or school as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	263	3.7	100.0	100.0
Missing -1 No response	6788	96.3		
Total	7051	100.0		

s5153 E16b3: Mother stole something from work or school as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	475	6.7	100.0	100.0
Missing -1 No response	6576	93.3		
Total	7051	100.0		

s5154 E16c: Mother stole something from work or school in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	189	2.7	24.5	24.5
2 No	582	8.3	75.5	100.0
Total	771	10.9	100.0	
Missing -1 No response	6280	89.1		
Total	7051	100.0		

S File – Section E

s5160 E17a: Mother has ever stolen anything else

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	272	3.9	3.9	3.9
2 No	6638	94.1	96.1	100.0
Total	6910	98.0	100.0	
Missing -1 No response	141	2.0		
Total	7051	100.0		

s5161 E17b1: Mother stole anything else as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	180	2.6	100.0	100.0
Missing -1 No response	6871	97.4		
Total	7051	100.0		

s5162 E17b2: Mother stole anything else as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	75	1.1	100.0	100.0
Missing -1 No response	6976	98.9		
Total	7051	100.0		

s5163 E17b3: Mother stole anything else as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	31	.4	100.0	100.0
Missing -1 No response	7020	99.6		
Total	7051	100.0		

s5164 E17c: Mother stole anything else in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6	.1	2.5	2.5
2 No	237	3.4	97.5	100.0
Total	243	3.4	100.0	
Missing -1 No response	6808	96.6		
Total	7051	100.0		

S File – Section E

s5170 E18a: Mother has ever used force on someone on purpose that physically injured them

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	773	11.0	11.2	11.2
2 No	6151	87.2	88.8	100.0
Total	6924	98.2	100.0	
Missing -1 No response	127	1.8		
Total	7051	100.0		

s5171 E18b1: Mother used force on someone on purpose that physically injured them as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	424	6.0	100.0	100.0
Missing -1 No response	6627	94.0		
Total	7051	100.0		

s5172 E18b2: Mother used force on someone on purpose that physically injured them as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	260	3.7	100.0	100.0
Missing -1 No response	6791	96.3		
Total	7051	100.0		

s5173 E18b3: Mother used force on someone on purpose that physically injured them as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	248	3.5	100.0	100.0
Missing -1 No response	6803	96.5		
Total	7051	100.0		

s5174 E18c: Mother used force on someone on purpose that physically injured them in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	55	.8	7.9	7.9
2 No	640	9.1	92.1	100.0
Total	695	9.9	100.0	
Missing -1 No response	6356	90.1		
Total	7051	100.0		

S File – Section E

s5180 E19a: Mother has ever carried a weapon in case it was needed in a fight

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	74	1.0	1.1	1.1
2 No	6849	97.1	98.9	100.0
Total	6923	98.2	100.0	
Missing -1 No response	128	1.8		
Total	7051	100.0		

s5181 E19b1: Mother carried a weapon in case it was needed in a fight as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4	.1	100.0	100.0
Missing -1 No response	7047	99.9		
Total	7051	100.0		

s5182 E19b2: Mother carried a weapon in case it was needed in a fight as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	43	.6	100.0	100.0
Missing -1 No response	7008	99.4		
Total	7051	100.0		

s5183 E19b3: Mother carried a weapon in case it was needed in a fight as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	37	.5	100.0	100.0
Missing -1 No response	7014	99.5		
Total	7051	100.0		

s5184 E19c: Mother carried a weapon in case it was needed in a fight in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	11	.2	12.8	12.8
2 No	75	1.1	87.2	100.0
Total	86	1.2	100.0	
Missing -1 No response	6965	98.8		
Total	7051	100.0		

S File – Section E

s5190 E20a: Mother has ever used a weapon to injure someone on purpose

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	28	.4	.4	.4
	2 No	6816	96.7	99.6	100.0
	Total	6844	97.1	100.0	
Missing	-1 No response	207	2.9		
Total		7051	100.0		

s5191 E20b1: Mother used a weapon to injure someone on purpose as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5	.1	100.0	100.0
Missing	-1 No response	7046	99.9		
Total		7051	100.0		

s5192 E20b2: Mother used a weapon to injure someone on purpose as a teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	11	.2	100.0	100.0
Missing	-1 No response	7040	99.8		
Total		7051	100.0		

s5193 E20b3: Mother used a weapon to injure someone on purpose as an adult

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.2	100.0	100.0
Missing	-1 No response	7037	99.8		
Total		7051	100.0		

s5194 E20c: Mother used a weapon to injure someone on purpose in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.0	5.4	5.4
	2 No	35	.5	94.6	100.0
	Total	37	.5	100.0	
Missing	-1 No response	7014	99.5		
Total		7051	100.0		

S File – Section E

s5200 E21: Mother regretted actions listed in section E

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	432	6.1	16.9	16.9
	2 Yes, a little	803	11.4	31.5	48.5
	3 Yes, quite a lot	489	6.9	19.2	67.6
	4 Yes, very much	825	11.7	32.4	100.0
	Total	2549	36.2	100.0	
Missing	-1 No response	4502	63.8		
Total		7051	100.0		

PAGE 43 OF THE QUESTIONNAIRE

SECTION F: YOUR FAMILY AND FRIENDS

F1. How many of your relatives and your husband/partner's relatives do you see at least twice a year?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F2. About how many friends do you have?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F3. Overall, would you say you belong to a close circle of friends?

Yes	<input type="text" value="1"/>	No	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

F4. How many people are there that you can talk to about personal problems?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F5. How many people talk to you about their personal problems or their private feelings?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F6. If you have to make an important decision, how many people are there with whom you can discuss it?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F7. How many people are there among your family and friends from whom you could borrow £200 if you needed to?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 44 OF THE QUESTIONNAIRE

F8. How many of your family and friends would help you in times of trouble?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F9. During the last month, how many times did you get together with one or more friends?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F10. During the last month, how many times did you get together with one or more of your relatives or your husband/partner's relatives?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

The following statements are about the help and support you have.

		This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way	
F11	I have no one to share my feelings with	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
F12	My husband/partner provides the emotional support I need	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	no husband/ partner <input type="text" value="7"/>
F13	There are other mothers with whom I can share my experiences	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
F14	I believe in moments of difficulty my neighbours would help me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	

PAGE 45 OF THE QUESTIONNAIRE

		This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way	
F15	I'm worried that my husband/partner might leave me	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	no husband/ partner <div>7</div>
F16	There is always someone with whom I can share my happiness and excitement about my child	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
F17	If I feel tired I can rely on my husband/partner to take over	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	no husband/ partner <div>7</div>
F18	If I was in financial difficulty I know my family would help if they could	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
F19	If I was in financial difficulty I know my friends would help if they could	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	
F20	If all else fails I know the state will support and assist me	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	

S File – Section F

s6000 F1: Number of mother's or partner's relatives mother sees at least twice a year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	145	2.1	2.1	2.1
	2 1	181	2.6	2.6	4.7
	3 2-4	1411	20.0	20.3	25.0
	4 >4	5203	73.8	75.0	100.0
	Total	6940	98.4	100.0	
Missing	-1 No response	111	1.6		
Total		7051	100.0		

s6001 F2: Number of friends mother has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	70	1.0	1.0	1.0
	2 1	80	1.1	1.2	2.2
	3 2-4	968	13.7	13.9	16.1
	4 >4	5828	82.7	83.9	100.0
	Total	6946	98.5	100.0	
Missing	-1 No response	105	1.5		
Total		7051	100.0		

s6002 F3: Mother belongs to a close circle of friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4678	66.3	67.5	67.5
	2 No	2252	31.9	32.5	100.0
	Total	6930	98.3	100.0	
Missing	-1 No response	121	1.7		
Total		7051	100.0		

s6003 F4: Number of people mother can talk to about personal problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	212	3.0	3.1	3.1
	2 1	532	7.5	7.7	10.7
	3 2-4	3565	50.6	51.3	62.0
	4 >4	2638	37.4	38.0	100.0
	Total	6947	98.5	100.0	
Missing	-1 No response	104	1.5		
Total		7051	100.0		

S File – Section F

s6004 F5: Number of people who talk to mother about personal problems or private feelings

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 None	136	1.9	2.0	2.0
2 1	352	5.0	5.1	7.0
3 2-4	3410	48.4	49.1	56.1
4 >4	3049	43.2	43.9	100.0
Total	6947	98.5	100.0	
Missing -1 No response	104	1.5		
Total	7051	100.0		

s6005 F6: Number of people with whom mother can discuss important decisions

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 None	124	1.8	1.8	1.8
2 1	653	9.3	9.4	11.2
3 2-4	3304	46.9	47.6	58.9
4 >4	2853	40.5	41.1	100.0
Total	6934	98.3	100.0	
Missing -1 No response	117	1.7		
Total	7051	100.0		

s6006 F7: Number of people among family and friends mother could borrow £200 from if needed

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 None	292	4.1	4.2	4.2
2 1	734	10.4	10.6	14.8
3 2-4	3353	47.6	48.4	63.3
4 >4	2544	36.1	36.7	100.0
Total	6923	98.2	100.0	
Missing -1 No response	128	1.8		
Total	7051	100.0		

S File – Section F

s6007 F8: Number of family and friends who would help mother in times of trouble

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 None	46	.7	.7	.7
2 1	206	2.9	3.0	3.6
3 2-4	2159	30.6	31.1	34.7
4 >4	4540	64.4	65.3	100.0
Total	6951	98.6	100.0	
Missing -1 No response	100	1.4		
Total	7051	100.0		

s6008 F9: Number of times in the last month mother got together with one or more friends

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 None	487	6.9	7.0	7.0
2 1	824	11.7	11.9	18.9
3 2-4	2851	40.4	41.1	59.9
4 >4	2782	39.5	40.1	100.0
Total	6944	98.5	100.0	
Missing -1 No response	107	1.5		
Total	7051	100.0		

s6009 F10: Number of times in the last month mother got together with one or more of mother's or partner's relatives

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 None	661	9.4	9.5	9.5
2 1	1017	14.4	14.7	24.2
3 2-4	2795	39.6	40.3	64.5
4 >4	2463	34.9	35.5	100.0
Total	6936	98.4	100.0	
Missing -1 No response	115	1.6		
Total	7051	100.0		

S File – Section F

s6020 F11: Mother has no one to share feelings with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how feels	102	1.4	1.5	1.5
	2 Often feels	279	4.0	4.0	5.5
	3 Sometimes feels	1552	22.0	22.4	27.9
	4 Never feels	4988	70.7	72.1	100.0
	Total	6921	98.2	100.0	
Missing	-1 No response	130	1.8		
Total		7051	100.0		

s6021 F12: Mother's partner provides the emotional support mother needs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how feels	2060	29.2	29.9	29.9
	2 Often feels	1768	25.1	25.6	55.5
	3 Sometimes feels	1862	26.4	27.0	82.5
	4 Never feels	550	7.8	8.0	90.5
	7 No husband/partner	654	9.3	9.5	100.0
	Total	6894	97.8	100.0	
Missing	-1 No response	157	2.2		
Total		7051	100.0		

s6022 F13: Mother has other mothers to share experiences with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how feels	2170	30.8	31.4	31.4
	2 Often feels	2060	29.2	29.8	61.3
	3 Sometimes feels	1983	28.1	28.7	90.0
	4 Never feels	689	9.8	10.0	100.0
	Total	6902	97.9	100.0	
Missing	-1 No response	149	2.1		
Total		7051	100.0		

s6023 F14: In times of difficulty, mother's neighbours would help mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how feels	1842	26.1	26.7	26.7
	2 Often feels	1606	22.8	23.3	50.0
	3 Sometimes feels	2090	29.6	30.3	80.3
	4 Never feels	1357	19.2	19.7	100.0
	Total	6895	97.8	100.0	
Missing	-1 No response	156	2.2		
Total		7051	100.0		

S File – Section F

s6024 F15: Mother is worried that partner might leave

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how feels	47	.7	.7	.7
	2 Often feels	70	1.0	1.0	1.7
	3 Sometimes feels	861	12.2	12.5	14.2
	4 Never feels	5232	74.2	76.1	90.3
	7 No husband/partner	666	9.4	9.7	100.0
	Total	6876	97.5	100.0	
Missing	-1 No response	175	2.5		
Total		7051	100.0		

s6025 F16: Mother always has someone to share happiness and excitement about child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how feels	4197	59.5	60.8	60.8
	2 Often feels	1732	24.6	25.1	85.9
	3 Sometimes feels	864	12.3	12.5	98.4
	4 Never feels	108	1.5	1.6	100.0
	Total	6901	97.9	100.0	
Missing	-1 No response	150	2.1		
Total		7051	100.0		

s6026 F17: Mother can rely on partner to take over when mother is tired

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how feels	2234	31.7	32.5	32.5
	2 Often feels	1565	22.2	22.8	55.3
	3 Sometimes feels	1840	26.1	26.8	82.1
	4 Never feels	561	8.0	8.2	90.2
	7 No husband/partner	670	9.5	9.8	100.0
	Total	6870	97.4	100.0	
Missing	-1 No response	181	2.6		
Total		7051	100.0		

s6027 F18: Mother's family would help if they could if mother was in financial difficulty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how feels	4587	65.1	66.5	66.5
	2 Often feels	1251	17.7	18.1	84.7
	3 Sometimes feels	717	10.2	10.4	95.1
	4 Never feels	341	4.8	4.9	100.0
	Total	6896	97.8	100.0	
Missing	-1 No response	155	2.2		
Total		7051	100.0		

S File – Section F

s6028 F19: Mother's friends would help if they could if mother was in financial difficulty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how feels	2855	40.5	41.5	41.5
	2 Often feels	1368	19.4	19.9	61.4
	3 Sometimes feels	1434	20.3	20.9	82.3
	4 Never feels	1218	17.3	17.7	100.0
	Total	6875	97.5	100.0	
Missing	-1 No response	176	2.5		
Total		7051	100.0		

s6029 F20: Mother knows the state will assist if all else fails

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how feels	656	9.3	9.6	9.6
	2 Often feels	415	5.9	6.1	15.7
	3 Sometimes feels	1705	24.2	25.0	40.7
	4 Never feels	4051	57.5	59.3	100.0
	Total	6827	96.8	100.0	
Missing	-1 No response	224	3.2		
Total		7051	100.0		

PAGE 46 OF THE QUESTIONNAIRE

SECTION G: YOUR DIET

G1. How many times nowadays do you eat the following foods? Please answer every question even if you never eat the food (in this case tick “never or rarely”).

		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
a)	Meat sausages and burgers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
b)	Vegetarian sausages, vegeburgers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
c)	Meat pies/pasties (pork pie, steak/meat pie etc.)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
d)	Vegetarian pies/pasties (cheese and onion pasty, vegetable samosa, onion bhaji, vegetable grills etc.)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
e)	Ham, bacon, paté and cold meats (e.g. salami, luncheon meat, garlic sausage etc.)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
f)	Meat roast, chops, stews and curries, shepherds pie, bolognese etc. (beef, lamb pork mince)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
g)	Liver, kidney, heart	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
h)	Chicken/turkey in crispy coating (chicken nuggets, turkey burgers, chicken fingers etc.)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

PAGE 47 OF THE QUESTIONNAIRE

G1.		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
i)	Poultry: roast, grilled, fried boiled, stewed (chicken, turkey etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
j)	Shellfish (prawns, crab, cockles, mussels etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
k)	White fish in breadcrumbs or batter (fish fingers/shapes, chip shop fish, breaded cod, plaice or haddock etc.).	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
l)	White fish without coating (grilled fish, cod in parsley sauce etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
m)	Tuna	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
n)	Other fish (pilchards, sardines, mackerel, herrings, kippers, trout, salmon etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
o)	Eggs, quiche/flans, omelettes etc.	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
p)	Cheese	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
q)	Pizza	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
r)	Oven chips or roast potatoes (cooked in fat or oil)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
s)	Fried chips, potato waffles and croquettes, Alphabites etc.	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
t)	Boiled, mashed, jacket potatoes	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 48 OF THE QUESTIONNAIRE

G1.		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
u)	Rice (boiled, or fried, <u>not</u> rice pudding)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
v)	Canned pasta (spaghetti rings, ravioli, macaroni cheese etc.) Pot Noodles, Super Noodles etc.	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
w)	Boiled pasta (e.g. spaghetti fusilli, lasagne), bulgar wheat or cous-cous	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

G2. How often do you have fried food, excluding chips? e.g. Fried bacon and eggs, fried fish, chops, steak, or beefburgers etc.

Never or rarely	<input type="text" value="1"/>
Once in 2 weeks	<input type="text" value="2"/>
1-3 times a week	<input type="text" value="3"/>
4-7 times a week	<input type="text" value="4"/>
More than 7 times a week	<input type="text" value="5"/>

G3. Do you eat the fat on meat?

yes, all of it	<input type="text" value="1"/>
yes, some of it	<input type="text" value="2"/>
no, always leave the fat	<input type="text" value="3"/>
never eat meat	<input type="text" value="4"/>

PAGE 49 OF THE QUESTIONNAIRE

G4. How many times nowadays do you eat;

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
a) Baked beans	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
b) Peas, broad beans	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
c) Sweetcorn	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
d) Carrots	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
e) Other root vegetables (turnip, swede, parsnip etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
f) Tomatoes (cooked or raw)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
g) Salads (lettuce, cucumber, peppers, other raw vegetables)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
h) Pulses – and pulse dishes (dahl, lentil soup, falafel, dried peas, beans, chick peas etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
i) Soya ‘Meat’, TVP, Bean curd, (Tofu, Miso etc.), Quorn	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
j) Peanuts, peanut butter	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
k) Other nuts (e.g. cashews), nut roast etc.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
l) Canned fruit	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
m) Yoghurt, Fromage Frais	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

PAGE 50 OF THE QUESTIONNAIRE

		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
G4.						
n)	Milk puddings (e.g. rice pudding, semolina), mousse Angel Delight etc.	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
o)	Ice cream, choc ice, chocolate ice cream bar etc.	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
p)	Pudding (e.g. fruit pie, crumble, cheesecake, gateaux)	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
q)	Custard, cream, Elmlea, Tip-Top, evaporated milk etc. on puddings	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
r)	Cakes or buns (fruit cake, sponge, teacake, doughnut, flapjack, scone, custard tart, cream cake etc.)	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
s)	Crispbreads (Ryvita, crackerbread etc.)	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
t)	Ketchup/brown sauce etc.	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
u)	Mayonnaise, salad cream or dressing etc.	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>

G5. In total, how many portions of green vegetables e.g. broccoli, cauliflower, courgettes, cabbage, leeks, green beans do you eat in a week?

 portions

a) Out of these total portions, how many are dark green leafy vegetables e.g. broccoli, Brussel sprouts, cabbage, spinach etc.?

 portions

G6. In total how many pieces of raw fruit e.g. apple, banana, orange, Satsuma, peach, grapes, strawberries etc. do you eat in a week? (For small fruit such as grapes etc, one “piece” will be a “helping” e.g. a small dish of strawberries or a small sprig of grapes.)

PAGE 51 OF THE QUESTIONNAIRE

- G6. a) Out of these, how many of them are citrus fruit e.g. tangerine, orange, Satsuma, grapefruit etc.?

--	--

- G7. a) Do you eat breakfast cereals at all?

Yes

No



If **no**, go to G9 on page 52

If **yes**, What type of breakfast cereal do you eat nowadays?

		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
b)	Oat cereals (e.g. porridge Ready Brek, muesli)	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">2</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">3</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">4</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">5</table>
c)	Wholegrain or bran cereals (e.g. All Bran, Bran Flakes, Weetabix, Wheatflakes, Fruit & Fibre, Shredded Wheat)	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">2</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">3</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">4</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">5</table>
d)	Sugar/honey coated cereals (e.g. Frosties, Honeynut Loops, Crunchynut cornflakes)	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">2</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">3</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">4</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">5</table>
e)	Other cereals (e.g. Cornflakes Rice Krispies, Special K)	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">2</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">3</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">4</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">5</table>

- G8. a) How many teaspoons of sugar do you have on cereal?

None	$\frac{1}{2}$ Teaspoon	One teaspoon	2 teaspoons	More than 2 teaspoons
<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">2</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">3</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">4</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">5</table>

- b) How many times **per week** do you have milk on cereal?

times

PAGE 52 OF THE QUESTIONNAIRE

G9. How often nowadays do you eat:

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
a) Crisps, corn snacks (e.g. Wotsits, Quavers, tortilla chips etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
b) Full-coated chocolate biscuits (e.g. Club, Kit Kat, Penguin, Breakaway etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
c) Other biscuits (e.g. Rich tea, shortcakes, digestive and chocolate digestive, Hob Nobs)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
d) Chocolate (dairy milk or plain nut, fruit, filled etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
e) Sweets (individual, packets or bars, peppermints, boiled sweets, toffees etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

G10. On days when you eat biscuits, how many biscuits do you normally eat in that day?

 biscuits

G11. On days when you eat sweets, how many individual sweets do you normally eat in that day?

1-2 sweets	3-5 sweets	6-10 sweets	11-20 sweets	more than 20 sweets	I never have sweets
<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>7</div>

G12. On days when you have chocolate or chocolate bars (e.g. Mars bars, Dairy Milk):

a) What size bar do you have?

**Usually eat individual
chocolates/squares**

1

Usually eat whole bars

2

Never have chocolate

3

→ **Go to G13
on page 53**

PAGE 53 OF THE QUESTIONNAIRE

G12. b) How many chocolates/bars of **this** size do you usually eat in **that** day?

 $\frac{1}{2}$ or less

1

2

3 or more

G13. How many times a week nowadays do you drink:

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
a) Pure fruit juice from a carton or freshly squeezed including tomato juice	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
b) Squash, fruit drinks	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
c) Cola drinks (e.g. Coca Cola, Pepsi etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
d) Other fizzy drinks (e.g. lemonade, fizzy water)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
e) Bottled still water	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
f) Water from tap	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
g) Milk on its own	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
h) Flavoured milk drinks (e.g. Horlicks, cocoa, drinking chocolate, Ovaltine, milkshakes) or yoghurt drinks	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

G14. When you have soft drinks (e.g. lemonade, cola, squash) how often are they low calorie, diet or reduced sugar drinks?

usually

sometimes

not at all

I don't drink soft drinks

PAGE 54 OF THE QUESTIONNAIRE

G15. When you have cola drinks how often are they decaffeinated?

usually	<input type="text" value="1"/>
sometimes	<input type="text" value="2"/>
not at all	<input type="text" value="3"/>
I don't drink cola	<input type="text" value="4"/>

G16. What type of bread do you eat **most often**? (Tick all that apply)

	Yes, usually	Yes, sometimes	No, not at all
a) White bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) Soft grain white bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) Brown/granary bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) Wholemeal bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e) Chappatis, pitta bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f) Naan bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g) Other (please tick and describe	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

.....

G17. a) How many slices of bread, rolls or chappatis do you eat on a usual day? (**include bought sandwiches**)

less than 1	<input type="text" value="1"/>	1-2	<input type="text" value="2"/>	3-4	<input type="text" value="3"/>	5 or more	<input type="text" value="4"/>
-------------	--------------------------------	-----	--------------------------------	-----	--------------------------------	-----------	--------------------------------

b) How many slices of bread (or rolls) spread with butter or margarine do you eat each day on average? (include shop bought sandwiches)

<input type="text"/>	<input type="text"/>	slices
----------------------	----------------------	--------

PAGE 55 OF THE QUESTIONNAIRE

- G17. c) How many slices of bread (or rolls) spread with sweet things such as jam/honey/chocolate spread etc. do you eat each day on average?

--	--

slices

- G18. What sort of fat do you mainly use?

		(i) On bread or vegetables		(ii) For frying	
		Yes	No	Yes	No
a)	Butter, ghee, dripping, lard, solid cooking fat	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
b)	Full-fat polyunsaturated margarine (e.g. Flora, Vitalite, sunflower margarine)	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
c)	Other full-fat margarine (e.g. Blue Band, Stork, Clover, Golden Crown, Willow, supermarket own brand)	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
d)	Low-fat polyunsaturated margarine (e.g. Flora Lite, Vitalite Lite, low-fat Sunflower margarine)	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
e)	Other low-fat spread not polyunsaturated (e.g. Delight, St Ivel Gold)	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
f)	Sunflower oil, corn oil, soya oil	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
g)	Olive oil, hazelnut oil, rapeseed oil	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
h)	Other vegetable oil	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
i)	Other (please tick & describe)	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>

PAGE 56 OF THE QUESTIONNAIRE

G19. What types of milk do you drink **most often**?

- a) Full fat (silver or gold top)
- b) Semi-skimmed (red stripe)
- c) Skimmed (blue stripe)
- d) Goat/sheep milk
- e) Soya milk
- f) Other (please tick and describe)

.....

G20. a) Do you drink tea?

Yes No → If **no**, go to G21 belowIf **yes**,b) How many cups of tea do you drink in a day?
(do not include herbal teas) cups a dayc) How many spoons of sugar in each cup? spoonsd) How many of the cups of tea that you drink
per day are decaffeinated? cups a day

e) Do you take milk in tea?

Yes usually yes, sometimes No

G21. a) Do you drink coffee?

Yes No → If **no**, go to G22 on page 57If **yes**,b) How many cups of coffee (real, instant or
decaffeinated) do you drink? cups a day

PAGE 57 OF THE QUESTIONNAIRE

- G21. c) How many spoons of sugar in each cup? spoons
- d) How many of the cups of coffee you drink are decaffeinated? cups a day
- e) How many of the cups of coffee you drink are made using real coffee (i.e not instant)? cups a day
- f) How many of these are decaffeinated? cups a day
- g) Do you take milk in coffee?
- Yes usually ₁ Yes, sometimes ₂ No ₃

- G22. a) During the last week **how many** of each type of alcoholic drink did you have on each day? (Please put a number).

		Mon.	Tues.	Wed.	Thurs	Fri.	Sat.	Sun.
(i)	Beer, lager or cider (no. of ½ pints)							
(ii)	Wine (no. of glasses)							
(iii)	Spirits (no. of single pub measures)							
(iv)	Martini, sherry, port or other 'fortified' wine (no. of single pub measures)							
(v)	Ready-mixed drinks (alcopops) e.g. Breezers, Smirnoff Ice, Reef etc (no. of bottles)							
(vi)	Other alcoholic drinks (please describe and write no. of glasses or measures)							
(vii)	Low alcohol drink (no. of glasses or ½ pints)							

- b) Is this week fairly typical of your alcohol drinking?

No ₁ Yes ₂ — **If yes, go to G23 on page 58**

- c) **If no**, would you normally drink:

More ₁ Less ₂

PAGE 58 OF THE QUESTIONNAIRE

G23. For your main meal of the day how often do you eat take-away foods or have meals out?

Never or rarely	<input type="text" value="1"/>
1-3 times a month	<input type="text" value="2"/>
1-2 times a week	<input type="text" value="3"/>
3-4 times a week	<input type="text" value="4"/>
5-7 times a week	<input type="text" value="5"/>

G24. For your main meal of the day how often do you eat an oven/microwave ready or convenience meal (e.g. lasagne, ready prepared chilli con carne etc.)?

Never or rarely	<input type="text" value="1"/>
1-3 times a month	<input type="text" value="2"/>
1-2 times a week	<input type="text" value="3"/>
3-4 times a week	<input type="text" value="4"/>
5-7 times a week	<input type="text" value="5"/>

G25. Are you at present a vegetarian?

Yes	<input type="text" value="1"/>	No	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

G26. Are you, at present a vegan (i.e. do not eat meat, poultry, fish, eggs, butter, milk or cheese)?

Yes	<input type="text" value="1"/>	No	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

G27. Are you at present on any other kind of special diet?

Yes	<input type="text" value="1"/>	No	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------



If yes, please describe:

.....

.....

S File – Section G

s7000 G1a: Frequency mother eats meat sausages and burgers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2505	35.5	36.0	36.0
	2 Once in 2 weeks	2977	42.2	42.8	78.8
	3 1-3 times a week	1235	17.5	17.7	96.5
	4 4-7 times a week	229	3.2	3.3	99.8
	5 >7 times a week	13	.2	.2	100.0
	Total	6959	98.7	100.0	
Missing	-1 No response	92	1.3		
Total		7051	100.0		

s7001 G1b: Frequency mother eats vegetarian sausages, vegeburgers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	6040	85.7	87.0	87.0
	2 Once in 2 weeks	648	9.2	9.3	96.3
	3 1-3 times a week	230	3.3	3.3	99.7
	4 4-7 times a week	10	.1	.1	99.8
	5 >7 times a week	14	.2	.2	100.0
	Total	6942	98.5	100.0	
Missing	-1 No response	109	1.5		
Total		7051	100.0		

s7002 G1c: Frequency mother eats meat pies/pasties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4052	57.5	58.3	58.3
	2 Once in 2 weeks	2384	33.8	34.3	92.6
	3 1-3 times a week	504	7.1	7.3	99.9
	4 4-7 times a week	4	.1	.1	100.0
	5 >7 times a week	3	.0	.0	100.0
	Total	6947	98.5	100.0	
Missing	-1 No response	104	1.5		
Total		7051	100.0		

s7003 G1d: Frequency mother eats vegetarian pies/pasties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4997	70.9	71.9	71.9
	2 Once in 2 weeks	1676	23.8	24.1	96.0
	3 1-3 times a week	256	3.6	3.7	99.7
	4 4-7 times a week	9	.1	.1	99.8
	5 >7 times a week	11	.2	.2	100.0
	Total	6949	98.6	100.0	
Missing	-1 No response	102	1.4		
Total		7051	100.0		

S File – Section G

s7004 G1e: Frequency mother eats ham, bacon, pâté and cold meats

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1071	15.2	15.4	15.4
	2 Once in 2 weeks	2057	29.2	29.6	44.9
	3 1-3 times a week	3121	44.3	44.8	89.8
	4 4-7 times a week	675	9.6	9.7	99.5
	5 >7 times a week	36	.5	.5	100.0
	Total	6960	98.7	100.0	
Missing	-1 No response	91	1.3		
Total		7051	100.0		

s7005 G1f: Frequency mother eats meat roast, chops, stews and curries, shepherds pie, bolognaise etc.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	590	8.4	8.5	8.5
	2 Once in 2 weeks	884	12.5	12.7	21.2
	3 1-3 times a week	4409	62.5	63.3	84.5
	4 4-7 times a week	1062	15.1	15.2	99.7
	5 >7 times a week	21	.3	.3	100.0
	Total	6966	98.8	100.0	
Missing	-1 No response	85	1.2		
Total		7051	100.0		

s7006 G1g: Frequency mother eats liver, kidney, heart

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	6265	88.9	90.2	90.2
	2 Once in 2 weeks	614	8.7	8.8	99.0
	3 1-3 times a week	58	.8	.8	99.9
	4 4-7 times a week	4	.1	.1	99.9
	5 >7 times a week	6	.1	.1	100.0
	Total	6947	98.5	100.0	
Missing	-1 No response	104	1.5		
Total		7051	100.0		

s7007 G1h: Frequency mother eats chicken/turkey in crispy coating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3916	55.5	56.4	56.4
	2 Once in 2 weeks	1861	26.4	26.8	83.1
	3 1-3 times a week	1076	15.3	15.5	98.6
	4 4-7 times a week	90	1.3	1.3	99.9
	5 >7 times a week	6	.1	.1	100.0
	Total	6949	98.6	100.0	
Missing	-1 No response	102	1.4		
Total		7051	100.0		

S File – Section G

s7008 G1i: Frequency mother eats roast, grilled, fried, boiled or stewed poultry

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	495	7.0	7.1	7.1
	2 Once in 2 weeks	1111	15.8	16.0	23.1
	3 1-3 times a week	4730	67.1	68.0	91.1
	4 4-7 times a week	608	8.6	8.7	99.8
	5 >7 times a week	13	.2	.2	100.0
	Total	6957	98.7	100.0	
Missing	-1 No response	94	1.3		
Total		7051	100.0		

s7009 G1j: Frequency mother eats shellfish

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4135	58.6	59.5	59.5
	2 Once in 2 weeks	2128	30.2	30.6	90.1
	3 1-3 times a week	655	9.3	9.4	99.5
	4 4-7 times a week	30	.4	.4	100.0
	5 >7 times a week	2	.0	.0	100.0
	Total	6950	98.6	100.0	
Missing	-1 No response	101	1.4		
Total		7051	100.0		

s7010 G1k: Frequency mother eats white fish in breadcrumbs or batter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2479	35.2	35.8	35.8
	2 Once in 2 weeks	3153	44.7	45.5	81.2
	3 1-3 times a week	1289	18.3	18.6	99.8
	4 4-7 times a week	13	.2	.2	100.0
	Total	6934	98.3	100.0	
Missing	-1 No response	117	1.7		
Total		7051	100.0		

s7011 G1l: Frequency mother eats white fish without coating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3507	49.7	50.7	50.7
	2 Once in 2 weeks	2492	35.3	36.0	86.8
	3 1-3 times a week	892	12.7	12.9	99.7
	4 4-7 times a week	22	.3	.3	100.0
	5 >7 times a week	1	.0	.0	100.0
	Total	6914	98.1	100.0	
Missing	-1 No response	137	1.9		
Total		7051	100.0		

S File – Section G

s7012 G1m: Frequency mother eats tuna

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1637	23.2	23.6	23.6
	2 Once in 2 weeks	2650	37.6	38.2	61.8
	3 1-3 times a week	2423	34.4	34.9	96.7
	4 4-7 times a week	219	3.1	3.2	99.9
	5 >7 times a week	7	.1	.1	100.0
	Total	6936	98.4	100.0	
Missing	-1 No response	115	1.6		
Total		7051	100.0		

s7013 G1n: Frequency mother eats other fish

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3584	50.8	52.1	52.1
	2 Once in 2 weeks	2297	32.6	33.4	85.4
	3 1-3 times a week	959	13.6	13.9	99.4
	4 4-7 times a week	41	.6	.6	100.0
	5 >7 times a week	3	.0	.0	100.0
	Total	6884	97.6	100.0	
Missing	-1 No response	167	2.4		
Total		7051	100.0		

s7014 G1o: Frequency mother eats eggs, quiche/flans, omelettes etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	836	11.9	12.0	12.0
	2 Once in 2 weeks	2965	42.1	42.6	54.6
	3 1-3 times a week	2903	41.2	41.7	96.4
	4 4-7 times a week	235	3.3	3.4	99.8
	5 >7 times a week	17	.2	.2	100.0
	Total	6956	98.7	100.0	
Missing	-1 No response	95	1.3		
Total		7051	100.0		

s7015 G1p: Frequency mother eats cheese

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	424	6.0	6.1	6.1
	2 Once in 2 weeks	1005	14.3	14.4	20.5
	3 1-3 times a week	3653	51.8	52.5	73.0
	4 4-7 times a week	1725	24.5	24.8	97.8
	5 >7 times a week	153	2.2	2.2	100.0
	Total	6960	98.7	100.0	
Missing	-1 No response	91	1.3		
Total		7051	100.0		

S File – Section G

s7016 G1q: Frequency mother eats pizza

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1921	27.2	27.6	27.6
	2 Once in 2 weeks	3581	50.8	51.5	79.1
	3 1-3 times a week	1427	20.2	20.5	99.7
	4 4-7 times a week	20	.3	.3	100.0
	5 >7 times a week	3	.0	.0	100.0
	Total	6952	98.6	100.0	
Missing	-1 No response	99	1.4		
Total		7051	100.0		

s7017 G1r: Frequency mother eats oven chips or roast potatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1188	16.8	17.1	17.1
	2 Once in 2 weeks	2427	34.4	34.9	52.0
	3 1-3 times a week	3216	45.6	46.3	98.3
	4 4-7 times a week	115	1.6	1.7	99.9
	5 >7 times a week	4	.1	.1	100.0
	Total	6950	98.6	100.0	
Missing	-1 No response	101	1.4		
Total		7051	100.0		

s7018 G1s: Frequency mother eats fried chips, potato waffles and croquettes, Alphabites etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4001	56.7	57.8	57.8
	2 Once in 2 weeks	1660	23.5	24.0	81.7
	3 1-3 times a week	1221	17.3	17.6	99.4
	4 4-7 times a week	40	.6	.6	100.0
	5 >7 times a week	3	.0	.0	100.0
	Total	6925	98.2	100.0	
Missing	-1 No response	126	1.8		
Total		7051	100.0		

s7019 G1t: Frequency mother eats boiled, mashed, jacket potatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	227	3.2	3.3	3.3
	2 Once in 2 weeks	1043	14.8	15.0	18.2
	3 1-3 times a week	4529	64.2	65.0	83.3
	4 4-7 times a week	1143	16.2	16.4	99.7
	5 >7 times a week	21	.3	.3	100.0
	Total	6963	98.8	100.0	
Missing	-1 No response	88	1.2		
Total		7051	100.0		

S File – Section G

s7020 G1u: Frequency mother eats rice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	580	8.2	8.4	8.4
	2 Once in 2 weeks	1984	28.1	28.6	36.9
	3 1-3 times a week	4129	58.6	59.5	96.4
	4 4-7 times a week	238	3.4	3.4	99.8
	5 >7 times a week	14	.2	.2	100.0
	Total	6945	98.5	100.0	
Missing	-1 No response	106	1.5		
Total		7051	100.0		

s7021 G1v: Frequency mother eats canned pasta, Pot Noodle, Super Noodles etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	5176	73.4	74.6	74.6
	2 Once in 2 weeks	1145	16.2	16.5	91.1
	3 1-3 times a week	581	8.2	8.4	99.5
	4 4-7 times a week	31	.4	.4	100.0
	5 >7 times a week	2	.0	.0	100.0
	Total	6935	98.4	100.0	
Missing	-1 No response	116	1.6		
Total		7051	100.0		

s7022 G1w: Frequency mother eats boiled pasta, bulgar wheat or cous-cous

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	559	7.9	8.1	8.1
	2 Once in 2 weeks	1379	19.6	19.9	27.9
	3 1-3 times a week	4619	65.5	66.5	94.5
	4 4-7 times a week	375	5.3	5.4	99.9
	5 >7 times a week	10	.1	.1	100.0
	Total	6942	98.5	100.0	
Missing	-1 No response	109	1.5		
Total		7051	100.0		

S File – Section G

s7030 G2: Frequency mother eats fried food, excluding chips

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3951	56.0	56.8	56.8
	2 Once in 2 weeks	2149	30.5	30.9	87.7
	3 1-3 times a week	814	11.5	11.7	99.4
	4 4-7 times a week	42	.6	.6	100.0
	5 >7 times a week	3	.0	.0	100.0
	Total	6959	98.7	100.0	
Missing	-1 No response	92	1.3		
Total		7051	100.0		

s7040 G3: Mother eats the fat on meat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, all of it	332	4.7	4.8	4.8
	2 Yes, some of it	2550	36.2	36.7	41.5
	3 No	3603	51.1	51.8	93.3
	4 Never eats meat	466	6.6	6.7	100.0
	Total	6951	98.6	100.0	
Missing	-1 No response	100	1.4		
Total		7051	100.0		

S File – Section G

s7050 G4a: Frequency mother eats baked beans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1611	22.8	23.2	23.2
	2 Once in 2 weeks	2686	38.1	38.7	61.8
	3 1-3 times / week	2563	36.3	36.9	98.7
	4 4-7 times / week	86	1.2	1.2	100.0
	5 > 7 times / week	2	.0	.0	100.0
	Total	6948	98.5	100.0	
Missing	-1 No response	103	1.5		
Total		7051	100.0		

s7051 G4b: Frequency mother eats peas, broad beans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	715	10.1	10.3	10.3
	2 Once in 2 weeks	1928	27.3	27.7	38.0
	3 1-3 times / week	3991	56.6	57.4	95.5
	4 4-7 times / week	309	4.4	4.4	99.9
	5 > 7 times / week	5	.1	.1	100.0
	Total	6948	98.5	100.0	
Missing	-1 No response	103	1.5		
Total		7051	100.0		

s7052 G4c: Frequency mother eats sweetcorn

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1365	19.4	19.7	19.7
	2 Once in 2 weeks	2439	34.6	35.1	54.8
	3 1-3 times / week	2980	42.3	42.9	97.7
	4 4-7 times / week	158	2.2	2.3	99.9
	5 > 7 times / week	4	.1	.1	100.0
	Total	6946	98.5	100.0	
Missing	-1 No response	105	1.5		
Total		7051	100.0		

s7053 G4d: Frequency mother eats carrots

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	254	3.6	3.7	3.7
	2 Once in 2 weeks	850	12.1	12.2	15.9
	3 1-3 times / week	4735	67.2	68.2	84.1
	4 4-7 times / week	1054	14.9	15.2	99.3
	5 > 7 times / week	51	.7	.7	100.0
	Total	6944	98.5	100.0	
Missing	-1 No response	107	1.5		
Total		7051	100.0		

S File – Section G

s7054 G4e: Frequency mother eats other root vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1040	14.7	15.1	15.1
	2 Once in 2 weeks	2037	28.9	29.5	44.6
	3 1-3 times / week	3428	48.6	49.7	94.2
	4 4-7 times / week	381	5.4	5.5	99.7
	5 > 7 times / week	18	.3	.3	100.0
	Total	6904	97.9	100.0	
Missing	-1 No response	147	2.1		
Total		7051	100.0		

s7055 G4f: Frequency mother eats tomatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	424	6.0	6.1	6.1
	2 Once in 2 weeks	816	11.6	11.7	17.8
	3 1-3 times / week	3540	50.2	51.0	68.8
	4 4-7 times / week	1968	27.9	28.3	97.1
	5 > 7 times / week	199	2.8	2.9	100.0
	Total	6947	98.5	100.0	
Missing	-1 No response	104	1.5		
Total		7051	100.0		

s7056 G4g: Frequency mother eats salads

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	217	3.1	3.1	3.1
	2 Once in 2 weeks	839	11.9	12.1	15.2
	3 1-3 times / week	3589	50.9	51.7	66.9
	4 4-7 times / week	2071	29.4	29.8	96.7
	5 > 7 times / week	226	3.2	3.3	100.0
	Total	6942	98.5	100.0	
Missing	-1 No response	109	1.5		
Total		7051	100.0		

s7057 G4h: Frequency mother eats pulses and pulse dishes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4502	63.8	64.9	64.9
	2 Once in 2 weeks	1504	21.3	21.7	86.6
	3 1-3 times / week	844	12.0	12.2	98.8
	4 4-7 times / week	73	1.0	1.1	99.8
	5 > 7 times / week	11	.2	.2	100.0
	Total	6934	98.3	100.0	
Missing	-1 No response	117	1.7		
Total		7051	100.0		

S File – Section G

s7058 G4i: Frequency mother eats soya 'meat', TVP, bean curd, Quorn

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	6005	85.2	86.5	86.5
	2 Once in 2 weeks	475	6.7	6.8	93.4
	3 1-3 times / week	389	5.5	5.6	99.0
	4 4-7 times / week	69	1.0	1.0	100.0
	5 > 7 times / week	3	.0	.0	100.0
	Total	6941	98.4	100.0	
Missing	-1 No response	110	1.6		
Total		7051	100.0		

s7059 G4j: Frequency mother eats peanuts, peanut butter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4665	66.2	67.2	67.2
	2 Once in 2 weeks	1539	21.8	22.2	89.4
	3 1-3 times / week	630	8.9	9.1	98.4
	4 4-7 times / week	104	1.5	1.5	99.9
	5 > 7 times / week	5	.1	.1	100.0
	Total	6943	98.5	100.0	
Missing	-1 No response	108	1.5		
Total		7051	100.0		

s7060 G4k: Frequency mother eats other nuts, nut roast etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4193	59.5	60.5	60.5
	2 Once in 2 weeks	1892	26.8	27.3	87.7
	3 1-3 times / week	651	9.2	9.4	97.1
	4 4-7 times / week	180	2.6	2.6	99.7
	5 > 7 times / week	19	.3	.3	100.0
	Total	6935	98.4	100.0	
Missing	-1 No response	116	1.6		
Total		7051	100.0		

s7061 G4l: Frequency mother eats canned fruit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4570	64.8	65.8	65.8
	2 Once in 2 weeks	1843	26.1	26.5	92.3
	3 1-3 times / week	490	6.9	7.1	99.3
	4 4-7 times / week	45	.6	.6	100.0
	5 > 7 times / week	2	.0	.0	100.0
	Total	6950	98.6	100.0	
Missing	-1 No response	101	1.4		
Total		7051	100.0		

S File – Section G

s7062 G4m: Frequency mother eats yoghurt, fromage frais

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1572	22.3	22.6	22.6
	2 Once in 2 weeks	1395	19.8	20.1	42.7
	3 1-3 times / week	2302	32.6	33.1	75.8
	4 4-7 times / week	1475	20.9	21.2	97.0
	5 > 7 times / week	206	2.9	3.0	100.0
	Total	6950	98.6	100.0	
Missing	-1 No response	101	1.4		
Total		7051	100.0		

s7063 G4n: Frequency mother eats milk puddings, mousse, Angel Delight etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4988	70.7	72.2	72.2
	2 Once in 2 weeks	1530	21.7	22.1	94.3
	3 1-3 times / week	373	5.3	5.4	99.7
	4 4-7 times / week	19	.3	.3	100.0
	Total	6910	98.0	100.0	
Missing	-1 No response	141	2.0		
Total		7051	100.0		

s7064 G4o: Frequency mother eats ice cream, choc ice, chocolate ice cream bar etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3115	44.2	45.1	45.1
	2 Once in 2 weeks	2700	38.3	39.1	84.2
	3 1-3 times / week	1004	14.2	14.5	98.7
	4 4-7 times / week	84	1.2	1.2	99.9
	5 > 7 times / week	4	.1	.1	100.0
	Total	6907	98.0	100.0	
Missing	-1 No response	144	2.0		
Total		7051	100.0		

s7065 G4p: Frequency mother eats pudding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2760	39.1	40.1	40.1
	2 Once in 2 weeks	2939	41.7	42.7	82.7
	3 1-3 times / week	1135	16.1	16.5	99.2
	4 4-7 times / week	54	.8	.8	100.0
	5 > 7 times / week	1	.0	.0	100.0
	Total	6889	97.7	100.0	
Missing	-1 No response	162	2.3		
Total		7051	100.0		

S File – Section G

s7066 G4q: Frequency mother eats custard, cream, Elmlea, Tip-Top, evaporated milk etc. on puddings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4370	62.0	63.3	63.3
	2 Once in 2 weeks	1834	26.0	26.6	89.9
	3 1-3 times / week	666	9.4	9.6	99.5
	4 4-7 times / week	30	.4	.4	100.0
	5 > 7 times / week	3	.0	.0	100.0
	Total	6903	97.9	100.0	
Missing	-1 No response	148	2.1		
Total		7051	100.0		

s7067 G4r: Frequency mother eats cakes or buns

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1341	19.0	19.4	19.4
	2 Once in 2 weeks	2636	37.4	38.2	57.6
	3 1-3 times / week	2483	35.2	36.0	93.6
	4 4-7 times / week	411	5.8	6.0	99.6
	5 > 7 times / week	31	.4	.4	100.0
	Total	6902	97.9	100.0	
Missing	-1 No response	149	2.1		
Total		7051	100.0		

s7068 G4s: Frequency mother eats crispbreads

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3792	53.8	55.1	55.1
	2 Once in 2 weeks	1480	21.0	21.5	76.6
	3 1-3 times / week	1178	16.7	17.1	93.7
	4 4-7 times / week	389	5.5	5.7	99.3
	5 > 7 times / week	45	.6	.7	100.0
	Total	6884	97.6	100.0	
Missing	-1 No response	167	2.4		
Total		7051	100.0		

s7069 G4t: Frequency mother eats ketchup/brown sauce etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2366	33.6	34.3	34.3
	2 Once in 2 weeks	1979	28.1	28.7	62.9
	3 1-3 times / week	2113	30.0	30.6	93.5
	4 4-7 times / week	398	5.6	5.8	99.3
	5 > 7 times / week	50	.7	.7	100.0
	Total	6906	97.9	100.0	
Missing	-1 No response	145	2.1		
Total		7051	100.0		

S File – Section G

s7070 G4u: Frequency mother eats mayonnaise, salad cream or dressing etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1109	15.7	16.1	16.1
	2 Once in 2 weeks	1797	25.5	26.0	42.1
	3 1-3 times / week	3091	43.8	44.8	86.9
	4 4-7 times / week	853	12.1	12.4	99.2
	5 > 7 times / week	53	.8	.8	100.0
	Total	6903	97.9	100.0	
Missing	-1 No response	148	2.1		
Total		7051	100.0		

S File – Section G

s7080 G5: Number of portions of green vegetables mother eats in a week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	92	1.3	1.4	1.4
1	162	2.3	2.4	3.8
2	489	6.9	7.2	11.0
3	849	12.0	12.5	23.5
4	890	12.6	13.1	36.7
5	873	12.4	12.9	49.6
6	519	7.4	7.7	57.2
7	806	11.4	11.9	69.1
8	309	4.4	4.6	73.7
9	134	1.9	2.0	75.7
10	640	9.1	9.5	85.1
11	9	.1	.1	85.3
12	156	2.2	2.3	87.6
13	4	.1	.1	87.6
14	222	3.1	3.3	90.9
15	127	1.8	1.9	92.8
16	27	.4	.4	93.2
17	9	.1	.1	93.3
18	36	.5	.5	93.9
19	4	.1	.1	93.9
20	149	2.1	2.2	96.1
21	92	1.3	1.4	97.5
23	3	.0	.0	97.5
24	6	.1	.1	97.6
25	40	.6	.6	98.2
26	1	.0	.0	98.2
27	1	.0	.0	98.2
28	14	.2	.2	98.4
29	1	.0	.0	98.4
30	43	.6	.6	99.1
32	3	.0	.0	99.1
35	30	.4	.4	99.6
38	1	.0	.0	99.6
40	19	.3	.3	99.9
45	1	.0	.0	99.9
50	2	.0	.0	99.9
60	3	.0	.0	100.0
97 Rarely / occasionally	1	.0	.0	100.0
98 Lots / most days	2	.0	.0	100.0
Total	6769	96.0	100.0	
Missing -9 Don't know	6	.1		
-1 No response	276	3.9		
Total	282	4.0		
Total	7051	100.0		

S File – Section G

s7081 G5a: Number of portions of dark green leafy vegetables mother eats in a week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	259	3.7	3.8	3.8
1	776	11.0	11.5	15.4
2	1393	19.8	20.7	36.1
3	1313	18.6	19.5	55.6
4	962	13.6	14.3	69.9
5	701	9.9	10.4	80.3
6	333	4.7	4.9	85.2
7	394	5.6	5.9	91.1
8	139	2.0	2.1	93.2
9	36	.5	.5	93.7
10	230	3.3	3.4	97.1
11	2	.0	.0	97.1
12	33	.5	.5	97.6
13	1	.0	.0	97.6
14	31	.4	.5	98.1
15	47	.7	.7	98.8
16	12	.2	.2	99.0
17	1	.0	.0	99.0
18	8	.1	.1	99.1
19	2	.0	.0	99.1
20	36	.5	.5	99.7
21	1	.0	.0	99.7
25	11	.2	.2	99.9
27	1	.0	.0	99.9
30	2	.0	.0	99.9
40	1	.0	.0	99.9
50	1	.0	.0	99.9
97 Rarely / occasionally	3	.0	.0	100.0
98 Lots / most days	2	.0	.0	100.0
Total	6731	95.5	100.0	
Missing -9 Don't know	6	.1		
-1 No response	314	4.5		
Total	320	4.5		
Total	7051	100.0		

S File – Section G

s7090 G6: Number of pieces of raw fruit mother eats in a week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	190	2.7	2.8	2.8
1	179	2.5	2.7	5.5
2	302	4.3	4.5	9.9
3	366	5.2	5.4	15.4
4	402	5.7	6.0	21.3
5	584	8.3	8.6	30.0
6	291	4.1	4.3	34.3
7	977	13.9	14.5	48.7
8	208	2.9	3.1	51.8
9	145	2.1	2.1	54.0
10	907	12.9	13.4	67.4
11	25	.4	.4	67.8
12	196	2.8	2.9	70.7
13	6	.1	.1	70.7
14	682	9.7	10.1	80.8
15	224	3.2	3.3	84.2
16	59	.8	.9	85.0
17	23	.3	.3	85.4
18	52	.7	.8	86.1
19	4	.1	.1	86.2
20	329	4.7	4.9	91.1
21	248	3.5	3.7	94.7
22	13	.2	.2	94.9
23	2	.0	.0	95.0
24	17	.2	.3	95.2
25	74	1.0	1.1	96.3
26	4	.1	.1	96.4
27	2	.0	.0	96.4
28	50	.7	.7	97.1
29	1	.0	.0	97.2
30	94	1.3	1.4	98.5
31	2	.0	.0	98.6
32	1	.0	.0	98.6
35	53	.8	.8	99.4
36	1	.0	.0	99.4
40	22	.3	.3	99.7
42	1	.0	.0	99.7
45	2	.0	.0	99.8
50	4	.1	.1	99.8
63	1	.0	.0	99.8
80	1	.0	.0	99.9
97 Rarely / occasionally	3	.0	.0	99.9
98 Lots / most days	7	.1	.1	100.0
Total	6754	95.8	100.0	
Missing -9 Don't know	3	.0		
-1 No response	294	4.2		
Total	297	4.2		
Total	7051	100.0		

S File – Section G

s7091 G6a: Number of pieces of citrus fruit mother eats in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1435	20.4	21.8	21.8
	1	1034	14.7	15.7	37.5
	2	1028	14.6	15.6	53.1
	3	705	10.0	10.7	63.8
	4	639	9.1	9.7	73.5
	5	646	9.2	9.8	83.3
	6	213	3.0	3.2	86.6
	7	440	6.2	6.7	93.2
	8	84	1.2	1.3	94.5
	9	31	.4	.5	95.0
	10	184	2.6	2.8	97.8
	11	3	.0	.0	97.8
	12	21	.3	.3	98.1
	13	1	.0	.0	98.2
	14	36	.5	.5	98.7
	15	32	.5	.5	99.2
	16	6	.1	.1	99.3
	17	1	.0	.0	99.3
	18	5	.1	.1	99.4
	19	1	.0	.0	99.4
	20	22	.3	.3	99.7
	21	2	.0	.0	99.8
	25	4	.1	.1	99.8
	30	2	.0	.0	99.8
	35	1	.0	.0	99.9
	97 Rarely / occasionally	6	.1	.1	100.0
	98 Lots / most days	3	.0	.0	100.0
	Total	6585	93.4	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	462	6.6		
	Total	466	6.6		
Total		7051	100.0		

S File – Section G

s7100 G7a: Mother eats breakfast cereal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5321	75.5	77.3	77.3
	2 No	1565	22.2	22.7	100.0
	Total	6886	97.7	100.0	
Missing	-1 No response	165	2.3		
Total		7051	100.0		

s7101 G7b: Frequency mother eats oat cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2118	30.0	43.7	43.7
	2 Once in 2 weeks	952	13.5	19.6	63.4
	3 1-3 times a week	989	14.0	20.4	83.8
	4 4-7 times a week	745	10.6	15.4	99.2
	5 >7 times a week	41	.6	.8	100.0
	Total	4845	68.7	100.0	
Missing	-1 No response	2206	31.3		
Total		7051	100.0		

s7102 G7c: Frequency mother eats wholegrain or bran cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1133	16.1	22.8	22.8
	2 Once in 2 weeks	793	11.2	16.0	38.8
	3 1-3 times a week	1456	20.6	29.3	68.1
	4 4-7 times a week	1462	20.7	29.5	97.6
	5 >7 times a week	120	1.7	2.4	100.0
	Total	4964	70.4	100.0	
Missing	-1 No response	2087	29.6		
Total		7051	100.0		

S File – Section G

s7103 G7d: Frequency mother eats sugar/honey coated cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3218	45.6	69.9	69.9
	2 Once in 2 weeks	628	8.9	13.6	83.6
	3 1-3 times a week	614	8.7	13.3	96.9
	4 4-7 times a week	135	1.9	2.9	99.8
	5 >7 times a week	8	.1	.2	100.0
	Total	4603	65.3	100.0	
Missing	-1 No response	2448	34.7		
Total		7051	100.0		

s7104 G7e: Frequency mother eats other cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1919	27.2	39.7	39.7
	2 Once in 2 weeks	911	12.9	18.9	58.6
	3 1-3 times a week	1352	19.2	28.0	86.5
	4 4-7 times a week	604	8.6	12.5	99.0
	5 >7 times a week	46	.7	1.0	100.0
	Total	4832	68.5	100.0	
Missing	-1 No response	2219	31.5		
Total		7051	100.0		

S File – Section G

s7110 G8a: Number of teaspoons of sugar mother has on cereal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	3741	53.1	69.5	69.5
	2 Half teaspoon	707	10.0	13.1	82.7
	3 1	670	9.5	12.5	95.1
	4 2	232	3.3	4.3	99.4
	5 >2	30	.4	.6	100.0
	Total	5380	76.3	100.0	
Missing	-1 No response	1671	23.7		
Total		7051	100.0		

s7111 G8b: Number of times per week mother has milk on cereal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	213	3.0	4.1	4.1
	1	219	3.1	4.2	8.4
	2	230	3.3	4.5	12.8
	3	566	8.0	11.0	23.8
	4	328	4.7	6.3	30.1
	5	532	7.5	10.3	40.4
	6	207	2.9	4.0	44.4
	7	2751	39.0	53.3	97.7
	8	16	.2	.3	98.0
	9	18	.3	.3	98.3
	10	24	.3	.5	98.8
	11	1	.0	.0	98.8
	12	3	.0	.1	98.9
	13	1	.0	.0	98.9
	14	10	.1	.2	99.1
	90 All	46	.7	.9	100.0
	97 Rarely / occasionally	1	.0	.0	100.0
	Total	5166	73.3	100.0	
Missing	-1 No response	1885	26.7		
Total		7051	100.0		

S File – Section G

s7120 G9a: Frequency mother eats crisps, corn snacks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2008	28.5	29.0	29.0
	2 Once in 2 weeks	1893	26.8	27.3	56.3
	3 1-3 times / week	2251	31.9	32.5	88.8
	4 4-7 times / week	725	10.3	10.5	99.3
	5 > 7 times / week	50	.7	.7	100.0
	Total	6927	98.2	100.0	
Missing	-1 No response	124	1.8		
Total		7051	100.0		

s7121 G9b: Frequency mother eats full-coated chocolate biscuits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2094	29.7	30.2	30.2
	2 Once in 2 weeks	1941	27.5	28.0	58.2
	3 1-3 times / week	2127	30.2	30.7	88.9
	4 4-7 times / week	702	10.0	10.1	99.0
	5 > 7 times / week	70	1.0	1.0	100.0
	Total	6934	98.3	100.0	
Missing	-1 No response	117	1.7		
Total		7051	100.0		

s7122 G9c: Frequency mother eats other biscuits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1850	26.2	26.7	26.7
	2 Once in 2 weeks	1841	26.1	26.6	53.3
	3 1-3 times / week	2347	33.3	33.9	87.3
	4 4-7 times / week	773	11.0	11.2	98.4
	5 > 7 times / week	109	1.5	1.6	100.0
	Total	6920	98.1	100.0	
Missing	-1 No response	131	1.9		
Total		7051	100.0		

S File – Section G

s7123 G9d: Frequency mother eats chocolate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1715	24.3	24.8	24.8
	2 Once in 2 weeks	2316	32.8	33.5	58.3
	3 1-3 times / week	2239	31.8	32.4	90.6
	4 4-7 times / week	558	7.9	8.1	98.7
	5 > 7 times / week	92	1.3	1.3	100.0
	Total	6920	98.1	100.0	
Missing	-1 No response	131	1.9		
Total		7051	100.0		

s7124 G9e: Frequency mother eats sweets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3400	48.2	49.2	49.2
	2 Once in 2 weeks	1942	27.5	28.1	77.4
	3 1-3 times / week	1258	17.8	18.2	95.6
	4 4-7 times / week	267	3.8	3.9	99.4
	5 > 7 times / week	39	.6	.6	100.0
	Total	6906	97.9	100.0	
Missing	-1 No response	145	2.1		
Total		7051	100.0		

S File – Section G

s7130 G10: Number of biscuits mother eats on days when mother eats biscuits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	443	6.3	6.8	6.8
	1	837	11.9	12.9	19.7
	2	2135	30.3	32.9	52.7
	3	1174	16.7	18.1	70.8
	4	1047	14.8	16.1	86.9
	5	305	4.3	4.7	91.6
	6	323	4.6	5.0	96.6
	7	26	.4	.4	97.0
	8	77	1.1	1.2	98.2
	9	3	.0	.0	98.3
	10	91	1.3	1.4	99.7
	12	5	.1	.1	99.7
	15	6	.1	.1	99.8
	19	1	.0	.0	99.8
	20	7	.1	.1	100.0
	35	1	.0	.0	100.0
	97 Very rarely	1	.0	.0	100.0
	98 A packet	1	.0	.0	100.0
	Total	6483	91.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	567	8.0		
	Total	568	8.1		
Total		7051	100.0		

s7140 G11: Number of sweets mother eats on days when mother eats sweets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1-2	1535	21.8	23.7	23.7
	2 3-5	1798	25.5	27.7	51.4
	3 6-10	1284	18.2	19.8	71.2
	4 11-20	328	4.7	5.1	76.2
	5 >20	64	.9	1.0	77.2
	7 Never has sweets	1480	21.0	22.8	100.0
	Total	6489	92.0	100.0	
Missing	-1 No response	562	8.0		
Total		7051	100.0		

S File – Section G

s7150 G12a: Size of chocolate bar usually eaten by mother on days mother eats chocolate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Individual chocolates/squares	2576	36.5	38.2	38.2
	2 Whole bars	3566	50.6	52.9	91.1
	3 Never has chocolate	599	8.5	8.9	100.0
	Total	6741	95.6	100.0	
Missing	-1 No response	310	4.4		
Total		7051	100.0		

s7151 G12b: Number of chocolate bars usually eaten by mother on days mother eats chocolate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Half or less	1538	21.8	26.0	26.0
	2 1	3849	54.6	65.1	91.1
	3 2	358	5.1	6.1	97.1
	4 >=3	170	2.4	2.9	100.0
	Total	5915	83.9	100.0	
Missing	-1 No response	1136	16.1		
Total		7051	100.0		

S File – Section G

s7160 G13a: Frequency mother drinks pure fruit juice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1723	24.4	24.9	24.9
	2 Once in 2 weeks	1227	17.4	17.7	42.6
	3 1-3 times a week	2111	29.9	30.5	73.1
	4 4-7 times a week	1441	20.4	20.8	93.9
	5 >7 times a week	422	6.0	6.1	100.0
	Total	6924	98.2	100.0	
Missing	-1 No response	127	1.8		
Total		7051	100.0		

s7161 G13b: Frequency mother drinks squash or fruit drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3120	44.2	45.1	45.1
	2 Once in 2 weeks	1000	14.2	14.5	59.6
	3 1-3 times a week	1454	20.6	21.0	80.6
	4 4-7 times a week	921	13.1	13.3	93.9
	5 >7 times a week	423	6.0	6.1	100.0
	Total	6918	98.1	100.0	
Missing	-1 No response	133	1.9		
Total		7051	100.0		

s7162 G13c: Frequency mother drinks cola drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3731	52.9	53.9	53.9
	2 Once in 2 weeks	1299	18.4	18.8	72.6
	3 1-3 times a week	1269	18.0	18.3	91.0
	4 4-7 times a week	458	6.5	6.6	97.6
	5 >7 times a week	167	2.4	2.4	100.0
	Total	6924	98.2	100.0	
Missing	-1 No response	127	1.8		
Total		7051	100.0		

s7163 G13d: Frequency mother drinks other fizzy drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3532	50.1	51.5	51.5
	2 Once in 2 weeks	1364	19.3	19.9	71.4
	3 1-3 times a week	1294	18.4	18.9	90.3
	4 4-7 times a week	490	6.9	7.1	97.5
	5 >7 times a week	174	2.5	2.5	100.0
	Total	6854	97.2	100.0	
Missing	-1 No response	197	2.8		
Total		7051	100.0		

S File – Section G

s7164 G13e: Frequency mother drinks bottled still water

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	3345	47.4	48.8	48.8
	2 Once in 2 weeks	1000	14.2	14.6	63.4
	3 1-3 times a week	1126	16.0	16.4	79.8
	4 4-7 times a week	751	10.7	11.0	90.7
	5 >7 times a week	636	9.0	9.3	100.0
	Total	6858	97.3	100.0	
Missing	-1 No response	193	2.7		
Total		7051	100.0		

s7165 G13f: Frequency mother drinks tap water

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1179	16.7	17.1	17.1
	2 Once in 2 weeks	409	5.8	5.9	23.0
	3 1-3 times a week	1185	16.8	17.2	40.1
	4 4-7 times a week	1506	21.4	21.8	61.9
	5 >7 times a week	2629	37.3	38.1	100.0
	Total	6908	98.0	100.0	
Missing	-1 No response	143	2.0		
Total		7051	100.0		

s7166 G13g: Frequency mother drinks milk on its own

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4764	67.6	68.9	68.9
	2 Once in 2 weeks	856	12.1	12.4	81.3
	3 1-3 times a week	816	11.6	11.8	93.1
	4 4-7 times a week	332	4.7	4.8	97.9
	5 >7 times a week	145	2.1	2.1	100.0
	Total	6913	98.0	100.0	
Missing	-1 No response	138	2.0		
Total		7051	100.0		

s7167 G13h: Frequency mother drinks flavoured milk drinks or yoghurt drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	4650	65.9	67.5	67.5
	2 Once in 2 weeks	1027	14.6	14.9	82.4
	3 1-3 times a week	755	10.7	11.0	93.4
	4 4-7 times a week	379	5.4	5.5	98.9
	5 >7 times a week	76	1.1	1.1	100.0
	Total	6887	97.7	100.0	
Missing	-1 No response	164	2.3		
Total		7051	100.0		

S File – Section G

s7170 G14: Frequency mother has low calorie, diet or reduced sugar drinks when drinking soft drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually	4090	58.0	59.2	59.2
	2 Sometimes	878	12.5	12.7	71.9
	3 Not at all	884	12.5	12.8	84.7
	4 Does not drink soft drinks	1055	15.0	15.3	100.0
	Total	6907	98.0	100.0	
Missing	-1 No response	144	2.0		
Total		7051	100.0		

s7180 G15: Frequency mother has decaffeinated cola when drinking cola

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually	611	8.7	8.9	8.9
	2 Sometimes	1326	18.8	19.4	28.3
	3 Not at all	2610	37.0	38.2	66.5
	4 Does not drink cola	2293	32.5	33.5	100.0
	Total	6840	97.0	100.0	
Missing	-1 No response	211	3.0		
Total		7051	100.0		

S File – Section G

s7190 G16a: Mother eats white bread most often

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	2786	39.5	45.4	45.4
	2 Yes, sometimes	2776	39.4	45.3	90.7
	3 No	570	8.1	9.3	100.0
	Total	6132	87.0	100.0	
Missing	-1 No response	919	13.0		
Total		7051	100.0		

s7191 G16b: Mother eats soft grain white bread most often

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	350	5.0	7.5	7.5
	2 Yes, sometimes	2020	28.6	43.1	50.6
	3 No	2316	32.8	49.4	100.0
	Total	4686	66.5	100.0	
Missing	-1 No response	2365	33.5		
Total		7051	100.0		

s7192 G16c: Mother eats brown/granary bread most often

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	1127	16.0	20.3	20.3
	2 Yes, sometimes	3368	47.8	60.8	81.1
	3 No	1045	14.8	18.9	100.0
	Total	5540	78.6	100.0	
Missing	-1 No response	1511	21.4		
Total		7051	100.0		

s7193 G16d: Mother eats wholemeal bread most often

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	1692	24.0	29.7	29.7
	2 Yes, sometimes	3082	43.7	54.0	83.7
	3 No	932	13.2	16.3	100.0
	Total	5706	80.9	100.0	
Missing	-1 No response	1345	19.1		
Total		7051	100.0		

s7194 G16e: Mother eats chapatis/pitta bread most often

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	188	2.7	3.8	3.8
	2 Yes, sometimes	2846	40.4	57.7	61.5
	3 No	1896	26.9	38.5	100.0
	Total	4930	69.9	100.0	
Missing	-1 No response	2121	30.1		
Total		7051	100.0		

S File – Section G

s7195 G16f: Mother eats naan bread most often

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	106	1.5	2.1	2.1
	2 Yes, sometimes	3189	45.2	62.9	65.0
	3 No	1776	25.2	35.0	100.0
	Total	5071	71.9	100.0	
Missing	-1 No response	1980	28.1		
Total		7051	100.0		

s7196 G16g: Mother eats other bread most often

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	103	1.5	5.0	5.0
	1 Yes, usually	281	4.0	13.5	18.5
	2 Yes, sometimes	352	5.0	16.9	35.4
	3 No	1341	19.0	64.6	100.0
	Total	2077	29.5	100.0	
Missing	-1 No response	4974	70.5		
Total		7051	100.0		

S File – Section G

s7200 G17a: Number of slices of bread, rolls or chapatis mother eats on a usual day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 < 1	1152	16.3	16.8	16.8
2 1-2	4088	58.0	59.6	76.4
3 3-4	1544	21.9	22.5	98.9
4 5 or more	78	1.1	1.1	100.0
Total	6862	97.3	100.0	
Missing -1 No response	189	2.7		
Total	7051	100.0		

s7201 G17b: Average number of slices of bread or rolls spread with butter or margarine mother eats per day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1060	15.0	15.9	15.9
1	909	12.9	13.6	29.5
2	3299	46.8	49.4	78.9
3	462	6.6	6.9	85.9
4	815	11.6	12.2	98.1
5	47	.7	.7	98.8
6	31	.4	.5	99.2
7	4	.1	.1	99.3
8	4	.1	.1	99.4
10	1	.0	.0	99.4
12	2	.0	.0	99.4
97 Occasional	36	.5	.5	99.9
99 Every slice	4	.1	.1	100.0
Total	6674	94.7	100.0	
Missing -1 No response	377	5.3		
Total	7051	100.0		

s7202 G17c: Average number of slices of bread or rolls spread with sweet things mother eats per day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	4945	70.1	76.8	76.8
1	883	12.5	13.7	90.6
2	524	7.4	8.1	98.7
3	22	.3	.3	99.1
4	17	.2	.3	99.3
5	2	.0	.0	99.3
6	7	.1	.1	99.5
7	1	.0	.0	99.5
97 Occasional	32	.5	.5	100.0
99 Every slice	2	.0	.0	100.0
Total	6435	91.3	100.0	
Missing -1 No response	616	8.7		
Total	7051	100.0		

S File – Section G

s7210 G18a1: Mother mainly uses butter, ghee, dripping, lard or solid cooking fat on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2149	30.5	36.1	36.1
2 No	3809	54.0	63.9	100.0
Total	5958	84.5	100.0	
Missing -1 No response	1093	15.5		
Total	7051	100.0		

s7211 G18b1: Mother mainly uses full-fat polyunsaturated margarine on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2141	30.4	37.6	37.6
2 No	3556	50.4	62.4	100.0
Total	5697	80.8	100.0	
Missing -1 No response	1354	19.2		
Total	7051	100.0		

s7212 G18c1: Mother mainly uses other full-fat margarine on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1210	17.2	21.5	21.5
2 No	4419	62.7	78.5	100.0
Total	5629	79.8	100.0	
Missing -1 No response	1422	20.2		
Total	7051	100.0		

s7213 G18d1: Mother mainly uses low-fat polyunsaturated margarine on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1800	25.5	32.0	32.0
2 No	3822	54.2	68.0	100.0
Total	5622	79.7	100.0	
Missing -1 No response	1429	20.3		
Total	7051	100.0		

s7214 G18e1: Mother mainly uses other low-fat spread, not polyunsaturated on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1024	14.5	18.9	18.9
2 No	4390	62.3	81.1	100.0
Total	5414	76.8	100.0	
Missing -1 No response	1637	23.2		
Total	7051	100.0		

S File – Section G

s7215 G18f1: Mother mainly uses sunflower oil, corn oil or soya oil on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	397	5.6	8.1	8.1
	2 No	4524	64.2	91.9	100.0
	Total	4921	69.8	100.0	
Missing	-1 No response	2130	30.2		
Total		7051	100.0		

s7216 G18g1: Mother mainly uses olive oil, hazelnut oil or rapeseed oil on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1150	16.3	22.5	22.5
	2 No	3965	56.2	77.5	100.0
	Total	5115	72.5	100.0	
Missing	-1 No response	1936	27.5		
Total		7051	100.0		

s7217 G18h1: Mother mainly uses other vegetable oil on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	244	3.5	5.2	5.2
	2 No	4482	63.6	94.8	100.0
	Total	4726	67.0	100.0	
Missing	-1 No response	2325	33.0		
Total		7051	100.0		

s7218 G18i1: Mother mainly uses other fat on bread or vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	421	6.0	12.7	12.7
	2 No	2905	41.2	87.3	100.0
	Total	3326	47.2	100.0	
Missing	-1 No response	3725	52.8		
Total		7051	100.0		

S File – Section G

s7230 G18a2: Mother mainly uses butter, ghee, dripping, lard or solid cooking fat for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	869	12.3	16.4	16.4
2 No	4432	62.9	83.6	100.0
Total	5301	75.2	100.0	
Missing -1 No response	1750	24.8		
Total	7051	100.0		

s7231 G18b2: Mother mainly uses full-fat polyunsaturated margarine for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	499	7.1	10.0	10.0
2 No	4485	63.6	90.0	100.0
Total	4984	70.7	100.0	
Missing -1 No response	2067	29.3		
Total	7051	100.0		

s7232 G18c2: Mother mainly uses other full-fat margarine for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	209	3.0	4.2	4.2
2 No	4750	67.4	95.8	100.0
Total	4959	70.3	100.0	
Missing -1 No response	2092	29.7		
Total	7051	100.0		

s7233 G18d2: Mother mainly uses low-fat polyunsaturated margarine for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	205	2.9	4.2	4.2
2 No	4652	66.0	95.8	100.0
Total	4857	68.9	100.0	
Missing -1 No response	2194	31.1		
Total	7051	100.0		

s7234 G18e2: Mother mainly uses other low-fat spread, not polyunsaturated for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	81	1.1	1.7	1.7
2 No	4636	65.7	98.3	100.0
Total	4717	66.9	100.0	
Missing -1 No response	2334	33.1		
Total	7051	100.0		

S File – Section G

s7235 G18f2: Mother mainly uses sunflower oil, corn oil or soya oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3379	47.9	60.4	60.4
	2 No	2211	31.4	39.6	100.0
	Total	5590	79.3	100.0	
Missing	-1 No response	1461	20.7		
Total		7051	100.0		

s7236 G18g2: Mother mainly uses olive oil, hazelnut oil or rapeseed oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3563	50.5	63.0	63.0
	2 No	2094	29.7	37.0	100.0
	Total	5657	80.2	100.0	
Missing	-1 No response	1394	19.8		
Total		7051	100.0		

s7237 G18h2: Mother mainly uses other vegetable oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1716	24.3	33.8	33.8
	2 No	3356	47.6	66.2	100.0
	Total	5072	71.9	100.0	
Missing	-1 No response	1979	28.1		
Total		7051	100.0		

s7238 G18i2: Mother mainly uses other fat for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	270	3.8	8.5	8.5
	2 No	2920	41.4	91.5	100.0
	Total	3190	45.2	100.0	
Missing	-1 No response	3861	54.8		
Total		7051	100.0		

S File – Section G

s7250 G19a: Mother drinks full fat milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	907	12.9	100.0	100.0
Missing -1 No response	6144	87.1		
Total	7051	100.0		

s7251 G19b: Mother drinks semi-skimmed milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4615	65.5	100.0	100.0
Missing -1 No response	2436	34.5		
Total	7051	100.0		

s7252 G19c: Mother drinks skimmed milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1296	18.4	100.0	100.0
Missing -1 No response	5755	81.6		
Total	7051	100.0		

s7253 G19d: Mother drinks goat/sheep milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	31	.4	100.0	100.0
Missing -1 No response	7020	99.6		
Total	7051	100.0		

s7254 G19e: Mother drinks soya milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	219	3.1	100.0	100.0
Missing -1 No response	6832	96.9		
Total	7051	100.0		

s7255 G19f: Mother drinks other milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	122	1.7	100.0	100.0
Missing -1 No response	6929	98.3		
Total	7051	100.0		

S File – Section G

s7260 G20a: Mother drinks tea

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5661	80.3	81.9	81.9
2 No	1255	17.8	18.1	100.0
Total	6916	98.1	100.0	
Missing -1 No response	135	1.9		
Total	7051	100.0		

s7261 G20b: Number of cups of tea mother drinks per day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	37	.5	.7	.7
1	740	10.5	13.1	13.8
2	1151	16.3	20.4	34.2
3	1122	15.9	19.9	54.0
4	1040	14.7	18.4	72.5
5	579	8.2	10.3	82.7
6	477	6.8	8.5	91.2
7	125	1.8	2.2	93.4
8	155	2.2	2.7	96.1
9	11	.2	.2	96.3
10	119	1.7	2.1	98.4
11	1	.0	.0	98.5
12	17	.2	.3	98.8
14	2	.0	.0	98.8
15	11	.2	.2	99.0
16	2	.0	.0	99.0
20	6	.1	.1	99.1
21	1	.0	.0	99.1
24	1	.0	.0	99.2
25	1	.0	.0	99.2
30	4	.1	.1	99.3
97 Occasional	42	.6	.7	100.0
Total	5644	80.0	100.0	
Missing -1 No response	1407	20.0		
Total	7051	100.0		

s7262 G20c: Number of spoons of sugar mother has in each cup of tea

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	4493	63.7	82.3	82.3
1	692	9.8	12.7	95.0
2	249	3.5	4.6	99.5
3	23	.3	.4	99.9
4	1	.0	.0	100.0
5	2	.0	.0	100.0
Total	5460	77.4	100.0	
Missing -1 No response	1591	22.6		
Total	7051	100.0		

S File – Section G

s7263 G20d: Number of cups of decaffeinated tea mother drinks per day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	4793	68.0	89.4	89.4
1	139	2.0	2.6	91.9
2	131	1.9	2.4	94.4
3	106	1.5	2.0	96.4
4	98	1.4	1.8	98.2
5	38	.5	.7	98.9
6	37	.5	.7	99.6
7	4	.1	.1	99.7
8	6	.1	.1	99.8
9	3	.0	.1	99.8
10	5	.1	.1	99.9
13	1	.0	.0	99.9
97 Occasional	3	.0	.1	100.0
Total	5364	76.1	100.0	
Missing -9 Don't know	1	.0		
-1 No response	1686	23.9		
Total	1687	23.9		
Total	7051	100.0		

s7264 G20e: Mother takes milk in tea

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes, usually	5204	73.8	92.2	92.2
2 Yes, sometimes	120	1.7	2.1	94.3
3 No	323	4.6	5.7	100.0
Total	5647	80.1	100.0	
Missing -1 No response	1404	19.9		
Total	7051	100.0		

S File – Section G

s7270 G21a: Mother drinks coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5177	73.4	75.0	75.0
	2 No	1728	24.5	25.0	100.0
	Total	6905	97.9	100.0	
Missing	-1 No response	146	2.1		
Total		7051	100.0		

s7271 G21b: Number of cups of coffee mother drinks per day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	72	1.0	1.4	1.4
	1	1486	21.1	28.8	30.2
	2	1242	17.6	24.1	54.3
	3	809	11.5	15.7	69.9
	4	634	9.0	12.3	82.2
	5	333	4.7	6.5	88.7
	6	247	3.5	4.8	93.5
	7	64	.9	1.2	94.7
	8	69	1.0	1.3	96.0
	9	4	.1	.1	96.1
	10	60	.9	1.2	97.3
	12	10	.1	.2	97.5
	14	1	.0	.0	97.5
	15	6	.1	.1	97.6
	20	3	.0	.1	97.7
	97 Occasional	119	1.7	2.3	100.0
	98 Lots	1	.0	.0	100.0
	Total	5160	73.2	100.0	
Missing	-1 No response	1891	26.8		
Total		7051	100.0		

s7272 G21c: Number of spoons of sugar mother has in each cup of coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3918	55.6	76.7	76.7
	1	898	12.7	17.6	94.3
	2	273	3.9	5.3	99.6
	3	16	.2	.3	99.9
	4	1	.0	.0	99.9
	6	2	.0	.0	100.0
	12	1	.0	.0	100.0
	Total	5109	72.5	100.0	
Missing	-1 No response	1942	27.5		
Total		7051	100.0		

S File – Section G

s7273 G21d: Number of cups of decaffeinated coffee mother drinks per day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	3615	51.3	71.4	71.4
1	603	8.6	11.9	83.3
2	370	5.2	7.3	90.6
3	173	2.5	3.4	94.0
4	145	2.1	2.9	96.9
5	56	.8	1.1	98.0
6	34	.5	.7	98.7
7	18	.3	.4	99.0
8	13	.2	.3	99.3
9	1	.0	.0	99.3
10	8	.1	.2	99.5
12	3	.0	.1	99.5
20	1	.0	.0	99.5
90 All	5	.1	.1	99.6
97 Occasional	18	.3	.4	100.0
Total	5063	71.8	100.0	
Missing -1 No response	1988	28.2		
Total	7051	100.0		

s7274 G21e: Number of cups of real coffee mother drinks per day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	3712	52.6	74.1	74.1
1	790	11.2	15.8	89.9
2	294	4.2	5.9	95.8
3	79	1.1	1.6	97.3
4	46	.7	.9	98.3
5	19	.3	.4	98.6
6	12	.2	.2	98.9
7	2	.0	.0	98.9
8	2	.0	.0	99.0
10	2	.0	.0	99.0
15	1	.0	.0	99.0
90 All	6	.1	.1	99.1
97 Occasional	43	.6	.9	100.0
Total	5008	71.0	100.0	
Missing -1 No response	2043	29.0		
Total	7051	100.0		

S File – Section G

s7275 G21f: Number of cups of decaffeinated real coffee mother drinks per day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4389	62.2	93.4	93.4
	1	170	2.4	3.6	97.0
	2	62	.9	1.3	98.3
	3	26	.4	.6	98.9
	4	23	.3	.5	99.3
	5	8	.1	.2	99.5
	6	6	.1	.1	99.6
	7	1	.0	.0	99.7
	8	3	.0	.1	99.7
	10	2	.0	.0	99.8
	12	2	.0	.0	99.8
	90 All	2	.0	.0	99.9
	97 Occasional	7	.1	.1	100.0
	Total	4701	66.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	2349	33.3		
	Total	2350	33.3		
Total		7051	100.0		

s7276 G21g: Mother takes milk in coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	4217	59.8	81.4	81.4
	2 Yes, sometimes	226	3.2	4.4	85.8
	3 No	738	10.5	14.2	100.0
	Total	5181	73.5	100.0	
Missing	-1 No response	1870	26.5		
Total		7051	100.0		

S File – Section G

s7280 G22a1: Number of half pints of beer, lager or cider mother drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3202	45.4	88.6	88.6
	1	232	3.3	6.4	95.0
	2	111	1.6	3.1	98.1
	3	22	.3	.6	98.7
	4	25	.4	.7	99.4
	5	4	.1	.1	99.5
	6	11	.2	.3	99.8
	7	1	.0	.0	99.9
	8	4	.1	.1	100.0
	10	1	.0	.0	100.0
	Total	3613	51.2	100.0	
Missing	-9 Don't know	6	.1		
	-1 No response	3432	48.7		
	Total	3438	48.8		
Total		7051	100.0		

s7281 G22a1: Number of half pints of beer, lager or cider mother drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3204	45.4	89.0	89.0
	1	216	3.1	6.0	95.0
	2	113	1.6	3.1	98.1
	3	25	.4	.7	98.8
	4	24	.3	.7	99.5
	5	2	.0	.1	99.6
	6	8	.1	.2	99.8
	8	7	.1	.2	100.0
	10	1	.0	.0	100.0
	Total	3600	51.1	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	3446	48.9		
	Total	3451	48.9		
Total		7051	100.0		

S File – Section G

s7282 G22a1: Number of half pints of beer, lager or cider mother drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3175	45.0	87.6	87.6
	1	257	3.6	7.1	94.7
	2	124	1.8	3.4	98.2
	3	21	.3	.6	98.7
	4	29	.4	.8	99.5
	5	5	.1	.1	99.7
	6	10	.1	.3	99.9
	8	2	.0	.1	100.0
	Total	3623	51.4	100.0	
Missing	-9 Don't know	7	.1		
	-1 No response	3421	48.5		
	Total	3428	48.6		
Total		7051	100.0		

s7283 G22a1: Number of half pints of beer, lager or cider mother drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3150	44.7	87.2	87.2
	1	232	3.3	6.4	93.6
	2	147	2.1	4.1	97.7
	3	36	.5	1.0	98.7
	4	22	.3	.6	99.3
	5	8	.1	.2	99.5
	6	13	.2	.4	99.9
	7	1	.0	.0	99.9
	8	3	.0	.1	100.0
	Total	3612	51.2	100.0	
Missing	-9 Don't know	7	.1		
	-1 No response	3432	48.7		
	Total	3439	48.8		
Total		7051	100.0		

S File – Section G

s7284 G22a1: Number of half pints of beer, lager or cider mother drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3014	42.7	79.4	79.4
	1	296	4.2	7.8	87.2
	2	235	3.3	6.2	93.3
	3	75	1.1	2.0	95.3
	4	89	1.3	2.3	97.7
	5	17	.2	.4	98.1
	6	39	.6	1.0	99.1
	7	3	.0	.1	99.2
	8	17	.2	.4	99.7
	9	2	.0	.1	99.7
	10	9	.1	.2	99.9
	12	2	.0	.1	100.0
	Total	3798	53.9	100.0	
Missing	-9 Don't know	13	.2		
	-1 No response	3240	46.0		
	Total	3253	46.1		
Total		7051	100.0		

s7285 G22a1: Number of half pints of beer, lager or cider mother drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2956	41.9	75.1	75.1
	1	399	5.7	10.1	85.2
	2	292	4.1	7.4	92.6
	3	75	1.1	1.9	94.5
	4	106	1.5	2.7	97.2
	5	27	.4	.7	97.9
	6	51	.7	1.3	99.2
	7	4	.1	.1	99.3
	8	15	.2	.4	99.7
	9	1	.0	.0	99.7
	10	9	.1	.2	99.9
	12	3	.0	.1	100.0
	Total	3938	55.9	100.0	
Missing	-9 Don't know	14	.2		
	-1 No response	3099	44.0		
	Total	3113	44.1		
Total		7051	100.0		

S File – Section G

s7286 G22a1: Number of half pints of beer, lager or cider mother drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3082	43.7	84.0	84.0
	1	283	4.0	7.7	91.7
	2	163	2.3	4.4	96.1
	3	48	.7	1.3	97.4
	4	52	.7	1.4	98.9
	5	10	.1	.3	99.1
	6	18	.3	.5	99.6
	7	1	.0	.0	99.6
	8	10	.1	.3	99.9
	9	1	.0	.0	99.9
	10	1	.0	.0	100.0
	15	1	.0	.0	100.0
	Total	3670	52.0	100.0	
Missing	-9 Don't know	12	.2		
	-1 No response	3369	47.8		
	Total	3381	48.0		
Total		7051	100.0		

S File – Section G

s7290 G22a2: Number of glasses of wine mother drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2920	41.4	70.3	70.3
	1	578	8.2	13.9	84.2
	2	447	6.3	10.8	95.0
	3	143	2.0	3.4	98.4
	4	37	.5	.9	99.3
	5	9	.1	.2	99.5
	6	14	.2	.3	99.9
	8	2	.0	.0	99.9
	10	2	.0	.0	100.0
	97 Sometimes/occasionally/<1	2	.0	.0	100.0
	Total	4154	58.9	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	2893	41.0		
	Total	2897	41.1		
Total		7051	100.0		

s7291 G22a2: Number of glasses of wine mother drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2895	41.1	69.3	69.3
	1	541	7.7	13.0	82.3
	2	506	7.2	12.1	94.4
	3	159	2.3	3.8	98.2
	4	48	.7	1.1	99.3
	5	12	.2	.3	99.6
	6	11	.2	.3	99.9
	8	1	.0	.0	99.9
	9	2	.0	.0	100.0
	97 Sometimes/occasionally/<1	2	.0	.0	100.0
	Total	4177	59.2	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	2870	40.7		
	Total	2874	40.8		
Total		7051	100.0		

S File – Section G

s7292 G22a2: Number of glasses of wine mother drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2826	40.1	66.8	66.8
	1	597	8.5	14.1	80.9
	2	533	7.6	12.6	93.5
	3	180	2.6	4.3	97.7
	4	60	.9	1.4	99.1
	5	15	.2	.4	99.5
	6	15	.2	.4	99.8
	7	2	.0	.0	99.9
	8	1	.0	.0	99.9
	9	1	.0	.0	99.9
	97 Sometimes/occasionally/<1	3	.0	.1	100.0
	Total	4233	60.0	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	2814	39.9		
	Total	2818	40.0		
Total		7051	100.0		

s7293 G22a2: Number of glasses of wine mother drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2795	39.6	66.4	66.4
	1	555	7.9	13.2	79.6
	2	567	8.0	13.5	93.0
	3	186	2.6	4.4	97.4
	4	72	1.0	1.7	99.1
	5	19	.3	.5	99.6
	6	14	.2	.3	99.9
	8	1	.0	.0	100.0
	97 Sometimes/occasionally/<1	2	.0	.0	100.0
	Total	4211	59.7	100.0	
Missing	-9 Don't know	7	.1		
	-1 No response	2833	40.2		
	Total	2840	40.3		
Total		7051	100.0		

S File – Section G

s7294 G22a2: Number of glasses of wine mother drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2404	34.1	51.7	51.7
	1	646	9.2	13.9	65.6
	2	899	12.7	19.3	85.0
	3	420	6.0	9.0	94.0
	4	184	2.6	4.0	98.0
	5	40	.6	.9	98.9
	6	38	.5	.8	99.7
	7	2	.0	.0	99.7
	8	5	.1	.1	99.8
	9	1	.0	.0	99.8
	10	2	.0	.0	99.9
	11	1	.0	.0	99.9
	12	2	.0	.0	100.0
	97 Sometimes/occasionally/<1	2	.0	.0	100.0
	Total	4646	65.9	100.0	
Missing	-9 Don't know	8	.1		
	-1 No response	2397	34.0		
	Total	2405	34.1		
Total		7051	100.0		

s7295 G22a2: Number of glasses of wine mother drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2215	31.4	44.6	44.6
	1	685	9.7	13.8	58.3
	2	1084	15.4	21.8	80.1
	3	501	7.1	10.1	90.2
	4	323	4.6	6.5	96.7
	5	73	1.0	1.5	98.2
	6	76	1.1	1.5	99.7
	7	3	.0	.1	99.8
	8	6	.1	.1	99.9
	10	1	.0	.0	99.9
	12	1	.0	.0	99.9
	17	1	.0	.0	100.0
	97 Sometimes/occasionally/<1	2	.0	.0	100.0
	Total	4971	70.5	100.0	
Missing	-9 Don't know	14	.2		
	-1 No response	2066	29.3		
	Total	2080	29.5		
Total		7051	100.0		

S File – Section G

s7296 G22a2: Number of glasses of wine mother drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2468	35.0	53.4	53.4
	1	776	11.0	16.8	70.2
	2	867	12.3	18.8	88.9
	3	299	4.2	6.5	95.4
	4	138	2.0	3.0	98.4
	5	34	.5	.7	99.1
	6	34	.5	.7	99.8
	7	1	.0	.0	99.9
	8	2	.0	.0	99.9
	11	1	.0	.0	99.9
	12	1	.0	.0	100.0
	97 Sometimes/occasionally/<1	2	.0	.0	100.0
	Total	4623	65.6	100.0	
Missing	-9 Don't know	10	.1		
	-1 No response	2418	34.3		
	Total	2428	34.4		
Total		7051	100.0		

S File – Section G

s7300 G22a3: Number of measures of sprits mother drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3214	45.6	94.3	94.3
	1	107	1.5	3.1	97.5
	2	60	.9	1.8	99.2
	3	10	.1	.3	99.5
	4	10	.1	.3	99.8
	5	1	.0	.0	99.9
	6	2	.0	.1	99.9
	7	1	.0	.0	99.9
	8	2	.0	.1	100.0
	Total	3407	48.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3643	51.7		
	Total	3644	51.7		
Total		7051	100.0		

s7301 G22a3: Number of measures of sprits mother drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3179	45.1	93.3	93.3
	1	133	1.9	3.9	97.2
	2	62	.9	1.8	99.0
	3	14	.2	.4	99.4
	4	9	.1	.3	99.7
	5	4	.1	.1	99.8
	6	2	.0	.1	99.9
	7	1	.0	.0	99.9
	8	2	.0	.1	100.0
	14	1	.0	.0	100.0
	Total	3407	48.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3643	51.7		
	Total	3644	51.7		
Total		7051	100.0		

s7302 G22a3: Number of measures of sprits mother drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3180	45.1	93.3	93.3
	1	132	1.9	3.9	97.1
	2	67	1.0	2.0	99.1
	3	11	.2	.3	99.4
	4	10	.1	.3	99.7
	5	1	.0	.0	99.7
	6	6	.1	.2	99.9
	8	3	.0	.1	100.0
	Total	3410	48.4	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3639	51.6		
	Total	3641	51.6		
Total		7051	100.0		

S File – Section G

s7303 G22a3: Number of measures of sprints mother drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3163	44.9	92.6	92.6
	1	127	1.8	3.7	96.3
	2	84	1.2	2.5	98.7
	3	16	.2	.5	99.2
	4	14	.2	.4	99.6
	5	3	.0	.1	99.7
	6	6	.1	.2	99.9
	8	1	.0	.0	99.9
	9	1	.0	.0	99.9
	10	2	.0	.1	100.0
	Total	3417	48.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3633	51.5		
	Total	3634	51.5		
Total		7051	100.0		

s7304 G22a3: Number of measures of sprints mother drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3046	43.2	86.1	86.1
	1	188	2.7	5.3	91.4
	2	154	2.2	4.4	95.8
	3	52	.7	1.5	97.2
	4	36	.5	1.0	98.2
	5	19	.3	.5	98.8
	6	20	.3	.6	99.3
	7	4	.1	.1	99.5
	8	9	.1	.3	99.7
	9	1	.0	.0	99.7
	10	5	.1	.1	99.9
	11	2	.0	.1	99.9
	12	1	.0	.0	100.0
	16	1	.0	.0	100.0
	Total	3538	50.2	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3511	49.8		
	Total	3513	49.8		
Total		7051	100.0		

S File – Section G

s7305 G22a3: Number of measures of sprints mother drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2998	42.5	83.2	83.2
	1	231	3.3	6.4	89.6
	2	171	2.4	4.7	94.3
	3	50	.7	1.4	95.7
	4	72	1.0	2.0	97.7
	5	27	.4	.7	98.4
	6	30	.4	.8	99.3
	7	7	.1	.2	99.5
	8	7	.1	.2	99.7
	10	7	.1	.2	99.9
	11	1	.0	.0	99.9
	12	3	.0	.1	100.0
	14	1	.0	.0	100.0
	Total	3605	51.1	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	3443	48.8		
	Total	3446	48.9		
Total		7051	100.0		

s7306 G22a3: Number of measures of sprints mother drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3114	44.2	91.1	91.1
	1	147	2.1	4.3	95.4
	2	101	1.4	3.0	98.4
	3	21	.3	.6	99.0
	4	18	.3	.5	99.5
	5	5	.1	.1	99.7
	6	7	.1	.2	99.9
	8	2	.0	.1	99.9
	10	1	.0	.0	100.0
	11	1	.0	.0	100.0
	Total	3417	48.5	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3632	51.5		
	Total	3634	51.5		
Total		7051	100.0		

S File – Section G

s7310 G22a4: Number of measures of martini, sherry, port or other fortified wine mother drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3248	46.1	97.6	97.6
	1	63	.9	1.9	99.5
	2	12	.2	.4	99.9
	3	2	.0	.1	99.9
	4	1	.0	.0	100.0
	6	1	.0	.0	100.0
	Total	3327	47.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3723	52.8		
	Total	3724	52.8		
Total		7051	100.0		

s7311 G22a4: Number of measures of martini, sherry, port or other fortified wine mother drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3236	45.9	97.6	97.6
	1	59	.8	1.8	99.4
	2	14	.2	.4	99.8
	3	1	.0	.0	99.9
	4	2	.0	.1	99.9
	6	2	.0	.1	100.0
	Total	3314	47.0	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	3734	53.0		
	Total	3737	53.0		
Total		7051	100.0		

s7312 G22a4: Number of measures of martini, sherry, port or other fortified wine mother drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3237	45.9	97.6	97.6
	1	66	.9	2.0	99.5
	2	11	.2	.3	99.9
	3	1	.0	.0	99.9
	4	1	.0	.0	99.9
	6	2	.0	.1	100.0
	Total	3318	47.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3731	52.9		
	Total	3733	52.9		
Total		7051	100.0		

S File – Section G

s7313 G22a4: Number of measures of martini, sherry, port or other fortified wine mother drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3231	45.8	97.7	97.7
	1	56	.8	1.7	99.4
	2	14	.2	.4	99.8
	3	1	.0	.0	99.8
	4	2	.0	.1	99.9
	6	1	.0	.0	99.9
	7	1	.0	.0	100.0
	8	1	.0	.0	100.0
	Total	3307	46.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3742	53.1		
	Total	3744	53.1		
Total		7051	100.0		

s7314 G22a4: Number of measures of martini, sherry, port or other fortified wine mother drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3217	45.6	97.1	97.1
	1	62	.9	1.9	99.0
	2	23	.3	.7	99.7
	3	3	.0	.1	99.8
	4	5	.1	.2	99.9
	6	1	.0	.0	100.0
	8	1	.0	.0	100.0
	Total	3312	47.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3737	53.0		
	Total	3739	53.0		
Total		7051	100.0		

S File – Section G

s7315 G22a4: Number of measures of martini, sherry, port or other fortified wine mother drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3188	45.2	95.4	95.4
	1	94	1.3	2.8	98.2
	2	39	.6	1.2	99.4
	3	10	.1	.3	99.7
	4	5	.1	.1	99.8
	5	2	.0	.1	99.9
	6	2	.0	.1	99.9
	10	1	.0	.0	100.0
	14	1	.0	.0	100.0
	Total	3342	47.4	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	3706	52.6		
	Total	3709	52.6		
Total		7051	100.0		

s7316 G22a4: Number of measures of martini, sherry, port or other fortified wine mother drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3176	45.0	95.4	95.4
	1	116	1.6	3.5	98.9
	2	30	.4	.9	99.8
	3	3	.0	.1	99.9
	4	2	.0	.1	99.9
	8	1	.0	.0	100.0
	10	1	.0	.0	100.0
	Total	3329	47.2	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3720	52.8		
	Total	3722	52.8		
Total		7051	100.0		

S File – Section G

s7320 G22a5: Number of bottles of ready-mixed drinks mother drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3255	46.2	98.2	98.2
	1	43	.6	1.3	99.5
	2	13	.2	.4	99.8
	3	2	.0	.1	99.9
	4	1	.0	.0	99.9
	5	1	.0	.0	100.0
	10	1	.0	.0	100.0
	Total	3316	47.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3733	52.9		
	Total	3735	53.0		
Total		7051	100.0		

s7321 G22a5: Number of bottles of ready-mixed drinks mother drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3241	46.0	97.7	97.7
	1	54	.8	1.6	99.4
	2	13	.2	.4	99.8
	3	4	.1	.1	99.9
	4	1	.0	.0	99.9
	6	1	.0	.0	99.9
	97 Sometimes/occasionally/<1	2	.0	.1	100.0
	Total	3316	47.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3733	52.9		
	Total	3735	53.0		
Total		7051	100.0		

s7322 G22a5: Number of bottles of ready-mixed drinks mother drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3247	46.1	98.0	98.0
	1	46	.7	1.4	99.4
	2	11	.2	.3	99.7
	3	4	.1	.1	99.8
	4	4	.1	.1	100.0
	5	1	.0	.0	100.0
	Total	3313	47.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3737	53.0		
	Total	3738	53.0		
Total		7051	100.0		

S File – Section G

s7323 G22a5: Number of bottles of ready-mixed drinks mother drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3240	46.0	98.1	98.1
	1	43	.6	1.3	99.4
	2	13	.2	.4	99.8
	3	3	.0	.1	99.8
	4	2	.0	.1	99.9
	6	1	.0	.0	99.9
	8	1	.0	.0	100.0
	97 Sometimes/occasionally/<1	1	.0	.0	100.0
	Total	3304	46.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3746	53.1		
	Total	3747	53.1		
Total		7051	100.0		

s7324 G22a5: Number of bottles of ready-mixed drinks mother drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3178	45.1	94.7	94.7
	1	93	1.3	2.8	97.4
	2	36	.5	1.1	98.5
	3	17	.2	.5	99.0
	4	12	.2	.4	99.4
	5	10	.1	.3	99.7
	6	6	.1	.2	99.9
	7	2	.0	.1	99.9
	10	1	.0	.0	99.9
	97 Sometimes/occasionally/<1	2	.0	.1	100.0
	Total	3357	47.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3692	52.4		
	Total	3694	52.4		
Total		7051	100.0		

S File – Section G

s7325 G22a5: Number of bottles of ready-mixed drinks mother drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3143	44.6	92.2	92.2
	1	120	1.7	3.5	95.7
	2	83	1.2	2.4	98.2
	3	24	.3	.7	98.9
	4	25	.4	.7	99.6
	5	7	.1	.2	99.8
	6	6	.1	.2	100.0
	7	1	.0	.0	100.0
	Total	3409	48.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3641	51.6		
	Total	3642	51.7		
Total		7051	100.0		

s7326 G22a5: Number of bottles of ready-mixed drinks mother drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3203	45.4	96.6	96.6
	1	73	1.0	2.2	98.8
	2	23	.3	.7	99.5
	3	13	.2	.4	99.9
	4	4	.1	.1	100.0
	Total	3316	47.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3734	53.0		
	Total	3735	53.0		
Total		7051	100.0		

S File – Section G

s7330 G22a6: Number of glasses or measures of other alcoholic drinks mother drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3234	45.9	99.3	99.3
	1	14	.2	.4	99.7
	2	9	.1	.3	100.0
	3	1	.0	.0	100.0
	Total	3258	46.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3792	53.8		
	Total	3793	53.8		
Total		7051	100.0		

s7331 G22a6: Number of glasses or measures of other alcoholic drinks mother drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3224	45.7	99.3	99.3
	1	10	.1	.3	99.6
	2	10	.1	.3	99.9
	3	2	.0	.1	100.0
	Total	3246	46.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3804	53.9		
	Total	3805	54.0		
Total		7051	100.0		

s7332 G22a6: Number of glasses or measures of other alcoholic drinks mother drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3224	45.7	99.3	99.3
	1	15	.2	.5	99.8
	2	7	.1	.2	100.0
	Total	3246	46.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3804	53.9		
	Total	3805	54.0		
Total		7051	100.0		

s7333 G22a6: Number of glasses or measures of other alcoholic drinks mother drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3213	45.6	99.1	99.1
	1	23	.3	.7	99.8
	2	5	.1	.2	100.0
	3	1	.0	.0	100.0
	Total	3242	46.0	100.0	
Missing	-1 No response	3809	54.0		
Total		7051	100.0		

S File – Section G

s7334 G22a6: Number of glasses or measures of other alcoholic drinks mother drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3204	45.4	98.4	98.4
	1	29	.4	.9	99.3
	2	15	.2	.5	99.8
	3	4	.1	.1	99.9
	4	2	.0	.1	99.9
	5	1	.0	.0	100.0
	8	1	.0	.0	100.0
	Total	3256	46.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3794	53.8		
	Total	3795	53.8		
Total		7051	100.0		

s7335 G22a6: Number of glasses or measures of other alcoholic drinks mother drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3196	45.3	97.8	97.8
	1	36	.5	1.1	98.9
	2	20	.3	.6	99.5
	3	6	.1	.2	99.7
	4	5	.1	.2	99.8
	5	3	.0	.1	99.9
	6	1	.0	.0	99.9
	9	1	.0	.0	100.0
	10	1	.0	.0	100.0
	Total	3269	46.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3781	53.6		
	Total	3782	53.6		
Total		7051	100.0		

s7336 G22a6: Number of glasses or measures of other alcoholic drinks mother drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3198	45.4	98.6	98.6
	1	30	.4	.9	99.5
	2	14	.2	.4	99.9
	3	1	.0	.0	99.9
	4	1	.0	.0	100.0
	6	1	.0	.0	100.0
	Total	3245	46.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3804	53.9		
	Total	3806	54.0		
Total		7051	100.0		

S File – Section G

s7340 G22a7: Number of glasses or half pints of low alcohol drinks mother drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3243	46.0	99.7	99.7
	1	3	.0	.1	99.8
	2	5	.1	.2	99.9
	3	1	.0	.0	100.0
	97 Sometimes/occasionally/<1	1	.0	.0	100.0
	Total	3253	46.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3796	53.8		
	Total	3798	53.9		
Total		7051	100.0		

s7341 G22a7: Number of glasses or half pints of low alcohol drinks mother drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3228	45.8	99.7	99.7
	1	1	.0	.0	99.7
	2	7	.1	.2	99.9
	3	1	.0	.0	100.0
	97 Sometimes/occasionally/<1	1	.0	.0	100.0
	Total	3238	45.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3811	54.0		
	Total	3813	54.1		
Total		7051	100.0		

s7342 G22a7: Number of glasses or half pints of low alcohol drinks mother drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3224	45.7	99.4	99.4
	1	8	.1	.2	99.7
	2	6	.1	.2	99.9
	3	1	.0	.0	99.9
	4	1	.0	.0	99.9
	97 Sometimes/occasionally/<1	2	.0	.1	100.0
	Total	3242	46.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3807	54.0		
	Total	3809	54.0		
Total		7051	100.0		

S File – Section G

s7343 G22a7: Number of glasses or half pints of low alcohol drinks mother drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3222	45.7	99.6	99.6
	1	4	.1	.1	99.8
	2	4	.1	.1	99.9
	3	1	.0	.0	99.9
	4	1	.0	.0	99.9
	97 Sometimes/occasionally/<1	2	.0	.1	100.0
	Total	3234	45.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3816	54.1		
	Total	3817	54.1		
Total		7051	100.0		

s7344 G22a7: Number of glasses or half pints of low alcohol drinks mother drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3218	45.6	99.7	99.7
	1	1	.0	.0	99.7
	2	8	.1	.2	99.9
	3	1	.0	.0	100.0
	97 Sometimes/occasionally/<1	1	.0	.0	100.0
	Total	3229	45.8	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3820	54.2		
	Total	3822	54.2		
Total		7051	100.0		

S File – Section G

s7345 G22a7: Number of glasses or half pints of low alcohol drinks mother drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3213	45.6	99.6	99.6
	1	7	.1	.2	99.8
	2	5	.1	.2	99.9
	3	1	.0	.0	100.0
	97 Sometimes/occasionally/<1	1	.0	.0	100.0
	Total	3227	45.8	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	3821	54.2		
	Total	3824	54.2		
Total		7051	100.0		

s7346 G22a7: Number of glasses or half pints of low alcohol drinks mother drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3206	45.5	99.7	99.7
	1	7	.1	.2	99.9
	2	2	.0	.1	99.9
	3	1	.0	.0	100.0
	97 Sometimes/occasionally/<1	1	.0	.0	100.0
	Total	3217	45.6	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	3831	54.3		
	Total	3834	54.4		
Total		7051	100.0		

S File – Section G

s7350 G22b: Last week was fairly typical of mother's alcohol drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	1282	18.2	19.8	19.8
	2 Yes	5187	73.6	80.2	100.0
	Total	6469	91.7	100.0	
Missing	-1 No response	582	8.3		
Total		7051	100.0		

s7351 G22c: Amount of alcohol mother would normally drink in relation to the last week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 More	227	3.2	18.2	18.2
	2 Less	1020	14.5	81.8	100.0
	Total	1247	17.7	100.0	
Missing	-1 No response	5804	82.3		
Total		7051	100.0		

S File – Section G

s7360 G23: Frequency mother eats take-away food or has meals out for the main meal of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never / rarely	1890	26.8	27.2	27.2
	2 1-3 times a month	3915	55.5	56.4	83.6
	3 1-2 times a week	1100	15.6	15.8	99.5
	4 3-4 times a week	32	.5	.5	99.9
	5 5-7 times a week	6	.1	.1	100.0
	Total	6943	98.5	100.0	
Missing	-1 No response	108	1.5		
Total		7051	100.0		

s7370 G24: Frequency mother eats ready/convenience meals for the main meal of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never / rarely	3922	55.6	56.6	56.6
	2 1-3 times a month	1887	26.8	27.2	83.8
	3 1-2 times a week	940	13.3	13.6	97.3
	4 3-4 times a week	165	2.3	2.4	99.7
	5 5-7 times a week	21	.3	.3	100.0
	Total	6935	98.4	100.0	
Missing	-1 No response	116	1.6		
Total		7051	100.0		

S File – Section G

s7380 G25: Mother is a vegetarian

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	373	5.3	5.4	5.4
	2 No	6562	93.1	94.6	100.0
	3 Sometimes	1	.0	.0	100.0
	Total	6936	98.4	100.0	
Missing	-1 No response	115	1.6		
Total		7051	100.0		

s7390 G26: Mother is a vegan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	17	.2	.2	.2
	2 No	6882	97.6	99.8	100.0
	Total	6899	97.8	100.0	
Missing	-1 No response	152	2.2		
Total		7051	100.0		

s7400 G27: Mother is on another kind of special diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	654	9.3	9.5	9.5
	2 No	6225	88.3	90.5	100.0
	Total	6879	97.6	100.0	
Missing	-1 No response	172	2.4		
Total		7051	100.0		

PAGE 59 OF THE QUESTIONNAIRE

SECTION H: YOUR ENVIRONMENT

H1. a) Do you have a mobile phone (i.e. one that can be used away from home)?

Yes

No

→ Go to H2 below

If yes,

b) how often do you use it to make calls?

at least once a day

4-6 times a week

1-3 times a week

less than once a week

c) how often do people ring you on it?

at least once a day

4-6 times a week

1-3 times a week

less than once a week

H2. How often during the day are you in a room or enclosed place where people are smoking?

**(i)
weekdays****(ii)
weekends**

all the time

more than 5 hours

3-5 hours

1-2 hours

less than 1 hour

not at all

H3. Do you tend to collect static electricity and have shocks when you touch metal?

Yes a lot

Yes occasionally

No, not at all

S File – Section H

s8000 H1a: Mother has a mobile phone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6482	91.9	93.2	93.2
	2 No	475	6.7	6.8	100.0
	Total	6957	98.7	100.0	
Missing	-1 No response	94	1.3		
Total		7051	100.0		

s8001 H1b: Frequency mother uses mobile phone to make calls

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 At least once a day	1803	25.6	27.9	27.9
	2 4-6 times a week	887	12.6	13.7	41.6
	3 1-3 times a week	1638	23.2	25.3	66.9
	4 < once a week	2145	30.4	33.1	100.0
	Total	6473	91.8	100.0	
Missing	-1 No response	578	8.2		
Total		7051	100.0		

s8002 H1c: Frequency people call mother on mother's mobile phone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 At least once a day	1671	23.7	25.8	25.8
	2 4-6 times a week	857	12.2	13.2	39.1
	3 1-3 times a week	1770	25.1	27.4	66.4
	4 < once a week	2172	30.8	33.6	100.0
	Total	6470	91.8	100.0	
Missing	-1 No response	581	8.2		
Total		7051	100.0		

S File – Section H

s8010 H2i: Amount of time mother spends per day on weekdays in a room or enclosed place where people are smoking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	169	2.4	2.5	2.5
	2 > 5 hours	143	2.0	2.1	4.5
	3 3-5 hours	251	3.6	3.7	8.2
	4 1-2 hours	351	5.0	5.1	13.3
	5 < 1 hour	740	10.5	10.8	24.1
	6 Not at all	5205	73.8	75.9	100.0
	Total	6859	97.3	100.0	
Missing	-1 No response	192	2.7		
Total		7051	100.0		

s8011 H2ii: Amount of time mother spends per day on weekends in a room or enclosed place where people are smoking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	185	2.6	2.7	2.7
	2 > 5 hours	234	3.3	3.4	6.2
	3 3-5 hours	346	4.9	5.1	11.2
	4 1-2 hours	570	8.1	8.4	19.6
	5 < 1 hour	873	12.4	12.8	32.5
	6 Not at all	4594	65.2	67.5	100.0
	Total	6802	96.5	100.0	
Missing	-1 No response	249	3.5		
Total		7051	100.0		

s8020 H3: Mother tends to collect static electricity and has shocks when touching metal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, a lot	1581	22.4	22.8	22.8
	2 Yes, occasionally	4443	63.0	64.1	86.9
	3 No	912	12.9	13.1	100.0
	Total	6936	98.4	100.0	
Missing	-1 No response	115	1.6		
Total		7051	100.0		

PAGE 60 OF THE QUESTIONNAIRE

SECTION J:

J1. This questionnaire was completed by:

- Yes**
- a) child's biological mother 1
- b) child's mother figure 1
- c) someone else
(please tick and describe) 1

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 "no".]

s9980 J1a: Questionnaire completed by child's biological mother

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6923	98.2	98.9	98.9
2 No	75	1.1	1.1	100.0
Total	6998	99.2	100.0	
Missing -5 Question J1 omitted	53	.8		
Total	7051	100.0		

s9981 J1b: Questionnaire completed by child's mother figure

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	58	.8	.8	.8
2 No	6940	98.4	99.2	100.0
Total	6998	99.2	100.0	
Missing -5 Question J1 omitted	53	.8		
Total	7051	100.0		

s9982 J1c: Questionnaire completed by someone else

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	66	.9	.9	.9
2 No	6932	98.3	99.1	100.0
Total	6998	99.2	100.0	
Missing -5 Question J1 omitted	53	.8		
Total	7051	100.0		

Derived VariablesNumber of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question J1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

s9984 DV: Number of contributors to questionnaire

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	6950	98.6	99.3	99.3
2	47	.7	.7	100.0
3	1	.0	.0	100.0
Total	6998	99.2	100.0	
Missing -5 Question J1 omitted	53	.8		
Total	7051	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question J1. It is calculated by recoding values of 1 to powers of 2 (1, 2, and 4 for parts a to c respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

s9985 DV: Questionnaire completed by...

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Biological mother only	6876	97.5	98.3	98.3
2 Mother figure only	54	.8	.8	99.0
3 Biological mother & mother figure	2	.0	.0	99.1
4 Other only	20	.3	.3	99.3
5 Biological mother & other	44	.6	.6	100.0
6 Mother figure & other	1	.0	.0	100.0
7 Biological mother, mother figure & other	1	.0	.0	100.0
Total	6998	99.2	100.0	
Missing -5 Question J1 omitted	53	.8		
Total	7051	100.0		

S File – Section J

J2. Do you live in the same house as the study child?

Yes

1

No

2

s9989 J2: Respondent lives in the same house as the study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6950	98.6	99.4	99.4
	2 No	37	.5	.5	100.0
	3 Sometimes/occasionally	3	.0	.0	100.0
	Total	6990	99.1	100.0	
Missing	-1 Not stated	61	.9		
Total		7051	100.0		

S File – Section J

J3. Please give the date on which you completed this questionnaire:

day	month	year
<div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin-right: 5px;"></div> <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px;"></div>	<div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin-right: 5px;"></div> <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px;"></div>	<div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin-right: 5px; text-align: center;">2</div> <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin-right: 5px; text-align: center;">0</div> <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin-right: 5px; text-align: center;">0</div> <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px;"></div>

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable S9990c. The month and year of completion were retained on the built file, but the day was dropped.]

s9990a J3: Date of completion of questionnaire - month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	821	11.6	11.6	11.6
	2 February	667	9.5	9.5	21.1
	3 March	471	6.7	6.7	27.8
	4 April	399	5.7	5.7	33.4
	5 May	569	8.1	8.1	41.5
	6 June	568	8.1	8.1	49.6
	7 July	518	7.3	7.3	56.9
	8 August	501	7.1	7.1	64.0
	9 September	675	9.6	9.6	73.6
	10 October	633	9.0	9.0	82.6
	11 November	804	11.4	11.4	94.0
	12 December	425	6.0	6.0	100.0
	Total	7051	100.0	100.0	

s9990b J3: Date of completion of questionnaire - year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2003	2174	30.8	30.8	30.8
	2004	3967	56.3	56.3	87.1
	2005	898	12.7	12.7	99.8
	2006	11	.2	.2	100.0
	2007	1	.0	.0	100.0
	Total	7051	100.0	100.0	

s9990c DV: Date of completion replaced with date of receipt


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, incomplete d.o.c.	120	1.7	1.7	1.7
	2 Yes, illegal d.o.c.	3	.0	.0	1.7
	3 Yes, d.o.c. < d.o.s.	72	1.0	1.0	2.8
	4 Yes, d.o.c. > d.o.r.	51	.7	.7	3.5
	5 No	6805	96.5	96.5	100.0
	Total	7051	100.0	100.0	

Derived Variables - Age of Study Child at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

s9991a DV: Age of study child at completion (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	143	1	.0	.0	.0
	144	6	.1	.1	.1
	145	4313	61.2	61.2	61.3
	146	1430	20.3	20.3	81.5
	147	501	7.1	7.1	88.7
	148	325	4.6	4.6	93.3
	149	161	2.3	2.3	95.5
	150	89	1.3	1.3	96.8
	151	67	1.0	1.0	97.8
	152	53	.8	.8	98.5
	153	25	.4	.4	98.9
	154	18	.3	.3	99.1
	155	14	.2	.2	99.3
	156	8	.1	.1	99.4
	157	9	.1	.1	99.6
	158	8	.1	.1	99.7
	159	5	.1	.1	99.7
	160	3	.0	.0	99.8
	161	3	.0	.0	99.8
	162	1	.0	.0	99.8
	163	3	.0	.0	99.9
	165	1	.0	.0	99.9
	166	1	.0	.0	99.9
	167	2	.0	.0	99.9
	168	1	.0	.0	100.0
	170	1	.0	.0	100.0
	172	1	.0	.0	100.0
	177	1	.0	.0	100.0
	Total	7051	100.0	100.0	

s9991b DV: Age of study child at completion (weeks)

plus the following outliers < 630 or > 700:

s9991b DV: Age of study child at completion (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	624	1	5.3	5.3	5.3
	627	2	10.5	10.5	15.8
	628	1	5.3	5.3	21.1
	629	1	5.3	5.3	26.3
	701	1	5.3	5.3	31.6
	704	1	5.3	5.3	36.8
	706	1	5.3	5.3	42.1
	709	1	5.3	5.3	47.4
	710	1	5.3	5.3	52.6
	711	1	5.3	5.3	57.9
	717	1	5.3	5.3	63.2
	725	1	5.3	5.3	68.4
	727	1	5.3	5.3	73.7
	728	1	5.3	5.3	78.9
	730	1	5.3	5.3	84.2
	740	1	5.3	5.3	89.5
	748	1	5.3	5.3	94.7
	772	1	5.3	5.3	100.0
Total		19	100.0	100.0	

J4. Please give your date of birth:

day		month		year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	1	9	<input type="text"/>	<input type="text"/>

[Editing: If the date of birth was not a valid date (e.g. 31st November), then the day & month were set to -1. Values of 1904 and 1991 to 2003 in the year variable were recoded to -1. If the year was missing then day and month were also set to -1. Otherwise, if a valid year was reported, values of -1 in day were recoded to 15 and in month to 6. This action was flagged in variable S9996b. The date of birth was not retained on the file.]

Derived Variables - Age of Respondent at Completion

The date of completion and the respondent's dates of birth were used to calculate the respondent's age at completion in completed years. For reasons of confidentiality values <28 were recoded to 28 and values >57 were recoded to 57.

s9996a DV: Age of respondent at completion of questionnaire (years)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	28 < 29	8	.1	.1	.1
	29	16	.2	.2	.3
	30	25	.4	.4	.7
	31	60	.9	.9	1.6
	32	75	1.1	1.1	2.6
	33	107	1.5	1.5	4.2
	34	141	2.0	2.0	6.2
	35	211	3.0	3.0	9.2
	36	287	4.1	4.1	13.4
	37	387	5.5	5.6	18.9
	38	484	6.9	7.0	25.9
	39	570	8.1	8.2	34.1
	40	653	9.3	9.4	43.4
	41	620	8.8	8.9	52.3
	42	641	9.1	9.2	61.6
	43	546	7.7	7.8	69.4
	44	493	7.0	7.1	76.5
	45	406	5.8	5.8	82.3
	46	315	4.5	4.5	86.8
	47	268	3.8	3.9	90.7
	48	194	2.8	2.8	93.5
	49	155	2.2	2.2	95.7
	50	110	1.6	1.6	97.3
	51	78	1.1	1.1	98.4
	52	51	.7	.7	99.1
	53	27	.4	.4	99.5
	54	13	.2	.2	99.7
	55	9	.1	.1	99.8
	56	4	.1	.1	99.9
	57 > 56	7	.1	.1	100.0
Total		6961	98.7	100.0	
Missing	-1 Missing date of birth	90	1.3		
Total		7051	100.0		

s9996b DV: Components of respondent's date of birth imputed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	7047	99.9	99.9	99.9
	1 Day	1	.0	.0	100.0
	2 Month	2	.0	.0	100.0
	3 Day & month	1	.0	.0	100.0
	Total	7051	100.0	100.0	

J5. Please give your study child's date of birth:

day		month		year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	1	9	9	<input type="text"/>

[Editing: Note that this reported date of birth was not used.]

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comments you would like to make

NB Please remember we cannot reply to any comment unless you sign it.

When completed, please return the questionnaire to:

Professor Jean Golding
Children of the Nineties - ALSPAC
Institute of Child Health
24 Tyndall Avenue
Bristol BS8 1BR Tel: Bristol 928 8793

For office use only

Coder

Int

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	----------------------

© University of Bristol

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

S File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow “Post-It” sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder’s responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder’s marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person’s work at regular intervals in order to strive for maximum accuracy.

S File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

S File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

S File – Appendix B

Coding instructions for first version (11/04/03) “Twelve Years On”

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the “Twelve Years On” replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires - 2nd revision" document.

In addition, make sure that any names or other identifiers of the respondent are obliterated.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 11/04/03.

If the questionnaire is all blank, e.g. the woman didn't want to fill in the form, write "BLANK" on the front cover and hand it to the supervisor.

Page 4		
Section A		
A1	8	
A2a to A2l	7	
Page 5		
A2m to A2y	7	
A2z	7	Please ensure that if something relevant is written in the "please describe" section in A2z, that the previous boxes are ticked appropriately. If there is no tick, please code a zero in A2z to indicate positive information in this section.
A2za	7	As A2z
Page 6		
A3a to A3d	7	If the answer "once" is given with no tick, code as 5.
A4a	7	
A4b		To be coded separately. Please ensure that if something relevant is written in A4b, then A4a is ticked appropriately. If no indication of frequency is given, code A4a as zero.
A5	II	Draw two boxes here, similar to A6b opposite, on the top right hand side of the question. Count the number of items listed altogether on pages 6 and 7 for this question, and enter the count in the two boxes. If nothing listed, leave blank, but if they say none or "N/A", or 'not applicable', code "00".
A5 line 1 - 10		The given information is not being coded here.
Page 7		
A6a	I	
A6b	II	If a range is given, round up.
A6c	II	If a range is given, round up.
A6d to A6h	II	This should be the number of different nights they were in hospital for each admission. If less than one day is given, code as "00". Note that the reason is not being coded here.

S File – Appendix B

Page 8		
A7a to A7u	7	
Page 9		
A7v	7	Please ensure that if something relevant is written in the "please describe" section in A7v, that the previous boxes are ticked appropriately. If there is no tick, please code a zero in A7v to indicate positive information in this section.
A8a	7	
A8b	8	
Page 10		
A9a	I	
A9ai	II	If the months box is filled in, please ensure that code "3" is ticked in A9a. If a range is given, round up.
A9aai	II	If the months box is filled in, please ensure that code "4" is ticked in A9a. If a range is given, round up. If unplanned, code as 99.
A9bi to x	I	
A9bxi	I	Please ensure that if something relevant is written in the "please describe" area, there is a "yes" tick in A9bxi. Note that the text response is not being coded here.
Page 11		
A10a to A10c	7	
A10d	II	"Varies"=code 97 "Continuous"=code 31. If a range is given, code as the higher value.
A10ei before, during	I, I	
A10eii to iv		As A10ei
A10ev before, during	I	Please ensure that if something relevant is written in the "please describe" section, that the previous boxes are ticked appropriately. If there is no tick, please tick the "yes" box to indicate information in this section. If it is unclear which column the comments refer to, code both columns as "0", to indicate information in the "please describe" area.
Page 12		
A11a to f	II	Round fractions down.
A12ai, ii	II, II	If a range is given, round up.
A12bi, ii	7	
Page 13 Section B		
B1	7	
B2	8	
B3	8	

S File – Appendix B

Page 14		
B4	8	
B5	8	
B6	8	
Page 15		
B7	8	
B8	8	
Page 16 Section C		
C1a	I	
C1b	I	
C1c	II, II	Convert months into years and months if necessary. If answer given, ensure 'Yes' is ticked in C1b.
C1d	I	
C2	8	
Page 17		
C3a to u	7	
Page 18		
C3v to w	7	
C3x	7	Please ensure that if something relevant is written in the "please describe" section, that a "yes" box is ticked. If there is no tick, code C3x as zero, to indicate information in the "please describe" area.
C4a to c	8	
C4d	7	
C4e	8	
C4f, g	7	
C4h	8	
Page 19		
C4i	7	
C4j to k	8	
C5ai, ii	II, II	If a range is given, round up.
C5bi, ii	7	
C6a	I	If "student" is given and no other indication of paid employment, code as "2".
C6bi, ii		Not being coded here.
C6c	I	
Page 20		
C6d, e	7	Code "evening work" or "twilight shift" as zero.
C6f	7	

S File – Appendix B

C6gi	II	If a range is given, leave blank, move the answer into the max and min in C6gii. Round up fractions. Code >98 as 98.
C6gii "minimum"	II	If a range is given, round down.
C6gii "maximum"	II	If a range is given, round up. Code >98 as 98.
C6h	8	
Page 21		
C6i	8	
C7a to b	8	
C7c	7	
C7d	8	
C7e	7	
C7f	8	
C7g	7	
C7h	8	
C8a to g	I	If 2 and 3 are ticked, code as "2". If 3 and 4 are ticked, code as "4". If 'always', i.e. 1 or 5 plus another box are ticked, code for the 'always'. If both 1 and 5 are ticked, code as zero. Except that if the multiple ticks include 6, code as A.
Page 22		
C9a to d	I	If 2 and 3 are ticked, code as "2". If 3 and 4 are ticked, code as "4". If 'always', i.e. 1 or 5 plus another box are ticked, code for the 'always'. If both 1 and 5 are ticked, code as zero.
C10a to g	8	
C11a	8	
Page 23		
C11b	8	
C12a	8	
C12b to f	I	If combinations 1 and 2, 2 and 3, or 1 and 3 are given, recode as "3".
Page 24		
C13a to e	7	
C13f	7	If a description is given here, please ensure that C13f is ticked. If it is not, please code C13f as zero, to indicate relevant information on the "please describe" line.
C14a, b	7	
Page 25		
C15a to f	7	
C16a	8	
Page 26		
C16b	7	

S File – Appendix B

C17a, d, e, h, j, m,	8	
C17b, c, f, g, i, k, l,	7	
Page 27		
C17n, p, r, u, w, x	8	
C17 o, q, s, t, v	7	
Page 28		
Section D		
D1a		If name of substance and/or the frequency of use are stated, ensure there is a tick in the yes box. Bracket together the text of single items that take up 2 lines.
D1ai-ii		The name of the substance is not being coded here.
D1a How often.....?	7	If Yes is ticked and name given but no frequency box is ticked, code zero to indicate that the frequency is not given. If only 'Yes' is ticked i.e. substance is not stated, just leave it.
D1b-f		As D1a
Pages 29-31		
D1 g-o, p-w x-zf		As D1a
Page 32		
D1zg-zh		As D1a
D1zi		There should be either a tick or a blank here.
D2a-d	8	
D3a	Vitamin/brand name	The text answers on the dotted lines are not being coded here.
D3ai-iii	8	If a vitamin is mentioned, but there is no tick, code a zero alongside the appropriate line to indicate information has been written. If a mixed supplement is written e.g. multivits + iron, transfer to "Other" in part d).
Page 33		
D3bi-iii	Mineral supplements	As D3ai-iii. If a mineral supplement is mentioned, but there is no tick, code a zero alongside the appropriate line to indicate information has been written.
D3ci-iii	Oil supplements	As D3ai-iii. If an oil supplement is mentioned, but there is no tick, code a zero alongside the appropriate line to indicate information has been written.
D3di-iii	Other supplements	As D3ai-iii. If another supplement is mentioned, but there is no tick, code a zero alongside the appropriate line to indicate information has been written.
Page 34		
Section E		
E1a	I	

S File – Appendix B

E1bi-iii		There should only be a tick or a blank here. If answer given, ensure 'Yes' is ticked in E1a.
E1c	I	
E2a	I	
E2bi-iii	I	As E1bi-iii
E2c	I	
Page 35		
E3a	I	
E3bi-iii	I	As E1bi-iii
E3c	I	
E4a	I	
E4bi-ii	I	As E1bi-iii
E4c	I	
E5a	I	
Page 36		
E5bi-iii	I	As E1bi-iii
E5c	I	
E6a	I	
E6bi-iii	I	As E1bi-iii
E6c	I	
E7a	I	
E7bi-iii	I	As E1bi-iii
E7c	I	
Page 37		
E8a	I	
E8bi-iii	I	As E1bi-iii
E8c	I	
E9a	I	
E9bi-iii	I	As E1bi-iii
E9c	I	
E10a	I	
Page 38		
E10bi-iii	I	As E1bi-iii
E10c	I	
E11a	I	
E11bi-iii	I	As E1bi-iii
E11c	I	
E11d		If there is relevant text here, ensure that 'Yes' is ticked in E11c. The text itself is not being coded here.
E12a	I	
E12bi-iii	I	As E1bi-iii

S File – Appendix B

Page 39		
E12c	I	
E13a	I	
E13bi-iii	I	As E1bi-iii
E13c	I	
E14a	I	
E14bi-iii	I	As E1bi-iii
E14c	I	
E15a	I	
Page 40		
E15bi-iii	I	As E1bi-iii
E15c	I	
E16a	I	
E16bi-iii	I	As E1bi-iii
E16c	I	
E16d		If there is relevant text here, ensure that 'Yes' is ticked in E16c. The text itself is not being coded here.
E17a	I	
E17bi-iii	I	As E1bi-iii
Page 41		
E17c	I	
E17d		If there is relevant text here, ensure that 'Yes' is ticked in E17c. The text itself is not being coded here.
E18a	I	
E18bi-iii	I	As E1bi-iii
E18c	I	
E19a	I	
E19bi-iii	I	As E1bi-iii
E19c	I	
E20a	I	
Page 42		
E20bi-iii	I	As E1bi-iii
E20c	I	
E21	7	
Page 43 Section F		
F1 - F2	7	
F3	I	

S File – Appendix B

F4 - F7	7	
Page 44		
F8 - F11	7	
F12 - F14	8	
Page 45		
F15	7	
F16 - 20	8	
Page 46 - 48		
Section G		
G1a-w	8	
G2	8	
G3	7	
Page 49		
G4a-m	8	
Page 50		
G4n-u	8	
G5	II	If a number per month is stated, divide the number by 4. If this results in <1 code as 97 (rarely/occasionally).
G5a	II	If the respondent has answered 'per month' previously, then calculate as for G5.
G6	II	As G5
Page 51		
G6a	II	As G5a
G7a	I	
G7b-e	7	
G8a	8	
G8b	II	Code "All" or "every time" as 90
Page 52		
G9a-e	8	
G10	II	
G11	8	Use coding style 8, unless a combination including 7 is ticked. In such cases, ignore code 7.
G12a	I	If 1 and 2 are ticked, code as "2".
Page 53		
G12b	8	
G13a-h	8	

S File – Appendix B

G14	I	
Page 54		
G15	I	
G16a-f	7	
G16g	7	Please ensure that if something relevant is written in the "please describe" section, that a "yes" box is ticked. If there is no tick, code G16g as zero, to indicate information in the "please describe" area.
G17a	8	
G17b	II	For occasional eaters, code "97". If they indicate that every slice has fat on it, but don't say how many, code as "99". If a range is given, take the highest value.
Page 55		
G17c	II	For occasional eaters, code "97". If they state 'lots' or 'all' but don't say how many, code as "99". If a range is given, take the highest value.
G18ai, ii	I, I	
G18b-h	As G18a	
G18i	I, I	Please ensure that if something relevant is written in the "please describe" section, that the previous boxes are ticked appropriately.
Page 56		
G19a-e		There should only be a tick or a blank here.
G19f	I	Please ensure that if something relevant is written in the "please describe" section, that the accompanying box is ticked.
G20a	I	If <u>relevant</u> answers given in b) to e) then G20a should be ticked 'Yes'.
G20b	II	Occasional use to be coded as "97".
G20c	II	Artificial sweeteners do not count as sugar. Round up halves to the next whole spoonful. If a range is given, take the upper limit.
G20d	II	Code "all" as 90, "occasional" as "97".
G20e	7	
G21a	I	
G21b	II	As G20b
Page 57		
G21c - d	II	As G20c - d
G21e	II	Code "all" as 90, "occasional" as 97.
G21f	II	Code "all" as 90, "occasional" as 97.
G21g	7	As G20e

S File – Appendix B

G22ai-vii	II	Please note the units the questions are asked in, and convert if necessary. Code a two digit number for each day of the week where a response is made (except for zeros – see below). Leave blank boxes blank. Round fractions to the nearest whole number, but if the fraction is exactly half, round up to the next whole number. If the nearest whole number is zero, or they say 'sometimes' or 'occasionally', code as 97. Code 'lots' as 98. If a range is given, code to the upper limit. If none or n/a is given, code as zero. For zeros write a single 0 in a box not 00. If they say none to the whole question, make sure that all boxes have a single zero.
G22b	I	
G22c	I	
Page 58		
G23	8	
G24	8	
G25 – G27	I	Code 'sometimes' as 3
Page 59 Section H		
H1a	I	
H1b,c	7	
H2	7	Code each column separately.
H3	7	
Page 60 Section J		
J1a,b	I	
J1c	I	Please ensure that if something relevant is written in the "please describe" section, that the previous boxes are ticked appropriately. If there is no tick, please tick "yes" for "someone else", to indicate information in the "please describe" section.
J2	I	Code 'sometimes' or 'occasionally' as 3.
J3	IV	If left blank, copy month and year that the form was returned from the stamped receipt date on the front cover, and code the days as 99.
J4	IV	Any valid date has to be accepted here.
J5	IV	As J3, using child's date of birth from front cover.
Space for comments		Not being coded here.
Bottom of Page 60	For Office Use Only	
Coder		Insert your initials here.
Int.		If the questionnaire was completed with the aid of an interviewer, there will be initials here.

END OF QUESTIONNAIRE

Twelve Years On (11/04/03)

coding specifications\nc04\TwelYrsOnMa

Sheila Preece 16/6/04 Updated July 2004.

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. If a response was not received after 3 weeks a reminder letter was sent. If there had still not been a response after a further 3 weeks then a second reminder was sent out. If there was still no response 3 weeks after the second reminder had been sent then the case was flagged as being eligible for personal contact by a member of the Family Liaison Team.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of CSV (comma separated values) data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were read into SPSS, added together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifier ALN. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letter “s” which are followed by four digits and occasionally a further letter. Then the data from the back page were edited as described

in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t know” to –9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to –8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don’t know	The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”.
-10	Not completed	No completed questionnaire is available for this case. Variable S0007a = 2 for all such cases.

At some point in the future the data may be reissued as a “built” file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.