

THE ALSPAC STUDY

PJ FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Partner's Lifestyle

At 73 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 1a of the release file.

February 2008

© University of Bristol

Contents

Introduction		Page 3
Section A	Being a Gambler	
	Text	Page 8
	Frequencies	Page 11
Section B	Your Feelings	
	Text	Page 17
	Frequencies	Page 21
Section C	Your Health	
	Text	Page 26
	Frequencies	Page 34
Section D	Recent Events	
	Text	Page 58
	Frequencies	Page 62
Section E	Your Environment	
	Text	Page 74
	Frequencies	Page 77
Section F	Your Partner	
	Text	Page 85
	Frequencies	Page 96
Section G	Your Family and Friends	
	Text	Page 130
	Frequencies	Page 135
Section H	Health Services	
	Text	Page 144
	Frequencies	Page 147
Section J		Page 155
Appendix A	General Coding Instructions	Page 163
Appendix B	Specific Coding Instructions	Page 167
Appendix C	Questionnaire Methodology	Page 174

Introduction

Contents

This questionnaire was sent out in a pack addressed to the carer of the study child when her/his study child was 73 months old. The pack contained a copy of "Mother's Lifestyle" for the carer to complete and a copy of this questionnaire to hand to her/his partner if they wished to do so. It is in 9 sections. Section A contains questions on gambling whilst section B contains the anxiety subscale of the Crown Crisp Experiential Index (Crown & Crisp, 1979) and the Edinburgh Postnatal Depression scale (Cox, Holden, & Sagovsky, 1987). Section C asks about health and medicine use. Section D asks about recent life events and section E about chemical exposure and also briefly about smoking. Section F contains questions about the respondent's partner and their relationship whilst the respondent's family and friends are the subject of section G. Section H looks at the respondent's experience of health services, his/her outlook on life and discrimination. Finally, section J collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire.

Sample & response rates

There are a total of 14,550 records on this built file. This number is made up of the 14,541 pregnancies in the core ALSPAC sample (regardless of whether or not the 73-month partner questionnaire was sent out for them or whether they were returned) plus 9 eligible pregnancies not in the core sample for which the questionnaire was sent out. Note that this questionnaire was not returned for any of the 9 pregnancies not in the core sample.

Of the 14,541 pregnancies in the core ALSPAC sample, 13,868 resulted in at least one live born child. The 73-month partner questionnaire was sent out for 10,273 (74%) of these pregnancies. As of 31st December 2007 completed questionnaires had been returned for 4,462 (43%) of these pregnancies, which is 32% of the 13,868 pregnancies that resulted in at least one live born child. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Variable names

The variable names have the same numerical components as the equivalent variables on the L file, which is based on the 73-month carer questionnaire. For example, the variable for whether or not the respondent believes in God is PJ7040 on this file and L7040 on the L file.

Release file version history

Release version 1a – February 2008

The first version of the release file.

References

Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of Postnatal Depression - Development of the 10-Item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, 150, 782-786.

Crown, S., & Crisp, A. H. (1979). *Manual of the Crown-Crisp Experiential Index*. London: Hodder & Stoughton.

PJ File - Introduction

Administrative variables

pj0001 Questionnaire sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	10282	70.7	70.7	70.7
2 No	4268	29.3	29.3	100.0
Total	14550	100.0	100.0	

pj0005 Questionnaire return status (as of 31/12/07)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Not returned	5594	38.4	54.4	54.4
2 Returned, completed	4462	30.7	43.4	97.8
3 Returned, blank	226	1.6	2.2	100.0
Total	10282	70.7	100.0	
Missing -2 Questionnaire not sent	4268	29.3		
Total	14550	100.0		

pj0006 Questionnaire returned (as of 31/12/07)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4688	32.2	45.6	45.6
2 No	5594	38.4	54.4	100.0
Total	10282	70.7	100.0	
Missing -2 Questionnaire not sent	4268	29.3		
Total	14550	100.0		

pj0007 Questionnaire completed (as of 31/12/07)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4462	30.7	43.4	43.4
2 No	5820	40.0	56.6	100.0
Total	10282	70.7	100.0	
Missing -2 Questionnaire not sent	4268	29.3		
Total	14550	100.0		

pj0007a Data available (as of 31/12/07)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4462	30.7	30.7	30.7
2 No	10088	69.3	69.3	100.0
Total	14550	100.0	100.0	

pj0008 Questionnaire version

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Version 1 - 03/04/97	4462	30.7	100.0	100.0
Missing -10 Not completed	10088	69.3		
Total	14550	100.0		

Questionnaire No:

--	--	--	--	--	--	--	--	--

PARTNER'S LIFESTYLE

This questionnaire is for the mother's partner, whether or not the father of the child. It is also for the father who is bringing up the child on his own.

Some questions are the same as those you have answered before. This is so that we can tell what changes have happened to you. Others are new - we hope you will enjoy them. To answer simply tick the box which is most accurate in your opinion.

Please answer all questions if you can, even if they are similar. If you do not want to answer a question or if it does not apply to you, put a line through it. There are no good or bad answers. Just tell us what you really think.

All answers are confidential

THANK YOU FOR YOUR HELP

03/04/97

PAGE 2 OF THE QUESTIONNAIRE

[This page only contained a photograph.]

PAGE 3 OF THE QUESTIONNAIRE

SECTION A: BEING A GAMBLER

Nowadays, with the lottery being so popular, we would like to ask about your gambling habits throughout your life. Please indicate whether you have **ever** done any of the following and how often:

		<u>N O W A D A Y S</u>		IN PAST ONLY	Rarely or not at all
Have you ever:		Once a week or more	Less than once a week		
A1.	a) played cards for money	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
	b) bet on horses, dogs	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
	c) bet on sports or events	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
	d) played dice games for money	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
	e) gone to the casino	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
	f) bet on the lottery	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
	g) played bingo for money	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
	h) played the stock/ commodities market (rather than relatively riskless investment)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
	i) played slot machines or other gambling machines	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
	j) played other games for money e.g. pool, golf	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
	k) other (please tick & describe)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

.....

PAGE 4 OF THE QUESTIONNAIRE

A2. What is the largest amount of money you have ever gambled with on any one day?

£1000 - £10,000	<input type="text" value="1"/>	£100-£999	<input type="text" value="2"/>	£25 - £99	<input type="text" value="3"/>
£10 - £24	<input type="text" value="4"/>	£1 - £9	<input type="text" value="5"/>	less than £1	<input type="text" value="6"/>
never gambled	<input type="text" value="7"/>	→ go to Section B on page 6			

A3. When you gamble and lose, do you ever try to win back the money you lost?

every time	<input type="text" value="1"/>	most of the time	<input type="text" value="2"/>	some of the time	<input type="text" value="3"/>
no, never	<input type="text" value="4"/>	have never lost	<input type="text" value="7"/>		

A4. Have you ever said that you have won money, when in fact you lost some?

yes, most of the time	<input type="text" value="1"/>	yes, some of the time	<input type="text" value="2"/>
never	<input type="text" value="3"/>		

A5. Do you feel you have ever had a problem with gambling?

yes	<input type="text" value="1"/>	yes, in the past, but not now	<input type="text" value="3"/>
no	<input type="text" value="2"/>		

A6. Have you ever gambled more than you intended to?

yes	<input type="text" value="1"/>	no	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

A7. Has anyone ever criticised your gambling?

yes	<input type="text" value="1"/>	no	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

A8. Have you ever felt guilty about gambling?

yes	<input type="text" value="1"/>	no	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

PAGE 5 OF THE QUESTIONNAIRE

A9. Have you ever felt that you would like to stop gambling but didn't think that you could?

yes no

A10. Have you ever disguised the fact that you gamble, e.g. hidden betting slips, lottery tickets or other signs of gambling?

yes no

A11. a) Have you ever argued with people that you live with, about how you handle money?

yes no → go to A12 below

If **yes**,

b) Have money arguments ever centred on your gambling?

yes no

A12. Have you ever borrowed from someone and not paid them back as a result of gambling?

yes no

A13. Have you ever lost time from work (or school) due to gambling?

yes no

PJ File – Section A

pj1000 A1a: Frequency respondent has played cards for money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week or more	41	.9	.9	.9
	2 Less than once a week	118	2.6	2.7	3.6
	3 In the past only	1154	25.9	26.0	29.6
	4 Rarely or not at all	3126	70.1	70.4	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

pj1001 A1b: Frequency respondent has bet on horses or dogs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week or more	65	1.5	1.5	1.5
	2 Less than once a week	191	4.3	4.3	5.8
	3 In the past only	696	15.6	15.7	21.4
	4 Rarely or not at all	3487	78.1	78.6	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

pj1002 A1c: Frequency respondent has bet on sports or events

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week or more	53	1.2	1.2	1.2
	2 Less than once a week	167	3.7	3.8	5.0
	3 In the past only	327	7.3	7.4	12.4
	4 Rarely or not at all	3861	86.5	87.6	100.0
	Total	4408	98.8	100.0	
Missing	-1 No response	54	1.2		
Total		4462	100.0		

pj1003 A1d: Frequency respondent has played dice games for money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week or more	3	.1	.1	.1
	2 Less than once a week	15	.3	.3	.4
	3 In the past only	201	4.5	4.6	5.0
	4 Rarely or not at all	4189	93.9	95.0	100.0
	Total	4408	98.8	100.0	
Missing	-1 No response	54	1.2		
Total		4462	100.0		

pj1004 A1e: Frequency respondent has gone to a casino

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week or more	2	.0	.0	.0
	2 Less than once a week	53	1.2	1.2	1.2
	3 In the past only	425	9.5	9.6	10.9
	4 Rarely or not at all	3935	88.2	89.1	100.0
	Total	4415	98.9	100.0	
Missing	-1 No response	47	1.1		
Total		4462	100.0		

PJ File – Section A

pj1005 A1f: Frequency respondent has bet on the lottery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week or more	2140	48.0	48.1	48.1
	2 Less than once a week	910	20.4	20.5	68.6
	3 In the past only	285	6.4	6.4	75.0
	4 Rarely or not at all	1112	24.9	25.0	100.0
	Total	4447	99.7	100.0	
Missing	-1 No response	15	.3		
Total		4462	100.0		

pj1006 A1g: Frequency respondent has played bingo for money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week or more	10	.2	.2	.2
	2 Less than once a week	63	1.4	1.4	1.7
	3 In the past only	422	9.5	9.6	11.2
	4 Rarely or not at all	3915	87.7	88.8	100.0
	Total	4410	98.8	100.0	
Missing	-1 No response	52	1.2		
Total		4462	100.0		

pj1007 A1h: Frequency respondent has played the stock or commodities market

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week or more	35	.8	.8	.8
	2 Less than once a week	234	5.2	5.3	6.1
	3 In the past only	245	5.5	5.6	11.7
	4 Rarely or not at all	3894	87.3	88.3	100.0
	Total	4408	98.8	100.0	
Missing	-1 No response	54	1.2		
Total		4462	100.0		

pj1008 A1i: Frequency respondent has played slot machines or other gambling machines

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week or more	59	1.3	1.3	1.3
	2 Less than once a week	406	9.1	9.1	10.5
	3 In the past only	1225	27.5	27.6	38.1
	4 Rarely or not at all	2748	61.6	61.9	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

PJ File – Section A

pj1009 A1j: Frequency respondent has played other games for money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week or more	23	.5	.5	.5
	2 Less than once a week	166	3.7	3.8	4.3
	3 In the past only	411	9.2	9.3	13.6
	4 Rarely or not at all	3819	85.6	86.4	100.0
	Total	4419	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4462	100.0		

pj1010 A1k: Frequency respondent has participated in other types of gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	5	.1	.2	.2
	1 Once a week or more	43	1.0	1.4	1.6
	2 Less than once a week	20	.4	.7	2.3
	3 In the past only	36	.8	1.2	3.5
	4 Rarely or not at all	2869	64.3	96.5	100.0
	Total	2973	66.6	100.0	
Missing	-1 No response	1489	33.4		
Total		4462	100.0		

PJ File – Section A

pj1020 A2: Largest amount of money respondent has gambled with in one day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 £1000 - £10,000	37	.8	.8	.8
	2 £100 - £999	154	3.5	3.5	4.3
	3 £25 - £99	516	11.6	11.6	16.0
	4 £10 - £24	822	18.4	18.6	34.5
	5 £1 - £9	2017	45.2	45.5	80.0
	6 Less than £1	249	5.6	5.6	85.7
	7 Never gambled	635	14.2	14.3	100.0
	Total	4430	99.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	31	.7		
	Total	32	.7		
Total		4462	100.0		

pj1030 A3: Frequency respondent tries to win back money they have lost

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every time	13	.3	.3	.3
	2 Most of the time	52	1.2	1.4	1.7
	3 Some of the time	950	21.3	25.4	27.1
	4 No, never	2707	60.7	72.3	99.4
	7 Have never lost	24	.5	.6	100.0
	Total	3746	84.0	100.0	
Missing	-1 No response	716	16.0		
Total		4462	100.0		

pj1040 A4: Frequency respondent has said they won money when in fact they lost

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	3	.1	.1	.1
	2 Yes, some of the time	182	4.1	4.8	4.9
	3 Never	3580	80.2	95.1	100.0
	Total	3765	84.4	100.0	
Missing	-1 No response	697	15.6		
Total		4462	100.0		

pj1050 A5: Respondent has ever felt they have a problem with gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	18	.4	.5	.5
	2 No	3665	82.1	97.1	97.6
	3 Yes, in the past but not now	92	2.1	2.4	100.0
	Total	3775	84.6	100.0	
Missing	-1 No response	687	15.4		
Total		4462	100.0		

PJ File – Section A

pj1060 A6: Respondent has ever gambled more than they intended to

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	493	11.0	13.1	13.1
	2 No	3277	73.4	86.9	100.0
	Total	3770	84.5	100.0	
Missing	-1 No response	692	15.5		
Total		4462	100.0		

pj1070 A7: Respondent's gambling has ever been criticised by someone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	182	4.1	4.8	4.8
	2 No	3587	80.4	95.2	100.0
	Total	3769	84.5	100.0	
Missing	-1 No response	693	15.5		
Total		4462	100.0		

pj1080 A8: Respondent has ever felt guilty about gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	272	6.1	7.2	7.2
	2 No	3494	78.3	92.8	100.0
	Total	3766	84.4	100.0	
Missing	-1 No response	696	15.6		
Total		4462	100.0		

pj1090 A9: Respondent has ever felt they would like to stop gambling but didn't think they could

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	50	1.1	1.3	1.3
	2 No	3671	82.3	98.7	100.0
	Total	3721	83.4	100.0	
Missing	-1 No response	741	16.6		
Total		4462	100.0		

pj1100 A10: Respondent has ever disguised the fact that they gamble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	81	1.8	2.2	2.2
	2 No	3663	82.1	97.8	100.0
	Total	3744	83.9	100.0	
Missing	-1 No response	718	16.1		
Total		4462	100.0		

PJ File – Section A

pj1110 A11a: Respondent has ever argued with people they live with about their money handling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	691	15.5	18.4	18.4
	2 No	3060	68.6	81.6	100.0
	Total	3751	84.1	100.0	
Missing	-1 No response	711	15.9		
Total		4462	100.0		

pj1111 A11b: Money arguments have ever centred around respondent's gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	48	1.1	4.4	4.4
	2 No	1033	23.2	95.6	100.0
	Total	1081	24.2	100.0	
Missing	-1 No response	3381	75.8		
Total		4462	100.0		

pj1120 A12: Respondent has ever borrowed money and not paid it back due to gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	13	.3	.4	.4
	2 No	3660	82.0	99.6	100.0
	Total	3673	82.3	100.0	
Missing	-1 No response	789	17.7		
Total		4462	100.0		

pj1130 A13: Respondent has ever lost time from work or school due to gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.3	.4	.4
	2 No	3656	81.9	99.6	100.0
	Total	3670	82.3	100.0	
Missing	-1 No response	792	17.7		
Total		4462	100.0		

PAGE 6 OF THE QUESTIONNAIRE

SECTION B: YOUR FEELINGS

The questions in this section ask you about your feelings and the way you behave. You have answered these questions in other questionnaires, but you might be feeling differently now.

Please indicate the way you feel.

		Very often	Often	Not very often	Never
B1.	Do you feel upset for no obvious reason?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
B2.	Have you felt as though you might faint?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
B3.	Do you feel uneasy and restless?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
B4.	Do you sometimes feel panicky?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
B5.	Do you worry a lot?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
B6.	Do you feel strung-up inside?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
B7.	Do you ever have the feeling you are going to pieces?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
B8.	Do you have bad dreams which upset you when you wake up?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

Your feelings in the past week.

B9. I have been able to laugh and see the funny side of things:

As much as I always could	<div>1</div>
Not quite so much now	<div>2</div>
Definitely not so much now	<div>3</div>
Not at all	<div>4</div>

PAGE 7 OF THE QUESTIONNAIRE

In the past week:

B10. I have looked forward with enjoyment to things:

As much as I ever did	<div>1</div>
Rather less than I used to	<div>2</div>
Definitely less than I used to	<div>3</div>
Hardly at all	<div>4</div>

B11. I have blamed myself unnecessarily when things went wrong:

Yes, most of the time	<div>1</div>
Yes, some of the time	<div>2</div>
Not very often	<div>3</div>
Never	<div>4</div>

B12. I have been anxious or worried for no good reason:

No, not at all	<div>1</div>
Hardly ever	<div>2</div>
Yes, sometimes	<div>3</div>
Yes, often	<div>4</div>

B13. I have felt scared or panicky for no good reason:

Yes, quite a lot	<div>1</div>
Yes, sometimes	<div>2</div>
No, not much	<div>3</div>
No, not at all	<div>4</div>

PAGE 8 OF THE QUESTIONNAIRE

In the past week:

B14. Things have been getting on top of me:

Yes, most of the time I haven't been able to cope

Yes, sometimes I haven't been coping as well as usual

No, most of the time I have coped quite well

No, I have been coping as well as ever

B15. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time

Yes, sometimes

Not very often

No, not at all

B16. I have felt sad or miserable:

Yes, most of the time

Yes, sometimes

Not very often

No, not at all

B17. I have been so unhappy that I have been crying:

Yes, most of the time

Yes, quite often

Only occasionally

Never

PAGE 9 OF THE QUESTIONNAIRE

In the past week:

B18. The thought of harming myself has occurred to me:

Yes, quite often	<input type="text" value="1"/>
Sometimes	<input type="text" value="2"/>
Hardly ever	<input type="text" value="3"/>
Never	<input type="text" value="4"/>

B19. On the whole are there more good days than bad?

Yes, more good days	<input type="text" value="1"/>
About half and half	<input type="text" value="2"/>
No, more bad days	<input type="text" value="3"/>

PJ File – Section B

pj2000 B1: Frequency respondent feels upset for no obvious reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	15	.3	.3	.3
	2 Often	113	2.5	2.5	2.9
	3 Not very often	1835	41.1	41.3	44.2
	4 Never	2475	55.5	55.8	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

pj2001 B2: Frequency respondent feels as though they might faint

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	4	.1	.1	.1
	2 Often	27	.6	.6	.7
	3 Not very often	1139	25.5	25.7	26.4
	4 Never	3270	73.3	73.6	100.0
	Total	4440	99.5	100.0	
Missing	-1 No response	22	.5		
Total		4462	100.0		

pj2002 B3: Frequency respondent feels uneasy and restless

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	40	.9	.9	.9
	2 Often	425	9.5	9.6	10.5
	3 Not very often	2449	54.9	55.2	65.7
	4 Never	1519	34.0	34.3	100.0
	Total	4433	99.4	100.0	
Missing	-1 No response	29	.6		
Total		4462	100.0		

pj2003 B4: Frequency respondent feels panicky

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	18	.4	.4	.4
	2 Often	157	3.5	3.5	3.9
	3 Not very often	1572	35.2	35.4	39.4
	4 Never	2691	60.3	60.6	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

pj2004 B5: Frequency respondent worries a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	139	3.1	3.1	3.1
	2 Often	820	18.4	18.5	21.6
	3 Not very often	2667	59.8	60.1	81.7
	4 Never	814	18.2	18.3	100.0
	Total	4440	99.5	100.0	
Missing	-1 No response	22	.5		
Total		4462	100.0		

PJ File – Section B

pj2005 B6: Frequency respondent feels strung-up inside

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	89	2.0	2.0	2.0
	2 Often	628	14.1	14.2	16.2
	3 Not very often	2278	51.1	51.3	67.5
	4 Never	1443	32.3	32.5	100.0
	Total	4438	99.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	23	.5		
	Total	24	.5		
Total		4462	100.0		

pj2006 B7: Frequency respondent feels they are going to pieces

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	30	.7	.7	.7
	2 Often	147	3.3	3.3	4.0
	3 Not very often	1225	27.5	27.6	31.6
	4 Never	3036	68.0	68.4	100.0
	Total	4438	99.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	23	.5		
	Total	24	.5		
Total		4462	100.0		

pj2007 B8: Frequency respondent has bad dreams that upset them when they wake up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	17	.4	.4	.4
	2 Often	84	1.9	1.9	2.3
	3 Not very often	1205	27.0	27.1	29.4
	4 Never	3133	70.2	70.6	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

PJ File – Section B

pj2010 B9: Amount respondent has been able to laugh and see the funny side of things in the last week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as they always could	3447	77.3	77.7	77.7
	2 Not quite so much now	810	18.2	18.3	96.0
	3 Definitely not so much now	163	3.7	3.7	99.7
	4 Not at all	15	.3	.3	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

pj2011 B10: Amount respondent has looked forward to things with enjoyment in the past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as they ever did	3480	78.0	78.4	78.4
	2 Rather less than they used to	791	17.7	17.8	96.2
	3 Definitely less than they used to	140	3.1	3.2	99.3
	4 Hardly at all	29	.6	.7	100.0
	Total	4440	99.5	100.0	
Missing	-1 No response	22	.5		
Total		4462	100.0		

pj2012 B11: Respondent has blamed themselves unnecessarily when things go wrong in the past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	96	2.2	2.2	2.2
	2 Yes, some of the time	925	20.7	20.8	23.0
	3 Not very often	1888	42.3	42.5	65.5
	4 Never	1531	34.3	34.5	100.0
	Total	4440	99.5	100.0	
Missing	-1 No response	22	.5		
Total		4462	100.0		

pj2013 B12: Respondent has been worried or anxious for no good reason in the past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	2123	47.6	47.8	47.8
	2 Hardly ever	1270	28.5	28.6	76.4
	3 Yes, sometimes	961	21.5	21.6	98.1
	4 Yes, often	86	1.9	1.9	100.0
	Total	4440	99.5	100.0	
Missing	-1 No response	22	.5		
Total		4462	100.0		

PJ File – Section B

pj2014 B13: Respondent has felt scared or panicky for no good reason in the past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite a lot	69	1.5	1.6	1.6
	2 Yes, sometimes	414	9.3	9.3	10.9
	3 No, not much	933	20.9	21.0	31.9
	4 No, not at all	3022	67.7	68.1	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

pj2015 B14: Respondent has felt things are getting on top of them in the past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time they haven't been able to cope	42	.9	.9	.9
	2 Yes, sometimes they haven't been coping as well as usual	555	12.4	12.5	13.4
	3 No, most of the time they have coped quite well	1479	33.1	33.3	46.7
	4 No, they have been coping as well as ever	2366	53.0	53.3	100.0
	Total	4442	99.6	100.0	
Missing	-1 No response	20	.4		
Total		4462	100.0		

pj2016 B15: Respondent has been so unhappy they have had trouble sleeping in the past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	41	.9	.9	.9
	2 Yes, sometimes	339	7.6	7.6	8.6
	3 Not very often	844	18.9	19.0	27.6
	4 No, not at all	3218	72.1	72.4	100.0
	Total	4442	99.6	100.0	
Missing	-1 No response	20	.4		
Total		4462	100.0		

pj2017 B16: Respondent has felt sad or miserable in the past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	57	1.3	1.3	1.3
	2 Yes, sometimes	702	15.7	15.8	17.1
	3 Not very often	1354	30.3	30.5	47.6
	4 No, not at all	2324	52.1	52.4	100.0
	Total	4437	99.4	100.0	
Missing	-1 No response	25	.6		
Total		4462	100.0		

PJ File – Section B

pj2018 B17: Respondent has been so unhappy they have cried in the past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	4	.1	.1	.1
	2 Yes, quite often	18	.4	.4	.5
	3 Only occasionally	415	9.3	9.3	9.8
	4 Never	4006	89.8	90.2	100.0
	Total	4443	99.6	100.0	
Missing	-1 No response	19	.4		
Total		4462	100.0		

pj2019 B18: Respondent has thought of harming themselves in the past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite often	7	.2	.2	.2
	2 Sometimes	58	1.3	1.3	1.5
	3 Hardly ever	179	4.0	4.0	5.5
	4 Never	4197	94.1	94.5	100.0
	Total	4441	99.5	100.0	
Missing	-1 No response	21	.5		
Total		4462	100.0		

pj2130 B19: Respondent feels there are more good days than bad in the past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, more good days	3843	86.1	86.6	86.6
	2 About half and half	505	11.3	11.4	97.9
	3 No, more bad days	91	2.0	2.1	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

PAGE 10 OF THE QUESTIONNAIRE

SECTION C: YOUR HEALTH

C1. Which of the following would you say describes your health now?

fit and well	<div>1</div>
mostly well and healthy	<div>2</div>
often feel unwell	<div>3</div>
hardly ever feel well	<div>4</div>

C2. Have you had (or continued to have) any of the following since the study child's 5th birthday:

Since the study child was 5	Yes and consulted doctor	Yes but did not consult doctor	No ↓
a) anxiety or 'nerves'	<div>1</div>	<div>2</div>	<div>3</div>
b) depression	<div>1</div>	<div>2</div>	<div>3</div>
c) headache or migraine	<div>1</div>	<div>2</div>	<div>3</div>
d) epilepsy	<div>1</div>	<div>2</div>	<div>3</div>
e) back pain, sciatica, slipped disc	<div>1</div>	<div>2</div>	<div>3</div>
f) indigestion	<div>1</div>	<div>2</div>	<div>3</div>
g) high blood pressure (hypertension)	<div>1</div>	<div>2</div>	<div>3</div>
h) cough or cold	<div>1</div>	<div>2</div>	<div>3</div>
i) diabetes	<div>1</div>	<div>2</div>	<div>3</div>
j) haemorrhoids/piles	<div>1</div>	<div>2</div>	<div>3</div>
k) schizophrenia	<div>1</div>	<div>2</div>	<div>3</div>
l) influenza	<div>1</div>	<div>2</div>	<div>3</div>

PAGE 11 OF THE QUESTIONNAIRE

C2 cont.

Since the study
child was 5

Yes and
consulted
doctor

Yes but
did not
consult
doctor

No
↓

m) alcohol problem

n) wheezing or asthma

o) bronchitis

p) stomach ulcer

q) eczema

r) psoriasis

s) arthritis

t) rheumatism

u) urinary infection

v) syphilis

w) gonorrhoea

x) cancer
(please state type)

y) other problems
(please tick & describe)

PAGE 12 OF THE QUESTIONNAIRE

C3. Since the study child's 5th birthday how often have you taken the following:

Since the study child was 5	Every day	Often	Sometimes	Not at all
a) sleeping pills	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) vitamins	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) cannabis/marihuana	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) tranquillisers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) pills for depression	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) antibiotics	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) aspirin	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
h) paracetamol	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
i) other painkillers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
j) amphetamines or other stimulants	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
k) iron	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
l) heroin, methadone, crack, cocaine	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
m) anticonvulsants	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
n) steroids	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

other pill, medicine, drug or treatment (please describe each and state how frequently taken)

o)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
p)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
q)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

PAGE 13 OF THE QUESTIONNAIRE

C4. Please list all the drugs, medicines and ointments that you have taken **in the past month:**

For office use

--	--

What did you take:	About how many days did you take or use it?	How often per day?
1.
2.
3.
4.
5.
6.
7.
8.
9.
10.

Check

Have you included iron tablets, laxatives, vitamins, sleeping tablets, aspirin, cough mixture, pain killers, herbal medicine, slimming pills and homeopathic remedies?

PAGE 14 OF THE QUESTIONNAIRE

C5. a) Since the study child was 5 have you been admitted to hospital?

Yes No → If **no**, go to C6 below

If **yes**,

b) how many times?

c) for how many different reasons?

Reason for each hospital stay:

How long did you stay?

At what hospital

d)	<input type="text"/> <input type="text"/> nights
e)	<input type="text"/> <input type="text"/> nights
f)	<input type="text"/> <input type="text"/> nights
g)	<input type="text"/> <input type="text"/> nights
h)	<input type="text"/> <input type="text"/> nights

C6. In the past month, how often have you had the following:

In the past month:

**Almost all
the time**

Sometimes

Not at all

a) backache	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) headache or migraine	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) urinary infection	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) nausea	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e) vomiting	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f) diarrhoea	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g) haemorrhoids or piles	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

PAGE 15 OF THE QUESTIONNAIRE

C6. cont.

In the past month:	Almost all the time	Sometimes	Not at all
h) feeling weepy/tearful	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
i) feeling irritable	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
j) feeling exhausted	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
k) varicose veins	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
l) passing urine very often	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
m) problem holding urine when you jump, sneeze etc.	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
n) indigestion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
o) feeling dizzy/fainting	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
p) flashing lights/spots before eyes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
q) shoulder ache	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
r) tingling in hands/fingers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
s) tingling in feet/toes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
t) neck ache	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
u) feeling depressed	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
v) other problem (please tick & describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

.....

.....

PAGE 16 OF THE QUESTIONNAIRE

C7. a) How often are you having sexual intercourse now?

not at all	<input type="text" value="1"/>
less than once a month	<input type="text" value="2"/>
1-3 times a month	<input type="text" value="3"/>
about once a week	<input type="text" value="4"/>
2-4 times a week	<input type="text" value="5"/>
5 or more times a week	<input type="text" value="6"/>

b) In general, do you enjoy it ?

yes, very much	<input type="text" value="1"/>
yes, somewhat	<input type="text" value="2"/>
no, not a lot	<input type="text" value="3"/>
no, not at all	<input type="text" value="4"/>
it doesn't happen	<input type="text" value="5"/>

C8. Before your first child was born how many children did you think you would like to have?

none <input type="text" value="1"/>	one <input type="text" value="2"/>	two <input type="text" value="3"/>	three <input type="text" value="4"/>
4 or more <input type="text" value="5"/>	didn't have an opinion <input type="text" value="6"/>	don't remember what I wanted <input type="text" value="9"/>	

PAGE 17 OF THE QUESTIONNAIRE

C9. a) **After the study child** was born, what did you decide about having more children?

I definitely wanted another child

☐ 1

I didn't mind if I had another child

☐ 2

I didn't think about it

☐ 3

I definitely didn't want another child

☐ 4

→ **Go to section D
on page 18**

b) **If you didn't want another child**, why was this? (please tick all that apply)

(i) Could not afford another child

☐ 1

(ii) I had as many children as I wanted

☐ 1

(iii) I was not in good health

☐ 1

(iv) I wanted to concentrate on my career

☐ 1

(v) My partner did not want any more children

☐ 1

(vi) I could not cope with another child

☐ 1

(vii) I had such a bad experience with the study child I did not want to go through it again

☐ 1

(viii) Other reason
(Please tick & describe)

☐ 1

.....

PJ File – Section C

pj3000 C1: Respondent's appraisal of their current health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Fit and well	2484	55.7	56.0	56.0
	2 Mostly well and healthy	1766	39.6	39.8	95.8
	3 Often feel unwell	173	3.9	3.9	99.7
	4 Hardly ever feel well	15	.3	.3	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

PJ File – Section C

pj3010 C2a: Respondent has suffered from anxiety or nerves since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	121	2.7	2.7	2.7
	2 Yes but did not consult a doctor	613	13.7	13.8	16.6
	3 No	3696	82.8	83.4	100.0
	Total	4430	99.3	100.0	
Missing	-1 No response	32	.7		
Total		4462	100.0		

pj3011 C2b: Respondent has suffered from depression since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	140	3.1	3.2	3.2
	2 Yes but did not consult a doctor	441	9.9	10.0	13.1
	3 No	3846	86.2	86.9	100.0
	Total	4427	99.2	100.0	
Missing	-1 No response	35	.8		
Total		4462	100.0		

pj3012 C2c: Respondent has suffered from headache or migraine since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	121	2.7	2.7	2.7
	2 Yes but did not consult a doctor	2328	52.2	52.5	55.2
	3 No	1985	44.5	44.8	100.0
	Total	4434	99.4	100.0	
Missing	-1 No response	28	.6		
Total		4462	100.0		

pj3013 C2d: Respondent has suffered from epilepsy since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	15	.3	.3	.3
	2 Yes but did not consult a doctor	6	.1	.1	.5
	3 No	4382	98.2	99.5	100.0
	Total	4403	98.7	100.0	
Missing	-1 No response	59	1.3		
Total		4462	100.0		

pj3014 C2e: Respondent has suffered from back pain, sciatica or slipped disk since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	439	9.8	9.9	9.9
	2 Yes but did not consult a doctor	1257	28.2	28.4	38.3
	3 No	2733	61.3	61.7	100.0
	Total	4429	99.3	100.0	
Missing	-1 No response	33	.7		
Total		4462	100.0		

PJ File – Section C

pj3015 C2f: Respondent has suffered from indigestion since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	117	2.6	2.6	2.6
	2 Yes but did not consult a doctor	1638	36.7	37.0	39.7
	3 No	2671	59.9	60.3	100.0
	Total	4426	99.2	100.0	
Missing	-1 No response	36	.8		
Total		4462	100.0		

pj3016 C2g: Respondent has suffered from high blood pressure since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	97	2.2	2.2	2.2
	2 Yes but did not consult a doctor	81	1.8	1.8	4.0
	3 No	4241	95.0	96.0	100.0
	Total	4419	99.0	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	40	.9		
	Total	43	1.0		
Total		4462	100.0		

pj3017 C2h: Respondent has suffered from cough or cold since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	202	4.5	4.6	4.6
	2 Yes but did not consult a doctor	3269	73.3	73.8	78.3
	3 No	961	21.5	21.7	100.0
	Total	4432	99.3	100.0	
Missing	-1 No response	30	.7		
Total		4462	100.0		

pj3018 C2i: Respondent has suffered from diabetes since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	22	.5	.5	.5
	2 Yes but did not consult a doctor	9	.2	.2	.7
	3 No	4395	98.5	99.3	100.0
	Total	4426	99.2	100.0	
Missing	-1 No response	36	.8		
Total		4462	100.0		

pj3019 C2j: Respondent has suffered from haemorrhoids or piles since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	112	2.5	2.5	2.5
	2 Yes but did not consult a doctor	497	11.1	11.2	13.8
	3 No	3818	85.6	86.2	100.0
	Total	4427	99.2	100.0	
Missing	-1 No response	35	.8		
Total		4462	100.0		

PJ File – Section C

pj3020 C2k: Respondent has suffered from schizophrenia since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	2	.0	.0	.0
	2 Yes but did not consult a doctor	3	.1	.1	.1
	3 No	4418	99.0	99.9	100.0
	Total	4423	99.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	38	.9		
	Total	39	.9		
Total		4462	100.0		

pj3021 C2l: Respondent has suffered from influenza since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	151	3.4	3.4	3.4
	2 Yes but did not consult a doctor	661	14.8	14.9	18.3
	3 No	3614	81.0	81.7	100.0
	Total	4426	99.2	100.0	
Missing	-1 No response	36	.8		
Total		4462	100.0		

pj3022 C2m: Respondent has suffered from alcohol problems since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	7	.2	.2	.2
	2 Yes but did not consult a doctor	80	1.8	1.8	2.0
	3 No	4348	97.4	98.0	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

pj3023 C2n: Respondent has suffered from wheezing or asthma since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	213	4.8	4.8	4.8
	2 Yes but did not consult a doctor	342	7.7	7.7	12.5
	3 No	3877	86.9	87.5	100.0
	Total	4432	99.3	100.0	
Missing	-1 No response	30	.7		
Total		4462	100.0		

pj3024 C2o: Respondent has suffered from bronchitis since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	77	1.7	1.7	1.7
	2 Yes but did not consult a doctor	60	1.3	1.4	3.1
	3 No	4294	96.2	96.9	100.0
	Total	4431	99.3	100.0	
Missing	-1 No response	31	.7		
Total		4462	100.0		

PJ File – Section C

pj3025 C2p: Respondent has suffered from stomach ulcer since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	39	.9	.9	.9
	2 Yes but did not consult a doctor	20	.4	.5	1.3
	3 No	4367	97.9	98.7	100.0
	Total	4426	99.2	100.0	
Missing	-1 No response	36	.8		
Total		4462	100.0		

pj3026 C2q: Respondent has suffered from eczema since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	95	2.1	2.1	2.1
	2 Yes but did not consult a doctor	252	5.6	5.7	7.8
	3 No	4082	91.5	92.2	100.0
	Total	4429	99.3	100.0	
Missing	-1 No response	33	.7		
Total		4462	100.0		

pj3027 C2r: Respondent has suffered from psoriasis since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	66	1.5	1.5	1.5
	2 Yes but did not consult a doctor	109	2.4	2.5	3.9
	3 No	4256	95.4	96.1	100.0
	Total	4431	99.3	100.0	
Missing	-1 No response	31	.7		
Total		4462	100.0		

pj3028 C2s: Respondent has suffered from arthritis since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	83	1.9	1.9	1.9
	2 Yes but did not consult a doctor	103	2.3	2.3	4.2
	3 No	4244	95.1	95.8	100.0
	Total	4430	99.3	100.0	
Missing	-1 No response	32	.7		
Total		4462	100.0		

pj3029 C2t: Respondent has suffered from rheumatism since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	31	.7	.7	.7
	2 Yes but did not consult a doctor	80	1.8	1.8	2.5
	3 No	4310	96.6	97.5	100.0
	Total	4421	99.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	40	.9		
	Total	41	.9		
Total		4462	100.0		

PJ File – Section C

pj3030 C2u: Respondent has suffered from urinary infection since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	77	1.7	1.7	1.7
	2 Yes but did not consult a doctor	25	.6	.6	2.3
	3 No	4328	97.0	97.7	100.0
	Total	4430	99.3	100.0	
Missing	-1 No response	32	.7		
Total		4462	100.0		

pj3033 C2v: Respondent has suffered from syphilis since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 No	4430	99.3	100.0	100.0
Missing	-1 No response	32	.7		
Total		4462	100.0		

pj3034 C2w: Respondent has suffered from gonorrhoea since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 No	4428	99.2	100.0	100.0
Missing	-1 No response	34	.8		
Total		4462	100.0		

pj3035 C2x: Respondent has suffered from cancer since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted a doctor	9	.2	.2	.2
	3 No	4395	98.5	99.8	100.0
	Total	4404	98.7	100.0	
Missing	-1 No response	58	1.3		
Total		4462	100.0		

pj3037 C2y: Respondent has suffered from other problems since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	10	.2	.4	.4
	1 Yes and consulted a doctor	448	10.0	16.1	16.5
	2 Yes but did not consult a doctor	90	2.0	3.2	19.7
	3 No	2230	50.0	80.3	100.0
	Total	2778	62.3	100.0	
Missing	-1 No response	1684	37.7		
Total		4462	100.0		

PJ File – Section C

pj3040 C3a: Respondent has taken sleeping pills since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	4	.1	.1	.1
	2 Often	9	.2	.2	.3
	3 Sometimes	128	2.9	2.9	3.2
	4 Not at all	4299	96.3	96.8	100.0
	Total	4440	99.5	100.0	
Missing	-1 No response	22	.5		
Total		4462	100.0		

pj3041 C3b: Respondent has taken vitamins since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	305	6.8	6.9	6.9
	2 Often	250	5.6	5.6	12.5
	3 Sometimes	888	19.9	20.0	32.5
	4 Not at all	2997	67.2	67.5	100.0
	Total	4440	99.5	100.0	
Missing	-1 No response	22	.5		
Total		4462	100.0		

pj3042 C3c: Respondent has taken cannabis or marihuana since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	40	.9	.9	.9
	2 Often	53	1.2	1.2	2.1
	3 Sometimes	212	4.8	4.8	6.9
	4 Not at all	4134	92.6	93.1	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

pj3043 C3d: Respondent has taken tranquillisers since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	9	.2	.2	.2
	2 Often	4	.1	.1	.3
	3 Sometimes	31	.7	.7	1.0
	4 Not at all	4392	98.4	99.0	100.0
	Total	4436	99.4	100.0	
Missing	-1 No response	26	.6		
Total		4462	100.0		

PJ File – Section C

pj3044 C3e: Respondent has taken pills for depression since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	56	1.3	1.3	1.3
	2 Often	24	.5	.5	1.8
	3 Sometimes	52	1.2	1.2	3.0
	4 Not at all	4307	96.5	97.0	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

pj3046 C3f: Respondent has taken antibiotics since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	10	.2	.2	.2
	2 Often	21	.5	.5	.7
	3 Sometimes	1268	28.4	28.6	29.3
	4 Not at all	3133	70.2	70.7	100.0
	Total	4432	99.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	29	.6		
	Total	30	.7		
Total		4462	100.0		

pj3047 C3g: Respondent has taken aspirin since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	27	.6	.6	.6
	2 Often	70	1.6	1.6	2.2
	3 Sometimes	1541	34.5	35.1	37.3
	4 Not at all	2751	61.7	62.7	100.0
	Total	4389	98.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	72	1.6		
	Total	73	1.6		
Total		4462	100.0		

pj3048 C3h: Respondent has taken paracetamol since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	10	.2	.2	.2
	2 Often	250	5.6	5.6	5.9
	3 Sometimes	3409	76.4	76.9	82.8
	4 Not at all	764	17.1	17.2	100.0
	Total	4433	99.4	100.0	
Missing	-1 No response	29	.6		
Total		4462	100.0		

PJ File – Section C

pj3049 C3i: Respondent has taken other painkillers since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	40	.9	.9	.9
	2 Often	97	2.2	2.2	3.1
	3 Sometimes	1093	24.5	24.7	27.8
	4 Not at all	3200	71.7	72.2	100.0
	Total	4430	99.3	100.0	
Missing	-1 No response	32	.7		
Total		4462	100.0		

pj3050 C3j: Respondent has taken amphetamines or other stimulants since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Often	5	.1	.1	.1
	3 Sometimes	42	.9	.9	1.1
	4 Not at all	4380	98.2	98.9	100.0
	Total	4427	99.2	100.0	
Missing	-1 No response	35	.8		
Total		4462	100.0		

pj3052 C3k: Respondent has taken iron since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	53	1.2	1.2	1.2
	2 Often	40	.9	.9	2.1
	3 Sometimes	155	3.5	3.5	5.6
	4 Not at all	4191	93.9	94.4	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

PJ File – Section C

pj3053 C3l: Respondent has taken heroin, methadone, crack or cocaine since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2	.0	.0	.0
	3 Sometimes	17	.4	.4	.4
	4 Not at all	4416	99.0	99.5	100.0
	5 Once	1	.0	.0	100.0
	Total	4436	99.4	100.0	
Missing	-1 No response	26	.6		
Total		4462	100.0		

pj3054 C3m: Respondent has taken anticonvulsants since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	20	.4	.5	.5
	2 Often	1	.0	.0	.5
	3 Sometimes	5	.1	.1	.6
	4 Not at all	4409	98.8	99.4	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

pj3055 C3n: Respondent has taken steroids since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	35	.8	.8	.8
	2 Often	19	.4	.4	1.2
	3 Sometimes	76	1.7	1.7	2.9
	4 Not at all	4286	96.1	97.1	100.0
	Total	4416	99.0	100.0	
Missing	-1 No response	46	1.0		
Total		4462	100.0		

PJ File – Section C

pj3057 C3o: Respondent has taken other medication 1 since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	9	.2	1.1	1.1
	1 Every day	321	7.2	37.6	38.6
	2 Often	121	2.7	14.2	52.8
	3 Sometimes	402	9.0	47.1	99.9
	5 Once	1	.0	.1	100.0
	Total	854	19.1	100.0	
Missing	-1 No response	3608	80.9		
Total		4462	100.0		

pj3059 C3p: Respondent has taken other medication 2 since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	4	.1	1.3	1.3
	1 Every day	104	2.3	32.6	33.9
	2 Often	46	1.0	14.4	48.3
	3 Sometimes	165	3.7	51.7	100.0
	Total	319	7.1	100.0	
Missing	-1 No response	4143	92.9		
Total		4462	100.0		

pj3061 C3q: Respondent has taken other medication 3 since child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	3	.1	1.8	1.8
	1 Every day	34	.8	20.5	22.3
	2 Often	16	.4	9.6	31.9
	3 Sometimes	113	2.5	68.1	100.0
	Total	166	3.7	100.0	
Missing	-1 No response	4296	96.3		
Total		4462	100.0		

PJ File – Section C

pj3070 C4: Number of different medications taken by respondent in the last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	444	10.0	14.6	14.6
	1	1322	29.6	43.4	58.0
	2	694	15.6	22.8	80.8
	3	340	7.6	11.2	92.0
	4	133	3.0	4.4	96.3
	5	66	1.5	2.2	98.5
	6	27	.6	.9	99.4
	7	7	.2	.2	99.6
	8	6	.1	.2	99.8
	9	3	.1	.1	99.9
	11	2	.0	.1	100.0
	13	1	.0	.0	100.0
	Total	3045	68.2	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	1412	31.6		
	Total	1417	31.8		
Total		4462	100.0		

PJ File – Section C

pj3180 C5a: Respondent has been admitted to hospital since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	331	7.4	7.5	7.5
	2 No	4091	91.7	92.5	100.0
	Total	4422	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4462	100.0		

pj3181 C5b: Number of times respondent has been admitted to hospital since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	15	.3	4.4	4.4
	1	276	6.2	80.9	85.3
	2	38	.9	11.1	96.5
	3	7	.2	2.1	98.5
	5	2	.0	.6	99.1
	6	1	.0	.3	99.4
	7	1	.0	.3	99.7
	10	1	.0	.3	100.0
	Total	341	7.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	4119	92.3		
	Total	4121	92.4		
Total		4462	100.0		

pj3182 C5c: Number of different reasons respondent has been admitted to hospital since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	8	.2	2.5	2.5
	1	285	6.4	90.5	93.0
	2	19	.4	6.0	99.0
	3	3	.1	1.0	100.0
	Total	315	7.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	4146	92.9		
	Total	4147	92.9		
Total		4462	100.0		

PJ File – Section C

pj3191 C5d: Number of nights stayed in hospital on 1st occasion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	103	2.3	33.3	33.3
	1	82	1.8	26.5	59.9
	2	28	.6	9.1	68.9
	3	18	.4	5.8	74.8
	4	17	.4	5.5	80.3
	5	14	.3	4.5	84.8
	6	7	.2	2.3	87.1
	7	11	.2	3.6	90.6
	8	3	.1	1.0	91.6
	9	2	.0	.6	92.2
	10	5	.1	1.6	93.9
	11	2	.0	.6	94.5
	12	2	.0	.6	95.1
	13	1	.0	.3	95.5
	14	5	.1	1.6	97.1
	16	2	.0	.6	97.7
	20	1	.0	.3	98.1
	26	1	.0	.3	98.4
	30	1	.0	.3	98.7
	35	1	.0	.3	99.0
	40	1	.0	.3	99.4
	42	1	.0	.3	99.7
	60	1	.0	.3	100.0
	Total	309	6.9	100.0	
Missing	-9 Don't know	8	.2		
	-1 No response	4145	92.9		
	Total	4153	93.1		
Total		4462	100.0		

pj3201 C5e: Number of nights stayed in hospital on 2nd occasion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	12	.3	30.8	30.8
	1	9	.2	23.1	53.8
	2	4	.1	10.3	64.1
	3	1	.0	2.6	66.7
	4	4	.1	10.3	76.9
	5	2	.0	5.1	82.1
	8	2	.0	5.1	87.2
	10	2	.0	5.1	92.3
	11	1	.0	2.6	94.9
	21	1	.0	2.6	97.4
	55	1	.0	2.6	100.0
	Total	39	.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	4421	99.1		
	Total	4423	99.1		
Total		4462	100.0		

PJ File – Section C

pj3211 C5f: Number of nights stayed in hospital on 3rd occasion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	2	.0	25.0	25.0
	1	2	.0	25.0	50.0
	3	1	.0	12.5	62.5
	4	1	.0	12.5	75.0
	6	1	.0	12.5	87.5
	7	1	.0	12.5	100.0
	Total	8	.2	100.0	
Missing	-1 No response	4454	99.8		
Total		4462	100.0		

pj3221 C5g: Number of nights stayed in hospital on 4th occasion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	14	1	.0	100.0	100.0
Missing	-1 No response	4461	100.0		
Total		4462	100.0		

pj3231 C5h: Number of nights stayed in hospital on 5th occasion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	14	1	.0	100.0	100.0
Missing	-1 No response	4461	100.0		
Total		4462	100.0		

PJ File – Section C

pj3240 C6a: Frequency respondent has had backache in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	222	5.0	5.2	5.2
	2 Sometimes	1706	38.2	39.6	44.8
	3 Not at all	2380	53.3	55.2	100.0
	Total	4308	96.5	100.0	
Missing	-1 No response	154	3.5		
Total		4462	100.0		

pj3241 C6b: Frequency respondent has had headache or migraine in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	30	.7	.7	.7
	2 Sometimes	2410	54.0	56.0	56.7
	3 Not at all	1865	41.8	43.3	100.0
	Total	4305	96.5	100.0	
Missing	-1 No response	157	3.5		
Total		4462	100.0		

pj3242 C6c: Frequency respondent has had urinary infection in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	1	.0	.0	.0
	2 Sometimes	33	.7	.8	.8
	3 Not at all	4267	95.6	99.2	100.0
	Total	4301	96.4	100.0	
Missing	-1 No response	161	3.6		
Total		4462	100.0		

pj3243 C6d: Frequency respondent has had nausea in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	3	.1	.1	.1
	2 Sometimes	231	5.2	5.4	5.4
	3 Not at all	4068	91.2	94.6	100.0
	Total	4302	96.4	100.0	
Missing	-1 No response	160	3.6		
Total		4462	100.0		

pj3244 C6e: Frequency respondent has had vomiting in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	1	.0	.0	.0
	2 Sometimes	160	3.6	3.7	3.7
	3 Not at all	4140	92.8	96.3	100.0
	Total	4301	96.4	100.0	
Missing	-1 No response	161	3.6		
Total		4462	100.0		

PJ File – Section C

pj3245 C6f: Frequency respondent has had diarrhoea in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	11	.2	.3	.3
	2 Sometimes	558	12.5	13.0	13.2
	3 Not at all	3733	83.7	86.8	100.0
	Total	4302	96.4	100.0	
Missing	-1 No response	160	3.6		
Total		4462	100.0		

pj3246 C6g: Frequency respondent has had haemorrhoids or piles in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	68	1.5	1.6	1.6
	2 Sometimes	343	7.7	8.0	9.6
	3 Not at all	3891	87.2	90.4	100.0
	Total	4302	96.4	100.0	
Missing	-1 No response	160	3.6		
Total		4462	100.0		

pj3247 C6h: Frequency respondent has felt weepy or tearful in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	10	.2	.2	.2
	2 Sometimes	503	11.3	11.3	11.6
	3 Not at all	3922	87.9	88.4	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

pj3248 C6i: Frequency respondent has felt irritable in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	71	1.6	1.6	1.6
	2 Sometimes	2741	61.4	61.7	63.3
	3 Not at all	1633	36.6	36.7	100.0
	Total	4445	99.6	100.0	
Missing	-1 No response	17	.4		
Total		4462	100.0		

pj3249 C6j: Frequency respondent has felt exhausted in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	225	5.0	5.1	5.1
	2 Sometimes	2738	61.4	61.6	66.7
	3 Not at all	1479	33.1	33.3	100.0
	Total	4442	99.6	100.0	
Missing	-1 No response	20	.4		
Total		4462	100.0		

PJ File – Section C

pj3250 C6k: Frequency respondent has had varicose veins in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	34	.8	.8	.8
	2 Sometimes	62	1.4	1.4	2.2
	3 Not at all	4338	97.2	97.8	100.0
	Total	4434	99.4	100.0	
Missing	-1 No response	28	.6		
Total		4462	100.0		

pj3251 C6l: Frequency respondent has been passing urine very often in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	37	.8	.8	.8
	2 Sometimes	368	8.2	8.3	9.1
	3 Not at all	4031	90.3	90.9	100.0
	Total	4436	99.4	100.0	
Missing	-1 No response	26	.6		
Total		4462	100.0		

pj3252 C6m: Frequency respondent has had problems holding urine when they jump or sneeze in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	4	.1	.1	.1
	2 Sometimes	51	1.1	1.2	1.2
	3 Not at all	4377	98.1	98.8	100.0
	Total	4432	99.3	100.0	
Missing	-1 No response	30	.7		
Total		4462	100.0		

pj3253 C6n: Frequency respondent has had indigestion in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	31	.7	.7	.7
	2 Sometimes	1357	30.4	30.6	31.3
	3 Not at all	3053	68.4	68.7	100.0
	Total	4441	99.5	100.0	
Missing	-1 No response	21	.5		
Total		4462	100.0		

pj3254 C6o: Frequency respondent has felt dizzy or fainted in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	4	.1	.1	.1
	2 Sometimes	271	6.1	6.1	6.2
	3 Not at all	4165	93.3	93.8	100.0
	Total	4440	99.5	100.0	
Missing	-1 No response	22	.5		
Total		4462	100.0		

PJ File – Section C

pj3255 C6p: Frequency respondent has had flashing lights or spots before the eyes in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	3	.1	.1	.1
	2 Sometimes	253	5.7	5.7	5.8
	3 Not at all	4183	93.7	94.2	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

pj3256 C6q: Frequency respondent has had shoulder ache in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	91	2.0	2.1	2.1
	2 Sometimes	1033	23.2	23.3	25.3
	3 Not at all	3314	74.3	74.7	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

pj3257 C6r: Frequency respondent has had tingling in hands or fingers in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	29	.6	.7	.7
	2 Sometimes	539	12.1	12.2	12.8
	3 Not at all	3866	86.6	87.2	100.0
	Total	4434	99.4	100.0	
Missing	-1 No response	28	.6		
Total		4462	100.0		

pj3258 C6s: Frequency respondent has had tingling in feet or toes in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	17	.4	.4	.4
	2 Sometimes	225	5.0	5.1	5.5
	3 Not at all	4190	93.9	94.5	100.0
	Total	4432	99.3	100.0	
Missing	-1 No response	30	.7		
Total		4462	100.0		

pj3259 C6t: Frequency respondent has had neck ache in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	79	1.8	1.8	1.8
	2 Sometimes	1187	26.6	26.8	28.5
	3 Not at all	3169	71.0	71.5	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

PJ File – Section C

pj3260 C6u: Frequency respondent has felt depressed in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	47	1.1	1.1	1.1
	2 Sometimes	831	18.6	18.7	19.8
	3 Not at all	3565	79.9	80.2	100.0
	Total	4443	99.6	100.0	
Missing	-1 No response	19	.4		
Total		4462	100.0		

pj3261 C6v: Frequency respondent has had other problem in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	31	.7	.9	.9
	1 Almost all the time	76	1.7	2.1	3.0
	2 Sometimes	170	3.8	4.7	7.7
	3 Not at all	3314	74.3	92.3	100.0
	Total	3591	80.5	100.0	
Missing	-1 No response	871	19.5		
Total		4462	100.0		

PJ File – Section C

pj3270 C7a: Frequency respondent has sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	265	5.9	6.0	6.0
	2 Less than once a month	605	13.6	13.8	19.8
	3 1-3 times a month	1324	29.7	30.1	49.9
	4 About once a week	1074	24.1	24.4	74.3
	5 2-4 times a week	1055	23.6	24.0	98.3
	6 5 or more times a week	77	1.7	1.8	100.0
	Total	4400	98.6	100.0	
Missing	-1 No response	62	1.4		
Total		4462	100.0		

pj3271 C7b: Respondent enjoys sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very much	2996	67.1	68.5	68.5
	2 Yes, somewhat	1114	25.0	25.5	93.9
	3 No, not a lot	71	1.6	1.6	95.5
	4 No, not at all	4	.1	.1	95.6
	5 It doesn't happen	191	4.3	4.4	100.0
	Total	4376	98.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	85	1.9		
	Total	86	1.9		
Total		4462	100.0		

PJ File – Section C

pj3320 C8: Number of children respondent thought they would like to have before birth of first child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	223	5.0	5.1	5.1
	2 One	214	4.8	4.9	9.9
	3 Two	2212	49.6	50.1	60.1
	4 Three	563	12.6	12.8	72.8
	5 4 or more	428	9.6	9.7	82.5
	6 Didn't have an opinion	533	11.9	12.1	94.6
	9 Don't remember what they wanted	238	5.3	5.4	100.0
	Total	4411	98.9	100.0	
Missing	-8 Text response	5	.1		
	-1 No response	46	1.0		
	Total	51	1.1		
Total		4462	100.0		

PJ File – Section C

pj3330 C9a: Partner wanted more children after the study child was born

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Definitely wanted another child	1456	32.6	33.2	33.2
	2 Didn't mind if they had another child	1209	27.1	27.6	60.8
	3 Didn't think about it	489	11.0	11.2	71.9
	4 Definitely didn't want another child	1231	27.6	28.1	100.0
	Total	4385	98.3	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	75	1.7		
	Total	77	1.7		
Total		4462	100.0		

pj3331 C9b1: Partner didn't want more children after study child was born because of financial constraints

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	263	5.9	100.0	100.0
Missing	-1 No response	4199	94.1		
Total		4462	100.0		

pj3332 C9b2: Partner didn't want more children after study child was born because they had as many as they wanted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1031	23.1	100.0	100.0
Missing	-1 No response	3431	76.9		
Total		4462	100.0		

pj3333 C9b3: Partner didn't want more children after study child was born because of health reasons

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	22	.5	100.0	100.0
Missing	-1 No response	4440	99.5		
Total		4462	100.0		

pj3334 C9b4: Partner didn't want more children after study child was born because of career goals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	22	.5	100.0	100.0
Missing	-1 No response	4440	99.5		
Total		4462	100.0		

pj3335 C9b5: Partner didn't want more children after study child was born because mother did not want more children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	292	6.5	100.0	100.0
Missing	-1 No response	4170	93.5		
Total		4462	100.0		

PJ File – Section C

pj3337 C9b6: Partner didn't want more children after study child was born because on inability to cope with more children

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	159	3.6	100.0	100.0
Missing -1 No response	4303	96.4		
Total	4462	100.0		

pj3338 C9b7: Partner didn't want more children after study child was born because of bad experience with study child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	40	.9	100.0	100.0
Missing -1 No response	4422	99.1		
Total	4462	100.0		

pj3339 C9b8: Partner didn't want more children after study child was born because of other reasons

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	215	4.8	100.0	100.0
Missing -1 No response	4247	95.2		
Total	4462	100.0		

PAGE 18 OF THE QUESTIONNAIRE

SECTION D: RECENT EVENTS

Listed below are a number of events which may have brought changes in your life. Have any of the these occurred since the study child's 5th birthday?

Since your child was 5	Yes & affected me a lot ↓	Yes, moderately affected ↓	Yes, mildly affected ↓	Yes, but did not affect me at all	No, did not happen ↓
D1. Your partner died	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D2. One of your children died	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D3. A friend or relative died	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D4. One of your children was ill	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D5. Your partner was ill	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D6. A friend or relative was ill	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D7. You were admitted to hospital	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D8. You were in trouble with the law	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D9. You were divorced	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D10. You found that your partner didn't want your child	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D11. You were very ill	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
D12. Your partner lost her job	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

PAGE 19 OF THE QUESTIONNAIRE

	Yes & affected me a lot ↓	Yes, moderately affected ↓	Yes, mildly affected ↓	Yes, but did not affect me at all	No, did not happen ↓
Since your child was 5					
D13. Your partner had problems at work	1	2	3	4	5
D14. You had problems at work	1	2	3	4	5
D15. You lost your job	1	2	3	4	5
D16. Your partner went away	1	2	3	4	5
D17. Your partner was in trouble with the law	1	2	3	4	5
D18. You and your partner separated	1	2	3	4	5
D19. Your income was reduced	1	2	3	4	5
D20. You argued with your partner	1	2	3	4	5
D21. You argued with your family and friends	1	2	3	4	5
D22. You moved house	1	2	3	4	5
D23. Your partner was physically cruel to you	1	2	3	4	5
D24. You became homeless	1	2	3	4	5
D25. You had a major financial problem	1	2	3	4	5
D26. You got married	1	2	3	4	5

PAGE 20 OF THE QUESTIONNAIRE

	Yes & affected me a lot ↓	Yes, moderately affected ↓	Yes, mildly affected ↓	Yes, but did not affect me at all	No, did not happen ↓
Since your child was 5					
D27. Your partner was physically cruel to your children	1	2	3	4	5
D28. You were physically cruel to your children	1	2	3	4	5
D29. You attempted suicide	1	2	3	4	5
D30. You were convicted of an offence	1	2	3	4	5
D31. Your partner became pregnant	1	2	3	4	5
D32. You started a new job	1	2	3	4	5
D33. Your partner had a miscarriage	1	2	3	4	5
D34. Your partner had an abortion	1	2	3	4	5
D35. You took an examination	1	2	3	4	5
D36. Your partner was emotionally cruel to you	1	2	3	4	5
D37. Your partner was emotionally cruel to your children	1	2	3	4	5
D38. You were emotionally cruel to your children	1	2	3	4	5

PAGE 21 OF THE QUESTIONNAIRE

	Yes & affected me a lot ↓	Yes, moderately affected ↓	Yes, mildly affected ↓	Yes, but did not affect me at all	No, did not happen ↓
Since your child was 5					
D39. Your house or car was burgled	1	2	3	4	5
D40. You found a new partner	1	2	3	4	5
D41. One of your children started school	1	2	3	4	5
D42. Your partner started a new job	1	2	3	4	5
D43. A pet died	1	2	3	4	5
D44. You had an accident (please tick and describe)	1	2	3	4	5

.....

D45. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope **in the last year**?

Yes 1 No 2 → **Go to E1 on page 22**

If yes,

b) please describe for each event:

what happened:

(i)

(ii)

(iii)

PJ File – Section D

pj4000 D1: Respondent's assessment of how much their partner dying since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected them a lot	1	.0	.0	.0
	5 No, did not happen	4438	99.5	100.0	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

pj4001 D2: Respondent's assessment of how much a child dying since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected them a lot	6	.1	.1	.1
	2 Yes and moderately affected	1	.0	.0	.2
	5 No, did not happen	4429	99.3	99.8	100.0
	Total	4436	99.4	100.0	
Missing	-1 No response	26	.6		
Total		4462	100.0		

pj4002 D3: Respondent's assessment of how much a friend or relative dying since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected them a lot	192	4.3	4.3	4.3
	2 Yes and moderately affected	248	5.6	5.6	9.9
	3 Yes, mildly affected	433	9.7	9.8	19.7
	4 Yes, but did not affect them at all	357	8.0	8.0	27.7
	5 No, did not happen	3208	71.9	72.3	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

pj4003 D4: Respondent's assessment of how much a child's illness since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	121	2.7	2.7	2.7
	2 Yes and moderately affected	205	4.6	4.6	7.4
	3 Yes, mildly affected	639	14.3	14.4	21.8
	4 Yes, but did not affect me at all	726	16.3	16.4	38.2
	5 No, did not happen	2737	61.3	61.8	100.0
	Total	4428	99.2	100.0	
Missing	-1 No response	34	.8		
Total		4462	100.0		

PJ File – Section D

pj4004 D5: Respondent's assessment of how much their partner's illness since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	157	3.5	3.5	3.5
	2 Yes and moderately affected	269	6.0	6.1	9.6
	3 Yes, mildly affected	515	11.5	11.6	21.2
	4 Yes, but did not affect me at all	475	10.6	10.7	31.9
	5 No, did not happen	3016	67.6	68.1	100.0
	Total	4432	99.3	100.0	
Missing	-1 No response	30	.7		
Total		4462	100.0		

pj4005 D6: Respondent's assessment of how much a friend or relatives illness since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	100	2.2	2.3	2.3
	2 Yes and moderately affected	263	5.9	5.9	8.2
	3 Yes, mildly affected	438	9.8	9.9	18.1
	4 Yes, but did not affect me at all	485	10.9	10.9	29.0
	5 No, did not happen	3147	70.5	71.0	100.0
	Total	4433	99.4	100.0	
Missing	-1 No response	29	.6		
Total		4462	100.0		

pj4006 D7: Respondent's assessment of how much being admitted to hospital since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	60	1.3	1.4	1.4
	2 Yes and moderately affected	50	1.1	1.1	2.5
	3 Yes, mildly affected	80	1.8	1.8	4.3
	4 Yes, but did not affect me at all	121	2.7	2.7	7.0
	5 No, did not happen	4124	92.4	93.0	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

pj4007 D8: Respondent's assessment of how much being in trouble with the law since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	15	.3	.3	.3
	2 Yes and moderately affected	10	.2	.2	.6
	3 Yes, mildly affected	23	.5	.5	1.1
	4 Yes, but did not affect me at all	29	.6	.7	1.7
	5 No, did not happen	4361	97.7	98.3	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

PJ File – Section D

pj4008 D9: Respondent's assessment of how much divorce since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	17	.4	.4	.4
	2 Yes and moderately affected	3	.1	.1	.5
	3 Yes, mildly affected	6	.1	.1	.6
	4 Yes, but did not affect me at all	7	.2	.2	.7
	5 No, did not happen	4404	98.7	99.3	100.0
	Total	4437	99.4	100.0	
Missing	-1 No response	25	.6		
Total		4462	100.0		

pj4009 D10: Respondent's assessment of how much partner not wanting their child since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	4	.1	.1	.1
	2 Yes and moderately affected	2	.0	.0	.1
	3 Yes, mildly affected	5	.1	.1	.2
	4 Yes, but did not affect me at all	4	.1	.1	.3
	5 No, did not happen	4423	99.1	99.7	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

pj4010 D11: Respondent's assessment of how much being ill since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	73	1.6	1.6	1.6
	2 Yes and moderately affected	45	1.0	1.0	2.7
	3 Yes, mildly affected	61	1.4	1.4	4.0
	4 Yes, but did not affect me at all	46	1.0	1.0	5.1
	5 No, did not happen	4211	94.4	94.9	100.0
	Total	4436	99.4	100.0	
Missing	-1 No response	26	.6		
Total		4462	100.0		

pj4011 D12: Respondent's assessment of how much partner losing their job since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	6	.1	.1	.1
	2 Yes and moderately affected	10	.2	.2	.4
	3 Yes, mildly affected	39	.9	.9	1.2
	4 Yes, but did not affect me at all	41	.9	.9	2.2
	5 No, did not happen	4341	97.3	97.8	100.0
	Total	4437	99.4	100.0	
Missing	-1 No response	25	.6		
Total		4462	100.0		

PJ File – Section D

pj4012 D13: Respondent's assessment of how much partner's problems at work since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	40	.9	.9	.9
	2 Yes and moderately affected	124	2.8	2.8	3.7
	3 Yes, mildly affected	339	7.6	7.6	11.3
	4 Yes, but did not affect me at all	195	4.4	4.4	15.7
	5 No, did not happen	3738	83.8	84.3	100.0
	Total	4436	99.4	100.0	
Missing	-1 No response	26	.6		
Total		4462	100.0		

pj4013 D14: Respondent's assessment of how much having problems at work since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	213	4.8	4.8	4.8
	2 Yes and moderately affected	355	8.0	8.0	12.8
	3 Yes, mildly affected	622	13.9	14.0	26.8
	4 Yes, but did not affect me at all	400	9.0	9.0	35.8
	5 No, did not happen	2848	63.8	64.2	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

pj4014 D15: Respondent's assessment of how much loosing their job since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	87	1.9	2.0	2.0
	2 Yes and moderately affected	58	1.3	1.3	3.3
	3 Yes, mildly affected	60	1.3	1.4	4.6
	4 Yes, but did not affect me at all	48	1.1	1.1	5.7
	5 No, did not happen	4187	93.8	94.3	100.0
	Total	4440	99.5	100.0	
Missing	-1 No response	22	.5		
Total		4462	100.0		

pj4015 D16: Respondent's assessment of how much partner going away since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	27	.6	.6	.6
	2 Yes and moderately affected	18	.4	.4	1.0
	3 Yes, mildly affected	28	.6	.6	1.6
	4 Yes, but did not affect me at all	50	1.1	1.1	2.8
	5 No, did not happen	4315	96.7	97.2	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

PJ File – Section D

pj4016 D17: Respondent's assessment of how much partner being in trouble with the law since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes and moderately affected	4	.1	.1	.1
	3 Yes, mildly affected	1	.0	.0	.1
	4 Yes, but did not affect me at all	3	.1	.1	.2
	5 No, did not happen	4431	99.3	99.8	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

pj4017 D18: Respondent's assessment of how much separating from partner since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	76	1.7	1.7	1.7
	2 Yes and moderately affected	13	.3	.3	2.0
	3 Yes, mildly affected	6	.1	.1	2.1
	5 No, did not happen	4342	97.3	97.9	100.0
	Total	4437	99.4	100.0	
Missing	-1 No response	25	.6		
Total		4462	100.0		

pj4018 D19: Respondent's assessment of how much reduction in income since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	133	3.0	3.0	3.0
	2 Yes and moderately affected	173	3.9	3.9	6.9
	3 Yes, mildly affected	241	5.4	5.4	12.3
	4 Yes, but did not affect me at all	136	3.0	3.1	15.4
	5 No, did not happen	3756	84.2	84.6	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

pj4019 D20: Respondent's assessment of how much arguing with partner since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	193	4.3	4.4	4.4
	2 Yes and moderately affected	325	7.3	7.3	11.7
	3 Yes, mildly affected	815	18.3	18.4	30.1
	4 Yes, but did not affect me at all	998	22.4	22.5	52.6
	5 No, did not happen	2103	47.1	47.4	100.0
	Total	4434	99.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	27	.6		
	Total	28	.6		
Total		4462	100.0		

PJ File – Section D

pj4020 D21: Respondent's assessment of how much arguing with family or friends since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	34	.8	.8	.8
	2 Yes and moderately affected	85	1.9	1.9	2.7
	3 Yes, mildly affected	232	5.2	5.2	7.9
	4 Yes, but did not affect me at all	255	5.7	5.7	13.7
	5 No, did not happen	3829	85.8	86.3	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

pj4021 D22: Respondent's assessment of how much moving house since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	116	2.6	2.6	2.6
	2 Yes and moderately affected	123	2.8	2.8	5.4
	3 Yes, mildly affected	163	3.7	3.7	9.1
	4 Yes, but did not affect me at all	160	3.6	3.6	12.7
	5 No, did not happen	3877	86.9	87.3	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

pj4022 D23: Respondent's assessment of how much partner being physically cruel since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	15	.3	.3	.3
	2 Yes and moderately affected	5	.1	.1	.5
	3 Yes, mildly affected	23	.5	.5	1.0
	4 Yes, but did not affect me at all	18	.4	.4	1.4
	5 No, did not happen	4378	98.1	98.6	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

pj4023 D24: Respondent's assessment of how much becoming homeless since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	6	.1	.1	.1
	2 Yes and moderately affected	7	.2	.2	.3
	3 Yes, mildly affected	2	.0	.0	.3
	4 Yes, but did not affect me at all	1	.0	.0	.4
	5 No, did not happen	4423	99.1	99.6	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

PJ File – Section D

pj4024 D25: Respondent's assessment of how much major financial worries since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	99	2.2	2.2	2.2
	2 Yes and moderately affected	103	2.3	2.3	4.6
	3 Yes, mildly affected	166	3.7	3.7	8.3
	4 Yes, but did not affect me at all	76	1.7	1.7	10.0
	5 No, did not happen	3995	89.5	90.0	100.0
	Total	4439	99.5	100.0	
Missing	-1 No response	23	.5		
Total		4462	100.0		

pj4025 D26: Respondent's assessment of how much getting married since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	19	.4	.4	.4
	2 Yes and moderately affected	7	.2	.2	.6
	3 Yes, mildly affected	9	.2	.2	.8
	4 Yes, but did not affect me at all	15	.3	.3	1.1
	5 No, did not happen	4388	98.3	98.9	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

pj4026 D27: Respondent's assessment of how much partner's physical cruelty to children since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	5	.1	.1	.1
	2 Yes and moderately affected	4	.1	.1	.2
	3 Yes, mildly affected	11	.2	.2	.5
	4 Yes, but did not affect me at all	4	.1	.1	.5
	5 No, did not happen	4399	98.6	99.5	100.0
	Total	4423	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4462	100.0		

pj4027 D28: Respondent's assessment of how much being physically cruel to children since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	10	.2	.2	.2
	2 Yes and moderately affected	8	.2	.2	.4
	3 Yes, mildly affected	14	.3	.3	.7
	4 Yes, but did not affect me at all	6	.1	.1	.9
	5 No, did not happen	4384	98.3	99.1	100.0
	Total	4422	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4462	100.0		

PJ File – Section D

pj4028 D29: Respondent's assessment of how much attempting suicide since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	9	.2	.2	.2
	3 Yes, mildly affected	3	.1	.1	.3
	4 Yes, but did not affect me at all	2	.0	.0	.3
	5 No, did not happen	4410	98.8	99.7	100.0
	Total	4424	99.1	100.0	
Missing	-1 No response	38	.9		
Total		4462	100.0		

pj4029 D30: Respondent's assessment of how much being convicted of an offence since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	10	.2	.2	.2
	2 Yes and moderately affected	4	.1	.1	.3
	3 Yes, mildly affected	16	.4	.4	.7
	4 Yes, but did not affect me at all	31	.7	.7	1.4
	5 No, did not happen	4360	97.7	98.6	100.0
	Total	4421	99.1	100.0	
Missing	-1 No response	41	.9		
Total		4462	100.0		

pj4030 D31: Respondent's assessment of how much partner being pregnant since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	150	3.4	3.4	3.4
	2 Yes and moderately affected	103	2.3	2.3	5.7
	3 Yes, mildly affected	90	2.0	2.0	7.8
	4 Yes, but did not affect me at all	83	1.9	1.9	9.6
	5 No, did not happen	3997	89.6	90.4	100.0
	Total	4423	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4462	100.0		

pj4031 D32: Respondent's assessment of how much starting a new job since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	180	4.0	4.1	4.1
	2 Yes and moderately affected	203	4.5	4.6	8.7
	3 Yes, mildly affected	255	5.7	5.8	14.4
	4 Yes, but did not affect me at all	233	5.2	5.3	19.7
	5 No, did not happen	3551	79.6	80.3	100.0
	Total	4422	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4462	100.0		

PJ File – Section D

pj4033 D33: Respondent's assessment of how much partner's miscarriage since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	48	1.1	1.1	1.1
	2 Yes and moderately affected	26	.6	.6	1.7
	3 Yes, mildly affected	18	.4	.4	2.1
	4 Yes, but did not affect me at all	5	.1	.1	2.2
	5 No, did not happen	4320	96.8	97.8	100.0
	Total	4417	99.0	100.0	
Missing	-1 No response	45	1.0		
Total		4462	100.0		

pj4034 D34: Respondent's assessment of how much partner having an abortion since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	15	.3	.3	.3
	2 Yes and moderately affected	8	.2	.2	.5
	3 Yes, mildly affected	9	.2	.2	.7
	5 No, did not happen	4384	98.3	99.3	100.0
	Total	4416	99.0	100.0	
Missing	-1 No response	46	1.0		
Total		4462	100.0		

pj4035 D35: Respondent's assessment of how much taking an examination since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	48	1.1	1.1	1.1
	2 Yes and moderately affected	64	1.4	1.4	2.5
	3 Yes, mildly affected	124	2.8	2.8	5.3
	4 Yes, but did not affect me at all	237	5.3	5.4	10.7
	5 No, did not happen	3950	88.5	89.3	100.0
	Total	4423	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4462	100.0		

pj4036 D36: Respondent's assessment of how much partner's emotional cruelty towards them since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	84	1.9	1.9	1.9
	2 Yes and moderately affected	73	1.6	1.7	3.6
	3 Yes, mildly affected	111	2.5	2.5	6.1
	4 Yes, but did not affect me at all	44	1.0	1.0	7.1
	5 No, did not happen	4105	92.0	92.9	100.0
	Total	4417	99.0	100.0	
Missing	-1 No response	45	1.0		
Total		4462	100.0		

PJ File – Section D

pj4037 D37: Respondent's assessment of how much partner's emotional cruelty to children since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	14	.3	.3	.3
	2 Yes and moderately affected	19	.4	.4	.7
	3 Yes, mildly affected	47	1.1	1.1	1.8
	4 Yes, but did not affect me at all	11	.2	.2	2.1
	5 No, did not happen	4330	97.0	97.9	100.0
	Total	4421	99.1	100.0	
Missing	-1 No response	41	.9		
Total		4462	100.0		

pj4038 D38: Respondent's assessment of how much being emotionally cruel to children since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	12	.3	.3	.3
	2 Yes and moderately affected	17	.4	.4	.7
	3 Yes, mildly affected	39	.9	.9	1.5
	4 Yes, but did not affect me at all	18	.4	.4	1.9
	5 No, did not happen	4336	97.2	98.1	100.0
	Total	4422	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4462	100.0		

pj4039 D39: Respondent's assessment of how much house or car being burgled since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	37	.8	.8	.8
	2 Yes and moderately affected	69	1.5	1.6	2.4
	3 Yes, mildly affected	213	4.8	4.8	7.2
	4 Yes, but did not affect me at all	164	3.7	3.7	10.9
	5 No, did not happen	3940	88.3	89.1	100.0
	Total	4423	99.1	100.0	
Missing	-1 No response	39	.9		
Total		4462	100.0		

pj4040 D40: Respondent's assessment of how much finding a new partner since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	34	.8	.8	.8
	2 Yes and moderately affected	3	.1	.1	.8
	3 Yes, mildly affected	4	.1	.1	.9
	4 Yes, but did not affect me at all	3	.1	.1	1.0
	5 No, did not happen	4374	98.0	99.0	100.0
	Total	4418	99.0	100.0	
Missing	-1 No response	44	1.0		
Total		4462	100.0		

PJ File – Section D

pj4041 D41: Respondent's assessment of how much a child starting school since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	29	.6	.7	.7
	2 Yes and moderately affected	103	2.3	2.3	3.0
	3 Yes, mildly affected	257	5.8	5.8	8.8
	4 Yes, but did not affect me at all	488	10.9	11.1	19.9
	5 No, did not happen	3538	79.3	80.1	100.0
	Total	4415	98.9	100.0	
Missing	-1 No response	47	1.1		
Total		4462	100.0		

pj4042 D42: Respondent's assessment of how much partner starting new job since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	26	.6	.6	.6
	2 Yes and moderately affected	92	2.1	2.1	2.7
	3 Yes, mildly affected	225	5.0	5.1	7.8
	4 Yes, but did not affect me at all	354	7.9	8.0	15.8
	5 No, did not happen	3724	83.5	84.2	100.0
	Total	4421	99.1	100.0	
Missing	-1 No response	41	.9		
Total		4462	100.0		

pj4043 D43: Respondent's assessment of how much a pet dying since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and affected me a lot	46	1.0	1.0	1.0
	2 Yes and moderately affected	90	2.0	2.0	3.1
	3 Yes, mildly affected	186	4.2	4.2	7.3
	4 Yes, but did not affect me at all	386	8.7	8.7	16.0
	5 No, did not happen	3711	83.2	84.0	100.0
	Total	4419	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4462	100.0		

pj4044 D44: Respondent's assessment of how much an accident since study child's 5th birthday has affected them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	4	.1	.1	.1
	1 Yes and affected me a lot	39	.9	.9	1.0
	2 Yes and moderately affected	49	1.1	1.1	2.1
	3 Yes, mildly affected	74	1.7	1.7	3.9
	4 Yes, but did not affect me at all	71	1.6	1.7	5.5
	5 No, did not happen	4065	91.1	94.5	100.0
	Total	4302	96.4	100.0	
Missing	-1 No response	160	3.6		
Total		4462	100.0		

PJ File – Section D

pj4050 D45a: Another event in the past year has affected the respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	545	12.2	16.2	16.2
	2 No	2815	63.1	83.8	100.0
	Total	3360	75.3	100.0	
Missing	-1 No response	1102	24.7		
Total		4462	100.0		

PAGE 22 OF THE QUESTIONNAIRE

SECTION E: YOUR ENVIRONMENT

E1. In the last few months, how often have you used the following whether at home or at work:

	Every day ↓	Most days ↓	About once a week	Less than once a week	Not at all ↓
In the last few months					
a) disinfectant	1	2	3	4	5
b) bleach	1	2	3	4	5
c) window cleaner	1	2	3	4	5
d) chemical carpet cleaner	1	2	3	4	5
e) oven/drain cleaner	1	2	3	4	5
f) dry cleaning fluid	1	2	3	4	5
g) turpentine/white spirit	1	2	3	4	5
h) paint stripper	1	2	3	4	5
i) household paint or varnish	1	2	3	4	5
j) weed killers	1	2	3	4	5
k) pesticides/insect killers	1	2	3	4	5
l) air fresheners (spray, stick or aerosol)	1	2	3	4	5

PAGE 23 OF THE QUESTIONNAIRE

In the last few months		Every day ↓	Most days ↓	About once a week	Less than once a week	Not at all ↓
		E1.				
m)	other aerosols or sprays including hair spray	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
n)	vacuum cleaner	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
o)	broom/carpet sweeper	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
p)	glue	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
q)	metal cleaners/ degreasers, polishers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
r)	petrol	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
s)	moth repellent (moth balls)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
t)	other chemical (please tick and describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

.....

E2. Do you tend to collect static electricity and have shocks when you touch metal?

Yes a lot

Yes occasionally

No, not at all

PAGE 24 OF THE QUESTIONNAIRE

E3. How often during the day are you in a room or enclosed place where people are smoking?

	(i) weekdays	(ii) weekends
all the time	<div>1</div>	<div>1</div>
more than 5 hours	<div>2</div>	<div>2</div>
3-5 hours	<div>3</div>	<div>3</div>
1-2 hours	<div>4</div>	<div>4</div>
less than 1 hour	<div>5</div>	<div>5</div>
not at all	<div>6</div>	<div>6</div>

E4. How many cigarettes do you smoke nowadays per day?

(a) weekday

(b) weekend day

PJ File – Section E

pj5000 E1a: Frequency respondent has used disinfectant at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	98	2.2	2.2	2.2
	2 Most days	277	6.2	6.2	8.5
	3 About once a week	797	17.9	18.0	26.4
	4 Less than once a week	1726	38.7	38.9	65.4
	5 Not at all	1536	34.4	34.6	100.0
	Total	4434	99.4	100.0	
Missing	-1 No response	28	.6		
Total		4462	100.0		

pj5001 E1b: Frequency respondent has used bleach at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	47	1.1	1.1	1.1
	2 Most days	188	4.2	4.2	5.3
	3 About once a week	774	17.3	17.4	22.7
	4 Less than once a week	1668	37.4	37.6	60.3
	5 Not at all	1761	39.5	39.7	100.0
	Total	4438	99.5	100.0	
Missing	-1 No response	24	.5		
Total		4462	100.0		

pj5002 E1c: Frequency respondent has used window cleaner at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	16	.4	.4	.4
	2 Most days	36	.8	.8	1.2
	3 About once a week	289	6.5	6.5	7.7
	4 Less than once a week	1754	39.3	39.5	47.2
	5 Not at all	2340	52.4	52.8	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

pj5003 E1d: Frequency respondent has used chemical carpet cleaner at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	5	.1	.1	.1
	2 Most days	18	.4	.4	.5
	3 About once a week	64	1.4	1.4	2.0
	4 Less than once a week	886	19.9	20.0	21.9
	5 Not at all	3460	77.5	78.1	100.0
	Total	4433	99.4	100.0	
Missing	-1 No response	29	.6		
Total		4462	100.0		

PJ File – Section E

pj5004 E1e: Frequency respondent has used oven or drain cleaner at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	5	.1	.1	.1
	2 Most days	10	.2	.2	.3
	3 About once a week	72	1.6	1.6	2.0
	4 Less than once a week	922	20.7	20.8	22.8
	5 Not at all	3426	76.8	77.2	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

pj5005 E1f: Frequency respondent has used dry cleaning fluid at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	5	.1	.1	.1
	2 Most days	7	.2	.2	.3
	3 About once a week	15	.3	.3	.6
	4 Less than once a week	166	3.7	3.7	4.4
	5 Not at all	4242	95.1	95.6	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

pj5006 E1g: Frequency respondent has used turpentine or whites spirit at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	29	.6	.7	.7
	2 Most days	61	1.4	1.4	2.0
	3 About once a week	310	6.9	7.0	9.0
	4 Less than once a week	2326	52.1	52.4	61.4
	5 Not at all	1711	38.3	38.6	100.0
	Total	4437	99.4	100.0	
Missing	-1 No response	25	.6		
Total		4462	100.0		

pj5007 E1h: Frequency respondent has used paint stripper at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	8	.2	.2	.2
	2 Most days	11	.2	.2	.4
	3 About once a week	53	1.2	1.2	1.6
	4 Less than once a week	609	13.6	13.7	15.4
	5 Not at all	3753	84.1	84.6	100.0
	Total	4434	99.4	100.0	
Missing	-1 No response	28	.6		
Total		4462	100.0		

PJ File – Section E

pj5008 E1i: Frequency respondent has used household paint or varnish at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	16	.4	.4	.4
	2 Most days	64	1.4	1.4	1.8
	3 About once a week	263	5.9	5.9	7.7
	4 Less than once a week	2218	49.7	50.0	57.8
	5 Not at all	1873	42.0	42.2	100.0
	Total	4434	99.4	100.0	
Missing	-1 No response	28	.6		
Total		4462	100.0		

pj5009 E1j: Frequency respondent has used weed killers at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Most days	4	.1	.1	.1
	3 About once a week	35	.8	.8	.9
	4 Less than once a week	1061	23.8	23.9	24.8
	5 Not at all	3331	74.7	75.2	100.0
	Total	4431	99.3	100.0	
Missing	-1 No response	31	.7		
Total		4462	100.0		

pj5010 E1k: Frequency respondent has used pesticides or insect killers at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2	.0	.0	.0
	2 Most days	13	.3	.3	.3
	3 About once a week	80	1.8	1.8	2.1
	4 Less than once a week	988	22.1	22.3	24.4
	5 Not at all	3347	75.0	75.6	100.0
	Total	4430	99.3	100.0	
Missing	-1 No response	32	.7		
Total		4462	100.0		

pj5011 E1l: Frequency respondent has used air fresheners at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	205	4.6	4.6	4.6
	2 Most days	410	9.2	9.3	13.9
	3 About once a week	585	13.1	13.2	27.1
	4 Less than once a week	1234	27.7	27.8	54.9
	5 Not at all	1997	44.8	45.1	100.0
	Total	4431	99.3	100.0	
Missing	-1 No response	31	.7		
Total		4462	100.0		

PJ File – Section E

pj5012 E1m: Frequency respondent has used other aerosols or sprays at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	919	20.6	20.8	20.8
	2 Most days	794	17.8	18.0	38.7
	3 About once a week	326	7.3	7.4	46.1
	4 Less than once a week	752	16.9	17.0	63.1
	5 Not at all	1631	36.6	36.9	100.0
	Total	4422	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4462	100.0		

pj5013 E1n: Frequency respondent has used a vacuum cleaner at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	196	4.4	4.4	4.4
	2 Most days	595	13.3	13.4	17.8
	3 About once a week	1644	36.8	37.1	54.9
	4 Less than once a week	1540	34.5	34.7	89.6
	5 Not at all	460	10.3	10.4	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

pj5014 E1o: Frequency respondent has used a broom or carpet sweeper at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	91	2.0	2.1	2.1
	2 Most days	445	10.0	10.0	12.1
	3 About once a week	867	19.4	19.6	31.7
	4 Less than once a week	1172	26.3	26.5	58.1
	5 Not at all	1856	41.6	41.9	100.0
	Total	4431	99.3	100.0	
Missing	-1 No response	31	.7		
Total		4462	100.0		

pj5015 E1p: Frequency respondent has used glue at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	40	.9	.9	.9
	2 Most days	135	3.0	3.0	3.9
	3 About once a week	511	11.5	11.5	15.5
	4 Less than once a week	2171	48.7	49.0	64.4
	5 Not at all	1578	35.4	35.6	100.0
	Total	4435	99.4	100.0	
Missing	-1 No response	27	.6		
Total		4462	100.0		

PJ File – Section E

pj5017 E1q: Frequency respondent has used metal cleaner, degreaser or polisher at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	74	1.7	1.7	1.7
	2 Most days	128	2.9	2.9	4.6
	3 About once a week	252	5.6	5.7	10.3
	4 Less than once a week	951	21.3	21.5	31.8
	5 Not at all	3014	67.5	68.2	100.0
	Total	4419	99.0	100.0	
Missing	-1 No response	43	1.0		
Total		4462	100.0		

pj5018 E1r: Frequency respondent has used petrol at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	339	7.6	7.7	7.7
	2 Most days	644	14.4	14.6	22.3
	3 About once a week	1823	40.9	41.3	63.6
	4 Less than once a week	699	15.7	15.8	79.4
	5 Not at all	908	20.3	20.6	100.0
	Total	4413	98.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	48	1.1		
	Total	49	1.1		
Total		4462	100.0		

pj5019 E1s: Frequency respondent has used moth repellent at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	3	.1	.1	.1
	2 Most days	3	.1	.1	.1
	3 About once a week	3	.1	.1	.2
	4 Less than once a week	76	1.7	1.7	1.9
	5 Not at all	4337	97.2	98.1	100.0
	Total	4422	99.1	100.0	
Missing	-1 No response	40	.9		
Total		4462	100.0		

pj5020 E1t: Frequency respondent has used other chemicals at home or work in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	30	.7	.8	.8
	1 Every day	131	2.9	3.4	4.2
	2 Most days	135	3.0	3.5	7.7
	3 About once a week	118	2.6	3.1	10.8
	4 Less than once a week	99	2.2	2.6	13.4
	5 Not at all	3321	74.4	86.6	100.0
	Total	3834	85.9	100.0	
Missing	-1 No response	628	14.1		
Total		4462	100.0		

PJ File – Section E

pj5030 E2: Respondent tends to collect static electricity and has shocks when touching metal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, a lot	363	8.1	8.4	8.4
	2 Yes, occasionally	2716	60.9	63.1	71.6
	3 No, not at all	1224	27.4	28.4	100.0
	Total	4303	96.4	100.0	
Missing	-1 No response	159	3.6		
Total		4462	100.0		

pj5040 E3i: Frequency respondent is a room or enclosed space where people are smoking on weekdays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	175	3.9	4.1	4.1
	2 More than 5 hours	187	4.2	4.4	8.6
	3 3-5 hours	266	6.0	6.3	14.9
	4 1-2 hours	406	9.1	9.6	24.5
	5 Less than 1 hour	1128	25.3	26.7	51.2
	6 Not at all	2060	46.2	48.8	100.0
	Total	4222	94.6	100.0	
Missing	-1 No response	240	5.4		
Total		4462	100.0		

pj5041 E3ii: Frequency respondent is a room or enclosed space where people are smoking on weekends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	162	3.6	3.7	3.7
	2 More than 5 hours	203	4.5	4.7	8.4
	3 3-5 hours	321	7.2	7.4	15.9
	4 1-2 hours	541	12.1	12.5	28.4
	5 Less than 1 hour	914	20.5	21.1	49.5
	6 Not at all	2181	48.9	50.5	100.0
	Total	4322	96.9	100.0	
Missing	-1 No response	140	3.1		
Total		4462	100.0		

PJ File – Section E

pj5050 E4a: Number of cigarettes smoked by respondent per day on weekdays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	3035	68.0	76.9	76.9
	1	24	.5	.6	77.5
	2	33	.7	.8	78.3
	3	26	.6	.7	79.0
	4	22	.5	.6	79.5
	5	62	1.4	1.6	81.1
	6	12	.3	.3	81.4
	7	9	.2	.2	81.6
	8	21	.5	.5	82.2
	9	4	.1	.1	82.3
	10	184	4.1	4.7	86.9
	12	16	.4	.4	87.3
	14	5	.1	.1	87.5
	15	142	3.2	3.6	91.1
	16	4	.1	.1	91.2
	17	3	.1	.1	91.2
	18	7	.2	.2	91.4
	19	1	.0	.0	91.4
	20	235	5.3	6.0	97.4
	22	2	.0	.1	97.4
	25	30	.7	.8	98.2
	30	36	.8	.9	99.1
	35	2	.0	.1	99.2
	40	18	.4	.5	99.6
	50	3	.1	.1	99.7
	60	3	.1	.1	99.8
	97 Rarely/Sometimes	9	.2	.2	100.0
	Total	3948	88.5	100.0	
Missing	-1 No response	514	11.5		
Total		4462	100.0		

PJ File – Section E

pj5051 E4b: Number of cigarettes smoked by respondent per day on weekends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	3014	67.5	76.4	76.4
	1	27	.6	.7	77.1
	2	42	.9	1.1	78.1
	3	25	.6	.6	78.8
	4	25	.6	.6	79.4
	5	68	1.5	1.7	81.1
	6	17	.4	.4	81.6
	7	9	.2	.2	81.8
	8	19	.4	.5	82.3
	9	2	.0	.1	82.3
	10	155	3.5	3.9	86.3
	11	1	.0	.0	86.3
	12	17	.4	.4	86.7
	14	5	.1	.1	86.8
	15	137	3.1	3.5	90.3
	16	3	.1	.1	90.4
	17	2	.0	.1	90.4
	18	5	.1	.1	90.6
	19	1	.0	.0	90.6
	20	252	5.6	6.4	97.0
	22	1	.0	.0	97.0
	24	1	.0	.0	97.0
	25	42	.9	1.1	98.1
	28	1	.0	.0	98.1
	30	39	.9	1.0	99.1
	35	3	.1	.1	99.2
	40	20	.4	.5	99.7
	50	1	.0	.0	99.7
	60	2	.0	.1	99.8
	97 Rarely/Sometimes	9	.2	.2	100.0
	Total	3945	88.4	100.0	
Missing	-1 No response	517	11.6		
Total		4462	100.0		

PAGE 25 OF THE QUESTIONNAIRE

SECTION F: YOUR PARTNER

F1. a) Are you a single parent?

Yes → If yes, go to section G on page 36

No

If no,

b) do you live with the mother or the person acting as mother to your study child?

Yes No → If no, go to F2 below

If yes,

c) how long have you lived together?

years months

The section below is concerned with your relationship with your partner.

F2. How would you assess your partner's physical health?

always fit and well	<input type="text" value="1"/>
mostly well and healthy	<input type="text" value="2"/>
often feels unwell	<input type="text" value="3"/>
hardly ever feels well	<input type="text" value="4"/>

PAGE 26 OF THE QUESTIONNAIRE

F3. Below are listed a number of conditions which your partner might have had. Please indicate whether she has had any of these since your study child was 5 years old.

Since your child was 5 Partner had:	Yes, and saw a doctor	Yes, but did not see a doctor	No, not at all	Do not know
a) headaches or migraine	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
b) indigestion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
c) epilepsy	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
d) depression	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
e) anxiety or nerves	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
f) haemorrhoids/piles	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
g) cough or cold	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
h) influenza	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
i) bronchitis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
j) high blood pressure (hypertension)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
k) diabetes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
l) schizophrenia	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
m) drink (alcohol) problem	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
n) stomach ulcers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
o) asthma or wheezing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
p) eczema	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
q) psoriasis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
r) arthritis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
s) urinary infection	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
t) rheumatism	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
u) back pain, sciatica or slipped disc	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>

PAGE 27 OF THE QUESTIONNAIRE

	Since your child was 5 Partner had:	Yes, and saw a doctor	Yes, but did not see a doctor	No, not at all	Do not know
F3.					
v)	syphilis	1	2	3	9
w)	gonorrhoea	1	2	3	9
x)	other condition(s) (please tick and describe)	1	2	3	9

.....

F4. Below are some statements about parents' relationships with young children.
Please indicate how you feel about your partner in regard to the study child.

	This is always how how I feel	This is sometimes how I feel	I never feel this this way	
a)	My partner really loves this child	1	2	3
b)	My partner is glad that she had this child when she did	1	2	3
c)	I like to watch her play with the child	1	2	3
d)	I am afraid to leave the child alone with her because I think she might be violent	1	2	3
e)	My partner seems to feel very close to the child	1	2	3
f)	This child gets on her nerves	1	2	3
g)	She really cannot bear it when this child cries	1	2	3
h)	I think my partner is interested as she watches the child gradually develop	1	2	3

PAGE 28 OF THE QUESTIONNAIRE

	This is always how how I feel	This is sometimes how I feel	I never feel this this way
F4. (cont.)			
i) My partner feels anxious when someone other than us looks after the child	<div>1</div>	<div>2</div>	<div>3</div>
j) She doesn't mind the mess that surrounds a young child	<div>1</div>	<div>2</div>	<div>3</div>
k) This child makes my partner very happy	<div>1</div>	<div>2</div>	<div>3</div>

F5. How would you rate your partner on these characteristics?

	Almost always	Sometimes	Hardly ever
a) helpful, co-operative	<div>1</div>	<div>2</div>	<div>3</div>
b) quiet, reserved	<div>1</div>	<div>2</div>	<div>3</div>
c) unreliable	<div>1</div>	<div>2</div>	<div>3</div>
d) sociable, outgoing	<div>1</div>	<div>2</div>	<div>3</div>
e) dominating	<div>1</div>	<div>2</div>	<div>3</div>
f) understanding	<div>1</div>	<div>2</div>	<div>3</div>
g) quick-tempered, easily upset	<div>1</div>	<div>2</div>	<div>3</div>
h) cheerful, easygoing	<div>1</div>	<div>2</div>	<div>3</div>

PAGE 29 OF THE QUESTIONNAIRE

F6. Who does these various household tasks?

		Me always ↓	Me mostly ↓	Sometimes me, some- times my partner	Partner mostly ↓	Partner always ↓	Someone else ↓
a)	shopping for groceries	1	2	3	4	5	6
b)	cooking	1	2	3	4	5	6
c)	cleaning house	1	2	3	4	5	6
d)	repairs in home	1	2	3	4	5	6
e)	looking after children	1	2	3	4	5	6
f)	washing clothes	1	2	3	4	5	6
g)	ironing	1	2	3	4	5	6

F7. Who decides:

		Me always ↓	Me mostly ↓	Sometimes me, some- times my partner	Partner mostly ↓	Partner always ↓
a)	how to spend free time	1	2	3	4	5
b)	how much to see family or friends	1	2	3	4	5
c)	when to do repairs or redecorate	1	2	3	4	5
d)	how we should spend our money	1	2	3	4	5

PAGE 30 OF THE QUESTIONNAIRE

F8. People vary greatly in the amount they are satisfied or dissatisfied with their relationship. How do you feel about the following aspects of your life together?

	Very satisfied	Moderately satisfied	Somewhat dissatisfied	Very dissatisfied
a) handling family finances	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) demonstrations of affection	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) sex	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) amount of time spent together	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) making major decisions	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) household tasks	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) leisure time interests & activities	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F9. a) How often recently have you been irritable with your partner?

not at all	<input type="text" value="1"/>	less than once a week	<input type="text" value="2"/>	1-2 times a week	<input type="text" value="3"/>	3-6 times a week	<input type="text" value="4"/>	every day	<input type="text" value="5"/>
------------	--------------------------------	-----------------------	--------------------------------	------------------	--------------------------------	------------------	--------------------------------	-----------	--------------------------------

b) How often has she been irritable with you?

not at all	<input type="text" value="1"/>	less than once a week	<input type="text" value="2"/>	1-2 times a week	<input type="text" value="3"/>	3-6 times a week	<input type="text" value="4"/>	every day	<input type="text" value="5"/>
------------	--------------------------------	-----------------------	--------------------------------	------------------	--------------------------------	------------------	--------------------------------	-----------	--------------------------------

F10. a) How many arguments or disagreements have you had in the past three months?

None	<input type="text" value="1"/>	1-3	<input type="text" value="2"/>	4-7	<input type="text" value="3"/>	8-13	<input type="text" value="4"/>	14 or more	<input type="text" value="5"/>
------	--------------------------------	-----	--------------------------------	-----	--------------------------------	------	--------------------------------	------------	--------------------------------

PAGE 31 OF THE QUESTIONNAIRE

F10. b) In the past 3 months, have any of these happened?

	Yes, I did this	Yes, she did this	Yes, we both did this	No, not at all
i) not speaking to partner for more than half an hour	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
ii) one of you walking out of the house	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
iii) shouting or calling partner names	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
iv) hitting or slapping partner	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
v) throwing or breaking things	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>

F11. In the past three months how often have you done these things **with your partner**?

	Never ↓	Less than once a month	Less than once a week	At least once a week
a) gone out for a meal	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
b) gone out for a drink	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
c) visited friends	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
d) visited family	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
e) gone to the cinema or theatre	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
f) other (please tick and describe)		2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>

.....

PAGE 32 OF THE QUESTIONNAIRE

F12. a) How many evenings a month do you go out and do things **on your own** or with your own friends?

none once 2-3 4-7 8 or more
times times times times times

b) How many times a month does your partner go out and do things **on her own** or with friends?

none once 2-3 4-7 8 or more
times times times times times

F13. How often in a week, on average, would you and your partner:

	Never ↓	Less than once a week	1-3 times a week	Most days ↓
a) discuss work or how the day has gone	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) laugh together	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) calmly talk over something (e.g. the news, a hobby or interest)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) kiss or hug	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) make plans	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) talk over feelings or worries	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 33 OF THE QUESTIONNAIRE

F14. a) Which of the following statements about alcohol best applies to your partner:

Never drinks alcohol	<input type="text" value="1"/>
Very occasionally (less than once a week)	<input type="text" value="2"/>
Occasionally (at least once a week)	<input type="text" value="3"/>
Drinks 1-2 glasses* nearly every day	<input type="text" value="4"/>
Drinks 3-9 glasses* every day	<input type="text" value="5"/>
Drinks at least 10 glasses a day	<input type="text" value="6"/>
Don't know	<input type="text" value="9"/>

[*by glass we mean pub measures (1oz) of spirits or ½ pints (¼ litre) of beer or cider, or 1 glass of wine]

b) How many days **in the past month** do you think she had the equivalent of at least 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

every day	<input type="text" value="1"/>	more than 10 days	<input type="text" value="2"/>
5-10 days	<input type="text" value="3"/>	3-4 days	<input type="text" value="4"/>
1-2 days	<input type="text" value="5"/>	none	<input type="text" value="6"/>

F15. Below are attitudes and behaviours which people reveal in their close relationships. Please rate your partner's attitudes and behaviour towards you in recent times and tick the most appropriate box for each item.

My partner:	Very true	Moderately true	Somewhat true	Not at all true
a) Is very considerate of me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) Wants me to take her side in an argument	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) Wants to know exactly what I'm doing and where I am	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) Is a good companion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 34 OF THE QUESTIONNAIRE

F15. cont.

My partner:	Very true	Moderately true	Somewhat true	Not at all true
e) Is affectionate to me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) Is clearly hurt if I don't accept her views	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) Tends to try to change me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
h) Confides closely in me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
i) Tends to criticise me over small issues	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
j) Understands my problems and worries	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
k) Tends to order me about	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
l) Insists I do exactly as I'm told	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
m) Is physically gentle and considerate	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
n) Makes me feel needed	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
o) Wants me to change in small ways	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
p) Is very loving to me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
q) Seeks to dominate me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
r) Is fun to be with	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
s) Wants to change me in big ways	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 35 OF THE QUESTIONNAIRE

F15. Cont.

		Very true	Moderately true	Somewhat true	Not at all true
My partner:					
t)	Tends to control everything I do	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
u)	Shows her appreciation of me	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
v)	Is critical of me in private	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
w)	Is gentle and kind to me	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
x)	Speaks to me in a warm and friendly voice	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>

PJ File – Section F

pj6000 F1a: Respondent is a single parent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	44	1.0	1.0	1.0
2 No	4369	97.9	99.0	100.0
Total	4413	98.9	100.0	
Missing -1 No response	49	1.1		
Total	4462	100.0		

pj6001 F1b: Respondent lives with the mother or person acting as mother to study child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3978	89.2	92.4	92.4
2 No	326	7.3	7.6	100.0
Total	4304	96.5	100.0	
Missing -1 No response	158	3.5		
Total	4462	100.0		

PJ File – Section F

pj6002a F1c: Years respondent has lived with study child's mother or person acting as mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	21	.5	.5	.5
	1	22	.5	.6	1.1
	2	35	.8	.9	2.0
	3	29	.6	.8	2.8
	4	26	.6	.7	3.4
	5	22	.5	.6	4.0
	6	57	1.3	1.5	5.5
	7	233	5.2	6.0	11.5
	8	305	6.8	7.9	19.5
	9	365	8.2	9.5	28.9
	10	551	12.3	14.3	43.2
	11	387	8.7	10.0	53.2
	12	442	9.9	11.5	64.7
	13	345	7.7	8.9	73.7
	14	250	5.6	6.5	80.1
	15	223	5.0	5.8	85.9
	16	145	3.2	3.8	89.7
	17	116	2.6	3.0	92.7
	18	83	1.9	2.2	94.8
	19	42	.9	1.1	95.9
	20	60	1.3	1.6	97.5
	21	27	.6	.7	98.2
	22	24	.5	.6	98.8
	23	15	.3	.4	99.2
	24	10	.2	.3	99.5
	25	7	.2	.2	99.6
	26	6	.1	.2	99.8
	27	4	.1	.1	99.9
	28	2	.0	.1	99.9
	29	2	.0	.1	100.0
	Total	3856	86.4	100.0	
Missing	-1 No response	606	13.6		
Total		4462	100.0		

PJ File – Section F

pj6002b F1c: Months respondent has lived with study child's mother or person acting as mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	476	10.7	18.3	18.3
	1	169	3.8	6.5	24.7
	2	229	5.1	8.8	33.5
	3	221	5.0	8.5	42.0
	4	183	4.1	7.0	49.0
	5	161	3.6	6.2	55.2
	6	419	9.4	16.1	71.3
	7	120	2.7	4.6	75.9
	8	180	4.0	6.9	82.8
	9	144	3.2	5.5	88.3
	10	181	4.1	6.9	95.2
	11	124	2.8	4.8	100.0
	Total	2607	58.4	100.0	
Missing	-1 No response	1855	41.6		
Total		4462	100.0		

pj6010 F2: Respondent's assessment of their partner's physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always fit and well	1298	29.1	29.7	29.7
	2 Mostly well and healthy	2631	59.0	60.2	90.0
	3 Often feels unwell	391	8.8	9.0	98.9
	4 Hardly ever feels well	47	1.1	1.1	100.0
	Total	4367	97.9	100.0	
Missing	-1 No response	95	2.1		
Total		4462	100.0		

PJ File – Section F

pj6020 F3a: Respondent's partner has had headaches or migraine since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	238	5.3	5.4	5.4
	2 Yes but did not see a doctor	3309	74.2	75.5	80.9
	3 No, not at all	680	15.2	15.5	96.5
	9 Do not know	155	3.5	3.5	100.0
	Total	4382	98.2	100.0	
Missing	-1 No response	80	1.8		
Total		4462	100.0		

pj6021 F3b: Respondent's partner has had indigestion since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	68	1.5	1.6	1.6
	2 Yes but did not see a doctor	1395	31.3	31.8	33.4
	3 No, not at all	2218	49.7	50.6	84.0
	9 Do not know	700	15.7	16.0	100.0
	Total	4381	98.2	100.0	
Missing	-1 No response	81	1.8		
Total		4462	100.0		

pj6022 F3c: Respondent's partner has had epilepsy since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	13	.3	.3	.3
	2 Yes but did not see a doctor	12	.3	.3	.6
	3 No, not at all	3809	85.4	87.1	87.7
	9 Do not know	540	12.1	12.3	100.0
	Total	4374	98.0	100.0	
Missing	-1 No response	88	2.0		
Total		4462	100.0		

pj6023 F3d: Respondent's partner has had depression since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	306	6.9	7.0	7.0
	2 Yes but did not see a doctor	709	15.9	16.2	23.2
	3 No, not at all	2787	62.5	63.6	86.8
	9 Do not know	577	12.9	13.2	100.0
	Total	4379	98.1	100.0	
Missing	-1 No response	83	1.9		
Total		4462	100.0		

PJ File – Section F

pj6024 F3e: Respondent's partner has had anxiety or nerves since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	176	3.9	4.0	4.0
	2 Yes but did not see a doctor	1043	23.4	23.8	27.9
	3 No, not at all	2577	57.8	58.9	86.7
	9 Do not know	581	13.0	13.3	100.0
	Total	4377	98.1	100.0	
Missing	-1 No response	85	1.9		
Total		4462	100.0		

pj6025 F3f: Respondent's partner has had haemorrhoids or piles since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	100	2.2	2.3	2.3
	2 Yes but did not see a doctor	541	12.1	12.4	14.7
	3 No, not at all	3078	69.0	70.4	85.0
	9 Do not know	655	14.7	15.0	100.0
	Total	4374	98.0	100.0	
Missing	-1 No response	88	2.0		
Total		4462	100.0		

pj6026 F3g: Respondent's partner has had a cough or cold since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	180	4.0	4.1	4.1
	2 Yes but did not see a doctor	3552	79.6	80.9	85.1
	3 No, not at all	530	11.9	12.1	97.1
	9 Do not know	126	2.8	2.9	100.0
	Total	4388	98.3	100.0	
Missing	-1 No response	74	1.7		
Total		4462	100.0		

pj6027 F3h: Respondent's partner has had influenza since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	120	2.7	2.7	2.7
	2 Yes but did not see a doctor	804	18.0	18.4	21.1
	3 No, not at all	3003	67.3	68.5	89.6
	9 Do not know	454	10.2	10.4	100.0
	Total	4381	98.2	100.0	
Missing	-1 No response	81	1.8		
Total		4462	100.0		

pj6028 F3i: Respondent's partner has had bronchitis since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	83	1.9	1.9	1.9
	2 Yes but did not see a doctor	57	1.3	1.3	3.2
	3 No, not at all	3723	83.4	85.0	88.2
	9 Do not know	517	11.6	11.8	100.0
	Total	4380	98.2	100.0	
Missing	-1 No response	82	1.8		
Total		4462	100.0		

PJ File – Section F

pj6029 F3j: Respondent's partner has had high blood pressure since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	111	2.5	2.5	2.5
	2 Yes but did not see a doctor	51	1.1	1.2	3.7
	3 No, not at all	3564	79.9	81.4	85.1
	9 Do not know	654	14.7	14.9	100.0
	Total	4380	98.2	100.0	
Missing	-1 No response	82	1.8		
Total		4462	100.0		

pj6030 F3k: Respondent's partner has had diabetes since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	22	.5	.5	.5
	2 Yes but did not see a doctor	4	.1	.1	.6
	3 No, not at all	3837	86.0	87.5	88.1
	9 Do not know	522	11.7	11.9	100.0
	Total	4385	98.3	100.0	
Missing	-1 No response	77	1.7		
Total		4462	100.0		

pj6031 F3l: Respondent's partner has had schizophrenia since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	2	.0	.0	.0
	3 No, not at all	3854	86.4	87.9	88.0
	9 Do not know	527	11.8	12.0	100.0
	Total	4383	98.2	100.0	
Missing	-1 No response	79	1.8		
Total		4462	100.0		

pj6032 F3m: Respondent's partner has had alcohol problems since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	3	.1	.1	.1
	2 Yes but did not see a doctor	38	.9	.9	.9
	3 No, not at all	3840	86.1	87.6	88.5
	9 Do not know	503	11.3	11.5	100.0
	Total	4384	98.3	100.0	
Missing	-1 No response	78	1.7		
Total		4462	100.0		

pj6033 F3n: Respondent's partner has had stomach ulcers since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	21	.5	.5	.5
	2 Yes but did not see a doctor	8	.2	.2	.7
	3 No, not at all	3850	86.3	87.8	88.5
	9 Do not know	505	11.3	11.5	100.0
	Total	4384	98.3	100.0	
Missing	-1 No response	78	1.7		
Total		4462	100.0		

PJ File – Section F

pj6034 F3o: Respondent's partner has had asthma or wheezing since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	192	4.3	4.4	4.4
	2 Yes but did not see a doctor	210	4.7	4.8	9.2
	3 No, not at all	3508	78.6	80.1	89.3
	9 Do not know	470	10.5	10.7	100.0
	Total	4380	98.2	100.0	
Missing	-1 No response	82	1.8		
Total		4462	100.0		

pj6035 F3p: Respondent's partner has had eczema since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	106	2.4	2.4	2.4
	2 Yes but did not see a doctor	257	5.8	5.9	8.3
	3 No, not at all	3523	79.0	80.4	88.7
	9 Do not know	497	11.1	11.3	100.0
	Total	4383	98.2	100.0	
Missing	-1 No response	79	1.8		
Total		4462	100.0		

pj6036 F3q: Respondent's partner has had psoriasis since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	34	.8	.8	.8
	2 Yes but did not see a doctor	65	1.5	1.5	2.3
	3 No, not at all	3759	84.2	85.8	88.0
	9 Do not know	525	11.8	12.0	100.0
	Total	4383	98.2	100.0	
Missing	-1 No response	79	1.8		
Total		4462	100.0		

pj6037 F3r: Respondent's partner has had arthritis since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	51	1.1	1.2	1.2
	2 Yes but did not see a doctor	74	1.7	1.7	2.9
	3 No, not at all	3739	83.8	85.3	88.2
	9 Do not know	519	11.6	11.8	100.0
	Total	4383	98.2	100.0	
Missing	-1 No response	79	1.8		
Total		4462	100.0		

pj6038 F3s: Respondent's partner has had a urinary infection since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	219	4.9	5.0	5.0
	2 Yes but did not see a doctor	140	3.1	3.2	8.2
	3 No, not at all	3443	77.2	78.6	86.8
	9 Do not know	579	13.0	13.2	100.0
	Total	4381	98.2	100.0	
Missing	-1 No response	81	1.8		
Total		4462	100.0		

PJ File – Section F

pj6039 F3t: Respondent's partner has had rheumatism since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	21	.5	.5	.5
	2 Yes but did not see a doctor	60	1.3	1.4	1.9
	3 No, not at all	3768	84.4	86.1	88.0
	9 Do not know	526	11.8	12.0	100.0
	Total	4375	98.1	100.0	
Missing	-1 No response	87	1.9		
Total		4462	100.0		

pj6040 F3u: Respondent's partner has had back pain, sciatica or slipped disk since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and saw a doctor	353	7.9	8.1	8.1
	2 Yes but did not see a doctor	1112	24.9	25.4	33.4
	3 No, not at all	2525	56.6	57.6	91.1
	9 Do not know	391	8.8	8.9	100.0
	Total	4381	98.2	100.0	
Missing	-1 No response	81	1.8		
Total		4462	100.0		

pj6041 F3v: Respondent's partner has had syphilis since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes but did not see a doctor	2	.0	.0	.0
	3 No, not at all	4034	90.4	92.1	92.1
	9 Do not know	344	7.7	7.9	100.0
	Total	4380	98.2	100.0	
Missing	-1 No response	82	1.8		
Total		4462	100.0		

pj6042 F3w: Respondent's partner has had gonorrhoea since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes but did not see a doctor	2	.0	.0	.0
	3 No, not at all	4032	90.4	92.1	92.2
	9 Do not know	343	7.7	7.8	100.0
	Total	4377	98.1	100.0	
Missing	-1 No response	85	1.9		
Total		4462	100.0		

pj6043 F3x: Respondent's partner has had other conditions since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	43	1.0	1.2	1.2
	1 Yes and saw a doctor	300	6.7	8.0	9.2
	2 Yes but did not see a doctor	46	1.0	1.2	10.4
	3 No, not at all	2925	65.6	78.3	88.7
	9 Do not know	422	9.5	11.3	100.0
	Total	3736	83.7	100.0	
Missing	-1 No response	726	16.3		
Total		4462	100.0		

PJ File – Section F

pj6050 F4a: Respondent's partner really loves study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is how respondent always feels	4180	93.7	95.3	95.3
	2 This is sometimes how respondent feels	196	4.4	4.5	99.8
	3 Respondent never feels this way	9	.2	.2	100.0
	Total	4385	98.3	100.0	
Missing	-1 No response	77	1.7		
Total		4462	100.0		

pj6051 F4b: Respondent's partner is glad she had study child when she did

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is how respondent always feels	4046	90.7	92.4	92.4
	2 This is sometimes how respondent feels	305	6.8	7.0	99.4
	3 Respondent never feels this way	28	.6	.6	100.0
	Total	4379	98.1	100.0	
Missing	-1 No response	83	1.9		
Total		4462	100.0		

pj6052 F4c: Respondent likes to watch partner play with study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is how respondent always feels	3896	87.3	89.0	89.0
	2 This is sometimes how respondent feels	443	9.9	10.1	99.2
	3 Respondent never feels this way	37	.8	.8	100.0
	Total	4376	98.1	100.0	
Missing	-1 No response	86	1.9		
Total		4462	100.0		

pj6053 F4d: Respondent is afraid to leave partner alone with study child as fears partner may be violent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is how respondent always feels	56	1.3	1.3	1.3
	2 This is sometimes how respondent feels	30	.7	.7	2.0
	3 Respondent never feels this way	4296	96.3	98.0	100.0
	Total	4382	98.2	100.0	
Missing	-1 No response	80	1.8		
Total		4462	100.0		

PJ File – Section F

pj6054 F4e: Respondent's partner feels very close to study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is how respondent always feels	3822	85.7	87.2	87.2
	2 This is sometimes how respondent feels	503	11.3	11.5	98.7
	3 Respondent never feels this way	58	1.3	1.3	100.0
	Total	4383	98.2	100.0	
Missing	-1 No response	79	1.8		
Total		4462	100.0		

pj6055 F4f: Study child gets on respondent's partner's nerves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is how respondent always feels	87	1.9	2.0	2.0
	2 This is sometimes how respondent feels	2139	47.9	48.8	50.8
	3 Respondent never feels this way	2153	48.3	49.2	100.0
	Total	4379	98.1	100.0	
Missing	-1 No response	83	1.9		
Total		4462	100.0		

pj6056 F4g: Respondent's partner can't bear it when study child cries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is how respondent always feels	202	4.5	4.6	4.6
	2 This is sometimes how respondent feels	761	17.1	17.4	22.0
	3 Respondent never feels this way	3409	76.4	78.0	100.0
	Total	4372	98.0	100.0	
Missing	-1 No response	90	2.0		
Total		4462	100.0		

pj6057 F4h: Respondent's partner is interested as she watches study child develop

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is how respondent always feels	4125	92.4	94.3	94.3
	2 This is sometimes how respondent feels	213	4.8	4.9	99.2
	3 Respondent never feels this way	37	.8	.8	100.0
	Total	4375	98.1	100.0	
Missing	-1 No response	87	1.9		
Total		4462	100.0		

PJ File – Section F

pj6058 F4i: Respondent's partner feels anxious when someone other than a parent looks after study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is how respondent always feels	419	9.4	9.6	9.6
	2 This is sometimes how respondent feels	1815	40.7	41.5	51.1
	3 Respondent never feels this way	2138	47.9	48.9	100.0
	Total	4372	98.0	100.0	
Missing	-1 No response	90	2.0		
Total		4462	100.0		

pj6059 F4j: Respondent's partner doesn't mind the mess that surrounds a young child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is how respondent always feels	1549	34.7	35.4	35.4
	2 This is sometimes how respondent feels	2256	50.6	51.6	87.0
	3 Respondent never feels this way	570	12.8	13.0	100.0
	Total	4375	98.1	100.0	
Missing	-1 No response	87	1.9		
Total		4462	100.0		

pj6060 F4k: Study child makes respondent's partner very happy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is how respondent always feels	3678	82.4	84.0	84.0
	2 This is sometimes how respondent feels	663	14.9	15.1	99.2
	3 Respondent never feels this way	36	.8	.8	100.0
	Total	4377	98.1	100.0	
Missing	-1 No response	85	1.9		
Total		4462	100.0		

PJ File – Section F

pj6100 F5a: Respondent's partner is helpful or co-operative

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	3618	81.1	82.6	82.6
	2 Sometimes	734	16.5	16.8	99.4
	3 Hardly ever	27	.6	.6	100.0
	Total	4379	98.1	100.0	
Missing	-1 No response	83	1.9		
Total		4462	100.0		

pj6101 F5b: Respondent's partner is quiet or reserved

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	670	15.0	15.3	15.3
	2 Sometimes	2374	53.2	54.2	69.5
	3 Hardly ever	1336	29.9	30.5	100.0
	Total	4380	98.2	100.0	
Missing	-1 No response	82	1.8		
Total		4462	100.0		

pj6102 F5c: Respondent's partner is unreliable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	129	2.9	2.9	2.9
	2 Sometimes	521	11.7	11.9	14.9
	3 Hardly ever	3726	83.5	85.1	100.0
	Total	4376	98.1	100.0	
Missing	-1 No response	86	1.9		
Total		4462	100.0		

pj6103 F5d: Respondent's partner is sociable or outgoing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2490	55.8	56.8	56.8
	2 Sometimes	1724	38.6	39.3	96.1
	3 Hardly ever	169	3.8	3.9	100.0
	Total	4383	98.2	100.0	
Missing	-1 No response	79	1.8		
Total		4462	100.0		

pj6104 F5e: Respondent's partner is dominating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	297	6.7	6.8	6.8
	2 Sometimes	2099	47.0	48.0	54.8
	3 Hardly ever	1979	44.4	45.2	100.0
	Total	4375	98.1	100.0	
Missing	-1 No response	87	1.9		
Total		4462	100.0		

PJ File – Section F

pj6105 F5f: Respondent's partner is understanding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2873	64.4	65.6	65.6
	2 Sometimes	1420	31.8	32.4	98.0
	3 Hardly ever	87	1.9	2.0	100.0
	Total	4380	98.2	100.0	
Missing	-1 No response	82	1.8		
Total		4462	100.0		

pj6106 F5g: Respondent's partner is quick-tempered or easily upset

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	454	10.2	10.4	10.4
	2 Sometimes	2523	56.5	57.6	68.0
	3 Hardly ever	1404	31.5	32.0	100.0
	Total	4381	98.2	100.0	
Missing	-1 No response	81	1.8		
Total		4462	100.0		

pj6107 F5h: Respondent's partner is cheerful or easy going

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2639	59.1	60.2	60.2
	2 Sometimes	1609	36.1	36.7	97.0
	3 Hardly ever	133	3.0	3.0	100.0
	Total	4381	98.2	100.0	
Missing	-1 No response	81	1.8		
Total		4462	100.0		

PJ File – Section F

pj6110 F6a: Person in respondent's household who goes shopping for groceries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Respondent and partner always	31	.7	.7	.7
	1 Respondent, always	142	3.2	3.2	4.0
	2 Respondent, mostly	279	6.3	6.4	10.3
	3 Sometimes respondent, sometimes partner	1234	27.7	28.2	38.5
	4 Partner mostly	1908	42.8	43.6	82.1
	5 Partner always	776	17.4	17.7	99.8
	6 Someone else	7	.2	.2	100.0
	7 Respondent or partner and someone else	1	.0	.0	100.0
	Total	4378	98.1	100.0	
Missing	-1 No response	84	1.9		
Total		4462	100.0		

pj6111 F6b: Person in respondent's household who does the cooking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Respondent and partner always	2	.0	.0	.0
	1 Respondent, always	68	1.5	1.6	1.6
	2 Respondent, mostly	246	5.5	5.6	7.2
	3 Sometimes respondent, sometimes partner	1208	27.1	27.5	34.8
	4 Partner mostly	1999	44.8	45.6	80.3
	5 Partner always	851	19.1	19.4	99.7
	6 Someone else	5	.1	.1	99.9
	7 Respondent or partner and someone else	6	.1	.1	100.0
	Total	4385	98.3	100.0	
Missing	-1 No response	77	1.7		
Total		4462	100.0		

pj6112 F6c: Person in respondent's household who cleans the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Respondent and partner always	2	.0	.0	.0
	1 Respondent, always	48	1.1	1.1	1.1
	2 Respondent, mostly	118	2.6	2.7	3.8
	3 Sometimes respondent, sometimes partner	1017	22.8	23.2	27.1
	4 Partner mostly	2108	47.2	48.1	75.2
	5 Partner always	792	17.7	18.1	93.3
	6 Someone else	241	5.4	5.5	98.8
	7 Respondent or partner and someone else	54	1.2	1.2	100.0
	Total	4380	98.2	100.0	
Missing	-1 No response	82	1.8		
Total		4462	100.0		

PJ File – Section F

pj6113 F6d: Person in respondent's household who does the repairs in the home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Respondent and partner always	1	.0	.0	.0
	1 Respondent, always	1476	33.1	33.7	33.7
	2 Respondent, mostly	2004	44.9	45.8	79.5
	3 Sometimes respondent, sometimes partner	662	14.8	15.1	94.6
	4 Partner mostly	79	1.8	1.8	96.4
	5 Partner always	25	.6	.6	97.0
	6 Someone else	115	2.6	2.6	99.6
	7 Respondent or partner and someone else	17	.4	.4	100.0
	Total	4379	98.1	100.0	
Missing	-1 No response	83	1.9		
Total		4462	100.0		

pj6114 F6e: Person in respondent's household who looks after the children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Respondent and partner always	2	.0	.0	.0
	1 Respondent, always	14	.3	.3	.4
	2 Respondent, mostly	77	1.7	1.8	2.1
	3 Sometimes respondent, sometimes partner	2311	51.8	52.8	54.9
	4 Partner mostly	1846	41.4	42.1	97.0
	5 Partner always	89	2.0	2.0	99.0
	6 Someone else	15	.3	.3	99.4
	7 Respondent or partner and someone else	27	.6	.6	100.0
	Total	4381	98.2	100.0	
Missing	-1 No response	81	1.8		
Total		4462	100.0		

pj6115 F6f: Person in respondent's household who washes the clothes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Respondent, always	44	1.0	1.0	1.0
	2 Respondent, mostly	88	2.0	2.0	3.0
	3 Sometimes respondent, sometimes partner	552	12.4	12.6	15.6
	4 Partner mostly	1741	39.0	39.7	55.3
	5 Partner always	1914	42.9	43.7	99.0
	6 Someone else	36	.8	.8	99.8
	7 Respondent or partner and someone else	8	.2	.2	100.0
	Total	4383	98.2	100.0	
Missing	-1 No response	79	1.8		
Total		4462	100.0		

PJ File – Section F

pj6116 F6g: Person in respondent's household who does the ironing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Respondent and partner always	1	.0	.0	.0
	1 Respondent, always	67	1.5	1.5	1.6
	2 Respondent, mostly	182	4.1	4.2	5.8
	3 Sometimes respondent, sometimes partner	690	15.5	15.9	21.7
	4 Partner mostly	1249	28.0	28.8	50.4
	5 Partner always	1922	43.1	44.3	94.7
	6 Someone else	206	4.6	4.7	99.4
	7 Respondent or partner and someone else	24	.5	.6	100.0
	Total	4341	97.3	100.0	
Missing	-1 No response	121	2.7		
Total		4462	100.0		

PJ File – Section F

pj6120 F7a: Person in respondent's household who decides how to spend free time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Respondent and partner always	2	.0	.0	.0
	1 Respondent, always	13	.3	.3	.3
	2 Respondent, mostly	190	4.3	4.3	4.7
	3 Sometimes respondent, sometimes partner	3765	84.4	86.0	90.7
	4 Partner mostly	385	8.6	8.8	99.5
	5 Partner always	21	.5	.5	100.0
	Total	4376	98.1	100.0	
Missing	-1 No response	86	1.9		
Total		4462	100.0		

pj6121 F7b: Person in respondent's household who decides how much to see family or friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Respondent and partner always	1	.0	.0	.0
	1 Respondent, always	10	.2	.2	.3
	2 Respondent, mostly	99	2.2	2.3	2.5
	3 Sometimes respondent, sometimes partner	3502	78.5	80.1	82.6
	4 Partner mostly	732	16.4	16.7	99.3
	5 Partner always	29	.6	.7	100.0
	Total	4373	98.0	100.0	
Missing	-1 No response	89	2.0		
Total		4462	100.0		

pj6122 F7c: Person in respondent's household who decides when to do repairs or re-decorate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Respondent and partner always	2	.0	.0	.0
	1 Respondent, always	119	2.7	2.7	2.8
	2 Respondent, mostly	596	13.4	13.6	16.4
	3 Sometimes respondent, sometimes partner	2590	58.0	59.2	75.6
	4 Partner mostly	998	22.4	22.8	98.4
	5 Partner always	69	1.5	1.6	100.0
	Total	4374	98.0	100.0	
Missing	-1 No response	88	2.0		
Total		4462	100.0		

pj6123 F7d: Person in respondent's household who decides how to spend money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Respondent and partner always	1	.0	.0	.0
	1 Respondent, always	32	.7	.7	.8
	2 Respondent, mostly	382	8.6	8.7	9.5
	3 Sometimes respondent, sometimes partner	3446	77.2	78.8	88.3
	4 Partner mostly	476	10.7	10.9	99.2
	5 Partner always	36	.8	.8	100.0
	Total	4373	98.0	100.0	
Missing	-1 No response	89	2.0		
Total		4462	100.0		

PJ File – Section F

pj6130 F8a: Respondent's satisfaction with how they and partner handle family finances together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2067	46.3	47.4	47.4
	2 Moderately satisfied	1863	41.8	42.7	90.1
	3 Somewhat dissatisfied	384	8.6	8.8	98.9
	4 Very dissatisfied	49	1.1	1.1	100.0
	Total	4363	97.8	100.0	
Missing	-1 No response	99	2.2		
Total		4462	100.0		

pj6131 F8b: Respondent's satisfaction with how they and partner demonstrate affection

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1634	36.6	37.5	37.5
	2 Moderately satisfied	1937	43.4	44.4	81.9
	3 Somewhat dissatisfied	636	14.3	14.6	96.5
	4 Very dissatisfied	152	3.4	3.5	100.0
	Total	4359	97.7	100.0	
Missing	-1 No response	103	2.3		
Total		4462	100.0		

pj6132 F8c: Respondent's satisfaction with sex in their relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1454	32.6	33.4	33.4
	2 Moderately satisfied	1771	39.7	40.7	74.1
	3 Somewhat dissatisfied	814	18.2	18.7	92.8
	4 Very dissatisfied	314	7.0	7.2	100.0
	Total	4353	97.6	100.0	
Missing	-1 No response	109	2.4		
Total		4462	100.0		

pj6133 F8d: Respondent's satisfaction with amount of time they spend with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1176	26.4	27.0	27.0
	2 Moderately satisfied	2288	51.3	52.5	79.5
	3 Somewhat dissatisfied	790	17.7	18.1	97.6
	4 Very dissatisfied	105	2.4	2.4	100.0
	Total	4359	97.7	100.0	
Missing	-1 No response	103	2.3		
Total		4462	100.0		

PJ File – Section F

pj6134 F8e: Respondent's satisfaction with how they and partner handle major decisions together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2358	52.8	54.1	54.1
	2 Moderately satisfied	1762	39.5	40.4	94.5
	3 Somewhat dissatisfied	210	4.7	4.8	99.3
	4 Very dissatisfied	32	.7	.7	100.0
	Total	4362	97.8	100.0	
Missing	-1 No response	100	2.2		
Total		4462	100.0		

pj6135 F8f: Respondent's satisfaction with how they and partner manage household tasks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1844	41.3	42.3	42.3
	2 Moderately satisfied	2269	50.9	52.1	94.4
	3 Somewhat dissatisfied	221	5.0	5.1	99.5
	4 Very dissatisfied	23	.5	.5	100.0
	Total	4357	97.6	100.0	
Missing	-1 No response	105	2.4		
Total		4462	100.0		

pj6136 F8g: Respondent's satisfaction with how they and partner handle leisure time or activities together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1359	30.5	31.2	31.2
	2 Moderately satisfied	2320	52.0	53.3	84.5
	3 Somewhat dissatisfied	587	13.2	13.5	97.9
	4 Very dissatisfied	90	2.0	2.1	100.0
	Total	4356	97.6	100.0	
Missing	-1 No response	106	2.4		
Total		4462	100.0		

PJ File – Section F

pj6140 F9a: Frequency respondent has been irritable with partner recently

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	466	10.4	10.7	10.7
	2 Less than once a week	2298	51.5	52.5	63.2
	3 1-2 times a week	1238	27.7	28.3	91.5
	4 3-6 times a week	320	7.2	7.3	98.8
	5 Everyday	51	1.1	1.2	100.0
	Total	4373	98.0	100.0	
Missing	-1 No response	89	2.0		
Total		4462	100.0		

pj6141 F9b: Frequency partner has been irritable with respondent recently

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	360	8.1	8.2	8.2
	2 Less than once a week	2020	45.3	46.2	54.4
	3 1-2 times a week	1444	32.4	33.0	87.5
	4 3-6 times a week	436	9.8	10.0	97.4
	5 Everyday	112	2.5	2.6	100.0
	Total	4372	98.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	89	2.0		
	Total	90	2.0		
Total		4462	100.0		

PJ File – Section F

pj6150 F10a: Number of arguments respondent has had with partner in last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	630	14.1	14.5	14.5
	2 1-3	2125	47.6	48.7	63.2
	3 4-7	978	21.9	22.4	85.6
	4 8-13	372	8.3	8.5	94.2
	5 14 or more	254	5.7	5.8	100.0
	Total	4359	97.7	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	100	2.2		
	Total	103	2.3		
Total		4462	100.0		

pj6151 F10b1: In last 3 months respondent has not been speaking to partner for more than 30 minutes after arguing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, respondent did this	439	9.8	10.1	10.1
	2 Yes, partner did this	264	5.9	6.0	16.1
	3 Yes, both did this	1121	25.1	25.7	41.8
	4 No, not at all	2544	57.0	58.2	100.0
	Total	4368	97.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	93	2.1		
	Total	94	2.1		
Total		4462	100.0		

pj6152 F10b2: In last 3 months respondent or partner has walked out of the house after arguing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, respondent did this	243	5.4	5.6	5.6
	2 Yes, partner did this	191	4.3	4.4	9.9
	3 Yes, both did this	69	1.5	1.6	11.5
	4 No, not at all	3860	86.5	88.5	100.0
	Total	4363	97.8	100.0	
Missing	-1 No response	99	2.2		
Total		4462	100.0		

pj6153 F10b3: In last 3 months respondent or partner have shouted or called each other names

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, respondent did this	165	3.7	3.8	3.8
	2 Yes, partner did this	172	3.9	3.9	7.7
	3 Yes, both did this	1218	27.3	27.9	35.6
	4 No, not at all	2813	63.0	64.4	100.0
	Total	4368	97.9	100.0	
Missing	-1 No response	94	2.1		
Total		4462	100.0		

PJ File – Section F

pj6154 F10b4: In last 3 months respondent or partner have hit or slapped each other

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes, respondent did this	18	.4	.4	.4
2 Yes, partner did this	88	2.0	2.0	2.4
3 Yes, both did this	33	.7	.8	3.2
4 No, not at all	4234	94.9	96.8	100.0
Total	4373	98.0	100.0	
Missing -1 No response	89	2.0		
Total	4462	100.0		

pj6155 F10b5: In last 3 months respondent or partner have thrown or broken things when arguing

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes, respondent did this	91	2.0	2.1	2.1
2 Yes, partner did this	105	2.4	2.4	4.5
3 Yes, both did this	33	.7	.8	5.2
4 No, not at all	4142	92.8	94.8	100.0
Total	4371	98.0	100.0	
Missing -1 No response	91	2.0		
Total	4462	100.0		

PJ File – Section F

pj6160 F11a: Frequency past 3 months respondent has gone out for a meal with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	838	18.8	19.2	19.2
	2 Less than once a month	2167	48.6	49.6	68.8
	3 Less than once a week	1130	25.3	25.9	94.6
	4 At least once a week	235	5.3	5.4	100.0
	Total	4370	97.9	100.0	
Missing	-1 No response	92	2.1		
Total		4462	100.0		

pj6161 F11b: Frequency past 3 months respondent has gone out for a drink with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1125	25.2	25.8	25.8
	2 Less than once a month	1815	40.7	41.6	67.3
	3 Less than once a week	1069	24.0	24.5	91.8
	4 At least once a week	359	8.0	8.2	100.0
	Total	4368	97.9	100.0	
Missing	-1 No response	94	2.1		
Total		4462	100.0		

pj6162 F11c: Frequency past 3 months respondent has visited friends with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	541	12.1	12.4	12.4
	2 Less than once a month	1442	32.3	33.1	45.5
	3 Less than once a week	1662	37.2	38.1	83.6
	4 At least once a week	716	16.0	16.4	100.0
	Total	4361	97.7	100.0	
Missing	-1 No response	101	2.3		
Total		4462	100.0		

pj6163 F11d: Frequency past 3 months respondent has visited family with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	258	5.8	5.9	5.9
	2 Less than once a month	1145	25.7	26.2	32.1
	3 Less than once a week	1519	34.0	34.8	66.9
	4 At least once a week	1448	32.5	33.1	100.0
	Total	4370	97.9	100.0	
Missing	-1 No response	92	2.1		
Total		4462	100.0		

PJ File – Section F

pj6164 F11e: Frequency past 3 months respondent has gone to cinema or theatre with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2070	46.4	47.3	47.3
	2 Less than once a month	1767	39.6	40.4	87.8
	3 Less than once a week	498	11.2	11.4	99.2
	4 At least once a week	37	.8	.8	100.0
	Total	4372	98.0	100.0	
Missing	-1 No response	90	2.0		
Total		4462	100.0		

pj6165 F11f: Frequency past 3 months respondent has gone to another event with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	28	.6	7.0	7.0
	2 Less than once a month	138	3.1	34.4	41.4
	3 Less than once a week	101	2.3	25.2	66.6
	4 At least once a week	134	3.0	33.4	100.0
	Total	401	9.0	100.0	
Missing	-1 No response	4061	91.0		
Total		4462	100.0		

PJ File – Section F

pj6170 F12a: Frequency each month respondent goes out on their own or with own friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1164	26.1	26.7	26.7
	2 Once	924	20.7	21.2	47.9
	3 2-3 times	1053	23.6	24.2	72.1
	4 4-7 times	905	20.3	20.8	92.8
	5 8 or more times	312	7.0	7.2	100.0
	Total	4358	97.7	100.0	
Missing	-1 No response	104	2.3		
Total		4462	100.0		

pj6171 F12b: Frequency each month respondent's partner goes out on their own or with own friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	939	21.0	21.6	21.6
	2 Once	1092	24.5	25.1	46.7
	3 2-3 times	1133	25.4	26.0	72.7
	4 4-7 times	894	20.0	20.5	93.2
	5 8 or more times	294	6.6	6.8	100.0
	Total	4352	97.5	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	109	2.4		
	Total	110	2.5		
Total		4462	100.0		

PJ File – Section F

pj6180 F13a: Frequency each week respondent discusses work or their day with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	64	1.4	1.5	1.5
	2 Less than once a week	317	7.1	7.3	8.7
	3 1-3 times a week	821	18.4	18.8	27.5
	4 Most days	3167	71.0	72.5	100.0
	Total	4369	97.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	92	2.1		
	Total	93	2.1		
Total		4462	100.0		

pj6181 F13b: Frequency each week respondent laughs with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	27	.6	.6	.6
	2 Less than once a week	244	5.5	5.6	6.2
	3 1-3 times a week	1143	25.6	26.2	32.4
	4 Most days	2949	66.1	67.6	100.0
	Total	4363	97.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	98	2.2		
	Total	99	2.2		
Total		4462	100.0		

pj6182 F13c: Frequency each week respondent talks calmly with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	50	1.1	1.1	1.1
	2 Less than once a week	348	7.8	8.0	9.1
	3 1-3 times a week	1237	27.7	28.4	37.5
	4 Most days	2726	61.1	62.5	100.0
	Total	4361	97.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	100	2.2		
	Total	101	2.3		
Total		4462	100.0		

pj6183 F13d: Frequency each week respondent kisses or hugs their partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	131	2.9	3.0	3.0
	2 Less than once a week	339	7.6	7.8	10.8
	3 1-3 times a week	815	18.3	18.7	29.4
	4 Most days	3082	69.1	70.6	100.0
	Total	4367	97.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	94	2.1		
	Total	95	2.1		
Total		4462	100.0		

PJ File – Section F

pj6184 F13e: Frequency each week respondent makes plans with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	51	1.1	1.2	1.2
	2 Less than once a week	785	17.6	18.0	19.2
	3 1-3 times a week	1764	39.5	40.4	59.6
	4 Most days	1763	39.5	40.4	100.0
	Total	4363	97.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	98	2.2		
	Total	99	2.2		
Total		4462	100.0		

pj6185 F13f: Frequency each week respondent discusses feelings or worries with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	153	3.4	3.5	3.5
	2 Less than once a week	1073	24.0	24.6	28.1
	3 1-3 times a week	1483	33.2	34.0	62.1
	4 Most days	1654	37.1	37.9	100.0
	Total	4363	97.8	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	97	2.2		
	Total	99	2.2		
Total		4462	100.0		

PJ File – Section F

pj6190 F14a: Respondent's assessment of how much alcohol their partner drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never drinks alcohol	389	8.7	8.9	8.9
	2 Very occasionally (less than once a week)	1366	30.6	31.3	40.2
	3 Occasionally (at least once a week)	1701	38.1	38.9	79.1
	4 Drinks 1-2 glasses nearly every day	808	18.1	18.5	97.6
	5 Drinks 3-9 glasses nearly every day	92	2.1	2.1	99.7
	6 Drinks at least 10 glasses a day	2	.0	.0	99.7
	9 Don't know	11	.2	.3	100.0
	Total	4369	97.9	100.0	
Missing	-1 No response	93	2.1		
Total		4462	100.0		

pj6191 F14b: Respondent's assessment of how many days in past month partner drank 2 pints beer or 4 glasses wine or 4 measures spirits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	38	.9	.9	.9
	2 More than 10 days	259	5.8	6.0	6.9
	3 5-10 days	540	12.1	12.5	19.4
	4 3-4 days	702	15.7	16.2	35.6
	5 1-2 days	1060	23.8	24.5	60.1
	6 None	1722	38.6	39.9	100.0
	Total	4321	96.8	100.0	
Missing	-1 No response	141	3.2		
Total		4462	100.0		

PJ File – Section F

pj6200 F15a: Respondent's partner is very considerate towards them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2092	46.9	48.0	48.0
	2 Moderately true	1594	35.7	36.6	84.6
	3 Somewhat true	583	13.1	13.4	98.0
	4 Not at all true	89	2.0	2.0	100.0
	Total	4358	97.7	100.0	
Missing	-1 No response	104	2.3		
Total		4462	100.0		

pj6201 F15b: Respondent's partner wants respondent to take her side in an argument

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1015	22.7	23.5	23.5
	2 Moderately true	1522	34.1	35.2	58.7
	3 Somewhat true	1023	22.9	23.7	82.4
	4 Not at all true	761	17.1	17.6	100.0
	Total	4321	96.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	140	3.1		
	Total	141	3.2		
Total		4462	100.0		

pj6202 F15c: Respondent's partner wants to know exactly where respondent is and what he's doing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	736	16.5	16.9	16.9
	2 Moderately true	1128	25.3	25.9	42.8
	3 Somewhat true	1457	32.7	33.4	76.2
	4 Not at all true	1038	23.3	23.8	100.0
	Total	4359	97.7	100.0	
Missing	-1 No response	103	2.3		
Total		4462	100.0		

pj6203 F15d: Respondent's partner is a good companion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3010	67.5	69.1	69.1
	2 Moderately true	981	22.0	22.5	91.6
	3 Somewhat true	322	7.2	7.4	99.0
	4 Not at all true	45	1.0	1.0	100.0
	Total	4358	97.7	100.0	
Missing	-1 No response	104	2.3		
Total		4462	100.0		

PJ File – Section F

pj6204 F15e: Respondent's partner is affectionate towards them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1924	43.1	44.1	44.1
	2 Moderately true	1482	33.2	34.0	78.1
	3 Somewhat true	751	16.8	17.2	95.4
	4 Not at all true	202	4.5	4.6	100.0
	Total	4359	97.7	100.0	
Missing	-1 No response	103	2.3		
Total		4462	100.0		

pj6205 F15f: Respondent's partner is clearly hurt if respondent doesn't accept their views

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	360	8.1	8.3	8.3
	2 Moderately true	1043	23.4	24.0	32.2
	3 Somewhat true	1729	38.7	39.7	72.0
	4 Not at all true	1221	27.4	28.0	100.0
	Total	4353	97.6	100.0	
Missing	-1 No response	109	2.4		
Total		4462	100.0		

pj6206 F15g: Respondent's partner tends to try and change them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	225	5.0	5.2	5.2
	2 Moderately true	689	15.4	15.8	20.9
	3 Somewhat true	1355	30.4	31.1	52.0
	4 Not at all true	2094	46.9	48.0	100.0
	Total	4363	97.8	100.0	
Missing	-1 No response	99	2.2		
Total		4462	100.0		

pj6207 F15h: Respondent's partner confides closely in them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2265	50.8	52.1	52.1
	2 Moderately true	1163	26.1	26.7	78.8
	3 Somewhat true	734	16.5	16.9	95.7
	4 Not at all true	188	4.2	4.3	100.0
	Total	4350	97.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	111	2.5		
	Total	112	2.5		
Total		4462	100.0		

PJ File – Section F

pj6208 F15i: Respondent's partner tends to criticise over small issues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	432	9.7	9.9	9.9
	2 Moderately true	866	19.4	19.9	29.8
	3 Somewhat true	1632	36.6	37.4	67.2
	4 Not at all true	1430	32.0	32.8	100.0
	Total	4360	97.7	100.0	
Missing	-1 No response	102	2.3		
Total		4462	100.0		

pj6209 F15j: Respondent's partner understands their problems and worries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1484	33.3	34.0	34.0
	2 Moderately true	1569	35.2	36.0	70.0
	3 Somewhat true	1100	24.7	25.2	95.3
	4 Not at all true	206	4.6	4.7	100.0
	Total	4359	97.7	100.0	
Missing	-1 No response	103	2.3		
Total		4462	100.0		

pj6210 F15k: Respondent's partner tends to order them about

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	232	5.2	5.3	5.3
	2 Moderately true	553	12.4	12.7	18.0
	3 Somewhat true	1303	29.2	29.9	47.9
	4 Not at all true	2273	50.9	52.1	100.0
	Total	4361	97.7	100.0	
Missing	-1 No response	101	2.3		
Total		4462	100.0		

pj6211 F15l: Respondent's partner insists they do exactly as they're told

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	110	2.5	2.5	2.5
	2 Moderately true	235	5.3	5.4	7.9
	3 Somewhat true	547	12.3	12.6	20.5
	4 Not at all true	3462	77.6	79.5	100.0
	Total	4354	97.6	100.0	
Missing	-1 No response	108	2.4		
Total		4462	100.0		

pj6212 F15m: Respondent's partner is physically gentle and considerate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2272	50.9	52.1	52.1
	2 Moderately true	1123	25.2	25.8	77.9
	3 Somewhat true	795	17.8	18.2	96.2
	4 Not at all true	167	3.7	3.8	100.0
	Total	4357	97.6	100.0	
Missing	-1 No response	105	2.4		
Total		4462	100.0		

PJ File – Section F

pj6213 F15n: Respondent's partner makes them feel needed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1930	43.3	44.3	44.3
	2 Moderately true	1366	30.6	31.3	75.6
	3 Somewhat true	844	18.9	19.4	95.0
	4 Not at all true	219	4.9	5.0	100.0
	Total	4359	97.7	100.0	
Missing	-1 No response	103	2.3		
Total		4462	100.0		

pj6214 F15o: Respondent's partner wants them to change in small ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	439	9.8	10.1	10.1
	2 Moderately true	1035	23.2	23.7	33.8
	3 Somewhat true	1767	39.6	40.5	74.4
	4 Not at all true	1118	25.1	25.6	100.0
	Total	4359	97.7	100.0	
Missing	-1 No response	103	2.3		
Total		4462	100.0		

pj6215 F15p: Respondent's partner is very loving towards them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2083	46.7	47.8	47.8
	2 Moderately true	1227	27.5	28.1	75.9
	3 Somewhat true	798	17.9	18.3	94.2
	4 Not at all true	252	5.6	5.8	100.0
	Total	4360	97.7	100.0	
Missing	-1 No response	102	2.3		
Total		4462	100.0		

pj6216 F15q: Respondent's partner seeks to dominate them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	128	2.9	2.9	2.9
	2 Moderately true	293	6.6	6.7	9.7
	3 Somewhat true	743	16.7	17.0	26.7
	4 Not at all true	3196	71.6	73.3	100.0
	Total	4360	97.7	100.0	
Missing	-1 No response	102	2.3		
Total		4462	100.0		

pj6217 F15r: Respondent's partner is fun to be with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2233	50.0	51.2	51.2
	2 Moderately true	1387	31.1	31.8	83.0
	3 Somewhat true	658	14.7	15.1	98.1
	4 Not at all true	84	1.9	1.9	100.0
	Total	4362	97.8	100.0	
Missing	-1 No response	100	2.2		
Total		4462	100.0		

PJ File – Section F

pj6218 F15s: Respondent's partner wants respondent to change in big ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	130	2.9	3.0	3.0
	2 Moderately true	250	5.6	5.7	8.7
	3 Somewhat true	542	12.1	12.4	21.2
	4 Not at all true	3437	77.0	78.8	100.0
	Total	4359	97.7	100.0	
Missing	-1 No response	103	2.3		
Total		4462	100.0		

pj6219 F15t: Respondent's partner tends to control everything respondent does

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	48	1.1	1.1	1.1
	2 Moderately true	188	4.2	4.3	5.4
	3 Somewhat true	687	15.4	15.8	21.2
	4 Not at all true	3436	77.0	78.8	100.0
	Total	4359	97.7	100.0	
Missing	-1 No response	103	2.3		
Total		4462	100.0		

pj6220 F15u: Respondent's partner shows her appreciation of respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1606	36.0	36.9	36.9
	2 Moderately true	1557	34.9	35.7	72.6
	3 Somewhat true	980	22.0	22.5	95.1
	4 Not at all true	215	4.8	4.9	100.0
	Total	4358	97.7	100.0	
Missing	-1 No response	104	2.3		
Total		4462	100.0		

pj6221 F15v: Respondent's partner is critical of them in private

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	140	3.1	3.2	3.2
	2 Moderately true	419	9.4	9.7	13.0
	3 Somewhat true	1241	27.8	28.8	41.7
	4 Not at all true	2514	56.3	58.3	100.0
	Total	4314	96.7	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	143	3.2		
	Total	148	3.3		
Total		4462	100.0		

PJ File – Section F

pj6222 F15w: Respondent's partner is gentle and kind to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2177	48.8	49.9	49.9
	2 Moderately true	1254	28.1	28.8	78.7
	3 Somewhat true	787	17.6	18.1	96.8
	4 Not at all true	141	3.2	3.2	100.0
	Total	4359	97.7	100.0	
Missing	-1 No response	103	2.3		
Total		4462	100.0		

pj6223 F15x: Respondent's partner speaks to them in a warm and friendly voice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1827	40.9	41.9	41.9
	2 Moderately true	1474	33.0	33.8	75.7
	3 Somewhat true	904	20.3	20.7	96.4
	4 Not at all true	157	3.5	3.6	100.0
	Total	4362	97.8	100.0	
Missing	-1 No response	100	2.2		
Total		4462	100.0		

SECTION G: YOUR FAMILY AND FRIENDS

G1. How many of your relatives and your partner's relatives do you see at least twice a year?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G2. About how many friends do you have?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G3. Overall, would you say you belong to a close circle of friends?

Yes	<input type="text" value="1"/>	No	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

G4. How many people are there that you can talk to about personal problems?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G5. How many people talk to you about their personal problems or their private feelings?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G6. If you have to make an important decision, how many people are there with whom you can discuss it?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G7. How many people are there among your family and friends from whom you could borrow £100 if you needed to?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 37 OF THE QUESTIONNAIRE

G8. How many of your family and friends would help you in times of trouble?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G9. During the last month, how many times did you get together with one or more friends?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G10. During the last month, how many times did you get together with one or more of your relatives or your partner's relatives?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

The following statements are about the help and support you have.

	This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way	
G11. I have no one to share my feelings with	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
G12. My partner provides the emotional support I need	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	no partner <input type="text" value="7"/>
G13. There are other parents with whom I can share my experiences	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
G14. I believe in moments of difficulty my neighbours would help me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	

PAGE 38 OF THE QUESTIONNAIRE

		This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way	
G15.	I'm worried that my partner might leave me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	no partner <input type="text" value="7"/>
G16.	There is always someone with whom I can share my happiness and excitement about my child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
G17.	If I feel tired I can rely on my partner to take over	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	no partner <input type="text" value="7"/>
G18.	If I was in financial difficulty I know my family would help if they could	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
G19.	If I was in financial difficulty I know my friends would help if they could	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
G20.	If all else fails I know the state will support and assist me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	

G21. a) Do you believe in God or in some divine power?

yes	<input type="text" value="1"/>
am not sure	<input type="text" value="2"/>
no, not at all	<input type="text" value="3"/>

b) Do you feel that God (or some divine power) has helped you at any time?

Yes	<input type="text" value="1"/>	Not sure	<input type="text" value="2"/>	No	<input type="text" value="3"/>
-----	--------------------------------	----------	--------------------------------	----	--------------------------------

PAGE 39 OF THE QUESTIONNAIRE

G21. c) Would you appeal to God for help if you were in trouble?

Yes Not sure No

d) Do you 'pray' even if not in trouble?

Yes No

e) What sort of religious faith would you say you had? (tick one only)

Church of England	<input type="text" value="01"/>	Roman Catholic	<input type="text" value="02"/>
Methodist, Baptist or other Protestant Christian (please tick & describe)	<input type="text" value="03"/>	Christian Science	<input type="text" value="04"/>

.....

Mormon	<input type="text" value="05"/>	Jehovah's Witness	<input type="text" value="06"/>
Jewish	<input type="text" value="07"/>	Buddhist	<input type="text" value="08"/>
Sikh	<input type="text" value="09"/>	Hindu	<input type="text" value="10"/>
Muslim	<input type="text" value="11"/>	Rastafarian	<input type="text" value="12"/>
None	<input type="text" value="00"/>	Other (please tick & describe)	<input type="text" value="13"/>

.....

f) How long have you had this particular faith?

all my life	<input type="text" value="1"/>
more than 5 years	<input type="text" value="2"/>
3-5 years	<input type="text" value="3"/>
1-2 years	<input type="text" value="4"/>
less than a year	<input type="text" value="5"/>

g) Are you bringing your child up in this faith?

Yes No

PAGE 40 OF THE QUESTIONNAIRE

G21. h) Do you go to a place of worship?

yes, at least once a week	<input type="text" value="1"/>
yes, at least once a month	<input type="text" value="2"/>
yes, at least once a year	<input type="text" value="3"/>
only for special occasions	<input type="text" value="4"/>
no, not at all	<input type="text" value="5"/>

j) Do you obtain help and support from leaders or others members of religious groups?

	Help from:	Yes	No
i)	Leaders of your religious group (e.g. priests, rabbis, imams)	<input type="text" value="1"/>	<input type="text" value="2"/>
ii)	Other members of <u>your</u> religious group	<input type="text" value="1"/>	<input type="text" value="2"/>
iii)	Members of other religious group (please tick and describe)	<input type="text" value="1"/>	<input type="text" value="2"/>

.....

PJ File – Section G

pj7000 G1: Number of relatives or partner's relatives respondent sees in a year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	90	2.0	2.0	2.0
	2 1	92	2.1	2.1	4.1
	3 2-4	929	20.8	21.1	25.2
	4 More than 4	3300	74.0	74.8	100.0
	Total	4411	98.9	100.0	
Missing	-1 No response	51	1.1		
Total		4462	100.0		

pj7001 G2: Number of friends respondent has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	136	3.0	3.1	3.1
	2 1	74	1.7	1.7	4.8
	3 2-4	899	20.1	20.4	25.1
	4 More than 4	3303	74.0	74.9	100.0
	Total	4412	98.9	100.0	
Missing	-1 No response	50	1.1		
Total		4462	100.0		

pj7002 G3: Overall, respondent belongs to a close group of friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2221	49.8	50.5	50.5
	2 No	2179	48.8	49.5	100.0
	Total	4400	98.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	61	1.4		
	Total	62	1.4		
Total		4462	100.0		

pj7003 G4: Number of people respondent can talk to about personal problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	450	10.1	10.2	10.2
	2 1	793	17.8	18.0	28.2
	3 2-4	2216	49.7	50.3	78.5
	4 More than 4	949	21.3	21.5	100.0
	Total	4408	98.8	100.0	
Missing	-1 No response	54	1.2		
Total		4462	100.0		

PJ File – Section G

pj7004 G5: Number of people who talk to respondent about private feelings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	524	11.7	11.9	11.9
	2 1	690	15.5	15.6	27.5
	3 2-4	2214	49.6	50.2	77.7
	4 More than 4	985	22.1	22.3	100.0
	Total	4413	98.9	100.0	
Missing	-1 No response	49	1.1		
Total		4462	100.0		

pj7005 G6: Number of people respondent can talk to about important decisions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	230	5.2	5.2	5.2
	2 1	810	18.2	18.4	23.6
	3 2-4	2191	49.1	49.7	73.3
	4 More than 4	1179	26.4	26.7	100.0
	Total	4410	98.8	100.0	
Missing	-1 No response	52	1.2		
Total		4462	100.0		

pj7006 G7: Number of people among friends or family respondent could borrow £100 from

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	141	3.2	3.2	3.2
	2 1	306	6.9	6.9	10.1
	3 2-4	1927	43.2	43.7	53.9
	4 More than 4	2034	45.6	46.1	100.0
	Total	4408	98.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	53	1.2		
	Total	54	1.2		
Total		4462	100.0		

pj7007 G8: Number of friends or family that would help respondent in times of trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	43	1.0	1.0	1.0
	2 1	137	3.1	3.1	4.1
	3 2-4	1431	32.1	32.4	36.5
	4 More than 4	2801	62.8	63.5	100.0
	Total	4412	98.9	100.0	
Missing	-1 No response	50	1.1		
Total		4462	100.0		

PJ File – Section G

pj7008 G9: Number of times in last month respondent has got together with friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	509	11.4	11.5	11.5
	2 1	668	15.0	15.1	26.7
	3 2-4	1820	40.8	41.3	68.0
	4 More than 4	1413	31.7	32.0	100.0
	Total	4410	98.8	100.0	
Missing	-1 No response	52	1.2		
Total		4462	100.0		

pj7009 G10: Number of times in last month respondent has got together with relatives or partners relatives

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	352	7.9	8.0	8.0
	2 1	665	14.9	15.1	23.1
	3 2-4	2021	45.3	45.8	68.9
	4 More than 4	1370	30.7	31.1	100.0
	Total	4408	98.8	100.0	
Missing	-1 No response	54	1.2		
Total		4462	100.0		

PJ File – Section G

pj7020 G11: Respondent has no one to share their feelings with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how respondent feels	90	2.0	2.0	2.0
	2 This is often how respondent feels	278	6.2	6.3	8.3
	3 This is how respondent sometimes feels	1050	23.5	23.8	32.2
	4 Respondent never feels this way	2991	67.0	67.8	100.0
	Total	4409	98.8	100.0	
Missing	-1 No response	53	1.2		
Total		4462	100.0		

pj7021 G12: Respondent's partner provides the emotional support they need

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how respondent feels	2010	45.0	45.6	45.6
	2 This is often how respondent feels	1287	28.8	29.2	74.9
	3 This is how respondent sometimes feels	850	19.0	19.3	94.2
	4 Respondent never feels this way	220	4.9	5.0	99.2
	7 No partner	37	.8	.8	100.0
	Total	4404	98.7	100.0	
Missing	-1 No response	58	1.3		
Total		4462	100.0		

pj7022 G13: There are other parents respondent can share their experiences with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how respondent feels	717	16.1	16.3	16.3
	2 This is often how respondent feels	942	21.1	21.5	37.8
	3 This is how respondent sometimes feels	1441	32.3	32.8	70.6
	4 Respondent never feels this way	1289	28.9	29.4	100.0
	Total	4389	98.4	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	71	1.6		
	Total	73	1.6		
Total		4462	100.0		

pj7023 G14: Respondent believes in times of difficulty that neighbours would help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how respondent feels	949	21.3	21.6	21.6
	2 This is often how respondent feels	874	19.6	19.9	41.4
	3 This is how respondent sometimes feels	1284	28.8	29.2	70.6
	4 Respondent never feels this way	1292	29.0	29.4	100.0
	Total	4399	98.6	100.0	
Missing	-1 No response	63	1.4		
Total		4462	100.0		

PJ File – Section G

pj7024 G15: Respondent is worried that their partner may leave them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how respondent feels	56	1.3	1.3	1.3
	2 This is often how respondent feels	70	1.6	1.6	2.9
	3 This is how respondent sometimes feels	714	16.0	16.2	19.1
	4 Respondent never feels this way	3524	79.0	80.0	99.1
	7 No partner	39	.9	.9	100.0
	Total	4403	98.7	100.0	
Missing	-1 No response	59	1.3		
Total		4462	100.0		

pj7025 G16: There is always someone with whom respondent can share happiness or excitement about child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how respondent feels	2508	56.2	57.0	57.0
	2 This is often how respondent feels	1209	27.1	27.5	84.5
	3 This is how respondent sometimes feels	568	12.7	12.9	97.5
	4 Respondent never feels this way	112	2.5	2.5	100.0
	Total	4397	98.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	64	1.4		
	Total	65	1.5		
Total		4462	100.0		

pj7026 G17: When tired respondent can rely on partner to take over

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how respondent feels	2111	47.3	48.0	48.0
	2 This is often how respondent feels	1314	29.4	29.9	77.9
	3 This is how respondent sometimes feels	789	17.7	17.9	95.8
	4 Respondent never feels this way	147	3.3	3.3	99.2
	7 No partner	37	.8	.8	100.0
	Total	4398	98.6	100.0	
Missing	-1 No response	64	1.4		
Total		4462	100.0		

pj7027 G18: Respondent knows family will help with financial difficulty if possible

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how respondent feels	2889	64.7	65.6	65.6
	2 This is often how respondent feels	795	17.8	18.1	83.7
	3 This is how respondent sometimes feels	439	9.8	10.0	93.7
	4 Respondent never feels this way	279	6.3	6.3	100.0
	Total	4402	98.7	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	59	1.3		
	Total	60	1.3		
Total		4462	100.0		

PJ File – Section G

pj7028 G19: Respondent knows friends will help with financial difficulty if possible

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how respondent feels	1669	37.4	38.0	38.0
	2 This is often how respondent feels	837	18.8	19.0	57.0
	3 This is how respondent sometimes feels	925	20.7	21.0	78.0
	4 Respondent never feels this way	965	21.6	22.0	100.0
	Total	4396	98.5	100.0	
Missing	-1 No response	66	1.5		
Total		4462	100.0		

pj7029 G20: Respondent knows that if all else fails the state will support and assist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how respondent feels	356	8.0	8.1	8.1
	2 This is often how respondent feels	234	5.2	5.3	13.4
	3 This is how respondent sometimes feels	1059	23.7	24.1	37.5
	4 Respondent never feels this way	2745	61.5	62.5	100.0
	Total	4394	98.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	67	1.5		
	Total	68	1.5		
Total		4462	100.0		

PJ File – Section G

pj7040 G21a: Respondent believes in God or some divine power

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1568	35.1	35.6	35.6
	2 Not sure	1475	33.1	33.5	69.1
	3 No, not at all	1360	30.5	30.9	100.0
	Total	4403	98.7	100.0	
Missing	-1 No response	59	1.3		
Total		4462	100.0		

pj7041 G21b: Respondent believes that God or divine power has helped them at sometime

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1074	24.1	24.4	24.4
	2 Not sure	1455	32.6	33.1	57.5
	3 No	1866	41.8	42.5	100.0
	Total	4395	98.5	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	66	1.5		
	Total	67	1.5		
Total		4462	100.0		

pj7042 G21c: Respondent would appeal to God for help if in trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1590	35.6	36.2	36.2
	2 Not sure	1270	28.5	28.9	65.0
	3 No	1538	34.5	35.0	100.0
	Total	4398	98.6	100.0	
Missing	-1 No response	64	1.4		
Total		4462	100.0		

pj7043 G21d: Respondent prays even when not in trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1137	25.5	25.9	25.9
	2 No	3248	72.8	74.1	100.0
	Total	4385	98.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	76	1.7		
	Total	77	1.7		
Total		4462	100.0		

PJ File – Section G

pj7044 G21e: Respondent's religious faith

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	995	22.3	23.2	23.2
	1 Church of England	2330	52.2	54.3	77.5
	2 Roman Catholic	306	6.9	7.1	84.6
	3 Methodist/Baptist/Protestant Christian	394	8.8	9.2	93.8
	4 Christian Science	6	.1	.1	93.9
	5 Mormon	10	.2	.2	94.2
	6 Jehovah's Witness	20	.4	.5	94.6
	7 Jewish	8	.2	.2	94.8
	8 Buddhist	26	.6	.6	95.4
	9 Sikh	2	.0	.0	95.5
	10 Hindu	5	.1	.1	95.6
	11 Muslim	15	.3	.3	95.9
	12 Rastafarian	1	.0	.0	95.9
	13 Other	174	3.9	4.1	100.0
	Total	4292	96.2	100.0	
Missing	-1 No response	170	3.8		
Total		4462	100.0		

pj7047 G21f: Time in years respondent has held religious faith

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All their life	2999	67.2	76.9	76.9
	2 More than 5 years	798	17.9	20.5	97.3
	3 3-5 years	49	1.1	1.3	98.6
	4 1-2 years	34	.8	.9	99.4
	5 Less than a year	22	.5	.6	100.0
	Total	3902	87.4	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	558	12.5		
	Total	560	12.6		
Total		4462	100.0		

pj7048 G21g: Respondent is brining child up in this faith

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2439	54.7	60.0	60.0
	2 No	1623	36.4	40.0	100.0
	Total	4062	91.0	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	398	8.9		
	Total	400	9.0		
Total		4462	100.0		

PJ File – Section G

pj7049 G21h: Respondent goes to a place of worship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, at least once a week	371	8.3	8.5	8.5
	2 Yes, at least once a month	270	6.1	6.2	14.6
	3 Yes, at least once a year	517	11.6	11.8	26.4
	4 Only for special occasions	1595	35.7	36.4	62.8
	5 No, not at all	1630	36.5	37.2	100.0
	Total	4383	98.2	100.0	
Missing	-1 No response	79	1.8		
Total		4462	100.0		

pj7050 G21j1: Respondent receives help from leaders of their religious group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	357	8.0	8.4	8.4
	2 No	3895	87.3	91.6	100.0
	Total	4252	95.3	100.0	
Missing	-1 No response	210	4.7		
Total		4462	100.0		

pj7051 G21j2: Respondent receives help from members of their religious group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	398	8.9	9.4	9.4
	2 No	3838	86.0	90.6	100.0
	Total	4236	94.9	100.0	
Missing	-1 No response	226	5.1		
Total		4462	100.0		

pj7052 G21j3: Respondent receives help from members of other religious groups

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	66	1.5	1.6	1.6
	2 No	4067	91.1	98.4	100.0
	Total	4133	92.6	100.0	
Missing	-1 No response	329	7.4		
Total		4462	100.0		

PAGE 41 OF THE QUESTIONNAIRE

SECTION H: HEALTH SERVICES

H1. In the past year have you had contact with any of the following, for whatever reason:

	Yes ↓	No, but would have liked to	No, didn't need contact
a) G.P./family doctor	<div>1</div>	<div>2</div>	<div>3</div>
b) Health visitor	<div>1</div>	<div>2</div>	<div>3</div>
c) Midwife	<div>1</div>	<div>2</div>	<div>3</div>
d) Social services benefit worker	<div>1</div>	<div>2</div>	<div>3</div>
e) Social worker	<div>1</div>	<div>2</div>	<div>3</div>
f) Physiotherapist	<div>1</div>	<div>2</div>	<div>3</div>
g) Psychologist/psychiatrist	<div>1</div>	<div>2</div>	<div>3</div>
h) Other support service (please tick & describe)	<div>1</div>	<div>2</div>	<div>3</div>

.....

H2. The statements below describe the ways some people feel about the health services. We would be grateful if you could indicate what your own feelings are.

	This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way
a) I don't have any confidence in the national health service	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b) I know that if my child was very ill my doctor would come quickly.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c) My doctor is always helpful to me	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

PAGE 42 OF THE QUESTIONNAIRE

	Your outlook on life:	Yes	No
H3.	Did getting good marks at school mean a great deal to you?	<div>1</div>	<div>2</div>
H4.	Are you often blamed for things that just are not your fault?	<div>1</div>	<div>2</div>
H5.	Do you feel that most of the time it does not pay to try hard because things never turn out right anyway?	<div>1</div>	<div>2</div>
H6.	Do you feel that if things start out well in the morning then it's going to be a good day no matter what you do?	<div>1</div>	<div>2</div>
H7.	Do you believe that whether or not people like you depends on how you act?	<div>1</div>	<div>2</div>
H8.	Do you believe that when bad things are going to happen they are just going to happen no matter what you try to do to stop them?	<div>1</div>	<div>2</div>
H9.	Do you feel that when good things happen they happen because of hard work?	<div>1</div>	<div>2</div>
H10.	Do you feel that when someone does not like you there is little you can do about it?	<div>1</div>	<div>2</div>
H11.	Did you usually feel that it was almost useless to try in school because most other children were cleverer than you?	<div>1</div>	<div>2</div>
H12.	Are you the kind of person who believes that planning ahead makes things turn out better?	<div>1</div>	<div>2</div>
H13.	Most of the time, do you feel that you have little to say about what your family decides to do?	<div>1</div>	<div>2</div>
H14.	Do you think it's better to be clever than to be lucky?	<div>1</div>	<div>2</div>

PAGE 43 OF THE QUESTIONNAIRE

H15. Do you think you have been treated unfairly/unjustly in the last 12 months because of:

	Yes	No
a) your sex	<div><div>1</div></div>	<div><div>2</div></div>
b) your skin colour	<div><div>1</div></div>	<div><div>2</div></div>
c) the way you dress	<div><div>1</div></div>	<div><div>2</div></div>
d) your family background	<div><div>1</div></div>	<div><div>2</div></div>
e) the way you speak	<div><div>1</div></div>	<div><div>2</div></div>
f) your religion	<div><div>1</div></div>	<div><div>2</div></div>
g) other (please tick & describe)	<div><div>1</div></div>	<div><div>2</div></div>

.....

.....

PJ File – Section H

pj8000 H1a: Respondent has had contact with GP or family doctor in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3335	74.7	75.7	75.7
	2 No, but would have liked to	53	1.2	1.2	76.9
	3 No, didn't need contact	1017	22.8	23.1	100.0
	Total	4405	98.7	100.0	
Missing	-1 No response	57	1.3		
Total		4462	100.0		

pj8001 H1b: Respondent has had contact with a health visitor in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	372	8.3	8.6	8.6
	2 No, but would have liked to	41	.9	.9	9.5
	3 No, didn't need contact	3931	88.1	90.5	100.0
	Total	4344	97.4	100.0	
Missing	-1 No response	118	2.6		
Total		4462	100.0		

pj8002 H1c: Respondent has had contact with midwife in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	239	5.4	5.5	5.5
	2 No, but would have liked to	17	.4	.4	5.9
	3 No, didn't need contact	4074	91.3	94.1	100.0
	Total	4330	97.0	100.0	
Missing	-1 No response	132	3.0		
Total		4462	100.0		

pj8003 H1d: Respondent has had contact with social services or benefit worker in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	131	2.9	3.0	3.0
	2 No, but would have liked to	29	.6	.7	3.7
	3 No, didn't need contact	4171	93.5	96.3	100.0
	Total	4331	97.1	100.0	
Missing	-1 No response	131	2.9		
Total		4462	100.0		

pj8004 H1e: Respondent has had contact with social worker in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	122	2.7	2.8	2.8
	2 No, but would have liked to	24	.5	.6	3.4
	3 No, didn't need contact	4183	93.7	96.6	100.0
	Total	4329	97.0	100.0	
Missing	-1 No response	133	3.0		
Total		4462	100.0		

PJ File – Section H

pj8005 H1f: Respondent has had contact with physiotherapist in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	417	9.3	9.6	9.6
	2 No, but would have liked to	93	2.1	2.1	11.8
	3 No, didn't need contact	3818	85.6	88.2	100.0
	Total	4328	97.0	100.0	
Missing	-1 No response	134	3.0		
Total		4462	100.0		

pj8006 H1g: Respondent has had contact with psychologist or psychiatrist in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	141	3.2	3.3	3.3
	2 No, but would have liked to	65	1.5	1.5	4.8
	3 No, didn't need contact	4120	92.3	95.2	100.0
	Total	4326	97.0	100.0	
Missing	-1 No response	136	3.0		
Total		4462	100.0		

pj8007 H1h: Respondent has had contact with other support services in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	14	.3	.4	.4
	1 Yes	267	6.0	7.0	7.4
	2 No, but would have liked to	19	.4	.5	7.9
	3 No, didn't need contact	3517	78.8	92.1	100.0
	Total	3817	85.5	100.0	
Missing	-1 No response	645	14.5		
Total		4462	100.0		

PJ File – Section H

pj8010 H2a: Respondent has no confidence in the NHS

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how they feel	154	3.5	3.5	3.5
	2 This is often how they feel	450	10.1	10.2	13.8
	3 This is how they sometimes feel	1855	41.6	42.2	56.0
	4 Respondent never feel this way	1933	43.3	44.0	100.0
	Total	4392	98.4	100.0	
Missing	-1 No response	70	1.6		
Total		4462	100.0		

pj8011 H2b: Respondent knows that if their child was ill the doctor would come quickly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how they feel	1830	41.0	41.6	41.6
	2 This is often how they feel	1334	29.9	30.3	72.0
	3 This is how they sometimes feel	942	21.1	21.4	93.4
	4 Respondent never feel this way	291	6.5	6.6	100.0
	Total	4397	98.5	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	64	1.4		
	Total	65	1.5		
Total		4462	100.0		

pj8012 H2c: Respondent's doctor is always helpful to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 This is exactly how they feel	1706	38.2	39.0	39.0
	2 This is often how they feel	1473	33.0	33.7	72.7
	3 This is how they sometimes feel	998	22.4	22.8	95.5
	4 Respondent never feel this way	196	4.4	4.5	100.0
	Total	4373	98.0	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	2	.0		
	-1 No response	85	1.9		
	Total	89	2.0		
Total		4462	100.0		

PJ File – Section H

pj8020 H3: Getting good marks at school was very important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2856	64.0	65.0	65.0
	2 No	1536	34.4	34.9	99.9
	3 Sometimes	3	.1	.1	100.0
	Total	4395	98.5	100.0	
Missing	-1 No response	67	1.5		
Total		4462	100.0		

pj8021 H4: Respondent feels they are often blamed for things that are not their fault

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	705	15.8	16.0	16.0
	2 No	3692	82.7	83.8	99.8
	3 Sometimes	7	.2	.2	100.0
	Total	4404	98.7	100.0	
Missing	-1 No response	58	1.3		
Total		4462	100.0		

pj8022 H5: Respondent feels most of the time it does not pay to try hard because things never turn out right

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	411	9.2	9.4	9.4
	2 No	3980	89.2	90.6	100.0
	3 Sometimes	2	.0	.0	100.0
	Total	4393	98.5	100.0	
Missing	-1 No response	69	1.5		
Total		4462	100.0		

pj8023 H6: Respondent feels if morning starts out well it will be a good day no matter what they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1608	36.0	36.7	36.7
	2 No	2766	62.0	63.1	99.8
	3 Sometimes	8	.2	.2	100.0
	Total	4382	98.2	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	77	1.7		
	Total	80	1.8		
Total		4462	100.0		

PJ File – Section H

pj8024 H7: Respondent feels how they act affects whether people like them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3241	72.6	74.1	74.1
	2 No	1125	25.2	25.7	99.8
	3 Sometimes	10	.2	.2	100.0
	Total	4376	98.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	85	1.9		
	Total	86	1.9		
Total		4462	100.0		

pj8025 H8: Respondent feels that if bad things are going to happen they will happen even if they try to stop them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1692	37.9	38.6	38.6
	2 No	2673	59.9	61.0	99.7
	3 Sometimes	15	.3	.3	100.0
	Total	4380	98.2	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	79	1.8		
	Total	82	1.8		
Total		4462	100.0		

pj8026 H9: Respondent feels good things happen because of hard work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2439	54.7	55.9	55.9
	2 No	1863	41.8	42.7	98.6
	3 Sometimes	62	1.4	1.4	100.0
	Total	4364	97.8	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	96	2.2		
	Total	98	2.2		
Total		4462	100.0		

pj8027 H10: Respondent feels that if someone does not like them there's nothing they can do about it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2216	49.7	50.7	50.7
	2 No	2145	48.1	49.1	99.7
	3 Sometimes	11	.2	.3	100.0
	Total	4372	98.0	100.0	
Missing	-9 Don't know	3	.1		
	-1 No response	87	1.9		
	Total	90	2.0		
Total		4462	100.0		

PJ File – Section H

pj8028 H11: Respondent felt it was not worth trying in school because the other kids were cleverer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	304	6.8	6.9	6.9
	2 No	4081	91.5	93.0	99.9
	3 Sometimes	3	.1	.1	100.0
	Total	4388	98.3	100.0	
Missing	-1 No response	74	1.7		
Total		4462	100.0		

pj8029 H12: Respondent believes planning ahead makes things turn out better

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3658	82.0	83.4	83.4
	2 No	708	15.9	16.1	99.5
	3 Sometimes	21	.5	.5	100.0
	Total	4387	98.3	100.0	
Missing	-1 No response	75	1.7		
Total		4462	100.0		

pj8030 H13: Respondent feels most of the time they have little say in what their family decides to do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	453	10.2	10.3	10.3
	2 No	3919	87.8	89.5	99.9
	3 Sometimes	6	.1	.1	100.0
	Total	4378	98.1	100.0	
Missing	-1 No response	84	1.9		
Total		4462	100.0		

pj8031 H14: Respondent thinks it's better to be clever than lucky

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2863	64.2	67.0	67.0
	2 No	1382	31.0	32.3	99.3
	3 Sometimes	29	.6	.7	100.0
	Total	4274	95.8	100.0	
Missing	-9 Don't know	17	.4		
	-8 Text response	1	.0		
	-1 No response	170	3.8		
	Total	188	4.2		
Total		4462	100.0		

PJ File – Section H

pj8040 H15a: Respondent feels they have been treated unfairly in the last year because of their sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	139	3.1	3.2	3.2
	2 No	4236	94.9	96.8	100.0
	Total	4375	98.1	100.0	
Missing	-1 No response	87	1.9		
Total		4462	100.0		

pj8041 H15b: Respondent feels they have been treated unfairly in the last year because of their skin colour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	66	1.5	1.5	1.5
	2 No	4313	96.7	98.5	100.0
	Total	4379	98.1	100.0	
Missing	-1 No response	83	1.9		
Total		4462	100.0		

pj8042 H15c: Respondent feels they have been treated unfairly in the last year because of the way they dress

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	132	3.0	3.0	3.0
	2 No	4246	95.2	97.0	100.0
	Total	4378	98.1	100.0	
Missing	-1 No response	84	1.9		
Total		4462	100.0		

pj8043 H15d: Respondent feels they have been treated unfairly in the last year because of their family background

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	86	1.9	2.0	2.0
	2 No	4291	96.2	98.0	100.0
	Total	4377	98.1	100.0	
Missing	-1 No response	85	1.9		
Total		4462	100.0		

pj8044 H15e: Respondent feels they have been treated unfairly in the last year because of the way they speak

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	188	4.2	4.3	4.3
	2 No	4190	93.9	95.7	100.0
	Total	4378	98.1	100.0	
Missing	-1 No response	84	1.9		
Total		4462	100.0		

PJ File – Section H

pj8045 H15f: Respondent feels they have been treated unfairly in the last year because of their religion

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	47	1.1	1.1	1.1
2 No	4320	96.8	98.9	100.0
Total	4367	97.9	100.0	
Missing -1 No response	95	2.1		
Total	4462	100.0		

pj8046 H15g: Respondent feels they have been treated unfairly in the last year because of other reasons

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	168	3.8	5.5	5.5
2 No	2899	65.0	94.5	100.0
Total	3067	68.7	100.0	
Missing -1 No response	1395	31.3		
Total	4462	100.0		

PAGE 44 OF THE QUESTIONNAIRE

J1. This questionnaire was completed by:

- a) child's biological father
- b) mother's male partner
- c) mother's female partner
- d) other
- (please tick & describe)

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 "no".]

pj9980 J1a: Questionnaire completed by child's biological father

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4090	91.7	94.0	94.0
2 No	262	5.9	6.0	100.0
Total	4352	97.5	100.0	
Missing -5 Question J1 omitted	110	2.5		
Total	4462	100.0		

pj9981 J1b: Questionnaire completed by mother's male partner

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	333	7.5	7.7	7.7
2 No	4019	90.1	92.3	100.0
Total	4352	97.5	100.0	
Missing -5 Question J1 omitted	110	2.5		
Total	4462	100.0		

pj9982 J1c: Questionnaire completed by mother's female partner

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	12	.3	.3	.3
2 No	4340	97.3	99.7	100.0
Total	4352	97.5	100.0	
Missing -5 Question J1 omitted	110	2.5		
Total	4462	100.0		

pj9983 J1d: Questionnaire completed by someone else

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	46	1.0	1.1	1.1
2 No	4306	96.5	98.9	100.0
Total	4352	97.5	100.0	
Missing -5 Question J1 omitted	110	2.5		
Total	4462	100.0		

Derived VariablesNumber of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question J1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

pj9985 DV: Number of contributors to questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4226	94.7	97.1	97.1
	2	123	2.8	2.8	99.9
	3	3	.1	.1	100.0
	Total	4352	97.5	100.0	
Missing	-5 Question J1 omitted	110	2.5		
Total		4462	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question J1. It is calculated by recoding values of 1 to powers of 2 (1, 2, 4 and 8 for parts a to d respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

pj9986 DV: Questionnaire completed by...

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Child's biological father only	3965	88.9	91.1	91.1
	2 Mother's male partner only	217	4.9	5.0	96.1
	3 Child's biological father & mother's male partner	112	2.5	2.6	98.7
	4 Mother's female partner only	12	.3	.3	98.9
	8 Other only	32	.7	.7	99.7
	9 Child's biological father & other	10	.2	.2	99.9
	10 Mother's male partner & other	1	.0	.0	99.9
	11 Child's biological father, mother's male partner & other	3	.1	.1	100.0
	Total	4352	97.5	100.0	
Missing	-5 Question J1 omitted	110	2.5		
Total		4462	100.0		

PJ File – Section J

J2. Please give the date on which you completed this questionnaire:

day	month		year				
				1	9	9	

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable PJ9990c. The month and year of completion were retained on the built file, but the day was dropped.]

pj9990a J2: Date of completion of questionnaire - month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	484	10.8	10.8	10.8
	2 February	326	7.3	7.3	18.2
	3 March	293	6.6	6.6	24.7
	4 April	241	5.4	5.4	30.1
	5 May	287	6.4	6.4	36.6
	6 June	410	9.2	9.2	45.7
	7 July	366	8.2	8.2	53.9
	8 August	424	9.5	9.5	63.4
	9 September	455	10.2	10.2	73.6
	10 October	466	10.4	10.4	84.1
	11 November	413	9.3	9.3	93.3
	12 December	297	6.7	6.7	100.0
	Total	4462	100.0	100.0	

pj9990b J2: Date of completion of questionnaire - year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1997	1358	30.4	30.4	30.4
	1998	2690	60.3	60.3	90.7
	1999	406	9.1	9.1	99.8
	2000	5	.1	.1	99.9
	2001	2	.0	.0	100.0
	2004	1	.0	.0	100.0
	Total	4462	100.0	100.0	

pj9990c DV: Date of completion replaced with date of receipt


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, incomplete d.o.c.	111	2.5	2.5	2.5
	2 Yes, illegal d.o.c.	3	.1	.1	2.6
	3 Yes, d.o.c. < d.o.s.	30	.7	.7	3.2
	4 Yes, d.o.c. > d.o.r.	39	.9	.9	4.1
	5 No	4279	95.9	95.9	100.0
	Total	4462	100.0	100.0	

Derived Variables - Age of Study Child at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

pj9991a DV: Age of study child at completion of questionnaire (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	73	3269	73.3	73.3	73.3
	74	792	17.7	17.7	91.0
	75	191	4.3	4.3	95.3
	76	74	1.7	1.7	97.0
	77	49	1.1	1.1	98.1
	78	22	.5	.5	98.5
	79	14	.3	.3	98.9
	80	8	.2	.2	99.0
	81	9	.2	.2	99.2
	82	6	.1	.1	99.4
	83	2	.0	.0	99.4
	84	3	.1	.1	99.5
	85	3	.1	.1	99.6
	86	5	.1	.1	99.7
	87	2	.0	.0	99.7
	88	2	.0	.0	99.8
	89	2	.0	.0	99.8
	91	1	.0	.0	99.8
	92	1	.0	.0	99.8
	94	1	.0	.0	99.9
	98	1	.0	.0	99.9
	99	1	.0	.0	99.9
	100	1	.0	.0	99.9
	101	1	.0	.0	100.0
	103	1	.0	.0	100.0
	149	1	.0	.0	100.0
Total		4462	100.0	100.0	

PJ9991b DV: Age of study child at completion of questionnaire (weeks)

plus the following outliers > 370:

pj9991b DV: Age of study child at completion of questionnaire (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	371	1	4.5	4.5	4.5
	373	2	9.1	9.1	13.6
	375	3	13.6	13.6	27.3
	377	1	4.5	4.5	31.8
	380	1	4.5	4.5	36.4
	381	1	4.5	4.5	40.9
	383	1	4.5	4.5	45.5
	384	1	4.5	4.5	50.0
	388	1	4.5	4.5	54.5
	389	1	4.5	4.5	59.1
	396	1	4.5	4.5	63.6
	403	1	4.5	4.5	68.2
	409	1	4.5	4.5	72.7
	426	1	4.5	4.5	77.3
	434	2	9.1	9.1	86.4
	439	1	4.5	4.5	90.9
	449	1	4.5	4.5	95.5
	652	1	4.5	4.5	100.0
	Total	22	100.0	100.0	

PJ File – Section J


J3. Please give your date of birth:

day		month		year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
				1	9		

[Editing: If the date of birth was not a valid date (e.g. 31st November), then the day & month were set to -1. If the year was later than 1988 then the whole date was set to -1. If the year was missing then day and month were also set to -1. otherwise, if a valid year was reported, value of -1 in day were recoded to 15 and in month to 6. This action was flagged in variable PJ9996b. The date of birth was not retained on the file.]

Derived Variables - Age of Respondent at Completion

The dates of completion and the respondents' dates of birth were used to calculate the respondents' ages at completion in completed years.

pj9996a DV: Age of respondent at completion of questionnaire (years)**pj9996b DV: Components of respondent's date of birth imputed**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	4456	99.9	99.9	99.9
	1 Day	1	.0	.0	99.9
	2 Month	1	.0	.0	99.9
	3 Day & month	4	.1	.1	100.0
	Total	4462	100.0	100.0	

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comments you would like to make.

Please remember we cannot reply to any comment unless you sign it.

When completed, please return the questionnaire to:

**Professor Jean Golding
Children of the Nineties - ALSPAC
Institute of Child Health
24 Tyndall Avenue
Bristol
BS8 1BR Tel: Bristol 9285007**

For office use only

coder

int

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. Note that this is the 2003 revision, which dates from after this questionnaire was coded. However, the revision did not alter the content but rather streamlined the text by simplifying sentences and introducing headings. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

PJ File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow “Post-It” sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder’s responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder’s marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person’s work at regular intervals in order to strive for maximum accuracy.

PJ File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

PJ File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

PJ File – Appendix B

Coding Instructions for first version (03.04.97) of “Partner’s Lifestyle”

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the “Partner’s Lifestyle” replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires - 2nd revision" document.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 03/04/97. Within a batch, they should all be the same version.

*****If the questionnaire is all blank, e.g. the woman didn't want to fill in the form, write "ALL BLANK" on the front cover and move on to the next questionnaire.

Page 3, Section A

A1a to A1j	7	
A1k	7	Please ensure that if something relevant is written in the “please describe” area, that A1k is appropriately ticked. If there is no tick, code a zero on A1k, to indicate information in the “please describe” area.

Page 4

A2	7	
A3-A4	7	
A5		If 1+2, code as 1; 1+3, code as 1; 2+3, code as 3.
A6-A8	I	

Page 5

A9-A10	I	
A11a, b	I	
A12-A13	I	

Page 6, Section B

B1 - B8	7	
B9	8	

Page 7

B10	8	
B11	7	
B12	8	
B13	7	

Page 8

B14 - B17	7	
-----------	---	--

PJ File – Appendix B

Page 9

B18	7
B19	8

Page 10, Section C

C1	8
C2a to C2l	7

Page 11

C2m to C2w	7	
C2x	7	Please ensure that if something relevant is written in the “please describe” section in C2x, that the previous boxes are ticked appropriately. If there is no tick, please write a zero in C2x to indicate information in this section.
C2y	7	Please ensure that if something relevant is written in the “please describe” section in C2y, that the previous boxes are ticked appropriately. If there is no tick, please write a zero in C2y to indicate information in this section.

Page 12

C3a to C3n	7	If the answer “once” is given with no tick, code as 5.
C3o to C3q	7	If the answer “once” is given with no tick, code as 5. If something relevant is written, but no ticks, please write a zero to indicate information in this question.

Page 6

C4 - for office use	II	Count the number of items listed, and enter the count in the two boxes. If nothing listed, leave blank, but if they say none or “N/A”, or not applicable, code “00”.
C4 1 - 10		Not being coded here.

Page 14

C5a	I	
C5b	II	If a range is given, round up.
C5c	II	If a range is given, round up.
C5d to C5h	II	This should be the number of different nights they were in hospital for each admission. If less than one day is given, code as “00”. Note that the reason and the hospital are not being coded here.
C6a to C6g	7	

Page 15

C6h to C6u	7	
C6v	7	As C2y

Page 16

C7a	7	
C7b	8	
C8	I	If combinations of 1-5 are given, code as the lowest number given. If any other combination is given, code as “9”.

Page 17

C9a	8
-----	---

PJ File – Appendix B

C9bi to vii	I	
C9bviii	I	Please ensure that if something relevant is written in the “please describe” section, that there is a “yes” tick on C9bviii. If there is not, please tick C9bviii. Note that the text response is not being coded here.
Pages 18 - 21, Section D		
D1 - D43	7	
D44	7	Please ensure that if something relevant is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, please write a zero in D44 to indicate relevant information in this section. Note that the text response is not being coded here.
D45a	I	If “yes” is ticked, check that the description differs from the events listed previously in this section. If it is the same, recode it as that event, and tick “no” for D45a.
D45bi to iii		Please check that if something relevant is written in the “please describe” section that the previous boxes are ticked appropriately. If there is no tick, tick the “yes” box in D45a to indicate relevant information in this section. Note that the text response is not being coded here.
Page 22, Section E		
E1a to l	7	
Page 23		
E1m to s	7	
E1t	7	If something relevant is written in the “please describe” area, please ensure that there is a “yes” tick in E1t. If there is not, code a zero on E1t, to indicate information in the “please describe” area.
E2	7	
Page 24		
E3i, ii	7	Code each column separately.
E4a, b	II, II	If a range is given, round up.
Page 25, Section F		
F1a	I	
F1b	I	
F1c	II, II	Convert months into years and months if necessary. If not stated, leave blank.
F2	8	
Page 26		
F3a to u	7	
Page 27		
F3v to w	7	

PJ File – Appendix B

F3x	7	Please ensure that if something relevant is written in the “please describe” section, that a “yes” box is ticked. If there is no tick, code F3x as zero, to indicate information in the “please describe” area.
F4a to c	8	
F4d	7	
F4e	8	
F4f, g	7	
F4h	8	
Page 28		
F4i	7	
F4j to k	8	
F5a to b	8	
F5c	7	
F5d	8	
F5e	7	
F5f	8	
F5g	7	
F5h	8	
Page 29		
F6a to g	I	If 3 and 4 are ticked, code as “4”. If “always” i.e. 1 or 5 is ticked with another box, code for the “always” box, except if both 1 and 5 are ticked, code as zero. If any combination includes 6, code as A.
F7a to d	I	As for F6
Page 30		
F8a to g	8	
F9a	8	
F9b	8	
F10a	8	
Page 31		
F10bi to v	I	If combinations 1 and 2, 2 and 3 or 1 and 3 are given, recode as “3”.
F11a to e	7	
F11f	7	If a relevant description is given here, please ensure that F11f is ticked. If it is not, please code F11f as zero, to indicate information on the “please describe” line.
Page 32		
F12a, b	7	
F13a to f	7	
Page 33		
F14a	8	

PJ File – Appendix B

F14b	7
F15a, d	8
F15b, c	7

Page 34

F15f, g, i, k, l, o, q, s	7
F15e, h, j, m, n, p, r	8

Page 35

F15u, w, x	8
F15t, v	7

Page 36, Section G

G1 - G2	7
G3	I
G4 - G7	7

Page 37

G8 - G11	7
G12 - G14	8

Page 38

G15	7
G16 - G20	8
G21a, b	I

Page 39

G21c, d	I
G21e	I
G21f	8
G21g	I

If more than 1 box is ticked, recode as “other” (or “other protestant christian” if relevant) and write the numbers of the ticked boxes on the relevant dotted line. For example, if 01 and 02 are ticked, recode them as “03” and write “01 + 02” on the dotted line. If “06 and 11” are ticked for example, recode as “13” and write “06 + 11” on the dotted line.

Page 40

G21h	8
G21ji, ii	I
G21jiii	I

Code “4” for “occasional worship”.

If a relevant description is given here, please ensure that the “yes” box is ticked in G21jiii. If it is not, tick “yes” on G21jiii. Note that the text response is not being coded here.

Page 41, Section H

H1a to g	7
----------	---

PJ File – Appendix B

H1h	I	Please ensure that if something relevant is written in the “please describe” section, that H1h is appropriately ticked. If there is no tick, code H1h as a zero, to indicate information in the “please describe” section. Note that the text response is not being coded here.
-----	---	---

H2a	7
H2b, c	8

Page 42

H3 - H14	I	Code “yes and no” or “sometimes” as “3”.
----------	---	--

Page 43

H15a to f	I	If a relevant description is given here, please ensure that the “yes” box is ticked in H15g. If it is not, tick “yes” on H15g. Note that the text response is not being coded here.
H15g	I	

Page 44, Section J

J1a to c	I	Please ensure that if something relevant is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, please tick “yes” for “other”, to indicate information in the “please describe” section. Note that the text response is not being coded here.
J1d (please describe)	I	

J2	IV	If left blank, copy month and year that the form was returned from the stamped receipt date on the front cover, and code the days as 99.
----	----	--

J3	IV	Any valid date has to be accepted here.
----	----	---

Space for comments		Not being coded here.
--------------------	--	-----------------------

Bottom of Page 48, For Office Use Only

Coder		Insert your initials here.
Int.		If the questionnaire was completed with the aid of an interviewer, there will be initials here.

END OF QUESTIONNAIRE

plcod 27/3/98

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. No reminders were issued specific to partner questionnaires.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of CSV (comma separated values) data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were read into SPSS, added together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifier ALN. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letter “pj” which are followed by four digits and occasionally a further letter. Then the data from the back page were edited as described in the relevant section of this documentation. For data in other sections the only edits

applied were to recode values of 9 that indicated an unsolicited text response of “Don’t know” to –9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to –8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don’t know	The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”.
-10	Not completed	No completed questionnaire is available for this case. Variable PJ0007a = 2 for all such cases.

At some point in the future the data may be reissued as a “built” file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.