

THE ALSPAC STUDY

P FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Mother of a 9 Year Old

At 110 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 1a of the release file.

September 2007

© University of Bristol

Contents

| | | |
|--------------|-------------------------------|----------|
| Introduction | | Page 3 |
| Section A | Your Health | |
| | Text | Page 8 |
| | Frequencies | Page 19 |
| Section B | Recent Events | |
| | Text | Page 56 |
| | Frequencies | Page 61 |
| Section C | Your Husband/Partner | |
| | Text | Page 77 |
| | Frequencies | Page 89 |
| Section D | Your Family and Friends | |
| | Text | Page 132 |
| | Frequencies | Page 137 |
| Section E | My Thoughts and Feelings | |
| | Text | Page 146 |
| | Frequencies | Page 157 |
| Section F | Chemicals In Your Environment | |
| | Text | Page 191 |
| | Frequencies | Page 194 |
| Section G | | Page 202 |
| Appendix A | General Coding Instructions | Page 210 |
| Appendix B | Specific Coding Instructions | Page 214 |
| Appendix C | Questionnaire Methodology | Page 222 |

Introduction

Contents

This questionnaire was sent out to carers when their study child was 110 months old. It is in 7 sections. Section A contains standard ALSPAC health related questions including: medicine use, hospital admissions and measurements. Section B asks about life events since the study child's 6th birthday. Section C asks about the respondent's partner including questions on their health, smoking status, occupation and their relationship with the respondent. Section D contains questions on support from family and friends and belief in God. Section E contains a battery of questions on thoughts and feelings while section F asks about exposure to chemicals. Finally, section G collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire.

Sample & response rates

There are a total of 14,574 records on this built file. This number is made up of the 14,541 pregnancies in the core ALSPAC sample (regardless of whether or not the 110-month questionnaire was sent out for them or whether they were returned) plus 459 eligible pregnancies not in the core sample for which the questionnaire was sent out. Note that this questionnaire was completed for 311 of these 459 pregnancies.

Of the 14,541 pregnancies in the core ALSPAC sample, 13,868 resulted in at least one live born child. The 110-month questionnaire was sent out for 10,676 (77%) of these pregnancies. As of 30th April 2007 completed questionnaires had been returned for 7,672 (72%) of these pregnancies, which is 55% of the 13,868 pregnancies that resulted in at least one live born child. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Release file version history

Release version 1a – September 2007

The first version of the release file.

P File - Introduction

Administrative variables

p0001 Questionnaire sent

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 11135 | 74.2 | 74.2 | 74.2 |
| 2 No | 3865 | 25.8 | 25.8 | 100.0 |
| Total | 15000 | 100.0 | 100.0 | |

p0002 Reminder 1 sent

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 6582 | 43.9 | 59.1 | 59.1 |
| 2 No | 4553 | 30.4 | 40.9 | 100.0 |
| Total | 11135 | 74.2 | 100.0 | |
| Missing -2 Questionnaire not sent | 3865 | 25.8 | | |
| Total | 15000 | 100.0 | | |

p0003 Reminder 2 sent

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 4787 | 31.9 | 43.0 | 43.0 |
| 2 No | 6348 | 42.3 | 57.0 | 100.0 |
| Total | 11135 | 74.2 | 100.0 | |
| Missing -2 Questionnaire not sent | 3865 | 25.8 | | |
| Total | 15000 | 100.0 | | |

p0004 Eligible for visit

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 3022 | 20.1 | 27.1 | 27.1 |
| 2 No | 8113 | 54.1 | 72.9 | 100.0 |
| Total | 11135 | 74.2 | 100.0 | |
| Missing -2 Questionnaire not sent | 3865 | 25.8 | | |
| Total | 15000 | 100.0 | | |

P File - Introduction

p0005 Questionnaire return status (as of 30/04/07)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Not returned | 3062 | 20.4 | 27.5 | 27.5 |
| | 2 Returned, completed | 7983 | 53.2 | 71.7 | 99.2 |
| | 3 Returned, blank | 90 | .6 | .8 | 100.0 |
| | Total | 11135 | 74.2 | 100.0 | |
| Missing | -2 Questionnaire not sent | 3865 | 25.8 | | |
| Total | | 15000 | 100.0 | | |

p0006 Questionnaire returned (as of 30/04/07)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 8073 | 53.8 | 72.5 | 72.5 |
| | 2 No | 3062 | 20.4 | 27.5 | 100.0 |
| | Total | 11135 | 74.2 | 100.0 | |
| Missing | -2 Questionnaire not sent | 3865 | 25.8 | | |
| Total | | 15000 | 100.0 | | |

p0007 Questionnaire completed (as of 30/04/07)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 7983 | 53.2 | 71.7 | 71.7 |
| | 2 No | 3152 | 21.0 | 28.3 | 100.0 |
| | Total | 11135 | 74.2 | 100.0 | |
| Missing | -2 Questionnaire not sent | 3865 | 25.8 | | |
| Total | | 15000 | 100.0 | | |

p0007a Data available (as of 30/04/07)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 7983 | 53.2 | 53.2 | 53.2 |
| | 2 No | 7017 | 46.8 | 46.8 | 100.0 |
| | Total | 15000 | 100.0 | 100.0 | |

p0008 Questionnaire version

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Version 1 - 05/09/00 | 7983 | 53.2 | 100.0 | 100.0 |
| Missing | -10 Not completed | 7017 | 46.8 | | |
| Total | | 15000 | 100.0 | | |

PAGE 1 OF THE QUESTIONNAIRE

Questionnaire No:

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|

MOTHER OF A

9 YEAR OLD

05/09/00

PAGE 2 OF THE QUESTIONNAIRE

This questionnaire is for the study child's mother or person taking the role of mother. The answers will help us to identify those problems that may be helped by changes in the health care system.

To answer simply tick the box which is most accurate in your opinion.

Some questions are the same as those you have answered before. This is so that we can tell what changes have happened to you.

Please answer all questions if you can, even if they are similar. If you do not want to answer a question or if it does not apply to you, put a line through it. There are no good or bad answers. Just tell us what is true for you.

All answers are confidential

THANK YOU FOR YOUR HELP

PAGE 3 OF THE QUESTIONNAIRE

SECTION A: YOUR HEALTH

A1. Which of the following would you say describes your health now?

| | |
|-------------------------|--------------|
| fit and well | <div>1</div> |
| mostly well and healthy | <div>2</div> |
| often feel unwell | <div>3</div> |
| hardly ever feel well | <div>4</div> |

A2. Have you had any of the following in the last 3 years (since your study child's 6th birthday)?

| In last 3 years: | Yes and consulted doctor | Yes but did not consult doctor | No ↓ |
|--------------------------------------|--------------------------------|---|--------------|
| a) anxiety or 'nerves' | <div>1</div> | <div>2</div> | <div>3</div> |
| b) depression | <div>1</div> | <div>2</div> | <div>3</div> |
| c) headache or migraine | <div>1</div> | <div>2</div> | <div>3</div> |
| d) epilepsy | <div>1</div> | <div>2</div> | <div>3</div> |
| e) back pain, sciatica, slipped disc | <div>1</div> | <div>2</div> | <div>3</div> |
| f) indigestion | <div>1</div> | <div>2</div> | <div>3</div> |
| g) high blood pressure | <div>1</div> | <div>2</div> | <div>3</div> |
| h) cough or cold | <div>1</div> | <div>2</div> | <div>3</div> |
| i) diabetes | <div>1</div> | <div>2</div> | <div>3</div> |
| j) haemorrhoids/piles | <div>1</div> | <div>2</div> | <div>3</div> |
| k) schizophrenia | <div>1</div> | <div>2</div> | <div>3</div> |
| l) influenza | <div>1</div> | <div>2</div> | <div>3</div> |

PAGE 4 OF THE QUESTIONNAIRE

A2 cont.

| | Yes and consulted doctor | Yes but did not consult doctor | No ↓ |
|----------------------------------|--------------------------------|---|---------|
| In last 3 years: | | | |
| m) alcohol problem | 1 | 2 | 3 |
| n) wheezing or asthma | 1 | 2 | 3 |
| o) bronchitis | 1 | 2 | 3 |
| p) stomach ulcer | 1 | 2 | 3 |
| q) eczema | 1 | 2 | 3 |
| r) psoriasis | 1 | 2 | 3 |
| s) arthritis | 1 | 2 | 3 |
| t) rheumatism | 1 | 2 | 3 |
| u) urinary infection | 1 | 2 | 3 |
| v) problems with your periods | 1 | 2 | 3 |
| w) problems with a pregnancy | 1 | 2 | 3 |
| x) syphilis | 1 | 2 | 3 |
| y) gonorrhoea | 1 | 2 | 3 |
| z) cancer (please state type) | 1 | 2 | 3 |

.....

| | | | |
|---|---|---|---|
| za) other problems (please describe) | 1 | 2 | 3 |
|---|---|---|---|

.....

PAGE 5 OF THE QUESTIONNAIRE

A3. In the last 2 years how often have you taken the following?

| In last 2 years: | Every day | Often | Sometimes | Not at all |
|---|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| a) sleeping pills | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| b) vitamins | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| c) cannabis/marihuana | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| d) tranquillisers | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| e) pills for depression | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| f) hormone replacement therapy | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| g) antibiotics | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| h) aspirin | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| i) paracetamol | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| j) other painkillers | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| k) amphetamines or other stimulants | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| l) contraceptive pill | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| m) iron | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| n) heroin, methadone, crack, cocaine | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| o) anticonvulsants | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| p) steroids | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| other pill, medicine, drug or treatment (please describe each and state how frequently taken) | | | | |
| q) | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | |
| r) | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | |
| s) | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | |

PAGE 6 OF THE QUESTIONNAIRE

A4. a) In the past year have you taken or used any homeopathic medicine(s) or remedies?

yes, often

yes, sometimes

no

➔ If **no**, go to A5 below

b) If **yes**, please describe the name(s) of the homeopathic medicine(s) and the reason for taking/using them:

Name:

Reason:

- | | |
|---------|-------|
| 1. | |
| 2. | |
| 3. | |
| 4. | |
| 5. | |

A5. Please list all the other drugs, medicines and ointments that you have taken or used **in the past month**:

What did you take:

About how many days did you take or use it?

How often per day?

- | | | |
|----------|-------|-------|
| 1. | | |
| 2. | | |
| 3. | | |
| 4. | | |
| 5. | | |
| 6. | | |
| 7. | | |
| 8. | | |
| 9. | | |
| 10. | | |

Check Have you included the contraceptive pill, iron tablets, laxatives, skin creams, vitamins, sleeping tablets, aspirin, cough mixture, pain killers, herbal medicine, slimming pills?

PAGE 7 OF THE QUESTIONNAIRE

A6. a) Since your study child's 6th birthday have you been admitted to hospital?

Yes No → If **no**, go to A7 below

If **yes**,

b) how many times?

c) for how many different reasons?

Reason for each hospital stay:

How long did you stay?

d)

nights

e)

nights

f)

nights

g)

nights

h)

nights

Write 00 if you did not stay overnight

A7. In the past month, how often have you had any of the following:

In the past month:

**Almost all
the time**

Sometimes

Not at all

a) backache

b) headache or migraine

c) urinary infection

d) nausea

e) vomiting

f) diarrhoea

g) haemorrhoids or piles

h) feeling weepy/tearful

PAGE 8 OF THE QUESTIONNAIRE

| A7. In the past month: | Almost all the time | Sometimes | Not at all |
|--|--------------------------------|--------------------------------|--------------------------------|
| i) feeling irritable | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| j) feeling exhausted | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| k) varicose veins | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| l) passing urine very often | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| m) problem holding urine when you jump, sneeze etc. | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| n) indigestion | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| o) feeling dizzy/fainting | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| p) flashing lights/spots before eyes | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| q) shoulder ache | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| r) tingling in hands/fingers | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| s) tingling in feet/toes | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| t) neck ache | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| u) feeling depressed | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| v) other problem (please describe) | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |

.....

.....

A8. a) Have you ever had pain in one or both of your knees lasting for at least a month?

Yes, one Yes, both No → If **no**, go to A9a
on page 9

If **yes**,

b) about how old were you when this first happened?

Less than 10-13 14-16 17-19 20 or more

PAGE 9 OF THE QUESTIONNAIRE

A8 c) Have you had pain in your knees **in the past month?**

Yes No

A9. a) How often are you having sexual intercourse now?

not at all
 less than once a month
 1-3 times a month
 about once a week
 2-4 times a week
 5 or more times a week

b) In general, do you enjoy it?

yes, very much
 yes, somewhat
 no, not a lot
 no, not at all
 no sex at the moment

A10. a) Are you currently trying to get pregnant?

no
 no, but intend to later
 yes, we are trying → **If yes, (i) for how long have you been trying**
 I am already pregnant → **If yes, (ii) how long were you trying before you became pregnant**
 months

months

now go to A11 on page 10

months

now go to A11 on page 10

PAGE 10 OF THE QUESTIONNAIRE

A10. b) What forms of contraception are you and your partner using now? (tick all that you have used in the past 3 months)

| | Yes | |
|--|--------------------------|-------|
| i) withdrawal | <input type="checkbox"/> | |
| ii) the pill | <input type="checkbox"/> | |
| iii) IUCD/coil | <input type="checkbox"/> | |
| iv) condom/sheath | <input type="checkbox"/> | |
| v) calendar/rhythm method | <input type="checkbox"/> | |
| vi) diaphragm/cap | <input type="checkbox"/> | |
| vii) spermicide | <input type="checkbox"/> | |
| viii) I am no longer fertile (have been sterilised, etc.) | <input type="checkbox"/> | |
| ix) my partner has been sterilised | <input type="checkbox"/> | |
| x) none | <input type="checkbox"/> | |
| xi) other (please describe) | <input type="checkbox"/> | |

A11. Please describe your most recent periods:

| | Very | Moderately | Mildly | Not at all | No periods | |
|--|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---------------------------|
| a) how heavy are your periods? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | → go to A12 on page 11 |
| b) how painful are your periods? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| c) are your periods irregular? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| d) how many days does bleeding usually last? | <input type="text"/> | | <input type="text"/> | days | | |

PAGE 11 OF THE QUESTIONNAIRE

A11. e) Do you generally find in the days before or during your periods that you have particular problems (please tick all that apply)?

| | Yes before | Yes during |
|--------------------------------------|--------------------------|--------------------------|
| i) Very fatigued | <input type="checkbox"/> | <input type="checkbox"/> |
| ii) Irritable | <input type="checkbox"/> | <input type="checkbox"/> |
| iii) Depressed | <input type="checkbox"/> | <input type="checkbox"/> |
| iv) Anxious | <input type="checkbox"/> | <input type="checkbox"/> |
| v) Other (please tick & describe) | <input type="checkbox"/> | <input type="checkbox"/> |

.....

A12. Please give below your present weights and measurements if you know them.

a) weight kg or stones pounds

[Editing: There were 17 reported metric weights >100kg. After comparison with reported weights from the previous 2 mother questionnaires, 7 of these occurrences were deemed highly likely to be total numbers of pounds and treated as imperial weights accordingly. Of the remaining 10 occurrences, 8 were deemed highly likely to be valid numbers of kilograms and 2 were difficult to determine. All 10 were left as metric measurements.

1 reported imperial weight of 90st was set to -1. For 12 imperial weights for which the pounds box was left blank but where the respondent also reported a metric weight the stones variable was set to -1. For 837 imperial weights for which the pounds box was left blank the pounds variable was recoded to 0. A single variable for weight in kg was then created using a conversion factor of 1lb = 0.4536kg for imperial measurements (rounding to the nearest integer). If both imperial and metric weights were reported then the metric weight was taken unless the two weights were not equivalent and the imperial weight was closer to the median (64kg).]

P File – Section A

b) height cm or ft in

[Editing: Reported metric heights of 30cm, 55cm & 70cm were set to -1. For 1 imperial height for which the inches box was left blank but where the respondent also reported a metric height the feet variable was set to -1. For 71 imperial heights for which the inches box was left blank (67 of 5ft and 4 of 6ft) the inches variable was recoded to 0. A reported imperial height of 9ft 8in was set to -1. A single variable for height in cm was then created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric heights were reported then the metric height was taken unless the two heights were not equivalent and the imperial height was closer to then median (5ft 4in).]

c) inside leg measurement cm or ft in

[Editing: 33 reported metric measurements with values between 26 & 33 (with the next lowest reported value being 49) were assumed to be imperial values and moved to the inches variable. Outlying imperial measurements of 15in, 16in & 48in were recoded to -1. A single variable for inside leg measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to then median (30in).]

d) bust cm or in

[Editing: 21 reported metric measurements with values between 32 & 42 (with the next lowest reported value being 75) were assumed to be imperial values and moved to the inches variable. A single variable for bust measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to then median (36in).]

e) hips cm or in

[Editing: 9 reported metric measurements with values between 29 & 45 (with the next lowest reported value being 62) were assumed to be imperial values and moved to the inches variable. One outlying imperial measurement of 88in was set to -1. A single variable for hip measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to then median (37in).]

P File – Section A

f) waist

| | | |
|--|--|--|
| | | |
|--|--|--|

 cm or

| | |
|--|--|
| | |
|--|--|

 in

[Editing: 10 reported metric measurements with values between 25 & 38 (with the next lowest reported value being 62) were assumed to be imperial values and moved to the inches variable. 14 reported imperial measurements with values between 9 & 18 (possibly dress sizes) were set to -1. A single variable for waist measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to then median (29in).]

P File – Section A

p1000 A1: Description of mother's current health

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Fit and well | 4544 | 56.9 | 57.2 | 57.2 |
| | 2 Mostly well and healthy | 3005 | 37.6 | 37.8 | 95.0 |
| | 3 Often feel unwell | 356 | 4.5 | 4.5 | 99.4 |
| | 4 Hardly ever feel well | 45 | .6 | .6 | 100.0 |
| | Total | 7950 | 99.6 | 100.0 | |
| Missing | -1 No response | 33 | .4 | | |
| Total | | 7983 | 100.0 | | |

p1010 A2a: Mother has had anxiety or 'nerves' in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 855 | 10.7 | 10.9 | 10.9 |
| | 2 Yes, did not consult doctor | 1223 | 15.3 | 15.6 | 26.5 |
| | 3 No | 5770 | 72.3 | 73.5 | 100.0 |
| | Total | 7848 | 98.3 | 100.0 | |
| Missing | -1 No response | 135 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p1011 A2b: Mother has had depression in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 1108 | 13.9 | 14.1 | 14.1 |
| | 2 Yes, did not consult doctor | 997 | 12.5 | 12.7 | 26.7 |
| | 3 No | 5775 | 72.3 | 73.3 | 100.0 |
| | Total | 7880 | 98.7 | 100.0 | |
| Missing | -1 No response | 103 | 1.3 | | |
| Total | | 7983 | 100.0 | | |

p1012 A2c: Mother has had headache or migraine in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 699 | 8.8 | 8.8 | 8.8 |
| | 2 Yes, did not consult doctor | 5422 | 67.9 | 68.5 | 77.3 |
| | 3 No | 1800 | 22.5 | 22.7 | 100.0 |
| | Total | 7921 | 99.2 | 100.0 | |
| Missing | -1 No response | 62 | .8 | | |
| Total | | 7983 | 100.0 | | |

p1013 A2d: Mother has had epilepsy in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 41 | .5 | .5 | .5 |
| | 2 Yes, did not consult doctor | 11 | .1 | .1 | .7 |
| | 3 No | 7768 | 97.3 | 99.3 | 100.0 |
| | Total | 7820 | 98.0 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 162 | 2.0 | | |
| | Total | 163 | 2.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1014 A2e: Mother has had back pain, sciatica, slipped disc in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 1154 | 14.5 | 14.6 | 14.6 |
| | 2 Yes, did not consult doctor | 2169 | 27.2 | 27.5 | 42.1 |
| | 3 No | 4573 | 57.3 | 57.9 | 100.0 |
| | Total | 7896 | 98.9 | 100.0 | |
| Missing | -1 No response | 87 | 1.1 | | |
| Total | | 7983 | 100.0 | | |

p1015 A2f: Mother has had indigestion in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 326 | 4.1 | 4.1 | 4.1 |
| | 2 Yes, did not consult doctor | 2542 | 31.8 | 32.3 | 36.4 |
| | 3 No | 5014 | 62.8 | 63.6 | 100.0 |
| | Total | 7882 | 98.7 | 100.0 | |
| Missing | -1 No response | 101 | 1.3 | | |
| Total | | 7983 | 100.0 | | |

p1016 A2g: Mother has had high blood pressure in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 358 | 4.5 | 4.6 | 4.6 |
| | 2 Yes, did not consult doctor | 73 | .9 | .9 | 5.5 |
| | 3 No | 7423 | 93.0 | 94.5 | 100.0 |
| | Total | 7854 | 98.4 | 100.0 | |
| Missing | -1 No response | 129 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

p1017 A2h: Mother has had cough or cold in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 451 | 5.6 | 5.7 | 5.7 |
| | 2 Yes, did not consult doctor | 6424 | 80.5 | 81.1 | 86.8 |
| | 3 No | 1047 | 13.1 | 13.2 | 100.0 |
| | Total | 7922 | 99.2 | 100.0 | |
| Missing | -1 No response | 61 | .8 | | |
| Total | | 7983 | 100.0 | | |

p1018 A2i: Mother has had diabetes in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 54 | .7 | .7 | .7 |
| | 2 Yes, did not consult doctor | 8 | .1 | .1 | .8 |
| | 3 No | 7776 | 97.4 | 99.2 | 100.0 |
| | Total | 7838 | 98.2 | 100.0 | |
| Missing | -1 No response | 145 | 1.8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1019 A2j: Mother has had haemorrhoids/piles in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 252 | 3.2 | 3.2 | 3.2 |
| | 2 Yes, did not consult doctor | 1356 | 17.0 | 17.2 | 20.4 |
| | 3 No | 6277 | 78.6 | 79.6 | 100.0 |
| | Total | 7885 | 98.8 | 100.0 | |
| Missing | -1 No response | 98 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

p1020 A2k: Mother has had schizophrenia in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 2 | .0 | .0 | .0 |
| | 2 Yes, did not consult doctor | 6 | .1 | .1 | .1 |
| | 3 No | 7857 | 98.4 | 99.9 | 100.0 |
| | Total | 7865 | 98.5 | 100.0 | |
| Missing | -1 No response | 118 | 1.5 | | |
| Total | | 7983 | 100.0 | | |

p1021 A2l: Mother has had influenza in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 392 | 4.9 | 5.0 | 5.0 |
| | 2 Yes, did not consult doctor | 1233 | 15.4 | 15.7 | 20.6 |
| | 3 No | 6249 | 78.3 | 79.4 | 100.0 |
| | Total | 7874 | 98.6 | 100.0 | |
| Missing | -1 No response | 109 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

p1022 A2m: Mother has had alcohol problem in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 31 | .4 | .4 | .4 |
| | 2 Yes, did not consult doctor | 71 | .9 | .9 | 1.3 |
| | 3 No | 7768 | 97.3 | 98.7 | 100.0 |
| | Total | 7870 | 98.6 | 100.0 | |
| Missing | -1 No response | 113 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

p1023 A2n: Mother has had wheezing or asthma in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 562 | 7.0 | 7.1 | 7.1 |
| | 2 Yes, did not consult doctor | 403 | 5.0 | 5.1 | 12.2 |
| | 3 No | 6920 | 86.7 | 87.8 | 100.0 |
| | Total | 7885 | 98.8 | 100.0 | |
| Missing | -1 No response | 98 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1024 A2o: Mother has had bronchitis in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 264 | 3.3 | 3.4 | 3.4 |
| | 2 Yes, did not consult doctor | 61 | .8 | .8 | 4.1 |
| | 3 No | 7552 | 94.6 | 95.9 | 100.0 |
| | Total | 7877 | 98.7 | 100.0 | |
| Missing | -1 No response | 106 | 1.3 | | |
| Total | | 7983 | 100.0 | | |

p1025 A2p: Mother has had stomach ulcer in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 53 | .7 | .7 | .7 |
| | 2 Yes, did not consult doctor | 14 | .2 | .2 | .9 |
| | 3 No | 7806 | 97.8 | 99.1 | 100.0 |
| | Total | 7873 | 98.6 | 100.0 | |
| Missing | -1 No response | 110 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

p1026 A2q: Mother has had eczema in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 360 | 4.5 | 4.6 | 4.6 |
| | 2 Yes, did not consult doctor | 683 | 8.6 | 8.7 | 13.2 |
| | 3 No | 6844 | 85.7 | 86.8 | 100.0 |
| | Total | 7887 | 98.8 | 100.0 | |
| Missing | -1 No response | 96 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

p1027 A2r: Mother has had psoriasis in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 141 | 1.8 | 1.8 | 1.8 |
| | 2 Yes, did not consult doctor | 159 | 2.0 | 2.0 | 3.8 |
| | 3 No | 7570 | 94.8 | 96.2 | 100.0 |
| | Total | 7870 | 98.6 | 100.0 | |
| Missing | -1 No response | 113 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

p1028 A2s: Mother has had arthritis in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 233 | 2.9 | 3.0 | 3.0 |
| | 2 Yes, did not consult doctor | 162 | 2.0 | 2.1 | 5.0 |
| | 3 No | 7466 | 93.5 | 95.0 | 100.0 |
| | Total | 7861 | 98.5 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 121 | 1.5 | | |
| | Total | 122 | 1.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1029 A2t: Mother has had rheumatism in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 69 | .9 | .9 | .9 |
| | 2 Yes, did not consult doctor | 144 | 1.8 | 1.8 | 2.7 |
| | 3 No | 7643 | 95.7 | 97.3 | 100.0 |
| | Total | 7856 | 98.4 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 126 | 1.6 | | |
| | Total | 127 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

p1030 A2u: Mother has had urinary infection in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 692 | 8.7 | 8.8 | 8.8 |
| | 2 Yes, did not consult doctor | 238 | 3.0 | 3.0 | 11.8 |
| | 3 No | 6936 | 86.9 | 88.2 | 100.0 |
| | Total | 7866 | 98.5 | 100.0 | |
| Missing | -1 No response | 117 | 1.5 | | |
| Total | | 7983 | 100.0 | | |

p1031 A2v: Mother has had problems with her periods in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 1342 | 16.8 | 17.0 | 17.0 |
| | 2 Yes, did not consult doctor | 687 | 8.6 | 8.7 | 25.8 |
| | 3 No | 5850 | 73.3 | 74.2 | 100.0 |
| | Total | 7879 | 98.7 | 100.0 | |
| Missing | -1 No response | 104 | 1.3 | | |
| Total | | 7983 | 100.0 | | |

p1032 A2w: Mother has had problems with a pregnancy in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 366 | 4.6 | 4.6 | 4.6 |
| | 2 Yes, did not consult doctor | 27 | .3 | .3 | 5.0 |
| | 3 No | 7478 | 93.7 | 95.0 | 100.0 |
| | Total | 7871 | 98.6 | 100.0 | |
| Missing | -1 No response | 112 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

p1033 A2x: Mother has had syphilis in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 2 Yes, did not consult doctor | 1 | .0 | .0 | .0 |
| | 3 No | 7868 | 98.6 | 100.0 | 100.0 |
| | Total | 7869 | 98.6 | 100.0 | |
| Missing | -1 No response | 114 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1034 A2y: Mother has had gonorrhoea in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, consulted doctor | 4 | .1 | .1 | .1 |
| | 2 Yes, did not consult doctor | 2 | .0 | .0 | .1 |
| | 3 No | 7858 | 98.4 | 99.9 | 100.0 |
| | Total | 7864 | 98.5 | 100.0 | |
| Missing | -1 No response | 119 | 1.5 | | |
| Total | | 7983 | 100.0 | | |

p1035 A2z: Mother has had cancer in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked | 3 | .0 | .0 | .0 |
| | 1 Yes, consulted doctor | 75 | .9 | 1.0 | 1.0 |
| | 2 Yes, did not consult doctor | 3 | .0 | .0 | 1.0 |
| | 3 No | 7736 | 96.9 | 99.0 | 100.0 |
| | Total | 7817 | 97.9 | 100.0 | |
| Missing | -1 No response | 166 | 2.1 | | |
| Total | | 7983 | 100.0 | | |

p1037 A2za: Mother has had other problems in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked | 64 | .8 | 1.2 | 1.2 |
| | 1 Yes, consulted doctor | 1003 | 12.6 | 19.3 | 20.6 |
| | 2 Yes, did not consult doctor | 78 | 1.0 | 1.5 | 22.1 |
| | 3 No | 4045 | 50.7 | 77.9 | 100.0 |
| | Total | 5190 | 65.0 | 100.0 | |
| Missing | -1 No response | 2793 | 35.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1050 A3a: Frequency mother has taken sleeping pills in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 12 | .2 | .2 | .2 |
| | 2 Often | 42 | .5 | .5 | .7 |
| | 3 Sometimes | 421 | 5.3 | 5.3 | 6.0 |
| | 4 Not at all | 7415 | 92.9 | 94.0 | 100.0 |
| | Total | 7890 | 98.8 | 100.0 | |
| Missing | -1 No response | 93 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

p1051 A3b: Frequency mother has taken vitamins in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 832 | 10.4 | 10.5 | 10.5 |
| | 2 Often | 827 | 10.4 | 10.5 | 21.0 |
| | 3 Sometimes | 2612 | 32.7 | 33.1 | 54.1 |
| | 4 Not at all | 3626 | 45.4 | 45.9 | 100.0 |
| | Total | 7897 | 98.9 | 100.0 | |
| Missing | -1 No response | 86 | 1.1 | | |
| Total | | 7983 | 100.0 | | |

p1052 A3c: Frequency mother has taken cannabis/marihuana in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 31 | .4 | .4 | .4 |
| | 2 Often | 49 | .6 | .6 | 1.0 |
| | 3 Sometimes | 280 | 3.5 | 3.6 | 4.6 |
| | 4 Not at all | 7521 | 94.2 | 95.4 | 100.0 |
| | 5 Once | 1 | .0 | .0 | 100.0 |
| | Total | 7882 | 98.7 | 100.0 | |
| Missing | -1 No response | 101 | 1.3 | | |
| Total | | 7983 | 100.0 | | |

p1053 A3d: Frequency mother has taken tranquilisers in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 15 | .2 | .2 | .2 |
| | 2 Often | 12 | .2 | .2 | .3 |
| | 3 Sometimes | 86 | 1.1 | 1.1 | 1.4 |
| | 4 Not at all | 7757 | 97.2 | 98.6 | 100.0 |
| | Total | 7870 | 98.6 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 112 | 1.4 | | |
| | Total | 113 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1054 A3e: Frequency mother has taken pills for depression in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 339 | 4.2 | 4.3 | 4.3 |
| | 2 Often | 140 | 1.8 | 1.8 | 6.1 |
| | 3 Sometimes | 401 | 5.0 | 5.1 | 11.1 |
| | 4 Not at all | 7014 | 87.9 | 88.9 | 100.0 |
| | Total | 7894 | 98.9 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 87 | 1.1 | | |
| | Total | 89 | 1.1 | | |
| Total | | 7983 | 100.0 | | |

p1055 A3f: Frequency mother has taken hormone replacement therapy in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 139 | 1.7 | 1.8 | 1.8 |
| | 2 Often | 20 | .3 | .3 | 2.0 |
| | 3 Sometimes | 53 | .7 | .7 | 2.7 |
| | 4 Not at all | 7671 | 96.1 | 97.3 | 100.0 |
| | Total | 7883 | 98.7 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 99 | 1.2 | | |
| | Total | 100 | 1.3 | | |
| Total | | 7983 | 100.0 | | |

p1056 A3g: Frequency mother has taken antibiotics in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 40 | .5 | .5 | .5 |
| | 2 Often | 74 | .9 | .9 | 1.4 |
| | 3 Sometimes | 3077 | 38.5 | 39.1 | 40.5 |
| | 4 Not at all | 4683 | 58.7 | 59.5 | 100.0 |
| | 5 Once | 2 | .0 | .0 | 100.0 |
| | Total | 7876 | 98.7 | 100.0 | |
| Missing | -1 No response | 107 | 1.3 | | |
| Total | | 7983 | 100.0 | | |

p1057 A3h: Frequency mother has taken aspirin in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 31 | .4 | .4 | .4 |
| | 2 Often | 94 | 1.2 | 1.2 | 1.6 |
| | 3 Sometimes | 2028 | 25.4 | 26.0 | 27.6 |
| | 4 Not at all | 5653 | 70.8 | 72.4 | 100.0 |
| | Total | 7806 | 97.8 | 100.0 | |
| Missing | -1 No response | 177 | 2.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1058 A3i: Frequency mother has taken paracetamol in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 47 | .6 | .6 | .6 |
| | 2 Often | 922 | 11.5 | 11.7 | 12.3 |
| | 3 Sometimes | 6186 | 77.5 | 78.3 | 90.6 |
| | 4 Not at all | 745 | 9.3 | 9.4 | 100.0 |
| | 5 Once | 1 | .0 | .0 | 100.0 |
| | Total | 7901 | 99.0 | 100.0 | |
| Missing | -1 No response | 82 | 1.0 | | |
| Total | | 7983 | 100.0 | | |

p1059 A3j: Frequency mother has taken other painkillers in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 130 | 1.6 | 1.7 | 1.7 |
| | 2 Often | 433 | 5.4 | 5.5 | 7.2 |
| | 3 Sometimes | 3032 | 38.0 | 38.6 | 45.8 |
| | 4 Not at all | 4254 | 53.3 | 54.2 | 100.0 |
| | 5 Once | 2 | .0 | .0 | 100.0 |
| | Total | 7851 | 98.3 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 131 | 1.6 | | |
| | Total | 132 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p1060 A3k: Frequency mother has taken amphetamines or other stimulants in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 3 | .0 | .0 | .0 |
| | 2 Often | 7 | .1 | .1 | .1 |
| | 3 Sometimes | 48 | .6 | .6 | .7 |
| | 4 Not at all | 7787 | 97.5 | 99.3 | 100.0 |
| | Total | 7845 | 98.3 | 100.0 | |
| Missing | -1 No response | 138 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p1061 A3l: Frequency mother has taken contraceptive pill in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 1218 | 15.3 | 15.4 | 15.4 |
| | 2 Often | 191 | 2.4 | 2.4 | 17.9 |
| | 3 Sometimes | 213 | 2.7 | 2.7 | 20.6 |
| | 4 Not at all | 6262 | 78.4 | 79.4 | 100.0 |
| | Total | 7884 | 98.8 | 100.0 | |
| Missing | -1 No response | 99 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1062 A3m: Frequency mother has taken iron in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 251 | 3.1 | 3.2 | 3.2 |
| | 2 Often | 248 | 3.1 | 3.2 | 6.3 |
| | 3 Sometimes | 875 | 11.0 | 11.1 | 17.5 |
| | 4 Not at all | 6497 | 81.4 | 82.5 | 100.0 |
| | Total | 7871 | 98.6 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 111 | 1.4 | | |
| | Total | 112 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

p1063 A3n: Frequency mother has taken heroin, methadone, crack, cocaine in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 2 | .0 | .0 | .0 |
| | 2 Often | 3 | .0 | .0 | .1 |
| | 3 Sometimes | 21 | .3 | .3 | .3 |
| | 4 Not at all | 7843 | 98.2 | 99.7 | 100.0 |
| | Total | 7869 | 98.6 | 100.0 | |
| Missing | -1 No response | 114 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

p1064 A3o: Frequency mother has taken anticonvulsants in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 43 | .5 | .5 | .5 |
| | 3 Sometimes | 4 | .1 | .1 | .6 |
| | 4 Not at all | 7834 | 98.1 | 99.4 | 100.0 |
| | Total | 7881 | 98.7 | 100.0 | |
| Missing | -1 No response | 102 | 1.3 | | |
| Total | | 7983 | 100.0 | | |

p1065 A3p: Frequency mother has taken steroids in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 47 | .6 | .6 | .6 |
| | 2 Often | 35 | .4 | .4 | 1.0 |
| | 3 Sometimes | 197 | 2.5 | 2.5 | 3.6 |
| | 4 Not at all | 7574 | 94.9 | 96.4 | 100.0 |
| | 5 Once | 1 | .0 | .0 | 100.0 |
| | Total | 7854 | 98.4 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 128 | 1.6 | | |
| | Total | 129 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1067 A3q: Frequency mother has taken other pill/medicine/drug/treatment in last 2 years 1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked | 72 | .9 | 3.9 | 3.9 |
| | 1 Every day | 830 | 10.4 | 44.7 | 48.5 |
| | 2 Often | 299 | 3.7 | 16.1 | 64.6 |
| | 3 Sometimes | 652 | 8.2 | 35.1 | 99.7 |
| | 4 Not at all | 2 | .0 | .1 | 99.8 |
| | 5 Once | 3 | .0 | .2 | 100.0 |
| | Total | 1858 | 23.3 | 100.0 | |
| Missing | -1 No response | 6125 | 76.7 | | |
| Total | | 7983 | 100.0 | | |

p1069 A3r: Frequency mother has taken other pill/medicine/drug/treatment in last 2 years 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked | 16 | .2 | 2.5 | 2.5 |
| | 1 Every day | 295 | 3.7 | 45.5 | 47.9 |
| | 2 Often | 100 | 1.3 | 15.4 | 63.3 |
| | 3 Sometimes | 237 | 3.0 | 36.5 | 99.8 |
| | 4 Not at all | 1 | .0 | .2 | 100.0 |
| | Total | 649 | 8.1 | 100.0 | |
| Missing | -1 No response | 7334 | 91.9 | | |
| Total | | 7983 | 100.0 | | |

p1071 A3s: Frequency mother has taken other pill/medicine/drug/treatment in last 2 years 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked | 7 | .1 | 2.4 | 2.4 |
| | 1 Every day | 83 | 1.0 | 28.6 | 31.0 |
| | 2 Often | 47 | .6 | 16.2 | 47.2 |
| | 3 Sometimes | 151 | 1.9 | 52.1 | 99.3 |
| | 4 Not at all | 1 | .0 | .3 | 99.7 |
| | 5 Once | 1 | .0 | .3 | 100.0 |
| | Total | 290 | 3.6 | 100.0 | |
| Missing | -1 No response | 7693 | 96.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1080 A4a: Frequency mother has taken any homeopathic medicine(s) or remedies in the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text in part b but no box ticked | 35 | .4 | .4 | .4 |
| | 1 Yes, often | 271 | 3.4 | 3.5 | 3.9 |
| | 2 Yes, sometimes | 757 | 9.5 | 9.7 | 13.6 |
| | 3 No | 6772 | 84.8 | 86.4 | 100.0 |
| | Total | 7835 | 98.1 | 100.0 | |
| Missing | -1 No response | 148 | 1.9 | | |
| Total | | 7983 | 100.0 | | |

p1110 A5: Number of drugs medicines and ointments mother has taken/used in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 388 | 4.9 | 7.8 | 7.8 |
| | 1 | 1998 | 25.0 | 40.0 | 47.7 |
| | 2 | 1195 | 15.0 | 23.9 | 71.6 |
| | 3 | 691 | 8.7 | 13.8 | 85.5 |
| | 4 | 368 | 4.6 | 7.4 | 92.8 |
| | 5 | 162 | 2.0 | 3.2 | 96.1 |
| | 6 | 85 | 1.1 | 1.7 | 97.8 |
| | 7 | 54 | .7 | 1.1 | 98.8 |
| | 8 | 26 | .3 | .5 | 99.4 |
| | 9 | 12 | .2 | .2 | 99.6 |
| | 10 | 10 | .1 | .2 | 99.8 |
| | 11 | 4 | .1 | .1 | 99.9 |
| | 12 | 3 | .0 | .1 | 99.9 |
| | 14 | 2 | .0 | .0 | 100.0 |
| | 15 | 1 | .0 | .0 | 100.0 |
| | Total | 4999 | 62.6 | 100.0 | |
| Missing | -1 No response | 2984 | 37.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1170 A6a: Mother admitted to hospital since study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1633 | 20.5 | 20.6 | 20.6 |
| | 2 No | 6290 | 78.8 | 79.4 | 100.0 |
| | Total | 7923 | 99.2 | 100.0 | |
| Missing | -1 No response | 60 | .8 | | |
| Total | | 7983 | 100.0 | | |

p1171 A6b: Number of times mother admitted to hospital since study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 | 1161 | 14.5 | 72.0 | 72.0 |
| | 2 | 306 | 3.8 | 19.0 | 91.0 |
| | 3 | 89 | 1.1 | 5.5 | 96.5 |
| | 4 | 26 | .3 | 1.6 | 98.1 |
| | 5 | 16 | .2 | 1.0 | 99.1 |
| | 6 | 3 | .0 | .2 | 99.3 |
| | 7 | 4 | .1 | .2 | 99.6 |
| | 8 | 3 | .0 | .2 | 99.8 |
| | 10 | 1 | .0 | .1 | 99.8 |
| | 11 | 1 | .0 | .1 | 99.9 |
| | 12 | 1 | .0 | .1 | 99.9 |
| | 20 | 1 | .0 | .1 | 100.0 |
| | Total | 1612 | 20.2 | 100.0 | |
| Missing | -9 Don't know | 2 | .0 | | |
| | -1 No response | 6369 | 79.8 | | |
| | Total | 6371 | 79.8 | | |
| Total | | 7983 | 100.0 | | |

p1172 A6c: Number of different reasons for which mother admitted to hospital since study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 | 1145 | 14.3 | 80.9 | 80.9 |
| | 2 | 212 | 2.7 | 15.0 | 95.9 |
| | 3 | 47 | .6 | 3.3 | 99.2 |
| | 4 | 8 | .1 | .6 | 99.8 |
| | 5 | 2 | .0 | .1 | 99.9 |
| | 10 | 1 | .0 | .1 | 100.0 |
| | Total | 1415 | 17.7 | 100.0 | |
| Missing | -1 No response | 6568 | 82.3 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1174 A6d: Number of nights stayed in hospital for specific reason 1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 <one day | 386 | 4.8 | 24.0 | 24.0 |
| | 1 | 437 | 5.5 | 27.2 | 51.2 |
| | 2 | 200 | 2.5 | 12.4 | 63.6 |
| | 3 | 146 | 1.8 | 9.1 | 72.7 |
| | 4 | 113 | 1.4 | 7.0 | 79.7 |
| | 5 | 109 | 1.4 | 6.8 | 86.5 |
| | 6 | 49 | .6 | 3.0 | 89.6 |
| | 7 | 60 | .8 | 3.7 | 93.3 |
| | 8 | 29 | .4 | 1.8 | 95.1 |
| | 9 | 4 | .1 | .2 | 95.3 |
| | 10 | 20 | .3 | 1.2 | 96.6 |
| | 11 | 1 | .0 | .1 | 96.6 |
| | 12 | 11 | .1 | .7 | 97.3 |
| | 14 | 7 | .1 | .4 | 97.8 |
| | 15 | 5 | .1 | .3 | 98.1 |
| | 17 | 5 | .1 | .3 | 98.4 |
| | 18 | 2 | .0 | .1 | 98.5 |
| | 19 | 1 | .0 | .1 | 98.6 |
| | 21 | 5 | .1 | .3 | 98.9 |
| | 24 | 1 | .0 | .1 | 98.9 |
| | 25 | 1 | .0 | .1 | 99.0 |
| | 27 | 1 | .0 | .1 | 99.1 |
| | 28 | 5 | .1 | .3 | 99.4 |
| | 35 | 3 | .0 | .2 | 99.6 |
| | 42 | 2 | .0 | .1 | 99.7 |
| | 45 | 1 | .0 | .1 | 99.8 |
| | 63 | 1 | .0 | .1 | 99.8 |
| | 77 | 1 | .0 | .1 | 99.9 |
| | 98 > 98 | 2 | .0 | .1 | 100.0 |
| | Total | 1608 | 20.1 | 100.0 | |
| Missing | -9 Don't know | 7 | .1 | | |
| | -1 No response | 6368 | 79.8 | | |
| | Total | 6375 | 79.9 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1176 A6e: Number of nights stayed in hospital for specific reason 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 <one day | 119 | 1.5 | 27.9 | 27.9 |
| | 1 | 102 | 1.3 | 23.9 | 51.8 |
| | 2 | 52 | .7 | 12.2 | 63.9 |
| | 3 | 36 | .5 | 8.4 | 72.4 |
| | 4 | 29 | .4 | 6.8 | 79.2 |
| | 5 | 29 | .4 | 6.8 | 85.9 |
| | 6 | 12 | .2 | 2.8 | 88.8 |
| | 7 | 22 | .3 | 5.2 | 93.9 |
| | 8 | 4 | .1 | .9 | 94.8 |
| | 9 | 3 | .0 | .7 | 95.6 |
| | 10 | 5 | .1 | 1.2 | 96.7 |
| | 11 | 2 | .0 | .5 | 97.2 |
| | 12 | 1 | .0 | .2 | 97.4 |
| | 14 | 4 | .1 | .9 | 98.4 |
| | 15 | 1 | .0 | .2 | 98.6 |
| | 18 | 1 | .0 | .2 | 98.8 |
| | 20 | 2 | .0 | .5 | 99.3 |
| | 21 | 2 | .0 | .5 | 99.8 |
| | 98 > 98 | 1 | .0 | .2 | 100.0 |
| | Total | 427 | 5.3 | 100.0 | |
| Missing | -9 Don't know | 5 | .1 | | |
| | -1 No response | 7551 | 94.6 | | |
| | Total | 7556 | 94.7 | | |
| Total | | 7983 | 100.0 | | |

p1178 A6f: Number of nights stayed in hospital for specific reason 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 <one day | 33 | .4 | 24.3 | 24.3 |
| | 1 | 40 | .5 | 29.4 | 53.7 |
| | 2 | 15 | .2 | 11.0 | 64.7 |
| | 3 | 8 | .1 | 5.9 | 70.6 |
| | 4 | 9 | .1 | 6.6 | 77.2 |
| | 5 | 10 | .1 | 7.4 | 84.6 |
| | 6 | 5 | .1 | 3.7 | 88.2 |
| | 7 | 5 | .1 | 3.7 | 91.9 |
| | 8 | 1 | .0 | .7 | 92.6 |
| | 9 | 1 | .0 | .7 | 93.4 |
| | 10 | 3 | .0 | 2.2 | 95.6 |
| | 14 | 2 | .0 | 1.5 | 97.1 |
| | 15 | 1 | .0 | .7 | 97.8 |
| | 21 | 1 | .0 | .7 | 98.5 |
| | 42 | 1 | .0 | .7 | 99.3 |
| | 75 | 1 | .0 | .7 | 100.0 |
| | Total | 136 | 1.7 | 100.0 | |
| Missing | -1 No response | 7847 | 98.3 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1180 A6g: Number of nights stayed in hospital for specific reason 4

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 <one day | 5 | .1 | 9.4 | 9.4 |
| | 1 | 12 | .2 | 22.6 | 32.1 |
| | 2 | 4 | .1 | 7.5 | 39.6 |
| | 3 | 10 | .1 | 18.9 | 58.5 |
| | 4 | 7 | .1 | 13.2 | 71.7 |
| | 5 | 2 | .0 | 3.8 | 75.5 |
| | 6 | 3 | .0 | 5.7 | 81.1 |
| | 7 | 3 | .0 | 5.7 | 86.8 |
| | 8 | 2 | .0 | 3.8 | 90.6 |
| | 9 | 1 | .0 | 1.9 | 92.5 |
| | 10 | 1 | .0 | 1.9 | 94.3 |
| | 14 | 1 | .0 | 1.9 | 96.2 |
| | 16 | 1 | .0 | 1.9 | 98.1 |
| | 50 | 1 | .0 | 1.9 | 100.0 |
| | Total | 53 | .7 | 100.0 | |
| Missing | -1 No response | 7930 | 99.3 | | |
| Total | | 7983 | 100.0 | | |

p1182 A6h: Number of nights stayed in hospital for specific reason 5

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 <one day | 5 | .1 | 21.7 | 21.7 |
| | 1 | 3 | .0 | 13.0 | 34.8 |
| | 2 | 1 | .0 | 4.3 | 39.1 |
| | 3 | 1 | .0 | 4.3 | 43.5 |
| | 4 | 2 | .0 | 8.7 | 52.2 |
| | 5 | 4 | .1 | 17.4 | 69.6 |
| | 7 | 3 | .0 | 13.0 | 82.6 |
| | 10 | 2 | .0 | 8.7 | 91.3 |
| | 11 | 1 | .0 | 4.3 | 95.7 |
| | 12 | 1 | .0 | 4.3 | 100.0 |
| | Total | 23 | .3 | 100.0 | |
| Missing | -1 No response | 7960 | 99.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1190 A7a: Frequency mother has had backache in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 463 | 5.8 | 5.9 | 5.9 |
| | 2 Sometimes | 3437 | 43.1 | 43.5 | 49.3 |
| | 3 Not at all | 4008 | 50.2 | 50.7 | 100.0 |
| | Total | 7908 | 99.1 | 100.0 | |
| Missing | -1 No response | 75 | .9 | | |
| Total | | 7983 | 100.0 | | |

p1191 A7b: Frequency mother has had headache or migraine in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 166 | 2.1 | 2.1 | 2.1 |
| | 2 Sometimes | 5699 | 71.4 | 72.0 | 74.1 |
| | 3 Not at all | 2055 | 25.7 | 25.9 | 100.0 |
| | Total | 7920 | 99.2 | 100.0 | |
| Missing | -1 No response | 63 | .8 | | |
| Total | | 7983 | 100.0 | | |

p1192 A7c: Frequency mother has had urinary infection in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 11 | .1 | .1 | .1 |
| | 2 Sometimes | 242 | 3.0 | 3.1 | 3.2 |
| | 3 Not at all | 7637 | 95.7 | 96.8 | 100.0 |
| | Total | 7890 | 98.8 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 92 | 1.2 | | |
| | Total | 93 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

p1193 A7d: Frequency mother has had nausea in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 39 | .5 | .5 | .5 |
| | 2 Sometimes | 1167 | 14.6 | 14.8 | 15.3 |
| | 3 Not at all | 6684 | 83.7 | 84.7 | 100.0 |
| | Total | 7890 | 98.8 | 100.0 | |
| Missing | -1 No response | 93 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

p1194 A7e: Frequency mother has had vomiting in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 12 | .2 | .2 | .2 |
| | 2 Sometimes | 500 | 6.3 | 6.3 | 6.5 |
| | 3 Not at all | 7366 | 92.3 | 93.5 | 100.0 |
| | Total | 7878 | 98.7 | 100.0 | |
| Missing | -1 No response | 105 | 1.3 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1195 A7f: Frequency mother has had diarrhoea in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 32 | .4 | .4 | .4 |
| | 2 Sometimes | 1214 | 15.2 | 15.4 | 15.8 |
| | 3 Not at all | 6627 | 83.0 | 84.2 | 100.0 |
| | Total | 7873 | 98.6 | 100.0 | |
| Missing | -1 No response | 110 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

p1196 A7g: Frequency mother has had haemorrhoids or piles in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 163 | 2.0 | 2.1 | 2.1 |
| | 2 Sometimes | 827 | 10.4 | 10.5 | 12.6 |
| | 3 Not at all | 6895 | 86.4 | 87.4 | 100.0 |
| | Total | 7885 | 98.8 | 100.0 | |
| Missing | -1 No response | 98 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

p1197 A7h: Frequency mother has felt weepy/tearful in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 142 | 1.8 | 1.8 | 1.8 |
| | 2 Sometimes | 2941 | 36.8 | 37.2 | 39.0 |
| | 3 Not at all | 4826 | 60.5 | 61.0 | 100.0 |
| | Total | 7909 | 99.1 | 100.0 | |
| Missing | -1 No response | 74 | .9 | | |
| Total | | 7983 | 100.0 | | |

p1198 A7i: Frequency mother has felt irritable in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 242 | 3.0 | 3.1 | 3.1 |
| | 2 Sometimes | 6166 | 77.2 | 77.9 | 81.0 |
| | 3 Not at all | 1505 | 18.9 | 19.0 | 100.0 |
| | Total | 7913 | 99.1 | 100.0 | |
| Missing | -1 No response | 70 | .9 | | |
| Total | | 7983 | 100.0 | | |

p1199 A7j: Frequency mother has felt exhausted in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 568 | 7.1 | 7.2 | 7.2 |
| | 2 Sometimes | 5456 | 68.3 | 68.9 | 76.1 |
| | 3 Not at all | 1897 | 23.8 | 23.9 | 100.0 |
| | Total | 7921 | 99.2 | 100.0 | |
| Missing | -1 No response | 62 | .8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1200 A7k: Frequency mother has had varicose veins in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 338 | 4.2 | 4.3 | 4.3 |
| | 2 Sometimes | 360 | 4.5 | 4.6 | 8.9 |
| | 3 Not at all | 7174 | 89.9 | 91.1 | 100.0 |
| | Total | 7872 | 98.6 | 100.0 | |
| Missing | -1 No response | 111 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

p1201 A7l: Frequency mother has been passing urine very often in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 173 | 2.2 | 2.2 | 2.2 |
| | 2 Sometimes | 1083 | 13.6 | 13.7 | 15.9 |
| | 3 Not at all | 6631 | 83.1 | 84.1 | 100.0 |
| | Total | 7887 | 98.8 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 95 | 1.2 | | |
| | Total | 96 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

p1202 A7m: Frequency mother has had problem holding urine when jumps, sneezes etc in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 334 | 4.2 | 4.2 | 4.2 |
| | 2 Sometimes | 2097 | 26.3 | 26.6 | 30.8 |
| | 3 Not at all | 5465 | 68.5 | 69.2 | 100.0 |
| | Total | 7896 | 98.9 | 100.0 | |
| Missing | -1 No response | 87 | 1.1 | | |
| Total | | 7983 | 100.0 | | |

p1203 A7n: Frequency mother has had indigestion in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 58 | .7 | .7 | .7 |
| | 2 Sometimes | 1958 | 24.5 | 24.8 | 25.5 |
| | 3 Not at all | 5880 | 73.7 | 74.5 | 100.0 |
| | Total | 7896 | 98.9 | 100.0 | |
| Missing | -1 No response | 87 | 1.1 | | |
| Total | | 7983 | 100.0 | | |

p1204 A7o: Frequency mother has been feeling dizzy/fainting in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 20 | .3 | .3 | .3 |
| | 2 Sometimes | 1175 | 14.7 | 14.9 | 15.1 |
| | 3 Not at all | 6696 | 83.9 | 84.9 | 100.0 |
| | Total | 7891 | 98.8 | 100.0 | |
| Missing | -1 No response | 92 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1205 A7p: Frequency mother has had flashing lights/spots before eyes in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 12 | .2 | .2 | .2 |
| | 2 Sometimes | 848 | 10.6 | 10.8 | 10.9 |
| | 3 Not at all | 7028 | 88.0 | 89.1 | 100.0 |
| | Total | 7888 | 98.8 | 100.0 | |
| Missing | -1 No response | 95 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

p1206 A7q: Frequency mother has had shoulder ache in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 251 | 3.1 | 3.2 | 3.2 |
| | 2 Sometimes | 2037 | 25.5 | 25.8 | 29.0 |
| | 3 Not at all | 5610 | 70.3 | 71.0 | 100.0 |
| | Total | 7898 | 98.9 | 100.0 | |
| Missing | -1 No response | 85 | 1.1 | | |
| Total | | 7983 | 100.0 | | |

p1207 A7r: Frequency mother has had tingling in hands/fingers in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 90 | 1.1 | 1.1 | 1.1 |
| | 2 Sometimes | 1317 | 16.5 | 16.7 | 17.8 |
| | 3 Not at all | 6483 | 81.2 | 82.2 | 100.0 |
| | Total | 7890 | 98.8 | 100.0 | |
| Missing | -1 No response | 93 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

p1208 A7s: Frequency mother has had tingling in feet/toes in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 53 | .7 | .7 | .7 |
| | 2 Sometimes | 528 | 6.6 | 6.7 | 7.4 |
| | 3 Not at all | 7287 | 91.3 | 92.6 | 100.0 |
| | Total | 7868 | 98.6 | 100.0 | |
| Missing | -1 No response | 115 | 1.4 | | |
| Total | | 7983 | 100.0 | | |

p1209 A7t: Frequency mother has had neck ache in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 243 | 3.0 | 3.1 | 3.1 |
| | 2 Sometimes | 2495 | 31.3 | 31.6 | 34.7 |
| | 3 Not at all | 5152 | 64.5 | 65.3 | 100.0 |
| | Total | 7890 | 98.8 | 100.0 | |
| Missing | -1 No response | 93 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1210 A7u: Frequency mother has felt depressed in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost all the time | 183 | 2.3 | 2.3 | 2.3 |
| | 2 Sometimes | 2030 | 25.4 | 25.7 | 28.1 |
| | 3 Not at all | 5671 | 71.0 | 71.9 | 100.0 |
| | Total | 7884 | 98.8 | 100.0 | |
| Missing | -1 No response | 99 | 1.2 | | |
| Total | | 7983 | 100.0 | | |

p1211 A7v: Frequency mother has had other problem in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked | 125 | 1.6 | 2.2 | 2.2 |
| | 1 Almost all the time | 151 | 1.9 | 2.6 | 4.8 |
| | 2 Sometimes | 240 | 3.0 | 4.1 | 8.9 |
| | 3 Not at all | 5271 | 66.0 | 91.1 | 100.0 |
| | Total | 5787 | 72.5 | 100.0 | |
| Missing | -1 No response | 2196 | 27.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1220 A8a: Mother has ever had pain in one or both knees lasting at least a month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, one | 666 | 8.3 | 8.4 | 8.4 |
| | 2 Yes, both | 442 | 5.5 | 5.6 | 14.0 |
| | 3 No | 6797 | 85.1 | 86.0 | 100.0 |
| | Total | 7905 | 99.0 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 77 | 1.0 | | |
| | Total | 78 | 1.0 | | |
| Total | | 7983 | 100.0 | | |

p1221 A8b: Age mother was when first had pain in one or both knees lasting at least a month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 <10 | 55 | .7 | 5.0 | 5.0 |
| | 2 10-13 | 113 | 1.4 | 10.2 | 15.2 |
| | 3 14-16 | 98 | 1.2 | 8.9 | 24.1 |
| | 4 17-19 | 80 | 1.0 | 7.2 | 31.3 |
| | 5 20 + | 758 | 9.5 | 68.7 | 100.0 |
| | Total | 1104 | 13.8 | 100.0 | |
| Missing | -1 No response | 6879 | 86.2 | | |
| Total | | 7983 | 100.0 | | |

p1222 A8c: Mother has had pain in knees in past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 824 | 10.3 | 34.5 | 34.5 |
| | 2 No | 1566 | 19.6 | 65.5 | 100.0 |
| | Total | 2390 | 29.9 | 100.0 | |
| Missing | -1 No response | 5593 | 70.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1230 A9a: Frequency mother is currently having sexual intercourse

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Not at all | 828 | 10.4 | 10.8 | 10.8 |
| | 2 < Once a month | 946 | 11.9 | 12.4 | 23.2 |
| | 3 1-3 times a month | 1928 | 24.2 | 25.2 | 48.4 |
| | 4 About once a week | 1880 | 23.6 | 24.6 | 72.9 |
| | 5 2-4 times a week | 1914 | 24.0 | 25.0 | 97.9 |
| | 6 5 + times a week | 160 | 2.0 | 2.1 | 100.0 |
| | Total | 7656 | 95.9 | 100.0 | |
| Missing | -8 Text response | 3 | .0 | | |
| | -1 No response | 324 | 4.1 | | |
| | Total | 327 | 4.1 | | |
| Total | | 7983 | 100.0 | | |

p1231 A9b: Generally mother enjoys sexual intercourse

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, very much | 3539 | 44.3 | 46.9 | 46.9 |
| | 2 Yes, somewhat | 2861 | 35.8 | 37.9 | 84.8 |
| | 3 No, not a lot | 524 | 6.6 | 6.9 | 91.7 |
| | 4 No, not at all | 54 | .7 | .7 | 92.4 |
| | 5 No sex at the moment | 570 | 7.1 | 7.6 | 100.0 |
| | Total | 7548 | 94.6 | 100.0 | |
| Missing | -1 No response | 435 | 5.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1240 A10a: Mother is currently trying to get pregnant

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 No | 7567 | 94.8 | 96.5 | 96.5 |
| | 2 No, intend to later | 79 | 1.0 | 1.0 | 97.5 |
| | 3 Yes, trying | 87 | 1.1 | 1.1 | 98.6 |
| | 4 Already pregnant | 106 | 1.3 | 1.4 | 100.0 |
| | Total | 7839 | 98.2 | 100.0 | |
| Missing | -1 No response | 144 | 1.8 | | |
| Total | | 7983 | 100.0 | | |

p1241 A10a1: Number of months mother trying to get pregnant

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 2 | .0 | 2.4 | 2.4 |
| | 1 | 12 | .2 | 14.5 | 16.9 |
| | 2 | 5 | .1 | 6.0 | 22.9 |
| | 3 | 7 | .1 | 8.4 | 31.3 |
| | 4 | 2 | .0 | 2.4 | 33.7 |
| | 5 | 2 | .0 | 2.4 | 36.1 |
| | 6 | 4 | .1 | 4.8 | 41.0 |
| | 7 | 1 | .0 | 1.2 | 42.2 |
| | 8 | 2 | .0 | 2.4 | 44.6 |
| | 9 | 2 | .0 | 2.4 | 47.0 |
| | 10 | 2 | .0 | 2.4 | 49.4 |
| | 11 | 1 | .0 | 1.2 | 50.6 |
| | 12 | 4 | .1 | 4.8 | 55.4 |
| | 13 | 1 | .0 | 1.2 | 56.6 |
| | 14 | 1 | .0 | 1.2 | 57.8 |
| | 15 | 2 | .0 | 2.4 | 60.2 |
| | 18 | 2 | .0 | 2.4 | 62.7 |
| | 21 | 1 | .0 | 1.2 | 63.9 |
| | 24 | 9 | .1 | 10.8 | 74.7 |
| | 34 | 1 | .0 | 1.2 | 75.9 |
| | 36 | 6 | .1 | 7.2 | 83.1 |
| | 48 | 4 | .1 | 4.8 | 88.0 |
| | 60 | 3 | .0 | 3.6 | 91.6 |
| | 72 | 2 | .0 | 2.4 | 94.0 |
| | 84 | 1 | .0 | 1.2 | 95.2 |
| | 88 | 1 | .0 | 1.2 | 96.4 |
| | 96 | 2 | .0 | 2.4 | 98.8 |
| | 98 98+ | 1 | .0 | 1.2 | 100.0 |
| | Total | 83 | 1.0 | 100.0 | |
| Missing | -1 No response | 7900 | 99.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1242 A10a2: Number of months mother trying before becoming pregnant

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 33 | .4 | 33.3 | 33.3 |
| | 1 | 18 | .2 | 18.2 | 51.5 |
| | 2 | 4 | .1 | 4.0 | 55.6 |
| | 3 | 8 | .1 | 8.1 | 63.6 |
| | 4 | 2 | .0 | 2.0 | 65.7 |
| | 5 | 4 | .1 | 4.0 | 69.7 |
| | 6 | 9 | .1 | 9.1 | 78.8 |
| | 7 | 2 | .0 | 2.0 | 80.8 |
| | 8 | 2 | .0 | 2.0 | 82.8 |
| | 9 | 1 | .0 | 1.0 | 83.8 |
| | 10 | 2 | .0 | 2.0 | 85.9 |
| | 12 | 4 | .1 | 4.0 | 89.9 |
| | 16 | 1 | .0 | 1.0 | 90.9 |
| | 17 | 1 | .0 | 1.0 | 91.9 |
| | 22 | 1 | .0 | 1.0 | 92.9 |
| | 36 | 2 | .0 | 2.0 | 94.9 |
| | 54 | 1 | .0 | 1.0 | 96.0 |
| | 96 | 1 | .0 | 1.0 | 97.0 |
| | 99 Unplanned | 3 | .0 | 3.0 | 100.0 |
| | Total | 99 | 1.2 | 100.0 | |
| Missing | -1 No response | 7884 | 98.8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1243 A10b1: Mother and partner have used withdrawal method of contraception in the past 3 months

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 414 | 5.2 | 100.0 | 100.0 |
| Missing -1 No response | 7569 | 94.8 | | |
| Total | 7983 | 100.0 | | |

p1244 A10b2: Mother and partner have used the pill method of contraception in the past 3 months

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 1242 | 15.6 | 100.0 | 100.0 |
| Missing -1 No response | 6741 | 84.4 | | |
| Total | 7983 | 100.0 | | |

p1245 A10b3: Mother and partner have used IUCD/coil method of contraception in the past 3 months

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 844 | 10.6 | 100.0 | 100.0 |
| Missing -1 No response | 7139 | 89.4 | | |
| Total | 7983 | 100.0 | | |

p1246 A10b4: Mother and partner have used condom/sheath method of contraception in the past 3 months

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 1280 | 16.0 | 100.0 | 100.0 |
| Missing -1 No response | 6703 | 84.0 | | |
| Total | 7983 | 100.0 | | |

p1247 A10b5: Mother and partner have used calendar/rhythm method of contraception in the past 3 months

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 110 | 1.4 | 100.0 | 100.0 |
| Missing -1 No response | 7873 | 98.6 | | |
| Total | 7983 | 100.0 | | |

p1248 A10b6: Mother and partner have used diaphragm/cap method of contraception in the past 3 months

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 86 | 1.1 | 100.0 | 100.0 |
| Missing -1 No response | 7897 | 98.9 | | |
| Total | 7983 | 100.0 | | |

P File – Section A

p1249 A10b7: Mother and partner have used spermicide method of contraception in the past 3 months

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 54 | .7 | 100.0 | 100.0 |
| Missing -1 No response | 7929 | 99.3 | | |
| Total | 7983 | 100.0 | | |

p1250 A10b8: Mother is no longer fertile (been sterilised etc)

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 1007 | 12.6 | 100.0 | 100.0 |
| Missing -1 No response | 6976 | 87.4 | | |
| Total | 7983 | 100.0 | | |

p1251 A10b9: Mother's partner has been sterilised

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 2092 | 26.2 | 100.0 | 100.0 |
| Missing -1 No response | 5891 | 73.8 | | |
| Total | 7983 | 100.0 | | |

p1252 A10b10: Mother and partner have used no method of contraception in the past 3 months

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 689 | 8.6 | 100.0 | 100.0 |
| Missing -1 No response | 7294 | 91.4 | | |
| Total | 7983 | 100.0 | | |

p1253 A10b11: Mother and partner have used another method of contraception in the past 3 months

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 267 | 3.3 | 100.0 | 100.0 |
| Missing -1 No response | 7716 | 96.7 | | |
| Total | 7983 | 100.0 | | |

P File – Section A

p1260 A11a: Mother's periods are heavy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, very | 1295 | 16.2 | 16.5 | 16.5 |
| | 2 Yes, moderately | 3682 | 46.1 | 46.8 | 63.3 |
| | 3 Yes, mildly | 1576 | 19.7 | 20.0 | 83.4 |
| | 4 No, not at all | 661 | 8.3 | 8.4 | 91.8 |
| | 7 No periods | 648 | 8.1 | 8.2 | 100.0 |
| | Total | 7862 | 98.5 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 119 | 1.5 | | |
| | Total | 121 | 1.5 | | |
| Total | | 7983 | 100.0 | | |

p1261 A11b: Mother's periods are painful

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, very | 554 | 6.9 | 7.7 | 7.7 |
| | 2 Yes, moderately | 1989 | 24.9 | 27.7 | 35.4 |
| | 3 Yes, mildly | 2800 | 35.1 | 39.0 | 74.5 |
| | 4 No, not at all | 1833 | 23.0 | 25.5 | 100.0 |
| | Total | 7176 | 89.9 | 100.0 | |
| Missing | -1 No response | 807 | 10.1 | | |
| Total | | 7983 | 100.0 | | |

p1262 A11c: Mother's periods are irregular

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, very | 867 | 10.9 | 12.1 | 12.1 |
| | 2 Yes, moderately | 787 | 9.9 | 11.0 | 23.1 |
| | 3 Yes, mildly | 1243 | 15.6 | 17.4 | 40.5 |
| | 4 No, not at all | 4260 | 53.4 | 59.5 | 100.0 |
| | Total | 7157 | 89.7 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 824 | 10.3 | | |
| | Total | 826 | 10.3 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1263 A11d: Number of days bleeding usually lasts

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 2 | .0 | .0 | .0 |
| | 1 | 37 | .5 | .5 | .6 |
| | 2 | 151 | 1.9 | 2.2 | 2.8 |
| | 3 | 645 | 8.1 | 9.4 | 12.2 |
| | 4 | 1445 | 18.1 | 21.0 | 33.2 |
| | 5 | 2364 | 29.6 | 34.4 | 67.6 |
| | 6 | 964 | 12.1 | 14.0 | 81.6 |
| | 7 | 904 | 11.3 | 13.2 | 94.8 |
| | 8 | 135 | 1.7 | 2.0 | 96.7 |
| | 9 | 50 | .6 | .7 | 97.5 |
| | 10 | 100 | 1.3 | 1.5 | 98.9 |
| | 11 | 6 | .1 | .1 | 99.0 |
| | 12 | 9 | .1 | .1 | 99.1 |
| | 13 | 1 | .0 | .0 | 99.1 |
| | 14 | 18 | .2 | .3 | 99.4 |
| | 15 | 3 | .0 | .0 | 99.4 |
| | 16 | 1 | .0 | .0 | 99.5 |
| | 18 | 1 | .0 | .0 | 99.5 |
| | 20 | 3 | .0 | .0 | 99.5 |
| | 21 | 4 | .1 | .1 | 99.6 |
| | 22 | 1 | .0 | .0 | 99.6 |
| | 24 | 1 | .0 | .0 | 99.6 |
| | 25 | 1 | .0 | .0 | 99.6 |
| | 26 | 1 | .0 | .0 | 99.6 |
| | 27 | 1 | .0 | .0 | 99.7 |
| | 28 | 2 | .0 | .0 | 99.7 |
| | 30 | 1 | .0 | .0 | 99.7 |
| | 31 Continuous | 2 | .0 | .0 | 99.7 |
| | 97 Varies | 14 | .2 | .2 | 99.9 |
| | 99 DK | 5 | .1 | .1 | 100.0 |
| | Total | 6872 | 86.1 | 100.0 | |
| Missing | -1 No response | 1111 | 13.9 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1270 A11e1: Mother generally finds in days before periods that she is very fatigued

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 2986 | 37.4 | 100.0 | 100.0 |
| Missing -1 No response | 4997 | 62.6 | | |
| Total | 7983 | 100.0 | | |

p1271 A11e2: Mother generally finds in days before periods that she is irritable

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 5776 | 72.4 | 100.0 | 100.0 |
| Missing -1 No response | 2207 | 27.6 | | |
| Total | 7983 | 100.0 | | |

p1272 A11e3: Mother generally finds in days before periods that she is depressed

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 2204 | 27.6 | 100.0 | 100.0 |
| Missing -1 No response | 5779 | 72.4 | | |
| Total | 7983 | 100.0 | | |

p1273 A11e4: Mother generally finds in days before periods that she is anxious

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 1646 | 20.6 | 100.0 | 100.0 |
| Missing -1 No response | 6337 | 79.4 | | |
| Total | 7983 | 100.0 | | |

p1274 A11e5: Mother generally finds in days before periods that she has other particular problems

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------------------|-----------|---------|---------------|--------------------|
| Valid 0 Relevant comment | 68 | .9 | 7.0 | 7.0 |
| Valid 1 Yes | 899 | 11.3 | 93.0 | 100.0 |
| Total | 967 | 12.1 | 100.0 | |
| Missing -1 No response | 7016 | 87.9 | | |
| Total | 7983 | 100.0 | | |

P File – Section A

p1280 A11e1: Mother generally finds in days during periods that she is very fatigued

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 2253 | 28.2 | 100.0 | 100.0 |
| Missing -1 No response | 5730 | 71.8 | | |
| Total | 7983 | 100.0 | | |

p1281 A11e2: Mother generally finds in days during periods that she is irritable

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 1464 | 18.3 | 100.0 | 100.0 |
| Missing -1 No response | 6519 | 81.7 | | |
| Total | 7983 | 100.0 | | |

p1282 A11e3: Mother generally finds in days during periods that she is depressed

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 630 | 7.9 | 100.0 | 100.0 |
| Missing -1 No response | 7353 | 92.1 | | |
| Total | 7983 | 100.0 | | |


p1283 A11e4: Mother generally finds in days during periods that she is anxious

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 455 | 5.7 | 100.0 | 100.0 |
| Missing -1 No response | 7528 | 94.3 | | |
| Total | 7983 | 100.0 | | |

p1284 A11e5: Mother generally finds in days during periods that she has other particular problems

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------------------|-----------|---------|---------------|--------------------|
| Valid 0 Relevant comment | 68 | .9 | 16.4 | 16.4 |
| Valid 1 Yes | 346 | 4.3 | 83.6 | 100.0 |
| Total | 414 | 5.2 | 100.0 | |
| Missing -1 No response | 7569 | 94.8 | | |
| Total | 7983 | 100.0 | | |

p1290 A12a: Respondent's weight (kg)



plus the following missing values and outliers < 40 or > 130:

p1290 A12a: Respondent's weight (kg)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 35 | 1 | .1 | 9.1 | 9.1 |
| | 36 | 1 | .1 | 9.1 | 18.2 |
| | 38 | 2 | .2 | 18.2 | 36.4 |
| | 39 | 1 | .1 | 9.1 | 45.5 |
| | 132 | 1 | .1 | 9.1 | 54.5 |
| | 133 | 1 | .1 | 9.1 | 63.6 |
| | 135 | 1 | .1 | 9.1 | 72.7 |
| | 137 | 1 | .1 | 9.1 | 81.8 |
| | 145 | 1 | .1 | 9.1 | 90.9 |
| | 152 | 1 | .1 | 9.1 | 100.0 |
| | Total | 11 | 1.0 | 100.0 | |
| Missing | -1 No response | 1100 | 99.0 | | |
| Total | | 1111 | 100.0 | | |

P File – Section A

p1291 A12b: Respondent's height (cm)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 127 | 1 | .0 | .0 | .0 |
| | 130 | 4 | .1 | .1 | .1 |
| | 132 | 1 | .0 | .0 | .1 |
| | 135 | 2 | .0 | .0 | .1 |
| | 137 | 1 | .0 | .0 | .1 |
| | 142 | 2 | .0 | .0 | .2 |
| | 145 | 6 | .1 | .1 | .2 |
| | 147 | 18 | .2 | .3 | .5 |
| | 150 | 92 | 1.2 | 1.3 | 1.8 |
| | 152 | 257 | 3.2 | 3.6 | 5.4 |
| | 153 | 4 | .1 | .1 | 5.5 |
| | 154 | 4 | .1 | .1 | 5.5 |
| | 155 | 391 | 4.9 | 5.5 | 11.0 |
| | 156 | 6 | .1 | .1 | 11.1 |
| | 157 | 813 | 10.2 | 11.4 | 22.6 |
| | 158 | 5 | .1 | .1 | 22.6 |
| | 159 | 3 | .0 | .0 | 22.7 |
| | 160 | 749 | 9.4 | 10.5 | 33.2 |
| | 161 | 8 | .1 | .1 | 33.3 |
| | 162 | 10 | .1 | .1 | 33.5 |
| | 163 | 1273 | 15.9 | 17.9 | 51.4 |
| | 164 | 21 | .3 | .3 | 51.7 |
| | 165 | 799 | 10.0 | 11.3 | 62.9 |
| | 166 | 11 | .1 | .2 | 63.1 |
| | 167 | 10 | .1 | .1 | 63.2 |
| | 168 | 970 | 12.2 | 13.7 | 76.9 |
| | 169 | 8 | .1 | .1 | 77.0 |
| | 170 | 665 | 8.3 | 9.4 | 86.4 |
| | 171 | 7 | .1 | .1 | 86.5 |
| | 172 | 7 | .1 | .1 | 86.6 |
| | 173 | 473 | 5.9 | 6.7 | 93.2 |
| | 174 | 5 | .1 | .1 | 93.3 |
| | 175 | 214 | 2.7 | 3.0 | 96.3 |
| | 176 | 8 | .1 | .1 | 96.4 |
| | 178 | 152 | 1.9 | 2.1 | 98.6 |
| | 179 | 1 | .0 | .0 | 98.6 |
| | 180 | 55 | .7 | .8 | 99.4 |
| | 183 | 26 | .3 | .4 | 99.7 |
| | 185 | 3 | .0 | .0 | 99.8 |
| | 188 | 2 | .0 | .0 | 99.8 |
| | 193 | 4 | .1 | .1 | 99.9 |
| | 196 | 2 | .0 | .0 | 99.9 |
| | 198 | 5 | .1 | .1 | 100.0 |
| | 201 | 3 | .0 | .0 | 100.0 |
| | Total | 7101 | 89.0 | 100.0 | |
| Missing | -1 No response | 882 | 11.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1292 A12c: Respondent's inside leg measurement (cm)


| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 48 | 1 | .0 | .0 | .0 |
| | 49 | 1 | .0 | .0 | .1 |
| | 51 | 5 | .1 | .2 | .2 |
| | 52 | 1 | .0 | .0 | .3 |
| | 53 | 3 | .0 | .1 | .4 |
| | 56 | 3 | .0 | .1 | .5 |
| | 57 | 1 | .0 | .0 | .5 |
| | 58 | 1 | .0 | .0 | .5 |
| | 60 | 1 | .0 | .0 | .5 |
| | 61 | 10 | .1 | .3 | .9 |
| | 64 | 27 | .3 | .9 | 1.7 |
| | 65 | 2 | .0 | .1 | 1.8 |
| | 66 | 52 | .7 | 1.7 | 3.5 |
| | 67 | 1 | .0 | .0 | 3.5 |
| | 68 | 10 | .1 | .3 | 3.8 |
| | 69 | 230 | 2.9 | 7.4 | 11.2 |
| | 70 | 11 | .1 | .4 | 11.6 |
| | 71 | 284 | 3.6 | 9.2 | 20.8 |
| | 72 | 8 | .1 | .3 | 21.0 |
| | 73 | 15 | .2 | .5 | 21.5 |
| | 74 | 717 | 9.0 | 23.1 | 44.6 |
| | 75 | 21 | .3 | .7 | 45.3 |
| | 76 | 525 | 6.6 | 16.9 | 62.2 |
| | 77 | 12 | .2 | .4 | 62.6 |
| | 78 | 9 | .1 | .3 | 62.9 |
| | 79 | 540 | 6.8 | 17.4 | 80.3 |
| | 80 | 11 | .1 | .4 | 80.6 |
| | 81 | 313 | 3.9 | 10.1 | 90.7 |
| | 82 | 10 | .1 | .3 | 91.0 |
| | 83 | 1 | .0 | .0 | 91.1 |
| | 84 | 160 | 2.0 | 5.2 | 96.2 |
| | 85 | 8 | .1 | .3 | 96.5 |
| | 86 | 73 | .9 | 2.4 | 98.8 |
| | 88 | 3 | .0 | .1 | 98.9 |
| | 89 | 15 | .2 | .5 | 99.4 |
| | 91 | 15 | .2 | .5 | 99.9 |
| | 94 | 1 | .0 | .0 | 99.9 |
| | 99 | 2 | .0 | .1 | 100.0 |
| Total | | 3103 | 38.9 | 100.0 | |
| Missing | -1 No response | 4880 | 61.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section A

p1293 A12d: Respondent's bust measurement (cm)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 66 | 1 | .0 | .0 | .0 |
| | 75 | 2 | .0 | .0 | .1 |
| | 76 | 4 | .1 | .1 | .1 |
| | 77 | 1 | .0 | .0 | .1 |
| | 78 | 1 | .0 | .0 | .2 |
| | 79 | 5 | .1 | .1 | .2 |
| | 80 | 1 | .0 | .0 | .3 |
| | 81 | 334 | 4.2 | 5.6 | 5.9 |
| | 82 | 6 | .1 | .1 | 6.0 |
| | 83 | 1 | .0 | .0 | 6.0 |
| | 84 | 104 | 1.3 | 1.8 | 7.7 |
| | 85 | 6 | .1 | .1 | 7.8 |
| | 86 | 1633 | 20.5 | 27.5 | 35.3 |
| | 87 | 6 | .1 | .1 | 35.4 |
| | 88 | 11 | .1 | .2 | 35.6 |
| | 89 | 177 | 2.2 | 3.0 | 38.6 |
| | 90 | 13 | .2 | .2 | 38.8 |
| | 91 | 1834 | 23.0 | 30.9 | 69.7 |
| | 92 | 14 | .2 | .2 | 70.0 |
| | 93 | 4 | .1 | .1 | 70.0 |
| | 94 | 129 | 1.6 | 2.2 | 72.2 |
| | 95 | 7 | .1 | .1 | 72.3 |
| | 96 | 9 | .1 | .2 | 72.5 |
| | 97 | 888 | 11.1 | 15.0 | 87.4 |
| | 98 | 3 | .0 | .1 | 87.5 |
| | 99 | 59 | .7 | 1.0 | 88.5 |
| | 100 | 7 | .1 | .1 | 88.6 |
| | 102 | 313 | 3.9 | 5.3 | 93.9 |
| | 103 | 2 | .0 | .0 | 93.9 |
| | 104 | 28 | .4 | .5 | 94.4 |
| | 105 | 1 | .0 | .0 | 94.4 |
| | 106 | 2 | .0 | .0 | 94.4 |
| | 107 | 173 | 2.2 | 2.9 | 97.3 |
| | 108 | 1 | .0 | .0 | 97.3 |
| | 109 | 13 | .2 | .2 | 97.6 |
| | 110 | 2 | .0 | .0 | 97.6 |
| | 112 | 82 | 1.0 | 1.4 | 99.0 |
| | 114 | 5 | .1 | .1 | 99.1 |
| | 117 | 29 | .4 | .5 | 99.5 |
| | 119 | 1 | .0 | .0 | 99.6 |
| | 120 | 1 | .0 | .0 | 99.6 |
| | 122 | 15 | .2 | .3 | 99.8 |
| | 123 | 2 | .0 | .0 | 99.9 |
| | 124 | 1 | .0 | .0 | 99.9 |
| | 127 | 2 | .0 | .0 | 99.9 |
| | 130 | 2 | .0 | .0 | 99.9 |
| | 132 | 1 | .0 | .0 | 100.0 |
| | 137 | 2 | .0 | .0 | 100.0 |
| | Total | 5938 | 74.4 | 100.0 | |
| Missing | -1 No response | 2045 | 25.6 | | |
| Total | | 7983 | 100.0 | | |

p1294 A12e: Respondent's hip measurement (cm)




plus the following missing values and outliers < 60 or > 140:

p1294 A12e: Respondent's hip measurement (cm)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 58 | 1 | .0 | 12.5 | 12.5 |
| | 141 | 1 | .0 | 12.5 | 25.0 |
| | 142 | 2 | .1 | 25.0 | 50.0 |
| | 147 | 1 | .0 | 12.5 | 62.5 |
| | 152 | 2 | .1 | 25.0 | 87.5 |
| | 157 | 1 | .0 | 12.5 | 100.0 |
| | Total | 8 | .2 | 100.0 | |
| Missing | -1 No response | 3818 | 99.8 | | |
| Total | | 3826 | 100.0 | | |

p1295 A12f: Respondent's waist measurement (cm)



plus the following missing values and outliers > 120:

p1295 A12f: Respondent's waist measurement (cm)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 121 | 1 | .0 | 11.1 | 11.1 |
| | 122 | 4 | .1 | 44.4 | 55.6 |
| | 132 | 1 | .0 | 11.1 | 66.7 |
| | 137 | 1 | .0 | 11.1 | 77.8 |
| | 142 | 1 | .0 | 11.1 | 88.9 |
| | 152 | 1 | .0 | 11.1 | 100.0 |
| | Total | 9 | .2 | 100.0 | |
| Missing | -1 No response | 3718 | 99.8 | | |
| Total | | 3727 | 100.0 | | |

PAGE 12 OF THE QUESTIONNAIRE

SECTION B: RECENT EVENTS

Listed below are a number of events which may have brought changes in your life. Have any of these occurred since your study child's 6th birthday?

| Since the child's 6 th birthday: | | Yes, when the study child was 6 or 7 ↓ | Yes, since the child's 8 th birthday ↓ | No, did not happen in past 3 years ↓ |
|--|--|---|--|--|
| B1. | Your husband/partner died | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |
| B2. | One of your children died | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |
| B3. | A friend or relative died | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |
| B4. | One of your children was ill | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |
| B5. | Your husband or partner was ill | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |
| B6. | A friend or relative was ill | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |
| B7. | You were admitted to hospital | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |
| B8. | You were in trouble with the law | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |
| B9. | You were divorced | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |
| B10. | You found that your husband/partner didn't want your child | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |
| B11. | You were very ill | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |
| B12. | Your husband/partner lost his job | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="4"/> |

PAGE 13 OF THE QUESTIONNAIRE

| Since the child's 6 th birthday: | Yes, when the study child was 6 or 7 | Yes, since the child's 8 th birthday | No, did not happen in past 3 years |
|---|--|---|---|
| | ↓ | ↓ | |
| B13. Your husband/partner had problems at work | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B14. You had problems at work | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B15. You lost your job | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B16. Your husband/partner went away | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B17. Your husband/partner was in trouble with the law | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B18. You and your husband/ partner separated | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B19. Your income was reduced | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B20. You argued with your husband/partner | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B21. You argued with your family and friends | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B22. You moved house | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B23. Your husband/partner was physically cruel to you | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B24. You became homeless | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B25. You had a major financial problem | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B26. You got married | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |

PAGE 14 OF THE QUESTIONNAIRE

| Since the child's 6 th birthday: | Yes, when the study child was 6 or 7 ↓ | Yes, since the child's 8 th birthday ↓ | No, did not happen in past 3 years ↓ |
|--|---|--|--|
| B27. Your husband/partner was physically cruel to your children | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B28. You were physically cruel to your children | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B29. You attempted suicide | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B30. You were convicted of an offence | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B31. You became pregnant | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B32. You started a new job | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B33. You returned to work | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B34. You had a miscarriage | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B35. You had an abortion | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B36. You took an examination | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B37. Your husband/partner was emotionally cruel to you | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B38. Your husband/partner was emotionally cruel to your children | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |
| B39. You were emotionally cruel to your children | 1 <input type="text"/> | 2 <input type="text"/> | 4 <input type="text"/> |

PAGE 15 OF THE QUESTIONNAIRE

| Since the child's 6 th birthday: | Yes, when the study child was 6 or 7 ↓ | Yes, since the child's 8 th birthday ↓ | No, did not happen in past 3 years |
|--|---|---|---|
| B40. Your house or car was burgled | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">2</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">4</div> |
| B41. You found a new partner | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">2</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">4</div> |
| B42. One of your children started school | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">2</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">4</div> |
| B43. Your husband/partner started a new job | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">2</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">4</div> |
| B44. A pet died | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">2</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">4</div> |
| B45. You had an accident (please tick and describe) | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">2</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">4</div> |

.....

B46. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope in the last 3 years?

Yes

1

 No

2

 → Go to B47a on page 16

If yes,

please describe for each event:

| what happened: | (i) When the study child was 6 or 7 | (ii) Since the child's 8 th birthday |
|----------------|---|---|
| b) | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> |
| c) | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> |
| d) | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> | <div style="border: 1px solid red; width: 40px; height: 25px; display: flex; align-items: center; justify-content: center;">1</div> |

PAGE 16 OF THE QUESTIONNAIRE

B47. a) Has anything else occurred which made you especially happy?

Yes No → Go to C1 on page 17

If yes,

please describe for each event:

| | | (i) When the study child was 6 or 7 | (ii) Since the child's 8 th birthday |
|----|-----------------------|---|---|
| | what happened: | | |
| b) | | <input type="text" value="1"/> | <input type="text" value="1"/> |
| c) | | <input type="text" value="1"/> | <input type="text" value="1"/> |
| d) | | <input type="text" value="1"/> | <input type="text" value="1"/> |

P File – Section B

p2000 B1: Husband/partner died since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 18 | .2 | .2 | .2 |
| | 2 Yes, since the study child's 8th birthday | 6 | .1 | .1 | .3 |
| | 4 No, did not happen in past 3 years | 7833 | 98.1 | 99.7 | 100.0 |
| | Total | 7857 | 98.4 | 100.0 | |
| Missing | -1 No response | 126 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

p2001 B2: One of mother's children died since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 15 | .2 | .2 | .2 |
| | 2 Yes, since the study child's 8th birthday | 2 | .0 | .0 | .2 |
| | 4 No, did not happen in past 3 years | 7833 | 98.1 | 99.8 | 100.0 |
| | Total | 7850 | 98.3 | 100.0 | |
| Missing | -1 No response | 133 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p2002 B3: Mother's friend or relative died since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 1409 | 17.7 | 17.9 | 17.9 |
| | 2 Yes, since the study child's 8th birthday | 1758 | 22.0 | 22.4 | 40.3 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 198 | 2.5 | 2.5 | 42.8 |
| | 4 No, did not happen in past 3 years | 4496 | 56.3 | 57.2 | 100.0 |
| | Total | 7861 | 98.5 | 100.0 | |
| Missing | -1 No response | 122 | 1.5 | | |
| Total | | 7983 | 100.0 | | |

p2003 B4: One of mother's children was ill since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 334 | 4.2 | 4.3 | 4.3 |
| | 2 Yes, since the study child's 8th birthday | 770 | 9.6 | 9.9 | 14.2 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 265 | 3.3 | 3.4 | 17.6 |
| | 4 No, did not happen in past 3 years | 6431 | 80.6 | 82.4 | 100.0 |
| | Total | 7800 | 97.7 | 100.0 | |
| Missing | -1 No response | 183 | 2.3 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2004 B5: Mother's husband/partner was ill since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 279 | 3.5 | 3.6 | 3.6 |
| | 2 Yes, since the study child's 8th birthday | 611 | 7.7 | 7.8 | 11.4 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 121 | 1.5 | 1.5 | 12.9 |
| | 4 No, did not happen in past 3 years | 6807 | 85.3 | 87.1 | 100.0 |
| | Total | 7818 | 97.9 | 100.0 | |
| Missing | -1 No response | 165 | 2.1 | | |
| Total | | 7983 | 100.0 | | |

p2005 B6: Mother's friend or relative was ill since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 667 | 8.4 | 8.5 | 8.5 |
| | 2 Yes, since the study child's 8th birthday | 1595 | 20.0 | 20.4 | 28.9 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 283 | 3.5 | 3.6 | 32.5 |
| | 4 No, did not happen in past 3 years | 5284 | 66.2 | 67.5 | 100.0 |
| | Total | 7829 | 98.1 | 100.0 | |
| Missing | -1 No response | 154 | 1.9 | | |
| Total | | 7983 | 100.0 | | |

p2006 B7: Mother was admitted to hospital since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 683 | 8.6 | 8.7 | 8.7 |
| | 2 Yes, since the study child's 8th birthday | 670 | 8.4 | 8.5 | 17.2 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 108 | 1.4 | 1.4 | 18.6 |
| | 4 No, did not happen in past 3 years | 6395 | 80.1 | 81.4 | 100.0 |
| | Total | 7856 | 98.4 | 100.0 | |
| Missing | -1 No response | 127 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

p2007 B8: Mother was in trouble with the law since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 10 | .1 | .1 | .1 |
| | 2 Yes, since the study child's 8th birthday | 10 | .1 | .1 | .3 |
| | 4 No, did not happen in past 3 years | 7836 | 98.2 | 99.7 | 100.0 |
| | Total | 7856 | 98.4 | 100.0 | |
| Missing | -1 No response | 127 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2008 B9: Mother was divorced since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 189 | 2.4 | 2.4 | 2.4 |
| | 2 Yes, since the study child's 8th birthday | 155 | 1.9 | 2.0 | 4.4 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 2 | .0 | .0 | 4.4 |
| | 4 No, did not happen in past 3 years | 7504 | 94.0 | 95.6 | 100.0 |
| | Total | 7850 | 98.3 | 100.0 | |
| Missing | -1 No response | 133 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p2009 B10: Mother found out that her husband/partner didn't want her child since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 10 | .1 | .1 | .1 |
| | 2 Yes, since the study child's 8th birthday | 21 | .3 | .3 | .4 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 2 | .0 | .0 | .4 |
| | 4 No, did not happen in past 3 years | 7805 | 97.8 | 99.6 | 100.0 |
| | Total | 7838 | 98.2 | 100.0 | |
| Missing | -1 No response | 145 | 1.8 | | |
| Total | | 7983 | 100.0 | | |

p2010 B11: Mother was very ill since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 223 | 2.8 | 2.8 | 2.8 |
| | 2 Yes, since the study child's 8th birthday | 310 | 3.9 | 4.0 | 6.8 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 40 | .5 | .5 | 7.3 |
| | 4 No, did not happen in past 3 years | 7268 | 91.0 | 92.7 | 100.0 |
| | Total | 7841 | 98.2 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 141 | 1.8 | | |
| | Total | 142 | 1.8 | | |
| Total | | 7983 | 100.0 | | |

p2011 B12: Mother's husband/partner lost his job since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 219 | 2.7 | 2.8 | 2.8 |
| | 2 Yes, since the study child's 8th birthday | 341 | 4.3 | 4.3 | 7.1 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 20 | .3 | .3 | 7.4 |
| | 4 No, did not happen in past 3 years | 7265 | 91.0 | 92.6 | 100.0 |
| | Total | 7845 | 98.3 | 100.0 | |
| Missing | -1 No response | 138 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2012 B13: Mother's husband/partner had problems at work since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 350 | 4.4 | 4.5 | 4.5 |
| | 2 Yes, since the study child's 8th birthday | 826 | 10.3 | 10.6 | 15.0 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 143 | 1.8 | 1.8 | 16.9 |
| | 4 No, did not happen in past 3 years | 6503 | 81.5 | 83.1 | 100.0 |
| | Total | 7822 | 98.0 | 100.0 | |
| Missing | -1 No response | 161 | 2.0 | | |
| Total | | 7983 | 100.0 | | |

p2013 B14: Mother had problems at work since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 186 | 2.3 | 2.4 | 2.4 |
| | 2 Yes, since the study child's 8th birthday | 611 | 7.7 | 7.8 | 10.2 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 50 | .6 | .6 | 10.8 |
| | 4 No, did not happen in past 3 years | 6999 | 87.7 | 89.2 | 100.0 |
| | Total | 7846 | 98.3 | 100.0 | |
| Missing | -1 No response | 137 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p2014 B15: Mother lost her job since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 111 | 1.4 | 1.4 | 1.4 |
| | 2 Yes, since the study child's 8th birthday | 222 | 2.8 | 2.8 | 4.2 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 7 | .1 | .1 | 4.3 |
| | 4 No, did not happen in past 3 years | 7508 | 94.0 | 95.7 | 100.0 |
| | Total | 7848 | 98.3 | 100.0 | |
| Missing | -1 No response | 135 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p2015 B16: Mother's husband/partner went away since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 184 | 2.3 | 2.4 | 2.4 |
| | 2 Yes, since the study child's 8th birthday | 344 | 4.3 | 4.4 | 6.8 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 95 | 1.2 | 1.2 | 8.0 |
| | 4 No, did not happen in past 3 years | 7197 | 90.2 | 92.0 | 100.0 |
| | Total | 7820 | 98.0 | 100.0 | |
| Missing | -8 Text response | 3 | .0 | | |
| | -1 No response | 160 | 2.0 | | |
| | Total | 163 | 2.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2016 B17: Mother's husband/partner was in trouble with the law since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 24 | .3 | .3 | .3 |
| | 2 Yes, since the study child's 8th birthday | 46 | .6 | .6 | .9 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 2 | .0 | .0 | .9 |
| | 4 No, did not happen in past 3 years | 7770 | 97.3 | 99.1 | 100.0 |
| | Total | 7842 | 98.2 | 100.0 | |
| Missing | -1 No response | 141 | 1.8 | | |
| Total | | 7983 | 100.0 | | |

p2017 B18: Mother and husband/partner separated since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 304 | 3.8 | 3.9 | 3.9 |
| | 2 Yes, since the study child's 8th birthday | 348 | 4.4 | 4.4 | 8.3 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 9 | .1 | .1 | 8.4 |
| | 4 No, did not happen in past 3 years | 7196 | 90.1 | 91.6 | 100.0 |
| | Total | 7857 | 98.4 | 100.0 | |
| Missing | -1 No response | 126 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

p2018 B19: Mother's income was reduced since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 579 | 7.3 | 7.4 | 7.4 |
| | 2 Yes, since the study child's 8th birthday | 1047 | 13.1 | 13.3 | 20.7 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 66 | .8 | .8 | 21.5 |
| | 4 No, did not happen in past 3 years | 6160 | 77.2 | 78.5 | 100.0 |
| | Total | 7852 | 98.4 | 100.0 | |
| Missing | -1 No response | 131 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

p2019 B20: Mother argued with husband/partner since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 417 | 5.2 | 5.4 | 5.4 |
| | 2 Yes, since the study child's 8th birthday | 1744 | 21.8 | 22.4 | 27.7 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 810 | 10.1 | 10.4 | 38.1 |
| | 4 No, did not happen in past 3 years | 4821 | 60.4 | 61.9 | 100.0 |
| | Total | 7792 | 97.6 | 100.0 | |
| Missing | -1 No response | 191 | 2.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2020 B21: Mother argued with family and friends since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 185 | 2.3 | 2.4 | 2.4 |
| | 2 Yes, since the study child's 8th birthday | 585 | 7.3 | 7.5 | 9.8 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 113 | 1.4 | 1.4 | 11.3 |
| | 4 No, did not happen in past 3 years | 6943 | 87.0 | 88.7 | 100.0 |
| | Total | 7826 | 98.0 | 100.0 | |
| Missing | -1 No response | 157 | 2.0 | | |
| Total | | 7983 | 100.0 | | |

p2021 B22: Mother moved house since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 1068 | 13.4 | 13.6 | 13.6 |
| | 2 Yes, since the study child's 8th birthday | 755 | 9.5 | 9.6 | 23.2 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 75 | .9 | 1.0 | 24.2 |
| | 4 No, did not happen in past 3 years | 5954 | 74.6 | 75.8 | 100.0 |
| | Total | 7852 | 98.4 | 100.0 | |
| Missing | -1 No response | 131 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

p2022 B23: Mother's husband/partner was physically cruel to her since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 95 | 1.2 | 1.2 | 1.2 |
| | 2 Yes, since the study child's 8th birthday | 113 | 1.4 | 1.4 | 2.7 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 25 | .3 | .3 | 3.0 |
| | 4 No, did not happen in past 3 years | 7601 | 95.2 | 97.0 | 100.0 |
| | Total | 7834 | 98.1 | 100.0 | |
| Missing | -1 No response | 149 | 1.9 | | |
| Total | | 7983 | 100.0 | | |

p2023 B24: Mother became homeless since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 26 | .3 | .3 | .3 |
| | 2 Yes, since the study child's 8th birthday | 35 | .4 | .4 | .8 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 1 | .0 | .0 | .8 |
| | 4 No, did not happen in past 3 years | 7786 | 97.5 | 99.2 | 100.0 |
| | Total | 7848 | 98.3 | 100.0 | |
| Missing | -1 No response | 135 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2024 B25: Mother had a major financial problem since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 158 | 2.0 | 2.0 | 2.0 |
| | 2 Yes, since the study child's 8th birthday | 327 | 4.1 | 4.2 | 6.2 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 42 | .5 | .5 | 6.7 |
| | 4 No, did not happen in past 3 years | 7323 | 91.7 | 93.3 | 100.0 |
| | Total | 7850 | 98.3 | 100.0 | |
| Missing | -1 No response | 133 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p2025 B26: Mother got married since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 115 | 1.4 | 1.5 | 1.5 |
| | 2 Yes, since the study child's 8th birthday | 93 | 1.2 | 1.2 | 2.7 |
| | 4 No, did not happen in past 3 years | 7641 | 95.7 | 97.3 | 100.0 |
| | Total | 7849 | 98.3 | 100.0 | |
| Missing | -1 No response | 134 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p2026 B27: Mother's husband/partner was physically cruel to her children since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 17 | .2 | .2 | .2 |
| | 2 Yes, since the study child's 8th birthday | 29 | .4 | .4 | .6 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 5 | .1 | .1 | .7 |
| | 4 No, did not happen in past 3 years | 7791 | 97.6 | 99.3 | 100.0 |
| | Total | 7842 | 98.2 | 100.0 | |
| Missing | -1 No response | 141 | 1.8 | | |
| Total | | 7983 | 100.0 | | |

p2027 B28: Mother was physically cruel to her children since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 5 | .1 | .1 | .1 |
| | 2 Yes, since the study child's 8th birthday | 9 | .1 | .1 | .2 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 4 | .1 | .1 | .2 |
| | 4 No, did not happen in past 3 years | 7831 | 98.1 | 99.8 | 100.0 |
| | Total | 7849 | 98.3 | 100.0 | |
| Missing | -1 No response | 134 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2028 B29: Mother attempted suicide since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 28 | .4 | .4 | .4 |
| | 2 Yes, since the study child's 8th birthday | 21 | .3 | .3 | .6 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 2 | .0 | .0 | .6 |
| | 4 No, did not happen in past 3 years | 7797 | 97.7 | 99.4 | 100.0 |
| | Total | 7848 | 98.3 | 100.0 | |
| Missing | -1 No response | 135 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p2029 B30: Mother was convicted of an offence since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 9 | .1 | .1 | .1 |
| | 2 Yes, since the study child's 8th birthday | 15 | .2 | .2 | .3 |
| | 4 No, did not happen in past 3 years | 7824 | 98.0 | 99.7 | 100.0 |
| | Total | 7848 | 98.3 | 100.0 | |
| Missing | -1 No response | 135 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p2030 B31: Mother became pregnant since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 525 | 6.6 | 6.7 | 6.7 |
| | 2 Yes, since the study child's 8th birthday | 296 | 3.7 | 3.8 | 10.5 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 47 | .6 | .6 | 11.1 |
| | 4 No, did not happen in past 3 years | 6978 | 87.4 | 88.9 | 100.0 |
| | Total | 7846 | 98.3 | 100.0 | |
| Missing | -1 No response | 137 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p2031 B32: Mother started a new job since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 965 | 12.1 | 12.3 | 12.3 |
| | 2 Yes, since the study child's 8th birthday | 1622 | 20.3 | 20.7 | 33.1 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 110 | 1.4 | 1.4 | 34.5 |
| | 4 No, did not happen in past 3 years | 5128 | 64.2 | 65.5 | 100.0 |
| | Total | 7825 | 98.0 | 100.0 | |
| Missing | -1 No response | 158 | 2.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2032 B33: Mother returned to work since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 592 | 7.4 | 7.6 | 7.6 |
| | 2 Yes, since the study child's 8th birthday | 683 | 8.6 | 8.8 | 16.4 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 15 | .2 | .2 | 16.6 |
| | 4 No, did not happen in past 3 years | 6495 | 81.4 | 83.4 | 100.0 |
| | Total | 7785 | 97.5 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 197 | 2.5 | | |
| | Total | 198 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p2033 B34: Mother had a miscarriage since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 131 | 1.6 | 1.7 | 1.7 |
| | 2 Yes, since the study child's 8th birthday | 95 | 1.2 | 1.2 | 2.9 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 10 | .1 | .1 | 3.0 |
| | 4 No, did not happen in past 3 years | 7611 | 95.3 | 97.0 | 100.0 |
| | Total | 7847 | 98.3 | 100.0 | |
| Missing | -1 No response | 136 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p2034 B35: Mother had an abortion since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 69 | .9 | .9 | .9 |
| | 2 Yes, since the study child's 8th birthday | 58 | .7 | .7 | 1.6 |
| | 4 No, did not happen in past 3 years | 7712 | 96.6 | 98.4 | 100.0 |
| | Total | 7839 | 98.2 | 100.0 | |
| Missing | -1 No response | 144 | 1.8 | | |
| Total | | 7983 | 100.0 | | |

p2035 B36: Mother took an examination since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 407 | 5.1 | 5.2 | 5.2 |
| | 2 Yes, since the study child's 8th birthday | 777 | 9.7 | 9.9 | 15.1 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 181 | 2.3 | 2.3 | 17.4 |
| | 4 No, did not happen in past 3 years | 6483 | 81.2 | 82.6 | 100.0 |
| | Total | 7848 | 98.3 | 100.0 | |
| Missing | -1 No response | 135 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2036 B37: Mother's husband/partner was emotionally cruel to her since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 171 | 2.1 | 2.2 | 2.2 |
| | 2 Yes, since the study child's 8th birthday | 328 | 4.1 | 4.2 | 6.4 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 130 | 1.6 | 1.7 | 8.0 |
| | 4 No, did not happen in past 3 years | 7201 | 90.2 | 92.0 | 100.0 |
| | Total | 7830 | 98.1 | 100.0 | |
| Missing | -1 No response | 153 | 1.9 | | |
| Total | | 7983 | 100.0 | | |

p2037 B38: Mother's husband/partner was emotionally cruel to her children since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 64 | .8 | .8 | .8 |
| | 2 Yes, since the study child's 8th birthday | 97 | 1.2 | 1.2 | 2.1 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 39 | .5 | .5 | 2.6 |
| | 4 No, did not happen in past 3 years | 7631 | 95.6 | 97.4 | 100.0 |
| | Total | 7831 | 98.1 | 100.0 | |
| Missing | -1 No response | 152 | 1.9 | | |
| Total | | 7983 | 100.0 | | |

p2038 B39: Mother was emotionally cruel to her children since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 8 | .1 | .1 | .1 |
| | 2 Yes, since the study child's 8th birthday | 41 | .5 | .5 | .6 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 9 | .1 | .1 | .7 |
| | 4 No, did not happen in past 3 years | 7774 | 97.4 | 99.3 | 100.0 |
| | Total | 7832 | 98.1 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 150 | 1.9 | | |
| | Total | 151 | 1.9 | | |
| Total | | 7983 | 100.0 | | |

p2039 B40: Mother's house or car was burgled since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 443 | 5.5 | 5.6 | 5.6 |
| | 2 Yes, since the study child's 8th birthday | 568 | 7.1 | 7.2 | 12.9 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 60 | .8 | .8 | 13.6 |
| | 4 No, did not happen in past 3 years | 6781 | 84.9 | 86.4 | 100.0 |
| | Total | 7852 | 98.4 | 100.0 | |
| Missing | -1 No response | 131 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2040 B41: Mother found a new partner since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 209 | 2.6 | 2.7 | 2.7 |
| | 2 Yes, since the study child's 8th birthday | 260 | 3.3 | 3.3 | 6.0 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 4 | .1 | .1 | 6.0 |
| | 4 No, did not happen in past 3 years | 7366 | 92.3 | 94.0 | 100.0 |
| | Total | 7839 | 98.2 | 100.0 | |
| Missing | -1 No response | 144 | 1.8 | | |
| Total | | 7983 | 100.0 | | |

p2041 B42: One of mother's children started school since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 1596 | 20.0 | 20.4 | 20.4 |
| | 2 Yes, since the study child's 8th birthday | 808 | 10.1 | 10.3 | 30.7 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 92 | 1.2 | 1.2 | 31.9 |
| | 4 No, did not happen in past 3 years | 5329 | 66.8 | 68.1 | 100.0 |
| | Total | 7825 | 98.0 | 100.0 | |
| Missing | -1 No response | 158 | 2.0 | | |
| Total | | 7983 | 100.0 | | |

p2042 B43: Mother's husband/partner started a new job since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 587 | 7.4 | 7.5 | 7.5 |
| | 2 Yes, since the study child's 8th birthday | 931 | 11.7 | 11.9 | 19.4 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 77 | 1.0 | 1.0 | 20.4 |
| | 4 No, did not happen in past 3 years | 6212 | 77.8 | 79.6 | 100.0 |
| | Total | 7807 | 97.8 | 100.0 | |
| Missing | -1 No response | 176 | 2.2 | | |
| Total | | 7983 | 100.0 | | |

p2043 B44: A pet died since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, when the study child was 6 or 7 | 1003 | 12.6 | 12.8 | 12.8 |
| | 2 Yes, since the study child's 8th birthday | 1786 | 22.4 | 22.7 | 35.5 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 254 | 3.2 | 3.2 | 38.7 |
| | 4 No, did not happen in past 3 years | 4811 | 60.3 | 61.3 | 100.0 |
| | Total | 7854 | 98.4 | 100.0 | |
| Missing | -1 No response | 129 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2044 B45: Mother had an accident since the study child's 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 0 Relevant text but no box ticked | 4 | .1 | .1 | .1 |
| | 1 Yes, when the study child was 6 or 7 | 174 | 2.2 | 2.4 | 2.4 |
| | 2 Yes, since the study child's 8th birthday | 333 | 4.2 | 4.5 | 6.9 |
| | 3 Yes, both when the study child was 6/7 and 8+ | 10 | .1 | .1 | 7.0 |
| | 4 No, did not happen in past 3 years | 6874 | 86.1 | 93.0 | 100.0 |
| | Total | 7395 | 92.6 | 100.0 | |
| Missing | -1 No response | 588 | 7.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2050 B46a: Other event occurred which concerned mother/required additional effort to cope in last 3 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1306 | 16.4 | 19.0 | 19.0 |
| | 2 No | 5552 | 69.5 | 81.0 | 100.0 |
| | Total | 6858 | 85.9 | 100.0 | |
| Missing | -1 No response | 1125 | 14.1 | | |
| Total | | 7983 | 100.0 | | |

p2061 B46b1: Other event 1 which concerned mother/required additional effort to cope, occurred when study child was 6 or 7

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 13 | .2 | 2.1 | 2.1 |
| | 1 Yes | 596 | 7.5 | 97.9 | 100.0 |
| | Total | 609 | 7.6 | 100.0 | |
| Missing | -1 No response | 7374 | 92.4 | | |
| Total | | 7983 | 100.0 | | |

p2062 B46b2: Other event 1 which concerned mother/required additional effort to cope, occurred since study child's 8th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 13 | .2 | 1.4 | 1.4 |
| | 1 Yes | 938 | 11.7 | 98.6 | 100.0 |
| | Total | 951 | 11.9 | 100.0 | |
| Missing | -1 No response | 7032 | 88.1 | | |
| Total | | 7983 | 100.0 | | |

p2071 B46c1: Other event 2 which concerned mother/required additional effort to cope, occurred when study child was 6 or 7

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 6 | .1 | 5.2 | 5.2 |
| | 1 Yes | 110 | 1.4 | 94.8 | 100.0 |
| | Total | 116 | 1.5 | 100.0 | |
| Missing | -1 No response | 7867 | 98.5 | | |
| Total | | 7983 | 100.0 | | |

p2072 B46c2: Other event 2 which concerned mother/required additional effort to cope, occurred since study child's 8th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 6 | .1 | 2.7 | 2.7 |
| | 1 Yes | 216 | 2.7 | 97.3 | 100.0 |
| | Total | 222 | 2.8 | 100.0 | |
| Missing | -1 No response | 7761 | 97.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2081 B46d1: Other event 3 which concerned mother/required additional effort to cope, occurred when study child was 6 or 7

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 1 | .0 | 2.4 | 2.4 |
| | 1 Yes | 40 | .5 | 97.6 | 100.0 |
| | Total | 41 | .5 | 100.0 | |
| Missing | -1 No response | 7942 | 99.5 | | |
| Total | | 7983 | 100.0 | | |

p2082 B46d2: Other event 3 which concerned mother/required additional effort to cope, occurred since study child's 8th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 1 | .0 | 1.1 | 1.1 |
| | 1 Yes | 86 | 1.1 | 98.9 | 100.0 |
| | Total | 87 | 1.1 | 100.0 | |
| Missing | -1 No response | 7896 | 98.9 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2100 B47a: Other event occurred which made mother especially happy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 1528 | 19.1 | 21.6 | 21.6 |
| | 2 No | 5561 | 69.7 | 78.4 | 100.0 |
| | Total | 7089 | 88.8 | 100.0 | |
| Missing | -1 No response | 894 | 11.2 | | |
| Total | | 7983 | 100.0 | | |

p2111 B47b1: Other event 1 which made mother especially happy, occurred when study child was 6 or 7

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 19 | .2 | 3.7 | 3.7 |
| | 1 Yes | 493 | 6.2 | 96.3 | 100.0 |
| | Total | 512 | 6.4 | 100.0 | |
| Missing | -1 No response | 7471 | 93.6 | | |
| Total | | 7983 | 100.0 | | |

p2112 B47b2: Other event 1 which made mother especially happy, occurred since study child's 8th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 19 | .2 | 1.7 | 1.7 |
| | 1 Yes | 1120 | 14.0 | 98.3 | 100.0 |
| | Total | 1139 | 14.3 | 100.0 | |
| Missing | -1 No response | 6844 | 85.7 | | |
| Total | | 7983 | 100.0 | | |

p2121 B47c1: Other event 2 which made mother especially happy, occurred when study child was 6 or 7

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 9 | .1 | 8.3 | 8.3 |
| | 1 Yes | 100 | 1.3 | 91.7 | 100.0 |
| | Total | 109 | 1.4 | 100.0 | |
| Missing | -1 No response | 7874 | 98.6 | | |
| Total | | 7983 | 100.0 | | |

p2122 B47c2: Other event 2 which made mother especially happy, occurred since study child's 8th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 9 | .1 | 3.3 | 3.3 |
| | 1 Yes | 265 | 3.3 | 96.7 | 100.0 |
| | Total | 274 | 3.4 | 100.0 | |
| Missing | -1 No response | 7709 | 96.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section B

p2131 B47d1: Other event 3 which made mother especially happy, occurred when study child was 6 or 7

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 4 | .1 | 10.0 | 10.0 |
| | 1 Yes | 36 | .5 | 90.0 | 100.0 |
| | Total | 40 | .5 | 100.0 | |
| Missing | -1 No response | 7943 | 99.5 | | |
| Total | | 7983 | 100.0 | | |

p2132 B47d2: Other event 3 which made mother especially happy, occurred since study child's 8th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked in either column | 4 | .1 | 4.0 | 4.0 |
| | 1 Yes | 96 | 1.2 | 96.0 | 100.0 |
| | Total | 100 | 1.3 | 100.0 | |
| Missing | -1 No response | 7883 | 98.7 | | |
| Total | | 7983 | 100.0 | | |

PAGE 17 OF THE QUESTIONNAIRE

SECTION C: YOUR HUSBAND/PARTNER

C1. a) Do you currently have a husband or partner?

yes, a husband

yes, a male partner

yes, a female partner

no partner

→ If **no partner**, go to Section D on page 29

If **yes**,

b) does your partner or husband live with you?

Yes

No

→ If **no**, go to C2 below

If **yes**,

c) how long have you lived together?

years

months

d) is this the same partner or husband as the one you had when the study child had his/her 6th birthday?

Yes the same

No, a new partner

I don't remember

The section below is concerned with your relationship with your partner. (The partner will be referred to as 'he', although the questions refer to all partners.)

C2. How would you assess your husband/partner's physical health?

always fit and well

mostly well and healthy

often feels unwell

hardly ever feels well

PAGE 18 OF THE QUESTIONNAIRE

- C3. Below are listed a number of conditions which your husband/partner might have had. Please indicate whether he has had any of these since your study child was 7 years old.

| In the last 2 years husband/partner had: | Yes, and saw a doctor | Yes, but did not see a doctor | No, not at all | Do not know |
|---|--------------------------------|-------------------------------------|--------------------------------|--------------------------------|
| a) headaches or migraine | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| b) indigestion | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| c) epilepsy | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| d) depression | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| e) anxiety or nerves | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| f) haemorrhoids/piles | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| g) cough or cold | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| h) influenza | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| i) bronchitis | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| j) high blood pressure (hypertension) | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| k) diabetes | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| l) schizophrenia | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| m) drink (alcohol) problem | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| n) stomach ulcer | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| o) asthma or wheezing | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| p) eczema | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| q) psoriasis | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| r) arthritis | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| s) urinary infection | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| t) rheumatism | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| u) back pain, sciatica or slipped disc | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |

PAGE 19 OF THE QUESTIONNAIRE

| In the last 2 years husband\partner had: | | Yes, and saw a doctor | Yes, but did not see a doctor | No, not at all | Do not know |
|---|--|--------------------------------------|--|--------------------------------|--------------------------------|
| v) | syphilis | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| w) | gonorrhoea | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |
| x) | other condition(s) (please tick and describe) | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="9"/> |

.....

- C4. Below are some statements about fathers' and partners' relationships with young children. Please indicate how you feel in your particular situation.

| In regard to the study child: | | This is always how I feel | This is sometimes how I feel | I never feel this way |
|--|---|--|---|--------------------------------------|
| a) | He really loves this child | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| b) | He is glad that I had this child when I did | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| c) | I like to watch him play with the child | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| d) | I am afraid to leave the child alone with him because I think he might be violent | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| e) | He seems to feel very close to the child | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| f) | This child gets on his nerves | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| g) | He really cannot bear it when this child cries | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| h) | I think he is interested as he watches the child develop | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |

PAGE 20 OF THE QUESTIONNAIRE

| | | This is always how I feel | This is sometimes how I feel | I never feel this way |
|-------------|---|--|---|--------------------------------------|
| C4. (cont.) | | | | |
| i) | He feels anxious when someone other than us looks after the child | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| j) | He doesn't mind the mess that surrounds children | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| k) | This child makes him very happy | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |

| | | | |
|--------|--|---|---|
| | | (i) weekdays | (ii) weekend days |
| C5. a) | How many cigarettes per day does your husband or partner currently smoke? (If none, put 00) | <input type="text" value=""/> <input type="text" value=""/> | <input type="text" value=""/> <input type="text" value=""/> |

| | Yes every day | Yes sometimes | No never |
|----------------------|--------------------------------|--------------------------------|--------------------------------|
| b) Does he smoke: | | | |
| (i) pipe | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |
| (ii) cigar/cigarillo | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> |

C6. a) Is your husband/partner currently employed?

Yes No → **If no, go to C7 on page 22**

If yes,

b) (i) What is his occupation?.....

(ii) Please give industry or trade

c) Has he had the same job since the study child was 7 years old?

Yes No

PAGE 21 OF THE QUESTIONNAIRE

C6. d) Does he work nights?

yes, always

1

yes, sometimes

2

no, never

3

e) Does he leave home for several days as part of his work?

yes, often

1

yes, occasionally

2

no, never

3

f) Does he work shifts?

yes, often

1

yes, occasionally

2

no, never

3

g) How many hours a week does he normally work?

i) If his hours are regular, please state how many

(put 99 if don't know)

ii) If his hours vary, please put the minimum

and the maximum

h) Does he usually work:

the basic no. of hours per week

1

basic hours plus paid overtime

2

longer than basic hours (but
not paid extra)

3

self-employed - as long as
necessary

4

PAGE 22 OF THE QUESTIONNAIRE

C6. i) Does he get home after work before the study child is in bed?

yes, usually yes, sometimes no, never

C7. How would you rate him on these characteristics?

| | Almost always | Sometimes | Hardly ever |
|---------------------------------|--------------------------|----------------------|------------------------|
| a) helpful, co-operative | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| b) quiet, reserved | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| c) unreliable | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| d) sociable, outgoing | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| e) dominating | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| f) understanding | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| g) quick-tempered, easily upset | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| h) cheerful, easygoing | <input type="text"/> | <input type="text"/> | <input type="text"/> |

C8. Who does these various household tasks?

| | Me always | Me mostly | Sometimes me, some- times he does | He does mostly | He does always | Someone else |
|---------------------------|----------------------|----------------------|--|---------------------------|---------------------------|-------------------------|
| | ↓ | ↓ | | ↓ | ↓ | ↓ |
| a) shopping for groceries | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| b) cooking | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| c) cleaning | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| d) repairs in home | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| e) looking after children | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| f) washing clothes | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| g) ironing | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

PAGE 23 OF THE QUESTIONNAIRE

C9. Who decides:

| | Me always ↓ | Me mostly ↓ | Sometimes me, some- times he does | He does mostly ↓ | He does always ↓ |
|--------------------------------------|--------------------------------|--------------------------------|--|--------------------------------|--------------------------------|
| a) how to spend free time | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | <input type="text" value="5"/> |
| b) how much to see family or friends | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | <input type="text" value="5"/> |
| c) when to do repairs or redecorate | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | <input type="text" value="5"/> |
| d) how we should spend our money | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | <input type="text" value="5"/> |

C10. People vary greatly in the amount they are satisfied or dissatisfied with their relationship. How do you feel about the following aspects of your life together?

| | Very satisfied | Moderately satisfied | Somewhat dissatisfied | Very dissatisfied |
|--|--------------------------------|---------------------------------|----------------------------------|--------------------------------|
| a) handling family finances | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| b) demonstrations of affection | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| c) sex | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| d) amount of time spent together | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| e) making major decisions | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| f) household tasks | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| g) leisure time interests & activities | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

C11. a) How often recently have you been irritable with your husband or partner?

| | | | | | | | | | |
|------------|--------------------------------|-----------------------|--------------------------------|------------------|--------------------------------|------------------|--------------------------------|-----------|--------------------------------|
| not at all | <input type="text" value="1"/> | less than once a week | <input type="text" value="2"/> | 1-2 times a week | <input type="text" value="3"/> | 3-6 times a week | <input type="text" value="4"/> | every day | <input type="text" value="5"/> |
|------------|--------------------------------|-----------------------|--------------------------------|------------------|--------------------------------|------------------|--------------------------------|-----------|--------------------------------|

PAGE 24 OF THE QUESTIONNAIRE

C11. b) How often has he been irritable with you?

| | | | | | | | | | |
|--------|--------------------------------|-----------|--------------------------------|-----------|--------------------------------|-----------|--------------------------------|-------|--------------------------------|
| not | | less than | | 1-2 times | | 3-6 times | | every | |
| at all | <input type="text" value="1"/> | once a | <input type="text" value="2"/> | a week | <input type="text" value="3"/> | a week | <input type="text" value="4"/> | day | <input type="text" value="5"/> |

C12. a) How many arguments or disagreements have you had with one another in the past three months?

| | | | | | | | | | |
|------|--------------------------------|-----|--------------------------------|-----|--------------------------------|------|--------------------------------|------------|--------------------------------|
| None | <input type="text" value="1"/> | 1-3 | <input type="text" value="2"/> | 4-7 | <input type="text" value="3"/> | 8-13 | <input type="text" value="4"/> | 14 or more | <input type="text" value="5"/> |
|------|--------------------------------|-----|--------------------------------|-----|--------------------------------|------|--------------------------------|------------|--------------------------------|

In the past 3 months, have any of these happened?

| | | Yes, I did this | Yes, he did this | Yes, we both did this | No, not at all |
|----|---|--------------------------------|--------------------------------|--------------------------------------|--------------------------------|
| b) | not speaking for more than half an hour | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| c) | one of you walking out of the house | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| d) | shouting or calling one another names | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| e) | hitting or slapping | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| f) | throwing or breaking things | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

PAGE 25 OF THE QUESTIONNAIRE

C13. In the past three months how often have you done these things **with your husband/partner**?

| | Never ↓ | Less than once a month | Less than once a week | At least once a week |
|--------------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| a) gone out for a meal | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| b) gone out for a drink | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| c) visited friends | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| d) visited family | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| e) gone to the cinema or theatre | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| f) other (please tick & describe) | | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

.....

C14. a) How many evenings a month do you go out and do things **on your own** or with your own friends?

| | | | | | |
|--------------|--------------------------------|--------------------|--------------------------------|--------------|--------------------------------|
| none | <input type="text" value="1"/> | once | <input type="text" value="2"/> | 2-3 times | <input type="text" value="3"/> |
| 4-7 times | <input type="text" value="4"/> | 8 or more times | <input type="text" value="5"/> | | |

b) How many times a month does your husband/partner go out and do things **on his own** or with friends?

| | | | | | |
|--------------|--------------------------------|--------------------|--------------------------------|--------------|--------------------------------|
| none | <input type="text" value="1"/> | once | <input type="text" value="2"/> | 2-3 times | <input type="text" value="3"/> |
| 4-7 times | <input type="text" value="4"/> | 8 or more times | <input type="text" value="5"/> | | |

PAGE 26 OF THE QUESTIONNAIRE

C15. How often in a week, on average, would you and your husband/partner:

| | Never ↓ | Less than once a week | 1-3 times a week | Most days ↓ |
|--|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| a) discuss work or how the day has gone | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| b) laugh together | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| c) calmly talk over something (e.g. the news, a hobby or interest) | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| d) kiss or hug | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| e) make plans | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| f) talk over feelings or worries | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

C16. a) Which of the following statements about alcohol best applies to your husband/partner:

| | |
|---|--------------------------------|
| Never drinks alcohol | <input type="text" value="1"/> |
| Very occasionally (less than once a week) | <input type="text" value="2"/> |
| Occasionally (at least once a week) | <input type="text" value="3"/> |
| Drinks 1-2 glasses* nearly every day | <input type="text" value="4"/> |
| Drinks 3-9 glasses* every day | <input type="text" value="5"/> |
| Drinks at least 10 glasses a day | <input type="text" value="6"/> |
| Don't know | <input type="text" value="9"/> |

[*by glass we mean pub measures (1oz) of spirits, 1 glass of wine or ½ pint (¼ litre) of beer or cider]

PAGE 27 OF THE QUESTIONNAIRE

- C16. b) How many days **in the past month** do you think he had the equivalent of at least 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

| | | | |
|-----------|--------------------------------|-------------------|--------------------------------|
| every day | <input type="text" value="1"/> | more than 10 days | <input type="text" value="2"/> |
| 5-10 days | <input type="text" value="3"/> | 3-4 days | <input type="text" value="4"/> |
| 1-2 days | <input type="text" value="5"/> | none | <input type="text" value="6"/> |

- C17. Below are attitudes and behaviours which people reveal in their close relationships. Please rate your husband/partner's attitudes and behaviour towards you in recent times and tick the most appropriate box for each item.

| My husband/partner: | Very true | Moderately true | Somewhat true | Not at all true |
|--|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| a) Is very considerate of me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| b) Wants me to take his side in an argument | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| c) Wants to know exactly what I'm doing and where I am | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| d) Is a good companion | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| e) Is affectionate to me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| f) Is clearly hurt if I don't accept his views | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| g) Tends to try to change me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| h) Confides closely in me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| i) Tends to criticise me over small issues | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| j) Understands my problems and worries | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| k) Tends to order me about | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| l) Insists I do exactly as I'm told | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| m) Is physically gentle and considerate | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

PAGE 28 OF THE QUESTIONNAIRE

C17. cont.

| | | Very true | Moderately true | Somewhat true | Not at all true |
|----------------------------|---|----------------------|----------------------------|--------------------------|----------------------------|
| My husband/partner: | | | | | |
| n) | Makes me feel needed | 1 | 2 | 3 | 4 |
| o) | Wants me to change in small ways | 1 | 2 | 3 | 4 |
| p) | Is very loving to me | 1 | 2 | 3 | 4 |
| q) | Seeks to dominate me | 1 | 2 | 3 | 4 |
| r) | Is fun to be with | 1 | 2 | 3 | 4 |
| s) | Wants to change me in big ways | 1 | 2 | 3 | 4 |
| t) | Tends to control everything I do | 1 | 2 | 3 | 4 |
| u) | Shows his appreciation of me | 1 | 2 | 3 | 4 |
| v) | Is critical of me in private | 1 | 2 | 3 | 4 |
| w) | Is gentle and kind to me | 1 | 2 | 3 | 4 |
| x) | Speaks to me in a warm and friendly voice | 1 | 2 | 3 | 4 |

P File – Section C

p3000 C1a: Mother currently has husband or partner

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, husband | 6303 | 79.0 | 79.5 | 79.5 |
| | 2 Yes, male partner | 995 | 12.5 | 12.6 | 92.1 |
| | 3 Yes, female partner | 9 | .1 | .1 | 92.2 |
| | 4 No partner | 621 | 7.8 | 7.8 | 100.0 |
| | Total | 7928 | 99.3 | 100.0 | |
| Missing | -8 Text response | 6 | .1 | | |
| | -1 No response | 49 | .6 | | |
| | Total | 55 | .7 | | |
| Total | | 7983 | 100.0 | | |

p3001 C1b: Mother's partner or husband lives with her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 6938 | 86.9 | 94.8 | 94.8 |
| | 2 No | 379 | 4.7 | 5.2 | 100.0 |
| | Total | 7317 | 91.7 | 100.0 | |
| Missing | -1 No response | 666 | 8.3 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3002a C1c: Number of years mother and husband/partner have lived together

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 18 | .2 | .3 | .3 |
| | 1 | 85 | 1.1 | 1.2 | 1.5 |
| | 2 | 84 | 1.1 | 1.2 | 2.7 |
| | 3 | 79 | 1.0 | 1.2 | 3.9 |
| | 4 | 60 | .8 | .9 | 4.8 |
| | 5 | 66 | .8 | 1.0 | 5.8 |
| | 6 | 57 | .7 | .8 | 6.6 |
| | 7 | 57 | .7 | .8 | 7.4 |
| | 8 | 36 | .5 | .5 | 8.0 |
| | 9 | 79 | 1.0 | 1.2 | 9.1 |
| | 10 | 425 | 5.3 | 6.2 | 15.4 |
| | 11 | 459 | 5.7 | 6.7 | 22.1 |
| | 12 | 667 | 8.4 | 9.8 | 31.9 |
| | 13 | 773 | 9.7 | 11.4 | 43.3 |
| | 14 | 698 | 8.7 | 10.3 | 53.5 |
| | 15 | 730 | 9.1 | 10.7 | 64.3 |
| | 16 | 595 | 7.5 | 8.7 | 73.0 |
| | 17 | 460 | 5.8 | 6.8 | 79.8 |
| | 18 | 368 | 4.6 | 5.4 | 85.2 |
| | 19 | 218 | 2.7 | 3.2 | 88.4 |
| | 20 | 275 | 3.4 | 4.0 | 92.4 |
| | 21 | 165 | 2.1 | 2.4 | 94.9 |
| | 22 | 103 | 1.3 | 1.5 | 96.4 |
| | 23 | 73 | .9 | 1.1 | 97.5 |
| | 24 | 46 | .6 | .7 | 98.1 |
| | 25 | 50 | .6 | .7 | 98.9 |
| | 26 | 25 | .3 | .4 | 99.2 |
| | 27 | 18 | .2 | .3 | 99.5 |
| | 28 | 15 | .2 | .2 | 99.7 |
| | 29 | 9 | .1 | .1 | 99.9 |
| | 30 | 10 | .1 | .1 | 100.0 |
| | Total | 6803 | 85.2 | 100.0 | |
| Missing | -1 No response | 1180 | 14.8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3002b C1c: Number of months mother and husband/partner have lived together

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 407 | 5.1 | 9.2 | 9.2 |
| | 1 | 325 | 4.1 | 7.4 | 16.6 |
| | 2 | 429 | 5.4 | 9.7 | 26.3 |
| | 3 | 394 | 4.9 | 8.9 | 35.2 |
| | 4 | 418 | 5.2 | 9.5 | 44.7 |
| | 5 | 360 | 4.5 | 8.2 | 52.9 |
| | 6 | 706 | 8.8 | 16.0 | 68.9 |
| | 7 | 311 | 3.9 | 7.0 | 75.9 |
| | 8 | 313 | 3.9 | 7.1 | 83.0 |
| | 9 | 291 | 3.6 | 6.6 | 89.6 |
| | 10 | 278 | 3.5 | 6.3 | 95.9 |
| | 11 | 181 | 2.3 | 4.1 | 100.0 |
| | Total | 4413 | 55.3 | 100.0 | |
| Missing | -1 No response | 3570 | 44.7 | | |
| Total | | 7983 | 100.0 | | |

p3003 C1d: Same partner/husband as mother had when study child had 6th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 6705 | 84.0 | 97.0 | 97.0 |
| | 2 No | 201 | 2.5 | 2.9 | 100.0 |
| | 3 Don't remember | 3 | .0 | .0 | 100.0 |
| | Total | 6909 | 86.5 | 100.0 | |
| Missing | -1 No response | 1074 | 13.5 | | |
| Total | | 7983 | 100.0 | | |

p3010 C2: Assessment of husband/partner's physical health

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Always fit and well | 3080 | 38.6 | 42.2 | 42.2 |
| | 2 Mostly well and healthy | 3749 | 47.0 | 51.4 | 93.5 |
| | 3 Often unwell | 425 | 5.3 | 5.8 | 99.4 |
| | 4 Hardly ever well | 46 | .6 | .6 | 100.0 |
| | Total | 7300 | 91.4 | 100.0 | |
| Missing | -1 No response | 683 | 8.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3020 C3a: Husband/partner has had headaches or migraines, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 318 | 4.0 | 4.4 | 4.4 |
| | 2 Yes, did not see doctor | 4510 | 56.5 | 62.4 | 66.8 |
| | 3 No | 2048 | 25.7 | 28.3 | 95.1 |
| | 9 Do not know | 354 | 4.4 | 4.9 | 100.0 |
| | Total | 7230 | 90.6 | 100.0 | |
| Missing | -1 No response | 753 | 9.4 | | |
| Total | | 7983 | 100.0 | | |

p3021 C3b: Husband/partner has had indigestion, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 333 | 4.2 | 4.6 | 4.6 |
| | 2 Yes, did not see doctor | 2679 | 33.6 | 37.1 | 41.7 |
| | 3 No | 3497 | 43.8 | 48.4 | 90.2 |
| | 9 Do not know | 710 | 8.9 | 9.8 | 100.0 |
| | Total | 7219 | 90.4 | 100.0 | |
| Missing | -1 No response | 764 | 9.6 | | |
| Total | | 7983 | 100.0 | | |

p3022 C3c: Husband/partner has had epilepsy, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 36 | .5 | .5 | .5 |
| | 2 Yes, did not see doctor | 9 | .1 | .1 | .6 |
| | 3 No | 6475 | 81.1 | 89.6 | 90.2 |
| | 9 Do not know | 706 | 8.8 | 9.8 | 100.0 |
| | Total | 7226 | 90.5 | 100.0 | |
| Missing | -1 No response | 757 | 9.5 | | |
| Total | | 7983 | 100.0 | | |

p3023 C3d: Husband/partner has had depression, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 357 | 4.5 | 4.9 | 4.9 |
| | 2 Yes, did not see doctor | 671 | 8.4 | 9.3 | 14.2 |
| | 3 No | 5370 | 67.3 | 74.4 | 88.7 |
| | 9 Do not know | 818 | 10.2 | 11.3 | 100.0 |
| | Total | 7216 | 90.4 | 100.0 | |
| Missing | -1 No response | 767 | 9.6 | | |
| Total | | 7983 | 100.0 | | |

p3024 C3e: Husband/partner has had anxiety or nerves, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 297 | 3.7 | 4.1 | 4.1 |
| | 2 Yes, did not see doctor | 983 | 12.3 | 13.6 | 17.7 |
| | 3 No | 5085 | 63.7 | 70.5 | 88.2 |
| | 9 Do not know | 851 | 10.7 | 11.8 | 100.0 |
| | Total | 7216 | 90.4 | 100.0 | |
| Missing | -1 No response | 767 | 9.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3025 C3f: Husband/partner has had haemorrhoids/piles, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 258 | 3.2 | 3.6 | 3.6 |
| | 2 Yes, did not see doctor | 761 | 9.5 | 10.6 | 14.1 |
| | 3 No | 5315 | 66.6 | 73.7 | 87.9 |
| | 9 Do not know | 873 | 10.9 | 12.1 | 100.0 |
| | Total | 7207 | 90.3 | 100.0 | |
| Missing | -1 No response | 776 | 9.7 | | |
| Total | | 7983 | 100.0 | | |

p3026 C3g: Husband/partner has had cough or cold, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 241 | 3.0 | 3.3 | 3.3 |
| | 2 Yes, did not see doctor | 5949 | 74.5 | 82.2 | 85.5 |
| | 3 No | 865 | 10.8 | 12.0 | 97.5 |
| | 9 Do not know | 182 | 2.3 | 2.5 | 100.0 |
| | Total | 7237 | 90.7 | 100.0 | |
| Missing | -1 No response | 746 | 9.3 | | |
| Total | | 7983 | 100.0 | | |

p3027 C3h: Husband/partner has had influenza, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 214 | 2.7 | 3.0 | 3.0 |
| | 2 Yes, did not see doctor | 1212 | 15.2 | 16.8 | 19.7 |
| | 3 No | 5178 | 64.9 | 71.7 | 91.5 |
| | 9 Do not know | 617 | 7.7 | 8.5 | 100.0 |
| | Total | 7221 | 90.5 | 100.0 | |
| Missing | -1 No response | 762 | 9.5 | | |
| Total | | 7983 | 100.0 | | |

p3028 C3i: Husband/partner has had bronchitis, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 181 | 2.3 | 2.5 | 2.5 |
| | 2 Yes, did not see doctor | 84 | 1.1 | 1.2 | 3.7 |
| | 3 No | 6231 | 78.1 | 86.3 | 90.0 |
| | 9 Do not know | 722 | 9.0 | 10.0 | 100.0 |
| | Total | 7218 | 90.4 | 100.0 | |
| Missing | -1 No response | 765 | 9.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3029 C3j: Husband/partner has had high blood pressure (hypertension), in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 450 | 5.6 | 6.2 | 6.2 |
| | 2 Yes, did not see doctor | 79 | 1.0 | 1.1 | 7.3 |
| | 3 No | 5780 | 72.4 | 79.9 | 87.2 |
| | 9 Do not know | 925 | 11.6 | 12.8 | 100.0 |
| | Total | 7234 | 90.6 | 100.0 | |
| Missing | -1 No response | 749 | 9.4 | | |
| Total | | 7983 | 100.0 | | |

p3030 C3k: Husband/partner has had diabetes, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 73 | .9 | 1.0 | 1.0 |
| | 2 Yes, did not see doctor | 7 | .1 | .1 | 1.1 |
| | 3 No | 6431 | 80.6 | 88.9 | 90.0 |
| | 9 Do not know | 724 | 9.1 | 10.0 | 100.0 |
| | Total | 7235 | 90.6 | 100.0 | |
| Missing | -1 No response | 748 | 9.4 | | |
| Total | | 7983 | 100.0 | | |

p3031 C3l: Husband/partner has had schizophrenia, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 1 | .0 | .0 | .0 |
| | 2 Yes, did not see doctor | 3 | .0 | .0 | .1 |
| | 3 No | 6496 | 81.4 | 89.8 | 89.9 |
| | 9 Do not know | 731 | 9.2 | 10.1 | 100.0 |
| | Total | 7231 | 90.6 | 100.0 | |
| Missing | -1 No response | 752 | 9.4 | | |
| Total | | 7983 | 100.0 | | |

p3032 C3m: Husband/partner has had drink (alcohol) problem, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 43 | .5 | .6 | .6 |
| | 2 Yes, did not see doctor | 147 | 1.8 | 2.0 | 2.6 |
| | 3 No | 6315 | 79.1 | 87.4 | 90.0 |
| | 9 Do not know | 720 | 9.0 | 10.0 | 100.0 |
| | Total | 7225 | 90.5 | 100.0 | |
| Missing | -1 No response | 758 | 9.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3033 C3n: Husband/partner has had stomach ulcer, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 99 | 1.2 | 1.4 | 1.4 |
| | 2 Yes, did not see doctor | 33 | .4 | .5 | 1.8 |
| | 3 No | 6358 | 79.6 | 88.0 | 89.8 |
| | 9 Do not know | 736 | 9.2 | 10.2 | 100.0 |
| | Total | 7226 | 90.5 | 100.0 | |
| Missing | -1 No response | 757 | 9.5 | | |
| Total | | 7983 | 100.0 | | |

p3034 C3o: Husband/partner has had asthma or wheezing, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 423 | 5.3 | 5.8 | 5.8 |
| | 2 Yes, did not see doctor | 382 | 4.8 | 5.3 | 11.1 |
| | 3 No | 5778 | 72.4 | 79.9 | 91.0 |
| | 9 Do not know | 650 | 8.1 | 9.0 | 100.0 |
| | Total | 7233 | 90.6 | 100.0 | |
| Missing | -1 No response | 750 | 9.4 | | |
| Total | | 7983 | 100.0 | | |

p3035 C3p: Husband/partner has had eczema, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 175 | 2.2 | 2.4 | 2.4 |
| | 2 Yes, did not see doctor | 315 | 3.9 | 4.4 | 6.8 |
| | 3 No | 6044 | 75.7 | 83.6 | 90.4 |
| | 9 Do not know | 692 | 8.7 | 9.6 | 100.0 |
| | Total | 7226 | 90.5 | 100.0 | |
| Missing | -1 No response | 757 | 9.5 | | |
| Total | | 7983 | 100.0 | | |

p3036 C3q: Husband/partner has had psoriasis, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 127 | 1.6 | 1.8 | 1.8 |
| | 2 Yes, did not see doctor | 140 | 1.8 | 1.9 | 3.7 |
| | 3 No | 6247 | 78.3 | 86.4 | 90.1 |
| | 9 Do not know | 719 | 9.0 | 9.9 | 100.0 |
| | Total | 7233 | 90.6 | 100.0 | |
| Missing | -1 No response | 750 | 9.4 | | |
| Total | | 7983 | 100.0 | | |

p3037 C3r: Husband/partner has had arthritis, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 161 | 2.0 | 2.2 | 2.2 |
| | 2 Yes, did not see doctor | 130 | 1.6 | 1.8 | 4.0 |
| | 3 No | 6210 | 77.8 | 85.9 | 89.9 |
| | 9 Do not know | 732 | 9.2 | 10.1 | 100.0 |
| | Total | 7233 | 90.6 | 100.0 | |
| Missing | -1 No response | 750 | 9.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3038 C3s: Husband/partner has had urinary infection, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 127 | 1.6 | 1.8 | 1.8 |
| | 2 Yes, did not see doctor | 28 | .4 | .4 | 2.1 |
| | 3 No | 6325 | 79.2 | 87.5 | 89.6 |
| | 9 Do not know | 750 | 9.4 | 10.4 | 100.0 |
| | Total | 7230 | 90.6 | 100.0 | |
| Missing | -1 No response | 753 | 9.4 | | |
| Total | | 7983 | 100.0 | | |

p3039 C3t: Husband/partner has had rheumatism, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 58 | .7 | .8 | .8 |
| | 2 Yes, did not see doctor | 84 | 1.1 | 1.2 | 2.0 |
| | 3 No | 6327 | 79.3 | 87.8 | 89.8 |
| | 9 Do not know | 737 | 9.2 | 10.2 | 100.0 |
| | Total | 7206 | 90.3 | 100.0 | |
| Missing | -1 No response | 777 | 9.7 | | |
| Total | | 7983 | 100.0 | | |

p3040 C3u: Husband/partner has had back pain, sciatica or slipped disc, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, saw doctor | 1007 | 12.6 | 13.9 | 13.9 |
| | 2 Yes, did not see doctor | 1807 | 22.6 | 25.0 | 38.9 |
| | 3 No | 3897 | 48.8 | 53.9 | 92.9 |
| | 9 Do not know | 514 | 6.4 | 7.1 | 100.0 |
| | Total | 7225 | 90.5 | 100.0 | |
| Missing | -1 No response | 758 | 9.5 | | |
| Total | | 7983 | 100.0 | | |

p3041 C3v: Husband/partner has had syphilis, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 2 Yes, did not see doctor | 8 | .1 | .1 | .1 |
| | 3 No | 6709 | 84.0 | 92.8 | 92.9 |
| | 9 Do not know | 513 | 6.4 | 7.1 | 100.0 |
| | Total | 7230 | 90.6 | 100.0 | |
| Missing | -1 No response | 753 | 9.4 | | |
| Total | | 7983 | 100.0 | | |

p3042 C3w: Husband/partner has had gonorrhoea, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|---------------|--------------------|
| Valid | 2 Yes, did not see doctor | 10 | .1 | .1 | .1 |
| | 3 No | 6702 | 84.0 | 92.7 | 92.9 |
| | 9 Do not know | 515 | 6.5 | 7.1 | 100.0 |
| | Total | 7227 | 90.5 | 100.0 | |
| Missing | -1 No response | 756 | 9.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3043 C3x: Husband/partner has had other conditions, in last 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked | 79 | 1.0 | 1.3 | 1.3 |
| | 1 Yes, saw doctor | 669 | 8.4 | 11.3 | 12.7 |
| | 2 Yes, did not see doctor | 98 | 1.2 | 1.7 | 14.3 |
| | 3 No | 4586 | 57.4 | 77.6 | 92.0 |
| | 9 Do not know | 474 | 5.9 | 8.0 | 100.0 |
| | Total | 5906 | 74.0 | 100.0 | |
| Missing | -1 No response | 2077 | 26.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3050 C4a: Mother feels father/partner really loves this study child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always feel | 6231 | 78.1 | 86.5 | 86.5 |
| | 2 Yes, sometimes feel | 876 | 11.0 | 12.2 | 98.7 |
| | 3 No, never feel | 96 | 1.2 | 1.3 | 100.0 |
| | Total | 7203 | 90.2 | 100.0 | |
| Missing | -1 No response | 780 | 9.8 | | |
| Total | | 7983 | 100.0 | | |

p3051 C4b: Mother feels father/partner is glad that mother had study child when she did

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always feel | 5906 | 74.0 | 84.7 | 84.7 |
| | 2 Yes, sometimes feel | 841 | 10.5 | 12.1 | 96.8 |
| | 3 No, never feel | 222 | 2.8 | 3.2 | 100.0 |
| | Total | 6969 | 87.3 | 100.0 | |
| Missing | -1 No response | 1014 | 12.7 | | |
| Total | | 7983 | 100.0 | | |

p3052 C4c: Mother likes to watch father/partner play with the study child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always feel | 6304 | 79.0 | 88.0 | 88.0 |
| | 2 Yes, sometimes feel | 773 | 9.7 | 10.8 | 98.8 |
| | 3 No, never feel | 89 | 1.1 | 1.2 | 100.0 |
| | Total | 7166 | 89.8 | 100.0 | |
| Missing | -1 No response | 817 | 10.2 | | |
| Total | | 7983 | 100.0 | | |

p3053 C4d: Mother is afraid to leave study child alone with father/partner, thinks he/she might be violent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always feel | 71 | .9 | 1.0 | 1.0 |
| | 2 Yes, sometimes feel | 58 | .7 | .8 | 1.8 |
| | 3 No, never feel | 7070 | 88.6 | 98.2 | 100.0 |
| | Total | 7199 | 90.2 | 100.0 | |
| Missing | -1 No response | 784 | 9.8 | | |
| Total | | 7983 | 100.0 | | |

p3054 C4e: Mother feels father/partner seems to feel very close to the study child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always feel | 5117 | 64.1 | 71.3 | 71.3 |
| | 2 Yes, sometimes feel | 1816 | 22.7 | 25.3 | 96.6 |
| | 3 No, never feel | 246 | 3.1 | 3.4 | 100.0 |
| | Total | 7179 | 89.9 | 100.0 | |
| Missing | -1 No response | 804 | 10.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3055 C4f: Mother feels the study child gets on the father/partner's nerves

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always feel | 156 | 2.0 | 2.2 | 2.2 |
| | 2 Yes, sometimes feel | 3024 | 37.9 | 42.1 | 44.3 |
| | 3 No, never feel | 3996 | 50.1 | 55.7 | 100.0 |
| | Total | 7176 | 89.9 | 100.0 | |
| Missing | -1 No response | 807 | 10.1 | | |
| Total | | 7983 | 100.0 | | |

p3056 C4g: Mother feels father/partner really cannot bear it when the study child cries

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always feel | 340 | 4.3 | 4.8 | 4.8 |
| | 2 Yes, sometimes feel | 1322 | 16.6 | 18.6 | 23.4 |
| | 3 No, never feel | 5442 | 68.2 | 76.6 | 100.0 |
| | Total | 7104 | 89.0 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 878 | 11.0 | | |
| | Total | 879 | 11.0 | | |
| Total | | 7983 | 100.0 | | |

p3057 C4h: Mother thinks the father/partner is interested as he/she watches the study child develop

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always feel | 5749 | 72.0 | 80.2 | 80.2 |
| | 2 Yes, sometimes feel | 1268 | 15.9 | 17.7 | 97.9 |
| | 3 No, never feel | 152 | 1.9 | 2.1 | 100.0 |
| | Total | 7169 | 89.8 | 100.0 | |
| Missing | -1 No response | 814 | 10.2 | | |
| Total | | 7983 | 100.0 | | |

p3058 C4i: Mother feels father/partner feels anxious when someone other than mother/father/partner looks after the study child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always feel | 241 | 3.0 | 3.4 | 3.4 |
| | 2 Yes, sometimes feel | 1603 | 20.1 | 22.4 | 25.8 |
| | 3 No, never feel | 5297 | 66.4 | 74.2 | 100.0 |
| | Total | 7141 | 89.5 | 100.0 | |
| Missing | -1 No response | 842 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3059 C4j: Mother feels father/partner doesn't mind the mess that surrounds children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always feel | 2548 | 31.9 | 35.7 | 35.7 |
| | 2 Yes, sometimes feel | 3583 | 44.9 | 50.1 | 85.8 |
| | 3 No, never feel | 1015 | 12.7 | 14.2 | 100.0 |
| | Total | 7146 | 89.5 | 100.0 | |
| Missing | -1 No response | 837 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

p3060 C4k: Mother feels the study child makes the father/partner very happy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, always feel | 5443 | 68.2 | 76.1 | 76.1 |
| | 2 Yes, sometimes feel | 1549 | 19.4 | 21.7 | 97.8 |
| | 3 No, never feel | 157 | 2.0 | 2.2 | 100.0 |
| | Total | 7149 | 89.6 | 100.0 | |
| Missing | -1 No response | 834 | 10.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3070 C5a1: Number of cigarettes per day mother's husband/partner currently smokes on weekdays

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 5484 | 68.7 | 79.0 | 79.0 |
| | 1 | 27 | .3 | .4 | 79.4 |
| | 2 | 45 | .6 | .6 | 80.1 |
| | 3 | 50 | .6 | .7 | 80.8 |
| | 4 | 29 | .4 | .4 | 81.2 |
| | 5 | 99 | 1.2 | 1.4 | 82.6 |
| | 6 | 42 | .5 | .6 | 83.3 |
| | 7 | 9 | .1 | .1 | 83.4 |
| | 8 | 23 | .3 | .3 | 83.7 |
| | 9 | 3 | .0 | .0 | 83.8 |
| | 10 | 302 | 3.8 | 4.4 | 88.1 |
| | 12 | 18 | .2 | .3 | 88.4 |
| | 13 | 1 | .0 | .0 | 88.4 |
| | 14 | 2 | .0 | .0 | 88.4 |
| | 15 | 186 | 2.3 | 2.7 | 91.1 |
| | 16 | 4 | .1 | .1 | 91.2 |
| | 17 | 2 | .0 | .0 | 91.2 |
| | 18 | 1 | .0 | .0 | 91.2 |
| | 20 | 445 | 5.6 | 6.4 | 97.6 |
| | 22 | 1 | .0 | .0 | 97.6 |
| | 25 | 35 | .4 | .5 | 98.1 |
| | 30 | 85 | 1.1 | 1.2 | 99.4 |
| | 35 | 1 | .0 | .0 | 99.4 |
| | 40 | 32 | .4 | .5 | 99.8 |
| | 50 | 3 | .0 | .0 | 99.9 |
| | 60 | 6 | .1 | .1 | 100.0 |
| | 80 | 1 | .0 | .0 | 100.0 |
| | 98 > 98 | 2 | .0 | .0 | 100.0 |
| | Total | 6938 | 86.9 | 100.0 | |
| Missing | -9 Don't know | 26 | .3 | | |
| | -1 No response | 1019 | 12.8 | | |
| | Total | 1045 | 13.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3071 C5a2: Number of cigarettes per day mother's husband/partner currently smokes on weekend days

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 5385 | 67.5 | 78.6 | 78.6 |
| | 1 | 24 | .3 | .4 | 79.0 |
| | 2 | 37 | .5 | .5 | 79.5 |
| | 3 | 43 | .5 | .6 | 80.2 |
| | 4 | 27 | .3 | .4 | 80.6 |
| | 5 | 110 | 1.4 | 1.6 | 82.2 |
| | 6 | 40 | .5 | .6 | 82.8 |
| | 7 | 13 | .2 | .2 | 82.9 |
| | 8 | 19 | .2 | .3 | 83.2 |
| | 9 | 1 | .0 | .0 | 83.2 |
| | 10 | 269 | 3.4 | 3.9 | 87.2 |
| | 11 | 1 | .0 | .0 | 87.2 |
| | 12 | 20 | .3 | .3 | 87.5 |
| | 13 | 1 | .0 | .0 | 87.5 |
| | 14 | 4 | .1 | .1 | 87.5 |
| | 15 | 200 | 2.5 | 2.9 | 90.5 |
| | 16 | 2 | .0 | .0 | 90.5 |
| | 17 | 2 | .0 | .0 | 90.5 |
| | 18 | 4 | .1 | .1 | 90.6 |
| | 20 | 442 | 5.5 | 6.5 | 97.0 |
| | 22 | 1 | .0 | .0 | 97.0 |
| | 24 | 1 | .0 | .0 | 97.1 |
| | 25 | 47 | .6 | .7 | 97.8 |
| | 26 | 2 | .0 | .0 | 97.8 |
| | 30 | 95 | 1.2 | 1.4 | 99.2 |
| | 35 | 2 | .0 | .0 | 99.2 |
| | 40 | 43 | .5 | .6 | 99.8 |
| | 45 | 1 | .0 | .0 | 99.8 |
| | 50 | 2 | .0 | .0 | 99.9 |
| | 60 | 7 | .1 | .1 | 100.0 |
| | 80 | 1 | .0 | .0 | 100.0 |
| | 98 > 98 | 1 | .0 | .0 | 100.0 |
| | Total | 6847 | 85.8 | 100.0 | |
| Missing | -9 Don't know | 24 | .3 | | |
| | -1 No response | 1112 | 13.9 | | |
| | Total | 1136 | 14.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3072 C5b1: Husband/partner smokes a pipe

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, every day | 11 | .1 | .2 | .2 |
| | 2 Yes, sometimes | 25 | .3 | .4 | .6 |
| | 3 No, never | 5715 | 71.6 | 99.4 | 100.0 |
| | Total | 5751 | 72.0 | 100.0 | |
| Missing | -1 No response | 2232 | 28.0 | | |
| Total | | 7983 | 100.0 | | |

p3073 C5b2: Husband/partner smokes a cigar or cigarillo

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, every day | 351 | 4.4 | 5.8 | 5.8 |
| | 2 Yes, sometimes | 434 | 5.4 | 7.2 | 13.0 |
| | 3 No, never | 5247 | 65.7 | 87.0 | 100.0 |
| | Total | 6032 | 75.6 | 100.0 | |
| Missing | -1 No response | 1951 | 24.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3080 C6a: Husband/partner is currently employed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 6787 | 85.0 | 93.8 | 93.8 |
| | 2 No | 448 | 5.6 | 6.2 | 100.0 |
| | Total | 7235 | 90.6 | 100.0 | |
| Missing | -1 No response | 748 | 9.4 | | |
| Total | | 7983 | 100.0 | | |

p3083 C6c: Husband/partner has had same job since the study child was 7 years old

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 5470 | 68.5 | 81.3 | 81.3 |
| | 2 No | 1261 | 15.8 | 18.7 | 100.0 |
| | Total | 6731 | 84.3 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 1251 | 15.7 | | |
| | Total | 1252 | 15.7 | | |
| Total | | 7983 | 100.0 | | |

p3084 C6d: Husband/partner works nights

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Evening/twilight shift | 16 | .2 | .2 | .2 |
| | 1 Yes, always | 218 | 2.7 | 3.2 | 3.4 |
| | 2 Yes, sometimes | 1355 | 17.0 | 19.9 | 23.4 |
| | 3 No, never | 5209 | 65.3 | 76.6 | 100.0 |
| | Total | 6798 | 85.2 | 100.0 | |
| Missing | -1 No response | 1185 | 14.8 | | |
| Total | | 7983 | 100.0 | | |


p3085 C6e: Husband/partner leaves home for several days as part of his work

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, often | 502 | 6.3 | 7.4 | 7.4 |
| | 2 Yes, occasionally | 2066 | 25.9 | 30.5 | 37.9 |
| | 3 No, never | 4199 | 52.6 | 62.1 | 100.0 |
| | Total | 6767 | 84.8 | 100.0 | |
| Missing | -1 No response | 1216 | 15.2 | | |
| Total | | 7983 | 100.0 | | |

p3086 C6f: Husband/partner works shifts

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, often | 846 | 10.6 | 12.5 | 12.5 |
| | 2 Yes, occasionally | 451 | 5.6 | 6.7 | 19.2 |
| | 3 No, never | 5469 | 68.5 | 80.8 | 100.0 |
| | Total | 6766 | 84.8 | 100.0 | |
| Missing | -1 No response | 1217 | 15.2 | | |
| Total | | 7983 | 100.0 | | |

p3087 C6g1: Number of regular hours a week husband/partner normally works




plus the following missing values, special codes and outliers <5 or >85:

p3087 C6g1: Number of regular hours a week husband/partner normally works

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 3 | 1 | .0 | 5.6 | 5.6 |
| | 4 | 2 | .1 | 11.1 | 16.7 |
| | 86 | 1 | .0 | 5.6 | 22.2 |
| | 90 | 3 | .1 | 16.7 | 38.9 |
| | 95 | 1 | .0 | 5.6 | 44.4 |
| | 96 | 1 | .0 | 5.6 | 50.0 |
| | 98 > 98 | 9 | .3 | 50.0 | 100.0 |
| | Total | 18 | .5 | 100.0 | |
| Missing | -9 Don't know | 701 | 20.0 | | |
| | -1 No response | 2789 | 79.5 | | |
| | Total | 3490 | 99.5 | | |
| Total | | 3508 | 100.0 | | |

p3088 C6g2: Minimum hours a week husband/partner normally works




plus the following missing values and outliers >70:

p3088 C6g2: Minimum hours a week husband/partner normally works

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 72 | 5 | .1 | 21.7 | 21.7 |
| | 80 | 9 | .2 | 39.1 | 60.9 |
| | 84 | 4 | .1 | 17.4 | 78.3 |
| | 85 | 1 | .0 | 4.3 | 82.6 |
| | 90 | 1 | .0 | 4.3 | 87.0 |
| | 95 | 1 | .0 | 4.3 | 91.3 |
| | 97 | 2 | .0 | 8.7 | 100.0 |
| | Total | 23 | .4 | 100.0 | |
| Missing | -9 Don't know | 38 | .7 | | |
| | -1 No response | 5618 | 98.9 | | |
| | Total | 5656 | 99.6 | | |
| Total | | 5679 | 100.0 | | |

p3089 C6g2: Maximum hours a week husband/partner normally works



plus the following missing values, special codes and outliers <10 or >90:

p3089 C6g2: Maximum hours a week husband/partner normally works

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 0 | 3 | .1 | 5.8 | 5.8 |
| | 5 | 1 | .0 | 1.9 | 7.7 |
| | 8 | 3 | .1 | 5.8 | 13.5 |
| | 9 | 3 | .1 | 5.8 | 19.2 |
| | 92 | 1 | .0 | 1.9 | 21.2 |
| | 94 | 1 | .0 | 1.9 | 23.1 |
| | 95 | 4 | .1 | 7.7 | 30.8 |
| | 96 | 2 | .0 | 3.8 | 34.6 |
| | 97 | 2 | .0 | 3.8 | 38.5 |
| | 98 > 98 | 32 | .5 | 61.5 | 100.0 |
| | Total | 52 | .9 | 100.0 | |
| Missing | -9 Don't know | 81 | 1.4 | | |
| | -1 No response | 5754 | 97.7 | | |
| | Total | 5835 | 99.1 | | |
| Total | | 5887 | 100.0 | | |

P File – Section C

p3090 C6h: Pattern of hours husband/partner usually works each week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|---------------|--------------------|
| Valid | 1 Basic hours | 1462 | 18.3 | 22.0 | 22.0 |
| | 2 Basic hours + overtime | 1579 | 19.8 | 23.8 | 45.8 |
| | 3 > Basic hours (not paid extra) | 2094 | 26.2 | 31.5 | 77.3 |
| | 4 Self-employed - as long as necessary | 1507 | 18.9 | 22.7 | 100.0 |
| | Total | 6642 | 83.2 | 100.0 | |
| Missing | -1 No response | 1341 | 16.8 | | |
| Total | | 7983 | 100.0 | | |

p3091 C6i: Husband/partner gets home after work before the study child is in bed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, usually | 3360 | 42.1 | 50.7 | 50.7 |
| | 2 Yes, sometimes | 1786 | 22.4 | 26.9 | 77.6 |
| | 3 No, never | 1485 | 18.6 | 22.4 | 100.0 |
| | Total | 6631 | 83.1 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 1350 | 16.9 | | |
| | Total | 1352 | 16.9 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3100 C7a: Mother feels husband/partner is helpful, co-operative

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost always | 4608 | 57.7 | 64.2 | 64.2 |
| | 2 Sometimes | 2427 | 30.4 | 33.8 | 97.9 |
| | 3 Hardly ever | 148 | 1.9 | 2.1 | 100.0 |
| | Total | 7183 | 90.0 | 100.0 | |
| Missing | -1 No response | 800 | 10.0 | | |
| Total | | 7983 | 100.0 | | |

p3101 C7b: Mother feels husband/partner is quiet, reserved

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost always | 839 | 10.5 | 11.7 | 11.7 |
| | 2 Sometimes | 3667 | 45.9 | 51.2 | 62.9 |
| | 3 Hardly ever | 2656 | 33.3 | 37.1 | 100.0 |
| | Total | 7162 | 89.7 | 100.0 | |
| Missing | -1 No response | 821 | 10.3 | | |
| Total | | 7983 | 100.0 | | |

p3102 C7c: Mother feels husband/partner is unreliable

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost always | 246 | 3.1 | 3.4 | 3.4 |
| | 2 Sometimes | 1653 | 20.7 | 23.1 | 26.6 |
| | 3 Hardly ever | 5249 | 65.8 | 73.4 | 100.0 |
| | Total | 7148 | 89.5 | 100.0 | |
| Missing | -1 No response | 835 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

p3103 C7d: Mother feels husband/partner is sociable, outgoing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost always | 3388 | 42.4 | 47.3 | 47.3 |
| | 2 Sometimes | 3251 | 40.7 | 45.3 | 92.6 |
| | 3 Hardly ever | 531 | 6.7 | 7.4 | 100.0 |
| | Total | 7170 | 89.8 | 100.0 | |
| Missing | -1 No response | 813 | 10.2 | | |
| Total | | 7983 | 100.0 | | |

p3104 C7e: Mother feels husband/partner is dominating

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost always | 389 | 4.9 | 5.4 | 5.4 |
| | 2 Sometimes | 2475 | 31.0 | 34.7 | 40.1 |
| | 3 Hardly ever | 4276 | 53.6 | 59.9 | 100.0 |
| | Total | 7140 | 89.4 | 100.0 | |
| Missing | -1 No response | 843 | 10.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3105 C7f: Mother feels husband/partner is understanding

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost always | 3856 | 48.3 | 53.8 | 53.8 |
| | 2 Sometimes | 3055 | 38.3 | 42.6 | 96.3 |
| | 3 Hardly ever | 262 | 3.3 | 3.7 | 100.0 |
| | Total | 7173 | 89.9 | 100.0 | |
| Missing | -1 No response | 810 | 10.1 | | |
| Total | | 7983 | 100.0 | | |

p3106 C7g: Mother feels husband/partner is quick-tempered, easily upset

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost always | 488 | 6.1 | 6.8 | 6.8 |
| | 2 Sometimes | 3003 | 37.6 | 41.9 | 48.7 |
| | 3 Hardly ever | 3676 | 46.0 | 51.3 | 100.0 |
| | Total | 7167 | 89.8 | 100.0 | |
| Missing | -1 No response | 816 | 10.2 | | |
| Total | | 7983 | 100.0 | | |

p3107 C7h: Mother feels husband/partner is cheerful, easygoing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Almost always | 3870 | 48.5 | 53.9 | 53.9 |
| | 2 Sometimes | 2944 | 36.9 | 41.0 | 94.9 |
| | 3 Hardly ever | 364 | 4.6 | 5.1 | 100.0 |
| | Total | 7178 | 89.9 | 100.0 | |
| Missing | -1 No response | 805 | 10.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3110 C8a: Person who carries out shopping for groceries

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 0 Always mother and partner | 95 | 1.2 | 1.3 | 1.3 |
| | 1 Always mother | 2834 | 35.5 | 39.4 | 40.8 |
| | 2 Mostly mother | 2218 | 27.8 | 30.9 | 71.6 |
| | 3 Sometimes mother, sometimes partner | 1545 | 19.4 | 21.5 | 93.2 |
| | 4 Mostly partner | 382 | 4.8 | 5.3 | 98.5 |
| | 5 Always partner | 103 | 1.3 | 1.4 | 99.9 |
| | 6 Someone else | 6 | .1 | .1 | 100.0 |
| | 7 Someone else plus mother and/or partner | 1 | .0 | .0 | 100.0 |
| | Total | 7184 | 90.0 | 100.0 | |
| Missing | -1 No response | 799 | 10.0 | | |
| Total | | 7983 | 100.0 | | |

p3111 C8b: Person who carries out cooking

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Always mother and partner | 4 | .1 | .1 | .1 |
| | 1 Always mother | 2425 | 30.4 | 33.7 | 33.8 |
| | 2 Mostly mother | 2741 | 34.3 | 38.1 | 71.9 |
| | 3 Sometimes mother, sometimes partner | 1624 | 20.3 | 22.6 | 94.5 |
| | 4 Mostly partner | 340 | 4.3 | 4.7 | 99.2 |
| | 5 Always partner | 46 | .6 | .6 | 99.8 |
| | 6 Someone else | 12 | .2 | .2 | 100.0 |
| | Total | 7192 | 90.1 | 100.0 | |
| Missing | -1 No response | 791 | 9.9 | | |
| Total | | 7983 | 100.0 | | |

p3112 C8c: Person who carries out cleaning

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 0 Always mother and partner | 7 | .1 | .1 | .1 |
| | 1 Always mother | 2856 | 35.8 | 40.1 | 40.2 |
| | 2 Mostly mother | 2694 | 33.7 | 37.8 | 78.0 |
| | 3 Sometimes mother, sometimes partner | 1137 | 14.2 | 16.0 | 94.0 |
| | 4 Mostly partner | 109 | 1.4 | 1.5 | 95.5 |
| | 5 Always partner | 20 | .3 | .3 | 95.8 |
| | 6 Someone else | 287 | 3.6 | 4.0 | 99.8 |
| | 7 Someone else plus mother and/or partner | 11 | .1 | .2 | 100.0 |
| | Total | 7121 | 89.2 | 100.0 | |
| Missing | -1 No response | 862 | 10.8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3113 C8d: Person who carries out repairs in home

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 0 Always mother and partner | 1 | .0 | .0 | .0 |
| | 1 Always mother | 216 | 2.7 | 3.0 | 3.0 |
| | 2 Mostly mother | 371 | 4.6 | 5.2 | 8.2 |
| | 3 Sometimes mother, sometimes partner | 1467 | 18.4 | 20.5 | 28.8 |
| | 4 Mostly partner | 3449 | 43.2 | 48.3 | 77.1 |
| | 5 Always partner | 1349 | 16.9 | 18.9 | 96.0 |
| | 6 Someone else | 284 | 3.6 | 4.0 | 99.9 |
| | 7 Someone else plus mother and/or partner | 4 | .1 | .1 | 100.0 |
| | Total | 7141 | 89.5 | 100.0 | |
| Missing | -1 No response | 842 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

p3114 C8e: Person who carries out looking after children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 0 Always mother and partner | 14 | .2 | .2 | .2 |
| | 1 Always mother | 841 | 10.5 | 11.7 | 11.9 |
| | 2 Mostly mother | 3262 | 40.9 | 45.5 | 57.4 |
| | 3 Sometimes mother, sometimes partner | 2926 | 36.7 | 40.8 | 98.2 |
| | 4 Mostly partner | 102 | 1.3 | 1.4 | 99.6 |
| | 5 Always partner | 11 | .1 | .2 | 99.8 |
| | 6 Someone else | 13 | .2 | .2 | 100.0 |
| | 7 Someone else plus mother and/or partner | 2 | .0 | .0 | 100.0 |
| | Total | 7171 | 89.8 | 100.0 | |
| Missing | -1 No response | 812 | 10.2 | | |
| Total | | 7983 | 100.0 | | |

p3115 C8f: Person who carries out washing clothes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 0 Always mother and partner | 3 | .0 | .0 | .0 |
| | 1 Always mother | 4481 | 56.1 | 62.2 | 62.3 |
| | 2 Mostly mother | 1896 | 23.8 | 26.3 | 88.6 |
| | 3 Sometimes mother, sometimes partner | 669 | 8.4 | 9.3 | 97.9 |
| | 4 Mostly partner | 98 | 1.2 | 1.4 | 99.2 |
| | 5 Always partner | 26 | .3 | .4 | 99.6 |
| | 6 Someone else | 28 | .4 | .4 | 100.0 |
| | 7 Someone else plus mother and/or partner | 2 | .0 | .0 | 100.0 |
| | Total | 7203 | 90.2 | 100.0 | |
| Missing | -1 No response | 780 | 9.8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3116 C8g: Person who carries out ironing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 0 Always mother and partner | 2 | .0 | .0 | .0 |
| | 1 Always mother | 4211 | 52.7 | 59.6 | 59.6 |
| | 2 Mostly mother | 1405 | 17.6 | 19.9 | 79.5 |
| | 3 Sometimes mother, sometimes partner | 831 | 10.4 | 11.8 | 91.2 |
| | 4 Mostly partner | 237 | 3.0 | 3.4 | 94.6 |
| | 5 Always partner | 77 | 1.0 | 1.1 | 95.7 |
| | 6 Someone else | 292 | 3.7 | 4.1 | 99.8 |
| | 7 Someone else plus mother and/or partner | 14 | .2 | .2 | 100.0 |
| | Total | 7069 | 88.6 | 100.0 | |
| Missing | -1 No response | 914 | 11.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3120 C9a: Person who decides how to spend free time

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Always mother and partner | 16 | .2 | .2 | .2 |
| | 1 Always mother | 187 | 2.3 | 2.6 | 2.8 |
| | 2 Mostly mother | 973 | 12.2 | 13.6 | 16.4 |
| | 3 Sometimes mother, sometimes partner | 5780 | 72.4 | 80.5 | 96.9 |
| | 4 Mostly partner | 205 | 2.6 | 2.9 | 99.8 |
| | 5 Always partner | 15 | .2 | .2 | 100.0 |
| | Total | 7176 | 89.9 | 100.0 | |
| Missing | -1 No response | 807 | 10.1 | | |
| Total | | 7983 | 100.0 | | |

p3121 C9b: Person who decides how much to see family or friends

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Always mother and partner | 15 | .2 | .2 | .2 |
| | 1 Always mother | 243 | 3.0 | 3.4 | 3.6 |
| | 2 Mostly mother | 1514 | 19.0 | 21.1 | 24.7 |
| | 3 Sometimes mother, sometimes partner | 5216 | 65.3 | 72.8 | 97.6 |
| | 4 Mostly partner | 156 | 2.0 | 2.2 | 99.8 |
| | 5 Always partner | 17 | .2 | .2 | 100.0 |
| | Total | 7161 | 89.7 | 100.0 | |
| Missing | -1 No response | 822 | 10.3 | | |
| Total | | 7983 | 100.0 | | |

p3122 C9c: Person who decides when to do repairs or redecorate

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Always mother and partner | 8 | .1 | .1 | .1 |
| | 1 Always mother | 473 | 5.9 | 6.6 | 6.7 |
| | 2 Mostly mother | 1710 | 21.4 | 23.9 | 30.6 |
| | 3 Sometimes mother, sometimes partner | 3948 | 49.5 | 55.1 | 85.6 |
| | 4 Mostly partner | 905 | 11.3 | 12.6 | 98.3 |
| | 5 Always partner | 125 | 1.6 | 1.7 | 100.0 |
| | Total | 7169 | 89.8 | 100.0 | |
| Missing | -1 No response | 814 | 10.2 | | |
| Total | | 7983 | 100.0 | | |

p3123 C9d: Person who decides how we should spend money

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Always mother and partner | 20 | .3 | .3 | .3 |
| | 1 Always mother | 191 | 2.4 | 2.7 | 3.0 |
| | 2 Mostly mother | 854 | 10.7 | 12.0 | 15.0 |
| | 3 Sometimes mother, sometimes partner | 5500 | 68.9 | 77.2 | 92.2 |
| | 4 Mostly partner | 507 | 6.4 | 7.1 | 99.3 |
| | 5 Always partner | 49 | .6 | .7 | 100.0 |
| | Total | 7121 | 89.2 | 100.0 | |
| Missing | -1 No response | 862 | 10.8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3130 C10a: Level of relationship satisfaction about handling family finances

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very satisfied | 3328 | 41.7 | 47.0 | 47.0 |
| | 2 Moderately satisfied | 2951 | 37.0 | 41.7 | 88.7 |
| | 3 Somewhat dissatisfied | 630 | 7.9 | 8.9 | 97.6 |
| | 4 Very dissatisfied | 171 | 2.1 | 2.4 | 100.0 |
| | Total | 7080 | 88.7 | 100.0 | |
| Missing | -1 No response | 903 | 11.3 | | |
| Total | | 7983 | 100.0 | | |

p3131 C10b: Level of relationship satisfaction about demonstrations of affection

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very satisfied | 2993 | 37.5 | 42.2 | 42.2 |
| | 2 Moderately satisfied | 2906 | 36.4 | 41.0 | 83.2 |
| | 3 Somewhat dissatisfied | 912 | 11.4 | 12.9 | 96.0 |
| | 4 Very dissatisfied | 281 | 3.5 | 4.0 | 100.0 |
| | Total | 7092 | 88.8 | 100.0 | |
| Missing | -1 No response | 891 | 11.2 | | |
| Total | | 7983 | 100.0 | | |

p3132 C10c: Level of relationship satisfaction about sex

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very satisfied | 2844 | 35.6 | 40.5 | 40.5 |
| | 2 Moderately satisfied | 2931 | 36.7 | 41.8 | 82.3 |
| | 3 Somewhat dissatisfied | 898 | 11.2 | 12.8 | 95.1 |
| | 4 Very dissatisfied | 347 | 4.3 | 4.9 | 100.0 |
| | Total | 7020 | 87.9 | 100.0 | |
| Missing | -1 No response | 963 | 12.1 | | |
| Total | | 7983 | 100.0 | | |

p3133 C10d: Level of relationship satisfaction about amount of time spent together

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very satisfied | 1965 | 24.6 | 27.6 | 27.6 |
| | 2 Moderately satisfied | 3516 | 44.0 | 49.5 | 77.1 |
| | 3 Somewhat dissatisfied | 1327 | 16.6 | 18.7 | 95.8 |
| | 4 Very dissatisfied | 301 | 3.8 | 4.2 | 100.0 |
| | Total | 7109 | 89.1 | 100.0 | |
| Missing | -1 No response | 874 | 10.9 | | |
| Total | | 7983 | 100.0 | | |

p3134 C10e: Level of relationship satisfaction about making major decisions

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very satisfied | 3514 | 44.0 | 49.7 | 49.7 |
| | 2 Moderately satisfied | 2843 | 35.6 | 40.2 | 89.9 |
| | 3 Somewhat dissatisfied | 559 | 7.0 | 7.9 | 97.8 |
| | 4 Very dissatisfied | 153 | 1.9 | 2.2 | 100.0 |
| | Total | 7069 | 88.6 | 100.0 | |
| Missing | -1 No response | 914 | 11.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3135 C10f: Level of relationship satisfaction about household tasks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very satisfied | 2032 | 25.5 | 28.7 | 28.7 |
| | 2 Moderately satisfied | 3653 | 45.8 | 51.7 | 80.4 |
| | 3 Somewhat dissatisfied | 1127 | 14.1 | 15.9 | 96.3 |
| | 4 Very dissatisfied | 259 | 3.2 | 3.7 | 100.0 |
| | Total | 7071 | 88.6 | 100.0 | |
| Missing | -1 No response | 912 | 11.4 | | |
| Total | | 7983 | 100.0 | | |

p3136 C10g: Level of relationship satisfaction about leisure time interests and activities

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very satisfied | 2170 | 27.2 | 30.6 | 30.6 |
| | 2 Moderately satisfied | 3560 | 44.6 | 50.2 | 80.7 |
| | 3 Somewhat dissatisfied | 1123 | 14.1 | 15.8 | 96.6 |
| | 4 Very dissatisfied | 243 | 3.0 | 3.4 | 100.0 |
| | Total | 7096 | 88.9 | 100.0 | |
| Missing | -1 No response | 887 | 11.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3140 C11a: Frequency that mother has been irritable with husband/partner recently

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Not at all | 557 | 7.0 | 7.8 | 7.8 |
| | 2 < Once a week | 3238 | 40.6 | 45.3 | 53.1 |
| | 3 1-2 times a week | 2348 | 29.4 | 32.9 | 86.0 |
| | 4 3-6 times a week | 758 | 9.5 | 10.6 | 96.6 |
| | 5 Every day | 240 | 3.0 | 3.4 | 100.0 |
| | Total | 7141 | 89.5 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 841 | 10.5 | | |
| | Total | 842 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

p3141 C11b: Frequency that husband/partner has been irritable with mother recently

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Not at all | 925 | 11.6 | 13.0 | 13.0 |
| | 2 < Once a week | 3375 | 42.3 | 47.3 | 60.3 |
| | 3 1-2 times a week | 2033 | 25.5 | 28.5 | 88.8 |
| | 4 3-6 times a week | 614 | 7.7 | 8.6 | 97.5 |
| | 5 Every day | 181 | 2.3 | 2.5 | 100.0 |
| | Total | 7128 | 89.3 | 100.0 | |
| Missing | -1 No response | 855 | 10.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3150 C12a: Number of arguments or disagreements between mother and husband/partner in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 1178 | 14.8 | 16.7 | 16.7 |
| | 2 1-3 | 3537 | 44.3 | 50.1 | 66.7 |
| | 3 4-7 | 1487 | 18.6 | 21.1 | 87.8 |
| | 4 8-13 | 494 | 6.2 | 7.0 | 94.8 |
| | 5 14 + | 368 | 4.6 | 5.2 | 100.0 |
| | Total | 7064 | 88.5 | 100.0 | |
| Missing | -1 No response | 919 | 11.5 | | |
| Total | | 7983 | 100.0 | | |

p3151 C12b: Mother/husband/partner were not speaking for more than half an hour, in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, mother did this | 1077 | 13.5 | 15.1 | 15.1 |
| | 2 Yes, partner did this | 208 | 2.6 | 2.9 | 18.0 |
| | 3 Yes, both did this | 1782 | 22.3 | 25.0 | 42.9 |
| | 4 No | 4075 | 51.0 | 57.1 | 100.0 |
| | Total | 7142 | 89.5 | 100.0 | |
| Missing | -1 No response | 841 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

p3152 C12c: Mother/husband/partner walked out of the house in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, mother did this | 343 | 4.3 | 4.8 | 4.8 |
| | 2 Yes, partner did this | 414 | 5.2 | 5.8 | 10.6 |
| | 3 Yes, both did this | 119 | 1.5 | 1.7 | 12.3 |
| | 4 No | 6265 | 78.5 | 87.7 | 100.0 |
| | Total | 7141 | 89.5 | 100.0 | |
| Missing | -1 No response | 842 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

p3153 C12d: Mother/husband/partner shouted or called one another names in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, mother did this | 413 | 5.2 | 5.8 | 5.8 |
| | 2 Yes, partner did this | 170 | 2.1 | 2.4 | 8.2 |
| | 3 Yes, both did this | 1803 | 22.6 | 25.2 | 33.4 |
| | 4 No | 4759 | 59.6 | 66.6 | 100.0 |
| | Total | 7145 | 89.5 | 100.0 | |
| Missing | -1 No response | 838 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3154 C12e: Mother/husband/partner hit or slapped one another in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, mother did this | 63 | .8 | .9 | .9 |
| | 2 Yes, partner did this | 47 | .6 | .7 | 1.5 |
| | 3 Yes, both did this | 39 | .5 | .5 | 2.1 |
| | 4 No | 6994 | 87.6 | 97.9 | 100.0 |
| | Total | 7143 | 89.5 | 100.0 | |
| Missing | -1 No response | 840 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

p3155 C12f: Mother/husband/partner threw or broke things in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, mother did this | 125 | 1.6 | 1.7 | 1.7 |
| | 2 Yes, partner did this | 115 | 1.4 | 1.6 | 3.4 |
| | 3 Yes, both did this | 33 | .4 | .5 | 3.8 |
| | 4 No | 6875 | 86.1 | 96.2 | 100.0 |
| | Total | 7148 | 89.5 | 100.0 | |
| Missing | -1 No response | 835 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3160 C13a: Frequency mother has gone out for a meal with husband/partner in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1493 | 18.7 | 20.8 | 20.8 |
| | 2 < Once a month | 3525 | 44.2 | 49.1 | 69.8 |
| | 3 < Once a week | 1633 | 20.5 | 22.7 | 92.6 |
| | 4 >= Once a week | 534 | 6.7 | 7.4 | 100.0 |
| | Total | 7185 | 90.0 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 797 | 10.0 | | |
| | Total | 798 | 10.0 | | |
| Total | | 7983 | 100.0 | | |

p3161 C13b: Frequency mother has gone out for a drink with husband/partner in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 2265 | 28.4 | 31.7 | 31.7 |
| | 2 < Once a month | 2817 | 35.3 | 39.4 | 71.0 |
| | 3 < Once a week | 1377 | 17.2 | 19.2 | 90.3 |
| | 4 >= Once a week | 696 | 8.7 | 9.7 | 100.0 |
| | Total | 7155 | 89.6 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 827 | 10.4 | | |
| | Total | 828 | 10.4 | | |
| Total | | 7983 | 100.0 | | |

p3162 C13c: Frequency mother has visited friends with husband/partner in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 1220 | 15.3 | 17.1 | 17.1 |
| | 2 < Once a month | 2561 | 32.1 | 35.9 | 52.9 |
| | 3 < Once a week | 2160 | 27.1 | 30.2 | 83.2 |
| | 4 >= Once a week | 1202 | 15.1 | 16.8 | 100.0 |
| | Total | 7143 | 89.5 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 839 | 10.5 | | |
| | Total | 840 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

p3163 C13d: Frequency mother has visited family with husband/partner in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 713 | 8.9 | 10.0 | 10.0 |
| | 2 < Once a month | 2216 | 27.8 | 31.1 | 41.1 |
| | 3 < Once a week | 2042 | 25.6 | 28.6 | 69.7 |
| | 4 >= Once a week | 2158 | 27.0 | 30.3 | 100.0 |
| | Total | 7129 | 89.3 | 100.0 | |
| Missing | -1 No response | 854 | 10.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3164 C13e: Frequency mother has gone to the cinema/theatre with husband/partner in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 3249 | 40.7 | 45.5 | 45.5 |
| | 2 < Once a month | 3108 | 38.9 | 43.5 | 89.0 |
| | 3 < Once a week | 728 | 9.1 | 10.2 | 99.1 |
| | 4 >= Once a week | 61 | .8 | .9 | 100.0 |
| | Total | 7146 | 89.5 | 100.0 | |
| Missing | -1 No response | 837 | 10.5 | | |
| Total | | 7983 | 100.0 | | |

p3165 C13f: Frequency mother has done other things with husband/partner in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked | 52 | .7 | 10.5 | 10.5 |
| | 2 < Once a month | 157 | 2.0 | 31.7 | 42.1 |
| | 3 < Once a week | 99 | 1.2 | 20.0 | 62.1 |
| | 4 >= Once a week | 188 | 2.4 | 37.9 | 100.0 |
| | Total | 496 | 6.2 | 100.0 | |
| Missing | -1 No response | 7487 | 93.8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3170 C14a: Number of evenings a month mother goes out and does things on own or with own friends

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 2149 | 26.9 | 29.8 | 29.8 |
| | 2 1 | 2173 | 27.2 | 30.2 | 60.0 |
| | 3 2-3 | 1548 | 19.4 | 21.5 | 81.4 |
| | 4 4-7 | 1074 | 13.5 | 14.9 | 96.4 |
| | 5 8 + | 263 | 3.3 | 3.6 | 100.0 |
| | Total | 7207 | 90.3 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 774 | 9.7 | | |
| | Total | 776 | 9.7 | | |
| Total | | 7983 | 100.0 | | |

p3171 C14b: Number of evenings a month husband/partner goes out and does things on own or with own friends

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 1767 | 22.1 | 24.6 | 24.6 |
| | 2 1 | 1374 | 17.2 | 19.2 | 43.8 |
| | 3 2-3 | 1629 | 20.4 | 22.7 | 66.5 |
| | 4 4-7 | 1665 | 20.9 | 23.2 | 89.7 |
| | 5 8 + | 735 | 9.2 | 10.3 | 100.0 |
| | Total | 7170 | 89.8 | 100.0 | |
| Missing | -8 Text response | 3 | .0 | | |
| | -1 No response | 810 | 10.1 | | |
| | Total | 813 | 10.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3180 C15a: Frequency in average week mother and husband/partner discuss work or how the day has gone

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 101 | 1.3 | 1.4 | 1.4 |
| | 2 < Once a week | 333 | 4.2 | 4.7 | 6.1 |
| | 3 1-3 times | 1032 | 12.9 | 14.5 | 20.6 |
| | 4 Most days | 5657 | 70.9 | 79.4 | 100.0 |
| | Total | 7123 | 89.2 | 100.0 | |
| Missing | -1 No response | 860 | 10.8 | | |
| Total | | 7983 | 100.0 | | |

p3181 C15b: Frequency in average week mother and husband/partner laugh together

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 90 | 1.1 | 1.3 | 1.3 |
| | 2 < Once a week | 523 | 6.6 | 7.4 | 8.6 |
| | 3 1-3 times | 1747 | 21.9 | 24.6 | 33.3 |
| | 4 Most days | 4736 | 59.3 | 66.7 | 100.0 |
| | Total | 7096 | 88.9 | 100.0 | |
| Missing | -1 No response | 887 | 11.1 | | |
| Total | | 7983 | 100.0 | | |

p3182 C15c: Frequency in average week mother and husband/partner calmly discuss something (e.g.news/hobby/interest)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 96 | 1.2 | 1.4 | 1.4 |
| | 2 < Once a week | 494 | 6.2 | 7.0 | 8.3 |
| | 3 1-3 times | 1806 | 22.6 | 25.4 | 33.7 |
| | 4 Most days | 4707 | 59.0 | 66.3 | 100.0 |
| | Total | 7103 | 89.0 | 100.0 | |
| Missing | -1 No response | 880 | 11.0 | | |
| Total | | 7983 | 100.0 | | |

p3183 C15d: Frequency in average week mother and husband/partner kiss or hug

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 254 | 3.2 | 3.6 | 3.6 |
| | 2 < Once a week | 599 | 7.5 | 8.4 | 12.0 |
| | 3 1-3 times | 1151 | 14.4 | 16.2 | 28.2 |
| | 4 Most days | 5097 | 63.8 | 71.8 | 100.0 |
| | Total | 7101 | 89.0 | 100.0 | |
| Missing | -1 No response | 882 | 11.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3184 C15e: Frequency in average week mother and husband/partner make plans

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 143 | 1.8 | 2.0 | 2.0 |
| | 2 < Once a week | 1314 | 16.5 | 18.6 | 20.6 |
| | 3 1-3 times | 2785 | 34.9 | 39.4 | 60.0 |
| | 4 Most days | 2831 | 35.5 | 40.0 | 100.0 |
| | Total | 7073 | 88.6 | 100.0 | |
| Missing | -1 No response | 910 | 11.4 | | |
| Total | | 7983 | 100.0 | | |

p3185 C15f: Frequency in average week mother and husband/partner talk over feelings or worries

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never | 255 | 3.2 | 3.6 | 3.6 |
| | 2 < Once a week | 1512 | 18.9 | 21.3 | 24.9 |
| | 3 1-3 times | 2182 | 27.3 | 30.8 | 55.7 |
| | 4 Most days | 3144 | 39.4 | 44.3 | 100.0 |
| | Total | 7093 | 88.9 | 100.0 | |
| Missing | -1 No response | 890 | 11.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3190 C16a: Frequency/amount of alcohol husband/partner drinks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Never drinks alcohol | 340 | 4.3 | 4.8 | 4.8 |
| | 2 < Once a week | 1423 | 17.8 | 19.9 | 24.7 |
| | 3 >= Once a week | 2821 | 35.3 | 39.5 | 64.2 |
| | 4 1-2 glasses, nearly every day | 1923 | 24.1 | 26.9 | 91.2 |
| | 5 3-9 glasses, every day | 562 | 7.0 | 7.9 | 99.0 |
| | 6 10+ glasses a day | 32 | .4 | .4 | 99.5 |
| | 9 Don't know | 37 | .5 | .5 | 100.0 |
| | Total | 7138 | 89.4 | 100.0 | |
| Missing | -8 Text response | 3 | .0 | | |
| | -1 No response | 842 | 10.5 | | |
| | Total | 845 | 10.6 | | |
| Total | | 7983 | 100.0 | | |

p3191 C16b: Number of days in past month husband/partner has drank equivalent of 2 pints/4 glasses wine/4 measures spirit

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 444 | 5.6 | 6.4 | 6.4 |
| | 2 10 + | 1066 | 13.4 | 15.3 | 21.6 |
| | 3 5-10 | 1621 | 20.3 | 23.2 | 44.8 |
| | 4 3-4 | 1315 | 16.5 | 18.8 | 63.7 |
| | 5 1-2 | 1333 | 16.7 | 19.1 | 82.8 |
| | 6 None | 1203 | 15.1 | 17.2 | 100.0 |
| | Total | 6982 | 87.5 | 100.0 | |
| Missing | -1 No response | 1001 | 12.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3200 C17a: Mother feels husband/partner is very considerate of her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 3175 | 39.8 | 44.8 | 44.8 |
| | 2 Moderately true | 2434 | 30.5 | 34.4 | 79.2 |
| | 3 Somewhat true | 1227 | 15.4 | 17.3 | 96.6 |
| | 4 Not at all true | 244 | 3.1 | 3.4 | 100.0 |
| | Total | 7080 | 88.7 | 100.0 | |
| Missing | -1 No response | 903 | 11.3 | | |
| Total | | 7983 | 100.0 | | |

p3201 C17b: Mother feels husband/partner wants her to take his side in an argument

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 756 | 9.5 | 10.9 | 10.9 |
| | 2 Moderately true | 1675 | 21.0 | 24.1 | 34.9 |
| | 3 Somewhat true | 2094 | 26.2 | 30.1 | 65.0 |
| | 4 Not at all true | 2438 | 30.5 | 35.0 | 100.0 |
| | Total | 6963 | 87.2 | 100.0 | |
| Missing | -1 No response | 1020 | 12.8 | | |
| Total | | 7983 | 100.0 | | |

p3202 C17c: Mother feels husband/partner wants to know exactly where she is and what she is doing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 693 | 8.7 | 9.8 | 9.8 |
| | 2 Moderately true | 1085 | 13.6 | 15.3 | 25.1 |
| | 3 Somewhat true | 2188 | 27.4 | 30.9 | 56.0 |
| | 4 Not at all true | 3120 | 39.1 | 44.0 | 100.0 |
| | Total | 7086 | 88.8 | 100.0 | |
| Missing | -1 No response | 897 | 11.2 | | |
| Total | | 7983 | 100.0 | | |

p3203 C17d: Mother feels husband/partner is a good companion

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 4093 | 51.3 | 57.7 | 57.7 |
| | 2 Moderately true | 1803 | 22.6 | 25.4 | 83.2 |
| | 3 Somewhat true | 976 | 12.2 | 13.8 | 97.0 |
| | 4 Not at all true | 216 | 2.7 | 3.0 | 100.0 |
| | Total | 7088 | 88.8 | 100.0 | |
| Missing | -1 No response | 895 | 11.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3204 C17e: Mother feels husband/partner is affectionate to her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 3766 | 47.2 | 53.2 | 53.2 |
| | 2 Moderately true | 1898 | 23.8 | 26.8 | 80.0 |
| | 3 Somewhat true | 1063 | 13.3 | 15.0 | 95.0 |
| | 4 Not at all true | 356 | 4.5 | 5.0 | 100.0 |
| | Total | 7083 | 88.7 | 100.0 | |
| Missing | -1 No response | 900 | 11.3 | | |
| Total | | 7983 | 100.0 | | |

p3205 C17f: Mother feels husband/partner is clearly hurt if she doesn't accept his views

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 421 | 5.3 | 6.0 | 6.0 |
| | 2 Moderately true | 1089 | 13.6 | 15.4 | 21.4 |
| | 3 Somewhat true | 2216 | 27.8 | 31.4 | 52.8 |
| | 4 Not at all true | 3327 | 41.7 | 47.2 | 100.0 |
| | Total | 7053 | 88.4 | 100.0 | |
| Missing | -1 No response | 930 | 11.6 | | |
| Total | | 7983 | 100.0 | | |

p3206 C17g: Mother feels husband/partner tends to try and change her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 252 | 3.2 | 3.6 | 3.6 |
| | 2 Moderately true | 467 | 5.8 | 6.6 | 10.2 |
| | 3 Somewhat true | 1170 | 14.7 | 16.5 | 26.7 |
| | 4 Not at all true | 5186 | 65.0 | 73.3 | 100.0 |
| | Total | 7075 | 88.6 | 100.0 | |
| Missing | -1 No response | 908 | 11.4 | | |
| Total | | 7983 | 100.0 | | |

p3207 C17h: Mother feels husband/partner confides closely in her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 3137 | 39.3 | 44.4 | 44.4 |
| | 2 Moderately true | 1737 | 21.8 | 24.6 | 69.0 |
| | 3 Somewhat true | 1533 | 19.2 | 21.7 | 90.7 |
| | 4 Not at all true | 658 | 8.2 | 9.3 | 100.0 |
| | Total | 7065 | 88.5 | 100.0 | |
| Missing | -1 No response | 918 | 11.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3208 C17i: Mother feels husband/partner tends to criticise her over small issues

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 453 | 5.7 | 6.4 | 6.4 |
| | 2 Moderately true | 716 | 9.0 | 10.1 | 16.5 |
| | 3 Somewhat true | 1998 | 25.0 | 28.3 | 44.8 |
| | 4 Not at all true | 3900 | 48.9 | 55.2 | 100.0 |
| | Total | 7067 | 88.5 | 100.0 | |
| Missing | -1 No response | 916 | 11.5 | | |
| Total | | 7983 | 100.0 | | |

p3209 C17j: Mother feels husband/partner understands her problems and worries

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 1792 | 22.4 | 25.3 | 25.3 |
| | 2 Moderately true | 2406 | 30.1 | 33.9 | 59.2 |
| | 3 Somewhat true | 2236 | 28.0 | 31.6 | 90.8 |
| | 4 Not at all true | 653 | 8.2 | 9.2 | 100.0 |
| | Total | 7087 | 88.8 | 100.0 | |
| Missing | -1 No response | 896 | 11.2 | | |
| Total | | 7983 | 100.0 | | |

p3210 C17k: Mother feels husband/partner tends to order her about

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 199 | 2.5 | 2.8 | 2.8 |
| | 2 Moderately true | 369 | 4.6 | 5.2 | 8.0 |
| | 3 Somewhat true | 1051 | 13.2 | 14.8 | 22.9 |
| | 4 Not at all true | 5459 | 68.4 | 77.1 | 100.0 |
| | Total | 7078 | 88.7 | 100.0 | |
| Missing | -1 No response | 905 | 11.3 | | |
| Total | | 7983 | 100.0 | | |

p3211 C17l: Mother feels husband/partner insists she does exactly as she is told

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 73 | .9 | 1.0 | 1.0 |
| | 2 Moderately true | 146 | 1.8 | 2.1 | 3.1 |
| | 3 Somewhat true | 302 | 3.8 | 4.3 | 7.4 |
| | 4 Not at all true | 6558 | 82.1 | 92.6 | 100.0 |
| | Total | 7079 | 88.7 | 100.0 | |
| Missing | -1 No response | 904 | 11.3 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3212 C17m: Mother feels husband/partner is physically gentle and considerate

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 4369 | 54.7 | 61.9 | 61.9 |
| | 2 Moderately true | 1438 | 18.0 | 20.4 | 82.2 |
| | 3 Somewhat true | 988 | 12.4 | 14.0 | 96.2 |
| | 4 Not at all true | 266 | 3.3 | 3.8 | 100.0 |
| | Total | 7061 | 88.5 | 100.0 | |
| Missing | -1 No response | 922 | 11.5 | | |
| Total | | 7983 | 100.0 | | |

p3213 C17n: Mother feels husband/partner makes her feel needed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 3233 | 40.5 | 45.5 | 45.5 |
| | 2 Moderately true | 2063 | 25.8 | 29.0 | 74.5 |
| | 3 Somewhat true | 1329 | 16.6 | 18.7 | 93.2 |
| | 4 Not at all true | 485 | 6.1 | 6.8 | 100.0 |
| | Total | 7110 | 89.1 | 100.0 | |
| Missing | -1 No response | 873 | 10.9 | | |
| Total | | 7983 | 100.0 | | |

p3214 C17o: Mother feels husband/partner wants her to change in small ways

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 242 | 3.0 | 3.4 | 3.4 |
| | 2 Moderately true | 770 | 9.6 | 10.9 | 14.3 |
| | 3 Somewhat true | 2190 | 27.4 | 30.9 | 45.3 |
| | 4 Not at all true | 3874 | 48.5 | 54.7 | 100.0 |
| | Total | 7076 | 88.6 | 100.0 | |
| Missing | -1 No response | 907 | 11.4 | | |
| Total | | 7983 | 100.0 | | |

p3215 C17p: Mother feels husband/partner is very loving to her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 3586 | 44.9 | 50.5 | 50.5 |
| | 2 Moderately true | 1771 | 22.2 | 24.9 | 75.4 |
| | 3 Somewhat true | 1291 | 16.2 | 18.2 | 93.5 |
| | 4 Not at all true | 459 | 5.7 | 6.5 | 100.0 |
| | Total | 7107 | 89.0 | 100.0 | |
| Missing | -1 No response | 876 | 11.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3216 C17q: Mother feels husband/partner seeks to dominate her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 186 | 2.3 | 2.6 | 2.6 |
| | 2 Moderately true | 335 | 4.2 | 4.7 | 7.3 |
| | 3 Somewhat true | 870 | 10.9 | 12.3 | 19.6 |
| | 4 Not at all true | 5707 | 71.5 | 80.4 | 100.0 |
| | Total | 7098 | 88.9 | 100.0 | |
| Missing | -1 No response | 885 | 11.1 | | |
| Total | | 7983 | 100.0 | | |

p3217 C17r: Mother feels husband/partner is fun to be with

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 3027 | 37.9 | 42.5 | 42.5 |
| | 2 Moderately true | 2331 | 29.2 | 32.8 | 75.3 |
| | 3 Somewhat true | 1477 | 18.5 | 20.8 | 96.0 |
| | 4 Not at all true | 282 | 3.5 | 4.0 | 100.0 |
| | Total | 7117 | 89.2 | 100.0 | |
| Missing | -1 No response | 866 | 10.8 | | |
| Total | | 7983 | 100.0 | | |

p3218 C17s: Mother feels husband/partner wants to change her in big ways

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 135 | 1.7 | 1.9 | 1.9 |
| | 2 Moderately true | 168 | 2.1 | 2.4 | 4.3 |
| | 3 Somewhat true | 433 | 5.4 | 6.1 | 10.4 |
| | 4 Not at all true | 6361 | 79.7 | 89.6 | 100.0 |
| | Total | 7097 | 88.9 | 100.0 | |
| Missing | -1 No response | 886 | 11.1 | | |
| Total | | 7983 | 100.0 | | |

p3219 C17t: Mother feels husband/partner tends to control everything she does

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 79 | 1.0 | 1.1 | 1.1 |
| | 2 Moderately true | 155 | 1.9 | 2.2 | 3.3 |
| | 3 Somewhat true | 534 | 6.7 | 7.5 | 10.8 |
| | 4 Not at all true | 6334 | 79.3 | 89.2 | 100.0 |
| | Total | 7102 | 89.0 | 100.0 | |
| Missing | -1 No response | 881 | 11.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section C

p3220 C17u: Mother feels husband/partner shows his/her appreciation of her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 2183 | 27.3 | 30.7 | 30.7 |
| | 2 Moderately true | 2432 | 30.5 | 34.2 | 65.0 |
| | 3 Somewhat true | 1935 | 24.2 | 27.2 | 92.2 |
| | 4 Not at all true | 553 | 6.9 | 7.8 | 100.0 |
| | Total | 7103 | 89.0 | 100.0 | |
| Missing | -1 No response | 880 | 11.0 | | |
| Total | | 7983 | 100.0 | | |

p3221 C17v: Mother feels husband/partner is critical of her in private

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 182 | 2.3 | 2.6 | 2.6 |
| | 2 Moderately true | 305 | 3.8 | 4.3 | 6.9 |
| | 3 Somewhat true | 1359 | 17.0 | 19.3 | 26.2 |
| | 4 Not at all true | 5207 | 65.2 | 73.8 | 100.0 |
| | Total | 7053 | 88.4 | 100.0 | |
| Missing | -1 No response | 930 | 11.6 | | |
| Total | | 7983 | 100.0 | | |

p3222 C17w: Mother feels husband/partner is gentle and kind to her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 3961 | 49.6 | 55.8 | 55.8 |
| | 2 Moderately true | 1622 | 20.3 | 22.9 | 78.7 |
| | 3 Somewhat true | 1255 | 15.7 | 17.7 | 96.4 |
| | 4 Not at all true | 257 | 3.2 | 3.6 | 100.0 |
| | Total | 7095 | 88.9 | 100.0 | |
| Missing | -1 No response | 888 | 11.1 | | |
| Total | | 7983 | 100.0 | | |

p3223 C17x: Mother feels husband/partner speaks to her in a warm and friendly voice

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Very true | 3302 | 41.4 | 46.5 | 46.5 |
| | 2 Moderately true | 2091 | 26.2 | 29.4 | 75.9 |
| | 3 Somewhat true | 1435 | 18.0 | 20.2 | 96.1 |
| | 4 Not at all true | 277 | 3.5 | 3.9 | 100.0 |
| | Total | 7105 | 89.0 | 100.0 | |
| Missing | -1 No response | 878 | 11.0 | | |
| Total | | 7983 | 100.0 | | |

PAGE 29 OF THE QUESTIONNAIRE

SECTION D: YOUR FAMILY AND FRIENDS

D1. How many of your relatives and your husband/partner's relatives do you see at least twice a year?

| | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| None | 1 | 2-4 | more than 4 |
| <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

D2. About how many friends do you have?

| | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| None | 1 | 2-4 | more than 4 |
| <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

D3. Overall, would you say you belong to a close circle of friends?

| | | | |
|-----|--------------------------------|----|--------------------------------|
| Yes | <input type="text" value="1"/> | No | <input type="text" value="2"/> |
|-----|--------------------------------|----|--------------------------------|

D4. How many people are there that you can talk to about personal problems?

| | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| None | 1 | 2-4 | more than 4 |
| <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

D5. How many people talk to you about their personal problems or their private feelings?

| | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| None | 1 | 2-4 | more than 4 |
| <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

D6. If you have to make an important decision, how many people are there with whom you can discuss it?

| | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| None | 1 | 2-4 | more than 4 |
| <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

D7. How many people are there among your family and friends from whom you could borrow £200 if you needed to?

| | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| None | 1 | 2-4 | more than 4 |
| <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

PAGE 30 OF THE QUESTIONNAIRE

D8. How many of your family and friends would help you in times of trouble?

| | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| None | 1 | 2-4 | more than 4 |
| <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

D9. During the last month, how many times did you get together with one or more friends?

| | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| None | 1 | 2-4 | more than 4 |
| <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

D10. During the last month, how many times did you get together with one or more of your relatives or your husband/partner's relatives?

| | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| None | 1 | 2-4 | more than 4 |
| <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

The following statements are about the help and support you have.

| | | This is exactly how I feel | This is often how I feel | This is how I sometimes feel | I never feel this way | |
|-----|--|-----------------------------------|---------------------------------|-------------------------------------|--------------------------------|---|
| D11 | I have no one to share my feelings with | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| D12 | My husband/partner provides the emotional support I need | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | no husband/ partner <input type="text" value="7"/> |
| D13 | There are other mothers with whom I can share my experiences | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| D14 | I believe in moments of difficulty my neighbours would help me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |

PAGE 31 OF THE QUESTIONNAIRE

| | | This is exactly how I feel | This is often how I feel | This is how I sometimes feel | I never feel this way | |
|-----|--|---|---|---|--------------------------------------|--|
| D15 | I'm worried that my husband/partner might leave me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | no husband/ partner <input type="text" value="7"/> |
| D16 | There is always someone with whom I can share my happiness and excitement about my child | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| D17 | If I feel tired I can rely on my husband/partner to take over | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | no husband/ partner <input type="text" value="7"/> |
| D18 | If I was in financial difficulty I know my family would help if they could | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| D19 | If I was in financial difficulty I know my friends would help if they could | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| D20 | If all else fails I know the state will support and assist me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |

D21. a) Do you believe in God or in some divine power?

yes

am not sure

no, not at all

b) Do you feel that God (or some divine power) has helped you at any time?

Yes

Not sure

No

PAGE 32 OF THE QUESTIONNAIRE

D21. c) Would you appeal to God for help if you were in trouble?

Yes Not sure No

d) Do you 'pray' even if not in trouble?

Yes No

e) What sort of religious faith would you say you had? (tick one only)

| | | | |
|-------------------|---------------------------------|--|---------------------------------|
| Church of England | <input type="text" value="01"/> | Roman Catholic | <input type="text" value="02"/> |
| Jehovah's Witness | <input type="text" value="03"/> | Christian Science | <input type="text" value="04"/> |
| Mormon | <input type="text" value="05"/> | Methodist, Baptist or other Christian (please describe) | <input type="text" value="06"/> |

.....

| | | | |
|--------|---------------------------------|----------------------------|---------------------------------|
| Jewish | <input type="text" value="07"/> | Buddhist | <input type="text" value="08"/> |
| Sikh | <input type="text" value="09"/> | Hindu | <input type="text" value="10"/> |
| Muslim | <input type="text" value="11"/> | Rastafarian | <input type="text" value="12"/> |
| None | <input type="text" value="00"/> | Other (please describe) | <input type="text" value="13"/> |

.....

f) How long have you had this particular faith?

| | |
|-------------------|--------------------------------|
| all my life | <input type="text" value="1"/> |
| more than 5 years | <input type="text" value="2"/> |
| 3-5 years | <input type="text" value="3"/> |
| 1-2 years | <input type="text" value="4"/> |
| less than a year | <input type="text" value="5"/> |

g) Are you bringing your child up in this faith?

Yes No

PAGE 33 OF THE QUESTIONNAIRE

D21. h) Do you go to a place of worship?

| | |
|----------------------------|--------------------------------|
| yes, at least once a week | <input type="text" value="1"/> |
| yes, at least once a month | <input type="text" value="2"/> |
| yes, at least once a year | <input type="text" value="3"/> |
| no, not at all | <input type="text" value="4"/> |

j) Do you obtain help and support from leaders or others members of religious groups?

| | Help from: | Yes | No |
|------|--|--------------------------------|--------------------------------|
| i) | Leaders of your religious group (e.g. priests, rabbis, imams) | <input type="text" value="1"/> | <input type="text" value="2"/> |
| ii) | Other members of <u>your</u> religious group | <input type="text" value="1"/> | <input type="text" value="2"/> |
| iii) | Members of other religious group (please describe) | <input type="text" value="1"/> | <input type="text" value="2"/> |

.....

P File – Section D

p4000 D1: Number of relatives and husband/partner's relatives mother sees at least twice a year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 203 | 2.5 | 2.6 | 2.6 |
| | 2 1 | 232 | 2.9 | 3.0 | 5.6 |
| | 3 2-4 | 1730 | 21.7 | 22.1 | 27.6 |
| | 4 >4 | 5666 | 71.0 | 72.4 | 100.0 |
| | Total | 7831 | 98.1 | 100.0 | |
| Missing | -1 No response | 152 | 1.9 | | |
| Total | | 7983 | 100.0 | | |

p4001 D2: Approximate number of friends mother has

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 91 | 1.1 | 1.2 | 1.2 |
| | 2 1 | 76 | 1.0 | 1.0 | 2.1 |
| | 3 2-4 | 1125 | 14.1 | 14.3 | 16.5 |
| | 4 >4 | 6553 | 82.1 | 83.5 | 100.0 |
| | Total | 7845 | 98.3 | 100.0 | |
| Missing | -1 No response | 138 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

p4002 D3: Overall, mother feels she belongs to a close circle of friends

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 5161 | 64.6 | 66.0 | 66.0 |
| | 2 No | 2655 | 33.3 | 34.0 | 100.0 |
| | Total | 7816 | 97.9 | 100.0 | |
| Missing | -1 No response | 167 | 2.1 | | |
| Total | | 7983 | 100.0 | | |

p4003 D4: Number of people mother can talk to about personal problems

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 277 | 3.5 | 3.5 | 3.5 |
| | 2 1 | 712 | 8.9 | 9.1 | 12.6 |
| | 3 2-4 | 4217 | 52.8 | 53.8 | 66.4 |
| | 4 >4 | 2635 | 33.0 | 33.6 | 100.0 |
| | Total | 7841 | 98.2 | 100.0 | |
| Missing | -1 No response | 142 | 1.8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section D

p4004 D5: Number of people that talk to mother about their personal problems or private feelings

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 182 | 2.3 | 2.3 | 2.3 |
| | 2 1 | 493 | 6.2 | 6.3 | 8.6 |
| | 3 2-4 | 4038 | 50.6 | 51.5 | 60.1 |
| | 4 >4 | 3123 | 39.1 | 39.9 | 100.0 |
| | Total | 7836 | 98.2 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 146 | 1.8 | | |
| | Total | 147 | 1.8 | | |
| Total | | 7983 | 100.0 | | |

p4005 D6: Number of people mother can discuss making an important decision with

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 190 | 2.4 | 2.4 | 2.4 |
| | 2 1 | 825 | 10.3 | 10.5 | 13.0 |
| | 3 2-4 | 3967 | 49.7 | 50.6 | 63.6 |
| | 4 >4 | 2853 | 35.7 | 36.4 | 100.0 |
| | Total | 7835 | 98.1 | 100.0 | |
| Missing | -1 No response | 148 | 1.9 | | |
| Total | | 7983 | 100.0 | | |

p4006 D7: Number of people among family and friends from which mother could borrow £200 if she needed to

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 375 | 4.7 | 4.8 | 4.8 |
| | 2 1 | 908 | 11.4 | 11.6 | 16.4 |
| | 3 2-4 | 3976 | 49.8 | 50.9 | 67.4 |
| | 4 >4 | 2549 | 31.9 | 32.6 | 100.0 |
| | Total | 7808 | 97.8 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 174 | 2.2 | | |
| | Total | 175 | 2.2 | | |
| Total | | 7983 | 100.0 | | |

p4007 D8: Number of family and friends that would help mother in times of trouble

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 55 | .7 | .7 | .7 |
| | 2 1 | 246 | 3.1 | 3.1 | 3.8 |
| | 3 2-4 | 2677 | 33.5 | 34.1 | 37.9 |
| | 4 >4 | 4873 | 61.0 | 62.1 | 100.0 |
| | Total | 7851 | 98.3 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 131 | 1.6 | | |
| | Total | 132 | 1.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section D

p4008 D9: Number of times mother got together with one or more friends during last month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 610 | 7.6 | 7.8 | 7.8 |
| | 2 1 | 1081 | 13.5 | 13.8 | 21.6 |
| | 3 2-4 | 3078 | 38.6 | 39.3 | 60.8 |
| | 4 >4 | 3070 | 38.5 | 39.2 | 100.0 |
| | Total | 7839 | 98.2 | 100.0 | |
| Missing | -1 No response | 144 | 1.8 | | |
| Total | | 7983 | 100.0 | | |

p4009 D10: Number of times mother got together with 1 or more relatives or husband/partner's relatives during last month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 0 | 726 | 9.1 | 9.3 | 9.3 |
| | 2 1 | 1212 | 15.2 | 15.5 | 24.8 |
| | 3 2-4 | 3193 | 40.0 | 40.8 | 65.5 |
| | 4 >4 | 2697 | 33.8 | 34.5 | 100.0 |
| | Total | 7828 | 98.1 | 100.0 | |
| Missing | -1 No response | 155 | 1.9 | | |
| Total | | 7983 | 100.0 | | |

P File – Section D

p4020 D11: Mother has no one to share her feelings with

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Exactly how feels | 142 | 1.8 | 1.8 | 1.8 |
| | 2 Often feels | 355 | 4.4 | 4.5 | 6.4 |
| | 3 Sometimes feels | 1957 | 24.5 | 25.0 | 31.4 |
| | 4 Never feels | 5365 | 67.2 | 68.6 | 100.0 |
| | Total | 7819 | 97.9 | 100.0 | |
| Missing | -1 No response | 164 | 2.1 | | |
| Total | | 7983 | 100.0 | | |

p4021 D12: Mother's husband/partner provides the emotional support she needs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Exactly how feels | 2225 | 27.9 | 28.6 | 28.6 |
| | 2 Often feels | 2138 | 26.8 | 27.5 | 56.1 |
| | 3 Sometimes feels | 2090 | 26.2 | 26.9 | 83.0 |
| | 4 Never feels | 698 | 8.7 | 9.0 | 92.0 |
| | 7 No husband/partner | 625 | 7.8 | 8.0 | 100.0 |
| | Total | 7776 | 97.4 | 100.0 | |
| Missing | -1 No response | 207 | 2.6 | | |
| Total | | 7983 | 100.0 | | |

p4022 D13: Mother has other mothers with whom she can share her experiences

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Exactly how feels | 2452 | 30.7 | 31.5 | 31.5 |
| | 2 Often feels | 2346 | 29.4 | 30.1 | 61.6 |
| | 3 Sometimes feels | 2233 | 28.0 | 28.7 | 90.3 |
| | 4 Never feels | 758 | 9.5 | 9.7 | 100.0 |
| | Total | 7789 | 97.6 | 100.0 | |
| Missing | -1 No response | 194 | 2.4 | | |
| Total | | 7983 | 100.0 | | |

p4023 D14: Mother believes that in moments of difficulty her neighbours would help

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Exactly how feels | 2105 | 26.4 | 27.1 | 27.1 |
| | 2 Often feels | 1770 | 22.2 | 22.8 | 49.8 |
| | 3 Sometimes feels | 2319 | 29.0 | 29.8 | 79.7 |
| | 4 Never feels | 1580 | 19.8 | 20.3 | 100.0 |
| | Total | 7774 | 97.4 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 208 | 2.6 | | |
| | Total | 209 | 2.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section D

p4024 D15: Mother is worried that her husband/partner might leave her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Exactly how feels | 75 | .9 | 1.0 | 1.0 |
| | 2 Often feels | 85 | 1.1 | 1.1 | 2.1 |
| | 3 Sometimes feels | 996 | 12.5 | 12.8 | 14.9 |
| | 4 Never feels | 5979 | 74.9 | 76.8 | 91.7 |
| | 7 No husband/partner | 647 | 8.1 | 8.3 | 100.0 |
| | Total | 7782 | 97.5 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 200 | 2.5 | | |
| | Total | 201 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p4025 D16: Mother feels there is always someone with whom she can share her happiness/excitement about her study child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Exactly how feels | 4699 | 58.9 | 60.3 | 60.3 |
| | 2 Often feels | 1981 | 24.8 | 25.4 | 85.7 |
| | 3 Sometimes feels | 984 | 12.3 | 12.6 | 98.3 |
| | 4 Never feels | 130 | 1.6 | 1.7 | 100.0 |
| | Total | 7794 | 97.6 | 100.0 | |
| Missing | -1 No response | 189 | 2.4 | | |
| Total | | 7983 | 100.0 | | |

p4026 D17: If mother feels tired she can rely on her husband/partner to take over

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Exactly how feels | 2499 | 31.3 | 32.2 | 32.2 |
| | 2 Often feels | 1762 | 22.1 | 22.7 | 54.9 |
| | 3 Sometimes feels | 2155 | 27.0 | 27.7 | 82.6 |
| | 4 Never feels | 705 | 8.8 | 9.1 | 91.7 |
| | 7 No husband/partner | 645 | 8.1 | 8.3 | 100.0 |
| | Total | 7766 | 97.3 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 216 | 2.7 | | |
| | Total | 217 | 2.7 | | |
| Total | | 7983 | 100.0 | | |

p4027 D18: If mother was in financial difficulty she knows her family would help if they could

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Exactly how feels | 5335 | 66.8 | 68.6 | 68.6 |
| | 2 Often feels | 1269 | 15.9 | 16.3 | 85.0 |
| | 3 Sometimes feels | 802 | 10.0 | 10.3 | 95.3 |
| | 4 Never feels | 367 | 4.6 | 4.7 | 100.0 |
| | Total | 7773 | 97.4 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 209 | 2.6 | | |
| | Total | 210 | 2.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section D

p4028 D19: If mother was in financial difficulty she knows her friends would help if they could

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Exactly how feels | 3251 | 40.7 | 41.9 | 41.9 |
| | 2 Often feels | 1541 | 19.3 | 19.9 | 61.8 |
| | 3 Sometimes feels | 1579 | 19.8 | 20.4 | 82.1 |
| | 4 Never feels | 1385 | 17.3 | 17.9 | 100.0 |
| | Total | 7756 | 97.2 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 226 | 2.8 | | |
| | Total | 227 | 2.8 | | |
| Total | | 7983 | 100.0 | | |

p4029 D20: If all else fails mother knows the state will support and assist her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Exactly how feels | 753 | 9.4 | 9.8 | 9.8 |
| | 2 Often feels | 476 | 6.0 | 6.2 | 15.9 |
| | 3 Sometimes feels | 1813 | 22.7 | 23.5 | 39.5 |
| | 4 Never feels | 4668 | 58.5 | 60.5 | 100.0 |
| | Total | 7710 | 96.6 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 272 | 3.4 | | |
| | Total | 273 | 3.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section D

p4040 D21a: Mother believes in God or some divine power

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 3776 | 47.3 | 48.2 | 48.2 |
| | 2 Not sure | 2682 | 33.6 | 34.3 | 82.5 |
| | 3 No | 1369 | 17.1 | 17.5 | 100.0 |
| | Total | 7827 | 98.0 | 100.0 | |
| Missing | -1 No response | 156 | 2.0 | | |
| Total | | 7983 | 100.0 | | |

p4041 D21b: Mother feels that God (or some divine power) has helped her at some time

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 2566 | 32.1 | 32.9 | 32.9 |
| | 2 Not sure | 2774 | 34.7 | 35.6 | 68.5 |
| | 3 No | 2454 | 30.7 | 31.5 | 100.0 |
| | Total | 7794 | 97.6 | 100.0 | |
| Missing | -1 No response | 189 | 2.4 | | |
| Total | | 7983 | 100.0 | | |

p4042 D21c: Mother would appeal to God for help if she was in trouble

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 3578 | 44.8 | 45.8 | 45.8 |
| | 2 Not sure | 2288 | 28.7 | 29.3 | 75.1 |
| | 3 No | 1943 | 24.3 | 24.9 | 100.0 |
| | Total | 7809 | 97.8 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 173 | 2.2 | | |
| | Total | 174 | 2.2 | | |
| Total | | 7983 | 100.0 | | |

p4043 D21d: Mother 'prays' even if not in trouble

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 3012 | 37.7 | 39.2 | 39.2 |
| | 2 No | 4677 | 58.6 | 60.8 | 100.0 |
| | Total | 7689 | 96.3 | 100.0 | |
| Missing | -8 Text response | 4 | .1 | | |
| | -1 No response | 290 | 3.6 | | |
| | Total | 294 | 3.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section D

p4044 D21e: Type of religious faith mother has

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|---------------|--------------------|
| Valid | 0 None | 1213 | 15.2 | 15.8 | 15.8 |
| | 1 Church of England | 4641 | 58.1 | 60.6 | 76.5 |
| | 2 Roman Catholic | 592 | 7.4 | 7.7 | 84.2 |
| | 3 Jehovah's Witness | 38 | .5 | .5 | 84.7 |
| | 4 Christian Science | 11 | .1 | .1 | 84.8 |
| | 5 Mormon | 16 | .2 | .2 | 85.0 |
| | 6 Methodist, Baptist or other Christian | 876 | 11.0 | 11.4 | 96.5 |
| | 7 Jewish | 10 | .1 | .1 | 96.6 |
| | 8 Buddhist | 29 | .4 | .4 | 97.0 |
| | 9 Sikh | 5 | .1 | .1 | 97.1 |
| | 10 Hindu | 6 | .1 | .1 | 97.1 |
| | 11 Muslim | 18 | .2 | .2 | 97.4 |
| | 12 Rastafarian | 2 | .0 | .0 | 97.4 |
| | 13 Other | 199 | 2.5 | 2.6 | 100.0 |
| | Total | 7656 | 95.9 | 100.0 | |
| Missing | -1 No response | 327 | 4.1 | | |
| Total | | 7983 | 100.0 | | |

p4047 D21f: Length of time mother has had this particular faith

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 All her life | 5667 | 71.0 | 80.8 | 80.8 |
| | 2 > 5 years | 1135 | 14.2 | 16.2 | 97.0 |
| | 3 3-5 years | 119 | 1.5 | 1.7 | 98.7 |
| | 4 1-2 years | 62 | .8 | .9 | 99.6 |
| | 5 < 1 year | 28 | .4 | .4 | 100.0 |
| | Total | 7011 | 87.8 | 100.0 | |
| Missing | -1 No response | 972 | 12.2 | | |
| Total | | 7983 | 100.0 | | |

p4048 D21g: Mother is bringing child up in this faith

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 5167 | 64.7 | 72.0 | 72.0 |
| | 2 No | 2010 | 25.2 | 28.0 | 100.0 |
| | Total | 7177 | 89.9 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 804 | 10.1 | | |
| | Total | 806 | 10.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section D

p4049 D21h: Mother goes to a place of worship

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, at least once a week | 927 | 11.6 | 12.0 | 12.0 |
| | 2 Yes, at least once a month | 723 | 9.1 | 9.4 | 21.4 |
| | 3 Yes, at least once a year | 2235 | 28.0 | 28.9 | 50.3 |
| | 4 No, not at all | 3838 | 48.1 | 49.7 | 100.0 |
| | Total | 7723 | 96.7 | 100.0 | |
| Missing | -8 Text response | 2 | .0 | | |
| | -1 No response | 258 | 3.2 | | |
| | Total | 260 | 3.3 | | |
| Total | | 7983 | 100.0 | | |

p4050 D21j1: Mother obtains help and support from leaders of her religious group (e.g. priests, rabbis, imams)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 738 | 9.2 | 10.0 | 10.0 |
| | 2 No | 6620 | 82.9 | 90.0 | 100.0 |
| | Total | 7358 | 92.2 | 100.0 | |
| Missing | -1 No response | 625 | 7.8 | | |
| Total | | 7983 | 100.0 | | |

p4051 D21j2: Mother obtains help and support from other members of her religious group

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 921 | 11.5 | 12.6 | 12.6 |
| | 2 No | 6384 | 80.0 | 87.4 | 100.0 |
| | Total | 7305 | 91.5 | 100.0 | |
| Missing | -1 No response | 678 | 8.5 | | |
| Total | | 7983 | 100.0 | | |

p4052 D21j3: Mother obtains help and support from members of other religious groups

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 186 | 2.3 | 2.6 | 2.6 |
| | 2 No | 6862 | 86.0 | 97.4 | 100.0 |
| | Total | 7048 | 88.3 | 100.0 | |
| Missing | -1 No response | 935 | 11.7 | | |
| Total | | 7983 | 100.0 | | |

PAGE 34 OF THE QUESTIONNAIRE

SECTION E: MY THOUGHTS AND FEELINGS

Below are a number of statements which you may use to describe yourself. Although you might think some of the wording is a bit unusual, please bear with us and indicate how well these statements apply to you.

| | Doesn't Apply | Applies a bit | Moderately applies | Certainly applies |
|--|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| E1. I often feel uncomfortable and ill at ease for no real reason | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E2. I'm always keen on trying out things that are all new | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E3. Sometimes people bother me just by being around | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E4. I often have aches in my shoulders and in the back of my neck | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E5. I have had more than my share of things to worry about | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E6. No matter whom I'm talking to I'm always polite and courteous | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E7. I find it hard to object if I'm neglected at, for example, a restaurant | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E8. I have a tendency to act on the spur of the moment without really thinking ahead | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E9. Even though I know I'm right I often have great difficulty getting my point across | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E10. Sometimes I used to feel that I would like to leave home | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E11. I seldom do things that make me feel remorseful afterwards | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E12. It is easy for me to get close to people | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

PAGE 35 OF THE QUESTIONNAIRE

| | Doesn't Apply | Applies a bit | Moderately applies | Certainly applies |
|---|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| E13. I get tired and hurried too easily | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E14. I often find myself gnashing my teeth together, for no real cause | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E15. Even when my anger is aroused I don't use "strong language" | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E16. I have never deliberately said something that has hurt someone's feelings | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E17. I don't have much self-confidence | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E18. My parents have often disapproved of my friends | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E19. When someone is pushing themselves forward in a queue, I usually tell them off | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E20. When I have to make a decision I "sleep on it" before I decide | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E21. I often feel restless, as if I wanted something without knowing what | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E22. I like leading a quiet and organised life | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E23. When I am mad, I sometimes slam doors | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E24. Life usually hands me a pretty raw deal | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E25. I want to confide in someone, when I'm worried and unhappy | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E26. I don't mind being interrupted when I'm working on something | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

PAGE 36 OF THE QUESTIONNAIRE

| | Doesn't Apply | Applies a bit | Moderately applies | Certainly applies |
|--|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| E27. I find it difficult going back to a shop to ask if I can exchange an item I have bought | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E28. I prefer people who come up with exciting and unexpected activities | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E29. No matter whom I'm talking to, I'm always a good listener | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E30. I usually get so excited over new ideas and suggestions that I forget to check if there are any disadvantages | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E31. I can get mad enough to throw things | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E32. My home life was always happy | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E33. My body often feels stiff and tense | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E34. My heart sometimes beats hard or irregularly for no real reason | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E35. I think that an argument can clear the air sometimes | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E36. I'm the kind of person who is excessively sensitive and easily hurt | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E37. I have often gone against my parents' wishes | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E38. I avoid people who are interested in my personal life | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E39. I'm irritated a great deal more than people are aware of | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

PAGE 37 OF THE QUESTIONNAIRE

| | Doesn't Apply | Applies a bit | Moderately applies | Certainly applies |
|--|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| E40. I think I must economise my energy | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E41. I never hesitate to go out of my way to help someone in trouble | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E42. When trying to fall asleep I often notice that my muscles are really tense | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E43. Since the age of ten, I have never had a temper tantrum | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E44. I have an unusually great need for change | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E45. People often talk about me behind my back | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E46. I'm quite self-conscious in most social situations | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E47. People who shirk on the job must feel very guilty | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E48. I often throw myself too hastily into things | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E49. I have great difficulty pulling my thoughts together whilst talking to someone | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E50. My home life was always very pleasant | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E51. I feel embarrassed having to complain when I get too little change back in a shop | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

PAGE 38 OF THE QUESTIONNAIRE

| | Doesn't Apply | Applies a bit | Moderately applies | Certainly applies |
|---|--------------------------|--------------------------|-------------------------------|------------------------------|
| E52. I feel uncomfortable when people take me into their confidence | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E53. In order to get something done I have to spend more energy than most others | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E54. I try to get to places where things happen | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E55. I sometimes have a feeling that others are laughing at me | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E56. Sometimes I suddenly start sweating without any particular reason | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E57. An unexpected noise makes me jump | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E58. The members of my family were always very close to each other | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E59. When someone is teasing me I never find a good answer until later | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E60. I have never been bothered when someone has asked me for a favour, not even at times when it has been inconvenient | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E61. I seldom dare to express myself in a discussion because I have the feeling that people think my views are not worth anything | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E62. I'm very particular | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E63. I sometimes have bad thoughts which make me feel ashamed of myself | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |

PAGE 39 OF THE QUESTIONNAIRE

| | Doesn't Apply | Applies a bit | Moderately applies | Certainly applies |
|---|--------------------------|--------------------------|-------------------------------|------------------------------|
| E64. My home as a child was less peaceful and quiet than those of most other people | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E65. I'm deeply moved by other people's misfortunes | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E66. It is easy for me to regain lost sleep | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E67. I have difficulty turning someone down when asked for a favour, even though I don't feel like doing it | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E68. I am a person who takes things as they come | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E69. I'm always willing to admit it when I make a mistake | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E70. Often I find myself holding the newspaper tightly when I'm reading it | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E71. I commonly wonder what hidden reason another person may have for doing something nice for me | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E72. In school I was often sent to the Head for my behaviour | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E73. I almost always have a desire for more action | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E74. It takes me an unusually long time to get over unpleasant events | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E75. It depresses me that I did not do more for my parents | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |

PAGE 40 OF THE QUESTIONNAIRE

| | Doesn't Apply | Applies a bit | Moderately applies | Certainly applies | |
|---|--------------------------------|--------------------------------|--------------------------------|--------------------------------|---|
| E76. I sometimes feel panicky | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E77. I sometimes wanted to run away from home | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E78. I feel best when I keep people at a distance | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E79. I sometimes wish that I could speak up when I dislike something | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E80. I can usually concentrate on what I'm doing even if the environment is distracting | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E81. I usually "talk before I think" | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E82. I usually don't feel at ease when I meet people I don't know too well | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E83. I feel very ill at ease when witnessing a fight in the street | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | Never seen a fight <input type="text" value="7"/> |
| E84. In a way I like to do routine jobs | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E85. I have often got into trouble even when it was not my fault | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E86. Sometimes when upset, I suddenly feel as if my legs were too weak to carry me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E87. I sometimes spread gossip about people I don't like | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E88. I have difficulty sitting in a relaxed position even in a comfortable chair | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |

PAGE 41 OF THE QUESTIONNAIRE

| | Doesn't Apply | Applies a bit | Moderately applies | Certainly applies | |
|---|--------------------------------|--------------------------------|--------------------------------|--------------------------------|---|
| E89. I'm always courteous, even to people who are disagreeable | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E90. With things going as they are, it's pretty hard to keep up hope of getting anywhere | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E91. The few times I've cheated I have suffered unbearable feelings of remorse | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | Have never cheated <input type="text" value="7"/> |
| E92. I prefer to avoid involving myself in other people's personal problems | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E93. I easily feel pressure when I'm urged to speed up | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E94. Rather often, especially when I'm tired, I get a feeling of unreality - that either I or the world around me is changing | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E95. I can't help getting into arguments when people disagree with me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E96. When I don't know something I don't at all mind admitting it | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E97. I often worry about things that other people look upon as trifles | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E98. As a youngster in school I used to give the teacher lots of trouble | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E99. I can't help being a little rude to people I don't like | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |
| E100. My hands usually tremble | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> | |

PAGE 42 OF THE QUESTIONNAIRE

| | Doesn't Apply | Applies a bit | Moderately applies | Certainly applies |
|---|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| E101. When I am about to make a decision I usually make it quickly | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E102. I like doing things just for the thrill of it | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E103. There are a number of people who seem to be jealous of me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E104. My parents never really understood me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E105. People generally think that I hide my feelings so that they have difficulties in understanding me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E106. I like to have plenty of time available when I'm doing something | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E107. I seldom feel that people are trying to anger or insult me | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E108. My muscles are so tense that I get tired | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E109. To be on the move, travelling, change and excitement – that's the kind of life I like | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E110. I worry far in advance of when I'm going to get started on something | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E111. I'm always patient with others | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E112. I seem to do things that I regret more often than other people do | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |
| E113. I take life easy | <input type="text" value="1"/> | <input type="text" value="2"/> | <input type="text" value="3"/> | <input type="text" value="4"/> |

PAGE 43 OF THE QUESTIONNAIRE

| | Doesn't Apply | Applies a bit | Moderately applies | Certainly applies |
|---|--------------------------|--------------------------|-------------------------------|------------------------------|
| E114. There have been times when I was quite jealous of the good fortune of others | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E115. I don't let a lot of unimportant things irritate me | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E116. Sometimes my cheeks burn even if it isn't particularly hot | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E117. When I was going to school I skived off (truanted) quite often | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E118. I consider myself reserved and a little cold rather than kind and warm | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E119. I tend to be on my guard with people who are somewhat more friendly than I expected | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E120. I feel calm and secure even when I'm facing new tasks | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E121. After buying something I often worry about having made the wrong choice | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E122. I have lied sometimes to get out of something | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E123. If somebody annoys me, I'm apt to tell them what I think of them | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E124. I sometimes have a feeling that I don't get enough air to breathe | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E125. My parents generally allowed me to make my own decisions | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E126. When I get mad I say nasty things | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |

PAGE 44 OF THE QUESTIONNAIRE

| | Doesn't Apply | Applies a bit | Moderately applies | Certainly applies |
|--|--------------------------|--------------------------|-------------------------------|------------------------------|
| E127. I consider myself an impulsive person | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E128. In the late afternoon I often get a headache which feels as if there was an iron-band across my forehead | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E129. When people yell at me I yell back | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E130. When listening to music on the radio I want it really loud so that I can feel "turned on" | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E131. I often feel as though I have done something wrong or wicked | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E132. When I'm angry, I sometimes sulk | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E133. People often come to me with their troubles | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E134. I think I get tired more easily than most people I know | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |
| E135. If someone is scolding me, I become sad rather than angry | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> |

P File – Section E

p5000 E1: Mother often feels uncomfortable and ill at ease for no real reason

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4613 | 57.8 | 59.1 | 59.1 |
| | 2 Applies a bit | 2110 | 26.4 | 27.1 | 86.2 |
| | 3 Moderately applies | 870 | 10.9 | 11.2 | 97.4 |
| | 4 Certainly applies | 206 | 2.6 | 2.6 | 100.0 |
| | Total | 7799 | 97.7 | 100.0 | |
| Missing | -1 No response | 184 | 2.3 | | |
| Total | | 7983 | 100.0 | | |

p5001 E2: Mother is always keen on trying out things that are all new

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 898 | 11.2 | 11.5 | 11.5 |
| | 2 Applies a bit | 3076 | 38.5 | 39.5 | 51.0 |
| | 3 Moderately applies | 2831 | 35.5 | 36.3 | 87.3 |
| | 4 Certainly applies | 989 | 12.4 | 12.7 | 100.0 |
| | Total | 7794 | 97.6 | 100.0 | |
| Missing | -1 No response | 189 | 2.4 | | |
| Total | | 7983 | 100.0 | | |

p5002 E3: Sometimes people bother mother just by being around

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3175 | 39.8 | 40.8 | 40.8 |
| | 2 Applies a bit | 3299 | 41.3 | 42.4 | 83.2 |
| | 3 Moderately applies | 1057 | 13.2 | 13.6 | 96.8 |
| | 4 Certainly applies | 251 | 3.1 | 3.2 | 100.0 |
| | Total | 7782 | 97.5 | 100.0 | |
| Missing | -1 No response | 201 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p5003 E4: Mother often has aches in her shoulders and in the back of her neck

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3439 | 43.1 | 44.1 | 44.1 |
| | 2 Applies a bit | 2284 | 28.6 | 29.3 | 73.4 |
| | 3 Moderately applies | 1174 | 14.7 | 15.0 | 88.4 |
| | 4 Certainly applies | 904 | 11.3 | 11.6 | 100.0 |
| | Total | 7801 | 97.7 | 100.0 | |
| Missing | -1 No response | 182 | 2.3 | | |
| Total | | 7983 | 100.0 | | |

p5004 E5: Mother has had more than her fair share of things to worry about

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2838 | 35.6 | 36.4 | 36.4 |
| | 2 Applies a bit | 2396 | 30.0 | 30.7 | 67.1 |
| | 3 Moderately applies | 1362 | 17.1 | 17.5 | 84.6 |
| | 4 Certainly applies | 1205 | 15.1 | 15.4 | 100.0 |
| | Total | 7801 | 97.7 | 100.0 | |
| Missing | -1 No response | 182 | 2.3 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5005 E6: No matter whom mother is talking to she is always polite and courteous

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 172 | 2.2 | 2.2 | 2.2 |
| | 2 Applies a bit | 682 | 8.5 | 8.7 | 10.9 |
| | 3 Moderately applies | 2417 | 30.3 | 31.0 | 41.9 |
| | 4 Certainly applies | 4537 | 56.8 | 58.1 | 100.0 |
| | Total | 7808 | 97.8 | 100.0 | |
| Missing | -1 No response | 175 | 2.2 | | |
| Total | | 7983 | 100.0 | | |

p5006 E7: Mother finds it hard to object if she is neglected at, for example, a restaurant

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2410 | 30.2 | 31.2 | 31.2 |
| | 2 Applies a bit | 2495 | 31.3 | 32.3 | 63.5 |
| | 3 Moderately applies | 1939 | 24.3 | 25.1 | 88.5 |
| | 4 Certainly applies | 885 | 11.1 | 11.5 | 100.0 |
| | Total | 7729 | 96.8 | 100.0 | |
| Missing | -1 No response | 254 | 3.2 | | |
| Total | | 7983 | 100.0 | | |

p5007 E8: Mother has a tendency to act on the spur of the moment without really thinking ahead

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2807 | 35.2 | 36.0 | 36.0 |
| | 2 Applies a bit | 3243 | 40.6 | 41.6 | 77.5 |
| | 3 Moderately applies | 1346 | 16.9 | 17.2 | 94.8 |
| | 4 Certainly applies | 407 | 5.1 | 5.2 | 100.0 |
| | Total | 7803 | 97.7 | 100.0 | |
| Missing | -1 No response | 180 | 2.3 | | |
| Total | | 7983 | 100.0 | | |

p5008 E9: Even though mother knows she is right, she often has great difficulty getting her point across

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2762 | 34.6 | 35.5 | 35.5 |
| | 2 Applies a bit | 3060 | 38.3 | 39.3 | 74.7 |
| | 3 Moderately applies | 1514 | 19.0 | 19.4 | 94.2 |
| | 4 Certainly applies | 455 | 5.7 | 5.8 | 100.0 |
| | Total | 7791 | 97.6 | 100.0 | |
| Missing | -1 No response | 192 | 2.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5009 E10: Sometimes mother used to feel that she would like to leave home

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5076 | 63.6 | 65.3 | 65.3 |
| | 2 Applies a bit | 1709 | 21.4 | 22.0 | 87.3 |
| | 3 Moderately applies | 612 | 7.7 | 7.9 | 95.2 |
| | 4 Certainly applies | 375 | 4.7 | 4.8 | 100.0 |
| | Total | 7772 | 97.4 | 100.0 | |
| Missing | -1 No response | 211 | 2.6 | | |
| Total | | 7983 | 100.0 | | |

p5010 E11: Mother seldom does things that make her feel remorseful afterwards

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2149 | 26.9 | 28.2 | 28.2 |
| | 2 Applies a bit | 2162 | 27.1 | 28.4 | 56.6 |
| | 3 Moderately applies | 1495 | 18.7 | 19.6 | 76.2 |
| | 4 Certainly applies | 1814 | 22.7 | 23.8 | 100.0 |
| | Total | 7620 | 95.5 | 100.0 | |
| Missing | -1 No response | 363 | 4.5 | | |
| Total | | 7983 | 100.0 | | |

p5011 E12: It is easy for mother to get close to people

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 952 | 11.9 | 12.2 | 12.2 |
| | 2 Applies a bit | 2239 | 28.0 | 28.8 | 41.0 |
| | 3 Moderately applies | 2991 | 37.5 | 38.4 | 79.4 |
| | 4 Certainly applies | 1599 | 20.0 | 20.6 | 100.0 |
| | Total | 7781 | 97.5 | 100.0 | |
| Missing | -1 No response | 202 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p5012 E13: Mother gets tired and hurried too easily

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2385 | 29.9 | 30.8 | 30.8 |
| | 2 Applies a bit | 3069 | 38.4 | 39.7 | 70.5 |
| | 3 Moderately applies | 1630 | 20.4 | 21.1 | 91.5 |
| | 4 Certainly applies | 655 | 8.2 | 8.5 | 100.0 |
| | Total | 7739 | 96.9 | 100.0 | |
| Missing | -1 No response | 244 | 3.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5013 E14: Mother often finds herself gnashing her teeth together, for no real cause

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 6193 | 77.6 | 79.6 | 79.6 |
| | 2 Applies a bit | 983 | 12.3 | 12.6 | 92.2 |
| | 3 Moderately applies | 412 | 5.2 | 5.3 | 97.5 |
| | 4 Certainly applies | 196 | 2.5 | 2.5 | 100.0 |
| | Total | 7784 | 97.5 | 100.0 | |
| Missing | -1 No response | 199 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p5014 E15: Even when mother's anger is aroused she does not use 'strong language'

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2028 | 25.4 | 26.2 | 26.2 |
| | 2 Applies a bit | 2370 | 29.7 | 30.6 | 56.8 |
| | 3 Moderately applies | 1727 | 21.6 | 22.3 | 79.1 |
| | 4 Certainly applies | 1618 | 20.3 | 20.9 | 100.0 |
| | Total | 7743 | 97.0 | 100.0 | |
| Missing | -1 No response | 240 | 3.0 | | |
| Total | | 7983 | 100.0 | | |

p5015 E16: Mother has never deliberately said something that has hurt someone's feelings

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1634 | 20.5 | 21.1 | 21.1 |
| | 2 Applies a bit | 1836 | 23.0 | 23.7 | 44.8 |
| | 3 Moderately applies | 1699 | 21.3 | 21.9 | 66.7 |
| | 4 Certainly applies | 2575 | 32.3 | 33.3 | 100.0 |
| | Total | 7744 | 97.0 | 100.0 | |
| Missing | -1 No response | 239 | 3.0 | | |
| Total | | 7983 | 100.0 | | |

p5016 E17: Mother does not have much self-confidence

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2251 | 28.2 | 28.9 | 28.9 |
| | 2 Applies a bit | 2984 | 37.4 | 38.3 | 67.2 |
| | 3 Moderately applies | 1629 | 20.4 | 20.9 | 88.1 |
| | 4 Certainly applies | 923 | 11.6 | 11.9 | 100.0 |
| | Total | 7787 | 97.5 | 100.0 | |
| Missing | -1 No response | 196 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5017 E18: Mother's parents have often disapproved of her friends

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5590 | 70.0 | 72.3 | 72.3 |
| | 2 Applies a bit | 1379 | 17.3 | 17.8 | 90.1 |
| | 3 Moderately applies | 440 | 5.5 | 5.7 | 95.8 |
| | 4 Certainly applies | 325 | 4.1 | 4.2 | 100.0 |
| | Total | 7734 | 96.9 | 100.0 | |
| Missing | -1 No response | 249 | 3.1 | | |
| Total | | 7983 | 100.0 | | |

p5018 E19: When someone is pushing themselves forward in a queue, mother usually tells them off

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2627 | 32.9 | 33.8 | 33.8 |
| | 2 Applies a bit | 3120 | 39.1 | 40.1 | 73.9 |
| | 3 Moderately applies | 1366 | 17.1 | 17.6 | 91.5 |
| | 4 Certainly applies | 664 | 8.3 | 8.5 | 100.0 |
| | Total | 7777 | 97.4 | 100.0 | |
| Missing | -1 No response | 206 | 2.6 | | |
| Total | | 7983 | 100.0 | | |

p5019 E20: When mother has to make a decision she 'sleeps on it' before she decides

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1274 | 16.0 | 16.4 | 16.4 |
| | 2 Applies a bit | 3308 | 41.4 | 42.6 | 59.0 |
| | 3 Moderately applies | 2044 | 25.6 | 26.3 | 85.3 |
| | 4 Certainly applies | 1141 | 14.3 | 14.7 | 100.0 |
| | Total | 7767 | 97.3 | 100.0 | |
| Missing | -1 No response | 216 | 2.7 | | |
| Total | | 7983 | 100.0 | | |

p5020 E21: Mother often feels restless, as if she wanted something without knowing what

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3065 | 38.4 | 39.7 | 39.7 |
| | 2 Applies a bit | 2889 | 36.2 | 37.4 | 77.1 |
| | 3 Moderately applies | 1184 | 14.8 | 15.3 | 92.4 |
| | 4 Certainly applies | 589 | 7.4 | 7.6 | 100.0 |
| | Total | 7727 | 96.8 | 100.0 | |
| Missing | -1 No response | 256 | 3.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5021 E22: Mother likes leading a quiet and organised life

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 975 | 12.2 | 12.6 | 12.6 |
| | 2 Applies a bit | 2418 | 30.3 | 31.2 | 43.7 |
| | 3 Moderately applies | 2484 | 31.1 | 32.0 | 75.7 |
| | 4 Certainly applies | 1884 | 23.6 | 24.3 | 100.0 |
| | Total | 7761 | 97.2 | 100.0 | |
| Missing | -1 No response | 222 | 2.8 | | |
| Total | | 7983 | 100.0 | | |

p5022 E23: When mother is mad, she sometimes slams doors

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2793 | 35.0 | 35.9 | 35.9 |
| | 2 Applies a bit | 2529 | 31.7 | 32.5 | 68.4 |
| | 3 Moderately applies | 1448 | 18.1 | 18.6 | 87.0 |
| | 4 Certainly applies | 1008 | 12.6 | 13.0 | 100.0 |
| | Total | 7778 | 97.4 | 100.0 | |
| Missing | -1 No response | 205 | 2.6 | | |
| Total | | 7983 | 100.0 | | |

p5023 E24: Life usually hands mother a pretty raw deal

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5163 | 64.7 | 66.6 | 66.6 |
| | 2 Applies a bit | 1753 | 22.0 | 22.6 | 89.2 |
| | 3 Moderately applies | 544 | 6.8 | 7.0 | 96.2 |
| | 4 Certainly applies | 295 | 3.7 | 3.8 | 100.0 |
| | Total | 7755 | 97.1 | 100.0 | |
| Missing | -1 No response | 228 | 2.9 | | |
| Total | | 7983 | 100.0 | | |

p5024 E25: Mother wants to confide in someone, when she is worried or unhappy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 523 | 6.6 | 6.7 | 6.7 |
| | 2 Applies a bit | 2147 | 26.9 | 27.6 | 34.4 |
| | 3 Moderately applies | 2207 | 27.6 | 28.4 | 62.8 |
| | 4 Certainly applies | 2894 | 36.3 | 37.2 | 100.0 |
| | Total | 7771 | 97.3 | 100.0 | |
| Missing | -1 No response | 212 | 2.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5025 E26: Mother doesn't mind being interrupted when she is working on something

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 829 | 10.4 | 10.7 | 10.7 |
| | 2 Applies a bit | 2864 | 35.9 | 36.8 | 47.5 |
| | 3 Moderately applies | 2908 | 36.4 | 37.4 | 84.9 |
| | 4 Certainly applies | 1174 | 14.7 | 15.1 | 100.0 |
| | Total | 7775 | 97.4 | 100.0 | |
| Missing | -1 No response | 208 | 2.6 | | |
| Total | | 7983 | 100.0 | | |

p5026 E27: Mother finds it difficult going back to a shop to ask if she can exchange an item she has bought

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5241 | 65.7 | 67.6 | 67.6 |
| | 2 Applies a bit | 1526 | 19.1 | 19.7 | 87.3 |
| | 3 Moderately applies | 685 | 8.6 | 8.8 | 96.2 |
| | 4 Certainly applies | 298 | 3.7 | 3.8 | 100.0 |
| | Total | 7750 | 97.1 | 100.0 | |
| Missing | -1 No response | 233 | 2.9 | | |
| Total | | 7983 | 100.0 | | |

p5027 E28: Mother prefers people who come up with exciting and unexpected activities

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2031 | 25.4 | 26.4 | 26.4 |
| | 2 Applies a bit | 2952 | 37.0 | 38.4 | 64.8 |
| | 3 Moderately applies | 1868 | 23.4 | 24.3 | 89.1 |
| | 4 Certainly applies | 834 | 10.4 | 10.9 | 100.0 |
| | Total | 7685 | 96.3 | 100.0 | |
| Missing | -1 No response | 298 | 3.7 | | |
| Total | | 7983 | 100.0 | | |

p5028 E29: No matter who mother is talking to, she is always a good listener

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 79 | 1.0 | 1.0 | 1.0 |
| | 2 Applies a bit | 1038 | 13.0 | 13.4 | 14.4 |
| | 3 Moderately applies | 3026 | 37.9 | 39.1 | 53.6 |
| | 4 Certainly applies | 3592 | 45.0 | 46.4 | 100.0 |
| | Total | 7735 | 96.9 | 100.0 | |
| Missing | -1 No response | 248 | 3.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5029 E30: Mother usually gets so excited over new ideas/suggestions she forgets to check if there are disadvantages

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Doesn't apply | 3320 | 41.6 | 43.1 | 43.1 |
| 2 Applies a bit | 2834 | 35.5 | 36.8 | 79.8 |
| 3 Moderately applies | 1218 | 15.3 | 15.8 | 95.6 |
| 4 Certainly applies | 336 | 4.2 | 4.4 | 100.0 |
| Total | 7708 | 96.6 | 100.0 | |
| Missing -1 No response | 275 | 3.4 | | |
| Total | 7983 | 100.0 | | |

p5030 E31: Mother can get mad enough to throw things

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Doesn't apply | 5159 | 64.6 | 66.7 | 66.7 |
| 2 Applies a bit | 1520 | 19.0 | 19.7 | 86.4 |
| 3 Moderately applies | 586 | 7.3 | 7.6 | 94.0 |
| 4 Certainly applies | 464 | 5.8 | 6.0 | 100.0 |
| Total | 7729 | 96.8 | 100.0 | |
| Missing -1 No response | 254 | 3.2 | | |
| Total | 7983 | 100.0 | | |

p5031 E32: Mother's home life was always happy

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Doesn't apply | 741 | 9.3 | 9.6 | 9.6 |
| 2 Applies a bit | 1301 | 16.3 | 16.9 | 26.5 |
| 3 Moderately applies | 2872 | 36.0 | 37.3 | 63.8 |
| 4 Certainly applies | 2789 | 34.9 | 36.2 | 100.0 |
| Total | 7703 | 96.5 | 100.0 | |
| Missing -8 Text response | 1 | .0 | | |
| -1 No response | 279 | 3.5 | | |
| Total | 280 | 3.5 | | |
| Total | 7983 | 100.0 | | |

p5032 E33: Mother's body often feels stiff and tense

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Doesn't apply | 3534 | 44.3 | 45.8 | 45.8 |
| 2 Applies a bit | 2779 | 34.8 | 36.0 | 81.8 |
| 3 Moderately applies | 963 | 12.1 | 12.5 | 94.2 |
| 4 Certainly applies | 444 | 5.6 | 5.8 | 100.0 |
| Total | 7720 | 96.7 | 100.0 | |
| Missing -1 No response | 263 | 3.3 | | |
| Total | 7983 | 100.0 | | |

P File – Section E

p5033 E34: Mother's heart sometimes beats hard or irregularly for no reason

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4985 | 62.4 | 64.6 | 64.6 |
| | 2 Applies a bit | 1754 | 22.0 | 22.7 | 87.3 |
| | 3 Moderately applies | 581 | 7.3 | 7.5 | 94.9 |
| | 4 Certainly applies | 397 | 5.0 | 5.1 | 100.0 |
| | Total | 7717 | 96.7 | 100.0 | |
| Missing | -1 No response | 266 | 3.3 | | |
| Total | | 7983 | 100.0 | | |

p5034 E35: Mother thinks that an argument can clear the air sometimes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1062 | 13.3 | 13.8 | 13.8 |
| | 2 Applies a bit | 3123 | 39.1 | 40.5 | 54.3 |
| | 3 Moderately applies | 2276 | 28.5 | 29.5 | 83.8 |
| | 4 Certainly applies | 1252 | 15.7 | 16.2 | 100.0 |
| | Total | 7713 | 96.6 | 100.0 | |
| Missing | -1 No response | 270 | 3.4 | | |
| Total | | 7983 | 100.0 | | |

p5035 E36: Mother is the kind of person who is excessively sensitive and easily hurt

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1701 | 21.3 | 22.0 | 22.0 |
| | 2 Applies a bit | 3023 | 37.9 | 39.2 | 61.2 |
| | 3 Moderately applies | 1760 | 22.0 | 22.8 | 84.0 |
| | 4 Certainly applies | 1233 | 15.4 | 16.0 | 100.0 |
| | Total | 7717 | 96.7 | 100.0 | |
| Missing | -1 No response | 266 | 3.3 | | |
| Total | | 7983 | 100.0 | | |

p5036 E37: Mother has often gone against her parents' wishes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3723 | 46.6 | 48.5 | 48.5 |
| | 2 Applies a bit | 2663 | 33.4 | 34.7 | 83.1 |
| | 3 Moderately applies | 820 | 10.3 | 10.7 | 93.8 |
| | 4 Certainly applies | 475 | 6.0 | 6.2 | 100.0 |
| | Total | 7681 | 96.2 | 100.0 | |
| Missing | -1 No response | 302 | 3.8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5037 E38: Mother avoids people who are interested in her personal life

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4339 | 54.4 | 56.5 | 56.5 |
| | 2 Applies a bit | 2398 | 30.0 | 31.2 | 87.7 |
| | 3 Moderately applies | 737 | 9.2 | 9.6 | 97.3 |
| | 4 Certainly applies | 211 | 2.6 | 2.7 | 100.0 |
| | Total | 7685 | 96.3 | 100.0 | |
| Missing | -1 No response | 298 | 3.7 | | |
| Total | | 7983 | 100.0 | | |

p5038 E39: Mother is irritated a great deal more than people are aware of

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2624 | 32.9 | 34.2 | 34.2 |
| | 2 Applies a bit | 3036 | 38.0 | 39.5 | 73.7 |
| | 3 Moderately applies | 1366 | 17.1 | 17.8 | 91.5 |
| | 4 Certainly applies | 656 | 8.2 | 8.5 | 100.0 |
| | Total | 7682 | 96.2 | 100.0 | |
| Missing | -1 No response | 301 | 3.8 | | |
| Total | | 7983 | 100.0 | | |

p5039 E40: Mother thinks she must economise her energy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4406 | 55.2 | 58.1 | 58.1 |
| | 2 Applies a bit | 2007 | 25.1 | 26.5 | 84.6 |
| | 3 Moderately applies | 821 | 10.3 | 10.8 | 95.5 |
| | 4 Certainly applies | 344 | 4.3 | 4.5 | 100.0 |
| | Total | 7578 | 94.9 | 100.0 | |
| Missing | -1 No response | 405 | 5.1 | | |
| Total | | 7983 | 100.0 | | |

p5040 E41: Mother never hesitates to go out of her way to help someone in trouble

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 211 | 2.6 | 2.7 | 2.7 |
| | 2 Applies a bit | 1537 | 19.3 | 20.0 | 22.7 |
| | 3 Moderately applies | 3039 | 38.1 | 39.5 | 62.3 |
| | 4 Certainly applies | 2898 | 36.3 | 37.7 | 100.0 |
| | Total | 7685 | 96.3 | 100.0 | |
| Missing | -1 No response | 298 | 3.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5041 E42: When trying to fall asleep mother often notices that her muscles are really tense

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4622 | 57.9 | 60.0 | 60.0 |
| | 2 Applies a bit | 1859 | 23.3 | 24.1 | 84.1 |
| | 3 Moderately applies | 790 | 9.9 | 10.3 | 94.4 |
| | 4 Certainly applies | 434 | 5.4 | 5.6 | 100.0 |
| | Total | 7705 | 96.5 | 100.0 | |
| Missing | -1 No response | 278 | 3.5 | | |
| Total | | 7983 | 100.0 | | |

p5042 E43: Since the age of ten, mother has never had a temper tantrum

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4119 | 51.6 | 54.0 | 54.0 |
| | 2 Applies a bit | 1139 | 14.3 | 14.9 | 69.0 |
| | 3 Moderately applies | 836 | 10.5 | 11.0 | 80.0 |
| | 4 Certainly applies | 1527 | 19.1 | 20.0 | 100.0 |
| | Total | 7621 | 95.5 | 100.0 | |
| Missing | -1 No response | 362 | 4.5 | | |
| Total | | 7983 | 100.0 | | |

p5043 E44: Mother has an unusually great need for change

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4651 | 58.3 | 60.6 | 60.6 |
| | 2 Applies a bit | 2005 | 25.1 | 26.1 | 86.8 |
| | 3 Moderately applies | 726 | 9.1 | 9.5 | 96.2 |
| | 4 Certainly applies | 289 | 3.6 | 3.8 | 100.0 |
| | Total | 7671 | 96.1 | 100.0 | |
| Missing | -1 No response | 312 | 3.9 | | |
| Total | | 7983 | 100.0 | | |

p5044 E45: People often talk about mother behind her back

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4115 | 51.5 | 57.8 | 57.8 |
| | 2 Applies a bit | 2504 | 31.4 | 35.1 | 92.9 |
| | 3 Moderately applies | 370 | 4.6 | 5.2 | 98.1 |
| | 4 Certainly applies | 135 | 1.7 | 1.9 | 100.0 |
| | Total | 7124 | 89.2 | 100.0 | |
| Missing | -1 No response | 859 | 10.8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5045 E46: Mother is quite self-conscious in most social situations

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1721 | 21.6 | 22.4 | 22.4 |
| | 2 Applies a bit | 3181 | 39.8 | 41.4 | 63.8 |
| | 3 Moderately applies | 1623 | 20.3 | 21.1 | 84.9 |
| | 4 Certainly applies | 1164 | 14.6 | 15.1 | 100.0 |
| | Total | 7689 | 96.3 | 100.0 | |
| Missing | -1 No response | 294 | 3.7 | | |
| Total | | 7983 | 100.0 | | |

p5046 E47: Mother feels people who shirk on the job must feel very guilty

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2214 | 27.7 | 30.6 | 30.6 |
| | 2 Applies a bit | 2338 | 29.3 | 32.3 | 62.9 |
| | 3 Moderately applies | 1629 | 20.4 | 22.5 | 85.4 |
| | 4 Certainly applies | 1057 | 13.2 | 14.6 | 100.0 |
| | Total | 7238 | 90.7 | 100.0 | |
| Missing | -1 No response | 745 | 9.3 | | |
| Total | | 7983 | 100.0 | | |

p5047 E48: Mother often throws herself too hastily into things

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2800 | 35.1 | 36.5 | 36.5 |
| | 2 Applies a bit | 3262 | 40.9 | 42.6 | 79.1 |
| | 3 Moderately applies | 1211 | 15.2 | 15.8 | 94.9 |
| | 4 Certainly applies | 390 | 4.9 | 5.1 | 100.0 |
| | Total | 7663 | 96.0 | 100.0 | |
| Missing | -1 No response | 320 | 4.0 | | |
| Total | | 7983 | 100.0 | | |

p5048 E49: Mother has great difficulty pulling her thoughts together whilst talking to someone

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3788 | 47.5 | 49.4 | 49.4 |
| | 2 Applies a bit | 2805 | 35.1 | 36.6 | 85.9 |
| | 3 Moderately applies | 796 | 10.0 | 10.4 | 96.3 |
| | 4 Certainly applies | 282 | 3.5 | 3.7 | 100.0 |
| | Total | 7671 | 96.1 | 100.0 | |
| Missing | -1 No response | 312 | 3.9 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5049 E50: Mother's home life was always very pleasant

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 884 | 11.1 | 11.5 | 11.5 |
| | 2 Applies a bit | 1316 | 16.5 | 17.1 | 28.6 |
| | 3 Moderately applies | 2310 | 28.9 | 30.1 | 58.7 |
| | 4 Certainly applies | 3177 | 39.8 | 41.3 | 100.0 |
| | Total | 7687 | 96.3 | 100.0 | |
| Missing | -1 No response | 296 | 3.7 | | |
| Total | | 7983 | 100.0 | | |

p5050 E51: Mother feels embarrassed having to complain when she gets too little change back in a shop

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4775 | 59.8 | 62.1 | 62.1 |
| | 2 Applies a bit | 1670 | 20.9 | 21.7 | 83.8 |
| | 3 Moderately applies | 826 | 10.3 | 10.7 | 94.6 |
| | 4 Certainly applies | 419 | 5.2 | 5.4 | 100.0 |
| | Total | 7690 | 96.3 | 100.0 | |
| Missing | -1 No response | 293 | 3.7 | | |
| Total | | 7983 | 100.0 | | |

p5051 E52: Mother feels uncomfortable when people take her into their confidence

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5584 | 69.9 | 73.3 | 73.3 |
| | 2 Applies a bit | 1614 | 20.2 | 21.2 | 94.5 |
| | 3 Moderately applies | 338 | 4.2 | 4.4 | 98.9 |
| | 4 Certainly applies | 81 | 1.0 | 1.1 | 100.0 |
| | Total | 7617 | 95.4 | 100.0 | |
| Missing | -1 No response | 366 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

p5052 E53: In order to get something done mother has to spend more energy than most others

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5248 | 65.7 | 69.2 | 69.2 |
| | 2 Applies a bit | 1541 | 19.3 | 20.3 | 89.5 |
| | 3 Moderately applies | 564 | 7.1 | 7.4 | 96.9 |
| | 4 Certainly applies | 233 | 2.9 | 3.1 | 100.0 |
| | Total | 7586 | 95.0 | 100.0 | |
| Missing | -1 No response | 397 | 5.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5053 E54: Mother tries to get to places where things happen

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4074 | 51.0 | 54.2 | 54.2 |
| | 2 Applies a bit | 2368 | 29.7 | 31.5 | 85.8 |
| | 3 Moderately applies | 852 | 10.7 | 11.3 | 97.1 |
| | 4 Certainly applies | 217 | 2.7 | 2.9 | 100.0 |
| | Total | 7511 | 94.1 | 100.0 | |
| Missing | -1 No response | 472 | 5.9 | | |
| Total | | 7983 | 100.0 | | |

p5054 E55: Mother sometimes has a feeling that others are laughing at her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5109 | 64.0 | 67.2 | 67.2 |
| | 2 Applies a bit | 2032 | 25.5 | 26.7 | 94.0 |
| | 3 Moderately applies | 361 | 4.5 | 4.8 | 98.7 |
| | 4 Certainly applies | 98 | 1.2 | 1.3 | 100.0 |
| | Total | 7600 | 95.2 | 100.0 | |
| Missing | -1 No response | 383 | 4.8 | | |
| Total | | 7983 | 100.0 | | |

p5055 E56: Sometimes mother suddenly starts sweating without any particular reason

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 6357 | 79.6 | 83.4 | 83.4 |
| | 2 Applies a bit | 905 | 11.3 | 11.9 | 95.3 |
| | 3 Moderately applies | 215 | 2.7 | 2.8 | 98.1 |
| | 4 Certainly applies | 142 | 1.8 | 1.9 | 100.0 |
| | Total | 7619 | 95.4 | 100.0 | |
| Missing | -1 No response | 364 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

p5056 E57: An unexpected noise makes mother jump

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2357 | 29.5 | 30.9 | 30.9 |
| | 2 Applies a bit | 3237 | 40.5 | 42.4 | 73.3 |
| | 3 Moderately applies | 1175 | 14.7 | 15.4 | 88.7 |
| | 4 Certainly applies | 859 | 10.8 | 11.3 | 100.0 |
| | Total | 7628 | 95.6 | 100.0 | |
| Missing | -1 No response | 355 | 4.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5057 E58: The members of mother's family were always very close to each other

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1124 | 14.1 | 14.8 | 14.8 |
| | 2 Applies a bit | 1709 | 21.4 | 22.5 | 37.4 |
| | 3 Moderately applies | 2129 | 26.7 | 28.1 | 65.4 |
| | 4 Certainly applies | 2623 | 32.9 | 34.6 | 100.0 |
| | Total | 7585 | 95.0 | 100.0 | |
| Missing | -1 No response | 398 | 5.0 | | |
| Total | | 7983 | 100.0 | | |

p5058 E59: When someone is teasing mother she never finds a good answer until later

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1990 | 24.9 | 26.1 | 26.1 |
| | 2 Applies a bit | 2942 | 36.9 | 38.6 | 64.7 |
| | 3 Moderately applies | 1566 | 19.6 | 20.6 | 85.3 |
| | 4 Certainly applies | 1121 | 14.0 | 14.7 | 100.0 |
| | Total | 7619 | 95.4 | 100.0 | |
| Missing | -1 No response | 364 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

p5059 E60: Mother never been bothered when someone has asked for a favour, even when it has been inconvenient

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 731 | 9.2 | 9.6 | 9.6 |
| | 2 Applies a bit | 2145 | 26.9 | 28.3 | 37.9 |
| | 3 Moderately applies | 2556 | 32.0 | 33.7 | 71.6 |
| | 4 Certainly applies | 2152 | 27.0 | 28.4 | 100.0 |
| | Total | 7584 | 95.0 | 100.0 | |
| Missing | -1 No response | 399 | 5.0 | | |
| Total | | 7983 | 100.0 | | |

p5060 E61: Mother seldom dares to express herself in a discussion, she feels people think her views are not worth anything

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3944 | 49.4 | 52.1 | 52.1 |
| | 2 Applies a bit | 2255 | 28.2 | 29.8 | 81.8 |
| | 3 Moderately applies | 951 | 11.9 | 12.6 | 94.4 |
| | 4 Certainly applies | 426 | 5.3 | 5.6 | 100.0 |
| | Total | 7576 | 94.9 | 100.0 | |
| Missing | -1 No response | 407 | 5.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5061 E62: Mother is very particular

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1888 | 23.7 | 24.9 | 24.9 |
| | 2 Applies a bit | 2901 | 36.3 | 38.2 | 63.1 |
| | 3 Moderately applies | 1811 | 22.7 | 23.9 | 87.0 |
| | 4 Certainly applies | 989 | 12.4 | 13.0 | 100.0 |
| | Total | 7589 | 95.1 | 100.0 | |
| Missing | -1 No response | 394 | 4.9 | | |
| Total | | 7983 | 100.0 | | |

p5062 E63: Mother sometimes has bad thoughts which make her feel ashamed of herself

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4356 | 54.6 | 57.4 | 57.4 |
| | 2 Applies a bit | 2395 | 30.0 | 31.5 | 88.9 |
| | 3 Moderately applies | 557 | 7.0 | 7.3 | 96.2 |
| | 4 Certainly applies | 285 | 3.6 | 3.8 | 100.0 |
| | Total | 7593 | 95.1 | 100.0 | |
| Missing | -1 No response | 390 | 4.9 | | |
| Total | | 7983 | 100.0 | | |

p5063 E64: Mother's home as a child was less peaceful and quiet than those of most other people

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5166 | 64.7 | 68.2 | 68.2 |
| | 2 Applies a bit | 1093 | 13.7 | 14.4 | 82.7 |
| | 3 Moderately applies | 661 | 8.3 | 8.7 | 91.4 |
| | 4 Certainly applies | 652 | 8.2 | 8.6 | 100.0 |
| | Total | 7572 | 94.9 | 100.0 | |
| Missing | -1 No response | 411 | 5.1 | | |
| Total | | 7983 | 100.0 | | |

p5064 E65: Mother is deeply moved by other people's misfortunes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 385 | 4.8 | 5.1 | 5.1 |
| | 2 Applies a bit | 2321 | 29.1 | 30.6 | 35.6 |
| | 3 Moderately applies | 2676 | 33.5 | 35.2 | 70.9 |
| | 4 Certainly applies | 2211 | 27.7 | 29.1 | 100.0 |
| | Total | 7593 | 95.1 | 100.0 | |
| Missing | -1 No response | 390 | 4.9 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5065 E66: It is easy for mother to regain lost sleep

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2142 | 26.8 | 28.3 | 28.3 |
| | 2 Applies a bit | 2170 | 27.2 | 28.6 | 56.9 |
| | 3 Moderately applies | 1780 | 22.3 | 23.5 | 80.4 |
| | 4 Certainly applies | 1484 | 18.6 | 19.6 | 100.0 |
| | Total | 7576 | 94.9 | 100.0 | |
| Missing | -1 No response | 407 | 5.1 | | |
| Total | | 7983 | 100.0 | | |

p5066 E67: Mother has difficulty turning someone down when asked for a favour, even though she doesn't feel like doing it

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 653 | 8.2 | 8.6 | 8.6 |
| | 2 Applies a bit | 2601 | 32.6 | 34.2 | 42.8 |
| | 3 Moderately applies | 2312 | 29.0 | 30.4 | 73.1 |
| | 4 Certainly applies | 2044 | 25.6 | 26.9 | 100.0 |
| | Total | 7610 | 95.3 | 100.0 | |
| Missing | -1 No response | 373 | 4.7 | | |
| Total | | 7983 | 100.0 | | |

p5067 E68: Mother is a person who takes things as they come

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 617 | 7.7 | 8.1 | 8.1 |
| | 2 Applies a bit | 2698 | 33.8 | 35.5 | 43.6 |
| | 3 Moderately applies | 2594 | 32.5 | 34.1 | 77.8 |
| | 4 Certainly applies | 1688 | 21.1 | 22.2 | 100.0 |
| | Total | 7597 | 95.2 | 100.0 | |
| Missing | -1 No response | 386 | 4.8 | | |
| Total | | 7983 | 100.0 | | |

p5068 E69: Mother is always willing to admit it when she makes a mistake

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 173 | 2.2 | 2.3 | 2.3 |
| | 2 Applies a bit | 2041 | 25.6 | 26.8 | 29.1 |
| | 3 Moderately applies | 2955 | 37.0 | 38.8 | 67.9 |
| | 4 Certainly applies | 2439 | 30.6 | 32.1 | 100.0 |
| | Total | 7608 | 95.3 | 100.0 | |
| Missing | -1 No response | 375 | 4.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5069 E70: Often mother finds herself holding the newspaper tightly when she is reading it

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 6689 | 83.8 | 88.4 | 88.4 |
| | 2 Applies a bit | 581 | 7.3 | 7.7 | 96.1 |
| | 3 Moderately applies | 217 | 2.7 | 2.9 | 99.0 |
| | 4 Certainly applies | 76 | 1.0 | 1.0 | 100.0 |
| | Total | 7563 | 94.7 | 100.0 | |
| Missing | -1 No response | 420 | 5.3 | | |
| Total | | 7983 | 100.0 | | |

p5070 E71: Mother commonly wonders what hidden reason another person may have for doing something nice for her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4207 | 52.7 | 55.4 | 55.4 |
| | 2 Applies a bit | 2308 | 28.9 | 30.4 | 85.8 |
| | 3 Moderately applies | 761 | 9.5 | 10.0 | 95.9 |
| | 4 Certainly applies | 315 | 3.9 | 4.1 | 100.0 |
| | Total | 7591 | 95.1 | 100.0 | |
| Missing | -1 No response | 392 | 4.9 | | |
| Total | | 7983 | 100.0 | | |

p5071 E72: In school mother was often sent to the Head for her behaviour

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 6861 | 85.9 | 90.1 | 90.1 |
| | 2 Applies a bit | 475 | 6.0 | 6.2 | 96.3 |
| | 3 Moderately applies | 157 | 2.0 | 2.1 | 98.4 |
| | 4 Certainly applies | 125 | 1.6 | 1.6 | 100.0 |
| | Total | 7618 | 95.4 | 100.0 | |
| Missing | -1 No response | 365 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

p5072 E73: Mother almost always has a desire for more action

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3838 | 48.1 | 50.8 | 50.8 |
| | 2 Applies a bit | 2549 | 31.9 | 33.7 | 84.5 |
| | 3 Moderately applies | 874 | 10.9 | 11.6 | 96.1 |
| | 4 Certainly applies | 295 | 3.7 | 3.9 | 100.0 |
| | Total | 7556 | 94.7 | 100.0 | |
| Missing | -1 No response | 427 | 5.3 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5073 E74: It takes mother an unusually long time to get over unpleasant events

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2736 | 34.3 | 36.0 | 36.0 |
| | 2 Applies a bit | 2822 | 35.4 | 37.2 | 73.2 |
| | 3 Moderately applies | 1308 | 16.4 | 17.2 | 90.5 |
| | 4 Certainly applies | 724 | 9.1 | 9.5 | 100.0 |
| | Total | 7590 | 95.1 | 100.0 | |
| Missing | -1 No response | 393 | 4.9 | | |
| Total | | 7983 | 100.0 | | |

p5074 E75: It depresses mother that she did not do more for her parents

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5350 | 67.0 | 70.5 | 70.5 |
| | 2 Applies a bit | 1547 | 19.4 | 20.4 | 90.8 |
| | 3 Moderately applies | 481 | 6.0 | 6.3 | 97.2 |
| | 4 Certainly applies | 216 | 2.7 | 2.8 | 100.0 |
| | Total | 7594 | 95.1 | 100.0 | |
| Missing | -1 No response | 389 | 4.9 | | |
| Total | | 7983 | 100.0 | | |

p5075 E76: Mother sometimes feels panicky

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3552 | 44.5 | 46.4 | 46.4 |
| | 2 Applies a bit | 2888 | 36.2 | 37.8 | 84.2 |
| | 3 Moderately applies | 799 | 10.0 | 10.4 | 94.7 |
| | 4 Certainly applies | 409 | 5.1 | 5.3 | 100.0 |
| | Total | 7648 | 95.8 | 100.0 | |
| Missing | -1 No response | 335 | 4.2 | | |
| Total | | 7983 | 100.0 | | |

p5076 E77: Mother sometimes wanted to run away from home

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5258 | 65.9 | 68.9 | 68.9 |
| | 2 Applies a bit | 1528 | 19.1 | 20.0 | 88.9 |
| | 3 Moderately applies | 468 | 5.9 | 6.1 | 95.0 |
| | 4 Certainly applies | 382 | 4.8 | 5.0 | 100.0 |
| | Total | 7636 | 95.7 | 100.0 | |
| Missing | -1 No response | 347 | 4.3 | | |
| Total | | 7983 | 100.0 | | |

p5077 E78: Mother feels best when she keeps people at a distance

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4744 | 59.4 | 62.3 | 62.3 |
| | 2 Applies a bit | 2095 | 26.2 | 27.5 | 89.8 |
| | 3 Moderately applies | 609 | 7.6 | 8.0 | 97.8 |
| | 4 Certainly applies | 170 | 2.1 | 2.2 | 100.0 |
| | Total | 7618 | 95.4 | 100.0 | |
| Missing | -1 No response | 365 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5078 E79: Mother sometimes wishes that she could speak up when she dislikes something

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2638 | 33.0 | 34.6 | 34.6 |
| | 2 Applies a bit | 2962 | 37.1 | 38.8 | 73.4 |
| | 3 Moderately applies | 1298 | 16.3 | 17.0 | 90.4 |
| | 4 Certainly applies | 730 | 9.1 | 9.6 | 100.0 |
| | Total | 7628 | 95.6 | 100.0 | |
| Missing | -1 No response | 355 | 4.4 | | |
| Total | | 7983 | 100.0 | | |

p5079 E80: Mother can usually concentrate on what she is doing even if the environment is distracting

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 821 | 10.3 | 10.8 | 10.8 |
| | 2 Applies a bit | 2467 | 30.9 | 32.4 | 43.2 |
| | 3 Moderately applies | 2921 | 36.6 | 38.4 | 81.5 |
| | 4 Certainly applies | 1407 | 17.6 | 18.5 | 100.0 |
| | Total | 7616 | 95.4 | 100.0 | |
| Missing | -1 No response | 367 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

p5080 E81: Mother usually 'talks before she thinks'

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2383 | 29.9 | 31.2 | 31.2 |
| | 2 Applies a bit | 3648 | 45.7 | 47.8 | 79.0 |
| | 3 Moderately applies | 1157 | 14.5 | 15.2 | 94.2 |
| | 4 Certainly applies | 444 | 5.6 | 5.8 | 100.0 |
| | Total | 7632 | 95.6 | 100.0 | |
| Missing | -1 No response | 351 | 4.4 | | |
| Total | | 7983 | 100.0 | | |

p5081 E82: Mother usually does not feel at ease when she meets people she does not know too well

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1981 | 24.8 | 26.0 | 26.0 |
| | 2 Applies a bit | 3034 | 38.0 | 39.9 | 65.9 |
| | 3 Moderately applies | 1583 | 19.8 | 20.8 | 86.7 |
| | 4 Certainly applies | 1010 | 12.7 | 13.3 | 100.0 |
| | Total | 7608 | 95.3 | 100.0 | |
| Missing | -1 No response | 375 | 4.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5082 E83: Mother feels very ill at ease when witnessing a fight in the street

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 543 | 6.8 | 7.1 | 7.1 |
| | 2 Applies a bit | 873 | 10.9 | 11.5 | 18.6 |
| | 3 Moderately applies | 1104 | 13.8 | 14.5 | 33.1 |
| | 4 Certainly applies | 2612 | 32.7 | 34.3 | 67.4 |
| | 7 Never seen a fight | 2484 | 31.1 | 32.6 | 100.0 |
| | Total | 7616 | 95.4 | 100.0 | |
| Missing | -1 No response | 367 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

p5083 E84: In a way mother likes to do routine jobs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1506 | 18.9 | 19.8 | 19.8 |
| | 2 Applies a bit | 2953 | 37.0 | 38.9 | 58.7 |
| | 3 Moderately applies | 2052 | 25.7 | 27.0 | 85.8 |
| | 4 Certainly applies | 1082 | 13.6 | 14.2 | 100.0 |
| | Total | 7593 | 95.1 | 100.0 | |
| Missing | -1 No response | 390 | 4.9 | | |
| Total | | 7983 | 100.0 | | |

p5084 E85: Mother has often got into trouble even when it was not her fault

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 6202 | 77.7 | 81.5 | 81.5 |
| | 2 Applies a bit | 1108 | 13.9 | 14.6 | 96.0 |
| | 3 Moderately applies | 215 | 2.7 | 2.8 | 98.9 |
| | 4 Certainly applies | 87 | 1.1 | 1.1 | 100.0 |
| | Total | 7612 | 95.4 | 100.0 | |
| Missing | -1 No response | 371 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

p5085 E86: Sometimes when upset, mother suddenly feels as if her legs were too weak to carry her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5985 | 75.0 | 78.6 | 78.6 |
| | 2 Applies a bit | 1121 | 14.0 | 14.7 | 93.3 |
| | 3 Moderately applies | 324 | 4.1 | 4.3 | 97.6 |
| | 4 Certainly applies | 183 | 2.3 | 2.4 | 100.0 |
| | Total | 7613 | 95.4 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 369 | 4.6 | | |
| | Total | 370 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5086 E87: Mother sometimes spreads gossip about people she does not like

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5813 | 72.8 | 76.2 | 76.2 |
| | 2 Applies a bit | 1577 | 19.8 | 20.7 | 96.9 |
| | 3 Moderately applies | 193 | 2.4 | 2.5 | 99.4 |
| | 4 Certainly applies | 45 | .6 | .6 | 100.0 |
| | Total | 7628 | 95.6 | 100.0 | |
| Missing | -1 No response | 355 | 4.4 | | |
| Total | | 7983 | 100.0 | | |

p5087 E88: Mother has difficulty sitting in a relaxed position even in a comfortable chair

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5339 | 66.9 | 70.1 | 70.1 |
| | 2 Applies a bit | 1487 | 18.6 | 19.5 | 89.6 |
| | 3 Moderately applies | 481 | 6.0 | 6.3 | 95.9 |
| | 4 Certainly applies | 313 | 3.9 | 4.1 | 100.0 |
| | Total | 7620 | 95.5 | 100.0 | |
| Missing | -1 No response | 363 | 4.5 | | |
| Total | | 7983 | 100.0 | | |

p5088 E89: Mother is always courteous, even to people who are disagreeable

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 370 | 4.6 | 4.9 | 4.9 |
| | 2 Applies a bit | 1946 | 24.4 | 25.6 | 30.4 |
| | 3 Moderately applies | 2939 | 36.8 | 38.6 | 69.0 |
| | 4 Certainly applies | 2359 | 29.6 | 31.0 | 100.0 |
| | Total | 7614 | 95.4 | 100.0 | |
| Missing | -1 No response | 369 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

p5089 E90: With things going as they are, mother feels it is pretty hard to keep up hope of getting anywhere

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5055 | 63.3 | 67.2 | 67.2 |
| | 2 Applies a bit | 1584 | 19.8 | 21.1 | 88.2 |
| | 3 Moderately applies | 575 | 7.2 | 7.6 | 95.9 |
| | 4 Certainly applies | 310 | 3.9 | 4.1 | 100.0 |
| | Total | 7524 | 94.3 | 100.0 | |
| Missing | -1 No response | 459 | 5.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5090 E91: The few times mother has cheated she has suffered unbearable feelings of remorse

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2764 | 34.6 | 36.6 | 36.6 |
| | 2 Applies a bit | 1098 | 13.8 | 14.5 | 51.2 |
| | 3 Moderately applies | 497 | 6.2 | 6.6 | 57.7 |
| | 4 Certainly applies | 677 | 8.5 | 9.0 | 66.7 |
| | 7 Have never cheated | 2513 | 31.5 | 33.3 | 100.0 |
| | Total | 7549 | 94.6 | 100.0 | |
| Missing | -1 No response | 434 | 5.4 | | |
| Total | | 7983 | 100.0 | | |

p5091 E92: Mother prefers to avoid involving herself in other people's personal problems

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2460 | 30.8 | 32.4 | 32.4 |
| | 2 Applies a bit | 3294 | 41.3 | 43.4 | 75.8 |
| | 3 Moderately applies | 1242 | 15.6 | 16.4 | 92.1 |
| | 4 Certainly applies | 598 | 7.5 | 7.9 | 100.0 |
| | Total | 7594 | 95.1 | 100.0 | |
| Missing | -1 No response | 389 | 4.9 | | |
| Total | | 7983 | 100.0 | | |

p5092 E93: Mother easily feels pressure when she is urged to speed up

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2737 | 34.3 | 36.1 | 36.1 |
| | 2 Applies a bit | 3080 | 38.6 | 40.6 | 76.7 |
| | 3 Moderately applies | 1202 | 15.1 | 15.9 | 92.6 |
| | 4 Certainly applies | 564 | 7.1 | 7.4 | 100.0 |
| | Total | 7583 | 95.0 | 100.0 | |
| Missing | -1 No response | 400 | 5.0 | | |
| Total | | 7983 | 100.0 | | |

p5093 E94: Rather often, especially when tired, mother gets feeling of unreality - her or world around her is changing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5428 | 68.0 | 72.3 | 72.3 |
| | 2 Applies a bit | 1379 | 17.3 | 18.4 | 90.7 |
| | 3 Moderately applies | 465 | 5.8 | 6.2 | 96.9 |
| | 4 Certainly applies | 231 | 2.9 | 3.1 | 100.0 |
| | Total | 7503 | 94.0 | 100.0 | |
| Missing | -1 No response | 480 | 6.0 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5094 E95: Mother cannot help getting into arguments when people disagree with her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5143 | 64.4 | 67.7 | 67.7 |
| | 2 Applies a bit | 1998 | 25.0 | 26.3 | 94.1 |
| | 3 Moderately applies | 370 | 4.6 | 4.9 | 98.9 |
| | 4 Certainly applies | 81 | 1.0 | 1.1 | 100.0 |
| | Total | 7592 | 95.1 | 100.0 | |
| Missing | -1 No response | 391 | 4.9 | | |
| Total | | 7983 | 100.0 | | |

p5095 E96: When mother does not know something she does not at all mind admitting it

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 319 | 4.0 | 4.2 | 4.2 |
| | 2 Applies a bit | 1363 | 17.1 | 18.0 | 22.2 |
| | 3 Moderately applies | 2062 | 25.8 | 27.2 | 49.3 |
| | 4 Certainly applies | 3848 | 48.2 | 50.7 | 100.0 |
| | Total | 7592 | 95.1 | 100.0 | |
| Missing | -1 No response | 391 | 4.9 | | |
| Total | | 7983 | 100.0 | | |

p5096 E97: Mother often worries about things that other people look upon as trifles

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3232 | 40.5 | 42.8 | 42.8 |
| | 2 Applies a bit | 2557 | 32.0 | 33.9 | 76.7 |
| | 3 Moderately applies | 1098 | 13.8 | 14.6 | 91.3 |
| | 4 Certainly applies | 656 | 8.2 | 8.7 | 100.0 |
| | Total | 7543 | 94.5 | 100.0 | |
| Missing | -1 No response | 440 | 5.5 | | |
| Total | | 7983 | 100.0 | | |

p5097 E98: As a youngster at school mother used to give the teacher lots of trouble

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 6676 | 83.6 | 87.7 | 87.7 |
| | 2 Applies a bit | 609 | 7.6 | 8.0 | 95.7 |
| | 3 Moderately applies | 180 | 2.3 | 2.4 | 98.1 |
| | 4 Certainly applies | 148 | 1.9 | 1.9 | 100.0 |
| | Total | 7613 | 95.4 | 100.0 | |
| Missing | -1 No response | 370 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5098 E99: Mother can not help being a little rude to people she does not like

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5315 | 66.6 | 69.9 | 69.9 |
| | 2 Applies a bit | 1928 | 24.2 | 25.3 | 95.2 |
| | 3 Moderately applies | 267 | 3.3 | 3.5 | 98.7 |
| | 4 Certainly applies | 97 | 1.2 | 1.3 | 100.0 |
| | Total | 7607 | 95.3 | 100.0 | |
| Missing | -1 No response | 376 | 4.7 | | |
| Total | | 7983 | 100.0 | | |

p5099 E100: Mother's hands usually tremble

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 6725 | 84.2 | 88.3 | 88.3 |
| | 2 Applies a bit | 650 | 8.1 | 8.5 | 96.9 |
| | 3 Moderately applies | 158 | 2.0 | 2.1 | 98.9 |
| | 4 Certainly applies | 81 | 1.0 | 1.1 | 100.0 |
| | Total | 7614 | 95.4 | 100.0 | |
| Missing | -1 No response | 369 | 4.6 | | |
| Total | | 7983 | 100.0 | | |

p5100 E101: When mother is about to make a decision she usually makes it quickly

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1494 | 18.7 | 19.8 | 19.8 |
| | 2 Applies a bit | 3197 | 40.0 | 42.3 | 62.0 |
| | 3 Moderately applies | 2146 | 26.9 | 28.4 | 90.4 |
| | 4 Certainly applies | 726 | 9.1 | 9.6 | 100.0 |
| | Total | 7563 | 94.7 | 100.0 | |
| Missing | -1 No response | 420 | 5.3 | | |
| Total | | 7983 | 100.0 | | |

p5101 E102: Mother likes doing things just for the thrill of it

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3207 | 40.2 | 42.6 | 42.6 |
| | 2 Applies a bit | 2950 | 37.0 | 39.1 | 81.7 |
| | 3 Moderately applies | 1074 | 13.5 | 14.3 | 96.0 |
| | 4 Certainly applies | 305 | 3.8 | 4.0 | 100.0 |
| | Total | 7536 | 94.4 | 100.0 | |
| Missing | -1 No response | 447 | 5.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5102 E103: There are a number of people who seem to be jealous of mother

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5203 | 65.2 | 69.1 | 69.1 |
| | 2 Applies a bit | 1665 | 20.9 | 22.1 | 91.3 |
| | 3 Moderately applies | 474 | 5.9 | 6.3 | 97.6 |
| | 4 Certainly applies | 183 | 2.3 | 2.4 | 100.0 |
| | Total | 7525 | 94.3 | 100.0 | |
| Missing | -1 No response | 458 | 5.7 | | |
| Total | | 7983 | 100.0 | | |

p5103 E104: Mother's parents never really understood her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4699 | 58.9 | 62.3 | 62.3 |
| | 2 Applies a bit | 1678 | 21.0 | 22.2 | 84.5 |
| | 3 Moderately applies | 607 | 7.6 | 8.0 | 92.6 |
| | 4 Certainly applies | 562 | 7.0 | 7.4 | 100.0 |
| | Total | 7546 | 94.5 | 100.0 | |
| Missing | -1 No response | 437 | 5.5 | | |
| Total | | 7983 | 100.0 | | |

p5104 E105: People generally think that mother hides her feelings so that they have difficulties in understanding her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4584 | 57.4 | 61.4 | 61.4 |
| | 2 Applies a bit | 1960 | 24.6 | 26.2 | 87.6 |
| | 3 Moderately applies | 627 | 7.9 | 8.4 | 96.0 |
| | 4 Certainly applies | 296 | 3.7 | 4.0 | 100.0 |
| | Total | 7467 | 93.5 | 100.0 | |
| Missing | -1 No response | 516 | 6.5 | | |
| Total | | 7983 | 100.0 | | |

p5105 E106: Mother likes to have plenty of time available when she is doing something

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 801 | 10.0 | 10.6 | 10.6 |
| | 2 Applies a bit | 2687 | 33.7 | 35.5 | 46.1 |
| | 3 Moderately applies | 2475 | 31.0 | 32.7 | 78.9 |
| | 4 Certainly applies | 1596 | 20.0 | 21.1 | 100.0 |
| | Total | 7559 | 94.7 | 100.0 | |
| Missing | -1 No response | 424 | 5.3 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5106 E107: Mother seldom feels that people are trying to anger or insult her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2372 | 29.7 | 31.8 | 31.8 |
| | 2 Applies a bit | 1020 | 12.8 | 13.7 | 45.5 |
| | 3 Moderately applies | 1071 | 13.4 | 14.4 | 59.9 |
| | 4 Certainly applies | 2987 | 37.4 | 40.1 | 100.0 |
| | Total | 7450 | 93.3 | 100.0 | |
| Missing | -1 No response | 533 | 6.7 | | |
| Total | | 7983 | 100.0 | | |

p5107 E108: Mother's muscles are so tense that she gets tired

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5517 | 69.1 | 73.1 | 73.1 |
| | 2 Applies a bit | 1423 | 17.8 | 18.9 | 92.0 |
| | 3 Moderately applies | 399 | 5.0 | 5.3 | 97.2 |
| | 4 Certainly applies | 208 | 2.6 | 2.8 | 100.0 |
| | Total | 7547 | 94.5 | 100.0 | |
| Missing | -1 No response | 436 | 5.5 | | |
| Total | | 7983 | 100.0 | | |

p5108 E109: To be on the move, travelling, change and excitement - that is the kind of life mother likes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3691 | 46.2 | 49.0 | 49.0 |
| | 2 Applies a bit | 2443 | 30.6 | 32.5 | 81.5 |
| | 3 Moderately applies | 936 | 11.7 | 12.4 | 94.0 |
| | 4 Certainly applies | 455 | 5.7 | 6.0 | 100.0 |
| | Total | 7525 | 94.3 | 100.0 | |
| Missing | -1 No response | 458 | 5.7 | | |
| Total | | 7983 | 100.0 | | |

p5109 E110: Mother worries far in advance of when she is going to get started on something

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2675 | 33.5 | 35.5 | 35.5 |
| | 2 Applies a bit | 2879 | 36.1 | 38.2 | 73.8 |
| | 3 Moderately applies | 1189 | 14.9 | 15.8 | 89.6 |
| | 4 Certainly applies | 784 | 9.8 | 10.4 | 100.0 |
| | Total | 7527 | 94.3 | 100.0 | |
| Missing | -1 No response | 456 | 5.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5110 E111: Mother is always patient with others

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 253 | 3.2 | 3.3 | 3.3 |
| | 2 Applies a bit | 2255 | 28.2 | 29.8 | 33.2 |
| | 3 Moderately applies | 3451 | 43.2 | 45.6 | 78.8 |
| | 4 Certainly applies | 1603 | 20.1 | 21.2 | 100.0 |
| | Total | 7562 | 94.7 | 100.0 | |
| Missing | -1 No response | 421 | 5.3 | | |
| Total | | 7983 | 100.0 | | |

p5111 E112: Mother seems to do things that she regrets more often than other people do

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5280 | 66.1 | 70.3 | 70.3 |
| | 2 Applies a bit | 1592 | 19.9 | 21.2 | 91.5 |
| | 3 Moderately applies | 463 | 5.8 | 6.2 | 97.6 |
| | 4 Certainly applies | 177 | 2.2 | 2.4 | 100.0 |
| | Total | 7512 | 94.1 | 100.0 | |
| Missing | -1 No response | 471 | 5.9 | | |
| Total | | 7983 | 100.0 | | |

p5112 E113: Mother takes life easy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2204 | 27.6 | 29.2 | 29.2 |
| | 2 Applies a bit | 2876 | 36.0 | 38.1 | 67.4 |
| | 3 Moderately applies | 1832 | 22.9 | 24.3 | 91.7 |
| | 4 Certainly applies | 628 | 7.9 | 8.3 | 100.0 |
| | Total | 7540 | 94.5 | 100.0 | |
| Missing | -1 No response | 443 | 5.5 | | |
| Total | | 7983 | 100.0 | | |

p5113 E114: There have been times when mother was quite jealous of the good fortune of others

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2832 | 35.5 | 37.4 | 37.4 |
| | 2 Applies a bit | 3324 | 41.6 | 43.9 | 81.3 |
| | 3 Moderately applies | 985 | 12.3 | 13.0 | 94.3 |
| | 4 Certainly applies | 429 | 5.4 | 5.7 | 100.0 |
| | Total | 7570 | 94.8 | 100.0 | |
| Missing | -1 No response | 413 | 5.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5114 E115: Mother does not let a lot of unimportant things irritate her

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1217 | 15.2 | 16.1 | 16.1 |
| | 2 Applies a bit | 2638 | 33.0 | 35.0 | 51.1 |
| | 3 Moderately applies | 1956 | 24.5 | 25.9 | 77.0 |
| | 4 Certainly applies | 1734 | 21.7 | 23.0 | 100.0 |
| | Total | 7545 | 94.5 | 100.0 | |
| Missing | -1 No response | 438 | 5.5 | | |
| Total | | 7983 | 100.0 | | |

p5115 E116: Sometimes mother's cheeks burn even if it is not particularly hot

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4824 | 60.4 | 63.8 | 63.8 |
| | 2 Applies a bit | 1624 | 20.3 | 21.5 | 85.3 |
| | 3 Moderately applies | 687 | 8.6 | 9.1 | 94.4 |
| | 4 Certainly applies | 423 | 5.3 | 5.6 | 100.0 |
| | Total | 7558 | 94.7 | 100.0 | |
| Missing | -1 No response | 425 | 5.3 | | |
| Total | | 7983 | 100.0 | | |

p5116 E117: When mother was going to school she skived off (truanted) quite often

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 6112 | 76.6 | 80.7 | 80.7 |
| | 2 Applies a bit | 923 | 11.6 | 12.2 | 92.8 |
| | 3 Moderately applies | 282 | 3.5 | 3.7 | 96.6 |
| | 4 Certainly applies | 260 | 3.3 | 3.4 | 100.0 |
| | Total | 7577 | 94.9 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 405 | 5.1 | | |
| | Total | 406 | 5.1 | | |
| Total | | 7983 | 100.0 | | |

p5117 E118: Mother considers herself reserved and a little cold rather than kind and warm

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5011 | 62.8 | 66.4 | 66.4 |
| | 2 Applies a bit | 1849 | 23.2 | 24.5 | 90.9 |
| | 3 Moderately applies | 503 | 6.3 | 6.7 | 97.5 |
| | 4 Certainly applies | 185 | 2.3 | 2.5 | 100.0 |
| | Total | 7548 | 94.6 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 434 | 5.4 | | |
| | Total | 435 | 5.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5118 E119: Mother tends to be on her guard with people who are somewhat more friendly than she expected

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2411 | 30.2 | 31.9 | 31.9 |
| | 2 Applies a bit | 3523 | 44.1 | 46.6 | 78.5 |
| | 3 Moderately applies | 1113 | 13.9 | 14.7 | 93.2 |
| | 4 Certainly applies | 514 | 6.4 | 6.8 | 100.0 |
| | Total | 7561 | 94.7 | 100.0 | |
| Missing | -1 No response | 422 | 5.3 | | |
| Total | | 7983 | 100.0 | | |

p5119 E120: Mother feels calm and secure even when she is facing new tasks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1460 | 18.3 | 19.3 | 19.3 |
| | 2 Applies a bit | 3107 | 38.9 | 41.2 | 60.5 |
| | 3 Moderately applies | 2191 | 27.4 | 29.0 | 89.5 |
| | 4 Certainly applies | 792 | 9.9 | 10.5 | 100.0 |
| | Total | 7550 | 94.6 | 100.0 | |
| Missing | -1 No response | 433 | 5.4 | | |
| Total | | 7983 | 100.0 | | |

p5120 E121: After buying something mother often worries about having made the wrong choice

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2674 | 33.5 | 35.3 | 35.3 |
| | 2 Applies a bit | 3350 | 42.0 | 44.3 | 79.6 |
| | 3 Moderately applies | 1051 | 13.2 | 13.9 | 93.5 |
| | 4 Certainly applies | 491 | 6.2 | 6.5 | 100.0 |
| | Total | 7566 | 94.8 | 100.0 | |
| Missing | -1 No response | 417 | 5.2 | | |
| Total | | 7983 | 100.0 | | |

p5121 E122: Mother has sometimes lied to get out of something

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2425 | 30.4 | 32.1 | 32.1 |
| | 2 Applies a bit | 4037 | 50.6 | 53.4 | 85.5 |
| | 3 Moderately applies | 710 | 8.9 | 9.4 | 94.8 |
| | 4 Certainly applies | 390 | 4.9 | 5.2 | 100.0 |
| | Total | 7562 | 94.7 | 100.0 | |
| Missing | -1 No response | 421 | 5.3 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5122 E123: If somebody annoys mother, she is apt to tell them what she thinks of them

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3677 | 46.1 | 48.7 | 48.7 |
| | 2 Applies a bit | 2839 | 35.6 | 37.6 | 86.4 |
| | 3 Moderately applies | 729 | 9.1 | 9.7 | 96.0 |
| | 4 Certainly applies | 300 | 3.8 | 4.0 | 100.0 |
| | Total | 7545 | 94.5 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 437 | 5.5 | | |
| | Total | 438 | 5.5 | | |
| Total | | 7983 | 100.0 | | |

p5123 E124: Mother sometimes has a feeling that she does not get enough air to breathe

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5970 | 74.8 | 79.0 | 79.0 |
| | 2 Applies a bit | 1097 | 13.7 | 14.5 | 93.6 |
| | 3 Moderately applies | 318 | 4.0 | 4.2 | 97.8 |
| | 4 Certainly applies | 169 | 2.1 | 2.2 | 100.0 |
| | Total | 7554 | 94.6 | 100.0 | |
| Missing | -1 No response | 429 | 5.4 | | |
| Total | | 7983 | 100.0 | | |

p5124 E125: Mother's parents generally allowed her to make her own decisions

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 1166 | 14.6 | 15.5 | 15.5 |
| | 2 Applies a bit | 1959 | 24.5 | 26.0 | 41.4 |
| | 3 Moderately applies | 2227 | 27.9 | 29.5 | 71.0 |
| | 4 Certainly applies | 2188 | 27.4 | 29.0 | 100.0 |
| | Total | 7540 | 94.5 | 100.0 | |
| Missing | -1 No response | 443 | 5.5 | | |
| Total | | 7983 | 100.0 | | |

p5125 E126: When mother gets mad she says nasty things

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3031 | 38.0 | 40.0 | 40.0 |
| | 2 Applies a bit | 3201 | 40.1 | 42.3 | 82.3 |
| | 3 Moderately applies | 860 | 10.8 | 11.4 | 93.7 |
| | 4 Certainly applies | 477 | 6.0 | 6.3 | 100.0 |
| | Total | 7569 | 94.8 | 100.0 | |
| Missing | -1 No response | 414 | 5.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5126 E127: Mother considers herself an impulsive person

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 3376 | 42.3 | 44.5 | 44.5 |
| | 2 Applies a bit | 2988 | 37.4 | 39.4 | 83.8 |
| | 3 Moderately applies | 950 | 11.9 | 12.5 | 96.4 |
| | 4 Certainly applies | 277 | 3.5 | 3.6 | 100.0 |
| | Total | 7591 | 95.1 | 100.0 | |
| Missing | -1 No response | 392 | 4.9 | | |
| Total | | 7983 | 100.0 | | |

p5127 E128: In late afternoon mother often gets headache which feels like an iron-band across her forehead

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5436 | 68.1 | 71.6 | 71.6 |
| | 2 Applies a bit | 1521 | 19.1 | 20.0 | 91.6 |
| | 3 Moderately applies | 445 | 5.6 | 5.9 | 97.4 |
| | 4 Certainly applies | 195 | 2.4 | 2.6 | 100.0 |
| | Total | 7597 | 95.2 | 100.0 | |
| Missing | -1 No response | 386 | 4.8 | | |
| Total | | 7983 | 100.0 | | |

p5128 E129: When people yell at mother she yells back

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2434 | 30.5 | 32.0 | 32.0 |
| | 2 Applies a bit | 3355 | 42.0 | 44.1 | 76.2 |
| | 3 Moderately applies | 1239 | 15.5 | 16.3 | 92.4 |
| | 4 Certainly applies | 574 | 7.2 | 7.6 | 100.0 |
| | Total | 7602 | 95.2 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 380 | 4.8 | | |
| | Total | 381 | 4.8 | | |
| Total | | 7983 | 100.0 | | |

p5129 E130: When listening to music on the radio mother wants it really loud so that she can feel 'turned on'

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4594 | 57.5 | 60.6 | 60.6 |
| | 2 Applies a bit | 1831 | 22.9 | 24.2 | 84.8 |
| | 3 Moderately applies | 777 | 9.7 | 10.3 | 95.0 |
| | 4 Certainly applies | 377 | 4.7 | 5.0 | 100.0 |
| | Total | 7579 | 94.9 | 100.0 | |
| Missing | -1 No response | 404 | 5.1 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5130 E131: Mother often feels as though she has done something wrong or wicked

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 5962 | 74.7 | 78.5 | 78.5 |
| | 2 Applies a bit | 1240 | 15.5 | 16.3 | 94.8 |
| | 3 Moderately applies | 283 | 3.5 | 3.7 | 98.5 |
| | 4 Certainly applies | 112 | 1.4 | 1.5 | 100.0 |
| | Total | 7597 | 95.2 | 100.0 | |
| Missing | -1 No response | 386 | 4.8 | | |
| Total | | 7983 | 100.0 | | |

p5131 E132: When mother is angry, she sometimes sulks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 2514 | 31.5 | 33.0 | 33.0 |
| | 2 Applies a bit | 3548 | 44.4 | 46.6 | 79.7 |
| | 3 Moderately applies | 1136 | 14.2 | 14.9 | 94.6 |
| | 4 Certainly applies | 411 | 5.1 | 5.4 | 100.0 |
| | Total | 7609 | 95.3 | 100.0 | |
| Missing | -1 No response | 374 | 4.7 | | |
| Total | | 7983 | 100.0 | | |

p5132 E133: People often come to mother with their troubles

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 475 | 6.0 | 6.2 | 6.2 |
| | 2 Applies a bit | 2675 | 33.5 | 35.2 | 41.4 |
| | 3 Moderately applies | 2640 | 33.1 | 34.7 | 76.1 |
| | 4 Certainly applies | 1818 | 22.8 | 23.9 | 100.0 |
| | Total | 7608 | 95.3 | 100.0 | |
| Missing | -1 No response | 375 | 4.7 | | |
| Total | | 7983 | 100.0 | | |

p5133 E134: Mother thinks she gets tired more easily than most people she knows

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Doesn't apply | 4047 | 50.7 | 53.3 | 53.3 |
| | 2 Applies a bit | 2021 | 25.3 | 26.6 | 79.8 |
| | 3 Moderately applies | 945 | 11.8 | 12.4 | 92.3 |
| | 4 Certainly applies | 587 | 7.4 | 7.7 | 100.0 |
| | Total | 7600 | 95.2 | 100.0 | |
| Missing | -1 No response | 383 | 4.8 | | |
| Total | | 7983 | 100.0 | | |

P File – Section E

p5134 E135: If someone is scolding mother, she becomes sad rather than angry

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Doesn't apply | 2612 | 32.7 | 34.6 | 34.6 |
| | 2 Applies a bit | 2723 | 34.1 | 36.0 | 70.6 |
| | 3 Moderately applies | 1432 | 17.9 | 18.9 | 89.5 |
| | 4 Certainly applies | 791 | 9.9 | 10.5 | 100.0 |
| | Total | 7558 | 94.7 | 100.0 | |
| Missing | -1 No response | 425 | 5.3 | | |
| Total | | 7983 | 100.0 | | |

PAGE 45 OF THE QUESTIONNAIRE

SECTION F: CHEMICALS IN YOUR ENVIRONMENT

F1. In the last few months, how often have you used the following whether at home or at work:

| | In the last few months | Every day ↓ | Most days ↓ | About once a week | Less than once a week | Not at all ↓ |
|----|--|---------------------------|---------------------------|----------------------------------|--|----------------------------|
| a) | disinfectant | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |
| b) | bleach | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |
| c) | window cleaner | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |
| d) | chemical carpet cleaner | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |
| e) | oven/drain cleaner | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |
| f) | dry cleaning fluid | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |
| g) | turpentine/white spirit | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |
| h) | paint stripper | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |
| i) | household paint or varnish | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |
| j) | weed killers | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |
| k) | pesticides/insect killers | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |
| l) | air freshners (spray, stick or aerosol) | <div>1</div> | <div>2</div> | <div>3</div> | <div>4</div> | <div>5</div> |

PAGE 46 OF THE QUESTIONNAIRE

| F1. | In the last few months | Every day ↓ | Most days ↓ | About once a week | Less than once a week | Not at all ↓ |
|-----|---|------------------------|------------------------|-------------------------|--------------------------------|------------------------|
| m) | other aerosols or sprays including hair spray | 1 <input type="text"/> | 2 <input type="text"/> | 3 <input type="text"/> | 4 <input type="text"/> | 5 <input type="text"/> |
| n) | deodorant or antiperspirant | 1 <input type="text"/> | 2 <input type="text"/> | 3 <input type="text"/> | 4 <input type="text"/> | 5 <input type="text"/> |
| o) | make up | 1 <input type="text"/> | 2 <input type="text"/> | 3 <input type="text"/> | 4 <input type="text"/> | 5 <input type="text"/> |
| p) | glue | 1 <input type="text"/> | 2 <input type="text"/> | 3 <input type="text"/> | 4 <input type="text"/> | 5 <input type="text"/> |
| q) | nail varnish/acetone | 1 <input type="text"/> | 2 <input type="text"/> | 3 <input type="text"/> | 4 <input type="text"/> | 5 <input type="text"/> |
| r) | metal cleaners/ degreasers, polishers | 1 <input type="text"/> | 2 <input type="text"/> | 3 <input type="text"/> | 4 <input type="text"/> | 5 <input type="text"/> |
| s) | petrol | 1 <input type="text"/> | 2 <input type="text"/> | 3 <input type="text"/> | 4 <input type="text"/> | 5 <input type="text"/> |
| t) | moth repellent (moth balls) | 1 <input type="text"/> | 2 <input type="text"/> | 3 <input type="text"/> | 4 <input type="text"/> | 5 <input type="text"/> |
| u) | other chemical (please tick and describe) | 1 <input type="text"/> | 2 <input type="text"/> | 3 <input type="text"/> | 4 <input type="text"/> | 5 <input type="text"/> |

.....

F2. a) Do you have a mobile phone (i.e. one that can be used away from home)?

Yes 1 No 2 → Go to F3 on page 47

PAGE 47 OF THE QUESTIONNAIRE

If yes,

F2. b) how often do you use it to make calls?

| | |
|-----------------------|--------------------------------|
| at least once a day | <input type="text" value="1"/> |
| 4-6 times a week | <input type="text" value="2"/> |
| 1-3 times a week | <input type="text" value="3"/> |
| less than once a week | <input type="text" value="4"/> |

c) how often do people ring you on it?

| | |
|-----------------------|--------------------------------|
| at least once a day | <input type="text" value="1"/> |
| 4-6 times a week | <input type="text" value="2"/> |
| 1-3 times a week | <input type="text" value="3"/> |
| less than once a week | <input type="text" value="4"/> |

F3. How often during the day are you in a room or enclosed place where people are smoking?

| | (i) weekdays | (ii) weekends |
|-------------------|--------------------------------|--------------------------------|
| all the time | <input type="text" value="1"/> | <input type="text" value="1"/> |
| more than 5 hours | <input type="text" value="2"/> | <input type="text" value="2"/> |
| 3-5 hours | <input type="text" value="3"/> | <input type="text" value="3"/> |
| 1-2 hours | <input type="text" value="4"/> | <input type="text" value="4"/> |
| less than 1 hour | <input type="text" value="5"/> | <input type="text" value="5"/> |
| not at all | <input type="text" value="6"/> | <input type="text" value="6"/> |

F4. Do you tend to collect static electricity and have shocks when you touch metal?

| | | | | | |
|-----------|--------------------------------|------------------|--------------------------------|----------------|--------------------------------|
| Yes a lot | <input type="text" value="1"/> | Yes occasionally | <input type="text" value="2"/> | No, not at all | <input type="text" value="3"/> |
|-----------|--------------------------------|------------------|--------------------------------|----------------|--------------------------------|

P File – Section F

p6000 F1a: Frequency mother has used disinfectant at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 539 | 6.8 | 6.9 | 6.9 |
| | 2 Most days | 1835 | 23.0 | 23.6 | 30.5 |
| | 3 About once a week | 2868 | 35.9 | 36.9 | 67.4 |
| | 4 < Once a week | 1623 | 20.3 | 20.9 | 88.2 |
| | 5 Not at all | 917 | 11.5 | 11.8 | 100.0 |
| | Total | 7782 | 97.5 | 100.0 | |
| Missing | -1 No response | 201 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p6001 F1b: Frequency mother has used bleach at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 477 | 6.0 | 6.1 | 6.1 |
| | 2 Most days | 1823 | 22.8 | 23.4 | 29.5 |
| | 3 About once a week | 3608 | 45.2 | 46.3 | 75.8 |
| | 4 < Once a week | 1434 | 18.0 | 18.4 | 94.2 |
| | 5 Not at all | 452 | 5.7 | 5.8 | 100.0 |
| | Total | 7794 | 97.6 | 100.0 | |
| Missing | -1 No response | 189 | 2.4 | | |
| Total | | 7983 | 100.0 | | |

p6002 F1c: Frequency mother has used window cleaner at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 41 | .5 | .5 | .5 |
| | 2 Most days | 165 | 2.1 | 2.1 | 2.6 |
| | 3 About once a week | 1337 | 16.7 | 17.2 | 19.8 |
| | 4 < Once a week | 4503 | 56.4 | 57.8 | 77.6 |
| | 5 Not at all | 1744 | 21.8 | 22.4 | 100.0 |
| | Total | 7790 | 97.6 | 100.0 | |
| Missing | -1 No response | 193 | 2.4 | | |
| Total | | 7983 | 100.0 | | |

p6003 F1d: Frequency mother has used chemical carpet cleaner at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 6 | .1 | .1 | .1 |
| | 2 Most days | 31 | .4 | .4 | .5 |
| | 3 About once a week | 196 | 2.5 | 2.5 | 3.0 |
| | 4 < Once a week | 2320 | 29.1 | 29.8 | 32.8 |
| | 5 Not at all | 5233 | 65.6 | 67.2 | 100.0 |
| | Total | 7786 | 97.5 | 100.0 | |
| Missing | -1 No response | 197 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section F

p6004 F1e: Frequency mother has used oven/drain cleaner at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 12 | .2 | .2 | .2 |
| | 2 Most days | 35 | .4 | .4 | .6 |
| | 3 About once a week | 301 | 3.8 | 3.9 | 4.5 |
| | 4 < Once a week | 3139 | 39.3 | 40.3 | 44.8 |
| | 5 Not at all | 4303 | 53.9 | 55.2 | 100.0 |
| | Total | 7790 | 97.6 | 100.0 | |
| Missing | -1 No response | 193 | 2.4 | | |
| Total | | 7983 | 100.0 | | |

p6005 F1f: Frequency mother has used dry cleaning fluid at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 6 | .1 | .1 | .1 |
| | 2 Most days | 18 | .2 | .2 | .3 |
| | 3 About once a week | 44 | .6 | .6 | .9 |
| | 4 < Once a week | 409 | 5.1 | 5.3 | 6.1 |
| | 5 Not at all | 7308 | 91.5 | 93.9 | 100.0 |
| | Total | 7785 | 97.5 | 100.0 | |
| Missing | -1 No response | 198 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p6006 F1g: Frequency mother has used turpentine/white spirit at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 6 | .1 | .1 | .1 |
| | 2 Most days | 25 | .3 | .3 | .4 |
| | 3 About once a week | 154 | 1.9 | 2.0 | 2.4 |
| | 4 < Once a week | 2288 | 28.7 | 29.4 | 31.8 |
| | 5 Not at all | 5313 | 66.6 | 68.2 | 100.0 |
| | Total | 7786 | 97.5 | 100.0 | |
| Missing | -1 No response | 197 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p6007 F1h: Frequency mother has used paint stripper at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 2 Most days | 3 | .0 | .0 | .0 |
| | 3 About once a week | 23 | .3 | .3 | .3 |
| | 4 < Once a week | 622 | 7.8 | 8.0 | 8.3 |
| | 5 Not at all | 7134 | 89.4 | 91.7 | 100.0 |
| | Total | 7782 | 97.5 | 100.0 | |
| Missing | -1 No response | 201 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section F

p6008 F1i: Frequency mother has used household paint or varnish at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 8 | .1 | .1 | .1 |
| | 2 Most days | 53 | .7 | .7 | .8 |
| | 3 About once a week | 290 | 3.6 | 3.7 | 4.5 |
| | 4 < Once a week | 2824 | 35.4 | 36.3 | 40.8 |
| | 5 Not at all | 4605 | 57.7 | 59.2 | 100.0 |
| | Total | 7780 | 97.5 | 100.0 | |
| Missing | -1 No response | 203 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p6009 F1j: Frequency mother has used weed killers at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 2 Most days | 1 | .0 | .0 | .0 |
| | 3 About once a week | 43 | .5 | .6 | .6 |
| | 4 < Once a week | 1090 | 13.7 | 14.0 | 14.6 |
| | 5 Not at all | 6649 | 83.3 | 85.4 | 100.0 |
| | Total | 7783 | 97.5 | 100.0 | |
| Missing | -1 No response | 200 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p6010 F1k: Frequency mother has used pesticides/insect killers at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 2 | .0 | .0 | .0 |
| | 2 Most days | 19 | .2 | .2 | .3 |
| | 3 About once a week | 111 | 1.4 | 1.4 | 1.7 |
| | 4 < Once a week | 1281 | 16.0 | 16.5 | 18.2 |
| | 5 Not at all | 6370 | 79.8 | 81.8 | 100.0 |
| | Total | 7783 | 97.5 | 100.0 | |
| Missing | -1 No response | 200 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p6011 F1l: Frequency mother has used air fresheners (spray/stick/aerosol) at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 787 | 9.9 | 10.1 | 10.1 |
| | 2 Most days | 1677 | 21.0 | 21.6 | 31.7 |
| | 3 About once a week | 1513 | 19.0 | 19.4 | 51.1 |
| | 4 < Once a week | 1447 | 18.1 | 18.6 | 69.7 |
| | 5 Not at all | 2357 | 29.5 | 30.3 | 100.0 |
| | Total | 7781 | 97.5 | 100.0 | |
| Missing | -1 No response | 202 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

P File – Section F

p6012 F1m: Frequency mother has used other aerosols/sprays, including hair spray, at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 2039 | 25.5 | 26.3 | 26.3 |
| | 2 Most days | 1427 | 17.9 | 18.4 | 44.7 |
| | 3 About once a week | 956 | 12.0 | 12.3 | 57.0 |
| | 4 < Once a week | 1304 | 16.3 | 16.8 | 73.8 |
| | 5 Not at all | 2033 | 25.5 | 26.2 | 100.0 |
| | Total | 7759 | 97.2 | 100.0 | |
| Missing | -1 No response | 224 | 2.8 | | |
| Total | | 7983 | 100.0 | | |

p6013 F1n: Frequency mother has used deodorant or antiperspirant at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 6295 | 78.9 | 80.8 | 80.8 |
| | 2 Most days | 1031 | 12.9 | 13.2 | 94.0 |
| | 3 About once a week | 114 | 1.4 | 1.5 | 95.5 |
| | 4 < Once a week | 100 | 1.3 | 1.3 | 96.8 |
| | 5 Not at all | 252 | 3.2 | 3.2 | 100.0 |
| | Total | 7792 | 97.6 | 100.0 | |
| Missing | -1 No response | 191 | 2.4 | | |
| Total | | 7983 | 100.0 | | |

p6014 F1o: Frequency mother has used make up at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 3631 | 45.5 | 46.6 | 46.6 |
| | 2 Most days | 1573 | 19.7 | 20.2 | 66.8 |
| | 3 About once a week | 766 | 9.6 | 9.8 | 76.6 |
| | 4 < Once a week | 1045 | 13.1 | 13.4 | 90.0 |
| | 5 Not at all | 779 | 9.8 | 10.0 | 100.0 |
| | Total | 7794 | 97.6 | 100.0 | |
| Missing | -1 No response | 189 | 2.4 | | |
| Total | | 7983 | 100.0 | | |

p6015 F1p: Frequency mother has used glue at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 32 | .4 | .4 | .4 |
| | 2 Most days | 192 | 2.4 | 2.5 | 2.9 |
| | 3 About once a week | 1107 | 13.9 | 14.2 | 17.1 |
| | 4 < Once a week | 3655 | 45.8 | 47.0 | 64.1 |
| | 5 Not at all | 2792 | 35.0 | 35.9 | 100.0 |
| | Total | 7778 | 97.4 | 100.0 | |
| Missing | -1 No response | 205 | 2.6 | | |
| Total | | 7983 | 100.0 | | |

P File – Section F

p6016 F1q: Frequency mother has used nail varnish/acetone at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 57 | .7 | .7 | .7 |
| | 2 Most days | 218 | 2.7 | 2.8 | 3.5 |
| | 3 About once a week | 1286 | 16.1 | 16.5 | 20.1 |
| | 4 < Once a week | 3470 | 43.5 | 44.6 | 64.6 |
| | 5 Not at all | 2753 | 34.5 | 35.4 | 100.0 |
| | Total | 7784 | 97.5 | 100.0 | |
| Missing | -1 No response | 199 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

p6017 F1r: Frequency mother has used metal cleaners/degreasers, polishers at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 53 | .7 | .7 | .7 |
| | 2 Most days | 149 | 1.9 | 1.9 | 2.6 |
| | 3 About once a week | 506 | 6.3 | 6.5 | 9.1 |
| | 4 < Once a week | 1626 | 20.4 | 21.0 | 30.1 |
| | 5 Not at all | 5425 | 68.0 | 69.9 | 100.0 |
| | Total | 7759 | 97.2 | 100.0 | |
| Missing | -1 No response | 224 | 2.8 | | |
| Total | | 7983 | 100.0 | | |

p6018 F1s: Frequency mother has used petrol at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 423 | 5.3 | 5.5 | 5.5 |
| | 2 Most days | 414 | 5.2 | 5.4 | 10.8 |
| | 3 About once a week | 2512 | 31.5 | 32.6 | 43.4 |
| | 4 < Once a week | 1924 | 24.1 | 24.9 | 68.3 |
| | 5 Not at all | 2444 | 30.6 | 31.7 | 100.0 |
| | Total | 7717 | 96.7 | 100.0 | |
| Missing | -8 Text response | 1 | .0 | | |
| | -1 No response | 265 | 3.3 | | |
| | Total | 266 | 3.3 | | |
| Total | | 7983 | 100.0 | | |

p6019 F1t: Frequency mother has used moth repellent (moth balls) at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Every day | 4 | .1 | .1 | .1 |
| | 2 Most days | 6 | .1 | .1 | .1 |
| | 3 About once a week | 12 | .2 | .2 | .3 |
| | 4 < Once a week | 186 | 2.3 | 2.4 | 2.7 |
| | 5 Not at all | 7560 | 94.7 | 97.3 | 100.0 |
| | Total | 7768 | 97.3 | 100.0 | |
| Missing | -1 No response | 215 | 2.7 | | |
| Total | | 7983 | 100.0 | | |

P File – Section F

p6020 F1u: Frequency mother has used other chemicals at home/work in last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid | 0 Relevant text but no box ticked | 37 | .5 | .7 | .7 |
| | 1 Every day | 76 | 1.0 | 1.4 | 2.1 |
| | 2 Most days | 93 | 1.2 | 1.7 | 3.8 |
| | 3 About once a week | 84 | 1.1 | 1.5 | 5.3 |
| | 4 < Once a week | 111 | 1.4 | 2.0 | 7.3 |
| | 5 Not at all | 5088 | 63.7 | 92.7 | 100.0 |
| | Total | 5489 | 68.8 | 100.0 | |
| Missing | -1 No response | 2494 | 31.2 | | |
| Total | | 7983 | 100.0 | | |

P File – Section F

p6030 F2a: Mother has a mobile phone

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes | 6367 | 79.8 | 81.4 | 81.4 |
| | 2 No | 1456 | 18.2 | 18.6 | 100.0 |
| | Total | 7823 | 98.0 | 100.0 | |
| Missing | -1 No response | 160 | 2.0 | | |
| Total | | 7983 | 100.0 | | |

p6031 F2b: Frequency mother uses mobile to make calls

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 At least once a day | 1238 | 15.5 | 19.5 | 19.5 |
| | 2 4-6 times a week | 873 | 10.9 | 13.7 | 33.2 |
| | 3 1-3 times a week | 1784 | 22.3 | 28.1 | 61.2 |
| | 4 < Once a week | 2465 | 30.9 | 38.8 | 100.0 |
| | Total | 6360 | 79.7 | 100.0 | |
| Missing | -1 No response | 1623 | 20.3 | | |
| Total | | 7983 | 100.0 | | |

p6032 F2c: Frequency people ring mother on mobile

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|---------------|--------------------|
| Valid | 1 At least once a day | 1163 | 14.6 | 18.3 | 18.3 |
| | 2 4-6 times a week | 831 | 10.4 | 13.1 | 31.4 |
| | 3 1-3 times a week | 1699 | 21.3 | 26.7 | 58.1 |
| | 4 < Once a week | 2659 | 33.3 | 41.9 | 100.0 |
| | Total | 6352 | 79.6 | 100.0 | |
| Missing | -1 No response | 1631 | 20.4 | | |
| Total | | 7983 | 100.0 | | |

P File – Section F

p6040 F3i: Length of time mother is in a room or enclosed space where people are smoking during the day on weekdays

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 All the time | 314 | 3.9 | 4.1 | 4.1 |
| | 2 > 5 hours | 211 | 2.6 | 2.7 | 6.8 |
| | 3 3-5 hours | 409 | 5.1 | 5.3 | 12.1 |
| | 4 1-2 hours | 490 | 6.1 | 6.4 | 18.5 |
| | 5 <1 hour | 1002 | 12.6 | 13.0 | 31.5 |
| | 6 Not at all | 5281 | 66.2 | 68.5 | 100.0 |
| | Total | 7707 | 96.5 | 100.0 | |
| Missing | -1 No response | 276 | 3.5 | | |
| Total | | 7983 | 100.0 | | |

p6041 F3ii: Length of time mother is in a room or enclosed space where people are smoking during the day on weekends

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|---------------|--------------------|
| Valid | 1 All the time | 340 | 4.3 | 4.4 | 4.4 |
| | 2 > 5 hours | 338 | 4.2 | 4.4 | 8.8 |
| | 3 3-5 hours | 511 | 6.4 | 6.7 | 15.5 |
| | 4 1-2 hours | 690 | 8.6 | 9.0 | 24.5 |
| | 5 <1 hour | 1114 | 14.0 | 14.5 | 39.0 |
| | 6 Not at all | 4681 | 58.6 | 61.0 | 100.0 |
| | Total | 7674 | 96.1 | 100.0 | |
| Missing | -1 No response | 309 | 3.9 | | |
| Total | | 7983 | 100.0 | | |

p6050 F4: Mother tends to collect static electricity and has shocks when she touches metal

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, a lot | 1824 | 22.8 | 23.4 | 23.4 |
| | 2 Yes, occasionally | 4942 | 61.9 | 63.5 | 86.9 |
| | 3 No | 1016 | 12.7 | 13.1 | 100.0 |
| | Total | 7782 | 97.5 | 100.0 | |
| Missing | -1 No response | 201 | 2.5 | | |
| Total | | 7983 | 100.0 | | |

PAGE 48 OF THE QUESTIONNAIRE

SECTION G:

G1. This questionnaire was completed by:

Yes

a) child's biological mother

1

b) child's mother-figure

1

c) someone else
(please describe)

1

.....

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 "no".]

p9980 G1a: Questionnaire completed by child's biological mother

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 7838 | 98.2 | 99.2 | 99.2 |
| 2 No | 65 | .8 | .8 | 100.0 |
| Total | 7903 | 99.0 | 100.0 | |
| Missing -5 Question G1 omitted | 80 | 1.0 | | |
| Total | 7983 | 100.0 | | |

p9981 G1b: Questionnaire completed by child's mother figure

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 54 | .7 | .7 | .7 |
| 2 No | 7849 | 98.3 | 99.3 | 100.0 |
| Total | 7903 | 99.0 | 100.0 | |
| Missing -5 Question G1 omitted | 80 | 1.0 | | |
| Total | 7983 | 100.0 | | |

p9982 G1c: Questionnaire completed by someone else

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Yes | 39 | .5 | .5 | .5 |
| 2 No | 7864 | 98.5 | 99.5 | 100.0 |
| Total | 7903 | 99.0 | 100.0 | |
| Missing -5 Question G1 omitted | 80 | 1.0 | | |
| Total | 7983 | 100.0 | | |

Derived Variables**Number of contributors**

The number of contributors to the questionnaire is the number of boxes ticked in question G1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

p9984 DV: Number of contributors to questionnaire

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------------------------|-----------|---------|---------------|--------------------|
| Valid 1 | 7875 | 98.6 | 99.6 | 99.6 |
| 2 | 28 | .4 | .4 | 100.0 |
| Total | 7903 | 99.0 | 100.0 | |
| Missing -5 Question G1 omitted | 80 | 1.0 | | |
| Total | 7983 | 100.0 | | |

Questionnaire completed by...

This variable details the combinations of respondents reported in question G1. It is calculated by recoding values of 1 to powers of 2 (1, 2, and 4 for parts a to c respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

p9985 DV: Questionnaire completed by...

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------------------------------------|-----------|---------|---------------|--------------------|
| Valid 1 Biological mother only | 7810 | 97.8 | 98.8 | 98.8 |
| 2 Mother figure only | 52 | .7 | .7 | 99.5 |
| 3 Biological mother & mother figure | 2 | .0 | .0 | 99.5 |
| 4 Other only | 13 | .2 | .2 | 99.7 |
| 5 Biological mother & other | 26 | .3 | .3 | 100.0 |
| Total | 7903 | 99.0 | 100.0 | |
| Missing -5 Question G1 omitted | 80 | 1.0 | | |
| Total | 7983 | 100.0 | | |

P File – Section G

G2. Please give the date on which you completed this questionnaire:

| | | |
|---|---|--|
| day | month | year |
| <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin: 2px;"></div> <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin: 2px;"></div> | <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin: 2px;"></div> <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin: 2px;"></div> | <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin: 2px; text-align: center;">2</div> <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin: 2px; text-align: center;">0</div> <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin: 2px; text-align: center;">0</div> <div style="display: inline-block; border: 1px solid red; width: 30px; height: 30px; margin: 2px;"></div> |

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable P9990c. The month and year of completion were retained on the built file, but the day was dropped.]

p9990a G2: Date of completion of questionnaire - month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | 1 January | 1168 | 14.6 | 14.6 | 14.6 |
| | 2 February | 769 | 9.6 | 9.6 | 24.3 |
| | 3 March | 633 | 7.9 | 7.9 | 32.2 |
| | 4 April | 446 | 5.6 | 5.6 | 37.8 |
| | 5 May | 397 | 5.0 | 5.0 | 42.8 |
| | 6 June | 468 | 5.9 | 5.9 | 48.6 |
| | 7 July | 426 | 5.3 | 5.3 | 54.0 |
| | 8 August | 432 | 5.4 | 5.4 | 59.4 |
| | 9 September | 451 | 5.6 | 5.6 | 65.0 |
| | 10 October | 965 | 12.1 | 12.1 | 77.1 |
| | 11 November | 1328 | 16.6 | 16.6 | 93.7 |
| | 12 December | 500 | 6.3 | 6.3 | 100.0 |
| | Total | 7983 | 100.0 | 100.0 | |

p9990b G2: Date of completion of questionnaire - year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 2000 | 1788 | 22.4 | 22.4 | 22.4 |
| | 2001 | 4898 | 61.4 | 61.4 | 83.8 |
| | 2002 | 1292 | 16.2 | 16.2 | 99.9 |
| | 2003 | 4 | .1 | .1 | 100.0 |
| | 2004 | 1 | .0 | .0 | 100.0 |
| | Total | 7983 | 100.0 | 100.0 | |

p9990c DV: Date of completion replaced with date of receipt

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--------------------------|-----------|---------|---------------|--------------------|
| Valid | 1 Yes, incomplete d.o.c. | 162 | 2.0 | 2.0 | 2.0 |
| | 2 Yes, illegal d.o.c. | 1 | .0 | .0 | 2.0 |
| | 3 Yes, d.o.c. < d.o.s. | 122 | 1.5 | 1.5 | 3.6 |
| | 4 Yes, d.o.c. > d.o.r. | 40 | .5 | .5 | 4.1 |
| | 5 No | 7658 | 95.9 | 95.9 | 100.0 |
| | Total | 7983 | 100.0 | 100.0 | |


Derived Variables - Age of Study Child at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

p9991a DV: Age of study child at completion (months)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----|-----------|---------|------------------|-----------------------|
| Valid | 109 | 1 | .0 | .0 | .0 |
| | 110 | 4919 | 61.6 | 61.6 | 61.6 |
| | 111 | 1152 | 14.4 | 14.4 | 76.1 |
| | 112 | 485 | 6.1 | 6.1 | 82.1 |
| | 113 | 524 | 6.6 | 6.6 | 88.7 |
| | 114 | 439 | 5.5 | 5.5 | 94.2 |
| | 115 | 227 | 2.8 | 2.8 | 97.0 |
| | 116 | 87 | 1.1 | 1.1 | 98.1 |
| | 117 | 49 | .6 | .6 | 98.7 |
| | 118 | 34 | .4 | .4 | 99.2 |
| | 119 | 23 | .3 | .3 | 99.5 |
| | 120 | 11 | .1 | .1 | 99.6 |
| | 121 | 9 | .1 | .1 | 99.7 |
| | 122 | 8 | .1 | .1 | 99.8 |
| | 123 | 4 | .1 | .1 | 99.9 |
| | 124 | 3 | .0 | .0 | 99.9 |
| | 125 | 2 | .0 | .0 | 99.9 |
| | 126 | 2 | .0 | .0 | 99.9 |
| | 130 | 1 | .0 | .0 | 100.0 |
| | 131 | 1 | .0 | .0 | 100.0 |
| | 133 | 1 | .0 | .0 | 100.0 |
| | 156 | 1 | .0 | .0 | 100.0 |
| Total | | 7983 | 100.0 | 100.0 | |

p9991b: DV: Age of study child at completion (weeks)



plus the following outliers >530:

p9991b DV: Age of study child at completion (weeks)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----|-----------|---------|---------------|--------------------|
| Valid | 532 | 4 | 19.0 | 19.0 | 19.0 |
| | 533 | 1 | 4.8 | 4.8 | 23.8 |
| | 534 | 1 | 4.8 | 4.8 | 28.6 |
| | 536 | 1 | 4.8 | 4.8 | 33.3 |
| | 537 | 2 | 9.5 | 9.5 | 42.9 |
| | 538 | 1 | 4.8 | 4.8 | 47.6 |
| | 540 | 1 | 4.8 | 4.8 | 52.4 |
| | 541 | 1 | 4.8 | 4.8 | 57.1 |
| | 542 | 1 | 4.8 | 4.8 | 61.9 |
| | 544 | 1 | 4.8 | 4.8 | 66.7 |
| | 545 | 1 | 4.8 | 4.8 | 71.4 |
| | 551 | 1 | 4.8 | 4.8 | 76.2 |
| | 552 | 1 | 4.8 | 4.8 | 81.0 |
| | 567 | 1 | 4.8 | 4.8 | 85.7 |
| | 571 | 1 | 4.8 | 4.8 | 90.5 |
| | 580 | 1 | 4.8 | 4.8 | 95.2 |
| | 682 | 1 | 4.8 | 4.8 | 100.0 |
| Total | | 21 | 100.0 | 100.0 | |

P File – Section G

G3. Please give your date of birth:

| day | | month | | year | |
|----------------------|----------------------|----------------------|----------------------|------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | 19 | <input type="text"/> |

[Editing: If the date of birth was not a valid date (e.g. 31st November), then the day & month were set to -1. Values of 1901, 1902, 1992 & 1996 in the year variable were recoded to -1. If the year was missing then day and month were also set to -1. otherwise, if a valid year was reported, value of -1 in day were recoded to 15 and in month to 6. This action was flagged in variable P9996b. The date of birth was not retained on the file.]

P File – Section G

Derived Variables - Age of Respondent at Completion

The date of completion and the respondent's dates of birth were used to calculate the respondent's age at completion in completed years.

p9996a DV: Age of respondent at completion of questionnaire (years)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------|-----------|---------|---------------|--------------------|
| Valid | 25 | 7 | .1 | .1 | .1 |
| | 26 | 20 | .3 | .3 | .3 |
| | 27 | 33 | .4 | .4 | .8 |
| | 28 | 72 | .9 | .9 | 1.7 |
| | 29 | 89 | 1.1 | 1.1 | 2.8 |
| | 30 | 141 | 1.8 | 1.8 | 4.6 |
| | 31 | 153 | 1.9 | 1.9 | 6.6 |
| | 32 | 243 | 3.0 | 3.1 | 9.6 |
| | 33 | 321 | 4.0 | 4.1 | 13.7 |
| | 34 | 438 | 5.5 | 5.6 | 19.3 |
| | 35 | 569 | 7.1 | 7.2 | 26.5 |
| | 36 | 612 | 7.7 | 7.8 | 34.3 |
| | 37 | 729 | 9.1 | 9.3 | 43.6 |
| | 38 | 717 | 9.0 | 9.1 | 52.7 |
| | 39 | 706 | 8.8 | 9.0 | 61.7 |
| | 40 | 578 | 7.2 | 7.4 | 69.1 |
| | 41 | 565 | 7.1 | 7.2 | 76.3 |
| | 42 | 461 | 5.8 | 5.9 | 82.1 |
| | 43 | 356 | 4.5 | 4.5 | 86.7 |
| | 44 | 304 | 3.8 | 3.9 | 90.5 |
| | 45 | 226 | 2.8 | 2.9 | 93.4 |
| | 46 | 181 | 2.3 | 2.3 | 95.7 |
| | 47 | 129 | 1.6 | 1.6 | 97.4 |
| | 48 | 84 | 1.1 | 1.1 | 98.4 |
| | 49 | 48 | .6 | .6 | 99.0 |
| | 50 | 44 | .6 | .6 | 99.6 |
| | 51 | 14 | .2 | .2 | 99.8 |
| | 52 | 8 | .1 | .1 | 99.9 |
| | 53 | 4 | .1 | .1 | 99.9 |
| | 54 | 3 | .0 | .0 | 100.0 |
| | 59 | 1 | .0 | .0 | 100.0 |
| | 63 | 1 | .0 | .0 | 100.0 |
| | Total | 7857 | 98.4 | 100.0 | |
| Missing | -1 Missing date of birth | 126 | 1.6 | | |
| Total | | 7983 | 100.0 | | |

p9996b DV: Components of respondent's date of birth imputed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | 0 None | 7978 | 99.9 | 99.9 | 99.9 |
| | 1 Day | 1 | .0 | .0 | 99.9 |
| | 2 Month | 1 | .0 | .0 | 100.0 |
| | 3 Day & month | 3 | .0 | .0 | 100.0 |
| | Total | 7983 | 100.0 | 100.0 | |

P File – Section G

G4. Please give your study child's date of birth:

| day | | month | | year |
|----------------------|----------------------|----------------------|----------------------|--------------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | 199 <input type="text"/> |

[Editing: Note that this reported date of birth was not used.]

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comments you would like to make

NB Please remember we cannot reply to any comment unless you sign it.

When completed, please return the questionnaire to:

**Professor Jean Golding
Children of the Nineties - ALSPAC
Institute of Child Health
24 Tyndall Avenue
Bristol BS8 1BR
Tel: Bristol 9285007**

| For office use only | | | |
|----------------------|----------------------|----------------------|----------------------|
| <i>Coder</i> | | <i>Int</i> | |
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

© University of Bristol

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. Note that this is the 2003 revision, which dates from after this questionnaire was coded. However, the revision did not alter the content but rather streamlined the text by simplifying sentences and introducing headings. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

P File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow “Post-It” sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder’s responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder’s marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person’s work at regular intervals in order to strive for maximum accuracy.

P File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

P File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

P File – Appendix B

Coding Instructions for first version (05/09/00) of “Mother of a 9 year old”

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the “Mother of a 9 year old” replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires - 2nd revision" document.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 05/09/00. Within a batch, they should all be the same version.

*****If the questionnaire is all blank, e.g. the woman didn't want to fill in the form, write "ALL BLANK" on the front cover and move on to the next questionnaire.

| | | |
|--------------------------|----|---|
| Page 3, Section A | | |
| A1 | 8 | |
| A2a to A2l | 7 | |
| | | |
| Page 4 | | |
| A2m to A2y | 7 | |
| A2z | 7 | Please ensure that if something relevant is written in the "please describe" section in A2z, that the previous boxes are ticked appropriately. If there is no tick, please code a zero in A2z to indicate positive information in this section. |
| A2za | 7 | As A2z |
| | | |
| Page 5 | | |
| A3a to A3p | 7 | If the answer "once" is given with no tick, code as 5. |
| A3q to A3s | 7 | If the answer "once" is given with no tick, code as 5. If something relevant is written, but no ticks, please write a zero to indicate positive information in this question. |
| | | |
| Page 6 | | |
| A4a | 7 | If "sometimes" is ticked, change the misprinted code to 2. |
| A4b | | To be coded separately. Please ensure that if something relevant is written in A4b, then A4a is ticked appropriately. If no indication of frequency is given, code A4a as zero. |
| A5 | II | Please draw in two boxes here, as in A6b opposite. Count the number of items listed, and enter the count in the two boxes. If nothing listed, leave blank, but if they say none or "N/A", or not applicable, code "00". |
| A5 1 - 10 | | Not being coded here. |
| | | |
| Page 7 | | |
| A6a | I | |
| A6b | II | If a range is given, round up. |
| A6c | II | If a range is given, round up. |
| A6d to A6h | II | This should be the number of different nights they were in |

P File – Appendix B

| | | |
|---------------------------|------|---|
| | | hospital for each admission. If less than one day is given, code as "00". Note that the reason is not being coded here. |
| A7a to A7h | 7 | |
| Page 8 | | |
| A7i to A7u | 7 | |
| A7v | 7 | As A2za |
| A8a | I | If 1 & 2 are ticked, code as 2. |
| A8b | 7 | |
| Page 9 | | |
| A8c | I | Code "sometimes" as 1. |
| A9a | 7 | |
| A9b | 8 | |
| A10a | I | |
| A10ai | II | If the months box is filled in, please ensure that code "3" is ticked in A10a. If a range is given, round up. |
| A10aai | II | If the months box is filled in, please ensure that code "4" is ticked in A10a. If a range is given, round up. If unplanned, code as 99. |
| Page 10 | | |
| A10bi to x | I | |
| A10bxi | I | Please ensure that if something relevant is written in the "please describe" area, there is a "yes" tick in A10bxi. Note that the text response is not being coded here. |
| A11a to A11c | 7 | |
| A11d | II | "Varies"=code 97 "Continuous"=code 31. If a range is given, code as the higher value. |
| Page 11 | | |
| A11ei before, during | I, I | |
| A11eii to iv | | As A11ei |
| A11ev before, during | I | Please ensure that if something relevant is written in the "please describe" section, that the previous boxes are ticked appropriately. If there is no tick, please tick the "yes" box to indicate information in this section. If it is unclear which column the comments refer to, code both columns as "0", to indicate information in the "please describe" area. |
| A12(a) to (f) | II | Round fractions down. For part (c) cross out the 'ft' box and convert to inches if necessary. |
| Page 12, Section B | | |
| B1 - B44 | I | If 1+2 are ticked, draw a separate box and code as 3. |
| B45 | 7 | Please ensure that if something relevant is written in the "please describe" section, that the previous boxes are ticked |

P File – Appendix B

| | | |
|---------------------------|--------|--|
| | | appropriately. If there is no tick, please write a zero to indicate information in this section. Note that the text response is not being coded here. |
| B46a | I | If "yes" is ticked, check that the description differs from the events listed previously in this section. If it is the same, recode it as that event, and tick "no" for B46a. |
| B46bi to B46bii | I | Please check that if something relevant is written in the "please describe" section that B46a is ticked appropriately. If there is no tick, tick the "yes" box to indicate information in this section. Note that the text response is not being coded here. If neither box (i) or (ii) is ticked, but an event happened, code both (i) and (ii) as zero. |
| B46c, d | | As B46b |
| Page 16 | | |
| B47a | I | |
| B47b-d | | As B46b |
| Page 17, Section C | | |
| C1a | I | |
| C1b | I | |
| C1c | II, II | Convert months into years and months if necessary. If not stated, leave blank. |
| C1d | I | |
| C2 | 8 | |
| Page 18 | | |
| C3a to u | 7 | |
| Page 19 | | |
| C3v to w | 7 | |
| C3x | 7 | Please ensure that if something relevant is written in the "please describe" section, that a "yes" box is ticked. If there is no tick, code C3x as zero, to indicate information in the "please describe" area. |
| C4a to c | 8 | |
| C4d | 7 | |
| C4e | 8 | |
| C4f, g | 7 | |
| C4h | 8 | |
| Page 20 | | |
| C4i | 7 | |
| C4j to k | 8 | |
| C5ai, ii | II, II | If a range is given, round up. |
| C5bi, ii | 7 | |
| C6a | I | If "student" is given, code as "2". |
| C6bi, ii | | Not being coded here. |
| C6c | I | |
| Page 21 | | |
| C6d, e | 7 | Code "evening work" or "twilight shift" as zero. |

P File – Appendix B

| | | |
|------------------------------|----|---|
| C6f | 7 | |
| C6gi | II | If a range is given, leave blank, move the answer into the max and min in C6gii. Round up fractions. Code >98 as 98. |
| C6gii "minimum" | II | If a range is given, round down. |
| C6gii "maximum" | II | If a range is given, round up. Code >98 as 98. |
| C6h | 8 | |
| | | |
| Page 22 | | |
| | | |
| C6i | 8 | |
| C7a to b | 8 | |
| C7c | 7 | |
| C7d | 8 | |
| C7e | 7 | |
| C7f | 8 | |
| C7g | 7 | |
| C7h | 8 | |
| C8a to g | I | If 2 and 3 are ticked, code as "2". If 3 and 4 are ticked, code as "4". If 'always', i.e. 1 or 5 plus another box are ticked, code for the 'always'. If both 1 and 5 are ticked, code as zero. Except that if the multiple ticks include 6, code as A |
| | | |
| Page 23 | | |
| | | |
| C9a to d | I | If 2 and 3 are ticked, code as "2". If 3 and 4 are ticked, code as "4". If 'always', i.e. 1 or 5 plus another box are ticked, code for the 'always'. If both 1 and 5 are ticked, code as zero. |
| C10a to g | 8 | |
| C11a | 8 | |
| | | |
| Page 24 | | |
| | | |
| C11b | 8 | |
| C12a | 8 | |
| C12b to f | I | If combinations 1 and 2, 2 and 3 or 1 and 3 are given, recode as "3". |
| | | |
| Page 25 | | |
| | | |
| C13a to e | 7 | |
| C13f | 7 | If a description is given here, please ensure that C13f is ticked. If it is not, please code C13f as zero, to indicate relevant information on the "please describe" line. |
| C14a, b | 7 | |
| | | |
| Page 26 | | |
| | | |
| C15a to f | 7 | |
| C16a | 8 | |
| | | |
| Pages 27-28 | | |
| | | |
| C16b | 7 | |
| C17a, d, e | 8 | |
| C17b, c | 7 | |
| C17f, g, i, k, l, o, q, s, t | 7 | |

P File – Appendix B

| | | |
|--|---|--|
| C17h, j, m, n, p, r | 8 | |
| C17u, w, x | 8 | |
| C17v | 7 | |
| | | |
| Page 29, Section D | | |
| | | |
| D1 - D2 | 7 | |
| D3 | I | |
| D4 - D7 | 7 | |
| | | |
| Page 30 | | |
| | | |
| D8 - D11 | 7 | |
| D12 - D14 | 8 | |
| | | |
| Page 31 | | |
| | | |
| D15 | 7 | |
| D16 - D20 | 8 | |
| D21a, b | I | |
| | | |
| Page 32 | | |
| | | |
| D21c, d | I | |
| D21e | I | If more than 1 box is ticked, recode as "other" (or "other Christian" if relevant) and write the numbers of the ticked boxes on the relevant dotted line. For example, if 1 and 2 are ticked, recode them as "06" and write "1 and 2" on the dotted line. If 11 and 06 are ticked, for example, recode them as "13" and write "6 and 11" on the dotted line. |
| D21f | 8 | |
| D21g | I | |
| | | |
| Page 33 | | |
| | | |
| D21h | 8 | Code "4" for occasional worship". |
| D21ji, ii | I | |
| D21jiii | I | If a relevant description is given here, please ensure that the "yes" box is ticked in D21jiii. If it is not, tick "yes" on D21jiii. |
| | | |
| Pages 34-5 , Section E | | |
| E1,3,4,5,7,8,9,10,13, 14,17,18,21,23,24,25 | 8 | |
| E2,6,11,12,15,16,19 20,22,26 | 7 | |
| Pages 36-7 | | |
| E30,31,33,34,36-40,42, 44,45,46,48,49 | 8 | |
| | | |
| E27,28,29,32,35,41,43, 47,50,51 | 7 | |
| Pages 38-9 | | |
| E52,53,55,56,57,59,61, 63,64, 70-75 | 8 | |
| | | |
| E 54,58,60,62, 65-69 | 7 | |

P File – Appendix B

| | | |
|---|----|---|
| | | |
| Pages 40-1 | | |
| E 76,77,78, 81,82,83, 85-88,90-95,97-100 | 8 | |
| E 79,80,84,89,96 | 7 | |
| Pages 42-3 | | |
| E 103-105,108,110, 112, 114, 116-118, 121,122,124,126 | 8 | |
| E 101,102,106,107,109, 111,113,115,119,120, 123,125 | 7 | |
| Page 44 | | |
| E 127-132,134 | 8 | |
| E 133,135 | 7 | |
| Page 45, Section F | | |
| | | |
| F1a to l | 7 | |
| | | |
| Page 46 | | |
| | | |
| F1m to t | 7 | |
| F1u | 7 | If something relevant is written in the "please describe" area, please ensure that there is a "yes" tick in F1u. If there is not, code a zero on F1u, to indicate information in the "please describe" area. |
| F2a | I | |
| | | |
| Page 47 | | |
| | | |
| F2b, c | 7 | |
| F3i, ii | 7 | Code each column separately. |
| F4 | 7 | |
| | | |
| Back Page, Section G | | |
| | | |
| G1a to b | I | |
| G1c (please describe) | I | Please ensure that if something is written in the "please describe" section, that the previous boxes are ticked appropriately. If there is no tick, please tick "yes" for "someone else", to indicate information in the "please describe" section. |
| | | |
| G2 | IV | If left blank, copy month and year that the form was returned from the stamped receipt date on the front cover, and code the days as 99. |
| | | |
| G3 | IV | Any valid date has to be accepted here. |
| G4 | IV | As G2, using child's date of birth from front cover. |
| Space for comments | | Not being coded here. |
| | | |
| Bottom of Page 48, For | | |

P File – Appendix B

| | | |
|------------------------|--|--|
| Office Use Only | | |
| | | |
| Coder | | Insert your initials here. |
| Int. | | If the questionnaire was completed with the aid of an interviewer, there will be initials here. |
| | | |

END OF QUESTIONNAIRE

/ma9yroid 4/7/01 Updated Sept 2002.

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. If a response was not received after 3 weeks a reminder letter was sent. If there had still not been a response after a further 3 weeks then a second reminder was sent out. If there was still no response 3 weeks after the second reminder had been sent then the case was flagged as being eligible for personal contact by a member of the Family Liaison Team.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of CSV (comma separated values) data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were read into SPSS, added together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifier ALN. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letter “p” which are followed by four digits and

occasionally a further letter. Then the data from the back page were edited as described in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t know” to –9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to –8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

| Value | Label | Comment |
|-------|---------------|--|
| -1 | No response | The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question. |
| -8 | Text response | The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options |
| -9 | Don’t know | The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”. |
| -10 | Not completed | No completed questionnaire is available for this case. Variable P0007a = 2 for all such cases. |

At some point in the future the data may be reissued as a “built” file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.