THE ALSPAC STUDY

PP FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Lifestyle and Health of Partner At 134 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 1a of the release file.

October 2008

© University of Bristol

Contents

| Introduction | | Page 3 |
|--------------|--|----------------------|
| Section A | Dizziness and Balance Text Frequencies | Page 8 Page 13 |
| Section B | Your Health Text Frequencies | Page 27 Page 35 |
| Section C | All About Your Waterworks Text Frequencies | Page 59 Page 63 |
| Section D | Accidents and Injuries Text Frequencies | Page 67 Page 70 |
| Section E | Your Feelings Text Frequencies | Page 81 Page 85 |
| Section F | Recent Events Text Frequencies | Page 90 Page 95 |
| Section G | Activities and Lifestyle Text Frequencies | Page 110 Page 120 |
| Section H | Activity at Work Text Frequencies | Page 148 Page 153 |
| Section I | Recreation Activities Text Frequencies | Page 196 Page 200 |
| Section J | Buying Things Text Frequencies | Page 238 Page 245 |
| Section K | | Page 266 |
| Appendix A | General Coding Instructions | Page 274 |
| Appendix B | Specific Coding Instructions | Page 278 |
| Appendix C | Questionnaire Methodology | Page 287 |

Introduction

Contents

This questionnaire was sent out in a pack addressed to the carer of the study child when her/his study child was 134 months old. The pack contained a copy of "Lifestyle and Health of Mother" for the carer to complete and a copy of this questionnaire to hand to her/his partner if they wished to do so. It is in 11 sections. Section A asks about dizziness, balance and shortness of breath while section B contains standard ALSPAC health related questions, including allergies, hospital admissions and chest pain. Section C asks about urinary problems and section D about accidents, injuries and their impact. Section E contains the anxiety subscale of the Crown Crisp Experiential Index (Crown & Crisp, 1979) and the Edinburgh Postnatal Depression scale (Cox, Holden, & Sagovsky, 1987). Section F asks about life events since the study child's 9th birthday while section G contains a variety of questions about activities and lifestyle including: sleep, smoking, exposure to household chemicals, methods of travel, TV and household activities. Section H looks at activity in the workplace and section I at recreational activity. Section J contains questions on financial matters and tea and coffee consumption. Finally, section K collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire.

Sample & response rates

There are a total of 14,895 records on this built file. This number is made up of the 14,541 pregnancies in the core ALSPAC sample (regardless of whether or not the 134-month partner questionnaire was sent out for them or whether they were returned) plus 354 eligible pregnancies not in the core sample for which the questionnaire was sent out. Note that this questionnaire was completed for 156 of these 354 pregnancies.

Of the 14,541 pregnancies in the core ALSPAC sample, 13,868 resulted in at least one live born child. The 134-month partner questionnaire was sent out for 6,772 (49%) of these pregnancies. As of 31st July 2008 completed questionnaires had been returned for 3,484 (51%) of these pregnancies, which is 25% of the 13,868 pregnancies that resulted in at least one live born child. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Release file version history

Release version 1a – October 2008 The first version of the release file.

PP File - Introduction

References

Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of Postnatal Depression - Development of the 10-Item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, *150*, 782-786.

Crown, S., & Crisp, A. H. (1979). *Manual of the Crown-Crisp Experiential Index*. London: Hodder & Stoughton.

Administrative variables

pp0001 Questionnaire sent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 7126 | 47.8 | 47.8 | 47.8 |
| | 2 No | 7769 | 52.2 | 52.2 | 100.0 |
| | Total | 14895 | 100.0 | 100.0 | |

pp0005 Questionnaire return status (as of 31/07/08)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Not returned | 3285 | 22.1 | 46.1 | 46.1 |
| | 2 Returned, completed | 3640 | 24.4 | 51.1 | 97.2 |
| | 3 Returned, blank | 201 | 1.3 | 2.8 | 100.0 |
| | Total | 7126 | 47.8 | 100.0 | |
| Missing | -2 Questionnaire not sent | 7769 | 52.2 | | |
| Total | | 14895 | 100.0 | | |

pp0006 Questionnaire returned (as of 31/07/08)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 3841 | 25.8 | 53.9 | 53.9 |
| | 2 No | 3285 | 22.1 | 46.1 | 100.0 |
| | Total | 7126 | 47.8 | 100.0 | |
| Missing | -2 Questionnaire not sent | 7769 | 52.2 | | |
| Total | | 14895 | 100.0 | | |

pp0007 Questionnaire completed (as of 31/07/08)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 3640 | 24.4 | 51.1 | 51.1 |
| | 2 No | 3486 | 23.4 | 48.9 | 100.0 |
| | Total | 7126 | 47.8 | 100.0 | |
| Missing | -2 Questionnaire not sent | 7769 | 52.2 | | |
| Total | | 14895 | 100.0 | | |

pp0007a Data available (as of 31/07/08)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 3640 | 24.4 | 24.4 | 24.4 |
| | 2 No | 11255 | 75.6 | 75.6 | 100.0 |
| | Total | 14895 | 100.0 | 100.0 | |

pp0008 Questionnaire version

| PP | -, | | | | |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Version 1 - 20/05/02 | 3640 | 24.4 | 100.0 | 100.0 |
| Missing | -10 Not completed | 11255 | 75.6 | | |
| Total | | 14895 | 100.0 | | |

PAGE 1 OF THE QUESTIONNAIRE

Questionnaire No:



LIFESTYLE AND HEALTH OF PARTNER


All answers are confidential

20/05/02

This questionnaire is for the study child's father or person taking the role of father.

It will help us to catch up with some current problems you may have, as well as some features of your lifestyle.

Some of the questions we are asking may seem remote from the health of your study child, but the answers will help us to plan for studying the changes that will be occurring in our children as they develop, and how these may be passed down from one generation to the next.



To answer simply tick the box which is most accurate in your opinion.

If you do not want to answer a question or if it does not apply to you, put a line through it. There are no good or bad answers. Just tell us what is true for you.

THANK YOU FOR YOU HELP

PAGE 3 OF THE QUESTIONNAIRE

SECTION A: DIZZINESS AND BALANCE

A1. About how many times have you experienced each of the symptoms listed below <u>during the past 12 months</u>:

| | often in the past onths have you: | More than once a week | More than once a month | 4-12 times | 1-3 times | Not at all |
|----|--|--------------------------------|---------------------------------|---------------|-----------|---------------|
| a) | Felt that things are spinning or moving around, lasting less than 2 minutes | 1 | 2 | 3 | 4 | 5 |
| b) | Felt that things are spinning or moving around, lasting up to 20 minutes | 1 | 2 | 3 | 4 | 5 |
| c) | Felt that things are spinning or moving around, lasting 20 minutes to 1 hour | 1 | 2 | 3 | 4 | 5 |
| d) | Felt that things are spinning or moving around, lasting several hours | 1 | 2 | 3 | 4 | 5 |
| e) | Felt that things are spinning or moving around, lasting more than 12 hours | 1 | 2 | 3 | 4 | 5 |
| f) | Felt unsteady, so sever that you actually fell | re 1 | 2 | 3 | 4 | 5 |
| g) | Felt nauseous (feeling sick), stomach churnin | | 2 | 3 | 4 | 5 |
| h) | Felt light-headed, "swimmy" or giddy lasting less than 2 minutes | 1 | 2 | 3 | 4 | 5 |

PAGE 4 OF THE QUESTIONNAIRE

| A1. | | More than | More than | 4-12 times | 1-3 times | Not at all |
|-----|---|----------------|-----------------|-------------------|--------------|---------------|
| | often in the past onths have you: | once a week | once a month | \bigvee | \bigvee | \downarrow |
| i) | Felt light-headed, "swimmy" or giddy lasting up to 20 minute | es 1 | 2 | 3 | 4 | 5 |
| j) | Felt light-headed, "swimmy" or giddy lasting 20 minutes to 1 hour | 1 | 2 | 3 | 4 | 5 |
| k) | Felt light-headed, "swimmy" or giddy lasting several hours | 1 | 2 | 3 | 4 | 5 |
| 1) | Felt light-headed, "swimmy" or giddy lasting more than 12 hours | 1 | 2 | 3 | 4 | 5 |
| m) | Vomited | 1 | 2 | 3 | 4 | 5 |
| n) | Been unable to stand or walk properly without support because you were feeling dizzy | | 2 | 3 | 4 | 5 |
| o) | Felt unsteady, about to lose balance, lasting less than 2 minutes | 1 | 2 | 3 | 4 | 5 |
| p) | Felt unsteady, about to lose balance, lasting up to 20 minutes | | 2 | 3 | 4 | 5 |
| q) | Felt unsteady, about to lose balance, lasting 20 minutes to 1 hour | 1 | 2 | 3 | 4 | 5 |
| r) | Felt unsteady, about to lose balance, lasting several hours | 1 | 2 | 3 | 4 | 5 |
| s) | Felt unsteady, about to lose balance, lasting more than 12 hours | 1 | 2 | 3 | 4 | 5 |

PAGE 5 OF THE QUESTIONNAIRE

A2. How confident are you that you will **not** lose your balance and **not** become unsteady when you do the following nowadays:

| | Completely confident | Reasonably confident | Sometimes don't feel confident about it | Not very confident at all | Definitely not confident | Never do this |
|---|----------------------|----------------------|--|---------------------------------|--------------------------------|---------------------|
| a) Walk around the house | 1 | 2 | 3 | 4 | 5 | 6 |
| b) Walk up or down stairs | 1 | 2 | 3 | 4 | 5 | 6 |
| c) Bend over an pick up some off the floor | | 2 | 3 | 4 | 5 | 6 |
| d) Reach for a can/jar off a at eye level | | 2 | 3 | 4 | 5 | 6 |
| e) Stand on you toes and read something all your head | ch for | 2 | 3 | 4 | 5 | 6 |
| f) Stand on a cl and reach fo something | | 2 | 3 | 4 | 5 | 6 |
| g) Sweep the fl | oor 1 | 2 | 3 | 4 | 5 | 6 |
| h) Walk outsid a parked car | | 2 | 3 | 4 | 5 | 6 |
| i) Get into or o a car | ut of 1 | 2 | 3 | 4 | 5 | 6 |
| j) Walk across park to a supermarket | 1 | 2 | 3 | 4 | 5 | 6 |
| k) Walk up or down a ram | p 1 | 2 | 3 | 4 | 5 | 6 |

PAGE 6 OF THE QUESTIONNAIRE

| A2. | | ompletely onfident | Reasonably confident | Sometimes don't feel confident about it | Not very confident at all | Definitely not confident | Never do this |
|-------------------------|--|--------------------------------|----------------------|---|---------------------------------|--------------------------------|---------------------|
| where | in a ded place, e people dy walk pas | 1 st you | 2 | 3 | 4 | 5 | 6 |
| by powalk | bumped interpretation bumped as you through a pring centre | u 1 | 2 | 3 | 4 | 5 | 6 |
| an es | onto or off calator whi ng onto the | le 1 | 2 | 3 | 4 | 5 | 6 |
| an es holdi which | onto or off calator whi ng onto par h prevent yong ng onto the | le [1] rcels, ou from | 2 | 3 | 4 | 5 | 6 |
| - | c outside or avements | 1 | 2 | 3 | 4 | 5 | 6 |
| A3. a | Do you | have any oth | ner difficulty in | walking? | | | |
| | Yes | 1 | N | $[0 2 \rightarrow]$ | If <u>no</u> , go to A | la below | |
| If <u>yes</u> , |) Is this d | ue to heart d | lisease or breatl | ning problems? | , | | |
| | , | Yes 1 | | | I f <u>no</u>, please d | escribe cause | |
| | Don | 't know 9 | | | | | |
| A4. a | Are you slight h | | shortness of br | eath when hur | rying on level | ground or wal | king up a |
| | Yes | 1 | N | To 2 | | | |
| ŀ |) Do you | get short of | breath walking | with other peo | ple of your ow | vn age on leve | l ground? |
| | Yes | 1 | N | Io 2 | | | |

PAGE 7 OF THE QUESTIONNAIRE

| A4. | c) D | o you have to stop for breath when walking a | at your own pa | ce on level ground? |
|-----|------|---|----------------|---------------------|
| | | Yes 1 No 2 | | |
| | d) A | re you short of breath on washing or dressing | g? | |
| | | Yes 1 No 2 | | |
| A5. | Have | you ever, without warning: | X 7 | N |
| | | | Yes | No |
| | a) | Suddenly lost the power of an arm? | 1 | 2 |
| | b) | Suddenly lost the power of a leg? | 1 | 2 |
| | | | | |
| | c) | Suddenly been unable to speak properly? | 1 | 2 |
| | | | | |
| | d) | Suddenly lost consciousness for no apparent reason? | 1 | 2 |
| | | Space for comments: | | |
| | | | ••••• | |
| | | | ••••• | |
| | | | | |

pp1000 A1a: Frequency respondent has felt things spinning/moving for less than 2 mins in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 27 | .7 | .7 | .7 |
| | 2 > Once a month | 52 | 1.4 | 1.4 | 2.2 |
| | 3 4-12 times | 72 | 2.0 | 2.0 | 4.2 |
| | 4 1-3 times | 368 | 10.1 | 10.1 | 14.3 |
| | 5 Not at all | 3110 | 85.4 | 85.7 | 100.0 |
| | Total | 3629 | 99.7 | 100.0 | |
| Missing | -1 No response | 11 | .3 | | |
| Total | | 3640 | 100.0 | | |

pp1001 A1b: Frequency respondent has felt things spinning/moving for up to 20 mins in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 6 | .2 | .2 | .2 |
| | 2 > Once a month | 11 | .3 | .3 | .5 |
| | 3 4-12 times | 12 | .3 | .3 | .8 |
| | 4 1-3 times | 48 | 1.3 | 1.3 | 2.1 |
| | 5 Not at all | 3549 | 97.5 | 97.9 | 100.0 |
| | Total | 3626 | 99.6 | 100.0 | |
| Missing | -1 No response | 14 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp1002 A1c: Frequency respondent has felt things spinning/moving for 20 mins to 1hr in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 2 | .1 | .1 | .1 |
| | 2 > Once a month | 5 | .1 | .1 | .2 |
| | 3 4-12 times | 3 | .1 | .1 | .3 |
| | 4 1-3 times | 21 | .6 | .6 | .9 |
| | 5 Not at all | 3596 | 98.8 | 99.1 | 100.0 |
| | Total | 3627 | 99.6 | 100.0 | |
| Missing | -1 No response | 13 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp1003 A1d: Frequency respondent has felt things spinning/moving for several hours in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 2 | .1 | .1 | .1 |
| | 2 > Once a month | 1 | .0 | .0 | .1 |
| | 3 4-12 times | 4 | .1 | .1 | .2 |
| | 4 1-3 times | 12 | .3 | .3 | .5 |
| | 5 Not at all | 3608 | 99.1 | 99.5 | 100.0 |
| | Total | 3627 | 99.6 | 100.0 | |
| Missing | -1 No response | 13 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp1004 A1e: Frequency respondent has felt things spinning/moving lasting more than 12 hrs in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 1 | .0 | .0 | .0 |
| | 2 > Once a month | 1 | .0 | .0 | .1 |
| | 3 4-12 times | 3 | .1 | .1 | .1 |
| | 4 1-3 times | 7 | .2 | .2 | .3 |
| | 5 Not at all | 3615 | 99.3 | 99.7 | 100.0 |
| | Total | 3627 | 99.6 | 100.0 | |
| Missing | -1 No response | 13 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp1005 A1f: Frequency respondent has felt so unsteady they fell in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 1 | .0 | .0 | .0 |
| | 2 > Once a month | 6 | .2 | .2 | .2 |
| | 3 4-12 times | 6 | .2 | .2 | .4 |
| | 4 1-3 times | 50 | 1.4 | 1.4 | 1.7 |
| | 5 Not at all | 3559 | 97.8 | 98.3 | 100.0 |
| | Total | 3622 | 99.5 | 100.0 | |
| Missing | -1 No response | 18 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp1006 A1g: Frequency respondent has felt nauseous/stomach churning in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 25 | .7 | .7 | .7 |
| | 2 > Once a month | 63 | 1.7 | 1.7 | 2.4 |
| | 3 4-12 times | 142 | 3.9 | 3.9 | 6.4 |
| | 4 1-3 times | 710 | 19.5 | 19.6 | 26.0 |
| | 5 Not at all | 2681 | 73.7 | 74.0 | 100.0 |
| | Total | 3621 | 99.5 | 100.0 | |
| Missing | -1 No response | 19 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp1007 A1h: Frequency respondent has felt light headed/giddy for less than 2 mins in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 32 | .9 | .9 | .9 |
| | 2 > Once a month | 71 | 2.0 | 2.0 | 2.8 |
| | 3 4-12 times | 159 | 4.4 | 4.4 | 7.2 |
| | 4 1-3 times | 763 | 21.0 | 21.0 | 28.3 |
| | 5 Not at all | 2600 | 71.4 | 71.7 | 100.0 |
| | Total | 3625 | 99.6 | 100.0 | |
| Missing | -1 No response | 15 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp1008 A1i: Frequency respondent has felt light headed/giddy for up to 20 mins in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 10 | .3 | .3 | .3 |
| | 2 > Once a month | 18 | .5 | .5 | .8 |
| | 3 4-12 times | 21 | .6 | .6 | 1.4 |
| | 4 1-3 times | 109 | 3.0 | 3.0 | 4.4 |
| | 5 Not at all | 3456 | 94.9 | 95.6 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1009 A1j: Frequency respondent has felt light headed/giddy for 20 mins to 1hr in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 1 | .0 | .0 | .0 |
| | 2 > Once a month | 11 | .3 | .3 | .3 |
| | 3 4-12 times | 7 | .2 | .2 | .5 |
| | 4 1-3 times | 36 | 1.0 | 1.0 | 1.5 |
| | 5 Not at all | 3558 | 97.7 | 98.5 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1010 A1k: Frequency respondent has felt light headed/giddy for several hours in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 1 | .0 | .0 | .0 |
| | 2 > Once a month | 8 | .2 | .2 | .2 |
| | 3 4-12 times | 5 | .1 | .1 | .4 |
| | 4 1-3 times | 17 | .5 | .5 | .9 |
| | 5 Not at all | 3581 | 98.4 | 99.1 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp1011 A1I: Frequency respondent has felt light headed/giddy for more than 12 hours in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 2 > Once a month | 4 | .1 | .1 | .1 |
| | 3 4-12 times | 3 | .1 | .1 | .2 |
| | 4 1-3 times | 8 | .2 | .2 | .4 |
| | 5 Not at all | 3591 | 98.7 | 99.6 | 100.0 |
| | Total | 3606 | 99.1 | 100.0 | |
| Missing | -1 No response | 34 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp1012 A1m: Frequency respondent has vomited in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 6 | .2 | .2 | .2 |
| | 2 > Once a month | 14 | .4 | .4 | .6 |
| | 3 4-12 times | 71 | 2.0 | 2.0 | 2.5 |
| | 4 1-3 times | 793 | 21.8 | 21.9 | 24.5 |
| | 5 Not at all | 2729 | 75.0 | 75.5 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1013 A1n: Frequency respondent has been unable to stand/walk without support due to dizziness in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 1 | .0 | .0 | .0 |
| | 2 > Once a month | 9 | .2 | .2 | .3 |
| | 3 4-12 times | 19 | .5 | .5 | .8 |
| | 4 1-3 times | 126 | 3.5 | 3.5 | 4.3 |
| | 5 Not at all | 3454 | 94.9 | 95.7 | 100.0 |
| | Total | 3609 | 99.1 | 100.0 | |
| Missing | -1 No response | 31 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp1014 A1o: Frequency respondent has felt unsteady/lost balance for less than 2 mins in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 12 | .3 | .3 | .3 |
| | 2 > Once a month | 22 | .6 | .6 | .9 |
| | 3 4-12 times | 41 | 1.1 | 1.1 | 2.1 |
| | 4 1-3 times | 231 | 6.3 | 6.4 | 8.5 |
| | 5 Not at all | 3311 | 91.0 | 91.5 | 100.0 |
| | Total | 3617 | 99.4 | 100.0 | |
| Missing | -1 No response | 23 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp1015 A1p: Frequency respondent has felt unsteady/lost balance for up to 20 mins in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 2 | .1 | .1 | .1 |
| | 2 > Once a month | 4 | .1 | .1 | .2 |
| | 3 4-12 times | 7 | .2 | .2 | .4 |
| | 4 1-3 times | 21 | .6 | .6 | .9 |
| | 5 Not at all | 3580 | 98.4 | 99.1 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1016 A1q: Frequency respondent has felt unsteady/lost balance for 20 mins to 1hr in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 1 | .0 | .0 | .0 |
| | 2 > Once a month | 1 | .0 | .0 | .1 |
| | 3 4-12 times | 5 | .1 | .1 | .2 |
| | 4 1-3 times | 6 | .2 | .2 | .4 |
| | 5 Not at all | 3601 | 98.9 | 99.6 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1017 A1r: Frequency respondent has felt unsteady/lost balance for several hours in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 1 | .0 | .0 | .0 |
| | 2 > Once a month | 2 | .1 | .1 | .1 |
| | 3 4-12 times | 1 | .0 | .0 | .1 |
| | 4 1-3 times | 5 | .1 | .1 | .2 |
| | 5 Not at all | 3604 | 99.0 | 99.8 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1018 A1s: Frequency respondent has felt unsteady/lost balance for more than 12 hours in past 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 > Once a week | 1 | .0 | .0 | .0 |
| | 2 > Once a month | 2 | .1 | .1 | .1 |
| | 3 4-12 times | 1 | .0 | .0 | .1 |
| | 4 1-3 times | 3 | .1 | .1 | .2 |
| | 5 Not at all | 3606 | 99.1 | 99.8 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1020 A2a: Confidence respondent feels they will not lose balance/become unsteady when walking round the house

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3363 | 92.4 | 93.1 | 93.1 |
| | 2 Reasonably confident | 99 | 2.7 | 2.7 | 95.8 |
| | 3 Sometimes don't feel confident about it | 15 | .4 | .4 | 96.2 |
| | 4 Not very confident at all | 4 | .1 | .1 | 96.3 |
| | 5 Definitely not confident | 3 | .1 | .1 | 96.4 |
| | 6 Never do this | 130 | 3.6 | 3.6 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1021 A2b: Confidence respondent feels they will not lose balance/become unsteady when walking up/down stairs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3296 | 90.5 | 91.2 | 91.2 |
| | 2 Reasonably confident | 157 | 4.3 | 4.3 | 95.5 |
| | 3 Sometimes don't feel confident about it | 23 | .6 | .6 | 96.2 |
| | 4 Not very confident at all | 7 | .2 | .2 | 96.4 |
| | 5 Definitely not confident | 2 | .1 | .1 | 96.4 |
| | 6 Never do this | 129 | 3.5 | 3.6 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1022 A2c: Confidence respondent feels they will not lose balance/become unsteady when bending to pick something up

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3037 | 83.4 | 84.1 | 84.1 |
| | 2 Reasonably confident | 369 | 10.1 | 10.2 | 94.3 |
| | 3 Sometimes don't feel confident about it | 58 | 1.6 | 1.6 | 95.9 |
| | 4 Not very confident at all | 7 | .2 | .2 | 96.1 |
| | 5 Definitely not confident | 10 | .3 | .3 | 96.4 |
| | 6 Never do this | 131 | 3.6 | 3.6 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp1023 A2d: Confidence respondent feels they will not lose balance/become unsteady when reaching for an eye level shelf item

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3371 | 92.6 | 93.3 | 93.3 |
| | 2 Reasonably confident | 99 | 2.7 | 2.7 | 96.0 |
| | 3 Sometimes don't feel confident about it | 6 | .2 | .2 | 96.2 |
| | 4 Not very confident at all | 6 | .2 | .2 | 96.4 |
| | 5 Definitely not confident | 2 | .1 | .1 | 96.4 |
| | 6 Never do this | 129 | 3.5 | 3.6 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1024 A2e: Confidence respondent feels they will not lose balance/become unsteady when standing on tiptoes to reach above their head

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3241 | 89.0 | 89.7 | 89.7 |
| | 2 Reasonably confident | 206 | 5.7 | 5.7 | 95.4 |
| | 3 Sometimes don't feel confident about it | 24 | .7 | .7 | 96.1 |
| | 4 Not very confident at all | 2 | .1 | .1 | 96.2 |
| | 5 Definitely not confident | 4 | .1 | .1 | 96.3 |
| | 6 Never do this | 135 | 3.7 | 3.7 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp1025 A2f: Confidence respondent feels they will not lose balance/become unsteady when standing on chair to reach for something

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3093 | 85.0 | 85.6 | 85.6 |
| | 2 Reasonably confident | 329 | 9.0 | 9.1 | 94.7 |
| | 3 Sometimes don't feel confident about it | 36 | 1.0 | 1.0 | 95.7 |
| | 4 Not very confident at all | 5 | .1 | .1 | 95.8 |
| | 5 Definitely not confident | 8 | .2 | .2 | 96.0 |
| | 6 Never do this | 143 | 3.9 | 4.0 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1026 A2g: Confidence respondent feels they will not lose balance/become unsteady when sweeping the floor

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3368 | 92.5 | 93.2 | 93.2 |
| | 2 Reasonably confident | 83 | 2.3 | 2.3 | 95.5 |
| | 3 Sometimes don't feel confident about it | 9 | .2 | .2 | 95.7 |
| | 4 Not very confident at all | 4 | .1 | .1 | 95.8 |
| | 5 Definitely not confident | 1 | .0 | .0 | 95.9 |
| | 6 Never do this | 149 | 4.1 | 4.1 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1027 A2h: Confidence respondent feels they will not lose balance/become unsteady when walking outside to a parked car

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3396 | 93.3 | 94.0 | 94.0 |
| | 2 Reasonably confident | 71 | 2.0 | 2.0 | 96.0 |
| | 3 Sometimes don't feel confident about it | 10 | .3 | .3 | 96.2 |
| | 4 Not very confident at all | 3 | .1 | .1 | 96.3 |
| | 5 Definitely not confident | 3 | .1 | .1 | 96.4 |
| | 6 Never do this | 130 | 3.6 | 3.6 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1028 A2i: Confidence respondent feels they will not lose balance/become unsteady getting in/out of a car

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3382 | 92.9 | 93.6 | 93.6 |
| | 2 Reasonably confident | 84 | 2.3 | 2.3 | 95.9 |
| | 3 Sometimes don't feel confident about it | 15 | .4 | .4 | 96.3 |
| | 4 Not very confident at all | 4 | .1 | .1 | 96.4 |
| | 5 Definitely not confident | 2 | .1 | .1 | 96.5 |
| | 6 Never do this | 127 | 3.5 | 3.5 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1029 A2j: Confidence respondent feels they will not lose balance/become unsteady when walking across car park to supermarket

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3392 | 93.2 | 93.9 | 93.9 |
| | 2 Reasonably confident | 75 | 2.1 | 2.1 | 96.0 |
| | 3 Sometimes don't feel confident about it | 9 | .2 | .2 | 96.2 |
| | 4 Not very confident at all | 2 | .1 | .1 | 96.3 |
| | 5 Definitely not confident | 3 | .1 | .1 | 96.4 |
| | 6 Never do this | 131 | 3.6 | 3.6 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp1030 A2k: Confidence respondent feels they will not lose balance/become unsteady when walking up/down a ramp

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3369 | 92.6 | 93.2 | 93.2 |
| | 2 Reasonably confident | 93 | 2.6 | 2.6 | 95.8 |
| | 3 Sometimes don't feel confident about it | 15 | .4 | .4 | 96.2 |
| | 4 Not very confident at all | 4 | .1 | .1 | 96.3 |
| | 5 Definitely not confident | 4 | .1 | .1 | 96.4 |
| | 6 Never do this | 129 | 3.5 | 3.6 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1031 A2I: Confidence respondent feels they will not lose balance/become unsteady when walking in a crowded place

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3308 | 90.9 | 91.5 | 91.5 |
| | 2 Reasonably confident | 154 | 4.2 | 4.3 | 95.8 |
| | 3 Sometimes don't feel confident about it | 29 | .8 | .8 | 96.6 |
| | 4 Not very confident at all | 3 | .1 | .1 | 96.7 |
| | 5 Definitely not confident | 6 | .2 | .2 | 96.8 |
| | 6 Never do this | 114 | 3.1 | 3.2 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1032 A2m: Confidence respondent feels they will not lose balance/become unsteady when bumped into when walking through a shopping centre

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3213 | 88.3 | 88.9 | 88.9 |
| | 2 Reasonably confident | 226 | 6.2 | 6.3 | 95.2 |
| | 3 Sometimes don't feel confident about it | 30 | .8 | .8 | 96.0 |
| | 4 Not very confident at all | 9 | .2 | .2 | 96.3 |
| | 5 Definitely not confident | 7 | .2 | .2 | 96.5 |
| | 6 Never do this | 128 | 3.5 | 3.5 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1033 A2n: Confidence respondent feels they will not lose balance/become unsteady stepping on/off an escalator holding handrail

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 3241 | 89.0 | 89.7 | 89.7 |
| | 2 Reasonably confident | 224 | 6.2 | 6.2 | 95.9 |
| | 3 Sometimes don't feel confident about it | 26 | .7 | .7 | 96.6 |
| | 4 Not very confident at all | 4 | .1 | .1 | 96.7 |
| | 5 Definitely not confident | 4 | .1 | .1 | 96.8 |
| | 6 Never do this | 115 | 3.2 | 3.2 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1034 A2o: Confidence respondent feels they will not lose balance/become unsteady stepping on/off an escalator whilst holding parcels and not holding handrail

| | • | • | | | |
|---------|---|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Completely confident | 3013 | 82.8 | 83.4 | 83.4 |
| | 2 Reasonably confident | 412 | 11.3 | 11.4 | 94.8 |
| | 3 Sometimes don't feel confident about it | 45 | 1.2 | 1.2 | 96.1 |
| | 4 Not very confident at all | 11 | .3 | .3 | 96.4 |
| | 5 Definitely not confident | 2 | .1 | .1 | 96.4 |
| | 6 Never do this | 129 | 3.5 | 3.6 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section A

pp1035 A2p: Confidence respondent feels they will not lose balance/become unsteady when walking on icy pavements

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Completely confident | 2025 | 55.6 | 56.1 | 56.1 |
| | 2 Reasonably confident | 1182 | 32.5 | 32.8 | 88.9 |
| | 3 Sometimes don't feel confident about it | 229 | 6.3 | 6.3 | 95.2 |
| | 4 Not very confident at all | 43 | 1.2 | 1.2 | 96.4 |
| | 5 Definitely not confident | 17 | .5 | .5 | 96.9 |
| | 6 Never do this | 113 | 3.1 | 3.1 | 100.0 |
| | Total | 3609 | 99.1 | 100.0 | |
| Missing | -1 No response | 31 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp1040 A3a: Respondent has difficulty walking

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 156 | 4.3 | 4.3 | 4.3 |
| | 2 No | 3464 | 95.2 | 95.7 | 100.0 |
| | Total | 3620 | 99.5 | 100.0 | |
| Missing | -1 No response | 20 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp1041 A3b: Respondent's difficulty walking is due to heart disease/breathing problems

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 13 | .4 | 8.4 | 8.4 |
| | 2 No | 141 | 3.9 | 91.0 | 99.4 |
| | 9 Don't know | 1 | .0 | .6 | 100.0 |
| | Total | 155 | 4.3 | 100.0 | |
| Missing | -1 No response | 3485 | 95.7 | | |
| Total | | 3640 | 100.0 | | |

pp1050 A4a: Respondent is troubled by shortness of breath when hurrying on ground level or walking up a slight hill

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 247 | 6.8 | 7.3 | 7.3 |
| | 2 No | 3121 | 85.7 | 92.7 | 100.0 |
| | Total | 3368 | 92.5 | 100.0 | |
| Missing | -1 No response | 272 | 7.5 | | |
| Total | | 3640 | 100.0 | | |

pp1051 A4b: Respondent gets short of breath when walking with people their own age on level ground

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 87 | 2.4 | 2.6 | 2.6 |
| | 2 No | 3249 | 89.3 | 97.4 | 100.0 |
| | Total | 3336 | 91.6 | 100.0 | |
| Missing | -1 No response | 304 | 8.4 | | |
| Total | | 3640 | 100.0 | | |

pp1052 A4c: Respondent has to stop for breath when walking at their own pace on level ground

| J • • • • • • • • • • • • • • • • • • • | | | | | |
|--|----------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Yes | 24 | .7 | .7 | .7 |
| | 2 No | 3591 | 98.7 | 99.3 | 100.0 |
| | Total | 3615 | 99.3 | 100.0 | |
| Missing | -1 No response | 25 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp1053 A4d: Respondent is short of breath on washing or dressing

| | • | | | | |
|---------|----------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Yes | 21 | .6 | .6 | .6 |
| | 2 No | 3589 | 98.6 | 99.4 | 100.0 |
| | Total | 3610 | 99.2 | 100.0 | |
| Missing | -1 No response | 30 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp1060 A5a: Respondent has ever lost the power of an arm without warning

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 73 | 2.0 | 2.0 | 2.0 |
| | 2 No | 3552 | 97.6 | 98.0 | 100.0 |
| | Total | 3625 | 99.6 | 100.0 | |
| Missing | -1 No response | 15 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp1061 A5b: Respondent has ever lost the power of a leg without warning

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 93 | 2.6 | 2.6 | 2.6 |
| | 2 No | 3527 | 96.9 | 97.4 | 100.0 |
| | Total | 3620 | 99.5 | 100.0 | |
| Missing | -1 No response | 20 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp1062 A5c: Respondent has ever been unable to speak properly without warning

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 55 | 1.5 | 1.5 | 1.5 |
| | 2 No | 3565 | 97.9 | 98.5 | 100.0 |
| | Total | 3620 | 99.5 | 100.0 | |
| Missing | -1 No response | 20 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp1063 A5d: Respondent has ever lost consciousness for no apparent reason and without warning

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 42 | 1.2 | 1.2 | 1.2 |
| | 2 No | 3575 | 98.2 | 98.8 | 100.0 |
| | Total | 3617 | 99.4 | 100.0 | |
| Missing | -1 No response | 23 | .6 | | |
| Total | | 3640 | 100.0 | | |

PAGE 8 OF THE QUESTIONNAIRE

SECTION B: YOUR HEALTH

B1. Have you <u>ever</u> had any of the following problems:

| | i | Yes, had t recently in past year) | Yes, in past, not recently | No never |
|----|--------------------------------|---|----------------------------|-------------|
| a) | hay fever | 1 | 2 | 3 |
| b) | indigestion | 1 | 2 | 3 |
| c) | bulimia | 1 | 2 | 3 |
| d) | asthma | 1 | 2 | 3 |
| e) | eczema | 1 | 2 | 3 |
| f) | epilepsy | | | 3 |
| g) | ME or chronic fatigue syndrome | 1 | 2 | 3 |
| h) | migraine | 1 | 2 | 3 |
| i) | back pain/slipped d | isc 1 | 2 | 3 |
| j) | kidney disease* | 1 | 2 | 3 |
| k) | varicose veins | 1 | 2 | 2 |
| 1) | haemorrhoids/piles | 1 | 2 | 3 |
| m) | rheumatism | 1 | 2 | 3 |
| n) | arthritis | 1 | 2 | 3 |
| o) | psoriasis | 1 | 2 | 3 |
| p) | stomach ulcer | 1 | 2 | 3 |
| q) | drug addiction | 1 | 2 | 3 |
| r) | alcoholism | 1 | 2 | 3 |
| s) | schizophrenia | | 2 | 3 |

PAGE 9 OF THE QUESTIONNAIRE

| | | | Yes, had | Yes, in | No | |
|-------|-----------------|--------------------------------------|--------------------|-------------------------------|--------------------|-------|
| | | | it recently | past, not | never | |
| B1. | | | (in past year) | recently | | |
| | t) and | orexia nervosa | 1 | 2 | 3 | |
| | u) se | vere depression | 1 | 2 | 3 | |
| | | ner psychiatric oblem* | 1 | 2 | 3 | |
| | | her problem(s)* se tick & describ | pe) | 2 | | |
| * ple | ase tick | appropriate box | and describe belo | W | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| B2. | a) | Have you ever | had diabetes? | | | |
| | | Yes 1 | No 2 | If <u>no,</u> go to B2b bel | low | |
| | If <u>yes</u> , | | was it treated? | | | |
| | | | insulin injections | 1 | | |
| | | | other drugs | 2 | | |
| | | | diet only | 3 | | |
| | | ii) How ol | d were you when | you first developed | it? | years |
| | b) | Have you ever | had hypertension | (high blood pressur | re)? | |
| | | | Yes 1 | No $\frac{1}{2}$ If <u>no</u> | , go to B3 on page | 10 |
| | If <u>yes</u> , | | | | | |
| | | | | | | |
| | | i) How ol | d were you when | you first developed | it? | years |

PAGE 10 OF THE QUESTIONNAIRE

| B2. | b) | ii) D | Oo you have hyperter | nsion nowadays? |
|-----|----|------------------------------------|--|--|
| | | Y | Yes 1 No | 2 |
| В3. | a) | Are there any pr nowadays? | oblems for which yo | ou have regular treatment or medicine |
| | | Yes 1 | No $\frac{1}{2}$ \rightarrow If $\underline{\mathbf{n}}$ | o, go to B4 below |
| | b) | If <u>ves</u> , please de | scribe these problem | ns and regular treatment or medicine: |
| | | Problem | | Treatment or medicine |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| B4. | a) | Would you say t | hat you were allergi | c to anything? |
| | | Yes 1 | No | o., go to B5 on page 11 |
| | b) | If <u>yes</u> , is it to: | Yes | No |
| | | i) cat | 1 | 2 |
| | | ii) pollen | 1 | 2 |
| | | iii) dust | 1 | 2 |
| | | iv) insect bites or stings | 1 | 2 |
| | | v) medication (e.g. penicillin | n) | 2 |
| | | vi) something el (Please tick & | | 2 |
| | | | | |

PAGE 11 OF THE QUESTIONNAIRE


B5. Have you had any of the following in the past two years:

| | · | In the past 2 years: | Yes often | Yes, sometimes | No, not at all |
|-----------------|-------|---|------------------------|------------------------|----------------|
| | a) | attacks of wheezing with whistling on the chest | 1 | 2 | 3 |
| | b) | a dry itchy rash | 1 | 2 | 3 |
| | c) | a blotchy blistery rash (hives) | 1 | 2 | 3 |
| | d) | sneezing attacks | 1 | 2 | 3 |
| | e) | runny nose | 1 | 2 | 3 |
| | f) | watery eyes | 1 | 2 | 3 |
| | g) | attacks of breathlessness | 1 | 2 | 3 |
| | h) | cough often during the night | 1 | 2 | 3 |
| | i) | cough often when you wake in the morning | 1 | 2 | 3 |
| B6. | a) | Since your study child's 9 th b | irthday have <u>yo</u> | <u>u</u> been admitted | d to hospital? |
| If <u>yes</u> , | | Yes 1 No 2 | → If <u>no</u> , go | to B7 on page | e 12 |
| | b) | how many times? |] | | |
| | c) | for how many different reason | ns? | | |
| | Reaso | n for each hospital stay: | | How long did | you stay? |
| | d) | | | | nights |
| | e) | | | | nights |
| | f) | | | | nights |
| | g) | | | | nights |
| | h) | | | | nights |
| | | | | \ | |

Write 00 if you did not stay overnight

PAGE 12 OF THE QUESTIONNAIRE

B7. a) Have you ever had any pain or discomfort in your chest?



b) Do/did you get this pain or discomfort when you walk uphill or hurry?



c) Do/did you get the pain or discomfort when you walk at an ordinary pace on the level?


| Yes 1 | No | 2 |
|-------|----|---|
|-------|----|---|

d) When you get/got pain or discomfort in your chest what do you do? (Please tick **one** box only)




e) Does/did it go away when you stand still?

or less




g) Where do/did you get this pain or discomfort? (Please mark the place(s) with an X on the diagram below) .

10 minutes



h) Have you <u>ever</u> had a severe pain across the front of your chest lasting for half an hour or more?



PAGE 13 OF THE QUESTIONNAIRE

| If <u>yes</u> , | | | | |
|-----------------|---|---------------------|----------------------------|------------|
| B7. | i) Did you talk to a doctor al | bout it? | | |
| | Yes 1 | No 2 | → If <u>no</u> , go to k b | oelow |
| If <u>yes</u> , | | | | |
| | j) What did they say it was? | | | |
| | | | | |
| | | | | |
| ••••• | | | | |
| | k) How many of these attack | ks have you had? | | |
| B8. | In the past month, how often | have you had any | of the following: | |
| | In the past month: | Almost all the time | Sometimes | Not at all |
| | a) backache | 1 | 2 | 3 |
| | b) headache or migraine | 1 | 2 | 3 |
| | c) urinary infection | 1 | 2 | 3 |
| | d) nausea | 1 | 2 | 3 |
| | e) vomiting | 1 | 2 | 3 |
| | f) diarrhoea | 1 | 2 | 3 |
| | g) haemorrhoids or piles | 1 | 2 | 3 |
| | h) feeling weepy/tearful | 1 | 2 | 3 |
| | i) feeling irritable | 1 | 2 | 3 |
| | j) feeling exhausted | 1 | 2 | 3 |
| | k) varicose veins | 1 | 2 | 3 |
| | 1) passing urine very often | 1 | 2 | 3 |
| | m) problem holding urine when you jump, sneeze etc. | 1 | 2 | 3 |

PAGE 14 OF THE QUESTIONNAIRE

| In | the past n | nonth: | Almost all the time | Sometimes | Not at all |
|------|---------------------------|--|---------------------|----------------------|----------------------|
| n) i | indigestior | 1 | 1 | 2 | 3 |
| o) t | feeling diz | zy/fainting | 1 | 2 | 3 |
| _ | flashing lig eyes | ghts/spots before | 1 | 2 | 3 |
| q) s | shoulder a | che | 1 | 2 | 3 |
| r) t | tingling in | hands/fingers | 1 | 2 | 3 |
| s) t | tingling in | feet/toes | 1 | 2 | 3 |
| t) n | neck ache | | 1 | 2 | 3 |
| u) 1 | feeling dep | pressed | 1 | 2 | 3 |
| | other probl (please de | | 1 | 2 | 3 |
| | | ast 3 months) | are you and you | ar partner using now | (tick all that you I |
| | | | | Yes | |
| | • \ | | | 168 | |
| | i) | withdrawal | | 1 | |
| | ii) | withdrawal the pill | | | |
| | | | | | |
| | ii) | the pill | 1 | | |
| | ii) iii) | the pill IUCD/coil | | | |
| | ii) iii) iv) | the pill IUCD/coil condom/sheath | m method | | |
| | ii) iii) iv) v) | the pill IUCD/coil condom/sheath calendar/rhyth | m method | | |

e.g. have had a vasectomy)

PP File – Section B

PAGE 15 OF THE QUESTIONNAIRE

| | | | Yes | |
|-----|-----|--------------------------------|-----|--|
| B9. | ix) | my partner has been sterilised | 1 | |
| | x) | none | 1 | |
| | xi) | other (please describe) | 1 | |

pp2000 B1a: Respondent has ever had hay fever

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 842 | 23.1 | 23.2 | 23.2 |
| | 2 Yes, in past, not recently | 482 | 13.2 | 13.3 | 36.5 |
| | 3 No, never | 2299 | 63.2 | 63.5 | 100.0 |
| | Total | 3623 | 99.5 | 100.0 | |
| Missing | -1 No response | 17 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp2001 B1b: Respondent has ever had indigestion

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 1272 | 34.9 | 35.1 | 35.1 |
| | 2 Yes, in past, not recently | 1517 | 41.7 | 41.8 | 76.9 |
| | 3 No, never | 836 | 23.0 | 23.1 | 100.0 |
| | Total | 3625 | 99.6 | 100.0 | |
| Missing | -1 No response | 15 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp2002 B1c: Respondent has ever had bulimia

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 4 | .1 | .1 | .1 |
| | 2 Yes, in past, not recently | 11 | .3 | .3 | .4 |
| | 3 No, never | 3600 | 98.9 | 99.6 | 100.0 |
| | Total | 3615 | 99.3 | 100.0 | |
| Missing | -1 No response | 25 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2003 B1d: Respondent has ever had asthma

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 310 | 8.5 | 8.6 | 8.6 |
| | 2 Yes, in past, not recently | 272 | 7.5 | 7.5 | 16.1 |
| | 3 No, never | 3042 | 83.6 | 83.9 | 100.0 |
| | Total | 3624 | 99.6 | 100.0 | |
| Missing | -1 No response | 16 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp2004 B1e: Respondent has ever had eczema

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 331 | 9.1 | 9.1 | 9.1 |
| | 2 Yes, in past, not recently | 362 | 9.9 | 10.0 | 19.1 |
| | 3 No, never | 2931 | 80.5 | 80.9 | 100.0 |
| | Total | 3624 | 99.6 | 100.0 | |
| Missing | -1 No response | 16 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp2005 B1f: Respondent has ever had epilepsy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 10 | .3 | .3 | .3 |
| | 2 Yes, in past, not recently | 21 | .6 | .6 | .9 |
| | 3 No, never | 3592 | 98.7 | 99.1 | 100.0 |
| | Total | 3623 | 99.5 | 100.0 | |
| Missing | -1 No response | 17 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp2006 B1g: Respondent has ever had ME/chronic fatigue syndrome

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 10 | .3 | .3 | .3 |
| | 2 Yes, in past, not recently | 28 | .8 | .8 | 1.1 |
| | 3 No, never | 3575 | 98.2 | 98.9 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2007 B1h: Respondent has ever had migraine

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 389 | 10.7 | 10.8 | 10.8 |
| | 2 Yes, in past, not recently | 648 | 17.8 | 17.9 | 28.7 |
| | 3 No, never | 2579 | 70.9 | 71.3 | 100.0 |
| | Total | 3616 | 99.3 | 100.0 | |
| Missing | -1 No response | 24 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2008 B1i: Respondent has ever had back pain/slipped disk

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 1009 | 27.7 | 27.8 | 27.8 |
| | 2 Yes, in past, not recently | 1160 | 31.9 | 32.0 | 59.9 |
| | 3 No, never | 1455 | 40.0 | 40.1 | 100.0 |
| | Total | 3624 | 99.6 | 100.0 | |
| Missing | -1 No response | 16 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp2009 B1j: Respondent has ever had kidney disease

| | • | | | | |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Yes, had it recently | 25 | .7 | .7 | .7 |
| | 2 Yes, in past, not recently | 69 | 1.9 | 1.9 | 2.6 |
| | 3 No, never | 3530 | 97.0 | 97.4 | 100.0 |
| | Total | 3624 | 99.6 | 100.0 | |
| Missing | -1 No response | 16 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp2010 B1k: Respondent has ever had varicose veins

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 133 | 3.7 | 3.7 | 3.7 |
| | 2 Yes, in past, not recently | 76 | 2.1 | 2.1 | 5.8 |
| | 3 No, never | 3409 | 93.7 | 94.2 | 100.0 |
| | Total | 3618 | 99.4 | 100.0 | |
| Missing | -1 No response | 22 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp2011 B1I: Respondent has ever had haemorrhoids/piles

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 414 | 11.4 | 11.4 | 11.4 |
| | 2 Yes, in past, not recently | 687 | 18.9 | 19.0 | 30.4 |
| | 3 No, never | 2524 | 69.3 | 69.6 | 100.0 |
| | Total | 3625 | 99.6 | 100.0 | |
| Missing | -1 No response | 15 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp2012 B1m: Respondent has ever had rheumatism

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 83 | 2.3 | 2.3 | 2.3 |
| | 2 Yes, in past, not recently | 81 | 2.2 | 2.2 | 4.5 |
| | 3 No, never | 3450 | 94.8 | 95.5 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2013 B1n: Respondent has ever had arthritis

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 227 | 6.2 | 6.3 | 6.3 |
| | 2 Yes, in past, not recently | 105 | 2.9 | 2.9 | 9.2 |
| | 3 No, never | 3287 | 90.3 | 90.8 | 100.0 |
| | Total | 3619 | 99.4 | 100.0 | |
| Missing | -1 No response | 21 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp2014 B1o: Respondent has ever had psoriasis

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 130 | 3.6 | 3.6 | 3.6 |
| | 2 Yes, in past, not recently | 73 | 2.0 | 2.0 | 5.6 |
| | 3 No, never | 3413 | 93.8 | 94.4 | 100.0 |
| | Total | 3616 | 99.3 | 100.0 | |
| Missing | -1 No response | 24 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2015 B1p: Respondent has ever had a stomach ulcer

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 23 | .6 | .6 | .6 |
| | 2 Yes, in past, not recently | 104 | 2.9 | 2.9 | 3.5 |
| | 3 No, never | 3494 | 96.0 | 96.5 | 100.0 |
| | Total | 3621 | 99.5 | 100.0 | |
| Missing | -1 No response | 19 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp2017 B1q: Respondent has ever had a drug addiction

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 4 | .1 | .1 | .1 |
| | 2 Yes, in past, not recently | 11 | .3 | .3 | .4 |
| | 3 No, never | 3611 | 99.2 | 99.6 | 100.0 |
| | Total | 3626 | 99.6 | 100.0 | |
| Missing | -1 No response | 14 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp2018 B1r: Respondent has ever had alcoholism

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 25 | .7 | .7 | .7 |
| | 2 Yes, in past, not recently | 29 | .8 | .8 | 1.5 |
| | 3 No, never | 3570 | 98.1 | 98.5 | 100.0 |
| | Total | 3624 | 99.6 | 100.0 | |
| Missing | -1 No response | 16 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp2019 B1s: Respondent has ever had schizophrenia

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 2 | .1 | .1 | .1 |
| | 2 Yes, in past, not recently | 3 | .1 | .1 | .1 |
| | 3 No, never | 3617 | 99.4 | 99.9 | 100.0 |
| | Total | 3622 | 99.5 | 100.0 | |
| Missing | -1 No response | 18 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp2020 B1t: Respondent has ever had anorexia nervosa

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 1 | .0 | .0 | .0 |
| | 2 Yes, in past, not recently | 5 | .1 | .1 | .2 |
| | 3 No, never | 3618 | 99.4 | 99.8 | 100.0 |
| | Total | 3624 | 99.6 | 100.0 | |
| Missing | -1 No response | 16 | .4 | | |
| Total | | 3640 | 100.0 | | |

pp2021 B1u: Respondent has ever had severe depression

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, had it recently | 57 | 1.6 | 1.6 | 1.6 |
| | 2 Yes, in past, not recently | 169 | 4.6 | 4.7 | 6.2 |
| | 3 No, never | 3391 | 93.2 | 93.8 | 100.0 |
| | Total | 3617 | 99.4 | 100.0 | |
| Missing | -1 No response | 23 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp2022 B1v: Respondent has ever had other psychiatric problems

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Relevant text but no box ticked | 1 | .0 | .0 | .0 |
| | 1 Yes, had it recently | 37 | 1.0 | 1.0 | 1.1 |
| | 2 Yes, in past not, recently | 60 | 1.6 | 1.7 | 2.7 |
| | 3 No, never | 3483 | 95.7 | 97.3 | 100.0 |
| | Total | 3581 | 98.4 | 100.0 | |
| Missing | -1 No response | 59 | 1.6 | | |
| Total | | 3640 | 100.0 | | |

pp2023 B1w: Respondent has ever had other problems

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Relevant text but no box ticked | 18 | .5 | 6.9 | 6.9 |
| | 1 Yes, had it recently | 167 | 4.6 | 63.7 | 70.6 |
| | 2 Yes, in past not, recently | 77 | 2.1 | 29.4 | 100.0 |
| | Total | 262 | 7.2 | 100.0 | |
| Missing | -1 No response | 3378 | 92.8 | | |
| Total | | 3640 | 100.0 | | |


pp2030 B2a: Respondent has ever had diabetes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 55 | 1.5 | 1.5 | 1.5 |
| | 2 No | 3567 | 98.0 | 98.5 | 100.0 |
| | Total | 3622 | 99.5 | 100.0 | |
| Missing | -1 No response | 18 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp2032 B2a1: Treatment received for diabetes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Insulin injections | 21 | .6 | 38.2 | 38.2 |
| | 2 Other drugs | 23 | .6 | 41.8 | 80.0 |
| | 3 Diet only | 11 | .3 | 20.0 | 100.0 |
| | Total | 55 | 1.5 | 100.0 | |
| Missing | -1 No response | 3585 | 98.5 | | |
| Total | | 3640 | 100.0 | | |

pp2033 B2a2: Respondent's age when first developed diabetes



plus the following missing values:


pp2033 B2a2: Respondent's age when first developed diabetes

| | | Frequency | Percent | |
|---------|----------------|-----------|---------|--|
| Missing | -1 No response | 3585 | 100.0 | |

pp2040 B2b: Respondent has ever had hypertension

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 327 | 9.0 | 10.1 | 10.1 |
| | 2 No | 2906 | 79.8 | 89.9 | 100.0 |
| | Total | 3233 | 88.8 | 100.0 | |
| Missing | -1 No response | 407 | 11.2 | | |
| Total | | 3640 | 100.0 | | |

pp2042 B2b1: Respondent's age when first developed hypertension



plus the following missing values:

pp2042 B2b1: Respondent's age when first developed hypertension

| | | Frequency | Percent |
|---------|----------------|-----------|---------|
| Missing | -1 No response | 3329 | 100.0 |

pp2043 B2b2: Respondent has hypertension now

| Ph | | | | | | |
|---------|----------------|-----------|---------|------------------|-----------------------|--|
| | | Frequency | Percent | Valid Percent | Cumulative Percent | |
| Valid | 1 Yes | 170 | 4.7 | 37.1 | 37.1 | |
| | 2 No | 288 | 7.9 | 62.9 | 100.0 | |
| | Total | 458 | 12.6 | 100.0 | | |
| Missing | -1 No response | 3182 | 87.4 | | | |
| Total | | 3640 | 100.0 | | | |

pp2050 B3a: Respondent has a problem which requires regular treatment/medication nowadays

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 829 | 22.8 | 23.5 | 23.5 |
| | 2 No | 2702 | 74.2 | 76.5 | 100.0 |
| | Total | 3531 | 97.0 | 100.0 | |
| Missing | -1 No response | 109 | 3.0 | | |
| Total | | 3640 | 100.0 | | |

pp2060 B4a: Respondent has an allergy

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 1256 | 34.5 | 35.6 | 35.6 |
| | 2 No | 2277 | 62.6 | 64.4 | 100.0 |
| | Total | 3533 | 97.1 | 100.0 | |
| Missing | -1 No response | 107 | 2.9 | | |
| Total | | 3640 | 100.0 | | |

pp2061 B4b1: Respondent is allergic to cats

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 340 | 9.3 | 38.2 | 38.2 |
| | 2 No | 551 | 15.1 | 61.8 | 100.0 |
| | Total | 891 | 24.5 | 100.0 | |
| Missing | -1 No response | 2749 | 75.5 | | |
| Total | | 3640 | 100.0 | | |

pp2062 B4b2: Respondent is allergic to pollen

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 684 | 18.8 | 66.5 | 66.5 |
| | 2 No | 344 | 9.5 | 33.5 | 100.0 |
| | Total | 1028 | 28.2 | 100.0 | |
| Missing | -1 No response | 2612 | 71.8 | | |
| Total | | 3640 | 100.0 | | |

pp2063 B4b3: Respondent is allergic to dust

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 500 | 13.7 | 52.6 | 52.6 |
| | 2 No | 450 | 12.4 | 47.4 | 100.0 |
| | Total | 950 | 26.1 | 100.0 | |
| Missing | -1 No response | 2690 | 73.9 | | |
| Total | | 3640 | 100.0 | | |

pp2064 B4b4: Respondent is allergic to insect bites/stings

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 155 | 4.3 | 18.4 | 18.4 |
| | 2 No | 689 | 18.9 | 81.6 | 100.0 |
| | Total | 844 | 23.2 | 100.0 | |
| Missing | -1 No response | 2796 | 76.8 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section B

pp2065 B4b5: Respondent is allergic to medication

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 246 | 6.8 | 27.0 | 27.0 |
| | 2 No | 664 | 18.2 | 73.0 | 100.0 |
| | Total | 910 | 25.0 | 100.0 | |
| Missing | -1 No response | 2730 | 75.0 | | |
| Total | | 3640 | 100.0 | | |

pp2066 B4b6: Respondent is allergic to something else

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 336 | 9.2 | 37.8 | 37.8 |
| | 2 No | 554 | 15.2 | 62.2 | 100.0 |
| | Total | 890 | 24.5 | 100.0 | |
| Missing | -1 No response | 2750 | 75.5 | | |
| Total | | 3640 | 100.0 | | |

pp2070 B5a: Frequency respondent has had attacks of wheezing/whistling chest in the past 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 73 | 2.0 | 2.0 | 2.0 |
| | 2 Yes, sometimes | 531 | 14.6 | 14.8 | 16.8 |
| | 3 No, not at all | 2996 | 82.3 | 83.2 | 100.0 |
| | Total | 3600 | 98.9 | 100.0 | |
| Missing | -1 No response | 40 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp2071 B5b: Frequency respondent has had a dry itchy rash in the past 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 106 | 2.9 | 3.0 | 3.0 |
| | 2 Yes, sometimes | 646 | 17.7 | 18.0 | 21.0 |
| | 3 No, not at all | 2837 | 77.9 | 79.0 | 100.0 |
| | Total | 3589 | 98.6 | 100.0 | |
| Missing | -1 No response | 51 | 1.4 | | |
| Total | | 3640 | 100.0 | | |

pp2072 B5c: Frequency respondent has had a blotchy blistery rash/hives in the past 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 14 | .4 | .4 | .4 |
| | 2 Yes, sometimes | 113 | 3.1 | 3.2 | 3.5 |
| | 3 No, not at all | 3452 | 94.8 | 96.5 | 100.0 |
| | Total | 3579 | 98.3 | 100.0 | |
| Missing | -1 No response | 61 | 1.7 | | |
| Total | | 3640 | 100.0 | | |

pp2073 B5d: Frequency respondent has had sneezing attacks in the past 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 146 | 4.0 | 4.1 | 4.1 |
| | 2 Yes, sometimes | 1066 | 29.3 | 29.6 | 33.7 |
| | 3 No, not at all | 2384 | 65.5 | 66.3 | 100.0 |
| | Total | 3596 | 98.8 | 100.0 | |
| Missing | -1 No response | 44 | 1.2 | | |
| Total | | 3640 | 100.0 | | |

pp2074 B5e: Frequency respondent has had a runny nose in the past 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 162 | 4.5 | 4.5 | 4.5 |
| | 2 Yes, sometimes | 2167 | 59.5 | 60.1 | 64.6 |
| | 3 No, not at all | 1279 | 35.1 | 35.4 | 100.0 |
| | Total | 3608 | 99.1 | 100.0 | |
| Missing | -1 No response | 32 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp2075 B5f: Frequency respondent has had watery eyes in the past 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 128 | 3.5 | 3.6 | 3.6 |
| | 2 Yes, sometimes | 1294 | 35.5 | 36.0 | 39.5 |
| | 3 No, not at all | 2177 | 59.8 | 60.5 | 100.0 |
| | Total | 3599 | 98.9 | 100.0 | |
| Missing | -1 No response | 41 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp2076 B5g: Frequency respondent has had attacks of breathlessness in the past 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 49 | 1.3 | 1.4 | 1.4 |
| | 2 Yes, sometimes | 338 | 9.3 | 9.4 | 10.8 |
| | 3 No, not at all | 3204 | 88.0 | 89.2 | 100.0 |
| | Total | 3591 | 98.7 | 100.0 | |
| Missing | -1 No response | 49 | 1.3 | | |
| Total | | 3640 | 100.0 | | |

pp2077 B5h: Frequency respondent has had a cough often in the night in the past 2 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 43 | 1.2 | 1.2 | 1.2 |
| | 2 Yes, sometimes | 794 | 21.8 | 22.1 | 23.3 |
| | 3 No, not at all | 2761 | 75.9 | 76.7 | 100.0 |
| | Total | 3598 | 98.8 | 100.0 | |
| Missing | -1 No response | 42 | 1.2 | | |
| Total | | 3640 | 100.0 | | |

pp2078 B5i: Frequency respondent has a cough often on waking in the past 2 years

| , | | | | | |
|---------|------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Yes, often | 79 | 2.2 | 2.2 | 2.2 |
| | 2 Yes, sometimes | 583 | 16.0 | 16.2 | 18.4 |
| | 3 No, not at all | 2933 | 80.6 | 81.6 | 100.0 |
| | Total | 3595 | 98.8 | 100.0 | |
| Missing | -1 No response | 45 | 1.2 | | |
| Total | | 3640 | 100.0 | | |

pp2100 B6a: Respondent has been admitted to hospital since study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 436 | 12.0 | 12.1 | 12.1 |
| | 2 No | 3176 | 87.3 | 87.9 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp2101 B6b: Number of times respondent has been admitted to hospital since study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 337 | 9.3 | 78.2 | 78.2 |
| | 2 | 66 | 1.8 | 15.3 | 93.5 |
| | 3 | 16 | .4 | 3.7 | 97.2 |
| | 4 | 6 | .2 | 1.4 | 98.6 |
| | 5 | 2 | .1 | .5 | 99.1 |
| | 6 | 1 | .0 | .2 | 99.3 |
| | 7 | 2 | .1 | .5 | 99.8 |
| | 8 | 1 | .0 | .2 | 100.0 |
| | Total | 431 | 11.8 | 100.0 | |
| Missing | -1 No response | 3209 | 88.2 | | |
| Total | | 3640 | 100.0 | | |

pp2102 B6c: Number of reasons respondent has been admitted to hospital since study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 330 | 9.1 | 85.7 | 85.7 |
| | 2 | 50 | 1.4 | 13.0 | 98.7 |
| | 3 | 2 | .1 | .5 | 99.2 |
| | 4 | 1 | .0 | .3 | 99.5 |
| | 8 | 1 | .0 | .3 | 99.7 |
| | 10 | 1 | .0 | .3 | 100.0 |
| | Total | 385 | 10.6 | 100.0 | |
| Missing | -1 No response | 3255 | 89.4 | | |
| Total | | 3640 | 100.0 | | |

pp2104 B6d: Number nights of hospital stay 1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 < 1 day | 131 | 3.6 | 31.2 | 31.2 |
| | 1 | 126 | 3.5 | 30.0 | 61.2 |
| | 2 | 50 | 1.4 | 11.9 | 73.1 |
| | 3 | 23 | .6 | 5.5 | 78.6 |
| | 4 | 20 | .5 | 4.8 | 83.3 |
| | 5 | 17 | .5 | 4.0 | 87.4 |
| | 6 | 6 | .2 | 1.4 | 88.8 |
| | 7 | 16 | .4 | 3.8 | 92.6 |
| | 8 | 3 | .1 | .7 | 93.3 |
| | 9 | 1 | .0 | .2 | 93.6 |
| | 10 | 9 | .2 | 2.1 | 95.7 |
| | 12 | 1 | .0 | .2 | 96.0 |
| | 13 | 1 | .0 | .2 | 96.2 |
| | 14 | 5 | .1 | 1.2 | 97.4 |
| | 15 | 2 | .1 | .5 | 97.9 |
| | 17 | 1 | .0 | .2 | 98.1 |
| | 20 | 1 | .0 | .2 | 98.3 |
| | 23 | 1 | .0 | .2 | 98.6 |
| | 28 | 1 | .0 | .2 | 98.8 |
| | 30 | 1 | .0 | .2 | 99.0 |
| | 62 | 1 | .0 | .2 | 99.3 |
| | 63 | 1 | .0 | .2 | 99.5 |
| | 98 Lots | 2 | .1 | .5 | 100.0 |
| | Total | 420 | 11.5 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 3219 | 88.4 | | |
| | Total | 3220 | 88.5 | | |
| Total | | 3640 | 100.0 | | |

pp2106 B6e: Number nights of hospital stay 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 < 1 day | 30 | .8 | 32.6 | 32.6 |
| | 1 | 21 | .6 | 22.8 | 55.4 |
| | 2 | 11 | .3 | 12.0 | 67.4 |
| | 3 | 6 | .2 | 6.5 | 73.9 |
| | 4 | 1 | .0 | 1.1 | 75.0 |
| | 5 | 7 | .2 | 7.6 | 82.6 |
| | 7 | 5 | .1 | 5.4 | 88.0 |
| | 8 | 1 | .0 | 1.1 | 89.1 |
| | 10 | 2 | .1 | 2.2 | 91.3 |
| | 11 | 1 | .0 | 1.1 | 92.4 |
| | 14 | 3 | .1 | 3.3 | 95.7 |
| | 15 | 1 | .0 | 1.1 | 96.7 |
| | 26 | 1 | .0 | 1.1 | 97.8 |
| | 28 | 1 | .0 | 1.1 | 98.9 |
| | 60 | 1 | .0 | 1.1 | 100.0 |
| | Total | 92 | 2.5 | 100.0 | |
| Missing | -1 No response | 3548 | 97.5 | | |
| Total | | 3640 | 100.0 | | |

pp2108 B6f: Number nights of hospital stay 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 < 1 day | 9 | .2 | 32.1 | 32.1 |
| | 1 | 5 | .1 | 17.9 | 50.0 |
| | 2 | 2 | .1 | 7.1 | 57.1 |
| | 3 | 1 | .0 | 3.6 | 60.7 |
| | 4 | 3 | .1 | 10.7 | 71.4 |
| | 5 | 4 | .1 | 14.3 | 85.7 |
| | 7 | 1 | .0 | 3.6 | 89.3 |
| | 8 | 1 | .0 | 3.6 | 92.9 |
| | 14 | 1 | .0 | 3.6 | 96.4 |
| | 90 | 1 | .0 | 3.6 | 100.0 |
| | Total | 28 | .8 | 100.0 | |
| Missing | -1 No response | 3612 | 99.2 | | |
| Total | | 3640 | 100.0 | | |

pp2110 B6g: Number nights of hospital stay 4

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 < 1 day | 4 | .1 | 33.3 | 33.3 |
| | 2 | 1 | .0 | 8.3 | 41.7 |
| | 3 | 1 | .0 | 8.3 | 50.0 |
| | 4 | 2 | .1 | 16.7 | 66.7 |
| | 5 | 1 | .0 | 8.3 | 75.0 |
| | 7 | 1 | .0 | 8.3 | 83.3 |
| | 9 | 1 | .0 | 8.3 | 91.7 |
| | 10 | 1 | .0 | 8.3 | 100.0 |
| | Total | 12 | .3 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 3627 | 99.6 | | |
| | Total | 3628 | 99.7 | | |
| Total | | 3640 | 100.0 | | |

pp2112 B6h: Number nights of hospital stay 5

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 < 1 day | 2 | .1 | 33.3 | 33.3 |
| | 1 | 1 | .0 | 16.7 | 50.0 |
| | 3 | 1 | .0 | 16.7 | 66.7 |
| | 7 | 1 | .0 | 16.7 | 83.3 |
| | 8 | 1 | .0 | 16.7 | 100.0 |
| | Total | 6 | .2 | 100.0 | |
| Missing | -1 No response | 3634 | 99.8 | | |
| Total | | 3640 | 100.0 | | |

pp2120 B7a: Respondent has ever had pain/discomfort in the chest

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, in past year | 500 | 13.7 | 13.8 | 13.8 |
| | 2 Yes, but not in past year | 449 | 12.3 | 12.4 | 26.3 |
| | 3 No | 2666 | 73.2 | 73.7 | 100.0 |
| | Total | 3615 | 99.3 | 100.0 | |
| Missing | -1 No response | 25 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2121 B7b: Respondent has had pain/discomfort in the chest when walking uphill or hurrying

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 83 | 2.3 | 16.1 | 16.1 |
| | 2 No | 432 | 11.9 | 83.9 | 100.0 |
| | Total | 515 | 14.1 | 100.0 | |
| Missing | -1 No response | 3125 | 85.9 | | |
| Total | | 3640 | 100.0 | | |

pp2122 B7c: Respondent has had pain/discomfort in the chest when walking at an ordinary pace on the level

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 66 | 1.8 | 12.9 | 12.9 |
| | 2 No | 447 | 12.3 | 87.1 | 100.0 |
| | Total | 513 | 14.1 | 100.0 | |
| Missing | -1 No response | 3127 | 85.9 | | |
| Total | | 3640 | 100.0 | | |

pp2123 B7d: Action taken when respondent has pain/discomfort in the chest

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Stop | 126 | 3.5 | 28.3 | 28.3 |
| | 2 Slow down | 148 | 4.1 | 33.2 | 61.4 |
| | 3 Continue at the same pace | 172 | 4.7 | 38.6 | 100.0 |
| | Total | 446 | 12.3 | 100.0 | |
| Missing | -1 No response | 3194 | 87.7 | | |
| Total | | 3640 | 100.0 | | |

pp2124 B7e: Chest pain/discomfort goes away when respondent stands still

| | • | | | • | |
|---------|----------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Yes | 156 | 4.3 | 33.5 | 33.5 |
| | 2 No | 192 | 5.3 | 41.3 | 74.8 |
| | 9 Don't know | 117 | 3.2 | 25.2 | 100.0 |
| | Total | 465 | 12.8 | 100.0 | |
| Missing | -1 No response | 3175 | 87.2 | | |
| Total | | 3640 | 100.0 | | |

pp2125 B7f: Time taken for chest pain/discomfort goes away when respondent stands still

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 10 minutes or less | 188 | 5.2 | 49.3 | 49.3 |
| | 2 > 10 minutes | 62 | 1.7 | 16.3 | 65.6 |
| | 9 Don't know | 131 | 3.6 | 34.4 | 100.0 |
| | Total | 381 | 10.5 | 100.0 | |
| Missing | -1 No response | 3259 | 89.5 | | |
| Total | | 3640 | 100.0 | | |

pp2126 B7g: Location of chest pain

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Upper half, left side | 141 | 3.9 | 28.8 | 28.8 |
| | 2 Upper half, both sides | 155 | 4.3 | 31.6 | 60.4 |
| | 3 Upper half, right side | 31 | .9 | 6.3 | 66.7 |
| | 4 Both halves, left side | 28 | .8 | 5.7 | 72.4 |
| | 5 Both halves, both sides | 49 | 1.3 | 10.0 | 82.4 |
| | 6 Both halves, right side | 8 | .2 | 1.6 | 84.1 |
| | 7 Lower half, left side | 40 | 1.1 | 8.2 | 92.2 |
| | 8 Lower half, both sides | 20 | .5 | 4.1 | 96.3 |
| | 9 Lower half, right side | 18 | .5 | 3.7 | 100.0 |
| | Total | 490 | 13.5 | 100.0 | |
| Missing | -9 Don't know | 3 | .1 | | |
| | -1 No response | 3147 | 86.5 | | |
| | Total | 3150 | 86.5 | | |
| Total | | 3640 | 100.0 | | |

pp2127 B7h: Respondent has ever had severe chest pain across front of chest lasting half our or more

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 207 | 5.7 | 21.5 | 21.5 |
| | 2 No | 754 | 20.7 | 78.5 | 100.0 |
| | Total | 961 | 26.4 | 100.0 | |
| Missing | -1 No response | 2679 | 73.6 | | |
| Total | | 3640 | 100.0 | | |

pp2128 B7i: Respondent talked to doctor about severe chest pain

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 183 | 5.0 | 74.1 | 74.1 |
| | 2 No | 64 | 1.8 | 25.9 | 100.0 |
| | Total | 247 | 6.8 | 100.0 | |
| Missing | -1 No response | 3393 | 93.2 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section B

pp2130 B7k: Number of times respondent has had severe chest pain

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 92 | 2.5 | 46.2 | 46.2 |
| | 2 | 32 | .9 | 16.1 | 62.3 |
| | 3 | 17 | .5 | 8.5 | 70.9 |
| | 4 | 12 | .3 | 6.0 | 76.9 |
| | 5 | 9 | .2 | 4.5 | 81.4 |
| | 6 | 11 | .3 | 5.5 | 86.9 |
| | 8 | 1 | .0 | .5 | 87.4 |
| | 9 | 1 | .0 | .5 | 87.9 |
| | 10 | 13 | .4 | 6.5 | 94.5 |
| | 12 | 2 | .1 | 1.0 | 95.5 |
| | 14 | 1 | .0 | .5 | 96.0 |
| | 20 | 4 | .1 | 2.0 | 98.0 |
| | 30 | 1 | .0 | .5 | 98.5 |
| | 50 | 1 | .0 | .5 | 99.0 |
| | 98 Lots | 2 | .1 | 1.0 | 100.0 |
| | Total | 199 | 5.5 | 100.0 | |
| Missing | -9 Don't know | 4 | .1 | | |
| | -1 No response | 3437 | 94.4 | | |
| | Total | 3441 | 94.5 | | |
| Total | | 3640 | 100.0 | | |

pp2140 B8a: Frequency respondent has had backache in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 212 | 5.8 | 5.9 | 5.9 |
| | 2 Sometimes | 1643 | 45.1 | 45.4 | 51.3 |
| | 3 Not at all | 1760 | 48.4 | 48.7 | 100.0 |
| | Total | 3615 | 99.3 | 100.0 | |
| Missing | -1 No response | 25 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2141 B8b: Frequency respondent has had headache/migraine in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 33 | .9 | .9 | .9 |
| | 2 Sometimes | 1673 | 46.0 | 46.2 | 47.2 |
| | 3 Not at all | 1912 | 52.5 | 52.8 | 100.0 |
| | Total | 3618 | 99.4 | 100.0 | |
| Missing | -1 No response | 22 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp2142 B8c: Frequency respondent has had a urinary infection in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 4 | .1 | .1 | .1 |
| | 2 Sometimes | 52 | 1.4 | 1.4 | 1.5 |
| | 3 Not at all | 3559 | 97.8 | 98.5 | 100.0 |
| | Total | 3615 | 99.3 | 100.0 | |
| Missing | -1 No response | 25 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2143 B8d: Frequency respondent has had nausea in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 3 | .1 | .1 | .1 |
| | 2 Sometimes | 283 | 7.8 | 7.8 | 7.9 |
| | 3 Not at all | 3328 | 91.4 | 92.1 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2144 B8e: Frequency respondent has had vomiting in the past month

| • • | ' ' | <u> </u> | | | | |
|---------|-----------------------|-----------|---------|------------------|-----------------------|--|
| | | Frequency | Percent | Valid Percent | Cumulative Percent | |
| Valid | 1 Almost all the time | 3 | .1 | .1 | .1 | |
| | 2 Sometimes | 217 | 6.0 | 6.0 | 6.1 | |
| | 3 Not at all | 3392 | 93.2 | 93.9 | 100.0 | |
| | Total | 3612 | 99.2 | 100.0 | | |
| Missing | -1 No response | 28 | .8 | | | |
| Total | | 3640 | 100.0 | | | |

pp2145 B8f: Frequency respondent has had diarrhoea in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 17 | .5 | .5 | .5 |
| | 2 Sometimes | 712 | 19.6 | 19.7 | 20.2 |
| | 3 Not at all | 2884 | 79.2 | 79.8 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2146 B8g: Frequency respondent has had haemorrhoids/piles in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 78 | 2.1 | 2.2 | 2.2 |
| | 2 Sometimes | 381 | 10.5 | 10.6 | 12.7 |
| | 3 Not at all | 3150 | 86.5 | 87.3 | 100.0 |
| | Total | 3609 | 99.1 | 100.0 | |
| Missing | -1 No response | 31 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp2147 B8h: Frequency respondent has felt tearful/weepy in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 11 | .3 | .3 | .3 |
| | 2 Sometimes | 387 | 10.6 | 10.7 | 11.0 |
| | 3 Not at all | 3216 | 88.4 | 89.0 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2148 B8i: Frequency respondent has felt irritable in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 51 | 1.4 | 1.4 | 1.4 |
| | 2 Sometimes | 1807 | 49.6 | 50.0 | 51.4 |
| | 3 Not at all | 1754 | 48.2 | 48.6 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp2149 B8j: Frequency respondent has felt exhausted in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 121 | 3.3 | 3.3 | 3.3 |
| | 2 Sometimes | 1833 | 50.4 | 50.7 | 54.1 |
| | 3 Not at all | 1661 | 45.6 | 45.9 | 100.0 |
| | Total | 3615 | 99.3 | 100.0 | |
| Missing | -1 No response | 25 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2150 B8k: Frequency respondent has had varicose veins in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 72 | 2.0 | 2.0 | 2.0 |
| | 2 Sometimes | 68 | 1.9 | 1.9 | 3.9 |
| | 3 Not at all | 3471 | 95.4 | 96.1 | 100.0 |
| | Total | 3611 | 99.2 | 100.0 | |
| Missing | -1 No response | 29 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp2151 B8I: Frequency respondent has had been passing urine very often in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 43 | 1.2 | 1.2 | 1.2 |
| | 2 Sometimes | 394 | 10.8 | 10.9 | 12.1 |
| | 3 Not at all | 3173 | 87.2 | 87.9 | 100.0 |
| | Total | 3610 | 99.2 | 100.0 | |
| Missing | -1 No response | 30 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp2152 B8m: Frequency respondent has had a problem holding urine when jumping/coughing/sneezing in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 6 | .2 | .2 | .2 |
| | 2 Sometimes | 42 | 1.2 | 1.2 | 1.3 |
| | 3 Not at all | 3545 | 97.4 | 98.7 | 100.0 |
| | Total | 3593 | 98.7 | 100.0 | |
| Missing | -1 No response | 47 | 1.3 | | |
| Total | | 3640 | 100.0 | | |

pp2153 B8n: Frequency respondent has had indigestion in the past month

| 1 | | | | | | |
|---------|-----------------------|-----------|---------|------------------|-----------------------|--|
| | | Frequency | Percent | Valid Percent | Cumulative Percent | |
| Valid | 1 Almost all the time | 52 | 1.4 | 1.4 | 1.4 | |
| | 2 Sometimes | 1356 | 37.3 | 37.4 | 38.9 | |
| | 3 Not at all | 2216 | 60.9 | 61.1 | 100.0 | |
| | Total | 3624 | 99.6 | 100.0 | | |
| Missing | -1 No response | 16 | .4 | | | |
| Total | | 3640 | 100.0 | | | |

pp2154 B8o: Frequency respondent has felt dizzy/faint in the past month

| • • | . , , | | | • | |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Almost all the time | 8 | .2 | .2 | .2 |
| | 2 Sometimes | 223 | 6.1 | 6.2 | 6.4 |
| | 3 Not at all | 3387 | 93.0 | 93.6 | 100.0 |
| | Total | 3618 | 99.4 | 100.0 | |
| Missing | -1 No response | 22 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp2155 B8p: Frequency respondent has had flashing lights/spots before their eyes in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 8 | .2 | .2 | .2 |
| | 2 Sometimes | 297 | 8.2 | 8.2 | 8.4 |
| | 3 Not at all | 3314 | 91.0 | 91.6 | 100.0 |
| | Total | 3619 | 99.4 | 100.0 | |
| Missing | -1 No response | 21 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp2156 B8q: Frequency respondent has had shoulder ache in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 104 | 2.9 | 2.9 | 2.9 |
| | 2 Sometimes | 895 | 24.6 | 24.7 | 27.6 |
| | 3 Not at all | 2620 | 72.0 | 72.4 | 100.0 |
| | Total | 3619 | 99.4 | 100.0 | |
| Missing | -1 No response | 21 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp2157 B8r: Frequency respondent has had tingling in hands/fingers in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 27 | .7 | .7 | .7 |
| | 2 Sometimes | 549 | 15.1 | 15.2 | 15.9 |
| | 3 Not at all | 3042 | 83.6 | 84.1 | 100.0 |
| | Total | 3618 | 99.4 | 100.0 | |
| Missing | -1 No response | 22 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp2158 B8s: Frequency respondent has had tingling in feet/toes in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 10 | .3 | .3 | .3 |
| | 2 Sometimes | 231 | 6.3 | 6.4 | 6.7 |
| | 3 Not at all | 3372 | 92.6 | 93.3 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp2159 B8t: Frequency respondent has had neck ache in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 74 | 2.0 | 2.0 | 2.0 |
| | 2 Sometimes | 1048 | 28.8 | 29.0 | 31.0 |
| | 3 Not at all | 2498 | 68.6 | 69.0 | 100.0 |
| | Total | 3620 | 99.5 | 100.0 | |
| Missing | -1 No response | 20 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp2160 B8u: Frequency respondent has been feeling depressed in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Almost all the time | 37 | 1.0 | 1.0 | 1.0 |
| | 2 Sometimes | 654 | 18.0 | 18.1 | 19.1 |
| | 3 Not at all | 2929 | 80.5 | 80.9 | 100.0 |
| | Total | 3620 | 99.5 | 100.0 | |
| Missing | -1 No response | 20 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp2161 B8v: Frequency respondent has had another problem in the past month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Relevant text but no box ticked | 30 | .8 | 1.0 | 1.0 |
| | 1 Almost all the time | 52 | 1.4 | 1.7 | 2.7 |
| | 2 Sometimes | 61 | 1.7 | 2.0 | 4.7 |
| | 3 Not at all | 2903 | 79.8 | 95.3 | 100.0 |
| | Total | 3046 | 83.7 | 100.0 | |
| Missing | -1 No response | 594 | 16.3 | | |
| Total | | 3640 | 100.0 | | |

pp2173 B9i: Respondent has used the withdrawal method of contraception in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 193 | 5.3 | 100.0 | 100.0 |
| Missing | -1 No response | 3447 | 94.7 | | |
| Total | | 3640 | 100.0 | | |

pp2174 B9ii: Respondent has used the pill method of contraception in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 405 | 11.1 | 100.0 | 100.0 |
| Missing | -1 No response | 3235 | 88.9 | | |
| Total | | 3640 | 100.0 | | |

pp2175 B9iii: Respondent has used the IUCD/coil method of contraception in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 323 | 8.9 | 100.0 | 100.0 |
| Missing | -1 No response | 3317 | 91.1 | | |
| Total | | 3640 | 100.0 | | |

pp2176 B9iv: Respondent has used the condom/sheath method of contraception in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 582 | 16.0 | 100.0 | 100.0 |
| Missing | -1 No response | 3058 | 84.0 | | |
| Total | | 3640 | 100.0 | | |

pp2177 B9v: Respondent has used the calendar/rhythm method of contraception in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 55 | 1.5 | 100.0 | 100.0 |
| Missing | -1 No response | 3585 | 98.5 | | |
| Total | | 3640 | 100.0 | | |

pp2178 B9vi: Respondent has used the diaphragm/cap method of contraception in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 39 | 1.1 | 100.0 | 100.0 |
| Missing | -1 No response | 3601 | 98.9 | | |
| Total | | 3640 | 100.0 | | |

pp2179 B9vii: Respondent has used the spermicide method of contraception in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 13 | .4 | 100.0 | 100.0 |
| Missing | -1 No response | 3627 | 99.6 | | |
| Total | | 3640 | 100.0 | | |

pp2180 B9viii: Respondent is no longer fertile

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 1444 | 39.7 | 100.0 | 100.0 |
| Missing | -1 No response | 2196 | 60.3 | | |
| Total | | 3640 | 100.0 | | |

pp2181 B9ix: Respondent's partner has been sterilised

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 424 | 11.6 | 100.0 | 100.0 |
| Missing | -1 No response | 3216 | 88.4 | | |
| Total | | 3640 | 100.0 | | |

pp2182 B9x: Respondent has used no contraception in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 326 | 9.0 | 100.0 | 100.0 |
| Missing | -1 No response | 3314 | 91.0 | | |
| Total | | 3640 | 100.0 | | |

pp2183 B9xi: Respondent has used another method of contraception in the past 3 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 127 | 3.5 | 100.0 | 100.0 |
| Missing | -1 No response | 3513 | 96.5 | | |
| Total | | 3640 | 100.0 | | |

PAGE 16 OF THE QUESTIONNAIRE

SECTION C: ALL ABOUT YOUR WATERWORKS

| C1. | a) | During the day, how many times do y | you urinate (pass water or have a wee) on average? |
|-----|----|---------------------------------------|--|
| | | 1 - 6 times | 1 |
| | | 7 - 8 times | 2 |
| | | 9 - 10 times | 3 |
| | | 11 – 12 times | 4 |
| | | 13 or more times | 5 |
| | b) | During the night, how many times do | you have to get up to urinate, on average? |
| | | None | 1 |
| | | Once | 2 |
| | | Twice | 3 |
| | | Three times | 4 |
| | | Four times or more | 5 |
| | c) | How often do you have to rush to the | toilet to urinate? |
| | | Never | 1 |
| | | Occasionally | 2 |
| | | Sometimes | 3 |
| | | More often than not | 4 |
| | | Every time | 5 |
| | d) | Does urine leak before you can get to | the toilet? |
| | | Never | 1 |
| | | Occasionally | 2 |
| | | Sometimes | 3 |
| | | Most times | 4 |
| | | Every time | 5 |

PAGE 17 OF THE QUESTIONNAIRE

| C1. | e) | Does urine leak when you are physical | ly active, exert yourself, cough or sneeze? |
|-----|----|---|---|
| | | Never | 1 |
| | | Occasionally | 2 |
| | | Sometimes | 3 |
| | | Most times | 4 |
| | | Every time | 5 |
| | f) | Do you ever leak urine for no obvious | reason and without feeling that you want to go? |
| | | Never | 1 |
| | | Occasionally | 2 |
| | | Sometimes | 3 |
| | | Most of the time | 4 |
| | | All of the time | 5 |
| | g) | How often is there a delay before you | can start to urinate? |
| | | Never | 1 |
| | | Occasionally | 2 |
| | | Sometimes | 3 |
| | | Most times | 4 |
| | | Every time | 5 |
| | h) | Do you have to strain to <u>urinate</u> ? | |
| | | Never | 1 |
| | | Occasionally | 2 |
| | | Sometimes | 3 |
| | | Most times | 4 |
| | | Every time | 5 |

PAGE 18 OF THE QUESTIONNAIRE

| C1. | i) | Do you stop and start more than o | nce while you urinate without meaning to? |
|-----|----|---|--|
| | | Never | 1 |
| | | Occasionally | 2 |
| | | Sometimes | 3 |
| | | Most times | 4 |
| | | Every time | 5 |
| | j) | How often do you leak urine when | n you are asleep? |
| | | Never | 1 |
| | | Occasionally | 2 |
| | | Sometimes | 3 |
| | | Most of the time | 4 |
| | | All of the time | 5 |
| | k) | Have you ever blocked up comple have a catheter to drain the bladde | tely so that you could not urinate at all and had to er? |
| | | Never | |
| | | Yes, once | 2 |
| | | Yes, twice | 3 |
| | | Yes, more than twice | 4 |
| | 1) | How often have you had a burning | g feeling when you urinate? |
| | | Never | 1 |
| | | Occasionally/once | 2 |
| | | Sometimes | 3 |
| | | Most times | 4 |
| | | Always | 5 |

PAGE 19 OF THE QUESTIONNAIRE

| C1. | m) | How often do you feel that your blurinated? | adder has not emptied properly after you have |
|-----|----|---|---|
| | | Never | 1 |
| | | Occasionally | 2 |
| | | Sometimes | 3 |
| | | Most of the time | 4 |
| | | All of the time | 5 |
| | n) | If you had to spend the rest of you have now, how would you feel? | r life with any urinary symptoms that you may |
| | | No particular symptoms | 1 |
| | | Perfectly happy | 2 |
| | | Pleased | 3 |
| | | Mostly satisfied | 4 |
| | | Mixed feelings | 5 |
| | | Mostly dissatisfied | 6 |
| | | Very unhappy | 7 |
| | | Desperate | 8 |

pp3000 C1a: Frequency respondent urinates on average throughout the day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 1-6 times | 2437 | 67.0 | 67.7 | 67.7 |
| | 2 7-8 times | 801 | 22.0 | 22.3 | 89.9 |
| | 3 9-10 times | 279 | 7.7 | 7.8 | 97.7 |
| | 4 11-12 times | 58 | 1.6 | 1.6 | 99.3 |
| | 5 13 or more times | 25 | .7 | .7 | 100.0 |
| | Total | 3600 | 98.9 | 100.0 | |
| Missing | -1 No response | 40 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp3001 C1b: Frequency respondent urinates on average throughout the night

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 2230 | 61.3 | 61.7 | 61.7 |
| | 2 Once | 1237 | 34.0 | 34.2 | 96.0 |
| | 3 Twice | 112 | 3.1 | 3.1 | 99.1 |
| | 4 Three times | 24 | .7 | .7 | 99.8 |
| | 5 Four times or more | 9 | .2 | .2 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp3002 C1c: Frequency respondent has to rush to the toilet to urinate

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Never | 2456 | 67.5 | 68.0 | 68.0 |
| | 2 Occasionally | 1015 | 27.9 | 28.1 | 96.1 |
| | 3 Sometimes | 127 | 3.5 | 3.5 | 99.6 |
| | 4 More often than not | 13 | .4 | .4 | 99.9 |
| | 5 Every time | 2 | .1 | .1 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3003 C1d: Frequency respondent leaks urine before they can get to a toilet

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Never | 3373 | 92.7 | 93.4 | 93.4 |
| | 2 Occasionally | 216 | 5.9 | 6.0 | 99.4 |
| | 3 Sometimes | 20 | .5 | .6 | 99.9 |
| | 4 More often than not | 1 | .0 | .0 | 99.9 |
| | 5 Every time | 2 | .1 | .1 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp3004 C1e: Frequency urine leaks when respondent is physically active/exerts themselves/cough/sneezes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Never | 3526 | 96.9 | 97.6 | 97.6 |
| | 2 Occasionally | 78 | 2.1 | 2.2 | 99.7 |
| | 3 Sometimes | 7 | .2 | .2 | 99.9 |
| | 5 Every time | 3 | .1 | .1 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3005 C1f: Frequency respondent leaks urine for no obvious reason without feeling that wants to go

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Never | 3567 | 98.0 | 98.7 | 98.7 |
| | 2 Occasionally | 39 | 1.1 | 1.1 | 99.8 |
| | 3 Sometimes | 5 | .1 | .1 | 99.9 |
| | 5 All of the time | 2 | .1 | .1 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3006 C1g: Frequency there is a delay before respondent can start to urinate

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Never | 2236 | 61.4 | 61.9 | 61.9 |
| | 2 Occasionally | 1179 | 32.4 | 32.6 | 94.5 |
| | 3 Sometimes | 159 | 4.4 | 4.4 | 98.9 |
| | 4 Most times | 33 | .9 | .9 | 99.9 |
| | 5 Every time | 5 | .1 | .1 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp3007 C1h: Frequency respondent has to strain to urinate

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Never | 3309 | 90.9 | 91.6 | 91.6 |
| | 2 Occasionally | 267 | 7.3 | 7.4 | 99.0 |
| | 3 Sometimes | 33 | .9 | .9 | 99.9 |
| | 4 Most times | 3 | .1 | .1 | 100.0 |
| | 5 Every time | 1 | .0 | .0 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3008 C1i: Frequency respondent stops and starts more than once while urinating without meaning to

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Never | 2985 | 82.0 | 82.5 | 82.5 |
| | 2 Occasionally | 543 | 14.9 | 15.0 | 97.5 |
| | 3 Sometimes | 68 | 1.9 | 1.9 | 99.4 |
| | 4 Most times | 19 | .5 | .5 | 99.9 |
| | 5 Every time | 3 | .1 | .1 | 100.0 |
| | Total | 3618 | 99.4 | 100.0 | |
| Missing | -1 No response | 22 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp3009 C1j: Frequency respondent leaks urine while they are asleep

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Never | 3578 | 98.3 | 98.8 | 98.8 |
| | 2 Occasionally | 38 | 1.0 | 1.0 | 99.9 |
| | 3 Sometimes | 4 | .1 | .1 | 100.0 |
| | 4 Most of the time | 1 | .0 | .0 | 100.0 |
| | Total | 3621 | 99.5 | 100.0 | |
| Missing | -1 No response | 19 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp3010 C1k: Respondent has ever blocked up completely and had to use a catheter to drain the bladder

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Never | 3591 | 98.7 | 99.2 | 99.2 |
| | 2 Yes, once | 20 | .5 | .6 | 99.8 |
| | 3 Yes, twice | 5 | .1 | .1 | 99.9 |
| | 4 Yes, more than twice | 3 | .1 | .1 | 100.0 |
| | Total | 3619 | 99.4 | 100.0 | |
| Missing | -1 No response | 21 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp3011 C1I: Frequency respondent has a burning feeling when they urinate

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Never | 2734 | 75.1 | 75.6 | 75.6 |
| | 2 Occasionally/once | 794 | 21.8 | 22.0 | 97.5 |
| | 3 Sometimes | 87 | 2.4 | 2.4 | 99.9 |
| | 5 Always | 2 | .1 | .1 | 100.0 |
| | Total | 3617 | 99.4 | 100.0 | |
| Missing | -1 No response | 23 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp3012 C1m: Frequency respondent feels bladder has not emptied properly after urination

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Never | 2714 | 74.6 | 75.0 | 75.0 |
| | 2 Occasionally | 759 | 20.9 | 21.0 | 96.0 |
| | 3 Sometimes | 95 | 2.6 | 2.6 | 98.6 |
| | 4 Most of the time | 31 | .9 | .9 | 99.5 |
| | 5 All of the time | 18 | .5 | .5 | 100.0 |
| | Total | 3617 | 99.4 | 100.0 | |
| Missing | -1 No response | 23 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp3013 C1n: How respondent would feel if they had to spend the rest of their life with urinary symptoms they have now

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No particular symptoms | 2571 | 70.6 | 73.1 | 73.1 |
| | 2 Perfectly happy | 416 | 11.4 | 11.8 | 84.9 |
| | 3 Pleased | 82 | 2.3 | 2.3 | 87.2 |
| | 4 Mostly satisfied | 134 | 3.7 | 3.8 | 91.0 |
| | 5 Mixed feelings | 156 | 4.3 | 4.4 | 95.5 |
| | 6 Mostly dissatisfied | 76 | 2.1 | 2.2 | 97.6 |
| | 7 Very unhappy | 77 | 2.1 | 2.2 | 99.8 |
| | 8 Desperate | 7 | .2 | .2 | 100.0 |
| | Total | 3519 | 96.7 | 100.0 | |
| Missing | -1 No response | 121 | 3.3 | | |
| Total | | 3640 | 100.0 | | |

PAGE 20 OF THE QUESTIONNAIRE

SECTION D: ACCIDENTS AND INJURIES

D1. Have you had any accidents of the following types in the last four years (since your study child's 7th birthday)? [If you had more than 1 of the same type of accident, answer for the most serious]

| | | Yes & stayed in hospital | Yes & saw a doctor | Yes, but did not see a doctor | No, never happened |
|----|--|--------------------------|--------------------|--|-----------------------|
| a) | Road traffic accident | 1 | 2 | 3 | 4 |
| b) | Playing sport or game | es ₁ | 2 | 3 | 4 |
| c) | At your place of worl | x 1 | 2 | 3 | 4 |
| d) | Inside your home | 1 | 2 | 3 | 4 |
| e) | Outside your home (e.g. in garden) | 1 | 2 | 3 | 4 |
| f) | At another building | 1 | 2 | 3 | 4 |
| g) | During a fight or argument | 1 | 2 | 3 | 4 |
| h) | You were attacked | 1 | 2 | 3 | 4 |
| i) | Other type of accident (please tick & describe | | 2 | 3 | 4 |

D2. Have you had any of the following injuries in the last four years (since your study child's 7th birthday)?

| You | were: | Yes & stayed in hospital | Yes & saw a doctor | Yes, but did not see a doctor | No, never happened |
|-----|----------------|--------------------------|--------------------|--|-----------------------|
| a) | burnt | 1 | 2 | 3 | 4 |
| b) | scalded | 1 | 2 | 3 | 4 |
| c) | badly cut | 1 | 2 | 3 | 4 |
| d) | stabbed | 1 | 2 | 3 | 4 |
| e) | shot | 1 | 2 | 3 | 4 |
| f) | nearly drowned | 1 | 2 | 3 | 4 |

PAGE 21 OF THE QUESTIONNAIRE

| D2. | You l | nad a: | Yes & stayed in hospital | Yes & saw a doctor | Yes, but did not see a doctor | No, never happened |
|-----|--|--|--------------------------|--------------------|--|-----------------------|
| | g)h)i)j)k) | dislocated hip, shoulder, knee, etc. broken arm or hand broken leg or foot sexual assault overdose of pills or | 1 1 | 2 2 2 | 3 3 3 | 4 4 4 |
| | 1) | medicine overdose of somethir else (please tick & describe) | ng 1 | 2 | 3 | 4 |
| | m) n) | concussion other injury (please tick & describe) | 1 | 2 | 3 | 4 |

If 'no' to all of these, go to E1 on page 23

D3. What physical problems did you have as a result of any of these accidents or injuries? (please tick all that apply)

| Resu | lts of accident: | Yes & still present | Yes but no longer present | No did not happen |
|------|--|---------------------|---------------------------------|----------------------|
| a) | pain | 1 | 2 | 3 |
| b) | reduction in movement | 1 | 2 | 3 |
| c) | a facial scar or defect | 1 | 2 | 3 |
| d) | less able to see or hear | 1 | 2 | 3 |
| e) | inability to work | 1 | 2 | 3 |
| f) | other physical result (please tick & describe) | 1 | 2 | 3 |
| | | | | |

PAGE 22 OF THE QUESTIONNAIRE

D4. What emotional problems did you have as a result of any of these accidents or injuries? (please tick all that apply)

| Resul | ts of accident: | Yes & still present | Yes but no longer present | No did not happen |
|-------|---------------------------------------|---------------------|---------------------------------|----------------------|
| a) | loss of self confidence | e 1 | 2 | 3 |
| b) | feeling of depression | 1 | 2 | 3 |
| c) | very tense | 1 | 2 | 3 |
| d) | unable to sleep well | 1 | 2 | 3 |
| e) | loss of appetite | 1 | 2 | 3 |
| f) | something else (please tick & describ | e) | 2 | 3 |
| | | | | |

D5. What other consequences of any of these accidents or injuries were there?

| Results of accident: | Yes & still present | Yes but no longer present | No did not happen |
|---|---------------------------|---------------------------------|----------------------|
| a) cost money | 1 | 2 | 3 |
| b) lost job | 1 | 2 | 3 |
| c) less earnings | 1 | 2 | 3 |
| d) problems at work | 1 | 2 | 3 |
| e) problems with partner or the family | 1 | 2 | 3 |
| f) problems with friends | 1 | 2 | 3 |
| g) other problem (please tick & describe) | 1 | 2 | 3 |
| | | | |

pp3500 D1a: Respondent has had a road traffic accident in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 25 | .7 | .7 | .7 |
| | 2 Yes & saw a doctor | 123 | 3.4 | 3.4 | 4.1 |
| | 3 Yes but did not see a doctor | 385 | 10.6 | 10.7 | 14.8 |
| | 4 No, never happened | 3078 | 84.6 | 85.2 | 100.0 |
| | Total | 3611 | 99.2 | 100.0 | |
| Missing | -1 No response | 29 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp3501 D1b: Respondent has had an accident playing sport/games in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 52 | 1.4 | 1.4 | 1.4 |
| | 2 Yes & saw a doctor | 354 | 9.7 | 9.9 | 11.3 |
| | 3 Yes but did not see a doctor | 370 | 10.2 | 10.3 | 21.6 |
| | 4 No, never happened | 2814 | 77.3 | 78.4 | 100.0 |
| | Total | 3590 | 98.6 | 100.0 | |
| Missing | -1 No response | 50 | 1.4 | | |
| Total | | 3640 | 100.0 | | |

pp3502 D1c: Respondent has had an accident at work in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 22 | .6 | .6 | .6 |
| | 2 Yes & saw a doctor | 206 | 5.7 | 5.7 | 6.3 |
| | 3 Yes but did not see a doctor | 219 | 6.0 | 6.1 | 12.4 |
| | 4 No, never happened | 3144 | 86.4 | 87.6 | 100.0 |
| | Total | 3591 | 98.7 | 100.0 | |
| Missing | -1 No response | 49 | 1.3 | | |
| Total | | 3640 | 100.0 | | |

pp3503 D1d: Respondent has had an accident inside their home in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 10 | .3 | .3 | .3 |
| | 2 Yes & saw a doctor | 98 | 2.7 | 2.7 | 3.0 |
| | 3 Yes but did not see a doctor | 366 | 10.1 | 10.2 | 13.2 |
| | 4 No, never happened | 3105 | 85.3 | 86.8 | 100.0 |
| | Total | 3579 | 98.3 | 100.0 | |
| Missing | -1 No response | 61 | 1.7 | | |
| Total | | 3640 | 100.0 | | |

pp3504 D1e: Respondent has had an accident outside their home in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 22 | .6 | .6 | .6 |
| | 2 Yes & saw a doctor | 110 | 3.0 | 3.1 | 3.7 |
| | 3 Yes but did not see a doctor | 300 | 8.2 | 8.4 | 12.1 |
| | 4 No, never happened | 3153 | 86.6 | 87.9 | 100.0 |
| | Total | 3585 | 98.5 | 100.0 | |
| Missing | -1 No response | 55 | 1.5 | | |
| Total | | 3640 | 100.0 | | |

pp3505 D1f: Respondent has had an accident at another building in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 8 | .2 | .2 | .2 |
| | 2 Yes & saw a doctor | 30 | .8 | .8 | 1.1 |
| | 3 Yes but did not see a doctor | 54 | 1.5 | 1.5 | 2.6 |
| | 4 No, never happened | 3487 | 95.8 | 97.4 | 100.0 |
| | Total | 3579 | 98.3 | 100.0 | |
| Missing | -1 No response | 61 | 1.7 | | |
| Total | | 3640 | 100.0 | | |

pp3506 D1g: Respondent has had an accident during a fight or argument in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 2 | .1 | .1 | .1 |
| | 2 Yes & saw a doctor | 19 | .5 | .5 | .6 |
| | 3 Yes but did not see a doctor | 19 | .5 | .5 | 1.1 |
| | 4 No, never happened | 3543 | 97.3 | 98.9 | 100.0 |
| | Total | 3583 | 98.4 | 100.0 | |
| Missing | -1 No response | 57 | 1.6 | | |
| Total | | 3640 | 100.0 | | |

pp3507 D1h: Respondent has been attacked in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 3 | .1 | .1 | .1 |
| | 2 Yes & saw a doctor | 25 | .7 | .7 | .8 |
| | 3 Yes but did not see a doctor | 25 | .7 | .7 | 1.5 |
| | 4 No, never happened | 3537 | 97.2 | 98.5 | 100.0 |
| | Total | 3590 | 98.6 | 100.0 | |
| Missing | -1 No response | 50 | 1.4 | | |
| Total | | 3640 | 100.0 | | |

pp3508 D1i: Respondent has had another type of accident in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Relevant text but no box ticked | 9 | .2 | .3 | .3 |
| | 1 Yes & stayed in hospital | 9 | .2 | .3 | .5 |
| | 2 Yes & saw a doctor | 37 | 1.0 | 1.1 | 1.7 |
| | 3 Yes but did not see a doctor | 13 | .4 | .4 | 2.1 |
| | 4 No, never happened | 3226 | 88.6 | 97.9 | 100.0 |
| | Total | 3294 | 90.5 | 100.0 | |
| Missing | -1 No response | 346 | 9.5 | | |
| Total | | 3640 | 100.0 | | |

pp3520 D2a: Respondent has been burnt in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 3 | .1 | .1 | .1 |
| | 2 Yes & saw a doctor | 17 | .5 | .5 | .6 |
| | 3 Yes but did not see a doctor | 401 | 11.0 | 11.1 | 11.6 |
| | 4 No, never happened | 3198 | 87.9 | 88.4 | 100.0 |
| | Total | 3619 | 99.4 | 100.0 | |
| Missing | -1 No response | 21 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp3521 D2b: Respondent has been scalded in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 2 Yes & saw a doctor | 4 | .1 | .1 | .1 |
| | 3 Yes but did not see a doctor | 147 | 4.0 | 4.1 | 4.2 |
| | 4 No, never happened | 3463 | 95.1 | 95.8 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3522 D2c: Respondent has been badly cut in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 18 | .5 | .5 | .5 |
| | 2 Yes & saw a doctor | 170 | 4.7 | 4.7 | 5.2 |
| | 3 Yes but did not see a doctor | 263 | 7.2 | 7.3 | 12.5 |
| | 4 No, never happened | 3170 | 87.1 | 87.5 | 100.0 |
| | Total | 3621 | 99.5 | 100.0 | |
| Missing | -1 No response | 19 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp3523 D2d: Respondent has been stabbed in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 1 | .0 | .0 | .0 |
| | 2 Yes & saw a doctor | 5 | .1 | .1 | .2 |
| | 3 Yes but did not see a doctor | 1 | .0 | .0 | .2 |
| | 4 No, never happened | 3608 | 99.1 | 99.8 | 100.0 |
| | Total | 3615 | 99.3 | 100.0 | |
| Missing | -1 No response | 25 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3524 D2e: Respondent has been shot in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 4 No, never happened | 3614 | 99.3 | 100.0 | 100.0 |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3525 D2f: Respondent has nearly drowned in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 1 | .0 | .0 | .0 |
| | 3 Yes but did not see a doctor | 10 | .3 | .3 | .3 |
| | 4 No, never happened | 3604 | 99.0 | 99.7 | 100.0 |
| | Total | 3615 | 99.3 | 100.0 | |
| Missing | -1 No response | 25 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3526 D2g: Respondent has had a dislocated hip/shoulder/knee in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 16 | .4 | .4 | .4 |
| | 2 Yes & saw a doctor | 59 | 1.6 | 1.6 | 2.1 |
| | 3 Yes but did not see a doctor | 17 | .5 | .5 | 2.5 |
| | 4 No, never happened | 3524 | 96.8 | 97.5 | 100.0 |
| | Total | 3616 | 99.3 | 100.0 | |
| Missing | -1 No response | 24 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3527 D2h: Respondent has had a broken arm/hand in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 22 | .6 | .6 | .6 |
| | 2 Yes & saw a doctor | 60 | 1.6 | 1.7 | 2.3 |
| | 3 Yes but did not see a doctor | 5 | .1 | .1 | 2.4 |
| | 4 No, never happened | 3528 | 96.9 | 97.6 | 100.0 |
| | Total | 3615 | 99.3 | 100.0 | |
| Missing | -1 No response | 25 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3528 D2i: Respondent has had a broken leg/foot in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 36 | 1.0 | 1.0 | 1.0 |
| | 2 Yes & saw a doctor | 52 | 1.4 | 1.4 | 2.4 |
| | 3 Yes but did not see a doctor | 5 | .1 | .1 | 2.6 |
| | 4 No, never happened | 3523 | 96.8 | 97.4 | 100.0 |
| | Total | 3616 | 99.3 | 100.0 | |
| Missing | -1 No response | 24 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3529 D2j: Respondent has been sexually assaulted in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 2 Yes & saw a doctor | 2 | .1 | .1 | .1 |
| | 3 Yes but did not see a doctor | 1 | .0 | .0 | .1 |
| | 4 No, never happened | 3611 | 99.2 | 99.9 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3530 D2k: Respondent has overdosed on pills/medicine in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 3 | .1 | .1 | .1 |
| | 3 Yes but did not see a doctor | 3 | .1 | .1 | .2 |
| | 4 No, never happened | 3608 | 99.1 | 99.8 | 100.0 |
| | Total | 3614 | 99.3 | 100.0 | |
| Missing | -1 No response | 26 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp3531 D2I: Respondent has had an overdose of something else in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 1 | .0 | .0 | .0 |
| | 2 Yes & saw a doctor | 1 | .0 | .0 | .1 |
| | 3 Yes but did not see a doctor | 4 | .1 | .1 | .2 |
| | 4 No, never happened | 3573 | 98.2 | 99.8 | 100.0 |
| | Total | 3579 | 98.3 | 100.0 | |
| Missing | -1 No response | 61 | 1.7 | | |
| Total | | 3640 | 100.0 | | |

pp3533 D2m: Respondent has had concussion in the last 4 years

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & stayed in hospital | 14 | .4 | .4 | .4 |
| | 2 Yes & saw a doctor | 33 | .9 | .9 | 1.3 |
| | 3 Yes but did not see a doctor | 22 | .6 | .6 | 1.9 |
| | 4 No, never happened | 3524 | 96.8 | 98.1 | 100.0 |
| | Total | 3593 | 98.7 | 100.0 | |
| Missing | -1 No response | 47 | 1.3 | | |
| Total | | 3640 | 100.0 | | |

pp3534 D2n: Respondent has had another injury in the last 4 years

| ppood- | Description Respondent new med another injury in the least 4 years | | | | | | |
|---------|--|-----------|---------|------------------|-----------------------|--|--|
| | | Frequency | Percent | Valid Percent | Cumulative Percent | | |
| Valid | 0 Relevant text but no box ticked | 28 | .8 | .8 | .8 | | |
| | 1 Yes & stayed in hospital | 64 | 1.8 | 1.8 | 2.7 | | |
| | 2 Yes & saw a doctor | 280 | 7.7 | 8.1 | 10.8 | | |
| | 3 Yes but did not see a doctor | 131 | 3.6 | 3.8 | 14.5 | | |
| | 4 No, never happened | 2957 | 81.2 | 85.5 | 100.0 | | |
| | Total | 3460 | 95.1 | 100.0 | | | |
| Missing | -1 No response | 180 | 4.9 | | | | |
| Total | | 3640 | 100.0 | | | | |

pp3540 D3a: Respondent has had pain as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 229 | 6.3 | 16.9 | 16.9 |
| | 2 Yes but no longer present | 879 | 24.1 | 64.7 | 81.5 |
| | 3 No, did not happen | 251 | 6.9 | 18.5 | 100.0 |
| | Total | 1359 | 37.3 | 100.0 | |
| Missing | -1 No response | 2281 | 62.7 | | |
| Total | | 3640 | 100.0 | | |

pp3541 D3b: Respondent has had a reduction in mobility as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 204 | 5.6 | 15.4 | 15.4 |
| | 2 Yes but no longer present | 540 | 14.8 | 40.7 | 56.0 |
| | 3 No, did not happen | 584 | 16.0 | 44.0 | 100.0 |
| | Total | 1328 | 36.5 | 100.0 | |
| Missing | -1 No response | 2312 | 63.5 | | |
| Total | | 3640 | 100.0 | | |

pp3542 D3c: Respondent has had a facial scar or defect as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 40 | 1.1 | 3.1 | 3.1 |
| | 2 Yes but no longer present | 28 | .8 | 2.2 | 5.2 |
| | 3 No, did not happen | 1233 | 33.9 | 94.8 | 100.0 |
| | Total | 1301 | 35.7 | 100.0 | |
| Missing | -1 No response | 2339 | 64.3 | | |
| Total | | 3640 | 100.0 | | |

pp3543 D3d: Respondent has been less able to see/hear as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 4 | .1 | .3 | .3 |
| | 2 Yes but no longer present | 18 | .5 | 1.4 | 1.7 |
| | 3 No, did not happen | 1277 | 35.1 | 98.3 | 100.0 |
| | Total | 1299 | 35.7 | 100.0 | |
| Missing | -1 No response | 2341 | 64.3 | | |
| Total | | 3640 | 100.0 | | |

pp3544 D3e: Respondent has been unable to work as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 28 | .8 | 2.1 | 2.1 |
| | 2 Yes but no longer present | 219 | 6.0 | 16.7 | 18.8 |
| | 3 No, did not happen | 1065 | 29.3 | 81.2 | 100.0 |
| | Total | 1312 | 36.0 | 100.0 | |
| Missing | -1 No response | 2328 | 64.0 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section D

pp3545 D3f: Respondent has another physical problem as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Relevant text but no box ticked | 15 | .4 | 1.2 | 1.2 |
| | 1 Yes & still present | 57 | 1.6 | 4.6 | 5.8 |
| | 2 Yes but no longer present | 31 | .9 | 2.5 | 8.3 |
| | 3 No, did not happen | 1137 | 31.2 | 91.7 | 100.0 |
| | Total | 1240 | 34.1 | 100.0 | |
| Missing | -1 No response | 2400 | 65.9 | | |
| Total | | 3640 | 100.0 | | |

pp3550 D4a: Respondent has had a loss of self confidence as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 25 | .7 | 1.9 | 1.9 |
| | 2 Yes but no longer present | 80 | 2.2 | 5.9 | 7.8 |
| | 3 No, did not happen | 1244 | 34.2 | 92.2 | 100.0 |
| | Total | 1349 | 37.1 | 100.0 | |
| Missing | -1 No response | 2291 | 62.9 | | |
| Total | | 3640 | 100.0 | | |

pp3551 D4b: Respondent has had a feeling of depression as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 32 | .9 | 2.4 | 2.4 |
| | 2 Yes but no longer present | 113 | 3.1 | 8.4 | 10.7 |
| | 3 No, did not happen | 1205 | 33.1 | 89.3 | 100.0 |
| | Total | 1350 | 37.1 | 100.0 | |
| Missing | -1 No response | 2290 | 62.9 | | |
| Total | | 3640 | 100.0 | | |

pp3552 D4c: Respondent has felt very tense as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 31 | .9 | 2.3 | 2.3 |
| | 2 Yes but no longer present | 80 | 2.2 | 5.9 | 8.2 |
| | 3 No, did not happen | 1239 | 34.0 | 91.8 | 100.0 |
| | Total | 1350 | 37.1 | 100.0 | |
| Missing | -1 No response | 2290 | 62.9 | | |
| Total | | 3640 | 100.0 | | |

pp3553 D4d: Respondent has been unable to sleep well as a result of their accident/injury

| ,, | | | | | | | |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|--|--|
| | | Frequency | Percent | Valid Percent | Cumulative Percent | | |
| Valid | 1 Yes & still present | 51 | 1.4 | 3.8 | 3.8 | | |
| | 2 Yes but no longer present | 250 | 6.9 | 18.5 | 22.3 | | |
| | 3 No, did not happen | 1049 | 28.8 | 77.7 | 100.0 | | |
| | Total | 1350 | 37.1 | 100.0 | | | |
| Missing | -1 No response | 2290 | 62.9 | | | | |
| Total | | 3640 | 100.0 | | | | |

pp3554 D4e: Respondent has had a loss of appetite as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 4 | .1 | .3 | .3 |
| | 2 Yes but no longer present | 46 | 1.3 | 3.4 | 3.7 |
| | 3 No, did not happen | 1299 | 35.7 | 96.3 | 100.0 |
| | Total | 1349 | 37.1 | 100.0 | |
| Missing | -1 No response | 2291 | 62.9 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section D

pp3555 D4f: Respondent has had another emotional problem as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Relevant text but no box ticked | 2 | .1 | .2 | .2 |
| | 1 Yes & still present | 10 | .3 | .8 | 1.0 |
| | 2 Yes but no longer present | 23 | .6 | 1.8 | 2.8 |
| | 3 No, did not happen | 1212 | 33.3 | 97.2 | 100.0 |
| | Total | 1247 | 34.3 | 100.0 | |
| Missing | -1 No response | 2393 | 65.7 | | |
| Total | | 3640 | 100.0 | | |

pp3560 D5a: Respondent's accident/injury has cost them money

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 42 | 1.2 | 3.1 | 3.1 |
| | 2 Yes but no longer present | 169 | 4.6 | 12.6 | 15.7 |
| | 3 No, did not happen | 1135 | 31.2 | 84.3 | 100.0 |
| | Total | 1346 | 37.0 | 100.0 | |
| Missing | -1 No response | 2294 | 63.0 | | |
| Total | | 3640 | 100.0 | | |

pp3561 D5b: Respondent has lost their job as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 13 | .4 | 1.0 | 1.0 |
| | 2 Yes but no longer present | 10 | .3 | .7 | 1.7 |
| | 3 No, did not happen | 1323 | 36.3 | 98.3 | 100.0 |
| | Total | 1346 | 37.0 | 100.0 | |
| Missing | -1 No response | 2294 | 63.0 | | |
| Total | | 3640 | 100.0 | | |

pp3562 D5c: Respondent has less earnings as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 21 | .6 | 1.6 | 1.6 |
| | 2 Yes but no longer present | 116 | 3.2 | 8.6 | 10.2 |
| | 3 No, did not happen | 1210 | 33.2 | 89.8 | 100.0 |
| | Total | 1347 | 37.0 | 100.0 | |
| Missing | -1 No response | 2293 | 63.0 | | |
| Total | | 3640 | 100.0 | | |

pp3563 D5d: Respondent has had problems at work as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 22 | .6 | 1.6 | 1.6 |
| | 2 Yes but no longer present | 86 | 2.4 | 6.4 | 8.0 |
| | 3 No, did not happen | 1235 | 33.9 | 92.0 | 100.0 |
| | Total | 1343 | 36.9 | 100.0 | |
| Missing | -1 No response | 2297 | 63.1 | | |
| Total | | 3640 | 100.0 | | |

pp3564 D5e: Respondent has had problems with their partner/family as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 14 | .4 | 1.0 | 1.0 |
| | 2 Yes but no longer present | 35 | 1.0 | 2.6 | 3.6 |
| | 3 No, did not happen | 1297 | 35.6 | 96.4 | 100.0 |
| | Total | 1346 | 37.0 | 100.0 | |
| Missing | -1 No response | 2294 | 63.0 | | |
| Total | | 3640 | 100.0 | | |

pp3565 D5f: Respondent has had problems with friends as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes & still present | 3 | .1 | .2 | .2 |
| | 2 Yes but no longer present | 10 | .3 | .7 | 1.0 |
| | 3 No, did not happen | 1333 | 36.6 | 99.0 | 100.0 |
| | Total | 1346 | 37.0 | 100.0 | |
| Missing | -1 No response | 2294 | 63.0 | | |
| Total | | 3640 | 100.0 | | |

pp3566 D5g: Respondent has had another consequence as a result of their accident/injury

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Relevant text but no box ticked | 4 | .1 | .3 | .3 |
| | 1 Yes & still present | 21 | .6 | 1.6 | 2.0 |
| | 2 Yes but no longer present | 19 | .5 | 1.5 | 3.4 |
| | 3 No, did not happen | 1236 | 34.0 | 96.6 | 100.0 |
| | Total | 1280 | 35.2 | 100.0 | |
| Missing | -1 No response | 2360 | 64.8 | | |
| Total | | 3640 | 100.0 | | |

PAGE 23 OF THE QUESTIONNAIRE

SECTION E: YOUR FEELINGS

The questions in this section ask you about your feelings and the way you behave. You have answered these questions in other questionnaires, but you might be feeling differently <u>now</u>.

Please indicate the way you feel:

| | Nowadays | Very often | Often | Not very often | Never |
|-----|--|---------------|-------|----------------|-------|
| E1. | Do you feel upset for no obvious reason? | 1 | 2 | 3 | 4 |
| E2. | Have you felt as though you might faint? | 1 | 2 | 3 | 4 |
| E3. | Do you feel uneasy and restless? | 1 | 2 | 3 | 4 |
| E4. | Do you sometimes feel panicky? | 1 | 2 | 3 | 4 |
| E5. | Do you worry a lot? | 1 | 2 | 3 | 4 |
| E6. | Do you feel strung-up inside? | ? 1 | 2 | 3 | 4 |
| E7. | Do you ever have the feeling you are going to pieces? | 1 | 2 | 3 | 4 |
| E8. | Do you have bad dreams which upset you when you wake up? | 1 | 2 | 3 | 4 |

Your feelings in the past week.

Not at all

| E9. | I have been able to laugh and | see the funny side of things: |
|-----|-------------------------------|-------------------------------|
| | As much as I always could | 1 |
| | Not quite so much now | 2 |
| | Definitely not so much now | 3 |
| | | |

PAGE 24 OF THE QUESTIONNAIRE

In the past week:

| E10. | I have looked forward with enj | oyment to things: |
|------|----------------------------------|--------------------------------|
| | As much as I ever did | 1 |
| | Rather less than I used to | 2 |
| | Definitely less than I used to | 3 |
| | Hardly at all | 4 |
| E11. | I have blamed myself unnecess | sarily when things went wrong: |
| | Yes, most of the time | 1 |
| | Yes, some of the time | 2 |
| | Not very often | 3 |
| | Never | 4 |
| E12. | I have been anxious or worried | for no good reason: |
| | No, not at all | 1 |
| | Hardly ever | 2 |
| | Yes, sometimes | 3 |
| | Yes, often | 4 |
| E13. | I have felt scared or panicky fo | or no good reason: |
| | Yes, quite a lot | 1 |
| | Yes, sometimes | 2 |
| | No, not much | 3 |
| | No, not at all | 4 |

PAGE 25 OF THE QUESTIONNAIRE

In the past week:

| E14. | Things have been getting on top | of me: |
|------|---|------------------------------|
| | Yes, most of the time I haven't been able to cope | 1 |
| | Yes, sometimes I haven't been coping as well as usual | 2 |
| | No, most of the time I have coped quite well | 3 |
| | No, I have been coping as well as ever | 4 |
| E15. | I have been so unhappy that I ha | ave had difficulty sleeping: |
| | Yes, most of the time | 1 |
| | Yes, sometimes | 2 |
| | Not very often | 3 |
| | No, not at all | 4 |
| E16. | I have felt sad or miserable: | |
| | Yes, most of the time | 1 |
| | Yes, sometimes | 2 |
| | Not very often | 3 |
| | No, not at all | 4 |
| E17. | I have been so unhappy that I ha | ave been crying: |
| | Yes, most of the time | 1 |
| | Yes, quite often | 2 |
| | Only occasionally | 3 |
| | Never | 4 |

PAGE 26 OF THE QUESTIONNAIRE

| | In | the | past | week |
|--|----|-----|------|------|
|--|----|-----|------|------|

| E18. | The thought of | harming ı | myself has | occurred to me: |
|------|----------------|-----------|------------|-----------------|
|------|----------------|-----------|------------|-----------------|

Yes, quite often

Sometimes

Hardly ever

Never

E19. On the whole are there more good days than bad?

Yes, more good days

About half and half

No, more bad days

3

pp4000 E1: Frequency respondent feels upset for no obvious reason nowadays

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very often | 13 | .4 | .4 | .4 |
| | 2 Often | 80 | 2.2 | 2.2 | 2.6 |
| | 3 Not very often | 998 | 27.4 | 27.6 | 30.2 |
| | 4 Never | 2522 | 69.3 | 69.8 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp4001 E2: Frequency respondent feels as though they might faint nowadays

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very often | 1 | .0 | .0 | .0 |
| | 2 Often | 17 | .5 | .5 | .5 |
| | 3 Not very often | 342 | 9.4 | 9.5 | 10.0 |
| | 4 Never | 3257 | 89.5 | 90.0 | 100.0 |
| | Total | 3617 | 99.4 | 100.0 | |
| Missing | -1 No response | 23 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp4002 E3: Frequency respondent feels uneasy and restless nowadays

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very often | 20 | .5 | .6 | .6 |
| | 2 Often | 218 | 6.0 | 6.0 | 6.6 |
| | 3 Not very often | 1405 | 38.6 | 38.8 | 45.4 |
| | 4 Never | 1974 | 54.2 | 54.6 | 100.0 |
| | Total | 3617 | 99.4 | 100.0 | |
| Missing | -1 No response | 23 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp4003 E4: Frequency respondent feels panicky nowadays

| | • • | • | • • | | |
|---------|------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Very often | 14 | .4 | .4 | .4 |
| | 2 Often | 91 | 2.5 | 2.5 | 2.9 |
| | 3 Not very often | 759 | 20.9 | 21.0 | 23.9 |
| | 4 Never | 2754 | 75.7 | 76.1 | 100.0 |
| | Total | 3618 | 99.4 | 100.0 | |
| Missing | -1 No response | 22 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp4004 E5: Frequency respondent worries a lot nowadays

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very often | 87 | 2.4 | 2.4 | 2.4 |
| | 2 Often | 501 | 13.8 | 13.8 | 16.2 |
| | 3 Not very often | 1821 | 50.0 | 50.3 | 66.5 |
| | 4 Never | 1211 | 33.3 | 33.5 | 100.0 |
| | Total | 3620 | 99.5 | 100.0 | |
| Missing | -1 No response | 20 | .5 | | |
| Total | | 3640 | 100.0 | | |

pp4005 E6: Frequency respondent feels strung-up inside nowadays

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very often | 65 | 1.8 | 1.8 | 1.8 |
| | 2 Often | 341 | 9.4 | 9.4 | 11.2 |
| | 3 Not very often | 1468 | 40.3 | 40.6 | 51.9 |
| | 4 Never | 1739 | 47.8 | 48.1 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp4006 E7: Frequency respondent feels they are going to pieces nowadays

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very often | 24 | .7 | .7 | .7 |
| | 2 Often | 110 | 3.0 | 3.0 | 3.7 |
| | 3 Not very often | 642 | 17.6 | 17.7 | 21.5 |
| | 4 Never | 2841 | 78.0 | 78.5 | 100.0 |
| | Total | 3617 | 99.4 | 100.0 | |
| Missing | -1 No response | 23 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp4007 E8: Frequency respondent has bad dreams which upset them on waking nowadays

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very often | 14 | .4 | .4 | .4 |
| | 2 Often | 54 | 1.5 | 1.5 | 1.9 |
| | 3 Not very often | 695 | 19.1 | 19.2 | 21.1 |
| | 4 Never | 2856 | 78.5 | 78.9 | 100.0 |
| | Total | 3619 | 99.4 | 100.0 | |
| Missing | -1 No response | 21 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp4010 E9: Frequency respondent has been able to see the funny side of things in past week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 As much as I always could | 2860 | 78.6 | 79.1 | 79.1 |
| | 2 Not quite so much now | 592 | 16.3 | 16.4 | 95.4 |
| | 3 Definitely not so much now | 140 | 3.8 | 3.9 | 99.3 |
| | 4 Not at all | 25 | .7 | .7 | 100.0 |
| | Total | 3617 | 99.4 | 100.0 | |
| Missing | -1 No response | 23 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp4011 E10: Frequency respondent has looked forward to things with enjoyment in past week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 As much as respondent ever did | 2879 | 79.1 | 80.0 | 80.0 |
| | 2 Rather less than respondent used to | 572 | 15.7 | 15.9 | 95.9 |
| | 3 Definitely less than respondent used to | 113 | 3.1 | 3.1 | 99.0 |
| | 4 Hardly at all | 35 | 1.0 | 1.0 | 100.0 |
| | Total | 3599 | 98.9 | 100.0 | |
| Missing | -1 No response | 41 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp4012 E11: Frequency respondent has blamed themselves unnecessarily when things went wrong in past week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, most of the time | 98 | 2.7 | 2.7 | 2.7 |
| | 2 Yes, some of the time | 673 | 18.5 | 18.7 | 21.4 |
| | 3 Not very often | 1327 | 36.5 | 36.8 | 58.2 |
| | 4 Never | 1504 | 41.3 | 41.8 | 100.0 |
| | Total | 3602 | 99.0 | 100.0 | |
| Missing | -1 No response | 38 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp4013 E12: Frequency respondent has been anxious/worried for no good reason in past week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No not at all | 2051 | 56.3 | 56.9 | 56.9 |
| | 2 Hardly ever | 786 | 21.6 | 21.8 | 78.7 |
| | 3 Yes, sometimes | 696 | 19.1 | 19.3 | 98.0 |
| | 4 Yes, often | 71 | 2.0 | 2.0 | 100.0 |
| | Total | 3604 | 99.0 | 100.0 | |
| Missing | -1 No response | 36 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp4014 E13: Frequency respondent has felt scared or panicky for no good reason in past week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, quite a lot | 93 | 2.6 | 2.6 | 2.6 |
| | 2 Yes, sometimes | 283 | 7.8 | 7.9 | 10.4 |
| | 3 No, not much | 477 | 13.1 | 13.2 | 23.7 |
| | 4 No not at all | 2748 | 75.5 | 76.3 | 100.0 |
| | Total | 3601 | 98.9 | 100.0 | |
| Missing | -1 No response | 39 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp4015 E14: Frequency respondent has felt things are getting on top of them in past week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, most of the time not been able to cope | 26 | .7 | .7 | .7 |
| | 2 Yes, not coping as well as usual | 367 | 10.1 | 10.2 | 10.9 |
| | 3 No, most of the time coped quite well | 1047 | 28.8 | 29.1 | 40.0 |
| | 4 No, been coping as well as usual | 2164 | 59.5 | 60.0 | 100.0 |
| | Total | 3604 | 99.0 | 100.0 | |
| Missing | -1 No response | 36 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp4016 E15: Frequency respondent has been so unhappy they had difficulty sleeping in past week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, most of the time | 34 | .9 | .9 | .9 |
| | 2 Yes, sometimes | 255 | 7.0 | 7.1 | 8.0 |
| | 3 Not very often | 605 | 16.6 | 16.8 | 24.8 |
| | 4 No not at all | 2710 | 74.5 | 75.2 | 100.0 |
| | Total | 3604 | 99.0 | 100.0 | |
| Missing | -1 No response | 36 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp4017 E16: Frequency respondent has felt sad or miserable in past week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, most of the time | 39 | 1.1 | 1.1 | 1.1 |
| | 2 Yes, sometimes | 478 | 13.1 | 13.3 | 14.4 |
| | 3 Not very often | 961 | 26.4 | 26.7 | 41.0 |
| | 4 No not at all | 2124 | 58.4 | 59.0 | 100.0 |
| | Total | 3602 | 99.0 | 100.0 | |
| Missing | -1 No response | 38 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp4018 E17: Frequency respondent has been so unhappy they've cried in past week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, most of the time | 6 | .2 | .2 | .2 |
| | 2 Yes, quite often | 22 | .6 | .6 | .8 |
| | 3 Only occasionally | 254 | 7.0 | 7.0 | 7.8 |
| | 4 Never | 3325 | 91.3 | 92.2 | 100.0 |
| | Total | 3607 | 99.1 | 100.0 | |
| Missing | -1 No response | 33 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp4019 E18: Frequency respondent has thought of harming themselves in past week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, quite often | 4 | .1 | .1 | .1 |
| | 2 Sometimes | 42 | 1.2 | 1.2 | 1.3 |
| | 3 Hardly ever | 126 | 3.5 | 3.5 | 4.8 |
| | 4 Never | 3427 | 94.1 | 95.2 | 100.0 |
| | Total | 3599 | 98.9 | 100.0 | |
| Missing | -1 No response | 41 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp4130 E19: Frequency respondent feels there are more good days than bad days on the whole in past week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, more good days | 3153 | 86.6 | 87.7 | 87.7 |
| | 2 About half and half | 338 | 9.3 | 9.4 | 97.1 |
| | 3 No, more bad days | 103 | 2.8 | 2.9 | 100.0 |
| | Total | 3594 | 98.7 | 100.0 | |
| Missing | -1 No response | 46 | 1.3 | | |
| Total | | 3640 | 100.0 | | |

PAGE 27 OF THE QUESTIONNAIRE

SECTION F: RECENT EVENTS

Listed below are a number of events which may have brought changes in your life. Have any of these occurred since your study child's 9th birthday?

| | | Yes, when the study child was 9 or 10 | Yes, since the child's 11 th birthday | No, did not happen in this period |
|------|---|---------------------------------------|--|--|
| | the child's thday: | — | <u></u> | ↓ ↓ |
| F1. | Your wife/partner die | d 1 | 2 | 4 |
| F2. | One of your children died | 1 | 2 | 4 |
| F3. | A friend or relative died | 1 | 2 | 4 |
| F4. | One of your children was ill | 1 | 2 | 4 |
| F5. | Your wife or partner was ill | 1 | 2 | 4 |
| F6. | A friend or relative was ill | 1 | 2 | 4 |
| F7. | You were admitted to hospital | 1 | 2 | 4 |
| F8. | You were in trouble with the law | 1 | 2 | 4 |
| F9. | You were divorced | 1 | 2 | 4 |
| F10. | You found that your wife/partner didn't want your child | 1 | 2 | 4 |
| F11. | You were very ill | 1 | 2 | 4 |
| F12. | Your wife/partner lost her job | 1 | 2 | 4 |

PAGE 28 OF THE QUESTIONNAIRE

| | | Yes, when the study child was 9 or 10 | Yes, since the child's 11 th birthday | No, did not happen in this period |
|------|---|---------------------------------------|--|--|
| _ | the child's thday: | | — | periou |
| F13. | Your wife/partner had problems at work | 1 | 2 | 4 |
| F14. | You had problems at work | 1 | 2 | 4 |
| F15. | You lost your job | 1 | 2 | 4 |
| F16. | Your wife/partner went away | 1 | 2 | 4 |
| F17. | Your wife/partner was in trouble with the law | 1 | 2 | 4 |
| F18. | You and your wife/ partner separated | 1 | 2 | 4 |
| F19. | Your income was reduced | 1 | 2 | 4 |
| F20. | You argued with your wife/partner | 1 | 2 | 4 |
| F21. | You argued with your family and friends | 1 | 2 | 4 |
| F22. | You moved house | 1 | 2 | 4 |
| F23. | Your wife/partner was physically cruel to you | 1 | 2 | 4 |
| F24. | You became homeless | S 1 | 2 | 4 |
| F25. | You had a major financial problem | 1 | 2 | 4 |
| F26. | You got married | 1 | 2 | 4 |

PAGE 29 OF THE QUESTIONNAIRE

| | | Yes, when the study child was 9 or 10 | Yes, since the child's 11 th birthday | No, did not happen in this period |
|------|--|---------------------------------------|--|--|
| | the child's rthday: | <u> </u> | — | periou ↓ |
| F27. | Your wife/partner was physically cruel to your children | 1 | 2 | 4 |
| F28. | You were physically cruel to your children | 1 | 2 | 4 |
| F29. | You attempted suicide | e <u>1</u> | 2 | 4 |
| F30. | You were convicted of an offence | of 1 | 2 | 4 |
| F31. | Your wife/partner became pregnant | 1 | 2 | 4 |
| F32. | You started a new job | 1 | 2 | 4 |
| F33. | You returned to work | 1 | 2 | 4 |
| F34. | Your wife/partner had a miscarriage | 1 1 | 2 | 4 |
| F35. | Your wife/partner had an abortion | 1 | 2 | 4 |
| F36. | You took an examination | 1 | 2 | 4 |
| F37. | Your wife/partner was emotionally cruel to you | s 1 | 2 | 4 |
| F38. | Your wife/partner was emotionally cruel to your children | 1 | 2 | 4 |
| F39. | You were emotionally cruel to your children | | 2 | 4 |

PAGE 30 OF THE QUESTIONNAIRE

| | | | Yes, when the study child was 9 or 10 | Yes, since the child's 11 th birthday | No, did not happen in this period |
|-----------------|--------------------|---|---------------------------------------|---|--|
| | the chil thday: | d's | — | <u></u> | |
| F40. | Your le | nouse or car was | 1 | 2 | 4 |
| F41. | You fo | ound a new partner | 1 | 2 | 4 |
| F42. | One of school | f your children started | 1 | 2 | 4 |
| F43. | Your vanew | wife/partner started job | 1 | 2 | 4 |
| F44. | A pet o | died | 1 | 2 | 4 |
| F45. | | ad an accident e tick and describe) | 1 | 2 | 4 |
| F46. | a) | Is there anything else additional effort from | you to cope in the la | ist which has concerne ast 3 years? to F47a on page 31 | d you or required |
| If <u>ves</u> , | | please describe for ea | 2 | (i) When the study child was 9 or 10 | (ii) Since the child's 11 th birthday |
| | | what happened: | | | |
| | b) | | | 1 | 1 |
| | c) | | | 1 | 1 |
| | d) | | | 1 | 1 |

PP File – Section F

PAGE 31 OF THE QUESTIONNAIRE

| г47. a) | has anything else occurred which made yo | ou especially happy? | |
|-----------------|--|--|--|
| | Yes $\begin{bmatrix} 1 \end{bmatrix}$ No $\begin{bmatrix} 2 \end{bmatrix} \rightarrow \mathbf{Go}$ | to G1 on page 32 | |
| If <u>ves</u> , | please describe for each event: | (i) When the study child was 9 or 10 | (ii) Since the child's 11 th birthday |
| | what happened: | child was 7 of 10 | 11 birtinday |
| b) | | 1 | 1 |
| c) | | 1 | 1 |
| d) | | 1 | 1 |

pp5000 F1: Respondent's wife/partner has died since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 3 | .1 | .1 | .1 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 1 | .0 | .0 | .1 |
| | 4 No, did not happen in this period | 3597 | 98.8 | 99.9 | 100.0 |
| | Total | 3601 | 98.9 | 100.0 | |
| Missing | -1 No response | 39 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp5001 F2: One of respondent's children has died since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 4 | .1 | .1 | .1 |
| | 2 Yes, since the child's 11th birthday | 1 | .0 | .0 | .1 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 1 | .0 | .0 | .2 |
| | 4 No, did not happen in this period | 3595 | 98.8 | 99.8 | 100.0 |
| | Total | 3601 | 98.9 | 100.0 | |
| Missing | -1 No response | 39 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp5002 F3: Respondent's friend/relative has died since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 900 | 24.7 | 25.0 | 25.0 |
| | 2 Yes, since the child's 11th birthday | 333 | 9.1 | 9.2 | 34.2 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 47 | 1.3 | 1.3 | 35.5 |
| | 4 No, did not happen in this period | 2321 | 63.8 | 64.5 | 100.0 |
| | Total | 3601 | 98.9 | 100.0 | |
| Missing | -1 No response | 39 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp5003 F4: One of respondent's children has been ill since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 319 | 8.8 | 8.9 | 8.9 |
| | 2 Yes, since the child's 11th birthday | 258 | 7.1 | 7.2 | 16.1 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 98 | 2.7 | 2.7 | 18.8 |
| | 4 No, did not happen in this period | 2920 | 80.2 | 81.2 | 100.0 |
| | Total | 3595 | 98.8 | 100.0 | |
| Missing | -1 No response | 45 | 1.2 | | |
| Total | | 3640 | 100.0 | | |

pp5004 F5: Respondent's wife/partner has been ill since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 370 | 10.2 | 10.3 | 10.3 |
| | 2 Yes, since the child's 11th birthday | 243 | 6.7 | 6.8 | 17.1 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 75 | 2.1 | 2.1 | 19.2 |
| | 4 No, did not happen in this period | 2901 | 79.7 | 80.8 | 100.0 |
| | Total | 3589 | 98.6 | 100.0 | |
| Missing | -1 No response | 51 | 1.4 | | |
| Total | | 3640 | 100.0 | | |

pp5005 F6: Respondent's friend/relative has been ill since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 513 | 14.1 | 14.3 | 14.3 |
| | 2 Yes, since the child's 11th birthday | 387 | 10.6 | 10.8 | 25.1 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 108 | 3.0 | 3.0 | 28.1 |
| | 4 No, did not happen in this period | 2582 | 70.9 | 71.9 | 100.0 |
| | Total | 3590 | 98.6 | 100.0 | |
| Missing | -1 No response | 50 | 1.4 | | |
| Total | | 3640 | 100.0 | | |

pp5006 F7: Respondent has been admitted to hospital since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 249 | 6.8 | 6.9 | 6.9 |
| | 2 Yes, since the child's 11th birthday | 82 | 2.3 | 2.3 | 9.2 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 14 | .4 | .4 | 9.6 |
| | 4 No, did not happen in this period | 3252 | 89.3 | 90.4 | 100.0 |
| | Total | 3597 | 98.8 | 100.0 | |
| Missing | -1 No response | 43 | 1.2 | | |
| Total | | 3640 | 100.0 | | |

pp5007 F8: Respondent has been in trouble with the law since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 22 | .6 | .6 | .6 |
| | 2 Yes, since the child's 11th birthday | 10 | .3 | .3 | .9 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 1 | .0 | .0 | .9 |
| | 4 No, did not happen in this period | 3567 | 98.0 | 99.1 | 100.0 |
| | Total | 3600 | 98.9 | 100.0 | |
| Missing | -1 No response | 40 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp5008 F9: Respondent has divorced since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 56 | 1.5 | 1.6 | 1.6 |
| | 2 Yes, since the child's 11th birthday | 16 | .4 | .4 | 2.0 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 1 | .0 | .0 | 2.0 |
| | 4 No, did not happen in this period | 3525 | 96.8 | 98.0 | 100.0 |
| | Total | 3598 | 98.8 | 100.0 | |
| Missing | -1 No response | 42 | 1.2 | | |
| Total | | 3640 | 100.0 | | |

pp5009 F10: Respondent found that wife/partner didn't want their child since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 5 | .1 | .1 | .1 |
| | 2 Yes, since the child's 11th birthday | 1 | .0 | .0 | .2 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 1 | .0 | .0 | .2 |
| | 4 No, did not happen in this period | 3586 | 98.5 | 99.8 | 100.0 |
| | Total | 3593 | 98.7 | 100.0 | |
| Missing | -1 No response | 47 | 1.3 | | |
| Total | | 3640 | 100.0 | | |

pp5010 F11: Respondent has been very ill since the study child's 9th birthday

| • • | • | | | | |
|---------|---|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Yes, when the study child was 9 or 10 | 102 | 2.8 | 2.8 | 2.8 |
| | 2 Yes, since the child's 11th birthday | 37 | 1.0 | 1.0 | 3.9 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 7 | .2 | .2 | 4.1 |
| | 4 No, did not happen in this period | 3451 | 94.8 | 95.9 | 100.0 |
| | Total | 3597 | 98.8 | 100.0 | |
| Missing | -1 No response | 43 | 1.2 | | |
| Total | | 3640 | 100.0 | | |

pp5011 F12: Respondent's wife/partner lost her job since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 67 | 1.8 | 1.9 | 1.9 |
| | 2 Yes, since the child's 11th birthday | 39 | 1.1 | 1.1 | 3.0 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 2 | .1 | .1 | 3.0 |
| | 4 No, did not happen in this period | 3483 | 95.7 | 97.0 | 100.0 |
| | Total | 3591 | 98.7 | 100.0 | |
| Missing | -1 No response | 49 | 1.3 | | |
| Total | | 3640 | 100.0 | | |

pp5012 F13: Respondent's wife/partner has had problems at work since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 198 | 5.4 | 5.5 | 5.5 |
| | 2 Yes, since the child's 11th birthday | 200 | 5.5 | 5.6 | 11.0 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 38 | 1.0 | 1.1 | 12.1 |
| | 4 No, did not happen in this period | 3167 | 87.0 | 87.9 | 100.0 |
| | Total | 3603 | 99.0 | 100.0 | |
| Missing | -1 No response | 37 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp5013 F14: Respondent has had problems at work since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 388 | 10.7 | 10.8 | 10.8 |
| | 2 Yes, since the child's 11th birthday | 346 | 9.5 | 9.6 | 20.4 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 79 | 2.2 | 2.2 | 22.6 |
| | 4 No, did not happen in this period | 2782 | 76.4 | 77.4 | 100.0 |
| | Total | 3595 | 98.8 | 100.0 | |
| Missing | -1 No response | 45 | 1.2 | | |
| Total | | 3640 | 100.0 | | |

pp5014 F15: Respondent has lost their job since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 202 | 5.5 | 5.6 | 5.6 |
| | 2 Yes, since the child's 11th birthday | 47 | 1.3 | 1.3 | 6.9 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 2 | .1 | .1 | 7.0 |
| | 4 No, did not happen in this period | 3354 | 92.1 | 93.0 | 100.0 |
| | Total | 3605 | 99.0 | 100.0 | |
| Missing | -1 No response | 35 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp5015 F16: Respondent's wife/partner went away since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 46 | 1.3 | 1.3 | 1.3 |
| | 2 Yes, since the child's 11th birthday | 26 | .7 | .7 | 2.0 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 11 | .3 | .3 | 2.3 |
| | 4 No, did not happen in this period | 3518 | 96.6 | 97.7 | 100.0 |
| | Total | 3601 | 98.9 | 100.0 | |
| Missing | -1 No response | 39 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp5016 F17: Respondent's wife/partner has been in trouble with the law since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 4 | .1 | .1 | .1 |
| | 2 Yes, since the child's 11th birthday | 6 | .2 | .2 | .3 |
| | 4 No, did not happen in this period | 3595 | 98.8 | 99.7 | 100.0 |
| | Total | 3605 | 99.0 | 100.0 | |
| Missing | -1 No response | 35 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp5017 F18: Respondent has separated from wife/partner since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 78 | 2.1 | 2.2 | 2.2 |
| | 2 Yes, since the child's 11th birthday | 20 | .5 | .6 | 2.7 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 1 | .0 | .0 | 2.7 |
| | 4 No, did not happen in this period | 3508 | 96.4 | 97.3 | 100.0 |
| | Total | 3607 | 99.1 | 100.0 | |
| Missing | -1 No response | 33 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp5018 F19: Respondent's income has been reduced since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 359 | 9.9 | 10.0 | 10.0 |
| | 2 Yes, since the child's 11th birthday | 210 | 5.8 | 5.8 | 15.8 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 28 | .8 | .8 | 16.5 |
| | 4 No, did not happen in this period | 3011 | 82.7 | 83.5 | 100.0 |
| | Total | 3608 | 99.1 | 100.0 | |
| Missing | -1 No response | 32 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp5019 F20: Respondent has argued with their wife/partner since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 375 | 10.3 | 10.4 | 10.4 |
| | 2 Yes, since the child's 11th birthday | 563 | 15.5 | 15.7 | 26.1 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 339 | 9.3 | 9.4 | 35.5 |
| | 4 No, did not happen in this period | 2319 | 63.7 | 64.5 | 100.0 |
| | Total | 3596 | 98.8 | 100.0 | |
| Missing | -1 No response | 44 | 1.2 | | |
| Total | | 3640 | 100.0 | | |

pp5020 F21: Respondent has argued with their family/friends since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 141 | 3.9 | 3.9 | 3.9 |
| | 2 Yes, since the child's 11th birthday | 131 | 3.6 | 3.6 | 7.5 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 41 | 1.1 | 1.1 | 8.7 |
| | 4 No, did not happen in this period | 3291 | 90.4 | 91.3 | 100.0 |
| | Total | 3604 | 99.0 | 100.0 | |
| Missing | -1 No response | 36 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp5021 F22: Respondent has moved house since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 455 | 12.5 | 12.6 | 12.6 |
| | 2 Yes, since the child's 11th birthday | 116 | 3.2 | 3.2 | 15.8 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 7 | .2 | .2 | 16.0 |
| | 4 No, did not happen in this period | 3028 | 83.2 | 84.0 | 100.0 |
| | Total | 3606 | 99.1 | 100.0 | |
| Missing | -1 No response | 34 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp5022 F23: Respondent's wife/partner was physically cruel to them since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 18 | .5 | .5 | .5 |
| | 2 Yes, since the child's 11th birthday | 12 | .3 | .3 | .8 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 3 | .1 | .1 | .9 |
| | 4 No, did not happen in this period | 3574 | 98.2 | 99.1 | 100.0 |
| | Total | 3607 | 99.1 | 100.0 | |
| Missing | -1 No response | 33 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp5023 F24: Respondent has become homeless since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 12 | .3 | .3 | .3 |
| | 2 Yes, since the child's 11th birthday | 2 | .1 | .1 | .4 |
| | 4 No, did not happen in this period | 3596 | 98.8 | 99.6 | 100.0 |
| | Total | 3610 | 99.2 | 100.0 | |
| Missing | -1 No response | 30 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp5024 F25: Respondent has had a major financial problem since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 108 | 3.0 | 3.0 | 3.0 |
| | 2 Yes, since the child's 11th birthday | 66 | 1.8 | 1.8 | 4.8 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 11 | .3 | .3 | 5.1 |
| | 4 No, did not happen in this period | 3424 | 94.1 | 94.9 | 100.0 |
| | Total | 3609 | 99.1 | 100.0 | |
| Missing | -1 No response | 31 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp5025 F26: Respondent has married since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 46 | 1.3 | 1.3 | 1.3 |
| | 2 Yes, since the child's 11th birthday | 4 | .1 | .1 | 1.4 |
| | 4 No, did not happen in this period | 3560 | 97.8 | 98.6 | 100.0 |
| | Total | 3610 | 99.2 | 100.0 | |
| Missing | -1 No response | 30 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp5026 F27: Respondent's wife/partner was physically cruel to their children since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 5 | .1 | .1 | .1 |
| | 2 Yes, since the child's 11th birthday | 2 | .1 | .1 | .2 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 1 | .0 | .0 | .2 |
| | 4 No, did not happen in this period | 3599 | 98.9 | 99.8 | 100.0 |
| | Total | 3607 | 99.1 | 100.0 | |
| Missing | -1 No response | 33 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp5027 F28: Respondent was physically cruel to their children since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 3 | .1 | .1 | .1 |
| | 2 Yes, since the child's 11th birthday | 3 | .1 | .1 | .2 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 5 | .1 | .1 | .3 |
| | 4 No, did not happen in this period | 3600 | 98.9 | 99.7 | 100.0 |
| | Total | 3611 | 99.2 | 100.0 | |
| Missing | -1 No response | 29 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp5028 F29: Respondent attempted suicide since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 5 | .1 | .1 | .1 |
| | 2 Yes, since the child's 11th birthday | 2 | .1 | .1 | .2 |
| | 4 No, did not happen in this period | 3601 | 98.9 | 99.8 | 100.0 |
| | Total | 3608 | 99.1 | 100.0 | |
| Missing | -1 No response | 32 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp5029 F30: Respondent has been convicted of an offence since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 27 | .7 | .7 | .7 |
| | 2 Yes, since the child's 11th birthday | 13 | .4 | .4 | 1.1 |
| | 4 No, did not happen in this period | 3569 | 98.0 | 98.9 | 100.0 |
| | Total | 3609 | 99.1 | 100.0 | |
| Missing | -1 No response | 31 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp5030 F31: Respondent's wife/partner became pregnant since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 96 | 2.6 | 2.7 | 2.7 |
| | 2 Yes, since the child's 11th birthday | 10 | .3 | .3 | 2.9 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 1 | .0 | .0 | 3.0 |
| | 4 No, did not happen in this period | 3502 | 96.2 | 97.0 | 100.0 |
| | Total | 3609 | 99.1 | 100.0 | |
| Missing | -1 No response | 31 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp5031 F32: Respondent has started a new job since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 585 | 16.1 | 16.2 | 16.2 |
| | 2 Yes, since the child's 11th birthday | 188 | 5.2 | 5.2 | 21.4 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 23 | .6 | .6 | 22.1 |
| | 4 No, did not happen in this period | 2812 | 77.3 | 77.9 | 100.0 |
| | Total | 3608 | 99.1 | 100.0 | |
| Missing | -1 No response | 32 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp5032 F33: Respondent has returned to work since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 114 | 3.1 | 3.2 | 3.2 |
| | 2 Yes, since the child's 11th birthday | 38 | 1.0 | 1.1 | 4.2 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 2 | .1 | .1 | 4.3 |
| | 4 No, did not happen in this period | 3450 | 94.8 | 95.7 | 100.0 |
| | Total | 3604 | 99.0 | 100.0 | |
| Missing | -1 No response | 36 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp5033 F34: Respondent's wife/partner had a miscarriage since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 29 | .8 | .8 | .8 |
| | 2 Yes, since the child's 11th birthday | 3 | .1 | .1 | .9 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 1 | .0 | .0 | .9 |
| | 4 No, did not happen in this period | 3573 | 98.2 | 99.1 | 100.0 |
| | Total | 3606 | 99.1 | 100.0 | |
| Missing | -1 No response | 34 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp5034 F35: Respondent's wife/partner had an abortion since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 20 | .5 | .6 | .6 |
| | 4 No, did not happen in this period | 3585 | 98.5 | 99.4 | 100.0 |
| | Total | 3605 | 99.0 | 100.0 | |
| Missing | -1 No response | 35 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp5035 F36: Respondent has taken an examination since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 260 | 7.1 | 7.2 | 7.2 |
| | 2 Yes, since the child's 11th birthday | 106 | 2.9 | 2.9 | 10.2 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 25 | .7 | .7 | 10.8 |
| | 4 No, did not happen in this period | 3214 | 88.3 | 89.2 | 100.0 |
| | Total | 3605 | 99.0 | 100.0 | |
| Missing | -1 No response | 35 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp5036 F37: Respondent's wife/partner was emotionally cruel to them since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 74 | 2.0 | 2.1 | 2.1 |
| | 2 Yes, since the child's 11th birthday | 66 | 1.8 | 1.8 | 3.9 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 39 | 1.1 | 1.1 | 5.0 |
| | 4 No, did not happen in this period | 3423 | 94.0 | 95.0 | 100.0 |
| | Total | 3602 | 99.0 | 100.0 | |
| Missing | -1 No response | 38 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp5037 F38: Respondent's wife/partner has been emotionally cruel to their children since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 26 | .7 | .7 | .7 |
| | 2 Yes, since the child's 11th birthday | 13 | .4 | .4 | 1.1 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 11 | .3 | .3 | 1.4 |
| | 4 No, did not happen in this period | 3555 | 97.7 | 98.6 | 100.0 |
| | Total | 3605 | 99.0 | 100.0 | |
| Missing | -1 No response | 35 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp5038 F39: Respondent has been emotionally cruel to their children since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 18 | .5 | .5 | .5 |
| | 2 Yes, since the child's 11th birthday | 10 | .3 | .3 | .8 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 8 | .2 | .2 | 1.0 |
| | 4 No, did not happen in this period | 3574 | 98.2 | 99.0 | 100.0 |
| | Total | 3610 | 99.2 | 100.0 | |
| Missing | -1 No response | 30 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp5039 F40: Respondent's house/car has been burgled since the study child's 9th birthday

| | · · · · · · · · · · · · · · · · · · · | | | | | | |
|---------|---|-----------|---------|------------------|-----------------------|--|--|
| | | Frequency | Percent | Valid Percent | Cumulative Percent | | |
| Valid | 1 Yes, when the study child was 9 or 10 | 327 | 9.0 | 9.1 | 9.1 | | |
| | 2 Yes, since the child's 11th birthday | 112 | 3.1 | 3.1 | 12.2 | | |
| | 3 Yes, both when the study child was 9/10 and 11+ | 12 | .3 | .3 | 12.5 | | |
| | 4 No, did not happen in this period | 3147 | 86.5 | 87.5 | 100.0 | | |
| | Total | 3598 | 98.8 | 100.0 | | | |
| Missing | -1 No response | 42 | 1.2 | | | | |
| Total | | 3640 | 100.0 | | | | |

pp5040 F41: Respondent has found a new partner since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 43 | 1.2 | 1.2 | 1.2 |
| | 2 Yes, since the child's 11th birthday | 11 | .3 | .3 | 1.5 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 1 | .0 | .0 | 1.5 |
| | 4 No, did not happen in this period | 3542 | 97.3 | 98.5 | 100.0 |
| | Total | 3597 | 98.8 | 100.0 | |
| Missing | -1 No response | 43 | 1.2 | | |
| Total | | 3640 | 100.0 | | |

pp5041 F42: One of respondent's children has started school since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 291 | 8.0 | 8.1 | 8.1 |
| | 2 Yes, since the child's 11th birthday | 119 | 3.3 | 3.3 | 11.4 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 11 | .3 | .3 | 11.7 |
| | 4 No, did not happen in this period | 3162 | 86.9 | 88.3 | 100.0 |
| | Total | 3583 | 98.4 | 100.0 | |
| Missing | -1 No response | 57 | 1.6 | | |
| Total | | 3640 | 100.0 | | |

pp5042 F43: Respondent's wife/partner started a new job since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 452 | 12.4 | 12.6 | 12.6 |
| | 2 Yes, since the child's 11th birthday | 194 | 5.3 | 5.4 | 18.0 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 14 | .4 | .4 | 18.4 |
| | 4 No, did not happen in this period | 2923 | 80.3 | 81.6 | 100.0 |
| | Total | 3583 | 98.4 | 100.0 | |
| Missing | -1 No response | 57 | 1.6 | | |
| Total | | 3640 | 100.0 | | |

pp5043 F44: Respondent's pet has died since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, when the study child was 9 or 10 | 732 | 20.1 | 20.4 | 20.4 |
| | 2 Yes, since the child's 11th birthday | 255 | 7.0 | 7.1 | 27.5 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 59 | 1.6 | 1.6 | 29.2 |
| | 4 No, did not happen in this period | 2541 | 69.8 | 70.8 | 100.0 |
| | Total | 3587 | 98.5 | 100.0 | |
| Missing | -1 No response | 53 | 1.5 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section F

pp5044 F45: Respondent has had an accident since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 0 Relevant text but no box ticked | 4 | .1 | .1 | .1 |
| | 1 Yes, when the study child was 9 or 10 | 265 | 7.3 | 7.6 | 7.8 |
| | 2 Yes, since the child's 11th birthday | 97 | 2.7 | 2.8 | 10.6 |
| | 3 Yes, both when the study child was 9/10 and 11+ | 12 | .3 | .3 | 10.9 |
| | 4 No, did not happen in this period | 3089 | 84.9 | 89.1 | 100.0 |
| | Total | 3467 | 95.2 | 100.0 | |
| Missing | -1 No response | 173 | 4.8 | | |
| Total | | 3640 | 100.0 | | |

pp5050 F46a: Another event has required additional effort to cope with since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 385 | 10.6 | 11.8 | 11.8 |
| | 2 No | 2878 | 79.1 | 88.2 | 100.0 |
| | Total | 3263 | 89.6 | 100.0 | |
| Missing | -1 No response | 377 | 10.4 | | |
| Total | | 3640 | 100.0 | | |

pp5061 F46b1: Event b happened when the study child was 9 or 10

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 5 | .1 | 1.7 | 1.7 |
| | 1 Yes | 293 | 8.0 | 98.3 | 100.0 |
| | Total | 298 | 8.2 | 100.0 | |
| Missing | -1 No response | 3342 | 91.8 | | |
| Total | | 3640 | 100.0 | | |

pp5062 F46b2: Event b happened since the child's 11th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 5 | .1 | 3.5 | 3.5 |
| | 1 Yes | 139 | 3.8 | 96.5 | 100.0 |
| | Total | 144 | 4.0 | 100.0 | |
| Missing | -1 No response | 3496 | 96.0 | | |
| Total | | 3640 | 100.0 | | |

pp5071 F46c1: Event c happened when the study child was 9 or 10

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 3 | .1 | 5.5 | 5.5 |
| | 1 Yes | 52 | 1.4 | 94.5 | 100.0 |
| | Total | 55 | 1.5 | 100.0 | |
| Missing | -1 No response | 3585 | 98.5 | | |
| Total | | 3640 | 100.0 | | |

pp5072 F46c2: Event c happened since the child's 11th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 3 | .1 | 14.3 | 14.3 |
| | 1 Yes | 18 | .5 | 85.7 | 100.0 |
| | Total | 21 | .6 | 100.0 | |
| Missing | -1 No response | 3619 | 99.4 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section F

pp5081 F46d1: Event d happened when the study child was 9 or 10

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 3 | .1 | 21.4 | 21.4 |
| | 1 Yes | 11 | .3 | 78.6 | 100.0 |
| | Total | 14 | .4 | 100.0 | |
| Missing | -1 No response | 3626 | 99.6 | | |
| Total | | 3640 | 100.0 | | |

pp5082 F46d2: Event d happened since the child's 11th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 3 | .1 | 27.3 | 27.3 |
| | 1 Yes | 8 | .2 | 72.7 | 100.0 |
| | Total | 11 | .3 | 100.0 | |
| Missing | -1 No response | 3629 | 99.7 | | |
| Total | | 3640 | 100.0 | | |

pp5100 F47a: Another event has made respondent especially happy since the study child's 9th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 635 | 17.4 | 18.9 | 18.9 |
| | 2 No | 2732 | 75.1 | 81.1 | 100.0 |
| | Total | 3367 | 92.5 | 100.0 | |
| Missing | -1 No response | 273 | 7.5 | | |
| Total | | 3640 | 100.0 | | |

pp5111 F47b1: Event b happened when the study child was 9 or 10

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 12 | .3 | 2.8 | 2.8 |
| | 1 Yes | 420 | 11.5 | 97.2 | 100.0 |
| | Total | 432 | 11.9 | 100.0 | |
| Missing | -1 No response | 3208 | 88.1 | | |
| Total | | 3640 | 100.0 | | |

pp5112 F47b2: Event b happened since the study child's 11th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 12 | .3 | 4.4 | 4.4 |
| | 1 Yes | 262 | 7.2 | 95.6 | 100.0 |
| | Total | 274 | 7.5 | 100.0 | |
| Missing | -1 No response | 3366 | 92.5 | | |
| Total | | 3640 | 100.0 | | |

pp5121 F47c1: Event c happened when the study child was 9 or 10

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 4 | .1 | 3.4 | 3.4 |
| | 1 Yes | 114 | 3.1 | 96.6 | 100.0 |
| | Total | 118 | 3.2 | 100.0 | |
| Missing | -1 No response | 3522 | 96.8 | | |
| Total | | 3640 | 100.0 | | |

pp5122 F47c2: Event c happened since the study child's 11th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 4 | .1 | 5.1 | 5.1 |
| | 1 Yes | 75 | 2.1 | 94.9 | 100.0 |
| | Total | 79 | 2.2 | 100.0 | |
| Missing | -1 No response | 3561 | 97.8 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section F

pp5131 F47d1: Event d happened when the study child was 9 or 10

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 5 | .1 | 12.2 | 12.2 |
| | 1 Yes | 36 | 1.0 | 87.8 | 100.0 |
| | Total | 41 | 1.1 | 100.0 | |
| Missing | -1 No response | 3599 | 98.9 | | |
| Total | | 3640 | 100.0 | | |

pp5132 F47d2: Event d happened since the study child's 11th birthday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--|-----------|---------|------------------|-----------------------|
| Valid | Relevant text but no box ticked in either column | 5 | .1 | 17.2 | 17.2 |
| | 1 Yes | 24 | .7 | 82.8 | 100.0 |
| | Total | 29 | .8 | 100.0 | |
| Missing | -1 No response | 3611 | 99.2 | | |
| Total | | 3640 | 100.0 | | |

PAGE 32 OF THE QUESTIONNAIRE

SECTION G: ACTIVITIES AND LIFESTYLE

| G1. | On av | verage, over the past year, about how many hours sleep do you get: |
|---------------|---------------|---|
| | a) | on work days hours minutes |
| [Editii | ng: Or | ne reported time of 35h was set to -1.] |
| | b) | on weekends (If you normally go out to work at weekends, then answer for your days off) |
| | | hours minutes |
| [Editii | ng: Tw | vo reported times of 48h were set to -1.] |
| G2. | a) | Have you ever been a smoker? |
| | | Yes |
| If <u>yes</u> | , | |
| | b) | At what age did you start smoking regularly? |
| | | years |
| | c) | Which of the following have you ever smoked regularly? |
| | | i) cigarettes 1 ii) pipe 1 iii) cigar 1 iv) other 1 |
| | d) | Have you now stopped smoking? |
| | | Yes |
| | If <u>yes</u> | s, how long ago? |
| | | years months |

PAGE 33 OF THE QUESTIONNAIRE

| G2. | e) | Have you smoked regularly in the last 2 weeks? |
|-----|-----------------|---|
| | | No |
| | | Yes, other [5] (please describe) |
| | f) | How many times per day have you smoked in the last 2 weeks? |
| | | 30+ 30 25-29 25 20-24 20 15-19 15 |
| | | 10-14 10 5-9 05 1-4 01 0 00 |
| | g) | What brand of cigarette/tobacco do you smoke? |
| | | i) brand |
| | | ii) type: filtered $\boxed{\frac{1}{1}}$ unfiltered $\boxed{\frac{2}{2}}$ roll-your-own $\boxed{\frac{3}{3}}$ |
| | | ividual variables for each category of g(ii) are presented for cases who ticked ne box.] |
| G3. | a) | Does your live-in wife or partner smoke? |
| | Don't No | have a wife/partner If no, or don't have a wife or partner, go to G4 on page 34 |
| | Yes, c | igarettes 3 |
| | Yes, c | igars 4 |
| | Yes, p | ipe <u>5</u> |
| | Yes, o | ther (please describe) 6 |
| | If <u>yes</u> , | |
| | b) | About how many times per day does your wife or partner smoke at the moment? |
| | | 30+ 30 25-29 25 20-24 20 15-19 15 |
| | | 10 14 10 5 0 05 1 1 4 5 |

PAGE 34 OF THE QUESTIONNAIRE

| G3. | c) | What brand and type | pe of cigarette/tob | acco does she usually smoke? | |
|-----|-----|-------------------------------------|---------------------|---|-----|
| | | i) brand | | | |
| | | ii) type: | filtered 1 | unfiltered 2 pipe/cigar 4 | |
| | | dividual variables fine box.] | or each category | y of c(ii) are presented for cases who tic | ked |
| | d) | At what age did she start smoking? | e | years don't know 99 | |
| G4. | a) | Apart from yoursel household who sm | <u> </u> | partner, are there any other members of your | r |
| | | Yes 1 N | 2 | | |
| | b) | If yes, how many p | people? | | |
| G5. | How | often during the day | are you in a room | or enclosed place where people are smoking (ii) | ? |
| | | | weekdays | weekends | |
| | | all the time | 1 | 1 | |
| | | more than 5 hours | 2 | 2 | |
| | | 3-5 hours | 3 | 3 | |
| | | 1-2 hours | 4 | 4 | |
| | | less than 1 hour | 5 | 5 | |
| | | not at all | 6 | 6 | |

PAGE 35 OF THE QUESTIONNAIRE

G6. In the last few months, how often have you used the following whether at home or at work:

| | In the last few months | Every day | Most days | About once a week | Less than once a week | Not at all |
|----|---|-----------|-----------|-------------------------|--------------------------------|------------|
| a) | disinfectant | 1 | 2 | 3 | 4 | 5 |
| b) | bleach | 1 | 2 | 3 | 4 | 5 |
| c) | window cleaner | 1 | 2 | 3 | 4 | 5 |
| d) | chemical carpet cleaner | 1 | 2 | 3 | 4 | 5 |
| e) | oven/drain cleaner | 1 | 2 | 3 | 4 | 5 |
| f) | dry cleaning fluid | 1 | 2 | 3 | 4 | 5 |
| g) | turpentine/white spiri | t 1 | 2 | 3 | 4 | 5 |
| h) | paint stripper | 1 | 2 | 3 | 4 | 5 |
| i) | household paint or varnish | 1 | 2 | 3 | 4 | 5 |
| j) | weed killers | 1 | 2 | 3 | 4 | 5 |
| k) | pesticides/insect killers | 1 | 2 | 3 | 4 | 5 |
| 1) | air fresheners (spray, stick or aerosol) | 1 | 2 | 3 | 4 | 5 |

PAGE 36 OF THE QUESTIONNAIRE

| G6. | In the last few months | Every day | Most days | About once a week | Less than once a week | Not at all |
|-----|---|----------------------------------|--------------------------------------|-------------------|--------------------------------|------------|
| m) | other aerosols or sprays including hair spray | 1 | 2 | 3 | 4 | 5 |
| n) | deodorant or antiperspirant | 1 | 2 | 3 | 4 | 5 |
| o) | make up | 1 | 2 | 3 | 4 | 5 |
| p) | glue | 1 | 2 | 3 | 4 | 5 |
| q) | nail varnish/acetone | 1 | 2 | 3 | 4 | 5 |
| r) | metal cleaners/ degreasers, polishers | 1 | 2 | 3 | 4 | 5 |
| s) | petrol | 1 | 2 | 3 | 4 | 5 |
| t) | moth repellent (moth balls) | 1 | 2 | 3 | 4 | 5 |
| u) | other chemical (please tick and describe) | 1 | 2 | 3 | 4 | 5 |
| | | | | | | ••••• |
| G7. | a) Do you have a | n mobile phone No $\frac{1}{2}$ | (i.e. one that c \rightarrow Go to | an be used awa | | ? |

PAGE 37 OF THE QUESTIONNAIRE

If yes,

ii) Walking

| G7. | b) | how often do | you use it to m | ake calls? | | | | |
|-------|---------|---------------------------------|-------------------------|--------------------|-----------------|-------------------|----------------|-----------------|
| | | at leas | t once a day | 1 | | | | |
| | | 4-6 tin | nes a week | 2 | | | | |
| | | 1-3 tin | nes a week | 3 | | | | |
| | | less th | an once a weel | k 4 | | | | |
| | c) | how often do | people ring yo | u on it? | | | | |
| | | at leas | t once a day | 1 | | | | |
| | | 4-6 tin | nes a week | 2 | | | | |
| | | 1-3 tin | nes a week | 3 | | | | |
| | | less th | an once a weel | k 4 | | | | |
| G8. | This c | question concern | ns travelling, <u>a</u> | part from | when going | g to work: | | |
| | a) | Which of the | following do y | ou use for | most or all | of the time | : | |
| | | Car | 1 | Public tra | ansport 2 | | Neith | er ₃ |
| | b) | Please indicat going to work | | number of j | ourneys you | ı make eac | ch week (apa | art from |
| | | | A | verage d | listance o | f most fr | equent jo | urney |
| | | Average number of | Less than ½ mile | 1/2 -11/2 miles | 1½ -2½ miles | 2½-3½ miles | 3½-5½ miles | More than |
| | | journeys each week | \downarrow | \bigvee | \downarrow | \downarrow | \bigvee | 5½ miles |
| i) By | bicycle | | 1 | 2 | 3 | 4 | 5 | 6 |

PAGE 38 OF THE QUESTIONNAIRE

G9. Please indicate the average hours of TV or Video watched per day over the **past year**:

Average per day over the past year

| | None | Less than 1 hour | Between 1 and 2 hours | Between 2 and 3 hours | Between 3 and 4 hours | More than 4 hours |
|-------------------------------|------|---------------------|-----------------------|-----------------------|-----------------------|-------------------------|
| a) On a weekday before 6pm | y 1 | 2 | 3 | 4 | 5 | 6 |
| b) On a weekday | y 1 | 2 | 3 | 4 | 5 | 6 |
| c) On a weekend day before 6 | 11 1 | 2 | 3 | 4 | 5 | 6 |
| d) On a weekend day after 6pn | 11 1 | 2 | 3 | 4 | 5 | 6 |

G10. How many times do you climb up a flight of stairs (approx 10 steps) <u>each day</u> at home?

Average per day over the past year

| | None ↓ | 1-5 times | 6-10 times | 11-15 times | 16-20 times | More than 20 times |
|------------------------|-----------|--------------|---------------|----------------|----------------|--------------------------|
| a) On a weekday | y 1 | 2 | 3 | 4 | 5 | 6 |
| b) On a weekend day | d 1 | 2 | 3 | 4 | 5 | 6 |

G11. How many hours <u>each week</u> approximately do you spend time doing the following:

Average per week over the past year

| | | None \ | Less than 1 hour | Between 1 and 3 hours | Between 3 and 6 hours | Between 6 and 10 hours | Between 10 and 15 hours | More than 15 hours |
|----|--|-----------|---------------------|-----------------------------|-----------------------|------------------------------|-------------------------------|-----------------------------|
| a) | Preparing food, cooking and washing up | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| b) | Shopping for food and groceries | 1 | 2 | 3 | 4 | 5 | 6 | 7 |

PAGE 39 OF THE QUESTIONNAIRE

| G11. | | A | verage pe | r week ovei | the past y | ear | ear | | | | | | |
|--|------------|---------------------|-----------------------------|-----------------------|------------------------------|-------------------------------|-----------------------------|--|--|--|--|--|--|
| | None ↓ | Less than 1 hour | Between 1 and 3 hours | Between 3 and 6 hours | Between 6 and 10 hours | Between 10 and 15 hours | More than 15 hours | | | | | | |
| c) Shopping and browsing in sh for other items (e.g. clothes, to | nops | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| d) Cleaning the house | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| e) Doing the washing and ironing | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| f) Caring for pre- school childre or babies at ho (not as paid en | n 1 ome | 2 t) | 3 | 4 | 5 | 6 | 7 | | | | | | |
| g) Caring for handicapped, elderly or disabled peop (not as paid e | ole at hom | | 3 | 4 | 5 | 6 | 7 | | | | | | |

PP File – Section G

PAGE 40 OF THE QUESTIONNAIRE

[This page only contained photographs.]

pp6000a G1a: Average time for which respondent slept on workdays over the past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 1 | .0 | .0 | .0 |
| | 3 | 1 | .0 | .0 | .1 |
| | 4 | 27 | .7 | .8 | .8 |
| | 5 | 176 | 4.8 | 4.9 | 5.7 |
| | 6 | 920 | 25.3 | 25.7 | 31.5 |
| | 7 | 1636 | 44.9 | 45.7 | 77.2 |
| | 8 | 724 | 19.9 | 20.2 | 97.4 |
| | 9 | 80 | 2.2 | 2.2 | 99.7 |
| | 10 | 10 | .3 | .3 | 99.9 |
| | 11 | 1 | .0 | .0 | 100.0 |
| | 12 | 1 | .0 | .0 | 100.0 |
| | Total | 3577 | 98.3 | 100.0 | |
| Missing | -9 Don't know | 2 | .1 | | |
| | -1 No response | 61 | 1.7 | | |
| | Total | 63 | 1.7 | | |
| Total | | 3640 | 100.0 | | |

pp6000b G1a: Average time for which respondent slept on workdays over the past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 910 | 25.0 | 47.8 | 47.8 |
| | 10 | 6 | .2 | .3 | 48.1 |
| | 11 | 1 | .0 | .1 | 48.2 |
| | 13 | 1 | .0 | .1 | 48.2 |
| | 15 | 61 | 1.7 | 3.2 | 51.4 |
| | 20 | 18 | .5 | .9 | 52.4 |
| | 23 | 1 | .0 | .1 | 52.4 |
| | 24 | 1 | .0 | .1 | 52.5 |
| | 30 | 863 | 23.7 | 45.3 | 97.8 |
| | 33 | 1 | .0 | .1 | 97.9 |
| | 35 | 1 | .0 | .1 | 98.0 |
| | 40 | 7 | .2 | .4 | 98.3 |
| | 45 | 29 | .8 | 1.5 | 99.8 |
| | 50 | 3 | .1 | .2 | 100.0 |
| | Total | 1903 | 52.3 | 100.0 | |
| Missing | -9 Don't know | 2 | .1 | | |
| | -1 No response | 1735 | 47.7 | | |
| | Total | 1737 | 47.7 | | |
| Total | | 3640 | 100.0 | | |

pp6001a G1b: Average time for which respondent slept on weekends over the past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 1 | .0 | .0 | .0 |
| | 2 | 1 | .0 | .0 | .1 |
| | 3 | 1 | .0 | .0 | .1 |
| | 4 | 11 | .3 | .3 | .4 |
| | 5 | 42 | 1.2 | 1.2 | 1.6 |
| | 6 | 238 | 6.5 | 6.7 | 8.3 |
| | 7 | 883 | 24.3 | 24.9 | 33.1 |
| | 8 | 1653 | 45.4 | 46.6 | 79.7 |
| | 9 | 524 | 14.4 | 14.8 | 94.5 |
| | 10 | 172 | 4.7 | 4.8 | 99.3 |
| | 11 | 8 | .2 | .2 | 99.5 |
| | 12 | 12 | .3 | .3 | 99.9 |
| | 16 | 3 | .1 | .1 | 99.9 |
| | 17 | 1 | .0 | .0 | 100.0 |
| | 20 | 1 | .0 | .0 | 100.0 |
| | Total | 3551 | 97.6 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 88 | 2.4 | | |
| | Total | 89 | 2.4 | | |
| Total | | 3640 | 100.0 | | |

pp6001b G1b: Average time for which respondent slept on weekends over the past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 1158 | 31.8 | 62.2 | 62.2 |
| | 5 | 2 | .1 | .1 | 62.3 |
| | 6 | 2 | .1 | .1 | 62.4 |
| | 10 | 4 | .1 | .2 | 62.6 |
| | 12 | 1 | .0 | .1 | 62.7 |
| | 13 | 1 | .0 | .1 | 62.7 |
| | 15 | 16 | .4 | .9 | 63.6 |
| | 20 | 2 | .1 | .1 | 63.7 |
| | 24 | 1 | .0 | .1 | 63.7 |
| | 30 | 651 | 17.9 | 35.0 | 98.7 |
| | 40 | 7 | .2 | .4 | 99.1 |
| | 45 | 16 | .4 | .9 | 99.9 |
| | 50 | 1 | .0 | .1 | 100.0 |
| | Total | 1862 | 51.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 1777 | 48.8 | | |
| | Total | 1778 | 48.8 | | |
| Total | | 3640 | 100.0 | | |

pp6010 G2a: Respondent has ever been a smoker

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 1664 | 45.7 | 46.0 | 46.0 |
| | 2 No | 1953 | 53.7 | 54.0 | 100.0 |
| | Total | 3617 | 99.4 | 100.0 | |
| Missing | -1 No response | 23 | .6 | | |
| Total | | 3640 | 100.0 | | |

pp6011 G2b: Age respondent started smoking regularly

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 6 | 1 | .0 | .1 | .1 |
| | 7 | 2 | .1 | .1 | .2 |
| | 8 | 2 | .1 | .1 | .3 |
| | 9 | 7 | .2 | .4 | .7 |
| | 10 | 13 | .4 | .8 | 1.5 |
| | 11 | 36 | 1.0 | 2.2 | 3.7 |
| | 12 | 62 | 1.7 | 3.8 | 7.5 |
| | 13 | 90 | 2.5 | 5.5 | 13.0 |
| | 14 | 165 | 4.5 | 10.0 | 23.0 |
| | 15 | 222 | 6.1 | 13.5 | 36.5 |
| | 16 | 337 | 9.3 | 20.5 | 57.0 |
| | 17 | 140 | 3.8 | 8.5 | 65.5 |
| | 18 | 228 | 6.3 | 13.9 | 79.4 |
| | 19 | 91 | 2.5 | 5.5 | 84.9 |
| | 20 | 99 | 2.7 | 6.0 | 90.9 |
| | 21 | 47 | 1.3 | 2.9 | 93.8 |
| | 22 | 21 | .6 | 1.3 | 95.1 |
| | 23 | 20 | .5 | 1.2 | 96.3 |
| | 24 | 5 | .1 | .3 | 96.6 |
| | 25 | 21 | .6 | 1.3 | 97.9 |
| | 26 | 3 | .1 | .2 | 98.1 |
| | 27 | 3 | .1 | .2 | 98.2 |
| | 28 | 4 | .1 | .2 | 98.5 |
| | 29 | 1 | .0 | .1 | 98.5 |
| | 30 | 5 | .1 | .3 | 98.8 |
| | 32 | 2 | .1 | .1 | 99.0 |
| | 33 | 3 | .1 | .2 | 99.1 |
| | 34 | 1 | .0 | .1 | 99.2 |
| | 35 | 2 | .1 | .1 | 99.3 |
| | 36 | 3 | .1 | .2 | 99.5 |
| | 37 | 1 | .0 | .1 | 99.6 |
| | 40 | 5 | .1 | .3 | 99.9 |
| | 41 | 1 | .0 | .1 | 99.9 |
| | 58 | 1 | .0 | .1 | 100.0 |
| | Total | 1644 | 45.2 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 1995 | 54.8 | | |
| | Total | 1996 | 54.8 | | |
| Total | | 3640 | 100.0 | | |

pp6012 G2c1: Respondent has ever smoked cigarettes regularly

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 1575 | 43.3 | 100.0 | 100.0 |
| Missing | -1 No response | 2065 | 56.7 | | |
| Total | | 3640 | 100.0 | | |

pp6013 G2c2: Respondent has ever smoked a pipe regularly

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 105 | 2.9 | 100.0 | 100.0 |
| Missing | -1 No response | 3535 | 97.1 | | |
| Total | | 3640 | 100.0 | | |

pp6014 G2c3: Respondent has ever smoked cigars regularly

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 358 | 9.8 | 100.0 | 100.0 |
| Missing | -1 No response | 3282 | 90.2 | | |
| Total | | 3640 | 100.0 | | |

pp6015 G2c4: Respondent has ever smoked other things regularly

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 83 | 2.3 | 100.0 | 100.0 |
| Missing | -1 No response | 3557 | 97.7 | | |
| Total | | 3640 | 100.0 | | |

pp6016 G2d: Respondent has now stopped smoking

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 1057 | 29.0 | 63.5 | 63.5 |
| | 2 No | 607 | 16.7 | 36.5 | 100.0 |
| | Total | 1664 | 45.7 | 100.0 | |
| Missing | -1 No response | 1976 | 54.3 | | |
| Total | | 3640 | 100.0 | | |

pp6017a G2d: Years since respondent stopped smoking

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 21 | .6 | 2.1 | 2.1 |
| | 1 | 42 | 1.2 | 4.2 | 6.3 |
| | 2 | 59 | 1.6 | 5.9 | 12.2 |
| | 3 | 50 | 1.4 | 5.0 | 17.2 |
| | 4 | 34 | .9 | 3.4 | 20.6 |
| | 5 | 48 | 1.3 | 4.8 | 25.3 |
| | 6 | 25 | .7 | 2.5 | 27.8 |
| | 7 | 30 | .8 | 3.0 | 30.8 |
| | 8 | 23 | .6 | 2.3 | 33.1 |
| | 9 | 26 | .7 | 2.6 | 35.7 |
| | 10 | 65 | 1.8 | 6.5 | 42.2 |
| | 11 | 43 | 1.2 | 4.3 | 46.5 |
| | 12 | 37 | 1.0 | 3.7 | 50.2 |
| | 13 | 34 | .9 | 3.4 | 53.6 |
| | 14 | 32 | .9 | 3.2 | 56.8 |
| | 15 | 65 | 1.8 | 6.5 | 63.3 |
| | 16 | 33 | .9 | 3.3 | 66.6 |
| | 17 | 26 | .7 | 2.6 | 69.2 |
| | 18 | 35 | 1.0 | 3.5 | 72.7 |
| | 19 | 27 | .7 | 2.7 | 75.3 |
| | 20 | 73 | 2.0 | 7.3 | 82.6 |
| | 21 | 19 | .5 | 1.9 | 84.5 |
| | 22 | 34 | .9 | 3.4 | 87.9 |
| | 23 | 22 | .6 | 2.2 | 90.1 |
| | 24 | 14 | .4 | 1.4 | 91.5 |
| | 25 | 27 | .7 | 2.7 | 94.2 |
| | 26 | 4 | .1 | .4 | 94.6 |
| | 27 | 7 | .2 | .7 | 95.3 |
| | 28 | 6 | .2 | .6 | 95.9 |
| | 29 | 6 | .2 | .6 | 96.5 |
| | 30 | 19 | .5 | 1.9 | 98.4 |
| | 31 | 3 | .1 | .3 | 98.7 |
| | 32 | 2 | .1 | .2 | 98.9 |
| | 33 | 2 | .1 | .2 | 99.1 |
| | 34 | 1 | .0 | .1 | 99.2 |
| | 35 | 5 | .1 | .5 | 99.7 |
| | 36 | 1 | .0 | .1 | 99.8 |
| | 40 | 1 | .0 | .1 | 99.9 |
| | 43 | 1 | .0 | .1 | 100.0 |
| | Total | 1002 | 27.5 | 100.0 | |
| Missing | -9 Don't know | 2 | .1 | | |
| ŭ | -1 No response | 2636 | 72.4 | | |
| | Total | 2638 | 72.5 | | |
| Total | | 3640 | 100.0 | | |

pp6017b G2d: Months since respondent stopped smoking

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 175 | 4.8 | 34.5 | 34.5 |
| | 1 | 38 | 1.0 | 7.5 | 42.0 |
| | 2 | 31 | .9 | 6.1 | 48.1 |
| | 3 | 41 | 1.1 | 8.1 | 56.2 |
| | 4 | 26 | .7 | 5.1 | 61.3 |
| | 5 | 26 | .7 | 5.1 | 66.5 |
| | 6 | 83 | 2.3 | 16.4 | 82.8 |
| | 7 | 18 | .5 | 3.6 | 86.4 |
| | 8 | 17 | .5 | 3.4 | 89.7 |
| | 9 | 20 | .5 | 3.9 | 93.7 |
| | 10 | 21 | .6 | 4.1 | 97.8 |
| | 11 | 11 | .3 | 2.2 | 100.0 |
| | Total | 507 | 13.9 | 100.0 | |
| Missing | -9 Don't know | 2 | .1 | | |
| | -1 No response | 3131 | 86.0 | | |
| | Total | 3133 | 86.1 | | |
| Total | | 3640 | 100.0 | | |

pp6018 G2e: Respondent has smoked regularly in the past two weeks

| | <u> </u> | | | | |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 No | 1018 | 28.0 | 62.6 | 62.6 |
| | 2 Yes, cigarettes | 482 | 13.2 | 29.6 | 92.2 |
| | 3 Yes, cigars | 70 | 1.9 | 4.3 | 96.5 |
| | 4 Yes, pipe | 6 | .2 | .4 | 96.9 |
| | 5 Yes, other | 51 | 1.4 | 3.1 | 100.0 |
| | Total | 1627 | 44.7 | 100.0 | |
| Missing | -1 No response | 2013 | 55.3 | | |
| Total | | 3640 | 100.0 | | |

pp6020 G2f: Frequency per day respondent has smoked in the last two weeks

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 None | 812 | 22.3 | 56.0 | 56.0 |
| | 1 1-4 | 123 | 3.4 | 8.5 | 64.4 |
| | 5 5-9 | 99 | 2.7 | 6.8 | 71.3 |
| | 10 10-14 | 117 | 3.2 | 8.1 | 79.3 |
| | 15 15-19 | 116 | 3.2 | 8.0 | 87.3 |
| | 20 20-24 | 105 | 2.9 | 7.2 | 94.6 |
| | 25 25-29 | 40 | 1.1 | 2.8 | 97.3 |
| | 30 30+ | 39 | 1.1 | 2.7 | 100.0 |
| | Total | 1451 | 39.9 | 100.0 | |
| Missing | -1 No response | 2189 | 60.1 | | |
| Total | | 3640 | 100.0 | | |

pp6030 G2g2: Type of cigarette/tobacco that respondent smokes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Filtered | 371 | 10.2 | 59.5 | 59.5 |
| | 2 Unfiltered | 7 | .2 | 1.1 | 60.6 |
| | 3 Roll-your-own | 166 | 4.6 | 26.6 | 87.2 |
| | 4 Pipe/cigar | 80 | 2.2 | 12.8 | 100.0 |
| | Total | 624 | 17.1 | 100.0 | |
| Missing | -2 Multiple ticks | 46 | 1.3 | | |
| | -1 Not stated | 2970 | 81.6 | | |
| | Total | 3016 | 82.9 | | |
| Total | | 3640 | 100.0 | | |

pp6031 G2g2 (multiple ticks): Respondent smokes filtered cigarettes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 42 | 1.2 | 91.3 | 91.3 |
| | 2 No | 4 | .1 | 8.7 | 100.0 |
| | Total | 46 | 1.3 | 100.0 | |
| Missing | -2 Single tick | 624 | 17.1 | | |
| | -1 Not stated | 2970 | 81.6 | | |
| | Total | 3594 | 98.7 | | |
| Total | | 3640 | 100.0 | | |

pp6032 G2g2 (multiple ticks): Respondent smokes unfiltered cigarettes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 5 | .1 | 10.9 | 10.9 |
| | 2 No | 41 | 1.1 | 89.1 | 100.0 |
| | Total | 46 | 1.3 | 100.0 | |
| Missing | -2 Single tick | 624 | 17.1 | | |
| | -1 Not stated | 2970 | 81.6 | | |
| | Total | 3594 | 98.7 | | |
| Total | | 3640 | 100.0 | | |

pp6033 G2g2 (multiple ticks): Respondent smokes roll-your-own cigarettes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 39 | 1.1 | 84.8 | 84.8 |
| | 2 No | 7 | .2 | 15.2 | 100.0 |
| | Total | 46 | 1.3 | 100.0 | |
| Missing | -2 Single tick | 624 | 17.1 | | |
| | -1 Not stated | 2970 | 81.6 | | |
| | Total | 3594 | 98.7 | | |
| Total | | 3640 | 100.0 | | |

pp6034 G2g2 (multiple ticks): Respondent smokes pipe/cigars

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 9 | .2 | 19.6 | 19.6 |
| | 2 No | 37 | 1.0 | 80.4 | 100.0 |
| | Total | 46 | 1.3 | 100.0 | |
| Missing | -2 Single tick | 624 | 17.1 | | |
| | -1 Not stated | 2970 | 81.6 | | |
| | Total | 3594 | 98.7 | | |
| Total | | 3640 | 100.0 | | |

pp6035 DV: Number of ticks for question G2g2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 2970 | 81.6 | 81.6 | 81.6 |
| | 1 | 624 | 17.1 | 17.1 | 98.7 |
| | 2 | 44 | 1.2 | 1.2 | 99.9 |
| | 3 | 1 | .0 | .0 | 100.0 |
| | 4 | 1 | .0 | .0 | 100.0 |
| | Total | 3640 | 100.0 | 100.0 | |

pp6040 G3a: Respondent's live-in wife/partner smokes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Don't have a live-in wife/partner | 89 | 2.4 | 2.5 | 2.5 |
| | 2 No | 2991 | 82.2 | 84.0 | 86.5 |
| | 3 Yes, cigarettes | 449 | 12.3 | 12.6 | 99.1 |
| | 4 Yes, cigars | 2 | .1 | .1 | 99.2 |
| | 6 Yes, other | 29 | .8 | .8 | 100.0 |
| | Total | 3560 | 97.8 | 100.0 | |
| Missing | -1 No response | 80 | 2.2 | | |
| Total | | 3640 | 100.0 | | |

pp6042 G3b: Frequency per day respondent's live-in wife/partner smokes at the moment

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 None | 55 | 1.5 | 10.6 | 10.6 |
| | 1 1-4 | 93 | 2.6 | 18.0 | 28.6 |
| | 5 5-9 | 90 | 2.5 | 17.4 | 45.9 |
| | 10 10-14 | 98 | 2.7 | 18.9 | 64.9 |
| | 15 15-19 | 88 | 2.4 | 17.0 | 81.9 |
| | 20 20-24 | 65 | 1.8 | 12.5 | 94.4 |
| | 25 25-29 | 14 | .4 | 2.7 | 97.1 |
| | 30 30+ | 15 | .4 | 2.9 | 100.0 |
| | Total | 518 | 14.2 | 100.0 | |
| Missing | -1 No response | 3122 | 85.8 | | |
| Total | | 3640 | 100.0 | | |

pp6050 G3c2: Type of cigarette/tobacco that respondent's partner smokes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Filtered | 377 | 10.4 | 86.9 | 86.9 |
| | 2 Unfiltered | 5 | .1 | 1.2 | 88.0 |
| | 3 Roll-your-own | 52 | 1.4 | 12.0 | 100.0 |
| | Total | 434 | 11.9 | 100.0 | |
| Missing | -2 Multiple ticks | 16 | .4 | | |
| | -1 Not stated | 3190 | 87.6 | | |
| | Total | 3206 | 88.1 | | |
| Total | | 3640 | 100.0 | | |

pp6051 G3c2 (multiple ticks): Respondent's partner smokes filtered cigarettes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 14 | .4 | 87.5 | 87.5 |
| | 2 No | 2 | .1 | 12.5 | 100.0 |
| | Total | 16 | .4 | 100.0 | |
| Missing | -2 Single tick | 434 | 11.9 | | |
| | -1 Not stated | 3190 | 87.6 | | |
| | Total | 3624 | 99.6 | | |
| Total | | 3640 | 100.0 | | |

pp6052 G3c2 (multiple ticks): Respondent's partner smokes unfiltered cigarettes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 2 | .1 | 12.5 | 12.5 |
| | 2 No | 14 | .4 | 87.5 | 100.0 |
| | Total | 16 | .4 | 100.0 | |
| Missing | -2 Single tick | 434 | 11.9 | | |
| | -1 Not stated | 3190 | 87.6 | | |
| | Total | 3624 | 99.6 | | |
| Total | | 3640 | 100.0 | | |

pp6053 G3c2 (multiple ticks): Respondent's partner smokes roll-your-own cigarettes

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 15 | .4 | 93.8 | 93.8 |
| | 2 No | 1 | .0 | 6.3 | 100.0 |
| | Total | 16 | .4 | 100.0 | |
| Missing | -2 Single tick | 434 | 11.9 | | |
| | -1 Not stated | 3190 | 87.6 | | |
| | Total | 3624 | 99.6 | | |
| Total | | 3640 | 100.0 | | |

pp6054 G3c2 (multiple ticks): Respondent's partner smokes pipe/cigars

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 1 | .0 | 6.3 | 6.3 |
| | 2 No | 15 | .4 | 93.8 | 100.0 |
| | Total | 16 | .4 | 100.0 | |
| Missing | -2 Single tick | 434 | 11.9 | | |
| | -1 Not stated | 3190 | 87.6 | | |
| | Total | 3624 | 99.6 | | |
| Total | | 3640 | 100.0 | | |

pp6055 DV: Number of ticks for question G3c2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 3190 | 87.6 | 87.6 | 87.6 |
| | 1 | 434 | 11.9 | 11.9 | 99.6 |
| | 2 | 16 | .4 | .4 | 100.0 |
| | Total | 3640 | 100.0 | 100.0 | |

pp6056 G3d: Age respondent's live-in wife/partner started smoking

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 8 | 1 | .0 | .3 | .3 |
| | 9 | 1 | .0 | .3 | .7 |
| | 10 | 1 | .0 | .3 | 1.0 |
| | 11 | 10 | .3 | 3.3 | 4.3 |
| | 12 | 7 | .2 | 2.3 | 6.6 |
| | 13 | 9 | .2 | 3.0 | 9.5 |
| | 14 | 43 | 1.2 | 14.1 | 23.7 |
| | 15 | 40 | 1.1 | 13.2 | 36.8 |
| | 16 | 75 | 2.1 | 24.7 | 61.5 |
| | 17 | 32 | .9 | 10.5 | 72.0 |
| | 18 | 45 | 1.2 | 14.8 | 86.8 |
| | 19 | 12 | .3 | 3.9 | 90.8 |
| | 20 | 10 | .3 | 3.3 | 94.1 |
| | 21 | 3 | .1 | 1.0 | 95.1 |
| | 22 | 1 | .0 | .3 | 95.4 |
| | 25 | 4 | .1 | 1.3 | 96.7 |
| | 26 | 1 | .0 | .3 | 97.0 |
| | 27 | 1 | .0 | .3 | 97.4 |
| | 28 | 2 | .1 | .7 | 98.0 |
| | 29 | 1 | .0 | .3 | 98.4 |
| | 32 | 1 | .0 | .3 | 98.7 |
| | 37 | 1 | .0 | .3 | 99.0 |
| | 38 | 1 | .0 | .3 | 99.3 |
| | 40 | 1 | .0 | .3 | 99.7 |
| | 42 | 1 | .0 | .3 | 100.0 |
| | Total | 304 | 8.4 | 100.0 | |
| Missing | -9 Don't know | 149 | 4.1 | | |
| J | -1 No response | 3187 | 87.6 | | |
| | Total | 3336 | 91.6 | | |
| Total | | 3640 | 100.0 | | |

pp6060 G4a: Apart from respondent/partner/wife other members of the household smoke

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 99 | 2.7 | 2.9 | 2.9 |
| | 2 No | 3374 | 92.7 | 97.1 | 100.0 |
| | Total | 3473 | 95.4 | 100.0 | |
| Missing | -1 No response | 167 | 4.6 | | |
| Total | | 3640 | 100.0 | | |

pp6061 G4b: Number of other members of the household who smoke

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 3 | .1 | 3.1 | 3.1 |
| | 1 | 71 | 2.0 | 73.2 | 76.3 |
| | 2 | 21 | .6 | 21.6 | 97.9 |
| | 3 | 1 | .0 | 1.0 | 99.0 |
| | 4 | 1 | .0 | 1.0 | 100.0 |
| | Total | 97 | 2.7 | 100.0 | |
| Missing | -1 No response | 3543 | 97.3 | | |
| Total | | 3640 | 100.0 | | |

pp6070 G5i: Frequency respondent is in an enclosed space with people smoking on weekdays

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 All the time | 50 | 1.4 | 1.5 | 1.5 |
| | 2 > 5 hours | 57 | 1.6 | 1.7 | 3.1 |
| | 3 3-5 hours | 125 | 3.4 | 3.7 | 6.8 |
| | 4 1-2 hours | 239 | 6.6 | 7.0 | 13.8 |
| | 5 < 1 hour | 717 | 19.7 | 21.0 | 34.8 |
| | 6 Not at all | 2223 | 61.1 | 65.2 | 100.0 |
| | Total | 3411 | 93.7 | 100.0 | |
| Missing | -1 No response | 229 | 6.3 | | |
| Total | | 3640 | 100.0 | | |

pp6071 G5ii: Frequency respondent is in an enclosed space with people smoking on weekend days

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 All the time | 41 | 1.1 | 1.2 | 1.2 |
| | 2 > 5 hours | 87 | 2.4 | 2.5 | 3.7 |
| | 3 3-5 hours | 202 | 5.5 | 5.8 | 9.5 |
| | 4 1-2 hours | 360 | 9.9 | 10.3 | 19.8 |
| | 5 < 1 hour | 756 | 20.8 | 21.7 | 41.5 |
| | 6 Not at all | 2039 | 56.0 | 58.5 | 100.0 |
| | Total | 3485 | 95.7 | 100.0 | |
| Missing | -1 No response | 155 | 4.3 | | |
| Total | | 3640 | 100.0 | | |

pp6080 G6a: Frequency respondent has used disinfectant in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 81 | 2.2 | 2.2 | 2.2 |
| | 2 Most days | 215 | 5.9 | 6.0 | 8.2 |
| | 3 About once a week | 710 | 19.5 | 19.7 | 27.9 |
| | 4 < Once a week | 1363 | 37.4 | 37.8 | 65.6 |
| | 5 Not at all | 1240 | 34.1 | 34.4 | 100.0 |
| | Total | 3609 | 99.1 | 100.0 | |
| Missing | -1 No response | 31 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp6081 G6b: Frequency respondent has used bleach in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 43 | 1.2 | 1.2 | 1.2 |
| | 2 Most days | 151 | 4.1 | 4.2 | 5.4 |
| | 3 About once a week | 716 | 19.7 | 19.8 | 25.2 |
| | 4 < Once a week | 1369 | 37.6 | 37.9 | 63.1 |
| | 5 Not at all | 1330 | 36.5 | 36.9 | 100.0 |
| | Total | 3609 | 99.1 | 100.0 | |
| Missing | -1 No response | 31 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp6082 G6c: Frequency respondent has used window cleaner in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 15 | .4 | .4 | .4 |
| | 2 Most days | 25 | .7 | .7 | 1.1 |
| | 3 About once a week | 269 | 7.4 | 7.4 | 8.6 |
| | 4 < Once a week | 1527 | 42.0 | 42.3 | 50.8 |
| | 5 Not at all | 1777 | 48.8 | 49.2 | 100.0 |
| | Total | 3613 | 99.3 | 100.0 | |
| Missing | -1 No response | 27 | .7 | | |
| Total | | 3640 | 100.0 | | |

pp6083 G6d: Frequency respondent has used chemical carpet cleaner in the last few months $\,$

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 5 | .1 | .1 | .1 |
| | 2 Most days | 4 | .1 | .1 | .2 |
| | 3 About once a week | 42 | 1.2 | 1.2 | 1.4 |
| | 4 < Once a week | 718 | 19.7 | 19.9 | 21.3 |
| | 5 Not at all | 2842 | 78.1 | 78.7 | 100.0 |
| | Total | 3611 | 99.2 | 100.0 | |
| Missing | -1 No response | 29 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp6084 G6e: Frequency respondent has used oven/drain cleaner in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 1 | .0 | .0 | .0 |
| | 2 Most days | 10 | .3 | .3 | .3 |
| | 3 About once a week | 62 | 1.7 | 1.7 | 2.0 |
| | 4 < Once a week | 848 | 23.3 | 23.5 | 25.5 |
| | 5 Not at all | 2691 | 73.9 | 74.5 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp6085 G6f: Frequency respondent has used dry cleaning fluid in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 4 | .1 | .1 | .1 |
| | 2 Most days | 6 | .2 | .2 | .3 |
| | 3 About once a week | 20 | .5 | .6 | .8 |
| | 4 < Once a week | 137 | 3.8 | 3.8 | 4.6 |
| | 5 Not at all | 3442 | 94.6 | 95.4 | 100.0 |
| | Total | 3609 | 99.1 | 100.0 | |
| Missing | -1 No response | 31 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp6086 G6g: Frequency respondent has used turpentine/white spirit in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 14 | .4 | .4 | .4 |
| | 2 Most days | 42 | 1.2 | 1.2 | 1.6 |
| | 3 About once a week | 238 | 6.5 | 6.6 | 8.1 |
| | 4 < Once a week | 1901 | 52.2 | 52.6 | 60.8 |
| | 5 Not at all | 1416 | 38.9 | 39.2 | 100.0 |
| | Total | 3611 | 99.2 | 100.0 | |
| Missing | -1 No response | 29 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp6087 G6h: Frequency respondent has used paint stripper in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 3 | .1 | .1 | .1 |
| | 2 Most days | 2 | .1 | .1 | .1 |
| | 3 About once a week | 32 | .9 | .9 | 1.0 |
| | 4 < Once a week | 480 | 13.2 | 13.3 | 14.3 |
| | 5 Not at all | 3093 | 85.0 | 85.7 | 100.0 |
| | Total | 3610 | 99.2 | 100.0 | |
| Missing | -1 No response | 30 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp6088 G6i: Frequency respondent has used household paint/varnish in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 7 | .2 | .2 | .2 |
| | 2 Most days | 35 | 1.0 | 1.0 | 1.2 |
| | 3 About once a week | 219 | 6.0 | 6.1 | 7.2 |
| | 4 < Once a week | 1757 | 48.3 | 48.7 | 55.9 |
| | 5 Not at all | 1593 | 43.8 | 44.1 | 100.0 |
| | Total | 3611 | 99.2 | 100.0 | |
| Missing | -1 No response | 29 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp6089 G6j: Frequency respondent has used weed killers in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 1 | .0 | .0 | .0 |
| | 2 Most days | 2 | .1 | .1 | .1 |
| | 3 About once a week | 39 | 1.1 | 1.1 | 1.2 |
| | 4 < Once a week | 969 | 26.6 | 26.8 | 28.0 |
| | 5 Not at all | 2601 | 71.5 | 72.0 | 100.0 |
| | Total | 3612 | 99.2 | 100.0 | |
| Missing | -1 No response | 28 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp6090 G6k: Frequency respondent has used pesticides/insect killers in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 2 Most days | 5 | .1 | .1 | .1 |
| | 3 About once a week | 60 | 1.6 | 1.7 | 1.8 |
| | 4 < Once a week | 762 | 20.9 | 21.1 | 22.9 |
| | 5 Not at all | 2784 | 76.5 | 77.1 | 100.0 |
| | Total | 3611 | 99.2 | 100.0 | |
| Missing | -1 No response | 29 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp6091 G6I: Frequency respondent has used air fresheners in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 166 | 4.6 | 4.6 | 4.6 |
| | 2 Most days | 459 | 12.6 | 12.7 | 17.3 |
| | 3 About once a week | 553 | 15.2 | 15.3 | 32.6 |
| | 4 < Once a week | 909 | 25.0 | 25.2 | 57.8 |
| | 5 Not at all | 1522 | 41.8 | 42.2 | 100.0 |
| | Total | 3609 | 99.1 | 100.0 | |
| Missing | -1 No response | 31 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp6092 G6m: Frequency respondent has used other aerosols in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 355 | 9.8 | 9.9 | 9.9 |
| | 2 Most days | 361 | 9.9 | 10.1 | 20.0 |
| | 3 About once a week | 258 | 7.1 | 7.2 | 27.2 |
| | 4 < Once a week | 725 | 19.9 | 20.3 | 47.5 |
| | 5 Not at all | 1879 | 51.6 | 52.5 | 100.0 |
| | Total | 3578 | 98.3 | 100.0 | |
| Missing | -1 No response | 62 | 1.7 | | |
| Total | | 3640 | 100.0 | | |

pp6093 G6n: Frequency respondent has used deodorant/antiperspirant in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 2084 | 57.3 | 57.8 | 57.8 |
| | 2 Most days | 926 | 25.4 | 25.7 | 83.5 |
| | 3 About once a week | 140 | 3.8 | 3.9 | 87.4 |
| | 4 < Once a week | 132 | 3.6 | 3.7 | 91.0 |
| | 5 Not at all | 324 | 8.9 | 9.0 | 100.0 |
| | Total | 3606 | 99.1 | 100.0 | |
| Missing | -1 No response | 34 | .9 | | |
| Total | | 3640 | 100.0 | | |

pp6094 G6o: Frequency respondent has used make up in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 10 | .3 | .3 | .3 |
| | 2 Most days | 7 | .2 | .2 | .5 |
| | 3 About once a week | 5 | .1 | .1 | .6 |
| | 4 < Once a week | 21 | .6 | .6 | 1.2 |
| | 5 Not at all | 3549 | 97.5 | 98.8 | 100.0 |
| | Total | 3592 | 98.7 | 100.0 | |
| Missing | -1 No response | 48 | 1.3 | | |
| Total | | 3640 | 100.0 | | |

pp6095 G6p: Frequency respondent has used glue in the last few months

| • • | | | | | |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Every day | 15 | .4 | .4 | .4 |
| | 2 Most days | 66 | 1.8 | 1.8 | 2.2 |
| | 3 About once a week | 285 | 7.8 | 7.9 | 10.2 |
| | 4 < Once a week | 1701 | 46.7 | 47.2 | 57.3 |
| | 5 Not at all | 1538 | 42.3 | 42.7 | 100.0 |
| | Total | 3605 | 99.0 | 100.0 | |
| Missing | -1 No response | 35 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp6096 G6q: Frequency respondent has used nail varnish/acetone in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 4 | .1 | .1 | .1 |
| | 2 Most days | 17 | .5 | .5 | .6 |
| | 3 About once a week | 23 | .6 | .6 | 1.2 |
| | 4 < Once a week | 95 | 2.6 | 2.6 | 3.9 |
| | 5 Not at all | 3461 | 95.1 | 96.1 | 100.0 |
| | Total | 3600 | 98.9 | 100.0 | |
| Missing | -1 No response | 40 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp6097 G6r: Frequency respondent has used metal cleaners/degreasers/polishers in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 39 | 1.1 | 1.1 | 1.1 |
| | 2 Most days | 83 | 2.3 | 2.3 | 3.4 |
| | 3 About once a week | 159 | 4.4 | 4.4 | 7.8 |
| | 4 < Once a week | 705 | 19.4 | 19.6 | 27.4 |
| | 5 Not at all | 2608 | 71.6 | 72.6 | 100.0 |
| | Total | 3594 | 98.7 | 100.0 | |
| Missing | -1 No response | 46 | 1.3 | | |
| Total | | 3640 | 100.0 | | |

pp6098 G6s: Frequency respondent has used petrol in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 144 | 4.0 | 4.0 | 4.0 |
| | 2 Most days | 354 | 9.7 | 9.9 | 13.9 |
| | 3 About once a week | 1472 | 40.4 | 41.1 | 55.1 |
| | 4 < Once a week | 760 | 20.9 | 21.2 | 76.3 |
| | 5 Not at all | 848 | 23.3 | 23.7 | 100.0 |
| | Total | 3578 | 98.3 | 100.0 | |
| Missing | -1 No response | 62 | 1.7 | | |
| Total | | 3640 | 100.0 | | |

pp6099 G6t: Frequency respondent has used moth repellent in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Every day | 2 | .1 | .1 | .1 |
| | 2 Most days | 1 | .0 | .0 | .1 |
| | 3 About once a week | 4 | .1 | .1 | .2 |
| | 4 < Once a week | 46 | 1.3 | 1.3 | 1.5 |
| | 5 Not at all | 3539 | 97.2 | 98.5 | 100.0 |
| | Total | 3592 | 98.7 | 100.0 | |
| Missing | -1 No response | 48 | 1.3 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section G

pp6100 G6u: Frequency respondent has used another chemical in the last few months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Relevant text but no box ticked | 13 | .4 | .4 | .4 |
| | 1 Every day | 78 | 2.1 | 2.4 | 2.8 |
| | 2 Most days | 106 | 2.9 | 3.2 | 6.0 |
| | 3 About once a week | 80 | 2.2 | 2.4 | 8.4 |
| | 4 < Once a week | 71 | 2.0 | 2.2 | 10.6 |
| | 5 Not at all | 2931 | 80.5 | 89.4 | 100.0 |
| | Total | 3279 | 90.1 | 100.0 | |
| Missing | -1 No response | 361 | 9.9 | | |
| Total | | 3640 | 100.0 | | |

pp6110 G7a: Respondent has a mobile phone

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 3246 | 89.2 | 89.9 | 89.9 |
| | 2 No | 365 | 10.0 | 10.1 | 100.0 |
| | Total | 3611 | 99.2 | 100.0 | |
| Missing | -1 No response | 29 | .8 | | |
| Total | | 3640 | 100.0 | | |

pp6111 G7b: Frequency respondent makes calls on mobile phone

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 At least once a day | 1726 | 47.4 | 53.3 | 53.3 |
| | 2 4-6 times a week | 460 | 12.6 | 14.2 | 67.5 |
| | 3 1-3 times a week | 553 | 15.2 | 17.1 | 84.6 |
| | 4 < Once a week | 500 | 13.7 | 15.4 | 100.0 |
| | Total | 3239 | 89.0 | 100.0 | |
| Missing | -1 No response | 401 | 11.0 | | |
| Total | | 3640 | 100.0 | | |

pp6112 G7c: Frequency people call respondent on mobile phone

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 At least once a day | 1636 | 44.9 | 50.6 | 50.6 |
| | 2 4-6 times a week | 440 | 12.1 | 13.6 | 64.2 |
| | 3 1-3 times a week | 556 | 15.3 | 17.2 | 81.4 |
| | 4 < Once a week | 602 | 16.5 | 18.6 | 100.0 |
| | Total | 3234 | 88.8 | 100.0 | |
| Missing | -1 No response | 406 | 11.2 | | |
| Total | | 3640 | 100.0 | | |

pp6120 G8a: Type of transport respondent uses most frequently

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Car | 3332 | 91.5 | 92.5 | 92.5 |
| | 2 Public transport | 92 | 2.5 | 2.6 | 95.1 |
| | 3 Neither | 163 | 4.5 | 4.5 | 99.6 |
| | 4 Car and public transport equally | 14 | .4 | .4 | 100.0 |
| | Total | 3601 | 98.9 | 100.0 | |
| Missing | -1 No response | 39 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp6121 G8b1: Average number of journeys respondent makes by bicycle each week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 1369 | 37.6 | 66.1 | 66.1 |
| | 1 | 330 | 9.1 | 15.9 | 82.1 |
| | 2 | 167 | 4.6 | 8.1 | 90.1 |
| | 3 | 56 | 1.5 | 2.7 | 92.9 |
| | 4 | 45 | 1.2 | 2.2 | 95.0 |
| | 5 | 25 | .7 | 1.2 | 96.2 |
| | 6 | 13 | .4 | .6 | 96.9 |
| | 7 | 10 | .3 | .5 | 97.3 |
| | 8 | 6 | .2 | .3 | 97.6 |
| | 10 | 35 | 1.0 | 1.7 | 99.3 |
| | 12 | 7 | .2 | .3 | 99.7 |
| | 14 | 1 | .0 | .0 | 99.7 |
| | 15 | 2 | .1 | .1 | 99.8 |
| | 18 | 1 | .0 | .0 | 99.9 |
| | 20 | 2 | .1 | .1 | 100.0 |
| | 24 | 1 | .0 | .0 | 100.0 |
| | Total | 2070 | 56.9 | 100.0 | |
| Missing | -1 No response | 1570 | 43.1 | | |
| Total | | 3640 | 100.0 | | |

pp6122 G8b1: Average distance of journeys respondent makes by bicycle: Miles

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 < 1/2 mile | 217 | 6.0 | 22.1 | 22.1 |
| | 2 1/2 - 1 1/2 miles | 226 | 6.2 | 23.0 | 45.2 |
| | 3 1 1/2 - 2 1/2 miles | 134 | 3.7 | 13.7 | 58.8 |
| | 4 2 1/2 - 3 1/2 miles | 100 | 2.7 | 10.2 | 69.0 |
| | 5 3 1/2 - 5 1/2 miles | 103 | 2.8 | 10.5 | 79.5 |
| | 6 > 5 1/2 miles | 201 | 5.5 | 20.5 | 100.0 |
| | Total | 981 | 27.0 | 100.0 | |
| Missing | -1 No response | 2659 | 73.0 | | |
| Total | | 3640 | 100.0 | | |

pp6123 G8b2: Average number of journeys respondent makes by walking each week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 401 | 11.0 | 14.7 | 14.7 |
| | 1 | 288 | 7.9 | 10.6 | 25.3 |
| | 2 | 457 | 12.6 | 16.8 | 42.0 |
| | 3 | 285 | 7.8 | 10.5 | 52.5 |
| | 4 | 251 | 6.9 | 9.2 | 61.7 |
| | 5 | 316 | 8.7 | 11.6 | 73.3 |
| | 6 | 126 | 3.5 | 4.6 | 77.9 |
| | 7 | 178 | 4.9 | 6.5 | 84.4 |
| | 8 | 38 | 1.0 | 1.4 | 85.8 |
| | 9 | 11 | .3 | .4 | 86.2 |
| | 10 | 220 | 6.0 | 8.1 | 94.3 |
| | 11 | 4 | .1 | .1 | 94.4 |
| | 12 | 24 | .7 | .9 | 95.3 |
| | 13 | 2 | .1 | .1 | 95.4 |
| | 14 | 36 | 1.0 | 1.3 | 96.7 |
| | 15 | 17 | .5 | .6 | 97.3 |
| | 16 | 2 | .1 | .1 | 97.4 |
| | 18 | 1 | .0 | .0 | 97.4 |
| | 20 | 54 | 1.5 | 2.0 | 99.4 |
| | 21 | 3 | .1 | .1 | 99.5 |
| | 25 | 3 | .1 | .1 | 99.6 |
| | 28 | 2 | .1 | .1 | 99.7 |
| | 30 | 5 | .1 | .2 | 99.9 |
| | 50 | 2 | .1 | .1 | 100.0 |
| | 98 lots | 1 | .0 | .0 | 100.0 |
| | Total | 2727 | 74.9 | 100.0 | |
| Missing | -1 No response | 913 | 25.1 | | |
| Total | | 3640 | 100.0 | | |

pp6124 G8b2: Average distance of journeys respondent makes by walking: Miles

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 < 1/2 mile | 956 | 26.3 | 35.9 | 35.9 |
| | 2 1/2 - 1 1/2 miles | 1069 | 29.4 | 40.1 | 76.0 |
| | 3 1 1/2 - 2 1/2 miles | 342 | 9.4 | 12.8 | 88.8 |
| | 4 2 1/2 - 3 1/2 miles | 152 | 4.2 | 5.7 | 94.5 |
| | 5 3 1/2 - 5 1/2 miles | 75 | 2.1 | 2.8 | 97.3 |
| | 6 > 5 1/2 miles | 72 | 2.0 | 2.7 | 100.0 |
| | Total | 2666 | 73.2 | 100.0 | |
| Missing | -1 No response | 974 | 26.8 | | |
| Total | | 3640 | 100.0 | | |

pp6130 G9a: Average hours of TV/video watched on a weekday before 6pm per day over the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 1930 | 53.0 | 54.9 | 54.9 |
| | 2 < 1 hour | 1208 | 33.2 | 34.4 | 89.3 |
| | 3 Between 1 and 2 hours | 258 | 7.1 | 7.3 | 96.6 |
| | 4 Between 2 and 3 hours | 63 | 1.7 | 1.8 | 98.4 |
| | 5 Between 3 and 4 hours | 29 | .8 | .8 | 99.3 |
| | 6 > 4 hours | 26 | .7 | .7 | 100.0 |
| | Total | 3514 | 96.5 | 100.0 | |
| Missing | -1 No response | 126 | 3.5 | | |
| Total | | 3640 | 100.0 | | |

pp6131 G9b: Average hours of TV/video watched on a weekday after 6pm per day over the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 54 | 1.5 | 1.5 | 1.5 |
| | 2 < 1 hour | 457 | 12.6 | 12.9 | 14.4 |
| | 3 Between 1 and 2 hours | 1238 | 34.0 | 35.0 | 49.4 |
| | 4 Between 2 and 3 hours | 1105 | 30.4 | 31.2 | 80.6 |
| | 5 Between 3 and 4 hours | 528 | 14.5 | 14.9 | 95.5 |
| | 6 > 4 hours | 160 | 4.4 | 4.5 | 100.0 |
| | Total | 3542 | 97.3 | 100.0 | |
| Missing | -1 No response | 98 | 2.7 | | |
| Total | | 3640 | 100.0 | | |

pp6132 G9c: Average hours of TV/video watched on a weekend before 6pm per day over the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 845 | 23.2 | 24.0 | 24.0 |
| | 2 < 1 hour | 1348 | 37.0 | 38.2 | 62.2 |
| | 3 Between 1 and 2 hours | 862 | 23.7 | 24.4 | 86.6 |
| | 4 Between 2 and 3 hours | 316 | 8.7 | 9.0 | 95.6 |
| | 5 Between 3 and 4 hours | 88 | 2.4 | 2.5 | 98.1 |
| | 6 > 4 hours | 68 | 1.9 | 1.9 | 100.0 |
| | Total | 3527 | 96.9 | 100.0 | |
| Missing | -1 No response | 113 | 3.1 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section G

pp6133 G9d: Average hours of TV/video watched on a weekend after 6pm per day over the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 32 | .9 | .9 | .9 |
| | 2 < 1 hour | 215 | 5.9 | 6.1 | 7.0 |
| | 3 Between 1 and 2 hours | 911 | 25.0 | 25.7 | 32.7 |
| | 4 Between 2 and 3 hours | 1289 | 35.4 | 36.4 | 69.0 |
| | 5 Between 3 and 4 hours | 768 | 21.1 | 21.7 | 90.7 |
| | 6 > 4 hours | 329 | 9.0 | 9.3 | 100.0 |
| | Total | 3544 | 97.4 | 100.0 | |
| Missing | -1 No response | 96 | 2.6 | | |
| Total | | 3640 | 100.0 | | |

pp6140 G10a: Frequency respondent climbs a flight of stairs on average over the past year each weekday

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 89 | 2.4 | 2.5 | 2.5 |
| | 2 1-5 times | 1228 | 33.7 | 34.5 | 37.0 |
| | 3 6-10 times | 1443 | 39.6 | 40.6 | 77.6 |
| | 4 11-15 times | 465 | 12.8 | 13.1 | 90.7 |
| | 5 16-20 times | 169 | 4.6 | 4.8 | 95.4 |
| | 6 > 20 times | 162 | 4.5 | 4.6 | 100.0 |
| | Total | 3556 | 97.7 | 100.0 | |
| Missing | -1 No response | 84 | 2.3 | | |
| Total | | 3640 | 100.0 | | |

pp6141 G10b: Frequency respondent climbs a flight of stairs on average over the past year each weekend day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 89 | 2.4 | 2.5 | 2.5 |
| | 2 1-5 times | 560 | 15.4 | 15.9 | 18.5 |
| | 3 6-10 times | 1260 | 34.6 | 35.9 | 54.3 |
| | 4 11-15 times | 961 | 26.4 | 27.4 | 81.7 |
| | 5 16-20 times | 385 | 10.6 | 11.0 | 92.7 |
| | 6 > 20 times | 258 | 7.1 | 7.3 | 100.0 |
| | Total | 3513 | 96.5 | 100.0 | |
| Missing | -1 No response | 127 | 3.5 | | |
| Total | | 3640 | 100.0 | | |

pp6150 G11a: Hours respondent spends each week preparing food/cooking/washing up on average over the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 184 | 5.1 | 5.2 | 5.2 |
| | 2 < 1 hour | 643 | 17.7 | 18.0 | 23.2 |
| | 3 Between 1 and 3 hours | 1223 | 33.6 | 34.3 | 57.5 |
| | 4 Between 3 and 6 hours | 866 | 23.8 | 24.3 | 81.8 |
| | 5 Between 6 and 10 hours | 458 | 12.6 | 12.9 | 94.7 |
| | 6 Between 10 and 15 hours | 128 | 3.5 | 3.6 | 98.3 |
| | 7 > 15 hours | 62 | 1.7 | 1.7 | 100.0 |
| | Total | 3564 | 97.9 | 100.0 | |
| Missing | -1 No response | 76 | 2.1 | | |
| Total | | 3640 | 100.0 | | |

pp6151 G11b: Hours respondent spends each week shopping for food and groceries on average over the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 388 | 10.7 | 10.9 | 10.9 |
| | 2 < 1 hour | 1207 | 33.2 | 33.9 | 44.8 |
| | 3 Between 1 and 3 hours | 1624 | 44.6 | 45.6 | 90.3 |
| | 4 Between 3 and 6 hours | 281 | 7.7 | 7.9 | 98.2 |
| | 5 Between 6 and 10 hours | 45 | 1.2 | 1.3 | 99.5 |
| | 6 Between 10 and 15 hours | 10 | .3 | .3 | 99.8 |
| | 7 > 15 hours | 8 | .2 | .2 | 100.0 |
| | Total | 3563 | 97.9 | 100.0 | |
| Missing | -1 No response | 77 | 2.1 | | |
| Total | | 3640 | 100.0 | | |

pp6152 G11c: Hours respondent spends each week shopping/browsing for other items on average over the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 411 | 11.3 | 11.5 | 11.5 |
| | 2 < 1 hour | 2011 | 55.2 | 56.4 | 68.0 |
| | 3 Between 1 and 3 hours | 973 | 26.7 | 27.3 | 95.3 |
| | 4 Between 3 and 6 hours | 139 | 3.8 | 3.9 | 99.2 |
| | 5 Between 6 and 10 hours | 18 | .5 | .5 | 99.7 |
| | 6 Between 10 and 15 hours | 4 | .1 | .1 | 99.8 |
| | 7 > 15 hours | 8 | .2 | .2 | 100.0 |
| | Total | 3564 | 97.9 | 100.0 | |
| Missing | -1 No response | 76 | 2.1 | | |
| Total | | 3640 | 100.0 | | |

pp6153 G11d: Hours respondent spends each week cleaning the house on average over the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 405 | 11.1 | 11.4 | 11.4 |
| | 2 < 1 hour | 1431 | 39.3 | 40.2 | 51.6 |
| | 3 Between 1 and 3 hours | 1373 | 37.7 | 38.6 | 90.1 |
| | 4 Between 3 and 6 hours | 260 | 7.1 | 7.3 | 97.4 |
| | 5 Between 6 and 10 hours | 59 | 1.6 | 1.7 | 99.1 |
| | 6 Between 10 and 15 hours | 17 | .5 | .5 | 99.6 |
| | 7 > 15 hours | 15 | .4 | .4 | 100.0 |
| | Total | 3560 | 97.8 | 100.0 | |
| Missing | -1 No response | 80 | 2.2 | | |
| Total | | 3640 | 100.0 | | |

pp6154 G11e: Hours respondent spends each week doing the washing/ironing on average over the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 1257 | 34.5 | 35.3 | 35.3 |
| | 2 < 1 hour | 1246 | 34.2 | 35.0 | 70.3 |
| | 3 Between 1 and 3 hours | 862 | 23.7 | 24.2 | 94.5 |
| | 4 Between 3 and 6 hours | 160 | 4.4 | 4.5 | 99.0 |
| | 5 Between 6 and 10 hours | 22 | .6 | .6 | 99.6 |
| | 6 Between 10 and 15 hours | 7 | .2 | .2 | 99.8 |
| | 7 > 15 hours | 7 | .2 | .2 | 100.0 |
| | Total | 3561 | 97.8 | 100.0 | |
| Missing | -1 No response | 79 | 2.2 | | |
| Total | | 3640 | 100.0 | | |

pp6155 G11f: Hours respondent spends each week caring for pre-school children/babies on average over the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 3060 | 84.1 | 86.1 | 86.1 |
| | 2 < 1 hour | 123 | 3.4 | 3.5 | 89.6 |
| | 3 Between 1 and 3 hours | 114 | 3.1 | 3.2 | 92.8 |
| | 4 Between 3 and 6 hours | 108 | 3.0 | 3.0 | 95.9 |
| | 5 Between 6 and 10 hours | 50 | 1.4 | 1.4 | 97.3 |
| | 6 Between 10 and 15 hours | 27 | .7 | .8 | 98.0 |
| | 7 > 15 hours | 70 | 1.9 | 2.0 | 100.0 |
| | Total | 3552 | 97.6 | 100.0 | |
| Missing | -1 No response | 88 | 2.4 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section G

pp6156 G11g: Hours respondent spends each week caring for elderly/handicapped/disabled people at home on average over the past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 None | 3412 | 93.7 | 96.1 | 96.1 |
| | 2 < 1 hour | 36 | 1.0 | 1.0 | 97.1 |
| | 3 Between 1 and 3 hours | 37 | 1.0 | 1.0 | 98.1 |
| | 4 Between 3 and 6 hours | 16 | .4 | .5 | 98.6 |
| | 5 Between 6 and 10 hours | 13 | .4 | .4 | 98.9 |
| | 6 Between 10 and 15 hours | 3 | .1 | .1 | 99.0 |
| | 7 > 15 hours | 35 | 1.0 | 1.0 | 100.0 |
| | Total | 3552 | 97.6 | 100.0 | |
| Missing | -1 No response | 88 | 2.4 | | |
| Total | | 3640 | 100.0 | | |

PAGE 41 OF THE QUESTIONNAIRE

SECTION H: ACTIVITY AT WORK

| H1. Have you had any jobs or | , <u> </u> | | |
|---|-----------------------------------|--|----------------------|
| Yes ₁ | No ${2}$ | If <u>no</u> , go to section I o | n page 46 |
| H2. What jobs have you held in the year did you do then another, or whether you w | n? Answer for <u>all</u> jobs | s, whether you stopped | • |
| J | (i) (ob 1 | (ii) Job 2 | (iii) Job 3 |
| a) Name of occupation | | | |
| | •••••• | | |
| b) How many hours per week did you usually work? | hours | hours | hours |
| c) For how many months in the past year did you do this work? | months | months | months |
| [Editing: Eight values >12 in H2c(ii) and one in H2c(iii).] | H2c(i) were recode | ed to −1, as were tw | vo similar values in |
| ••••• | • • • • • • • • • • • • • • • • | ••••• | •••••• |
| We need to ask i | in more detail ne various sitt | ow about physica uations. | al activity in |
| Thank you so muc children and the | U 2 | rt in this importai do appreciate ali | |
| • | • • • • • • • • • • • • • | • • • • • • • • • • • • • • • | |


PAGE 42 OF THE QUESTIONNAIRE

H3. Activity during each job:


In the following questions, tick either Yes or No for each activity and write the number of hours **per week** that you spent doing each one:

| nosto por | (i) (ii) (iii) Job 3 | | | • | | | | | | |
|--|----------------------|------|-------|----|-----|-----|-----|----|-----|---|
| | No | Yes | hours | No | Yes | hou | rs. | No | Yes | hours |
| a) Sitting – light work e.g. desk work, or driving a car or truck | 1 | 2 | > | 1 | 2 | > | | 1 | 2 | > |
| b) Sitting – modera work e.g. driving a mower or forklift tr | 1 | 2 | • | 1 | 2 | > | | 1 | 2 | > |
| c) Standing – light work e.g. lab technician or working at a shop counter | 1 | 2 | | 1 | 2 | > | | 1 | 2 | → |
| d) Standing – light/ moderate work e.g. light welding or stocking shelves | 1 | 2 | > | 1 | 2 | > | | 1 | 2 | $ \geqslant $ |
| e) Standing— moderate work e.g. fast rate assembly line work less than 50 lbs eve for a few seconds a | ry 5 mii | | | 1 | 2 | > | | 1 | 2 | |
| f) Standing- moderate/heavy work e.g. masonry/ lifting more than 50 every 5 minutes for seconds at a time | lbs (| g or | > | 1 | 2 | > | | 1 | 2 | > |
| g) Walking at work carrying nothing heavier than a brief e.g. moving about a | case | 2 | > | 1 | 2 | > | | 1 | 2 | -> |

PAGE 43 OF THE QUESTIONNAIRE




- H4. How many times **per day on average** have you done the following **at work** over the **past year**:
 - a) Climbed up a flight of stairs (10 steps):



b) Climbed up a ladder:

| (i) | (ii) | (iii) | | |
|-------|-------|-------|--|--|
| Job 1 | Job 2 | Job 3 | | |
| times | times | times | | |

H5. In an average working day, did you:



PAGE 44 OF THE QUESTIONNAIRE

| H6. | Thin | king about Job 1 : | | | | | | | | |
|-----|------|----------------------------------|--|------------------|----------------|-----------------|--|--|--|--|
| | a) | | | | | | | | | |
| | b) | | | | | | | | | |
| | c) | How do/did you nor | How do/did you normally travel to Job 1? | | | | | | | |
| | | | Always | Usually | Occasionally | Never or rarely | | | | |
| | | i) By car | 1 | 2 | 3 | 4 | | | | |
| | | ii) By works or public transport | 1 | 2 | 3 | 4 | | | | |
| | | iii) By bicycle | 1 | 2 | 3 | 4 | | | | |
| | | iv) Walking | 1 | 2 | 3 | 4 | | | | |
| H7. | Thin | king about Job 2 (if app | propriate): | | | | | | | |
| | a) | Roughly how many | miles is/was i | t from home to | Job 2? | miles | | | | |
| | b) | How many times a w | veek do/did yo | ou travel from l | nome to Job 2? | times | | | | |
| | c) | How do/did you nor | mally travel to | o Job 2? | | | | | | |
| | | | Always | Usually | Occasionally | Never or rarely | | | | |
| | | i) By car | 1 | 2 | 3 | 4 | | | | |
| | | ii) By works or publ | ic 1 | 2 | 3 | 4 | | | | |
| | | iii) By bicycle | 1 | 2 | 3 | 4 | | | | |
| | | iv) Walking | 1 | 2 | 2 | 4 | | | | |

PP File – Section H

PAGE 45 OF THE QUESTIONNAIRE


| H8. | Think | ting about Job 3 (if appr | opriate): | | | | | | |
|-----|-------|--|-------------------|-----------------|--------------|----------|--|--|--|
| | a) | Roughly how many miles is/was it from home to Job 3? miles | | | | | | | |
| | b) | How many times a we | ek do/did you | travel from hon | ne to Job 3? | times | | | |
| | c) | How do/did you norm | ally travel to Jo | ob 3? | | | | | |
| | | | Always | Usually | Occasionally | Never or | | | |
| | | i) By car | 1 | 2 | 3 | rarely 4 | | | |
| | | ii) By works or public transport | 2 1 | 2 | 3 | 4 | | | |
| | | iii) By bicycle | 1 | 2 | 3 | 4 | | | |
| | | iv) Walking | 1 | 2 | 3 | 4 | | | |

PP File - Section H

pp7000 H1: Respondent has had a job/regular voluntary work in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 2987 | 82.1 | 83.0 | 83.0 |
| | 2 No | 612 | 16.8 | 17.0 | 100.0 |
| | Total | 3599 | 98.9 | 100.0 | |
| Missing | -1 No response | 41 | 1.1 | | |
| Total | | 3640 | 100.0 | | |

pp7011 H2b1: Hours worked per week in job 1 in past year



plus the following missing values, special codes and outliers >70:


pp7011 H2b1: Hours worked per week in job 1 in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 72 | 2 | .3 | 5.7 | 5.7 |
| | 75 | 4 | .5 | 11.4 | 17.1 |
| | 76 | 2 | .3 | 5.7 | 22.9 |
| | 77 | 1 | .1 | 2.9 | 25.7 |
| | 78 | 3 | .4 | 8.6 | 34.3 |
| | 80 | 9 | 1.2 | 25.7 | 60.0 |
| | 84 | 3 | .4 | 8.6 | 68.6 |
| | 85 | 1 | .1 | 2.9 | 71.4 |
| | 90 | 7 | 1.0 | 20.0 | 91.4 |
| | 94 | 1 | .1 | 2.9 | 94.3 |
| | 97 Varies | 1 | .1 | 2.9 | 97.1 |
| | 98 > 100 Hours | 1 | .1 | 2.9 | 100.0 |
| | Total | 35 | 4.8 | 100.0 | |
| Missing | -1 No response | 696 | 95.2 | | |
| Total | | 731 | 100.0 | | |

pp7012 H2c1: Number of months worked in the past year at in job 1 in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 11 | .3 | .4 | .4 |
| | 2 | 12 | .3 | .4 | .8 |
| | 3 | 25 | .7 | .9 | 1.6 |
| | 4 | 25 | .7 | .9 | 2.5 |
| | 5 | 24 | .7 | .8 | 3.3 |
| | 6 | 57 | 1.6 | 2.0 | 5.3 |
| | 7 | 22 | .6 | .8 | 6.0 |
| | 8 | 36 | 1.0 | 1.2 | 7.3 |
| | 9 | 55 | 1.5 | 1.9 | 9.2 |
| | 10 | 78 | 2.1 | 2.7 | 11.9 |
| | 11 | 141 | 3.9 | 4.8 | 16.7 |
| | 12 | 2424 | 66.6 | 83.3 | 100.0 |
| | Total | 2910 | 79.9 | 100.0 | |
| Missing | -1 No response | 730 | 20.1 | | |
| Total | | 3640 | 100.0 | | |

pp7021 H2b2: Hours worked per week in job 2 in past year



plus the following missing values, special codes and outliers >70:

pp7021 H2b2: Hours worked per week in job 2 in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 75 | 1 | .0 | 25.0 | 25.0 |
| | 78 | 1 | .0 | 25.0 | 50.0 |
| | 80 | 1 | .0 | 25.0 | 75.0 |
| | 98 > 100 Hours | 1 | .0 | 25.0 | 100.0 |
| | Total | 4 | .1 | 100.0 | |
| Missing | -1 No response | 3194 | 99.9 | | |
| Total | | 3198 | 100.0 | | |

PP File - Section H

pp7022 H2c2: Number of months worked in the past year at in job 2 in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 23 | .6 | 5.2 | 5.2 |
| | 2 | 26 | .7 | 5.8 | 11.0 |
| | 3 | 33 | .9 | 7.4 | 18.4 |
| | 4 | 20 | .5 | 4.5 | 22.9 |
| | 5 | 14 | .4 | 3.1 | 26.1 |
| | 6 | 38 | 1.0 | 8.5 | 34.6 |
| | 7 | 12 | .3 | 2.7 | 37.3 |
| | 8 | 33 | .9 | 7.4 | 44.7 |
| | 9 | 14 | .4 | 3.1 | 47.9 |
| | 10 | 21 | .6 | 4.7 | 52.6 |
| | 11 | 10 | .3 | 2.2 | 54.8 |
| | 12 | 201 | 5.5 | 45.2 | 100.0 |
| | Total | 445 | 12.2 | 100.0 | |
| Missing | -1 No response | 3195 | 87.8 | | |
| Total | | 3640 | 100.0 | | |

pp7031 H2b3: Hours worked per week in job 3 in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 10 | .3 | 12.5 | 12.5 |
| | 2 | 9 | .2 | 11.3 | 23.8 |
| | 3 | 6 | .2 | 7.5 | 31.3 |
| | 4 | 6 | .2 | 7.5 | 38.8 |
| | 5 | 3 | .1 | 3.8 | 42.5 |
| | 6 | 2 | .1 | 2.5 | 45.0 |
| | 7 | 1 | .0 | 1.3 | 46.3 |
| | 8 | 3 | .1 | 3.8 | 50.0 |
| | 9 | 1 | .0 | 1.3 | 51.3 |
| | 10 | 4 | .1 | 5.0 | 56.3 |
| | 12 | 4 | .1 | 5.0 | 61.3 |
| | 15 | 2 | .1 | 2.5 | 63.8 |
| | 16 | 1 | .0 | 1.3 | 65.0 |
| | 20 | 2 | .1 | 2.5 | 67.5 |
| | 25 | 2 | .1 | 2.5 | 70.0 |
| | 35 | 1 | .0 | 1.3 | 71.3 |
| | 37 | 2 | .1 | 2.5 | 73.8 |
| | 38 | 3 | .1 | 3.8 | 77.5 |
| | 39 | 1 | .0 | 1.3 | 78.8 |
| | 40 | 7 | .2 | 8.8 | 87.5 |
| | 45 | 1 | .0 | 1.3 | 88.8 |
| | 50 | 6 | .2 | 7.5 | 96.3 |
| | 55 | 1 | .0 | 1.3 | 97.5 |
| | 60 | 2 | .1 | 2.5 | 100.0 |
| | Total | 80 | 2.2 | 100.0 | |
| Missing | -1 No response | 3560 | 97.8 | | |
| Total | | 3640 | 100.0 | | |


pp7032 H2c3: Number of months worked in the past year at in job 3 in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 9 | .2 | 11.1 | 11.1 |
| | 2 | 7 | .2 | 8.6 | 19.8 |
| | 3 | 4 | .1 | 4.9 | 24.7 |
| | 4 | 6 | .2 | 7.4 | 32.1 |
| | 5 | 2 | .1 | 2.5 | 34.6 |
| | 6 | 6 | .2 | 7.4 | 42.0 |
| | 7 | 2 | .1 | 2.5 | 44.4 |
| | 9 | 3 | .1 | 3.7 | 48.1 |
| | 10 | 4 | .1 | 4.9 | 53.1 |
| | 11 | 3 | .1 | 3.7 | 56.8 |
| | 12 | 35 | 1.0 | 43.2 | 100.0 |
| | Total | 81 | 2.2 | 100.0 | |
| Missing | -1 No response | 3559 | 97.8 | | |
| Total | | 3640 | 100.0 | | |

pp7040 H3a1: Respondent's job involves sitting/light work in job 1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 310 | 8.5 | 10.5 | 10.5 |
| | 2 Yes | 2644 | 72.6 | 89.5 | 100.0 |
| | Total | 2954 | 81.2 | 100.0 | |
| Missing | -1 No response | 686 | 18.8 | | |
| Total | | 3640 | 100.0 | | |

pp7042 H3a1: Hours spent sitting/light work in job 1 per week



plus the following missing values, special codes and outliers >70:

pp7042 H3a1: Hours spent sitting/light work in job 1 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 80 | 3 | .3 | 60.0 | 60.0 |
| | 85 | 1 | .1 | 20.0 | 80.0 |
| | 98 Lots | 1 | .1 | 20.0 | 100.0 |
| | Total | 5 | .5 | 100.0 | |
| Missing | -1 No response | 1034 | 99.5 | | |
| Total | | 1039 | 100.0 | | |

pp7050 H3b1: Respondent's job involves sitting/moderate work in job 1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 2272 | 62.4 | 87.9 | 87.9 |
| | 2 Yes | 312 | 8.6 | 12.1 | 100.0 |
| | Total | 2584 | 71.0 | 100.0 | |
| Missing | -1 No response | 1056 | 29.0 | | |
| Total | | 3640 | 100.0 | | |


pp7052 H3b1: Hours spent sitting/moderate work in job 1 per week

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|------------------|-----------------------|
| Valid 1 | 40 | 1.1 | 13.5 | 13.5 |
| 2 | 50 | 1.4 | 16.8 | 30.3 |
| 3 | 16 | .4 | 5.4 | 35.7 |
| 4 | 19 | .5 | 6.4 | 42.1 |
| 5 | 38 | 1.0 | 12.8 | 54.9 |
| 6 | 9 | .2 | 3.0 | 57.9 |
| 7 | 3 | .1 | 1.0 | 58.9 |
| 8 | 10 | .3 | 3.4 | 62.3 |
| 9 | 3 | .1 | 1.0 | 63.3 |
| 10 | 35 | 1.0 | 11.8 | 75.1 |
| 12 | 5 | .1 | 1.7 | 76.8 |
| 14 | 1 | .0 | .3 | 77.1 |
| 15 | 12 | .3 | 4.0 | 81.1 |
| 16 | 1 | .0 | .3 | 81.5 |
| 18 | 1 | .0 | .3 | 81.8 |
| 20 | 23 | .6 | 7.7 | 89.6 |
| 21 | 1 | .0 | .3 | 89.9 |
| 24 | 2 | .1 | .7 | 90.6 |
| 25 | 3 | .1 | 1.0 | 91.6 |
| 28 | 2 | .1 | .7 | 92.3 |
| 29 | 1 | .0 | .3 | 92.6 |
| 30 | 5 | .1 | 1.7 | 94.3 |
| 32 | 1 | .0 | .3 | 94.6 |
| 35 | 3 | .1 | 1.0 | 95.6 |
| 36 | 1 | .0 | .3 | 96.0 |
| 37 | 2 | .1 | .7 | 96.6 |
| 39 | 1 | .0 | .3 | 97.0 |
| 40 | 3 | .1 | 1.0 | 98.0 |
| 45 | 1 | .0 | .3 | 98.3 |
| 50 | 1 | .0 | .3 | 98.7 |
| 56 | 1 | .0 | .3 | 99.0 |
| 60 | 1 | .0 | .3 | 99.3 |
| 70 | 1 | .0 | .3 | 99.7 |
| 80 | 1 | .0 | .3 | 100.0 |
| Total | 297 | 8.2 | 100.0 | |
| Missing -1 No response | 3343 | 91.8 | | |
| Total | 3640 | 100.0 | | |

pp7060 H3c1: Respondent's job involves standing/light work in job 1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 1908 | 52.4 | 73.1 | 73.1 |
| | 2 Yes | 703 | 19.3 | 26.9 | 100.0 |
| | Total | 2611 | 71.7 | 100.0 | |
| Missing | -1 No response | 1029 | 28.3 | | |
| Total | | 3640 | 100.0 | | |

pp7062 H3c1: Hours spent standing/light work in job 1 per week



plus the following missing values and outliers >50:

pp7062 H3c1: Hours spent standing/light work in job 1 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 60 | 2 | .1 | 100.0 | 100.0 |
| Missing | -1 No response | 2957 | 99.9 | | |
| Total | | 2959 | 100.0 | | |

pp7070 H3d1: Respondent's job involves standing/light to moderate work in job 1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 2157 | 59.3 | 84.6 | 84.6 |
| | 2 Yes | 392 | 10.8 | 15.4 | 100.0 |
| | Total | 2549 | 70.0 | 100.0 | |
| Missing | -1 No response | 1091 | 30.0 | | |
| Total | | 3640 | 100.0 | | |

pp7072 H3d1: Hours spent standing/light to moderate work in job 1 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 38 | 1.0 | 10.4 | 10.4 |
| | 2 | 38 | 1.0 | 10.4 | 20.7 |
| | 3 | 22 | .6 | 6.0 | 26.7 |
| | 4 | 30 | .8 | 8.2 | 34.9 |
| | 5 | 48 | 1.3 | 13.1 | 48.0 |
| | 6 | 9 | .2 | 2.5 | 50.4 |
| | 7 | 5 | .1 | 1.4 | 51.8 |
| | 8 | 13 | .4 | 3.5 | 55.3 |
| | 9 | 6 | .2 | 1.6 | 56.9 |
| | 10 | 67 | 1.8 | 18.3 | 75.2 |
| | 12 | 4 | .1 | 1.1 | 76.3 |
| | 14 | 3 | .1 | .8 | 77.1 |
| | 15 | 8 | .2 | 2.2 | 79.3 |
| | 16 | 4 | .1 | 1.1 | 80.4 |
| | 17 | 3 | .1 | .8 | 81.2 |
| | 18 | 5 | .1 | 1.4 | 82.6 |
| | 19 | 2 | .1 | .5 | 83.1 |
| | 20 | 22 | .6 | 6.0 | 89.1 |
| | 21 | 1 | .0 | .3 | 89.4 |
| | 22 | 1 | .0 | .3 | 89.6 |
| | 24 | 1 | .0 | .3 | 89.9 |
| | 25 | 4 | .1 | 1.1 | 91.0 |
| | 28 | 3 | .1 | .8 | 91.8 |
| | 30 | 11 | .3 | 3.0 | 94.8 |
| | 35 | 4 | .1 | 1.1 | 95.9 |
| | 36 | 3 | .1 | .8 | 96.7 |
| | 37 | 1 | .0 | .3 | 97.0 |
| | 38 | 2 | .1 | .5 | 97.5 |
| | 39 | 2 | .1 | .5 | 98.1 |
| | 40 | 2 | .1 | .5 | 98.6 |
| | 47 | 1 | .0 | .3 | 98.9 |
| | 50 | 2 | .1 | .5 | 99.5 |
| | 52 | 1 | .0 | .3 | 99.7 |
| | 55 | 1 | .0 | .3 | 100.0 |
| | Total | 367 | 10.1 | 100.0 | |
| Missing | -1 No response | 3273 | 89.9 | | |
| Total | | 3640 | 100.0 | | |

pp7080 H3e1: Respondent's job involves standing/moderate work in job 1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 2194 | 60.3 | 86.9 | 86.9 |
| | 2 Yes | 331 | 9.1 | 13.1 | 100.0 |
| | Total | 2525 | 69.4 | 100.0 | |
| Missing | -1 No response | 1115 | 30.6 | | |
| Total | | 3640 | 100.0 | | |

pp7082 H3e1: Hours spent standing/moderate work in job 1 per week

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--------------------|-----------|---------|------------------|-----------------------|
| Valid 1 | 26 | .7 | 8.6 | 8.6 |
| 2 | 23 | .6 | 7.6 | 16.2 |
| 3 | 13 | .4 | 4.3 | 20.5 |
| 4 | 16 | .4 | 5.3 | 25.8 |
| 5 | 31 | .9 | 10.3 | 36.1 |
| 6 | 9 | .2 | 3.0 | 39.1 |
| 7 | 3 | .1 | 1.0 | 40.1 |
| 8 | 13 | .4 | 4.3 | 44.4 |
| 9 | 4 | .1 | 1.3 | 45.7 |
| 10 | 48 | 1.3 | 15.9 | 61.6 |
| 11 | 2 | .1 | .7 | 62.3 |
| 12 | 5 | .1 | 1.7 | 63.9 |
| 14 | 1 | .0 | .3 | 64.2 |
| 15 | 8 | .2 | 2.6 | 66.9 |
| 16 | 1 | .0 | .3 | 67.2 |
| 18 | 1 | .0 | .3 | 67.5 |
| 20 | 22 | .6 | 7.3 | 74.8 |
| 22 | 1 | .0 | .3 | 75.2 |
| 23 | 1 | .0 | .3 | 75.5 |
| 24 | 2 | .1 | .7 | 76.2 |
| 25 | 7 | .2 | 2.3 | 78.5 |
| 28 | 2 | .1 | .7 | 79.1 |
| 29 | 1 | .0 | .3 | 79.5 |
| 30 | 13 | .4 | 4.3 | 83.8 |
| 32 | 2 | .1 | .7 | 84.4 |
| 35 | 6 | .2 | 2.0 | 86.4 |
| 36 | 4 | .1 | 1.3 | 87.7 |
| 37 | 4 | .1 | 1.3 | 89.1 |
| 38 | 2 | .1 | .7 | 89.7 |
| 39 | 4 | .1 | 1.3 | 91.1 |
| 40 | 13 | .4 | 4.3 | 95.4 |
| 45 | 1 | .0 | .3 | 95.7 |
| 46 | 1 | .0 | .3 | 96.0 |
| 48 | 3 | .1 | 1.0 | 97.0 |
| 50 | 8 | .2 | 2.6 | 99.7 |
| 60 | 1 | .0 | .3 | 100.0 |
| Total | 302 | 8.3 | 100.0 | 100.0 |
| Missing -1 No resp | | 91.7 | .00.0 | |
| Total | 3640 | 100.0 | | |

pp7090 H3f1: Respondent's job involves standing/moderate to heavy work in job 1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 2137 | 58.7 | 85.1 | 85.1 |
| | 2 Yes | 373 | 10.2 | 14.9 | 100.0 |
| | Total | 2510 | 69.0 | 100.0 | |
| Missing | -1 No response | 1130 | 31.0 | | |
| Total | | 3640 | 100.0 | | |

pp7092 H3f1: Hours spent standing/moderate to heavy work in job 1 per week

| week | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 27 | .7 | 8.1 | 8.1 |
| | 2 | 22 | .6 | 6.6 | 14.6 |
| ; | 3 | 10 | .3 | 3.0 | 17.6 |
| | 4 | 15 | .4 | 4.5 | 22.1 |
| | 5 | 33 | .9 | 9.9 | 31.9 |
| | 6 | 15 | .4 | 4.5 | 36.4 |
| | 7 | 4 | .1 | 1.2 | 37.6 |
| | 8 | 18 | .5 | 5.4 | 43.0 |
| | 9 | 5 | .1 | 1.5 | 44.5 |
| | 10 | 59 | 1.6 | 17.6 | 62.1 |
| | 12 | 3 | .1 | .9 | 63.0 |
| | 13 | 1 | .0 | .3 | 63.3 |
| | 14 | 2 | .1 | .6 | 63.9 |
| | 15 | 15 | .4 | 4.5 | 68.4 |
| | 17 | 2 | .1 | .6 | 69.0 |
| | 18 | 1 | .0 | .3 | 69.3 |
| | 20 | 23 | .6 | 6.9 | 76.1 |
| | 23 | 1 | .0 | .3 | 76.4 |
| | 24 | 2 | .1 | .6 | 77.0 |
| | 25 | 6 | .2 | 1.8 | 78.8 |
| ; | 28 | 1 | .0 | .3 | 79.1 |
| ; | 30 | 11 | .3 | 3.3 | 82.4 |
| ; | 32 | 1 | .0 | .3 | 82.7 |
| ; | 33 | 1 | .0 | .3 | 83.0 |
| ; | 35 | 1 | .0 | .3 | 83.3 |
| ; | 37 | 2 | .1 | .6 | 83.9 |
| ; | 39 | 1 | .0 | .3 | 84.2 |
| | 40 | 23 | .6 | 6.9 | 91.0 |
| | 41 | 1 | .0 | .3 | 91.3 |
| | 42 | 1 | .0 | .3 | 91.6 |
| | 43 | 1 | .0 | .3 | 91.9 |
| | 45 | 8 | .2 | 2.4 | 94.3 |
| | 46 | 1 | .0 | .3 | 94.6 |
| | 47 | 4 | .1 | 1.2 | 95.8 |
| | 48 | 2 | .1 | .6 | 96.4 |
| | 50 | 10 | .3 | 3.0 | 99.4 |
| | 56 | 1 | .0 | .3 | 99.7 |
| | 60 | 1 | .0 | .3 | 100.0 |
| | Total | 335 | 9.2 | 100.0 | |
| | -1 No response | 3305 | 90.8 | | |
| Total | • | 3640 | 100.0 | | |

pp7100 H3g1: Respondent's job involves walking at work carrying nothing heavier than a briefcase in job 1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 1091 | 30.0 | 40.8 | 40.8 |
| | 2 Yes | 1583 | 43.5 | 59.2 | 100.0 |
| | Total | 2674 | 73.5 | 100.0 | |
| Missing | -1 No response | 966 | 26.5 | | |
| Total | | 3640 | 100.0 | | |

pp7102 H3g1: Hours spent walking at work carrying nothing heavier than a briefcase in job 1 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 236 | 6.5 | 15.4 | 15.4 |
| | 2 | 244 | 6.7 | 15.9 | 31.3 |
| | 3 | 112 | 3.1 | 7.3 | 38.6 |
| | 4 | 96 | 2.6 | 6.3 | 44.9 |
| | 5 | 287 | 7.9 | 18.7 | 63.6 |
| | 6 | 44 | 1.2 | 2.9 | 66.5 |
| | 7 | 49 | 1.3 | 3.2 | 69.7 |
| | 8 | 49 | 1.3 | 3.2 | 72.9 |
| | 9 | 13 | .4 | .8 | 73.8 |
| | 10 | 183 | 5.0 | 11.9 | 85.7 |
| | 11 | 1 | .0 | .1 | 85.8 |
| | 12 | 18 | .5 | 1.2 | 86.9 |
| | 13 | 2 | .1 | .1 | 87.1 |
| | 14 | 7 | .2 | .5 | 87.5 |
| | 15 | 52 | 1.4 | 3.4 | 90.9 |
| | 16 | 4 | .1 | .3 | 91.2 |
| | 17 | 4 | .1 | .3 | 91.4 |
| | 18 | 7 | .2 | .5 | 91.9 |
| | 20 | 53 | 1.5 | 3.5 | 95.4 |
| | 21 | 2 | .1 | .1 | 95.5 |
| | 24 | 5 | .1 | .3 | 95.8 |
| | 25 | 8 | .2 | .5 | 96.3 |
| | 27 | 1 | .0 | .1 | 96.4 |
| | 28 | 2 | .1 | .1 | 96.5 |
| | 30 | 21 | .6 | 1.4 | 97.9 |
| | 35 | 3 | .1 | .2 | 98.1 |
| | 36 | 2 | .1 | .1 | 98.2 |
| | 37 | 3 | .1 | .2 | 98.4 |
| | 38 | 2 | .1 | .1 | 98.6 |
| | 39 | 1 | .0 | .1 | 98.6 |
| | 40 | 9 | .2 | .6 | 99.2 |
| | 42 | 1 | .0 | .1 | 99.3 |
| | 45 | 2 | .1 | .1 | 99.4 |
| | 48 | 1 | .0 | .1 | 99.5 |
| | 50 | 5 | .1 | .3 | 99.8 |
| | 60 | 1 | .0 | .1 | 99.9 |
| | 62 | 1 | .0 | .1 | 99.9 |
| | 75 | 1 | .0 | .1 | 100.0 |
| | Total | 1532 | 42.1 | 100.0 | |
| Missing | -1 No response | 2108 | 57.9 | | |
| Total | • | 3640 | 100.0 | | |

pp7110 H3h1: Respondent's job involves walking at work carrying something heavy in job1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 1872 | 51.4 | 72.8 | 72.8 |
| | 2 Yes | 700 | 19.2 | 27.2 | 100.0 |
| | Total | 2572 | 70.7 | 100.0 | |
| Missing | -1 No response | 1068 | 29.3 | | |
| Total | | 3640 | 100.0 | | |

pp7112 H3h1: Hours spent walking at work carrying something heavy in job 1 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 224 | 6.2 | 34.7 | 34.7 |
| | 2 | 113 | 3.1 | 17.5 | 52.2 |
| | 3 | 35 | 1.0 | 5.4 | 57.6 |
| | 4 | 32 | .9 | 5.0 | 62.5 |
| | 5 | 65 | 1.8 | 10.1 | 72.6 |
| | 6 | 15 | .4 | 2.3 | 74.9 |
| | 7 | 10 | .3 | 1.5 | 76.5 |
| | 8 | 18 | .5 | 2.8 | 79.3 |
| | 9 | 1 | .0 | .2 | 79.4 |
| | 10 | 57 | 1.6 | 8.8 | 88.2 |
| | 12 | 3 | .1 | .5 | 88.7 |
| | 13 | 1 | .0 | .2 | 88.9 |
| | 14 | 1 | .0 | .2 | 89.0 |
| | 15 | 11 | .3 | 1.7 | 90.7 |
| | 16 | 1 | .0 | .2 | 90.9 |
| | 18 | 2 | .1 | .3 | 91.2 |
| | 20 | 26 | .7 | 4.0 | 95.2 |
| | 24 | 1 | .0 | .2 | 95.4 |
| | 25 | 2 | .1 | .3 | 95.7 |
| | 28 | 1 | .0 | .2 | 95.8 |
| | 30 | 6 | .2 | .9 | 96.7 |
| | 35 | 4 | .1 | .6 | 97.4 |
| | 37 | 1 | .0 | .2 | 97.5 |
| | 40 | 8 | .2 | 1.2 | 98.8 |
| | 48 | 2 | .1 | .3 | 99.1 |
| | 50 | 5 | .1 | .8 | 99.8 |
| | 52 | 1 | .0 | .2 | 100.0 |
| | Total | 646 | 17.7 | 100.0 | |
| Missing | -1 No response | 2994 | 82.3 | | |
| Total | | 3640 | 100.0 | | |

pp7120 H3i1: Respondent's job involves moving/pushing heavy objects in job1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 2056 | 56.5 | 81.8 | 81.8 |
| | 2 Yes | 458 | 12.6 | 18.2 | 100.0 |
| | Total | 2514 | 69.1 | 100.0 | |
| Missing | -1 No response | 1126 | 30.9 | | |
| Total | | 3640 | 100.0 | | |

pp7122 H3i1: Hours spent moving/pushing heavy objects in job 1 per week

| PP: :== | pp/122 11311. Hours spent moving/pushing heavy objects in job 1 | | | | |
|---------|---|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 | 150 | 4.1 | 36.4 | 36.4 |
| | 2 | 58 | 1.6 | 14.1 | 50.5 |
| | 3 | 21 | .6 | 5.1 | 55.6 |
| | 4 | 20 | .5 | 4.9 | 60.4 |
| | 5 | 46 | 1.3 | 11.2 | 71.6 |
| | 6 | 8 | .2 | 1.9 | 73.5 |
| | 7 | 4 | .1 | 1.0 | 74.5 |
| | 8 | 13 | .4 | 3.2 | 77.7 |
| | 9 | 2 | .1 | .5 | 78.2 |
| | 10 | 37 | 1.0 | 9.0 | 87.1 |
| | 11 | 1 | .0 | .2 | 87.4 |
| | 12 | 2 | .1 | .5 | 87.9 |
| | 14 | 2 | .1 | .5 | 88.3 |
| | 15 | 11 | .3 | 2.7 | 91.0 |
| | 16 | 2 | .1 | .5 | 91.5 |
| | 17 | 1 | .0 | .2 | 91.7 |
| | 20 | 13 | .4 | 3.2 | 94.9 |
| | 24 | 1 | .0 | .2 | 95.1 |
| | 25 | 3 | .1 | .7 | 95.9 |
| | 30 | 5 | .1 | 1.2 | 97.1 |
| | 36 | 1 | .0 | .2 | 97.3 |
| | 37 | 2 | .1 | .5 | 97.8 |
| | 39 | 1 | .0 | .2 | 98.1 |
| | 40 | 2 | .1 | .5 | 98.5 |
| | 42 | 1 | .0 | .2 | 98.8 |
| | 48 | 1 | .0 | .2 | 99.0 |
| | 50 | 3 | .1 | .7 | 99.8 |
| | 56 | 1 | .0 | .2 | 100.0 |
| | Total | 412 | 11.3 | 100.0 | |
| Missing | -1 No response | 3228 | 88.7 | | |
| Total | • | 3640 | 100.0 | | |

pp7130 H3j1: Respondent's job involves something else in job 1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 1833 | 50.4 | 90.6 | 90.6 |
| | 2 Yes | 191 | 5.2 | 9.4 | 100.0 |
| | Total | 2024 | 55.6 | 100.0 | |
| Missing | -1 No response | 1616 | 44.4 | | |
| Total | | 3640 | 100.0 | | |

pp7132 H3j1: Hours spent something else in job 1per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 11 | .3 | 6.6 | 6.6 |
| | 2 | 9 | .2 | 5.4 | 12.0 |
| | 3 | 7 | .2 | 4.2 | 16.3 |
| | 4 | 6 | .2 | 3.6 | 19.9 |
| | 5 | 17 | .5 | 10.2 | 30.1 |
| | 6 | 8 | .2 | 4.8 | 34.9 |
| | 7 | 1 | .0 | .6 | 35.5 |
| | 8 | 9 | .2 | 5.4 | 41.0 |
| | 9 | 9 | .2 | 5.4 | 46.4 |
| | 10 | 26 | .7 | 15.7 | 62.0 |
| | 11 | 1 | .0 | .6 | 62.7 |
| | 12 | 5 | .1 | 3.0 | 65.7 |
| | 14 | 2 | .1 | 1.2 | 66.9 |
| | 15 | 4 | .1 | 2.4 | 69.3 |
| | 16 | 3 | .1 | 1.8 | 71.1 |
| | 17 | 1 | .0 | .6 | 71.7 |
| | 18 | 1 | .0 | .6 | 72.3 |
| | 20 | 20 | .5 | 12.0 | 84.3 |
| | 23 | 1 | .0 | .6 | 84.9 |
| | 24 | 1 | .0 | .6 | 85.5 |
| | 25 | 2 | .1 | 1.2 | 86.7 |
| | 26 | 1 | .0 | .6 | 87.3 |
| | 30 | 5 | .1 | 3.0 | 90.4 |
| | 32 | 1 | .0 | .6 | 91.0 |
| | 34 | 1 | .0 | .6 | 91.6 |
| | 36 | 1 | .0 | .6 | 92.2 |
| | 37 | 1 | .0 | .6 | 92.8 |
| | 40 | 8 | .2 | 4.8 | 97.6 |
| | 43 | 1 | .0 | .6 | 98.2 |
| | 48 | 1 | .0 | .6 | 98.8 |
| | 50 | 1 | .0 | .6 | 99.4 |
| | 55 | 1 | .0 | .6 | 100.0 |
| | Total | 166 | 4.6 | 100.0 | |
| Missing | -1 No response | 3474 | 95.4 | | |
| Total | | 3640 | 100.0 | | |

pp7140 H3a2: Respondent's job involves sitting/light work in job 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 87 | 2.4 | 21.9 | 21.9 |
| | 2 Yes | 310 | 8.5 | 78.1 | 100.0 |
| | Total | 397 | 10.9 | 100.0 | |
| Missing | -1 No response | 3243 | 89.1 | | |
| Total | | 3640 | 100.0 | | |

pp7142 H3a2: Hours spent sitting/light work in job 2 per week

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|------------------|-----------------------|
| Valid 1 | 30 | .8 | 9.8 | 9.8 |
| 2 | 47 | 1.3 | 15.4 | 25.2 |
| 3 | 21 | .6 | 6.9 | 32.0 |
| 4 | 15 | .4 | 4.9 | 36.9 |
| 5 | 17 | .5 | 5.6 | 42.5 |
| 6 | 14 | .4 | 4.6 | 47.1 |
| 7 | 8 | .2 | 2.6 | 49.7 |
| 8 | 17 | .5 | 5.6 | 55.2 |
| 9 | 5 | .1 | 1.6 | 56.9 |
| 10 | 19 | .5 | 6.2 | 63.1 |
| 12 | 4 | .1 | 1.3 | 64.4 |
| 13 | 1 | .0 | .3 | 64.7 |
| 14 | 2 | .1 | .7 | 65.4 |
| 15 | 9 | .2 | 2.9 | 68.3 |
| 16 | 2 | .1 | .7 | 69.0 |
| 18 | 1 | .0 | .3 | 69.3 |
| 20 | 16 | .4 | 5.2 | 74.5 |
| 21 | 1 | .0 | .3 | 74.8 |
| 24 | 4 | .1 | 1.3 | 76.1 |
| 25 | 4 | .1 | 1.3 | 77.5 |
| 30 | 10 | .3 | 3.3 | 80.7 |
| 32 | 2 | .1 | .7 | 81.4 |
| 34 | 2 | .1 | .7 | 82.0 |
| 35 | 9 | .2 | 2.9 | 85.0 |
| 36 | 2 | .1 | .7 | 85.6 |
| 37 | 5 | .1 | 1.6 | 87.3 |
| 38 | 4 | .1 | 1.3 | 88.6 |
| 39 | 1 | .0 | .3 | 88.9 |
| 40 | 16 | .4 | 5.2 | 94.1 |
| 42 | 2 | .1 | .7 | 94.8 |
| 44 | 1 | .0 | .3 | 95.1 |
| 45 | 4 | .1 | 1.3 | 96.4 |
| 48 | 2 | .1 | .7 | 97.1 |
| 50 | 3 | .1 | 1.0 | 98.0 |
| 55 | 1 | .0 | .3 | 98.4 |
| 56 | 1 | .0 | .3 | 98.7 |
| 60 | 4 | .1 | 1.3 | 100.0 |
| Total | 306 | 8.4 | 100.0 | |
| Missing -1 No response | 3334 | 91.6 | | |
| Total | 3640 | 100.0 | | |

pp7150 H3b2: Respondent's job involves sitting/moderate work in job 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 275 | 7.6 | 92.6 | 92.6 |
| | 2 Yes | 22 | .6 | 7.4 | 100.0 |
| | Total | 297 | 8.2 | 100.0 | |
| Missing | -1 No response | 3343 | 91.8 | | |
| Total | | 3640 | 100.0 | | |

pp7152 H3b2: Hours spent sitting/moderate work in job 2 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 4 | .1 | 18.2 | 18.2 |
| | 2 | 7 | .2 | 31.8 | 50.0 |
| | 4 | 2 | .1 | 9.1 | 59.1 |
| | 5 | 1 | .0 | 4.5 | 63.6 |
| | 6 | 1 | .0 | 4.5 | 68.2 |
| | 10 | 3 | .1 | 13.6 | 81.8 |
| | 12 | 1 | .0 | 4.5 | 86.4 |
| | 20 | 1 | .0 | 4.5 | 90.9 |
| | 40 | 1 | .0 | 4.5 | 95.5 |
| | 50 | 1 | .0 | 4.5 | 100.0 |
| | Total | 22 | .6 | 100.0 | |
| Missing | -1 No response | 3618 | 99.4 | | |
| Total | | 3640 | 100.0 | | |

pp7160 H3c2: Respondent's job involves standing/light work in job 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 208 | 5.7 | 68.2 | 68.2 |
| | 2 Yes | 97 | 2.7 | 31.8 | 100.0 |
| | Total | 305 | 8.4 | 100.0 | |
| Missing | -1 No response | 3335 | 91.6 | | |
| Total | | 3640 | 100.0 | | |

pp7162 H3c2: Hours spent standing/light work in job 2 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 15 | .4 | 15.8 | 15.8 |
| | 2 | 15 | .4 | 15.8 | 31.6 |
| | 3 | 14 | .4 | 14.7 | 46.3 |
| | 4 | 6 | .2 | 6.3 | 52.6 |
| | 5 | 15 | .4 | 15.8 | 68.4 |
| | 6 | 2 | .1 | 2.1 | 70.5 |
| | 7 | 1 | .0 | 1.1 | 71.6 |
| | 8 | 3 | .1 | 3.2 | 74.7 |
| | 10 | 8 | .2 | 8.4 | 83.2 |
| | 14 | 2 | .1 | 2.1 | 85.3 |
| | 15 | 2 | .1 | 2.1 | 87.4 |
| | 16 | 1 | .0 | 1.1 | 88.4 |
| | 18 | 1 | .0 | 1.1 | 89.5 |
| | 20 | 3 | .1 | 3.2 | 92.6 |
| | 22 | 1 | .0 | 1.1 | 93.7 |
| | 24 | 1 | .0 | 1.1 | 94.7 |
| | 25 | 2 | .1 | 2.1 | 96.8 |
| | 30 | 2 | .1 | 2.1 | 98.9 |
| | 39 | 1 | .0 | 1.1 | 100.0 |
| | Total | 95 | 2.6 | 100.0 | |
| Missing | -1 No response | 3545 | 97.4 | | |
| Total | | 3640 | 100.0 | | |

pp7170 H3d2: Respondent's job involves standing/light to moderate work in job 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 237 | 6.5 | 80.3 | 80.3 |
| | 2 Yes | 58 | 1.6 | 19.7 | 100.0 |
| | Total | 295 | 8.1 | 100.0 | |
| Missing | -1 No response | 3345 | 91.9 | | |
| Total | | 3640 | 100.0 | | |

pp7172 H3d2: Hours spent standing/light to moderate work in job 2 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 7 | .2 | 12.7 | 12.7 |
| | 2 | 9 | .2 | 16.4 | 29.1 |
| | 3 | 7 | .2 | 12.7 | 41.8 |
| | 4 | 4 | .1 | 7.3 | 49.1 |
| | 5 | 4 | .1 | 7.3 | 56.4 |
| | 6 | 2 | .1 | 3.6 | 60.0 |
| | 8 | 3 | .1 | 5.5 | 65.5 |
| | 10 | 10 | .3 | 18.2 | 83.6 |
| | 16 | 2 | .1 | 3.6 | 87.3 |
| | 18 | 1 | .0 | 1.8 | 89.1 |
| | 20 | 1 | .0 | 1.8 | 90.9 |
| | 24 | 1 | .0 | 1.8 | 92.7 |
| | 40 | 1 | .0 | 1.8 | 94.5 |
| | 42 | 1 | .0 | 1.8 | 96.4 |
| | 50 | 1 | .0 | 1.8 | 98.2 |
| | 60 | 1 | .0 | 1.8 | 100.0 |
| | Total | 55 | 1.5 | 100.0 | |
| Missing | -1 No response | 3585 | 98.5 | | |
| Total | | 3640 | 100.0 | | |

pp7180 H3e2: Respondent's job involves standing/moderate work in job 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 249 | 6.8 | 85.6 | 85.6 |
| | 2 Yes | 42 | 1.2 | 14.4 | 100.0 |
| | Total | 291 | 8.0 | 100.0 | |
| Missing | -1 No response | 3349 | 92.0 | | |
| Total | | 3640 | 100.0 | | |

pp7182 H3e2: Hours spent standing/moderate work in job 2 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 4 | .1 | 10.3 | 10.3 |
| | 2 | 5 | .1 | 12.8 | 23.1 |
| | 3 | 2 | .1 | 5.1 | 28.2 |
| | 4 | 5 | .1 | 12.8 | 41.0 |
| | 5 | 3 | .1 | 7.7 | 48.7 |
| | 6 | 2 | .1 | 5.1 | 53.8 |
| | 8 | 2 | .1 | 5.1 | 59.0 |
| | 10 | 5 | .1 | 12.8 | 71.8 |
| | 12 | 2 | .1 | 5.1 | 76.9 |
| | 16 | 1 | .0 | 2.6 | 79.5 |
| | 17 | 1 | .0 | 2.6 | 82.1 |
| | 18 | 1 | .0 | 2.6 | 84.6 |
| | 20 | 1 | .0 | 2.6 | 87.2 |
| | 24 | 2 | .1 | 5.1 | 92.3 |
| | 30 | 1 | .0 | 2.6 | 94.9 |
| | 35 | 1 | .0 | 2.6 | 97.4 |
| | 42 | 1 | .0 | 2.6 | 100.0 |
| | Total | 39 | 1.1 | 100.0 | |
| Missing | -1 No response | 3601 | 98.9 | | |
| Total | | 3640 | 100.0 | | |

pp7190 H3f2: Respondent's job involves standing/moderate to heavy work in job 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 246 | 6.8 | 86.0 | 86.0 |
| | 2 Yes | 40 | 1.1 | 14.0 | 100.0 |
| | Total | 286 | 7.9 | 100.0 | |
| Missing | -1 No response | 3354 | 92.1 | | |
| Total | | 3640 | 100.0 | | |

pp7192 H3f2: Hours spent standing/moderate to heavy work in job 2 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 4 | .1 | 10.8 | 10.8 |
| | 2 | 6 | .2 | 16.2 | 27.0 |
| | 4 | 6 | .2 | 16.2 | 43.2 |
| | 5 | 2 | .1 | 5.4 | 48.6 |
| | 6 | 1 | .0 | 2.7 | 51.4 |
| | 8 | 1 | .0 | 2.7 | 54.1 |
| | 9 | 2 | .1 | 5.4 | 59.5 |
| | 10 | 6 | .2 | 16.2 | 75.7 |
| | 12 | 1 | .0 | 2.7 | 78.4 |
| | 15 | 1 | .0 | 2.7 | 81.1 |
| | 20 | 2 | .1 | 5.4 | 86.5 |
| | 25 | 1 | .0 | 2.7 | 89.2 |
| | 39 | 1 | .0 | 2.7 | 91.9 |
| | 40 | 3 | .1 | 8.1 | 100.0 |
| | Total | 37 | 1.0 | 100.0 | |
| Missing | -1 No response | 3603 | 99.0 | | |
| Total | | 3640 | 100.0 | | |

pp7200 H3g2: Respondent's job involves walking at work carrying nothing heavier than a briefcase in job 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 175 | 4.8 | 57.2 | 57.2 |
| | 2 Yes | 131 | 3.6 | 42.8 | 100.0 |
| | Total | 306 | 8.4 | 100.0 | |
| Missing | -1 No response | 3334 | 91.6 | | |
| Total | | 3640 | 100.0 | | |

pp7202 H3g2: Hours spent walking at work carrying nothing heavier than a briefcase in job 2 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 28 | .8 | 22.6 | 22.6 |
| | 2 | 27 | .7 | 21.8 | 44.4 |
| | 3 | 9 | .2 | 7.3 | 51.6 |
| | 4 | 7 | .2 | 5.6 | 57.3 |
| | 5 | 21 | .6 | 16.9 | 74.2 |
| | 6 | 5 | .1 | 4.0 | 78.2 |
| | 7 | 5 | .1 | 4.0 | 82.3 |
| | 8 | 1 | .0 | .8 | 83.1 |
| | 10 | 9 | .2 | 7.3 | 90.3 |
| | 12 | 2 | .1 | 1.6 | 91.9 |
| | 15 | 2 | .1 | 1.6 | 93.5 |
| | 16 | 1 | .0 | .8 | 94.4 |
| | 17 | 1 | .0 | .8 | 95.2 |
| | 20 | 2 | .1 | 1.6 | 96.8 |
| | 24 | 1 | .0 | .8 | 97.6 |
| | 25 | 2 | .1 | 1.6 | 99.2 |
| | 50 | 1 | .0 | .8 | 100.0 |
| | Total | 124 | 3.4 | 100.0 | |
| Missing | -1 No response | 3516 | 96.6 | | |
| Total | | 3640 | 100.0 | | |

pp7210 H3h2: Respondent's job involves walking at work carrying something heavy in job 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 220 | 6.0 | 77.5 | 77.5 |
| | 2 Yes | 64 | 1.8 | 22.5 | 100.0 |
| | Total | 284 | 7.8 | 100.0 | |
| Missing | -1 No response | 3356 | 92.2 | | |
| Total | | 3640 | 100.0 | | |

pp7212 H3h2: Hours spent walking at work carrying something heavy in job 2 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 31 | .9 | 50.8 | 50.8 |
| | 2 | 12 | .3 | 19.7 | 70.5 |
| | 3 | 1 | .0 | 1.6 | 72.1 |
| | 5 | 5 | .1 | 8.2 | 80.3 |
| | 6 | 1 | .0 | 1.6 | 82.0 |
| | 8 | 2 | .1 | 3.3 | 85.2 |
| | 9 | 1 | .0 | 1.6 | 86.9 |
| | 10 | 5 | .1 | 8.2 | 95.1 |
| | 14 | 1 | .0 | 1.6 | 96.7 |
| | 20 | 1 | .0 | 1.6 | 98.4 |
| | 25 | 1 | .0 | 1.6 | 100.0 |
| | Total | 61 | 1.7 | 100.0 | |
| Missing | -1 No response | 3579 | 98.3 | | |
| Total | | 3640 | 100.0 | | |

pp7220 H3i2: Respondent's job involves moving/pushing heavy objects in job 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 237 | 6.5 | 84.6 | 84.6 |
| | 2 Yes | 43 | 1.2 | 15.4 | 100.0 |
| | Total | 280 | 7.7 | 100.0 | |
| Missing | -1 No response | 3360 | 92.3 | | |
| Total | | 3640 | 100.0 | | |

pp7222 H3i2: Hours spent moving/pushing heavy objects in job 2 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 22 | .6 | 53.7 | 53.7 |
| | 2 | 4 | .1 | 9.8 | 63.4 |
| | 4 | 3 | .1 | 7.3 | 70.7 |
| | 5 | 5 | .1 | 12.2 | 82.9 |
| | 6 | 3 | .1 | 7.3 | 90.2 |
| | 7 | 1 | .0 | 2.4 | 92.7 |
| | 10 | 1 | .0 | 2.4 | 95.1 |
| | 12 | 1 | .0 | 2.4 | 97.6 |
| | 20 | 1 | .0 | 2.4 | 100.0 |
| | Total | 41 | 1.1 | 100.0 | |
| Missing | -1 No response | 3599 | 98.9 | | |
| Total | | 3640 | 100.0 | | |

pp7230 H3j2: Respondent's job involves something else in job 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 189 | 5.2 | 82.5 | 82.5 |
| | 2 Yes | 40 | 1.1 | 17.5 | 100.0 |
| | Total | 229 | 6.3 | 100.0 | |
| Missing | -1 No response | 3411 | 93.7 | | |
| Total | | 3640 | 100.0 | | |

pp7232 H3j2: Hours spent something else in job 2 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 4 | .1 | 11.8 | 11.8 |
| | 2 | 9 | .2 | 26.5 | 38.2 |
| | 3 | 2 | .1 | 5.9 | 44.1 |
| | 4 | 3 | .1 | 8.8 | 52.9 |
| | 5 | 5 | .1 | 14.7 | 67.6 |
| | 6 | 3 | .1 | 8.8 | 76.5 |
| | 8 | 1 | .0 | 2.9 | 79.4 |
| | 10 | 1 | .0 | 2.9 | 82.4 |
| | 12 | 1 | .0 | 2.9 | 85.3 |
| | 22 | 1 | .0 | 2.9 | 88.2 |
| | 23 | 1 | .0 | 2.9 | 91.2 |
| | 24 | 1 | .0 | 2.9 | 94.1 |
| | 28 | 1 | .0 | 2.9 | 97.1 |
| | 48 | 1 | .0 | 2.9 | 100.0 |
| | Total | 34 | .9 | 100.0 | |
| Missing | -1 No response | 3606 | 99.1 | | |
| Total | | 3640 | 100.0 | | |

pp7240 H3a3: Respondent's job involves sitting/light work in job 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 21 | .6 | 28.4 | 28.4 |
| | 2 Yes | 53 | 1.5 | 71.6 | 100.0 |
| | Total | 74 | 2.0 | 100.0 | |
| Missing | -1 No response | 3566 | 98.0 | | |
| Total | | 3640 | 100.0 | | |

pp7242 H3a3: Hours spent sitting/light work 3 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 6 | .2 | 12.2 | 12.2 |
| | 2 | 9 | .2 | 18.4 | 30.6 |
| | 3 | 1 | .0 | 2.0 | 32.7 |
| | 4 | 5 | .1 | 10.2 | 42.9 |
| | 5 | 3 | .1 | 6.1 | 49.0 |
| | 7 | 1 | .0 | 2.0 | 51.0 |
| | 8 | 4 | .1 | 8.2 | 59.2 |
| | 10 | 6 | .2 | 12.2 | 71.4 |
| | 12 | 2 | .1 | 4.1 | 75.5 |
| | 15 | 2 | .1 | 4.1 | 79.6 |
| | 20 | 3 | .1 | 6.1 | 85.7 |
| | 25 | 1 | .0 | 2.0 | 87.8 |
| | 30 | 3 | .1 | 6.1 | 93.9 |
| | 35 | 1 | .0 | 2.0 | 95.9 |
| | 50 | 1 | .0 | 2.0 | 98.0 |
| | 55 | 1 | .0 | 2.0 | 100.0 |
| | Total | 49 | 1.3 | 100.0 | |
| Missing | -1 No response | 3591 | 98.7 | | |
| Total | | 3640 | 100.0 | | |

pp7250 H3b3: Respondent's job involves sitting/moderate work in job 3

| | | - | _ | | - |
|---------|----------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 No | 54 | 1.5 | 98.2 | 98.2 |
| | 2 Yes | 1 | .0 | 1.8 | 100.0 |
| | Total | 55 | 1.5 | 100.0 | |
| Missing | -1 No response | 3585 | 98.5 | | |
| Total | | 3640 | 100.0 | | |

pp7252 H3b3: Hours spent sitting/moderate work in job 3 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 1 | .0 | 100.0 | 100.0 |
| Missing | -1 No response | 3639 | 100.0 | | |
| Total | | 3640 | 100.0 | | |

pp7260 H3c3: Respondent's job involves standing/light work in job 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 40 | 1.1 | 74.1 | 74.1 |
| | 2 Yes | 14 | .4 | 25.9 | 100.0 |
| | Total | 54 | 1.5 | 100.0 | |
| Missing | -1 No response | 3586 | 98.5 | | |
| Total | | 3640 | 100.0 | | |

pp7262 H3c3: Hours spent standing/light work in job 3 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 4 | .1 | 30.8 | 30.8 |
| | 2 | 1 | .0 | 7.7 | 38.5 |
| | 4 | 1 | .0 | 7.7 | 46.2 |
| | 5 | 1 | .0 | 7.7 | 53.8 |
| | 7 | 1 | .0 | 7.7 | 61.5 |
| | 10 | 1 | .0 | 7.7 | 69.2 |
| | 15 | 1 | .0 | 7.7 | 76.9 |
| | 20 | 1 | .0 | 7.7 | 84.6 |
| | 25 | 1 | .0 | 7.7 | 92.3 |
| | 30 | 1 | .0 | 7.7 | 100.0 |
| | Total | 13 | .4 | 100.0 | |
| Missing | -1 No response | 3627 | 99.6 | | |
| Total | | 3640 | 100.0 | | |

pp7270 H3d3: Respondent's job involves standing/light to moderate work in job 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 46 | 1.3 | 83.6 | 83.6 |
| | 2 Yes | 9 | .2 | 16.4 | 100.0 |
| | Total | 55 | 1.5 | 100.0 | |
| Missing | -1 No response | 3585 | 98.5 | | |
| Total | | 3640 | 100.0 | | |

pp7272 H3d3: Hours spent standing/light to moderate work in job 3 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 3 | .1 | 37.5 | 37.5 |
| | 3 | 1 | .0 | 12.5 | 50.0 |
| | 10 | 3 | .1 | 37.5 | 87.5 |
| | 12 | 1 | .0 | 12.5 | 100.0 |
| | Total | 8 | .2 | 100.0 | |
| Missing | -1 No response | 3632 | 99.8 | | |
| Total | | 3640 | 100.0 | | |

pp7280 H3e3: Respondent's job involves standing/moderate work in job 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 48 | 1.3 | 92.3 | 92.3 |
| | 2 Yes | 4 | .1 | 7.7 | 100.0 |
| | Total | 52 | 1.4 | 100.0 | |
| Missing | -1 No response | 3588 | 98.6 | | |
| Total | | 3640 | 100.0 | | |

pp7282 H3e3: Hours spent standing/moderate work in job 3 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 8 | 1 | .0 | 33.3 | 33.3 |
| | 15 | 1 | .0 | 33.3 | 66.7 |
| | 30 | 1 | .0 | 33.3 | 100.0 |
| | Total | 3 | .1 | 100.0 | |
| Missing | -1 No response | 3637 | 99.9 | | |
| Total | | 3640 | 100.0 | | |

pp7290 H3f3: Respondent's job involves standing/moderate to heavy work in job 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 44 | 1.2 | 83.0 | 83.0 |
| | 2 Yes | 9 | .2 | 17.0 | 100.0 |
| | Total | 53 | 1.5 | 100.0 | |
| Missing | -1 No response | 3587 | 98.5 | | |
| Total | | 3640 | 100.0 | | |

pp7292 H3f3: Hours spent standing/moderate to heavy work in job 3 per week

| WOOK | | | | | |
|---------|----------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 2 | 2 | .1 | 25.0 | 25.0 |
| | 4 | 1 | .0 | 12.5 | 37.5 |
| | 6 | 2 | .1 | 25.0 | 62.5 |
| | 33 | 1 | .0 | 12.5 | 75.0 |
| | 38 | 1 | .0 | 12.5 | 87.5 |
| | 40 | 1 | .0 | 12.5 | 100.0 |
| | Total | 8 | .2 | 100.0 | |
| Missing | -1 No response | 3632 | 99.8 | | |
| Total | | 3640 | 100.0 | | |

pp7300 H3g3: Respondent's job involves walking at work carrying nothing heavier than a briefcase in job 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 37 | 1.0 | 67.3 | 67.3 |
| | 2 Yes | 18 | .5 | 32.7 | 100.0 |
| | Total | 55 | 1.5 | 100.0 | |
| Missing | -1 No response | 3585 | 98.5 | | |
| Total | | 3640 | 100.0 | | |

pp7302 H3g3: Hours spent walking at work carrying nothing heavier than a briefcase in job 3 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 5 | .1 | 33.3 | 33.3 |
| | 2 | 1 | .0 | 6.7 | 40.0 |
| | 3 | 1 | .0 | 6.7 | 46.7 |
| | 6 | 2 | .1 | 13.3 | 60.0 |
| | 7 | 1 | .0 | 6.7 | 66.7 |
| | 8 | 1 | .0 | 6.7 | 73.3 |
| | 9 | 1 | .0 | 6.7 | 80.0 |
| | 10 | 1 | .0 | 6.7 | 86.7 |
| | 25 | 1 | .0 | 6.7 | 93.3 |
| | 30 | 1 | .0 | 6.7 | 100.0 |
| | Total | 15 | .4 | 100.0 | |
| Missing | -1 No response | 3625 | 99.6 | | |
| Total | | 3640 | 100.0 | | |

pp7310 H3h3: Respondent's job involves walking at work carrying something heavy in job 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 47 | 1.3 | 82.5 | 82.5 |
| | 2 Yes | 10 | .3 | 17.5 | 100.0 |
| | Total | 57 | 1.6 | 100.0 | |
| Missing | -1 No response | 3583 | 98.4 | | |
| Total | | 3640 | 100.0 | | |

pp7312 H3h3: Hours spent walking at work carrying something heavy in job 3 per week

| - Po | | | | | | |
|---------|----------------|-----------|---------|------------------|-----------------------|--|
| | | Frequency | Percent | Valid Percent | Cumulative Percent | |
| Valid | 1 | 5 | .1 | 55.6 | 55.6 | |
| | 2 | 2 | .1 | 22.2 | 77.8 | |
| | 3 | 1 | .0 | 11.1 | 88.9 | |
| | 40 | 1 | .0 | 11.1 | 100.0 | |
| | Total | 9 | .2 | 100.0 | | |
| Missing | -1 No response | 3631 | 99.8 | | | |
| Total | | 3640 | 100.0 | | | |

pp7320 H3i3: Respondent's job involves moving/pushing heavy objects in job

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 48 | 1.3 | 88.9 | 88.9 |
| | 2 Yes | 6 | .2 | 11.1 | 100.0 |
| | Total | 54 | 1.5 | 100.0 | |
| Missing | -1 No response | 3586 | 98.5 | | |
| Total | | 3640 | 100.0 | | |

pp7322 H3i3: Hours spent moving/pushing heavy objects in job 3 per week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 | 1 | .0 | 25.0 | 25.0 |
| | 3 | 1 | .0 | 25.0 | 50.0 |
| | 9 | 1 | .0 | 25.0 | 75.0 |
| | 20 | 1 | .0 | 25.0 | 100.0 |
| | Total | 4 | .1 | 100.0 | |
| Missing | -1 No response | 3636 | 99.9 | | |
| Total | | 3640 | 100.0 | | |

pp7330 H3j3: Respondent's job involves doing something else in job 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 No | 42 | 1.2 | 84.0 | 84.0 |
| | 2 Yes | 8 | .2 | 16.0 | 100.0 |
| | Total | 50 | 1.4 | 100.0 | |
| Missing | -1 No response | 3590 | 98.6 | | |
| Total | | 3640 | 100.0 | | |

pp7332 H3j3: Hours spent doing something else in job 3 per week

| | • | • | • | • | |
|---------|----------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 3 | 1 | .0 | 25.0 | 25.0 |
| | 4 | 1 | .0 | 25.0 | 50.0 |
| | 6 | 1 | .0 | 25.0 | 75.0 |
| | 14 | 1 | .0 | 25.0 | 100.0 |
| | Total | 4 | .1 | 100.0 | |
| Missing | -1 No response | 3636 | 99.9 | | |
| Total | | 3640 | 100.0 | | |

pp7340 H4a1: Average number of times per day respondent climbs a flight of stairs at job 1 over past year____

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 432 | 11.9 | 15.1 | 15.1 |
| | 1 | 194 | 5.3 | 6.8 | 21.8 |
| | 2 | 294 | 8.1 | 10.2 | 32.1 |
| | 3 | 180 | 4.9 | 6.3 | 38.3 |
| | 4 | 300 | 8.2 | 10.5 | 48.8 |
| | 5 | 281 | 7.7 | 9.8 | 58.6 |
| | 6 | 260 | 7.1 | 9.1 | 67.7 |
| | 7 | 23 | .6 | .8 | 68.5 |
| | 8 | 95 | 2.6 | 3.3 | 71.8 |
| | 9 | 6 | .2 | .2 | 72.0 |
| | 10 | 443 | 12.2 | 15.4 | 87.4 |
| | 11 | 3 | .1 | .1 | 87.5 |
| | 12 | 54 | 1.5 | 1.9 | 89.4 |
| | 13 | 1 | .0 | .0 | 89.4 |
| | 14 | 4 | .1 | .1 | 89.6 |
| | 15 | 56 | 1.5 | 2.0 | 91.5 |
| | 16 | 6 | .2 | .2 | 91.7 |
| | 17 | 1 | .0 | .0 | 91.8 |
| | 18 | 1 | .0 | .0 | 91.8 |
| | 20 | 150 | 4.1 | 5.2 | 97.0 |
| | 22 | 1 | .0 | .0 | 97.1 |
| | 24 | 2 | .1 | .1 | 97.1 |
| | 25 | 9 | .2 | .3 | 97.5 |
| | 28 | 1 | .0 | .0 | 97.5 |
| | 29 | 1 | .0 | .0 | 97.5 |
| | 30 | 29 | .8 | 1.0 | 98.5 |
| | 36 | 1 | .0 | .0 | 98.6 |
| | 40 | 7 | .2 | .2 | 98.8 |
| | 50 | 15 | .4 | .5 | 99.3 |
| | 60 | 1 | .0 | .0 | 99.4 |
| | 70 | 1 | .0 | .0 | 99.4 |
| | 90 | 1 | .0 | .0 | 99.4 |
| | 98 Lots | 16 | .4 | .6 | 100.0 |
| | Total | 2869 | 78.8 | 100.0 | |
| Missing | -9 Don't know | 4 | .1 | | |
| - | -1 No response | 767 | 21.1 | | |
| | Total | 771 | 21.2 | | |
| Total | | 3640 | 100.0 | | |

pp7341 H4b1: Average number of times per day respondent climbs a ladder at job 1 over past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 2013 | 55.3 | 81.2 | 81.2 |
| | 1 | 133 | 3.7 | 5.4 | 86.6 |
| | 2 | 87 | 2.4 | 3.5 | 90.1 |
| | 3 | 24 | .7 | 1.0 | 91.1 |
| | 4 | 31 | .9 | 1.3 | 92.3 |
| | 5 | 35 | 1.0 | 1.4 | 93.7 |
| | 6 | 26 | .7 | 1.0 | 94.8 |
| | 7 | 2 | .1 | .1 | 94.9 |
| | 8 | 5 | .1 | .2 | 95.1 |
| | 10 | 61 | 1.7 | 2.5 | 97.5 |
| | 12 | 2 | .1 | .1 | 97.6 |
| | 15 | 6 | .2 | .2 | 97.9 |
| | 20 | 19 | .5 | .8 | 98.6 |
| | 25 | 2 | .1 | .1 | 98.7 |
| | 30 | 7 | .2 | .3 | 99.0 |
| | 40 | 4 | .1 | .2 | 99.2 |
| | 50 | 7 | .2 | .3 | 99.4 |
| | 60 | 1 | .0 | .0 | 99.5 |
| | 65 | 1 | .0 | .0 | 99.5 |
| | 80 | 1 | .0 | .0 | 99.6 |
| | 98 Lots | 11 | .3 | .4 | 100.0 |
| | Total | 2478 | 68.1 | 100.0 | |
| Missing | -9 Don't know | 2 | .1 | | |
| | -1 No response | 1160 | 31.9 | | |
| | Total | 1162 | 31.9 | | |
| Total | | 3640 | 100.0 | | |

pp7350 H4a2: Average number of times per day respondent climbs a flight of stairs at job 2 over past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 177 | 4.9 | 45.5 | 45.5 |
| | 1 | 27 | .7 | 6.9 | 52.4 |
| | 2 | 36 | 1.0 | 9.3 | 61.7 |
| | 3 | 14 | .4 | 3.6 | 65.3 |
| | 4 | 29 | .8 | 7.5 | 72.8 |
| | 5 | 27 | .7 | 6.9 | 79.7 |
| | 6 | 19 | .5 | 4.9 | 84.6 |
| | 8 | 9 | .2 | 2.3 | 86.9 |
| | 10 | 28 | .8 | 7.2 | 94.1 |
| | 11 | 1 | .0 | .3 | 94.3 |
| | 12 | 4 | .1 | 1.0 | 95.4 |
| | 15 | 4 | .1 | 1.0 | 96.4 |
| | 18 | 1 | .0 | .3 | 96.7 |
| | 20 | 10 | .3 | 2.6 | 99.2 |
| | 50 | 1 | .0 | .3 | 99.5 |
| | 80 | 1 | .0 | .3 | 99.7 |
| | 98 Lots | 1 | .0 | .3 | 100.0 |
| | Total | 389 | 10.7 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 3250 | 89.3 | | |
| | Total | 3251 | 89.3 | | |
| Total | | 3640 | 100.0 | | |

pp7351 H4b2: Average number of times per day respondent climbs a ladder at job 2 over past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 305 | 8.4 | 86.9 | 86.9 |
| | 1 | 17 | .5 | 4.8 | 91.7 |
| | 2 | 9 | .2 | 2.6 | 94.3 |
| | 3 | 1 | .0 | .3 | 94.6 |
| | 4 | 2 | .1 | .6 | 95.2 |
| | 5 | 4 | .1 | 1.1 | 96.3 |
| | 6 | 4 | .1 | 1.1 | 97.4 |
| | 8 | 1 | .0 | .3 | 97.7 |
| | 10 | 3 | .1 | .9 | 98.6 |
| | 12 | 1 | .0 | .3 | 98.9 |
| | 15 | 2 | .1 | .6 | 99.4 |
| | 20 | 1 | .0 | .3 | 99.7 |
| | 30 | 1 | .0 | .3 | 100.0 |
| | Total | 351 | 9.6 | 100.0 | |
| Missing | -1 No response | 3289 | 90.4 | | |
| Total | | 3640 | 100.0 | | |

pp7360 H4a3: Average number of times per day respondent climbs a flight of stairs at job 3 over past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 38 | 1.0 | 52.1 | 52.1 |
| | 1 | 5 | .1 | 6.8 | 58.9 |
| | 2 | 5 | .1 | 6.8 | 65.8 |
| | 3 | 3 | .1 | 4.1 | 69.9 |
| | 4 | 4 | .1 | 5.5 | 75.3 |
| | 5 | 2 | .1 | 2.7 | 78.1 |
| | 6 | 2 | .1 | 2.7 | 80.8 |
| | 8 | 1 | .0 | 1.4 | 82.2 |
| | 10 | 7 | .2 | 9.6 | 91.8 |
| | 12 | 1 | .0 | 1.4 | 93.2 |
| | 20 | 3 | .1 | 4.1 | 97.3 |
| | 30 | 1 | .0 | 1.4 | 98.6 |
| | 40 | 1 | .0 | 1.4 | 100.0 |
| | Total | 73 | 2.0 | 100.0 | |
| Missing | -1 No response | 3567 | 98.0 | | |
| Total | | 3640 | 100.0 | | |

pp7361 H4b3: Average number of times per day respondent climbs a ladder at job 3 over past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 64 | 1.8 | 88.9 | 88.9 |
| | 1 | 1 | .0 | 1.4 | 90.3 |
| | 2 | 2 | .1 | 2.8 | 93.1 |
| | 3 | 1 | .0 | 1.4 | 94.4 |
| | 6 | 1 | .0 | 1.4 | 95.8 |
| | 10 | 1 | .0 | 1.4 | 97.2 |
| | 20 | 1 | .0 | 1.4 | 98.6 |
| | 25 | 1 | .0 | 1.4 | 100.0 |
| | Total | 72 | 2.0 | 100.0 | |
| Missing | -1 No response | 3568 | 98.0 | | |
| Total | | 3640 | 100.0 | | |

pp7370 H5a: In an average working day respondent kneels for more than 1hr in total

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 270 | 7.4 | 9.1 | 9.1 |
| | 2 No | 2657 | 73.0 | 89.4 | 98.5 |
| | 9 Don't know | 44 | 1.2 | 1.5 | 100.0 |
| | Total | 2971 | 81.6 | 100.0 | |
| Missing | -1 No response | 669 | 18.4 | | |
| Total | | 3640 | 100.0 | | |


pp7371 H5b: In an average working day respondent squats for more than 1hr in total

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 223 | 6.1 | 7.5 | 7.5 |
| | 2 No | 2698 | 74.1 | 90.9 | 98.4 |
| | 9 Don't know | 46 | 1.3 | 1.6 | 100.0 |
| | Total | 2967 | 81.5 | 100.0 | |
| Missing | -1 No response | 673 | 18.5 | | |
| Total | | 3640 | 100.0 | | |

pp7372 H5c: In an average working day respondent gets up from kneeling/squatting more than 30 times

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 282 | 7.7 | 9.5 | 9.5 |
| | 2 No | 2606 | 71.6 | 87.9 | 97.4 |
| | 9 Don't know | 78 | 2.1 | 2.6 | 100.0 |
| | Total | 2966 | 81.5 | 100.0 | |
| Missing | -1 No response | 674 | 18.5 | | |
| Total | | 3640 | 100.0 | | |

pp7380 H6a: Distance job 1 is from home in miles



plus the following missing values, special codes and outliers >80:

pp7380 H6a: Distance job 1 is from home in miles

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 83 | 1 | .1 | .5 | .5 |
| | 85 | 4 | .4 | 2.2 | 2.7 |
| | 88 | 1 | .1 | .5 | 3.3 |
| | 97 Varies | 73 | 8.2 | 39.9 | 43.2 |
| | 98 90 miles or more | 104 | 11.6 | 56.8 | 100.0 |
| | Total | 183 | 20.4 | 100.0 | |
| Missing | -9 Don't know | 4 | .4 | | |
| | -1 No response | 708 | 79.1 | | |
| | Total | 712 | 79.6 | | |
| Total | | 895 | 100.0 | | |

pp7381 H6b: Number of times a week travelled from home to job 1

| рртоот | Hob: Number of | Frequency | Percent | Valid | Cumulative |
|---------|----------------|------------|---------|---------|------------|
| | | rrequericy | roroon | Percent | Percent |
| Valid | 0 | 89 | 2.4 | 3.1 | 3.1 |
| | 1 | 75 | 2.1 | 2.6 | 5.7 |
| | 2 | 65 | 1.8 | 2.3 | 7.9 |
| | 3 | 118 | 3.2 | 4.1 | 12.0 |
| | 4 | 193 | 5.3 | 6.7 | 18.7 |
| | 5 | 1801 | 49.5 | 62.5 | 81.2 |
| | 6 | 259 | 7.1 | 9.0 | 90.2 |
| | 7 | 74 | 2.0 | 2.6 | 92.8 |
| | 8 | 18 | .5 | .6 | 93.4 |
| | 9 | 1 | .0 | .0 | 93.4 |
| | 10 | 103 | 2.8 | 3.6 | 97.0 |
| | 11 | 4 | .1 | .1 | 97.2 |
| | 12 | 19 | .5 | .7 | 97.8 |
| | 14 | 15 | .4 | .5 | 98.3 |
| | 15 | 5 | .1 | .2 | 98.5 |
| | 16 | 4 | .1 | .1 | 98.6 |
| | 18 | 2 | .1 | .1 | 98.7 |
| | 20 | 12 | .3 | .4 | 99.1 |
| | 21 | 2 | .1 | .1 | 99.2 |
| | 22 | 1 | .0 | .0 | 99.2 |
| | 30 | 3 | .1 | .1 | 99.3 |
| | 40 | 3 | .1 | .1 | 99.4 |
| | 42 | 1 | .0 | .0 | 99.5 |
| | 45 | 1 | .0 | .0 | 99.5 |
| | 52 | 1 | .0 | .0 | 99.5 |
| | 60 | 1 | .0 | .0 | 99.6 |
| | 70 | 1 | .0 | .0 | 99.6 |
| | 97 Varies | 11 | .3 | .4 | 100.0 |
| | Total | 2882 | 79.2 | 100.0 | |
| Missing | -1 No response | 758 | 20.8 | | |
| Total | | 3640 | 100.0 | | |

pp7382 H6c1: Frequency respondent travels to job 1 by car

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 1913 | 52.6 | 71.6 | 71.6 |
| | 2 Usually | 376 | 10.3 | 14.1 | 85.7 |
| | 3 Occasionally | 188 | 5.2 | 7.0 | 92.7 |
| | 4 Never or rarely | 195 | 5.4 | 7.3 | 100.0 |
| | Total | 2672 | 73.4 | 100.0 | |
| Missing | -1 No response | 968 | 26.6 | | |
| Total | | 3640 | 100.0 | | |

pp7383 H6c2: Frequency respondent travels to job 1 by works/public transport

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 117 | 3.2 | 7.1 | 7.1 |
| | 2 Usually | 60 | 1.6 | 3.6 | 10.8 |
| | 3 Occasionally | 157 | 4.3 | 9.5 | 20.3 |
| | 4 Never or rarely | 1311 | 36.0 | 79.7 | 100.0 |
| | Total | 1645 | 45.2 | 100.0 | |
| Missing | -1 No response | 1995 | 54.8 | | |
| Total | | 3640 | 100.0 | | |

pp7384 H6c3: Frequency respondent travels to job 1 by bicycle

| | | - | | | |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Always | 106 | 2.9 | 6.3 | 6.3 |
| | 2 Usually | 115 | 3.2 | 6.8 | 13.1 |
| | 3 Occasionally | 222 | 6.1 | 13.1 | 26.2 |
| | 4 Never or rarely | 1246 | 34.2 | 73.8 | 100.0 |
| | Total | 1689 | 46.4 | 100.0 | |
| Missing | -1 No response | 1951 | 53.6 | | |
| Total | | 3640 | 100.0 | | |

pp7385 H6c4: Frequency respondent travels to job 1 by walking

| | | - | | | |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Always | 146 | 4.0 | 8.7 | 8.7 |
| | 2 Usually | 75 | 2.1 | 4.5 | 13.2 |
| | 3 Occasionally | 147 | 4.0 | 8.8 | 22.0 |
| | 4 Never or rarely | 1304 | 35.8 | 78.0 | 100.0 |
| | Total | 1672 | 45.9 | 100.0 | |
| Missing | -1 No response | 1968 | 54.1 | | |
| Total | | 3640 | 100.0 | | |

pp7390 H7a: Distance job 2 is from home in miles

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 57 | 1.6 | 13.2 | 13.2 |
| | 1 | 65 | 1.8 | 15.1 | 28.3 |
| | 2 | 41 | 1.1 | 9.5 | 37.8 |
| | 3 | 36 | 1.0 | 8.4 | 46.2 |
| | 4 | 20 | .5 | 4.6 | 50.8 |
| | 5 | 24 | .7 | 5.6 | 56.4 |
| | 6 | 10 | .3 | 2.3 | 58.7 |
| | 7 | 4 | .1 | .9 | 59.6 |
| | 8 | 19 | .5 | 4.4 | 64.0 |
| | 9 | 8 | .2 | 1.9 | 65.9 |
| | 10 | 23 | .6 | 5.3 | 71.2 |
| | 11 | 3 | .1 | .7 | 71.9 |
| | 12 | 9 | .2 | 2.1 | 74.0 |
| | 13 | 4 | .1 | .9 | 74.9 |
| | 15 | 13 | .4 | 3.0 | 78.0 |
| | 16 | 3 | .1 | .7 | 78.7 |
| | 17 | 2 | .1 | .5 | 79.1 |
| | 18 | 1 | .0 | .2 | 79.4 |
| | 20 | 11 | .3 | 2.6 | 81.9 |
| | 23 | 1 | .0 | .2 | 82.1 |
| | 24 | 1 | .0 | .2 | 82.4 |
| | 25 | 8 | .2 | 1.9 | 84.2 |
| | 28 | 1 | .0 | .2 | 84.5 |
| | 29 | 1 | .0 | .2 | 84.7 |
| | 30 | 6 | .2 | 1.4 | 86.1 |
| | 32 | 1 | .0 | .2 | 86.3 |
| | 36 | 1 | .0 | .2 | 86.5 |
| | 38 | 1 | .0 | .2 | 86.8 |
| | 40 | 4 | .1 | .9 | 87.7 |
| | 50 | 6 | .2 | 1.4 | 89.1 |
| | 54 | 1 | .0 | .2 | 89.3 |
| | 57 | 1 | .0 | .2 | 89.6 |
| | 60 | 2 | .1 | .5 | 90.0 |
| | 65 | 1 | .0 | .2 | 90.3 |
| | 70 | 2 | .1 | .5 | 90.7 |
| | 75 | 1 | .0 | .2 | 91.0 |
| | 86 | 2 | .1 | .5 | 91.4 |
| | 97 Varies | 16 | .4 | 3.7 | 95.1 |
| | 98 90 miles or more | 21 | .6 | 4.9 | 100.0 |
| | Total | 431 | 11.8 | 100.0 | |
| Missing | -1 No response | 3209 | 88.2 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section H

pp7391 H7b: Number of times a week travelled from home to job 2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 43 | 1.2 | 10.6 | 10.6 |
| | 1 | 117 | 3.2 | 28.7 | 39.3 |
| | 2 | 61 | 1.7 | 15.0 | 54.3 |
| | 3 | 33 | .9 | 8.1 | 62.4 |
| | 4 | 19 | .5 | 4.7 | 67.1 |
| | 5 | 99 | 2.7 | 24.3 | 91.4 |
| | 6 | 14 | .4 | 3.4 | 94.8 |
| | 7 | 7 | .2 | 1.7 | 96.6 |
| | 9 | 1 | .0 | .2 | 96.8 |
| | 10 | 4 | .1 | 1.0 | 97.8 |
| | 11 | 1 | .0 | .2 | 98.0 |
| | 12 | 1 | .0 | .2 | 98.3 |
| | 14 | 1 | .0 | .2 | 98.5 |
| | 30 | 1 | .0 | .2 | 98.8 |
| | 97 Varies | 5 | .1 | 1.2 | 100.0 |
| | Total | 407 | 11.2 | 100.0 | |
| Missing | -1 No response | 3233 | 88.8 | | |
| Total | | 3640 | 100.0 | | |

pp7392 H7c1: Frequency respondent travelled to job 2 by car

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 268 | 7.4 | 69.8 | 69.8 |
| | 2 Usually | 56 | 1.5 | 14.6 | 84.4 |
| | 3 Occasionally | 17 | .5 | 4.4 | 88.8 |
| | 4 Never or rarely | 43 | 1.2 | 11.2 | 100.0 |
| | Total | 384 | 10.5 | 100.0 | |
| Missing | -1 No response | 3256 | 89.5 | | |
| Total | | 3640 | 100.0 | | |

pp7393 H7c2: Frequency respondent travelled to job 2 by works/public transport

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 14 | .4 | 5.6 | 5.6 |
| | 2 Usually | 4 | .1 | 1.6 | 7.2 |
| | 3 Occasionally | 13 | .4 | 5.2 | 12.4 |
| | 4 Never or rarely | 218 | 6.0 | 87.6 | 100.0 |
| | Total | 249 | 6.8 | 100.0 | |
| Missing | -1 No response | 3391 | 93.2 | | |
| Total | | 3640 | 100.0 | | |

pp7394 H7c3: Frequency respondent travelled to job 2 by bicycle

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 10 | .3 | 4.0 | 4.0 |
| | 2 Usually | 6 | .2 | 2.4 | 6.4 |
| | 3 Occasionally | 29 | .8 | 11.6 | 18.1 |
| | 4 Never or rarely | 204 | 5.6 | 81.9 | 100.0 |
| | Total | 249 | 6.8 | 100.0 | |
| Missing | -1 No response | 3391 | 93.2 | | |
| Total | | 3640 | 100.0 | | |

pp7395 H7c4: Frequency respondent travelled to job 2 by walking

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 32 | .9 | 11.9 | 11.9 |
| | 2 Usually | 18 | .5 | 6.7 | 18.6 |
| | 3 Occasionally | 26 | .7 | 9.7 | 28.3 |
| | 4 Never or rarely | 193 | 5.3 | 71.7 | 100.0 |
| | Total | 269 | 7.4 | 100.0 | |
| Missing | -1 No response | 3371 | 92.6 | | |
| Total | | 3640 | 100.0 | | |

pp7400 H8a: Distance job 3 is from home in miles

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 12 | .3 | 15.6 | 15.6 |
| | 1 | 12 | .3 | 15.6 | 31.2 |
| | 2 | 3 | .1 | 3.9 | 35.1 |
| | 3 | 9 | .2 | 11.7 | 46.8 |
| | 4 | 3 | .1 | 3.9 | 50.6 |
| | 5 | 3 | .1 | 3.9 | 54.5 |
| | 6 | 1 | .0 | 1.3 | 55.8 |
| | 7 | 1 | .0 | 1.3 | 57.1 |
| | 8 | 1 | .0 | 1.3 | 58.4 |
| | 9 | 1 | .0 | 1.3 | 59.7 |
| | 10 | 3 | .1 | 3.9 | 63.6 |
| | 12 | 2 | .1 | 2.6 | 66.2 |
| | 13 | 1 | .0 | 1.3 | 67.5 |
| | 14 | 1 | .0 | 1.3 | 68.8 |
| | 17 | 2 | .1 | 2.6 | 71.4 |
| | 18 | 1 | .0 | 1.3 | 72.7 |
| | 20 | 1 | .0 | 1.3 | 74.0 |
| | 22 | 1 | .0 | 1.3 | 75.3 |
| | 23 | 1 | .0 | 1.3 | 76.6 |
| | 25 | 1 | .0 | 1.3 | 77.9 |
| | 30 | 1 | .0 | 1.3 | 79.2 |
| | 36 | 1 | .0 | 1.3 | 80.5 |
| | 40 | 1 | .0 | 1.3 | 81.8 |
| | 50 | 2 | .1 | 2.6 | 84.4 |
| | 70 | 1 | .0 | 1.3 | 85.7 |
| | 75 | 1 | .0 | 1.3 | 87.0 |
| | 97 Varies | 4 | .1 | 5.2 | 92.2 |
| | 98 90 miles or more | 6 | .2 | 7.8 | 100.0 |
| | Total | 77 | 2.1 | 100.0 | |
| Missing | -1 No response | 3563 | 97.9 | | |
| Total | | 3640 | 100.0 | | |

pp7401 H8b: Number of times a week travelled from home to job 3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 9 | .2 | 12.2 | 12.2 |
| | 1 | 29 | .8 | 39.2 | 51.4 |
| | 2 | 8 | .2 | 10.8 | 62.2 |
| | 3 | 3 | .1 | 4.1 | 66.2 |
| | 4 | 3 | .1 | 4.1 | 70.3 |
| | 5 | 18 | .5 | 24.3 | 94.6 |
| | 6 | 1 | .0 | 1.4 | 95.9 |
| | 7 | 1 | .0 | 1.4 | 97.3 |
| | 8 | 1 | .0 | 1.4 | 98.6 |
| | 18 | 1 | .0 | 1.4 | 100.0 |
| | Total | 74 | 2.0 | 100.0 | |
| Missing | -1 No response | 3566 | 98.0 | | |
| Total | | 3640 | 100.0 | | |

pp7402 H8c1: Frequency respondent travelled to job 3 by car

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 41 | 1.1 | 59.4 | 59.4 |
| | 2 Usually | 11 | .3 | 15.9 | 75.4 |
| | 3 Occasionally | 6 | .2 | 8.7 | 84.1 |
| | 4 Never or rarely | 11 | .3 | 15.9 | 100.0 |
| | Total | 69 | 1.9 | 100.0 | |
| Missing | -1 No response | 3571 | 98.1 | | |
| Total | | 3640 | 100.0 | | |

pp7403 H8c2: Frequency respondent travelled to job 3 by works/public transport

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 3 | .1 | 6.8 | 6.8 |
| | 2 Usually | 2 | .1 | 4.5 | 11.4 |
| | 3 Occasionally | 2 | .1 | 4.5 | 15.9 |
| | 4 Never or rarely | 37 | 1.0 | 84.1 | 100.0 |
| | Total | 44 | 1.2 | 100.0 | |
| Missing | -1 No response | 3596 | 98.8 | | |
| Total | | 3640 | 100.0 | | |

pp7404 H8c3: Frequency respondent travelled to job 3 by bicycle

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 2 | .1 | 4.2 | 4.2 |
| | 2 Usually | 3 | .1 | 6.3 | 10.4 |
| | 3 Occasionally | 7 | .2 | 14.6 | 25.0 |
| | 4 Never or rarely | 36 | 1.0 | 75.0 | 100.0 |
| | Total | 48 | 1.3 | 100.0 | |
| Missing | -1 No response | 3592 | 98.7 | | |
| Total | | 3640 | 100.0 | | |

pp7405 H8c4: Frequency respondent travelled to job 3 by walking

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 2 | .1 | 4.2 | 4.2 |
| | 2 Usually | 1 | .0 | 2.1 | 6.3 |
| | 3 Occasionally | 8 | .2 | 16.7 | 22.9 |
| | 4 Never or rarely | 37 | 1.0 | 77.1 | 100.0 |
| | Total | 48 | 1.3 | 100.0 | |
| Missing | -1 No response | 3592 | 98.7 | | |
| Total | | 3640 | 100.0 | | |

PAGE 46 OF THE QUESTIONNAIRE

SECTION I: RECREATION ACTIVITIES

I1. Please tell us about the number of times you have done the following activities in the past year, and state the average time spent on each one:

| | Number of times you did the activity in the past year | | | | | | | |
|--|---|------------------------|----------------------------|-------------------------|--------------|------|--|--|
| Average time spent per episode: | Every day | 3-6 times a week | Once or twice a week | 1-3 times a month | than once | None | | |
| a) Swimming- competitive or laps | 1 | 2 | 3 | 4 | a month 5 | 6 | | |
| b) Swimming- leisurely not laps | 1 | 2 | 3 | 4 | 5 | 6 | | |
| c) Backpacking or mountain climbing | 1 | 2 | 3 | 4 | 5 | 6 | | |
| d) Walking for pleasure (not as a means of transportation) | 1 | 2 | 3 | 4 | 5 | 6 | | |
| e) Racing or rough terrain cycling | 1 | 2 | 3 | 4 | 5 | 6 | | |
| f) Cycling for pleasure (not as a means of transportation) | 1 | 2 | 3 | 4 | 5 | 6 | | |
| g) Mowing the lawn | 1 | 2 | 3 | 4 | 5 | 6 | | |
| h) Watering the lawn or garden | 1 | 2 | 3 | 4 | 5 | 6 | | |

PAGE 47 OF THE QUESTIONNAIRE

| I1. | A vorogo timo | Number of time you did the activity in the past year | | | | | | |
|---|---------------------------------|--|------------------------|----------------------------|-------------------------|----------------------|------|--|
| 11. | Average time spent per episode: | Every day | 3-6 times a week | Once or twice a week | 1-3 times a month | Less than once | None | |
| i) Digging, shovelling or chopping wood | | 1 | 2 | 3 | 4 | a month 5 | 6 | |
| j) Weeding, pruning | | 1 | 2 | 3 | 4 | 5 | 6 | |
| k) DIY e.g. carpentry, home or ca maintenan | | 1 | 2 | 3 | 4 | 5 | 6 | |
| l) High impa aerobics, step aerobi | | 1 | 2 | 3 | 4 | 5 | 6 | |
| m) Other typ of aerobics | | 1 | 2 | 3 | 4 | 5 | 6 | |
| n) Exercises with weights | | 1 | 2 | 3 | 4 | 5 | 6 | |
| o) Condition exercises e.g. using exercise by rowing ma | an ike or | 1 | 2 | 3 | 4 | 5 | 6 | |
| p) Floor exercises e.g. stretch bending, ke | | 1 | 2 | 3 | 4 | 5 | 6 | |
| q) Dancing, e ballroom, disco | e.g. | 1 | 2 | 3 | 4 | 5 | 6 | |

PAGE 48 OF THE QUESTIONNAIRE

| I1. | A | Number of times you did the activity in the past year | | | | | | |
|---|---------------------------------|---|------------------------|----------------------------|-------------------------|---------------------------------|-----------|--|
| | Average time spent per episode: | Every day | 3-6 times a week | Once or twice a week | 1-3 times a month | Less than once a month | None ↓ | |
| r) Competitive running s) Jogging t) Bowling - indoor, lawn or 10 pin | | | 2 2 | 3 3 3 | 4 4 | 5 5 5 | 6 6 | |
| u) Tennis or badminton | | 1 | 2 | 3 | 4 | 5 | 6 | |
| v) Squashw) Table tennisx) Golf | | | 2 2 | 3 3 | 4 4 | 5 5 5 | 6 | |
| y) Football, rugby or hockey | | 1 | 2 | 3 | 4 | 5 | 6 | |
| z) Cricket | | 1 | 2 | 3 | 4 | 5 | 6 | |
| za) Rowing | | 1 | 2 | 3 | 4 | 5 | 6 | |
| zb) Netball, volleybal basketba | | 1 | 2 | 3 | 4 | 5 | 6 | |
| zc) Fishing | | 1 | 2 | 3 | 4 | 5 | 6 | |
| zd) Horse- riding | | 1 | 2 | 3 | 4 | 5 | 6 | |

PAGE 49 OF THE QUESTIONNAIRE

| I1. | | | Number | of times y | ou did the | activity in | the past y | ear |
|---|-----------------------------------|---------|--------------|------------------------|----------------------------|-------------------------|---------------------------------|--------------------|
| | Averag spe per epi hours | nt | Every day | 3-6 times a week | Once or twice a week | 1-3 times a month | Less than once a month | None \vert \tau |
| ze) Snooker, billiards, darts | | | 1 | 2 | 3 | 4 | 5 | 6 |
| zf) Musical instrumer playing, si | * | | 1 | 2 | 3 | 4 | 5 | 6 |
| zg) Ice-skati | ng | | 1 | 2 | 3 | 4 | 5 | 6 |
| zh) Sailing, wind- surfing, bo | pating | | 1 | 2 | 3 | 4 | 5 | 6 |
| zi) Winter sports e.g. skiing | g | | 1 | 2 | 3 | 4 | 5 | 6 |
| zj) Martial arts, boxi wrestling | _ | | 1 | 2 | 3 | 4 | 5 | 6 |
| zk) Other exercise (please tic | k and des | scribe) | 1 | 2 | 3 | 4 | 5 | 6 |
| | | | | | | | | |

pp8000a I1a: Average time respondent spent swimming competitively/laps per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 305 | 8.4 | 56.2 | 56.2 |
| | 1 | 209 | 5.7 | 38.5 | 94.7 |
| | 2 | 18 | .5 | 3.3 | 98.0 |
| | 3 | 7 | .2 | 1.3 | 99.3 |
| | 4 | 1 | .0 | .2 | 99.4 |
| | 10 10+ hours | 3 | .1 | .6 | 100.0 |
| | Total | 543 | 14.9 | 100.0 | |
| Missing | -1 No response | 3097 | 85.1 | | |
| Total | | 3640 | 100.0 | | |

pp8000b I1a: Average time respondent spent swimming competitively/laps per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 217 | 6.0 | 40.0 | 40.0 |
| | 2 | 1 | .0 | .2 | 40.1 |
| | 5 | 3 | .1 | .6 | 40.7 |
| | 10 | 13 | .4 | 2.4 | 43.1 |
| | 15 | 20 | .5 | 3.7 | 46.8 |
| | 20 | 40 | 1.1 | 7.4 | 54.1 |
| | 25 | 6 | .2 | 1.1 | 55.2 |
| | 30 | 175 | 4.8 | 32.2 | 87.5 |
| | 35 | 5 | .1 | .9 | 88.4 |
| | 40 | 23 | .6 | 4.2 | 92.6 |
| | 45 | 33 | .9 | 6.1 | 98.7 |
| | 50 | 6 | .2 | 1.1 | 99.8 |
| | 55 | 1 | .0 | .2 | 100.0 |
| | Total | 543 | 14.9 | 100.0 | |
| Missing | -1 No response | 3097 | 85.1 | | |
| Total | | 3640 | 100.0 | | |

pp8001 I1a: Frequency respondent swam competitively/laps in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Everyday | 2 | .1 | .1 | .1 |
| | 2 3-6 times a week | 33 | .9 | 1.0 | 1.1 |
| | 3 Once or twice a week | 107 | 2.9 | 3.4 | 4.5 |
| | 4 1-3 times a month | 147 | 4.0 | 4.6 | 9.1 |
| | 5 < Once a month | 338 | 9.3 | 10.6 | 19.7 |
| | 6 None | 2560 | 70.3 | 80.3 | 100.0 |
| | Total | 3187 | 87.6 | 100.0 | |
| Missing | -1 No response | 453 | 12.4 | | |
| Total | | 3640 | 100.0 | | |

pp8010a I1b: Average time respondent spent swimming leisurely per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 659 | 18.1 | 37.4 | 37.4 |
| | 1 | 931 | 25.6 | 52.8 | 90.2 |
| | 2 | 131 | 3.6 | 7.4 | 97.6 |
| | 3 | 21 | .6 | 1.2 | 98.8 |
| | 4 | 6 | .2 | .3 | 99.1 |
| | 5 | 7 | .2 | .4 | 99.5 |
| | 6 | 2 | .1 | .1 | 99.7 |
| | 7 | 2 | .1 | .1 | 99.8 |
| | 10 10+ hours | 4 | .1 | .2 | 100.0 |
| | Total | 1763 | 48.4 | 100.0 | |
| Missing | -1 No response | 1877 | 51.6 | | |
| Total | | 3640 | 100.0 | | |

pp8010b I1b: Average time respondent spent swimming leisurely per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 989 | 27.2 | 56.1 | 56.1 |
| | 2 | 1 | .0 | .1 | 56.2 |
| | 5 | 2 | .1 | .1 | 56.3 |
| | 10 | 18 | .5 | 1.0 | 57.3 |
| | 15 | 32 | .9 | 1.8 | 59.1 |
| | 20 | 73 | 2.0 | 4.1 | 63.2 |
| | 25 | 5 | .1 | .3 | 63.5 |
| | 26 | 2 | .1 | .1 | 63.6 |
| | 30 | 481 | 13.2 | 27.3 | 90.9 |
| | 35 | 2 | .1 | .1 | 91.0 |
| | 40 | 53 | 1.5 | 3.0 | 94.0 |
| | 45 | 88 | 2.4 | 5.0 | 99.0 |
| | 50 | 14 | .4 | .8 | 99.8 |
| | 55 | 3 | .1 | .2 | 100.0 |
| | Total | 1763 | 48.4 | 100.0 | |
| Missing | -1 No response | 1877 | 51.6 | | |
| Total | | 3640 | 100.0 | | |

pp8011 I1b: Frequency respondent swam leisurely in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 11 | .3 | .3 | .3 |
| | 1 Everyday | 6 | .2 | .2 | .5 |
| | 2 3-6 times a week | 25 | .7 | .7 | 1.2 |
| | 3 Once or twice a week | 155 | 4.3 | 4.6 | 5.8 |
| | 4 1-3 times a month | 504 | 13.8 | 14.9 | 20.7 |
| | 5 < Once a month | 1462 | 40.2 | 43.2 | 63.9 |
| | 6 None | 1220 | 33.5 | 36.1 | 100.0 |
| | Total | 3383 | 92.9 | 100.0 | |
| Missing | -1 No response | 257 | 7.1 | | |
| Total | | 3640 | 100.0 | | |

pp8020a I1c: Average time respondent spent backpacking/mountain climbing per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 1 | .0 | .3 | .3 |
| | 1 | 20 | .5 | 6.3 | 6.6 |
| | 2 | 34 | .9 | 10.7 | 17.3 |
| | 3 | 45 | 1.2 | 14.2 | 31.4 |
| | 4 | 50 | 1.4 | 15.7 | 47.2 |
| | 5 | 41 | 1.1 | 12.9 | 60.1 |
| | 6 | 49 | 1.3 | 15.4 | 75.5 |
| | 7 | 10 | .3 | 3.1 | 78.6 |
| | 8 | 44 | 1.2 | 13.8 | 92.5 |
| | 9 | 5 | .1 | 1.6 | 94.0 |
| | 10 10+ hours | 19 | .5 | 6.0 | 100.0 |
| | Total | 318 | 8.7 | 100.0 | |
| Missing | -1 No response | 3322 | 91.3 | | |
| Total | | 3640 | 100.0 | | |

pp8020b I1c: Average time respondent spent backpacking/mountain climbing per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 304 | 8.4 | 95.6 | 95.6 |
| | 6 | 1 | .0 | .3 | 95.9 |
| | 20 | 1 | .0 | .3 | 96.2 |
| | 30 | 11 | .3 | 3.5 | 99.7 |
| | 50 | 1 | .0 | .3 | 100.0 |
| | Total | 318 | 8.7 | 100.0 | |
| Missing | -1 No response | 3322 | 91.3 | | |
| Total | | 3640 | 100.0 | | |

pp8021 I1c: Frequency respondent has gone backpacking/mountain climbing in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 2 | .1 | .1 | .1 |
| | 2 3-6 times a week | 2 | .1 | .1 | .1 |
| | 3 Once or twice a week | 10 | .3 | .3 | .4 |
| | 4 1-3 times a month | 37 | 1.0 | 1.2 | 1.6 |
| | 5 < Once a month | 354 | 9.7 | 11.0 | 12.6 |
| | 6 None | 2808 | 77.1 | 87.4 | 100.0 |
| | Total | 3213 | 88.3 | 100.0 | |
| Missing | -1 No response | 427 | 11.7 | | |
| Total | | 3640 | 100.0 | | |

pp8030a I1d: Average time respondent spent walking for pleasure per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 437 | 12.0 | 22.1 | 22.1 |
| | 1 | 772 | 21.2 | 39.0 | 61.2 |
| | 2 | 471 | 12.9 | 23.8 | 85.0 |
| | 3 | 144 | 4.0 | 7.3 | 92.3 |
| | 4 | 73 | 2.0 | 3.7 | 96.0 |
| | 5 | 32 | .9 | 1.6 | 97.6 |
| | 6 | 25 | .7 | 1.3 | 98.8 |
| | 7 | 3 | .1 | .2 | 99.0 |
| | 8 | 10 | .3 | .5 | 99.5 |
| | 10 10+ hours | 10 | .3 | .5 | 100.0 |
| | Total | 1977 | 54.3 | 100.0 | |
| Missing | -1 No response | 1663 | 45.7 | | |
| Total | | 3640 | 100.0 | | |

pp8030b I1d: Average time respondent spent walking for pleasure per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 1341 | 36.8 | 67.8 | 67.8 |
| | 2 | 1 | .0 | .1 | 67.9 |
| | 4 | 1 | .0 | .1 | 67.9 |
| | 5 | 2 | .1 | .1 | 68.0 |
| | 10 | 8 | .2 | .4 | 68.4 |
| | 15 | 24 | .7 | 1.2 | 69.7 |
| | 20 | 49 | 1.3 | 2.5 | 72.1 |
| | 25 | 5 | .1 | .3 | 72.4 |
| | 30 | 440 | 12.1 | 22.3 | 94.6 |
| | 35 | 3 | .1 | .2 | 94.8 |
| | 36 | 1 | .0 | .1 | 94.8 |
| | 40 | 30 | .8 | 1.5 | 96.4 |
| | 45 | 60 | 1.6 | 3.0 | 99.4 |
| | 50 | 12 | .3 | .6 | 100.0 |
| | Total | 1977 | 54.3 | 100.0 | |
| Missing | -1 No response | 1663 | 45.7 | | |
| Total | | 3640 | 100.0 | | |

pp8031 I1d: Frequency respondent has gone walking for pleasure climbing in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 7 | .2 | .2 | .2 |
| | 1 Everyday | 169 | 4.6 | 5.0 | 5.2 |
| | 2 3-6 times a week | 237 | 6.5 | 6.9 | 12.1 |
| | 3 Once or twice a week | 488 | 13.4 | 14.3 | 26.4 |
| | 4 1-3 times a month | 750 | 20.6 | 22.0 | 48.4 |
| | 5 < Once a month | 877 | 24.1 | 25.7 | 74.0 |
| | 6 None | 886 | 24.3 | 26.0 | 100.0 |
| | Total | 3414 | 93.8 | 100.0 | |
| Missing | -1 No response | 226 | 6.2 | | |
| Total | | 3640 | 100.0 | | |

pp8040a I1e: Average time respondent spent racing/rough terrain cycling per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 19 | .5 | 10.7 | 10.7 |
| | 1 | 63 | 1.7 | 35.6 | 46.3 |
| | 2 | 54 | 1.5 | 30.5 | 76.8 |
| | 3 | 25 | .7 | 14.1 | 91.0 |
| | 4 | 5 | .1 | 2.8 | 93.8 |
| | 5 | 1 | .0 | .6 | 94.4 |
| | 6 | 6 | .2 | 3.4 | 97.7 |
| | 7 | 1 | .0 | .6 | 98.3 |
| | 8 | 2 | .1 | 1.1 | 99.4 |
| | 9 | 1 | .0 | .6 | 100.0 |
| | Total | 177 | 4.9 | 100.0 | |
| Missing | -1 No response | 3463 | 95.1 | | |
| Total | | 3640 | 100.0 | | |

pp8040b I1e: Average time respondent spent racing/rough terrain cycling per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 130 | 3.6 | 73.4 | 73.4 |
| | 2 | 1 | .0 | .6 | 74.0 |
| | 10 | 2 | .1 | 1.1 | 75.1 |
| | 15 | 4 | .1 | 2.3 | 77.4 |
| | 18 | 1 | .0 | .6 | 78.0 |
| | 30 | 35 | 1.0 | 19.8 | 97.7 |
| | 35 | 1 | .0 | .6 | 98.3 |
| | 45 | 2 | .1 | 1.1 | 99.4 |
| | 50 | 1 | .0 | .6 | 100.0 |
| | Total | 177 | 4.9 | 100.0 | |
| Missing | -1 No response | 3463 | 95.1 | | |
| Total | | 3640 | 100.0 | | |

pp8041 I1e: Frequency respondent has gone racing/rough terrain cycling in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 1 | .0 | .0 | .0 |
| | 1 Everyday | 2 | .1 | .1 | .1 |
| | 2 3-6 times a week | 14 | .4 | .4 | .5 |
| | 3 Once or twice a week | 42 | 1.2 | 1.3 | 1.9 |
| | 4 1-3 times a month | 51 | 1.4 | 1.6 | 3.5 |
| | 5 < Once a month | 122 | 3.4 | 3.8 | 7.3 |
| | 6 None | 2945 | 80.9 | 92.7 | 100.0 |
| | Total | 3177 | 87.3 | 100.0 | |
| Missing | -1 No response | 463 | 12.7 | | |
| Total | | 3640 | 100.0 | | |

pp8050a I1f: Average time respondent spent cycling for pleasure per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 311 | 8.5 | 23.8 | 23.8 |
| | 1 | 528 | 14.5 | 40.4 | 64.2 |
| | 2 | 314 | 8.6 | 24.0 | 88.2 |
| | 3 | 88 | 2.4 | 6.7 | 95.0 |
| | 4 | 33 | .9 | 2.5 | 97.5 |
| | 5 | 18 | .5 | 1.4 | 98.9 |
| | 6 | 7 | .2 | .5 | 99.4 |
| | 8 | 3 | .1 | .2 | 99.6 |
| | 10 10+ hours | 5 | .1 | .4 | 100.0 |
| | Total | 1307 | 35.9 | 100.0 | |
| Missing | -1 No response | 2333 | 64.1 | | |
| Total | | 3640 | 100.0 | | |

pp8050b I1f: Average time respondent spent cycling for pleasure per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 874 | 24.0 | 66.9 | 66.9 |
| | 1 | 2 | .1 | .2 | 67.0 |
| | 3 | 1 | .0 | .1 | 67.1 |
| | 10 | 11 | .3 | .8 | 67.9 |
| | 15 | 13 | .4 | 1.0 | 68.9 |
| | 20 | 39 | 1.1 | 3.0 | 71.9 |
| | 25 | 2 | .1 | .2 | 72.1 |
| | 30 | 295 | 8.1 | 22.6 | 94.6 |
| | 40 | 15 | .4 | 1.1 | 95.8 |
| | 45 | 49 | 1.3 | 3.7 | 99.5 |
| | 50 | 6 | .2 | .5 | 100.0 |
| | Total | 1307 | 35.9 | 100.0 | |
| Missing | -1 No response | 2333 | 64.1 | | |
| Total | | 3640 | 100.0 | | |

pp8051 I1f: Frequency respondent has gone cycling for pleasure in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 6 | .2 | .2 | .2 |
| | 1 Everyday | 9 | .2 | .3 | .5 |
| | 2 3-6 times a week | 54 | 1.5 | 1.6 | 2.1 |
| | 3 Once or twice a week | 195 | 5.4 | 5.9 | 7.9 |
| | 4 1-3 times a month | 466 | 12.8 | 14.0 | 21.9 |
| | 5 < Once a month | 948 | 26.0 | 28.5 | 50.4 |
| | 6 None | 1649 | 45.3 | 49.6 | 100.0 |
| | Total | 3327 | 91.4 | 100.0 | |
| Missing | -1 No response | 313 | 8.6 | | |
| Total | | 3640 | 100.0 | | |

pp8060a I1g: Average time respondent spent mowing the lawn per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 888 | 24.4 | 39.8 | 39.8 |
| | 1 | 990 | 27.2 | 44.4 | 84.3 |
| | 2 | 273 | 7.5 | 12.2 | 96.5 |
| | 3 | 38 | 1.0 | 1.7 | 98.2 |
| | 4 | 18 | .5 | .8 | 99.0 |
| | 5 | 5 | .1 | .2 | 99.2 |
| | 6 | 5 | .1 | .2 | 99.5 |
| | 7 | 2 | .1 | .1 | 99.6 |
| | 8 | 2 | .1 | .1 | 99.6 |
| | 10 10+ hours | 8 | .2 | .4 | 100.0 |
| | Total | 2229 | 61.2 | 100.0 | |
| Missing | -1 No response | 1411 | 38.8 | | |
| Total | | 3640 | 100.0 | | |

pp8060b I1g: Average time respondent spent mowing the lawn per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 1129 | 31.0 | 50.7 | 50.7 |
| | 1 | 2 | .1 | .1 | 50.7 |
| | 2 | 1 | .0 | .0 | 50.8 |
| | 3 | 2 | .1 | .1 | 50.9 |
| | 5 | 1 | .0 | .0 | 50.9 |
| | 10 | 27 | .7 | 1.2 | 52.1 |
| | 15 | 69 | 1.9 | 3.1 | 55.2 |
| | 18 | 1 | .0 | .0 | 55.3 |
| | 20 | 126 | 3.5 | 5.7 | 60.9 |
| | 25 | 12 | .3 | .5 | 61.5 |
| | 30 | 672 | 18.5 | 30.1 | 91.6 |
| | 35 | 4 | .1 | .2 | 91.8 |
| | 40 | 58 | 1.6 | 2.6 | 94.4 |
| | 45 | 106 | 2.9 | 4.8 | 99.1 |
| | 48 | 1 | .0 | .0 | 99.2 |
| | 50 | 17 | .5 | .8 | 100.0 |
| | 55 | 1 | .0 | .0 | 100.0 |
| | Total | 2229 | 61.2 | 100.0 | |
| Missing | -1 No response | 1411 | 38.8 | | |
| Total | | 3640 | 100.0 | | |

PP File - Section I

pp8061 I1g: Frequency respondent has mowed the lawn in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 13 | .4 | .4 | .4 |
| | 1 Everyday | 3 | .1 | .1 | .5 |
| | 2 3-6 times a week | 9 | .2 | .3 | .7 |
| | 3 Once or twice a week | 638 | 17.5 | 18.3 | 19.1 |
| | 4 1-3 times a month | 1541 | 42.3 | 44.3 | 63.4 |
| | 5 < once a month | 651 | 17.9 | 18.7 | 82.1 |
| | 6 None | 624 | 17.1 | 17.9 | 100.0 |
| | Total | 3479 | 95.6 | 100.0 | |
| Missing | -1 No response | 161 | 4.4 | | |
| Total | | 3640 | 100.0 | | |

pp8070a I1h: Average time respondent spent watering the lawn/garden per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 1108 | 30.4 | 75.2 | 75.2 |
| | 1 | 318 | 8.7 | 21.6 | 96.8 |
| | 2 | 32 | .9 | 2.2 | 99.0 |
| | 3 | 5 | .1 | .3 | 99.3 |
| | 4 | 1 | .0 | .1 | 99.4 |
| | 5 | 4 | .1 | .3 | 99.7 |
| | 6 | 1 | .0 | .1 | 99.7 |
| | 10 10+ hours | 4 | .1 | .3 | 100.0 |
| | Total | 1473 | 40.5 | 100.0 | |
| Missing | -1 No response | 2167 | 59.5 | | |
| Total | | 3640 | 100.0 | | |

pp8070b I1h: Average time respondent spent watering the lawn/garden per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 346 | 9.5 | 23.5 | 23.5 |
| | 2 | 1 | .0 | .1 | 23.6 |
| | 3 | 1 | .0 | .1 | 23.6 |
| | 5 | 23 | .6 | 1.6 | 25.2 |
| | 6 | 1 | .0 | .1 | 25.3 |
| | 10 | 173 | 4.8 | 11.7 | 37.0 |
| | 15 | 154 | 4.2 | 10.5 | 47.5 |
| | 20 | 181 | 5.0 | 12.3 | 59.7 |
| | 25 | 4 | .1 | .3 | 60.0 |
| | 30 | 560 | 15.4 | 38.0 | 98.0 |
| | 35 | 2 | .1 | .1 | 98.2 |
| | 40 | 10 | .3 | .7 | 98.8 |
| | 45 | 12 | .3 | .8 | 99.7 |
| | 50 | 5 | .1 | .3 | 100.0 |
| | Total | 1473 | 40.5 | 100.0 | |
| Missing | -1 No response | 2167 | 59.5 | | |
| Total | | 3640 | 100.0 | | |

pp8071 I1h: Frequency respondent has watered the lawn/garden in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 5 | .1 | .1 | .1 |
| | 1 Everyday | 64 | 1.8 | 1.9 | 2.1 |
| | 2 3-6 times a week | 213 | 5.9 | 6.4 | 8.4 |
| | 3 Once or twice a week | 498 | 13.7 | 14.9 | 23.3 |
| | 4 1-3 times a month | 627 | 17.2 | 18.8 | 42.1 |
| | 5 < once a month | 609 | 16.7 | 18.2 | 60.3 |
| | 6 None | 1328 | 36.5 | 39.7 | 100.0 |
| | Total | 3344 | 91.9 | 100.0 | |
| Missing | -1 No response | 296 | 8.1 | | |
| Total | | 3640 | 100.0 | | |

pp8080a I1i: Average time respondent spent digging/shovelling/chopping wood per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 529 | 14.5 | 34.9 | 34.9 |
| | 1 | 557 | 15.3 | 36.8 | 71.7 |
| | 2 | 264 | 7.3 | 17.4 | 89.1 |
| | 3 | 70 | 1.9 | 4.6 | 93.7 |
| | 4 | 39 | 1.1 | 2.6 | 96.3 |
| | 5 | 17 | .5 | 1.1 | 97.4 |
| | 6 | 19 | .5 | 1.3 | 98.7 |
| | 7 | 2 | .1 | .1 | 98.8 |
| | 8 | 9 | .2 | .6 | 99.4 |
| | 9 | 2 | .1 | .1 | 99.5 |
| | 10 10+ hours | 7 | .2 | .5 | 100.0 |
| | Total | 1515 | 41.6 | 100.0 | |
| Missing | -1 No response | 2125 | 58.4 | | |
| Total | | 3640 | 100.0 | | |

pp8080b I1i: Average time respondent spent digging/shovelling/chopping wood per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 913 | 25.1 | 60.3 | 60.3 |
| | 1 | 1 | .0 | .1 | 60.3 |
| | 3 | 1 | .0 | .1 | 60.4 |
| | 5 | 1 | .0 | .1 | 60.5 |
| | 6 | 1 | .0 | .1 | 60.5 |
| | 10 | 41 | 1.1 | 2.7 | 63.2 |
| | 15 | 50 | 1.4 | 3.3 | 66.5 |
| | 20 | 79 | 2.2 | 5.2 | 71.7 |
| | 30 | 391 | 10.7 | 25.8 | 97.6 |
| | 35 | 1 | .0 | .1 | 97.6 |
| | 40 | 10 | .3 | .7 | 98.3 |
| | 45 | 18 | .5 | 1.2 | 99.5 |
| | 50 | 7 | .2 | .5 | 99.9 |
| | 55 | 1 | .0 | .1 | 100.0 |
| | Total | 1515 | 41.6 | 100.0 | |
| Missing | -1 No response | 2125 | 58.4 | | |
| Total | | 3640 | 100.0 | | |

pp8081 I1i: Frequency respondent has dug/shovelled/chopped wood in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 5 | .1 | .1 | .1 |
| | 1 Everyday | 30 | .8 | .9 | 1.0 |
| | 2 3-6 times a week | 51 | 1.4 | 1.5 | 2.6 |
| | 3 Once or twice a week | 203 | 5.6 | 6.0 | 8.6 |
| | 4 1-3 times a month | 539 | 14.8 | 16.0 | 24.6 |
| | 5 < Once a month | 1154 | 31.7 | 34.3 | 58.9 |
| | 6 None | 1381 | 37.9 | 41.1 | 100.0 |
| | Total | 3363 | 92.4 | 100.0 | |
| Missing | -1 No response | 277 | 7.6 | | |
| Total | | 3640 | 100.0 | | |

pp8090a I1j: Average time respondent spent weeding/pruning per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 678 | 18.6 | 42.7 | 42.7 |
| | 1 | 639 | 17.6 | 40.3 | 83.0 |
| | 2 | 200 | 5.5 | 12.6 | 95.6 |
| | 3 | 33 | .9 | 2.1 | 97.7 |
| | 4 | 24 | .7 | 1.5 | 99.2 |
| | 5 | 6 | .2 | .4 | 99.6 |
| | 6 | 2 | .1 | .1 | 99.7 |
| | 8 | 3 | .1 | .2 | 99.9 |
| | 10 10+ hours | 2 | .1 | .1 | 100.0 |
| | Total | 1587 | 43.6 | 100.0 | |
| Missing | -1 No response | 2053 | 56.4 | | |
| Total | | 3640 | 100.0 | | |

pp8090b I1j: Average time respondent spent weeding/pruning per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 861 | 23.7 | 54.3 | 54.3 |
| | 1 | 1 | .0 | .1 | 54.3 |
| | 2 | 1 | .0 | .1 | 54.4 |
| | 5 | 5 | .1 | .3 | 54.7 |
| | 6 | 1 | .0 | .1 | 54.8 |
| | 10 | 63 | 1.7 | 4.0 | 58.7 |
| | 15 | 52 | 1.4 | 3.3 | 62.0 |
| | 20 | 85 | 2.3 | 5.4 | 67.4 |
| | 25 | 2 | .1 | .1 | 67.5 |
| | 30 | 482 | 13.2 | 30.4 | 97.9 |
| | 40 | 7 | .2 | .4 | 98.3 |
| | 45 | 23 | .6 | 1.4 | 99.7 |
| | 50 | 3 | .1 | .2 | 99.9 |
| | 55 | 1 | .0 | .1 | 100.0 |
| | Total | 1587 | 43.6 | 100.0 | |
| Missing | -1 No response | 2053 | 56.4 | | |
| Total | | 3640 | 100.0 | | |

pp8091 I1j: Frequency respondent has weeded/pruned in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 7 | .2 | .2 | .2 |
| | 1 Everyday | 9 | .2 | .3 | .5 |
| | 2 3-6 times a week | 42 | 1.2 | 1.3 | 1.7 |
| | 3 Once or twice a week | 277 | 7.6 | 8.3 | 10.0 |
| | 4 1-3 times a month | 731 | 20.1 | 21.8 | 31.8 |
| | 5 < Once a month | 1033 | 28.4 | 30.8 | 62.6 |
| | 6 None | 1256 | 34.5 | 37.4 | 100.0 |
| | Total | 3355 | 92.2 | 100.0 | |
| Missing | -1 No response | 285 | 7.8 | | |
| Total | | 3640 | 100.0 | | |

pp8100a I1k: Average time respondent spent doing DIY per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 307 | 8.4 | 13.5 | 13.5 |
| | 1 | 705 | 19.4 | 31.1 | 44.6 |
| | 2 | 581 | 16.0 | 25.6 | 70.2 |
| | 3 | 257 | 7.1 | 11.3 | 81.5 |
| | 4 | 188 | 5.2 | 8.3 | 89.8 |
| | 5 | 67 | 1.8 | 3.0 | 92.7 |
| | 6 | 73 | 2.0 | 3.2 | 95.9 |
| | 7 | 10 | .3 | .4 | 96.4 |
| | 8 | 41 | 1.1 | 1.8 | 98.2 |
| | 9 | 4 | .1 | .2 | 98.4 |
| | 10 10+ hours | 37 | 1.0 | 1.6 | 100.0 |
| | Total | 2270 | 62.4 | 100.0 | |
| Missing | -1 No response | 1370 | 37.6 | | |
| Total | | 3640 | 100.0 | | |

pp8100b I1k: Average time respondent spent doing DIY per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 1839 | 50.5 | 81.0 | 81.0 |
| | 2 | 3 | .1 | .1 | 81.1 |
| | 5 | 1 | .0 | .0 | 81.2 |
| | 10 | 17 | .5 | .7 | 81.9 |
| | 15 | 12 | .3 | .5 | 82.5 |
| | 20 | 34 | .9 | 1.5 | 84.0 |
| | 25 | 3 | .1 | .1 | 84.1 |
| | 30 | 321 | 8.8 | 14.1 | 98.2 |
| | 35 | 2 | .1 | .1 | 98.3 |
| | 40 | 11 | .3 | .5 | 98.8 |
| | 45 | 24 | .7 | 1.1 | 99.9 |
| | 50 | 2 | .1 | .1 | 100.0 |
| | 59 | 1 | .0 | .0 | 100.0 |
| | Total | 2270 | 62.4 | 100.0 | |
| Missing | -1 No response | 1370 | 37.6 | | |
| Total | | 3640 | 100.0 | | |

pp8101 I1k: Frequency respondent did DIY in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 6 | .2 | .2 | .2 |
| | 1 Everyday | 45 | 1.2 | 1.3 | 1.5 |
| | 2 3-6 times a week | 159 | 4.4 | 4.6 | 6.1 |
| | 3 Once or twice a week | 655 | 18.0 | 18.9 | 25.0 |
| | 4 1-3 times a month | 1154 | 31.7 | 33.3 | 58.3 |
| | 5 < once a month | 952 | 26.2 | 27.5 | 85.8 |
| | 6 None | 491 | 13.5 | 14.2 | 100.0 |
| | Total | 3462 | 95.1 | 100.0 | |
| Missing | -1 No response | 178 | 4.9 | | |
| Total | | 3640 | 100.0 | | |

pp8110a I1I: Average time respondent spent doing high impact/step aerobics per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 24 | .7 | 32.9 | 32.9 |
| | 1 | 45 | 1.2 | 61.6 | 94.5 |
| | 2 | 2 | .1 | 2.7 | 97.3 |
| | 3 | 2 | .1 | 2.7 | 100.0 |
| | Total | 73 | 2.0 | 100.0 | |
| Missing | -1 No response | 3567 | 98.0 | | |
| Total | | 3640 | 100.0 | | |

pp8110b I1I: Average time respondent spent doing high impact/step aerobics per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 46 | 1.3 | 63.0 | 63.0 |
| | 10 | 1 | .0 | 1.4 | 64.4 |
| | 15 | 4 | .1 | 5.5 | 69.9 |
| | 20 | 5 | .1 | 6.8 | 76.7 |
| | 30 | 11 | .3 | 15.1 | 91.8 |
| | 40 | 2 | .1 | 2.7 | 94.5 |
| | 45 | 4 | .1 | 5.5 | 100.0 |
| | Total | 73 | 2.0 | 100.0 | |
| Missing | -1 No response | 3567 | 98.0 | | |
| Total | | 3640 | 100.0 | | |

pp8111 I1I: Frequency respondent did high impact/step aerobics in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 2 3-6 times a week | 17 | .5 | .5 | .5 |
| | 3 Once or twice a week | 41 | 1.1 | 1.3 | 1.8 |
| | 4 1-3 times a month | 19 | .5 | .6 | 2.4 |
| | 5 < Once a month | 16 | .4 | .5 | 2.9 |
| | 6 None | 3133 | 86.1 | 97.1 | 100.0 |
| | Total | 3226 | 88.6 | 100.0 | |
| Missing | -1 No response | 414 | 11.4 | | |
| Total | | 3640 | 100.0 | | |

pp8120a I1m: Average time respondent spent doing other types of aerobics per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 42 | 1.2 | 41.6 | 41.6 |
| | 1 | 47 | 1.3 | 46.5 | 88.1 |
| | 2 | 9 | .2 | 8.9 | 97.0 |
| | 3 | 1 | .0 | 1.0 | 98.0 |
| | 4 | 1 | .0 | 1.0 | 99.0 |
| | 7 | 1 | .0 | 1.0 | 100.0 |
| | Total | 101 | 2.8 | 100.0 | |
| Missing | -1 No response | 3539 | 97.2 | | |
| Total | | 3640 | 100.0 | | |

pp8120b I1m: Average time respondent spent doing other types of aerobics per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 52 | 1.4 | 51.5 | 51.5 |
| | 10 | 2 | .1 | 2.0 | 53.5 |
| | 15 | 3 | .1 | 3.0 | 56.4 |
| | 20 | 5 | .1 | 5.0 | 61.4 |
| | 23 | 1 | .0 | 1.0 | 62.4 |
| | 25 | 3 | .1 | 3.0 | 65.3 |
| | 30 | 23 | .6 | 22.8 | 88.1 |
| | 35 | 1 | .0 | 1.0 | 89.1 |
| | 40 | 8 | .2 | 7.9 | 97.0 |
| | 45 | 3 | .1 | 3.0 | 100.0 |
| | Total | 101 | 2.8 | 100.0 | |
| Missing | -1 No response | 3539 | 97.2 | | |
| Total | | 3640 | 100.0 | | |

pp8121 I1m: Frequency respondent did other types of aerobics in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 1 | .0 | .0 | .0 |
| | 1 Everyday | 1 | .0 | .0 | .1 |
| | 2 3-6 times a week | 29 | .8 | .9 | 1.0 |
| | 3 Once or twice a week | 48 | 1.3 | 1.5 | 2.5 |
| | 4 1-3 times a month | 29 | .8 | .9 | 3.4 |
| | 5 < Once a month | 19 | .5 | .6 | 4.0 |
| | 6 None | 3088 | 84.8 | 96.0 | 100.0 |
| | Total | 3215 | 88.3 | 100.0 | |
| Missing | -1 No response | 425 | 11.7 | | |
| Total | | 3640 | 100.0 | | |

pp8130a I1n: Average time respondent spent doing exercise with weights per episode in past year (hours)

| | | Frequency | Frequency Percent | | Cumulative Percent |
|---------|----------------|-----------|-------------------|-------|-----------------------|
| Valid | 0 | 324 | 8.9 | 57.0 | 57.0 |
| | 1 | 197 | 5.4 | 34.7 | 91.7 |
| | 2 | 36 | 1.0 | 6.3 | 98.1 |
| | 3 | 3 | .1 | .5 | 98.6 |
| | 4 | 4 | .1 | .7 | 99.3 |
| | 5 | 1 | .0 | .2 | 99.5 |
| | 6 | 2 | .1 | .4 | 99.8 |
| | 10 10+ hours | 1 | .0 | .2 | 100.0 |
| | Total | 568 | 15.6 | 100.0 | |
| Missing | -1 No response | 3072 | 84.4 | | |
| Total | | 3640 | 100.0 | | |

pp8130b I1n: Average time respondent spent doing exercise with weights per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 215 | 5.9 | 37.9 | 37.9 |
| | 5 | 8 | .2 | 1.4 | 39.3 |
| | 10 | 20 | .5 | 3.5 | 42.8 |
| | 15 | 37 | 1.0 | 6.5 | 49.3 |
| | 20 | 67 | 1.8 | 11.8 | 61.1 |
| | 25 | 4 | .1 | .7 | 61.8 |
| | 30 | 169 | 4.6 | 29.8 | 91.5 |
| | 35 | 1 | .0 | .2 | 91.7 |
| | 40 | 13 | .4 | 2.3 | 94.0 |
| | 45 | 30 | .8 | 5.3 | 99.3 |
| | 50 | 3 | .1 | .5 | 99.8 |
| | 55 | 1 | .0 | .2 | 100.0 |
| | Total | 568 | 15.6 | 100.0 | |
| Missing | -1 No response | 3072 | 84.4 | | |
| Total | | 3640 | 100.0 | | |

pp8131 I1n: Frequency respondent did exercise with weights in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 2 | .1 | .1 | .1 |
| | 1 Everyday | 15 | .4 | .5 | .5 |
| | 2 3-6 times a week | 147 | 4.0 | 4.5 | 5.0 |
| | 3 Once or twice a week | 260 | 7.1 | 7.9 | 12.9 |
| | 4 1-3 times a month | 138 | 3.8 | 4.2 | 17.1 |
| | 5 < once a month | 134 | 3.7 | 4.1 | 21.2 |
| | 6 None | 2581 | 70.9 | 78.8 | 100.0 |
| | Total | 3277 | 90.0 | 100.0 | |
| Missing | -1 No response | 363 | 10.0 | | |
| Total | | 3640 | 100.0 | | |

pp8140a I1o: Average time respondent spent doing conditioning exercises per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 424 | 11.6 | 64.8 | 64.8 |
| | 1 | 195 | 5.4 | 29.8 | 94.6 |
| | 2 | 23 | .6 | 3.5 | 98.2 |
| | 3 | 5 | .1 | .8 | 98.9 |
| | 4 | 3 | .1 | .5 | 99.4 |
| | 5 | 1 | .0 | .2 | 99.5 |
| | 6 | 1 | .0 | .2 | 99.7 |
| | 8 | 1 | .0 | .2 | 99.8 |
| | 10 10+ hours | 1 | .0 | .2 | 100.0 |
| | Total | 654 | 18.0 | 100.0 | |
| Missing | -1 No response | 2986 | 82.0 | | |
| Total | | 3640 | 100.0 | | |

pp8140b I1o: Average time respondent spent doing conditioning exercises per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 214 | 5.9 | 32.7 | 32.7 |
| | 4 | 1 | .0 | .2 | 32.9 |
| | 10 | 33 | .9 | 5.0 | 37.9 |
| | 12 | 2 | .1 | .3 | 38.2 |
| | 15 | 45 | 1.2 | 6.9 | 45.1 |
| | 20 | 97 | 2.7 | 14.8 | 59.9 |
| | 25 | 8 | .2 | 1.2 | 61.2 |
| | 30 | 189 | 5.2 | 28.9 | 90.1 |
| | 35 | 3 | .1 | .5 | 90.5 |
| | 40 | 22 | .6 | 3.4 | 93.9 |
| | 45 | 34 | .9 | 5.2 | 99.1 |
| | 50 | 5 | .1 | .8 | 99.8 |
| | 55 | 1 | .0 | .2 | 100.0 |
| | Total | 654 | 18.0 | 100.0 | |
| Missing | -1 No response | 2986 | 82.0 | | |
| Total | | 3640 | 100.0 | | |

pp8141 I1o: Frequency respondent did conditioning exercises in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 2 | .1 | .1 | .1 |
| | 1 Everyday | 17 | .5 | .5 | .6 |
| | 2 3-6 times a week | 156 | 4.3 | 4.7 | 5.3 |
| | 3 Once or twice a week | 302 | 8.3 | 9.2 | 14.5 |
| | 4 1-3 times a month | 159 | 4.4 | 4.8 | 19.3 |
| | 5 < Once a month | 164 | 4.5 | 5.0 | 24.2 |
| | 6 None | 2500 | 68.7 | 75.8 | 100.0 |
| | Total | 3300 | 90.7 | 100.0 | |
| Missing | -1 No response | 340 | 9.3 | | |
| Total | | 3640 | 100.0 | | |

pp8150a I1p: Average time respondent spent doing floor exercises per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 474 | 13.0 | 79.4 | 79.4 |
| | 1 | 104 | 2.9 | 17.4 | 96.8 |
| | 2 | 12 | .3 | 2.0 | 98.8 |
| | 3 | 2 | .1 | .3 | 99.2 |
| | 4 | 2 | .1 | .3 | 99.5 |
| | 5 | 2 | .1 | .3 | 99.8 |
| | 6 | 1 | .0 | .2 | 100.0 |
| | Total | 597 | 16.4 | 100.0 | |
| Missing | -1 No response | 3043 | 83.6 | | |
| Total | | 3640 | 100.0 | | |

pp8150b I1p: Average time respondent spent doing floor exercises per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 111 | 3.0 | 18.6 | 18.6 |
| | 1 | 1 | .0 | .2 | 18.8 |
| | 2 | 3 | .1 | .5 | 19.3 |
| | 3 | 1 | .0 | .2 | 19.4 |
| | 4 | 1 | .0 | .2 | 19.6 |
| | 5 | 36 | 1.0 | 6.0 | 25.6 |
| | 6 | 1 | .0 | .2 | 25.8 |
| | 8 | 1 | .0 | .2 | 26.0 |
| | 10 | 141 | 3.9 | 23.6 | 49.6 |
| | 12 | 1 | .0 | .2 | 49.7 |
| | 15 | 72 | 2.0 | 12.1 | 61.8 |
| | 20 | 76 | 2.1 | 12.7 | 74.5 |
| | 25 | 3 | .1 | .5 | 75.0 |
| | 30 | 133 | 3.7 | 22.3 | 97.3 |
| | 35 | 2 | .1 | .3 | 97.7 |
| | 40 | 4 | .1 | .7 | 98.3 |
| | 45 | 9 | .2 | 1.5 | 99.8 |
| | 50 | 1 | .0 | .2 | 100.0 |
| | Total | 597 | 16.4 | 100.0 | |
| Missing | -1 No response | 3043 | 83.6 | | |
| Total | | 3640 | 100.0 | | |

pp8151 I1p: Frequency respondent did floor exercises in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 4 | .1 | .1 | .1 |
| | 1 Everyday | 71 | 2.0 | 2.2 | 2.3 |
| | 2 3-6 times a week | 173 | 4.8 | 5.3 | 7.6 |
| | 3 Once or twice a week | 249 | 6.8 | 7.6 | 15.2 |
| | 4 1-3 times a month | 149 | 4.1 | 4.5 | 19.7 |
| | 5 < Once a month | 119 | 3.3 | 3.6 | 23.3 |
| | 6 None | 2514 | 69.1 | 76.7 | 100.0 |
| | Total | 3279 | 90.1 | 100.0 | |
| Missing | -1 No response | 361 | 9.9 | | |
| Total | | 3640 | 100.0 | | |

pp8160a I1q: Average time respondent spent dancing per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 42 | 1.2 | 22.5 | 22.5 |
| | 1 | 63 | 1.7 | 33.7 | 56.1 |
| | 2 | 51 | 1.4 | 27.3 | 83.4 |
| | 3 | 16 | .4 | 8.6 | 92.0 |
| | 4 | 13 | .4 | 7.0 | 98.9 |
| | 5 | 2 | .1 | 1.1 | 100.0 |
| | Total | 187 | 5.1 | 100.0 | |
| Missing | -1 No response | 3453 | 94.9 | | |
| Total | | 3640 | 100.0 | | |

pp8160b I1q: Average time respondent spent dancing per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 126 | 3.5 | 67.4 | 67.4 |
| | 1 | 1 | .0 | .5 | 67.9 |
| | 2 | 1 | .0 | .5 | 68.4 |
| | 5 | 1 | .0 | .5 | 69.0 |
| | 10 | 2 | .1 | 1.1 | 70.1 |
| | 15 | 4 | .1 | 2.1 | 72.2 |
| | 20 | 6 | .2 | 3.2 | 75.4 |
| | 30 | 38 | 1.0 | 20.3 | 95.7 |
| | 40 | 2 | .1 | 1.1 | 96.8 |
| | 45 | 5 | .1 | 2.7 | 99.5 |
| | 50 | 1 | .0 | .5 | 100.0 |
| | Total | 187 | 5.1 | 100.0 | |
| Missing | -1 No response | 3453 | 94.9 | | |
| Total | | 3640 | 100.0 | | |

pp8161 I1q: Frequency respondent danced in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 3 Once or twice a week | 25 | .7 | .8 | .8 |
| | 4 1-3 times a month | 42 | 1.2 | 1.3 | 2.1 |
| | 5 < once a month | 200 | 5.5 | 6.2 | 8.3 |
| | 6 None | 2961 | 81.3 | 91.7 | 100.0 |
| | Total | 3228 | 88.7 | 100.0 | |
| Missing | -1 No response | 412 | 11.3 | | |
| Total | | 3640 | 100.0 | | |

pp8170a I1r: Average time respondent spent doing competitive running per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 36 | 1.0 | 32.1 | 32.1 |
| | 1 | 47 | 1.3 | 42.0 | 74.1 |
| | 2 | 24 | .7 | 21.4 | 95.5 |
| | 3 | 2 | .1 | 1.8 | 97.3 |
| | 4 | 1 | .0 | .9 | 98.2 |
| | 5 | 1 | .0 | .9 | 99.1 |
| | 6 | 1 | .0 | .9 | 100.0 |
| | Total | 112 | 3.1 | 100.0 | |
| Missing | -1 No response | 3528 | 96.9 | | |
| Total | | 3640 | 100.0 | | |

pp8170b I1r: Average time respondent spent doing competitive running per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 49 | 1.3 | 43.8 | 43.8 |
| | 1 | 1 | .0 | .9 | 44.6 |
| | 10 | 1 | .0 | .9 | 45.5 |
| | 11 | 1 | .0 | .9 | 46.4 |
| | 15 | 6 | .2 | 5.4 | 51.8 |
| | 18 | 1 | .0 | .9 | 52.7 |
| | 20 | 4 | .1 | 3.6 | 56.3 |
| | 28 | 1 | .0 | .9 | 57.1 |
| | 30 | 22 | .6 | 19.6 | 76.8 |
| | 35 | 3 | .1 | 2.7 | 79.5 |
| | 40 | 6 | .2 | 5.4 | 84.8 |
| | 45 | 14 | .4 | 12.5 | 97.3 |
| | 50 | 3 | .1 | 2.7 | 100.0 |
| | Total | 112 | 3.1 | 100.0 | |
| Missing | -1 No response | 3528 | 96.9 | | |
| Total | | 3640 | 100.0 | | |

pp8171 I1r: Frequency respondent competitively ran in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Everyday | 2 | .1 | .1 | .1 |
| | 2 3-6 times a week | 13 | .4 | .4 | .5 |
| | 3 Once or twice a week | 25 | .7 | .8 | 1.2 |
| | 4 1-3 times a month | 14 | .4 | .4 | 1.7 |
| | 5 < Once a month | 72 | 2.0 | 2.2 | 3.9 |
| | 6 None | 3101 | 85.2 | 96.1 | 100.0 |
| | Total | 3227 | 88.7 | 100.0 | |
| Missing | -1 No response | 413 | 11.3 | | |
| Total | | 3640 | 100.0 | | |

pp8180a I1s: Average time respondent spent jogging per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 475 | 13.0 | 72.9 | 72.9 |
| | 1 | 148 | 4.1 | 22.7 | 95.6 |
| | 2 | 16 | .4 | 2.5 | 98.0 |
| | 3 | 5 | .1 | .8 | 98.8 |
| | 4 | 4 | .1 | .6 | 99.4 |
| | 6 | 1 | .0 | .2 | 99.5 |
| | 10 10+ hours | 3 | .1 | .5 | 100.0 |
| | Total | 652 | 17.9 | 100.0 | |
| Missing | -1 No response | 2988 | 82.1 | | |
| Total | | 3640 | 100.0 | | |

pp8180b I1s: Average time respondent spent jogging per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 155 | 4.3 | 23.8 | 23.8 |
| | 1 | 1 | .0 | .2 | 23.9 |
| | 5 | 4 | .1 | .6 | 24.5 |
| | 10 | 13 | .4 | 2.0 | 26.5 |
| | 15 | 34 | .9 | 5.2 | 31.7 |
| | 20 | 81 | 2.2 | 12.4 | 44.2 |
| | 22 | 1 | .0 | .2 | 44.3 |
| | 23 | 1 | .0 | .2 | 44.5 |
| | 25 | 16 | .4 | 2.5 | 46.9 |
| | 30 | 205 | 5.6 | 31.4 | 78.4 |
| | 35 | 8 | .2 | 1.2 | 79.6 |
| | 40 | 51 | 1.4 | 7.8 | 87.4 |
| | 45 | 70 | 1.9 | 10.7 | 98.2 |
| | 50 | 12 | .3 | 1.8 | 100.0 |
| | Total | 652 | 17.9 | 100.0 | |
| Missing | -1 No response | 2988 | 82.1 | | |
| Total | | 3640 | 100.0 | | |

pp8181 I1s: Frequency respondent has jogged in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 3 | .1 | .1 | .1 |
| | 1 Everyday | 6 | .2 | .2 | .3 |
| | 2 3-6 times a week | 132 | 3.6 | 4.0 | 4.2 |
| | 3 Once or twice a week | 230 | 6.3 | 6.9 | 11.2 |
| | 4 1-3 times a month | 197 | 5.4 | 5.9 | 17.1 |
| | 5 < Once a month | 240 | 6.6 | 7.2 | 24.3 |
| | 6 None | 2512 | 69.0 | 75.7 | 100.0 |
| | Total | 3320 | 91.2 | 100.0 | |
| Missing | -1 No response | 320 | 8.8 | | |
| Total | | 3640 | 100.0 | | |

pp8190a I1t: Average time respondent spent bowling - indoor lawn/10 pin per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 55 | 1.5 | 11.4 | 11.4 |
| | 1 | 295 | 8.1 | 61.0 | 72.3 |
| | 2 | 109 | 3.0 | 22.5 | 94.8 |
| | 3 | 19 | .5 | 3.9 | 98.8 |
| | 4 | 3 | .1 | .6 | 99.4 |
| | 5 | 1 | .0 | .2 | 99.6 |
| | 6 | 1 | .0 | .2 | 99.8 |
| | 10 10+ hours | 1 | .0 | .2 | 100.0 |
| | Total | 484 | 13.3 | 100.0 | |
| Missing | -1 No response | 3156 | 86.7 | | |
| Total | | 3640 | 100.0 | | |

pp8190b I1t: Average time respondent spent bowling - indoor lawn/10 pin per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 362 | 9.9 | 74.8 | 74.8 |
| | 10 | 1 | .0 | .2 | 75.0 |
| | 15 | 1 | .0 | .2 | 75.2 |
| | 20 | 5 | .1 | 1.0 | 76.2 |
| | 30 | 91 | 2.5 | 18.8 | 95.0 |
| | 40 | 8 | .2 | 1.7 | 96.7 |
| | 45 | 12 | .3 | 2.5 | 99.2 |
| | 50 | 4 | .1 | .8 | 100.0 |
| | Total | 484 | 13.3 | 100.0 | |
| Missing | -1 No response | 3156 | 86.7 | | |
| Total | | 3640 | 100.0 | | |

pp8191 I1t: Frequency respondent has bowled - indoor lawn/10 pin in past year

| | | | | | - |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 2 3-6 times a week | 4 | .1 | .1 | .1 |
| | 3 Once or twice a week | 39 | 1.1 | 1.2 | 1.3 |
| | 4 1-3 times a month | 40 | 1.1 | 1.2 | 2.6 |
| | 5 < Once a month | 526 | 14.5 | 16.2 | 18.7 |
| | 6 None | 2643 | 72.6 | 81.3 | 100.0 |
| | Total | 3252 | 89.3 | 100.0 | |
| Missing | -1 No response | 388 | 10.7 | | |
| Total | | 3640 | 100.0 | | |
| | | | | | |

pp8200a I1u: Average time respondent spent playing tennis/badminton per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 91 | 2.5 | 15.8 | 15.8 |
| | 1 | 371 | 10.2 | 64.5 | 80.3 |
| | 2 | 98 | 2.7 | 17.0 | 97.4 |
| | 3 | 13 | .4 | 2.3 | 99.7 |
| | 4 | 2 | .1 | .3 | 100.0 |
| | Total | 575 | 15.8 | 100.0 | |
| Missing | -1 No response | 3065 | 84.2 | | |
| Total | | 3640 | 100.0 | | |

pp8200b I1u: Average time respondent spent playing tennis/badminton per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 422 | 11.6 | 73.4 | 73.4 |
| | 15 | 3 | .1 | .5 | 73.9 |
| | 20 | 13 | .4 | 2.3 | 76.2 |
| | 30 | 101 | 2.8 | 17.6 | 93.7 |
| | 35 | 1 | .0 | .2 | 93.9 |
| | 40 | 12 | .3 | 2.1 | 96.0 |
| | 45 | 18 | .5 | 3.1 | 99.1 |
| | 50 | 3 | .1 | .5 | 99.7 |
| | 55 | 2 | .1 | .3 | 100.0 |
| | Total | 575 | 15.8 | 100.0 | |
| Missing | -1 No response | 3065 | 84.2 | | |
| Total | | 3640 | 100.0 | | |

pp8201 I1u: Frequency respondent has played tennis/badminton in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 1 | .0 | .0 | .0 |
| | 2 3-6 times a week | 16 | .4 | .5 | .5 |
| | 3 Once or twice a week | 150 | 4.1 | 4.5 | 5.1 |
| | 4 1-3 times a month | 153 | 4.2 | 4.6 | 9.7 |
| | 5 < Once a month | 391 | 10.7 | 11.8 | 21.5 |
| | 6 None | 2590 | 71.2 | 78.5 | 100.0 |
| | Total | 3301 | 90.7 | 100.0 | |
| Missing | -1 No response | 339 | 9.3 | | |
| Total | | 3640 | 100.0 | | |

pp8210a I1v: Average time respondent spent playing squash per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 113 | 3.1 | 53.3 | 53.3 |
| | 1 | 83 | 2.3 | 39.2 | 92.5 |
| | 2 | 12 | .3 | 5.7 | 98.1 |
| | 3 | 3 | .1 | 1.4 | 99.5 |
| | 10 10+ hours | 1 | .0 | .5 | 100.0 |
| | Total | 212 | 5.8 | 100.0 | |
| Missing | -1 No response | 3428 | 94.2 | | |
| Total | | 3640 | 100.0 | | |

pp8210b I1v: Average time respondent spent playing squash per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 91 | 2.5 | 42.9 | 42.9 |
| | 20 | 1 | .0 | .5 | 43.4 |
| | 30 | 17 | .5 | 8.0 | 51.4 |
| | 40 | 39 | 1.1 | 18.4 | 69.8 |
| | 45 | 58 | 1.6 | 27.4 | 97.2 |
| | 50 | 6 | .2 | 2.8 | 100.0 |
| | Total | 212 | 5.8 | 100.0 | |
| Missing | -1 No response | 3428 | 94.2 | | |
| Total | | 3640 | 100.0 | | |

pp8211 I1v: Frequency respondent has played squash in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Everyday | 1 | .0 | .0 | .0 |
| | 2 3-6 times a week | 13 | .4 | .4 | .4 |
| | 3 Once or twice a week | 88 | 2.4 | 2.7 | 3.1 |
| | 4 1-3 times a month | 49 | 1.3 | 1.5 | 4.6 |
| | 5 < Once a month | 101 | 2.8 | 3.1 | 7.7 |
| | 6 None | 3003 | 82.5 | 92.3 | 100.0 |
| | Total | 3255 | 89.4 | 100.0 | |
| Missing | -1 No response | 385 | 10.6 | | |
| Total | | 3640 | 100.0 | | |

pp8220a I1w: Average time respondent spent playing table tennis per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 122 | 3.4 | 56.5 | 56.5 |
| | 1 | 76 | 2.1 | 35.2 | 91.7 |
| | 2 | 9 | .2 | 4.2 | 95.8 |
| | 3 | 5 | .1 | 2.3 | 98.1 |
| | 4 | 1 | .0 | .5 | 98.6 |
| | 5 | 1 | .0 | .5 | 99.1 |
| | 6 | 1 | .0 | .5 | 99.5 |
| | 8 | 1 | .0 | .5 | 100.0 |
| | Total | 216 | 5.9 | 100.0 | |
| Missing | -1 No response | 3424 | 94.1 | | |
| Total | | 3640 | 100.0 | | |

pp8220b I1w: Average time respondent spent playing table tennis per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 90 | 2.5 | 41.7 | 41.7 |
| | 10 | 2 | .1 | .9 | 42.6 |
| | 15 | 8 | .2 | 3.7 | 46.3 |
| | 20 | 19 | .5 | 8.8 | 55.1 |
| | 25 | 2 | .1 | .9 | 56.0 |
| | 30 | 78 | 2.1 | 36.1 | 92.1 |
| | 40 | 1 | .0 | .5 | 92.6 |
| | 45 | 15 | .4 | 6.9 | 99.5 |
| | 50 | 1 | .0 | .5 | 100.0 |
| | Total | 216 | 5.9 | 100.0 | |
| Missing | -1 No response | 3424 | 94.1 | | |
| Total | | 3640 | 100.0 | | |

pp8221 I1w: Frequency respondent has played table tennis in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Everyday | 1 | .0 | .0 | .0 |
| | 2 3-6 times a week | 9 | .2 | .3 | .3 |
| | 3 Once or twice a week | 27 | .7 | .8 | 1.1 |
| | 4 1-3 times a month | 45 | 1.2 | 1.4 | 2.5 |
| | 5 < Once a month | 204 | 5.6 | 6.3 | 8.8 |
| | 6 None | 2954 | 81.2 | 91.2 | 100.0 |
| | Total | 3240 | 89.0 | 100.0 | |
| Missing | -1 No response | 400 | 11.0 | | |
| Total | | 3640 | 100.0 | | |

pp8230a I1x: Average time respondent spent playing golf per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 10 | .3 | 1.7 | 1.7 |
| | 1 | 37 | 1.0 | 6.4 | 8.1 |
| | 2 | 80 | 2.2 | 13.9 | 22.0 |
| | 3 | 135 | 3.7 | 23.4 | 45.4 |
| | 4 | 277 | 7.6 | 48.0 | 93.4 |
| | 5 | 25 | .7 | 4.3 | 97.7 |
| | 6 | 5 | .1 | .9 | 98.6 |
| | 7 | 1 | .0 | .2 | 98.8 |
| | 8 | 3 | .1 | .5 | 99.3 |
| | 10 10+ hours | 4 | .1 | .7 | 100.0 |
| | Total | 577 | 15.9 | 100.0 | |
| Missing | -1 No response | 3063 | 84.1 | | |
| Total | | 3640 | 100.0 | | |

pp8230b I1x: Average time respondent spent playing golf per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 461 | 12.7 | 79.9 | 79.9 |
| | 10 | 1 | .0 | .2 | 80.1 |
| | 15 | 2 | .1 | .3 | 80.4 |
| | 20 | 2 | .1 | .3 | 80.8 |
| | 30 | 104 | 2.9 | 18.0 | 98.8 |
| | 40 | 2 | .1 | .3 | 99.1 |
| | 45 | 4 | .1 | .7 | 99.8 |
| | 50 | 1 | .0 | .2 | 100.0 |
| | Total | 577 | 15.9 | 100.0 | |
| Missing | -1 No response | 3063 | 84.1 | | |
| Total | | 3640 | 100.0 | | |

pp8231 I1x: Frequency respondent has played golf in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 2 | .1 | .1 | .1 |
| | 1 Everyday | 1 | .0 | .0 | .1 |
| | 2 3-6 times a week | 6 | .2 | .2 | .3 |
| | 3 Once or twice a week | 124 | 3.4 | 3.8 | 4.0 |
| | 4 1-3 times a month | 203 | 5.6 | 6.2 | 10.2 |
| | 5 < Once a month | 365 | 10.0 | 11.1 | 21.3 |
| | 6 None | 2594 | 71.3 | 78.7 | 100.0 |
| | Total | 3295 | 90.5 | 100.0 | |
| Missing | -1 No response | 345 | 9.5 | | |
| Total | | 3640 | 100.0 | | |

pp8240a I1y: Average time respondent spent playing football/rugby/hockey per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 80 | 2.2 | 13.9 | 13.9 |
| | 1 | 352 | 9.7 | 61.2 | 75.1 |
| | 2 | 106 | 2.9 | 18.4 | 93.6 |
| | 3 | 22 | .6 | 3.8 | 97.4 |
| | 4 | 7 | .2 | 1.2 | 98.6 |
| | 5 | 3 | .1 | .5 | 99.1 |
| | 6 | 2 | .1 | .3 | 99.5 |
| | 8 | 1 | .0 | .2 | 99.7 |
| | 9 | 1 | .0 | .2 | 99.8 |
| | 10 10+ hours | 1 | .0 | .2 | 100.0 |
| | Total | 575 | 15.8 | 100.0 | |
| Missing | -1 No response | 3065 | 84.2 | | |
| Total | | 3640 | 100.0 | | |

pp8240b I1y: Average time respondent spent playing football/rugby/hockey per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 343 | 9.4 | 59.7 | 59.7 |
| | 3 | 1 | .0 | .2 | 59.8 |
| | 10 | 9 | .2 | 1.6 | 61.4 |
| | 15 | 7 | .2 | 1.2 | 62.6 |
| | 20 | 29 | .8 | 5.0 | 67.7 |
| | 30 | 169 | 4.6 | 29.4 | 97.0 |
| | 40 | 6 | .2 | 1.0 | 98.1 |
| | 45 | 9 | .2 | 1.6 | 99.7 |
| | 50 | 2 | .1 | .3 | 100.0 |
| | Total | 575 | 15.8 | 100.0 | |
| Missing | -1 No response | 3065 | 84.2 | | |
| Total | | 3640 | 100.0 | | |

pp8241 I1y: Frequency respondent has played football/rugby/hockey in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 3 | .1 | .1 | .1 |
| | 1 Everyday | 4 | .1 | .1 | .2 |
| | 2 3-6 times a week | 29 | .8 | .9 | 1.1 |
| | 3 Once or twice a week | 337 | 9.3 | 10.2 | 11.3 |
| | 4 1-3 times a month | 175 | 4.8 | 5.3 | 16.5 |
| | 5 < Once a month | 188 | 5.2 | 5.7 | 22.2 |
| | 6 None | 2577 | 70.8 | 77.8 | 100.0 |
| | Total | 3313 | 91.0 | 100.0 | |
| Missing | -1 No response | 327 | 9.0 | | |
| Total | | 3640 | 100.0 | | |

pp8250a I1z: Average time respondent spent playing cricket per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 11 | .3 | 5.9 | 5.9 |
| | 1 | 27 | .7 | 14.6 | 20.5 |
| | 2 | 35 | 1.0 | 18.9 | 39.5 |
| | 3 | 32 | .9 | 17.3 | 56.8 |
| | 4 | 15 | .4 | 8.1 | 64.9 |
| | 5 | 31 | .9 | 16.8 | 81.6 |
| | 6 | 24 | .7 | 13.0 | 94.6 |
| | 7 | 4 | .1 | 2.2 | 96.8 |
| | 8 | 6 | .2 | 3.2 | 100.0 |
| | Total | 185 | 5.1 | 100.0 | |
| Missing | -1 No response | 3455 | 94.9 | | |
| Total | | 3640 | 100.0 | | |

pp8250b I1z: Average time respondent spent playing cricket per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 154 | 4.2 | 83.2 | 83.2 |
| | 15 | 1 | .0 | .5 | 83.8 |
| | 30 | 30 | .8 | 16.2 | 100.0 |
| | Total | 185 | 5.1 | 100.0 | |
| Missing | -1 No response | 3455 | 94.9 | | |
| Total | | 3640 | 100.0 | | |

pp8251 I1z: Frequency respondent has played cricket in past year

| | | | • | • | |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 2 3-6 times a week | 5 | .1 | .2 | .2 |
| | 3 Once or twice a week | 57 | 1.6 | 1.8 | 1.9 |
| | 4 1-3 times a month | 59 | 1.6 | 1.8 | 3.7 |
| | 5 < Once a month | 121 | 3.3 | 3.7 | 7.4 |
| | 6 None | 3014 | 82.8 | 92.6 | 100.0 |
| | Total | 3256 | 89.5 | 100.0 | |
| Missing | -1 No response | 384 | 10.5 | | |
| Total | | 3640 | 100.0 | | |

pp8260a I1za: Average time respondent spent rowing per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 20 | .5 | 51.3 | 51.3 |
| | 1 | 11 | .3 | 28.2 | 79.5 |
| | 2 | 4 | .1 | 10.3 | 89.7 |
| | 3 | 2 | .1 | 5.1 | 94.9 |
| | 4 | 2 | .1 | 5.1 | 100.0 |
| | Total | 39 | 1.1 | 100.0 | |
| Missing | -1 No response | 3601 | 98.9 | | |
| Total | | 3640 | 100.0 | | |

pp8260b I1za: Average time respondent spent rowing per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 16 | .4 | 41.0 | 41.0 |
| | 10 | 3 | .1 | 7.7 | 48.7 |
| | 15 | 4 | .1 | 10.3 | 59.0 |
| | 20 | 5 | .1 | 12.8 | 71.8 |
| | 25 | 1 | .0 | 2.6 | 74.4 |
| | 30 | 6 | .2 | 15.4 | 89.7 |
| | 40 | 1 | .0 | 2.6 | 92.3 |
| | 45 | 3 | .1 | 7.7 | 100.0 |
| | Total | 39 | 1.1 | 100.0 | |
| Missing | -1 No response | 3601 | 98.9 | | |
| Total | | 3640 | 100.0 | | |

pp8261 I1za: Frequency respondent has rowed in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 2 3-6 times a week | 4 | .1 | .1 | .1 |
| | 3 Once or twice a week | 9 | .2 | .3 | .4 |
| | 4 1-3 times a month | 9 | .2 | .3 | .7 |
| | 5 < Once a month | 34 | .9 | 1.0 | 1.7 |
| | 6 None | 3183 | 87.4 | 98.3 | 100.0 |
| | Total | 3239 | 89.0 | 100.0 | |
| Missing | -1 No response | 401 | 11.0 | | |
| Total | | 3640 | 100.0 | | |

pp8270a I1zb: Average time respondent spent playing netball/volleyball/basketball per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 17 | .5 | 40.5 | 40.5 |
| | 1 | 17 | .5 | 40.5 | 81.0 |
| | 2 | 7 | .2 | 16.7 | 97.6 |
| | 4 | 1 | .0 | 2.4 | 100.0 |
| | Total | 42 | 1.2 | 100.0 | |
| Missing | -1 No response | 3598 | 98.8 | | |
| Total | | 3640 | 100.0 | | |

pp8270b l1zb: Average time respondent spent playing netball/volleyball/basketball per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 22 | .6 | 52.4 | 52.4 |
| | 10 | 1 | .0 | 2.4 | 54.8 |
| | 15 | 1 | .0 | 2.4 | 57.1 |
| | 20 | 3 | .1 | 7.1 | 64.3 |
| | 25 | 1 | .0 | 2.4 | 66.7 |
| | 30 | 13 | .4 | 31.0 | 97.6 |
| | 45 | 1 | .0 | 2.4 | 100.0 |
| | Total | 42 | 1.2 | 100.0 | |
| Missing | -1 No response | 3598 | 98.8 | | |
| Total | | 3640 | 100.0 | | |

pp8271 I1zb: Frequency respondent has played netball/volleyball/basketball in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 3 Once or twice a week | 15 | .4 | .5 | .5 |
| | 4 1-3 times a month | 13 | .4 | .4 | .9 |
| | 5 < Once a month | 25 | .7 | .8 | 1.6 |
| | 6 None | 3187 | 87.6 | 98.4 | 100.0 |
| | Total | 3240 | 89.0 | 100.0 | |
| Missing | -1 No response | 400 | 11.0 | | |
| Total | | 3640 | 100.0 | | |

pp8280a I1zc: Average time respondent spent fishing per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 8 | .2 | 3.1 | 3.1 |
| | 1 | 25 | .7 | 9.8 | 13.0 |
| | 2 | 41 | 1.1 | 16.1 | 29.1 |
| | 3 | 33 | .9 | 13.0 | 42.1 |
| | 4 | 32 | .9 | 12.6 | 54.7 |
| | 5 | 26 | .7 | 10.2 | 65.0 |
| | 6 | 31 | .9 | 12.2 | 77.2 |
| | 7 | 1 | .0 | .4 | 77.6 |
| | 8 | 41 | 1.1 | 16.1 | 93.7 |
| | 9 | 3 | .1 | 1.2 | 94.9 |
| | 10 10+ hours | 13 | .4 | 5.1 | 100.0 |
| | Total | 254 | 7.0 | 100.0 | |
| Missing | -1 No response | 3386 | 93.0 | | |
| Total | | 3640 | 100.0 | | |

pp8280b l1zc: Average time respondent spent fishing per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 233 | 6.4 | 91.7 | 91.7 |
| | 4 | 1 | .0 | .4 | 92.1 |
| | 30 | 18 | .5 | 7.1 | 99.2 |
| | 50 | 2 | .1 | .8 | 100.0 |
| | Total | 254 | 7.0 | 100.0 | |
| Missing | -1 No response | 3386 | 93.0 | | |
| Total | | 3640 | 100.0 | | |

pp8281 I1zc: Frequency respondent has fished in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 3 Once or twice a week | 37 | 1.0 | 1.1 | 1.1 |
| | 4 1-3 times a month | 76 | 2.1 | 2.3 | 3.5 |
| | 5 < Once a month | 231 | 6.3 | 7.1 | 10.6 |
| | 6 None | 2910 | 79.9 | 89.4 | 100.0 |
| | Total | 3254 | 89.4 | 100.0 | |
| Missing | -1 No response | 386 | 10.6 | | |
| Total | | 3640 | 100.0 | | |

pp8290a I1zd: Average time respondent spent horse riding per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 3 | .1 | 7.9 | 7.9 |
| | 1 | 26 | .7 | 68.4 | 76.3 |
| | 2 | 7 | .2 | 18.4 | 94.7 |
| | 3 | 2 | .1 | 5.3 | 100.0 |
| | Total | 38 | 1.0 | 100.0 | |
| Missing | -1 No response | 3602 | 99.0 | | |
| Total | | 3640 | 100.0 | | |

pp8290b I1zd: Average time respondent spent horse riding per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 31 | .9 | 81.6 | 81.6 |
| | 30 | 6 | .2 | 15.8 | 97.4 |
| | 45 | 1 | .0 | 2.6 | 100.0 |
| | Total | 38 | 1.0 | 100.0 | |
| Missing | -1 No response | 3602 | 99.0 | | |
| Total | | 3640 | 100.0 | | |

pp8291 I1zd: Frequency respondent has rode horses in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Everyday | 1 | .0 | .0 | .0 |
| | 2 3-6 times a week | 1 | .0 | .0 | .1 |
| | 3 Once or twice a week | 6 | .2 | .2 | .2 |
| | 4 1-3 times a month | 6 | .2 | .2 | .4 |
| | 5 < Once a month | 39 | 1.1 | 1.2 | 1.6 |
| | 6 None | 3179 | 87.3 | 98.4 | 100.0 |
| | Total | 3232 | 88.8 | 100.0 | |
| Missing | -1 No response | 408 | 11.2 | | |
| Total | | 3640 | 100.0 | | |

pp8300a l1ze: Average time respondent spent playing snooker/billiards/darts per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 141 | 3.9 | 31.6 | 31.6 |
| | 1 | 166 | 4.6 | 37.2 | 68.8 |
| | 2 | 90 | 2.5 | 20.2 | 89.0 |
| | 3 | 39 | 1.1 | 8.7 | 97.8 |
| | 4 | 6 | .2 | 1.3 | 99.1 |
| | 5 | 1 | .0 | .2 | 99.3 |
| | 6 | 3 | .1 | .7 | 100.0 |
| | Total | 446 | 12.3 | 100.0 | |
| Missing | -1 No response | 3194 | 87.7 | | |
| Total | | 3640 | 100.0 | | |

pp8300b I1ze: Average time respondent spent playing snooker/billiards/darts per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 274 | 7.5 | 61.4 | 61.4 |
| | 3 | 1 | .0 | .2 | 61.7 |
| | 10 | 1 | .0 | .2 | 61.9 |
| | 15 | 11 | .3 | 2.5 | 64.3 |
| | 20 | 22 | .6 | 4.9 | 69.3 |
| | 30 | 128 | 3.5 | 28.7 | 98.0 |
| | 35 | 1 | .0 | .2 | 98.2 |
| | 40 | 4 | .1 | .9 | 99.1 |
| | 45 | 4 | .1 | .9 | 100.0 |
| | Total | 446 | 12.3 | 100.0 | |
| Missing | -1 No response | 3194 | 87.7 | | |
| Total | | 3640 | 100.0 | | |

pp8301 l1ze: Frequency respondent has played snooker/billiards/darts in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 1 | .0 | .0 | .0 |
| | 1 Everyday | 5 | .1 | .2 | .2 |
| | 2 3-6 times a week | 15 | .4 | .5 | .6 |
| | 3 Once or twice a week | 119 | 3.3 | 3.6 | 4.3 |
| | 4 1-3 times a month | 131 | 3.6 | 4.0 | 8.3 |
| | 5 < Once a month | 333 | 9.1 | 10.2 | 18.5 |
| | 6 None | 2665 | 73.2 | 81.5 | 100.0 |
| | Total | 3269 | 89.8 | 100.0 | |
| Missing | -1 No response | 371 | 10.2 | | |
| Total | | 3640 | 100.0 | | |

pp8310a I1zf: Average time respondent spent playing musical instruments/singing per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 196 | 5.4 | 46.1 | 46.1 |
| | 1 | 148 | 4.1 | 34.8 | 80.9 |
| | 2 | 52 | 1.4 | 12.2 | 93.2 |
| | 3 | 18 | .5 | 4.2 | 97.4 |
| | 4 | 7 | .2 | 1.6 | 99.1 |
| | 5 | 1 | .0 | .2 | 99.3 |
| | 6 | 1 | .0 | .2 | 99.5 |
| | 10 10+ hours | 2 | .1 | .5 | 100.0 |
| | Total | 425 | 11.7 | 100.0 | |
| Missing | -1 No response | 3215 | 88.3 | | |
| Total | | 3640 | 100.0 | | |

pp8310b l1zf: Average time respondent spent playing musical instruments/singing per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 197 | 5.4 | 46.4 | 46.4 |
| | 5 | 1 | .0 | .2 | 46.6 |
| | 10 | 8 | .2 | 1.9 | 48.5 |
| | 15 | 23 | .6 | 5.4 | 53.9 |
| | 20 | 30 | .8 | 7.1 | 60.9 |
| | 25 | 2 | .1 | .5 | 61.4 |
| | 30 | 151 | 4.1 | 35.5 | 96.9 |
| | 40 | 3 | .1 | .7 | 97.6 |
| | 45 | 10 | .3 | 2.4 | 100.0 |
| | Total | 425 | 11.7 | 100.0 | |
| Missing | -1 No response | 3215 | 88.3 | | |
| Total | | 3640 | 100.0 | | |

pp8311 I1zf: Frequency respondent has played musical instruments/sung in past year

| | | | | | - |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 0 Time reported but no frequency | 1 | .0 | .0 | .0 |
| | 1 Everyday | 56 | 1.5 | 1.7 | 1.7 |
| | 2 3-6 times a week | 109 | 3.0 | 3.3 | 5.1 |
| | 3 Once or twice a week | 171 | 4.7 | 5.2 | 10.3 |
| | 4 1-3 times a month | 99 | 2.7 | 3.0 | 13.3 |
| | 5 < Once a month | 103 | 2.8 | 3.1 | 16.4 |
| | 6 None | 2741 | 75.3 | 83.6 | 100.0 |
| | Total | 3280 | 90.1 | 100.0 | |
| Missing | -1 No response | 360 | 9.9 | | |
| Total | | 3640 | 100.0 | | |

pp8320a I1zg: Average time respondent spent playing ice skating per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 12 | .3 | 10.3 | 10.3 |
| | 1 | 64 | 1.8 | 55.2 | 65.5 |
| | 2 | 39 | 1.1 | 33.6 | 99.1 |
| | 3 | 1 | .0 | .9 | 100.0 |
| | Total | 116 | 3.2 | 100.0 | |
| Missing | -1 No response | 3524 | 96.8 | | |
| Total | | 3640 | 100.0 | | |

pp8320b I1zg: Average time respondent spent playing ice skating per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 95 | 2.6 | 81.9 | 81.9 |
| | 10 | 1 | .0 | .9 | 82.8 |
| | 20 | 1 | .0 | .9 | 83.6 |
| | 30 | 14 | .4 | 12.1 | 95.7 |
| | 40 | 2 | .1 | 1.7 | 97.4 |
| | 50 | 3 | .1 | 2.6 | 100.0 |
| | Total | 116 | 3.2 | 100.0 | |
| Missing | -1 No response | 3524 | 96.8 | | |
| Total | | 3640 | 100.0 | | |

pp8321 I1zg: Frequency respondent has ice skated in past year

| • • | • • • • | | • | - | |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Everyday | 1 | .0 | .0 | .0 |
| | 3 Once or twice a week | 1 | .0 | .0 | .1 |
| | 4 1-3 times a month | 7 | .2 | .2 | .3 |
| | 5 < Once a month | 131 | 3.6 | 4.0 | 4.3 |
| | 6 None | 3096 | 85.1 | 95.7 | 100.0 |
| | Total | 3236 | 88.9 | 100.0 | |
| Missing | -1 No response | 404 | 11.1 | | |
| Total | | 3640 | 100.0 | | |

pp8330a I1zh: Average time respondent spent sailing/wind surfing/boating per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 10 | .3 | 4.4 | 4.4 |
| | 1 | 35 | 1.0 | 15.5 | 19.9 |
| | 2 | 66 | 1.8 | 29.2 | 49.1 |
| | 3 | 35 | 1.0 | 15.5 | 64.6 |
| | 4 | 34 | .9 | 15.0 | 79.6 |
| | 5 | 11 | .3 | 4.9 | 84.5 |
| | 6 | 16 | .4 | 7.1 | 91.6 |
| | 7 | 4 | .1 | 1.8 | 93.4 |
| | 8 | 8 | .2 | 3.5 | 96.9 |
| | 9 | 3 | .1 | 1.3 | 98.2 |
| | 10 10+ hours | 4 | .1 | 1.8 | 100.0 |
| | Total | 226 | 6.2 | 100.0 | |
| Missing | -1 No response | 3414 | 93.8 | | |
| Total | | 3640 | 100.0 | | |

pp8330b I1zh: Average time respondent spent sailing/wind surfing/boating per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 206 | 5.7 | 91.2 | 91.2 |
| | 10 | 1 | .0 | .4 | 91.6 |
| | 15 | 1 | .0 | .4 | 92.0 |
| | 30 | 16 | .4 | 7.1 | 99.1 |
| | 40 | 2 | .1 | .9 | 100.0 |
| | Total | 226 | 6.2 | 100.0 | |
| Missing | -1 No response | 3414 | 93.8 | | |
| Total | | 3640 | 100.0 | | |

pp8331 I1zh: Frequency respondent has sailed/wind surfed/boated in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 2 3-6 times a week | 2 | .1 | .1 | .1 |
| | 3 Once or twice a week | 25 | .7 | .8 | .8 |
| | 4 1-3 times a month | 78 | 2.1 | 2.4 | 3.2 |
| | 5 < Once a month | 197 | 5.4 | 6.1 | 9.3 |
| | 6 None | 2948 | 81.0 | 90.7 | 100.0 |
| | Total | 3250 | 89.3 | 100.0 | |
| Missing | -1 No response | 390 | 10.7 | | |
| Total | | 3640 | 100.0 | | |

pp8340a I1zi: Average time respondent spent playing winter sports per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 5 | .1 | 2.2 | 2.2 |
| | 1 | 9 | .2 | 3.9 | 6.0 |
| | 2 | 13 | .4 | 5.6 | 11.6 |
| | 3 | 15 | .4 | 6.5 | 18.1 |
| | 4 | 22 | .6 | 9.5 | 27.6 |
| | 5 | 31 | .9 | 13.4 | 40.9 |
| | 6 | 84 | 2.3 | 36.2 | 77.2 |
| | 7 | 17 | .5 | 7.3 | 84.5 |
| | 8 | 26 | .7 | 11.2 | 95.7 |
| | 10 10+ hours | 10 | .3 | 4.3 | 100.0 |
| | Total | 232 | 6.4 | 100.0 | |
| Missing | -1 No response | 3408 | 93.6 | | |
| Total | | 3640 | 100.0 | | |

pp8340b I1zi: Average time respondent spent playing winter sports per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 221 | 6.1 | 95.3 | 95.3 |
| | 30 | 10 | .3 | 4.3 | 99.6 |
| | 45 | 1 | .0 | .4 | 100.0 |
| | Total | 232 | 6.4 | 100.0 | |
| Missing | -1 No response | 3408 | 93.6 | | |
| Total | | 3640 | 100.0 | | |

pp8341 I1zi: Frequency respondent partook in winter sports in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 3 | .1 | .1 | .1 |
| | 1 Everyday | 2 | .1 | .1 | .2 |
| | 2 3-6 times a week | 1 | .0 | .0 | .2 |
| | 3 Once or twice a week | 2 | .1 | .1 | .2 |
| | 4 1-3 times a month | 18 | .5 | .6 | .8 |
| | 5 < Once a month | 268 | 7.4 | 8.2 | 9.0 |
| | 6 None | 2959 | 81.3 | 91.0 | 100.0 |
| | Total | 3253 | 89.4 | 100.0 | |
| Missing | -1 No response | 387 | 10.6 | | |
| Total | | 3640 | 100.0 | | |

pp8350a I1zj: Average time respondent spent doing martial arts/boxing/wrestling per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 6 | .2 | 9.5 | 9.5 |
| | 1 | 32 | .9 | 50.8 | 60.3 |
| | 2 | 16 | .4 | 25.4 | 85.7 |
| | 3 | 6 | .2 | 9.5 | 95.2 |
| | 4 | 1 | .0 | 1.6 | 96.8 |
| | 5 | 1 | .0 | 1.6 | 98.4 |
| | 10 10+ hours | 1 | .0 | 1.6 | 100.0 |
| | Total | 63 | 1.7 | 100.0 | |
| Missing | -1 No response | 3577 | 98.3 | | |
| Total | | 3640 | 100.0 | | |

pp8350b I1zj: Average time respondent spent doing martial arts/boxing/wrestling per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 39 | 1.1 | 61.9 | 61.9 |
| | 10 | 1 | .0 | 1.6 | 63.5 |
| | 20 | 3 | .1 | 4.8 | 68.3 |
| | 30 | 17 | .5 | 27.0 | 95.2 |
| | 45 | 3 | .1 | 4.8 | 100.0 |
| | Total | 63 | 1.7 | 100.0 | |
| Missing | -1 No response | 3577 | 98.3 | | |
| Total | | 3640 | 100.0 | | |

pp8351 l1zj: Frequency respondent partook in martial arts/boxing/wrestling in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Everyday | 3 | .1 | .1 | .1 |
| | 2 3-6 times a week | 12 | .3 | .4 | .5 |
| | 3 Once or twice a week | 46 | 1.3 | 1.4 | 1.9 |
| | 4 1-3 times a month | 9 | .2 | .3 | 2.2 |
| | 5 < Once a month | 11 | .3 | .3 | 2.5 |
| | 6 None | 3148 | 86.5 | 97.5 | 100.0 |
| | Total | 3229 | 88.7 | 100.0 | |
| Missing | -1 No response | 411 | 11.3 | | |
| Total | | 3640 | 100.0 | | |

pp8360a I1zk: Average time respondent spent doing other exercise per episode in past year (hours)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 41 | 1.1 | 22.5 | 22.5 |
| | 1 | 44 | 1.2 | 24.2 | 46.7 |
| | 2 | 40 | 1.1 | 22.0 | 68.7 |
| | 3 | 24 | .7 | 13.2 | 81.9 |
| | 4 | 11 | .3 | 6.0 | 87.9 |
| | 5 | 3 | .1 | 1.6 | 89.6 |
| | 6 | 8 | .2 | 4.4 | 94.0 |
| | 7 | 1 | .0 | .5 | 94.5 |
| | 8 | 5 | .1 | 2.7 | 97.3 |
| | 9 | 1 | .0 | .5 | 97.8 |
| | 10 10+ hours | 4 | .1 | 2.2 | 100.0 |
| | Total | 182 | 5.0 | 100.0 | |
| Missing | -1 No response | 3458 | 95.0 | | |
| Total | | 3640 | 100.0 | | |

pp8360b l1zk: Average time respondent spent doing other exercise per episode in past year (minutes)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 120 | 3.3 | 65.9 | 65.9 |
| | 1 | 1 | .0 | .5 | 66.5 |
| | 10 | 4 | .1 | 2.2 | 68.7 |
| | 15 | 4 | .1 | 2.2 | 70.9 |
| | 20 | 2 | .1 | 1.1 | 72.0 |
| | 30 | 33 | .9 | 18.1 | 90.1 |
| | 35 | 1 | .0 | .5 | 90.7 |
| | 40 | 4 | .1 | 2.2 | 92.9 |
| | 45 | 9 | .2 | 4.9 | 97.8 |
| | 50 | 3 | .1 | 1.6 | 99.5 |
| | 59 | 1 | .0 | .5 | 100.0 |
| | Total | 182 | 5.0 | 100.0 | |
| Missing | -1 No response | 3458 | 95.0 | | |
| Total | | 3640 | 100.0 | | |

pp8361 I1zk: Frequency respondent did other exercise in past year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Time reported but no frequency | 4 | .1 | .1 | .1 |
| | 1 Everyday | 17 | .5 | .6 | .7 |
| | 2 3-6 times a week | 22 | .6 | .7 | 1.4 |
| | 3 Once or twice a week | 80 | 2.2 | 2.6 | 4.1 |
| | 4 1-3 times a month | 63 | 1.7 | 2.1 | 6.1 |
| | 5 < Once a month | 33 | .9 | 1.1 | 7.2 |
| | 6 None | 2813 | 77.3 | 92.8 | 100.0 |
| | Total | 3032 | 83.3 | 100.0 | |
| Missing | -1 No response | 608 | 16.7 | | |
| Total | | 3640 | 100.0 | | |

PAGE 50 OF THE QUESTIONNAIRE

SECTION J: BUYING THINGS

J1. How difficult at the moment do you find it to afford these items:

| | | Very difficult | Fairly difficult | Slightly difficult | Not difficult | Don't pay for this |
|----|---|-------------------|---------------------|-----------------------|------------------|--------------------|
| a) | food | 1 | 2 | 3 | 4 | 5 |
| b) | clothing | 1 | 2 | 3 | 4 | 5 |
| c) | heating | 1 | 2 | 3 | 4 | 5 |
| d) | rent or mortgage | 1 | 2 | 3 | 4 | 5 |
| e) | things you need for your children | 1 | 2 | 3 | 4 | 5 |
| f) | costs of educational courses (e.g. ballet, music, etc.) | 1 | 2 | 3 | 4 | 5 |
| g) | medical (including dental care and eye t | ests) | 2 | 3 | 4 | 5 |
| h) | child care | 1 | 2 | 3 | 4 | 5 |
| i) | a week's annual holiday away from home | 1 | 2 | 3 | 4 | 5 |
| j) | regular trips and out ings for your child (o with school, the fam or someone else) | e.g. 1 | 2 | 3 | 4 | 5 |
| k) | something else (please tick and describe) | 1 | 2 | 3 | | |
| | | | | | | |

PAGE 51 OF THE QUESTIONNAIRE

| J2. | a) | On average, about how much is the take-home income of your household each week |
|-----|----|--|
| | | (include social benefits etc.)? |

less than £120 01 £120 -

£120 - £189 ₀₂

£190 - £239 ₀₃

£240 - £289

04

£290 - £359 05

£360 - £429 ₀₆

£430 - £479

07

£480 - £559

£560 - £799

£800 or more

10

Don't know

11

b) Out of this, how much do you pay for rent, loans or mortgage each week?

nothing

1

less than £40

£40 - £59

3

£60 - £79

4

09

£80-£99

5

£100-£119

6

£120 or more $\frac{1}{7}$

don't know'₉

c) About how much do you spend on electricity, gas, water, and telephone each week?

less than £20

1

£20 - £29

2

£30 - £39

3

£40 - £49

4

£50 - £59

5

£60-£79

5

£80 or more

don't know

d) About how much do you spend on food for the whole family each week?

less than £20

1

£20 - £29

2

£30 - £39

3

£40 - £49

4

£50 - £59

5

£60 - £79

6

£80 - £99

7

£100 or more

8

don't know

PAGE 52 OF THE QUESTIONNAIRE

| J2. | e) | About how much do you spend on clothing, hobbies, and entertainment each week? | |
|-----|---------|--|--|
| | less th | an £20 1 £20 - £29 2 £30 - £39 3 £40 - £49 4 | |
| | £50 - 3 | £59 | |
| | don't | know 9 | |
| | f) | About how much do you spend on childcare each week (e.g. after-school club, sitters, nursery)? | |
| | nothin | less than £20 2 £20 - £39 3 £40 - £59 4 | |
| | £60 - 8 | £79 £80 - £99 ₆ £100 or more ₇ | |
| | varies | don't know 9 | |
| | g) | Do you manage to save at all? Yes 1 No 2 | |
| | h) | Is your household <u>currently</u> in arrears of rent, mortgage, electricity, gas, water, telephone or council tax? | |
| | | Yes 1 No 2 | |
| | i) | Has your family had to go into debt <u>in the last 12 months</u> to meet ordinary living expenses (e.g. rent, food, Xmas, or back-to-school expenses)? | |
| | | Yes 1 No 2 | |
| | j) | Do you receive any financial help from your parents, other relatives or friends? | |
| | | Yes 1 No 2 | |
| | k) | Do you help your parents, other relatives or friends financially? | |
| | | Yes 1 No 2 | |

PAGE 53 OF THE QUESTIONNAIRE

| J3. | Which | one of these statement | ts best describes | the way you feel about yo | our cooking? |
|-----------------|-------|--|--------------------------------|-------------------------------|--------------------|
| | | I always enjoy cookin | g 1 | | |
| | | I enjoy cooking when take time over it | I can 2 | | |
| | | I cook only because I not because I enjoy it | | | |
| | | I avoid cooking if at a | ıll possible 4 | | |
| | | I have no real feeling cooking | towards 5 | | |
| J4. | Do yo | u think about any of the | ese health issues | when choosing food? | |
| | | | Yes often | Yes, sometimes | No, not at all |
| | | a) Heart disease | 1 | 2 | 3 |
| | | b) Cancer | 1 | 2 | 3 |
| | | c) Your weight | 1 | 2 | 3 |
| | | d) Food allergies/intolerance | 1 | 2 | 3 |
| | | e) Healthy teeth | 1 | 2 | 3 |
| | | f) Other (please tick and describe) | 1 | 2 | 3 |
| | | | | | |
| J5. | a) | Do you drink tea? (If | you <u>only</u> drink <u>h</u> | erbal tea, answer No) | |
| | | Yes ₁ | No ${2}$ | If no, go to J9 on page | 54 |
| If <u>yes</u> , | | | | | |
| | b) | How often is the tea y | ou drink decaffe | inated? | |
| | | Always ₁ | Usually ₂ | Sometimes 3 | Never ₄ |

PAGE 54 OF THE QUESTIONNAIRE

| J6. | We wo | ould like to ask how n | nuch tea, on | average, yo | ou drink pe | er day: | | | |
|----------------------------------|---------------------------|---|--|--|------------------------------------|-----------------------------------|------------------------------|--|-----------------------------------|
| | a) | If possible, please te if you measured, in a mug contains. This worry, just tick the below. | a measuring will be in ' <u>fl.</u> | jug, the an <u>oz</u> ' or ' <u>mls</u> | nount of lie '. If you c | quid that an't mea | your usu asure the | ıal cu _j e m, d e | p and/or on't |
| | | (i) I use a cup | \longrightarrow | | fl.oz | or | | | mls. |
| -1. T single conve | wo out variatersion f | o outlying metric m lying imperial meas ple for volume in actor of 1fl.oz = 28 urements were repo | surements, ml (rounde 3.41ml for | one each ed to the imperial r | of 25fl.oz nearest neasuren | : & 30fl. 25ml) v nents. | oz, were | e set t ated | to –1. A using a |
| | | (ii) I use a mug 1 | $ \longrightarrow$ | | fl.oz | or | | | mls. |
| recod 2fl.oz 25ml) meas | ed to - & 90fl. was | o outlying metric m 1. Four outlying in oz were set to –1. created using a ots. If both imperia en.] | mperial me A single va a convers | easuremen ariable for ion facto | nts of 50f volume i r of 1f | l.oz and n ml (ro l.oz = 28 | d one e unded t 3.41ml | ach o o the for | of Ofl.oz, nearest imperial |
| | b) | How many cups of t | ea per day d | o you drink | , on avera | ge?* | | cup | s a day |
| | c) | How many <u>mugs</u> of | tea per day o | do you drin | k, on avera | age?* | | mu | gs a day |
| | * If yo | ou only drink the occa | asional cup a | and/or mug | write 97 | | | | |
| J7. | How s | strong is the tea you no | ormally drin Medium | | Weak | 3 | | | |
| J8. | | be the type of tea that oury's Red Label, Tetl | - | | e.g. Tesco | Premiur | n, Typho | 90, | |
| | | | | | | ••••• | ••••• | | |
| J9. | a) | Do you drink coffee Yes 1 | ? No 2 | → If <u>n</u> | <u>10,</u> go to S | ection K | C on page | e 56 | |
| | b) | How often is the cof | fee you drin | k decaffein | ated? | | | | |
| | | Always 1 | Usually | 2 | Someti | mes ₃ | | Nevei | 4 |

PAGE 55 OF THE QUESTIONNAIRE

| J10. | a) | - | sible, measu cribed in J | | | the cu | ıp anc | l/or m | ug tha | at yo | u noi | mall | y use 1 | for co | ffee, |
|--------------------------|----------------------------|----------------------------|---|---------------------------|-------------------------------|--------------------------|------------------------|---------------------------|--------------------------|---------------------|----------------------|----------------------|-----------------|------------------|-----------------|
| | | (i) I u | se a cup | 1 | \rightarrow | | | fl.oz | Ol | r | | | | mls. | |
| was c | z were created | set to using | tlying imp -1. A sind a converse the convers | ngle valid | ariable actor of | for v 1fl.o | z = 2 | e in r 8.41r | ml (ro | und imp | led t peria | o the | e nea | rest 2 emen | 25ml) ts. If |
| | | (ii) I u | ise a mug | 1 | \rightarrow | | | fl.oz | 01 | r | | | | mls. | |
| recod set to using | ed to - -1. A a conv | 1. Thr single ersion | ring metric ree outlying variable factor of ements we | g imp for vo 1fl.oz | erial m lume ir = 28.4° | easu n ml (1ml fo | reme (roun or im | ents o ded t perial | f 50fl o the l mea | l.oz nea sure | and arest emei | one t 25r nts. | of 60 nl) wa |)fl.oz as cre | were eated |
| b) | How n | | ps of coffe rage?* | e per d | ay do yo | ou dri | nk, | | | | CUE | on d | ay | | |
| | c) | | nany <u>mugs</u> rage?* | of cof | fee per o | day do | you | drink, | | | | 1 | nugs a | a day | |
| | * If yo | ou only | drink the o | ccasio | nal cup | and/o | r mug | g write | 97 | | | | | | |
| J11. | | | erent sorts of the follo | | | se say | how | many | cups | and/ | or m | ugs p | oer day | y you | |
| | | | | | | | | | (i cu _] | | | | n | (ii) nugs | |
| | | a) | Real coffe | | Filter, | cafetiè | ère, | | | | | | | | |
| | | b) | Instant co | ffee, le | ess than | <u>one</u> sj | poonf | ful | | | | | | | |
| | | c) | Instant co | ffee, o | ne <u>level</u> | spooi | nful | | | |] | | | | |
| | | d) | Instant co or more | ffee, o | ne <u>heap</u> | ed spo | oonfu | l | | | | | | | |
| | | e) | Other (e.g (Please tic | | | | nine) | | | |] | | | | |
| | | | | | | | | | | | | | | | |

PP File - Section J

PAGE 55 OF THE QUESTIONNAIRE cont...

| J12. | | type of real coffee and/or instant coffee that you drink most often (e.g. Tesco Nescafé Gold Blend, Kenco Decaffeinated, Lyons Original Cafetière): |
|------|----|---|
| | a) | Real coffee |
| | b) | Instant coffee |

pp9000 J1a: Difficulty respondent has paying for food

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very difficult | 8 | .2 | .2 | .2 |
| | 2 Fairly difficult | 40 | 1.1 | 1.1 | 1.3 |
| | 3 Slightly difficult | 219 | 6.0 | 6.1 | 7.5 |
| | 4 Not difficult | 3245 | 89.1 | 90.9 | 98.4 |
| | 5 Don't pay for this | 57 | 1.6 | 1.6 | 100.0 |
| | Total | 3569 | 98.0 | 100.0 | |
| Missing | -1 No response | 71 | 2.0 | | |
| Total | | 3640 | 100.0 | | |

pp9001 J1b: Difficulty respondent has paying for clothing

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very difficult | 33 | .9 | .9 | .9 |
| | 2 Fairly difficult | 152 | 4.2 | 4.3 | 5.2 |
| | 3 Slightly difficult | 633 | 17.4 | 17.7 | 22.9 |
| | 4 Not difficult | 2713 | 74.5 | 76.1 | 99.0 |
| | 5 Don't pay for this | 36 | 1.0 | 1.0 | 100.0 |
| | Total | 3567 | 98.0 | 100.0 | |
| Missing | -1 No response | 73 | 2.0 | | |
| Total | | 3640 | 100.0 | | |

pp9002 J1c: Difficulty respondent has paying for heating

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very difficult | 11 | .3 | .3 | .3 |
| | 2 Fairly difficult | 58 | 1.6 | 1.6 | 1.9 |
| | 3 Slightly difficult | 254 | 7.0 | 7.1 | 9.1 |
| | 4 Not difficult | 3196 | 87.8 | 89.6 | 98.6 |
| | 5 Don't pay for this | 49 | 1.3 | 1.4 | 100.0 |
| | Total | 3568 | 98.0 | 100.0 | |
| Missing | -1 No response | 72 | 2.0 | | |
| Total | | 3640 | 100.0 | | |

pp9003 J1d: Difficulty respondent has paying rent/mortgage

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very difficult | 25 | .7 | .7 | .7 |
| | 2 Fairly difficult | 76 | 2.1 | 2.1 | 2.8 |
| | 3 Slightly difficult | 378 | 10.4 | 10.6 | 13.4 |
| | 4 Not difficult | 2888 | 79.3 | 81.1 | 94.5 |
| | 5 Don't pay for this | 195 | 5.4 | 5.5 | 100.0 |
| | Total | 3562 | 97.9 | 100.0 | |
| Missing | -1 No response | 78 | 2.1 | | |
| Total | | 3640 | 100.0 | | |

pp9004 J1e: Difficulty respondent has paying for things they need for the children

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very difficult | 22 | .6 | .6 | .6 |
| | 2 Fairly difficult | 107 | 2.9 | 3.0 | 3.6 |
| | 3 Slightly difficult | 630 | 17.3 | 17.8 | 21.4 |
| | 4 Not difficult | 2760 | 75.8 | 77.9 | 99.3 |
| | 5 Don't pay for this | 26 | .7 | .7 | 100.0 |
| | Total | 3545 | 97.4 | 100.0 | |
| Missing | -1 No response | 95 | 2.6 | | |
| Total | | 3640 | 100.0 | | |

pp9005 J1f: Difficulty respondent has paying for educational courses

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very difficult | 54 | 1.5 | 1.5 | 1.5 |
| | 2 Fairly difficult | 166 | 4.6 | 4.7 | 6.2 |
| | 3 Slightly difficult | 671 | 18.4 | 18.8 | 25.0 |
| | 4 Not difficult | 2244 | 61.6 | 63.0 | 88.0 |
| | 5 Don't pay for this | 427 | 11.7 | 12.0 | 100.0 |
| | Total | 3562 | 97.9 | 100.0 | |
| Missing | -1 No response | 78 | 2.1 | | |
| Total | | 3640 | 100.0 | | |

pp9006 J1g: Difficulty respondent has paying for medical care

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very difficult | 40 | 1.1 | 1.1 | 1.1 |
| | 2 Fairly difficult | 95 | 2.6 | 2.7 | 3.8 |
| | 3 Slightly difficult | 419 | 11.5 | 11.8 | 15.5 |
| | 4 Not difficult | 2704 | 74.3 | 75.8 | 91.4 |
| | 5 Don't pay for this | 307 | 8.4 | 8.6 | 100.0 |
| | Total | 3565 | 97.9 | 100.0 | |
| Missing | -1 No response | 75 | 2.1 | | |
| Total | | 3640 | 100.0 | | |

pp9007 J1h: Difficulty respondent has paying for child care

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very difficult | 18 | .5 | .5 | .5 |
| | 2 Fairly difficult | 29 | .8 | .8 | 1.3 |
| | 3 Slightly difficult | 116 | 3.2 | 3.3 | 4.6 |
| | 4 Not difficult | 1594 | 43.8 | 45.0 | 49.5 |
| | 5 Don't pay for this | 1789 | 49.1 | 50.5 | 100.0 |
| | Total | 3546 | 97.4 | 100.0 | |
| Missing | -1 No response | 94 | 2.6 | | |
| Total | | 3640 | 100.0 | | |

pp9008 J1i: Difficulty respondent has paying for a week's annual holiday away from home

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very difficult | 220 | 6.0 | 6.2 | 6.2 |
| | 2 Fairly difficult | 404 | 11.1 | 11.3 | 17.5 |
| | 3 Slightly difficult | 920 | 25.3 | 25.8 | 43.3 |
| | 4 Not difficult | 1961 | 53.9 | 55.0 | 98.4 |
| | 5 Don't pay for this | 58 | 1.6 | 1.6 | 100.0 |
| | Total | 3563 | 97.9 | 100.0 | |
| Missing | -1 No response | 77 | 2.1 | | |
| Total | | 3640 | 100.0 | | |

pp9009 J1j: Difficulty respondent has paying for regular trips and outings for child

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Very difficult | 56 | 1.5 | 1.6 | 1.6 |
| | 2 Fairly difficult | 204 | 5.6 | 5.7 | 7.3 |
| | 3 Slightly difficult | 772 | 21.2 | 21.7 | 28.9 |
| | 4 Not difficult | 2471 | 67.9 | 69.3 | 98.3 |
| | 5 Don't pay for this | 62 | 1.7 | 1.7 | 100.0 |
| | Total | 3565 | 97.9 | 100.0 | |
| Missing | -1 No response | 75 | 2.1 | | |
| Total | | 3640 | 100.0 | | |

pp9010 J1k: Difficulty respondent has paying for something else

| | | . , . | • | | |
|---------|-----------------------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 0 Relevant text but no box ticked | 3 | .1 | 1.9 | 1.9 |
| | 1 Very difficult | 35 | 1.0 | 22.6 | 24.5 |
| | 2 Fairly difficult | 53 | 1.5 | 34.2 | 58.7 |
| | 3 Slightly difficult | 64 | 1.8 | 41.3 | 100.0 |
| | Total | 155 | 4.3 | 100.0 | |
| Missing | -1 No response | 3485 | 95.7 | | |
| Total | | 3640 | 100.0 | | |

pp9020 J2a: Average household income each week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 < £120 | 24 | .7 | .7 | .7 |
| | 2 £120 - £189 | 48 | 1.3 | 1.4 | 2.1 |
| | 3 £190 - £239 | 72 | 2.0 | 2.1 | 4.2 |
| | 4 £240 - £289 | 158 | 4.3 | 4.6 | 8.7 |
| | 5 £290 - £359 | 300 | 8.2 | 8.7 | 17.4 |
| | 6 £360 - £429 | 368 | 10.1 | 10.6 | 28.0 |
| | 7 £430 - £479 | 269 | 7.4 | 7.8 | 35.8 |
| | 8 £480 - £559 | 510 | 14.0 | 14.7 | 50.5 |
| | 9 £560 - £799 | 858 | 23.6 | 24.8 | 75.3 |
| | 10 £800 or more | 744 | 20.4 | 21.5 | 96.8 |
| | 11 Don't know | 111 | 3.0 | 3.2 | 100.0 |
| | Total | 3462 | 95.1 | 100.0 | |
| Missing | -1 No response | 178 | 4.9 | | |
| Total | | 3640 | 100.0 | | |

pp9021 J2b: Amount spent on rent/loans/mortgage each week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Nothing | 287 | 7.9 | 8.3 | 8.3 |
| | 2 < £40 | 123 | 3.4 | 3.5 | 11.8 |
| | 3 £40-£59 | 241 | 6.6 | 7.0 | 18.8 |
| | 4 £60-£79 | 300 | 8.2 | 8.7 | 27.4 |
| | 5 £80-£99 | 252 | 6.9 | 7.3 | 34.7 |
| | 6 £100-£119 | 425 | 11.7 | 12.3 | 47.0 |
| | 7 £120 or more | 1674 | 46.0 | 48.3 | 95.3 |
| | 9 Don't know | 164 | 4.5 | 4.7 | 100.0 |
| | Total | 3466 | 95.2 | 100.0 | |
| Missing | -1 No response | 174 | 4.8 | | |
| Total | | 3640 | 100.0 | | |

pp9022 J2c: Amount spent on electricity/gas/water/telephone each week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 < £20 | 229 | 6.3 | 6.6 | 6.6 |
| | 2 £20-£29 | 715 | 19.6 | 20.7 | 27.3 |
| | 3 £30-£39 | 713 | 19.6 | 20.6 | 48.0 |
| | 4 £40-£49 | 367 | 10.1 | 10.6 | 58.6 |
| | 5 £50-£59 | 293 | 8.0 | 8.5 | 67.1 |
| | 6 £60-£79 | 234 | 6.4 | 6.8 | 73.8 |
| | 7 £80 or more | 329 | 9.0 | 9.5 | 83.4 |
| | 9 Don't know | 575 | 15.8 | 16.6 | 100.0 |
| | Total | 3455 | 94.9 | 100.0 | |
| Missing | -1 No response | 185 | 5.1 | | |
| Total | | 3640 | 100.0 | | |

pp9023 J2d: Amount spent on food for the whole family each week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 < £20 | 14 | .4 | .4 | .4 |
| | 2 £20-£29 | 31 | .9 | .9 | 1.3 |
| | 3 £30-£39 | 64 | 1.8 | 1.8 | 3.1 |
| | 4 £40-£49 | 78 | 2.1 | 2.2 | 5.4 |
| | 5 £50-£59 | 191 | 5.2 | 5.5 | 10.9 |
| | 6 £60-£79 | 601 | 16.5 | 17.3 | 28.2 |
| | 7 £80-£99 | 881 | 24.2 | 25.4 | 53.6 |
| | 8 £100 or more | 1294 | 35.5 | 37.3 | 90.8 |
| | 9 Don't know | 319 | 8.8 | 9.2 | 100.0 |
| | Total | 3473 | 95.4 | 100.0 | |
| Missing | -1 No response | 167 | 4.6 | | |
| Total | | 3640 | 100.0 | | |

pp9024 J2e: Amount spent on hobbies/clothing/entertainment each week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 < £20 | 837 | 23.0 | 24.2 | 24.2 |
| | 2 £20-£29 | 684 | 18.8 | 19.8 | 43.9 |
| | 3 £30-£39 | 439 | 12.1 | 12.7 | 56.6 |
| | 4 £40-£49 | 273 | 7.5 | 7.9 | 64.5 |
| | 5 £50-£59 | 247 | 6.8 | 7.1 | 71.6 |
| | 6 £60-£79 | 182 | 5.0 | 5.3 | 76.9 |
| | 7 £80 or more | 346 | 9.5 | 10.0 | 86.9 |
| | 9 Don't know | 454 | 12.5 | 13.1 | 100.0 |
| | Total | 3462 | 95.1 | 100.0 | |
| Missing | -1 No response | 178 | 4.9 | | |
| Total | | 3640 | 100.0 | | |

pp9025 J2f: Amount spent on childcare each week

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Nothing | 2076 | 57.0 | 60.5 | 60.5 |
| | 2 < £20 | 624 | 17.1 | 18.2 | 78.7 |
| | 3 £20-£39 | 227 | 6.2 | 6.6 | 85.3 |
| | 4 £40-£59 | 81 | 2.2 | 2.4 | 87.7 |
| | 5 £60-£79 | 28 | .8 | .8 | 88.5 |
| | 6 £80-£99 | 14 | .4 | .4 | 88.9 |
| | 7 £100 or more | 64 | 1.8 | 1.9 | 90.8 |
| | 8 Varies | 75 | 2.1 | 2.2 | 93.0 |
| | 9 Don't know | 241 | 6.6 | 7.0 | 100.0 |
| | Total | 3430 | 94.2 | 100.0 | |
| Missing | -1 No response | 210 | 5.8 | | |
| Total | | 3640 | 100.0 | | |

pp9026 J2g: Respondent manages to save money

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 2227 | 61.2 | 67.3 | 67.3 |
| | 2 No | 1084 | 29.8 | 32.7 | 100.0 |
| | Total | 3311 | 91.0 | 100.0 | |
| Missing | -1 No response | 329 | 9.0 | | |
| Total | | 3640 | 100.0 | | |

pp9027 J2h: respondent's household is currently in arrears of rent/mortgage/electricity/gas/water/telephone/council tax

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 107 | 2.9 | 3.1 | 3.1 |
| | 2 No | 3397 | 93.3 | 96.9 | 100.0 |
| | Total | 3504 | 96.3 | 100.0 | |
| Missing | -1 No response | 136 | 3.7 | | |
| Total | | 3640 | 100.0 | | |

pp9028 J2i: respondent's family has gone into debt to meet ordinary living expenses in last 12 months

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 527 | 14.5 | 15.0 | 15.0 |
| | 2 No | 2975 | 81.7 | 85.0 | 100.0 |
| | Total | 3502 | 96.2 | 100.0 | |
| Missing | -1 No response | 138 | 3.8 | | |
| Total | | 3640 | 100.0 | | |

pp9029 J2j: Respondent receives financial help from parents/relatives/friends

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 332 | 9.1 | 9.5 | 9.5 |
| | 2 No | 3175 | 87.2 | 90.5 | 100.0 |
| | Total | 3507 | 96.3 | 100.0 | |
| Missing | -1 No response | 133 | 3.7 | | |
| Total | | 3640 | 100.0 | | |

pp9030 J2k: Respondent helps parents/relatives/friends financially

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 337 | 9.3 | 9.6 | 9.6 |
| | 2 No | 3162 | 86.9 | 90.4 | 100.0 |
| | Total | 3499 | 96.1 | 100.0 | |
| Missing | -1 No response | 141 | 3.9 | | |
| Total | | 3640 | 100.0 | | |

pp9090 J3: Respondent's assessment of how much they enjoy cooking

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 1 Respondent always enjoys cooking | 889 | 24.4 | 25.0 | 25.0 |
| | 2 Respondent enjoys cooking when they can take time over it | 1308 | 35.9 | 36.8 | 61.8 |
| | 3 Respondent cooks only because they have to | 528 | 14.5 | 14.9 | 76.7 |
| | 4 Respondent avoids cooking if at all possible | 393 | 10.8 | 11.1 | 87.7 |
| | 5 Respondent has no real feelings towards cooking | 437 | 12.0 | 12.3 | 100.0 |
| | Total | 3555 | 97.7 | 100.0 | |
| Missing | -1 No response | 85 | 2.3 | | |
| Total | | 3640 | 100.0 | | |

pp9100 J4a: Respondent thinks about heart disease when choosing food

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 726 | 19.9 | 20.7 | 20.7 |
| | 2 Yes, sometimes | 1672 | 45.9 | 47.7 | 68.4 |
| | 3 No, not at all | 1108 | 30.4 | 31.6 | 100.0 |
| | Total | 3506 | 96.3 | 100.0 | |
| Missing | -1 No response | 134 | 3.7 | | |
| Total | | 3640 | 100.0 | | |

pp9101 J4b: Respondent thinks about cancer when choosing food

| | • | | | • | |
|---------|------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 Yes, often | 392 | 10.8 | 11.3 | 11.3 |
| | 2 Yes, sometimes | 1070 | 29.4 | 30.8 | 42.1 |
| | 3 No, not at all | 2007 | 55.1 | 57.9 | 100.0 |
| | Total | 3469 | 95.3 | 100.0 | |
| Missing | -1 No response | 171 | 4.7 | | |
| Total | | 3640 | 100.0 | | |

pp9102 J4c: Respondent thinks about their weight when choosing food

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 850 | 23.4 | 24.2 | 24.2 |
| | 2 Yes, sometimes | 1725 | 47.4 | 49.1 | 73.3 |
| | 3 No, not at all | 937 | 25.7 | 26.7 | 100.0 |
| | Total | 3512 | 96.5 | 100.0 | |
| Missing | -1 No response | 128 | 3.5 | | |
| Total | | 3640 | 100.0 | | |

pp9103 J4d: Respondent thinks about food allergies/intolerance when choosing food

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 311 | 8.5 | 8.9 | 8.9 |
| | 2 Yes, sometimes | 744 | 20.4 | 21.4 | 30.3 |
| | 3 No, not at all | 2422 | 66.5 | 69.7 | 100.0 |
| | Total | 3477 | 95.5 | 100.0 | |
| Missing | -1 No response | 163 | 4.5 | | |
| Total | | 3640 | 100.0 | | |

pp9104 J4e: Respondent thinks about healthy teeth when choosing food

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, often | 451 | 12.4 | 12.9 | 12.9 |
| | 2 Yes, sometimes | 1550 | 42.6 | 44.3 | 57.2 |
| | 3 No, not at all | 1500 | 41.2 | 42.8 | 100.0 |
| | Total | 3501 | 96.2 | 100.0 | |
| Missing | -1 No response | 139 | 3.8 | | |
| Total | | 3640 | 100.0 | | |

pp9105 J4f: Respondent thinks about other health issues when choosing food

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 0 Relevant text but no box ticked | 12 | .3 | .7 | .7 |
| | 1 Yes, often | 168 | 4.6 | 9.4 | 10.1 |
| | 2 Yes, sometimes | 93 | 2.6 | 5.2 | 15.3 |
| | 3 No, not at all | 1508 | 41.4 | 84.7 | 100.0 |
| | Total | 1781 | 48.9 | 100.0 | |
| Missing | -1 No response | 1859 | 51.1 | | |
| Total | | 3640 | 100.0 | | |

pp9110 J5a: Respondent drinks tea

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 3026 | 83.1 | 84.8 | 84.8 |
| | 2 No | 541 | 14.9 | 15.2 | 100.0 |
| | Total | 3567 | 98.0 | 100.0 | |
| Missing | -1 No response | 73 | 2.0 | | |
| Total | | 3640 | 100.0 | | |

pp9111 J5b: Frequency respondent drinks decaffeinated tea

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 75 | 2.1 | 2.5 | 2.5 |
| | 2 Usually | 93 | 2.6 | 3.1 | 5.6 |
| | 3 Sometimes | 257 | 7.1 | 8.5 | 14.0 |
| | 4 Never | 2601 | 71.5 | 86.0 | 100.0 |
| | Total | 3026 | 83.1 | 100.0 | |
| Missing | -1 No response | 614 | 16.9 | | |
| Total | | 3640 | 100.0 | | |

pp9120 J6a1: Respondent drinks tea from a cup

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 465 | 12.8 | 100.0 | 100.0 |
| Missing | -1 No response | 3175 | 87.2 | | |
| Total | | 3640 | 100.0 | | |

pp9121 J6a1: Volume of cup that respondent usually uses to drink tea (ml)

| | | - | | Valid | O |
|---------|----------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 50 | 2 | .1 | 1.0 | 1.0 |
| | 75 | 6 | .2 | 3.0 | 4.0 |
| | 100 | 6 | .2 | 3.0 | 6.9 |
| | 125 | 15 | .4 | 7.4 | 14.4 |
| | 150 | 21 | .6 | 10.4 | 24.8 |
| | 175 | 14 | .4 | 6.9 | 31.7 |
| | 200 | 48 | 1.3 | 23.8 | 55.4 |
| | 225 | 30 | .8 | 14.9 | 70.3 |
| | 250 | 28 | .8 | 13.9 | 84.2 |
| | 275 | 17 | .5 | 8.4 | 92.6 |
| | 300 | 10 | .3 | 5.0 | 97.5 |
| | 375 | 1 | .0 | .5 | 98.0 |
| | 400 | 2 | .1 | 1.0 | 99.0 |
| | 475 | 1 | .0 | .5 | 99.5 |
| | 500 | 1 | .0 | .5 | 100.0 |
| | Total | 202 | 5.5 | 100.0 | |
| Missing | -1 No response | 3438 | 94.5 | | |
| Total | | 3640 | 100.0 | | |

pp9122 J6a2: Respondent drinks tea from a mug

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 2542 | 69.8 | 100.0 | 100.0 |
| Missing | -1 No response | 1098 | 30.2 | | |
| Total | | 3640 | 100.0 | | |

pp9123 J6a2: Volume of mug that respondent usually uses to drink tea (ml)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 75 | 2 | .1 | .2 | .2 |
| | 100 | 3 | .1 | .2 | .4 |
| | 125 | 12 | .3 | 1.0 | 1.4 |
| | 150 | 23 | .6 | 1.9 | 3.3 |
| | 175 | 39 | 1.1 | 3.2 | 6.6 |
| | 200 | 133 | 3.7 | 11.0 | 17.6 |
| | 225 | 191 | 5.2 | 15.9 | 33.5 |
| | 250 | 251 | 6.9 | 20.8 | 54.3 |
| | 275 | 271 | 7.4 | 22.5 | 76.8 |
| | 300 | 134 | 3.7 | 11.1 | 88.0 |
| | 325 | 17 | .5 | 1.4 | 89.4 |
| | 350 | 49 | 1.3 | 4.1 | 93.4 |
| | 375 | 3 | .1 | .2 | 93.7 |
| | 400 | 26 | .7 | 2.2 | 95.8 |
| | 425 | 6 | .2 | .5 | 96.3 |
| | 450 | 7 | .2 | .6 | 96.9 |
| | 500 | 18 | .5 | 1.5 | 98.4 |
| | 550 | 1 | .0 | .1 | 98.5 |
| | 575 | 9 | .2 | .7 | 99.3 |
| | 600 | 3 | .1 | .2 | 99.5 |
| | 650 | 1 | .0 | .1 | 99.6 |
| | 700 | 1 | .0 | .1 | 99.7 |
| | 850 | 2 | .1 | .2 | 99.8 |
| | 1000 | 1 | .0 | .1 | 99.9 |
| | 1025 | 1 | .0 | .1 | 100.0 |
| | Total | 1204 | 33.1 | 100.0 | |
| Missing | -1 No response | 2436 | 66.9 | | |
| Total | | 3640 | 100.0 | | |

pp9124 J6b: Average number of cups of tea respondent drinks in one day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 272 | 7.5 | 30.1 | 30.1 |
| | 1 | 90 | 2.5 | 10.0 | 40.1 |
| | 2 | 114 | 3.1 | 12.6 | 52.7 |
| | 3 | 80 | 2.2 | 8.9 | 61.6 |
| | 4 | 79 | 2.2 | 8.7 | 70.3 |
| | 5 | 48 | 1.3 | 5.3 | 75.6 |
| | 6 | 75 | 2.1 | 8.3 | 83.9 |
| | 7 | 6 | .2 | .7 | 84.6 |
| | 8 | 21 | .6 | 2.3 | 86.9 |
| | 9 | 3 | .1 | .3 | 87.3 |
| | 10 | 25 | .7 | 2.8 | 90.0 |
| | 12 | 4 | .1 | .4 | 90.5 |
| | 15 | 1 | .0 | .1 | 90.6 |
| | 20 | 1 | .0 | .1 | 90.7 |
| | 97 Occasional | 84 | 2.3 | 9.3 | 100.0 |
| | Total | 903 | 24.8 | 100.0 | |
| Missing | -1 No response | 2737 | 75.2 | | |
| Total | | 3640 | 100.0 | | |

pp9125 J6c: Average number of mugs of tea respondent drinks in one day

| | _ | _ | • | | • |
|---------|----------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 0 | 53 | 1.5 | 2.0 | 2.0 |
| | 1 | 232 | 6.4 | 8.8 | 10.9 |
| | 2 | 421 | 11.6 | 16.0 | 26.9 |
| | 3 | 432 | 11.9 | 16.5 | 43.4 |
| | 4 | 380 | 10.4 | 14.5 | 57.8 |
| | 5 | 279 | 7.7 | 10.6 | 68.5 |
| | 6 | 305 | 8.4 | 11.6 | 80.1 |
| | 7 | 74 | 2.0 | 2.8 | 82.9 |
| | 8 | 152 | 4.2 | 5.8 | 88.7 |
| | 9 | 13 | .4 | .5 | 89.2 |
| | 10 | 103 | 2.8 | 3.9 | 93.1 |
| | 11 | 1 | .0 | .0 | 93.1 |
| | 12 | 22 | .6 | .8 | 94.0 |
| | 13 | 1 | .0 | .0 | 94.0 |
| | 14 | 2 | .1 | .1 | 94.1 |
| | 15 | 10 | .3 | .4 | 94.5 |
| | 16 | 2 | .1 | .1 | 94.6 |
| | 18 | 1 | .0 | .0 | 94.6 |
| | 20 | 5 | .1 | .2 | 94.8 |
| | 60 | 1 | .0 | .0 | 94.8 |
| | 97 Occasional | 136 | 3.7 | 5.2 | 100.0 |
| | Total | 2625 | 72.1 | 100.0 | |
| Missing | -1 No response | 1015 | 27.9 | | |
| Total | | 3640 | 100.0 | | |

pp9130 J7: Strength of tea drunk by respondent

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Strong | 529 | 14.5 | 17.6 | 17.6 |
| | 2 Medium | 2174 | 59.7 | 72.4 | 90.0 |
| | 3 Weak | 299 | 8.2 | 10.0 | 100.0 |
| | Total | 3002 | 82.5 | 100.0 | |
| Missing | -1 No response | 638 | 17.5 | | |
| Total | | 3640 | 100.0 | | |

pp9150 J9a: Respondent drinks coffee

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 3000 | 82.4 | 84.1 | 84.1 |
| | 2 No | 567 | 15.6 | 15.9 | 100.0 |
| | Total | 3567 | 98.0 | 100.0 | |
| Missing | -1 No response | 73 | 2.0 | | |
| Total | | 3640 | 100.0 | | |

pp9151 J9b: Frequency respondent drinks decaffeinated coffee

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Always | 170 | 4.7 | 5.6 | 5.6 |
| | 2 Usually | 262 | 7.2 | 8.7 | 14.4 |
| | 3 Sometimes | 791 | 21.7 | 26.3 | 40.6 |
| | 4 Never | 1786 | 49.1 | 59.4 | 100.0 |
| | Total | 3009 | 82.7 | 100.0 | |
| Missing | -1 No response | 631 | 17.3 | | |
| Total | | 3640 | 100.0 | | |

pp9160 J10a1: Respondent drinks coffee from a cup

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 604 | 16.6 | 100.0 | 100.0 |
| Missing | -1 No response | 3036 | 83.4 | | |
| Total | | 3640 | 100.0 | | |

pp9161 J10a1: Volume of cup that respondent usually uses to drink coffee (ml)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 25 | 2 | .1 | .7 | .7 |
| | 50 | 5 | .1 | 1.8 | 2.5 |
| | 75 | 12 | .3 | 4.2 | 6.7 |
| | 100 | 12 | .3 | 4.2 | 11.0 |
| | 125 | 23 | .6 | 8.1 | 19.1 |
| | 150 | 52 | 1.4 | 18.4 | 37.5 |
| | 175 | 25 | .7 | 8.8 | 46.3 |
| | 200 | 57 | 1.6 | 20.1 | 66.4 |
| | 225 | 28 | .8 | 9.9 | 76.3 |
| | 250 | 30 | .8 | 10.6 | 86.9 |
| | 275 | 18 | .5 | 6.4 | 93.3 |
| | 300 | 14 | .4 | 4.9 | 98.2 |
| | 325 | 1 | .0 | .4 | 98.6 |
| | 375 | 1 | .0 | .4 | 98.9 |
| | 400 | 2 | .1 | .7 | 99.6 |
| | 450 | 1 | .0 | .4 | 100.0 |
| | Total | 283 | 7.8 | 100.0 | |
| Missing | -1 No response | 3357 | 92.2 | | |
| Total | | 3640 | 100.0 | | |

pp9162 J10a2: Respondent drinks coffee from a mug

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 2367 | 65.0 | 100.0 | 100.0 |
| Missing | -1 No response | 1273 | 35.0 | | |
| Total | | 3640 | 100.0 | | |

pp9163 J10a2: Volume of mug that respondent usually uses to drink coffee (ml)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 75 | 3 | .1 | .3 | .3 |
| | 100 | 2 | .1 | .2 | .4 |
| | 125 | 8 | .2 | .7 | 1.1 |
| | 150 | 30 | .8 | 2.6 | 3.7 |
| | 175 | 52 | 1.4 | 4.4 | 8.1 |
| | 200 | 146 | 4.0 | 12.5 | 20.6 |
| | 225 | 181 | 5.0 | 15.5 | 36.0 |
| | 250 | 233 | 6.4 | 19.9 | 55.9 |
| | 275 | 289 | 7.9 | 24.7 | 80.6 |
| | 300 | 122 | 3.4 | 10.4 | 91.0 |
| | 325 | 14 | .4 | 1.2 | 92.2 |
| | 350 | 38 | 1.0 | 3.2 | 95.5 |
| | 375 | 2 | .1 | .2 | 95.6 |
| | 400 | 20 | .5 | 1.7 | 97.4 |
| | 425 | 6 | .2 | .5 | 97.9 |
| | 450 | 3 | .1 | .3 | 98.1 |
| | 500 | 9 | .2 | .8 | 98.9 |
| | 550 | 1 | .0 | .1 | 99.0 |
| | 575 | 8 | .2 | .7 | 99.7 |
| | 700 | 1 | .0 | .1 | 99.7 |
| | 800 | 1 | .0 | .1 | 99.8 |
| | 1000 | 2 | .1 | .2 | 100.0 |
| | Total | 1171 | 32.2 | 100.0 | |
| Missing | -1 No response | 2469 | 67.8 | | |
| Total | | 3640 | 100.0 | | |

pp9164 J10b: Average number of cups of coffee respondent drinks in one day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 242 | 6.6 | 23.1 | 23.1 |
| | 1 | 139 | 3.8 | 13.3 | 36.3 |
| | 2 | 159 | 4.4 | 15.2 | 51.5 |
| | 3 | 91 | 2.5 | 8.7 | 60.2 |
| | 4 | 105 | 2.9 | 10.0 | 70.2 |
| | 5 | 73 | 2.0 | 7.0 | 77.1 |
| | 6 | 76 | 2.1 | 7.2 | 84.4 |
| | 7 | 10 | .3 | 1.0 | 85.3 |
| | 8 | 25 | .7 | 2.4 | 87.7 |
| | 9 | 3 | .1 | .3 | 88.0 |
| | 10 | 17 | .5 | 1.6 | 89.6 |
| | 12 | 1 | .0 | .1 | 89.7 |
| | 14 | 1 | .0 | .1 | 89.8 |
| | 15 | 2 | .1 | .2 | 90.0 |
| | 97 Occasional | 105 | 2.9 | 10.0 | 100.0 |
| | Total | 1049 | 28.8 | 100.0 | |
| Missing | -1 No response | 2591 | 71.2 | | |
| Total | | 3640 | 100.0 | | |

pp9165 J10c: Average number of mugs of coffee respondent drinks in one day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 54 | 1.5 | 2.2 | 2.2 |
| | 1 | 377 | 10.4 | 15.1 | 17.2 |
| | 2 | 493 | 13.5 | 19.7 | 36.9 |
| | 3 | 391 | 10.7 | 15.6 | 52.5 |
| | 4 | 356 | 9.8 | 14.2 | 66.8 |
| | 5 | 189 | 5.2 | 7.6 | 74.3 |
| | 6 | 169 | 4.6 | 6.8 | 81.1 |
| | 7 | 43 | 1.2 | 1.7 | 82.8 |
| | 8 | 81 | 2.2 | 3.2 | 86.0 |
| | 9 | 8 | .2 | .3 | 86.3 |
| | 10 | 55 | 1.5 | 2.2 | 88.5 |
| | 11 | 1 | .0 | .0 | 88.6 |
| | 12 | 5 | .1 | .2 | 88.8 |
| | 14 | 1 | .0 | .0 | 88.8 |
| | 15 | 4 | .1 | .2 | 89.0 |
| | 16 | 1 | .0 | .0 | 89.0 |
| | 20 | 7 | .2 | .3 | 89.3 |
| | 97 Occasional | 268 | 7.4 | 10.7 | 100.0 |
| | Total | 2503 | 68.8 | 100.0 | |
| Missing | -1 No response | 1137 | 31.2 | | |
| Total | | 3640 | 100.0 | | |

pp9170 J11a1: Average number of cups of real coffee respondent drinks in a day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 253 | 7.0 | 53.0 | 53.0 |
| | 1 | 91 | 2.5 | 19.1 | 72.1 |
| | 2 | 49 | 1.3 | 10.3 | 82.4 |
| | 3 | 27 | .7 | 5.7 | 88.1 |
| | 4 | 19 | .5 | 4.0 | 92.0 |
| | 5 | 6 | .2 | 1.3 | 93.3 |
| | 6 | 7 | .2 | 1.5 | 94.8 |
| | 7 | 1 | .0 | .2 | 95.0 |
| | 8 | 4 | .1 | .8 | 95.8 |
| | 97 Occasional | 20 | .5 | 4.2 | 100.0 |
| | Total | 477 | 13.1 | 100.0 | |
| Missing | -1 No response | 3163 | 86.9 | | |
| Total | | 3640 | 100.0 | | |

pp9171 J11b1: Average number of cups of instant coffee with less than one spoonful respondent drinks in a day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 237 | 6.5 | 59.0 | 59.0 |
| | 1 | 51 | 1.4 | 12.7 | 71.6 |
| | 2 | 36 | 1.0 | 9.0 | 80.6 |
| | 3 | 17 | .5 | 4.2 | 84.8 |
| | 4 | 16 | .4 | 4.0 | 88.8 |
| | 5 | 7 | .2 | 1.7 | 90.5 |
| | 6 | 13 | .4 | 3.2 | 93.8 |
| | 7 | 1 | .0 | .2 | 94.0 |
| | 8 | 6 | .2 | 1.5 | 95.5 |
| | 10 | 2 | .1 | .5 | 96.0 |
| | 15 | 1 | .0 | .2 | 96.3 |
| | 97 Occasional | 15 | .4 | 3.7 | 100.0 |
| | Total | 402 | 11.0 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 3237 | 88.9 | | |
| | Total | 3238 | 89.0 | | |
| Total | | 3640 | 100.0 | | |

pp9172 J11c1: Average number of cups of instant coffee with one level spoonful respondent drinks in a day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 237 | 6.5 | 50.9 | 50.9 |
| | 1 | 68 | 1.9 | 14.6 | 65.5 |
| | 2 | 53 | 1.5 | 11.4 | 76.8 |
| | 3 | 18 | .5 | 3.9 | 80.7 |
| | 4 | 26 | .7 | 5.6 | 86.3 |
| | 5 | 17 | .5 | 3.6 | 89.9 |
| | 6 | 18 | .5 | 3.9 | 93.8 |
| | 7 | 1 | .0 | .2 | 94.0 |
| | 8 | 5 | .1 | 1.1 | 95.1 |
| | 9 | 3 | .1 | .6 | 95.7 |
| | 10 | 6 | .2 | 1.3 | 97.0 |
| | 15 | 1 | .0 | .2 | 97.2 |
| | 97 Occasional | 13 | .4 | 2.8 | 100.0 |
| | Total | 466 | 12.8 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 3173 | 87.2 | | |
| | Total | 3174 | 87.2 | | |
| Total | | 3640 | 100.0 | | |

pp9173 J11d1: Average number of cups of instant coffee with one heaped spoonful or more respondent drinks in a day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 237 | 6.5 | 63.0 | 63.0 |
| | 1 | 22 | .6 | 5.9 | 68.9 |
| | 2 | 39 | 1.1 | 10.4 | 79.3 |
| | 3 | 19 | .5 | 5.1 | 84.3 |
| | 4 | 25 | .7 | 6.6 | 91.0 |
| | 5 | 10 | .3 | 2.7 | 93.6 |
| | 6 | 14 | .4 | 3.7 | 97.3 |
| | 7 | 3 | .1 | .8 | 98.1 |
| | 8 | 4 | .1 | 1.1 | 99.2 |
| | 9 | 1 | .0 | .3 | 99.5 |
| | 10 | 2 | .1 | .5 | 100.0 |
| | Total | 376 | 10.3 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 3263 | 89.6 | | |
| | Total | 3264 | 89.7 | | |
| Total | | 3640 | 100.0 | | |

pp9174 J11e1: Average number of cups of other coffee respondent drinks in a day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|---|-----------|---------|------------------|-----------------------|
| Valid | 0 | 215 | 5.9 | 50.0 | 50.0 |
| | 1 | 35 | 1.0 | 8.1 | 58.1 |
| | 2 | 35 | 1.0 | 8.1 | 66.3 |
| | 3 | 30 | .8 | 7.0 | 73.3 |
| | 4 | 37 | 1.0 | 8.6 | 81.9 |
| | 5 | 27 | .7 | 6.3 | 88.1 |
| | 6 | 21 | .6 | 4.9 | 93.0 |
| | 7 | 6 | .2 | 1.4 | 94.4 |
| | 8 | 7 | .2 | 1.6 | 96.0 |
| | 10 | 6 | .2 | 1.4 | 97.4 |
| | 14 | 1 | .0 | .2 | 97.7 |
| | 97 Occasional | 8 | .2 | 1.9 | 99.5 |
| | 99 Relevant text but no number reported | 2 | .1 | .5 | 100.0 |
| | Total | 430 | 11.8 | 100.0 | |
| Missing | -1 No response | 3210 | 88.2 | | |
| Total | | 3640 | 100.0 | | |

pp9180 J11a2: Average number of mugs of real coffee respondent drinks in a day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 310 | 8.5 | 32.9 | 32.9 |
| | 1 | 324 | 8.9 | 34.4 | 67.4 |
| | 2 | 126 | 3.5 | 13.4 | 80.8 |
| | 3 | 66 | 1.8 | 7.0 | 87.8 |
| | 4 | 38 | 1.0 | 4.0 | 91.8 |
| | 5 | 10 | .3 | 1.1 | 92.9 |
| | 6 | 9 | .2 | 1.0 | 93.8 |
| | 7 | 3 | .1 | .3 | 94.2 |
| | 8 | 2 | .1 | .2 | 94.4 |
| | 10 | 2 | .1 | .2 | 94.6 |
| | 12 | 1 | .0 | .1 | 94.7 |
| | 97 Occasional | 50 | 1.4 | 5.3 | 100.0 |
| | Total | 941 | 25.9 | 100.0 | |
| Missing | -1 No response | 2699 | 74.1 | | |
| Total | | 3640 | 100.0 | | |

pp9181 J11b2: Average number of mugs of instant coffee with less than one spoonful respondent drinks in a day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 323 | 8.9 | 46.3 | 46.3 |
| | 1 | 102 | 2.8 | 14.6 | 61.0 |
| | 2 | 106 | 2.9 | 15.2 | 76.2 |
| | 3 | 42 | 1.2 | 6.0 | 82.2 |
| | 4 | 43 | 1.2 | 6.2 | 88.4 |
| | 5 | 18 | .5 | 2.6 | 91.0 |
| | 6 | 14 | .4 | 2.0 | 93.0 |
| | 8 | 7 | .2 | 1.0 | 94.0 |
| | 9 | 2 | .1 | .3 | 94.3 |
| | 10 | 3 | .1 | .4 | 94.7 |
| | 97 Occasional | 37 | 1.0 | 5.3 | 100.0 |
| | Total | 697 | 19.1 | 100.0 | |
| Missing | -9 Don't know | 1 | .0 | | |
| | -1 No response | 2942 | 80.8 | | |
| | Total | 2943 | 80.9 | | |
| Total | | 3640 | 100.0 | | |

pp9182 J11c2: Average number of mugs of instant coffee with one level spoonful respondent drinks in a day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 251 | 6.9 | 23.6 | 23.6 |
| | 1 | 204 | 5.6 | 19.2 | 42.7 |
| | 2 | 177 | 4.9 | 16.6 | 59.3 |
| | 3 | 104 | 2.9 | 9.8 | 69.1 |
| | 4 | 104 | 2.9 | 9.8 | 78.9 |
| | 5 | 68 | 1.9 | 6.4 | 85.3 |
| | 6 | 42 | 1.2 | 3.9 | 89.2 |
| | 7 | 10 | .3 | .9 | 90.1 |
| | 8 | 19 | .5 | 1.8 | 91.9 |
| | 9 | 2 | .1 | .2 | 92.1 |
| | 10 | 14 | .4 | 1.3 | 93.4 |
| | 11 | 2 | .1 | .2 | 93.6 |
| | 12 | 1 | .0 | .1 | 93.7 |
| | 15 | 2 | .1 | .2 | 93.9 |
| | 20 | 2 | .1 | .2 | 94.1 |
| | 97 Occasional | 63 | 1.7 | 5.9 | 100.0 |
| | Total | 1065 | 29.3 | 100.0 | |
| Missing | -9 Don't know | 2 | .1 | | |
| | -1 No response | 2573 | 70.7 | | |
| | Total | 2575 | 70.7 | | |
| Total | | 3640 | 100.0 | | |

pp9183 J11d2: Average number of mugs of instant coffee with one heaped spoonful or more respondent drinks in a day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 251 | 6.9 | 23.0 | 23.0 |
| | 1 | 139 | 3.8 | 12.7 | 35.7 |
| | 2 | 178 | 4.9 | 16.3 | 52.0 |
| | 3 | 143 | 3.9 | 13.1 | 65.1 |
| | 4 | 130 | 3.6 | 11.9 | 77.0 |
| | 5 | 69 | 1.9 | 6.3 | 83.3 |
| | 6 | 64 | 1.8 | 5.9 | 89.2 |
| | 7 | 23 | .6 | 2.1 | 91.3 |
| | 8 | 33 | .9 | 3.0 | 94.3 |
| | 9 | 3 | .1 | .3 | 94.6 |
| | 10 | 19 | .5 | 1.7 | 96.3 |
| | 12 | 2 | .1 | .2 | 96.5 |
| | 14 | 1 | .0 | .1 | 96.6 |
| | 15 | 1 | .0 | .1 | 96.7 |
| | 20 | 3 | .1 | .3 | 97.0 |
| | 97 Occasional | 33 | .9 | 3.0 | 100.0 |
| | Total | 1092 | 30.0 | 100.0 | |
| Missing | -1 No response | 2548 | 70.0 | | |
| Total | | 3640 | 100.0 | | |

pp9184 J11e2: Average number of mugs of other coffee respondent drinks in a day

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|----------------|-----------|---------|------------------|-----------------------|
| Valid | 0 | 309 | 8.5 | 75.4 | 75.4 |
| | 1 | 29 | .8 | 7.1 | 82.4 |
| | 2 | 26 | .7 | 6.3 | 88.8 |
| | 3 | 16 | .4 | 3.9 | 92.7 |
| | 4 | 12 | .3 | 2.9 | 95.6 |
| | 5 | 5 | .1 | 1.2 | 96.8 |
| | 6 | 2 | .1 | .5 | 97.3 |
| | 7 | 3 | .1 | .7 | 98.0 |
| | 8 | 1 | .0 | .2 | 98.3 |
| | 97 Occasional | 7 | .2 | 1.7 | 100.0 |
| | Total | 410 | 11.3 | 100.0 | |
| Missing | -1 No response | 3230 | 88.7 | | |
| Total | | 3640 | 100.0 | | |

PAGE 56 OF THE QUESTIONNAIRE

SECTION K:

| K1. | This c | This questionnaire was completed by: (tick all that apply) | | | | | |
|-----|--------|--|---|--|--|--|--|
| | a) | Child's biological father | 1 | | | | |
| | b) | Father figure | 1 | | | | |
| | c) | Someone else (please tick and describe) | 1 | | | | |

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 "no".]

pp9980 K1a: Questionnaire completed by child's biological father

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 3381 | 92.9 | 93.8 | 93.8 |
| | 2 No | 224 | 6.2 | 6.2 | 100.0 |
| | Total | 3605 | 99.0 | 100.0 | |
| Missing | -5 Question K1 omitted | 35 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp9981 K1b: Questionnaire completed by father figure

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 247 | 6.8 | 6.9 | 6.9 |
| | 2 No | 3358 | 92.3 | 93.1 | 100.0 |
| | Total | 3605 | 99.0 | 100.0 | |
| Missing | -5 Question K1 omitted | 35 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

pp9982 K1c: Questionnaire completed by someone else

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes | 59 | 1.6 | 1.6 | 1.6 |
| | 2 No | 3546 | 97.4 | 98.4 | 100.0 |
| | Total | 3605 | 99.0 | 100.0 | |
| Missing | -5 Question K1 omitted | 35 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

Derived Variables

Number of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question K1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

pp9984 DV: Number of contributors to questionnaire

| ··· | | | | | |
|----------------|------------------------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 1 | 3523 | 96.8 | 97.7 | 97.7 |
| | 2 | 82 | 2.3 | 2.3 | 100.0 |
| | Total | 3605 | 99.0 | 100.0 | |
| Missing | -5 Question K1 omitted | 35 | 1.0 | | |
| Total | | 3640 | 100.0 | | |


Questionnaire completed by...

This variable details the combinations of respondents reported in question K1. It is calculated by recoding values of 1 to powers of 2 (1, 2, and 4 for parts a to c respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

pp9985 DV: Questionnaire completed by...

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-------------------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Biological father only | 3301 | 90.7 | 91.6 | 91.6 |
| | 2 Father figure only | 172 | 4.7 | 4.8 | 96.3 |
| | 3 Biological father & father figure | 73 | 2.0 | 2.0 | 98.4 |
| | 4 Other only | 50 | 1.4 | 1.4 | 99.8 |
| | 5 Biological father & other | 7 | .2 | .2 | 99.9 |
| | 6 Father figure & other | 2 | .1 | .1 | 100.0 |
| | Total | 3605 | 99.0 | 100.0 | |
| Missing | -5 Question K1 omitted | 35 | 1.0 | | |
| Total | | 3640 | 100.0 | | |

K2. Please give the date on which you completed this questionnaire:



[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable PP9990c. The month and year of completion were retained on the built file, but the day was dropped.]

pp9990a K2: Date of completion of questionnaire - month

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|------------------|-----------------------|
| Valid | 1 January | 450 | 12.4 | 12.4 | 12.4 |
| | 2 February | 353 | 9.7 | 9.7 | 22.1 |
| | 3 March | 279 | 7.7 | 7.7 | 29.7 |
| | 4 April | 174 | 4.8 | 4.8 | 34.5 |
| | 5 May | 190 | 5.2 | 5.2 | 39.7 |
| | 6 June | 240 | 6.6 | 6.6 | 46.3 |
| | 7 July | 344 | 9.5 | 9.5 | 55.8 |
| | 8 August | 263 | 7.2 | 7.2 | 63.0 |
| | 9 September | 401 | 11.0 | 11.0 | 74.0 |
| | 10 October | 355 | 9.8 | 9.8 | 83.8 |
| | 11 November | 352 | 9.7 | 9.7 | 93.4 |
| | 12 December | 239 | 6.6 | 6.6 | 100.0 |
| | Total | 3640 | 100.0 | 100.0 | |

pp9990b K2: Date of completion of questionnaire - year

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|------------------|-----------------------|
| Valid | 2002 | 951 | 26.1 | 26.1 | 26.1 |
| | 2003 | 2150 | 59.1 | 59.1 | 85.2 |
| | 2004 | 532 | 14.6 | 14.6 | 99.8 |
| | 2005 | 7 | .2 | .2 | 100.0 |
| | Total | 3640 | 100.0 | 100.0 | |

pp9990c DV: Date of completion replaced with date of receipt

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--------------------------|-----------|---------|------------------|-----------------------|
| Valid | 1 Yes, incomplete d.o.c. | 68 | 1.9 | 1.9 | 1.9 |
| | 3 Yes, d.o.c. < d.o.s. | 30 | .8 | .8 | 2.7 |
| | 4 Yes, d.o.c. > d.o.r. | 41 | 1.1 | 1.1 | 3.8 |
| | 5 No | 3501 | 96.2 | 96.2 | 100.0 |
| | Total | 3640 | 100.0 | 100.0 | |


Derived Variables - Age of Study Child at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

pp9991a DV: Age of study child at completion (months)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|------------------|-----------------------|
| Valid | 133 | 11 | .3 | .3 | .3 |
| | 134 | 2653 | 72.9 | 72.9 | 73.2 |
| | 135 | 596 | 16.4 | 16.4 | 89.6 |
| | 136 | 147 | 4.0 | 4.0 | 93.6 |
| | 137 | 74 | 2.0 | 2.0 | 95.6 |
| | 138 | 47 | 1.3 | 1.3 | 96.9 |
| | 139 | 19 | .5 | .5 | 97.4 |
| | 140 | 22 | .6 | .6 | 98.0 |
| | 141 | 17 | .5 | .5 | 98.5 |
| | 142 | 12 | .3 | .3 | 98.8 |
| | 143 | 10 | .3 | .3 | 99.1 |
| | 144 | 3 | .1 | .1 | 99.2 |
| | 145 | 7 | .2 | .2 | 99.4 |
| | 146 | 5 | .1 | .1 | 99.5 |
| | 147 | 1 | .0 | .0 | 99.6 |
| | 148 | 6 | .2 | .2 | 99.7 |
| | 149 | 2 | .1 | .1 | 99.8 |
| | 150 | 3 | .1 | .1 | 99.9 |
| | 151 | 1 | .0 | .0 | 99.9 |
| | 153 | 2 | .1 | .1 | 99.9 |
| | 154 | 1 | .0 | .0 | 100.0 |
| | 163 | 1 | .0 | .0 | 100.0 |
| | Total | 3640 | 100.0 | 100.0 | |

pp9991b DV: Age of study child at completion (weeks)



plus the following outliers < 582 or > 630:

pp9991b DV: Age of study child at completion (weeks)

| | | | | Malia | O |
|-------|-------|-----------|---------|------------------|-----------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 578 | 1 | 3.6 | 3.6 | 3.6 |
| | 579 | 1 | 3.6 | 3.6 | 7.1 |
| | 631 | 1 | 3.6 | 3.6 | 10.7 |
| | 632 | 3 | 10.7 | 10.7 | 21.4 |
| | 636 | 2 | 7.1 | 7.1 | 28.6 |
| | 637 | 3 | 10.7 | 10.7 | 39.3 |
| | 640 | 1 | 3.6 | 3.6 | 42.9 |
| | 643 | 1 | 3.6 | 3.6 | 46.4 |
| | 645 | 2 | 7.1 | 7.1 | 53.6 |
| | 646 | 3 | 10.7 | 10.7 | 64.3 |
| | 648 | 1 | 3.6 | 3.6 | 67.9 |
| | 649 | 1 | 3.6 | 3.6 | 71.4 |
| | 652 | 2 | 7.1 | 7.1 | 78.6 |
| | 653 | 1 | 3.6 | 3.6 | 82.1 |
| | 656 | 1 | 3.6 | 3.6 | 85.7 |
| | 666 | 2 | 7.1 | 7.1 | 92.9 |
| | 670 | 1 | 3.6 | 3.6 | 96.4 |
| | 710 | 1 | 3.6 | 3.6 | 100.0 |
| | Total | 28 | 100.0 | 100.0 | |

K3. Please give your date of birth:


| day | month | year |
|-----|-------|------|
| | | 1 9 |

[Editing: If the date of birth was not a valid date (e.g. 31st November), then the day & month were set to -1. Values of 1903 and 1991 to 2004 in the year variable were recoded to -1. If the year was missing then day and month were also set to -1. Otherwise, if a valid year was reported, values of -1 in day were recoded to 15 and in month to 6. This action was flagged in variable PP9996b. The date of birth was not retained on the file.]

Derived Variables - Age of Respondent at Completion

The date of completion and the respondent's dates of birth were used to calculate the respondent's age at completion in completed years.

pp9996a DV: Age of respondent at completion of questionnaire (years)



plus the following missing values:

pp9996a DV: Age of respondent at completion of questionnaire (years)

| | | Frequency | Percent |
|---------|--------------------------|-----------|---------|
| Missing | -1 Missing date of birth | 51 | 100.0 |

pp9996b DV: Components of respondent's date of birth imputed

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|------------------|-----------------------|
| Valid | 0 None | 3635 | 99.9 | 99.9 | 99.9 |
| | 1 Day | 1 | .0 | .0 | 99.9 |
| | 2 Month | 1 | .0 | .0 | 99.9 |
| | 3 Day & month | 3 | .1 | .1 | 100.0 |
| | Total | 3640 | 100.0 | 100.0 | |

| K4. Please give the date of birth of your study child: |
|--|
| day month year |
| |
| [Editing: Note that this reported date of birth was not used.] |
| |
| |
| |
| THANK YOU VERY MUCH FOR YOUR HELP |
| Space for any additional comment you would like to make |
| |
| |
| NB. Please remember we cannot reply to any comment unless you sign it. |
| When completed, please return the questionnaire to: |
| Professor Jean Golding Children of the Nineties - ALSPAC Institute of Child Health 24 Tyndall Avenue Bristol |
| BS8 1BR Tel: Bristol 928 8793 |
| For office use only coder int University of Bristol |

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

PP File - Appendix A

General coding instructions for ALSPAC questionnaires - 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is "coding"?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a "Please describe" dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow "Post-It" sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch . It is the individual coder's responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that "skips" (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder's marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person's work at regular intervals in order to strive for maximum accuracy.

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

<u>Dates</u>

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

- If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.
- 8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.
- I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

PP File - Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

Coding instructions for first version (20/05/02) "Lifestyle and Health of Partner"

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the "Lifestyle and Health of Partner" replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires - 2nd revision" document.

In addition, make sure that any names or other identifiers of the respondent are obliterated.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 20/05/02. If the questionnaire is all blank, e.g. the woman didn't want to fill in the form, write "BLANK" on the front cover and hand it to the supervisor.

| Page 3 | | |
|---------------------|---|---|
| Section A | | |
| A1a-h | 7 | |
| Page 4 | | |
| A1i-s | 7 | |
| Page 5 | | |
| A2a-k | 8 | |
| Page 6 | | |
| A2 1-p | 8 | |
| A3a | I | |
| A3b | I | If something relevant is written on the dotted line, ensure that the accompanying box is ticked. However, code 9 overrides code 1 or 2. |
| A4a, b | I | |
| Page 7 | | |
| A4c, d | I | |
| A5a-d | I | |
| Comments | | Not being coded here |
| Page 8 Section B | | |
| B1a-s | 7 | Misprint: For k), if 'no, never' is ticked, change the printed code number to 3 (in black oen). |
| Page 9 | | |
| B1t-v | | As B1a-s |
| B1w | I | If something relevant is written on the 'please describe' line, but no relevant box is ticked, code B1w as zero if it is a condition not covered in B1a-v. If it is covered in B1a-v ensure the relevant box is ticked. If no information to indicate when, code zero for that condition. |
| B2a | I | |
| B2ai | 7 | |

| D2. '' | 11 | D1 |
|------------------|----------|--|
| B2aii | II | Round age down - thus 10 ½ is coded as 10. |
| B2b | I | |
| B2bi | II | Round age down. |
| | | |
| Page 10 | | |
| | | |
| B2bii | I | |
| BZen | 1 | |
| D20 | T | |
| B3a | I | TD 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| B3b | | To be coded separately. Please ensure that any relevant writing in the |
| | | "please describe" area is matched by a "yes" tick in B3a. |
| | | |
| B4a | I | |
| B4bi-v | I | |
| B4bvi | I | Please ensure that any writing in the "please describe" area is matched by |
| J .6 .7 | | a "yes" tick in B4bvi, if it refers to a different allergy to those covered in i) to v). |
| | | |
| Page 11 | | |
| _ | | |
| B5a-i | 7 | |
| Bou I | <u> </u> | |
| D60 | I | |
| B6a | | TC 1 |
| B6b | II | If a range is given, round up. |
| B6c | II | If a range is given, round up. |
| B6d-h | II | This should be the number of different nights they were in hospital for |
| | | each admission. If less than one day is given, code as "00". Note that |
| | | the reason is not being coded here. |
| | | · · |
| Page 12 | | |
| 1 450 12 | | |
| В7а-е | ī | |
| | I | |
| B7f | 8 | |
| B7g | | If this question is answered, draw two boxes to the side of the picture. |
| | | A two-letter code is required here. |
| | | Write the first letter R or L, representing the side of the body which |
| | | has been marked (Right/left, including the arms). If the marks go |
| | | across both sides, write B. |
| | | For the second letter, write U or L, representing the Upper or Lower |
| | | halves of the body. Again write B if the marks go across both upper |
| | | and lower halves. Assume that the upper half includes the body above |
| | | the line of the pectoral muscles, and all the arms. |
| | | "Don't know", code as XX. |
| | | Don't bother to draw the boxes if the question is not answered. |
| D71 ₅ | T | Don't bounce to draw the boxes if the question is not answered. |
| B7h | I | |
| D 45 | | |
| Page 13 | | |
| | | |
| B7i | I | |
| B7j | | Not being coded here |
| B7k | II | |
| | | |
| B8a-m | 7 | |
| Dou III | | |
| D 14 17 | | |
| Page 14-15 | | |
| | | |
| B8n-u | 7 | |
| | | |
| | | |
| | • | |

| B8v | 7 | Please ensure that if something relevant is written in the "please describe" section in B8v, that the previous boxes are ticked appropriately. If there is no tick, please code a zero in B8v to indicate positive information in this section. |
|----------------------|-----|---|
| B9i-x | т | |
| B9xi | I | Please ensure that if something relevant is written in the "please describe" area, there is a "yes" tick in B9xi. Note that the text response is not being coded here. |
| Page 16 | | |
| C1a-d | 8 | |
| Page 17 | | |
| C1e-h | 8 | |
| Page 18 | | |
| C1i-l | 8 | |
| Page 19 | | |
| C1m, n | 8 | |
| Page 20 Section D | | |
| | | |
| D1a-h D1i | 7 7 | Please ensure that if something relevant is written in the "please describe" section, that the previous box is ticked appropriately. If there is no tick, please code as zero, to indicate information in the "please describe" section. |
| D2a-f | 7 | |
| Page 21 | | |
| D2 a 1s | 7 | |
| D2g-k D2l | 7 | Please ensure that if something relevant is written in the "please describe" section, that the previous box is ticked appropriately. If there is no tick, please code as zero, to indicate information in the "please describe" section. |
| D2m | 7 | |
| D2n | 7 | As D2l |
| D3a-e | 7 | |
| D3f | 7 | As D2l |
| Page 22 | | |
| D4a-e | 7 | |
| D4f | 7 | As D2l |
| D5a-f | 7 | |
| D5g | 7 | As D2l |
| | | |

| Page 23 | | |
|----------------------------|----------|--|
| Section E | | |
| | | |
| E1-E8 | 7 | |
| E9 | 8 | |
| Page 24 | | |
| | | |
| E10 | 8 | |
| E11 | 7 | |
| E12 | 8 | |
| E13 | 7 | |
| Page 25 | | |
| rage 25 | | |
| E14 – E17 | 7 | |
| EII EII | <u>'</u> | |
| Page 26 | | |
| <i>g</i> - | | |
| E18 | 7 | |
| E19 | 8 | |
| | | |
| Pages 27 – 30 Section F | | |
| F1 - F44 | I | If 1+2 are ticked, draw a separate box and code as 3. |
| F45 | I | Please ensure that if something relevant is written in the "please |
| | | describe" section, that the previous boxes are ticked appropriately as in F1-F44. If there is no tick, please code as zero to indicate information in this section. Note that the text response is not being coded here. |
| F46a | I | If "yes" is ticked, check that the description differs from the events listed previously in this section. If it is the same, recode it as that event, and tick "no" for F46a. |
| F46bi, ii | I | Please check that if something relevant is written in the "please describe" section that F46a is ticked appropriately. If there is no tick, tick the "yes" box to indicate information in this section. Note that the text response is not being coded here. If neither box in (i) or (ii) is ticked, but an event happened, code both (i) and (ii) as zero. |
| F46c, d | | As F46b |
| Dogo 21 | | |
| Page 31 | | |
| F47a | I | |
| F47b-d | 1 | As F46b |
| | | |
| Page 32 Section G | | |
| G1a, b | II, II | If a range is given code the lowest. Code 'varies' as 97. |
| G2a | I | |
| G2b | II | Round down ages |
| G2ci-iv | I | Round down agos |
| G2d | I | |
| J24 | 1 * | |

| G2d How long | II, II | If a range is given e.g. 2 or 3 years ago, code the lowest. |
|--------------|----------|--|
| Page 33 | | |
| G2e | I | If there are multiple ticks, recode as 'Yes, other' and write the code numbers of the original ticks on the dotted line. |
| G2f | I | If >1 box is ticked, recode as the higher consumption rate. Code infrequent use as 97. |
| G2gi | | Not being coded here |
| G2gii | I | For multiple ticks, recode as follows: |
| | | A: 1+2 |
| | | B: 1+3 |
| | | C: 1+4 |
| | | D: 1+2+3 |
| | | E: 1+2+4 |
| | | F: 1+3+4 |
| | | G: 1+2+3+4 |
| | | H: 2+3 |
| | | J: 2+4 |
| | | K: 2+3+4 |
| | | L: 3+4 |
| G3a | I | If there are multiple ticks, recode as 'Yes, other' and write the code numbers of the original ticks on the dotted line. |
| G3b | I | As G2f |
| | | |
| Page 34 | | |
| G3ci | | Not being coded here |
| G3cii | I | For multiple ticks, recode as for G2gii. |
| G3d | II, I | Round ages down. If an age is given and the 99 box is ticked, code the |
| | 11, 1 | age. |
| G4a | I | |
| G4b | II | If a range is given, go for the higher end. |
| | | |
| G5i, ii | 7 | Code each column separately. |
| Page 35 | | |
| | | |
| G6a-l | 7 | |
| | | |
| Page 36 | | |
| G6m-t | 7 | |
| G6u | 7 | If something relevant is written in the "please describe" area, please ensure that there is a "yes" tick in G6u. If there is not, code a zero on |
| | | G6u, to indicate information in the "please describe" area. |
| G7a | I | |
| Page 37 | | |
| G7b, c | 7 | |
| G8a | I | If 1 and 2 are both ticked for equal use, code as 4. |
| G01: " | | |
| G8bi, ii | II, 7 | If there is a tick in an 'average distance' box but no 'number of journeys' is indicated then code the latter as 99. |
| | | |
| | <u>i</u> | 1 |

| Page 38 | | |
|-------------------------|-------|--|
| G9a-d | 7 | |
| | | |
| G10a, b | 8 | |
| G11a, b | 8 | |
| Page 39 | | |
| | _ | |
| G11c-g | 8 | |
| Page 40 no questions | | |
| Page 41 Section H | | |
| H1 | I | |
| H2a i, ii, iii | | Text not being coded here |
| H2b i | II | If a range is given, go for the higher end. Round up fractions. Rarely, there may be 100+ hours written, in which case code as 98. |
| H2b ii, iii | II | As H2b i |
| H2c i, ii, iii | П | As H2b i |
| Page 42 | | |
| H3a i | I, II | If Yes is ticked but no hours are stated, code the latter as 99. If number |
| 11341 | 1, 11 | of hours is stated ensure that the Yes box (code 2) is ticked. If a range of hours is given, go for the higher end. Round up fractions. |
| H3a ii, iii | I, II | As H3a i |
| Н3b-g | | As H3a |
| Page 43 | | |
| 1 age 43 | | |
| H3h-i | | As H3a |
| НЗј | | As H3a. If something relevant is written on the dotted line, ensure that the Yes box (code 2) is ticked and that the hours boxes are coded appropriately. This applies for each job separately. |
| H4a i | П | If a range is given, go for the higher end. If 100 or more times is written, code as 98 (lots). (In general, it is also possible that the question has been misunderstood, counting separate steps not flights. However, code the answers as stated.). Don't know = 99. |
| H4a ii, iii | П | As H4a i |
| H4b i, ii, iii | | As H4a |
| Н5а-с | I | |
| Page 44 | | |
| Нба | II | If a range is given, go for the higher end. Round up fractions. For 90 miles or more code as 98. Varies = 97. |
| H6b | П | If a range is given, go for the higher end. |

| II, 8 | As H6 As H6 If a range of times is given try to take the average If 10 hours or more is written, code as 9 98. If a number of times (codes 1-5 only) is |
|-------|---|
| П, 8 | As H6 If a range of times is given try to take the average If 10 hours or more is written, code as 9 98. If a number of times (codes 1-5 only) is |
| П, 8 | As H6 If a range of times is given try to take the average If 10 hours or more is written, code as 9 98. If a number of times (codes 1-5 only) is |
| II, 8 | If a range of times is given try to take the average. If 10 hours or more is written, code as 9 98. If a number of times (codes 1-5 only) is |
| П, 8 | If a range of times is given try to take the average. If 10 hours or more is written, code as 9 98. If a number of times (codes 1-5 only) is |
| II, 8 | If a range of times is given try to take the average. If 10 hours or more is written, code as 9 98. If a number of times (codes 1-5 only) is |
| II, 8 | If a range of times is given try to take the average. If 10 hours or more is written, code as 9 98. If a number of times (codes 1-5 only) is |
| II, 8 | more is written, code as 9 98. If a number of times (codes 1-5 only) is |
| II, 8 | more is written, code as 9 98. If a number of times (codes 1-5 only) is |
| II, 8 | more is written, code as 9 98. If a number of times (codes 1-5 only) is |
| | ticked, but no hrs/mins, code the latter as 9 99. However, if code 6 is ticked, there should be no number of hours written. |
| | If average time is given but no frequency, code the latter as zero. As I1a |
| | 130 114 |
| | |
| | |
| | As I1a |
| | |
| | |
| | As I1a |
| | |
| | |
| | As I1a |
| | As I1a. If there is something relevant written on the dotted line, but no hrs/mins are written, code the latter as 9 99; in addition, if the number of times is not stated, code that part as zero. |
| | |
| | |
| 7 | |
| 7 | If 5 is ticked, ignore other ticks. |
| | |
| 7 | Please ensure that if something relevant is written in the "please describe" section, that the previous boxes are ticked appropriately. If there is no tick, please code a zero here, to indicate information in the "please describe" section. |
| | |
| 7 | |
| 8 | |
| | |
| | |
| 8 | |
| | |
| I | Code 'sometimes' as 1. |
| I | |
| | |
| | |
| | 7 7 7 8 8 8 1 |

| 10 | Lo | |
|--|--------|---|
| J3 | 8 | |
| J4a-e | 8 | |
| J4f | | If there is something relevant stated on the dotted line but no tick is written, then code as zero. |
| J5a | I | |
| J5b | 7 | |
| J30 | ' | |
| Page 54 | | |
| J6ai, ii | I, II | Ensure that if a quantity is stated, then the 'cup' or 'mug' (i.e. code 1) must be ticked. Try to check that fl.oz., or mls., are in the appropriate sets of boxes. |
| J6b, c | II | Note the instruction that the occasional cup or mug only is code 97. |
| J7 | 7 | |
| J8 | , | Text is not being coded here. |
| J9a | I | Text is not being coded here. |
| J9a J9b | 7 | |
| J90 | / | |
| Page 55 | | |
| | | |
| J10a-c | | As J6 a-c |
| J11ai, ii | II, II | If J10b or J10c required a 97 (occasional cup/mug) then if there is an answer in J11 it should also be 97. |
| J11b-di, ii | | As J11a |
| J11ei, ii | | As J11a. If something relevant is stated on the dotted lines, but number of cups etc is not stated then code as 99. Remember that 'cups' and 'mugs' require separate codes if there is separate text. |
| | | |
| J12a, b | | Text is not being coded here |
| Page 56 Section K | | |
| V1a b | ī | |
| K1a, b K1c | I | If something relevant is written on the dotted line, ensure that the accompanying box is ticked. |
| K2 | IV | If left blank, copy the date that the form was returned from the front |
| 17.2 | *** | cover. |
| K3 | IV | TO 1 1 1 1 1 0 1 0 2 TO 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| K4 | IV | The year number should be 0, 1, 2 or 3. If any other year is written, strike out, leaving just the day and month. |
| Bottom of Page 56 For Office Use Only | | |
| Coder | | Insert your initials here. |
| Int. | | If the questionnaire was completed with the aid of an interviewer, there will be initials here. |
| | | |

END OF QUESTIONNAIRE Lfst&hthpa (20/05/02) Sheila Preece 18/06/03 updated 24/6/04

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. No reminders were issued specific to partner questionnaires.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as "not known at this address") this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of CSV (comma separated values) data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were read into SPSS, added together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifier ALN. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letter "pp" which are followed by four digits and occasionally a further letter. Then the data from the back page were edited as described in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of "Don't know" to -9. Note that where there was actually a tick box category for "Don't know" that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response

PP File - Appendix C

were recoded to -8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

| Value | Label | Comment |
|-------|---------------|--|
| -1 | No response | The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question. |
| -8 | Text response | The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options |
| -9 | Don't know | The respondent wrote "Don't know", or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for "Don't know". |
| -10 | Not completed | No completed questionnaire is available for this case. Variable PP0007a = 2 for all such cases. |

At some point in the future the data may be reissued as a "built" file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.