

THE ALSPAC STUDY

KN FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

My School Boy/Girl

At 69 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 2a of the release file.

APRIL 2019

© University of Bristol

Contents

Introduction		Page 3
Section A	Your Child's Health	
	Text	Page 8
	Frequencies	Page 22
Section B	Sleeping	
	Text	Page 58
	Frequencies	Page 61
Section C	His/Her Activities and Behaviour	
	Text	Page 73
	Frequencies	Page 78
Section D	Upsetting Events	
	Text	Page 100
	Frequencies	Page 103
Section E	Abilities and Disabilities	
	Text	Page 107
	Frequencies	Page 118
Section F	Temperament and Behaviour	
	Text	Page 147
	Frequencies	Page 151
Section G	Odds and Ends	
	Text	Page 171
	Frequencies	Page 178
Section H		Page 211
Appendix A	General Coding Instructions	Page 217
Appendix B	Specific Coding Instructions	Page 221
Appendix C	Questionnaire Methodology	Page 230

Introduction

Contents

This questionnaire was sent out to carers when their study child was 69 months old. It is in 8 sections. Section A contains standard ALSPAC health questions, including details of symptoms of asthma and eczema. Section B asks about the child's sleep patterns, environment and behaviours and section C asks about the child's activities including radio and television exposure. Sections D deals with upsetting events occurring in the previous 15 months while section E looks at physical and intellectual development. Section F examines temperament and behaviour and section G collects a selection of current measurements and also asks about lifetime sun exposure and sun protection. Finally, section H collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire, although as with all child-based questionnaires there were separate copies for boys and girls. This documentation is based around the boys' copy.

Sample & response rates

There are a total of 14,688 records on this built file. This number is made up of the 14,676 fetuses in the core ALSPAC sample (regardless of whether or not the 69-month questionnaire was sent out for them or whether they were returned) plus 12 eligible children not in the core sample for whom the questionnaires were sent out. Note that this questionnaire was completed for 1 of these 12 children not in the core sample.

Of the 14,676 fetuses in the core ALSPAC sample, 14,062 were live born. The 69-month questionnaire was sent out for 11,268 (80%) of these live born children. As of 31st December 2005 completed questionnaires had been returned for 8697 (77%) of these children, which is 62% of the 14,062 live born children. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Release file version history

Release version 1a – February 2007

The first version of the release file.

Built version 2a – April 2019

Addition of EAS derived variables, KN6020a to KN6023c, please be aware the variables have been named out of sequence and have been added between KN6019 (Q. F20) and KN6020 (Q. F21).

KN File - Introduction
Administrative variables

kn0001 Questionnaire sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	11280	76.8	76.8	76.8
	2 No	3408	23.2	23.2	100.0
	Total	14688	100.0	100.0	

kn0002 Reminder 1 sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7579	51.6	67.2	67.2
	2 No	3701	25.2	32.8	100.0
	Total	11280	76.8	100.0	
Missing	-2 Questionnaire not sent	3408	23.2		
	Total	14688	100.0		

kn0003 Reminder 2 sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4974	33.9	44.1	44.1
	2 No	6306	42.9	55.9	100.0
	Total	11280	76.8	100.0	
Missing	-2 Questionnaire not sent	3408	23.2		
	Total	14688	100.0		

kn0004 Eligible for visit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2389	16.3	21.2	21.2
	2 No	8891	60.5	78.8	100.0
	Total	11280	76.8	100.0	
Missing	-2 Questionnaire not sent	3408	23.2		
	Total	14688	100.0		

KN File - Introduction

kn0005 Questionnaire return status (as of 31/12/05)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not returned	2546	17.3	22.6	22.6
	2 Returned, completed	8698	59.2	77.1	99.7
	3 Returned, blank	36	.2	.3	100.0
	Total	11280	76.8	100.0	
Missing	-2 Questionnaire not sent	3408	23.2		
	Total	14688	100.0		

kn0006 Questionnaire returned (as of 31/12/05)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8734	59.5	77.4	77.4
	2 No	2546	17.3	22.6	100.0
	Total	11280	76.8	100.0	
	Missing	-2 Questionnaire not sent	3408	23.2	
	Total	14688	100.0		

kn0007 Questionnaire completed (as of 31/12/05)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8698	59.2	77.1	77.1
	2 No	2582	17.6	22.9	100.0
	Total	11280	76.8	100.0	
	Missing	-2 Questionnaire not sent	3408	23.2	
	Total	14688	100.0		

kn0007a Data available (as of 31/12/05)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8698	59.2	59.2	59.2
	2 No	5990	40.8	40.8	100.0
	Total	14688	100.0	100.0	

kn0008 Questionnaire version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Version 1 - 05/12/96	8698	59.2	100.0	100.0
	Missing	5990	40.8		
	Total	14688	100.0		

Questionnaire No:

--	--	--	--	--	--	--	--	--	--

MY SCHOOL BOY

This questionnaire asks about your study child.

It is like the other questionnaires you have received. To answer simply tick the box which best describes your child or your child's situation. Please answer all questions that you can. If you cannot answer certain questions or if they do not apply to you please put a line through them. There are no right or wrong answers. Please just describe what happens in your situation. You may make additional comments at the end. All answers are confidential.

THANK YOU FOR YOUR HELP

5/12/96

KN File - Introduction

PAGE 2 OF THE QUESTIONNAIRE

[This page only contained a photograph.]

SECTION A: YOUR CHILD'S HEALTH

A1. How would you assess the health of your child nowadays?

	(i) in the past month	(ii) in the past year
very healthy, no problems	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
healthy, but a few minor problems		
sometimes quite ill		
almost always unwell		

A2. a) In the past 15 months has the doctor been called to your home because he was unwell?

Yes 1 No 2 → If no, go to A3 below

If yes,

b) how many times?

once 1 2 times 2 3-4 times 3 5 or more times 4

A3. Has he had any of the following in the past 15 months?

In the past 15 months:	Yes and saw a doctor	Yes but did not see doctor	No did not have
a) diarrhoea	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) blood in the stools	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c) vomiting	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d) cough	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
e) high temperature	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
f) snuffles/cold	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

PAGE 4 OF THE QUESTIONNAIRE

		Yes and saw a doctor	Yes but did not see doctor	No did not have
In the past 15 months:				
A3.	g) ear ache	1	2	3
	h) ear discharge (pus not wax)	1	2	3
	i) convulsions/fits	1	2	3
	j) stomach ache(s)	1	2	3
	k) rash	1	2	3
	l) wheezing	1	2	3
	m) breathlessness	1	2	3
	n) episodes of stopping breathing	1	2	3
	o) an accident	1	2	3
	p) urinary infection	1	2	3
	q) headache(s)	1	2	3
	r) constipation	1	2	3
	s) worm infections	1	2	3
	t) lice or scabies	1	2	3
	u) other (please tick and describe)	1	2	3

.....

A4. a) Has your child been admitted to hospital in the past 15 months?

Yes 1 No 2 → If no, go to A5 on page 5

If yes,


b) how many times?

PAGE 5 OF THE QUESTIONNAIRE

A4. c) please describe for each admission:

	Age of child (years)	Reason for admission	No. of nights child stayed in hospital
1.	<input type="text"/>	<input type="text"/> <input type="text"/>
2.	<input type="text"/>	<input type="text"/> <input type="text"/>
3.	<input type="text"/>	<input type="text"/> <input type="text"/>

d) How often did you see him while he was in hospital?



A5. Has he ever had any of the following operations?

	Yes	No
a) hernia repair	1	2
b) tonsils out	1	2
c) adenoids out	1	2
d) appendicectomy (appendix out)	1	2
e) tubes (grommets) put in his ears	1	2
f) squint repair (to put eyes straight)	1	2
g) teeth pulled out	1	2
h) other operations (please describe)	1	2

.....

.....

PAGE 6 OF THE QUESTIONNAIRE

- A6. a) In the past 15 months has he had any periods when there was wheezing with whistling on his chest when he breathed?

Yes 1 No 2 → If **no**, go to A6f below

If **yes**,

- b) How many separate times has he wheezed in the past 15 months?

once 1 twice 2 3-4 times 3 5 or more times 4 don't know 9

- c) How many days altogether would you say he had wheezed in the past 15 months?

1 day 1 2-3 days 2 4-9 days 3 10-19 days 4 20 or more days 5 don't know 9

- d) Was he breathless during any of these times?

Yes for all 1 Yes for some 2 No not at all 3

- e) Did he have a fever during any of these times?

Yes for all 1 Yes for some 2 No not at all 3

- f) Have any of your other children had spells of wheezing with whistling on the chest?

Yes 1 No 2 have no other children 7

- A7. a) Has your child had any itchy, dry skin rash in the joints and creases of his body (e.g. behind the knees, elbows, under the arms) in the past 15 months?

Yes 1 No 2 → If **no**, go to A8a on page 7

If **yes**,

- b) how bad was this?

very bad 1 quite bad 2 mild 3 no problem 4

PAGE 7 OF THE QUESTIONNAIRE

A7. c) does he have this sort of rash now?

Yes 1 No 2

- d) did the rash ever become sore and oozy?
- e) was it made worse by irritants such as bubble bath, soap, wool or nylon clothing?

Yes	No
<input type="checkbox"/> 1	<input type="checkbox"/> 2
<input type="checkbox"/> 1	<input type="checkbox"/> 2

A8. a) Has he had an itchy, dry, rash on his hands in the past 15 months?

Yes 1 No 2

b) Has he had an itchy, dry rash on his feet in the past 15 months?

Yes 1 No 2 → If no, go to A8c belowIf yes, please describe which parts of his feet

c) does his skin get itchy when he gets sweaty? (e.g. in a hot room or when he has been playing?)

Yes 1 No 2

A9. Has he ever had a skin reaction (e.g. redness or itching) which you thought was due to some food that he had eaten?

Yes 1 No 2 → If no, go to A10a on page 8If yes,

i) please describe the food(s)

ii) how long after the food was eaten did the reaction appear?.....

iii) where was the reaction? mouth 1other part 2

(please describe)

PAGE 8 OF THE QUESTIONNAIRE

A10. a) Has he had vomiting spells in the past 15 months?

Yes 1 No 2 → If no, go to A11a below**If yes,**

b) How many times?

once 1 twice 2 3-9 times 3 10 or more times 4

c) Have these been associated with:

		Always	Frequently	Sometimes	Rarely	Never
i)	diarrhoea	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
ii)	chestiness (wheezing or coughing or grunting)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

A11. a) In the past 15 months has he had diarrhoea or gastro-enteritis?

Yes 1 No 2 → If no go to A12a on page 9**If yes,**

b) how many times?

 c) how many days did the worst
attack last?

d) Did you:

	Yes	No
i) call the doctor to come to your home?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
ii) go to your doctor?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
iii) treat it yourself?	<input type="checkbox"/> 1	<input type="checkbox"/> 2
iv) do something else? (please describe)	<input type="checkbox"/> 1	<input type="checkbox"/> 2

.....

PAGE 9 OF THE QUESTIONNAIRE

A11. e) Did he continue to eat as usual?

- Yes 1 → If **yes**, go to A11f below
 No 2

If no,

i) how long was normal feeding disturbed?

- less than 1 day 1 1 day 2 2 days 3
 3-4 days 4 5 or more days 5

f) What treatment was given?

.....

A12. a) In the past 15 months has your child ever had a time when he has coughed off and on for at least 2 days?

- Yes 1 No 2 → If **no**, go to A13a on page 10

If yes,

b) how many times has this happened in the past 15 months?

- once 1 twice 2 3-9 times 3 10 or more times 4

c) did he have a fever at any of these times?

- Yes for all 1 Yes for some 2 No, not at all 3


d) did he have a runny nose during any of these spells?

- Yes for all 1 Yes for some 2 No, not at all 3


PAGE 10 OF THE QUESTIONNAIRE

A13. The following questions are about your child's ears or hearing.


- a) Nowadays, does your child listen to people or to things that happen nearby:



- b) Does he turn his head towards sounds?



- c) During or after a cold, is his hearing worse than usual?




PAGE 11 OF THE QUESTIONNAIRE


A13. d) During recent colds, is the dripping (discharge) from his nose:

	Yes usually	Yes sometimes	No never	Don't know	Hasn't had a cold	
i) clear	1	2	3	9	7	→ Go to A13e below
ii) slightly white in colour	1	2	3	9		
iii) thick heavy yellow and/or green in colour (catarrh)	1	2	3	9		
iv) very little discharge occurs at all	1	2	3	9		

e) Has pus or sticky mucus (not ear wax) leaked out of his ear in the past 2 years?



f) Does he breathe through his mouth rather than through his nose?



PAGE 12 OF THE QUESTIONNAIRE

A13. g) Does he snore for more than a few minutes at a time?

most nights	<input type="checkbox"/> 1
quite often	<input type="checkbox"/> 2
sometimes	<input type="checkbox"/> 3
only rarely	<input type="checkbox"/> 4
never	<input type="checkbox"/> 5
don't know	<input type="checkbox"/> 9

h) When he is asleep, does he seem to stop breathing or hold his breath for several seconds at a time?

yes, often	<input type="checkbox"/> 1
yes, sometimes	<input type="checkbox"/> 2
no	<input type="checkbox"/> 3
don't know	<input type="checkbox"/> 9

A14. a) Have there been times in the past 15 months when he has had a pain in his stomach?

Yes 1 No 2 → If no, go to A15a on page 13

If yes,

b) How many separate times has this happened in the past 2 years?

once 1 twice 2 3-4 times 3 5 or more times 4 don't know 9

c) Did he have vomiting or diarrhoea at the same time as the pain?

yes every time 1 yes, for some of the times 2 no, not at all 3

PAGE 13 OF THE QUESTIONNAIRE

A14. d) What do you think were the causes of his stomach pains (tick all that apply)?

- i) something he ate 1
- ii) an infection 1
- iii) constipation 1
- iv) other
(please describe)
- v) don't know 1

A15. a) Does he often have aches and pains in his arms or legs?

- yes arm(s) 1 yes leg(s) 2 yes both 3 no, not often 4

↓
**If no,
go to A16a
below**

b) **If yes,**

- i) does this happen especially when he is tired? 1 Yes 2 No
- ii) what do you think is the cause ?
.....

- iii) do you find any particular treatment helps ?

Yes 1 No 2

If yes, please describe.....

A16. a) In the past 15 months has he had any form of convulsion, fit, seizure or other turn in which consciousness was lost or any part of the body made an abnormal movement?

Yes 1 No 2 Not known 9

→ **If no, or not known,
go to A17 on page 15**

If yes,

A16. b) Please describe the first attack since his 4th birthday:

.....
.....

c) Did the child have a high temperature at the time?

Yes 1 No 2 Not known 9

d) How old was he at the time?

4 years 1 5 years 2 6 years old 3

e) How many attacks has he had since his 4th birthday?

one 1 two 2 3-4 3 5 or more 4

f) By whom was he seen for these attack(s)? (tick all that apply)

Yes

- i) general practitioner at home
- ii) general practitioner at surgery
- iii) hospital outpatients
- iv) admitted to hospital

1
1
1
1

g) What investigations, if any, have been carried out?

.....
.....

h) Did later attacks differ from the first one?

Yes 1 No 2 → If no go to A16(j) on page 15

If yes, please describe

.....

.....

A16 j) What were the attacks thought to be due to? (Tick all that apply)

- | | |
|----------------------------------|----------------------------|
| i) febrile convulsions | <input type="checkbox"/> 1 |
| ii) fainting and blackouts | <input type="checkbox"/> 1 |
| iii) epilepsy | <input type="checkbox"/> 1 |
| iv) breath holding | <input type="checkbox"/> 1 |
| v) reaction to immunisation | <input type="checkbox"/> 1 |
| vi) other (please specify) | <input type="checkbox"/> 1 |
| vii) don't know | <input type="checkbox"/> 1 |

A17. In the past 15 months, has he had the following infections?

- | In the past 15 months: | Yes | No |
|-------------------------------|----------------------------|----------------------------|
| a) measles | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| b) chicken pox | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| c) mumps | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| d) meningitis | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| e) cold sores | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |
| f) whooping cough | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 |

In the past 15 months:	Yes	No
A17.		
g) urinary infection	<input type="checkbox"/> 1	<input type="checkbox"/> 2
h) eye infection	<input type="checkbox"/> 1	<input type="checkbox"/> 2
i) ear infection	<input type="checkbox"/> 1	<input type="checkbox"/> 2
j) chest infection	<input type="checkbox"/> 1	<input type="checkbox"/> 2
k) other infection (please tick & describe)	<input type="checkbox"/> 1	<input type="checkbox"/> 2

.....

A18. Approximately how many times **in the last 12 months** has:

a) the family doctor come to your home because your study child was ill	<input type="checkbox"/> 1	<input type="checkbox"/> 2	times (put 00 if not at all)
b) the family doctor seen your study child in his/her surgery because he was unwell?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	times (put 00 if not at all)
c) a doctor seen your study child for a routine check?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	times (put 00 if not at all)

KN File – Section A

kn1000 A1i: Assessment of child's health in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Healthy No Problems	5876	67.6	69.7	69.7
	2 Healthy With Few Minor Problems	2416	27.8	28.7	98.4
	3 Sometimes Quite Ill	113	1.3	1.3	99.7
	4 Almost Always Unwell	23	.3	.3	100.0
	Total	8428	96.9	100.0	
Missing	-1 No response	270	3.1		
	Total	8698	100.0		

kn1001 A1ii: Assessment of child's health in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Healthy No Problems	4616	53.1	54.8	54.8
	2 Healthy With Few Minor Problems	3615	41.6	42.9	97.8
	3 Sometimes Quite Ill	174	2.0	2.1	99.8
	4 Almost Always Unwell	14	.2	.2	100.0
	Total	8419	96.8	100.0	
Missing	-1 No response	279	3.2		
	Total	8698	100.0		

kn1010 A2a: Doctor been called to home because child unwell since age 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	738	8.5	8.5	8.5
	2 No	7912	91.0	91.5	100.0
	Total	8650	99.4	100.0	
Missing	-1 No response	48	.6		
	Total	8698	100.0		

kn1011 A2b: Number of times doctor called to home for sick child in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once	510	5.9	68.7	68.7
	2 Two Times	164	1.9	22.1	90.8
	3 3-4 Times	59	.7	8.0	98.8
	4 5 Or More Times	9	.1	1.2	100.0
	Total	742	8.5	100.0	
Missing	-1 No response	7956	91.5		
	Total	8698	100.0		

KN File – Section A

kn1020 A3a: Child had diarrhoea in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	298	3.4	3.6	3.6
	2 Yes But Did Not See Doctor	3094	35.6	36.9	40.5
	3 Did Not Have	4988	57.3	59.5	100.0
	Total	8380	96.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	317	3.6		
	Total	318	3.7		
Total		8698	100.0		

kn1021 A3b: Child had blood in stools in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	55	.6	.7	.7
	2 Yes But Did Not See Doctor	38	.4	.5	1.1
	3 Did Not Have	8238	94.7	98.9	100.0
	Total	8331	95.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	366	4.2		
	Total	367	4.2		
Total		8698	100.0		

kn1022 A3c: Child vomited in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	516	5.9	6.1	6.1
	2 Yes But Did Not See Doctor	3714	42.7	44.2	50.4
	3 Did Not Have	4170	47.9	49.6	100.0
	Total	8400	96.6	100.0	
Missing	-1 No response	298	3.4		
Total		8698	100.0		

kn1023 A3d: Child had cough in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	1719	19.8	20.3	20.3
	2 Yes But Did Not See Doctor	5490	63.1	64.9	85.2
	3 Did Not Have	1255	14.4	14.8	100.0
	Total	8464	97.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	233	2.7		
	Total	234	2.7		
Total		8698	100.0		

KN File – Section A

kn1024 A3e: Child had high temp in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	1470	16.9	17.5	17.5
	2 Yes But Did Not See Doctor	3701	42.6	44.1	61.6
	3 Did Not Have	3230	37.1	38.4	100.0
	Total	8401	96.6	100.0	
Missing	-1 No response	297	3.4		
	Total	8698	100.0		

kn1025 A3f: Child had snuffles or cold in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	544	6.3	6.4	6.4
	2 Yes But Did Not See Doctor	7285	83.8	85.9	92.3
	3 Did Not Have	650	7.5	7.7	100.0
	Total	8479	97.5	100.0	
Missing	-1 No response	219	2.5		
	Total	8698	100.0		

kn1026 A3g: Child had earache in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	2145	24.7	24.9	24.9
	2 Yes But Did Not See Doctor	799	9.2	9.3	34.2
	3 Did Not Have	5675	65.2	65.8	100.0
	Total	8619	99.1	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	77	.9		
	Total	79	.9		
	Total	8698	100.0		

kn1027 A3h: Child had ear discharge in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	471	5.4	5.5	5.5
	2 Yes But Did Not See Doctor	72	.8	.8	6.3
	3 Did Not Have	8057	92.6	93.7	100.0
	Total	8600	98.9	100.0	
Missing	-1 No response	98	1.1		
	Total	8698	100.0		

kn1028 A3i: Child had convulsions in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	51	.6	.6	.6
	2 Yes But Did Not See Doctor	11	.1	.1	.7
	3 Did Not Have	8545	98.2	99.3	100.0
	Total	8607	99.0	100.0	
Missing	-1 No response	91	1.0		
	Total	8698	100.0		

KN File – Section A

kn1029 A3j: Child had stomach ache in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	453	5.2	5.3	5.3
	2 Yes But Did Not See Doctor	4180	48.1	48.5	53.8
	3 Did Not Have	3983	45.8	46.2	100.0
	Total	8616	99.1	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	79	.9		
	Total	82	.9		
Total		8698	100.0		

kn1030 A3k: Child had rash in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	802	9.2	9.3	9.3
	2 Yes But Did Not See Doctor	1027	11.8	12.0	21.3
	3 Did Not Have	6765	77.8	78.7	100.0
	Total	8594	98.8	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	102	1.2		
	Total	104	1.2		
Total		8698	100.0		

kn1031 A3l: Child had wheezing in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	712	8.2	8.3	8.3
	2 Yes But Did Not See Doctor	498	5.7	5.8	14.1
	3 Did Not Have	7401	85.1	85.9	100.0
	Total	8611	99.0	100.0	
Missing	-1 No response	87	1.0		
Total		8698	100.0		

kn1032 A3m: Child had breathlessness in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	421	4.8	4.9	4.9
	2 Yes But Did Not See Doctor	207	2.4	2.4	7.3
	3 Did Not Have	7963	91.5	92.7	100.0
	Total	8591	98.8	100.0	
Missing	-1 No response	107	1.2		
Total		8698	100.0		

KN File – Section A

kn1033 A3n: Child had episodes of stopping breathing in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	21	.2	.2	.2
	2 Yes But Did Not See Doctor	15	.2	.2	.4
	3 Did Not Have	8568	98.5	99.6	100.0
	Total	8604	98.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	93	1.1		
	Total	94	1.1		
Total		8698	100.0		

kn1034 A3o: Child had an accident in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	618	7.1	7.2	7.2
	2 Yes But Did Not See Doctor	392	4.5	4.6	11.8
	3 Did Not Have	7578	87.1	88.2	100.0
	Total	8588	98.7	100.0	
Missing	-1 No response	110	1.3		
Total		8698	100.0		

kn1035 A3p: Child had urinary infection in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	294	3.4	3.4	3.4
	2 Yes But Did Not See Doctor	51	.6	.6	4.0
	3 Did Not Have	8244	94.8	96.0	100.0
	Total	8589	98.7	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	107	1.2		
	Total	109	1.3		
Total		8698	100.0		

kn1036 A3q: Child had headache in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	272	3.1	3.2	3.2
	2 Yes But Did Not See Doctor	2306	26.5	26.8	30.0
	3 Did Not Have	6027	69.3	70.0	100.0
	Total	8605	98.9	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	90	1.0		
	Total	93	1.1		
Total		8698	100.0		

KN File – Section A

kn1037 A3r: Child had constipation in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	150	1.7	1.7	1.7
	2 Yes But Did Not See Doctor	737	8.5	8.6	10.3
	3 Did Not Have	7696	88.5	89.7	100.0
	Total	8583	98.7	100.0	
Missing	-1 No response	115	1.3		
	Total	8698	100.0		

kn1038 A3s: Child had worm infections in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	261	3.0	3.0	3.0
	2 Yes But Did Not See Doctor	475	5.5	5.5	8.6
	3 Did Not Have	7842	90.2	91.4	100.0
	Total	8578	98.6	100.0	
Missing	-1 No response	120	1.4		
	Total	8698	100.0		

kn1039 A3t: Child had lice or scabies in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & Saw Doctor	206	2.4	2.4	2.4
	2 Yes But Did Not See Doctor	1978	22.7	23.1	25.5
	3 Did Not Have	6397	73.5	74.5	100.0
	Total	8581	98.7	100.0	
Missing	-8 Text response	3	.0		
	-1 No response	114	1.3		
	Total	117	1.3		
	Total	8698	100.0		

kn1040 A3u: Child had other complaint in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text, but no box ticked	58	.7	1.1	1.1
	1 Yes & Saw Doctor	566	6.5	10.5	11.6
	2 Yes But Did Not See Doctor	177	2.0	3.3	14.9
	3 Did Not Have	4589	52.8	85.1	100.0
Missing	Total	5390	62.0	100.0	
	-1 No response	3308	38.0		
	Total	8698	100.0		

KN File – Section A

kn1050 A4a: Child was admitted to hospital in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	622	7.2	7.2	7.2
	2 No	8030	92.3	92.8	100.0
	Total	8652	99.5	100.0	
Missing	-1 No response	46	.5		
Total		8698	100.0		

kn1051 A4b: Number of times Child was admitted to hospital in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	16	.2	2.5	2.5
	1	551	6.3	87.6	90.1
	2	50	.6	7.9	98.1
	3	4	.0	.6	98.7
	4	5	.1	.8	99.5
	5	1	.0	.2	99.7
	10	1	.0	.2	99.8
	32	1	.0	.2	100.0
	Total	629	7.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	8068	92.8		
	Total	8069	92.8		
	Total	8698	100.0		

KN File – Section A

kn1060 A4c1: Age of child on first admission to hospital in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	5	.1	.8	.8
	4	193	2.2	31.4	32.2
	5	408	4.7	66.4	98.7
	6	8	.1	1.3	100.0
	Total	614	7.1	100.0	
Missing	-1 No response	8084	92.9		
	Total	8698	100.0		

kn1062 A4c1: Number of nights child stayed in hospital on first admission in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	281	3.2	46.4	46.4
	1	217	2.5	35.8	82.2
	2	35	.4	5.8	88.0
	3	27	.3	4.5	92.4
	4	11	.1	1.8	94.2
	5	12	.1	2.0	96.2
	6	3	.0	.5	96.7
	7	4	.0	.7	97.4
	8	3	.0	.5	97.9
	9	1	.0	.2	98.0
	10	5	.1	.8	98.8
	15	2	.0	.3	99.2
	16	1	.0	.2	99.3
	21	1	.0	.2	99.5
	35	1	.0	.2	99.7
	42	1	.0	.2	99.8
	49	1	.0	.2	100.0
	Total	606	7.0	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	8088	93.0		
	Total	8092	93.0		
	Total	8698	100.0		

KN File – Section A

kn1070 A4c2: Age of child on second admission to hospital in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	11	.1	18.6	18.6
	5	47	.5	79.7	98.3
	6	1	.0	1.7	100.0
	Total	59	.7	100.0	
Missing	-1 No response	8639	99.3		
Total		8698	100.0		

kn1072 A4c2: Number of nights child stayed in hospital on second admission in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	29	.3	50.9	50.9
	1	15	.2	26.3	77.2
	2	5	.1	8.8	86.0
	3	3	.0	5.3	91.2
	5	2	.0	3.5	94.7
	14	1	.0	1.8	96.5
	20	1	.0	1.8	98.2
	80	1	.0	1.8	100.0
	Total	57	.7	100.0	
	Missing	-9 Don't know	1	.0	
Missing	-1 No response	8640	99.3		
	Total	8641	99.3		
	Total	8698	100.0		

kn1080 A4c3: Age of child on third admission to hospital in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5	7	.1	87.5	87.5
	6	1	.0	12.5	100.0
	Total	8	.1	100.0	
Missing	-1 No response	8690	99.9		
Total		8698	100.0		

kn1082 A4c3: Number of nights child stayed in hospital on third admission in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.0	44.4	44.4
	1	4	.0	44.4	88.9
	10	1	.0	11.1	100.0
	Total	9	.1	100.0	
	Missing	-1 No response	8689	99.9	
Total		8698	100.0		

KN File – Section A

kn1090 A4d: Frequency mother saw child in hospital on first admission in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not At All	8	.1	1.4	1.4
	2 Quite Often	4	.0	.7	2.1
	3 Every Day	35	.4	6.2	8.3
	4 Stayed In Hospital With Child	516	5.9	91.7	100.0
	Total	563	6.5	100.0	
Missing	-1 No response	8135	93.5		
	Total	8698	100.0		

kn1091 A4d: Frequency mother saw child in hospital on second admission in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not At All	1	.0	1.9	1.9
	2 Quite Often	1	.0	1.9	3.7
	3 Every Day	7	.1	13.0	16.7
	4 Stayed In Hospital With Child	45	.5	83.3	100.0
	Total	54	.6	100.0	
Missing	-1 No response	8644	99.4		
	Total	8698	100.0		

kn1092 A4d: Frequency mother saw child in hospital on third admission in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Quite Often	8	.1	47.1	47.1
	3 Every Day	3	.0	17.6	64.7
	4 Stayed In Hospital With Child	6	.1	35.3	100.0
	Total	17	.2	100.0	
	Missing	8681	99.8		
	Total	8698	100.0		

KN File – Section A

kn1100 A5a: Child ever had hernia repair

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	187	2.1	2.2	2.2
	2 No	8328	95.7	97.8	100.0
	Total	8515	97.9	100.0	
Missing	-1 No response	183	2.1		
	Total	8698	100.0		

kn1101 A5b: Child ever had tonsils remove

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	186	2.1	2.2	2.2
	2 No	8332	95.8	97.8	100.0
	Total	8518	97.9	100.0	
Missing	-1 No response	180	2.1		
	Total	8698	100.0		

kn1102 A5c: Child ever had adenoids removed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	374	4.3	4.4	4.4
	2 No	8147	93.7	95.6	100.0
	Total	8521	98.0	100.0	
Missing	-1 No response	177	2.0		
	Total	8698	100.0		

kn1103 A5d: Child ever had appendix remove

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.2	.2	.2
	2 No	8497	97.7	99.8	100.0
	Total	8511	97.9	100.0	
Missing	-1 No response	187	2.1		
	Total	8698	100.0		

kn1104 A5e: Child ever had grommets inserted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	441	5.1	5.2	5.2
	2 No	8084	92.9	94.8	100.0
	Total	8525	98.0	100.0	
Missing	-1 No response	173	2.0		
	Total	8698	100.0		

kn1105 A5f: Child ever had a squint repair

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	50	.6	.6	.6
	2 No	8455	97.2	99.4	100.0
	Total	8505	97.8	100.0	
Missing	-1 No response	193	2.2		
	Total	8698	100.0		

KN File – Section A

kn1106 A5g: Child ever had teeth pulled out

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	590	6.8	6.9	6.9
	2 No	7935	91.2	93.1	100.0
	Total	8525	98.0	100.0	
Missing	-1 No response	173	2.0		
	Total	8698	100.0		

kn1107 A5h: Child ever had other operations

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	511	5.9	6.9	6.9
	2 No	6923	79.6	93.1	100.0
	Total	7434	85.5	100.0	
Missing	-1 No response	1264	14.5		
	Total	8698	100.0		

KN File – Section A

kn1110 A6a: Child had periods of wheezing with whistling on chest when breathing in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1050	12.1	12.1	12.1
	2 No	7610	87.5	87.9	
	Total	8660	99.6	100.0	
Missing	-1 No response	38	.4		
	Total	8698	100.0		

kn1111 A6b: Number of separate times child has wheezed in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once	170	2.0	15.1	15.1
	2 Twice	199	2.3	17.7	32.8
	3 3-4 Times	309	3.6	27.5	60.3
	4 5 Or More Times	369	4.2	32.8	93.1
	9 Don't know	78	.9	6.9	
	Total	1125	12.9	100.0	
	Missing	-1 No response	7573	87.1	
	Total	8698	100.0		

kn1112 A6c: Total number of days child has wheezed in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 One Day	59	.7	5.3	5.3
	2 2-3 Days	237	2.7	21.4	26.8
	3 4-9 Days	306	3.5	27.7	54.5
	4 10-19 Days	187	2.1	16.9	71.4
	5 20+ Days	229	2.6	20.7	92.1
	9 Don't know	87	1.0	7.9	
	Total	1105	12.7	100.0	
Missing	-1 No response	7593	87.3		
	Total	8698	100.0		

kn1113 A6d: Child breathless when wheezing in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes For All	62	.7	5.6	5.6
	2 Yes For Some	574	6.6	51.8	57.3
	3 No Not At All	473	5.4	42.7	
	Total	1109	12.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	7588	87.2		
	Total	7589	87.2		
	Total	8698	100.0		

KN File – Section A

kn1114 A6e: Child have fever when wheezing in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes For All	47	.5	4.2	4.2
	2 Yes For Some	495	5.7	44.6	48.8
	3 No Not At All	568	6.5	51.2	100.0
	Total	1110	12.8	100.0	
Missing	-1 No response	7588	87.2		
	Total	8698	100.0		

kn1115 A6f: Any of mother's other children had wheezing on chest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1448	16.6	18.0	18.0
	2 No	5721	65.8	71.1	89.1
	7 No Other Children	875	10.1	10.9	100.0
	Total	8044	92.5	100.0	
Missing	-1 No response	654	7.5		
	Total	8698	100.0		

KN File – Section A

kn1120 A7a: Child had dry skin rash on joints and body creases in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1843	21.2	21.5	21.5
	2 No	6719	77.2	78.5	100.0
	Total	8562	98.4	100.0	
Missing	-1 No response	136	1.6		
	Total	8698	100.0		

kn1121 A7b: Severity of child's skin rash on joints and creases in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Bad	92	1.1	4.9	4.9
	2 Quite Bad	414	4.8	22.2	27.2
	3 Mild	1141	13.1	61.3	88.5
	4 No Problem	214	2.5	11.5	100.0
	Total	1861	21.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	6836	78.6		
	Total	6837	78.6		
Total		8698	100.0		

kn1122 A7c: Child have skin rash on joints and creases now

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	820	9.4	39.1	39.1
	2 No	1277	14.7	60.9	100.0
	Total	2097	24.1	100.0	
Missing	-1 No response	6601	75.9		
	Total	8698	100.0		

kn1123 A7d: Child's skin rash on joints and creases ever become sore & oozy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	352	4.0	18.6	18.6
	2 No	1544	17.8	81.4	100.0
	Total	1896	21.8	100.0	
Missing	-1 No response	6802	78.2		
	Total	8698	100.0		

kn1124 A7e: Child's skin rash on joints and creases made worse by irritants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1091	12.5	60.4	60.4
	2 No	716	8.2	39.6	100.0
	Total	1807	20.8	100.0	
Missing	-9 Don't know	12	.1		
	-1 No response	6879	79.1		
	Total	6891	79.2		
Total		8698	100.0		

KN File – Section A

kn1130 A8a: Child had itchy dry rash on hands in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	347	4.0	4.1	4.1
	2 No	8194	94.2	95.9	100.0
	Total	8541	98.2	100.0	
Missing	-1 No response	157	1.8		
	Total	8698	100.0		

kn1131 A8b: Child had itchy rash on feet in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	265	3.0	3.2	3.2
	2 No	7931	91.2	96.8	100.0
	Total	8196	94.2	100.0	
Missing	-1 No response	502	5.8		
	Total	8698	100.0		

kn1133 A8c: Child's skin get itchy when child is sweaty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1366	15.7	18.3	18.3
	2 No	6107	70.2	81.7	100.0
	Total	7473	85.9	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	1220	14.0		
	Total	1225	14.1		
Total		8698	100.0		

kn1140 A9: Child ever had skin reaction which mother though was due to food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	723	8.3	8.6	8.6
	2 No	7724	88.8	91.4	100.0
	Total	8447	97.1	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	247	2.8		
	Total	251	2.9		
Total		8698	100.0		

kn1143 A9iii: Site of child's skin reaction due to food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mouth	153	1.8	20.9	20.9
	2 Other Part	495	5.7	67.5	88.4
	3 Both Mouth and Other Part	85	1.0	11.6	100.0
Missing	Total	733	8.4	100.0	
	-8 Text response	2	.0		
	-1 No response	7963	91.5		
Total		7965	91.6		
Total		8698	100.0		

KN File – Section A

kn1150 A10a: Child had vomiting spells in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3499	40.2	40.7	40.7
	2 No	5106	58.7	59.3	100.0
	Total	8605	98.9	100.0	
Missing	-1 No response	93	1.1		
	Total	8698	100.0		

kn1151 A10b: Number of times child had vomiting spells in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once	1811	20.8	51.0	51.0
	2 Twice	1216	14.0	34.3	85.3
	3 3-9 Times	465	5.3	13.1	98.4
	4 10+ Times	56	.6	1.6	100.0
	Total	3548	40.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	5149	59.2		
	Total	5150	59.2		
	Total	8698	100.0		

kn1152 A10c1: Vomiting associated with diarrhoea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	439	5.0	12.7	12.7
	2 Frequently	141	1.6	4.1	16.8
	3 Sometimes	867	10.0	25.2	42.0
	4 Rarely	410	4.7	11.9	53.9
	5 Never	1587	18.2	46.1	100.0
Missing	Total	3444	39.6	100.0	
	-9 Don't know	4	.0		
	-8 Text response	1	.0		
	-1 No response	5249	60.3		
Total	Total	5254	60.4		
		8698	100.0		

kn1153 A10c2: Vomiting associated with chestiness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	208	2.4	6.3	6.3
	2 Frequently	178	2.0	5.4	11.7
	3 Sometimes	424	4.9	12.9	24.6
	4 Rarely	167	1.9	5.1	29.7
	5 Never	2318	26.6	70.3	100.0
Missing	Total	3295	37.9	100.0	
	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	5401	62.1		
Total	Total	5403	62.1		
		8698	100.0		

KN File – Section A

kn1160 A11a: Child had diarrhoea or gastroenteritis in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3107	35.7	36.1	36.1
	2 No	5497	63.2	63.9	100.0
	Total	8604	98.9	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	92	1.1		
	Total	94	1.1		
Total		8698	100.0		

kn1161 A11b: Number of times child had gastroenteritis or diarrhoea in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Other Text Answer	1	.0	.0	.0
	1	1939	22.3	63.1	63.2
	2	807	9.3	26.3	89.4
	3	191	2.2	6.2	95.7
	4	62	.7	2.0	97.7
	5	33	.4	1.1	98.8
	6	20	.2	.7	99.4
	7	2	.0	.1	99.5
	8	2	.0	.1	99.5
	10	13	.1	.4	100.0
	20	1	.0	.0	100.0
	Total	3071	35.3	100.0	
Missing	-9 Don't know	32	.4		
	-1 No response	5595	64.3		
	Total	5627	64.7		
Total		8698	100.0		

KN File – Section A

kn1162 A11c: Number of days worst diarrhoea or gastroenteritis attack lasted in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Other Text Answer	2	.0	.1	.1
	1	1271	14.6	41.8	41.9
	2	1101	12.7	36.2	78.1
	3	356	4.1	11.7	89.8
	4	126	1.4	4.1	93.9
	5	80	.9	2.6	96.5
	6	12	.1	.4	96.9
	7	42	.5	1.4	98.3
	8	6	.1	.2	98.5
	9	3	.0	.1	98.6
	10	16	.2	.5	99.1
	11	1	.0	.0	99.2
	12	6	.1	.2	99.4
	13	1	.0	.0	99.4
	14	11	.1	.4	99.8
	15	1	.0	.0	99.8
	18	1	.0	.0	99.8
	20	1	.0	.0	99.9
	21	2	.0	.1	99.9
	28	1	.0	.0	100.0
	30	1	.0	.0	100.0
	Total	3041	35.0	100.0	
Missing	-9 Don't know	18	.2		
	-1 No response	5639	64.8		
	Total	5657	65.0		
	Total	8698	100.0		

kn1163 A11d1: Was doctor called to home for child's diarrhoea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	101	1.2	3.7	3.7
	2 No	2608	30.0	96.3	100.0
	Total	2709	31.1	100.0	
Missing	-1 No response	5989	68.9		
	Total	8698	100.0		

kn1164 A11d2: Child go to doctor for diarrhoea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	413	4.7	15.0	15.0
	2 No	2332	26.8	85.0	100.0
	Total	2745	31.6	100.0	
Missing	-1 No response	5953	68.4		
	Total	8698	100.0		

KN File – Section A

kn1165 A11d3: Mother treat child for diarrhoea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2350	27.0	81.5	81.5
	2 No	533	6.1	18.5	100.0
	Total	2883	33.1	100.0	
Missing	-1 No response	5815	66.9		
	Total	8698	100.0		

kn1166 A11d4: Was something else done for child's diarrhoea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	246	2.8	14.6	14.6
	2 No	1437	16.5	85.4	100.0
	Total	1683	19.3	100.0	
Missing	-1 No response	7015	80.7		
	Total	8698	100.0		

kn1168 A11e: Child eat as usual while having diarrhoea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1113	12.8	35.0	35.0
	2 No	2068	23.8	65.0	100.0
	Total	3181	36.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	5515	63.4		
	Total	5517	63.4		
	Total	8698	100.0		

kn1169 A11e1: How long was normal feeding disturbed when child had diarrhoea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less Than 1 Day	277	3.2	12.7	12.7
	2 1 Day	684	7.9	31.4	44.2
	3 2 Days	673	7.7	30.9	75.1
	4 3-4 Days	392	4.5	18.0	93.1
	5 5 Or More Days	149	1.7	6.9	100.0
	Total	2175	25.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	6522	75.0		
	Total	6523	75.0		
	Total	8698	100.0		

KN File – Section A

kn1180 A12a: Child coughed off & on for at least 2 days in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5888	67.7	68.2	68.2
	2 No	2746	31.6	31.8	100.0
	Total	8634	99.3	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	61	.7		
	Total	64	.7		
Total		8698	100.0		

kn1181 A12b: Number of times child coughed off & on for at least 2 days in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once	1661	19.1	28.2	28.2
	2 Twice	2314	26.6	39.3	67.5
	3 3-9 Times	1690	19.4	28.7	96.2
Missing	4 10 Or More Times	222	2.6	3.8	100.0
	Total	5887	67.7	100.0	
	-9 Don't know	6	.1		
Missing	-1 No response	2805	32.2		
	Total	2811	32.3		
Total		8698	100.0		

kn1182 A12c: Child had fever when coughing off & on for at least 2 days in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes For All	296	3.4	5.0	5.0
	2 Yes For Some	2612	30.0	44.4	49.5
	3 No Not At All	2971	34.2	50.5	100.0
Missing	Total	5879	67.6	100.0	
	-9 Don't know	9	.1		
	-1 No response	2810	32.3		
Total		2819	32.4		
Total		8698	100.0		

kn1183 A12d: Child had runny nose when coughing off & on for at least 2 days in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes For All	1030	11.8	17.5	17.5
	2 Yes For Some	4109	47.2	69.8	87.3
	3 No Not At All	749	8.6	12.7	100.0
Missing	Total	5888	67.7	100.0	
	-9 Don't know	2	.0		
	-1 No response	2808	32.3		
Total		2810	32.3		
Total		8698	100.0		

KN File – Section A

kn1200 A13a: Child listen to nearby people or things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	5741	66.0	66.3	66.3
	2 Yes Often	1993	22.9	23.0	89.3
	3 Sometimes	892	10.3	10.3	99.6
	4 Usually Not	27	.3	.3	99.9
	5 Never	2	.0	.0	100.0
	7 Child Unable To Hear At All	4	.0	.0	100.0
	Total	8659	99.6	100.0	
Missing	-1 No response	39	.4		
Total		8698	100.0		

kn1201 A13b: Child turn head towards sounds

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Usually	7696	88.5	88.8	88.8
	2 Yes Sometimes	824	9.5	9.5	98.3
	3 Only To Loud Sounds	82	.9	.9	99.3
	4 Never Turns Towards Sounds	16	.2	.2	99.5
	9 Don't know	47	.5	.5	100.0
	Total	8665	99.6	100.0	
	Missing	-1 No response	.4		
Total		8698	100.0		

kn1202 A13c: Child's hearing worse than normal during or after a cold

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Much Worse	495	5.7	5.7	5.7
	2 Yes A Little Worse	2011	23.1	23.2	29.0
	3 No About The Same	5140	59.1	59.4	88.3
	7 Never Had A Cold	79	.9	.9	89.3
	9 Don't know	930	10.7	10.7	100.0
	Total	8655	99.5	100.0	
	Missing	-1 No response	.5		
Total		8698	100.0		

KN File – Section A

kn1203 A13d1: Child have clear nasal discharge during recent colds

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Usually	4078	46.9	52.3	52.3
	2 Yes Sometimes	2906	33.4	37.3	89.6
	3 No Never	211	2.4	2.7	92.3
	7 Has Not Had A Cold	519	6.0	6.7	99.0
	9 Don't know	78	.9	1.0	100.0
	Total	7792	89.6	100.0	
Missing	-1 No response	906	10.4		
Total		8698	100.0		

kn1204 A13d2: Child have slightly white nasal discharge during recent colds

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Usually	315	3.6	5.3	5.3
	2 Yes Sometimes	3432	39.5	57.7	63.0
	3 No Never	1962	22.6	33.0	96.0
	9 Don't know	238	2.7	4.0	100.0
	Total	5947	68.4	100.0	
	Missing	-1 No response	2751	31.6	
Total		8698	100.0		

kn1205 A13d3: Child have thick yellow or green nasal discharge during recent colds

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Usually	551	6.3	8.4	8.4
	2 Yes Sometimes	3602	41.4	54.9	63.3
	3 No Never	2304	26.5	35.1	98.3
	9 Don't know	109	1.3	1.7	100.0
	Total	6566	75.5	100.0	
	Missing	-1 No response	2132	24.5	
Total		8698	100.0		

kn1206 A13d4: Child have very little nasal discharge during recent colds

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Usually	676	7.8	15.6	15.6
	2 Yes Sometimes	1565	18.0	36.0	51.6
	3 No Never	1899	21.8	43.7	95.3
	9 Don't know	205	2.4	4.7	100.0
	Total	4345	50.0	100.0	
	Missing	-1 No response	4353	50.0	
Total		8698	100.0		

KN File – Section A

kn1207 A13e: Pus or mucus leaked from child ears in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	7714	88.7	89.4	89.4
	2 Once	469	5.4	5.4	94.9
	3 More Than Once	349	4.0	4.0	98.9
	9 Don't know	95	1.1	1.1	100.0
	Total	8627	99.2	100.0	
Missing	-1 No response	71	.8		
Total		8698	100.0		

kn1208 A13f1: Child breathe through mouth when asleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All The Time	578	6.6	6.8	6.8
	2 Much Of The Time	1370	15.8	16.1	22.8
	3 Sometimes	3069	35.3	36.0	58.8
	4 Rarely	1931	22.2	22.6	81.4
	5 Never	794	9.1	9.3	90.7
	9 Don't know	790	9.1	9.3	100.0
	Total	8532	98.1	100.0	
Missing	-1 No response	166	1.9		
Total		8698	100.0		

kn1209 A13f2: Child breathe through mouth when awake

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All The Time	366	4.2	4.3	4.3
	2 Much Of The Time	803	9.2	9.5	13.8
	3 Sometimes	2169	24.9	25.6	39.4
	4 Rarely	2715	31.2	32.1	71.5
	5 Never	1726	19.8	20.4	91.9
	9 Don't know	689	7.9	8.1	100.0
	Total	8468	97.4	100.0	
Missing	-1 No response	230	2.6		
Total		8698	100.0		

KN File – Section A

kn1210 A13g: Child snore for more than a few minutes at a time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most Nights	583	6.7	6.7	6.7
	2 Quite Often	667	7.7	7.7	14.4
	3 Sometimes	1766	20.3	20.4	34.8
	4 Only Rarely	2985	34.3	34.5	69.3
	5 Never	2233	25.7	25.8	95.1
	9 Don't know	427	4.9	4.9	100.0
	Total	8661	99.6	100.0	
Missing	-1 No response	37	.4		
Total		8698	100.0		

kn1211 A13h: Child stop breathing or hold breath for several seconds when asleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Often	121	1.4	1.4	1.4
	2 Yes Sometimes	901	10.4	10.4	11.8
	3 No	6331	72.8	73.0	84.8
	9 Don't know	1316	15.1	15.2	100.0
	Total	8669	99.7	100.0	
Missing	-1 No response	29	.3		
Total		8698	100.0		

KN File – Section A

kn1220 A14a: Child had stomach pain in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4733	54.4	54.8	54.8
	2 No	3908	44.9	45.2	100.0
	Total	8641	99.3	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	52	.6		
	Total	57	.7		
Total		8698	100.0		

kn1221 A14b: Number of times child had stomach ache in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once	729	8.4	15.4	15.4
	2 Twice	1270	14.6	26.8	42.2
	3 3-4 Times	1442	16.6	30.4	72.6
	4 5 Or More Times	1078	12.4	22.8	95.4
	9 Don't know	218	2.5	4.6	100.0
	Total	4737	54.5	100.0	
Missing	-1 No response	3961	45.5		
Total		8698	100.0		

kn1222 A14c: Child had vomiting or diarrhoea at same time as stomach pain in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Every Time	528	6.1	11.1	11.1
	2 Yes Sometimes	1844	21.2	38.8	49.9
	3 No Not At All	2382	27.4	50.1	100.0
	Total	4754	54.7	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	3942	45.3		
	Total	3944	45.3		
Total		8698	100.0		

KN File – Section A

kn1223 A14d1: Mother believes something child ate caused stomach pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1108	12.7	100.0	100.0
Missing	-1 No response	7590	87.3		
Total		8698	100.0		

kn1224 A14d2: Mother believes an infection caused child's stomach pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1390	16.0	100.0	100.0
Missing	-1 No response	7308	84.0		
Total		8698	100.0		

kn1225 A14d3: Mother believes constipation caused child's stomach pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1080	12.4	100.0	100.0
Missing	-1 No response	7618	87.6		
Total		8698	100.0		

kn1226 A14d4: Mother believes other thing caused child's stomach pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1408	16.2	100.0	100.0
Missing	-1 No response	7290	83.8		
Total		8698	100.0		

kn1228 A14d5: Mother does not know what caused child's stomach pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	952	10.9	100.0	100.0
Missing	-1 No response	7746	89.1		
Total		8698	100.0		

KN File – Section A

kn1230 A15a: Child often have aches or pains in arms or legs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Arms	14	.2	.2	.2
	2 Yes Legs	1206	13.9	14.0	14.2
	3 Yes Both	299	3.4	3.5	17.7
	4 No Not Often	7083	81.4	82.3	100.0
	Total	8602	98.9	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	92	1.1		
	Total	96	1.1		
Total		8698	100.0		

kn1231 A15b: child get arm or leg ache or pain especially when tired

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1240	14.3	81.2	81.2
	2 No	287	3.3	18.8	100.0
	Total	1527	17.6	100.0	
Missing	-9 Don't know	11	.1		
	-8 Text response	1	.0		
	-1 No response	7159	82.3		
	Total	7171	82.4		
Total		8698	100.0		

kn1233 A15b3: Any particular treatment helps child's arm or leg pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	801	9.2	54.5	54.5
	2 No	670	7.7	45.5	100.0
	Total	1471	16.9	100.0	
Missing	-1 No response	7227	83.1		
	Total	8698	100.0		

KN File – Section A

kn1240 A16a: Child had convulsion fit or seizure in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	96	1.1	1.1	1.1
	2 No	8468	97.4	98.1	99.2
	9 Not known	65	.7	.8	100.0
	Total	8629	99.2	100.0	
Missing	-1 No response	69	.8		
Total		8698	100.0		

kn1242 A16c: Child have high temperature with first convulsion since 4th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	46	.5	44.7	44.7
	2 No	48	.6	46.6	91.3
	9 Not known	9	.1	8.7	100.0
	Total	103	1.2	100.0	
Missing	-1 No response	8595	98.8		
Total		8698	100.0		

kn1243 A16d: Age of child at first convolution since 4th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 4 Years Old	48	.6	55.2	55.2
	2 5 Years Old	38	.4	43.7	98.9
	3 6 Years Old	1	.0	1.1	100.0
	Total	87	1.0	100.0	
Missing	-1 No response	8611	99.0		
Total		8698	100.0		

kn1244 A16e: Number of attacks or convulsions child had since 4th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 One	43	.5	48.3	48.3
	2 Two	22	.3	24.7	73.0
	3 3-4	8	.1	9.0	82.0
	4 5 Or More	16	.2	18.0	100.0
Missing	-9 Don't know	1	.0		
	-1 No response	8608	99.0		
Total		8609	99.0		
Total		8698	100.0		

KN File – Section A

kn1245 A16f1: GP see child at home after convulsion since 4th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	16	.2	100.0	100.0
Missing -1 No response	8682	99.8		
Total	8698	100.0		

kn1246 A16f2: GP see child at surgery after convulsion since 4th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	30	.3	100.0	100.0
Missing -1 No response	8668	99.7		
Total	8698	100.0		

kn1247 A16f3: Child go to hospital outpatients after convulsion since 4th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	41	.5	100.0	100.0
Missing -1 No response	8657	99.5		
Total	8698	100.0		

kn1248 A16f4: Child admitted to hospital after convulsion since 4th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	25	.3	100.0	100.0
Missing -1 No response	8673	99.7		
Total	8698	100.0		

kn1250 A16h: Child's later attacks or convulsions differ from the first one

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	26	.3	31.0	31.0
2 No	58	.7	69.0	100.0
Total	84	1.0	100.0	
Missing -1 No response	8614	99.0		
Total	8698	100.0		

KN File – Section A

kn1252 A16j1: Child's attacks due to febrile convulsions

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	29	.3	100.0	100.0
Missing -1 No response	8669	99.7		
Total	8698	100.0		

kn1253 A16j2: Child's attacks due to fainting or blackout

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6	.1	100.0	100.0
Missing -1 No response	8692	99.9		
Total	8698	100.0		

kn1254 A16j3: Child's attacks due to epilepsy

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	21	.2	100.0	100.0
Missing -1 No response	8677	99.8		
Total	8698	100.0		

kn1255 A16j4: Child's attacks due to holding breath

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6	.1	100.0	100.0
Missing -1 No response	8692	99.9		
Total	8698	100.0		

kn1256 A16j5: Child's attacks due to reaction to immunisation

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3	.0	100.0	100.0
Missing -1 No response	8695	100.0		
Total	8698	100.0		

kn1257 A16j6: Child's attacks due to other reason

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	23	.3	100.0	100.0
Missing -1 No response	8675	99.7		
Total	8698	100.0		

kn1259 A16j7: Cause of child's attacks unknown

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	13	.1	100.0	100.0
Missing -1 No response	8685	99.9		
Total	8698	100.0		

KN File – Section A

kn1270 A17a: Child had measles in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	64	.7	.8	.8
	2 No	8468	97.4	99.2	100.0
	Total	8532	98.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	164	1.9		
	Total	166	1.9		
Total		8698	100.0		

kn1271 A17b: Child had chicken pox in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1439	16.5	16.8	16.8
	2 No	7149	82.2	83.2	100.0
	Total	8588	98.7	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	107	1.2		
	Total	110	1.3		
Total		8698	100.0		

kn1272 A17c: Child had mumps in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	36	.4	.4	.4
	2 No	8500	97.7	99.6	100.0
	Total	8536	98.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	160	1.8		
	Total	162	1.9		
Total		8698	100.0		

kn1273 A17d: Child had meningitis in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8	.1	.1	.1
	2 No	8526	98.0	99.9	100.0
	Total	8534	98.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	163	1.9		
	Total	164	1.9		
Total		8698	100.0		

kn1274 A17e: Child had cold sores in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	544	6.3	6.4	6.4
	2 No	8003	92.0	93.6	100.0
	Total	8547	98.3	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	149	1.7		
	Total	151	1.7		
Total		8698	100.0		

KN File – Section A

kn1275 A17f: Child had whooping cough in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	74	.9	.9	.9
	2 No	8459	97.3	99.1	100.0
	Total	8533	98.1	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	162	1.9		
	Total	165	1.9		
Total		8698	100.0		

kn1276 A17g: Child had urinary infection in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	388	4.5	4.5	4.5
	2 No	8164	93.9	95.5	100.0
	Total	8552	98.3	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	144	1.7		
Total		146	1.7		
Total		8698	100.0		

kn1277 A17h: Child had eye infection in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	687	7.9	8.0	8.0
	2 No	7864	90.4	92.0	100.0
	Total	8551	98.3	100.0	
Missing	-1 No response	147	1.7		
Total		8698	100.0		

kn1278 A17i: Child had ear infection in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2204	25.3	25.7	25.7
	2 No	6360	73.1	74.3	100.0
	Total	8564	98.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	133	1.5		
	Total	134	1.5		
Total		8698	100.0		

kn1279 A17j: Child had chest infection in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1424	16.4	16.7	16.7
	2 No	7082	81.4	83.3	100.0
	Total	8506	97.8	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	190	2.2		
	Total	192	2.2		
Total		8698	100.0		

KN File – Section A

kn1280 A17k: Child had other infection in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	747	8.6	11.9	11.9
	2 No	5556	63.9	88.1	100.0
	Total	6303	72.5	100.0	
Missing	-1 No response	2395	27.5		
	Total	8698	100.0		

KN File – Section A

kn1290 A18a: Number of times doctor visted child at home in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	7855	90.3	91.3	91.3
	1	538	6.2	6.3	97.6
	2	142	1.6	1.7	99.2
	3	32	.4	.4	99.6
	4	18	.2	.2	99.8
	5	3	.0	.0	99.9
	6	5	.1	.1	99.9
	7	1	.0	.0	99.9
	8	1	.0	.0	99.9
	10	2	.0	.0	100.0
	11	1	.0	.0	100.0
	20	1	.0	.0	100.0
	22	1	.0	.0	100.0
Total		8600	98.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	96	1.1		
	Total	98	1.1		
Total		8698	100.0		

kn1291 A18b: Number of times child saw doctor at surgery in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2777	31.9	32.5	32.5
	1	2269	26.1	26.6	59.1
	2	1797	20.7	21.0	80.1
	3	830	9.5	9.7	89.8
	4	388	4.5	4.5	94.4
	5	181	2.1	2.1	96.5
	6	139	1.6	1.6	98.1
	7	26	.3	.3	98.4
	8	41	.5	.5	98.9
	9	7	.1	.1	99.0
	10	54	.6	.6	99.6
	11	2	.0	.0	99.6
	12	13	.1	.2	99.8
	13	1	.0	.0	99.8
Missing	14	2	.0	.0	99.8
	15	9	.1	.1	99.9
	18	1	.0	.0	99.9
	20	1	.0	.0	100.0
	25	1	.0	.0	100.0
	30	2	.0	.0	100.0
	98 A Lot	1	.0	.0	100.0
	Total	8542	98.2	100.0	
	-9 Don't know	27	.3		
	-1 No response	129	1.5		
	Total	156	1.8		
Total		8698	100.0		

KN File – Section A

kn1292 A18c: Number of times doctor saw child for a routine check in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	7029	80.8	82.8	82.8
	1	1182	13.6	13.9	96.7
	2	165	1.9	1.9	98.7
	3	46	.5	.5	99.2
	4	31	.4	.4	99.6
	5	9	.1	.1	99.7
	6	12	.1	.1	99.8
	7	3	.0	.0	99.9
	8	4	.0	.0	99.9
	10	4	.0	.0	100.0
	12	1	.0	.0	100.0
	14	1	.0	.0	100.0
	98 A Lot	1	.0	.0	100.0
Missing	Total	8488	97.6	100.0	
	-9 Don't know	10	.1		
	-1 No response	200	2.3		
	Total	210	2.4		
Total		8698	100.0		

PAGE 18 OF THE QUESTIONNAIRE

B4. b) Does he sleep on his own most nights or does he share a bed or cot?

	(i) When he goes to bed at night	(ii) When he wakes in the morning
in his own bed	<input type="checkbox"/> 1	<input type="checkbox"/> 1
in a bed with other children	<input type="checkbox"/> 2	<input type="checkbox"/> 2
in your bed with you	<input type="checkbox"/> 3	<input type="checkbox"/> 3
in a bed with other adult	<input type="checkbox"/> 4	<input type="checkbox"/> 4
other place (please tick & describe)	<input type="checkbox"/> 5	<input type="checkbox"/> 5

c) How often does he sleep?

	Always	Usually	Sometimes	Hardly ever
i) on his back	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
ii) on his side	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
iii) on his front	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4

d) Does your child seem to grind his teeth :

	Yes, often	Yes, sometimes	No
a) when he's asleep?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) at other times?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

Space for comments:

PAGE 19 OF THE QUESTIONNAIRE

B4. e) In the room where the child sleeps most of the night:

	In Winter			In Summer		
	Yes always	Yes some- times	No not at all	Yes always	Yes some- times	No not at all
i) is the heating on all night?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
ii) is the heating on part of the night?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
iii) is there a window open at night?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
iv) does he sleep with a duvet?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
v) does he have an electric blanket?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
vi) does he sleep with a pillow?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

B5. In the past year has your child regularly:

	Yes, but did not worry me	Yes, worried me a bit	Yes, worried me greatly	No, did not happen	Don't know
a) refused to go to bed	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
b) woken very early	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
c) had difficulty going to sleep	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
d) had nightmares	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
e) continued to get up after being put to bed	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
f) refused to go to bed	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9
g) got up after only a few hours sleep	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9

KN File – Section B

kn2000 B1: Child have a regular sleeping routine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8226	94.6	95.1	95.1
	2 No	422	4.9	4.9	100.0
	Total	8648	99.4	100.0	
Missing	-1 No response	50	.6		
	Total	8698	100.0		

kn2010 B2a: Number of hours child sleeps in the daytime

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	8488	97.6	98.2	98.2
	2 Less Than 1 Hr	89	1.0	1.0	99.2
	3 1-2 Hours	40	.5	.5	99.7
	4 More Than 4 Hours	19	.2	.2	99.9
	9 Don't know	6	.1	.1	100.0
	Total	8642	99.4	100.0	
Missing	-8 Text response	4	.0		
	-1 No response	52	.6		
	Total	56	.6		
	Total	8698	100.0		

KN File – Section B

kn2011a B2b: Time in evening child goes to sleep on school day - hour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	.0	.0	.0
	4	7	.1	.1	.1
	5	8	.1	.1	.2
	6	222	2.6	2.6	2.8
	7	3973	45.7	46.0	48.8
	8	3605	41.4	41.8	90.5
	9	680	7.8	7.9	98.4
	10	105	1.2	1.2	99.6
	11	24	.3	.3	99.9
	12	7	.1	.1	100.0
	Total	8632	99.2	100.0	
	Missing				
Missing	-9 Don't know	6	.1		
	-1 No response	60	.7		
	Total	66	.8		
Total		8698	100.0		

kn2011b B2b: Time in evening child goes to sleep on school day - minute

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3642	41.9	42.8	42.8
	5	4	.0	.0	42.9
	6	1	.0	.0	42.9
	9	1	.0	.0	42.9
	10	15	.2	.2	43.1
	15	367	4.2	4.3	47.4
	20	9	.1	.1	47.5
	25	1	.0	.0	47.5
	26	1	.0	.0	47.5
	30	4120	47.4	48.5	96.0
	35	2	.0	.0	96.0
	40	19	.2	.2	96.2
	45	316	3.6	3.7	99.9
	50	5	.1	.1	100.0
	Total	8503	97.8	100.0	
Missing	-9 Don't know	130	1.5		
	-1 No response	65	.7		
	Total	195	2.2		
Total		8698	100.0		

KN File – Section B

kn2020a B3a: Time child wakes in morning - hour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	.0	.0	.0
	3	1	.0	.0	.0
	4	7	.1	.1	.1
	5	48	.6	.6	.7
	6	1605	18.5	18.6	19.2
	7	6159	70.8	71.2	90.4
	8	825	9.5	9.5	99.9
	9	4	.0	.0	100.0
	10	1	.0	.0	100.0
	11	1	.0	.0	100.0
	Total	8652	99.5	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	42	.5		
	Total	46	.5		
Total		8698	100.0		

kn2020b B3a: Time child wakes in morning - minute

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4041	46.5	47.2	47.2
	5	4	.0	.0	47.3
	6	1	.0	.0	47.3
	8	1	.0	.0	47.3
	10	27	.3	.3	47.6
	15	454	5.2	5.3	52.9
	18	1	.0	.0	52.9
	20	21	.2	.2	53.2
	25	4	.0	.0	53.2
	30	3353	38.5	39.2	92.4
	35	2	.0	.0	92.4
	40	29	.3	.3	92.8
	45	585	6.7	6.8	99.6
	50	29	.3	.3	99.9
	55	6	.1	.1	100.0
	Total	8558	98.4	100.0	
Missing	-9 Don't know	97	1.1		
	-1 No response	43	.5		
	Total	140	1.6		
Total		8698	100.0		

KN File – Section B

kn2021 B3b: Number of times child usually wakes during the night

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6549	75.3	77.8	77.8
	1	1562	18.0	18.6	96.4
	2	229	2.6	2.7	99.1
	3	36	.4	.4	99.5
	4	20	.2	.2	99.8
	5	8	.1	.1	99.9
	6	1	.0	.0	99.9
	7	1	.0	.0	99.9
	8	1	.0	.0	99.9
	10	2	.0	.0	99.9
	14	2	.0	.0	99.9
	97 Occasionally	5	.1	.1	100.0
	Total	8416	96.8	100.0	
Missing	-9 Don't know	25	.3		
	-1 No response	257	3.0		
	Total	282	3.2		
Total		8698	100.0		

KN File – Section B

kn2030 B4a1: Child usually go to bed at night

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Own Room On Own	5349	61.5	61.7	61.7
	2 In Room With Other Children	2904	33.4	33.5	95.2
	3 In Parents Bedroom	201	2.3	2.3	97.5
	4 In Room With Other Adult	17	.2	.2	97.7
	5 Other Place	197	2.3	2.3	100.0
	Total	8668	99.7	100.0	
Missing	-1 No response	30	.3		
	Total	8698	100.0		

kn2032 B4a2: Child usually wake up in the morning

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Own Room On Own	4740	54.5	55.7	55.7
	2 In Room With Other Children	2686	30.9	31.6	87.3
	3 In Parents Bedroom	692	8.0	8.1	95.4
	4 In Room With Other Adult	43	.5	.5	95.9
	5 Other Place	346	4.0	4.1	100.0
	Total	8507	97.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	190	2.2		
	Total	191	2.2		
	Total	8698	100.0		

kn2034 B4b1: Child go to sleep at night alone or with others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Own Room On Own	8243	94.8	95.3	95.3
	2 In Room With Other Children	143	1.6	1.7	97.0
	3 In Parents Bedroom	129	1.5	1.5	98.5
	4 In Room With Other Adult	9	.1	.1	98.6
	5 Other Place	123	1.4	1.4	100.0
	Total	8647	99.4	100.0	
Missing	-1 No response	51	.6		
	Total	8698	100.0		

kn2036 B4b2: Child wake up in the morning alone or with others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Own Room On Own	7353	84.5	87.1	87.1
	2 In Room With Other Children	159	1.8	1.9	88.9
	3 In Parents Bedroom	633	7.3	7.5	96.4
	4 In Room With Other Adult	39	.4	.5	96.9
	5 Other Place	262	3.0	3.1	100.0
	Total	8446	97.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	251	2.9		
	Total	252	2.9		
	Total	8698	100.0		

KN File – Section B

kn2040 B4c1: Frequency child sleeps on back

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	442	5.1	5.4	5.4
	2 Usually	2531	29.1	30.7	36.0
	3 Sometimes	4796	55.1	58.1	94.1
	4 Hardly Ever	485	5.6	5.9	100.0
	Total	8254	94.9	100.0	
Missing	-9 Don't know	6	.1		
	-1 No response	438	5.0		
	Total	444	5.1		
Total		8698	100.0		

kn2041 B4c2: Frequency child sleeps on side

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	413	4.7	5.0	5.0
	2 Usually	2424	27.9	29.2	34.2
	3 Sometimes	5138	59.1	61.9	96.1
	4 Hardly Ever	325	3.7	3.9	100.0
	Total	8300	95.4	100.0	
Missing	-9 Don't know	6	.1		
	-1 No response	392	4.5		
	Total	398	4.6		
Total		8698	100.0		

kn2042 B4c3: Frequency child sleeps on front

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	65	.7	.9	.9
	2 Usually	395	4.5	5.2	6.0
	3 Sometimes	3025	34.8	39.8	45.8
	4 Hardly Ever	4120	47.4	54.2	100.0
	Total	7605	87.4	100.0	
Missing	-9 Don't know	6	.1		
	-8 Text response	1	.0		
	-1 No response	1086	12.5		
	Total	1093	12.6		
Total		8698	100.0		

KN File – Section B

kn2045 B4da: Frequency child grinds teeth when asleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Often	583	6.7	6.8	6.8
	2 Yes Sometimes	1809	20.8	21.2	28.0
	3 No	6157	70.8	72.0	100.0
	Total	8549	98.3	100.0	
Missing	-9 Don't know	28	.3		
	-8 Text response	1	.0		
	-1 No response	120	1.4		
	Total	149	1.7		
Total		8698	100.0		

kn2046 B4db: Frequency child grinds teeth at other times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Often	48	.6	.6	.6
	2 Yes Sometimes	567	6.5	6.9	7.5
	3 No	7558	86.9	92.5	100.0
	Total	8173	94.0	100.0	
Missing	-9 Don't know	19	.2		
	-8 Text response	1	.0		
	-1 No response	505	5.8		
	Total	525	6.0		
Total		8698	100.0		

KN File – Section B

kn2050 B4e1: Heating on all night in child's room : winter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	1210	13.9	14.1	14.1
	2 Yes Sometimes	1474	16.9	17.1	31.2
	3 No Not At All	5920	68.1	68.8	100.0
	Total	8604	98.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	93	1.1		
	Total	94	1.1		
Total		8698	100.0		

kn2051 B4e1: Heating on all night in child's room : summer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	40	.5	.5	.5
	2 Yes Sometimes	225	2.6	2.6	3.1
	3 No Not At All	8340	95.9	96.9	100.0
	Total	8605	98.9	100.0	
Missing	-1 No response	93	1.1		
Total		8698	100.0		

kn2060 B4e2: Heating on part of the night in child's room : winter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	1877	21.6	22.0	22.0
	2 Yes Sometimes	4629	53.2	54.4	76.4
	3 No Not At All	2008	23.1	23.6	100.0
	Total	8514	97.9	100.0	
Missing	-1 No response	184	2.1		
Total		8698	100.0		

kn2061 B4e2: Heating on part of the night in child's room : summer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	9	.1	.1	.1
	2 Yes Sometimes	387	4.4	4.6	4.7
	3 No Not At All	8084	92.9	95.3	100.0
	Total	8480	97.5	100.0	
Missing	-1 No response	218	2.5		
Total		8698	100.0		

KN File – Section B

kn2070 B4e3: Window open at night in child's room : winter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	534	6.1	6.3	6.3
	2 Yes Sometimes	2174	25.0	25.5	31.7
	3 No Not At All	5826	67.0	68.3	100.0
	Total	8534	98.1	100.0	
Missing	-1 No response	164	1.9		
Total		8698	100.0		

kn2071 B4e3: Window open at night in child's room : summer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	2908	33.4	33.9	33.9
	2 Yes Sometimes	4270	49.1	49.7	83.6
	3 No Not At All	1411	16.2	16.4	100.0
	Total	8589	98.7	100.0	
Missing	-1 No response	109	1.3		
Total		8698	100.0		

kn2080 B4e4: Child sleep with a duvet : winter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	7444	85.6	86.1	86.1
	2 Yes Sometimes	164	1.9	1.9	88.0
	3 No Not At All	1035	11.9	12.0	100.0
	Total	8643	99.4	100.0	
Missing	-1 No response	55	.6		
Total		8698	100.0		

kn2081 B4e4: Child sleep with a duvet : summer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	5193	59.7	60.5	60.5
	2 Yes Sometimes	2209	25.4	25.8	86.3
	3 No Not At All	1175	13.5	13.7	100.0
	Total	8577	98.6	100.0	
Missing	-1 No response	121	1.4		
Total		8698	100.0		

KN File – Section B

kn2090 B4e5: Child have an electric blanket : winter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	1004	11.5	11.6	11.6
	2 Yes Sometimes	105	1.2	1.2	12.8
	3 No Not At All	7537	86.7	87.2	100.0
	Total	8646	99.4	100.0	
Missing	-1 No response	52	.6		
Total		8698	100.0		

kn2091 B4e5: Child have an electric blanket : summer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	50	.6	.6	.6
	2 Yes Sometimes	211	2.4	2.5	3.0
	3 No Not At All	8327	95.7	97.0	100.0
	Total	8588	98.7	100.0	
Missing	-1 No response	110	1.3		
Total		8698	100.0		

kn2100 B4e6: Child sleep with a Pillow : winter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	8338	95.9	96.4	96.4
	2 Yes Sometimes	262	3.0	3.0	99.4
	3 No Not At All	49	.6	.6	100.0
	Total	8649	99.4	100.0	
Missing	-1 No response	49	.6		
Total		8698	100.0		

kn2111 B4e6: Child sleep with a Pillow : summer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	7571	87.0	88.0	88.0
	2 Yes Sometimes	812	9.3	9.4	97.4
	3 No Not At All	220	2.5	2.6	100.0
	Total	8603	98.9	100.0	
Missing	-1 No response	95	1.1		
Total		8698	100.0		

KN File – Section B

kn2120 B5a: Child regularly refused to go to Bed in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Did Not Worry	2790	32.1	32.3	32.3
	2 Yes Worried A Bit	409	4.7	4.7	37.0
	3 Yes Worried Greatly	67	.8	.8	37.8
	4 No Did Not Happen	5371	61.7	62.1	99.9
	9 Don't know	9	.1	.1	100.0
	Total	8646	99.4	100.0	
Missing	-1 No response	52	.6		
	Total	8698	100.0		

kn2121 B5b: Child regularly woken very early in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Did Not Worry	3465	39.8	40.2	40.2
	2 Yes Worried A Bit	406	4.7	4.7	44.9
	3 Yes Worried Greatly	55	.6	.6	45.5
	4 No Did Not Happen	4670	53.7	54.2	99.7
	9 Don't know	26	.3	.3	100.0
	Total	8622	99.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	75	.9		
	Total	76	.9		
	Total	8698	100.0		

kn2122 B5c: Child regularly had difficulty going to sleep in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Did Not Worry	3168	36.4	36.7	36.7
	2 Yes Worried A Bit	718	8.3	8.3	45.0
	3 Yes Worried Greatly	87	1.0	1.0	46.0
	4 No Did Not Happen	4634	53.3	53.7	99.8
	9 Don't know	21	.2	.2	100.0
	Total	8628	99.2	100.0	
Missing	-1 No response	70	.8		
	Total	8698	100.0		

kn2123 B5d: Child regularly had nightmares in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Did Not Worry	2180	25.1	25.2	25.2
	2 Yes Worried A Bit	1280	14.7	14.8	40.1
	3 Yes Worried Greatly	139	1.6	1.6	41.7
	4 No Did Not Happen	4933	56.7	57.1	98.8
	9 Don't know	102	1.2	1.2	100.0
	Total	8634	99.3	100.0	
Missing	-1 No response	64	.7		
	Total	8698	100.0		

KN File – Section B

kn2124 B5e: Child regularly continued to get up after being put to bed in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Did Not Worry	2155	24.8	25.0	25.0
	2 Yes Worried A Bit	525	6.0	6.1	31.1
	3 Yes Worried Greatly	96	1.1	1.1	32.3
	4 No Did Not Happen	5810	66.8	67.5	99.8
	9 Don't know	19	.2	.2	100.0
	Total	8605	98.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	92	1.1		
	Total	93	1.1		
Total		8698	100.0		

kn2125 B5f: Child regularly refused to go to bed in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Did Not Worry	2389	27.5	28.5	28.5
	2 Yes Worried A Bit	343	3.9	4.1	32.6
	3 Yes Worried Greatly	69	.8	.8	33.4
	4 No Did Not Happen	5554	63.9	66.3	99.7
	9 Don't know	21	.2	.3	100.0
	Total	8376	96.3	100.0	
Missing	-1 No response	322	3.7		
	Total	8698	100.0		

kn2126 B5g: Child regularly got up after a few hours in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Did Not Worry	734	8.4	8.5	8.5
	2 Yes Worried A Bit	189	2.2	2.2	10.7
	3 Yes Worried Greatly	35	.4	.4	11.1
	4 No Did Not Happen	7634	87.8	88.5	99.6
	9 Don't know	31	.4	.4	100.0
	Total	8623	99.1	100.0	
Missing	-1 No response	75	.9		
	Total	8698	100.0		

SECTION C: HIS ACTIVITIES AND BEHAVIOUR

C1. Does he listen to the radio at all? Yes ₁ No ₂ → If no, go to C3 below

C2. How many hours per day is he in a room or a car with each of the following stations switched on?

	Never	Once in a while	Less than 1 hour a day	1-2 hours per day	3-7 hours per day	More than 7 hours per day
a) Radio 1	<input type="checkbox"/> ₁	<input type="checkbox"/> ₂	<input type="checkbox"/> ₃	<input type="checkbox"/> ₄	<input type="checkbox"/> ₅	<input type="checkbox"/> ₆
b) Radio 2	<input type="checkbox"/> ₁	<input type="checkbox"/> ₂	<input type="checkbox"/> ₃	<input type="checkbox"/> ₄	<input type="checkbox"/> ₅	<input type="checkbox"/> ₆
c) Radio 3	<input type="checkbox"/> ₁	<input type="checkbox"/> ₂	<input type="checkbox"/> ₃	<input type="checkbox"/> ₄	<input type="checkbox"/> ₅	<input type="checkbox"/> ₆
d) Radio 4	<input type="checkbox"/> ₁	<input type="checkbox"/> ₂	<input type="checkbox"/> ₃	<input type="checkbox"/> ₄	<input type="checkbox"/> ₅	<input type="checkbox"/> ₆
e) Radio 5	<input type="checkbox"/> ₁	<input type="checkbox"/> ₂	<input type="checkbox"/> ₃	<input type="checkbox"/> ₄	<input type="checkbox"/> ₅	<input type="checkbox"/> ₆
f) Radio Bristol	<input type="checkbox"/> ₁	<input type="checkbox"/> ₂	<input type="checkbox"/> ₃	<input type="checkbox"/> ₄	<input type="checkbox"/> ₅	<input type="checkbox"/> ₆
g) GWR	<input type="checkbox"/> ₁	<input type="checkbox"/> ₂	<input type="checkbox"/> ₃	<input type="checkbox"/> ₄	<input type="checkbox"/> ₅	<input type="checkbox"/> ₆
h) Other local commercial station	<input type="checkbox"/> ₁	<input type="checkbox"/> ₂	<input type="checkbox"/> ₃	<input type="checkbox"/> ₄	<input type="checkbox"/> ₅	<input type="checkbox"/> ₆
(please tick & describe).....						

C3. Is he in a household where there is a television?

Yes ₁ No ₂ → If no, go to C7 on page 22

C4. How often during the week is the TV switched on when he is in the room?

	Yes every day	Yes most days	Yes occasionally	No or rarely
a) Breakfast TV (6-00 to 9-00 am)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
b) In the daytime (9-00am to 4-00 pm)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
c) Between 4-00 and 5-30	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
d) In the evening between 5-30 and 9pm.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
e) After 9pm.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4

C5. During the week, which channels are likely to be on in the room where he is?

	a) am.to	b) c) Between 4-00 4-00 pm.	d) Between 5-30 and 5-30 pm.	e) Breakfast TV 9-00 After and 9pm 9pm.
BBC 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1	<input type="checkbox"/> 1
BBC2	<input type="checkbox"/> 2	<input type="checkbox"/> 2	<input type="checkbox"/> 2	<input type="checkbox"/> 2
ITV	<input type="checkbox"/> 3	<input type="checkbox"/> 3	<input type="checkbox"/> 3	<input type="checkbox"/> 3
Channel 4	<input type="checkbox"/> 4	<input type="checkbox"/> 4	<input type="checkbox"/> 4	<input type="checkbox"/> 4
Satellite	<input type="checkbox"/> 5	<input type="checkbox"/> 5	<input type="checkbox"/> 5	<input type="checkbox"/> 5
Cable	<input type="checkbox"/> 6	<input type="checkbox"/> 6	<input type="checkbox"/> 6	<input type="checkbox"/> 6
He is not there at this time	<input type="checkbox"/> 7	<input type="checkbox"/> 7	<input type="checkbox"/> 7	<input type="checkbox"/> 7
Do not have TV on at this time	<input type="checkbox"/> 8	<input type="checkbox"/> 8	<input type="checkbox"/> 8	<input type="checkbox"/> 8

PAGE 22 OF THE QUESTIONNAIRE

C6. a) Does your child watch television or a video when it is on?

		Always	Sometimes	Never
i)	yes, but while playing at the same time	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
ii)	yes, and pays attention	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
iii)	no, he ignores it	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

If he does watch TV,

b) what programmes does he see? (tick all that apply)

i)	children's programmes	<input type="checkbox"/> 1	
ii)	other programmes	<input type="checkbox"/> 1	
iii)	children's videos	<input type="checkbox"/> 1	Don't know
iv)	other videos	<input type="checkbox"/> 1	<input type="checkbox"/> 9

c) About how close to the TV does he usually sit?

less than 1 metre	<input type="checkbox"/> 1	about 1 metre	<input type="checkbox"/> 2	more than 1 metre	<input type="checkbox"/> 3
varies	<input type="checkbox"/> 4				

C7. How often does he have temper tantrums?

More than once a day	<input type="checkbox"/> 1
Most days	<input type="checkbox"/> 2
At least once a week	<input type="checkbox"/> 3
Less than once a week	<input type="checkbox"/> 4
never	<input type="checkbox"/> 5

C8. How often does he do the following:

	Often	Sometimes	Never
a) repeatedly rocks his head or body for no reason	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) has a tic or twitch	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c) has other unusual behaviour (please tick and describe)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

.....

C9.

About how often does he go to:	Nearly every day	2 - 5 times a week	Once a week	Once a month	A few times per year	Never
a) local shops	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
b) department store	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
c) supermarket	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
d) park or playground	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
e) visits to friends	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
f) visits to relatives	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
g) library	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
h) places of interest (e.g. Zoo, museum)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
i) places of entertainment (e.g. funfair)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
j) swimming pool or other sporting area	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6

PAGE 24 OF THE QUESTIONNAIRE

C10. How much choice do you allow him in deciding what foods he eats at meals?

	(a) Main meal	(b) Snacks
he can choose from any food available	<input type="checkbox"/> 1	<input type="checkbox"/> 1
he is given a choice from a few alternatives that an adult chooses	<input type="checkbox"/> 2	<input type="checkbox"/> 2
an adult decides what he will eat	<input type="checkbox"/> 3	<input type="checkbox"/> 3

C11. How often does he play with other children (other than brothers or sisters)?

every day	<input type="checkbox"/> 1
2 - 6 times a week	<input type="checkbox"/> 2
once a week	<input type="checkbox"/> 3
less than once a week	<input type="checkbox"/> 4
never	<input type="checkbox"/> 5

C12. When you and your child meet again after being apart for an hour or more, does he tell you what he's been doing?

yes, always	<input type="checkbox"/> 1	yes, sometimes	<input type="checkbox"/> 2	hardly ever	<input type="checkbox"/> 3
never	<input type="checkbox"/> 4				

KN File – Section C

kn3000 C1: Child listen to radio

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5412	62.2	63.0	63.0
	2 No	3177	36.5	37.0	100.0
	Total	8589	98.7	100.0	
Missing	-1 No response	109	1.3		
	Total	8698	100.0		

kn3010 C2a: Hours per day child is in a room or car with radio 1 on

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2707	31.1	55.7	55.7
	2 Once In A While	1542	17.7	31.7	87.4
	3 Less Than 1 Hour A Day	488	5.6	10.0	97.4
	4 1-2 Hours A Day	115	1.3	2.4	99.8
	5 3-7 Hours A Day	12	.1	.2	100.0
	Total	4864	55.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3833	44.1		
	Total	3834	44.1		
	Total	8698	100.0		

kn3011 C2b: Hours per day child is in a room or car with radio 2 on

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3627	41.7	81.1	81.1
	2 Once In A While	560	6.4	12.5	93.6
	3 Less Than 1 Hour A Day	206	2.4	4.6	98.2
	4 1-2 Hours A Day	61	.7	1.4	99.6
	5 3-7 Hours A Day	18	.2	.4	100.0
	Total	4472	51.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	4225	48.6		
	Total	4226	48.6		
	Total	8698	100.0		

kn3012 C2c: Hours per day child is in a room or car with radio 3 on

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4036	46.4	92.8	92.8
	2 Once In A While	243	2.8	5.6	98.3
	3 Less Than 1 Hour A Day	53	.6	1.2	99.6
	4 1-2 Hours A Day	18	.2	.4	100.0
	5 3-7 Hours A Day	1	.0	.0	100.0
	Total	4351	50.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	4346	50.0		
	Total	4347	50.0		
	Total	8698	100.0		

KN File – Section C

kn3013 C2d: Hours per day child is in a room or car with radio 4 on

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3191	36.7	69.9	69.9
	2 Once In A While	666	7.7	14.6	84.5
	3 Less Than 1 Hour A Day	455	5.2	10.0	94.4
	4 1-2 Hours A Day	217	2.5	4.8	99.2
	5 3-7 Hours A Day	38	.4	.8	100.0
	Total	4567	52.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	4130	47.5		
	Total	4131	47.5		
Total		8698	100.0		

kn3014 C2e: Hours per day child is in a room or car with radio 5 on

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3677	42.3	83.5	83.5
	2 Once In A While	515	5.9	11.7	95.2
	3 Less Than 1 Hour A Day	167	1.9	3.8	99.0
	4 1-2 Hours A Day	40	.5	.9	99.9
	5 3-7 Hours A Day	4	.0	.1	100.0
	Total	4403	50.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	4294	49.4		
	Total	4295	49.4		
Total		8698	100.0		

kn3015 C2f: Hours per day child is in a room or car with radio Bristol on

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3284	37.8	74.1	74.1
	2 Once In A While	867	10.0	19.6	93.7
	3 Less Than 1 Hour A Day	228	2.6	5.1	98.9
	4 1-2 Hours A Day	44	.5	1.0	99.9
	5 3-7 Hours A Day	6	.1	.1	100.0
	Total	4429	50.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	4268	49.1		
	Total	4269	49.1		
Total		8698	100.0		

KN File – Section C

kn3016 C2g: Hours per day child is in a room or car with GWR radio on

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1629	18.7	32.2	32.2
	2 Once In A While	1591	18.3	31.4	63.6
	3 Less Than 1 Hour A Day	1249	14.4	24.7	88.3
	4 1-2 Hours A Day	494	5.7	9.8	98.1
	5 3-7 Hours A Day	85	1.0	1.7	99.8
	6 More Than 7 Hours A Day	12	.1	.2	100.0
	Total	5060	58.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3637	41.8		
	Total	3638	41.8		
Total		8698	100.0		

kn3017 C2h: Hours per day child in a room or car with Other radio station on

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text, but no box ticked	66	.8	1.7	1.7
	1 Never	1846	21.2	47.6	49.3
	2 Once In A While	850	9.8	21.9	71.2
	3 Less Than 1 Hour A Day	763	8.8	19.7	90.8
	4 1-2 Hours A Day	300	3.4	7.7	98.6
	5 3-7 Hours A Day	54	.6	1.4	99.9
	6 More Than 7 Hours A Day	2	.0	.1	100.0
Missing	Total	3881	44.6	100.0	
	-9 Don't know	2	.0		
	-1 No response	4815	55.4		
Total		4817	55.4		
Total		8698	100.0		

KN File – Section C

kn3020 C3: Child live in a household with a television

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8546	98.3	99.1	99.1
	2 No	78	.9	.9	100.0
	Total	8624	99.1	100.0	
Missing	-1 No response	74	.9		
	Total	8698	100.0		

kn3030 C4a: Frequency breakfast TV is on when child is in room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Every Day	2281	26.2	26.9	26.9
	2 Yes Most Days	2062	23.7	24.3	51.2
	3 Yes Occasionally	1716	19.7	20.2	71.4
	4 No Or Rarely	2423	27.9	28.6	100.0
	Total	8482	97.5	100.0	
Missing	-1 No response	216	2.5		
	Total	8698	100.0		

kn3031 C4b: Frequency daytime TV is on when child is in room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Every Day	288	3.3	3.6	3.6
	2 Yes Most Days	621	7.1	7.7	11.3
	3 Yes Occasionally	2247	25.8	28.0	39.4
	4 No Or Rarely	4858	55.9	60.6	100.0
	Total	8014	92.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	683	7.9		
	Total	684	7.9		
Total		8698	100.0		

kn3032 C4c: Frequency TV is on 4:5.30pm when child is in room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Every Day	2141	24.6	25.3	25.3
	2 Yes Most Days	4120	47.4	48.6	73.8
	3 Yes Occasionally	1789	20.6	21.1	95.0
	4 No Or Rarely	428	4.9	5.0	100.0
	Total	8478	97.5	100.0	
Missing	-1 No response	220	2.5		
	Total	8698	100.0		

KN File – Section C

kn3033 C4d: Frequency TV is on 5:30:9pm when child is in room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Every Day	2177	25.0	25.7	25.7
	2 Yes Most Days	2995	34.4	35.3	61.0
	3 Yes Occasionally	1997	23.0	23.6	84.6
	4 No Or Rarely	1310	15.1	15.4	100.0
	Total	8479	97.5	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	218	2.5		
	Total	219	2.5		
Total		8698	100.0		

kn3034 C4e: Frequency TV is on after 9pm when child is in room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Every Day	615	7.1	7.6	7.6
	2 Yes Most Days	374	4.3	4.6	12.3
	3 Yes Occasionally	472	5.4	5.9	18.1
	4 No Or Rarely	6597	75.8	81.9	100.0
	Total	8058	92.6	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	638	7.3		
	Total	640	7.4		
Total		8698	100.0		

KN File – Section C

kn3040 C5a: BBC1 is on in room where child is at Breakfast Time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	953	11.0	100.0	100.0
Missing	-8 Text response	1	.0		
	-1 No response	7744	89.0		
	Total	7745	89.0		
	Total	8698	100.0		

kn3041 C5a: BBC2 is on in room where child is at Breakfast Time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes	2396	27.5	100.0	100.0
Missing	-8 Text response	1	.0		
	-1 No response	6301	72.4		
	Total	6302	72.5		
	Total	8698	100.0		

kn3042 C5a: ITV is on in room where child is at Breakfast Time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 Yes	1518	17.5	100.0	100.0
Missing	-8 Text response	1	.0		
	-1 No response	7179	82.5		
	Total	7180	82.5		
	Total	8698	100.0		

kn3043 C5a: Channel 4 is on in room where child is at breakfast time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4 Yes	752	8.6	100.0	100.0
Missing	-8 Text response	1	.0		
	-1 No response	7945	91.3		
	Total	7946	91.4		
	Total	8698	100.0		

kn3044 C5a: Channel 5 is on in room where child is at breakfast time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	13	.1	100.0	100.0
Missing	-8 Text response	1	.0		
	-1 No response	8684	99.8		
	Total	8685	99.9		
	Total	8698	100.0		

kn3045 C5a: Satellite TV is on in room where child is at breakfast time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5 Yes	438	5.0	100.0	100.0
Missing	-8 Text response	1	.0		
	-1 No response	8259	95.0		
	Total	8260	95.0		
	Total	8698	100.0		

KN File – Section C

kn3046 C5a: Cable TV is on in room where child is at breakfast time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	6 Yes	802	9.2	100.0	100.0
Missing	-8 Text response	1	.0		
	-1 No response	7895	90.8		
	Total	7896	90.8		
	Total	8698	100.0		

kn3047 C5a: Child not there at breakfast time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7 Yes	224	2.6	100.0	100.0
Missing	-8 Text response	1	.0		
	-1 No response	8473	97.4		
	Total	8474	97.4		
	Total	8698	100.0		

kn3048 C5a: Do not have TV on at breakfast time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	8 Yes	1762	20.3	100.0	100.0
Missing	-8 Text response	1	.0		
	-1 No response	6935	79.7		
	Total	6936	79.7		
	Total	8698	100.0		

KN File – Section C

kn3050 C5b: BBC1 is on in room where child is 9am : 4pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	919	10.6	100.0	100.0
Missing	-1 No response	7779	89.4		
Total		8698	100.0		

kn3051 C5b: BBC2 is on in room where child is 9am : 4pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes	314	3.6	100.0	100.0
Missing	-1 No response	8384	96.4		
Total		8698	100.0		

kn3052 C5b: ITV is on in room where child is 9am : 4pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 Yes	1187	13.6	100.0	100.0
Missing	-1 No response	7511	86.4		
Total		8698	100.0		

kn3053 C5b: Channel 4 is on in room where child is 9am : 4pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4 Yes	111	1.3	100.0	100.0
Missing	-1 No response	8587	98.7		
Total		8698	100.0		

kn3054 C5b: Channel 5 is on in room where child is 9am : 4pm

		Frequency	Percent
Missing	-1 No response	8698	100.0

kn3055 C5b: Satellite TV is on in room where child is 9am : 4pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5 Yes	167	1.9	100.0	100.0
Missing	-1 No response	8531	98.1		
Total		8698	100.0		

kn3056 C5b: Cable TV is on in room where child is 9am : 4pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	6 Yes	285	3.3	100.0	100.0
Missing	-1 No response	8413	96.7		
Total		8698	100.0		

kn3057 C5b: Child not there 9am : 4pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7 Yes	3555	40.9	100.0	100.0
Missing	-1 No response	5143	59.1		
Total		8698	100.0		

KN File – Section C

kn3058 C5b: Do not have TV on 9am : 4pm

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 8 Yes	1730	19.9	100.0	100.0
Missing -1 No response	6968	80.1		
Total	8698	100.0		

KN File – Section C

kn3060 C5c: BBC1 is on in room where child is 4pm : 5.30pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4866	55.9	100.0	100.0
Missing	-8 Text response	4	.0		
	-1 No response	3828	44.0		
	Total	3832	44.1		
	Total	8698	100.0		

kn3061 C5c: BBC2 is on in room where child is 4pm : 5.30pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes	393	4.5	100.0	100.0
Missing	-8 Text response	4	.0		
	-1 No response	8301	95.4		
	Total	8305	95.5		
	Total	8698	100.0		

kn3062 C5c: ITV is on in room where child is 4pm : 5.30pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 Yes	5162	59.3	100.0	100.0
Missing	-8 Text response	4	.0		
	-1 No response	3532	40.6		
	Total	3536	40.7		
	Total	8698	100.0		

kn3063 C5c: Channel 4 is on in room where child is 4pm : 5.30pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4 Yes	356	4.1	100.0	100.0
Missing	-8 Text response	4	.0		
	-1 No response	8338	95.9		
	Total	8342	95.9		
	Total	8698	100.0		

kn3064 C5c: Channel 5 is on in room where child is 4pm : 5.30pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1	.0	100.0	100.0
Missing	-8 Text response	4	.0		
	-1 No response	8693	99.9		
	Total	8697	100.0		
	Total	8698	100.0		

kn3065 C5c: Satellite TV is on in room where child is 4pm : 5.30pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5 Yes	596	6.9	100.0	100.0
Missing	-8 Text response	4	.0		
	-1 No response	8098	93.1		
	Total	8102	93.1		
	Total	8698	100.0		

KN File – Section C

kn3066 C5c: Cable TV is on in room where child is 4pm : 5.30pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	6 Yes	1084	12.5	100.0	100.0
Missing	-8 Text response	4	.0		
	-1 No response	7610	87.5		
	Total	7614	87.5		
	Total	8698	100.0		

kn3067 C5c: Child not there 4pm : 5.30pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7 Yes	113	1.3	100.0	100.0
Missing	-8 Text response	4	.0		
	-1 No response	8581	98.7		
	Total	8585	98.7		
	Total	8698	100.0		

kn3068 C5c: Do not have TV on 4pm : 5.30pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	8 Yes	274	3.2	100.0	100.0
Missing	-8 Text response	4	.0		
	-1 No response	8420	96.8		
	Total	8424	96.8		
	Total	8698	100.0		

KN File – Section C

kn3070 C5d: BBC1 is on in room where child is 5.30pm : 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4062	46.7	100.0	100.0
Missing	-8 Text response	3	.0		
	-1 No response	4633	53.3		
	Total	4636	53.3		
	Total	8698	100.0		

kn3071 C5d: BBC2 is on in room where child is 5.30pm : 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes	1277	14.7	100.0	100.0
Missing	-8 Text response	3	.0		
	-1 No response	7418	85.3		
	Total	7421	85.3		
	Total	8698	100.0		

kn3072 C5d: ITV is on in room where child is 5.30pm : 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 Yes	4103	47.2	100.0	100.0
Missing	-8 Text response	3	.0		
	-1 No response	4592	52.8		
	Total	4595	52.8		
	Total	8698	100.0		

kn3073 C5d: Channel 4 is on in room where child is 5.30pm : 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4 Yes	1151	13.2	100.0	100.0
Missing	-8 Text response	3	.0		
	-1 No response	7544	86.7		
	Total	7547	86.8		
	Total	8698	100.0		

kn3074 C5d: Channel 5 is on in room where child is 5.30pm : 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.0	100.0	100.0
Missing	-8 Text response	3	.0		
	-1 No response	8693	99.9		
	Total	8696	100.0		
	Total	8698	100.0		

kn3075 C5d: Satellite TV is on in room where child is 5.30pm : 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5 Yes	546	6.3	100.0	100.0
Missing	-8 Text response	3	.0		
	-1 No response	8149	93.7		
	Total	8152	93.7		
	Total	8698	100.0		

KN File – Section C

kn3076 C5d: Cable TV is on in room where child is 5.30pm : 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	6 Yes	892	10.3	100.0	100.0
Missing	-8 Text response	3	.0		
	-1 No response	7803	89.7		
	Total	7806	89.7		
	Total	8698	100.0		

kn3077 C5d: Child not there 5.30pm : 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7 Yes	591	6.8	100.0	100.0
Missing	-8 Text response	3	.0		
	-1 No response	8104	93.2		
	Total	8107	93.2		
	Total	8698	100.0		

kn3078 C5d: Do not have TV on 5.30pm : 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	8 Yes	758	8.7	100.0	100.0
Missing	-8 Text response	3	.0		
	-1 No response	7937	91.3		
	Total	7940	91.3		
	Total	8698	100.0		

KN File – Section C

kn3080 C5e: BBC1 is on in room where child is After 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	586	6.7	100.0	100.0
Missing	-8 Text response	2	.0		
	-1 No response	8110	93.2		
	Total	8112	93.3		
	Total	8698	100.0		

kn3081 C5e: BBC2 is on in room where child is After 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes	265	3.0	100.0	100.0
Missing	-8 Text response	2	.0		
	-1 No response	8431	96.9		
	Total	8433	97.0		
	Total	8698	100.0		

kn3082 C5e: ITV is on in room where child is After 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 Yes	658	7.6	100.0	100.0
Missing	-8 Text response	2	.0		
	-1 No response	8038	92.4		
	Total	8040	92.4		
	Total	8698	100.0		

kn3083 C5e: Channel 4 is on in room where child is After 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4 Yes	281	3.2	100.0	100.0
Missing	-8 Text response	2	.0		
	-1 No response	8415	96.7		
	Total	8417	96.8		
	Total	8698	100.0		

kn3084 C5e: Channel 5 is on in room where child is after 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3	.0	100.0	100.0
Missing	-8 Text response	2	.0		
	-1 No response	8693	99.9		
	Total	8695	100.0		
	Total	8698	100.0		

kn3085 C5e: Satellite TV is on in room where child is after 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5 Yes	112	1.3	100.0	100.0
Missing	-8 Text response	2	.0		
	-1 No response	8584	98.7		
	Total	8586	98.7		
	Total	8698	100.0		

KN File – Section C

kn3086 C5e: Cable TV is on in room where child is after 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	6 Yes	185	2.1	100.0	100.0
Missing	-8 Text response	2	.0		
	-1 No response	8511	97.9		
	Total	8513	97.9		
	Total	8698	100.0		

kn3087 C5e: Child not there After 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7 Yes	5217	60.0	100.0	100.0
Missing	-8 Text response	2	.0		
	-1 No response	3479	40.0		
	Total	3481	40.0		
	Total	8698	100.0		

kn3088 C5e: Do not have TV on After 9pm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	8 Yes	993	11.4	100.0	100.0
Missing	-8 Text response	2	.0		
	-1 No response	7703	88.6		
	Total	7705	88.6		
	Total	8698	100.0		

KN File – Section C

kn3090 C6a1: Frequency child watches TV or video whilst playing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	510	5.9	6.7	6.7
	2 Sometimes	6535	75.1	86.4	93.1
	3 Never	519	6.0	6.9	100.0
	Total	7564	87.0	100.0	
Missing	-1 No response	1134	13.0		
	Total	8698	100.0		

kn3091 C6a2: Frequency child watches TV or video and pays attention

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	2369	27.2	28.8	28.8
	2 Sometimes	5819	66.9	70.8	99.6
	3 Never	36	.4	.4	100.0
	Total	8224	94.6	100.0	
Missing	-1 No response	474	5.4		
	Total	8698	100.0		

kn3092 C6a3: Frequency child ignores TV

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	18	.2	.3	.3
	2 Sometimes	3605	41.4	57.3	57.5
	3 Never	2673	30.7	42.5	100.0
	Total	6296	72.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	2401	27.6		
	Total	2402	27.6		
	Total	8698	100.0		

KN File – Section C

kn3093 C6b1: Child watches childrens programmes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8449	97.1	100.0	100.0
Missing	-1 No response	249	2.9		
Total		8698	100.0		

kn3094 C6b2: Child watches other programmes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5031	57.8	100.0	100.0
Missing	-1 No response	3667	42.2		
Total		8698	100.0		

kn3095 C6b3: Child watches childrens videos

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8153	93.7	100.0	100.0
Missing	-1 No response	545	6.3		
Total		8698	100.0		

kn3096 C6b4: Child watches other videos

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1579	18.2	99.4	99.4
	9 Don't know	9	.1	.6	100.0
	Total	1588	18.3	100.0	
Missing	-1 No response	7110	81.7		
Total		8698	100.0		

kn3097 C6c: Distance child sit to TV

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less Than 1 Metre	182	2.1	2.1	2.1
	2 About 1 Metre	1288	14.8	15.1	17.3
	3 More Than 1 Metre	5160	59.3	60.6	77.9
	4 Varies	1884	21.7	22.1	100.0
	Total	8514	97.9	100.0	
Missing	-1 No response	184	2.1		
Total		8698	100.0		

KN File – Section C

kn3100 C7: Frequency child has temper tantrums

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 More Than Once A Day	145	1.7	1.7	1.7
	2 Most Days	893	10.3	10.4	12.1
	3 At Least Once A Week	1806	20.8	21.0	33.1
	4 Less Than Once A Wk	3256	37.4	37.9	71.0
	5 Never	2492	28.7	29.0	100.0
	Total	8592	98.8	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	2	.0		
	-1 No response	103	1.2		
	Total	106	1.2		
Total		8698	100.0		

kn3110 C8a: Frequency child rocks head or body for no reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	33	.4	.4	.4
	2 Sometimes	100	1.1	1.2	1.5
	3 Never	8460	97.3	98.5	100.0
	Total	8593	98.8	100.0	
Missing	-1 No response	105	1.2		
Total		8698	100.0		

kn3111 C8b: Frequency child has tic or twitch

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Often	18	.2	.2	.2
	2 Sometimes	110	1.3	1.3	1.5
	3 Never	8447	97.1	98.5	100.0
	Total	8575	98.6	100.0	
Missing	-1 No response	123	1.4		
Total		8698	100.0		

kn3112 C8c: Frequency child has other unusual behaviour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text, but no box ticked	36	.4	.4	.4
	1 Often	188	2.2	2.3	2.8
	2 Sometimes	215	2.5	2.7	5.4
	3 Never	7662	88.1	94.6	100.0
	Total	8101	93.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	596	6.9		
	Total	597	6.9		
Total		8698	100.0		

KN File – Section C

kn3120 C9a: Frequency child goes to local shops

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly Every Day	1201	13.8	14.0	14.0
	2 2-5 Times A Week	3032	34.9	35.3	49.3
	3 Once A Week	3524	40.5	41.0	90.3
	4 Once A Month	618	7.1	7.2	97.5
	5 A Few Times A Year	165	1.9	1.9	99.4
	6 Never	52	.6	.6	
	Total	8592	98.8	100.0	
Missing	-1 No response	106	1.2		
Total		8698	100.0		

kn3121 C9b: Frequency child goes to a department store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly Every Day	9	.1	.1	.1
	2 2-5 Times A Week	57	.7	.7	.8
	3 Once A Week	812	9.3	9.5	10.3
	4 Once A Month	3534	40.6	41.6	51.9
	5 A Few Times A Year	3713	42.7	43.7	95.5
	6 Never	379	4.4	4.5	
	Total	8504	97.8	100.0	
Missing	-1 No response	194	2.2		
Total		8698	100.0		

kn3122 C9c: Frequency child goes to a supermarket

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly Every Day	87	1.0	1.0	1.0
	2 2-5 Times A Week	777	8.9	9.0	10.1
	3 Once A Week	4253	48.9	49.5	59.5
	4 Once A Month	2727	31.4	31.7	91.3
	5 A Few Times A Year	718	8.3	8.4	99.6
	6 Never	32	.4	.4	
	Total	8594	98.8	100.0	
Missing	-1 No response	104	1.2		
Total		8698	100.0		

kn3123 C9d: Frequency child goes to a park or playground

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly Every Day	562	6.5	6.6	6.6
	2 2-5 Times A Week	1907	21.9	22.3	28.8
	3 Once A Week	3495	40.2	40.8	69.7
	4 Once A Month	1952	22.4	22.8	92.5
	5 A Few Times A Year	604	6.9	7.1	99.5
	6 Never	39	.4	.5	
	Total	8559	98.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	138	1.6		
Total		139	1.6		
Total		8698	100.0		

KN File – Section C

kn3124 C9e: Frequency child visits friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly Every Day	435	5.0	5.1	5.1
	2 2-5 Times A Week	3003	34.5	35.1	40.2
	3 Once A Week	3503	40.3	40.9	81.1
	4 Once A Month	1270	14.6	14.8	95.9
	5 A Few Times A Year	304	3.5	3.6	99.5
	6 Never	46	.5	.5	100.0
	Total	8561	98.4	100.0	
Missing	-1 No response	137	1.6		
Total		8698	100.0		

kn3125 C9f: Frequency child visits relatives

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly Every Day	442	5.1	5.1	5.1
	2 2-5 Times A Week	2619	30.1	30.5	35.6
	3 Once A Week	2831	32.5	32.9	68.6
	4 Once A Month	1630	18.7	19.0	87.5
	5 A Few Times A Year	1006	11.6	11.7	99.2
	6 Never	66	.8	.8	100.0
	Total	8594	98.8	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	2	.0		
	-1 No response	101	1.2		
	Total	104	1.2		
Total		8698	100.0		

kn3126 C9g: Frequency child visits library

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly Every Day	18	.2	.2	.2
	2 2-5 Times A Week	78	.9	.9	1.1
	3 Once A Week	918	10.6	10.7	11.8
	4 Once A Month	3387	38.9	39.5	51.3
	5 A Few Times A Year	2384	27.4	27.8	79.1
	6 Never	1789	20.6	20.9	100.0
	Total	8574	98.6	100.0	
Missing	-1 No response	124	1.4		
Total		8698	100.0		

KN File – Section C

kn3127 C9h: Frequency child visits places of interest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly Every Day	1	.0	.0	.0
	2 2-5 Times A Week	37	.4	.4	.4
	3 Once A Week	696	8.0	8.1	8.6
	4 Once A Month	3018	34.7	35.2	43.7
	5 A Few Times A Year	4723	54.3	55.0	98.8
	6 Never	107	1.2	1.2	100.0
	Total	8582	98.7	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	2	.0		
	-1 No response	113	1.3		
	Total	116	1.3		
Total		8698	100.0		

kn3128 C9i: Frequency child visits places of entertainment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 2-5 Times A Week	14	.2	.2	.2
	3 Once A Week	217	2.5	2.5	2.7
	4 Once A Month	1715	19.7	20.0	22.7
	5 A Few Times A Year	6028	69.3	70.4	93.2
	6 Never	585	6.7	6.8	100.0
	Total	8559	98.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	138	1.6		
	Total	139	1.6		
		8698	100.0		

kn3129 C9j: Frequency child visits a swimming pool or sporting area

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly Every Day	27	.3	.3	.3
	2 2-5 Times A Week	858	9.9	10.0	10.3
	3 Once A Week	3434	39.5	40.0	50.3
	4 Once A Month	1983	22.8	23.1	73.4
	5 A Few Times A Year	2051	23.6	23.9	97.3
	6 Never	231	2.7	2.7	100.0
	Total	8584	98.7	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	2	.0		
	-1 No response	110	1.3		
	Total	114	1.3		
Total		8698	100.0		

KN File – Section C

kn3140 C10a: Frequency child allowed choice over foods : main meal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Can choose any food	1186	13.6	13.7	13.7
	2 Choice of few	4129	47.5	47.9	61.6
	3 An adult decides	3314	38.1	38.4	100.0
	Total	8629	99.2	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	67	.8		
	Total	69	.8		
Total		8698	100.0		

kn3141 C10b: Frequency child allowed choice over foods : snacks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Can choose any food	3545	40.8	41.8	41.8
	2 Choice of few	4277	49.2	50.4	92.2
	3 An adult decides	659	7.6	7.8	100.0
	Total	8481	97.5	100.0	
Missing	-1 No response	217	2.5		
Total		8698	100.0		

kn3150 C11: Frequency child plays with other children excluding siblings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every Day	5281	60.7	61.1	61.1
	2 2-6 Times A Week	2887	33.2	33.4	94.4
	3 Once A Week	355	4.1	4.1	98.5
	4 Less Than Once A Week	112	1.3	1.3	99.8
	5 Never	15	.2	.2	100.0
	Total	8650	99.4	100.0	
Missing	-1 No response	48	.6		
Total		8698	100.0		

kn3160 C12: Frequency child tells mother about activities after being apart for over an hour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	3083	35.4	35.7	35.7
	2 Yes Sometimes	5126	58.9	59.3	94.9
	3 Hardly Ever	407	4.7	4.7	99.7
	4 Never	30	.3	.3	100.0
	Total	8646	99.4	100.0	
Missing	-1 No response	52	.6		
Total		8698	100.0		

SECTION D: UPSETTING EVENTS

Below are listed some events that might upset some children. Please state whether any of these has happened in the last 15 months.

** We realise how sensitive and personal some of the following questions are but it is important to find out how frequently these events happen to children and what, if any, effect they have on them. As you know, answers you put in questionnaires are never linked back to your name and address.

In the last 15 months	Yes and he was very upset	Yes and he was quite upset	Yes and he was a bit upset	Yes but he wasn't upset	No did not happen
	1	2	3	4	5
D1. He was taken into care*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D2. A pet died	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D3. He moved home	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D4. He had a shock or fright*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D5. He was physically hurt by someone*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D6. He was sexually abused*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D7. He was separated from his mother	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D8. He was separated from his father	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D9. He acquired a new mother or father	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D10. He had a new brother or sister	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D11. He was admitted to hospital	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

KN File – Section D

PAGE 26 OF THE QUESTIONNAIRE

In the last 15 months	Yes and he was very upset	Yes and he was quite upset	Yes and he was a bit upset	Yes but he wasn't upset	No did not happen
	1	2	3	4	5
D12. He changed care taker (i.e. the person mostly looking after him)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D13. He was separated from someone else	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D14. He started a <u>new</u> nursery or kindergarten	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D15. He started school	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D16. Something else*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* If yes, to any items with a *, please write a description if you feel able to

.....

.....

Space for comments:

KN File – Section D

PAGE 27 OF THE QUESTIONNAIRE

[This page only contained a photograph.]

KN File – Section D

kn4000 D1: Child taken into care in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	4	.0	.0	.0
	2 Yes And Was Quite Upset	2	.0	.0	.1
	3 Yes And Was A Bit Upset	1	.0	.0	.1
	4 Yes But Was Not Upset	3	.0	.0	.1
	5 No Did Not Happen	8647	99.4	99.9	100.0
	Total	8657	99.5	100.0	
Missing	-1 No response	41	.5		
Total		8698	100.0		

kn4001 D2: Child's pet die in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	291	3.3	3.4	3.4
	2 Yes And Was Quite Upset	435	5.0	5.0	8.4
	3 Yes And Was A Bit Upset	857	9.9	9.9	18.3
	4 Yes But Was Not Upset	409	4.7	4.7	23.0
	5 No Did Not Happen	6662	76.6	77.0	100.0
	Total	8654	99.5	100.0	
Missing	-1 No response	44	.5		
Total		8698	100.0		

kn4002 D3: Child move home in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	36	.4	.4	.4
	2 Yes And Was Quite Upset	94	1.1	1.1	1.5
	3 Yes And Was A Bit Upset	283	3.3	3.3	4.8
	4 Yes But Was Not Upset	793	9.1	9.2	13.9
	5 No Did Not Happen	7450	85.7	86.1	100.0
	Total	8656	99.5	100.0	
Missing	-1 No response	42	.5		
Total		8698	100.0		

kn4003 D4: Child have a fright or shock in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	174	2.0	2.0	2.0
	2 Yes And Was Quite Upset	180	2.1	2.1	4.1
	3 Yes And Was A Bit Upset	206	2.4	2.4	6.5
	4 Yes But Was Not Upset	77	.9	.9	7.4
	5 No Did Not Happen	7995	91.9	92.6	100.0
	Total	8632	99.2	100.0	
Missing	-1 No response	66	.8		
Total		8698	100.0		

KN File – Section D

kn4004 D5: Child physically hurt by someone in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text, but no box ticked	1	.0	.0	.0
	1 Yes And Was Very Upset	48	.6	.6	.6
	2 Yes And Was Quite Upset	75	.9	.9	1.4
	3 Yes And Was A Bit Upset	116	1.3	1.3	2.8
	4 Yes But Was Not Upset	46	.5	.5	3.3
	5 No Did Not Happen	8365	96.2	96.7	100.0
	Total	8651	99.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	46	.5		
	Total	47	.5		
Total		8698	100.0		

kn4005 D6: Child sexually abused in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	8	.1	.1	.1
	2 Yes And Was Quite Upset	4	.0	.0	.1
	3 Yes And Was A Bit Upset	2	.0	.0	.2
	4 Yes But Was Not Upset	2	.0	.0	.2
	5 No Did Not Happen	8644	99.4	99.8	100.0
	Total	8660	99.6	100.0	
Missing	-1 No response	38	.4		
Total		8698	100.0		

kn4006 D7: Child separated from mother in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	45	.5	.5	.5
	2 Yes And Was Quite Upset	68	.8	.8	1.3
	3 Yes And Was A Bit Upset	164	1.9	1.9	3.2
	4 Yes But Was Not Upset	214	2.5	2.5	5.7
	5 No Did Not Happen	8158	93.8	94.3	100.0
	Total	8649	99.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	48	.6		
	Total	49	.6		
Total		8698	100.0		

kn4007 D8: Child separated from Father in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	90	1.0	1.0	1.0
	2 Yes And Was Quite Upset	151	1.7	1.8	2.8
	3 Yes And Was A Bit Upset	247	2.8	2.9	5.7
	4 Yes But Was Not Upset	301	3.5	3.5	9.2
	5 No Did Not Happen	7832	90.0	90.8	100.0
	Total	8621	99.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	76	.9		
	Total	77	.9		
Total		8698	100.0		

KN File – Section D

kn4008 D9: Child acquire new parent in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes And Was Quite Upset	8	.1	.1	.1
	3 Yes And Was A Bit Upset	18	.2	.2	.3
	4 Yes But Was Not Upset	89	1.0	1.0	1.3
	5 No Did Not Happen	8534	98.1	98.7	100.0
	Total	8649	99.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	48	.6		
	Total	49	.6		
Total		8698	100.0		

kn4009 D10: Child have a new brother or sister in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	12	.1	.1	.1
	2 Yes And Was Quite Upset	13	.1	.2	.3
	3 Yes And Was A Bit Upset	87	1.0	1.0	1.3
	4 Yes But Was Not Upset	705	8.1	8.1	9.4
	5 No Did Not Happen	7836	90.1	90.6	100.0
Missing	Total	8653	99.5	100.0	
	-1 No response	45	.5		
	Total	8698	100.0		

kn4010 D11: Child admitted to hospital in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	57	.7	.7	.7
	2 Yes And Was Quite Upset	93	1.1	1.1	1.7
	3 Yes And Was A Bit Upset	197	2.3	2.3	4.0
	4 Yes But Was Not Upset	273	3.1	3.2	7.2
	5 No Did Not Happen	8027	92.3	92.8	100.0
Missing	Total	8647	99.4	100.0	
	-8 Text response	1	.0		
	-1 No response	50	.6		
Total		8698	100.0		

kn4011 D12: Child's main carer change in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	11	.1	.1	.1
	2 Yes And Was Quite Upset	20	.2	.2	.4
	3 Yes And Was A Bit Upset	75	.9	.9	1.2
	4 Yes But Was Not Upset	186	2.1	2.2	3.4
	5 No Did Not Happen	8351	96.0	96.6	100.0
Missing	Total	8643	99.4	100.0	
	-1 No response	55	.6		
Total		8698	100.0		

KN File – Section D

kn4012 D13: Child separated from another person in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	44	.5	.5	.5
	2 Yes And Was Quite Upset	48	.6	.6	1.1
	3 Yes And Was A Bit Upset	118	1.4	1.4	2.4
	4 Yes But Was Not Upset	64	.7	.7	3.2
	5 No Did Not Happen	8353	96.0	96.8	100.0
	Total	8627	99.2	100.0	
Missing	-1 No response	71	.8		
	Total	8698	100.0		

kn4013 D14: Child start a new nursery in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	8	.1	.1	.1
	2 Yes And Was Quite Upset	20	.2	.2	.3
	3 Yes And Was A Bit Upset	60	.7	.7	1.0
	4 Yes But Was Not Upset	182	2.1	2.1	3.2
	5 No Did Not Happen	8212	94.4	96.8	100.0
	Total	8482	97.5	100.0	
Missing	-1 No response	216	2.5		
	Total	8698	100.0		

kn4014 D15: Child start school in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes And Was Very Upset	70	.8	.8	.8
	2 Yes And Was Quite Upset	149	1.7	1.7	2.6
	3 Yes And Was A Bit Upset	584	6.7	6.8	9.4
	4 Yes But Was Not Upset	3149	36.2	36.7	46.1
	5 No Did Not Happen	4628	53.2	53.9	100.0
	Total	8580	98.6	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	117	1.3		
	Total	118	1.4		
	Total	8698	100.0		

kn4015 D16: Something else happen to child in past 15 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text, but no box ticked	50	.6	.7	.7
	1 Yes And Was Very Upset	217	2.5	3.2	4.0
	2 Yes And Was Quite Upset	223	2.6	3.3	7.3
	3 Yes And Was A Bit Upset	261	3.0	3.9	11.2
	4 Yes But Was Not Upset	154	1.8	2.3	13.5
	5 No Did Not Happen	5815	66.9	86.5	100.0
Missing	Total	6720	77.3	100.0	
	-1 No response	1978	22.7		
	Total	8698	100.0		

SECTION E: ABILITIES AND DISABILITIES

Children in this study have a range of skills and abilities and some have a number of disabilities. These questions will enable us to get a picture of your child. Please answer each question. If you don't know the answer ask your child to try the task.

E1.		Yes, can do well	Yes, does but not very well	Has not yet done	Is unable to try this
a)	Is he is able to walk?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
b)	Is he able to stoop down and pick up something from the floor?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
c)	Is he able to run?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
d)	Can he jump forward with both feet together?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
e)	Can he walk on tiptoe?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
f)	Can he run on tiptoe?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
g)	Can he hop on one foot for 3 steps?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
h)	Can he walk backwards for 4 steps?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
i)	Can he stand on 1 foot for at least 8 seconds?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
j)	Can he walk upstairs, putting both feet on each step?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
k)	Can he walk upstairs, putting one foot on each step?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
l)	Can he walk downstairs, putting both feet on each step?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
m)	Can he walk downstairs, putting one foot on each step?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7

PAGE 29 OF THE QUESTIONNAIRE

E1.	Yes, can do well	Yes, does but not very well	Has not yet done	Is unable to try this
n) Can he run upstairs?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
o) Can he ride a tricycle?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
p) Can he ride a bicycle?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
q) Can he swim with waterwings?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
r) Can he swim without waterwings?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
s) Can he do a handstand against the wall?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
t) Can he skip with a skipping rope?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
u) Can he stand on his head?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
E2.				
a) Can he hold a pencil and scribble?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
b) Can he copy a vertical line with a pencil?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
c) Can he wiggle his thumb?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
d) Can he draw a circle (more or less)?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
e) Can he bang together two objects that he is holding?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
f) Can he draw (or copy) a cross?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7

PAGE 30 OF THE QUESTIONNAIRE

E2.	Yes, can do well	Yes, does but not very well	Has not yet done	Is unable to try this
g) Can he draw (or copy) a square?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
h) Can he write his name?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
i) Can he write any numbers?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
j) If you ask him to draw a man, what is the result likely to be?				
just a scribble	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	
a head, body and legs	<input type="checkbox"/> 4	<input type="checkbox"/> 5		
other (please describe)	<input type="checkbox"/> 6		

E3.	Yes, can do well	Yes, does but not very well	Has not yet done	Is unable to try this
a) Can he pick up a small object using finger and thumb only?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
b) Can he turn the pages of a book?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
c) Can he build a tower putting one object on top of another?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
d) Can he build a tower of 4 bricks?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
e) Can he build a tower of 6 bricks?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
f) Can he build a tower of 8 bricks?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
g) Can he put bricks together to make a bridge?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7

PAGE 31 OF THE QUESTIONNAIRE

E4.	Yes, can do well	Yes, does but not very well	Has not yet done	Is unable to try this
a) Does he show interest in pictures in books?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
b) Does he notice details in pictures and photographs?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
c) Can he recognise the colours red, yellow and blue?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
d) Can he recognise orange, brown and purple?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
e) Can he recognise his name when written?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
f) Does he know at least 3 letters of the alphabet?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
g) Does he know at least 10 letters of the alphabet?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
h) Can he read simple words ?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
i) Can he read a story with less than 10 words a page?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
j) Can he read a story with more than 10 words a page?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
k) Does he understand numbers 1 and 2?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
l) Does he understand numbers 3 and 4?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
m) Does he understand numbers 5 to 10?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
n) Can he count up to 20?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
o) Can he count up to 100?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7

PAGE 32 OF THE QUESTIONNAIRE

E5.	Yes, can do well	Yes, does but not very well	Has not yet done	Is unable to try this
a) Does he share his toys with other children?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
b) Does he share the toys of other children, understanding that they are not his?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
c) Does he feel sympathy for someone if they are hurt?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
d) Does he think of things to do to please you?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
e) Can he kick a large ball?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
f) Can he throw a small ball underarm?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
g) Can he throw a small ball overarm?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
h) Can he throw a ball against a wall and catch it?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
i) Does he take turns in a game without fuss?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
j) Can he play card games (e.g. snap) ?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
k) Can he play any board games (e.g. monopoly, snakes and ladders)?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
l) Does he play chess?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7

PAGE 33 OF THE QUESTIONNAIRE

E6.	Yes, can do well	Yes, does but not very well	Has not yet done	Is unable to try this
a) Does he drink from a cup or mug?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
b) Does he eat skilfully with a spoon?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
c) Does he eat with fork and spoon in each hand?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
d) Does he cut his food with a knife?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
e) Can he sit at table and cope with a whole meal without help?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
f) Can he wash and dry his hands on his own?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
g) Can he brush his teeth on his own?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
h) Can he get dressed without help?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
i) Can he get undressed without help?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
j) Can he do up buttons?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
k) Can he tie a bow?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
l) Can he brush and comb his hair?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7

PAGE 34 OF THE QUESTIONNAIRE

E7.	Yes, can do well	Yes, does but not very well	Has not yet done	Is unable to try this
a) Can he listen to a short story from start to finish?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
b) Can he understand instructions such as: 'Find the jumper that Granny gave you'?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
c) Does he sing songs (even if the words are not clear)?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
d) Does he talk clearly?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
e) Does he ask sensible questions?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
f) Can he carry on a conversation?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
g) Can he say at least 3 nursery rhymes?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
h) Can he sing at least 3 songs?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
i) Can he hum a tune?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7
j) Can he beat a rhythm by clapping hands in time to the music?	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 7

PAGE 35 OF THE QUESTIONNAIRE

E8.	Never	Sometimes	Often	Always
-----	-------	-----------	-------	--------

- a) Does he stumble or get stuck on words, or repeat them many times? (e.g. I I I I want a sweet)
- b) Is his voice hoarse or husky?
- c) Can you understand what he says?
- d) Can your family understand what he says?
- e) Can visitors to your house understand what he says?

E9. a) Does he prefer to use gestures (pointing or pulling) to get what he wants instead of asking?

Yes, still does

1
2
3

Yes, did in past, not now

1
2

No, never did

3

b) When he talks nowadays, what is the most words he can put together (e.g. "I want juice" would be 3 words).

one word 1

two words 2

3 or 4 words 3

5 - 8 words 4

9 or more words 5

does not talk at all 6

PAGE 36 OF THE QUESTIONNAIRE

E10. Some children enjoy talking and others do not.

Does your child:	Always	Sometimes	Never
a) talk a lot	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
b) stay mainly silent	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
c) seem to avoid looking at people's faces when he talks	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
d) echo what has just been said to him (e.g. you say; 'we are going out now' he says: 'going out now'.)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3

E11. a) Does your son have difficulty in pronouncing certain sounds (e.g. th, sss, t)?

Yes 1 No 2

b) If yes, please describe

E12. a) Are there any other languages apart from English spoken in your household?


Yes 1 No 2 → If no, go to E13 on page 37

If yes, please say which

.....


PAGE 37 OF THE QUESTIONNAIRE

E12. b) Is English the main language spoken?



Space for comments.

E13. Are you worried about any aspects of your child's growth and development?



KN File – Section E

PAGE 38 OF THE QUESTIONNAIRE

If yes, to any of these, please describe what worries you:

.....

.....

.....

This is confidential information, so we cannot make any response to what you put. If you are worried about your child's development we suggest you contact your family doctor or your health visitor.

KN File – Section E

kn5000 E1a: Child is able to walk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8624	99.1	99.6	99.6
	2 Yes But Not Very Well	22	.3	.3	99.9
	3 Has Not Done Yet	3	.0	.0	99.9
	7 Unable To Try This	7	.1	.1	100.0
	Total	8656	99.5	100.0	
Missing	-1 No response	42	.5		
Total		8698	100.0		

kn5001 E1b: Child is able to stoop down and pick up object from floor

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8629	99.2	99.7	99.7
	2 Yes But Not Very Well	14	.2	.2	99.9
	3 Has Not Done Yet	5	.1	.1	99.9
	7 Unable To Try This	5	.1	.1	100.0
	Total	8653	99.5	100.0	
Missing	-1 No response	45	.5		
Total		8698	100.0		

kn5002 E1c: Child is able to run

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8564	98.5	99.0	99.0
	2 Yes But Not Very Well	78	.9	.9	99.9
	3 Has Not Done Yet	3	.0	.0	99.9
	7 Unable To Try This	8	.1	.1	100.0
	Total	8653	99.5	100.0	
Missing	-1 No response	45	.5		
Total		8698	100.0		

kn5003 E1d: Child is able to jump forward with feet together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8537	98.1	98.8	98.8
	2 Yes But Not Very Well	81	.9	.9	99.8
	3 Has Not Done Yet	8	.1	.1	99.9
	7 Unable To Try This	12	.1	.1	100.0
	Total	8638	99.3	100.0	
Missing	-1 No response	60	.7		
Total		8698	100.0		

KN File – Section E

kn5004 E1e: Child is able to walk on tiptoe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8449	97.1	97.9	97.9
	2 Yes But Not Very Well	132	1.5	1.5	99.5
	3 Has Not Done Yet	32	.4	.4	99.8
	7 Unable To Try This	14	.2	.2	100.0
	Total	8627	99.2	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	67	.8		
	Total	71	.8		
Total		8698	100.0		

kn5005 E1f: Child is able to run on tiptoe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7873	90.5	92.1	92.1
	2 Yes But Not Very Well	450	5.2	5.3	97.4
	3 Has Not Done Yet	201	2.3	2.4	99.8
	7 Unable To Try This	21	.2	.2	100.0
	Total	8545	98.2	100.0	
Missing	-9 Don't know	7	.1		
	-1 No response	146	1.7		
	Total	153	1.8		
Total		8698	100.0		

kn5006 E1g: Child is able to hop on 1 foot for 3 steps

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8275	95.1	96.2	96.2
	2 Yes But Not Very Well	263	3.0	3.1	99.2
	3 Has Not Done Yet	49	.6	.6	99.8
	7 Unable To Try This	16	.2	.2	100.0
	Total	8603	98.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	94	1.1		
	Total	95	1.1		
Total		8698	100.0		

kn5007 E1h: Child is able to walk backwards for 4 steps

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8477	97.5	98.6	98.6
	2 Yes But Not Very Well	98	1.1	1.1	99.7
	3 Has Not Done Yet	15	.2	.2	99.9
	7 Unable To Try This	11	.1	.1	100.0
	Total	8601	98.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	96	1.1		
	Total	97	1.1		
Total		8698	100.0		

KN File – Section E

kn5008 E1i: Child is able to stand on 1 foot for 8 seconds

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7812	89.8	91.9	91.9
	2 Yes But Not Very Well	599	6.9	7.0	98.9
	3 Has Not Done Yet	78	.9	.9	99.8
	7 Unable To Try This	16	.2	.2	100.0
	Total	8505	97.8	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	190	2.2		
	Total	193	2.2		
Total		8698	100.0		

kn5009 E1j: Child is able to walk upstairs putting both feet on each step

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8416	96.8	98.5	98.5
	2 Yes But Not Very Well	79	.9	.9	99.4
	3 Has Not Done Yet	33	.4	.4	99.8
	7 Unable To Try This	15	.2	.2	100.0
	Total	8543	98.2	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	152	1.7		
	Total	155	1.8		
Total		8698	100.0		

kn5010 E1k: Child is able to walk upstairs putting one foot on each step

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8447	97.1	98.3	98.3
	2 Yes But Not Very Well	123	1.4	1.4	99.7
	3 Has Not Done Yet	14	.2	.2	99.9
	7 Unable To Try This	10	.1	.1	100.0
	Total	8594	98.8	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	102	1.2		
	Total	104	1.2		
Total		8698	100.0		

kn5011 E1l: Child is able to walk downstairs putting both feet on each step

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8412	96.7	98.4	98.4
	2 Yes But Not Very Well	92	1.1	1.1	99.5
	3 Has Not Done Yet	27	.3	.3	99.8
	7 Unable To Try This	15	.2	.2	100.0
	Total	8546	98.3	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	150	1.7		
	Total	152	1.7		
Total		8698	100.0		

KN File – Section E

kn5012 E1m: Child is able to walk downstairs putting one foot on each step

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8230	94.6	95.9	95.9
	2 Yes But Not Very Well	281	3.2	3.3	99.2
	3 Has Not Done Yet	55	.6	.6	99.9
	7 Unable To Try This	12	.1	.1	100.0
	Total	8578	98.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	118	1.4		
	Total	120	1.4		
Total		8698	100.0		

kn5013 E1n: Child is able to run upstairs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8283	95.2	96.0	96.0
	2 Yes But Not Very Well	236	2.7	2.7	98.7
	3 Has Not Done Yet	82	.9	1.0	99.7
	7 Unable To Try This	27	.3	.3	100.0
	Total	8628	99.2	100.0	
Missing	-1 No response	70	.8		
Total		8698	100.0		

kn5014 E1o: Child is able to ride a tricycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8288	95.3	96.4	96.4
	2 Yes But Not Very Well	148	1.7	1.7	98.2
	3 Has Not Done Yet	107	1.2	1.2	99.4
	7 Unable To Try This	52	.6	.6	100.0
	Total	8595	98.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	102	1.2		
	Total	103	1.2		
Total		8698	100.0		

kn5015 E1p: Child is able to ride a bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	5272	60.6	61.1	61.1
	2 Yes But Not Very Well	1739	20.0	20.2	81.2
	3 Has Not Done Yet	1561	17.9	18.1	99.3
	7 Unable To Try This	58	.7	.7	100.0
	Total	8630	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	67	.8		
	Total	68	.8		
Total		8698	100.0		

KN File – Section E

kn5016 E1q: Child is able to swim with waterwings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	6461	74.3	76.5	76.5
	2 Yes But Not Very Well	1248	14.3	14.8	91.3
	3 Has Not Done Yet	670	7.7	7.9	99.2
	7 Unable To Try This	68	.8	.8	100.0
	Total	8447	97.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	250	2.9		
	Total	251	2.9		
Total		8698	100.0		

kn5017 E1r: Child is able to swim without waterwings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	2718	31.2	31.5	31.5
	2 Yes But Not Very Well	2189	25.2	25.4	56.9
	3 Has Not Done Yet	3451	39.7	40.0	97.0
	7 Unable To Try This	262	3.0	3.0	100.0
	Total	8620	99.1	100.0	
Missing	-1 No response	78	.9		
	Total	8698	100.0		

kn5018 E1s: Child is able to do handstand against a wall

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	1046	12.0	12.3	12.3
	2 Yes But Not Very Well	1590	18.3	18.7	30.9
	3 Has Not Done Yet	5563	64.0	65.3	96.2
	7 Unable To Try This	323	3.7	3.8	100.0
	Total	8522	98.0	100.0	
Missing	-9 Don't know	8	.1		
	-1 No response	168	1.9		
	Total	176	2.0		
Total		8698	100.0		

kn5019 E1t: Child is able to skip with skipping rope

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	2498	28.7	29.1	29.1
	2 Yes But Not Very Well	3707	42.6	43.2	72.3
	3 Has Not Done Yet	2273	26.1	26.5	98.8
	7 Unable To Try This	101	1.2	1.2	100.0
	Total	8579	98.6	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	116	1.3		
	Total	119	1.4		
Total		8698	100.0		

KN File – Section E

kn5020 E1u: Child is able to stand on head

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	1163	13.4	13.7	13.7
	2 Yes But Not Very Well	2132	24.5	25.0	38.7
	3 Has Not Done Yet	4955	57.0	58.2	96.9
	7 Unable To Try This	264	3.0	3.1	100.0
	Total	8514	97.9	100.0	
Missing	-9 Don't know	6	.1		
	-1 No response	178	2.0		
	Total	184	2.1		
Total		8698	100.0		

KN File – Section E

kn5030 E2a: Child is able to holds a pencil and scribble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8601	98.9	99.4	99.4
	2 Yes But Not Very Well	50	.6	.6	100.0
	3 Has Not Done Yet	2	.0	.0	100.0
	7 Unable To Try This	2	.0	.0	100.0
	Total	8655	99.5	100.0	
Missing	-1 No response	43	.5		
	Total	8698	100.0		

kn5031 E2b: Child is able to copy a vertical line with a pencil

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8448	97.1	97.8	97.8
	2 Yes But Not Very Well	178	2.0	2.1	99.8
	3 Has Not Done Yet	8	.1	.1	99.9
	7 Unable To Try This	8	.1	.1	100.0
	Total	8642	99.4	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	54	.6		
	Total	56	.6		
	Total	8698	100.0		

kn5032 E2c: Child is able to wiggles thumb

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8426	96.9	98.5	98.5
	2 Yes But Not Very Well	84	1.0	1.0	99.5
	3 Has Not Done Yet	39	.4	.5	99.9
	7 Unable To Try This	8	.1	.1	100.0
	Total	8557	98.4	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	136	1.6		
	Total	141	1.6		
	Total	8698	100.0		

kn5033 E2d: Child is able to draw a circle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8482	97.5	98.2	98.2
	2 Yes But Not Very Well	145	1.7	1.7	99.8
	3 Has Not Done Yet	6	.1	.1	99.9
	7 Unable To Try This	8	.1	.1	100.0
	Total	8641	99.3	100.0	
Missing	-1 No response	57	.7		
	Total	8698	100.0		

KN File – Section E

kn5034 E2e: Child is able to bang two objects together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8625	99.2	99.7	99.7
	2 Yes But Not Very Well	21	.2	.2	99.9
	7 Unable To Try This	5	.1	.1	100.0
	Total	8651	99.5	100.0	
Missing	-1 No response	47	.5		
	Total	8698	100.0		

kn5035 E2f: Child is able to draw a cross

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8481	97.5	98.2	98.2
	2 Yes But Not Very Well	134	1.5	1.6	99.7
	3 Has Not Done Yet	15	.2	.2	99.9
	7 Unable To Try This	8	.1	.1	100.0
	Total	8638	99.3	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	58	.7		
	Total	60	.7		
	Total	8698	100.0		

kn5036 E2g: Child is able to draw a square

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8232	94.6	95.6	95.6
	2 Yes But Not Very Well	347	4.0	4.0	99.6
	3 Has Not Done Yet	26	.3	.3	99.9
	7 Unable To Try This	10	.1	.1	100.0
	Total	8615	99.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	82	.9		
	Total	83	1.0		
	Total	8698	100.0		

kn5037 E2h: Child is able to write own name

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8384	96.4	96.9	96.9
	2 Yes But Not Very Well	235	2.7	2.7	99.6
	3 Has Not Done Yet	25	.3	.3	99.9
	7 Unable To Try This	10	.1	.1	100.0
	Total	8654	99.5	100.0	
Missing	-1 No response	44	.5		
	Total	8698	100.0		

KN File – Section E

kn5038 E2i: Child is able to write numbers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8204	94.3	94.9	94.9
	2 Yes But Not Very Well	395	4.5	4.6	99.4
	3 Has Not Done Yet	41	.5	.5	99.9
	7 Unable To Try This	9	.1	.1	100.0
	Total	8649	99.4	100.0	
Missing	-1 No response	49	.6		
	Total	8698	100.0		

kn5039 E2j: Likely result of child's attempt to draw a man

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Just A Scribble	48	.6	.6	.6
	2 A Head And Not Much Else	116	1.3	1.4	1.9
	3 A Head And Body	141	1.6	1.7	3.6
	4 Head, Body And Legs	163	1.9	1.9	5.5
	5 Head,Body,Arms,Legs	6577	75.6	77.3	82.8
	6 Other	1467	16.9	17.2	100.0
	Total	8512	97.9	100.0	
Missing	-1 No response	186	2.1		
	Total	8698	100.0		

KN File – Section E

kn5050 E3a: Child is able to pick up a small object using finger and thumb only

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8576	98.6	99.3	99.3
	2 Yes But Not Very Well	47	.5	.5	99.9
	3 Has Not Done Yet	6	.1	.1	99.9
	7 Unable To Try This	5	.1	.1	100.0
	Total	8634	99.3	100.0	
Missing	-1 No response	64	.7		
	Total	8698	100.0		

kn5051 E3b: Child is able to turn the pages of a book

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8623	99.1	99.7	99.7
	2 Yes But Not Very Well	28	.3	.3	100.0
	7 Unable To Try This	2	.0	.0	100.0
	Total	8653	99.5	100.0	
	Missing	-1 No response	.5		
	Total	8698	100.0		

kn5052 E3c: Child is able to build tower of objects on top of each other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8623	99.1	99.8	99.8
	2 Yes But Not Very Well	12	.1	.1	99.9
	3 Has Not Done Yet	2	.0	.0	99.9
	7 Unable To Try This	5	.1	.1	100.0
	Total	8642	99.4	100.0	
Missing	-1 No response	56	.6		
	Total	8698	100.0		

kn5053 E3d: Child is able to build a tower of 4 bricks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8624	99.1	99.8	99.8
	2 Yes But Not Very Well	6	.1	.1	99.9
	3 Has Not Done Yet	4	.0	.0	99.9
	7 Unable To Try This	6	.1	.1	100.0
	Total	8640	99.3	100.0	
Missing	-1 No response	58	.7		
	Total	8698	100.0		

KN File – Section E

kn5054 E3e: Child is able to build a tower of 6 bricks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8580	98.6	99.5	99.5
	2 Yes But Not Very Well	34	.4	.4	99.8
	3 Has Not Done Yet	7	.1	.1	99.9
	7 Unable To Try This	6	.1	.1	100.0
	Total	8627	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	70	.8		
	Total	71	.8		
Total		8698	100.0		

kn5055 E3f: Child is able to build a tower of 8 bricks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8394	96.5	97.6	97.6
	2 Yes But Not Very Well	171	2.0	2.0	99.6
	3 Has Not Done Yet	26	.3	.3	99.9
	7 Unable To Try This	9	.1	.1	100.0
	Total	8600	98.9	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	95	1.1		
	Total	98	1.1		
Total		8698	100.0		

kn5056 E3g: Child is able to make a bridge by putting bricks together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7705	88.6	90.6	90.6
	2 Yes But Not Very Well	418	4.8	4.9	95.5
	3 Has Not Done Yet	358	4.1	4.2	99.7
	7 Unable To Try This	27	.3	.3	100.0
	Total	8508	97.8	100.0	
Missing	-9 Don't know	12	.1		
	-8 Text response	1	.0		
	-1 No response	177	2.0		
	Total	190	2.2		
Total		8698	100.0		

KN File – Section E

kn5060 E4a: Child shows interest in pictures

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8579	98.6	99.2	99.2
	2 Yes But Not Very Well	69	.8	.8	100.0
	7 Unable To Try This	3	.0	.0	100.0
	Total	8651	99.5	100.0	
Missing	-1 No response	47	.5		
	Total	8698	100.0		

kn5061 E4b: Child notices details in pictures and photographs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8496	97.7	98.4	98.4
	2 Yes But Not Very Well	124	1.4	1.4	99.9
	3 Has Not Done Yet	6	.1	.1	99.9
	7 Unable To Try This	6	.1	.1	100.0
	Total	8632	99.2	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	64	.7		
	Total	66	.8		
	Total	8698	100.0		

kn5062 E4c: Child recognises red yellow and blue

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8585	98.7	99.3	99.3
	2 Yes But Not Very Well	44	.5	.5	99.8
	3 Has Not Done Yet	7	.1	.1	99.9
	7 Unable To Try This	6	.1	.1	100.0
	Total	8642	99.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	55	.6		
	Total	56	.6		
	Total	8698	100.0		

kn5063 E4d: Child recognises orange brown and purple

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8465	97.3	98.2	98.2
	2 Yes But Not Very Well	122	1.4	1.4	99.6
	3 Has Not Done Yet	21	.2	.2	99.9
	7 Unable To Try This	10	.1	.1	100.0
	Total	8618	99.1	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	76	.9		
	Total	80	.9		
	Total	8698	100.0		

KN File – Section E

kn5064 E4e: Child recognises own name when written

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8613	99.0	99.6	99.6
	2 Yes But Not Very Well	24	.3	.3	99.9
	3 Has Not Done Yet	7	.1	.1	100.0
	7 Unable To Try This	4	.0	.0	100.0
	Total	8648	99.4	100.0	
Missing	-1 No response	50	.6		
	Total	8698	100.0		

kn5065 E4f: Child knows 3 or more letters of the alphabet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8571	98.5	99.2	99.2
	2 Yes But Not Very Well	43	.5	.5	99.7
	3 Has Not Done Yet	18	.2	.2	99.9
	7 Unable To Try This	8	.1	.1	100.0
	Total	8640	99.3	100.0	
Missing	-1 No response	58	.7		
	Total	8698	100.0		

kn5066 E4g: Child knows 10 or more letters of the alphabet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8338	95.9	96.7	96.7
	2 Yes But Not Very Well	192	2.2	2.2	98.9
	3 Has Not Done Yet	84	1.0	1.0	99.9
	7 Unable To Try This	11	.1	.1	100.0
	Total	8625	99.2	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	70	.8		
	Total	73	.8		
	Total	8698	100.0		

kn5067 E4h: Child reads simple words

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8181	94.1	94.7	94.7
	2 Yes But Not Very Well	350	4.0	4.1	98.8
	3 Has Not Done Yet	92	1.1	1.1	99.8
	7 Unable To Try This	14	.2	.2	100.0
	Total	8637	99.3	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	1	.0		
	-1 No response	58	.7		
	Total	61	.7		
	Total	8698	100.0		

KN File – Section E

kn5068 E4i: Child reads a story with under 10 words per page

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7345	84.4	85.3	85.3
	2 Yes But Not Very Well	856	9.8	9.9	95.2
	3 Has Not Done Yet	381	4.4	4.4	99.6
	7 Unable To Try This	31	.4	.4	100.0
	Total	8613	99.0	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	1	.0		
	-1 No response	82	.9		
	Total	85	1.0		
Total		8698	100.0		

kn5069 E4j: Child reads a story with over 10 words per page

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	5569	64.0	64.8	64.8
	2 Yes But Not Very Well	1767	20.3	20.6	85.4
	3 Has Not Done Yet	1196	13.8	13.9	99.3
	7 Unable To Try This	57	.7	.7	100.0
	Total	8589	98.7	100.0	
Missing	-9 Don't know	4	.0		
	-8 Text response	1	.0		
	-1 No response	104	1.2		
	Total	109	1.3		
Total		8698	100.0		

kn5070 E4k: Child understands numbers 1 and 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8581	98.7	99.4	99.4
	2 Yes But Not Very Well	36	.4	.4	99.8
	3 Has Not Done Yet	9	.1	.1	99.9
	7 Unable To Try This	6	.1	.1	100.0
	Total	8632	99.2	100.0	
Missing	-1 No response	66	.8		
Total		8698	100.0		

kn5071 E4l: Child understands numbers 3 and 4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8558	98.4	99.1	99.1
	2 Yes But Not Very Well	66	.8	.8	99.8
	3 Has Not Done Yet	10	.1	.1	99.9
	7 Unable To Try This	5	.1	.1	100.0
	Total	8639	99.3	100.0	
Missing	-1 No response	59	.7		
Total		8698	100.0		

KN File – Section E

kn5072 E4m: Child understands numbers 5 to 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8446	97.1	97.8	97.8
	2 Yes But Not Very Well	143	1.6	1.7	99.4
	3 Has Not Done Yet	39	.4	.5	99.9
	7 Unable To Try This	9	.1	.1	100.0
	Total	8637	99.3	100.0	
Missing	-1 No response	61	.7		
	Total	8698	100.0		

kn5073 E4n: Child can count to 20

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8166	93.9	94.5	94.5
	2 Yes But Not Very Well	370	4.3	4.3	98.8
	3 Has Not Done Yet	88	1.0	1.0	99.8
	7 Unable To Try This	16	.2	.2	100.0
	Total	8640	99.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	57	.7		
	Total	58	.7		
	Total	8698	100.0		

kn5074 E4o: Child can count to 100

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	4183	48.1	48.6	48.6
	2 Yes But Not Very Well	2473	28.4	28.7	77.3
	3 Has Not Done Yet	1885	21.7	21.9	99.1
	7 Unable To Try This	74	.9	.9	100.0
	Total	8615	99.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	81	.9		
	Total	83	1.0		
	Total	8698	100.0		

KN File – Section E

kn5080 E5a: Child shares own toys with other children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7804	89.7	90.3	90.3
	2 Yes But Not Very Well	827	9.5	9.6	99.9
	3 Has Not Done Yet	5	.1	.1	99.9
	7 Unable To Try This	7	.1	.1	100.0
	Total	8643	99.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	54	.6		
	Total	55	.6		
Total		8698	100.0		

kn5081 E5b: Child shares other childrens toys understanding they are not child's own

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8214	94.4	95.1	95.1
	2 Yes But Not Very Well	405	4.7	4.7	99.8
	3 Has Not Done Yet	10	.1	.1	99.9
	7 Unable To Try This	5	.1	.1	100.0
	Total	8634	99.3	100.0	
Missing	-1 No response	64	.7		
	Total	8698	100.0		

kn5082 E5c: Child feels sympathy for someone who is hurt

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8164	93.9	94.6	94.6
	2 Yes But Not Very Well	422	4.9	4.9	99.5
	3 Has Not Done Yet	35	.4	.4	99.9
	7 Unable To Try This	8	.1	.1	100.0
	Total	8629	99.2	100.0	
Missing	-1 No response	69	.8		
	Total	8698	100.0		

kn5083 E5d: Child thinks of things to do to please mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7813	89.8	90.9	90.9
	2 Yes But Not Very Well	648	7.4	7.5	98.5
	3 Has Not Done Yet	120	1.4	1.4	99.9
	7 Unable To Try This	12	.1	.1	100.0
	Total	8593	98.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	104	1.2		
	Total	105	1.2		
Total		8698	100.0		

KN File – Section E

kn5084 E5e: Child kicks a large ball

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8424	96.8	97.5	97.5
	2 Yes But Not Very Well	212	2.4	2.5	99.9
	3 Has Not Done Yet	1	.0	.0	99.9
	7 Unable To Try This	7	.1	.1	100.0
	Total	8644	99.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	53	.6		
	Total	54	.6		
Total		8698	100.0		

kn5085 E5f: Child throws a small ball underarm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7955	91.5	92.8	92.8
	2 Yes But Not Very Well	541	6.2	6.3	99.1
	3 Has Not Done Yet	68	.8	.8	99.9
	7 Unable To Try This	5	.1	.1	100.0
	Total	8569	98.5	100.0	
Missing	-9 Don't know	6	.1		
	-1 No response	123	1.4		
	Total	129	1.5		
Total		8698	100.0		

kn5086 E5g: Child throws a small ball overarm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	6535	75.1	76.5	76.5
	2 Yes But Not Very Well	1462	16.8	17.1	93.7
	3 Has Not Done Yet	533	6.1	6.2	99.9
	7 Unable To Try This	7	.1	.1	100.0
	Total	8537	98.1	100.0	
Missing	-9 Don't know	6	.1		
	-1 No response	155	1.8		
	Total	161	1.9		
Total		8698	100.0		

kn5087 E5h: Child is able to throw a ball against a wall and catch it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	3213	36.9	38.0	38.0
	2 Yes But Not Very Well	3674	42.2	43.5	81.5
	3 Has Not Done Yet	1530	17.6	18.1	99.6
	7 Unable To Try This	30	.3	.4	100.0
	Total	8447	97.1	100.0	
Missing	-9 Don't know	9	.1		
	-1 No response	242	2.8		
	Total	251	2.9		
Total		8698	100.0		

KN File – Section E

kn5088 E5i: Child takes turns in a game without fuss

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	6191	71.2	72.0	72.0
	2 Yes But Not Very Well	2356	27.1	27.4	99.3
	3 Has Not Done Yet	47	.5	.5	99.9
	7 Unable To Try This	9	.1	.1	100.0
	Total	8603	98.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	93	1.1		
	Total	95	1.1		
Total		8698	100.0		

kn5089 E5j: Child plays card games

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	6948	79.9	80.5	80.5
	2 Yes But Not Very Well	1289	14.8	14.9	95.5
	3 Has Not Done Yet	368	4.2	4.3	99.7
	7 Unable To Try This	22	.3	.3	100.0
	Total	8627	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	70	.8		
	Total	71	.8		
Total		8698	100.0		

kn5090 E5k: Child plays board games

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	6524	75.0	75.6	75.6
	2 Yes But Not Very Well	1677	19.3	19.4	95.0
	3 Has Not Done Yet	406	4.7	4.7	99.7
	7 Unable To Try This	26	.3	.3	100.0
	Total	8633	99.3	100.0	
Missing	-9 Don't know	3	.0		
	-8 Text response	1	.0		
	-1 No response	61	.7		
	Total	65	.7		
Total		8698	100.0		

kn5091 E5l: Child plays chess

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	203	2.3	2.4	2.4
	2 Yes But Not Very Well	812	9.3	9.4	11.8
	3 Has Not Done Yet	7110	81.7	82.3	94.1
	7 Unable To Try This	511	5.9	5.9	100.0
	Total	8636	99.3	100.0	
Missing	-1 No response	62	.7		
	Total	8698	100.0		

KN File – Section E

kn5100 E6a: Child drinks from a cup or mug

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8615	99.0	99.6	99.6
	2 Yes But Not Very Well	24	.3	.3	99.9
	3 Has Not Done Yet	8	.1	.1	100.0
	7 Unable To Try This	2	.0	.0	100.0
	Total	8649	99.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	48	.6		
	Total	49	.6		
Total		8698	100.0		

kn5101 E6b: Child eats skilfully with a spoon

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8514	97.9	98.6	98.6
	2 Yes But Not Very Well	116	1.3	1.3	99.9
	3 Has Not Done Yet	3	.0	.0	100.0
	7 Unable To Try This	4	.0	.0	100.0
	Total	8637	99.3	100.0	
Missing	-1 No response	61	.7		
Total		8698	100.0		

kn5102 E6c: Child eats with fork and spoon in each hand

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7718	88.7	91.2	91.2
	2 Yes But Not Very Well	543	6.2	6.4	97.6
	3 Has Not Done Yet	185	2.1	2.2	99.8
	7 Unable To Try This	19	.2	.2	100.0
	Total	8465	97.3	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	2	.0		
	-1 No response	230	2.6		
	Total	233	2.7		
Total		8698	100.0		

kn5103 E6d: Child cuts food with a knife

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	5594	64.3	64.8	64.8
	2 Yes But Not Very Well	2848	32.7	33.0	97.7
	3 Has Not Done Yet	183	2.1	2.1	99.8
	7 Unable To Try This	13	.1	.2	100.0
	Total	8638	99.3	100.0	
Missing	-1 No response	60	.7		
Total		8698	100.0		

KN File – Section E

kn5104 E6e: Child sits at table and cope with a whole meal without help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7377	84.8	85.4	85.4
	2 Yes But Not Very Well	1170	13.5	13.5	99.0
	3 Has Not Done Yet	79	.9	.9	99.9
	7 Unable To Try This	9	.1	.1	100.0
	Total	8635	99.3	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	61	.7		
	Total	63	.7		
Total		8698	100.0		

kn5105 E6f: Child washes and dry hands on own

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8444	97.1	97.6	97.6
	2 Yes But Not Very Well	192	2.2	2.2	99.8
	3 Has Not Done Yet	13	.1	.2	99.9
	7 Unable To Try This	6	.1	.1	100.0
	Total	8655	99.5	100.0	
Missing	-1 No response	43	.5		
Total		8698	100.0		

kn5106 E6g: Child brushes teeth on own

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7800	89.7	90.2	90.2
	2 Yes But Not Very Well	782	9.0	9.0	99.2
	3 Has Not Done Yet	61	.7	.7	99.9
	7 Unable To Try This	8	.1	.1	100.0
	Total	8651	99.5	100.0	
Missing	-1 No response	47	.5		
Total		8698	100.0		

kn5107 E6h: Child gets dressed without help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8032	92.3	92.8	92.8
	2 Yes But Not Very Well	575	6.6	6.6	99.5
	3 Has Not Done Yet	34	.4	.4	99.9
	7 Unable To Try This	11	.1	.1	100.0
	Total	8652	99.5	100.0	
Missing	-1 No response	46	.5		
Total		8698	100.0		

KN File – Section E

kn5108 E6i: Child gets undressed without help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8406	96.6	97.2	97.2
	2 Yes But Not Very Well	216	2.5	2.5	99.7
	3 Has Not Done Yet	22	.3	.3	99.9
	7 Unable To Try This	8	.1	.1	100.0
	Total	8652	99.5	100.0	
Missing	-1 No response	46	.5		
	Total	8698	100.0		

kn5109 E6j: Child does up buttons

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7545	86.7	87.3	87.3
	2 Yes But Not Very Well	985	11.3	11.4	98.6
	3 Has Not Done Yet	99	1.1	1.1	99.8
	7 Unable To Try This	18	.2	.2	100.0
	Total	8647	99.4	100.0	
Missing	-1 No response	51	.6		
	Total	8698	100.0		

kn5110 E6k: Child ties a bow

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	2654	30.5	30.7	30.7
	2 Yes But Not Very Well	2128	24.5	24.7	55.4
	3 Has Not Done Yet	3732	42.9	43.2	98.6
	7 Unable To Try This	117	1.3	1.4	100.0
	Total	8631	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	66	.8		
	Total	67	.8		
	Total	8698	100.0		

kn5111 E6l: Child brushes and comb own hair

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	6642	76.4	76.9	76.9
	2 Yes But Not Very Well	1803	20.7	20.9	97.7
	3 Has Not Done Yet	173	2.0	2.0	99.7
	7 Unable To Try This	24	.3	.3	100.0
	Total	8642	99.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	55	.6		
	Total	56	.6		
	Total	8698	100.0		

KN File – Section E

kn5120 E7a: Child listens to a short story from start to finish

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8475	97.4	97.9	97.9
	2 Yes But Not Very Well	175	2.0	2.0	99.9
	3 Has Not Done Yet	7	.1	.1	100.0
	7 Unable To Try This	1	.0	.0	100.0
	Total	8658	99.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	39	.4		
	Total	40	.5		
Total		8698	100.0		

kn5121 E7b: Child understands instructions like 'Find the jumper that Granny gave you'

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8514	97.9	98.4	98.4
	2 Yes But Not Very Well	105	1.2	1.2	99.6
	3 Has Not Done Yet	23	.3	.3	99.9
	7 Unable To Try This	8	.1	.1	100.0
	Total	8650	99.4	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	46	.5		
	Total	48	.6		
Total		8698	100.0		

kn5122 E7c: Child sings songs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8525	98.0	98.5	98.5
	2 Yes But Not Very Well	117	1.3	1.4	99.8
	3 Has Not Done Yet	6	.1	.1	99.9
	7 Unable To Try This	7	.1	.1	100.0
	Total	8655	99.5	100.0	
Missing	-1 No response	43	.5		
Total		8698	100.0		

kn5123 E7d: Child talks clearly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8336	95.8	96.4	96.4
	2 Yes But Not Very Well	290	3.3	3.4	99.7
	3 Has Not Done Yet	14	.2	.2	99.9
	7 Unable To Try This	11	.1	.1	100.0
	Total	8651	99.5	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	46	.5		
	Total	47	.5		
Total		8698	100.0		

KN File – Section E

kn5124 E7e: Child asks sensible questions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8444	97.1	97.7	97.7
	2 Yes But Not Very Well	170	2.0	2.0	99.6
	3 Has Not Done Yet	20	.2	.2	99.9
	7 Unable To Try This	12	.1	.1	100.0
	Total	8646	99.4	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	50	.6		
	Total	52	.6		
Total		8698	100.0		

kn5125 E7f: Child carries on a conversation

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8452	97.2	97.7	97.7
	2 Yes But Not Very Well	163	1.9	1.9	99.6
	3 Has Not Done Yet	17	.2	.2	99.8
	7 Unable To Try This	16	.2	.2	100.0
	Total	8648	99.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	49	.6		
	Total	50	.6		
Total		8698	100.0		

kn5126 E7g: Child says at least 3 nursery rhymes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8307	95.5	96.4	96.4
	2 Yes But Not Very Well	238	2.7	2.8	99.1
	3 Has Not Done Yet	64	.7	.7	99.9
	7 Unable To Try This	12	.1	.1	100.0
	Total	8621	99.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	75	.9		
	Total	77	.9		
Total		8698	100.0		

kn5127 E7h: Child sings at least 3 songs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8158	93.8	94.6	94.6
	2 Yes But Not Very Well	390	4.5	4.5	99.1
	3 Has Not Done Yet	70	.8	.8	99.9
	7 Unable To Try This	10	.1	.1	100.0
	Total	8628	99.2	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	67	.8		
	Total	70	.8		
Total		8698	100.0		

KN File – Section E

kn5128 E7i: Child hums atune

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	8005	92.0	92.8	92.8
	2 Yes But Not Very Well	439	5.0	5.1	97.9
	3 Has Not Done Yet	168	1.9	1.9	99.9
	7 Unable To Try This	11	.1	.1	100.0
	Total	8623	99.1	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	72	.8		
	Total	75	.9		
Total		8698	100.0		

kn5129 E7j: Child beats a rhythm by clapping in time to music

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Can Do Well	7500	86.2	87.4	87.4
	2 Yes But Not Very Well	817	9.4	9.5	97.0
	3 Has Not Done Yet	246	2.8	2.9	99.8
	7 Unable To Try This	15	.2	.2	100.0
	Total	8578	98.6	100.0	
Missing	-9 Don't know	10	.1		
	-1 No response	110	1.3		
	Total	120	1.4		
Total		8698	100.0		

KN File – Section E

kn5140 E8a: Child stumbles over, get stuck on or repeat words

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6548	75.3	75.8	75.8
	2 Sometimes	1921	22.1	22.3	98.1
	3 Often	137	1.6	1.6	99.7
	7 Always	27	.3	.3	100.0
	Total	8633	99.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	64	.7		
	Total	65	.7		
Total		8698	100.0		

kn5141 E8b: Child's voice is hoarse or husky

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	7134	82.0	82.8	82.8
	2 Sometimes	1325	15.2	15.4	98.2
	3 Often	82	.9	1.0	99.1
	7 Always	75	.9	.9	100.0
	Total	8616	99.1	100.0	
Missing	-8 Text response	3	.0		
	-1 No response	79	.9		
	Total	82	.9		
Total		8698	100.0		

kn5142 E8c: Parent understands what child says

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	727	8.4	8.4	8.4
	2 Sometimes	73	.8	.8	9.3
	3 Often	433	5.0	5.0	14.3
	7 Always	7405	85.1	85.7	100.0
	Total	8638	99.3	100.0	
Missing	-1 No response	60	.7		
Total		8698	100.0		

kn5143 E8d: Family understands what child says

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	728	8.4	8.4	8.4
	2 Sometimes	144	1.7	1.7	10.1
	3 Often	699	8.0	8.1	18.2
	7 Always	7071	81.3	81.8	100.0
	Total	8642	99.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	55	.6		
	Total	56	.6		
Total		8698	100.0		

KN File – Section E

kn5144 E8e: Visitors understands what child says

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	712	8.2	8.2	8.2
	2 Sometimes	234	2.7	2.7	10.9
	3 Often	872	10.0	10.1	21.0
	7 Always	6831	78.5	79.0	100.0
	Total	8649	99.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	48	.6		
	Total	49	.6		
Total		8698	100.0		

kn5150 E9a: Child prefer to use gestures rather than words

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Still Does	246	2.8	2.8	2.8
	2 Did In Past Not Now	3012	34.6	34.9	37.7
	3 No Never Did	5379	61.8	62.3	100.0
	Total	8637	99.3	100.0	
	Missing				
Missing	-1 No response	61	.7		
	Total	8698	100.0		

kn5151 E9b: Number of words child can put together in one utterance

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 One Word	6	.1	.1	.1
	2 Two Words	3	.0	.0	.1
	3 3 Or 4 Words	45	.5	.5	.6
	4 5 To 8 Words	267	3.1	3.1	3.7
	5 9 Or More Words	8309	95.5	96.2	99.9
	6 Does Not Talk At All	11	.1	.1	100.0
	Total	8641	99.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	56	.6		
	Total	57	.7		
Total		8698	100.0		

KN File – Section E

kn5160 E10a: Child talks a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	6844	78.7	79.2	79.2
	2 Sometimes	1771	20.4	20.5	99.7
	3 Never	27	.3	.3	100.0
	Total	8642	99.4	100.0	
Missing	-1 No response	56	.6		
	Total	8698	100.0		

kn5161 E10b: Child stays mainly silent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	23	.3	.3	.3
	2 Sometimes	1605	18.5	19.9	20.2
	3 Never	6433	74.0	79.8	100.0
	Total	8061	92.7	100.0	
Missing	-1 No response	637	7.3		
	Total	8698	100.0		

kn5162 E10c: Child avoids looking at faces when talking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	168	1.9	2.1	2.1
	2 Sometimes	1889	21.7	23.1	25.2
	3 Never	6108	70.2	74.8	100.0
	Total	8165	93.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	531	6.1		
	Total	533	6.1		
	Total	8698	100.0		

kn5163 E10d: Child echoes what has been said

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	98	1.1	1.2	1.2
	2 Sometimes	1825	21.0	22.5	23.7
	3 Never	6203	71.3	76.3	100.0
	Total	8126	93.4	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	570	6.6		
	Total	572	6.6		
	Total	8698	100.0		

kn5170 E11a: Child has difficulty pronouncing certain sounds

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1739	20.0	20.3	20.3
	2 No	6848	78.7	79.7	100.0
	Total	8587	98.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	110	1.3		
	Total	111	1.3		
	Total	8698	100.0		

KN File – Section E

kn5180 E12a: Languages other than English spoken in household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	403	4.6	4.7	4.7
	2 No	8185	94.1	95.3	100.0
	Total	8588	98.7	100.0	
Missing	-1 No response	110	1.3		
Total		8698	100.0		

kn5182 E12b1: Main language spoken by child's mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 English Is The Main Language	1768	20.3	93.9	93.9
	2 Both English And Another Language Equally	66	.8	3.5	97.4
	3 Other Main Language	48	.6	2.6	100.0
	Total	1882	21.6	100.0	
Missing	-1 No response	6816	78.4		
Total		8698	100.0		

kn5183 E12b2: Main language spoken by study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 English Is The Main Language	1763	20.3	96.4	96.4
	2 Both English And Another Language Equally	43	.5	2.4	98.8
	3 Other Main Language	22	.3	1.2	100.0
	Total	1828	21.0	100.0	
Missing	-1 No response	6870	79.0		
Total		8698	100.0		

kn5184 E12b3: Main language spoken by partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 English Is The Main Language	1625	18.7	92.8	92.8
	2 Both English And Another Language Equally	60	.7	3.4	96.2
	3 Other Main Language	40	.5	2.3	98.5
	7 No Such Person	27	.3	1.5	100.0
	Total	1752	20.1	100.0	
	Missing	6946	79.9		
Total		8698	100.0		

kn5185 E12b4: Main language spoken by mother's other children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 English Is The Main Language	1577	18.1	94.6	94.6
	2 Both English And Another Language Equally	37	.4	2.2	96.8
	3 Other Main Language	17	.2	1.0	97.8
	7 No Such Person	36	.4	2.2	100.0
	Total	1667	19.2	100.0	
Missing	-1 No response	7031	80.8		
Total		8698	100.0		

KN File – Section E

kn5190 E13a: Mother worried about child's speech

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	344	4.0	4.0	4.0
	2 No	8271	95.1	96.0	100.0
	Total	8615	99.0	100.0	
Missing	-1 No response	83	1.0		
	Total	8698	100.0		

kn5191 E13b: Mother worried about child's weight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	372	4.3	4.3	4.3
	2 No	8238	94.7	95.7	100.0
	Total	8610	99.0	100.0	
Missing	-1 No response	88	1.0		
	Total	8698	100.0		

kn5192 E13c: mother worried about child's height

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	147	1.7	1.7	1.7
	2 No	8458	97.2	98.3	100.0
	Total	8605	98.9	100.0	
Missing	-1 No response	93	1.1		
	Total	8698	100.0		

kn5193 E13d: Mother worried about child's behaviour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	563	6.5	6.5	6.5
	2 No	8035	92.4	93.5	100.0
	Total	8598	98.9	100.0	
Missing	-1 No response	100	1.1		
	Total	8698	100.0		

kn5194 E13e: Mother worried about child's general development

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	226	2.6	2.6	2.6
	2 No	8376	96.3	97.4	100.0
	Total	8602	98.9	100.0	
Missing	-1 No response	96	1.1		
	Total	8698	100.0		

kn5195 E13f: Mother worried about another aspect of child's development

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	469	5.4	6.8	6.8
	2 No	6466	74.3	93.2	100.0
	Total	6935	79.7	100.0	
Missing	-1 No response	1763	20.3		
	Total	8698	100.0		

SECTION F: TEMPERAMENT AND BEHAVIOUR

How often is your child's behaviour like that given below:

	Never	Rarely	Sometimes	Often	Always
F1. He tends to be shy	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F2. He cries easily	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F3. He likes to be with people	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F4. He is always on the go	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F5. He prefers playing with others rather than alone	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F6. He is somewhat emotional	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F7. When he moves about he moves slowly	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F8. He makes friends easily	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F9. He is off and running as soon as he wakes up in the morning	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F10. He finds people more stimulating than anything else	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F11. He fusses and cries	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

KN File – Section F

PAGE 40 OF THE QUESTIONNAIRE

	Never	Rarely	Sometimes	Often	Always
F12. He is very sociable	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F13. He is very energetic	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F14. He takes a long time to warm to strangers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F15. He gets upset easily	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F16. He is something of a loner	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F17. He prefers quiet inactive games to more active ones	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F18. When alone he feels isolated	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F19. He reacts intensely when upset	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F20. He is very friendly with strangers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F21. He bullies other children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F22. He is very restless Hardly ever still.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F23. He is squirmy or fidgety	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F24. He destroys his own things or those belonging to others	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

KN File – Section F

PAGE 41 OF THE QUESTIONNAIRE

	Never	Rarely	Sometimes	Often	Always
F25. He fights with other children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F26. He is not much liked by other children	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F27. He worries about many things	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F28. He does things on his own. He is rather solitary	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F29. He is irritable. Is quick to fly off the handle	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F30. He appears miserable, unhappy, tearful or distressed	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F31. He takes things belonging to others	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F32. He bites his nails or fingers	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F33. He is disobedient	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F34. He cannot settle to do anything for more than a few moments	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F35. He is afraid of new things or new situations	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

KN File – Section F

PAGE 42 OF THE QUESTIONNAIRE

	Never	Rarely	Sometimes	Often	Always
F36. He is fussy or over-particular	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F37. He tells lies	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F38. He likes to sit and watch TV rather than play active games	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F39. He laughs a lot	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F40. He smiles when he sees his parent(s)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F41. He likes a cuddle	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
F42. He really enjoys life	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

KN File – Section F

kn6000 F1: Frequency child tends to be shy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1210	13.9	14.0	14.0
	2 Rarely	2958	34.0	34.2	48.2
	3 Sometimes	3968	45.6	45.9	94.1
	4 Often	461	5.3	5.3	99.5
	5 Always	47	.5	.5	100.0
	Total	8644	99.4	100.0	
Missing	-1 No response	54	.6		
	Total	8698	100.0		

kn6001 F2: Frequency child cries easily

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	802	9.2	9.3	9.3
	2 Rarely	3270	37.6	37.8	47.1
	3 Sometimes	3796	43.6	43.9	91.1
	4 Often	668	7.7	7.7	98.8
	5 Always	104	1.2	1.2	100.0
	Total	8640	99.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	57	.7		
	Total	58	.7		
	Total	8698	100.0		

kn6002 F3: Frequency child likes to be with people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	11	.1	.1	.1
	2 Rarely	25	.3	.3	.4
	3 Sometimes	605	7.0	7.0	7.4
	4 Often	3702	42.6	42.8	50.2
	5 Always	4303	49.5	49.8	100.0
	Total	8646	99.4	100.0	
Missing	-1 No response	52	.6		
	Total	8698	100.0		

kn6003 F4: Frequency child is always on the go

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	16	.2	.2	.2
	2 Rarely	136	1.6	1.6	1.8
	3 Sometimes	1291	14.8	14.9	16.7
	4 Often	3410	39.2	39.5	56.2
	5 Always	3789	43.6	43.8	100.0
	Total	8642	99.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	55	.6		
	Total	56	.6		
	Total	8698	100.0		

KN File – Section F

kn6004 F5: Frequency child prefers playing with others rather than alone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	38	.4	.4	.4
	2 Rarely	206	2.4	2.4	2.8
	3 Sometimes	3268	37.6	37.8	40.6
	4 Often	3277	37.7	37.9	78.5
	5 Always	1855	21.3	21.5	100.0
	Total	8644	99.4	100.0	
Missing	-1 No response	54	.6		
	Total	8698	100.0		

kn6005 F6: Frequency child is somewhat emotional

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	527	6.1	6.1	6.1
	2 Rarely	2584	29.7	29.9	36.1
	3 Sometimes	4197	48.3	48.6	84.7
	4 Often	1075	12.4	12.5	97.1
	5 Always	246	2.8	2.9	100.0
	Total	8629	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	68	.8		
	Total	69	.8		
	Total	8698	100.0		

kn6006 F7: Frequency child moves about slowly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4077	46.9	47.2	47.2
	2 Rarely	3702	42.6	42.9	90.1
	3 Sometimes	749	8.6	8.7	98.7
	4 Often	70	.8	.8	99.5
	5 Always	40	.5	.5	100.0
	Total	8638	99.3	100.0	
Missing	-1 No response	60	.7		
	Total	8698	100.0		

kn6007 F8: Frequency child makes friends easily

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	40	.5	.5	.5
	2 Rarely	191	2.2	2.2	2.7
	3 Sometimes	1386	15.9	16.0	18.7
	4 Often	3367	38.7	39.0	57.7
	5 Always	3656	42.0	42.3	100.0
	Total	8640	99.3	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	55	.6		
	Total	58	.7		
	Total	8698	100.0		

KN File – Section F

kn6008 F9: Frequency child is off and running in morning as soon as wakes up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	92	1.1	1.1	1.1
	2 Rarely	851	9.8	9.9	10.9
	3 Sometimes	2431	27.9	28.2	39.1
	4 Often	2742	31.5	31.8	70.9
	5 Always	2512	28.9	29.1	
	Total	8628	99.2	100.0	
Missing	-1 No response	70	.8		
	Total	8698	100.0		

kn6009 F10: Frequency child finds people more stimulating than anything else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	68	.8	.8	.8
	2 Rarely	449	5.2	5.3	6.1
	3 Sometimes	3496	40.2	41.0	47.0
	4 Often	2906	33.4	34.0	81.1
	5 Always	1617	18.6	18.9	
	Total	8536	98.1	100.0	
Missing	-9 Don't know	13	.1		
	-1 No response	149	1.7		
	Total	162	1.9		
	Total	8698	100.0		

kn6010 F11: Frequency child fusses and cries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1588	18.3	18.4	18.4
	2 Rarely	4041	46.5	46.8	65.2
	3 Sometimes	2540	29.2	29.4	94.6
	4 Often	394	4.5	4.6	99.1
	5 Always	74	.9	.9	100.0
	Total	8637	99.3	100.0	
Missing	-1 No response	61	.7		
	Total	8698	100.0		

kn6011 F12: Frequency child is very sociable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	24	.3	.3	.3
	2 Rarely	135	1.6	1.6	1.8
	3 Sometimes	1316	15.1	15.2	17.1
	4 Often	3433	39.5	39.8	56.9
	5 Always	3725	42.8	43.1	100.0
	Total	8633	99.3	100.0	
Missing	-1 No response	65	.7		
	Total	8698	100.0		

KN File – Section F

kn6012 F13: Frequency child is very energetic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	9	.1	.1	.1
	2 Rarely	107	1.2	1.2	1.3
	3 Sometimes	1192	13.7	13.8	15.2
	4 Often	3397	39.1	39.4	54.6
	5 Always	3918	45.0	45.4	100.0
	Total	8623	99.1	100.0	
Missing	-1 No response	75	.9		
	Total	8698	100.0		

kn6013 F14: Frequency child takes a long time to warm to strangers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	659	7.6	7.7	7.7
	2 Rarely	3443	39.6	40.0	47.7
	3 Sometimes	3577	41.1	41.6	89.3
	4 Often	669	7.7	7.8	97.1
	5 Always	252	2.9	2.9	100.0
	Total	8600	98.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	97	1.1		
	Total	98	1.1		
	Total	8698	100.0		

kn6014 F15: Frequency child gets upset easily

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	546	6.3	6.3	6.3
	2 Rarely	3261	37.5	37.8	44.1
	3 Sometimes	3904	44.9	45.3	89.4
	4 Often	728	8.4	8.4	97.9
	5 Always	185	2.1	2.1	100.0
	Total	8624	99.1	100.0	
Missing	-1 No response	74	.9		
	Total	8698	100.0		

kn6015 F16: Frequency child is something of a loner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3529	40.6	41.0	41.0
	2 Rarely	3513	40.4	40.8	81.8
	3 Sometimes	1353	15.6	15.7	97.5
	4 Often	187	2.1	2.2	99.6
	5 Always	32	.4	.4	100.0
	Total	8614	99.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	83	1.0		
	Total	84	1.0		
	Total	8698	100.0		

KN File – Section F

kn6016 F17: Frequency child prefers quiet inactive games to active games

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1852	21.3	21.5	21.5
	2 Rarely	3479	40.0	40.4	61.9
	3 Sometimes	2953	34.0	34.3	96.2
	4 Often	274	3.2	3.2	99.4
	5 Always	53	.6	.6	100.0
	Total	8611	99.0	100.0	
Missing	-1 No response	87	1.0		
	Total	8698	100.0		

kn6017 F18: Frequency child feels isolated when alone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2540	29.2	30.0	30.0
	2 Rarely	3029	34.8	35.8	65.9
	3 Sometimes	2061	23.7	24.4	90.2
	4 Often	661	7.6	7.8	98.0
	5 Always	166	1.9	2.0	100.0
	Total	8457	97.2	100.0	
Missing	-9 Don't know	15	.2		
	-1 No response	226	2.6		
	Total	241	2.8		
	Total	8698	100.0		

kn6018 F19: Frequency child reacts intensely when upset

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1412	16.2	16.5	16.5
	2 Rarely	2683	30.8	31.4	47.9
	3 Sometimes	3087	35.5	36.1	84.1
	4 Often	1000	11.5	11.7	95.8
	5 Always	362	4.2	4.2	100.0
	Total	8544	98.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	153	1.8		
	Total	154	1.8		
	Total	8698	100.0		

kn6019 F20: Frequency child is very friendly with strangers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	896	10.3	10.4	10.4
	2 Rarely	2674	30.7	31.1	41.5
	3 Sometimes	2891	33.2	33.6	75.1
	4 Often	1576	18.1	18.3	93.4
	5 Always	567	6.5	6.6	100.0
	Total	8604	98.9	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	92	1.1		
	Total	94	1.1		
	Total	8698	100.0		

Derived Variables – EAS Temperament

The 20 questions in section F comprise the sub-scales of the EAS Temperament Scale (see Table 1). Note that the scores for the 7th, 8th, 12th, 16th, 17th and 20th items (asterisked in Table 1) must be reversed before summing to calculate the scores. The original EAS paper suggests dividing each subscale score by 5 after summing to give a discrete non-integer score on a scale of 1 to 5 to aid interpretation along the lines of the category labels. This has not been done here as it is felt that it is clearer to leave the scores as integers. Note that the range of each subscale score is [5, 25].

Table 1: Components of the EAS subscales


Subscale	Number of Items	Item Question Numbers	Item Variable Names
Emotionality	5	F2, F6, F11, F15, F19	KN6001, KN6005, KN6010, KN6014, KN6018
Activity	5	F4, F7*, F9, F13, F17*	KN6003, KN6006*, KN6008, KN6012, KN6016*
Shyness	5	F1, F8*, F12*, F14, F20*	KN6000, KN6007*, KN6011*, KN6013, KN6019*
Sociability	5	F3, F5, F10, F16*, F18	KN6002, KN6004, KN6009, KN6015*, KN6017

Emotionality Subscale


This score, on a scale of 5 to 25, is a weighted sum of the responses to the following 5 questions: F2, F6, F11, F15 and F19. A high score corresponds to a high level of emotionality. Two versions of the score are provided. For most analyses the prorated score, KN6020b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then KN6020c can be used to set further cases to missing.

The EAS Emotionality Subscale Score was created by recoding (missing = 0)(else = copy) in KN6001, KN6005, KN6010, KN6014 & KN6018 and summing. The score based on complete cases only is KN6020a. If any of the components were missing then KN6020a was set to -5. Variable KN6020c is the number of missing components. The prorated score is KN6020b. If more than two components were missing then KN6020b was set to -5. Otherwise KN6020b is scaled by a factor of 5 / (5 - KN6020c) and rounded to the nearest integer.

KN File – Section F
kn6020a DV: EAS emotionality score (complete cases)



kn6020b DV: EAS emotionality (prorated)



KN File – Section F
kn6020c DV: Number of missing EAS emotionality components

kn6020c DV: Number of missing EAS emotionality components


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	8489	57.8	98.1	98.1
	1	123	.8	1.4	99.5
	2	23	.2	.3	99.8
	3	15	.1	.2	100.0
	4	3	.0	.0	100.0
	5	1	.0	.0	100.0
	Total	8654	58.9	100.0	
Missing	-11 Triplet/Quadruplet	13	.1		
	-10 Not Completed	5984	40.7		
	-6 Section F omitted	37	.3		
	Total	6034	41.1		
Total		14688	100.0		

Activity Subscale


This score, on a scale of 5 to 25, is a weighted sum of the responses to the following 5 questions: F4, F7, F9, F13 and F17. A high score corresponds to a high level of activity. Two versions of the score are provided. For most analyses the prorated score, KN6021b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then KN6021c can be used to set further cases to missing.

The EAS Activity Subscale Score was created by recoding (missing = 0)(else = copy) in KN6003, KN6008 & KN6012 and (missing = 0)(5 = 1)(4 = 2)(3 = 3)(2 = 4)(1 = 5) in KN6006 & KN6016 and summing. The score based on complete cases only is KN6021a. If any of the components were missing then KN6021a was set to -5. Variable KN6021c is the number of missing components. The prorated score is KN6021b. If more than two components were missing then KN6021b was set to -5. Otherwise KN6021b is scaled by a factor of 5 / (5 - KN6021c) and rounded to the nearest integer.

KN File – Section F
kn6021a DV: EAS activity score (complete cases)



kn6021b DV: EAS activity score (prorated)



KN File – Section F

kn6021c DV: Number of missing EAS activity components

kn6021c DV: Number of missing EAS activity components


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	8555	58.2	98.9	98.9
	1	60	.4	.7	99.5
	2	21	.1	.2	99.8
	3	14	.1	.2	100.0
	4	1	.0	.0	100.0
	5	3	.0	.0	100.0
	Total	8654	58.9	100.0	
Missing	-11 Triplet/Quadruplet	13	.1		
	-10 Not Completed	5984	40.7		
	-6 Section F omitted	37	.3		
	Total	6034	41.1		
Total		14688	100.0		

Shyness Subscale


This score, on a scale of 5 to 25, is a weighted sum of the responses to the following 5 questions: F1, F8, F12, F14 and F20. A high score corresponds to a high level of shyness. Two versions of the score are provided. For most analyses the prorated score, KN6022b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then KN6022c can be used to set further cases to missing.

The EAS Shyness Subscale Score was created by recoding (missing = 0)(else = copy) in KN6000 & KN6013 and (missing = 0)(5 = 1)(4 = 2)(3 = 3)(2 = 4)(1 = 5) in KN6007, KN6011 & KN6019 and summing. The score based on complete cases only is KN6022a. If any of the components were missing then KN6022a was set to -5. Variable KN6022c is the number of missing components. The prorated score is KN6022b. If more than two components were missing then KN6022b was set to -5. Otherwise KN6022b is scaled by a factor of 5 / (5 - KN6022c) and rounded to the nearest integer.

KN File – Section F
kn6022a DV: EAS shyness score (complete cases)



kn6022b DV: EAS shyness score (prorated)



KN File – Section F
kn6022c DV: Number of missing EAS shyness components

kn6022c DV: Number of missing EAS shyness components


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	8539	58.1	98.7	98.7
	1	75	.5	.9	99.5
	2	16	.1	.2	99.7
	3	20	.1	.2	100.0
	4	3	.0	.0	100.0
	5	1	.0	.0	100.0
	Total	8654	58.9	100.0	
Missing	-11 Triplet/Quadruplet	13	.1		
	-10 Not Completed	5984	40.7		
	-6 Section F omitted	37	.3		
	Total	6034	41.1		
Total		14688	100.0		

Sociability Subscale


This score, on a scale of 5 to 25, is a weighted sum of the responses to the following 5 questions: F3, F5, F10, F16 and F18. A high score corresponds to a high level of sociability. Two versions of the score are provided. For most analyses the prorated score, KN6023b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then KN6023c can be used to set further cases to missing.

The EAS Sociability Subscale Score was created by recoding (missing = 0)(else = copy) in KN6002, KN6004, KN6009 & KN6017 and (missing = 0)(5 = 1)(4 = 2)(3 = 3)(2 = 4)(1 = 5) in KN6015 and summing. The score based on complete cases only is KN6023a. If any of the components were missing then KN6023a was set to -5. Variable KN6023c is the number of missing components. The prorated score is KN6023b. If more than two components were missing then KN6023b was set to -5. Otherwise KN6023b is scaled by a factor of 5 / (5 - KN6023c) and rounded to the nearest integer.

KN File – Section F
kn6023a DV: EAS sociability score (complete cases)



kn6023b DV: EAS sociability score (prorated)



KN File – Section F

kn6023c DV: Number of missing EAS sociability components

kn6023c DV: Number of missing EAS sociability components

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	8333	56.7	96.3	96.3
	1	263	1.8	3.0	99.3
	2	34	.2	.4	99.7
	3	20	.1	.2	100.0
	4	3	.0	.0	100.0
	5	1	.0	.0	100.0
Total		8654	58.9	100.0	
Missing	-11 Triplet/Quadruplet	13	.1		
	-10 Not Completed	5984	40.7		
	-6 Section F omitted	37	.3		
Total		6034	41.1		
Total		14688	100.0		

KN File – Section F

kn6020 F21: Frequency child bullies other children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	5579	64.1	64.8	64.8
	2 Rarely	2372	27.3	27.5	92.3
	3 Sometimes	626	7.2	7.3	99.6
	4 Often	27	.3	.3	99.9
	5 Always	10	.1	.1	100.0
	Total	8614	99.0	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	81	.9		
	Total	84	1.0		
Total		8698	100.0		

kn6021 F22: Frequency child is restless and hardly ever still

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1257	14.5	14.6	14.6
	2 Rarely	2733	31.4	31.8	46.4
	3 Sometimes	2696	31.0	31.4	77.8
	4 Often	1249	14.4	14.5	92.3
	5 Always	663	7.6	7.7	100.0
	Total	8598	98.9	100.0	
Missing	-1 No response	100	1.1		
	Total	8698	100.0		

kn6022 F23: Frequency child is squirmy or fidgety

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1853	21.3	21.5	21.5
	2 Rarely	2663	30.6	31.0	52.5
	3 Sometimes	2729	31.4	31.7	84.2
	4 Often	969	11.1	11.3	95.5
	5 Always	386	4.4	4.5	100.0
	Total	8600	98.9	100.0	
Missing	-1 No response	98	1.1		
	Total	8698	100.0		

kn6023 F24: Frequency child destroys own things or those of others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	5553	63.8	64.4	64.4
	2 Rarely	2258	26.0	26.2	90.6
	3 Sometimes	686	7.9	8.0	98.6
	4 Often	93	1.1	1.1	99.7
	5 Always	28	.3	.3	100.0
	Total	8618	99.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	79	.9		
	Total	80	.9		
Total		8698	100.0		

KN File – Section F

kn6024 F25: Frequency child fights with other children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3110	35.8	36.1	36.1
	2 Rarely	3446	39.6	40.0	76.0
	3 Sometimes	1931	22.2	22.4	98.4
	4 Often	123	1.4	1.4	99.9
	5 Always	12	.1	.1	100.0
	Total	8622	99.1	100.0	
Missing	-9 Don't know	3	.0		
	-8 Text response	2	.0		
	-1 No response	71	.8		
	Total	76	.9		
Total		8698	100.0		

kn6025 F26: Frequency child is not much liked by other children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4988	57.3	58.2	58.2
	2 Rarely	3041	35.0	35.5	93.6
	3 Sometimes	371	4.3	4.3	98.0
	4 Often	105	1.2	1.2	99.2
	5 Always	70	.8	.8	100.0
	Total	8575	98.6	100.0	
Missing	-9 Don't know	10	.1		
	-8 Text response	1	.0		
	-1 No response	112	1.3		
	Total	123	1.4		
Total		8698	100.0		

kn6026 F27: Frequency child worries about many things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1559	17.9	18.1	18.1
	2 Rarely	3274	37.6	38.1	56.2
	3 Sometimes	3014	34.7	35.0	91.2
	4 Often	623	7.2	7.2	98.4
	5 Always	134	1.5	1.6	100.0
	Total	8604	98.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	92	1.1		
	Total	94	1.1		
Total		8698	100.0		

KN File – Section F

kn6027 F28: Frequency child does things on own rather solitary

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2238	25.7	26.1	26.1
	2 Rarely	4118	47.3	48.0	74.1
	3 Sometimes	1970	22.6	23.0	97.0
	4 Often	221	2.5	2.6	99.6
	5 Always	33	.4	.4	100.0
	Total	8580	98.6	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	116	1.3		
	Total	118	1.4		
Total		8698	100.0		

kn6028 F29: Frequency child is irritable or quick to fly off handle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2591	29.8	30.1	30.1
	2 Rarely	3201	36.8	37.2	67.2
	3 Sometimes	2321	26.7	26.9	94.2
	4 Often	403	4.6	4.7	98.9
	5 Always	99	1.1	1.1	100.0
	Total	8615	99.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	81	.9		
	Total	83	1.0		
Total		8698	100.0		

kn6029 F30: Frequency child appears miserable or tearful or unhappy or distressed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3611	41.5	41.9	41.9
	2 Rarely	3896	44.8	45.2	87.1
	3 Sometimes	1031	11.9	12.0	99.1
	4 Often	63	.7	.7	99.8
	5 Always	17	.2	.2	100.0
	Total	8618	99.1	100.0	
Missing	-1 No response	80	.9		
	Total	8698	100.0		

kn6030 F31: Frequency child takes others belongings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	5958	68.5	69.1	69.1
	2 Rarely	2093	24.1	24.3	93.4
	3 Sometimes	520	6.0	6.0	99.4
	4 Often	42	.5	.5	99.9
	5 Always	8	.1	.1	100.0
	Total	8621	99.1	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	74	.9		
	Total	77	.9		
Total		8698	100.0		

KN File – Section F

kn6031 F32: Frequency child bites own nails or fingers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	5505	63.3	63.8	63.8
	2 Rarely	950	10.9	11.0	74.8
	3 Sometimes	1171	13.5	13.6	88.4
	4 Often	611	7.0	7.1	95.5
	5 Always	388	4.5	4.5	100.0
	Total	8625	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	71	.8		
	Total	73	.8		
Total		8698	100.0		

kn6032 F33: Frequency child is disobedient

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1324	15.2	15.4	15.4
	2 Rarely	2979	34.2	34.6	50.0
	3 Sometimes	3790	43.6	44.0	94.0
	4 Often	470	5.4	5.5	99.4
	5 Always	51	.6	.6	100.0
	Total	8614	99.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	83	1.0		
	Total	84	1.0		
Total		8698	100.0		

kn6033 F34: Frequency child cannot settle more than few moments

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3067	35.3	35.6	35.6
	2 Rarely	3651	42.0	42.4	78.0
	3 Sometimes	1558	17.9	18.1	96.0
	4 Often	242	2.8	2.8	98.9
	5 Always	99	1.1	1.1	100.0
	Total	8617	99.1	100.0	
Missing	-1 No response	81	.9		
Total		8698	100.0		

kn6034 F35: Frequency child is afraid of new things or situations

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2126	24.4	24.7	24.7
	2 Rarely	3404	39.1	39.5	64.2
	3 Sometimes	2578	29.6	29.9	94.1
	4 Often	415	4.8	4.8	98.9
	5 Always	97	1.1	1.1	100.0
	Total	8620	99.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	77	.9		
	Total	78	.9		
Total		8698	100.0		

KN File – Section F

kn6035 F36: Frequency child is fussy or over-particular

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1872	21.5	21.7	21.7
	2 Rarely	3213	36.9	37.3	59.0
	3 Sometimes	2927	33.7	33.9	92.9
	4 Often	515	5.9	6.0	98.9
	5 Always	98	1.1	1.1	100.0
	Total	8625	99.2	100.0	
Missing	-1 No response	73	.8		
	Total	8698	100.0		

kn6036 F37: Frequency child tells lies

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1931	22.2	22.4	22.4
	2 Rarely	4141	47.6	48.0	70.4
	3 Sometimes	2405	27.7	27.9	98.3
	4 Often	133	1.5	1.5	99.9
	5 Always	11	.1	.1	100.0
	Total	8621	99.1	100.0	
Missing	-1 No response	77	.9		
	Total	8698	100.0		

kn6037 F38: Frequency child likes to sit and watch TV rather than play active games

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	752	8.6	8.7	8.7
	2 Rarely	2921	33.6	33.9	42.6
	3 Sometimes	4608	53.0	53.4	96.0
	4 Often	298	3.4	3.5	99.4
	5 Always	49	.6	.6	100.0
	Total	8628	99.2	100.0	
Missing	-1 No response	70	.8		
	Total	8698	100.0		

kn6038 F39: Frequency child laughs a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3	.0	.0	.0
	2 Rarely	63	.7	.7	.8
	3 Sometimes	1371	15.8	15.9	16.6
	4 Often	4870	56.0	56.4	73.0
	5 Always	2333	26.8	27.0	100.0
	Total	8640	99.3	100.0	
Missing	-1 No response	58	.7		
	Total	8698	100.0		

KN File – Section F

kn6039 F40: Frequency child smiles when sees parents

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4	.0	.0	.0
	2 Rarely	23	.3	.3	.3
	3 Sometimes	517	5.9	6.0	6.3
	4 Often	3027	34.8	35.0	41.3
	5 Always	5069	58.3	58.7	100.0
	Total	8640	99.3	100.0	
Missing	-1 No response	58	.7		
	Total	8698	100.0		

kn6040 F41: Frequency child likes a cuddle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	5	.1	.1	.1
	2 Rarely	36	.4	.4	.5
	3 Sometimes	489	5.6	5.7	6.1
	4 Often	2225	25.6	25.7	31.9
	5 Always	5889	67.7	68.1	100.0
	Total	8644	99.4	100.0	
Missing	-1 No response	54	.6		
	Total	8698	100.0		

kn6041 F42: Frequency child really enjoys life

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	16	.2	.2	.2
	2 Rarely	22	.3	.3	.4
	3 Sometimes	340	3.9	3.9	4.4
	4 Often	2770	31.8	32.1	36.5
	5 Always	5482	63.0	63.5	100.0
	Total	8630	99.2	100.0	
Missing	-1 No response	68	.8		
	Total	8698	100.0		

SECTION G: ODDS AND ENDS

G1. We would like to catch up with your child's growth. If you can, please let us know his measurements at the moment. (If you have a tape measure handy perhaps you could measure him).

	feet	ins	cm	
(a) His height	<input style="border: 1px solid red; width: 30px; height: 30px;" type="text"/>	<input style="border: 1px solid red; width: 30px; height: 30px; display: inline-block; vertical-align: middle;"/> <input style="border: 1px solid red; width: 30px; height: 30px; display: inline-block; vertical-align: middle;"/>	or	<input style="border: 1px solid red; width: 30px; height: 30px; display: inline-block; vertical-align: middle;"/> <input style="border: 1px solid red; width: 30px; height: 30px; display: inline-block; vertical-align: middle;"/> <input style="border: 1px solid red; width: 30px; height: 30px; display: inline-block; vertical-align: middle;"/>

[Editing: Based on examination of the raw distributions of heights it was decided to set reported heights less than 3ft 1in (93cm) and greater than 4ft 11in (151cm) to -1. For the imperial heights this included one occurrence of each of: 2in, 6in, 9in, 1ft 8in, 2ft 0in, 2ft 2in, 2ft 6in, 2ft 8in, 2ft 9in, 2ft 10in, 2ft 11in, 5ft 3in, 5ft 7in, 6ft 1in. In addition there were nineteen occurrences of 3ft and fourteen of 3ft 0in that formed a bulge at the lower end of the distribution not observed in the metric heights. They were therefore considered to indicate "3ft plus an unknown number of inches", where the unknown number of inches is likely to be something significantly greater than 0. One occurrence of each of 2ft 12in and 4ft 12in were set to -1, but 33 occurrences of 3ft 12in were recoded to 4ft 0in. Additionally one reported height of 3ft 16in was also set to -1. If 4ft only was reported than 0in was assumed. Imperial heights reported in inches only (observed range 40in to 53in) were split into feet and inches.

For the metric heights one occurrence of each of: 45cm, 56cm, 90cm, 92cm, 155cm, 165cm, 172cm, 185cm and three occurrences of 160cm and six occurrences of 170cm were set to -1. It was noted that for three of the instances of 170cm and the instance of 165cm an imperial height of 3ft 10in was also reported.

A single variable for height in cm was then created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric heights were reported then the metric height was taken unless the two heights were not equivalent and the imperial height was closer to then median (3ft 10in).]

	stones	lb	kg	
(b) His weight	<input style="border: 1px solid red; width: 30px; height: 30px;" type="text"/>	<input style="border: 1px solid red; width: 30px; height: 30px; display: inline-block; vertical-align: middle;"/> <input style="border: 1px solid red; width: 30px; height: 30px; display: inline-block; vertical-align: middle;"/>	or	<input style="border: 1px solid red; width: 30px; height: 30px; display: inline-block; vertical-align: middle;"/> <input style="border: 1px solid red; width: 30px; height: 30px; display: inline-block; vertical-align: middle;"/> <input style="border: 1px solid red; width: 30px; height: 30px; display: inline-block; vertical-align: middle;"/>

[Editing: One occurrence of each of 0st 0lb, 2st 16lb, 3st 16lb, 3st 20lb, 3st 30lb, 3st 41lb and three occurrences of 2st 15lb were set to -1. One occurrence of 3st 45lb was recoded to 3st 3lb. Six occurrences of 2st 14lb were recoded to 3st 0lb and three occurrences of 3st 14lb were recoded to 4st 0lb. If a number of stones only was reported then the number of pounds was assumed to be 0. Imperial weights reported in pounds only (observed range 30lb to 51lb) were split into stones and pounds.

A single variable for weight in kg was then created using a conversion factor of 1lb = 0.4536kg for imperial measurements (rounding to the nearest integer). If both imperial and metric weights were reported then the metric weight was taken unless the two weights were not equivalent and the imperial weight was closer to the median (21kg).]

KN File – Section G

(c) His inside leg measurement

ins

cm

[Editing: Eight occurrences of imperial measurements over 30in (observed range 36in to 48in) were set to -1. Thirty occurrences of metric measurements less than 25cm (observed range 11cm to 22cm) and eleven occurrences of metric measurements over 77cm (observed range 80cm to 152cm) were set to -1.

A single variable for inside leg measurement in cm was then created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric measurement was taken. It was noted that when the metric and imperial measurements were not equivalent the maximum discrepancy was 1in.]

(d) His waist measurement

Two empty red-outlined boxes for drawing.

or

Three empty rectangular boxes for drawing, arranged horizontally.

[Editing: Five outlying imperial measurements of 5in, 13in, 39in, 48in and 66in were set to -1. 45 outlying metric measurements in the range of 12cm to 26cm and six in the range 92cm to 107cm were set to -1.

A single variable for waist measurement in cm was then created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric measurement was taken unless the two measurements were not equivalent and the imperial measurement was closer to then median (22in).]

(e) His chest

Two empty red-outlined boxes for drawing.

or

Three empty rectangular boxes for drawing, arranged horizontally. Each box is defined by a red double-line border.

[Editing: Seven outlying imperial measurements of 12in (two occurrences), 16in, 51in, 59in, 61in and 66in were set to -1. 46 outlying metric measurements in the range of 13cm to 46cm and one of 116cm were set to -1.

A single variable for chest measurement in cm was then created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric measurement was taken. It was noted that when the metric and imperial measurements were not equivalent the maximum discrepancy was 1in.]

KN File – Section G

(f) His hips

<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------

or

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

[Editing: Ten outlying imperial measurements of 3in, 9in, 12in, 13in, 16in, 45in, 52in, 62in, 65in and 68in were set to -1. 40 outlying metric measurements in the range of 21cm to 33cm and one each of 99cm, 101cm and 102cm were set to -1.]

A single variable for hip measurement in cm was then created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric measurement was taken unless the two measurements were not equivalent and the imperial measurement was closer to then median (24in).]

G2. Does he tend to collect static electricity and have shocks when he touches metal?

Yes, a lot 1

Yes, occasionally 2

No, not at all 3

G3. Did your study child ever get sunburnt so badly that there were blisters or pain that lasted at least 2 days?

Yes 1

No 2

If **no**, go to G4 on page 44

If **yes**, please state what age he was at each time this happened.

(i) 1st 12 months 1 yes, got badly sunburnt

(ii) 1 year old 1 yes, got badly sunburnt

(iii) 2 years old 1 yes, got badly sunburnt

KN File – Section G

PAGE 44 OF THE QUESTIONNAIRE

G3. (cont.)

- (iv) 3 years old 1 yes, got badly sunburnt
- (v) 4 years old 1 yes, got badly sunburnt
- (vi) 5 years old 1 yes, got badly sunburnt

G4. If your child is in and out of the sun for a few days, how would you say the colour of the skin changes?

- | | |
|-----------------------------------------|----------------------------|
| always burns, never tans, | <input type="checkbox"/> 1 |
| burns easily, rarely tans | <input type="checkbox"/> 2 |
| doesn't change | <input type="checkbox"/> 3 |
| tans easily, rarely burns | <input type="checkbox"/> 4 |
| always tans, never burns | <input type="checkbox"/> 5 |
| can't say. His skin is always protected | <input type="checkbox"/> 6 |

G5. a) Please think through the child's life - and try to remember how many days each year, the child would have been in the sun **for at least 4 hours each day**. We realise how difficult this is, but please make your best guess.

NUMBER OF DAYS IN THE SUN

Age	None	Less than 10	10-19	20-29	30-39	40 or more
(i) 1 st 12 months	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
(ii) 1 year old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
(iii) 2 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
(iv) 3 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6

PAGE 45 OF THE QUESTIONNAIRE

G5. a) (cont.)

NUMBER OF DAYS IN THE SUN

Age	None	Less than 10	10-19	20-29	30-39	40 or more
(v) 4 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6
(vi) 5 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6

G5.b) Were any of these days when the child was in the sun for at least 4 hours spent beside the sea (or a lake or river)?

	No	Yes	If <u>yes</u> , about how many days
(i) 1 st 12 months	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→
(ii) 1 year old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→
(iii) 2 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→
(iv) 3 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→
(v) 4 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→
(vi) 5 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→

c) Were any of the days the child was in the sun for at least 4 hours spent abroad?

	No	Yes	If <u>yes</u> , please say where	How many days
(i) 1 st 12 months	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→
(ii) 1 year old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→
(iii) 2 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→
(iv) 3 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→
(v) 4 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→
(vi) 5 years old	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→

KN File – Section G

PAGE 46 OF THE QUESTIONNAIRE

G6. When in the sun in the summer, does your child usually:

	Yes always	Yes usually	Yes sometimes	No never
a) wear a hat	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
b) wear something to keep his skin covered	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
c) have sun block, sun screen, lotion or cream	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
d) avoid midday sun	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
e) If your child has sun block, sun lotion or cream put on his skin, please say what <u>factor</u> is usually used:				

1-3	4-7	8-14	15-20	21-25	25+	can't say
<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 9

f) Some sun creams also have a star system. If you can, please say how many stars are
usually used.

1	2	3	4	can't say
<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 9

g) If possible give the name of the sun block, sun lotion or creams used on your child

.....
.....
.....

h) When you are out in the sun with your child, about how often do you put sun lotion or
cream on him?

Once only	Every 3-4 hours	Every 2 hours	Every hour	Every 1/2 hour
<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5

PAGE 47 OF THE QUESTIONNAIRE

G7. On the first day of strong sun in the summer, if you haven't put sun cream on your child, how would you say he would have reacted after 1 hour?

no burn	<input type="checkbox"/>
mild burn	<input type="checkbox"/>
painful burn	<input type="checkbox"/>
can't say	<input type="checkbox"/>

1
2
3
4

G8. Has your study child ever used a sunbed or sun lamp?

yes, sunbed

yes, sun lamp

no → **If no, go to H1 on page 48**


If yes, how often

once only

2-4 times

5 or more times

kn7000 G1a: Height (cm)




plus the following missing values:

kn7000 G1a: Height (cm)

	Frequency	Percent
Missing -1 No response	2990	100.0


kn7001 G1b: Weight (kg)



plus the following missing values:

kn7001 G1b: Weight (kg)

		Frequency	Percent
Missing	-1 No response	3648	100.0


kn7002 G1c: Inside leg (cm)

plus the following missing values:

kn7002 G1c: Inside leg (cm)

		Frequency	Percent
Missing	-1 No response	3338	100.0

kn7003 G1d: Waist (cm)




plus the following missing values:

kn7003 G1d: Waist (cm)

		Frequency	Percent
Missing	-1 No response	3292	100.0

kn7004 G1c: Chest (cm)




plus the following missing values:

kn7004 G1c: Chest (cm)

		Frequency	Percent
Missing	-1 No response	3279	100.0

kn7005 G1f: Hips (cm)



plus the following missing values:

kn7005 G1f: Hips (m)

		Frequency	Percent
Missing	-1 No response	3367	100.0

KN File – Section G

kn7010 G2: Child collect static electricity and get shocks from metal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes A Lot	133	1.5	1.6	1.6
	2 Yes Occasionally	2239	25.7	26.9	28.5
	3 No Not At All	5959	68.5	71.5	100.0
	Total	8331	95.8	100.0	
Missing	-9 Don't know	15	.2		
	-8 Text response	1	.0		
	-1 No response	351	4.0		
	Total	367	4.2		
Total		8698	100.0		

kn7020 G3: Child been badly sunburnt with blisters or pain for at least 2 days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	251	2.9	2.9	2.9
	2 No	8351	96.0	97.1	100.0
	Total	8602	98.9	100.0	
Missing	-1 No response	96	1.1		
Total		8698	100.0		

kn7021 G3i: Child was badly sunburnt before 1st birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	74	.9	100.0	100.0
Missing	-1 No response	8624	99.1		
Total		8698	100.0		

kn7022 G3ii: Child was badly sunburnt at 1 year old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	33	.4	100.0	100.0
Missing	-1 No response	8665	99.6		
Total		8698	100.0		

kn7023 G3iii: Child was badly sunburnt at 2 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	44	.5	100.0	100.0
Missing	-9 Don't know	1	.0		
	-1 No response	8653	99.5		
Total		8654	99.5		
Total		8698	100.0		

kn7024 G3iv: Child was badly sunburnt at 3 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	34	.4	100.0	100.0
Missing	-1 No response	8664	99.6		
Total		8698	100.0		

KN File – Section G

kn7025 G3v: Child was badly sunburnt at 4 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	45	.5	100.0	100.0
Missing	-1 No response	8653	99.5		
Total		8698	100.0		

kn7026 G3vi: Child was badly sunburnt at 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	58	.7	100.0	100.0
Missing	-1 No response	8640	99.3		
Total		8698	100.0		

kn7030 G4: Child's skin colour change after in and out of sun for a few days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always burns never tans	77	.9	.9	.9
	2 Burns easily rarely tans	784	9.0	9.3	10.2
	3 Doesn't change	341	3.9	4.0	14.2
	4 Tans easily rarely burns	3344	38.4	39.6	53.9
	5 Always tans never burns	1568	18.0	18.6	72.5
	6 Can't say. Skin always protected	2324	26.7	27.5	100.0
	Total	8438	97.0	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	6	.1		
	-1 No response	253	2.9		
	Total	260	3.0		
Total		8698	100.0		

KN File – Section G

kn7040 G5a1: Number of days child spent in sun in first 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	2378	27.3	30.2	30.2
	2 Less Than 10	3044	35.0	38.6	68.8
	3 10-19	1127	13.0	14.3	83.1
	4 20-29	711	8.2	9.0	92.2
	5 30-39	290	3.3	3.7	95.8
	6 40 Or More	327	3.8	4.2	100.0
	Total	7877	90.6	100.0	
Missing	-9 Don't know	16	.2		
	-1 No response	805	9.3		
	Total	821	9.4		
Total		8698	100.0		

kn7041 G5a2: Number of days child spent in sun at 1 year old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1158	13.3	14.7	14.7
	2 Less Than 10	2814	32.4	35.8	50.5
	3 10-19	1751	20.1	22.3	72.8
	4 20-29	1178	13.5	15.0	87.8
	5 30-39	500	5.7	6.4	94.1
	6 40 Or More	463	5.3	5.9	100.0
	Total	7864	90.4	100.0	
Missing	-9 Don't know	16	.2		
	-1 No response	818	9.4		
	Total	834	9.6		
Total		8698	100.0		

kn7042 G5a3: Number of days child spent in sun at 2 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	516	5.9	6.6	6.6
	2 Less Than 10	2089	24.0	26.5	33.1
	3 10-19	2044	23.5	26.0	59.1
	4 20-29	1630	18.7	20.7	79.8
	5 30-39	894	10.3	11.4	91.2
	6 40 Or More	696	8.0	8.8	100.0
	Total	7869	90.5	100.0	
Missing	-9 Don't know	17	.2		
	-1 No response	812	9.3		
	Total	829	9.5		
Total		8698	100.0		

KN File – Section G

kn7043 G5a4: Number of days child spent in sun at 3 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	310	3.6	3.9	3.9
	2 Less Than 10	1590	18.3	20.2	24.1
	3 10-19	1866	21.5	23.7	47.8
	4 20-29	1883	21.6	23.9	71.7
	5 30-39	1208	13.9	15.3	87.0
	6 40 Or More	1025	11.8	13.0	
	Total	7882	90.6	100.0	
Missing	-9 Don't know	17	.2		
	-1 No response	799	9.2		
	Total	816	9.4		
Total		8698	100.0		

kn7044 G5a5: Number of days child spent in sun at 4 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	199	2.3	2.5	2.5
	2 Less Than 10	1239	14.2	15.7	18.2
	3 10-19	1689	19.4	21.4	39.6
	4 20-29	1971	22.7	24.9	64.5
	5 30-39	1362	15.7	17.2	81.8
	6 40 Or More	1441	16.6	18.2	
	Total	7901	90.8	100.0	
Missing	-9 Don't know	12	.1		
	-1 No response	785	9.0		
	Total	797	9.2		
Total		8698	100.0		

kn7045 G5a6: Number of days child spent in sun at 5 years old


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	184	2.1	2.3	2.3
	2 Less Than 10	1241	14.3	15.7	18.0
	3 10-19	1524	17.5	19.3	37.3
	4 20-29	1908	21.9	24.1	61.4
	5 30-39	1378	15.8	17.4	78.9
	6 40 Or More	1672	19.2	21.1	
	Total	7907	90.9	100.0	
Missing	-9 Don't know	11	.1		
	-1 No response	780	9.0		
	Total	791	9.1		
Total		8698	100.0		

KN File – Section G

kn7050 G5b1: Some days child spent in sun by lake or sea in first 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4438	51.0	66.2	66.2
	2 Yes	2262	26.0	33.8	100.0
	Total	6700	77.0	100.0	
Missing	-1 No response	1998	23.0		
Total		8698	100.0		

kn7052 G5b1: Number of days child spent in sun by lake or sea in first 12 months



plus the following missing values and outliers >40:

kn7052 G5b1: Number of days child spent in sun by lake or sea in first 12 months


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42	1	.0	12.5	12.5
	60	3	.0	37.5	50.0
	90	1	.0	12.5	62.5
	365	3	.0	37.5	100.0
	Total	8	.1		
Missing	-9 Don't know	105	1.6		
	-1 No response	6529	98.3		
	Total	6634	99.9		
	Total	6642	100.0		

KN File – Section G

kn7060 G5b2: Some days child spent in sun by lake or sea at 1 year old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3541	40.7	52.4	52.4
	2 Yes	3222	37.0	47.6	100.0
	Total	6763	77.8	100.0	
Missing	-1 No response	1935	22.2		
Total		8698	100.0		

kn7062 G5b2: Number of days child spent in sun by lake or sea at 1 year old



plus the following missing values and outliers >40:

kn7062 G5b2: Number of days child spent in sun by lake or sea at 1 year old


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42	1	.0	11.1	11.1
	50	2	.0	22.2	33.3
	60	1	.0	11.1	44.4
	90	1	.0	11.1	55.6
	365	4	.1	44.4	100.0
	Total	9	.2	100.0	
Missing	-9 Don't know	139	2.4		
	-1 No response	5577	97.4		
	Total	5716	99.8		
	Total	5725	100.0		

KN File – Section G

kn7070 G5b3: Some days child spent in sun by lake or sea at 2 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2608	30.0	37.9	37.9
	2 Yes	4268	49.1	62.1	100.0
	Total	6876	79.1	100.0	
Missing	-1 No response	1822	20.9		
Total		8698	100.0		

kn7072 G5b3: Number of days child spent in sun by lake or sea at 2 years old



plus the following missing values and outliers >40:

kn7072 G5b3: Number of days child spent in sun by lake or sea at 2 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42	1	.0	8.3	8.3
	50	1	.0	8.3	16.7
	56	1	.0	8.3	25.0
	60	2	.0	16.7	41.7
	80	1	.0	8.3	50.0
	90	1	.0	8.3	58.3
	250	1	.0	8.3	66.7
	365	4	.1	33.3	100.0
	Total	12	.3		
Missing	-9 Don't know	171	3.6		
	-1 No response	4584	96.2		
	Total	4755	99.7		
	Total	4767	100.0		


KN File – Section G

kn7080 G5b4: Some days child spent in sun by lake or sea at 3 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	1987	22.8	28.5	28.5
	2 Yes	4990	57.4	71.5	100.0
	Total	6977	80.2	100.0	
Missing	-1 No response	1721	19.8		
	Total	8698	100.0		

KN File – Section G

kn7082 G5b4: Number of days child spent in sun by lake or sea at 3 years old



plus the following missing values, special codes and outliers >40:

kn7082 G5b4: Number of days child spent in sun by lake or sea at 3 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42	1	.0	5.9	5.9
	60	3	.1	17.6	23.5
	63	1	.0	5.9	29.4
	70	1	.0	5.9	35.3
	80	1	.0	5.9	41.2
	90	1	.0	5.9	47.1
	100	1	.0	5.9	52.9
	270	1	.0	5.9	58.8
	307	1	.0	5.9	64.7
	365	4	.1	23.5	88.2
	998 Lots	2	.0	11.8	100.0
	Total	17	.4	100.0	
Missing	-9 Don't know	191	4.6		
	-1 No response	3900	94.9		
	Total	4091	99.6		
	Total	4108	100.0		


KN File – Section G

kn7090 G5b5: Some days child spent in sun by lake or sea at 4 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	1621	18.6	22.9	22.9
	2 Yes	5448	62.6	77.1	100.0
	Total	7069	81.3	100.0	
Missing	-1 No response	1629	18.7		
	Total	8698	100.0		

KN File – Section G

kn7092 G5b5: Number of days child spent in sun by lake or sea at 4 years old



plus the following missing values, special codes and outliers >40:

kn7092 G5b5: Number of days child spent in sun by lake or sea at 4 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42	3	.1	10.3	10.3
	50	2	.1	6.9	17.2
	60	4	.1	13.8	31.0
	80	3	.1	10.3	41.4
	90	3	.1	10.3	51.7
	180	1	.0	3.4	55.2
	183	1	.0	3.4	58.6
	200	1	.0	3.4	62.1
	270	1	.0	3.4	65.5
	307	1	.0	3.4	69.0
	365	6	.2	20.7	89.7
	997 Occasionally	1	.0	3.4	93.1
	998 Lots	2	.1	6.9	100.0
Missing	Total	29	.8	100.0	
	-9 Don't know	200	5.4		
	-1 No response	3448	93.8		
Total	Total	3648	99.2		
		3677	100.0		


KN File – Section G

kn7100 G5b6: Some days child spent in sun by lake or sea at 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Other Text Answer	1	.0	.0	.0
	1 No	1703	19.6	24.3	24.3
	2 Yes	5315	61.1	75.7	100.0
	Total	7019	80.7	100.0	
Missing	-1 No response	1679	19.3		
Total		8698	100.0		

KN File – Section G

kn7102 G5b6: Number of days child spent in sun by lake or sea at 5 years old



plus the following missing values, special codes and outliers >40:

kn7102 G5b6: Number of days child spent in sun by lake or sea at 5 years old


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	41	1	.0	3.3	3.3
	42	3	.1	10.0	13.3
	45	2	.1	6.7	20.0
	49	2	.1	6.7	26.7
	50	2	.1	6.7	33.3
	56	1	.0	3.3	36.7
	60	2	.1	6.7	43.3
	63	1	.0	3.3	46.7
	70	1	.0	3.3	50.0
	80	1	.0	3.3	53.3
	90	3	.1	10.0	63.3
	120	1	.0	3.3	66.7
	180	1	.0	3.3	70.0
	183	1	.0	3.3	73.3
	307	1	.0	3.3	76.7
	365	4	.1	13.3	90.0
Missing	997 Occasionally	1	.0	3.3	93.3
	998 Lots	2	.1	6.7	100.0
	Total	30	.8	100.0	
	-9 Don't know	202	5.4		
Total	-1 No response	3541	93.9		
	Total	3743	99.2		
	Total	3773	100.0		

KN File – Section G

kn7110 G5c1: Child spends some days in sun abroad in first 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	6000	69.0	88.8	88.8
	2 Yes	755	8.7	11.2	100.0
	Total	6755	77.7	100.0	
Missing	-1 No response	1943	22.3		
Total		8698	100.0		

kn7112 G5c1: Number of days child spent in sun abroad in first 12 months



plus the following missing values and outliers >40:

kn7112 G5c1: Number of days child spent in sun abroad in first 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42	1	.0	9.1	9.1
	52	1	.0	9.1	18.2
	60	4	.0	36.4	54.5
	90	1	.0	9.1	63.6
	206	1	.0	9.1	72.7
	365	3	.0	27.3	100.0
	Total	11	.1	100.0	
Missing	-9 Don't know	40	.5		
	-1 No response	7961	99.4		
	Total	8001	99.9		
	Total	8012	100.0		


KN File – Section G

kn7120 G5c2: Child spends some days in sun abroad at 1 year old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	5623	64.6	82.3	82.3
	2 Yes	1211	13.9	17.7	100.0
	Total	6834	78.6	100.0	
Missing	-1 No response	1864	21.4		
	Total	8698	100.0		

KN File – Section G

kn7122 G5c2: Number of days child spent in sun abroad at 1 year old



plus the following missing values and outliers >40:

kn7122 G5c2: Number of days child spent in sun abroad at 1 year old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42	2	.0	15.4	15.4
	50	1	.0	7.7	23.1
	52	1	.0	7.7	30.8
	60	3	.0	23.1	53.8
	90	1	.0	7.7	61.5
	100	1	.0	7.7	69.2
	180	1	.0	7.7	76.9
	365	3	.0	23.1	100.0
	Total	13	.2	100.0	
Missing	-9 Don't know	46	.6		
	-1 No response	7506	99.2		
	Total	7552	99.8		
	Total	7565	100.0		


KN File – Section G

kn7130 G5c3: Child spends some days in sun abroad at 2 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	5249	60.3	75.1	75.1
	2 Yes	1739	20.0	24.9	
	Total	6988	80.3	100.0	
Missing	-1 No response	1710	19.7		
	Total	8698	100.0		

KN File – Section G

kn7132 G5c3: Number of days child spent in sun abroad at 2 years old



plus the following missing values and outliers >40:

kn7132 G5c3: Number of days child spent in sun abroad at 2 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42	1	.0	5.6	5.6
	45	2	.0	11.1	16.7
	48	1	.0	5.6	22.2
	52	1	.0	5.6	27.8
	56	1	.0	5.6	33.3
	60	3	.0	16.7	50.0
	80	1	.0	5.6	55.6
	100	1	.0	5.6	61.1
	150	1	.0	5.6	66.7
	180	3	.0	16.7	83.3
	365	3	.0	16.7	100.0
	Total	18	.3	100.0	
Missing	-9 Don't know	62	.9		
	-1 No response	6985	98.9		
	Total	7047	99.7		
Total		7065	100.0		


KN File – Section G

kn7140 G5c4: Child spends some days in sun abroad at 3 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	5032	57.9	71.1	71.1
	2 Yes	2050	23.6	28.9	100.0
	Total	7082	81.4	100.0	
Missing	-1 No response	1616	18.6		
	Total	8698	100.0		

KN File – Section G

kn7142 G5c4: Number of days child spent in sun abroad at 3 years old



plus the following missing values and outliers >40:

kn7142 G5c4: Number of days child spent in sun abroad at 3 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42	1	.0	4.3	4.3
	45	1	.0	4.3	8.7
	50	1	.0	4.3	13.0
	56	1	.0	4.3	17.4
	60	5	.1	21.7	39.1
	63	1	.0	4.3	43.5
	80	1	.0	4.3	47.8
	90	1	.0	4.3	52.2
	100	1	.0	4.3	56.5
	180	1	.0	4.3	60.9
	270	1	.0	4.3	65.2
	300	1	.0	4.3	69.6
	307	1	.0	4.3	73.9
	365	6	.1	26.1	100.0
Missing	Total	23	.3	100.0	
	-9 Don't know	80	1.2		
	-1 No response	6673	98.5		
	Total	6753	99.7		
Total		6776	100.0		


KN File – Section G

kn7150 G5c5: Child spends some days in sun abroad at 4 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4946	56.9	69.6	69.6
	2 Yes	2164	24.9	30.4	100.0
	Total	7110	81.7	100.0	
Missing	-1 No response	1588	18.3		
	Total	8698	100.0		

KN File – Section G

kn7152 G5c5: Number of days child spent in sun abroad at 4 years old



plus the following missing values and outliers >40:

kn7152 G5c5: Number of days child spent in sun abroad at 4 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42	2	.0	7.4	7.4
	45	1	.0	3.7	11.1
	50	2	.0	7.4	18.5
	60	5	.1	18.5	37.0
	72	1	.0	3.7	40.7
	80	1	.0	3.7	44.4
	90	2	.0	7.4	51.9
	180	1	.0	3.7	55.6
	183	1	.0	3.7	59.3
	200	1	.0	3.7	63.0
	300	1	.0	3.7	66.7
	307	1	.0	3.7	70.4
	365	8	.1	29.6	100.0
Missing	Total	27	.4	100.0	
	-9 Don't know	81	1.2		
	-1 No response	6574	98.4		
Total	Total	6655	99.6		
		6682	100.0		


KN File – Section G

kn7160 G5c6: Child spends some days in sun abroad at 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4816	55.4	68.6	68.6
	2 Yes	2209	25.4	31.4	
	Total	7025	80.8	100.0	
Missing	-1 No response	1673	19.2		
	Total	8698	100.0		

KN File – Section G

kn7162 G5c6: Number of days child spent in sun abroad at 5 years old



plus the following missing values and outliers >40:

kn7162 G5c6: Number of days child spent in sun abroad at 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	42	4	.1	13.8	13.8
	45	2	.0	6.9	20.7
	50	1	.0	3.4	24.1
	60	4	.1	13.8	37.9
	64	1	.0	3.4	41.4
	80	1	.0	3.4	44.8
	90	1	.0	3.4	48.3
	100	1	.0	3.4	51.7
	119	1	.0	3.4	55.2
	180	1	.0	3.4	58.6
	183	2	.0	6.9	65.5
	300	1	.0	3.4	69.0
	307	1	.0	3.4	72.4
	365	8	.1	27.6	100.0
Missing	Total	29	.4	100.0	
	-9 Don't know	75	1.1		
	-1 No response	6513	98.4		
Total	Total	6588	99.6		
		6617	100.0		

KN File – Section G

kn7170 G6a: Frequency child wears hat when in the summer sun

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	2587	29.7	30.2	30.2
	2 Yes Usually	3626	41.7	42.4	72.6
	3 Yes Sometimes	2128	24.5	24.9	97.5
	4 No Never	213	2.4	2.5	100.0
	Total	8554	98.3	100.0	
Missing	-1 No response	144	1.7		
	Total	8698	100.0		

kn7171 G6b: Frequency child wears something to cover skin when in the summer sun

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	1926	22.1	22.7	22.7
	2 Yes Usually	3853	44.3	45.4	68.0
	3 Yes Sometimes	2569	29.5	30.2	98.3
	4 No Never	146	1.7	1.7	100.0
	Total	8494	97.7	100.0	
Missing	-1 No response	204	2.3		
	Total	8698	100.0		

kn7172 G6c: Frequency child wears sunblock or sun lotion when in the summer sun

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	5120	58.9	59.8	59.8
	2 Yes Usually	2590	29.8	30.3	90.1
	3 Yes Sometimes	740	8.5	8.6	98.7
	4 No Never	110	1.3	1.3	100.0
	Total	8560	98.4	100.0	
Missing	-1 No response	138	1.6		
	Total	8698	100.0		

kn7173 G6d: Frequency child avoids midday summer sun

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Always	1998	23.0	23.5	23.5
	2 Yes Usually	3668	42.2	43.2	66.7
	3 Yes Sometimes	2425	27.9	28.6	95.3
	4 No Never	401	4.6	4.7	100.0
	Total	8492	97.6	100.0	
Missing	-1 No response	206	2.4		
	Total	8698	100.0		

KN File – Section G

kn7174 G6e: Factor of sunblock or sun lotion that child wears

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1-3	14	.2	.2	.2
	2 4-7	107	1.2	1.3	1.4
	3 8-14	593	6.8	7.1	8.5
	4 15-20	2913	33.5	34.7	43.2
	5 21-25	1484	17.1	17.7	60.9
	6 25+	3089	35.5	36.8	97.8
	9 Can't say	187	2.1	2.2	100.0
	Total	8387	96.4	100.0	
Missing	-1 No response	311	3.6		
Total		8698	100.0		

kn7175 G6f: Star Rating of sunblock or sun lotion that child wears

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 One	1	.0	.0	.0
	2 Two	31	.4	.5	.6
	3 Three	383	4.4	6.6	7.1
	4 Four	895	10.3	15.4	22.5
	9 Cannot Say	4508	51.8	77.5	100.0
	Total	5818	66.9	100.0	
	Missing	-1 No response	2880	33.1	
	Total	8698	100.0		

kn7182 G6h: Frequency sunblock is applied to child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once Only	891	10.2	10.7	10.7
	2 Every 3-4 Hours	3648	41.9	43.7	54.3
	3 Every 2 Hours	2857	32.8	34.2	88.5
	4 Every Hour	880	10.1	10.5	99.0
	5 Every 1/2 Hour	81	.9	1.0	100.0
	Total	8357	96.1	100.0	
	Missing	-9 Don't know	1	.0	
	-8 Text response	3	.0		
Missing	-1 No response	337	3.9		
	Total	341	3.9		
	Total	8698	100.0		

KN File – Section G

kn7190 G7: Child's likely reaction after 1 hour on first day of strong summer sun with no sun cream

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No Burn	2764	31.8	32.7	32.7
	2 Mild Burn	3397	39.1	40.2	73.0
	3 Painful Burn	896	10.3	10.6	83.6
	4 Cannot Say	1388	16.0	16.4	100.0
	Total	8445	97.1	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	251	2.9		
	Total	253	2.9		
Total		8698	100.0		

kn7200 G8: Has child ever used a sunbed or sunlamp

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes Sunbed	6	.1	.1	.1
	2 Yes Sunlamp	4	.0	.0	.1
	4 No	8537	98.1	99.9	100.0
	Total	8547	98.3	100.0	
	Missing				
Missing	-1 No response	151	1.7		
	Total	8698	100.0		

kn7201 G8: Number of times child has used a sunbed or sunlamp

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once Only	4	.0	40.0	40.0
	2 2-4 Times	2	.0	20.0	60.0
	3 5 Or More Times	4	.0	40.0	100.0
	Total	10	.1	100.0	
	Missing				
Missing	-1 No response	8688	99.9		
	Total	8698	100.0		

KN File – Section H

PAGE 48 OF THE QUESTIONNAIRE

H1. This questionnaire was completed by: (tick all that apply)

- | | | |
|----------------------------|---|-------|
| a) mother | 1 | |
| b) father | 1 | |
| c) other (please describe) | 1 | |

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 "no".]

kn9980 H1a: Questionnaire completed by mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8388	96.4	97.3	97.3
	2 No	231	2.7	2.7	100.0
	Total	8619	99.1	100.0	
Missing	-5 Question H1 omitted	79	.9		
	Total	8698	100.0		

kn9981 H1b: Questionnaire completed by father

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	439	5.0	5.1	5.1
	2 No	8180	94.0	94.9	100.0
	Total	8619	99.1	100.0	
Missing	-5 Question H1 omitted	79	.9		
	Total	8698	100.0		

kn9982 H1c: Questionnaire completed by other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	123	1.4	1.4	1.4
	2 No	8496	97.7	98.6	100.0
	Total	8619	99.1	100.0	
Missing	-5 Question H1 omitted	79	.9		
	Total	8698	100.0		

KN File – Section H

Derived Variables

Number of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question H1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

kn9984 DV: Number of contributors to questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	8308	95.5	96.4	96.4
	2	291	3.3	3.4	99.8
	3	20	.2	.2	100.0
	Total	8619	99.1	100.0	
Missing	-5 Question H1 omitted	79	.9		
Total		8698	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question H1. It is calculated by recoding values of 1 to powers of 2 (1, 2, and 4 for parts a to c respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

kn9985 DV: Questionnaire completed by...

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mother only	8079	92.9	93.7	93.7
	2 Father only	176	2.0	2.0	95.8
	3 Mother & father	241	2.8	2.8	98.6
	4 Other only	53	.6	.6	99.2
	5 Mother & other	48	.6	.6	99.7
	6 Father & other	2	.0	.0	99.8
	7 Mother, father & other	20	.2	.2	100.0
	Total	8619	99.1	100.0	
Missing	-5 Question H1 omitted	79	.9		
Total		8698	100.0		

KN File – Section H

H2. Please give the date on which you completed this questionnaire:

Two empty square boxes for drawing, outlined in red.

199

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31 November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSPAC. This action was flagged in variable KN9090c. The month and year of completion were retained on the built file, but the day was dropped.]

kn9990a H2: Date of completion of questionnaire - month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	577	6.6	6.6	6.6
	2 February	842	9.7	9.7	16.3
	3 March	836	9.6	9.6	25.9
	4 April	907	10.4	10.4	36.4
	5 May	842	9.7	9.7	46.0
	6 June	862	9.9	9.9	55.9
	7 July	849	9.8	9.8	65.7
	8 August	813	9.3	9.3	75.1
	9 September	787	9.0	9.0	84.1
	10 October	662	7.6	7.6	91.7
	11 November	480	5.5	5.5	97.2
	12 December	241	2.8	2.8	100.0
Total		8698	100.0	100.0	

kn9990b H2: Date of completion of questionnaire - year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1997	4223	48.6	48.6	48.6
	1998	4419	50.8	50.8	99.4
	1999	54	.6	.6	100.0
	2000	2	.0	.0	100.0
	Total	8698	100.0	100.0	

kn9990c DV: Date of completion replaced with date of receipt

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, incomplete d.o.c.	191	2.2	2.2	2.2
	2 Yes, illegal d.o.c.	3	.0	.0	2.2
	3 Yes, d.o.c. < d.o.s.	120	1.4	1.4	3.6
	4 Yes, d.o.c. > d.o.r.	63	.7	.7	4.3
	5 No	8321	95.7	95.7	100.0
	Total	8698	100.0	100.0	

KN File – Section H

Derived Variables - Age at Completion


The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

kn9991a DV: Age of study child at completion (months)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid				
68	1	.0	.0	.0
69	5920	68.1	68.1	68.1
70	1693	19.5	19.5	87.5
71	395	4.5	4.5	92.1
72	329	3.8	3.8	95.9
73	195	2.2	2.2	98.1
74	66	.8	.8	98.9
75	31	.4	.4	99.2
76	11	.1	.1	99.3
77	12	.1	.1	99.5
78	11	.1	.1	99.6
79	5	.1	.1	99.7
80	6	.1	.1	99.7
81	5	.1	.1	99.8
82	5	.1	.1	99.9
83	3	.0	.0	99.9
84	1	.0	.0	99.9
85	1	.0	.0	99.9
86	1	.0	.0	99.9
87	3	.0	.0	100.0
89	1	.0	.0	100.0
90	1	.0	.0	100.0
93	1	.0	.0	100.0
103	1	.0	.0	100.0
Total	8698	100.0	100.0	

KN File – Section H

kn9991b DV: Age of study child at completion (weeks)



plus the following outliers <300 or >350:

kn9991b DV: Age of study child at completion (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	299	2	7.7	7.7	7.7
	351	1	3.8	3.8	11.5
	354	1	3.8	3.8	15.4
	355	3	11.5	11.5	26.9
	356	1	3.8	3.8	30.8
	357	1	3.8	3.8	34.6
	358	1	3.8	3.8	38.5
	359	2	7.7	7.7	46.2
	360	1	3.8	3.8	50.0
	361	1	3.8	3.8	53.8
	364	2	7.7	7.7	61.5
	366	1	3.8	3.8	65.4
	373	1	3.8	3.8	69.2
	377	1	3.8	3.8	73.1
	378	2	7.7	7.7	80.8
	380	1	3.8	3.8	84.6
	387	1	3.8	3.8	88.5
	392	1	3.8	3.8	92.3
	405	1	3.8	3.8	96.2
	449	1	3.8	3.8	100.0
Total		26	100.0	100.0	

KN File – Section H

H3. Please give the date of birth of your child:

Two empty square boxes for drawing, outlined in red.

199

199

[Editing: Note that this reported date of birth is not used.]

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comments you would like to make

Please remember we cannot reply to any comment unless you sign it.

When completed, please return the questionnaire to:

**Professor Jean Golding
Children of the Nineties - ALSPAC
Institute of Child Health
24 Tyndall Avenue
Bristol
BS8 1BR Tel: Bristol 9285007**

Coder

Int

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. Note that this is the 2003 revision, which dates from after this questionnaire was coded. However, the revision did not alter the content but rather streamlined the text by simplifying sentences and introducing headings. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

KN File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow "Post-It" sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder's responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder's marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person's work at regular intervals in order to strive for maximum accuracy.

KN File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page.

When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

KN File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

KN File – Appendix B

Coding instructions for boy and girl versions (5/12/96) "My School Boy/Girl"

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the "My School Boy/Girl" replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires - 2nd revision " document.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 5/12/96.

*****If the questionnaire is all blank, e.g. the woman didn't want to fill in the form, write "ALL BLANK" on the front cover and move on to the next questionnaire.

Page 3, Section A

A1 i, ii	8
A2a	I
A2b	8
A3a to f	7

Page 4

A3g to t	7	
A3u	7	If something relevant is written on the 'please describe' line, and there is no corresponding tick on A3u, please code A3u as zero to indicate a text response.
A4a	I	
A4b	II	If a range is given, take the higher number.

Page 5

A4c 1 st admission - age	II	If part years given, round down to the next lowerage.
A4c 1 st admission - reason		Not being coded here.
A4c 1 st admission - No of nights	II	This is the number of midnights spent in hospital. If the child was discharged without staying overnight, or if it was day care only, code as zero.
2 , 3 admissions		As 1 admission.
A4d 1 st admission	7	
2 , 3 admissions	7	
A5a to g	I	
A5h	I	If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A5h.

Page 6

A6a	I
A6b	8
A6c	8
A6d	7
A6e	7
A6f	I
A7a	I
A7b	7

Page 7

KN File – Appendix B

A7c	I	
A7d	I	
A7e	I	
A8a, b If yes,...	I	Code ‘sometimes’ as yes. If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A8b. Note that the text response is not being coded here.
A8c	I	Code ‘sometimes’ as yes.
A9	I	
A9i	I	If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A9. Note that the text response is not being coded here.
A9ii	I	If something relevant is written, please ensure that there is a corresponding ‘yes’ tick on A9. Note that the text response is not being coded here.
A9iii	I	If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on A9iii, please code A9iii as “mouth” or “other part”, or else as zero, depending on the text response. Note that the text response is not being coded here. If 1 and 2 are ticked, code as 3.

Page 8

A10a	I	
A10b	8	
A10ci	7	
A10cii	7	
A11a	I	
A11b	II	If a range is given, round up.
A11c	II	Round up fractions to next whole day. If a range is given, round up.
A11di to iii	I	
A11div	I	If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A11div.

Page 9

A11e	I	
A11ei	8	
A11f		Not being coded here.
A12a	I	
A12b	8	
A12c	7	
A12d	7	

Page 10

A13a	8	
A13b	8	
A13c	7	

Page 11

A13di	8	
A13dii	7	
A13diii	7	
A13div	8	
A13e	8	
A13fi,ii	7	

Page 12

KN File – Appendix B

A13g	7
A13h	7
A14a	I
A14b	8
A14c	7

Page 13

A14di to iii	I	‘Don’t Know’ responses should be put in A14d(v) - leave the corresponding component of (i) to (iv) unticked.
A14div	I	If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A14div.
A14dv	I	
A15a	I	
A15bi	I	
A15bii	I	Note that the text response is not being coded here.
A15biii	I	
If yes,...	I	If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A15biii. Note that the text response is not being coded here.
A16a	I	

Page 14

A16b		If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A16a. Note that the text response is not being coded here.
A16c	I	
A16d	7	
A16e	8	
A16fi to iv	I	
A16g		Not being coded here.
A16h	I	

Page 15

If yes,...		If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A16h. Note that the text response is not being coded here.
A16ji to v	I	
A16jvi	I	If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A16jvi. Note that the text response is not being coded here.
A16jvii	I	
A17a to f	I	

Page 16

A17g to j	I	
A17k	I	If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on A17k. Note that the text response is not being coded here.
A18a to c	II	If a range is given, take the upper limit.

Page 17, Section B

KN File – Appendix B

B1	I	Code “varies”, “sometimes” as 2.
B2a	8	
B2b	II,II	Note that this question is asked, expecting a p.m. time, so code it on the 12-hour clock basis. So, code 19.30 as 0730, and code 7.30 as 0730 as well. P.M is assumed. If a range of times is given take the later. The probable range of answers will be 0730 to 1100. It is just possible that a time after midnight is given - to code this, add 24 hours on to the time - so one o'clock in the morning is coded as 2500.
B3a	II,II	As B2b, but assuming A.M. times. If a range is given, take the earliest. The question asks about school days, so presumably the problem of the child waking after midday will not occur.
B3b	II	If a range is given, take the upper limit.
B4ai, ii	I	If more than one box is ticked, tick “other” instead, and list the numbers of boxes originally ticked on the dotted line.
B4 “other place (please describe)”		If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on B4a, please code B4a as zero to indicate a text response. Try and determine whether it should be on B4ai or B4aii - if you can’t, code both as zero.

Page 18

B4bi, ii	I	As B4a
B4 “other (please describe)”		As B4a
B4ci to iii	7	Code “never” as 4.
B4d a, b “space for comments”	7	Not being coded here.

Page 19

B4ei to vi, Winter	I	Code “varies” as 2.
B4ei to vi, Summer	I	Code “varies” as 2.
B5a to g	I	If multiple ticks involving 1,2,3 only, code highest value; if 4 or 9 and any of the 1,2,3, ignore the 4 or 9.

Page 20, Section C

C1	I	
C2a to g	8	
C2h	8	If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on C2h, please code C2h as zero to indicate a text response. Note that the text response is not being coded here.
C3	I	

Page 21

C4a to e	8	
C5a to e		Code each column separately. If any combination is given including 7 or 8, delete the 7 or 8. Otherwise any combination of ticks is valid in each column. If Channel 5 is mentioned, add an extra set of boxes across the bottom of a to e and code a 5 in that row where applicable.

Page 22

C6a i to iii	I	Code - multiple ticks - different reactions to different programmes as 2.
C6b i to iv	I	
C6c	7	
C7	7	

KN File – Appendix B

Page 23

C8a,b	7	
C8c	7	If something relevant is written on the ‘please describe’ line, and there is no corresponding tick on C8c, please code C8c as zero to indicate a text response. Note that the text response is not being coded here.
C9a to j	8	

Page 24

C10a,b	I	Code as style 7 for multiple ticks, unless a preference is stated, e.g. “usually 2, sometimes 1” is coded as 2.
C11	8	
C12	8	

Page 25, Section D

D1 to 11	7
----------	---

Page 26

D12 to 15	7	
D16	7	Please ensure that any writing in the box is relevant to one of the asterisked D questions. If it is not, code a ‘0’ on D16 to indicate that another upsetting event has occurred. Note that the text response is not being coded here.
“space for comments”		Not being coded here.

Page 28, Section E

E1a to m	8	In E1 to 7, code “sometimes/occasionally” as 2.
----------	---	-------------------------------------------------

Page 29

E1n to u	8	Note that for E1p, “stabilisers” should be recoded as “yes” in part “o” and part “p” should be recoded as “no”.
E2a to f	8	

Page 30

E2g to i	8
E2j	7

KN File – Appendix B

E2j “other (please describe)”
E3a to g 8

Page 31

E4a to o 8

Page 32

E5a to l 8

Page 33

E6a to l 8

Page 34

E7a to j 8

Page 35

E8a to b 8

E8c to e 7

E9a 7
E9b 7

Page 36

E10a 8
E10b to d 7

E11a I

E11b If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on E11a. Note that the text response is not being coded here.

E12a I

If yes,.... If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on E12a. Note that the text response is not being coded here.

Page 37

E12bi to biv I
E12b “space for comments” Not being coded here.

E13a to f I Code “sometimes” as 1.

Page 38

If yes,... Please ensure that anything relevant here has an appropriate code on E13a-f. Note that the text response is not being coded here.

Page 39, Section F

F1,2,6,7,11 8

F3,4,5,8,9,10 7

KN File – Appendix B

Page 40

F12,13,20	7
F14-19,21-24	8

Page 41

F25 to F35	8
------------	---

Page 42

F36 to F38	8
F39 to F42	7

Page 43, Section G

G1a	II, II, II	Code either feet and inches or centimetres. The computer will be able to distinguish which system has been used, because the number ranges don't overlap. Imperial heights are coded with feet as the first digit, inches as the second and third. Remember to put a zero in if the inches are less than 10. Thus 5 foot 9 is coded as 509, 4 foot 11 is 411 and so on. Round part inches or centimetres up to the next whole number.
G1b	II, II, II	Code either stones and pounds or kilograms. Code stones in the first box and pounds in the second and third. Thus 4 stone 5 lbs would be recorded as 405. If kilograms are given, code these as a 3 digit number. Round parts of a stone, pound or kilogram to the nearest whole number. If weight varies, code the higher value given. If no answer given, leave the boxes blank. For not known, code as 9's.
G1c to f	II, II	Code in inches or centimetres, using 2 digits for inches or 3 digits for centimetres. Round parts of an inch or centimetre up to the nearest whole number. If a range is given, code as the higher value.
G2	I	
G3	I	
G3i to iii		The only acceptable answers here are a tick or no tick or a "9" for "don't know". If any of the boxes are ticked, please ensure that there is a "yes" tick in G3.

Page 44

G3iv to vi		As G3i to iii.
G4	7	
G5ai to iv	8	

Page 45

G5av to vi	8	
G5bi to vi	I	
G5bi to vi "how many days"	II	If the number of days is given, please ensure that the "yes" box is ticked. Code as 3 digits right justifying by adding zeros on the left as necessary. If a range is given, round up.
G5ci to vi	I	
G5ci to vi "where"		Not being coded here. If something relevant is written here, please ensure that the "yes" box is ticked.

KN File – Appendix B

G5ci to vi “how many days” II If something relevant is written here, please ensure that the “yes” box is ticked. Code as 3 digits right justifying by adding zeros on the left as necessary. If a range is given, round up.

Page 46

G6a to d	8	
G6e	7	
G6f	7	
G6g		Not being coded here.
G6h	7	

Page 47

G7	8	
G8	I	
G8 “if yes”	8	If both a sun bed and a sun lamp were used, code as “3”.

Page 48, Section H

H1a,b	I	
H1c	I	If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick on H1c.
H2	IV	If left blank, copy month and year that the form was returned from the front cover.
H3	IV	As H2, using child’s date of birth from front cover.

Bottom of Page 48, For Office Use Only

Coder Insert your initials here.
Int. If the questionnaire was completed with the aid of an interviewer, there will be initials here.

END OF QUESTIONNAIRE

msbgcod 30/3/98

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. If a response was not received after 3 weeks a reminder letter was sent. If there had still not been a response after a further 3 weeks then a second reminder was sent out. If there was still no response 3 weeks after the second reminder had been sent then the case was flagged as being eligible for personal contact by a member of the Family Liaison Team.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20, separately for the male and female versions.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of SPSS data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were put together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifiers ALN & QLET. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variable for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letters “kn” which are followed by four digits and occasionally a further letter. Then the data from the back page were edited as described

KN File – Appendix C

in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t know” to -9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to -8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don’t know	The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”.
-10	Not completed	No completed questionnaire is available for this case. Variable KN0007a = 2 for all such cases.

At some point in the future the data may be reissued as a “built” file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.