

THE ALSPAC STUDY

YPA FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Your Life Now (21+)

Prepared by

The ALSPAC Study Team

**Documentation giving frequencies, background and
instructions for use**

Version 1: January 2017

Introduction		
Background		Page 3
Collaborators and Funders		Page 3
Data Collection		Page 4
Questionnaire Versions		Page 4
Sample and Response Rates		Page 4
Format of this Documentation		Page 4
Release File Version History		Page 5
Administrative Variables		
Frequencies		Page 6
Section A: COCO90s		
Questionnaire		Page 7
Frequencies		Page 12
Section B: Mental Health		
Questionnaire		Page 17
Frequencies		Page 25
Section C: Sexual Health		
Questionnaire		Page 51
Frequencies		Page 68
Section D: Your Health and Well-Being		
Questionnaire		Page 122
Frequencies		Page 126
Section E: Intimate Partner Violence		
Questionnaire		Page 138
Frequencies		Page 142
Section F: Tobacco		
Questionnaire		Page 158
Frequencies		Page 160
Section G: Reproductive Health		
Questionnaire		Page 165
Frequencies		Page 169
Section H: Employment and Education		
Questionnaire		Page 183
Frequencies		Page 186
Section I: Completing the Questionnaire		
Questionnaire		Page 191
Frequencies		Page 193

Introduction

Background

This questionnaire was sent out to study children when they were approximately 22 years of age. It is in 9 sections:

Section A collects data on any children they may have and assisting with recruitment for COCO90's (Children of the Children of the 90's); Section B details the respondent's mental health, including moods and feelings, unusual experiences and anxiety; Section C ask about sexual health, including sexual experiences, sexual health screening and pregnancy history; Section D details general health and well-being; Section E asks about intimate partner violence (domestic abuse); Section F includes questions about tobacco use; Section G collects data on women's reproductive health; Section H asks questions regarding the respondent's education and employment status; finally, Section I collects the usual 'back page' information on when the questionnaire was completed and if the respondent had any help completing it.

Collaborators and Funders

Section	Topic/Specific Measure	Collaborator	Funder
A	COCO90s	Debbie Lawlor (University of Bristol)	Core ALSPAC
B	Moods and feelings Unusual experiences (PLIKS) Anxiety Energy, activity and mood	Carol Joinson (University of Bristol) Stan Zammit (University of Bristol) Glyn Lewis (University of Bristol) Daniel Smith (University of Glasgow)	Core ALSPAC Core ALSPAC NIH MRC
C	Sexual health	John MacLeod (University of Bristol)	Core ALSPAC
D	Health and well-being	John MacLeod (University of Bristol)	Core ALSPAC
E	Intimate partner violence	Gene Feder (University of Bristol)	University of Bristol
F	Tobacco use	Marcus Munafó (University of Bristol)	Core ALSPAC
G	Reproductive health	Debbie Lawlor (University of Bristol)	Core ALSPAC
H	Employment, education and training	John MacLeod (University of Bristol)	Core ALSPAC

Data Collection

The questionnaire was available to complete in online or paper format. All eligible participants were first sent a letter in mid-December 2013 providing details that the online questionnaire was active (a paper questionnaire was not enclosed with this initial invite). Participants who did not return their questionnaire then received a series of up to four reminders at three-week intervals: the first reminder contained a paper version of the questionnaire for individuals to complete alongside a reminder letter; the second reminder was an email or postcard (depending on whether an email address was available); the third reminder contained another paper version of the questionnaire alongside another reminder letter; the final reminder consisted of a further email/postcard reminder. Completed paper questionnaires were read in using Teleform data capture software. Data collection for the online questionnaires were collected and managed using an in-house data collection system.

Questionnaire Versions

There was only one version of this questionnaire. There are no differences between the questions asked in the paper and online versions of the questionnaire in the release file.

Sample and Response Rates

There are a total of 15,458 records on this built file with 3,463 having returned a completed questionnaire in either online or paper format. This number is made up of the 14,676 foetuses in the core ALSPAC sample plus 782 eligible individuals not in the core sample (regardless of whether or not the 21+ questionnaire was sent out to them or whether it was returned). This questionnaire was completed by 158 of these 782 individuals not in the core sample. Of these 14,676 foetuses in the core ALSPAC sample, 14,062 were live born. The 21+ questionnaire was sent out to 9,359 live born children within the ALSPAC cohort (60.5% of total sample). As of 8th February 2016, 3,463 completed questionnaires had been returned (37% of those sent). For further information on the ALSPAC 'Young People' sample, please see the cohort profile paper (Boyd et al., 2013).

Note that 4 of the 3,463 completed questionnaires belong to children from triplet or quadruplet pregnancies, all of whom are in the core sample. For reasons of confidentiality the data from these questionnaires are not available. All variables have been set to -11 for these triplets and quadruplets.

Format of this Documentation

The bulk of this documentation consists of the text of the questionnaire as it was sent and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been

added before the relevant frequency tables. The algorithms used to create derived variables are also included where appropriate.

Release File Version History

Release version 1a – January 2017; The first version of the release file.

References

Boyd, A., Golding, J., Macleod, J., Lawlor, D. A., Fraser, A., Henderson, J., ... & Smith, G. D. (2013). Cohort profile: the 'children of the 90s'—the index offspring of the Avon Longitudinal Study of Parents and Children. *International Journal of Epidemiology*, 42 (1), 111-127.

Administrative Variables

YPA0001: Questionnaire was sent to this individual

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	6099	39.5	39.5	39.5
	Yes	9359	60.5	60.5	100.0
	Total	15458	100.0	100.0	

YPA0002: Respondent completed questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	5896	38.1	63.0	63.0
	Yes	3463	22.4	37.0	100.0
	Total	9359	60.5	100.0	
Missing	Q not sent	6099	39.5		
	Total	15458	100.0		

YPA0003: Online or paper questionnaire completed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Online	1958	12.7	56.5	56.5
	Paper	1505	9.7	43.5	100.0
	Total	3463	22.4	100.0	
Missing	Questionnaire not returned	11995	77.6		
	Total	15458	100.0		

Section A: Being a Parent - Questionnaire

Introduction

This questionnaire is for completion by the study young person.

In answering these questions you will be helping more than 17 researchers from 7 universities across the UK and Europe, who have all contributed to putting this questionnaire together. In the future, the data you provide will be available to countless researchers across the world and will help in answering important questions on human development, health and disease.

Please remember that your answers to all these questions are confidential and will be processed using a unique ID number. All your personal details will be removed and no researcher will be able to link your answers back to you. Your information will only be shared with qualified researchers for research that has been approved by Children of the 90s.

Some questions may seem very similar to each other; this is because the combination of answers gives a clearer picture than one single answer.

There may be questions that seem a bit strange and are not applicable to you because they are concerned with specific feelings or problems. We would be very grateful if you would try to answer all the questions but we understand if there are questions that you either prefer not to answer or are unable to answer.

If you do not wish to complete this questionnaire, please leave it blank and return it to us in the prepaid envelope provided. We will then know not to send you any more reminders.

Thank you for taking the time to complete this questionnaire.

Filling in the questionnaire

Please use black pen. To answer questions simply put a cross in the box/circle which is most accurate in your opinion, like this:



If you make a mistake, shade the box/circle in like this:



then cross the correct box.

If you are answering questions which ask you to give further details, please make sure you write inside the boxes. When writing numbers inside boxes, please don't touch the sides of the box. If you make a mistake when writing numbers inside boxes, please cross through the box and write your answer next to the box.

If you do not want to answer a question or if it does not apply to you, leave it blank. There are no right or wrong answers.

There is a blank sheet available at the back of the questionnaire if you need additional space. If you use this sheet, please clearly indicate the question number you are answering.

Contents page

Section A: COCO90s	Page 5 to 6
Section B: Mental Health	Page 7 to 14
Section C: Sexual Health	Page 15 to 31
Section D: Your Health and Well-Being	Page 32 to 35
Section E: Intimate Partner Violence	Page 36 to 39
Section F: Tobacco	Page 40 to 41
Section G: Reproductive Health	Page 42 to 45
Section H: Employment, Education and Training	Page 46 to 48
Section I: Complete Questionnaire	Page 49 to 50

Section A: COCO90s

Children of the 90s have started a new project looking at the Children of the Children of the 90s (COCO90s). This section asks about any children you may have or are expecting.

A1) Are you a parent?

(cross one option only)

1

Yes - biological parent

2

Yes - non-biological parent

3

No

→ If No, go to A3

A2) Please give the date(s) of birth of your child/ren

a) 1st child

Day Month Year
DOB

b) 2nd child

Day Month Year
DOB

c) 3rd child

Day Month Year
DOB

d) 4th child

Day Month Year
DOB

A3) Are you or your partner currently pregnant?

(cross one option only)

- | | |
|---|--|
| <input type="checkbox"/> 1 Yes, I am pregnant | <input type="checkbox"/> 2 Yes, my partner is pregnant |
| <input type="checkbox"/> 3 No | |

A4) If Yes, what is the expected due date of your baby?

Day Month Year

→ **Go to A6**

A5) Are you or your partner trying for a baby at the moment?

(cross one option only)

- | | |
|---|--|
| <input type="checkbox"/> 1 No - not trying for a baby | <input type="checkbox"/> 2 Yes - been trying for 0 to 6 months |
| <input type="checkbox"/> 3 Yes - been trying for 6 to 12 months | <input type="checkbox"/> 4 Yes - been trying for more than 12 months |

A6) If you have answered yes to question A1 or A3, would you be happy to receive further details about the COCO90s study - a research study that is enrolling a new generation of participants - the children of the Children of the 90s - to learn about the factors that affect good health or development of disease across generations?

(cross one option only)

- | | |
|--------------------------------|-------------------------------|
| <input type="checkbox"/> 1 Yes | <input type="checkbox"/> 2 No |
|--------------------------------|-------------------------------|

A7) If you have answered yes to question A5, would you be happy to let us know if you/your partner become pregnant and allow us to send you further details about the COCO90s study - a research study that is enrolling a new generation of participants - the children of the Children of the 90s - to learn about the factors that affect good health or development of disease across generations?

(cross one option only)

- | | |
|--------------------------------|-------------------------------|
| <input type="checkbox"/> 1 Yes | <input type="checkbox"/> 2 No |
|--------------------------------|-------------------------------|

If you would like to know more about COCO90s please go to www.childrenofthe90s.ac.uk/participants/coco90s

Section A: Being a Parent - Frequencies

YPA1000: a1: YP is a parent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes - biological parent	174	1.1	5.1	5.1
	Yes - non-biological parent	8	.1	.2	5.3
	No	3240	21.0	94.7	100.0
	Total	3422	22.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	37	.2		
	Total	12036	77.9		
Total		15458	100.0		

YPA1010: a2amonth: Date of birth of first child (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	19	.1	11.6	11.6
	2	13	.1	7.9	19.5
	3	14	.1	8.5	28.0
	4	18	.1	11.0	39.0
	5	12	.1	7.3	46.3
	6	10	.1	6.1	52.4
	7	10	.1	6.1	58.5
	8	15	.1	9.1	67.7
	9	13	.1	7.9	75.6
	10	14	.1	8.5	84.1
	11	11	.1	6.7	90.9
	12	15	.1	9.1	100.0
	Total	164	1.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3295	21.3		
	Total	15294	98.9		
Total		15458	100.0		

YPA1011: a2ayear: Date of birth of first child (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1992	1	.0	.6	.6
	1998	1	.0	.6	1.2
	2003	1	.0	.6	1.8
	2007	3	.0	1.8	3.6
	2008	4	.0	2.4	6.1
	2009	14	.1	8.5	14.5
	2010	15	.1	9.1	23.6
	2011	31	.2	18.8	42.4
	2012	39	.3	23.6	66.1
	2013	44	.3	26.7	92.7
	2014	12	.1	7.3	100.0
Total		165	1.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3294	21.3		
	Total	15293	98.9		
Total		15458	100.0		

YPA1012: a2bmonth: Date of birth of second child (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	.0	14.3	14.3
	2	2	.0	7.1	21.4
	3	3	.0	10.7	32.1
	4	1	.0	3.6	35.7
	6	2	.0	7.1	42.9
	7	2	.0	7.1	50.0
	8	4	.0	14.3	64.3
	9	5	.0	17.9	82.1
	10	2	.0	7.1	89.3
	11	2	.0	7.1	96.4
	12	1	.0	3.6	100.0
	Total	28	.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3431	22.2		
	Total	15430	99.8		
Total		15458	100.0		

YPA1013: a2bbyear: Date of birth of second child (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2001	1	.0	3.6	3.6
	2009	1	.0	3.6	7.1
	2011	5	.0	17.9	25.0
	2012	4	.0	14.3	39.3
	2013	12	.1	42.9	82.1
	2014	5	.0	17.9	100.0
	Total	28	.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3431	22.2		
	Total	15430	99.8		
Total		15458	100.0		

YPA1014: a2cmmonth: Date of birth of third child (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	50.0	50.0
	8	1	.0	50.0	100.0
	Total	2	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3457	22.4		
	Total	15456	100.0		
Total		15458	100.0		

YPA1015: a2cyear: Date of birth of third child (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2013	2	.0	66.7	66.7
	2014	1	.0	33.3	100.0
	Total	3	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3456	22.4		
	Total	15455	100.0		
Total		15458	100.0		

YPA1016: a2dmmonth: Date of birth of fourth child (month)

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA1017: a2dyear: Date of birth of fourth child (year)

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA1018 is a derived variable detailing respondent's number of children, based upon the number of answers to the above questions (YPA1010 to YPA1017).

YPA1018: DV: Number of children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3240	21.0	95.1	95.1
	1	139	.9	4.1	99.2
	2	25	.2	.7	99.9
	3	3	.0	.1	100.0
	Total	3407	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	52	.3		
	Total	12051	78.0		
Total		15458	100.0		

YPA1020: a3: YP or YP's partner is currently pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, I am pregnant	38	.2	1.1	1.1
	Yes, my partner is pregnant	9	.1	.3	1.4
	No	3363	21.8	98.6	100.0
	Total	3410	22.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	49	.3		
	Total	12048	77.9		
Total		15458	100.0		

YPA1030: a4month: Expected due date of baby (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	.0	4.5	4.5
	2	2	.0	4.5	9.1
	3	5	.0	11.4	20.5
	4	3	.0	6.8	27.3
	5	7	.0	15.9	43.2
	6	4	.0	9.1	52.3
	7	5	.0	11.4	63.6
	8	6	.0	13.6	77.3
	9	3	.0	6.8	84.1
	10	3	.0	6.8	90.9
	11	3	.0	6.8	97.7
	12	1	.0	2.3	100.0
Missing	Total	44	.3	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3415	22.1		
Total		15414	99.7		
Total		15458	100.0		

YPA1031: a4year: Expected due date of baby (year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2014	44	.3	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3415	22.1		
	Total	15414	99.7		
Total		15458	100.0		

YPA1040: a5: YP and partner are trying for a baby at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No - not trying for a baby	3246	21.0	99.1	99.1
	Yes - been trying for 0 to 6 months	17	.1	.5	99.6
	Yes - been trying for 6 to 12 months	7	.0	.2	99.8
	Yes - been trying for more than 12 months	5	.0	.2	100.0
	Total	3275	21.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	184	1.2		
	Total	12183	78.8		
Total		15458	100.0		

YPA1050: a6: YP happy to receive information about the COCO90s study if applicable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	158	1.0	66.9	66.9
	No	78	.5	33.1	100.0
	Total	236	1.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3223	20.9		
	Total	15222	98.5		
Total		15458	100.0		

YPA1060: a7: YP happy to let us know if they or partner become pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	66	.4	59.5	59.5
	No	45	.3	40.5	100.0
	Total	111	.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3348	21.7		
	Total	15347	99.3		
Total		15458	100.0		

Section B: Mental Health - Questionnaire

Section B: Mental Health

■ Moods and Feelings

These questions are about how you may have been feeling or acting recently. For each question, please say how much you think you have felt or acted this way in the **past two weeks**.

(cross one option on each line)

1 True 2 Sometimes True 3 Not True

- | | | | |
|--|-------------------------|-------------------------|-------------------------|
| B1) I felt miserable or unhappy | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B2) I didn't enjoy anything at all | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B3) I felt so tired that I just sat around and did nothing | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B4) I was very restless | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B5) I felt I was no good any more | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B6) I cried a lot | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B7) I found it hard to think properly or concentrate | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B8) I hated myself | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B9) I felt I was a bad person | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B10) I felt lonely | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B11) I thought nobody really loved me | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B12) I thought I could never be as good as others | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |
| B13) I felt I did everything wrong | 1 <input type="radio"/> | 2 <input type="radio"/> | 3 <input type="radio"/> |

■ Unusual Experiences

These questions are about feelings and experiences you may have had.

- B14) Have you ever heard voices that other people couldn't hear?

(cross one option only)

- | | |
|---|------------------------------------|
| 1 <input type="radio"/> Yes, definitely | 2 <input type="radio"/> Yes, maybe |
| 3 <input type="radio"/> No, never | |

→ If No, please go to Question B15

a) How often have you heard voices that other people couldn't hear since your 20th birthday?

(cross one option only)

- | | |
|--|--|
| 1 <input type="radio"/> Once or twice | 2 <input type="radio"/> Less than once a month |
| 3 <input type="radio"/> More than once a month | 4 <input type="radio"/> Nearly every day |
| 5 <input type="radio"/> Not at all | |

b) Were you upset by this?

(cross one option only)

- | | |
|--|--|
| 1 <input type="radio"/> No, not at all upset | 2 <input type="radio"/> Yes, a bit upset |
| 3 <input type="radio"/> Yes, quite upset | 4 <input type="radio"/> Yes, very upset |

c) If you have heard voices that other people couldn't hear, did this:

i) Only ever happen within 24 hours of taking cannabis or other drugs?

(cross one option only)

- | | |
|-----------------------------|----------------------------|
| 1 <input type="radio"/> Yes | 2 <input type="radio"/> No |
|-----------------------------|----------------------------|

ii) Only ever happen when falling asleep or as you were waking up?

(cross one option only)

- | | |
|-----------------------------|----------------------------|
| 1 <input type="radio"/> Yes | 2 <input type="radio"/> No |
|-----------------------------|----------------------------|

B15) Have you ever seen something or someone that other people could not see?

(cross one option only)

- | | |
|---|------------------------------------|
| 1 <input type="radio"/> Yes, definitely | 2 <input type="radio"/> Yes, maybe |
| 3 <input type="radio"/> No, never | |

→ If **No**, please go to Question B16

a) How often have you seen something or someone that other people could not see since your 20th birthday?

(cross one option only)

- | | |
|--|--|
| 1 <input type="radio"/> Once or twice | 2 <input type="radio"/> Less than once a month |
| 3 <input type="radio"/> More than once a month | 4 <input type="radio"/> Nearly every day |
| 5 <input type="radio"/> Not at all | |

b) Were you upset by this?

(cross one option only)

- | | |
|--|--|
| 1 <input type="radio"/> No, not at all upset | 2 <input type="radio"/> Yes, a bit upset |
| 3 <input type="radio"/> Yes, quite upset | 4 <input type="radio"/> Yes, very upset |

c) If you have seen something or someone that other people could not see, did this:

i) Only ever happen within 24 hours of taking cannabis or other drug?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

ii) Only ever happen when falling asleep or as you were waking up?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

B16) Have you ever thought you were being followed or spied on?

(cross one option only)

<input type="checkbox"/> 1 Yes, definitely	<input type="checkbox"/> 2 Yes, maybe
<input type="checkbox"/> 3 No, never	

→ If **No**, please go to question B17

a) How often has this happened since your 20th birthday?

(cross one option only)

<input type="checkbox"/> 1 Once or twice	<input type="checkbox"/> 2 Less than once a month
<input type="checkbox"/> 3 More than once a month	<input type="checkbox"/> 4 Nearly every day
<input type="checkbox"/> 5 Not at all	

b) Were you upset by this?

(cross one option only)

<input type="checkbox"/> 1 No, not at all upset	<input type="checkbox"/> 2 Yes, a bit upset
<input type="checkbox"/> 3 Yes, quite upset	<input type="checkbox"/> 4 Yes, very upset

c) If you ever thought you were being followed or spied on, did this **only ever happen** within 24 hours of using or taking cannabis or other drugs?

(cross one option only)

<input type="checkbox"/> 1 Yes, only within 24 hours of using cannabis or other drugs	<input type="checkbox"/> 2 No, it happened at other times too
---	---

■ Anxiety

These questions are about feelings of anxiety you may have experienced during the past month.

Over the past month, how often have you been bothered by the following problems?

(cross one option on each line)

	1 Not at all	2 Several days	3 More than half the days	4 Nearly every day
--	--------------	----------------	---------------------------	--------------------

- B17) Feeling nervous, anxious or on edge
- B18) Not being able to stop or control worrying
- B19) Worrying too much about different things
- B20) Trouble relaxing
- B21) Being so restless that it is hard to sit still
- B22) Becoming easily annoyed or irritable
- B23) Feeling afraid as if something awful might happen

- B24) Thinking about the past month, did your anxiety or tension ever get so bad that you got in a panic, for instance make you feel that you might collapse or lose control unless you did something about it?

(cross one option only)

1 Yes 2 No

► If No, please go to question B40

- B25) How many panic attacks like this have you had in the past month?

(cross one option only)

1 One 2 Two or Three
 3 Four or more

- B26) Do these panics start suddenly so you are at maximum anxiety within a few minutes?

(cross one option only)

1 No 2 Sometimes
 3 Yes

During your worst panic attack in the past month:

(cross one option on each line)

¹Yes ²No

- B27) Did you have shortness of breath or difficulty breathing? ¹ ²
- B28) Did you feel dizzy, unsteady, light-headed or like you might faint? ¹ ²
- B29) Did your heart beat harder or speed up? ¹ ²
- B30) Were you trembling or shaking? ¹ ²
- B31) Did you have sweaty or clammy hands? ¹ ²
- B32) Did you have a choking sensation? ¹ ²
- B33) Did you have pain, pressure or discomfort in your chest? ¹ ²
- B34) Did you have nausea (feeling as though you were going to vomit) or stomach ache? ¹ ²
- B35) Did things around you feel strange, unreal or detached OR did you feel outside or detached from yourself? ¹ ²
- B36) Did you have tingling or numbness in parts of your body? ¹ ²
- B37) Did you have hot flushes or chills? ¹ ²
- B38) Did you fear that you were dying? ¹ ²
- B39) Did you fear that you were losing control or going crazy? ¹ ²

■ Energy, Activity and Mood

At different times in their life everyone experiences changes or swings in energy, activity and mood ("highs and lows" or "ups and downs"). The aim of these questions is to assess the characteristics of the "high" periods.

- B40) First of all, how are you feeling today compared to your usual state:

(cross one option only)

- | | |
|---|--|
| ¹ <input type="radio"/> Much worse than usual | ² <input type="radio"/> Worse than usual |
| ³ <input type="radio"/> A little worse than usual | ⁴ <input type="radio"/> Neither better nor worse than usual |
| ⁵ <input type="radio"/> A little better than usual | ⁶ <input type="radio"/> Better than usual |
| ⁷ <input type="radio"/> Much better than usual | |

- B41) Apart from how you feel today, please tell us how you are normally compared to other people by marking which of the following statements describes you best:

Compared to other people my level of activity, energy and mood:

(cross one option only)

<input type="checkbox"/> 1 Is always rather stable and even	<input type="checkbox"/> 2 Is generally higher
<input type="checkbox"/> 3 Is generally lower	<input type="checkbox"/> 4 Repeatedly show periods of ups and downs

- B42) Please try to remember a period when you were in a "high" state (not related to recreational drug use).

Please answer all of these statements independently of how you feel today.

In such a state:

(cross one option on each line)

1 Yes 2 No

- a) I need less sleep 1 2
- b) I feel more energetic and more active 1 2
- c) I am more self-confident 1 2
- d) I enjoy my work more 1 2
- e) I am more sociable (make more phone calls, go out more) 1 2
- f) I want to travel and/or do travel more 1 2
- g) I tend to drive faster or take more risks when driving 1 2
- h) I spend more/too much money 1 2
- i) I take more risks in my daily life (in my work and/or other activities) 1 2
- j) I am physically more active (sport etc) 1 2
- k) I plan more activities or projects 1 2
- l) I have more ideas, I am more creative 1 2
- m) I am less shy or inhibited 1 2
- n) I wear more colourful and more extravagant clothes/make-up 1 2

	1 Yes	2 No
o) I want to meet or actually do meet more people	<input type="radio"/> 1	<input type="radio"/> 2
p) I am more interested in sex, and/or have increased sexual desire	<input type="radio"/> 1	<input type="radio"/> 2
q) I am more flirtatious and/or am sexually more active	<input type="radio"/> 1	<input type="radio"/> 2
r) I talk more	<input type="radio"/> 1	<input type="radio"/> 2
s) I think faster	<input type="radio"/> 1	<input type="radio"/> 2
t) I make more jokes or puns when I am talking	<input type="radio"/> 1	<input type="radio"/> 2
u) I am more easily distracted	<input type="radio"/> 1	<input type="radio"/> 2
v) I engage in lots of new things	<input type="radio"/> 1	<input type="radio"/> 2
w) My thoughts jump from topic to topic	<input type="radio"/> 1	<input type="radio"/> 2
x) I do things more quickly and/or more easily	<input type="radio"/> 1	<input type="radio"/> 2
y) I am more impatient and/or get irritable more easily	<input type="radio"/> 1	<input type="radio"/> 2
z) I can be exhausting or irritating for others	<input type="radio"/> 1	<input type="radio"/> 2
za) I get into more quarrels	<input type="radio"/> 1	<input type="radio"/> 2
zb) My mood is higher, more optimistic	<input type="radio"/> 1	<input type="radio"/> 2
zc) I drink more coffee	<input type="radio"/> 1	<input type="radio"/> 2
zd) I smoke more cigarettes	<input type="radio"/> 1	<input type="radio"/> 2
ze) I drink more alcohol	<input type="radio"/> 1	<input type="radio"/> 2
zf) I take more drugs (both prescribed medications and recreational drugs)	<input type="radio"/> 1	<input type="radio"/> 2

B43) What is the impact of your "highs" on various aspects of your life:

	(cross one option on each line)	1 Positive	2 Positive and Negative	3 No Impact	4 Negative
a) Family life		<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
b) Social life		<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
c) Work		<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4
d) Leisure		<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4

B44) How do people close to you react to or comment on your "highs"?

(cross one option only)

<input type="checkbox"/> 1 Positively (encouraging or supportive)	<input type="checkbox"/> 2 Neutral
<input type="checkbox"/> 3 Negatively (concerned, annoyed, irritated, critical)	<input type="checkbox"/> 4 Positively and negatively
<input type="checkbox"/> 5 No reactions	

B45) Length of your "highs" as a rule (on average):

(cross one option only)

<input type="checkbox"/> 1 1 day	<input type="checkbox"/> 2 2-3 days
<input type="checkbox"/> 3 4-7 days	<input type="checkbox"/> 4 Longer than 1 week
<input type="checkbox"/> 5 Longer than 1 month	<input type="checkbox"/> 6 I can't judge/don't know

B46) Have you experienced such "highs" in the past twelve months?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

B47) If Yes, please estimate how many days you spent in "highs" during the last twelve months:

Days

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

Section B: Mental Health – Frequencies

Moods and Feelings

YPA2000: b1: In the past two weeks YP has felt miserable or unhappy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	448	2.9	13.2	13.2
	Sometimes True	1784	11.5	52.4	65.6
	Not True	1171	7.6	34.4	100.0
	Total	3403	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	56	.4		
	Total	12055	78.0		
Total		15458	100.0		

YPA2010: b2: In the past two weeks YP has felt that they didn't enjoy anything at all

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	167	1.1	4.9	4.9
	Sometimes True	760	4.9	22.3	27.3
	Not True	2474	16.0	72.7	100.0
	Total	3401	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	58	.4		
	Total	12057	78.0		
Total		15458	100.0		

YPA2020: b3: In the past two weeks YP has felt so tired that they just sat around and did nothing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	499	3.2	14.7	14.7
	Sometimes True	1510	9.8	44.4	59.1
	Not True	1393	9.0	40.9	100.0
	Total	3402	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	57	.4		
	Total	12056	78.0		
Total		15458	100.0		

YPA2030: b4: In the past two weeks YP was very restless

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	336	2.2	9.9	9.9
	Sometimes True	1348	8.7	39.8	49.7
	Not True	1706	11.0	50.3	100.0
	Total	3390	21.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	69	.4		
	Total	12068	78.1		
Total		15458	100.0		

YPA2040: b5: In the past two weeks YP felt that they were no good any more

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	251	1.6	7.4	7.4
	Sometimes True	774	5.0	22.8	30.2
	Not True	2374	15.4	69.8	100.0
	Total	3399	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	60	.4		
	Total	12059	78.0		
Total		15458	100.0		

YPA2050: b6: In the past two weeks YP thinks that they cried a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	170	1.1	5.0	5.0
	Sometimes True	597	3.9	17.6	22.6
	Not True	2632	17.0	77.4	100.0
	Total	3399	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	60	.4		
	Total	12059	78.0		
Total		15458	100.0		

YPA2060: b7: In the past two weeks YP has found it hard to think properly or concentrate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	338	2.2	10.0	10.0
	Sometimes True	1363	8.8	40.1	50.1
	Not True	1695	11.0	49.9	100.0
	Total	3396	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	63	.4		
	Total	12062	78.0		
Total		15458	100.0		

YPA2070: b8: In the past two weeks YP has hated themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	180	1.2	5.3	5.3
	Sometimes True	523	3.4	15.4	20.7
	Not True	2693	17.4	79.3	100.0
	Total	3396	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	63	.4		
	Total	12062	78.0		
Total		15458	100.0		

YPA2080: b9: In the past two weeks YP has felt that they are a bad person

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	134	.9	4.0	4.0
	Sometimes True	560	3.6	16.5	20.5
	Not True	2698	17.5	79.5	100.0
	Total	3392	21.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	67	.4		
	Total	12066	78.1		
Total		15458	100.0		

YPA2090: b10: In the past two weeks YP has felt lonely

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	424	2.7	12.5	12.5
	Sometimes True	1141	7.4	33.6	46.1
	Not True	1831	11.8	53.9	100.0
	Total	3396	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	63	.4		
	Total	12062	78.0		
Total		15458	100.0		

YPA2100: b11: In the past two weeks YP has thought nobody really loved them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	144	.9	4.2	4.2
	Sometimes True	330	2.1	9.7	14.0
	Not True	2921	18.9	86.0	100.0
	Total	3395	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	64	.4		
	Total	12063	78.0		
Total		15458	100.0		

YPA2110: b12: In the past two weeks YP has thought that they could never be as good as others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	293	1.9	8.6	8.6
	Sometimes True	766	5.0	22.6	31.2
	Not True	2335	15.1	68.8	100.0
	Total	3394	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	65	.4		
	Total	12064	78.0		
Total		15458	100.0		

YPA2120: b13: In the past two weeks YP has felt that they did everything wrong

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	192	1.2	5.7	5.7
	Sometimes True	661	4.3	19.5	25.1
	Not True	2541	16.4	74.9	100.0
	Total	3394	22.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	65	.4		
	Total	12064	78.0		
Total		15458	100.0		

Unusual Experiences

YPA2130: b14: YP has heard voices that other people couldn't hear

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, definitely	74	.5	2.2	2.2
	Yes, maybe	177	1.1	5.2	7.4
	No, never	3130	20.2	92.6	100.0
	Total	3381	21.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	78	.5		
	Total	12077	78.1		
Total		15458	100.0		

YPA2131: b14a: Frequency YP has heard voices that other people couldn't hear since their 20th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Once or twice	109	.7	29.0	29.0
	Less than once a month	50	.3	13.3	42.3
	More than once a month	32	.2	8.5	50.8
	Nearly every day	12	.1	3.2	54.0
	Not at all	173	1.1	46.0	100.0
	Total	376	2.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3083	19.9		
	Total	15082	97.6		
Total		15458	100.0		

YPA2132: b14b: YP was upset by this

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No, not at all upset	204	1.3	68.5	68.5
	Yes, a bit upset	59	.4	19.8	88.3
	Yes, quite upset	23	.1	7.7	96.0
	Yes, very upset	12	.1	4.0	100.0
	Total	298	1.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3161	20.4		
	Total	15160	98.1		
Total		15458	100.0		

YPA2133: b14c1: YP only ever heard voices that other people couldn't hear within 24 hours of taking cannabis or other drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	31	.2	10.9	10.9
	No	253	1.6	89.1	100.0
	Total	284	1.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3175	20.5		
	Total	15174	98.2		
Total		15458	100.0		

YPA2134: b14c2: YP only ever heard voices that other people couldn't hear when falling asleep or as they were waking up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	63	.4	22.6	22.6
	No	216	1.4	77.4	100.0
	Total	279	1.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3180	20.6		
Total	Total	15179	98.2		
		15458	100.0		

YPA2140: b15: YP has seen something or someone that other people could not see

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, definitely	92	.6	2.7	2.7
	Yes, maybe	189	1.2	5.6	8.3
	No, never	3093	20.0	91.7	100.0
Missing	Total	3374	21.8	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Total	NS/NA	85	.5		
	Total	12084	78.2		
Total		15458	100.0		

YPA2141: b15a: Frequency YP has seen something or someone that other people could not see since 20th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Once or twice	157	1.0	47.7	47.7
	Less than once a month	38	.2	11.6	59.3
	More than once a month	24	.2	7.3	66.6
	Nearly every day	4	.0	1.2	67.8
	Not at all	106	.7	32.2	100.0
	Total	329	2.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3130	20.2		
	Total	15129	97.9		
Total		15458	100.0		

YPA2142: b15b: YP was upset by this

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No, not at all upset	204	1.3	69.4	69.4
	Yes, a bit upset	54	.3	18.4	87.8
	Yes, quite upset	18	.1	6.1	93.9
	Yes, very upset	18	.1	6.1	100.0
	Total	294	1.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3165	20.5		
	Total	15164	98.1		
Total		15458	100.0		

YPA2143: b15c1: If YP has seen something or someone that other people could not see, only happened within 24 hours of taking cannabis or other drug

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	48	.3	16.2	16.2
	No	248	1.6	83.8	100.0
	Total	296	1.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3163	20.5		
	Total	15162	98.1		
	Total	15458	100.0		

YPA2144: b15c2: If YP has seen something or someone that other people could not see, only happened when falling asleep or as they were waking up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	67	.4	22.9	22.9
	No	225	1.5	77.1	100.0
	Total	292	1.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3167	20.5		
	Total	15166	98.1		
	Total	15458	100.0		

YPA2150: b16: YP has thought they were being followed or spied on

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, definitely	113	.7	3.4	3.4
	Yes, maybe	383	2.5	11.4	14.7
	No, never	2876	18.6	85.3	100.0
	Total	3372	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	87	.6		
	Total	12086	78.2		
	Total	15458	100.0		

YPA2151: b16a: Frequency YP has thought they were being followed or spied on since their 20th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Once or twice	252	1.6	49.9	49.9
	Less than once a month	83	.5	16.4	66.3
	More than once a month	59	.4	11.7	78.0
	Nearly every day	12	.1	2.4	80.4
	Not at all	99	.6	19.6	100.0
	Total	505	3.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2954	19.1		
	Total	14953	96.7		
Total		15458	100.0		

YPA2152: b16b: YP was upset by this

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No, not at all upset	173	1.1	35.3	35.3
	Yes, a bit upset	219	1.4	44.7	80.0
	Yes, quite upset	73	.5	14.9	94.9
	Yes, very upset	25	.2	5.1	100.0
	Total	490	3.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2969	19.2		
	Total	14968	96.8		
Total		15458	100.0		

YPA2153: b16c: IF YP has thought they were being followed or spied on, this was only within 24 hours of using or taking cannabis or other drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, only within 24 hours of using cannabis or other drugs	31	.2	6.5	6.5
	No, it happened at other times too	444	2.9	93.5	100.0
	Total	475	3.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2984	19.3		
	Total	14983	96.9		
Total		15458	100.0		

Anxiety

YPA2160: b17: Over past month YP has been bothered by feeling nervous, anxious or on edge

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1510	9.8	44.5	44.5
	Several days	1453	9.4	42.9	87.4
	More than half the days	261	1.7	7.7	95.1
	Nearly every day	166	1.1	4.9	100.0
	Total	3390	21.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	69	.4		
	Total	12068	78.1		
Total		15458	100.0		

YPA2170: b18: Over past month YP has been bothered by not being able to stop or control worrying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1930	12.5	56.9	56.9
	Several days	990	6.4	29.2	86.1
	More than half the days	277	1.8	8.2	94.3
	Nearly every day	194	1.3	5.7	100.0
	Total	3391	21.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	68	.4		
	Total	12067	78.1		
Total		15458	100.0		

YPA2180: b19: Over past month YP has been bothered by worrying too much about different things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1346	8.7	39.8	39.8
	Several days	1413	9.1	41.7	81.5
	More than half the days	379	2.5	11.2	92.7
	Nearly every day	247	1.6	7.3	100.0
	Total	3385	21.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	74	.5		
	Total	12073	78.1		
Total		15458	100.0		

YPA2190: b20: Over past month YP has had trouble relaxing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1633	10.6	48.2	48.2
	Several days	1260	8.2	37.2	85.4
	More than half the days	305	2.0	9.0	94.4
	Nearly every day	188	1.2	5.6	100.0
	Total	3386	21.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	73	.5		
	Total	12072	78.1		
Total		15458	100.0		

YPA2200: b21: Over past month YP has been bothered by being so restless that it is hard to sit still

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2396	15.5	70.8	70.8
	Several days	749	4.8	22.1	93.0
	More than half the days	160	1.0	4.7	97.7
	Nearly every day	77	.5	2.3	100.0
	Total	3382	21.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	77	.5		
	Total	12076	78.1		
Total		15458	100.0		

YPA2210: b22: Over past month YP has been bothered by becoming easily annoyed or irritable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	1165	7.5	34.4	34.4
	Several days	1621	10.5	47.8	82.2
	More than half the days	418	2.7	12.3	94.6
	Nearly every day	184	1.2	5.4	100.0
	Total	3388	21.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	71	.5		
	Total	12070	78.1		
Total		15458	100.0		

YPA2220: b23: Over past month YP has been bothered by feeling afraid as if something awful might happen

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2457	15.9	72.6	72.6
	Several days	634	4.1	18.7	91.4
	More than half the days	186	1.2	5.5	96.9
	Nearly every day	105	.7	3.1	100.0
	Total	3382	21.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	77	.5		
	Total	12076	78.1		
Total		15458	100.0		

YPA2230: b24: In past month YP's anxiety or tension got so bad that they got in a panic, making them feel that they might collapse or lose control

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	359	2.3	10.7	10.7
	No	2994	19.4	89.3	100.0
	Total	3353	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	106	.7		
	Total	12105	78.3		
Total		15458	100.0		

YPA2240: b25: Number of panic attacks YP has had in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	One	171	1.1	47.9	47.9
	Two or Three	154	1.0	43.1	91.0
	Four or more	32	.2	9.0	100.0
	Total	357	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3102	20.1		
	Total	15101	97.7		
Total		15458	100.0		

YPA2250: b26: YP's panics start suddenly so they are at maximum anxiety within a few minutes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	64	.4	18.0	18.0
	Sometimes	174	1.1	48.9	66.9
	Yes	118	.8	33.1	100.0
	Total	356	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3103	20.1		
	Total	15102	97.7		
Total		15458	100.0		

YPA2260: b27: During worst panic attack in past month YP had shortness of breath or difficulty breathing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	252	1.6	71.6	71.6
	No	100	.6	28.4	
	Total	352	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3107	20.1		
Total	Total	15106	97.7		
		15458	100.0		

YPA2270: b28: During worst panic attack in past month YP felt dizzy, unsteady, light-headed or like they might faint

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	245	1.6	70.0	70.0
	No	105	.7	30.0	
	Total	350	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3109	20.1		
Total	Total	15108	97.7		
		15458	100.0		

YPA2280: b29: During worst panic attack in past month YP's heart beat harder or sped up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	320	2.1	92.0	92.0
	No	28	.2	8.0	
	Total	348	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3111	20.1		
Total	Total	15110	97.7		
		15458	100.0		

YPA2290: b30: During worst panic attack in past month YP was trembling or shaking.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	256	1.7	73.4	73.4
	No	93	.6	26.6	
	Total	349	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3110	20.1		
Total	Total	15109	97.7		
		15458	100.0		

YPA2300: b31: During worst panic attack in past month YP had sweaty or clammy hands

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	206	1.3	58.7	58.7
	No	145	.9	41.3	100.0
	Total	351	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3108	20.1		
Total	Total	15107	97.7		
		15458	100.0		

YPA2310: b32: During worst panic attack in past month YP had a choking sensation

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	67	.4	19.3	19.3
	No	281	1.8	80.7	100.0
	Total	348	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3111	20.1		
Total	Total	15110	97.7		
		15458	100.0		

YPA2320: b33: During worst panic attack in past month YP had pain, pressure or discomfort in their chest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	194	1.3	55.4	55.4
	No	156	1.0	44.6	100.0
	Total	350	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3109	20.1		
Total	Total	15108	97.7		
		15458	100.0		

YPA2330: b34: During worst panic attack in past month YP had nausea or stomach ache

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	221	1.4	63.5	63.5
	No	127	.8	36.5	100.0
	Total	348	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3111	20.1		
Total	Total	15110	97.7		
		15458	100.0		

YPA2340: b35: During worst panic attack in past month things around YP felt strange, unreal or detached or YP felt outside or detached from themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	208	1.3	59.6	59.6
	No	141	.9	40.4	
	Total	349	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3110	20.1		
Total	Total	15109	97.7		
		15458	100.0		

YPA2350: b36: During worst panic attack in past month YP had tingling or numbness in parts of their body

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	119	.8	33.9	33.9
	No	232	1.5	66.1	
	Total	351	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3108	20.1		
Total	Total	15107	97.7		
		15458	100.0		

YPA2360: b37: During worst panic attack in past month YP had hot flushes or chills

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	203	1.3	58.0	58.0
	No	147	1.0	42.0	
	Total	350	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3109	20.1		
Total	Total	15108	97.7		
		15458	100.0		

YPA2370: b38: During worst panic attack in past month YP feared that they were dying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	58	.4	16.5	16.5
	No	293	1.9	83.5	
	Total	351	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3108	20.1		
Total	Total	15107	97.7		
		15458	100.0		

YPA2380: b39: During worst panic attack in past month YP feared that they were losing control or going crazy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	189	1.2	54.0	54.0
	No	161	1.0	46.0	100.0
	Total	350	2.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3109	20.1		
	Total	15108	97.7		
Total		15458	100.0		

Energy, Activity and Mood

YPA2390: b40: How YP feeling today compared to usual state

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Much worse than usual	31	.2	.9	.9
	Worse than usual	133	.9	3.9	4.8
	A little worse than usual	397	2.6	11.7	16.5
	Neither better nor worse than usual	1808	11.7	53.3	69.9
	A little better than usual	549	3.6	16.2	86.1
	Better than usual	333	2.2	9.8	95.9
	Much better than usual	140	.9	4.1	100.0
	Total	3391	21.9	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Missing	NS/NA	68	.4		
	Total	12067	78.1		
	Total	15458	100.0		

YPA2400: b41: Compared to other people, YP's level of activity, energy and mood

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Is always rather stable and even	1557	10.1	45.9	45.9
	Is generally higher	728	4.7	21.5	67.4
	Is generally lower	394	2.5	11.6	79.0
	Repeatedly show periods of ups and downs	711	4.6	21.0	100.0
	Total	3390	21.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	69	.4		
	Total	12068	78.1		
Total		15458	100.0		

YPA2410: b42a: Experience when in 'high' state: YP needs less sleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1165	7.5	34.5	34.5
	No	2209	14.3	65.5	100.0
	Total	3374	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	85	.5		
Total	Total	12084	78.2		
		15458	100.0		

YPA2411: b42b: Experience when in 'high' state: YP feels more energetic and more active

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2813	18.2	83.4	83.4
	No	560	3.6	16.6	100.0
	Total	3373	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	86	.6		
Total	Total	12085	78.2		
		15458	100.0		

YPA2412: b42c: Experience when in 'high' state: YP is more self-confident

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2697	17.4	80.0	80.0
	No	674	4.4	20.0	100.0
	Total	3371	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	88	.6		
Total	Total	12087	78.2		
		15458	100.0		

YPA2413: b42d: Experience when in 'high' state: YP enjoys work more

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2618	16.9	77.8	77.8
	No	745	4.8	22.2	100.0
	Total	3363	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	96	.6		
Total	Total	12095	78.2		
		15458	100.0		

YPA2414: b42e: Experience when in 'high' state: YP is more sociable (make more phone calls, go out more)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2683	17.4	79.7	79.7
	No	684	4.4	20.3	100.0
	Total	3367	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	92	.6		
Total	Total	12091	78.2		
		15458	100.0		

YPA2415: b42f: Experience when in 'high' state: YP wants to travel and/or do travel more

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2346	15.2	69.7	69.7
	No	1021	6.6	30.3	100.0
	Total	3367	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	92	.6		
Total	Total	12091	78.2		
		15458	100.0		

YPA2416: b42g: Experience when in 'high' state: YP tends to drive faster or take more risks when driving

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	491	3.2	14.8	14.8
	No	2824	18.3	85.2	100.0
	Total	3315	21.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	144	.9		
Total	Total	12143	78.6		
		15458	100.0		

YPA2417: b42h: Experience when in 'high' state: YP spends more/too much money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1398	9.0	41.5	41.5
	No	1968	12.7	58.5	100.0
	Total	3366	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	93	.6		
Total	Total	12092	78.2		
		15458	100.0		

YPA2418: b42i: Experience when in 'high' state: YP takes more risks in daily life (in work and/or other activities)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	894	5.8	26.6	26.6
	No	2465	15.9	73.4	100.0
	Total	3359	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	100	.6		
Total	Total	12099	78.3		
		15458	100.0		

YPA2419: b42j: Experience when in 'high' state: YP is physically more active (sport, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2092	13.5	62.3	62.3
	No	1267	8.2	37.7	100.0
	Total	3359	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	100	.6		
Total	Total	12099	78.3		
		15458	100.0		

YPA2420: b42k: Experience when in 'high' state: YP plans more activities or projects

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2232	14.4	66.5	66.5
	No	1125	7.3	33.5	100.0
	Total	3357	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	102	.7		
Total	Total	12101	78.3		
		15458	100.0		

YPA2421: b42l: Experience when in 'high' state: YP has more ideas, is more creative

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2236	14.5	66.6	66.6
	No	1123	7.3	33.4	100.0
	Total	3359	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	100	.6		
Total	Total	12099	78.3		
		15458	100.0		

YPA2422: b42m: Experience when in 'high' state: YP is less shy or inhibited

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2316	15.0	68.9	68.9
	No	1044	6.8	31.1	100.0
	Total	3360	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	99	.6		
Total	Total	12098	78.3		
		15458	100.0		

YPA2423: b42n: Experience when in 'high' state: YP wears more colourful and more extravagant clothes/make-up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	824	5.3	24.6	24.6
	No	2532	16.4	75.4	100.0
	Total	3356	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	103	.7		
Total	Total	12102	78.3		
		15458	100.0		

YPA2424: b42o: Experience when in 'high' state: YP wants to meet or actually do meet more people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2007	13.0	59.8	59.8
	No	1350	8.7	40.2	100.0
	Total	3357	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	102	.7		
Total	Total	12101	78.3		
		15458	100.0		

YPA2425: b42p: Experience when in 'high' state: YP is more interested in sex and/or have increased sexual desire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1827	11.8	54.4	54.4
	No	1534	9.9	45.6	100.0
	Total	3361	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	98	.6		
Total	Total	12097	78.3		
		15458	100.0		

YPA2426: b42q: Experience when in 'high' state: YP is more flirtatious and/or am more sexually active

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1864	12.1	55.2	55.2
	No	1510	9.8	44.8	
	Total	3374	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	85	.5		
Total	Total	12084	78.2		
		15458	100.0		

YPA2247: b42r: Experience when in 'high' state: YP talks more

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2707	17.5	80.5	80.5
	No	654	4.2	19.5	
	Total	3361	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	98	.6		
Total	Total	12097	78.3		
		15458	100.0		

YPA2428: b42s: Experience when in 'high' state: YP thinks faster

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1987	12.9	59.2	59.2
	No	1372	8.9	40.8	
	Total	3359	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	100	.6		
Total	Total	12099	78.3		
		15458	100.0		

YPA2429: b42t: Experience when in 'high' state: YP makes more jokes or puns when talking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2226	14.4	66.1	66.1
	No	1142	7.4	33.9	
	Total	3368	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	91	.6		
Total	Total	12090	78.2		
		15458	100.0		

YPA2430: b42u: Experience when in 'high' state: YP is more easily distracted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1156	7.5	34.4	34.4
	No	2203	14.3	65.6	100.0
	Total	3359	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	100	.6		
Total	Total	12099	78.3		
		15458	100.0		

YPA2431: b42v: Experience when in 'high' state: YP engages in lots of new things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1528	9.9	45.4	45.4
	No	1838	11.9	54.6	100.0
	Total	3366	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	93	.6		
Total	Total	12092	78.2		
		15458	100.0		

YPA2432: b42w: Experience when in 'high' state: YP thoughts jump from topic to topic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1286	8.3	38.3	38.3
	No	2069	13.4	61.7	100.0
	Total	3355	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	104	.7		
Total	Total	12103	78.3		
		15458	100.0		

YPA2433: b42x: Experience when in 'high' state: YP does things more quickly and/or more easily

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2034	13.2	60.5	60.5
	No	1326	8.6	39.5	100.0
	Total	3360	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	99	.6		
Total	Total	12098	78.3		
		15458	100.0		

YPA2434: b42y: Experience when in 'high' state: YP is more impatient and/or get irritable more easily

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	560	3.6	16.6	16.6
	No	2805	18.1	83.4	100.0
	Total	3365	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	94	.6		
Total	Total	12093	78.2		
		15458	100.0		

YPA2435: b42z: Experience when in 'high' state: YP can be exhausting or irritating for others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	629	4.1	18.7	18.7
	No	2735	17.7	81.3	100.0
	Total	3364	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	95	.6		
Total	Total	12094	78.2		
		15458	100.0		

YPA2436: b42za: Experience when in 'high' state: YP gets into more quarrels

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	226	1.5	6.7	6.7
	No	3140	20.3	93.3	100.0
	Total	3366	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	93	.6		
Total	Total	12092	78.2		
		15458	100.0		

YPA2437: b42zb: Experience when in 'high' state: YP's mood is higher, more optimistic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2657	17.2	79.0	79.0
	No	708	4.6	21.0	100.0
	Total	3365	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	94	.6		
Total	Total	12093	78.2		
		15458	100.0		

YPA2438: b42zc: Experience when in 'high' state: YP drinks more coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	331	2.1	9.9	9.9
	No	3027	19.6	90.1	100.0
	Total	3358	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	101	.7		
Total	Total	12100	78.3		
		15458	100.0		

YPA2439: b42zd: Experience when in 'high' state: YP smokes more cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	241	1.6	7.2	7.2
	No	3106	20.1	92.8	100.0
	Total	3347	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	112	.7		
Total	Total	12111	78.3		
		15458	100.0		

YPA2440: b42ze: Experience when in 'high' state: YP drinks more alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	571	3.7	17.0	17.0
	No	2790	18.0	83.0	100.0
	Total	3361	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	98	.6		
Total	Total	12097	78.3		
		15458	100.0		

YPA2441: b42zf: Experience when in 'high' state: YP takes more drugs (both prescribed medications and recreational drugs)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	132	.9	3.9	3.9
	No	3229	20.9	96.1	100.0
	Total	3361	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	98	.6		
Total	Total	12097	78.3		
		15458	100.0		

YPA2450: b43a: Impact of 'highs' on aspects of life: YP's family life

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Positive	2124	13.7	63.0	63.0
	Positive and Negative	441	2.9	13.1	76.1
	No impact	771	5.0	22.9	99.0
	Negative	35	.2	1.0	100.0
	Total	3371	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	88	.6		
	Total	12087	78.2		
Total		15458	100.0		

YPA2451: b43b: Impact of 'highs' on aspects of life: YP's social life

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Positive	2520	16.3	74.8	74.8
	Positive and Negative	368	2.4	10.9	85.7
	No impact	465	3.0	13.8	99.5
	Negative	18	.1	.5	100.0
	Total	3371	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	88	.6		
	Total	12087	78.2		
Total		15458	100.0		

YPA2452: b43c: Impact of 'highs' on aspects of life: YP's work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Positive	2062	13.3	61.2	61.2
	Positive and Negative	562	3.6	16.7	77.9
	No impact	651	4.2	19.3	97.3
	Negative	92	.6	2.7	100.0
	Total	3367	21.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	92	.6		
	Total	12091	78.2		
Total		15458	100.0		

YPA2453: b43d: Impact of 'highs' on aspects of life: YP's leisure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Positive	2356	15.2	70.1	70.1
	Positive and Negative	365	2.4	10.9	81.0
	No impact	621	4.0	18.5	99.5
	Negative	18	.1	.5	100.0
	Total	3360	21.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	99	.6		
	Total	12098	78.3		
Total		15458	100.0		

YPA2460: b44: How persons close react to or comment on YP's 'highs'


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Positively (encouraging or supportive)	1520	9.8	45.3	45.3
	Neutral	722	4.7	21.5	66.8
	Negatively (concerned, annoyed, irritated, critical)	34	.2	1.0	67.8
	Positively and negatively	206	1.3	6.1	73.9
	No reactions	875	5.7	26.1	100.0
Missing	Total	3357	21.7	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	102	.7		
Total	Total	12101	78.3		
		15458	100.0		

YPA2470: b45: Length of 'highs' as rule (on average)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 day	720	4.7	21.6	21.6
	2-3 days	849	5.5	25.4	47.0
	4-7 days	186	1.2	5.6	52.6
	Longer than 1 week	106	.7	3.2	55.8
	Longer than 1 month	88	.6	2.6	58.4
	I can't judge/don't know	1389	9.0	41.6	100.0
	Total	3338	21.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	121	.8		
	Total	12120	78.4		
Total		15458	100.0		

YPA2480: b46: Experienced 'highs' in past twelve months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2638	17.1	79.6	79.6
	No	674	4.4	20.4	100.0
	Total	3312	21.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	147	1.0		
	Total	12146	78.6		
Total		15458	100.0		



Section C: Sexual Health - Questionnaire

Section C: Sexual Health

The questions in this section are about your sexual health and sexual activity. Research into the sexual health of young people is important because adults between the ages of 17 and 24 are most at risk of acquiring sexually transmitted infections. Your answers will help us better understand why. We know that this can be quite a sensitive topic and therefore want to re-assure you that all your answers are completely confidential. Some of the questions that follow use terms like sexual partners and sexual intercourse, which are explained below. Please be sure to read these explanations.

Definitions

Genital area - A man's penis or a woman's vagina - that is, the sex organs
Vaginal sex (vaginal intercourse) - A man's penis in a woman's vagina
Oral sex (oral sexual intercourse) - A (woman's/man's) mouth on the partner's genital area
Anal sex (anal sexual intercourse) - A man's penis in a partner's anus (rectum or back passage)
Sexual intercourse or 'having sex' - This includes vaginal, oral and anal sexual intercourse
Partners or sexual partners - People who have sex together - whether just once, or a few times, or as regular partners or as married partners
Consensual sex - Consensual sex is sex that both parties have agreed (consented) to engage in.

C1) Please choose the description which best fits how you think about yourself

(cross one option only)

- | | |
|---|---|
| 1 <input type="checkbox"/> 100% heterosexual (straight) | 2 <input type="checkbox"/> Mostly heterosexual but also attracted to own sex |
| 3 <input type="checkbox"/> Bisexual (equally attracted to both sexes) | 4 <input type="checkbox"/> Mostly homosexual but also attracted to opposite sex |
| 5 <input type="checkbox"/> 100% homosexual (gay) | 6 <input type="checkbox"/> Not sexually attracted to either sex |
| 7 <input type="checkbox"/> Not sure | |

Sexual Experience

Sexual experience is any kind of contact with another person that you felt was sexual (it could be just kissing or touching, or intercourse or any other form of sex).

C2) I have had some sexual experience

(cross one option only)

- | | |
|--|---|
| 1 <input type="checkbox"/> Only ever with females (or a female), never with a male | 2 <input type="checkbox"/> More often with females (or a female), and at least once with a male |
| 3 <input type="checkbox"/> About equally often with females and with males | 4 <input type="checkbox"/> More often with males (or a male), and at least once with a female |
| 5 <input type="checkbox"/> Only with males (or a male), never with a female | 6 <input type="checkbox"/> I have never had any sexual experiences with anyone |

► If Option 6 applies, go to page 23, question C16

The next two questions refer to the first time you ever had consensual sexual intercourse (see definitions) with someone (that is, the first person you had sex with after you turned age 13).

(cross all that apply on each row)

1 Yes, with a female 2 Yes, with a male 3 No

C3) Have you ever had sexual intercourse? 1 2 3

► If No applies, go to the Sexual Health Screening section on page 23, question C16

C4) If Yes, how old were you when you first had sexual intercourse with someone (that is, the first person you had sex with after you turned age 13)?

Age (years)

The next section is about the **most recent occasion** (the last time) you have had sexual intercourse with another person

C5) Why did you have sexual intercourse ?

(cross one option on each line)

1 Yes 2 No

a) I wanted to 1 2

b) So they wouldn't break up with me 1 2

c) We were going out together and it was a natural part of our relationship 1 2

d) I wanted to know what it was like 1 2

e) Sex work (sexual exchange for money or other valuables) 1 2

f) I loved this person 1 2

g) My friends do it 1 2

h) I got carried away 1 2

i) Other 1 2

Please describe

C6) The most recent time you had sexual intercourse, had you been drinking before it happened?

(cross one option only)

1 Yes

2 No

► If No, go to question C7

a) After drinking alcohol, were you?

(cross one option only)

<input type="checkbox"/> 1 Not tipsy at all	<input type="checkbox"/> 2 A bit tipsy
<input type="checkbox"/> 3 Quite tipsy	<input type="checkbox"/> 4 Very tipsy
<input type="checkbox"/> 5 Drunk	

C7) The most recent time you had sexual intercourse, had you been using drugs before it happened?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

C8) Did you use a condom on the most recent occasion you had sexual intercourse? If you had oral sex, and not vaginal or anal sex, on this most recent occasion, please choose answer option 3, even if you did use a condom.

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
<input type="checkbox"/> 3 We only had oral sex on the most recent occasion	

C9) Did you use any other type of contraceptive/protection?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

a) If Yes, what other type of contraceptive/protection did you use?

Please specify

C10)

a) Do you regret having had sexual intercourse on the most recent occasion?

(cross one option only)

<input type="checkbox"/> 1 Not at all	<input type="checkbox"/> 2 Yes
---------------------------------------	--------------------------------

→ If Not at all, go to question C11

b) If Yes, how much do you regret having had sexual intercourse on the most recent occasion?

(cross one option only)

<input type="checkbox"/> 1 A bit	<input type="checkbox"/> 2 Quite a lot
<input type="checkbox"/> 3 Very much	

C11) Altogether, in your life so far, how many people have you had sexual intercourse with:

People

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

C12) Altogether, in the last year, how many people have you had sexual intercourse with:

People

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

C13) The next questions are about the last person/people you had sex with (up to the last 3 people - as applicable). This may be a person/people you had sex with just once, or a few times or a regular partner. Please start by thinking about the person you had sex with most recently - Partner 1 (that is oral, vaginal or anal sex) whether this was recently or quite some time ago.

Partner 1 - most recent

a) When was the most recent occasion you had sex with this partner? If not sure about the exact month, please give your best estimate.

Month Year

<input type="text"/>				
----------------------	----------------------	----------------------	----------------------	----------------------

b) Is this person male or female

(cross one option only)

1 Male

2 Female

c) Are you likely to have sex with this partner again in the future?

(cross one option only)

1 Yes

2 Probably

3 Probably not

4 No

5 Don't know

d) Was the most recent occasion you had sex with this partner also the first occasion with him/her?

(cross one option only)

1 Yes - I have only had sex with him/her once

2 No - I have had sex with him/her on more than one occasion

e) How long ago was it that you first had sex with this partner?

(cross one option only)

1 Less than 7 days

2 Between 7 days and 2 weeks

3 Between 2 weeks and 4 weeks

4 Over 4 weeks ago

► If you have only had sex with this person once, please go to C13g

- f) When was the first occasion you have had sex with this person?
If not sure about the exact month, please give your best estimate.

Month Year

□	□	□	□	□	□
---	---	---	---	---	---

- g) Did you use a condom on the first occasion with this partner?

If you had oral sex and not vaginal or anal sex, on this most recent occasion, please choose answer option 3, even if you used a condom.

(cross one option only)

1 <input type="radio"/> Yes	2 <input type="radio"/> No
3 <input type="radio"/> We only had oral sex on the first occasion	

- h) How old was this partner on the first occasion you had sex together?

Please estimate the age if you can't say exactly.

Age (years)

□	□
---	---

- i) Do you think this partner has had sex with anyone else in the time between when you first and most recently had sex together?

(cross one option only)

1 <input type="radio"/> Yes	2 <input type="radio"/> Probably
3 <input type="radio"/> Probably not	4 <input type="radio"/> No
5 <input type="radio"/> I have only had sex with him/her once	6 <input type="radio"/> Prefer not to say

- j) Was this partner someone you had oral sex with but never vaginal or anal sex?

(cross one option only)

1 <input type="radio"/> Yes - we only had oral sex	2 <input type="radio"/> No - we had vaginal or anal sex
→ If you have had 2 or more partners, please go to C14a. If not, please go to C16.	

C14) Partner 2 - second most recent

- a) When was the most recent occasion you had sex with this partner? If not sure about the exact month, please give your best estimate.

Month Year

□	□	□	□	□	□
---	---	---	---	---	---

- b) Is this person male or female

(cross one option only)

1 <input type="radio"/> Male	2 <input type="radio"/> Female
------------------------------	--------------------------------

c) Are you likely to have sex with this partner again in the future?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 Probably
<input type="checkbox"/> 3 Probably not	<input type="checkbox"/> 4 No
<input type="checkbox"/> 5 Don't know	

d) Was the most recent occasion you had sex with this partner also the first occasion with him/her?

(cross one option only)

<input type="checkbox"/> 1 Yes - I have only had sex with him/her once	<input type="checkbox"/> 2 No - I have had sex with him/her on more than one occasion
--	---

e) How long ago was it that you first had sex with this partner?

(cross one option only)

<input type="checkbox"/> 1 Less than a week	<input type="checkbox"/> 2 Between 1 and 2 weeks
<input type="checkbox"/> 3 Between 2 and 4 weeks	<input type="checkbox"/> 4 Over 4 weeks ago

→ If you have only had sex with this person once, please go to C14g

f) When was the first occasion you have had sex with this person?

If not sure about the exact month, please give your best estimate.

Month Year

<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>
---	--

g) Did you use a condom on the first occasion with this partner?

If you had oral sex and not vaginal or anal sex, on this most recent occasion, please choose answer option 3, even if you used a condom.

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
<input type="checkbox"/> 3 We only had oral sex on the first occasion	

h) How old was this partner on the first occasion you had sex together?

Please estimate the age if you can't say exactly.

Age (years)

<input type="text"/> <input type="text"/>

i) Do you think this partner has had sex with anyone else in the time between when you first and most recently had sex together?

(cross one option only)

1 <input type="radio"/> Yes	2 <input type="radio"/> Probably
3 <input type="radio"/> Probably not	4 <input type="radio"/> No
5 <input type="radio"/> I have only had sex with him/her once	6 <input type="radio"/> Prefer not to say

j) Was this partner someone you had oral sex with but never vaginal or anal sex?

(cross one option only)

1 <input type="radio"/> Yes - we only had oral sex	2 <input type="radio"/> No - we had vaginal or anal sex
--	---

k) Just to check, was there any overlap between Partner 1 and Partner 2? In other words was the first time you had sex with Partner 2 before the last time you had sex with Partner 1?

(cross one option only)

1 <input type="radio"/> Yes - there is an overlap	2 <input type="radio"/> No
3 <input type="radio"/> Not sure	4 <input type="radio"/> Prefer not to say

→ If you have had 3 or more partners, please go to C15a. If not, please go to C16.

C15) Partner 3 - third most recent

a) When was the most recent occasion you had sex with this partner? If not sure about the exact month, please give your best estimate.

Month Year

□□	□□□□
----	------

b) Is this person male or female

(cross one option only)

1 <input type="radio"/> Male	2 <input type="radio"/> Female
------------------------------	--------------------------------

c) Are you likely to have sex with this partner again in the future?

(cross one option only)

1 <input type="radio"/> Yes	2 <input type="radio"/> Probably
3 <input type="radio"/> Probably not	4 <input type="radio"/> No
5 <input type="radio"/> Don't know	

d) Was the most recent occasion you had sex with this partner also the first occasion with him/her?

(cross one option only)

1 <input type="radio"/> Yes - I have only had sex with him/her once	2 <input type="radio"/> No - I have had sex with him/her on more than one occasion
---	--

- e) How long ago was it that you first had sex with this partner?

(cross one option only)

- | | |
|---|--|
| 1 <input type="radio"/> Less than 7 days | 2 <input type="radio"/> Between 7 days and 2 weeks |
| 3 <input type="radio"/> Between 2 weeks and 4 weeks | 4 <input type="radio"/> Over 4 weeks ago |

⇒ If you have only had sex with this person once, please go to C15g

- f) When was the first occasion you have had sex with this person?

If not sure about the exact month, please give your best estimate.

Month Year

<input type="text"/>					
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

- g) Did you use a condom on the first occasion with this partner?

If you had oral sex and not vaginal or anal sex, on this most recent occasion, please choose answer option 3, even if you used a condom.

(cross one option only)

- | | |
|--|----------------------------|
| 1 <input type="radio"/> Yes | 2 <input type="radio"/> No |
| 3 <input type="radio"/> We only had oral sex on the first occasion | |

- h) How old was this partner on the first occasion you had sex together?

Please estimate the age if you can't say exactly.

Age (years)

<input type="text"/>	<input type="text"/>
----------------------	----------------------

- i) Do you think this partner has had sex with anyone else in the time between when you first and most recently had sex together?

(cross one option only)

- | | |
|---|---|
| 1 <input type="radio"/> Yes | 2 <input type="radio"/> Probably |
| 3 <input type="radio"/> Probably not | 4 <input type="radio"/> No |
| 5 <input type="radio"/> I have only had sex with him/her once | 6 <input type="radio"/> Prefer not to say |

- j) Was this partner someone you had oral sex with but never vaginal or anal sex?

(cross one option only)

- | | |
|--|---|
| 1 <input type="radio"/> Yes - we only had oral sex | 2 <input type="radio"/> No - we had vaginal or anal sex |
|--|---|

- k) And lastly, just to check, was there any overlap between Partner 2 and Partner 3? In other words, was the first time you had sex with Partner 3 before the last time you had sex with Partner 2?

(cross one option only)

<input type="checkbox"/> 1 Yes - there is an overlap	<input type="checkbox"/> 2 No
<input type="checkbox"/> 3 Not sure	<input type="checkbox"/> 4 Prefer not to say

■ Sexual Health Screening

C16)

- a) Have you had a test for Chlamydia in the last 12 months?

(cross one option only)

<input type="checkbox"/> 1 Yes	→ If <u>Yes</u> , go to question C16c
<input type="checkbox"/> 2 No	→ If <u>No</u> , go to question C16b
<input type="checkbox"/> 3 Not sure	→ If <u>Not sure</u> , go to question C16f
<input type="checkbox"/> 4 I have never heard of Chlamydia	→ If <u>never heard of Chlamydia</u> , go to C16f

- b) If No, was this because

(cross one option on each line)

1 True 2 False

- i) Not offered a test in the last 12 months 1 2
- ii) Offered but did not want to be tested 1 2
- iii) Did not visit a doctor in that 12 month time period 1 2
- iv) I have never been offered a Chlamydia test 1 2

→ Please go to question C16f

- c) When you were tested for Chlamydia in the last 12 months, where were you offered the test?

(cross one option on each line)

1 Yes 2 No

- i) General practice (GP surgery) 1 2
- ii) Sexual Health clinic (GUM clinic) 1 2
- iii) NHS Family planning clinic/contraceptive clinic/reproductive health clinic 1 2
- iv) Ante-natal clinic/midwife 1 2
- v) Private non-NHS clinics or doctor 1 2

	1 Yes	2 No
vi) School/college/university	<input type="radio"/> 1	<input type="radio"/> 2
vii) Termination of pregnancy (abortion) clinic	<input type="radio"/> 1	<input type="radio"/> 2
viii) Hospital accident and emergency (A&E) department	<input type="radio"/> 1	<input type="radio"/> 2
ix) Pharmacy/chemist	<input type="radio"/> 1	<input type="radio"/> 2
x) Internet	<input type="radio"/> 1	<input type="radio"/> 2
xi) Other non-health care place (youth club,festival,bar)	<input type="radio"/> 1	<input type="radio"/> 2
xii) Somewhere else	<input type="radio"/> 1	<input type="radio"/> 2
 d) If you were tested for Chlamydia in the past 12 months, was this because (cross one option on each line)	1 Yes	2 No
i) I had symptoms	<input type="radio"/> 1	<input type="radio"/> 2
ii) My partner had symptoms	<input type="radio"/> 1	<input type="radio"/> 2
iii) I was notified because a partner was diagnosed with Chlamydia	<input type="radio"/> 1	<input type="radio"/> 2
iv) I had a new sexual partner	<input type="radio"/> 1	<input type="radio"/> 2
v) I wanted a general sexual health check-up	<input type="radio"/> 1	<input type="radio"/> 2
vi) I was having a check-up after a previous positive test	<input type="radio"/> 1	<input type="radio"/> 2
vii) I had no symptoms but I was worried about the risk of Chlamydia	<input type="radio"/> 1	<input type="radio"/> 2
viii) I was offered a test	<input type="radio"/> 1	<input type="radio"/> 2
ix) Other	<input type="radio"/> 1	<input type="radio"/> 2
 Please describe		
 e) Have you had a positive test for Chlamydia in the last 12 months? (cross one option only)	<input type="radio"/> 1 Yes <input type="radio"/> 2 No <input type="radio"/> 3 Not sure/don't know	

f) Were you diagnosed with any other sexually transmitted infection(s) in the last 12 months?

(cross one option only)

1 Yes

2 No

→ If No, please go to question C17

g) If Yes, which ones?

(cross one option on each line)

i) Gonorrhea

1

2

ii) Genital Herpes

1

2

iii) Genital Warts

1

2

iv) Pelvic Inflammatory Disease (PID)

1

2

v) Other

1

2

Please specify

C17)

a) Have you had a test for Chlamydia in the year before last (i.e. between 12 and 24 months ago)?

(cross one option only)

1 Yes

→ If Yes, please go to question C17c

2 No

→ If No, go to question C17b

3 Not sure

→ If Not sure, go to question C17f

4 I have never heard of Chlamydia

→ If never heard of Chlamydia, go to C17f

b) If No, was this because

(cross one option on each line)

1 True

2 False

i) Not offered a test in the year before last

1

2

ii) Offered but did not want to be tested

1

2

iii) Did not visit a doctor in that 12 month time period

1

2

iv) I have never been offered a Chlamydia test

1

2

→ Please go to question C17f

c) When you were tested for Chlamydia in the year before last, (i.e. 12 to 24 months ago), where were you offered the test?

(cross one option on each line)

1 Yes

2 No

- i) General practice (GP surgery)
- ii) Sexual Health clinic (GUM clinic)
- iii) NHS Family planning clinic/contraceptive clinic/reproductive health clinic
- iv) Ante-natal clinic/midwife
- v) Private non-NHS clinics or doctor
- vi) School/college/university
- vii) Termination of pregnancy (abortion) clinic
- viii) Hospital accident and emergency (A&E) department
- ix) Pharmacy/chemistry
- x) Internet
- xi) Other non-health care place (youth club, festival, bar)
- xii) Somewhere else

d) If you were tested for Chlamydia in the year before last, (i.e. 12 to 24 months ago), was this because

(cross one option on each line)

1 Yes

2 No

- i) I had symptoms
- ii) My partner had symptoms
- iii) I was notified because a partner was diagnosed with Chlamydia
- iv) I had a new sexual partner
- v) I wanted a general sexual health check-up
- vi) I was having a check-up after a previous positive test
- vii) I had no symptoms but I was worried about the risk of Chlamydia

viii) I was offered a test	1 Yes <input type="radio"/>	2 No <input type="radio"/>
ix) Other	1 <input type="radio"/>	2 <input type="radio"/>
Please describe		

e) Have you had a positive test for Chlamydia in the year before last (i.e. 12 to 24 months ago)?

(cross one option only)

1 <input type="radio"/> Yes	2 <input type="radio"/> No
3 <input type="radio"/> Not sure/don't know	

f) Were you diagnosed with any other sexually transmitted infection(s) in the year before last, (i.e. 12 to 24 months ago)?

(cross one option only)

1 <input type="radio"/> Yes	2 <input type="radio"/> No
⇒ If No, please go to question C18	

g) If Yes, which ones?

(cross one option on each line)

i) Gonorrhea	1 <input type="radio"/>	2 <input type="radio"/>
ii) Genital Herpes	1 <input type="radio"/>	2 <input type="radio"/>
iii) Genital Warts	1 <input type="radio"/>	2 <input type="radio"/>
iv) Pelvic Inflammatory Disease (PID)	1 <input type="radio"/>	2 <input type="radio"/>
v) Other	1 <input type="radio"/>	2 <input type="radio"/>

Please specify

--	--	--

C18) Which method of contraception (if any) are you or your sexual partner currently using?

(cross one option on each line)

1 True 2 False

a) I do not currently have a sexual partner	1 <input type="radio"/>	2 <input type="radio"/>
b) Not using any contraception (myself or my partner)	1 <input type="radio"/>	2 <input type="radio"/>
c) I have been sterilized / My partner has been sterilized (this includes male vasectomy)	1 <input type="radio"/>	2 <input type="radio"/>

		1 True	2 False
d)	Mini pill	<input type="radio"/> 1	<input type="radio"/> 2
e)	Combined pill	<input type="radio"/> 1	<input type="radio"/> 2
f)	Pill - not sure which	<input type="radio"/> 1	<input type="radio"/> 2
g)	Mirena coil (hormone releasing coil)	<input type="radio"/> 1	<input type="radio"/> 2
h)	Coil/other device	<input type="radio"/> 1	<input type="radio"/> 2
i)	Condom/male sheath/Durex	<input type="radio"/> 1	<input type="radio"/> 2
j)	Femidom (female sheath)	<input type="radio"/> 1	<input type="radio"/> 2
k)	Cap/diaphragm	<input type="radio"/> 1	<input type="radio"/> 2
l)	Foams, gels, sprays, pessaries (spermicides)	<input type="radio"/> 1	<input type="radio"/> 2
m)	Contraceptive sponge	<input type="radio"/> 1	<input type="radio"/> 2
n)	Persona	<input type="radio"/> 1	<input type="radio"/> 2
o)	Safe period/rhythm method (other than Persona)	<input type="radio"/> 1	<input type="radio"/> 2
p)	Withdrawal	<input type="radio"/> 1	<input type="radio"/> 2
q)	Injection	<input type="radio"/> 1	<input type="radio"/> 2
r)	Implant	<input type="radio"/> 1	<input type="radio"/> 2
s)	Emergency contraception	<input type="radio"/> 1	<input type="radio"/> 2
t)	Going without sex	<input type="radio"/> 1	<input type="radio"/> 2
u)	Don't know/not sure	<input type="radio"/> 1	<input type="radio"/> 2
v)	Another method of contraception	<input type="radio"/> 1	<input type="radio"/> 2

Please specify

→ If True to C18b, go to C19. Otherwise, please go to C20

C19) If you are not using contraception, what is the main reason that you or your sexual partner are not currently using contraception?

(cross one option only)

- | | |
|--|---|
| <input type="checkbox"/> 1 I am/my partner is trying to become pregnant or is already pregnant | <input type="checkbox"/> 2 I am/my partner is unlikely to conceive because of infertility |
| <input type="checkbox"/> 3 Against my faith/beliefs | <input type="checkbox"/> 4 I am having sex with someone of the same sex |
| <input type="checkbox"/> 5 I don't like contraception/find methods unsatisfactory | <input type="checkbox"/> 6 My partner doesn't like - or won't use - contraception |
| <input type="checkbox"/> 7 Don't know where to obtain contraceptives/advice | <input type="checkbox"/> 8 Find access to contraceptive services difficult |
| <input type="checkbox"/> 9 Menopause | <input type="checkbox"/> 10 Some other reason |

i) Please write in other reason

In an earlier section of this questionnaire we asked you about **parenthood**. In this section we are interested in **pregnancies**. We know this is a sensitive subject, but it is important to ask about it now because we are interested in all aspects of your health and how it might be changing at this stage in your life. There are separate sections for women and men. Please complete the section that applies to you only.

For women only

C20)

a) Have you ever been pregnant?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
<input type="checkbox"/> 3 Not sure	

→ If **No/Not sure**, go to Section D

b) If **Yes**, how many times have you been pregnant?

c) If you don't mind, please tell us what was the outcome of (each of) the(se) pregnancy(ies)

(cross one option on each line)	1 Currently Pregnant	2 Miscarriage	3 Termination of an unwanted pregnancy	4 Termination for medical reasons	5 Baby stillborn	6 Baby alive	7 Year pregnancy ended/birth year
	<input type="checkbox"/> 1st	<input type="checkbox"/> 2nd	<input type="checkbox"/> 3rd	<input type="checkbox"/> 4th	<input type="checkbox"/> 5th	<input type="checkbox"/> 6th	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
i)	<input type="checkbox"/> 1st	<input type="checkbox"/> 2nd	<input type="checkbox"/> 3rd	<input type="checkbox"/> 4th	<input type="checkbox"/> 5th	<input type="checkbox"/> 6th	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
ii)	<input type="checkbox"/> 1st	<input type="checkbox"/> 2nd	<input type="checkbox"/> 3rd	<input type="checkbox"/> 4th	<input type="checkbox"/> 5th	<input type="checkbox"/> 6th	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
iii)	<input type="checkbox"/> 1st	<input type="checkbox"/> 2nd	<input type="checkbox"/> 3rd	<input type="checkbox"/> 4th	<input type="checkbox"/> 5th	<input type="checkbox"/> 6th	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
iv)	<input type="checkbox"/> 1st	<input type="checkbox"/> 2nd	<input type="checkbox"/> 3rd	<input type="checkbox"/> 4th	<input type="checkbox"/> 5th	<input type="checkbox"/> 6th	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
v)	<input type="checkbox"/> 1st	<input type="checkbox"/> 2nd	<input type="checkbox"/> 3rd	<input type="checkbox"/> 4th	<input type="checkbox"/> 5th	<input type="checkbox"/> 6th	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
vi)	<input type="checkbox"/> 1st	<input type="checkbox"/> 2nd	<input type="checkbox"/> 3rd	<input type="checkbox"/> 4th	<input type="checkbox"/> 5th	<input type="checkbox"/> 6th	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

vii) If you have had more than 6 pregnancies please give details in the box below.

■ For men only

C21)

a) Have any of your sexual partners ever been pregnant by you?

(cross one option only)

- | | |
|----------------------------------|----------------------------|
| 1 <input type="radio"/> Yes | 2 <input type="radio"/> No |
| 3 <input type="radio"/> Not sure | |

⇒ If No/Not sure, go to the Section D

b) If Yes, how many times have any of your sexual partners been pregnant by you?

Times

c) If you don't mind, please tell us what was the outcome of (each of) the(se) pregnancy(ies)?

(cross one option on each line)

	1 Currently Pregnant	2 Miscarriage	3 Termination of an unwanted pregnancy	4 Termination for medical reasons	5 Baby stillborn	6 Baby born alive	7 Year pregnancy ended/birth year
--	----------------------	---------------	--	-----------------------------------	------------------	-------------------	-----------------------------------

- | | | | | | | | | |
|------|-----|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|---|
| i) | 1st | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 | <input type="radio"/> 6 | <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> |
| ii) | 2nd | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 | <input type="radio"/> 6 | <input type="radio"/> <input type="radio"/> <input type="radio"/> |
| iii) | 3rd | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 | <input type="radio"/> 6 | <input type="radio"/> <input type="radio"/> <input type="radio"/> |
| iv) | 4th | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 | <input type="radio"/> 6 | <input type="radio"/> <input type="radio"/> <input type="radio"/> |
| v) | 5th | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 | <input type="radio"/> 6 | <input type="radio"/> <input type="radio"/> <input type="radio"/> |
| vi) | 6th | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 | <input type="radio"/> 6 | <input type="radio"/> <input type="radio"/> <input type="radio"/> |

vii) If there have been more than 6 pregnancies, please give details in the box below.

Section C: Sexual Health - Frequencies

YPA3000: c1: Description which best fits with how YP thinks about themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	100% heterosexual (straight)	2788	18.0	83.4	83.4
	Mostly heterosexual but also attracted to own sex	338	2.2	10.1	93.6
	Bisexual (equally attracted to both sexes)	61	.4	1.8	95.4
	Mostly homosexual but also attracted to opposite sex	41	.3	1.2	96.6
	100% homosexual (gay)	78	.5	2.3	99.0
	Not sexually attracted to either sex	14	.1	.4	99.4
	Not sure	21	.1	.6	100.0
	Total	3341	21.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	118	.8		
	Total	12117	78.4		
Total		15458	100.0		

Sexual Experience

YPA3010: c2: YP has had some sexual experience (It could be kissing, touching or intercourse of any kind)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Only ever with females (or a female), never with a male	900	5.8	26.9	26.9
	More often with females (or a female), and at least once with a male	105	.7	3.1	30.1
	About equally often with females and with males	25	.2	.7	30.8
	More often with males (or a male), and at least once with a female	454	2.9	13.6	44.4
	Only with males (or a male), never with a female	1625	10.5	48.7	93.1
	I have never had any sexual experiences with anyone	231	1.5	6.9	100.0
	Total	3340	21.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	119	.8		
	Total	12118	78.4		
Total		15458	100.0		

YPA3020: c3_i: YP has had sexual intercourse with a female


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1013	6.6	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2446	15.8		
	Total	14445	93.4		
Total		15458	100.0		

YPA3021: c3_ii: YP has had sexual intercourse with a male

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2004	13.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1455	9.4		
	Total	13454	87.0		
Total		15458	100.0		

YPA3022: c3_iii: YP has ever had sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	188	1.2	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3271	21.2		
	Total	15270	98.8		
Total		15458	100.0		



YPA3040: c5a: YP had sex on the most recent time because they wanted to

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2842	18.4	98.9	98.9
	No	32	.2	1.1	100.0
	Total	2874	18.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	585	3.8		
Total	Total	12584	81.4		
		15458	100.0		

YPA3041: c5b: YP had sex on the most recent time because so partner wouldn't break up with them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	21	.1	.7	.7
	No	2789	18.0	99.3	100.0
	Total	2810	18.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	649	4.2		
Total	Total	12648	81.8		
		15458	100.0		

YPA3042: c5c: YP had sex on the most recent time because they were going out together and it was a natural part of their relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2113	13.7	74.3	74.3
	No	731	4.7	25.7	100.0
	Total	2844	18.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	615	4.0		
Total	Total	12614	81.6		
		15458	100.0		

YPA3043: c5d: YP had sex on the most recent time because they wanted to know what it was like

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	794	5.1	28.3	28.3
	No	2009	13.0	71.7	100.0
	Total	2803	18.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	656	4.2		
Total	Total	12655	81.9		
		15458	100.0		

YPA3044: c5e: YP had sex on the most recent time because of sex work (sexual exchange for money or other valuables)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	.0	.2	.2
	No	2795	18.1	99.8	100.0
	Total	2800	18.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	659	4.3		
Total	Total	12658	81.9		
		15458	100.0		

YPA3045: c5f: YP had sex on the most recent time because they loved this person

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1990	12.9	70.1	70.1
	No	847	5.5	29.9	100.0
	Total	2837	18.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	622	4.0		
Total	Total	12621	81.6		
		15458	100.0		

YPA3046: c5g: YP had sex on the most recent time because their friends do it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	214	1.4	7.6	7.6
	No	2592	16.8	92.4	100.0
	Total	2806	18.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	653	4.2		
Total	Total	12652	81.8		
		15458	100.0		

YPA3047: c5h: YP had sex on the most recent time because they got carried away

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	316	2.0	11.3	11.3
	No	2488	16.1	88.7	100.0
	Total	2804	18.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	655	4.2		
Total	Total	12654	81.9		
		15458	100.0		

YPA3048: c5i: YP had sex on the most recent time because of another reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	131	.8	5.8	5.8
	No	2117	13.7	94.2	100.0
	Total	2248	14.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1211	7.8		
Total	Total	13210	85.5		
		15458	100.0		

YPA3050: c6: The most recent time YP had sexual intercourse, they had been drinking before it happened

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	667	4.3	23.0	23.0
	No	2236	14.5	77.0	100.0
	Total	2903	18.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	556	3.6		
Total	Total	12555	81.2		
		15458	100.0		

YPA3051: c6a: After drinking alcohol, YP was

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not tipsy at all	93	.6	13.3	13.3
	A bit tipsy	178	1.2	25.5	38.8
	Quite tipsy	115	.7	16.5	55.2
	Very tipsy	109	.7	15.6	70.8
	Drunk	204	1.3	29.2	100.0
	Total	699	4.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2760	17.9		
	Total	14759	95.5		
Total		15458	100.0		

YPA3060: c7: The most recent time YP had sexual intercourse, they had been using drugs before it happened

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	75	.5	2.6	2.6
	No	2831	18.3	97.4	100.0
	Total	2906	18.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	553	3.6		
	Total	12552	81.2		
Total		15458	100.0		

YPA3070: c8: YP used a condom on the most recent occasion they had sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	848	5.5	29.3	29.3
	No	1933	12.5	66.7	96.0
	We only had oral sex on the most recent occasion	116	.8	4.0	100.0
	Total	2897	18.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	562	3.6		
	Total	12561	81.3		
Total		15458	100.0		

YPA3080: c9: YP used any other type of contraceptive/protection


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1921	12.4	66.8	66.8
	No	955	6.2	33.2	100.0
	Total	2876	18.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	583	3.8		
	Total	12582	81.4		
Total		15458	100.0		


YPA3090: c10a: YP regrets having had sexual intercourse on the most recent occasion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2647	17.1	91.1	91.1
	Yes	259	1.7	8.9	100.0
	Total	2906	18.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	553	3.6		
Total	Total	12552	81.2		
		15458	100.0		

YPA3091: c10b: How much YP regrets having had sexual intercourse on the most recent occasion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	A bit	147	1.0	64.8	64.8
	Quite a lot	43	.3	18.9	83.7
	Very much	37	.2	16.3	100.0
Missing	Total	227	1.5	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Total	NS/NA	3232	20.9		
	Total	15231	98.5		
		15458	100.0		





YPA3120: c13amonth: Month when YP last had sex with most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	709	4.6	24.8	24.8
	2	317	2.1	11.1	35.9
	3	330	2.1	11.6	47.5
	4	112	.7	3.9	51.4
	5	81	.5	2.8	54.3
	6	89	.6	3.1	57.4
	7	59	.4	2.1	59.5
	8	68	.4	2.4	61.8
	9	94	.6	3.3	65.1
	10	107	.7	3.7	68.9
	11	182	1.2	6.4	75.3
	12	706	4.6	24.7	100.0
Total		2854	18.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	605	3.9		
	Total	12604	81.5		
Total		15458	100.0		

YPA3121: c13ayear: Year when YP last had sex with most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2005	1	.0	.0	.0
	2006	2	.0	.1	.1
	2007	2	.0	.1	.2
	2008	8	.1	.3	.5
	2009	11	.1	.4	.8
	2010	25	.2	.9	1.7
	2011	48	.3	1.7	3.4
	2012	93	.6	3.3	6.7
	2013	1199	7.8	42.0	48.7
	2014	1466	9.5	51.3	100.0
Missing	Total	2855	18.5	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	604	3.9		
Total	Total	12603	81.5		
		15458	100.0		

YPA3122: c13b: Gender of YP's most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	1951	12.6	67.8	67.8
	Female	926	6.0	32.2	100.0
	Total	2877	18.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	582	3.8		
	Total	12581	81.4		
Total		15458	100.0		

YPA3123: c13c: YP is likely to have sex with this partner again in the future

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1914	12.4	66.5	66.5
	Probably	189	1.2	6.6	73.1
	Probably not	183	1.2	6.4	79.5
	No	445	2.9	15.5	94.9
	Don't know	146	.9	5.1	100.0
	Total	2877	18.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	582	3.8		
	Total	12581	81.4		
Total		15458	100.0		

YPA3124: c13d: The most recent occasion YP had sex with this partner was the first occasion with him/her

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes - I have only had sex with him/her once	417	2.7	14.5	14.5
	No - I have had sex with him/her on more than one occasion	2461	15.9	85.5	100.0
	Total	2878	18.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	581	3.8		
	Total	12580	81.4		
Total		15458	100.0		

YPA3125: c13e: Amount of time passed since YP first had sex with this partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Less than 7 days	239	1.5	8.4	8.4
	Between 7 days and 2 weeks	103	.7	3.6	12.0
	Between 2 weeks and 4 weeks	114	.7	4.0	16.1
	Over 4 weeks ago	2383	15.4	83.9	100.0
	Total	2839	18.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	620	4.0		
	Total	12619	81.6		
Total		15458	100.0		

YPA3126: c13fmonth: Month when YP first had sex with most recent sexual partner


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	241	1.6	9.0	9.0
	2	231	1.5	8.6	17.7
	3	169	1.1	6.3	24.0
	4	197	1.3	7.4	31.4
	5	202	1.3	7.6	38.9
	6	205	1.3	7.7	46.6
	7	174	1.1	6.5	53.1
	8	178	1.2	6.7	59.7
	9	257	1.7	9.6	69.4
	10	278	1.8	10.4	79.8
	11	278	1.8	10.4	90.2
	12	263	1.7	9.8	100.0
Missing	Total	2673	17.3	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	786	5.1		
Total	Total	12785	82.7		
		15458	100.0		

YPA3127: c13fyyear: Year when YP first had sex with most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2004	4	.0	.1	.1
	2005	1	.0	.0	.2
	2006	21	.1	.8	1.0
	2007	49	.3	1.8	2.8
	2008	124	.8	4.6	7.4
	2009	182	1.2	6.7	14.1
	2010	351	2.3	13.0	27.1
	2011	421	2.7	15.6	42.6
	2012	565	3.7	20.9	63.5
	2013	837	5.4	31.0	94.5
	2014	149	1.0	5.5	100.0
Total		2704	17.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	755	4.9		
	Total	12754	82.5		
Total		15458	100.0		

YPA3128: c13g: YP used a condom on the first occasion with this partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1617	10.5	56.4	56.4
	No	1096	7.1	38.2	94.7
	We only had oral sex on the first occasion	153	1.0	5.3	100.0
	Total	2866	18.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	593	3.8		
	Total	12592	81.5		
Total		15458	100.0		



YPA3130: c13i: YP thinks this partner has had sex with someone else in the time between when they first and most recently had sex together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	409	2.6	14.3	14.3
	Probably	143	.9	5.0	19.3
	Probably not	165	1.1	5.8	25.0
	No	1898	12.3	66.2	91.2
	I have only had sex with him/her once	231	1.5	8.1	99.3
	Prefer not to say	21	.1	.7	100.0
	Total	2867	18.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	592	3.8		
	Total	12591	81.5		
Total		15458	100.0		

YPA3131: c13j: This partner was someone YP had oral sex with but never vaginal or anal sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes - we only had oral sex	125	.8	4.4	4.4
	No - we had vaginal or anal sex	2724	17.6	95.6	100.0
	Total	2849	18.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	610	3.9		
	Total	12609	81.6		
Total		15458	100.0		

YPA3140: c14amonth: Month when YP last had sex with second most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	180	1.2	9.2	9.2
	2	139	.9	7.1	16.3
	3	116	.8	5.9	22.3
	4	137	.9	7.0	29.3
	5	127	.8	6.5	35.8
	6	168	1.1	8.6	44.4
	7	136	.9	7.0	51.3
	8	181	1.2	9.3	60.6
	9	211	1.4	10.8	71.4
	10	177	1.1	9.1	80.5
	11	179	1.2	9.2	89.6
	12	203	1.3	10.4	100.0
	Total	1954	12.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1505	9.7		
	Total	13504	87.4		
Total		15458	100.0		

YPA3141: c14ayear: Year when YP last had sex with second most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2004	2	.0	.1	.1
	2005	1	.0	.1	.2
	2006	3	.0	.2	.3
	2007	21	.1	1.1	1.4
	2008	40	.3	2.0	3.4
	2009	81	.5	4.1	7.5
	2010	199	1.3	10.0	17.5
	2011	281	1.8	14.2	31.6
	2012	411	2.7	20.7	52.3
	2013	809	5.2	40.8	93.1
	2014	137	.9	6.9	100.0
Total		1985	12.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1474	9.5		
	Total	13473	87.2		
Total		15458	100.0		

YPA3142: c14b: Gender of YP's second most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	1372	8.9	68.5	68.5
	Female	630	4.1	31.5	100.0
	Total	2002	13.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1457	9.4		
	Total	13456	87.0		
Total		15458	100.0		

YPA3143: c14c: YP is likely to have sex with second most recent partner again in the future

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	73	.5	3.6	3.6
	Probably	73	.5	3.6	7.3
	Probably not	258	1.7	12.9	20.2
	No	1500	9.7	74.9	95.0
	Don't know	100	.6	5.0	100.0
	Total	2004	13.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1455	9.4		
	Total	13454	87.0		
Total		15458	100.0		

YPA3144: c14d: The most recent occasion YP had sex with second most recent partner was the first occasion with him/her

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes - I have only had sex with him/her once	765	4.9	38.2	38.2
	No - I have had sex with him/her on more than one occasion	1237	8.0	61.8	100.0
	Total	2002	13.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1457	9.4		
	Total	13456	87.0		
Total		15458	100.0		

YPA3145: c14e: Amount of time passed since YP first had sex with second most recent partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Less than 7 days	26	.2	1.3	1.3
	Between 7 days and 2 weeks	18	.1	.9	2.3
	Between 2 weeks and 4 weeks	39	.3	2.0	4.3
	Over 4 weeks ago	1848	12.0	95.7	100.0
	Total	1931	12.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1528	9.9		
	Total	13527	87.5		
Total		15458	100.0		

YPA3146: c14fmonth: Month when YP first had sex with second most recent sexual partner


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	143	.9	8.5	8.5
	2	142	.9	8.5	17.0
	3	119	.8	7.1	24.1
	4	117	.8	7.0	31.0
	5	130	.8	7.7	38.8
	6	158	1.0	9.4	48.2
	7	114	.7	6.8	55.0
	8	152	1.0	9.1	64.0
	9	160	1.0	9.5	73.6
	10	174	1.1	10.4	83.9
	11	147	1.0	8.8	92.7
	12	123	.8	7.3	100.0
	Total	1679	10.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1780	11.5		
	Total	13779	89.1		
Total		15458	100.0		

YPA3147: c14fyear: Year when YP first had sex with second most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2004	3	.0	.2	.2
	2005	3	.0	.2	.4
	2006	16	.1	.9	1.3
	2007	50	.3	2.9	4.2
	2008	111	.7	6.5	10.7
	2009	164	1.1	9.6	20.2
	2010	243	1.6	14.2	34.4
	2011	257	1.7	15.0	49.4
	2012	347	2.2	20.2	69.7
	2013	472	3.1	27.5	97.2
	2014	48	.3	2.8	100.0
Total		1714	11.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1745	11.3		
	Total	13744	88.9		
Total		15458	100.0		

YPA3148: c14g: YP used a condom on the first occasion with second most recent partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1164	7.5	58.8	58.8
	No	710	4.6	35.8	94.6
	We only had oral sex on the first occasion	107	.7	5.4	100.0
	Total	1981	12.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1478	9.6		
	Total	13477	87.2		
Total		15458	100.0		



YPA3150: c14i: YP thinks this partner has had sex with someone else in the time between when they first and most recently had sex together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	434	2.8	22.0	22.0
	Probably	263	1.7	13.3	35.3
	Probably not	163	1.1	8.3	43.6
	No	650	4.2	33.0	76.6
	I have only had sex with him/her once	447	2.9	22.7	99.2
	Prefer not to say	15	.1	.8	100.0
	Total	1972	12.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1487	9.6		
	Total	13486	87.2		
Total		15458	100.0		

YPA3151: c14j: Second most recent partner was someone YP had oral sex with but never vaginal or anal sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes - we only had oral sex	113	.7	5.7	5.7
	No - we had vaginal or anal sex	1864	12.1	94.3	100.0
	Total	1977	12.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1482	9.6		
	Total	13481	87.2		
Total		15458	100.0		

YPA3152: c14k: YP's most recent sexual partner and second most recent sexual partner overlapped

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes - there is an overlap	337	2.2	17.0	17.0
	No	1589	10.3	80.3	97.3
	Not sure	39	.3	2.0	99.3
	Prefer not to say	14	.1	.7	100.0
	Total	1979	12.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1480	9.6		
	Total	13479	87.2		
Total		15458	100.0		

YPA3160: c15amonth: Month when YP last had sex with third most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	146	.9	10.0	10.0
	2	109	.7	7.5	17.5
	3	76	.5	5.2	22.7
	4	106	.7	7.3	30.0
	5	131	.8	9.0	38.9
	6	135	.9	9.3	48.2
	7	116	.8	8.0	56.1
	8	141	.9	9.7	65.8
	9	147	1.0	10.1	75.9
	10	115	.7	7.9	83.8
	11	113	.7	7.7	91.5
	12	124	.8	8.5	100.0
	Total	1459	9.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2000	12.9		
	Total	13999	90.6		
Total		15458	100.0		

YPA3161: c15ayear: Year when YP last had sex with third most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2004	1	.0	.1	.1
	2005	1	.0	.1	.1
	2006	7	.0	.5	.6
	2007	31	.2	2.1	2.7
	2008	56	.4	3.8	6.5
	2009	110	.7	7.4	13.9
	2010	180	1.2	12.1	26.0
	2011	256	1.7	17.2	43.2
	2012	332	2.1	22.3	65.5
	2013	463	3.0	31.2	96.7
	2014	49	.3	3.3	100.0
Missing	Total	1486	9.6	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1973	12.8		
Total	Total	13972	90.4		
		15458	100.0		

YPA3162: c15b: Gender of YP's third most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	1042	6.7	69.4	69.4
	Female	460	3.0	30.6	100.0
	Total	1502	9.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1957	12.7		
	Total	13956	90.3		
Total		15458	100.0		

YPA3163: c15c: YP is likely to have sex with third most recent partner again in the future

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	32	.2	2.1	2.1
	Probably	51	.3	3.4	5.5
	Probably not	155	1.0	10.3	15.9
	No	1190	7.7	79.4	95.3
	Don't know	71	.5	4.7	100.0
	Total	1499	9.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1960	12.7		
	Total	13959	90.3		
Total		15458	100.0		

YPA3164: c15d: The most recent occasion YP had sex with third most recent partner was the first occasion with him/her

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes - I have only had sex with him/her once	619	4.0	41.5	41.5
	No - I have had sex with him/her on more than one occasion	874	5.7	58.5	100.0
	Total	1493	9.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1966	12.7		
	Total	13965	90.3		
Total		15458	100.0		

YPA3165: c15e: Amount of time passed since YP first had sex with third most recent partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Less than 7 days	10	.1	.7	.7
	Between 7 days and 2 weeks	8	.1	.6	1.2
	Between 2 weeks and 4 weeks	13	.1	.9	2.1
	Over 4 weeks ago	1417	9.2	97.9	100.0
	Total	1448	9.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2011	13.0		
	Total	14010	90.6		
Total		15458	100.0		

YPA3166: c15fmonth: Month when YP first had sex with third most recent sexual partner


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	133	.9	10.5	10.5
	2	94	.6	7.4	17.9
	3	91	.6	7.2	25.0
	4	89	.6	7.0	32.0
	5	113	.7	8.9	40.9
	6	123	.8	9.7	50.6
	7	101	.7	8.0	58.6
	8	101	.7	8.0	66.5
	9	124	.8	9.8	76.3
	10	112	.7	8.8	85.1
	11	99	.6	7.8	92.9
	12	90	.6	7.1	100.0
	Total	1270	8.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2189	14.2		
	Total	14188	91.8		
Total		15458	100.0		

YPA3167: c15fyyear: Year when YP first had sex with third most recent sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2004	1	.0	.1	.1
	2005	5	.0	.4	.5
	2006	18	.1	1.4	1.9
	2007	57	.4	4.4	6.3
	2008	105	.7	8.2	14.5
	2009	134	.9	10.4	24.9
	2010	184	1.2	14.3	39.3
	2011	215	1.4	16.7	56.0
	2012	269	1.7	21.0	76.9
	2013	270	1.7	21.0	98.0
	2014	26	.2	2.0	100.0
Total		1284	8.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2175	14.1		
	Total	14174	91.7		
Total		15458	100.0		

YPA3168: c15g: YP used a condom on the first occasion with this partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	894	5.8	60.0	60.0
	No	510	3.3	34.2	94.2
	We only had oral sex on the first occasion	86	.6	5.8	100.0
	Total	1490	9.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1969	12.7		
	Total	13968	90.4		
Total		15458	100.0		



YPA3170: c15i: YP thinks this partner has had sex with someone else in the time between when they first and most recently had sex together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	307	2.0	20.7	20.7
	Probably	185	1.2	12.5	33.2
	Probably not	113	.7	7.6	40.8
	No	493	3.2	33.2	74.0
	I have only had sex with him/her once	377	2.4	25.4	99.4
	Prefer not to say	9	.1	.6	100.0
	Total	1484	9.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1975	12.8		
	Total	13974	90.4		
Total		15458	100.0		

YPA3171: c15j: third most recent partner was someone YP had oral sex with but never vaginal or anal sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes - we only had oral sex	87	.6	5.8	5.8
	No - we had vaginal or anal sex	1403	9.1	94.2	100.0
	Total	1490	9.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1969	12.7		
	Total	13968	90.4		
Total		15458	100.0		

YPA3172: c15k: YP's second most recent sexual partner and third most recent sexual partner overlapped

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes - there is an overlap	278	1.8	18.6	18.6
	No	1169	7.6	78.1	96.7
	Not sure	43	.3	2.9	99.5
	Prefer not to say	7	.0	.5	100.0
	Total	1497	9.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1962	12.7		
	Total	13961	90.3		
Total		15458	100.0		

Sexual Health Screening

YPA3180: c16a: YP has had a test for Chlamydia in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1322	8.6	40.4	40.4
	No	1898	12.3	58.0	98.4
	Not sure	39	.3	1.2	99.5
	I have never heard of Chlamydia	15	.1	.5	100.0
	Total	3274	21.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	185	1.2		
	Total	12184	78.8		
Total		15458	100.0		

YPA3181: c16b1: YP was not offered a test in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	1300	8.4	72.7	72.7
	False	489	3.2	27.3	100.0
	Total	1789	11.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1670	10.8		
Total	Total	13669	88.4		
		15458	100.0		

YPA3182: c16b2: YP was offered a chlamydia test but did not want to be tested

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	323	2.1	18.3	18.3
	False	1440	9.3	81.7	100.0
	Total	1763	11.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1696	11.0		
Total	Total	13695	88.6		
		15458	100.0		

YPA3183: c16b3: YP did not visit a doctor in that 12 month time period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	622	4.0	35.3	35.3
	False	1142	7.4	64.7	100.0
	Total	1764	11.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1695	11.0		
Total	Total	13694	88.6		
		15458	100.0		

YPA3184: c16b4: YP has never been offered a Chlamydia test

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	636	4.1	35.8	35.8
	False	1143	7.4	64.2	100.0
	Total	1779	11.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1680	10.9		
Total	Total	13679	88.5		
		15458	100.0		

YPA3185: c16c1: When YP was tested for Chlamydia in the last 12 months, they offered the test in a general practice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	627	4.1	51.3	51.3
	No	596	3.9	48.7	100.0
	Total	1223	7.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2236	14.5		
Total	Total	14235	92.1		
		15458	100.0		

YPA3186: c16c2: When YP was tested for Chlamydia in the last 12 months, they were offered the test in a sexual health clinic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	569	3.7	46.8	46.8
	No	648	4.2	53.2	100.0
	Total	1217	7.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2242	14.5		
Total	Total	14241	92.1		
		15458	100.0		

YPA3187: c16c3: When YP was tested for Chlamydia in the last 12 months, they were offered the test in a NHS family planning clinic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	167	1.1	14.6	14.6
	No	976	6.3	85.4	100.0
	Total	1143	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2316	15.0		
Total	Total	14315	92.6		
		15458	100.0		

YPA3188: c16c4: When YP was tested for Chlamydia in the last 12 months, they were offered the test in a ante-natal clinic /midwife

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	71	.5	6.3	6.3
	No	1061	6.9	93.7	100.0
	Total	1132	7.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2327	15.1		
Total	Total	14326	92.7		
		15458	100.0		

YPA3189: c16c5: When YP was tested for Chlamydia in the last 12 months, they were offered the test in a private non-NHS clinic or doctor

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	27	.2	2.4	2.4
	No	1101	7.1	97.6	100.0
	Total	1128	7.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2331	15.1		
Total	Total	14330	92.7		
		15458	100.0		

YPA3190: c16c6: When YP was tested for Chlamydia in the last 12 months, they were offered the test in a school/college/university

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	294	1.9	25.9	25.9
	No	842	5.4	74.1	100.0
	Total	1136	7.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2323	15.0		
Total	Total	14322	92.7		
		15458	100.0		

YPA3191: c16c7: When YP was tested for Chlamydia in the last 12 months, they were offered the test in a termination of pregnancy (abortion) clinic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	18	.1	1.6	1.6
	No	1094	7.1	98.4	100.0
	Total	1112	7.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2347	15.2		
Total	Total	14346	92.8		
		15458	100.0		

YPA3192: c16c8: When YP was tested for Chlamydia in the last 12 months, they were offered the test in a hospital accident and emergency (A&E) department

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	14	.1	1.3	1.3
	No	1100	7.1	98.7	100.0
	Total	1114	7.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2345	15.2		
Total	Total	14344	92.8		
		15458	100.0		

YPA3193: c16c9: When YP was tested for Chlamydia in the last 12 months, they were offered the test in a pharmacy/chemist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	53	.3	4.7	4.7
	No	1064	6.9	95.3	100.0
	Total	1117	7.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2342	15.2		
Total	Total	14341	92.8		
		15458	100.0		

YPA3194: c16c10: When YP was tested for Chlamydia in the last 12 months, they were offered the test on the internet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	119	.8	10.6	10.6
	No	1007	6.5	89.4	100.0
	Total	1126	7.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2333	15.1		
Total	Total	14332	92.7		
		15458	100.0		

YPA3195: c16c11: When YP was tested for Chlamydia in the last 12 months, they were offered the test in another non-health care place (youth club,festival,bar)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	47	.3	4.2	4.2
	No	1062	6.9	95.8	100.0
	Total	1109	7.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2350	15.2		
Total	Total	14349	92.8		
		15458	100.0		

YPA3196: c16c12: When YP was tested for Chlamydia in the last 12 months, they were offered the test somewhere else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	31	.2	2.8	2.8
	No	1070	6.9	97.2	100.0
	Total	1101	7.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2358	15.3		
Total	Total	14357	92.9		
		15458	100.0		

YPA3197: c16d1: YP was tested for Chlamydia in the past 12 months because they had symptoms

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	84	.5	7.3	7.3
	No	1073	6.9	92.7	100.0
	Total	1157	7.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2302	14.9		
Total	Total	14301	92.5		
		15458	100.0		

YPA3198: c16d2: YP was tested for Chlamydia in the past 12 months because their partner had symptoms

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	26	.2	2.3	2.3
	No	1123	7.3	97.7	100.0
	Total	1149	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2310	14.9		
Total	Total	14309	92.6		
		15458	100.0		

YPA3199: c16d3: YP was tested for Chlamydia in the past 12 months because they were notified a partner was diagnosed with Chlamydia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	29	.2	2.5	2.5
	No	1123	7.3	97.5	100.0
	Total	1152	7.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2307	14.9		
Total	Total	14306	92.5		
		15458	100.0		

YPA3200: c16d4: YP was tested for Chlamydia in the past 12 months because they had a new sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	458	3.0	39.1	39.1
	No	712	4.6	60.9	100.0
	Total	1170	7.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2289	14.8		
Total	Total	14288	92.4		
		15458	100.0		

YPA3201: c16d5: YP was tested for Chlamydia in the past 12 months because they wanted a general sexual health check-up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	915	5.9	74.8	74.8
	No	308	2.0	25.2	100.0
	Total	1223	7.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2236	14.5		
Total	Total	14235	92.1		
		15458	100.0		

YPA3202: c16d6: YP was tested for Chlamydia in the past 12 months because they were having a check-up after a previous positive test

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	34	.2	3.0	3.0
	No	1104	7.1	97.0	100.0
	Total	1138	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2321	15.0		
Total	Total	14320	92.6		
		15458	100.0		

YPA3203: c16d7: YP was tested for Chlamydia in the past 12 months because they were worried about the risk of Chlamydia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	433	2.8	37.4	37.4
	No	726	4.7	62.6	100.0
	Total	1159	7.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2300	14.9		
Total	Total	14299	92.5		
		15458	100.0		

YPA3204: c16d8: YP was tested for Chlamydia in the past 12 months because they were offered a test

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	679	4.4	57.1	57.1
	No	511	3.3	42.9	100.0
	Total	1190	7.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2269	14.7		
Total	Total	14268	92.3		
		15458	100.0		

YPA3205: c16d9: YP was tested for Chlamydia in the past 12 months because of another reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	103	.7	10.5	10.5
	No	876	5.7	89.5	100.0
	Total	979	6.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2480	16.0		
Total	Total	14479	93.7		
		15458	100.0		

YPA3206: c16e: YP has had a positive test for Chlamydia in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	75	.5	5.7	5.7
	No	1225	7.9	93.2	98.9
	Not sure/don't know	14	.1	1.1	100.0
Missing	Total	1314	8.5	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Total	NS/NA	2145	13.9		
	Total	14144	91.5		
		15458	100.0		

YPA3207: c16f: YP was diagnosed with an other sexually transmitted infection(s) in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	51	.3	1.6	1.6
	No	3178	20.6	98.4	100.0
	Total	3229	20.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	230	1.5		
Total	Total	12229	79.1		
		15458	100.0		

YPA3208: c16g1: YP was diagnosed with Gonorrhea in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.0	1.8	1.8
	No	54	.3	98.2	100.0
	Total	55	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3404	22.0		
Total	Total	15403	99.6		
		15458	100.0		

YPA3209: c16g2: YP was diagnosed with Genital Herpes in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	13	.1	21.3	21.3
	No	48	.3	78.7	100.0
	Total	61	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3398	22.0		
Total	Total	15397	99.6		
		15458	100.0		

YPA3210: c16g3: YP was diagnosed with Genital Warts in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	30	.2	50.0	50.0
	No	30	.2	50.0	100.0
	Total	60	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3399	22.0		
Total	Total	15398	99.6		
		15458	100.0		

YPA3211: c16g4: YP was diagnosed with Pelvic Inflammatory Disease (PID) in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.0	1.9	1.9
	No	52	.3	98.1	100.0
	Total	53	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3406	22.0		
Total	Total	15405	99.7		
		15458	100.0		

YPA3212: c16g5: YP was diagnosed with another STI in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	8	.1	16.3	16.3
	No	41	.3	83.7	100.0
	Total	49	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3410	22.1		
Total	Total	15409	99.7		
		15458	100.0		

YPA3230: c17a: YP has had a test for Chlamydia in the year before last (i.e. between 12 and 24 months ago)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1407	9.1	42.8	42.8
	No	1724	11.2	52.4	95.3
	Not sure	141	.9	4.3	99.5
	I have never heard of Chlamydia	15	.1	.5	100.0
	Total	3287	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	172	1.1		
	Total	12171	78.7		
Total		15458	100.0		

YPA3231: c17b1: YP has not had a test for Chlamydia because they were not offered a test in the year before last

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	1067	6.9	67.8	67.8
	False	506	3.3	32.2	100.0
	Total	1573	10.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1886	12.2		
	Total	13885	89.8		
Total		15458	100.0		

YPA3232: c17b2: YP has not had a test for Chlamydia in year before last because they were offered but did not want to be tested

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	348	2.3	22.4	22.4
	False	1206	7.8	77.6	100.0
	Total	1554	10.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1905	12.3		
	Total	13904	89.9		
Total		15458	100.0		

YPA3233: c17b3: YP has not had a test for Chlamydia because they did not visit a doctor in that 12 month time period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	470	3.0	30.5	30.5
	False	1073	6.9	69.5	100.0
	Total	1543	10.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	-2	1	.0		
	NS/NA	1915	12.4		
	Total	13915	90.0		
		15458	100.0		

YPA3234: c17b4: YP has never been offered a Chlamydia test

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	624	4.0	40.0	40.0
	False	937	6.1	60.0	100.0
	Total	1561	10.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1898	12.3		
	Total	13897	89.9		
		15458	100.0		

YPA3235: c17c1: When YP was tested for Chlamydia in the year before last, they were offered the test in a general practice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	615	4.0	46.8	46.8
	No	699	4.5	53.2	100.0
	Total	1314	8.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2145	13.9		
	Total	14144	91.5		
		15458	100.0		

YPA3236: c17c2: When YP was tested for Chlamydia in the year before last, they were offered the test in a sexual health clinic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	566	3.7	43.1	43.1
	No	746	4.8	56.9	100.0
	Total	1312	8.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2147	13.9		
	Total	14146	91.5		
		15458	100.0		

YPA3237: c17c3: When YP was tested for Chlamydia in the year before last, they were offered the test in a NHS family planning clinic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	130	.8	10.5	10.5
	No	1112	7.2	89.5	100.0
	Total	1242	8.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2217	14.3		
Total	Total	14216	92.0		
		15458	100.0		

YPA3238: c17c4: When YP was tested for Chlamydia in the year before last, they were offered the test in a ante-natal clinic /midwife

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	31	.2	2.5	2.5
	No	1200	7.8	97.5	100.0
	Total	1231	8.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2228	14.4		
Total	Total	14227	92.0		
		15458	100.0		

YPA3239: c17c5: When YP was tested for Chlamydia in the year before last, they were offered the test in a private non-NHS clinic or doctor

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	14	.1	1.1	1.1
	No	1207	7.8	98.9	100.0
	Total	1221	7.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2238	14.5		
Total	Total	14237	92.1		
		15458	100.0		

YPA3240: c17c6: When YP was tested for Chlamydia in the year before last, they were offered the test in a school/college/university

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	375	2.4	29.8	29.8
	No	883	5.7	70.2	100.0
	Total	1258	8.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2201	14.2		
Total	Total	14200	91.9		
		15458	100.0		

YPA3241: c17c7: When YP was tested for Chlamydia in the year before last, they were offered the test in a termination of pregnancy (abortion) clinic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	19	.1	1.5	1.5
	No	1209	7.8	98.5	100.0
	Total	1228	7.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2231	14.4		
Total	Total	14230	92.1		
		15458	100.0		

YPA3242: c17c8: When YP was tested for Chlamydia in the year before last, they were offered the test in a hospital accident and emergency (A&E) department

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	15	.1	1.2	1.2
	No	1214	7.9	98.8	100.0
	Total	1229	8.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2230	14.4		
Total	Total	14229	92.0		
		15458	100.0		

YPA3243: c17c9: When YP was tested for Chlamydia in the year before last, they were offered the test in a pharmacy/chemist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	61	.4	5.0	5.0
	No	1170	7.6	95.0	100.0
	Total	1231	8.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2228	14.4		
Total	Total	14227	92.0		
		15458	100.0		

YPA3244: c17c10: When YP was tested for Chlamydia in the year before last, they were offered the test on the internet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	90	.6	7.4	7.4
	No	1134	7.3	92.6	100.0
	Total	1224	7.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2235	14.5		
Total	Total	14234	92.1		
		15458	100.0		

YPA3245: c17c11: When YP was tested for Chlamydia in the year before last, they were offered the test in another non-health care place (youth club,festival,bar)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	62	.4	5.1	5.1
	No	1163	7.5	94.9	100.0
	Total	1225	7.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2234	14.5		
Total	Total	14233	92.1		
		15458	100.0		

YPA3246: c17c12: When YP was tested for Chlamydia in the year before last, they were offered the test somewhere else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	74	.5	6.1	6.1
	No	1143	7.4	93.9	100.0
	Total	1217	7.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2242	14.5		
Total	Total	14241	92.1		
		15458	100.0		

YPA3247: c17d1: YP was tested for Chlamydia in the year before last because they had symptoms

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	85	.5	6.8	6.8
	No	1161	7.5	93.2	100.0
	Total	1246	8.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2213	14.3		
Total	Total	14212	91.9		
		15458	100.0		

YPA3248: c17d2: YP was tested for Chlamydia in the year before last because their partner had symptoms

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	35	.2	2.8	2.8
	No	1207	7.8	97.2	100.0
	Total	1242	8.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2217	14.3		
Total	Total	14216	92.0		
		15458	100.0		

YPA3249: c17d3: YP was tested for Chlamydia in the year before last because they were notified a partner was diagnosed with Chlamydia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	39	.3	3.1	3.1
	No	1203	7.8	96.9	
	Total	1242	8.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2217	14.3		
Total	Total	14216	92.0		
		15458	100.0		

YPA3250: c17d4: YP was tested for Chlamydia in the year before last because they had a new sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	473	3.1	37.2	37.2
	No	797	5.2	62.8	
	Total	1270	8.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2189	14.2		
Total	Total	14188	91.8		
		15458	100.0		

YPA3251: c17d5: YP was tested for Chlamydia in the year before last because they wanted a general sexual health check-up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	939	6.1	71.5	71.5
	No	374	2.4	28.5	
	Total	1313	8.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2146	13.9		
Total	Total	14145	91.5		
		15458	100.0		

YPA3252: c17d6: YP was tested for Chlamydia in the year before last because they were having a check-up after a previous positive test

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	37	.2	3.0	3.0
	No	1206	7.8	97.0	
	Total	1243	8.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2216	14.3		
Total	Total	14215	92.0		
		15458	100.0		

YPA3253: c17d7: YP was tested for Chlamydia in the year before last because they were worried about the risk of Chlamydia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	420	2.7	33.6	33.6
	No	831	5.4	66.4	100.0
	Total	1251	8.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2208	14.3		
Total	Total	14207	91.9		
		15458	100.0		

YPA3254: c17d8: YP was tested for Chlamydia in the year before last because they were offered a test

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	764	4.9	59.9	59.9
	No	512	3.3	40.1	100.0
	Total	1276	8.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2183	14.1		
Total	Total	14182	91.7		
		15458	100.0		

YPA3255: c17d9: YP was tested for Chlamydia in the year before last because of another reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	80	.5	7.6	7.6
	No	967	6.3	92.4	100.0
	Total	1047	6.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2412	15.6		
Total	Total	14411	93.2		
		15458	100.0		

YPA3256: c17e: YP has had a positive test for Chlamydia in the year before last

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	88	.6	6.4	6.4
	No	1289	8.3	93.3	99.6
	Not sure/don't know	5	.0	.4	100.0
Missing	Total	1382	8.9	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Total	NS/NA	2077	13.4		
	Total	14076	91.1		
		15458	100.0		

YPA3257: c17f: YP was diagnosed with other sexually transmitted infection(s) in the year before last

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	43	.3	1.3	1.3
	No	3222	20.8	98.7	100.0
	Total	3265	21.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	194	1.3		
Total	Total	12193	78.9		
		15458	100.0		

YPA3258: c17g1: YP was diagnosed with Gonorrhea in the year before last

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	4	.0	9.3	9.3
	No	39	.3	90.7	100.0
	Total	43	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3416	22.1		
Total	Total	15415	99.7		
		15458	100.0		

YPA3259: c17g2: YP was diagnosed with Genital Herpes in the year before last

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	12	.1	27.9	27.9
	No	31	.2	72.1	100.0
	Total	43	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3416	22.1		
Total	Total	15415	99.7		
		15458	100.0		

YPA3260: c17g3: YP was diagnosed with Genital Warts in the year before last

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	19	.1	45.2	45.2
	No	23	.1	54.8	100.0
	Total	42	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3417	22.1		
Total	Total	15416	99.7		
		15458	100.0		

YPA3261: c17g4: YP was diagnosed with Pelvic Inflammatory Disease (PID) in the year before last

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3	.0	7.7	7.7
	No	36	.2	92.3	100.0
	Total	39	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3420	22.1		
Total	Total	15419	99.7		
		15458	100.0		

YPA3262: c17g5: YP was diagnosed with another STI in the year before last

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	7	.0	17.5	17.5
	No	33	.2	82.5	100.0
	Total	40	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3419	22.1		
Total	Total	15418	99.7		
		15458	100.0		

YPA3270: c18a: YP does not currently have a sexual partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	1250	8.1	39.7	39.7
	False	1895	12.3	60.3	100.0
	Total	3145	20.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	314	2.0		
Total	Total	12313	79.7		
		15458	100.0		

YPA3271: c18b: YP is not using any contraception (themself or their partner)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	590	3.8	20.5	20.5
	False	2287	14.8	79.5	100.0
	Total	2877	18.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	582	3.8		
Total	Total	12581	81.4		
		15458	100.0		

YPA3272: c18c: YP has been sterilized /YP's partner has been sterilized (this includes male vasectomy)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	10	.1	.4	.4
	False	2823	18.3	99.6	
	Total	2833	18.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	626	4.0		
Total	Total	12625	81.7		
		15458	100.0		

YPA3273: c18d: YP or YP's partner is currently using mini pill as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	189	1.2	6.9	6.9
	False	2550	16.5	93.1	
	Total	2739	17.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	720	4.7		
Total	Total	12719	82.3		
		15458	100.0		

YPA3274: c18e: YP or YP's partner is currently using combined pill as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	587	3.8	21.3	21.3
	False	2174	14.1	78.7	
	Total	2761	17.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	698	4.5		
Total	Total	12697	82.1		
		15458	100.0		

YPA3275: c18f: YP or YP's partner is currently using Pill - not sure which as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	800	5.2	28.4	28.4
	False	2017	13.0	71.6	
	Total	2817	18.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	642	4.2		
Total	Total	12641	81.8		
		15458	100.0		

YPA3276: c18g: YP or YP's partner is currently using Mirena coil (hormone releasing coil) as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	78	.5	2.8	2.8
	False	2679	17.3	97.2	100.0
	Total	2757	17.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	702	4.5		
Total	Total	12701	82.2		
		15458	100.0		

YPA3277: c18h: YP or YP's partner is currently using Coil/other device as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	61	.4	2.2	2.2
	False	2691	17.4	97.8	100.0
	Total	2752	17.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	707	4.6		
Total	Total	12706	82.2		
		15458	100.0		

YPA3278: c18i: YP or YP's partner is currently using condom/male sheath/Durex as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	872	5.6	31.2	31.2
	False	1923	12.4	68.8	100.0
	Total	2795	18.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	664	4.3		
Total	Total	12663	81.9		
		15458	100.0		

YPA3279: c18j: YP or YP's partner is currently using Femidom (female sheath) as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	4	.0	.1	.1
	False	2738	17.7	99.9	100.0
	Total	2742	17.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	717	4.6		
Total	Total	12716	82.3		
		15458	100.0		

YPA3280: c18k: YP or YP's partner is currently using cap/diaphragm as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	1	.0	.0	.0
	False	2741	17.7	100.0	100.0
	Total	2742	17.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	717	4.6		
Total	Total	12716	82.3		
		15458	100.0		

YPA3281: c18l: YP or YP's partner is currently using Foams, gels, sprays, pessaries (spermicides) as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	8	.1	.3	.3
	False	2735	17.7	99.7	100.0
	Total	2743	17.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	716	4.6		
Total	Total	12715	82.3		
		15458	100.0		

YPA3282: c18m: YP or YP's partner is currently using contraceptive sponge as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	False	2741	17.7	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Total	11995	77.6		
Missing	Questionnaire not Returned	718	4.6		
	Total	12717	82.3		
Total		15458	100.0		

YPA3283: c18n: YP or YP's partner is currently using Persona as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	False	2738	17.7	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Total	11995	77.6		
Missing	Questionnaire not Returned	721	4.7		
	Total	12720	82.3		
Total		15458	100.0		

YPA3284: c18o: YP or YP's partner is currently using Safe period/rhythm method (other than Persona) as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	21	.1	.8	.8
	False	2715	17.6	99.2	100.0
	Total	2736	17.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	723	4.7		
Total	Total	12722	82.3		
		15458	100.0		

YPA3285: c18p: YP or YP's partner is currently using withdrawal as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	171	1.1	6.2	6.2
	False	2579	16.7	93.8	100.0
	Total	2750	17.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	709	4.6		
Total	Total	12708	82.2		
		15458	100.0		

YPA3286: c18q: YP or YP's partner is currently using Injection as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	93	.6	3.4	3.4
	False	2656	17.2	96.6	100.0
	Total	2749	17.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	710	4.6		
Total	Total	12709	82.2		
		15458	100.0		

YPA3287: c18r: YP or YP's partner is currently using Implant as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	273	1.8	9.9	9.9
	False	2476	16.0	90.1	100.0
	Total	2749	17.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	710	4.6		
Total	Total	12709	82.2		
		15458	100.0		

YPA3288: c18s: YP or YP's partner is currently using emergency contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	49	.3	1.8	1.8
	False	2686	17.4	98.2	100.0
	Total	2735	17.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	724	4.7		
Total	Total	12723	82.3		
		15458	100.0		

YPA3289: c18t: YP or YP's partner is currently using going without sex as contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	348	2.3	12.7	12.7
	False	2383	15.4	87.3	100.0
	Total	2731	17.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	728	4.7		
Total	Total	12727	82.3		
		15458	100.0		

YPA3290: c18u: YP doesn't know/or is not sure about method of contraception they are using

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	33	.2	1.3	1.3
	False	2607	16.9	98.8	100.0
	Total	2640	17.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	819	5.3		
Total	Total	12818	82.9		
		15458	100.0		

YPA3291: c18v: YP or YP's partner is currently using another method of contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	True	28	.2	1.1	1.1
	False	2523	16.3	98.9	100.0
	Total	2551	16.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	908	5.9		
Total	Total	12907	83.5		
		15458	100.0		

YPA3300: c19: Main reason that YP or their sexual partner are not currently using contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I am/my partner is trying to become pregnant or is already pregnant	75	.5	17.1	17.1
	I am/my partner is unlikely to conceive because of infertility	7	.0	1.6	18.7
	Against my faith/beliefs	12	.1	2.7	21.4
	I am having sex with someone of the same sex	52	.3	11.8	33.3
	I don't like contraception/find methods unsatisfactory	56	.4	12.8	46.0
	My partner doesn't like - or won't use - contraception	14	.1	3.2	49.2
	Don't know where to obtain contraceptives/advice	1	.0	.2	49.4
	Find access to contraceptive services difficult	9	.1	2.1	51.5
	Some other reason	213	1.4	48.5	100.0
	Total	439	2.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3020	19.5		
	Total	15019	97.2		
Total		15458	100.0		

Pregnancy History (Women Only)

YPA3310: c20a: YP has ever been pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	310	2.0	14.3	14.3
	No	1836	11.9	84.6	98.9
	Not sure	24	.2	1.1	100.0
	Total	2170	14.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1289	8.3		
	Total	13288	86.0		
Total		15458	100.0		

YPA3311: c20b: If YP has ever been pregnant, number of times YP has been pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6	.0	2.0	2.0
	1	211	1.4	69.2	71.1
	2	65	.4	21.3	92.5
	3	17	.1	5.6	98.0
	4	5	.0	1.6	99.7
	6	1	.0	.3	100.0
	Total	305	2.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3154	20.4		
	Total	15153	98.0		
Total		15458	100.0		

YPA3312: c20c1: Outcome of YP's first pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Currently Pregnant	19	.1	6.0	6.0
	Miscarriage	55	.4	17.3	23.3
	Termination of an unwanted pregnancy	134	.9	42.1	65.4
	Termination for medical reasons	8	.1	2.5	67.9
	Baby stillborn	4	.0	1.3	69.2
	Baby born alive	98	.6	30.8	100.0
	Total	318	2.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3141	20.3		
	Total	15140	97.9		
Total		15458	100.0		

YPA3313: c20c1year: Year YP's first pregnancy ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2004	1	.0	.4	.4
	2006	1	.0	.4	.7
	2007	13	.1	4.8	5.5
	2008	18	.1	6.6	12.1
	2009	37	.2	13.6	25.7
	2010	38	.2	14.0	39.7
	2011	44	.3	16.2	55.9
	2012	55	.4	20.2	76.1
	2013	44	.3	16.2	92.3
	2014	21	.1	7.7	100.0
	Total	272	1.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3187	20.6		
	Total	15186	98.2		
Total		15458	100.0		

YPA3314: c20c2: Outcome of YP's second pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Currently Pregnant	9	.1	10.1	10.1
	Miscarriage	20	.1	22.5	32.6
	Termination of an unwanted pregnancy	21	.1	23.6	56.2
	Termination for medical reasons	2	.0	2.2	58.4
	Baby born alive	37	.2	41.6	100.0
	Total	89	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3370	21.8		
	Total	15369	99.4		
Total		15458	100.0		

YPA3315: c20c2year: Year YP's second pregnancy ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2008	2	.0	2.5	2.5
	2009	5	.0	6.3	8.8
	2010	13	.1	16.3	25.0
	2011	14	.1	17.5	42.5
	2012	12	.1	15.0	57.5
	2013	25	.2	31.3	88.8
	2014	9	.1	11.3	100.0
	Total	80	.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3379	21.9		
	Total	15378	99.5		
Total		15458	100.0		

YPA3316: c20c3: Outcome of YP's third pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Currently Pregnant	4	.0	16.7	16.7
	Miscarriage	4	.0	16.7	33.3
	Termination of an unwanted pregnancy	4	.0	16.7	50.0
	Baby born alive	12	.1	50.0	100.0
	Total	24	.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3435	22.2		
	Total	15434	99.8		
Total		15458	100.0		

YPA3317: c20c3year: Year YP's third pregnancy ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2010	2	.0	8.7	8.7
	2011	2	.0	8.7	17.4
	2012	4	.0	17.4	34.8
	2013	11	.1	47.8	82.6
	2014	4	.0	17.4	100.0
	Total	23	.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3436	22.2		
	Total	15435	99.9		
Total		15458	100.0		

YPA3318: c20c4: Outcome of YP's fourth pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Currently Pregnant	1	.0	16.7	16.7
	Miscarriage	2	.0	33.3	50.0
	Baby born alive	3	.0	50.0	100.0
	Total	6	.0	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Missing	NS/NA	3453	22.3		
	Total	15452	100.0		
		15458	100.0		
Total		15458	100.0		

YPA3319: c20c4year: Year YP's fourth pregnancy ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2013	4	.0	80.0	80.0
	2014	1	.0	20.0	100.0
	Total	5	.0	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3454	22.3		
Missing	Total	15453	100.0		
		15458	100.0		

YPA3320: c20c5: Outcome of YP's fifth pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Termination of an unwanted pregnancy	1	.0	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3458	22.4		
	Total	15457	100.0		
		15458	100.0		
Total		15458	100.0		

YPA3321: c20c5year: Year YP's fifth pregnancy ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2013	1	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3458	22.4		
	Total	15457	100.0		
Total		15458	100.0		

YPA3322: c20c6: Outcome of YP's sixth pregnancy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Currently Pregnant	1	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3458	22.4		
	Total	15457	100.0		
Total		15458	100.0		

YPA3323: c20c6year: Year YP's sixth pregnancy ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2014	1	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3458	22.4		
	Total	15457	100.0		
Total		15458	100.0		

Pregnancy History (Men Only)

YPA3330: c21a: Any of YP's sexual partners ever been pregnant by them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	88	.6	7.7	7.7
	No	1040	6.7	90.4	98.1
	Not sure	22	.1	1.9	100.0
	Total	1150	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2309	14.9		
	Total	14308	92.6		
Total		15458	100.0		

YPA3331: c21b: If YP's partners have ever been pregnant by them, number of times YP's partners have been pregnant by them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	59	.4	72.0	72.0
	2	18	.1	22.0	93.9
	3	3	.0	3.7	97.6
	4	1	.0	1.2	98.8
	10	1	.0	1.2	100.0
	Total	82	.5	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3377	21.8		
	Total	15376	99.5		
Total		15458	100.0		

YPA3332: c21c1: Outcome of first pregnancy by YP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Currently Pregnant	6	.0	6.9	6.9
	Miscarriage	14	.1	16.1	23.0
	Termination of an unwanted pregnancy	52	.3	59.8	82.8
	Baby born alive	15	.1	17.2	100.0
	Total	87	.6	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3372	21.8		
	Total	15371	99.4		
		15458	100.0		
Total					

YPA3333: c21c1year: Year YP's partners first pregnancy by YP ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2005	1	.0	1.4	1.4
	2006	3	.0	4.1	5.5
	2007	1	.0	1.4	6.8
	2008	4	.0	5.5	12.3
	2009	7	.0	9.6	21.9
	2010	12	.1	16.4	38.4
	2011	13	.1	17.8	56.2
	2012	16	.1	21.9	78.1
	2013	12	.1	16.4	94.5
	2014	4	.0	5.5	100.0
	Total	73	.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3386	21.9		
	Total	15385	99.5		
Total		15458	100.0		

YPA3334: c21c2: Outcome of second pregnancy by YP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Currently Pregnant	3	.0	12.5	12.5
	Miscarriage	3	.0	12.5	25.0
	Termination of an unwanted pregnancy	13	.1	54.2	79.2
	Baby born alive	5	.0	20.8	100.0
	Total	24	.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3435	22.2		
	Total	15434	99.8		
Total		15458	100.0		

YPA3335: c21c2year: Year second pregnancy by YP ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2007	2	.0	9.5	9.5
	2008	2	.0	9.5	19.0
	2009	1	.0	4.8	23.8
	2010	1	.0	4.8	28.6
	2011	1	.0	4.8	33.3
	2012	6	.0	28.6	61.9
	2013	6	.0	28.6	90.5
	2014	2	.0	9.5	100.0
	Total	21	.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3438	22.2		
	Total	15437	99.9		
Total		15458	100.0		

YPA3336: c21c3: Outcome of third pregnancy by YP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Miscarriage	2	.0	50.0	50.0
	Termination of an unwanted pregnancy	2	.0	50.0	100.0
	Total	4	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3455	22.4		
	Total	15454	100.0		
	Total	15458	100.0		

YPA3337: c21c3year: Year third pregnancy by YP ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2007	1	.0	25.0	25.0
	2010	2	.0	50.0	75.0
	2013	1	.0	25.0	100.0
	Total	4	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3455	22.4		
	Total	15454	100.0		
Total		15458	100.0		

YPA3338: c21c4: Outcome of fourth pregnancy by YP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Miscarriage	1	.0	50.0	50.0
	Termination of an unwanted pregnancy	1	.0	50.0	100.0
	Total	2	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3457	22.4		
	Total	15456	100.0		
Total		15458	100.0		

YPA3339: c21c4year: Year fourth pregnancy by YP ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2012	1	.0	50.0	50.0
	2013	1	.0	50.0	100.0
	Total	2	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3457	22.4		
	Total	15456	100.0		
Total		15458	100.0		

YPA3340: c21c5: Outcome of fifth pregnancy by YP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Termination of an unwanted pregnancy	1	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3458	22.4		
	Total	15457	100.0		
Total		15458	100.0		

YPA3341: c21c5year: Year fifth pregnancy by YP ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2012	1	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3458	22.4		
	Total	15457	100.0		
Total		15458	100.0		

YPA3342: c21c6: Outcome of sixth pregnancy by YP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Termination of an unwanted pregnancy	1	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3458	22.4		
	Total	15457	100.0		
Total		15458	100.0		

YPA3343: c21c6year: Year sixth pregnancy by YP ended/birth year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2012	1	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3458	22.4		
	Total	15457	100.0		
Total		15458	100.0		

Section D: Health and Well-Being - Questionnaire

Section D: Your Health and Well-Being

D1) In general, would you say your health is:

(cross one option only)

<input type="checkbox"/> 1 Excellent	<input type="checkbox"/> 2 Very good
<input type="checkbox"/> 3 Good	<input type="checkbox"/> 4 Fair
<input type="checkbox"/> 5 Poor	

D2) Compared to one year ago, how would you rate your health in general now?

(cross one option only)

<input type="checkbox"/> 1 Much better now than 1 year ago	<input type="checkbox"/> 2 Somewhat better now than 1 year ago
<input type="checkbox"/> 3 About the same as 1 year ago	<input type="checkbox"/> 4 Somewhat worse now than 1 year ago
<input type="checkbox"/> 5 Much worse now than 1 year ago	

D3) The following questions are about activities you might do during a typical day. Does your health limit you in these activities? If so how much?

(cross one option on each line)

1 Yes, limited a lot 2 Yes, limited a little 3 No, not limited at all

- | | | | |
|---|-------------------------|-------------------------|-------------------------|
| a) Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 |
| b) Moderate activities, such as moving a table, pushing a vacuum, bowling or playing golf | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 |
| c) Lifting or carrying groceries | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 |
| d) Climbing several flights of stairs | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 |
| e) Climbing one flight of stairs | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 |
| f) Bending, kneeling or stooping | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 |
| g) Walking more than a mile | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 |
| h) Walking several hundred yards | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 |
| i) Walking one hundred yards | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 |
| j) Bathing and dressing yourself | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 |

D4) During the past 4 weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of your physical health?

(cross one option on each line)	1 All of the time	2 Most of the time	3 Some of the time	4 A little of the time	5 None of the time
a) Cut down on the amount of time you spent on work or other activities	<input type="checkbox"/>				
b) Accomplished less than you would like	<input type="checkbox"/>				
c) Were limited in the kind of work or other activities	<input type="checkbox"/>				
d) Had difficulty performing the work or other activities (for example it took extra effort)	<input type="checkbox"/>				

D5) During the past 4 weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)?

(cross one option on each line)	1 All of the time	2 Most of the time	3 Some of the time	4 A little of the time	5 None of the time
a) Cut down on the amount of time you spent on work or other activities	<input type="checkbox"/>				
b) Accomplished less than you would like	<input type="checkbox"/>				
c) Did work or other activities less carefully than usual	<input type="checkbox"/>				

D6) During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbours or groups?

(cross one option only)

1 <input type="checkbox"/> Not at all	2 <input type="checkbox"/> Slightly
3 <input type="checkbox"/> Moderately	4 <input type="checkbox"/> Quite a bit
5 <input type="checkbox"/> Extremely	

D7) How much bodily pain have you had during the past 4 weeks?

(cross one option only)

1 <input type="checkbox"/> None	2 <input type="checkbox"/> Very mild
3 <input type="checkbox"/> Mild	4 <input type="checkbox"/> Moderate
5 <input type="checkbox"/> Severe	6 <input type="checkbox"/> Very severe

D8) During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?

(cross one option only)

1 <input type="radio"/> Not at all	2 <input type="radio"/> Slightly
3 <input type="radio"/> Moderately	4 <input type="radio"/> Quite a bit
5 <input type="radio"/> Extremely	

D9) These questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling.

How much time during the last 4 weeks:

(cross one option on each line)

	1 All of the time	2 Most of the time	3 Some of the time	4 A little of the time	5 None of the time
a) Did you feel full of life?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b) Have you been very nervous?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c) Have you felt so down in the dumps that nothing could cheer you up?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d) Have you felt calm and peaceful?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e) Did you have a lot of energy?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f) Have you felt downhearted and depressed?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g) Did you feel worn out?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h) Have you been happy?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i) Did you feel tired?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

D10) During the past 4 weeks, how much of your time has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)?

(cross one option only)

1 <input type="radio"/> All of the time	2 <input type="radio"/> Most of the time
3 <input type="radio"/> Some of the time	4 <input type="radio"/> A little of the time
5 <input type="radio"/> None of the time	

D11) How True or False is each of the following statements for you?

(cross one option on each line)

	1 Definitely true	2 Mostly true	3 Don't know	4 Mostly false	5 Definitely false
a) I seem to get sick more easily	<input type="checkbox"/>				
b) I am as healthy as anybody I know	<input type="checkbox"/>				
c) I expect my health to get worse	<input type="checkbox"/>				
d) My health is excellent	<input type="checkbox"/>				

D12)

- a) Do you have any long-standing illness, disability or infirmity? (By long-standing we mean anything that has troubled you over a period of time or that is likely to affect you over a period of time).

(cross one option only)

<input type="checkbox"/> Yes	<input type="checkbox"/> No
------------------------------	-----------------------------

→ If No, please go to Section E

- b) If Yes, does this illness or disability limit your activities in any way?

(cross one option only)

<input type="checkbox"/> Yes	<input type="checkbox"/> No
------------------------------	-----------------------------

→ If No, please go to Section E

D13)

- a) Have you left any job because you felt it was making your health worse?

(cross one option only)

<input type="checkbox"/> Yes	<input type="checkbox"/> No
------------------------------	-----------------------------

→ If No, please go to Section E

- b) If Yes, please explain how the job was making your health worse:

--

Section D: Health and Well-Being – Frequencies

YPA4000: d1: In general YP would say their health is

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Excellent	601	3.9	18.2	18.2
	Very good	1136	7.3	34.4	52.7
	Good	1202	7.8	36.4	89.1
	Fair	290	1.9	8.8	97.9
	Poor	69	.4	2.1	100.0
	Total	3298	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	161	1.0		
	Total	12160	78.7		
Total		15458	100.0		

YPA4010: d2: Compared to one year ago YP would rate their health in general as

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Much better now than 1 year ago	400	2.6	12.1	12.1
	Somewhat better now than 1 year ago	603	3.9	18.2	30.3
	About the same as 1 year ago	1827	11.8	55.3	85.6
	Somewhat worse now than 1 year ago	433	2.8	13.1	98.7
	Much worse now than 1 year ago	43	.3	1.3	100.0
	Total	3306	21.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	153	1.0		
	Total	12152	78.6		
Total		15458	100.0		

YPA4020: d3a: YP's health limits them in vigorous activities, such as running, lifting heavy objects, participating in strenuous sports

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, limited a lot	152	1.0	4.6	4.6
	Yes, limited a little	837	5.4	25.3	29.9
	No, not limited at all	2315	15.0	70.1	100.0
	Total	3304	21.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	155	1.0		
	Total	12154	78.6		
Total		15458	100.0		

YPA4021: d3b: YP's health limits them in moderate activities, such as moving a table, pushing a vacuum, bowling or playing golf

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, limited a lot	66	.4	2.0	2.0
	Yes, limited a little	200	1.3	6.1	8.1
	No, not limited at all	3037	19.6	91.9	100.0
	Total	3303	21.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	156	1.0		
	Total	12155	78.6		
Total		15458	100.0		

YPA4022: d3c: YP's health limits them in lifting or carrying groceries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, limited a lot	64	.4	1.9	1.9
	Yes, limited a little	202	1.3	6.1	8.0
	No, not limited at all	3039	19.7	92.0	100.0
	Total	3305	21.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	154	1.0		
	Total	12153	78.6		
Total		15458	100.0		

YPA4023: d3d: YP's health limits them in climbing several flights of stairs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, limited a lot	91	.6	2.8	2.8
	Yes, limited a little	447	2.9	13.5	16.3
	No, not limited at all	2766	17.9	83.7	100.0
	Total	3304	21.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	155	1.0		
	Total	12154	78.6		
Total		15458	100.0		

YPA4024: d3e: YP's health limits them in climbing one flight of stairs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, limited a lot	77	.5	2.3	2.3
	Yes, limited a little	107	.7	3.2	5.6
	No, not limited at all	3118	20.2	94.4	100.0
	Total	3302	21.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	157	1.0		
	Total	12156	78.6		
Total		15458	100.0		

YPA4025: d3f: YP's health limits them in bending, kneeling or stooping

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, limited a lot	88	.6	2.7	2.7
	Yes, limited a little	304	2.0	9.2	11.9
	No, not limited at all	2909	18.8	88.1	100.0
	Total	3301	21.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	158	1.0		
	Total	12157	78.6		
Total		15458	100.0		

YPA4026: d3g: YP's health limits them in walking more than a mile

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, limited a lot	98	.6	3.0	3.0
	Yes, limited a little	206	1.3	6.2	9.2
	No, not limited at all	2997	19.4	90.8	100.0
	Total	3301	21.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	158	1.0		
	Total	12157	78.6		
Total		15458	100.0		

YPA4027: d3h: YP's health limits them in walking several hundred yards

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, limited a lot	86	.6	2.6	2.6
	Yes, limited a little	109	.7	3.3	5.9
	No, not limited at all	3099	20.0	94.1	100.0
	Total	3294	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	165	1.1		
	Total	12164	78.7		
Total		15458	100.0		

YPA4028: d3i: YP's health limits them in walking one hundred yards

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, limited a lot	92	.6	2.8	2.8
	Yes, limited a little	79	.5	2.4	5.2
	No, not limited at all	3129	20.2	94.8	100.0
	Total	3300	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	159	1.0		
	Total	12158	78.7		
Total		15458	100.0		

YPA4029: d3j: YP's health limits them bathing and dressing yourself

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, limited a lot	100	.6	3.0	3.0
	Yes, limited a little	44	.3	1.3	4.4
	No, not limited at all	3163	20.5	95.6	100.0
	Total	3307	21.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	152	1.0		
	Total	12151	78.6		
Total		15458	100.0		

YPA4030: d4a: During the past 4 weeks, amount of the time YP has cut down on the amount of time they spent on work or other activities as a result of their physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	25	.2	.8	.8
	Most of the time	40	.3	1.2	2.0
	Some of the time	151	1.0	4.6	6.6
	A little of the time	243	1.6	7.4	13.9
	None of the time	2838	18.4	86.1	100.0
	Total	3297	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	162	1.0		
	Total	12161	78.7		
Total		15458	100.0		

YPA4031: d4b: During the past 4 weeks, amount of the time YP has accomplished less than they would like as a result of their physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	28	.2	.9	.9
	Most of the time	77	.5	2.3	3.2
	Some of the time	202	1.3	6.1	9.3
	A little of the time	399	2.6	12.1	21.4
	None of the time	2588	16.7	78.6	100.0
	Total	3294	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	165	1.1		
	Total	12164	78.7		
Total		15458	100.0		

YPA4032: d4c: During the past 4 weeks, amount of the time YP was limited in the kind of work or other activities as a result of their physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	29	.2	.9	.9
	Most of the time	53	.3	1.6	2.5
	Some of the time	143	.9	4.3	6.8
	A little of the time	250	1.6	7.6	14.4
	None of the time	2816	18.2	85.6	100.0
	Total	3291	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	168	1.1		
	Total	12167	78.7		
Total		15458	100.0		

YPA4033: d4d: During the past 4 weeks, amount of the time YP has had difficulty performing the work or other activities as a result of their physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	25	.2	.8	.8
	Most of the time	60	.4	1.8	2.6
	Some of the time	146	.9	4.5	7.0
	A little of the time	308	2.0	9.4	16.4
	None of the time	2740	17.7	83.6	100.0
	Total	3279	21.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	180	1.2		
	Total	12179	78.8		
Total		15458	100.0		

YPA4040: d5a: During the past 4 weeks, amount of the time YP has accomplished less than they would like as a result of emotional problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	42	.3	1.3	1.3
	Most of the time	111	.7	3.4	4.7
	Some of the time	357	2.3	10.9	15.5
	A little of the time	448	2.9	13.6	29.1
	None of the time	2330	15.1	70.9	100.0
	Total	3288	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	171	1.1		
	Total	12170	78.7		
Total		15458	100.0		

YPA4041: d5b: During the past 4 weeks, amount of the time YP was limited in the kind of work or other activities as a result of emotional problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	79	.5	2.4	2.4
	Most of the time	189	1.2	5.7	8.2
	Some of the time	405	2.6	12.3	20.5
	A little of the time	585	3.8	17.8	38.3
	None of the time	2029	13.1	61.7	100.0
	Total	3287	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	172	1.1		
	Total	12171	78.7		
Total		15458	100.0		

YPA4042: d5c: During the past 4 weeks, amount of the time YP did work or other activities less carefully than usual as a result of emotional problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	43	.3	1.3	1.3
	Most of the time	100	.6	3.0	4.4
	Some of the time	326	2.1	9.9	14.3
	A little of the time	443	2.9	13.5	27.8
	None of the time	2374	15.4	72.2	100.0
	Total	3286	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	173	1.1		
	Total	12172	78.7		
Total		15458	100.0		

YPA4050: d6: During the past 4 weeks, YP's physical health or emotional problems interfered with their normal social activities with family, friends, neighbours or groups

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2104	13.6	63.8	63.8
	Slightly	781	5.1	23.7	87.5
	Moderately	203	1.3	6.2	93.7
	Quite a bit	145	.9	4.4	98.1
	Extremely	63	.4	1.9	100.0
	Total	3296	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	163	1.1		
	Total	12162	78.7		
Total		15458	100.0		

YPA4060: d7: Amount of bodily pain YP has had during the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	1500	9.7	45.6	45.6
	Very mild	866	5.6	26.3	71.8
	Mild	538	3.5	16.3	88.2
	Moderate	303	2.0	9.2	97.4
	Severe	73	.5	2.2	99.6
	Very severe	13	.1	.4	100.0
	Total	3293	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	166	1.1		
	Total	12165	78.7		
Total		15458	100.0		

YPA4070: d8: During the past 4 weeks, pain interfered with YP's normal work (including both work outside the home and housework)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2417	15.6	73.7	73.7
	Slightly	607	3.9	18.5	92.2
	Moderately	162	1.0	4.9	97.1
	Quite a bit	73	.5	2.2	99.3
	Extremely	22	.1	.7	100.0
	Total	3281	21.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	178	1.2		
	Total	12177	78.8		
Total		15458	100.0		

YPA4080: d9a: Amount of time in last 4 weeks YP felt full of life

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	176	1.1	5.3	5.3
	Most of the time	1344	8.7	40.8	46.1
	Some of the time	1158	7.5	35.1	81.3
	A little of the time	455	2.9	13.8	95.1
	None of the time	162	1.0	4.9	100.0
	Total	3295	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	164	1.1		
	Total	12163	78.7		
Total		15458	100.0		

YPA4081: d9b: Amount of time in last 4 weeks YP has been very nervous

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	39	.3	1.2	1.2
	Most of the time	225	1.5	6.8	8.0
	Some of the time	796	5.1	24.2	32.2
	A little of the time	1319	8.5	40.1	72.2
	None of the time	914	5.9	27.8	100.0
	Total	3293	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	166	1.1		
	Total	12165	78.7		
Total		15458	100.0		

YPA4082: d9c: Amount of time in last 4 weeks YP has felt so down in the dumps that nothing could cheer them up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	44	.3	1.3	1.3
	Most of the time	195	1.3	5.9	7.3
	Some of the time	497	3.2	15.1	22.4
	A little of the time	858	5.6	26.1	48.5
	None of the time	1692	10.9	51.5	100.0
	Total	3286	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	173	1.1		
	Total	12172	78.7		
Total		15458	100.0		

YPA4083: d9d: Amount of time in last 4 weeks YP has felt felt calm and peaceful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	87	.6	2.6	2.6
	Most of the time	1066	6.9	32.4	35.1
	Some of the time	1317	8.5	40.1	75.1
	A little of the time	656	4.2	20.0	95.1
	None of the time	162	1.0	4.9	100.0
	Total	3288	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	171	1.1		
	Total	12170	78.7		
Total		15458	100.0		

YPA4084: d9e: Amount of time in last 4 weeks YP had a lot of energy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	112	.7	3.4	3.4
	Most of the time	1041	6.7	31.7	35.1
	Some of the time	1416	9.2	43.1	78.2
	A little of the time	560	3.6	17.1	95.3
	None of the time	155	1.0	4.7	100.0
	Total	3284	21.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	175	1.1		
	Total	12174	78.8		
Total		15458	100.0		

YPA4085: d9f: Amount of time in last 4 weeks YP has felt downhearted and depressed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	67	.4	2.0	2.0
	Most of the time	288	1.9	8.8	10.8
	Some of the time	619	4.0	18.8	29.6
	A little of the time	1167	7.5	35.5	65.2
	None of the time	1145	7.4	34.8	100.0
	Total	3286	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	173	1.1		
	Total	12172	78.7		
Total		15458	100.0		

YPA4086: d9g: Amount of time in last 4 weeks YP felt worn out

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	128	.8	3.9	3.9
	Most of the time	510	3.3	15.5	19.4
	Some of the time	1155	7.5	35.1	54.5
	A little of the time	1128	7.3	34.3	88.9
	None of the time	366	2.4	11.1	100.0
	Total	3287	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	172	1.1		
	Total	12171	78.7		
Total		15458	100.0		

YPA4087: d9h: Amount of time in last 4 weeks YP has been happy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	331	2.1	10.1	10.1
	Most of the time	1865	12.1	56.7	66.8
	Some of the time	761	4.9	23.2	90.0
	A little of the time	280	1.8	8.5	98.5
	None of the time	50	.3	1.5	100.0
	Total	3287	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	172	1.1		
	Total	12171	78.7		
Total		15458	100.0		

YPA4088: d9i: Amount of time in last 4 weeks YP has felt tired

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	228	1.5	6.9	6.9
	Most of the time	766	5.0	23.3	30.3
	Some of the time	1390	9.0	42.3	72.6
	A little of the time	797	5.2	24.3	96.9
	None of the time	102	.7	3.1	100.0
	Total	3283	21.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	176	1.1		
	Total	12175	78.8		
Total		15458	100.0		

YPA4090: d10: During the past 4 weeks ,amount of time YP's physical health or emotional problems interfered with their social activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the time	50	.3	1.5	1.5
	Most of the time	116	.8	3.5	5.1
	Some of the time	448	2.9	13.7	18.8
	A little of the time	673	4.4	20.6	39.4
	None of the time	1983	12.8	60.6	100.0
	Total	3270	21.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	189	1.2		
	Total	12188	78.8		
Total		15458	100.0		

YPA4100: d11a: YP seems to get sick more easily

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Definitely true	99	.6	3.0	3.0
	Mostly true	359	2.3	10.9	13.9
	Don't know	291	1.9	8.9	22.8
	Mostly false	830	5.4	25.3	48.0
	Definitely false	1708	11.0	52.0	100.0
	Total	3287	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	172	1.1		
	Total	12171	78.7		
Total		15458	100.0		

YPA4101: d11b: YP is as healthy as anybody they know

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Definitely true	928	6.0	28.2	28.2
	Mostly true	1368	8.8	41.6	69.9
	Don't know	480	3.1	14.6	84.5
	Mostly false	384	2.5	11.7	96.1
	Definitely false	127	.8	3.9	100.0
	Total	3287	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	172	1.1		
	Total	12171	78.7		
Total		15458	100.0		

YPA4102: d11c: YP expects their health to get worse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Definitely true	49	.3	1.5	1.5
	Mostly true	324	2.1	9.9	11.4
	Don't know	842	5.4	25.7	37.0
	Mostly false	779	5.0	23.7	60.8
	Definitely false	1287	8.3	39.2	100.0
	Total	3281	21.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	178	1.2		
	Total	12177	78.8		
Total		15458	100.0		

YPA4103: d11d: YP's health is excellent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Definitely true	573	3.7	17.4	17.4
	Mostly true	1623	10.5	49.4	66.8
	Don't know	500	3.2	15.2	82.0
	Mostly false	408	2.6	12.4	94.4
	Definitely false	184	1.2	5.6	100.0
	Total	3288	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	171	1.1		
	Total	12170	78.7		
Total		15458	100.0		

YPA4110: d12a: YP has long-standing illness, disability or infirmity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	602	3.9	18.3	18.3
	No	2688	17.4	81.7	100.0
	Total	3290	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	169	1.1		
	Total	12168	78.7		
Total		15458	100.0		

YPA4111: d12b: YP's illness or disability limits their activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	392	2.5	62.3	62.3
	No	237	1.5	37.7	100.0
	Total	629	4.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2830	18.3		
	Total	14829	95.9		
Total		15458	100.0		

YPA4120: d13a: YP has left a job because they felt it was making their health worse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	77	.5	10.9	10.9
	No	631	4.1	89.1	100.0
	Total	708	4.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2751	17.8		
	Total	14750	95.4		
Total		15458	100.0		

Section E: Intimate Partner Violence - Questionnaire

Section E: Intimate Partner Violence

The following section is about partner violence, sometimes called domestic abuse. We know this is a sensitive subject, but it is important to ask as it is not uncommon. Please remember that all answers are confidential. You do not have to answer any of these questions if you do not want to.

By 'partner', we mean anyone you have ever been out with or had a relationship with, long-term or short-term (including 'one night stands').

E1) How often altogether have any of your partners ever done any of the following to you and how old were you?

(cross one option on each line)

1 Never 2 Once 3 A few times 4 Often

a) Told you who you could see and where you could go and/or regularly checked what you were doing and where you were (by phone or text)?

1 2 3 4

(cross all that apply)

1 Under 18

2 Over 18

b) Made fun of you, called your hurtful names, shouted at you?

1 2 3 4

(cross all that apply)

1 Under 18

2 Over 18

c) Used physical force such as pushing, slapping, hitting or holding you down?

1 2 3 4

(cross all that apply)

1 Under 18

2 Over 18

d) Used more severe physical force such as punching, strangling, beating you up, hitting you with an object?

1 2 3 4

(cross all that apply)

1 Under 18

2 Over 18

e) Pressured you into kissing/touching/something else?

1 2 3 4

(cross all that apply)

1 Under 18

2 Over 18

(cross one option on each line)

1 Never 2 Once 3 A few times 4 Often

- f) Physically forced you into kissing/touching/something else? 1 2 3 4

(cross all that apply)

1 Under 18 2 Over 18

- g) Pressured you into having sexual intercourse? 1 2 3 4

(cross all that apply)

1 Under 18 2 Over 18

- h) Physically forced you into having sexual intercourse? 1 2 3 4

(cross all that apply)

1 Under 18 2 Over 18

- i) Did any of the above make you feel scared or frightened, or did any partner make you feel frightened in any other way? 1 2 3 4

(cross all that apply)

1 Under 18 2 Over 18

► If you answered 'Never' to ALL the above questions, please go to E3

- E2) How did you feel after they did these things to you?

(cross one option on each line)

1 Yes 2 No

- a) Upset/unhappy 1 2

- b) Affected my work/studies 1 2

- c) Made me feel sad 1 2

- d) No effect/not bothered 1 2

- e) Anxious 1 2

- f) Made me drink more alcohol/take more drugs 1 2

- g) Felt loved/protected/wanted 1 2

- h) Thought it was funny 1 2

- i) Angry/annoyed 1 2

- j) Depressed 1 2

E3) How often altogether have you done any of the following to any of your partners, and how old were you?

(cross one option on each line)

1 Never 2 Once 3 A few times 4 Often

- a) Told them who they could see and where they could go and/or regularly checked what they were doing and where they were (by phone or text)?

1 2 3 4

(cross all that apply)

1 Under 18

2 Over 18

- b) Made fun of them, called them hurtful names, shouted at them?

1 2 3 4

(cross all that apply)

1 Under 18

2 Over 18

- c) Hit, slapped, kicked or otherwise physically hurt them?

1 2 3 4

(cross all that apply)

1 Under 18

2 Over 18

- d) Pressured or forced them into kissing, touching, sexual intercourse or any other sexual activity when they did not want to?

1 2 3 4

(cross all that apply)

1 Under 18

2 Over 18

E4) Thinking about your 'parents' over the years since you were born, have you ever been aware of the following, and how much did it affect you? If you are living (or used to live) with one parent and their partner, answer these questions thinking about them.

- a) One 'parent' making the other feel afraid, or threatening to hurt them physically

(cross one option only)

1 Not at all

2 A little

3 A moderate amount

4 A lot

→ If you answered 'Not at all', please go to E4b)

(cross all that apply on each row)

1 Father's female partner

2 Mother's male partner

3 Father's male partner

4 Mother's female partner

- i) Who was doing this?

1 2 3 4

- b) One 'parent' calling the other hurtful names or shouting at them

(cross one option only)

1 Not at all

2 A little

3 A moderate amount

4 A lot

⇒ If you answered 'Not at all', please go to E4c)

(cross all that apply on each row)

1 Father's female partner

2 Mother's male partner

3 Father's male partner

4 Mother's female partner

- i) Who was doing this?

1

2

3

4

- c) One 'parent' slapping, kicking, hitting or otherwise physically hurting the other

(cross one option only)

1 Not at all

2 A little

3 A moderate amount

4 A lot

⇒ If you answered 'Not at all', please go to E4d)

(cross all that apply on each row)

1 Father's female partner

2 Mother's male partner

3 Father's male partner

4 Mother's female partner

- i) Who was doing this?

1

2

3

4

- d) One 'parent' telling the other who they could see, where they could go or what they could do

(cross one option only)

1 Not at all

2 A little

3 A moderate amount

4 A lot

⇒ If you answered 'Not at all', please go to Section F

(cross all that apply on each row)

1 Father's female partner

2 Mother's male partner

3 Father's male partner

4 Mother's female partner

- i) Who was doing this?

1

2

3

4

If you are affected by any of the issues raised in this section, you may wish to contact:

Women's Aid: 24 hr national helpline 0808 2000 247 www.womensaid.org.uk

Men's Advice Line: 0808 801 0327 www.mensadviceline.org.uk

Alternatively there are a number of organisations listed on the enclosed Helpline Information sheet.

Section E: Intimate Partner Violence - Frequencies

YPA5000: e1a: Frequency YP's partners have told them who they could see and where they could go and/or regularly checked what they were doing and where they were (by phone or text)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2545	16.5	77.9	77.9
	Once	124	.8	3.8	81.6
	A few times	422	2.7	12.9	94.6
	Often	178	1.2	5.4	100.0
	Total	3269	21.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	190	1.2		
	Total	12189	78.9		
Total		15458	100.0		

YPA5001: e1a_i: YPs age when partners have told them who they could see and where they could go and/or regularly checked what they were doing and where they were (by phone or text)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	201	1.3	21.1	21.1
	Over 18	569	3.7	59.7	80.8
	Both under 18 and over 18	183	1.2	19.2	100.0
	Total	953	6.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2506	16.2		
	Total	14505	93.8		
Total		15458	100.0		

YPA5002: e1b: Frequency YP's partners have made fun of them, called them hurtful names, shouted at them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2423	15.7	74.5	74.5
	Once	170	1.1	5.2	79.7
	A few times	530	3.4	16.3	96.0
	Often	131	.8	4.0	100.0
	Total	3254	21.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	205	1.3		
	Total	12204	78.9		
Total		15458	100.0		

YPA5003: e1b_i: YPs age when partners have made fun of them, called them hurtful names, shouted at them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	171	1.1	16.7	16.7
	Over 18	666	4.3	65.2	81.9
	Both under 18 and over 18	185	1.2	18.1	100.0
	Total	1022	6.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2437	15.8		
	Total	14436	93.4		
Total		15458	100.0		

YPA5004: e1c: Frequency YP's partners have used physical force such as pushing, slapping, hitting or holding them down

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2769	17.9	85.0	85.0
	Once	193	1.2	5.9	91.0
	A few times	235	1.5	7.2	98.2
	Often	59	.4	1.8	100.0
	Total	3256	21.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	203	1.3		
	Total	12202	78.9		
Total		15458	100.0		

YPA5005: e1c_i: YPs age when partners have used physical force such as pushing, slapping, hitting or holding them down

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	137	.9	18.4	18.4
	Over 18	468	3.0	63.0	81.4
	Both under 18 and over 18	138	.9	18.6	100.0
	Total	743	4.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2716	17.6		
	Total	14715	95.2		
Total		15458	100.0		

YPA5006: e1d: Frequency YP's partners have used more severe physical force such as punching, strangling, beating them up, hitting them with an object

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3076	19.9	94.6	94.6
	Once	81	.5	2.5	97.0
	A few times	68	.4	2.1	99.1
	Often	28	.2	.9	100.0
	Total	3253	21.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	206	1.3		
	Total	12205	79.0		
Total		15458	100.0		

YPA5007: e1d_i: YPs age when partners have used more severe physical force such as punching, strangling, beating them up, hitting them with an object

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	70	.5	14.6	14.6
	Over 18	293	1.9	60.9	75.5
	Both under 18 and over 18	118	.8	24.5	100.0
	Total	481	3.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2978	19.3		
	Total	14977	96.9		
Total		15458	100.0		

YPA5008: e1e: Frequency YP's partners have pressured them into kissing/touching/something else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2982	19.3	91.6	91.6
	Once	96	.6	2.9	94.5
	A few times	146	.9	4.5	99.0
	Often	32	.2	1.0	100.0
	Total	3256	21.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	203	1.3		
	Total	12202	78.9		
Total		15458	100.0		

YPA5009: e1e_i: YPs age when YP's partners have pressured them into kissing/touching/something else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	109	.7	19.2	19.2
	Over 18	337	2.2	59.2	78.4
	Both under 18 and over 18	123	.8	21.6	100.0
	Total	569	3.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2890	18.7		
	Total	14889	96.3		
Total		15458	100.0		

YPA5010: e1f: Frequency YP's partners have physically forced them into kissing/touching/something else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3116	20.2	95.8	95.8
	Once	68	.4	2.1	97.9
	A few times	49	.3	1.5	99.4
	Often	18	.1	.6	100.0
	Total	3251	21.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	208	1.3		
	Total	12207	79.0		
Total		15458	100.0		

YPA5011: e1f_i: YPs age when partners have physically forced them into kissing/touching/something else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	74	.5	16.9	16.9
	Over 18	255	1.6	58.4	75.3
	Both under 18 and over 18	108	.7	24.7	100.0
	Total	437	2.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3022	19.5		
	Total	15021	97.2		
Total		15458	100.0		

YPA5012: e1g: Frequency YP's partners have pressured them into having sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2877	18.6	88.7	88.7
	Once	181	1.2	5.6	94.3
	A few times	152	1.0	4.7	99.0
	Often	33	.2	1.0	100.0
	Total	3243	21.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	216	1.4		
	Total	12215	79.0		
Total		15458	100.0		

YPA5013: e1g_i: YPs age when partners have pressured them into having sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	135	.9	21.4	21.4
	Over 18	371	2.4	58.8	80.2
	Both under 18 and over 18	125	.8	19.8	100.0
	Total	631	4.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2828	18.3		
	Total	14827	95.9		
Total		15458	100.0		

YPA5014: e1h: Frequency YP's partners have physically forced them into having sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3119	20.2	96.3	96.3
	Once	80	.5	2.5	98.7
	A few times	32	.2	1.0	99.7
	Often	9	.1	.3	100.0
	Total	3240	21.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	219	1.4		
	Total	12218	79.0		
Total		15458	100.0		

YPA5015: e1h_i: YPs age when partners have physically forced them into having sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	65	.4	15.7	15.7
	Over 18	244	1.6	59.1	74.8
	Both under 18 and over 18	104	.7	25.2	100.0
	Total	413	2.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3046	19.7		
	Total	15045	97.3		
Total		15458	100.0		

YPA5016: e1i: Frequency YP's partners behaviour have ever made them feel scared or frightened

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2712	17.5	84.2	84.2
	Once	191	1.2	5.9	90.1
	A few times	234	1.5	7.3	97.4
	Often	85	.5	2.6	100.0
Missing	Total	3222	20.8	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	237	1.5		
Total		12236	79.2		
Total		15458	100.0		

YPA5017: e1i_i: YPs age when partners behaviour made them feel scared or frightened

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	146	.9	19.6	19.6
	Over 18	444	2.9	59.5	79.1
	Both under 18 and over 18	156	1.0	20.9	100.0
	Total	746	4.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2713	17.6		
	Total	14712	95.2		
Total		15458	100.0		

YPA5020: e2a: YP felt upset/unhappy after partner/s did these thing to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	900	5.8	78.4	78.4
	No	248	1.6	21.6	100.0
	Total	1148	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2311	15.0		
	Total	14310	92.6		
Total		15458	100.0		

YPA5021: e2b: YP's work/ studies were affected after partner/s did these thing to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	342	2.2	30.0	30.0
	No	799	5.2	70.0	100.0
	Total	1141	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2318	15.0		
Total	Total	14317	92.6		
		15458	100.0		

YPA5022: e2c: YP felt sad after partner/s did these thing to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	813	5.3	71.2	71.2
	No	329	2.1	28.8	100.0
	Total	1142	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2317	15.0		
Total	Total	14316	92.6		
		15458	100.0		

YPA5023: e2d: YP felt no effect/not bothered after partner/s did these thing to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	206	1.3	18.2	18.2
	No	927	6.0	81.8	100.0
	Total	1133	7.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2326	15.0		
Total	Total	14325	92.7		
		15458	100.0		

YPA5024: e2e: YP felt anxious after partner/s did these thing to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	495	3.2	43.7	43.7
	No	638	4.1	56.3	100.0
	Total	1133	7.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2326	15.0		
Total	Total	14325	92.7		
		15458	100.0		

YPA5025: e2f: YP felt after partner/s did these thing to them they drank more alcohol/ took more drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	168	1.1	14.8	14.8
	No	970	6.3	85.2	100.0
	Total	1138	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2321	15.0		
Total	Total	14320	92.6		
		15458	100.0		

YPA5026: e2g: YP felt loved/protected/wanted after partner/s did these thing to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	148	1.0	13.0	13.0
	No	987	6.4	87.0	100.0
	Total	1135	7.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2324	15.0		
Total	Total	14323	92.7		
		15458	100.0		

YPA5027: e2h: YP thought it was funny after partner/s did these thing to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	158	1.0	14.0	14.0
	No	974	6.3	86.0	100.0
	Total	1132	7.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2327	15.1		
Total	Total	14326	92.7		
		15458	100.0		

YPA5028: e2i: YP felt angry/annoyed after partner/s did these thing to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	857	5.5	75.2	75.2
	No	282	1.8	24.8	100.0
	Total	1139	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2320	15.0		
Total	Total	14319	92.6		
		15458	100.0		

YPA5029: e2j: YP felt depressed after partner/s did these thing to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	418	2.7	36.7	36.7
	No	720	4.7	63.3	100.0
	Total	1138	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2321	15.0		
	Total	14320	92.6		
Total		15458	100.0		

YPA5030: e3a: Frequency YP has told partners who they could see and where they could go and/or regularly checked what they were doing and where they were (by phone or text)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2855	18.5	88.1	88.1
	Once	118	.8	3.6	91.8
	A few times	238	1.5	7.3	99.1
	Often	28	.2	.9	100.0
	Total	3239	21.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	220	1.4		
	Total	12219	79.0		
Total		15458	100.0		

YPA5031: e3a_i: YP's age when told partners who they could see and where they could go and/or regularly checked what they were doing and where they were (by phone or text)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	69	.4	11.8	11.8
	Over 18	383	2.5	65.4	77.1
	Both under 18 and over 18	134	.9	22.9	100.0
	Total	586	3.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2873	18.6		
	Total	14872	96.2		
Total		15458	100.0		

YPA5032: e3b: Frequency YP has made fun of partner/s, called them hurtful names, shouted at them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2708	17.5	83.5	83.5
	Once	136	.9	4.2	87.7
	A few times	385	2.5	11.9	99.6
	Often	13	.1	.4	100.0
	Total	3242	21.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	217	1.4		
	Total	12216	79.0		
Total		15458	100.0		

YPA5033: e3b_i: YP's age when made fun of partner/s, called them hurtful names, shouted at them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	69	.4	9.5	9.5
	Over 18	493	3.2	68.2	77.7
	Both under 18 and over 18	161	1.0	22.3	100.0
	Total	723	4.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2736	17.7		
	Total	14735	95.3		
Total		15458	100.0		

YPA5034: e3c: Frequency YP has hit, slapped, kicked or otherwise physically hurt partner/s

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3014	19.5	93.0	93.0
	Once	126	.8	3.9	96.9
	A few times	98	.6	3.0	99.9
	Often	4	.0	.1	100.0
	Total	3242	21.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	217	1.4		
	Total	12216	79.0		
Total		15458	100.0		

YPA5035: e3c_i: YP's age when hit, slapped, kicked or otherwise physically hurt partner/s

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	48	.3	10.3	10.3
	Over 18	309	2.0	66.3	76.6
	Both under 18 and over 18	109	.7	23.4	100.0
	Total	466	3.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2993	19.4		
	Total	14992	97.0		
Total		15458	100.0		

YPA5036: e3d: Frequency YP has pressured or forced their partner/s into kissing, touching, sexual intercourse or any other sexual activity when they did not want to

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3215	20.8	99.1	99.1
	Once	14	.1	.4	99.5
	A few times	15	.1	.5	100.0
	Often	1	.0	.0	100.0
Missing	Total	3245	21.0	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	214	1.4		
Total		12213	79.0		
Total		15458	100.0		

YPA5037: e3d_i: YP's age when pressured or forced their partner/s into kissing, touching, sexual intercourse or any other sexual activity when they did not want to

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 18	22	.1	7.2	7.2
	Over 18	189	1.2	61.6	68.7
	Both under 18 and over 18	96	.6	31.3	100.0
	Total	307	2.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3152	20.4		
	Total	15151	98.0		
Total		15458	100.0		

YPA5040: e4a: Amount YP has ever been aware of and affected by one 'parent' making the other feel afraid, or threatening to hurt them physically

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2925	18.9	89.7	89.7
	A little	197	1.3	6.0	95.8
	A moderate amount	84	.5	2.6	98.3
	A lot	54	.3	1.7	100.0
	Total	3260	21.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	199	1.3		
	Total	12198	78.9		
Total		15458	100.0		

YPA5041: e4a1_1: Father's female partner made parent feel afraid, or threatened to hurt them physically

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	73	.5	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3386	21.9		
	Total	15385	99.5		
Total		15458	100.0		

YPA5042: e4a1_2: Mother's male partner made parent feel afraid, or threatened to hurt them physically

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	280	1.8	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3179	20.6		
	Total	15178	98.2		
Total		15458	100.0		

YPA5043: e4a1_3: Father's male partner made parent feel afraid, or threatened to hurt them physically

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	8	.1	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3451	22.3		
	Total	15450	99.9		
Total		15458	100.0		

YPA5044: e4a1_4: Mother's female partner made parent feel afraid, or threatened to hurt them physically

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3458	22.4		
	Total	15457	100.0		
Total		15458	100.0		

YPA5045: e4b: Amount YP has ever been aware of and affected by one 'parent' calling the other hurtful names or shouting at them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	2330	15.1	72.1	72.1
	A little	553	3.6	17.1	89.2
	A moderate amount	231	1.5	7.1	96.3
	A lot	118	.8	3.7	100.0
	Total	3232	20.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	227	1.5		
	Total	12226	79.1		
Total		15458	100.0		

YPA5046: e4b1_1: Father's female partner called other parent hurtful names or shouted at them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	465	3.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2994	19.4		
	Total	14993	97.0		
Total		15458	100.0		

YPA5047: e4b1_2: Mother's male partner called other parent hurtful names or shouted at them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	713	4.6	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	2746	17.8		
	Total	14745	95.4		
Total		15458	100.0		

YPA5048: e4b1_3: Father's male partner called other parent hurtful names or shouted at them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	4	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3455	22.4		
	Total	15454	100.0		
Total		15458	100.0		

YPA5049: e4b1_4: Mother's female partner called other parent hurtful names or shouted at them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	8	.1	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3451	22.3		
	Total	15450	99.9		
Total		15458	100.0		

YPA5050: e4c: Amount YP has ever been aware of and affected by one 'parent' slapping, kicking, hitting or otherwise physically hurting the other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	3041	19.7	94.4	94.4
	A little	124	.8	3.8	98.3
	A moderate amount	30	.2	.9	99.2
	A lot	26	.2	.8	100.0
	Total	3221	20.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	238	1.5		
	Total	12237	79.2		
Total		15458	100.0		

YPA5051: e4c1_1: Father's female partner slapped, kicked, hit or otherwise physically hurt the other parent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	64	.4	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3395	22.0		
	Total	15394	99.6		
Total		15458	100.0		

YPA5052: e4c1_2: Mother's male partner slapped, kicked, hit or otherwise physically hurt the other parent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	136	.9	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3323	21.5		
	Total	15322	99.1		
Total		15458	100.0		

YPA5053: e4c1_3: Father's male partner slapped, kicked, hit or otherwise physically hurt the other parent

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NA / NS	3459	22.4
	Total	15458	100.0

YPA5054: e4c1_4: Mother's female partner slapped, kicked, hit or otherwise physically hurt the other parent

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NA / NS	3459	22.4
	Total	15458	100.0

YPA5055: e4d: Amount YP has ever been aware of and affected by one 'parent' telling the other who they could see, where they could go or what they could do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	3032	19.6	93.9	93.9
	A little	124	.8	3.8	97.7
	A moderate amount	43	.3	1.3	99.0
	A lot	31	.2	1.0	100.0
	Total	3230	20.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	229	1.5		
	Total	12228	79.1		
Total		15458	100.0		

YPA5056: e4d1_1: Father's female partner told the other parent who they could see, where they could go or what they could do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	65	.4	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3394	22.0		
	Total	15393	99.6		
Total		15458	100.0		

YPA5057: e4d1_2: Mother's male partner told the other parent who they could see, where they could go or what they could do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	147	1.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3312	21.4		
	Total	15311	99.0		
Total		15458	100.0		

YPA5058: e4d1_3: Father's male partner told the other parent who they could see, where they could go or what they could do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3458	22.4		
	Total	15457	100.0		
Total		15458	100.0		

YPA5059: e4d1_4: Mother's female partner told the other parent who they could see, where they could go or what they could do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NA / NS	3457	22.4		
	Total	15456	100.0		
Total		15458	100.0		

Section F: Tobacco - Questionnaire

Section F: Tobacco

These questions have been asked before, but it is useful to ask them again to see how answers differ over time.

F1)

- a) Have you ever smoked a whole cigarette (including roll-ups)?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

→ If No, go to Section G

- b) How old were you when you first smoked a whole cigarette?

Years old

<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------

- c) How many cigarettes have you smoked altogether in your lifetime?

(cross one option only)

<input type="checkbox"/> 1 Less than 5	<input type="checkbox"/> 2 5-19
<input type="checkbox"/> 3 20-49	<input type="checkbox"/> 4 50-99
<input type="checkbox"/> 5 100 plus	

F2)

- a) Have you smoked any cigarettes in the past 30 days?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

→ If Yes, go to F3

- b) How old were you when you last smoked a whole cigarette?

Years old

<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------

F3)

- a) Do you smoke every day?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

→ If No, go to F4

- b) If you smoke every day, how many cigarettes do you smoke per day, on average?

Cigarettes per day

F4)

- a) Do you smoke every week?

(cross one option only)

1 Yes 2 No

→ If No, go to Section G

- b) If you smoke every week, how many cigarettes do you smoke per week, on average?

Cigarettes per week

- F5) How soon after you wake up do you smoke your first cigarette?

(cross one option only)

1 Within 5 minutes 2 6-30 minutes
 3 31-60 minutes 4 More than an hour

- F6) Do you find it difficult to refrain from smoking in places where it is forbidden (eg in church, buses, trains, the library, cinemas)?

(cross one option only)

1 Yes 2 No

- F7) Which cigarette would you hate most to give up?

(cross one option only)

1 The first one/morning 2 All others

- F8) Do you smoke more frequently during the first hours after waking than during the rest of the day?

(cross one option only)

1 Yes 2 No

- F9) Do you smoke if you are so ill that you are in bed most of the day?


(cross one option only)

1 Yes 2 No

Section F: Tobacco – Frequencies

YPA6000: f1a: YP has ever smoked a whole cigarette (including roll-ups).

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1906	12.3	57.8	57.8
	No	1391	9.0	42.2	100.0
	Total	3297	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	162	1.0		
Total	Total	12161	78.7		
		15458	100.0		




YPA6002: f1c: Number of cigarettes YP has smoked altogether in their lifetime

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Less than 5	305	2.0	16.0	16.0
	5-19	324	2.1	17.0	33.1
	20-49	223	1.4	11.7	44.8
	50-99	184	1.2	9.7	54.4
	100 plus	867	5.6	45.6	100.0
	Total	1903	12.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1556	10.1		
	Total	13555	87.7		
Total		15458	100.0		


YPA6010: f2a: YP has smoked cigarettes in the past 30 days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	859	5.6	44.7	44.7
	No	1064	6.9	55.3	100.0
	Total	1923	12.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1536	9.9		
	Total	13535	87.6		
	Total	15458	100.0		




YPA6020: f3a: YP smokes every day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	378	2.4	19.8	19.8
	No	1533	9.9	80.2	100.0
	Total	1911	12.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1548	10.0		
	Total	13547	87.6		
Total		15458	100.0		



YPA6030: f4a: YP smokes every week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	541	3.5	28.3	28.3
	No	1368	8.8	71.7	100.0
	Total	1909	12.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1550	10.0		
	Total	13549	87.7		
Total		15458	100.0		



YPA6040: f5: Amount of time after YP wakes up before smoke their first cigarette

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Within 5 minutes	36	.2	6.5	6.5
	6-30 minutes	116	.8	21.0	27.5
	31-60 minutes	83	.5	15.0	42.6
	More than an hour	317	2.1	57.4	100.0
Missing	Total	552	3.6	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2907	18.8		
Total		14906	96.4		
Total		15458	100.0		

YPA6050: f6: YP finds it difficult to refrain from smoking in places where it is forbidden (eg in church, buses, trains, the library, cinemas)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	44	.3	7.8	7.8
	No	521	3.4	92.2	
	Total	565	3.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2894	18.7		
Total	Total	14893	96.3		
		15458	100.0		

YPA6060: f7: The cigarette that YP would most hate to give up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	The first one/morning	133	.9	24.8	24.8
	All others	403	2.6	75.2	
	Total	536	3.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2923	18.9		
Total	Total	14922	96.5		
		15458	100.0		

YPA6070: f8: YP smokes more frequently during the first hours after waking than during the rest of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	72	.5	12.9	12.9
	No	487	3.2	87.1	
	Total	559	3.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2900	18.8		
Total	Total	14899	96.4		
		15458	100.0		

YPA6080: f9: YP smokes if they are so ill that they are in bed most of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	96	.6	17.2	17.2
	No	461	3.0	82.8	
	Total	557	3.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2902	18.8		
Total	Total	14901	96.4		
		15458	100.0		

Section G: Reproductive Health (Women only) - Questionnaire

Section G: Reproductive Health

This section is for **female** participants only If you are a male participant, please skip this part of the questionnaire and continue with Section H. Thank you.

The following set of questions is concerned with menstrual periods. There are some questions about periods stopping, for example, due to menopause or having a hysterectomy. We recognise that these are very rare for women in their 20s. However, they do occur in some and the Children of the 90s study has a unique chance to understand the reasons why some women have such problems early in life.

G1) In the last 12 months have you had a period or menstrual bleeding?

(cross one option only)

1

Yes

2

No

G2) In the last 3 months have you had a period or menstrual bleeding?

(cross one option only)

1

Yes

2

No

→ If you answered **No** to G1 or G2 please go to G3. If you answered **Yes** to G1 and G2, go to G4

G3) Were your periods stopped by:

(cross all that apply)

1 Surgery?

2 Chemotherapy or radiation therapy?

3 Pregnancy or breastfeeding?

4 No obvious reason/menopause?

5 Contraception?

6 Periods not started yet?

Other reason, please describe: _____

→ If option 6, periods not started yet, please go to question G8.

G4) When was your last period? (Include current period if bleeding now).

Day Month Year

 / / / / /

If you cannot remember the day, please give month and year.

Years

If you cannot remember month and year, please give age: / /

G5) These questions are for everybody. If your periods have stopped, tell us about the changes before they stopped.

a) In the last few years have your periods:

(cross one option only)

<input type="checkbox"/> 1 Become more regular?	<input type="checkbox"/> 2 Become less regular?
<input type="checkbox"/> 3 Remain about the same? (i.e. as regular/irregular as before)	<input type="checkbox"/> 4 Don't remember

b) If more regular or less regular, when did you first notice this change?

(cross one option only)

<input type="checkbox"/> 1 Up to one year before last period	<input type="checkbox"/> 2 Between 1 and 2 years before last period
<input type="checkbox"/> 3 Between 2 and 3 years before last period	<input type="checkbox"/> 4 Between 3 and 4 years before last period
<input type="checkbox"/> 5 More than 4 years before last period	

c) How many days do you usually have between the start (first day) of one period and the start of the next period?

(cross one option only)

<input type="checkbox"/> 1 Less than 21 days	<input type="checkbox"/> 2 21-25 days
<input type="checkbox"/> 3 26-31 days	<input type="checkbox"/> 4 32-39 days
<input type="checkbox"/> 5 40-50 days	<input type="checkbox"/> 6 More than 50 days
<input type="checkbox"/> 7 Too irregular to estimate	

G6) Please describe your most recent periods. If your periods have stopped, tell us about your periods before they stopped.

(cross one option on each line)

1 Very 2 Moderately 3 Mildly 4 Not at all

a) How heavy are/were your periods

1 2 3 4

b) How painful are/were your periods

1 2 3 4

c) Are/were your periods irregular

1 2 3 4

d) How many days does/did bleeding (including spotting) usually last?

Days

G7) Do/did you generally find that in the days before or during your periods you have particular problems?
(cross one option only)

1 Yes 2 No

→ If No, go to G8

a) Which problems did you experience?

(cross all that apply on each row)

1 Yes, before 2 Yes, during 3 No, I don't experience this

- i) Very fatigued 1 2 3
ii) Irritable 1 2 3
iii) Depressed 1 2 3
iv) Anxious 1 2 3
v) Other (please describe) 1 2 3

Other (please describe)

G8) Have you ever had any of the following operations? (For each operation select the no or yes option. If Yes, please give the date of the operation. If you cannot remember the month and year give your age at the time of the operation).

- a) Removal of uterus (womb) and both ovaries (hysterectomy and bilateral oophorectomy) 1 Yes 2 No

Month Year Age (years)
If Yes or

- b) Removal of uterus (womb) only (hysterectomy) 1 Yes 2 No

Month Year Age (years)
If Yes or

- c) Removal of uterus (womb) and one ovary (hysterectomy and oophorectomy) 1 Yes 2 No

Month Year Age (years)
If Yes or

d) Removal of both ovaries only (bilateral oophorectomy) 1 Yes 2 No

Month Year Age (years)
If Yes or

e) Removal of one ovary only (oophorectomy) 1 Yes 2 No

Month Year Age (years)
If Yes or

Section G: Reproductive Health (Women only) - Frequencies

YPA7000: g1: In the last 12 months YP has had a period or menstrual bleeding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1950	12.6	90.0	90.0
	No	216	1.4	10.0	100.0
	Total	2166	14.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1293	8.4		
Total	Total	13292	86.0		
		15458	100.0		

YPA7010: g2: In the last 3 months YP has had a period or menstrual bleeding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1785	11.5	82.8	82.8
	No	372	2.4	17.2	100.0
	Total	2157	14.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1302	8.4		
Total	Total	13301	86.0		
		15458	100.0		

YPA7020: g3_i: YP's periods were stopped by surgery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3454	22.3		
	Total	15453	100.0		
Total		15458	100.0		

YPA7021: g3_ii: YP's periods were stopped by chemotherapy or radiation therapy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7022: g3_iii: YP's periods were stopped by pregnancy or breastfeeding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	57	.4	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3402	22.0		
	Total	15401	99.6		
Total		15458	100.0		

YPA7023: g3_iv: YP's periods were stopped by no obvious reason/menopause

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	26	.2	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3433	22.2		
	Total	15432	99.8		
Total		15458	100.0		

YPA7024: g3_v: YP's periods were stopped by contraception

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	369	2.4	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3090	20.0		
	Total	15089	97.6		
Total		15458	100.0		

YPA7025: g3_vi: YP's periods not started yet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	7	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3452	22.3		
	Total	15451	100.0		
Total		15458	100.0		

YPA7030: g4day: Day of YP's last period (Includes current period if bleeding at time of questionnaire)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	105	.7	7.2	7.2
	2	49	.3	3.4	10.6
	3	48	.3	3.3	13.9
	4	39	.3	2.7	16.5
	5	56	.4	3.8	20.4
	6	54	.3	3.7	24.1
	7	54	.3	3.7	27.8
	8	48	.3	3.3	31.1
	9	49	.3	3.4	34.5
	10	72	.5	4.9	39.4
	11	36	.2	2.5	41.9
	12	42	.3	2.9	44.7
	13	38	.2	2.6	47.4
	14	54	.3	3.7	51.1
	15	65	.4	4.5	55.5
	16	56	.4	3.8	59.4
	17	55	.4	3.8	63.1
	18	48	.3	3.3	66.4
	19	44	.3	3.0	69.5
	20	66	.4	4.5	74.0
	21	30	.2	2.1	76.0
	22	33	.2	2.3	78.3
	23	33	.2	2.3	80.6
	24	41	.3	2.8	83.4
	25	51	.3	3.5	86.9
	26	30	.2	2.1	88.9
	27	42	.3	2.9	91.8
	28	39	.3	2.7	94.5
	29	31	.2	2.1	96.6
	30	40	.3	2.7	99.4
	31	9	.1	.6	100.0
	Total	1457	9.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2002	13.0		
	Total	14001	90.6		
Total		15458	100.0		

YPA7031: g4month: Month of YP's last period (Includes current period if bleeding at time of questionnaire)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	478	3.1	23.9	23.9
	2	239	1.5	11.9	35.8
	3	166	1.1	8.3	44.1
	4	73	.5	3.6	47.8
	5	49	.3	2.4	50.2
	6	35	.2	1.7	52.0
	7	22	.1	1.1	53.1
	8	34	.2	1.7	54.8
	9	37	.2	1.8	56.6
	10	47	.3	2.3	59.0
	11	285	1.8	14.2	73.2
	12	536	3.5	26.8	100.0
	Total	2001	12.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1458	9.4		
	Total	13457	87.1		
Total		15458	100.0		

YPA7032: g4year: Year of YP's last period (Includes current period if bleeding at time of questionnaire)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2008	1	.0	.0	.0
	2009	6	.0	.3	.3
	2010	21	.1	1.0	1.4
	2011	25	.2	1.2	2.6
	2012	45	.3	2.2	4.9
	2013	962	6.2	47.7	52.6
	2014	957	6.2	47.4	100.0
	Total	2017	13.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1442	9.3		
	Total	13441	87.0		
Total		15458	100.0		

YPA7033: g4age: YP's age in years at time of last period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	15	2	.0	1.0	1.0
	16	7	.0	3.4	4.3
	17	11	.1	5.3	9.6
	18	12	.1	5.8	15.4
	19	19	.1	9.1	24.5
	20	30	.2	14.4	38.9
	21	82	.5	39.4	78.4
	22	45	.3	21.6	100.0
	Total	208	1.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3251	21.0		
	Total	15250	98.7		
Total		15458	100.0		

YPA7040: g5a: In the last few years YP's periods have

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Become more regular	408	2.6	19.5	19.5
	Become less regular	325	2.1	15.5	35.0
	Remain about the same (i.e. as regular/irregular as before)	1247	8.1	59.6	94.6
	Don't remember	114	.7	5.4	100.0
	Total	2094	13.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1365	8.8		
	Total	13364	86.5		
Total		15458	100.0		

YPA7041: g5b: If more regular or less regular when YP first noticed this change

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Up to one year before last period	317	2.1	41.0	41.0
	Between 1 and 2 years before last period	210	1.4	27.2	68.2
	Between 2 and 3 years before last period	133	.9	17.2	85.4
	Between 3 and 4 years before last period	50	.3	6.5	91.8
	More than 4 years before last period	63	.4	8.2	100.0
	Total	773	5.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2686	17.4		
	Total	14685	95.0		
Total		15458	100.0		

YPA7042: g5c: Number of days YP usually has between the start (first day) of one period and the start of the next period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Less than 21 days	103	.7	5.0	5.0
	21-25 days	697	4.5	34.0	39.1
	26-31 days	752	4.9	36.7	75.8
	32-39 days	115	.7	5.6	81.4
	40-50 days	38	.2	1.9	83.3
	More than 50 days	40	.3	2.0	85.2
	Too irregular to estimate	302	2.0	14.8	100.0
	Total	2047	13.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not returned	11995	77.6		
	NS/NA	1412	9.1		
	Total	13411	86.8		
Total		15458	100.0		

YPA7050: g6a: YP's periods are/were(if stopped) heavy


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very	313	2.0	14.9	14.9
	Moderately	1060	6.9	50.5	65.5
	Mildly	581	3.8	27.7	93.2
	Not at all	143	.9	6.8	100.0
	Total	2097	13.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1362	8.8		
	Total	13361	86.4		
Total		15458	100.0		

YPA7051: g6b: YP's periods are/were(if stopped) painful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very	328	2.1	15.6	15.6
	Moderately	686	4.4	32.7	48.4
	Mildly	785	5.1	37.4	85.8
	Not at all	298	1.9	14.2	100.0
	Total	2097	13.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1362	8.8		
	Total	13361	86.4		
Total		15458	100.0		

YPA7052: g6c: YP's periods are/were(if stopped) irregular

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very	327	2.1	15.7	15.7
	Moderately	300	1.9	14.4	30.0
	Mildly	443	2.9	21.2	51.2
	Not at all	1018	6.6	48.8	100.0
	Total	2088	13.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1371	8.9		
	Total	13370	86.5		
Total		15458	100.0		



YPA7060: g7: YP generally finds that in the days before or during their periods they have particular problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1102	7.1	52.3	52.3
	No	1007	6.5	47.7	100.0
	Total	2109	13.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1350	8.7		
	Total	13349	86.4		
Total		15458	100.0		

YPA7061: g7a1_i: YP experiences/d feeling very fatigued before period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	439	2.8	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Missing	NS/NA	3020	19.5		
	Total	15019	97.2		
		15458	100.0		

YPA7062: g7a1_ii: YP experiences/d feeling very fatigued during period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	460	3.0	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Missing	NS/NA	2999	19.4		
	Total	14998	97.0		
		15458	100.0		

YPA7063: g7a1_iii: YP does not experience feeling very fatigued before or during periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	425	2.7	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Missing	NS/NA	3034	19.6		
	Total	15033	97.3		
		15458	100.0		

YPA7064: g7a2_i: YP experiences/d feeling irritable before period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	791	5.1	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Missing	NS/NA	2668	17.3		
	Total	14667	94.9		
		15458	100.0		

YPA7065: g7a2_ii: YP experiences/d feeling irritable during period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	523	3.4	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2936	19.0		
	Total	14935	96.6		
Total		15458	100.0		

YPA7066: g7a2_iii: YP does not experience feeling irritable before or during periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	124	.8	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3335	21.6		
	Total	15334	99.2		
Total		15458	100.0		

YPA7067: g7a3_i: YP experiences/d feeling depressed before period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	467	3.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2992	19.4		
	Total	14991	97.0		
Total		15458	100.0		

YPA7068: g7a3_ii: YP experiences/d feeling depressed during period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	324	2.1	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3135	20.3		
	Total	15134	97.9		
Total		15458	100.0		

YPA7069: g7a3_iii: YP does not experience feeling depressed before or during periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	482	3.1	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2977	19.3		
	Total	14976	96.9		
Total		15458	100.0		

YPA7070: g7a4_i: YP experiences/d feeling anxious before period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	274	1.8	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3185	20.6		
	Total	15184	98.2		
Total		15458	100.0		

YPA7071: g7a4_ii: YP experiences/d feeling anxious during period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	188	1.2	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3271	21.2		
	Total	15270	98.8		
Total		15458	100.0		

YPA7072: g7a4_iii: YP does not experience feeling anxious before or during periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	723	4.7	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	2736	17.7		
	Total	14735	95.3		
Total		15458	100.0		

YPA7073: g7a5_i: YP experiences/d feeling other problems before period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	288	1.9	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3171	20.5		
	Total	15170	98.1		
Total		15458	100.0		

YPA7074: g7a5_ii: YP experiences/d feeling other problems during period

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	154	1.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3305	21.4		
	Total	15304	99.0		
Total		15458	100.0		

YPA7075: g7a5_iii: YP does not experience any other problems before or during periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	374	2.4	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3085	20.0		
	Total	15084	97.6		
Total		15458	100.0		

YPA7080: g8a: YP has had an operation to remove uterus (womb) and both ovaries (hysterectomy and bilateral oophorectomy)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2115	13.7	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1344	8.7		
	Total	13343	86.3		
Total		15458	100.0		

YPA7081: g8amonth: Month of hysterectomy and bilateral oophorectomy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7082: g8ayear: Year of hysterectomy and bilateral oophorectomy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7083: g8aage: Age in years at hysterectomy and bilateral oophorectomy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7084: g8b: YP has had had an operation to remove uterus (womb) only (hysterectomy)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.0	.0	.0
	No	2066	13.4	100.0	100.0
	Total	2067	13.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1392	9.0		
	Total	13391	86.6		
Total		15458	100.0		

YPA7085: g8bmonth: Month of hysterectomy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7086: g8byear: Year of hysterectomy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7087: g8bage: Age in years at hysterectomy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	19	1	.0	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Missing	NS/NA	3458	22.4		
	Total	15457	100.0		
Total		15458	100.0		

YPA7088: g8c: YP has had had an operation to remove uterus (womb) and one ovary (hysterectomy and oophorectomy)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2057	13.3	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Missing	NS/NA	1402	9.1		
	Total	13401	86.7		
Total		15458	100.0		

YPA7089: g8cmth: Month of hysterectomy and oophorectomy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7090: g8cyear: Year of hysterectomy and oophorectomy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7091: g8cage: Age in years at hysterectomy and oophorectomy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7092: g8d: YP has had had an operation to remove both ovaries only (bilateral oophorectomy)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2064	13.4	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1395	9.0		
	Total	13394	86.6		
		15458	100.0		

YPA7093: g8dmonth: Month of bilateral oophorectomy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7094: g8dyear: Year of bilateral oophorectomy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7095: g8dage: Age in years at bilateral oophorectomy

		Frequency	Percent
Missing	Triplet/Quadruplet	4	.0
	Questionnaire not Returned	11995	77.6
	NS/NA	3459	22.4
	Total	15458	100.0

YPA7096: g8e: YP has had had an operation to remove one ovary (oophorectomy)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	4	.0	.2	.2
	No	2057	13.3	99.8	100.0
	Total	2061	13.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1398	9.0		
	Total	13397	86.7		
Total		15458	100.0		

YPA7097: g8emonth: Month of oophorectomy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	12	2	.0	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Missing	NS/NA	3457	22.4		
	Total	15456	100.0		
		15458	100.0		

YPA7098: g8eyear: Year of oophorectomy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2002	1	.0	50.0	50.0
	2010	1	.0	50.0	100.0
	Total	2	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3457	22.4		
	Total	15456	100.0		
Total		15458	100.0		

YPA7099: g8eage: Age in years at oophorectomy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	12	1	.0	33.3	33.3
	17	1	.0	33.3	66.7
	22	1	.0	33.3	100.0
Missing	Total	3	.0	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	3456	22.4		
Total		15455	100.0		
		15458	100.0		

Section H: Employment and Education - Questionnaire

Section H: Employment, Education and Training

We know that you have been asked questions about your employment, education and training in the past. We are asking this again to be sure that we are up to date with any possible changes since the last time.

Please complete this section even if nothing has changed since you last provided this information for us.

■ Your current occupation

H1) Are you currently in employment or doing any education or training?

(cross one option only)

<input type="checkbox"/> 1 Yes	<input type="checkbox"/> 2 No
--------------------------------	-------------------------------

→ If **No**, go to **H5**

We would now like to know what your current main activity is, including education, training and employment.

H2) Which of the following options best describes your main educational or training activity at the moment?

(cross one option only)

<input type="checkbox"/> 1 Full-time education	<input type="checkbox"/> 2 Part-time education
<input type="checkbox"/> 3 On a full-time training course, not as part of a job	<input type="checkbox"/> 4 On a full-time training course as part of a job
<input type="checkbox"/> 5 On a part-time training course, not as part of a job	<input type="checkbox"/> 6 On a part-time training course, as part of job
<input type="checkbox"/> 7 Not engaged in any education or training	

H3) Which of the following options best describes your main work activity at the moment?

(cross one option only)

- | | |
|---|---|
| <input type="checkbox"/> 1 Full-time work (30 or more hours at work) | <input type="checkbox"/> 2 Part-time work (less than 30 hours a week) |
| <input type="checkbox"/> 3 (Modern) apprenticeship (Foundation or Advanced) or other government support training/work experience scheme (such as Entry to Employment (E2E)) | <input type="checkbox"/> 4 Unemployed and looking for work |
| <input type="checkbox"/> 5 Not working at all because in full-time education | <input type="checkbox"/> 6 Something else |

- a) If you have selected option 3 (Modern) apprenticeship, please describe.

- b) If you have selected option 6 'Something else', please describe.

■ Your employment

If you are currently in full-time education or not engaged in any form of training or employment, please go to section I. We would like to know more about your main work activity. If you are temporarily sick or on holiday please cross your usual activity (please cross one box only).

H4) In your job, do you have any formal responsibility for supervising the work of other employees? Do not include supervising children (e.g. teacher)

(cross one option only)

- | | |
|--------------------------------|-------------------------------|
| <input type="checkbox"/> 1 Yes | <input type="checkbox"/> 2 No |
|--------------------------------|-------------------------------|

- a) How many people work for the employer in the place where you work?

(cross one option only)

- | | |
|-----------------------------------|--|
| <input type="checkbox"/> 1 1-9 | <input type="checkbox"/> 2 10-24 |
| <input type="checkbox"/> 3 25-499 | <input type="checkbox"/> 4 500 or more |

- b) If self-employed, do you work on your own or do you have employees?

(cross one option only)

- | | |
|--|---|
| <input type="checkbox"/> 1 Not self-employed | <input type="checkbox"/> 2 On own/with business partner, but no employees |
| <input type="checkbox"/> 3 With employees | |

H5) Please describe the current or most recent job held by yourself.

(If you have more than one job, please describe your main role. This could be the job where you earn the most money or work the most hours at or the job that you feel will help you most in the future. It is completely up to you to decide what you consider to be your main job).

(Use precise terms such as Primary Teacher, Laboratory Technician, Care Assistant, Mortgage Advisor, Bus Driver, Software Developer, Call Centre Operator. If the occupation is known by a special name, please use that name. If in HM forces, give the rank in addition to actual job. Please also describe the type of industry or service given and give details of what is made, materials used or service given.

a) What is the title of your job?

b) What is the business/industry?

c) Please describe the main things you do in this job?

d) When did you start this job?

Month Year

H6) What is your total take-home pay each month (after tax and national insurance are removed as appropriate)? If possible, please refer to a recent payslip. If this is not possible, please estimate.

(cross one option only)

- | | |
|---|---|
| 1 <input type="radio"/> £1-£199 | 2 <input type="radio"/> £200-£299 |
| 3 <input type="radio"/> £300-£399 | 4 <input type="radio"/> £400-599 |
| 5 <input type="radio"/> £600-£899 | 6 <input type="radio"/> £900-£1149 |
| 7 <input type="radio"/> £1150-£1499 | 8 <input type="radio"/> £1500 and above |
| 9 <input type="radio"/> Not doing paid work | |

H7) In your main job, how many hours per week (including paid and unpaid overtime) do you usually work?

Hours per week

Section H: Education and Employment - Frequencies

YPA8000: h1: YP is currently in employment or doing any education or training

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3021	19.5	91.8	91.8
	No	269	1.7	8.2	100.0
	Total	3290	21.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	169	1.1		
	Total	12168	78.7		
Total		15458	100.0		

YPA8010: h2: YP's main educational or training activity at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Full-time education	1318	8.5	45.0	45.0
	Part-time education	76	.5	2.6	47.5
	On a full-time training course, not as part of a job	23	.1	.8	48.3
	On a full-time training course as part of a job	135	.9	4.6	52.9
	On a part-time training course, not as part of a job	55	.4	1.9	54.8
	On a part-time training course, as part of job	160	1.0	5.5	60.3
	Not engaged in any education or training	1165	7.5	39.7	100.0
	Total	2932	19.0	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
Missing	NS/NA	527	3.4		
	Total	12526	81.0		
		15458	100.0		

YPA8020: h3: YP's main work activity at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Full-time work (30 or more hours at work)	1352	8.7	44.9	44.9
	Part-time work (less than 30 hours a week)	710	4.6	23.6	68.6
	(Modern) apprenticeship (Foundation or Advanced) or other government support training/work experience scheme	58	.4	1.9	70.5
	Unemployed and looking for work	39	.3	1.3	71.8
	Not working at all because in full-time education	697	4.5	23.2	94.9
	Something else	152	1.0	5.1	100.0
	Total	3008	19.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	451	2.9		
	Total	12450	80.5		
Total		15458	100.0		

YPA8030: h4: In their job, YP has formal responsibility for supervising the work of other employees, not include supervising children (e.g. teacher)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	565	3.7	22.1	22.1
	No	1997	12.9	77.9	100.0
	Total	2562	16.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	897	5.8		
	Total	12896	83.4		
Total		15458	100.0		

YPA8040: h4a: Number of people who work for the employer in the place where YP works

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1-9	487	3.2	21.3	21.3
	10-24	469	3.0	20.5	41.8
	25-499	851	5.5	37.2	78.9
	500 or more	482	3.1	21.1	100.0
	Total	2289	14.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1170	7.6		
	Total	13169	85.2		
Total		15458	100.0		

YPA8041: h4b: If self-employed, YP has employees

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not self-employed	1832	11.9	90.3	90.3
	On own/with business partner, but no employees	96	.6	4.7	95.0
	With employees	101	.7	5.0	100.0
	Total	2029	13.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	1430	9.3		
	Total	13429	86.9		
Total		15458	100.0		

YPA8050: h5dmonth: Month when YP started this job


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	190	1.2	7.2	7.2
	2	118	.8	4.5	11.6
	3	101	.7	3.8	15.5
	4	116	.8	4.4	19.9
	5	152	1.0	5.7	25.6
	6	261	1.7	9.9	35.5
	7	248	1.6	9.4	44.9
	8	236	1.5	8.9	53.8
	9	582	3.8	22.0	75.8
	10	292	1.9	11.0	86.8
	11	208	1.3	7.9	94.7
	12	140	.9	5.3	100.0
Total		2644	17.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	815	5.3		
	Total	12814	82.9		
Total		15458	100.0		

YPA8051: h5dyear: Year when YP started this job

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2000	1	.0	.0	.0
	2003	1	.0	.0	.1
	2004	1	.0	.0	.1
	2005	1	.0	.0	.1
	2006	5	.0	.2	.3
	2007	46	.3	1.7	2.1
	2008	108	.7	4.0	6.1
	2009	134	.9	5.0	11.1
	2010	247	1.6	9.2	20.3
	2011	281	1.8	10.5	30.8
	2012	524	3.4	19.5	50.3
	2013	1176	7.6	43.8	94.1
	2014	157	1.0	5.9	100.0
	Total	2682	17.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	777	5.0		
	Total	12776	82.6		
Total		15458	100.0		

YPA8060: h6: YP's total take-home pay each month (after tax and national insurance are removed as appropriate)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	£1-£199	296	1.9	10.9	10.9
	£200-£299	244	1.6	9.0	19.9
	£300-£399	166	1.1	6.1	26.1
	£400-599	243	1.6	9.0	35.0
	£600-£899	404	2.6	14.9	49.9
	£900-£1149	592	3.8	21.9	71.8
	£1150-£1499	429	2.8	15.8	87.6
	£1500 and above	210	1.4	7.8	95.4
	Not doing paid work	125	.8	4.6	100.0
	Total	2709	17.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	750	4.9		
	Total	12749	82.5		
Total		15458	100.0		



Section I: Completing the Questionnaire - Questionnaire

Section I

I1) Did you have any help to fill this in?

(cross one option only)

1 <input type="radio"/> Yes	2 <input type="radio"/> No
-----------------------------	----------------------------

a) If Yes, please say who helped you

(cross all that apply)

1 <input type="checkbox"/> A parent helped	2 <input type="checkbox"/> Someone else helped
--	--

I2) Your date of birth

Day Month Year

--	--	--	--	--	--

I3) Date completed

Day Month Year

--	--	--	--	--	--

■ Extra space for answering questions

Please clearly indicate the question number(s) your answer applies to.

--

■ **Comments box**

If you'd like to add a comment, please do so in the box below. Please sign at the bottom if you'd like a response

When completed, please send this questionnaire back in the freepost envelope provided or post to:

Freepost (RRXX-UUZG-HTLK)
Children of the 90s
Oakfield House
Oakfield Grove
Bristol BS8 2BN

Tel: 0117 331 0010
Email: info@childrenofthe90s.ac.uk
Web: childrenofthe90s.ac.uk/questionnaires

Thank you for taking the time to complete this questionnaire, we are really grateful for your support. The information you have provided will help research into important questions on human development, health and disease.

Section I: Completing the Questionnaire - Frequencies

YPA9000: i1: YP had help to fill questionnaire in

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	50	.3	1.5	1.5
	No	3208	20.8	98.5	100.0
	Total	3258	21.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	NS/NA	201	1.3		
	Total	12200	78.9		
Total		15458	100.0		

YPA9001: i1a_i: A parent helped YP to fill questionnaire in

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	32	.2	100.0	100.0
	Missing	4	.0		
	Triplet/Quadruplet				
Missing	Questionnaire not Returned	11995	77.6		
	NS/NA	3427	22.2		
	Total	15426	99.8		
		15458	100.0		
Total					

YPA9002: i1a_ii: Someone else helped YP to fill questionnaire in


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	21	.1	100.0	100.0
	Missing	4	.0		
	Triplet/Quadruplet				
Missing	Questionnaire not Returned	11995	77.6		
	NS/NA	3438	22.2		
	Total	15437	99.9		
		15458	100.0		
Total					

YPA9010: i3month: YP's Date of completion (Month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1044	6.8	30.2	30.2
	2	445	2.9	12.9	43.0
	3	486	3.1	14.1	57.1
	4	198	1.3	5.7	62.8
	5	76	.5	2.2	65.0
	6	36	.2	1.0	66.1
	7	43	.3	1.2	67.3
	8	19	.1	.5	67.9
	9	9	.1	.3	68.1
	10	2	.0	.1	68.2
	12	1101	7.1	31.8	100.0
	Total	3459	22.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	Total	11999	77.6		
Total		15458	100.0		

YPA9011: i3year: YP's Date of completion (Year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2013	1101	7.1	31.8	31.8
	2014	2358	15.3	68.2	100.0
	Total	3459	22.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	Total	11999	77.6		
Total		15458	100.0		



This variable (YPA9021) indicates the 229 respondents for which 'age at completion' (YPB9020) could not be based on given date of completion (YPA9010 and YPA9011). For paper questionnaires (22 of these 229 cases) this would occur either if completion date was missing from the questionnaire or completion date was incomprehensible. Respondent age at completion may therefore carry greater error for these individuals; although receipt date should only be a few days after completion date, if participants completed a questionnaire then forgot to post it, or if the returned questionnaire takes a while to be scanned by ALSPAC, the receipt date may not match completion date. The other 207 cases were from individuals who completed the online questionnaire but did not answer the 'date of completion' question. For these respondents, age at completion was based upon their last log-in date of the online questionnaire system.

YPA9021: No completion date given in questionnaire: Date based on receipt date (paper Q's)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Completion date given	3230	20.9	93.4	93.4
	No completion date	229	1.5	6.6	100.0
	Total	3459	22.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Returned	11995	77.6		
	Total	11999	77.6		
Total		15458	100.0		