

THE ALSPAC STUDY

R FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Lifestyle and Health of Mother

At 134 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 1a of the release file.

March 2008

© University of Bristol

Contents

Introduction		Page 3
Section A	Dizziness and Balance	
	Text	Page 9
	Frequencies	Page 14
Section B	Your Health	
	Text	Page 28
	Frequencies	Page 39
Section C	All About Your Waterworks	
	Text	Page 77
	Frequencies	Page 81
Section D	Accidents and Injuries	
	Text	Page 85
	Frequencies	Page 88
Section E	Your Feelings	
	Text	Page 99
	Frequencies	Page 103
Section F	Recent Events	
	Text	Page 108
	Frequencies	Page 113
Section G	Activities and Lifestyle	
	Text	Page 129
	Frequencies	Page 137
Section H	Activity at Work	
	Text	Page 167
	Frequencies	Page 172
Section I	Recreation Activities	
	Text	Page 218
	Frequencies	Page 222
Section J	Buying Things	
	Text	Page 260
	Frequencies	Page 270
Section K		Page 300
Appendix A	General Coding Instructions	Page 308
Appendix B	Specific Coding Instructions	Page 312
Appendix C	Questionnaire Methodology	Page 322

Introduction

Contents

This questionnaire was sent out to carers when their study child was 134 months old. It is in 11 sections. Section A asks about dizziness, balance and shortness of breath while section B contains standard ALSPAC health related questions, including allergies, hospital admissions and chest pain. Section C asks about urinary problems and section D about accidents, injuries and their impact. Section E contains the anxiety subscale of the Crown Crisp Experiential Index (Crown & Crisp, 1979) and the Edinburgh Postnatal Depression scale (Cox, Holden, & Sagovsky, 1987). Section F asks about life events since the study child's 9th birthday while section G contains a variety of questions about activities and lifestyle including: sleep, smoking, exposure to household chemicals, methods of travel, TV and household activities. Section H looks at activity in the workplace and section I at recreational activity. Section J contains questions on financial matters, food choice and tea and coffee consumption. Finally, section K collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire.

Sample & response rates

There are a total of 15,014 records on this built file. This number is made up of the 14,541 pregnancies in the core ALSPAC sample (regardless of whether or not the 134-month questionnaire was sent out for them or whether they were returned) plus 473 eligible pregnancies not in the core sample for which the questionnaire was sent out. Note that this questionnaire was completed for 320 of these 473 pregnancies.

Of the 14,541 pregnancies in the core ALSPAC sample, 13,868 resulted in at least one live born child. The 134-month questionnaire was sent out for 10,164 (73%) of these pregnancies. As of 31st December 2007 completed questionnaires had been returned for 7,276 (72%) of these pregnancies, which is 52% of the 13,868 pregnancies that resulted in at least one live born child. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Release file version history

Release version 1a – March 2008

The first version of the release file.

References

Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of Postnatal Depression - Development of the 10-Item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, 150, 782-786.

Crown, S., & Crisp, A. H. (1979). *Manual of the Crown-Crisp Experiential Index*. London: Hodder & Stoughton.

R File - Introduction

Administrative variables

r0001 Questionnaire sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	10637	70.8	70.8	70.8
2 No	4377	29.2	29.2	100.0
Total	15014	100.0	100.0	

r0002 Reminder 1 sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6280	41.8	59.0	59.0
2 No	4357	29.0	41.0	100.0
Total	10637	70.8	100.0	
Missing -2 Questionnaire not sent	4377	29.2		
Total	15014	100.0		

r0003 Reminder 2 sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4532	30.2	42.6	42.6
2 No	6105	40.7	57.4	100.0
Total	10637	70.8	100.0	
Missing -2 Questionnaire not sent	4377	29.2		
Total	15014	100.0		

r0004 Eligible for visit

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2599	17.3	24.4	24.4
2 No	8038	53.5	75.6	100.0
Total	10637	70.8	100.0	
Missing -2 Questionnaire not sent	4377	29.2		
Total	15014	100.0		

R File - Introduction

r0005 Questionnaire return status (as of 31/12/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not returned	2956	19.7	27.8	27.8
	2 Returned, completed	7596	50.6	71.4	99.2
	3 Returned, blank	85	.6	.8	100.0
	Total	10637	70.8	100.0	
Missing	-2 Questionnaire not sent	4377	29.2		
Total		15014	100.0		

r0006 Questionnaire returned (as of 31/12/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7681	51.2	72.2	72.2
	2 No	2956	19.7	27.8	100.0
	Total	10637	70.8	100.0	
Missing	-2 Questionnaire not sent	4377	29.2		
Total		15014	100.0		

r0007 Questionnaire completed (as of 31/12/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7596	50.6	71.4	71.4
	2 No	3041	20.3	28.6	100.0
	Total	10637	70.8	100.0	
Missing	-2 Questionnaire not sent	4377	29.2		
Total		15014	100.0		

r0007a Data available (as of 31/12/07)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7596	50.6	50.6	50.6
	2 No	7418	49.4	49.4	100.0
	Total	15014	100.0	100.0	

r0008 Questionnaire version


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Version 1 - 14/05/02	7596	50.6	100.0	100.0
Missing	-10 Not completed	7418	49.4		
Total		15014	100.0		

Questionnaire No:


--	--	--	--	--	--	--	--	--

LIFESTYLE AND HEALTH OF MOTHER

All answers are confidential



Jade



Charlie


This questionnaire is for the study child's mother or the person taking the role of the mother.

14/05/02

This questionnaire is for the study child's mother or person taking the role of mother.

It will help us to catch up with some current problems you may have, as well as some features of your lifestyle.

Some of the questions we are asking may seem remote from the health of your study child, but the answers will help us to plan for studying the changes that will be occurring in our children as they develop, and how these may be passed down from one generation to the next.



To answer simply tick the box which is most accurate in your opinion.

If you do not want to answer a question or if it does not apply to you, put a line through it. There are no good or bad answers. Just tell us what is true for you.

THANK YOU FOR YOUR HELP

PAGE 3 OF THE QUESTIONNAIRE

SECTION A: DIZZINESS AND BALANCE

A1. About how many times have you experienced each of the symptoms listed below during the past 12 months:

How often in the past 12 months have you:	More than once a week	More than once a month	4-12 times ↓	1-3 times ↓	Not at all ↓
a) Felt that things are spinning or moving around, lasting less than 2 minutes	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
b) Felt that things are spinning or moving around, lasting up to 20 minutes	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
c) Felt that things are spinning or moving around, lasting 20 minutes to 1 hour	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
d) Felt that things are spinning or moving around, lasting several hours	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
e) Felt that things are spinning or moving around, lasting more than 12 hours	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
f) Felt unsteady, so severe that you actually fell	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
g) Felt nauseous (feeling sick), stomach churning	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
h) Felt light-headed, “swimmy” or giddy lasting less than 2 minutes	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 4 OF THE QUESTIONNAIRE

A1.	How often in the past 12 months have you:	More than once a week	More than once a month	4-12 times ↓	1-3 times ↓	at all ↓	Not ↓
i)	Felt light-headed, “swimmy” or giddy lasting up to 20 minutes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	
j)	Felt light-headed, “swimmy” or giddy lasting 20 minutes to 1 hour	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	
k)	Felt light-headed, “swimmy” or giddy lasting several hours	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	
l)	Felt light-headed, “swimmy” or giddy lasting more than 12 hours	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	
m)	Vomited	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	
n)	Been unable to stand or walk properly without support because you were feeling dizzy	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	
o)	Felt unsteady, about to lose balance, lasting less than 2 minutes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	
p)	Felt unsteady, about to lose balance, lasting up to 20 minutes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	
q)	Felt unsteady, about to lose balance, lasting 20 minutes to 1 hour	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	
r)	Felt unsteady, about to lose balance, lasting several hours	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	
s)	Felt unsteady, about to lose balance, lasting more than 12 hours	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	

PAGE 5 OF THE QUESTIONNAIRE

A2. How confident are you that you will **not** lose your balance and **not** become unsteady when you do the following nowadays:

	Completely confident ↓	Reasonably confident ↓	Sometimes don't feel confident about it	Not very confident at all	Definitely not confident	Never do this
a) Walk around the house	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>
b) Walk up or down stairs	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>
c) Bend over and pick up something off the floor	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>
d) Reach for a small can/jar off a shelf at eye level	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>
e) Stand on your tip toes and reach for something above your head	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>
f) Stand on a chair and reach for something	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>
g) Sweep the floor	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>
h) Walk outside to a parked car	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>
i) Get into or out of a car	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>
j) Walk across a car park to a supermarket	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>
k) Walk up or down a ramp	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>

PAGE 6 OF THE QUESTIONNAIRE

A2.	Completely confident ↓	Reasonably confident ↓	Sometimes don't feel confident about it	Not very confident at all	Definitely not confident	Never do this
l) Walk in a crowded place, where people quickly walk past you	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
m) Are bumped into by people as you walk through a shopping centre	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
n) Step onto or off an escalator while holding onto the handrail	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
o) Step onto or off an escalator while holding onto parcels, which prevent you from holding onto the handrail	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
p) Walk outside on icy pavements	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>

A3. a) Do you have any other difficulty in walking?

Yes No → If **no**, go to A4a belowIf **yes**,

b) Is this due to heart disease or breathing problems?

Yes No → If **no**, please describe causeDon't know

.....

A4. a) Are you troubled by shortness of breath when hurrying on level ground or walking up a slight hill?

Yes No

b) Do you get short of breath walking with other people of your own age on level ground?

Yes No

PAGE 7 OF THE QUESTIONNAIRE

A4. c) Do you have to stop for breath when walking at your own pace on level ground?

Yes No

d) Are you short of breath on washing or dressing?

Yes No

A5. Have you ever, without warning:

	Yes	No
a) Suddenly lost the power of an arm?	<input type="text" value="1"/>	<input type="text" value="2"/>
b) Suddenly lost the power of a leg?	<input type="text" value="1"/>	<input type="text" value="2"/>
c) Suddenly been unable to speak properly?	<input type="text" value="1"/>	<input type="text" value="2"/>
d) Suddenly lost consciousness for no apparent reason?	<input type="text" value="1"/>	<input type="text" value="2"/>

Space for comments:

.....

.....

.....

R File – Section A

r1000 A1a: Frequency respondent felt things spinning/moving around, lasting less than 2 minutes during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	124	1.6	1.6	1.6
	2 > than once a month	201	2.6	2.7	4.3
	3 4-12 times	348	4.6	4.6	8.9
	4 1-3 times	998	13.1	13.2	22.1
	5 Not at all	5879	77.4	77.9	100.0
	Total	7550	99.4	100.0	
Missing	-1 No response	46	.6		
Total		7596	100.0		

r1001 A1b: Frequency respondent felt things spinning/moving around, lasting up to 20 minutes during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	27	.4	.4	.4
	2 > than once a month	28	.4	.4	.7
	3 4-12 times	52	.7	.7	1.4
	4 1-3 times	179	2.4	2.4	3.8
	5 Not at all	7247	95.4	96.2	100.0
	Total	7533	99.2	100.0	
Missing	-1 No response	63	.8		
Total		7596	100.0		

r1002 A1c: Frequency respondent felt things spinning/moving around, lasting 20 minutes to an hour during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	18	.2	.2	.2
	2 > than once a month	12	.2	.2	.4
	3 4-12 times	27	.4	.4	.8
	4 1-3 times	97	1.3	1.3	2.0
	5 Not at all	7366	97.0	98.0	100.0
	Total	7520	99.0	100.0	
Missing	-1 No response	76	1.0		
Total		7596	100.0		

r1003 A1d: Frequency respondent felt things spinning/moving around, lasting several hours during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	13	.2	.2	.2
	2 > than once a month	4	.1	.1	.2
	3 4-12 times	23	.3	.3	.5
	4 1-3 times	77	1.0	1.0	1.6
	5 Not at all	7411	97.6	98.4	100.0
	Total	7528	99.1	100.0	
Missing	-1 No response	68	.9		
Total		7596	100.0		

R File – Section A

r1004 A1e: Frequency respondent felt things spinning/moving around, lasting more than 12 hours during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	11	.1	.1	.1
	2 > than once a month	5	.1	.1	.2
	3 4-12 times	13	.2	.2	.4
	4 1-3 times	52	.7	.7	1.1
	5 Not at all	7436	97.9	98.9	100.0
	Total	7517	99.0	100.0	
Missing	-1 No response	79	1.0		
Total		7596	100.0		

r1005 A1f: Frequency respondent felt unsteady, so severe that they actually fell during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	17	.2	.2	.2
	2 > than once a month	20	.3	.3	.5
	3 4-12 times	26	.3	.3	.8
	4 1-3 times	168	2.2	2.2	3.1
	5 Not at all	7287	95.9	96.9	100.0
	Total	7518	99.0	100.0	
Missing	-1 No response	78	1.0		
Total		7596	100.0		

r1006 A1g: Frequency respondent felt nauseous, stomach churning during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	171	2.3	2.3	2.3
	2 > than once a month	297	3.9	4.0	6.2
	3 4-12 times	731	9.6	9.7	16.0
	4 1-3 times	2034	26.8	27.1	43.0
	5 Not at all	4279	56.3	57.0	100.0
	Total	7512	98.9	100.0	
Missing	-1 No response	84	1.1		
Total		7596	100.0		

r1007 A1h: Frequency respondent felt light-headed, or giddy, lasting less than 2 minutes during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	187	2.5	2.5	2.5
	2 > than once a month	366	4.8	4.9	7.3
	3 4-12 times	755	9.9	10.0	17.4
	4 1-3 times	2190	28.8	29.1	46.4
	5 Not at all	4038	53.2	53.6	100.0
	Total	7536	99.2	100.0	
Missing	-1 No response	60	.8		
Total		7596	100.0		

R File – Section A

r1008 A1i: Frequency respondent felt light-headed, or giddy lasting, up to 20 minutes during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	50	.7	.7	.7
	2 > than once a month	59	.8	.8	1.5
	3 4-12 times	97	1.3	1.3	2.7
	4 1-3 times	363	4.8	4.8	7.6
	5 Not at all	6946	91.4	92.4	100.0
	Total	7515	98.9	100.0	
Missing	-1 No response	81	1.1		
Total		7596	100.0		

r1009 A1j: Frequency respondent felt light-headed, or giddy, lasting up to 20 minutes to 1 hour during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	31	.4	.4	.4
	2 > than once a month	29	.4	.4	.8
	3 4-12 times	47	.6	.6	1.4
	4 1-3 times	154	2.0	2.1	3.5
	5 Not at all	7246	95.4	96.5	100.0
	Total	7507	98.8	100.0	
Missing	-1 No response	89	1.2		
Total		7596	100.0		

r1010 A1k: Frequency respondent felt light-headed, or giddy, lasting several hours during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	23	.3	.3	.3
	2 > than once a month	26	.3	.3	.7
	3 4-12 times	28	.4	.4	1.0
	4 1-3 times	95	1.3	1.3	2.3
	5 Not at all	7336	96.6	97.7	100.0
	Total	7508	98.8	100.0	
Missing	-1 No response	88	1.2		
Total		7596	100.0		

r1011 A1l: Frequency respondent felt light-headed, or giddy, lasting more than 12 hours during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	15	.2	.2	.2
	2 > than once a month	12	.2	.2	.4
	3 4-12 times	24	.3	.3	.7
	4 1-3 times	59	.8	.8	1.5
	5 Not at all	7383	97.2	98.5	100.0
	Total	7493	98.6	100.0	
Missing	-1 No response	103	1.4		
Total		7596	100.0		

R File – Section A

r1012 A1m: Frequency respondent vomited during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	40	.5	.5	.5
	2 > than once a month	64	.8	.9	1.4
	3 4-12 times	290	3.8	3.9	5.2
	4 1-3 times	2183	28.7	29.0	34.3
	5 Not at all	4946	65.1	65.7	100.0
	Total	7523	99.0	100.0	
Missing	-1 No response	73	1.0		
Total		7596	100.0		

r1013 A1n: Frequency respondent been unable to stand/walk properly without support because feeling dizzy during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	28	.4	.4	.4
	2 > than once a month	39	.5	.5	.9
	3 4-12 times	79	1.0	1.1	1.9
	4 1-3 times	486	6.4	6.5	8.4
	5 Not at all	6880	90.6	91.6	100.0
	Total	7512	98.9	100.0	
Missing	-1 No response	84	1.1		
Total		7596	100.0		

r1014 A1o: Frequency respondent felt unsteady, about to lose balance, lasting less than 2 minutes during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	73	1.0	1.0	1.0
	2 > than once a month	101	1.3	1.3	2.3
	3 4-12 times	196	2.6	2.6	4.9
	4 1-3 times	902	11.9	12.0	16.9
	5 Not at all	6242	82.2	83.1	100.0
	Total	7514	98.9	100.0	
Missing	-1 No response	82	1.1		
Total		7596	100.0		

r1015 A1p: Frequency respondent felt unsteady, about to lose balance, lasting up to 20 minutes during past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 > than once a week	19	.3	.3	.3
	2 > than once a month	14	.2	.2	.4
	3 4-12 times	29	.4	.4	.8
	4 1-3 times	100	1.3	1.3	2.2
	5 Not at all	7340	96.6	97.8	100.0
	Total	7502	98.8	100.0	
Missing	-1 No response	94	1.2		
Total		7596	100.0		

R File – Section A

r1016 A1q: Frequency respondent felt unsteady, about to lose balance, lasting 20 minutes to 1 hour during past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 > than once a week	15	.2	.2	.2
2 > than once a month	11	.1	.1	.3
3 4-12 times	23	.3	.3	.7
4 1-3 times	58	.8	.8	1.4
5 Not at all	7400	97.4	98.6	100.0
Total	7507	98.8	100.0	
Missing -1 No response	89	1.2		
Total	7596	100.0		

r1017 A1r: Frequency respondent felt unsteady, about to lose balance, lasting several hours during past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 > than once a week	11	.1	.1	.1
2 > than once a month	7	.1	.1	.2
3 4-12 times	22	.3	.3	.5
4 1-3 times	47	.6	.6	1.2
5 Not at all	7420	97.7	98.8	100.0
Total	7507	98.8	100.0	
Missing -1 No response	89	1.2		
Total	7596	100.0		

r1018 A1s: Frequency respondent felt unsteady, about to lose balance, lasting more than 12 hours during past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 > than once a week	10	.1	.1	.1
2 > than once a month	6	.1	.1	.2
3 4-12 times	19	.3	.3	.5
4 1-3 times	45	.6	.6	1.1
5 Not at all	7428	97.8	98.9	100.0
Total	7508	98.8	100.0	
Missing -1 No response	88	1.2		
Total	7596	100.0		

R File – Section A

r1020 A2a: Confidence respondent feels they will not lose balance/become unsteady when walking round the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	6869	90.4	91.1	91.1
	2 Reasonably confident	348	4.6	4.6	95.7
	3 Sometimes don't feel confident about it	65	.9	.9	96.6
	4 Not very confident at all	13	.2	.2	96.7
	5 Definitely not confident	8	.1	.1	96.8
	6 Never do this	239	3.1	3.2	100.0
	Total	7542	99.3	100.0	
Missing	-1 No response	54	.7		
Total		7596	100.0		

r1021 A2b: Confidence respondent feels they will not lose balance/become unsteady when walking up/down stairs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	6643	87.5	88.1	88.1
	2 Reasonably confident	501	6.6	6.6	94.7
	3 Sometimes don't feel confident about it	110	1.4	1.5	96.2
	4 Not very confident at all	27	.4	.4	96.6
	5 Definitely not confident	15	.2	.2	96.8
	6 Never do this	244	3.2	3.2	100.0
	Total	7540	99.3	100.0	
Missing	-1 No response	56	.7		
Total		7596	100.0		

r1022 A2c: Confidence respondent feels they will not lose balance/become unsteady when bending to pick something up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	5758	75.8	76.4	76.4
	2 Reasonably confident	1227	16.2	16.3	92.7
	3 Sometimes don't feel confident about it	264	3.5	3.5	96.2
	4 Not very confident at all	50	.7	.7	96.8
	5 Definitely not confident	17	.2	.2	97.0
	6 Never do this	223	2.9	3.0	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

R File – Section A

r1023 A2d: Confidence respondent feels they will not lose balance/become unsteady when reaching for an eye level shelf item

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	6845	90.1	90.8	90.8
	2 Reasonably confident	381	5.0	5.1	95.8
	3 Sometimes don't feel confident about it	56	.7	.7	96.6
	4 Not very confident at all	10	.1	.1	96.7
	5 Definitely not confident	8	.1	.1	96.8
	6 Never do this	240	3.2	3.2	100.0
	Total	7540	99.3	100.0	
Missing	-1 No response	56	.7		
Total		7596	100.0		

r1024 A2e: Confidence respondent feels they will not lose balance/become unsteady when standing on tiptoes to reach above their head

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	6406	84.3	85.0	85.0
	2 Reasonably confident	704	9.3	9.3	94.3
	3 Sometimes don't feel confident about it	129	1.7	1.7	96.0
	4 Not very confident at all	29	.4	.4	96.4
	5 Definitely not confident	19	.3	.3	96.7
	6 Never do this	252	3.3	3.3	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

r1025 A2f: Confidence respondent feels they will not lose balance/become unsteady when standing on chair to reach for something

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	5820	76.6	77.2	77.2
	2 Reasonably confident	1116	14.7	14.8	92.0
	3 Sometimes don't feel confident about it	252	3.3	3.3	95.3
	4 Not very confident at all	56	.7	.7	96.1
	5 Definitely not confident	37	.5	.5	96.6
	6 Never do this	259	3.4	3.4	100.0
	Total	7540	99.3	100.0	
Missing	-1 No response	56	.7		
Total		7596	100.0		

R File – Section A

r1026 A2g: Confidence respondent feels they will not lose balance/become unsteady when sweeping the floor

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	6921	91.1	91.8	91.8
	2 Reasonably confident	320	4.2	4.2	96.0
	3 Sometimes don't feel confident about it	36	.5	.5	96.5
	4 Not very confident at all	12	.2	.2	96.7
	5 Definitely not confident	5	.1	.1	96.7
	6 Never do this	246	3.2	3.3	100.0
	Total	7540	99.3	100.0	
Missing	-1 No response	56	.7		
Total		7596	100.0		

r1027 A2h: Confidence respondent feels they will not lose balance/become unsteady when walking outside to parked car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	6979	91.9	92.6	92.6
	2 Reasonably confident	275	3.6	3.6	96.2
	3 Sometimes don't feel confident about it	34	.4	.5	96.7
	4 Not very confident at all	5	.1	.1	96.7
	5 Definitely not confident	4	.1	.1	96.8
	6 Never do this	242	3.2	3.2	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

r1028 A2i: Confidence respondent feels they will not lose balance/become unsteady getting in/out of car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	6944	91.4	92.2	92.2
	2 Reasonably confident	292	3.8	3.9	96.1
	3 Sometimes don't feel confident about it	43	.6	.6	96.7
	4 Not very confident at all	7	.1	.1	96.8
	5 Definitely not confident	4	.1	.1	96.8
	6 Never do this	239	3.1	3.2	100.0
	Total	7529	99.1	100.0	
Missing	-1 No response	67	.9		
Total		7596	100.0		

R File – Section A

r1029 A2j: Confidence respondent feels they will not lose balance/become unsteady when walking across car park to supermarket

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	6940	91.4	92.1	92.1
	2 Reasonably confident	291	3.8	3.9	95.9
	3 Sometimes don't feel confident about it	50	.7	.7	96.6
	4 Not very confident at all	12	.2	.2	96.7
	5 Definitely not confident	6	.1	.1	96.8
	6 Never do this	240	3.2	3.2	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

r1030 A2k: Confidence respondent feels they will not lose balance/become unsteady when walking up/down a ramp

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	6831	89.9	90.6	90.6
	2 Reasonably confident	362	4.8	4.8	95.4
	3 Sometimes don't feel confident about it	64	.8	.8	96.3
	4 Not very confident at all	28	.4	.4	96.6
	5 Definitely not confident	4	.1	.1	96.7
	6 Never do this	249	3.3	3.3	100.0
	Total	7538	99.2	100.0	
Missing	-1 No response	58	.8		
Total		7596	100.0		

r1031 A2l: Confidence respondent feels they will not lose balance/become unsteady when walking in a crowded place where people quickly walk past you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	6492	85.5	86.1	86.1
	2 Reasonably confident	608	8.0	8.1	94.2
	3 Sometimes don't feel confident about it	169	2.2	2.2	96.4
	4 Not very confident at all	43	.6	.6	97.0
	5 Definitely not confident	10	.1	.1	97.1
	6 Never do this	215	2.8	2.9	100.0
	Total	7537	99.2	100.0	
Missing	-1 No response	59	.8		
Total		7596	100.0		

R File – Section A

r1032 A2m: Confidence respondent feels they will not lose balance/become unsteady when bumped into when walking through a shopping centre

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	6121	80.6	81.4	81.4
	2 Reasonably confident	884	11.6	11.8	93.2
	3 Sometimes don't feel confident about it	189	2.5	2.5	95.7
	4 Not very confident at all	50	.7	.7	96.4
	5 Definitely not confident	20	.3	.3	96.6
	6 Never do this	253	3.3	3.4	100.0
	Total	7517	99.0	100.0	
Missing	-1 No response	79	1.0		
Total		7596	100.0		

r1033 A2n: Confidence respondent feels they will not lose balance/become unsteady stepping off an escalator holding handrail

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	5698	75.0	75.7	75.7
	2 Reasonably confident	1178	15.5	15.7	91.4
	3 Sometimes don't feel confident about it	298	3.9	4.0	95.4
	4 Not very confident at all	82	1.1	1.1	96.5
	5 Definitely not confident	36	.5	.5	96.9
	6 Never do this	231	3.0	3.1	100.0
	Total	7523	99.0	100.0	
Missing	-1 No response	73	1.0		
Total		7596	100.0		

R File – Section A

r1034 A2o: Confidence respondent feels they will not lose balance/become unsteady stepping off an escalator not holding handrail

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	4560	60.0	60.6	60.6
	2 Reasonably confident	1736	22.9	23.1	83.7
	3 Sometimes don't feel confident about it	620	8.2	8.2	91.9
	4 Not very confident at all	182	2.4	2.4	94.4
	5 Definitely not confident	106	1.4	1.4	95.8
	6 Never do this	319	4.2	4.2	100.0
	Total	7523	99.0	100.0	
Missing	-1 No response	73	1.0		
Total		7596	100.0		

r1035 A2p: Confidence respondent feels they will not lose balance/become unsteady when walking on icy pavements

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Completely confident	2812	37.0	37.4	37.4
	2 Reasonably confident	2758	36.3	36.7	74.1
	3 Sometimes don't feel confident about it	1277	16.8	17.0	91.1
	4 Not very confident at all	292	3.8	3.9	95.0
	5 Definitely not confident	163	2.1	2.2	97.1
	6 Never do this	216	2.8	2.9	100.0
	Total	7518	99.0	100.0	
Missing	-1 No response	78	1.0		
Total		7596	100.0		

R File – Section A

r1040 A3a: Respondent has difficulty walking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	326	4.3	4.3	4.3
	2 No	7229	95.2	95.7	100.0
	Total	7555	99.5	100.0	
Missing	-1 No response	41	.5		
Total		7596	100.0		

r1041 A3b: Respondent's difficulty walking is due to heart disease/breathing problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	27	.4	7.5	7.5
	2 No	322	4.2	89.4	96.9
	9 Don't know	11	.1	3.1	100.0
	Total	360	4.7	100.0	
Missing	-1 No response	7236	95.3		
Total		7596	100.0		

R File – Section A

r1050 A4a: Respondent is troubled by shortness of breath when hurrying on level ground/ walking up a slight hill

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	903	11.9	12.8	12.8
	2 No	6137	80.8	87.2	100.0
	Total	7040	92.7	100.0	
Missing	-1 No response	556	7.3		
Total		7596	100.0		

r1051 A4b: Respondent gets short of breath when walking with people their own age on level ground

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	392	5.2	5.7	5.7
	2 No	6545	86.2	94.3	100.0
	Total	6937	91.3	100.0	
Missing	-1 No response	659	8.7		
Total		7596	100.0		

r1052 A4c: Respondent has to stop for breath when walking at their own pace on level ground

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	99	1.3	1.3	1.3
	2 No	7443	98.0	98.7	100.0
	Total	7542	99.3	100.0	
Missing	-1 No response	54	.7		
Total		7596	100.0		

r1053 A4d: Respondent is short of breath on washing or dressing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	48	.6	.6	.6
	2 No	7467	98.3	99.4	100.0
	Total	7515	98.9	100.0	
Missing	-1 No response	81	1.1		
Total		7596	100.0		

R File – Section A

r1060 A5a: Respondent has ever lost the power of an arm without warning

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	214	2.8	2.8	2.8
	2 No	7330	96.5	97.2	100.0
	Total	7544	99.3	100.0	
Missing	-1 No response	52	.7		
Total		7596	100.0		

r1061 A5b: Respondent has ever lost the power of a leg without warning

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	255	3.4	3.4	3.4
	2 No	7281	95.9	96.6	100.0
	Total	7536	99.2	100.0	
Missing	-1 No response	60	.8		
Total		7596	100.0		

r1062 A5c: Respondent has ever been unable to speak properly without warning

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	220	2.9	2.9	2.9
	2 No	7322	96.4	97.1	100.0
	Total	7542	99.3	100.0	
Missing	-1 No response	54	.7		
Total		7596	100.0		

r1063 A5d: Respondent has ever lost consciousness for no apparent reason without warning

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	132	1.7	1.8	1.8
	2 No	7396	97.4	98.2	100.0
	Total	7528	99.1	100.0	
Missing	-1 No response	68	.9		
Total		7596	100.0		

PAGE 8 OF THE QUESTIONNAIRE

SECTION B: YOUR HEALTHB1. Have you ever had any of the following problems:

	Yes, had it recently (in past year)	Yes, in past, not recently	No never
a) hay fever	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) indigestion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) bulimia	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) asthma	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e) eczema	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f) epilepsy	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g) ME or chronic fatigue syndrome	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
h) migraine	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
i) back pain/slipped disc	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
j) kidney disease*	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
k) varicose veins	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
l) haemorrhoids/piles	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
m) rheumatism	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
n) arthritis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
o) psoriasis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
p) stomach ulcer	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
q) pelvic inflammatory disease (PID)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
r) drug addiction	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
s) alcoholism	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

PAGE 9 OF THE QUESTIONNAIRE

B1.	Yes, had it recently (in past year)	Yes, in past, not recently	No never
t) schizophrenia	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
u) anorexia nervosa	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
v) severe depression	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
w) other psychiatric problem*	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
x) other problem(s)* (please tick & describe)	1 <input type="text"/>	2 <input type="text"/>	

* please tick appropriate box and describe below

.....

.....

.....

B2. a) Have you ever had diabetes?

Yes 1 No 2 ➔ If **no**, go to B2b on page 10

If **yes**,

i) Have you only had it when you were pregnant?

Yes 1 No 2

ii) How is/was it treated?

insulin injections	1
other drugs	2
diet only	3

iii) How old were you when you first developed it?

--	--

 years

PAGE 10 OF THE QUESTIONNAIRE

B2. b) Have you ever had hypertension (high blood pressure)?

Yes No → If **no**, go to B3 below

If **yes**,

i) Have you had it only when you were pregnant?

Yes No

ii) How old were you when you first developed it? years

iii) Do you have hypertension nowadays?

Yes No

B3. a) Are there any problems for which you have **regular** treatment or medicine nowadays?

Yes No → If **no**, go to B4 below

b) If **yes**, please describe these problems and regular treatment or medicine:

Problem	Treatment or medicine
.....
.....
.....
.....

B4. a) Would you say that you were allergic to anything?

Yes No → If **no**, go to B5 on page 11

PAGE 11 OF THE QUESTIONNAIRE

B4. b) If **yes**, is it to:

	Yes	No
i) cat	<div><div>1</div></div>	<div><div>2</div></div>
ii) pollen	<div><div>1</div></div>	<div><div>2</div></div>
iii) dust	<div><div>1</div></div>	<div><div>2</div></div>
iv) insect bites or stings	<div><div>1</div></div>	<div><div>2</div></div>
v) medication (e.g. penicillin)	<div><div>1</div></div>	<div><div>2</div></div>
vi) something else (Please tick & describe)	<div><div>1</div></div>	<div><div>2</div></div>

.....

B5. Have you had any of the following **in the past two years**:

	In the past 2 years:	Yes often	Yes, sometimes	No, not at all
a) attacks of wheezing with whistling on the chest		<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>
b) a dry itchy rash		<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>
c) a blotchy blistery rash (hives)		<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>
d) sneezing attacks		<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>
e) runny nose		<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>
f) watery eyes		<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>
g) attacks of breathlessness		<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>
h) cough often during the night		<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>
i) cough often when you wake in the morning		<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>

PAGE 12 OF THE QUESTIONNAIRE

Some of these questions may seem familiar to you

Please bear with us– but we do need to ask them again



B6. a) How old were you when your periods first started? years

have not had periods

77

do not remember

99

b) Would you say your periods are regular nowadays?

yes 1

no, not very regular 2

no periods at all 3

→ **If no periods go to B6d below**

↓
**If not very regular,
go to B7a on page 13**

c) If regular, how many days are there from the start of one period to the start of the next one?

days → **now go to B7a on page 13**

d) If you have no periods now, is this because:

you are pregnant

1

you have had a hysterectomy

2

you are menopausal (going through the change)

3

other reason
(please tick & describe)

4

don't know

9

.....

PAGE 13 OF THE QUESTIONNAIRE

B7. a) Have you ever used a contraceptive pill?

Yes No → If **no**, go to B8a below

If **yes**,

b) How old were you when you first took one? years

c) How many years altogether have you taken a contraceptive pill?

under 1 year	<input type="text" value="1"/>
1-2 years	<input type="text" value="2"/>
3-4 years	<input type="text" value="3"/>
5 years or more	<input type="text" value="4"/>

d) Are you on the pill now?

Yes No
↓

(i) If **yes**, please give the name of the pill

B8. a) Since your study child's 9th birthday have you been admitted to hospital?

Yes No → If **no**, go to B9 on page 14

If **yes**,

b) how many times?

c) for how many different reasons?

Reason for each hospital stay:

How long did you stay?

d)

nights

e)

nights

f)

nights

g)

nights

h)

nights

↓
Write 00 if you did not stay overnight

PAGE 14 OF THE QUESTIONNAIRE

B9. a) Have you ever had any pain or discomfort in your chest?

Yes, in past year 1

Yes, but not in past year 2

No 3 → If no, go to B10 on page 15

If yes, ←

go to B9h below

b) Do/did you get this pain or discomfort when you walk uphill or hurry?

Yes 1

No 2

c) Do/did you get the pain or discomfort when you walk at an ordinary pace on the level?

Yes 1

No 2

d) When you get/got pain or discomfort in your chest what do you do? (Please tick **one** box only)

stop 1

slow down 2

continue at the same pace 3

e) Does/did it go away when you stand still?

Yes 1

No 2

Don't know 9


f) How soon?

10 minutes or less 1

More than 10 minutes 2

Don't know 9

g) Where do/did you get this pain or discomfort? (Please mark the place(s) with an X on the diagram below) .



h) Have you ever had a severe pain across the front of your chest lasting for half an hour or more?

Yes 1

No 2 → If no, go to B10 on page 15

PAGE 15 OF THE QUESTIONNAIRE

If **yes**,

B9. i) Did you talk to a doctor about it?

Yes

No

→ If **no**, go to k belowIf **yes**,

j) What did they say it was?

.....

.....

k) How many of these attacks have you had?

B10. In the past month, how often have you had any of the following:

In the past month:**Almost all
the time****Sometimes****Not at all**

a) backache

b) headache or migraine

c) urinary infection

d) nausea

e) vomiting

f) diarrhoea

g) haemorrhoids or piles

h) feeling weepy/tearful

i) feeling irritable

j) feeling exhausted

k) varicose veins

l) passing urine very often

m) problem holding urine
when you jump, sneeze etc.

PAGE 16 OF THE QUESTIONNAIRE

B10. In the past month:	Almost all the time	Sometimes	Not at all
n) indigestion	1 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>
o) feeling dizzy/fainting	1 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>
p) flashing lights/spots before eyes	1 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>
q) shoulder ache	1 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>
r) tingling in hands/fingers	1 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>
s) tingling in feet/toes	1 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>
t) neck ache	1 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>
u) feeling depressed	1 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>
v) other problem (please describe)	1 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	2 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>	3 <input style="width: 40px; height: 25px; border: 1px solid red;" type="text"/>

.....

.....

B11. a) Are you currently trying to get pregnant?

no

no, but intend to later

yes, we are trying

I am already pregnant

→ **If yes,** (i) for how long
have you been trying?

months

↓
**now go
to B12
on page 18**

If yes, (ii) how long were you trying
before you became pregnant?

months

↓
now go to B12 on page 18

PAGE 17 OF THE QUESTIONNAIRE

B11. b) What forms of contraception are you and your partner using now? (tick all that you have used in the past 3 months)

	Yes	
i) withdrawal	<input type="checkbox"/>	
ii) the pill	<input type="checkbox"/>	
iii) IUCD/coil	<input type="checkbox"/>	
iv) condom/sheath	<input type="checkbox"/>	
v) calendar/rhythm method	<input type="checkbox"/>	
vi) diaphragm/cap	<input type="checkbox"/>	
vii) spermicide	<input type="checkbox"/>	
viii) I am no longer fertile (have been sterilised, etc.)	<input type="checkbox"/>	
ix) my partner has been sterilised	<input type="checkbox"/>	
x) none	<input type="checkbox"/>	
xi) other (please describe)	<input type="checkbox"/>

*Thank you so much for helping us with these
delicate questions*

PAGE 18 OF THE QUESTIONNAIRE

A BIT ABOUT SEXUAL MATTERS

We would now like to ask you briefly about a common medical condition that is very important to some people. However, if you are not happy with answering this section, please continue with Section C.

B12. a) Do you ever have pain or discomfort because of a dry vagina?

Not at all	<input type="text" value="1"/>
A little	<input type="text" value="2"/>
Moderate	<input type="text" value="3"/>
A lot	<input type="text" value="4"/>

b) Do you have pain or soreness in the vagina when you have sexual intercourse?

Not at all	<input type="text" value="1"/>
A little	<input type="text" value="2"/>
Moderate	<input type="text" value="3"/>
A lot	<input type="text" value="4"/>

c) How often do you have pain elsewhere after sexual intercourse?

Never	<input type="text" value="1"/>	<div style="border-left: 1px solid black; border-right: 1px solid black; height: 40px; width: 40px; display: flex; align-items: center; justify-content: center;"> } </div> <div style="display: inline-block; vertical-align: middle;"> Please describe: d) where is pain? e) how long after sex? </div>
Occasionally	<input type="text" value="2"/>	
Often	<input type="text" value="3"/>	
Always	<input type="text" value="4"/>	
Don't have sex	<input type="text" value="5"/>	

R File – Section B

r2000 B1a: Respondent has ever had hay fever

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	1860	24.5	24.6	24.6
	2 Yes, in past, not recently	1050	13.8	13.9	38.6
	3 No, never	4638	61.1	61.4	100.0
	Total	7548	99.4	100.0	
Missing	-1 No response	48	.6		
Total		7596	100.0		

r2001 B1b: Respondent has ever had indigestion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	2432	32.0	32.2	32.2
	2 Yes, in past, not recently	3215	42.3	42.6	74.9
	3 No, never	1895	24.9	25.1	100.0
	Total	7542	99.3	100.0	
Missing	-1 No response	54	.7		
Total		7596	100.0		

r2002 B1c: Respondent has ever had bulimia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	40	.5	.5	.5
	2 Yes, in past, not recently	184	2.4	2.4	3.0
	3 No, never	7305	96.2	97.0	100.0
	Total	7529	99.1	100.0	
Missing	-1 No response	67	.9		
Total		7596	100.0		

r2003 B1d: Respondent has ever had asthma

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	693	9.1	9.2	9.2
	2 Yes, in past, not recently	483	6.4	6.4	15.6
	3 No, never	6367	83.8	84.4	100.0
	Total	7543	99.3	100.0	
Missing	-1 No response	53	.7		
Total		7596	100.0		

r2004 B1e: Respondent has ever had eczema

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	951	12.5	12.6	12.6
	2 Yes, in past, not recently	1080	14.2	14.3	26.9
	3 No, never	5510	72.5	73.1	100.0
	Total	7541	99.3	100.0	
Missing	-1 No response	55	.7		
Total		7596	100.0		

R File – Section B

r2005 B1f: Respondent has ever had epilepsy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	37	.5	.5	.5
	2 Yes, in past, not recently	74	1.0	1.0	1.5
	3 No, never	7426	97.8	98.5	100.0
	Total	7537	99.2	100.0	
Missing	-1 No response	59	.8		
Total		7596	100.0		

r2006 B1g: Respondent has ever had ME/chronic fatigue syndrome

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	58	.8	.8	.8
	2 Yes, in past, not recently	64	.8	.9	1.6
	3 No, never	7392	97.3	98.4	100.0
	Total	7514	98.9	100.0	
Missing	-1 No response	82	1.1		
Total		7596	100.0		

r2007 B1h: Respondent has ever had migraine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	1718	22.6	22.7	22.7
	2 Yes, in past, not recently	1681	22.1	22.3	45.0
	3 No, never	4153	54.7	55.0	100.0
	Total	7552	99.4	100.0	
Missing	-1 No response	44	.6		
Total		7596	100.0		

r2008 B1i: Respondent has ever had back pain/slipped disk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	2047	26.9	27.1	27.1
	2 Yes, in past, not recently	1810	23.8	24.0	51.1
	3 No, never	3695	48.6	48.9	100.0
	Total	7552	99.4	100.0	
Missing	-1 No response	44	.6		
Total		7596	100.0		

r2009 B1j: Respondent has ever had kidney disease

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	57	.8	.8	.8
	2 Yes, in past, not recently	151	2.0	2.0	2.8
	3 No, never	7332	96.5	97.2	100.0
	Total	7540	99.3	100.0	
Missing	-1 No response	56	.7		
Total		7596	100.0		

R File – Section B

r2010 B1k: Respondent has ever had varicose veins

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	786	10.3	10.4	10.4
	2 Yes, in past, not recently	290	3.8	3.8	14.3
	3 No, never	6466	85.1	85.7	100.0
	Total	7542	99.3	100.0	
Missing	-1 No response	54	.7		
Total		7596	100.0		

r2011 B1l: Respondent has ever had haemorrhoids/piles

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	1241	16.3	16.4	16.4
	2 Yes, in past, not recently	1951	25.7	25.9	42.3
	3 No, never	4355	57.3	57.7	100.0
	Total	7547	99.4	100.0	
Missing	-1 No response	49	.6		
Total		7596	100.0		

r2012 B1m: Respondent has ever had rheumatism

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	243	3.2	3.2	3.2
	2 Yes, in past, not recently	160	2.1	2.1	5.4
	3 No, never	7107	93.6	94.6	100.0
	Total	7510	98.9	100.0	
Missing	-1 No response	86	1.1		
Total		7596	100.0		

r2013 B1n: Respondent has ever had arthritis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	511	6.7	6.8	6.8
	2 Yes, in past, not recently	178	2.3	2.4	9.2
	3 No, never	6827	89.9	90.8	100.0
	Total	7516	98.9	100.0	
Missing	-1 No response	80	1.1		
Total		7596	100.0		

r2014 B1o: Respondent has ever had psoriasis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	267	3.5	3.5	3.5
	2 Yes, in past, not recently	176	2.3	2.3	5.9
	3 No, never	7093	93.4	94.1	100.0
	Total	7536	99.2	100.0	
Missing	-1 No response	60	.8		
Total		7596	100.0		

R File – Section B

r2015 B1p: Respondent has ever had a stomach ulcer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	34	.4	.5	.5
	2 Yes, in past, not recently	112	1.5	1.5	1.9
	3 No, never	7378	97.1	98.1	100.0
	Total	7524	99.1	100.0	
Missing	-1 No response	72	.9		
Total		7596	100.0		

r2016 B1q: Respondent has ever had a pelvic inflammatory disease

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	23	.3	.3	.3
	2 Yes, in past, not recently	177	2.3	2.3	2.7
	3 No, never	7340	96.6	97.3	100.0
	Total	7540	99.3	100.0	
Missing	-1 No response	56	.7		
Total		7596	100.0		

r2017 B1r: Respondent has ever had a drug addiction

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	6	.1	.1	.1
	2 Yes, in past, not recently	24	.3	.3	.4
	3 No, never	7520	99.0	99.6	100.0
	Total	7550	99.4	100.0	
Missing	-1 No response	46	.6		
Total		7596	100.0		

r2018 B1s: Respondent has ever had alcoholism

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	23	.3	.3	.3
	2 Yes, in past, not recently	33	.4	.4	.7
	3 No, never	7489	98.6	99.3	100.0
	Total	7545	99.3	100.0	
Missing	-1 No response	51	.7		
Total		7596	100.0		

r2019 B1t: Respondent has ever had schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	1	.0	.0	.0
	2 Yes, in past, not recently	2	.0	.0	.0
	3 No, never	7548	99.4	100.0	100.0
	Total	7551	99.4	100.0	
Missing	-1 No response	45	.6		
Total		7596	100.0		

R File – Section B

r2020 B1u: Respondent has ever had anorexia nervosa

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	9	.1	.1	.1
	2 Yes, in past, not recently	136	1.8	1.8	1.9
	3 No, never	7400	97.4	98.1	100.0
	Total	7545	99.3	100.0	
Missing	-1 No response	51	.7		
Total		7596	100.0		

r2021 B1v: Respondent has ever had severe depression

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, had it recently(in past year)	257	3.4	3.4	3.4
	2 Yes, in past, not recently	512	6.7	6.8	10.2
	3 No, never	6737	88.7	89.8	100.0
	Total	7506	98.8	100.0	
Missing	-1 No response	90	1.2		
Total		7596	100.0		

r2022 B1w: Respondent has ever had other psychiatric problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	12	.2	.2	.2
	1 Yes, had it recently(in past year)	133	1.8	1.8	2.0
	2 Yes, in past, not recently	155	2.0	2.1	4.1
	3 No, never	6963	91.7	95.9	100.0
	Total	7263	95.6	100.0	
Missing	-1 No response	333	4.4		
Total		7596	100.0		

r2023 B1x: Respondent has ever had other problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	55	.7	8.0	8.0
	1 Yes, had it recently(in past year)	478	6.3	69.6	77.6
	2 Yes, in past, not recently	154	2.0	22.4	100.0
	Total	687	9.0	100.0	
Missing	-1 No response	6909	91.0		
Total		7596	100.0		

R File – Section B

r2030 B2a: Respondent ever had diabetes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	165	2.2	2.2	2.2
	2 No	7353	96.8	97.8	100.0
	Total	7518	99.0	100.0	
Missing	-1 No response	78	1.0		
Total		7596	100.0		

r2031 B2a1: Respondent only had diabetes when pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	100	1.3	40.3	40.3
	2 No	148	1.9	59.7	100.0
	Total	248	3.3	100.0	
Missing	-1 No response	7348	96.7		
Total		7596	100.0		

r2032 B2a2: Treatment received for diabetes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Insulin injections	54	.7	33.3	33.3
	2 Other drugs	26	.3	16.0	49.4
	3 Diet only	82	1.1	50.6	100.0
	Total	162	2.1	100.0	
Missing	-1 No response	7434	97.9		
Total		7596	100.0		

R File – Section B

r2033 B2a3: Age diabetes first developed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	.6	.6
	1	1	.0	.6	1.2
	3	1	.0	.6	1.8
	7	1	.0	.6	2.4
	9	2	.0	1.2	3.7
	10	4	.1	2.4	6.1
	11	3	.0	1.8	7.9
	12	3	.0	1.8	9.8
	13	2	.0	1.2	11.0
	16	1	.0	.6	11.6
	17	2	.0	1.2	12.8
	19	1	.0	.6	13.4
	20	3	.0	1.8	15.2
	21	5	.1	3.0	18.3
	22	3	.0	1.8	20.1
	23	3	.0	1.8	22.0
	24	9	.1	5.5	27.4
	25	6	.1	3.7	31.1
	26	11	.1	6.7	37.8
	27	11	.1	6.7	44.5
	28	7	.1	4.3	48.8
	29	7	.1	4.3	53.0
	30	11	.1	6.7	59.8
	31	10	.1	6.1	65.9
	32	4	.1	2.4	68.3
	33	2	.0	1.2	69.5
	34	6	.1	3.7	73.2
	35	5	.1	3.0	76.2
	36	5	.1	3.0	79.3
	37	2	.0	1.2	80.5
	38	7	.1	4.3	84.8
	39	3	.0	1.8	86.6
	40	5	.1	3.0	89.6
	41	3	.0	1.8	91.5
	42	5	.1	3.0	94.5
	43	2	.0	1.2	95.7
	44	2	.0	1.2	97.0
	46	2	.0	1.2	98.2
	47	1	.0	.6	98.8
	52	1	.0	.6	99.4
	53	1	.0	.6	100.0
	Total	164	2.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	7431	97.8		
	Total	7432	97.8		
Total		7596	100.0		

R File – Section B

r2040 B2b: Respondent ever had hypertension

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1396	18.4	18.5	18.5
	2 No	6142	80.9	81.5	100.0
	Total	7538	99.2	100.0	
Missing	-1 No response	58	.8		
Total		7596	100.0		

r2041 B2b1: Respondent only had hypertension when pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	917	12.1	62.5	62.5
	2 No	551	7.3	37.5	100.0
	Total	1468	19.3	100.0	
Missing	-1 No response	6128	80.7		
Total		7596	100.0		

R File – Section B

r2042 B2b2: Age hypertension first developed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	.0	.1	.1
	5	2	.0	.2	.2
	7	1	.0	.1	.3
	11	2	.0	.2	.5
	13	1	.0	.1	.5
	15	1	.0	.1	.6
	16	6	.1	.5	1.1
	17	18	.2	1.4	2.5
	18	23	.3	1.8	4.3
	19	23	.3	1.8	6.1
	20	42	.6	3.3	9.4
	21	46	.6	3.6	13.0
	22	46	.6	3.6	16.6
	23	42	.6	3.3	19.9
	24	62	.8	4.9	24.8
	25	93	1.2	7.3	32.1
	26	85	1.1	6.7	38.7
	27	77	1.0	6.0	44.7
	28	88	1.2	6.9	51.6
	29	88	1.2	6.9	58.5
	30	74	1.0	5.8	64.3
	31	35	.5	2.7	67.1
	32	52	.7	4.1	71.2
	33	34	.4	2.7	73.8
	34	42	.6	3.3	77.1
	35	53	.7	4.2	81.3
	36	29	.4	2.3	83.5
	37	22	.3	1.7	85.3
	38	32	.4	2.5	87.8
	39	29	.4	2.3	90.0
	40	36	.5	2.8	92.9
	41	14	.2	1.1	94.0
	42	20	.3	1.6	95.5
	43	10	.1	.8	96.3
	44	5	.1	.4	96.7
	45	9	.1	.7	97.4
	46	8	.1	.6	98.0
	47	7	.1	.5	98.6
	48	4	.1	.3	98.9
	49	2	.0	.2	99.1
	50	9	.1	.7	99.8
	51	2	.0	.2	99.9
	52	1	.0	.1	100.0
	Total	1276	16.8	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	6316	83.1		
	Total	6320	83.2		
Total		7596	100.0		

R File – Section B

r2043 B2b3: Respondent has hypertension nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	275	3.6	19.9	19.9
	2 No	1105	14.5	80.1	100.0
	Total	1380	18.2	100.0	
Missing	-1 No response	6216	81.8		
Total		7596	100.0		

R File – Section B

r2050 B3a: Respondent has problem which requires regular treatment/medication nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2087	27.5	27.9	27.9
	2 No	5380	70.8	72.1	100.0
	Total	7467	98.3	100.0	
Missing	-1 No response	129	1.7		
Total		7596	100.0		

R File – Section B

r2060 B4a: Respondent has an allergy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3037	40.0	40.6	40.6
	2 No	4443	58.5	59.4	100.0
	Total	7480	98.5	100.0	
Missing	-1 No response	116	1.5		
Total		7596	100.0		

r2061 B4b1: Respondent is allergic to cats

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	750	9.9	36.4	36.4
	2 No	1309	17.2	63.6	100.0
	Total	2059	27.1	100.0	
Missing	-1 No response	5537	72.9		
Total		7596	100.0		

r2062 B4b2: Respondent is allergic to pollen

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1301	17.1	58.4	58.4
	2 No	925	12.2	41.6	100.0
	Total	2226	29.3	100.0	
Missing	-1 No response	5370	70.7		
Total		7596	100.0		

r2063 B4b3: Respondent is allergic to dust

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	918	12.1	43.8	43.8
	2 No	1178	15.5	56.2	100.0
	Total	2096	27.6	100.0	
Missing	-1 No response	5500	72.4		
Total		7596	100.0		

r2064 B4b4: Respondent is allergic to insect bites/stings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	410	5.4	20.9	20.9
	2 No	1548	20.4	79.1	100.0
	Total	1958	25.8	100.0	
Missing	-1 No response	5638	74.2		
Total		7596	100.0		

r2065 B4b5: Respondent is allergic to medication

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1002	13.2	44.6	44.6
	2 No	1247	16.4	55.4	100.0
	Total	2249	29.6	100.0	
Missing	-1 No response	5347	70.4		
Total		7596	100.0		

R File – Section B

r2066 B4b6: Respondent is allergic to something else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1228	16.2	59.8	59.8
	2 No	825	10.9	40.2	100.0
	Total	2053	27.0	100.0	
Missing	-1 No response	5543	73.0		
Total		7596	100.0		

R File – Section B

r2070 B5a: Frequency respondent had attacks of wheezing with whistling on chest in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	140	1.8	1.9	1.9
	2 Yes, sometimes	1047	13.8	13.9	15.7
	3 No, not at all	6369	83.8	84.3	100.0
	Total	7556	99.5	100.0	
Missing	-1 No response	40	.5		
Total		7596	100.0		

r2071 B5b: Frequency respondent had a dry itchy rash in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	360	4.7	4.8	4.8
	2 Yes, sometimes	1653	21.8	21.9	26.7
	3 No, not at all	5530	72.8	73.3	100.0
	Total	7543	99.3	100.0	
Missing	-1 No response	53	.7		
Total		7596	100.0		

r2072 B5c: Frequency respondent had a blotchy blistery rash/hives in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	78	1.0	1.0	1.0
	2 Yes, sometimes	476	6.3	6.3	7.4
	3 No, not at all	6979	91.9	92.6	100.0
	Total	7533	99.2	100.0	
Missing	-1 No response	63	.8		
Total		7596	100.0		

r2073 B5d: Frequency respondent had sneezing attacks in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	519	6.8	6.9	6.9
	2 Yes, sometimes	2221	29.2	29.4	36.3
	3 No, not at all	4810	63.3	63.7	100.0
	Total	7550	99.4	100.0	
Missing	-1 No response	46	.6		
Total		7596	100.0		

r2074 B5e: Frequency respondent had a runny nose in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	552	7.3	7.3	7.3
	2 Yes, sometimes	4609	60.7	60.9	68.2
	3 No, not at all	2403	31.6	31.8	100.0
	Total	7564	99.6	100.0	
Missing	-1 No response	32	.4		
Total		7596	100.0		

R File – Section B

r2075 B5f: Frequency respondent had watery eyes in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	491	6.5	6.5	6.5
	2 Yes, sometimes	3340	44.0	44.3	50.8
	3 No, not at all	3713	48.9	49.2	100.0
	Total	7544	99.3	100.0	
Missing	-1 No response	52	.7		
Total		7596	100.0		

r2076 B5g: Frequency respondent had attacks of breathlessness in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	115	1.5	1.5	1.5
	2 Yes, sometimes	918	12.1	12.2	13.7
	3 No, not at all	6499	85.6	86.3	100.0
	Total	7532	99.2	100.0	
Missing	-1 No response	64	.8		
Total		7596	100.0		

r2077 B5h: Frequency respondent had cough often during night in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	141	1.9	1.9	1.9
	2 Yes, sometimes	2023	26.6	26.8	28.6
	3 No, not at all	5390	71.0	71.4	100.0
	Total	7554	99.4	100.0	
Missing	-1 No response	42	.6		
Total		7596	100.0		

r2078 B5i: Frequency respondent cough often when waking in morning in past 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes often	174	2.3	2.3	2.3
	2 Yes, sometimes	1360	17.9	18.0	20.3
	3 No, not at all	6008	79.1	79.7	100.0
	Total	7542	99.3	100.0	
Missing	-1 No response	54	.7		
Total		7596	100.0		

R File – Section B

r2080 B6a: Age respondent first started periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	8	6	.1	.1	.1
	9	66	.9	.9	1.0
	10	271	3.6	3.6	4.5
	11	1305	17.2	17.3	21.9
	12	1391	18.3	18.4	40.3
	13	1904	25.1	25.2	65.5
	14	1070	14.1	14.2	79.7
	15	498	6.6	6.6	86.3
	16	221	2.9	2.9	89.3
	17	50	.7	.7	89.9
	18	10	.1	.1	90.1
	19	2	.0	.0	90.1
	20	2	.0	.0	90.1
	21	1	.0	.0	90.1
	24	1	.0	.0	90.1
	32	1	.0	.0	90.2
	77 Have not had periods	2	.0	.0	90.2
	99 Do not remember	740	9.7	9.8	100.0
	Total	7541	99.3	100.0	
Missing	-1 No response	55	.7		
Total		7596	100.0		

r2081 B6b: Respondent's periods are regular nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5347	70.4	71.0	71.0
	2 No, not very regular	1204	15.9	16.0	87.0
	3 No periods at all	982	12.9	13.0	100.0
	Total	7533	99.2	100.0	
Missing	-1 No response	63	.8		
Total		7596	100.0		

R File – Section B

r2082 B6c: Number of days from start of one period to next, if regular

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	.0	.0
	2	9	.1	.2	.2
	3	32	.4	.6	.8
	4	82	1.1	1.6	2.4
	5	135	1.8	2.6	5.0
	6	44	.6	.9	5.9
	7	67	.9	1.3	7.2
	8	5	.1	.1	7.3
	9	1	.0	.0	7.3
	10	6	.1	.1	7.4
	12	2	.0	.0	7.5
	14	2	.0	.0	7.5
	15	1	.0	.0	7.5
	16	1	.0	.0	7.5
	17	2	.0	.0	7.6
	18	6	.1	.1	7.7
	19	7	.1	.1	7.8
	20	28	.4	.5	8.4
	21	288	3.8	5.6	14.0
	22	38	.5	.7	14.7
	23	89	1.2	1.7	16.4
	24	187	2.5	3.6	20.0
	25	220	2.9	4.3	24.3
	26	382	5.0	7.4	31.7
	27	186	2.4	3.6	35.3
	28	2367	31.2	45.9	81.3
	29	210	2.8	4.1	85.3
	30	511	6.7	9.9	95.2
	31	74	1.0	1.4	96.7
	32	63	.8	1.2	97.9
	33	24	.3	.5	98.4
	34	9	.1	.2	98.5
	35	55	.7	1.1	99.6
	36	1	.0	.0	99.6
	37	2	.0	.0	99.7
	38	1	.0	.0	99.7
	39	1	.0	.0	99.7
	40	4	.1	.1	99.8
	42	6	.1	.1	99.9
	45	1	.0	.0	99.9
	53	1	.0	.0	99.9
	62	1	.0	.0	100.0
	69	1	.0	.0	100.0
	90	1	.0	.0	100.0
	Total	5154	67.9	100.0	
Missing	-9 Don't know	12	.2		
	-1 No response	2430	32.0		
	Total	2442	32.1		
Total		7596	100.0		

R File – Section B

r2083 B6d: Reason why respondent has no periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 They are pregnant	49	.6	4.8	4.8
	2 Have had a hysterectomy	279	3.7	27.5	32.4
	3 They are menopausal	208	2.7	20.5	52.9
	4 Other reason	465	6.1	45.9	98.8
	9 Don't know	12	.2	1.2	100.0
	Total	1013	13.3	100.0	
Missing	-1 No response	6583	86.7		
Total		7596	100.0		

R File – Section B

r2090 B7a: Respondent ever used contraceptive pill

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7110	93.6	94.1	94.1
	2 No	444	5.8	5.9	100.0
	Total	7554	99.4	100.0	
Missing	-1 No response	42	.6		
Total		7596	100.0		

r2091 B7b: Age respondent first contraceptive pill taken

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	10	1	.0	.0	.0
	11	3	.0	.0	.1
	12	12	.2	.2	.2
	13	43	.6	.6	.8
	14	112	1.5	1.6	2.4
	15	369	4.9	5.3	7.7
	16	1389	18.3	19.8	27.5
	17	1099	14.5	15.7	43.2
	18	1386	18.2	19.8	63.0
	19	842	11.1	12.0	75.0
	20	514	6.8	7.3	82.4
	21	450	5.9	6.4	88.8
	22	218	2.9	3.1	91.9
	23	143	1.9	2.0	93.9
	24	131	1.7	1.9	95.8
	25	77	1.0	1.1	96.9
	26	50	.7	.7	97.6
	27	44	.6	.6	98.2
	28	33	.4	.5	98.7
	29	21	.3	.3	99.0
	30	25	.3	.4	99.4
	31	10	.1	.1	99.5
	32	8	.1	.1	99.6
	33	5	.1	.1	99.7
	34	6	.1	.1	99.8
	35	4	.1	.1	99.8
	36	5	.1	.1	99.9
	37	2	.0	.0	99.9
	38	2	.0	.0	100.0
	40	2	.0	.0	100.0
	Total	7006	92.2	100.0	
Missing	-9 Don't know	21	.3		
	-1 No response	569	7.5		
	Total	590	7.8		
Total		7596	100.0		

R File – Section B

r2092 B7c: Number of years contraceptive pill taken for

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Under 1 year	424	5.6	6.0	6.0
	2 1-2 years	612	8.1	8.6	14.6
	3 3-4 years	1146	15.1	16.2	30.8
	4 5 years or more	4899	64.5	69.2	100.0
	Total	7081	93.2	100.0	
Missing	-1 No response	515	6.8		
Total		7596	100.0		

r2093 B7d: Respondent is on the pill now

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	993	13.1	13.9	13.9
	2 No	6129	80.7	86.1	100.0
	Total	7122	93.8	100.0	
Missing	-1 No response	474	6.2		
Total		7596	100.0		

R File – Section B

r2100 B8a: Respondent been admitted to hospital since child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1317	17.3	17.6	17.6
	2 No	6157	81.1	82.4	100.0
	Total	7474	98.4	100.0	
Missing	-1 No response	122	1.6		
Total		7596	100.0		

r2101 B8b: Number of times respondent admitted to hospital since child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	7	.1	.5	.5
	1	890	11.7	68.1	68.7
	2	275	3.6	21.1	89.7
	3	81	1.1	6.2	95.9
	4	24	.3	1.8	97.8
	5	11	.1	.8	98.6
	6	8	.1	.6	99.2
	7	5	.1	.4	99.6
	8	1	.0	.1	99.7
	9	2	.0	.2	99.8
	18	1	.0	.1	99.9
	98 Lots	1	.0	.1	100.0
	Total	1306	17.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	6289	82.8		
	Total	6290	82.8		
Total		7596	100.0		

r2102 B8c: Number of different reasons respondent admitted to hospital since child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6	.1	.5	.5
	1	901	11.9	77.3	77.9
	2	207	2.7	17.8	95.6
	3	35	.5	3.0	98.6
	4	13	.2	1.1	99.7
	7	2	.0	.2	99.9
	98 Lots	1	.0	.1	100.0
	Total	1165	15.3	100.0	
Missing	-1 No response	6431	84.7		
Total		7596	100.0		

R File – Section B

r2104 B8d: Number of nights respondent stayed in hospital since child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	322	4.2	25.0	25.0
	1	318	4.2	24.7	49.7
	2	164	2.2	12.7	62.5
	3	128	1.7	9.9	72.4
	4	79	1.0	6.1	78.6
	5	104	1.4	8.1	86.6
	6	36	.5	2.8	89.4
	7	44	.6	3.4	92.9
	8	17	.2	1.3	94.2
	9	6	.1	.5	94.6
	10	17	.2	1.3	96.0
	11	1	.0	.1	96.0
	12	5	.1	.4	96.4
	13	5	.1	.4	96.8
	14	16	.2	1.2	98.1
	15	1	.0	.1	98.1
	16	1	.0	.1	98.2
	17	4	.1	.3	98.5
	18	1	.0	.1	98.6
	20	1	.0	.1	98.7
	21	5	.1	.4	99.1
	24	1	.0	.1	99.1
	25	2	.0	.2	99.3
	28	3	.0	.2	99.5
	30	2	.0	.2	99.7
	35	1	.0	.1	99.8
	42	1	.0	.1	99.8
	59	1	.0	.1	99.9
	105	1	.0	.1	100.0
	Total	1287	16.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	6307	83.0		
	Total	6309	83.1		
Total		7596	100.0		

R File – Section B

r2106 B8e: Number of nights respondent stayed in hospital since child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	102	1.3	26.8	26.8
	1	77	1.0	20.2	47.0
	2	44	.6	11.5	58.5
	3	31	.4	8.1	66.7
	4	37	.5	9.7	76.4
	5	28	.4	7.3	83.7
	6	11	.1	2.9	86.6
	7	15	.2	3.9	90.6
	8	8	.1	2.1	92.7
	9	3	.0	.8	93.4
	10	8	.1	2.1	95.5
	11	1	.0	.3	95.8
	12	2	.0	.5	96.3
	13	1	.0	.3	96.6
	14	2	.0	.5	97.1
	15	1	.0	.3	97.4
	20	2	.0	.5	97.9
	21	4	.1	1.0	99.0
	22	1	.0	.3	99.2
	24	1	.0	.3	99.5
	26	1	.0	.3	99.7
	41	1	.0	.3	100.0
	Total	381	5.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	7213	95.0		
	Total	7215	95.0		
Total		7596	100.0		

R File – Section B

r2108 B8f: Number of nights respondent stayed in hospital since child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	23	.3	20.4	20.4
	1	30	.4	26.5	46.9
	2	15	.2	13.3	60.2
	3	10	.1	8.8	69.0
	4	8	.1	7.1	76.1
	5	7	.1	6.2	82.3
	6	2	.0	1.8	84.1
	7	7	.1	6.2	90.3
	8	2	.0	1.8	92.0
	9	1	.0	.9	92.9
	10	4	.1	3.5	96.5
	11	1	.0	.9	97.3
	14	1	.0	.9	98.2
	35	1	.0	.9	99.1
	70	1	.0	.9	100.0
	Total	113	1.5	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	7480	98.5		
	Total	7483	98.5		
Total		7596	100.0		

R File – Section B

r2110 B8g: Number of nights respondent stayed in hospital since child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	8	.1	17.4	17.4
	1	11	.1	23.9	41.3
	2	4	.1	8.7	50.0
	3	8	.1	17.4	67.4
	4	2	.0	4.3	71.7
	5	7	.1	15.2	87.0
	6	2	.0	4.3	91.3
	7	2	.0	4.3	95.7
	8	1	.0	2.2	97.8
	9	1	.0	2.2	100.0
	Total	46	.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	7548	99.4		
	Total	7550	99.4		
Total		7596	100.0		

r2112 B8h: Number of nights respondent stayed in hospital since child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.1	22.2	22.2
	1	1	.0	5.6	27.8
	2	1	.0	5.6	33.3
	3	5	.1	27.8	61.1
	4	2	.0	11.1	72.2
	5	1	.0	5.6	77.8
	7	2	.0	11.1	88.9
	14	1	.0	5.6	94.4
	26	1	.0	5.6	100.0
	Total	18	.2	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	7576	99.7		
	Total	7578	99.8		
Total		7596	100.0		

R File – Section B

r2120 B9a: Respondent has ever had pain/discomfort in the chest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, in past year	1006	13.2	13.3	13.3
	2 Yes, but not in past year	654	8.6	8.7	22.0
	3 No	5894	77.6	78.0	100.0
	Total	7554	99.4	100.0	
Missing	-1 No response	42	.6		
Total		7596	100.0		

r2121 B9b: Respondent has had pain/discomfort in the chest when walking uphill or hurrying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	327	4.3	31.1	31.1
	2 No	723	9.5	68.9	100.0
	Total	1050	13.8	100.0	
Missing	-1 No response	6546	86.2		
Total		7596	100.0		

r2122 B9c: Respondent has had pain/discomfort in the chest when walking at ordinary pace on the level

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	180	2.4	17.3	17.3
	2 No	862	11.3	82.7	100.0
	Total	1042	13.7	100.0	
Missing	-1 No response	6554	86.3		
Total		7596	100.0		

r2123 B9d: Action taken when respondent has pain/discomfort in the chest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Stop	318	4.2	34.2	34.2
	2 Slow down	413	5.4	44.5	78.7
	3 Continue at same pace	198	2.6	21.3	100.0
	Total	929	12.2	100.0	
Missing	-1 No response	6667	87.8		
Total		7596	100.0		

r2124 B9e: Chest pain/discomfort goes away when respondent stands still

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	379	5.0	39.9	39.9
	2 No	442	5.8	46.6	86.5
	9 Don't know	128	1.7	13.5	100.0
	Total	949	12.5	100.0	
Missing	-1 No response	6647	87.5		
Total		7596	100.0		

R File – Section B

r2125 B9f: Time taken for chest pain/discomfort to go away when respondent stands still

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 10 minutes or less	426	5.6	59.3	59.3
	2 More than 10 minutes	112	1.5	15.6	74.9
	9 Don't know	180	2.4	25.1	100.0
	Total	718	9.5	100.0	
Missing	-1 No response	6878	90.5		
Total		7596	100.0		

r2126 B9g: Location of chest pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Upper half, left side	247	3.3	24.8	24.8
	2 Upper half, both sides	274	3.6	27.6	52.4
	3 Upper half, right side	65	.9	6.5	59.0
	4 Both halves, left side	81	1.1	8.1	67.1
	5 Both halves, both sides	132	1.7	13.3	80.4
	6 Both halves, right side	20	.3	2.0	82.4
	7 Lower half, left side	95	1.3	9.6	92.0
	8 Lower half, both sides	47	.6	4.7	96.7
	9 Lower half, right side	33	.4	3.3	100.0
	Total	994	13.1	100.0	
Missing	-1 No response	6602	86.9		
Total		7596	100.0		

r2127 B9h: Respondent ever had severe pain across front of chest lasting half an hour or more

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	329	4.3	19.4	19.4
	2 No	1371	18.0	80.6	100.0
	Total	1700	22.4	100.0	
Missing	-1 No response	5896	77.6		
Total		7596	100.0		

r2128 B9i: Respondent talked to doctor about severe pain across front of chest lasting half an hour or more

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	312	4.1	66.7	66.7
	2 No	156	2.1	33.3	100.0
	Total	468	6.2	100.0	
Missing	-1 No response	7128	93.8		
Total		7596	100.0		

R File – Section B

r2130 B9k: Number of times respondent has had chest pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	.0	.9	.9
	1	131	1.7	37.5	38.4
	2	50	.7	14.3	52.7
	3	44	.6	12.6	65.3
	4	29	.4	8.3	73.6
	5	20	.3	5.7	79.4
	6	17	.2	4.9	84.2
	7	1	.0	.3	84.5
	8	6	.1	1.7	86.2
	10	18	.2	5.2	91.4
	12	2	.0	.6	92.0
	15	1	.0	.3	92.3
	20	10	.1	2.9	95.1
	24	1	.0	.3	95.4
	25	1	.0	.3	95.7
	30	2	.0	.6	96.3
	50	1	.0	.3	96.6
	98 Lots	12	.2	3.4	100.0
	Total	349	4.6	100.0	
Missing	-9 Don't know	22	.3		
	-1 No response	7225	95.1		
	Total	7247	95.4		
Total		7596	100.0		

R File – Section B

r2140 B10a: Frequency respondent has had backache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	548	7.2	7.3	7.3
	2 Sometimes	3980	52.4	52.7	60.0
	3 Not at all	3021	39.8	40.0	100.0
	Total	7549	99.4	100.0	
Missing	-1 No response	47	.6		
Total		7596	100.0		

r2141 B10b: Frequency respondent has had headache/migraine in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	182	2.4	2.4	2.4
	2 Sometimes	5277	69.5	69.9	72.3
	3 Not at all	2092	27.5	27.7	100.0
	Total	7551	99.4	100.0	
Missing	-1 No response	45	.6		
Total		7596	100.0		

r2142 B10c: Frequency respondent has had a urinary infection in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	11	.1	.1	.1
	2 Sometimes	330	4.3	4.4	4.5
	3 Not at all	7192	94.7	95.5	100.0
	Total	7533	99.2	100.0	
Missing	-1 No response	63	.8		
Total		7596	100.0		

r2143 B10d: Frequency respondent has had nausea in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	39	.5	.5	.5
	2 Sometimes	1592	21.0	21.1	21.7
	3 Not at all	5898	77.6	78.3	100.0
	Total	7529	99.1	100.0	
Missing	-1 No response	67	.9		
Total		7596	100.0		

r2144 B10e: Frequency respondent has had vomiting in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	11	.1	.1	.1
	2 Sometimes	722	9.5	9.6	9.7
	3 Not at all	6798	89.5	90.3	100.0
	Total	7531	99.1	100.0	
Missing	-1 No response	65	.9		
Total		7596	100.0		

R File – Section B

r2145 B10f: Frequency respondent has had diarrhoea in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	47	.6	.6	.6
	2 Sometimes	1614	21.2	21.4	22.1
	3 Not at all	5870	77.3	77.9	100.0
	Total	7531	99.1	100.0	
Missing	-1 No response	65	.9		
Total		7596	100.0		

r2146 B10g: Frequency respondent has had haemorrhoids/piles in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	268	3.5	3.6	3.6
	2 Sometimes	901	11.9	12.0	15.6
	3 Not at all	6341	83.5	84.4	100.0
	Total	7510	98.9	100.0	
Missing	-1 No response	86	1.1		
Total		7596	100.0		

r2147 B10h: Frequency respondent has felt tearful/weepy in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	165	2.2	2.2	2.2
	2 Sometimes	3152	41.5	41.8	44.0
	3 Not at all	4216	55.5	56.0	100.0
	Total	7533	99.2	100.0	
Missing	-1 No response	63	.8		
Total		7596	100.0		

r2148 B10i: Frequency respondent has felt irritable in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	202	2.7	2.7	2.7
	2 Sometimes	5221	68.7	69.3	72.0
	3 Not at all	2114	27.8	28.0	100.0
	Total	7537	99.2	100.0	
Missing	-1 No response	59	.8		
Total		7596	100.0		

r2149 B10j: Frequency respondent has felt exhausted in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	550	7.2	7.3	7.3
	2 Sometimes	4726	62.2	62.7	70.0
	3 Not at all	2266	29.8	30.0	100.0
	Total	7542	99.3	100.0	
Missing	-1 No response	54	.7		
Total		7596	100.0		

R File – Section B

r2150 B10k: Frequency respondent has had varicose veins in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	430	5.7	5.7	5.7
	2 Sometimes	388	5.1	5.2	10.9
	3 Not at all	6691	88.1	89.1	100.0
	Total	7509	98.9	100.0	
Missing	-1 No response	87	1.1		
Total		7596	100.0		

r2151 B10l: Frequency respondent has had been passing urine very often in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	206	2.7	2.7	2.7
	2 Sometimes	1173	15.4	15.6	18.3
	3 Not at all	6144	80.9	81.7	100.0
	Total	7523	99.0	100.0	
Missing	-1 No response	73	1.0		
Total		7596	100.0		

r2152 B10m: Frequency respondent has had a problem holding urine when jumping/coughing/sneezing in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	436	5.7	5.8	5.8
	2 Sometimes	2279	30.0	30.3	36.1
	3 Not at all	4797	63.2	63.9	100.0
	Total	7512	98.9	100.0	
Missing	-1 No response	84	1.1		
Total		7596	100.0		

r2153 B10n: Frequency respondent has had indigestion in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	100	1.3	1.3	1.3
	2 Sometimes	2484	32.7	32.9	34.2
	3 Not at all	4962	65.3	65.8	100.0
	Total	7546	99.3	100.0	
Missing	-1 No response	50	.7		
Total		7596	100.0		

r2154 B10o: Frequency respondent has felt dizzy/feint in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	26	.3	.3	.3
	2 Sometimes	1324	17.4	17.5	17.9
	3 Not at all	6197	81.6	82.1	100.0
	Total	7547	99.4	100.0	
Missing	-1 No response	49	.6		
Total		7596	100.0		

R File – Section B

r2155 B10p: Frequency respondent has had flashing lights/spots before their eyes in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	16	.2	.2	.2
	2 Sometimes	1059	13.9	14.0	14.3
	3 Not at all	6468	85.2	85.7	100.0
	Total	7543	99.3	100.0	
Missing	-1 No response	53	.7		
Total		7596	100.0		

r2156 B10q: Frequency respondent has had shoulder ache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	279	3.7	3.7	3.7
	2 Sometimes	2215	29.2	29.4	33.1
	3 Not at all	5042	66.4	66.9	100.0
	Total	7536	99.2	100.0	
Missing	-1 No response	60	.8		
Total		7596	100.0		

r2157 B10r: Frequency respondent has had tingling in hands/fingers in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	95	1.3	1.3	1.3
	2 Sometimes	1520	20.0	20.2	21.4
	3 Not at all	5924	78.0	78.6	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

r2158 B10s: Frequency respondent has had tingling in feet/toes in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	51	.7	.7	.7
	2 Sometimes	624	8.2	8.3	9.0
	3 Not at all	6841	90.1	91.0	100.0
	Total	7516	98.9	100.0	
Missing	-1 No response	80	1.1		
Total		7596	100.0		

r2159 B10t: Frequency respondent has had neck ache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	310	4.1	4.1	4.1
	2 Sometimes	2719	35.8	36.1	40.2
	3 Not at all	4508	59.3	59.8	100.0
	Total	7537	99.2	100.0	
Missing	-1 No response	59	.8		
Total		7596	100.0		

R File – Section B

r2160 B10u: Frequency respondent has been feeling depressed in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	195	2.6	2.6	2.6
	2 Sometimes	2130	28.0	28.3	30.9
	3 Not at all	5194	68.4	69.1	100.0
	Total	7519	99.0	100.0	
Missing	-1 No response	77	1.0		
Total		7596	100.0		

r2161 B10v: Frequency respondent has had another problem in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	54	.7	1.1	1.1
	1 Almost all the time	151	2.0	3.0	4.1
	2 Sometimes	187	2.5	3.7	7.8
	3 Not at all	4650	61.2	92.2	100.0
	Total	5042	66.4	100.0	
Missing	-1 No response	2554	33.6		
Total		7596	100.0		

R File – Section B

r2170 B11a: Respondent is currently trying to get pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	7399	97.4	98.0	98.0
	2 No, but intend to later	48	.6	.6	98.6
	3 Yes, we are trying	53	.7	.7	99.3
	4 I am already pregnant	50	.7	.7	100.0
	Total	7550	99.4	100.0	
Missing	-1 No response	46	.6		
Total		7596	100.0		

r2171 B11a1: Number of months respondent has been trying to get pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	7	.1	13.2	13.2
	2	3	.0	5.7	18.9
	3	5	.1	9.4	28.3
	4	2	.0	3.8	32.1
	5	2	.0	3.8	35.8
	6	4	.1	7.5	43.4
	9	1	.0	1.9	45.3
	11	1	.0	1.9	47.2
	12	6	.1	11.3	58.5
	13	1	.0	1.9	60.4
	14	2	.0	3.8	64.2
	15	1	.0	1.9	66.0
	18	1	.0	1.9	67.9
	24	2	.0	3.8	71.7
	36	3	.0	5.7	77.4
	40	1	.0	1.9	79.2
	42	1	.0	1.9	81.1
	48	1	.0	1.9	83.0
	60	4	.1	7.5	90.6
	72	1	.0	1.9	92.5
	84	1	.0	1.9	94.3
	96	1	.0	1.9	96.2
	98 > 96 months	2	.0	3.8	100.0
	Total	53	.7	100.0	
Missing	-1 No response	7543	99.3		
Total		7596	100.0		

R File – Section B

r2172 B11a2: Number of months respondent was trying before she became pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	11	.1	24.4	24.4
	1	8	.1	17.8	42.2
	2	3	.0	6.7	48.9
	3	6	.1	13.3	62.2
	4	5	.1	11.1	73.3
	5	1	.0	2.2	75.6
	6	2	.0	4.4	80.0
	7	1	.0	2.2	82.2
	10	1	.0	2.2	84.4
	12	1	.0	2.2	86.7
	16	1	.0	2.2	88.9
	18	1	.0	2.2	91.1
	24	1	.0	2.2	93.3
	30	1	.0	2.2	95.6
	48	1	.0	2.2	97.8
	99 Unplanned	1	.0	2.2	100.0
	Total	45	.6	100.0	
Missing	-1 No response	7551	99.4		
Total		7596	100.0		

R File – Section B

r2173 B11b1: Respondent has used withdrawal as contraception in the past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	375	4.9	100.0	100.0
Missing -1 No response	7221	95.1		
Total	7596	100.0		

r2174 B11b2: Respondent has used the pill as contraception in the past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	930	12.2	100.0	100.0
Missing -1 No response	6666	87.8		
Total	7596	100.0		

r2175 B11b3: Respondent has used IUCD/coil as contraception in the past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	867	11.4	100.0	100.0
Missing -1 No response	6729	88.6		
Total	7596	100.0		

r2176 B11b4: Respondent has used condom/sheath as contraception in the past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1087	14.3	100.0	100.0
Missing -1 No response	6509	85.7		
Total	7596	100.0		

r2177 B11b5: Respondent has used calendar/rhythm method as contraception in the past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	99	1.3	100.0	100.0
Missing -1 No response	7497	98.7		
Total	7596	100.0		

r2178 B11b6: Respondent has used diaphragm as contraception in the past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	58	.8	100.0	100.0
Missing -1 No response	7538	99.2		
Total	7596	100.0		

R File – Section B

r2179 B11b7: Respondent has used spermicide as contraception in the past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	34	.4	100.0	100.0
Missing -1 No response	7562	99.6		
Total	7596	100.0		

r2180 B11b8: Respondent is no longer fertile has been sterilised

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1016	13.4	100.0	100.0
Missing -1 No response	6580	86.6		
Total	7596	100.0		

r2181 B11b9: Respondent's partner has been sterilised

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2213	29.1	100.0	100.0
Missing -1 No response	5383	70.9		
Total	7596	100.0		

r2182 B11b10: Respondent has used no form of contraception in the past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	659	8.7	100.0	100.0
Missing -1 No response	6937	91.3		
Total	7596	100.0		

r2183 B11b11: Respondent has used other form of contraception in the past 3 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	345	4.5	100.0	100.0
Missing -1 No response	7251	95.5		
Total	7596	100.0		

R File – Section B

r2190 B12a: Respondent ever has pain/discomfort due to dry vagina

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5777	76.1	79.8	79.8
	2 A little	1223	16.1	16.9	96.7
	3 Moderate	185	2.4	2.6	99.3
	4 A lot	54	.7	.7	100.0
	Total	7239	95.3	100.0	
Missing	-1 No response	357	4.7		
Total		7596	100.0		

r2191 B12b: Respondent ever has pain/soreness in the vagina during sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	5605	73.8	78.4	78.4
	2 A little	1351	17.8	18.9	97.3
	3 Moderate	143	1.9	2.0	99.3
	4 A lot	52	.7	.7	100.0
	Total	7151	94.1	100.0	
Missing	-1 No response	445	5.9		
Total		7596	100.0		

r2192 B12c: Frequency respondent has pain elsewhere after sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	2	.0	.0	.0
	1 Never	6353	83.6	89.0	89.1
	2 Occasionally	507	6.7	7.1	96.2
	3 Often	73	1.0	1.0	97.2
	4 Always	19	.3	.3	97.4
	5 Don't have sex	182	2.4	2.6	100.0
	Total	7136	93.9	100.0	
Missing	-1 No response	460	6.1		
Total		7596	100.0		

PAGE 19 OF THE QUESTIONNAIRE

SECTION C: ALL ABOUT YOUR WATERWORKS

C1. a) During the day, how many times do you urinate (pass water or have a wee) on average?

1 - 6 times	<div>1</div>
7 - 8 times	<div>2</div>
9 - 10 times	<div>3</div>
11 – 12 times	<div>4</div>
13 or more times	<div>5</div>

b) During the night, how many times do you have to get up to urinate, on average?

None	<div>1</div>
Once	<div>2</div>
Twice	<div>3</div>
Three times	<div>4</div>
Four times or more	<div>5</div>

c) How often do you have to rush to the toilet to urinate?

Never	<div>1</div>
Occasionally	<div>2</div>
Sometimes	<div>3</div>
More often than not	<div>4</div>
Every time	<div>5</div>

d) Does urine leak before you can get to the toilet?

Never	<div>1</div>
Occasionally	<div>2</div>
Sometimes	<div>3</div>
Most times	<div>4</div>
Every time	<div>5</div>

PAGE 20 OF THE QUESTIONNAIRE

C1. e) Does urine leak when you are physically active, exert yourself, cough or sneeze?

Never	<div>1</div>
Occasionally	<div>2</div>
Sometimes	<div>3</div>
Most times	<div>4</div>
Every time	<div>5</div>

f) Do you ever leak urine for no obvious reason and without feeling that you want to go?

Never	<div>1</div>
Occasionally	<div>2</div>
Sometimes	<div>3</div>
Most of the time	<div>4</div>
All of the time	<div>5</div>

g) How often is there a delay before you can start to urinate?

Never	<div>1</div>
Occasionally	<div>2</div>
Sometimes	<div>3</div>
Most times	<div>4</div>
Every time	<div>5</div>

h) Do you have to strain to urinate?

Never	<div>1</div>
Occasionally	<div>2</div>
Sometimes	<div>3</div>
Most times	<div>4</div>
Every time	<div>5</div>

PAGE 21 OF THE QUESTIONNAIRE

C1. i) Do you stop and start more than once while you urinate without meaning to?

Never	<input type="text" value="1"/>
Occasionally	<input type="text" value="2"/>
Sometimes	<input type="text" value="3"/>
Most times	<input type="text" value="4"/>
Every time	<input type="text" value="5"/>

j) How often do you leak urine when you are asleep?

Never	<input type="text" value="1"/>
Occasionally	<input type="text" value="2"/>
Sometimes	<input type="text" value="3"/>
Most of the time	<input type="text" value="4"/>
All of the time	<input type="text" value="5"/>

k) Have you ever blocked up completely so that you could not urinate at all and had to have a catheter to drain the bladder?

Never	<input type="text" value="1"/>
Yes, once	<input type="text" value="2"/>
Yes, twice	<input type="text" value="3"/>
Yes, more than twice	<input type="text" value="4"/>

l) How often have you had a burning feeling when you urinate?

Never	<input type="text" value="1"/>
Occasionally/once	<input type="text" value="2"/>
Sometimes	<input type="text" value="3"/>
Most times	<input type="text" value="4"/>
Always	<input type="text" value="5"/>

PAGE 22 OF THE QUESTIONNAIRE

C1. m) How often do you feel that your bladder has not emptied properly after you have urinated?

Never	<input type="text" value="1"/>
Occasionally	<input type="text" value="2"/>
Sometimes	<input type="text" value="3"/>
Most of the time	<input type="text" value="4"/>
All of the time	<input type="text" value="5"/>

n) If you had to spend the rest of your life with any urinary symptoms that you may have now, how would you feel?

No particular symptoms	<input type="text" value="1"/>
Perfectly happy	<input type="text" value="2"/>
Pleased	<input type="text" value="3"/>
Mostly satisfied	<input type="text" value="4"/>
Mixed feelings	<input type="text" value="5"/>
Mostly dissatisfied	<input type="text" value="6"/>
Very unhappy	<input type="text" value="7"/>
Desperate	<input type="text" value="8"/>

R File – Section C

r3000 C1a: Frequency respondent urinates throughout the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1 - 6 times	4586	60.4	61.0	61.0
	2 7 - 8 times	1815	23.9	24.2	85.2
	3 9 - 10 times	778	10.2	10.4	95.6
	4 11 - 12 times	210	2.8	2.8	98.4
	5 13 or more times	123	1.6	1.6	100.0
	Total	7512	98.9	100.0	
Missing	-1 No response	84	1.1		
Total		7596	100.0		

r3001 C1b: Frequency respondent urinates throughout the night

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	4170	54.9	55.3	55.3
	2 Once	2897	38.1	38.4	93.7
	3 Twice	369	4.9	4.9	98.6
	4 Three times	61	.8	.8	99.4
	5 Four times or more	43	.6	.6	100.0
	Total	7540	99.3	100.0	
Missing	-1 No response	56	.7		
Total		7596	100.0		

r3002 C1c: Frequency respondent has to rush to the toilet to urinate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3554	46.8	47.1	47.1
	2 Occasionally	3129	41.2	41.5	88.6
	3 Sometimes	704	9.3	9.3	97.9
	4 More often than not	134	1.8	1.8	99.7
	5 Every time	21	.3	.3	100.0
	Total	7542	99.3	100.0	
Missing	-1 No response	54	.7		
Total		7596	100.0		

r3003 C1d: Frequency respondent leaks urine before they can get to a toilet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4704	61.9	62.4	62.4
	2 Occasionally	2299	30.3	30.5	92.9
	3 Sometimes	487	6.4	6.5	99.3
	4 Most times	41	.5	.5	99.9
	5 Every time	10	.1	.1	100.0
	Total	7541	99.3	100.0	
Missing	-1 No response	55	.7		
Total		7596	100.0		

R File – Section C

r3004 C1e: Frequency urine leaks when respondent is physically active/exerts themselves/cough/sneezes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3438	45.3	45.6	45.6
	2 Occasionally	2997	39.5	39.8	85.4
	3 Sometimes	822	10.8	10.9	96.3
	4 Most times	213	2.8	2.8	99.1
	5 Every time	67	.9	.9	100.0
	Total	7537	99.2	100.0	
Missing	-1 No response	59	.8		
Total		7596	100.0		

r3005 C1f: Frequency respondent leaks urine for no obvious reason/doesn't need to go

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6979	91.9	92.6	92.6
	2 Occasionally	419	5.5	5.6	98.2
	3 Sometimes	115	1.5	1.5	99.7
	4 Most of the time	14	.2	.2	99.9
	5 All of the time	6	.1	.1	100.0
	Total	7533	99.2	100.0	
Missing	-1 No response	63	.8		
Total		7596	100.0		

r3006 C1g: Frequency there is a delay before respondent can urinate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	5905	77.7	78.6	78.6
	2 Occasionally	1330	17.5	17.7	96.4
	3 Sometimes	223	2.9	3.0	99.3
	4 Most times	42	.6	.6	99.9
	5 Every time	9	.1	.1	100.0
	Total	7509	98.9	100.0	
Missing	-1 No response	87	1.1		
Total		7596	100.0		

r3007 C1h: Frequency respondent has to strain to urinate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	7212	94.9	95.8	95.8
	2 Occasionally	244	3.2	3.2	99.0
	3 Sometimes	63	.8	.8	99.9
	4 Most times	9	.1	.1	100.0
	Total	7528	99.1	100.0	
Missing	-1 No response	68	.9		
Total		7596	100.0		

R File – Section C

r3008 C1i: Frequency respondent stops & starts more than once while urinating without meaning to

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6598	86.9	87.7	87.7
	2 Occasionally	736	9.7	9.8	97.4
	3 Sometimes	156	2.1	2.1	99.5
	4 Most times	31	.4	.4	99.9
	5 Every time	6	.1	.1	100.0
	Total	7527	99.1	100.0	
Missing	-1 No response	69	.9		
Total		7596	100.0		

r3009 C1j: Frequency respondent leaks urine while they are asleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	7388	97.3	98.0	98.0
	2 Occasionally	122	1.6	1.6	99.7
	3 Sometimes	20	.3	.3	99.9
	4 Most times	4	.1	.1	100.0
	5 All of the time	2	.0	.0	100.0
	Total	7536	99.2	100.0	
Missing	-1 No response	60	.8		
Total		7596	100.0		

r3010 C1k: Respondent has ever blocked up completely & had to use a catheter to drain the bladder

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	7271	95.7	96.5	96.5
	2 Yes, once	217	2.9	2.9	99.4
	3 Yes, twice	26	.3	.3	99.7
	4 Yes, more than twice	20	.3	.3	100.0
	Total	7534	99.2	100.0	
Missing	-1 No response	62	.8		
Total		7596	100.0		

r3011 C1l: Frequency respondent has a burning feeling when they urinate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4433	58.4	58.9	58.9
	2 Occasionally/once	2467	32.5	32.8	91.7
	3 Sometimes	619	8.1	8.2	99.9
	4 Most times	8	.1	.1	100.0
	Total	7527	99.1	100.0	
Missing	-1 No response	69	.9		
Total		7596	100.0		

R File – Section C

r3012 C1m: Frequency respondent feels bladder has not emptied properly after urination

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4909	64.6	65.2	65.2
	2 Occasionally	1963	25.8	26.1	91.2
	3 Sometimes	523	6.9	6.9	98.2
	4 Most of the time	101	1.3	1.3	99.5
	5 All of the time	37	.5	.5	100.0
	Total	7533	99.2	100.0	
Missing	-1 No response	63	.8		
Total		7596	100.0		

r3013 C1n: How respondent would feel if they had to spend the rest of their life with urinary symptoms they have now

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No particular symptoms	4142	54.5	56.6	56.6
	2 Perfectly happy	867	11.4	11.8	68.4
	3 Pleased	208	2.7	2.8	71.2
	4 Mostly satisfied	780	10.3	10.7	81.9
	5 Mixed feelings	736	9.7	10.1	91.9
	6 Mostly dissatisfied	306	4.0	4.2	96.1
	7 Very unhappy	239	3.1	3.3	99.4
	8 Desperate	45	.6	.6	100.0
	Total	7323	96.4	100.0	
Missing	-1 No response	273	3.6		
Total		7596	100.0		

PAGE 23 OF THE QUESTIONNAIRE

SECTION D: ACCIDENTS AND INJURIES

D1. Have you had any accidents of the following types in the last four years (since your study child's 7th birthday)? [If you had more than 1 of the same type of accident, answer for the most serious]

	Yes & stayed in hospital	Yes & saw a doctor	Yes, but did not see a doctor	No, never happened
a) Road traffic accident	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) Playing sport or games	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) At your place of work	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) Inside your home	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) Outside your home (e.g. in garden)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) At another building	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) During a fight or argument	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
h) You were attacked	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
i) Other type of accident (please tick & describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

.....

D2. Have you had any of the following injuries in the last four years (since your study child's 7th birthday)?

	Yes & stayed in hospital	Yes & saw a doctor	Yes, but did not see a doctor	No, never happened
You were:				
a) burnt	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) scalded	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) badly cut	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) stabbed	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) shot	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) nearly drowned	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 24 OF THE QUESTIONNAIRE

D2.

You had a:		Yes & stayed in hospital	Yes & saw a doctor	Yes, but did not see a doctor	No, never happened
g)	dislocated hip, shoulder, knee, etc.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
h)	broken arm or hand	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
i)	broken leg or foot	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
j)	sexual assault	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
k)	overdose of pills or medicine	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
l)	overdose of something else (please tick & describe)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
.....					
m)	concussion	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
n)	other injury (please tick & describe)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

.....

If 'no' to all of these, go to E1 on page 26

D3. What physical problems did you have as a result of any of these accidents or injuries?
(please tick all that apply)

Results of accident:		Yes & still present	Yes but no longer present	No did not happen
a)	pain	<div>1</div>	<div>2</div>	<div>3</div>
b)	reduction in movement	<div>1</div>	<div>2</div>	<div>3</div>
c)	a facial scar or defect	<div>1</div>	<div>2</div>	<div>3</div>
d)	less able to see or hear	<div>1</div>	<div>2</div>	<div>3</div>
e)	inability to work	<div>1</div>	<div>2</div>	<div>3</div>
f)	other physical result (please tick & describe)	<div>1</div>	<div>2</div>	<div>3</div>

.....

PAGE 25 OF THE QUESTIONNAIRE

D4. What emotional problems did you have as a result of any of these accidents or injuries?
(please tick all that apply)

Results of accident:	Yes & still present	Yes but no longer present	No did not happen
a) loss of self confidence	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b) feeling of depression	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c) very tense	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d) unable to sleep well	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e) loss of appetite	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
f) something else (please tick & describe)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

.....

D5. What other consequences of any of these accidents or injuries were there?

Results of accident:	Yes & still present	Yes but no longer present	No did not happen
a) cost money	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b) lost job	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c) less earnings	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d) problems at work	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e) problems with partner or the family	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
f) problems with friends	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
g) other problem (please tick & describe)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

.....

R File – Section D

r3500 D1a: Respondent has had a road traffic accident in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	27	.4	.4	.4
	2 Yes & saw doctor	266	3.5	3.5	3.9
	3 Yes, but did not see doctor	444	5.8	5.9	9.7
	4 No, never happened	6823	89.8	90.3	100.0
	Total	7560	99.5	100.0	
Missing	-1 No response	36	.5		
Total		7596	100.0		

r3501 D1b: Respondent has had a sporting accident in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	27	.4	.4	.4
	2 Yes & saw doctor	236	3.1	3.1	3.5
	3 Yes, but did not see doctor	214	2.8	2.8	6.3
	4 No, never happened	7051	92.8	93.7	100.0
	Total	7528	99.1	100.0	
Missing	-1 No response	68	.9		
Total		7596	100.0		

r3502 D1c: Respondent has had an accident at work in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	7	.1	.1	.1
	2 Yes & saw doctor	169	2.2	2.2	2.3
	3 Yes, but did not see doctor	174	2.3	2.3	4.7
	4 No, never happened	7176	94.5	95.3	100.0
	Total	7526	99.1	100.0	
Missing	-1 No response	70	.9		
Total		7596	100.0		

r3503 D1d: Respondent has had an accident in the home in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	19	.3	.3	.3
	2 Yes & saw doctor	296	3.9	3.9	4.2
	3 Yes, but did not see doctor	486	6.4	6.5	10.7
	4 No, never happened	6707	88.3	89.3	100.0
	Total	7508	98.8	100.0	
Missing	-1 No response	88	1.2		
Total		7596	100.0		

r3504 D1e: Respondent has had an accident outside the home in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	18	.2	.2	.2
	2 Yes & saw doctor	205	2.7	2.7	3.0
	3 Yes, but did not see doctor	275	3.6	3.7	6.6
	4 No, never happened	7024	92.5	93.4	100.0
	Total	7522	99.0	100.0	
Missing	-1 No response	74	1.0		
Total		7596	100.0		

R File – Section D

r3505 D1f: Respondent has had an accident at another building in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	9	.1	.1	.1
	2 Yes & saw doctor	75	1.0	1.0	1.1
	3 Yes, but did not see doctor	46	.6	.6	1.7
	4 No, never happened	7386	97.2	98.3	100.0
	Total	7516	98.9	100.0	
Missing	-1 No response	80	1.1		
Total		7596	100.0		

r3506 D1g: Respondent has had an accident during a fight/argument in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	6	.1	.1	.1
	2 Yes & saw doctor	32	.4	.4	.5
	3 Yes, but did not see doctor	59	.8	.8	1.3
	4 No, never happened	7431	97.8	98.7	100.0
	Total	7528	99.1	100.0	
Missing	-1 No response	68	.9		
Total		7596	100.0		

r3507 D1h: Respondent has been attacked in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	11	.1	.1	.1
	2 Yes & saw doctor	51	.7	.7	.8
	3 Yes, but did not see doctor	52	.7	.7	1.5
	4 No, never happened	7411	97.6	98.5	100.0
	Total	7525	99.1	100.0	
Missing	-1 No response	71	.9		
Total		7596	100.0		

r3508 D1i: Respondent has had other type of accident in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	19	.3	.3	.3
	1 Yes & stayed in hospital	9	.1	.1	.4
	2 Yes & saw doctor	72	.9	1.1	1.6
	3 Yes, but did not see doctor	31	.4	.5	2.1
	4 No, never happened	6237	82.1	97.9	100.0
	Total	6368	83.8	100.0	
Missing	-1 No response	1228	16.2		
Total		7596	100.0		

R File – Section D

r3520 D2a: Respondent has been burnt in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	2	.0	.0	.0
	2 Yes & saw doctor	42	.6	.6	.6
	3 Yes, but did not see doctor	1048	13.8	13.9	14.5
	4 No, never happened	6453	85.0	85.5	100.0
	Total	7545	99.3	100.0	
Missing	-1 No response	51	.7		
Total		7596	100.0		

r3521 D2b: Respondent has been scalded in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes & saw doctor	28	.4	.4	.4
	3 Yes, but did not see doctor	583	7.7	7.7	8.1
	4 No, never happened	6941	91.4	91.9	100.0
	Total	7552	99.4	100.0	
Missing	-1 No response	44	.6		
Total		7596	100.0		

r3522 D2c: Respondent has been badly cut in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	10	.1	.1	.1
	2 Yes & saw doctor	167	2.2	2.2	2.3
	3 Yes, but did not see doctor	199	2.6	2.6	5.0
	4 No, never happened	7178	94.5	95.0	100.0
	Total	7554	99.4	100.0	
Missing	-1 No response	42	.6		
Total		7596	100.0		

r3523 D2d: Respondent has been stabbed in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	2	.0	.0	.0
	2 Yes & saw doctor	4	.1	.1	.1
	3 Yes, but did not see doctor	4	.1	.1	.1
	4 No, never happened	7542	99.3	99.9	100.0
	Total	7552	99.4	100.0	
Missing	-1 No response	44	.6		
Total		7596	100.0		

r3524 D2e: Respondent has been shot in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4 No, never happened	7553	99.4	100.0	100.0
Missing	-1 No response	43	.6		
Total		7596	100.0		

R File – Section D

r3525 D2f: Respondent has nearly drowned in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 Yes, but did not see doctor	5	.1	.1	.1
	4 No, never happened	7544	99.3	99.9	100.0
	Total	7549	99.4	100.0	
Missing	-1 No response	47	.6		
Total		7596	100.0		

r3526 D2g: Respondent has dislocated a joint in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	12	.2	.2	.2
	2 Yes & saw doctor	72	.9	1.0	1.1
	3 Yes, but did not see doctor	19	.3	.3	1.4
	4 No, never happened	7435	97.9	98.6	100.0
	Total	7538	99.2	100.0	
Missing	-1 No response	58	.8		
Total		7596	100.0		

r3527 D2h: Respondent has broken arm/hand in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	19	.3	.3	.3
	2 Yes & saw doctor	99	1.3	1.3	1.6
	3 Yes, but did not see doctor	5	.1	.1	1.6
	4 No, never happened	7414	97.6	98.4	100.0
	Total	7537	99.2	100.0	
Missing	-1 No response	59	.8		
Total		7596	100.0		

r3528 D2i: Respondent has broken leg/foot in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	25	.3	.3	.3
	2 Yes & saw doctor	148	1.9	2.0	2.3
	3 Yes, but did not see doctor	4	.1	.1	2.3
	4 No, never happened	7361	96.9	97.7	100.0
	Total	7538	99.2	100.0	
Missing	-1 No response	58	.8		
Total		7596	100.0		

r3529 D2j: Respondent has been sexually assaulted in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes & saw doctor	10	.1	.1	.1
	3 Yes, but did not see doctor	19	.3	.3	.4
	4 No, never happened	7502	98.8	99.6	100.0
	Total	7531	99.1	100.0	
Missing	-1 No response	65	.9		
Total		7596	100.0		

R File – Section D

r3530 D2k: Respondent has had an overdose of pills/medicine in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	19	.3	.3	.3
	2 Yes & saw doctor	20	.3	.3	.5
	3 Yes, but did not see doctor	8	.1	.1	.6
	4 No, never happened	7486	98.6	99.4	100.0
	Total	7533	99.2	100.0	
Missing	-1 No response	63	.8		
Total		7596	100.0		

r3531 D2l: Respondent has had other overdose in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes & saw doctor	3	.0	.0	.0
	3 Yes, but did not see doctor	2	.0	.0	.1
	4 No, never happened	7291	96.0	99.9	100.0
	Total	7296	96.1	100.0	
Missing	-1 No response	300	3.9		
Total		7596	100.0		

r3533 D2m: Respondent has had concussion in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & stayed in hospital	12	.2	.2	.2
	2 Yes & saw doctor	46	.6	.6	.8
	3 Yes, but did not see doctor	24	.3	.3	1.1
	4 No, never happened	7397	97.4	98.9	100.0
	Total	7479	98.5	100.0	
Missing	-1 No response	117	1.5		
Total		7596	100.0		

r3534 D2n: Respondent has had other injury in last four years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	45	.6	.6	.6
	1 Yes & stayed in hospital	55	.7	.8	1.4
	2 Yes & saw doctor	392	5.2	5.6	7.0
	3 Yes, but did not see doctor	129	1.7	1.8	8.8
	4 No, never happened	6415	84.5	91.2	100.0
	Total	7036	92.6	100.0	
Missing	-1 No response	560	7.4		
Total		7596	100.0		

R File – Section D

r3540 D3a: Respondent has had pain as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	409	5.4	20.9	20.9
	2 Yes but no longer present	1173	15.4	60.0	81.0
	3 No, did not happen	372	4.9	19.0	100.0
	Total	1954	25.7	100.0	
Missing	-1 No response	5642	74.3		
Total		7596	100.0		

r3541 D3b: Respondent has had a reduction in movement as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	292	3.8	15.3	15.3
	2 Yes but no longer present	779	10.3	40.9	56.2
	3 No, did not happen	835	11.0	43.8	100.0
	Total	1906	25.1	100.0	
Missing	-1 No response	5690	74.9		
Total		7596	100.0		

r3542 D3c: Respondent has had a facial scar or defect as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	58	.8	3.1	3.1
	2 Yes but no longer present	32	.4	1.7	4.8
	3 No, did not happen	1771	23.3	95.2	100.0
	Total	1861	24.5	100.0	
Missing	-1 No response	5735	75.5		
Total		7596	100.0		

r3543 D3d: Respondent has been less able to see/hear as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	5	.1	.3	.3
	2 Yes but no longer present	14	.2	.8	1.0
	3 No, did not happen	1839	24.2	99.0	100.0
	Total	1858	24.5	100.0	
Missing	-1 No response	5738	75.5		
Total		7596	100.0		

R File – Section D

r3544 D3e: Respondent has had inability to work as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	45	.6	2.4	2.4
	2 Yes but no longer present	370	4.9	19.8	22.2
	3 No, did not happen	1456	19.2	77.8	100.0
	Total	1871	24.6	100.0	
Missing	-1 No response	5725	75.4		
Total		7596	100.0		

r3545 D3f: Respondent has another physical result as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	28	.4	1.7	1.7
	1 Yes & still present	109	1.4	6.5	8.2
	2 Yes but no longer present	71	.9	4.2	12.4
	3 No, did not happen	1468	19.3	87.6	100.0
	Total	1676	22.1	100.0	
Missing	-1 No response	5920	77.9		
Total		7596	100.0		

R File – Section D

r3550 D4a: Respondent has had a loss of self confidence as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	116	1.5	6.1	6.1
	2 Yes but no longer present	233	3.1	12.3	18.4
	3 No, did not happen	1544	20.3	81.6	100.0
	Total	1893	24.9	100.0	
Missing	-1 No response	5703	75.1		
Total		7596	100.0		

r3551 D4b: Respondent has had a feeling of depression as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	98	1.3	5.2	5.2
	2 Yes but no longer present	272	3.6	14.4	19.5
	3 No, did not happen	1525	20.1	80.5	100.0
	Total	1895	24.9	100.0	
Missing	-1 No response	5701	75.1		
Total		7596	100.0		

r3552 D4c: Respondent has felt very tense as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	90	1.2	4.8	4.8
	2 Yes but no longer present	281	3.7	14.9	19.6
	3 No, did not happen	1519	20.0	80.4	100.0
	Total	1890	24.9	100.0	
Missing	-1 No response	5706	75.1		
Total		7596	100.0		

r3553 D4d: Respondent has been unable to sleep well as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	133	1.8	7.0	7.0
	2 Yes but no longer present	483	6.4	25.4	32.4
	3 No, did not happen	1285	16.9	67.6	100.0
	Total	1901	25.0	100.0	
Missing	-1 No response	5695	75.0		
Total		7596	100.0		

R File – Section D

r3554 D4e: Respondent has had a loss of appetite as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	25	.3	1.3	1.3
	2 Yes but no longer present	153	2.0	8.1	9.5
	3 No, did not happen	1705	22.4	90.5	100.0
	Total	1883	24.8	100.0	
Missing	-1 No response	5713	75.2		
Total		7596	100.0		

r3555 D4f: Respondent has had another emotional problem as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	8	.1	.5	.5
	1 Yes & still present	37	.5	2.4	2.9
	2 Yes but no longer present	41	.5	2.6	5.5
	3 No, did not happen	1477	19.4	94.5	100.0
	Total	1563	20.6	100.0	
Missing	-1 No response	6033	79.4		
Total		7596	100.0		

R File – Section D

r3560 D5a: Respondent's accident/injury has cost them money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	68	.9	3.6	3.6
	2 Yes but no longer present	232	3.1	12.3	16.0
	3 No, did not happen	1580	20.8	84.0	100.0
	Total	1880	24.7	100.0	
Missing	-1 No response	5716	75.3		
Total		7596	100.0		

r3561 D5b: Respondent lost their job as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	21	.3	1.1	1.1
	2 Yes but no longer present	14	.2	.7	1.9
	3 No, did not happen	1844	24.3	98.1	100.0
	Total	1879	24.7	100.0	
Missing	-1 No response	5717	75.3		
Total		7596	100.0		

r3562 D5c: Respondent has less earnings as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	48	.6	2.5	2.5
	2 Yes but no longer present	172	2.3	9.1	11.7
	3 No, did not happen	1666	21.9	88.3	100.0
	Total	1886	24.8	100.0	
Missing	-1 No response	5710	75.2		
Total		7596	100.0		

r3563 D5d: Respondent has had problems at work as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	41	.5	2.2	2.2
	2 Yes but no longer present	141	1.9	7.5	9.7
	3 No, did not happen	1698	22.4	90.3	100.0
	Total	1880	24.7	100.0	
Missing	-1 No response	5716	75.3		
Total		7596	100.0		

r3564 D5e: Respondent has had problems with partner/family as a result of their accident/injury

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & still present	59	.8	3.1	3.1
	2 Yes but no longer present	125	1.6	6.6	9.8
	3 No, did not happen	1701	22.4	90.2	100.0
	Total	1885	24.8	100.0	
Missing	-1 No response	5711	75.2		
Total		7596	100.0		

R File – Section D

r3565 D5f: Respondent has had problems with friends as a result of their accident/injury

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes & still present	19	.3	1.0	1.0
2 Yes but no longer present	31	.4	1.6	2.7
3 No, did not happen	1829	24.1	97.3	100.0
Total	1879	24.7	100.0	
Missing -1 No response	5717	75.3		
Total	7596	100.0		

r3566 D5g: Respondent has had another consequence as a result of their accident/injury

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Relevant text but no box ticked	15	.2	.9	.9
1 Yes & still present	33	.4	2.0	2.9
2 Yes but no longer present	34	.4	2.0	4.9
3 No, did not happen	1582	20.8	95.1	100.0
Total	1664	21.9	100.0	
Missing -1 No response	5932	78.1		
Total	7596	100.0		

PAGE 26 OF THE QUESTIONNAIRE

SECTION E: YOUR FEELINGS

The questions in this section ask you about your feelings and the way you behave. You have answered these questions in other questionnaires, but you might be feeling differently now.

Please indicate the way you feel:

	Nowadays	Very often	Often	Not very often	Never
E1.	Do you feel upset for no obvious reason?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
E2.	Have you felt as though you might faint?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
E3.	Do you feel uneasy and restless?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
E4.	Do you sometimes feel panicky?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
E5.	Do you worry a lot?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
E6.	Do you feel strung-up inside?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
E7.	Do you ever have the feeling you are going to pieces?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
E8.	Do you have bad dreams which upset you when you wake up?	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

Your feelings in the past week.

E9. I have been able to laugh and see the funny side of things:

As much as I always could	<div>1</div>
Not quite so much now	<div>2</div>
Definitely not so much now	<div>3</div>
Not at all	<div>4</div>

PAGE 27 OF THE QUESTIONNAIRE

In the past week:

E10. I have looked forward with enjoyment to things:

As much as I ever did	<div>1</div>
Rather less than I used to	<div>2</div>
Definitely less than I used to	<div>3</div>
Hardly at all	<div>4</div>

E11. I have blamed myself unnecessarily when things went wrong:

Yes, most of the time	<div>1</div>
Yes, some of the time	<div>2</div>
Not very often	<div>3</div>
Never	<div>4</div>

E12. I have been anxious or worried for no good reason:

No, not at all	<div>1</div>
Hardly ever	<div>2</div>
Yes, sometimes	<div>3</div>
Yes, often	<div>4</div>

E13. I have felt scared or panicky for no good reason:

Yes, quite a lot	<div>1</div>
Yes, sometimes	<div>2</div>
No, not much	<div>3</div>
No, not at all	<div>4</div>

PAGE 28 OF THE QUESTIONNAIRE

In the past week:

E14. Things have been getting on top of me:

Yes, most of the time I haven't been able to cope

Yes, sometimes I haven't been coping as well as usual

No, most of the time I have coped quite well

No, I have been coping as well as ever

E15. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time

Yes, sometimes

Not very often

No, not at all

E16. I have felt sad or miserable:

Yes, most of the time

Yes, sometimes

Not very often

No, not at all

E17. I have been so unhappy that I have been crying:

Yes, most of the time

Yes, quite often

Only occasionally

Never

PAGE 29 OF THE QUESTIONNAIRE

In the past week:

E18. The thought of harming myself has occurred to me:

Yes, quite often	<div>1</div>
Sometimes	<div>2</div>
Hardly ever	<div>3</div>
Never	<div>4</div>

E19. On the whole are there more good days than bad?

Yes, more good days	<div>1</div>
About half and half	<div>2</div>
No, more bad days	<div>3</div>

R File – Section E

r4000 E1: Frequency respondent feels upset for no obvious reason nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Often	109	1.4	1.4	1.4
	2 Often	527	6.9	7.0	8.4
	3 Not very often	3900	51.3	51.8	60.2
	4 Never	2997	39.5	39.8	100.0
	Total	7533	99.2	100.0	
Missing	-1 No response	63	.8		
Total		7596	100.0		

r4001 E2: Frequency respondent feels faint nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Often	20	.3	.3	.3
	2 Often	132	1.7	1.8	2.0
	3 Not very often	1796	23.6	23.8	25.9
	4 Never	5586	73.5	74.1	100.0
	Total	7534	99.2	100.0	
Missing	-1 No response	62	.8		
Total		7596	100.0		

r4002 E3: Frequency respondent feels uneasy and restless nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Often	103	1.4	1.4	1.4
	2 Often	669	8.8	8.9	10.2
	3 Not very often	3089	40.7	41.0	51.2
	4 Never	3674	48.4	48.8	100.0
	Total	7535	99.2	100.0	
Missing	-1 No response	61	.8		
Total		7596	100.0		

r4003 E4: Frequency respondent sometimes feels panicky nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Often	105	1.4	1.4	1.4
	2 Often	482	6.3	6.4	7.8
	3 Not very often	2407	31.7	31.9	39.7
	4 Never	4541	59.8	60.3	100.0
	Total	7535	99.2	100.0	
Missing	-1 No response	61	.8		
Total		7596	100.0		

R File – Section E

r4004 E5: Frequency respondent worries a lot nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Often	457	6.0	6.1	6.1
	2 Often	1831	24.1	24.3	30.3
	3 Not very often	3774	49.7	50.0	80.4
	4 Never	1482	19.5	19.6	100.0
	Total	7544	99.3	100.0	
Missing	-1 No response	52	.7		
Total		7596	100.0		

r4005 E6: Frequency respondent feels strung-up inside nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Often	286	3.8	3.8	3.8
	2 Often	1275	16.8	16.9	20.7
	3 Not very often	3369	44.4	44.7	65.3
	4 Never	2614	34.4	34.7	100.0
	Total	7544	99.3	100.0	
Missing	-1 No response	52	.7		
Total		7596	100.0		

r4006 E7: Frequency respondent ever feels they are going to pieces nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Often	167	2.2	2.2	2.2
	2 Often	541	7.1	7.2	9.4
	3 Not very often	2221	29.2	29.5	38.9
	4 Never	4608	60.7	61.1	100.0
	Total	7537	99.2	100.0	
Missing	-1 No response	59	.8		
Total		7596	100.0		

r4007 E8: Frequency respondent has bad dreams which upset them on waking nowadays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very Often	109	1.4	1.4	1.4
	2 Often	348	4.6	4.6	6.1
	3 Not very often	2653	34.9	35.2	41.3
	4 Never	4429	58.3	58.7	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

R File – Section E

r4010 E9: Frequency respondent has been able to laugh & see the funny side of things in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as I always could	5637	74.2	74.7	74.7
	2 Not quite so much now	1475	19.4	19.6	94.3
	3 Definitely not so much now	369	4.9	4.9	99.2
	4 Not at all	61	.8	.8	100.0
	Total	7542	99.3	100.0	
Missing	-1 No response	54	.7		
Total		7596	100.0		

r4011 E10: Frequency respondent has looked forward to things with enjoyment in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as I ever did	5720	75.3	75.8	75.8
	2 Rather less than I used to	1436	18.9	19.0	94.8
	3 Definitely less than I used to	326	4.3	4.3	99.1
	4 Hardly at all	66	.9	.9	100.0
	Total	7548	99.4	100.0	
Missing	-1 No response	48	.6		
Total		7596	100.0		

r4012 E11: Frequency respondent has blamed them self unnecessarily when things went wrong in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	446	5.9	5.9	5.9
	2 Yes, some of the time	2174	28.6	28.8	34.7
	3 Not very often	2694	35.5	35.7	70.4
	4 Never	2236	29.4	29.6	100.0
	Total	7550	99.4	100.0	
Missing	-1 No response	46	.6		
Total		7596	100.0		

r4013 E12: Frequency respondent has been anxious/worried for no good reason in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	3404	44.8	45.1	45.1
	2 Hardly ever	1791	23.6	23.7	68.9
	3 Yes, sometimes	2119	27.9	28.1	97.0
	4 Yes, often	230	3.0	3.0	100.0
	Total	7544	99.3	100.0	
Missing	-1 No response	52	.7		
Total		7596	100.0		

R File – Section E

r4014 E13: Frequency respondent has felt scared/panicky for no good reason in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite a lot	249	3.3	3.3	3.3
	2 Yes, sometimes	1143	15.0	15.2	18.5
	3 No, not much	1496	19.7	19.8	38.3
	4 No, not at all	4652	61.2	61.7	100.0
	Total	7540	99.3	100.0	
Missing	-1 No response	56	.7		
Total		7596	100.0		

r4015 E14: Frequency respondent has felt things are getting on top of them in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time I haven't been able to cope	113	1.5	1.5	1.5
	2 Yes, sometimes I haven't been coping as well as usual	1343	17.7	17.9	19.4
	3 No, most of the time I have coped quite well	2657	35.0	35.5	54.9
	4 No, I have been coping as well as ever	3373	44.4	45.1	100.0
	Total	7486	98.6	100.0	
Missing	-1 No response	110	1.4		
Total		7596	100.0		

r4016 E15: Frequency respondent has been so unhappy they had difficulty sleeping in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	154	2.0	2.1	2.1
	2 Yes, sometimes	861	11.3	11.5	13.6
	3 Not very often	1402	18.5	18.7	32.3
	4 No, not at all	5070	66.7	67.7	100.0
	Total	7487	98.6	100.0	
Missing	-1 No response	109	1.4		
Total		7596	100.0		

r4017 E16: Frequency respondent has felt sad or miserable in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	207	2.7	2.8	2.8
	2 Yes, sometimes	1709	22.5	22.8	25.6
	3 Not very often	2271	29.9	30.3	55.9
	4 No, not at all	3299	43.4	44.1	100.0
	Total	7486	98.6	100.0	
Missing	-1 No response	110	1.4		
Total		7596	100.0		

R File – Section E

r4018 E17: Frequency respondent has been so unhappy they've cried in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	74	1.0	1.0	1.0
	2 Yes, quite often	399	5.3	5.3	6.3
	3 Only occasionally	2227	29.3	29.8	36.1
	4 Never	4785	63.0	63.9	100.0
	Total	7485	98.5	100.0	
Missing	-1 No response	111	1.5		
Total		7596	100.0		

r4019 E18: Frequency respondent has thought of harming them self occurred in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite often	23	.3	.3	.3
	2 Sometimes	115	1.5	1.5	1.8
	3 Hardly ever	328	4.3	4.4	6.2
	4 Never	7024	92.5	93.8	100.0
	Total	7490	98.6	100.0	
Missing	-1 No response	106	1.4		
Total		7596	100.0		

r4130 E19: Frequency respondent feels on the whole there are more good days than bad days in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, more good days	6392	84.1	85.4	85.4
	2 About half & half	881	11.6	11.8	97.2
	3 No, more bad days	213	2.8	2.8	100.0
	Total	7486	98.6	100.0	
Missing	-1 No response	110	1.4		
Total		7596	100.0		

PAGE 30 OF THE QUESTIONNAIRE

SECTION F: RECENT EVENTS

Listed below are a number of events which may have brought changes in your life. Have any of these occurred since your study child's 9th birthday?

Since the child's 9 th birthday:		Yes, when the study child was 9 or 10 ↓	Yes, since the child's 11 th birthday ↓	No, did not happen in this period ↓
F1.	Your husband/partner died	<div>1</div>	<div>2</div>	<div>4</div>
F2.	One of your children died	<div>1</div>	<div>2</div>	<div>4</div>
F3.	A friend or relative died	<div>1</div>	<div>2</div>	<div>4</div>
F4.	One of your children was ill	<div>1</div>	<div>2</div>	<div>4</div>
F5.	Your husband or partner was ill	<div>1</div>	<div>2</div>	<div>4</div>
F6.	A friend or relative was ill	<div>1</div>	<div>2</div>	<div>4</div>
F7.	You were admitted to hospital	<div>1</div>	<div>2</div>	<div>4</div>
F8.	You were in trouble with the law	<div>1</div>	<div>2</div>	<div>4</div>
F9.	You were divorced	<div>1</div>	<div>2</div>	<div>4</div>
F10.	You found that your husband/partner didn't want your child	<div>1</div>	<div>2</div>	<div>4</div>
F11.	You were very ill	<div>1</div>	<div>2</div>	<div>4</div>
F12.	Your husband/partner lost his job	<div>1</div>	<div>2</div>	<div>4</div>

PAGE 31 OF THE QUESTIONNAIRE

		Yes, when the study child was 9 or 10 ↓	Yes, since the child's 11 th birthday ↓	No, did not happen in this period ↓
Since the child's 9 th birthday:				
F13. Your husband/partner had problems at work	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F14. You had problems at work	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F15. You lost your job	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F16. Your husband/partner went away	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F17. Your husband/partner was in trouble with the law	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F18. You and your husband/ partner separated	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F19. Your income was reduced	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F20. You argued with your husband/partner	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F21. You argued with your family and friends	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F22. You moved house	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F23. Your husband/partner was physically cruel to you	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F24. You became homeless	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F25. You had a major financial problem	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	
F26. You got married	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="4"/>	

PAGE 32 OF THE QUESTIONNAIRE

Since the child's 9th birthday:		Yes, when the study child was 9 or 10 ↓	Yes, since the child's 11th birthday ↓	No, did not happen in this period ↓
F27.	Your husband/partner was physically cruel to your children	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F28.	You were physically cruel to your children	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F29.	You attempted suicide	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F30.	You were convicted of an offence	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F31.	You became pregnant	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F32.	You started a new job	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F33.	You returned to work	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F34.	You had a miscarriage	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F35.	You had an abortion	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F36.	You took an examination	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F37.	Your husband/partner was emotionally cruel to you	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F38.	Your husband/partner was emotionally cruel to your children	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>
F39.	You were emotionally cruel to your children	1 <input type="text"/>	2 <input type="text"/>	4 <input type="text"/>

PAGE 33 OF THE QUESTIONNAIRE

		Yes, when the study child was 9 or 10 ↓	Yes, since the child's 11 th birthday ↓	No, did not happen in this period
Since the child's 9th birthday:				
F40.	Your house or car was burgled	<div>1</div>	<div>2</div>	<div>4</div>
F41.	You found a new partner	<div>1</div>	<div>2</div>	<div>4</div>
F42.	One of your children started school	<div>1</div>	<div>2</div>	<div>4</div>
F43.	Your husband/partner started a new job	<div>1</div>	<div>2</div>	<div>4</div>
F44.	A pet died	<div>1</div>	<div>2</div>	<div>4</div>
F45.	You had an accident (please tick and describe)	<div>1</div>	<div>2</div>	<div>4</div>

.....

F46. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope since the study child's 9th birthday?

Yes

1

 No

2

 → **Go to F47a on page 34**

If **yes**,

please describe for each event:

		(i) When the study child was 9 or 10	(ii) Since the child's 11 th birthday
what happened:			
b)	<div>1</div>	<div>1</div>
c)	<div>1</div>	<div>1</div>
d)	<div>1</div>	<div>1</div>

PAGE 34 OF THE QUESTIONNAIRE

F47. a) Has anything else occurred which made you especially happy?

Yes No → **Go to Section G on page 35**

If yes,

please describe for each event:

	(i) When the study child was 9 or 10	(ii) Since the child's 11 th birthday
what happened:		
b)	<input type="text" value="1"/>	<input type="text" value="1"/>
c)	<input type="text" value="1"/>	<input type="text" value="1"/>
d)	<input type="text" value="1"/>	<input type="text" value="1"/>

R File – Section F

r5000 F1: Respondent's husband/partner died since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	19	.3	.3	.3
	2 Yes, since child's 11th birthday	3	.0	.0	.3
	4 No, did not happen in this period	7513	98.9	99.7	100.0
	Total	7535	99.2	100.0	
Missing	-1 No response	61	.8		
Total		7596	100.0		

r5001 F2: One of respondent's children has died since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	12	.2	.2	.2
	2 Yes, since child's 11th birthday	2	.0	.0	.2
	4 No, did not happen in this period	7525	99.1	99.8	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

r5002 F3: Respondent's friend/relative has died since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	2031	26.7	26.9	26.9
	2 Yes, since child's 11th birthday	610	8.0	8.1	35.0
	3 Yes, both when the study child was 10/11 & 11+	103	1.4	1.4	36.4
	4 No, did not happen in this period	4795	63.1	63.6	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

r5003 F4: One of respondent's children was been ill since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	600	7.9	8.0	8.0
	2 Yes, since child's 11th birthday	341	4.5	4.5	12.5
	3 Yes, both when the study child was 10/11 & 11+	142	1.9	1.9	14.4
	4 No, did not happen in this period	6429	84.6	85.6	100.0
	Total	7512	98.9	100.0	
Missing	-1 No response	84	1.1		
Total		7596	100.0		

R File – Section F

r5004 F5: Respondent's husband/partner has been ill since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	525	6.9	7.0	7.0
	2 Yes, since child's 11th birthday	239	3.1	3.2	10.2
	3 Yes, both when the study child was 10/11 & 11+	88	1.2	1.2	11.3
	4 No, did not happen in this period	6656	87.6	88.7	100.0
	Total	7508	98.8	100.0	
Missing	-1 No response	88	1.2		
Total		7596	100.0		

r5005 F6: Respondent's friend/relative has been ill since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	1273	16.8	16.9	16.9
	2 Yes, since child's 11th birthday	757	10.0	10.1	27.0
	3 Yes, both when the study child was 10/11 & 11+	220	2.9	2.9	29.9
	4 No, did not happen in this period	5274	69.4	70.1	100.0
	Total	7524	99.1	100.0	
Missing	-1 No response	72	.9		
Total		7596	100.0		

r5006 F7: Respondent has been admitted to hospital since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	779	10.3	10.3	10.3
	2 Yes, since child's 11th birthday	166	2.2	2.2	12.5
	3 Yes, both when the study child was 10/11 & 11+	28	.4	.4	12.9
	4 No, did not happen in this period	6563	86.4	87.1	100.0
	Total	7536	99.2	100.0	
Missing	-1 No response	60	.8		
Total		7596	100.0		

r5007 F8: Respondent has been in trouble with the law since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	13	.2	.2	.2
	2 Yes, since child's 11th birthday	16	.2	.2	.4
	3 Yes, both when the study child was 10/11 & 11+	1	.0	.0	.4
	4 No, did not happen in this period	7509	98.9	99.6	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

R File – Section F

r5008 F9: Respondent has been divorced since child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	219	2.9	2.9	2.9
	2 Yes, since child's 11th birthday	66	.9	.9	3.8
	3 Yes, both when the study child was 10/11 & 11+	1	.0	.0	3.8
	4 No, did not happen in this period	7243	95.4	96.2	100.0
	Total	7529	99.1	100.0	
Missing	-1 No response	67	.9		
Total		7596	100.0		

r5009 F10: Respondent's husband/partner didn't want their child since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	22	.3	.3	.3
	2 Yes, since child's 11th birthday	14	.2	.2	.5
	3 Yes, both when the study child was 10/11 & 11+	2	.0	.0	.5
	4 No, did not happen in this period	7481	98.5	99.5	100.0
	Total	7519	99.0	100.0	
Missing	-1 No response	77	1.0		
Total		7596	100.0		

r5010 F11: Respondent has been very ill since the study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	331	4.4	4.4	4.4
	2 Yes, since child's 11th birthday	126	1.7	1.7	6.1
	3 Yes, both when the study child was 10/11 & 11+	29	.4	.4	6.4
	4 No, did not happen in this period	7050	92.8	93.6	100.0
	Total	7536	99.2	100.0	
Missing	-1 No response	60	.8		
Total		7596	100.0		

r5011 F12: Respondent's husband/partner lost his job since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	368	4.8	4.9	4.9
	2 Yes, since child's 11th birthday	126	1.7	1.7	6.6
	3 Yes, both when the study child was 10/11 & 11+	8	.1	.1	6.7
	4 No, did not happen in this period	7016	92.4	93.3	100.0
	Total	7518	99.0	100.0	
Missing	-1 No response	78	1.0		
Total		7596	100.0		

R File – Section F

r5012 F13: Respondent's husband/partner had problems at work since the study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	649	8.5	8.6	8.6
	2 Yes, since child's 11th birthday	385	5.1	5.1	13.8
	3 Yes, both when the study child was 10/11 & 11+	157	2.1	2.1	15.8
	4 No, did not happen in this period	6328	83.3	84.2	100.0
	Total	7519	99.0	100.0	
Missing	-1 No response	77	1.0		
Total		7596	100.0		

r5013 F14: Respondent had problems at work since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	433	5.7	5.7	5.7
	2 Yes, since child's 11th birthday	379	5.0	5.0	10.8
	3 Yes, both when the study child was 10/11 & 11+	93	1.2	1.2	12.0
	4 No, did not happen in this period	6630	87.3	88.0	100.0
	Total	7535	99.2	100.0	
Missing	-1 No response	61	.8		
Total		7596	100.0		

r5014 F15: Respondent lost their job since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	221	2.9	2.9	2.9
	2 Yes, since child's 11th birthday	103	1.4	1.4	4.3
	3 Yes, both when the study child was 10/11 & 11+	1	.0	.0	4.3
	4 No, did not happen in this period	7212	94.9	95.7	100.0
	Total	7537	99.2	100.0	
Missing	-1 No response	59	.8		
Total		7596	100.0		

r5015 F16: Respondent's husband/partner went away since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	270	3.6	3.6	3.6
	2 Yes, since child's 11th birthday	121	1.6	1.6	5.2
	3 Yes, both when the study child was 10/11 & 11+	78	1.0	1.0	6.3
	4 No, did not happen in this period	7023	92.5	93.7	100.0
	Total	7492	98.6	100.0	
Missing	-1 No response	104	1.4		
Total		7596	100.0		

R File – Section F

r5016 F17: Respondent's husband/partner was in trouble with the law since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	43	.6	.6	.6
	2 Yes, since child's 11th birthday	24	.3	.3	.9
	3 Yes, both when the study child was 10/11 & 11+	5	.1	.1	1.0
	4 No, did not happen in this period	7436	97.9	99.0	100.0
	Total	7508	98.8	100.0	
Missing	-1 No response	88	1.2		
Total		7596	100.0		

r5017 F18: Respondent separated from husband/partner since the study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	364	4.8	4.8	4.8
	2 Yes, since child's 11th birthday	114	1.5	1.5	6.4
	3 Yes, both when the study child was 10/11 & 11+	6	.1	.1	6.4
	4 No, did not happen in this period	7032	92.6	93.6	100.0
	Total	7516	98.9	100.0	
Missing	-1 No response	80	1.1		
Total		7596	100.0		

r5018 F19: Respondent's income was reduced since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	952	12.5	12.6	12.6
	2 Yes, since child's 11th birthday	557	7.3	7.4	20.0
	3 Yes, both when the study child was 10/11 & 11+	76	1.0	1.0	21.0
	4 No, did not happen in this period	5951	78.3	79.0	100.0
	Total	7536	99.2	100.0	
Missing	-1 No response	60	.8		
Total		7596	100.0		

r5019 F20: Respondent argued with their husband/partner since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	776	10.2	10.4	10.4
	2 Yes, since child's 11th birthday	891	11.7	11.9	22.3
	3 Yes, both when the study child was 10/11 & 11+	679	8.9	9.1	31.3
	4 No, did not happen in this period	5146	67.7	68.7	100.0
	Total	7492	98.6	100.0	
Missing	-1 No response	104	1.4		
Total		7596	100.0		

R File – Section F

r5020 F21: Respondent argued with their family/friends since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	329	4.3	4.4	4.4
	2 Yes, since child's 11th birthday	267	3.5	3.6	7.9
	3 Yes, both when the study child was 10/11 & 11+	86	1.1	1.1	9.1
	4 No, did not happen in this period	6838	90.0	90.9	100.0
	Total	7520	99.0	100.0	
Missing	-1 No response	76	1.0		
Total		7596	100.0		

r5021 F22: Respondent moved house since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	1043	13.7	13.8	13.8
	2 Yes, since child's 11th birthday	199	2.6	2.6	16.5
	3 Yes, both when the study child was 10/11 & 11+	34	.4	.5	16.9
	4 No, did not happen in this period	6258	82.4	83.1	100.0
	Total	7534	99.2	100.0	
Missing	-1 No response	62	.8		
Total		7596	100.0		

r5022 F23: Respondent's husband/partner was physically cruel to them since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	122	1.6	1.6	1.6
	2 Yes, since child's 11th birthday	27	.4	.4	2.0
	3 Yes, both when the study child was 10/11 & 11+	19	.3	.3	2.2
	4 No, did not happen in this period	7348	96.7	97.8	100.0
	Total	7516	98.9	100.0	
Missing	-1 No response	80	1.1		
Total		7596	100.0		

r5023 F24: Respondent became homeless since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	30	.4	.4	.4
	2 Yes, since child's 11th birthday	5	.1	.1	.5
	4 No, did not happen in this period	7504	98.8	99.5	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

R File – Section F

r5024 F25: Respondent had a major financial problem since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	239	3.1	3.2	3.2
	2 Yes, since child's 11th birthday	173	2.3	2.3	5.5
	3 Yes, both when the study child was 10/11 & 11+	63	.8	.8	6.3
	4 No, did not happen in this period	7064	93.0	93.7	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

r5025 F26: Respondent got married since the study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	110	1.4	1.5	1.5
	2 Yes, since child's 11th birthday	29	.4	.4	1.8
	4 No, did not happen in this period	7389	97.3	98.2	100.0
	Total	7528	99.1	100.0	
Missing	-1 No response	68	.9		
Total		7596	100.0		

r5026 F27: Respondent's husband/partner was physically cruel to their children since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	30	.4	.4	.4
	2 Yes, since child's 11th birthday	10	.1	.1	.5
	3 Yes, both when the study child was 10/11 & 11+	2	.0	.0	.6
	4 No, did not happen in this period	7452	98.1	99.4	100.0
	Total	7494	98.7	100.0	
Missing	-1 No response	102	1.3		
Total		7596	100.0		

r5027 F28: Respondent was physically cruel to their children since the study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	7	.1	.1	.1
	2 Yes, since child's 11th birthday	3	.0	.0	.1
	3 Yes, both when the study child was 10/11 & 11+	2	.0	.0	.2
	4 No, did not happen in this period	7505	98.8	99.8	100.0
	Total	7517	99.0	100.0	
Missing	-1 No response	79	1.0		
Total		7596	100.0		

R File – Section F

r5028 F29: Respondent attempted suicide since the study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	30	.4	.4	.4
	2 Yes, since child's 11th birthday	5	.1	.1	.5
	3 Yes, both when the study child was 10/11 & 11+	1	.0	.0	.5
	4 No, did not happen in this period	7473	98.4	99.5	100.0
	Total	7509	98.9	100.0	
Missing	-1 No response	87	1.1		
Total		7596	100.0		

r5029 F30: Respondent was convicted of an offence since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	11	.1	.1	.1
	2 Yes, since child's 11th birthday	13	.2	.2	.3
	4 No, did not happen in this period	7491	98.6	99.7	100.0
	Total	7515	98.9	100.0	
Missing	-1 No response	81	1.1		
Total		7596	100.0		

r5030 F31: Respondent became pregnant since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	326	4.3	4.3	4.3
	2 Yes, since child's 11th birthday	37	.5	.5	4.8
	3 Yes, both when the study child was 10/11 & 11+	9	.1	.1	5.0
	4 No, did not happen in this period	7139	94.0	95.0	100.0
	Total	7511	98.9	100.0	
Missing	-1 No response	85	1.1		
Total		7596	100.0		

r5031 F32: Respondent started a new job since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	1458	19.2	19.4	19.4
	2 Yes, since child's 11th birthday	468	6.2	6.2	25.7
	3 Yes, both when the study child was 10/11 & 11+	69	.9	.9	26.6
	4 No, did not happen in this period	5511	72.6	73.4	100.0
	Total	7506	98.8	100.0	
Missing	-1 No response	90	1.2		
Total		7596	100.0		

R File – Section F

r5032 F33: Respondent returned to work since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	558	7.3	7.5	7.5
	2 Yes, since child's 11th birthday	168	2.2	2.2	9.7
	3 Yes, both when the study child was 10/11 & 11+	10	.1	.1	9.8
	4 No, did not happen in this period	6753	88.9	90.2	100.0
	Total	7489	98.6	100.0	
Missing	-1 No response	107	1.4		
Total		7596	100.0		

r5033 F34: Respondent had a miscarriage since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	104	1.4	1.4	1.4
	2 Yes, since child's 11th birthday	11	.1	.1	1.5
	3 Yes, both when the study child was 10/11 & 11+	2	.0	.0	1.6
	4 No, did not happen in this period	7401	97.4	98.4	100.0
	Total	7518	99.0	100.0	
Missing	-1 No response	78	1.0		
Total		7596	100.0		

r5034 F35: Respondent had an abortion since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	71	.9	.9	.9
	2 Yes, since child's 11th birthday	8	.1	.1	1.1
	4 No, did not happen in this period	7434	97.9	98.9	100.0
	Total	7513	98.9	100.0	
Missing	-1 No response	83	1.1		
Total		7596	100.0		

r5035 F36: Respondent has taken an examination since the study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	732	9.6	9.8	9.8
	2 Yes, since child's 11th birthday	273	3.6	3.6	13.4
	3 Yes, both when the study child was 10/11 & 11+	109	1.4	1.5	14.8
	4 No, did not happen in this period	6393	84.2	85.2	100.0
	Total	7507	98.8	100.0	
Missing	-1 No response	89	1.2		
Total		7596	100.0		

R File – Section F

r5036 F37: Respondent's husband/partner was emotionally cruel to them since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	280	3.7	3.7	3.7
	2 Yes, since child's 11th birthday	139	1.8	1.9	5.6
	3 Yes, both when the study child was 10/11 & 11+	115	1.5	1.5	7.1
	4 No, did not happen in this period	6948	91.5	92.9	100.0
	Total	7482	98.5	100.0	
Missing	-1 No response	114	1.5		
Total		7596	100.0		

r5037 F38: Respondent's husband/partner has been emotionally cruel to their children since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	96	1.3	1.3	1.3
	2 Yes, since child's 11th birthday	55	.7	.7	2.0
	3 Yes, both when the study child was 10/11 & 11+	49	.6	.7	2.7
	4 No, did not happen in this period	7286	95.9	97.3	100.0
	Total	7486	98.6	100.0	
Missing	-1 No response	110	1.4		
Total		7596	100.0		

r5038 F39: Respondent has been emotionally cruel to their children since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	34	.4	.5	.5
	2 Yes, since child's 11th birthday	23	.3	.3	.8
	3 Yes, both when the study child was 10/11 & 11+	18	.2	.2	1.0
	4 No, did not happen in this period	7430	97.8	99.0	100.0
	Total	7505	98.8	100.0	
Missing	-1 No response	91	1.2		
Total		7596	100.0		

r5039 F40: Respondent's house/car was burgled since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	629	8.3	8.4	8.4
	2 Yes, since child's 11th birthday	222	2.9	3.0	11.3
	3 Yes, both when the study child was 10/11 & 11+	19	.3	.3	11.6
	4 No, did not happen in this period	6648	87.5	88.4	100.0
	Total	7518	99.0	100.0	
Missing	-1 No response	78	1.0		
Total		7596	100.0		

R File – Section F

r5040 F41: Respondent found a new partner since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	287	3.8	3.8	3.8
	2 Yes, since child's 11th birthday	103	1.4	1.4	5.2
	3 Yes, both when the study child was 10/11 & 11+	5	.1	.1	5.3
	4 No, did not happen in this period	7109	93.6	94.7	100.0
	Total	7504	98.8	100.0	
Missing	-1 No response	92	1.2		
Total		7596	100.0		

r5041 F42: One of respondent's child started school since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	630	8.3	8.4	8.4
	2 Yes, since child's 11th birthday	254	3.3	3.4	11.8
	3 Yes, both when the study child was 10/11 & 11+	26	.3	.3	12.2
	4 No, did not happen in this period	6578	86.6	87.8	100.0
	Total	7488	98.6	100.0	
Missing	-1 No response	108	1.4		
Total		7596	100.0		

r5042 F43: Respondent's husband/partner started a new job since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	764	10.1	10.2	10.2
	2 Yes, since child's 11th birthday	295	3.9	3.9	14.2
	3 Yes, both when the study child was 10/11 & 11+	36	.5	.5	14.7
	4 No, did not happen in this period	6374	83.9	85.3	100.0
	Total	7469	98.3	100.0	
Missing	-1 No response	127	1.7		
Total		7596	100.0		

R File – Section F

r5043 F44: Respondent's pet died since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, when study child was 9 or 10	1765	23.2	23.5	23.5
	2 Yes, since child's 11th birthday	552	7.3	7.4	30.9
	3 Yes, both when the study child was 10/11 & 11+	149	2.0	2.0	32.9
	4 No, did not happen in this period	5039	66.3	67.1	100.0
	Total	7505	98.8	100.0	
Missing	-1 No response	91	1.2		
Total		7596	100.0		

r5044 F45: Respondent had an accident since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	8	.1	.1	.1
	1 Yes, when study child was 9 or 10	443	5.8	6.3	6.4
	2 Yes, since child's 11th birthday	121	1.6	1.7	8.1
	3 Yes, both when the study child was 10/11 & 11+	14	.2	.2	8.3
	4 No, did not happen in this period	6485	85.4	91.7	100.0
	Total	7071	93.1	100.0	
Missing	-1 No response	525	6.9		
Total		7596	100.0		

R File – Section F

r5050 F46a: Respondent felt concerned/required additional effort about anything else since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1090	14.3	16.2	16.2
	2 No	5630	74.1	83.8	100.0
	Total	6720	88.5	100.0	
Missing	-1 No response	876	11.5		
Total		7596	100.0		

r5061 F46b1: Event b happened when the study child was 9 or 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	17	.2	2.1	2.1
	1 Yes	811	10.7	97.9	100.0
	Total	828	10.9	100.0	
Missing	-1 No response	6768	89.1		
Total		7596	100.0		

r5062 F46b2: Event b happened since the child's 11th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	17	.2	4.3	4.3
	1 Yes	379	5.0	95.7	100.0
	Total	396	5.2	100.0	
Missing	-1 No response	7200	94.8		
Total		7596	100.0		

r5071 F46c1: Event c happened when the study child was 9 or 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	8	.1	5.4	5.4
	1 Yes	141	1.9	94.6	100.0
	Total	149	2.0	100.0	
Missing	-1 No response	7447	98.0		
Total		7596	100.0		

r5072 F46c2: Event c happened since the child's 11th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	8	.1	8.2	8.2
	1 Yes	89	1.2	91.8	100.0
	Total	97	1.3	100.0	
Missing	-1 No response	7499	98.7		
Total		7596	100.0		

R File – Section F

r5081 F46d1: Event d happened when the study child was 9 or 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	3	.0	5.1	5.1
	1 Yes	56	.7	94.9	100.0
	Total	59	.8	100.0	
Missing	-1 No response	7537	99.2		
Total		7596	100.0		

r5082 F46d2: Event d happened since the child's 11th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	3	.0	6.3	6.3
	1 Yes	45	.6	93.8	100.0
	Total	48	.6	100.0	
Missing	-1 No response	7548	99.4		
Total		7596	100.0		

R File – Section F

r5100 F47a: Event has occurred which made respondent especially happy since study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1620	21.3	23.1	23.1
	2 No	5402	71.1	76.9	100.0
	Total	7022	92.4	100.0	
Missing	-1 No response	574	7.6		
Total		7596	100.0		

r5111 F47b1: Event b happened when the study child was 9 or 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	30	.4	3.0	3.0
	1 Yes	964	12.7	97.0	100.0
	Total	994	13.1	100.0	
Missing	-1 No response	6602	86.9		
Total		7596	100.0		

r5112 F47b2: Event b happened since the child's 11th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	30	.4	4.2	4.2
	1 Yes	682	9.0	95.8	100.0
	Total	712	9.4	100.0	
Missing	-1 No response	6884	90.6		
Total		7596	100.0		

r5121 F47c1: Event c happened when the study child was 9 or 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	14	.2	5.3	5.3
	1 Yes	250	3.3	94.7	100.0
	Total	264	3.5	100.0	
Missing	-1 No response	7332	96.5		
Total		7596	100.0		

r5122 F47c2: Event c happened since the child's 11th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	14	.2	6.5	6.5
	1 Yes	201	2.6	93.5	100.0
	Total	215	2.8	100.0	
Missing	-1 No response	7381	97.2		
Total		7596	100.0		

R File – Section F

r5131 F47d1: Event d happened when the study child was 9 or 10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	5	.1	5.9	5.9
	1 Yes	80	1.1	94.1	100.0
	Total	85	1.1	100.0	
Missing	-1 No response	7511	98.9		
Total		7596	100.0		

r5132 F47d2: Event d happened since the child's 11th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked in either column	5	.1	5.7	5.7
	1 Yes	82	1.1	94.3	100.0
	Total	87	1.1	100.0	
Missing	-1 No response	7509	98.9		
Total		7596	100.0		

PAGE 35 OF THE QUESTIONNAIRE

SECTION G: ACTIVITIES AND LIFESTYLE

G1. On average, over the **past year**, about how many hours sleep do you get:

a) on work days

--	--

 hours

--	--

 minutes

[Editing: Two reported times of 40h and one each of 30h, 33h & 35h were set to -1.]

b) on weekends (If you normally go out to work at weekends, then answer for your days off)

--	--

 hours

--	--

 minutes

G2. a) Have you ever been a smoker?

Yes

1

 No

2

 → **If no, go to G3 on page 36**

If yes,

b) At what age did you start smoking regularly?

--	--

 years

[Editing: Two reported values of 1 year and one of 0 years were set to -1.]

c) Which of the following have you ever smoked regularly?

	Yes
i) cigarettes	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>
ii) pipe	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>
iii) cigar	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>
iv) other	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>

d) Have you now stopped smoking?

Yes

1

 No

2

 → **If no, go to G2e on page 36**

If yes, how long ago?

--	--

 years

--	--

 months

PAGE 36 OF THE QUESTIONNAIRE

G2. e) Have you smoked regularly in the last 2 weeks?

No 1 Yes, cigarettes 2 Yes, cigars 3 Yes, pipe 4

Yes, other 5 (please describe)

f) How many times per day have you smoked in the last 2 weeks?

30+ <input type="text"/> 30	25-29 <input type="text"/> 25	20-24 <input type="text"/> 20	15-19 <input type="text"/> 15
10-14 <input type="text"/> 10	5-9 <input type="text"/> 05	1-4 <input type="text"/> 01	0 <input type="text"/> 00

g) What brand of cigarette/tobacco do you smoke?

i) brand

ii) type: filtered 1 unfiltered 2 roll-your-own 3
 pipe/cigar 4

[Editing: Individual variables for each category of g(ii) are presented for cases who ticked more than one box.]

G3. a) Does your live-in husband or partner smoke?

Don't have a husband/partner	<input type="text"/> 1	→ If <u>no</u>, or <u>don't have</u> a husband or partner, go to G4 on page 37
No	<input type="text"/> 2	
Yes, cigarettes	<input type="text"/> 3	
Yes, cigars	<input type="text"/> 4	
Yes, pipe	<input type="text"/> 5	
Yes, other (please describe)	<input type="text"/> 6	

If yes,

b) About how many times per day does your husband or partner smoke at the moment?

30+ <input type="text"/> 30	25-29 <input type="text"/> 25	20-24 <input type="text"/> 20	15-19 <input type="text"/> 15
10-14 <input type="text"/> 10	5-9 <input type="text"/> 05	1-4 <input type="text"/> 01	0 <input type="text"/> 00

PAGE 37 OF THE QUESTIONNAIRE

G3. c) What brand and type of cigarette/tobacco does he usually smoke?

i) brand

ii) type:	filtered	<div style="border: 1px solid black; width: 40px; height: 25px; text-align: center; line-height: 25px;">1</div>	unfiltered	<div style="border: 1px solid black; width: 40px; height: 25px; text-align: center; line-height: 25px;">2</div>
	roll-your-own	<div style="border: 1px solid black; width: 40px; height: 25px; text-align: center; line-height: 25px;">3</div>	pipe/cigar	<div style="border: 1px solid black; width: 40px; height: 25px; text-align: center; line-height: 25px;">4</div>

[Editing: Individual variables for each category of c(ii) are presented for cases who ticked more than one box.]

d) At what age did he start smoking? years don't know

99

[Editing: One reported value of 0 years was set to -1.]

G4. a) Apart from yourself and your husband or partner, are there any other members of your household who smoke?

Yes

1

 No

2

b) **If yes**, how many people?

G5. How often during the day are you in a room or enclosed place where people are smoking?

	(i) weekdays	(ii) weekends
all the time	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">1</div>	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">1</div>
more than 5 hours	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">2</div>	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">2</div>
3-5 hours	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">3</div>	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">3</div>
1-2 hours	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">4</div>	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">4</div>
less than 1 hour	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">5</div>	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">5</div>
not at all	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">6</div>	<div style="border: 1px solid red; width: 40px; height: 25px; display: inline-block; vertical-align: middle; text-align: center;">6</div>

PAGE 38 OF THE QUESTIONNAIRE

G6. In the last few months, how often have you used the following whether at home or at work:

	In the last few months	Every day ↓	Most days ↓	About once a week	Less than once a week	Not at all ↓
a)	disinfectant	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
b)	bleach	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
c)	window cleaner	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
d)	chemical carpet cleaner	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
e)	oven/drain cleaner	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
f)	dry cleaning fluid	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
g)	turpentine/white spirit	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
h)	paint stripper	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
i)	household paint or varnish	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
j)	weed killers	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
k)	pesticides/insect killers	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
l)	air fresheners (spray, stick or aerosol)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>

PAGE 39 OF THE QUESTIONNAIRE

G6.	In the last few months	Every day ↓	Most days ↓	About once a week	Less than once a week	Not at all ↓
m)	other aerosols or sprays including hair spray	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
n)	deodorant or antiperspirant	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
o)	make up	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
p)	glue	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
q)	nail varnish/acetone	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
r)	metal cleaners/ degreasers, polishers	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
s)	petrol	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
t)	moth repellent (moth balls)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
u)	other chemical (please tick and describe)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>

.....

G7. a) Do you have a mobile phone (i.e. one that can be used away from home)?

Yes 1 No 2 → Go to G8 on page 40

PAGE 40 OF THE QUESTIONNAIRE

If yes,

G7. b) how often do you use it to make calls?

at least once a day

4-6 times a week

1-3 times a week

less than once a week

c) how often do people ring you on it?

at least once a day

4-6 times a week

1-3 times a week

less than once a week

G8. This question concerns travelling, **apart from when going to work:**

a) Which of the following do you use for most or all of the time:

Car

Public transport

Neither

b) Please indicate the average number of journeys you make **each week** (apart from going to work):**Average distance of most frequent journey**

	Average number of journeys each week	Less than $\frac{1}{2}$ mile ↓	$\frac{1}{2}$ - $1\frac{1}{2}$ miles ↓	$1\frac{1}{2}$ - $2\frac{1}{2}$ miles ↓	$2\frac{1}{2}$ - $3\frac{1}{2}$ miles ↓	$3\frac{1}{2}$ - $5\frac{1}{2}$ miles ↓	More than $5\frac{1}{2}$ miles
i) By bicycle	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
ii) Walking	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 41 OF THE QUESTIONNAIRE

G9. Please indicate the average hours of TV or Video watched per day over the **past year**:

Average per day over the past year

	None ↓	Less than 1 hour	Between 1 and 2 hours	Between 2 and 3 hours	Between 3 and 4 hours	More than 4 hours
a) On a weekday before 6pm	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
b) On a weekday after 6pm	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
c) On a weekend day before 6pm	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
d) On a weekend day after 6pm	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>

G10. How many times do you climb up a flight of stairs (approx 10 steps) each day at home?

Average per day over the past year

	None ↓	1-5 times	6-10 times	11-15 times	16-20 times	More than 20 times
a) On a weekday	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
b) On a weekend day	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>

G11. How many hours each week approximately do you spend time doing the following:

Average per week over the past year

	None ↓	Less than 1 hour	Between 1 and 3 hours	Between 3 and 6 hours	Between 6 and 10 hours	Between 10 and 15 hours	More than 15 hours
a) Preparing food, cooking and washing up	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>	<input type="text" value="7"/>
b) Shopping for food and groceries	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>	<input type="text" value="7"/>

PAGE 42 OF THE QUESTIONNAIRE

G11.

Average per week over the past year

	None ↓	Less than 1 hour	Between 1 and 3 hours	Between 3 and 6 hours	Between 6 and 10 hours	Between 10 and 15 hours	More than 15 hours
c) Shopping and browsing in shops for other items (e.g. clothes, toys)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>	<div>7</div>
d) Cleaning the house	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>	<div>7</div>
e) Doing the washing and ironing	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>	<div>7</div>
f) Caring for pre- school children or babies at home (not as paid employment)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>	<div>7</div>
g) Caring for handicapped, elderly or disabled people at home (not as paid employment)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>6</div>	<div>7</div>

R File – Section G

r6000a G1a: Average time for which respondent slept on workdays over the past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	.0	.0
	2	3	.0	.0	.1
	3	10	.1	.1	.2
	4	94	1.2	1.3	1.5
	5	240	3.2	3.2	4.7
	6	1096	14.4	14.8	19.5
	7	2846	37.5	38.5	58.0
	8	2619	34.5	35.4	93.4
	9	408	5.4	5.5	98.9
	10	63	.8	.9	99.8
	11	4	.1	.1	99.9
	12	7	.1	.1	99.9
	14	1	.0	.0	100.0
	20	1	.0	.0	100.0
	97 Varies	2	.0	.0	100.0
	Total	7395	97.4	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	197	2.6		
	Total	201	2.6		
Total		7596	100.0		

r6000b G1a: Average time for which respondent slept on workdays over the past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1499	19.7	43.8	43.8
	1	1	.0	.0	43.8
	2	1	.0	.0	43.8
	5	1	.0	.0	43.8
	8	2	.0	.1	43.9
	9	1	.0	.0	43.9
	10	12	.2	.4	44.3
	15	93	1.2	2.7	47.0
	20	16	.2	.5	47.5
	25	2	.0	.1	47.5
	30	1726	22.7	50.4	97.9
	35	5	.1	.1	98.0
	36	1	.0	.0	98.1
	40	9	.1	.3	98.3
	45	50	.7	1.5	99.8
	50	7	.1	.2	100.0
	Total	3426	45.1	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	4166	54.8		
	Total	4170	54.9		
Total		7596	100.0		

R File – Section G

r6001a G1b: Average time for which respondent slept on weekends over the past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	.0	.0
	2	3	.0	.0	.1
	3	4	.1	.1	.1
	4	36	.5	.5	.6
	5	79	1.0	1.1	1.7
	6	384	5.1	5.3	6.9
	7	1191	15.7	16.3	23.2
	8	3151	41.5	43.1	66.4
	9	1711	22.5	23.4	89.8
	10	662	8.7	9.1	98.9
	11	41	.5	.6	99.4
	12	30	.4	.4	99.8
	14	5	.1	.1	99.9
	15	2	.0	.0	99.9
	16	2	.0	.0	99.9
	18	1	.0	.0	100.0
	20	1	.0	.0	100.0
	97 Varies	2	.0	.0	100.0
	Total	7306	96.2	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	287	3.8		
	Total	290	3.8		
Total		7596	100.0		

r6001b G1b: Average time for which respondent slept on weekends over the past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1928	25.4	61.1	61.1
	2	2	.0	.1	61.2
	3	1	.0	.0	61.2
	6	1	.0	.0	61.3
	7	1	.0	.0	61.3
	8	3	.0	.1	61.4
	10	6	.1	.2	61.6
	15	17	.2	.5	62.1
	20	6	.1	.2	62.3
	30	1156	15.2	36.7	99.0
	35	2	.0	.1	99.0
	36	1	.0	.0	99.0
	40	2	.0	.1	99.1
	45	22	.3	.7	99.8
	48	1	.0	.0	99.8
	50	5	.1	.2	100.0
	Total	3154	41.5	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	4439	58.4		
	Total	4442	58.5		
Total		7596	100.0		

R File – Section G

r6010 G2a: Respondent has ever been a smoker

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3337	43.9	44.2	44.2
	2 No	4211	55.4	55.8	100.0
	Total	7548	99.4	100.0	
Missing	-1 No response	48	.6		
Total		7596	100.0		

r6011 G2b: Age in years respondent started smoking regularly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7	2	.0	.1	.1
	8	2	.0	.1	.1
	9	8	.1	.2	.4
	10	11	.1	.3	.7
	11	63	.8	1.9	2.6
	12	95	1.3	2.9	5.5
	13	154	2.0	4.7	10.2
	14	358	4.7	10.9	21.1
	15	408	5.4	12.4	33.5
	16	667	8.8	20.3	53.8
	17	406	5.3	12.4	66.2
	18	493	6.5	15.0	81.2
	19	171	2.3	5.2	86.4
	20	153	2.0	4.7	91.1
	21	77	1.0	2.3	93.4
	22	52	.7	1.6	95.0
	23	30	.4	.9	95.9
	24	16	.2	.5	96.4
	25	31	.4	.9	97.4
	26	6	.1	.2	97.5
	27	8	.1	.2	97.8
	28	15	.2	.5	98.2
	29	6	.1	.2	98.4
	30	9	.1	.3	98.7
	31	5	.1	.2	98.8
	32	4	.1	.1	99.0
	33	3	.0	.1	99.1
	34	3	.0	.1	99.1
	35	9	.1	.3	99.4
	36	3	.0	.1	99.5
	37	5	.1	.2	99.7
	38	3	.0	.1	99.8
	39	3	.0	.1	99.8
	40	1	.0	.0	99.9
	41	1	.0	.0	99.9
	42	3	.0	.1	100.0
	Total	3284	43.2	100.0	
Missing	-9 Don't know	9	.1		
	-1 No response	4303	56.6		
	Total	4312	56.8		
Total		7596	100.0		

R File – Section G

r6012 G2c1: Respondent has ever smoked cigarettes regularly

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3287	43.3	100.0	100.0
Missing -1 No response	4309	56.7		
Total	7596	100.0		

r6013 G2c2: Respondent has ever smoked a pipe regularly

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4	.1	100.0	100.0
Missing -1 No response	7592	99.9		
Total	7596	100.0		

r6014 G2c3: Respondent has ever smoked cigars regularly

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	35	.5	100.0	100.0
Missing -1 No response	7561	99.5		
Total	7596	100.0		

r6015 G2c4: Respondent has ever smoked other things regularly

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	121	1.6	100.0	100.0
Missing -1 No response	7475	98.4		
Total	7596	100.0		

r6016 G2d: Respondent has now stopped smoking

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1998	26.3	60.0	60.0
2 No	1334	17.6	40.0	100.0
Total	3332	43.9	100.0	
Missing -1 No response	4264	56.1		
Total	7596	100.0		

R File – Section G

r6017a G2d: Number of years since respondent stopped smoking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	63	.8	3.4	3.4
	1	82	1.1	4.4	7.7
	2	120	1.6	6.4	14.1
	3	73	1.0	3.9	18.0
	4	63	.8	3.4	21.4
	5	76	1.0	4.1	25.5
	6	43	.6	2.3	27.7
	7	26	.3	1.4	29.1
	8	30	.4	1.6	30.7
	9	30	.4	1.6	32.3
	10	73	1.0	3.9	36.2
	11	98	1.3	5.2	41.5
	12	169	2.2	9.0	50.5
	13	93	1.2	5.0	55.4
	14	97	1.3	5.2	60.6
	15	135	1.8	7.2	67.8
	16	64	.8	3.4	71.2
	17	71	.9	3.8	75.0
	18	89	1.2	4.7	79.8
	19	37	.5	2.0	81.8
	20	125	1.6	6.7	88.4
	21	35	.5	1.9	90.3
	22	49	.6	2.6	92.9
	23	34	.4	1.8	94.7
	24	26	.3	1.4	96.1
	25	26	.3	1.4	97.5
	26	14	.2	.7	98.2
	27	8	.1	.4	98.7
	28	10	.1	.5	99.2
	29	4	.1	.2	99.4
	30	2	.0	.1	99.5
	31	3	.0	.2	99.7
	33	1	.0	.1	99.7
	34	3	.0	.2	99.9
	35	1	.0	.1	99.9
	38	1	.0	.1	100.0
	Total	1874	24.7	100.0	
Missing	-1 No response	5722	75.3		
Total		7596	100.0		

R File – Section G

r6017b G2d: Number of months since respondent stopped smoking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	308	4.1	31.7	31.7
	1	66	.9	6.8	38.5
	2	81	1.1	8.3	46.8
	3	67	.9	6.9	53.7
	4	47	.6	4.8	58.5
	5	34	.4	3.5	62.0
	6	150	2.0	15.4	77.5
	7	33	.4	3.4	80.9
	8	51	.7	5.2	86.1
	9	44	.6	4.5	90.6
	10	58	.8	6.0	96.6
	11	33	.4	3.4	100.0
Total		972	12.8	100.0	
Missing	-1 No response	6624	87.2		
Total		7596	100.0		

r6018 G2e: Respondent has smoked regularly in the past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	1992	26.2	60.3	60.3
	2 Yes, cigarettes	1235	16.3	37.4	97.7
	3 Yes, cigars	5	.1	.2	97.9
	5 Yes, other	71	.9	2.1	100.0
	Total	3303	43.5	100.0	
Missing	-1 No response	4293	56.5		
Total		7596	100.0		

r6020 G2f: Frequency per day respondent has smoked in the last two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 0	1493	19.7	52.3	52.3
	1 1-4	221	2.9	7.7	60.1
	5 5-9	249	3.3	8.7	68.8
	10 10-14	273	3.6	9.6	78.4
	15 15-19	263	3.5	9.2	87.6
	20 20-24	216	2.8	7.6	95.2
	25 25-29	61	.8	2.1	97.3
	30 30+	71	.9	2.5	99.8
	97 Infrequent use	6	.1	.2	100.0
	Total	2853	37.6	100.0	
Missing	-1 No response	4743	62.4		
Total		7596	100.0		

R File – Section G

r6030 G2g2: Type of cigarette/tobacco that respondent smokes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Filtered	1122	14.8	83.5	83.5
	2 Unfiltered	4	.1	.3	83.8
	3 Roll-your-own	210	2.8	15.6	99.5
	4 Pipe/cigar	7	.1	.5	100.0
	Total	1343	17.7	100.0	
Missing	-2 Multiple ticks	61	.8		
	-1 Not stated	6192	81.5		
	Total	6253	82.3		
Total		7596	100.0		

r6031 G2g2 (multiple ticks): Respondent smokes filtered cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	58	.8	95.1	95.1
	2 No	3	.0	4.9	100.0
	Total	61	.8	100.0	
Missing	-2 Single tick	1343	17.7		
	-1 Not stated	6192	81.5		
	Total	7535	99.2		
Total		7596	100.0		

r6032 G2g2 (multiple ticks): Respondent smokes unfiltered cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.0	3.3	3.3
	2 No	59	.8	96.7	100.0
	Total	61	.8	100.0	
Missing	-2 Single tick	1343	17.7		
	-1 Not stated	6192	81.5		
	Total	7535	99.2		
Total		7596	100.0		

r6033 G2g2 (multiple ticks): Respondent smokes roll-your-own cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	60	.8	98.4	98.4
	2 No	1	.0	1.6	100.0
	Total	61	.8	100.0	
Missing	-2 Single tick	1343	17.7		
	-1 Not stated	6192	81.5		
	Total	7535	99.2		
Total		7596	100.0		

R File – Section G

r6034 G2g2 (multiple ticks): Respondent smokes pipe/cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.0	3.3	3.3
	2 No	59	.8	96.7	100.0
	Total	61	.8	100.0	
Missing	-2 Single tick	1343	17.7		
	-1 Not stated	6192	81.5		
	Total	7535	99.2		
Total		7596	100.0		

r6035 DV: Number of ticks for question G2g2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6192	81.5	81.5	81.5
	1	1343	17.7	17.7	99.2
	2	61	.8	.8	100.0
	Total	7596	100.0	100.0	

R File – Section G

r6040 G3a: Respondent's live-in husband/partner smokes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Don't have a husband/partner	778	10.2	10.5	10.5
	2 No	5109	67.3	69.0	79.5
	3 Yes, cigarettes	1174	15.5	15.9	95.4
	4 Yes, cigars	177	2.3	2.4	97.8
	5 Yes, pipe	10	.1	.1	97.9
	6 Yes, other	155	2.0	2.1	100.0
	Total	7403	97.5	100.0	
Missing	-1 No response	193	2.5		
Total		7596	100.0		

r6042 G3b: Frequency per day respondent's live-in husband/partner smokes at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 0	114	1.5	7.4	7.4
	1 1-4	280	3.7	18.1	25.5
	5 5-9	214	2.8	13.9	39.4
	10 10-14	250	3.3	16.2	55.6
	15 15-19	232	3.1	15.0	70.6
	20 20-24	253	3.3	16.4	87.0
	25 25-29	99	1.3	6.4	93.5
	30 30+	86	1.1	5.6	99.0
	97 Infrequent use	15	.2	1.0	100.0
	Total	1543	20.3	100.0	
Missing	-1 No response	6053	79.7		
Total		7596	100.0		

R File – Section G

r6050 G3c2: Type of cigarette/tobacco that respondent's partner smokes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Filtered	789	10.4	60.4	60.4
	2 Unfiltered	29	.4	2.2	62.6
	3 Roll-your-own	344	4.5	26.3	89.0
	4 Pipe/cigar	144	1.9	11.0	100.0
	Total	1306	17.2	100.0	
Missing	-2 Multiple ticks	96	1.3		
	-1 Not stated	6194	81.5		
	Total	6290	82.8		
Total		7596	100.0		

r6051 G3c2 (multiple ticks): Respondent's partner smokes filtered cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	76	1.0	79.2	79.2
	2 No	20	.3	20.8	100.0
	Total	96	1.3	100.0	
Missing	-2 Single tick	1306	17.2		
	-1 Not stated	6194	81.5		
	Total	7500	98.7		
Total		7596	100.0		

r6052 G3c2 (multiple ticks): Respondent's partner smokes unfiltered cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	20	.3	20.8	20.8
	2 No	76	1.0	79.2	100.0
	Total	96	1.3	100.0	
Missing	-2 Single tick	1306	17.2		
	-1 Not stated	6194	81.5		
	Total	7500	98.7		
Total		7596	100.0		

r6053 G3c2 (multiple ticks): Respondent's partner smokes roll-your-own cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	87	1.1	90.6	90.6
	2 No	9	.1	9.4	100.0
	Total	96	1.3	100.0	
Missing	-2 Single tick	1306	17.2		
	-1 Not stated	6194	81.5		
	Total	7500	98.7		
Total		7596	100.0		

R File – Section G

r6054 G3c2 (multiple ticks): Respondent's partner smokes pipe/cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	10	.1	10.4	10.4
	2 No	86	1.1	89.6	100.0
	Total	96	1.3	100.0	
Missing	-2 Single tick	1306	17.2		
	-1 Not stated	6194	81.5		
	Total	7500	98.7		
Total		7596	100.0		

r6055 DV: Number of ticks for question G3c2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6194	81.5	81.5	81.5
	1	1306	17.2	17.2	98.7
	2	95	1.3	1.3	100.0
	3	1	.0	.0	100.0
	Total	7596	100.0	100.0	

R File – Section G

r6056 G3d: Age respondent's live-in husband/partner started smoking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7	4	.1	.4	.4
	8	5	.1	.5	1.0
	9	8	.1	.8	1.8
	10	13	.2	1.4	3.2
	11	32	.4	3.4	6.6
	12	60	.8	6.4	12.9
	13	73	1.0	7.7	20.7
	14	162	2.1	17.2	37.9
	15	136	1.8	14.4	52.3
	16	168	2.2	17.8	70.1
	17	67	.9	7.1	77.2
	18	83	1.1	8.8	86.0
	19	19	.3	2.0	88.0
	20	39	.5	4.1	92.2
	21	19	.3	2.0	94.2
	22	6	.1	.6	94.8
	23	1	.0	.1	94.9
	24	3	.0	.3	95.2
	25	7	.1	.7	96.0
	27	3	.0	.3	96.3
	28	7	.1	.7	97.0
	30	12	.2	1.3	98.3
	31	2	.0	.2	98.5
	32	2	.0	.2	98.7
	34	3	.0	.3	99.0
	35	1	.0	.1	99.2
	36	3	.0	.3	99.5
	39	1	.0	.1	99.6
	40	1	.0	.1	99.7
	42	1	.0	.1	99.8
	43	1	.0	.1	99.9
	46	1	.0	.1	100.0
	Total	943	12.4	100.0	
Missing	-9	484	6.4		
	-1 No response	6169	81.2		
	Total	6653	87.6		
Total		7596	100.0		

R File – Section G

r6060 G4a: Apart from respondent/husband/partner another member of household smokes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	275	3.6	3.8	3.8
	2 No	6982	91.9	96.2	100.0
	Total	7257	95.5	100.0	
Missing	-1 No response	339	4.5		
Total		7596	100.0		

r6061 G4b: Number of other members of household who smoke

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6	.1	2.2	2.2
	1	214	2.8	77.8	80.0
	2	47	.6	17.1	97.1
	3	5	.1	1.8	98.9
	4	2	.0	.7	99.6
	12	1	.0	.4	100.0
	Total	275	3.6	100.0	
Missing	-1 No response	7321	96.4		
Total		7596	100.0		

R File – Section G

r6070 G5i: Frequency respondent is in an enclosed space with people smoking - weekdays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	93	1.2	1.3	1.3
	2 > 5 hours	132	1.7	1.8	3.1
	3 3-5 hours	352	4.6	4.9	8.0
	4 1-2 hours	346	4.6	4.8	12.9
	5 < 1 hour	784	10.3	10.9	23.8
	6 Not at all	5464	71.9	76.2	100.0
	Total	7171	94.4	100.0	
Missing	-1 No response	425	5.6		
Total		7596	100.0		

r6071 G5ii: Frequency respondent is in an enclosed space with people smoking - weekends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	110	1.4	1.5	1.5
	2 > 5 hours	246	3.2	3.4	4.9
	3 3-5 hours	425	5.6	5.9	10.8
	4 1-2 hours	562	7.4	7.8	18.6
	5 < 1 hour	1042	13.7	14.5	33.1
	6 Not at all	4823	63.5	66.9	100.0
	Total	7208	94.9	100.0	
Missing	-1 No response	388	5.1		
Total		7596	100.0		

R File – Section G

r6080 G6a: Frequency respondent used disinfectant in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	452	6.0	6.0	6.0
	2 Most days	1562	20.6	20.8	26.8
	3 About once a week	2675	35.2	35.6	62.4
	4 < once a week	1700	22.4	22.6	85.0
	5 Not at all	1131	14.9	15.0	100.0
	Total	7520	99.0	100.0	
Missing	-1 No response	76	1.0		
Total		7596	100.0		

r6081 G6b: Frequency respondent used bleach in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	401	5.3	5.3	5.3
	2 Most days	1684	22.2	22.3	27.6
	3 About once a week	3491	46.0	46.3	73.9
	4 < once a week	1538	20.2	20.4	94.3
	5 Not at all	430	5.7	5.7	100.0
	Total	7544	99.3	100.0	
Missing	-1 No response	52	.7		
Total		7596	100.0		

r6082 G6c: Frequency respondent used window cleaner in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	34	.4	.5	.5
	2 Most days	154	2.0	2.0	2.5
	3 About once a week	1287	16.9	17.1	19.6
	4 < once a week	4349	57.3	57.6	77.2
	5 Not at all	1720	22.6	22.8	100.0
	Total	7544	99.3	100.0	
Missing	-1 No response	52	.7		
Total		7596	100.0		

r6083 G6d: Frequency respondent has used chemical carpet cleaner in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	5	.1	.1	.1
	2 Most days	11	.1	.1	.2
	3 About once a week	146	1.9	1.9	2.1
	4 < once a week	1919	25.3	25.5	27.6
	5 Not at all	5458	71.9	72.4	100.0
	Total	7539	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7596	100.0		

R File – Section G

r6084 G6e: Frequency respondent used oven/drain cleaner in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	11	.1	.1	.1
	2 Most days	29	.4	.4	.5
	3 About once a week	189	2.5	2.5	3.0
	4 < once a week	3090	40.7	41.0	44.1
	5 Not at all	4210	55.4	55.9	100.0
	Total	7529	99.1	100.0	
Missing	-1 No response	67	.9		
Total		7596	100.0		

r6085 G6f: Frequency respondent used dry cleaning fluid in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	8	.1	.1	.1
	2 Most days	11	.1	.1	.3
	3 About once a week	26	.3	.3	.6
	4 < once a week	273	3.6	3.6	4.2
	5 Not at all	7211	94.9	95.8	100.0
	Total	7529	99.1	100.0	
Missing	-1 No response	67	.9		
Total		7596	100.0		

r6086 G6g: Frequency respondent used turpentine/white spirit in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	3	.0	.0	.0
	2 Most days	20	.3	.3	.3
	3 About once a week	110	1.4	1.5	1.8
	4 < once a week	2024	26.6	26.8	28.6
	5 Not at all	5383	70.9	71.4	100.0
	Total	7540	99.3	100.0	
Missing	-1 No response	56	.7		
Total		7596	100.0		

r6087 G6h: Frequency respondent used paint stripper in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2	.0	.0	.0
	2 Most days	2	.0	.0	.1
	3 About once a week	16	.2	.2	.3
	4 < once a week	449	5.9	6.0	6.2
	5 Not at all	7065	93.0	93.8	100.0
	Total	7534	99.2	100.0	
Missing	-1 No response	62	.8		
Total		7596	100.0		

R File – Section G

r6088 G6i: Frequency respondent used household paint/varnish in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	6	.1	.1	.1
	2 Most days	46	.6	.6	.7
	3 About once a week	211	2.8	2.8	3.5
	4 < once a week	2459	32.4	32.6	36.1
	5 Not at all	4811	63.3	63.9	100.0
	Total	7533	99.2	100.0	
Missing	-1 No response	63	.8		
Total		7596	100.0		

r6089 G6j: Frequency respondent used weed killers in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	1	.0	.0	.0
	2 Most days	2	.0	.0	.0
	3 About once a week	39	.5	.5	.6
	4 < once a week	1262	16.6	16.8	17.3
	5 Not at all	6230	82.0	82.7	100.0
	Total	7534	99.2	100.0	
Missing	-1 No response	62	.8		
Total		7596	100.0		

r6090 G6k: Frequency respondent used pesticides/insect killers in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	6	.1	.1	.1
	2 Most days	23	.3	.3	.4
	3 About once a week	108	1.4	1.4	1.8
	4 < once a week	1245	16.4	16.5	18.4
	5 Not at all	6147	80.9	81.6	100.0
	Total	7529	99.1	100.0	
Missing	-1 No response	67	.9		
Total		7596	100.0		

r6091 G6l: Frequency respondent used air fresheners (spray/stick/aerosol) in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	754	9.9	10.0	10.0
	2 Most days	1756	23.1	23.3	33.3
	3 About once a week	1351	17.8	17.9	51.3
	4 < once a week	1437	18.9	19.1	70.4
	5 Not at all	2231	29.4	29.6	100.0
	Total	7529	99.1	100.0	
Missing	-1 No response	67	.9		
Total		7596	100.0		

R File – Section G

r6092 G6m: Frequency respondent used other aerosols/sprays including hair spray in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	1745	23.0	23.2	23.2
	2 Most days	1365	18.0	18.2	41.4
	3 About once a week	833	11.0	11.1	52.5
	4 < once a week	1312	17.3	17.5	69.9
	5 Not at all	2259	29.7	30.1	100.0
	Total	7514	98.9	100.0	
Missing	-1 No response	82	1.1		
Total		7596	100.0		

r6093 G6n: Frequency respondent used deodorant/antiperspirant in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	5958	78.4	78.9	78.9
	2 Most days	1108	14.6	14.7	93.6
	3 About once a week	85	1.1	1.1	94.8
	4 < once a week	103	1.4	1.4	96.1
	5 Not at all	293	3.9	3.9	100.0
	Total	7547	99.4	100.0	
Missing	-1 No response	49	.6		
Total		7596	100.0		

r6094 G6o: Frequency respondent used make up in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	3428	45.1	45.4	45.4
	2 Most days	1588	20.9	21.0	66.5
	3 About once a week	706	9.3	9.4	75.8
	4 < once a week	974	12.8	12.9	88.7
	5 Not at all	850	11.2	11.3	100.0
	Total	7546	99.3	100.0	
Missing	-1 No response	50	.7		
Total		7596	100.0		

r6095 G6p: Frequency respondent used glue in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	34	.4	.5	.5
	2 Most days	237	3.1	3.1	3.6
	3 About once a week	846	11.1	11.2	14.8
	4 < once a week	3404	44.8	45.2	60.0
	5 Not at all	3010	39.6	40.0	100.0
	Total	7531	99.1	100.0	
Missing	-1 No response	65	.9		
Total		7596	100.0		

R File – Section G

r6096 G6q: Frequency respondent used nail varnish/acetone in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	44	.6	.6	.6
	2 Most days	172	2.3	2.3	2.9
	3 About once a week	1279	16.8	17.0	19.8
	4 < once a week	3514	46.3	46.6	66.4
	5 Not at all	2529	33.3	33.6	100.0
	Total	7538	99.2	100.0	
Missing	-1 No response	58	.8		
Total		7596	100.0		

r6097 G6r: Frequency respondent used metal cleaners/degreasers/polishers in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	36	.5	.5	.5
	2 Most days	115	1.5	1.5	2.0
	3 About once a week	444	5.8	5.9	7.9
	4 < once a week	1543	20.3	20.5	28.5
	5 Not at all	5375	70.8	71.5	100.0
	Total	7513	98.9	100.0	
Missing	-1 No response	83	1.1		
Total		7596	100.0		

r6098 G6s: Frequency respondent used petrol in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	251	3.3	3.4	3.4
	2 Most days	262	3.4	3.5	6.9
	3 About once a week	2306	30.4	30.9	37.8
	4 < once a week	1843	24.3	24.7	62.6
	5 Not at all	2789	36.7	37.4	100.0
	Total	7451	98.1	100.0	
Missing	-1 No response	145	1.9		
Total		7596	100.0		

r6099 G6t: Frequency respondent used moth repellent in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	11	.1	.1	.1
	2 Most days	8	.1	.1	.3
	3 About once a week	11	.1	.1	.4
	4 < once a week	148	1.9	2.0	2.4
	5 Not at all	7341	96.6	97.6	100.0
	Total	7519	99.0	100.0	
Missing	-1 No response	77	1.0		
Total		7596	100.0		

R File – Section G

r6100 G6u: Frequency respondent used other chemical in the last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	27	.4	.4	.4
	1 Every day	60	.8	1.0	1.4
	2 Most days	74	1.0	1.2	2.6
	3 About once a week	98	1.3	1.6	4.2
	4 < once a week	85	1.1	1.4	5.6
	5 Not at all	5841	76.9	94.4	100.0
	Total	6185	81.4	100.0	
Missing	-1 No response	1411	18.6		
Total		7596	100.0		

R File – Section G

r6110 G7a: Respondent has a mobile phone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6784	89.3	89.8	89.8
	2 No	774	10.2	10.2	100.0
	Total	7558	99.5	100.0	
Missing	-1 No response	38	.5		
Total		7596	100.0		

r6111 G7b: Frequency respondent makes calls on mobile phone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 At least once a day	1741	22.9	25.8	25.8
	2 4-6 times a week	1012	13.3	15.0	40.8
	3 1-3 times a week	1834	24.1	27.2	68.0
	4 < once a week	2161	28.4	32.0	100.0
	Total	6748	88.8	100.0	
Missing	-1 No response	848	11.2		
Total		7596	100.0		

r6112 G7c: Frequency people call respondent on mobile phone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 At least once a day	1622	21.4	24.1	24.1
	2 4-6 times a week	1004	13.2	14.9	39.1
	3 1-3 times a week	1804	23.7	26.8	65.9
	4 < once a week	2294	30.2	34.1	100.0
	Total	6724	88.5	100.0	
Missing	-1 No response	872	11.5		
Total		7596	100.0		

R File – Section G

r6120 G8a: Type of transport respondent uses most frequently, apart from going to work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Car	6677	87.9	88.8	88.8
	2 Public transport	382	5.0	5.1	93.9
	3 Neither	357	4.7	4.7	98.6
	4 Car & public transport equally	102	1.3	1.4	100.0
	Total	7518	99.0	100.0	
Missing	-1 No response	78	1.0		
Total		7596	100.0		

r6121 G8b1: Average number of journeys respondent makes by bicycle each week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2994	39.4	81.1	81.1
	1	328	4.3	8.9	90.0
	2	147	1.9	4.0	94.0
	3	67	.9	1.8	95.8
	4	43	.6	1.2	97.0
	5	25	.3	.7	97.6
	6	16	.2	.4	98.1
	7	20	.3	.5	98.6
	8	11	.1	.3	98.9
	9	3	.0	.1	99.0
	10	21	.3	.6	99.6
	11	2	.0	.1	99.6
	12	1	.0	.0	99.6
	14	5	.1	.1	99.8
	15	1	.0	.0	99.8
	20	4	.1	.1	99.9
	30	1	.0	.0	99.9
	34	1	.0	.0	100.0
	97 Varies	1	.0	.0	100.0
	Total	3691	48.6	100.0	
Missing	-1 No response	3905	51.4		
Total		7596	100.0		

r6122 G8b1: Average distance of most frequent journey respondent makes by bicycle each week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less Than 0.5 Mile	312	4.1	29.2	29.2
	2 0.5 - 1.5 Miles	288	3.8	27.0	56.2
	3 1.5 to 2.5 Miles	184	2.4	17.2	73.5
	4 2.5 to 3.5 Miles	104	1.4	9.7	83.2
	5 3.5 to 5.5 Miles	90	1.2	8.4	91.7
	6 More Than 5.5 Miles	89	1.2	8.3	100.0
	Total	1067	14.0	100.0	
Missing	-1 No response	6529	86.0		
Total		7596	100.0		

R File – Section G

r6123 G8b2: Average number of journeys respondent makes by walking each week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	705	9.3	13.2	13.2
1	310	4.1	5.8	19.1
2	630	8.3	11.8	30.9
3	539	7.1	10.1	41.0
4	492	6.5	9.2	50.3
5	725	9.5	13.6	63.9
6	273	3.6	5.1	69.0
7	438	5.8	8.2	77.2
8	112	1.5	2.1	79.3
9	32	.4	.6	79.9
10	565	7.4	10.6	90.5
11	13	.2	.2	90.8
12	98	1.3	1.8	92.6
13	5	.1	.1	92.7
14	144	1.9	2.7	95.4
15	54	.7	1.0	96.4
16	24	.3	.5	96.9
17	1	.0	.0	96.9
18	13	.2	.2	97.1
19	1	.0	.0	97.2
20	78	1.0	1.5	98.6
21	11	.1	.2	98.8
22	2	.0	.0	98.9
24	3	.0	.1	98.9
25	12	.2	.2	99.2
26	1	.0	.0	99.2
27	3	.0	.1	99.2
28	3	.0	.1	99.3
29	1	.0	.0	99.3
30	19	.3	.4	99.7
33	1	.0	.0	99.7
35	1	.0	.0	99.7
36	1	.0	.0	99.7
38	1	.0	.0	99.7
40	4	.1	.1	99.8
50	3	.0	.1	99.9
56	1	.0	.0	99.9
60	2	.0	.0	99.9
97 Varies	2	.0	.0	100.0
98 Lots	2	.0	.0	100.0
Total	5325	70.1	100.0	
Missing -1 No response	2271	29.9		
Total	7596	100.0		

R File – Section G

r6124 G8b2: Average distance of most frequent journey respondent makes by walking each week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less Than 0.5 Mile	2011	26.5	36.4	36.4
	2 0.5 - 1.5 Miles	2267	29.8	41.1	77.5
	3 1.5 to 2.5 Miles	687	9.0	12.4	90.0
	4 2.5 to 3.5 Miles	261	3.4	4.7	94.7
	5 3.5 to 5.5 Miles	134	1.8	2.4	97.1
	6 More Than 5.5 Miles	159	2.1	2.9	100.0
	Total	5519	72.7	100.0	
Missing	-1 No response	2077	27.3		
Total		7596	100.0		

R File – Section G

r6130 G9a: Average hours of TV/Video watched on a weekday before 6pm per day over the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	2830	37.3	38.4	38.4
	2 < 1 hour	2874	37.8	39.0	77.3
	3 Between 1 & 2 hours	1099	14.5	14.9	92.2
	4 Between 2 & 3 hours	336	4.4	4.6	96.8
	5 Between 3 & 4 hours	112	1.5	1.5	98.3
	6 > 4 hours	127	1.7	1.7	100.0
	Total	7378	97.1	100.0	
Missing	-1 No response	218	2.9		
Total		7596	100.0		

r6131 G9b: Average hours of TV/Video watched on a weekday after 6pm per day over the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	112	1.5	1.5	1.5
	2 < 1 hour	835	11.0	11.3	12.8
	3 Between 1 & 2 hours	2418	31.8	32.7	45.4
	4 Between 2 & 3 hours	2356	31.0	31.8	77.3
	5 Between 3 & 4 hours	1292	17.0	17.5	94.7
	6 > 4 hours	391	5.1	5.3	100.0
	Total	7404	97.5	100.0	
Missing	-1 No response	192	2.5		
Total		7596	100.0		

r6132 G9c: Average hours of TV/Video watched on a weekend before 6pm per day over the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	2546	33.5	34.5	34.5
	2 < 1 hour	2634	34.7	35.7	70.3
	3 Between 1 & 2 hours	1265	16.7	17.2	87.4
	4 Between 2 & 3 hours	530	7.0	7.2	94.6
	5 Between 3 & 4 hours	209	2.8	2.8	97.5
	6 > 4 hours	187	2.5	2.5	100.0
	Total	7371	97.0	100.0	
Missing	-1 No response	225	3.0		
Total		7596	100.0		

R File – Section G

r6133 G9d: Average hours of TV/Video watched on a weekend after 6pm per day over the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	90	1.2	1.2	1.2
	2 < 1 hour	431	5.7	5.8	7.0
	3 Between 1 & 2 hours	1647	21.7	22.2	29.3
	4 Between 2 & 3 hours	2648	34.9	35.7	65.0
	5 Between 3 & 4 hours	1842	24.2	24.9	89.9
	6 > 4 hours	751	9.9	10.1	100.0
	Total	7409	97.5	100.0	
Missing	-1 No response	187	2.5		
Total		7596	100.0		

R File – Section G

r6140 G10a: Frequency respondent climbs a flight of stairs each weekday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	225	3.0	3.0	3.0
	2 1-5 times	1527	20.1	20.5	23.5
	3 6-10 times	2953	38.9	39.6	63.1
	4 11-15 times	1519	20.0	20.4	83.5
	5 16-20 times	618	8.1	8.3	91.8
	6 > 20 times	615	8.1	8.2	100.0
	Total	7457	98.2	100.0	
Missing	-1 No response	139	1.8		
Total		7596	100.0		

r6141 G10b: Frequency respondent climbs a flight of stairs each weekend day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	228	3.0	3.1	3.1
	2 1-5 times	893	11.8	12.1	15.2
	3 6-10 times	2403	31.6	32.6	47.9
	4 11-15 times	2027	26.7	27.5	75.4
	5 16-20 times	975	12.8	13.2	88.6
	6 > 20 times	836	11.0	11.4	100.0
	Total	7362	96.9	100.0	
Missing	-1 No response	234	3.1		
Total		7596	100.0		

R File – Section G

r6150 G11a: Average hours per week over past year respondent spends food/cooking/washing up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	13	.2	.2	.2
	2 < 1 hour	137	1.8	1.8	2.0
	3 Between 1 & 3 hours	1088	14.3	14.6	16.6
	4 Between 3 & 6 hours	1382	18.2	18.6	35.2
	5 Between 6 & 10 hours	2334	30.7	31.4	66.6
	6 Between 10 & 15 hours	1589	20.9	21.4	88.0
	7 > 15 hours	894	11.8	12.0	100.0
	Total	7437	97.9	100.0	
Missing	-1 No response	159	2.1		
Total		7596	100.0		

r6151 G11b: Average hours per week over past year respondent spends shopping for food and groceries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	39	.5	.5	.5
	2 < 1 hour	362	4.8	4.9	5.4
	3 Between 1 & 3 hours	4938	65.0	66.3	71.7
	4 Between 3 & 6 hours	1691	22.3	22.7	94.4
	5 Between 6 & 10 hours	272	3.6	3.7	98.0
	6 Between 10 & 15 hours	65	.9	.9	98.9
	7 > 15 hours	81	1.1	1.1	100.0
	Total	7448	98.1	100.0	
Missing	-1 No response	148	1.9		
Total		7596	100.0		

r6152 G11c: Average hours per week over past year respondent spends shopping/browsing for other items

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	141	1.9	1.9	1.9
	2 < 1 hour	2972	39.1	40.0	41.9
	3 Between 1 & 3 hours	3225	42.5	43.4	85.3
	4 Between 3 & 6 hours	844	11.1	11.4	96.7
	5 Between 6 & 10 hours	165	2.2	2.2	98.9
	6 Between 10 & 15 hours	43	.6	.6	99.5
	7 > 15 hours	39	.5	.5	100.0
	Total	7429	97.8	100.0	
Missing	-1 No response	167	2.2		
Total		7596	100.0		

R File – Section G

r6153 G11d: Average hours per week over past year respondent spends cleaning the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	38	.5	.5	.5
	2 < 1 hour	372	4.9	5.0	5.5
	3 Between 1 & 3 hours	2807	37.0	37.8	43.3
	4 Between 3 & 6 hours	2400	31.6	32.3	75.7
	5 Between 6 & 10 hours	1178	15.5	15.9	91.5
	6 Between 10 & 15 hours	356	4.7	4.8	96.3
	7 > 15 hours	272	3.6	3.7	100.0
	Total	7423	97.7	100.0	
Missing	-1 No response	173	2.3		
Total		7596	100.0		

r6154 G11e: Average hours per week over past year respondent spends doing the washing/ironing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	47	.6	.6	.6
	2 < 1 hour	397	5.2	5.3	6.0
	3 Between 1 & 3 hours	3334	43.9	44.9	50.8
	4 Between 3 & 6 hours	2598	34.2	35.0	85.8
	5 Between 6 & 10 hours	762	10.0	10.3	96.0
	6 Between 10 & 15 hours	162	2.1	2.2	98.2
	7 > 15 hours	132	1.7	1.8	100.0
	Total	7432	97.8	100.0	
Missing	-1 No response	164	2.2		
Total		7596	100.0		

r6155 G11f: Average hours per week over past year respondent spends caring for pre-school children/babies

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	6310	83.1	85.3	85.3
	2 < 1 hour	90	1.2	1.2	86.6
	3 Between 1 & 3 hours	87	1.1	1.2	87.7
	4 Between 3 & 6 hours	89	1.2	1.2	88.9
	5 Between 6 & 10 hours	94	1.2	1.3	90.2
	6 Between 10 & 15 hours	69	.9	.9	91.1
	7 > 15 hours	655	8.6	8.9	100.0
	Total	7394	97.3	100.0	
Missing	-1 No response	202	2.7		
Total		7596	100.0		

R File – Section G

r6156 G11g: Average hours per week over past year respondent spends caring for elderly/handicapped/disabled people at home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	6881	90.6	93.4	93.4
	2 < 1 hour	86	1.1	1.2	94.6
	3 Between 1 & 3 hours	94	1.2	1.3	95.9
	4 Between 3 & 6 hours	67	.9	.9	96.8
	5 Between 6 & 10 hours	46	.6	.6	97.4
	6 Between 10 & 15 hours	24	.3	.3	97.7
	7 > 15 hours	168	2.2	2.3	100.0
	Total	7366	97.0	100.0	
Missing	-1 No response	230	3.0		
Total		7596	100.0		

PAGE 43 OF THE QUESTIONNAIRE

SECTION H: ACTIVITY AT WORK

H1. Have you had any jobs or regular voluntary work in the past year?

Yes No → If **no**, go to section I on page 48

H2. What jobs have you held **in the past year**, including voluntary work, and how many months in the year did you do them? Answer for all jobs, whether you stopped one and started another, or whether you were doing them at the same time period.

	(i) Job 1	(ii) Job 2	(iii) Job 3
a) Name of occupation

b) How many hours per week did you usually work? <input type="text"/> <input type="text"/> hours	<input type="text"/> <input type="text"/> hours	<input type="text"/> <input type="text"/> hours	<input type="text"/> <input type="text"/> hours
c) For how many months in the past year did you do this work? <input type="text"/> <input type="text"/> months	<input type="text"/> <input type="text"/> months	<input type="text"/> <input type="text"/> months	<input type="text"/> <input type="text"/> months

[Editing: Twenty values >12 in H2c(i) were recoded to -1, as were fifteen similar values in H2c(ii) and three in H2c(iii).]

PAGE 44 OF THE QUESTIONNAIRE

H3. Activity during each job:

In the following questions, tick either Yes or No for each activity and write the number of hours **per week** that you spent doing each one:

	(i) Job 1			(ii) Job 2			(iii) Job 3		
	No	Yes	hours	No	Yes	hours	No	Yes	hours
a) Sitting – light work e.g. desk work, or driving a car or truck	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>
b) Sitting – moderate work e.g. driving a mower or forklift truck	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>
c) Standing – light work e.g. lab technician or working at a shop counter	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>
d) Standing – light/moderate work e.g. light welding or stocking shelves	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>
e) Standing–moderate work e.g. fast rate assembly line work or lifting less than 50 lbs every 5 minutes for a few seconds at a time	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>
f) Standing-moderate/heavy work e.g. masonry/painting or lifting more than 50 lbs every 5 minutes for a few seconds at a time	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>
g) Walking at work carrying nothing heavier than a briefcase e.g. moving about a shop	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>	<input type="checkbox"/> 1	<input type="checkbox"/> 2	→ <input type="text"/> <input type="text"/>

PAGE 45 OF THE QUESTIONNAIRE

H3.

	(i) Job 1			(ii) Job 2			(iii) Job 3		
	No	Yes	hours	No	Yes	hours	No	Yes	hours
h) Walking – carrying something heavy	<div>1</div>	<div>2</div>	<div></div> <div></div>	<div>1</div>	<div>2</div>	<div></div> <div></div>	<div>1</div>	<div>2</div>	<div></div> <div></div>
i) Moving, pushing heavy objects, weighing over 75 lbs	<div>1</div>	<div>2</div>	<div></div> <div></div>	<div>1</div>	<div>2</div>	<div></div> <div></div>	<div>1</div>	<div>2</div>	<div></div> <div></div>
j) Something else (please tick and describe)	<div>1</div>	<div>2</div>	<div></div> <div></div>	<div>1</div>	<div>2</div>	<div></div> <div></div>	<div>1</div>	<div>2</div>	<div></div> <div></div>
		

H4. How many times **per day on average** have you done the following **at work** over the **past year**:

a) Climbed up a flight of stairs (10 steps):

(i) Job 1	(ii) Job 2	(iii) Job 3
<div></div> <div></div> times	<div></div> <div></div> times	<div></div> <div></div> times

b) Climbed up a ladder:

(i) Job 1	(ii) Job 2	(iii) Job 3
<div></div> <div></div> times	<div></div> <div></div> times	<div></div> <div></div> times

H5. In an average working day, did you:

	Yes	No	Don't know
a) Kneel for more than one hour in total?	<div>1</div>	<div>2</div>	<div>9</div>
b) Squat for more than one hour in total?	<div>1</div>	<div>2</div>	<div>9</div>
c) Get up from kneeling or squatting more than 30 times?	<div>1</div>	<div>2</div>	<div>9</div>

PAGE 46 OF THE QUESTIONNAIRE

H6. Thinking about **Job 1**:

- a) Roughly how many miles is/was it from home to Job 1? miles
- b) How many times a week do/did you travel from home to Job 1? times
- c) How do/did you normally travel to Job 1?

	Always	Usually	Occasionally	Never or rarely
i) By car	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
ii) By works or public transport	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
iii) By bicycle	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
iv) Walking	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

H7. Thinking about **Job 2** (if appropriate):

- a) Roughly how many miles is/was it from home to Job 2? miles
- b) How many times a week do/did you travel from home to Job 2? times
- c) How do/did you normally travel to Job 2?

	Always	Usually	Occasionally	Never or rarely
i) By car	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
ii) By works or public transport	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
iii) By bicycle	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
iv) Walking	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 47 OF THE QUESTIONNAIRE

H8. Thinking about **Job 3** (if appropriate):a) Roughly how many miles is/was it from home to Job 3? milesb) How many times a week do/did you travel from home to Job 3? times


c) How do/did you normally travel to Job 3?

	Always	Usually	Occasionally	Never or rarely
i) By car	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
ii) By works or public transport	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
iii) By bicycle	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
iv) Walking	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

R File – Section H

r7000 H1: Respondent has had a job/regular voluntary work in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5824	76.7	77.7	77.7
	2 No	1668	22.0	22.3	100.0
	Total	7492	98.6	100.0	
Missing	-1 No response	104	1.4		
Total		7596	100.0		

r7011 H2b1: Number of hours a week worked in job 1 in past year

plus the following missing values, special codes and outliers >60:


r7011 H2b1: Number of hours a week worked in job 1 in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	61	1	.1	2.7	2.7
	62	1	.1	2.7	5.4
	65	4	.2	10.8	16.2
	68	1	.1	2.7	18.9
	70	7	.4	18.9	37.8
	75	2	.1	5.4	43.2
	80	3	.2	8.1	51.4
	84	3	.2	8.1	59.5
	120	2	.1	5.4	64.9
	140	1	.1	2.7	67.6
	164	2	.1	5.4	73.0
	168	3	.2	8.1	81.1
	241	1	.1	2.7	83.8
	997 Varies	6	.3	16.2	100.0
	Total	37	2.0	100.0	
Missing	-9 Don't know	20	1.1		
	-1 No response	1772	96.9		
	Total	1792	98.0		
Total		1829	100.0		

R File – Section H

r7012 H2c1: Number of months in past year respondent worked in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.1	.1	.1
	1	47	.6	.8	.9
	2	70	.9	1.2	2.1
	3	108	1.4	1.9	4.0
	4	100	1.3	1.7	5.7
	5	75	1.0	1.3	7.1
	6	189	2.5	3.3	10.4
	7	117	1.5	2.0	12.4
	8	164	2.2	2.9	15.3
	9	339	4.5	5.9	21.2
	10	411	5.4	7.2	28.3
	11	282	3.7	4.9	33.3
	12	3823	50.3	66.7	100.0
Total		5729	75.4	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	1864	24.5		
	Total	1867	24.6		
Total		7596	100.0		

r7021 H2b2: Number of hours a week worked in job 2 in past year

plus the following missing values, special codes and outliers >60:

r7021 H2b2: Number of hours a week worked in job 2 in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	70	3	.0	30.0	30.0
	72	1	.0	10.0	40.0
	80	1	.0	10.0	50.0
	120	1	.0	10.0	60.0
	168	1	.0	10.0	70.0
	997 Varies	3	.0	30.0	100.0
	Total	10	.2	100.0	
Missing	-9 Don't know	10	.2		
	-1 No response	6029	99.7		
	Total	6039	99.8		
Total		6049	100.0		

R File – Section H

r7022 H2c2: Number of months in past year respondent worked in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	.0	.2	.2
	1	90	1.2	5.9	6.1
	2	101	1.3	6.6	12.7
	3	103	1.4	6.7	19.4
	4	74	1.0	4.8	24.2
	5	57	.8	3.7	28.0
	6	145	1.9	9.5	37.4
	7	53	.7	3.5	40.9
	8	60	.8	3.9	44.8
	9	90	1.2	5.9	50.7
	10	91	1.2	5.9	56.6
	11	41	.5	2.7	59.3
	12	623	8.2	40.7	100.0
Total		1531	20.2	100.0	
Missing	-1 No response	6065	79.8		
Total		7596	100.0		

R File – Section H

r7031 H2b3: Number of hours a week worked in job 3 in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	.5	.5
	1	41	.5	10.8	11.3
	2	64	.8	16.9	28.2
	3	47	.6	12.4	40.6
	4	41	.5	10.8	51.5
	5	20	.3	5.3	56.7
	6	20	.3	5.3	62.0
	7	13	.2	3.4	65.4
	8	12	.2	3.2	68.6
	9	3	.0	.8	69.4
	10	23	.3	6.1	75.5
	11	1	.0	.3	75.7
	12	7	.1	1.8	77.6
	13	1	.0	.3	77.8
	14	5	.1	1.3	79.2
	15	10	.1	2.6	81.8
	16	7	.1	1.8	83.6
	17	1	.0	.3	83.9
	18	8	.1	2.1	86.0
	20	14	.2	3.7	89.7
	21	2	.0	.5	90.2
	22	3	.0	.8	91.0
	24	4	.1	1.1	92.1
	25	4	.1	1.1	93.1
	28	2	.0	.5	93.7
	30	6	.1	1.6	95.3
	32	1	.0	.3	95.5
	34	2	.0	.5	96.0
	35	1	.0	.3	96.3
	36	1	.0	.3	96.6
	37	4	.1	1.1	97.6
	38	4	.1	1.1	98.7
	40	2	.0	.5	99.2
	50	1	.0	.3	99.5
	60	1	.0	.3	99.7
	120	1	.0	.3	100.0
	Total	379	5.0	100.0	
Missing	-9 Don't know	8	.1		
	-1 No response	7209	94.9		
	Total	7217	95.0		
Total		7596	100.0		

R File – Section H

r7032 H2c3: Number of months in past year respondent worked in job 3


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	.0	.8	.8
	1	22	.3	5.8	6.6
	2	34	.4	8.9	15.5
	3	37	.5	9.7	25.2
	4	16	.2	4.2	29.4
	5	18	.2	4.7	34.1
	6	36	.5	9.4	43.6
	7	8	.1	2.1	45.7
	8	14	.2	3.7	49.3
	9	15	.2	3.9	53.3
	10	24	.3	6.3	59.6
	11	8	.1	2.1	61.7
	12	146	1.9	38.3	100.0
Total		381	5.0	100.0	
Missing	-1 No response	7215	95.0		
Total		7596	100.0		

R File – Section H

r7040 H3a1: Respondent's job involves sitting/light work in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	1482	19.5	26.4	26.4
	2 Yes	4129	54.4	73.6	100.0
	Total	5611	73.9	100.0	
Missing	-1 No response	1985	26.1		
Total		7596	100.0		

r7042 H3a1: Number of hours spent sitting/light work in job 1



plus the following missing values, special codes and outliers >60:

r7042 H3a1: Number of hours spent sitting/light work in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	64	1	.0	11.1	11.1
	67	1	.0	11.1	22.2
	68	1	.0	11.1	33.3
	70	2	.1	22.2	55.6
	75	1	.0	11.1	66.7
	97 Occasional/varies	3	.1	33.3	100.0
	Total	9	.2	100.0	
Missing	-1 No response	3636	99.8		
Total		3645	100.0		

R File – Section H

r7050 H3b1: Respondent's job involves sitting/moderate work in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4599	60.5	95.2	95.2
	2 Yes	234	3.1	4.8	100.0
	Total	4833	63.6	100.0	
Missing	-1 No response	2763	36.4		
Total		7596	100.0		

r7052 H3b1: Number of hours spent sitting/moderate work in job 1


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	28	.4	13.9	13.9
	2	32	.4	15.9	29.9
	3	17	.2	8.5	38.3
	4	18	.2	9.0	47.3
	5	18	.2	9.0	56.2
	6	15	.2	7.5	63.7
	7	5	.1	2.5	66.2
	8	12	.2	6.0	72.1
	9	2	.0	1.0	73.1
	10	28	.4	13.9	87.1
	12	2	.0	1.0	88.1
	13	2	.0	1.0	89.1
	14	4	.1	2.0	91.0
	15	5	.1	2.5	93.5
	17	1	.0	.5	94.0
	18	1	.0	.5	94.5
	20	4	.1	2.0	96.5
	23	1	.0	.5	97.0
	25	1	.0	.5	97.5
	30	1	.0	.5	98.0
	35	1	.0	.5	98.5
	36	1	.0	.5	99.0
	40	2	.0	1.0	100.0
	Total	201	2.6	100.0	
Missing	-1 No response	7395	97.4		
Total		7596	100.0		

R File – Section H

r7060 H3c1: Respondent's job involves standing/light work in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3241	42.7	66.4	66.4
	2 Yes	1637	21.6	33.6	100.0
	Total	4878	64.2	100.0	
Missing	-1 No response	2718	35.8		
Total		7596	100.0		

r7062 H3c1: Number hours spent standing/light work in job 1



plus the following missing values, special codes and outliers >50:

r7062 H3c1: Number hours spent standing/light work in job 1


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	56	1	.0	20.0	20.0
	60	1	.0	20.0	40.0
	97 Occasional/varies	3	.0	60.0	100.0
	Total	5	.1	100.0	
Missing	-1 No response	6109	99.9		
Total		6114	100.0		

R File – Section H

r7070 H3d1: Respondent's job involves standing/light to moderate work in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3780	49.8	80.3	80.3
	2 Yes	925	12.2	19.7	100.0
	Total	4705	61.9	100.0	
Missing	-1 No response	2891	38.1		
Total		7596	100.0		

r7072 H3d1: Number hours spent standing/light to moderate work in job 1



plus the following missing values, special codes and outliers >40:

r7072 H3d1: Number hours spent standing/light to moderate work in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	60	1	.0	50.0	50.0
	97 Occasional/varies	1	.0	50.0	100.0
	Total	2	.0	100.0	
Missing	-1 No response	6757	100.0		
Total		6759	100.0		

R File – Section H

r7080 H3e1: Respondent's job involves standing/moderate work in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4242	55.8	91.7	91.7
	2 Yes	386	5.1	8.3	100.0
	Total	4628	60.9	100.0	
Missing	-1 No response	2968	39.1		
Total		7596	100.0		

r7082 H3e1: Number hours spent standing/moderate work in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	41	.5	12.0	12.0
	2	34	.4	10.0	22.0
	3	24	.3	7.0	29.0
	4	19	.3	5.6	34.6
	5	31	.4	9.1	43.7
	6	12	.2	3.5	47.2
	7	6	.1	1.8	49.0
	8	14	.2	4.1	53.1
	9	7	.1	2.1	55.1
	10	38	.5	11.1	66.3
	11	3	.0	.9	67.2
	12	10	.1	2.9	70.1
	13	4	.1	1.2	71.3
	14	5	.1	1.5	72.7
	15	18	.2	5.3	78.0
	16	13	.2	3.8	81.8
	17	2	.0	.6	82.4
	18	7	.1	2.1	84.5
	19	1	.0	.3	84.8
	20	20	.3	5.9	90.6
	21	2	.0	.6	91.2
	22	2	.0	.6	91.8
	23	1	.0	.3	92.1
	24	3	.0	.9	93.0
	25	6	.1	1.8	94.7
	29	2	.0	.6	95.3
	30	3	.0	.9	96.2
	31	1	.0	.3	96.5
	32	1	.0	.3	96.8
	34	1	.0	.3	97.1
	35	2	.0	.6	97.7
	36	1	.0	.3	97.9
	37	1	.0	.3	98.2
	38	2	.0	.6	98.8
	40	4	.1	1.2	100.0
	Total	341	4.5	100.0	
Missing	-1 No response	7255	95.5		
Total		7596	100.0		

R File – Section H

r7090 H3f1: Respondent's job involves standing/moderate to heavy work in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	4402	58.0	96.5	96.5
	2 Yes	161	2.1	3.5	100.0
	Total	4563	60.1	100.0	
Missing	-1 No response	3033	39.9		
Total		7596	100.0		


r7092 H3f1: Number hours spent standing/moderate to heavy work in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	28	.4	20.6	20.6
	2	21	.3	15.4	36.0
	3	11	.1	8.1	44.1
	4	8	.1	5.9	50.0
	5	16	.2	11.8	61.8
	6	8	.1	5.9	67.6
	7	4	.1	2.9	70.6
	8	6	.1	4.4	75.0
	9	1	.0	.7	75.7
	10	12	.2	8.8	84.6
	12	2	.0	1.5	86.0
	14	1	.0	.7	86.8
	15	3	.0	2.2	89.0
	16	1	.0	.7	89.7
	17	1	.0	.7	90.4
	20	5	.1	3.7	94.1
	22	1	.0	.7	94.9
	28	1	.0	.7	95.6
	29	1	.0	.7	96.3
	30	4	.1	2.9	99.3
	32	1	.0	.7	100.0
	Total	136	1.8	100.0	
Missing	-1 No response	7460	98.2		
Total		7596	100.0		

r7100 H3g1: Respondent's job involves walking at work carrying nothing heavier than a briefcase in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2149	28.3	43.5	43.5
	2 Yes	2792	36.8	56.5	100.0
	Total	4941	65.0	100.0	
Missing	-1 No response	2655	35.0		
Total		7596	100.0		

r7102 H3g1: Number of hours spent walking at work carrying nothing heavier than a briefcase in job 1



plus the following missing values, special codes and outliers >50:

r7102 H3g1: Number of hours spent walking at work carrying nothing heavier than a briefcase in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	70	1	.0	20.0	20.0
	80	1	.0	20.0	40.0
	97 Occasional/varies	2	.0	40.0	80.0
	98 Lots	1	.0	20.0	100.0
	Total	5	.1	100.0	
Missing	-1 No response	5037	99.9		
Total		5042	100.0		

R File – Section H

r7110 H3h1: Respondent's job involves walking carrying something heavy in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3807	50.1	81.5	81.5
	2 Yes	862	11.3	18.5	100.0
	Total	4669	61.5	100.0	
Missing	-1 No response	2927	38.5		
Total		7596	100.0		

r7112 H3h1: Number of hours spent walking carrying something heavy in job1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	356	4.7	47.7	47.7
	2	130	1.7	17.4	65.1
	3	53	.7	7.1	72.2
	4	36	.5	4.8	77.0
	5	46	.6	6.2	83.1
	6	18	.2	2.4	85.5
	7	8	.1	1.1	86.6
	8	16	.2	2.1	88.8
	9	5	.1	.7	89.4
	10	29	.4	3.9	93.3
	11	1	.0	.1	93.4
	12	5	.1	.7	94.1
	14	4	.1	.5	94.6
	15	8	.1	1.1	95.7
	16	6	.1	.8	96.5
	17	2	.0	.3	96.8
	18	3	.0	.4	97.2
	20	12	.2	1.6	98.8
	23	2	.0	.3	99.1
	24	1	.0	.1	99.2
	25	1	.0	.1	99.3
	30	3	.0	.4	99.7
	35	1	.0	.1	99.9
	97 Occasional/varies	1	.0	.1	100.0
	Total	747	9.8	100.0	
Missing	-1 No response	6849	90.2		
Total		7596	100.0		

R File – Section H

r7120 H3i1: Respondent's job involves moving/pushing heavy objects weighing over 75lbs in job1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 No	4120	54.2	89.6	89.6
2 Yes	476	6.3	10.4	100.0
Total	4596	60.5	100.0	
Missing -1 No response	3000	39.5		
Total	7596	100.0		

r7122 H3i1: Number of hours spent moving/pushing heavy objects weighing over 75lbs in job 1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	159	2.1	39.7	39.7
2	74	1.0	18.5	58.1
3	24	.3	6.0	64.1
4	27	.4	6.7	70.8
5	30	.4	7.5	78.3
6	7	.1	1.7	80.0
7	5	.1	1.2	81.3
8	9	.1	2.2	83.5
9	3	.0	.7	84.3
10	19	.3	4.7	89.0
11	1	.0	.2	89.3
12	6	.1	1.5	90.8
13	1	.0	.2	91.0
14	4	.1	1.0	92.0
15	3	.0	.7	92.8
16	2	.0	.5	93.3
17	2	.0	.5	93.8
18	2	.0	.5	94.3
20	13	.2	3.2	97.5
23	1	.0	.2	97.8
24	1	.0	.2	98.0
25	1	.0	.2	98.3
30	4	.1	1.0	99.3
37	1	.0	.2	99.5
97 Occasional/varies	2	.0	.5	100.0
Total	401	5.3	100.0	
Missing -1 No response	7195	94.7		
Total	7596	100.0		

R File – Section H

r7130 H3j1: Respondent's job involves something else in job1


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2973	39.1	85.7	85.7
	2 Yes	497	6.5	14.3	100.0
	Total	3470	45.7	100.0	
Missing	-1 No response	4126	54.3		
Total		7596	100.0		

r7132 H3j1: Number of hours spent doing something else in job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	30	.4	8.1	8.1
	2	36	.5	9.7	17.7
	3	33	.4	8.9	26.6
	4	19	.3	5.1	31.7
	5	32	.4	8.6	40.3
	6	17	.2	4.6	44.9
	7	12	.2	3.2	48.1
	8	26	.3	7.0	55.1
	9	10	.1	2.7	57.8
	10	21	.3	5.6	63.4
	11	4	.1	1.1	64.5
	12	8	.1	2.2	66.7
	13	4	.1	1.1	67.7
	14	5	.1	1.3	69.1
	15	15	.2	4.0	73.1
	16	6	.1	1.6	74.7
	17	8	.1	2.2	76.9
	18	11	.1	3.0	79.8
	19	1	.0	.3	80.1
	20	16	.2	4.3	84.4
	21	1	.0	.3	84.7
	22	5	.1	1.3	86.0
	23	4	.1	1.1	87.1
	24	4	.1	1.1	88.2
	25	8	.1	2.2	90.3
	27	2	.0	.5	90.9
	28	2	.0	.5	91.4
	30	17	.2	4.6	96.0
	34	1	.0	.3	96.2
	35	2	.0	.5	96.8
	36	1	.0	.3	97.0
	37	2	.0	.5	97.6
	38	1	.0	.3	97.8
	40	4	.1	1.1	98.9
	45	1	.0	.3	99.2
	48	1	.0	.3	99.5
	80	1	.0	.3	99.7
	97 Occasional/varies	1	.0	.3	100.0
	Total	372	4.9	100.0	
Missing	-1 No response	7224	95.1		
Total		7596	100.0		

r7140 H3a2: Respondent's job involves sitting/light work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	456	6.0	34.5	34.5
	2 Yes	865	11.4	65.5	100.0
	Total	1321	17.4	100.0	
Missing	-1 No response	6275	82.6		
Total		7596	100.0		

r7142 H3a2: Number of hours spent sitting/light work in job 2

plus the following missing values, special codes and outliers >40:

r7142 H3a2: Number of hours spent sitting/light work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	45	4	.1	57.1	57.1
	50	2	.0	28.6	85.7
	97 Occasional/varies	1	.0	14.3	100.0
	Total	7	.1	100.0	
Missing	-1 No response	6772	99.9		
Total		6779	100.0		

R File – Section H

r7150 H3b2: Respondent's job involves sitting/moderate work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	974	12.8	93.7	93.7
	2 Yes	65	.9	6.3	100.0
	Total	1039	13.7	100.0	
Missing	-1 No response	6557	86.3		
Total		7596	100.0		

r7152 H3b2: Number of hours spent sitting/moderate work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	10	.1	16.9	16.9
	2	7	.1	11.9	28.8
	3	7	.1	11.9	40.7
	4	5	.1	8.5	49.2
	5	2	.0	3.4	52.5
	6	1	.0	1.7	54.2
	7	3	.0	5.1	59.3
	8	2	.0	3.4	62.7
	9	2	.0	3.4	66.1
	10	8	.1	13.6	79.7
	12	1	.0	1.7	81.4
	14	2	.0	3.4	84.7
	15	2	.0	3.4	88.1
	16	1	.0	1.7	89.8
	17	2	.0	3.4	93.2
	20	3	.0	5.1	98.3
	24	1	.0	1.7	100.0
	Total	59	.8	100.0	
Missing	-1 No response	7537	99.2		
Total		7596	100.0		

R File – Section H

r7160 H3c2: Respondent's job involves standing/light work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	714	9.4	66.4	66.4
	2 Yes	361	4.8	33.6	100.0
	Total	1075	14.2	100.0	
Missing	-1 No response	6521	85.8		
Total		7596	100.0		

r7162 H3c2: Number hours spent standing/light work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	60	.8	18.2	18.2
	2	55	.7	16.7	34.8
	3	38	.5	11.5	46.4
	4	27	.4	8.2	54.5
	5	26	.3	7.9	62.4
	6	20	.3	6.1	68.5
	7	15	.2	4.5	73.0
	8	5	.1	1.5	74.5
	9	4	.1	1.2	75.8
	10	22	.3	6.7	82.4
	11	1	.0	.3	82.7
	12	9	.1	2.7	85.5
	14	4	.1	1.2	86.7
	15	7	.1	2.1	88.8
	16	4	.1	1.2	90.0
	17	1	.0	.3	90.3
	18	3	.0	.9	91.2
	20	7	.1	2.1	93.3
	21	1	.0	.3	93.6
	22	1	.0	.3	93.9
	23	2	.0	.6	94.5
	25	2	.0	.6	95.2
	30	8	.1	2.4	97.6
	31	1	.0	.3	97.9
	36	3	.0	.9	98.8
	40	1	.0	.3	99.1
	60	1	.0	.3	99.4
	70	1	.0	.3	99.7
	97 Occasional/varies	1	.0	.3	100.0
	Total	330	4.3	100.0	
Missing	-1 No response	7266	95.7		
Total		7596	100.0		

R File – Section H

r7170 H3d2: Respondent's job involves standing/light to moderate work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	827	10.9	81.3	81.3
	2 Yes	190	2.5	18.7	100.0
	Total	1017	13.4	100.0	
Missing	-1 No response	6579	86.6		
Total		7596	100.0		

r7172 H3d2: Number hours spent standing/light to moderate work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	41	.5	23.4	23.4
	2	30	.4	17.1	40.6
	3	10	.1	5.7	46.3
	4	14	.2	8.0	54.3
	5	15	.2	8.6	62.9
	6	12	.2	6.9	69.7
	7	7	.1	4.0	73.7
	8	7	.1	4.0	77.7
	9	1	.0	.6	78.3
	10	16	.2	9.1	87.4
	11	1	.0	.6	88.0
	12	4	.1	2.3	90.3
	13	1	.0	.6	90.9
	15	4	.1	2.3	93.1
	16	2	.0	1.1	94.3
	17	1	.0	.6	94.9
	20	5	.1	2.9	97.7
	25	1	.0	.6	98.3
	32	1	.0	.6	98.9
	36	1	.0	.6	99.4
	40	1	.0	.6	100.0
	Total	175	2.3	100.0	
Missing	-1 No response	7421	97.7		
Total		7596	100.0		

R File – Section H

r7180 H3e2: Respondent's job involves standing/moderate work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	886	11.7	90.0	90.0
	2 Yes	98	1.3	10.0	100.0
	Total	984	13.0	100.0	
Missing	-1 No response	6612	87.0		
Total		7596	100.0		

r7182 H3e2: Number hours spent standing/moderate work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	16	.2	19.3	19.3
	2	10	.1	12.0	31.3
	3	3	.0	3.6	34.9
	4	8	.1	9.6	44.6
	5	9	.1	10.8	55.4
	6	6	.1	7.2	62.7
	7	3	.0	3.6	66.3
	8	5	.1	6.0	72.3
	9	2	.0	2.4	74.7
	10	6	.1	7.2	81.9
	11	1	.0	1.2	83.1
	12	2	.0	2.4	85.5
	13	1	.0	1.2	86.7
	16	2	.0	2.4	89.2
	17	1	.0	1.2	90.4
	19	1	.0	1.2	91.6
	20	2	.0	2.4	94.0
	22	2	.0	2.4	96.4
	24	1	.0	1.2	97.6
	35	1	.0	1.2	98.8
	40	1	.0	1.2	100.0
	Total	83	1.1	100.0	
Missing	-1 No response	7513	98.9		
Total		7596	100.0		

R File – Section H

r7190 H3f2: Respondent's job involves standing/moderate to heavy work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	920	12.1	95.1	95.1
	2 Yes	47	.6	4.9	100.0
	Total	967	12.7	100.0	
Missing	-1 No response	6629	87.3		
Total		7596	100.0		

r7192 H3f2: Number hours spent standing/moderate to heavy work in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	8	.1	21.1	21.1
	2	4	.1	10.5	31.6
	3	3	.0	7.9	39.5
	4	4	.1	10.5	50.0
	5	3	.0	7.9	57.9
	6	3	.0	7.9	65.8
	10	3	.0	7.9	73.7
	16	4	.1	10.5	84.2
	18	2	.0	5.3	89.5
	20	2	.0	5.3	94.7
	25	1	.0	2.6	97.4
	32	1	.0	2.6	100.0
	Total	38	.5	100.0	
Missing	-1 No response	7558	99.5		
Total		7596	100.0		

R File – Section H

r7200 H3g2: Respondent's job involves walking at work carrying nothing heavier than a briefcase in job 2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 No	583	7.7	54.7	54.7
2 Yes	483	6.4	45.3	100.0
Total	1066	14.0	100.0	
Missing -1 No response	6530	86.0		
Total	7596	100.0		

r7202 H3g2: Number of hours spent walking at work carrying nothing heavier than a briefcase in job 2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	118	1.6	27.0	27.0
2	72	.9	16.5	43.5
3	49	.6	11.2	54.7
4	28	.4	6.4	61.1
5	37	.5	8.5	69.6
6	21	.3	4.8	74.4
7	16	.2	3.7	78.0
8	16	.2	3.7	81.7
9	1	.0	.2	81.9
10	27	.4	6.2	88.1
11	3	.0	.7	88.8
12	4	.1	.9	89.7
13	2	.0	.5	90.2
14	3	.0	.7	90.8
15	10	.1	2.3	93.1
16	1	.0	.2	93.4
17	1	.0	.2	93.6
18	4	.1	.9	94.5
19	2	.0	.5	95.0
20	6	.1	1.4	96.3
21	1	.0	.2	96.6
23	1	.0	.2	96.8
24	1	.0	.2	97.0
25	3	.0	.7	97.7
28	1	.0	.2	97.9
29	1	.0	.2	98.2
30	2	.0	.5	98.6
32	1	.0	.2	98.9
33	1	.0	.2	99.1
35	1	.0	.2	99.3
39	1	.0	.2	99.5
40	1	.0	.2	99.8
97 Occasional/varies	1	.0	.2	100.0
Total	437	5.8	100.0	
Missing -1 No response	7159	94.2		
Total	7596	100.0		

R File – Section H

r7210 H3h2: Respondent's job involves walking carrying something heavy in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	815	10.7	84.0	84.0
	2 Yes	155	2.0	16.0	100.0
	Total	970	12.8	100.0	
Missing	-1 No response	6626	87.2		
Total		7596	100.0		

r7212 H3h2: Number of hours spent walking carrying something heavy in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	60	.8	45.1	45.1
	2	19	.3	14.3	59.4
	3	14	.2	10.5	69.9
	4	9	.1	6.8	76.7
	5	9	.1	6.8	83.5
	6	6	.1	4.5	88.0
	7	2	.0	1.5	89.5
	9	1	.0	.8	90.2
	10	8	.1	6.0	96.2
	12	1	.0	.8	97.0
	15	1	.0	.8	97.7
	20	1	.0	.8	98.5
	24	1	.0	.8	99.2
	30	1	.0	.8	100.0
	Total	133	1.8	100.0	
Missing	-1 No response	7463	98.2		
Total		7596	100.0		

R File – Section H

r7220 H3i2: Respondent's job involves moving/pushing heavy objects weighing over 75lbs in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	873	11.5	92.5	92.5
	2 Yes	71	.9	7.5	100.0
	Total	944	12.4	100.0	
Missing	-1 No response	6652	87.6		
Total		7596	100.0		

r7222 H3i2: Number of hours spent moving/pushing heavy objects weighing over 75lbs in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	30	.4	49.2	49.2
	2	7	.1	11.5	60.7
	3	6	.1	9.8	70.5
	4	2	.0	3.3	73.8
	5	5	.1	8.2	82.0
	6	3	.0	4.9	86.9
	7	2	.0	3.3	90.2
	10	3	.0	4.9	95.1
	18	1	.0	1.6	96.7
	20	1	.0	1.6	98.4
	24	1	.0	1.6	100.0
	Total	61	.8	100.0	
Missing	-1 No response	7535	99.2		
Total		7596	100.0		

R File – Section H

r7230 H3j2: Respondent's job involves something else in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	640	8.4	85.7	85.7
	2 Yes	107	1.4	14.3	100.0
	Total	747	9.8	100.0	
Missing	-1 No response	6849	90.2		
Total		7596	100.0		

r7232 H3j2: Number of hours spent doing something else in job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	10	.1	12.0	12.0
	2	19	.3	22.9	34.9
	3	8	.1	9.6	44.6
	4	11	.1	13.3	57.8
	5	5	.1	6.0	63.9
	6	8	.1	9.6	73.5
	7	4	.1	4.8	78.3
	8	1	.0	1.2	79.5
	9	1	.0	1.2	80.7
	10	3	.0	3.6	84.3
	12	3	.0	3.6	88.0
	14	1	.0	1.2	89.2
	15	1	.0	1.2	90.4
	17	1	.0	1.2	91.6
	18	2	.0	2.4	94.0
	21	1	.0	1.2	95.2
	22	1	.0	1.2	96.4
	30	2	.0	2.4	98.8
	40	1	.0	1.2	100.0
	Total	83	1.1	100.0	
Missing	-1 No response	7513	98.9		
Total		7596	100.0		

R File – Section H

r7240 H3a3: Respondent's job involves sitting/light work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	121	1.6	36.9	36.9
	2 Yes	207	2.7	63.1	100.0
	Total	328	4.3	100.0	
Missing	-1 No response	7268	95.7		
Total		7596	100.0		

r7242 H3a3 Number of hours spent sitting/light work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	45	.6	23.0	23.0
	2	41	.5	20.9	43.9
	3	20	.3	10.2	54.1
	4	18	.2	9.2	63.3
	5	7	.1	3.6	66.8
	6	7	.1	3.6	70.4
	7	5	.1	2.6	73.0
	8	5	.1	2.6	75.5
	9	2	.0	1.0	76.5
	10	12	.2	6.1	82.7
	11	1	.0	.5	83.2
	13	1	.0	.5	83.7
	14	2	.0	1.0	84.7
	15	5	.1	2.6	87.2
	18	1	.0	.5	87.8
	20	6	.1	3.1	90.8
	21	1	.0	.5	91.3
	24	1	.0	.5	91.8
	25	1	.0	.5	92.3
	28	1	.0	.5	92.9
	30	3	.0	1.5	94.4
	34	1	.0	.5	94.9
	35	2	.0	1.0	95.9
	37	1	.0	.5	96.4
	38	1	.0	.5	96.9
	40	3	.0	1.5	98.5
	97 Occasional/varies	3	.0	1.5	100.0
	Total	196	2.6	100.0	
Missing	-1 No response	7400	97.4		
Total		7596	100.0		

R File – Section H

r7250 H3b3: Respondent's job involves sitting/moderate work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	263	3.5	97.8	97.8
	2 Yes	6	.1	2.2	100.0
	Total	269	3.5	100.0	
Missing	-1 No response	7327	96.5		
Total		7596	100.0		

r7252 H3b3: Number of hours spent sitting/moderate work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	3	.0	60.0	60.0
	5	1	.0	20.0	80.0
	8	1	.0	20.0	100.0
	Total	5	.1	100.0	
Missing	-1 No response	7591	99.9		
Total		7596	100.0		

r7260 H3c3: Respondent's job involves standing/light work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	198	2.6	71.0	71.0
	2 Yes	81	1.1	29.0	100.0
	Total	279	3.7	100.0	
Missing	-1 No response	7317	96.3		
Total		7596	100.0		

r7262 H3c3: Number hours spent standing/light work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	24	.3	30.8	30.8
	2	10	.1	12.8	43.6
	3	9	.1	11.5	55.1
	4	11	.1	14.1	69.2
	6	4	.1	5.1	74.4
	7	3	.0	3.8	78.2
	8	2	.0	2.6	80.8
	9	1	.0	1.3	82.1
	10	3	.0	3.8	85.9
	12	1	.0	1.3	87.2
	13	1	.0	1.3	88.5
	14	2	.0	2.6	91.0
	15	1	.0	1.3	92.3
	16	2	.0	2.6	94.9
	20	2	.0	2.6	97.4
	30	1	.0	1.3	98.7
	97 Occasional/varies	1	.0	1.3	100.0
	Total	78	1.0	100.0	
Missing	-1 No response	7518	99.0		
Total		7596	100.0		

R File – Section H

r7270 H3d3: Respondent's job involves standing/light to moderate work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	219	2.9	80.2	80.2
	2 Yes	54	.7	19.8	100.0
	Total	273	3.6	100.0	
Missing	-1 No response	7323	96.4		
Total		7596	100.0		

r7272 H3d3: Number hours spent standing/light to moderate work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	5	.1	10.6	10.6
	2	8	.1	17.0	27.7
	3	5	.1	10.6	38.3
	4	10	.1	21.3	59.6
	5	3	.0	6.4	66.0
	6	2	.0	4.3	70.2
	8	5	.1	10.6	80.9
	9	3	.0	6.4	87.2
	10	1	.0	2.1	89.4
	12	1	.0	2.1	91.5
	15	2	.0	4.3	95.7
	20	2	.0	4.3	100.0
	Total	47	.6	100.0	
Missing	-1 No response	7549	99.4		
Total		7596	100.0		

r7280 H3e3: Respondent's job involves standing/moderate work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	237	3.1	92.6	92.6
	2 Yes	19	.3	7.4	100.0
	Total	256	3.4	100.0	
Missing	-1 No response	7340	96.6		
Total		7596	100.0		

r7282 H3e3: Number hours spent standing/moderate work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	.1	23.5	23.5
	2	2	.0	11.8	35.3
	3	2	.0	11.8	47.1
	4	2	.0	11.8	58.8
	5	2	.0	11.8	70.6
	6	1	.0	5.9	76.5
	12	1	.0	5.9	82.4
	16	1	.0	5.9	88.2
	20	1	.0	5.9	94.1
	24	1	.0	5.9	100.0
	Total	17	.2	100.0	
Missing	-1 No response	7579	99.8		
Total		7596	100.0		

R File – Section H

r7290 H3f3: Respondent's job involves standing/moderate to heavy work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	247	3.3	96.9	96.9
	2 Yes	8	.1	3.1	100.0
	Total	255	3.4	100.0	
Missing	-1 No response	7341	96.6		
Total		7596	100.0		

r7292 H3f3: Number hours spent standing/moderate to heavy work in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	20.0	20.0
	2	3	.0	60.0	80.0
	3	1	.0	20.0	100.0
	Total	5	.1	100.0	
Missing	-1 No response	7591	99.9		
Total		7596	100.0		

r7300 H3g3: Respondent's job involves walking at work carrying nothing heavier than a briefcase in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	180	2.4	64.3	64.3
	2 Yes	100	1.3	35.7	100.0
	Total	280	3.7	100.0	
Missing	-1 No response	7316	96.3		
Total		7596	100.0		

r7302 H3g3: Number of hours spent walking at work carrying nothing heavier than a briefcase in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	30	.4	33.7	33.7
	2	19	.3	21.3	55.1
	3	6	.1	6.7	61.8
	4	8	.1	9.0	70.8
	5	5	.1	5.6	76.4
	7	3	.0	3.4	79.8
	8	1	.0	1.1	80.9
	10	8	.1	9.0	89.9
	11	1	.0	1.1	91.0
	12	1	.0	1.1	92.1
	14	1	.0	1.1	93.3
	16	1	.0	1.1	94.4
	25	1	.0	1.1	95.5
	30	1	.0	1.1	96.6
	34	1	.0	1.1	97.8
	35	1	.0	1.1	98.9
	97 Occasional/varies	1	.0	1.1	100.0
	Total	89	1.2	100.0	
Missing	-1 No response	7507	98.8		
Total		7596	100.0		

R File – Section H

r7310 H3h3: Respondent's job involves walking carrying something heavy in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	229	3.0	87.1	87.1
	2 Yes	34	.4	12.9	100.0
	Total	263	3.5	100.0	
Missing	-1 No response	7333	96.5		
Total		7596	100.0		

r7312 H3h3: Number of hours spent walking carrying something heavy in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	17	.2	58.6	58.6
	2	5	.1	17.2	75.9
	3	3	.0	10.3	86.2
	5	1	.0	3.4	89.7
	6	1	.0	3.4	93.1
	14	1	.0	3.4	96.6
	21	1	.0	3.4	100.0
	Total	29	.4	100.0	
Missing	-1 No response	7567	99.6		
Total		7596	100.0		

r7320 H3i3: Respondent's job involves moving/pushing heavy objects weighing over 75lbs in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	241	3.2	94.5	94.5
	2 Yes	14	.2	5.5	100.0
	Total	255	3.4	100.0	
Missing	-1 No response	7341	96.6		
Total		7596	100.0		

r7322 H3i3: Number of hours spent moving/pushing heavy objects weighing over 75lbs in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	.1	30.8	30.8
	2	4	.1	30.8	61.5
	3	1	.0	7.7	69.2
	4	1	.0	7.7	76.9
	5	1	.0	7.7	84.6
	10	1	.0	7.7	92.3
	15	1	.0	7.7	100.0
	Total	13	.2	100.0	
Missing	-1 No response	7583	99.8		
Total		7596	100.0		

R File – Section H

r7330 H3j3: Respondent's job involves something else in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	174	2.3	82.1	82.1
	2 Yes	38	.5	17.9	100.0
	Total	212	2.8	100.0	
Missing	-1 No response	7384	97.2		
Total		7596	100.0		

r7332 H3j3: Number of hours spent doing something else in job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	.0	3.2	3.2
	2	9	.1	29.0	32.3
	3	3	.0	9.7	41.9
	4	4	.1	12.9	54.8
	5	2	.0	6.5	61.3
	6	3	.0	9.7	71.0
	7	2	.0	6.5	77.4
	8	1	.0	3.2	80.6
	10	2	.0	6.5	87.1
	30	1	.0	3.2	90.3
	36	1	.0	3.2	93.5
	40	1	.0	3.2	96.8
	97 Occasional/varies	1	.0	3.2	100.0
	Total	31	.4	100.0	
Missing	-1 No response	7565	99.6		
Total		7596	100.0		

R File – Section H

r7340 H4a1: Number of times per day on average respondent climbed up a flight of stairs at work over the past year at Job 1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1760	23.2	33.1	33.1
1	399	5.3	7.5	40.6
2	685	9.0	12.9	53.4
3	351	4.6	6.6	60.0
4	541	7.1	10.2	70.2
5	309	4.1	5.8	76.0
6	368	4.8	6.9	82.9
7	38	.5	.7	83.6
8	141	1.9	2.6	86.3
9	17	.2	.3	86.6
10	391	5.1	7.3	94.0
11	4	.1	.1	94.0
12	48	.6	.9	94.9
13	1	.0	.0	95.0
14	6	.1	.1	95.1
15	50	.7	.9	96.0
16	5	.1	.1	96.1
17	1	.0	.0	96.1
18	2	.0	.0	96.2
20	116	1.5	2.2	98.3
24	5	.1	.1	98.4
25	8	.1	.2	98.6
28	1	.0	.0	98.6
30	22	.3	.4	99.0
32	1	.0	.0	99.0
35	2	.0	.0	99.1
36	1	.0	.0	99.1
39	1	.0	.0	99.1
40	10	.1	.2	99.3
48	1	.0	.0	99.3
50	10	.1	.2	99.5
52	5	.1	.1	99.6
58	2	.0	.0	99.6
60	3	.0	.1	99.7
80	3	.0	.1	99.8
90	1	.0	.0	99.8
97 Occasional/varies	2	.0	.0	99.8
98 100+ / Lots	10	.1	.2	100.0
Total	5321	70.1	100.0	
Missing -9 Don't know	19	.3		
-1 No response	2256	29.7		
Total	2275	29.9		
Total	7596	100.0		

R File – Section H

r7341 H4b1: Number of times per day on average respondent climbed up a ladder at work over the past year at Job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4211	55.4	93.7	93.7
	1	93	1.2	2.1	95.8
	2	59	.8	1.3	97.1
	3	17	.2	.4	97.4
	4	22	.3	.5	97.9
	5	16	.2	.4	98.3
	6	12	.2	.3	98.6
	7	1	.0	.0	98.6
	8	3	.0	.1	98.6
	9	1	.0	.0	98.7
	10	22	.3	.5	99.2
	12	3	.0	.1	99.2
	14	1	.0	.0	99.2
	15	3	.0	.1	99.3
	20	13	.2	.3	99.6
	28	1	.0	.0	99.6
	30	5	.1	.1	99.7
	40	2	.0	.0	99.8
	50	3	.0	.1	99.8
	52	2	.0	.0	99.9
	60	3	.0	.1	100.0
	80	1	.0	.0	100.0
	98 100+ / Lots	1	.0	.0	100.0
	Total	4495	59.2	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	3098	40.8		
	Total	3101	40.8		
Total		7596	100.0		

R File – Section H

r7350 H4a2: Number of times per day on average respondent climbed up a flight of stairs at work over the past year at Job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	732	9.6	54.5	54.5
	1	94	1.2	7.0	61.5
	2	158	2.1	11.8	73.2
	3	70	.9	5.2	78.4
	4	73	1.0	5.4	83.9
	5	43	.6	3.2	87.1
	6	43	.6	3.2	90.3
	7	3	.0	.2	90.5
	8	23	.3	1.7	92.2
	9	1	.0	.1	92.3
	10	55	.7	4.1	96.4
	11	1	.0	.1	96.4
	12	6	.1	.4	96.9
	15	8	.1	.6	97.5
	16	2	.0	.1	97.6
	18	3	.0	.2	97.8
	20	12	.2	.9	98.7
	25	2	.0	.1	98.9
	30	2	.0	.1	99.0
	40	1	.0	.1	99.1
	48	1	.0	.1	99.2
	50	5	.1	.4	99.6
	65	1	.0	.1	99.6
	98 100+ / Lots	5	.1	.4	100.0
	Total	1344	17.7	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	6248	82.3		
	Total	6252	82.3		
Total		7596	100.0		

r7351 H4b2: Number of times per day on average respondent climbed up a ladder at work over the past year at Job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1119	14.7	95.2	95.2
	1	19	.3	1.6	96.8
	2	13	.2	1.1	97.9
	3	4	.1	.3	98.2
	4	5	.1	.4	98.6
	5	5	.1	.4	99.1
	6	1	.0	.1	99.1
	7	1	.0	.1	99.2
	8	1	.0	.1	99.3
	10	3	.0	.3	99.6
	20	4	.1	.3	99.9
	40	1	.0	.1	100.0
	Total	1176	15.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	6419	84.5		
	Total	6420	84.5		
Total		7596	100.0		

R File – Section H

r7360 H4a3: Number of times per day on average respondent climbed up a flight of stairs at work over the past year at Job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	191	2.5	58.1	58.1
	1	29	.4	8.8	66.9
	2	42	.6	12.8	79.6
	3	17	.2	5.2	84.8
	4	10	.1	3.0	87.8
	5	5	.1	1.5	89.4
	6	8	.1	2.4	91.8
	8	4	.1	1.2	93.0
	10	13	.2	4.0	97.0
	20	3	.0	.9	97.9
	25	1	.0	.3	98.2
	30	4	.1	1.2	99.4
	34	1	.0	.3	99.7
	98 100+ / Lots	1	.0	.3	100.0
	Total	329	4.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	7266	95.7		
	Total	7267	95.7		
Total		7596	100.0		

r7361 H4b3: Number of times per day on average respondent climbed up a ladder at work over the past year at Job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	297	3.9	96.1	96.1
	1	1	.0	.3	96.4
	2	4	.1	1.3	97.7
	4	1	.0	.3	98.1
	5	1	.0	.3	98.4
	6	1	.0	.3	98.7
	10	1	.0	.3	99.0
	16	1	.0	.3	99.4
	20	1	.0	.3	99.7
	30	1	.0	.3	100.0
	Total	309	4.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	7286	95.9		
	Total	7287	95.9		
Total		7596	100.0		

R File – Section H

r7370 H5a: In an average working day respondent knelt for more than one hour in total


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	444	5.8	7.8	7.8
	2 No	5175	68.1	91.0	98.8
	9 Don't know	68	.9	1.2	100.0
	Total	5687	74.9	100.0	
Missing	-1 No response	1909	25.1		
Total		7596	100.0		

r7371 H5b: In an average working day respondent squat for more than one hour in total

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	399	5.3	7.0	7.0
	2 No	5213	68.6	91.8	98.8
	9 Don't know	68	.9	1.2	100.0
	Total	5680	74.8	100.0	
Missing	-1 No response	1916	25.2		
Total		7596	100.0		

r7372 H5c: In an average working day respondent got up from kneeling/squatting more than 30 times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	599	7.9	10.5	10.5
	2 No	4941	65.0	86.9	97.4
	9 Don't know	149	2.0	2.6	100.0
	Total	5689	74.9	100.0	
Missing	-1 No response	1907	25.1		
Total		7596	100.0		

r7380 H6a: Number of miles from home to Job 1

plus the following missing values, special codes and outliers >60:

r7380 H6a: Number of miles from home to Job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	64	1	.0	1.2	1.2
	70	1	.0	1.2	2.4
	75	1	.0	1.2	3.5
	80	1	.0	1.2	4.7
	97 Varies	68	3.3	80.0	84.7
	98 90 miles or more	13	.6	15.3	100.0
	Total	85	4.2	100.0	
Missing	-9 Don't know	12	.6		
	-1 No response	1948	95.3		
	Total	1960	95.8		
Total		2045	100.0		

R File – Section H

r7381 H6b: Number of times a week respondent travels from home to Job 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	226	3.0	4.1	4.1
	1	284	3.7	5.1	9.2
	2	606	8.0	10.9	20.1
	3	1090	14.3	19.6	39.7
	4	887	11.7	16.0	55.7
	5	2029	26.7	36.5	92.2
	6	163	2.1	2.9	95.2
	7	53	.7	1.0	96.1
	8	37	.5	.7	96.8
	9	5	.1	.1	96.9
	10	128	1.7	2.3	99.2
	12	4	.1	.1	99.3
	14	9	.1	.2	99.4
	15	2	.0	.0	99.5
	16	3	.0	.1	99.5
	20	5	.1	.1	99.6
	21	2	.0	.0	99.6
	24	1	.0	.0	99.7
	30	1	.0	.0	99.7
	80	1	.0	.0	99.7
	97 Occasional/varies	17	.2	.3	100.0
Total		5553	73.1	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	2038	26.8		
	Total	2043	26.9		
Total		7596	100.0		

R File – Section H

r7382 H6c1: Frequency respondent normally travels to Job 1 by car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	3662	48.2	73.2	73.2
	2 Usually	638	8.4	12.8	86.0
	3 Occasionally	355	4.7	7.1	93.1
	4 Never or rarely	347	4.6	6.9	100.0
	Total	5002	65.9	100.0	
Missing	-1 No response	2594	34.1		
Total		7596	100.0		

r7383 H6c2: Frequency respondent normally travels to Job 1 by works/public transport

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	193	2.5	6.9	6.9
	2 Usually	122	1.6	4.4	11.3
	3 Occasionally	226	3.0	8.1	19.5
	4 Never or rarely	2240	29.5	80.5	100.0
	Total	2781	36.6	100.0	
Missing	-1 No response	4815	63.4		
Total		7596	100.0		

r7384 H6c3: Frequency respondent normally travels to Job 1 by bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	47	.6	1.8	1.8
	2 Usually	70	.9	2.6	4.4
	3 Occasionally	216	2.8	8.2	12.6
	4 Never or rarely	2316	30.5	87.4	100.0
	Total	2649	34.9	100.0	
Missing	-1 No response	4947	65.1		
Total		7596	100.0		

r7385 H6c4: Frequency respondent normally travels to Job 1 by walking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	605	8.0	18.2	18.2
	2 Usually	266	3.5	8.0	26.2
	3 Occasionally	528	7.0	15.9	42.1
	4 Never or rarely	1926	25.4	57.9	100.0
	Total	3325	43.8	100.0	
Missing	-1 No response	4271	56.2		
Total		7596	100.0		

R File – Section H

r7390 H7a: Number of miles from home to Job 2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	181	2.4	12.3	12.3
1	439	5.8	29.9	42.2
2	189	2.5	12.9	55.1
3	123	1.6	8.4	63.5
4	74	1.0	5.0	68.5
5	89	1.2	6.1	74.6
6	50	.7	3.4	78.0
7	37	.5	2.5	80.5
8	50	.7	3.4	83.9
9	15	.2	1.0	84.9
10	52	.7	3.5	88.5
11	6	.1	.4	88.9
12	27	.4	1.8	90.7
13	3	.0	.2	90.9
14	9	.1	.6	91.6
15	17	.2	1.2	92.7
16	4	.1	.3	93.0
17	4	.1	.3	93.3
18	3	.0	.2	93.5
20	17	.2	1.2	94.6
21	1	.0	.1	94.7
22	2	.0	.1	94.8
24	1	.0	.1	94.9
25	8	.1	.5	95.4
28	1	.0	.1	95.5
29	2	.0	.1	95.6
30	8	.1	.5	96.2
35	1	.0	.1	96.3
40	4	.1	.3	96.5
42	1	.0	.1	96.6
45	2	.0	.1	96.7
50	4	.1	.3	97.0
60	2	.0	.1	97.1
70	1	.0	.1	97.2
97 Varies	31	.4	2.1	99.3
98 90 miles or more	10	.1	.7	100.0
Total	1468	19.3	100.0	
Missing -9 Don't know	4	.1		
-1 No response	6124	80.6		
Total	6128	80.7		
Total	7596	100.0		

R File – Section H

r7391 H7b: Number of times a week respondent travels from home to Job 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	123	1.6	8.6	8.6
	1	410	5.4	28.7	37.3
	2	266	3.5	18.6	56.0
	3	166	2.2	11.6	67.6
	4	110	1.4	7.7	75.3
	5	286	3.8	20.0	95.3
	6	20	.3	1.4	96.7
	7	12	.2	.8	97.5
	8	4	.1	.3	97.8
	9	1	.0	.1	97.9
	10	15	.2	1.1	98.9
	12	2	.0	.1	99.1
	15	1	.0	.1	99.2
	20	1	.0	.1	99.2
	21	1	.0	.1	99.3
	24	1	.0	.1	99.4
	97 Occasional/varies	9	.1	.6	100.0
	Total	1428	18.8	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	6165	81.2		
	Total	6168	81.2		
Total		7596	100.0		

R File – Section H

r7392 H7c1: Frequency respondent normally travels to Job 2 by car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	817	10.8	66.7	66.7
	2 Usually	138	1.8	11.3	78.0
	3 Occasionally	109	1.4	8.9	86.9
	4 Never or rarely	160	2.1	13.1	100.0
	Total	1224	16.1	100.0	
Missing	-1 No response	6372	83.9		
Total		7596	100.0		

r7393 H7c2: Frequency respondent normally travels to Job 2 by works/public transport

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	38	.5	5.2	5.2
	2 Usually	22	.3	3.0	8.2
	3 Occasionally	37	.5	5.1	13.3
	4 Never or rarely	635	8.4	86.7	100.0
	Total	732	9.6	100.0	
Missing	-1 No response	6864	90.4		
Total		7596	100.0		

r7394 H7c3: Frequency respondent normally travels to Job 2 by bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	18	.2	2.5	2.5
	2 Usually	26	.3	3.6	6.0
	3 Occasionally	47	.6	6.5	12.5
	4 Never or rarely	637	8.4	87.5	100.0
	Total	728	9.6	100.0	
Missing	-1 No response	6868	90.4		
Total		7596	100.0		

r7395 H7c4: Frequency respondent normally travels to Job 2 by walking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	240	3.2	25.7	25.7
	2 Usually	78	1.0	8.3	34.0
	3 Occasionally	117	1.5	12.5	46.5
	4 Never or rarely	500	6.6	53.5	100.0
	Total	935	12.3	100.0	
Missing	-1 No response	6661	87.7		
Total		7596	100.0		

R File – Section H

r7400 H8a: Number of miles from home to Job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	47	.6	13.1	13.1
	1	123	1.6	34.3	47.4
	2	50	.7	13.9	61.3
	3	28	.4	7.8	69.1
	4	22	.3	6.1	75.2
	5	18	.2	5.0	80.2
	6	10	.1	2.8	83.0
	7	8	.1	2.2	85.2
	8	13	.2	3.6	88.9
	9	1	.0	.3	89.1
	10	9	.1	2.5	91.6
	12	3	.0	.8	92.5
	14	1	.0	.3	92.8
	15	5	.1	1.4	94.2
	16	2	.0	.6	94.7
	17	3	.0	.8	95.5
	18	1	.0	.3	95.8
	20	1	.0	.3	96.1
	25	2	.0	.6	96.7
	28	1	.0	.3	96.9
	30	3	.0	.8	97.8
	40	1	.0	.3	98.1
	60	2	.0	.6	98.6
	80	1	.0	.3	98.9
	97 Varies	4	.1	1.1	100.0
	Total	359	4.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	7236	95.3		
	Total	7237	95.3		
Total		7596	100.0		

r7401 H8b: Number of times a week respondent travels from home to Job 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	31	.4	8.9	8.9
	1	153	2.0	44.0	52.9
	2	43	.6	12.4	65.2
	3	37	.5	10.6	75.9
	4	25	.3	7.2	83.0
	5	47	.6	13.5	96.6
	6	4	.1	1.1	97.7
	7	3	.0	.9	98.6
	10	2	.0	.6	99.1
	97 Occasional/varies	3	.0	.9	100.0
	Total	348	4.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	7247	95.4		
	Total	7248	95.4		
Total		7596	100.0		

R File – Section H

r7402 H8c1: Frequency respondent normally travels to Job 3 by car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	184	2.4	61.7	61.7
	2 Usually	36	.5	12.1	73.8
	3 Occasionally	30	.4	10.1	83.9
	4 Never or rarely	48	.6	16.1	100.0
	Total	298	3.9	100.0	
Missing	-1 No response	7298	96.1		
Total		7596	100.0		

r7403 H8c2: Frequency respondent normally travels to Job 3 by works/public transport

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	6	.1	3.1	3.1
	2 Usually	8	.1	4.1	7.2
	3 Occasionally	12	.2	6.2	13.3
	4 Never or rarely	169	2.2	86.7	100.0
	Total	195	2.6	100.0	
Missing	-1 No response	7401	97.4		
Total		7596	100.0		

r7404 H8c3: Frequency respondent normally travels to Job 3 by bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	5	.1	2.6	2.6
	2 Usually	4	.1	2.1	4.7
	3 Occasionally	12	.2	6.3	10.9
	4 Never or rarely	171	2.3	89.1	100.0
	Total	192	2.5	100.0	
Missing	-1 No response	7404	97.5		
Total		7596	100.0		

r7405 H8c4: Frequency respondent normally travels to Job 3 by walking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	72	.9	28.8	28.8
	2 Usually	15	.2	6.0	34.8
	3 Occasionally	31	.4	12.4	47.2
	4 Never or rarely	132	1.7	52.8	100.0
	Total	250	3.3	100.0	
Missing	-1 No response	7346	96.7		
Total		7596	100.0		

PAGE 48 OF THE QUESTIONNAIRE

SECTION I: RECREATION ACTIVITIES

11. Please tell us about the number of times you have done the following activities in the past year, and state the average time spent on each one:

Average time spent per episode:			Number of times you did the activity in the past year					
			Every day	3-6 times a week	Once or twice a week	1-3 times a month	Less than once a month	None ↓
hours	minutes							
a) Swimming-competitive or laps	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
b) Swimming-leisurely not laps	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
c) Backpacking or mountain climbing	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
d) Walking for pleasure (not as a means of transportation)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
e) Racing or rough terrain cycling	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
f) Cycling for pleasure (not as a means of transportation)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
g) Mowing the lawn	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
h) Watering the lawn or garden	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 49 OF THE QUESTIONNAIRE

II.	Average time spent per episode:		Number of time you did the activity in the past year					
			Every day	3-6 times a week	Once or twice a week	1-3 times a month	Less than once a month	None ↓
	hours	minutes						
i) Digging, shovelling or chopping wood	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
j) Weeding, pruning	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
k) DIY e.g. carpentry, home or car maintenance	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
l) High impact aerobics, step aerobics	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
m) Other types of aerobics	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
n) Exercises with weights	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
o) Conditioning exercises e.g. using an exercise bike or rowing machine	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
p) Floor exercises e.g. stretching, bending, keep fit	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
q) Dancing, e.g. ballroom, disco	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 50 OF THE QUESTIONNAIRE

II.

Number of times you did the activity in the past year

	Average time spent per episode:							
	hours	minutes	Every day	3-6 times a week	Once or twice a week	1-3 times a month	Less than once a month	None ↓
r) Competitive running	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
s) Jogging	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
t) Bowling - indoor, lawn or 10 pin	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
u) Tennis or badminton	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
v) Squash	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
w) Table tennis	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
x) Golf	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
y) Football or hockey	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
z) Cricket	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
za) Rowing	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
zb) Netball, volleyball, basketball	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
zc) Fishing	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
zd) Horse-riding	<input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 51 OF THE QUESTIONNAIRE

II.

Average time
spent
per episode:

hours minutes

Number of times you did the activity in the past year

Every
day3-6
times
a weekOnce
or twice
a week1-3
times
a monthLess
than
once
a monthNone
↓ze) Snooker,
billiards,
darts

--	--	--

1

2

3

4

5

6

zf) Musical
instrument,
playing, singing

--	--	--

1

2

3

4

5

6

zg) Ice-skating

--	--	--

1

2

3

4

5

6

zh) Sailing,
wind-
surfing, boating

--	--	--

1

2

3

4

5

6

zi) Winter
sports
e.g. skiing

--	--	--

1

2

3

4

5

6

zj) Martial
arts

--	--	--

1

2

3

4

5

6

zk) Other
exercise
(please tick and describe)

--	--	--

1

2

3

4

5

6

.....

R File – Section I

r8000a I1a: Average time respondent spent swimming competitively/laps per episode in the past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	783	10.3	62.6	62.6
	1	413	5.4	33.0	95.6
	2	38	.5	3.0	98.6
	3	8	.1	.6	99.3
	4	6	.1	.5	99.8
	5	1	.0	.1	99.8
	10 10+ hours	2	.0	.2	100.0
	Total	1251	16.5	100.0	
Missing	-1 No response	6345	83.5		
Total		7596	100.0		

r8000b I1a: Average time respondent spent swimming competitively/laps per episode in the past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	411	5.4	32.9	32.9
	10	18	.2	1.4	34.3
	15	27	.4	2.2	36.5
	20	93	1.2	7.4	43.9
	25	11	.1	.9	44.8
	30	496	6.5	39.6	84.4
	35	11	.1	.9	85.3
	40	84	1.1	6.7	92.0
	45	84	1.1	6.7	98.7
	50	15	.2	1.2	99.9
	55	1	.0	.1	100.0
	Total	1251	16.5	100.0	
Missing	-1 No response	6345	83.5		
Total		7596	100.0		

r8001 I1a: Frequency respondent swam competitively/laps in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	5	.1	.1	.1
	1 Every day	4	.1	.1	.1
	2 3-6 times a week	95	1.3	1.4	1.5
	3 Once or twice a week	411	5.4	6.1	7.6
	4 1-3 times a month	331	4.4	4.9	12.5
	5 Less than once a month	658	8.7	9.7	22.2
	6 None	5257	69.2	77.8	100.0
	Total	6761	89.0	100.0	
Missing	-1 No response	835	11.0		
Total		7596	100.0		

R File – Section I

r8010a I1b: Average time respondent spent swimming leisurely per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1318	17.4	40.5	40.5
	1	1633	21.5	50.2	90.6
	2	201	2.6	6.2	96.8
	3	42	.6	1.3	98.1
	4	19	.3	.6	98.7
	5	9	.1	.3	99.0
	6	10	.1	.3	99.3
	7	4	.1	.1	99.4
	8	3	.0	.1	99.5
	10 10+ hours	17	.2	.5	100.0
	Total	3256	42.9	100.0	
Missing	-1 No response	4340	57.1		
Total		7596	100.0		

r8010b I1b: Average time respondent spent respondent spent swimming leisurely per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1684	22.2	51.7	51.7
	1	2	.0	.1	51.8
	3	1	.0	.0	51.8
	5	6	.1	.2	52.0
	10	69	.9	2.1	54.1
	12	1	.0	.0	54.1
	15	68	.9	2.1	56.2
	20	157	2.1	4.8	61.1
	25	11	.1	.3	61.4
	30	977	12.9	30.0	91.4
	35	7	.1	.2	91.6
	40	90	1.2	2.8	94.4
	45	168	2.2	5.2	99.5
	50	14	.2	.4	100.0
	55	1	.0	.0	100.0
	Total	3256	42.9	100.0	
Missing	-1 No response	4340	57.1		
Total		7596	100.0		

r8011 I1b: Frequency respondent swam leisurely in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	28	.4	.4	.4
	1 Every day	11	.1	.2	.6
	2 3-6 times a week	82	1.1	1.2	1.7
	3 Once or twice a week	587	7.7	8.3	10.0
	4 1-3 times a month	946	12.5	13.4	23.4
	5 Less than once a month	2713	35.7	38.4	61.9
	6 None	2693	35.5	38.1	100.0
	Total	7060	92.9	100.0	
Missing	-1 No response	536	7.1		
Total		7596	100.0		

R File – Section I

r8020a I1c: Average time respondent spent backpacking/mountain climbing per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.1	1.4	1.4
	1	23	.3	8.0	9.3
	2	58	.8	20.1	29.4
	3	42	.6	14.5	43.9
	4	61	.8	21.1	65.1
	5	37	.5	12.8	77.9
	6	37	.5	12.8	90.7
	7	11	.1	3.8	94.5
	8	8	.1	2.8	97.2
	10 10+ hours	8	.1	2.8	100.0
	Total	289	3.8	100.0	
Missing	-1 No response	7307	96.2		
Total		7596	100.0		

r8020b I1c: Average time respondent spent backpacking/mountain climbing per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	271	3.6	93.8	93.8
	4	1	.0	.3	94.1
	20	2	.0	.7	94.8
	30	15	.2	5.2	100.0
	Total	289	3.8	100.0	
Missing	-1 No response	7307	96.2		
Total		7596	100.0		

r8021 I1c: Frequency respondent has gone backpacking/mountain climbing in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	4	.1	.1	.1
	1 Every day	1	.0	.0	.1
	2 3-6 times a week	2	.0	.0	.1
	3 Once or twice a week	6	.1	.1	.2
	4 1-3 times a month	42	.6	.6	.8
	5 Less than once a month	370	4.9	5.5	6.3
	6 None	6323	83.2	93.7	100.0
	Total	6748	88.8	100.0	
Missing	-1 No response	848	11.2		
Total		7596	100.0		

R File – Section I

r8030a I1d: Average time respondent spent walking for pleasure per episode in past year (hours)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	903	11.9	23.5	23.5
1	1636	21.5	42.7	66.2
2	853	11.2	22.2	88.4
3	228	3.0	5.9	94.4
4	92	1.2	2.4	96.8
5	42	.6	1.1	97.9
6	38	.5	1.0	98.9
7	11	.1	.3	99.2
8	4	.1	.1	99.3
9	2	.0	.1	99.3
10 10+ hours	26	.3	.7	100.0
Total	3835	50.5	100.0	
Missing -1 No response	3761	49.5		
Total	7596	100.0		

r8030b I1d: Average time respondent spent walking for pleasure per episode in past year (minutes)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	2495	32.8	65.1	65.1
2	3	.0	.1	65.1
3	4	.1	.1	65.2
4	1	.0	.0	65.3
10	15	.2	.4	65.7
15	32	.4	.8	66.5
20	114	1.5	3.0	69.5
25	8	.1	.2	69.7
30	943	12.4	24.6	94.3
35	5	.1	.1	94.4
40	72	.9	1.9	96.3
45	130	1.7	3.4	99.7
50	12	.2	.3	100.0
59	1	.0	.0	100.0
Total	3835	50.5	100.0	
Missing -1 No response	3761	49.5		
Total	7596	100.0		

r8031 I1d: Frequency respondent has gone walking for pleasure in past year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Time reported but no frequency	25	.3	.4	.4
1 Every day	567	7.5	7.9	8.3
2 3-6 times a week	618	8.1	8.7	16.9
3 Once or twice a week	1061	14.0	14.9	31.8
4 1-3 times a month	1470	19.4	20.6	52.4
5 Less than once a month	1717	22.6	24.0	76.4
6 None	1683	22.2	23.6	100.0
Total	7141	94.0	100.0	
Missing -1 No response	455	6.0		
Total	7596	100.0		

R File – Section I

r8040a I1e: Average time respondent spent racing/rough terrain cycling per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	18	.2	28.1	28.1
	1	19	.3	29.7	57.8
	2	14	.2	21.9	79.7
	3	7	.1	10.9	90.6
	4	3	.0	4.7	95.3
	5	1	.0	1.6	96.9
	6	2	.0	3.1	100.0
	Total	64	.8	100.0	
Missing	-1 No response	7532	99.2		
Total		7596	100.0		

r8040b I1e: Average time respondent spent racing/rough terrain cycling per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	42	.6	65.6	65.6
	15	2	.0	3.1	68.8
	20	4	.1	6.3	75.0
	25	1	.0	1.6	76.6
	30	11	.1	17.2	93.8
	40	1	.0	1.6	95.3
	45	3	.0	4.7	100.0
	Total	64	.8	100.0	
Missing	-1 No response	7532	99.2		
Total		7596	100.0		

r8041 I1e: Frequency respondent has gone racing/rough terrain cycling in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	2	.0	.0	.0
	1 Every day	3	.0	.0	.1
	2 3-6 times a week	4	.1	.1	.1
	3 Once or twice a week	10	.1	.1	.3
	4 1-3 times a month	24	.3	.4	.6
	5 Less than once a month	63	.8	.9	1.6
	6 None	6601	86.9	98.4	100.0
	Total	6707	88.3	100.0	
Missing	-1 No response	889	11.7		
Total		7596	100.0		

R File – Section I

r8050a I1f: Average time respondent spent cycling for pleasure per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	418	5.5	23.2	23.2
	1	759	10.0	42.1	65.4
	2	418	5.5	23.2	88.6
	3	119	1.6	6.6	95.2
	4	43	.6	2.4	97.6
	5	21	.3	1.2	98.7
	6	10	.1	.6	99.3
	7	3	.0	.2	99.4
	8	4	.1	.2	99.7
	10 10+ hours	6	.1	.3	100.0
	Total	1801	23.7	100.0	
Missing	-1 No response	5795	76.3		
Total		7596	100.0		

r8050b I1f: Average time respondent spent cycling for pleasure per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1226	16.1	68.1	68.1
	1	2	.0	.1	68.2
	5	2	.0	.1	68.3
	6	2	.0	.1	68.4
	10	16	.2	.9	69.3
	15	21	.3	1.2	70.5
	20	52	.7	2.9	73.3
	21	1	.0	.1	73.4
	25	2	.0	.1	73.5
	30	396	5.2	22.0	95.5
	35	3	.0	.2	95.7
	40	33	.4	1.8	97.5
	45	42	.6	2.3	99.8
	50	3	.0	.2	100.0
	Total	1801	23.7	100.0	
Missing	-1 No response	5795	76.3		
Total		7596	100.0		

r8051 I1f: Frequency respondent has gone cycling for pleasure in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	6	.1	.1	.1
	1 Every day	18	.2	.3	.3
	2 3-6 times a week	77	1.0	1.1	1.5
	3 Once or twice a week	285	3.8	4.1	5.6
	4 1-3 times a month	615	8.1	8.9	14.5
	5 Less than once a month	1505	19.8	21.8	36.2
	6 None	4408	58.0	63.8	100.0
	Total	6914	91.0	100.0	
Missing	-1 No response	682	9.0		
Total		7596	100.0		

R File – Section I

r8060a I1g: Average time respondent spent mowing the lawn per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1127	14.8	42.5	42.5
	1	1146	15.1	43.2	85.8
	2	272	3.6	10.3	96.0
	3	57	.8	2.2	98.2
	4	20	.3	.8	98.9
	5	2	.0	.1	99.0
	6	8	.1	.3	99.3
	8	4	.1	.2	99.5
	10 10+ hours	14	.2	.5	100.0
	Total	2650	34.9	100.0	
Missing	-1 No response	4946	65.1		
Total		7596	100.0		

r8060b I1g: Average time respondent spent mowing the lawn per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1269	16.7	47.9	47.9
	1	1	.0	.0	47.9
	5	1	.0	.0	48.0
	7	1	.0	.0	48.0
	10	36	.5	1.4	49.4
	15	61	.8	2.3	51.7
	20	145	1.9	5.5	57.1
	25	12	.2	.5	57.6
	30	914	12.0	34.5	92.1
	35	3	.0	.1	92.2
	40	67	.9	2.5	94.7
	45	132	1.7	5.0	99.7
	50	7	.1	.3	100.0
	58	1	.0	.0	100.0
	Total	2650	34.9	100.0	
Missing	-1 No response	4946	65.1		
Total		7596	100.0		

r8061 I1g: Frequency respondent has mowed in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	14	.2	.2	.2
	1 Every day	5	.1	.1	.3
	2 3-6 times a week	18	.2	.3	.5
	3 Once or twice a week	900	11.8	12.8	13.3
	4 1-3 times a month	1689	22.2	24.0	37.4
	5 Less than once a month	1167	15.4	16.6	54.0
	6 None	3237	42.6	46.0	100.0
	Total	7030	92.5	100.0	
Missing	-1 No response	566	7.5		
Total		7596	100.0		

R File – Section I

r8070a 11h: Average time respondent spent watering the lawn/garden per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2405	31.7	79.1	79.1
	1	537	7.1	17.7	96.7
	2	59	.8	1.9	98.7
	3	18	.2	.6	99.2
	4	3	.0	.1	99.3
	5	9	.1	.3	99.6
	6	5	.1	.2	99.8
	7	1	.0	.0	99.8
	10 10+ hours	5	.1	.2	100.0
	Total	3042	40.0	100.0	
Missing	-1 No response	4554	60.0		
Total		7596	100.0		

r8070b 11h: Average time respondent spent watering the lawn/garden per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	601	7.9	19.8	19.8
	1	2	.0	.1	19.8
	5	24	.3	.8	20.6
	8	1	.0	.0	20.6
	10	363	4.8	11.9	32.6
	15	342	4.5	11.2	43.8
	20	484	6.4	15.9	59.7
	25	4	.1	.1	59.9
	30	1135	14.9	37.3	97.2
	35	4	.1	.1	97.3
	40	29	.4	1.0	98.3
	45	50	.7	1.6	99.9
	50	3	.0	.1	100.0
	Total	3042	40.0	100.0	
Missing	-1 No response	4554	60.0		
Total		7596	100.0		

r8071 11h: Frequency respondent watered the lawn/garden in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	20	.3	.3	.3
	1 Every day	350	4.6	5.0	5.3
	2 3-6 times a week	936	12.3	13.3	18.6
	3 Once or twice a week	1295	17.0	18.5	37.1
	4 1-3 times a month	997	13.1	14.2	51.3
	5 Less than once a month	842	11.1	12.0	63.3
	6 None	2575	33.9	36.7	100.0
	Total	7015	92.4	100.0	
Missing	-1 No response	581	7.6		
Total		7596	100.0		

R File – Section I

r8080a I1i: Average time respondent spent digging, shovelling/chopping wood per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	548	7.2	32.3	32.3
	1	694	9.1	40.8	73.1
	2	324	4.3	19.1	92.2
	3	70	.9	4.1	96.3
	4	26	.3	1.5	97.8
	5	19	.3	1.1	98.9
	6	8	.1	.5	99.4
	7	2	.0	.1	99.5
	8	3	.0	.2	99.7
	10 10+ hours	5	.1	.3	100.0
	Total	1699	22.4	100.0	
Missing	-1 No response	5897	77.6		
Total		7596	100.0		

r8080b I1i: Average time respondent spent digging, shovelling/chopping wood per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1032	13.6	60.7	60.7
	1	1	.0	.1	60.8
	2	1	.0	.1	60.9
	5	5	.1	.3	61.2
	10	21	.3	1.2	62.4
	12	1	.0	.1	62.4
	15	38	.5	2.2	64.7
	20	74	1.0	4.4	69.0
	25	1	.0	.1	69.1
	30	491	6.5	28.9	98.0
	35	1	.0	.1	98.1
	40	13	.2	.8	98.8
	45	18	.2	1.1	99.9
	55	2	.0	.1	100.0
	Total	1699	22.4	100.0	
Missing	-1 No response	5897	77.6		
Total		7596	100.0		

r8081 I1i: Frequency respondent dug, shovelled/chopped wood in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	3	.0	.0	.0
	1 Every day	16	.2	.2	.3
	2 3-6 times a week	51	.7	.7	1.0
	3 Once or twice a week	280	3.7	4.1	5.1
	4 1-3 times a month	743	9.8	10.8	15.9
	5 Less than once a month	1304	17.2	18.9	34.8
	6 None	4490	59.1	65.2	100.0
	Total	6887	90.7	100.0	
Missing	-1 No response	709	9.3		
Total		7596	100.0		

R File – Section I

r8090a I1j: Average time respondent spent weeding/pruning per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1348	17.7	37.7	37.7
	1	1435	18.9	40.1	77.8
	2	610	8.0	17.0	94.8
	3	108	1.4	3.0	97.8
	4	41	.5	1.1	99.0
	5	14	.2	.4	99.4
	6	5	.1	.1	99.5
	8	4	.1	.1	99.6
	9	1	.0	.0	99.7
	10 10+ hours	12	.2	.3	100.0
	Total	3578	47.1	100.0	
Missing	-1 No response	4018	52.9		
Total		7596	100.0		

r8090b I1j: Average time respondent spent weeding/pruning per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2059	27.1	57.5	57.5
	1	1	.0	.0	57.6
	2	1	.0	.0	57.6
	5	12	.2	.3	57.9
	6	2	.0	.1	58.0
	10	78	1.0	2.2	60.2
	15	89	1.2	2.5	62.7
	20	161	2.1	4.5	67.2
	25	2	.0	.1	67.2
	30	1078	14.2	30.1	97.3
	35	1	.0	.0	97.4
	40	25	.3	.7	98.1
	45	63	.8	1.8	99.8
	50	6	.1	.2	100.0
	Total	3578	47.1	100.0	
Missing	-1 No response	4018	52.9		
Total		7596	100.0		

r8091 I1j: Frequency respondent weeded/pruned in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	25	.3	.4	.4
	1 Every day	39	.5	.5	.9
	2 3-6 times a week	163	2.1	2.3	3.2
	3 Once or twice a week	1073	14.1	15.1	18.3
	4 1-3 times a month	2027	26.7	28.6	46.9
	5 Less than once a month	1799	23.7	25.4	72.2
	6 None	1970	25.9	27.8	100.0
	Total	7096	93.4	100.0	
Missing	-1 No response	500	6.6		
Total		7596	100.0		

R File – Section I

r8100a l1k: Average time respondent spent doing DIY per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	191	2.5	13.0	13.0
	1	415	5.5	28.3	41.3
	2	366	4.8	24.9	66.3
	3	176	2.3	12.0	78.3
	4	138	1.8	9.4	87.7
	5	61	.8	4.2	91.8
	6	56	.7	3.8	95.6
	7	8	.1	.5	96.2
	8	32	.4	2.2	98.4
	9	3	.0	.2	98.6
	10 10+ hours	21	.3	1.4	100.0
	Total	1467	19.3	100.0	
Missing	-1 No response	6129	80.7		
Total		7596	100.0		

r8100b l1k: Average time respondent spent doing DIY per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1196	15.7	81.5	81.5
	5	3	.0	.2	81.7
	6	1	.0	.1	81.8
	10	12	.2	.8	82.6
	15	11	.1	.7	83.4
	20	20	.3	1.4	84.7
	30	213	2.8	14.5	99.3
	40	1	.0	.1	99.3
	45	9	.1	.6	99.9
	50	1	.0	.1	100.0
	Total	1467	19.3	100.0	
Missing	-1 No response	6129	80.7		
Total		7596	100.0		

r8101 l1k: Frequency respondent did DIY in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	7	.1	.1	.1
	1 Every day	23	.3	.3	.4
	2 3-6 times a week	74	1.0	1.1	1.5
	3 Once or twice a week	250	3.3	3.7	5.2
	4 1-3 times a month	727	9.6	10.6	15.8
	5 Less than once a month	1257	16.5	18.4	34.2
	6 None	4501	59.3	65.8	100.0
	Total	6839	90.0	100.0	
Missing	-1 No response	757	10.0		
Total		7596	100.0		

R File – Section I

r8110a I1I: Average time respondent spent doing high impact, step aerobics per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	101	1.3	18.3	18.3
	1	399	5.3	72.2	90.4
	2	40	.5	7.2	97.6
	3	7	.1	1.3	98.9
	4	3	.0	.5	99.5
	5	1	.0	.2	99.6
	8	1	.0	.2	99.8
	10 10+ hours	1	.0	.2	100.0
	Total	553	7.3	100.0	
Missing	-1 No response	7043	92.7		
Total		7596	100.0		

r8110b I1I: Average time respondent spent doing high impact, step aerobics per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	422	5.6	76.3	76.3
	2	1	.0	.2	76.5
	5	1	.0	.2	76.7
	10	5	.1	.9	77.6
	15	11	.1	2.0	79.6
	20	13	.2	2.4	81.9
	30	57	.8	10.3	92.2
	35	1	.0	.2	92.4
	40	11	.1	2.0	94.4
	45	24	.3	4.3	98.7
	50	7	.1	1.3	100.0
	Total	553	7.3	100.0	
Missing	-1 No response	7043	92.7		
Total		7596	100.0		

r8111 I1I: Frequency respondent did high impact, step aerobics in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	3	.0	.0	.0
	1 Every day	21	.3	.3	.4
	2 3-6 times a week	99	1.3	1.5	1.8
	3 Once or twice a week	362	4.8	5.3	7.1
	4 1-3 times a month	146	1.9	2.1	9.3
	5 Less than once a month	156	2.1	2.3	11.6
	6 None	6005	79.1	88.4	100.0
	Total	6792	89.4	100.0	
Missing	-1 No response	804	10.6		
Total		7596	100.0		

R File – Section I

r8120a I1m: Average time respondent spent doing other types of aerobics per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	191	2.5	32.3	32.3
	1	357	4.7	60.3	92.6
	2	34	.4	5.7	98.3
	3	6	.1	1.0	99.3
	4	3	.0	.5	99.8
	5	1	.0	.2	100.0
	Total	592	7.8	100.0	
Missing	-1 No response	7004	92.2		
Total		7596	100.0		

r8120b I1m: Average time respondent spent doing other types of aerobics per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	373	4.9	63.0	63.0
	2	1	.0	.2	63.2
	5	1	.0	.2	63.3
	10	6	.1	1.0	64.4
	15	11	.1	1.9	66.2
	20	25	.3	4.2	70.4
	25	2	.0	.3	70.8
	30	113	1.5	19.1	89.9
	40	9	.1	1.5	91.4
	45	43	.6	7.3	98.6
	50	8	.1	1.4	100.0
	Total	592	7.8	100.0	
Missing	-1 No response	7004	92.2		
Total		7596	100.0		

r8121 I1m: Frequency respondent did other types of aerobics in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	4	.1	.1	.1
	1 Every day	24	.3	.4	.4
	2 3-6 times a week	103	1.4	1.5	1.9
	3 Once or twice a week	435	5.7	6.5	8.4
	4 1-3 times a month	150	2.0	2.2	10.7
	5 Less than once a month	136	1.8	2.0	12.7
	6 None	5871	77.3	87.3	100.0
	Total	6723	88.5	100.0	
Missing	-1 No response	873	11.5		
Total		7596	100.0		

R File – Section I

r8130a I1n: Average time respondent spent exercising with weights per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	598	7.9	64.0	64.0
	1	300	3.9	32.1	96.0
	2	31	.4	3.3	99.4
	3	4	.1	.4	99.8
	4	1	.0	.1	99.9
	10 10+ hours	1	.0	.1	100.0
	Total	935	12.3	100.0	
Missing	-1 No response	6661	87.7		
Total		7596	100.0		

r8130b I1n: Average time respondent spent exercising with weights per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	306	4.0	32.7	32.7
	2	1	.0	.1	32.8
	3	1	.0	.1	32.9
	5	6	.1	.6	33.6
	10	73	1.0	7.8	41.4
	15	74	1.0	7.9	49.3
	20	117	1.5	12.5	61.8
	25	5	.1	.5	62.4
	30	288	3.8	30.8	93.2
	35	3	.0	.3	93.5
	40	19	.3	2.0	95.5
	45	37	.5	4.0	99.5
	50	5	.1	.5	100.0
	Total	935	12.3	100.0	
Missing	-1 No response	6661	87.7		
Total		7596	100.0		

r8131 I1n: Frequency respondent exercised with weights in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	12	.2	.2	.2
	1 Every day	26	.3	.4	.6
	2 3-6 times a week	254	3.3	3.7	4.3
	3 Once or twice a week	601	7.9	8.8	13.1
	4 1-3 times a month	187	2.5	2.7	15.8
	5 Less than once a month	169	2.2	2.5	18.3
	6 None	5575	73.4	81.7	100.0
	Total	6824	89.8	100.0	
Missing	-1 No response	772	10.2		
Total		7596	100.0		

R File – Section I

r8140a I1o: Average time respondent spent doing conditioning exercises per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	910	12.0	66.8	66.8
	1	398	5.2	29.2	96.0
	2	33	.4	2.4	98.5
	3	7	.1	.5	99.0
	4	6	.1	.4	99.4
	5	2	.0	.1	99.6
	7	1	.0	.1	99.6
	8	1	.0	.1	99.7
	10 10+ hours	4	.1	.3	100.0
	Total	1362	17.9	100.0	
Missing	-1 No response	6234	82.1		
Total		7596	100.0		

r8140b I1o: Average time respondent spent doing conditioning exercises per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	398	5.2	29.2	29.2
	2	2	.0	.1	29.4
	5	16	.2	1.2	30.5
	6	1	.0	.1	30.6
	10	67	.9	4.9	35.5
	12	2	.0	.1	35.7
	15	95	1.3	7.0	42.7
	20	181	2.4	13.3	55.9
	23	1	.0	.1	56.0
	25	10	.1	.7	56.8
	26	1	.0	.1	56.8
	30	438	5.8	32.2	89.0
	35	4	.1	.3	89.3
	40	59	.8	4.3	93.6
	45	74	1.0	5.4	99.0
	50	12	.2	.9	99.9
	55	1	.0	.1	100.0
	Total	1362	17.9	100.0	
Missing	-1 No response	6234	82.1		
Total		7596	100.0		

R File – Section I

r8141 I1o: Frequency respondent did conditioning exercises in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	12	.2	.2	.2
	1 Every day	68	.9	1.0	1.2
	2 3-6 times a week	324	4.3	4.7	5.9
	3 Once or twice a week	772	10.2	11.2	17.1
	4 1-3 times a month	347	4.6	5.1	22.2
	5 Less than once a month	303	4.0	4.4	26.6
	6 None	5043	66.4	73.4	100.0
	Total	6869	90.4	100.0	
Missing	-1 No response	727	9.6		
Total		7596	100.0		

R File – Section I

r8150a I1p: Average time respondent spent doing floor exercises per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1196	15.7	67.0	67.0
	1	519	6.8	29.1	96.1
	2	48	.6	2.7	98.8
	3	9	.1	.5	99.3
	4	5	.1	.3	99.6
	5	1	.0	.1	99.7
	6	3	.0	.2	99.8
	10 10+ hours	3	.0	.2	100.0
	Total	1784	23.5	100.0	
Missing	-1 No response	5812	76.5		
Total		7596	100.0		

r8150b I1p: Average time respondent spent doing floor exercises per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	486	6.4	27.2	27.2
	1	1	.0	.1	27.3
	2	2	.0	.1	27.4
	3	1	.0	.1	27.5
	5	58	.8	3.3	30.7
	7	1	.0	.1	30.8
	10	279	3.7	15.6	46.4
	12	2	.0	.1	46.5
	15	189	2.5	10.6	57.1
	20	206	2.7	11.5	68.7
	25	1	.0	.1	68.7
	28	1	.0	.1	68.8
	30	495	6.5	27.7	96.5
	35	1	.0	.1	96.6
	40	19	.3	1.1	97.6
	45	37	.5	2.1	99.7
	50	5	.1	.3	100.0
	Total	1784	23.5	100.0	
Missing	-1 No response	5812	76.5		
Total		7596	100.0		

r8151 I1p: Frequency respondent did floor exercises in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	15	.2	.2	.2
	1 Every day	190	2.5	2.7	3.0
	2 3-6 times a week	451	5.9	6.5	9.5
	3 Once or twice a week	1046	13.8	15.1	24.6
	4 1-3 times a month	443	5.8	6.4	31.0
	5 Less than once a month	391	5.1	5.6	36.6
	6 None	4386	57.7	63.4	100.0
	Total	6922	91.1	100.0	
Missing	-1 No response	674	8.9		
Total		7596	100.0		

R File – Section I

r8160a I1q: Average time respondent spent dancing per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	134	1.8	14.8	14.8
	1	296	3.9	32.7	47.6
	2	269	3.5	29.8	77.3
	3	117	1.5	12.9	90.3
	4	56	.7	6.2	96.5
	5	14	.2	1.5	98.0
	6	9	.1	1.0	99.0
	8	5	.1	.6	99.6
	9	1	.0	.1	99.7
	10 10+ hours	3	.0	.3	100.0
	Total	904	11.9	100.0	
Missing	-1 No response	6692	88.1		
Total		7596	100.0		

r8160b I1q: Average time respondent spent dancing per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	688	9.1	76.1	76.1
	3	1	.0	.1	76.2
	5	2	.0	.2	76.4
	9	1	.0	.1	76.5
	10	9	.1	1.0	77.5
	15	13	.2	1.4	79.0
	20	19	.3	2.1	81.1
	30	163	2.1	18.0	99.1
	40	3	.0	.3	99.4
	45	5	.1	.6	100.0
	Total	904	11.9	100.0	
Missing	-1 No response	6692	88.1		
Total		7596	100.0		

r8161 I1q: Frequency respondent danced in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	4	.1	.1	.1
	1 Every day	6	.1	.1	.1
	2 3-6 times a week	23	.3	.3	.5
	3 Once or twice a week	241	3.2	3.5	4.0
	4 1-3 times a month	274	3.6	4.0	8.1
	5 Less than once a month	857	11.3	12.6	20.7
	6 None	5390	71.0	79.3	100.0
	Total	6795	89.5	100.0	
Missing	-1 No response	801	10.5		
Total		7596	100.0		

R File – Section I

r8170a I1r: Average time respondent spent competitive running per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	26	.3	30.2	30.2
	1	36	.5	41.9	72.1
	2	17	.2	19.8	91.9
	3	2	.0	2.3	94.2
	4	1	.0	1.2	95.3
	5	1	.0	1.2	96.5
	6	1	.0	1.2	97.7
	10 10+ hours	2	.0	2.3	100.0
	Total	86	1.1	100.0	
Missing	-1 No response	7510	98.9		
Total		7596	100.0		

r8170b I1r: Average time respondent spent competitive running per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	47	.6	54.7	54.7
	5	1	.0	1.2	55.8
	10	1	.0	1.2	57.0
	15	2	.0	2.3	59.3
	19	1	.0	1.2	60.5
	20	3	.0	3.5	64.0
	30	17	.2	19.8	83.7
	40	7	.1	8.1	91.9
	45	5	.1	5.8	97.7
	50	2	.0	2.3	100.0
	Total	86	1.1	100.0	
Missing	-1 No response	7510	98.9		
Total		7596	100.0		

r8171 I1r: Frequency respondent competitively ran in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	2	.0	.0	.0
	1 Every day	2	.0	.0	.1
	2 3-6 times a week	19	.3	.3	.3
	3 Once or twice a week	20	.3	.3	.6
	4 1-3 times a month	15	.2	.2	.9
	5 Less than once a month	64	.8	.9	1.8
	6 None	6622	87.2	98.2	100.0
	Total	6744	88.8	100.0	
Missing	-1 No response	852	11.2		
Total		7596	100.0		

R File – Section I

r8180a I1s: Average time respondent spent jogging per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	538	7.1	75.8	75.8
	1	144	1.9	20.3	96.1
	2	21	.3	3.0	99.0
	3	3	.0	.4	99.4
	4	1	.0	.1	99.6
	10 10+ hours	3	.0	.4	100.0
	Total	710	9.3	100.0	
Missing	-1 No response	6886	90.7		
Total		7596	100.0		

r8180b I1s: Average time respondent spent jogging per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	154	2.0	21.7	21.7
	5	7	.1	1.0	22.7
	6	3	.0	.4	23.1
	10	35	.5	4.9	28.0
	12	1	.0	.1	28.2
	15	56	.7	7.9	36.1
	20	105	1.4	14.8	50.8
	22	1	.0	.1	51.0
	25	15	.2	2.1	53.1
	30	223	2.9	31.4	84.5
	35	12	.2	1.7	86.2
	40	39	.5	5.5	91.7
	45	49	.6	6.9	98.6
	50	10	.1	1.4	100.0
	Total	710	9.3	100.0	
Missing	-1 No response	6886	90.7		
Total		7596	100.0		

r8181 I1s: Frequency respondent jogged in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	5	.1	.1	.1
	1 Every day	20	.3	.3	.4
	2 3-6 times a week	195	2.6	2.9	3.2
	3 Once or twice a week	314	4.1	4.6	7.8
	4 1-3 times a month	191	2.5	2.8	10.6
	5 Less than once a month	227	3.0	3.3	13.9
	6 None	5884	77.5	86.1	100.0
	Total	6836	90.0	100.0	
Missing	-1 No response	760	10.0		
Total		7596	100.0		

R File – Section I

r8190a I1t: Average time respondent spent bowling - indoor, lawn/10 pin per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	84	1.1	9.5	9.5
	1	550	7.2	62.4	72.0
	2	208	2.7	23.6	95.6
	3	28	.4	3.2	98.8
	4	5	.1	.6	99.3
	5	2	.0	.2	99.5
	6	2	.0	.2	99.8
	8	1	.0	.1	99.9
	9	1	.0	.1	100.0
	Total	881	11.6	100.0	
Missing	-1 No response	6715	88.4		
Total		7596	100.0		

r8190b I1t: Average time respondent spent bowling - indoor, lawn/10 pin per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	710	9.3	80.6	80.6
	10	2	.0	.2	80.8
	15	3	.0	.3	81.2
	20	3	.0	.3	81.5
	30	133	1.8	15.1	96.6
	40	4	.1	.5	97.0
	45	23	.3	2.6	99.7
	50	3	.0	.3	100.0
	Total	881	11.6	100.0	
Missing	-1 No response	6715	88.4		
Total		7596	100.0		

r8191 I1t: Frequency respondent bowled - indoor, lawn/10 pin in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	5	.1	.1	.1
	2 3-6 times a week	1	.0	.0	.1
	3 Once or twice a week	43	.6	.6	.7
	4 1-3 times a month	81	1.1	1.2	1.9
	5 Less than once a month	1140	15.0	16.8	18.7
	6 None	5516	72.6	81.3	100.0
	Total	6786	89.3	100.0	
Missing	-1 No response	810	10.7		
Total		7596	100.0		

R File – Section I

r8200a I1u: Average time respondent spent playing tennis or badminton per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	173	2.3	19.7	19.7
	1	572	7.5	65.1	84.9
	2	109	1.4	12.4	97.3
	3	13	.2	1.5	98.7
	4	4	.1	.5	99.2
	5	1	.0	.1	99.3
	6	3	.0	.3	99.7
	7	1	.0	.1	99.8
	10 10+ hours	2	.0	.2	100.0
	Total	878	11.6	100.0	
Missing	-1 No response	6718	88.4		
Total		7596	100.0		

r8200b I1u: Average time respondent spent playing tennis or badminton episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	613	8.1	69.8	69.8
	5	1	.0	.1	69.9
	10	4	.1	.5	70.4
	15	10	.1	1.1	71.5
	20	23	.3	2.6	74.1
	25	1	.0	.1	74.3
	30	181	2.4	20.6	94.9
	40	10	.1	1.1	96.0
	45	31	.4	3.5	99.5
	50	4	.1	.5	100.0
	Total	878	11.6	100.0	
Missing	-1 No response	6718	88.4		
Total		7596	100.0		

r8201 I1u: Frequency respondent played tennis/badminton in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	7	.1	.1	.1
	1 Every day	2	.0	.0	.1
	2 3-6 times a week	32	.4	.5	.6
	3 Once or twice a week	304	4.0	4.4	5.0
	4 1-3 times a month	219	2.9	3.2	8.3
	5 Less than once a month	618	8.1	9.0	17.3
	6 None	5650	74.4	82.7	100.0
	Total	6832	89.9	100.0	
Missing	-1 No response	764	10.1		
Total		7596	100.0		

R File – Section I

r8210a I1v: Average time respondent spent playing squash per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	67	.9	68.4	68.4
	1	28	.4	28.6	96.9
	2	3	.0	3.1	100.0
	Total	98	1.3	100.0	
Missing	-1 No response	7498	98.7		
Total		7596	100.0		

r8210b I1v: Average time respondent spent playing squash per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	29	.4	29.6	29.6
	20	1	.0	1.0	30.6
	30	18	.2	18.4	49.0
	40	21	.3	21.4	70.4
	45	26	.3	26.5	96.9
	50	3	.0	3.1	100.0
	Total	98	1.3	100.0	
Missing	-1 No response	7498	98.7		
Total		7596	100.0		

r8211 I1v: Frequency respondent played squash in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	2	.0	.0	.0
	2 3-6 times a week	6	.1	.1	.1
	3 Once or twice a week	30	.4	.4	.6
	4 1-3 times a month	21	.3	.3	.9
	5 Less than once a month	66	.9	1.0	1.8
	6 None	6636	87.4	98.2	100.0
	Total	6761	89.0	100.0	
Missing	-1 No response	835	11.0		
Total		7596	100.0		

R File – Section I

r8220a 11w: Average time respondent spent playing table tennis per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	210	2.8	74.5	74.5
	1	65	.9	23.0	97.5
	2	5	.1	1.8	99.3
	3	1	.0	.4	99.6
	4	1	.0	.4	100.0
	Total	282	3.7	100.0	
Missing	-1 No response	7314	96.3		
Total		7596	100.0		

r8220b 11w: Average time respondent spent playing table tennis per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	71	.9	25.2	25.2
	5	1	.0	.4	25.5
	10	4	.1	1.4	27.0
	15	19	.3	6.7	33.7
	20	44	.6	15.6	49.3
	30	133	1.8	47.2	96.5
	40	1	.0	.4	96.8
	45	9	.1	3.2	100.0
	Total	282	3.7	100.0	
Missing	-1 No response	7314	96.3		
Total		7596	100.0		

r8221 11w: Frequency respondent played table tennis in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	2	.0	.0	.0
	1 Every day	2	.0	.0	.1
	2 3-6 times a week	3	.0	.0	.1
	3 Once or twice a week	22	.3	.3	.4
	4 1-3 times a month	51	.7	.8	1.2
	5 Less than once a month	324	4.3	4.8	6.0
	6 None	6357	83.7	94.0	100.0
	Total	6761	89.0	100.0	
Missing	-1 No response	835	11.0		
Total		7596	100.0		

R File – Section I

r8230a I1x: Average time respondent spent playing golf per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5	.1	3.9	3.9
	1	38	.5	29.5	33.3
	2	34	.4	26.4	59.7
	3	37	.5	28.7	88.4
	4	15	.2	11.6	100.0
	Total	129	1.7	100.0	
Missing	-1 No response	7467	98.3		
Total		7596	100.0		

r8230b I1x: Average time respondent spent playing golf per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	94	1.2	72.9	72.9
	20	2	.0	1.6	74.4
	30	30	.4	23.3	97.7
	45	3	.0	2.3	100.0
	Total	129	1.7	100.0	
Missing	-1 No response	7467	98.3		
Total		7596	100.0		

r8231 I1x: Frequency respondent played golf in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	2	.0	.0	.0
	2 3-6 times a week	4	.1	.1	.1
	3 Once or twice a week	21	.3	.3	.4
	4 1-3 times a month	36	.5	.5	.9
	5 Less than once a month	110	1.4	1.6	2.6
	6 None	6585	86.7	97.4	100.0
	Total	6758	89.0	100.0	
Missing	-1 No response	838	11.0		
Total		7596	100.0		

R File – Section I

r8240a 11y: Average time respondent spent playing football or hockey per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	23	.3	29.5	29.5
	1	41	.5	52.6	82.1
	2	11	.1	14.1	96.2
	3	1	.0	1.3	97.4
	6	2	.0	2.6	100.0
	Total	78	1.0	100.0	
Missing	-1 No response	7518	99.0		
Total		7596	100.0		

r8240b 11y: Average time respondent spent playing football or hockey per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	37	.5	47.4	47.4
	10	5	.1	6.4	53.8
	15	2	.0	2.6	56.4
	20	4	.1	5.1	61.5
	30	26	.3	33.3	94.9
	35	1	.0	1.3	96.2
	40	1	.0	1.3	97.4
	45	2	.0	2.6	100.0
	Total	78	1.0	100.0	
Missing	-1 No response	7518	99.0		
Total		7596	100.0		

r8241 11y: Frequency respondent played football/hockey in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	2	.0	.0	.0
	2 3-6 times a week	4	.1	.1	.1
	3 Once or twice a week	33	.4	.5	.6
	4 1-3 times a month	24	.3	.4	.9
	5 Less than once a month	52	.7	.8	1.7
	6 None	6635	87.3	98.3	100.0
	Total	6750	88.9	100.0	
Missing	-1 No response	846	11.1		
Total		7596	100.0		

R File – Section I

r8250a I1z: Average time respondent spent playing cricket per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	16	.2	50.0	50.0
	1	10	.1	31.3	81.3
	2	4	.1	12.5	93.8
	3	1	.0	3.1	96.9
	6	1	.0	3.1	100.0
	Total	32	.4	100.0	
Missing	-1 No response	7564	99.6		
Total		7596	100.0		

r8250b I1z: Average time respondent spent playing cricket per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	15	.2	46.9	46.9
	10	1	.0	3.1	50.0
	20	3	.0	9.4	59.4
	30	11	.1	34.4	93.8
	45	2	.0	6.3	100.0
	Total	32	.4	100.0	
Missing	-1 No response	7564	99.6		
Total		7596	100.0		

r8251 I1z: Frequency respondent played cricket in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	2	.0	.0	.0
	3 Once or twice a week	9	.1	.1	.2
	4 1-3 times a month	13	.2	.2	.4
	5 Less than once a month	24	.3	.4	.7
	6 None	6700	88.2	99.3	100.0
	Total	6748	88.8	100.0	
Missing	-1 No response	848	11.2		
Total		7596	100.0		

R File – Section I

r8260a l1za: Average time respondent spent rowing per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	32	.4	60.4	60.4
	1	15	.2	28.3	88.7
	2	4	.1	7.5	96.2
	4	1	.0	1.9	98.1
	5	1	.0	1.9	100.0
	Total	53	.7	100.0	
Missing	-1 No response	7543	99.3		
Total		7596	100.0		

r8260b l1za: Average time respondent spent rowing per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	21	.3	39.6	39.6
	3	1	.0	1.9	41.5
	5	1	.0	1.9	43.4
	10	7	.1	13.2	56.6
	15	4	.1	7.5	64.2
	20	7	.1	13.2	77.4
	25	1	.0	1.9	79.2
	30	8	.1	15.1	94.3
	45	3	.0	5.7	100.0
	Total	53	.7	100.0	
Missing	-1 No response	7543	99.3		
Total		7596	100.0		

r8261 l1za: Frequency respondent rowed in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	3	.0	.0	.0
	1 Every day	2	.0	.0	.1
	2 3-6 times a week	7	.1	.1	.2
	3 Once or twice a week	22	.3	.3	.5
	4 1-3 times a month	6	.1	.1	.6
	5 Less than once a month	36	.5	.5	1.1
	6 None	6670	87.8	98.9	100.0
	Total	6746	88.8	100.0	
Missing	-1 No response	850	11.2		
Total		7596	100.0		

R File – Section I

r8270a I1zb: Average time respondent spent playing netball, volleyball and basketball per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	23	.3	20.5	20.5
	1	64	.8	57.1	77.7
	2	18	.2	16.1	93.8
	3	5	.1	4.5	98.2
	8	1	.0	.9	99.1
	10 10+ hours	1	.0	.9	100.0
	Total	112	1.5	100.0	
Missing	-1 No response	7484	98.5		
Total		7596	100.0		

r8270b I1zb: Average time respondent spent playing netball, volleyball and basketball per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	72	.9	64.3	64.3
	10	2	.0	1.8	66.1
	15	4	.1	3.6	69.6
	20	1	.0	.9	70.5
	30	30	.4	26.8	97.3
	45	3	.0	2.7	100.0
	Total	112	1.5	100.0	
Missing	-1 No response	7484	98.5		
Total		7596	100.0		

r8271 I1zb: Frequency respondent played netball, volleyball, basketball in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	2	.0	.0	.0
	1 Every day	1	.0	.0	.0
	2 3-6 times a week	6	.1	.1	.1
	3 Once or twice a week	76	1.0	1.1	1.3
	4 1-3 times a month	33	.4	.5	1.7
	5 Less than once a month	29	.4	.4	2.2
	6 None	6611	87.0	97.8	100.0
	Total	6758	89.0	100.0	
Missing	-1 No response	838	11.0		
Total		7596	100.0		

R File – Section I

r8280a I1zc: Average time respondent spent fishing per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5	.1	9.6	9.6
	1	16	.2	30.8	40.4
	2	12	.2	23.1	63.5
	3	7	.1	13.5	76.9
	4	5	.1	9.6	86.5
	5	1	.0	1.9	88.5
	6	2	.0	3.8	92.3
	7	1	.0	1.9	94.2
	8	2	.0	3.8	98.1
	10 10+ hours	1	.0	1.9	100.0
	Total	52	.7	100.0	
Missing	-1 No response	7544	99.3		
Total		7596	100.0		

r8280b I1zc: Average time respondent spent fishing per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	41	.5	78.8	78.8
	20	2	.0	3.8	82.7
	30	9	.1	17.3	100.0
	Total	52	.7	100.0	
Missing	-1 No response	7544	99.3		
Total		7596	100.0		

r8281 I1zc: Frequency respondent fished in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	3	.0	.0	.0
	3 Once or twice a week	6	.1	.1	.1
	4 1-3 times a month	13	.2	.2	.3
	5 Less than once a month	59	.8	.9	1.2
	6 None	6666	87.8	98.8	100.0
	Total	6747	88.8	100.0	
Missing	-1 No response	849	11.2		
Total		7596	100.0		

R File – Section I

r8290a l1zd: Average time respondent spent horse-riding per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	24	.3	8.0	8.0
	1	185	2.4	61.5	69.4
	2	65	.9	21.6	91.0
	3	20	.3	6.6	97.7
	4	3	.0	1.0	98.7
	6	1	.0	.3	99.0
	7	2	.0	.7	99.7
	8	1	.0	.3	100.0
	Total	301	4.0	100.0	
Missing	-1 No response	7295	96.0		
Total		7596	100.0		

r8290b l1zd: Average time respondent spent horse-riding per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	232	3.1	77.1	77.1
	20	4	.1	1.3	78.4
	30	59	.8	19.6	98.0
	40	2	.0	.7	98.7
	45	3	.0	1.0	99.7
	50	1	.0	.3	100.0
	Total	301	4.0	100.0	
Missing	-1 No response	7295	96.0		
Total		7596	100.0		

r8291 l1zd: Frequency respondent rode horses in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	3	.0	.0	.0
	1 Every day	22	.3	.3	.4
	2 3-6 times a week	46	.6	.7	1.0
	3 Once or twice a week	71	.9	1.0	2.1
	4 1-3 times a month	50	.7	.7	2.8
	5 Less than once a month	196	2.6	2.9	5.7
	6 None	6390	84.1	94.3	100.0
	Total	6778	89.2	100.0	
Missing	-1 No response	818	10.8		
Total		7596	100.0		

R File – Section I

r8300a I1ze: Average time respondent spent playing snooker, billiards, darts per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	129	1.7	49.8	49.8
	1	90	1.2	34.7	84.6
	2	21	.3	8.1	92.7
	3	15	.2	5.8	98.5
	4	3	.0	1.2	99.6
	5	1	.0	.4	100.0
	Total	259	3.4	100.0	
Missing	-1 No response	7337	96.6		
Total		7596	100.0		

r8300b I1ze: Average time respondent spent playing snooker, billiards, darts per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	119	1.6	45.9	45.9
	10	2	.0	.8	46.7
	15	6	.1	2.3	49.0
	20	19	.3	7.3	56.4
	25	1	.0	.4	56.8
	30	104	1.4	40.2	96.9
	40	3	.0	1.2	98.1
	45	5	.1	1.9	100.0
	Total	259	3.4	100.0	
Missing	-1 No response	7337	96.6		
Total		7596	100.0		

r8301 I1ze: Frequency respondent played snooker, billiards, darts in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	3	.0	.0	.0
	1 Every day	3	.0	.0	.1
	2 3-6 times a week	6	.1	.1	.2
	3 Once or twice a week	69	.9	1.0	1.2
	4 1-3 times a month	61	.8	.9	2.1
	5 Less than once a month	237	3.1	3.5	5.6
	6 None	6378	84.0	94.4	100.0
	Total	6757	89.0	100.0	
Missing	-1 No response	839	11.0		
Total		7596	100.0		

R File – Section I

r8310a I1zf: Average time respondent spent musical instrument playing, singing per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	406	5.3	55.6	55.6
	1	198	2.6	27.1	82.7
	2	92	1.2	12.6	95.3
	3	16	.2	2.2	97.5
	4	11	.1	1.5	99.0
	5	1	.0	.1	99.2
	6	2	.0	.3	99.5
	7	1	.0	.1	99.6
	10 10+ hours	3	.0	.4	100.0
	Total	730	9.6	100.0	
Missing	-1 No response	6866	90.4		
Total		7596	100.0		

r8310b I1zf: Average time respondent spent musical instrument playing, singing per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	268	3.5	36.7	36.7
	3	1	.0	.1	36.8
	5	3	.0	.4	37.3
	10	35	.5	4.8	42.1
	15	39	.5	5.3	47.4
	20	81	1.1	11.1	58.5
	25	3	.0	.4	58.9
	30	277	3.6	37.9	96.8
	40	10	.1	1.4	98.2
	45	12	.2	1.6	99.9
	50	1	.0	.1	100.0
	Total	730	9.6	100.0	
Missing	-1 No response	6866	90.4		
Total		7596	100.0		

r8311 I1zf: Frequency respondent played musical instruments, sang in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	4	.1	.1	.1
	1 Every day	94	1.2	1.4	1.4
	2 3-6 times a week	184	2.4	2.7	4.2
	3 Once or twice a week	328	4.3	4.8	9.0
	4 1-3 times a month	212	2.8	3.1	12.1
	5 Less than once a month	197	2.6	2.9	15.0
	6 None	5769	75.9	85.0	100.0
	Total	6788	89.4	100.0	
Missing	-1 No response	808	10.6		
Total		7596	100.0		

R File – Section I

r8320a l1zg: Average time respondent spent ice-skating per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	31	.4	8.5	8.5
	1	192	2.5	52.9	61.4
	2	116	1.5	32.0	93.4
	3	21	.3	5.8	99.2
	5	2	.0	.6	99.7
	6	1	.0	.3	100.0
	Total	363	4.8	100.0	
Missing	-1 No response	7233	95.2		
Total		7596	100.0		

r8320b l1zg: Average time respondent spent ice-skating per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	269	3.5	74.1	74.1
	10	1	.0	.3	74.4
	20	6	.1	1.7	76.0
	30	76	1.0	20.9	97.0
	35	1	.0	.3	97.2
	40	2	.0	.6	97.8
	45	7	.1	1.9	99.7
	50	1	.0	.3	100.0
	Total	363	4.8	100.0	
Missing	-1 No response	7233	95.2		
Total		7596	100.0		

r8321 l1zg: Frequency respondent did ice-skating in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	2	.0	.0	.0
	3 Once or twice a week	1	.0	.0	.0
	4 1-3 times a month	24	.3	.4	.4
	5 Less than once a month	473	6.2	7.0	7.4
	6 None	6261	82.4	92.6	100.0
	Total	6761	89.0	100.0	
Missing	-1 No response	835	11.0		
Total		7596	100.0		

R File – Section I

r8330a l1zh: Average time respondent spent sailing, wind-surfing, boating per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	17	.2	8.9	8.9
	1	51	.7	26.8	35.8
	2	55	.7	28.9	64.7
	3	21	.3	11.1	75.8
	4	18	.2	9.5	85.3
	5	7	.1	3.7	88.9
	6	10	.1	5.3	94.2
	8	7	.1	3.7	97.9
	9	1	.0	.5	98.4
	10 10+ hours	3	.0	1.6	100.0
	Total	190	2.5	100.0	
Missing	-1 No response	7406	97.5		
Total		7596	100.0		

r8330b l1zh: Average time respondent spent sailing, wind-surfing, boating per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	163	2.1	85.8	85.8
	2	1	.0	.5	86.3
	20	3	.0	1.6	87.9
	30	20	.3	10.5	98.4
	40	2	.0	1.1	99.5
	45	1	.0	.5	100.0
	Total	190	2.5	100.0	
Missing	-1 No response	7406	97.5		
Total		7596	100.0		

r8331 l1zh: Frequency respondent sailed, wind-surfed, boated in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	3	.0	.0	.0
	1 Every day	1	.0	.0	.1
	2 3-6 times a week	1	.0	.0	.1
	3 Once or twice a week	19	.3	.3	.4
	4 1-3 times a month	48	.6	.7	1.1
	5 Less than once a month	196	2.6	2.9	4.0
	6 None	6477	85.3	96.0	100.0
	Total	6745	88.8	100.0	
Missing	-1 No response	851	11.2		
Total		7596	100.0		

R File – Section I

r8340a I1zi: Average time respondent spent partaking in winter sports per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	.4	.4
	1	11	.1	3.9	4.3
	2	26	.3	9.3	13.6
	3	43	.6	15.4	29.0
	4	48	.6	17.2	46.2
	5	47	.6	16.8	63.1
	6	70	.9	25.1	88.2
	7	12	.2	4.3	92.5
	8	12	.2	4.3	96.8
	10 10+ hours	9	.1	3.2	100.0
	Total	279	3.7	100.0	
Missing	-1 No response	7317	96.3		
Total		7596	100.0		

r8340b I1zi: Average time respondent spent partaking in winter sports per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	265	3.5	95.0	95.0
	4	1	.0	.4	95.3
	6	1	.0	.4	95.7
	30	12	.2	4.3	100.0
	Total	279	3.7	100.0	
Missing	-1 No response	7317	96.3		
Total		7596	100.0		

r8341 I1zi: Frequency respondent partook in winter sports in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	5	.1	.1	.1
	1 Every day	14	.2	.2	.3
	2 3-6 times a week	8	.1	.1	.4
	3 Once or twice a week	8	.1	.1	.5
	4 1-3 times a month	19	.3	.3	.8
	5 Less than once a month	337	4.4	5.0	5.8
	6 None	6373	83.9	94.2	100.0
	Total	6764	89.0	100.0	
Missing	-1 No response	832	11.0		
Total		7596	100.0		

R File – Section I

r8350a I1zj: Average time respondent spent performing martial arts per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.1	5.6	5.6
	1	39	.5	54.2	59.7
	2	22	.3	30.6	90.3
	3	3	.0	4.2	94.4
	4	2	.0	2.8	97.2
	6	1	.0	1.4	98.6
	10 10+ hours	1	.0	1.4	100.0
	Total	72	.9	100.0	
Missing	-1 No response	7524	99.1		
Total		7596	100.0		

r8350b I1zj: Average time respondent spent performing martial arts per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	44	.6	61.1	61.1
	15	1	.0	1.4	62.5
	20	2	.0	2.8	65.3
	30	24	.3	33.3	98.6
	45	1	.0	1.4	100.0
	Total	72	.9	100.0	
Missing	-1 No response	7524	99.1		
Total		7596	100.0		

r8351 I1zj: Frequency respondent performed martial arts in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	2	.0	.0	.0
	1 Every day	1	.0	.0	.0
	2 3-6 times a week	12	.2	.2	.2
	3 Once or twice a week	57	.8	.8	1.1
	4 1-3 times a month	10	.1	.1	1.2
	5 Less than once a month	14	.2	.2	1.4
	6 None	6641	87.4	98.6	100.0
	Total	6737	88.7	100.0	
Missing	-1 No response	859	11.3		
Total		7596	100.0		

R File – Section I

r8360a I1zk: Average time respondent spent doing other exercise per episode in past year (hours)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	55	.7	21.9	21.9
	1	105	1.4	41.8	63.7
	2	54	.7	21.5	85.3
	3	11	.1	4.4	89.6
	4	10	.1	4.0	93.6
	5	7	.1	2.8	96.4
	6	2	.0	.8	97.2
	7	5	.1	2.0	99.2
	10 10+ hours	2	.0	.8	100.0
	Total	251	3.3	100.0	
Missing	-1 No response	7345	96.7		
Total		7596	100.0		

r8360b I1zk: Average time respondent spent doing other exercise per episode in past year (minutes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	148	1.9	59.0	59.0
	5	2	.0	.8	59.8
	10	6	.1	2.4	62.2
	15	9	.1	3.6	65.7
	20	14	.2	5.6	71.3
	30	56	.7	22.3	93.6
	40	2	.0	.8	94.4
	45	12	.2	4.8	99.2
	50	2	.0	.8	100.0
	Total	251	3.3	100.0	
Missing	-1 No response	7345	96.7		
Total		7596	100.0		

r8361 I1zk: Frequency respondent did other exercise in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Time reported but no frequency	20	.3	.3	.3
	1 Every day	46	.6	.8	1.1
	2 3-6 times a week	49	.6	.8	1.9
	3 Once or twice a week	117	1.5	2.0	3.9
	4 1-3 times a month	47	.6	.8	4.7
	5 Less than once a month	52	.7	.9	5.5
	6 None	5633	74.2	94.5	100.0
	Total	5964	78.5	100.0	
Missing	-1 No response	1632	21.5		
Total		7596	100.0		

PAGE 52 OF THE QUESTIONNAIRE

SECTION J: BUYING THINGS

J1. How difficult at the moment do you find it to afford these items:

		Very difficult	Fairly difficult	Slightly difficult	Not difficult	Don't pay for this
a)	food	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
b)	clothing	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
c)	heating	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
d)	rent or mortgage	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
e)	things you need for your children	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
f)	costs of educational courses (e.g. ballet, music, etc.)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
g)	medical (including dental care and eye tests)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
h)	child care	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
i)	a week's annual holiday away from home	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
j)	regular trips and out- ings for your child (e.g. with school, the family or someone else)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
k)	something else (please tick and describe)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>		

.....

PAGE 53 OF THE QUESTIONNAIRE

- J2. a) On average, about how much is the take-home family income each week (include social benefits etc.)?

less than £120	<input type="text" value="01"/>	£120 - £189	<input type="text" value="02"/>	£190 - £239	<input type="text" value="03"/>
£240 - £289	<input type="text" value="04"/>	£290 - £359	<input type="text" value="05"/>	£360 - £429	<input type="text" value="06"/>
£430 - £479	<input type="text" value="07"/>	£480 - £559	<input type="text" value="08"/>	£560 - £799	<input type="text" value="09"/>
£800 or more	<input type="text" value="10"/>	Don't know	<input type="text" value="11"/>		

- b) Out of this, how much do you pay for rent, loans or mortgage each week?

nothing	<input type="text" value="1"/>	less than £40	<input type="text" value="2"/>	£40 - £59	<input type="text" value="3"/>	£60 - £79	<input type="text" value="4"/>
£80-£99	<input type="text" value="5"/>	£100- £119	<input type="text" value="6"/>	£120 or more	<input type="text" value="7"/>		
don't know	<input type="text" value="9"/>						

- c) About how much do you spend on electricity, gas, water, and telephone each week?

less than £20	<input type="text" value="1"/>	£20 - £29	<input type="text" value="2"/>	£30 - £39	<input type="text" value="3"/>	£40 - £49	<input type="text" value="4"/>
£50 - £59	<input type="text" value="5"/>	£60-£79	<input type="text" value="6"/>	£80 or more	<input type="text" value="7"/>	don't know	<input type="text" value="9"/>

- d) About how much do you spend on food for the whole family each week?

less than £20	<input type="text" value="1"/>	£20 - £29	<input type="text" value="2"/>	£30 - £39	<input type="text" value="3"/>	£40 - £49	<input type="text" value="4"/>
£50 - £59	<input type="text" value="5"/>	£60 - £79	<input type="text" value="6"/>	£80 - £99	<input type="text" value="7"/>		
£100 or more	<input type="text" value="8"/>	don't know	<input type="text" value="9"/>				

PAGE 54 OF THE QUESTIONNAIRE

J2. e) About how much do you spend on clothing, hobbies, and entertainment each week?

less than £20	<input type="text" value="1"/>	£20 - £29	<input type="text" value="2"/>	£30 - £39	<input type="text" value="3"/>	£40 - £49	<input type="text" value="4"/>
£50 - £59	<input type="text" value="5"/>	£60 - £79	<input type="text" value="6"/>	£80 or more	<input type="text" value="7"/>		
don't know	<input type="text" value="9"/>						

f) About how much do you spend on childcare each week (e.g. after-school club, sitters, nursery)?

nothing	<input type="text" value="1"/>	less than £20	<input type="text" value="2"/>	£20 - £39	<input type="text" value="3"/>	£40 - £59	<input type="text" value="4"/>
£60 - £79	<input type="text" value="5"/>	£80 - £99	<input type="text" value="6"/>	£100 or more	<input type="text" value="7"/>		
varies	<input type="text" value="8"/>	don't know	<input type="text" value="9"/>				

g) Do you manage to save at all? Yes No

h) Is your household currently in arrears of rent, mortgage, electricity, gas, water, telephone or council tax?

Yes No

i) Has your family had to go into debt in the last 12 months to meet ordinary living expenses (e.g. rent, food, Xmas, or back-to-school expenses)?

Yes No

j) Do you receive any financial help from your parents, other relatives or friends?

Yes No

k) Do you help your parents, other relatives or friends financially?

Yes No

PAGE 55 OF THE QUESTIONNAIRE

Food shopping:

J3. How often did you (or the shoppers in your household) buy the following items **in the last month** (4 weeks)?

	Most days ↓	2-3 times a week	Once a week	Once a fortnight	Once in the last 4 weeks	Not at all
a) Fresh fruit	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>	6 <input type="text"/>
b) Fresh vegetables	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>	6 <input type="text"/>
c) Meat	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>	6 <input type="text"/>
d) Meat pies or pasties	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>	6 <input type="text"/>
e) Fish	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>	6 <input type="text"/>
f) Cakes or biscuits	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>	6 <input type="text"/>
g) Sweets or chocolates	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>	6 <input type="text"/>

J4. a) Do you find the price of fresh fruit and vegetables:

cheap 1 reasonable 2 expensive 3

b) Would you (or the shoppers in your household) buy more fresh fruit and vegetables if they cost less?

Yes 1 No 2

PAGE 56 OF THE QUESTIONNAIRE

J5. When you are choosing food for meals **for your family**, how much do the following influence your choice?

	A lot	Quite a bit	A little	Not at all
a) Cost	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
b) What your children prefer to eat	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
c) What you prefer to eat	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
d) What other people prefer to eat (e.g. partner, other adult)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
e) Convenience of preparation	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
f) What is good (healthy) for us to eat	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
g) The special offers available when shopping	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
h) Adverts/programmes on the television/radio	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
i) Articles about food and recipes in newspapers/magazines	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
j) Dietary requirements of a member of the family	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
k) Other (please tick and describe)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>

.....

PAGE 57 OF THE QUESTIONNAIRE

J6. When you (or the shoppers in your household) do the food shopping do you:

	Never or rarely	Some of the time	Half of the time	Most of the time	Always
a) buy own brands/labels when available	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
b) buy special offers when available	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
c) buy large size packets or multibuy to get better value	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
d) check labels to see what is in the food or drink	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>

J7. Which one of these statements best describes the way you feel about your cooking?

I always enjoy cooking	1 <input type="text"/>
I enjoy cooking when I can take time over it	2 <input type="text"/>
I cook only because I have to, not because I enjoy it	3 <input type="text"/>
I avoid cooking if at all possible	4 <input type="text"/>
I have no real feeling towards cooking	5 <input type="text"/>

J8. Do you think about any of these health issues when choosing food?

	Yes often	Yes, sometimes	No, not at all
a) Heart disease	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
b) Cancer	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
c) Your weight	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
d) Food allergies/ intolerance	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
e) Healthy teeth	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
f) Other (please tick and describe)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>

.....

PAGE 58 OF THE QUESTIONNAIRE

- J9. a) Do you drink tea? (If you only drink herbal tea, answer **No**)
- Yes No → **If no, go to J13 below**

If yes,

- b) How often is the tea you drink decaffeinated?
- Always Usually Sometimes Never

J10. We would like to ask how much tea, on average, you drink per day:

- a) *If possible, please tell us first about the size of your cups and mugs. It would help us if you measured, in a measuring jug, the amount of liquid that your usual cup and/or mug contains. This will be in 'fl.oz' or 'mls'. If you can't measure them, don't worry, just tick the box to show which you use, and then go straight to J10b below.*

(i) I use a cup → fl.oz or mls.

[Editing: One outlying metric measurement of 33ml was recoded to -1. Two outlying imperial measurements of 30fl.oz and one each of 0fl.oz, 20fl.oz & 50fl.oz were set to -1. A single variable for volume in ml (rounded to the nearest 25ml) was created using a conversion factor of 1fl.oz = 28.41ml for imperial measurements. If both imperial and metric measurements were reported then the metric one was taken.]

(ii) I use a mug → fl.oz or mls.

[Editing: Two outlying metric measurements, one each of 10ml & 20ml, were recoded to -1. Two outlying imperial measurements of 40fl.oz and one of 2fl.oz were set to -1. A single variable for volume in ml (rounded to the nearest 25ml) was created using a conversion factor of 1fl.oz = 28.41ml for imperial measurements. If both imperial and metric measurements were reported then the metric one was taken.]

- b) How many cups of tea per day do you drink, on average? * cups a day
- c) How many mugs of tea per day do you drink, on average? * mugs a day

* If you only drink the occasional cup and/or mug write 97

PAGE 58 OF THE QUESTIONNAIRE cont...

J11. How strong is the tea you normally drink?

Strong

Medium

Weak

J12. Describe the type of tea that you drink most often (e.g. Tesco Premium, Typhoo, Sainsbury's Red Label, Tetley Decaffeinated):

.....

J13. a) Do you drink coffee?

Yes

No



If no, go to Section K on page 60

b) How often is the coffee you drink decaffeinated?

Always

Usually

Sometimes

Never

PAGE 59 OF THE QUESTIONNAIRE

- J14. a) If possible, measure the size of the cup and/or mug that you normally use for coffee, as described in J10 on page 58

(i) I use a cup

1

 →

--	--

 fl.oz **or**

--	--	--

 mls.

[Editing: One outlying metric measurement of 600ml was recoded to -1. Two outlying imperial measurements of 30fl.oz were set to -1. A single variable for volume in ml (rounded to the nearest 25ml) was created using a conversion factor of 1fl.oz = 28.41ml for imperial measurements. If both imperial and metric measurements were reported then the metric one was taken.]

(ii) I use a mug

1

 →

--	--

 fl.oz **or**

--	--	--

 mls.

[Editing: Two outlying metric measurements, one each of 10ml & 20ml, were recoded to -1. One outlying imperial measurement of 70fl.oz and one of 1fl.oz were set to -1. A single variable for volume in ml (rounded to the nearest 25ml) was created using a conversion factor of 1fl.oz = 28.41ml for imperial measurements. If both imperial and metric measurements were reported then the metric one was taken.]

b) How many cups of coffee per day do you drink,

--	--

 cups a day, on average?*

c) How many mugs of coffee per day do you drink,

--	--

 mugs a day, on average?*

* If you only drink the occasional cup and/or mug write 97

PAGE 59 OF THE QUESTIONNAIRE cont...

- J15. There are different sorts of coffee. Please say how many cups and/or mugs per day you usually drink of the following types:

	(i) cups	(ii) mugs
a) Real coffee (e.g. Filter, cafetière, cappuccino)	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>
b) Instant coffee, less than <u>one</u> spoonful	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>
c) Instant coffee, one <u>level</u> spoonful	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>
d) Instant coffee, one <u>heaped</u> spoonful or more	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>
e) Other (e.g. office coffee machine) (Please tick and describe)	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>

- J16. Describe the type of real coffee and/or instant coffee that you drink most often (e.g. Tesco Classic Gold, Nescafé Gold Blend, Kenco Decaffeinated, Lyons Original Cafetière):

- a) Real coffee
- b) Instant coffee

R File – Section J

r9000 J1a: Difficulty respondent has paying for food at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	32	.4	.4	.4
	2 Fairly difficult	166	2.2	2.2	2.7
	3 Slightly difficult	734	9.7	9.8	12.5
	4 Not difficult	6477	85.3	86.8	99.3
	5 Don't pay for this	52	.7	.7	100.0
	Total	7461	98.2	100.0	
Missing	-1 No response	135	1.8		
Total		7596	100.0		

r9001 J1b: Difficulty respondent has paying for clothing at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	198	2.6	2.7	2.7
	2 Fairly difficult	563	7.4	7.6	10.2
	3 Slightly difficult	1917	25.2	25.7	35.9
	4 Not difficult	4761	62.7	63.9	99.8
	5 Don't pay for this	12	.2	.2	100.0
	Total	7451	98.1	100.0	
Missing	-1 No response	145	1.9		
Total		7596	100.0		

r9002 J1c: Difficulty respondent has paying for heating at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	46	.6	.6	.6
	2 Fairly difficult	170	2.2	2.3	2.9
	3 Slightly difficult	675	8.9	9.1	12.0
	4 Not difficult	6347	83.6	85.2	97.1
	5 Don't pay for this	213	2.8	2.9	100.0
	Total	7451	98.1	100.0	
Missing	-1 No response	145	1.9		
Total		7596	100.0		

r9003 J1d: Difficulty respondent has paying rent/mortgage at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	81	1.1	1.1	1.1
	2 Fairly difficult	191	2.5	2.6	3.7
	3 Slightly difficult	764	10.1	10.3	13.9
	4 Not difficult	5659	74.5	76.1	90.0
	5 Don't pay for this	745	9.8	10.0	100.0
	Total	7440	97.9	100.0	
Missing	-1 No response	156	2.1		
Total		7596	100.0		

R File – Section J

r9004 J1e: Difficulty respondent has paying for things they need for their children at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	118	1.6	1.6	1.6
	2 Fairly difficult	409	5.4	5.5	7.1
	3 Slightly difficult	1767	23.3	23.9	31.0
	4 Not difficult	5088	67.0	68.8	99.8
	5 Don't pay for this	16	.2	.2	100.0
	Total	7398	97.4	100.0	
Missing	-1 No response	198	2.6		
Total		7596	100.0		

r9005 J1f: Difficulty respondent has paying for educational courses at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	227	3.0	3.1	3.1
	2 Fairly difficult	470	6.2	6.4	9.4
	3 Slightly difficult	1845	24.3	24.9	34.3
	4 Not difficult	3915	51.5	52.9	87.2
	5 Don't pay for this	944	12.4	12.8	100.0
	Total	7401	97.4	100.0	
Missing	-1 No response	195	2.6		
Total		7596	100.0		

r9006 J1g: Difficulty respondent has paying for medical, dental and eye care at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	118	1.6	1.6	1.6
	2 Fairly difficult	277	3.6	3.7	5.3
	3 Slightly difficult	1090	14.3	14.7	20.0
	4 Not difficult	4770	62.8	64.2	84.2
	5 Don't pay for this	1174	15.5	15.8	100.0
	Total	7429	97.8	100.0	
Missing	-1 No response	167	2.2		
Total		7596	100.0		

r9007 J1h: Difficulty respondent has paying for child care at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	50	.7	.7	.7
	2 Fairly difficult	102	1.3	1.4	2.1
	3 Slightly difficult	281	3.7	3.8	5.9
	4 Not difficult	2294	30.2	31.3	37.2
	5 Don't pay for this	4613	60.7	62.8	100.0
	Total	7340	96.6	100.0	
Missing	-1 No response	256	3.4		
Total		7596	100.0		

R File – Section J

r9008 J1i: Difficulty respondent has paying for a week's annual holiday away from home at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	937	12.3	12.6	12.6
	2 Fairly difficult	999	13.2	13.5	26.1
	3 Slightly difficult	2044	26.9	27.5	53.6
	4 Not difficult	3222	42.4	43.4	97.0
	5 Don't pay for this	222	2.9	3.0	100.0
	Total	7424	97.7	100.0	
Missing	-1 No response	172	2.3		
Total		7596	100.0		

r9009 J1j: Difficulty respondent has paying for regular trips and outings for child at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very difficult	328	4.3	4.4	4.4
	2 Fairly difficult	741	9.8	10.0	14.4
	3 Slightly difficult	1968	25.9	26.5	40.8
	4 Not difficult	4320	56.9	58.1	98.9
	5 Don't pay for this	80	1.1	1.1	100.0
	Total	7437	97.9	100.0	
Missing	-1 No response	159	2.1		
Total		7596	100.0		

r9010 J1k: Difficulty respondent has paying for something else at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	9	.1	2.5	2.5
	1 Very difficult	104	1.4	29.4	31.9
	2 Fairly difficult	109	1.4	30.8	62.7
	3 Slightly difficult	132	1.7	37.3	100.0
	Total	354	4.7	100.0	
Missing	-1 No response	7242	95.3		
Total		7596	100.0		

R File – Section J

r9020 J2a: Average household income including social benefits each week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid				
1 < £120	149	2.0	2.1	2.1
2 £120 - £189	340	4.5	4.8	6.9
3 £190 - £239	353	4.6	5.0	11.9
4 £240 - £289	458	6.0	6.5	18.4
5 £290 - £359	759	10.0	10.8	29.2
6 £360 - £429	706	9.3	10.0	39.2
7 £430 - £479	458	6.0	6.5	45.7
8 £480 - £559	993	13.1	14.1	59.8
9 £560 - £799	1334	17.6	18.9	78.7
10 £800 or more	925	12.2	13.1	91.9
11 Don't know	574	7.6	8.1	100.0
Total	7049	92.8	100.0	
Missing				
-1 No response	547	7.2		
Total	7596	100.0		

r9021 J2b: Amount of household income spent on rent/loans/mortgage each week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid				
1 Nothing	704	9.3	9.9	9.9
2 < £40	306	4.0	4.3	14.2
3 £40 - £59	549	7.2	7.7	22.0
4 £60 - £79	659	8.7	9.3	31.3
5 £80 - £99	524	6.9	7.4	38.7
6 £100 - £119	837	11.0	11.8	50.5
7 £120 or more	2920	38.4	41.2	91.7
9 Don't know	591	7.8	8.3	100.0
Total	7090	93.3	100.0	
Missing				
-1 No response	506	6.7		
Total	7596	100.0		

r9022 J2c: Amount spent on electricity/gas/water/telephone each week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid				
1 < £20	487	6.4	6.9	6.9
2 £20 - £29	1350	17.8	19.1	26.0
3 £30 - £39	1226	16.1	17.4	43.4
4 £40 - £49	820	10.8	11.6	55.0
5 £50 - £59	500	6.6	7.1	62.0
6 £60 - £79	413	5.4	5.8	67.9
7 £80 or more	665	8.8	9.4	77.3
9 Don't know	1603	21.1	22.7	100.0
Total	7064	93.0	100.0	
Missing				
-1 No response	532	7.0		
Total	7596	100.0		

R File – Section J

r9023 J2d: Amount spent on food for whole family each week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 < £20	18	.2	.2	.2
	2 £20 - £29	93	1.2	1.3	1.5
	3 £30 - £39	226	3.0	3.1	4.6
	4 £40 - £49	302	4.0	4.2	8.8
	5 £50 - £59	560	7.4	7.7	16.5
	6 £60 - £79	1541	20.3	21.2	37.8
	7 £80 - £99	2072	27.3	28.5	66.3
	8 £100 or more	2276	30.0	31.4	97.7
	9 Don't know	170	2.2	2.3	100.0
	Total	7258	95.6	100.0	
Missing	-1 No response	338	4.4		
Total		7596	100.0		

r9024 J2e: Amount spent on hobbies/clothing/entertainment each week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 < £20	2108	27.8	29.4	29.4
	2 £20 - £29	1466	19.3	20.4	49.8
	3 £30 - £39	993	13.1	13.8	63.6
	4 £40 - £49	497	6.5	6.9	70.5
	5 £50 - £59	489	6.4	6.8	77.4
	6 £60 - £79	341	4.5	4.7	82.1
	7 £80 or more	479	6.3	6.7	88.8
	9 Don't know	806	10.6	11.2	100.0
	Total	7179	94.5	100.0	
Missing	-1 No response	417	5.5		
Total		7596	100.0		

r9025 J2f: Amount spent on childcare each week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	5325	70.1	74.4	74.4
	2 < £20	833	11.0	11.6	86.0
	3 £20 - £39	386	5.1	5.4	91.4
	4 £40 - £59	146	1.9	2.0	93.4
	5 £60 - £79	70	.9	1.0	94.4
	6 £80 - £99	38	.5	.5	94.9
	7 £100 or more	100	1.3	1.4	96.3
	8 Varies	158	2.1	2.2	98.5
	9 Don't know	104	1.4	1.5	100.0
	Total	7160	94.3	100.0	
Missing	-1 No response	436	5.7		
Total		7596	100.0		

R File – Section J

r9026 J2g: Respondent manages to save money at all

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4156	54.7	59.8	59.8
	2 No	2799	36.8	40.2	100.0
	Total	6955	91.6	100.0	
Missing	-1 No response	641	8.4		
Total		7596	100.0		

r9027 J2h: Respondent's household is currently in arrears of rent/mortgage/electricity/gas/water/telephone/council tax

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	389	5.1	5.3	5.3
	2 No	6921	91.1	94.7	100.0
	Total	7310	96.2	100.0	
Missing	-1 No response	286	3.8		
Total		7596	100.0		

r9028 J2i: Respondent's family has gone into debt to meet ordinary living expenses in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1359	17.9	18.6	18.6
	2 No	5945	78.3	81.4	100.0
	Total	7304	96.2	100.0	
Missing	-1 No response	292	3.8		
Total		7596	100.0		

r9029 J2j: Respondent receives financial help from parents/relatives/friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	688	9.1	9.4	9.4
	2 No	6634	87.3	90.6	100.0
	Total	7322	96.4	100.0	
Missing	-1 No response	274	3.6		
Total		7596	100.0		

r9030 J2k: Respondent helps their parents/other relatives/friends financially

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	596	7.8	8.2	8.2
	2 No	6711	88.3	91.8	100.0
	Total	7307	96.2	100.0	
Missing	-1 No response	289	3.8		
Total		7596	100.0		

R File – Section J

r9040 J3a: Frequency respondent/shoppers in household bought fresh fruit in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most days	1151	15.2	15.5	15.5
	2 2-3 times a week	3088	40.7	41.5	57.0
	3 Once a week	3006	39.6	40.4	97.4
	4 Once a fortnight	116	1.5	1.6	99.0
	5 Once in the last 4 weeks	45	.6	.6	99.6
	6 Not At All	31	.4	.4	100.0
	Total	7437	97.9	100.0	
Missing	-1 No response	159	2.1		
Total		7596	100.0		

r9041 J3b: Frequency respondent/shoppers in household bought fresh vegetables in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most days	1031	13.6	13.9	13.9
	2 2-3 times a week	3166	41.7	42.6	56.4
	3 Once a week	2976	39.2	40.0	96.5
	4 Once a fortnight	113	1.5	1.5	98.0
	5 Once in the last 4 weeks	60	.8	.8	98.8
	6 Not At All	90	1.2	1.2	100.0
	Total	7436	97.9	100.0	
Missing	-1 No response	160	2.1		
Total		7596	100.0		

r9042 J3c: Frequency respondent/shoppers in household bought meat in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most days	583	7.7	7.8	7.8
	2 2-3 times a week	2148	28.3	28.9	36.8
	3 Once a week	4100	54.0	55.2	92.0
	4 Once a fortnight	249	3.3	3.4	95.3
	5 Once in the last 4 weeks	134	1.8	1.8	97.1
	6 Not At All	215	2.8	2.9	100.0
	Total	7429	97.8	100.0	
Missing	-1 No response	167	2.2		
Total		7596	100.0		

r9043 J3d: Frequency respondent/shoppers in household bought meat pies/pasties in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most days	44	.6	.6	.6
	2 2-3 times a week	313	4.1	4.2	4.8
	3 Once a week	2456	32.3	33.2	38.1
	4 Once a fortnight	1167	15.4	15.8	53.8
	5 Once in the last 4 weeks	1338	17.6	18.1	72.0
	6 Not At All	2073	27.3	28.0	100.0
	Total	7391	97.3	100.0	
Missing	-1 No response	205	2.7		
Total		7596	100.0		

R File – Section J

r9044 J3e: Frequency respondent/shoppers in household bought fish in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most days	81	1.1	1.1	1.1
	2 2-3 times a week	555	7.3	7.5	8.6
	3 Once a week	3627	47.7	49.0	57.6
	4 Once a fortnight	1524	20.1	20.6	78.2
	5 Once in the last 4 weeks	988	13.0	13.4	91.6
	6 Not At All	623	8.2	8.4	100.0
	Total	7398	97.4	100.0	
Missing	-1 No response	198	2.6		
Total		7596	100.0		

r9045 J3f: Frequency respondent/shoppers in household bought cakes/biscuits in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most days	233	3.1	3.1	3.1
	2 2-3 times a week	1256	16.5	16.9	20.0
	3 Once a week	4688	61.7	63.1	83.1
	4 Once a fortnight	753	9.9	10.1	93.3
	5 Once in the last 4 weeks	349	4.6	4.7	98.0
	6 Not At All	150	2.0	2.0	100.0
	Total	7429	97.8	100.0	
Missing	-1 No response	167	2.2		
Total		7596	100.0		

r9046 J3g: Frequency respondent/shoppers in household bought sweets/chocolates in last month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most days	316	4.2	4.3	4.3
	2 2-3 times a week	1502	19.8	20.3	24.5
	3 Once a week	3984	52.4	53.7	78.3
	4 Once a fortnight	867	11.4	11.7	90.0
	5 Once in the last 4 weeks	529	7.0	7.1	97.1
	6 Not At All	216	2.8	2.9	100.0
	Total	7414	97.6	100.0	
Missing	-1 No response	182	2.4		
Total		7596	100.0		

R File – Section J

r9050 J4a: Respondent finds price of fresh fruit and vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Cheap	217	2.9	2.9	2.9
	2 Reasonable	5844	76.9	78.7	81.7
	3 Expensive	1337	17.6	18.0	99.7
	4 Depends/I shop around	25	.3	.3	100.0
	Total	7423	97.7	100.0	
Missing	-1 No response	173	2.3		
Total		7596	100.0		

r9051 J4b: Respondent/shoppers in household would buy more fresh fruit and vegetables if they cost less

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3478	45.8	47.3	47.3
	2 No	3873	51.0	52.7	100.0
	Total	7351	96.8	100.0	
Missing	-1 No response	245	3.2		
Total		7596	100.0		

R File – Section J

r9060 J5a: Degree to which cost influences respondent's choice when choosing food for family meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	1087	14.3	14.7	14.7
	2 Quite a bit	2526	33.3	34.1	48.8
	3 A little	3139	41.3	42.4	91.2
	4 Not at all	652	8.6	8.8	100.0
	Total	7404	97.5	100.0	
Missing	-1 No response	192	2.5		
Total		7596	100.0		

r9061 J5b: Degree to which what children prefer to eat influences respondent's choice when choosing food for family meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	2034	26.8	27.4	27.4
	2 Quite a bit	3686	48.5	49.7	77.1
	3 A little	1566	20.6	21.1	98.2
	4 Not at all	131	1.7	1.8	100.0
	Total	7417	97.6	100.0	
Missing	-1 No response	179	2.4		
Total		7596	100.0		

r9062 J5c: Degree to which what respondent prefers to eat influences respondent's choice when choosing food for family meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	1503	19.8	20.2	20.2
	2 Quite a bit	3551	46.7	47.8	68.1
	3 A little	2050	27.0	27.6	95.7
	4 Not at all	321	4.2	4.3	100.0
	Total	7425	97.7	100.0	
Missing	-1 No response	171	2.3		
Total		7596	100.0		

r9063 J5d: Degree to which what other people prefer to eat influences respondent's choice when choosing food for family meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	1282	16.9	17.4	17.4
	2 Quite a bit	3389	44.6	46.1	63.5
	3 A little	1771	23.3	24.1	87.6
	4 Not at all	910	12.0	12.4	100.0
	Total	7352	96.8	100.0	
Missing	-1 No response	244	3.2		
Total		7596	100.0		

R File – Section J

r9064 J5e: Degree to which convenience of preparation influences respondent's choice when choosing food for family meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	564	7.4	7.6	7.6
	2 Quite a bit	2574	33.9	34.7	42.3
	3 A little	3316	43.7	44.7	87.1
	4 Not at all	960	12.6	12.9	100.0
	Total	7414	97.6	100.0	
Missing	-1 No response	182	2.4		
Total		7596	100.0		

r9065 J5f: Degree to which what is healthy influences respondent's choice when choosing food for family meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	3087	40.6	41.6	41.6
	2 Quite a bit	3508	46.2	47.3	88.9
	3 A little	755	9.9	10.2	99.0
	4 Not at all	72	.9	1.0	100.0
	Total	7422	97.7	100.0	
Missing	-1 No response	174	2.3		
Total		7596	100.0		

r9066 J5g: Degree to which special offers available when shopping influences respondent's choice when choosing food for family meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	1878	24.7	25.3	25.3
	2 Quite a bit	2966	39.0	39.9	65.2
	3 A little	2247	29.6	30.3	95.5
	4 Not at all	335	4.4	4.5	100.0
	Total	7426	97.8	100.0	
Missing	-1 No response	170	2.2		
Total		7596	100.0		

r9067 J5h: Degree to which adverts/programs on TV/radio influences respondent's choice when choosing food for family meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	53	.7	.7	.7
	2 Quite a bit	197	2.6	2.7	3.4
	3 A little	2464	32.4	33.2	36.6
	4 Not at all	4698	61.8	63.4	100.0
	Total	7412	97.6	100.0	
Missing	-1 No response	184	2.4		
Total		7596	100.0		

R File – Section J

r9068 J5i: Degree to which articles about food/recipes in newspapers/magazines influences respondent's choice when choosing food for family meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	65	.9	.9	.9
	2 Quite a bit	463	6.1	6.2	7.1
	3 A little	3340	44.0	45.1	52.2
	4 Not at all	3542	46.6	47.8	100.0
	Total	7410	97.6	100.0	
Missing	-1 No response	186	2.4		
Total		7596	100.0		

r9069 J5j: Degree to which dietary requirements of a family member influences respondent's choice when choosing food for family meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	919	12.1	12.5	12.5
	2 Quite a bit	1238	16.3	16.9	29.4
	3 A little	1175	15.5	16.0	45.4
	4 Not at all	4013	52.8	54.6	100.0
	Total	7345	96.7	100.0	
Missing	-1 No response	251	3.3		
Total		7596	100.0		

r9070 J5k: Degree to which other influences respondent's choice when choosing food for family meals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	24	.3	.8	.8
	1 A lot	161	2.1	5.4	6.2
	2 Quite a bit	68	.9	2.3	8.5
	3 A little	43	.6	1.4	9.9
	4 Not at all	2683	35.3	90.1	100.0
	Total	2979	39.2	100.0	
Missing	-1 No response	4617	60.8		
Total		7596	100.0		

R File – Section J

r9080 J6a: Frequency respondent/shoppers in household buys own brands/labels when available

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	651	8.6	8.8	8.8
	2 Some of the time	3806	50.1	51.4	60.2
	3 Half the time	1068	14.1	14.4	74.6
	4 Most of the time	1573	20.7	21.2	95.8
	5 Always	311	4.1	4.2	100.0
	Total	7409	97.5	100.0	
Missing	-1 No response	187	2.5		
Total		7596	100.0		

r9081 J6b: Frequency respondent/shoppers in household buys special offers when available

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	96	1.3	1.3	1.3
	2 Some of the time	3389	44.6	45.7	47.0
	3 Half the time	1005	13.2	13.5	60.5
	4 Most of the time	2291	30.2	30.9	91.4
	5 Always	638	8.4	8.6	100.0
	Total	7419	97.7	100.0	
Missing	-1 No response	177	2.3		
Total		7596	100.0		

r9082 J6c: Frequency respondent/shoppers in household buys a large size packets/multibuy to get better value

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	498	6.6	6.7	6.7
	2 Some of the time	3330	43.8	44.9	51.6
	3 Half the time	955	12.6	12.9	64.5
	4 Most of the time	2052	27.0	27.7	92.1
	5 Always	584	7.7	7.9	100.0
	Total	7419	97.7	100.0	
Missing	-1 No response	177	2.3		
Total		7596	100.0		

r9083 J6d: Frequency respondent/shoppers in household checks labels to see what is in food/drink

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1272	16.7	17.2	17.2
	2 Some of the time	2882	37.9	38.9	56.1
	3 Half the time	854	11.2	11.5	67.6
	4 Most of the time	1647	21.7	22.2	89.9
	5 Always	750	9.9	10.1	100.0
	Total	7405	97.5	100.0	
Missing	-1 No response	191	2.5		
Total		7596	100.0		

R File – Section J

r9090 J7: Respondent's assessment of how much they enjoy cooking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always enjoys cooking	1137	15.0	15.3	15.3
	2 Enjoys cooking when they can take time over it	3961	52.1	53.3	68.6
	3 Cooks only because they have to	1971	25.9	26.5	95.1
	4 Avoids cooking if at all possible	157	2.1	2.1	97.2
	5 Has no real feelings towards cooking	205	2.7	2.8	100.0
	Total	7431	97.8	100.0	
Missing	-1 No response	165	2.2		
Total		7596	100.0		

R File – Section J

r9100 J8a: Respondent thinks about heart disease when choosing food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	1904	25.1	25.8	25.8
	2 Yes, sometimes	3719	49.0	50.4	76.2
	3 No, not at all	1758	23.1	23.8	100.0
	Total	7381	97.2	100.0	
Missing	-1 No response	215	2.8		
Total		7596	100.0		

r9101 J8b: Respondent thinks about cancer when choosing food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	1266	16.7	17.2	17.2
	2 Yes, sometimes	2785	36.7	37.9	55.1
	3 No, not at all	3306	43.5	44.9	100.0
	Total	7357	96.9	100.0	
Missing	-1 No response	239	3.1		
Total		7596	100.0		

r9102 J8c: Respondent thinks about their weight when choosing food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	2963	39.0	40.0	40.0
	2 Yes, sometimes	3433	45.2	46.3	86.3
	3 No, not at all	1012	13.3	13.7	100.0
	Total	7408	97.5	100.0	
Missing	-1 No response	188	2.5		
Total		7596	100.0		

r9103 J8d: Respondent thinks about food allergies/intolerance when choosing food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	1022	13.5	13.9	13.9
	2 Yes, sometimes	1923	25.3	26.2	40.2
	3 No, not at all	4386	57.7	59.8	100.0
	Total	7331	96.5	100.0	
Missing	-1 No response	265	3.5		
Total		7596	100.0		

r9104 J8e: Respondent thinks about healthy teeth when choosing food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	2038	26.8	27.6	27.6
	2 Yes, sometimes	4059	53.4	54.9	82.5
	3 No, not at all	1296	17.1	17.5	100.0
	Total	7393	97.3	100.0	
Missing	-1 No response	203	2.7		
Total		7596	100.0		

R File – Section J

r9105 J8f: Does Respondent thinks about other health issues when choosing food

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	49	.6	1.9	1.9
	1 Yes, often	442	5.8	17.1	19.0
	2 Yes, sometimes	194	2.6	7.5	26.5
	3 No, not at all	1899	25.0	73.5	100.0
	Total	2584	34.0	100.0	
Missing	-1 No response	5012	66.0		
Total		7596	100.0		

R File – Section J

r9110 J9a: Respondent drinks tea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6082	80.1	81.4	81.4
	2 No	1392	18.3	18.6	100.0
	Total	7474	98.4	100.0	
Missing	-1 No response	122	1.6		
Total		7596	100.0		

r9111 J9b: Frequency respondent drinks decaffeinated tea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	248	3.3	4.1	4.1
	2 Usually	218	2.9	3.6	7.7
	3 Sometimes	682	9.0	11.2	18.9
	4 Never	4930	64.9	81.1	100.0
	Total	6078	80.0	100.0	
Missing	-1 No response	1518	20.0		
Total		7596	100.0		

R File – Section J

r9120 J10a1: Respondent drinks tea from a cup

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	611	8.0	100.0	100.0
Missing -1 No response	6985	92.0		
Total	7596	100.0		

r9121 J10a1: Volume of cup that respondent usually uses to drink tea (ml)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 75	2	.0	.7	.7
100	8	.1	2.7	3.4
125	16	.2	5.5	8.9
150	58	.8	19.9	28.8
175	39	.5	13.4	42.1
200	55	.7	18.8	61.0
225	45	.6	15.4	76.4
250	19	.3	6.5	82.9
275	25	.3	8.6	91.4
300	14	.2	4.8	96.2
325	2	.0	.7	96.9
350	5	.1	1.7	98.6
400	2	.0	.7	99.3
425	2	.0	.7	100.0
Total	292	3.8	100.0	
Missing -1 No response	7304	96.2		
Total	7596	100.0		

R File – Section J

r9122 J10a2: Respondent drinks tea from a mug

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5137	67.6	100.0	100.0
Missing -1 No response	2459	32.4		
Total	7596	100.0		

r9123 J10a2: Volume of mug that respondent usually uses to drink tea (ml)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 75	3	.0	.1	.1
100	8	.1	.3	.4
125	15	.2	.6	1.0
150	60	.8	2.2	3.2
175	86	1.1	3.2	6.4
200	407	5.4	15.1	21.5
225	462	6.1	17.2	38.7
250	556	7.3	20.6	59.3
275	596	7.8	22.1	81.4
300	261	3.4	9.7	91.1
325	41	.5	1.5	92.6
350	86	1.1	3.2	95.8
375	9	.1	.3	96.2
400	48	.6	1.8	98.0
425	13	.2	.5	98.4
450	11	.1	.4	98.8
475	2	.0	.1	98.9
500	14	.2	.5	99.4
575	9	.1	.3	99.8
600	3	.0	.1	99.9
650	1	.0	.0	99.9
775	1	.0	.0	100.0
800	1	.0	.0	100.0
Total	2693	35.5	100.0	
Missing -1 No response	4903	64.5		
Total	7596	100.0		

R File – Section J

r9124 J10b: Average number of cups of tea respondent drinks in one day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	821	10.8	48.0	48.0
	1	156	2.1	9.1	57.2
	2	199	2.6	11.6	68.8
	3	122	1.6	7.1	76.0
	4	113	1.5	6.6	82.6
	5	53	.7	3.1	85.7
	6	55	.7	3.2	88.9
	7	12	.2	.7	89.6
	8	16	.2	.9	90.5
	9	2	.0	.1	90.6
	10	21	.3	1.2	91.9
	11	1	.0	.1	91.9
	12	1	.0	.1	92.0
	13	1	.0	.1	92.0
	14	1	.0	.1	92.1
	15	3	.0	.2	92.3
	17	1	.0	.1	92.3
	20	1	.0	.1	92.4
	97 Occasional	130	1.7	7.6	100.0
	Total	1709	22.5	100.0	
Missing	-1 No response	5887	77.5		
Total		7596	100.0		

r9125 J10c: Average number of mugs of tea respondent drinks in one day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	91	1.2	1.7	1.7
	1	422	5.6	7.7	9.3
	2	906	11.9	16.5	25.8
	3	979	12.9	17.8	43.6
	4	949	12.5	17.3	60.9
	5	663	8.7	12.1	72.9
	6	589	7.8	10.7	83.6
	7	178	2.3	3.2	86.9
	8	210	2.8	3.8	90.7
	9	28	.4	.5	91.2
	10	143	1.9	2.6	93.8
	11	4	.1	.1	93.9
	12	19	.3	.3	94.2
	14	2	.0	.0	94.2
	15	8	.1	.1	94.4
	16	2	.0	.0	94.4
	20	9	.1	.2	94.6
	25	1	.0	.0	94.6
	30	1	.0	.0	94.6
	97 Occasional	296	3.9	5.4	100.0
	Total	5500	72.4	100.0	
Missing	-1 No response	2096	27.6		
Total		7596	100.0		

R File – Section J

r9130 J11: Strength of tea normally drunk by respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Strong	748	9.8	12.3	12.3
	2 Medium	4153	54.7	68.5	80.8
	3 Weak	1162	15.3	19.2	100.0
	Total	6063	79.8	100.0	
Missing	-1 No response	1533	20.2		
Total		7596	100.0		

R File – Section J

r9150 J13a: Respondent drinks coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5705	75.1	76.4	76.4
	2 No	1765	23.2	23.6	100.0
	Total	7470	98.3	100.0	
Missing	-1 No response	126	1.7		
Total		7596	100.0		

r9151 J13b: Frequency respondent drinks decaffeinated coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	617	8.1	10.8	10.8
	2 Usually	591	7.8	10.3	21.1
	3 Sometimes	1353	17.8	23.7	44.8
	4 Never	3151	41.5	55.2	100.0
	Total	5712	75.2	100.0	
Missing	-1 No response	1884	24.8		
Total		7596	100.0		

r9160 J14a1: Respondent drinks coffee from a cup

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	686	9.0	100.0	100.0
Missing	-1 No response	6910	91.0		
Total		7596	100.0		

r9161 J14a1: Volume of cup that respondent usually uses to drink coffee (ml)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	25	2	.0	.6	.6
	50	4	.1	1.2	1.8
	75	4	.1	1.2	2.9
	100	13	.2	3.8	6.8
	125	29	.4	8.5	15.3
	150	67	.9	19.7	35.0
	175	52	.7	15.3	50.3
	200	67	.9	19.7	70.0
	225	54	.7	15.9	85.9
	250	13	.2	3.8	89.7
	275	17	.2	5.0	94.7
	300	11	.1	3.2	97.9
	325	2	.0	.6	98.5
	350	5	.1	1.5	100.0
	Total	340	4.5	100.0	
Missing	-1 No response	7256	95.5		
Total		7596	100.0		

R File – Section J

r9162 J14a2: Respondent drinks coffee from a mug

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4527	59.6	100.0	100.0
Missing -1 No response	3069	40.4		
Total	7596	100.0		

r9163 J14a2: Volume of mug that respondent usually uses to drink coffee (ml)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 75	3	.0	.1	.1
100	12	.2	.5	.6
125	20	.3	.8	1.4
150	72	.9	2.8	4.2
175	94	1.2	3.7	7.9
200	415	5.5	16.4	24.3
225	472	6.2	18.6	42.9
250	510	6.7	20.1	63.0
275	537	7.1	21.2	84.2
300	243	3.2	9.6	93.7
325	34	.4	1.3	95.1
350	64	.8	2.5	97.6
375	8	.1	.3	97.9
400	14	.2	.6	98.5
425	10	.1	.4	98.9
450	9	.1	.4	99.2
500	7	.1	.3	99.5
575	6	.1	.2	99.7
600	2	.0	.1	99.8
625	1	.0	.0	99.8
650	1	.0	.0	99.9
675	1	.0	.0	99.9
775	1	.0	.0	100.0
800	1	.0	.0	100.0
Total	2537	33.4	100.0	
Missing -1 No response	5059	66.6		
Total	7596	100.0		

R File – Section J

r9164 J14b: Average number of cups of coffee respondent drinks in one day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	751	9.9	41.4	41.4
	1	263	3.5	14.5	55.8
	2	223	2.9	12.3	68.1
	3	140	1.8	7.7	75.8
	4	89	1.2	4.9	80.7
	5	48	.6	2.6	83.4
	6	39	.5	2.1	85.5
	7	11	.1	.6	86.1
	8	11	.1	.6	86.7
	9	2	.0	.1	86.8
	10	9	.1	.5	87.3
	15	2	.0	.1	87.4
	24	1	.0	.1	87.5
	97 Occasional	227	3.0	12.5	100.0
	Total	1816	23.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	5778	76.1		
	Total	5780	76.1		
Total		7596	100.0		

r9165 J14c: Average number of mugs of coffee respondent drinks in one day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	130	1.7	2.6	2.6
	1	938	12.3	18.6	21.1
	2	1055	13.9	20.9	42.0
	3	748	9.8	14.8	56.8
	4	648	8.5	12.8	69.6
	5	304	4.0	6.0	75.6
	6	303	4.0	6.0	81.6
	7	74	1.0	1.5	83.1
	8	97	1.3	1.9	85.0
	9	10	.1	.2	85.2
	10	67	.9	1.3	86.5
	11	2	.0	.0	86.6
	12	8	.1	.2	86.7
	14	2	.0	.0	86.7
	15	3	.0	.1	86.8
	17	1	.0	.0	86.8
	20	4	.1	.1	86.9
	97 Occasional	662	8.7	13.1	100.0
	Total	5056	66.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	2538	33.4		
	Total	2540	33.4		
Total		7596	100.0		

R File – Section J

r9170 J15a1: Usual number of cups of real coffee respondent drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	790	10.4	72.8	72.8
	1	153	2.0	14.1	86.9
	2	45	.6	4.1	91.1
	3	25	.3	2.3	93.4
	4	11	.1	1.0	94.4
	5	5	.1	.5	94.8
	6	2	.0	.2	95.0
	7	1	.0	.1	95.1
	8	1	.0	.1	95.2
	97 Occasional	52	.7	4.8	100.0
	Total	1085	14.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	6510	85.7		
	Total	6511	85.7		
Total		7596	100.0		

r9171 J15b1: Usual number of cups of instant coffee, less than one spoonful respondent drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	732	9.6	72.8	72.8
	1	99	1.3	9.8	82.6
	2	65	.9	6.5	89.1
	3	32	.4	3.2	92.2
	4	19	.3	1.9	94.1
	5	11	.1	1.1	95.2
	6	8	.1	.8	96.0
	7	2	.0	.2	96.2
	8	7	.1	.7	96.9
	10	2	.0	.2	97.1
	97 Occasional	29	.4	2.9	100.0
	Total	1006	13.2	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	6588	86.7		
	Total	6590	86.8		
Total		7596	100.0		

R File – Section J

**r9172 J15c1: Usual number of cups of instant coffee, one level spoonful
respondent drinks in a day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	720	9.5	66.1	66.1
	1	107	1.4	9.8	75.9
	2	75	1.0	6.9	82.8
	3	58	.8	5.3	88.1
	4	37	.5	3.4	91.5
	5	17	.2	1.6	93.0
	6	19	.3	1.7	94.8
	7	4	.1	.4	95.1
	8	5	.1	.5	95.6
	9	1	.0	.1	95.7
	10	5	.1	.5	96.1
	15	1	.0	.1	96.2
	97 Occasional	41	.5	3.8	100.0
	Total	1090	14.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	6505	85.6		
	Total	6506	85.7		
Total		7596	100.0		

**r9173 J15d1: Usual number of cups of instant coffee, one heaped spoonful
respondent drinks in a day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	758	10.0	84.8	84.8
	1	36	.5	4.0	88.8
	2	22	.3	2.5	91.3
	3	26	.3	2.9	94.2
	4	22	.3	2.5	96.6
	5	11	.1	1.2	97.9
	6	7	.1	.8	98.7
	7	2	.0	.2	98.9
	8	2	.0	.2	99.1
	9	1	.0	.1	99.2
	10	2	.0	.2	99.4
	97 Occasional	5	.1	.6	100.0
	Total	894	11.8	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	6700	88.2		
	Total	6702	88.2		
Total		7596	100.0		

R File – Section J

r9174 J15e1: Usual number of cups of other coffee respondent drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	642	8.5	85.8	85.8
	1	27	.4	3.6	89.4
	2	34	.4	4.5	94.0
	3	20	.3	2.7	96.7
	4	8	.1	1.1	97.7
	5	10	.1	1.3	99.1
	6	1	.0	.1	99.2
	97 Occasional	5	.1	.7	99.9
	99 Relevant text but no number reported	1	.0	.1	100.0
	Total	748	9.8	100.0	
Missing	-1 No response	6848	90.2		
Total		7596	100.0		

R File – Section J

r9180 J15a2: Usual number of mugs of real coffee respondent drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	923	12.2	47.9	47.9
	1	541	7.1	28.1	76.1
	2	202	2.7	10.5	86.5
	3	60	.8	3.1	89.7
	4	33	.4	1.7	91.4
	5	9	.1	.5	91.8
	6	7	.1	.4	92.2
	8	3	.0	.2	92.4
	10	1	.0	.1	92.4
	97 Occasional	146	1.9	7.6	100.0
	Total	1925	25.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	5670	74.6		
	Total	5671	74.7		
Total		7596	100.0		

r9181 J15b2: Usual number of mugs of instant coffee, less than one spoonful respondent drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	844	11.1	45.1	45.1
	1	328	4.3	17.5	62.6
	2	206	2.7	11.0	73.7
	3	129	1.7	6.9	80.5
	4	115	1.5	6.1	86.7
	5	46	.6	2.5	89.2
	6	52	.7	2.8	91.9
	7	6	.1	.3	92.3
	8	8	.1	.4	92.7
	9	1	.0	.1	92.7
	10	6	.1	.3	93.1
	11	1	.0	.1	93.1
	12	1	.0	.1	93.2
	14	1	.0	.1	93.2
	20	1	.0	.1	93.3
	97 Occasional	126	1.7	6.7	100.0
	Total	1871	24.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	5724	75.4		
	Total	5725	75.4		
Total		7596	100.0		

R File – Section J

r9182 J15c2: Usual number of mugs of instant coffee, one level spoonful respondent drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	621	8.2	23.0	23.0
	1	519	6.8	19.2	42.2
	2	474	6.2	17.5	59.8
	3	320	4.2	11.8	71.6
	4	248	3.3	9.2	80.8
	5	138	1.8	5.1	85.9
	6	110	1.4	4.1	90.0
	7	37	.5	1.4	91.3
	8	44	.6	1.6	93.0
	9	2	.0	.1	93.0
	10	32	.4	1.2	94.2
	12	3	.0	.1	94.3
	14	1	.0	.0	94.4
	15	1	.0	.0	94.4
	20	1	.0	.0	94.4
	97 Occasional	150	2.0	5.6	100.0
	Total	2701	35.6	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	4890	64.4		
	Total	4895	64.4		
Total		7596	100.0		

r9183 J15d2: Usual number of mugs of instant coffee, one heaped spoonful respondent drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	821	10.8	42.6	42.6
	1	239	3.1	12.4	55.0
	2	231	3.0	12.0	67.0
	3	165	2.2	8.6	75.5
	4	164	2.2	8.5	84.0
	5	86	1.1	4.5	88.5
	6	94	1.2	4.9	93.4
	7	27	.4	1.4	94.8
	8	27	.4	1.4	96.2
	9	4	.1	.2	96.4
	10	19	.3	1.0	97.4
	11	1	.0	.1	97.4
	12	5	.1	.3	97.7
	14	1	.0	.1	97.7
	15	2	.0	.1	97.8
	20	2	.0	.1	97.9
	97 Occasional	40	.5	2.1	100.0
	Total	1928	25.4	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	5665	74.6		
	Total	5668	74.6		
Total		7596	100.0		

R File – Section J

r9184 J15e2: Usual number of mugs of other coffee respondent drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	888	11.7	91.6	91.6
	1	32	.4	3.3	94.9
	2	20	.3	2.1	97.0
	3	8	.1	.8	97.8
	4	2	.0	.2	98.0
	5	2	.0	.2	98.2
	6	2	.0	.2	98.5
	7	2	.0	.2	98.7
	97 Occasional	13	.2	1.3	100.0
	Total	969	12.8	100.0	
Missing	-1 No response	6627	87.2		
Total		7596	100.0		

PAGE 60 OF THE QUESTIONNAIRE

SECTION K:

K1. This questionnaire was completed by: (tick all that apply)

- a) Child's biological mother ☐
- b) Mother figure ☐
- c) Someone else ☐
(please tick and describe)

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 "no".]

r9980 K1a: Questionnaire completed by child's biological mother

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7314	96.3	97.1	97.1
2 No	216	2.8	2.9	100.0
Total	7530	99.1	100.0	
Missing -5 Question K1 omitted	66	.9		
Total	7596	100.0		

r9981 K1b: Questionnaire completed by mother figure

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	202	2.7	2.7	2.7
2 No	7328	96.5	97.3	100.0
Total	7530	99.1	100.0	
Missing -5 Question K1 omitted	66	.9		
Total	7596	100.0		

r9982 K1c: Questionnaire completed by someone else

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	66	.9	.9	.9
2 No	7464	98.3	99.1	100.0
Total	7530	99.1	100.0	
Missing -5 Question K1 omitted	66	.9		
Total	7596	100.0		

Derived VariablesNumber of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question K1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

r9984 DV: Number of contributors to questionnaire

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	7478	98.4	99.3	99.3
2	52	.7	.7	100.0
Total	7530	99.1	100.0	
Missing -5 Question K1 omitted	66	.9		
Total	7596	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question K1. It is calculated by recoding values of 1 to powers of 2 (1, 2, and 4 for parts a to c respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

r9985 DV: Questionnaire completed by...

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Biological mother only	7262	95.6	96.4	96.4
2 Mother figure only	193	2.5	2.6	99.0
3 Biological mother & mother figure	9	.1	.1	99.1
4 Other only	23	.3	.3	99.4
5 Biological mother & other	43	.6	.6	100.0
Total	7530	99.1	100.0	
Missing -5 Question K1 omitted	66	.9		
Total	7596	100.0		

R File – Section K

K2. Please give the date on which you completed this questionnaire:

day	month	year
<div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px;"></div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px;"></div>	<div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px;"></div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px;"></div>	<div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px; text-align: center;">2</div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px; text-align: center;">0</div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px; text-align: center;">0</div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px;"></div>

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable R9990c. The month and year of completion were retained on the built file, but the day was dropped.]

r9990a K2: Date of completion of questionnaire - month

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 January	926	12.2	12.2	12.2
2 February	702	9.2	9.2	21.4
3 March	630	8.3	8.3	29.7
4 April	376	4.9	4.9	34.7
5 May	418	5.5	5.5	40.2
6 June	519	6.8	6.8	47.0
7 July	730	9.6	9.6	56.6
8 August	613	8.1	8.1	64.7
9 September	823	10.8	10.8	75.5
10 October	718	9.5	9.5	85.0
11 November	680	9.0	9.0	93.9
12 December	461	6.1	6.1	100.0
Total	7596	100.0	100.0	

r9990b K2: Date of completion of questionnaire - year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2002	1943	25.6	25.6	25.6
2003	4511	59.4	59.4	85.0
2004	1128	14.8	14.8	99.8
2005	12	.2	.2	100.0
2006	2	.0	.0	100.0
Total	7596	100.0	100.0	

r9990c DV: Date of completion replaced with date of receipt


	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes, incomplete d.o.c.	133	1.8	1.8	1.8
3 Yes, d.o.c. < d.o.s.	71	.9	.9	2.7
4 Yes, d.o.c. > d.o.r.	53	.7	.7	3.4
5 No	7339	96.6	96.6	100.0
Total	7596	100.0	100.0	

Derived Variables - Age of Study Child at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

r9991a DV: Age of study child at completion (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	132	2	.0	.0	.0
	133	25	.3	.3	.4
	134	5631	74.1	74.1	74.5
	135	1037	13.7	13.7	88.1
	136	339	4.5	4.5	92.6
	137	249	3.3	3.3	95.9
	138	117	1.5	1.5	97.4
	139	44	.6	.6	98.0
	140	40	.5	.5	98.5
	141	40	.5	.5	99.1
	142	16	.2	.2	99.3
	143	10	.1	.1	99.4
	144	10	.1	.1	99.5
	145	5	.1	.1	99.6
	146	1	.0	.0	99.6
	147	4	.1	.1	99.7
	148	4	.1	.1	99.7
	149	3	.0	.0	99.7
	150	5	.1	.1	99.8
	152	3	.0	.0	99.9
	154	2	.0	.0	99.9
	155	2	.0	.0	99.9
	156	2	.0	.0	99.9
	157	1	.0	.0	99.9
	162	1	.0	.0	100.0
	164	3	.0	.0	100.0
	Total	7596	100.0	100.0	

r9991b DV: Age of study child at completion (weeks)

plus the following outliers < 582 or > 655:

r9991b DV: Age of study child at completion (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	575	2	8.7	8.7	8.7
	578	2	8.7	8.7	17.4
	579	1	4.3	4.3	21.7
	580	2	8.7	8.7	30.4
	581	2	8.7	8.7	39.1
	661	1	4.3	4.3	43.5
	663	1	4.3	4.3	47.8
	664	1	4.3	4.3	52.2
	670	1	4.3	4.3	56.5
	671	1	4.3	4.3	60.9
	675	1	4.3	4.3	65.2
	676	1	4.3	4.3	69.6
	678	1	4.3	4.3	73.9
	682	1	4.3	4.3	78.3
	684	1	4.3	4.3	82.6
	707	1	4.3	4.3	87.0
	713	1	4.3	4.3	91.3
	715	1	4.3	4.3	95.7
	716	1	4.3	4.3	100.0
Total		23	100.0	100.0	

K3. Please give your date of birth:

day		month		year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
				1	9		

[Editing: If the date of birth was not a valid date (e.g. 31st November), then the day & month were set to -1. Values of 1903 and 1991 to 2004 in the year variable were recoded to -1. If the year was missing then day and month were also set to -1. Otherwise, if a valid year was reported, values of -1 in day were recoded to 15 and in month to 6. This action was flagged in variable R9996b. The date of birth was not retained on the file.]

Derived Variables - Age of Respondent at Completion

The date of completion and the respondent's dates of birth were used to calculate the respondent's age at completion in completed years. For reasons of confidentiality values >56 were recoded to 56.

r9996a DV: Age of respondent at completion of questionnaire (years)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	27	5	.1	.1	.1
	28	19	.3	.3	.3
	29	37	.5	.5	.8
	30	74	1.0	1.0	1.8
	31	89	1.2	1.2	3.0
	32	132	1.7	1.8	4.7
	33	155	2.0	2.1	6.8
	34	236	3.1	3.1	10.0
	35	318	4.2	4.2	14.2
	36	418	5.5	5.6	19.8
	37	527	6.9	7.0	26.8
	38	602	7.9	8.0	34.8
	39	676	8.9	9.0	43.8
	40	661	8.7	8.8	52.6
	41	659	8.7	8.8	61.4
	42	568	7.5	7.6	69.0
	43	556	7.3	7.4	76.4
	44	417	5.5	5.6	81.9
	45	352	4.6	4.7	86.6
	46	292	3.8	3.9	90.5
	47	218	2.9	2.9	93.4
	48	171	2.3	2.3	95.7
	49	119	1.6	1.6	97.3
	50	83	1.1	1.1	98.4
	51	50	.7	.7	99.1
	52	36	.5	.5	99.5
	53	13	.2	.2	99.7
	54	12	.2	.2	99.9
	55	4	.1	.1	99.9
	56 > 55	6	.1	.1	100.0
Total		7505	98.8	100.0	
Missing	-1 Missing date of birth	91	1.2		
Total		7596	100.0		

r9996b DV: Components of respondent's date of birth imputed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	7593	100.0	100.0	100.0
	1 Day	2	.0	.0	100.0
	2 Month	1	.0	.0	100.0
	Total	7596	100.0	100.0	

K4. Please give the date of birth of your study child:

day		month		year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	1	9	9	<input type="text"/>

[Editing: Note that this reported date of birth was not used.]

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comment you would like to make

NB. Please remember we cannot reply to any comment unless you sign it.

When completed, please return the questionnaire to:

**Professor Jean Golding
Children of the Nineties - ALSPAC
Institute of Child Health
24 Tyndall Avenue
Bristol
BS8 1BR Tel: Bristol 928 8793**

For office use only

coder

<input type="text"/>	<input type="text"/>
----------------------	----------------------

int

<input type="text"/>	<input type="text"/>
----------------------	----------------------

© University of Bristol

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

R File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow “Post-It” sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder’s responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder’s marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person’s work at regular intervals in order to strive for maximum accuracy.

R File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

R File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

Coding instructions for first version (14/05/02) “Lifestyle and Health of Mother”

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the “Lifestyle and Health of Mother” replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires – 3rd revision" document.

In addition, make sure that any names or other identifiers of the respondent are obliterated.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 14/05/02.

If the questionnaire is all blank, e.g. the woman didn't want to fill in the form, write "BLANK" on the front cover and hand it to the supervisor.

Page 3		
Section A		
A1a-h	7	
Page 4		
A1i-s	7	
Page 5		
A2a-k	8	
Page 6		
A2 l-p	8	
A3a	I	
A3b	I	If something relevant is written on the dotted line, ensure that the accompanying box is ticked. However, code 9 overrides code 1 or 2.
A4a, b	I	
Page 7		
A4c, d	I	
A5a-d	I	
Comments		Not being coded here
Page 8		
Section B		
B1a-s	7	
Page 9		
B1t-w		As B1a-s
B1x	I	If something relevant is written on the 'please describe' line, but no relevant box is ticked, code B1x as zero if it is a condition not covered in B1a-w. If it is covered in B1a-w ensure the relevant box is ticked. If no information to indicate when, code zero for that condition.
B2a	I	
B2ai	I	
B2aii	7	

R File – Appendix B

B2aiii	II	Round age down - thus 10 ½ is coded as 10.
Page 10		
B2b	I	
B2bi	I	
B2bii	II	Round age down.
B2biii	I	
B3a	I	
B3b		To be coded separately. Please ensure that any relevant writing in the "please describe" area is matched by a "yes" tick in B3a.
B4a	I	
Page 11		
B4bi-v	I	
B4bvi	I	Please ensure that any writing in the "please describe" area is matched by a "yes" tick in B4bvi, if it refers to a different allergy to those covered in i) to v).
B5a-i	7	
Page 12		
B6a	II, I	
B6b	I	
B6c	II	If a range is given, take the higher number. Occasionally people give a low number here, such as 3, 4, and so have probably misinterpreted the question. There is nothing that can be done about it at this stage - code the reply they have given.
B6d	I	Please ensure that any writing in the "please describe" area is matched by a relevant tick in B6d.
Page 13		
B7a	I	
B7b	II	Round down part years.
B7c	8	
B7d	I	
B7di	Not being coded here	Please ensure that any writing in the "please describe" area is matched by a relevant tick in B7d.
B8a	I	
B8b	II	If a range is given, round up.
B8c	II	If a range is given, round up.
B8d-h	II	This should be the number of different nights they were in hospital for each admission. If less than one day is given, code as "00". Note that the reason is not being coded here.
Page 14		
B9a-e	I	
B9f	8	

R File – Appendix B

B9g		<p>If this question is answered, draw two boxes to the side of the picture. A two-letter code is required here.</p> <p>Write the first letter R or L, representing the side of the body which has been marked (Right/left, including the arms). If the marks go across both sides, write B.</p> <p>For the second letter, write U or L, representing the Upper or Lower halves of the body. Again write B if the marks go across both upper and lower halves. Assume that the upper half includes the body above the line of the pectoral muscles, and all the arms.</p> <p>"Don't know", code as XX.</p> <p>Don't bother to draw the boxes if the question is not answered.</p>
B9h	I	
Page 15		
B9i	I	
B9j		Not being coded here
B9k	II	
B10a-m	7	
Page 16		
B10n-u	7	
B10v	7	Please ensure that if something relevant is written in the "please describe" section in B10v, that the previous boxes are ticked appropriately. If there is no tick, please code a zero in B10v to indicate positive information in this section.
B11a	I	
B11ai	II	If the months box is filled in, please ensure that code "3" is ticked in B11a. If a range is given, round up. If more than 8 years (96 months) is stated, code as 98.
B11aai	II	If the months box is filled in, please ensure that code "4" is ticked in B11a. If a range is given, round up. If unplanned, code as 99.
Page 17		
B11bi-x	I	
B11bxi	I	Please ensure that if something relevant is written in the "please describe" area, there is a "yes" tick in B11bxi. Note that the text response is not being coded here.
Page 18		
B12a-c	8	
B12d,e		If something relevant is written on the dotted line(s), but there is no tick in part c) then code part c) as zero.
Page 19 Section C		
C1a-d	8	
Page 20		
C1e-h	8	

R File – Appendix B

Page 21		
C1i-l	8	
Page 22		
C1m, n	8	
Page 23		
Section D		
D1a-h	7	
D1i	7	Please ensure that if something relevant is written in the "please describe" section, that the previous box is ticked appropriately. If there is no tick, please code as zero, to indicate information in the "please describe" section.
D2a-f	7	
Page 24		
D2g-k	7	
D2l	7	Please ensure that if something relevant is written in the "please describe" section, that the previous box is ticked appropriately. If there is no tick, please code as zero, to indicate information in the "please describe" section.
D2m	7	
D2n	7	As D2l
D3a-e	7	
D3f	7	As D2l
Page 25		
D4a-e	7	
D4f	7	As D2l
D5a-f	7	
D5g	7	As D2l
Page 26		
Section E		
E1-E8	7	
E9	8	
Page 27		
E10	8	
E11	7	
E12	8	
E13	7	
Page 28		
E14 – E17	7	
Page 29		
E18	7	

R File – Appendix B

E19	8	
Pages 30 – 33 Section F		
F1 - F44	I	If 1+2 are ticked, draw a separate box and code as 3.
F45	I	Please ensure that if something relevant is written in the "please describe" section, that the previous boxes are ticked appropriately as in F1-F44. If there is no tick, please code as zero to indicate information in this section. Note that the text response is not being coded here.
F46a	I	If "yes" is ticked, check that the description differs from the events listed previously in this section. If it is the same, recode it as that event, and tick "no" for F46a.
F46bi, ii	I	Please check that if something relevant is written in the "please describe" section that F46a is ticked appropriately. If there is no tick, tick the "yes" box to indicate information in this section. Note that the text response is not being coded here. If neither box in (i) or (ii) is ticked, but an event happened, code both (i) and (ii) as zero.
F46c, d		As F46b
Page 34		
F47a	I	
F47b-d		As F46b
Page 35 Section G		
G1a, b	II, II	If a range is given code the lowest. Code 'varies' as 97.
G2a	I	
G2b	II	Round down ages
G2ci-iv	I	
G2d	I	
G2d How long	II, II	If a range is given e.g. 2 or 3 years ago, code the lowest.
Page 36		
G2e	I	If there are multiple ticks, recode as 'Yes, other' and write the code numbers of the original ticks on the dotted line.
G2f	I	If >1 box is ticked, recode as the higher consumption rate. Code infrequent use as 97.
G2gi		Not being coded here
G2gii	I	For multiple ticks, recode as follows:
		A: 1+2
		B: 1+3
		C: 1+4
		D: 1+2+3
		E: 1+2+4
		F: 1+3+4
		G: 1+2+3+4
		H: 2+3
		J: 2+4
		K: 2+3+4
		L: 3+4

R File – Appendix B

G3a	I	If there are multiple ticks, recode as ‘Yes, other’ and write the code numbers of the original ticks on the dotted line.
G3b	I	As G2f
Page 37		
G3ci		Not being coded here
G3cii	I	For multiple ticks, recode as for G2gii.
G3d	II, I	Round ages down. If an age is given and the 99 box is ticked, code the age.
G4a	I	
G4b	II	If a range is given, go for the higher end.
G5i, ii	7	Code each column separately.
Page 38		
G6a-l	7	
Page 39		
G6m-t	7	
G6u	7	If something relevant is written in the "please describe" area, please ensure that there is a "yes" tick in G6u. If there is not, code a zero on G6u, to indicate information in the "please describe" area.
G7a	I	
Page 40		
G7b, c	7	
G8a	I	If 1 and 2 are both ticked for equal use, code as 4.
G8bi, ii	II, 7	If there is a tick in an ‘average distance’ box but no ‘number of journeys’ is indicated then code the latter as 99.
Page 41		
G9a-d	7	
G10a, b	8	
G11a, b	8	
Page 42		
G11c-g	8	
Page 43 Section H		
H1	I	
H2a i, ii, iii		Text not being coded here
H2b i	II	If a range is given, go for the higher end. Round up fractions. Rarely, there may be 100+ hours written, in which case code as 98.

R File – Appendix B

H2b ii, iii	II	As H2b i
H2c i, ii, iii	II	As H2b i
Page 44		
H3a i	I, II	If Yes is ticked but no hours are stated, code the latter as 99. If number of hours is stated ensure that the Yes box (code 2) is ticked. If a range of hours is given, go for the higher end. Round up fractions.
H3a ii, iii	I, II	As H3a i
H3b-g		As H3a
Page 45		
H3h-i		As H3a
H3j		As H3a. If something relevant is written on the dotted line, ensure that the Yes box (code 2) is ticked and that the hours boxes are coded appropriately. This applies for each job separately.
H4a i	II	If a range is given, go for the higher end. If 100 or more times is written, code as 98 (lots). (In general, it is also possible that the question has been misunderstood, counting separate steps not flights. However, code the answers as stated.) Don't know = 99.
H4a ii, iii	II	As H4a i
H4b i, ii, iii		As H4a
H5a-c	I	
Page 46		
H6a	II	If a range is given, go for the higher end. Round up fractions. For 90 miles or more code as 98. Varies = 97.
H6b	II	If a range is given, go for the higher end.
H6ci, ii	7	
H6ciii, iv	8	
H7		As H6
Page 47		
H8		As H6
Page 48 Section I		
I1a	II, 8	If a range of times is given try to take the average. If 10 hours or more is written, code as 9 98. If a number of times (codes 1-5 only) is ticked, but no hrs/mins, code the latter as 9 99. However, if code 6 is ticked, there should be no number of hours written. If average time is given but no frequency, code the latter as zero.
I1b-h		As I1a
Page 49		
I1i-q		As I1a

R File – Appendix B

Page 50		
I1r-zd		As I1a
Page 51		
I1ze-zj		As I1a
I1zk		As I1a. If there is something relevant written on the dotted line, but no hrs/mins are written, code the latter as 9 99; in addition, if the number of times is not stated, code that part as zero.
Page 52 Section J		
J1a ,b	7	
J1c ,d	7	If 5 is ticked, ignore other ticks
J1e to j	7	
J1k	7	Please ensure that if something relevant is written in the "please describe" section, that the previous boxes are ticked appropriately. If there is no tick, please code a zero here, to indicate information in the "please describe" section.
Page 53		
J2a	7	
J2b-d	8	
Page 54		
J2e	8	
J2f	8	
J2g	I	Code 'sometimes' as 1
J2 h-k	I	
Page 55		
J3a-c	8	
J3d	7	
J3e	8	
J3f, g	7	
J4a		If "depends" or "I shop around" or similar is stated, or if there are multiple ticks, code as 4.
J4b	I	
Page 56		
J5a	7	
J5b-d	8	If there are multiple ticks the order of choice is 2, 3, 1, 4.
J5e	7	
J5f	8	
J5g	8	
J5h	7	
J5i, j	8	
J5k		If there is something relevant stated on the dotted line but no tick is written, then code as zero.

R File – Appendix B

Page 57		
J6a-d	7	
J7	8	
J8a-e	8	
J8f		If there is something relevant stated on the dotted line but no tick is written, then code as zero.
Page 58		
J9a	I	
J9b	7	
J10ai, ii	I, II	Ensure that if a quantity is stated, then the 'cup' or 'mug' (i.e. code 1) must be ticked. Try to check that fl.oz., or mls., are in the appropriate sets of boxes.
J10b, c	II	Note the instruction that the occasional cup or mug only is code 97.
J11	7	
J12		Text is not being coded here.
J13a	I	
J13b	7	
Page 59		
J14a-c		As J10 a-c
J15ai, ii	II, II	If J14b or J14c required a 97 (occasional cup/mug) then if there is an answer in J15 it should also be 97.
J15b-di, ii		As J15a
J15ei, ii		As J15a. If something relevant is stated on the dotted lines, but number of cups etc is not stated then code as 99. Remember that 'cups' and 'mugs' require separate codes if there is separate text.
J16a, b		Text is not being coded here.
Page 60 Section K		
K1a, b	I	
K1c	I	If something relevant is written on the dotted line, ensure that the accompanying box is ticked.
K2	IV	If left blank, copy the date that the form was returned from the front cover.
K3	IV	
K4	IV	The year number should be 0, 1, 2 or 3. If any other year is written, strike out, leaving just the day and month.
Bottom of Page 60 For Office Use Only		
Coder		Insert your initials here.
Int.		If the questionnaire was completed with the aid of an interviewer, there will be initials here.

END OF QUESTIONNAIRE
Lfst&hthma (14/05/02)
Sheila Preece 15/06/03 Updated 08/10/03.

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. If a response was not received after 3 weeks a reminder letter was sent. If there had still not been a response after a further 3 weeks then a second reminder was sent out. If there was still no response 3 weeks after the second reminder had been sent then the case was flagged as being eligible for personal contact by a member of the Family Liaison Team.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of CSV (comma separated values) data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were read into SPSS, added together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifier ALN. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letter “r” which are followed by four digits and occasionally a further letter. Then the data from the back page were edited as described

in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t know” to –9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to –8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don’t know	The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”.
-10	Not completed	No completed questionnaire is available for this case. Variable R0007a = 2 for all such cases.

At some point in the future the data may be reissued as a “built” file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.