

THE ALSPAC STUDY

CCU FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

*It's All About
You*

At 20+ years

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and
instructions for use.

Version 2B of the BUILT file.

February 2017

Introduction

	Introduction	Page 3
	Administrative variables Frequencies	Page 6
Section A	Children of the Children of the 90s (COCO90s) Questionnaire Frequencies	Page 12 Page 14
Section B	Gambling Questionnaire Frequencies	Page 16 Page 22
Section C	Deliberate Self -Harm Questionnaire Frequencies	Page 36 Page 42
Section D	Tobacco Questionnaire Frequencies Alcohol Questionnaire Frequencies Friends Questionnaire Frequencies Drug use Questionnaire Frequencies Other behaviors Questionnaire Frequencies	Page 68 Page 70 Page 78 Page 85 Page 111 Page 112 Page 116 Page 119 Page 133 Page 134
Section E	Qualifications Questionnaire Frequencies Cohabitants Questionnaire Frequencies Occupation Questionnaire Frequencies NEET (Not in education ,employment or Training) Questionnaire Frequencies Employment Questionnaire Frequencies	Page 138 Page 140 Page 148 Page 149 Page 151 Page 152 Page 154 Page 155 Page 158 Page 162
Section F	Completion of the questionnaire Questionnaire Frequencies	Page 180 Page 182

Introduction

Introduction

This questionnaire was sent out to study children when they were approximately 20 years of age. It is in 5 sections:

Briefly, Section A asks the respondent about any children they may have or are expecting to assist us with recruitment for CoCo90s (Children of the Children of the 90s). Section B asks about gambling habits including the Problem gambling section of the Canadian Problem Gambling Index (CPGI User manual). Section C contains a series of questions about deliberate self harm. Section D asks questions about smoking, alcohol other drugs and antisocial behavior. Section E has questions about education, employment and training. Finally, Section F collects the usual "back page" information on who completed the Questionnaire and when.

Collaborators and funders

The following table summarises the sections of the questionnaires together with the collaborator who requested inclusion and the funding body where appropriate:

Section	Topic/specific Measure	Collaborator	Funder
A	Children of the Children of the 90s (COCO90s)	Debbie Lawlor	Core ALSPAC
B	Gambling	Alan Emond	Core ALSPAC
C	Deliberate self harm	David Gunnell	MRC
D	Tobacco Alcohol Friends Drug use Antisocial behaviors	Marcus Munafo Matt Hickman	NIH
E	Cohabits Education & Employment		Core ALSPAC
F	Administrative data	n/a	Core ALSPAC

Questionnaire Methodology

The questionnaire was available to complete online or in paper format. During the pilot, YPs were randomly sent either an invite to complete an online questionnaire or an invite to complete a paper questionnaire. In the subsequent mass mailout, YPs could choose whether to complete the questionnaire online or in a paper format. If a respondent completed a paper questionnaire this was data entered into the online database by ALSPAC staff.

Introduction

Questionnaire versions

There were two versions of this questionnaire, a pilot version and a main version. In the pilot questionnaire the variables listed below had a yes tick box only and the main questionnaire they had both yes and no tick boxes:-

CCU2010-CCU2016, CCU2045-CCU2049, CCU2060-CCU2065, CCU2071-CCU2074.

The main version of the questionnaire also includes extra questions on injecting illicit drugs
CCU3460-CCU3462.

In the online version of the main questionnaire there is an extra variable CCU4051 that is not in the paper version of the main questionnaire.

CCU4003 has been set to -99 for all responses as result of an anomaly with the online data collection system.

Sample & response rates

There are a total of 15458 records on this built file with 4348 having completed a questionnaire either online or in paper format. This number is made up of the 14,676 fetuses in the core ALSPAC sample plus 782 eligible children not in the core sample (regardless of whether or not the 20+ questionnaire was sent out for them or whether they were returned). Note that this questionnaire was completed by 192 of these 782 children not in the core sample. Of the 14,676 fetuses in the core ALSPAC sample, 14,062 were live born. The 20+ questionnaire was sent out to 9073 YPs.. As of 20th of July 2013 4348 completed questionnaires had been returned.. For further information on the ALSPAC sample, please see section 6 of the "Guide to ALSPAC data".

Note that 6 of the 4348 completed questionnaires belong to children from triplet or quadruplet pregnancies, all of whom are in the core sample. For reasons of confidentiality the data from these questionnaires are not available. All variables have been set to -11 for triplets and quadruplets.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire as it was sent and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been added before the relevant frequency tables. The algorithms used to create derived variables are also included where appropriate.

Release file version history

Release version 2a – March 2015; The second version of the release file.

This version of the file contains frequencies for all variables. Logical edits and recodes based on text responses have been undertaken on the smoking, alcohol and self harm sections. This version also includes derived variables for these sections.

Release version 2b – February 2017; The third version of the release file.

This version of the file contains updated frequencies for the derived variables CCU3470, CCU3471 and CCU3472 which were incorrectly calculated in the previous release file.

Introduction

References

Babor TF, Higgins, Biddle JC, Saunders JB, Monteiro MG. Alcohol Use Disorders Identification Test : Guidelines for use in Primary Care, 2nd edition. World Health Organisation, 2011.

Heatherton TF, Kozlowski LT, Frecker RC, Fagerstrom K. The Fagerstrom Test for Nicotine Dependence: a revision of the Fagerstrom Tolerance Questionnaire. British Journal of Addiction 1991;86:1119-1127

Canadian Problem Gambling Index user manual 2001:
<http://www.ccsa.ca/2003%20and%20earlier%20CCSA%20Documents/ccsa-009381-2001.pdf>

Introduction

Administrative variables

CCU0001 Questionnaire sent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	9067	58.7	58.7	58.7
	2 No	6378	41.3	41.3	100.0
	Total	15445	99.9	100.0	
Missing-11 triplet or quadruplet		13	.1		
Total		15458	100.0		

CCU0006 Questionnaire return status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4342	28.1	47.9	47.9
	2 No	4725	30.6	52.1	100.0
	Total	9067	58.7	100.0	
Missing-11 triplet or quadruplet		13	.1		
-2 Questionnaire not sent		6378	41.3		
	Total	6391	41.3		
Total		15458	100.0		

CCU0008 Questionnaire version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Pilot questionnaire	142	.9	3.3	3.3
	2 Main questionnaire	4200	27.2	96.7	100.0
	Total	4342	28.1	100.0	
Missing-11 triplet or quadruplet		13	.1		
-10 Not completed		11103	71.8		
	Total	11116	71.9		
Total		15458	100.0		

CCU0009 Data collection method

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Online questionnaire	2719	17.6	62.6	62.6
	2 Paper questionnaire	1623	10.5	37.4	100.0
	Total	4342	28.1	100.0	
Missing-11 triplet or quadruplet		13	.1		
-10 Not completed		11103	71.8		
	Total	11116	71.9		
Total		15458	100.0		



IT'S ALL ABOUT YOU (20+)

V2 08/11/2012

Questionnaire Number



Introduction



2



This questionnaire is for completion by the study young person.

In answering these questions you will be helping more than 15 scientific experts from 7 universities across 3 different countries, who all contributed to putting this questionnaire together. In the future, the data you provide will be available to countless researchers across the world and will help in answering important questions on human development, health and disease.

Please remember that your answers to all these questions are confidential and will be processed using a unique ID number. All your personal details will be removed and no researcher will be able to link your answers back to you.

Some questions may seem very similar to each other; this is because the combination of answers gives a clearer picture than one single answer.

There may be questions that seem a bit strange and are not applicable to you because they are concerned with specific feelings or problems. We would be very grateful if you would try to answer all the questions but we understand if there are questions that you either prefer not to answer or are unable to answer.

If you do not wish to complete the questionnaire please tick the below box and return to Children of the 90s in the envelope provided, as this will stop any reminders.

I do not wish to complete this questionnaire

42636



Introduction



Instructions for completing this questionnaire.

This questionnaire will be electronically read so please use a **black** pen if you have one; otherwise use **blue**.

Please answer the questions by making a cross in the relevant box e.g.




Don't use a tick

If you cross a box by mistake, please completely fill it in e.g.



then cross the correct box.

When writing numbers inside boxes, please don't touch the sides e.g.



Contents

Section A: Children of the Children of the 90s..... Page 6-7

Section B: Gambling..... Page 8-13

Section C: Deliberate Self-Harm..... Page 14-19

Section D: Tobacco and Alcohol Page 20-33

Section E: Education, Employment and Training..... Page 34-42

Section A

Section A: COCO90s

Children of the 90s have started a new project looking at the Children of the Children of the 90s (COCO90S). This section asks about any children you may have or are expecting.

A1. Are you a parent?

¹ Yes- biological parent

² Yes- step-parent

³ No

If no, go to A3

A2. What is/are your child/ren's date(s) of birth?

First Child	DD	/	MM	/	YYYY
	<input type="text"/>		<input type="text"/>		<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Second Child	DD	/	MM	/	YYYY
	<input type="text"/>		<input type="text"/>		<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Third child	DD	/	MM	/	YYYY
	<input type="text"/>		<input type="text"/>		<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

A3. Are you or your partner currently pregnant?

¹ Yes, I am pregnant

² Yes, my partner is pregnant

³ No ————— **If no, go to A5**

A4. What is the expected due date of your baby?

DD	/	MM	/	YYYY
<input type="text"/>		<input type="text"/>		<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

A5. Are you and your partner trying for a baby at the moment?

Yes ¹

No ²

42636



Section A



A6. If you have answered yes to A1 or A3, would you be happy to receive further details about the COCO90s (Children of the Children of the 90s) study?

Yes 1

No 2

A7. Would you be happy to let us know if you or your partner become(s) pregnant and allow us to send you further details about the COCO90s (Children of the Children of the 90s) study?

Yes 1

No 2

If you would like to know more about COCO90s, please go to
<http://childrenofthe90s.ac.uk/participants/coco90s/>



Section A

Section A

All dates of birth relating to children or expected due dates have been removed from the file for confidentiality reasons.

CCU1000 A1: Respondent is a parent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes- biological parent	161	1.0	3.7	3.7
	2 Yes- step-parent	11	.1	.3	4.0
	3 No	4125	26.7	96.0	100.0
	Total	4297	27.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	45	.3		
	Total	11161	72.2		
Total		15458	100.0		

CCU1005 A3: Respondent or partner currently pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, YP is pregnant	52	.3	1.2	1.2
	2 Yes, YP's partner is pregnant	8	.1	.2	1.4
	3 No	4200	27.2	98.6	100.0
	Total	4260	27.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	82	.5		
	Total	11198	72.4		
Total		15458	100.0		

CCU1010 A5: Respondent and partner trying for baby currently

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1	.3	1.0	1.0
	2 No	4204	27.2	99.0	100.0
	Total	4248	27.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	94	.6		
	Total	11210	72.5		
Total		15458	100.0		

Section A

CCU1015 A6: Happy to receive further information about COCO90s

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	219	1.4	53.0	53.0
	2 No	194	1.3	47.0	100.0
	Total	413	2.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3929	25.4		
Total	Total	15045	97.3		
		15458	100.0		

CCU1020 A7: Happy to let ALSPAC know if they or partner become pregnant, allow us to send further details about COCO90s study

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3490	22.6	89.5	89.5
	2 No	409	2.6	10.5	100.0
	Total	3899	25.2	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	443	2.9		
Total	Total	11559	74.8		
		15458	100.0		

Section B: Gambling

This section asks you about gambling. Some questions may seem very similar to each other; this is because a combination of answers gives a clearer picture than one single answer.

B1. How often have you bought or played any of the following:

Every day/ almost every day	Every week	Within last 12 months	Not within last 12 months
-----------------------------------	---------------	--------------------------	------------------------------

a) Tickets for the National Lottery.

(Include Thunderball and Euromillions. Do not include scratchcards.)

1 2 3 4

b) Scratchcards. (Include National Lottery scratchcard games played online. Do not include newspaper or magazine scratchcards.)

1 2 3 4

c) Tickets for any "other" lottery.

(Include: charity lotteries for hospices, sports or social clubs. Do not include Irish Lottery or any other international lotteries or buying raffle tickets.)

1 2 3 4

d) The football pools - a betting pool based on predicting the outcome of top-level association football matches.

(Do not include betting on football matches with a bookmaker.)

1 2 3 4

e) Bingo cards or tickets. (Include playing boards at a bingo hall. Do not include newspaper bingo tickets, or bingo played online.)

1 2 3 4

f) Fruit slot machines. (Do not include quiz machines.)

1 2 3 4




	Every day/ almost every day	Every week	Within last 12 months	Not within last 12 months
g) Virtual gaming machines in a bookmaker's to bet on virtual roulette, keno, bingo etc. (Do not include quiz machines.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
h) Table games (roulette, dice or cards) in a casino. (Do not include poker or casino games played online.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
i) Online gambling like playing poker, bingo, slot-machine-style games, or casino games "for money". (Include gambling online through a computer, mobile phone or interactive TV. Do not include bets made with online bookmakers or betting exchanges.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
j) Online betting "with a bookmaker" on any event or sport. (Include betting online through a computer, mobile phone or interactive TV. Do not include bets made with a betting exchange or spread-betting.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
k) Betting exchange. (This is where you lay or back bets against other people using a betting exchange. There is no bookmaker to determine the odds. This is sometimes called "peer-to-peer" betting.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>



	Every day/ almost every day	Every week	Within last 12 months	Not within last 12 months
I) Betting on horse races in a bookmaker's, by phone, or at the track. (Include: tote betting and betting on virtual horse races shown in a bookmaker's. Do not include: bets made with online bookmakers or betting exchanges.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
m) Betting on any other event or sport at the bookmaker's, by phone or at the venue. (Include: Irish Lottery, 49s. Do not include: bets made with online bookmakers or betting exchanges, or spread-betting.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
n) Spread-betting. (In spread-betting you bet that the outcome of an event will be higher or lower than the bookmaker's prediction. The amount you win or lose depends on how right or wrong you are.)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
o) Private betting, playing cards or games for money with friends, family or colleagues.	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
p) Any other form of gambling in the last 12 months.	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>

i) Please specify any other forms of gambling in the last 12 months:

42636



B2. Have you ever participated in any of the forms of gambling listed in B1a to B1p?

Yes 1

No 2


—————> **If no, please go to Section C**

If over the past 12 months, you have not taken part in any of the forms of gambling listed before, please **go to Section C**.

B3. In the past 12 months, how often...

	Almost always	Most of the time	Sometimes	Never
a) ... have you gone back to try to win back the money you lost?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
b) ...have you bet more than you can really afford to lose?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
c) ...have you needed to gamble with larger amounts of money to get the same excitement?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
d) ...have you borrowed money or sold anything to get money to gamble?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
e) ...have you felt that you might have a problem with gambling?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
f) ...have you felt that gambling has caused you any health problems, including stress or anxiety?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
g) ...have people criticised your betting, or told you that you have a gambling problem, whether or not you thought it was true?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
h) ...have you felt your gambling has caused financial problems for you or your household?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>

42636





Almost Most of Sometimes Never
always the time

i)...have you felt guilty about
the way you gamble or what happens
when you gamble?

1 2 3 4

B4. When you gamble, how often do you go back another day to win back the money you lost?

1 Everytime I lost

2 Most of the time I lost

3 Some of the time (less than half) I lost

4 Never

Very Fairly Occasionally Never
often often

B5. How often have you found
yourself thinking about gambling
(that is reliving past gambling
experiences, planning the next
time you will play, or thinking of
ways you will get more money to
gamble)?

1 2 3 4

B6. Have you needed to gamble
with more and more money to get
the excitement you are looking for?

1 2 3 4

B7. Have you felt restless or
irritable when trying to cut down on
gambling?

1 2 3 4

42636



12





	Very often	Fairly often	Occasionally	Never
--	-------------------	---------------------	---------------------	--------------

B8. Have you gambled to escape from problems or when you are feeling depressed, anxious or bad about yourself?

1 2 3 4

B9. Have you lied to family, or others, to hide the extent of your gambling?

1 2 3 4

B10. Have you made unsuccessful attempts to control, cut back or stop gambling?

1 2 3 4

B11. Have you committed a crime in order to finance gambling or to pay gambling debts?

1 2 3 4

B12. Have you risked or lost an important relationship, job, educational or work opportunity because of gambling?

1 2 3 4

B13. Have you asked others to provide money to help with a desperate financial situation caused by gambling?

1 2 3 4

42636



Section B

Some values have been combined if cell counts are less than 5. This is indicated under each table if applicable.

CCU1100 B1a: Frequency bought tickets for National Lottery (inc. Thunderball/Euromillions, not scratchcards)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 At least every week	174	1.1	4.1	4.1
	3 Within last 12 months	1638	10.6	38.2	42.2
	4 Not within last 12 months	2480	16.0	57.8	100.0
	Total	4292	27.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	50	.3		
	Total	11166	72.2		
Total		15458	100.0		

combined 'every day' with 'every week' whenever every day is < 5. and relabeled '2' at least every week

CCU1101 B1b: Frequency bought scratchcards (inc. online National Lottery scratchcard games, not newspaper or magazine scratchcards)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day/almost every day	16	.1	.4	.4
	2 Every week	170	1.1	4.0	4.3
	3 Within last 12 months	1428	9.2	33.3	37.6
	4 Not within last 12 months	2678	17.3	62.4	100.0
Missing	Total	4292	27.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	Total	50	.3		
Total		11166	72.2		
		15458	100.0		

CCU1102 B1c: Frequency bought other lottery tickets (inc. charity for hospices, sports or social clubs, not Irish, or international or raffle)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 At least every week	27	.2	.6	.6
	3 Within last 12 months	629	4.1	14.7	15.3
	4 Not within last 12 months	3631	23.5	84.7	100.0
	Total	4287	27.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	55	.4		
	Total	11171	72.3		
Total		15458	100.0		

combined 'every day' with 'every week' whenever every day is < 5. and relabeled 'at least every week'

CCU1103 B1d: Frequency played football pools (not inc. betting on football matches with a bookmaker)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day/almost every day	5	.0	.1	.1
	2 Every week	105	.7	2.5	2.6
	3 Within last 12 months	290	1.9	6.8	9.3
	4 Not within last 12 months	3884	25.1	90.7	100.0
Missing	Total	4284	27.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	58	.4		
Total	Total	11174	72.3		
		15458	100.0		

CCU1104 B1e: Frequency bought bingo cards or tickets (Includes playing boards at a bingo hall, not newspaper bingo tickets, or bingo played online)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Every week	25	.2	.6	.6
	3 Within last 12 months	497	3.2	11.6	12.2
	4 Not within last 12 months	3766	24.4	87.8	100.0
	Total	4288	27.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	54	.3		
	Total	11170	72.3		
Total		15458	100.0		

CCU1105 B1f: Frequency played fruit slot machines (not inc. quiz machines)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 At least every week	48	.3	1.1	1.1
	3 Within last 12 months	643	4.2	15.0	16.1
	4 Not within last 12 months	3591	23.2	83.9	100.0
	Total	4282	27.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	60	.4		
	Total	11176	72.3		
Total		15458	100.0		

combined 'every day' with 'every week' whenever every day is < 5. and relabeled 2' at least every week

CCU1106 B1g: Frequency played virtual gaming machines in a bookmaker's to bet on virtual roulette, keno, bingo, etc. (not inc. quiz machines)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 At least every week	30	.2	.7	.7
	3 Within last 12 months	466	3.0	10.9	11.6
	4 Not within last 12 months	3793	24.5	88.4	100.0
	Total	4289	27.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	53	.3		
	Total	11169	72.3		
Total		15458	100.0		

combined 'every day' with 'every week' whenever every day is < 5. and relabeled 2' at least every week

CCU1107 B1h: Frequency played table games (roulette, dice or cards) in a casino (not inc. poker or casino games played online)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 At least every week	21	.1	.5	.5
	3 Within last 12 months	664	4.3	15.5	16.0
	4 Not within last 12 months	3588	23.2	84.0	100.0
	Total	4273	27.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	69	.4		
	Total	11185	72.4		
Total		15458	100.0		

combined 'every day' with 'every week' whenever every day is < 5. and relabeled 2' at least every week

CCU1108 B1i: Frequency played online gambling like poker, bingo, slot-machine-style games, casino games 'for money' (inc. computer, mobile phone, interactive TV, not inc. online bookmakers or betting exchanges)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day/almost every day	7	.0	.2	.2
	2 Every week	41	.3	1.0	1.1
	3 Within last 12 months	357	2.3	8.3	9.5
	4 Not within last 12 months	3871	25.0	90.5	100.0
Missing	Total	4276	27.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	66	.4		
Total		11182	72.3		
		15458	100.0		

CCU1109 B1j: Frequency played online betting with bookmaker (inc. through computer, mobile phone or interactive TV, not inc. bets made with a betting exchange or spread-betting)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day/almost every day	16	.1	.4	.4
	2 Every week	104	.7	2.4	2.8
	3 Within last 12 months	339	2.2	7.9	10.7
	4 Not within last 12 months	3824	24.7	89.3	100.0
	Total				
Missing	-11 triplet or quadruplet	4283	27.7	100.0	
	-10 Not completed	13	.1		
	-1 NS/NA	11103	71.8		
	Total	59	.4		
Total		11175	72.3		
		15458	100.0		

CCU1110 B1k: Frequency played a betting exchange ("peer-to-peer" betting)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 At least every week	13	.1	.3	.3
	3 Within last 12 months	135	.9	3.2	3.5
	4 Not within last 12 months	4129	26.7	96.5	100.0
	Total				
		4277	27.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	65	.4		
	Total	11181	72.3		
Total		15458	100.0		

combined 'every day' with 'every week' whenever every day is < 5. and relabeled 2' at least every week

CCU1111 B1l: Frequency bet on horse races in a bookmaker's, by phone, or at the track (inc. tote betting and virtual horse races shown in a bookmaker's, not inc. online bookmakers or betting exchanges)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Every week	14	.1	.3	.3
	3 Within last 12 months	650	4.2	15.2	15.5
	4 Not within last 12 months	3616	23.4	84.5	100.0
	Total				
		4280	27.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	62	.4		
	Total	11178	72.3		
Total		15458	100.0		

CCU1112 B1m: Frequency bet on sporting events at the bookmaker's, by phone, or at the venue

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 At least every week	20	.1	.5	.5
	3 Within last 12 months	190	1.2	4.4	4.9
	4 Not within last 12 months	4066	26.3	95.1	100.0
	Total	4276	27.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	66	.4		
	Total	11182	72.3		
Total		15458	100.0		

combined 'every day' with 'every week' whenever every day is < 5. and relabeled 2' at least every week

CCU1113 B1n: Frequency played spread-betting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 At least every week	5	.0	.1	.1
	3 Within last 12 months	62	.4	1.4	1.6
	4 Not within last 12 months	4210	27.2	98.4	100.0
	Total	4277	27.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	65	.4		
	Total	11181	72.3		
Total		15458	100.0		

combined 'every day' with 'every week' whenever every day is < 5. and relabeled 2' at least every week

CCU1114 B1o: Frequency bet privately, playing cards or games for money with friends, family or colleagues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 At least every week	33	.2	.8	.8
	3 Within last 12 months	752	4.9	17.6	18.4
	4 Not within last 12 months	3492	22.6	81.6	100.0
	Total	4277	27.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	65	.4		
	Total	11181	72.3		
Total		15458	100.0		

combined 'every day' with 'every week' whenever every day is < 5. and relabeled 2' at least every week

Section B

CCU1115 B1p: Frequency participated in any other form of gambling, in last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Every week	9	.1	.2	.2
	3 Within last 12 months	96	.6	2.2	2.5
	4 Not within last 12 months	4162	26.9	97.5	100.0
	Total	4267	27.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	75	.5		
	Total	11191	72.4		
Total		15458	100.0		

CCU1120 DV: Frequency YP engaged in any gambling over the last 12months (2-level)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Less than weekly	3561	23.0	87.4	87.4
	1 Weekly or more	513	3.3	12.6	100.0
	Total	4074	26.4	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-1 NS/NA	268	1.7		
	Total	11384	73.6		
	Total	15458	100.0		

Variable was derived from ccu1100 ccu1101 ccu1102 ccu1103 ccu1104 ccu1105 ccu1106 ccu1107 ccu1108 ccu1109 ccu1110 ccu1111 ccu1112 ccu1113 ccu1114 ccu1115. The scores are based on those individuals who completed all components of the given list of questions. Those with missing items have been excluded from the derivation.

CCU1121 DV: Freq YP engaged in any gambling over the last 12months (3-level)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Not in the last 12 months	1239	8.0	30.4	30.4
	1 In the last 12 months	2322	15.0	57.0	87.4
	2 Weekly or more	513	3.3	12.6	100.0
	Total	4074	26.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	268	1.7		
	Total	11384	73.6		
Total		15458	100.0		

Variable was derived from ccu1100 ccu1101 ccu1102 ccu1103 ccu1104 ccu1105 ccu1106 ccu1107 ccu1108 ccu1109 ccu1110 ccu1111 ccu1112 ccu1113 ccu1114 ccu1115. The scores are based on those individuals who completed all components of the given list of questions. Those with missing items have been excluded from the derivation.

Section B

CCU1130 B2: Participated in any above listed forms of gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2419	15.6	57.9	57.9
	2 No	1758	11.4	42.1	100.0
	Total	4177	27.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	165	1.1		
	Total	11281	73.0		
Total		15458	100.0		

CCU1140 B3a: In past 12 months, frequency gone back to try to win back money they lost

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	18	.1	.7	.7
	2 Most of the time	79	.5	2.9	3.6
	3 Sometimes	580	3.8	21.4	25.0
	4 Never	2029	13.1	75.0	100.0
Missing	Total	2706	17.5	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1636	10.6		
Total		12752	82.5		
		15458	100.0		

CCU1141 B3b: In past 12 months, frequency bet more than they can really afford to lose

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	7	.0	.3	.3
	2 Most of the time	22	.1	.8	1.1
	3 Sometimes	155	1.0	5.7	6.8
	4 Never	2516	16.3	93.2	100.0
Missing	Total	2700	17.5	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1642	10.6		
Total		12758	82.5		
		15458	100.0		

Section B

CCU1142 B3c: In past 12 months, frequency needed to gamble with larger amounts of money to get same excitement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Most of the time	22	.1	.8	.8
	3 Sometimes	107	.7	4.0	4.8
	4 Never	2576	16.7	95.2	100.0
	Total	2705	17.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1637	10.6		
	Total	12753	82.5		
Total		15458	100.0		

'Almost always' has been combined with *'Most of the time'* due to low cell counts.

CCU1143 B3d: In past 12 months, frequency borrowed money or sold anything to get money to gamble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Most of the time	4	.0	.1	.1
	3 Sometimes	32	.2	1.2	1.3
	4 Never	2663	17.2	98.7	100.0
	Total	2699	17.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1643	10.6		
	Total	12759	82.5		
Total		15458	100.0		

'Almost always' has been combined with *'Most of the time'* due to low cell counts

CCU1144 B3e: In past 12 months, frequency felt that they might have a problem with gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Most of the time	12	.1	.4	.4
	3 Sometimes	77	.5	2.9	3.3
	4 Never	2605	16.9	96.7	100.0
	Total	2694	17.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1648	10.7		
	Total	12764	82.6		
Total		15458	100.0		

'Almost always' has been combined with *'Most of the time'* due to low cell counts.

Section B

CCU1145 B3f: In past 12 months, frequency felt that gambling has caused any health problems, includes stress or anxiety

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Most of the time	8	.1	.3	.3
	3 Sometimes	28	.2	1.0	1.3
	4 Never	2659	17.2	98.7	100.0
	Total	2695	17.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1647	10.7		
	Total	12763	82.6		
Total		15458	100.0		

'Almost always' has been combined with *'Most of the time'* due to low cell counts.

CCU1146 B3g: In past 12 months, frequency people criticised respondent's betting, or told them they have a gambling problem

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Most of the time	16	.1	.6	.6
	3 Sometimes	72	.5	2.7	3.3
	4 Never	2605	16.9	96.7	100.0
	Total	2693	17.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1649	10.7		
	Total	12765	82.6		
Total		15458	100.0		

'Almost always' has been combined with *'Most of the time'* due to low cell counts

CCU1147 B3h: In past 12 months, frequency felt gambling has caused financial problems for themselves or household

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Most of the time	6	.0	.2	.2
	3 Sometimes	30	.2	1.1	1.3
	4 Never	2658	17.2	98.7	100.0
	Total	2694	17.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1648	10.7		
	Total	12764	82.6		
Total		15458	100.0		

'Almost always' has been combined with *'Most of the time'* due to low cell counts.

Section B

CCU1148 B3i: In past 12 months, frequency felt guilty about the way they gamble or what happens when they gamble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	12	.1	.4	.4
	2 Most of the time	10	.1	.4	.8
	3 Sometimes	126	.8	4.7	5.5
	4 Never	2546	16.5	94.5	100.0
	Total	2694	17.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1648	10.7		
	Total	12764	82.6		
Total		15458	100.0		

CCU1150 DV: Problem Gambling Severity Index: Frequency

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1867	12.1	71.1	71.1
	1	447	2.9	17.0	88.2
	2	141	.9	5.4	93.5
	3	67	.4	2.6	96.1
	4	32	.2	1.2	97.3
	5	18	.1	.7	98.0
	6	12	.1	.5	98.4
	7	16	.1	.6	99.0
	8	4	.0	.2	99.2
	9	3	.0	.1	99.3
	10	1	.0	.0	99.4
	11	5	.0	.2	99.5
	12	3	.0	.1	99.7
	13	2	.0	.1	99.7
	14	1	.0	.0	99.8
	16	1	.0	.0	99.8
	18	2	.0	.1	99.9
	20	1	.0	.0	99.9
	23	2	.0	.1	100.0
	Total	2625	17.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1717	11.1		
	Total	12833	83.0		
Total		15458	100.0		

Derived using CCU1140 CCU1141 CCU1142 CCU1143 CCU1144 CCU1145 CCU1146 CCU1147 CCU1148 Variables CCU1150-CCU1152 derived according to the scoring system for the Problem Gambling Severity Index to capture those YPs at risk of problem gambling

*<http://www.problemgambling.ca/en/resourcesforprofessionals/pages/problemgamblingseverityindexpgsi.aspx>

Section B

CCU1151 DV: Problem Gambling Severity Index - (4-level)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Non-problem gambling (0)	1867	12.1	71.1	71.1
	1 Low level of problems (1-2)	588	3.8	22.4	93.5
	2 Moderate level of problems (3-7)	145	.9	5.5	99.0
	3 Problem gambling (8 or more)	25	.2	1.0	100.0
Missing	Total	2625	17.0	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1717	11.1		
Total		12833	83.0		
Total		15458	100.0		

Derived using CCU1140 CCU1141 CCU1142 CCU1143 CCU1144 CCU1145 CCU1146 CCU1147 CCU1148 Variables CCU1150-CCU1152 derived according to the scoring system for the Problem Gambling Severity Index to capture those YPs at risk of problem gambling
 *<http://www.problemgambling.ca/en/resourcesforprofessionals/pages/problemgamblingseverityindexpgsi.aspx>

CCU1152 DV: Problem Gambling Severity Index - (2-level)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Non-problem gambling	1867	12.1	71.1	71.1
	1 At risk of problem gambling	758	4.9	28.9	100.0
	Total	2625	17.0	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-1 NS/NA	1717	11.1		
	Total	12833	83.0		
	Total	15458	100.0		

Derived using CCU1140 CCU1141 CCU1142 CCU1143 CCU1144 CCU1145 CCU1146 CCU1147 CCU1148 Variables CCU1150-CCU1152 derived according to the scoring system for the Problem Gambling Severity Index to capture those YPs at risk of problem gambling
 *<http://www.problemgambling.ca/en/resourcesforprofessionals/pages/problemgamblingseverityindexpgsi.aspx>

Section B

CCU1160 B4: When gambling, frequency go back another day to win back money lost

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Everytime I lost	4	.0	.1	.1
	2 Most of the time I lost	30	.2	1.1	1.3
	3 Some of the time (less than half) I lost	306	2.0	11.4	12.7
	4 Never	2339	15.1	87.3	100.0
	Total	2679	17.3	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1663	10.8		
	Total	12779	82.7		
Total		15458	100.0		

CCU1170 B5: Frequency found themselves thinking about gambling (reliving past experiences, planning next time, thinking of ways to get more money to gamble)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	10	.1	.4	.4
	2 Fairly often	31	.2	1.2	1.5
	3 Occasionally	367	2.4	13.6	15.2
	4 Never	2281	14.8	84.8	100.0
	Total	2689	17.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1653	10.7		
	Total	12769	82.6		
Total		15458	100.0		

CCU1171 B6: Frequency needed to gamble with more and more money to get the excitement they were looking for

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Very/ fairly often	11	.1	.4	.4
	3 Occasionally	75	.5	2.8	3.2
	4 Never	2598	16.8	96.8	100.0
	Total	2684	17.4	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-1 NS/NA	1658	10.7		
	Total	12774	82.6		
		15458	100.0		

'Very often' has been combined with 'fairly often' due to low cell counts

Section B

CCU1172 B7: Frequency felt restless or irritable when trying to cut down on gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Very/ fairly often	7	.0	.3	.3
	3 Occasionally	16	.1	.6	.9
	4 Never	2663	17.2	99.1	100.0
	Total	2686	17.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1656	10.7		
	Total	12772	82.6		
		15458	100.0		

'Very often' has been combined with *'fairly often'* due to low cell counts

CCU1173 B8: Frequency gambled to escape from problems, or when feeling depressed, anxious, bad about themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	7	.0	.3	.3
	2 Fairly often	7	.0	.3	.5
	3 Occasionally	58	.4	2.2	2.7
	4 Never	2604	16.8	97.3	100.0
	Total	2676	17.3	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1666	10.8		
	Total	12782	82.7		
		15458	100.0		

CCU1174 B9: Frequency lied to family, or others, to hide the extent of their gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	5	.0	.2	.2
	2 Fairly often	15	.1	.6	.7
	3 Occasionally	67	.4	2.5	3.2
	4 Never	2595	16.8	96.8	100.0
	Total	2682	17.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1660	10.7		
	Total	12776	82.6		
		15458	100.0		

Section B

CCU1175 B10: Frequency made unsuccessful attempts to control, cut back or stop gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	5	.0	.2	.2
	2 Fairly often	6	.0	.2	.4
	3 Occasionally	30	.2	1.1	1.5
	4 Never	2648	17.1	98.5	100.0
	Total	2689	17.4	100.0	
Missing	-11 triplet or quadruplet				
	-10 Not completed	13	.1		
	-1 NS/NA	11103	71.8		
	Total	1653	10.7		
Total		12769	82.6		
		15458	100.0		

CCU1176 B11: Frequency committed a crime in order to finance gambling or to pay gambling debts

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Very/ fairly often	2	.0	.1	.1
	3 Occasionally	3	.0	.1	.2
	4 Never	2671	17.3	99.8	100.0
	Total	2676	17.3	100.0	
	-11 triplet or quadruplet				
Missing	-10 Not completed	13	.1		
	-1 NS/NA	11103	71.8		
	Total	1666	10.8		
		12782	82.7		
Total		15458	100.0		

'Very often' has been combined with *'fairly often'* due to low cell counts

CCU1177 B12: Frequency risked or lost an important relationship, job, educational or work opportunity because of gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Very/ fairly often	1	.0	.0	.0
	3 Occasionally	7	.0	.3	.3
	4 Never	2671	17.3	99.7	100.0
	Total	2679	17.3	100.0	
	-11 triplet or quadruplet				
Missing	-10 Not completed	13	.1		
	-1 NS/NA	11103	71.8		
	Total	1663	10.8		
		12779	82.7		
Total		15458	100.0		

'Very often' has been combined with *'fairly often'* due to low cell counts

Section B

CCU1178 B13: Frequency asked others to provide money to help with a desperate financial situation caused by gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Very/ fairly often	2	.0	.1	.1
	3 Occasionally	18	.1	.7	.7
	4 Never	2666	17.2	99.3	100.0
	Total	2686	17.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1656	10.7		
	Total	12772	82.6		
Total		15458	100.0		

'Very often' has been combined with *'fairly often'* due to low cell counts

Section C

Section C: Deliberate Self-Harm

The following section is about thoughts of suicide and hurting yourself on purpose, also sometimes referred to as deliberate self-harm. We know this is a sensitive subject, but it is important to ask about it now, as it is not uncommon. By finding out about self-harm we can try to find ways of helping people.

C1. A number of sites and chatrooms on the Internet discuss self-harm and suicide. Have you ever come across any of these sites?

Yes ¹ No ² → **If no, go to C3**

C2. Which of the following describe what you have read? (Please cross one box for each statement.)

	Yes	No
a. News reports about people who have killed or hurt themselves	¹ <input type="checkbox"/>	² <input type="checkbox"/>
b. Personal accounts of people who have hurt themselves	¹ <input type="checkbox"/>	² <input type="checkbox"/>
c. General information about self-harm or suicide	¹ <input type="checkbox"/>	² <input type="checkbox"/>
d. Sites dedicated to those who self-harm	¹ <input type="checkbox"/>	² <input type="checkbox"/>
e. Sites offering advice, help or support regarding self-harm or suicidal feelings	¹ <input type="checkbox"/>	² <input type="checkbox"/>
f. Sites giving information about how to hurt or kill yourself	¹ <input type="checkbox"/>	² <input type="checkbox"/>
g. Other (please say what):	¹ <input type="checkbox"/>	² <input type="checkbox"/>

42636



Section C



C3. Have you ever looked for information about self-harm using a search engine (Google, Yahoo etc.)? Do not include searches if these were only done for an assignment or in relation to helping a friend/family member you were worried about.

1 No 2 Yes, only once or twice 3 Yes, 3-5 times

4 Yes, 6-10 times 5 Yes, more than 10 times

C4. Have you ever looked for information about suicide using a search engine (Google, Yahoo etc.)? Do not include searches if these were only done for an assignment or in relation to helping a friend/family member you were worried about.

1 No 2 Yes, only once or twice 3 Yes, 3-5 times

4 Yes, 6-10 times 5 Yes, more than 10 times

C5. Have you ever used the Internet to discuss self-harm or suicidal feelings with others (e.g. social networking sites, chat rooms, message boards, help sites)?


Yes 1 No 2

C6. a) Have you ever hurt yourself on purpose in any way (e.g. by taking an overdose of pills, or by cutting yourself)?

Yes 1 No 2 → **If no, go to C15**

b) If yes, how many times have you done this in the last year? Please cross one box only.

1 None 2 Once 3 2-5 times 4 6-10 times 5 More than 10 times



42636



Section C



C7. When was the last time you hurt yourself on purpose? (Please cross one box only.)

- ¹ In the last week
- ² More than a week ago, but in the last year
- ³ More than a year ago

C8. The last time you hurt yourself on purpose, which of the actions below best describes what you did? (Please cross one box for each statement.)

	Yes	No
a. Swallowed pills or something poisonous	¹ <input type="checkbox"/>	² <input type="checkbox"/>
b. Cut yourself	¹ <input type="checkbox"/>	² <input type="checkbox"/>
c. Burnt yourself e.g. with a cigarette	¹ <input type="checkbox"/>	² <input type="checkbox"/>
d. Scratched yourself, pulled your hair, headbutted or punched something to the point of feeling pain	¹ <input type="checkbox"/>	² <input type="checkbox"/>
e. Something else, (please specify):	¹ <input type="checkbox"/>	² <input type="checkbox"/>

C9. If you swallowed something please say what it was (e.g. aspirin) and approximately how much you took:

a) Substance(s) swallowed?

b) How much taken?



Section C

C10. Do any of the following reasons help to explain why you hurt yourself on that occasion? (Please cross one box for each statement.)

	Yes	No
a. I wanted to show how desperate I was feeling	1 <input type="checkbox"/>	2 <input type="checkbox"/>
b. I wanted to die	1 <input type="checkbox"/>	2 <input type="checkbox"/>
c. I wanted to punish myself	1 <input type="checkbox"/>	2 <input type="checkbox"/>
d. I wanted to frighten someone	1 <input type="checkbox"/>	2 <input type="checkbox"/>
e. I wanted to get relief from a terrible state of mind	1 <input type="checkbox"/>	2 <input type="checkbox"/>
f. Some other reason, (please say what):	1 <input type="checkbox"/>	2 <input type="checkbox"/>

C11. After you had hurt yourself on that occasion, how did you feel? (Please cross one box only.)

1 2 3
Better than before Worse than before Same as before

C12. The last time you hurt yourself in any way (e.g. by taking an overdose of pills, or by cutting yourself) did you seek medical help / first aid from any of the following? (Please cross one box for each statement.)

	Yes	No
a. GP (family doctor)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
b. Hospital casualty/ Emergency department	1 <input type="checkbox"/>	2 <input type="checkbox"/>
c. I did not seek help from a health professional	1 <input type="checkbox"/>	2 <input type="checkbox"/>
d. Other health professional	1 <input type="checkbox"/>	2 <input type="checkbox"/>

Please say what their job was

42636



Section C

C13. On any of the occasions when you have hurt yourself on purpose, have you ever seriously wanted to kill yourself?

Yes ¹ No ²

C14. a) Have you ever tried to get help from someone or somewhere about hurting yourself on purpose, or about wanting to kill yourself?

Yes ¹ No ²

b) If yes, please say who

C15. a) Have you ever felt that life was not worth living?

Yes ¹ No ² → **If no, go to section D**

b) If yes, when was the last time you felt like this? (Please cross one box only.)

¹ In the last week

² More than a week ago, but in the last year

³ More than a year ago

C16. a) Have you ever found yourself wishing you were dead and away from it all?

Yes ¹ No ² → **If no, go to section D**


b) If yes, when was the last time you felt like this? (Please cross one box only.)

¹ In the last week

² More than a week ago, but in the last year

³ More than a year ago

42636



Section C



C17. a). Have you ever thought of killing yourself, even if you would not really do it?

Yes ¹

No ²

→ **If no, go to section D**

b) If yes, when was the last time you felt like this? (Please cross one box only.)

¹ In the last week

² More than a week ago, but in the last year

³ More than a year ago

C18. Have you ever made plans to kill yourself?

Yes ¹

No ²

If you are affected by any of the issues raised in this section you may wish to contact:

The Samaritans www.samaritans.org **08457 90 90 90.**

Mind www.mind.org.uk **0300 123 3393.**

Alternatively there are a number of organisations listed on the enclosed Helpline information sheet.



Section C

Section C

In the pilot questionnaire the variables listed below had a yes tick box only and the main questionnaire they had both yes and no tick boxes:-
 CCU2010-CCU2016, CCU2045-CCU2049, CCU2060-CCU2065, CCU2071-CCU2074.

Section C has been updated to include logic recodes based on routing in the questionnaire and text responses. This section also includes derived variables where appropriate.

CCU2000 C1: Come across Internet sites and chatrooms that discuss self-harm and suicide

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	508	3.3	11.9	11.9
	2 No	3752	24.3	88.1	100.0
	Total	4260	27.6	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	48	.3		
	Total	11198	72.4		
	Total	15458	100.0		

CCU2010 C2a: Read news reports about people who have killed or hurt themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	461	3.0	90.7	90.7
	2 No	47	.3	9.3	100.0
	Total	508	3.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-3 Never seen internet sites	3752	24.3		
	-1 NS/NA	48	.3		
	Total	14950	96.7		
Total		15458	100.0		

CCU2011 C2b: Read personal accounts of people who have hurt themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	385	2.5	75.8	75.8
	2 No	123	.8	24.2	100.0
	Total	508	3.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-3 Never seen internet sites	3752	24.3		
	-1 NS/NA	48	.3		
	Total	14950	96.7		
Total		15458	100.0		

Section C

CCU2012 C2c: Read general information about self-harm or suicide

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	436	2.8	85.8	85.8
	2 No	72	.5	14.2	100.0
	Total	508	3.3	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never seen internet sites	3752	24.3		
	-1 NS/NA	48	.3		
Total	Total	14950	96.7		
		15458	100.0		

CCU2013 C2d: Read sites dedicated to those who self-harm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	196	1.3	38.6	38.6
	2 No	312	2.0	61.4	100.0
	Total	508	3.3	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never seen internet sites	3752	24.3		
	-1 NS/NA	48	.3		
Total	Total	14950	96.7		
		15458	100.0		

CCU2014 C2e: Read sites offering advice, help or support regarding self-harm or suicidal feelings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	353	2.3	69.5	69.5
	2 No	155	1.0	30.5	100.0
	Total	508	3.3	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never seen internet sites	3752	24.3		
	-1 NS/NA	48	.3		
Total	Total	14950	96.7		
		15458	100.0		

Section C

CCU2015 C2f: Read sites giving information about how to hurt or kill yourself

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	139	.9	27.4	27.4
	2 No	369	2.4	72.6	100.0
	Total	508	3.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-3 Never seen internet sites	3752	24.3		
	-1 NS/NA	48	.3		
	Total	14950	96.7		
		15458	100.0		
Total					

CCU2016 C2g: Read other information

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	35	.2	6.9	6.9
	2 No	473	3.1	93.1	100.0
	Total	508	3.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-3 Never seen internet sites	3752	24.3		
	-1 NS/NA	48	.3		
	Total	14950	96.7		
		15458	100.0		
Total					

Four categories were derived from the free text responses to ccu2016 C2g:

CCU2016a C2g-text: Images videos, blogs or other site that specifies image or video content

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	16	.1	69.6	69.6
	1 Yes	7	.0	30.4	100.0
	Total	23	.1	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4285	27.7		
	Total	15435	99.9		
		15458	100.0		
Total					

Section C

CCU2016b C2g-text: Blogs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	17	.1	73.9	73.9
	1 Yes	6	.0	26.1	100.0
	Total	23	.1	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4285	27.7		
	Total	15435	99.9		
Total		15458	100.0		

CCU2016c C2g-text: Forums or chat rooms

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	16	.1	69.6	69.6
	1 Yes	7	.0	30.4	100.0
	Total	23	.1	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4285	27.7		
	Total	15435	99.9		
Total		15458	100.0		

CCU2016d C2g-text: Other site

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	18	.1	78.3	78.3
	1 Yes	5	.0	21.7	100.0
	Total	23	.1	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4285	27.7		
	Total	15435	99.9		
Total		15458	100.0		

Section C

CCU2020 C3: Looked for information about self-harm using search engine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3909	25.3	91.6	91.6
	2 Yes, only once or twice	226	1.5	5.3	96.9
	3 Yes, 3-5 times	53	.3	1.2	98.1
	4 Yes, 6-10 times	21	.1	.5	98.6
	5 Yes, more than 10 times	58	.4	1.4	100.0
Missing	Total	4267	27.6	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	41	.3		
Total	Total	11191	72.4		
		15458	100.0		

CCU2025 C4: Looked for information about suicide using search engine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3943	25.5	92.4	92.4
	2 Yes, only once or twice	215	1.4	5.0	97.4
	3 Yes, 3-5 times	45	.3	1.1	98.5
	4 Yes, 6-10 times	21	.1	.5	98.9
	5 Yes, more than 10 times	45	.3	1.1	100.0
Missing	Total	4269	27.6	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	39	.3		
Total	Total	11189	72.4		
		15458	100.0		

CCU2030 C5: Used Internet to discuss self-harm or suicidal feelings with others (e.g. social networking sites, chat rooms, message boards, help sites)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	393	2.5	9.2	9.2
	2 No	3860	25.0	90.8	100.0
	Total	4253	27.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	55	.4		
	Total	11205	72.5		
Total		15458	100.0		

Section C

CCU2040 C6a: Hurt themselves on purpose in any way (e.g. by taking an overdose of pills, or by cutting themselves)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	907	5.9	21.2	21.2
	2 No	3369	21.8	78.8	100.0
	Total	4276	27.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	32	.2		
	Total	11182	72.3		
	Total	15458	100.0		

CCU2041 C6b: Number of times in last year hurt themselves on purpose

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	504	3.3	55.9	55.9
	2 Once	122	.8	13.5	69.4
	3 2-5 times	168	1.1	18.6	88.0
	4 6-10 times	48	.3	5.3	93.3
	5 More than 10 times	60	.4	6.7	100.0
	Total	902	5.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	37	.2		
	Total	14556	94.2		
Total		15458	100.0		

Section C

CCU2042 C7: Last time hurt themselves on purpose

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 In the last week	35	.2	4.0	4.0
	2 More than a week ago, but in the last year	274	1.8	31.6	35.6
	3 More than a year ago	559	3.6	64.4	100.0
	Total	868	5.6	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	71	.5		
	Total	14590	94.4		
Total		15458	100.0		

CCU2045 C8a: Last time hurt themselves on purpose: swallowed pills or something poisonous

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	133	.9	14.8	14.8
	2 No	768	5.0	85.2	100.0
	Total	901	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
Missing	-9 Missed whole Section C	34	.2		
	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	38	.2		
	Total	14557	94.2		
	Total	15458	100.0		

CCU2046 C8b: Last time hurt themselves on purpose: cut themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	643	4.2	71.4	71.4
	2 No	258	1.7	28.6	100.0
	Total	901	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
Missing	-9 Missed whole Section C	34	.2		
	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	38	.2		
	Total	14557	94.2		
	Total	15458	100.0		

Section C

CCU2047 C8c: Last time hurt themselves on purpose: burnt themselves e.g. with a cigarette

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	91	.6	10.1	10.1
	2 No	810	5.2	89.9	100.0
	Total	901	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	38	.2		
	Total	14557	94.2		
		15458	100.0		

CCU2048 C8d: Last time hurt themselves on purpose: scratched themselves, pulled their hair, head butted or punched something to the point of feeling pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	564	3.6	62.6	62.6
	2 No	337	2.2	37.4	100.0
	Total	901	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	38	.2		
	Total	14557	94.2		
		15458	100.0		

CCU2049 C8e: Last time hurt themselves on purpose: something else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	26	.2	2.9	2.9
	2 No	875	5.7	97.1	100.0
	Total	901	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	38	.2		
	Total	14557	94.2		
		15458	100.0		

Section C

Two categories were derived from the free text responses to ccu2049 C8e:

CCU2049a C8e-text: Self-battery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	9	.1	34.6	34.6
	1 Yes	17	.1	65.4	100.0
	Total	26	.2	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	.71.8		
	-9 Missed whole Section C	34	.2		
Total	-1 NS/NA	4282	.27.7		
	Total	15432	.99.8		
		15458	100.0		

CCU2049b C8e-text: Hanging/strangulation/suffocation

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	17	.1	65.4	65.4
	1 Yes	9	.1	34.6	100.0
	Total	26	.2	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	.71.8		
	-9 Missed whole Section C	34	.2		
Total	-1 NS/NA	4282	.27.7		
	Total	15432	.99.8		
		15458	100.0		

Six categories were derived from the free text responses to ccu2050 C9a:

CCU2050a C9a-text: Painkillers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	29	.2	22.8	22.8
	1 Yes	98	.6	77.2	100.0
	Total	127	.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	.71.8		
	-9 Missed whole Section C	34	.2		
Total	-1 NS/NA	4181	.27.0		
	Total	15331	.99.2		
		15458	100.0		

Section C

CCU2050b C9a-text: Stronger painkillers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	109	.7	85.8	85.8
	1 Yes	18	.1	14.2	100.0
	Total	127	.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4181	27.0		
	Total	15331	99.2		
	Total	15458	100.0		

CCU2050c C9a-text: Sleeping pills

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	114	.7	89.8	89.8
	1 Yes	13	.1	10.2	100.0
	Total	127	.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4181	27.0		
	Total	15331	99.2		
	Total	15458	100.0		

CCU2050d C9a-text: Anti-depression/anxiety

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	107	.7	84.3	84.3
	1 Yes	20	.1	15.7	100.0
	Total	127	.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4181	27.0		
	Total	15331	99.2		
	Total	15458	100.0		

CCU2050e C9a-text: Alcohol/illicit drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	122	.8	96.1	96.1
	1 Yes	5	.0	3.9	100.0
	Total	127	.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4181	27.0		
	Total	15331	99.2		
	Total	15458	100.0		

Section C

CCU2050f C9a-text: Other substance

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	114	.7	89.8	89.8
	1 Yes	13	.1	10.2	100.0
	Total	127	.8	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4181	27.0		
	Total	15331	99.2		
Total		15458	100.0		

CCU2060 C10a: Hurt themselves on that occasion: because they wanted to show how desperate they were feeling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	293	1.9	32.7	32.7
	2 No	603	3.9	67.3	100.0
	Total	896	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	43	.3		
Total		14562	94.2		
Total		15458	100.0		

CCU2061 C10b: Hurt themselves on that occasion: because they wanted to die

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	181	1.2	20.2	20.2
	2 No	715	4.6	79.8	100.0
	Total	896	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	43	.3		
Total		14562	94.2		
Total		15458	100.0		

Section C

CCU2062 C10c: Hurt themselves on that occasion: because they wanted to punish themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	436	2.8	48.7	48.7
	2 No	460	3.0	51.3	100.0
	Total	896	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	43	.3		
	Total	14562	94.2		
		15458	100.0		

CCU2063 C10d: Hurt themselves on that occasion: because they wanted to frighten someone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	97	.6	10.8	10.8
	2 No	799	5.2	89.2	100.0
	Total	896	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	43	.3		
	Total	14562	94.2		
		15458	100.0		

CCU2064 C10e: Hurt themselves on that occasion: because they wanted to get relief from a terrible state of mind

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	670	4.3	74.8	74.8
	2 No	226	1.5	25.2	100.0
	Total	896	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	43	.3		
	Total	14562	94.2		
		15458	100.0		

Section C

CCU2065 C10f: Hurt themselves on that occasion: for some other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	188	1.2	21.0	21.0
	2 No	708	4.6	79.0	100.0
	Total	896	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	43	.3		
	Total	14562	94.2		
Total		15458	100.0		

Sixteen categories were derived from the free text responses to ccu2065 C10f:

CCU2065a C10f-text: Anger/frustration

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	152	1.0	81.7	81.7
	1 Yes	34	.2	18.3	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
	Total	15458	100.0		

CCU2065b C10f-text: Release / coping mechanism

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	175	1.1	94.1	94.1
	1 Yes	11	.1	5.9	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
	Total	15458	100.0		

Section C

CCU2065c C10f-text: Curiosity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	165	1.1	88.7	88.7
	1 Yes	21	.1	11.3	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
	Total	15458	100.0		

CCU2065d C10f-text: Stress

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	179	1.2	96.2	96.2
	1 Yes	7	.0	3.8	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
	Total	15458	100.0		

CCU2065e C10f-text: Life problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	170	1.1	91.4	91.4
	1 Yes	16	.1	8.6	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
	Total	15458	100.0		

CCU2065f C10f-text: Attention

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	181	1.2	97.3	97.3
	1 Yes	5	.0	2.7	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
	Total	15458	100.0		

Section C

CCU2065g C10f-text: To feel in control

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	177	1.1	95.2	95.2
	1 Yes	9	.1	4.8	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
	Total	15458	100.0		

CCU2065h C10f-text: Distraction / replace emotional pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	171	1.1	91.9	91.9
	1 Yes	15	.1	8.1	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
	Total	15458	100.0		

CCU2065i C10f-text: Wanted to feel pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	180	1.2	96.8	96.8
	1 Yes	6	.0	3.2	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
	Total	15458	100.0		

CCU2065j C10f-text: Negative feelings towards self

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	167	1.1	89.8	89.8
	1 Yes	19	.1	10.2	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
	Total	15458	100.0		

Section C

CCU2065k C10f-text: Felt depressed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	162	1.0	87.1	87.1
	1 Yes	24	.2	12.9	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4122	26.7		
Missing	Total	15272	98.8		
	Total	15458	100.0		

CCU2065l C10f-text: Wanted to feel alive / feel something

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	178	1.2	95.7	95.7
	1 Yes	8	.1	4.3	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4122	26.7		
Missing	Total	15272	98.8		
	Total	15458	100.0		

CCU2065m C10f-text: Felt like it / don't know

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	178	1.2	95.7	95.7
	1 Yes	8	.1	4.3	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4122	26.7		
Missing	Total	15272	98.8		
	Total	15458	100.0		

CCU2065n C10f-text: Good feeling / makes me feel better

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	179	1.2	96.2	96.2
	1 Yes	7	.0	3.8	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4122	26.7		
Missing	Total	15272	98.8		
	Total	15458	100.0		

Section C

CCU2065o C10f-text: So as not to hurt others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	181	1.2	97.3	97.3
	1 Yes	5	.0	2.7	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
Total		15458	100.0		

CCU2065p C10f-text: Other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	163	1.1	87.6	87.6
	1 Yes	23	.1	12.4	100.0
	Total	186	1.2	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4122	26.7		
	Total	15272	98.8		
Total		15458	100.0		

CCU2070 C11: After hurting themselves on that occasion how they felt

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Better than before	341	2.2	38.6	38.6
	2 Worse than before	192	1.2	21.7	60.3
	3 Same as before	351	2.3	39.7	100.0
	Total	884	5.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never self-harmed	3369	21.8		
Total		14574	94.3		
Total		15458	100.0		

Section C

CCU2071 C12a: After hurting themselves the last time, sought medical help from: GP (family doctor)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	91	.6	10.2	10.2
	2 No	801	5.2	89.8	100.0
	Total	892	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	34	.2		
Missing	C				
	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	47	.3		
	Total	14566	94.2		
		15458	100.0		

CCU2072 C12b: After hurting themselves the last time, sought medical help from: Hospital

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	64	.4	7.2	7.2
	2 No	828	5.4	92.8	100.0
	Total	892	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	34	.2		
Missing	C				
	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	47	.3		
	Total	14566	94.2		
		15458	100.0		

CCU2073 C12c: After hurting themselves the last time, did not seek help from a health professional

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	456	2.9	51.1	51.1
	2 No	436	2.8	48.9	100.0
	Total	892	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	34	.2		
Missing	C				
	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	47	.3		
	Total	14566	94.2		
		15458	100.0		

Section C

CCU2074 C12d: After hurting themselves the last time, sought medical help from: other health professional

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	48	.3	5.4	5.4
	2 No	844	5.5	94.6	100.0
	Total	892	5.8	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section	34	.2		
	C				
	-3 Never self-harmed	3369	21.8		
Total	-1 NS/NA	47	.3		
	Total	14566	94.2		
		15458	100.0		

The free text responses to C12d did not relate to medical help and have instead been combined with responses from C14b (CCU2085a-n)

Researchers are therefore advised to use CCU2074 with caution.

CCU2080 C13: On any of occasions of hurting themselves on purpose, seriously wanted to kill themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	244	1.6	27.6	27.6
	2 No	640	4.1	72.4	100.0
	Total	884	5.7	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section	34	.2		
	C				
	-3 Never self-harmed	3369	21.8		
Total	-1 NS/NA	55	.4		
	Total	14574	94.3		
		15458	100.0		

CCU2081 Derived: Suicidal self-harm

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	276	1.8	31.3	31.3
	2 no	605	3.9	68.7	100.0
	Total	881	5.7	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section	34	.2		
	C				
	-3 Never self-harmed	3369	21.8		
Total	-1 NS/NA	58	.4		
	Total	14577	94.3		
		15458	100.0		

Suicidal self-harm (ccu2081) was derived from questions C6a (ccu2040) and C13 (ccu2080). Participants who responded positively to either question were classified as having harmed with suicidal intent, participants who responded negatively to both questions were classified as having

Section C

harmed without suicidal intent. If the response to either question was missing then ccu2081 was also coded as missing.

CCU2085 C14a: Tried to get help from someone or somewhere about hurting themself on purpose ,or about wanting to kill themself

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	260	1.7	29.4	29.4
	2 No	625	4.0	70.6	100.0
	Total	885	5.7	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never self-harmed	3369	21.8		
	-1 NS/NA	54	.3		
Total		14573	94.3		
Total		15458	100.0		

The free-text responses from C14b have been combined with those from C12d. There were fourteen categories derived from the free text responses

CCU2085a C12d/C14b-text: Family member

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	227	1.5	88.0	88.0
	1 Yes	31	.2	12.0	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4050	26.2		
	Total	15200	98.3		
Total		15458	100.0		

CCU2085b C12d/C14b-text: Friend

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	214	1.4	82.9	82.9
	1 Yes	44	.3	17.1	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4050	26.2		
	Total	15200	98.3		
Total		15458	100.0		

Section C

CCU2085c C12d/C14b-text: School staff

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	241	1.6	93.4	93.4
	1 Yes	17	.1	6.6	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4050	26.2		
Missing	Total	15200	98.3		
	Total	15458	100.0		

CCU2085d C12d/C14b-text: Counsellor/Therapist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	155	1.0	60.1	60.1
	1 Yes	103	.7	39.9	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4050	26.2		
Missing	Total	15200	98.3		
	Total	15458	100.0		

CCU2085e C12d/C14b-text: GP/doctor

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	176	1.1	68.2	68.2
	1 Yes	82	.5	31.8	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4050	26.2		
Missing	Total	15200	98.3		
	Total	15458	100.0		

CCU2085f C12d/C14b-text: Psychologist/Psychiatrist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	236	1.5	91.5	91.5
	1 Yes	22	.1	8.5	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4050	26.2		
Missing	Total	15200	98.3		
	Total	15458	100.0		

Section C

CCU2085g C12d/C14b-text: Other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	237	1.5	91.9	91.9
	1 Yes	21	.1	8.1	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4050	26.2		
	Total	15200	98.3		
Total		15458	100.0		

CCU2085h C12d/C14b-text: MH services / worker

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	234	1.5	90.7	90.7
	1 Yes	24	.2	9.3	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4050	26.2		
	Total	15200	98.3		
Total		15458	100.0		

CCU2085i C12d/C14b-text: Partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	251	1.6	97.3	97.3
	1 Yes	7	.0	2.7	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4050	26.2		
	Total	15200	98.3		
Total		15458	100.0		

CCU2085j C12d/C14b-text: The internet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	246	1.6	95.3	95.3
	1 Yes	12	.1	4.7	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-1 NS/NA	4050	26.2		
	Total	15200	98.3		
Total		15458	100.0		

Section C

CCU2085k C12d/C14b-text: Samaritans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	249	1.6	96.5	96.5
	1 Yes	9	.1	3.5	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4050	26.2		
	Total	15200	98.3		
		15458	100.0		
Total					

CCU2085l C12d/C14b-text: Other agency

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	250	1.6	96.9	96.9
	1 Yes	8	.1	3.1	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4050	26.2		
	Total	15200	98.3		
		15458	100.0		
Total					

CCU2085m C12d/C14b-text: Other health professional

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	247	1.6	95.7	95.7
	1 Yes	11	.1	4.3	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4050	26.2		
	Total	15200	98.3		
		15458	100.0		
Total					

CCU2085n C12d/C14b-text: In relation to something else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	245	1.6	95.0	95.0
	1 Yes	13	.1	5.0	100.0
	Total	258	1.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Missing	-1 NS/NA	4050	26.2		
	Total	15200	98.3		
		15458	100.0		
Total					

Section C

CCU2085s DV: Rolehelp_summary (combination of C12d text and C14b text)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 No	4050	26.2	94.0	94.0
	1 Yes	258	1.7	6.0	100.0
	Total	4308	27.9	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
Total		11150	72.1		
Total		15458	100.0		

CCU2090 C15a: Felt that life was not worth living

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1220	7.9	28.7	28.7
	2 No	3034	19.6	71.3	100.0
	Total	4254	27.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
-1 NS/NA		54	.3		
Total		11204	72.5		
Total		15458	100.0		

CCU2091 C15b: Last time felt that life was not worth living

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 In the last week	163	1.1	13.4	13.4
	2 More than a week ago, but in the last year	550	3.6	45.1	58.5
	3 More than a year ago	506	3.3	41.5	100.0
Missing	Total	1219	7.9	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
-9 Missed whole Section C		34	.2		
-3 Never wished to be dead/away		3034	19.6		
-1 NS/NA		55	.4		
Total		14239	92.1		
Total		15458	100.0		

Section C

CCU2092 C16a: Found themselves wishing they were dead and away from it all

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	978	6.3	79.1	79.1
	2 No	259	1.7	20.9	100.0
	Total	1237	8.0	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never wished to be dead/away	3034	19.6		
	-1 NS/NA	37	.2		
	Total	14221	92.0		
		15458	100.0		
Total					

CCU2093 C16b: Last time found themselves wishing they were dead and away from it all

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 In the last week	123	.8	12.6	12.6
	2 More than a week ago, but in the last year	458	3.0	46.9	59.5
	Total	977	6.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never wished to be dead/away	3293	21.3		
	-1 NS/NA	38	.2		
	Total	14481	93.7		
		15458	100.0		
Total					

CCU2094 C17a: Ever thought of killing themselves, even if they would not really do it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	843	5.5	85.8	85.8
	2 No	140	.9	14.2	100.0
	Total	983	6.4	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-3 Never wished to be dead/away	3293	21.3		
	-1 NS/NA	32	.2		
	Total	14475	93.6		
		15458	100.0		
Total					

Section C

CCU2095 C17b: Last time thought of killing themselves, even if they would not really do it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 In the last week	97	.6	11.5	11.5
	2 More than a week ago, but in the last year	409	2.6	48.6	60.2
	3 More than a year ago	335	2.2	39.8	100.0
	Total	841	5.4	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section C	34	.2		
	-4 Never thought of killing	140	.9		
	-3 Never wished to be dead/away	3293	21.3		
	-1 NS/NA	34	.2		
Total		14617	94.6		
Total		15458	100.0		

CCU2096 C18: Made plans to kill themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	209	1.4	24.8	24.8
	2 No	633	4.1	75.2	100.0
	Total	842	5.4	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
Missing	-9 Missed whole Section C	34	.2		
	-4 Never thought of killing	140	.9		
	-3 Never wished to be dead/away	3293	21.3		
	-1 NS/NA	33	.2		
	Total	14616	94.6		
Total		15458	100.0		

Section D

Section D: Tobacco and Alcohol

These questions have been asked before, but it is useful to ask them again to see how answers differ over time.

D1. a) Have you ever smoked a whole cigarette (including roll-ups)?

Yes ¹ No ²  **If no, go to D10**

b) How old were you when you first smoked a whole cigarette?

 years old

c) How many cigarettes have you smoked altogether in your lifetime?

¹ Less than 5

² 5-19

³ 20-49

⁴ 50-99

⁵ 100 plus

D2. a) Have you smoked any cigarettes in the past 30 days?

Yes ¹ No ²
↓

If yes, go to D3


b) How old were you when you last smoked a whole cigarette?

 years old

D3. a) Do you smoke every day?

Yes ¹ No ²  **If no, go to D4**

42636



20

Section D



D3. b) If you smoke every day, how many cigarettes do you smoke per day, on average?

--	--

cigarettes a day

D4. a) Do you smoke every week?

Yes 1

No 2



If no, go to D10

b) If you smoke every week, how many cigarettes do you smoke per week, on average?

--	--	--

cigarettes a week

D5. How soon after you wake up do you smoke your first cigarette?

1 Within 5 minutes 2 6-30 minutes

3 31-60 minutes 4 More than an hour

D6. Do you find it difficult to refrain from smoking in places where it is forbidden (e.g. in church, buses, trains, the library, cinemas)?

Yes 1

No 2

D7. Which cigarette would you hate most to give up?

The first one/morning 1 All others 2

D8. Do you smoke more frequently during the first hours after waking than during the rest of the day?

Yes 1

No 2

D9. Do you smoke if you are so ill that you are in bed most of the day?

Yes 1

No 2



Section D

Section D

This section has been recoded based on text responses and logical edits

CCU3000 D1a: Has smoked a whole cigarette (includes roll-ups)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2521	16.3	59.4	59.4
	2 No	1726	11.2	40.6	100.0
	Total	4247	27.5	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	28	.2		
	Total	11211	72.5		
Total		15458	100.0		

CCU3001 D1b: Age when first smoked whole cigarette

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7	4	.0	.2	.2
	8	4	.0	.2	.3
	9	7	.0	.3	.6
	10	14	.1	.6	1.2
	11	60	.4	2.5	3.7
	12	124	.8	5.2	9.0
	13	266	1.7	11.2	20.2
	14	371	2.4	15.6	35.8
	15	383	2.5	16.1	51.9
	16	379	2.5	15.9	67.8
	17	262	1.7	11.0	78.8
	18	280	1.8	11.8	90.6
	19	141	.9	5.9	96.6
	20	69	.4	2.9	99.5
Missing	21	13	.1	.5	100.0
	Total	2377	15.4	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-2 Never smoked a whole cig	1726	11.2		
	-1 NS/NA	172	1.1		
Total		13081	84.6		
Total		15458	100.0		

Section D

CCU3005 D1c: Number of cigarettes smoked altogether in lifetime

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Less than 5	369	2.4	14.7	14.7
	2 5-19	412	2.7	16.5	31.2
	3 20-49	296	1.9	11.8	43.0
	4 50-99	233	1.5	9.3	52.3
	5 100 plus	1193	7.7	47.7	100.0
	Total	2503	16.2	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-2 Never smoked a whole cig	1726	11.2		
	-1 NS/NA	46	.3		
	Total	12955	83.8		
Total		15458	100.0		

CCU3010 D2a: Smoked cigarettes in the past 30 days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1289	8.3	51.2	51.2
	2 No	1229	8.0	48.8	100.0
	Total	2518	16.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-2 Never smoked a whole cig	1721	11.1		
	-1 NS/NA	36	.2		
	Total	12940	83.7		
		15458	100.0		

Section D

CCU3011 D2b: Age when last smoked a whole cigarette

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	8	1	.0	.1	.1
	10	1	.0	.1	.2
	11	1	.0	.1	.3
	12	3	.0	.3	.5
	13	9	.1	.8	1.3
	14	19	.1	1.6	2.9
	15	38	.2	3.3	6.2
	16	68	.4	5.9	12.1
	17	70	.5	6.1	18.2
	18	144	.9	12.5	30.7
	19	246	1.6	21.3	52.0
	20	415	2.7	36.0	88.0
	21	138	.9	12.0	99.9
	22	1	.0	.1	100.0
Missing	Total	1154	7.5	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-3 Smoked in last 30d	1289	8.3		
	-2 Never smoked a whole cig	1726	11.2		
	-1 NS/NA	106	.7		
	Total	14304	92.5		
	Total	15458	100.0		

CCU3012 D3a: Smokes every day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	598	3.9	24.2	24.2
	2 No	1877	12.1	75.8	100.0
	Total	2475	16.0	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-2 Never smoked a whole cig	1726	11.2		
	-1 NS/NA	74	.5		
	Total	12983	84.0		
	Total	15458	100.0		
Missing					

Section D

CCU3013 D3b: Number of cigarettes smoke on average per day


	Frequency	Percent	Valid Percent	Cumulative Percent
0	11	.1	1.8	1.8
1	8	.1	1.3	3.2
2	14	.1	2.3	5.5
3	43	.3	7.1	12.6
4	30	.2	5.0	17.6
5	89	.6	14.8	32.3
6	41	.3	6.8	39.1
7	43	.3	7.1	46.3
8	38	.2	6.3	52.6
9	5	.0	.8	53.4
10	140	.9	23.2	76.6
Valid	11	.0	.2	76.8
	12	.1	2.7	79.4
	13	.0	.5	79.9
	14	.0	.5	80.4
	15	.4	10.6	91.0
	16	.0	.3	91.4
	18	.0	.5	91.9
	20	.3	7.0	98.8
	23	.0	.2	99.0
	25	.0	.5	99.5
	30	.0	.5	100.0
	Total	3.9	100.0	
	-11 triplet or quadruplet	.1		
	-10 Not completed	71.8		
	-9 Missed whole Section D	.4		
Missing	-3 Doesn't smoke every day	12.1		
	-2 Never smoked a whole cig	11.2		
	-1 NS/NA	.5		
	Total	96.1		
Total	15458	100.0		

CCU3014 D4a: Smokes every week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5.3	32.6	32.6
	2 No	10.9	67.4	100.0
	Total	1685	16.2	100.0
	-11 triplet or quadruplet	.1		
	-10 Not completed	71.8		
	-9 Missed whole Section D	.4		
Missing	-2 Never smoked a whole cig	11103		
	-1 NS/NA	.5		
	Total	1722	11.1	
Total	54	.3		
	Total	12959	83.8	
	Total	15458	100.0	

Section D

CCU3015 D4b: Number of cigarettes smoked per week, on average



CCU3020 D5: Time from waking up to smoking first cigarette

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Within 5 minutes	.4	8.5	8.5
	2 6-30 minutes	1.1	21.2	29.7
	3 31-60 minutes	1.1	20.3	50.1
	4 More than an hour	2.6	49.9	100.0
	Total	5.2	100.0	
Missing	-11 triplet or quadruplet	.1		
	-10 Not completed	71.8		
	-9 Missed whole Section D	.4		
	-3 Doesn't smoke weekly	10.9		
	-2 Never smoked a whole cig	11.2		
Total	-1 NS/NA	.4		
	Total	94.8		
	14657			
	15458	100.0		

Section D

CCU3025 D6: Finds it difficult to refrain from smoking in places where it is forbidden (e.g. in church, buses, trains, the library, cinemas)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	85	.5	10.5	10.5
	2 No	722	4.7	89.5	100.0
	Total	807	5.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-3 Doesn't smoke weekly	1681	10.9		
	-2 Never smoked a whole cig	1726	11.2		
	-1 NS/NA	61	.4		
	Total	14651	94.8		
		15458	100.0		

CCU3030 D7: Cigarette would hate most to give up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 The first one/ morning	227	1.5	29.1	29.1
	2 All others	554	3.6	70.9	100.0
	Total	781	5.1	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-3 Doesn't smoke weekly	1681	10.9		
	-2 Never smoked a whole cig	1726	11.2		
	-1 NS/NA	87	.6		
	Total	14677	94.9		
		15458	100.0		

CCU3040 D8: Smokes more frequently during the first hours after waking than during the rest of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	103	.7	12.8	12.8
	2 No	702	4.5	87.2	100.0
	Total	805	5.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-3 Doesn't smoke weekly	1681	10.9		
	-2 Never smoked a whole cig	1726	11.2		
	-1 NS/NA	63	.4		
	Total	14653	94.8		
		15458	100.0		

Section D

CCU3041 D9: Smokes if they are so ill that they are in bed most of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	202	1.3	25.1	25.1
	2 No	603	3.9	74.9	100.0
	Total	805	5.2	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-3 Doesn't smoke weekly	1681	10.9		
	-2 Never smoked a whole cig	1726	11.2		
Total	-1 NS/NA	63	.4		
	Total	14653	94.8		
		15458	100.0		

CCU3045 DV : FTND total score

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	300	1.9	38.7	38.7
	1	130	.8	16.8	55.5
	2	90	.6	11.6	67.1
	3	77	.5	9.9	77.0
	4	69	.4	8.9	85.9
	5	51	.3	6.6	92.5
	6	27	.2	3.5	96.0
	7	25	.2	3.2	99.2
	8	5	.0	.6	99.9
	9	1	.0	.1	100.0
Missing	Total	775	5.0	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Total	-3 Not a weekly smoker	1681	10.9		
	-2 Never smoked a whole cig	1726	11.2		
	-1 NS/NA	93	.6		

Fagerstrom Test for Nicotine Dependence(FTND) was calculated using variables ccu3020 ccu3025 ccu3030 ccu3013 ccu3040 ccu3041

Section D

CCU3046 DV: FTND classification of dependence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Not a weekly smoker	3407	22.0	81.5	81.5
	1 Very low dependence (0-2)	520	3.4	12.4	93.9
	2 Low dependence (3-4)	146	.9	3.5	97.4
	3 Medium dependence (5)	51	.3	1.2	98.6
	4 High dependence (6-7)	52	.3	1.2	99.9
	5 Very high dependence (8-10)	6	.0	.1	100.0
Missing	Total	4182	27.1	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	93	.6		
	Total	11276	72.9		
Total		15458	100.0		

This variable groups dependence based on CCU3045

Section D

The next questions are about drinking alcohol (this includes beer, wine, "alcopops", cider and spirit drinks like vodka). Your answers to all these questions are confidential, so they will never be seen by anyone who knows you or linked to your name.

Please see our drinkogram that translates common types of alcoholic drinks and their amounts into a standard number of drinks (units), based on strength and volume. For example, 1 can (440ml) of normal strength beer/lager (4.5%) counts as 2 units.

D10. a) Have you ever had a whole drink? (A drink is a small bottle, $\frac{1}{2}$ pint of beer, small glass of wine, or "shot" of whisky, gin, or vodka)

Yes ¹ No ² → **If no, go to D35**

b) How old were you the first time you had a full drink?

--	--

 years old

Think back to the first 5 or so times you ever had a full drink and indicate how many full drinks were needed for each of the following effects. Put a cross in the first box if it didn't happen the first 5 times, and if it did, please put the number of standard drinks/units [see drinkogram] that were needed.

D11. How many drinks were needed:

a) To begin to feel tipsy or to have a buzz? ¹

--	--

b) To feel dizzy or slur your speech? ¹

--	--

c) To stumble or find it hard to walk properly? ¹

--	--

d) To pass out or fall asleep when you didn't want to? ¹

--	--

42636



Section D



D12. What is the largest number of whole drinks you have ever had in a 24-hour period? (e.g. If you drank 3 pints of normal strength beer and 2 shots of spirits, this would be 3 x 2 units of beer and 2 x 1 units of spirits= 8 units, see drinkogram.)

--	--

drinks

→ **If fewer than 2, go to D14**

Over the last 3 months, how many full drinks were needed for each of the following effects? Put a cross in the first box if it didn't happen over the last 3 months, and if it did, please put the number of standard drinks/units [see drinkogram] that were needed.

**Didn't happen in
the last 3 months**

**If happened, the
number of drinks**

D13. How many drinks were needed:

a) To begin to feel tipsy or have a buzz?

1

--	--

b) To feel dizzy or slur your speech?

1

--	--

c) To stumble or find it hard to walk
properly?

1

--	--

d) To pass out or fall asleep when you
didn't want to?

1

--	--

The next questions are about your use of alcoholic drinks during the past year. The drinkogram gives examples of what a drink is.

Never Monthly
or less 2-4 times
a month 2-3 times
a week 4 or more
times a week

**D14. How often do you have
a drink containing
alcohol?**

1

2

3

4

5

If never, go to D35

1 or 2 3 or 4 5 or 6 7 to 9 10 or more

**D15. How many units (standard
drinks) containing alcohol do you
have on a typical day when you
are drinking?**

1

2

3

4

5

42636



Section D



Never	Less than monthly	Monthly	Weekly	Daily or almost daily
-------	-------------------	---------	--------	-----------------------

D16. How often do you have six or more units (standard drinks) on one occasion? 1 2 3 4 5

[See drinkogram - that is 4 alcopops, 3 pints of normal strength beer or cider, 2 pints of strong beer or cider, 6 small glasses or 3 large glasses of wine, or 6 single shots of spirits, or a combination of these]

D17. How often during the past year have you found that you were not able to stop drinking once you had started? 1 2 3 4 5

D18. How often during the past year have you failed to do what was normally expected of you because of drinking? e.g. go to college/university/work, play sport or go out with family and friends 1 2 3 4 5

D19. How often during the past year have you needed a first drink in the morning to get yourself going after a heavy drinking session? 1 2 3 4 5

D20. How often during the past year have you had a feeling of guilt or remorse after drinking? 1 2 3 4 5

D21. How often during the past year have you been unable to remember what happened the night before because you had been drinking? 1 2 3 4 5



Section D



No	Yes, but not in the past year	Yes, during the past year
-----------	--------------------------------------	----------------------------------

D22. Have you or has someone else been injured as a result of your drinking?

<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
----------------------------	----------------------------	----------------------------

D23. Has a relative or friend or a doctor or other health worker been concerned about your drinking or suggested you cut down?

<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
----------------------------	----------------------------	----------------------------

Never	Less than monthly	Monthly	Weekly	Daily or almost daily
--------------	--------------------------	----------------	---------------	------------------------------

D24. How often during the past year have you spent a great deal of your day drinking alcohol?

<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

D25. How often during the past year have you set a limit on how much you'd drink but drank more?

<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

D26. How often during the past year have you felt you needed to stop drinking or cut back on your drinking?

<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

D27. How often during the past year have you continued to drink even though it was causing you problems?

<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

D28. How often during the past year have you been unable to keep up with studies, sports, or a job because of drinking?

<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

42636



Section D



	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
--	-------	-------------------	---------	--------	-----------------------

D29. How often during the past year have you needed to drink more alcohol than you used to in order to feel any effect?

1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

D30. How often during the past year have you got into physical fights when you've been drinking?

1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

D31. How often during the past year have you had a problem with the police because you've been drinking?

1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

D32. How often in the past year did you have the shakes when you cut down or stopped drinking (that is, your hands shook so much that other people would have been able to notice it?)

1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

D33. How often in the past year, after drinking for a few hours or more, did you drink to keep from getting the shakes or getting sick?

1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------




Section D



D34. In the next set of questions we are interested in how often you have used alcohol in the following situations. We are interested in your general use of alcohol, not with any specific stressful situation. For each item we would like you to tick how often you have used alcohol in the following situations over the past 2 years. Please cross the most accurate response for each of the following items and choose only one response per item.

	Almost never	Sometimes	Often	Almost always
a) To forget your worries	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
b) To relax	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
c) To cheer up when you're in a bad mood	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
d) To help when you feel depressed	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
e) To help when you feel nervous	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
f) To help you when your mood changes a lot	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
g) To feel more self-confident and sure of yourself	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
h) Because there is nothing better to do	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>



Section D

We are interested in the beliefs people have about the effects of alcohol.

D35. Here are some statements about the possible effects alcohol typically has on people. Please tell us if you think these are true or false:

	True	False
a) People feel more caring and giving after a few drinks of alcohol	1 <input type="checkbox"/>	2 <input type="checkbox"/>
b) Drinking alcohol is OK because it allows people to join in with others who are having fun	1 <input type="checkbox"/>	2 <input type="checkbox"/>
c) Alcoholic beverages make parties more fun	1 <input type="checkbox"/>	2 <input type="checkbox"/>
d) A person can do things better after a few drinks of alcohol	1 <input type="checkbox"/>	2 <input type="checkbox"/>
e) People understand things better when they are drinking alcohol	1 <input type="checkbox"/>	2 <input type="checkbox"/>
f) People can control their anger better when they are drinking alcohol	1 <input type="checkbox"/>	2 <input type="checkbox"/>
g) A person can talk to people they are sexually attracted to better after a few drinks of alcohol	1 <input type="checkbox"/>	2 <input type="checkbox"/>
h) Alcohol makes people feel more romantic	1 <input type="checkbox"/>	2 <input type="checkbox"/>
i) People become more interested in people they are sexually attracted to after a few drinks of alcohol	1 <input type="checkbox"/>	2 <input type="checkbox"/>
j) Alcohol increases arousal; it makes people feel stronger and more powerful and makes it easier to fight	1 <input type="checkbox"/>	2 <input type="checkbox"/>
k) Alcohol helps people stand up to others	1 <input type="checkbox"/>	2 <input type="checkbox"/>
l) It is easier to speak in front of a group of people after a few drinks of alcohol	1 <input type="checkbox"/>	2 <input type="checkbox"/>

42636



Section D

CCU3050 D10a: Have had a whole drink (small bottle, pint of beer, small glass of wine, or "shot" of whisky, gin or vodka)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4151	26.9	97.7	97.7
	2 No	99	.6	2.3	100.0
	Total	4250	27.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Total	-1 NS/NA	25	.2		
	Total	11208	72.5		
		15458	100.0		

CCU3051 D10b: Age when first had a full drink

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	1	.0	.0	.0
	5	1	.0	.0	.1
	6	2	.0	.1	.1
	7	1	.0	.0	.2
	8	11	.1	.3	.5
	9	7	.0	.2	.7
	10	55	.4	1.7	2.3
	11	89	.6	2.7	5.0
	12	240	1.6	7.2	12.2
	13	475	3.1	14.3	26.5
	14	685	4.4	20.6	47.1
	15	712	4.6	21.4	68.5
	16	573	3.7	17.2	85.8
	17	237	1.5	7.1	92.9
	18	206	1.3	6.2	99.1
Missing	19	21	.1	.6	99.7
	20	8	.1	.2	100.0
	21	1	.0	.0	100.0
	Total	3325	21.5	100.0	
	-11 triplet or quadruplet	13	.1		
Total	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	950	6.1		
	Total	12133	78.5		
	Total	15458	100.0		

Section D

CCU3055 D11a: First 5 or so times had a full drink: number of full drinks needed to begin to feel tipsy or to have a buzz

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Didn't happen the first 5 times	760	4.9	100.0	100.0
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
Missing	-9 Missed whole Section D	67	.4		
	-1 NS/NA	3515	22.7		
	Total	14698	95.1		
Total		15458	100.0		

CCU3056 D11ai: First 5 or so times had a full drink: number of full drinks needed to begin to feel tipsy or to have a buzz

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	.0	.0
	1	482	3.1	14.5	14.5
	2	1172	7.6	35.2	49.8
	3	850	5.5	25.6	75.3
	4	430	2.8	12.9	88.3
	5	185	1.2	5.6	93.8
	6	108	.7	3.2	97.1
	7	19	.1	.6	97.7
	8	35	.2	1.1	98.7
	9	13	.1	.4	99.1
	10	16	.1	.5	99.6
	12	7	.0	.2	99.8
	14	1	.0	.0	99.8
	15	3	.0	.1	99.9
	16	2	.0	.1	100.0
	26	1	.0	.0	100.0
	Total	3325	21.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-2 Not in first 5 times	760	4.9		
	-1 NS/NA	190	1.2		
	Total	12133	78.5		
Total		15458	100.0		

CCU3057 D11b: First 5 or so times ever had a full drink: number of full drinks needed to feel dizzy or slur speech

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Didn't happen the first 5 times	1692	10.9	100.0	100.0
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
Missing	-9 Missed whole Section D	67	.4		
	-1 NS/NA	2583	16.7		
	Total	13766	89.1		
Total		15458	100.0		

Section D

CCU3058 D11bi: First 5 or so times ever had a full drink: number of full drinks needed to feel dizzy or or slur speech

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	27	.2	1.1	1.1
	2	165	1.1	7.0	8.1
	3	443	2.9	18.8	26.9
	4	543	3.5	23.0	49.9
	5	401	2.6	17.0	66.9
	6	302	2.0	12.8	79.7
	7	128	.8	5.4	85.1
	8	155	1.0	6.6	91.7
	9	41	.3	1.7	93.4
	10	73	.5	3.1	96.5
	11	4	.0	.2	96.7
	12	39	.3	1.7	98.3
	13	4	.0	.2	98.5
	14	6	.0	.3	98.7
	15	14	.1	.6	99.3
	16	5	.0	.2	99.5
	17	1	.0	.0	99.6
	18	1	.0	.0	99.6
Missing	20	3	.0	.1	99.7
	21	1	.0	.0	99.8
	22	1	.0	.0	99.8
	24	2	.0	.1	99.9
	36	2	.0	.1	100.0
	Total	2361	15.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
Total	-9 Missed whole Section	67	.4		
	D				
	-2 Not in first 5 times	1692	10.9		
	-1 NS/NA	222	1.4		
	Total	13097	84.7		
Total		15458	100.0		

CCU3059 D11c: First 5 or so times ever had a full drink: number of full drinks needed to stumble or find it hard to walk properly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Didn't happen the first 5 times	2171	14.0	100.0	100.0
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-1 NS/NA	2104	13.6		
	Total	13287	86.0		
	Total	15458	100.0		

Section D

CCU3060 D11ci: First 5 or so times ever had a full drink: number of full drinks needed to stumble or find it hard to walk properly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	10	.1	.5	.5
	2	42	.3	2.2	2.8
	3	148	1.0	7.9	10.7
	4	263	1.7	14.0	24.7
	5	357	2.3	19.0	43.7
	6	283	1.8	15.1	58.8
	7	155	1.0	8.3	67.1
	8	185	1.2	9.9	77.0
	9	76	.5	4.1	81.0
	10	167	1.1	8.9	89.9
	11	23	.1	1.2	91.1
	12	62	.4	3.3	94.5
	13	15	.1	.8	95.3
	14	14	.1	.7	96.0
	15	19	.1	1.0	97.0
	16	14	.1	.7	97.8
	17	4	.0	.2	98.0
	18	14	.1	.7	98.7
	19	2	.0	.1	98.8
Missing	20	11	.1	.6	99.4
	21	1	.0	.1	99.5
	22	1	.0	.1	99.5
	25	1	.0	.1	99.6
	27	1	.0	.1	99.6
	30	2	.0	.1	99.7
	34	1	.0	.1	99.8
	39	1	.0	.1	99.8
	40	1	.0	.1	99.9
	48	1	.0	.1	99.9
Total	50	1	.0	.1	100.0
	Total	1875	12.1	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
D	D				
	-2 Not in first 5 times	2171	14.0		
	-1 NS/NA	229	1.5		
	Total	13583	87.9		
Total		15458	100.0		

Section D

CCU3061 D11d: First 5 or so times ever had a full drink: number of full drinks needed to pass out or fall asleep when didn't want to

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Didn't happen the first 5 times	3028	19.6	100.0	100.0
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
Missing	-9 Missed whole Section D	67	.4		
	-1 NS/NA	1247	8.1		
	Total	12430	80.4		
Total		15458	100.0		


Section D

CCU3062 D11di: First 5 or so times ever had a full drink: number of full drinks needed to pass out or fall asleep when didn't want to

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	.0	.4	.4
	1	.0	.7	1.1
	2	.0	.4	1.5
	3	.1	1.9	3.4
	4	.3	5.0	8.5
	5	.5	7.9	16.4
	6	.7	11.3	27.7
	7	.6	10.1	37.7
	8	.9	13.3	51.0
	9	.4	6.4	57.4
	10	1.0	15.5	72.9
	11	.2	2.6	75.6
	12	.5	7.0	82.6
	13	.1	2.3	84.9
	14	.1	2.0	86.9
	15	.3	4.9	91.9
	16	.1	1.0	92.9
	17	.0	.4	93.3
	18	.1	1.2	94.5
	19	.0	.2	94.7
	20	.1	1.8	96.5
	21	.0	.4	96.9
	22	.0	.1	97.0
	23	.0	.4	97.4
	24	.0	.5	97.9
	25	.1	.8	98.7
	28	.0	.1	98.8
	30	.0	.4	99.2
	38	.0	.1	99.3
	44	.0	.1	99.4
	45	.0	.2	99.6
	60	.0	.3	99.9
	70	.0	.1	100.0
Missing	Total	994	6.4	100.0
	-11 triplet or quadruplet	13	.1	
	-10 Not completed	11103	71.8	
	-9 Missed whole Section	67	.4	
	D			
	-2 Not in first 5 times	3028	19.6	
	-1 NS/NA	253	1.6	
Total	Total	14464	93.6	
	Total	15458	100.0	

Section D

CCU3065 D12: Largest number of whole drinks ever had in a 24-hour period



CCU3070 D13a: Over the last three months, number of drinks for respondent to feel tipsy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Didn't happen in the last 3 months	514	3.3	100.0	100.0
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
Missing	-9 Missed whole Section D	67	.4		
	-1 NS/NA	3761	24.3		
	Total	14944	96.7		
Total		15458	100.0		

Section D

CCU3071 D13ai: Over the last three months, number of drinks for respondent to feel tipsy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	95	.6	2.8	2.8
	2	482	3.1	14.1	16.9
	3	811	5.2	23.8	40.7
	4	694	4.5	20.3	61.0
	5	434	2.8	12.7	73.8
	6	403	2.6	11.8	85.6
	7	97	.6	2.8	88.4
	8	161	1.0	4.7	93.1
	9	69	.4	2.0	95.2
	10	85	.5	2.5	97.7
	11	4	.0	.1	97.8
	12	42	.3	1.2	99.0
	13	1	.0	.0	99.0
	14	5	.0	.1	99.2
	15	12	.1	.4	99.5
	16	5	.0	.1	99.7
	18	4	.0	.1	99.8
	20	4	.0	.1	99.9
	22	1	.0	.0	99.9
Missing	32	1	.0	.0	100.0
	35	1	.0	.0	100.0
	Total	3411	22.1	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
Total	D				
	-2 Not in last 3 months	514	3.3		
	-1 NS/NA	350	2.3		
	Total	12047	77.9		
Total		15458	100.0		

CCU3072 D13b: Over the last three months, number of drinks to feel dizzy or slur speech

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Didn't happen in the last 3 months	1138	7.4	100.0	100.0
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-1 NS/NA	3137	20.3		
	Total	14320	92.6		
	Total	15458	100.0		
Missing					

Section D

CCU3073 D13bi: Over the last three months, number of drinks to feel dizzy or slur speech

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.0	.1	.1
	2	26	.2	.9	1.0
	3	112	.7	4.0	5.1
	4	276	1.8	9.9	15.0
	5	429	2.8	15.4	30.4
	6	470	3.0	16.9	47.3
	7	286	1.9	10.3	57.6
	8	381	2.5	13.7	71.3
	9	121	.8	4.3	75.6
	10	274	1.8	9.8	85.5
	11	33	.2	1.2	86.7
	12	145	.9	5.2	91.9
	13	14	.1	.5	92.4
	14	38	.2	1.4	93.7
	15	60	.4	2.2	95.9
	16	37	.2	1.3	97.2
	17	2	.0	.1	97.3
	18	18	.1	.6	98.0
	20	26	.2	.9	98.9
	21	5	.0	.2	99.1
	22	5	.0	.2	99.2
	24	8	.1	.3	99.5
	25	6	.0	.2	99.7
	28	1	.0	.0	99.8
	30	2	.0	.1	99.9
	32	1	.0	.0	99.9
	34	1	.0	.0	99.9
	39	1	.0	.0	100.0
	70	1	.0	.0	100.0
Missing	Total	2782	18.0	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Not in last 3 months	1138	7.4		
	-1 NS/NA	355	2.3		
Total	Total	12676	82.0		
	Total	15458	100.0		

CCU3074 D13c: Over the last three months, number of drinks to stumble or find it hard to walk properly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Didn't happen in the last 3 months	1607	10.4	100.0	100.0
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
Total	D				
	-1 NS/NA	2668	17.3		
Total	Total	13851	89.6		
	Total	15458	100.0		

Section D

CCU3075 D13ci: Over the last three months, number of drinks to stumble or find it hard to walk properly

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	.0	.1	.1
	2	.0	.2	.3
	3	.2	1.0	1.4
	4	.4	2.8	4.2
	5	1.2	7.8	12.0
	6	1.5	10.4	22.4
	7	1.4	9.5	31.9
	8	2.1	14.1	46.0
	9	.9	6.2	52.2
	10	2.3	15.6	67.8
	11	.4	2.7	70.5
	12	1.2	8.1	78.6
	13	.3	1.9	80.5
	14	.4	2.4	82.9
	15	.6	4.4	87.3
	16	.4	2.4	89.7
	17	.1	.7	90.3
	18	.3	1.7	92.0
	19	.0	.0	92.1
	20	.6	4.1	96.2
	21	.0	.2	96.4
	22	.1	.4	96.8
	23	.0	.1	97.0
	24	.1	.7	97.7
	25	.1	.7	98.3
	26	.0	.1	98.4
	27	.0	.1	98.6
	28	.0	.1	98.7
	30	.1	.6	99.3
	31	.0	.0	99.3
	33	.0	.0	99.4
	35	.0	.1	99.5
	36	.0	.1	99.7
	38	.0	.0	99.7
	40	.0	.1	99.8
	44	.0	.0	99.8
	45	.0	.0	99.9
	50	.0	.1	100.0
	60	.0	.0	100.0
Missing	Total	2298	14.9	100.0
	-11 triplet or quadruplet	13	.1	
	-10 Not completed	11103	71.8	
	-9 Missed whole Section	67	.4	
	D			
	-2 Not in last 3 months	1607	10.4	
	-1 NS/NA	370	2.4	
	Total	13160	85.1	
	Total	15458	100.0	

Section D

CCU3076 D13d: Over the last three months, number of drinks to pass out or fall asleep when didn't want to

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Didn't happen in the last 3 months	2723	17.6	100.0	100.0
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	1552	10.0		
	Total	12735	82.4		
Total		15458	100.0		

Section D

CCU3077 D13di: Over the last three months, number of drinks to pass out or fall asleep when didn't want to

	Frequency	Percent	Valid Percent	Cumulative Percent
0	1	.0	.1	.1
1	1	.0	.1	.2
2	1	.0	.1	.3
3	4	.0	.3	.6
4	13	.1	1.1	1.7
5	22	.1	1.9	3.6
6	45	.3	3.9	7.5
7	48	.3	4.1	11.7
8	89	.6	7.7	19.3
9	55	.4	4.7	24.1
10	192	1.2	16.6	40.7
11	43	.3	3.7	44.4
12	115	.7	9.9	54.3
13	28	.2	2.4	56.7
14	58	.4	5.0	61.7
15	117	.8	10.1	71.8
16	42	.3	3.6	75.5
17	7	.0	.6	76.1
18	35	.2	3.0	79.1
19	8	.1	.7	79.8
20	88	.6	7.6	87.4
Valid	21	.0	.5	87.9
	22	.1	1.0	88.9
	23	.0	.3	89.3
	24	.1	1.5	90.8
	25	.2	2.2	92.9
	26	.0	.1	93.0
	27	.0	.4	93.4
	28	.0	.6	94.0
	29	.0	.1	94.1
	30	.2	3.2	97.3
	31	.0	.1	97.4
	33	.0	.1	97.5
	34	.0	.1	97.6
	35	.0	.3	97.8
	36	.0	.3	98.2
	40	.1	.8	99.0
	45	.0	.3	99.2
	50	.0	.5	99.7
	51	.0	.1	99.8
	55	.0	.1	99.9
	60	.0	.1	100.0
	Total	1158	7.5	100.0
	-11 triplet or quadruplet	13	.1	
	-10 Not completed	11103	71.8	
	-9 Missed whole Section	67	.4	
Missing	D			
	-2 Not in last 3 months	2723	17.6	
	-1 NS/NA	394	2.5	
	Total	14300	92.5	
	Total	15458	100.0	

Section D

CCU3095 DV: Alcohol Use Disorders Identification Test (AUDIT) score

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	.7	2.6	2.6
	1	.9	3.4	6.0
	2	1.0	3.9	9.8
	3	1.3	4.9	14.7
	4	1.8	7.0	21.7
	5	2.0	7.9	29.6
	6	2.1	8.2	37.8
	7	2.0	7.7	45.5
	8	2.0	7.8	53.2
	9	1.9	7.5	60.7
	10	1.7	6.6	67.4
	11	1.5	5.9	73.2
	12	1.1	4.3	77.5
	13	1.0	3.9	81.4
	14	1.0	3.9	85.3
	15	.6	2.5	87.8
	16	.6	2.4	90.1
	17	.5	2.1	92.2
	18	.5	2.0	94.2
	19	.3	1.3	95.5
	20	.3	1.1	96.6
	21	.2	.8	97.3
	22	.2	.7	98.0
	23	.1	.5	98.5
	24	.1	.5	99.0
	25	.0	.2	99.1
	26	.1	.3	99.5
	27	.0	.1	99.6
	28	.0	.2	99.8
	29	.0	.1	99.8
	30	.0	.1	99.9
Missing	32	.0	.0	100.0
	33	.0	.0	100.0
	Total	3946	25.5	100.0
	-11 triplet or quadruplet	13	.1	
	-10 Not completed	11103	71.8	
	-9 Missed whole Section D	67	.4	
	-2 Insufficient responses	329	2.1	
	Total	11512	74.5	
Total		15458	100.0	

AUDIT score is calculated from variables CCU3100 to CCU3109

Section D

CCU3096 DV: Alcohol Use Disorders Identification Test (AUDIT) group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Low risk	1794	11.6	45.5	45.5
	2 Hazardous	1670	10.8	42.3	87.8
	3 Harmful	482	3.1	12.2	100.0
	Total	3946	25.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-2 Insufficient responses	329	2.1		
Total	Total	11512	74.5		
		15458	100.0		

CCU3100 D14: Over the past year, frequency had a drink containing alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	102	.7	2.5	2.5
	2 Monthly or less	839	5.4	20.5	23.0
	3 2-4 times a month	1629	10.5	39.8	62.8
	4 2-3 times a week	1282	8.3	31.3	94.1
	5 4 or more times a week	242	1.6	5.9	100.0
	Total	4094	26.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	181	1.2		
	Total	11364	73.5		
		15458	100.0		

CCU3101 D15: Over the past year, number of units had on a typical day when drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1 or 2	726	4.7	18.4	18.4
	2 3 or 4	954	6.2	24.2	42.7
	3 5 or 6	877	5.7	22.3	65.0
	4 7 to 9	652	4.2	16.6	81.5
	5 10 or more	727	4.7	18.5	100.0
	Total	3936	25.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-2 Never drink (past year)	102	.7		
	-1 NS/NA	237	1.5		
	Total	11522	74.5		
Total		15458	100.0		

Section D

CCU3102 D16: Over the past year, frequency had six or more units on one occasion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	259	1.7	6.5	6.5
	2 Less than monthly	1260	8.2	31.7	38.3
	3 Monthly	1242	8.0	31.3	69.6
	4 Weekly	1175	7.6	29.6	99.2
	5 Daily or almost daily	33	.2	.8	100.0
	Total	3969	25.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
	-1 NS/NA	204	1.3		
Total		11489	74.3		
Total		15458	100.0		

CCU3103 D17: During the past year, frequency found that they were not able to stop drinking once they had started

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3135	20.3	79.4	79.4
	2 Less than monthly	505	3.3	12.8	92.2
	3 Monthly	190	1.2	4.8	97.1
	4 At least weekly	116	.8	2.9	100.0
	Total	3946	25.5	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
	-1 NS/NA	227	1.5		
	Total	11512	74.5		
Total		15458	100.0		

CCU3104 D18: During the past year, frequency failed to do what was normally expected of them because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2569	16.6	64.8	64.8
	2 Less than monthly	1030	6.7	26.0	90.8
	3 Monthly	302	2.0	7.6	98.4
	4 Weekly	64	.4	1.6	100.0
	Total	3965	25.7	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
	-1 NS/NA	208	1.3		
	Total	11493	74.3		
Total		15458	100.0		

Section D

CCU3105 D19: During the past year, frequency needed a first drink in the morning to get themselves going after a heavy drinking session

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3820	24.7	96.3	96.3
	2 Less than monthly	114	.7	2.9	99.2
	3 Monthly	21	.1	.5	99.7
	4 At least weekly	10	.1	.3	100.0
Missing	Total	3965	25.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
	-1 NS/NA	208	1.3		
	Total	11493	74.3		
	Total	15458	100.0		

CCU3106 D20: During past year, frequency had a feeling of guilt or remorse after drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2575	16.7	64.9	64.9
	2 Less than monthly	1071	6.9	27.0	91.9
	3 Monthly	255	1.6	6.4	98.3
	4 Weekly	62	.4	1.6	99.9
Missing	5 Daily or almost daily	5	.0	.1	100.0
	Total	3968	25.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
	-1 NS/NA	205	1.3		
	Total	11490	74.3		
Total		15458	100.0		

CCU3107 D21: During past year, frequency been unable to remember what happened the night before because they had been drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1659	10.7	41.8	41.8
	2 Less than monthly	1669	10.8	42.1	83.9
	3 Monthly	530	3.4	13.4	97.3
	4 Weekly	104	.7	2.6	99.9
Missing	5 Daily or almost daily	5	.0	.1	100.0
	Total	3967	25.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
	-1 NS/NA	206	1.3		
	Total	11491	74.3		
Total		15458	100.0		

Section D

CCU3108 D22: Respondent or someone else injured as a result of respondent's drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	2970	19.2	74.9	74.9
	2 Yes, but not in the past year	437	2.8	11.0	85.9
	3 Yes, during the past year	560	3.6	14.1	100.0
	Total	3967	25.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
Total	-2 Never drink (past year)	102	.7		
	-1 NS/NA	206	1.3		
	Total	11491	74.3		
		15458	100.0		

CCU3109 D23: Relative, friend, doctor or other health worker been concerned about respondent's drinking or suggested respondent cut down

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	3690	23.9	93.1	93.1
	2 Yes, but not in the past year	89	.6	2.2	95.3
	3 Yes, during the past year	185	1.2	4.7	100.0
	Total	3964	25.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
Total	-2 Never drink (past year)	102	.7		
	-1 NS/NA	209	1.4		
	Total	11494	74.4		
		15458	100.0		

CCU3110 D24: During past year, frequency spent a great deal of day drinking alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2400	15.5	60.4	60.4
	2 Less than monthly	1319	8.5	33.2	93.7
	3 Monthly	188	1.2	4.7	98.4
	4 At least weekly	64	.4	1.6	100.0
Missing	Total	3971	25.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
Total	D				
	-2 Never drink (past year)	102	.7		
	-1 NS/NA	202	1.3		
	Total	11487	74.3		
		15458	100.0		

Section D

CCU3111 D25: During past year, frequency set a limit on how much they'd drink but drank more

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2584	16.7	65.2	65.2
	2 Less than monthly	982	6.4	24.8	90.0
	3 Monthly	322	2.1	8.1	98.1
	4 At least weekly	74	.5	1.9	100.0
	Total	3962	25.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	211	1.4		
	Total	11496	74.4		
		15458	100.0		

Weekly' and 'Daily or almost daily' have been combined into 'At least weekly' due to low cell counts.

CCU3112 D26: During past year, frequency felt they needed to stop drinking or cut back on drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3067	19.8	77.4	77.4
	2 Less than monthly	627	4.1	15.8	93.3
	3 Monthly	193	1.2	4.9	98.1
	4 Weekly	64	.4	1.6	99.7
	5 Daily or almost daily	10	.1	.3	100.0
Missing	Total	3961	25.6	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
Total	-2 Never drink (past year)	102	.7		
	-1 NS/NA	212	1.4		
	Total	11497	74.4		
		15458	100.0		

CCU3113 D27: During past year, frequency continued to drink even though it was causing problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3626	23.5	91.4	91.4
	2 Less than monthly	238	1.5	6.0	97.4
	3 Monthly	59	.4	1.5	98.9
	4 Weekly	38	.2	1.0	99.8
	5 Daily or almost daily	6	.0	.2	100.0
Missing	Total	3967	25.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
Total	-2 Never drink (past year)	102	.7		
	-1 NS/NA	206	1.3		
	Total	11491	74.3		
		15458	100.0		

Section D

CCU3114 D28: During past year, frequency been unable to keep up with studies, sports, or a job because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3639	23.5	91.6	91.6
	2 Less than monthly	265	1.7	6.7	98.3
	3 Monthly	48	.3	1.2	99.5
	4 Weekly	19	.1	.5	100.0
	Total	3971	25.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	202	1.3		
	Total	11487	74.3		
		15458	100.0		

CCU3115 D29: During past year, frequency needed to drink more alcohol than they used to in order to feel any effect

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2321	15.0	58.6	58.6
	2 Less than monthly	1124	7.3	28.4	86.9
	3 Monthly	420	2.7	10.6	97.5
	4 Weekly	88	.6	2.2	99.7
	5 Daily or almost daily	11	.1	.3	100.0
Missing	Total	3964	25.6	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
Total	-2 Never drink (past year)	102	.7		
	-1 NS/NA	209	1.4		
	Total	11494	74.4		
		15458	100.0		

CCU3116 D30: During past year, frequency got into physical fights when they've been drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3550	23.0	89.8	89.8
	2 Less than monthly	374	2.4	9.5	99.2
	3 Monthly	24	.2	.6	99.8
	4 At least weekly	7	.0	.2	100.0
	Total	3955	25.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	218	1.4		
	Total	11503	74.4		
		15458	100.0		

Weekly' and 'Daily or almost daily' have been combined into 'At least weekly' due to low cell counts

Section D

CCU3117 D31: During past year, frequency had a problem with the police because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3818	24.7	96.5	96.5
	2 Less than monthly	133	.9	3.4	99.8
	3 Monthly	3	.0	.1	99.9
	4 At least weekly	4	.0	.1	100.0
	Total	3958	25.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	215	1.4		
	Total	11500	74.4		
		15458	100.0		

Weekly' and 'Daily or almost daily' have been combined into 'At least weekly' due to low cell counts.

CCU3118 D32: In the past year, frequency had the shakes when they cut down or stopped drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3813	24.7	96.4	96.4
	2 Less than monthly	110	.7	2.8	99.2
	3 Monthly	20	.1	.5	99.7
	4 At least weekly	13	.1	.3	100.0
	Total	3956	25.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	217	1.4		
	Total	11502	74.4		
		15458	100.0		

Weekly' and 'Daily or almost daily' have been combined into 'At least weekly' due to low cell counts.

CCU3119 D33: In the past year, frequency, after drinking for a few hours or more, drank to keep from getting the shakes or getting sick

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	3872	25.0	97.8	97.8
	2 Less than monthly	74	.5	1.9	99.6
	3 Monthly	9	.1	.2	99.8
	4 At least weekly	6	.0	.2	100.0
	Total	3961	25.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	212	1.4		
	Total	11497	74.4		
		15458	100.0		

Weekly' and 'Daily or almost daily' have been combined into 'At least weekly' due to low cell counts.

Section D

CCU3150 D34a: In the past two years, frequency used alcohol to: forget their worries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost never	2657	17.2	66.9	66.9
	2 Sometimes	1130	7.3	28.4	95.3
	3 Often	159	1.0	4.0	99.3
	4 Almost always	26	.2	.7	100.0
	Total	3972	25.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	201	1.3		
	Total	11486	74.3		
		15458	100.0		

CCU3151 D34b: In the past two years, frequency used alcohol to: relax

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost never	1178	7.6	29.6	29.6
	2 Sometimes	1855	12.0	46.7	76.3
	3 Often	794	5.1	20.0	96.3
	4 Almost always	148	1.0	3.7	100.0
	Total	3975	25.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	198	1.3		
	Total	11483	74.3		
		15458	100.0		

CCU3152 D34c: In the past two years, frequency used alcohol to: cheer up when they're in a bad mood

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost never	1954	12.6	49.2	49.2
	2 Sometimes	1628	10.5	41.0	90.2
	3 Often	343	2.2	8.6	98.8
	4 Almost always	46	.3	1.2	100.0
	Total	3971	25.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	202	1.3		
	Total	11487	74.3		
		15458	100.0		

Section D

CCU3153 D34d: In the past two years, frequency used alcohol to: help when they feel depressed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost never	2904	18.8	73.2	73.2
	2 Sometimes	866	5.6	21.8	95.0
	3 Often	163	1.1	4.1	99.1
	4 Almost always	36	.2	.9	100.0
	Total	3969	25.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	204	1.3		
	Total	11489	74.3		
		15458	100.0		

CCU3154 D34e: In the past two years, frequency used alcohol to: help when they feel nervous

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost never	2678	17.3	67.4	67.4
	2 Sometimes	1084	7.0	27.3	94.7
	3 Often	166	1.1	4.2	98.9
	4 Almost always	45	.3	1.1	100.0
	Total	3973	25.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	200	1.3		
	Total	11485	74.3		
		15458	100.0		

CCU3155 D34f: In the past two years, frequency used alcohol to: help when their mood changes a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost never	3472	22.5	87.5	87.5
	2 Sometimes	412	2.7	10.4	97.9
	3 Often	68	.4	1.7	99.6
	4 Almost always	16	.1	.4	100.0
	Total	3968	25.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
Total	-1 NS/NA	205	1.3		
	Total	11490	74.3		
		15458	100.0		

Section D

CCU3156 D34g: In the past two years, frequency used alcohol to: feel more self-confident

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost never	1795	11.6	45.1	45.1
	2 Sometimes	1541	10.0	38.7	83.9
	3 Often	508	3.3	12.8	96.7
	4 Almost always	133	.9	3.3	100.0
Missing	Total	3977	25.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
	-1 NS/NA	196	1.3		
	Total	11481	74.3		
	Total	15458	100.0		

CCU3157 D34h: In the past two years, frequency used alcohol because: there is nothing better to do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost never	2789	18.0	70.2	70.2
	2 Sometimes	892	5.8	22.5	92.7
	3 Often	245	1.6	6.2	98.8
	4 Almost always	46	.3	1.2	100.0
Missing	Total	3972	25.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never drink (past year)	102	.7		
	-1 NS/NA	201	1.3		
	Total	11486	74.3		
	Total	15458	100.0		

CCU3170 D35a: Thinks people feel more caring and giving after a few drinks of alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	2271	14.7	53.9	53.9
	2 False	1941	12.6	46.1	100.0
	Total	4212	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-1 NS/NA	63	.4		
	Total	11246	72.8		
	Total	15458	100.0		

Section D

CCU3171 D35b: Thinks drinking alcohol is OK because it allows people to join in with others who are having fun

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	2068	13.4	49.1	49.1
	2 False	2147	13.9	50.9	100.0
	Total	4215	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	60	.4		
	Total	11243	72.7		
	Total	15458	100.0		

CCU3172 D35c: Thinks alcoholic beverages make parties more fun

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	3001	19.4	71.1	71.1
	2 False	1217	7.9	28.9	100.0
	Total	4218	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	57	.4		
	Total	11240	72.7		
	Total	15458	100.0		

CCU3173 D35d: Thinks a person can do things better after a few drinks of alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	254	1.6	6.0	6.0
	2 False	3966	25.7	94.0	100.0
	Total	4220	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	55	.4		
	Total	11238	72.7		
	Total	15458	100.0		

CCU3174 D35e: Thinks people understand things better when they are drinking alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	119	.8	2.8	2.8
	2 False	4094	26.5	97.2	100.0
	Total	4213	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	62	.4		
	Total	11245	72.7		
	Total	15458	100.0		

Section D

CCU3175 D35f: Thinks people can control their anger better when they are drinking alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	29	.2	.7	.7
	2 False	4191	27.1	99.3	100.0
	Total	4220	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	55	.4		
	Total	11238	72.7		
Total		15458	100.0		

CCU3176 D35g: Thinks a person can talk to people they are sexually attracted to better after a few drinks of alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	3300	21.3	78.3	78.3
	2 False	912	5.9	21.7	100.0
	Total	4212	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	63	.4		
	Total	11246	72.8		
Total		15458	100.0		

CCU3177 D35h: Thinks alcohol makes people feel more romantic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	1400	9.1	33.2	33.2
	2 False	2813	18.2	66.8	100.0
	Total	4213	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	62	.4		
	Total	11245	72.7		
Total		15458	100.0		

CCU3178 D35i: Thinks people become more interested in people they are sexually attracted to after a few drinks of alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	3172	20.5	75.2	75.2
	2 False	1044	6.8	24.8	100.0
	Total	4216	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	59	.4		
	Total	11242	72.7		
Total		15458	100.0		

Section D

CCU3179 D35j: Thinks alcohol increases arousal; it makes people feel stronger and more powerful and makes it easier to fight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	2834	18.3	67.2	67.2
	2 False	1381	8.9	32.8	100.0
	Total	4215	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	60	.4		
	Total	11243	72.7		
	Total	15458	100.0		

CCU3180 D35k: Thinks alcohol helps people stand up to others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	2465	15.9	58.5	58.5
	2 False	1746	11.3	41.5	100.0
	Total	4211	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	64	.4		
	Total	11247	72.8		
	Total	15458	100.0		

CCU3181 D35l: Thinks it is easier to speak in front of a group of people after a few drinks of alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	3041	19.7	72.2	72.2
	2 False	1172	7.6	27.8	100.0
	Total	4213	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	62	.4		
	Total	11245	72.7		
	Total	15458	100.0		

Section D

The next set of questions is about your friends when you were between the ages of 18 and 21. By friends, we mean people who you would have seen regularly and spent time with.

D36.a) How many such friends did you/do you have? Please write the number in the box provided

--	--	--



If zero, please go to D37

Between the ages of 18 and 21, how many of your friends would have ever done the following.

How many would have ...

None A Few Some Most All


- | | | | | | |
|-------------------------------------------------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| b) Smoked cigarettes | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> |
| c) Got drunk | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> |
| d) Had problems with alcohol (i.e. hangovers, fights, accidents) | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> |
| e) Drunk alcohol | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> |
| f) Been in trouble with the police | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> |
| g) Stole anything or damaged property on purpose | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> |
| h) Used cannabis | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> |
| i) Used inhalants like glue or gas | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> |
| j) Used other drugs like cocaine, downers, ecstasy or LSD | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> |
| k) Sold or gave drugs to others | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> |

42636



Section D

CCU3200 D36a: Number of friends had when aged between 18 and 21



CCU3201 D36b: Between ages of 18 and 21, number of friends who would have smoked cigarettes

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	306	7.4	7.4
	2 A Few	1281	30.9	38.3
	3 Some	1085	26.2	64.4
	4 Most	1227	29.6	94.0
	5 All	250	6.0	100.0
	Total	4149	26.8	100.0
Missing	-11 triplet or quadruplet	13	.1	
	-10 Not completed	11103	71.8	
	-9 Missed whole Section D	67	.4	
	-1 NS/NA	126	.8	
	Total	11309	73.2	
Total		15458	100.0	

Section D

CCU3202 D36c: Between ages of 18 and 21, number of friends who would have got drunk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	49	.3	1.2	1.2
	2 A Few	218	1.4	5.3	6.4
	3 Some	249	1.6	6.0	12.5
	4 Most	1772	11.5	42.8	55.2
	5 All	1856	12.0	44.8	100.0
	Total	4144	26.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	131	.8		
	Total	11314	73.2		
	Total	15458	100.0		

CCU3203 D36d: Between ages of 18 and 21, number of friends who would have had problems with alcohol (i.e. hangovers, fights, accidents)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	864	5.6	20.8	20.8
	2 A Few	1052	6.8	25.4	46.2
	3 Some	945	6.1	22.8	69.0
	4 Most	867	5.6	20.9	89.9
	5 All	421	2.7	10.1	100.0
	Total	4149	26.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	126	.8		
	Total	11309	73.2		
	Total	15458	100.0		

CCU3204 D36e: Between ages of 18 and 21, number of friends who would have drunk alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	29	.2	.7	.7
	2 A Few	129	.8	3.1	3.8
	3 Some	99	.6	2.4	6.2
	4 Most	1252	8.1	30.2	36.4
	5 All	2637	17.1	63.6	100.0
	Total	4146	26.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	129	.8		
	Total	11312	73.2		
	Total	15458	100.0		

Section D

CCU3205 D36f: Between ages of 18 and 21, number of friends who would have been in trouble with the police

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	2315	15.0	55.8	55.8
	2 A Few	1345	8.7	32.4	88.2
	3 Some	403	2.6	9.7	98.0
	4 Most	61	.4	1.5	99.4
	5 All	24	.2	.6	100.0
	Total	4148	26.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	127	.8		
	Total	11310	73.2		
	Total	15458	100.0		

CCU3206 D36g: Between ages of 18 and 21, number of friends who would have stolen anything or damaged property on purpose

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	2918	18.9	70.3	70.3
	2 A Few	992	6.4	23.9	94.3
	3 Some	194	1.3	4.7	98.9
	4 Most	33	.2	.8	99.7
	5 All	11	.1	.3	100.0
	Total	4148	26.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	127	.8		
	Total	11310	73.2		
	Total	15458	100.0		

CCU3207 D36h: Between ages of 18 and 21, number of friends who would have used cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1171	7.6	28.3	28.3
	2 A Few	1452	9.4	35.0	63.3
	3 Some	968	6.3	23.4	86.7
	4 Most	446	2.9	10.8	97.4
	5 All	106	.7	2.6	100.0
	Total	4143	26.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	132	.9		
	Total	11315	73.2		
	Total	15458	100.0		

Section D

CCU3208 D36i: Between ages of 18 and 21, number of friends who would have used inhalants like glue or gas

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	3464	22.4	83.7	83.7
	2 A Few	448	2.9	10.8	94.5
	3 Some	154	1.0	3.7	98.2
	4 Most	57	.4	1.4	99.6
	5 All	16	.1	.4	100.0
	Total	4139	26.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	136	.9		
	Total	11319	73.2		
	Total	15458	100.0		

CCU3209 D36j: Between ages of 18 and 21, number of friends who would have used other drugs like cocaine, downers, ecstasy, or LSD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	2127	13.8	51.3	51.3
	2 A Few	1278	8.3	30.8	82.1
	3 Some	509	3.3	12.3	94.4
	4 Most	193	1.2	4.7	99.0
	5 All	40	.3	1.0	100.0
	Total	4147	26.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	128	.8		
	Total	11311	73.2		
	Total	15458	100.0		

CCU3210 D36k: Between ages of 18 and 21, number of friends who would have sold or gave drugs to others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	2794	18.1	67.3	67.3
	2 A Few	998	6.5	24.1	91.4
	3 Some	287	1.9	6.9	98.3
	4 Most	55	.4	1.3	99.6
	5 All	15	.1	.4	100.0
	Total	4149	26.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	126	.8		
	Total	11309	73.2		
	Total	15458	100.0		

Section D

Drug use

The next set of questions is about cannabis. Please remember that your answers to all these questions are confidential, so they will never be seen by anyone who knows you or linked to your name.

D37. a) Have you ever tried cannabis (also called marijuana, hash, dope, pot, blow, skunk, puff, grass, draw, ganja, spliff, joints, smoke, weed)?

Yes ¹ No ² —————> **If no, go to D42**

b) If yes, how old were you when you first tried cannabis?

--	--

 years old

D38. In the last 12 months how often have you used cannabis?

- | | |
|-------------------------------------------------------------|-----------------------------------------------------------------|
| ¹ <input type="checkbox"/> Once or twice | ² <input type="checkbox"/> Less than monthly |
| ³ <input type="checkbox"/> Monthly | ⁴ <input type="checkbox"/> Weekly |
| ⁵ <input type="checkbox"/> Daily or almost daily | ⁶ <input type="checkbox"/> Not in the last 12 months |

D39. a) When was the last time you used cannabis (please cross one box only)?

- | | |
|-------------------------------------------------------------------------------------------|--|
| ¹ <input type="checkbox"/> In the last 3 days | |
| ² <input type="checkbox"/> Not in the last 3 days, but in the last 2 weeks | |
| ³ <input type="checkbox"/> Not in the last 2 weeks, but in the last month | |
| ⁴ <input type="checkbox"/> Not in the last month, but in the last 3 months | |
| ⁵ <input type="checkbox"/> Not in the last 3 months, but in the last 12 months | |
| ⁶ <input type="checkbox"/> More than 12 months ago | |

b) How old were you when you last tried cannabis?

--	--

 years old

42636



Section D

D40. When you smoke cannabis, on a typical day, how many joints/spliffs, pipes or bongs would you have?

--	--

Please enter the number here

D41. The next questions are about your use of cannabis in the past 12 months.

	Never	Rarely	From time to time	Fairly often	Often
a) Have you ever used cannabis <u>before midday</u> ?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
b) Have you ever used cannabis <u>when you were alone</u> ?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
c) Have you ever had <u>memory problems</u> when you've used cannabis?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
d) Have <u>friends or members of your family</u> ever told you that you ought to reduce your cannabis use?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
e) Have you ever tried to reduce or stop your cannabis use <u>without succeeding</u> ?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>
f) Have you ever had problems <u>because of your use</u> of cannabis (argument, fight, accident, bad result at school, other problems)?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>	5 <input type="checkbox"/>

Please describe the problems below:

42636



Section D

The next questions are about other drugs that people sometimes take.

D42. In your life, which of the following substances have you ever used? (Non medical use only)

	No		Yes		No		Yes		No		Yes	
a) Cocaine (charlie, 'c', coke, etc.)	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>
b) Crack (rock, stone, etc.)	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>
c) Amphetamine-type stimulants (speed, diet pills, ecstasy, etc.)	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>
d) Inhalants (nitrous, glue, petrol, paint thinner, etc.)	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>
e) Sedatives or sleeping pills (Valium, Rohypnol, etc.)	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>
f) Hallucinogens (LSD, acid, mushrooms, PCP, Ketamine, Special K, etc.)	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>
g) Opioids (heroin, morphine, methadone, codeine, etc.)	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>
h) Injected illicit drugs	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>	1	<input type="checkbox"/>	→	2	<input type="checkbox"/>

i) Have you used any other drugs? - please specify:

42636



Section D

CCU3300 D37a: Tried cannabis (also called marijuana, hash, dope, pot, blow, skunk, puff, grass, draw, ganja, spliff, joints smoke, weed)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2182	14.1	51.7	51.7
	2 No	2036	13.2	48.3	100.0
	Total	4218	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-1 NS/NA	57	.4		
Total		11240	72.7		
Total		15458	100.0		

CCU3301 D37b: Age when first tried cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	8	1	.0	.0	.0
	9	2	.0	.1	.1
	10	4	.0	.2	.3
	11	18	.1	.9	1.2
	12	34	.2	1.6	2.9
	13	107	.7	5.2	8.0
	14	213	1.4	10.3	18.3
	15	321	2.1	15.5	33.9
	16	449	2.9	21.7	55.6
	17	300	1.9	14.5	70.1
	18	297	1.9	14.4	84.5
	19	185	1.2	9.0	93.5
	20	110	.7	5.3	98.8
	21	25	.2	1.2	100.0
Missing	Total	2066	13.4	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	173	1.1		
	Total	13392	86.6		
Total		15458	100.0		

Section D

CCU3302 D38: In the last 12 months, frequency used cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once or twice	537	3.5	24.9	24.9
	2 Less than monthly	316	2.0	14.6	39.5
	3 Monthly	165	1.1	7.6	47.2
	4 Weekly	104	.7	4.8	52.0
	5 Daily or almost daily	131	.8	6.1	58.1
	6 Not in the last 12 months	904	5.8	41.9	100.0
	Total	2157	14.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	82	.5		
	Total	13301	86.0		
Total		15458	100.0		

CCU3305 D39a: Last time used cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 In the last 3 days	246	1.6	11.4	11.4
	2 Not in the last 3 days, but in the last 2 weeks	165	1.1	7.6	19.0
	3 Not in the last 2 weeks, but in the last month	143	.9	6.6	25.6
	4 Not in the last month, but in the last 3 months	253	1.6	11.7	37.3
	5 Not in the last 3 months, but in the last 12 months	446	2.9	20.6	57.9
	6 More than 12 months ago	911	5.9	42.1	100.0
	Total	2164	14.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	75	.5		
	Total	13294	86.0		
Total		15458	100.0		

Section D

CCU3306 D39b: Age when last used cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5	1	.0	.0	.0
	12	2	.0	.1	.1
	13	5	.0	.2	.4
	14	22	.1	1.0	1.4
	15	47	.3	2.2	3.6
	16	131	.8	6.2	9.8
	17	142	.9	6.7	16.5
	18	227	1.5	10.7	27.2
	19	354	2.3	16.7	43.9
	20	768	5.0	36.2	80.1
	21	421	2.7	19.8	100.0
Missing	22	1	.0	.0	100.0
	Total	2121	13.7	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	118	.8		
	Total	13337	86.3		
	Total	15458	100.0		

CCU3310 D40: Number of joints/spliffs, pipes or bongs would have on a typical day, when smoking cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	93	.6	4.9	4.9
	1	1154	7.5	60.4	65.3
	2	315	2.0	16.5	81.7
	3	175	1.1	9.2	90.9
	4	74	.5	3.9	94.8
	5	39	.3	2.0	96.8
	6	14	.1	.7	97.5
	7	13	.1	.7	98.2
	8	12	.1	.6	98.8
	10	7	.0	.4	99.2
	12	2	.0	.1	99.3
Missing	14	1	.0	.1	99.4
	15	5	.0	.3	99.6
	16	1	.0	.1	99.7
	18	1	.0	.1	99.7
	20	2	.0	.1	99.8
	30	1	.0	.1	99.9
	50	2	.0	.1	100.0
	Total	1911	12.4	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	328	2.1		
	Total	13547	87.6		
	Total	15458	100.0		

Section D

CCU3320 D41a: In the past 12 months, used cannabis before midday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1596	10.3	74.8	74.8
	2 Rarely	322	2.1	15.1	89.8
	3 From time to time	134	.9	6.3	96.1
	4 Fairly often	43	.3	2.0	98.1
	5 Often	40	.3	1.9	100.0
	Total	2135	13.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	104	.7		
	Total	13323	86.2		
Total		15458	100.0		

CCU3321 D41b: In the past 12 months, used cannabis when they were alone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1722	11.1	80.8	80.8
	2 Rarely	177	1.1	8.3	89.1
	3 From time to time	113	.7	5.3	94.4
	4 Fairly often	56	.4	2.6	97.0
	5 Often	64	.4	3.0	100.0
	Total	2132	13.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	107	.7		
	Total	13326	86.2		
Total		15458	100.0		

CCU3322 D41c: In the past 12 months, had memory problems when they've used cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1722	11.1	80.9	80.9
	2 Rarely	187	1.2	8.8	89.7
	3 From time to time	133	.9	6.3	96.0
	4 Fairly often	48	.3	2.3	98.2
	5 Often	38	.2	1.8	100.0
	Total	2128	13.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	111	.7		
	Total	13330	86.2		
Total		15458	100.0		

Section D

CCU3323 D41d: In the past 12 months, friends or members of respondent's family have ever told them they ought to reduce their cannabis use

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1915	12.4	89.9	89.9
	2 Rarely	93	.6	4.4	94.3
	3 From time to time	81	.5	3.8	98.1
	4 Fairly often	18	.1	.8	99.0
	5 Often	22	.1	1.0	100.0
	Total	2129	13.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	110	.7		
Total		13329	86.2		
Total		15458	100.0		

CCU3324 D41e: In the past 12 months, tried to reduce or stop their cannabis use without success

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1970	12.7	92.6	92.6
	2 Rarely	72	.5	3.4	96.0
	3 From time to time	51	.3	2.4	98.4
	4 Fairly often	13	.1	.6	99.0
	5 Often	22	.1	1.0	100.0
	Total	2128	13.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	111	.7		
Total		13330	86.2		
Total		15458	100.0		

CCU3325 D41f: In the past 12 months, had problems because of their use of cannabis (argument, fight, accident, bad result at school, other problems)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1975	12.8	92.6	92.6
	2 Rarely	77	.5	3.6	96.2
	3 From time to time	43	.3	2.0	98.3
	4 Fairly often	22	.1	1.0	99.3
	5 Often	15	.1	.7	100.0
	Total	2132	13.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	107	.7		
Total		13326	86.2		
Total		15458	100.0		

Section D

CCU3330 DV: Cannabis Abuse Screening Test (CAST) score

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1894	12.3	89.9	89.9
	1	117	.8	5.6	95.4
	2	48	.3	2.3	97.7
	3	24	.2	1.1	98.9
	4	13	.1	.6	99.5
	5	7	.0	.3	99.8
	6	4	.0	.2	100.0
	Total	2107	13.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-2 Never tried cannabis	2036	13.2		
	-1 NS/NA	132	.9		
	Total	13351	86.4		
	Total	15458	100.0		

CAST score is derived based on cannabis use in past 12 months ,using variables ccu3320 ccu3321 ccu3322 ccu3323 ccu3324 ccu3325

CCU3331 DV: Cannabis Abuse Screening Test (CAST) group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Never tried cannabis	2036	13.2	49.1	49.1
	1 No cannabis in past 12m	823	5.3	19.9	69.0
	2 Zero score on CAST	1071	6.9	25.9	94.9
	3 1+ score on CAST	213	1.4	5.1	100.0
Missing	Total	4143	26.8	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-1 NS/NA	132	.9		
	Total	11315	73.2		
	Total	15458	100.0		

CCU3400 D42a: In their life YP has ever used cocaine (coke, crack etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	690	4.5	16.3	16.3
	2 No	3552	23.0	83.7	100.0
	Total	4242	27.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
Total	-1 NS/NA	33	.2		
	Total	11216	72.6		
	Total	15458	100.0		

D42b has been combined with D42a

Section D

CCU3401 D42ai: In the last year YP has tried cocaine (coke, crack etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	373	2.4	8.8	8.8
	2 No	3847	24.9	91.2	100.0
	Total	4220	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	55	.4		
	Total	11238	72.7		
	Total	15458	100.0		

D42bi has been combined with D42ai.

CCU3402 D42a(ii): In the last three months YP has tried cocaine (coke, crack etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	191	1.2	4.5	4.5
	2 No	4010	25.9	95.5	100.0
	Total	4201	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	74	.5		
	Total	11257	72.8		
	Total	15458	100.0		

D42bii has been combined with D42a(ii).

CCU3410 D42c: In their life YP has ever used amphetamine-type stimulants (speed, diet pills, ecstasy, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	798	5.2	19.0	19.0
	2 No	3412	22.1	81.0	100.0
	Total	4210	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	65	.4		
	Total	11248	72.8		
	Total	15458	100.0		

CCU3411 D42ci: In the last year YP has tried amphetamine-type stimulants (speed, diet pills, ecstasy, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	520	3.4	12.4	12.4
	2 No	3666	23.7	87.6	100.0
	Total	4186	27.1	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	89	.6		
	Total	11272	72.9		
	Total	15458	100.0		

Section D

CCU3412 D42cii: In the last three months YP has tried amphetamine-type stimulants (speed, diet pills, ecstasy, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	306	2.0	7.3	7.3
	2 No	3863	25.0	92.7	100.0
	Total	4169	27.0	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	106	.7		
	Total	11289	73.0		
Total		15458	100.0		

CCU3420 D42d: In their life YP has ever used inhalants (nitrous, glue, petrol, paint thinner,etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	428	2.8	10.2	10.2
	2 No	3787	24.5	89.8	100.0
	Total	4215	27.3	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	60	.4		
	Total	11243	72.7		
Total		15458	100.0		

CCU3421 D42di: In the last year YP has tried inhalants (nitrous, glue, petrol, paint thinner,etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	275	1.8	6.5	6.5
	2 No	3932	25.4	93.5	100.0
	Total	4207	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	68	.4		
	Total	11251	72.8		
Total		15458	100.0		

Section D

CCU3422 D42dii: In the last three months YP has tried inhalants (nitrous, glue, petrol,paint thinner,etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	147	1.0	3.5	3.5
	2 No	4055	26.2	96.5	100.0
	Total	4202	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	73	.5		
	Total	11256	72.8		
		15458	100.0		
Total					

CCU3430 D42e: In their life YP has ever used sedatives or sleeping pills (Valium, Rohypnol, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	263	1.7	6.3	6.3
	2 No	3943	25.5	93.7	100.0
	Total	4206	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	69	.4		
	Total	11252	72.8		
		15458	100.0		
Total					

CCU3431 D42ei: In the last year YP has tried sedatives or sleeping pills (Valium, Rohypnol, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	156	1.0	3.7	3.7
	2 No	4039	26.1	96.3	100.0
	Total	4195	27.1	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Missing	-1 NS/NA	80	.5		
	Total	11263	72.9		
		15458	100.0		
Total					

Section D

CCU3432 D42eii: In the last three months YP has tried sedatives or sleeping pills (Valium, Rohypnol, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	83	.5	2.0	2.0
	2 No	4103	26.5	98.0	100.0
	Total	4186	27.1	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-1 NS/NA	89	.6		
Total		11272	72.9		
Total		15458	100.0		

CCU3440 D42f: In their life YP has ever used hallucinogens (LSD, acid, mushrooms, PCP, Ketamine, Special K, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	470	3.0	11.2	11.2
	2 No	3733	24.1	88.8	100.0
	Total	4203	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-1 NS/NA	72	.5		
Total		11255	72.8		
Total		15458	100.0		

CCU3441 D42fi: In the last year YP has tried hallucinogens (LSD, acid, mushrooms, PCP, Ketamine, Special K, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	238	1.5	5.7	5.7
	2 No	3951	25.6	94.3	100.0
	Total	4189	27.1	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-1 NS/NA	86	.6		
Total		11269	72.9		
Total		15458	100.0		

Section D

CCU3442 D42fii: In the last three months YP has tried hallucinogens (LSD, acid, mushrooms, PCP, Ketamine, Special K, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	114	.7	2.7	2.7
	2 No	4071	26.3	97.3	100.0
	Total	4185	27.1	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	90	.6		
	Total	11273	72.9		
Total		15458	100.0		

CCU3450 D42g: In their life YP has ever used opioids (heroin, morphine, methadone, codeine, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	136	.9	3.2	3.2
	2 No	4072	26.3	96.8	100.0
	Total	4208	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	67	.4		
	Total	11250	72.8		
Total		15458	100.0		

CCU3451 D42gi: In the last year YP has tried opioids (heroin, morphine, methadone, codeine, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	68	.4	1.6	1.6
	2 No	4136	26.8	98.4	100.0
	Total	4204	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	71	.5		
	Total	11254	72.8		
Total		15458	100.0		

Section D

CCU3452 D42gii: In the last three months YP has tried opioids (heroin, morphine, methadone, codeine,etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	32	.2	.8	.8
	2 No	4173	27.0	99.2	100.0
	Total	4205	27.2	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	70	.5		
	Total	11253	72.8		
Total		15458	100.0		

CCU3460 D42h: In their life YP has ever used injected illicit drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	15	.1	.4	.4
	2 No	4180	27.0	99.6	100.0
	Total	4195	27.1	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	80	.5		
	Total	11263	72.9		
Total		15458	100.0		

CCU3461 D42hi: In the last year YP has tried injected illicit drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4	.0	.1	.1
	2 No	4184	27.1	99.9	100.0
	Total	4188	27.1	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	87	.6		
	Total	11270	72.9		
Total		15458	100.0		

CCU3462 D42hii: In the last three months YP has tried injected illicit drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3	.0	.1	.1
	2 No	4185	27.1	99.9	100.0
	Total	4188	27.1	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	87	.6		
	Total	11270	72.9		
Total		15458	100.0		

Section D

CCU3470 DV: Count of types illicit substances YP has ever used

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2929	18.9	71.9	71.9
	1	453	2.9	11.1	83.0
	2	267	1.7	6.6	89.5
	3	198	1.3	4.9	94.4
	4	126	.8	3.1	97.5
	5	69	.4	1.7	99.2
	6	29	.2	.7	99.9
	7	4	.0	.1	100.0
Missing	Total	4075	26.4	100.0	
	Triplet or quadruplet	13	.1		
	Not completed	11103	71.8		
	Missed whole Section D	67	.4		
	NS/NA	200	1.3		
	Total	11383	73.6		
	Total	15458	100.0		

CCU3471 DV: Count of types illicit substances YP has used in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3250	21.0	80.9	80.9
	1	381	2.5	9.5	90.4
	2	174	1.1	4.3	94.7
	3	103	.7	2.6	97.3
	4	65	.4	1.6	98.9
	5	38	.2	.9	99.8
	6	7	.0	.2	100.0
	Total	4018	26.0	100.0	
Missing	Triplet or quadruplet	13	.1		
	Not completed	11103	71.8		
	Missed whole Section D	67	.4		
	NS/NA	257	1.7		
	Total	11440	74.0		
	Total	15458	100.0		

Section D

CCU3471 DV: Count of types illicit substances YP has used in the last 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3513	22.7	88.4	88.4
	1	266	1.7	6.7	95.1
	2	109	.7	2.7	97.8
	3	53	.3	1.3	99.1
	4	22	.1	.6	99.7
	5	8	.1	.2	99.9
	6	4	.0	.1	100.0
Missing	Total	3975	25.7	100.0	
	Triplet or quadruplet	13	.1		
	Not completed	11103	71.8		
	Missed whole Section D	67	.4		
	NS/NA	300	1.9		
Total		11483	74.3		
Total		15458	100.0		

Section D

Other behaviours

This section asks about other behaviours that some people engage in.

D43. How often in the last year have you:

	Not at all	Once	2-5 times	6 or more
a) Been rowdy or rude in a public place so that people complained or you got in trouble?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
b) Stolen something from a shop or store?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
c) Bought something that you knew or suspected was stolen?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
d) Broken into a car or van to try and steal something out of it?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
e) Taken and/or driven a vehicle without the owner's permission?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
f) Broken into a house or building to try and steal something?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
g) Stolen any money or property that someone was holding, carrying or wearing at the time?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
h) Hit, kicked or punched someone else on purpose with the intention of really hurting them?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
i) Deliberately damaged or destroyed property that did not belong to you?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
j) Hurt or injured animals or birds on purpose?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
k) Carried a knife or other weapon with you for protection or in case it was needed in a fight?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>
l) Used a cheque book, credit card or cash point card which you knew or suspected to be stolen to get money out of a bank account or to purchase something?	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	4 <input type="checkbox"/>

42636


Section D

CCU3500 D43a: In past year, frequency been rowdy or rude in a public place so that people complained or they got in trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	3724	24.1	87.7	87.7
	2 Once	359	2.3	8.5	96.1
	3 2-5 times	145	.9	3.4	99.5
	4 6 or more	20	.1	.5	100.0
	Total	4248	27.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	27	.2		
	Total	11210	72.5		
Total		15458	100.0		

CCU3501 D43b: In past year, frequency: stolen something from a shop or store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4026	26.0	94.8	94.8
	2 Once	115	.7	2.7	97.5
	3 2-5 times	74	.5	1.7	99.2
	4 6 or more	33	.2	.8	100.0
	Total	4248	27.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	27	.2		
	Total	11210	72.5		
Total		15458	100.0		

CCU3502 D43c: In past year, frequency: bought something that they knew or suspected was stolen

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4026	26.0	94.9	94.9
	2 Once	146	.9	3.4	98.3
	3 2-5 times	61	.4	1.4	99.7
	4 6 or more	11	.1	.3	100.0
	Total	4244	27.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	31	.2		
	Total	11214	72.5		
Total		15458	100.0		

Section D

CCU3503 D43d: In past year, frequency: broken into a car or van to try and steal something out of it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4241	27.4	99.8	99.8
	2 Once	7	.0	.2	100.0
	3 2-5 times	2	.0	.0	100.0
	Total	4250	27.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	25	.2		
Total		11208	72.5		
Total		15458	100.0		

CCU3504 D43e: In past year, frequency: taken and/or driven a vehicle without the owner's permission

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4211	27.2	99.2	99.2
	2 Once	25	.2	.6	99.8
	3 2-5 times	7	.0	.2	100.0
	4 6 or more	1	.0	.0	100.0
Missing	Total	4244	27.5	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
-1 NS/NA		31	.2		
Total		11214	72.5		
Total		15458	100.0		

CCU3505 D43f: In past year, frequency: broken into a house or building to try and steal something

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4228	27.4	99.8	99.8
	2 Once	5	.0	.1	100.0
	3 2-5 times	2	.0	.0	100.0
	Total	4235	27.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	40	.3		
Total		11223	72.6		
Total		15458	100.0		

Section D

CCU3506 D43g: In past year, frequency: stolen any money or property that someone was holding, carrying or wearing at the time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4230	27.4	99.7	99.7
	2 Once	8	.1	.2	99.9
	3 2-5 times	2	.0	.0	100.0
	4 6 or more	1	.0	.0	100.0
	Total	4241	27.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-1 NS/NA	34	.2		
Total		11217	72.6		
Total		15458	100.0		

CCU3507 D43h: In past year, frequency: hit, kicked or punched someone else on purpose with the intention of really hurting them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	3906	25.3	92.1	92.1
	2 Once	235	1.5	5.5	97.7
	3 2-5 times	88	.6	2.1	99.7
	4 6 or more	11	.1	.3	100.0
	Total	4240	27.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-1 NS/NA	35	.2		
Total		11218	72.6		
Total		15458	100.0		

CCU3508 D43i: In past year, frequency: deliberately damaged or destroyed property that did not belong to them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4119	26.6	97.3	97.3
	2 Once	68	.4	1.6	98.9
	3 2-5 times	42	.3	1.0	99.9
	4 6 or more	6	.0	.1	100.0
	Total	4235	27.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section	67	.4		
	D				
	-1 NS/NA	40	.3		
Total		11223	72.6		
Total		15458	100.0		

Section D

CCU3509 D43j: In past year, frequency: hurt or injured animals or birds on purpose

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4211	27.2	99.4	99.4
	2 Once	15	.1	.4	99.7
	3 2-5 times	4	.0	.1	99.8
	4 6 or more	8	.1	.2	100.0
Missing	Total	4238	27.4	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Total	-1 NS/NA	37	.2		
	Total	11220	72.6		
		15458	100.0		

CCU3510 D43k: In past year, frequency: carried a knife or other weapon with you for protection or in case it was needed in a fight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4200	27.2	99.0	99.0
	2 Once	24	.2	.6	99.6
	3 2-5 times	10	.1	.2	99.8
	4 6 or more	8	.1	.2	100.0
Missing	Total	4242	27.4	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
Total	-1 NS/NA	33	.2		
	Total	11216	72.6		
		15458	100.0		

CCU3511 D43l: In past year, frequency: used a cheque book, credit card or cash point card which they knew or suspected to be stolen to get money out of a bank account or to purchase something

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	4236	27.4	99.8	99.8
	2 Once	4	.0	.1	99.9
	3 2-5 times	5	.0	.1	100.0
	Total	4245	27.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-9 Missed whole Section D	67	.4		
	-1 NS/NA	30	.2		
Total	Total	11213	72.5		
		15458	100.0		

Section E: Education, Employment and Training

We know that you have been asked questions about your qualifications in the past. We are asking this again to be sure that we are up to date with those amongst you who have undertaken more studying, gone back to studying or returned for retakes since the last time we asked at age 18/19.

Please answer this question even if nothing has changed since you last provided this information for us.

E1. Which qualifications do you have? (For each of these statements listed below please cross one box to indicate whether or not this applies to you.)

	Yes	No
a) Degree-level qualification including foundation degrees, graduate membership of a professional institute, PGCE, or higher	1 <input type="checkbox"/>	2 <input type="checkbox"/>
b) HNC/HND	1 <input type="checkbox"/>	2 <input type="checkbox"/>
c) ONC/OND	1 <input type="checkbox"/>	2 <input type="checkbox"/>
d) BTEC/EdExcel/LQL	1 <input type="checkbox"/>	2 <input type="checkbox"/>
e) SCOTVEC, SCOTEC or SCOTBEC	1 <input type="checkbox"/>	2 <input type="checkbox"/>
f) Teaching qualification (excluding PGCE)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
g) Nursing or other medical qualification not yet mentioned	1 <input type="checkbox"/>	2 <input type="checkbox"/>
h) A-level/Vocational A-level/GCE in applied subjects or equivalents	1 <input type="checkbox"/>	2 <input type="checkbox"/>
i) New Diploma	1 <input type="checkbox"/>	2 <input type="checkbox"/>
j) Welsh Baccalaureate	1 <input type="checkbox"/>	2 <input type="checkbox"/>
k) International Baccalaureate	1 <input type="checkbox"/>	2 <input type="checkbox"/>
l) NVQ/SVQ	1 <input type="checkbox"/>	2 <input type="checkbox"/>
m) GNVQ/GSVQ	1 <input type="checkbox"/>	2 <input type="checkbox"/>
n) AS-level/Vocational AS-level or equivalent	1 <input type="checkbox"/>	2 <input type="checkbox"/>

42636



Section E

	Yes	No
o) Access to HE	1 <input type="checkbox"/>	2 <input type="checkbox"/>
p) Standard Grade (Scotland)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
q) GCSE/Vocational GCSE or equivalent	1 <input type="checkbox"/>	2 <input type="checkbox"/>
r) Advanced Higher/Higher (Scotland)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
s) Intermediate/Access qualifications. (Scotland)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
t) RSA/OCR	1 <input type="checkbox"/>	2 <input type="checkbox"/>
u) City & Guilds	1 <input type="checkbox"/>	2 <input type="checkbox"/>
v) Key Skills/Core Skills (Scotland)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
w) Basic Skills (Skills for life/literacy/numeracy/language)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
x) Entry-Level Qualifications	1 <input type="checkbox"/>	2 <input type="checkbox"/>
y) Any other professional/work-related qualification/ foreign qualifications	1 <input type="checkbox"/>	2 <input type="checkbox"/>

Section E

Section E

CCU4000 E1a: Has degree-level qualification including foundation degrees, graduate membership of a professional institute, PGCE, or higher

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	984	6.4	24.9	24.9
	2 No	2965	19.2	75.1	100.0
	Total	3949	25.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	393	2.5		
	Total	11509	74.5		
Total		15458	100.0		

CCU4001 E1b: HNC/HND qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	92	.6	2.4	2.4
	2 No	3689	23.9	97.6	100.0
	Total	3781	24.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	561	3.6		
	Total	11677	75.5		
Total		15458	100.0		

CCU4002 E1c: ONC/OND qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	61	.4	1.6	1.6
	2 No	3695	23.9	98.4	100.0
	Total	3756	24.3	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	586	3.8		
	Total	11702	75.7		
Total		15458	100.0		

CCU4003 E1d: BTEC/EdExcel/LQL qualification

This variable is not available due to a system error.

Section E

CCU4004 E1e: SCOTVEC, SCOTEC or SCOTBEC qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5	.0	.1	.1
	2 No	3728	24.1	99.9	100.0
	Total	3733	24.1	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	609	3.9		
Total	Total	11725	75.9		
		15458	100.0		

CCU4005 E1f: Teaching qualification (excluding PGCE) qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	58	.4	1.5	1.5
	2 No	3746	24.2	98.5	100.0
	Total	3804	24.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	538	3.5		
Total	Total	11654	75.4		
		15458	100.0		

CCU4006 E1g: Nursing or other medical qualification not yet mentioned qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	106	.7	2.8	2.8
	2 No	3685	23.8	97.2	100.0
	Total	3791	24.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	551	3.6		
Total	Total	11667	75.5		
		15458	100.0		

CCU4007 E1h: A-level/Vocational A-level/GCE in applied subjects or equivalents qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3166	20.5	77.2	77.2
	2 No	937	6.1	22.8	100.0
	Total	4103	26.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	239	1.5		
Total	Total	11355	73.5		
		15458	100.0		

Section E

CCU4008 E1i: New Diploma qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	276	1.8	7.2	7.2
	2 No	3540	22.9	92.8	100.0
	Total	3816	24.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	526	3.4		
Total		11642	75.3		
Total		15458	100.0		

CCU4009 E1j: Welsh Baccalaureate qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.1	.4	.4
	2 No	3767	24.4	99.6	100.0
	Total	3781	24.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	561	3.6		
Total		11677	75.5		
Total		15458	100.0		

CCU4010 E1k: International Baccalaureate qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	56	.4	1.5	1.5
	2 No	3731	24.1	98.5	100.0
	Total	3787	24.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	555	3.6		
Total		11671	75.5		
Total		15458	100.0		

CCU4011 E1l: NVQ/SVQ qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	958	6.2	24.7	24.7
	2 No	2919	18.9	75.3	100.0
	Total	3877	25.1	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	465	3.0		
Total		11581	74.9		
Total		15458	100.0		

Section E

CCU4012 E1m: GNVQ/GSVQ qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	156	1.0	4.1	4.1
	2 No	3612	23.4	95.9	100.0
	Total	3768	24.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	574	3.7		
Total	Total	11690	75.6		
		15458	100.0		

CCU4013 E1n: AS-level/Vocational AS-level or equivalent qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2882	18.6	71.5	71.5
	2 No	1148	7.4	28.5	100.0
	Total	4030	26.1	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	312	2.0		
Total	Total	11428	73.9		
		15458	100.0		

CCU4014 E1o: Access to HE qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	375	2.4	9.9	9.9
	2 No	3397	22.0	90.1	100.0
	Total	3772	24.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	570	3.7		
Total	Total	11686	75.6		
		15458	100.0		

CCU4015 E1p: Standard Grade (Scotland) qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	24	.2	.6	.6
	2 No	3708	24.0	99.4	100.0
	Total	3732	24.1	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	610	3.9		
Total	Total	11726	75.9		
		15458	100.0		

Section E

CCU4016 E1q: GCSE/Vocational GCSE or equivalent qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3815	24.7	92.2	92.2
	2 No	323	2.1	7.8	100.0
	Total	4138	26.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	204	1.3		
Total		11320	73.2		
Total		15458	100.0		

CCU4017 E1r: Advanced Higher/Higher (Scotland) qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	26	.2	.7	.7
	2 No	3731	24.1	99.3	100.0
	Total	3757	24.3	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	585	3.8		
Total		11701	75.7		
Total		15458	100.0		

CCU4018 E1s: Intermediate/Access qualifications. (Scotland) qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	15	.1	.4	.4
	2 No	3745	24.2	99.6	100.0
	Total	3760	24.3	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	582	3.8		
Total		11698	75.7		
Total		15458	100.0		

CCU4019 E1t: RSA/OCR qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	141	.9	3.7	3.7
	2 No	3623	23.4	96.3	100.0
	Total	3764	24.3	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	578	3.7		
Total		11694	75.7		
Total		15458	100.0		

Section E

CCU4020 E1u: City & Guilds qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	494	3.2	13.0	13.0
	2 No	3312	21.4	87.0	100.0
	Total	3806	24.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	536	3.5		
	Total	11652	75.4		
Total		15458	100.0		

CCU4021 E1v: Key Skills/Core Skills (Scotland) qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	430	2.8	11.3	11.3
	2 No	3375	21.8	88.7	100.0
	Total	3805	24.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	537	3.5		
	Total	11653	75.4		
Total		15458	100.0		

CCU4022 E1w: Basic Skills (Skills for life/literacy/numeracy/language) qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1227	7.9	32.0	32.0
	2 No	2604	16.8	68.0	100.0
	Total	3831	24.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	511	3.3		
	Total	11627	75.2		
Total		15458	100.0		

CCU4023 E1x: Entry-Level Qualifications qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	631	4.1	16.7	16.7
	2 No	3154	20.4	83.3	100.0
	Total	3785	24.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	557	3.6		
	Total	11673	75.5		
Total		15458	100.0		

Section E

CCU4024 E1y: Any other professional/work-related qualification/foreign qualifications

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	874	5.7	22.7	22.7
	2 No	2969	19.2	77.3	100.0
	Total	3843	24.9	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	499	3.2		
	Total	11615	75.1		
Total		15458	100.0		

Section E

CCU4030 E2a: Lives with father/stepfather (including mother's partner)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1705	11.0	41.8	41.8
	2 No	2372	15.3	58.2	100.0
	Total	4077	26.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	265	1.7		
Total		11381	73.6		
Total		15458	100.0		

CCU4031 E2b: Lives with mother/stepmother (including father's partner)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1925	12.5	47.2	47.2
	2 No	2156	13.9	52.8	100.0
	Total	4081	26.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	261	1.7		
Total		11377	73.6		
Total		15458	100.0		

CCU4032 E2c: Lives with partner's mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	67	.4	1.7	1.7
	2 No	3801	24.6	98.3	100.0
	Total	3868	25.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	474	3.1		
Total		11590	75.0		
Total		15458	100.0		

Section E

E2. Do you live with any of the following people? If you are a student please answer the question about the people you live with during term time. (For each of these statements listed below please cross one box to indicate whether or not this applies to you.)

	Yes	No
a) Father/stepfather (including mother's partner)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
b) Mother/stepmother (including father's partner)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
c) Your partner's mother	1 <input type="checkbox"/>	2 <input type="checkbox"/>
d) Your partner's father	1 <input type="checkbox"/>	2 <input type="checkbox"/>
e) Brothers or sisters	1 <input type="checkbox"/>	2 <input type="checkbox"/>
f) Husband, wife or partner	1 <input type="checkbox"/>	2 <input type="checkbox"/>
g) Your own child/children	1 <input type="checkbox"/>	2 <input type="checkbox"/>
h) Any other relatives	1 <input type="checkbox"/>	2 <input type="checkbox"/>
i) Friends/housemates	1 <input type="checkbox"/>	2 <input type="checkbox"/>
j) In halls of residence	1 <input type="checkbox"/>	2 <input type="checkbox"/>
k) Anyone else you have not told us about already (please write their relationship to you below)	1 <input type="checkbox"/>	2 <input type="checkbox"/>

The section below is about your current occupation.

E3. Are you currently in employment or doing any education or training?

Yes 1 No 2 → If no, go to E6

42636



Section E

CCU4033 E2d: Lives with partner's father

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	49	.3	1.3	1.3
	2 No	3817	24.7	98.7	100.0
	Total	3866	25.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	476	3.1		
Total	Total	11592	75.0		
		15458	100.0		

CCU4034 E2e: Lives with brothers or sisters

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1542	10.0	38.3	38.3
	2 No	2479	16.0	61.7	100.0
	Total	4021	26.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	321	2.1		
Total	Total	11437	74.0		
		15458	100.0		

CCU4035 E2f: Lives with husband, wife or partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	481	3.1	12.2	12.2
	2 No	3457	22.4	87.8	100.0
	Total	3938	25.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	404	2.6		
Total	Total	11520	74.5		
		15458	100.0		

CCU4036 E2g: Lives with their own child/children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	148	1.0	3.8	3.8
	2 No	3768	24.4	96.2	100.0
	Total	3916	25.3	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	426	2.8		
Total	Total	11542	74.7		
		15458	100.0		

Section E

CCU4037 E2h: Lives with any other relatives

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	101	.7	2.6	2.6
	2 No	3802	24.6	97.4	100.0
	Total	3903	25.2	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	439	2.8		
	Total	11555	74.8		
Total		15458	100.0		

CCU4038 E2i: Lives with friends/housemates

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1790	11.6	44.8	44.8
	2 No	2210	14.3	55.3	100.0
	Total	4000	25.9	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	342	2.2		
	Total	11458	74.1		
Total		15458	100.0		

CCU4039 E2j: Lives in halls of residence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	336	2.2	8.6	8.6
	2 No	3571	23.1	91.4	100.0
	Total	3907	25.3	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	435	2.8		
	Total	11551	74.7		
Total		15458	100.0		

CCU4040 E2k: Lives with anyone else they have not told us about already

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	106	.7	2.9	2.9
	2 No	3600	23.3	97.1	100.0
	Total	3706	24.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	636	4.1		
	Total	11752	76.0		
Total		15458	100.0		

Section E

E4. Which of the following options best describes your main educational or training activity at the moment? (Please cross one box only.)

- 1 Full-time education
- 2 Part-time education
- 3 On a full-time training course, not as part of a job
- 4 On a full-time training course as part of a job
- 5 On a part-time training course, not as part of a job
- 6 On a part-time training course as part of a job
- 7 Not engaged in any education or training

E5. Which of the following options best describes your main work activity at the moment? (Please cross one box only.)

- 1 Full-time paid work (30 or more hours a week)
- 2 Part-time paid work (less than 30 hours a week)
- 3 (Modern) apprenticeship (Foundation or Advanced), or other government support training/ work-experience scheme such as Entry to Employment (E2E). Please describe:

- 4 Unemployed and looking for work
- 5 Not working at all because in full-time education
- 6 Something else. Please describe:

If you are engaged in any form of education, training or employment, please go to question E7. If not, please go to question E6.



Section E

CCU4050 E3: Currently in employment or doing any education or training

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3804	24.6	91.8	91.8
	2 No	342	2.2	8.2	100.0
	Total	4146	26.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	196	1.3		
	Total	11312	73.2		
Total		15458	100.0		

CCU4051 E3X: Currently in full-time education (Online only)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1491	9.6	64.4	64.4
	2 No	823	5.3	35.6	100.0
	Total	2314	15.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Question not asked	1728	11.2		
	-1 NS/NA	300	1.9		
	Total	13144	85.0		
	Total	15458	100.0		

CCU4055 E4: Main educational or training activity at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Full-time education	2278	14.7	61.0	61.0
	2 Part-time education	102	.7	2.7	63.7
	3 On a full-time training course, not as part of a job	18	.1	.5	64.2
	4 On a full-time training course as part of a job	132	.9	3.5	67.7
	5 On a part-time training course, not as part of a job	33	.2	.9	68.6
	6 On a part-time training course as part of a job	181	1.2	4.8	73.4
	7 Not engaged in any education or training	993	6.4	26.6	100.0
	Total	3737	24.2	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	605	3.9		
	Total	11721	75.8		
Total		15458	100.0		

Section E

CCU4060 E5: Main work activity at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Full-time paid work (30 or more hours a week)	1209	7.8	47.9	47.9
	2 Part-time paid work (less than 30 hours a week)	539	3.5	21.4	69.3
	3 (Modern) apprenticeship, or other government support training/work-experience scheme such as Entry to Employment (E2E)	72	.5	2.9	72.1
	4 Unemployed and looking for work	35	.2	1.4	73.5
	5 Not working at all because in full-time education	515	3.3	20.4	93.9
	6 Something else				
	Total				
Missing	-11 triplet or quadruplet	153	1.0	6.1	100.0
	-10 Not completed	2523	16.3		
	-1 NS/NA	13	.1		
	Total	11103	71.8		
Total		1819	11.8		
		16975	98.7		

CCU4070 E6a: Currently taking a break from study (i.e. gap year)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	89	.6	7.2	7.2
	2 No	1147	7.4	92.8	100.0
	Total	1236	8.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3106	20.1		
	Total	14222	92.0		
Total		15458	100.0		

CCU4071 E6b: Needs more qualifications and skills to get a job or education or training place

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	265	1.7	21.8	21.8
	2 No	951	6.2	78.2	100.0
	Total	1216	7.9	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3126	20.2		
	Total	14242	92.1		
Total		15458	100.0		

Section E

E6. For many people there are things outside their control which make it difficult for them to be in education, training or employment. Others choose not to be doing these activities because they want to do something else. For each of these statements listed below please cross one box to indicate whether or not this applies to you.

	Yes	No
a) Currently taking a break from study (i.e. gap year)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
b) Need more qualifications and skills to get a job or education or training place	1 <input type="checkbox"/>	2 <input type="checkbox"/>
c) Currently looking after the home or children	1 <input type="checkbox"/>	2 <input type="checkbox"/>
d) Currently looking after other family members such as a parent or other relative	1 <input type="checkbox"/>	2 <input type="checkbox"/>
e) Poor health or a disability (long-term sick/disability)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
f) Housing problems	1 <input type="checkbox"/>	2 <input type="checkbox"/>
g) Family problems	1 <input type="checkbox"/>	2 <input type="checkbox"/>
h) Would find it difficult to travel to work or college because of poor transport where I live	1 <input type="checkbox"/>	2 <input type="checkbox"/>
i) Would be worse off financially in work or on a course	1 <input type="checkbox"/>	2 <input type="checkbox"/>
j) There are no decent jobs or courses available where I live	1 <input type="checkbox"/>	2 <input type="checkbox"/>
k) Not yet decided what sort of job or course I want to do	1 <input type="checkbox"/>	2 <input type="checkbox"/>
l) Not found a suitable job or course	1 <input type="checkbox"/>	2 <input type="checkbox"/>
m) Other reasons (please describe)	1 <input type="checkbox"/>	2 <input type="checkbox"/>

Please go to E13



Section E

CCU4072 E6c: Currently looking after the home or children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	83	.5	6.8	6.8
	2 No	1134	7.3	93.2	100.0
	Total	1217	7.9	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3125	20.2		
Total	Total	14241	92.1		
		15458	100.0		

CCU4073 E6d: Currently looking after other family members such as a parent or other relative

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	16	.1	1.3	1.3
	2 No	1197	7.7	98.7	100.0
	Total	1213	7.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3129	20.2		
Total	Total	14245	92.2		
		15458	100.0		

CCU4074 E6e: Has poor health or a disability (long-term sick/disability)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	47	.3	3.9	3.9
	2 No	1164	7.5	96.1	100.0
	Total	1211	7.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3131	20.3		
Total	Total	14247	92.2		
		15458	100.0		

CCU4075 E6f: Has housing problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.1	1.2	1.2
	2 No	1190	7.7	98.8	100.0
	Total	1204	7.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3138	20.3		
Total	Total	14254	92.2		
		15458	100.0		

Section E

CCU4076 E6g: Has family problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	36	.2	3.0	3.0
	2 No	1165	7.5	97.0	100.0
	Total	1201	7.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3141	20.3		
Total		14257	92.2		
Total		15458	100.0		

CCU4077 E6h: Would find it difficult to travel to work or college because of poor transport where they live

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	42	.3	3.5	3.5
	2 No	1159	7.5	96.5	100.0
	Total	1201	7.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3141	20.3		
Total		14257	92.2		
Total		15458	100.0		

CCU4078 E6i: Would be worse off financially in work or on a course

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	56	.4	4.7	4.7
	2 No	1135	7.3	95.3	100.0
	Total	1191	7.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3151	20.4		
Total		14267	92.3		
Total		15458	100.0		

CCU4079 E6j: There are no decent jobs or courses available where they live

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	116	.8	9.7	9.7
	2 No	1076	7.0	90.3	100.0
	Total	1192	7.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3150	20.4		
Total		14266	92.3		
Total		15458	100.0		

Section E

CCU4080 E6k: Not yet decided what sort of job or course they want to do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	186	1.2	15.6	15.6
	2 No	1005	6.5	84.4	100.0
	Total	1191	7.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3151	20.4		
	Total	14267	92.3		
Total		15458	100.0		

CCU4081 E6l: Not found a suitable job or course

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	164	1.1	13.8	13.8
	2 No	1025	6.6	86.2	100.0
	Total	1189	7.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3153	20.4		
	Total	14269	92.3		
Total		15458	100.0		

CCU4082 E6m: Other reasons not in education/training/employment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	88	.6	8.1	8.1
	2 No	996	6.4	91.9	100.0
	Total	1084	7.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3258	21.1		
	Total	14374	93.0		
Total		15458	100.0		

Section E

E7. The section below is about your employment. If you are currently in full-time education (even if you have a part-time job), please go to question E13.

We would like to know more about your main work activity. If you are temporarily sick or on holiday, please mark your usual activity. (For each question, please cross one box only).

In your job, do you have any formal responsibility for supervising the work of other employees? Do not include supervising children (e.g. teacher).

Yes 1 2 No 2

E8. How many people work for the employer in the place where you work?

1 1 - 9 2 10 - 24 3 25 - 499 4 500 or more

E9. If self-employed, do you work on your own or do you have employees?

1 Not self-employed 2 On own/with business partner, but no employees
 3 With employees

E10. Please describe the current or most recent job held by yourself. (If you have more than one job, please describe your main role. This could be the job where you earn most money or work most hours at or the job that you feel will help you most in the future. It is completely up to you to decide what you consider to be your main role).

Use precise terms such as Primary Teacher, Laboratory Technician, Care Assistant, Mortgage adviser, Bus Driver, Software Developer, Call Centre Operator. If the occupation is known by a special name, please use that name. If in HM Forces, give the rank in addition to actual job. Please also describe the type of industry or service given and give details of what is made, materials used or service given.

a) What is the title of your job?

b) What is the business/ industry?

42636



Section E

c) Please describe the main things you do in this job.

d) When did you start this job?

Month	Year						
<table border="1" style="width: 100%;"><tr><td style="width: 25px;"></td><td style="width: 25px;"></td></tr></table>			<table border="1" style="width: 100%;"><tr><td style="width: 25px;"></td><td style="width: 25px;"></td><td style="width: 25px;"></td><td style="width: 25px;"></td></tr></table>				

E11. What is your total take-home pay each month (after tax and national insurance are removed as appropriate)? If possible, please refer to a recent payslip. If this is not possible, please estimate. (Please cross only one box.)

1 £1 - £199

2 £200 - £299

3 £300 - £399

4 £400 - £599

5 £600 - £899

6 £900 - £1149

7 £1150 - £1499

8 £1500 and above

9 Not doing paid work

E12. In your main job, how many hours per week (including paid and unpaid overtime) do you usually work?

--	--	--

(hours per week)

E13. In this next section, we are interested in your employment history. This includes your current job and any part-time work you may have or have had in the past. Please complete for the three most recent paid jobs you have had. If you have only had one or two jobs in the past, please complete the sections that apply to you:

a) Have you ever been employed? Yes No → **If no, go to E14**

b)

Month	Year				
<table border="1" style="width: 100%;"><tr><td style="width: 25px;"></td><td style="width: 25px;"></td></tr></table>			<table border="1" style="width: 100%;"><tr><td style="width: 25px;"></td><td style="width: 25px;"></td></tr></table>		

(i) From

(iii) Job title and the main things you did

(ii) To

Month	Year				
<table border="1" style="width: 100%;"><tr><td style="width: 25px;"></td><td style="width: 25px;"></td></tr></table>			<table border="1" style="width: 100%;"><tr><td style="width: 25px;"></td><td style="width: 25px;"></td></tr></table>		

(iv) Is this job ongoing?

Yes No



Section E

c)

(i) From Month Year

(ii) To Month Year

(iv) Is this job ongoing? Yes

(iii) Job title and the main things you did

No

d)

(i) From Month Year

(ii) To Month Year

(iv) Is this job ongoing? Yes

(iii) Job title and the main things you did

No

E14. This question is about your unemployment history. Please complete for the three most recent periods when you have been unemployed (not in full-time study).

a) Have you ever been unemployed? Yes No → **If no, go to E17**

(i)

b) From Month Year

(ii)

To Month Year

c) From Month Year

To Month Year

d) From Month Year

To Month Year

E15. Were you claiming any State Benefits or Tax Credits (including State Pension, Allowances, Child Benefit or National Insurance Credits) in the week ending this Sunday?

Yes ¹

No ² → **If no, go to E17**

42636



Section E

E16. If yes, which of the following types of benefit or Tax Credits were you claiming?

	Yes	No
a) Unemployment-related benefits	1 <input type="checkbox"/>	2 <input type="checkbox"/>
b) Income Support (not as an unemployed person)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
c) Sickness or Disability benefits (Disability Living Allowance, Employment and Support Allowance; not including tax credits)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
d) Child Benefit	1 <input type="checkbox"/>	2 <input type="checkbox"/>
e) Housing, or Council Tax Benefit (GB only) Rent or rate rebate (NI only)	1 <input type="checkbox"/>	2 <input type="checkbox"/>
f) Tax Credits	1 <input type="checkbox"/>	2 <input type="checkbox"/>
g) Other (please describe)	1 <input type="checkbox"/>	2 <input type="checkbox"/>

E17. During the last four weeks have you done any of these activities?

	Yes - once	Yes - more than once	No
a) Given money to charity	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b) Sponsored a friend who was raising money for charity	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c) Given money directly to people begging on the street	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d) Given unpaid help to a charity, group, club or organization (outside of your main employment)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e) Given unpaid help to other people (e.g. a friend, neighbour or someone else but not a relative)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>



Section E

CCU4100 E7: Has formal responsibility for supervising the work of other employees

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	464	3.0	27.0	27.0
	2 No	1253	8.1	73.0	100.0
	Total	1717	11.1	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	2625	17.0		
Total		13741	88.9		
Total		15458	100.0		

CCU4101 E8: Number of people who work for the employer in workplace

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1 - 9	373	2.4	22.5	22.5
	2 10 - 24	380	2.5	22.9	45.5
	3 25 - 499	632	4.1	38.2	83.6
Missing	4 500 or more	271	1.8	16.4	100.0
	Total	1656	10.7	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-1 NS/NA	2686	17.4		
	Total	13802	89.3		
Total		15458	100.0		

CCU4102 E9: Self-employed with or without employees

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not self-employed	1219	7.9	88.8	88.8
	2 On own/with business partner, but no employees	76	.5	5.5	94.3
	3 With employees	78	.5	5.7	100.0
Missing	Total	1373	8.9	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
Missing	-1 NS/NA	2969	19.2		
	Total	14085	91.1		
	Total	15458	100.0		

Section E

CCU4110 E10dmm: Started job: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	132	.9	8.0	8.0
	2	93	.6	5.6	13.7
	3	89	.6	5.4	19.1
	4	110	.7	6.7	25.7
	5	103	.7	6.3	32.0
	6	113	.7	6.9	38.8
	7	101	.7	6.1	45.0
	8	171	1.1	10.4	55.3
	9	334	2.2	20.3	75.6
	10	181	1.2	11.0	86.6
	11	138	.9	8.4	95.0
	12	83	.5	5.0	100.0
	Total	1648	10.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	1	.0		
	-1 NS/NA	2693	17.4		
	Total	13810	89.3		
Total		15458	100.0		

CCU4111 E10dy: Started job: Year


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2002	1	.0	.1	.1
	2005	2	.0	.1	.2
	2006	3	.0	.2	.4
	2007	34	.2	2.0	2.4
	2008	98	.6	5.9	8.3
	2009	151	1.0	9.1	17.4
	2010	250	1.6	15.1	32.5
	2011	336	2.2	20.2	52.7
	2012	699	4.5	42.1	94.8
	2013	86	.6	5.2	100.0
	Total	1660	10.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	2682	17.4		
	Total	13798	89.3		
	Total	15458	100.0		

Section E

CCU4115 E11: Total take-home pay each month (after tax and NI)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 £1 - £199	71	.5	4.2	4.2
	2 £200 - £299	120	.8	7.2	11.4
	3 £300 - £399	117	.8	7.0	18.4
	4 £400 - £599	186	1.2	11.1	29.5
	5 £600 - £899	388	2.5	23.2	52.7
	6 £900 - £1149	414	2.7	24.7	77.4
	7 £1150 - £1499	265	1.7	15.8	93.2
	8 £1500 and above	81	.5	4.8	98.1
	9 Not doing paid work	32	.2	1.9	100.0
	Total	1674	10.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	2668	17.3		
Total	Total	13784	89.2		
		15458	100.0		

CCU4116 E12: Number of hours p/w usually worked in main job (inc. paid and unpaid overtime)



Section E

CCU4118 E13a: Ever been employed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3820	24.7	92.4	92.4
	2 No	312	2.0	7.6	100.0
	Total	4132	26.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	210	1.4		
	Total	11326	73.3		
Total		15458	100.0		

CCU4120 E13bimm: Started job: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	199	1.3	5.5	5.5
	2	134	.9	3.7	9.2
	3	156	1.0	4.3	13.5
	4	182	1.2	5.0	18.5
	5	247	1.6	6.8	25.4
	6	524	3.4	14.5	39.8
	7	402	2.6	11.1	50.9
	8	353	2.3	9.7	60.7
	9	628	4.1	17.3	78.0
	10	367	2.4	10.1	88.2
	11	275	1.8	7.6	95.7
	12	154	1.0	4.3	100.0
	Total	3621	23.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	1	.0		
	-1 NS/NA	720	4.7		
	Total	11837	76.6		
Total		15458	100.0		

CCU4121 E13biyy: Started job: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2002	1	.0	.0	.0
	2003	9	.1	.2	.3
	2004	6	.0	.2	.4
	2005	24	.2	.7	1.1
	2006	74	.5	2.0	3.1
	2007	270	1.7	7.3	10.4
	2008	577	3.7	15.7	26.1
	2009	512	3.3	13.9	40.0
	2010	622	4.0	16.9	56.9
	2011	582	3.8	15.8	72.7
	2012	972	6.3	26.4	99.1
	2013	32	.2	.9	100.0
	Total	3681	23.8	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	1	.0		
	-1 NS/NA	660	4.3		
Total		11777	76.2		
Total		15458	100.0		

Section E

CCU4130 E13biimm: Finished job: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	296	1.9	10.1	10.1
	2	209	1.4	7.1	17.2
	3	151	1.0	5.2	22.4
	4	124	.8	4.2	26.6
	5	112	.7	3.8	30.4
	6	153	1.0	5.2	35.6
	7	199	1.3	6.8	42.4
	8	334	2.2	11.4	53.8
	9	592	3.8	20.2	74.0
	10	179	1.2	6.1	80.1
	11	117	.8	4.0	84.1
	12	466	3.0	15.9	100.0
	Total	2932	19.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	8	.1		
	-1 NS/NA	1402	9.1		
	Total	12526	81.0		
Total		15458	100.0		

CCU4131 E13biyy: Finished job: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2004	1	.0	.0	.0
	2005	3	.0	.1	.1
	2006	7	.0	.2	.4
	2007	27	.2	.9	1.3
	2008	81	.5	2.7	4.0
	2009	187	1.2	6.2	10.2
	2010	426	2.8	14.2	24.4
	2011	572	3.7	19.1	43.6
	2012	1185	7.7	39.6	83.1
	2013	505	3.3	16.9	100.0
	Total	2994	19.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	3	.0		
	-1 NS/NA	1345	8.7		
	Total	12464	80.6		
Total		15458	100.0		

Section E

CCU4135 E13biv: Job ongoing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1459	9.4	41.2	41.2
	2 No	2086	13.5	58.8	100.0
	Total	3545	22.9	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	797	5.2		
	Total	11913	77.1		
Total		15458	100.0		

CCU4140 E13cimm: Started job: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	147	1.0	5.9	5.9
	2	120	.8	4.8	10.6
	3	126	.8	5.0	15.7
	4	155	1.0	6.2	21.8
	5	185	1.2	7.4	29.2
	6	328	2.1	13.1	42.3
	7	252	1.6	10.0	52.3
	8	212	1.4	8.4	60.8
	9	454	2.9	18.1	78.8
	10	242	1.6	9.6	88.5
	11	170	1.1	6.8	95.3
	12	119	.8	4.7	100.0
	Total	2510	16.2	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1832	11.9		
	Total	12948	83.8		
Total		15458	100.0		

CCU4141 E13ciyy: Started job: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2001	1	.0	.0	.0
	2003	2	.0	.1	.1
	2004	3	.0	.1	.2
	2005	20	.1	.8	1.0
	2006	34	.2	1.3	2.3
	2007	110	.7	4.3	6.7
	2008	274	1.8	10.7	17.4
	2009	352	2.3	13.8	31.2
	2010	561	3.6	22.0	53.1
	2011	639	4.1	25.0	78.2
	2012	529	3.4	20.7	98.9
	2013	29	.2	1.1	100.0
	Total	2554	16.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	1	.0		
	-1 NS/NA	1787	11.6		
	Total	12904	83.5		
Total		15458	100.0		

Section E

CCU4150 E13ciimm: Finished job: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	202	1.3	9.2	9.2
	2	134	.9	6.1	15.3
	3	93	.6	4.2	19.6
	4	112	.7	5.1	24.7
	5	118	.8	5.4	30.1
	6	165	1.1	7.5	37.6
	7	174	1.1	7.9	45.5
	8	273	1.8	12.4	58.0
	9	438	2.8	20.0	77.9
	10	132	.9	6.0	83.9
	11	104	.7	4.7	88.7
	12	248	1.6	11.3	100.0
	Total	2193	14.2	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	3	.0		
	-1 NS/NA	2146	13.9		
	Total	13265	85.8		
Total		15458	100.0		

CCU4151 E13ciyy: Finished job: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2005	1	.0	.0	.0
	2006	6	.0	.3	.3
	2007	14	.1	.6	.9
	2008	60	.4	2.7	3.6
	2009	146	.9	6.5	10.2
	2010	363	2.3	16.2	26.4
	2011	624	4.0	27.9	54.3
	2012	849	5.5	38.0	92.3
	2013	172	1.1	7.7	100.0
	Total	2235	14.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	2107	13.6		
	Total	13223	85.5		
	Total	15458	100.0		

CCU4155 E13civ: Job ongoing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	612	4.0	24.9	24.9
	2 No	1850	12.0	75.1	100.0
	Total	2462	15.9	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	1880	12.2		
	Total	12996	84.1		
	Total	15458	100.0		

Section E

CCU4160 E13dimm: Started job: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	109	.7	7.5	7.5
	2	77	.5	5.3	12.7
	3	47	.3	3.2	15.9
	4	110	.7	7.5	23.5
	5	103	.7	7.0	30.5
	6	210	1.4	14.4	44.9
	7	122	.8	8.4	53.3
	8	129	.8	8.8	62.1
	9	236	1.5	16.2	78.2
	10	140	.9	9.6	87.8
	11	105	.7	7.2	95.0
	12	73	.5	5.0	100.0
	Total	1461	9.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	2861	18.5		
	Total	13997	90.5		
Total		15458	100.0		

CCU4161 E13diyy: Started job: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2002	2	.0	.1	.1
	2004	5	.0	.3	.5
	2005	15	.1	1.0	1.5
	2006	36	.2	2.4	3.9
	2007	85	.5	5.7	9.7
	2008	190	1.2	12.8	22.5
	2009	203	1.3	13.7	36.2
	2010	305	2.0	20.6	56.8
	2011	315	2.0	21.3	78.1
	2012	305	2.0	20.6	98.6
	2013	20	.1	1.4	100.0
	Total	1481	9.6	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	2861	18.5		
	Total	13977	90.4		
Total		15458	100.0		

Section E

CCU4170 E13diimm: Finished job: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	96	.6	7.6	7.6
	2	94	.6	7.5	15.1
	3	70	.5	5.6	20.6
	4	67	.4	5.3	26.0
	5	80	.5	6.3	32.3
	6	95	.6	7.5	39.8
	7	105	.7	8.3	48.2
	8	151	1.0	12.0	60.2
	9	230	1.5	18.3	78.4
	10	57	.4	4.5	82.9
	11	55	.4	4.4	87.3
	12	160	1.0	12.7	100.0
	Total	1260	8.2	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	1	.0		
	-1 NS/NA	3081	19.9		
	Total	14198	91.8		
Total		15458	100.0		

CCU4171 E13diyy: Finished job: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2004	1	.0	.1	.1
	2006	5	.0	.4	.5
	2007	13	.1	1.0	1.5
	2008	78	.5	6.1	7.6
	2009	138	.9	10.8	18.3
	2010	273	1.8	21.3	39.6
	2011	314	2.0	24.5	64.1
	2012	359	2.3	28.0	92.0
	2013	102	.7	8.0	100.0
	Total	1283	8.3	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3059	19.8		
	Total	14175	91.7		
	Total	15458	100.0		

CCU4175 E13div: Job ongoing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	379	2.5	25.4	25.4
	2 No	1115	7.2	74.6	100.0
	Total	1494	9.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	2848	18.4		
	Total	13964	90.3		
	Total	15458	100.0		

Section E

CCU4200 E14a: Ever been unemployed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1312	8.5	32.5	32.5
	2 No	2722	17.6	67.5	100.0
	Total	4034	26.1	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	308	2.0		
	Total	11424	73.9		
Total		15458	100.0		

CCU4210 E14bimm: Unemployed from: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	129	.8	13.1	13.1
	2	44	.3	4.5	17.6
	3	37	.2	3.8	21.4
	4	39	.3	4.0	25.3
	5	63	.4	6.4	31.7
	6	132	.9	13.4	45.2
	7	122	.8	12.4	57.6
	8	81	.5	8.2	65.8
	9	152	1.0	15.5	81.3
	10	64	.4	6.5	87.8
	11	52	.3	5.3	93.1
	12	68	.4	6.9	100.0
	Total	983	6.4	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3359	21.7		
	Total	14475	93.6		
Total		15458	100.0		

CCU4211 E14biyy: Unemployed from: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2003	30	.2	3.1	3.1
	2004	1	.0	.1	3.2
	2005	1	.0	.1	3.3
	2006	1	.0	.1	3.4
	2007	14	.1	1.4	4.8
	2008	62	.4	6.3	11.1
	2009	115	.7	11.7	22.9
	2010	208	1.3	21.2	44.1
	2011	242	1.6	24.7	68.8
	2012	278	1.8	28.4	97.2
	2013	27	.2	2.8	100.0
	Total	979	6.3	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	10	.1		
	-1 NS/NA	3353	21.7		
Total		14479	93.7		
Total		15458	100.0		

Section E

CCU4220 E14biimm: Unemployed to: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	75	.5	8.1	8.1
	2	76	.5	8.2	16.2
	3	61	.4	6.6	22.8
	4	61	.4	6.6	29.4
	5	37	.2	4.0	33.3
	6	56	.4	6.0	39.4
	7	49	.3	5.3	44.6
	8	82	.5	8.8	53.4
	9	139	.9	14.9	68.4
	10	99	.6	10.6	79.0
	11	71	.5	7.6	86.7
	12	124	.8	13.3	100.0
	Total	930	6.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	3	.0		
	-1 NS/NA	3409	22.1		
	Total	14528	94.0		
Total		15458	100.0		

CCU4221 E14biyy: Unemployed to: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2002	1	.0	.1	.1
	2003	1	.0	.1	.2
	2005	1	.0	.1	.3
	2006	3	.0	.3	.6
	2007	3	.0	.3	1.0
	2008	24	.2	2.5	3.5
	2009	76	.5	8.1	11.6
	2010	150	1.0	15.9	27.5
	2011	186	1.2	19.7	47.2
	2012	371	2.4	39.4	86.6
	2013	126	.8	13.4	100.0
	Total	942	6.1	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	1	.0		
	-1 NS/NA	3399	22.0		
	Total	14516	93.9		
Total		15458	100.0		

Section E

CCU4230 E14cimm: Unemployed from: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	32	.2	13.5	13.5
	2	17	.1	7.2	20.7
	3	13	.1	5.5	26.2
	4	15	.1	6.3	32.5
	5	15	.1	6.3	38.8
	6	24	.2	10.1	48.9
	7	23	.1	9.7	58.6
	8	13	.1	5.5	64.1
	9	42	.3	17.7	81.9
	10	15	.1	6.3	88.2
	11	13	.1	5.5	93.7
	12	15	.1	6.3	100.0
	Total	237	1.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4105	26.6		
	Total	15221	98.5		
Total		15458	100.0		

CCU4231 E14ciyy: Unemployed from: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2003	1	.0	.4	.4
	2004	1	.0	.4	.8
	2007	1	.0	.4	1.3
	2008	9	.1	3.8	5.0
	2009	18	.1	7.5	12.6
	2010	45	.3	18.8	31.4
	2011	70	.5	29.3	60.7
	2012	86	.6	36.0	96.7
	2013	8	.1	3.3	100.0
	Total	239	1.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4103	26.5		
	Total	15219	98.5		
Total		15458	100.0		

Section E

CCU4240 E14ciimm: Unemployed to: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	11	.1	4.8	4.8
	2	21	.1	9.2	14.0
	3	14	.1	6.1	20.1
	4	17	.1	7.4	27.5
	5	11	.1	4.8	32.3
	6	22	.1	9.6	41.9
	7	16	.1	7.0	48.9
	8	17	.1	7.4	56.3
	9	32	.2	14.0	70.3
	10	17	.1	7.4	77.7
	11	19	.1	8.3	86.0
	12	32	.2	14.0	100.0
	Total	229	1.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4113	26.6		
	Total	15229	98.5		
Total		15458	100.0		

CCU4241 E14ciyy: Unemployed to: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2008	1	.0	.4	.4
	2009	10	.1	4.3	4.8
	2010	34	.2	14.8	19.6
	2011	62	.4	27.0	46.5
	2012	95	.6	41.3	87.8
	2013	28	.2	12.2	100.0
	Total	230	1.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4112	26.6		
	Total	15228	98.5		
Total		15458	100.0		

Section E

CCU4250 E14dimm: Unemployed from: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	13	.1	17.1	17.1
	2	5	.0	6.6	23.7
	3	2	.0	2.6	26.3
	4	2	.0	2.6	28.9
	5	1	.0	1.3	30.3
	6	7	.0	9.2	39.5
	7	6	.0	7.9	47.4
	8	7	.0	9.2	56.6
	9	14	.1	18.4	75.0
	10	6	.0	7.9	82.9
	11	5	.0	6.6	89.5
	12	8	.1	10.5	100.0
	Total	76	.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	1	.0		
	-1 NS/NA	4265	27.6		
	Total	15382	99.5		
Total		15458	100.0		

CCU4251 E14diyy: Unemployed from: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2003	2	.0	2.6	2.6
	2007	1	.0	1.3	3.9
	2008	6	.0	7.8	11.7
	2009	4	.0	5.2	16.9
	2010	21	.1	27.3	44.2
	2011	19	.1	24.7	68.8
	2012	19	.1	24.7	93.5
	2013	5	.0	6.5	100.0
	Total	77	.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	1	.0		
	-1 NS/NA	4264	27.6		
	Total	15381	99.5		
Total		15458	100.0		

Section E

CCU4260 E14diimm: Unemployed to: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	8	.1	11.0	11.0
	2	5	.0	6.8	17.8
	3	6	.0	8.2	26.0
	4	3	.0	4.1	30.1
	5	5	.0	6.8	37.0
	6	8	.1	11.0	47.9
	7	2	.0	2.7	50.7
	8	4	.0	5.5	56.2
	9	10	.1	13.7	69.9
	10	2	.0	2.7	72.6
	11	8	.1	11.0	83.6
	12	12	.1	16.4	100.0
Total		73	.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4269	27.6		
	Total	15385	99.5		
Total		15458	100.0		

CCU4261 E14diyy: Unemployed to: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2006	1	.0	1.4	1.4
	2007	1	.0	1.4	2.7
	2008	1	.0	1.4	4.1
	2009	5	.0	6.8	11.0
	2010	17	.1	23.3	34.2
	2011	18	.1	24.7	58.9
	2012	22	.1	30.1	89.0
	2013	8	.1	11.0	100.0
	Total	73	.5	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4269	27.6		
	Total	15385	99.5		
Total		15458	100.0		

CCU4300 E15: In past week (ending Sunday) claiming: State Benefits or Tax Credits (including State Pension, Allowances, Child Benefit or National Insurance Credits) in the week ending this Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	280	1.8	21.9	21.9
	2 No	998	6.5	78.1	100.0
	Total	1278	8.3	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	3064	19.8		
	Total	14180	91.7		
Total		15458	100.0		

Section E

CCU4310 E16a: In past week (ending Sunday) claiming: Unemployment-related benefits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	224	1.4	67.7	67.7
	2 No	107	.7	32.3	100.0
	Total	331	2.1	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4011	25.9		
Total	Total	15127	97.9		
		15458	100.0		

CCU4311 E16b: In past week (ending Sunday) claiming: Income Support (not as an unemployed person)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	58	.4	19.1	19.1
	2 No	246	1.6	80.9	100.0
	Total	304	2.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4038	26.1		
Total	Total	15154	98.0		
		15458	100.0		

CCU4312 E16c: In past week (ending Sunday) claiming: Sickness or Disability benefits (Disability Living Allowance, Employment and Support Allowance; not inc. tax credits)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	30	.2	10.0	10.0
	2 No	270	1.7	90.0	100.0
	Total	300	1.9	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4042	26.1		
Total	Total	15158	98.1		
		15458	100.0		

CCU4313 E16d: In past week (ending Sunday) claiming: Child Benefit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	66	.4	21.5	21.5
	2 No	241	1.6	78.5	100.0
	Total	307	2.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4035	26.1		
Total	Total	15151	98.0		
		15458	100.0		

Section E

CCU4314 E16e: In past week (ending Sunday) claiming: Housing, or Council Tax Benefit (GB only) Rent or rate rebate (NI only)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	80	.5	25.9	25.9
	2 No	229	1.5	74.1	100.0
	Total	309	2.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4033	26.1		
	Total	15149	98.0		
Total		15458	100.0		

CCU4315 E16f: In past week (ending Sunday) claiming: Tax Credits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	54	.3	17.9	17.9
	2 No	247	1.6	82.1	100.0
	Total	301	1.9	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4041	26.1		
	Total	15157	98.1		
Total		15458	100.0		

CCU4316 E16g: In past week (ending Sunday) claiming: Other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	11	.1	4.2	4.2
	2 No	253	1.6	95.8	100.0
	Total	264	1.7	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	4078	26.4		
	Total	15194	98.3		
Total		15458	100.0		

CCU4330 E17a: In the last four weeks, given money to charity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes - once	1315	8.5	31.4	31.4
	2 Yes - more than once	760	4.9	18.2	49.6
	3 No	2110	13.6	50.4	100.0
Missing	Total	4185	27.1	100.0	
	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	157	1.0		
Total		11273	72.9		
Total		15458	100.0		

Section E

CCU4331 E17b: In the last four weeks, sponsored a friend who was raising money for charity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes - once	908	5.9	21.7	21.7
	2 Yes - more than once	278	1.8	6.7	28.4
	3 No	2991	19.3	71.6	100.0
	Total	4177	27.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	165	1.1		
	Total	11281	73.0		
Total		15458	100.0		

CCU4332 E17c: In the last four weeks, given money directly to people begging on the street

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes - once	441	2.9	10.6	10.6
	2 Yes - more than once	251	1.6	6.0	16.6
	3 No	3468	22.4	83.4	100.0
	Total	4160	26.9	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	182	1.2		
	Total	11298	73.1		
Total		15458	100.0		

CCU4333 E17d: In the last four weeks, given unpaid help to a charity, group, club or organization (outside of main employment)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes - once	348	2.3	8.3	8.3
	2 Yes - more than once	551	3.6	13.2	21.5
	3 No	3275	21.2	78.5	100.0
	Total	4174	27.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	168	1.1		
	Total	11284	73.0		
Total		15458	100.0		

CCU4334 E17e: In the last four weeks, given unpaid help to other people (e.g. a friend, neighbour or someone else but not a relative)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes - once	636	4.1	15.3	15.3
	2 Yes - more than once	1051	6.8	25.2	40.5
	3 No	2482	16.1	59.5	100.0
	Total	4169	27.0	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-1 NS/NA	173	1.1		
	Total	11289	73.0		
Total		15458	100.0		

Section F

Section F

F1. Did you have any help to fill this in?

1 Yes 2 No

a) If yes, please say who helped you:

(i) A parent helped 1

(ii) Someone else helped 1

F2. Your date of birth: / /

F3. Date completed: / / YYYY

When completed, please send this back in the freepost envelope provided or post to:

**Freepost (RRXX-UUZG-HTLK)
Children of the 90s
Oakfield House
15-23 Oakfield Grove
Bristol
BS8 2BN**

Children of the 90s will aim to send out your Amazon voucher within 4 weeks of receiving this questionnaire.

If you do not wish to receive your Amazon voucher please cross the box below.

I DO NOT wish to receive an Amazon voucher

For office use only:

42636

43



Section F

Thank you very much for completing this questionnaire and for your continued support and commitment to our study.



42636

44

Section F

Section F

CCU9980 F1: Had help to complete questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	76	.5	1.8	1.8
	2 No	4122	26.7	98.2	100.0
	Total	4198	27.2	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 Unresolved	1	.0		
Total	-1 NS/NA	143	.9		
	Total	11260	72.8		
		15458	100.0		

CCU9981 F1ai: A parent helped respondent complete questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A parent helped	41	.3	100.0	100.0
	-11 triplet or quadruplet	13	.1		
	Total	11103	71.8		
Missing	-10 Not completed	4301	27.8		
	-1 NS/NA	15417	99.7		
	Total	15458	100.0		

CCU9982 F1aii: Someone else helped respondent complete questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Someone else helped	25	.2	100.0	100.0
	-11 triplet or quadruplet	13	.1		
	Total	11103	71.8		
Missing	-10 Not completed	4317	27.9		
	-1 NS/NA	15433	99.8		
	Total	15458	100.0		

Section F

CCU9990a Date questionnaire completed: Month


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2231	14.4	51.4	51.4
	2	869	5.6	20.0	71.4
	3	471	3.0	10.9	82.3
	4	131	.8	3.0	85.3
	5	218	1.4	5.0	90.3
	6	36	.2	.8	91.2
	7	8	.1	.2	91.3
	10	97	.6	2.2	93.6
	11	34	.2	.8	94.4
	12	245	1.6	5.6	100.0
	Total	4340	28.1	100.0	
	-11 triplet or quadruplet	13	.1		
Missing	-10 Not completed	11103	71.8		
	-2 unresolved	2	.0		
	Total	11118	71.9		
	Total	15458	100.0		

CCU9990b Date questionnaire completed: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2012	376	2.4	8.7	8.7
	2013	3964	25.6	91.3	100.0
	Total	4340	28.1	100.0	
Missing	-11 triplet or quadruplet	13	.1		
	-10 Not completed	11103	71.8		
	-2 unresolved	2	.0		
	Total	11118	71.9		
	Total	15458	100.0		

Section F

CCU9991 DV: Age of respondent at completion (years)



The date variables are from the administration database. If a respondent has filled in the questionnaire online, but not answered all the questions the date is the date they first accessed the questionnaire.