

THE ALSPAC STUDY

L FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Mother's Lifestyle

At 73 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 1a of the release file.

March 2007

© University of Bristol

Contents

Introduction		Page 3
Section A	Being a Gambler	
	Text	Page 8
	Frequencies	Page 11
Section B	Your Feelings	
	Text	Page 17
	Frequencies	Page 21
Section C	Your Health	
	Text	Page 26
	Frequencies	Page 37
Section D	Recent Events	
	Text	Page 72
	Frequencies	Page 76
Section E	Your Environment	
	Text	Page 88
	Frequencies	Page 91
Section F	Your Partner	
	Text	Page 100
	Frequencies	Page 112
Section G	Your Family and Friends	
	Text	Page 155
	Frequencies	Page 160
Section H	Health Services	
	Text	Page 169
	Frequencies	Page 172
Section J		Page 180
Appendix A	General Coding Instructions	Page 188
Appendix B	Specific Coding Instructions	Page 192
Appendix C	Questionnaire Methodology	Page 200

Introduction

Contents

This questionnaire was sent out to carers when their study child was 73 months old. It is in 9 sections. Section A contains questions on gambling whilst section B contains the anxiety subscale of the Crown Crisp Experiential Index (Crown & Crisp, 1979) and the Edinburgh Postnatal Depression scale (Cox, Holden, & Sagovsky, 1987). Section C asks about health, medicine use and pregnancy. Section D asks about recent life events and section E about chemical exposure and also briefly about smoking. Section F contains questions about the carer's partner and their relationship whilst the carer's family and friends are the subject of section G. Section H looks at the carer's experience of health services, his/her outlook on life and discrimination. Finally, section J collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire.

Sample & response rates

There are a total of 14,550 records on this built file. This number is made up of the 14,541 pregnancies in the core ALSPAC sample (regardless of whether or not the 73-month questionnaire was sent out for them or whether they were returned) plus 9 eligible pregnancies not in the core sample for which the questionnaire was sent out. Note that this questionnaire was not returned for any of the 9 pregnancies not in the core sample.

Of the 14,541 pregnancies in the core ALSPAC sample, 13,868 resulted in at least one live born child. The 73-month questionnaire was sent out for 10,858 (78%) of these pregnancies. As of 31st July 2001 completed questionnaires had been returned for 8,531 (79%) of these pregnancies, which is 62% of the 13,868 pregnancies that resulted in at least one live born child. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Release file version history

Release version 1a – February 2007

The first version of the release file.

References

Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of Postnatal Depression - Development of the 10-Item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, 150, 782-786.

Crown, S., & Crisp, A. H. (1979). *Manual of the Crown-Crisp Experiential Index*. London: Hodder & Stoughton.

L File - Introduction

Administrative variables

L0001 Questionnaire sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	10867	74.7	74.7	74.7
2 No	3683	25.3	25.3	100.0
Total	14550	100.0	100.0	

L0002 Reminder 1 sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5824	40.0	53.6	53.6
2 No	5043	34.7	46.4	100.0
Total	10867	74.7	100.0	
Missing -2 Questionnaire not sent	3683	25.3		
Total	14550	100.0		

L0003 Reminder 2 sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3865	26.6	35.6	35.6
2 No	7002	48.1	64.4	100.0
Total	10867	74.7	100.0	
Missing -2 Questionnaire not sent	3683	25.3		
Total	14550	100.0		

L0004 Eligible for visit

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1643	11.3	15.1	15.1
2 No	9224	63.4	84.9	100.0
Total	10867	74.7	100.0	
Missing -2 Questionnaire not sent	3683	25.3		
Total	14550	100.0		

L File - Introduction

L0005 Questionnaire return status (as of 31/07/01)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not returned	2304	15.8	21.2	21.2
	2 Returned, completed	8531	58.6	78.5	99.7
	3 Returned, blank	32	.2	.3	100.0
	Total	10867	74.7	100.0	
Missing	-2 Questionnaire not sent	3683	25.3		
Total		14550	100.0		

L0006 Questionnaire returned (as of 31/07/01)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8563	58.9	78.8	78.8
	2 No	2304	15.8	21.2	100.0
	Total	10867	74.7	100.0	
Missing	-2 Questionnaire not sent	3683	25.3		
Total		14550	100.0		

L0007 Questionnaire completed (as of 31/07/01)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8531	58.6	78.5	78.5
	2 No	2336	16.1	21.5	100.0
	Total	10867	74.7	100.0	
Missing	-2 Questionnaire not sent	3683	25.3		
Total		14550	100.0		

L0007a Data available (as of 31/07/01)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8531	58.6	58.6	58.6
	2 No	6019	41.4	41.4	100.0
	Total	14550	100.0	100.0	

L0008 Questionnaire version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Version 1 - 21/03/97	8531	58.6	100.0	100.0
Missing	-10 Not completed	6019	41.4		
Total		14550	100.0		

Questionnaire No:

--	--	--	--	--	--	--	--	--

MOTHER'S LIFESTYLE

This questionnaire is for the mother, or person taking the place of the mother.

Some questions are the same as those you have answered before. This is so that we can tell what changes have happened to you. Others are new - we hope you will enjoy them. To answer simply tick the box which is most accurate in your opinion.

Please answer all questions if you can, even if they are similar. If you do not want to answer a question or if it does not apply to you, put a line through it. There are no good or bad answers. Just tell us what you really think.

All answers are confidential

THANK YOU FOR YOUR HELP

21/03/97

PAGE 2 OF THE QUESTIONNAIRE

This page only contained a photograph

PAGE 3 OF THE QUESTIONNAIRE

SECTION A: BEING A GAMBLER

Nowadays, with the lottery being so popular, we would like to ask about your gambling habits throughout your life. Please indicate whether you have **ever** done any of the following and how often:

Have you ever:	<u>N O W A D A Y S</u>		IN PAST ONLY	Rarely or not at all
	Once a week or more	Less than once a week		
A1. a) played cards for money	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) bet on horses, dogs	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) bet on sports or events	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) played dice games for money	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) gone to the casino	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) bet on the lottery	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) played bingo for money	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
h) played the stock/ commodities market (rather than relatively riskless investment)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
i) played slot machines or other gambling machines	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
j) played other games for money e.g. pool, golf	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
k) other (please tick & describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

.....

PAGE 4 OF THE QUESTIONNAIRE

A2. What is the largest amount of money you have ever gambled with on any one day?

£1000 - £10,000	<input type="text" value="1"/>	£100-£999	<input type="text" value="2"/>	£25 - £99	<input type="text" value="3"/>
£10 - £24	<input type="text" value="4"/>	£1 - £9	<input type="text" value="5"/>	less than £1	<input type="text" value="6"/>
never gambled	<input type="text" value="7"/>	→ go to Section B on page 6			

A3. When you gamble and lose, do you ever try to win back the money you lost?

every time	<input type="text" value="1"/>	most of the time	<input type="text" value="2"/>	some of the time	<input type="text" value="3"/>
no, never	<input type="text" value="4"/>	have never lost	<input type="text" value="7"/>		

A4. Have you ever said that you have won money, when in fact you lost some?

yes, most of the time	<input type="text" value="1"/>	yes, some of the time	<input type="text" value="2"/>
never	<input type="text" value="3"/>		

A5. Do you feel you have ever had a problem with gambling?

yes	<input type="text" value="1"/>	yes, in the past, but not now	<input type="text" value="3"/>
no	<input type="text" value="2"/>		

A6. Have you ever gambled more than you intended to?

yes	<input type="text" value="1"/>	no	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

A7. Has anyone ever criticised your gambling?

yes	<input type="text" value="1"/>	no	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

A8. Have you ever felt guilty about gambling?

yes	<input type="text" value="1"/>	no	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

PAGE 5 OF THE QUESTIONNAIRE

A9. Have you ever felt that you would like to stop gambling but didn't think that you could?

yes no

A10. Have you ever disguised the fact that you gamble, e.g. hidden betting slips, lottery tickets or other signs of gambling?

yes no

A11. a) Have you ever argued with people that you live with, about how you handle money?

yes no → go to A12 below

If **yes**,

b) Have money arguments ever centred on your gambling?

yes no

A12. Have you ever borrowed from someone and not paid them back as a result of gambling?

yes no

A13. Have you ever lost time from work (or school) due to gambling?

yes no

L File – Section A

L1000 A1a: Frequency respondent plays cards for money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week/more	10	.1	.1	.1
	2 < once/week	61	.7	.7	.8
	3 In past only	723	8.5	8.5	9.4
	4 Rarely/not at all	7689	90.1	90.6	100.0
	Total	8483	99.4	100.0	
Missing	-1 No response	48	.6		
Total		8531	100.0		

L1001 A1b: Frequency respondent bets on horses/dogs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week/more	7	.1	.1	.1
	2 < once/week	127	1.5	1.5	1.6
	3 In past only	808	9.5	9.5	11.1
	4 Rarely/not at all	7544	88.4	88.9	100.0
	Total	8486	99.5	100.0	
Missing	-1 No response	45	.5		
Total		8531	100.0		

L1002 A1c: Frequency respondent bets on sports/events

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week/more	8	.1	.1	.1
	2 < once/week	25	.3	.3	.4
	3 In past only	241	2.8	2.9	3.2
	4 Rarely/not at all	8178	95.9	96.8	100.0
	Total	8452	99.1	100.0	
Missing	-1 No response	79	.9		
Total		8531	100.0		

L1003 A1d: Frequency respondent plays dice games for money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 < once/week	5	.1	.1	.1
	3 In past only	73	.9	.9	.9
	4 Rarely/not at all	8382	98.3	99.1	100.0
	Total	8460	99.2	100.0	
Missing	-1 No response	71	.8		
Total		8531	100.0		

L1004 A1e: Frequency respondent goes to the casino

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 < once/week	34	.4	.4	.4
	3 In past only	439	5.1	5.2	5.6
	4 Rarely/not at all	7961	93.3	94.4	100.0
	Total	8434	98.9	100.0	
Missing	-1 No response	97	1.1		
Total		8531	100.0		

L File – Section A

L1005 A1f: Frequency respondent bets on the lottery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week/more	3550	41.6	41.7	41.7
	2 < once/week	1915	22.4	22.5	64.2
	3 In past only	742	8.7	8.7	73.0
	4 Rarely/not at all	2299	26.9	27.0	100.0
	Total	8506	99.7	100.0	
Missing	-1 No response	25	.3		
Total		8531	100.0		

L1006 A1g: Frequency respondent plays bingo for money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week/more	106	1.2	1.3	1.3
	2 < once/week	351	4.1	4.1	5.4
	3 In past only	1258	14.7	14.9	20.3
	4 Rarely/not at all	6745	79.1	79.7	100.0
	Total	8460	99.2	100.0	
Missing	-1 No response	71	.8		
Total		8531	100.0		

L1007 A1h: Frequency respondent plays the stock/commodities market

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week/more	11	.1	.1	.1
	2 < once/week	95	1.1	1.1	1.3
	3 In past only	166	1.9	2.0	3.2
	4 Rarely/not at all	8166	95.7	96.8	100.0
	Total	8438	98.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	92	1.1		
	Total	93	1.1		
Total		8531	100.0		

L1008 A1i: Frequency respondent plays slot machines

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week/more	18	.2	.2	.2
	2 < once/week	472	5.5	5.6	5.8
	3 In past only	2002	23.5	23.6	29.4
	4 Rarely/not at all	5996	70.3	70.6	100.0
	Total	8488	99.5	100.0	
Missing	-1 No response	43	.5		
Total		8531	100.0		

L File – Section A

L1009 A1j: Frequency respondent plays other games for money e.g. pool, golf

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once a week/more	3	.0	.0	.0
	2 < once/week	14	.2	.2	.2
	3 In past only	93	1.1	1.1	1.3
	4 Rarely/not at all	8354	97.9	98.7	100.0
	Total	8464	99.2	100.0	
Missing	-1 No response	67	.8		
Total		8531	100.0		

L1010 A1k: Frequency respondent does other gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	4	.0	.1	.1
	1 Once a week/more	35	.4	.6	.6
	2 < once/week	36	.4	.6	1.2
	3 In past only	25	.3	.4	1.6
	4 Rarely/not at all	6118	71.7	98.4	100.0
	Total	6218	72.9	100.0	
Missing	-1 No response	2313	27.1		
Total		8531	100.0		

L File – Section A

L1020 A2: Largest amount of money respondent ever gambled with on any one day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 £1000 - £10,000	12	.1	.1	.1
	2 £100 - £999	25	.3	.3	.4
	3 £25 - £99	131	1.5	1.6	2.0
	4 £10 - £24	547	6.4	6.5	8.5
	5 £1 - £9	4756	55.7	56.3	64.8
	6 < £1	835	9.8	9.9	74.7
	7 Never gambled	2140	25.1	25.3	100.0
	Total	8446	99.0	100.0	
Missing	-1 No response	85	1.0		
Total		8531	100.0		

L1030 A3: Frequency respondent tries to win back lost money when gambles & loses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every time	11	.1	.2	.2
	2 Most of time	41	.5	.7	.8
	3 Some of time	1059	12.4	17.2	18.0
	4 No, never	5007	58.7	81.3	99.3
	7 Have never lost	41	.5	.7	100.0
	Total	6159	72.2	100.0	
Missing	-1 No response	2372	27.8		
Total		8531	100.0		

L1040 A4: Frequency respondent said won money, when lost some

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of time	7	.1	.1	.1
	2 Yes, some of time	85	1.0	1.4	1.5
	3 Never	6124	71.8	98.5	100.0
	Total	6216	72.9	100.0	
Missing	-1 No response	2315	27.1		
Total		8531	100.0		

L1050 A5: Respondent ever felt had gambling problem

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6	.1	.1	.1
	2 No	6209	72.8	99.5	99.6
	3 Yes in past, not now	24	.3	.4	100.0
	Total	6239	73.1	100.0	
Missing	-1 No response	2292	26.9		
Total		8531	100.0		

L File – Section A

L1060 A6: Respondent ever gambled more than intended

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	245	2.9	3.9	3.9
	2 No	5981	70.1	96.1	100.0
	Total	6226	73.0	100.0	
Missing	-1 No response	2305	27.0		
Total		8531	100.0		

L1070 A7: Anyone ever criticised respondents gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	64	.8	1.0	1.0
	2 No	6150	72.1	99.0	100.0
	Total	6214	72.8	100.0	
Missing	-1 No response	2317	27.2		
Total		8531	100.0		

L1080 A8: Respondent ever felt guilty about gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	159	1.9	2.6	2.6
	2 No	6044	70.8	97.4	100.0
	Total	6203	72.7	100.0	
Missing	-1 No response	2328	27.3		
Total		8531	100.0		

L1090 A9: Respondent ever wanted to stop gambling but felt unable to

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	26	.3	.4	.4
	2 No	6053	71.0	99.6	100.0
	Total	6079	71.3	100.0	
Missing	-1 No response	2452	28.7		
Total		8531	100.0		

L1100 A10: Respondent ever disguised gambling/signs of gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	28	.3	.5	.5
	2 No	6096	71.5	99.5	100.0
	Total	6124	71.8	100.0	
Missing	-1 No response	2407	28.2		
Total		8531	100.0		

L File – Section A

L1110 A11a: Respondent ever argued with cohabitants about respondents handling of money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	687	8.1	11.2	11.2
	2 No	5472	64.1	88.8	100.0
	Total	6159	72.2	100.0	
Missing	-1 No response	2372	27.8		
Total		8531	100.0		

L1111 A11b: Money arguments ever centred on respondents gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	14	.2	1.0	1.0
	2 No	1398	16.4	99.0	100.0
	Total	1412	16.6	100.0	
Missing	-1 No response	7119	83.4		
Total		8531	100.0		

L1120 A12: Respondent ever borrowed & not repaid due to gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7	.1	.1	.1
	2 No	5993	70.2	99.9	100.0
	Total	6000	70.3	100.0	
Missing	-1 No response	2531	29.7		
Total		8531	100.0		

L1130 A13: Respondent ever lost time from work/school due to gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.0	.0	.0
	2 No	5988	70.2	100.0	100.0
	Total	5990	70.2	100.0	
Missing	-1 No response	2541	29.8		
Total		8531	100.0		

PAGE 6 OF THE QUESTIONNAIRE

SECTION B: YOUR FEELINGS

The questions in this section ask you about your feelings and the way you behave. You have answered these questions in other questionnaires, but you might be feeling differently now.

Please indicate the way you feel.

	Very often	Often	Not very often	Never
B1. Do you feel upset for no obvious reason?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
B2. Have you felt as though you might faint?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
B3. Do you feel uneasy and restless?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
B4. Do you sometimes feel panicky?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
B5. Do you worry a lot?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
B6. Do you feel strung-up inside?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
B7. Do you ever have the feeling you are going to pieces?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
B8. Do you have bad dreams which upset you when you wake up?	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

Your feelings in the past week.

B9. I have been able to laugh and see the funny side of things:

As much as I always could

Not quite so much now

Definitely not so much now

Not at all

PAGE 7 OF THE QUESTIONNAIRE

In the past week:

B10. I have looked forward with enjoyment to things:

As much as I ever did	<div>1</div>
Rather less than I used to	<div>2</div>
Definitely less than I used to	<div>3</div>
Hardly at all	<div>4</div>

B11. I have blamed myself unnecessarily when things went wrong:

Yes, most of the time	<div>1</div>
Yes, some of the time	<div>2</div>
Not very often	<div>3</div>
Never	<div>4</div>

B12. I have been anxious or worried for no good reason:

No, not at all	<div>1</div>
Hardly ever	<div>2</div>
Yes, sometimes	<div>3</div>
Yes, often	<div>4</div>

B13. I have felt scared or panicky for no good reason:

Yes, quite a lot	<div>1</div>
Yes, sometimes	<div>2</div>
No, not much	<div>3</div>
No, not at all	<div>4</div>

PAGE 8 OF THE QUESTIONNAIRE

In the past week:

B14. Things have been getting on top of me:

Yes, most of the time I haven't been able to cope

Yes, sometimes I haven't been coping as well as usual

No, most of the time I have coped quite well

No, I have been coping as well as ever

B15. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time

Yes, sometimes

Not very often

No, not at all

B16. I have felt sad or miserable:

Yes, most of the time

Yes, sometimes

Not very often

No, not at all

B17. I have been so unhappy that I have been crying:

Yes, most of the time

Yes, quite often

Only occasionally

Never

PAGE 9 OF THE QUESTIONNAIRE

In the past week:

B18. The thought of harming myself has occurred to me:

Yes, quite often	<div>1</div>
Sometimes	<div>2</div>
Hardly ever	<div>3</div>
Never	<div>4</div>

B19. On the whole are there more good days than bad?

Yes, more good days	<div>1</div>
About half and half	<div>2</div>
No, more bad days	<div>3</div>

L File – Section B

L2000 B1: Frequency respondent feels upset for no obvious reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	95	1.1	1.1	1.1
	2 Often	604	7.1	7.1	8.2
	3 Not very often	5550	65.1	65.4	73.6
	4 Never	2237	26.2	26.4	100.0
	Total	8486	99.5	100.0	
Missing	-1 No response	45	.5		
Total		8531	100.0		

L2001 B2: Frequency respondent felt they might faint

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	36	.4	.4	.4
	2 Often	306	3.6	3.6	4.0
	3 Not very often	3746	43.9	44.1	48.2
	4 Never	4402	51.6	51.8	100.0
	Total	8490	99.5	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	40	.5		
	Total	41	.5		
Total		8531	100.0		

L2002 B3: Frequency respondent feels uneasy & restless

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	101	1.2	1.2	1.2
	2 Often	1002	11.7	11.8	13.0
	3 Not very often	4831	56.6	56.9	69.9
	4 Never	2550	29.9	30.1	100.0
	Total	8484	99.4	100.0	
Missing	-1 No response	47	.6		
Total		8531	100.0		

L2003 B4: Frequency respondent sometimes feels panicky

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	92	1.1	1.1	1.1
	2 Often	656	7.7	7.7	8.8
	3 Not very often	3699	43.4	43.6	52.4
	4 Never	4039	47.3	47.6	100.0
	Total	8486	99.5	100.0	
Missing	-1 No response	45	.5		
Total		8531	100.0		

L File – Section B

L2004 B5: Frequency respondent worries a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	515	6.0	6.1	6.1
	2 Often	2608	30.6	30.7	36.8
	3 Not very often	4605	54.0	54.2	91.0
	4 Never	762	8.9	9.0	100.0
	Total	8490	99.5	100.0	
Missing	-1 No response	41	.5		
Total		8531	100.0		

L2005 B6: Frequency respondent feels strung-up inside

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	293	3.4	3.5	3.5
	2 Often	1830	21.5	21.6	25.0
	3 Not very often	4530	53.1	53.4	78.4
	4 Never	1831	21.5	21.6	100.0
	Total	8484	99.4	100.0	
Missing	-1 No response	47	.6		
Total		8531	100.0		

L2006 B7: Frequency respondent ever has feeling they are going to pieces

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	150	1.8	1.8	1.8
	2 Often	712	8.3	8.4	10.2
	3 Not very often	3406	39.9	40.1	50.3
	4 Never	4220	49.5	49.7	100.0
	Total	8488	99.5	100.0	
Missing	-1 No response	43	.5		
Total		8531	100.0		

L2007 B8: Frequency respondent has bad dreams that upset them on waking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	97	1.1	1.1	1.1
	2 Often	463	5.4	5.5	6.6
	3 Not very often	3821	44.8	45.0	51.6
	4 Never	4108	48.2	48.4	100.0
	Total	8489	99.5	100.0	
Missing	-1 No response	42	.5		
Total		8531	100.0		

L File – Section B

L2010 B9: Frequency respondent been able to laugh & see funny side of things in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as always could	6256	73.3	73.6	73.6
	2 Not quite so much now	1804	21.1	21.2	94.8
	3 Definitely not so much now	383	4.5	4.5	99.3
	4 Not at all	57	.7	.7	100.0
	Total	8500	99.6	100.0	
Missing	-1 No response	31	.4		
Total		8531	100.0		

L2011 B10: Frequency respondent has looked forward with enjoyment to things in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as ever did	6381	74.8	75.1	75.1
	2 Rather < used to	1729	20.3	20.3	95.4
	3 Definitely < used to	322	3.8	3.8	99.2
	4 Hardly at all	65	.8	.8	100.0
	Total	8497	99.6	100.0	
Missing	-1 No response	34	.4		
Total		8531	100.0		

L2012 B11: Frequency respondent blamed them self unnecessarily when things went wrong in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of time	388	4.5	4.6	4.6
	2 Yes, some of time	2643	31.0	31.1	35.6
	3 Not very often	3557	41.7	41.8	77.5
	4 Never	1916	22.5	22.5	100.0
	Total	8504	99.7	100.0	
Missing	-1 No response	27	.3		
Total		8531	100.0		

L2013 B12: Frequency respondent been anxious/worried for no reason in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	3040	35.6	35.8	35.8
	2 Hardly ever	2515	29.5	29.6	65.4
	3 Yes, sometimes	2714	31.8	31.9	97.3
	4 Yes, often	230	2.7	2.7	100.0
	Total	8499	99.6	100.0	
Missing	-1 No response	32	.4		
Total		8531	100.0		

L File – Section B

L2014 B13: Frequency respondent felt scared/panicky for no good reason in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite a lot	185	2.2	2.2	2.2
	2 Yes, sometimes	1396	16.4	16.4	18.6
	3 No, not much	2353	27.6	27.7	46.3
	4 No, not at all	4567	53.5	53.7	100.0
	Total	8501	99.6	100.0	
Missing	-1 No response	30	.4		
Total		8531	100.0		

L2015 B14: Frequency things been getting on top of respondent in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of time unable to cope	104	1.2	1.2	1.2
	2 Yes, sometimes not coping as well as usual	1776	20.8	20.9	22.1
	3 No, most of time coped quite well	3356	39.3	39.5	61.7
	4 No, coping as well as ever	3256	38.2	38.3	100.0
	Total	8492	99.5	100.0	
Missing	-1 No response	39	.5		
Total		8531	100.0		

L2016 B15: Frequency respondent has been so unhappy that have had trouble sleeping in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of time	133	1.6	1.6	1.6
	2 Yes, sometimes	958	11.2	11.3	12.8
	3 Not very often	1866	21.9	22.0	34.8
	4 No, not at all	5538	64.9	65.2	100.0
	Total	8495	99.6	100.0	
Missing	-1 No response	36	.4		
Total		8531	100.0		

L2017 B16: Frequency respondent has felt sad/miserable in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of time	200	2.3	2.4	2.4
	2 Yes, sometimes	2247	26.3	26.5	28.8
	3 Not very often	2916	34.2	34.4	63.2
	4 No, not at all	3123	36.6	36.8	100.0
	Total	8486	99.5	100.0	
Missing	-1 No response	45	.5		
Total		8531	100.0		

L File – Section B

L2018 B17: Frequency respondent has been so unhappy they have been crying in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of time	79	.9	.9	.9
	2 Yes, quite often	426	5.0	5.0	5.9
	3 Only occasionally	2973	34.8	35.0	41.0
	4 Never	5013	58.8	59.0	100.0
	Total	8491	99.5	100.0	
Missing	-1 No response	40	.5		
Total		8531	100.0		

L2019 B18: Frequency respondent has thought of harming them self in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite often	25	.3	.3	.3
	2 Sometimes	156	1.8	1.8	2.1
	3 Hardly ever	404	4.7	4.8	6.9
	4 Never	7914	92.8	93.1	100.0
	Total	8499	99.6	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	31	.4		
	Total	32	.4		
Total		8531	100.0		

L2130 B19: On the whole respondent had more good days than bad in past week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, more good days	7181	84.2	84.5	84.5
	2 About half & half	1109	13.0	13.1	97.6
	3 No, more bad days	207	2.4	2.4	100.0
	Total	8497	99.6	100.0	
Missing	-1 No response	34	.4		
Total		8531	100.0		

PAGE 10 OF THE QUESTIONNAIRE

SECTION C: YOUR HEALTH

C1. Which of the following would you say describes your health now?

fit and well	<div>1</div>
mostly well and healthy	<div>2</div>
often feel unwell	<div>3</div>
hardly ever feel well	<div>4</div>

C2. Have you had (or continued to have) any of the following since your study child's 5th birthday:

Since your child was 5	Yes and consulted doctor	Yes but did not consult doctor	No ↓
a) anxiety or 'nerves'	<div>1</div>	<div>2</div>	<div>3</div>
b) depression	<div>1</div>	<div>2</div>	<div>3</div>
c) headache or migraine	<div>1</div>	<div>2</div>	<div>3</div>
d) epilepsy	<div>1</div>	<div>2</div>	<div>3</div>
e) back pain, sciatica, slipped disc	<div>1</div>	<div>2</div>	<div>3</div>
f) indigestion	<div>1</div>	<div>2</div>	<div>3</div>
g) high blood pressure (hypertension)	<div>1</div>	<div>2</div>	<div>3</div>
h) cough or cold	<div>1</div>	<div>2</div>	<div>3</div>
i) diabetes	<div>1</div>	<div>2</div>	<div>3</div>
j) haemorrhoids/piles	<div>1</div>	<div>2</div>	<div>3</div>
k) schizophrenia	<div>1</div>	<div>2</div>	<div>3</div>
l) influenza	<div>1</div>	<div>2</div>	<div>3</div>

PAGE 11 OF THE QUESTIONNAIRE

C2 cont.

Since your child was 5	Yes and consulted doctor	Yes but did not consult doctor	No ↓
m) alcohol problem	<div>1</div>	<div>2</div>	<div>3</div>
n) wheezing or asthma	<div>1</div>	<div>2</div>	<div>3</div>
o) bronchitis	<div>1</div>	<div>2</div>	<div>3</div>
p) stomach ulcer	<div>1</div>	<div>2</div>	<div>3</div>
q) eczema	<div>1</div>	<div>2</div>	<div>3</div>
r) psoriasis	<div>1</div>	<div>2</div>	<div>3</div>
s) arthritis	<div>1</div>	<div>2</div>	<div>3</div>
t) rheumatism	<div>1</div>	<div>2</div>	<div>3</div>
u) urinary infection	<div>1</div>	<div>2</div>	<div>3</div>
v) problems with your periods	<div>1</div>	<div>2</div>	<div>3</div>
w) problems with a pregnancy	<div>1</div>	<div>2</div>	<div>3</div>
x) syphilis	<div>1</div>	<div>2</div>	<div>3</div>
y) gonorrhoea	<div>1</div>	<div>2</div>	<div>3</div>
z) cancer (please state type)	<div>1</div>	<div>2</div>	<div>3</div>
.....			
za) other problems (please tick & describe)	<div>1</div>	<div>2</div>	<div>3</div>
.....			

PAGE 12 OF THE QUESTIONNAIRE

C3. Since your study child's 5th birthday how often have you taken the following:

Since your child was 5	Every day	Often	Sometimes	Not at all
a) sleeping pills	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) vitamins	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) cannabis/marihuana	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) tranquillisers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) pills for depression	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) hormone tablets	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) antibiotics	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
h) aspirin	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
i) paracetamol	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
j) other painkillers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
k) amphetamines or other stimulants	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
l) contraceptive pill	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
m) iron	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
n) heroin, methadone, crack, cocaine	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
o) anticonvulsants	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
p) steroids	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

other pill, medicine, drug or treatment (please describe each and state how frequently taken)

q)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
r)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
s)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

PAGE 13 OF THE QUESTIONNAIRE

C4. Please list all the drugs, medicines and ointments that you have taken **in the past month:**

For office use

--	--

What did you take:	About how many days did you take or use it?	How often per day?
1.
2.
3.
4.
5.
6.
7.
8.
9.
10.

Check

Have you included the contraceptive pill, iron tablets, laxatives, vitamins, sleeping tablets, aspirin, cough mixture, pain killers, herbal medicine, slimming pills and homeopathic remedies?

PAGE 14 OF THE QUESTIONNAIRE

C5. a) Since your study child was 5 have you been admitted to hospital?

Yes No → If **no**, go to C6 below

If **yes**,

b) how many times?

c) for how many different reasons?

Reason for each hospital stay:

How long did you stay?

At what hospital

d)	<input type="text"/> <input type="text"/> nights
e)	<input type="text"/> <input type="text"/> nights
f)	<input type="text"/> <input type="text"/> nights
g)	<input type="text"/> <input type="text"/> nights
h)	<input type="text"/> <input type="text"/> nights

C6. In the past month, how often have you had the following:

In the past month:

**Almost all
the time**

Sometimes

Not at all

a) backache	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) headache or migraine	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) urinary infection	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) nausea	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e) vomiting	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f) diarrhoea	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g) haemorrhoids or piles	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

PAGE 15 OF THE QUESTIONNAIRE

C6. cont.

In the past month:	Almost all the time	Sometimes	Not at all
h) feeling weepy/tearful	<div>1</div>	<div>2</div>	<div>3</div>
i) feeling irritable	<div>1</div>	<div>2</div>	<div>3</div>
j) feeling exhausted	<div>1</div>	<div>2</div>	<div>3</div>
k) varicose veins	<div>1</div>	<div>2</div>	<div>3</div>
l) passing urine very often	<div>1</div>	<div>2</div>	<div>3</div>
m) problem holding urine when you jump, sneeze etc.	<div>1</div>	<div>2</div>	<div>3</div>
n) indigestion	<div>1</div>	<div>2</div>	<div>3</div>
o) feeling dizzy/fainting	<div>1</div>	<div>2</div>	<div>3</div>
p) flashing lights/spots before eyes	<div>1</div>	<div>2</div>	<div>3</div>
q) shoulder ache	<div>1</div>	<div>2</div>	<div>3</div>
r) tingling in hands/fingers	<div>1</div>	<div>2</div>	<div>3</div>
s) tingling in feet/toes	<div>1</div>	<div>2</div>	<div>3</div>
t) neck ache	<div>1</div>	<div>2</div>	<div>3</div>
u) feeling depressed	<div>1</div>	<div>2</div>	<div>3</div>
v) other problem (please tick & describe)	<div>1</div>	<div>2</div>	<div>3</div>

.....

.....

PAGE 16 OF THE QUESTIONNAIRE

C7. a) How often are you having sexual intercourse now?

not at all	<input type="text"/>
	1
less than once a month	<input type="text"/>
	2
1-3 times a month	<input type="text"/>
	3
about once a week	<input type="text"/>
	4
2-4 times a week	<input type="text"/>
	5
5 or more times a week	<input type="text"/>
	6

b) In general, do you enjoy it ?

yes, very much	<input type="text"/>
	1
yes, somewhat	<input type="text"/>
	2
no, not a lot	<input type="text"/>
	3
no, not at all	<input type="text"/>
	4
it doesn't happen	<input type="text"/>
	5

C8. Have you been pregnant at all since your study child?

Yes No → If **no**, go to C9a on page 17

1 2

If **yes**,(i) how many times (ii) For the **first** pregnancy after your study child - how long were you trying before you got pregnant?

Less than 6 months 6-11 months at least 12 months

1 2 3

pregnancy wasn't planned don't remember

4 9

PAGE 17 OF THE QUESTIONNAIRE

C9. a) Are you currently trying to get pregnant?

no

1

no, but intend to later

2

yes, we are trying

3

→ **If yes,** (i) for how long have you been trying? →

months



I am already pregnant

4

→ **If yes,** (ii) how long were you trying before you became pregnant?**now go to C10 on page 18**

months

**now go to C10 on page 18**

C9. b) What forms of contraception are you using now? (tick all that you have used in the past 3 months)

	Yes	No
i) withdrawal	<input type="text"/>	<input type="text"/>
ii) the pill	<input type="text"/>	<input type="text"/>
iii) IUCD/coil	<input type="text"/>	<input type="text"/>
iv) condom/sheath	<input type="text"/>	<input type="text"/>
v) calendar/rhythm method	<input type="text"/>	<input type="text"/>
vi) diaphragm/cap	<input type="text"/>	<input type="text"/>
vii) spermicide	<input type="text"/>	<input type="text"/>

PAGE 18 OF THE QUESTIONNAIRE

C9.b (cont.)

	Yes	No
viii) I have been sterilised	<input type="text" value="1"/>	<input type="text" value="2"/>
ix) My partner has been sterilised	<input type="text" value="1"/>	<input type="text" value="2"/>
x) none	<input type="text" value="1"/>	<input type="text" value="2"/>
xi) other (please describe)	<input type="text" value="1"/>	<input type="text" value="2"/>

.....

C10. Before you became pregnant for the first time how many children did you think you would like to have?

none	<input type="text" value="1"/>	one	<input type="text" value="2"/>	two	<input type="text" value="3"/>	three	<input type="text" value="4"/>
4 or more	<input type="text" value="5"/>	didn't have an opinion	<input type="text" value="6"/>	don't remember what I wanted	<input type="text" value="9"/>		

C11. a) **After having your study child,** what did you decide about having more children?

I definitely wanted another child	<input type="text" value="1"/>		
I didn't mind if I had another child	<input type="text" value="2"/>		
I didn't think about it	<input type="text" value="3"/>		
I definitely didn't want another child	<input type="text" value="4"/>		

Go to C12 on page 19

PAGE 19 OF THE QUESTIONNAIRE

C11. b) **If you didn't want another child**, why was this? (please tick all that apply)

- | | | |
|--------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| (i) | Could not afford another child | <div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div> |
| (ii) | I had as many children as I wanted | <div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div> |
| (iii) | I was not in good health | <div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div> |
| (iv) | I wanted to concentrate on my career | <div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div> |
| (v) | My partner did not want any more children | <div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div> |
| (vi) | I didn't have a partner | <div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div> |
| (vii) | I could not cope with another child | <div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div> |
| (viii) | I had such a bad experience of pregnancy with the study child I did not want to go through it again | <div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div> |
| (ix) | Other reason
(Please tick & describe) | <div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div> |

.....

C12. How would you describe your most recent periods:

	Very	Moderately	Mildly	Not at all	No periods	
a) how heavy are your periods?	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div>	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">2</div>	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">3</div>	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">4</div>	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">7</div>	→ go to D1 on page 21
b) how painful are your periods?	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div>	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">2</div>	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">3</div>	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">4</div>		
c) irregular	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">1</div>	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">2</div>	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">3</div>	<div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;">4</div>		
d) how many days does bleeding usually last?	<div style="display: flex; align-items: center;"> <div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;"></div> <div style="border: 1px solid red; width: 40px; height: 20px; display: flex; align-items: center; justify-content: center;"></div> </div>				days	

PAGE 20 OF THE QUESTIONNAIRE

C13. Do you generally find that in the days before or during your periods you have particular problems (please tick all that apply)?

	(i) Yes before	(ii) Yes during
a) Very fatigued	<input type="checkbox"/>	<input type="checkbox"/>
b) Irritable	<input type="checkbox"/>	<input type="checkbox"/>
c) Depressed	<input type="checkbox"/>	<input type="checkbox"/>
d) Anxious	<input type="checkbox"/>	<input type="checkbox"/>
e) Other (please tick & describe)	<input type="checkbox"/>	<input type="checkbox"/>

.....

L File – Section C

L3000 C1: Respondents description of current health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Fit & well	4224	49.5	49.7	49.7
	2 Mostly well & healthy	3707	43.5	43.6	93.3
	3 Often feel unwell	509	6.0	6.0	99.3
	4 Hardly ever feel well	56	.7	.7	100.0
	Total	8496	99.6	100.0	
Missing	-1 No response	35	.4		
Total		8531	100.0		

L3010 C2a: Respondent has had/continued to have anxiety/nerves since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	595	7.0	7.0	7.0
	2 Yes but did not consult doctor	1304	15.3	15.4	22.4
	3 No	6565	77.0	77.6	100.0
	Total	8464	99.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	66	.8		
	Total	67	.8		
Total		8531	100.0		

L3011 C2b: Respondent has had/continued to have depression since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	844	9.9	10.0	10.0
	2 Yes but did not consult doctor	1167	13.7	13.8	23.7
	3 No	6457	75.7	76.3	100.0
	Total	8468	99.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	62	.7		
	Total	63	.7		
Total		8531	100.0		

L3012 C2c: Respondent has had/continued to have headache/migraine since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	611	7.2	7.2	7.2
	2 Yes but did not consult doctor	5341	62.6	62.9	70.1
	3 No	2537	29.7	29.9	100.0
	Total	8489	99.5	100.0	
Missing	-1 No response	42	.5		
Total		8531	100.0		

L File – Section C

L3013 C2d: Respondent has had/continued to have epilepsy since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	31	.4	.4	.4
	2 Yes but did not consult doctor	17	.2	.2	.6
	3 No	8388	98.3	99.4	100.0
	Total	8436	98.9	100.0	
Missing	-8 Text response	3	.0		
	-1 No response	92	1.1		
	Total	95	1.1		
Total		8531	100.0		

L3014 C2e: Respondent has had/continued to have back pain, sciatica, slipped disk since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	821	9.6	9.7	9.7
	2 Yes but did not consult doctor	2224	26.1	26.2	35.9
	3 No	5437	63.7	64.1	100.0
	Total	8482	99.4	100.0	
Missing	-1 No response	49	.6		
Total		8531	100.0		

L3015 C2f: Respondent has had/continued to have indigestion since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	219	2.6	2.6	2.6
	2 Yes but did not consult doctor	2220	26.0	26.2	28.8
	3 No	6041	70.8	71.2	100.0
	Total	8480	99.4	100.0	
Missing	-1 No response	51	.6		
Total		8531	100.0		

L3016 C2g: Respondent has had/continued to have high blood pressure (hypertension) since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	209	2.4	2.5	2.5
	2 Yes but did not consult doctor	73	.9	.9	3.3
	3 No	8180	95.9	96.7	100.0
	Total	8462	99.2	100.0	
Missing	-9 Don't know	8	.1		
	-1 No response	61	.7		
	Total	69	.8		
Total		8531	100.0		

L File – Section C

L3017 C2h: Respondent has had/continued to have cold/cough since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	507	5.9	6.0	6.0
	2 Yes but did not consult doctor	6134	71.9	72.3	78.2
	3 No	1846	21.6	21.8	100.0
	Total	8487	99.5	100.0	
Missing	-1 No response	44	.5		
Total		8531	100.0		

L3018 C2i: Respondent has had/continued to have diabetes since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	37	.4	.4	.4
	2 Yes but did not consult doctor	11	.1	.1	.6
	3 No	8417	98.7	99.4	100.0
	Total	8465	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	65	.8		
	Total	66	.8		
Total		8531	100.0		

L3019 C2j: Respondent has had/continued to have haemorrhoids/piles since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	226	2.6	2.7	2.7
	2 Yes but did not consult doctor	1285	15.1	15.2	17.8
	3 No	6970	81.7	82.2	100.0
	Total	8481	99.4	100.0	
Missing	-1 No response	50	.6		
Total		8531	100.0		

L3020 C2k: Respondent has had/continued to have schizophrenia since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	5	.1	.1	.1
	2 Yes but did not consult doctor	2	.0	.0	.1
	3 No	8462	99.2	99.9	100.0
	Total	8469	99.3	100.0	
Missing	-1 No response	62	.7		
Total		8531	100.0		

L File – Section C

L3021 C2l: Respondent has had/continued to have influenza since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	383	4.5	4.5	4.5
	2 Yes but did not consult doctor	1053	12.3	12.4	16.9
	3 No	7037	82.5	83.1	100.0
	Total	8473	99.3	100.0	
Missing	-1 No response	58	.7		
Total		8531	100.0		

L3022 C2m: Respondent has had/continued to have alcohol problem since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	29	.3	.3	.3
	2 Yes but did not consult doctor	81	.9	1.0	1.3
	3 No	8381	98.2	98.7	100.0
	Total	8491	99.5	100.0	
Missing	-1 No response	40	.5		
Total		8531	100.0		

L3023 C2n: Respondent has had/continued to have wheezing/asthma since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	512	6.0	6.0	6.0
	2 Yes but did not consult doctor	453	5.3	5.3	11.4
	3 No	7533	88.3	88.6	100.0
	Total	8498	99.6	100.0	
Missing	-1 No response	33	.4		
Total		8531	100.0		

L3024 C2o: Respondent has had/continued to have bronchitis since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	277	3.2	3.3	3.3
	2 Yes but did not consult doctor	71	.8	.8	4.1
	3 No	8147	95.5	95.9	100.0
	Total	8495	99.6	100.0	
Missing	-1 No response	36	.4		
Total		8531	100.0		

L3025 C2p: Respondent has had/continued to have stomach ulcer since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	55	.6	.6	.6
	2 Yes but did not consult doctor	20	.2	.2	.9
	3 No	8412	98.6	99.1	100.0
	Total	8487	99.5	100.0	
Missing	-1 No response	44	.5		
Total		8531	100.0		

L File – Section C

L3026 C2q: Respondent has had/continued to have eczema since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	318	3.7	3.7	3.7
	2 Yes but did not consult doctor	684	8.0	8.1	11.8
	3 No	7487	87.8	88.2	100.0
	Total	8489	99.5	100.0	
Missing	-1 No response	42	.5		
Total		8531	100.0		

L3027 C2r: Respondent has had/continued to have psoriasis since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	129	1.5	1.5	1.5
	2 Yes but did not consult doctor	174	2.0	2.0	3.6
	3 No	8186	96.0	96.4	100.0
	Total	8489	99.5	100.0	
Missing	-1 No response	42	.5		
Total		8531	100.0		

L3028 C2s: Respondent has had/continued to have arthritis since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	174	2.0	2.1	2.1
	2 Yes but did not consult doctor	140	1.6	1.7	3.7
	3 No	8168	95.7	96.3	100.0
	Total	8482	99.4	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	1	.0		
	-1 No response	46	.5		
	Total	49	.6		
Total		8531	100.0		

L3029 C2t: Respondent has had/continued to have rheumatism since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	58	.7	.7	.7
	2 Yes but did not consult doctor	138	1.6	1.6	2.3
	3 No	8268	96.9	97.7	100.0
	Total	8464	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	65	.8		
	Total	67	.8		
Total		8531	100.0		

L File – Section C

L3030 C2u: Respondent has had/continued to have urinary infection since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	549	6.4	6.5	6.5
	2 Yes but did not consult doctor	188	2.2	2.2	8.7
	3 No	7708	90.4	91.3	100.0
	Total	8445	99.0	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	85	1.0		
	Total	86	1.0		
Total		8531	100.0		

L3031 C2v: Respondent has had/continued to have problems with their periods since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	1136	13.3	13.4	13.4
	2 Yes but did not consult doctor	862	10.1	10.2	23.6
	3 No	6483	76.0	76.4	100.0
	Total	8481	99.4	100.0	
Missing	-1 No response	50	.6		
Total		8531	100.0		

L3032 C2w: Respondent has had/continued to have problems with a pregnancy since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	427	5.0	5.0	5.0
	2 Yes but did not consult doctor	30	.4	.4	5.4
	3 No	8031	94.1	94.6	100.0
	Total	8488	99.5	100.0	
Missing	-1 No response	43	.5		
Total		8531	100.0		

L3033 C2x: Respondent has had/continued to have syphilis since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	1	.0	.0	.0
	2 Yes but did not consult doctor	3	.0	.0	.0
	3 No	8487	99.5	100.0	100.0
	Total	8491	99.5	100.0	
Missing	-1 No response	40	.5		
Total		8531	100.0		

L File – Section C

L3034 C2y: Respondent has had/continued to have gonorrhoea since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & consulted doctor	3	.0	.0	.0
	2 Yes but did not consult doctor	4	.0	.0	.1
	3 No	8483	99.4	99.9	100.0
	Total	8490	99.5	100.0	
Missing	-1 No response	41	.5		
Total		8531	100.0		

L3035 C2z: Respondent has had/continued to have cancer since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	2	.0	.0	.0
	1 Yes & consulted doctor	65	.8	.8	.8
	2 Yes but did not consult doctor	3	.0	.0	.8
	3 No	8361	98.0	99.2	100.0
	Total	8431	98.8	100.0	
Missing	-1 No response	100	1.2		
Total		8531	100.0		

L3037 C2za: Respondent has had/continued to have other problems since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	49	.6	1.0	1.0
	1 Yes & consulted doctor	1070	12.5	21.2	22.1
	2 Yes but did not consult doctor	134	1.6	2.7	24.8
	3 No	3799	44.5	75.2	100.0
	Total	5052	59.2	100.0	
Missing	-1 No response	3479	40.8		
Total		8531	100.0		

L File – Section C

L3040 C3a: Frequency respondent has taken sleeping pills since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	16	.2	.2	.2
	2 Often	38	.4	.4	.6
	3 Sometimes	344	4.0	4.1	4.7
	4 Not at all	8090	94.8	95.3	100.0
	5 Once Only	1	.0	.0	100.0
	Total	8489	99.5	100.0	
Missing	-1 No response	42	.5		
Total		8531	100.0		

L3041 C3b: Frequency respondent has taken vitamins since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	759	8.9	8.9	8.9
	2 Often	761	8.9	9.0	17.9
	3 Sometimes	2397	28.1	28.3	46.2
	4 Not at all	4567	53.5	53.8	100.0
	Total	8484	99.4	100.0	
Missing	-1 No response	47	.6		
Total		8531	100.0		

L3042 C3c: Frequency respondent has taken cannabis/marihuana since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	31	.4	.4	.4
	2 Often	70	.8	.8	1.2
	3 Sometimes	284	3.3	3.3	4.5
	4 Not at all	8097	94.9	95.4	100.0
	5 Once Only	2	.0	.0	100.0
	Total	8484	99.4	100.0	
Missing	-1 No response	47	.6		
Total		8531	100.0		

L3043 C3d: Frequency respondent has taken tranquillisers since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	11	.1	.1	.1
	2 Often	9	.1	.1	.2
	3 Sometimes	88	1.0	1.0	1.3
	4 Not at all	8366	98.1	98.7	100.0
	Total	8474	99.3	100.0	
Missing	-1 No response	57	.7		
Total		8531	100.0		

L File – Section C

L3044 C3e: Frequency respondent has taken pills for depression since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	268	3.1	3.2	3.2
	2 Often	138	1.6	1.6	4.8
	3 Sometimes	287	3.4	3.4	8.2
	4 Not at all	7790	91.3	91.8	100.0
	Total	8483	99.4	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	46	.5		
	Total	48	.6		
Total		8531	100.0		

L3045 C3f: Frequency respondent has taken hormone tablets since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	108	1.3	1.3	1.3
	2 Often	55	.6	.6	1.9
	3 Sometimes	118	1.4	1.4	3.3
	4 Not at all	8182	95.9	96.7	100.0
	5 Once Only	1	.0	.0	100.0
	Total	8464	99.2	100.0	
Missing	-1 No response	67	.8		
Total		8531	100.0		

L3046 C3g: Frequency respondent has taken antibiotics since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	47	.6	.6	.6
	2 Often	118	1.4	1.4	1.9
	3 Sometimes	2834	33.2	33.4	35.4
	4 Not at all	5471	64.1	64.5	99.9
	5 Once Only	8	.1	.1	100.0
	Total	8478	99.4	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	1	.0		
	-1 No response	50	.6		
	Total	53	.6		
Total		8531	100.0		

L File – Section C

L3047 C3h: Frequency respondent has taken aspirin since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	19	.2	.2	.2
	2 Often	113	1.3	1.3	1.6
	3 Sometimes	1873	22.0	22.4	23.9
	4 Not at all	6372	74.7	76.1	100.0
	Total	8377	98.2	100.0	
Missing	-1 No response	154	1.8		
Total		8531	100.0		

L3048 C3i: Frequency respondent has taken paracetamol since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	42	.5	.5	.5
	2 Often	856	10.0	10.1	10.6
	3 Sometimes	6453	75.6	76.2	86.8
	4 Not at all	1117	13.1	13.2	100.0
	5 Once Only	2	.0	.0	100.0
	Total	8470	99.3	100.0	
Missing	-1 No response	61	.7		
Total		8531	100.0		

L3049 C3j: Frequency respondent has taken other painkillers since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	87	1.0	1.0	1.0
	2 Often	421	4.9	5.0	6.0
	3 Sometimes	2326	27.3	27.6	33.6
	4 Not at all	5599	65.6	66.4	100.0
	5 Once Only	1	.0	.0	100.0
	Total	8434	98.9	100.0	
Missing	-1 No response	97	1.1		
Total		8531	100.0		

L3050 C3k: Frequency respondent has taken amphetamines/other stimulants since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	4	.0	.0	.0
	2 Often	8	.1	.1	.1
	3 Sometimes	61	.7	.7	.9
	4 Not at all	8375	98.2	99.1	100.0
	Total	8448	99.0	100.0	
Missing	-1 No response	83	1.0		
Total		8531	100.0		

L File – Section C

L3051 C3l: Frequency respondent has taken the contraceptive pill since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	1750	20.5	20.6	20.6
	2 Often	269	3.2	3.2	23.8
	3 Sometimes	272	3.2	3.2	27.0
	4 Not at all	6189	72.5	73.0	100.0
	Total	8480	99.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	50	.6		
	Total	51	.6		
Total		8531	100.0		

L3052 C3m: Frequency respondent has taken iron since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	235	2.8	2.8	2.8
	2 Often	288	3.4	3.4	6.2
	3 Sometimes	839	9.8	9.9	16.1
	4 Not at all	7096	83.2	83.9	100.0
	Total	8458	99.1	100.0	
Missing	-1 No response	73	.9		
Total		8531	100.0		

L3053 C3n: Frequency respondent has taken heroin, methadone, crack, cocaine since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	1	.0	.0	.0
	2 Often	3	.0	.0	.0
	3 Sometimes	18	.2	.2	.3
	4 Not at all	8445	99.0	99.7	100.0
	Total	8467	99.2	100.0	
Missing	-1 No response	64	.8		
Total		8531	100.0		

L3054 C3o: Frequency respondent has taken anticonvulsants since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	39	.5	.5	.5
	2 Often	3	.0	.0	.5
	3 Sometimes	4	.0	.0	.5
	4 Not at all	8433	98.9	99.5	100.0
	Total	8479	99.4	100.0	
Missing	-1 No response	52	.6		
Total		8531	100.0		

L File – Section C

L3055 C3p: Frequency respondent has taken steroids since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	67	.8	.8	.8
	2 Often	34	.4	.4	1.2
	3 Sometimes	149	1.7	1.8	3.0
	4 Not at all	8193	96.0	97.0	100.0
	5 Once Only	1	.0	.0	100.0
	Total	8444	99.0	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	86	1.0		
	Total	87	1.0		
Total		8531	100.0		

L3057 C3q: Frequency respondent has taken other pill, medicine, drug/treatment since study child's 5th birthday # 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	63	.7	3.5	3.5
	1 Every day	746	8.7	41.2	44.6
	2 Often	310	3.6	17.1	61.8
	3 Sometimes	681	8.0	37.6	99.3
	5 Once Only	12	.1	.7	100.0
	Total	1812	21.2	100.0	
Missing	-1 No response	6719	78.8		
Total		8531	100.0		

L3059 C3r: Frequency respondent has taken other pill, medicine, drug/treatment since study child's 5th birthday # 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	15	.2	2.5	2.5
	1 Every day	220	2.6	35.9	38.4
	2 Often	105	1.2	17.2	55.6
	3 Sometimes	268	3.1	43.8	99.3
	5 Once Only	4	.0	.7	100.0
	Total	612	7.2	100.0	
Missing	-1 No response	7919	92.8		
Total		8531	100.0		

L3061 C3s: Frequency respondent has taken other pill, medicine, drug/treatment since study child's 5th birthday # 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	10	.1	4.1	4.1
	1 Every day	67	.8	27.3	31.4
	2 Often	32	.4	13.1	44.5
	3 Sometimes	134	1.6	54.7	99.2
	5 Once Only	2	.0	.8	100.0
	Total	245	2.9	100.0	
Missing	-1 No response	8286	97.1		
Total		8531	100.0		

L File – Section C

L3070 C4: Number of drugs, medicines & ointments taken by respondent in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	412	4.8	6.2	6.2
	1	2437	28.6	36.4	42.6
	2	1801	21.1	26.9	69.5
	3	998	11.7	14.9	84.4
	4	577	6.8	8.6	93.1
	5	233	2.7	3.5	96.5
	6	115	1.3	1.7	98.3
	7	63	.7	.9	99.2
	8	29	.3	.4	99.6
	9	10	.1	.1	99.8
	10	7	.1	.1	99.9
	11	2	.0	.0	99.9
	12	1	.0	.0	99.9
	13	2	.0	.0	100.0
	14	1	.0	.0	100.0
	17	1	.0	.0	100.0
	Total	6689	78.4	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	1839	21.6		
	Total	1842	21.6		
Total		8531	100.0		

L File – Section C

L3180 C5a: Respondent admitted to hospital since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1184	13.9	14.0	14.0
	2 No	7296	85.5	86.0	100.0
	Total	8480	99.4	100.0	
Missing	-1 No response	51	.6		
Total		8531	100.0		

L3181 C5b: Number of times respondent admitted to hospital since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	31	.4	2.6	2.6
	1	935	11.0	77.3	79.8
	2	167	2.0	13.8	93.6
	3	43	.5	3.6	97.2
	4	17	.2	1.4	98.6
	5	9	.1	.7	99.3
	6	4	.0	.3	99.7
	7	1	.0	.1	99.8
	9	1	.0	.1	99.8
	10	1	.0	.1	99.9
	12	1	.0	.1	100.0
	Total	1210	14.2	100.0	
Missing	-1 No response	7321	85.8		
Total		8531	100.0		

L3182 C5c: Number of different reasons respondent admitted to hospital since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	17	.2	1.5	1.5
	1	975	11.4	86.1	87.6
	2	114	1.3	10.1	97.7
	3	24	.3	2.1	99.8
	4	1	.0	.1	99.9
	5	1	.0	.1	100.0
	Total	1132	13.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	7398	86.7		
	Total	7399	86.7		
Total		8531	100.0		

L File – Section C

L3191 C5d: Number of nights respondent stayed in hospital - stay # 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	261	3.1	22.7	22.7
	1	342	4.0	29.7	52.3
	2	162	1.9	14.1	66.4
	3	104	1.2	9.0	75.4
	4	73	.9	6.3	81.8
	5	76	.9	6.6	88.4
	6	45	.5	3.9	92.3
	7	31	.4	2.7	95.0
	8	10	.1	.9	95.8
	9	4	.0	.3	96.2
	10	12	.1	1.0	97.2
	11	2	.0	.2	97.4
	12	2	.0	.2	97.6
	13	1	.0	.1	97.7
	14	10	.1	.9	98.5
	16	1	.0	.1	98.6
	18	1	.0	.1	98.7
	20	3	.0	.3	99.0
	24	2	.0	.2	99.1
	25	1	.0	.1	99.2
	28	1	.0	.1	99.3
	30	1	.0	.1	99.4
	35	3	.0	.3	99.7
	37	1	.0	.1	99.7
	43	1	.0	.1	99.8
	49	1	.0	.1	99.9
	98 Lots	1	.0	.1	100.0
	Total	1152	13.5	100.0	
Missing	-9 Don't know	9	.1		
	-1 No response	7370	86.4		
	Total	7379	86.5		
Total		8531	100.0		

L File – Section C

L3201 C5e: Number of nights respondent stayed in hospital - stay # 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	45	.5	20.3	20.3
	1	65	.8	29.3	49.5
	2	29	.3	13.1	62.6
	3	19	.2	8.6	71.2
	4	23	.3	10.4	81.5
	5	11	.1	5.0	86.5
	6	7	.1	3.2	89.6
	7	5	.1	2.3	91.9
	8	2	.0	.9	92.8
	10	4	.0	1.8	94.6
	12	3	.0	1.4	95.9
	14	4	.0	1.8	97.7
	16	1	.0	.5	98.2
	17	1	.0	.5	98.6
	20	1	.0	.5	99.1
	26	1	.0	.5	99.5
	35	1	.0	.5	100.0
	Total	222	2.6	100.0	
Missing	-9 Don't know	6	.1		
	-1 No response	8303	97.3		
	Total	8309	97.4		
Total		8531	100.0		

L3211 C5f: Number of nights respondent stayed in hospital - stay # 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	11	.1	15.7	15.7
	1	12	.1	17.1	32.9
	2	9	.1	12.9	45.7
	3	5	.1	7.1	52.9
	4	4	.0	5.7	58.6
	5	6	.1	8.6	67.1
	6	6	.1	8.6	75.7
	7	4	.0	5.7	81.4
	8	2	.0	2.9	84.3
	9	1	.0	1.4	85.7
	10	3	.0	4.3	90.0
	12	1	.0	1.4	91.4
	13	1	.0	1.4	92.9
	21	1	.0	1.4	94.3
	31	1	.0	1.4	95.7
	42	1	.0	1.4	97.1
	47	1	.0	1.4	98.6
	50	1	.0	1.4	100.0
	Total	70	.8	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	8458	99.1		
	Total	8461	99.2		
Total		8531	100.0		

L File – Section C

L3221 C5g: Number of nights respondent stayed in hospital - stay # 4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.0	14.3	14.3
	1	3	.0	10.7	25.0
	2	5	.1	17.9	42.9
	3	4	.0	14.3	57.1
	4	3	.0	10.7	67.9
	5	3	.0	10.7	78.6
	7	3	.0	10.7	89.3
	10	2	.0	7.1	96.4
	35	1	.0	3.6	100.0
	Total	28	.3	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	8500	99.6		
	Total	8503	99.7		
Total		8531	100.0		

L3231 C5h: Number of nights respondent stayed in hospital - stay # 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	7.7	7.7
	1	1	.0	7.7	15.4
	2	3	.0	23.1	38.5
	3	2	.0	15.4	53.8
	4	1	.0	7.7	61.5
	5	1	.0	7.7	69.2
	6	1	.0	7.7	76.9
	22	1	.0	7.7	84.6
	24	1	.0	7.7	92.3
	42	1	.0	7.7	100.0
	Total	13	.2	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	8515	99.8		
	Total	8518	99.8		
Total		8531	100.0		

L File – Section C

L3240 C6a: Frequency respondent has had backache in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	461	5.4	5.6	5.6
	2 Sometimes	3635	42.6	44.5	50.2
	3 Not at all	4071	47.7	49.8	100.0
	Total	8167	95.7	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	363	4.3		
	Total	364	4.3		
Total		8531	100.0		

L3241 C6b: Frequency respondent has had headache/migraine in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	164	1.9	2.0	2.0
	2 Sometimes	5881	68.9	72.0	74.0
	3 Not at all	2121	24.9	26.0	100.0
	Total	8166	95.7	100.0	
Missing	-1 No response	365	4.3		
Total		8531	100.0		

L3242 C6c: Frequency respondent has had urinary infection in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	17	.2	.2	.2
	2 Sometimes	270	3.2	3.3	3.5
	3 Not at all	7860	92.1	96.5	100.0
	Total	8147	95.5	100.0	
Missing	-1 No response	384	4.5		
Total		8531	100.0		

L3243 C6d: Frequency respondent has had nausea in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	56	.7	.7	.7
	2 Sometimes	1269	14.9	15.6	16.3
	3 Not at all	6828	80.0	83.7	100.0
	Total	8153	95.6	100.0	
Missing	-1 No response	378	4.4		
Total		8531	100.0		

L3244 C6e: Frequency respondent has had vomiting in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	19	.2	.2	.2
	2 Sometimes	573	6.7	7.0	7.3
	3 Not at all	7554	88.5	92.7	100.0
	Total	8146	95.5	100.0	
Missing	-1 No response	385	4.5		
Total		8531	100.0		

L File – Section C

L3245 C6f: Frequency respondent has had diarrhoea in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	35	.4	.4	.4
	2 Sometimes	1236	14.5	15.1	15.6
	3 Not at all	6888	80.7	84.4	100.0
	Total	8159	95.6	100.0	
Missing	-1 No response	372	4.4		
Total		8531	100.0		

L3246 C6g: Frequency respondent has had haemorrhoids/piles in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	189	2.2	2.3	2.3
	2 Sometimes	809	9.5	9.9	12.3
	3 Not at all	7143	83.7	87.7	100.0
	Total	8141	95.4	100.0	
Missing	-1 No response	390	4.6		
Total		8531	100.0		

L3247 C6h: Frequency respondent has felt weepy/tearful in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	162	1.9	1.9	1.9
	2 Sometimes	4043	47.4	47.6	49.6
	3 Not at all	4280	50.2	50.4	100.0
	Total	8485	99.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	45	.5		
	Total	46	.5		
Total		8531	100.0		

L3248 C6i: Frequency respondent has felt irritable in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	290	3.4	3.4	3.4
	2 Sometimes	6284	73.7	74.0	77.4
	3 Not at all	1917	22.5	22.6	100.0
	Total	8491	99.5	100.0	
Missing	-1 No response	40	.5		
Total		8531	100.0		

L3249 C6j: Frequency respondent has felt exhausted in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	731	8.6	8.6	8.6
	2 Sometimes	5871	68.8	69.1	77.7
	3 Not at all	1892	22.2	22.3	100.0
	Total	8494	99.6	100.0	
Missing	-1 No response	37	.4		
Total		8531	100.0		

L File – Section C

L3250 C6k: Frequency respondent has had varicose veins in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	334	3.9	3.9	3.9
	2 Sometimes	363	4.3	4.3	8.2
	3 Not at all	7772	91.1	91.8	100.0
	Total	8469	99.3	100.0	
Missing	-1 No response	62	.7		
Total		8531	100.0		

L3251 C6l: Frequency respondent has been passing urine very often in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	205	2.4	2.4	2.4
	2 Sometimes	1225	14.4	14.5	16.9
	3 Not at all	7040	82.5	83.1	100.0
	Total	8470	99.3	100.0	
Missing	-1 No response	61	.7		
Total		8531	100.0		

L3252 C6m: Frequency respondent has had problems holding urine when jump, sneeze etc in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	377	4.4	4.4	4.4
	2 Sometimes	1967	23.1	23.2	27.6
	3 Not at all	6138	71.9	72.4	100.0
	Total	8482	99.4	100.0	
Missing	-1 No response	49	.6		
Total		8531	100.0		

L3253 C6n: Frequency respondent has had indigestion in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	93	1.1	1.1	1.1
	2 Sometimes	1848	21.7	21.8	22.9
	3 Not at all	6544	76.7	77.1	100.0
	Total	8485	99.5	100.0	
Missing	-1 No response	46	.5		
Total		8531	100.0		

L3254 C6o: Frequency respondent has felt dizzy/faint in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	35	.4	.4	.4
	2 Sometimes	1468	17.2	17.3	17.7
	3 Not at all	6977	81.8	82.3	100.0
	Total	8480	99.4	100.0	
Missing	-1 No response	51	.6		
Total		8531	100.0		

L File – Section C

L3255 C6p: Frequency respondent has had flashing lights/spots before eyes in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	25	.3	.3	.3
	2 Sometimes	973	11.4	11.5	11.8
	3 Not at all	7486	87.8	88.2	100.0
	Total	8484	99.4	100.0	
Missing	-1 No response	47	.6		
Total		8531	100.0		

L3256 C6q: Frequency respondent has had shoulder ache in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	229	2.7	2.7	2.7
	2 Sometimes	2035	23.9	24.0	26.7
	3 Not at all	6214	72.8	73.3	100.0
	Total	8478	99.4	100.0	
Missing	-1 No response	53	.6		
Total		8531	100.0		

L3257 C6r: Frequency respondent has had tingling in hands/fingers in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	101	1.2	1.2	1.2
	2 Sometimes	1321	15.5	15.6	16.8
	3 Not at all	7057	82.7	83.2	100.0
	Total	8479	99.4	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	50	.6		
	Total	52	.6		
Total		8531	100.0		

L3258 C6s: Frequency respondent has had tingling in feet/toes in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	51	.6	.6	.6
	2 Sometimes	568	6.7	6.7	7.3
	3 Not at all	7850	92.0	92.7	100.0
	Total	8469	99.3	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	60	.7		
	Total	62	.7		
Total		8531	100.0		

L File – Section C

L3259 C6t: Frequency respondent has had neck ache in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	248	2.9	2.9	2.9
	2 Sometimes	2574	30.2	30.4	33.3
	3 Not at all	5651	66.2	66.7	100.0
	Total	8473	99.3	100.0	
Missing	-1 No response	58	.7		
Total		8531	100.0		

L3260 C6u: Frequency respondent has felt depressed in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	227	2.7	2.7	2.7
	2 Sometimes	2502	29.3	29.5	32.2
	3 Not at all	5740	67.3	67.8	100.0
	Total	8469	99.3	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	60	.7		
	Total	62	.7		
Total		8531	100.0		

L3261 C6v: Frequency respondent has had any other problems in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	104	1.2	1.7	1.7
	1 Almost all the time	207	2.4	3.4	5.0
	2 Sometimes	372	4.4	6.0	11.1
	3 Not at all	5484	64.3	88.9	100.0
	Total	6167	72.3	100.0	
Missing	-1 No response	2364	27.7		
Total		8531	100.0		

L File – Section C

L3270 C7a: Frequency respondent is currently having sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	808	9.5	9.7	9.7
	2 < once a month	974	11.4	11.7	21.4
	3 1-3 times a month	2084	24.4	25.0	46.4
	4 About once a week	2033	23.8	24.4	70.7
	5 2-4 times a week	2237	26.2	26.8	97.6
	6 5 or more times a week	202	2.4	2.4	100.0
	Total	8338	97.7	100.0	
Missing	-1 No response	193	2.3		
Total		8531	100.0		

L3271 C7b: In general, respondent enjoy's sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very much	3859	45.2	47.0	47.0
	2 Yes, somewhat	3161	37.1	38.5	85.5
	3 No, not a lot	589	6.9	7.2	92.6
	4 No, not at all	78	.9	.9	93.6
	5 It does not happen	526	6.2	6.4	100.0
	Total	8213	96.3	100.0	
Missing	-1 No response	318	3.7		
Total		8531	100.0		

L File – Section C

L3280 C8: Respondent has been pregnant at all since birth of study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4227	49.5	49.9	49.9
	2 No	4238	49.7	50.1	100.0
	Total	8465	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	65	.8		
	Total	66	.8		
Total		8531	100.0		

L3281 C8i: Number of times respondent been pregnant since birth of study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6	.1	.1	.1
	1	2874	33.7	68.2	68.3
	2	984	11.5	23.3	91.6
	3	252	3.0	6.0	97.6
	4	68	.8	1.6	99.2
	5	21	.2	.5	99.7
	6	7	.1	.2	99.9
	7	1	.0	.0	99.9
	8	1	.0	.0	99.9
	9	1	.0	.0	100.0
	10	2	.0	.0	100.0
Total		4217	49.4	100.0	
Missing	-1 No response	4314	50.6		
Total		8531	100.0		

L3282 C8ii: Duration of trying for first pregnancy after study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 < than 6 months	2427	28.4	57.2	57.2
	2 6 - 11 months	380	4.5	9.0	66.2
	3 At Least 12 months	324	3.8	7.6	73.8
	4 Pregnancy was not planned	989	11.6	23.3	97.1
	9 Don't remember	123	1.4	2.9	100.0
	Total	4243	49.7	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	4287	50.3		
	Total	4288	50.3		
Total		8531	100.0		

L File – Section C

L3290 C9a: Respondent is currently trying to get pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	7388	86.6	92.6	92.6
	2 No, but intend to later	190	2.2	2.4	95.0
	3 Yes we are trying	164	1.9	2.1	97.0
	4 Already pregnant	239	2.8	3.0	100.0
	Total	7981	93.6	100.0	
Missing	-1 No response	550	6.4		
Total		8531	100.0		

L3291 C9a1: Number of months for which respondent has been trying to get pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.0	2.5	2.5
	1	21	.2	13.3	15.8
	2	18	.2	11.4	27.2
	3	15	.2	9.5	36.7
	4	8	.1	5.1	41.8
	5	4	.0	2.5	44.3
	6	9	.1	5.7	50.0
	7	3	.0	1.9	51.9
	8	2	.0	1.3	53.2
	9	1	.0	.6	53.8
	10	3	.0	1.9	55.7
	11	4	.0	2.5	58.2
	12	8	.1	5.1	63.3
	15	1	.0	.6	63.9
	16	1	.0	.6	64.6
	18	10	.1	6.3	70.9
	20	3	.0	1.9	72.8
	22	1	.0	.6	73.4
	24	7	.1	4.4	77.8
	25	1	.0	.6	78.5
	26	1	.0	.6	79.1
	28	2	.0	1.3	80.4
	30	3	.0	1.9	82.3
	36	8	.1	5.1	87.3
	38	1	.0	.6	88.0
	43	1	.0	.6	88.6
	46	2	.0	1.3	89.9
	48	7	.1	4.4	94.3
	54	2	.0	1.3	95.6
	60	5	.1	3.2	98.7
	70	1	.0	.6	99.4
	72	1	.0	.6	100.0
	Total	158	1.9	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	8369	98.1		
	Total	8373	98.1		
Total		8531	100.0		

L File – Section C

L3292 C9a2: Number of months respondent was trying before she became pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	45	.5	23.0	23.0
	1	54	.6	27.6	50.5
	2	23	.3	11.7	62.2
	3	16	.2	8.2	70.4
	4	8	.1	4.1	74.5
	5	6	.1	3.1	77.6
	6	9	.1	4.6	82.1
	7	3	.0	1.5	83.7
	8	2	.0	1.0	84.7
	9	2	.0	1.0	85.7
	10	3	.0	1.5	87.2
	12	6	.1	3.1	90.3
	16	2	.0	1.0	91.3
	18	7	.1	3.6	94.9
	24	5	.1	2.6	97.4
	25	1	.0	.5	98.0
	36	2	.0	1.0	99.0
	48	2	.0	1.0	100.0
	Total	196	2.3	100.0	
Missing	-9 Don't know	25	.3		
	-1 No response	8310	97.4		
	Total	8335	97.7		
Total		8531	100.0		

L3300 C9b1: Respondent has used withdrawal as contraception in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	600	7.0	11.2	11.2
	2 No	4764	55.8	88.8	100.0
	Total	5364	62.9	100.0	
Missing	-1 No response	3167	37.1		
Total		8531	100.0		

L3301 C9b2: Respondent has used the pill as contraception in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1948	22.8	32.1	32.1
	2 No	4114	48.2	67.9	100.0
	Total	6062	71.1	100.0	
Missing	-1 No response	2469	28.9		
Total		8531	100.0		

L File – Section C

L3302 C9b3: Respondent has used IUCD/coil as contraception in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	844	9.9	15.3	15.3
	2 No	4670	54.7	84.7	100.0
	Total	5514	64.6	100.0	
Missing	-1 No response	3017	35.4		
Total		8531	100.0		

L3303 C9b4: Respondent has used condom/sheath as contraception in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1899	22.3	32.8	32.8
	2 No	3888	45.6	67.2	100.0
	Total	5787	67.8	100.0	
Missing	-1 No response	2744	32.2		
Total		8531	100.0		

L3304 C9b5: Respondent has used calendar/rhythm method as contraception in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	272	3.2	5.2	5.2
	2 No	4965	58.2	94.8	100.0
	Total	5237	61.4	100.0	
Missing	-1 No response	3294	38.6		
Total		8531	100.0		

L3305 C9b6: Respondent has used diaphragm/cap as contraception in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	142	1.7	2.7	2.7
	2 No	5066	59.4	97.3	100.0
	Total	5208	61.0	100.0	
Missing	-1 No response	3323	39.0		
Total		8531	100.0		

L3306 C9b7: Respondent has used spermicide as contraception in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	141	1.7	2.7	2.7
	2 No	5060	59.3	97.3	100.0
	Total	5201	61.0	100.0	
Missing	-1 No response	3330	39.0		
Total		8531	100.0		

L File – Section C

L3307 C9b8: Respondent has been sterilised

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	769	9.0	14.1	14.1
	2 No	4677	54.8	85.9	100.0
	Total	5446	63.8	100.0	
Missing	-1 No response	3085	36.2		
Total		8531	100.0		

L3308 C9b9: Respondent's partner has been sterilised

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1654	19.4	29.7	29.7
	2 No	3906	45.8	70.3	100.0
	Total	5560	65.2	100.0	
Missing	-1 No response	2971	34.8		
Total		8531	100.0		

L3309 C9b10: Respondent has used no form of contraception in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	568	6.7	13.7	13.7
	2 No	3584	42.0	86.3	100.0
	Total	4152	48.7	100.0	
Missing	-1 No response	4379	51.3		
Total		8531	100.0		

L3310 C9b11: Respondent has used other form of contraception in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	361	4.2	11.8	11.8
	2 No	2711	31.8	88.2	100.0
	Total	3072	36.0	100.0	
Missing	-1 No response	5459	64.0		
Total		8531	100.0		

L File – Section C

L3320 C10: Number of children respondent thought they would like before becoming pregnant for first time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	321	3.8	3.8	3.8
	2 One	321	3.8	3.8	7.6
	3 Two	3783	44.3	44.9	52.5
	4 Three	1484	17.4	17.6	70.1
	5 Four or more	1451	17.0	17.2	87.3
	6 Did not have an opinion	770	9.0	9.1	96.4
	9 Did not remember	303	3.6	3.6	100.0
	Total	8433	98.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	97	1.1		
	Total	98	1.1		
Total		8531	100.0		

L File – Section C

L3330 C11a: After study child was born respondent decided about having more children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Definitely wanted another child	3420	40.1	40.7	40.7
	2 Did not mind if had another child	1483	17.4	17.6	58.3
	3 Did not think about it	730	8.6	8.7	67.0
	4 Definitely did not want another child	2780	32.6	33.0	100.0
	Total	8413	98.6	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	5	.1		
	-1 No response	111	1.3		
	Total	118	1.4		
Total		8531	100.0		

L3331 C11b1: Respondent did not want another child because could not afford another child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	562	6.6	100.0	100.0
Missing	-1 No response	7969	93.4		
Total		8531	100.0		

L3332 C11b2: Respondent did not want another child because had enough children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2079	24.4	100.0	100.0
Missing	-1 No response	6452	75.6		
Total		8531	100.0		

L3333 C11b3: Respondent did not want another child because not in good health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	173	2.0	100.0	100.0
Missing	-1 No response	8358	98.0		
Total		8531	100.0		

L3334 C11b4: Respondent did not want another child because concentrating on career

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	221	2.6	100.0	100.0
Missing	-1 No response	8310	97.4		
Total		8531	100.0		

L3335 C11b5: Respondent did not want another child because partner did not want more

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	498	5.8	100.0	100.0
Missing	-1 No response	8033	94.2		
Total		8531	100.0		

L File – Section C

L3336 C11b6: Respondent did not want another child because had no partner

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	108	1.3	100.0	100.0
Missing -1 No response	8423	98.7		
Total	8531	100.0		

L3337 C11b7: Respondent did not want another child because could not cope with another

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	552	6.5	100.0	100.0
Missing -1 No response	7979	93.5		
Total	8531	100.0		

L3338 C11b8: Respondent did not want another child because such bad experience of pregnancy with study child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	301	3.5	100.0	100.0
Missing -1 No response	8230	96.5		
Total	8531	100.0		

L3339 C11b9: Respondent did not want another child because other reason

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	605	7.1	100.0	100.0
Missing -1 No response	7926	92.9		
Total	8531	100.0		

L File – Section C

L3350 C12a: Degree to which respondents most recent periods were heavy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	1434	16.8	17.1	17.1
	2 Moderately	4009	47.0	47.8	65.0
	3 Mildly	1769	20.7	21.1	86.1
	4 Not at all	556	6.5	6.6	92.7
	7 No periods	612	7.2	7.3	100.0
	Total	8380	98.2	100.0	
Missing	-1 No response	151	1.8		
Total		8531	100.0		

L3351 C12b: Degree to which respondents most recent periods were painful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	604	7.1	7.8	7.8
	2 Moderately	2203	25.8	28.6	36.5
	3 Mildly	3000	35.2	39.0	75.4
	4 Not at all	1893	22.2	24.6	100.0
	Total	7700	90.3	100.0	
Missing	-1 No response	831	9.7		
Total		8531	100.0		

L3352 C12c: Degree to which respondents most recent periods were irregular

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very	662	7.8	8.8	8.8
	2 Moderately	721	8.5	9.6	18.4
	3 Mildly	1309	15.3	17.4	35.9
	4 Not at all	4812	56.4	64.1	100.0
	Total	7504	88.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	1025	12.0		
	Total	1027	12.0		
Total		8531	100.0		

L File – Section C

L3353 C12d: Number of days bleeding usually lasted during respondents most recent periods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6	.1	.1	.1
	1	28	.3	.4	.4
	2	117	1.4	1.5	2.0
	3	701	8.2	9.1	11.1
	4	1587	18.6	20.7	31.8
	5	2714	31.8	35.4	67.1
	6	1162	13.6	15.1	82.3
	7	940	11.0	12.2	94.5
	8	178	2.1	2.3	96.8
	9	55	.6	.7	97.6
	10	99	1.2	1.3	98.9
	11	11	.1	.1	99.0
	12	17	.2	.2	99.2
	13	1	.0	.0	99.2
	14	24	.3	.3	99.5
	15	4	.0	.1	99.6
	18	1	.0	.0	99.6
	19	1	.0	.0	99.6
	20	4	.0	.1	99.7
	21	3	.0	.0	99.7
	24	2	.0	.0	99.7
	25	1	.0	.0	99.8
	26	1	.0	.0	99.8
	28	3	.0	.0	99.8
	30	1	.0	.0	99.8
	31 Continuous	9	.1	.1	99.9
	42	1	.0	.0	99.9
	97 Varies	4	.0	.1	100.0
	Total	7675	90.0	100.0	
Missing	-9 Don't know	8	.1		
	-1 No response	848	9.9		
	Total	856	10.0		
Total		8531	100.0		

L File – Section C

L3360 C13a1: Respondent is generally very fatigued in days before period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3210	37.6	100.0	100.0
Missing -1 No response	5321	62.4		
Total	8531	100.0		

L3361 C13a2: Respondent is generally very fatigued in days during period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2509	29.4	100.0	100.0
Missing -1 No response	6022	70.6		
Total	8531	100.0		

L3370 C13b1: Respondent is generally irritable in days before period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6291	73.7	100.0	100.0
Missing -1 No response	2240	26.3		
Total	8531	100.0		

L3371 C13b2: Respondent is generally irritable in days during period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1931	22.6	100.0	100.0
Missing -1 No response	6600	77.4		
Total	8531	100.0		

L3380 C13c1: Respondent is generally depressed in days before period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2653	31.1	100.0	100.0
Missing -1 No response	5878	68.9		
Total	8531	100.0		

L3381 C13c2: Respondent is generally depressed in days during period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	801	9.4	100.0	100.0
Missing -1 No response	7730	90.6		
Total	8531	100.0		

L File – Section C

L3390 C13d1: Respondent is generally anxious in days before period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2016	23.6	100.0	100.0
Missing -1 No response	6515	76.4		
Total	8531	100.0		

L3391 C13d2: Respondent is generally anxious in days during period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	558	6.5	100.0	100.0
Missing -1 No response	7973	93.5		
Total	8531	100.0		

L3400 C13e1: Respondent generally has other problems in days before period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Other	71	.8	6.2	6.2
1 Yes	1072	12.6	93.8	100.0
Total	1143	13.4	100.0	
Missing -1 No response	7388	86.6		
Total	8531	100.0		

L3401 C13e2: Respondent generally has other problems in days during period

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Other	71	.8	15.0	15.0
1 Yes	401	4.7	85.0	100.0
Total	472	5.5	100.0	
Missing -1 No response	8059	94.5		
Total	8531	100.0		

PAGE 21 OF THE QUESTIONNAIRE

SECTION D: RECENT EVENTS

Listed below are a number of events which may have brought changes in your life. Have any of the these occurred since your study child's 5th birthday?

	Yes & affected me a lot ↓	Yes, moderately affected ↓	Yes, mildly affected ↓	Yes, but did not affect me at all	No, did not happen ↓
Since your child was 5					
D1. Your partner died	1	2	3	4	5
D2. One of your children died	1	2	3	4	5
D3. A friend or relative died	1	2	3	4	5
D4. One of your children was ill	1	2	3	4	5
D5. Your partner was ill	1	2	3	4	5
D6. A friend or relative was ill	1	2	3	4	5
D7. You were admitted to hospital	1	2	3	4	5
D8. You were in trouble with the law	1	2	3	4	5
D9. You were divorced	1	2	3	4	5
D10. You found that your partner didn't want your child	1	2	3	4	5
D11. You were very ill	1	2	3	4	5
D12. Your partner lost his job	1	2	3	4	5

PAGE 22 OF THE QUESTIONNAIRE

	Yes & affected me a lot ↓	Yes, moderately affected ↓	Yes, mildly affected ↓	Yes, but did not affect me at all	No, did not happen ↓
Since your child was 5					
D13. Your partner had problems at work	1	2	3	4	5
D14. You had problems at work	1	2	3	4	5
D15. You lost your job	1	2	3	4	5
D16. Your partner went away	1	2	3	4	5
D17. Your partner was in trouble with the law	1	2	3	4	5
D18. You and your partner separated	1	2	3	4	5
D19. Your income was reduced	1	2	3	4	5
D20. You argued with your partner	1	2	3	4	5
D21. You argued with your family and friends	1	2	3	4	5
D22. You moved house	1	2	3	4	5
D23. Your partner was physically cruel to you	1	2	3	4	5
D24. You became homeless	1	2	3	4	5
D25. You had a major financial problem	1	2	3	4	5
D26. You got married	1	2	3	4	5

PAGE 23 OF THE QUESTIONNAIRE

	Yes & affected me a lot ↓	Yes, moderately affected ↓	Yes, mildly affected ↓	Yes, but did not affect me at all	No, did not happen ↓
Since your child was 5					
D27. Your partner was physically cruel to your children	1	2	3	4	5
D28. You were physically cruel to your children	1	2	3	4	5
D29. You attempted suicide	1	2	3	4	5
D30. You were convicted of an offence	1	2	3	4	5
D31. You became pregnant	1	2	3	4	5
D32. You started a new job	1	2	3	4	5
D33. You returned to work	1	2	3	4	5
D34. You had a miscarriage	1	2	3	4	5
D35. You had an abortion	1	2	3	4	5
D36. You took an examination	1	2	3	4	5
D37. Your partner was emotionally cruel to you	1	2	3	4	5
D38. Your partner was emotionally cruel to your children	1	2	3	4	5
D39. You were emotionally cruel to your children	1	2	3	4	5

PAGE 24 OF THE QUESTIONNAIRE

	Yes & affected me a lot ↓	Yes, moderately affected ↓	Yes, mildly affected ↓	Yes, but did not affect me at all	No, did not happen ↓
Since your child was 5					
D40. Your house or car was burgled	1	2	3	4	5
D41. You found a new partner	1	2	3	4	5
D42. One of your children started school	1	2	3	4	5
D43. Your partner started a new job	1	2	3	4	5
D44. A pet died	1	2	3	4	5
D45. You had an accident (please tick and describe)	1	2	3	4	5

.....

D46. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope **in the last year**?

Yes 1 No 2 → **Go to E1 on page 25**

If yes,

b) please describe for each event:

what happened:

(i)

(ii)

(iii)

L File – Section D

L4000 D1: Respondent's partner died since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	5	.1	.1	.1
	2 Yes, moderately affected	1	.0	.0	.1
	5 No, did not happen	8482	99.4	99.9	100.0
	Total	8488	99.5	100.0	
Missing	-1 No response	43	.5		
Total		8531	100.0		

L4001 D2: One of respondent's children died since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	15	.2	.2	.2
	5 No, did not happen	8477	99.4	99.8	100.0
	Total	8492	99.5	100.0	
Missing	-1 No response	39	.5		
Total		8531	100.0		

L4002 D3: Respondent's friend/relative died since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	641	7.5	7.6	7.6
	2 Yes, moderately affected	509	6.0	6.0	13.6
	3 Yes, mildly affected	682	8.0	8.0	21.6
	4 Yes, did not affect respondent at all	270	3.2	3.2	24.8
	5 No, did not happen	6381	74.8	75.2	100.0
	Total	8483	99.4	100.0	
Missing	-8 Text response	4	.0		
	-1 No response	44	.5		
	Total	48	.6		
Total		8531	100.0		

L4003 D4: One of respondent's children was ill since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	281	3.3	3.3	3.3
	2 Yes, moderately affected	354	4.1	4.2	7.5
	3 Yes, mildly affected	837	9.8	9.9	17.4
	4 Yes, did not affect respondent at all	747	8.8	8.8	26.2
	5 No, did not happen	6250	73.3	73.8	100.0
	Total	8469	99.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	61	.7		
	Total	62	.7		
Total		8531	100.0		

L File – Section D

L4004 D5: Respondent's partner was ill since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	204	2.4	2.4	2.4
	2 Yes, moderately affected	249	2.9	2.9	5.3
	3 Yes, mildly affected	414	4.9	4.9	10.2
	4 Yes, did not affect respondent at all	408	4.8	4.8	15.1
	5 No, did not happen	7194	84.3	84.9	100.0
	Total	8469	99.3	100.0	
Missing	-1 No response	62	.7		
Total		8531	100.0		

L4005 D6: Respondent's friend/relative was ill since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	561	6.6	6.6	6.6
	2 Yes, moderately affected	545	6.4	6.4	13.1
	3 Yes, mildly affected	712	8.3	8.4	21.5
	4 Yes, did not affect respondent at all	387	4.5	4.6	26.0
	5 No, did not happen	6270	73.5	74.0	100.0
	Total	8475	99.3	100.0	
Missing	-8 Text response	8	.1		
	-1 No response	48	.6		
	Total	56	.7		
Total		8531	100.0		

L4006 D7: Respondent was admitted to hospital since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	310	3.6	3.7	3.7
	2 Yes, moderately affected	229	2.7	2.7	6.4
	3 Yes, mildly affected	286	3.4	3.4	9.7
	4 Yes, did not affect respondent at all	294	3.4	3.5	13.2
	5 No, did not happen	7361	86.3	86.8	100.0
	Total	8480	99.4	100.0	
Missing	-1 No response	51	.6		
Total		8531	100.0		

L4007 D8: Respondent was in trouble with the law since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	17	.2	.2	.2
	2 Yes, moderately affected	7	.1	.1	.3
	3 Yes, mildly affected	12	.1	.1	.4
	4 Yes, did not affect respondent at all	10	.1	.1	.5
	5 No, did not happen	8446	99.0	99.5	100.0
	Total	8492	99.5	100.0	
Missing	-1 No response	39	.5		
Total		8531	100.0		

L File – Section D

L4008 D9: Respondent was divorced since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	97	1.1	1.1	1.1
	2 Yes, moderately affected	53	.6	.6	1.8
	3 Yes, mildly affected	30	.4	.4	2.1
	4 Yes, did not affect respondent at all	26	.3	.3	2.4
	5 No, did not happen	8276	97.0	97.6	100.0
	Total	8482	99.4	100.0	
Missing	-1 No response	49	.6		
Total		8531	100.0		

L4009 D10: Respondent found their partner did not want their child since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	28	.3	.3	.3
	2 Yes, moderately affected	6	.1	.1	.4
	3 Yes, mildly affected	7	.1	.1	.5
	4 Yes, did not affect respondent at all	2	.0	.0	.5
	5 No, did not happen	8434	98.9	99.5	100.0
	Total	8477	99.4	100.0	
Missing	-1 No response	54	.6		
Total		8531	100.0		

L4010 D11: Respondent was very ill since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	296	3.5	3.5	3.5
	2 Yes, moderately affected	158	1.9	1.9	5.4
	3 Yes, mildly affected	124	1.5	1.5	6.8
	4 Yes, did not affect respondent at all	53	.6	.6	7.4
	5 No, did not happen	7851	92.0	92.6	100.0
	Total	8482	99.4	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	47	.6		
	Total	49	.6		
Total		8531	100.0		

L4011 D12: Respondent's partner lost their job since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	154	1.8	1.8	1.8
	2 Yes, moderately affected	121	1.4	1.4	3.2
	3 Yes, mildly affected	111	1.3	1.3	4.6
	4 Yes, did not affect respondent at all	32	.4	.4	4.9
	5 No, did not happen	8055	94.4	95.1	100.0
	Total	8473	99.3	100.0	
Missing	-1 No response	58	.7		
Total		8531	100.0		

L File – Section D

L4012 D13: Respondent's partner had problems at work since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	312	3.7	3.7	3.7
	2 Yes, moderately affected	504	5.9	6.0	9.7
	3 Yes, mildly affected	939	11.0	11.1	20.8
	4 Yes, did not affect respondent at all	349	4.1	4.1	24.9
	5 No, did not happen	6341	74.3	75.1	100.0
	Total	8445	99.0	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	85	1.0		
	Total	86	1.0		
Total		8531	100.0		

L4013 D14: Respondent had problems at work since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	243	2.8	2.9	2.9
	2 Yes, moderately affected	348	4.1	4.1	7.0
	3 Yes, mildly affected	578	6.8	6.8	13.8
	4 Yes, did not affect respondent at all	191	2.2	2.3	16.1
	5 No, did not happen	7103	83.3	83.9	100.0
	Total	8463	99.2	100.0	
Missing	-1 No response	68	.8		
Total		8531	100.0		

L4014 D15: Respondent lost their job since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	74	.9	.9	.9
	2 Yes, moderately affected	55	.6	.6	1.5
	3 Yes, mildly affected	78	.9	.9	2.4
	4 Yes, did not affect respondent at all	64	.8	.8	3.2
	5 No, did not happen	8196	96.1	96.8	100.0
	Total	8467	99.2	100.0	
Missing	-1 No response	64	.8		
Total		8531	100.0		

L4015 D16: Respondent's partner went away since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	182	2.1	2.2	2.2
	2 Yes, moderately affected	142	1.7	1.7	3.8
	3 Yes, mildly affected	236	2.8	2.8	6.6
	4 Yes, did not affect respondent at all	257	3.0	3.0	9.7
	5 No, did not happen	7632	89.5	90.3	100.0
	Total	8449	99.0	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	81	.9		
	Total	82	1.0		
Total		8531	100.0		

L File – Section D

L4016 D17: Respondent's partner in trouble with the law since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	38	.4	.4	.4
	2 Yes, moderately affected	26	.3	.3	.8
	3 Yes, mildly affected	34	.4	.4	1.2
	4 Yes, did not affect respondent at all	27	.3	.3	1.5
	5 No, did not happen	8327	97.6	98.5	100.0
	Total	8452	99.1	100.0	
Missing	-1 No response	79	.9		
Total		8531	100.0		

L4017 D18: Respondent separated from partner since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	266	3.1	3.2	3.2
	2 Yes, moderately affected	104	1.2	1.2	4.4
	3 Yes, mildly affected	54	.6	.6	5.0
	4 Yes, did not affect respondent at all	39	.5	.5	5.5
	5 No, did not happen	7980	93.5	94.5	100.0
	Total	8443	99.0	100.0	
Missing	-8 Text response	3	.0		
	-1 No response	85	1.0		
	Total	88	1.0		
Total		8531	100.0		

L4018 D19: Respondent's income reduced since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	439	5.1	5.2	5.2
	2 Yes, moderately affected	466	5.5	5.5	10.7
	3 Yes, mildly affected	567	6.6	6.7	17.4
	4 Yes, did not affect respondent at all	247	2.9	2.9	20.3
	5 No, did not happen	6745	79.1	79.7	100.0
	Total	8464	99.2	100.0	
Missing	-1 No response	67	.8		
Total		8531	100.0		

L4019 D20: Respondent argued with partner since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	609	7.1	7.2	7.2
	2 Yes, moderately affected	609	7.1	7.2	14.4
	3 Yes, mildly affected	1317	15.4	15.6	30.0
	4 Yes, did not affect respondent at all	1412	16.6	16.7	46.7
	5 No, did not happen	4511	52.9	53.3	100.0
	Total	8458	99.1	100.0	
Missing	-1 No response	73	.9		
Total		8531	100.0		

L File – Section D

L4020 D21: Respondent argued with family/friends since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	233	2.7	2.8	2.8
	2 Yes, moderately affected	212	2.5	2.5	5.3
	3 Yes, mildly affected	442	5.2	5.2	10.5
	4 Yes, did not affect respondent at all	263	3.1	3.1	13.6
	5 No, did not happen	7316	85.8	86.4	100.0
	Total	8466	99.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	64	.8		
	Total	65	.8		
Total		8531	100.0		

L4021 D22: Respondent moved house since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	263	3.1	3.1	3.1
	2 Yes, moderately affected	251	2.9	3.0	6.1
	3 Yes, mildly affected	276	3.2	3.3	9.3
	4 Yes, did not affect respondent at all	290	3.4	3.4	12.8
	5 No, did not happen	7386	86.6	87.2	100.0
	Total	8466	99.2	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	63	.7		
	Total	65	.8		
Total		8531	100.0		

L4022 D23: Respondent's partner was physically cruel to them since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	102	1.2	1.2	1.2
	2 Yes, moderately affected	58	.7	.7	1.9
	3 Yes, mildly affected	43	.5	.5	2.4
	4 Yes, did not affect respondent at all	12	.1	.1	2.5
	5 No, did not happen	8235	96.5	97.5	100.0
	Total	8450	99.1	100.0	
Missing	-1 No response	81	.9		
Total		8531	100.0		

L4023 D24: Respondent became homeless since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	32	.4	.4	.4
	2 Yes, moderately affected	9	.1	.1	.5
	3 Yes, mildly affected	4	.0	.0	.5
	4 Yes, did not affect respondent at all	4	.0	.0	.6
	5 No, did not happen	8420	98.7	99.4	100.0
	Total	8469	99.3	100.0	
Missing	-1 No response	62	.7		
Total		8531	100.0		

L File – Section D

L4024 D25: Respondent had major financial problem since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	331	3.9	3.9	3.9
	2 Yes, moderately affected	237	2.8	2.8	6.7
	3 Yes, mildly affected	212	2.5	2.5	9.2
	4 Yes, did not affect respondent at all	53	.6	.6	9.8
	5 No, did not happen	7634	89.5	90.2	100.0
	Total	8467	99.2	100.0	
Missing	-1 No response	64	.8		
Total		8531	100.0		

L4025 D26: Respondent got married since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	23	.3	.3	.3
	2 Yes, moderately affected	10	.1	.1	.4
	3 Yes, mildly affected	22	.3	.3	.6
	4 Yes, did not affect respondent at all	41	.5	.5	1.1
	5 No, did not happen	8370	98.1	98.9	100.0
	Total	8466	99.2	100.0	
Missing	-1 No response	65	.8		
Total		8531	100.0		

L4026 D27: Respondent's partner physically cruel to respondent's children since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	27	.3	.3	.3
	2 Yes, moderately affected	14	.2	.2	.5
	3 Yes, mildly affected	10	.1	.1	.6
	4 Yes, did not affect respondent at all	1	.0	.0	.6
	5 No, did not happen	8407	98.5	99.4	100.0
	Total	8459	99.2	100.0	
Missing	-1 No response	72	.8		
Total		8531	100.0		

L4027 D28: Respondent physically cruel to own children since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	32	.4	.4	.4
	2 Yes, moderately affected	11	.1	.1	.5
	3 Yes, mildly affected	21	.2	.2	.8
	4 Yes, did not affect respondent at all	1	.0	.0	.8
	5 No, did not happen	8406	98.5	99.2	100.0
	Total	8471	99.3	100.0	
Missing	-1 No response	60	.7		
Total		8531	100.0		

L File – Section D

L4028 D29: Respondent attempted suicide since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	28	.3	.3	.3
	2 Yes, moderately affected	8	.1	.1	.4
	3 Yes, mildly affected	3	.0	.0	.5
	4 Yes, did not affect respondent at all	1	.0	.0	.5
	5 No, did not happen	8426	98.8	99.5	100.0
	Total	8466	99.2	100.0	
Missing	-1 No response	65	.8		
Total		8531	100.0		

L4029 D30: Respondent convicted of an offence since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	5	.1	.1	.1
	2 Yes, moderately affected	4	.0	.0	.1
	3 Yes, mildly affected	7	.1	.1	.2
	4 Yes, did not affect respondent at all	5	.1	.1	.2
	5 No, did not happen	8447	99.0	99.8	100.0
	Total	8468	99.3	100.0	
Missing	-1 No response	63	.7		
Total		8531	100.0		

L4030 D31: Respondent became pregnant since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	395	4.6	4.7	4.7
	2 Yes, moderately affected	216	2.5	2.6	7.2
	3 Yes, mildly affected	179	2.1	2.1	9.3
	4 Yes, did not affect respondent at all	199	2.3	2.4	11.7
	5 No, did not happen	7478	87.7	88.3	100.0
	Total	8467	99.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	63	.7		
	Total	64	.8		
Total		8531	100.0		

L4031 D32: Respondent started new job since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	260	3.0	3.1	3.1
	2 Yes, moderately affected	362	4.2	4.3	7.4
	3 Yes, mildly affected	543	6.4	6.4	13.8
	4 Yes, did not affect respondent at all	632	7.4	7.5	21.3
	5 No, did not happen	6644	77.9	78.7	100.0
	Total	8441	98.9	100.0	
Missing	-1 No response	90	1.1		
Total		8531	100.0		

L File – Section D

L4032 D33: Respondent returned to work since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	163	1.9	1.9	1.9
	2 Yes, moderately affected	234	2.7	2.8	4.7
	3 Yes, mildly affected	293	3.4	3.5	8.2
	4 Yes, did not affect respondent at all	384	4.5	4.6	12.7
	5 No, did not happen	7364	86.3	87.3	100.0
	Total	8438	98.9	100.0	
Missing	-1 No response	93	1.1		
Total		8531	100.0		

L4033 D34: Respondent had miscarriage since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	125	1.5	1.5	1.5
	2 Yes, moderately affected	62	.7	.7	2.2
	3 Yes, mildly affected	35	.4	.4	2.6
	4 Yes, did not affect respondent at all	6	.1	.1	2.7
	5 No, did not happen	8238	96.6	97.3	100.0
	Total	8466	99.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	64	.8		
	Total	65	.8		
Total		8531	100.0		

L4034 D35: Respondent had an abortion since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	67	.8	.8	.8
	2 Yes, moderately affected	21	.2	.2	1.0
	3 Yes, mildly affected	11	.1	.1	1.2
	4 Yes, did not affect respondent at all	5	.1	.1	1.2
	5 No, did not happen	8366	98.1	98.8	100.0
	Total	8470	99.3	100.0	
Missing	-1 No response	61	.7		
Total		8531	100.0		

L4035 D36: Respondent took an examination since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	122	1.4	1.4	1.4
	2 Yes, moderately affected	191	2.2	2.3	3.7
	3 Yes, mildly affected	298	3.5	3.5	7.2
	4 Yes, did not affect respondent at all	280	3.3	3.3	10.5
	5 No, did not happen	7574	88.8	89.5	100.0
	Total	8465	99.2	100.0	
Missing	-1 No response	66	.8		
Total		8531	100.0		

L File – Section D

L4036 D37: Respondent's partner was emotionally cruel to them since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	327	3.8	3.9	3.9
	2 Yes, moderately affected	177	2.1	2.1	6.0
	3 Yes, mildly affected	141	1.7	1.7	7.6
	4 Yes, did not affect respondent at all	30	.4	.4	8.0
	5 No, did not happen	7773	91.1	92.0	100.0
	Total	8448	99.0	100.0	
Missing	-1 No response	83	1.0		
Total		8531	100.0		

L4037 D38: Respondent's partner was emotionally cruel to respondent's children since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	103	1.2	1.2	1.2
	2 Yes, moderately affected	58	.7	.7	1.9
	3 Yes, mildly affected	44	.5	.5	2.4
	4 Yes, did not affect respondent at all	6	.1	.1	2.5
	5 No, did not happen	8242	96.6	97.5	100.0
	Total	8453	99.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	77	.9		
	Total	78	.9		
Total		8531	100.0		

L4038 D39: Respondent was emotionally cruel to their children since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	61	.7	.7	.7
	2 Yes, moderately affected	32	.4	.4	1.1
	3 Yes, mildly affected	39	.5	.5	1.6
	4 Yes, did not affect respondent at all	5	.1	.1	1.6
	5 No, did not happen	8327	97.6	98.4	100.0
	Total	8464	99.2	100.0	
Missing	-1 No response	67	.8		
Total		8531	100.0		

L4039 D40: Respondent's house/car was burgled since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	144	1.7	1.7	1.7
	2 Yes, moderately affected	222	2.6	2.6	4.3
	3 Yes, mildly affected	350	4.1	4.1	8.4
	4 Yes, did not affect respondent at all	177	2.1	2.1	10.5
	5 No, did not happen	7597	89.1	89.5	100.0
	Total	8490	99.5	100.0	
Missing	-1 No response	41	.5		
Total		8531	100.0		

L File – Section D

L4040 D41: Respondent found new partner since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	161	1.9	1.9	1.9
	2 Yes, moderately affected	58	.7	.7	2.6
	3 Yes, mildly affected	47	.6	.6	3.1
	4 Yes, did not affect respondent at all	54	.6	.6	3.8
	5 No, did not happen	8152	95.6	96.2	100.0
	Total	8472	99.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	58	.7		
	Total	59	.7		
Total		8531	100.0		

L4041 D42: One of respondent's children started new school since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	177	2.1	2.1	2.1
	2 Yes, moderately affected	286	3.4	3.4	5.5
	3 Yes, mildly affected	485	5.7	5.7	11.2
	4 Yes, did not affect respondent at all	532	6.2	6.3	17.5
	5 No, did not happen	6983	81.9	82.5	100.0
	Total	8463	99.2	100.0	
Missing	-8 Text response	5	.1		
	-1 No response	63	.7		
	Total	68	.8		
Total		8531	100.0		

L4042 D43: Respondent's partner started new job since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	187	2.2	2.2	2.2
	2 Yes, moderately affected	262	3.1	3.1	5.3
	3 Yes, mildly affected	345	4.0	4.1	9.4
	4 Yes, did not affect respondent at all	401	4.7	4.7	14.1
	5 No, did not happen	7270	85.2	85.9	100.0
	Total	8465	99.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	65	.8		
	Total	66	.8		
Total		8531	100.0		

L4043 D44: A pet of respondent died since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & affected respondent a lot	232	2.7	2.7	2.7
	2 Yes, moderately affected	305	3.6	3.6	6.3
	3 Yes, mildly affected	500	5.9	5.9	12.2
	4 Yes, did not affect respondent at all	408	4.8	4.8	17.0
	5 No, did not happen	7041	82.5	83.0	100.0
	Total	8486	99.5	100.0	
Missing	-1 No response	45	.5		
Total		8531	100.0		

L File – Section D

L4044 D45: Respondent had an accident since study child's 5th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	4	.0	.0	.0
	1 Yes & affected respondent a lot	90	1.1	1.1	1.2
	2 Yes, moderately affected	101	1.2	1.3	2.4
	3 Yes, mildly affected	101	1.2	1.3	3.7
	4 Yes, did not affect respondent at all	41	.5	.5	4.2
	5 No, did not happen	7694	90.2	95.8	100.0
	Total	8031	94.1	100.0	
Missing	-1 No response	500	5.9		
Total		8531	100.0		

L4050 D46a: Other events concerned/required additional effort from respondent to cope in last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1468	17.2	21.6	21.6
	2 No	5315	62.3	78.4	100.0
	Total	6783	79.5	100.0	
Missing	-1 No response	1748	20.5		
Total		8531	100.0		

PAGE 25 OF THE QUESTIONNAIRE

SECTION E: YOUR ENVIRONMENT

E1. In the last few months, how often have you used the following whether at home or at work:

In the last few months	Every day ↓	Most days ↓	About once a week	Less than once a week	Not at all ↓
a) disinfectant	1	2	3	4	5
b) bleach	1	2	3	4	5
c) window cleaner	1	2	3	4	5
d) chemical carpet cleaner	1	2	3	4	5
e) oven/drain cleaner	1	2	3	4	5
f) dry cleaning fluid	1	2	3	4	5
g) turpentine/white spirit	1	2	3	4	5
h) paint stripper	1	2	3	4	5
i) household paint or varnish	1	2	3	4	5
j) weed killers	1	2	3	4	5
k) pesticides/insect killers	1	2	3	4	5
l) air fresheners (spray, stick or aerosol)	1	2	3	4	5

PAGE 26 OF THE QUESTIONNAIRE

In the last few months		Every day ↓	Most days ↓	About once a week	Less than once a week	Not at all ↓
E1.						
m)	other aerosols or sprays including hair spray	1	2	3	4	5
n)	vacuum cleaner	1	2	3	4	5
o)	broom/carpet sweeper	1	2	3	4	5
p)	glue	1	2	3	4	5
q)	nail varnish/acetone	1	2	3	4	5
r)	metal cleaners/ degreasers, polishers	1	2	3	4	5
s)	petrol	1	2	3	4	5
t)	moth repellent (moth balls)	1	2	3	4	5
u)	other chemical (please tick and describe)	1	2	3	4	5

.....

PAGE 27 OF THE QUESTIONNAIRE

E2. Do you tend to collect static electricity and have shocks when you touch metal?

Yes a lot Yes occasionally No, not at all

E3. How often during the day are you in a room or enclosed place where people are smoking?

	(i) weekdays	(ii) weekends
all the time	<input type="text" value="1"/>	<input type="text" value="1"/>
more than 5 hours	<input type="text" value="2"/>	<input type="text" value="2"/>
3-5 hours	<input type="text" value="3"/>	<input type="text" value="3"/>
1-2 hours	<input type="text" value="4"/>	<input type="text" value="4"/>
less than 1 hour	<input type="text" value="5"/>	<input type="text" value="5"/>
not at all	<input type="text" value="6"/>	<input type="text" value="6"/>

E4. How many cigarettes do you smoke nowadays per day?

(a) weekday

(b) weekend day

L File – Section E

L5000 E1a: Frequency respondent used disinfectant at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	601	7.0	7.1	7.1
	2 Most days	2068	24.2	24.4	31.5
	3 About once a week	2956	34.7	34.9	66.4
	4 < once a week	1822	21.4	21.5	87.9
	5 Not at all	1024	12.0	12.1	100.0
	Total	8471	99.3	100.0	
Missing	-1 No response	60	.7		
Total		8531	100.0		

L5001 E1b: Frequency respondent used bleach at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	482	5.6	5.7	5.7
	2 Most days	2162	25.3	25.5	31.1
	3 About once a week	3746	43.9	44.1	75.2
	4 < once a week	1628	19.1	19.2	94.4
	5 Not at all	476	5.6	5.6	100.0
	Total	8494	99.6	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	36	.4		
	Total	37	.4		
Total		8531	100.0		

L5002 E1c: Frequency respondent used window cleaner at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	31	.4	.4	.4
	2 Most days	157	1.8	1.9	2.2
	3 About once a week	1388	16.3	16.4	18.6
	4 < once a week	4959	58.1	58.5	77.0
	5 Not at all	1949	22.8	23.0	100.0
	Total	8484	99.4	100.0	
Missing	-1 No response	47	.6		
Total		8531	100.0		

L5003 E1d: Frequency respondent used chemical carpet cleaner at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	3	.0	.0	.0
	2 Most days	29	.3	.3	.4
	3 About once a week	216	2.5	2.5	2.9
	4 < once a week	2602	30.5	30.7	33.6
	5 Not at all	5635	66.1	66.4	100.0
	Total	8485	99.5	100.0	
Missing	-1 No response	46	.5		
Total		8531	100.0		

L File – Section E

L5004 E1e: Frequency respondent used oven/drain cleaner at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	12	.1	.1	.1
	2 Most days	46	.5	.5	.7
	3 About once a week	278	3.3	3.3	4.0
	4 < once a week	3350	39.3	39.5	43.5
	5 Not at all	4789	56.1	56.5	100.0
	Total	8475	99.3	100.0	
Missing	-1 No response	56	.7		
Total		8531	100.0		

L5005 E1f: Frequency respondent used dry cleaning fluid at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	12	.1	.1	.1
	2 Most days	15	.2	.2	.3
	3 About once a week	34	.4	.4	.7
	4 < once a week	294	3.4	3.5	4.2
	5 Not at all	8121	95.2	95.8	100.0
	Total	8476	99.4	100.0	
Missing	-1 No response	55	.6		
Total		8531	100.0		

L5006 E1g: Frequency respondent used turpentine/white spirit at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	3	.0	.0	.0
	2 Most days	31	.4	.4	.4
	3 About once a week	148	1.7	1.7	2.1
	4 < once a week	2449	28.7	28.9	31.0
	5 Not at all	5852	68.6	69.0	100.0
	Total	8483	99.4	100.0	
Missing	-1 No response	48	.6		
Total		8531	100.0		

L5007 E1h: Frequency respondent used paint stripper at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Most days	3	.0	.0	.0
	3 About once a week	33	.4	.4	.4
	4 < once a week	551	6.5	6.5	6.9
	5 Not at all	7891	92.5	93.1	100.0
	Total	8478	99.4	100.0	
Missing	-1 No response	53	.6		
Total		8531	100.0		

L File – Section E

L5008 E1i: Frequency respondent used household paint/varnish at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	8	.1	.1	.1
	2 Most days	78	.9	.9	1.0
	3 About once a week	271	3.2	3.2	4.2
	4 < once a week	2959	34.7	34.9	39.1
	5 Not at all	5161	60.5	60.9	100.0
	Total	8477	99.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	53	.6		
	Total	54	.6		
Total		8531	100.0		

L5009 E1j: Frequency respondent used weed killers at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Most days	2	.0	.0	.0
	3 About once a week	23	.3	.3	.3
	4 < once a week	1100	12.9	13.0	13.3
	5 Not at all	7349	86.1	86.7	100.0
	Total	8474	99.3	100.0	
Missing	-1 No response	57	.7		
Total		8531	100.0		

L5010 E1k: Frequency respondent used pesticides/insect killers at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	4	.0	.0	.0
	2 Most days	32	.4	.4	.4
	3 About once a week	147	1.7	1.7	2.2
	4 < once a week	1466	17.2	17.3	19.5
	5 Not at all	6826	80.0	80.5	100.0
	Total	8475	99.3	100.0	
Missing	-1 No response	56	.7		
Total		8531	100.0		

L5011 E1l: Frequency respondent used air fresheners (spray, stick/aerosol) at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	758	8.9	8.9	8.9
	2 Most days	1804	21.1	21.3	30.2
	3 About once a week	1594	18.7	18.8	49.0
	4 < once a week	1591	18.6	18.8	67.7
	5 Not at all	2737	32.1	32.3	100.0
	Total	8484	99.4	100.0	
Missing	-1 No response	47	.6		
Total		8531	100.0		

L File – Section E

L5012 E1m: Frequency respondent used other aerosols/sprays including hair spray at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2530	29.7	29.9	29.9
	2 Most days	1953	22.9	23.1	52.9
	3 About once a week	927	10.9	10.9	63.9
	4 < once a week	1188	13.9	14.0	77.9
	5 Not at all	1871	21.9	22.1	100.0
	Total	8469	99.3	100.0	
Missing	-1 No response	62	.7		
Total		8531	100.0		

L5013 E1n: Frequency respondent used a vacuum cleaner at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2509	29.4	29.6	29.6
	2 Most days	3483	40.8	41.1	70.7
	3 About once a week	2080	24.4	24.5	95.2
	4 < once a week	302	3.5	3.6	98.8
	5 Not at all	105	1.2	1.2	100.0
	Total	8479	99.4	100.0	
Missing	-1 No response	52	.6		
Total		8531	100.0		

L5014 E1o: Frequency respondent used a broom/carpet sweeper at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	750	8.8	8.9	8.9
	2 Most days	1791	21.0	21.2	30.0
	3 About once a week	1360	15.9	16.1	46.1
	4 < once a week	955	11.2	11.3	57.4
	5 Not at all	3600	42.2	42.6	100.0
	Total	8456	99.1	100.0	
Missing	-1 No response	75	.9		
Total		8531	100.0		

L File – Section E

L5015 E1p: Frequency respondent used glue at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	21	.2	.2	.2
	2 Most days	140	1.6	1.7	1.9
	3 About once a week	958	11.2	11.3	13.2
	4 < once a week	3791	44.4	44.8	58.0
	5 Not at all	3554	41.7	42.0	100.0
	Total	8464	99.2	100.0	
Missing	-1 No response	67	.8		
Total		8531	100.0		

L5016 E1q: Frequency respondent used nail varnish/acetone at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	18	.2	.2	.2
	2 Most days	166	1.9	2.0	2.2
	3 About once a week	1025	12.0	12.1	14.3
	4 < once a week	3020	35.4	35.6	49.9
	5 Not at all	4246	49.8	50.1	100.0
	Total	8475	99.3	100.0	
Missing	-1 No response	56	.7		
Total		8531	100.0		

L5017 E1r: Frequency respondent used metal cleaners/degreasers, polishers at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	56	.7	.7	.7
	2 Most days	177	2.1	2.1	2.8
	3 About once a week	497	5.8	5.9	8.6
	4 < once a week	1433	16.8	17.0	25.6
	5 Not at all	6283	73.6	74.4	100.0
	Total	8446	99.0	100.0	
Missing	-1 No response	85	1.0		
Total		8531	100.0		

L File – Section E

L5018 E1s: Frequency respondent used petrol at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	241	2.8	2.9	2.9
	2 Most days	408	4.8	4.8	7.7
	3 About once a week	2591	30.4	30.8	38.5
	4 < once a week	1560	18.3	18.5	57.0
	5 Not at all	3621	42.4	43.0	100.0
	Total	8421	98.7	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	108	1.3		
	Total	110	1.3		
Total		8531	100.0		

L5019 E1t: Frequency respondent used moth repellent (moth balls) at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	12	.1	.1	.1
	2 Most days	7	.1	.1	.2
	3 About once a week	10	.1	.1	.3
	4 < once a week	129	1.5	1.5	1.9
	5 Not at all	8299	97.3	98.1	100.0
	Total	8457	99.1	100.0	
Missing	-1 No response	74	.9		
Total		8531	100.0		

L5020 E1u: Frequency respondent used other chemical at home/work in last few months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	33	.4	.5	.5
	1 Every day	67	.8	1.0	1.5
	2 Most days	109	1.3	1.6	3.0
	3 About once a week	91	1.1	1.3	4.4
	4 < once a week	93	1.1	1.4	5.7
	5 Not at all	6468	75.8	94.3	100.0
	Total	6861	80.4	100.0	
Missing	-1 No response	1670	19.6		
Total		8531	100.0		

L File – Section E

L5030 E2: Frequency respondent tends to collect static electricity & have shocks when touching metal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, a lot	1509	17.7	17.8	17.8
	2 Yes, occasionally	5611	65.8	66.2	83.9
	3 No, not at all	1362	16.0	16.1	100.0
	Total	8482	99.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	48	.6		
	Total	49	.6		
Total		8531	100.0		

L5040 E3i: Duration respondent is in room/enclosed place where people are smoking during the day on weekdays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	349	4.1	4.2	4.2
	2 > 5 hours	302	3.5	3.7	7.9
	3 3-5 hours	567	6.6	6.9	14.8
	4 1-2 hours	679	8.0	8.2	23.0
	5 < 1 hour	1186	13.9	14.4	37.4
	6 Not at all	5152	60.4	62.6	100.0
	Total	8235	96.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	295	3.5		
	Total	296	3.5		
Total		8531	100.0		

L5041 E3ii: Duration respondent is in room/enclosed place where people are smoking during the day on weekends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	375	4.4	4.5	4.5
	2 > 5 hours	448	5.3	5.4	9.8
	3 3-5 hours	680	8.0	8.1	18.0
	4 1-2 hours	803	9.4	9.6	27.6
	5 < 1 hour	1340	15.7	16.0	43.6
	6 Not at all	4715	55.3	56.4	100.0
	Total	8361	98.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	169	2.0		
	Total	170	2.0		
Total		8531	100.0		

L File – Section E

L5050 E4a: Number of cigarettes respondent smokes nowadays per day weekday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	5790	67.9	75.9	75.9
1	52	.6	.7	76.6
2	67	.8	.9	77.4
3	78	.9	1.0	78.5
4	51	.6	.7	79.1
5	164	1.9	2.1	81.3
6	42	.5	.6	81.8
7	37	.4	.5	82.3
8	61	.7	.8	83.1
9	6	.1	.1	83.2
10	407	4.8	5.3	88.5
11	2	.0	.0	88.6
12	31	.4	.4	89.0
13	4	.0	.1	89.0
14	8	.1	.1	89.1
15	330	3.9	4.3	93.4
16	4	.0	.1	93.5
17	2	.0	.0	93.5
18	6	.1	.1	93.6
19	1	.0	.0	93.6
20	393	4.6	5.2	98.8
22	1	.0	.0	98.8
24	2	.0	.0	98.8
25	35	.4	.5	99.3
30	41	.5	.5	99.8
35	1	.0	.0	99.8
40	8	.1	.1	99.9
45	1	.0	.0	99.9
60	1	.0	.0	99.9
97 Occasionally	4	.0	.1	100.0
Total	7630	89.4	100.0	
Missing -9 Don't know	12	.1		
-1 No response	889	10.4		
Total	901	10.6		
Total	8531	100.0		

L File – Section E

L5051 E4b: Number of cigarettes respondent smokes nowadays per day weekend day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5745	67.3	75.2	75.2
	1	51	.6	.7	75.9
	2	62	.7	.8	76.7
	3	70	.8	.9	77.6
	4	41	.5	.5	78.2
	5	154	1.8	2.0	80.2
	6	46	.5	.6	80.8
	7	27	.3	.4	81.1
	8	46	.5	.6	81.7
	9	7	.1	.1	81.8
	10	395	4.6	5.2	87.0
	11	1	.0	.0	87.0
	12	33	.4	.4	87.4
	13	2	.0	.0	87.5
	14	9	.1	.1	87.6
	15	353	4.1	4.6	92.2
	16	5	.1	.1	92.3
	17	3	.0	.0	92.3
	18	9	.1	.1	92.4
	19	2	.0	.0	92.5
	20	440	5.2	5.8	98.2
	21	1	.0	.0	98.2
	24	3	.0	.0	98.3
	25	51	.6	.7	98.9
	30	62	.7	.8	99.8
	32	1	.0	.0	99.8
	35	3	.0	.0	99.8
	40	9	.1	.1	99.9
	50	1	.0	.0	99.9
	97 Occasionally	4	.0	.1	100.0
	98 A Lot	1	.0	.0	100.0
	Total	7637	89.5	100.0	
Missing	-9 Don't know	9	.1		
	-1 No response	885	10.4		
	Total	894	10.5		
Total		8531	100.0		

PAGE 28 OF THE QUESTIONNAIRE

SECTION F: YOUR PARTNER

F1. a) Do you currently have a partner?

yes, a male partner	<input type="text" value="1"/>
yes, a female partner	<input type="text" value="2"/>
no partner	<input type="text" value="3"/>

→ If no partner, go to Section G on page 40

If **yes**,

b) does your partner live with you?

Yes No → If **no**, go to F2 below

If **yes**,

c) how long have you lived together?

<input type="text"/> <input type="text"/>	years	<input type="text"/> <input type="text"/>	months
-------------------------------------------	-------	-------------------------------------------	--------

The section below is concerned with your relationship with your partner. (The partner will be referred to as 'he', although the questions refer to all partners.)

F2. How would you assess your partner's physical health?

always fit and well	<input type="text" value="1"/>
mostly well and healthy	<input type="text" value="2"/>
often feels unwell	<input type="text" value="3"/>
hardly ever feels well	<input type="text" value="4"/>

PAGE 29 OF THE QUESTIONNAIRE

F3. Below are listed a number of conditions which your partner might have had. Please indicate whether he has had any of these since your study child was 5 years old.

Since your child was 5 Partner had:	Yes, and saw a doctor	Yes, but did not see a doctor	No, not at all	Do not know
a) headaches or migraine	1	2	3	9
b) indigestion	1	2	3	9
c) epilepsy	1	2	3	9
d) depression	1	2	3	9
e) anxiety or nerves	1	2	3	9
f) haemorrhoids/piles	1	2	3	9
g) cough or cold	1	2	3	9
h) influenza	1	2	3	9
i) bronchitis	1	2	3	9
j) high blood pressure (hypertension)	1	2	3	9
k) diabetes	1	2	3	9
l) schizophrenia	1	2	3	9
m) drink (alcohol) problem	1	2	3	9
n) stomach ulcers	1	2	3	9
o) asthma or wheezing	1	2	3	9
p) eczema	1	2	3	9
q) psoriasis	1	2	3	9
r) arthritis	1	2	3	9
s) urinary infection	1	2	3	9
t) rheumatism	1	2	3	9
u) back pain, sciatica or slipped disc	1	2	3	9

PAGE 30 OF THE QUESTIONNAIRE

	Since your child was 5 Partner had:	Yes, and saw a doctor	Yes, but did not see a doctor	No, not at all	Do not know
F3.					
v)	syphilis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
w)	gonorrhoea	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
x)	other condition(s) (please tick and describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>

.....

F4. Below are some statements about parents relationships with young children.
Please indicate how you feel about your partner in regard to the study child.

	This is always how how I feel	This is sometimes how I feel	I never feel this this way	
a)	My partner really loves this child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b)	My partner is glad that I had this child when I did	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c)	I like to watch him play with the child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d)	I am afraid to leave the child alone with him because I think he might be violent	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e)	My partner seems to feel very close to the child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f)	This child gets on his nerves	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g)	He really cannot bear it when this child cries	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
h)	I think my partner is interested as he watches the child gradually develop	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

PAGE 31 OF THE QUESTIONNAIRE

	This is always how how I feel	This is sometimes how I feel	I never feel this this way
F4. (cont.)			
i) My partner feels anxious when someone other than us looks after the child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
j) He doesn't mind the mess that surrounds a young child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
k) This child makes my partner very happy	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

	(i) weekdays	(ii) weekend days
F5. a) How many cigarettes per day does your partner currently smoke? (If none, put 00)	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>

	Yes every day	Yes sometimes	No never
b) Does he smoke:			
(i) pipe	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
(ii) cigar/cigarillo	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

F6.a) Is your partner currently employed or self-employed?

Yes No → If **no**, go to F7 on page 33

If **yes**,

- b) (i) What is his occupation?.....
- (ii) Please give the industry or trade
- c) Has he had the same job since the study child was 5 years old?

Yes No

PAGE 32 OF THE QUESTIONNAIRE

F6. d) Does he work nights?

yes, always

1

yes, sometimes

2

no, never

3

e) Does he leave home for several days as part of his work?

yes, often

1

yes, occasionally

2

no, never

3

f) Does he work shifts ?

yes, often

1

yes, occasionally

2

no, never

3

g) How many hours a week does he normally work?

i) If his hours are regular, please state how many

(put 99 if don't know)

ii) If his hours vary, please put the minimum

and the maximum

h) Does he usually work:

the basic no. of hours per week

1

basic hours plus paid overtime

2

longer than basic hours (but
not paid extra)

3

self-employed - as long as
necessary

4

PAGE 33 OF THE QUESTIONNAIRE

F6. j) Does he get home after work before the study child is in bed?

yes, usually yes, sometimes no, never

F7. How would you rate your partner on these characteristics?

		Almost always	Sometimes	Hardly ever
a)	helpful, co-operative	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b)	quiet, reserved	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c)	unreliable	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d)	sociable, outgoing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e)	dominating	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f)	understanding	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g)	quick-tempered, easily upset	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
h)	cheerful, easygoing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

F8. Who does these various household tasks?

		Me always	Me mostly	Sometimes me, some- times my partner	Partner mostly	Partner always	Someone else
		↓	↓		↓	↓	↓
a)	shopping for groceries	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
b)	cooking	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
c)	cleaning house	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
d)	repairs in home	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
e)	looking after children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
f)	washing clothes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
g)	ironing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>

PAGE 34 OF THE QUESTIONNAIRE

F9. Who decides:

	Me always ↓	Me mostly ↓	Sometimes me, some- times my partner	Partner mostly ↓	Partner always ↓
a) how to spend free time	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
b) how much to see family or friends	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
c) when to do repairs or redecorate	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
d) how we should spend our money	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

F10. People vary greatly in the amount they are satisfied or dissatisfied with their relationship. How do you feel about the following aspects of your life together?

	Very satisfied	Moderately satisfied	Somewhat dissatisfied	Very dissatisfied
a) handling family finances	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) demonstrations of affection	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) sex	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) amount of time spent together	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) making major decisions	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) household tasks	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) leisure time interests & activities	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F11.a) How often recently have you been irritable with your partner?

not at all	<input type="text" value="1"/>	less than once a week	<input type="text" value="2"/>	1-2 times a week	<input type="text" value="3"/>	3-6 times a week	<input type="text" value="4"/>	every day	<input type="text" value="5"/>
------------	--------------------------------	-----------------------	--------------------------------	------------------	--------------------------------	------------------	--------------------------------	-----------	--------------------------------

PAGE 35 OF THE QUESTIONNAIRE

F11. b) How often has he been irritable with you?

not at all 1 less than once a week 2 1-2 times a week 3 3-6 times a week 4 every day 5

F12. a) How many arguments or disagreements have you had in the past three months?

None 1 1-3 2 4-7 3 8-13 4 14 or more 5

b) In the past 3 months, have any of these happened?

	Yes, I did this	Yes, he did this	Yes, we both did this	No, not at all
i) not speaking to partner for more than half an hour	<input type="text"/> 1	<input type="text"/> 2	<input type="text"/> 3	<input type="text"/> 4
ii) one of you walking out of the house	<input type="text"/> 1	<input type="text"/> 2	<input type="text"/> 3	<input type="text"/> 4
iii) shouting or calling partner names	<input type="text"/> 1	<input type="text"/> 2	<input type="text"/> 3	<input type="text"/> 4
iv) hitting or slapping partner	<input type="text"/> 1	<input type="text"/> 2	<input type="text"/> 3	<input type="text"/> 4
v) throwing or breaking things	<input type="text"/> 1	<input type="text"/> 2	<input type="text"/> 3	<input type="text"/> 4

F13. In the past three months how often have you done these things **with your partner**?

	Never ↓	Less than once a month	Less than once a week	At least once a week
a) gone out for a meal	<input type="text"/> 1	<input type="text"/> 2	<input type="text"/> 3	<input type="text"/> 4
b) gone out for a drink	<input type="text"/> 1	<input type="text"/> 2	<input type="text"/> 3	<input type="text"/> 4
c) visited friends	<input type="text"/> 1	<input type="text"/> 2	<input type="text"/> 3	<input type="text"/> 4
d) visited family	<input type="text"/> 1	<input type="text"/> 2	<input type="text"/> 3	<input type="text"/> 4

PAGE 36 OF THE QUESTIONNAIRE

		Never ↓	Less than once a month	Less than once a week	At least once a week
F13.	e) gone to the cinema or theatre	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
	f) other (please tick and describe)		<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
.....					
F14.	a) How many evenings a <u>month</u> do you go out and do things on your own or with your own friends?				
	none <input type="text" value="1"/> once <input type="text" value="2"/> 2-3 times <input type="text" value="3"/> 4-7 times <input type="text" value="4"/> 8 or more times <input type="text" value="5"/>				
	b) How many times a <u>month</u> does your partner go out and do things on his own or with friends?				
	none <input type="text" value="1"/> once <input type="text" value="2"/> 2-3 times <input type="text" value="3"/> 4-7 times <input type="text" value="4"/> 8 or more times <input type="text" value="5"/>				
F15.	How often in a <u>week</u> , on average, would you and your partner:				
		Never ↓	Less than once a week	1-3 times a week	Most days ↓
	a) discuss work or how the day has gone	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
	b) laugh together	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
	c) calmly talk over something (e.g. the news, a hobby or interest)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
	d) kiss or hug	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
	e) make plans	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
	f) talk over feelings or worries	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 37 OF THE QUESTIONNAIRE

F16. a) Which of the following statements about alcohol best applies to your partner:

Never drinks alcohol	<input type="text" value="1"/>
Very occasionally (less than once a week)	<input type="text" value="2"/>
Occasionally (at least once a week)	<input type="text" value="3"/>
Drinks 1-2 glasses* nearly every day	<input type="text" value="4"/>
Drinks 3-9 glasses* every day	<input type="text" value="5"/>
Drinks at least 10 glasses a day	<input type="text" value="6"/>
Don't know	<input type="text" value="9"/>

[*by glass we mean pub measures (1oz) of spirits or ½ pints (¼ litre) of beer or cider, or 1 glass of wine]

b) How many days **in the past month** do you think he had the equivalent of at least 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

every day	<input type="text" value="1"/>	more than 10 days	<input type="text" value="2"/>
5-10 days	<input type="text" value="3"/>	3-4 days	<input type="text" value="4"/>
1-2 days	<input type="text" value="5"/>	none	<input type="text" value="6"/>

F17. Below are attitudes and behaviours which people reveal in their close relationships. Please rate your partner's attitudes and behaviour towards you in recent times and tick the most appropriate box for each item.

My partner:	Very true	Moderately true	Somewhat true	Not at all true
a) Is very considerate of me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) Wants me to take his side in an argument	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) Wants to know exactly what I'm doing and where I am	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) Is a good companion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) Is affectionate to me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 38 OF THE QUESTIONNAIRE

F17. cont.

		Very true	Moderately true	Somewhat true	Not at all true
f)	Is clearly hurt if I don't accept his views	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g)	Tends to try to change me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
h)	Confides closely in me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
i)	Tends to criticise me over small issues	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
j)	Understands my problems and worries	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
k)	Tends to order me about	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
l)	Insists I do exactly as I'm told	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
m)	Is physically gentle and considerate	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
n)	Makes me feel needed	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
o)	Wants me to change in small ways	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
p)	Is very loving to me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
q)	Seeks to dominate me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
r)	Is fun to be with	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
s)	Wants to change me in big ways	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
t)	Tends to control everything I do	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 39 OF THE QUESTIONNAIRE

F17. cont.

		Very true	Moderately true	Somewhat true	Not at all true
My partner:					
u)	Shows his appreciation of me	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
v)	Is critical of me in private	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
w)	Is gentle and kind to me	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
x)	Speaks to me in a warm and friendly voice	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>

L File – Section F

L6000 F1a: Respondent currently has a partner

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes, a male partner	7884	92.4	93.0	93.0
2 Yes, a female partner	21	.2	.2	93.2
3 No partner	575	6.7	6.8	100.0
Total	8480	99.4	100.0	
Missing -1 No response	51	.6		
Total	8531	100.0		

L6001 F1b: Respondent lives with partner

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7535	88.3	95.2	95.2
2 No	383	4.5	4.8	100.0
Total	7918	92.8	100.0	
Missing -1 No response	613	7.2		
Total	8531	100.0		

L File – Section F

L6002a F1c: Duration respondent has lived with partner - years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	63	.7	.8	.8
	1	72	.8	1.0	1.8
	2	91	1.1	1.2	3.0
	3	68	.8	.9	3.9
	4	54	.6	.7	4.7
	5	56	.7	.8	5.4
	6	154	1.8	2.1	7.5
	7	449	5.3	6.0	13.5
	8	563	6.6	7.5	21.0
	9	691	8.1	9.3	30.3
	10	1062	12.4	14.2	44.6
	11	759	8.9	10.2	54.7
	12	805	9.4	10.8	65.5
	13	611	7.2	8.2	73.7
	14	489	5.7	6.6	80.3
	15	412	4.8	5.5	85.8
	16	277	3.2	3.7	89.5
	17	224	2.6	3.0	92.5
	18	176	2.1	2.4	94.9
	19	105	1.2	1.4	96.3
	20	99	1.2	1.3	97.6
	21	49	.6	.7	98.3
	22	51	.6	.7	98.9
	23	28	.3	.4	99.3
	24	15	.2	.2	99.5
	25	17	.2	.2	99.7
	26	14	.2	.2	99.9
	27	3	.0	.0	100.0
	29	1	.0	.0	100.0
	33	1	.0	.0	100.0
	Total	7459	87.4	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	1069	12.5		
	Total	1072	12.6		
Total		8531	100.0		

L File – Section F

L6002b F1c: Duration respondent has lived with partner - months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	661	7.7	12.9	12.9
	1	412	4.8	8.0	20.9
	2	494	5.8	9.6	30.5
	3	461	5.4	9.0	39.5
	4	414	4.9	8.1	47.5
	5	376	4.4	7.3	54.8
	6	779	9.1	15.2	70.0
	7	299	3.5	5.8	75.8
	8	312	3.7	6.1	81.9
	9	327	3.8	6.4	88.2
	10	351	4.1	6.8	95.1
	11	252	3.0	4.9	100.0
	14	1	.0	.0	100.0
	Total	5139	60.2	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	3389	39.7		
	Total	3392	39.8		
Total		8531	100.0		

L6010 F2: Respondent assesses partners physical health as

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always fit & well	3138	36.8	39.8	39.8
	2 Mostly well & healthy	4260	49.9	54.0	93.7
	3 Often feels unwell	441	5.2	5.6	99.3
	4 Hardly ever feels well	55	.6	.7	100.0
	Total	7894	92.5	100.0	
Missing	-1 No response	637	7.5		
Total		8531	100.0		

L File – Section F

L6020 F3a: Respondent's partner has had headaches/migraines since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	265	3.1	3.4	3.4
	2 Yes, but did not see a doctor	5092	59.7	64.6	67.9
	3 No, not at all	2100	24.6	26.6	94.5
	9 Do not know	430	5.0	5.5	100.0
	Total	7887	92.5	100.0	
Missing	-1 No response	644	7.5		
Total		8531	100.0		

L6021 F3b: Respondent's partner has had indigestion since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	243	2.8	3.1	3.1
	2 Yes, but did not see a doctor	2926	34.3	37.2	40.2
	3 No, not at all	3727	43.7	47.3	87.6
	9 Do not know	980	11.5	12.4	100.0
	Total	7876	92.3	100.0	
Missing	-1 No response	655	7.7		
Total		8531	100.0		

L6022 F3c: Respondent's partner has had epilepsy since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	29	.3	.4	.4
	2 Yes, but did not see a doctor	8	.1	.1	.5
	3 No, not at all	6738	79.0	85.5	86.0
	9 Do not know	1102	12.9	14.0	100.0
	Total	7877	92.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	653	7.7		
	Total	654	7.7		
Total		8531	100.0		

L6023 F3d: Respondent's partner has had depression since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	286	3.4	3.6	3.6
	2 Yes, but did not see a doctor	762	8.9	9.7	13.3
	3 No, not at all	5674	66.5	72.1	85.4
	9 Do not know	1153	13.5	14.6	100.0
	Total	7875	92.3	100.0	
Missing	-1 No response	656	7.7		
Total		8531	100.0		

L File – Section F

L6024 F3e: Respondent's partner has had anxiety/nerves since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	209	2.4	2.7	2.7
	2 Yes, but did not see a doctor	1240	14.5	15.7	18.4
	3 No, not at all	5229	61.3	66.4	84.8
	9 Do not know	1199	14.1	15.2	100.0
	Total	7877	92.3	100.0	
Missing	-1 No response	654	7.7		
Total		8531	100.0		

L6025 F3f: Respondent's partner has had haemorrhoids/piles since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	199	2.3	2.5	2.5
	2 Yes, but did not see a doctor	761	8.9	9.7	12.2
	3 No, not at all	5685	66.6	72.3	84.5
	9 Do not know	1217	14.3	15.5	100.0
	Total	7862	92.2	100.0	
Missing	-1 No response	669	7.8		
Total		8531	100.0		

L6026 F3g: Respondent's partner has had a cough/cold since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	340	4.0	4.3	4.3
	2 Yes, but did not see a doctor	6102	71.5	77.4	81.7
	3 No, not at all	1168	13.7	14.8	96.5
	9 Do not know	277	3.2	3.5	100.0
	Total	7887	92.5	100.0	
Missing	-1 No response	644	7.5		
Total		8531	100.0		

L6027 F3h: Respondent's partner has had influenza since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	250	2.9	3.2	3.2
	2 Yes, but did not see a doctor	1182	13.9	15.0	18.2
	3 No, not at all	5541	65.0	70.4	88.6
	9 Do not know	899	10.5	11.4	100.0
	Total	7872	92.3	100.0	
Missing	-1 No response	659	7.7		
Total		8531	100.0		

L File – Section F

L6028 F3i: Respondent's partner has had bronchitis since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	183	2.1	2.3	2.3
	2 Yes, but did not see a doctor	86	1.0	1.1	3.4
	3 No, not at all	6528	76.5	82.9	86.3
	9 Do not know	1081	12.7	13.7	100.0
	Total	7878	92.3	100.0	
Missing	-1 No response	653	7.7		
Total		8531	100.0		

L6029 F3j: Respondent's partner has had high blood pressure (hypertension) since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	228	2.7	2.9	2.9
	2 Yes, but did not see a doctor	55	.6	.7	3.6
	3 No, not at all	6283	73.6	79.7	83.3
	9 Do not know	1316	15.4	16.7	100.0
	Total	7882	92.4	100.0	
Missing	-1 No response	649	7.6		
Total		8531	100.0		

L6030 F3k: Respondent's partner has had diabetes since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	46	.5	.6	.6
	2 Yes, but did not see a doctor	5	.1	.1	.6
	3 No, not at all	6744	79.1	85.5	86.2
	9 Do not know	1090	12.8	13.8	100.0
	Total	7885	92.4	100.0	
Missing	-1 No response	646	7.6		
Total		8531	100.0		

L6031 F3l: Respondent's partner has had schizophrenia since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	4	.0	.1	.1
	2 Yes, but did not see a doctor	2	.0	.0	.1
	3 No, not at all	6780	79.5	86.0	86.1
	9 Do not know	1096	12.8	13.9	100.0
	Total	7882	92.4	100.0	
Missing	-1 No response	649	7.6		
Total		8531	100.0		

L File – Section F

L6032 F3m: Respondent's partner has had a drink (alcohol) problem since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	24	.3	.3	.3
	2 Yes, but did not see a doctor	170	2.0	2.2	2.5
	3 No, not at all	6591	77.3	83.6	86.0
	9 Do not know	1100	12.9	14.0	100.0
	Total	7885	92.4	100.0	
Missing	-1 No response	646	7.6		
Total		8531	100.0		

L6033 F3n: Respondent's partner has had stomach ulcers since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	95	1.1	1.2	1.2
	2 Yes, but did not see a doctor	50	.6	.6	1.8
	3 No, not at all	6626	77.7	84.1	86.0
	9 Do not know	1105	13.0	14.0	100.0
	Total	7876	92.3	100.0	
Missing	-1 No response	655	7.7		
Total		8531	100.0		

L6034 F3o: Respondent's partner has had asthma/wheezing since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	408	4.8	5.2	5.2
	2 Yes, but did not see a doctor	442	5.2	5.6	10.8
	3 No, not at all	6054	71.0	76.8	87.6
	9 Do not know	978	11.5	12.4	100.0
	Total	7882	92.4	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	647	7.6		
	Total	649	7.6		
Total		8531	100.0		

L6035 F3p: Respondent's partner has had eczema since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	153	1.8	1.9	1.9
	2 Yes, but did not see a doctor	331	3.9	4.2	6.1
	3 No, not at all	6358	74.5	80.6	86.8
	9 Do not know	1045	12.2	13.2	100.0
	Total	7887	92.5	100.0	
Missing	-1 No response	644	7.5		
Total		8531	100.0		

L File – Section F

L6036 F3q: Respondent's partner has had psoriasis since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	137	1.6	1.7	1.7
	2 Yes, but did not see a doctor	136	1.6	1.7	3.5
	3 No, not at all	6554	76.8	83.1	86.6
	9 Do not know	1057	12.4	13.4	100.0
	Total	7884	92.4	100.0	
Missing	-1 No response	647	7.6		
Total		8531	100.0		

L6037 F3r: Respondent's partner has had arthritis since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	143	1.7	1.8	1.8
	2 Yes, but did not see a doctor	125	1.5	1.6	3.4
	3 No, not at all	6552	76.8	83.1	86.5
	9 Do not know	1064	12.5	13.5	100.0
	Total	7884	92.4	100.0	
Missing	-1 No response	647	7.6		
Total		8531	100.0		

L6038 F3s: Respondent's partner has had urinary infection since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	103	1.2	1.3	1.3
	2 Yes, but did not see a doctor	19	.2	.2	1.5
	3 No, not at all	6651	78.0	84.4	85.9
	9 Do not know	1110	13.0	14.1	100.0
	Total	7883	92.4	100.0	
Missing	-1 No response	648	7.6		
Total		8531	100.0		

L6039 F3t: Respondent's partner has had rheumatism since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	54	.6	.7	.7
	2 Yes, but did not see a doctor	93	1.1	1.2	1.9
	3 No, not at all	6641	77.8	84.4	86.3
	9 Do not know	1076	12.6	13.7	100.0
	Total	7864	92.2	100.0	
Missing	-1 No response	667	7.8		
Total		8531	100.0		

L File – Section F

L6040 F3u: Respondent's partner has had back pain, sciatica/slipped disk since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	862	10.1	11.0	11.0
	2 Yes, but did not see a doctor	1954	22.9	24.8	35.8
	3 No, not at all	4274	50.1	54.3	90.1
	9 Do not know	778	9.1	9.9	100.0
	Total	7868	92.2	100.0	
Missing	-1 No response	663	7.8		
Total		8531	100.0		

L6041 F3v: Respondent's partner has had syphilis since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	1	.0	.0	.0
	2 Yes, but did not see a doctor	2	.0	.0	.0
	3 No, not at all	7175	84.1	91.2	91.2
	9 Do not know	690	8.1	8.8	100.0
	Total	7868	92.2	100.0	
Missing	-1 No response	663	7.8		
Total		8531	100.0		

L6042 F3w: Respondent's partner has had gonorrhoea since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes & saw a doctor	1	.0	.0	.0
	2 Yes, but did not see a doctor	3	.0	.0	.1
	3 No, not at all	7175	84.1	91.2	91.3
	9 Do not know	685	8.0	8.7	100.0
	Total	7864	92.2	100.0	
Missing	-1 No response	667	7.8		
Total		8531	100.0		

L6043 F3x: Respondent's partner has had other condition since study child was 5 years old

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	52	.6	.8	.8
	1 Yes & saw a doctor	606	7.1	9.7	10.5
	2 Yes, but did not see a doctor	116	1.4	1.8	12.3
	3 No, not at all	4924	57.7	78.4	90.8
	9 Do not know	579	6.8	9.2	100.0
	Total	6277	73.6	100.0	
Missing	-1 No response	2254	26.4		
Total		8531	100.0		

L File – Section F

L6050 F4a: Frequency respondent feels partner really loves study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always how respondent feels	7052	82.7	90.3	90.3
	2 Sometimes how respondent feels	674	7.9	8.6	98.9
	3 Respondent never feels this way	83	1.0	1.1	100.0
	Total	7809	91.5	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	720	8.4		
	Total	722	8.5		
Total		8531	100.0		

L6051 F4b: Frequency respondent feels partner is glad they had study child when they did

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always how respondent feels	6589	77.2	86.5	86.5
	2 Sometimes how respondent feels	783	9.2	10.3	96.8
	3 Respondent never feels this way	247	2.9	3.2	100.0
	Total	7619	89.3	100.0	
Missing	-9 Don't know	4	.0		
	-8 Text response	1	.0		
	-1 No response	907	10.6		
	Total	912	10.7		
Total		8531	100.0		

L6052 F4c: Frequency respondent likes to watch partner play with study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always how respondent feels	7104	83.3	91.3	91.3
	2 Sometimes how respondent feels	612	7.2	7.9	99.2
	3 Respondent never feels this way	65	.8	.8	100.0
	Total	7781	91.2	100.0	
Missing	-1 No response	750	8.8		
Total		8531	100.0		

L6053 F4d: Frequency respondent is afraid to leave study child alone with partner for fear of violence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always how respondent feels	78	.9	1.0	1.0
	2 Sometimes how respondent feels	56	.7	.7	1.7
	3 Respondent never feels this way	7665	89.8	98.3	100.0
	Total	7799	91.4	100.0	
Missing	-1 No response	732	8.6		
Total		8531	100.0		

L File – Section F

L6054 F4e: Frequency respondent's partner seems to feel very close to study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always how respondent feels	5968	70.0	76.7	76.7
	2 Sometimes how respondent feels	1598	18.7	20.5	97.2
	3 Respondent never feels this way	217	2.5	2.8	100.0
	Total	7783	91.2	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	746	8.7		
	Total	748	8.8		
Total		8531	100.0		

L6055 F4f: Frequency study child gets on respondents partners nerves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always how respondent feels	136	1.6	1.7	1.7
	2 Sometimes how respondent feels	3317	38.9	42.6	44.3
	3 Respondent never feels this way	4335	50.8	55.7	100.0
	Total	7788	91.3	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	742	8.7		
	Total	743	8.7		
Total		8531	100.0		

L6056 F4g: Frequency respondent's partner really cannot bear it when study child cries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always how respondent feels	315	3.7	4.1	4.1
	2 Sometimes how respondent feels	1662	19.5	21.4	25.5
	3 Respondent never feels this way	5777	67.7	74.5	100.0
	Total	7754	90.9	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	1	.0		
	-1 No response	774	9.1		
	Total	777	9.1		
Total		8531	100.0		

L6057 F4h: Frequency respondent thinks partner is interested in study child as he watches child gradually develop

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always how respondent feels	6585	77.2	84.9	84.9
	2 Sometimes how respondent feels	1026	12.0	13.2	98.1
	3 Respondent never feels this way	147	1.7	1.9	100.0
	Total	7758	90.9	100.0	
Missing	-9 Don't know	4	.0		
	-8 Text response	1	.0		
	-1 No response	768	9.0		
	Total	773	9.1		
Total		8531	100.0		

L File – Section F

L6058 F4i: Frequency respondent's partner feels anxious when others look after study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always how respondent feels	379	4.4	4.9	4.9
	2 Sometimes how respondent feels	2002	23.5	25.8	30.7
	3 Respondent never feels this way	5380	63.1	69.3	100.0
	Total	7761	91.0	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	768	9.0		
	Total	770	9.0		
Total		8531	100.0		

L6059 F4j: Frequency respondent's partner does not mind study child's mess

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always how respondent feels	3421	40.1	44.1	44.1
	2 Sometimes how respondent feels	3380	39.6	43.6	87.7
	3 Respondent never feels this way	957	11.2	12.3	100.0
	Total	7758	90.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	772	9.0		
	Total	773	9.1		
Total		8531	100.0		

L6060 F4k: Frequency study child makes respondent's partner very happy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always how respondent feels	6156	72.2	79.3	79.3
	2 Sometimes how respondent feels	1449	17.0	18.7	97.9
	3 Respondent never feels this way	162	1.9	2.1	100.0
	Total	7767	91.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	762	8.9		
	Total	764	9.0		
Total		8531	100.0		

L File – Section F

L6070 F5a1: Number of cigarettes respondent's partner smokes per day - weekdays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	5778	67.7	75.5	75.5
	1	38	.4	.5	76.0
	2	64	.8	.8	76.9
	3	47	.6	.6	77.5
	4	34	.4	.4	77.9
	5	119	1.4	1.6	79.5
	6	47	.6	.6	80.1
	7	22	.3	.3	80.4
	8	31	.4	.4	80.8
	9	3	.0	.0	80.8
	10	393	4.6	5.1	86.0
	11	1	.0	.0	86.0
	12	23	.3	.3	86.3
	13	1	.0	.0	86.3
	14	4	.0	.1	86.3
	15	253	3.0	3.3	89.6
	16	2	.0	.0	89.7
	17	2	.0	.0	89.7
	18	4	.0	.1	89.8
	20	607	7.1	7.9	97.7
	24	1	.0	.0	97.7
	25	47	.6	.6	98.3
	30	70	.8	.9	99.2
	35	6	.1	.1	99.3
	40	46	.5	.6	99.9
	50	3	.0	.0	99.9
	60	3	.0	.0	100.0
	98 A Lot	1	.0	.0	100.0
	Total	7650	89.7	100.0	
Missing	-9 Don't know	46	.5		
	-1 No response	835	9.8		
	Total	881	10.3		
Total		8531	100.0		

L File – Section F

L6071 F5a2: Number of cigarettes respondent's partner smokes per day - weekend days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	5712	67.0	75.0	75.0
	1	31	.4	.4	75.4
	2	61	.7	.8	76.2
	3	41	.5	.5	76.7
	4	30	.4	.4	77.1
	5	119	1.4	1.6	78.7
	6	46	.5	.6	79.3
	7	19	.2	.2	79.5
	8	28	.3	.4	79.9
	9	2	.0	.0	79.9
	10	346	4.1	4.5	84.4
	11	2	.0	.0	84.5
	12	28	.3	.4	84.8
	13	2	.0	.0	84.9
	14	5	.1	.1	84.9
	15	278	3.3	3.6	88.6
	16	3	.0	.0	88.6
	17	2	.0	.0	88.6
	18	5	.1	.1	88.7
	20	635	7.4	8.3	97.0
	22	1	.0	.0	97.0
	25	71	.8	.9	98.0
	30	91	1.1	1.2	99.2
	35	6	.1	.1	99.3
	40	47	.6	.6	99.9
	48	1	.0	.0	99.9
	50	3	.0	.0	99.9
	60	4	.0	.1	100.0
	97 Occasionally	1	.0	.0	100.0
	98 A Lot	1	.0	.0	100.0
	Total	7621	89.3	100.0	
Missing	-9 Don't know	46	.5		
	-1 No response	864	10.1		
	Total	910	10.7		
Total		8531	100.0		

L File – Section F

L6072 F5b1: Respondent's partner smokes a pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes every day	20	.2	.3	.3
	2 Yes, sometimes	31	.4	.5	.8
	3 No, never	6413	75.2	99.2	100.0
	Total	6464	75.8	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	2065	24.2		
	Total	2067	24.2		
Total		8531	100.0		

L6073 F5b2: Respondent's partner smokes a cigar/cigarillo

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes every day	442	5.2	6.6	6.6
	2 Yes, sometimes	526	6.2	7.9	14.5
	3 No, never	5725	67.1	85.5	100.0
	Total	6693	78.5	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	1836	21.5		
	Total	1838	21.5		
Total		8531	100.0		

L File – Section F

L6080 F6a: Respondent's partner currently employed/self employed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7248	85.0	92.7	92.7
	2 No	572	6.7	7.3	100.0
	Total	7820	91.7	100.0	
Missing	-1 No response	711	8.3		
Total		8531	100.0		

L6083 F6c: Respondent's partner has had same job since study child was 5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6091	71.4	84.1	84.1
	2 No	1150	13.5	15.9	100.0
	Total	7241	84.9	100.0	
Missing	-9 Don't know	3	.0		
	-8 Text response	1	.0		
	-1 No response	1286	15.1		
	Total	1290	15.1		
Total		8531	100.0		

L6084 F6d: Respondent's partner works nights

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Evening work/twilight shift	13	.2	.2	.2
	1 Yes, always	251	2.9	3.4	3.6
	2 Yes, sometimes	1575	18.5	21.5	25.1
	3 No, never	5474	64.2	74.9	100.0
	Total	7313	85.7	100.0	
Missing	-1 No response	1218	14.3		
Total		8531	100.0		

L6085 F6e: Respondent's partner leaves home for several days as part of work


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	523	6.1	7.2	7.2
	2 Yes, occasionally	2190	25.7	30.1	37.2
	3 No, never	4572	53.6	62.8	100.0
	Total	7285	85.4	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	1245	14.6		
	Total	1246	14.6		
Total		8531	100.0		

L File – Section F

L6086 F6f: Respondent's partner works shifts

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	925	10.8	12.7	12.7
	2 Yes, occasionally	475	5.6	6.5	19.3
	3 No, never	5869	68.8	80.7	100.0
	Total	7269	85.2	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	1260	14.8		
	Total	1262	14.8		
Total		8531	100.0		

L6087: F6g1: Number of hours per week respondent's partner regularly works




plus the following special codes and missing values:

L6087 F6g1: Number of hours per week respondent's partner regularly works

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	98 > 100	6	.1	100.0	100.0
Missing	-9 Don't know	863	21.1		
	-1 No response	3219	78.7		
	Total	4082	99.9		
Total		4088	100.0		


L6088: F6g2: Minimum number of variable hours per week respondent's partner regularly works



plus the following missing values:

L6088 F6g2: Minimum number of variable hours per week respondent's partner regularly works

		Frequency	Percent
Missing	-9 Don't know	90	1.6
	-1 No response	5615	98.4
Total		5705	100.0

L6089: F6g2: Maximum number of variable hours per week respondent's partner regularly works

plus the following special codes and missing values:

L6089 F6g2: Maximum number of variable hours per week respondent's partner regularly works

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	98 > 100	29	.5	100.0	100.0
Missing	-9 Don't know	198	3.3		
	-1 No response	5710	96.2		
	Total	5908	99.5		
Total		5937	100.0		

L File – Section F

L6090 F6h: Respondent's partner usually works

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Basic no. hours per week	1367	16.0	19.2	19.2
	2 Basic hours + paid overtime	1926	22.6	27.0	46.2
	3 > than basic hours but not paid extra	2282	26.7	32.0	78.2
	4 Self employed - as long as necessary	1555	18.2	21.8	100.0
	Total	7130	83.6	100.0	
Missing	-9 Don't know	4	.0		
	-8 Text response	3	.0		
	-1 No response	1394	16.3		
	Total	1401	16.4		
Total		8531	100.0		

L6091 F6j: Respondent's partner gets home after work before study child goes to bed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	3582	42.0	49.9	49.9
	2 Yes, sometimes	2366	27.7	33.0	82.9
	3 No, never	1228	14.4	17.1	100.0
	Total	7176	84.1	100.0	
Missing	-8 Text response	4	.0		
	-1 No response	1351	15.8		
	Total	1355	15.9		
Total		8531	100.0		

L File – Section F

L6100 F7a: Frequency respondent rates partner as helpful, co-operative

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	5032	59.0	64.2	64.2
	2 Sometimes	2598	30.5	33.1	97.3
	3 Hardly ever	212	2.5	2.7	100.0
	Total	7842	91.9	100.0	
Missing	-1 No response	689	8.1		
Total		8531	100.0		

L6101 F7b: Frequency respondent rates partner as quiet, reserved

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	943	11.1	12.1	12.1
	2 Sometimes	3822	44.8	48.9	61.0
	3 Hardly ever	3050	35.8	39.0	100.0
	Total	7815	91.6	100.0	
Missing	-1 No response	716	8.4		
Total		8531	100.0		

L6102 F7c: Frequency respondent rates partner as unreliable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	260	3.0	3.3	3.3
	2 Sometimes	1766	20.7	22.6	25.9
	3 Hardly ever	5786	67.8	74.1	100.0
	Total	7812	91.6	100.0	
Missing	-1 No response	719	8.4		
Total		8531	100.0		

L6103 F7d: Frequency respondent rates partner as sociable, outgoing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	3871	45.4	49.4	49.4
	2 Sometimes	3367	39.5	43.0	92.4
	3 Hardly ever	592	6.9	7.6	100.0
	Total	7830	91.8	100.0	
Missing	-1 No response	701	8.2		
Total		8531	100.0		

L6104 F7e: Frequency respondent rates partner as dominating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	416	4.9	5.3	5.3
	2 Sometimes	2793	32.7	35.8	41.2
	3 Hardly ever	4589	53.8	58.8	100.0
	Total	7798	91.4	100.0	
Missing	-1 No response	733	8.6		
Total		8531	100.0		

L File – Section F

L6105 F7f: Frequency respondent rates partner as understanding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	4283	50.2	54.7	54.7
	2 Sometimes	3232	37.9	41.3	95.9
	3 Hardly ever	319	3.7	4.1	100.0
	Total	7834	91.8	100.0	
Missing	-1 No response	697	8.2		
Total		8531	100.0		

L6106 F7g: Frequency respondent rates partner as quick-tempered, easily upset

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	542	6.4	6.9	6.9
	2 Sometimes	3252	38.1	41.5	48.5
	3 Hardly ever	4034	47.3	51.5	100.0
	Total	7828	91.8	100.0	
Missing	-1 No response	703	8.2		
Total		8531	100.0		

L6107 F7h: Frequency respondent rates partner as cheerful, easy going

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	4529	53.1	57.8	57.8
	2 Sometimes	2978	34.9	38.0	95.8
	3 Hardly ever	330	3.9	4.2	100.0
	Total	7837	91.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	693	8.1		
	Total	694	8.1		
Total		8531	100.0		

L File – Section F

L6110 F8a: Shopping for groceries is performed by

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Me always and partner always	103	1.2	1.3	1.3
	1 Me always	3136	36.8	40.0	41.3
	2 Me mostly	2389	28.0	30.5	71.8
	3 Sometimes me, sometimes partner	1715	20.1	21.9	93.7
	4 Partner mostly	367	4.3	4.7	98.3
	5 Partner always	117	1.4	1.5	99.8
	6 Someone else	4	.0	.1	99.9
	7 Someone else plus other ticks	9	.1	.1	100.0
	Total	7840	91.9	100.0	
Missing	-1 No response	691	8.1		
Total		8531	100.0		

L6111 F8b: Cooking is performed by

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Me always and partner always	4	.0	.1	.1
	1 Me always	2785	32.6	35.5	35.5
	2 Me mostly	2896	33.9	36.9	72.4
	3 Sometimes me, sometimes partner	1794	21.0	22.8	95.2
	4 Partner mostly	312	3.7	4.0	99.2
	5 Partner always	47	.6	.6	99.8
	6 Someone else	11	.1	.1	99.9
	7 Someone else plus other ticks	6	.1	.1	100.0
	Total	7855	92.1	100.0	
Missing	-1 No response	676	7.9		
Total		8531	100.0		

L6112 F8c: Cleaning house is performed by

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Me always and partner always	3	.0	.0	.0
	1 Me always	3286	38.5	41.8	41.9
	2 Me mostly	2705	31.7	34.4	76.3
	3 Sometimes me, sometimes partner	1209	14.2	15.4	91.7
	4 Partner mostly	125	1.5	1.6	93.3
	5 Partner always	25	.3	.3	93.6
	6 Someone else	390	4.6	5.0	98.5
	7 Someone else plus other ticks	115	1.3	1.5	100.0
	Total	7858	92.1	100.0	
Missing	-1 No response	673	7.9		
Total		8531	100.0		

L File – Section F

L6113 F8d: Repairs in home is performed by

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Me always	233	2.7	3.0	3.0
	2 Me mostly	408	4.8	5.2	8.2
	3 Sometimes me, sometimes partner	1742	20.4	22.2	30.4
	4 Partner mostly	3635	42.6	46.4	76.8
	5 Partner always	1479	17.3	18.9	95.7
	6 Someone else	274	3.2	3.5	99.2
	7 Someone else plus other ticks	64	.8	.8	100.0
	Total	7835	91.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	695	8.1		
	Total	696	8.2		
Total		8531	100.0		

L6114 F8e: Looking after the children is performed by

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Me always and partner always	3	.0	.0	.0
	1 Me always	1002	11.7	12.8	12.8
	2 Me mostly	3646	42.7	46.4	59.2
	3 Sometimes me, sometimes partner	2974	34.9	37.8	97.0
	4 Partner mostly	93	1.1	1.2	98.2
	5 Partner always	9	.1	.1	98.3
	6 Someone else	33	.4	.4	98.8
	7 Someone else plus other ticks	98	1.1	1.2	100.0
	Total	7858	92.1	100.0	
Missing	-1 No response	673	7.9		
Total		8531	100.0		

L6115 F8f: Washing clothes is performed by

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Me always	5102	59.8	64.9	64.9
	2 Me mostly	1968	23.1	25.0	90.0
	3 Sometimes me, sometimes partner	635	7.4	8.1	98.0
	4 Partner mostly	80	.9	1.0	99.1
	5 Partner always	28	.3	.4	99.4
	6 Someone else	28	.3	.4	99.8
	7 Someone else plus other ticks	18	.2	.2	100.0
	Total	7859	92.1	100.0	
Missing	-1 No response	672	7.9		
Total		8531	100.0		

L File – Section F

L6116 F8g: Ironing is performed by

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Me always and partner always	3	.0	.0	.0
	1 Me always	4683	54.9	60.2	60.2
	2 Me mostly	1494	17.5	19.2	79.4
	3 Sometimes me, sometimes partner	920	10.8	11.8	91.2
	4 Partner mostly	221	2.6	2.8	94.1
	5 Partner always	64	.8	.8	94.9
	6 Someone else	324	3.8	4.2	99.1
	7 Someone else plus other ticks	72	.8	.9	100.0
	Total	7781	91.2	100.0	
Missing	-1 No response	750	8.8		
Total		8531	100.0		

L File – Section F

L6120 F9a: How to spend free time is decided by

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Me always and partner always	10	.1	.1	.1
	1 Me always	210	2.5	2.7	2.8
	2 Me mostly	959	11.2	12.2	15.0
	3 Sometimes me, sometimes partner	6437	75.5	82.1	97.1
	4 Partner mostly	205	2.4	2.6	99.8
	5 Partner always	19	.2	.2	100.0
	Total	7840	91.9	100.0	
Missing	-1 No response	691	8.1		
Total		8531	100.0		

L6121 F9b: How much to see family/friends is decided by

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Me always and partner always	8	.1	.1	.1
	1 Me always	296	3.5	3.8	3.9
	2 Me mostly	1519	17.8	19.4	23.3
	3 Sometimes me, sometimes partner	5862	68.7	74.9	98.2
	4 Partner mostly	128	1.5	1.6	99.8
	5 Partner always	15	.2	.2	100.0
	Total	7828	91.8	100.0	
Missing	-1 No response	703	8.2		
Total		8531	100.0		

L6122 F9c: When to do repairs/redecorate is decided by

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Me always and partner always	5	.1	.1	.1
	1 Me always	522	6.1	6.7	6.7
	2 Me mostly	1782	20.9	22.8	29.5
	3 Sometimes me, sometimes partner	4463	52.3	57.0	86.5
	4 Partner mostly	966	11.3	12.3	98.8
	5 Partner always	93	1.1	1.2	100.0
	Total	7831	91.8	100.0	
Missing	-1 No response	700	8.2		
Total		8531	100.0		

L6123 F9d: How to spend joint money is decided by

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Me always and partner always	13	.2	.2	.2
	1 Me always	223	2.6	2.9	3.0
	2 Me mostly	1005	11.8	12.9	15.9
	3 Sometimes me, sometimes partner	5977	70.1	76.8	92.7
	4 Partner mostly	511	6.0	6.6	99.3
	5 Partner always	54	.6	.7	100.0
	Total	7783	91.2	100.0	
Missing	-1 No response	748	8.8		
Total		8531	100.0		

L File – Section F

L6130 F10a: Degree to which respondent is satisfied with handling of family finances within relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	3584	42.0	46.3	46.3
	2 Moderately satisfied	3246	38.0	42.0	88.3
	3 Somewhat dissatisfied	719	8.4	9.3	97.6
	4 Very dissatisfied	184	2.2	2.4	100.0
	Total	7733	90.6	100.0	
Missing	-1 No response	798	9.4		
Total		8531	100.0		

L6131 F10b: Degree to which respondent is satisfied with demonstrations of affection within relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	3306	38.8	42.6	42.6
	2 Moderately satisfied	3170	37.2	40.9	83.5
	3 Somewhat dissatisfied	980	11.5	12.6	96.1
	4 Very dissatisfied	300	3.5	3.9	100.0
	Total	7756	90.9	100.0	
Missing	-1 No response	775	9.1		
Total		8531	100.0		

L6132 F10c: Degree to which respondent is satisfied with sex within relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	3312	38.8	42.9	42.9
	2 Moderately satisfied	3106	36.4	40.2	83.2
	3 Somewhat dissatisfied	951	11.1	12.3	95.5
	4 Very dissatisfied	348	4.1	4.5	100.0
	Total	7717	90.5	100.0	
Missing	-1 No response	814	9.5		
Total		8531	100.0		

L6133 F10d: Degree to which respondent is satisfied with amount of time spent together within relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2053	24.1	26.4	26.4
	2 Moderately satisfied	3767	44.2	48.5	74.9
	3 Somewhat dissatisfied	1607	18.8	20.7	95.6
	4 Very dissatisfied	344	4.0	4.4	100.0
	Total	7771	91.1	100.0	
Missing	-1 No response	760	8.9		
Total		8531	100.0		

L File – Section F

L6134 F10e: Degree to which respondent is satisfied with making major decisions within relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	3816	44.7	49.3	49.3
	2 Moderately satisfied	3155	37.0	40.8	90.1
	3 Somewhat dissatisfied	609	7.1	7.9	98.0
	4 Very dissatisfied	154	1.8	2.0	100.0
	Total	7734	90.7	100.0	
Missing	-1 No response	797	9.3		
Total		8531	100.0		

L6135 F10f: Degree to which respondent is satisfied with household tasks within relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2346	27.5	30.3	30.3
	2 Moderately satisfied	3909	45.8	50.5	80.8
	3 Somewhat dissatisfied	1223	14.3	15.8	96.6
	4 Very dissatisfied	267	3.1	3.4	100.0
	Total	7745	90.8	100.0	
Missing	-1 No response	786	9.2		
Total		8531	100.0		

L6136 F10g: Degree to which respondent is satisfied with leisure time interests & activities within relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	2383	27.9	30.7	30.7
	2 Moderately satisfied	3850	45.1	49.7	80.4
	3 Somewhat dissatisfied	1259	14.8	16.2	96.6
	4 Very dissatisfied	261	3.1	3.4	100.0
	Total	7753	90.9	100.0	
Missing	-1 No response	778	9.1		
Total		8531	100.0		

L File – Section F

L6140 F11a: Frequency respondent has been irritable with partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	522	6.1	6.7	6.7
	2 < once a week	3436	40.3	43.9	50.6
	3 1-2 times a week	2738	32.1	35.0	85.6
	4 3-6 times a week	847	9.9	10.8	96.4
	5 Every day	278	3.3	3.6	100.0
	Total	7821	91.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	709	8.3		
	Total	710	8.3		
Total		8531	100.0		

L6141 F11b: Frequency respondent's partner has been irritable with respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	963	11.3	12.3	12.3
	2 < once a week	3671	43.0	47.1	59.4
	3 1-2 times a week	2291	26.9	29.4	88.8
	4 3-6 times a week	661	7.7	8.5	97.3
	5 Every day	214	2.5	2.7	100.0
	Total	7800	91.4	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	727	8.5		
	Total	731	8.6		
Total		8531	100.0		

L File – Section F

L6150 F12a: Number of arguments/disagreements respondent has had with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1126	13.2	14.6	14.6
	2 1-3	3760	44.1	48.6	63.2
	3 4-7	1774	20.8	22.9	86.1
	4 8-13	609	7.1	7.9	94.0
	5 14 or more	463	5.4	6.0	100.0
	Total	7732	90.6	100.0	
Missing	-9 Don't know	10	.1		
	-1 No response	789	9.2		
	Total	799	9.4		
Total		8531	100.0		

L6151 F12b1: Not speaking to partner for more than 30 minutes has happened in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, I did this	1394	16.3	17.9	17.9
	2 Yes, he did this	177	2.1	2.3	20.1
	3 Yes, we both did this	1769	20.7	22.7	42.8
	4 No, not at all	4464	52.3	57.2	100.0
	Total	7804	91.5	100.0	
Missing	-1 No response	727	8.5		
Total		8531	100.0		

L6152 F12b2: Respondent/partner has walked out of house in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, I did this	452	5.3	5.8	5.8
	2 Yes, he did this	572	6.7	7.3	13.1
	3 Yes, we both did this	138	1.6	1.8	14.9
	4 No, not at all	6643	77.9	85.1	100.0
	Total	7805	91.5	100.0	
Missing	-1 No response	726	8.5		
Total		8531	100.0		

L6153 F12b3: Shouting/calling partner names has happened in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, I did this	671	7.9	8.6	8.6
	2 Yes, he did this	191	2.2	2.4	11.0
	3 Yes, we both did this	2103	24.7	27.0	38.0
	4 No, not at all	4837	56.7	62.0	100.0
	Total	7802	91.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	728	8.5		
	Total	729	8.5		
Total		8531	100.0		

L File – Section F

L6154 F12b4: Hitting/slapping partner has happened in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, I did this	141	1.7	1.8	1.8
	2 Yes, he did this	74	.9	.9	2.8
	3 Yes, we both did this	72	.8	.9	3.7
	4 No, not at all	7521	88.2	96.3	100.0
	Total	7808	91.5	100.0	
Missing	-1 No response	723	8.5		
Total		8531	100.0		

L6155 F12b5: Throwing/breaking things has happened in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, I did this	190	2.2	2.4	2.4
	2 Yes, he did this	181	2.1	2.3	4.8
	3 Yes, we both did this	45	.5	.6	5.3
	4 No, not at all	7392	86.6	94.7	100.0
	Total	7808	91.5	100.0	
Missing	-1 No response	723	8.5		
Total		8531	100.0		

L File – Section F

L6160 F13a: Frequency respondent gone out for meal with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1886	22.1	24.1	24.1
	2 < once a month	3786	44.4	48.3	72.4
	3 < once a week	1699	19.9	21.7	94.1
	4 At least once a week	460	5.4	5.9	100.0
	Total	7831	91.8	100.0	
Missing	-1 No response	700	8.2		
Total		8531	100.0		

L6161 F13b: Frequency respondent gone out for drink with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	2362	27.7	30.2	30.2
	2 < once a month	3131	36.7	40.0	70.2
	3 < once a week	1605	18.8	20.5	90.7
	4 At least once a week	728	8.5	9.3	100.0
	Total	7826	91.7	100.0	
Missing	-1 No response	705	8.3		
Total		8531	100.0		

L6162 F13c: Frequency respondent visited friends with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1233	14.5	15.8	15.8
	2 < once a month	2726	32.0	34.9	50.7
	3 < once a week	2476	29.0	31.7	82.4
	4 At least once a week	1379	16.2	17.6	100.0
	Total	7814	91.6	100.0	
Missing	-1 No response	717	8.4		
Total		8531	100.0		

L6163 F13d: Frequency respondent visited family with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	628	7.4	8.0	8.0
	2 < once a month	2147	25.2	27.4	35.4
	3 < once a week	2197	25.8	28.1	63.5
	4 At least once a week	2858	33.5	36.5	100.0
	Total	7830	91.8	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	700	8.2		
	Total	701	8.2		
Total		8531	100.0		

L File – Section F

L6164 F13e: Frequency respondent gone to cinema/theatre with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	4031	47.3	51.6	51.6
	2 < once a month	3145	36.9	40.3	91.9
	3 < once a week	595	7.0	7.6	99.5
	4 At least once a week	41	.5	.5	100.0
	Total	7812	91.6	100.0	
Missing	-1 No response	719	8.4		
Total		8531	100.0		

L6165 F13f: Frequency respondent done something else with partner in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	53	.6	9.5	9.5
	2 < once a month	242	2.8	43.4	52.9
	3 < once a week	96	1.1	17.2	70.1
	4 At least once a week	167	2.0	29.9	100.0
	Total	558	6.5	100.0	
Missing	-1 No response	7973	93.5		
Total		8531	100.0		

L File – Section F

L6170 F14a: Number of times respondent goes out in evening & does things on own/with own friends a month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	2374	27.8	30.4	30.4
	2 Once	2216	26.0	28.4	58.8
	3 2-3 times	1694	19.9	21.7	80.5
	4 4-7 times	1253	14.7	16.0	96.5
	5 8 or more times	271	3.2	3.5	100.0
	Total	7808	91.5	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	3	.0		
	-1 No response	719	8.4		
	Total	723	8.5		
Total		8531	100.0		

L6171 F14b: Number of times respondent's partner goes out in evening & does things on own/with friends a month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1829	21.4	23.5	23.5
	2 Once	1430	16.8	18.4	41.9
	3 2-3 times	1831	21.5	23.5	65.4
	4 4-7 times	1835	21.5	23.6	89.0
	5 8 or more times	852	10.0	11.0	100.0
	Total	7777	91.2	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	2	.0		
	-1 No response	750	8.8		
	Total	754	8.8		
Total		8531	100.0		

L File – Section F

L6180 F15a: Frequency respondent discusses with partner how work/day has gone in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	115	1.3	1.5	1.5
	2 < once a week	339	4.0	4.3	5.8
	3 1-3 times a week	1150	13.5	14.7	20.5
	4 Most days	6203	72.7	79.5	100.0
	Total	7807	91.5	100.0	
Missing	-1 No response	724	8.5		
Total		8531	100.0		

L6181 F15b: Frequency respondent & partner laugh together in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	83	1.0	1.1	1.1
	2 < once a week	532	6.2	6.8	7.9
	3 1-3 times a week	1758	20.6	22.6	30.5
	4 Most days	5415	63.5	69.5	100.0
	Total	7788	91.3	100.0	
Missing	-1 No response	743	8.7		
Total		8531	100.0		

L6182 F15c: Frequency respondent & partner calmly talk over something (e.g. news, hobby/interest) in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	96	1.1	1.2	1.2
	2 < once a week	565	6.6	7.2	8.5
	3 1-3 times a week	1872	21.9	24.0	32.5
	4 Most days	5268	61.8	67.5	100.0
	Total	7801	91.4	100.0	
Missing	-1 No response	730	8.6		
Total		8531	100.0		

L6183 F15d: Frequency respondent & partner kiss & hug in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	244	2.9	3.1	3.1
	2 < once a week	579	6.8	7.4	10.6
	3 1-3 times a week	1225	14.4	15.7	26.3
	4 Most days	5745	67.3	73.7	100.0
	Total	7793	91.3	100.0	
Missing	-1 No response	738	8.7		
Total		8531	100.0		

L File – Section F

L6184 F15e: Frequency respondent & partner make plans in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	141	1.7	1.8	1.8
	2 < once a week	1389	16.3	17.8	19.7
	3 1-3 times a week	2864	33.6	36.8	56.5
	4 Most days	3389	39.7	43.5	100.0
	Total	7783	91.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	747	8.8		
	Total	748	8.8		
Total		8531	100.0		

L6185 F15f: Frequency respondent & partner talk over feelings/worries in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	248	2.9	3.2	3.2
	2 < once a week	1618	19.0	20.8	23.9
	3 1-3 times a week	2299	26.9	29.5	53.4
	4 Most days	3630	42.6	46.6	100.0
	Total	7795	91.4	100.0	
Missing	-1 No response	736	8.6		
Total		8531	100.0		

L File – Section F

L6190 F16a: Respondent describes partners alcohol consumption as

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never drinks alcohol	390	4.6	5.0	5.0
	2 Very occasionally (< once a week)	1716	20.1	21.9	26.9
	3 Occasionally (at least once a week)	3129	36.7	39.9	66.8
	4 1-2 glasses nearly every day	1970	23.1	25.1	91.9
	5 3-9 glasses every day	562	6.6	7.2	99.1
	6 At least 10 glasses a day	31	.4	.4	99.5
	9 Don't know	38	.4	.5	100.0
	Total	7836	91.9	100.0	
Missing	-1 No response	695	8.1		
Total		8531	100.0		

L6191 F16b: Number of days respondent's partner had equivalent of at least 4 units of alcohol in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	434	5.1	5.7	5.7
	2 More than 10 days	1141	13.4	15.0	20.7
	3 5-10 days	1830	21.5	24.1	44.8
	4 3-4 days	1406	16.5	18.5	63.3
	5 1-2 days	1507	17.7	19.8	83.1
	6 None	1287	15.1	16.9	100.0
	Total	7605	89.1	100.0	
Missing	-9 Don't know	14	.2		
	-8 Text response	1	.0		
	-1 No response	911	10.7		
	Total	926	10.9		
Total		8531	100.0		

L File – Section F

L6200 F17a: Degree to which respondent's partner is very considerate of them in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3313	38.8	42.5	42.5
	2 Moderately true	2670	31.3	34.3	76.8
	3 Somewhat true	1508	17.7	19.4	96.2
	4 Not at all true	296	3.5	3.8	100.0
	Total	7787	91.3	100.0	
Missing	-1 No response	744	8.7		
Total		8531	100.0		

L6201 F17b: Degree to which respondent's partner wants them to take their side in an argument in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	823	9.6	10.7	10.7
	2 Moderately true	1843	21.6	24.0	34.8
	3 Somewhat true	2362	27.7	30.8	65.5
	4 Not at all true	2643	31.0	34.5	100.0
	Total	7671	89.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	858	10.1		
	Total	860	10.1		
Total		8531	100.0		

L6202 F17c: Degree to which respondent's partner wants to know exactly what they are doing & where they are in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	838	9.8	10.8	10.8
	2 Moderately true	1272	14.9	16.4	27.1
	3 Somewhat true	2453	28.8	31.5	58.7
	4 Not at all true	3214	37.7	41.3	100.0
	Total	7777	91.2	100.0	
Missing	-1 No response	754	8.8		
Total		8531	100.0		

L6203 F17d: Degree to which respondent's partner is a good companion in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	4474	52.4	57.5	57.5
	2 Moderately true	1973	23.1	25.4	82.8
	3 Somewhat true	1107	13.0	14.2	97.1
	4 Not at all true	228	2.7	2.9	100.0
	Total	7782	91.2	100.0	
Missing	-1 No response	749	8.8		
Total		8531	100.0		

L File – Section F

L6204 F17e: Degree to which respondent's partner is affectionate to them in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	4164	48.8	53.5	53.5
	2 Moderately true	2092	24.5	26.9	80.3
	3 Somewhat true	1194	14.0	15.3	95.6
	4 Not at all true	339	4.0	4.4	100.0
	Total	7789	91.3	100.0	
Missing	-1 No response	742	8.7		
Total		8531	100.0		

L6205 F17f: Degree to which respondent's partner is clearly hurt if respondent does not accept their views in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	370	4.3	4.8	4.8
	2 Moderately true	1091	12.8	14.1	18.8
	3 Somewhat true	2525	29.6	32.6	51.4
	4 Not at all true	3771	44.2	48.6	100.0
	Total	7757	90.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	773	9.1		
	Total	774	9.1		
Total		8531	100.0		

L6206 F17g: Degree to which respondent's partner tends to try & change them in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	244	2.9	3.1	3.1
	2 Moderately true	560	6.6	7.2	10.3
	3 Somewhat true	1438	16.9	18.5	28.8
	4 Not at all true	5543	65.0	71.2	100.0
	Total	7785	91.3	100.0	
Missing	-1 No response	746	8.7		
Total		8531	100.0		

L6207 F17h: Degree to which respondent's partner confides closely in them in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3468	40.7	44.7	44.7
	2 Moderately true	1865	21.9	24.0	68.7
	3 Somewhat true	1736	20.3	22.4	91.0
	4 Not at all true	695	8.1	9.0	100.0
	Total	7764	91.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	766	9.0		
	Total	767	9.0		
Total		8531	100.0		

L File – Section F

L6208 F17i: Degree to which respondent's partner tends to criticise them over small issues in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	561	6.6	7.2	7.2
	2 Moderately true	830	9.7	10.7	17.9
	3 Somewhat true	2479	29.1	31.9	49.8
	4 Not at all true	3904	45.8	50.2	100.0
	Total	7774	91.1	100.0	
Missing	-1 No response	757	8.9		
Total		8531	100.0		

L6209 F17j: Degree to which respondent's partner understands their problems & worries in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1972	23.1	25.3	25.3
	2 Moderately true	2547	29.9	32.7	58.1
	3 Somewhat true	2580	30.2	33.1	91.2
	4 Not at all true	685	8.0	8.8	100.0
	Total	7784	91.2	100.0	
Missing	-1 No response	747	8.8		
Total		8531	100.0		

L6210 F17k: Degree to which respondent's partner tends to order them about in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	200	2.3	2.6	2.6
	2 Moderately true	464	5.4	6.0	8.5
	3 Somewhat true	1268	14.9	16.3	24.8
	4 Not at all true	5853	68.6	75.2	100.0
	Total	7785	91.3	100.0	
Missing	-1 No response	746	8.7		
Total		8531	100.0		

L6211 F17l: Degree to which respondent's partner insists they do exactly as they are told in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	73	.9	.9	.9
	2 Moderately true	138	1.6	1.8	2.7
	3 Somewhat true	397	4.7	5.1	7.8
	4 Not at all true	7173	84.1	92.2	100.0
	Total	7781	91.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	749	8.8		
	Total	750	8.8		
Total		8531	100.0		

L File – Section F

L6212 F17m: Degree to which respondent's partner is physically gentle & considerate in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	4718	55.3	60.7	60.7
	2 Moderately true	1592	18.7	20.5	81.2
	3 Somewhat true	1156	13.6	14.9	96.1
	4 Not at all true	305	3.6	3.9	100.0
	Total	7771	91.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	759	8.9		
	Total	760	8.9		
Total		8531	100.0		

L6213 F17n: Degree to which respondent's partner makes them feel needed in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3473	40.7	44.7	44.7
	2 Moderately true	2176	25.5	28.0	72.7
	3 Somewhat true	1569	18.4	20.2	92.8
	4 Not at all true	556	6.5	7.2	100.0
	Total	7774	91.1	100.0	
Missing	-1 No response	757	8.9		
Total		8531	100.0		

L6214 F17o: Degree to which respondent's partner wants them to change in small ways in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	323	3.8	4.2	4.2
	2 Moderately true	811	9.5	10.5	14.6
	3 Somewhat true	2500	29.3	32.2	46.9
	4 Not at all true	4119	48.3	53.1	100.0
	Total	7753	90.9	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	775	9.1		
	Total	778	9.1		
Total		8531	100.0		

L6215 F17p: Degree to which respondent's partner is very loving to them in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	4005	46.9	51.5	51.5
	2 Moderately true	1911	22.4	24.6	76.1
	3 Somewhat true	1375	16.1	17.7	93.8
	4 Not at all true	480	5.6	6.2	100.0
	Total	7771	91.1	100.0	
Missing	-1 No response	760	8.9		
Total		8531	100.0		

L File – Section F

L6216 F17q: Degree to which respondent's partner seeks to dominate them in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	197	2.3	2.5	2.5
	2 Moderately true	365	4.3	4.7	7.2
	3 Somewhat true	989	11.6	12.7	20.0
	4 Not at all true	6222	72.9	80.0	100.0
	Total	7773	91.1	100.0	
Missing	-1 No response	758	8.9		
Total		8531	100.0		

L6217 F17r: Degree to which respondent's partner is fun to be with in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3485	40.9	44.8	44.8
	2 Moderately true	2563	30.0	33.0	77.8
	3 Somewhat true	1446	16.9	18.6	96.4
	4 Not at all true	280	3.3	3.6	100.0
	Total	7774	91.1	100.0	
Missing	-1 No response	757	8.9		
Total		8531	100.0		

L6218 F17s: Degree to which respondent's partner wants to change them in big ways in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	147	1.7	1.9	1.9
	2 Moderately true	172	2.0	2.2	4.1
	3 Somewhat true	469	5.5	6.0	10.1
	4 Not at all true	6977	81.8	89.9	100.0
	Total	7765	91.0	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	764	9.0		
	Total	766	9.0		
Total		8531	100.0		

L6219 F17t: Degree to which respondent's partner tends to control everything they do in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	90	1.1	1.2	1.2
	2 Moderately true	157	1.8	2.0	3.2
	3 Somewhat true	564	6.6	7.3	10.4
	4 Not at all true	6958	81.6	89.6	100.0
	Total	7769	91.1	100.0	
Missing	-1 No response	762	8.9		
Total		8531	100.0		

L File – Section F

L6220 F17u: Degree to which respondent's partner shows their appreciation of them in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2555	29.9	32.8	32.8
	2 Moderately true	2767	32.4	35.6	68.4
	3 Somewhat true	1905	22.3	24.5	92.9
	4 Not at all true	552	6.5	7.1	100.0
	Total	7779	91.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	751	8.8		
	Total	752	8.8		
Total		8531	100.0		

L6221 F17v: Degree to which respondent's partner is critical of them in private in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	200	2.3	2.6	2.6
	2 Moderately true	381	4.5	4.9	7.5
	3 Somewhat true	1667	19.5	21.6	29.1
	4 Not at all true	5464	64.0	70.9	100.0
	Total	7712	90.4	100.0	
Missing	-9 Don't know	9	.1		
	-1 No response	810	9.5		
	Total	819	9.6		
Total		8531	100.0		

L6222 F17w: Degree to which respondent's partner is gentle & kind to them in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	4328	50.7	55.7	55.7
	2 Moderately true	1844	21.6	23.7	79.4
	3 Somewhat true	1334	15.6	17.2	96.6
	4 Not at all true	267	3.1	3.4	100.0
	Total	7773	91.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	757	8.9		
	Total	758	8.9		
Total		8531	100.0		

L6223 F17x: Degree to which respondent's partner speaks to them in a warm & friendly voice in recent times

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	3588	42.1	46.1	46.1
	2 Moderately true	2357	27.6	30.3	76.5
	3 Somewhat true	1519	17.8	19.5	96.0
	4 Not at all true	311	3.6	4.0	100.0
	Total	7775	91.1	100.0	
Missing	-1 No response	756	8.9		
Total		8531	100.0		

PAGE 40 OF THE QUESTIONNAIRE

SECTION G: YOUR FAMILY AND FRIENDS

G1. How many of your relatives and your partner's relatives do you see at least twice a year?

None	1	2-4	more than 4
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
1	2	3	4

G2. About how many friends do you have?

None	1	2-4	more than 4
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
1	2	3	4

G3. Overall, would you say you belong to a close circle of friends?

Yes	<input type="text"/>	No	<input type="text"/>
	1		2

G4. How many people are there that you can talk to about personal problems?

None	1	2-4	more than 4
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
1	2	3	4

G5. How many people talk to you about their personal problems or their private feelings?

None	1	2-4	more than 4
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
1	2	3	4

G6. If you have to make an important decision, how many people are there with whom you can discuss it?

None	1	2-4	more than 4
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
1	2	3	4

G7. How many people are there among your family and friends from whom you could borrow £100 if you needed to?

None	1	2-4	more than 4
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
1	2	3	4

PAGE 41 OF THE QUESTIONNAIRE

G8. How many of your family and friends would help you in times of trouble?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G9. During the last month, how many times did you get together with one or more friends?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

G10. During the last month, how many times did you get together with one or more of your relatives or your partner's relatives?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

The following statements are about the help and support you have.

	This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way	
G11. I have no one to share my feelings with	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
G12. My partner provides the emotional support I need	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	no partner <input type="text" value="7"/>
G13. There are other mothers with whom I can share my experiences	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
G14. I believe in moments of difficulty my neighbours would help me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	

PAGE 42 OF THE QUESTIONNAIRE

		This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way	
G15.	I'm worried that my partner might leave me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	no partner <input type="text" value="7"/>
G16.	There is always someone with whom I can share my happiness and excitement about my child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
G17.	If I feel tired I can rely on my partner to take over	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	no partner <input type="text" value="7"/>
G18.	If I was in financial difficulty I know my family would help if they could	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
G19.	If I was in financial difficulty I know my friends would help if they could	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
G20.	If all else fails I know the state will support and assist me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	

G21. a) Do you believe in God or in some divine power?

yes	<input type="text" value="1"/>
am not sure	<input type="text" value="2"/>
no, not at all	<input type="text" value="3"/>

b) Do you feel that God (or some divine power) has helped you at any time?

Yes	<input type="text" value="1"/>	Not sure	<input type="text" value="2"/>	No	<input type="text" value="3"/>
-----	--------------------------------	----------	--------------------------------	----	--------------------------------

PAGE 43 OF THE QUESTIONNAIRE

G21. c) Would you appeal to God for help if you were in trouble?

Yes Not sure No

d) Do you 'pray' even if not in trouble?

Yes No

e) What sort of religious faith would you say you had? (tick one only)

Church of England Roman Catholic

Methodist, Baptist or
other Protestant Christian (please tick & describe) Christian Science

.....

Mormon Jehovah's Witness

Jewish Buddhist

Sikh Hindu

Muslim Rastafarian

None Other (please tick & describe)

.....

f) How long have you had this particular faith?

all my life

more than 5 years

3-5 years

1-2 years

less than a year

PAGE 44 OF THE QUESTIONNAIRE

G21. g) Are you bringing your child up in this faith?

Yes

No

h) Do you go to a place of worship?

yes, at least once a week

yes, at least once a month

yes, at least once a year

only for special occasions

no, not at all

j) Do you obtain help and support from leaders or others members of religious groups?

Help from:**Yes****No**i) Leaders of your religious group
(e.g. priests, rabbis, imams)ii) Other members of your religious groupiii) Members of other religious group
(please tick and describe)

.....

L File – Section G

L7000 G1: Number of respondent's relatives & partners relatives seen at least twice a year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	129	1.5	1.5	1.5
	2 1	157	1.8	1.9	3.4
	3 2-4	1596	18.7	18.9	22.3
	4 More than 4	6545	76.7	77.7	100.0
	Total	8427	98.8	100.0	
Missing	-1 No response	104	1.2		
Total		8531	100.0		

L7001 G2: Approximate number of friends respondent has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	90	1.1	1.1	1.1
	2 1	102	1.2	1.2	2.3
	3 2-4	1294	15.2	15.3	17.6
	4 More than 4	6951	81.5	82.4	100.0
	Total	8437	98.9	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	93	1.1		
	Total	94	1.1		
Total		8531	100.0		

L7002 G3: Overall respondent would say they belong to a close circle of friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5475	64.2	65.0	65.0
	2 No	2943	34.5	35.0	100.0
	Total	8418	98.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	112	1.3		
	Total	113	1.3		
Total		8531	100.0		

L7003 G4: Number of people respondent can talk to about personal problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	281	3.3	3.3	3.3
	2 1	775	9.1	9.2	12.5
	3 2-4	4584	53.7	54.3	66.9
	4 More than 4	2795	32.8	33.1	100.0
	Total	8435	98.9	100.0	
Missing	-1 No response	96	1.1		
Total		8531	100.0		

L File – Section G

L7004 G5: Number of people talk to respondent about their personal problems/private feelings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	177	2.1	2.1	2.1
	2 1	542	6.4	6.4	8.5
	3 2-4	4483	52.5	53.2	61.7
	4 More than 4	3226	37.8	38.3	100.0
	Total	8428	98.8	100.0	
Missing	-1 No response	103	1.2		
Total		8531	100.0		

L7005 G6: Number of people respondent can talk to about important decisions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	193	2.3	2.3	2.3
	2 1	918	10.8	10.9	13.2
	3 2-4	4361	51.1	51.9	65.1
	4 More than 4	2936	34.4	34.9	100.0
	Total	8408	98.6	100.0	
Missing	-1 No response	123	1.4		
Total		8531	100.0		

L7006 G7: Number of people among family & friends respondent could borrow £100 from if needed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	368	4.3	4.4	4.4
	2 1	908	10.6	10.8	15.2
	3 2-4	4279	50.2	50.9	66.1
	4 More than 4	2855	33.5	33.9	100.0
	Total	8410	98.6	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	119	1.4		
	Total	121	1.4		
Total		8531	100.0		

L7007 G8: Number of family & friends would help respondent in times of trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	49	.6	.6	.6
	2 1	288	3.4	3.4	4.0
	3 2-4	2985	35.0	35.4	39.4
	4 More than 4	5104	59.8	60.6	100.0
	Total	8426	98.8	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	101	1.2		
	Total	105	1.2		
Total		8531	100.0		

L File – Section G

L7008 G9: Number of times respondent got together with one/more friends in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	604	7.1	7.2	7.2
	2 1	1064	12.5	12.6	19.8
	3 2-4	3243	38.0	38.5	58.3
	4 More than 4	3508	41.1	41.7	100.0
	Total	8419	98.7	100.0	
Missing	-1 No response	112	1.3		
Total		8531	100.0		

L7009 G10: Number of times respondent got together with one/more of their/partners relatives in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	597	7.0	7.1	7.1
	2 1	1075	12.6	12.8	19.9
	3 2-4	3302	38.7	39.3	59.2
	4 More than 4	3435	40.3	40.8	100.0
	Total	8409	98.6	100.0	
Missing	-1 No response	122	1.4		
Total		8531	100.0		

L File – Section G

L7020 G11: Degree to which respondent has no one to share their feelings with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how I feel	153	1.8	1.8	1.8
	2 Often how I feel	383	4.5	4.6	6.4
	3 Sometimes how I feel	1973	23.1	23.5	29.9
	4 I never feel this way	5895	69.1	70.1	100.0
	Total	8404	98.5	100.0	
Missing	-1 No response	127	1.5		
Total		8531	100.0		

L7021 G12: Degree to which respondent's partner provides the emotional support they need

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how I feel	2524	29.6	30.1	30.1
	2 Often how I feel	2298	26.9	27.4	57.5
	3 Sometimes how I feel	2303	27.0	27.4	84.9
	4 I never feel this way	696	8.2	8.3	93.2
	7 No partner	570	6.7	6.8	100.0
	Total	8391	98.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	139	1.6		
	Total	140	1.6		
Total		8531	100.0		

L7022 G13: Degree to which there are other mothers respondent can share their experiences with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how I feel	2816	33.0	33.5	33.5
	2 Often how I feel	2421	28.4	28.8	62.4
	3 Sometimes how I feel	2283	26.8	27.2	89.6
	4 I never feel this way	875	10.3	10.4	100.0
	Total	8395	98.4	100.0	
Missing	-1 No response	136	1.6		
Total		8531	100.0		

L7023 G14: Degree to which respondent believes in moments of difficulty neighbours would help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how I feel	2410	28.2	28.7	28.7
	2 Often how I feel	1839	21.6	21.9	50.7
	3 Sometimes how I feel	2392	28.0	28.5	79.2
	4 I never feel this way	1745	20.5	20.8	100.0
	Total	8386	98.3	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	141	1.7		
	Total	145	1.7		
Total		8531	100.0		

L File – Section G

L7024 G15: Degree to which respondent is worried their partner might leave them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how I feel	58	.7	.7	.7
	2 Often how I feel	104	1.2	1.2	1.9
	3 Sometimes how I feel	1037	12.2	12.4	14.3
	4 I never feel this way	6612	77.5	78.8	93.1
	7 No partner	583	6.8	6.9	100.0
	Total	8394	98.4	100.0	
Missing	-1 No response	137	1.6		
Total		8531	100.0		

L7025 G16: Degree to which there is always someone respondent can share happiness & excitement about study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how I feel	5191	60.8	61.9	61.9
	2 Often how I feel	2067	24.2	24.7	86.6
	3 Sometimes how I feel	986	11.6	11.8	98.4
	4 I never feel this way	136	1.6	1.6	100.0
	Total	8380	98.2	100.0	
Missing	-1 No response	151	1.8		
Total		8531	100.0		

L7026 G17: Degree to which if respondent is tired respondent can rely on partner to take over

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how I feel	2620	30.7	31.2	31.2
	2 Often how I feel	1977	23.2	23.6	54.8
	3 Sometimes how I feel	2400	28.1	28.6	83.4
	4 I never feel this way	802	9.4	9.6	93.0
	7 No partner	586	6.9	7.0	100.0
	Total	8385	98.3	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	145	1.7		
	Total	146	1.7		
Total		8531	100.0		

L7027 G18: Degree to which if respondent were in financial difficulty their family would help if they could

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how I feel	5843	68.5	69.7	69.7
	2 Often how I feel	1377	16.1	16.4	86.1
	3 Sometimes how I feel	803	9.4	9.6	95.7
	4 I never feel this way	359	4.2	4.3	100.0
	Total	8382	98.3	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	1	.0		
	-1 No response	147	1.7		
	Total	149	1.7		
Total		8531	100.0		

L File – Section G

L7028 G19: Degree to which if respondent were in financial difficulty their friends would help if they could

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how I feel	3445	40.4	41.2	41.2
	2 Often how I feel	1638	19.2	19.6	60.8
	3 Sometimes how I feel	1747	20.5	20.9	81.7
	4 I never feel this way	1527	17.9	18.3	100.0
	Total	8357	98.0	100.0	
Missing	-9 Don't know	2	.0		
	-8 Text response	2	.0		
	-1 No response	170	2.0		
	Total	174	2.0		
Total		8531	100.0		

L7029 G20: Degree to which if all else fails respondent knows the state would support/assist them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how I feel	815	9.6	9.8	9.8
	2 Often how I feel	552	6.5	6.7	16.5
	3 Sometimes how I feel	1986	23.3	23.9	40.4
	4 I never feel this way	4943	57.9	59.6	100.0
	Total	8296	97.2	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	230	2.7		
	Total	235	2.8		
Total		8531	100.0		

L File – Section G

L7040 G21a: Respondent believes in god/some divine power

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4062	47.6	48.2	48.2
	2 Not sure	2923	34.3	34.7	82.9
	3 No, not at all	1444	16.9	17.1	100.0
	Total	8429	98.8	100.0	
Missing	-1 No response	102	1.2		
Total		8531	100.0		

L7041 G21b: Respondent feels that god (or some divine power) has helped them at any time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2793	32.7	33.3	33.3
	2 Not sure	3059	35.9	36.4	69.7
	3 No	2542	29.8	30.3	100.0
	Total	8394	98.4	100.0	
Missing	-1 No response	137	1.6		
Total		8531	100.0		

L7042 G21c: Respondent would appeal to God for help if they were in trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4135	48.5	49.1	49.1
	2 Not sure	2494	29.2	29.6	78.8
	3 No	1786	20.9	21.2	100.0
	Total	8415	98.6	100.0	
Missing	-1 No response	116	1.4		
Total		8531	100.0		

L7043 G21d: Respondent prays even if not in trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3311	38.8	39.7	39.7
	2 No	5039	59.1	60.3	100.0
	Total	8350	97.9	100.0	
Missing	-9 Don't know	1	.0		
	-8 Text response	2	.0		
	-1 No response	178	2.1		
	Total	181	2.1		
Total		8531	100.0		

L File – Section G

L7044 G21e: Respondent would say their religious faith was

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	1209	14.2	14.6	14.6
	1 Church of England	5078	59.5	61.5	76.2
	2 Roman Catholic	651	7.6	7.9	84.1
	3 Methodist, Baptist/other Protestant Christian	867	10.2	10.5	94.6
	4 Christian Science	10	.1	.1	94.7
	5 Mormon	22	.3	.3	95.0
	6 Jehovah's Witness	40	.5	.5	95.4
	7 Jewish	12	.1	.1	95.6
	8 Buddhist	29	.3	.4	95.9
	9 Sikh	7	.1	.1	96.0
	10 Hindu	12	.1	.1	96.2
	11 Muslim	22	.3	.3	96.4
	12 Rastafarian	1	.0	.0	96.4
	13 Other	293	3.4	3.6	100.0
	Total	8253	96.7	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	274	3.2		
	Total	278	3.3		
Total		8531	100.0		

L7047 G21f: Duration respondent has had this faith

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All respondents life	6149	72.1	81.2	81.2
	2 > 5 years	1149	13.5	15.2	96.4
	3 3-5 Years	143	1.7	1.9	98.3
	4 1-2 Years	73	.9	1.0	99.2
	5 < a year	58	.7	.8	100.0
	Total	7572	88.8	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	957	11.2		
	Total	959	11.2		
Total		8531	100.0		

L7048 G21g: Respondent is bringing their child up in this faith

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5532	64.8	70.1	70.1
	2 No	2356	27.6	29.9	100.0
	Total	7888	92.5	100.0	
Missing	-9 Don't know	10	.1		
	-8 Text response	5	.1		
	-1 No response	628	7.4		
	Total	643	7.5		
Total		8531	100.0		

L File – Section G

L7049 G21h: Respondent goes to a place of worship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, at least once a week	897	10.5	10.9	10.9
	2 Yes, at least once a month	876	10.3	10.6	21.5
	3 Yes, at least once a year	1075	12.6	13.1	34.6
	4 Only for special occasions	2771	32.5	33.7	68.3
	5 No, not at all	2610	30.6	31.7	100.0
	Total	8229	96.5	100.0	
Missing	-1 No response	302	3.5		
Total		8531	100.0		

L7050 G21j1: Respondent gets help/support from leaders of their religious group (e.g. priests, rabbis, imams)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	747	8.8	9.6	9.6
	2 No	7047	82.6	90.4	100.0
	Total	7794	91.4	100.0	
Missing	-1 No response	737	8.6		
Total		8531	100.0		

L7051 G21j2: Respondent gets help/support from other members of their religious group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	944	11.1	12.1	12.1
	2 No	6839	80.2	87.9	100.0
	Total	7783	91.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	747	8.8		
	Total	748	8.8		
Total		8531	100.0		

L7052 G21j3: Respondent gets help/support from members of other religious group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	220	2.6	2.9	2.9
	2 No	7268	85.2	97.1	100.0
	Total	7488	87.8	100.0	
Missing	-1 No response	1043	12.2		
Total		8531	100.0		

PAGE 45 OF THE QUESTIONNAIRE

SECTION H: HEALTH SERVICES

H1. In the past year have you had contact with any of the following, for whatever reason:

	Yes ↓	No, but would have liked to	No, didn't need contact
a) G.P./family doctor	<div>1</div>	<div>2</div>	<div>3</div>
b) Health visitor	<div>1</div>	<div>2</div>	<div>3</div>
c) Midwife	<div>1</div>	<div>2</div>	<div>3</div>
d) Social services benefit worker	<div>1</div>	<div>2</div>	<div>3</div>
e) Social worker	<div>1</div>	<div>2</div>	<div>3</div>
f) Physiotherapist	<div>1</div>	<div>2</div>	<div>3</div>
g) Psychologist/psychiatrist	<div>1</div>	<div>2</div>	<div>3</div>
h) Other support service (please tick & describe)	<div>1</div>	<div>2</div>	<div>3</div>

.....

H2. The statements below describe the ways some mothers feel about the health services. We would be grateful if you could indicate what your own feelings are.

	This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way
a) I don't have any confidence in the national health service	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b) I know that if my child was very ill my doctor would come quickly	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c) The doctor in the clinic is always helpful	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

PAGE 46 OF THE QUESTIONNAIRE

	Your outlook on life:	Yes	No
H3.	Did getting good marks at school mean a great deal to you?	<div>1</div>	<div>2</div>
H4.	Are you often blamed for things that just are not your fault?	<div>1</div>	<div>2</div>
H5.	Do you feel that most of the time it does not pay to try hard because things never turn out right anyway?	<div>1</div>	<div>2</div>
H6.	Do you feel that if things start out well in the morning then it's going to be a good day no matter what you do?	<div>1</div>	<div>2</div>
H7.	Do you believe that whether or not people like you depends on how you act?	<div>1</div>	<div>2</div>
H8.	Do you believe that when bad things are going to happen they are just going to happen no matter what you try to do to stop them?	<div>1</div>	<div>2</div>
H9.	Do you feel that when good things happen they happen because of hard work?	<div>1</div>	<div>2</div>
H10.	Do you feel that when someone does not like you there is little you can do about it?	<div>1</div>	<div>2</div>
H11.	Did you usually feel that it was almost useless to try in school because most other children were cleverer than you?	<div>1</div>	<div>2</div>
H12.	Are you the kind of person who believes that planning ahead makes things turn out better?	<div>1</div>	<div>2</div>
H13.	Most of the time, do you feel that you have little to say about what your family decides to do?	<div>1</div>	<div>2</div>
H14.	Do you think it's better to be clever than to be lucky?	<div>1</div>	<div>2</div>

PAGE 47 OF THE QUESTIONNAIRE

H15. Do you think you have been treated unfairly/unjustly in the last 12 months because of:

	Yes	No
a) your sex	<div>1</div>	<div>2</div>
b) your skin colour	<div>1</div>	<div>2</div>
c) the way you dress	<div>1</div>	<div>2</div>
d) your family background	<div>1</div>	<div>2</div>
e) the way you speak	<div>1</div>	<div>2</div>
f) your religion	<div>1</div>	<div>2</div>
g) other (please tick & describe)	<div>1</div>	<div>2</div>

.....

.....

L File – Section H

L8000 H1a: Respondent has had contact with G.P./family doctor in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7831	91.8	93.0	93.0
	2 No, but would have liked to	23	.3	.3	93.3
	3 No, did not need contact	565	6.6	6.7	100.0
	Total	8419	98.7	100.0	
Missing	-1 No response	112	1.3		
Total		8531	100.0		

L8001 H1b: Respondent has had contact with health visitor in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2843	33.3	34.2	34.2
	2 No, but would have liked to	222	2.6	2.7	36.8
	3 No, did not need contact	5258	61.6	63.2	100.0
	Total	8323	97.6	100.0	
Missing	-1 No response	208	2.4		
Total		8531	100.0		

L8002 H1c: Respondent has had contact with midwife in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	839	9.8	10.2	10.2
	2 No, but would have liked to	44	.5	.5	10.7
	3 No, did not need contact	7374	86.4	89.3	100.0
	Total	8257	96.8	100.0	
Missing	-1 No response	274	3.2		
Total		8531	100.0		

L8003 H1d: Respondent has had contact with social services in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	367	4.3	4.4	4.4
	2 No, but would have liked to	83	1.0	1.0	5.5
	3 No, did not need contact	7803	91.5	94.5	100.0
	Total	8253	96.7	100.0	
Missing	-1 No response	278	3.3		
Total		8531	100.0		

L8004 H1e: Respondent has had contact with a social worker in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	388	4.5	4.7	4.7
	2 No, but would have liked to	85	1.0	1.0	5.7
	3 No, did not need contact	7805	91.5	94.3	100.0
	Total	8278	97.0	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	252	3.0		
	Total	253	3.0		
Total		8531	100.0		

L File – Section H

L8005 H1f: Respondent has had contact with a physiotherapist in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	739	8.7	9.0	9.0
	2 No, but would have liked to	118	1.4	1.4	10.4
	3 No, did not need contact	7393	86.7	89.6	100.0
	Total	8250	96.7	100.0	
Missing	-1 No response	281	3.3		
Total		8531	100.0		

L8006 H1g: Respondent has had contact with psychologist/psychiatrist in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	466	5.5	5.7	5.7
	2 No, but would have liked to	169	2.0	2.1	7.7
	3 No, did not need contact	7593	89.0	92.3	100.0
	Total	8228	96.4	100.0	
Missing	-1 No response	303	3.6		
Total		8531	100.0		

L8007 H1h: Respondent has had contact with another support service in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	30	.4	.5	.5
	1 Yes	639	7.5	9.7	10.2
	2 No, but would have liked to	67	.8	1.0	11.2
	3 No, did not need contact	5822	68.2	88.8	100.0
	Total	6558	76.9	100.0	
Missing	-1 No response	1973	23.1		
Total		8531	100.0		

L File – Section H

L8010 H2a: Respondent does not have any confidence in the National Health Service

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how respondent feels	212	2.5	2.5	2.5
	2 Often how respondent feels	774	9.1	9.3	11.8
	3 Sometimes how respondent feels	3497	41.0	42.0	53.8
	4 Respondent never feels this way	3851	45.1	46.2	100.0
	Total	8334	97.7	100.0	
Missing	-9 Don't know	3	.0		
	-8 Text response	4	.0		
	-1 No response	190	2.2		
	Total	197	2.3		
Total		8531	100.0		

L8011 H2b: Respondent knows that if their child were very ill doctor would come quickly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how respondent feels	3143	36.8	37.6	37.6
	2 Often how respondent feels	2311	27.1	27.6	65.2
	3 Sometimes how respondent feels	2212	25.9	26.4	91.6
	4 Respondent never feels this way	699	8.2	8.4	100.0
	Total	8365	98.1	100.0	
Missing	-9 Don't know	9	.1		
	-1 No response	157	1.8		
	Total	166	1.9		
Total		8531	100.0		

L8012 H2c: The doctor in the clinic is always helpful

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how respondent feels	3172	37.2	38.8	38.8
	2 Often how respondent feels	2749	32.2	33.6	72.3
	3 Sometimes how respondent feels	1942	22.8	23.7	96.1
	4 Respondent never feels this way	322	3.8	3.9	100.0
	Total	8185	95.9	100.0	
Missing	-9 Don't know	8	.1		
	-8 Text response	2	.0		
	-1 No response	336	3.9		
	Total	346	4.1		
Total		8531	100.0		

L File – Section H

L8020 H3: Getting good marks at school meant a lot to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6045	70.9	72.0	72.0
	2 No	2326	27.3	27.7	99.7
	3 Sometimes	22	.3	.3	100.0
	Total	8393	98.4	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	134	1.6		
	Total	138	1.6		
Total		8531	100.0		

L8021 H4: Respondent often blamed for things that are not their fault

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1429	16.8	17.1	17.1
	2 No	6929	81.2	82.7	99.7
	3 Sometimes	21	.2	.3	100.0
	Total	8379	98.2	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	151	1.8		
	Total	152	1.8		
Total		8531	100.0		

L8022 H5: Respondent feels most of time it does not pay to try hard because things never turn out right anyway

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	931	10.9	11.1	11.1
	2 No	7414	86.9	88.6	99.7
	3 Sometimes	21	.2	.3	100.0
	Total	8366	98.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	164	1.9		
	Total	165	1.9		
Total		8531	100.0		

L8023 H6: Respondent feels if things start well in the morning it will be a good day no mater what they do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3712	43.5	44.6	44.6
	2 No	4555	53.4	54.8	99.4
	3 Sometimes	47	.6	.6	100.0
	Total	8314	97.5	100.0	
Missing	-9 Don't know	9	.1		
	-1 No response	208	2.4		
	Total	217	2.5		
Total		8531	100.0		

L File – Section H

L8024 H7: Respondent believes that whether or not people like you depends on how you act

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6072	71.2	73.2	73.2
	2 No	2183	25.6	26.3	99.5
	3 Sometimes	41	.5	.5	100.0
	Total	8296	97.2	100.0	
Missing	-9 Don't know	12	.1		
	-8 Text response	1	.0		
	-1 No response	222	2.6		
	Total	235	2.8		
Total		8531	100.0		

L8025 H8: Respondent believes that when bad things are going to happen then you are unable to stop them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4327	50.7	52.5	52.5
	2 No	3860	45.2	46.8	99.4
	3 Sometimes	53	.6	.6	100.0
	Total	8240	96.6	100.0	
Missing	-9 Don't know	26	.3		
	-1 No response	265	3.1		
	Total	291	3.4		
Total		8531	100.0		

L8026 H9: Respondent feels when good things happen it is because of hard work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4199	49.2	51.0	51.0
	2 No	3816	44.7	46.3	97.3
	3 Sometimes	220	2.6	2.7	100.0
	Total	8235	96.5	100.0	
Missing	-9 Don't know	26	.3		
	-8 Text response	1	.0		
	-1 No response	269	3.2		
	Total	296	3.5		
Total		8531	100.0		

L8027 H10: Respondent feels if someone does not like them there is little they can do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4841	56.7	58.5	58.5
	2 No	3378	39.6	40.8	99.3
	3 Sometimes	59	.7	.7	100.0
	Total	8278	97.0	100.0	
Missing	-9 Don't know	16	.2		
	-8 Text response	1	.0		
	-1 No response	236	2.8		
	Total	253	3.0		
Total		8531	100.0		

L File – Section H

L8028 H11: Respondent usually felt it was almost useless to try in school because most other children were cleverer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	755	8.9	9.1	9.1
	2 No	7568	88.7	90.8	99.8
	3 Sometimes	13	.2	.2	100.0
	Total	8336	97.7	100.0	
Missing	-9 Don't know	4	.0		
	-1 No response	191	2.2		
	Total	195	2.3		
Total		8531	100.0		

L8029 H12: Respondent believes that planning ahead makes things turn out better

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6205	72.7	74.6	74.6
	2 No	2020	23.7	24.3	98.9
	3 Sometimes	94	1.1	1.1	100.0
	Total	8319	97.5	100.0	
Missing	-9 Don't know	9	.1		
	-1 No response	203	2.4		
	Total	212	2.5		
Total		8531	100.0		

L8030 H13: Respondent feels most of time they have little say about families decisions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	781	9.2	9.4	9.4
	2 No	7524	88.2	90.5	99.9
	3 Sometimes	12	.1	.1	100.0
	Total	8317	97.5	100.0	
Missing	-9 Don't know	5	.1		
	-1 No response	209	2.4		
	Total	214	2.5		
Total		8531	100.0		

L8031 H14: Respondent thinks it is better to be clever than to be lucky

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4318	50.6	54.6	54.6
	2 No	3493	40.9	44.2	98.8
	3 Sometimes	93	1.1	1.2	100.0
	Total	7904	92.7	100.0	
Missing	-9 Don't know	103	1.2		
	-8 Text response	6	.1		
	-1 No response	518	6.1		
	Total	627	7.3		
Total		8531	100.0		

L File – Section H

L8040 H15a: Respondent thinks they have been treated unfairly/unjustly because of their sex in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	682	8.0	8.2	8.2
	2 No	7680	90.0	91.8	100.0
	Total	8362	98.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	168	2.0		
	Total	169	2.0		
Total		8531	100.0		

L8041 H15b: Respondent thinks they have been treated unfairly/unjustly because of their skin colour in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	147	1.7	1.8	1.8
	2 No	8214	96.3	98.2	100.0
	Total	8361	98.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	169	2.0		
	Total	170	2.0		
Total		8531	100.0		

L8042 H15c: Respondent thinks they have been treated unfairly/unjustly because of the way they dress in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	336	3.9	4.0	4.0
	2 No	8030	94.1	96.0	100.0
	Total	8366	98.1	100.0	
Missing	-1 No response	165	1.9		
Total		8531	100.0		

L8043 H15d: Respondent thinks they have been treated unfairly/unjustly because of their family background in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	250	2.9	3.0	3.0
	2 No	8113	95.1	97.0	100.0
	Total	8363	98.0	100.0	
Missing	-1 No response	168	2.0		
Total		8531	100.0		

L File – Section H

L8044 H15e: Respondent thinks they have been treated unfairly/unjustly because of the way they speak in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	313	3.7	3.7	3.7
	2 No	8052	94.4	96.3	100.0
	Total	8365	98.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	165	1.9		
	Total	166	1.9		
Total		8531	100.0		

L8045 H15f: Respondent thinks they have been treated unfairly/unjustly because of their religion in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	139	1.6	1.7	1.7
	2 No	8198	96.1	98.3	100.0
	Total	8337	97.7	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	193	2.3		
	Total	194	2.3		
Total		8531	100.0		

L8046 H15g: Respondent thinks they have been treated unfairly/unjustly because of something else in past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	310	3.6	5.8	5.8
	2 No	5004	58.7	94.2	100.0
	Total	5314	62.3	100.0	
Missing	-1 No response	3217	37.7		
Total		8531	100.0		

PAGE 48 OF THE QUESTIONNAIRE

J1. This questionnaire was completed by:

a) mother

1

b) father

1

c) other

1

(please tick & describe)

.....

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 “no”.]

L9980 J1a: Questionnaire completed by child's mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	8408	98.6	99.7	99.7
	2 No	24	.3	.3	100.0
	Total	8432	98.8	100.0	
Missing	-5 Question J1 omitted	99	1.2		
Total		8531	100.0		

L9981 J1b: Questionnaire completed by child's father

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	18	.2	.2	.2
	2 No	8414	98.6	99.8	100.0
	Total	8432	98.8	100.0	
Missing	-5 Question J1 omitted	99	1.2		
Total		8531	100.0		

L9982 J1c: Questionnaire completed by someone else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	21	.2	.2	.2
	2 No	8411	98.6	99.8	100.0
	Total	8432	98.8	100.0	
Missing	-5 Question J1 omitted	99	1.2		
Total		8531	100.0		

Derived Variables**Number of contributors**

The number of contributors to the questionnaire is the number of boxes ticked in question J1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

L9984 DV: Number of contributors to questionnaire

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	8418	98.7	99.8	99.8
2	13	.2	.2	100.0
3	1	.0	.0	100.0
Total	8432	98.8	100.0	
Missing -5 Question J1 omitted	99	1.2		
Total	8531	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question J1. It is calculated by recoding values of 1 to powers of 2 (1, 2, and 4 for parts a to c respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

L9985 DV: Questionnaire completed by...

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Mother only	8394	98.4	99.5	99.5
2 Father only	9	.1	.1	99.7
3 Mother & father	8	.1	.1	99.8
4 Other only	15	.2	.2	99.9
5 Mother & other	5	.1	.1	100.0
7 Mother, father & other	1	.0	.0	100.0
Total	8432	98.8	100.0	
Missing -5 Question J1 omitted	99	1.2		
Total	8531	100.0		

L File – Section J

J2. Please give the date on which you completed this questionnaire:

day	month		year				
				1	9	9	

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable L9990c. The month and year of completion were retained on the built file, but the day was dropped.]

L9990a J2: Date of completion of questionnaire - month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	942	11.0	11.0	11.0
	2 February	683	8.0	8.0	19.0
	3 March	538	6.3	6.3	25.4
	4 April	423	5.0	5.0	30.3
	5 May	622	7.3	7.3	37.6
	6 June	765	9.0	9.0	46.6
	7 July	756	8.9	8.9	55.4
	8 August	768	9.0	9.0	64.4
	9 September	850	10.0	10.0	74.4
	10 October	880	10.3	10.3	84.7
	11 November	824	9.7	9.7	94.4
	12 December	480	5.6	5.6	100.0
	Total	8531	100.0	100.0	

L9990b J2: Date of completion of questionnaire - year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1997	2565	30.1	30.1	30.1
	1998	5160	60.5	60.5	90.6
	1999	801	9.4	9.4	99.9
	2000	4	.0	.0	100.0
	2001	1	.0	.0	100.0
	Total	8531	100.0	100.0	

L9990c DV: Date of completion replaced with date of receipt


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, incomplete d.o.c.	128	1.5	1.5	1.5
	2 Yes, illegal d.o.c.	7	.1	.1	1.6
	3 Yes, d.o.c. < d.o.s.	80	.9	.9	2.5
	4 Yes, d.o.c. > d.o.r.	60	.7	.7	3.2
	5 No	8256	96.8	96.8	100.0
	Total	8531	100.0	100.0	

Derived Variables - Age of Study Child at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

L9991a DV: Age of study child at completion of questionnaire (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	72	2	.0	.0	.0
	73	6389	74.9	74.9	74.9
	74	1264	14.8	14.8	89.7
	75	307	3.6	3.6	93.3
	76	268	3.1	3.1	96.5
	77	156	1.8	1.8	98.3
	78	53	.6	.6	98.9
	79	22	.3	.3	99.2
	80	12	.1	.1	99.3
	81	12	.1	.1	99.5
	82	13	.2	.2	99.6
	83	3	.0	.0	99.6
	84	8	.1	.1	99.7
	85	4	.0	.0	99.8
	86	3	.0	.0	99.8
	88	2	.0	.0	99.8
	89	2	.0	.0	99.9
	91	2	.0	.0	99.9
	92	1	.0	.0	99.9
	93	2	.0	.0	99.9
	95	2	.0	.0	100.0
	97	1	.0	.0	100.0
	98	1	.0	.0	100.0
	102	1	.0	.0	100.0
	110	1	.0	.0	100.0
Total		8531	100.0	100.0	

L9991b DV: Age of study child at completion of questionnaire (weeks)

plus the following outliers:

L9991b DV: Age of study child at completion of questionnaire (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	316	1	4.8	4.8	4.8
	372	2	9.5	9.5	14.3
	374	1	4.8	4.8	19.0
	376	1	4.8	4.8	23.8
	377	1	4.8	4.8	28.6
	384	1	4.8	4.8	33.3
	386	1	4.8	4.8	38.1
	388	2	9.5	9.5	47.6
	397	1	4.8	4.8	52.4
	398	1	4.8	4.8	57.1
	404	2	9.5	9.5	66.7
	405	1	4.8	4.8	71.4
	414	1	4.8	4.8	76.2
	415	1	4.8	4.8	81.0
	421	1	4.8	4.8	85.7
	427	1	4.8	4.8	90.5
	444	1	4.8	4.8	95.2
	481	1	4.8	4.8	100.0
	Total	21	100.0	100.0	

L File – Section J

J3. Please give your date of birth:

day		month		year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
				1	9		

[Editing: If the date of birth was not a valid date (e.g. 31st November), then the day & month were set to -1. If the year was later than 1989 (i.e. the respondent probably entered the date of birth of their study child) then the whole date was set to -1. If the year was missing then day and month were also set to -1. otherwise, if a valid year was reported, value of -1 in day were recoded to 15 and in month to 6. This action was flagged in variable L9996b. The date of birth was not retained on the file.]

Derived Variables - Age of Respondent at Completion

The date of completion and the respondent's date of birth were used to calculate the respondent's age at completion in completed years. For reasons of confidentiality, values < 22 were recoded to 22 and > 49 to 49.

L9996a DV: Age of respondent at completion of questionnaire (years)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	22 < 23	17	.2	.2	.2
	23	23	.3	.3	.5
	24	46	.5	.6	1.1
	25	77	.9	1.0	2.1
	26	107	1.3	1.4	3.4
	27	128	1.5	1.6	5.0
	28	179	2.1	2.3	7.3
	29	270	3.2	3.4	10.7
	30	365	4.3	4.6	15.3
	31	496	5.8	6.3	21.6
	32	579	6.8	7.3	28.9
	33	649	7.6	8.2	37.1
	34	697	8.2	8.8	45.9
	35	704	8.3	8.9	54.8
	36	682	8.0	8.6	63.4
	37	581	6.8	7.3	70.8
	38	542	6.4	6.9	77.6
	39	470	5.5	5.9	83.6
	40	325	3.8	4.1	87.7
	41	295	3.5	3.7	91.4
	42	203	2.4	2.6	94.0
	43	170	2.0	2.1	96.1
	44	102	1.2	1.3	97.4
	45	85	1.0	1.1	98.5
	46	61	.7	.8	99.3
	47	36	.4	.5	99.7
	48	11	.1	.1	99.8
	49 > 48	12	.1	.2	100.0
Total		7912	92.7	100.0	
Missing	-1 Missing date of birth	619	7.3		
Total		8531	100.0		

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comments you would like to make.

Please remember we cannot reply to any comment unless you sign it.

When completed, please return the questionnaire to:

**Professor Jean Golding
Children of the Nineties - ALSPAC
Institute of Child Health
24 Tyndall Avenue
Bristol
BS8 1BR Tel: Bristol 9285007**

For office use only

coder int

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. Note that this is the 2003 revision, which dates from after this questionnaire was coded. However, the revision did not alter the content but rather streamlined the text by simplifying sentences and introducing headings. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

L File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow “Post-It” sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder’s responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder’s marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person’s work at regular intervals in order to strive for maximum accuracy.

L File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

L File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

L File – Appendix B

Coding Instructions for first version (21.03.97) of “Mother’s Lifestyle”

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the “Mother’s Lifestyle” replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires - 2nd revision" document.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 21/03/97. Within a batch, they should all be the same version.

*****If the questionnaire is all blank, e.g. the woman didn't want to fill in the form, write "ALL BLANK" on the front cover and move on to the next questionnaire.

Page 3, Section A

A1a to A1j	7	
A1k	7	Please ensure that if something relevant is written in the “please describe” area, that A1k is appropriately ticked. If there is no tick, code a zero on A1k, to indicate information in the “please describe” area.

Page 4

A2	7	
A3-A4		If 1+2, or 1+3 are ticked, code as 1; if 2+3 are ticked, code as 3.
A5	7	
A6-A8	I	

Page 5

A9-A10	I
A11a, b	I
A12-A13	I

Page 6, Section B

B1 - B8	7
B9	8

Page 7

B10	8
B11	7
B12	8
B13	7

Page 8

B14 - B17	7
-----------	---

L File – Appendix B

Page 9

B18	7
B19	8

Page 10, Section C

C1	8
C2a to C2l	7

Page 11

C2m to C2y	7	
C2z	7	Please ensure that if something relevant is written in the “please describe” section in C2z, that the previous boxes are ticked appropriately. If there is no tick, please write a zero in C2z to indicate information in this section.
C2za	7	Please ensure that if something relevant is written in the “please describe” section in C2za, that the previous boxes are ticked appropriately. If there is no tick, please write a zero in C2za to indicate information in this section.

Page 12

C3a to C3p	7	If the answer “once” is given with no tick, code as 5.
C3q to C3s	7	If the answer “once” is given with no tick, code as 5. If something relevant is written, but no ticks, please write a zero to indicate information in this question.

Page 6

C4 - for office use	II	Count the number of items listed, and enter the count in the two boxes. If nothing listed, leave blank, but if they say none or “N/A”, or not applicable, code “00”.
C4 1 - 10		Not being coded here.

Page 14

C5a	I	
C5b	II	If a range is given, round up.
C5c	II	If a range is given, round up.
C5d to C5h	II	This should be the number of different nights they were in hospital for each admission. If less than one day is given, code as “00”. Note that the reason and the hospital are not being coded here.
C6a to C6g	7	

Page 15

C6h to C6u	7	
C6v	7	As C2za

Page 16

C7a	7	
C7b	8	
C8	I	
C8i	II	If a range is given, round up.
C8ii		If combinations of 1, 2 and 3 are ticked, code as the longest time period. If any other combination is ticked, recode as “9”.

L File – Appendix B

Page 17

C9a	I	
C9ai	II	If the months box is filled in, please ensure that code “3” is ticked in C9a. If a range is given, round up.
C9aai	II	If the months box is filled in, please ensure that code “4” is ticked in C9a. If a range is given, round up. If unplanned, code as 99.
C9bi to vii	I	

Page 18

C9bviii to x	I	
C9bxi	I	Please ensure that if something relevant is written in the “please describe” area, there is a “yes” tick in C9bxi. If there is not, please tick the “yes” box in C9bxi. Note that the text response is not being coded here.
C10		If combinations of 1-5 are given, code as the lowest number given. If any other combination is given, code as “9”.
C11a	8	

Page 19

C11bi to viii	I	
C11bix	I	Please ensure that if something relevant is written in the “please describe” section, that there is a “yes” tick on C11bix. If there is not, please tick C11bix. Note that the text response is not being coded here.
C12a to C12c	7	
C12d	II	“Varies”=code 97 “Continuous”=code 31 If a range is given, code as the higher value.

Page 20

C13ai, ii	I	
C13b to C13d		As C13a
C13ei, ii	I	Please ensure that if something relevant is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, please tick the “yes” box to indicate information in this section. If it is unclear which column the comments refer to, code both columns as “0”, to indicate information in the “please describe” area.

Pages 21 - 24, Section D

D1 - D44	7	
D45	7	Please ensure that if something relevant is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, please write a zero to indicate information in this section. Note that the text response is not being coded here.
D46a	I	If “yes” is ticked, check that the description differs from the events listed previously in this section. If it is the same, recode it as that event, and tick “no” for D46a.
D46bi to D46biii		Please check that if something relevant is written in the “please describe” section that D46a is ticked appropriately. If there is no tick, tick the “yes” box to indicate information in this section. Note that the text response is not being coded here.

Page 25, Section E

E1a to l	7	
----------	---	--

L File – Appendix B

Page 26

E1m to t	7	
E1u	7	If something relevant is written in the “please describe” area, please ensure that there is a “yes” tick in E1u. If there is not, code a zero on E1u, to indicate information in the “please describe” area.

Page 27

E2	7	
E3i, ii	7	Code each column separately.
E4a,b	II,II	If a range is given, round up.

Page 28, Section F

F1a	I	
F1b	I	
F1c	II, II	Convert months into years and months if necessary. If not stated, leave blank.
F2	8	

Page 29

F3a to u	7
----------	---

Page 30

F3v to w	7	
F3x	7	Please ensure that if something relevant is written in the “please describe” section, that a “yes” box is ticked. If there is no tick, code F3x as zero, to indicate information in the “please describe” area.
F4a to c	8	
F4d	7	
F4e	8	
F4f, g	7	
F4h	8	

Page 31

F4i	7	
F4j to k	8	
F5ai, ii	II, II	If a range is given, round up.
F5bi, ii	7	
F6a	I	If “student” is given, code as “2”.
F6bi, ii		Not being coded here.
F6c	I	

Page 32

F6d, e	7	Code “evening work” or “twilight shift” as zero.
F6f	7	
F6gi	II	If a range is given, leave blank, move the answer into the max and min in F6gii. Round up fractions. Code >100 as 98.
F6gii “minimum”	II	If a range is given, round down.
F6gii “maximum”	II	If a range is given, round up.
F6h	8	

L File – Appendix B

Page 33

F6j	7
F7a to b	8
F7c	7
F7d	8
F7e	7
F7f	8
F7g	7
F7h	8

F8a to g	I	If 2 and 3 are ticked, code as “2”. If 3 and 4 are ticked, code as “4”. If 'always', ie 1 or 5 plus another box are ticked, code for the 'always' If both 1 and 5 are ticked, code as zero. Except that if the multiple ticks include 6, code as A
----------	---	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Page 34

F9a to d	I	If 3 and 4 are ticked, code as “4”. If 'always', ie 1 or 5 plus another box are ticked, code for the 'always' If both 1 and 5 are ticked, code as zero.
F10a to g	8	
F11a	8	

Page 35

F11b	8	If combinations 1 and 2, 2 and 3 or 1 and 3 are given, recode as “3”.
F12a	8	
F12bi to v	I	
F13a to d	7	

Page 36

F13e	7	If a description is given here, please ensure that F13f is ticked. If it is not, please code F13f as zero, to indicate information on the “please describe” line.
F13f	7	
F14a, b	7	
F15a to f	7	

Page 37

F16a	8
F16b	7
F17a, d, e	8
F17b, c	7

Page 38

F17f, g, i, k, l, o, q, s, t	7
F17h, j, m, n, p, r	8

Page 39

F17u, w, x	8
F17v	7

L File – Appendix B

Page 40, Section G

G1 - G2	7
G3	I
G4 - G7	7

Page 41

G8 - G11	7
G12 - G14	8

Page 42

G15	7
G16 - G20	8
G21a, b	I

Page 43

G21c, d	I	
G21e	I	If more than 1 box is ticked, recode as “other” (or “other protestant christian” if relevant) and write the numbers of the ticked boxes on the relevant dotted line. For example, if 1 and 2 are ticked, recode them as “03” and write “1 and 2” on the dotted line. If 11 and 06 are ticked, for example, recode them as “13” and write “6 and 11” on the dotted line.
G21f	8	

Page 44

G21g	I	
G21h	8	Code “4” for occasional worship”.
G21ji, ii	I	
G21jiii	I	If a relevant description is given here, please ensure that the “yes” box is ticked in G21jiii. If it is not, tick “yes” on G21jiii.

Page 45, Section H

H1a to g	7	
H1h	I	Please ensure that if something relevant is written in the “please describe” section, that H1h is appropriately ticked. If there is no tick, code H1h as a zero, to indicate information in the “please describe” section.
H2a	7	
H2b, c	8	

Page 46

H3 - H14	I	Code “yes and no” or “sometimes” as “3”.
H15a to f	I	
H15g	I	If a relevant description is given here, please ensure that the “yes” box is ticked in H15g. If it is not, tick “yes” on H15g. Note that the text response is not being coded here.

Page 48, Section J

J1a to b	I	
J1c (please describe)	I	Please ensure that if something relevant is written in the “please describe” section, that the previous boxes are ticked appropriately. If there is no tick, please tick “yes” for “someone else”, to indicate information in the “please

L File – Appendix B

describe” section.

J2	IV	If left blank, copy month and year that the form was returned from the stamped receipt date on the front cover, and code the days as 99.
----	----	------------------------------------------------------------------------------------------------------------------------------------------

J3	IV	Any valid date has to be accepted here.
----	----	-----------------------------------------

Space for comments		Not being coded here.
--------------------	--	-----------------------

Bottom of Page 48, For Office Use Only

Coder		Insert your initials here.
Int.		If the questionnaire was completed with the aid of an interviewer, there will be initials here.

END OF QUESTIONNAIRE

/mlcod 29/6/00

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. If a response was not received after 3 weeks a reminder letter was sent. If there had still not been a response after a further 3 weeks then a second reminder was sent out. If there was still no response 3 weeks after the second reminder had been sent then the case was flagged as being eligible for personal contact by a member of the Family Liaison Team.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of SPSS data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were put together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifier ALN. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letter “I” which are followed by four digits and

occasionally a further letter. Then the data from the back page were edited as described in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t know” to –9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to –8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don’t know	The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”.
-10	Not completed	No completed questionnaire is available for this case. Variable L0007a = 2 for all such cases.

At some point in the future the data may be reissued as a “built” file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.