

THE ALSPAC STUDY

PE FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

A toddler in the house

At 21 months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 4a of the BUILT file.

THE ALSPAC STUDY

This survey is an ongoing longitudinal study of a population of children born to mothers resident in a geographic area.

Study Eligibility Criteria

To be eligible for the study, mothers had to be resident in Avon while pregnant. In addition, their expected date of delivery had to lie between 1st April 1991 and 31st December 1992 inclusive. Mothers who were resident in the area but left shortly after enrolment were omitted from further follow-up. However, those who had completed the questionnaire scheduled for the third trimester of pregnancy before leaving the study area, have been kept in the study, even if they had not delivered at the time of moving.

The study area is well-defined, consisting of that part of the county of Avon that was also within the South West Regional Health Authority. It therefore excludes Bath and district.

Enrolment

Work prior to the start of enrolment in September 1990 had involved meetings with midwives and discussion with groups representing general practitioners as well as detailed discussion with obstetricians in the area.

Posters were printed for display in a variety of different places - including chemist shops, libraries, mother and toddler groups, and pre-school playgroups, general practitioner waiting-rooms, antenatal clinics and any other area where a mother in early pregnancy was likely to be. In addition, there was considerable local and national coverage in the press, radio and television.

The poster displayed the logo of the study 'Children of the Nineties' and asked interested pregnant mothers to get in touch with the study team. In addition, the local community midwives when interviewing the mother for the first time discussed the study with her, and gave her a card with which to send for further details.

The card that the mother completed and sent to the study office contained her full name and date of birth, her address, her last menstrual period, and expected date of delivery.

Once the card had been received at the study office, a brochure was sent to the mother. This outlined the reason for carrying out the study and explained that the mothers themselves would not benefit tangibly, but that the major benefits were likely to be for the next generation. It informed the mother that there was no compulsion for her to take part, and that even if she started within the study she was free to opt out at any point. Thirdly it emphasised the confidential nature of the information that would be collected, and promised that at no time would the names of the mother and/or child be linked to the confidential information collected. Fourthly, it explained that biological samples would be taken, but that these would not be analysed without the

signed permission of the mother, and finally it stated that the information given would also be linked to information from the medical records unless the mother let us know that she did not want us to do this. The mother was told in this brochure that we would assume that she wanted to take part in the study unless she informed us otherwise.

A telephone number (the Children of the Nineties hotline) was given for parents to ring. This hotline is manned by volunteers who have been instructed in the confidential nature of the study. They are advised not to do any counselling or persuading, but rather to take messages which are then acted upon by appropriate members of the study team. In instances where parents ring to request help, they are given, if possible, the appropriate telephone number of an organisation set up to perform this type of service.

The Partner

Questionnaires were also designed for the partner. We did not, however, have the name of the mother's partner and indeed we did not want to involve the partner without the mother's permission.

We therefore invoked the following procedure. Questionnaires for partners were timed to coincide with a questionnaire for the mother. The pair was sent together to the mother, accompanied by a letter which explained that we were enclosing a questionnaire for her partner: if she would like him to be involved, then we would like her to hand it to him, but if she did not want him to be involved that was fine. The decision was hers. We did not stipulate a particular definition of partner (i.e. male or female), and left it to the mother to make such a decision. Nevertheless, information obtained from the partner identifies whether he is (or thinks he is) the biological father of the child and indeed whether he is living with the mother of the child. A letter was enclosed with each partner's questionnaire and also a pre-paid envelope, so that his responses could remain confidential if he so wished. If a woman wrote and informed us that she had no partner, or that he was not interested, then we did not include questionnaires for him from then on. Later, in the postnatal phase, the mother was informed that although the words he/him were used throughout, we welcomed a response by all partners.

The Questionnaire

This questionnaire was sent at the same time as the 'Caring for a Toddler' questionnaire, roughly 21 months after delivery, to the parent who was not the principle carer of the toddler. It was 32 pages long and had 7 sections. These largely mirrored the questions in the 'Caring for a Toddler' questionnaire - which is documented in the G Files.

Section A Your Health

This section had a number of questions that were identical to those asked at 8 months. These included the partner's perception of his current health and various specific problems since the toddler was 8 months of age. Similar to were the questions on the frequency with which the partner had taken a number of different medications and illicit drugs in addition questions were asked about homeopathic medicines and by

whom they had been prescribed. The partner was also asked to list all the medicines and pills taken in the past month. It enquired about hospitalisations and also asked the frequency with which the partner was having a variety of problems including backache, headaches, urinary infection, nausea, vomiting etc. In this section we asked for the first time how often the partner was having sexual intercourse and whether this was as often as before the study pregnancy.

Section B Being a Parent

A number of questions in this section enquired about the reaction of the respondent to having a toddler and the ways in which a toddler should be treated. This included details such as whether he felt that the best way to calm a child was to cuddle him, or whether a smack is the best way to discipline a child. This section also included the ten questions which make up the perceived social support scale. The questions were all identical to those asked of the mother at the same time. These questions were first asked in 'About Yourself' and documented in the D Files.

Section C Your Family and Friends

These 10 questions were the social network questions first asked in 'About Yourself' and documented in the D Files.

Section D Your Feelings

These questions comprised the 23 depression, anxiety and somatisation sections of the Crown Crisp Experiential Index, together with the 10 questions from the Edinburgh Postnatal Depression Scale first asked in 'Having a Baby'. These are documented in the B Files.

Section E Recent Events

These comprised the stressful life events scale very similar to those used for the first time in 'Having a Baby' and which are documented in the B Files.

In this section the questions on the partner's physical health were a subjective 4-point assessment. They did not go into details of the actual conditions that the partner had. They did however include all the questions on the rating of the partner on characteristics such as helpful, quiet, etc., and the questions on who did various household tasks, who decided various things, and satisfaction with the relationship in regard to certain things identical to those asked in Section H of 'Caring for a Toddler'. This section also had similar questions to Section H with regard to irritability with the partner and the number of arguments or disagreements, the number of times the partners had gone out together, the number of evenings in a month they did things on their own and the types of interaction they carried out together. It also asked the amount of alcohol that the partner drank including daily amounts and binge drinking.

Section G. Your Occupation & Lifestyle

Many of these questions mirrored those in Section I of 'Caring for a Toddler'. These included the number of days per week on which the partner engaged in regular activities long enough to work up a sweat. It included information on the current job, the amount of physical effort needed for it, and it inquired whether the partner wished he could spend more time with the child. It asked how the partner travelled to and from work, and reactions to the child after work, the current consumption of cigarettes and alcohol. It asked the partner's assessment of financial difficulties and the amount of sleep the partner was currently getting.

Coding

Most of the self-completion responses are self-coding - the ticked reply box contains a printed number that can be directly keyed. A few questions invite a textual reply, and some participants also amplify a tick response with comments.

Returned questionnaires are coded by our staff. They have to check that each question has no more than one ticked response, and that any comments do not materially affect the sense of the response. On a few occasions they also need to convert dates and similar variables to a standard format. There are rules for each variable, for how to interpret problems such as multiple ticking, or rounding of ages, where months are given and years were requested. All coding is cross-checked by a second person and then keyed and verified.

In general, where more than one box was ticked there was a rule that the 'worst' code would be used. This was indicated by a coding rule such that L indicated that the lower code be used, H the higher. Where no such rules could be made the coding supervisor made a decision.

Textual replies to questions are dealt with separately. The range of responses to a given question is enormous, the variety of questions asked is also large, and this gives problems of maintaining coding consistency across a range of specialist areas, e.g. drugs, accidents, occupations, and environmental exposures. The problem is resolved by keying all written responses into a word processor, splitting the responses by question type, so that finally all the replies to one question are available together in one file. This can then be coded semi-automatically by a specialist in that field. Accuracy and consistency are thus ensured without the expense of training the basic coders in all the different disciplines required.

Format of the variable descriptors

In all that follows:

- i) Each question will be quoted verbatim in italics (with differences between the questionnaire versions, where they exist);
- ii) The coding rule(s) used by the ALSPAC coders will be indicated in square brackets;
- iii) The editing assumptions made preparing this computer file in round brackets;
- iv) The variable no. on file, with the rubric used;
- v) A table of frequencies.

Derived variables

Details of how the standard scores were derived are similar to the equivalent data on the G files.

Response rates

The number of partners responding to this questionnaire was 6158 which is 60% of the mother's questionnaires returned at this time (n=10323) and 63% of the no. of mothers who said that they had a partner (n=9707).

Form date

There was only 1 version of this questionnaire - dated 23.12.92.

Release file version history

Version 4a – November 2018

The previous version of the file (3c) with the following data added:

- Age in years (*pe993*) of the father at completion of the questionnaire

Age in months of the study child at completion has been relabelled and a histogram replaces the frequency table in the previous version

SECTION A: YOUR HEALTH

A1. Which of the following would you say describes your health now?

fit and well
 mostly well and healthy
 often feel unwell
 hardly ever feel well

[If multiple ticks code for the highest number given]

PE010 Description of Health Now					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1	Fit & Well	1	3805	61.8	61.9
2	Mostly Well	2	2180	35.4	35.5
3	Often Feel Unwell	3	145	2.4	2.4
4	Hardly Ever Well	4	13	.2	.2
-1		-1	13	.2	Missing
Total			6156	100.0	100.0
Valid cases		6143	Missing cases		13

A2. Have you had any of the following since your toddler was 8 months old?

Yes and consulted
 consulted

Yes but did not
 consult doctor

No doctor

A2. a) anxiety or 'nerves'

[If multiple ticks code for the lowest value]

PE020 Anxiety Since Child > 8 Months					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
1	Yes Consulted Dr	1	105	1.7	1.7
2	Yes Not Consult Dr	2	806	13.1	13.1
3	No	3	5240	85.1	85.2
-1		-1	5	.1	Missing
Total			6156	100.0	100.0
Valid cases		6151	Missing cases		5

PE020A Anxiety Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	911	14.8	14.8	14.8
No	2	5245	85.2	85.2	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. b) depression

[If multiple ticks code for the lowest value]

PE021 Depression Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	94	1.5	1.5	1.5
Yes Not Consult Dr	2	606	9.8	9.9	11.4
No	3	5451	88.5	88.6	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE021A Depression Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	700	11.4	11.4	11.4
No	2	5456	88.6	88.6	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. c) headache or migraine

[If multiple ticks code for the lowest value]

PE022 Headache/Migraine Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	158	2.6	2.6	2.6
Yes Not Consult Dr	2	3062	49.7	49.8	52.3
No	3	2931	47.6	47.7	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE022A Headache/Migraine Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3220	52.3	52.3	52.3
No	2	2936	47.7	47.7	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. d) back ache

[If multiple ticks code for the lowest value]

PE023 Backache Since Child > 8 Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	425	6.9	6.9	6.9
Yes Not Consult Dr	2	2182	35.4	35.5	42.4
No	3	3544	57.6	57.6	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	
Valid cases	6151	Missing cases	5		

PE023A Backache Y/N					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2607	42.3	42.3	42.3
No	2	3549	57.7	57.7	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A2. e) indigestion

[If multiple ticks code for the lowest value]

PE024 Indigestion Since Child > 8 Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	102	1.7	1.7	1.7
Yes Not Consult Dr	2	1721	28.0	28.0	29.6
No	3	4328	70.3	70.4	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	
Valid cases	6151	Missing cases	5		

PE024A Indigestion Y/N					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1823	29.6	29.6	29.6
No	2	4333	70.4	70.4	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A2. f) cough or cold

[If multiple ticks code for the lowest value]

PE025 Cough Or Cold Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	336	5.5	5.5	5.5
Yes Not Consult Dr	2	4471	72.6	72.7	78.1
No	3	1344	21.8	21.9	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	
Valid cases	6151	Missing cases	5		

PE025A Cough or Cold Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4807	78.1	78.1	78.1
No	2	1349	21.9	21.9	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A2. g) haemorrhoids/piles

[If multiple ticks code for the lowest value]

PE026 Piles Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	92	1.5	1.5	1.5
Yes Not Consult Dr	2	523	8.5	8.5	10.0
No	3	5536	89.9	90.0	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE026A Piles Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	615	10.0	10.0	10.0
No	2	5541	90.0	90.0	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. h) influenza

[If multiple ticks code for the lowest value]

PE027 Influenza Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	261	4.2	4.2	4.2
Yes Not Consult Dr	2	856	13.9	13.9	18.2
No	3	5034	81.8	81.8	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE027A Influenza Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1117	18.1	18.1	18.1
No	2	5039	81.9	81.9	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. i) wheezing

[If multiple ticks code for the lowest value]

PE028 Wheezing Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	136	2.2	2.2	2.2
Yes Not Consult Dr	2	440	7.1	7.2	9.4
No	3	5575	90.6	90.6	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE028A Wheezing Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	576	9.4	9.4	9.4
No	2	5580	90.6	90.6	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. j) bronchitis

[If multiple ticks code for the lowest value]

PE029 Bronchitis Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	82	1.3	1.3	1.3
Yes Not Consult Dr	2	50	.8	.8	2.1
No	3	6019	97.8	97.9	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE029A Bronchitis Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	132	2.1	2.1	2.1
No	2	6024	97.9	97.9	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. k) stomach ulcer

[If multiple ticks code for the lowest value]

PE030 Stomach Ulcer Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	37	.6	.6	.6
Yes Not Consult Dr	2	14	.2	.2	.8
No	3	6100	99.1	99.2	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE030A Stomach Ulcer Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	51	.8	.8	.8
No	2	6105	99.2	99.2	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. l) eczema

[If multiple ticks code for the lowest value]

PE031 Eczema Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	127	2.1	2.1	2.1
Yes Not Consult Dr	2	311	5.1	5.1	7.1
No	3	5713	92.8	92.9	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE031A Eczema Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	438	7.1	7.1	7.1
No	2	5718	92.9	92.9	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. m) psoriasis

[If multiple ticks code for the lowest value]

PE032 Psoriasis Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	54	.9	.9	.9
Yes Not Consult Dr	2	87	1.4	1.4	2.3
No	3	6010	97.6	97.7	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE032A Psoriasis Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	141	2.3	2.3	2.3
No	2	6015	97.7	97.7	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. n) arthritis

[If multiple ticks code for the lowest value]

PE033 Arthritis Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	68	1.1	1.1	1.1
Yes Not Consult Dr	2	70	1.1	1.1	2.2
No	3	6013	97.7	97.8	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE033A Arthritis Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	138	2.2	2.2	2.2
No	2	6018	97.8	97.8	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. o) rheumatism

[If multiple ticks code for the lowest value]

PE034 Rheumatism Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	22	.4	.4	.4
Yes Not Consult Dr	2	59	1.0	1.0	1.3
No	3	6070	98.6	98.7	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE034A Rheumatism Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	81	1.3	1.3	1.3
No	2	6075	98.7	98.7	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

p) urinary infection

[If multiple ticks code for the lowest value]

PE035 Urinary Infectn Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Consulted Dr	1	85	1.4	1.4	1.4
Yes Not Consult Dr	2	31	.5	.5	1.9
No	3	6035	98.0	98.1	100.0
	-1	5	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6151 Missing cases 5

PE035A Urinary Infection Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	116	1.9	1.9	1.9
No	2	6040	98.1	98.1	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A2. q) other problems (please describe)

[If something written on please describe line make sure appropriate boxes have been ticked. If no tick code '0'. Check to see if comment cannot be recoded elsewhere in the question]

PE036 Other Problem Since Child > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	102	1.7	1.7	1.7
Yes Consulted Dr	1	429	7.0	7.0	8.6
Yes Not Consult Dr	2	83	1.3	1.4	10.0
No	3	5534	89.9	90.0	100.0
	-1	8	.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6148 Missing cases 8

PE036A Other Problem Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	614	10.0	10.0	10.0
No	2	5542	90.0	90.0	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A3 Since your toddler was 8 months old how often have you taken the following?

Every day Often Sometimes Rarely Not at all

A3. a) sleeping pills

[If multiple ticks code for the lowest value]

PE060 Taken Sleeping Pills CH > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	5	.1	.1	.1
Often	2	3	.0	.0	.1
Sometimes	3	34	.6	.6	.7
Rarely	4	45	.7	.7	1.4
Never	5	6042	98.1	98.6	100.0
	-1	27	.4	Missing	
	Total	6156	100.0	100.0	

Valid cases 6129 Missing cases 27

PE060A Taken Sleeping Pills Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	87	1.4	1.4	1.4
No	2	6069	98.6	98.6	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A3. b) vitamins

[If multiple ticks code for the lowest value]

PE061 Taken Vitamins Since CH > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	218	3.5	3.6	3.6
Often	2	191	3.1	3.1	6.7
Sometimes	3	457	7.4	7.5	14.1
Rarely	4	416	6.8	6.8	20.9
Never	5	4847	78.7	79.1	100.0
	-1	27	.4	Missing	
	Total	6156	100.0	100.0	

Valid cases 6129 Missing cases 27

PE061A Taken Vitamins Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1282	20.8	20.8	20.8
No	2	4874	79.2	79.2	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A3. c) cannabis/marihuana

[If multiple ticks code for the lowest value]

PE062 Taken Cannabis Since CH > 8 Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	47	.8	.8	.8
Often		2	65	1.1	1.1	1.8
Sometimes		3	102	1.7	1.7	3.5
Rarely		4	140	2.3	2.3	5.8
Never		5	5775	93.8	94.2	100.0
		-1	27	.4	Missing	
		Total	6156	100.0	100.0	
Valid cases	6129	Missing cases	27			

PE062A Taken Cannabis Y/N					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	354	5.8	5.8	5.8
No	2	5802	94.2	94.2	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A3. d) tranquillisers

[If multiple ticks code for the lowest value]

PE063 Taken Tranquilizers Since CH > 8 Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every	Day	1	5	.1	.1	.1
Often		2	1	.0	.0	.1
Sometimes		3	15	.2	.2	.3
Rarely		4	15	.2	.2	.6
Never		5	6093	99.0	99.4	100.0
		-1	27	.4	Missing	
		Total	6156	100.0	100.0	
Valid cases	6129	Missing cases	27			

PE063A Taken Tranquilizers Y/N						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	36	.6	.6	.6
No		2	6120	99.4	99.4	100.0
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0			

A3. e) pills for depression

[If multiple ticks code for the lowest value]

PE064 Taken Antidepressants CH > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	15	.2	.2	.2
Often	2	6	.1	.1	.3
Sometimes	3	30	.5	.5	.8
Rarely	4	16	.3	.3	1.1
Never	5	6062	98.5	98.9	100.0
	-1	27	.4	Missing	
	Total	6156	100.0	100.0	

Valid cases 6129 Missing cases 27

PE064A Taken Antidepressants Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	67	1.1	1.1	1.1
No	2	6089	98.9	98.9	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A3. f) antibiotics

[If multiple ticks code for the lowest value]

PE065 Taken Antibiotics Since CH > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	11	.2	.2	.2
Often	2	20	.3	.3	.5
Sometimes	3	431	7.0	7.0	7.5
Rarely	4	1082	17.6	17.7	25.2
Never	5	4585	74.5	74.8	100.0
	-1	27	.4	Missing	
	Total	6156	100.0	100.0	

Valid cases 6129 Missing cases 27

PE065A Taken Antibiotics Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1544	25.1	25.1	25.1
No	2	4612	74.9	74.9	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A3. g) painkillers (aspirin, paracetamol, etc)

[If multiple ticks code for the lowest value]

PE066 Taken Painkillers Since CH > 8 Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every	Day	1	37	.6	.6	.6
Often		2	247	4.0	4.0	4.6
Sometimes		3	2090	34.0	34.1	38.7
Rarely		4	2497	40.6	40.7	79.5
Never		5	1258	20.4	20.5	100.0
		-1	27	.4	Missing	
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases	6129	Missing cases	27			

PE066A Taken Painkillers Y/N						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	4871	79.1	79.1	79.1
No		2	1285	20.9	20.9	100.0
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0			

A3. h) amphetamines or other stimulants

[If multiple ticks code for the lowest value]

PE067 Taken Amphetamines Since CH > 8 Months						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	3	.0	.0	.0
Often		2	2	.0	.0	.1
Sometimes		3	23	.4	.4	.5
Rarely		4	25	.4	.4	.9
Never		5	6076	98.7	99.1	100.0
		-1	27	.4	Missing	
		Total	6156	100.0	100.0	
Valid cases	6129	Missing cases	27			

PE067A Taken Amphetamines Y/N					
Value	Label	Value	Frequency	Percent	Valid Percent Cum Percent
Yes		1	53	.9	.9
No		2	6103	99.1	99.1 100.0
			-----	-----	
		Total	6156	100.0	100.0
Valid cases		6156	Missing cases		0

A3. i) iron

[If multiple ticks code for the lowest value]

PE068 Taken Iron Since CH > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	46	.7	.8	.8
Often	2	47	.8	.8	1.5
Sometimes	3	88	1.4	1.4	3.0
Rarely	4	93	1.5	1.5	4.5
Never	5	5855	95.1	95.5	100.0
	-1	27	.4	Missing	
	Total	6156	100.0	100.0	

Valid cases 6129 Missing cases 27

PE068A Taken Iron Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	274	4.5	4.5	4.5
No	2	5882	95.5	95.5	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A3. j) heroin, methadone, crack, cocaine

[If multiple ticks code for the lowest value]

PE069 Taken Heroin/Cocaine CH > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	2	.0	.0	.0
Often	2	3	.0	.0	.1
Sometimes	3	5	.1	.1	.2
Rarely	4	11	.2	.2	.3
Never	5	6108	99.2	99.7	100.0
	-1	27	.4	Missing	
	Total	6156	100.0	100.0	

Valid cases 6129 Missing cases 27

PE069A Taken Heroin/Cocaine Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	21	.3	.3	.3
No	2	6135	99.7	99.7	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A3. k) anticonvulsants

[If multiple ticks code for the lowest value]

PE070 Taken Anticonvulsants CH > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	21	.3	.3	.3
Often	2	1	.0	.0	.4
Sometimes	3	1	.0	.0	.4
Rarely	4	2	.0	.0	.4
Never	5	6104	99.2	99.6	100.0
	-1	27	.4	Missing	
Total		6156	100.0	100.0	

Valid cases 6129 Missing cases 27

PE070A Taken Anticonvulsants Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	25	.4	.4	.4
No	2	6131	99.6	99.6	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A3. l) steroids

[If multiple ticks code for the lowest value]

PE071 Taken Steroids Since CH > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	24	.4	.4	.4
Often	2	22	.4	.4	.8
Sometimes	3	41	.7	.7	1.4
Rarely	4	38	.6	.6	2.0
Never	5	6004	97.5	98.0	100.0
	-1	27	.4	Missing	
Total		6156	100.0	100.0	

Valid cases 6129 Missing cases 27

PE071A Taken Steroids Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	125	2.0	2.0	2.0
No	2	6031	98.0	98.0	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

- A3. m) other pill, medicine, treatment, drug or medicine
(please describe each and state how frequently taken)

[If something written on please describe line make sure appropriate boxes have been ticked. If no tick code '0'. Check to see if comment cannot be recoded elsewhere in the question]

PE072 Taken Other Medctn CH > 8 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	71	1.2	1.2	1.2
Every Day	1	303	4.9	4.9	6.1
Often	2	143	2.3	2.3	8.4
Sometimes	3	299	4.9	4.9	13.3
Rarely	4	373	6.1	6.1	19.4
Never	5	4940	80.2	80.6	100.0
	-1	27	.4	Missing	
	Total	6156	100.0	100.0	
Valid cases	6129	Missing cases	27		

PE072A Taken Other Medication Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1189	19.3	19.3	19.3
No	2	4967	80.7	80.7	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

- A4. a) **In the past year** have you used any homeopathic medicine?

Yes No

[If more than one ticked and answer cannot be resolved by reference to written comment refer to supervisor]

PE080 Used Homeopathic Medicine in Past Year

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	255	4.1	4.2	4.2
No	2	5785	94.0	95.8	100.0
	-1	116	1.9	Missing	
	Total	6156	100.0	100.0	
Valid cases	6040	Missing cases	116		

If yes,

A4. b) was it prescribed by:

your GP
 specialist homeopathic doctor
 qualified lay homeopath
 chemist
 family, friend, neighbour
 yourself
 other (please describe)

[If multiple ticks, tick 'other' and put numbers on 'please describe' line]

PE081 Who Prescribed Homeopathic Medicine						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
GP		1	30	.5	10.6	10.6
Spec Homeop Dr		2	34	.6	12.1	22.7
Qual Lay Homeopath		3	23	.4	8.2	30.9
Chemist		4	14	.2	5.0	35.8
Fam, Friend, Neighbo		5	80	1.3	28.4	64.2
Self		6	84	1.4	29.8	94.0
Other		7	17	.3	6.0	100.0
		-2	5785	94.0	Missing	
		-1	89	1.4	Missing	
			-----	-----	-----	
	Total		6156	100.0	100.0	
Valid cases	282	Missing cases	5874			

A5. If you are ill do you take any homeopathic medicine?

yes usually
 yes sometimes
 yes occasionally
 yes only once or twice
 no, never

[If multiple ticks code for the lowest value]

PE082 Take Homeopathic Medicine When Ill						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other		0	13	.2	.2	.2
Yes Usually		1	33	.5	.5	.8
Yes Sometimes		2	128	2.1	2.1	2.9
Yes Occasionally		3	154	2.5	2.6	5.5
Yes Once Or Twice		4	325	5.3	5.4	10.9
No Never		5	5349	86.9	89.1	100.0
		-1	154	2.5	Missing	
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases	6002	Missing cases	154			

PE083	Ever Used Homeopathic Medicine				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	653	10.6	10.6	10.6
No	2	5503	89.4	89.4	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A6. Please name all the medicines, pills and ointments that you have taken in the past month:

What did you take: About how many How often
 days did you take per day?
 or use it?

- 1.
- 2.
- 3.
- 4.
- 5.

Check Have you included iron tablets, laxatives, vitamins, sleeping tablets, aspirin, cough mixture, pain killers, herbal medicine and homeopathic preparations?

[Count up number of items on list and enter it in the two boxes]

[Count the no. of items listed. If nothing listed leave blank, but if they say none or 'not applicable' code a zero]

PE090	Medicine Used in Last Month				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	850	13.8	19.5	19.5
	1	2050	33.3	47.1	66.7
	2	934	15.2	21.5	88.2
	3	350	5.7	8.0	96.2
	4	118	1.9	2.7	98.9
	5	38	.6	.9	99.8
	6	8	.1	.2	100.0
	-1	1808	29.4	Missing	
	Total	6156	100.0	100.0	
Valid cases	4348	Missing cases	1808		

From these codes, a variable was derived indicating whether any drugs were taken.

PE090A	Any Medication				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3498	56.8	56.8	56.8
No	2	2658	43.2	43.2	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A7. a) Since your toddler was 8 months old have you had to go and stay in hospital?

Yes No

[If more than one ticked and answer cannot be resolved by reference to written comment refer to supervisor]

PE100 Stayed in Hospital Since CH > 8 Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	282	4.6	4.7	4.7
No	2	5752	93.4	95.3	100.0
	-1	122	2.0	Missing	
	Total	6156	100.0	100.0	
Valid cases	6034	Missing cases	122		

If yes,

A7. b) how many times?

PE101 Times Stayed in Hospital CH > 8 Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5756	93.5	95.5	95.5
	1	231	3.8	3.8	99.3
	2	26	.4	.4	99.8
	3	6	.1	.1	99.9
	4	4	.1	.1	99.9
	5	4	.1	.1	100.0
	9	1	.0	.0	100.0
	-1	128	2.1	Missing	
	Total	6156	100.0	100.0	
Valid cases	6028	Missing cases	128		

PE101A Times Stayed in Hospital					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5884	95.6	95.6	95.6
	1	231	3.8	3.8	99.3
2 or more	2	41	.7	.7	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

Please describe for each admission:

1st admission

2nd admission

3rd admission

A7. c) How old was your study child?

months

months

months

[Code in months, rounding down to the nearest whole month if part months given.

Assume 4 weeks = 1 month]

PE102A Age of CH at 1st Admission

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.0	.4	.4
	1	1	.0	.4	.7
	2	3	.0	1.1	1.9
	3	2	.0	.7	2.6
	6	6	.1	2.2	4.9
	7	1	.0	.4	5.2
	8	9	.1	3.4	8.6
	9	19	.3	7.1	15.7
	10	17	.3	6.4	22.1
	11	16	.3	6.0	28.1
	12	24	.4	9.0	37.1
	13	16	.3	6.0	43.1
	14	15	.2	5.6	48.7
	15	26	.4	9.7	58.4
	16	15	.2	5.6	64.0
	17	16	.3	6.0	70.0
	18	31	.5	11.6	81.6
	19	13	.2	4.9	86.5
	20	14	.2	5.2	91.8
	21	12	.2	4.5	96.3
	22	2	.0	.7	97.0
	25	1	.0	.4	97.4
	30	1	.0	.4	97.8
	31	1	.0	.4	98.1
	34	1	.0	.4	98.5
	37	1	.0	.4	98.9
	45	1	.0	.4	99.3
	48	2	.0	.7	100.0
	-2	5756	93.5	Missing	
	-1	133	2.2	Missing	

	Total	6156	100.0	100.0	
Valid cases	267	Missing cases	5889		

PE102B Age of CH at 2nd Admission

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	4	1	.0	3.3	3.3
	7	1	.0	3.3	6.7
	9	1	.0	3.3	10.0
	10	3	.0	10.0	20.0
	11	1	.0	3.3	23.3
	12	2	.0	6.7	30.0
	13	3	.0	10.0	40.0
	14	1	.0	3.3	43.3
	15	2	.0	6.7	50.0
	16	3	.0	10.0	60.0
	17	1	.0	3.3	63.3
	18	1	.0	3.3	66.7
	19	2	.0	6.7	73.3
	20	3	.0	10.0	83.3
	21	1	.0	3.3	86.7
	22	2	.0	6.7	93.3
	38	1	.0	3.3	96.7
	53	1	.0	3.3	100.0
	-2	5987	97.3	Missing	
	-1	139	2.3	Missing	

	Total	6156	100.0	100.0	
Valid cases	30	Missing cases	6126		

PE102C Age of CH at 3rd Admission

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	1	.0	9.1	9.1
	8	1	.0	9.1	18.2
	11	1	.0	9.1	27.3
	12	1	.0	9.1	36.4
	14	1	.0	9.1	45.5
	15	1	.0	9.1	54.5
	20	1	.0	9.1	63.6
	21	1	.0	9.1	72.7
	25	1	.0	9.1	81.8
	39	1	.0	9.1	90.9
	53	1	.0	9.1	100.0
	-2	6013	97.7	Missing	
	-1	132	2.1	Missing	
Total		6156	100.0	100.0	

Valid cases 11 Missing cases 6145

A7. d) What were the reasons for your admission?

(please describe)

[Not being coded here. Keyed as text]

A7. e) How long did you stay?

days days days

[This should be the number of different days they were in hospital]

PE103A Length of Stay: 1st Admission

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5	.1	1.9	1.9
	1	69	1.1	25.8	27.7
	2	53	.9	19.9	47.6
	3	46	.7	17.2	64.8
	4	23	.4	8.6	73.4
	5	21	.3	7.9	81.3
	6	5	.1	1.9	83.1
	7	16	.3	6.0	89.1
	8	7	.1	2.6	91.8
	9	2	.0	.7	92.5
	10	4	.1	1.5	94.0
	11	1	.0	.4	94.4
	12	1	.0	.4	94.8
	14	5	.1	1.9	96.6
	15	1	.0	.4	97.0
	16	1	.0	.4	97.4
	21	2	.0	.7	98.1
	22	1	.0	.4	98.5
	32	1	.0	.4	98.9
	35	1	.0	.4	99.3
	52	1	.0	.4	99.6
	54	1	.0	.4	100.0
	-2	5756	93.5	Missing	
	-1	133	2.2	Missing	
Total		6156	100.0	100.0	

Valid cases 267 Missing cases 5889

PE103B Length of Stay: 2nd Admission

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	5	.1	16.7	16.7
	2	4	.1	13.3	30.0
	3	3	.0	10.0	40.0
	4	3	.0	10.0	50.0
	5	3	.0	10.0	60.0
	7	5	.1	16.7	76.7
	8	1	.0	3.3	80.0
	9	4	.1	13.3	93.3
	14	1	.0	3.3	96.7
	84	1	.0	3.3	100.0
	-2	5987	97.3	Missing	
	-1	139	2.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	30	Missing cases	6126		

PE103C Length of Stay: 3rd Admission

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.0	8.3	8.3
	2	3	.0	25.0	33.3
	4	2	.0	16.7	50.0
	7	3	.0	25.0	75.0
	9	1	.0	8.3	83.3
	10	1	.0	8.3	91.7
	64	1	.0	8.3	100.0
	-2	6013	97.7	Missing	
	-1	131	2.1	Missing	
	Total	6156	100.0	100.0	
Valid cases	12	Missing cases	6144		

A8. In the past month, how often have the following occurred:

Almost all the time Sometimes Once only Not at all

A8. a) backache

PE110 Backache in past month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	213	3.5	3.5	3.5
Sometimes	2	1445	23.5	23.5	27.0
Once Only	3	668	10.9	10.9	37.9
Not at All	4	3814	62.0	62.1	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE110A Backache in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2326	37.8	37.8	37.8
No	2	3830	62.2	62.2	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A8. b) headaches or migraines

PE111 Headache or Migraine in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	33	.5	.5	.5
Sometimes	2	2000	32.5	32.6	33.1
Once Only	3	1450	23.6	23.6	56.7
Not at All	4	2657	43.2	43.3	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE111A Headache in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3483	56.6	56.6	56.6
No	2	2673	43.4	43.4	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A8. c) urinary infection

PE112 Urinary Infection in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	4	.1	.1	.1
Sometimes	2	10	.2	.2	.2
Once Only	3	50	.8	.8	1.0
Not at All	4	6076	98.7	99.0	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE112A Urinary Infection in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	64	1.0	1.0	1.0
No	2	6092	99.0	99.0	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A8. d) nausea

PE113 Nausea in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	5	.1	.1	.1
Sometimes	2	166	2.7	2.7	2.8
Once Only	3	296	4.8	4.8	7.6
Not at All	4	5673	92.2	92.4	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE113A Nausea in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	467	7.6	7.6	7.6
No	2	5689	92.4	92.4	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A8. e) vomiting

PE114 Vomiting in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	2	.0	.0	.0
Sometimes	2	81	1.3	1.3	1.4
Once Only	3	341	5.5	5.6	6.9
Not at All	4	5716	92.9	93.1	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE114A Vomiting in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	424	6.9	6.9	6.9
No	2	5732	93.1	93.1	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A8. f) diarrhoea

PE115 Diarrhoea in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	8	.1	.1	.1
Sometimes	2	315	5.1	5.1	5.3
Once Only	3	685	11.1	11.2	16.4
Not at All	4	5132	83.4	83.6	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE115A Diarrhoea in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1008	16.4	16.4	16.4
No	2	5148	83.6	83.6	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A8. g) haemorrhoids or piles

PE116 Piles in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	48	.8	.8	.8
Sometimes	2	253	4.1	4.1	4.9
Once Only	3	145	2.4	2.4	7.3
Not at All	4	5694	92.5	92.7	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE116A Piles in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	446	7.2	7.2	7.2
No	2	5710	92.8	92.8	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A8. h) feeling weepy/tearful

PE117 Feeling Weepy/Tearful in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	8	.1	.1	.1
Sometimes	2	307	5.0	5.0	5.1
Once Only	3	243	3.9	4.0	9.1
Not at All	4	5582	90.7	90.9	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE117A Weepy/Tearful in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	558	9.1	9.1	9.1
No	2	5598	90.9	90.9	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

i) feeling irritable

PE118 Feeling Irritable in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	68	1.1	1.1	1.1
Sometimes	2	2769	45.0	45.1	46.2
Once Only	3	525	8.5	8.6	54.8
Not at All	4	2778	45.1	45.2	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE118A Feeling Irritable in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3362	54.6	54.6	54.6
No	2	2794	45.4	45.4	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A8. j) feeling exhausted

PE119 Feeling Exhausted in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	214	3.5	3.5	3.5
Sometimes	2	3114	50.6	50.7	54.2
Once Only	3	540	8.8	8.8	63.0
Not at All	4	2272	36.9	37.0	100.0
	-1	16	.3	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6140 Missing cases 16

PE119A Feeling Exhausted in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3868	62.8	62.8	62.8
No	2	2288	37.2	37.2	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A8. k) varicose veins

PE120 Varicose Veins in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	45	.7	.7	.7
Sometimes	2	24	.4	.4	1.1
Once Only	3	9	.1	.1	1.3
Not at All	4	6062	98.5	98.7	100.0
	-1	16	.3	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6140 Missing cases 16

PE120A Varicose Veins in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	78	1.3	1.3	1.3
No	2	6078	98.7	98.7	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A8. l) passing urine very often

PE121 Passing Urine Often in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	51	.8	.8	.8
Sometimes	2	320	5.2	5.2	6.0
Once Only	3	58	.9	.9	7.0
Not at All	4	5711	92.8	93.0	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE121A Passing Urine Often in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	429	7.0	7.0	7.0
No	2	5727	93.0	93.0	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A8. m) problem holding urine when you jump, sneeze etc

PE122 Problem Holding Urine in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	4	.1	.1	.1
Sometimes	2	39	.6	.6	.7
Once Only	3	11	.2	.2	.9
Not at All	4	6086	98.9	99.1	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE122A Problem Holding Urine in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	54	.9	.9	.9
No	2	6102	99.1	99.1	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A8. n) indigestion

PE123 Indigestion in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	37	.6	.6	.6
Sometimes	2	1013	16.5	16.5	17.1
Once Only	3	457	7.4	7.4	24.5
Not at All	4	4633	75.3	75.5	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE123A Indigestion in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1507	24.5	24.5	24.5
No	2	4649	75.5	75.5	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A8. o) feeling dizzy/fainting

PE124 Feeling Dizzy/Faint in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Sometimes	2	168	2.7	2.7	2.7
Once Only	3	262	4.3	4.3	7.0
Not at All	4	5710	92.8	93.0	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	

Valid cases 6140 Missing cases 16

PE124A Dizzy/Faint in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	430	7.0	7.0	7.0
No	2	5726	93.0	93.0	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A8. p) flashing lights/spots before eyes

PE125 Lights/Spots Before Eyes in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	3	.0	.0	.0
Sometimes	2	154	2.5	2.5	2.6
Once Only	3	191	3.1	3.1	5.7
Not at All	4	5792	94.1	94.3	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	

Valid cases 6140 Missing cases 16

PE125A Spots Before Eyes in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	348	5.7	5.7	5.7
No	2	5808	94.3	94.3	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A8. q) shoulder ache

PE126 Shoulder Ache in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	69	1.1	1.1	1.1
Sometimes	2	851	13.8	13.9	15.0
Once Only	3	345	5.6	5.6	20.6
Not at All	4	4875	79.2	79.4	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE126A Shoulder Ache in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1265	20.5	20.5	20.5
No	2	4891	79.5	79.5	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A8. r) tingling in hands/fingers

PE127 Tingling in Hands/Fingers in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	20	.3	.3	.3
Sometimes	2	398	6.5	6.5	6.8
Once Only	3	185	3.0	3.0	9.8
Not at All	4	5537	89.9	90.2	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE127A Tingling in Hands in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	603	9.8	9.8	9.8
No	2	5553	90.2	90.2	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

A8. s) tingling in feet/toes

PE128 Tingling in Feet/Toes in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	8	.1	.1	.1
Sometimes	2	175	2.8	2.9	3.0
Once Only	3	72	1.2	1.2	4.2
Not at All	4	5885	95.6	95.8	100.0
	-1	16	.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6140	Missing cases	16		

PE128A Tingling in Feet in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	255	4.1	4.1	4.1
No	2	5901	95.9	95.9	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A8. t) neck ache

PE129 Neckache in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	61	1.0	1.0	1.0
Sometimes	2	1015	16.5	16.5	17.5
Once Only	3	462	7.5	7.5	25.0
Not at All	4	4602	74.8	75.0	100.0
	-1	16	.3	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6140 Missing cases 16

PE129A Neckache in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1538	25.0	25.0	25.0
No	2	4618	75.0	75.0	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A8. u) feeling depressed

PE130 Felt Depressed in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost All The Time	1	29	.5	.5	.5
Sometimes	2	715	11.6	11.6	12.1
Once Only	3	328	5.3	5.3	17.5
Not at All	4	5068	82.3	82.5	100.0
	-1	16	.3	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6140 Missing cases 16

PE130A Felt Depressed in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1072	17.4	17.4	17.4
No	2	5084	82.6	82.6	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A8. v) other problem (please describe)

[If multiple ticks code for the lowest value]

[If something written on please describe line make sure appropriate boxes have been ticked. If no tick code '0'. Check to see if comment cannot be recoded elsewhere in the question]

PE131 Other Problem in Past Month

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	67	1.1	1.1	1.1
Almost All The Time	1	47	.8	.8	1.9
Sometimes	2	86	1.4	1.4	3.2
Once Only	3	61	1.0	1.0	4.2
Not at All	4	5894	95.7	95.8	100.0
	-1	1	.0	Missing	
	Total	6156	100.0	100.0	

Valid cases 6155 Missing cases 1

PE131A Other Problem in Past Month Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	261	4.2	4.2	4.2
No	2	5895	95.8	95.8	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

A9. a) How often are you having sexual intercourse now?

not at all
less than once a month
1-3 times a month
about once a week
2-4 times a week
5 or more times a week

[If multiple ticks code for the lowest value]

PE140 Frequency of Sexual Intercourse Now

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not at All	1	405	6.6	6.7	6.7
< Once a Month	2	829	13.5	13.7	20.4
1-3 Times a Month	3	1815	29.5	30.0	50.3
About Once a Week	4	1532	24.9	25.3	75.6
2-4 Times a Week	5	1372	22.3	22.7	98.3
5+ Times a Week	6	104	1.7	1.7	100.0
	-1	99	1.6	Missing	
	Total	6156	100.0	100.0	

Valid cases 6057 Missing cases 99

A9. b) Is this as often as before your partner became pregnant with your toddler?

more often
about as often
less often

[If multiple ticks code for the highest code number given]

PE141 Comparison Sexual Intercourse with Past					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
More Often	1	222	3.6	3.7	3.7
About as Often	2	2476	40.2	41.0	44.7
Less Often	3	3339	54.2	55.3	100.0
	-1	119	1.9	Missing	
	Total	6156	100.0	100.0	
Valid cases	6037	Missing cases	119		

SECTION B: BEING A PARENT

Below are some opinions that some people have about being a parent.

Please indicate what your feelings are:

This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way
-------------------------------------	-----------------------------------	---------------------------------------	-----------------------------

B1. The best way to calm a child is to cuddle him/her

[If multiple ticks code for the highest number given]

PE150 Cuddling is Best Way to Calm Child					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	2500	40.6	40.8	40.8
Feel Often	2	2489	40.4	40.6	81.4
Feel Sometimes	3	1110	18.0	18.1	99.5
Never Feel	4	30	.5	.5	100.0
	-1	27	.4	Missing	
	Total	6156	100.0	100.0	
Valid cases	6129	Missing cases	27		

B2. Toddlers should be allowed to eat whenever they ask for food

[If multiple ticks code for the lowest number given]

PE151 Tods Should Be Able to Eat When They Ask					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	705	11.5	11.5	11.5
Feel Often	2	1324	21.5	21.7	33.2
Feel Sometimes	3	2809	45.6	45.9	79.1
Never Feel	4	1276	20.7	20.9	100.0
	-1	42	.7	Missing	
	Total	6156	100.0	100.0	
Valid cases	6114	Missing cases	42		

B3. There are times when a child's continuous whining can make a parent want to hit him/her

[If multiple ticks code for the lowest value]

PE152 CH Whining Can Make Parent Want to Hit					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	191	3.1	3.1	3.1
Feel Often	2	331	5.4	5.4	8.5
Feel Sometimes	3	3020	49.1	49.3	57.8
Never Feel	4	2582	41.9	42.2	100.0
	-1	32	.5	Missing	
	Total	6156	100.0	100.0	
Valid cases 6124 Missing cases 32					

B4. Parenthood is something a man learns naturally

[If multiple ticks code for the highest number given]

PE153 Man Learns Parenthood Naturally					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	1820	29.6	30.1	30.1
Feel Often	2	1841	29.9	30.4	60.5
Feel Sometimes	3	1674	27.2	27.7	88.2
Never Feel	4	717	11.6	11.8	100.0
	-1	104	1.7	Missing	
	Total	6156	100.0	100.0	
Valid cases 6052 Missing cases 104					

B5. Having a young child is absolutely exhausting

[If multiple ticks code for the lowest value]

PE154 Having Young CH Absolutely Exhausting					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	658	10.7	10.7	10.7
Feel Often	2	1377	22.4	22.5	33.2
Feel Sometimes	3	3361	54.6	54.9	88.2
Never Feel	4	725	11.8	11.8	100.0
	-1	35	.6	Missing	
	Total	6156	100.0	100.0	
Valid cases 6121 Missing cases 35					

B6. Toddlers are fun

[If multiple ticks code for the highest number given]

PE155 Toddlers Are Fun

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	3656	59.4	59.7	59.7
Feel Often	2	2149	34.9	35.1	94.8
Feel Sometimes	3	304	4.9	5.0	99.8
Never Feel	4	15	.2	.2	100.0
	-1	32	.5	Missing	
Total		6156	100.0	100.0	
Valid cases	6124	Missing cases	32		

B7. A smack is the best way to discipline a child

[If multiple ticks code for the lowest value]

PE156 A Smack is Best Way to Discipline CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	229	3.7	3.8	3.8
Feel Often	2	527	8.6	8.6	12.4
Feel Sometimes	3	3654	59.4	59.9	72.2
Never Feel	4	1695	27.5	27.8	100.0
	-1	51	.8	Missing	
Total		6156	100.0	100.0	
Valid cases	6105	Missing cases	51		

B8. Parents can feel exasperated when they want to calm the child down and nothing works

[If multiple ticks code for the lowest value]

PE157 Parent Can feel Exasperated Calming CH

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	1046	17.0	17.2	17.2
Feel Often	2	1349	21.9	22.2	39.4
Feel Sometimes	3	3006	48.8	49.5	88.9
Never Feel	4	675	11.0	11.1	100.0
	-1	80	1.3	Missing	
Total		6156	100.0	100.0	
Valid cases	6076	Missing cases	80		

B9. I really love my toddler

[If multiple ticks code for the highest number given]

PE158 Really Love Toddler					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	5813	94.4	94.8	94.8
Feel Often	2	271	4.4	4.4	99.2
Feel Sometimes	3	34	.6	.6	99.8
Never Feel	4	15	.2	.2	100.0
	-1	23	.4	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6133	Missing cases	23		

B10. I am glad that we had this child when we did

[If multiple ticks code for the highest number given]

PE159 Glad Had Child					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	5286	85.9	86.5	86.5
Feel Often	2	548	8.9	9.0	95.5
Feel Sometimes	3	211	3.4	3.5	98.9
Never Feel	4	65	1.1	1.1	100.0
	-1	46	.7	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6110	Missing cases	46		

B11. My toddler never gets on my nerves

[If multiple ticks code for the highest number given]

PE160 Toddler Never Gets on Nerves					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	700	11.4	11.5	11.5
Feel Often	2	2067	33.6	33.9	45.3
Feel Sometimes	3	2412	39.2	39.5	84.8
Never Feel	4	925	15.0	15.2	100.0
	-1	52	.8	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6104	Missing cases	52		

B12. I really cannot bear it when my child cries

[If multiple ticks code for the lowest value]

PE161 Cannot Bear it When Child cries						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	254	4.1	4.2	4.2
Feel Often		2	682	11.1	11.2	15.3
Feel Sometimes		3	3389	55.1	55.4	70.7
Never Feel		4	1790	29.1	29.3	100.0
		-1	41	.7	Missing	
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases		6115	Missing cases		41	

B13. I don't mind the mess that surrounds a toddler

[If multiple ticks code for the highest number given]

PE162 Do Not Mind Mess Surrounding Toddler						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	1719	27.9	28.2	28.2
Feel Often		2	2227	36.2	36.5	64.7
Feel Sometimes		3	1763	28.6	28.9	93.5
Never Feel		4	394	6.4	6.5	100.0
		-1	53	.9	Missing	
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases		6103	Missing cases		53	

B14. I am afraid to be left alone with the toddler because I think I might be violent

[If multiple ticks code for the lowest value]

PE163 Afraid to Be Alone With Toddler						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	17	.3	.3	.3
Feel Often		2	14	.2	.2	.5
Feel Sometimes		3	67	1.1	1.1	1.6
Never Feel		4	6019	97.8	98.4	100.0
		-1	39	.6	Missing	
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases 6117		Missing cases 39				

B15. It is a great pleasure to watch my child grow

[If multiple ticks code for the highest number given]

PE164 Great Pleasure Watching Child Grow					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	5502	89.4	89.8	89.8
Feel Often	2	528	8.6	8.6	98.5
Feel Sometimes	3	80	1.3	1.3	99.8
Never Feel	4	14	.2	.2	100.0
	-1	32	.5	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6124	Missing cases	32		

B16. I feel desperate when my child goes on complaining and being difficult

[If multiple ticks code for the lowest value]

PE165 Feel Desperate When CH Complains					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	54	.9	.9	.9
Feel Often	2	274	4.5	4.5	5.4
Feel Sometimes	3	2378	38.6	39.0	44.3
Never Feel	4	3396	55.2	55.7	100.0
	-1	54	.9	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6102	Missing cases	54		

B17. I often worry whether my child is eating enough

[If multiple ticks code for the lowest value]

PE166 Worry if CH is Eating Enough					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	208	3.4	3.4	3.4
Feel Often	2	422	6.9	6.9	10.3
Feel Sometimes	3	1808	29.4	29.6	39.9
Never Feel	4	3677	59.7	60.1	100.0
	-1	41	.7	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6115	Missing cases	41		

B18. My child's demands sometimes bring intense feelings of anger

[If multiple ticks code for the lowest value]

PE167 CH Demands Bring Intense Anger						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	42	.7	.7	.7
Feel Often		2	106	1.7	1.7	2.4
Feel Sometimes		3	1631	26.5	26.7	29.1
Never Feel		4	4337	70.5	70.9	100.0
		-1	40	.6	Missing	
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases		6116	Missing cases		40	

B19. Trying to get my child to eat the right food makes me very anxious

[If multiple ticks code for the lowest value]

PE168 Get CH to Eat Right Food Make Anxious						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly		1	89	1.4	1.5	1.5
Feel Often		2	236	3.8	3.9	5.3
Feel Sometimes		3	1597	25.9	26.1	31.4
Never Feel		4	4193	68.1	68.6	100.0
		-1	41	.7	Missing	
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases		6115	Missing cases		41	

B20. I feel pretty sure that I'm doing the right thing for my child

[If multiple ticks code for the highest number given]

PE169 Sure Doing Right Thing For Child						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Feel Exactly	1	3297	53.6	53.9	53.9	
Feel Often	2	2435	39.6	39.8	93.8	
Feel Sometimes	3	326	5.3	5.3	99.1	
Never Feel	4	56	.9	.9	100.0	
	-1	42	.7	Missing		
		-----	-----	-----		
	Total	6156	100.0	100.0		
Valid cases	6114	Missing cases	42			

B21. I feel anxious if someone else is looking after my child

[If multiple ticks code for the lowest value]

PE170 Anxious if Someone Else Looks After CH					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	423	6.9	6.9	6.9
Feel Often	2	683	11.1	11.2	18.1
Feel Sometimes	3	2629	42.7	43.0	61.2
Never Feel	4	2372	38.5	38.8	100.0
	-1	49	.8	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6107	Missing cases	49		

B22. My child gives me great joy

[If multiple ticks code for the highest number given]

PE171 CH Gives Great Joy					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	5341	86.8	87.2	87.2
Feel Often	2	669	10.9	10.9	98.2
Feel Sometimes	3	102	1.7	1.7	99.8
Never Feel	4	10	.2	.2	100.0
	-1	34	.6	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6122	Missing cases	34		

Derived variables

Paternal enjoyment score

PE172 Paternal Enjoyment Score					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	3.00	2	.0	.0	.0
	4.00	1	.0	.0	.0
	5.00	4	.1	.1	.1
	6.00	5	.1	.1	.2
	7.00	8	.1	.1	.3
	8.00	12	.2	.2	.5
	9.00	16	.3	.3	.8
	10.00	21	.3	.3	1.1
	11.00	31	.5	.5	1.7
	12.00	63	1.0	1.0	2.7
	13.00	90	1.5	1.5	4.2
	14.00	123	2.0	2.0	6.3
	15.00	200	3.2	3.3	9.6
	16.00	335	5.4	5.6	15.2
	17.00	513	8.3	8.5	23.7
	18.00	787	12.8	13.1	36.8
	19.00	972	15.8	16.2	53.0
	20.00	973	15.8	16.2	69.1
	21.00	928	15.1	15.4	84.6
	22.00	518	8.4	8.6	93.2
	23.00	266	4.3	4.4	97.6
	24.00	143	2.3	2.4	100.0
	-1.00	145	2.4	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6011	Missing cases	145		

Paternal confidence score

PE175 Paternal Confidence Score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	1	.0	.0	.0
	2.00	1	.0	.0	.0
	3.00	5	.1	.1	.1
	4.00	14	.2	.2	.4
	5.00	33	.5	.6	.9
	6.00	70	1.1	1.2	2.1
	7.00	156	2.5	2.6	4.7
	8.00	273	4.4	4.6	9.2
	9.00	499	8.1	8.3	17.5
	10.00	749	12.2	12.5	30.0
	11.00	957	15.5	16.0	46.0
	12.00	1202	19.5	20.0	66.0
	13.00	943	15.3	15.7	81.7
	14.00	716	11.6	11.9	93.7
	15.00	379	6.2	6.3	100.0
	-1.00	158	2.6	Missing	
Total		6156	100.0	100.0	

Valid cases 5998 Missing cases 158

Paternal discipline score

PE178 Paternal Discipline

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	191	3.1	3.1	3.1
	1.00	450	7.3	7.4	10.5
	2.00	953	15.5	15.7	26.2
	3.00	1494	24.3	24.6	50.8
	4.00	1553	25.2	25.5	76.3
	5.00	960	15.6	15.8	92.1
	6.00	383	6.2	6.3	98.4
	7.00	77	1.3	1.3	99.7
	8.00	17	.3	.3	100.0
	9.00	3	.0	.0	100.0
	-1.00	75	1.2	Missing	
Total		6156	100.0	100.0	

Valid cases 6081 Missing cases 75

Potential paternal abuse score

PE181 Potential Paternal Abuse

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	272	4.4	4.5	4.5
	1.00	563	9.1	9.4	13.9
	2.00	898	14.6	14.9	28.8
	3.00	1065	17.3	17.7	46.5
	4.00	1074	17.4	17.9	64.4
	5.00	792	12.9	13.2	77.6
	6.00	593	9.6	9.9	87.4
	7.00	344	5.6	5.7	93.1
	8.00	197	3.2	3.3	96.4
	9.00	86	1.4	1.4	97.9
	10.00	57	.9	.9	98.8
	11.00	41	.7	.7	99.5
	12.00	16	.3	.3	99.8
	13.00	10	.2	.2	99.9
	14.00	3	.0	.0	100.0
	15.00	2	.0	.0	100.0
	-1.00	143	2.3	Missing	
Total		6156	100.0	100.0	

Valid cases 6013 Missing cases 143

PERCEIVED SOCIAL SUPPORT

Social Support: perceived social support from family, friends and official agencies is measured using a set of 10 items specially devised for the study. The items present statements relating to emotional, financial and instrumental support to which the respondent is offered four response categories "I never feel this way" through to "this is exactly how I feel". The scale was largely based on one developed by Dragonas in Greece.

The measure has been extensively pilot tested and has been found to obtain high completion rates with little apparent error. Analyses of pilot data shows a strong relationship between perceived social support and emotional well-being.

B23. I have no one to share my feelings with

[If multiple ticks code for the lowest value]

PE200 Have No-one to Share Feelings With					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	69	1.1	1.1	1.1
Feel Often	2	248	4.0	4.1	5.2
Feel Sometimes	3	1326	21.5	21.7	26.9
Never Feel	4	4473	72.7	73.1	100.0
	-1	40	.6	Missing	
	Total	6156	100.0	100.0	
Valid cases	6116	Missing cases	40		

B24. My partner provides the emotional support I need

[If multiple ticks code for the highest number given]

PE201 Partner Provides Emotional Support					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	3246	52.7	53.1	53.1
Feel Often	2	1702	27.6	27.8	81.0
Feel Sometimes	3	945	15.4	15.5	96.4
Never Feel	4	219	3.6	3.6	100.0
	-1	44	.7	Missing	
	Total	6156	100.0	100.0	
Valid cases	6112	Missing cases	44		

B25. I believe in moments of difficulty my neighbours would help me

[If multiple ticks code for the highest number given]

PE202 Neighbours Would Helpin Diff Moments					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	1567	25.5	25.7	25.7
Feel Often	2	1247	20.3	20.4	46.1
Feel Sometimes	3	1807	29.4	29.6	75.7
Never Feel	4	1484	24.1	24.3	100.0
	-1	51	.8	Missing	
	Total	6156	100.0	100.0	
Valid cases		6105	Missing cases		51

B26. I'm worried that my partner might leave me

[If multiple ticks code for the lowest value]

PE203 Worried Partner Might Leave					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	77	1.3	1.3	1.3
Feel Often	2	110	1.8	1.8	3.1
Feel Sometimes	3	783	12.7	12.8	15.9
Never Feel	4	5137	83.4	84.1	100.0
	-1	49	.8	Missing	
	Total	6156	100.0	100.0	
Valid cases		6107	Missing cases		49

B27. There is always someone with whom I can share my happiness and excitement about my child

[If multiple ticks code for the highest number given]

PE204 Always Someone to Share Happiness With					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Feel Exactly	1	4025	65.4	65.9	65.9
Feel Often	2	1362	22.1	22.3	88.2
Feel Sometimes	3	612	9.9	10.0	98.2
Never Feel	4	112	1.8	1.8	100.0
	-1	45	.7	Missing	
	Total	6156	100.0	100.0	
Valid cases		6111	Missing cases		45

B28. If I feel tired I can rely on my partner to take over

[If multiple ticks code for the highest number given]

PE205 Rely on Partner Taking Over When Tired						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Feel Exactly	1	3501	56.9	57.3	57.3	
Feel Often	2	1642	26.7	26.9	84.1	
Feel Sometimes	3	830	13.5	13.6	97.7	
Never Feel	4	140	2.3	2.3	100.0	
	-1	43	.7	Missing		
		-----	-----			
	Total	6156	100.0	100.0		
Valid cases	6113	Missing cases	43			

B29. If I was in financial difficulty I know my family would help if they could

[If multiple ticks code for the highest number given]

PE206 Family Help if in Financial Difficulty						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Feel Exactly	1	3889	63.2	63.6	63.6	
Feel Often	2	1040	16.9	17.0	80.6	
Feel Sometimes	3	698	11.3	11.4	92.0	
Never Feel	4	487	7.9	8.0	100.0	
	-1	42	.7	Missing		
		-----	-----			
	Total	6156	100.0	100.0		
Valid cases	6114	Missing cases	42			

B30. If I was in financial difficulty I know my friends would help if they could

[If multiple ticks code for the highest number given]

PE207 Friends Help in Financial Difficulty						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Feel Exactly	1	1677	27.2	27.5	27.5	
Feel Often	2	991	16.1	16.2	43.7	
Feel Sometimes	3	1600	26.0	26.2	69.9	
Never Feel	4	1839	29.9	30.1	100.0	
	-1	49	.8	Missing		
		-----	-----			
	Total	6156	100.0	100.0		
Valid cases	6107	Missing cases	49			

B31. If all else fails I know the state will support and assist me

[If multiple ticks code for the highest number given]

PE208 State Will Support if All Else Fails						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Feel Exactly	1	759	12.3	12.5	12.5	
Feel Often	2	474	7.7	7.8	20.3	
Feel Sometimes	3	1864	30.3	30.6	50.9	
Never Feel	4	2990	48.6	49.1	100.0	
	-1	69	1.1	Missing		
		-----	-----			
	Total	6156	100.0	100.0		
Valid cases	6087	Missing cases	69			

Derived variables

Social support score I

(score put to missing if any of the component variables missing)

PE210 Social Support Score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2.00	1	.0	.0	.0
	3.00	3	.0	.0	.1
	4.00	5	.1	.1	.1
	5.00	7	.1	.1	.3
	6.00	16	.3	.3	.5
	7.00	20	.3	.3	.9
	8.00	47	.8	.8	1.6
	9.00	62	1.0	1.0	2.7
	10.00	67	1.1	1.1	3.8
	11.00	116	1.9	1.9	5.7
	12.00	178	2.9	3.0	8.7
	13.00	198	3.2	3.3	12.0
	14.00	305	5.0	5.1	17.0
	15.00	331	5.4	5.5	22.5
	16.00	372	6.0	6.2	28.7
	17.00	456	7.4	7.6	36.3
	18.00	537	8.7	8.9	45.2
	19.00	519	8.4	8.6	53.8
	20.00	492	8.0	8.2	62.0
	21.00	567	9.2	9.4	71.4
	22.00	461	7.5	7.7	79.0
	23.00	371	6.0	6.2	85.2
	24.00	428	7.0	7.1	92.3
	25.00	224	3.6	3.7	96.0
	26.00	82	1.3	1.4	97.4
	27.00	158	2.6	2.6	100.0
	-1.00	133	2.2	Missing	
Total		6156	100.0	100.0	

Valid cases 6023 Missing cases 133

Social support score II

(score put to missing only if all component variables missing; else, if a component variable was missing it was given the value of the mode)

PE211 Social Support Mode

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2.00	1	.0	.0	.0
	3.00	3	.0	.0	.1
	4.00	5	.1	.1	.1
	5.00	7	.1	.1	.3
	6.00	16	.3	.3	.5
	7.00	21	.3	.3	.9
	8.00	47	.8	.8	1.6
	9.00	63	1.0	1.0	2.7
	10.00	68	1.1	1.1	3.8
	11.00	120	1.9	2.0	5.7
	12.00	181	2.9	3.0	8.7
	13.00	202	3.3	3.3	12.0
	14.00	309	5.0	5.0	17.0
	15.00	338	5.5	5.5	22.6
	16.00	378	6.1	6.2	28.7
	17.00	467	7.6	7.6	36.3
	18.00	542	8.8	8.9	45.2
	19.00	532	8.6	8.7	53.9
	20.00	500	8.1	8.2	62.1
	21.00	575	9.3	9.4	71.4
	22.00	467	7.6	7.6	79.1
	23.00	381	6.2	6.2	85.3
	24.00	433	7.0	7.1	92.4
	25.00	225	3.7	3.7	96.0
	26.00	85	1.4	1.4	97.4
	27.00	158	2.6	2.6	100.0
	-1.00	32	.5	Missing	
Total		6156	100.0	100.0	

Valid cases 6124 Missing cases 32

No. variables with missing values

PE212 SSS-No. Missing

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6023	97.8	97.8	97.8
	1.00	76	1.2	1.2	99.1
	2.00	13	.2	.2	99.3
	3.00	9	.1	.1	99.4
	4.00	2	.0	.0	99.5
	7.00	1	.0	.0	99.5
	9.00	32	.5	.5	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

SECTION C: YOUR FAMILY AND FRIENDS

The Social Network scale comprises 10 items which ascertain the extent of the social network. They have been devised for the study based on a previous inventory used in the Western Australian study of a social support intervention to prevent low birth-weight (Stanley, personal communication). The questions have been extensively piloted and have been found to obtain high completion rates.

C1. Excluding your partner and children, how many of your relatives and your partner's relatives do you see at least twice a year?

None 1 2-4 more than 4

[If multiple ticks code for the lowest value]

PE220 How Many Rels See at Least Twice P/Yr						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		1	89	1.4	1.5	1.5
One		2	103	1.7	1.7	3.1
2-4		3	828	13.5	13.5	16.7
More Than 4		4	5105	82.9	83.3	100.0
		-1	31	.5	Missing	
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases	6125	Missing cases	31			

C2. About how many friends do you have, (people you know more than just casually)?

None 1 2-4 more than 4

[If multiple ticks code for the lowest value]

PE221 Number Of Friends						
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	None	1	152	2.5	2.5	2.5
	One	2	108	1.8	1.8	4.2
	2-4	3	1237	20.1	20.2	24.4
	More Than 4	4	4626	75.1	75.6	100.0
		-1	33	.5	Missing	
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases	6123	Missing cases	33			

C3. Overall, would you say you belong to a close circle of friends - a group of people who keep in close touch with each other - or not?

Yes No

[If more than one ticked and answer cannot be resolved by reference to written comment refer to supervisor]

PE222 Belong to Close Circle of Friends					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3618	58.8	59.2	59.2
No	2	2496	40.5	40.8	100.0
	-1	42	.7	Missing	
	Total	6156	100.0	100.0	
Valid cases	6114	Missing cases	42		

C4. How many people are there (including your partner) that you can talk about personal problems?

None 1 2-4 more than 4

[If multiple ticks code for the lowest value]

PE223 No. of People Can Talk to About Probs					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	323	5.2	5.3	5.3
One	2	1076	17.5	17.6	22.9
2-4	3	3185	51.7	52.1	75.0
More Than 4	4	1527	24.8	25.0	100.0
	-1	45	.7	Missing	
	Total	6156	100.0	100.0	
Valid cases	6111	Missing cases	45		

C5. How many people (including your partner) talk to you about their personal problems or their private feelings?

None 1 2-4 more than 4

[If multiple ticks code for the lowest value]

PE224 No. People Talk About Their Probs					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	267	4.3	4.4	4.4
One	2	1080	17.5	17.7	22.0
2-4	3	3274	53.2	53.5	75.5
More Than 4	4	1497	24.3	24.5	100.0
	-1	38	.6	Missing	
	Total	6156	100.0	100.0	
Valid cases	6118	Missing cases	38		

C6. If you have to make an important decision, how many people (including your partner) are there with whom you can discuss it?

None 1 2-4 more than 4

[If multiple ticks code for the lowest value]

PE225 No. People Can Discuss Decisions					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	167	2.7	2.7	2.7
One	2	1052	17.1	17.2	19.9
2-4	3	3109	50.5	50.9	70.8
More Than 4	4	1785	29.0	29.2	100.0
	-1	43	.7	Missing	
	Total	6156	100.0	100.0	
Valid cases	6113	Missing cases	43		

C7. How many people are there among your family and friends from whom you could borrow £100 if you needed to?

None 1 2-4 more than 4

[If multiple ticks code for the lowest value]

PE226 No. People Could Borrow UKP100 From					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	222	3.6	3.6	3.6
One	2	496	8.1	8.1	11.8
2-4	3	2750	44.7	45.1	56.8
More Than 4	4	2634	42.8	43.2	100.0
	-1	54	.9	Missing	
	Total	6156	100.0	100.0	
Valid cases	6102	Missing cases	54		

C8. How many of your family and friends would help you in times of trouble?

None 1 2-4 more than 4

[If multiple ticks code for the lowest value]

PE227 No. People Would Help in Trouble					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	54	.9	.9	.9
One	2	169	2.7	2.8	3.7
2-4	3	1870	30.4	30.6	34.3
More Than 4	4	4013	65.2	65.7	100.0
	-1	50	.8	Missing	
	Total	6156	100.0	100.0	
Valid cases	6106	Missing cases	50		

C9. During the last month, how many times did you get together with one or more friends?

None 1 2-4 more than 4

[If multiple ticks code for the lowest value]

PE228 Times Together With Friends Past Month					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	512	8.3	8.4	8.4
One	2	825	13.4	13.5	21.8
2-4	3	2493	40.5	40.7	62.6
More Than 4	4	2289	37.2	37.4	100.0
	-1	37	.6	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6119	Missing cases	37		

C10. During the last month, how many times did you get together with one or more of your relatives or your partner's relatives?

None 1 2-4 more than 4

[If multiple ticks code for the lowest value]

PE229 Times With Relatives Past Month					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	339	5.5	5.5	5.5
One	2	644	10.5	10.5	16.1
2-4	3	2511	40.8	41.0	57.1
More Than 4	4	2625	42.6	42.9	100.0
	-1	37	.6	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6119	Missing cases	37		

Derived variables

Social network score I

(score put to missing if any of the component variables missing)

PE230 Social Network Score					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	4.00	3	.0	.0	.0
	5.00	7	.1	.1	.2
	6.00	4	.1	.1	.2
	7.00	8	.1	.1	.4
	8.00	10	.2	.2	.5
	9.00	12	.2	.2	.7
	10.00	30	.5	.5	1.2
	11.00	31	.5	.5	1.7
	12.00	48	.8	.8	2.5
	13.00	73	1.2	1.2	3.7
	14.00	90	1.5	1.5	5.2
	15.00	136	2.2	2.3	7.5
	16.00	136	2.2	2.3	9.7
	17.00	235	3.8	3.9	13.6

PE230 contd.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	18.00	266	4.3	4.4	18.1
	19.00	323	5.2	5.4	23.4
	20.00	404	6.6	6.7	30.1
	21.00	477	7.7	7.9	38.0
	22.00	589	9.6	9.8	47.8
	23.00	544	8.8	9.0	56.8
	24.00	602	9.8	10.0	66.8
	25.00	548	8.9	9.1	75.8
	26.00	457	7.4	7.6	83.4
	27.00	376	6.1	6.2	89.7
	28.00	354	5.8	5.9	95.5
	29.00	270	4.4	4.5	100.0
	-1.00	123	2.0	Missing	
	Total	6156	100.0	100.0	
Valid cases	6033	Missing cases	123		

Social network score II

(score put to missing only if all component variables missing; else, if a component variable was missing it was given the value of the mode)

PE231 Social Network Score: Modes/Missing Data

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	4.00	3	.0	.0	.0
	5.00	7	.1	.1	.2
	6.00	4	.1	.1	.2
	7.00	8	.1	.1	.4
	8.00	10	.2	.2	.5
	9.00	12	.2	.2	.7
	10.00	30	.5	.5	1.2
	11.00	31	.5	.5	1.7
	12.00	48	.8	.8	2.5
	13.00	73	1.2	1.2	3.7
	14.00	90	1.5	1.5	5.2
	15.00	136	2.2	2.3	7.5
	16.00	136	2.2	2.3	9.7
	17.00	235	3.8	3.9	13.6
	18.00	266	4.3	4.4	18.1
	19.00	323	5.2	5.4	23.4
	20.00	404	6.6	6.7	30.1
	21.00	477	7.7	7.9	38.0
	22.00	589	9.6	9.8	47.8
	23.00	544	8.8	9.0	56.8
	24.00	602	9.8	10.0	66.8
	25.00	548	8.9	9.1	75.8
	26.00	457	7.4	7.6	83.4
	27.00	376	6.1	6.2	89.7
	28.00	354	5.8	5.9	95.5
	29.00	270	4.4	4.5	100.0
	-1.00	123	2.0	Missing	
	Total	6156	100.0	100.0	
Valid cases	6033	Missing cases	123		

No variables with missing values.

PE232 Social Network Score: no. Missing Items

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6033	98.0	98.0	98.0
	1.00	75	1.2	1.2	99.2
	2.00	10	.2	.2	99.4
	3.00	4	.1	.1	99.4
	4.00	3	.0	.0	99.5
	5.00	1	.0	.0	99.5
	6.00	2	.0	.0	99.5
	7.00	1	.0	.0	99.6
	8.00	1	.0	.0	99.6
	9.00	1	.0	.0	99.6
	10.00	25	.4	.4	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

SECTION D: YOUR FEELINGS

CROWN-CRISP EXPERIENTIAL INDEX.

CROWN AND CRISP (1978)

The Crown-Crisp Experiential Index (CCEI) is a 48-item scale designed to measure neurotic symptomology.

It has six sub-scales:

- (1) free floating anxiety,
- (2) phobic anxiety,
- (3) obsessiveness,
- (4) somatic concomitants of anxiety,
- (5) depression,
- (6) hysterical personality.

In the present study 3 of these sub-scales will be employed: free-floating anxiety, depression and somaticism. Though the total score of the CCEI has been shown to be a useful measure of psycho-neurotic pathology in the community and it has been argued that the total score is preferable to scores of sub-scales in this respect (Birchnell et al, 1988) the need to limit the number of items and our specific interest in depression and anxiety guided this decision. Most studies using the CCEI, including those of the original authors, have in fact focused on the sub-scales rather than the total score suggesting that our use of individual sub-scales is an acceptable use of the measure. The measure has been used in this way in a study of mental health of mothers during pregnancy and the postnatal year (Watson et al, 1984).

The 3 sub-scales are each of 8 items, a total of 24 items. In the original measure the number and style of response categories for each item varies. Some have two points, "yes-no" categories while others have three point frequency categories for which the wording varies. We have modified the response categories for our study so that each item has 4 consistent response categories in which the respondent indicates frequency of symptom "never" through to "very often". These modifications have been extensively pilot tested. Some validation of the modified measures against the PSE have been conducted and further such validation work is planned.

References

- Birchnell J, Evans C, Kennard J. (1988) The total score of the Crown-Crisp Experiential Index. A valid and useful measure of psychoneurotic pathology. *British Journal of Medical Psychology* 61:233-266.
- Crisp AH, McGuinness RB, Brown G. (1978) Psychoneurotic profiles in the adult population. *British Journal of Medical Psychology* 51:269-280.
- Crown S, Crisp AH. (1979) *Manual of the Crown-Crisp Experiential Index*. London: Hodder and Stoughton.
- Watson JP, Elliot SA, Rugg AJ, Brough DI. (1984) Psychiatric disorder during pregnancy and the first postnatal year. *British Journal of Psychiatry* 144:453-462.

The questions in this section ask you about your feelings and the way you behave. You have answered these questions in other questionnaires, but you might be feeling differently now.

Please indicate the way you feel:

Very often Often Not very often Never

D1. Do you feel upset for no obvious reason?

[If multiple ticks code for the lowest value]

PE240 Feel Upset For No Obvious Reason					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	23	.4	.4	.4
Often	2	132	2.1	2.2	2.6
Not Very Often	3	1872	30.4	31.0	33.6
Never	4	4013	65.2	66.4	100.0
	-1	116	1.9	Missing	
	Total	6156	100.0	100.0	
Valid cases		6040	Missing cases		116

D2. Do you get troubled by dizziness or shortness of breath?

[If multiple ticks code for the lowest value]

PE241 Troubled by Dizziness or Short Breath					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	18	.3	.3	.3
Often	2	102	1.7	1.7	2.0
Not Very Often	3	740	12.0	12.1	14.1
Never	4	5243	85.2	85.9	100.0
	-1	53	.9	Missing	
	Total	6156	100.0	100.0	
Valid cases		6103	Missing cases		53

D3. Have you felt as though you might faint?

[If multiple ticks code for the lowest value]

PE242 Felt as Though Might Faint					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	2	.0	.0	.0
Often	2	26	.4	.4	.5
Not Very Often	3	549	8.9	9.0	9.5
Never	4	5525	89.7	90.5	100.0
	-1	54	.9	Missing	
	Total	6156	100.0	100.0	
Valid cases		6102	Missing cases		54

D4. Do you feel sick or have indigestion?

[If multiple ticks code for the lowest value]

PE243 Felt Sick or Had Indigestion

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	46	.7	.8	.8
Often	2	282	4.6	4.6	5.4
Not Very Often	3	1835	29.8	30.1	35.4
Never	4	3939	64.0	64.6	100.0
	-1	54	.9	Missing	
	Total	6156	100.0	100.0	

Valid cases 6102 Missing cases 54

D5. Do you feel that life is too much effort?

[If multiple ticks code for the lowest value]

PE244 Felt Life is Too Much effort

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	32	.5	.5	.5
Often	2	200	3.2	3.3	3.8
Not Very Often	3	1472	23.9	24.1	27.9
Never	4	4394	71.4	72.1	100.0
	-1	58	.9	Missing	
	Total	6156	100.0	100.0	

Valid cases 6098 Missing cases 58

D6. Do you feel uneasy and restless?

[If multiple ticks code for the lowest value]

PE245 Felt Uneasy or Restless

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	62	1.0	1.0	1.0
Often	2	425	6.9	7.0	8.0
Not Very Often	3	2318	37.7	38.1	46.1
Never	4	3275	53.2	53.9	100.0
	-1	76	1.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6080 Missing cases 76

D7. Do you feel tingling or prickling sensations in your body, arms or legs?

[If multiple ticks code for the lowest value]

PE246 Felt Tingling Sensation in Limbs					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	30	.5	.5	.5
Often	2	124	2.0	2.0	2.5
Not Very Often	3	653	10.6	10.7	13.2
Never	4	5285	85.9	86.8	100.0
	-1	64	1.0	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	
Valid cases 6092 Missing cases 64					

D8. Do you regret much of your past behaviour?

[If multiple ticks code for the lowest value]

PE247 Regret Much of Past Behaviour					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	133	2.2	2.2	2.2
Often	2	442	7.2	7.2	9.4
Not Very Often	3	2395	38.9	39.3	48.7
Never	4	3129	50.8	51.3	100.0
	-1	57	.9	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	
Valid cases 6099 Missing cases 57					

D9. Do you sometimes feel panicky?

[If multiple ticks code for the lowest value]

PE248 Sometimes Feel Panicky					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	22	.4	.4	.4
Often	2	121	2.0	2.0	2.3
Not Very Often	3	1336	21.7	21.9	24.3
Never	4	4612	74.9	75.7	100.0
	-1	65	1.1	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	
Valid cases 6091 Missing cases 65					

D10. Do you find that you have little or no appetite?

[If multiple ticks code for the lowest value]

PE249 Have Little or No Appetite					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	27	.4	.4	.4
Often	2	93	1.5	1.5	2.0
Not Very Often	3	1076	17.5	17.7	19.7
Never	4	4888	79.4	80.3	100.0
	-1	72	1.2	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	
Valid cases 6084 Missing cases 72					

D11. Do you wake unusually early in the morning even when you haven't been woken by the baby?

[If multiple ticks code for the lowest value]

PE250 Wake Unusually Early					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	298	4.8	4.9	4.9
Often	2	832	13.5	13.6	18.5
Not Very Often	3	2025	32.9	33.2	51.7
Never	4	2946	47.9	48.3	100.0
	-1	55	.9	Missing	
	Total	6156	100.0	100.0	
Valid cases 6101 Missing cases 55					

D12. Do you worry a lot?

[If multiple ticks code for the lowest value]

PE251 Worry a Lot					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	232	3.8	3.8	3.8
Often	2	1038	16.9	17.0	20.8
Not Very Often	3	3290	53.4	53.9	74.7
Never	4	1544	25.1	25.3	100.0
	-1	52	.8	Missing	
	Total	6156	100.0	100.0	
Valid cases 6104 Missing cases 52					

D13. Do you feel tired or exhausted?

[If multiple ticks code for the lowest value]

PE252 Feel Tired or Exhausted					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	335	5.4	5.5	5.5
Often	2	1874	30.4	30.7	36.2
Not Very Often	3	3031	49.2	49.7	85.9
Never	4	863	14.0	14.1	100.0
	-1	53	.9	Missing	
	Total	6156	100.0	100.0	
Valid cases 6103 Missing cases 53					

D14. Do you experience long periods of sadness?

[If multiple ticks code for the lowest value]

PE253 Experience Long Periods of Sadness					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	29	.5	.5	.5
Often	2	154	2.5	2.5	3.0
Not Very Often	3	1421	23.1	23.3	26.3
Never	4	4500	73.1	73.7	100.0
	-1	52	.8	Missing	
	Total	6156	100.0	100.0	
Valid cases	6104	Missing cases	52		

D15. Do you feel strung-up inside?

[If multiple ticks code for the lowest value]

PE254 Feel Strung Up Inside					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	78	1.3	1.3	1.3
Often	2	488	7.9	8.0	9.3
Not Very Often	3	2224	36.1	36.5	45.7
Never	4	3310	53.8	54.3	100.0
	-1	56	.9	Missing	
	Total	6156	100.0	100.0	
Valid cases	6100	Missing cases	56		

D16. Can you go to sleep alright?

[If multiple ticks code for the lowest value]

PE255 Able to Sleep Alright					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	3924	63.7	64.4	64.4
Often	2	1486	24.1	24.4	88.7
Not Very Often	3	352	5.7	5.8	94.5
Never	4	334	5.4	5.5	100.0
	-1	60	1.0	Missing	
	Total	6156	100.0	100.0	
Valid cases	6096	Missing cases	60		

D17. Do you ever have the feeling you are going to pieces?

[If multiple ticks code for the lowest value]

PE256 Have Feeling Going to Pieces					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	39	.6	.6	.6
Often	2	127	2.1	2.1	2.7
Not Very Often	3	1226	19.9	20.1	22.8
Never	4	4703	76.4	77.2	100.0
	-1	61	1.0	Missing	
	Total	6156	100.0	100.0	
Valid cases	6095	Missing cases	61		

D18. Do you have excessive sweating or fluttering of the heart

[If multiple ticks code for the lowest value]

PE257 Excessive Sweating or Heart Flutters					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	25	.4	.4	.4
Often	2	117	1.9	1.9	2.3
Not Very Often	3	755	12.3	12.4	14.7
Never	4	5203	84.5	85.3	100.0
	-1	56	.9	Missing	
		-----	-----	-----	-----
	Total	6156	100.0	100.0	
Valid cases	6100	Missing cases	56		

D19. Do you find yourself needing to cry?

[If multiple ticks code for the lowest value]

PE258 Find Needing to Cry					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	10	.2	.2	.2
Often	2	76	1.2	1.2	1.4
Not Very Often	3	1286	20.9	21.1	22.5
Never	4	4732	76.9	77.5	100.0
	-1	52	.8	Missing	
		-----	-----	-----	-----
	Total	6156	100.0	100.0	
Valid cases	6104	Missing cases	52		

D20. Do you have bad dreams which upset you when you wake up?

[If multiple ticks code for the lowest value]

PE259 Bad Dreams that Upset on Waking					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	14	.2	.2	.2
Often	2	68	1.1	1.1	1.3
Not Very Often	3	1050	17.1	17.2	18.5
Never	4	4972	80.8	81.5	100.0
	-1	52	.8	Missing	
		-----	-----	-----	-----
	Total	6156	100.0	100.0	
Valid cases	6104	Missing cases	52		

D21. Do you lose the ability to feel sympathy for others?

[If multiple ticks code for the lowest value]

PE260 Lose Ability to feel Sympathy					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	116	1.9	1.9	1.9
Often	2	519	8.4	8.5	10.4
Not Very Often	3	2404	39.1	39.4	49.8
Never	4	3059	49.7	50.2	100.0
	-1	58	.9	Missing	
		-----	-----	-----	-----
	Total	6156	100.0	100.0	
Valid cases	6098	Missing cases	58		

D22. Can you think as quickly as you used to?

[If multiple ticks code for the lowest value]

PE261 Can Think as Quickly as Used To					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	3333	54.1	54.9	54.9
Often	2	1881	30.6	31.0	85.8
Not Very Often	3	570	9.3	9.4	95.2
Never	4	292	4.7	4.8	100.0
	-1	80	1.3	Missing	
	Total	6156	100.0	100.0	
Valid cases 6076 Missing cases 80					

D23. Do you have to make a special effort to face up to a crisis or difficulty?

[If multiple ticks code for the lowest value]

PE262 Special effort to Face Crisis					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Often	1	106	1.7	1.7	1.7
Often	2	547	8.9	9.0	10.7
Not Very Often	3	2365	38.4	38.9	49.6
Never	4	3069	49.9	50.4	100.0
	-1	69	1.1	Missing	
	Total	6156	100.0	100.0	
Valid cases 6087 Missing cases 69					

Derived variables

The above 23 variables comprise three subscales of the Crown-Crisp Experiential Index.

Anxiety subscale I

PE263 CCEI Anxiety Subscale I					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1159	18.8	19.2	19.2
	1.00	1487	24.2	24.6	43.8
	2.00	1117	18.1	18.5	62.3
	3.00	613	10.0	10.2	72.5
	4.00	531	8.6	8.8	81.3
	5.00	414	6.7	6.9	88.1
	6.00	236	3.8	3.9	92.0
	7.00	141	2.3	2.3	94.4
	8.00	117	1.9	1.9	96.3
	9.00	74	1.2	1.2	97.5
	10.00	52	.8	.9	98.4
	11.00	38	.6	.6	99.0
	12.00	22	.4	.4	99.4
	13.00	19	.3	.3	99.7
	14.00	13	.2	.2	99.9
	15.00	4	.1	.1	100.0
	16.00	2	.0	.0	100.0
	-1.00	117	1.9	Missing	
	Total	6156	100.0	100.0	
Valid cases 6039 Missing cases 117					

Anxiety subscale II

PE264 CCEI Anxiety Subscale II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1159	18.8	19.2	19.2
	1.00	1487	24.2	24.6	43.8
	2.00	1117	18.1	18.5	62.3
	3.00	613	10.0	10.2	72.5
	4.00	531	8.6	8.8	81.3
	5.00	414	6.7	6.9	88.1
	6.00	236	3.8	3.9	92.0
	7.00	141	2.3	2.3	94.4
	8.00	117	1.9	1.9	96.3
	9.00	74	1.2	1.2	97.5
	10.00	52	.8	.9	98.4
	11.00	38	.6	.6	99.0
	12.00	22	.4	.4	99.4
	13.00	19	.3	.3	99.7
	14.00	13	.2	.2	99.9
	15.00	4	.1	.1	100.0
	16.00	2	.0	.0	100.0
	-1.00	117	1.9	Missing	
	Total	6156	100.0	100.0	
Valid cases	6039	Missing cases	117		

PE265 No. Missing Values in Anxiety Subscale

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6156	100.0	100.0	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

Depression subscale I

PE266 CCEI Depression Subscale I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1605	26.1	26.6	26.6
	1.00	1010	16.4	16.7	43.3
	2.00	1093	17.8	18.1	61.5
	3.00	689	11.2	11.4	72.9
	4.00	553	9.0	9.2	82.0
	5.00	351	5.7	5.8	87.9
	6.00	227	3.7	3.8	91.6
	7.00	150	2.4	2.5	94.1
	8.00	126	2.0	2.1	96.2
	9.00	71	1.2	1.2	97.4
	10.00	58	.9	1.0	98.3
	11.00	41	.7	.7	99.0
	12.00	38	.6	.6	99.7
	13.00	7	.1	.1	99.8
	14.00	8	.1	.1	99.9
	15.00	3	.0	.0	100.0
	16.00	3	.0	.0	100.0
	-1.00	123	2.0	Missing	
	Total	6156	100.0	100.0	
Valid cases	6033	Missing cases	123		

Depression subscale II

PE267 CCEI Depression Subscale II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1670	27.1	27.1	27.1
	1.00	1025	16.7	16.7	43.8
	2.00	1105	17.9	17.9	61.7
	3.00	704	11.4	11.4	73.2
	4.00	557	9.0	9.0	82.2
	5.00	353	5.7	5.7	87.9
	6.00	230	3.7	3.7	91.7
	7.00	154	2.5	2.5	94.2
	8.00	127	2.1	2.1	96.2
	9.00	72	1.2	1.2	97.4
	10.00	58	.9	.9	98.4
	11.00	42	.7	.7	99.0
	12.00	38	.6	.6	99.7
	13.00	7	.1	.1	99.8
	14.00	8	.1	.1	99.9
	15.00	3	.0	.0	100.0
	16.00	3	.0	.0	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

No. missing items in variables for depression subscale

PE268 No. Missing Values in Depression Subscal

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6033	98.0	98.0	98.0
	1.00	62	1.0	1.0	99.0
	2.00	8	.1	.1	99.1
	3.00	2	.0	.0	99.2
	4.00	1	.0	.0	99.2
	5.00	2	.0	.0	99.2
	7.00	1	.0	.0	99.2
	8.00	47	.8	.8	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

Somatic subscale I

PE269 CCEI Somatic Subscale I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	632	10.3	10.5	10.5
	1.00	2210	35.9	36.6	47.0
	2.00	1702	27.6	28.2	75.2
	3.00	677	11.0	11.2	86.4
	4.00	445	7.2	7.4	93.7
	5.00	157	2.6	2.6	96.3
	6.00	103	1.7	1.7	98.0
	7.00	49	.8	.8	98.9
	8.00	33	.5	.5	99.4
	9.00	15	.2	.2	99.7
	10.00	11	.2	.2	99.8
	11.00	3	.0	.0	99.9
	12.00	4	.1	.1	100.0
	13.00	1	.0	.0	100.0
	14.00	2	.0	.0	100.0
	-1.00	112	1.8	Missing	
Total		6156	100.0	100.0	

Valid cases 6044 Missing cases 112

Somatic subscale II

PE270 CCEI Somatic Subscale II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	637	10.3	10.4	10.4
	1.00	2229	36.2	36.5	46.9
	2.00	1720	27.9	28.2	75.1
	3.00	690	11.2	11.3	86.4
	4.00	451	7.3	7.4	93.7
	5.00	159	2.6	2.6	96.3
	6.00	104	1.7	1.7	98.1
	7.00	49	.8	.8	98.9
	8.00	33	.5	.5	99.4
	9.00	15	.2	.2	99.6
	10.00	11	.2	.2	99.8
	11.00	3	.0	.0	99.9
	12.00	5	.1	.1	100.0
	13.00	1	.0	.0	100.0
	14.00	2	.0	.0	100.0
	-1.00	47	.8	Missing	
Total		6156	100.0	100.0	

Valid cases 6109 Missing cases 47

No. missing items in variables for somatic subscale

PE271 No. Missing Values in Somatic Subscale

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6044	98.2	98.2	98.2
	1.00	59	1.0	1.0	99.1
	2.00	2	.0	.0	99.2
	5.00	4	.1	.1	99.2
	7.00	47	.8	.8	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

Total Crown-Crisp score I

PE272 CCEI Total Score I

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	265	4.3	4.5	4.5
	1.00	364	5.9	6.1	10.6
	2.00	586	9.5	9.9	20.5
	3.00	608	9.9	10.3	30.8
	4.00	604	9.8	10.2	41.0
	5.00	515	8.4	8.7	49.7
	6.00	507	8.2	8.6	58.2
	7.00	397	6.4	6.7	64.9
	8.00	372	6.0	6.3	71.2
	9.00	281	4.6	4.7	76.0
	10.00	230	3.7	3.9	79.8
	11.00	183	3.0	3.1	82.9
	12.00	167	2.7	2.8	85.8
	13.00	134	2.2	2.3	88.0
	14.00	115	1.9	1.9	90.0
	15.00	80	1.3	1.4	91.3
	16.00	85	1.4	1.4	92.7
	17.00	83	1.3	1.4	94.1
	18.00	50	.8	.8	95.0
	19.00	43	.7	.7	95.7
	20.00	40	.6	.7	96.4
	21.00	33	.5	.6	96.9
	22.00	27	.4	.5	97.4

PE272 contd.

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	23.00	23	.4	.4	97.8
	24.00	22	.4	.4	98.2
	25.00	20	.3	.3	98.5
	26.00	10	.2	.2	98.7
	27.00	23	.4	.4	99.1
	28.00	7	.1	.1	99.2
	29.00	7	.1	.1	99.3
	30.00	9	.1	.2	99.4
	31.00	6	.1	.1	99.5
	32.00	4	.1	.1	99.6
	33.00	6	.1	.1	99.7
	34.00	3	.0	.1	99.8
	35.00	5	.1	.1	99.8
	36.00	2	.0	.0	99.9
	37.00	4	.1	.1	99.9
	38.00	2	.0	.0	100.0
	39.00	1	.0	.0	100.0
	-1.00	233	3.8	Missing	
Total		6156	100.0	100.0	

Valid cases 5923 Missing cases 233

Total Crown-Crisp score II

PE273 CCEI Total Score II

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	269	4.4	4.5	4.5
	1.00	368	6.0	6.1	10.5
	2.00	597	9.7	9.9	20.4
	3.00	616	10.0	10.2	30.6
	4.00	610	9.9	10.1	40.7
	5.00	526	8.5	8.7	49.4
	6.00	515	8.4	8.5	58.0
	7.00	406	6.6	6.7	64.7
	8.00	385	6.3	6.4	71.1
	9.00	286	4.6	4.7	75.8
	10.00	235	3.8	3.9	79.7
	11.00	188	3.1	3.1	82.8
	12.00	173	2.8	2.9	85.7
	13.00	138	2.2	2.3	88.0
	14.00	118	1.9	2.0	89.9
	15.00	83	1.3	1.4	91.3
	16.00	85	1.4	1.4	92.7
	17.00	84	1.4	1.4	94.1
	18.00	51	.8	.8	94.9
	19.00	44	.7	.7	95.7
	20.00	43	.7	.7	96.4
	21.00	36	.6	.6	97.0
	22.00	28	.5	.5	97.4
	23.00	23	.4	.4	97.8
	24.00	22	.4	.4	98.2
	25.00	20	.3	.3	98.5
	26.00	10	.2	.2	98.7
	27.00	23	.4	.4	99.1
	28.00	7	.1	.1	99.2
	29.00	7	.1	.1	99.3
	30.00	9	.1	.1	99.4
	31.00	6	.1	.1	99.5
	32.00	4	.1	.1	99.6
	33.00	6	.1	.1	99.7
	34.00	3	.0	.0	99.8
	35.00	5	.1	.1	99.8
	36.00	2	.0	.0	99.9
	37.00	4	.1	.1	99.9
	38.00	2	.0	.0	100.0
	39.00	2	.0	.0	100.0
	-1.00	117	1.9	Missing	
Total		6156	100.0	100.0	

Valid cases 6039 Missing cases 117

No. missing items in total CCE1 score

PE274 No. Missing Values in Total Score					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	5923	96.2	96.2	96.2
	1.00	158	2.6	2.6	98.8
	2.00	17	.3	.3	99.1
	3.00	3	.0	.0	99.1
	4.00	2	.0	.0	99.1
	5.00	1	.0	.0	99.2
	10.00	1	.0	.0	99.2
	13.00	2	.0	.0	99.2
	17.00	1	.0	.0	99.2
	18.00	1	.0	.0	99.2
	21.00	1	.0	.0	99.3
	23.00	46	.7	.7	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

The EDINBURGH POST NATAL DEPRESSION SCORE

This scale comprises 10 items aimed at identifying the presence of depressive symptoms. It is based on earlier depression scales such as the General Health Questionnaire and the Zung depression scale and derives specific non-somatic items from the Irritability, Depression and Anxiety scale (Snaith et al, 1978), Hospital Anxiety and Depression scale (Zigmond and Snaith, 1983) and Anxiety and Depression Scale (Bedford and Foulds, 1978). It has four response categories for each of the 10 items. These are scored 0 for no presence of the symptom through to 3 for marked presence/change in usual state.

The measure was developed specifically for use with puerperal women but none of the 10 items is specific to the postnatal experience. The principle feature of the scale which designates it as a "postnatal" scale is that it does not include somatic items because of the possibly of confounding somatic symptoms of depression with normal physiological symptoms at this time. This feature of the scale was a major factor in its selection for our study which aims to measure depression during pregnancy and the postpartum year. During pregnancy too, there is the possibility of confounding normal physiological and symptoms with those of depression.

Additionally the simplicity and brevity of the scale make it suitable for inclusion in a postally administered, self completion questionnaire. Both the study of Murray and Carrothers (1990) and our own pilot studies (Thorpe, 1990) administered the questionnaire postally and both found the measure to be very acceptable to respondents, producing high completion rates with little evident response error.

Studies on the reliability of the EPDS have been conducted. Cox et al (1987) report split-half reliability of 0.88 with a standardise alpha co-efficient of 0.87. Validity of the scale for measurement of depression during pregnancy (Murray, 1988), the postpartum (Cox et al., 1987, Harris et al, 1989) and early parenthood (Thorpe, 1990) and outside the post-partum period (Thorpe, 1993) has been examined using standardised psychiatric interviews as the validating measures. A summary of these studies is presented in Table A.

References

Bedford A, Foulds G. (1978) *Delusions-Symptoms-States. States of Anxiety and Depression (Manual)*. Windsor: National Foundation for Educational Research.

Cox JL, Holden JM, Sagovsky R. (1987) Detection of postnatal depression: development of the 10-item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry* 150:782-786.

Goldberg D. (1972) *The Detection of Psychiatric Illness by Questionnaire*. London: Oxford University Press.

Harris B, Huckle P, Thomas R, Johns S, Fung H. (1989) The use of rating scales to identify postnatal depression. *British Journal of Psychiatry* 154: 813-817.

Murray D. (1988) The use of the Edinburgh Postnatal Depression Scale in Pregnancy. Paper presented at the 4th International Marcé Society Conference, University of Keele, September 1988.

Murray D, Cox J. (1990) Screening for depression during pregnancy with the Edinburgh Postnatal Depression Scale (EPDS). *Journal of Reproductive and Infant Psychology* 8:63-65.

Murray L, Carrothers AD. (1990) The validation of the Edinburgh Postnatal Depression Scale on a community sample. *British Journal of Psychiatry* 157:288-290.

Snaith RP, Constantopoulos AA, Jardine MY, McGuffin P. (1978) A clinical scale for the self assessment of irritability. *British Journal of Psychiatry* 132:164-171.

Thorpe K. (1993) A study of the Edinburgh Postnatal Depression Scale for use with parent groups outside the postpartum period. *Journal of Reproductive & Infant Psychology* 11(2):119-125.

Zigmond AS, Snaith RP. (1983) The Hospital Anxiety and Depression Scale. *Acta Psychiatrica Scandinavica* 67:361-370.

Table A: Summary of Validation Studies on the EPDS

Author(s)	Timing	Validation	Cut-point	Sensitivity	Specificity	PPV
Cox et al 1987	6wk	SPI	12/13	86.0	78.0	73.0
Murray 1988/90	28-34wks gestation	SPI	9/10 12/13	79.0 50.0	64.0 90.0	- -
Harris 1989	6-8wk postpartum	DSM III	12/13	95.0	93.0	-
Murray and Carrothers 1990	6wk postpartum	SPI	9/10 10/11 12/13	86.7 80.3 64.1	82.3 88.3 95.6	33.2 48.9 67.0
Thorpe 1990	18mths postnatal	PSE	9/10 12/13	100.0 57.0	85.0 82.0	40.0 100.0

Your feelings in the past week:

D24. I have been able to laugh and see the funny side of things:

As much as I always could
 Not quite so much now
 Definitely not so much now
 Not at all

[If multiple ticks code for the highest number given]

PE280 Able to Laugh as Much as Used To					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
As Much as Always	1	4799	78.0	78.2	78.2
Not Quite So Much	2	1097	17.8	17.9	96.1
Definite Not as Much	3	208	3.4	3.4	99.5
Not at All	4	29	.5	.5	100.0
	-1	23	.4	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6133	Missing cases	23		

D25. I have looked forward with enjoyment to things:

As much as I ever did
 Rather less than I used to
 Definitely less than I used to
 Hardly at all

[If multiple ticks code for the highest number given]

PE281 Looked Forward with Enjoyment					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
As Much as Ever	1	4979	80.9	81.2	81.2
Rather Less	2	953	15.5	15.5	96.8
Definitely less	3	160	2.6	2.6	99.4
Hardly at All	4	38	.6	.6	100.0
	-1	26	.4	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6130	Missing cases	26		

D26. I have blamed myself unnecessarily when things went wrong:

Yes, most of the time
 Yes, some of the time
 Not very often
 Never

[If multiple ticks code for the lowest value]

PE282 Blamed Self Unnecessarily

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Most of Time	1	188	3.1	3.1	3.1
Yes Some of Time	2	1186	19.3	19.3	22.4
Not Very Often	3	2602	42.3	42.4	64.8
Never	4	2156	35.0	35.2	100.0
	-1	24	.4	Missing	
	Total	6156	100.0	100.0	

Valid cases 6132 Missing cases 24

D27. I have been anxious or worried for no good reason:

No, not at all
 Hardly ever
 Yes, sometimes
 Yes, often

[If multiple ticks code for the highest number given]

PE283 Anxious or Worried For No Good Reason

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No Not at All	1	3430	55.7	55.9	55.9
Hardly Ever	2	1458	23.7	23.8	79.7
Yes Sometimes	3	1120	18.2	18.3	98.0
Yes Often	4	125	2.0	2.0	100.0
	-1	23	.4	Missing	
	Total	6156	100.0	100.0	

Valid cases 6133 Missing cases 23

D28. I have felt scared or panicky for no very good reason:

Yes, quite a lot
 Yes, sometimes
 No, not much
 No, not at all

[If multiple ticks code for the lowest value]

PE284 Scared For No Good Reason

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Quite a Lot	1	48	.8	.8	.8
Yes Sometimes	2	264	4.3	4.3	5.1
No Not Much	3	858	13.9	14.0	19.1
No Not at All	4	4962	80.6	80.9	100.0
	-1	24	.4	Missing	
	Total	6156	100.0	100.0	

Valid cases 6132 Missing cases 24

D29. Things have been getting on top of me:

Yes, most of the time I haven't been able to cope
 Yes, sometimes I haven't been coping as well as usual
 No, most of the time I have coped quite well
 No, I have been coping as well as ever

[If multiple ticks code for the lowest value]

PE285 Things Getting on Top					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Most Unable to Cope	1	50	.8	.8	.8
Not Cope as Usual	2	637	10.3	10.4	11.2
Coped Quite Well	3	2158	35.1	35.2	46.4
Coped Well as Ever	4	3287	53.4	53.6	100.0
	-1	24	.4	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6132	Missing cases	24		

D30. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time
 Yes, sometimes
 Not very often
 No, not at all.

[If multiple ticks code for the lowest value]

PE286 So Unhappy Have Difficulty Sleeping					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Most of Time	1	26	.4	.4	.4
Yes Sometimes	2	191	3.1	3.1	3.5
Not Very Often	3	709	11.5	11.6	15.1
Not at All	4	5204	84.5	84.9	100.0
	-1	26	.4	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6130	Missing cases	26		

D31. I have felt sad or miserable:

Yes, most of the time

Yes, quite often

Not very often

No, not at all

[If multiple ticks code for the lowest value]

PE287 Felt Sad or Miserable					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Most of Time	1	44	.7	.7	.7
Yes Sometimes	2	321	5.2	5.2	6.0
Not Very Often	3	1932	31.4	31.5	37.5
Not at All	4	3833	62.3	62.5	100.0
	-1	26	.4	Missing	
	Total	6156	100.0	100.0	
Valid cases	6130	Missing cases	26		

D32. I have been so unhappy that I have been crying:

Yes, most of the time

Yes, quite often

Only occasionally

Never

[If multiple ticks code for the lowest value]

PE288 Felt So Unhappy Have Been crying					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Most of Time	1	8	.1	.1	.1
Yes Quite Often	2	27	.4	.4	.6
Only Occasionally	3	338	5.5	5.5	6.1
Never	4	5756	93.5	93.9	100.0
	-1	27	.4	Missing	
	Total	6156	100.0	100.0	
Valid cases	6129	Missing cases	27		

D33. The thought of harming myself has occurred to me:

Yes, quite often
 Sometimes
 Hardly ever
 Never

[If multiple ticks code for the lowest value]

PE289 Thought of Harming Self					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Quite Often	1	14	.2	.2	.2
Sometimes	2	75	1.2	1.2	1.5
Hardly Ever	3	203	3.3	3.3	4.8
Never	4	5834	94.8	95.2	100.0
	-1	30	.5	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases 6126		Missing cases 30			

Edinburgh Postnatal Depression Scale

EPDS Score I

PE290 EPDS Score I					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	1278	20.8	20.9	20.9
	1.00	949	15.4	15.5	36.5
	2.00	801	13.0	13.1	49.6
	3.00	666	10.8	10.9	60.5
	4.00	512	8.3	8.4	68.9
	5.00	409	6.6	6.7	75.6
	6.00	323	5.2	5.3	80.9
	7.00	270	4.4	4.4	85.3
	8.00	212	3.4	3.5	88.8
	9.00	172	2.8	2.8	91.6
	10.00	121	2.0	2.0	93.6
	11.00	112	1.8	1.8	95.4
	12.00	65	1.1	1.1	96.5
	13.00	53	.9	.9	97.4
	14.00	37	.6	.6	98.0
	15.00	30	.5	.5	98.5
	16.00	30	.5	.5	99.0
	17.00	20	.3	.3	99.3
	18.00	19	.3	.3	99.6
	19.00	5	.1	.1	99.7
	20.00	6	.1	.1	99.8
	21.00	2	.0	.0	99.8
	22.00	3	.0	.0	99.9
	23.00	3	.0	.0	99.9
	24.00	2	.0	.0	99.9
	25.00	1	.0	.0	100.0
	26.00	2	.0	.0	100.0
	27.00	1	.0	.0	100.0
	-1.00	52	.8	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases 6104		Missing cases 52			

No missing items in variables for EPDS score

PE292 No. Missing Values in EPDS Score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	6104	99.2	99.2	99.2
	1.00	17	.3	.3	99.4
	2.00	11	.2	.2	99.6
	4.00	2	.0	.0	99.6
	8.00	6	.1	.1	99.7
	9.00	2	.0	.0	99.8
	10.00	14	.2	.2	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

D34. On the whole are there more good days than bad?

Yes, more good days

About half and half

No, more bad days

[If multiple ticks code for the highest value]

PE295 Felt More Good Days Than Bad

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes More Good Days	1	5296	86.0	86.5	86.5
About Half and Half	2	673	10.9	11.0	97.5
No, More Bad Days	3	153	2.5	2.5	100.0
	-1	34	.6	Missing	
	Total	6156	100.0	100.0	
Valid cases	6122	Missing cases	34		

SECTION E: RECENT EVENTS

The life events inventory was specifically devised for the present study using previous such inventories as a basis for selection of items. Three main sources were used in this way: Brown and Harris (1978), Barnett et al (1983), Stanley (personal communication).

The life events inventory presents 41 specific items each of which has five response categories. These response categories ask the respondent to indicate not only whether or not the event occurred but also how greatly they were affected by it: "yes, affected me a lot", "yes, affected me a moderately", "yes, affected me mildly", "yes, but did not affect me" "no, did not happen". An additional open item in which the respondent is able to name any event which is not in the inventory is also included. The same response categories are given for this item. On the basis of these 42 items two scores are calculated: (1) the number of life events (2) impact of life events. Analysis of pilot study results on approximately 400 parents show these two scores to be highly correlated but the impact score to be a more sensitive predictor of emotional well-being.

References

Barnett B, Hanna EW, Parker G. (1983) Life events for obstetric groups. *Journal of Psychosomatic Medicine* 27:313-320.

Brown GW, Harris T. (1978) *Social Origins of Depression*. London: Tavistock.

Stanley F. Measures of Psychosocial variables for the Pregnancy Home Visiting Programme. University of Western Australia (personal Communication).

Listed below are a number of events which may have brought changes in your life. Have any of these occurred since the baby was 8 months old? If so, please assess how much effect it had on you.

Yes & affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but did not affect me	No, did not happen at all
-------------------------------	--------------------------------	----------------------------	----------------------------------	------------------------------

Since the baby was 8 months old:

E1. Your partner died

[If multiple ticks code for the lowest value]

PE300 Partner Died						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
No Did Not Happen	5	6142	99.8	100.0	100.0	
	-1	14	.2	Missing		
	Total	6156	100.0	100.0		
Valid cases	6142	Missing cases	14			

PE300A Partner Died Y/N						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
No	2	6156	100.0	100.0	100.0	
	Total	6156	100.0	100.0		
Valid cases	6156	Missing cases	0			

E2. One of your children died

[If multiple ticks code for the lowest value]

PE301 Child Died						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes & Affected Lots	1	11	.2	.2	.2	
Yes Mod Affected	2	3	.0	.0	.2	
Yes Mildly Affected	3	1	.0	.0	.2	
No Did Not Happen	5	6127	99.5	99.8	100.0	
	-1	14	.2	Missing		
	Total	6156	100.0	100.0		
Valid cases	6142	Missing cases	14			

PE301A Child Died Y/N						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	15	.2	.2	.2	
No	2	6141	99.8	99.8	100.0	
	Total	6156	100.0	100.0		
Valid cases	6156	Missing cases	0			

E3. A friend or relative died

[If multiple ticks code for the lowest value]

PE302 Friend or Relative Died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	247	4.0	4.0	4.0
Yes Mod Affected	2	328	5.3	5.3	9.4
Yes Mildly Affected	3	526	8.5	8.6	17.9
Yes Did Not Affect	4	374	6.1	6.1	24.0
No Did Not Happen	5	4667	75.8	76.0	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

PE302A Friend or Relative Died Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1475	24.0	24.0	24.0
No	2	4681	76.0	76.0	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

E4. One of your children was ill

[If multiple ticks code for the lowest value]

PE303 Child Ill

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	297	4.8	4.8	4.8
Yes Mod Affected	2	494	8.0	8.0	12.9
Yes Mildly Affected	3	1067	17.3	17.4	30.3
Yes Did Not Affect	4	875	14.2	14.2	44.5
No Did Not Happen	5	3409	55.4	55.5	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

PE303A Child Ill Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2733	44.4	44.4	44.4
No	2	3423	55.6	55.6	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

E5. Your partner was ill

[If multiple ticks code for the lowest value]

PE304 Partner Ill

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	253	4.1	4.1	4.1
Yes Mod Affected	2	439	7.1	7.1	11.3
Yes Mildly Affected	3	856	13.9	13.9	25.2
Yes Did Not Affect	4	684	11.1	11.1	36.3
No Did Not Happen	5	3910	63.5	63.7	100.0
	-1	14	.2	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

PE304A Partner Ill Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2232	36.3	36.3	36.3
No	2	3924	63.7	63.7	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

E6. A friend or relative was ill

[If multiple ticks code for the lowest value]

PE305 Friend or Relative Ill

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	175	2.8	2.8	2.8
Yes Mod Affected	2	314	5.1	5.1	8.0
Yes Mildly Affected	3	583	9.5	9.5	17.5
Yes Did Not Affect	4	735	11.9	12.0	29.4
No Did Not Happen	5	4335	70.4	70.6	100.0
	-1	14	.2	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

PE305A Friend or Relative Ill Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1807	29.4	29.4	29.4
No	2	4349	70.6	70.6	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

E7. You were admitted to hospital

[If multiple ticks code for the lowest value]

PE306 Admitted to Hospital

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	65	1.1	1.1	1.1
Yes Mod Affected	2	53	.9	.9	1.9
Yes Mildly Affected	3	74	1.2	1.2	3.1
Yes Did Not Affect	4	107	1.7	1.7	4.9
No Did Not Happen	5	5843	94.9	95.1	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE306A Admitted to Hospital Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	299	4.9	4.9	4.9
No	2	5857	95.1	95.1	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E8. You were in trouble with the law

[If multiple ticks code for the lowest value]

PE307 In Trouble With Law

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	25	.4	.4	.4
Yes Mod Affected	2	23	.4	.4	.8
Yes Mildly Affected	3	37	.6	.6	1.4
Yes Did Not Affect	4	51	.8	.8	2.2
No Did Not Happen	5	6006	97.6	97.8	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE307A In Trouble With Law Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	136	2.2	2.2	2.2
No	2	6020	97.8	97.8	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E9. You were divorced

[If multiple ticks code for the lowest value]

PE308 Divorced

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	5	.1	.1	.1
Yes Mildly Affected	3	5	.1	.1	.2
Yes Did Not Affect	4	11	.2	.2	.3
No Did Not Happen	5	6121	99.4	99.7	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE308A Divorced Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	21	.3	.3	.3
No	2	6135	99.7	99.7	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E10. You found that your partner didn't want your child

[If multiple ticks code for the lowest value]

PE309 Found Partner Did Not Want Child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	9	.1	.1	.1
Yes Mod Affected	2	7	.1	.1	.3
Yes Mildly Affected	3	8	.1	.1	.4
Yes Did Not Affect	4	4	.1	.1	.5
No Did Not Happen	5	6114	99.3	99.5	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE309A Found Partner Did Not Want Child Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	28	.5	.5	.5
No	2	6128	99.5	99.5	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E11. You were very ill

[If multiple ticks code for the lowest value]

PE310 Very Ill

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	81	1.3	1.3	1.3
Yes Mod Affected	2	60	1.0	1.0	2.3
Yes Mildly Affected	3	114	1.9	1.9	4.2
Yes Did Not Affect	4	93	1.5	1.5	5.7
No Did Not Happen	5	5794	94.1	94.3	100.0
	-1	14	.2	Missing	
Total		6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE310A Very Ill Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	348	5.7	5.7	5.7
No	2	5808	94.3	94.3	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E12. Your partner lost her job

[If multiple ticks code for the lowest value]

PE311 Partner Lost Her Job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	18	.3	.3	.3
Yes Mod Affected	2	40	.6	.7	.9
Yes Mildly Affected	3	40	.6	.7	1.6
Yes Did Not Affect	4	47	.8	.8	2.4
No Did Not Happen	5	5997	97.4	97.6	100.0
	-1	14	.2	Missing	
Total		6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE311A Partner Lost Her Job Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	145	2.4	2.4	2.4
No	2	6011	97.6	97.6	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E13. Your partner had problems at work

[If multiple ticks code for the lowest value]

PE312 Partner Had Problems at Work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	37	.6	.6	.6
Yes Mod Affected	2	116	1.9	1.9	2.5
Yes Mildly Affected	3	291	4.7	4.7	7.2
Yes Did Not Affect	4	140	2.3	2.3	9.5
No Did Not Happen	5	5558	90.3	90.5	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE312A Partner Had Problems at Work Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	584	9.5	9.5	9.5
No	2	5572	90.5	90.5	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E14. You had problems at work

[If multiple ticks code for the lowest value]

PE313 Self Had Problems at Work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	337	5.5	5.5	5.5
Yes Mod Affected	2	463	7.5	7.5	13.0
Yes Mildly Affected	3	837	13.6	13.6	26.7
Yes Did Not Affect	4	523	8.5	8.5	35.2
No Did Not Happen	5	3982	64.7	64.8	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE313A Self Had Problems at Work Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2160	35.1	35.1	35.1
No	2	3996	64.9	64.9	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E15. You lost your job

[If multiple ticks code for the lowest value]

PE314 Lost Job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	174	2.8	2.8	2.8
Yes Mod Affected	2	132	2.1	2.1	5.0
Yes Mildly Affected	3	71	1.2	1.2	6.1
Yes Did Not Affect	4	63	1.0	1.0	7.2
No Did Not Happen	5	5702	92.6	92.8	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE314A Lost Job Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	440	7.1	7.1	7.1
No	2	5716	92.9	92.9	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E16. Your partner went away

[If multiple ticks code for the lowest value]

PE315 Partner Went Away

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	46	.7	.7	.7
Yes Mod Affected	2	32	.5	.5	1.3
Yes Mildly Affected	3	61	1.0	1.0	2.3
Yes Did Not Affect	4	105	1.7	1.7	4.0
No Did Not Happen	5	5898	95.8	96.0	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE315A Partner Went Away Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	244	4.0	4.0	4.0
No	2	5912	96.0	96.0	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E17. Your partner was in trouble with the law

[If multiple ticks code for the lowest value]

PE316 Partner in Trouble With Law

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	7	.1	.1	.1
Yes Mildly Affected	3	5	.1	.1	.2
Yes Did Not Affect	4	4	.1	.1	.3
No Did Not Happen	5	6126	99.5	99.7	100.0
	-1	14	.2	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE316A Partner in Trouble With Law Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	16	.3	.3	.3
No	2	6140	99.7	99.7	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E18. You and your partner separated

[If multiple ticks code for the lowest value]

PE317 Separated From Partner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	54	.9	.9	.9
Yes Mod Affected	2	12	.2	.2	1.1
Yes Mildly Affected	3	15	.2	.2	1.3
Yes Did Not Affect	4	10	.2	.2	1.5
No Did Not Happen	5	6051	98.3	98.5	100.0
	-1	14	.2	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE317A Separated From Partner Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	91	1.5	1.5	1.5
No	2	6065	98.5	98.5	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E19. Your income was reduced

[If multiple ticks code for the lowest value]

PE318 Income Reduced

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	302	4.9	4.9	4.9
Yes Mod Affected	2	380	6.2	6.2	11.1
Yes Mildly Affected	3	519	8.4	8.5	19.6
Yes Did Not Affect	4	292	4.7	4.8	24.3
No Did Not Happen	5	4649	75.5	75.7	100.0
	-1	14	.2	Missing	
Total		6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE318A Income Reduced Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1493	24.3	24.3	24.3
No	2	4663	75.7	75.7	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E20. You argued with your partner

[If multiple ticks code for the lowest value]

PE319 Argued With Partner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	320	5.2	5.2	5.2
Yes Mod Affected	2	487	7.9	7.9	13.1
Yes Mildly Affected	3	1323	21.5	21.5	34.7
Yes Did Not Affect	4	1825	29.6	29.7	64.4
No Did Not Happen	5	2187	35.5	35.6	100.0
	-1	14	.2	Missing	
Total		6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE319A Argued With Partner Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3955	64.2	64.2	64.2
No	2	2201	35.8	35.8	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E21. You argued with your family and friends

[If multiple ticks code for the lowest value]

PE320 Argued With Family or Friends					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	75	1.2	1.2	1.2
Yes Mod Affected	2	122	2.0	2.0	3.2
Yes Mildly Affected	3	349	5.7	5.7	8.9
Yes Did Not Affect	4	554	9.0	9.0	17.9
No Did Not Happen	5	5042	81.9	82.1	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

PE320A Argued With Family or Friends Y/N					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1100	17.9	17.9	17.9
No	2	5056	82.1	82.1	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

E22. You moved house

[If multiple ticks code for the lowest value]

PE321 Moved House					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	148	2.4	2.4	2.4
Yes Mod Affected	2	210	3.4	3.4	5.8
Yes Mildly Affected	3	251	4.1	4.1	9.9
Yes Did Not Affect	4	318	5.2	5.2	15.1
No Did Not Happen	5	5215	84.7	84.9	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

PE321A Moved House Y/N					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	927	15.1	15.1	15.1
No	2	5229	84.9	84.9	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

E23. Your partner was physically cruel to you

[If multiple ticks code for the lowest value]

PE322 Partner Physically Cruel

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	11	.2	.2	.2
Yes Mod Affected	2	19	.3	.3	.5
Yes Mildly Affected	3	35	.6	.6	1.1
Yes Did Not Affect	4	43	.7	.7	1.8
No Did Not Happen	5	6034	98.0	98.2	100.0
	-1	14	.2	Missing	
Total		6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE322A Partner Physically Cruel Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	108	1.8	1.8	1.8
No	2	6048	98.2	98.2	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E24. You became homeless

[If multiple ticks code for the lowest value]

PE323 Became Homeless

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	8	.1	.1	.1
Yes Mod Affected	2	9	.1	.1	.3
Yes Mildly Affected	3	9	.1	.1	.4
Yes Did Not Affect	4	4	.1	.1	.5
No Did Not Happen	5	6112	99.3	99.5	100.0
	-1	14	.2	Missing	
Total		6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE323A Became Homeless Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	30	.5	.5	.5
No	2	6126	99.5	99.5	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E25. You had a major financial problem

[If multiple ticks code for the lowest value]

PE324 Major Financial Problem						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes & Affected Lots	1	225	3.7	3.7	3.7	
Yes Mod Affected	2	251	4.1	4.1	7.7	
Yes Mildly Affected	3	362	5.9	5.9	13.6	
Yes Did Not Affect	4	171	2.8	2.8	16.4	
No Did Not Happen	5	5133	83.4	83.6	100.0	
	-1	14	.2	Missing		
		-----	-----	-----		
Valid cases	6142	Total	6156	100.0	100.0	
		Missing cases	14			

PE324A Major Financial Problem Y/N						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	1009	16.4	16.4	16.4	
No	2	5147	83.6	83.6	100.0	
		-----	-----	-----		
	Total	6156	100.0	100.0		
Valid cases	6156	Missing cases	0			

E26. You got married

[If multiple ticks code for the lowest value]

PE325 Got Married						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes & Affected Lots	1	39	.6	.6	.6	
Yes Mod Affected	2	21	.3	.3	1.0	
Yes Mildly Affected	3	19	.3	.3	1.3	
Yes Did Not Affect	4	44	.7	.7	2.0	
No Did Not Happen	5	6019	97.8	98.0	100.0	
	-1	14	.2	Missing		
		-----	-----	-----		
	Total	6156	100.0	100.0		
Valid cases	6142	Missing cases	14			

PE325A Got Married Y/N						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	123	2.0	2.0	2.0	
No	2	6033	98.0	98.0	100.0	
		-----	-----	-----		
	Total	6156	100.0	100.0		
Valid cases	6156	Missing cases	0			

E27. Your partner was physicallycruel to your children

[If multiple ticks code for the lowest value]

PE326 Partner Physically Cruel to Child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	6	.1	.1	.1
Yes Mod Affected	2	2	.0	.0	.1
Yes Mildly Affected	3	7	.1	.1	.2
Yes Did Not Affect	4	5	.1	.1	.3
No Did Not Happen	5	6122	99.4	99.7	100.0
	-1	14	.2	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE326A Partner Physically Cruel to Child Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	20	.3	.3	.3
No	2	6136	99.7	99.7	100.0
		-----	-----	-----	
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E28. You were physically cruel to your children

[If multiple ticks code for the lowest value]

PE327 Self Physically Cruel to Child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	14	.2	.2	.2
Yes Mod Affected	2	9	.1	.1	.4
Yes Mildly Affected	3	11	.2	.2	.6
Yes Did Not Affect	4	5	.1	.1	.6
No Did Not Happen	5	6103	99.1	99.4	100.0
	-1	14	.2	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE327A Self Physically Cruel to Child Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	39	.6	.6	.6
No	2	6117	99.4	99.4	100.0
		-----	-----	-----	
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E29. You attempted suicide

[If multiple ticks code for the lowest value]

PE328 Attempted Suicide

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	2	.0	.0	.0
Yes Mod Affected	2	2	.0	.0	.1
Yes Mildly Affected	3	1	.0	.0	.1
Yes Did Not Affect	4	1	.0	.0	.1
No Did Not Happen	5	6136	99.7	99.9	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE328A Attempted Suicide Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6	.1	.1	.1
No	2	6150	99.9	99.9	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E30. You were convicted of an offence

[If multiple ticks code for the lowest value]

PE329 Convicted of Offence

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	15	.2	.2	.2
Yes Mod Affected	2	9	.1	.1	.4
Yes Mildly Affected	3	25	.4	.4	.8
Yes Did Not Affect	4	27	.4	.4	1.2
No Did Not Happen	5	6066	98.5	98.8	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE329A Convicted of Offence Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	76	1.2	1.2	1.2
No	2	6080	98.8	98.8	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E31. Your partner became pregnant

[If multiple ticks code for the lowest value]

PE330 Partner Became Pregnant

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	451	7.3	7.3	7.3
Yes Mod Affected	2	354	5.8	5.8	13.1
Yes Mildly Affected	3	277	4.5	4.5	17.6
Yes Did Not Affect	4	274	4.5	4.5	22.1
No Did Not Happen	5	4786	77.7	77.9	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

PE330A Partner Became Pregnant Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1356	22.0	22.0	22.0
No	2	4800	78.0	78.0	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

E32. You started a new job

[If multiple ticks code for the lowest value]

PE331 Started New Job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	245	4.0	4.0	4.0
Yes Mod Affected	2	258	4.2	4.2	8.2
Yes Mildly Affected	3	214	3.5	3.5	11.7
Yes Did Not Affect	4	270	4.4	4.4	16.1
No Did Not Happen	5	5155	83.7	83.9	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

PE331A Started New Job Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	987	16.0	16.0	16.0
No	2	5169	84.0	84.0	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

E33. You returned to work

[If multiple ticks code for the lowest value]

PE332 Returned to Work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	79	1.3	1.3	1.3
Yes Mod Affected	2	57	.9	.9	2.2
Yes Mildly Affected	3	66	1.1	1.1	3.3
Yes Did Not Affect	4	89	1.4	1.4	4.7
No Did Not Happen	5	5851	95.0	95.3	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE332A Returned to Work Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	291	4.7	4.7	4.7
No	2	5865	95.3	95.3	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E34. Your partner had a miscarriage

[If multiple ticks code for the lowest value]

PE333 Partner Had Miscarriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	105	1.7	1.7	1.7
Yes Mod Affected	2	55	.9	.9	2.6
Yes Mildly Affected	3	33	.5	.5	3.1
Yes Did Not Affect	4	8	.1	.1	3.3
No Did Not Happen	5	5941	96.5	96.7	100.0
	-1	14	.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE333A Partner Had Miscarriage Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	201	3.3	3.3	3.3
No	2	5955	96.7	96.7	100.0
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E35. Your partner had an abortion

[If multiple ticks code for the lowest value]

PE334 Partner Had Abortion

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	16	.3	.3	.3
Yes Mod Affected	2	8	.1	.1	.4
Yes Mildly Affected	3	10	.2	.2	.6
Yes Did Not Affect	4	3	.0	.0	.6
No Did Not Happen	5	6105	99.2	99.4	100.0
	-1	14	.2	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

PE334A Partner Had Abortion Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	37	.6	.6	.6
No	2	6119	99.4	99.4	100.0
		-----	-----	-----	
Total		6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

E36. You took an examination

[If multiple ticks code for the lowest value]

PE335 Took Examination

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	87	1.4	1.4	1.4
Yes Mod Affected	2	106	1.7	1.7	3.1
Yes Mildly Affected	3	166	2.7	2.7	5.8
Yes Did Not Affect	4	280	4.5	4.6	10.4
No Did Not Happen	5	5503	89.4	89.6	100.0
	-1	14	.2	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

PE335A Took Examination Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	639	10.4	10.4	10.4
No	2	5517	89.6	89.6	100.0
		-----	-----	-----	
Total		6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

E37. Your partner was emotionally cruel to you

[If multiple ticks code for the lowest value]

PE336 Partner Emotionally Cruel						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes & Affected Lots	1	113	1.8	1.8	1.8	
Yes Mod Affected	2	136	2.2	2.2	4.1	
Yes Mildly Affected	3	201	3.3	3.3	7.3	
Yes Did Not Affect	4	89	1.4	1.4	8.8	
No Did Not Happen	5	5603	91.0	91.2	100.0	
	-1	14	.2	Missing		
		Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14			

PE336A Partner Emotionally Cruel Y/N						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	539	8.8	8.8	8.8	
No	2	5617	91.2	91.2	100.0	
		Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0			

E38. Your partner was emotionally cruel to your children

[If multiple ticks code for the lowest value]

PE337 Partner Emotionally Cruel To Child						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes & Affected Lots	1	14	.2	.2	.2	
Yes Mod Affected	2	21	.3	.3	.6	
Yes Mildly Affected	3	35	.6	.6	1.1	
Yes Did Not Affect	4	9	.1	.1	1.3	
No Did Not Happen	5	6063	98.5	98.7	100.0	
	-1	14	.2	Missing		
		Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14			

PE337A Partner Emotionally Cruel To Child Y/N						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	79	1.3	1.3	1.3	
No	2	6077	98.7	98.7	100.0	
		Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0			

E39. You were emotionally cruel to your children

[If multiple ticks code for the lowest value]

PE338 Self Emotionally Cruel To Child						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes & Affected Lots	1	13	.2	.2	.2	
Yes Mod Affected	2	13	.2	.2	.4	
Yes Mildly Affected	3	42	.7	.7	1.1	
Yes Did Not Affect	4	11	.2	.2	1.3	
No Did Not Happen	5	6063	98.5	98.7	100.0	
	-1	14	.2	Missing		
		Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14			

PE338A Self Emotionally Cruel To Child Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	79	1.3	1.3	1.3
No	2	6077	98.7	98.7	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E40. Your house or car was burgled

[If multiple ticks code for the lowest value]

PE339 House or Car Burgled

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	98	1.6	1.6	1.6
Yes Mod Affected	2	186	3.0	3.0	4.6
Yes Mildly Affected	3	402	6.5	6.5	11.2
Yes Did Not Affect	4	307	5.0	5.0	16.2
No Did Not Happen	5	5149	83.6	83.8	100.0
	-1	14	.2	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE339A House or Car Burgled Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	993	16.1	16.1	16.1
No	2	5163	83.9	83.9	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E41. Your partner started a new job

[If multiple ticks code for the lowest value]

PE340 Partner Started New Job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	54	.9	.9	.9
Yes Mod Affected	2	129	2.1	2.1	3.0
Yes Mildly Affected	3	208	3.4	3.4	6.4
Yes Did Not Affect	4	268	4.4	4.4	10.7
No Did Not Happen	5	5483	89.1	89.3	100.0
	-1	14	.2	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE340A Partner Started New Job Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	659	10.7	10.7	10.7
No	2	5497	89.3	89.3	100.0
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E42. A pet died

[If multiple ticks code for the lowest value]

PE341 Pet Died

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	51	.8	.8	.8
Yes Mod Affected	2	71	1.2	1.2	2.0
Yes Mildly Affected	3	131	2.1	2.1	4.1
Yes Did Not Affect	4	186	3.0	3.0	7.1
No Did Not Happen	5	5703	92.6	92.9	100.0
	-1	14	.2	Missing	
Total		6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE341A Pet Died Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	439	7.1	7.1	7.1
No	2	5717	92.9	92.9	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E43. You had an accident (please describe)

[If multiple ticks code for the lowest value]

[If something written on please describe line make sure appropriate boxes have been ticked. If no tick code '0']

PE342 Had Accident

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes & Affected Lots	1	51	.8	.8	.8
Yes Mod Affected	2	67	1.1	1.1	1.9
Yes Mildly Affected	3	107	1.7	1.7	3.7
Yes Did Not Affect	4	78	1.3	1.3	4.9
No Did Not Happen	5	5839	94.9	95.1	100.0
	-1	14	.2	Missing	
Total		6156	100.0	100.0	

Valid cases 6142 Missing cases 14

PE342A Had Accident Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	303	4.9	4.9	4.9
No	2	5853	95.1	95.1	100.0
Total		6156	100.0	100.0	

Valid cases 6156 Missing cases 0

E44. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope in the last year?

Yes No

[If something written on please describe line make sure appropriate boxes have been ticked. If no tick code '0'. Check to see if comment cannot be recoded elsewhere in the question]

PE343 Other Happened

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	677	11.0	12.8	12.8
No	2	4632	75.2	87.2	100.0
	-1	847	13.8	Missing	
	Total	6156	100.0	100.0	

Valid cases 5309 Missing cases 847

If yes,

E44. b) please describe:

[Not being coded here. Keyed as text]

E44. c) How did this affect you?

a lot
moderately
mildly
not at all

[If multiple ticks code for the lowest value]

PE344 Effect of Other Happening

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
A Lot	1	423	6.9	60.2	60.2
Moderately	2	186	3.0	26.5	86.6
Mildly	3	67	1.1	9.5	96.2
Not at All	4	27	.4	3.8	100.0
	-1	5453	88.6	Missing	
	Total	6156	100.0	100.0	

Valid cases 703 Missing cases 5453

Derived variables

Weighted Life Event scores

PE345 Weighted Life Event Scores

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	269	4.4	4.4	4.4
	1.00	324	5.3	5.3	9.7
	2.00	349	5.7	5.7	15.3
	3.00	383	6.2	6.2	21.6
	4.00	394	6.4	6.4	28.0
	5.00	381	6.2	6.2	34.2
	6.00	433	7.0	7.0	41.2
	7.00	354	5.8	5.8	47.0
	8.00	342	5.6	5.6	52.6
	9.00	323	5.2	5.3	57.8
	10.00	294	4.8	4.8	62.6
	11.00	253	4.1	4.1	66.7
	12.00	254	4.1	4.1	70.9
	13.00	225	3.7	3.7	74.5
	14.00	202	3.3	3.3	77.8
	15.00	152	2.5	2.5	80.3
	16.00	147	2.4	2.4	82.7
	17.00	120	1.9	2.0	84.6
	18.00	122	2.0	2.0	86.6
	19.00	99	1.6	1.6	88.2
	20.00	96	1.6	1.6	89.8
	21.00	75	1.2	1.2	91.0
	22.00	65	1.1	1.1	92.1
	23.00	52	.8	.8	92.9
	24.00	63	1.0	1.0	94.0
	25.00	58	.9	.9	94.9
	26.00	38	.6	.6	95.5
	27.00	41	.7	.7	96.2
	28.00	24	.4	.4	96.6
	29.00	25	.4	.4	97.0
	30.00	31	.5	.5	97.5
	31.00	29	.5	.5	98.0
	32.00	17	.3	.3	98.2
	33.00	15	.2	.2	98.5
	34.00	13	.2	.2	98.7
	35.00	3	.0	.0	98.7
	36.00	11	.2	.2	98.9
	37.00	12	.2	.2	99.1
	38.00	5	.1	.1	99.2
	39.00	5	.1	.1	99.3
	40.00	7	.1	.1	99.4
	41.00	3	.0	.0	99.4
	42.00	2	.0	.0	99.5
	43.00	3	.0	.0	99.5
	44.00	3	.0	.0	99.6
	45.00	3	.0	.0	99.6
	46.00	2	.0	.0	99.7
	47.00	4	.1	.1	99.7
	48.00	1	.0	.0	99.7
	49.00	4	.1	.1	99.8
	50.00	4	.1	.1	99.9
	53.00	1	.0	.0	99.9
	54.00	1	.0	.0	99.9
	55.00	1	.0	.0	99.9
	56.00	1	.0	.0	99.9
	60.00	2	.0	.0	100.0
	63.00	1	.0	.0	100.0
	69.00	1	.0	.0	100.0
	-1.00	14	.2	Missing	
Total		6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

Life event scores

PE346 Life Event Scores

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	254	4.1	4.1	4.1
	1.00	623	10.1	10.1	14.3
	2.00	694	11.3	11.3	25.6
	3.00	869	14.1	14.1	39.7
	4.00	880	14.3	14.3	54.1
	5.00	761	12.4	12.4	66.4
	6.00	611	9.9	9.9	76.4
	7.00	493	8.0	8.0	84.4
	8.00	341	5.5	5.6	90.0
	9.00	223	3.6	3.6	93.6
	10.00	169	2.7	2.8	96.4
	11.00	84	1.4	1.4	97.7
	12.00	65	1.1	1.1	98.8
	13.00	33	.5	.5	99.3
	14.00	18	.3	.3	99.6
	15.00	10	.2	.2	99.8
	16.00	5	.1	.1	99.9
	17.00	5	.1	.1	99.9
	18.00	1	.0	.0	100.0
	19.00	2	.0	.0	100.0
	21.00	1	.0	.0	100.0
	-1.00	14	.2	Missing	
	Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14		

SECTION F: YOUR PARTNER

The section below is concerned with your relationship with your partner.
(The partner will be referred to as 'she', although the questions refer to all partners.)

F1. How would you assess your partner's physical health

always fit and well
mostly well and healthy
often feels unwell
hardly ever feels well

[If multiple ticks code for the highest number given]

PE350 Assessment of Partners Physical Health					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always Fit & Well	1	1815	29.5	29.7	29.7
Mostly well	2	3694	60.0	60.3	90.0
Often Feels Unwell	3	572	9.3	9.3	99.3
Hardly Ever Well	4	40	.6	.7	100.0
	-1	35	.6	Missing	
Total		6156	100.0	100.0	
Valid cases	6121	Missing cases	35		

F2. How would you rate her on these characteristics?

Almost Sometimes Hardly Never
always ever

F2. a) helpful, co-operative

PE351 Partner Helpful, Cooperative					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Always	1	4913	79.8	80.4	80.4
Sometimes	2	1143	18.6	18.7	99.1
Hardly Ever	3	50	.8	.8	99.9
Never	4	5	.1	.1	100.0
	-1	45	.7	Missing	
Total		6156	100.0	100.0	
Valid cases	6111	Missing cases	45		

F2. b) quiet, reserved

PE352 Partner Quiet, Reserved					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Always	1	754	12.2	12.4	12.4
Sometimes	2	2848	46.3	46.7	59.1
Hardly Ever	3	1842	29.9	30.2	89.3
Never	4	655	10.6	10.7	100.0
	-1	57	.9	Missing	
Total		6156	100.0	100.0	
Valid cases	6099	Missing cases	57		

F2. c) unreliable

PE353 Partner Unreliable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Always	1	173	2.8	2.8	2.8
Sometimes	2	495	8.0	8.1	11.0
Hardly Ever	3	1638	26.6	26.9	37.8
Never	4	3793	61.6	62.2	100.0
	-1	57	.9	Missing	
	Total	6156	100.0	100.0	
Valid cases	6099	Missing cases	57		

F2. d) sociable, outgoing

PE354 Partner Sociable, Outgoing

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Always	1	3324	54.0	54.4	54.4
Sometimes	2	2318	37.7	38.0	92.4
Hardly Ever	3	372	6.0	6.1	98.5
Never	4	94	1.5	1.5	100.0
	-1	48	.8	Missing	
	Total	6156	100.0	100.0	
Valid cases	6108	Missing cases	48		

F2. e) dominating, assertive

PE355 Partner Dominating, Assertive

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Always	1	556	9.0	9.1	9.1
Sometimes	2	2869	46.6	47.2	56.3
Hardly Ever	3	1821	29.6	29.9	86.2
Never	4	837	13.6	13.8	100.0
	-1	73	1.2	Missing	
	Total	6156	100.0	100.0	
Valid cases	6083	Missing cases	73		

F2. f) understanding

PE356 Partner Understanding

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Always	1	3946	64.1	64.6	64.6
Sometimes	2	1937	31.5	31.7	96.4
Hardly Ever	3	197	3.2	3.2	99.6
Never	4	24	.4	.4	100.0
	-1	52	.8	Missing	
	Total	6156	100.0	100.0	
Valid cases	6104	Missing cases	52		

F2. g) quick-tempered, easily upset

PE357 Partner Quick Tempered, Easily Upset

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Always	1	855	13.9	14.0	14.0
Sometimes	2	2854	46.4	46.7	60.7
Hardly Ever	3	1891	30.7	31.0	91.7
Never	4	508	8.3	8.3	100.0
	-1	48	.8	Missing	
	Total	6156	100.0	100.0	
Valid cases	6108	Missing cases	48		

F2. h) cheerful, easygoing

PE358 Partner Cheerful, Easy Going

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Almost Always	1	3510	57.0	57.5	57.5
Sometimes	2	2280	37.0	37.3	94.8
Hardly Ever	3	279	4.5	4.6	99.4
Never	4	37	.6	.6	100.0
	-1	50	.8	Missing	
	Total	6156	100.0	100.0	
Valid cases	6106	Missing cases	50		

F3. Who does these various household tasks?

Me always	Me mostly	Sometimes me, some- times my partner	Partner mostly	Partner always	Always both of us	Someone else
--------------	--------------	---	-------------------	-------------------	-------------------------	-----------------

[For items (a) - (e), coding instructions were that if 3 + 4 ticked, code 4. If 5 + something else code 5. If 6+ something else code 6. Provision was made for coding of 7 with other items, but these seem not to have happened]

F3. a) shopping for groceries

PE360 Who Does Grocery Shopping

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Self Always	1	153	2.5	2.5	2.5
Self Mostly	2	381	6.2	6.2	8.7
Sometimes Self Or Pt	3	1190	19.3	19.5	28.2
Partner Mostly	4	2374	38.6	38.8	67.1
Partner Always	5	897	14.6	14.7	81.7
Always Both	6	1104	17.9	18.1	99.8
Someone Else	7	12	.2	.2	100.0
	-1	45	.7	Missing	
	Total	6156	100.0	100.0	
Valid cases	6111	Missing cases	45		

F3. b) cooking

[If more than one ticked and answer cannot be resolved by reference to written comment refer to supervisor]

PE361 Who Does Cooking

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Self Always	1	86	1.4	1.4	1.4
Self Mostly	2	325	5.3	5.3	6.7
Sometimes Self Or Pt	3	1522	24.7	24.9	31.6
Partner Mostly	4	2770	45.0	45.4	77.0
Partner Always	5	1214	19.7	19.9	96.9
Always Both	6	184	3.0	3.0	99.9
Someone Else	7	7	.1	.1	100.0
	-1	48	.8	Missing	
Total		6156	100.0	100.0	

Valid cases 6108 Missing cases 48

F3. c) cleaning house

[If more than one ticked and answer cannot be resolved by reference to written comment refer to supervisor]

PE362 Who Does House Cleaning

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Self Always	1	62	1.0	1.0	1.0
Self Mostly	2	159	2.6	2.6	3.6
Sometimes Self Or Pt	3	1275	20.7	20.9	24.6
Partner Mostly	4	2911	47.3	47.8	72.4
Partner Always	5	1218	19.8	20.0	92.4
Always Both	6	230	3.7	3.8	96.2
Someone Else	7	233	3.8	3.8	100.0
	-1	68	1.1	Missing	
Total		6156	100.0	100.0	

Valid cases 6088 Missing cases 68

F3. d) repairs in home

[If more than one ticked and answer cannot be resolved by reference to written comment refer to supervisor]

PE363 Who Does Home Repairs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Self Always	1	2304	37.4	37.7	37.7
Self Mostly	2	2754	44.7	45.1	82.8
Sometimes Self Or Pt	3	626	10.2	10.2	93.1
Partner Mostly	4	129	2.1	2.1	95.2
Partner Always	5	52	.8	.9	96.0
Always Both	6	83	1.3	1.4	97.4
Someone Else	7	160	2.6	2.6	100.0
	-1	48	.8	Missing	
Total		6156	100.0	100.0	

Valid cases 6108 Missing cases 48

F3. e) looking after children

PE364 Who Looks After Children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Self Always	1	22	.4	.4	.4
Self Mostly	2	73	1.2	1.2	1.6
Sometimes Self Or Pt	3	2202	35.8	36.4	38.0
Partner Mostly	4	3092	50.2	51.1	89.1
Partner Always	5	149	2.4	2.5	91.5
Always Both	6	493	8.0	8.1	99.7
Someone Else	7	20	.3	.3	100.0
	-1	105	1.7	Missing	
	Total	6156	100.0	100.0	

Valid cases 6051 Missing cases 105

F4. Who decides:

Me always Me mostly Sometimes me, some-
times my partner Partner mostly Partner always Always both of us Someone else

[For items (a) - (e), coding instructions were that if 3 + 4 ticked, code 4. If 5 + something else code 5. If 6+ something else code 6. Provision was made for coding of 7 with other items, but these seem not to have happened]

F4. a) how to spend free time

PE365 Who Decides How To Spend Free Time

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Self Always	1	31	.5	.5	.5
Self Mostly	2	371	6.0	6.1	6.6
Sometimes Self Or Pt	3	3494	56.8	57.2	63.8
Partner Mostly	4	454	7.4	7.4	71.2
Partner Always	5	40	.6	.7	71.9
Always Both	6	1713	27.8	28.0	99.9
Someone Else	7	6	.1	.1	100.0
	-1	47	.8	Missing	
	Total	6156	100.0	100.0	

Valid cases 6109 Missing cases 47

F4. b) how much to see family or friends

PE366 Who Decides How Much to See Family

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Self Always	1	26	.4	.4	.4
Self Mostly	2	172	2.8	2.8	3.2
Sometimes Self Or Pt	3	3088	50.2	50.6	53.8
Partner Mostly	4	940	15.3	15.4	69.2
Partner Always	5	44	.7	.7	70.0
Always Both	6	1825	29.6	29.9	99.9
Someone Else	7	9	.1	.1	100.0
	-1	52	.8	Missing	
	Total	6156	100.0	100.0	

Valid cases 6104 Missing cases 52

F4. c) when to do repairs or redecorate

PE367 Who Decides When to Repair or Decorate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Self Always	1	277	4.5	4.5	4.5
Self Mostly	2	981	15.9	16.0	20.6
Sometimes Self Or Pt	3	2083	33.8	34.1	54.7
Partner Mostly	4	1163	18.9	19.0	73.7
Partner Always	5	126	2.0	2.1	75.7
Always Both	6	1457	23.7	23.8	99.6
Someone Else	7	26	.4	.4	100.0
	-1	43	.7	Missing	
	Total	6156	100.0	100.0	

Valid cases 6113 Missing cases 43

F4. d) how we should spend our money

PE368 Who Decides How to Spend Money

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Self Always	1	76	1.2	1.2	1.2
Self Mostly	2	577	9.4	9.4	10.7
Sometimes Self Or Pt	3	2679	43.5	43.8	54.5
Partner Mostly	4	727	11.8	11.9	66.3
Partner Always	5	89	1.4	1.5	67.8
Always Both	6	1967	32.0	32.2	100.0
Someone Else	7	3	.0	.0	100.0
	-1	38	.6	Missing	
	Total	6156	100.0	100.0	

Valid cases 6118 Missing cases 38

F5. People vary greatly in the amount they are satisfied or dissatisfied with their relationship. How do you feel about the following aspects of your life together?

Very satisfied Moderately satisfied Somewhat dissatisfied Very dissatisfied

F5. a) handling family finances

[If multiple ticks code for the highest number given]

PE370 Feelings: Handling Family Finances

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Satisfied	1	2905	47.2	47.6	47.6
Moderately Satisfied	2	2635	42.8	43.1	90.7
Somewhat Dissatisfied	3	500	8.1	8.2	98.9
Very Dissatisfied	4	68	1.1	1.1	100.0
	-1	48	.8	Missing	
	Total	6156	100.0	100.0	

Valid cases 6108 Missing cases 48

F5. b) demonstrations of affection

[If multiple ticks code for the highest number given]

PE371 Feelings: Demonstrations of Affection

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Satisfied	1	2432	39.5	40.0	40.0
Moderately Satisfied	2	2739	44.5	45.0	85.0
Somewhat Dissatisfied	3	752	12.2	12.4	97.3
Very Dissatisfied	4	162	2.6	2.7	100.0
	-1	71	1.2	Missing	
Total		6156	100.0	100.0	

Valid cases 6085 Missing cases 71

F5. c) sex

[If multiple ticks code for the highest number given]

PE372 Feelings: Sex

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Satisfied	1	1852	30.1	30.4	30.4
Moderately Satisfied	2	2432	39.5	39.9	70.3
Somewhat Dissatisfied	3	1307	21.2	21.5	91.8
Very Dissatisfied	4	499	8.1	8.2	100.0
	-1	66	1.1	Missing	
Total		6156	100.0	100.0	

Valid cases 6090 Missing cases 66

F5. d) amount of time spent together

[If multiple ticks code for the highest number given]

PE373 Feelings: Time Spent Together

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Satisfied	1	1922	31.2	31.5	31.5
Moderately Satisfied	2	2999	48.7	49.1	80.6
Somewhat Dissatisfied	3	1031	16.7	16.9	97.5
Very Dissatisfied	4	151	2.5	2.5	100.0
	-1	53	.9	Missing	
Total		6156	100.0	100.0	

Valid cases 6103 Missing cases 53

F5. e) making major decisions

[If multiple ticks code for the highest number given]

PE374 Feelings: Making Major Decisions

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Satisfied	1	3424	55.6	56.2	56.2
Moderately Satisfied	2	2398	39.0	39.4	95.6
Somewhat Dissatisfied	3	230	3.7	3.8	99.3
Very Dissatisfied	4	41	.7	.7	100.0
	-1	63	1.0	Missing	
Total		6156	100.0	100.0	

Valid cases 6093 Missing cases 63

F5. f) household tasks

[If multiple ticks code for the highest number given]

PE375 Feelings: Household Tasks

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Satisfied	1	2804	45.5	46.0	46.0
Moderately Satisfied	2	2974	48.3	48.8	94.7
Somewhat Dissatisfied	3	284	4.6	4.7	99.4
Very Dissatisfied	4	38	.6	.6	100.0
	-1	56	.9	Missing	
Total		6156	100.0	100.0	
Valid cases	6100	Missing cases	56		

F5. g) leisure time interests & activities

[If multiple ticks code for the highest number given]

PE376 Feelings: Leisure Time & Activities

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Satisfied	1	2020	32.8	33.1	33.1
Moderately Satisfied	2	3013	48.9	49.4	82.5
Somewhat Dissatisfied	3	915	14.9	15.0	97.5
Very Dissatisfied	4	152	2.5	2.5	100.0
	-1	56	.9	Missing	
Total		6156	100.0	100.0	
Valid cases	6100	Missing cases	56		

F6. a) How often recently have you been irritable with your partner?

Not at all	Less than once a week	1-2 times a week	3-6 times a week	Every day
------------	-----------------------	------------------	------------------	-----------

[If multiple ticks code for the highest number given]

PE380 Freq Been Irritable With Ptnr

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not at All	1	719	11.7	11.8	11.8
< Once a Week	2	3049	49.5	49.9	61.7
1-2 Times a Week	3	1842	29.9	30.1	91.8
3-6 Times a Week	4	408	6.6	6.7	98.5
Every Day	5	93	1.5	1.5	100.0
	-1	45	.7	Missing	
Total		6156	100.0	100.0	
Valid cases	6111	Missing cases	45		

F6. b) How often has she been irritable with you?

Not at all Less than once a week 1-2 times a week 3-6 times a week Every day

[If multiple ticks code for the highest number given]

PE381 Freq Ptnr Been Irritable

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Not at All	1	520	8.4	8.5	8.5
< Once a Week	2	2578	41.9	42.3	50.9
1-2 Times a Week	3	2057	33.4	33.8	84.7
3-6 Times a Week	4	752	12.2	12.4	97.0
Every Day	5	181	2.9	3.0	100.0
	-1	68	1.1	Missing	
	Total	6156	100.0	100.0	

Valid cases 6088 Missing cases 68

F7. a) How many arguments or disagreements have you and your partner had in the past three months?

none 1-3 4-7 8-13 14 or more

[If multiple ticks code for the highest number given]

PE382 No. Of Arguments With Ptnr Last 3 Mnths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	781	12.7	12.8	12.8
1-3	2	2946	47.9	48.4	61.3
4-7	3	1408	22.9	23.2	84.4
8-13	4	502	8.2	8.3	92.7
14+	5	444	7.2	7.3	100.0
	-1	75	1.2	Missing	
	Total	6156	100.0	100.0	

Valid cases 6081 Missing cases 75

F7. b) In the past 3 months, have any of these happened in anger?

Yes, I did this Yes, she did this Yes, we both did this No, not at all

F7. b) i) not speaking to partner for more than half an hour

PE383 Not Spoken to Ptnr For Half Hr > 3 Mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Did This	1	664	10.8	10.9	10.9
Yes Ptnr Did This	2	445	7.2	7.3	18.2
Yes Both Did This	3	1381	22.4	22.6	40.8
Not at All	4	3617	58.8	59.2	100.0
	-1	49	.8	Missing	
	Total	6156	100.0	100.0	

Valid cases 6107 Missing cases 49

F7. b) ii) one of you walking out of the house

PE384 One Walked Out of House > 3 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Did This	1	414	6.7	6.8	6.8
Yes Ptnr Did This	2	290	4.7	4.8	11.5
Yes Both Did This	3	117	1.9	1.9	13.5
Not at All	4	5276	85.7	86.5	100.0
	-1	59	1.0	Missing	
	Total	6156	100.0	100.0	

Valid cases 6097 Missing cases 59

F7. b) iii) shouting at partner and/or calling partner names

PE385 Shouting, Calling Names > 3 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Did This	1	451	7.3	7.4	7.4
Yes Ptnr Did This	2	283	4.6	4.6	12.0
Yes Both Did This	3	2205	35.8	36.1	48.2
Not at All	4	3163	51.4	51.8	100.0
	-1	54	.9	Missing	
	Total	6156	100.0	100.0	

Valid cases 6102 Missing cases 54

F7. b) iv) hitting or slapping partner

PE386 Hitting, Slapping Ptnr > 3 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Did This	1	63	1.0	1.0	1.0
Yes Ptnr Did This	2	142	2.3	2.3	3.4
Yes Both Did This	3	107	1.7	1.8	5.1
Not at All	4	5796	94.2	94.9	100.0
	-1	48	.8	Missing	
	Total	6156	100.0	100.0	

Valid cases 6108 Missing cases 48

F7. b) v) throwing or breaking things

PE387 Throwing, Breaking Things > 3 Months

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Did This	1	179	2.9	2.9	2.9
Yes Ptnr Did This	2	185	3.0	3.0	6.0
Yes Both Did This	3	68	1.1	1.1	7.1
Not at All	4	5675	92.2	92.9	100.0
	-1	49	.8	Missing	
	Total	6156	100.0	100.0	

Valid cases 6107 Missing cases 49

F8. In the past three months how often have you done these **things with your partner?**

Never	Less than once a month	Less than once a week	At least once a week
-------	------------------------------	-----------------------------	----------------------------

F8. a) gone out for a meal

[If multiple ticks code for the lowest value]

PE388 Gone Out For Meal With Ptnr > 3 Months					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	1589	25.8	26.0	26.0
< Once a Month	2	3035	49.3	49.6	75.6
< Once a Week	3	1284	20.9	21.0	96.6
At Least Once a Week	4	206	3.3	3.4	100.0
	-1	42	.7	Missing	
	Total	6156	100.0	100.0	
Valid cases	6114	Missing cases	42		

F8. b) gone out for a drink

[If multiple ticks code for the lowest value]

PE389 Gone Out For Drink With Ptnr > 3 Mnths					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	1657	26.9	27.1	27.1
< Once a Month	2	2557	41.5	41.9	69.0
< Once a Week	3	1410	22.9	23.1	92.1
At Least Once a Week	4	483	7.8	7.9	100.0
	-1	49	.8	Missing	
	Total	6156	100.0	100.0	
Valid cases	6107	Missing cases	49		

F8. c) visited friends

[If multiple ticks code for the lowest value]

PE390 Visited Friends With Ptnr > 3 Mnths					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	632	10.3	10.3	10.3
< Once a Month	2	1725	28.0	28.2	38.6
< Once a Week	3	2316	37.6	37.9	76.4
At Least Once a Week	4	1441	23.4	23.6	100.0
	-1	42	.7	Missing	
	Total	6156	100.0	100.0	
Valid cases	6114	Missing cases	42		

F8. d) visited family

[If multiple ticks code for the lowest value]

PE391 Visited Family With Ptnr > 3 Mnths					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	268	4.4	4.4	4.4
< Once a Month	2	1203	19.5	19.7	24.0
< Once a Week	3	1778	28.9	29.1	53.1
At Least Once a Week	4	2869	46.6	46.9	100.0
	-1	38	.6	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6118	Missing cases	38		

F8. e) gone to the cinema or theatre

[If multiple ticks code for the lowest value]

PE392 Gone to Cinema/Theatre With Ptnr >3 Mths					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	4357	70.8	71.2	71.2
< Once a Month	2	1544	25.1	25.2	96.4
< Once a Week	3	195	3.2	3.2	99.6
At Least Once a Week	4	25	.4	.4	100.0
	-1	35	.6	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6121	Missing cases	35		

F9. a) How many evenings a month do you go out and do things **on your own** or with your own friends?

none	once	2-3 times	4-7 times	8 or more times
------	------	--------------	--------------	--------------------

[If multiple ticks code for the lowest value]

PE395 Evenings Per Month Go Out On Own					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	1556	25.3	25.5	25.5
Once	2	1225	19.9	20.0	45.5
2-3 Times	3	1524	24.8	24.9	70.4
4-7 Times	4	1297	21.1	21.2	91.6
8+ Times	5	511	8.3	8.4	100.0
	-1	43	.7	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6113	Missing cases	43		

F9. b) How many times a month does your partner go out and do things **on her own** or with friends?

none once 2-3 4-7 8 or more
times times times

[If multiple ticks code for the lowest value]

PE396 Times Per Month Ptnr Goes Out on Own

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	1602	26.0	26.2	26.2
Once	2	1426	23.2	23.4	49.6
2-3 Times	3	1587	25.8	26.0	75.6
4-7 Times	4	1122	18.2	18.4	94.0
8+ Times	5	366	5.9	6.0	100.0
	-1	53	.9	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6103	Missing cases	53		

F10. How often in a week, on average, would you and your partner:

Never Less than 1 - 3 Most
once a times days
week a week

F10. a) discuss work or how the day has gone

[If multiple ticks code for the lowest value]

PE397 Freq P/Wk Discuss Work With Ptnr

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	156	2.5	2.5	2.5
< Once a Week	2	449	7.3	7.3	9.9
1-3 Times a Week	3	1289	20.9	21.1	31.0
Most Days	4	4225	68.6	69.0	100.0
	-1	37	.6	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6119	Missing cases	37		

F10. b) laugh together

[If multiple ticks code for the lowest value]

PE398 Freq P/Wk Laugh Together With Ptnr

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	39	.6	.6	.6
< Once a Week	2	252	4.1	4.1	4.8
1-3 Times a Week	3	1427	23.2	23.3	28.1
Most Days	4	4396	71.4	71.9	100.0
	-1	42	.7	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6114	Missing cases	42		

F10. c) calmly talk over some-thing (eg. the news, a hobby or interest)

[If multiple ticks code for the lowest value]

PE399 Freq P/Wk Calmly Talk With Ptnr						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Never		1	83	1.3	1.4	1.4
< Once a Week		2	412	6.7	6.7	8.1
1-3 Times a Week		3	1700	27.6	27.8	35.9
Most Days		4	3912	63.5	64.1	100.0
		-1	49	.8	Missing	
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases		6107	Missing cases		49	

F10. d) kiss or hug

[If multiple ticks code for the lowest value]

PE400 Freq P/Wk Kiss or Hug Ptnr						
Value Label		Value	Frequency	Percent	Valid Percent	Cum Percent
Never		1	115	1.9	1.9	1.9
< Once a Week		2	372	6.0	6.1	8.0
1-3 Times a Week		3	1083	17.6	17.7	25.7
Most Days		4	4541	73.8	74.3	100.0
		-1	45	.7	Missing	
			-----	-----	-----	
		Total	6156	100.0	100.0	
Valid cases		6111	Missing cases		45	

F10. e) make plans

[If multiple ticks code for the lowest value]

PE401 Freq P/Wk Make Plans With Ptnr						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Never	1	91	1.5	1.5	1.5	
< Once a Week	2	997	16.2	16.3	17.8	
1-3 Times a Week	3	2476	40.2	40.6	58.4	
Most Days	4	2542	41.3	41.6	100.0	
	-1	50	.8	Missing		
		-----	-----	-----		
	Total	6156	100.0	100.0		
Valid cases	6106	Missing cases	50			

F10. f) talk over feelings or worries

[If multiple ticks code for the lowest value]

PE402 Freq P/Wk Talk Over Worries With Ptnr					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never	1	176	2.9	2.9	2.9
< Once a Week	2	1432	23.3	23.4	26.3
1-3 Times a Week	3	2157	35.0	35.3	61.6
Most Days	4	2343	38.1	38.4	100.0
	-1	48	.8	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6108	Missing cases	48		

F11. a) Which of the following statements about alcohol best applies to your partner:

Never drinks alcohol
 Very occasionally (less than once a week)
 Occasionally (at least once a week)
 Drinks 1-2 glasses* every day
 Drinks 3-9 glasses* every day
 Drinks at least 10 glasses* a day
 Don't know

[*by glass we mean a pub measure (1oz) of spirits or ½ pint (¼ litre) of beer or cider, a wine glass of wine, etc]

[If multiple ticks code for the highest number given]

PE410 Partners Alcohol Consumption					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Never Drinks Alcohol	1	701	11.4	11.5	11.5
Very Occasionally	2	2487	40.4	40.8	52.3
Occasionally	3	2304	37.4	37.8	90.1
1-2 Glasses a Day	4	546	8.9	9.0	99.0
3-9 Glasses a Day	5	56	.9	.9	100.0
10+ Glasses a Day	6	3	.0	.0	100.0
	-1	59	1.0	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6097	Missing cases	59		

F11. b) How many days in the past month do you think she had the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

every day	more than 10 days
10 days	3-4 days
1-2 days	none
	don't know

[If multiple ticks code for the lowest value]

PE411 Binges Past Month Partner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day	1	26	.4	.4	.4
> 10 days	2	216	3.5	3.6	4.1
5-10 Days	3	514	8.3	8.7	12.8
3-4 Days	4	791	12.8	13.4	26.1
1-2 Days	5	1365	22.2	23.0	49.2
None	6	3011	48.9	50.8	100.0
	-1	233	3.8	Missing	
	Total	6156	100.0	100.0	
Valid cases	5923	Missing cases	233		

SECTION G: YOUR OCCUPATION AND LIFESTYLE

G1. Compared with other parents of your age, would you consider yourself to be:

- much more active
- somewhat more active
- about the same
- somewhat less active
- much less active

[If multiple ticks code for the highest number given]

PE420 How Active Compared to Others

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Much More Active	1	633	10.3	10.4	10.4
Somewhat More Active	2	1559	25.3	25.5	35.9
About The Same	3	3177	51.6	52.0	87.9
Somewhat Less Active	4	680	11.0	11.1	99.0
Much Less Active	5	62	1.0	1.0	100.0
	-1	45	.7	Missing	
	Total	6156	100.0	100.0	
Valid cases	6111	Missing cases	45		

G2. a) At least once a week do you engage in any regular activity like brisk walking, jogging, cycling, etc. long enough to work up a sweat?

- Yes
- No

PE421 Engage in Regular Activity Eg. Jogging

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3171	51.5	52.2	52.2
No	2	2907	47.2	47.8	100.0
	-1	78	1.3	Missing	
	Total	6156	100.0	100.0	
Valid cases	6078	Missing cases	78		

If yes,

G2. b) how many days a week

[Code as a number 'not known', 'varies' Code '9's, 'occasional' code 97; 'None' or 'Nil' code zeroes; No response or 'Not Applicable' leave boxes blank]

PE422 Days P/wk Engage in Regular Activity

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	727	11.8	23.5	23.5
	2	793	12.9	25.7	49.2
	3	556	9.0	18.0	67.2
	4	251	4.1	8.1	75.3
	5	382	6.2	12.4	87.7
	6	143	2.3	4.6	92.3
	7	237	3.8	7.7	100.0
	-2	2907	47.2	Missing	
	-1	160	2.6	Missing	
	Total	6156	100.0	100.0	
Valid cases	3089	Missing cases	3067		

- G3. As far as you can, please describe your actual job, occupation, trade or profession. (Use precise terms such as radio mechanic, woodworking machinist, toolroom foreman. If the occupation is known by a special name, please use that name. If in H.M. Forces, give the rank in addition to the actual job. Please also describe the type of industry or service given: i.e. give details of what is made, materials used, or services given.)

Your present job or last main job.

- G3. a) Actual job, occupation, trade or profession

[Not being coded here keyed as text]

- G3. b) Please tick which of the following apply to you:

foreman
manager
supervisor
leading hand
self-employed
none of these

[If multiple ticks code for the lowest value except when 5 is ticked - in this case code 5]
[If 2 jobs mentioned code for main job where possible]

PE430 Type of Position Held					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Foreman	1	122	2.0	2.0	2.0
Manager	2	1536	25.0	25.8	27.8
Supervisor	3	529	8.6	8.9	36.7
Leading Hand	4	412	6.7	6.9	43.6
Self Employed	5	1053	17.1	17.7	61.3
None	6	2304	37.4	38.7	100.0
	-1	200	3.2	Missing	
	Total	6156	100.0	100.0	
Valid cases	5956	Missing cases	200		

- G3. c) Type of industry or service given (main things done in job):

[Not being coded here. Keyed as text]

G3. d) How would you describe the physical effort you need for your current job?

very little effort, mostly sitting
 some physical effort
 quite a lot of physical effort
 considerable physical effort
 don't have a job

[If multiple ticks code for the highest number given]

[Try to code for main job]

PE431 Physical Effort Needed For Current Job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Little Effort	1	2071	33.6	36.4	36.4
Some Physical Effort	2	1569	25.5	27.6	63.9
Lot of Phys Effort	3	1206	19.6	21.2	85.1
Considerble Phys Eff	4	849	13.8	14.9	100.0
No Job	-2	323	5.2	Missing	
	-1	138	2.2	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 5695 Missing cases 461

G4. Do you find your job satisfying?

Yes No Sometimes

[1+3= code as a '1']

PE432 Find Job Satisfying

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3357	54.5	58.9	58.9
No	2	432	7.0	7.6	66.5
Sometimes	3	1910	31.0	33.5	100.0
No Job	-2	323	5.2	Missing	
	-1	134	2.2	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 5699 Missing cases 457

G5. Do you wish that you could generally spend more time with your child?

yes often
 yes sometimes
 yes but rarely
 no not at all

PE433 Wish Could Spend More Time With Child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Often	1	2723	44.2	47.6	47.6
Yes Sometimes	2	2358	38.3	41.2	88.8
Yes But Rarely	3	403	6.5	7.0	95.9
No Not at All	4	237	3.8	4.1	100.0
No Job	-2	323	5.2	Missing	
	-1	112	1.8	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	

Valid cases 5721 Missing cases 435

G6. a) How do you usually travel to work? (Tick all that apply)

Yes No Work at home

G6. a) i) public transport (bus, train)

PE434 Use Public Transport to go to Work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	442	7.2	7.8	7.8
No	2	5227	84.9	92.2	100.0
Work At Home	-3	164	2.7	Missing	
No Job	-2	323	5.2	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	

Valid cases 5669 Missing cases 487

G6. a) ii) car

PE435 Use Car to go to Work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4416	71.7	77.9	77.9
No	2	1253	20.4	22.1	100.0
Work At Home	-3	164	2.7	Missing	
No Job	-2	323	5.2	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	

Valid cases 5669 Missing cases 487

G6. a) iii) cycle

PE436 Use Cycle to go to Work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	641	10.4	11.3	11.3
No	2	5028	81.7	88.7	100.0
Work At Home	-3	164	2.7	Missing	
No Job	-2	323	5.2	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	

Valid cases 5669 Missing cases 487

G6. a) iv) walk

PE437 Walk to Work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	550	8.9	9.7	9.7
No	2	5119	83.2	90.3	100.0
Work At Home	-3	164	2.7	Missing	
No Job	-2	323	5.2	Missing	
		-----	-----	-----	
Total		6156	100.0	100.0	

Valid cases 5669 Missing cases 487

G6. a) v) other

[If more than one ticked and answer cannot be resolved by reference to written comment refer to supervisor; code 0 recoded to -1]

PE438 Other Transport to go to Work						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes	1	475	7.7	8.4	8.4	
No	2	5194	84.4	91.6	100.0	
Work At Home	-3	164	2.7	Missing		
No Job	-2	323	5.2	Missing		
		-----	-----			
	Total	6156	100.0	100.0		
Valid cases	5669	Missing cases	487			

G6. b) How long does it usually take:

Less than 15 mins	15-30 mins	30-59 mins	An hour or more
----------------------	---------------	---------------	--------------------

G6. b) i) to travel to work

[If multiple ticks code for the highest number given; if 'varies' code 9; recoded to -1 here]

PE439 Time Taken to Reach Work						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
< 15 Mins	1	1535	24.9	28.3	28.3	
15-30 Mins	2	2336	37.9	43.0	71.3	
30-59 Mins	3	1067	17.3	19.7	91.0	
Hour or More	4	491	8.0	9.0	100.0	
Work At Home	-3	164	2.7	Missing		
No Job	-2	323	5.2	Missing		
	-1	240	3.9	Missing		
		-----	-----			
	Total	6156	100.0	100.0		
Valid cases	5429	Missing cases	727			

G6. b) ii) to travel home from work

[If multiple ticks code for the highest number given; if 'varies' code 9; recoded to -1 here]

PE440 Time Taken to Travel Home From Work						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
< 15 Mins	1	1454	23.6	26.8	26.8	
15-30 Mins	2	2328	37.8	42.8	69.6	
30-59 Mins	3	1129	18.3	20.8	90.4	
Hour or More	4	522	8.5	9.6	100.0	
Work At Home	-3	164	2.7	Missing		
No Job	-2	323	5.2	Missing		
	-1	236	3.8	Missing		
		-----	-----			
	Total	6156	100.0	100.0		
Valid cases	5433	Missing cases	723			

G7. Below are statements about how working affects being a parent.
Please indicate which is true for you:

Yes, almost always Yes, very often Not very often Never

G7. a) I enjoy seeing my toddler after work

[If multiple ticks code for the highest number given]

PE442 Enjoy Seeing Toddler After Work					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Almost Always	1	4828	78.4	85.2	85.2
Yes Often	2	794	12.9	14.0	99.3
Not Very Often	3	36	.6	.6	99.9
Never	4	6	.1	.1	100.0
No Job	-2	323	5.2	Missing	
	-1	169	2.7	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	5664	Missing cases	492		

G7. b) After a day at work I find it hard to cope with a toddler

[If multiple ticks code for the lowest value]

PE443 Find Hard to Cope With Tod After Work					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Almost Always	1	59	1.0	1.1	1.1
Yes Often	2	456	7.4	8.2	9.2
Not Very Often	3	3301	53.6	59.2	68.5
Never	4	1756	28.5	31.5	100.0
No Job	-2	323	5.2	Missing	
	-1	261	4.2	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	5572	Missing cases	584		

G8. a) Do you worry about your baby when you are at work?

Yes often Yes sometimes No not at all

[If multiple ticks code for the lowest value]

PE444 Worry About CH While at Work					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Often	1	309	5.0	5.4	5.4
Yes Sometimes	2	2572	41.8	45.1	50.5
No Never	3	2821	45.8	49.5	100.0
No Job	-2	323	5.2	Missing	
	-1	131	2.1	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	5702	Missing cases	454		

G8. b) Does he/she cry when you leave him/her?

Yes Yes No
often sometimes never

[If multiple ticks code for the lowest value]

PE445 CH Cries When left

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Often	1	329	5.3	5.8	5.8
Yes Sometimes	2	2983	48.5	52.2	57.9
No Never	3	2406	39.1	42.1	100.0
No Job	-2	323	5.2	Missing	
	-1	115	1.9	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	5718	Missing cases	438		

G9. How many cigarettes per day do you currently smoke?

30+ 25-29 20-24 15-19
10-14 5-9 1-4 none
pipe only cigars only

PE450 Number of Cigarettes Smoked Per Day

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	0	4455	72.4	73.4	73.4
1-4	1	195	3.2	3.2	76.6
5-9	5	189	3.1	3.1	79.7
Pipe Only	8	15	.2	.2	80.0
Cigars Only	9	143	2.3	2.4	82.3
10-14	10	304	4.9	5.0	87.3
15-19	15	319	5.2	5.3	92.6
20-24	20	311	5.1	5.1	97.7
25-29	25	82	1.3	1.4	99.1
30+	30	57	.9	.9	100.0
	-1	86	1.4	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6070	Missing cases	86		

PE451 Cigs/Day

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	.00	4613	74.9	76.0	76.0
<10	1.00	384	6.2	6.3	82.3
10-19	2.00	623	10.1	10.3	92.6
20+	3.00	450	7.3	7.4	100.0
	-1.00	86	1.4	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6070	Missing cases	86		

G10. c) Do you or your partner make your own wine or beer?

yes, wine yes, beer yes, both no

PE454 Make Own Wine or Beer

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes Wine	1	200	3.2	3.3	3.3
Yes Beer	2	176	2.9	2.9	6.2
Wine & Beer	3	106	1.7	1.7	7.9
No	4	5624	91.4	92.1	100.0
	-1	50	.8	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6106	Missing cases	50		

G11. How difficult at the moment do you find it to afford these items:

Very difficult Fairly difficult Slightly difficult Not difficult Paid directly by Social Security

G11. a) food

[If multiple ticks code for the lowest value]

PE460 Difficulty Affording Food

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Difficult	1	85	1.4	1.4	1.4
Fairly Difficult	2	345	5.6	5.6	7.0
Slightly Difficult	3	936	15.2	15.3	22.4
Not Difficult	4	4742	77.0	77.6	100.0
	-1	48	.8	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6108	Missing cases	48		

G11. b) clothing

[If multiple ticks code for the lowest value]

PE461 Difficulty Affording Clothing

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Difficult	1	526	8.5	8.6	8.6
Fairly Difficult	2	929	15.1	15.2	23.8
Slightly Difficult	3	1960	31.8	32.1	55.9
Not Difficult	4	2695	43.8	44.1	100.0
	-1	46	.7	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6110	Missing cases	46		

G11. c) heating

[If multiple ticks code for the lowest value]

PE462 Difficulty Affording Heating						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Very Difficult	1	163	2.6	2.7	2.7	
Fairly Difficult	2	471	7.7	7.7	10.4	
Slightly Difficult	3	1234	20.0	20.2	30.6	
Not Difficult	4	4210	68.4	69.0	99.7	
Paid By Social Sec	5	20	.3	.3	100.0	
	-1	58	.9	Missing		
		-----	-----	-----		
	Total	6156	100.0	100.0		
Valid cases	6098	Missing cases	58			

G11. d) rent or mortgage

[If multiple ticks code for the lowest value]

PE463 Difficulty Affording Rent/Mortgage					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Very Difficult	1	204	3.3	3.4	3.4
Fairly Difficult	2	421	6.8	6.9	10.3
Slightly Difficult	3	1158	18.8	19.1	29.4
Not Difficult	4	4027	65.4	66.3	95.7
Paid By Social Sec	5	260	4.2	4.3	100.0
	-1	86	1.4	Missing	
		-----	-----	-----	
	Total	6156	100.0	100.0	
Valid cases	6070	Missing cases	86		

G11. e) things you need for the toddler

[If multiple ticks code for the lowest value]

PE464 Difficulty Affording Toddler Things						
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Very Difficult	1	170	2.8	2.8	2.8	
Fairly Difficult	2	471	7.7	7.7	10.5	
Slightly Difficult	3	1524	24.8	25.0	35.5	
Not Difficult	4	3936	63.9	64.5	100.0	
	-1	55	.9	Missing		
		-----	-----	-----		
	Total	6156	100.0	100.0		
Valid cases	6101	Missing cases	55			

Derived variable

PE465 Financial Difficulties Score

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	.00	2384	38.7	38.9	38.9
	1.00	882	14.3	14.4	53.3
	2.00	607	9.9	9.9	63.2
	3.00	449	7.3	7.3	70.6
	4.00	354	5.8	5.8	76.3
	5.00	411	6.7	6.7	83.0
	6.00	220	3.6	3.6	86.6
	7.00	199	3.2	3.2	89.9
	8.00	129	2.1	2.1	92.0
	9.00	96	1.6	1.6	93.6
	10.00	139	2.3	2.3	95.8
	11.00	71	1.2	1.2	97.0
	12.00	36	.6	.6	97.6
	13.00	26	.4	.4	98.0
	14.00	24	.4	.4	98.4
	15.00	47	.8	.8	99.2
	16.00	1	.0	.0	99.2
	17.00	2	.0	.0	99.2
	18.00	1	.0	.0	99.2
	19.00	1	.0	.0	99.2
	20.00	2	.0	.0	99.3
	21.00	2	.0	.0	99.3
	23.00	1	.0	.0	99.3
	25.00	42	.7	.7	100.0
	-1.00	30	.5	Missing	
	Total	6156	100.0	100.0	

Valid cases 6126 Missing cases 30

G12. How many hours sleep do you get altogether now?

None	1 - 3 hours	4 - 5 hours	6 - 7 hours	More than 7 hours
------	----------------	----------------	----------------	----------------------

G12. a) during an average night

[If multiple ticks code for the lowest value]

PE470 How Much Sleep Average Night

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	40	.6	.7	.7
1-3 Hours	2	30	.5	.5	1.2
4-5 Hours	3	557	9.0	9.2	10.3
6-7 Hours	4	3803	61.8	62.6	73.0
More Than 7 Hours	5	1641	26.7	27.0	100.0
	-1	85	1.4	Missing	
	Total	6156	100.0	100.0	

Valid cases 6071 Missing cases 85

G12. b) during an average day

[If multiple ticks code for the lowest value]

PE471 How Much Sleep Average Day

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	1	5218	84.8	91.6	91.6
1-3 Hours	2	206	3.3	3.6	95.2
4-5 Hours	3	58	.9	1.0	96.2
6-7 Hours	4	150	2.4	2.6	98.8
More Than 7 Hours	5	66	1.1	1.2	100.0
	-1	458	7.4	Missing	
	Total	6156	100.0	100.0	
Valid cases	5698	Missing cases	458		

G12. c) do you feel you are getting enough sleep?

Yes No

PE473 Feel Getting Enough Sleep

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3798	61.7	62.5	62.5
No	2	2274	36.9	37.5	100.0
	-1	84	1.4	Missing	
	Total	6156	100.0	100.0	
Valid cases	6072	Missing cases	84		

SECTION H

H1. This questionnaire was completed by:

Yes No

toddler's mother
toddler's father
someone else (please describe)

PE980 Mother Filled Out Questionnaire					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	185	3.0	3.2	3.2
No	2	5630	91.5	96.8	100.0
	-1	341	5.5	Missing	
	Total	6156	100.0	100.0	
Valid cases	5815	Missing cases	341		

PE981 Partner Filled Out Questionnaire					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	5649	91.8	91.8	91.8
No	2	506	8.2	8.2	100.0
	-1	1	.0	Missing	
	Total	6156	100.0	100.0	
Valid cases	6155	Missing cases	1		


PE982 Other Person Filled Out Qnaire					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	29	.5	.5	.5
No	2	6127	99.5	99.5	100.0
	Total	6156	100.0	100.0	
Valid cases	6156	Missing cases	0		

H2. Please give the date on which you completed this questionnaire:

day month year 1 9 9

[Code date as ddmmyy; if this was blank, the month and year the form was returned was transcribed from the stamped receipt date on the front cover; the no. days was put to 99]

Derived variable: from the date and that of the date of birth of the child, the age of child at completion was calculated.



PE991	Month Completed				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
		1	454	7.4	7.4	7.4
		2	427	6.9	7.0	14.3
		3	794	12.9	12.9	27.3
		4	650	10.6	10.6	37.9
		5	601	9.8	9.8	47.6
		6	582	9.5	9.5	57.1
		7	611	9.9	9.9	67.1
		8	539	8.8	8.8	75.8
		9	536	8.7	8.7	84.6
		10	405	6.6	6.6	91.2
		11	342	5.6	5.6	96.7
		12	201	3.3	3.3	100.0
		-1	14	.2	Missing	
		Total	6156	100.0	100.0	
Valid cases	6142	Missing cases	14			

PE992		Year Completed				
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		92	14	.2	.2	.2
		93	3260	53.0	53.2	53.4
		94	2835	46.1	46.2	99.6
		95	21	.3	.3	100.0
		96	1	.0	.0	100.0
		-1	25	.4	Missing	
Total			6156	100.0	100.0	
Valid cases		6131	Missing cases		25	

H3. Please give your date of birth:

day month year 1 9

Partner's date of birth is withheld and age in years is given and summarised below

