

# THE ALSPAC STUDY

## H FILE

### DATA COLLECTED FROM THE QUESTIONNAIRE

***Your Health, Events and Feelings***

**At 33 Months**

**Prepared by**

**The ALSPAC Study Team**

**Documentation giving frequencies, background and instructions for use.**

**Last updated for version 6d of the built file. (Partial update only.)**

**July 2018**

**© University of Bristol**

## **CONTENTS**

	<b>Introduction &amp; Contents of Questionnaire</b>	<b>Page 3</b>
<b>Section A</b>	<b>Your Health</b>	<b>Page 7</b>
<b>Section B</b>	<b>More About Yourself</b>	<b>Page 70</b>
<b>Section C</b>	<b>Your Opinion of Yourself</b>	<b>Page 89</b>
<b>Section D</b>	<b>Your Feelings</b>	<b>Page 96</b>
<b>Section E</b>	<b>Recent Events</b>	<b>Page 123</b>
<b>Section F</b>	<b>Your Home</b>	<b>Page 149</b>
<b>Section G</b>	<b>Your Household</b>	<b>Page 188</b>
<b>Section H</b>	<b>Your Partner</b>	<b>Page 219</b>
<b>Section I</b>	<b>Safety Equipment</b>	<b>Page 273</b>
<b>Section J</b>	<b>Your Occupation and Lifestyle</b>	<b>Page 279</b>
<b>Section K</b>	<b>Your Neighbourhood</b>	<b>Page 309</b>
<b>Section L</b>	<b>More About Your Study Pregnancy</b>	<b>Page 313</b>
<b>Section M</b>	<b>Chemicals in Your Environment</b>	<b>Page 319</b>
<b>Section N</b>	<b>Health Services</b>	<b>Page 332</b>
<b>Section O</b>	<b>Completion of the Questionnaire</b>	<b>Page 357</b>
<b>Appendix A</b>	<b>General Coding Instructions</b>	<b>Page 363</b>
<b>Appendix B</b>	<b>Specific Coding Instructions</b>	<b>Page 364</b>
<b>Appendix C</b>	<b>Questionnaire Methodology</b>	<b>Page 365</b>

### **Version Update Summary**

Version 5a to version 6a:

Version 5a of the built file developed a number of problems not present in the original data, which prompted the creation of a new version. This update took advantage of a new source file being available which included the results of some error checking and also 6 extra cases. These points mean that the frequencies on the built file will not (in general) exactly match those in the documentation. The exceptions to this are sections C, D & O which have been reedited from scratch and have therefore had their documentation rewritten accordingly. Note that there have been some changes to variable names in all three sections.

#### Version 6a to version 6b:

Due to extension of direct access to ALSPAC data to non-ALSPAC staff and in order to comply with guidance issued in 1996 by the ALSPAC Law & Ethics Committee regarding the confidentiality of multiple pregnancies, 3 records for triplet and quadruplet pregnancies were removed. The sample size has therefore dropped from 9641 to 9638. Note that the frequency tables in this documentation have not been updated, except for variable H001.

#### Version 6b to version 6c:

Due to character constraints with variable labels in previous versions of SPSS, the interpretation of some variables can be somewhat ambiguous (e.g., '> 18m' is supposed to mean 'in the past 18 months') and derived variables were not easily distinguishable from non-derived variables. As newer versions of SPSS allow a greater number of characters in variable labels, these variable labels have been updated to ensure clarity (although note that the frequency tables in this documentation have not been updated).

#### Version 6c to version 6d

Legacy Data updates, adding variables Questionnaire Completion Year & Age of Mother at Completion, adding derived variable methods for h340 to h343 and updating document layout to be more in line with other ALSPAC data documentation

## **The ALSPAC Study**

This survey is an ongoing longitudinal study of a population of children born to mothers resident in a geographic area.

### **Study Eligibility Criteria**

To be eligible for the study, mothers had to be resident in Avon while pregnant. In addition, their expected date of delivery had to lie between 1st April 1991 and 31st December 1992 inclusive. Mothers who were resident in the area but left shortly after enrolment were omitted from further follow-up. However, those who had completed the questionnaire scheduled for the third trimester of pregnancy before leaving the study area, have been kept in the study, even if they had not delivered at the time of moving.

The study area is well defined, consisting of that part of the county of Avon that was also within the South West Regional Health Authority. It therefore excludes Bath and district.

### **Enrolment**

Work prior to the start of enrolment in September 1990 had involved meetings with midwives and discussion with groups representing general practitioners as well as detailed discussion with obstetricians in the area.

Posters were printed for display in a variety of different places - including chemist shops, libraries, mother and toddler groups, and pre-school playgroups, general practitioner waiting-rooms, antenatal clinics and any other area where a mother in early pregnancy was likely to be. In addition, there was considerable local and national coverage in the press, radio and television.

The poster displayed the logo of the study 'Children of the Nineties' and asked interested pregnant mothers to get in touch with the study team. In addition, the local community midwives when interviewing the mother for the first time discussed the study with her, and gave her a card with which to send for further details.

The card that the mother completed and sent to the study office contained her full name and date of birth, her address, her last menstrual period, and expected date of delivery.

Once the card had been received at the study office, a brochure was sent to the mother. This outlined the reason for carrying out the study and explained that the mothers themselves would not benefit tangibly, but that the major benefits were likely to be for the next generation. It informed the mother that there was no compulsion for her to take part, and that even if she started within the study she was free to opt out at any point. Thirdly it emphasised the confidential nature of the information that would be collected, and promised that at no time would the names of the mother and/or child be linked to the confidential information collected. Fourthly, it explained that biological samples would be taken, but that these would not be analysed without the signed permission of the mother, and finally it stated that the information given would also be linked to information from the medical records unless the mother let us know that she did not want us to do this. The mother was told in this brochure that we would assume that she wanted to take part in the study unless she informed us otherwise.

A telephone number (the Children of the Nineties hotline) was given for parents to ring. This hotline is manned by volunteers who have been instructed in the confidential nature of the study. They are advised not to do any counselling or persuading, but rather to take messages which are then acted upon by appropriate members of the study team. In instances where parents ring to request help, they are given, if possible, the appropriate telephone number of an organisation set up to perform this type of service.

## Questionnaire administration

The questionnaire 'Your Health, Events and Feelings' was sent to the mother 33 months after the child was born. It was accompanied by a questionnaire for the partner entitled 'Partner's Health Events and Feelings'.

## Contents of Questionnaire

This questionnaire was 68 pages long and it was sent to the mother 33 months after delivery. It had 14 sections.

### Section A. Your Health

This section was virtually the same as found in the questionnaire 'Caring for a Toddler' administered at 21 months. There was, however, an extra question concerned with how much the mother enjoyed sexual intercourse (A7b.). In addition, there were a number of questions concerned with the mothers' most recent menstrual periods, and a detailed history of whether she had ever had a D & C and the reasons for this. [This was to add further information to the data collected during pregnancy].

### Section B. More About Yourself

Questions B1, B2 and B3 are handedness, footedness and eyedness questions adapted from (Coren). This series of questions were aimed at identifying three groups - those who were always right-handed, those who were always left-handed and those who were a mixture. Question B4 enquired about the handedness of the mother's parents and the study child's father.

The rest of this section was aimed at filling in further details of the mother's childhood including information on the type of housing, whether the household had pets, whether as a family they did things together, whether she was neglected emotionally, physically or physically abused as a child, and who had carried out the abuse. An additional question related to the relationship between the mother and father and other questions asked about school and whether the mother valued school.

### Section C. Your Opinion of Yourself

The first ten questions make up the Bachman Self-Esteem Scale (Bachman & O'Malley), which has been reported as having a good test-retest reliability ( $r=0.88$ ), and content and construct validity (Medora, Goldstein, & Vonderhellen).

### Section D. Your Feelings

This section was identical to that in all other maternal postnatal questionnaires. It comprised the Crown-Crisp Experiential Index measuring depression, anxiety and somatic symptoms (Crown & Crisp) and also included the Edinburgh Postnatal Depression Scale (Cox, Holden, & Sagovsky). For further description see D section of the questionnaire 'Having a Baby' as described in the B files.

## Section E. Recent Events

This enquired about the life events that had occurred to the mother since the study child was 18 months old. The events reported were identical to those used in the 21-month questionnaire. For information on deviation of the scales see Section F of the questionnaire 'Having a Baby' as described in the B Files.

## Section F. Your Home

These questions were similar to those used in 'Your Environment' and the 8-month questionnaire. They included information on heating and cooking, type of housing and presence of damp or mould. Information on whether there were rooms in the house that were painted, wallpapered or had a new carpet or furniture was also sought. In addition, the mother was asked to rate her home in relation to other homes with young children in its cleanliness and tidiness. A new question (F23) inquired how much of a problem the mother found a number of different problems such as noise, rubbish in the neighbourhood, dog excrement on the pavements and worries about vandalism.

## Section G. Your Household

This section enquired about the composition of the household at the current time, and was similar to section G in the 21-month questionnaire. It included questions on the natural father if he no longer lived in the household, and similar questions were asked about the natural mother if she no longer lived in the household. Details of pets in the household were obtained, together with a set of questions on attitudes of the mother towards pets.

The section ended with a question on the actual amount of money coming into the house and how much was spent on rent/mortgage, food, childcare, and whether any savings were made.

## Section H. Your Partner

This repeated section H from the 21-month questionnaire but it also included a series of 24 questions which form part of the Intimate Bond Measure (Wilhelm & Parker).

## Section I. Safety Equipment

This section was similar to section K in the 21-month questionnaire, 'Caring for a Toddler'.

## Section J. Your Occupation & Lifestyle

This was virtually identical to section I of the 21-month questionnaire, 'Caring for a Toddler'.

## Section K. Your Neighbourhood

This section was identical to section J in the 21-month questionnaire, 'Caring for a Toddler'.

## Section L. More About Your Study Pregnancy

This was a new section which asked details about the dental amalgam fillings the mother had in her mouth at the time she became pregnant, whether or not she went to the dentist at all during her pregnancy, and if so what treatment she had. In addition, it asked about details of bleeding episodes during the pregnancy. A further question was concerned with consanguinity in the study pregnancy and, finally, details of all the ultrasound scans the mother had during pregnancy were elicited.

The questions in this section were those that on initial analysis were indicated as important for the interpretation of the results.

### Section M. Chemicals in Your Environment

This was the same as section L of the 21-month questionnaire and included a question on passive exposure to tobacco smoke.

### Section N. Health Services

This information was particularly aimed at health services provided to treat earache and ear infection. The questions have been designed by Professor Mark Haggard of the MRC Hearing Research Institute. The final questions in this section concerned contact with health and other professionals of various sorts including school teachers, social workers, and health workers.

## References

- Bachman, J. G., & O'Malley, P. M. (1977). Self-Esteem in Young Men - Longitudinal Analysis of Impact of Educational and Occupational Attainment. *Journal of Personality and Social Psychology*, 35(6), 365-380.
- Coren, S. (1992). *The Left-Hander Syndrome: The Causes and Consequences of Left Handedness*. London: John Murray.
- Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of Postnatal Depression - Development of the 10-Item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, 150, 782-786.
- Crown, S., & Crisp, A. H. (1979). *Manual of the Crown-Crisp Experiential Index*. London: Hodder & Stoughton.
- Medora, N. P., Goldstein, A., & Vonderhellen, C. (1993). Variables Related to Romanticism and Self-Esteem in Pregnant Teenagers. *Adolescence*, 28(109), 159-170.
- Wilhelm, K., & Parker, G. (1988). The Development of a Measure of Intimate Bonds. *Psychological Medicine*, 18(1), 225-234.

## SECTION A: YOUR HEALTH

A1. Which of the following would you say describes your health now?

- fit and well*
- mostly well and healthy*
- often feel unwell*
- hardly ever feel well*

[If more than one box was ticked, the one with the highest number was taken]

H010 Evaluation of mums health				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
fit and well		1	4726	49.1	50.3
mostly well		2	4156	43.1	44.2
often unwell		3	468	4.9	5.0
never well		4	44	.5	.5
		-1	241	2.5	Missing
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9394	Missing cases	241		

A2. Have you had any of the following since your study child was 18 months old?

- |   |   |           |
|---|---|-----------|
| <i>Yes and<br/>consulted<br/>doctor</i> | <i>Yes but did<br/>not consult doctor</i> | <i>No</i> |
|---|---|-----------|

(For all questions A2a-s, many mothers only ticked appropriate yes questions, so lack of a tick was coded to no)

A2. a) *anxiety or 'nerves'*

[If more than one box was ticked, the one with the lowest number was taken]

H012 Mum had anxiety or nerves > CH18 mths				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes and saw doctor		1	578	6.0	6.0
yes didnt see doctor		2	1384	14.4	14.4
no		3	7673	79.6	79.6
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0		

H012A Mum had anxiety or nerves > CH18 mths				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1.00	1962	20.4	20.4
No		2.00	7673	79.6	79.6
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0		

## A2. b) depression

[If more than one box was ticked, the one with the lowest number was taken]

H013 Mum had depression > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes and saw doctor		1	845	8.8	8.8	8.8
yes didnt see doctor		2	1466	15.2	15.2	24.0
no		3	7324	76.0	76.0	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H013A Mum had depression > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	2311	24.0	24.0	24.0
No		2.00	7324	76.0	76.0	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A2. c) headache or migraine

[If more than one box was ticked, the one with the lowest number was taken]

H014 Mum had headache or migraine > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes and saw doctor		1	741	7.7	7.7	7.7
yes didnt see doctor		2	6087	63.2	63.2	70.9
no		3	2807	29.1	29.1	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H014A Mum had headache or migraine > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	6828	70.9	70.9	70.9
No		2.00	2807	29.1	29.1	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A2. d) *back ache*

[If more than one box was ticked, the one with the lowest number was taken]

H015 Mum had backache &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes and saw doctor	1	858	8.9	8.9	8.9
yes didnt see doctor	2	4536	47.1	47.1	56.0
no	3	4241	44.0	44.0	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H015A Mum had backache &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	5394	56.0	56.0	56.0
No	2.00	4241	44.0	44.0	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A2. e) *indigestion*

[If more than one box was ticked, the one with the lowest number was taken]

H016 Mum had indigestion &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes and saw doctor	1	332	3.4	3.4	3.4
yes didnt see doctor	2	2532	26.3	26.3	29.7
no	3	6771	70.3	70.3	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H016A Mum had indigestion &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	2864	29.7	29.7	29.7
No	2.00	6771	70.3	70.3	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A2. f) *cough or cold*

[If more than one box was ticked, the one with the lowest number was taken]

H017		Mum had cough or cold > CH18 mths			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes and saw doctor	1	647	6.7	6.7	6.7
yes didnt see doctor	2	7162	74.3	74.3	81.0
no	3	1826	19.0	19.0	100.0
		-----	-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

H017A		Mum had cough or cold > CH18 mths			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
Yes	1.00	7809	81.0	81.0	81.0
No	2.00	1826	19.0	19.0	100.0
		-----	-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

A2. g) *haemorrhoids/piles*

[If more than one box was ticked, the one with the lowest number was taken]

H018		Mum had piles > CH18 mths			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes and saw doctor	1	465	4.8	4.8	4.8
yes didnt see doctor	2	1750	18.2	18.2	23.0
no	3	7420	77.0	77.0	100.0
		-----	-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

H018A		Mum had piles > CH18 mths			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
Yes	1.00	2215	23.0	23.0	23.0
No	2.00	7420	77.0	77.0	100.0
		-----	-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

A2. *h) influenza*

[If more than one box was ticked, the one with the lowest number was taken]

H019 Mum had influenza > CH18 mths					
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes and saw doctor		1	440	4.6	4.6
yes didnt see doctor		2	1228	12.7	12.7
no		3	7967	82.7	82.7
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

H019A Mum had influenza > CH18 mths					
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
Yes		1.00	1668	17.3	17.3
No		2.00	7967	82.7	82.7
		-----	-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

A2. *i) wheezing*

[If more than one box was ticked, the one with the lowest number was taken]

H020 Mum had wheezing > CH18 mths					
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes and saw doctor		1	405	4.2	4.2
yes didnt see doctor		2	512	5.3	5.3
no		3	8718	90.5	90.5
		-----	-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

H020A Mum had wheezing > CH18 mths					
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
Yes		1.00	917	9.5	9.5
No		2.00	8718	90.5	90.5
		-----	-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

A2. j) *bronchitis*

[If more than one box was ticked, the one with the lowest number was taken]

H021 Mum had bronchitis &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes and saw doctor	1	236	2.4	2.4	2.4
yes didnt see doctor	2	88	.9	.9	3.4
no	3	9311	96.6	96.6	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H021A Mum had bronchitis &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	324	3.4	3.4	3.4
No	2.00	9311	96.6	96.6	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A2. k) *stomach ulcer*

[If more than one box was ticked, the one with the lowest number was taken]

H022 Mum had stomach ulcer &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes and saw doctor	1	52	.5	.5	.5
yes didnt see doctor	2	20	.2	.2	.7
no	3	9563	99.3	99.3	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H022A Mum had stomach ulcer &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	72	.7	.7	.7
No	2.00	9563	99.3	99.3	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A2. *eczema*

[If more than one box was ticked, the one with the lowest number was taken]

H023 Mum had eczema &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes and saw doctor		1	493	5.1	5.1	5.1
yes didnt see doctor		2	760	7.9	7.9	13.0
no		3	8382	87.0	87.0	100.0
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H023A Mum had eczema &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1253	13.0	13.0	13.0
No		2.00	8382	87.0	87.0	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A2. *m) psoriasis*

[If more than one box was ticked, the one with the lowest number was taken]

H024 Mum had psoriasis &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes and saw doctor		1	151	1.6	1.6	1.6
yes didnt see doctor		2	149	1.5	1.5	3.1
no		3	9335	96.9	96.9	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H024A Mum had psoriasis &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	300	3.1	3.1	3.1
No		2.00	9335	96.9	96.9	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A2. n) *arthritis*

[If more than one box was ticked, the one with the lowest number was taken]

H025 Mum had arthritis &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes and saw doctor	1	114	1.2	1.2	1.2
yes didnt see doctor	2	111	1.2	1.2	2.3
no	3	9410	97.7	97.7	100.0
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0  
H025A Mum had athritis > CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	225	2.3	2.3	2.3
No	2.00	9410	97.7	97.7	100.0
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A2. o) *rheumatism*

[If more than one box was ticked, the one with the lowest number was taken]

H026 Mum had rheumatism &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes and saw doctor	1	58	.6	.6	.6
yes didnt see doctor	2	147	1.5	1.5	2.1
no	3	9430	97.9	97.9	100.0
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H026A Mum had rheumatism &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	205	2.1	2.1	2.1
No	2.00	9430	97.9	97.9	100.0
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A2. p) urinary infection

[If more than one box was ticked, the one with the lowest number was taken]

H027 Mum had urinary infection &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes and saw doctor	1	733	7.6	7.6	7.6
yes didnt see doctor	2	198	2.1	2.1	9.7
no	3	8704	90.3	90.3	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H027A Mum had urinary infection &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	931	9.7	9.7	9.7
No	2.00	8704	90.3	90.3	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A2. q) problems with your periods

[If more than one box was ticked, the one with the lowest number was taken]

H028 Mum had probs with period &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes and saw doctor	1	1135	11.8	11.8	11.8
yes didnt see doctor	2	597	6.2	6.2	18.0
no	3	7903	82.0	82.0	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H028A Mum had probs with period &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1732	18.0	18.0	18.0
No	2.00	7903	82.0	82.0	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A2. r) problems with a pregnancy

[If more than one box was ticked, the one with the lowest number was taken]

H029 Mum had probs with pregnancy > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes and saw doctor		1	1073	11.1	11.1	11.1
yes didnt see doctor		2	107	1.1	1.1	12.2
no		3	8455	87.8	87.8	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

## H029A Mum had probs with pregnancy &gt; CH18 mths

H029A Mum had probs with pregnancy > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	1180	12.2	12.2	12.2
No		2.00	8455	87.8	87.8	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

## A2. s) other problems (please tick and describe)

[If more than one box was ticked, the one with the lowest number was taken]

[If something was written in the please describe line coders ensured previous sections were ticked as appropriate; if no box ticked code '0' was used]

## H030 Mum had other prob &gt; CH18 mths

H030 Mum had other prob > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	101	1.0	1.1	1.1
yes and saw doctor		1	966	10.0	10.3	11.4
yes didnt see doctor		2	101	1.0	1.1	12.4
no		3	8467	87.9	87.9	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9396	Missing cases	239			

## H030A Mum had other prob &gt; CH18 mths

H030A Mum had other prob > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	1168	12.1	12.1	12.1
No		2.00	8467	87.9	87.9	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

A3. Since your study child was 18 months old how often have you taken the following?

I have taken: Every day Often Sometimes Not at all

A3. a) sleeping pills

[If more than one box was ticked, the one with the lowest number was taken]

H035 Mum had sleeping pills > CH18 mths			Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent	
Every Day		1	11	.1	.1	.1	
often		2	18	.2	.2	.3	
smts		3	284	2.9	3.0	3.3	
not at all		4	9235	95.8	96.7	100.0	
		-1	87	.9	Missing		
		Total	9635	100.0	100.0		

Valid cases 9548 Missing cases 87

H035A Mum had sleeping pills > CH18 mths			Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent	
Yes		1.00	313	3.2	3.2	3.2	
No		2.00	9322	96.8	96.8	100.0	
		Total	9635	100.0	100.0		

Valid cases 9635 Missing cases 0

A3. b) vitamins

[If more than one box was ticked, the one with the lowest number was taken]

H036 Mum had vitamins > CH18 mths			Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent	
Every Day		1	534	5.5	5.6	5.6	
often		2	751	7.8	7.9	13.4	
smts		3	2626	27.3	27.5	40.9	
not at all		4	5647	58.6	59.1	100.0	
		-1	77	.8	Missing		
		Total	9635	100.0	100.0		

Valid cases 9558 Missing cases 77

H036A Mum had vitamins > CH18 mths			Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent	
Yes		1.00	3911	40.6	40.6	40.6	
No		2.00	5724	59.4	59.4	100.0	
		Total	9635	100.0	100.0		

Valid cases 9635 Missing cases 0

## A3. c) cannabis/marihuana

[If more than one box was ticked, the one with the lowest number was taken]

H037 Mum had cannabis &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	40	.4	.4	.4
often		2	77	.8	.8	1.2
smts		3	285	3.0	3.0	4.2
not at all		4	9148	94.9	95.8	100.0
		-1	85	.9	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9550 Missing cases 85

H037A Mum had cannabis &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	402	4.2	4.2	4.2
No		2.00	9233	95.8	95.8	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A3. d) tranquillisers

[If more than one box was ticked, the one with the lowest number was taken]

H038 Mum had tranquillisers &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Every Day		1	11	.1	.1	.1
often		2	19	.2	.2	.3
smts		3	87	.9	.9	1.2
not at all		4	9420	97.8	98.8	100.0
		-1	98	1.0	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9537 Missing cases 98

H038A Mum had tranquilisers &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	117	1.2	1.2	1.2
No		2.00	9518	98.8	98.8	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A3. e) pills for depression

[If more than one box was ticked, the one with the lowest number was taken]

H039 Mum had depression pills > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Every Day		1	149	1.5	1.6	1.6
often		2	108	1.1	1.1	2.7
smts		3	325	3.4	3.4	6.1
not at all		4	8974	93.1	93.9	100.0
		-1	79	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9556 Missing cases 79

H039A Mum had depression pills > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	582	6.0	6.0	6.0
No		2.00	9053	94.0	94.0	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A3. f) hormone tablets

[If more than one box was ticked, the one with the lowest number was taken]

H040 Mum had hormone pills > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Every Day		1	66	.7	.7	.7
often		2	46	.5	.5	1.2
smts		3	149	1.5	1.6	2.7
not at all		4	9275	96.3	97.3	100.0
		-1	99	1.0	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9536 Missing cases 99

H040A Mum had hormone pills > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	261	2.7	2.7	2.7
No		2.00	9374	97.3	97.3	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A3. g) antibiotics

[If more than one box was ticked, the one with the lowest number was taken]

H041 Mum had antibiotics > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Every Day		1	24	.2	.3	.3
often		2	114	1.2	1.2	1.4
smts		3	3726	38.7	39.1	40.5
not at all		4	5669	58.8	59.5	100.0
		-1	102	1.1	Missing	
		Total	9635	100.0	100.0	

Valid cases 9533 Missing cases 102

H041A Mum had antibiotics > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	3864	40.1	40.1	40.1
No		2.00	5771	59.9	59.9	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A3. h) painkillers (aspirin, paracetamol, etc)

[If more than one box was ticked, the one with the lowest number was taken]

H042 Mum had painkillers > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Every Day		1	58	.6	.6	.6
often		2	1048	10.9	10.9	11.5
smts		3	7647	79.4	79.8	91.3
not at all		4	835	8.7	8.7	100.0
		-1	47	.5	Missing	
		Total	9635	100.0	100.0	

Valid cases 9588 Missing cases 47

H042A Mum had painkillers > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	8753	90.8	90.8	90.8
No		2.00	882	9.2	9.2	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A3. i) *amphetamines or other stimulants*

[If more than one box was ticked, the one with the lowest number was taken]

H043 Mum had amphetamines > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Every Day		1	5	.1	.1	.1
often		2	6	.1	.1	.1
smts		3	67	.7	.7	.8
not at all		4	9422	97.8	99.2	100.0
		-1	135	1.4	Missing	
					-----	
		Total	9635	100.0	100.0	

Valid cases 9500 Missing cases 135

H043A Mum had amphetamines > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	78	.8	.8	.8
No		2.00	9557	99.2	99.2	100.0
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A3. j) *contraceptive pill*

[If more than one box was ticked, the one with the lowest number was taken]

H044 Mum had THE PILL > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Every Day		1	2627	27.3	27.5	27.5
often		2	725	7.5	7.6	35.1
smts		3	788	8.2	8.3	43.4
not at all		4	5404	56.1	56.6	100.0
		-1	91	.9	Missing	
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9544 Missing cases 91

H044A Mum had pill > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	4140	43.0	43.0	43.0
No		2.00	5495	57.0	57.0	100.0
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A3. k) iron

[If more than one box was ticked, the one with the lowest number was taken]

H045		Mum had iron > CH18 mths		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Every Day		1	291	3.0	3.1
often		2	519	5.4	5.4
smts		3	1582	16.4	16.6
not at all		4	7148	74.2	74.9
		-1	95	1.0	Missing
		-----		-----	
		Total	9635	100.0	100.0
Valid cases	9540	Missing cases	95		

H045A		Mum had iron > CH18 mths		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1.00	2392	24.8	24.8
No		2.00	7243	75.2	100.0
		-----		-----	
		Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0		

## A3. l) heroin, methadone, crack, cocaine

[If more than one box was ticked, the one with the lowest number was taken]

H046		Mum had heroin meth coc > CH18 mths		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Every Day		1	2	.0	.0
often		2	4	.0	.1
smts		3	16	.2	.2
not at all		4	9527	98.9	99.8
		-1	86	.9	Missing
		-----		-----	
		Total	9635	100.0	100.0
Valid cases	9549	Missing cases	86		

046A		Mum had heroin, meth, coc > CH18 mths		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1.00	22	.2	.2
No		2.00	9613	99.8	99.8
		-----		-----	
		Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0		

## A3. m) anticonvulsants

[If more than one box was ticked, the one with the lowest number was taken]

H047 Mum had anticonvulsants > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Every Day		1	31	.3	.3	.3
often		2	1	.0	.0	.3
smts		3	7	.1	.1	.4
not at all		4	9509	98.7	99.6	100.0
		-1	87	.9	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9548	Missing cases	87			

## H047A Mum had anti-convulsants &gt; CH18 mths

H047A Mum had anti-convulsants > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	39	.4	.4	.4
No		2.00	9596	99.6	99.6	100.0
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

## A3. n) steroids

[If more than one box was ticked, the one with the lowest number was taken]

H048 Mum had steroids > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Every Day		1	58	.6	.6	.6
often		2	45	.5	.5	1.1
smts		3	179	1.9	1.9	3.0
not at all		4	9234	95.8	97.0	100.0
		-1	119	1.2	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9516	Missing cases	119			

## H048A Mum had steroids &gt; CH18 mths

H048A Mum had steroids > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	282	2.9	2.9	2.9
No		2.00	9353	97.1	97.1	100.0
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

A3. o)

*Other pill, medicine, treatment, drug or medicine (please describe each and state how frequently you have taken since your study child was 18 months old).*

[If something was written in the please describe line and no box ticked code '0' was used]

[Typed as text]

H049		Mum had other drug (1) > CH18 mths			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes, frequency not k	0	64	.7	.7	.7
every day	1	675	7.0	7.0	7.7
often	2	415	4.3	4.3	12.0
sometimes	3	891	9.2	9.3	21.2
not at all	4	7586	78.7	78.8	100.0
	-1	4	.0	Missing	
		-----		-----	
		Total	9635	100.0	100.0

Valid cases 9631 Missing cases 4

H049A		Mum had other drug (1) > CH18 mths			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
1.00		2045	21.2	21.2	21.2
2.00		7590	78.8	78.8	100.0
		-----		-----	
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

A3. p) [Typed as text]

H050		Mum had other drug (2) > CH18 mths			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes, frequency not k	0	21	.2	.2	.2
every day	1	226	2.3	2.3	2.6
often	2	113	1.2	1.2	3.7
sometimes	3	317	3.3	3.3	7.0
not at all	4	8958	93.0	93.0	100.0
		-----		-----	
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

H050A		Mum had other drug (2) > CH18 mths			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
Yes		1.00	677	7.0	7.0
No		2.00	8958	93.0	93.0
		-----		-----	
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

## A3. q) [Typed as text]

H051 Mum had other drug (3) > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes, frequency not k		0	14	.1	.1	.1
every day		1	60	.6	.6	.8
often		2	41	.4	.4	1.2
sometimes		3	111	1.2	1.2	2.3
not at all		4	9409	97.7	97.7	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

H051A Mum had other drug (3) > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
1.00		226	2.3	2.3	2.3	
2.00		9409	97.7	97.7	100.0	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

A4. *Please list all the names of the actual medicines, pills or ointments that you have taken in the past month:*

*What did you take:*      *About how many How often*  
*days did you take per day?*  
*or use it?*

- 1.
  - 2.
  - 3.
  - 4.
  - 5.
  - 6.
  - 7.
  - 8.
  - 9.
  - 10.

Check Have you included the contraceptive pill, iron tablets, laxatives, vitamins, sleeping tablets, aspirin, cough mixture, pain killers, herbal medicine, homeopathic medicine?

[Keyed as text]

[Number of items listed were counted. If nothing listed boxes left blank.]

If 'none' or 'N/A' written, coded as '0'] (all left blank were recoded to 0)

Medicines in past month					
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
0		2658	27.6	27.6	27.6
1		2809	29.2	29.2	56.7
2		2125	22.1	22.1	78.8
3		1151	11.9	11.9	90.7
4		481	5.0	5.0	95.7
5		230	2.4	2.4	98.1
6		87	.9	.9	99.0
7		54	.6	.6	99.6
8		14	.1	.1	99.7
9		12	.1	.1	99.9
10		7	.1	.1	99.9
11		3	.0	.0	100.0
12		2	.0	.0	100.0
13		1	.0	.0	100.0
22		1	.0	.0	100.0
-----					
Total		9635	100.0	100.0	
Valid cases					
Missing cases					

Valid cases 9635 Missing cases 0

A5. a) Since your study child was 18 months old have you had to go and stay in hospital?

If yes,

H060            Mum hospitalised > CH18 mths

Value	Label	Value	Frequency	Percent	Valid	Cum	
					Percent	Percent	
yes		1	2394	24.8	25.0	25.0	
no		2	7183	74.6	75.0	100.0	
		-1	58	.6	Missing		
		-----		-----		-----	
		Total	9635	100.0	100.0		

Valid cases 9577 Missing cases 58

A5. b) how many times?

H061 No of times

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		7185	74.6	75.2	75.2	
1		1966	20.4	20.6	95.7	
2		322	3.3	3.4	99.1	
3		60	.6	.6	99.7	
4		14	.1	.1	99.9	
5		4	.0	.0	99.9	
6		3	.0	.0	99.9	
7		2	.0	.0	100.0	
8		1	.0	.0	100.0	
10		2	.0	.0	100.0	
11		1	.0	.0	100.0	
-1		75	.8	Missing		
Total		9635	100.0	100.0		

Valid cases 9560 Missing cases 75

Please describe for each admission.

1st admission      2nd admission      3rd admission

A5. c) How old was your study child? months  
 [rounded down to the nearest whole month. Assumed that 4 weeks = 1 month. If less than 4 wks.  
 = coded as '0']

H063A      Age of CH Admission 1

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1		1	1	.0	.0	.0
2		5	5	.1	.2	.3
3		2	2	.0	.1	.3
4		1	1	.0	.0	.4
5		2	2	.0	.1	.5
6		3	3	.0	.1	.6
8		1	1	.0	.0	.6
9		3	3	.0	.1	.8
10		2	2	.0	.1	.8
11		2	2	.0	.1	.9
12		5	5	.1	.2	1.1
13		5	5	.1	.2	1.4
14		9	9	.1	.4	1.7
15		7	7	.1	.3	2.0
16		15	15	.2	.6	2.7
17		24	24	.2	1.0	3.7
18		178	178	1.8	7.5	11.2
19		89	89	.9	3.8	15.0
20		128	128	1.3	5.4	20.4
21		107	107	1.1	4.5	24.9
22		147	147	1.5	6.2	31.1
23		123	123	1.3	5.2	36.3
24		179	179	1.9	7.6	43.9
25		111	111	1.2	4.7	48.6
26		133	133	1.4	5.6	54.2
27		135	135	1.4	5.7	59.9
28		148	148	1.5	6.3	66.2
29		115	115	1.2	4.9	71.1
30		231	231	2.4	9.8	80.8
31		120	120	1.2	5.1	85.9
32		129	129	1.3	5.5	91.4
33		121	121	1.3	5.1	96.5
34		31	31	.3	1.3	97.8
35		20	20	.2	.8	98.6
36		24	24	.2	1.0	99.7
37		4	4	.0	.2	99.8
40		1	1	.0	.0	99.9
41		1	1	.0	.0	99.9
42		2	2	.0	.1	100.0
not admitted		-2	7185	74.6	Missing	
not known		-1	86	.9	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases      2364      Missing cases      7271

## H063B Age of CH Admission 2

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		2	2	.0	.5	.5
2		1	1	.0	.3	.8
3		1	1	.0	.3	1.0
5		1	1	.0	.3	1.3
10		1	1	.0	.3	1.5
12		1	1	.0	.3	1.8
13		1	1	.0	.3	2.0
14		1	1	.0	.3	2.3
15		1	1	.0	.3	2.5
16		2	2	.0	.5	3.0
17		2	2	.0	.5	3.5
18		9	9	.1	2.3	5.8
19		10	10	.1	2.5	8.3
20		11	11	.1	2.8	11.1
21		14	14	.1	3.5	14.6
22		16	16	.2	4.0	18.7
23		11	11	.1	2.8	21.5
24		25	25	.3	6.3	27.8
25		18	18	.2	4.5	32.3
26		30	30	.3	7.6	39.9
27		24	24	.2	6.1	46.0
28		33	33	.3	8.3	54.3
29		24	24	.2	6.1	60.4
30		43	43	.4	10.9	71.2
31		34	34	.4	8.6	79.8
32		32	32	.3	8.1	87.9
33		21	21	.2	5.3	93.2
34		10	10	.1	2.5	95.7
35		8	8	.1	2.0	97.7
36		9	9	.1	2.3	100.0
not admitted		-2	9151	95.0	Missing	
not known		-1	88	.9	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 396 Missing cases 9239

## H063C Age of CH Admission 3

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
11		1	1	.0	1.2	1.2
17		1	1	.0	1.2	2.4
19		3	3	.0	3.7	6.1
20		3	3	.0	3.7	9.8
21		1	1	.0	1.2	11.0
22		2	2	.0	2.4	13.4
23		3	3	.0	3.7	17.1
24		3	3	.0	3.7	20.7
25		2	2	.0	2.4	23.2
26		7	7	.1	8.5	31.7
27		7	7	.1	8.5	40.2
28		2	2	.0	2.4	42.7
29		6	6	.1	7.3	50.0
30		10	10	.1	12.2	62.2
31		7	7	.1	8.5	70.7
32		9	9	.1	11.0	81.7
33		7	7	.1	8.5	90.2
34		3	3	.0	3.7	93.9
35		2	2	.0	2.4	96.3
36		3	3	.0	3.7	100.0
not admitted		-2	9473	98.3	Missing	
not known		-1	80	.8	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 82 Missing cases 9553

A5. d) *What were the reasons for your admission?  
(please describe)*

[Keyed as text]

A5. e) How long did you stay? days

[This should be the number of different days they were in hospital for each admission not known/varies 99, none or nil = 0]

H064A Length of stay Admission 1

Value	Label	Frequency	Percent	Valid Percent	Cum Percent
0		13	.1	.5	.5
1		829	8.6	34.9	35.5
2		580	6.0	24.4	59.9
3		313	3.2	13.2	73.1
4		200	2.1	8.4	81.5
5		173	1.8	7.3	88.8
6		70	.7	2.9	91.7
7		74	.8	3.1	94.9
8		19	.2	.8	95.7
9		11	.1	.5	96.1
10		34	.4	1.4	97.6
11		5	.1	.2	97.8
12		6	.1	.3	98.0
13		2	.0	.1	98.1
14		15	.2	.6	98.7
15		3	.0	.1	98.9
16		1	.0	.0	98.9
17		2	.0	.1	99.0
18		2	.0	.1	99.1
19		3	.0	.1	99.2
20		4	.0	.2	99.4
21		1	.0	.0	99.4
24		1	.0	.0	99.5
25		1	.0	.0	99.5
28		3	.0	.1	99.6
30		1	.0	.0	99.7
32		1	.0	.0	99.7
37		1	.0	.0	99.7
42		1	.0	.0	99.8
46		1	.0	.0	99.8
48		1	.0	.0	99.9
59		1	.0	.0	99.9
90		1	.0	.0	100.0
97		1	.0	.0	100.0
not admitted		-2	7185	74.6	Missing
not known		-1	76	.8	Missing
<hr/>					
Valid cases		2374	Total	9635	100.0
			Missing cases	7261	100.0

## H064B Length of stay Admission 2

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
	0	2	.0	.5	.5
	1	115	1.2	28.8	29.3
	2	92	1.0	23.1	52.4
	3	42	.4	10.5	62.9
	4	39	.4	9.8	72.7
	5	27	.3	6.8	79.4
	6	22	.2	5.5	85.0
	7	27	.3	6.8	91.7
	8	5	.1	1.3	93.0
	9	1	.0	.3	93.2
	10	6	.1	1.5	94.7
	11	1	.0	.3	95.0
	12	1	.0	.3	95.2
	13	2	.0	.5	95.7
	14	5	.1	1.3	97.0
	15	1	.0	.3	97.2
	16	2	.0	.5	97.7
	17	1	.0	.3	98.0
	18	2	.0	.5	98.5
	20	1	.0	.3	98.7
	21	1	.0	.3	99.0
	28	1	.0	.3	99.2
	42	1	.0	.3	99.5
	56	1	.0	.3	99.7
	63	1	.0	.3	100.0
not admitted	-2	9151	95.0	Missing	
not known	-1	85	.9	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	399	Missing cases	9236		

## H064C Length of stay Admission 3

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
	1	14	.1	16.7	16.7
	2	20	.2	23.8	40.5
	3	12	.1	14.3	54.8
	4	7	.1	8.3	63.1
	5	7	.1	8.3	71.4
	6	6	.1	7.1	78.6
	7	10	.1	11.9	90.5
	8	1	.0	1.2	91.7
	9	1	.0	1.2	92.9
	10	3	.0	3.6	96.4
	12	1	.0	1.2	97.6
	14	1	.0	1.2	98.8
	60	1	.0	1.2	100.0
not admitted	-2	9473	98.3	Missing	
not known	-1	78	.8	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	84	Missing cases	9551		

A5. f) Did any child stay in hospital with you? Yes No

If yes,

H065A Any CH stayed in hosp Adm 1

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	424	4.4	18.1	18.1
No	2	1923	20.0	81.9	100.0
Not admitted	-2	7185	74.6	Missing	
Not known	-1	103	1.1	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 2347 Missing cases 7288

H065B Any CH stayed in hosp Adm 2

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	91	.9	23.0	23.0
No	2	304	3.2	77.0	100.0
Not admitted	-2	9151	95.0	Missing	
Not known	-1	89	.9	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 395 Missing cases 9240

H065C Any CH stayed in hosp Adm 3

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	13	.1	15.3	15.3
No	2	72	.7	84.7	100.0
Not admitted	-2	9473	98.3	Missing	
Not known	-1	77	.8	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 85 Missing cases 9550

A5. g) Was this your study child? Yes No

H066A Study CH stayed in hosp Adm 1

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	14	.1	.6	.6
No		2	2336	24.2	99.4	100.0
Not admitted		-2	7185	74.6	Missing	
Not known		-1	100	1.0	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 2350 Missing cases 7285

H066B Study CH stayed in hosp Adm 2

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
Yes		1	1	.0	.3	.3	
No		2	394	4.1	99.7	100.0	
Not admitted		-2	9151	95.0	Missing		
Not known		-1	89	.9	Missing		
		-----		-----		-----	
		Total	9635	100.0	100.0		

Valid cases 395 Missing cases 9240

H066C Study CH stayed in hosp Adm 3

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
Yes		1	1	.0	1.2	1.2
No		2	85	.9	98.8	100.0
Not admitted		-2	9473	98.3	Missing	
Not known		-1	76	.8	Missing	
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 86 Missing cases 9549

A6. *In the past month, have you had any of the following:*

A6. a) *backache*

[If more than one box was ticked, the one with the lowest number was taken]

H070 Freq mum had backache in past mth				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
almost always		1	614	6.4	6.4
smts		2	4321	44.8	45.3
not at all		3	4607	47.8	48.3
		-1	93	1.0	100.0
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	9542	Missing cases	93		

H070A Freq mum had backache in past month					Valid Percent	Cum Percent
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	4935	51.2	51.2	51.2
No		2.00	4700	48.8	48.8	100.0
			-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*A6. b) headaches or migraines*

[If more than one box was ticked, the one with the lowest number was taken]

H071 Freq mum headache in past mth				Valid Percent	Cum Percent
Value	Label	Value	Frequency	Percent	
1	almost always	205	2.1	2.1	2.1
2	smts	6496	67.4	67.9	70.1
3	not at all	2859	29.7	29.9	100.0
-1		75	.8	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	
Valid cases	9560	Missing cases	75		

H071A Freq mum had headache in past month				Valid Percent	Cum Percent
Value	Label	Value	Frequency	Percent	
Yes		1.00	6701	69.5	69.5
No		2.00	2934	30.5	100.0
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases		9635	Missing cases	0	

A6. c) *urinary infection*

[If more than one box was ticked, the one with the lowest number was taken]

H072 Freq mum urinary infection in past mth

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
almost always		1	22	.2	.2	.2
smts		2	330	3.4	3.5	3.7
not at all		3	9166	95.1	96.3	100.0
		-1	117	1.2	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9518 Missing cases 117

H072A Freq mum had urinary infection in past m

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	352	3.7	3.7	3.7
No		2.00	9283	96.3	96.3	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A6. d) *nausea*

[If more than one box was ticked, the one with the lowest number was taken]

H073 Freq mum had nausea in past mth

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
almost always		1	120	1.2	1.3	1.3
smts		2	1711	17.8	18.0	19.2
not at all		3	7682	79.7	80.8	100.0
		-1	122	1.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9513 Missing cases 122

H073A Freq mum had nausea in past month

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1831	19.0	19.0	19.0
No		2.00	7804	81.0	81.0	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A6. e) *vomiting*

[If more than one box was ticked, the one with the lowest number was taken]

H074 Freq mum vomited in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	38	.4	.4	.4
smts		2	861	8.9	9.1	9.5
not at all		3	8613	89.4	90.5	100.0
		-1	123	1.3	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9512 Missing cases 123

H074A Freq mum vomitted in past month			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	899	9.3	9.3	9.3
No		2.00	8736	90.7	90.7	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A6. f) *diarrhoea*

[If more than one box was ticked, the one with the lowest number was taken]

H075 Freq mum had diarrhoea in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	36	.4	.4	.4
smts		2	1561	16.2	16.4	16.8
not at all		3	7924	82.2	83.2	100.0
		-1	114	1.2	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9521 Missing cases 114

H075A Freq mum had diarrhoea in past month			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	1597	16.6	16.6	16.6
No		2.00	8038	83.4	83.4	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A6. g) *haemorrhoids or piles*

[If more than one box was ticked, the one with the lowest number was taken]

H076 Freq mum had haemorroids in past mth

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
almost always		1	314	3.3	3.3	3.3
smts		2	1112	11.5	11.7	15.0
not at all		3	8085	83.9	85.0	100.0
		-1	124	1.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9511 Missing cases 124

H076A Freq mum had haemorroids in past month

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1426	14.8	14.8	14.8
No		2.00	8209	85.2	85.2	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A6. h) *feeling weepy/tearful*

[If more than one box was ticked, the one with the lowest number was taken]

H077 Freq mum felt tearful in past mth

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
almost always		1	237	2.5	2.5	2.5
smts		2	4656	48.3	48.7	51.1
not at all		3	4676	48.5	48.9	100.0
		-1	66	.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9569 Missing cases 66

H077A Freq mum felt tearful in past month

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	4893	50.8	50.8	50.8
No		2.00	4742	49.2	49.2	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A6. i) *feeling irritable*

[If more than one box was ticked, the one with the lowest number was taken]

H078 Freq mum felt irritable in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	320	3.3	3.3	3.3
smts		2	7403	76.8	77.3	80.6
not at all		3	1854	19.2	19.4	100.0
		-1	58	.6	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9577 Missing cases 58

H078A Freq mum felt irritable in past month			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	7723	80.2	80.2	80.2
No		2.00	1912	19.8	19.8	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A6. j) *feeling exhausted*

[If more than one box was ticked, the one with the lowest number was taken]

H079 Freq mum felt exhausted in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	934	9.7	9.7	9.7
smts		2	6830	70.9	71.3	81.0
not at all		3	1817	18.9	19.0	100.0
		-1	54	.6	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9581 Missing cases 54

H079A Freq mum felt exhausted in past month			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	7764	80.6	80.6	80.6
No		2.00	1871	19.4	19.4	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A6. k) varicose veins

[If more than one box was ticked, the one with the lowest number was taken]

H080 Freq mum varicose veins in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	372	3.9	3.9	3.9
smts		2	413	4.3	4.3	8.2
not at all		3	8752	90.8	91.8	100.0
		-1	98	1.0	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9537 Missing cases 98

H080A Freq mum had varicose veins in past mont			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	785	8.1	8.1	8.1
No		2.00	8850	91.9	91.9	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A6. l) passing urine very often

[If more than one box was ticked, the one with the lowest number was taken]

H081 Freq mum often urinating in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	418	4.3	4.4	4.4
smts		2	1780	18.5	18.6	23.0
not at all		3	7354	76.3	77.0	100.0
		-1	83	.9	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9552 Missing cases 83

H081A Freq mum had often urinating in past mon			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	2198	22.8	22.8	22.8
No		2.00	7437	77.2	77.2	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A6. m) problem holding urine when you jump, sneeze etc

[If more than one box was ticked, the one with the lowest number was taken]

H082 Freq mum prob holding urine in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	400	4.2	4.2	4.2
smts		2	2355	24.4	24.6	28.8
not at all		3	6808	70.7	71.2	100.0
		-1	72	.7	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9563 Missing cases 72

H082A Freq mum had prob holding urine in past			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	2755	28.6	28.6	28.6
No		2.00	6880	71.4	71.4	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## A6. n) indigestion

[If more than one box was ticked, the one with the lowest number was taken]

H083 Freq mum had indigestion in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	124	1.3	1.3	1.3
smts		2	1985	20.6	20.8	22.1
not at all		3	7430	77.1	77.9	100.0
		-1	96	1.0	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9539 Missing cases 96

H083A Freq mum had indigestion in past month			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	2109	21.9	21.9	21.9
No		2.00	7526	78.1	78.1	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A6. o) *feeling dizzy/fainting*

[If more than one box was ticked, the one with the lowest number was taken]

H084 Freq mum felt dizzy in past mth		Value	Frequency	Percent	Valid	Cum	
Value	Label				Percent	Percent	
almost always		1	39	.4	.4	.4	
smts		2	1729	17.9	18.1	18.5	
not at all		3	7787	80.8	81.5	100.0	
		-1	80	.8	Missing		
				-----		-----	
		Total	9635	100.0	100.0		
Valid cases	9555	Missing cases	80				

## H084A Freq mum felt dizzy in past month

		Value	Frequency	Percent	Valid	Cum	
Value	Label				Percent	Percent	
Yes		1.00	1768	18.3	18.3	18.3	
No		2.00	7867	81.7	81.7	100.0	
				-----		-----	
		Total	9635	100.0	100.0		
Valid cases	9635	Missing cases	0				

A6. p) *flashing lights/spots before eyes*

[If more than one box was ticked, the one with the lowest number was taken]

H085 Freq spots before mums eyes in past mth		Value	Frequency	Percent	Valid	Cum	
Value	Label				Percent	Percent	
almost always		1	24	.2	.3	.3	
smts		2	1065	11.1	11.2	11.4	
not at all		3	8460	87.8	88.6	100.0	
		-1	86	.9	Missing		
				-----		-----	
		Total	9635	100.0	100.0		

Valid cases 9549 Missing cases 86

## H085A Freq spots before mums eyes in past mont

		Value	Frequency	Percent	Valid	Cum	
Value	Label				Percent	Percent	
Yes		1.00	1089	11.3	11.3	11.3	
No		2.00	8546	88.7	88.7	100.0	
				-----		-----	
		Total	9635	100.0	100.0		
Valid cases	9635	Missing cases	0				

A6. *q) shoulder ache*

[If more than one box was ticked, the one with the lowest number was taken]

H086 Freq mum had shoulder ache in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	192	2.0	2.0	2.0
smts		2	2094	21.7	21.9	23.9
not at all		3	7259	75.3	76.1	100.0
		-1	90	.9	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9545 Missing cases 90

H086A Freq mum had shoulder ache in past month			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	2286	23.7	23.7	23.7
No		2.00	7349	76.3	76.3	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A6. *r) tingling in hands/fingers*

[If more than one box was ticked, the one with the lowest number was taken]

H087 Freq mum had tingling hands in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	82	.9	.9	.9
smts		2	1354	14.1	14.2	15.0
not at all		3	8117	84.2	85.0	100.0
		-1	82	.9	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9553 Missing cases 82

H087A Freq mum had tingling hands in past mont			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	1436	14.9	14.9	14.9
No		2.00	8199	85.1	85.1	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

A6. s) *tingling in feet/toes*

[If more than one box was ticked, the one with the lowest number was taken]

H088 Freq mum had tingling feet in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	46	.5	.5	.5
smts		2	689	7.2	7.2	7.7
not at all		3	8799	91.3	92.3	100.0
		-1	101	1.0	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	9534	Missing cases	101			

## H088A Freq mum had tingling feet in past month

H088A Freq mum had tingling feet in past month			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	735	7.6	7.6	7.6
No		2.00	8900	92.4	92.4	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

A6. t) *neck ache*

[If more than one box was ticked, the one with the lowest number was taken]

H089 Freq mum had neckache in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	182	1.9	1.9	1.9
smts		2	2619	27.2	27.4	29.4
not at all		3	6741	70.0	70.6	100.0
		-1	93	1.0	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	9542	Missing cases	93			

## H089A Freq mum had neckache in past month

H089A Freq mum had neckache in past month			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	2801	29.1	29.1	29.1
No		2.00	6834	70.9	70.9	100.0
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

A6. u) *feeling depressed*

[If more than one box was ticked, the one with the lowest number was taken]

H090 Freq mum felt depressed in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	240	2.5	2.5	2.5
smts		2	2781	28.9	29.2	31.7
not at all		3	6519	67.7	68.3	100.0
		-1	95	1.0	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9540	Missing cases	95			

## H090A Freq mum felt depressed in past month

H090A Freq mum felt depressed in past month			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	3021	31.4	31.4	31.4
No		2.00	6614	68.6	68.6	100.0
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

A6. v) *other problem (please tick and describe)*

[If more than one box was ticked, the one with the lowest number was taken]

[If something was written coders ensured previous sections were ticked as appropriate; if no box ticked, 0 was coded]

H091 Freq mum had other probs w in past mth			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	125	1.3	1.3	1.3
almost always		1	214	2.2	2.2	3.5
smts		2	396	4.1	4.1	7.6
not at all		3	8900	92.4	92.4	100.0
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

## H091A Freq mum had other probs in past month

H091A Freq mum had other probs in past month			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	735	7.6	7.6	7.6
No		2.00	8900	92.4	92.4	100.0
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

A7. a) *How often are you having sexual intercourse now?*

*not at all*  
*less than once a month*  
*1-3 times a month*  
*about once a week*  
*2-4 times a week*  
*5 or more times a week*

[If more than one box was ticked, the one with the lowest number was taken]

H095 Freq mum having sex now		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
1	not at all	1	938	9.7	9.9	9.9
2	< once a month	2	1112	11.5	11.8	21.7
3	1-3 times a month	3	2512	26.1	26.6	48.3
4	Apr once a week	4	2389	24.8	25.3	73.6
5	2-4 times a week	5	2291	23.8	24.3	97.8
6	> 5 times a week	6	204	2.1	2.2	100.0
-1		189	2.0	Missing		
		<hr/>		<hr/>		<hr/>
		Total	9635	100.0	100.0	

Valid cases 9446 Missing cases 189

A7. b) *In general, do you enjoy it?*

*yes, very much*  
*yes, somewhat*  
*no, not a lot*  
*no, not at all*  
*no sex at the moment*

[If more than one box was ticked, the one with the highest number was taken]

H096 Mum enjoys sex		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
1	yes very much	1	4255	44.2	45.5	45.5
2	yes somewhat	2	3574	37.1	38.2	83.8
3	no not a lot	3	791	8.2	8.5	92.2
4	no not at all	4	68	.7	.7	92.9
5	no sex now	5	660	6.9	7.1	100.0
-1		287	3.0	Missing		
		<hr/>		<hr/>		<hr/>
		Total	9635	100.0	100.0	

Valid cases 9348 Missing cases 287

## A8. a) Are you currently trying to get pregnant?

*no*  
*no, but intend to later*  
*yes, we are trying*  
*I am already pregnant*

H097 Mum trying to get preg now		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
no		1	7583	78.7	79.6	79.6
no will try later		2	559	5.8	5.9	85.4
yes trying		3	442	4.6	4.6	90.1
already pregnant		4	947	9.8	9.9	100.0
		-1	104	1.1	Missing	
		Total	9635	100.0	100.0	
Valid cases		9531	Missing cases	104		

## A8. b) What forms of contraception are you using now? (tick all that you have used in the past month or so)

- i) withdrawal
- ii) the pill
- iii) IUCD/coil
- iv) condom/sheath
- v) calendar/rhythm method
- vi) diaphragm/cap
- vii) spermicide
- viii) none
- ix) other (please describe)

[Coder ensured that if something is written in the please describe section, that the previous boxes are ticked appropriately. If there is no tick, make one here, to indicate information in the please describe section]

H098A Mum using withdrawal method now		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
Yes		1	552	5.7	6.7	6.7
No		2	7694	79.8	93.3	100.0
Not Relevant		-2	1389	14.4	Missing	
		Total	9635	100.0	100.0	
Valid cases		8245	Missing cases	1390		

## H098B Mum using THE PILL now

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2959	30.7	35.9	35.9
No	2	5287	54.9	64.1	100.0
Not Relevant	-2	1389	14.4	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8245 Missing cases 1390

## H098C Mum using IUCD now

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	747	7.8	9.1	9.1
No	2	7499	77.8	90.9	100.0
Not Relevant	-2	1389	14.4	Missing	
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8245 Missing cases 1390

## H098D Mum using condom now

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2156	22.4	26.1	26.1
No	2	6090	63.2	73.9	100.0
Not Relevant	-2	1389	14.4	Missing	
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8245 Missing cases 1390

## H098E Mum using rhythm method now

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	147	1.5	1.8	1.8
No	2	8099	84.0	98.2	100.0
Not Relevant	-2	1389	14.4	Missing	
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8245 Missing cases 1390

## H098F Mum using diaphragm now

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	221	2.3	2.7	2.7
No	2	8025	83.3	97.3	100.0
Not Relevant	-2	1389	14.4	Missing	
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8245 Missing cases 1390

## H098G Mum using spermicide now

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	161	1.7	2.0	2.0
No	2	8085	83.9	98.0	100.0
Not Relevant	-2	1389	14.4	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8245 Missing cases 1390

## H098H Mum using other contraception now

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1186	12.3	14.4	14.4
No	2	7060	73.2	85.6	100.0
Not Relevant	-2	1389	14.4	Missing	
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8241 Missing cases 1394

## H098J Mum not using contraception now

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2353	24.4	24.4	24.4
No	2	7282	75.6	75.6	100.0
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9634 Missing cases 1

A9. a) Since having this study child have you been pregnant at all?

If yes, Yes No

H100 Mum preg > having study CH

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	3960	41.1	41.4	41.4
no		2	5609	58.2	58.6	100.0
		-1	66	.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9569 Missing cases 66

A9. b) How many times have you been pregnant since having this study child?

[All miscarried, terminated short pregnancies included whether or full term]

H101 No of PREGs > mum had study CH

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		0	5611	58.2	58.8	58.8
		1	3368	35.0	35.3	94.1
		2	494	5.1	5.2	99.3
		3	54	.6	.6	99.9
		4	8	.1	.1	100.0
		5	1	.0	.0	100.0
		6	1	.0	.0	100.0
		7	1	.0	.0	100.0
		9	1	.0	.0	100.0
		-1	96	1.0	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9539 Missing cases 96

A9. c) For these pregnancies please give:

1<sup>st</sup> pregnancy      2<sup>nd</sup> pregnancy      3<sup>rd</sup> pregnancy

4<sup>th</sup> pregnancy      5<sup>th</sup> pregnancy      6<sup>th</sup> pregnancy

A9. i) date of your last menstrual period before the pregnancy (if you remember it)

(From this date, the time from delivery of the study child to the LMP was calculated)

H102A      Age of study child at LMP of 1st next pr		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
.00		3	.0	.1	.1	
1.00		7	.1	.3	.5	
2.00		6	.1	.3	.8	
3.00		10	.1	.5	1.3	
4.00		12	.1	.6	1.8	
5.00		10	.1	.5	2.3	
6.00		7	.1	.3	2.6	
7.00		32	.3	1.5	4.2	
8.00		47	.5	2.3	6.4	
9.00		48	.5	2.3	8.8	
10.00		54	.6	2.6	11.4	
11.00		59	.6	2.8	14.2	
12.00		63	.7	3.0	17.2	
13.00		76	.8	3.7	20.9	
14.00		68	.7	3.3	24.2	
15.00		62	.6	3.0	27.1	
16.00		74	.8	3.6	30.7	
17.00		74	.8	3.6	34.3	
18.00		81	.8	3.9	38.2	
19.00		99	1.0	4.8	42.9	
20.00		86	.9	4.1	47.1	
21.00		109	1.1	5.2	52.3	
22.00		92	1.0	4.4	56.7	
23.00		105	1.1	5.1	61.8	
24.00		108	1.1	5.2	67.0	
25.00		101	1.0	4.9	71.8	
26.00		96	1.0	4.6	76.5	
27.00		93	1.0	4.5	80.9	
28.00		92	1.0	4.4	85.4	
29.00		76	.8	3.7	89.0	
30.00		77	.8	3.7	92.7	
31.00		52	.5	2.5	95.2	
32.00		51	.5	2.5	97.7	
33.00		13	.1	.6	98.3	
34.00		14	.1	.7	99.0	
35.00		4	.0	.2	99.2	
36.00		5	.1	.2	99.4	
37.00		3	.0	.1	99.6	
38.00		2	.0	.1	99.7	
39.00		2	.0	.1	99.8	
40.00		3	.0	.1	99.9	
42.00		2	.0	.1	100.0	
No Pregnancy		-2.00	5611	58.2	Missing	
		-1.00	1946	20.2	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases      2078      Missing cases      7557

## H102B Age of study child at LMP of 2nd next pr

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
	1.00	1	.0	.3	.3
	8.00	3	.0	.9	1.2
	10.00	1	.0	.3	1.6
	11.00	3	.0	.9	2.5
	12.00	2	.0	.6	3.1
	13.00	2	.0	.6	3.7
	14.00	7	.1	2.2	5.9
	15.00	9	.1	2.8	8.7
	16.00	7	.1	2.2	10.9
	17.00	8	.1	2.5	13.4
	18.00	6	.1	1.9	15.2
	19.00	8	.1	2.5	17.7
	20.00	12	.1	3.7	21.4
	21.00	13	.1	4.0	25.5
	22.00	19	.2	5.9	31.4
	23.00	11	.1	3.4	34.8
	24.00	11	.1	3.4	38.2
	25.00	20	.2	6.2	44.4
	26.00	19	.2	5.9	50.3
	27.00	23	.2	7.1	57.5
	28.00	17	.2	5.3	62.7
	29.00	21	.2	6.5	69.3
	30.00	26	.3	8.1	77.3
	31.00	29	.3	9.0	86.3
	32.00	20	.2	6.2	92.5
	33.00	11	.1	3.4	96.0
	34.00	3	.0	.9	96.9
	35.00	3	.0	.9	97.8
	36.00	2	.0	.6	98.4
	38.00	2	.0	.6	99.1
	39.00	1	.0	.3	99.4
	41.00	1	.0	.3	99.7
	42.00	1	.0	.3	100.0
No Pregnancy	-2.00	8979	93.2	Missing	
	-1.00	334	3.5	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 322 Missing cases 9313

## H102C Age of study child at LMP of 3rd next pr

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
9.00		1	.0	2.6	2.6	
14.00		1	.0	2.6	5.3	
15.00		1	.0	2.6	7.9	
17.00		1	.0	2.6	10.5	
20.00		2	.0	5.3	15.8	
23.00		3	.0	7.9	23.7	
24.00		2	.0	5.3	28.9	
25.00		2	.0	5.3	34.2	
26.00		2	.0	5.3	39.5	
27.00		1	.0	2.6	42.1	
28.00		3	.0	7.9	50.0	
29.00		3	.0	7.9	57.9	
30.00		4	.0	10.5	68.4	
31.00		2	.0	5.3	73.7	
32.00		5	.1	13.2	86.8	
33.00		3	.0	7.9	94.7	
35.00		2	.0	5.3	100.0	
No Pregnancy		-2.00	9473	98.3	Missing	
		-1.00	124	1.3	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 38 Missing cases 9597

## H102D Age of study child at LMP of 4th next pr

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
23.00		1	.0	12.5	12.5	
25.00		1	.0	12.5	25.0	
26.00		1	.0	12.5	37.5	
28.00		1	.0	12.5	50.0	
30.00		1	.0	12.5	62.5	
31.00		2	.0	25.0	87.5	
32.00		1	.0	12.5	100.0	
No Pregnancy		-2.00	9527	98.9	Missing	
		-1.00	100	1.0	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8 Missing cases 9627

## H102E Age of study child at LMP of 5th next pr

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No Pregnancy		-2.00	9535	99.0	Missing	
		-1.00	100	1.0	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 0 Missing cases 9635

## H103A Month LMP 1st next pregnancy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	227	2.4	7.6	7.6
	2	222	2.3	7.5	15.1
	3	222	2.3	7.5	22.6
	4	218	2.3	7.3	29.9
	5	240	2.5	8.1	38.0
	6	270	2.8	9.1	47.1
	7	258	2.7	8.7	55.7
	8	274	2.8	9.2	65.0
	9	260	2.7	8.7	73.7
	10	265	2.8	8.9	82.6
	11	251	2.6	8.4	91.1
	12	266	2.8	8.9	100.0
No Pregnancy	-2	5611	58.2	Missing	
	-1	1051	10.9	Missing	
		-----	-----	-----	-----
Valid cases	2973	Total 9635	100.0	100.0	
		Missing cases 6662			

## H103B Month of LMP of 2nd next pregnancy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	39	.4	9.0	9.0
	2	33	.3	7.6	16.6
	3	40	.4	9.2	25.9
	4	33	.3	7.6	33.5
	5	36	.4	8.3	41.8
	6	31	.3	7.2	49.0
	7	31	.3	7.2	56.1
	8	43	.4	9.9	66.1
	9	38	.4	8.8	74.8
	10	35	.4	8.1	82.9
	11	37	.4	8.5	91.5
	12	37	.4	8.5	100.0
No Pregnancy	-2	8979	93.2	Missing	
	-1	223	2.3	Missing	
		-----	-----	-----	-----
Valid cases	433	Total 9635	100.0	100.0	
		Missing cases 9202			

## H103C Month of LMP of 3rd next pregnancy

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	6	.1	12.0	12.0
	2	5	.1	10.0	22.0
	3	4	.0	8.0	30.0
	4	5	.1	10.0	40.0
	5	3	.0	6.0	46.0
	6	5	.1	10.0	56.0
	7	2	.0	4.0	60.0
	8	2	.0	4.0	64.0
	9	9	.1	18.0	82.0
	10	4	.0	8.0	90.0
	11	2	.0	4.0	94.0
	12	3	.0	6.0	100.0
No Pregnancy	-2	9473	98.3	Missing	
	-1	112	1.2	Missing	
		-----	-----	-----	-----
Valid cases	50	Total 9635	100.0	100.0	
		Missing cases 9585			

H103D Month of LMP of 4th next pregnancy				Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent	Percent
		1	1	.0	10.0	10.0
		3	1	.0	10.0	20.0
		5	1	.0	10.0	30.0
		6	3	.0	30.0	60.0
		8	1	.0	10.0	70.0
		11	2	.0	20.0	90.0
		12	1	.0	10.0	100.0
No Pregnancy		-2	9527	98.9	Missing	
		-1	98	1.0	Missing	
				-----	-----	-----
Valid cases		Total	9635	100.0	100.0	
		Missing cases	9625			

H103E Month of LMP of 5th next pregnancy				Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent	Percent
		11	1	.0	100.0	100.0
No Pregnancy		-2	9535	99.0	Missing	
		-1	99	1.0	Missing	
				-----	-----	-----
Valid cases		Total	9635	100.0	100.0	
		Missing cases	9634			

A9. ii) what happened:

*miscarriage*      *abortion/for unwanted pregnancy*      *termination for problem*  
*(please describe)*

*still pregnant*      *baby born*      *other (please describe)*

[If more than one box ticked coder codes as 'other' and writes the numbers of the other ticks on the please describe line]

H104A Description of events after PREG 1				Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent	Percent
		1	547	5.7	14.1	14.1
		2	134	1.4	3.5	17.6
		3	49	.5	1.3	18.8
		4	657	6.8	17.0	35.8
		5	2450	25.4	63.2	99.0
		6	37	.4	1.0	100.0
no pregnancy		-2	5611	58.2	Missing	
		-1	150	1.6	Missing	
				-----	-----	-----
Valid cases		Total	9635	100.0	100.0	
		Missing cases	5761			

## H104B Description of events after PREG 2

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
miscarriage	1	95	1.0	17.5	17.5
abortion	2	17	.2	3.1	20.6
termination	3	11	.1	2.0	22.6
still pregnant	4	188	2.0	34.6	57.2
baby born	5	227	2.4	41.7	98.9
other	6	6	.1	1.1	100.0
no pregnancy	-2	8979	93.2	Missing	
	-1	112	1.2	Missing	
				-----	-----
	Total	9635	100.0	100.0	
Valid cases	544			Missing cases	9091

## H104C Description of events after PREG 3

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
miscarriage	1	19	.2	27.9	27.9
still pregnant	4	31	.3	45.6	73.5
baby born	5	17	.2	25.0	98.5
other	6	1	.0	1.5	100.0
no pregnancy	-2	9473	98.3	Missing	
	-1	94	1.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	
Valid cases	68			Missing cases	9567

## H104D Description of events after PREG 4

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
miscarriage	1	1	.0	11.1	11.1
still pregnant	4	6	.1	66.7	77.8
baby born	5	2	.0	22.2	100.0
no pregnancy	-2	9527	98.9	Missing	
	-1	99	1.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	
Valid cases	9			Missing cases	9626

## H104E Description of events after PREG 5

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
miscarriage	1	2	.0	100.0	100.0
no pregnancy	-2	9535	99.0	Missing	
	-1	98	1.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	
Valid cases	2			Missing cases	9633

A9. iii) please give actual date of delivery or end of pregnancy:  
 (If still pregnant put 77 77 7)

(From this date and the LMP, the gestation was calculated for each pregnancy; if 48+ weeks, put to -1. The date was also used to calculate age of study child at delivery)

H105A Gestation 1st next pregnancy			Valid	Cum
Value	Label	Frequency	Percent	Percent
.00		3	.0	.2
1.00		1	.0	.1
2.00		1	.0	.1
3.00		1	.0	.1
4.00		2	.0	.1
5.00		7	.1	.5
6.00		13	.1	.9
7.00		18	.2	1.3
8.00		11	.1	.8
9.00		21	.2	1.5
10.00		21	.2	1.5
11.00		14	.1	1.0
12.00		18	.2	1.3
13.00		4	.0	.3
14.00		6	.1	.4
15.00		3	.0	.2
16.00		6	.1	.4
17.00		5	.1	.4
18.00		5	.1	.4
19.00		1	.0	.1
21.00		1	.0	.1
22.00		4	.0	.3
23.00		2	.0	.1
27.00		2	.0	.1
29.00		1	.0	.1
30.00		2	.0	.1
31.00		3	.0	.2
32.00		5	.1	.4
33.00		6	.1	.4
34.00		10	.1	.7
35.00		14	.1	1.0
36.00		29	.3	2.1
37.00		58	.6	4.2
38.00		139	1.4	10.1
39.00		243	2.5	17.6
40.00		336	3.5	24.4
41.00		206	2.1	14.9
42.00		87	.9	6.3
43.00		33	.3	2.4
44.00		12	.1	.9
45.00		19	.2	1.4
46.00		4	.0	.3
47.00		1	.0	.1
still pregnant		-3.00	15	.2
No Pregnancy		-2.00	5611	58.2
		-1.00	2631	26.7
		Total	9635	100.0
Valid cases	1378	Missing cases	8257	100.0

## H105B Gestation 2nd next pregnancy

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		.00	2	.0	1.4	1.4
		2.00	2	.0	1.4	2.8
		5.00	1	.0	.7	3.5
		6.00	3	.0	2.1	5.7
		7.00	2	.0	1.4	7.1
		8.00	1	.0	.7	7.8
		9.00	3	.0	2.1	9.9
		10.00	4	.0	2.8	12.8
		11.00	5	.1	3.5	16.3
		12.00	1	.0	.7	17.0
		13.00	1	.0	.7	17.7
		14.00	1	.0	.7	18.4
		16.00	1	.0	.7	19.1
		19.00	1	.0	.7	19.9
		26.00	1	.0	.7	20.6
		34.00	2	.0	1.4	22.0
		35.00	2	.0	1.4	23.4
		36.00	5	.1	3.5	27.0
		37.00	3	.0	2.1	29.1
		38.00	11	.1	7.8	36.9
		39.00	22	.2	15.6	52.5
		40.00	34	.4	24.1	76.6
		41.00	21	.2	14.9	91.5
		42.00	9	.1	6.4	97.9
		43.00	1	.0	.7	98.6
		44.00	1	.0	.7	99.3
		45.00	1	.0	.7	100.0
still pregnant		-3.00	1	.0	Missing	
No Pregnancy		-2.00	8979	93.2	Missing	
		-1.00	514	5.3	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 141 Missing cases 9494

## H105C Gestation 3rd next pregnancy

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		3.00	1	.0	7.1	7.1
		5.00	2	.0	14.3	21.4
		6.00	1	.0	7.1	28.6
		37.00	1	.0	7.1	35.7
		38.00	2	.0	14.3	50.0
		40.00	2	.0	14.3	64.3
		41.00	4	.0	28.6	92.9
		42.00	1	.0	7.1	100.0
still pregnant		-3.00	1	.0	Missing	
No Pregnancy		-2.00	9473	98.3	Missing	
		-1.00	147	1.5	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 14 Missing cases 9621

## H105D Gestation 4th next pregnancy

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
still pregnant		41.00	1	.0	100.0	100.0
		-3.00	1	.0	Missing	
	No Pregnancy	-2.00	9527	98.9	Missing	
		-1.00	106	1.1	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 1 Missing cases 9634

## H105E Gestation of 5th next pregnancy

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No Pregnancy		-2.00	9535	99.0	Missing	
		-1.00	100	1.0	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 0 Missing cases 9635

## H106A Age of study child at 1st next birth (mo)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		6	.1	.2	.2	
1.00		2	.0	.1	.3	
2.00		1	.0	.0	.3	
3.00		2	.0	.1	.4	
4.00		2	.0	.1	.5	
5.00		3	.0	.1	.6	
6.00		4	.0	.1	.7	
7.00		6	.1	.2	.9	
8.00		8	.1	.3	1.2	
9.00		4	.0	.1	1.3	
10.00		4	.0	.1	1.5	
11.00		27	.3	1.0	2.4	
12.00		42	.4	1.5	3.9	
13.00		44	.5	1.6	5.5	
14.00		49	.5	1.7	7.2	
15.00		72	.7	2.5	9.7	
16.00		118	1.2	4.2	13.9	
17.00		112	1.2	4.0	17.9	
18.00		123	1.3	4.3	22.2	
19.00		120	1.2	4.2	26.5	
20.00		123	1.3	4.3	30.8	
21.00		136	1.4	4.8	35.6	
22.00		163	1.7	5.8	41.4	
23.00		145	1.5	5.1	46.5	
24.00		120	1.2	4.2	50.7	
25.00		138	1.4	4.9	55.6	
26.00		140	1.5	4.9	60.5	
27.00		132	1.4	4.7	65.2	
28.00		149	1.5	5.3	70.5	
29.00		140	1.5	4.9	75.4	
30.00		139	1.4	4.9	80.3	
31.00		150	1.6	5.3	85.6	
32.00		146	1.5	5.2	90.8	
33.00		99	1.0	3.5	94.3	
34.00		36	.4	1.3	95.5	
35.00		36	.4	1.3	96.8	
36.00		22	.2	.8	97.6	
37.00		17	.2	.6	98.2	
38.00		16	.2	.6	98.8	
39.00		12	.1	.4	99.2	
40.00		8	.1	.3	99.5	
41.00		7	.1	.2	99.7	
42.00		3	.0	.1	99.8	
43.00		2	.0	.1	99.9	
44.00		2	.0	.1	100.0	
56.00		1	.0	.0	100.0	
still pregnant		-3.00	15	.2	Missing	
No Pregnancy		-2.00	5611	58.2	Missing	
		-1.00	1178	12.2	Missing	
		Total	9635	100.0	100.0	

Valid cases 2831

Missing cases 6804

## H106B Age of study child at 2nd next birth (mo)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1.00		1	.0	.6	.6	
13.00		1	.0	.6	1.3	
16.00		1	.0	.6	1.9	
17.00		2	.0	1.3	3.1	
18.00		1	.0	.6	3.8	
19.00		4	.0	2.5	6.3	
20.00		2	.0	1.3	7.5	
21.00		4	.0	2.5	10.0	
22.00		4	.0	2.5	12.5	
23.00		2	.0	1.3	13.8	
24.00		9	.1	5.6	19.4	
25.00		10	.1	6.3	25.6	
26.00		6	.1	3.8	29.4	
27.00		10	.1	6.3	35.6	
28.00		8	.1	5.0	40.6	
29.00		13	.1	8.1	48.8	
30.00		13	.1	8.1	56.9	
31.00		17	.2	10.6	67.5	
32.00		18	.2	11.3	78.8	
33.00		13	.1	8.1	86.9	
34.00		1	.0	.6	87.5	
35.00		6	.1	3.8	91.3	
36.00		4	.0	2.5	93.8	
37.00		5	.1	3.1	96.9	
38.00		2	.0	1.3	98.1	
39.00		1	.0	.6	98.8	
41.00		1	.0	.6	99.4	
45.00		1	.0	.6	100.0	
still pregnant		-3.00	1	.0	Missing	
No Pregnancy		-2.00	8979	93.2	Missing	
		-1.00	495	5.2	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 160 Missing cases 9475

## H106C Age of study child at 3rd next birth

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
18.00		1	.0	4.8	4.8	
23.00		1	.0	4.8	9.5	
24.00		2	.0	9.5	19.0	
26.00		2	.0	9.5	28.6	
28.00		1	.0	4.8	33.3	
29.00		4	.0	19.0	52.4	
30.00		2	.0	9.5	61.9	
31.00		2	.0	9.5	71.4	
32.00		2	.0	9.5	81.0	
33.00		1	.0	4.8	85.7	
34.00		1	.0	4.8	90.5	
35.00		1	.0	4.8	95.2	
43.00		1	.0	4.8	100.0	
still pregnant		-3.00	1	.0	Missing	
No Pregnancy		-2.00	9473	98.3	Missing	
		-1.00	140	1.5	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 21 Missing cases 9614

H106D Age of study child at 4th next birth				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
		25.00	1	.0	50.0
		33.00	1	.0	50.0
still pregnant		-3.00	1	.0	Missing
No Pregnancy		-2.00	9527	98.9	Missing
		-1.00	105	1.1	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 2 Missing cases 9633

H106E Age of study child at 5th next birth				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
No Pregnancy		-2.00	9535	99.0	Missing
		-1.00	100	1.0	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 0 Missing cases 9635

A9. iv) do/did you have any problems? Yes No

If yes, please describe

[Keyed as text]

H107A Description of PROBs of PREG 1				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	861	8.9	30.7
No		2	1948	20.2	69.3
still pregnant		-3	657	6.8	Missing
No Pregnancy		-2	5611	58.2	Missing
		-1	558	5.8	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 2809 Missing cases 6826

H107B Description of PROBs of PREG 2				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	77	.8	29.5
No		2	184	1.9	70.5
still pregnant		-3	188	2.0	Missing
No Pregnancy		-2	8979	93.2	Missing
		-1	207	2.1	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 261 Missing cases 9374

## H107C Description of PROBs of PREG 3

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	6	.1	37.5	37.5
No	2	10	.1	62.5	100.0
still pregnant	-3	31	.3	Missing	
No Pregnancy	-2	9473	98.3	Missing	
	-1	115	1.2	Missing	
			-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	16	Missing cases	9619		

## H107D Description of PROBs of PREG 4

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	1	.0	33.3	33.3
No	2	2	.0	66.7	100.0
still pregnant	-3	6	.1	Missing	
No Pregnancy	-2	9527	98.9	Missing	
	-1	99	1.0	Missing	
			-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	3	Missing cases	9632		

## H107E Description of PROBs of PREG 5

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No Pregnancy	-2	9535	99.0	Missing	
	-1	100	1.0	Missing	
			-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	0	Missing cases	9635		

A10. How would you describe your most recent periods:

Very    Moderately    Mildly    Not at all    No periods

A10. a) how heavy are your periods?

[If more than one box was ticked, the one with the lowest code was taken]

H110      Mums most recent periods are heavy			Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent
very		1	1299	13.5	15.5
moderately		2	4397	45.6	52.4
mildly		3	1987	20.6	23.7
not at all		4	704	7.3	8.4
no periods		-2	1005	10.4	Missing
NS		-1	243	2.5	Missing
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases		8387	Missing cases		1248

A10. b) how painful are your periods?

[If more than one box was ticked, the one with the lowest number was taken]

H111      Mums most recent periods are painful			Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent
very		1	516	5.4	6.2
moderately		2	2045	21.2	24.5
mildly		3	3362	34.9	40.2
not at all		4	2436	25.3	29.1
no periods		-2	1005	10.4	100.0
NS		-1	271	2.8	
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases		8359	Missing cases		1276

A10. c) irregular

[If more than one box was ticked, the one with the lowest number was taken]

H112      Mums most recent periods are irregular			Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent
very		1	737	7.6	9.0
moderately		2	665	6.9	8.1
mildly		3	1308	13.6	16.0
not at all		4	5453	56.6	66.8
no periods		-2	1005	10.4	100.0
NS		-1	467	4.9	
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases		8163	Missing cases		1472

A10. d) how many days does bleeding usually last? days  
 ['varies' coded as 97, 'continuous bleeding' coded as 31]  
 (97 recoded to -1)

H113 Duration of mums period

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		1	12	.1	.1	.1
		2	118	1.2	1.4	1.6
		3	652	6.8	7.8	9.3
		4	1767	18.3	21.1	30.4
		5	3157	32.8	37.6	68.0
		6	1263	13.1	15.1	83.1
		7	988	10.3	11.8	94.9
		8	178	1.8	2.1	97.0
		9	55	.6	.7	97.7
		10	109	1.1	1.3	99.0
		11	11	.1	.1	99.1
		12	13	.1	.2	99.2
		13	2	.0	.0	99.3
		14	25	.3	.3	99.6
		15	3	.0	.0	99.6
		16	3	.0	.0	99.6
		18	1	.0	.0	99.7
		20	4	.0	.0	99.7
		21	8	.1	.1	99.8
		23	1	.0	.0	99.8
		24	1	.0	.0	99.8
		26	1	.0	.0	99.8
		28	4	.0	.0	99.9
		30	3	.0	.0	99.9
		31	7	.1	.1	100.0
no periods		-2	1005	10.4		
NS		-1	244	2.6		
			-----	-----		
		Total	9635	100.0	100.0	
Valid cases		8386		Missing cases	1249	

A11. Have you ever had a D and C (scrape)? Yes      No      Don't know

H114      Mum ever had D & C		Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	2419	25.1	26.1	26.1
no		2	6842	71.0	73.9	100.0
		-1	374	3.9	Missing	
		Total	9635	100.0	100.0	

Valid cases      9261      Missing cases      374

If yes,      was this because of: (tick all that apply)

[If yes and No ticked code as '1']

A11. i)      *heavy periods*

A11. ii)      *painful periods*

A11. iii)      *fibroids*

A11. iv)      *termination*

A11. v)      *infertility*

A11. vi)      *miscarriage*

A11. vii)      *don't know*

A11. viii)      *other (please tick and describe)*

[Coder ensured that if something is written in the please describe section, that the previous boxes are ticked appropriately. If there is no tick, make one here, to indicate information in the please describe section]

(answers need further editing)

H115A      Mum had D & C heavy period		Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	169	1.8	1.8	1.8
no		2	9091	94.4	98.2	100.0
		-1	375	3.9	Missing	
		Total	9635	100.0	100.0	

Valid cases      9260      Missing cases      375

H115B      Mum had D & C for painful period

H115B      Mum had D & C for painful period		Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	130	1.3	1.4	1.4
no		2	9131	94.8	98.6	100.0
		-1	374	3.9	Missing	
		Total	9635	100.0	100.0	

Valid cases      9261      Missing cases      374

H115C Mum had D &amp; C for fibroids

Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	24	.2	.3	.3
no		2	9237	95.9	99.7	100.0
		-1	374	3.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9261 Missing cases 374

H115D Mum had D &amp; C for termination

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
yes		1	574	6.0	6.2	6.2
no		2	8687	90.2	93.8	100.0
		-1	374	3.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9261 Missing cases 374

H115E Mum had D &amp; C for infertility

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
yes		1	84	.9	.9	.9
no		2	9177	95.2	99.1	100.0
		-1	374	3.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9261 Missing cases 374

H115F Mum had D &amp; C for miscarriage

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
yes		1	1403	14.6	15.2	15.2
no		2	7855	81.5	84.8	100.0
		-1	377	3.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9259 Missing cases 376

H115H Mum dont know reason for D &amp; C

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
yes		1	52	.5	.7	.7
no		2	7566	78.5	99.3	100.0
		-1	2017	20.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 7618 Missing cases 2017

## H115G Other reason for mums D &amp; C

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other		0	2	.0	.2	.2
yes		1	392	4.1	38.8	39.0
no		2	617	6.4	61.0	100.0
		-1	8624	89.5	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 1011 Missing cases 8624

## SECTION B: MORE ABOUT YOURSELF

*B1. Handedness. Read each of the questions below. Decide which hand you use for each activity. If you are unsure, try it out.*

Which hand:                    *Left*                    *Right*                    *Either*  
 [If 1+2 ticked code as '3']

- B1. a) do you normally use to write?*
- B1. b) do you use to draw?*
- B1. c) do you use to throw a ball?*
- B1. d) would you use to hold a racket or bat?*
- B1. e) do you use to hold your toothbrush to clean your teeth?*
- B1. f) holds a knife when you are cutting things?*
- B1. g) holds a hammer when you are driving a nail?*
- B1. h) would you use to hold a match to strike it?*
- B1. i) would you use to hold a rubber to rub out a mark on paper?*
- B1. j) do you use to deal from a pack of cards?*
- B1. k) do you use to hold the thread when threading a needle?*

H120A      Hand used by mum to write

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left		1	959	10.0	10.0	10.0
right		2	8637	89.6	89.8	99.8
either		3	19	.2	.2	100.0
		-1	20	.2	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases      9615      Missing cases      20

H120B      Hand used by mum to draw

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left		1	963	10.0	10.0	10.0
right		2	8622	89.5	89.7	99.7
either		3	26	.3	.3	100.0
		-1	24	.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases      9611      Missing cases      24

H120C      Hand used by mum to throw a ball

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left		1	751	7.8	7.8	7.8
right		2	8354	86.7	86.9	94.7
either		3	505	5.2	5.3	100.0
		-1	25	.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases      9610      Missing cases      25

## H120D Hand used by mum to hold racket

Value	Label	Value	Frequency	Percent	Percent	Percent
left		1	715	7.4	7.4	7.4
right		2	8679	90.1	90.3	97.8
either		3	213	2.2	2.2	100.0
		-1	28	.3	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9607 Missing cases 28

## H120E Hand used by mum to clean teeth

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left		1	848	8.8	8.8	8.8
right		2	8577	89.0	89.2	98.1
either		3	187	1.9	1.9	100.0
		-1	23	.2	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9612 Missing cases 23

## H120F Hand used by mum to cut with knife

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left		1	821	8.5	8.5	8.5
right		2	8631	89.6	89.8	98.3
either		3	159	1.7	1.7	100.0
		-1	24	.3	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9611 Missing cases 24

## H120G Hand used by mum for hammering

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left		1	809	8.4	8.4	8.4
right		2	8675	90.0	90.4	98.8
either		3	112	1.2	1.2	100.0
		-1	39	.4	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9596 Missing cases 39

H120H Hand used by mum to strike a match

Value Label	Value	Frequency	Percent	Percent	Percent
left	1	840	8.7	8.8	8.8
right	2	8483	88.0	88.4	97.2
either	3	270	2.8	2.8	100.0
	-1	42	.4	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9593 Missing cases 42

H120I Hand used by mum to use eraser

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left	1	883	9.2	9.2	9.2
right	2	8428	87.5	87.8	97.0
either	3	289	3.0	3.0	100.0
	-1	35	.4	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9600 Missing cases 35

H120J Hand used by mum to deal cards

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left	1	1172	12.2	12.2	12.2
right	2	8232	85.4	85.8	98.0
either	3	191	2.0	2.0	100.0
	-1	40	.4	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9595 Missing cases 40

H120K Hand used by mum to thread needle

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left	1	1399	14.5	14.6	14.6
right	2	7976	82.8	83.1	97.7
either	3	223	2.3	2.3	100.0
	-1	37	.4	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9598 Missing cases 37

## Derived variable

### Handedness

For each of H120A-K recode (1=1)(2=3)(3=2)(-1=0)

H121 = H120A + ... + H120K-10

If any of H120A-K=0, H121=-1 missing

This should give a range such that 1 = totally left handed and 23 = totally right handed.

H121 Handedness Score		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
1.00	Completely Left hand	1.00	345	3.6	3.6	3.6
2.00		2.00	57	.6	.6	4.2
3.00		3.00	167	1.7	1.8	6.0
4.00		4.00	38	.4	.4	6.4
5.00		5.00	83	.9	.9	7.2
6.00		6.00	23	.2	.2	7.5
7.00		7.00	40	.4	.4	7.9
8.00		8.00	18	.2	.2	8.1
9.00		9.00	29	.3	.3	8.4
10.00		10.00	10	.1	.1	8.5
11.00		11.00	29	.3	.3	8.8
12.00		12.00	29	.3	.3	9.1
13.00		13.00	32	.3	.3	9.4
14.00		14.00	16	.2	.2	9.6
15.00		15.00	42	.4	.4	10.1
16.00		16.00	25	.3	.3	10.3
17.00		17.00	55	.6	.6	10.9
18.00		18.00	55	.6	.6	11.5
19.00		19.00	203	2.1	2.1	13.6
20.00		20.00	153	1.6	1.6	15.2
21.00		21.00	976	10.1	10.2	25.5
22.00		22.00	402	4.2	4.2	29.7
23.00	Completely Right han	23.00	6700	69.5	70.3	100.0
-1.00		-1.00	108	1.1	Missing	
					-----	
		Total	9635	100.0	100.0	
Valid cases	9527	Missing cases	108			

H121a is H121 recoded (1-5=1) (6-18=2) (19-23=3)

H121A Handedness Score Grouped		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
1.00	Left handed	1.00	815	8.5	8.5	8.5
2.00	Mixed	2.00	380	3.9	3.9	12.4
3.00	Right handed	3.00	8434	87.5	87.6	100.0
-1.00		-1.00	6	.1	Missing	
		Total	9635	100.0	100.0	
Valid cases	9629	Missing cases	6			

**B2. Footedness**

Which foot:      *Left*      *Right*      *Either*  
 [If 1+2 ticked code as '3']

- B2. a)      *would you use to kick a ball to someone?*  
 B2. b)      *would you use to pick up a pebble with your toes?*  
 B2. c)      *would you use to step on an insect or something similar?*  
 B2. d)      *would you put on a chair first if you had to step onto the chair?*

H122A      Foot used by mum to kick a ball

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left		1	630	6.5	6.6	6.6
right		2	7771	80.7	80.9	87.4
either		3	1206	12.5	12.6	100.0
		-1	28	.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		9607				
		Missing cases	28			

H122B      Foot used by mum to pick up pebble

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left		1	573	5.9	6.0	6.0
right		2	6119	63.5	64.1	70.1
either		3	2856	29.6	29.9	100.0
		-1	87	.9	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		9548				
		Missing cases	87			

H122C      Foot used by mum to step on insect

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left		1	573	5.9	6.0	6.0
right		2	6608	68.6	69.5	75.5
either		3	2327	24.2	24.5	100.0
		-1	127	1.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		9508				
		Missing cases	127			

H122D      Foot used by mum to step onto chair

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
left		1	1014	10.5	10.6	10.6
right		2	6929	71.9	72.3	82.9
either		3	1639	17.0	17.1	100.0
		-1	53	.6	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		9582				
		Missing cases	53			

## Derived variable

### Footedness

H122a, H122b, H122c, H122d recoded as (1=1) (2=3) (3=2) H123 = H122a + H122b + H122c + H122d -4.

H123 Footedness Score		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
Completely Left foot	1.00	328	3.4	3.5	3.5	
	2.00	115	1.2	1.2	4.7	
	3.00	157	1.6	1.7	6.4	
	4.00	136	1.4	1.4	7.8	
	5.00	431	4.5	4.6	12.4	
	6.00	782	8.1	8.3	20.7	
	7.00	1443	15.0	15.3	35.9	
	8.00	1359	14.1	14.4	50.3	
Completely Right foot	9.00	4686	48.6	49.7	100.0	
	-1.00	198	2.1	Missing		
	Total	9635	100.0	100.0		

Valid cases 9437 Missing cases 198

H123a is H123 recoded (1-3=1) (4-6=2) (7-9=3)

H123A Footedness Score Grouped		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
Left footed	1.00	600	6.2	6.4	6.4	
Mixed	2.00	1349	14.0	14.3	20.7	
Right footed	3.00	7488	77.7	79.3	100.0	
	-1.00	198	2.1	Missing		
	Total	9635	100.0	100.0		

Valid cases 9437 Missing cases 198

**B3. Eyedness**

*Left      Right      Either*  
 [If 1+2 ticked or 'depends' code as '3']

- B3. a) which eye would you use to look through a telescope?  
 B3. b) if you had to look into a dark bottle to see how full it was, which eye would you use?

H124A      Eye used by mum to look in telescope			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
left		1	1881	19.5	19.7	19.7
right		2	6543	67.9	68.4	88.1
either		3	1137	11.8	11.9	100.0
		-1	74	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases    9561      Missing cases    74

H124B      Eye used by mum to look into dark bottle			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
left		1	1816	18.8	19.1	19.1
right		2	6423	66.7	67.5	86.6
either		3	1279	13.3	13.4	100.0
		-1	117	1.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases    9518      Missing cases    117

**Derived variable****Eyedness**

For each of H124A,B recode (1=3)(2=1)(3=2)(-1=0)

H125 = H124A + H124B-1

If either H124A,B = 0 put H125=-1

H125      Eyedness Score			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Right		1.00	6133	63.7	64.5	64.5
		2.00	493	5.1	5.2	69.7
		3.00	1036	10.8	10.9	80.6
		4.00	164	1.7	1.7	82.3
Left		5.00	1680	17.4	17.7	100.0
		-1.00	129	1.4	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases    9506      Missing cases    129

**B4. Which hands do various members of your family use?**

*Left      Right      Either      Don't Know*

[If 1+2 ticked or 'depends' code as '3']

**B4. a) the study child's father**

H126 Hand used by CHs father		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
left		1	1055	10.9	11.3	11.3
right		2	7882	81.8	84.7	96.0
either		3	368	3.8	4.0	100.0
		-1	330	3.5	Missing	
		-----		-----		
		Total	9635	100.0	100.0	

Valid cases 9305 Missing cases 330

**B4. b) your own mother**

H127 Hand used by mums mother		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
left		1	650	6.7	7.0	7.0
right		2	8494	88.2	91.1	98.1
either		3	177	1.8	1.9	100.0
		-1	314	3.3	Missing	
		-----		-----		
		Total	9635	100.0	100.0	

Valid cases 9321 Missing cases 314

**B4. c) your own father**

H128 Hand used by mums father		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
left		1	711	7.4	8.0	8.0
right		2	7953	82.5	89.0	96.9
either		3	275	2.9	3.1	100.0
		-1	696	7.2	Missing	
		-----		-----		
		Total	9635	100.0	100.0	

Valid cases 8939 Missing cases 696

B5. Thinking back to your childhood, (i.e. up to the age of 16) please answer the following questions:

B5. a) What sort of home were you mostly brought up in?

B5. a) (i) house flat caravan other (please describe)

[Coder ensured that if something is written in the please describe section, that the previous boxes are ticked appropriately. If there is no tick, make one here, to indicate information in the please describe section]

H130 Mums childhood home		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
house		1	9077	94.2	95.0	95.0
flat		2	236	2.4	2.5	97.4
caravan		3	11	.1	.1	97.5
other		4	235	2.4	2.5	100.0
		-1	76	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9559 Missing cases 76

B5. a) ii) was this: council housing being bought/owned

other rented other (please describe) don't know

[Coder ensured that if something is written in the please describe section, that the previous boxes are ticked appropriately. If there is no tick, make one here, to indicate information in the please describe section]

H131 Mums childhood home rented or owned		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
council housing		1	2119	22.0	22.6	22.6
being bought		2	3843	39.9	41.0	63.6
owned		3	2762	28.7	29.4	93.0
other rented		4	293	3.0	3.1	96.1
other		5	362	3.8	3.9	100.0
		-1	256	2.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9379 Missing cases 256

B5. b) Did you have any household pets?

*Yes always Yes, for part of time No, not at all*

H132 Mums house pets in childhood			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes always		1	4361	45.3	45.7	45.7
yes part of time		2	4253	44.1	44.5	90.2
no not at all		3	937	9.7	9.8	100.0
		-1	84	.9	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases		9551	Missing cases	84		

B5. c) Would you say that as a family you did things together?

*Yes often Yes, sometimes No, not at all Was not in a family*

[If more than one box was ticked, the one with the highest number was taken]

H133 Mums family did things together			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes often		1	4843	50.3	50.7	50.7
yes sometimes		2	4143	43.0	43.4	94.1
no not at all		3	563	5.8	5.9	100.0
not in family		-2	22	.2	Missing	
NS		-1	64	.7	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases		9549	Missing cases	86		

B5. d) Did you feel neglected emotionally during your childhood?

*Yes, severely neglected*

*Yes, somewhat neglected*

*No, not at all*

[If more than one box was ticked, the one with the lowest number was taken]

H134 Mum emotionally neglected when child			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes severely		1	250	2.6	2.6	2.6
yes somewhat		2	1845	19.1	19.3	21.9
no not at all		3	7479	77.6	78.1	100.0
		-1	63	.7	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases		9574	Missing cases	61		

B5. e) *Were you physically neglected as a child (e.g. not fed or clothed properly)?*

*Yes, severely neglected*

*Yes, somewhat neglected*

*No, not at all*

[If more than one box was ticked, the one with the lowest number was taken]

H135		Mum physically neglected when child			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes severely	1	25	.3	.3	.3
yes somewhat	2	165	1.7	1.7	2.0
no not at all	3	9395	97.5	98.0	100.0
	-1	50	.5	Missing	
		-----		-----	
		Total	9635	100.0	100.0
Valid cases		9585	Missing cases		50

B5. f) *Were you physically abused (e.g. beaten) as a child?*

*Yes, severely abused*

*Yes, somewhat abused*

*No, not at all*

[If more than one box was ticked, the one with the lowest number was taken]

[If sexual abuse only is written, coded as a 9]

H136		Mum physically abused when child			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes severely	1	71	.7	.7	.7
yes somewhat	2	523	5.4	5.5	6.2
no not at all	3	8957	93.0	93.8	100.0
	-1	84	.9	Missing	
		-----		-----	
		Total	9635	100.0	100.0
Valid cases		9551	Missing cases		84

If yes, who abused you? (tick all that apply) Yes No

B5. f) (i) mother

B5. f) (ii) father

B5. f) (iii) someone else (please describe)

[If 1+2 ticked or 'depends' code as '3']

[Coder ensured that if something is written in the please describe section, that the previous boxes are ticked appropriately.]

H136A Mum abused by MOTHER

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	248	2.6	2.6	2.6
no		2	9112	94.6	97.4	100.0
		-1	275	2.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9360 Missing cases 275

H136B Mum abused by FATHER

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	326	3.4	3.5	3.5
no		2	9067	94.1	96.5	100.0
		-1	248	2.15	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9393 Missing cases 242

H136C Mum abused by other person

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	180	1.9	2.0	2.0
no		2	8957	93.0	98.0	100.0
		-1	498	5.1	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9137 Missing cases 498

B5. f) (iv) how old were you when this first happened? years

H136D Mums age when first abused

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		8	1	.1	1.7	1.7
1		13	1	.1	2.8	4.6
2		31	3	.3	6.8	11.4
3		29	3	.3	6.3	17.7
4		34	4	.4	7.4	25.1
5		57	6	.6	12.4	37.6
6		40	4	.4	8.7	46.3
7		56	6	.6	12.2	58.5
8		48	5	.5	10.5	69.0
9		23	2	.2	5.0	74.0
10		31	3	.3	6.8	80.8
11		30	3	.3	6.6	87.3
12		23	2	.2	5.0	92.4
13		18	2	.2	3.9	96.3
14		5	1	.1	1.1	97.4
15		7	1	.1	1.5	98.9
16		5	1	.1	1.1	100.0
Not abused		-2	8957	93.0	Missing	
		-1	220	2.3	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 458 Missing cases 9177

B5. g) How would you describe the relationship between your mother and father when you were growing up?

When together were they:

Yes, always	Yes frequently	Yes sometimes	No, not at all	Single parent family always
-------------	----------------	---------------	----------------	-----------------------------

B5. g) (i) violent

[If more than one box was ticked, the one with the lowest number was taken]

H137A Mother and father relationship violent

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes always		1	60	.6	.7	.7
yes frequently		2	185	1.9	2.1	2.8
yes sometimes		3	947	9.8	10.7	13.5
not at all		4	7629	79.2	86.5	100.0
single parent		-2	245	2.5	Missing	
		-1	569	5.9	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8821 Missing cases 814

**B5. f) (ii) affectionate**

[If more than one box was ticked, the one with the highest number was taken]

H137B Mother and father relationship affection			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes always		1	1369	14.2	15.3	15.3
yes frequently		2	2274	23.6	25.5	40.8
yes sometimes		3	4178	43.4	46.8	87.5
not at all		4	1114	11.6	12.5	100.0
single parent		-2	245	2.5	Missing	
		-1	455	4.8	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8935	Missing cases	700			

**B5. f) (iii) quarrelsome**

[If more than one box was ticked, the one with the lowest number was taken]

H137C Mother and father relationship quarrelso			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes always		1	331	3.4	3.7	3.7
yes frequently		2	1525	15.8	17.0	20.6
yes sometimes		3	5137	53.3	57.1	77.7
not at all		4	2004	20.8	22.3	100.0
single parent		-2	245	2.5	Missing	
		-1	393	4.1	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8997	Missing cases	638			

**B5. f) (iv) happy**

[If more than one box was ticked, the one with the highest number was taken]

H137D Mother and father relationship happy			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes always		1	2106	21.9	23.4	23.4
yes frequently		2	3721	38.6	41.3	64.7
yes sometimes		3	2719	28.2	30.2	94.9
not at all		4	456	4.7	5.1	100.0
single parent		-2	245	2.5	Missing	
		-1	388	4.1	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9002	Missing cases	633			

**B5. f) (v) frightening**

[If more than one box was ticked, the one with the lowest number was taken]

H137E Mother and father relationship frightening			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes always		1	77	.8	.9	.9
yes frequently		2	274	2.8	3.1	4.0
yes sometimes		3	1355	14.1	15.3	19.2
not at all		4	7179	74.5	80.8	100.0
single parent		-2	245	2.5	Missing	
		-1	505	5.3	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8885 Missing cases 750

**B5. f) (vi) friendly**

[If more than one box was ticked, the one with the highest number was taken]

H137F Mother and father relationship friendly			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes always		1	3295	34.2	36.9	36.9
yes frequently		2	3166	32.9	35.4	72.3
yes sometimes		3	2151	22.3	24.1	96.3
not at all		4	328	3.4	3.7	100.0
single parent		-2	245	2.5	Missing	
		-1	450	4.7	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8940 Missing cases 695

**B5. f) (vii) respectful of one another**

[If more than one box was ticked, the one with the highest number was taken]

H137G Mother and father relationship respectfu			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes always		1	3264	33.9	36.6	36.6
yes frequently		2	2617	27.2	29.4	66.0
yes sometimes		3	2239	23.2	25.1	91.1
not at all		4	791	8.2	8.9	100.0
single parent		-2	245	2.5	Missing	
		-1	479	5.0	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8911 Missing cases 724

## B5. f) (viii) remote or distant from one another

[If more than one box was ticked, the one with the lowest number was taken]

H137H Mother and father relationship remote			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes always		1	245	2.5	2.8	2.8
yes frequently		2	699	7.3	7.9	10.6
yes sometimes		3	2799	29.1	31.6	42.2
not at all		4	5127	53.2	57.8	100.0
single parent		-2	245	2.5	Missing	
		-1	520	5.4	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8870	Missing cases	765			

**Derived variable****Parental relationship score**

To calculate H138 the variables H137a,c,e,h were recoded as follows:

(1,2,3,4, H = 0,1,2,3) H137b,d,f,g → (1,2,3,4 = 3,2,1,0). H138 = sum H137a - H137h).

If any H137a - H137h = -1 H138 = -1 If single parent H138 = -2. A high score therefore corresponds to a good relationship.

## H138 Parental Relationship Score

Value	Label	Value	Frequency	Percent	Valid	Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
Valid		.00	16	.2	.2	.2
		1.00	13	.1	.2	.3
		2.00	21	.2	.2	.6
		3.00	39	.4	.5	1.0
		4.00	59	.6	.7	1.7
		5.00	88	.9	1.0	2.8
		6.00	129	1.3	1.5	4.3
		7.00	146	1.5	1.7	6.0
		8.00	198	2.1	2.3	8.3
		9.00	263	2.7	3.1	11.4
		10.00	355	3.7	4.2	15.5
		11.00	446	4.6	5.2	20.7
		12.00	562	5.8	6.6	27.3
		13.00	498	5.2	5.8	33.1
		14.00	588	6.1	6.9	40.0
		15.00	828	8.6	9.7	49.7
		16.00	933	9.7	10.9	60.6
		17.00	824	8.6	9.6	70.2
		18.00	719	7.5	8.4	78.6
		19.00	647	6.7	7.6	86.2
		20.00	685	7.1	8.0	94.2
		21.00	497	5.2	5.8	100.0
		-2.00	245	2.5	Missing	
		-1.00	830	8.6	Missing	
				-----	-----	-----
		Total	9629	100.0		
Valid cases	8554	Missing cases	1075			

B5. h) Space for anything else you might like to tell us about your childhood.

[Keyed as text]

B6. Did you like school?

yes always  
yes mostly  
it was all right  
no, not really  
no, definitely not

[If more than one box was ticked, the one with the highest number was taken]

H140 Mum liked school

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes always		1	1527	15.8	16.1	16.1
yes mostly		2	4242	44.0	44.8	60.9
it was alright		3	2305	23.9	24.4	85.3
no not really		4	1047	10.9	11.1	96.4
no definitely not		5	345	3.6	3.6	100.0
		-1	169	1.7	Missing	
					-----	-----
			Total	9635	100.0	100.0
Valid cases	9466		Missing cases	169		

B7. Was school a valuable experience for you?

yes, very valuable  
yes, generally valuable  
I'm not sure  
no, generally not valuable  
no, of no value

[If more than one box was ticked, the one with the highest number was taken]

H141 Mum feels school was valuable

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes very		1	2382	24.7	24.8	24.8
yes generally		2	4769	49.5	49.7	74.6
not sure		3	1627	16.9	17.0	91.5
no generally not		4	662	6.9	6.9	98.4
no of no value		5	151	1.6	1.6	100.0
		-1	44	.4	Missing	
			Total	9635	100.0	100.0
Valid cases	9591		Missing cases	44		

B8. a) Were you frequently away from school?

Yes      No

B8. a) i) before age 11

B8. a) ii) aged 11 or more

[If both yes and no ticked, 1 coded]

		H142A      Mum was often away from school < 11 yrs			
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
yes		1	559	5.8	5.9
no		2	8924	92.6	94.1
		-1	150	1.6	Missing
		Total	9635	100.0	100.0
Valid cases	9483	Missing cases	152		

H142B      Mum was often away from school > 11 yrs

		H142B      Mum was often away from school > 11 yrs			
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
yes		1	1211	12.5	12.8
no		2	8245	85.6	87.2
		-1	179	1.9	Missing
		Total	9635	100.0	100.0
Valid cases	9456	Missing cases	179		

If yes,

B8. b) why was this?

Before age 11      After age 11

Yes      No      Yes      No

B8. b) i) illness

B8. b) ii) truancy

B8. b) iii) other (please tick and describe)

[Coder ensured that if something is written in the please describe section, that the previous boxes are ticked appropriately. If there is no tick, make one here, to indicate information in the please describe section]

(NB further editing needed on these questions)

		H142C      Mum away from school illness < 11 yrs			
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
yes		1	430	4.5	4.6
no		2	8985	93.3	95.4
		-1	220	2.2	Missing
		Total	9635	100.0	100.0
Valid cases	9415	Missing cases	220		

H142D Mum away from school illness &gt;11 yrs

Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	386	4.0	4.3	4.3
no		2	8614	89.4	95.7	100.0
		-1	635	6.6	Missing	
		Total	9635	100.0	100.0	

Valid cases 9000 Missing cases 635

H142E Mum away from school truancy &lt; 11 yrs

Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	64	.7	.7	.7
no		2	9200	95.5	99.3	100.0
		-1	371	3.8	Missing	
		Total	9635	100.0	100.0	

Valid cases 9264 Missing cases 371

H142F Mum away from school truancy &gt;11 yrs

Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	830	8.6	9.0	9.0
no		2	8416	87.3	91.0	100.0
		-1	389	4.1	Missing	
		Total	9635	100.0	100.0	

Valid cases 9246 Missing cases 389

H142G Mum away from school other &lt; 11 yrs

Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	104	1.1	1.1	1.1
no		2	9052	93.9	98.9	100.0
		-1	479	5.0	Missing	
		Total	9635	100.0	100.0	

Valid cases 9156 Missing cases 479

H142H Mum away from school other &gt;11 yrs

Valid	yes	183	1.9	Frequency		Percent		Valid Cum	
				Percent	Valid	Cum	Percent	Percent	
	no	8502	88.3		88.3	97.9	100.0		
		-1	945		9.8	Missing			
		Total	9635		100.0	100.0			

Valid cases 8690 Missing cases 945

## PAGE 16 OF THE QUESTIONNAIRE

**SECTION C: YOUR OPINION OF YOURSELF**

[Editing: If all parts of section C were omitted variables H150a to H151c were all set to -6.]

Below are some statements. Please say how true they are of you.

	<b>Almost Always true</b>	<b>Often true</b>	<b>Sometimes true</b>	<b>Seldom true</b>	<b>Never true</b>
--	-----------------------------------	-----------------------	---------------------------	------------------------	-----------------------

- |  |   |   |   |   |   |
|--|---|---|---|---|---|
| C1. I feel that I am a person of worth, at least equal to others | 1 | 2 | 3 | 4 | 5 |
| C2. I feel I have a number of good qualities.                    |   |   |   |   |   |
| C3. I am able to do things as well as most other people.         |   |   |   |   |   |
| C4. I feel I do not have much to be proud of.                    |   |   |   |   |   |
| C5. I take a positive attitude towards myself.                   |   |   |   |   |   |
| C6. Sometimes I think I am no good at all.                       |   |   |   |   |   |
| C7. I am a useful person to have around.                         |   |   |   |   |   |
| C8. I feel I cannot do anything right.                           |   |   |   |   |   |
| C9. When I do a job I do it well.                                |   |   |   |   |   |
| C10. I feel that my life is not very useful.                     |   |   |   |   |   |
| C11. I am unlucky.   |   |   |   |   |   |

[Coding: If multiple boxes were ticked for any of C1, C2, C3, C5, C7 or C9 then the highest code number was taken. If multiple boxes were ticked for any of C4, C6, C8, C10 or C11 then the lowest code number was taken.]

**h150a C1: Mother feels she is a person of worth**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	3814	39.6	40.2	40.2
	2 Often true	3256	33.8	34.3	74.5
	3 Sometimes true	2058	21.3	21.7	96.2
	4 Seldom true	310	3.2	3.3	99.4
	5 Never true	54	.6	.6	100.0
	Total	9492	98.5	100.0	
Missing	-6 Section C omitted	81	.8		
	-1 Not stated	68	.7		
	Total	149	1.5		
Total		9641	100.0		

**h150b C2: Mother feels she has a number of good qualities**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	3267	33.9	34.3	34.3
	2 Often true	3801	39.4	39.9	74.2
	3 Sometimes true	2167	22.5	22.7	96.9
	4 Seldom true	271	2.8	2.8	99.8
	5 Never true	23	.2	.2	100.0
	Total	9529	98.8	100.0	
Missing	-6 Section C omitted	81	.8		
	-1 Not stated	31	.3		
	Total	112	1.2		
Total		9641	100.0		

**h150c C3: Mother is able to do things as well as others**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	3000	31.1	31.5	31.5
	2 Often true	3899	40.4	40.9	72.3
	3 Sometimes true	2321	24.1	24.3	96.7
	4 Seldom true	294	3.0	3.1	99.7
	5 Never true	24	.2	.3	100.0
	Total	9538	98.9	100.0	
Missing	-6 Section C omitted	81	.8		
	-1 Not stated	22	.2		
	Total	103	1.1		
Total		9641	100.0		

**h150d C4: Mother feels she does not to have much to be proud of**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	241	2.5	2.5	2.5
	2 Often true	560	5.8	5.9	8.4
	3 Sometimes true	1836	19.0	19.3	27.7
	4 Seldom true	3798	39.4	39.9	67.5
	5 Never true	3095	32.1	32.5	100.0
	Total	9530	98.8	100.0	
Missing	-6 Section C omitted	81	.8		
	-1 Not stated	30	.3		
	Total	111	1.2		
Total		9641	100.0		

**h150e C5: Mother takes a positive attitude towards herself**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	1925	20.0	20.2	20.2
	2 Often true	3441	35.7	36.1	56.3
	3 Sometimes true	3177	33.0	33.3	89.7
	4 Seldom true	874	9.1	9.2	98.8
	5 Never true	111	1.2	1.2	100.0
	Total	9528	98.8	100.0	
Missing	-6 Section C omitted	81	.8		
	-1 Not stated	32	.3		
	Total	113	1.2		
Total		9641	100.0		

**h150f C6: Mother sometimes thinks she is no good at all**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	96	1.0	1.0	1.0
	2 Often true	576	6.0	6.0	7.1
	3 Sometimes true	2916	30.2	30.6	37.7
	4 Seldom true	3300	34.2	34.7	72.3
	5 Never true	2633	27.3	27.7	100.0
	Total	9521	98.8	100.0	
Missing	-6 Section C omitted	81	.8		
	-1 Not stated	39	.4		
	Total	120	1.2		
Total		9641	100.0		

**h150g C7: Mother is a useful person to have around**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	1621	16.8	17.0	17.0
	2 Often true	3929	40.8	41.3	58.3
	3 Sometimes true	3465	35.9	36.4	94.8
	4 Seldom true	449	4.7	4.7	99.5
	5 Never true	50	.5	.5	100.0
	Total	9514	98.7	100.0	
Missing	-6 Section C omitted	81	.8		
	-1 Not stated	46	.5		
	Total	127	1.3		
Total		9641	100.0		

**h150h C8: Mother feels she can not do anything right**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	74	.8	.8	.8
	2 Often true	426	4.4	4.5	5.3
	3 Sometimes true	2881	29.9	30.3	35.5
	4 Seldom true	3823	39.7	40.1	75.6
	5 Never true	2319	24.1	24.4	100.0
	Total	9523	98.8	100.0	
Missing	-9 Error check	1	.0		
	-6 Section C omitted	81	.8		
	-1 Not stated	36	.4		
	Total	118	1.2		
Total		9641	100.0		

**h150i C9: Mother does jobs well**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	2745	28.5	28.8	28.8
	2 Often true	4538	47.1	47.6	76.4
	3 Sometimes true	2067	21.4	21.7	98.1
	4 Seldom true	160	1.7	1.7	99.8
	5 Never true	19	.2	.2	100.0
	Total	9529	98.8	100.0	
Missing	-6 Section C omitted	81	.8		
	-1 Not stated	31	.3		
	Total	112	1.2		
Total		9641	100.0		

**h150j C10: Mother feels her life is not useful**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	88	.9	.9	.9
	2 Often true	314	3.3	3.3	4.2
	3 Sometimes true	1672	17.3	17.6	21.8
	4 Seldom true	3030	31.4	31.8	53.6
	5 Never true	4411	45.8	46.4	100.0
	Total	9515	98.7	100.0	
Missing	-9 Error check	1	.0		
	-6 Section C omitted	81	.8		
	-1 Not stated	44	.5		
	Total	126	1.3		
Total		9641	100.0		

**h150k C11: Mother is unlucky**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always true	371	3.8	3.9	3.9
	2 Often true	656	6.8	6.9	10.8
	3 Sometimes true	2340	24.3	24.6	35.4
	4 Seldom true	3073	31.9	32.3	67.8
	5 Never true	3063	31.8	32.2	100.0
	Total	9503	98.6	100.0	
Missing	-8 See text	1	.0		
	-6 Section C omitted	81	.8		
	-1 Not stated	56	.6		
	Total	138	1.4		
Total		9641	100.0		

## Derived variables – Bachman Self Esteem

This score, on a scale of 0 to 40, is a weighted sum of the recoded responses to the first 10 questions in section C. A high score corresponds to high self esteem. Two versions of the score are provided. For most analyses the prorated score, H151b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then H151c can be used to set further cases to missing. However, should users only want the cases who completed all components then H151a should be used (this is equivalent to setting H151b to -5 for all cases for which H151c > 0).


Note that the derived variables have been revised for version 6a of the built file (August 2004). The old single derived score, which gave cases omitting all questions a score of 0, is no longer available. The old score also included question C11 (H150k). This question, however, is not part of the original Bachman scale and so has been removed from the score calculations.

The Bachman Self Esteem Score was created by recoding (missing, 1 = 0)(2 = 1)(3 = 2) (4 = 3)(5 = 4) in H150d, H150f, H150h & H150j and (missing, 5 = 0)(1 = 4) (2 = 3)(3 = 2)(4 = 1) in H150a, H150b, H150c, H150e, H150g & H150i and summing. The score based on complete cases only is H151a. If any of the components were missing then H151a was set to -5. Variable H151c is the number of missing components. The prorated score is H151b. If more than five components were missing then H151b was set to -5. Otherwise H151b is scaled by a factor of  $10 / (10 - H151c)$  and rounded to the nearest integer.


### Statistics

		h151a DV: Bachman self esteem score (complete cases)	h151b DV: Bachman self esteem score (prorated)
N	Valid	9367	9543
	Missing	274	98
Mean		29.35	29.31
Mode		29	29
Std. Deviation		6.355	6.358
Minimum		0	0
Maximum		40	40
Percentiles	25	25.00	25.00
	50	30.00	30.00
	75	34.00	34.00

**H151A**



**H151B**



**h151c DV: # missing Bachman self esteem components**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	9367	97.2	98.0	98.0
	1	136	1.4	1.4	99.4
	2	25	.3	.3	99.7
	3	7	.1	.1	99.7
	4	5	.1	.1	99.8
	5	3	.0	.0	99.8
	7	5	.1	.1	99.9
	8	5	.1	.1	99.9
	9	6	.1	.1	100.0
	10	1	.0	.0	100.0
	Total	9560	99.2	100.0	
Missing	-6 Section C omitted	81	.8		
Total		9641	100.0		

## PAGE 17 OF THE QUESTIONNAIRE

**SECTION D: YOUR FEELINGS**

The questions in this section ask you about your feelings and the way you behave. You have answered these questions in other questionnaires, but you may be feeling differently now.

Please indicate the way you feel.

	<b>Very often</b>	<b>Often</b>	<b>Not very often</b>	<b>Never</b>
D1. Do you feel upset for no obvious reason?	1	2	3	4
D2. Do you get troubled by dizziness or shortness of breath?				
D3. Have you felt as though you might faint?				
D4. Do you feel sick or have indigestion?				
D5. Do you feel that life is too much effort?				
D6. Do you feel uneasy and restless?				
D7. Do you feel tingling or prickling sensations in your body, arms or legs?				
D8. Do you regret much of your past behaviour?				
D9. Do you sometimes feel panicky?				
D10. Do you find that you have little or no appetite?				
D11. Do you wake unusually early in the morning even when you haven't been woken by the family?				
D12. Do you worry a lot?				

## PAGE 18 OF THE QUESTIONNAIRE

	<b>Very often</b>	<b>Often</b>	<b>Not very often</b>	<b>Never</b>
D13. Do you feel tired or exhausted?	1	2	3	4
D14. Do you experience long periods of sadness?				
D15. Do you feel strung-up inside?				
D16. Can you go to sleep alright?				
D17. Do you ever have the feeling you are going to pieces?				
D18. Do you often have excessive sweating or fluttering of the heart?				
D19. Do you find yourself needing to cry?				
D20. Do you have bad dreams which upset you when you wake up?				
D21. Do you lose the ability to feel sympathy for others?				
D22. Can you think as quickly as you used to?				
D23. Do you have to make a special effort to face up to a crisis or difficulty?				

[Coding: If multiple boxes were ticked for any question then the lowest code number was taken.]

**h155 D1: Mother feels upset for no obvious reason**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	207	2.1	2.2	2.2
	2 Often	1030	10.7	10.8	12.9
	3 Not very often	6170	64.0	64.5	77.4
	4 Never	2166	22.5	22.6	100.0
	Total	9573	99.3	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	39	.4		
	Total	68	.7		
Total		9641	100.0		

**h156 D2: Mother troubled by dizziness/shortness of breath**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	93	1.0	1.0	1.0
	2 Often	487	5.1	5.1	6.1
	3 Not very often	2120	22.0	22.1	28.2
	4 Never	6877	71.3	71.8	100.0
	Total	9577	99.3	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	35	.4		
	Total	64	.7		
Total		9641	100.0		

**h157 D3: Mother felt like fainting**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	33	.3	.3	.3
	2 Often	350	3.6	3.7	4.0
	3 Not very often	2850	29.6	29.8	33.8
	4 Never	6332	65.7	66.2	100.0
	Total	9565	99.2	100.0	
Missing	-8 See text	1	.0		
	-6 Section D omitted	29	.3		
	-1 Not stated	46	.5		
	Total	76	.8		
Total		9641	100.0		

**h158 D4: Mother feels sick**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	131	1.4	1.4	1.4
	2 Often	753	7.8	7.9	9.2
	3 Not very often	3466	36.0	36.2	45.4
	4 Never	5224	54.2	54.6	100.0
	Total	9574	99.3	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	38	.4		
	Total	67	.7		
Total		9641	100.0		

**h159 D5: Mother feels life is too much effort**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	115	1.2	1.2	1.2
	2 Often	673	7.0	7.0	8.2
	3 Not very often	3519	36.5	36.8	45.0
	4 Never	5259	54.5	55.0	100.0
	Total	9566	99.2	100.0	
Missing	-8 See text	1	.0		
	-6 Section D omitted	29	.3		
	-1 Not stated	45	.5		
	Total	75	.8		
Total		9641	100.0		

**h160 D6: Mother feels uneasy & restless**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	141	1.5	1.5	1.5
	2 Often	1130	11.7	11.8	13.3
	3 Not very often	4488	46.6	47.0	60.3
	4 Never	3797	39.4	39.7	100.0
	Total	9556	99.1	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	56	.6		
	Total	85	.9		
Total		9641	100.0		

**h161 D7: Mother feels tingling in arms/legs/body**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	84	.9	.9	.9
	2 Often	460	4.8	4.8	5.7
	3 Not very often	1414	14.7	14.8	20.5
	4 Never	7610	78.9	79.5	100.0
	Total	9568	99.2	100.0	
Missing	-8 See text	1	.0		
	-6 Section D omitted	29	.3		
	-1 Not stated	43	.4		
	Total	73	.8		
Total		9641	100.0		

**h162 D8: Mother regrets much past behaviour**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	228	2.4	2.4	2.4
	2 Often	912	9.5	9.5	11.9
	3 Not very often	4271	44.3	44.6	56.6
	4 Never	4157	43.1	43.4	100.0
	Total	9568	99.2	100.0	
Missing	-8 See text	1	.0		
	-6 Section D omitted	29	.3		
	-1 Not stated	43	.4		
	Total	73	.8		
Total		9641	100.0		

**h163 D9: Mother sometimes feels panicky**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	116	1.2	1.2	1.2
	2 Often	686	7.1	7.2	8.4
	3 Not very often	3340	34.6	34.9	43.3
	4 Never	5423	56.2	56.7	100.0
	Total	9565	99.2	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	47	.5		
	Total	76	.8		
Total		9641	100.0		

**h164 D10: Mother has little or no appetite**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	142	1.5	1.5	1.5
	2 Often	573	5.9	6.0	7.5
	3 Not very often	3146	32.6	32.9	40.4
	4 Never	5704	59.2	59.6	100.0
	Total	9565	99.2	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	47	.5		
	Total	76	.8		
Total		9641	100.0		

**h165 D11: Mother wakes unusually early in morning**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	364	3.8	3.8	3.8
	2 Often	1376	14.3	14.4	18.2
	3 Not very often	3441	35.7	35.9	54.1
	4 Never	4392	45.6	45.9	100.0
	Total	9573	99.3	100.0	
Missing	-8 See text	2	.0		
	-6 Section D omitted	29	.3		
	-1 Not stated	37	.4		
	Total	68	.7		
Total		9641	100.0		

**h166 D12: Mother worries a lot**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	907	9.4	9.5	9.5
	2 Often	3141	32.6	32.8	42.3
	3 Not very often	4698	48.7	49.0	91.3
	4 Never	835	8.7	8.7	100.0
	Total	9581	99.4	100.0	
Missing	-8 See text	1	.0		
	-6 Section D omitted	29	.3		
	-1 Not stated	30	.3		
	Total	60	.6		
Total		9641	100.0		

**h167 D13: Mother feels tired/exhausted**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	1240	12.9	12.9	12.9
	2 Often	4758	49.4	49.7	62.6
	3 Not very often	3367	34.9	35.2	97.8
	4 Never	211	2.2	2.2	100.0
	Total	9576	99.3	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	36	.4		
	Total	65	.7		
Total		9641	100.0		

**h168 D14: Mother has long periods of sadness**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	208	2.2	2.2	2.2
	2 Often	815	8.5	8.5	10.7
	3 Not very often	3911	40.6	40.9	51.6
	4 Never	4633	48.1	48.4	100.0
	Total	9567	99.2	100.0	
Missing	-8 See text	1	.0		
	-6 Section D omitted	29	.3		
	-1 Not stated	44	.5		
	Total	74	.8		
Total		9641	100.0		

**h169 D15: Mother feels strung up inside**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	339	3.5	3.5	3.5
	2 Often	1719	17.8	18.0	21.5
	3 Not very often	4512	46.8	47.2	68.7
	4 Never	2993	31.0	31.3	100.0
	Total	9563	99.2	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	49	.5		
	Total	78	.8		
Total		9641	100.0		

**h170 D16: Mother goes to sleep all right**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	5230	54.2	54.6	54.6
	2 Often	3201	33.2	33.4	88.1
	3 Not very often	942	9.8	9.8	97.9
	4 Never	201	2.1	2.1	100.0
	Total	9574	99.3	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	38	.4		
	Total	67	.7		
Total		9641	100.0		

**h171 D17: Mother feels to be going to pieces**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	183	1.9	1.9	1.9
	2 Often	780	8.1	8.2	10.1
	3 Not very often	3700	38.4	38.7	48.8
	4 Never	4898	50.8	51.2	100.0
	Total	9561	99.2	100.0	
Missing	-8 See text	1	.0		
	-6 Section D omitted	29	.3		
	-1 Not stated	50	.5		
	Total	80	.8		
Total		9641	100.0		

**h172 D18: Mother often sweats excessively**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	88	.9	.9	.9
	2 Often	363	3.8	3.8	4.7
	3 Not very often	1716	17.8	17.9	22.7
	4 Never	7398	76.7	77.3	100.0
	Total	9565	99.2	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	47	.5		
	Total	76	.8		
Total		9641	100.0		

**h173 D19: Mother needs to cry**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	197	2.0	2.1	2.1
	2 Often	1284	13.3	13.4	15.5
	3 Not very often	5852	60.7	61.2	76.6
	4 Never	2234	23.2	23.4	100.0
	Total	9567	99.2	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	45	.5		
	Total	74	.8		
Total		9641	100.0		

**h174 D20: Mother has bad upsetting dreams**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	120	1.2	1.3	1.3
	2 Often	490	5.1	5.1	6.4
	3 Not very often	3617	37.5	37.8	44.1
	4 Never	5348	55.5	55.9	100.0
	Total	9575	99.3	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	37	.4		
	Total	66	.7		
Total		9641	100.0		

**h175 D21: Mother loses ability to feel sympathy**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	116	1.2	1.2	1.2
	2 Often	731	7.6	7.6	8.9
	3 Not very often	4142	43.0	43.3	52.2
	4 Never	4570	47.4	47.8	100.0
	Total	9559	99.1	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	53	.5		
	Total	82	.9		
Total		9641	100.0		

**h176 D22: Mother can think as quickly as in the past**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	2530	26.2	26.5	26.5
	2 Often	4428	45.9	46.4	72.9
	3 Not very often	2296	23.8	24.1	97.0
	4 Never	290	3.0	3.0	100.0
	Total	9544	99.0	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	68	.7		
	Total	97	1.0		
Total		9641	100.0		

**h177 D23: Mother needs special effort to face a crisis**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very often	232	2.4	2.4	2.4
	2 Often	1307	13.6	13.7	16.1
	3 Not very often	4688	48.6	49.2	65.3
	4 Never	3305	34.3	34.7	100.0
	Total	9532	98.9	100.0	
Missing	-8 See text	2	.0		
	-6 Section D omitted	29	.3		
	-1 Not stated	78	.8		
	Total	109	1.1		
Total		9641	100.0		

## Derived Variables – Crown Crisp Experiential Index

The first 23 questions in section D comprise the sub-scales of Crown-Crisp Experiential Index (CCEI) relating to free-floating anxiety, somaticism and depression (see Table 1). Although the total score of the 48 items in the original index has been shown to be a useful measure of psycho- neurotic pathology in the community, the need to limit the number of items and our specific interest in depression and anxiety guided the selection of these items. Indeed most studies using the CCEI, including those of the original authors have in fact focused on the sub-scales and it has been used in this way in the study of mental health of mothers during pregnancy and the post-natal year.

**Table 1: Components of the CCEI subscales**

Subscale	Number of items	Item question numbers	Item variable names
Anxiety	8	D1, D3, D6, D9 D12, D15, D17, D20	H155, H157, H160, H163 H166, H169, H171, H174
Somatic	7	D2, D4, D7, D10 D13, D16, D18	H156, H158, H161, H164 H167, H170, H172
Depression	8	D5, D8, D11, D14 D19, D21, D22, D23	H159, H162, H165, H168 H173, H175, H176, H177

**Table 1: Components of the CCEI subscales**

Subscale	Number of items	Item question numbers	Item variable names
Anxiety	8	D1, D3, D6, D9 D12, D15, D17, D20	H155, H157, H160, H163 H166, H169, H171, H174
Somatic	7	D2, D4, D7, D10, D13, D16, D18	H156, H158, H161, H164, H167, H170, H172
Depression	8	D5, D8, D11, D14, D19, D21, D22, D23	H159, H162, H165, H168, H173, H175, H176, H177

The three sub-scales had varying styles of responses; some had two categories (yes/no), while others had three

categories. The response categories were modified for use within ALSPAC so that each item had four consistent response categories in which the respondent indicated frequency of symptoms from “never” to “very often”. For the calculation of the subscale and total scores the items were recoded to ensure that the scores produced were on the correct scale (see Table 2). These modifications were extensively pilot tested including a validation study against the Present State Examination (PSE).

**Table 2: Recodes applied to the CCEI items in calculating the scores**

Recode	Item question numbers	Item variable names
(1, 2 = 2)(3, 4 = 0)	D1, D4, D8, D10, D11, D15, D17, D18, D21	H155, H158, H162, H164, H165, H169, H171, H172, H175
(1, 2 = 2)(3 = 1)(4 = 0)	D2, D3, D5, D6, D7, D12, D13, D14, D19, D20, D23	H156, H157, H159, H160, H161, H166, H167, H168, H173, H174, H177
(1, 2 = 0)(3, 4 = 2)	D16, D22	H170, H176
(1, 2, 3 = 2)(4 = 0)	D9	H163

The CCEI scores have been revised for version 6a of the built file (August 2004). The mode imputed scores have been replaced with prorated scores and the variable names have changed to be consistent with how score variables are now named. These changes are detailed in Table 3. In addition the missing values have been handled in a more detailed manner, as detailed in the descriptions of the variables.

**Table 3: Changes to CCEI scores introduced at version 6a of the built file**

Old name	Description	New name	Comment
H178	Anxiety: Score for complete cases only	H178a	-
H179	Anxiety: Score adjusted for missing components	H178b	Prorated rather than mode imputed
H180	Anxiety: Number of missing components	H178c	-
H181	Somatic symptoms: Score for complete cases only	H181a	-
H182	Somatic symptoms: Score adjusted for missing components	H181b	Prorated rather than mode imputed
H183	Somatic symptoms: Number of missing components	H181c	-
H184	Depression: Score for complete cases only	H184a	-
H185	Depression: Score adjusted for missing components	H184b	Prorated rather than mode imputed
H186	Depression: Number of missing components	H184c	-
H187	Total: Score for complete cases only	H187a	-
H188	Total: Score adjusted for missing components	H187b	Prorated rather than mode imputed
H189	Total: Number of missing components	H187c	-

### Anxiety Subscale

This score, on a scale of [0, 16], is a weighted sum of the recoded responses to the following 8 questions: D1, D3, D6, D9, D12, D15, D17 and D20. A high score corresponds to a high level of anxiety. Two versions of the score are provided. For most analyses the prorated score, H178b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then H178c can be used to set further cases to missing. However, should users only want the cases who completed all components then H178a should be used (this is equivalent to setting H178b to - 5 for all cases for which H178c > 0).

The CCEI Anxiety Subscale Score was created by recoding (missing, 3, 4 = 0)(1, 2 = 2) in H155, H169 & H171, (missing, 4 = 0)(3 = 1)(1, 2 = 2) in H157, H160, H166 & H174 and (missing, 4 = 0)(1, 2, 3 = 2) in H163 and summing. The score based on complete cases only is H178a. If any of the components were missing then H178a was set to -5. Variable H178c is the number of missing components. The prorated score is H178b. If more than four components were missing then H178b was set to -5. Otherwise H178b is scaled by a factor of 8 / (8 - H178c) and rounded to the nearest integer.

**h178a DV: CCEI anxiety subscale score (complete cases)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	440	4.6	4.6	4.6
	1	1291	13.4	13.6	18.3
	2	1403	14.6	14.8	33.1
	3	1187	12.3	12.5	45.6
	4	1030	10.7	10.9	56.5
	5	1006	10.4	10.6	67.1
	6	780	8.1	8.2	75.4
	7	524	5.4	5.5	80.9
	8	373	3.9	3.9	84.9
	9	320	3.3	3.4	88.2
	10	253	2.6	2.7	90.9
	11	205	2.1	2.2	93.1
	12	205	2.1	2.2	95.2
	13	163	1.7	1.7	97.0
	14	168	1.7	1.8	98.7
	15	81	.8	.9	99.6
	16	38	.4	.4	100.0
Missing	Total	9467	98.2	100.0	
	-6 Section D omitted	29	.3		
	-5 1+ components omitted	145	1.5		
	Total	174	1.8		
Total		9641	100.0		

**h178b DV: CCEI anxiety subscale score (prorated)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	444	4.6	4.6	4.6
	1	1302	13.5	13.6	18.2
	2	1415	14.7	14.8	33.0
	3	1206	12.5	12.6	45.6
	4	1031	10.7	10.8	56.3
	5	1028	10.7	10.7	67.1
	6	795	8.2	8.3	75.4
	7	530	5.5	5.5	80.9
	8	380	3.9	4.0	84.9
	9	324	3.4	3.4	88.2
	10	255	2.6	2.7	90.9
	11	210	2.2	2.2	93.1
	12	206	2.1	2.1	95.2
	13	165	1.7	1.7	97.0
	14	171	1.8	1.8	98.7
	15	81	.8	.8	99.6
	16	39	.4	.4	100.0
Total		9582	99.4	100.0	
Missing	-6 Section D omitted	29	.3		
	-5 > 4 components omitted	30	.3		
	Total	59	.6		
Total		9641	100.0		

**h178c DV: # missing CCEI anxiety subscale components**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	9467	98.2	98.5	98.5
	1	83	.9	.9	99.4
	2	11	.1	.1	99.5
	3	19	.2	.2	99.7
	4	2	.0	.0	99.7
	5	17	.2	.2	99.9
	7	2	.0	.0	99.9
	8	11	.1	.1	100.0
	Total	9612	99.7	100.0	
Missing	-6 Section D omitted	29	.3		
	Total	9641	100.0		

### Somatic Subscale

This score, on a scale of [0, 14], is a weighted sum of the recoded responses to the following 7 questions: D2, D4, D7, D10, D13, D16 and D18. A high score corresponds to a high level of somatic symptoms. Two versions of the score are provided. For most analyses the prorated score, H181b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then H181c can be used to set further cases to missing. However, should users only want the cases who completed all components then H181a should be used (this is equivalent to setting H181b to -5 for all cases for which H181c > 0).

The CCEI Somatic Subscale Score was created by recoding (missing, 3, 4 = 0)(1, 2 = 2) in H158, H164 & H172 (missing, 4 = 0)(3 = 1)(1, 2 = 2) in H156, H161 & H167 and (missing, 1, 2 = 0)(3, 4 = 2) in H170 and summing. The score based on complete cases only is H181a. If any of the components were missing then H181a was set to -5. Variable H181c is the number of missing components. The prorated score is H181b. If more than three components were missing then H181b was set to -5. Otherwise H181b is scaled by a factor of  $7 / (7 - H181c)$  and rounded to the nearest integer.

**h181a DV: CCEI somatic subscale score (complete cases)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	148	1.5	1.6	1.6
	1	2258	23.4	23.8	25.3
	2	3112	32.3	32.8	58.1
	3	1298	13.5	13.7	71.7
	4	1101	11.4	11.6	83.3
	5	560	5.8	5.9	89.2
	6	413	4.3	4.3	93.6
	7	218	2.3	2.3	95.9
	8	146	1.5	1.5	97.4
	9	81	.8	.9	98.3
	10	80	.8	.8	99.1
	11	38	.4	.4	99.5
	12	32	.3	.3	99.8
	13	6	.1	.1	99.9
	14	9	.1	.1	100.0
Total		9500	98.5	100.0	
Missing	-6 Section D omitted	29	.3		
	-5 1+ components omitted	112	1.2		
	Total	141	1.5		
Total		9641	100.0		

**h181b DV: CCEI somatic subscale score (prorated)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	158	1.6	1.6	1.6
	1	2273	23.6	23.7	25.4
	2	3130	32.5	32.7	58.0
	3	1299	13.5	13.6	71.6
	4	1117	11.6	11.7	83.2
	5	569	5.9	5.9	89.2
	6	418	4.3	4.4	93.6
	7	221	2.3	2.3	95.9
	8	149	1.5	1.6	97.4
	9	82	.9	.9	98.3
	10	80	.8	.8	99.1
	11	39	.4	.4	99.5
	12	32	.3	.3	99.8
	13	6	.1	.1	99.9
	14	9	.1	.1	100.0
Total		9582	99.4	100.0	
Missing	-6 Section D omitted	29	.3		
	-5 > 3 components omitted	30	.3		
	Total	59	.6		
Total		9641	100.0		

**h181c DV: # missing CCEI somatic subscale components**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	9500	98.5	98.8	98.8
	1	57	.6	.6	99.4
	2	7	.1	.1	99.5
	3	18	.2	.2	99.7
	4	13	.1	.1	99.8
	5	4	.0	.0	99.9
	6	3	.0	.0	99.9
	7	10	.1	.1	100.0
	Total	9612	99.7	100.0	
Missing	-6 Section D omitted	29	.3		
	Total	9641	100.0		

### Depression Subscale

This score, on a scale of [0, 16], is a weighted sum of the recoded responses to the following 8 questions: D5, D8, D11, D14, D19, D21, D22 and D23. A high score corresponds to a high level of depression. Two versions of the score are provided. For most analyses the prorated score, H184b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then H184c can be used to set further cases to missing. However, should users only want the cases who completed all components then H184a should be used (this is equivalent to setting H184b to -5 for all cases for which H184c > 0).

The CCEI Depression Subscale Score was created by recoding (missing, 3, 4 = 0)(1, 2 = 2) in H162, H165 & H175 (missing, 4 = 0)(3 = 1)(1, 2 = 2) in H159, H168, H173 & H177 and (missing, 1, 2 = 0)(3, 4 = 2) in H176 and summing. The score based on complete cases only is H184a. If any of the components were missing then H184a was set to -5. Variable H184c is the number of missing components. The prorated score is H184b. If more than four components were missing then H184b was set to -5. Otherwise H184b is scaled by a factor of 8 / (8 - H184c) and rounded to the nearest integer.

#### **h184a DV: CCEI depression subscale score (complete cases)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	790	8.2	8.4	8.4
	1	1155	12.0	12.2	20.6
	2	1432	14.9	15.2	35.8
	3	1323	13.7	14.0	49.8
	4	1150	11.9	12.2	62.0
	5	834	8.7	8.8	70.9
	6	747	7.7	7.9	78.8
	7	494	5.1	5.2	84.0
	8	473	4.9	5.0	89.0
	9	317	3.3	3.4	92.4
	10	233	2.4	2.5	94.9
	11	152	1.6	1.6	96.5
	12	157	1.6	1.7	98.1
	13	56	.6	.6	98.7
	14	79	.8	.8	99.6
	15	13	.1	.1	99.7
	16	28	.3	.3	100.0
Missing	Total	9433	97.8	100.0	
	-6 Section D omitted	29	.3		
	-5 1+ components omitted	179	1.9		
	Total	208	2.2		
Total		9641	100.0		

**h184b DV: CCEI depression subscale score (prorated)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	804	8.3	8.4	8.4
	1	1170	12.1	12.2	20.6
	2	1456	15.1	15.2	35.8
	3	1341	13.9	14.0	49.8
	4	1152	11.9	12.0	61.8
	5	853	8.8	8.9	70.8
	6	763	7.9	8.0	78.7
	7	505	5.2	5.3	84.0
	8	483	5.0	5.0	89.0
	9	319	3.3	3.3	92.4
	10	237	2.5	2.5	94.8
	11	154	1.6	1.6	96.4
	12	160	1.7	1.7	98.1
	13	59	.6	.6	98.7
	14	79	.8	.8	99.6
	15	13	.1	.1	99.7
	16	29	.3	.3	100.0
Total		9577	99.3	100.0	
Missing	-6 Section D omitted	29	.3		
	-5 > 4 components omitted	35	.4		
	Total	64	.7		
Total		9641	100.0		

**h184c DV: # missing CCEI depression subscale components**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	9433	97.8	98.1	98.1
	1	109	1.1	1.1	99.3
	2	17	.2	.2	99.4
	3	12	.1	.1	99.6
	4	6	.1	.1	99.6
	5	18	.2	.2	99.8
	6	3	.0	.0	99.9
	7	3	.0	.0	99.9
	8	11	.1	.1	100.0
	Total	9612	99.7	100.0	
Missing	-6 Section D omitted	29	.3		
	Total	9641	100.0		

### Total Score


This score, on a scale of [0, 46], is a weighted sum of all the recoded responses to section D. A high score corresponds to a high number of anxiety, somatic and depression symptoms. Two versions of the score are provided. For most analyses the prorated score, H187b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then H187c can be used to set further cases to missing. However, should users only want the cases who completed all components then H187a should be used (this is equivalent to setting H187b to -5 for all cases for which H187c > 0).

The CCEI Total Score was created by recoding the components as detailed above for the subscales and summing. The score based on complete cases only is H187a. If any of the components were missing then H187a was set to -5. Variable H187c is the number of missing components. The prorated score is H187b. If more than eleven components were missing then H187b was set to -5. Otherwise H187b is scaled by a factor of  $23 / (23 - H187c)$  and rounded to the nearest integer.


### Statistics

		h187a DV: CCEI total score (complete cases)	h187b DV: CCEI total score (prorated)
N	Valid	9311	9580
	Missing	330	61
Mean		11.77	11.80
Mode		7	7
Std. Deviation		7.797	7.793
Minimum		0	0
Maximum		46	46
Percentiles	25	6.00	6.00
	50	10.00	10.00
	75	15.00	16.00

**H187A**



**H187B**



**h187c DV: # missing CCEI components**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	9311	96.6	96.9	96.9
	1	207	2.1	2.2	99.0
	2	26	.3	.3	99.3
	3	7	.1	.1	99.4
	4	5	.1	.1	99.4
	5	1	.0	.0	99.4
	6	3	.0	.0	99.5
	7	3	.0	.0	99.5
	8	1	.0	.0	99.5
	11	16	.2	.2	99.7
	12	12	.1	.1	99.8
	13	3	.0	.0	99.8
	14	2	.0	.0	99.8
	16	1	.0	.0	99.9
	18	1	.0	.0	99.9
	19	1	.0	.0	99.9
	21	1	.0	.0	99.9
	22	4	.0	.0	99.9
	23	7	.1	.1	100.0
	Total	9612	99.7	100.0	
Missing	-6 Section D omitted	29	.3		
	Total	9641	100.0		

## PAGE 19 OF THE QUESTIONNAIRE

**Your feelings in the past week.**

D24. I have been able to laugh and see the funny side of things:

As much as I always could	1
Not quite so much now	2
Definitely not so much now	3
Not at all	4

[Coding: If more than one box was ticked then the highest code number was taken.]

**h190 D24: Mother has been able to laugh in the past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as she always could	6424	66.6	67.1	67.1
	2 Not quite so much now	2552	26.5	26.7	93.8
	3 Definitely not so much now	535	5.5	5.6	99.4
	4 Not at all	58	.6	.6	100.0
	Total	9569	99.3	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	43	.4		
	Total	72	.7		
Total		9641	100.0		

D25. I have looked forward with enjoyment to things:

As much as I ever did	1
Rather less than I used to	2
Definitely less than I used to	3
Hardly at all	4

[Coding: If more than one box was ticked then the highest code number was taken.]

**h191 D25: Mother has looked forward with enjoyment to things in the past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 As much as she ever did	6794	70.5	71.0	71.0
	2 Rather less than she used to	2313	24.0	24.2	95.2
	3 Definitely less than she used to	382	4.0	4.0	99.2
	4 Hardly at all	75	.8	.8	100.0
	Total	9564	99.2	100.0	
Missing	-9 Error check	1	.0		
	-8 See text	2	.0		
	-6 Section D omitted	29	.3		
	-1 Not stated	45	.5		
	Total	77	.8		
Total		9641	100.0		

D26. I have blamed myself unnecessarily when things went wrong:

Yes, most of the time	1
Yes, some of the time	2
Not very often	3
Never	4

[Coding: If more than one box was ticked then the lowest code number was taken.]

**h192 D26: Mother has blamed herself unnecessarily in the past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	556	5.8	5.8	5.8
	2 Yes, some of the time	3029	31.4	31.7	37.5
	3 Not very often	3870	40.1	40.5	78.0
	4 Never	2103	21.8	22.0	100.0
	Total	9558	99.1	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	54	.6		
	Total	83	.9		
Total		9641	100.0		

D27. I have been anxious or worried for no good reason:

No, not at all	1
Hardly ever	2
Yes, sometimes	3
Yes, often	4

[Coding: If more than one box was ticked then the highest code number was taken.]

**h193 D27: Mother has been anxious for no good reason in the past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	3551	36.8	37.2	37.2
	2 Hardly ever	2473	25.7	25.9	63.1
	3 Yes, sometimes	3146	32.6	32.9	96.0
	4 Yes, often	382	4.0	4.0	100.0
	Total	9552	99.1	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	60	.6		
	Total	89	.9		
Total		9641	100.0		

## PAGE 20 OF THE QUESTIONNAIRE

**In the past week:**

D28. I have felt scared or panicky for no very good reason:

Yes, quite a lot	1
Yes, sometimes	2
No, not much	3
No, not at all	4

[Coding: If more than one box was ticked then the lowest code number was taken.]

**h194 D28: Mother has felt scared/panicky for no good reason in the past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite a lot	181	1.9	1.9	1.9
	2 Yes, sometimes	1132	11.7	11.8	13.7
	3 No, not much	2141	22.2	22.4	36.1
	4 No, not at all	6101	63.3	63.9	100.0
	Total	9555	99.1	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	57	.6		
	Total	86	.9		
Total		9641	100.0		

D29. Things have been getting on top of me:

Yes, most of the time I haven't been able to cope	1
Yes, sometimes I haven't been coping as well as usual	2
No, most of the time I have coped quite well	3
No, I have been coping as well as ever	4

[Coding: If more than one box was ticked then the lowest code number was taken.]

**h195 D29: Things have been getting on top of Mother in the past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time she hasn't been able to cope	187	1.9	2.0	2.0
	2 Yes, sometimes she hasn't been coping as well as usual	2475	25.7	25.9	27.9
	3 No, most of the time she has coped quite well	3974	41.2	41.6	69.5
	4 No, she has been coping as well as ever	2915	30.2	30.5	100.0
	Total	9551	99.1	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	61	.6		
	Total	90	.9		
Total		9641	100.0		

D30. I have been so unhappy that I have had difficulty sleeping:

Yes, most of the time	1
Yes, sometimes	2
Not very often	3
No, not at all.	4

[Coding: If more than one box was ticked then the lowest code number was taken.]

**h196 D30: Mother has been so unhappy she has had difficulty sleeping in the past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	136	1.4	1.4	1.4
	2 Yes, sometimes	770	8.0	8.1	9.5
	3 Not very often	1731	18.0	18.1	27.6
	4 No, not at all	6922	71.8	72.4	100.0
	Total	9559	99.1	100.0	
Missing	-8 See text	1	.0		
	-6 Section D omitted	29	.3		
	-1 Not stated	52	.5		
	Total	82	.9		
Total		9641	100.0		

D31. I have felt sad or miserable:

Yes, most of the time	1
Yes, quite often	2
Not very often	3
No, not at all	4

[Coding: If more than one box was ticked then the lowest code number was taken.]

**h197 D31: Mother has felt sad or miserable in the past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	229	2.4	2.4	2.4
	2 Yes, quite often	1491	15.5	15.6	18.0
	3 Not very often	4222	43.8	44.2	62.2
	4 No, not at all	3612	37.5	37.8	100.0
	Total	9554	99.1	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	58	.6		
	Total	87	.9		
Total		9641	100.0		

## PAGE 21 OF THE QUESTIONNAIRE

**In the past week:**

D32. I have been so unhappy that I have been crying:

Yes, most of the time	1
Yes, quite often	2
Only occasionally	3
Never	4

[Coding: If more than one box was ticked then the lowest code number was taken.]

**h198 D32: Mother has been so unhappy that she has been crying in the past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, most of the time	82	.9	.9	.9
	2 Yes, quite often	522	5.4	5.5	6.3
	3 Only occasionally	3043	31.6	31.8	38.1
	4 Never	5915	61.4	61.9	100.0
	Total	9562	99.2	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	50	.5		
	Total	79	.8		
Total		9641	100.0		

D33. The thought of harming myself has occurred to me:

Yes, quite often	1
Sometimes	2
Hardly ever	3
Never	4

[Coding: If more than one box was ticked then the lowest code number was taken.]

**h199 D33: The thought of harming herself occurred to Mother in the past week**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, quite often	49	.5	.5	.5
	2 Sometimes	231	2.4	2.4	2.9
	3 Hardly ever	457	4.7	4.8	7.7
	4 Never	8828	91.6	92.3	100.0
	Total	9565	99.2	100.0	
Missing	-6 Section D omitted	29	.3		
	-1 Not stated	47	.5		
	Total	76	.8		
Total		9641	100.0		

## Derived variables – Edinburgh Postnatal Depression Scale

The 10 items D24-D33 form the depression scale of the Edinburgh Post-Natal Depression Scale (EPDS) developed by Cox et al. The items in this scale were specifically chosen by the authors because they did not involve somatic items. Each question had 4 response categories scored from 0 to 3 and referred to the feelings of the mother in the past week. Although the measure was developed specifically for use with puerperal women, none of the 10 items is specific to the post-natal experience. The principle feature of the scale that designates it as a post-natal scale is that it does not include somatic items because of the possibility of confounding somatic symptoms of depression with normal physiological symptoms at this time. The feature of the scale was a major factor in its selection for our study which aims to measure depression during pregnancy and the post-partum years. During pregnancy, there is the possibility too of confounding normal physiological symptoms with those of depression. Both our own pilot studies and the study of Murray and Carrothers found the measure to be acceptable to respondents, producing high completion rates with little evidence of response error. Validation of the scale during pregnancy, the post-partum period and early parenthood has been examined using standardised psychiatric interviews as the validating measures and shown to have high sensitivity and specificity.

The EPDS scores have been revised for version 6a of the built file (August 2004). The mode imputed score has been replaced with a prorated score and the variable names have changed to be consistent with how score variables are now named. These changes are detailed in Table 4. In addition the missing values have been handled in a more detailed manner, as detailed in the descriptions of the variables.

**Table 4: Changes to EPDS scores introduced at version 6a of the built file**

Old name	Description	New name	Comment
H200	EPDS: Score for complete cases only	H200a	
H201	EPDS: Score adjusted for missing components	H200b	Prorated rather than mode imputed
H202	EPDS: Number of missing components	H200c	

The EPDS score, on a scale of [0, 30] is a weighted sum of the responses to the 10 questions D24 to D33. A high score corresponds to a high level of depression. Two versions of the score are provided. For most analyses the prorated score, H200b, should be used. This allows at most 50% of the components to be missing and is scaled accordingly. If users wish to be more stringent about the number of missing components then H200c can be used to set further cases to missing. However, should users only want the cases who completed all components then H200a should be used (this is equivalent to setting H200b to -5 for all cases for which H200c > 0).

The EPDS Score was created by recoding (missing, 1 = 0)(2 = 1)(3 = 2)(4 = 3) in H190 and H191 & H193, (missing, 4 = 0)(3 = 1)(2 = 2)(1 = 3) in H192 & H194 - H199 and summing. The score based on complete cases only is H200a. If any of the components were missing then H200a was set to -

5. Variable H200c is the number of missing components. The prorated score is H200b. If more than five components were missing then H200b was set to -5. Otherwise H200b is scaled by a factor of  $10 / (10 - H200c)$  and rounded to the nearest integer.

**h200a DV: Edinburgh postnatal depression scale score (complete cases)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	876	9.1	9.2	9.2
	1	868	9.0	9.2	18.4
	2	835	8.7	8.8	27.2
	3	853	8.8	9.0	36.2
	4	741	7.7	7.8	44.0
	5	754	7.8	8.0	52.0
	6	679	7.0	7.2	59.1
	7	586	6.1	6.2	65.3
	8	551	5.7	5.8	71.1
	9	478	5.0	5.0	76.1
	10	429	4.4	4.5	80.7
	11	361	3.7	3.8	84.5
	12	311	3.2	3.3	87.7
	13	253	2.6	2.7	90.4
	14	212	2.2	2.2	92.7
	15	171	1.8	1.8	94.5
	16	138	1.4	1.5	95.9
	17	106	1.1	1.1	97.0
	18	77	.8	.8	97.8
	19	43	.4	.5	98.3
	20	41	.4	.4	98.7
	21	29	.3	.3	99.0
	22	25	.3	.3	99.3
	23	21	.2	.2	99.5
	24	18	.2	.2	99.7
	25	14	.1	.1	99.9
	26	6	.1	.1	99.9
	27	3	.0	.0	99.9
	28	2	.0	.0	100.0
	30	3	.0	.0	100.0
	Total	9484	98.4	100.0	
Missing	-6 Section D omitted	29	.3		
	-5 1+ components omitted	128	1.3		
	Total	157	1.6		
Total		9641	100.0		

**h200b DV: Edinburgh postnatal depression scale score (prorated)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	886	9.2	9.3	9.3
	1	872	9.0	9.1	18.4
	2	837	8.7	8.7	27.1
	3	857	8.9	9.0	36.1
	4	745	7.7	7.8	43.9
	5	759	7.9	7.9	51.8
	6	686	7.1	7.2	58.9
	7	592	6.1	6.2	65.1
	8	556	5.8	5.8	70.9
	9	482	5.0	5.0	76.0
	10	436	4.5	4.6	80.5
	11	367	3.8	3.8	84.4
	12	312	3.2	3.3	87.6
	13	258	2.7	2.7	90.3
	14	213	2.2	2.2	92.6
	15	173	1.8	1.8	94.4
	16	140	1.5	1.5	95.8
	17	108	1.1	1.1	96.9
	18	80	.8	.8	97.8
	19	43	.4	.4	98.2
	20	45	.5	.5	98.7
	21	30	.3	.3	99.0
	22	26	.3	.3	99.3
	23	22	.2	.2	99.5
	24	18	.2	.2	99.7
	25	14	.1	.1	99.9
	26	6	.1	.1	99.9
	27	3	.0	.0	99.9
	28	2	.0	.0	100.0
	30	3	.0	.0	100.0
	Total	9571	99.3	100.0	
Missing	-6 Section D omitted	29	.3		
	-5 > 5 components omitted	41	.4		
	Total	70	.7		
Total		9641	100.0		

**h200c DV: # missing EPDS components**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	9484	98.4	98.7	98.7
	1	41	.4	.4	99.1
	2	15	.2	.2	99.3
	3	8	.1	.1	99.3
	4	21	.2	.2	99.6
	5	2	.0	.0	99.6
	6	12	.1	.1	99.7
	7	2	.0	.0	99.7
	8	6	.1	.1	99.8
	9	2	.0	.0	99.8
	10	19	.2	.2	100.0
Total		9612	99.7	100.0	
Missing	-6 Section D omitted	29	.3		
Total		9641	100.0		

D34. On the whole are there more good days than bad?

Yes, more good days	1
About half and half	2
No, more bad days	3

[Coding: If more than one box was ticked then the highest code number was taken.]

**h203 D34: Mother has more good days than bad on the whole**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, more good days	7715	80.0	80.7	80.7
	2 About half and half	1554	16.1	16.3	96.9
	3 No, more bad days	294	3.0	3.1	100.0
	Total	9563	99.2	100.0	
	-6 Section D omitted	29	.3		
	-1 Not stated	49	.5		
	Total	78	.8		
		9641	100.0		

## **SECTION E: RECENT EVENTS**

Listed below are a number of events which may have brought changes in your life. Have any of these occurred **since the study child was 18 months old?** If so, please assess how much effect it had on you.

*Since the study child  
was 18 months old:*

### *E1. Your partner died*

[If more than one box was ticked, the one with the lowest number was taken]

H210 Partner died > CH18 mths				Valid Percent	Cum Percent
Value	Label	Value	Frequency	Percent	Valid Percent
1	yes had big effect	1	12	.1	.1
2	yes medium effect	2	1	.0	.0
5	didn't happen	5	9539	99.0	99.9
-1		-1	83	.9	100.0
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	9552	Missing cases	83		

H210A Partner died >CH18 mths				Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent	Cum
yes		1.00	13	.1	.1	.1
no		2.00	9622	99.9	99.9	100.0
			-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	9622	Missing cases	0			

*E2. One of your children died*

[If more than one box was ticked, the one with the lowest number was taken]

H211 One of mums children died > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	31	.3	.3	.3
yes medium effect		2	5	.1	.1	.4
yes mild effect		3	1	.0	.0	.4
didn't happen		5	9518	98.8	99.6	100.0
		-1	80	.8	missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9555	Missing cases	80			

## H211A One of mums children dies &gt;CH18 mths

H211A One of mums children dies >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	37	.4	.4	.4
no		2.00	9598	99.6	99.6	100.0
		Total	9635	100.0	100.0	
Valid cases	9555	Missing cases	80			

*E3. A friend or relative died*

[If more than one box was ticked, the one with the lowest number was taken]

H212 Friend or relative died > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	786	8.2	8.2	8.2
yes medium effect		2	706	7.3	7.4	15.6
yes mild effect		3	770	8.0	8.1	23.7
yes but no effect		4	443	4.6	4.6	28.4
didn't happen		5	6832	70.9	71.6	100.0
		-1	98	1.0	Missing	
		Total	9635	100.0	100.0	
Valid cases	9537	Missing cases	98			

## H212A Friend or relative died &gt;CH18 mths

H212A Friend or relative died >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	2705	28.1	28.1	28.1
no		2.00	6930	71.9	71.9	100.0
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

**E4. One of your children was ill**

[If more than one box was ticked, the one with the lowest number was taken]

H213 One of mums children ill > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	598	6.2	6.3	6.3
yes medium effect		2	733	7.6	7.7	14.0
yes mild effect		3	1188	12.3	12.5	26.5
yes but no effect		4	1080	11.2	11.3	37.8
didn't happen		5	5917	61.4	62.2	100.0
		-1	119	1.2	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9516	Missing cases	119			

**H213A One of mums children ill >CH18 mths**

H213A One of mums children ill >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	3599	37.4	37.4	37.4
no		2.00	6036	62.6	62.6	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

**E5. Your partner was ill**

[If more than one box was ticked, the one with the lowest number was taken]

H214 Partner ill > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	240	2.5	2.5	2.5
yes medium effect		2	367	3.8	3.9	6.4
yes mild effect		3	616	6.4	6.5	12.9
yes but no effect		4	685	7.1	7.2	20.0
didn't happen		5	7609	79.0	80.0	100.0
		-1	118	1.2	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9517 Missing cases 118

H214A Partner ill >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	1908	19.8	19.8	19.8
no		2.00	7721	80.2	80.2	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*E6. A friend or relative was ill*

[If more than one box was ticked, the one with the lowest number was taken]

H215 Friend or relative ill > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	624	6.5	6.5	6.5
yes medium effect		2	701	7.3	7.3	13.9
yes mild effect		3	785	8.1	8.2	22.1
yes but no effect		4	614	6.4	6.4	28.6
didn't happen		5	6817	70.8	71.4	100.0
		-1	94	1.0	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9541 Missing cases 94

H215A Friend or relative ill >CH18 mths		
Value	Label	Value

Value	Label	Value	Frequency	Percent	Valid	Cum
yes		1.00	2724	28.3	28.3	28.6
no		2.00	6911	71.7	71.7	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*E7. You were admitted to hospital*

[If more than one box was ticked, the one with the lowest number was taken]

H216 Mum in hospital > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	619	6.4	6.5	6.5
yes medium effect		2	455	4.7	4.8	11.3
yes mild effect		3	406	4.2	4.3	15.5
yes but no effect		4	660	6.9	6.9	22.4
didn't happen		5	7401	76.8	77.6	100.0
		-1	94	1.0	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9541 Missing cases 94

H216A Mum in hospital >CH18 mths		
Value	Label	Value

Value	Label	Value	Frequency	Percent	Valid	Cum
yes		1.00	2140	22.2	22.2	22.2
no		2.00	7495	77.8	77.8	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*E8. You were in trouble with the law*

[If more than one box was ticked, the one with the lowest number was taken]

H217 Mum in trouble with law > CH18 mths			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes had big effect	1	16	.2	.2
yes medium effect	2	13	.1	.1
yes mild effect	3	18	.2	.2
yes but no effect	4	18	.2	.2
didn't happen	5	9490	98.5	99.3
	-1	80	.8	100.0
			-----	-----
	Total	9635	100.0	100.0
Valid cases	9555	Missing cases	80	

H217A Mum in trouble with law >CH18 mths			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes	1.00	65	.7	.7
no	2.00	9570	99.3	99.3
		-----	-----	-----
	Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0	

*E9. You were divorced*

[If more than one box was ticked, the one with the lowest number was taken]

H218 Mum divorced > CH18 mths			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes had big effect	1	88	.9	.9
yes medium effect	2	51	.5	.5
yes mild effect	3	18	.2	.2
yes but no effect	4	36	.4	.4
didn't happen	5	9356	97.1	98.0
	-1	86	.9	100.0
		-----	-----	-----
	Total	9635	100.0	100.0
Valid cases	9549	Missing cases	86	

H218A Mum divorced >CH18 mths			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes	1.00	193	2.0	2.0
no	2.00	9442	98.0	98.0
		-----	-----	-----
	Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0	

*E10. You found that your partner didn't want your child*

[If more than one box was ticked, the one with the lowest number was taken]

H219 Partner rejected children > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	68	.7	.7	.7
yes medium effect		2	13	.1	.1	.8
yes mild effect		3	12	.1	.1	1.0
yes but no effect		4	13	.1	.1	1.1
didn't happen		5	9430	97.9	98.9	100.0
		-1	99	1.0	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9536 Missing cases 99

## H219A Partner rejected children &gt;CH18 mths

H219A Partner rejected children >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	106	1.1	1.1	1.1
no		2.00	9529	98.9	98.9	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*E11. You were very ill*

[If more than one box was ticked, the one with the lowest number was taken]

H220 Mum very ill > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	333	3.5	3.5	3.5
yes medium effect		2	231	2.4	2.4	5.9
yes mild effect		3	158	1.6	1.7	7.6
yes but no effect		4	104	1.1	1.1	8.7
didn't happen		5	8722	90.5	91.3	100.0
		-1	87	.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9548 Missing cases 87

## H220A Mum very ill &gt;CH18 mths

H220A Mum very ill >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	826	8.6	8.6	8.6
no		2.00	8809	91.4	91.4	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*E12. Your partner lost his job*

[If more than one box was ticked, the one with the lowest number was taken]

## H221 Partner lost job &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes had big effect	1	302	3.1	3.2	3.2
yes medium effect	2	273	2.8	2.9	6.0
yes mild effect	3	140	1.5	1.5	7.5
yes but no effect	4	65	.7	.7	8.2
didn't happen	5	8752	90.8	91.8	100.0
	-1	103	1.1	Missing	
				-----	-----
	Total	9635	100.0	100.0	
Valid cases	9532	Missing cases	103		

## H221A Partner lost job &gt;CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1.00	780	8.1	8.1	8.1
no	2.00	8855	91.9	91.9	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0		

*E13. Your partner had problems at work*

[If more than one box was ticked, the one with the lowest number was taken]

## H222 Partner had probs with work &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes had big effect	1	423	4.4	4.4	4.4
yes medium effect	2	721	7.5	7.6	12.0
yes mild effect	3	903	9.4	9.5	21.5
yes but no effect	4	399	4.1	4.2	25.7
didn't happen	5	7066	73.3	74.3	100.0
	-1	123	1.3	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	9512	Missing cases	123		

## H222A Partner had probs with work &gt;CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1.00	2446	25.4	25.4	25.4
no	2.00	7189	74.6	74.6	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0		

*E14. You had problems at work*

[If more than one box was ticked, the one with the lowest number was taken]

H223 Mum had probs with work > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	226	2.3	2.4	2.4
yes medium effect		2	332	3.4	3.5	5.8
yes mild effect		3	430	4.5	4.5	10.4
yes but no effect		4	159	1.7	1.7	12.0
didn't happen		5	8393	87.1	88.0	100.0
		-1	95	1.0	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9540	Missing cases	95			

## H223A Mum had probs with work &gt;CH18 mths

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	1147	11.9	11.9	11.9
no		2.00	8498	88.1	88.1	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*E15. You lost your job*

[If more than one box was ticked, the one with the lowest number was taken]

H224 Mum lost job > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	71	.7	.7	.7
yes medium effect		2	63	.7	.7	1.4
yes mild effect		3	85	.9	.9	2.3
yes but no effect		4	70	.7	.7	3.0
didn't happen		5	9250	96.0	97.0	100.0
		-1	96	1.0	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9539	Missing cases	96			

## H224A Mum lost job &gt;CH18 mths

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	289	3.0	3.0	3.0
no		2.00	9346	97.0	97.0	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*E16. Your partner went away*

[If more than one box was ticked, the one with the lowest number was taken]

H225 Partner went away &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes had big effect		1	291	3.0	3.1	3.1
yes medium effect		2	265	2.8	2.8	5.8
yes mild effect		3	281	2.9	2.9	8.8
yes but no effect		4	318	3.3	3.3	12.1
didn't happen		5	8379	87.0	87.9	100.0
		-1	101	1.0	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9534 Missing cases 101

H225A Partner went away &gt;CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1.00	1155	12.0	12.0	12.0
no		2.00	8480	88.0	88.0	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9534 Missing cases 101

*E17. Your partner was in trouble with the law*

[If more than one box was ticked, the one with the lowest number was taken]

H226 Partner in trouble with law &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes had big effect		1	60	.6	.6	.6
yes medium effect		2	42	.4	.4	1.1
yes mild effect		3	45	.5	.5	1.5
yes but no effect		4	34	.4	.4	1.9
didn't happen		5	9347	97.0	98.1	100.0
		-1	107	1.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9528 Missing cases 107

H226A Partner in trouble with law &gt;CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1.00	181	1.9	1.9	1.9
no		2.00	9454	98.1	98.1	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*E18. You and your partner separated*

[If more than one box was ticked, the one with the lowest number was taken]

H227 Mum and partner separated > CH18 mths			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes had big effect	1	381	4.0	4.0
yes medium effect	2	139	1.4	5.4
yes mild effect	3	90	.9	6.4
yes but no effect	4	70	.7	7.1
didn't happen	5	8874	92.1	100.0
	-1	81	.8	Missing
	-----			-----
	Total	9635	100.0	100.0
Valid cases	9554	Missing cases	81	

## H227A Mum and partner separated &gt;CH18 mths

H227A Mum and partner separated >CH18 mths			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes	1.00	680	7.1	7.1
no	2.00	8955	92.9	100.0
	-----			-----
	Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0	

*E19. Your income was reduced*

[If more than one box was ticked, the one with the lowest number was taken]

H228 Mums income reduced > CH18 mths			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes had big effect	1	731	7.6	7.7
yes medium effect	2	788	8.2	15.9
yes mild effect	3	942	9.8	25.8
yes but no effect	4	363	3.8	29.6
didn't happen	5	6722	69.8	100.0
	-1	89	.9	Missing
	-----			-----
	Total	9635	100.0	100.0
Valid cases	9546	Missing cases	89	

## H228A Mums income reduced &gt;CH18 mths

H228A Mums income reduced >CH18 mths			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes	1.00	2824	29.3	29.3
no	2.00	6811	70.7	100.0
	-----			-----
	Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0	

*E20. You argued with your partner*

[If more than one box was ticked, the one with the lowest number was taken]

H229 Mum argued with partner > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	896	9.3	9.4	9.4
yes medium effect		2	1014	10.5	10.7	20.1
yes mild effect		3	1928	20.0	20.3	40.3
yes but no effect		4	2207	22.9	23.2	63.6
didn't happen		5	3467	36.0	36.4	100.0
		-1	123	1.3	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9512	Missing cases	123			

## H229A Mum argued with partner &gt;CH18 mths

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	6045	62.7	62.7	62.7
no		2.00	3590	37.3	37.3	100.0
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*E21. You argued with your family and friends*

[If more than one box was ticked, the one with the lowest number was taken]

H230 Mum argued with family and friends > CH1			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	307	3.2	3.2	3.2
yes medium effect		2	370	3.8	3.9	7.1
yes mild effect		3	671	7.0	7.0	14.1
yes but no effect		4	492	5.1	5.1	19.2
didn't happen		5	7719	80.1	80.8	100.0
		-1	76	.8	Missing	
		Total	9635	100.0	100.0	
Valid cases	9559	Missing cases	76			

## H230A Mum argued with family and friends &gt;CH18

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	1840	19.1	19.1	19.1
no		2.00	7795	80.9	80.9	100.0
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

**E22. You moved house**

[If more than one box was ticked, the one with the lowest number was taken]

H231 Mum moved house &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes had big effect		1	495	5.1	5.2	5.2
yes medium effect		2	460	4.8	4.8	10.0
yes mild effect		3	489	5.1	5.1	15.1
yes but no effect		4	462	4.8	4.8	19.9
didn't happen		5	7665	79.6	80.1	100.0
		-1	64	.7	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9571 Missing cases 64

H231A Mum moved house &gt;CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1.00	1906	19.8	19.8	19.8
no		2.00	7729	80.2	80.2	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**E23. Your partner was physically cruel to you**

[If more than one box was ticked, the one with the lowest number was taken]

H232 Partner physically cruel to mum &gt; CH18 m

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes had big effect		1	160	1.7	1.7	1.7
yes medium effect		2	79	.8	.8	2.5
yes mild effect		3	65	.7	.7	3.2
yes but no effect		4	23	.2	.2	3.4
didn't happen		5	9232	95.8	96.6	100.0
		-1	76	.8	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9559 Missing cases 76

H232A Partner physically cruel to mother &gt;CH18

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1.00	327	3.4	3.4	3.4
no		2.00	9308	96.6	96.6	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**E24. You became homeless**

[If more than one box was ticked, the one with the lowest number was taken]

H233 Mum became homeless > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	60	.6	.6	.6
yes medium effect		2	18	.2	.2	.8
yes mild effect		3	17	.2	.2	1.0
yes but no effect		4	6	.1	.1	1.1
didn't happen		5	9472	98.3	98.9	100.0
		-1	62	.6	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9573 Missing cases 62

H233A Mum became homeless >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	101	1.0	1.0	1.0
no		2.00	9534	99.0	99.0	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**E25. You had a major financial problem**

[If more than one box was ticked, the one with the lowest number was taken]

H234 Mum had money probs > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	505	5.2	5.3	5.3
yes medium effect		2	455	4.7	4.8	10.0
yes mild effect		3	413	4.3	4.3	14.3
yes but no effect		4	114	1.2	1.2	15.5
didn't happen		5	8084	83.9	84.5	100.0
		-1	64	.7	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9571 Missing cases 64

H234A Mum had money problems >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	1487	15.4	15.4	15.5
no		2.00	8148	84.6	84.6	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**E26. You got married**

[If more than one box was ticked, the one with the lowest number was taken]

H235 Mum got married &gt; CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes had big effect		1	50	.5	.5	.5
yes medium effect		2	34	.4	.4	.9
yes mild effect		3	34	.4	.4	1.2
yes but no effect		4	80	.8	.8	2.1
didn't happen		5	9368	97.2	97.9	100.0
		-1	69	.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9566

Missing cases 69

H235A Mum got married &gt;CH18 mths

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1.00	198	2.1	2.1	2.1
no		2.00	9437	97.9	97.9	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635

Missing cases 0

**E27. Your partner was physically cruel to your children**

[If more than one box was ticked, the one with the lowest number was taken]

H236 Partner physically cruel to children &gt; C

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes had big effect		1	32	.3	.3	.3
yes medium effect		2	8	.1	.1	.4
yes mild effect		3	11	.1	.1	.5
yes but no effect		4	1	.0	.0	.5
didn't happen		5	9507	98.7	99.5	100.0
		-1	76	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9559

Missing cases 76

H236A Partner physically cruel to children&gt;CH1

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1.00	52	.5	.5	.5
no		2.00	9583	99.5	99.5	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635

Missing cases 0

*E28. You were physically cruel to your children*

[If more than one box was ticked, the one with the lowest number was taken]

H237 Mum physically cruel to children > CH18			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	39	.4	.4	.4
yes medium effect		2	14	.1	.1	.6
yes mild effect		3	17	.2	.2	.7
yes but no effect		4	1	.0	.0	.7
didn't happen		5	9502	98.6	99.3	100.0
		-1	62	.6	Missing	
					-----	
		Total	9635	100.0	100.0	
Valid cases	9573	Missing cases	62			

## H237A Mum physically cruel to children &gt;CH18 m

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	71	.7	.7	.7
no		2.00	9564	99.3	99.3	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*E29. You attempted suicide*

[If more than one box was ticked, the one with the lowest number was taken]

H238 Mum attempted suicide > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	35	.4	.4	.4
yes medium effect		2	6	.1	.1	.4
yes mild effect		3	3	.0	.0	.5
yes but no effect		4	1	.0	.0	.5
didn't happen		5	9528	98.9	99.5	100.0
		-1	62	.6	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9573	Missing cases	62			

## H238A Mum attempted suicide &gt;CH18 mths

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	45	.5	.5	.5
no		2.00	9590	99.5	99.5	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*E30. You were convicted of an offence*

[If more than one box was ticked, the one with the lowest number was taken]

H239 Mum convicted of offence > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	9	.1	.1	.1
yes medium effect		2	6	.1	.1	.2
yes mild effect		3	8	.1	.1	.2
yes but no effect		4	15	.2	.2	.4
didn't happen		5	9519	98.8	99.6	100.0
		-1	78	.8	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9557 Missing cases 78

H239A Mum convicted of offence &gt;CH18 mths

H239A Mum convicted of offence >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	38	.4	.4	.4
no		2.00	9597	99.6	99.6	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*E31. You became pregnant*

[If more than one box was ticked, the one with the lowest number was taken]

H240 Mum pregnant > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	1164	12.1	12.2	12.2
yes medium effect		2	792	8.2	8.3	20.5
yes mild effect		3	590	6.1	6.2	26.7
yes but no effect		4	503	5.2	5.3	31.9
didn't happen		5	6503	67.5	68.1	100.0
		-1	83	.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9552 Missing cases 83

H240A Mum pregnant &gt;CH18 mths

H240A Mum pregnant >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	3049	31.6	31.6	31.6
no		2.00	6586	68.4	68.4	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*E32. You started a new job*

[If more than one box was ticked, the one with the lowest number was taken]

H241 Mum started new job > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	271	2.8	2.8	2.8
yes medium effect		2	412	4.3	4.3	7.2
yes mild effect		3	423	4.4	4.4	11.6
yes but no effect		4	453	4.7	4.7	16.3
didn't happen		5	7981	82.8	83.7	100.0
		-1	95	1.0	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9540 Missing cases 95

H241A Mum started new job >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	1559	16.2	16.2	16.2
no		2.00	8076	83.8	83.8	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*E33. You returned to work*

[If more than one box was ticked, the one with the lowest number was taken]

H242 Mum returned to work > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	252	2.6	2.6	2.6
yes medium effect		2	342	3.5	3.6	6.2
yes mild effect		3	340	3.5	3.6	9.8
yes but no effect		4	388	4.0	4.1	13.9
didn't happen		5	8215	85.3	86.1	100.0
		-1	98	1.0	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9537 Missing cases 98

H242A Mum returned to work>CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	1322	13.7	13.7	13.7
no		2.00	8313	86.3	86.3	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**E34. You had a miscarriage**

[If more than one box was ticked, the one with the lowest number was taken]

H243 Mum had miscarriage > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	302	3.1	3.2	3.2
yes medium effect		2	144	1.5	1.5	4.7
yes mild effect		3	66	.7	.7	5.3
yes but no effect		4	14	.1	.1	5.5
didn't happen		5	9047	93.9	94.5	100.0
		-1	62	.6	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9573	Missing cases	62			

**H243A Mum had miscarriage >CH18 mths**

H243A Mum had miscarriage >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	526	5.5	5.5	5.5
no		2.00	9109	94.5	94.5	100.0
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

**E35. You had an abortion**

[If more than one box was ticked, the one with the lowest number was taken]

H244 Mum had abortion > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	79	.8	.8	.8
yes medium effect		2	31	.3	.3	1.1
yes mild effect		3	10	.1	.1	1.3
yes but no effect		4	11	.1	.1	1.4
didn't happen		5	9436	97.9	98.6	100.0
		-1	68	.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9567	Missing cases	68			

**H244A Mum had abortion >CH18 mths**

H244A Mum had abortion >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	131	1.4	1.4	1.4
no		2.00	9504	98.6	98.6	100.0
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

**E36. You took an examination**

[If more than one box was ticked, the one with the lowest number was taken]

H245		Mum took exam > CH18 mths		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes had big effect		1	119	1.2	1.2
yes medium effect		2	187	1.9	2.0
yes mild effect		3	193	2.0	2.0
yes but no effect		4	194	2.0	2.0
didn't happen		5	8877	92.1	92.8
		-1	65	.7	100.0
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9570	Missing cases	65		

H245A		Mum took exam >CH18 mths		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes		1.00	693	7.2	7.2
no		2.00	8942	92.8	92.8
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0		

**E37. Your partner was emotionally cruel to you**

[If more than one box was ticked, the one with the lowest number was taken]

H246		Partner emotionally cruel to mum > CH18		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes had big effect		1	498	5.2	5.2
yes medium effect		2	253	2.6	2.6
yes mild effect		3	285	3.0	3.0
yes but no effect		4	68	.7	.7
didn't happen		5	8445	87.6	88.4
		-1	86	.9	100.0
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9549	Missing cases	86		

H246A		Partner emotionally cruel to mum >CH18 m		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes		1.00	1104	11.5	11.5
no		2.00	8531	88.5	88.5
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0		

*E38. Your partner was emotionally cruel to your children*

[If more than one box was ticked, the one with the lowest number was taken]

H247 Partner emotionally cruel to children >			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes had big effect	1	119	1.2	1.2
yes medium effect	2	62	.6	1.9
yes mild effect	3	57	.6	2.5
yes but no effect	4	6	.1	2.6
didn't happen	5	9305	96.6	97.4
	-1	86	.9	100.0
			-----	-----
	Total	9635	100.0	100.0

Valid cases 9549 Missing cases 86

H247A Partner emotional cruel to children >CH			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes	1.00	244	2.5	2.5
no	2.00	9391	97.5	97.5
			-----	-----
	Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

*E39. You were emotionally cruel to your children*

[If more than one box was ticked, the one with the lowest number was taken]

H248 Mum emotionally cruel to children > CH18			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes had big effect	1	90	.9	.9
yes medium effect	2	54	.6	1.5
yes mild effect	3	61	.6	2.1
yes but no effect	4	12	.1	2.3
didn't happen	5	9326	96.8	97.7
	-1	92	.9	100.0
			-----	-----
	Total	9635	100.0	100.0

Valid cases 9543 Missing cases 92

H248A Mum emotionally cruel to children >CH18			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
yes	1.00	217	2.3	2.3
no	2.00	9418	97.7	97.7
			-----	-----
	Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

**E40. Your house or car was burgled**

[If more than one box was ticked, the one with the lowest number was taken]

H249 Mums house or car burgled > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	268	2.8	2.8	2.8
yes medium effect		2	336	3.5	3.5	6.3
yes mild effect		3	506	5.3	5.3	11.6
yes but no effect		4	293	3.0	3.1	14.7
didn't happen		5	8161	84.7	85.3	100.0
		-1	71	.7	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9564 Missing cases 71

H249A Mums house or car burgled &gt;CH18 mths

H249A Mums house or car burgled >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	1403	14.6	14.6	14.6
no		2.00	8232	85.4	85.4	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**E41. Your partner started a new job**

[If more than one box was ticked, the one with the lowest number was taken]

H250 Partner started new job > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes had big effect		1	295	3.1	3.1	3.1
yes medium effect		2	409	4.2	4.3	7.4
yes mild effect		3	423	4.4	4.4	11.8
yes but no effect		4	389	4.0	4.1	15.9
didn't happen		5	8016	83.2	84.1	100.0
		-1	103	1.1	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9532 Missing cases 103

H250A Partner started new job &gt;CH18 mths

H250A Partner started new job >CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1.00	1516	15.7	15.7	15.7
no		2.00	8119	84.3	84.3	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**E42. A pet died**

[If more than one box was ticked, the one with the lowest number was taken]

H251 A pet died &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes had big effect	1	201	2.1	2.1	2.1
yes medium effect	2	232	2.4	2.4	4.5
yes mild effect	3	367	3.8	3.8	8.4
yes but no effect	4	268	2.8	2.8	11.2
didn't happen	5	8492	88.1	88.8	100.0
	-1	75	.8	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9560 Missing cases 75

H251A A pet died &gt;CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1.00	1068	11.1	11.1	11.1
no	2.00	8567	88.9	88.9	100.0
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**E43. You had an accident (please tick and describe)**

[If more than one box was ticked, the one with the lowest number was taken]

H252 Mum had accident &gt; CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes had big effect	1	94	1.0	1.0	1.0
yes medium effect	2	98	1.0	1.1	2.1
yes mild effect	3	106	1.1	1.2	3.3
yes but no effect	4	37	.4	.4	3.7
didn't happen	5	8736	90.7	96.3	100.0
	-1	564	5.9	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9071 Missing cases 564

H252A Mum had accident &gt;CH18 mths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1.00	335	3.5	3.5	3.5
no	2.00	9300	96.5	96.5	100.0
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

E44. a) Is there anything else which is not on the list which has concerned you or required additional effort from you to cope in the last year?

[If yes is ticked, coder checked that the description differs from the events listed previously in Section E. If it is the same, recode it as that event, and tick no for E44a]

H253A Other event occurred in past yr				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes		1	1772	18.4	18.4
no		2	7863	81.6	100.0
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0		

*If yes,*

*E44. b) please describe :*

[Keyed as text]

E44. c) *How did this affect you?*

*a lot*  
*moderately*  
*mildly*  
*not at all*

[If more than one box was ticked, the one with the lowest number was taken]

Effect event had on mum				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
a lot		1	1304	13.5	13.6
moderate		2	362	3.8	3.8
mild		3	77	.8	.8
not at all		4	4	.0	.0
did not happen		5	7857	81.5	81.8
		-1	31	.3	100.0
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	9604	Missing cases	31		

## Derived variables

### Derived Variable method for Life Events (H255)

In order to create H255, variables h210 to h252 were recoded as (1=4) (2=3) (3=2) (4=1) (5=0). If h253a had a value of 2 then h253 was set to 5. H255 was then derived as the sum of h210 through h252. If any of the individual items were missing then h255 was set to missing.

Value	Label	Weighted Life Events Score			Valid Percent	Cum Percent
		Value	Frequency	Percent		
.00		347	3.6	3.6	3.6	3.6
1.00		274	2.8	2.9	6.5	
2.00		393	4.1	4.1	10.6	
3.00		417	4.3	4.3	14.9	
4.00		517	5.4	5.4	20.3	
5.00		468	4.9	4.9	25.2	
6.00		508	5.3	5.3	30.4	
7.00		493	5.1	5.1	35.6	
8.00		519	5.4	5.4	41.0	
9.00		407	4.2	4.2	45.2	
10.00		432	4.5	4.5	49.7	
11.00		417	4.3	4.3	54.1	
12.00		423	4.4	4.4	58.5	
13.00		329	3.4	3.4	61.9	
14.00		354	3.7	3.7	65.6	
15.00		312	3.2	3.2	68.8	
16.00		295	3.1	3.1	71.9	
17.00		246	2.6	2.6	74.5	
18.00		249	2.6	2.6	77.1	
19.00		202	2.1	2.1	79.2	
20.00		204	2.1	2.1	81.3	
21.00		168	1.7	1.7	83.0	
22.00		163	1.7	1.7	84.7	
23.00		146	1.5	1.5	86.2	
24.00		149	1.5	1.6	87.8	
25.00		105	1.1	1.1	88.9	
26.00		117	1.2	1.2	90.1	
27.00		93	1.0	1.0	91.1	
28.00		86	.9	.9	92.0	
29.00		79	.8	.8	92.8	
30.00		79	.8	.8	93.6	
31.00		78	.8	.8	94.4	
32.00		55	.6	.6	95.0	
33.00		52	.5	.5	95.5	
34.00		45	.5	.5	96.0	
35.00		41	.4	.4	96.4	
36.00		37	.4	.4	96.8	
37.00		36	.4	.4	97.2	
38.00		33	.3	.3	97.5	
39.00		27	.3	.3	97.8	
40.00		27	.3	.3	98.1	
41.00		23	.2	.2	98.3	
42.00		22	.2	.2	98.6	
43.00		16	.2	.2	98.7	
44.00		22	.2	.2	99.0	
45.00		9	.1	.1	99.1	
46.00		10	.1	.1	99.2	
47.00		8	.1	.1	99.3	
48.00		8	.1	.1	99.3	
49.00		9	.1	.1	99.4	
50.00		4	.0	.0	99.5	
51.00		7	.1	.1	99.5	
52.00		1	.0	.0	99.6	
53.00		4	.0	.0	99.6	
54.00		3	.0	.0	99.6	
55.00		5	.1	.1	99.7	
56.00		4	.0	.0	99.7	
57.00		6	.1	.1	99.8	

H255 contd.

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
58.00		2	.0	.0	.0	99.8
59.00		1	.0	.0	.0	99.8
60.00		2	.0	.0	.0	99.8
61.00		2	.0	.0	.0	99.9
62.00		2	.0	.0	.0	99.9
63.00		2	.0	.0	.0	99.9
64.00		2	.0	.0	.0	99.9
66.00		3	.0	.0	.0	99.9
67.00		1	.0	.0	.0	100.0
69.00		1	.0	.0	.0	100.0
74.00		1	.0	.0	.0	100.0
79.00		1	.0	.0	.0	100.0
85.00		1	.0	.0	.0	100.0
-1.00		31	.3	Missing		
		-----	-----	-----		
	Total	9635	100.0	100.0		

Valid cases 9604 Missing cases 31

## Derived Variable method for Life Events score (H256)

```

recode h210a to h252a (1=1) (2=0) (-1=0).

compute h256=sum(h210a to h252a).

if (H255=-1) H256=-1.

recode h210 to h252 (1 thru 5=copy) (else=-1).

recode h210 (1 thru 4=1) (5=2) (else=copy) into h210a
/h211 (1 thru 4=1) (5=2) (else=copy) into h211a
/h212 (1 thru 4=1) (5=2) (else=copy) into h212a
/h213 (1 thru 4=1) (5=2) (else=copy) into h213a
/h214 (1 thru 4=1) (5=2) (else=copy) into h214a
/h215 (1 thru 4=1) (5=2) (else=copy) into h215a
/h216 (1 thru 4=1) (5=2) (else=copy) into h216a
/h217 (1 thru 4=1) (5=2) (else=copy) into h217a
/h218 (1 thru 4=1) (5=2) (else=copy) into h218a
/h219 (1 thru 4=1) (5=2) (else=copy) into h219a
/h220 (1 thru 4=1) (5=2) (else=copy) into h220a
/h221 (1 thru 4=1) (5=2) (else=copy) into h221a
/h222 (1 thru 4=1) (5=2) (else=copy) into h222a
/h223 (1 thru 4=1) (5=2) (else=copy) into h223a
/h224 (1 thru 4=1) (5=2) (else=copy) into h224a
/h225 (1 thru 4=1) (5=2) (else=copy) into h225a
/h226 (1 thru 4=1) (5=2) (else=copy) into h226a
/h227 (1 thru 4=1) (5=2) (else=copy) into h227a
/h228 (1 thru 4=1) (5=2) (else=copy) into h228a
/h229 (1 thru 4=1) (5=2) (else=copy) into h229a
/h230 (1 thru 4=1) (5=2) (else=copy) into h230a
/h231 (1 thru 4=1) (5=2) (else=copy) into h231a
/h232 (1 thru 4=1) (5=2) (else=copy) into h232a
/h233 (1 thru 4=1) (5=2) (else=copy) into h233a
/h234 (1 thru 4=1) (5=2) (else=copy) into h234a
/h235 (1 thru 4=1) (5=2) (else=copy) into h235a
/h236 (1 thru 4=1) (5=2) (else=copy) into h236a
/h237 (1 thru 4=1) (5=2) (else=copy) into h237a
/h238 (1 thru 4=1) (5=2) (else=copy) into h238a
/h239 (1 thru 4=1) (5=2) (else=copy) into h239a
/h240 (1 thru 4=1) (5=2) (else=copy) into h240a
/h241 (1 thru 4=1) (5=2) (else=copy) into h241a
/h242 (1 thru 4=1) (5=2) (else=copy) into h242a
/h243 (1 thru 4=1) (5=2) (else=copy) into h243a
/h244 (1 thru 4=1) (5=2) (else=copy) into h244a

```

```

/h245 (1 thru 4=1) (5=2) (else=copy) into h245a
/h246 (1 thru 4=1) (5=2) (else=copy) into h246a
/h247 (1 thru 4=1) (5=2) (else=copy) into h247a
/h248 (1 thru 4=1) (5=2) (else=copy) into h248a
/h249 (1 thru 4=1) (5=2) (else=copy) into h249a
/h250 (1 thru 4=1) (5=2) (else=copy) into h250a
/h251 (1 thru 4=1) (5=2) (else=copy) into h251a
/h252 (1 thru 4=1) (5=2) (else=copy) into h252a
/h253 (lo thru hi = copy) (else=-1).

```

execute

H256 Life Events Score

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		.00	347	3.6	3.6	3.6
1.00		1.00	687	7.1	7.2	10.8
2.00		2.00	1043	10.8	10.9	21.6
3.00		3.00	1207	12.5	12.6	34.2
4.00		4.00	1341	13.9	14.0	48.2
5.00		5.00	1137	11.8	11.8	60.0
6.00		6.00	1030	10.7	10.7	70.7
7.00		7.00	824	8.6	8.6	79.3
8.00		8.00	632	6.6	6.6	85.9
9.00		9.00	457	4.7	4.8	90.6
10.00		10.00	303	3.1	3.2	93.8
11.00		11.00	221	2.3	2.3	96.1
12.00		12.00	140	1.5	1.5	97.6
13.00		13.00	101	1.0	1.1	98.6
14.00		14.00	41	.4	.4	99.0
15.00		15.00	45	.5	.5	99.5
16.00		16.00	17	.2	.2	99.7
17.00		17.00	16	.2	.2	99.8
18.00		18.00	7	.1	.1	99.9
19.00		19.00	4	.0	.0	100.0
20.00		20.00	2	.0	.0	100.0
22.00		22.00	1	.0	.0	100.0
24.00		24.00	1	.0	.0	100.0
-1.00		-1.00	31	.3	Missing	
		Total	9635	100.0	100.0	

Valid cases 9604 Missing cases 31

**SECTION F: YOUR HOME**

Below are a number of questions about your home. They are similar to some you answered a year ago, and will be used to see how your circumstances might have changed.

F1. a) When did you move to your present address? month year

[If mother has lived at present address all her life, her date of birth at the end of the questionnaire is coded]  
 (This date was used together with that of completion of questionnaire to compute length of time in current address)

H260 Length of time in current address (yrs)			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
.00		1273	13.2	14.2	14.2	
1.00		1095	11.4	12.2	26.4	
2.00		944	9.8	10.5	36.9	
3.00		941	9.8	10.5	47.4	
4.00		989	10.3	11.0	58.5	
5.00		837	8.7	9.3	67.8	
6.00		800	8.3	8.9	76.7	
7.00		703	7.3	7.8	84.5	
8.00		471	4.9	5.3	89.8	
9.00		297	3.1	3.3	93.1	
10.00		212	2.2	2.4	95.5	
11.00		141	1.5	1.6	97.0	
12.00		88	.9	1.0	98.0	
13.00		61	.6	.7	98.7	
14.00		26	.3	.3	99.0	
15.00		18	.2	.2	99.2	
16.00		13	.1	.1	99.3	
17.00		11	.1	.1	99.5	
18.00		10	.1	.1	99.6	
19.00		5	.1	.1	99.6	
20.00		7	.1	.1	99.7	
21.00		3	.0	.0	99.7	
23.00		5	.1	.1	99.8	
24.00		1	.0	.0	99.8	
26.00		1	.0	.0	99.8	
27.00		1	.0	.0	99.8	
28.00		1	.0	.0	99.8	
29.00		1	.0	.0	99.9	
30.00		3	.0	.0	99.9	
31.00		4	.0	.0	99.9	
32.00		2	.0	.0	100.0	
33.00		1	.0	.0	100.0	
34.00		1	.0	.0	100.0	
36.00		1	.0	.0	100.0	
38.00		1	.0	.0	100.0	
-1.00		667	6.9	Missing		
			-----	-----	-----	
Total		9635	100.0	100.0		

Valid cases 8968 Missing cases 667

**F1. b) How many times have you moved home since your study child was 18 months old?**

[If 'not applicable' or boxes struck out, coded as a zero]

H261 No of times moved home > CH18 mths			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
none		0	7164	74.4	77.0	77.0
		1	1748	18.1	18.8	95.8
		2	295	3.1	3.2	99.0
		3	60	.6	.6	99.7
		4	17	.2	.2	99.8
		5	2	.0	.0	99.9
		6	7	.1	.1	99.9
		7	3	.0	.0	100.0
		8	1	.0	.0	100.0
		9	1	.0	.0	100.0
		10	1	.0	.0	100.0
		-1	336	3.5	Missing	
		-----			-----	
		Total	9635	100.0	100.0	
Valid cases	9299	Missing cases	336			

**F2. Is your home:**

*being bought/mortgaged  
being bought from council  
owned - with no mortgage to pay  
rented from council  
rented from private landlord - furnished  
rented from private landlord - unfurnished  
rented from housing association  
other (please tick and describe)*

H262 House rented or owned			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
mortgaged		0	7294	75.7	76.3	76.3
council buying		1	108	1.1	1.1	77.5
owned		2	218	2.3	2.3	79.7
council rented		3	1114	11.6	11.7	91.4
private furnished		4	148	1.5	1.5	93.0
private unfurnished		5	297	3.1	3.1	96.1
Housing assn. rented		6	196	2.0	2.1	98.1
other		7	180	1.9	1.9	100.0
		-1	80	.8	Missing	
		-----			-----	
		Total	9635	100.0	100.0	
Valid cases	9555	Missing cases	80			

H262A House rented or owned (recoded)			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Owned/mortgage		1.00	7620	79.1	79.7	79.7
Council rent		2.00	1114	11.6	11.7	91.4
Other		3.00	821	8.5	8.6	100.0
		-1.00	80	.8	Missing	
		-----			-----	
		Total	9635	100.0	100.0	
Valid cases	9555	Missing cases	80			

*F3. Do you live in your own home or do you live with your parents or others?*

- live in own home (or shared with partner)*
- live in partner's home*
- live with your parents in their home*
- live with your partner's parents in their home*
- other situation (please tick and describe)*

H263 Whose home mum lives in

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
own home	1	9116	94.6	96.1	96.1
partners home	2	100	1.0	1.1	97.2
parents home	3	102	1.1	1.1	98.2
partner's parents	4	20	.2	.2	98.5
other	5	146	1.5	1.5	100.0
	-1	151	1.6	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9484 Missing cases 151

*F4. Do you currently live in:*

- a whole detached house (or bungalow)*
- a whole semi-detached house/bungalow*
- an end of terrace house*
- a whole terraced house*
- a flat/maisonette (self contained)*
- a room in someone else's house*
- other (please tick and describe)*

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H264 Type of house lived in

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
whole detached	1	2066	21.4	21.7	21.7
whole semi	2	3426	35.6	35.9	57.6
end terrace	3	924	9.6	9.7	67.3
whole terraced	4	2294	23.8	24.1	91.3
self contained flat	5	759	7.9	8.0	99.3
room	6	9	.1	.1	99.4
other	7	57	.6	.6	100.0
	-1	100	1.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9535 Missing cases 100

F5. *What is the lowest level of your living accommodation:*

*basement*

*ground floor*

*1st floor*

*2nd floor or above, give floor .....*

[A two digit number was required to be coded here: 78 means basement; 00 means ground floor; 01 means first floor, etc. If lowest level is 2<sup>nd</sup> floor or above, code that number in the two boxes, e.g. 02 for 2<sup>nd</sup> floor, 14 for 14<sup>th</sup>. If no information is given leave the boxes blank. On a question of interpretation, basements which are only used for storage are not classed as 'living accommodation'. Houses set on a hillside often have a basement on one side which opens on to the ground level at the other side of the house. These should be classified as basements. Also, 'lower ground floor' is the same as basement] (recoding put 78 = 0 and x = x + 1 so that 01 = ground floor, 02 = 1st floor etc.)

H265 Lowest level of living accommodation

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
Basement	0	251	2.6	2.7	2.7
Ground floor	1	8380	87.0	89.2	91.9
First floor	2	615	6.4	6.5	98.4
Second floor	3	70	.7	.7	99.1
Third floor	4	27	.3	.3	99.4
Fourth floor	5	9	.1	.1	99.5
Fifth floor	6	10	.1	.1	99.6
Sixth floor	7	3	.0	.0	99.7
Seventh floor	8	7	.1	.1	99.7
Eighth floor	9	3	.0	.0	99.8
Ninth floor	10	7	.1	.1	99.9
Tenth floor	11	2	.0	.0	99.9
Eleventh floor	12	6	.1	.1	99.9
Twelfth floor	13	4	.0	.0	100.0
	14	1	.0	.0	100.0
	30	1	.0	.0	100.0
	-1	239	2.5	Missing	
				-----	-----
Total		9635	100.0	100.0	

Valid cases 9396 Missing cases 239

H265A Lowest level of living accomm. (recoded)

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
Basement	.00	251	2.6	2.7	2.7
Ground floor	1.00	8380	87.0	89.2	91.9
First floor	2.00	615	6.4	6.5	98.4
Second floor or abov	3.00	150	1.6	1.6	100.0
	-1.00	239	2.5	Missing	
				-----	-----
Total		9635	100.0	100.0	

Valid cases 9396 Missing cases 239

*F6. To heat your home in winter what methods do you mainly use:  
(please tick all boxes that apply)*

(i) (ii) (iii)  
*In main In study In other*  
*living room child's bedroom rooms*

- F6. a) central heating or storage heaters
  - F6. b) wood stoves or wood fires
  - F6. c) coal fires
  - F6. d) paraffin heaters
  - F6. e) gas fires (mains gas)
  - F6. f) gas fires (bottled gas)
  - F6. g) other type of heating (please tick and describe)

[If description fitted (a)-(f) relevant box was ticked, if it had not already been and (g) was coded no]

H266A Central heating used- Living Room

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
yes		1	8203	85.1	85.1	85.1
no		2	1432	14.9	14.9	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H267A central heating used- CH Room

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
yes		1	8342	86.6	86.6	86.6
no		2	1293	13.4	13.4	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H268A central heating used - oth room

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	8493	88.1	88.1	88.1
no		2	1142	11.9	11.9	100.0
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H266B Wood stoves or fires used Living Rm

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
yes		1	494	5.1	5.1	5.1
no		2	9141	94.9	94.9	100.0
		<hr/>		<hr/>		<hr/>
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## H267B Wood stoves or fires used CH Rm

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	12	.1	.1	.1
no	2	9623	99.9	99.9	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## H268B Wood stoves or fires used Other Rm

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	84	.9	.9	.9
no	2	9551	99.1	99.1	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## H266C Coal fires used Living Rm

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	538	5.6	5.6	5.6
no	2	9097	94.4	94.4	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## H267C Coal fires used CH Rm

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	3	.0	.0	.0
no	2	9632	100.0	100.0	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## H268C Coal fires used other Rm

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	89	.9	.9	.9
no	2	9546	99.1	99.1	100.0
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## H266D Paraffin heaters used Living Rm

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	3	.0	.0	.0
no		2	9632	100.0	100.0	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## H267D Paraffin heaters used CH Rm

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	6	.1	.1	.1
no		2	9629	99.9	99.9	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## H268D Paraffin heaters used Other Rm

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	11	.1	.1	.1
no		2	9624	99.9	99.9	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## H266E Mains gas fires used Living Rm

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	3568	37.0	37.0	37.0
no		2	6067	63.0	63.0	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## H267E Mains gas fires used CH Rm

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	195	2.0	2.0	2.0
no		2	9440	98.0	98.0	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## H268E Mains gas fires used Other Rm

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	479	5.0	5.0	5.0
no		2	9156	95.0	95.0	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases		9635	Missing cases	0		

## H266F Bottled gas fires used Living Rm

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	148	1.5	1.5	1.5
no		2	9487	98.5	98.5	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases		9635	Missing cases	0		

## H267F Bottled gas fires used CH Rm

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	38	.4	.4	.4
no		2	9597	99.6	99.6	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases		9635	Missing cases	0		

## H268F Bottled gas fires used Other Rm

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	124	1.3	1.3	1.3
no		2	9511	98.7	98.7	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases		9635	Missing cases	0		

## H266G Other type of heating used Living Rm

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	214	2.2	2.2	2.2
no		2	9421	97.8	97.8	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases		9635	Missing cases	0		

H267G Other type of heating used CH Rm			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	377	3.9	3.9	3.9
no		2	9258	96.1	96.1	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

H268G Other type of heating used Other Rm			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	303	3.1	3.1	3.1
no		2	9332	96.9	96.9	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

F7. *In the coldest time of year, describe the temperature in your:*

Very Warm      About    Cold    Very  
warm            right        cold

F7. a) *living rooms*

[If more than one box was ticked, the one with the lowest number was taken]

H270 Temp in living room at coldest time			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very warm		1	1072	11.1	11.3	11.3
warm		2	3640	37.8	38.3	49.6
about right		3	4469	46.4	47.1	96.7
cold		4	263	2.7	2.8	99.5
very cold		5	48	.5	.5	100.0
		-1	143	1.5	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9492	Missing cases	143			

F7. b) *the room where the study child sleeps*

[If more than one box was ticked, the one with the lowest number was taken]

H271 Temp in chs room at coldest time			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very warm		1	317	3.3	3.4	3.4
warm		2	1858	19.3	19.7	23.0
about right		3	6546	67.9	69.2	92.3
cold		4	642	6.7	6.8	99.0
very cold		5	90	.9	1.0	100.0
		-1	182	1.9	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9453	Missing cases	182			

*F8. If your home is centrally heated in winter, please describe:*

a) type:

*solid fuel*      *no central heating*  
*oil*  
*gas*  
*electricity*  
*other (please tick and describe)*

[If more than one box was ticked coded as other and the numbers written on the please describe line]

H272 Type of central heating in winter				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
	solid fuel	1	147	1.5	1.7
	oil	2	407	4.2	4.6
	gas	3	7653	79.4	86.8
	electricity	4	505	5.2	98.8
	other	5	107	1.1	100.0
		-1	816	8.5	Missing
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	8819	Missing cases	816		

*F8. b) how is heating distributed?*

*radiators*                            *warm air*                            *storage heaters*  
*under floor heating*                    *other*

[If more than one box was ticked coded as other and the numbers written on the please describe line]

H273 Method of heat distribution				Valid Percent	Cum Percent
Value	Label	Value	Frequency	Percent	Percent
	radiators	1	8102	84.1	91.1
	warm air	2	231	2.4	93.7
	storage heaters	3	456	4.7	98.9
	under floor heating	4	3	.0	98.9
	other	5	97	1.0	100.0
		-1	746	7.7	Missing
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	8889	Missing cases	746		

F8. c) where is the boiler?

kitchen living room other no boiler

[If more than one box was ticked coded as other and the numbers written on the please describe line]

H274 Location of boiler

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
kitchen		1	3219	33.4	38.2	38.2
living room		2	1604	16.6	19.0	57.2
other		3	3143	32.6	37.3	94.5
no boiler		4	464	4.8	5.5	100.0
		-1	1205	12.5	Missing	
		Total	9635	100.0	100.0	

Valid cases 8430 Missing cases 1205

F9. Do you use a thermometer or thermostat to help keep the temperature at the level you want in winter?

F9. a) In main living room:

thermostat on radiators room thermostat room thermometer

none of these other

[If more than one box was ticked coded as other and the numbers written on the please describe line]

H275A Thermostat used in living room in winter

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
radiator thermos		1	3636	37.7	39.7	39.7
room thermos		2	1809	18.8	19.8	59.5
room thermom		3	220	2.3	2.4	61.9
none		4	2796	29.0	30.5	92.4
other		5	692	7.2	7.6	100.0
		-1	482	5.0	Missing	
		Total	9635	100.0	100.0	

Valid cases 9153 Missing cases 482

F9. b) In your study child's bedroom:

*thermostat on radiator      room thermostat      room thermometer*  
*none of these      other*

[If more than one box was ticked coded as other and the numbers written on the please describe line]

H275B Thermostat used in chs room in winter			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
radiator thermos		1	3858	40.0	42.7	42.7
room thermos		2	574	6.0	6.3	49.0
room thermom		3	756	7.8	8.4	57.4
none		4	3261	33.8	36.1	93.4
other		5	594	6.2	6.6	100.0
		-1	592	6.1	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9043	Missing cases	592			

F9. c) What temperature do you try to keep to in winter:

F9. c) (i) *in living rooms*      *day*      *night*

F9. c) (ii) *in room where your study child sleeps*      *day*      *night*

(If you don't keep to any particular temperature put 87)

[If a range given, coder took the hotter value. The number given should be sufficient to determine whether they are using centigrade or fahrenheit. Round part degrees up to the next whole degree.

If no temperature stated and a comment given code a 'AA'. Code illegible temperatures or 'Don't know' as '99']

## H276A Temp in living rooms day (C)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2.00	5	.1	.2	.2
	4.00	7	.1	.3	.6
	7.00	3	.0	.1	.7
	10.00	16	.2	.7	1.4
	11.00	2	.0	.1	1.5
	12.00	17	.2	.8	2.3
	13.00	3	.0	.1	2.4
	14.00	4	.0	.2	2.6
	15.00	244	2.5	11.2	13.9
	16.00	49	.5	2.3	16.1
	17.00	77	.8	3.5	19.7
	18.00	584	6.1	26.9	46.5
	19.00	58	.6	2.7	49.2
	20.00	502	5.2	23.1	72.3
	21.00	392	4.1	18.0	90.3
	22.00	62	.6	2.9	93.2
	23.00	67	.7	3.1	96.3
	24.00	16	.2	.7	97.0
	25.00	38	.4	1.7	98.8
	26.00	11	.1	.5	99.3
	27.00	2	.0	.1	99.4
	29.00	4	.0	.2	99.5
	30.00	10	.1	.5	100.0
No particular temp	-2.00	6324	65.6	Missing	
	-1.00	1138	11.8	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 2173 Missing cases 7462

## H276B Temp in living rooms night (C)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	1	.0	.1	.1
	2.00	3	.0	.2	.2
	4.00	17	.2	1.0	1.3
	7.00	5	.1	.3	1.6
	9.00	1	.0	.1	1.6
	10.00	95	1.0	5.8	7.4
	11.00	2	.0	.1	7.6
	12.00	63	.7	3.8	11.4
	13.00	5	.1	.3	11.7
	14.00	22	.2	1.3	13.0
	15.00	317	3.3	19.3	32.3
	16.00	68	.7	4.1	36.5
	17.00	53	.6	3.2	39.7
	18.00	370	3.8	22.5	62.2
	19.00	29	.3	1.8	64.0
	20.00	232	2.4	14.1	78.1
	21.00	212	2.2	12.9	91.0
	22.00	31	.3	1.9	92.9
	23.00	36	.4	2.2	95.1
	24.00	9	.1	.5	95.7
	25.00	40	.4	2.4	98.1
	26.00	16	.2	1.0	99.1
	27.00	2	.0	.1	99.2
	29.00	1	.0	.1	99.3
	30.00	12	.1	.7	100.0
No particular temp	-2.00	6395	66.4	Missing	
	-1.00	1598	16.6	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 1642 Missing cases 7993

## H276C Temp in ch's bedroom day (C)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	1	.0	.0	.0
	2.00	4	.0	.2	.2
	4.00	14	.1	.7	.9
	6.00	1	.0	.0	1.0
	7.00	2	.0	.1	1.1
	10.00	48	.5	2.4	3.5
	11.00	1	.0	.0	3.5
	12.00	34	.4	1.7	5.2
	13.00	3	.0	.1	5.4
	14.00	9	.1	.4	5.8
	15.00	352	3.7	17.5	23.4
	16.00	60	.6	3.0	26.4
	17.00	70	.7	3.5	29.8
	18.00	681	7.1	33.9	63.8
	19.00	51	.5	2.5	66.3
	20.00	352	3.7	17.5	83.9
	21.00	205	2.1	10.2	94.1
	22.00	44	.5	2.2	96.3
	23.00	34	.4	1.7	98.0
	24.00	6	.1	.3	98.3
	25.00	18	.2	.9	99.2
	26.00	8	.1	.4	99.6
	29.00	1	.0	.0	99.6
	30.00	8	.1	.4	100.0
No particular temp	-2.00	6335	65.7	Missing	
	-1.00	1293	13.4	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	2007				
	Missing cases	7628			

## H276D Temp in ch's bedroom night (C)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2.00	3	.0	.2	.2
	4.00	15	.2	.8	1.0
	7.00	6	.1	.3	1.3
	9.00	1	.0	.1	1.3
	10.00	92	1.0	4.9	6.2
	11.00	1	.0	.1	6.3
	12.00	68	.7	3.6	9.9
	13.00	5	.1	.3	10.1
	14.00	25	.3	1.3	11.5
	15.00	415	4.3	22.0	33.5
	16.00	68	.7	3.6	37.1
	17.00	63	.7	3.3	40.4
	18.00	623	6.5	33.0	73.4
	19.00	27	.3	1.4	74.9
	20.00	231	2.4	12.2	87.1
	21.00	146	1.5	7.7	94.9
	22.00	29	.3	1.5	96.4
	23.00	23	.2	1.2	97.6
	24.00	4	.0	.2	97.8
	25.00	23	.2	1.2	99.0
	26.00	8	.1	.4	99.5
	28.00	1	.0	.1	99.6
	29.00	1	.0	.1	99.6
	30.00	8	.1	.4	100.0
No particular temp	-2.00	6145	63.8	Missing	
	-1.00	1604	16.6	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	1886				
	Missing cases	7749			

## F10. Do you use gas for cooking?

yes, ring(s) only

yes, oven only

yes, rings and oven

no, not at all

[If more than one box was ticked coded as other and the numbers written on the please describe line]

## H280 Gas used for cooking

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes ring only		1	1966	20.4	20.6	20.6
yes oven only		2	28	.3	.3	20.9
yes rings and oven		3	3391	35.2	35.6	56.5
no not at all		4	4146	43.0	43.5	100.0
		-1	104	1.1	Missing	
					-----	
		Total	9635	100.0	100.0	

Valid cases 9531 Missing cases 104

## F11. Do you use the cooker for any other purpose than cooking (eg. drying clothes, heating the room)?

Yes No don't have cooker

## H281 Other use for cooker

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	284	2.9	3.0	3.0
no		2	9188	95.4	97.0	100.0
no cooker		-2	16	.2	Missing	
		-1	147	1.5	Missing	
					-----	
		Total	9635	100.0	100.0	

Valid cases 9472 Missing cases 163

If yes, please describe: [Keyed as text]

*F12. When you are cooking, how often do you get rid of the smells and steam using the following?*

*Usually*      *Sometimes*      *Not at all*

*F12. a) open windows*

[If more than one box was ticked, the one with the highest number was taken]

H285      Open windows when cooking

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
usually		1	6116	63.5	66.0	66.0
sometimes		2	2860	29.7	30.9	96.9
not at all		3	288	3.0	3.1	100.0
		-1	371	3.9	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases      9264      Missing cases      371

*F12. b) ventaxia/air extractor*

[If more than one box was ticked, the one with the highest number was taken]

H286      Ventaxia when cooking

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
usually		1	1177	12.2	12.6	12.6
sometimes		2	616	6.4	6.6	19.2
not at all		3	7568	78.5	80.8	100.0
		-1	274	2.8	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases      9361      Missing cases      274

*F12. c) extractor hood which vents to outside*

[If more than one box was ticked, the one with the highest number was taken]

H287      Exthd vents to outside when cooking

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
usually		1	1172	12.2	12.5	12.5
sometimes		2	320	3.3	3.4	15.9
not at all		3	7886	81.8	84.1	100.0
		-1	257	2.7	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases      9378      Missing cases      257

*F12. d) extractor hood with charcoal that doesn't vent to outside*  
 [If more than one box was ticked, the one with the highest number was taken]

H288      Exthd and charcoal no vent when cooking			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
usually		1	956	9.9	10.3	10.3
sometimes		2	637	6.6	6.8	17.1
not at all		3	7730	80.2	82.9	100.0
		-1	312	3.2	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		9323	Missing cases	312		

*F12. e) other (please tick and describe)*

Please ensure that if something is written in the 'please describe' section, that the previous boxes are ticked appropriately. If there is no tick, please write a zero to indicate information in section]

H289      Other method when cooking			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
usually		1	453	4.7	4.9	4.9
sometimes		2	342	3.5	3.7	8.5
not at all		3	8543	88.7	91.5	100.0
		-1	297	3.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		9338	Missing cases	297		

*F13. Does your home have the following?*

*Yes sole use*      *Yes shared with other house-hold(s)*      *No*

*F13. a) kitchen where there is space to sit and eat*

[If more than one box was ticked, the one with the highest number was taken except if 3]

H290      Home has kitchen with sitting space			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes sole use		1	5176	53.7	54.0	54.0
yes shared		2	52	.5	.5	54.6
no		3	4354	45.2	45.4	100.0
		-1	53	.6	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		9582	Missing cases	53		

*F13. b) kitchen for cooking only*

[If more than one box was ticked, the one with the highest number was taken except if 3]

H291 Home has kitchen for cooking only			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes sole use		1	5443	56.5	56.8	56.8
yes shared		2	44	.5	.5	57.3
no		3	4095	42.5	42.7	100.0
		-1	53	.6	Missing	
					-----	
		Total	9635	100.0	100.0	
Valid cases	9582	Missing cases	53			

*F13. c) indoor flushing toilet*

[If more than one box was ticked, the one with the highest number was taken except if 3]

H292 Home has indoor flushing toilet			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes sole use		1	9127	94.7	97.5	97.5
yes shared		2	91	.9	1.0	98.4
no		3	147	1.5	1.6	100.0
		-1	270	2.8	Missing	
					-----	
		Total	9635	100.0	100.0	
Valid cases	9365	Missing cases	270			

*F14. Apart from the kitchen, how many rooms do you have for living and/or sleeping?*

H293 No of rooms excluding kitchen			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	1	.0	.0	.0
		1	18	.2	.2	.2
		2	102	1.1	1.1	1.3
		3	894	9.3	9.4	10.7
		4	2259	23.4	23.8	34.4
		5	2843	29.5	29.9	64.3
		6	1925	20.0	20.2	84.6
		7	808	8.4	8.5	93.1
		8	379	3.9	4.0	97.0
		9	141	1.5	1.5	98.5
		10	71	.7	.7	99.3
		11	42	.4	.4	99.7
		12	13	.1	.1	99.9
		13	4	.0	.0	99.9
		14	5	.1	.1	99.9
		15	2	.0	.0	100.0
		16	1	.0	.0	100.0
		17	1	.0	.0	100.0
		18	1	.0	.0	100.0
		-1	125	1.3	Missing	
					-----	
		Total	9635	100.0	100.0	
Valid cases	9510	Missing cases	125			

(H293 was increased by 1 if H290 indicated a kitchen diner to create H294)

H294 No. of rooms inc. kitchen/diner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1.00	9	.1	.1	.1
	2.00	70	.7	.7	.8
	3.00	476	4.9	5.0	5.9
	4.00	1452	15.1	15.3	21.2
	5.00	2751	28.6	29.1	50.3
	6.00	2203	22.9	23.3	73.5
	7.00	1332	13.8	14.1	87.6
	8.00	629	6.5	6.6	94.2
	9.00	304	3.2	3.2	97.5
	10.00	119	1.2	1.3	98.7
	11.00	59	.6	.6	99.3
	12.00	38	.4	.4	99.7
	13.00	11	.1	.1	99.9
	14.00	6	.1	.1	99.9
	15.00	4	.0	.0	100.0
	16.00	1	.0	.0	100.0
	17.00	1	.0	.0	100.0
	18.00	1	.0	.0	100.0
	19.00	1	.0	.0	100.0
	-1.00	168	1.7	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9467 Missing cases 168

*F15. Do you have sole use of the following amenities or are they shared with other household(s)?*

*Yes sole use      Yes shared with other household(s)      No*

*F15. a) running hot water*

[If more than one box was ticked, the one with the highest number was taken]

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes sole use	1	9428	97.9	98.4	98.4
yes shared	2	109	1.1	1.1	99.5
no	3	47	.5	.5	100.0
	-1	51	.5	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9584 Missing cases 51

*F15. b) bath*

[If more than one box was ticked, the one with the highest number was taken]

H296 Shared or sole use bath			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes sole use		1	9418	97.7	98.3	98.3
yes shared		2	97	1.0	1.0	99.3
no		3	64	.7	.7	100.0
		-1	56	.6	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9579 Missing cases 56

*F15. c) shower*

[If more than one box was ticked, the one with the highest number was taken]

H297 Shared or sole use shower			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes sole use		1	7285	75.6	77.1	77.1
yes shared		2	73	.8	.8	77.8
no		3	2096	21.8	22.2	100.0
		-1	181	1.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9454 Missing cases 181

*F15. d) garden or yard*

[If more than one box was ticked, the one with the highest number was taken]

H298 Shared or sole use garden			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes sole use		1	8897	92.3	93.0	93.0
yes shared		2	376	3.9	3.9	96.9
no		3	293	3.0	3.1	100.0
		-1	69	.7	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9566 Missing cases 69

*F15. e) balcony*

[If more than one box was ticked, the one with the highest number was taken]

H299 Shared or sole use balcony			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes sole use		1	573	5.9	6.2	6.2
yes shared		2	50	.5	.5	6.7
no		3	8607	89.3	93.3	100.0
		-1	405	4.2	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9230 Missing cases 405

F16. Is there a working telephone in your home?

	No	Yes, but for incoming calls only	Yes, a fully working phone		
H300	Working telephone in home				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	1	370	3.8	3.9	3.9
yes incoming only	2	48	.5	.5	4.4
yes fully	3	9166	95.1	95.6	100.0
	-1	51	.5	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	9584	Missing cases	51		

F17. Do you or your partner have the use of a car (including vans, minibuses, etc.)?

Yes, we own a car      Yes, we can borrow a car      No

[If company/lease car, code 1 was used]

H301	Mum or partner has use of car				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes own car	1	8669	90.0	90.6	90.6
yes borrow car	2	219	2.3	2.3	92.9
no	3	676	7.0	7.1	100.0
	-1	71	.7	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	9564	Missing cases	71		

F18. How often do you have any windows open in your home:

Windows almost always open      Windows open only when weather is good      Windows open occasionally      Windows almost never open

F18. a) In summer:

F18. a) i) day

[If more than one box was ticked, the one with the highest number was taken]

H305	Freq windows open in summer days				
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
almost always	1	7297	75.7	76.3	76.3
in good weather	2	2009	20.9	21.0	97.3
occasionally	3	229	2.4	2.4	99.7
almost never	4	27	.3	.3	100.0
	-1	73	.8	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	9562	Missing cases	73		

F18. a) ii) *night*

[If more than one box was ticked, the one with the highest number was taken]

H306 Freq windows open in summer night			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
almost always	1	4026	41.8	42.3
in good weather	2	3125	32.4	32.8
occasionally	3	1566	16.3	16.5
almost never	4	798	8.3	8.4
	-1	120	1.2	Missing
			-----	-----
	Total	9635	100.0	100.0

Valid cases 9515 Missing cases 120

F18. b) *In winter*F18. b) i) *day*

[If more than one box was ticked, the one with the highest number was taken]

H307 Freq windows open in winter days			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
almost always	1	1612	16.7	17.0
in good weather	2	3989	41.4	42.0
occasionally	3	3083	32.0	32.5
almost never	4	812	8.4	8.6
	-1	139	1.4	Missing
			-----	-----
	Total	9635	100.0	100.0

Valid cases 9496 Missing cases 139

F18. b) ii) *night*

[If more than one box was ticked, the one with the highest number was taken]

H308 Freq windows open in winter night			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
almost always	1	925	9.6	9.8
in good weather	2	1594	16.5	16.9
occasionally	3	2333	24.2	24.8
almost never	4	4569	47.4	48.5
	-1	214	2.2	Missing
			-----	-----
	Total	9635	100.0	100.0

Valid cases 9421 Missing cases 214

F18. c) *Are any of your windows double glazed (including secondary double glazing)?*

*yes all of them*      *yes some of them*  
*no none of them*      *don't know*

H309      Windows double glazed

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
all		1	4056	42.1	42.6	42.6
some		2	2373	24.6	24.9	67.5
none		3	3092	32.1	32.5	100.0
		-1	114	1.2	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases      9521      Missing cases      114

F18. d) *Does your home have chimneys?*

*Yes*      *No*

H310      Home has chimneys

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	6694	69.5	70.4	70.4
no		2	2821	29.3	29.6	100.0
		-1	120	1.2	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases      9515      Missing cases      120

F18. e) *If yes, have they been blocked up?*

*yes all of them*      *yes some of them*      *no*      *don't know*

H311      Home has blocked up chimneys

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes all		1	1312	13.6	22.8	22.8
yes some		2	1340	13.9	23.2	46.0
no		3	3115	32.3	54.0	100.0
no chimneys		-2	2821	29.3	Missing	
NS		-1	1047	10.9	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		5767	Missing cases	3868		

F19. a) *Is there ever any damp, condensation or mould in your home?*

*Yes*                    *No*  
 ['sometimes' coded as 1]

H315                    Damp or mould in home		Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	4825	50.1	52.5	52.5
no		2	4365	45.3	47.5	100.0
		-1	445	4.6	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9190	Missing cases	445			

*If yes,*

F19. b) *How much of a problem is damp or condensation?*

*no damp or condensation*  
*not serious*  
*fairly serious*  
*very serious*

[If more than one box was ticked, the one with the highest number was taken]

H316                    Damp or condensation is prob		Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent
No damp		1	4460	46.3	48.3	48.3
not serious		2	4183	43.4	45.3	93.5
fairly serious		3	515	5.3	5.6	99.1
very serious		4	82	.9	.9	100.0
		-1	395	4.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9240	Missing cases	395			

F19. c) *How much of a problem is mould?*

*no mould*  
*not serious*  
*fairly serious*  
*very serious*

[If more than one box was ticked, the one with the highest number was taken]

H317                    Mould is prob		Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent
no mould		1	6410	66.5	67.2	67.2
not serious		2	2745	28.5	28.8	96.0
fairly serious		3	332	3.4	3.5	99.5
very serious		4	50	.5	.5	100.0
		-1	98	1.0	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9537	Missing cases	98			

F20. *Taking everything into account, which of the following best describes your feeling about your home?*

- satisfied*
- fairly satisfied*
- dissatisfied*
- very dissatisfied*

[If more than one box was ticked, the one with the highest number was taken]

H319 Description of feelings about home		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
satisfied		1	5577	57.9	58.8	58.8
fairly satisfied		2	3249	33.7	34.3	93.1
dissatisfied		3	482	5.0	5.1	98.2
very dissatisfied		4	175	1.8	1.8	100.0
		-1	152	1.6	Missing	
		Total		9635	100.0	100.0
Valid cases	9483	Missing cases		152		

F21. *In the past year have any of the following rooms been decorated or had any brand new furniture?*

F21. a) *Your bedroom:* Yes No Don't know

- F21. a) i) *painted*  
 F21. a) ii) *wall papered*  
 F21. a) iii) *new carpet*  
 F21. a) iv) *new furniture*

H320 Mums bedroom painted > 1 yr		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes		1	2244	23.3	23.5	23.5
no		2	7317	75.9	76.5	100.0
		-1	74	.8	Missing	
		Total		9635	100.0	100.0
Valid cases	9561	Missing cases		74		

H321 Mums bedroom papered > 1 yr		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes		1	1507	15.6	15.8	15.8
no		2	8054	83.6	84.2	100.0
		-1	74	.8	Missing	
		Total		9635	100.0	100.0
Valid cases	9561	Missing cases		74		

				Valid Percent	Cum Percent
Value	Label	Value	Frequency	Percent	
yes		1	1432	14.9	15.0
no		2	8129	84.4	85.0
		-1	74	.8	Missing
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9561	Missing cases	74		

				Valid Percent	Cum Percent
Value	Label	Value	Frequency	Percent	
yes		1	1692	17.6	17.7
no		2	7869	81.7	82.3
		-1	74	.8	Missing
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9561	Missing cases	74		

## Derived variable

(If any of H320 - H323 = 1, H324 = 1)

				Valid Percent	Cum Percent
Value	Label	Value	Frequency	Percent	
		-1.00	74	.8	missing
Yes		1.00	3351	34.8	35.0
No		2.00	6210	64.5	65.0
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9561	Missing cases	74		

F21. b) Your living room:

- F21. b) i) painted
- F21. b) ii) wall papered
- F21. b) iii) new carpet
- F21. b) iv) new furniture

				Valid Percent	Cum Percent
Value	Label	Value	Frequency	Percent	
yes		1	3197	33.2	33.4
no		2	6364	66.1	66.6
		-1	74	.8	Missing
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9561	Missing cases	74		

			Valid	Cum		
H326	Living room papered > 1 yr					
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	1990	20.7	20.8	20.8
no		2	7571	78.6	79.2	100.0
		-1	74	.8	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

			Valid	Cum		
H327	New carpet in living room > 1 yr					
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	1971	20.5	20.6	20.6
no		2	7590	78.8	79.4	100.0
		-1	74	.8	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

			Valid	Cum		
H328	New furniture in living room > 1 yr					
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	2389	24.8	25.0	25.0
no		2	7172	74.4	75.0	100.0
		-1	74	.8	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

## Derived variable

			Valid	Cum		
H329	Change in living room					
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		-1.00	74	.8	missing	
		1.00	4600	47.7	48.1	48.1
No		2.00	4961	51.5	51.9	100.0
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

## F21. c) The room the study child sleeps in:

<i>Yes</i>	<i>No</i>	<i>Don't know</i>
------------	-----------	-------------------

- F21. c) i) *painted*  
 F21. c) ii) *wall papered*  
 F21. c) iii) *new carpet*  
 F21. c) iv) *new furniture*

H330 Chs room painted &gt; 1 yr

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	3113	32.3	32.6	32.6
no		2	6448	66.9	67.4	100.0
		-1	74	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

H331 Chs room papered &gt; 1 yr

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	2104	21.8	22.0	22.0
no		2	7457	77.4	78.0	100.0
		-1	74	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

H332 New carpet in chs room &gt; 1 yr

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	1912	19.8	20.0	20.0
no		2	7649	79.4	80.0	100.0
		-1	74	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

H333 New furniture in chs room &gt; 1 yr

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	3325	34.5	34.8	34.8
no		2	6236	64.7	65.2	100.0
		-1	74	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

**Derived variable**

H334 Change in CH's room

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		-1.00	74	.8	missing	
Yes		1.00	4912	51.0	51.4	51.4
No		2.00	4649	48.3	48.6	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

*F21. d) Any other rooms:*

Yes No Don't know which room(s) [Keyed as text]

*F21. d) i) painted**F21. d) ii) wall papered**F21. d) iii) new carpet**F21. d) iv) new furniture*

H335 Other room painted &gt; 1 yr

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	4723	49.0	49.4	49.4
no		2	4838	50.2	50.6	100.0
		-1	74	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

H336 Other room papered &gt; 1 yr

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	2903	30.1	30.4	30.4
no		2	6658	69.1	69.6	100.0
		-1	74	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

H337 New carpet in other &gt; 1 yr

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	2384	24.7	24.9	24.9
no		2	7177	74.5	75.1	100.0
		-1	74	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

H338 New furniture in other room > 1 yr				Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	1894	19.7	19.8	19.8
no		2	7667	79.6	80.2	100.0
		-1	74	.8	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

## Derived variable

H339 Change in other room				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
		-1.00	74	.8	missing
Yes		1.00	5464	56.7	57.1
No		2.00	4097	42.5	42.9
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9561 Missing cases 74

## Derived variables

H340 No. rooms painted in last year				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
		-1.00	74	.8	missing
		.00	2745	28.5	28.7
		1.00	2925	30.4	30.6
		2.00	2063	21.4	21.6
		3.00	1086	11.3	11.4
		4.00	742	7.7	7.8
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9561 Missing cases 74

H341 No. rooms papered in last year				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
		-1.00	74	.8	missing
		.00	4598	47.7	48.1
		1.00	2644	27.4	27.7
		2.00	1426	14.8	14.9
		3.00	564	5.9	5.9
		4.00	329	3.4	3.4
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9561 Missing cases 74

H342 No. rooms new carpet in last year

h342 = h322a + h327a + h332a + h337a

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
	-1.00	74	.8	missing	
	.00	5195	53.9	54.3	54.3
	1.00	2337	24.3	24.4	78.7
	2.00	1105	11.5	11.6	90.3
	3.00	544	5.6	5.7	96.0
	4.00	380	3.9	4.0	100.0
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

H343 No. rooms new furniture in last year

h343 = h323a + h328a + h333a + h338a

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
	-1.00	74	.8	missing	
	.00	4027	41.8	42.1	42.1
	1.00	2988	31.0	31.3	73.4
	2.00	1597	16.6	16.7	90.1
	3.00	678	7.0	7.1	97.2
	4.00	271	2.8	2.8	100.0
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9561 Missing cases 74

F22. *How would you rate your home in relation to that of other homes with young children?*

- F22. a) *much cleaner  
a bit cleaner  
about the same  
less clean  
much less clean  
don't know*

[If more than one box was ticked, the one with the highest number was taken]

H350 Cleanliness of home with regards to other

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
much cleaner	1	978	10.2	10.4	10.4
bit cleaner	2	1689	17.5	18.0	28.4
same	3	6315	65.5	67.3	95.7
less clean	4	366	3.8	3.9	99.6
much less clean	5	36	.4	.4	100.0
	-1	251	2.6	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9384 Missing cases 251

- F22. b) *much tidier*  
*a bit tidier*  
*about the same*  
*less tidy*  
*much less tidy*  
*don't know*

[If more than one box was ticked, the one with the highest number was taken]

H351 Tidiness of home with regards to others		Value	Frequency	Percent	Valid Percent	Cum Percent	
Value	Label						
much tidier		1	1121	11.6	12.0	12.0	
bit tidier		2	2115	22.0	22.6	34.5	
same		3	5060	52.5	54.0	88.5	
less tidy		4	952	9.9	10.2	98.6	
much less tidy		5	130	1.3	1.4	100.0	
		-1	257	2.7	Missing		
		-----		-----		-----	
		Total	9635	100.0	100.0		

Valid cases 9378 Missing cases 257

- F23. *Here is a list of some things that can be a problem in people's homes or in the neighbourhood.*

*How much of a problem are the following for you and your family?*

Serious problem	Minor problem	Not a problem	No opinion
-----------------	---------------	---------------	------------

- F23. a) *Badly fitted doors and windows*

[If more than one box was ticked, the one with the lowest number was taken]

H354 Badly fitted windows are prob in home		Value	Frequency	Percent	Valid Percent	Cum Percent	
Value	Label						
serious problem		1	292	3.0	3.1	3.1	
minor problem		2	2062	21.4	21.7	24.8	
no problem		3	6938	72.0	73.1	97.9	
no opinion		4	200	2.1	2.1	100.0	
		-1	143	1.5	Missing		
		-----		-----		-----	
		Total	9635	100.0	100.0		

Valid cases 9492 Missing cases 143

- H354A Badly fitted windows are prob (recoded)

H354A Badly fitted windows are prob (recoded)		Value	Frequency	Percent	Valid Percent	Cum Percent	
Value	Label						
Serious problem		1.00	292	3.0	3.1	3.1	
Minor problem		2.00	2062	21.4	21.7	24.8	
No problem/opinion		3.00	7138	74.1	75.2	100.0	
		-1.00	143	1.5	Missing		
		-----		-----		-----	
		Total	9635	100.0	100.0		

Valid cases 9492 Missing cases 143

**F23. b) Poor ventilation**

[If more than one box was ticked, the one with the lowest number was taken]

H355 Poor ventilation is prob in home

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
serious problem		1	151	1.6	1.6	1.6
minor problem		2	870	9.0	9.2	10.8
no problem		3	8263	85.8	87.1	97.9
no opinion		4	198	2.1	2.1	100.0
		-1	153	1.6	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9482 Missing cases 153

H355A Poor ventilation is prob/home (recoded)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Serious problem		1.00	151	1.6	1.6	1.6
Minor problem		2.00	870	9.0	9.2	10.8
No problem/opinion		3.00	8461	87.8	89.2	100.0
		-1.00	153	1.6	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9482 Missing cases 153

**F23. c) Noise travelling between the rooms of your home**

[If more than one box was ticked, the one with the lowest number was taken]

H356 Noise from other rooms is prob in home

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
serious problem		1	176	1.8	1.9	1.9
minor problem		2	1777	18.4	18.8	20.6
no problem		3	7388	76.7	78.0	98.6
no opinion		4	135	1.4	1.4	100.0
		-1	159	1.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9476 Missing cases 159

H356A Noise from other room is prob (recoded)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Serious problem		1.00	176	1.8	1.9	1.9
Minor problem		2.00	1777	18.4	18.8	20.6
No problem/opinion		3.00	7523	78.1	79.4	100.0
		-1.00	159	1.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9476 Missing cases 159

**F23. d) Noise from other homes**

[If more than one box was ticked, the one with the lowest number was taken]

H357 Noise from other homes is prob			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
serious problem		1	254	2.6	2.7	2.7
minor problem		2	1864	19.3	19.6	22.3
no problem		3	7272	75.5	76.6	98.9
no opinion		4	104	1.1	1.1	100.0
		-1	141	1.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9494 Missing cases 141

**H357A Noise from other homes is prob (recoded)**

H357A Noise from other homes is prob (recoded)			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Serious problem		1.00	254	2.6	2.7	2.7
Minor problem		2.00	1864	19.3	19.6	22.3
No problem/opinion		3.00	7376	76.6	77.7	100.0
		-1.00	141	1.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9494 Missing cases 141

**F23. e) Noise from outside in the street**

[If more than one box was ticked, the one with the lowest number was taken]

H358 Noise from street is prob			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
serious problem		1	257	2.7	2.7	2.7
minor problem		2	2409	25.0	25.4	28.1
no problem		3	6748	70.0	71.1	99.2
no opinion		4	73	.8	.8	100.0
		-1	148	1.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9487 Missing cases 148

**H358A Noise from street is prob (recoded)**

H358A Noise from street is prob (recoded)			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Serious problem		1.00	257	2.7	2.7	2.7
Minor problem		2.00	2409	25.0	25.4	28.1
No problem/opinion		3.00	6821	70.8	71.9	100.0
		-1.00	148	1.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9487 Missing cases 148

*F23. f) Rubbish or litter dumped around your neighbourhood*

[If more than one box was ticked, the one with the lowest number was taken]

H359 Rubbish is problem in neighbourhood			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
serious problem		1	305	3.2	3.2	3.2
minor problem		2	1661	17.2	17.5	20.7
no problem		3	7417	77.0	78.1	98.8
no opinion		4	111	1.2	1.2	100.0
		-1	141	1.5	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9494 Missing cases 141

## H359A Rubbish problem in neighbourhood (recode)

H359A Rubbish problem in neighbourhood (recode)			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Serious problem		1.00	305	3.2	3.2	3.2
Minor problem		2.00	1661	17.2	17.5	20.7
No problem/opinion		3.00	7528	78.1	79.3	100.0
		-1.00	141	1.5	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9494 Missing cases 141

*F23. g) Dog dirt on pavements/walkways*

[If more than one box was ticked, the one with the lowest number was taken]

H360 Dog dirt is problem in neighbourhood			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
serious problem		1	1545	16.0	16.3	16.3
minor problem		2	3753	39.0	39.5	55.8
no problem		3	4121	42.8	43.4	99.2
no opinion		4	79	.8	.8	100.0
		-1	137	1.4	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9498 Missing cases 137

## H360A Dog dirt problem in neighbourhood (recode)

H360A Dog dirt problem in neighbourhood (recode)			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Serious problem		1.00	1545	16.0	16.3	16.3
Minor problem		2.00	3753	39.0	39.5	55.8
No problem/opinion		3.00	4200	43.6	44.2	100.0
		-1.00	137	1.4	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9498 Missing cases 137

## F23. h) Worry about vandalism

[If more than one box was ticked, the one with the lowest number was taken]

H361 Vandalism is problem in neighbourhood			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
serious problem		1	401	4.2	4.2	4.2
minor problem		2	2386	24.8	25.1	29.4
no problem		3	6586	68.4	69.4	98.8
no opinion		4	116	1.2	1.2	100.0
		-1	146	1.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9489	Missing cases	146			

## H361A Vandalism problem in neighbourhood (recoded)

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Serious problem		1.00	401	4.2	4.2	4.2
Minor problem		2.00	2386	24.8	25.1	29.4
No problem/opinion		3.00	6702	69.6	70.6	100.0
		-1.00	146	1.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9489	Missing cases	146			

## F23. i) Worry about burglaries

[If more than one box was ticked, the one with the lowest number was taken]

H362 Burglaries are problem in neighbourhood			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
serious problem		1	1032	10.7	10.9	10.9
minor problem		2	4829	50.1	50.9	61.8
no problem		3	3528	36.6	37.2	99.0
no opinion		4	96	1.0	1.0	100.0
		-1	150	1.6	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9485	Missing cases	150			

## H362A Burglaries problem/neighbourhood (recoded)

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Serious problem		1.00	1032	10.7	10.9	10.9
Minor problem		2.00	4829	50.1	50.9	61.8
No problem/opinion		3.00	3624	37.6	38.2	100.0
		-1.00	150	1.6	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9485	Missing cases	150			

*F23. j) Worry about muggings or attacks*

[If more than one box was ticked, the one with the lowest number was taken]

H363 Attacks are problem in neighbourhood			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
serious problem		1	348	3.6	3.7	3.7
minor problem		2	2124	22.0	22.4	26.0
no problem		3	6880	71.4	72.5	98.5
no opinion		4	138	1.4	1.5	100.0
		-1	145	1.5	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9490	Missing cases	145			

## H363A Attacks problem in neighbourhood (recode)

H363A Attacks problem in neighbourhood (recode)			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Serious problem		1.00	348	3.6	3.7	3.7
Minor problem		2.00	2124	22.0	22.4	26.0
No problem/opinion		3.00	7018	72.8	74.0	100.0
		-1.00	145	1.5	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9490	Missing cases	145			

*F23. k) Disturbance from teenagers or youths*

[If more than one box was ticked, the one with the lowest number was taken]

H364 Youths are problem in neighbourhood			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
serious problem		1	309	3.2	3.3	3.3
minor problem		2	2075	21.5	21.9	25.1
no problem		3	6980	72.4	73.6	98.7
no opinion		4	124	1.3	1.3	100.0
		-1	147	1.5	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9488	Missing cases	147			

## H364A Youths problem in neighbourhood (recode)

H364A Youths problem in neighbourhood (recode)			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Serious problem		1.00	309	3.2	3.3	3.3
Minor problem		2.00	2075	21.5	21.9	25.1
No problem/opinion		3.00	7104	73.7	74.9	100.0
		-1.00	147	1.5	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9488	Missing cases	147			

## F23. 1) Other problems (please tick and describe)

[If yes is ticked, coder checked that the description differs from the events listed previously in Section E. If it is the same, recode it as that event, and tick no for E44a]

## H365 Other problems in neighbourhood or home

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	serious problem	1	277	2.9	2.9	2.9
	minor problem	2	257	2.7	2.7	5.6
	no problem	3	2970	30.8	31.3	36.9
	no opinion	4	5986	62.1	63.1	100.0
		-1	145	1.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9490	Missing cases	145			

## H365A Other problems, neighbourhood/home (recoded)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Serious problem	1.00	277	2.9	2.9	2.9
	Minor problem	2.00	257	2.7	2.7	5.6
	No problem/opinion	3.00	8956	93.0	94.4	100.0
		-1.00	145	1.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9490	Missing cases	145			

## Derived variable

Neighbourhood stress score was computed as follows:

H354 - H364 recode (1=2)(2=1)(else=0)

H365 (1=2)(2=1)(0=1)(else=0)

H366 = H354+ ... +H365

H366 Neighbourhood stress score

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		1110	11.5	11.7	11.7	
1.00		1467	15.5	15.5	27.2	
2.00		1529	15.9	16.1	43.3	
3.00		1240	12.9	13.1	56.4	
4.00		996	10.3	10.5	66.9	
5.00		810	8.4	8.5	75.4	
6.00		627	6.5	6.6	82.0	
7.00		444	4.6	4.7	86.7	
8.00		345	3.6	3.6	90.3	
9.00		241	2.5	2.5	92.9	
10.00		181	1.9	1.9	94.8	
11.00		139	1.4	1.5	96.3	
12.00		83	.9	.9	97.1	
13.00		84	.9	.9	98.0	
14.00		40	.4	.4	98.4	
15.00		37	.4	.4	98.8	
16.00		29	.3	.3	99.1	
17.00		17	.2	.2	99.3	
18.00		22	.2	.2	99.5	
19.00		17	.2	.2	99.7	
20.00		15	.2	.2	99.8	
21.00		6	.1	.1	99.9	
22.00		10	.1	.1	100.0	
23.00		1	.0	.0	100.0	
-1		145	1.5		missing	
-----						
		Total	9635	100.0	100.0	
Valid cases	9490	Missing cases	145			

H367 Grouped neighbourhood stress score

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<=1		1.00	2577	26.7	27.2	27.2
2,3		2.00	2769	28.7	29.2	56.4
4,5		3.00	1806	18.7	19.0	75.4
6+		4.00	2338	24.3	24.6	100.0
		-1	145	1.5	missing	
-----						
		Total	9635	100.0	100.0	
Valid cases	9490	Missing cases	145			

**SECTION G: YOUR HOUSEHOLD**

G1. a) How many people live in your household now? (including yourself)

- i) adults (over 18 years)
- ii) young adults (16-18 years)
- iii) children (less than 16 years)

[If 'not applicable' or box struck out, 0 was coded]

H370 No of adults over 18 years in home			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	12	.1	.1	.1
		1	749	7.8	7.9	8.0
		2	8393	87.1	88.3	96.3
		3	270	2.8	2.8	99.1
		4	70	.7	.7	99.8
		5	12	.1	.1	100.0
		6	3	.0	.0	100.0
		-1	126	1.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		9509	Missing cases	126		

H371 No of young adults in home			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	9352	97.1	98.3	98.3
		1	128	1.3	1.3	99.6
		2	24	.2	.3	99.9
		3	6	.1	.1	100.0
		6	1	.0	.0	100.0
		10	1	.0	.0	100.0
		11	1	.0	.0	100.0
		16	1	.0	.0	100.0
		-1	121	1.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		9514	Missing cases	121		

H372 No of children < 16 years in home			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	15	.2	.2	.2
		1	2287	23.7	24.1	24.3
		2	4982	51.7	52.6	76.9
		3	1634	17.0	17.2	94.1
		4	447	4.6	4.7	98.8
		5	95	1.0	1.0	99.8
		6	7	.1	.1	99.9
		7	5	.1	.1	100.0
		8	2	.0	.0	100.0
		11	1	.0	.0	100.0
		15	1	.0	.0	100.0
		-1	159	1.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	

189

Valid cases 9476 Missing cases 159

## Derived variables

No. of persons in the home (H373) was calculated by summing H370, H371 and H372. If any of these variables was missing, H373 was put to -1.

H373 No. persons in home

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1.00		6	.1	.1	.1	.1
2.00		322	3.3	3.4	3.5	
3.00		2086	21.7	22.1	25.6	
4.00		4728	49.1	50.1	75.7	
5.00		1634	17.0	17.3	93.1	
6.00		500	5.2	5.3	98.4	
7.00		123	1.3	1.3	99.7	
8.00		19	.2	.2	99.9	
9.00		4	.0	.0	99.9	
10.00		3	.0	.0	99.9	
11.00		1	.0	.0	99.9	
12.00		1	.0	.0	100.0	
13.00		1	.0	.0	100.0	
15.00		1	.0	.0	100.0	
16.00		1	.0	.0	100.0	
30.00		1	.0	.0	100.0	
-1.00		204	2.1	Missing		
<hr/>						
		Total	9635	100.0	100.0	

Valid cases 9431 Missing cases 204

The crowding index (H374) was calculated as H373 ÷ H294 and grouped <0.5000; 0.5000 - <0.7500; 0.7500 - <1.000 and 1.000+

H374 Crowding index

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<0.5		1.00	1735	18.0	18.6	18.6
0.5 - 0.75		2.00	3525	36.6	37.7	56.3
0.75 - 1.00		3.00	3366	34.9	36.0	92.3
1.00+		4.00	715	7.4	7.7	100.0
NK		-1.00	294	3.1	Missing	
<hr/>						
		Total	9635	100.0	100.0	

Valid cases 9341 Missing cases 294

GI. b) Please indicate who the adults over 18 are.

- i) *yourself*
- ii) *your partner*
- iii) *your parent(s)*
- iv) *your partner's parent(s)*
- v) *other relation(s) of yourself*
- vi) *other relations of your partner*
- vii) *friend(s)*
- viii) *lodger*
- ix) *other (please tick and describe)*

[If a person was given as 'occasionally' or sometimes present, coded as 3]  
(3 was recoded as 2)

H375 Mum over 18 years in household

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		-1	74	.8	.8	.8
		1	9510	98.7	98.7	99.5
		2	51	.5	.5	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H376 Partner over 18 years in household

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	8674	90.0	90.0	90.0
		2	961	10.0	10.0	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H377 Mums parents 18 years in household

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		-1	74	.8	.8	.8
		1	150	1.6	1.6	2.3
		2	9411	97.7	97.7	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H378 Partners parents 18 years in household

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		-1	74	.8	.8	.8
		1	35	.4	.4	1.1
		2	9526	98.9	98.9	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H379 Mums other relations 18 years in household					
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes		-1	74	.8	.8
		1	125	1.3	1.3
	no	2	9436	97.9	97.9
		-----		-----	
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

H380 Partners other relations 18 years in house					
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes		-1	74	.8	.8
		1	27	.3	.3
	no	2	9534	99.0	99.0
		-----		-----	
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

H381 Friends 18 years in household					
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes		-1	74	.8	.8
		1	39	.4	.4
	no	2	9522	98.8	98.8
		-----		-----	
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

H382 Lodger over 18 years in household					
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes		-1	74	.8	.8
		1	48	.5	.5
	no	2	9513	98.7	98.7
		-----		-----	
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

H383 Other person 18 years in household					
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
yes		-1	74	.8	.8
		1	74	.8	.8
	no	2	9487	98.5	98.5
		-----		-----	
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

G2. *How many people living in your household (including yourself) are smokers?*

H385 No of smokers in household

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none		0	5956	61.8	64.2	64.2
		1	2176	22.6	23.4	87.6
		2	1076	11.2	11.6	99.2
		3	52	.5	.6	99.8
		4	15	.2	.2	99.9
		5	8	.1	.1	100.0
		-1	352	3.7	Missing	
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9283 Missing cases 352

G3. a) *What is your present marital status?**never married**widowed**divorced**separated**married (once only)**married for second or third time*

[If more than one box was ticked, the one with the lowest number was taken]

H386 Pres marital status

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
never married		1	1089	11.3	11.5	11.5
widowed		2	28	.3	.3	11.8
divorced		3	447	4.6	4.7	16.5
separated		4	211	2.2	2.2	18.7
1st marriage		5	6908	71.7	73.0	91.7
marriage 2 or 3		6	784	8.1	8.3	100.0
		-1	168	1.7	Missing	
				-----	-----	
		Total	9635	100.0	100.0	
Valid cases	9467	Missing cases	168			

G3. b) *If married, what was the date of the most recent marriage?*

(This date was used to identify all mothers who married after the birth of the child, and to calculate H397 the age of the child at the marriage)

H397 No.mths.post-delivery, marriage occurred			Valid Percent	Cum Percent
Value	Label	Value	Frequency	Percent
.00		17	.2	3.3
1.00		12	.1	2.4
2.00		19	.2	3.7
3.00		18	.2	3.5
4.00		19	.2	3.7
5.00		18	.2	3.5
6.00		24	.2	4.7
7.00		11	.1	2.2
8.00		18	.2	3.5
9.00		19	.2	3.7
10.00		8	.1	1.6
11.00		15	.2	2.9
12.00		17	.2	3.3
13.00		13	.1	2.5
14.00		15	.2	2.9
15.00		13	.1	2.5
16.00		8	.1	1.6
17.00		7	.1	1.4
18.00		13	.1	2.5
19.00		13	.1	2.5
20.00		15	.2	2.9
21.00		12	.1	2.4
22.00		19	.2	3.7
23.00		11	.1	2.2
24.00		13	.1	2.5
25.00		11	.1	2.2
26.00		9	.1	1.8
27.00		11	.1	2.2
28.00		7	.1	1.4
29.00		9	.1	1.8
30.00		12	.1	2.4
31.00		18	.2	3.5
32.00		18	.2	3.5
33.00		12	.1	2.4
34.00		11	.1	2.2
35.00		5	.1	1.0
36.00		8	.1	1.6
37.00		1	.0	.2
38.00		2	.0	.4
39.00		4	.0	.8
41.00		2	.0	.4
43.00		1	.0	.2
44.00		1	.0	.2
53.00		1	.0	.2
Not relevant		-2.00	8100	84.1
		-1.00	1025	10.6
			-----	-----
		Total	9635	100.0
				100.0

Valid cases 510 Missing cases 9125

G4. a) Is the present live-in father-figure the biological (natural) father of the study child?

Yes No No live-in father figure Don't know

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H400 Pres father figure is dad of ch			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	8530	88.5	90.2	90.2
no		2	206	2.1	2.2	92.4
no live in dad		7	705	7.3	7.5	99.9
dk		9	11	.1	.1	100.0
		-1	183	1.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9452	Missing cases	183			

G4. b) i) how old was the child when the natural father stopped living with the child?

months

(put 00 for from birth or before birth)

[Rounded down to whole number of months. Weeks to months converted at rate of 4 to 1]

H401 Age of ch when nat dad left

Value Label from birth	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
	0	326	3.4	36.9	36.9
	1	16	.2	1.8	38.7
	2	16	.2	1.8	40.5
	3	28	.3	3.2	43.7
	4	27	.3	3.1	46.7
	5	9	.1	1.0	47.7
	6	30	.3	3.4	51.1
	7	13	.1	1.5	52.6
	8	17	.2	1.9	54.5
	9	18	.2	2.0	56.6
	10	12	.1	1.4	57.9
	11	7	.1	.8	58.7
	12	21	.2	2.4	61.1
	13	17	.2	1.9	63.0
	14	9	.1	1.0	64.0
	15	12	.1	1.4	65.4
	16	13	.1	1.5	66.9
	17	8	.1	.9	67.8
	18	38	.4	4.3	72.1
	19	10	.1	1.1	73.2
	20	11	.1	1.2	74.4
	21	8	.1	.9	75.3
	22	15	.2	1.7	77.0
	23	12	.1	1.4	78.4
	24	36	.4	4.1	82.5
	25	9	.1	1.0	83.5
	26	17	.2	1.9	85.4
	27	10	.1	1.1	86.5
	28	19	.2	2.1	88.7
	29	14	.1	1.6	90.3
	30	37	.4	4.2	94.5
	31	13	.1	1.5	95.9
	32	15	.2	1.7	97.6
	33	6	.1	.7	98.3
	34	6	.1	.7	99.0
	35	4	.0	.5	99.4
	36	4	.0	.5	99.9
	38	1	.0	.1	100.0
	-2	8541	88.6	Missing	
	-1	210	2.2	Missing	
		-----	-----	-----	-----
Valid cases	884	Total	9635	100.0	100.0
		Missing cases	8751		

G4. b) ii) how often does the natural father see the study child?

not at all  
 less than once a month  
 about once a month  
 about once a fortnight  
 once or twice a week  
 nearly every day

child's father is dead

[If more than one box was ticked, the one with the lowest number was taken; exception - when 7 was ticked, coded as 7]

H402 Freq nat dad see ch

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all		1	298	3.1	32.6	32.6
< once a month		2	68	.7	7.4	40.0
Apr once a month		3	44	.5	4.8	44.9
Apr once a ftngt		4	78	.8	8.5	53.4
1x or 2x Week		5	288	3.0	31.5	84.9
Nearly Every Day		6	118	1.2	12.9	97.8
CH Father is Dead		7	20	.2	2.2	100.0
		-2	8541	88.6	Missing	
		-1	180	1.9	Missing	
		-----		-----		
		Total	9635	100.0	100.0	
Valid cases	914	Missing cases	8721			

G4. b) iii) does he help support the child financially?

yes, on a regular basis  
 yes, occasionally  
 no

child's father is dead

[If more than one box was ticked, the one with the highest number was taken]

H403 Nat dad supports ch financially

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes regularly		1	238	2.5	25.6	25.6
yes occasionally		2	126	1.3	13.6	39.2
no		3	544	5.6	58.6	97.8
child's dad dead		7	20	.2	2.2	100.0
		-2	8569	88.9	Missing	
		-1	138	1.4	Missing	
		-----		-----		
		Total	9635	100.0	100.0	
Valid cases	928	Missing cases	8707			

G4. c) *Is the present live-in mother-figure the biological (natural) mother of the study child?*

No Yes

(NB. These results were unlikely to be valid. Change of order of yes/no is likely to have misled some respondents. Recoding therefore took 'no' only if one or more of G4c(i)-(iii) were answered).

H405 Mum figure is nat mum of ch

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
no	1	12	.1	.1	.1
yes	2	9425	97.8	99.9	100.0
	-1	198	2.1	Missing	
				-----	-----
	Total	9635	100.0	100.0	
Valid cases	9437				
Missing cases		198			

If no,

G4. c) i) *how old was the child when the natural mother stopped living with the child?*

months

(put 00 for from birth)

[Round down to a whole number of months, convert weeks to months at rate of 4 to 1]

H406 Age of ch when nat mum left

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
from birth	0	3	.0	25.0	25.0
	1	1	.0	8.3	33.3
	2	5	.1	41.7	75.0
	6	1	.0	8.3	83.3
	12	1	.0	8.3	91.7
	33	1	.0	8.3	100.0
Not applicable	-2	9425	97.8	Missing	
	-1	198	2.1	Missing	
				-----	-----
	Total	9635	100.0	100.0	
Valid cases	12				
Missing cases		9623			

G4. c) ii) *how often does the natural mother see the study child?*

*not at all*  
*less than once a month*  
*about once a month*  
*about once a fortnight*  
*once or twice a week*  
*nearly every day*  
*child's mother is dead*

[If more than one box was ticked, the one with the lowest number was taken except if 7 included - then code 7]

H407 Freq nat mum sees ch		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
not at all		1	1	.0	9.1	9.1
Apr Once Ftnight		4	1	.0	9.1	18.2
1 or 2x Week		5	1	.0	9.1	27.3
Nearly every Day		6	8	.1	72.7	100.0
Not applicable		-2	9425	97.8	Missing	
		-1	199	2.1	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	11	Missing cases	9624			

G4. c) iii) *does she help support the child financially?*

*yes, on a regular basis*  
*yes, occasionally*  
*no*  
*child's mother is dead*

[If more than one box was ticked, the one with the lowest number was taken - exception, when multiple ticks include 7, coded as 7]

H408 Nat mum supports ch financially		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes regularly		1	2	.0	28.6	28.6
yes occasionally		2	2	.0	28.6	57.1
no		3	3	.0	42.9	100.0
Not applicable		-2	9425	97.8	Missing	
		-1	203	2.1	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	7	Missing cases	9628			

G5. Please indicate how many of the children living with you have:

*Number of children*

G5. a) you and your partner as their natural parents

H410 No of children living with mum and partn		Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent
0		713	7.4	7.7	7.7	
1		2167	22.5	23.3	30.9	
2		4676	48.5	50.2	81.2	
3		1349	14.0	14.5	95.7	
4		322	3.3	3.5	99.2	
5		65	.7	.7	99.8	
6		8	.1	.1	99.9	
7		3	.0	.0	100.0	
9		1	.0	.0	100.0	
11		1	.0	.0	100.0	
13		1	.0	.0	100.0	
-1		329	3.4	Missing		
		-----	-----	-----		
Total		9635	100.0	100.0		

Valid cases 9306 Missing cases 329

G5. b) you as their natural mother (but their natural father is not present)

H411 No of chidren living with mum as NP		Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent
0		7986	82.9	85.8	85.8	
1		700	7.3	7.5	93.3	
2		393	4.1	4.2	97.6	
3		152	1.6	1.6	99.2	
4		54	.6	.6	99.8	
5		14	.1	.2	99.9	
6		1	.0	.0	99.9	
7		2	.0	.0	100.0	
8		2	.0	.0	100.0	
10		1	.0	.0	100.0	
11		1	.0	.0	100.0	
-1		329	3.4	Missing		
		-----	-----	-----		
Total		9635	100.0	100.0		

Valid cases 9306 Missing cases 329

G5. c) your partner as the natural father (but you are not their natural mother)

H412 No of children living with partner as NP			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
	0	9186	95.3	98.7
	1	72	.7	.8
	2	35	.4	.4
	3	10	.1	.1
	4	2	.0	.0
	5	1	.0	.0
	-1	329	3.4	Missing
			-----	-----
		Total	9635	100.0
Valid cases	9306	Missing cases	329	

*G5. d) neither you nor your partner as natural parents (please describe whether you have adopted, fostered etc.)*

[If 'not applicable', 'N/A', or box struck out, code as zero]

H413 No of children living with neither as NP			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
	0	9273	96.3	99.7
	1	23	.2	.2
	2	7	.1	.1
	3	2	.0	.0
	6	1	.0	.0
	-1	329	3.4	Missing
			-----	-----
		Total	9635	100.0
Valid cases	9306	Missing cases	329	

*G6. Are there other children of yourself or your partner who visit (whether to play or to stay)?*

*No Yes Number of children*

- a) children of my partner but not me*
- b) children of myself but not my partner*
- c) children of me and my partner*

[If 'not applicable', 'N/A', or box struck out, code as zero]

H414 Partners children visit house			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
No	1	9102	94.5	94.5
Yes	2	526	5.5	5.5
	-1	7	.1	Missing
			-----	-----
		Total	9635	100.0
Valid cases	9628	Missing cases	7	

## H415 Number Ptnrs CH visit house

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
other		0	9121	94.7	94.7	94.7
		1	212	2.2	2.2	96.9
		2	228	2.4	2.4	99.3
		3	57	.6	.6	99.9
		4	7	.1	.1	100.0
		5	3	.0	.0	100.0
		-1	7	.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9628 Missing cases 7

## H416 Mums children visit house

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
No		1	9504	98.6	98.7	98.7
Yes		2	124	1.3	1.3	100.0
		-1	7	.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9628 Missing cases 7

## H417 Number mums CH visit house

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
other		0	9528	98.9	99.0	99.0
		1	54	.6	.6	99.5
		2	36	.4	.4	99.9
		3	9	.1	.1	100.0
		4	1	.0	.0	100.0
		-1	7	.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9628 Missing cases 7

## H418 Mum and partners children visit

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
No		1	9483	98.4	98.5	98.5
Yes		2	145	1.5	1.5	100.0
		-1	7	.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9628 Missing cases 7

H419 Number Mum & Ptnrs CH visit house			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	9510	98.7	98.8	98.8
		1	45	.5	.5	99.2
		2	39	.4	.4	99.6
		3	22	.2	.2	99.9
		4	8	.1	.1	100.0
		6	2	.0	.0	100.0
		8	1	.0	.0	100.0
		10	1	.0	.0	100.0
		-1	7	.1	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9628	Missing cases	7			

G7. *Do any of the people living in your household, including yourself and your toddler, have a chronic illness or disabling condition?*

*Yes*

*No*

H425 SBDY in household has chronic illness			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	762	7.9	8.1	8.1
no		2	8597	89.2	91.9	100.0
		-1	276	2.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9359	Missing cases	276			

*If yes, please describe:*

*Nature of condition(s)*      *Person(s) involved*  
*(state relationship to you - partner, child, mother, etc.)*

[Keyed as text]

G8. *Do you agree with the statements:*

*Strongly agree*   *Agree*      *Disagree*   *Strongly disagree*

G8. a) *No family is complete until there is a pet in the home*

[If more than one box was ticked, the one with the highest number was taken]

H440 Mum feels need pet to complete family			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
agree much		1	198	2.1	2.1	2.1
agree		2	1165	12.1	12.4	14.5
disagree		3	5978	62.0	63.7	78.2
disagree much		4	2046	21.2	21.8	100.0
		-1	248	2.6	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9387	Missing cases	248			

G8. b) *Pets should have the same rights and privileges as family members*

[If more than one box was ticked, the one with the highest number was taken]

H441 Mum feels pets have same right as family			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
agree much		1	210	2.2	2.3	2.3
agree		2	1876	19.5	20.2	22.5
disagree		3	5150	53.5	55.5	78.0
disagree much		4	2037	21.1	22.0	100.0
		-1	362	3.8	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9273 Missing cases 362

G9. a) *Do you have any pets?**Yes*                    *No*

H442 Mum has pets			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	5461	56.7	57.6	57.6
no		2	4020	41.7	42.4	100.0
		-1	154	1.6	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9481 Missing cases 154

If yes,

G9 b) How many of the following pets do you have? Number

- i) cats
- ii) dogs
- iii) rabbits
- iv) rodents (mice, hamster, gerbil etc.)
- v) birds (budgerigar, parrot, etc.)
- vi) fish
- vii) turtles/tortoises/terrapins
- viii) other pets (please say how many and describe)

[Recode pets listed here as categories i to vii if that is where they belong. Fill unanswered boxes with zeros if any pets mentioned]

H443 No of cats

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
other		0	6830	70.9	71.9	71.9
		1	1606	16.7	16.9	88.8
		2	859	8.9	9.0	97.9
		3	140	1.5	1.5	99.3
		4	27	.3	.3	99.6
		5	22	.2	.2	99.9
		6	4	.0	.0	99.9
		7	1	.0	.0	99.9
		8	1	.0	.0	99.9
		10	3	.0	.0	99.9
		11	1	.0	.0	100.0
		13	2	.0	.0	100.0
		14	1	.0	.0	100.0
		22	1	.0	.0	100.0
		-1	137	1.4	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9498 Missing cases 137

H443A Mum has cats, Y/N

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
None		.00	6830	70.9	71.9	71.9
Yes		1.00	2668	27.7	28.1	100.0
		-1.00	137	1.4	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9498 Missing cases 137

H444 No of dogs

Value	Label	Value	Frequency	Percent	Valid	Cum	
					Percent	Percent	
other		0	7553	78.4	79.8	79.8	
		1	1527	15.8	16.1	95.9	
		2	332	3.4	3.5	99.4	
		3	36	.4	.4	99.8	
		4	5	.1	.1	99.9	
		5	4	.0	.0	99.9	
		6	1	.0	.0	99.9	
		7	2	.0	.0	99.9	
		8	1	.0	.0	100.0	
		10	2	.0	.0	100.0	
		11	1	.0	.0	100.0	
		52	1	.0	.0	100.0	
		-1	170	1.8	Missing		
		-----		-----		-----	
		Total	9635	100.0	100.0		

Valid cases 9465 Missing cases 170

H444A Mum has dogs, Y/N

Value	Label	Value	Frequency	Percent	Valid	Cum	
					Percent	Percent	
None		.00	7553	78.4	79.8	79.8	
Yes		1.00	1912	19.8	20.2	100.0	
		-1.00	170	1.8	Missing		
		-----		-----		-----	
		Total	9635	100.0	100.0		

Valid cases 9465 Missing cases 170

H445 No of rabbits

Value	Label	Value	Frequency	Percent	Valid	Cum	
					Percent	Percent	
other		0	8382	87.0	88.6	88.6	
		1	827	8.6	8.7	97.4	
		2	188	2.0	2.0	99.4	
		3	26	.3	.3	99.7	
		4	12	.1	.1	99.8	
		5	5	.1	.1	99.8	
		6	5	.1	.1	99.9	
		7	6	.1	.1	99.9	
		10	2	.0	.0	100.0	
		11	1	.0	.0	100.0	
		14	1	.0	.0	100.0	
		50	1	.0	.0	100.0	
		-1	179	1.9	Missing		
		-----		-----		-----	
		Total	9635	100.0	100.0		

Valid cases 9456 Missing cases 179

H445A Mum has rabbits, Y/N

Value	Label	Value	Frequency	Percent	Valid	Cum	
					Percent	Percent	
None		.00	8382	87.0	88.6	88.6	
Yes		1.00	1074	11.1	11.4	100.0	
		-1.00	179	1.9	Missing		
		-----		-----		-----	
		Total	9635	100.0	100.0		

Valid cases 9456 Missing cases 179

## H446 No of rodents

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other		0	8613	89.4	91.1	91.1
		1	518	5.4	5.5	96.6
		2	237	2.5	2.5	99.1
		3	44	.5	.5	99.6
		4	17	.2	.2	99.7
		5	11	.1	.1	99.9
		6	4	.0	.0	99.9
		7	1	.0	.0	99.9
		8	2	.0	.0	99.9
		9	1	.0	.0	99.9
		10	1	.0	.0	99.9
		12	1	.0	.0	100.0
		13	3	.0	.0	100.0
		30	1	.0	.0	100.0
		-1	181	1.9	Missing	
		Total	9635	100.0	100.0	

Valid cases 9454 Missing cases 181

## H446A Mum has rodents, Y/N

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		.00	8613	89.4	91.1	91.1
Yes		1.00	841	8.7	8.9	100.0
		-1.00	181	1.9	Missing	
		Total	9635	100.0	100.0	

Valid cases 9454 Missing cases 181

## H447 No of birds

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other		0	8893	92.3	94.1	94.1
		1	338	3.5	3.6	97.7
		2	132	1.4	1.4	99.1
		3	18	.2	.2	99.3
		4	11	.1	.1	99.4
		5	2	.0	.0	99.4
		6	2	.0	.0	99.4
		7	6	.1	.1	99.5
		8	4	.0	.0	99.6
		10	7	.1	.1	99.6
		11	1	.0	.0	99.6
		12	4	.0	.0	99.7
		15	4	.0	.0	99.7
		16	1	.0	.0	99.7
		17	1	.0	.0	99.7
		20	4	.0	.0	99.8
		25	1	.0	.0	99.8
		30	6	.1	.1	99.9
		35	1	.0	.0	99.9
		40	6	.1	.1	99.9
		50	4	.0	.0	100.0
		57	1	.0	.0	100.0
		98	1	.0	.0	100.0
		-1	187	1.9	Missing	
		Total	9635	100.0	100.0	

Valid cases 9448 Missing cases 187

## H447A Mum has birds, Y/N

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		.00	8893	92.3	94.1	94.1
Yes		1.00	555	5.8	5.9	100.0
		-1.00	187	1.9	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9448 Missing cases 187

## H448 No of fish

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other		0	7867	81.7	83.4	83.4
		1	327	3.4	3.5	86.9
		2	425	4.4	4.5	91.4
		3	143	1.5	1.5	92.9
		4	104	1.1	1.1	94.0
		5	65	.7	.7	94.7
		6	61	.6	.6	95.3
		7	38	.4	.4	95.7
		8	41	.4	.4	96.2
		9	24	.2	.3	96.4
		10	82	.9	.9	97.3
		11	6	.1	.1	97.4
		12	27	.3	.3	97.6
		13	4	.0	.0	97.7
		14	3	.0	.0	97.7
		15	34	.4	.4	98.1
		16	7	.1	.1	98.2
		17	4	.0	.0	98.2
		18	2	.0	.0	98.2
		19	1	.0	.0	98.2
		20	76	.8	.8	99.0
		22	1	.0	.0	99.0
		23	1	.0	.0	99.1
		24	1	.0	.0	99.1
		25	11	.1	.1	99.2
		26	3	.0	.0	99.2
		28	1	.0	.0	99.2
		30	36	.4	.4	99.6
		35	2	.0	.0	99.6
		40	14	.1	.1	99.8
		50	12	.1	.1	99.9
		60	1	.0	.0	99.9
		90	1	.0	.0	99.9
		98	7	.1	.1	100.0
		-1	203	2.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9432 Missing cases 203

## H448A Mum has fish, Y/N

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None		.00	7867	81.7	83.4	83.4
Yes		1.00	1565	16.2	16.6	100.0
		-1.00	203	2.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9432 Missing cases 203

## H449 No of tortoises

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other	0	9400	97.6	99.5	99.5
	1	28	.3	.3	99.8
	2	10	.1	.1	99.9
	3	6	.1	.1	100.0
	4	1	.0	.0	100.0
	26	1	.0	.0	100.0
	-1	189	2.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9446 Missing cases 189

## H449A Mum has tortoises, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
None	.00	9400	97.6	99.5	99.5
Yes	1.00	46	.5	.5	100.0
	-1.00	189	2.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9446 Missing cases 189

## H450 No of other pets

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other	0	9095	94.4	96.8	96.8
	1	120	1.2	1.3	98.1
	2	69	.7	.7	98.8
	3	34	.4	.4	99.2
	4	20	.2	.2	99.4
	5	9	.1	.1	99.5
	6	11	.1	.1	99.6
	7	5	.1	.1	99.7
	8	6	.1	.1	99.7
	9	4	.0	.0	99.8
	10	3	.0	.0	99.8
	11	2	.0	.0	99.8
	12	1	.0	.0	99.8
	13	1	.0	.0	99.9
	15	1	.0	.0	99.9
	16	1	.0	.0	99.9
	18	2	.0	.0	99.9
	20	2	.0	.0	99.9
	24	1	.0	.0	99.9
	30	1	.0	.0	99.9
	32	1	.0	.0	99.9
	39	1	.0	.0	100.0
	51	1	.0	.0	100.0
	60	1	.0	.0	100.0
	98	2	.0	.0	100.0
	-1	241	2.5	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9394 Missing cases 241

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
None		.00	9095	94.4	96.8	96.8
Yes		1.00	299	3.1	3.2	100.0
		-1.00	241	2.5	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases		9394	Missing cases	241		

G9. c) *Would you say that owning a pet has helped your health?*

*Yes, improved it*      *No, made it worse*      *No effect*

[If more than one box was ticked, the one with the highest number was taken but if 2 and 3 ticked, 2 coded]

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes improved it		1	552	5.7	10.1	10.1
made worse		2	159	1.7	2.9	13.0
no effect		3	4779	49.6	87.0	100.0
		-2	4020	41.7	Missing	
		-1	125	1.3	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases		5490	Missing cases	4145		

G9. d) *How often do you take pets along when you visit friends or relatives?*

*Never*    *Occasionally*    *Sometimes* *Often* *Always*

[If more than one box was ticked, the one with the highest number was taken]

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
never		1	3382	35.1	73.0	73.0
occasionally		2	633	6.6	13.7	86.6
sometimes		3	329	3.4	7.1	93.7
often		4	237	2.5	5.1	98.9
always		5	53	.6	1.1	100.0
		-2	4052	42.1	Missing	
		-1	949	9.8	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases		4634	Missing cases	5001		

G9. e) *How often are your feelings towards people affected by the way they react to your pets?*

[If more than one box was ticked, the one with the highest number was taken]

Feelings affected others reaction to pet				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
never		1	2908	30.2	57.5
occasionally		2	1172	12.2	23.2
sometimes		3	746	7.7	14.8
often		4	179	1.9	3.5
always		5	50	.5	1.0
		-2	4052	42.1	Missing
		-1	528	5.5	Missing
		-----	-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	5055	Missing cases	4580		

G9. f) Do you keep a picture of your pet(s) with you or on display at home or at work?

No

H455 Photo of pet with mum at home or work				Valid Percent	Cum Percent
Value	Label	Value	Frequency	Percent	
yes		1	970	10.1	18.3
no		2	4340	45.0	81.7
		-2	4052	42.1	Missing
		-1	273	2.8	Missing
		-----	-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	5310	Missing cases	4325		

*G10. Do any of the following animals or insects inhabit or invade your home or cause dirty conditions in your balcony, garden or yard?*

*Yes frequently      Yes occasionally      No not at all*

*G10. a) rats*

[If more than one box was ticked, the one with the lowest number was taken]

H460      Home invaded by rats

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes frequently		1	7	.1	.1	.1
yes occasionally		2	175	1.8	1.9	1.9
not at all		3	9239	95.9	98.1	100.0
		-1	214	2.2	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases      9421      Missing cases      214

H460A      Home invaded by rats, Y/N

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	182	1.9	1.9	1.9
No		2.00	9453	98.1	98.1	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases      9635      Missing cases      0

*G10. b) mice*

[If more than one box was ticked, the one with the lowest number was taken]

H461      Home invaded by mice

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other		0	1	.0	.0	.0
yes frequently		1	47	.5	.5	.5
yes occasionally		2	978	10.2	10.4	10.9
not at all		3	8401	87.2	89.1	100.0
		-1	208	2.2	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases      9427      Missing cases      208

H461A      Home invaded by mice, Y/N

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	1025	10.6	10.6	10.6
No		2.00	8610	89.4	89.4	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases      9635      Missing cases      0

*G10. c) pigeons*

[If more than one box was ticked, the one with the lowest number was taken]

## H462 Home invaded by pigeons

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes frequently	1	103	1.1	1.1	1.1
yes occasionally	2	807	8.4	8.6	9.7
not at all	3	8509	88.3	90.3	100.0
	-1	216	2.2	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9419 Missing cases 216

## H462A Home invaded by pigeons, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	910	9.4	9.4	9.4
No	2.00	8725	90.6	90.6	100.0
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*G10. d) cats*

[If more than one box was ticked, the one with the lowest number was taken]

## H463 Home invaded by cats

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes frequently	1	1651	17.1	17.4	17.4
yes occasionally	2	4401	45.7	46.5	64.0
not at all	3	3410	35.4	36.0	100.0
	-1	173	1.8	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9462 Missing cases 173

## H463A Home invaded by cats, Y/N

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	6052	62.8	62.8	62.8
No	2.00	3583	37.2	37.2	100.0
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*G10. e) cockroaches*

[If more than one box was ticked, the one with the lowest number was taken]

H464 Home invaded by cockroaches			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes frequently		1	13	.1	.1	.1
yes occasionally		2	55	.6	.6	.7
not at all		3	9329	96.8	99.3	100.0
		-1	238	2.5	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9397 Missing cases 238

## H464A Home invaded by cockroaches, Y/N

H464A Home invaded by cockroaches, Y/N			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	68	.7	.7	.7
No		2.00	9567	99.3	99.3	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*G10. f) ants*

[If more than one box was ticked, the one with the lowest number was taken]

H465 Home invaded by ants			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes frequently		1	736	7.6	7.8	7.8
yes occasionally		2	4844	50.3	51.3	59.1
not at all		3	3859	40.1	40.9	100.0
		-1	196	2.0	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9439 Missing cases 196

## H465A Home invaded by ants, Y/N

H465A Home invaded by ants, Y/N			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	5580	57.9	57.9	57.9
No		2.00	4055	42.1	42.1	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**G10. g) dogs**

[If more than one box was ticked, the one with the lowest number was taken]

H466 Home invaded by dogs		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes frequently		1	382	4.0	4.1	4.1
yes occasionally		2	1491	15.5	15.8	19.9
not at all		3	7542	78.3	80.1	100.0
		-1	220	2.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9415	Missing cases	220			

**H466A Home invaded by dogs, Y/N**

		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
Yes		1.00	1873	19.4	19.4	19.4
No		2.00	7762	80.6	80.6	100.0
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

**G10. h) woodlice**

[If more than one box was ticked, the one with the lowest number was taken]

**H467 Home invaded by woodlice**

		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes frequently		1	1359	14.1	14.4	14.4
yes occasionally		2	4411	45.8	46.7	61.1
not at all		3	3666	38.0	38.9	100.0
		-1	199	2.1	Missing	
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9436	Missing cases	199			

**H467A Home invaded by woodlice, Y/N**

		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
Yes		1.00	5770	59.9	59.9	59.9
No		2.00	3865	40.1	40.1	100.0
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

## G10. i) other (please tick and describe)

[If more than one box was ticked, the one with the lowest number was taken]

[If something written on the 'please describe' line, but no other box ticked on G10i code as zero]

H468 Home invaded by other animal

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
other	0	79	.8	1.4	1.4
yes frequently	1	430	4.5	7.8	9.3
yes occasionally	2	580	6.0	10.6	19.8
not at all	3	4407	45.7	80.2	100.0
	-1	4139	43.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 5496 Missing cases 4139

H468A Home invaded by other animal, Y/N

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
Yes	1.00	1089	11.3	11.3	11.3
No	2.00	8546	88.7	88.7	100.0
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

G11. Below are questions about financial matters. We realise this may be a sensitive subject. As with all our questions you may leave this section out if you want to. [However, if you can complete it, it will be of great importance to us].

G11. a) On average, about how much is the take home family income each week

(include social benefits etc)?

less than £100	£100 - £199	£200-£299
£300 - £399	£400 or more	don't know

[If more than one box was ticked, the one with the lowest number was taken]

H470 Family income per week

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
<100	1	756	7.8	8.7	8.7
100 - 199	2	1534	15.9	17.7	26.4
200 - 299	3	2469	25.6	28.5	54.9
300 - 399	4	1836	19.1	21.2	76.0
>400	5	2080	21.6	24.0	100.0
	-1	960	10.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 8675 Missing cases 960

G11. b) *Out of this, how much do you pay for rent, loans or mortgage each week?*

nothing      less than £20      £20 - £39      £40 - £59  
                   £60 - £79      £80 or more      don't know

[If more than one box was ticked, the one with the highest number was taken; excluding code '9']

H471      Amount paid for rent or loans per week

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
nothing		1	923	9.6	10.9	10.9
<20		2	251	2.6	3.0	13.8
20-39		3	605	6.3	7.1	21.0
40-59		4	1427	14.8	16.8	37.8
60-79		5	1341	13.9	15.8	53.6
>80		6	3930	40.8	46.4	100.0
		-1	1158	12.0	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases      8477      Missing cases      1158

G11. c) *About how much do you spend on food for the whole family each week?*

less than £20      £20 - £29      £30 - £39      £40 - £49  
                   £50 - £59      £60 or more      don't know

[If more than one box was ticked, the one with the highest number was taken; excluding code '9']

H472      Amount spent on food per week

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<20		1	164	1.7	1.8	1.8
20-29		2	647	6.7	7.1	8.9
30-39		3	1135	11.8	12.5	21.5
40-49		4	1631	16.9	18.0	39.5
50-59		5	2182	22.6	24.1	63.5
>60		6	3304	34.3	36.5	100.0
		-1	572	5.9	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases      9063      Missing cases      572

G11. d) *How much do you spend on child care each week (playgroup, baby sitter etc)?* *childminder,*

<i>nothing</i>	<i>less than £10</i>	<i>£10 - £19</i>	<i>£20 - £29</i>
<i>£30 - £39</i>	<i>£40 - £49</i>	<i>£50 or more</i>	
<i>varies</i>	<i>don't know</i>		

[If more than one box was ticked, the one with the highest number was taken; excluding code '9']

H473 Amount spent on child care per week				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
nothing		1	3096	32.1	34.5
<10		2	2614	27.1	63.7
10-19		3	1133	11.8	76.3
20-29		4	570	5.9	82.7
30-39		5	342	3.5	86.5
40-49		6	284	2.9	89.7
>50		7	817	8.5	98.8
varies		8	111	1.2	100.0
		-1	668	6.9	Missing
-----				-----	-----
Total		9635	100.0	100.0	

Valid cases 8967 Missing cases 668

G11. e) *Do you manage to save at all?* *Yes* *No*

[Sometimes coded as 1]

H474 Mum saves money				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes		1	4409	45.8	48.1
no		2	4765	49.5	51.9
		-1	461	4.8	Missing
-----				-----	-----
Total		9635	100.0	100.0	

Valid cases 9174 Missing cases 461

G11. f) *Do you receive any financial help from your parents or other relatives?*

*Yes* *No*

[‘Sometimes’ coded 1]

H475 Financial help from rels				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes		1	1335	13.9	14.5
no		2	7871	81.7	85.5
		-1	429	4.5	Missing
-----				-----	-----
Total		9635	100.0	100.0	

Valid cases 9206 Missing cases 429

**SECTION H: YOUR PARTNER**

*H1. a) Do you currently have a partner?*

*yes, a male partner*

*yes, a female partner*

*no partner*

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H480 Current partner

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes male partner	1	8922	92.6	93.2	93.2
yes female partner	2	39	.4	.4	93.6
no partner	3	609	6.3	6.4	100.0
	-1	65	.7	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9570 Missing cases 65

*If yes,*

*H1. b) does your partner live with you?*

*Yes*

*No*

H481 Partner lives with mum

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	8691	90.2	97.1	97.1
no	2	263	2.7	2.9	100.0
no partner	-2	609	6.3	Missing	
	-1	72	.7	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8954 Missing cases 681

*If yes,*

## H1. c) how long have you lived together?

years                    months

[Months converted into years and months if necessary. If not stated, left blank]

H482 Time mum and partner lived together - yy

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		29	.3	.3	.3	.3
1		63	.7	.7	1.1	
2		75	.8	.9	2.0	
3		311	3.2	3.7	5.6	
4		650	6.7	7.6	13.3	
5		781	8.1	9.2	22.4	
6		935	9.7	11.0	33.4	
7		1077	11.2	12.7	46.1	
8		1012	10.5	11.9	58.0	
9		778	8.1	9.1	67.1	
10		814	8.4	9.6	76.7	
11		432	4.5	5.1	81.8	
12		458	4.8	5.4	87.1	
13		292	3.0	3.4	90.6	
14		246	2.6	2.9	93.5	
15		205	2.1	2.4	95.9	
16		91	.9	1.1	96.9	
17		85	.9	1.0	97.9	
18		59	.6	.7	98.6	
19		25	.3	.3	98.9	
20		37	.4	.4	99.4	
21		21	.2	.2	99.6	
22		14	.1	.2	99.8	
23		14	.1	.2	99.9	
24		4	.0	.0	100.0	
26		1	.0	.0	100.0	
no live-in partner		-2	872	9.1	Missing	
		-1	254	2.6	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8509      Missing cases 1126

H483 Time mum and partner lived together - mm

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1		5	.1	7.0	7.0	7.0
2		11	.1	15.5	22.5	
3		8	.1	11.3	33.8	
4		4	.0	5.6	39.4	
5		9	.1	12.7	52.1	
6		9	.1	12.7	64.8	
7		6	.1	8.5	73.2	
8		4	.0	5.6	78.9	
9		9	.1	12.7	91.5	
10		3	.0	4.2	95.8	
11		3	.0	4.2	100.0	
not relevant		-2	9381	97.4	Missing	
		-1	183	1.9	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 71      Missing cases 9564

*The section below is concerned with your relationship with your partner.  
(The partner will be referred to as 'he', although the questions refer to all partners.)*

**H2. How would you assess your partner's physical health?**

*always fit and well  
mostly well and healthy  
often feels unwell  
hardly ever feels well*

[If more than one box was ticked, the one with the highest number was taken]

H485 Partners current health					
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
always well		1	3859	40.1	43.1
mostly well		2	4685	48.6	52.3
often unwell		3	381	4.0	4.3
hardly ever well		4	26	.3	.3
no partner		-2	609	6.3	Missing
		-1	75	.8	Missing
				-----	-----
		Total	9635	100.0	100.0
Valid cases	8951	Missing cases	684		

**H3. Below are listed a number of conditions which might influence your partner's enjoyment of your study child. Please indicate whether he has had any of these since your study child was 18 months old.**

<i>Yes, and saw a</i>	<i>Yes, but did not</i>	<i>No, not</i>	<i>Do not</i>
<i>doctor</i>	<i>see a doctor</i>	<i>at all</i>	<i>know</i>

*Partner had:*

**H3. a) headaches or migraine**

[If more than one box was ticked, the one with the lowest number was taken]

H486 Partner had headache					
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
yes, saw doctor		1	346	3.6	3.8
yes, did not see doc		2	4826	50.1	53.5
no, not at all		3	3854	40.0	42.7
no partner		-2	609	6.3	Missing
				-----	-----
		Total	9635	100.0	100.0
Valid cases	9026	Missing cases	609		

**H486A Partner had headache**

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	5172	53.7	53.7	53.7
No		2.00	4463	46.3	46.3	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	100.0
Valid cases	9635	Missing cases	0			

**H3. b) indigestion**

[If more than one box was ticked, the one with the lowest number was taken]

H487 Partner had indigestion		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
yes, saw doctor	1	278	2.9	3.1	3.1	
yes, did not see doc	2	2601	27.0	28.8	31.9	
no, not at all	3	6147	63.8	68.1		100.0
no partner	-2	609	6.3	Missing		
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9026	Missing cases	609			

## H487A Partner had indigestion

		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
Yes	1.00	2879	29.9	29.9	29.9	
No	2.00	6756	70.1	70.1		100.0
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

**H3. c) epilepsy**

[If more than one box was ticked, the one with the lowest number was taken]

H488 Partner had epilepsy		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
yes, saw doctor	1	25	.3	.3	.3	
yes, did not see doc	2	13	.1	.1	.4	
no, not at all	3	8988	93.3	99.6		100.0
no partner	-2	609	6.3	Missing		
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9026	Missing cases	609			

## H488A Partner had epilepsy

		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
Yes	1.00	38	.4	.4	.4	
No	2.00	9597	99.6	99.6		100.0
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

**H3. d) depression**

[If more than one box was ticked, the one with the lowest number was taken]

**H489 Partner had depression**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, saw doctor	1	205	2.1	2.3	2.3
yes, did not see doc	2	834	8.7	9.2	11.5
no, not at all	3	7987	82.9	88.5	100.0
no partner	-2	609	6.3	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

**H489A Partner had depression**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1039	10.8	10.8	10.8
No	2.00	8596	89.2	89.2	100.0
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**H3. e) anxiety or nerves**

[If more than one box was ticked, the one with the lowest number was taken]

**H490 Partner had anxiety**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, saw doctor	1	184	1.9	2.0	2.0
yes, did not see doc	2	1264	13.1	14.0	16.0
no, not at all	3	7578	78.7	84.0	100.0
no partner	-2	609	6.3	Missing	
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

**H490A Partner had anxiety**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1448	15.0	15.0	15.0
No	2.00	8187	85.0	85.0	100.0
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**H3. f) haemorrhoids/piles**

[If more than one box was ticked, the one with the lowest number was taken]

H491 Partner had haemorrhoids		Value	Frequency	Percent	Valid	Cum	
Value	Label				Percent	Percent	
yes, saw doctor	1	252	2.6	2.8	2.8		
yes, did not see doc	2	845	8.8	9.4	12.2		
no, not at all	3	7929	82.3	87.8	100.0		
no partner	-2	609	6.3	Missing			
		-----		-----		-----	
	Total	9635	100.0	100.0			

Valid cases 9026 Missing cases 609

H491A Partner had haemorrhoids		Value	Frequency	Percent	Valid	Cum	
Value	Label				Percent	Percent	
Yes	1.00	1097	11.4	11.4	11.4		
No	2.00	8538	88.6	88.6	100.0		
		-----		-----		-----	
	Total	9635	100.0	100.0			

Valid cases 9635 Missing cases 0

**H3. g) cough or cold**

[If more than one box was ticked, the one with the lowest number was taken]

H492 Partner had cough or cold		Value	Frequency	Percent	Valid	Cum	
Value	Label				Percent	Percent	
yes, saw doctor	1	432	4.5	4.8	4.8		
yes, did not see doc	2	7105	73.7	78.7	83.5		
no, not at all	3	1489	15.5	16.5	100.0		
no partner	-2	609	6.3	Missing			
		-----		-----		-----	
	Total	9635	100.0	100.0			

Valid cases 9026 Missing cases 609

H492A Partner had cough or cold		Value	Frequency	Percent	Valid	Cum	
Value	Label				Percent	Percent	
Yes	1.00	7537	78.2	78.2	78.2		
No	2.00	2098	21.8	21.8	100.0		
		-----		-----		-----	
	Total	9635	100.0	100.0			

Valid cases 9635 Missing cases 0

**H3. h) influenza**

[If more than one box was ticked, the one with the lowest number was taken]

**H493 Partner had influenza**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, saw doctor	1	366	3.8	4.1	4.1
yes, did not see doc	2	1408	14.6	15.6	19.7
no, not at all	3	7252	75.3	80.3	100.0
no partner	-2	609	6.3	Missing	
	Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

**H493A Partner had influenza**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1774	18.4	18.4	18.4
No	2.00	7861	81.6	81.6	100.0
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**H3. i) bronchitis**

[If more than one box was ticked, the one with the lowest number was taken]

**H494 Partner had bronchitis**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, saw doctor	1	190	2.0	2.1	2.1
yes, did not see doc	2	108	1.1	1.2	3.3
no, not at all	3	8728	90.6	96.7	100.0
no partner	-2	609	6.3	Missing	
	Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

**H494A Partner had bronchitis**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	298	3.1	3.1	3.1
No	2.00	9337	96.9	96.9	100.0
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*H3. j) high blood pressure (hypertension)*

[If more than one box was ticked, the one with the lowest number was taken]

## H495 Partner had hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, saw doctor	1	193	2.0	2.1	2.1
yes, did not see doc	2	74	.8	.8	3.0
no, not at all	3	8759	90.9	97.0	100.0
no partner	-2	609	6.3	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

## H495A Partner had hypertension

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	267	2.8	2.8	2.8
No	2.00	9368	97.2	97.2	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*H3. k) diabetes*

[If more than one box was ticked, the one with the lowest number was taken]

## H496 Partner had diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, saw doctor	1	35	.4	.4	.4
yes, did not see doc	2	5	.1	.1	.4
no, not at all	3	8986	93.3	99.6	100.0
no partner	-2	609	6.3	Missing	
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

## H496A Partner had diabetes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	40	.4	.4	.4
No	2.00	9595	99.6	99.6	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**H3. l) schizophrenia**

[If more than one box was ticked, the one with the lowest number was taken]

H497 Partner had schizophrenia		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes, saw doctor		1	4	.0	.0	.0
yes, did not see doc		2	9	.1	.1	.1
no, not at all		3	9013	93.5	99.9	100.0
no partner		-2	609	6.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

H497A Partner had schizophrenia		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
Yes		1.00	13	.1	.1	.1
No		2.00	9622	99.9	99.9	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**H3. m) drink (alcohol) problem**

[If more than one box was ticked, the one with the lowest number was taken]

H498 Partner had alcohol problem		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes, saw doctor		1	30	.3	.3	.3
yes, did not see doc		2	186	1.9	2.1	2.4
no, not at all		3	8810	91.4	97.6	100.0
no partner		-2	609	6.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

H498A Partner had alcohol problem		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
Yes		1.00	216	2.2	2.2	2.2
No		2.00	9419	97.8	97.8	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**H3. n) stomach ulcers**

[If more than one box was ticked, the one with the lowest number was taken]

H499 Partner had stomach ulcer		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label	1	105	1.1	1.2	1.2
yes, saw doctor		2	45	.5	.5	1.7
yes, did not see doc		3	8876	92.1	98.3	100.0
no, not at all		-2	609	6.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

H499A Partner had stomach ulcer		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label	1.00	150	1.6	1.6	1.6
Yes		2.00	9485	98.4	98.4	100.0
No					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**H3. o) asthma or wheezing**

[If more than one box was ticked, the one with the lowest number was taken]

H500 Partner had asthma or wheezing		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label	1	448	4.6	5.0	5.0
yes saw doctor		2	431	4.5	4.8	9.7
yes didnt see doctor		3	8147	84.6	90.3	100.0
no not at all		-2	609	6.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

H500A Partner had asthma or wheezing		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label	1.00	879	9.1	9.1	9.1
Yes		2.00	8756	90.9	90.9	100.0
No					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**H3. p) eczema**

[If more than one box was ticked, the one with the lowest number was taken]

**H501 Partner had eczema**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, saw doctor	1	224	2.3	2.5	2.5
yes, did not see doc	2	369	3.8	4.1	6.6
no, not at all	3	8433	87.5	93.4	100.0
no partner	-2	609	6.3	Missing	
				-----	-----
	Total	9635	100.0	100.0	
Valid cases	9026	Missing cases	609		

**H501A Partner had eczema**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	593	6.2	6.2	6.2
No	2.00	9042	93.8	93.8	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0		

**H3. q) psoriasis**

[If more than one box was ticked, the one with the lowest number was taken]

**H502 Partner had psoriasis**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, saw doctor	1	130	1.3	1.4	1.4
yes, did not see doc	2	139	1.4	1.5	3.0
no, not at all	3	8757	90.9	97.0	100.0
no partner	-2	609	6.3	Missing	
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	9026	Missing cases	609		

**H502A Partner had psoriasis**

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	269	2.8	2.8	2.8
No	2.00	9366	97.2	97.2	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0		

**H3. r) arthritis**

[If more than one box was ticked, the one with the lowest number was taken]

## H503 Partner had arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, saw doctor	1	142	1.5	1.6	1.6
yes, did not see doc	2	93	1.0	1.0	2.6
no, not at all	3	8791	91.2	97.4	100.0
no partner	-2	609	6.3	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

## H503A Partner had arthritis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	235	2.4	2.4	2.4
No	2.00	9400	97.6	97.6	100.0
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**H3. s) urinary infection**

[If more than one box was ticked, the one with the lowest number was taken]

## H504 Partner had urinary infection

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, saw doctor	1	128	1.3	1.4	1.4
yes, did not see doc	2	26	.3	.3	1.7
no, not at all	3	8872	92.1	98.3	100.0
no partner	-2	609	6.3	Missing	
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

## H504A Partner had urinary infection

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	154	1.6	1.6	1.6
No	2.00	9481	98.4	98.4	100.0
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**H3. t) rheumatism**

[If more than one box was ticked, the one with the lowest number was taken]

H505 Partner had rheumatism		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes, saw doctor		1	33	.3	.4	.4
yes, did not see doc		2	70	.7	.8	1.1
no, not at all		3	8923	92.6	98.9	100.0
no partner		-2	609	6.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		9026	Missing cases	609		

H505A Partner had rheumatism		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
Yes		1.00	103	1.1	1.1	1.1
No		2.00	9532	98.9	98.9	100.0
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases		9635	Missing cases	0		

**H3. u) back pain, sciatica or slipped disc**

[If more than one box was ticked, the one with the lowest number was taken]

H506 Partner had back pain		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes, saw doctor		1	984	10.2	10.9	10.9
yes, did not see doc		2	1771	18.4	19.6	30.5
no, not at all		3	6271	65.1	69.5	100.0
no partner		-2	609	6.3	Missing	
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases		9026	Missing cases	609		

H506A Partner had back pain		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
Yes		1.00	2755	28.6	28.6	28.6
No		2.00	6880	71.4	71.4	100.0
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases		9635	Missing cases	0		

## H3. v) other condition(s) (please tick and describe)

[If more than one box was ticked, the one with the lowest number was taken]

[If something written in the please describe section, is covered in a-u it was recoded there else if other box is not ticked, coder coded 0]

## H507 Partner had other condition

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, saw doctor	1	927	9.6	10.3	10.3
yes, did not see doc	2	176	1.8	1.9	12.2
no, not at all	3	7923	82.2	87.8	100.0
no partner	-2	609	6.3	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

## H507A Partner had other condition

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1.00	1103	11.4	11.4	11.4
No	2.00	8532	88.6	88.6	100.0
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

H4. Below are some statements about partner's relationships with young children. Please indicate how you feel in your particular situation.

*This is  
always  
how I feel*   *This is  
sometimes feel*   *I never  
feel this way*

## H4. a) My partner really loves this child.

[If more than one box was ticked, the one with the highest number was taken]

## H510 Mum feels partner loves child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
feel always	1	8169	84.8	90.5	90.5
feel sometimes	2	714	7.4	7.9	98.4
never feel	3	143	1.5	1.6	100.0
no partner	-2	609	6.3	Missing	
	-----	-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

*H4. b) My partner is glad that I had this child when I did*  
 [If more than one box was ticked, the one with the highest number was taken]

H511 Partner glad Mum had child			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
feel always		1	7412	76.9	82.1	82.1
feel sometimes		2	1194	12.4	13.2	95.3
never feel		3	420	4.4	4.7	100.0
no partner		-2	609	6.3	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

*H4. c) I like to watch him play with the child*  
 [If more than one box was ticked, the one with the highest number was taken]

H512 Mum likes to see partner play with child			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
feel always		1	8334	86.5	92.3	92.3
feel sometimes		2	549	5.7	6.1	98.4
never feel		3	143	1.5	1.6	100.0
no partner		-2	609	6.3	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

*H4. d) I am afraid to leave the child alone with him because I think he might be violent*

[If more than one box was ticked, the one with the lowest number was taken]

H513 Mum scared to leave child with partner a			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
feel always		1	112	1.2	1.2	1.2
feel sometimes		2	78	.8	.9	2.1
never feel		3	8836	91.7	97.9	100.0
no partner		-2	609	6.3	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

*H4. e) My partner seems to feel very close to this child*

[If more than one box was ticked, the one with the highest number was taken]

H514 Mum feels partner is close to child			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
feel always		1	7002	72.7	77.6	77.6
feel sometimes		2	1670	17.3	18.5	96.1
never feel		3	354	3.7	3.9	100.0
no partner		-2	609	6.3	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

**H4. f) This child never gets on his nerves**

[If more than one box was ticked, the one with the highest number was taken]

H515 Mum feels child doesn't get on partner ne			Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent
feel always		1	1532	15.9	17.0
feel sometimes		2	5866	60.9	65.0
never feel		3	1628	16.9	18.0
no partner		-2	609	6.3	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9026 Missing cases 609

**H4. g) He really cannot bear it when this child cries**

[If more than one box was ticked, the one with the lowest number was taken]

H516 Mum feels partner can't bear child to cry			Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent
feel always		1	639	6.6	7.1
feel sometimes		2	3494	36.3	38.7
never feel		3	4893	50.8	54.2
no partner		-2	609	6.3	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9026 Missing cases 609

**H4. h) I think my partner is excited as he gradually watches this child develop**

[If more than one box was ticked, the one with the highest number was taken]

H517 Mum feels partner excited by child deve			Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent
feel always		1	6559	68.1	72.7
feel sometimes		2	2043	21.2	22.6
never feel		3	424	4.4	4.7
no partner		-2	609	6.3	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9026 Missing cases 609

**H4. i) My partner feels anxious when someone other than us looks after this child**

[If more than one box was ticked, the one with the lowest number was taken]

H518 Mum feels partner anxious when others mi			Valid	Cum	
Value	Label	Value	Frequency	Percent	Percent
feel always		1	826	8.6	9.2
feel sometimes		2	2995	31.1	33.2
never feel		3	5205	54.0	57.7
no partner		-2	609	6.3	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9026 Missing cases 609

*H4. j) He doesn't mind the mess that surrounds a young child.*  
 [If more than one box was ticked, the one with the highest number was taken]

H519 Mum feels partner doesnt mind childs mes			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
feel always		1	4159	43.2	46.1	46.1
feel sometimes		2	3809	39.5	42.2	88.3
never feel		3	1058	11.0	11.7	100.0
no partner		-2	609	6.3	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

*H4. k) This child makes my partner very happy*  
 [If more than one box was ticked, the one with the highest number was taken]

H520 Mum feels child make partner happy			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
feel always		1	7205	74.8	79.8	79.8
feel sometimes		2	1547	16.1	17.1	97.0
never feel		3	274	2.8	3.0	100.0
no partner		-2	609	6.3	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9026 Missing cases 609

**Derived variable**

H510, H511, H512, H514, H517, H518, H519, H520

recoded: (1 = 2) (2 = 1)(3 = 0)

H513, H515, H516 recoded (1=0)(2=1)(3=2)

H521 = H510 + H511 + H512 + H513 + H514 + H515 + H516 + H517 + H518 + H519 + H520

If mum has no partner H521 put to -2

H521		Partner's attitude to child			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
		4.00	3	.0	.0
		5.00	3	.0	.1
		6.00	7	.1	.2
		7.00	19	.2	.4
		8.00	31	.3	.7
		9.00	31	.3	1.1
		10.00	56	.6	1.7
		11.00	94	1.0	2.8
		12.00	166	1.7	4.8
		13.00	222	2.3	7.3
		14.00	333	3.5	11.2
		15.00	522	5.4	17.3
		16.00	811	8.4	26.7
		17.00	1475	15.3	43.8
Positive		18.00	2195	22.8	69.3
		19.00	1737	18.0	89.5
		20.00	734	7.6	98.0
		21.00	157	1.6	99.8
		22.00	15	.2	100.0
		-2.00	609	6.3	Missing
no partner		-1.00	415	4.3	Missing
		Total	9635	100.0	100.0

Valid cases 8611 Missing cases 1024

H5. How many cigarettes per day does your partner currently smoke?  
 [occasional smokers less than one per day coded as 97. If range given, top of range taken]  
 (recode 97 = 0)

H525 No of cigarettes partner smokes

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		6519	67.7	73.8	73.8	
1		52	.5	.6	.6	74.3
2		82	.9	.9	.9	75.3
3		67	.7	.8	.8	76.0
4		45	.5	.5	.5	76.5
5		176	1.8	2.0	2.0	78.5
6		55	.6	.6	.6	79.1
7		21	.2	.2	.2	79.4
8		39	.4	.4	.4	79.8
9		9	.1	.1	.1	79.9
10		432	4.5	4.9	4.9	84.8
11		1	.0	.0	.0	84.8
12		28	.3	.3	.3	85.1
13		5	.1	.1	.1	85.2
14		7	.1	.1	.1	85.3
15		351	3.6	4.0	4.0	89.3
16		6	.1	.1	.1	89.3
17		2	.0	.0	.0	89.3
18		12	.1	.1	.1	89.5
20		708	7.3	8.0	8.0	97.5
25		73	.8	.8	.8	98.3
26		1	.0	.0	.0	98.3
30		103	1.1	1.2	1.2	99.5
35		5	.1	.1	.1	99.5
40		32	.3	.4	.4	99.9
45		1	.0	.0	.0	99.9
50		4	.0	.0	.0	100.0
60		3	.0	.0	.0	100.0
no partner		-2	609	6.3	Missing	
		-1	187	1.9	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	8839	Missing cases	796			

H526 Number of cigarettes partner smokes

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none		.00	6519	67.7	73.8	73.8
1-9		1.00	546	5.7	6.2	79.9
10-19		2.00	844	8.8	9.5	89.5
20+		3.00	930	9.7	10.5	100.0
		-1.00	796	8.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	8839	Missing cases	796			

## H6. a) Is your partner currently employed?

Yes No

H530		Partner is currently employed		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes		1	8006	83.1	89.7
no		2	917	9.5	10.3
no partner		-2	609	6.3	Missing
		-1	103	1.1	Missing
		-----		-----	
		Total	9635	100.0	100.0
Valid cases	8923	Missing cases	712		

*If yes,*

## H6. b) What is his occupation?

[Keyed as text]

## H6. c) Has he had the same job since this child was 18 months old?

Yes No

H534		Partner has same job > CH18 mths		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes		1	6618	68.7	82.7
no		2	1387	14.4	17.3
no job		-3	917	9.5	Missing
no partner		-2	609	6.3	Missing
		-1	104	1.1	Missing
		-----		-----	
		Total	9635	100.0	100.0
Valid cases	8005	Missing cases	1630		

## H6. d) Does he work nights?

*yes always**yes sometimes**no never*

[If more than one box was ticked, the one with the lowest number was taken]

H535		Partner works nights		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes always		1	276	2.9	3.5
yes sometimes		2	1740	18.1	21.8
no never		3	5982	62.1	74.8
no job		-3	917	9.5	Missing
no partner		-2	609	6.3	Missing
		-1	111	1.2	Missing
		-----		-----	
		Total	9635	100.0	100.0
Valid cases	7998	Missing cases	1637		

## H6. e) Does he ever leave home for several days as part of his work?

yes, often

yes, occasionally

no, never

[If more than one box was ticked, the one with the lowest number was taken]

H536 Partner spends few days away as part of			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes often		1	555	5.8	6.9	6.9
yes occasionally		2	2383	24.7	29.8	36.7
no never		3	5061	52.5	63.3	100.0
no job		-3	917	9.5	Missing	
no partner		-2	609	6.3	Missing	
		-1	110	1.1	Missing	
			-----	-----	-----	-----
			Total	9635	100.0	100.0
Valid cases	7999	Missing cases	1636			

## H7. How would you rate him on these characteristics?

Almost always Sometimes Hardly ever Never

## H7. a) helpful, co-operative

[If more than one box was ticked, the one with the highest number was taken]

H540 Mum feels partner is helpful			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	5569	57.8	62.3	62.3
sometimes		2	3064	31.8	34.3	96.6
hardly ever		3	269	2.8	3.0	99.6
never		4	35	.4	.4	100.0
no partner		-2	609	6.3	Missing	
		-1	89	.9	Missing	
			-----	-----	-----	-----
			Total	9635	100.0	100.0
Valid cases	8937	Missing cases	698			

## H7. b) quiet, reserved

[If more than one box was ticked, the one with the highest number was taken]

H541 Mum feels partner is quiet			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	945	9.8	10.6	10.6
sometimes		2	4171	43.3	46.8	57.4
hardly ever		3	3046	31.6	34.2	91.5
never		4	755	7.8	8.5	100.0
no partner		-2	609	6.3	Missing	
		-1	109	1.1	Missing	
			-----	-----	-----	-----
			Total	9635	100.0	100.0
Valid cases	8917	Missing cases	718			

*H7. c) unreliable*

[If more than one box was ticked, the one with the lowest number was taken]

H542 Mum feels partner is unreliable			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	253	2.6	2.8	2.8
sometimes		2	1830	19.0	20.5	23.4
hardly ever		3	3419	35.5	38.3	61.7
never		4	3415	35.4	38.3	100.0
no partner		-2	609	6.3	Missing	
		-1	109	1.1	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8917	Missing cases	718			

*H7. d) sociable, outgoing*

[If more than one box was ticked, the one with the highest number was taken]

H543 Mum feels partner is sociable			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	4623	48.0	51.9	51.9
sometimes		2	3573	37.1	40.1	91.9
hardly ever		3	617	6.4	6.9	98.8
never		4	103	1.1	1.2	100.0
no partner		-2	609	6.3	Missing	
		-1	110	1.1	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8916	Missing cases	719			

*H7. e) dominating*

[If more than one box was ticked, the one with the lowest number was taken]

H544 Mum feels partner is dominating			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	462	4.8	5.2	5.2
sometimes		2	2876	29.8	32.3	37.5
hardly ever		3	3542	36.8	39.8	77.4
never		4	2011	20.9	22.6	100.0
no partner		-2	609	6.3	Missing	
		-1	135	1.4	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8891	Missing cases	744			

*H7. f) understanding*

[If more than one box was ticked, the one with the highest number was taken]

H545 Mum feels partner is understanding			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	4900	50.9	54.9	54.9
sometimes		2	3554	36.9	39.8	94.7
hardly ever		3	411	4.3	4.6	99.3
never		4	64	.7	.7	100.0
no partner		-2	609	6.3	Missing	
		-1	97	1.0	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8929	Missing cases	706			

*H7. g) quick-tempered, easily upset*

[If more than one box was ticked, the one with the lowest number was taken]

H546 Mum feels partner is quick tempered			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	619	6.4	6.9	6.9
sometimes		2	3046	31.6	34.1	41.1
hardly ever		3	3555	36.9	39.8	80.9
never		4	1706	17.7	19.1	100.0
no partner		-2	609	6.3	Missing	
		-1	100	1.0	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8926	Missing cases	709			

*H7. h) cheerful, easygoing*

[If more than one box was ticked, the one with the highest number was taken]

H547 Mum feels partner is cheerful			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
almost always		1	5441	56.5	61.0	61.0
sometimes		2	3063	31.8	34.3	95.3
hardly ever		3	366	3.8	4.1	99.4
never		4	56	.6	.6	100.0
no partner		-2	609	6.3	Missing	
		-1	100	1.0	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8926	Missing cases	709			

## H8. Who does these various household tasks?

<i>Me always</i>	<i>Me mostly</i>	<i>Sometimes me, some- times my partner</i>	<i>Partner mostly</i>	<i>Partner always</i>	<i>Always both of us together</i>	<i>Someone else</i>
----------------------	----------------------	---	---------------------------	---------------------------	---	-------------------------

H8. a) shopping for groceries

H8. b) cooking

H8. c) cleaning house

H8. d) repairs in home

H8. e) looking after children

H8. f) washing clothes

H8. g) ironing

[If always ie. 5 or 6 Plus another box, coded as always. If 3+4 ticked code as 4 EXCEPTION - if multiple ticks include 0 used code 'A' - because it cannot be resolved] (A recoded to -1).

## H550 Person who does shopping

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Someone else	.00	19	.2	.2	.2
	Mum always	1.00	2979	30.9	33.4	33.6
	Mum mostly	2.00	2620	27.2	29.4	63.0
	Sometimes mum or par	3.00	1392	14.4	15.6	78.6
	Partner mostly	4.00	454	4.7	5.1	83.7
	Partner always	5.00	115	1.2	1.3	85.0
	Always both	6.00	1336	13.9	15.0	100.0
	no partner	-2.00	609	6.3	Missing	
		-1.00	111	1.2	Missing	
			-----	-----	-----	-----
	Total		9635	100.0	100.0	

Valid cases 8915 Missing cases 720

## H551 Person who does cooking

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	Someone else	.00	13	.1	.1	.1
	Mum always	1.00	2861	29.7	32.0	32.2
	Mum mostly	2.00	3547	36.8	39.7	71.8
	Sometimes mum or par	3.00	2064	21.4	23.1	94.9
	Partner mostly	4.00	334	3.5	3.7	98.7
	Partner always	5.00	54	.6	.6	99.3
	Always both	6.00	64	.7	.7	100.0
	no partner	-2.00	609	6.3	Missing	
		-1.00	89	.9	Missing	
			-----	-----	-----	-----
	Total		9635	100.0	100.0	

Valid cases 8937 Missing cases 698

## H552 Person who cleans house

Value Label	Value	Frequency	Percent	Percent	Percent
Someone else	.00	336	3.5	3.8	3.8
Mum always	1.00	3552	36.9	40.0	43.8
Mum mostly	2.00	3389	35.2	38.2	82.0
Sometimes mum or par	3.00	1328	13.8	15.0	97.0
Partner mostly	4.00	118	1.2	1.3	98.3
Partner always	5.00	17	.2	.2	98.5
Always both	6.00	130	1.3	1.5	100.0
no partner	-2.00	609	6.3	Missing	
	-1.00	156	1.6	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8870 Missing cases 765

## H553 Person who repairs home

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Someone else	.00	312	3.2	3.5	3.5
Mum always	1.00	152	1.6	1.7	5.2
Mum mostly	2.00	386	4.0	4.3	9.5
Sometimes mum or par	3.00	1756	18.2	19.7	29.3
Partner mostly	4.00	4424	45.9	49.7	78.9
Partner always	5.00	1818	18.9	20.4	99.4
Always both	6.00	57	.6	.6	100.0
no partner	-2.00	609	6.3	Missing	
	-1.00	121	1.3	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8905 Missing cases 730

## H554 Person who looks after children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Someone else	.00	56	.6	.6	.6
Mum always	1.00	988	10.3	11.2	11.9
Mum mostly	2.00	4571	47.4	51.9	63.8
Sometimes mum or par	3.00	2808	29.1	31.9	95.7
Partner mostly	4.00	103	1.1	1.2	96.9
Partner always	5.00	4	.0	.0	96.9
Always both	6.00	269	2.8	3.1	100.0
no partner	-2.00	609	6.3	Missing	
	-1.00	227	2.4	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8799 Missing cases 836

## H555 Person who washes clothes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Someone else	.00	28	.3	.3	.3
Mum always	1.00	5783	60.0	64.7	65.0
Mum mostly	2.00	2340	24.3	26.2	91.2
Sometimes mum or par	3.00	649	6.7	7.3	98.4
Partner mostly	4.00	89	.9	1.0	99.4
Partner always	5.00	18	.2	.2	99.6
Always both	6.00	34	.4	.4	100.0
no partner	-2.00	609	6.3	Missing	
	-1.00	85	.9	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8941 Missing cases 694

## H556 Person who does ironing

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Someone else	.00	291	3.0	3.3	3.3
Mum always	1.00	5355	55.6	60.6	63.9
Mum mostly	2.00	1835	19.0	20.8	84.7
Sometimes mum or par	3.00	994	10.3	11.3	96.0
Partner mostly	4.00	240	2.5	2.7	98.7
Partner always	5.00	64	.7	.7	99.4
Always both	6.00	51	.5	.6	100.0
no partner	-2.00	609	6.3	Missing	
	-1.00	196	2.0	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8830 Missing cases 805

## H9. Who decides:

<i>Me always</i>	<i>Me mostly</i>	<i>Sometimes me, sometimes my partner</i>	<i>Partner mostly</i>	<i>Partner always</i>	<i>Always both of us together</i>	<i>Someone else</i>
------------------	------------------	---	-----------------------	-----------------------	-----------------------------------	---------------------

H9. a) how to spend free time

H9. b) how much to see family or friends

H9. c) when to do repairs or redecorate

H9. d) how we should spend our money

[If always ie. 5 or 6 Plus another box, coded as always. If 3+4 ticked code as 4 EXCEPTION - if multiple ticks include 0 used code 'A' - because it cannot be resolved] (A recoded to -1).

## H560 Person deciding how to spend free time

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Someone else	.00	3	.0	.0	.0
Mum always	1.00	184	1.9	2.1	2.1
Mum mostly	2.00	1029	10.7	11.5	13.6
Sometimes mum or par	3.00	5357	55.6	60.1	73.7
Partner mostly	4.00	246	2.6	2.8	76.4
Partner always	5.00	23	.2	.3	76.7
Always both	6.00	2078	21.6	23.3	100.0
no partner	-2.00	609	6.3	Missing	
	-1.00	106	1.1	Missing	
				-----	-----
	Total	9635	100.0	100.0	
Valid cases	8920	Missing cases	715		

## H561 Person deciding time spent with friends

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Someone else	.00	2	.0	.0	.0
Mum always	1.00	254	2.6	2.9	2.9
Mum mostly	2.00	1680	17.4	18.9	21.7
Sometimes mum or par	3.00	4613	47.9	51.8	73.5
Partner mostly	4.00	190	2.0	2.1	75.7
Partner always	5.00	17	.2	.2	75.9
Always both	6.00	2150	22.3	24.1	100.0
no partner	-2.00	609	6.3	Missing	
	-1.00	120	1.2	Missing	
				-----	-----
	Total	9635	100.0	100.0	
Valid cases	8906	Missing cases	729		

## H562 Person deciding when to do repairs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Someone else	.00	42	.4	.5	.5
Mum always	1.00	441	4.6	4.9	5.4
Mum mostly	2.00	1775	18.4	19.9	25.3
Sometimes mum or par	3.00	3300	34.3	37.0	62.4
Partner mostly	4.00	1203	12.5	13.5	75.9
Partner always	5.00	154	1.6	1.7	77.6
Always both	6.00	1996	20.7	22.4	100.0
no partner	-2.00	609	6.3	Missing	
	-1.00	115	1.2	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 8911 Missing cases 724

H563 Person deciding how to spend money			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
Mum always	1.00	233	2.4	2.6
Mum mostly	2.00	990	10.3	13.8
Sometimes mum or par	3.00	4264	44.3	61.7
Partner mostly	4.00	635	6.6	68.9
Partner always	5.00	67	.7	69.6
Always both	6.00	2697	28.0	30.4
no partner	-2.00	609	6.3	Missing
	-1.00	140	1.5	Missing
			-----	-----
	Total	9635	100.0	100.0
Valid cases	8886	Missing cases	749	

*H10. People vary greatly in the amount they are satisfied or dissatisfied with their relationship.  
How do you feel about the following aspects of your life together?*

Very      Moderately      Somewhat      Very  
satisfied      satisfied      dissatisfied      dissatisfied

*H10. a) handling family finances*

[If more than one box was ticked, the one with the highest number was taken]

H565 Feelings about handing finances with par			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
very satisfied	1	3787	39.3	42.7
satisifed	2	4045	42.0	45.6
dissatisfied	3	866	9.0	9.8
very dissatisfied	4	168	1.7	1.9
no partner	-2	609	6.3	Missing
	-1	160	1.7	Missing
			-----	-----
	Total	9635	100.0	100.0
Valid cases	8866	Missing cases	769	

*H10. b) demonstrations of affection*

[If more than one box was ticked, the one with the highest number was taken]

H566 Feelings about affection with partner			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
very satisifed	1	3757	39.0	42.4
satisifed	2	3811	39.6	43.0
dissatisfied	3	1039	10.8	11.7
very dissatisfied	4	247	2.6	2.8
no partner	-2	609	6.3	Missing
	-1	172	1.8	Missing
			-----	-----
	Total	9635	100.0	100.0
Valid cases	8854	Missing cases	781	

*H10. c) sex*

[If more than one box was ticked, the one with the highest number was taken]

H567      Feelings about sex with partner			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very satisfied		1	3592	37.3	40.8	40.8
satisfied		2	3784	39.3	42.9	83.7
dissatisfied		3	1105	11.5	12.5	96.2
very dissatisfied		4	333	3.5	3.8	100.0
no partner		-2	609	6.3	Missing	
		-1	212	2.2	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases    8814        Missing cases    821

*H10. d) amount of time spent together*

[If more than one box was ticked, the one with the highest number was taken]

H568      Feelings about time spend with partner			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very satisfied		1	2350	24.4	26.4	26.4
satisfied		2	4496	46.7	50.6	77.0
dissatisfied		3	1758	18.2	19.8	96.8
very dissatisfied		4	285	3.0	3.2	100.0
no partner		-2	609	6.3	Missing	
		-1	137	1.4	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases    8889        Missing cases    746

*H10. e) making major decisions*

[If more than one box was ticked, the one with the highest number was taken]

H569      Feelings about making decisions with par			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very satisfied		1	4406	45.7	49.8	49.8
satisfied		2	3756	39.0	42.4	92.2
dissatisfied		3	578	6.0	6.5	98.7
very dissatisfied		4	115	1.2	1.3	100.0
no partner		-2	609	6.3	Missing	
		-1	171	1.8	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases    8855        Missing cases    780

*H10. f) household tasks*

[If more than one box was ticked, the one with the highest number was taken]

H570      Feelings about household task with partn			Valid	Cum
Value	Label	Frequency	Percent	Percent
1	very satisfied	2573	26.7	29.1
2	satisficed	4817	50.0	54.4
3	dissatisficed	1242	12.9	14.0
4	very dissatisficed	225	2.3	2.5
-2	no partner	609	6.3	Missing
-1		169	1.8	Missing
-----			-----	-----
		Total	9635	100.0
				100.0

Valid cases    8857      Missing cases    778

*H10. g) leisure time interests & activities*

[If more than one box was ticked, the one with the highest number was taken]

H571      Feelings about leisure time with partner			Valid	Cum
Value	Label	Frequency	Percent	Percent
1	very satisficed	2405	25.0	27.2
2	satisficed	4692	48.7	53.0
3	dissatisficed	1497	15.5	16.9
4	very dissatisficed	256	2.7	2.9
-2	no partner	609	6.3	Missing
-1		176	1.8	Missing
-----			-----	-----
		Total	9635	100.0
				100.0

Valid cases    8850      Missing cases    785

## Derived variables

### Satisfaction with partner score

Recode: H565, H566, H567, H568, H569, H570, H571  
 (1 = 3) 2 = 2) (3 = 1) (4 = 0)  
 $H572 = H565 + H566 + H567 + H568 + H569 + H570 + H571$   
 If no partner  $H572 = -2$   
 If any of H565 to H571 = -1,  $H572 = -1$

H572 Satisfaction with partner		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
Poor		.00	17	.2	.2	.2
		1.00	8	.1	.1	.3
		2.00	17	.2	.2	.5
		3.00	18	.2	.2	.7
		4.00	14	.1	.2	.9
		5.00	45	.5	.5	1.4
		6.00	61	.6	.7	2.1
		7.00	94	1.0	1.1	3.2
		8.00	119	1.2	1.4	4.5
		9.00	167	1.7	1.9	6.5
		10.00	242	2.5	2.8	9.2
		11.00	396	4.1	4.6	13.8
		12.00	501	5.2	5.8	19.6
		13.00	674	7.0	7.8	27.4
		14.00	1070	11.1	12.3	39.7
		15.00	877	9.1	10.1	49.8
		16.00	900	9.3	10.4	60.2
		17.00	855	8.9	9.9	70.1
		18.00	780	8.1	9.0	79.1
		19.00	681	7.1	7.9	86.9
		20.00	507	5.3	5.8	92.8
Good		21.00	628	6.5	7.2	100.0
no partner		-2.00	609	6.3	Missing	
		-1.00	355	3.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases		8671	Missing cases	964		

H11. a) *How often recently have you been irritable with your partner?*

<i>Not at all</i>	<i>Less than once a week</i>	<i>1-2 times a week</i>	<i>3-6 times a week</i>	<i>Every day</i>
-------------------	------------------------------	-------------------------	-------------------------	------------------

[If more than one box was ticked, the one with the highest number was taken]

H575 Freq mum irritable with partner

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all		1	549	5.7	6.2	6.2
< once a week		2	3854	40.0	43.3	49.5
1-2 times week		3	3185	33.1	35.8	85.3
3-6 times week		4	984	10.2	11.1	96.4
every day		5	322	3.3	3.6	100.0
no partner		-2	609	6.3	Missing	
		-1	132	1.4	Missing	
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8894	Missing cases	741			

H11. b) *How often has he been irritable with you?*

<i>Not at all</i>	<i>Less than once a week</i>	<i>1-2 times a week</i>	<i>3-6 times a week</i>	<i>Every day</i>
-------------------	------------------------------	-------------------------	-------------------------	------------------

[If more than one box was ticked, the one with the highest number was taken]

H576 Freq irritable with mum

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not at all		1	1146	11.9	12.9	12.9
< once a week		2	4195	43.5	47.3	60.2
1-2 times week		3	2553	26.5	28.8	89.0
3-6 times week		4	747	7.8	8.4	97.4
every day		5	232	2.4	2.6	100.0
no partner		-2	609	6.3	Missing	
		-1	153	1.6	Missing	
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8873	Missing cases	762			

H12. a) *How many arguments or disagreements have you had in the past three months?*

*none*      *1-3*      *4-7*      *8-13*      *14 or more*

[If more than one box was ticked, the one with the highest number was taken]

H577      No of arguments between mum and partner				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
none		1	1081	11.2	12.2
1-3		2	4373	45.4	61.7
4-7		3	2061	21.4	85.0
8-13		4	690	7.2	92.8
>13		5	639	6.6	100.0
no partner		-2	609	6.3	Missing
		-1	182	1.9	Missing
-----				-----	-----
		Total	9635	100.0	100.0
Valid cases	8844	Missing cases	791		

H12. b) *In the past 3 months, have any of these happened?*

*Yes, I this*      *Yes, he did this*      *Yes, we both did this*      *No, not did at all*

H12. b) i) *not speaking to partner for more than half an hour*

[If multiple ticks 1+2=3; 1+3=3; 2+3=3; 1+4=1, 2+4=2; 3+4=2]

H578      Past 3 mths not spoken > half hour in an				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes mum did		1	1670	17.3	18.8
yes partner did		2	202	2.1	21.1
yes both did		3	1816	18.8	41.6
no not at all		4	5176	53.7	100.0
no partner		-2	609	6.3	Missing
		-1	162	1.7	Missing
-----				-----	-----
		Total	9635	100.0	100.0
Valid cases	8864	Missing cases	771		

H12. b) ii) *one of you walking out of the house*

[If multiple ticks 1+2=3; 1+3=3; 2+3=3; 1+4=1, 2+4=2; 3+4=2]

H579      Past 3 mths walked out of house in anger				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
yes mum did		1	510	5.3	5.7
yes partner did		2	675	7.0	7.6
yes both did		3	172	1.8	1.9
no not at all		4	7544	78.3	84.8
no partner		-2	609	6.3	Missing
		-1	125	1.3	Missing
-----				-----	-----
		Total	9635	100.0	100.0
Valid cases	8901	Missing cases	734		

**H12. b) iii) shouting at partner and/or calling partner names**

[If multiple ticks 1+2=3; 1+3=3; 2+3=3; 1+4=1, 2+4=2; 3+4=2]

## H580 Past 3 mths shouted in anger

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes mum did	1	1262	13.1	14.3	14.3
yes partner did	2	231	2.4	2.6	16.9
yes both did	3	3188	33.1	36.0	52.9
no not at all	4	4170	43.3	47.1	100.0
no partner	-2	609	6.3	Missing	
	-1	175	1.8	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 8851 Missing cases 784

**H12. b) iv) hitting or slapping partner**

[If multiple ticks 1+2=3; 1+3=3; 2+3=3; 1+4=1, 2+4=2; 3+4=2]

## H581 Past 3 mths hit or slapped in anger

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes mum did	1	221	2.3	2.5	2.5
yes partner did	2	100	1.0	1.1	3.6
yes both did	3	130	1.3	1.5	5.1
no not at all	4	8467	87.9	94.9	100.0
no partner	-2	609	6.3	Missing	
	-1	108	1.1	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 8918 Missing cases 717

**H12. b) v) throwing or deliberately breaking things**

[If multiple ticks 1+2=3; 1+3=3; 2+3=3; 1+4=1, 2+4=2; 3+4=2]

## H582 Past 3 months throw something in anger

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes mum did	1	374	3.9	4.2	4.2
yes partner did	2	288	3.0	3.2	7.4
yes both did	3	77	.8	.9	8.3
no not at all	4	8180	84.9	91.7	100.0
no partner	-2	609	6.3	Missing	
	-1	107	1.1	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 8919 Missing cases 716

## Derived variables

### Rows with partner score

Recode H577 (1 = 0) (2 = 1) (3 = 2) (4 = 3) ( 5 = 4)

H578, H579, H580, H581, H582

(1 thru 3 = 2) (4 = 0)

H583 = H577 + H578 + H579 + H580 + H581 + H582

If no partner H583 = -2

If any of H577 to H582 = -1, H583 = -1

H583		Rows with partner		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
low		.00	943	9.8	10.9
		1.00	1671	17.3	30.1
		2.00	381	4.0	34.5
		3.00	1598	16.6	52.9
		4.00	761	7.9	61.7
		5.00	959	10.0	72.7
		6.00	724	7.5	81.0
		7.00	464	4.8	86.4
		8.00	448	4.6	91.5
		9.00	194	2.0	93.8
		10.00	270	2.8	96.9
		11.00	72	.7	97.7
		12.00	117	1.2	99.1
		13.00	26	.3	99.4
high		14.00	55	.6	100.0
	no partner	-2.00	609	6.3	
		-1.00	343	3.6	
		Total	9635	100.0	100.0
Valid cases	8683	Missing cases	952		

H13. *In the past three months how often have you done these things with your partner?*

Never	Less	Less	At least
than	than	once a	
once	once a week	week	
month			

H13. a) *gone out for a meal*

[If more than one box was ticked, the one with the lowest number was taken]

H585 Freq partner and mum out for meal past 3

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
never		1	2709	28.1	30.4	30.4
< once month		2	4393	45.6	49.4	79.8
> once month		3	1492	15.5	16.8	96.6
> once week		4	305	3.2	3.4	100.0
no partner		-2	609	6.3	Missing	
		-1	127	1.3	Missing	
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8899 Missing cases 736

H13. b) *gone out for a drink*

[If more than one box was ticked, the one with the lowest number was taken]

H586 Freq partner and mum out for drink past

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
never		1	2846	29.5	32.0	32.0
< once month		2	3734	38.8	42.0	73.9
> once month		3	1648	17.1	18.5	92.5
> once week		4	670	7.0	7.5	100.0
no partner		-2	609	6.3	Missing	
		-1	128	1.3	Missing	
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8898 Missing cases 737

H13. c) *visited friends*

[If more than one box was ticked, the one with the lowest number was taken]

H587 Freq partner and mum visited friends pas

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
never		1	1357	14.1	15.3	15.3
< once month		2	2881	29.9	32.5	47.8
> once month		3	2687	27.9	30.3	78.1
> once week		4	1942	20.2	21.9	100.0
no partner		-2	609	6.3	Missing	
		-1	159	1.7	Missing	
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8867 Missing cases 768

*H13. d) visited family*

[If more than one box was ticked, the one with the lowest number was taken]

H588 Freq partner and mum visited family past					
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
never		1	618	6.4	7.0
< once month		2	2091	21.7	23.5
> once month		3	2277	23.6	25.6
> once week		4	3904	40.5	43.9
no partner		-2	609	6.3	Missing
		-1	136	1.4	Missing
		-----		-----	
Total		9635	100.0	100.0	
Valid cases	8890	Missing cases	745		

*H13. e) gone to the cinema or theatre*

[If more than one box was ticked, the one with the lowest number was taken]

H589 Freq partner and mum went to cinema past					
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
never		1	6217	64.5	69.9
< once month		2	2292	23.8	25.8
> once month		3	347	3.6	3.9
> once week		4	36	.4	.4
no partner		-2	609	6.3	Missing
		-1	134	1.4	Missing
		-----		-----	
Total		9635	100.0	100.0	
Valid cases	8892	Missing cases	743		

## Derived variable

Recode H585, H586, H587, H588, H589 (1=0)(2=1)(3=2)(4=3) H590=H585+H586+H587+H588 +H589 If (H480=3) H590= -2 If any of H585 to H589 equal -1, H590 = -1 (missing).

H590 Activities together		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
.00		192	2.0	2.2	2.2	
1.00		273	2.8	3.1	5.3	
2.00		512	5.3	5.8	11.1	
3.00		753	7.8	8.6	19.7	
4.00		1052	10.9	12.0	31.7	
5.00		1105	11.5	12.6	44.3	
6.00		1234	12.8	14.1	58.3	
7.00		1130	11.7	12.9	71.2	
8.00		882	9.2	10.0	81.3	
9.00		687	7.1	7.8	89.1	
10.00		467	4.8	5.3	94.4	
11.00		271	2.8	3.1	97.5	
12.00		149	1.5	1.7	99.2	
13.00		54	.6	.6	99.8	
14.00		12	.1	.1	99.9	
15.00		5	.1	.1	100.0	
-2.00		609	6.3	Missing		
-1.00		248	2.6	Missing		
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8778	Missing cases	857			

H14. a) *How many evenings a month do you go out and do things on your own or with your own friends?*

<i>None</i>	<i>Once</i>	<i>2-3 times</i>	<i>4-7 times</i>	<i>8 or more times</i>
-------------	-------------	------------------	------------------	------------------------

[If more than one box was ticked, the one with the lowest number was taken]

H592 Times per month mum out alone or with fr

Value Label	Value	Frequency	Valid		Cum Percent
			Percent	Percent	
never	1	2997	31.1	33.8	33.8
once	2	2315	24.0	26.1	59.9
2-3 times	3	1870	19.4	21.1	81.0
4-7 times	4	1351	14.0	15.2	96.2
8+times	5	339	3.5	3.8	100.0
no partner	-2	609	6.3	Missing	
	-1	154	1.6	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8872 Missing cases 763

H14. b) *How many times a month does your partner go out and do things on his own or with friends?*

<i>None</i>	<i>Once</i>	<i>2-3 times</i>	<i>4-7 times</i>	<i>8 or more times</i>
-------------	-------------	------------------	------------------	------------------------

[If more than one box was ticked, the one with the lowest number was taken]

H593 Times per month partner out alone or wit

Value Label	Value	Frequency	Valid		Cum Percent
			Percent	Percent	
never	1	1964	20.4	22.2	22.2
once	2	1480	15.4	16.7	38.9
2-3 times	3	2147	22.3	24.2	63.1
4-7 times	4	2093	21.7	23.6	86.7
8+times	5	1178	12.2	13.3	100.0
no partner	-2	609	6.3	Missing	
	-1	164	1.7	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 8862 Missing cases 773

H15. *How often in a week, on average, would you and your partner:*

Never	Less than once a week	1 - 3 times a week	Most days
-------	-----------------------------	--------------------------	--------------

H15. a) *discuss work or how the day has gone*

[If more than one box was ticked, the one with the lowest number was taken]

H595 Freq mum and partner discuss their day		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
never		1	172	1.8	1.9	1.9
< once week		2	389	4.0	4.4	6.3
1-3 times week		3	1381	14.3	15.5	21.8
most days		4	6962	72.3	78.2	100.0
no partner		-2	609	6.3	Missing	
		-1	122	1.3	Missing	
		<hr/>		<hr/>		<hr/>
		Total	9635	100.0	100.0	

Valid cases 8904 Missing cases 731

H15. b) *laugh together*

[If more than one box was ticked, the one with the lowest number was taken]

H596 Freq mum and partner laugh together		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
never		1	67	.7	.8	.8
< once week		2	496	5.1	5.6	6.3
1-3 times week		3	2016	20.9	22.7	29.0
most days		4	6304	65.4	71.0	100.0
no partner		-2	609	6.3	Missing	
		-1	143	1.5	Missing	
		<hr/>		<hr/>		<hr/>
		Total	9635	100.0	100.0	

Valid cases 8883 Missing cases 752

H15. c) *calmly talk over something (eg. the news, a hobby or interest)*

[If more than one box was ticked, the one with the lowest number was taken]

H597 Freq mum and partner calmly talk over th		Value	Frequency	Percent	Valid	Cum
Value	Label				Percent	Percent
never		1	117	1.2	1.3	1.3
< once week		2	552	5.7	6.2	7.5
1-3 times week		3	2049	21.3	23.1	30.6
most days		4	6167	64.0	69.4	100.0
no partner		-2	609	6.3	Missing	
		-1	141	1.5	Missing	
		<hr/>		<hr/>		<hr/>
		Total	9635	100.0	100.0	

Valid cases 8885 Missing cases 750

**H15. d) kiss or hug**

[If more than one box was ticked, the one with the lowest number was taken]

H598 Freq mum and partner kiss or hug		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
never		1	182	1.9	2.0	2.0
< once week		2	580	6.0	6.5	8.6
1-3 times week		3	1448	15.0	16.3	24.9
most days		4	6677	69.3	75.1	100.0
no partner		-2	609	6.3	Missing	
		-1	139	1.4	Missing	
				-----	-----	
		Total	9635	100.0	100.0	
Valid cases	8887	Missing cases	748			

**H15. e) make plans**

[If more than one box was ticked, the one with the lowest number was taken]

H599 Freq mum and partner make plans		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
never		1	192	2.0	2.2	2.2
< once week		2	1531	15.9	17.3	19.4
1-3 times week		3	3406	35.4	38.4	57.8
most days		4	3742	38.8	42.2	100.0
no partner		-2	609	6.3	Missing	
		-1	155	1.6	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	8871	Missing cases	764			

**H15. f) talk over feelings or worries**

[If more than one box was ticked, the one with the lowest number was taken]

H600 Freq mum and partner talk over feelings		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
never		1	293	3.0	3.3	3.3
< once week		2	1760	18.3	19.8	23.1
1-3 times week		3	2891	30.0	32.6	55.7
most days		4	3932	40.8	44.3	100.0
no partner		-2	609	6.3	Missing	
		-1	150	1.6	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	8876	Missing cases	759			

## Derived variable

Communication score between mother and partner

Recode H595, H596, H597, H598, H599, H600

(1 = 0) (2 = 1) (3 = 2) (4 = 3)

H601= H595 + H596 + H597 +H598 + H599 + H600

If no partner H601 = -2

If any of H595 to H600 = -1, H601 = -1

H601 Communication between mum and partner

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		.00	15	.2	.2	.2
		1.00	9	.1	.1	.3
		2.00	12	.1	.1	.4
		3.00	26	.3	.3	.7
		4.00	31	.3	.4	1.1
		5.00	49	.5	.6	1.6
		6.00	78	.8	.9	2.5
		7.00	91	.9	1.0	3.5
		8.00	144	1.5	1.6	5.2
		9.00	166	1.7	1.9	7.1
		10.00	228	2.4	2.6	9.7
		11.00	320	3.3	3.6	13.3
		12.00	463	4.8	5.3	18.6
		13.00	602	6.2	6.8	25.4
		14.00	743	7.7	8.5	33.9
		15.00	964	10.0	11.0	44.8
		16.00	1347	14.0	15.3	60.2
		17.00	1126	11.7	12.8	73.0
		18.00	2376	24.7	27.0	100.0
no partner		-2.00	609	6.3	Missing	
		-1.00	236	2.4	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases		8790	Missing cases	845		

H16. a) Which of the following statements about alcohol best applies to your partner:

- Never drinks alcohol
- Very occasionally (less than once a week)
- Occasionally (at least once a week)
- Drinks 1-2 glasses\* nearly every day
- Drinks 3-9 glasses\* every day
- Drinks at least 10 glasses\* a day
- Don't know

[\*by glass we mean pub measures (1oz) of spirits or ½ pints (¼ litre) of beer or cider]

[If more than one box was ticked, the one with the highest number was taken]

H602 Freq partner drinks alcohol

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
never	drinks	1	478	5.0	5.4	5.4
<1/wk		2	2385	24.8	26.9	32.3
1+/wk		3	3805	39.5	43.0	75.3
1-2 glasses every da		4	1702	17.7	19.2	94.5
3-9 glasses every da		5	454	4.7	5.1	99.7
10 glasses every day		6	30	.3	.3	100.0
no partner		-2	609	6.3	Missing	
		-1	172	1.8	Missing	
				-----	-----	
		Total	9635	100.0	100.0	
Valid cases	8854	Missing cases	781			

H16. b) How many days in the past month do you think he had the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

- |           |                   |            |
|-----------|-------------------|------------|
| every day | more than 10 days | don't know |
| 5-10 days | 3-4 days          |            |
| 1-2 days  | none              |            |

[If more than one box was ticked, the one with the lowest number was taken]

H603 Days in past month partner had 4 units a

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
every day		1	398	4.1	4.8	4.8
> 10 days		2	1167	12.1	14.1	18.9
5-10 days		3	1862	19.3	22.5	41.4
3-4 days		4	1673	17.4	20.2	61.7
1-2 days		5	1746	18.1	21.1	82.8
none		6	1423	14.8	17.2	100.0
no partner		-2	609	6.3	Missing	
		-1	757	7.9	Missing	
				-----	-----	
		Total	9635	100.0	100.0	
Valid cases	8269	Missing cases	1366			

*H17. Below are attitudes and behaviours which people reveal in their close relationships. Please rate your partner's attitudes and behaviour towards you in recent times and tick the most appropriate box for each item.*

*My partner:*

<i>Very true</i>	<i>Moderately true</i>	<i>Somewhat true</i>	<i>Not at all true</i>
------------------	------------------------	----------------------	------------------------

*H17. a) Is very considerate of me*

[If more than one box was ticked, the one with the highest number was taken]

H605 Partner is considerate of mum

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
very true	1	3672	38.1	41.5	41.5
mostly true	2	3305	34.3	37.3	78.8
somewhat true	3	1591	16.5	18.0	96.7
not at all true	4	288	3.0	3.3	100.0
no partner	-2	609	6.3	Missing	
	-1	170	1.8	Missing	
				-----	-----
		Total	9635	100.0	100.0
Valid cases	8856	Missing cases	779		

*H17. b) Wants me to take his side in an argument*

[If more than one box was ticked, the one with the lowest number was taken]

H606 Partner wants mum on side in argument

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
very true	1	909	9.4	10.4	10.4
mostly true	2	2181	22.6	25.0	35.4
somewhat true	3	2880	29.9	33.0	68.4
not at all true	4	2761	28.7	31.6	100.0
no partner	-2	609	6.3	Missing	
	-1	295	3.1	Missing	
		-----	-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	8731	Missing cases	904		

*H17. c) Wants to know exactly what I'm doing and where I am*

[If more than one box was ticked, the one with the highest number was taken]

H607 Partner wants to know exactly what mum d

Value Label	Value	Frequency	Percent	Valid	Cum
				Percent	Percent
very true	1	1056	11.0	11.9	11.9
mostly true	2	1580	16.4	17.9	29.8
somewhat true	3	2905	30.2	32.9	62.7
not at all true	4	3301	34.3	37.3	100.0
no partner	-2	609	6.3	Missing	
	-1	184	1.9	Missing	
		-----	-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	8842	Missing cases	793		

**H17. d) Is a good companion**

[If more than one box was ticked, the one with the lowest number was taken]

H608 Partner is good companion to mum			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very true		1	5135	53.3	58.0	58.0
mostly true		2	2398	24.9	27.1	85.1
somewhat true		3	1128	11.7	12.7	97.8
not at all true		4	191	2.0	2.2	100.0
no partner		-2	609	6.3	Missing	
		-1	174	1.8	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8852 Missing cases 783

**H17. e) Is affectionate to me**

[If more than one box was ticked, the one with the highest number was taken]

H609 Partner is affectionate to mum			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very true		1	4669	48.5	52.8	52.8
mostly true		2	2633	27.3	29.7	82.5
somewhat true		3	1249	13.0	14.1	96.6
not at all true		4	300	3.1	3.4	100.0
no partner		-2	609	6.3	Missing	
		-1	175	1.8	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8851 Missing cases 784

**H17. f) Is clearly hurt if I don't accept his views**

[If more than one box was ticked, the one with the lowest number was taken]

H610 Partner is hurt if mum wont accept views			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very true		1	519	5.4	5.9	5.9
mostly true		2	1433	14.9	16.3	22.2
somewhat true		3	2936	30.5	33.3	55.5
not at all true		4	3920	40.7	44.5	100.0
no partner		-2	609	6.3	Missing	
		-1	218	2.3	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 8808 Missing cases 827

*H17. g) Tends to try to change me*

[If more than one box was ticked, the one with the highest number was taken]

H611 Partner tries to change mum		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
very true		1	320	3.3	3.6	3.6
mostly true		2	649	6.7	7.3	11.0
somewhat true		3	1535	15.9	17.4	28.3
not at all true		4	6331	65.7	71.7	100.0
no partner		-2	609	6.3	Missing	
		-1	191	2.0	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8835	Missing cases	800			

*H17. h) Confides closely in me*

[If more than one box was ticked, the one with the lowest number was taken]

H612 Partner confides closely in mum		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
very true		1	3909	40.6	44.2	44.2
mostly true		2	2285	23.7	25.8	70.1
somewhat true		3	1876	19.5	21.2	91.3
not at all true		4	770	8.0	8.7	100.0
no partner		-2	609	6.3	Missing	
		-1	186	1.9	Missing	
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8840	Missing cases	795			

*H17. i) Tends to criticise me over small issues*

[If more than one box was ticked, the one with the lowest number was taken]

H613 Partner critisizes mum on small issues		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
very true		1	729	7.6	8.2	8.2
mostly true		2	1139	11.8	12.9	21.1
somewhat true		3	2835	29.4	32.0	53.2
not at all true		4	4144	43.0	46.8	100.0
no partner		-2	609	6.3	Missing	
		-1	179	1.9	Missing	
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8847	Missing cases	788			

*H17. j) Understands my problems and worries*

[If more than one box was ticked, the one with the highest number was taken]

H614 Partner understands mums problems			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very true		1	2115	22.0	23.9	23.9
mostly true		2	3230	33.5	36.5	60.5
somewhat true		3	2754	28.6	31.2	91.6
not at all true		4	740	7.7	8.4	100.0
no partner		-2	609	6.3	Missing	
		-1	187	1.9	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8839	Missing cases	796			

*H17. k) Tends to order me about*

[If more than one box was ticked, the one with the lowest number was taken]

H615 Partner orders mum about			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very true		1	256	2.7	2.9	2.9
mostly true		2	584	6.1	6.6	9.5
somewhat true		3	1521	15.8	17.2	26.7
not at all true		4	6495	67.4	73.3	100.0
no partner		-2	609	6.3	Missing	
		-1	170	1.8	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8856	Missing cases	779			

*H17. l) Insists I do exactly as I'm told*

[If more than one box was ticked, the one with the lowest number was taken]

H616 Partner wants mum to do exactly as told			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very true		1	100	1.0	1.1	1.1
mostly true		2	210	2.2	2.4	3.5
somewhat true		3	519	5.4	5.9	9.4
not at all true		4	8019	83.2	90.6	100.0
no partner		-2	609	6.3	Missing	
		-1	178	1.8	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	8848	Missing cases	787			

*H17. m) Is physically gentle and considerate*

[If more than one box was ticked, the one with the highest number was taken]

H617 Partner is gentle and considerate			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
very true	1	5191	53.9	58.7
mostly true	2	1989	20.6	22.5
somewhat true	3	1367	14.2	15.5
not at all true	4	289	3.0	3.3
no partner	-2	609	6.3	Missing
	-1	190	2.0	Missing
		-----	-----	-----
	Total	9635	100.0	100.0

Valid cases 8836 Missing cases 799

*H17. n) Makes me feel needed*

[If more than one box was ticked, the one with the highest number was taken]

H618 Partner makes mum feel needed			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
very true	1	3879	40.3	43.9
mostly true	2	2683	27.8	30.4
somewhat true	3	1743	18.1	19.7
not at all true	4	533	5.5	6.0
no partner	-2	609	6.3	Missing
	-1	188	2.0	Missing
		-----	-----	-----
	Total	9635	100.0	100.0

Valid cases 8838 Missing cases 797

*H17. o) Wants me to change in small ways*

[If more than one box was ticked, the one with the lowest number was taken]

H619 Partner wants mum to change in small way			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
very true	1	372	3.9	4.2
mostly true	2	1047	10.9	11.9
somewhat true	3	2873	29.8	32.6
not at all true	4	4529	47.0	51.3
no partner	-2	609	6.3	Missing
	-1	205	2.1	Missing
		-----	-----	-----
	Total	9635	100.0	100.0

Valid cases 8821 Missing cases 814

*H17. p) Is very loving to me*

[If more than one box was ticked, the one with the highest number was taken]

## H620 Partner is loving to mum

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
very true	1	4404	45.7	49.8	49.8
mostly true	2	2466	25.6	27.9	77.7
somewhat true	3	1529	15.9	17.3	94.9
not at all true	4	448	4.6	5.1	100.0
no partner	-2	609	6.3	Missing	
	-1	179	1.9	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 8847 Missing cases 788

*H17. q) Seeks to dominate me*

[If more than one box was ticked, the one with the lowest number was taken]

## H621 Partner tries to dominate mum

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
very true	1	237	2.5	2.7	2.7
mostly true	2	421	4.4	4.8	7.5
somewhat true	3	1104	11.5	12.5	20.0
not at all true	4	7051	73.2	80.0	100.0
no partner	-2	609	6.3	Missing	
	-1	213	2.2	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 8813 Missing cases 822

*H17. r) Is fun to be with*

[If more than one box was ticked, the one with the highest number was taken]

## H622 Partner is fun to be with

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
very true	1	4097	42.5	46.4	46.4
mostly true	2	3009	31.2	34.0	80.4
somewhat true	3	1490	15.5	16.9	97.3
not at all true	4	243	2.5	2.7	100.0
no partner	-2	609	6.3	Missing	
	-1	187	1.9	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 8839 Missing cases 796

*H17. s) Wants to change me in big ways*

[If more than one box was ticked, the one with the lowest number was taken]

H623 Partner wants to change mum in big ways			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
very true	1	153	1.6	1.7
mostly true	2	204	2.1	2.3
somewhat true	3	496	5.1	5.6
not at all true	4	7978	82.8	90.3
no partner	-2	609	6.3	Missing
	-1	195	2.0	Missing
		-----	-----	-----
	Total	9635	100.0	100.0

Valid cases 8831 Missing cases 804

*H17. t) Tends to control everything I do*

[If more than one box was ticked, the one with the lowest number was taken]

H624 Partner controls what mum does			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
very true	1	95	1.0	1.1
mostly true	2	189	2.0	2.1
somewhat true	3	692	7.2	7.8
not at all true	4	7858	81.6	89.0
no partner	-2	609	6.3	Missing
	-1	192	2.0	Missing
		-----	-----	-----
	Total	9635	100.0	100.0

Valid cases 8834 Missing cases 801

*H17. u) Shows his appreciation of me*

[If more than one box was ticked, the one with the highest number was taken]

H625 Partner shows appreciation of mum			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
very true	1	2596	26.9	29.4
mostly true	2	3249	33.7	36.8
somewhat true	3	2343	24.3	26.5
not at all true	4	643	6.7	7.3
no partner	-2	609	6.3	Missing
	-1	195	2.0	Missing
		-----	-----	-----
	Total	9635	100.0	100.0

Valid cases 8831 Missing cases 804

*H17. v) Is critical of me in private*

[If more than one box was ticked, the one with the lowest number was taken]

H626 Partner is critical of mum in private			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
very true	1	236	2.4	2.7
mostly true	2	478	5.0	5.4
somewhat true	3	2021	21.0	23.0
not at all true	4	6036	62.6	68.8
no partner	-2	609	6.3	Missing
	-1	255	2.6	Missing
		-----	-----	-----
	Total	9635	100.0	100.0

Valid cases 8771 Missing cases 864

*H17. w) Is gentle and kind to me*

[If more than one box was ticked, the one with the highest number was taken]

H627 Partner is gentle and kind to mum			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
very true	1	4864	50.5	55.1
mostly true	2	2276	23.6	25.8
somewhat true	3	1421	14.7	16.1
not at all true	4	268	2.8	3.0
no partner	-2	609	6.3	Missing
	-1	197	2.0	Missing
		-----	-----	-----
	Total	9635	100.0	100.0

Valid cases 8829 Missing cases 806

*H17. x) Speaks to me in a warm and friendly voice*

[If more than one box was ticked, the one with the lowest number was taken]

H628 Partner speaks in friendly way to mum			Valid	Cum
Value Label	Value	Frequency	Percent	Percent
very true	1	4068	42.2	46.0
mostly true	2	2817	29.2	31.9
somewhat true	3	1643	17.1	18.6
not at all true	4	310	3.2	3.5
no partner	-2	609	6.3	Missing
	-1	188	2.0	Missing
		-----	-----	-----
	Total	9635	100.0	100.0

Valid cases 8838 Missing cases 797

## Derived variables

### Warmth of partner

$H629 = H605 + H608 + H609 + H612 + H614 + H617 + H618 + H620 + H622 + H625 + H627 + H628$   
 If any missing  $H629 = -1$

H629 Warmth of partner score			Valid	Cum
Value	Label	Frequency	Percent	Percent
12.00		899	9.3	10.4
13.00		614	6.4	17.5
14.00		565	5.9	24.1
15.00		505	5.2	30.0
16.00		425	4.4	34.9
17.00		435	4.5	39.9
18.00		360	3.7	44.1
19.00		364	3.8	48.3
20.00		341	3.5	52.3
21.00		323	3.4	56.0
22.00		276	2.9	59.2
23.00		302	3.1	62.7
24.00		342	3.5	66.7
25.00		304	3.2	70.2
26.00		285	3.0	73.5
27.00		208	2.2	75.9
28.00		217	2.3	78.5
29.00		191	2.0	80.7
30.00		186	1.9	82.8
31.00		162	1.7	84.7
32.00		166	1.7	86.6
33.00		150	1.6	88.4
34.00		151	1.6	90.1
35.00		149	1.5	91.8
36.00		128	1.3	93.3
37.00		104	1.1	94.5
38.00		83	.9	95.5
39.00		60	.6	96.2
40.00		63	.7	96.9
41.00		51	.5	97.5
42.00		35	.4	97.9
43.00		31	.3	98.3
44.00		30	.3	98.6
45.00		28	.3	99.0
46.00		32	.3	99.3
47.00		23	.2	99.6
48.00		35	.4	100.0
no partner			Missing	
-2.00		609	6.3	Missing
-1.00		403	4.2	Missing
			-----	-----
			Total	100.0
			Missing cases	1012
Valid cases	8623			

## Authority of partner

H630 = H606 + H607 + H610 + H611 + H613 + H615 + H616 + H619 + H621 + H623 + H624 + H626  
 If any missing H630 = -1

H630 Authority of partner score

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
		12.00	2	.0	.0	.0
		13.00	3	.0	.0	.1
		14.00	7	.1	.1	.1
		15.00	5	.1	.1	.2
		16.00	14	.1	.2	.4
		17.00	19	.2	.2	.6
		18.00	14	.1	.2	.8
		19.00	19	.2	.2	1.0
		20.00	25	.3	.3	1.3
		21.00	20	.2	.2	1.5
		22.00	14	.1	.2	1.7
		23.00	27	.3	.3	2.0
		24.00	29	.3	.3	2.3
		25.00	42	.4	.5	2.8
		26.00	31	.3	.4	3.2
		27.00	51	.5	.6	3.8
		28.00	55	.6	.7	4.5
		29.00	54	.6	.6	5.1
		30.00	72	.7	.9	5.9
		31.00	85	.9	1.0	7.0
		32.00	98	1.0	1.2	8.1
		33.00	140	1.5	1.7	9.8
		34.00	125	1.3	1.5	11.2
		35.00	158	1.6	1.9	13.1
		36.00	217	2.3	2.6	15.7
		37.00	264	2.7	3.1	18.8
		38.00	279	2.9	3.3	22.1
		39.00	381	4.0	4.5	26.6
		40.00	423	4.4	5.0	31.6
		41.00	543	5.6	6.4	38.0
		42.00	608	6.3	7.2	45.2
		43.00	723	7.5	8.5	53.8
		44.00	806	8.4	9.5	63.3
		45.00	867	9.0	10.3	73.5
		46.00	840	8.7	9.9	83.5
		47.00	759	7.9	9.0	92.4
		48.00	639	6.6	7.6	100.0
no partner		-2.00	609	6.3	Missing	
		-1.00	568	5.9	Missing	
		Total	9635	100.0	100.0	

Valid cases 8458 Missing cases 1177

**SECTION I: SAFETY EQUIPMENT**

II. How many of the following do you have?

If you have them are any used?

Number Yes No

- II. a) Safety gate/barriers
- II. b) Fire guards
- II. c) Smoke alarms
- II. d) Electric socket covers\*
- II. e) Windows with locks/bars\*
- II. f) Door slam protectors\*
- II. g) Child car seats

(\* If all sockets, windows, doors in the home are protected put 66)

[All windows' 'have locks', 'all sockets have covers' etc. coded as '66' If yes or no ticked only, first column '99'. If amount only given, yes and no boxes not ticked] (If more than x, coded as x)

H640 No of safety gates

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other		0	2050	21.3	21.9	21.9
		1	3375	35.0	36.1	58.0
		2	2585	26.8	27.6	85.6
		3	530	5.5	5.7	91.3
		4	83	.9	.9	92.2
all protected		66	3	.0	.0	92.2
	dk	99	731	7.6	7.8	100.0
		-1	278	2.9	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9357 Missing cases 278

H641 safety gate used

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	4505	46.8	47.8	47.8
No		2	4910	51.0	52.2	100.0
		-1	220	2.3	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9415 Missing cases 220

642 No of fire guards

Value Label	Value	Frequency	Percent	Percent	Percent
other	0	3581	37.2	38.7	38.7
	1	4147	43.0	44.8	83.4
	2	367	3.8	4.0	87.4
	3	24	.2	.3	87.6
	4	9	.1	.1	87.7
all protected	66	4	.0	.0	87.8
dk	99	1133	11.8	12.2	100.0
	-1	370	3.8	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9265 Missing cases 370

H643 Fire guards used

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3628	37.7	38.8	38.8
No	2	5713	59.3	61.2	100.0
	-1	294	3.1	Missing	
	Total	9635	100.0	100.0	

Valid cases 9341 Missing cases 294

H644 No of smoke alarms

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other	0	856	8.9	9.1	9.1
	1	3446	35.8	36.6	45.7
	2	3487	36.2	37.0	82.7
	3	749	7.8	8.0	90.7
	4	478	5.0	5.1	95.8
all protected	66	8	.1	.1	95.8
dk	99	392	4.1	4.2	100.0
	-1	219	2.3	Missing	
	Total	9635	100.0	100.0	

Valid cases 9416 Missing cases 219

H645 Smoke alarms used

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	7692	79.8	83.2	83.2
No	2	1554	16.1	16.8	100.0
	-1	389	4.0	Missing	
	Total	9635	100.0	100.0	

Valid cases 9246 Missing cases 389

## H646 No of electric socket covers

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other		0	1716	17.8	18.4	18.4
		1	164	1.7	1.8	20.2
		2	379	3.9	4.1	24.3
		3	380	3.9	4.1	28.4
		4	834	8.7	9.0	37.3
		5	383	4.0	4.1	41.4
		6	1074	11.1	11.5	53.0
		7	107	1.1	1.1	54.1
		8	488	5.1	5.2	59.4
		9	48	.5	.5	59.9
		10	946	9.8	10.2	70.0
all protected		66	2113	21.9	22.7	92.7
dk		99	675	7.0	7.3	100.0
		-1	328	3.4	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9307	Missing cases	328			

## H647 Electric socket covers used

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	6446	66.9	71.1	71.1
No		2	2614	27.1	28.9	100.0
		-1	575	6.0	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9060 Missing cases 575

## H648 No of windows with locks

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other		0	2094	21.7	22.6	22.6
		1	286	3.0	3.1	25.7
		2	439	4.6	4.7	30.4
		3	319	3.3	3.4	33.9
		4	445	4.6	4.8	38.7
		5	320	3.3	3.5	42.1
		6	339	3.5	3.7	45.8
		7	258	2.7	2.8	48.5
		8	254	2.6	2.7	51.3
		9	111	1.2	1.2	52.5
		10	511	5.3	5.5	58.0
all protected		66	3144	32.6	33.9	91.9
dk		99	749	7.8	8.1	100.0
		-1	366	3.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9269 Missing cases 366

## H649 Windows with locks used

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1	5866	60.9	66.5	66.5
No		2	2958	30.7	33.5	100.0
		-1	811	8.4	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	8824	Missing cases	811			

## H650 No of door slam protectors

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other	0	6678	69.3	74.1	74.1
	1	213	2.2	2.4	76.4
	2	222	2.3	2.5	78.9
	3	49	.5	.5	79.4
	4	36	.4	.4	79.8
	5	20	.2	.2	80.0
	6	15	.2	.2	80.2
	7	8	.1	.1	80.3
	8	4	.0	.0	80.3
	9	1	.0	.0	80.4
	10	5	.1	.1	80.4
	19	1	.0	.0	80.4
	62	1	.0	.0	80.4
all protected	66	110	1.1	1.2	81.6
dk	99	1655	17.2	18.4	100.0
	-1	617	6.4	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9018 Missing cases 617

## H651 Door slam protectors used

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	598	6.2	6.5	6.5
No	2	8618	89.4	93.5	100.0
	-1	419	4.3	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9216 Missing cases 419

## H652 No of child car seats

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other	0	371	3.9	3.9	3.9
	1	2992	31.1	31.7	35.7
	2	4608	47.8	48.9	84.5
	3	906	9.4	9.6	94.2
	4	250	2.6	2.7	96.8
all protected	66	9	.1	.1	96.9
dk	99	292	3.0	3.1	100.0
	-1	207	2.1	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9428 Missing cases 207

## H653 child car seats used

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	8478	88.0	91.8	91.8
No	2	753	7.8	8.2	100.0
	-1	404	4.2	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9231 Missing cases 404

## Derived variable

### Accident prevention score

Recode H641, H643, H645, H647, H649, H651, H653

(1 = 1) (ELSE = 0)

H654 = H641 + H643 + H645 + H647 + H649 + H651 + H653

H654 Accident prevention score			Valid	Cum
Value	Label	Frequency	Percent	Percent
.00		309	3.2	3.2
1.00		309	3.2	6.4
2.00		1003	10.4	16.8
3.00		1907	19.8	36.6
4.00		2618	27.2	63.8
5.00		2257	23.4	87.2
6.00		1125	11.7	98.9
7.00		107	1.1	100.0
-----			-----	-----
Total		9635	100.0	100.0

Valid cases 9635 Missing cases 0

12. a) Do you have a pond or pool in your garden?

Yes No Don't have a garden

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H655 Mum has pond or pool in garden			Valid	Cum
Value	Label	Frequency	Percent	Percent
yes		1	907	9.4
no		2	8328	86.4
no garden		-2	274	2.8
		-1	126	1.3
-----			-----	-----
Total		9635	100.0	100.0

Valid cases 9235 Missing cases 400

12. b) If yes, is there a fence around it?

Yes No

H656 Pond or pool has fence around it			Valid	Cum
Value	Label	Frequency	Percent	Percent
yes		1	438	4.5
no		2	448	4.6
		-2	8605	89.3
		-1	144	1.5
-----			-----	-----
Total		9635	100.0	100.0

Valid cases 886 Missing cases 8749

## 13. Have you ever had any training in first aid?

*Yes*      *No*

[If comment written in please describe section, make sure relevant box is ticked in I3]

H657		Mum has had training in first aid			Valid	Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	4117	42.7	44.0	44.0
no		2	5245	54.4	56.0	100.0
		-1	273	2.8	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases		9362	Missing cases	273		

*If yes, please describe*

[Keyed as text]

**SECTION J: YOUR OCCUPATION AND LIFESTYLE**

- J1. *Compared with other mothers of your age, would you consider yourself to be:*  
*much more active*  
*somewhat more active*  
*about the same*  
*somewhat less active*

[If more than one box was ticked, the one with the highest number was taken]

H660 Mums activeness compared to others			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
	much more active	1	931	9.7	9.8	9.8
	bit more active	2	2430	25.2	25.5	35.3
	about the same	3	5498	57.1	57.7	93.0
	bit less active	4	669	6.9	7.0	100.0
		-1	107	1.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9528	Missing cases	107			

- J2. a) *At least once a week do you engage in any regular activity like brisk walking, jogging, cycling, etc. long enough to work up a sweat?*

Yes No

**If yes,**

H661 Mum exercises at least once a week			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
	yes	1	4716	48.9	49.5	49.5
	no	2	4809	49.9	50.5	100.0
		-1	110	1.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9525	Missing cases	110			

## J2. b) how many days a week:days

[not known/varies 99, occasional or fraction less than 0.5 = 97, none or nil = 0]  
 (97 was recoded to 0 (1 case) and 99 to missing)

H662 Days of exercise per week			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	4812	49.9	50.8	50.8
		1	1247	12.9	13.2	63.9
		2	1285	13.3	13.6	77.5
		3	761	7.9	8.0	85.5
		4	328	3.4	3.5	89.0
		5	543	5.6	5.7	94.7
		6	106	1.1	1.1	95.8
		7	394	4.1	4.2	100.0
		-1	159	1.7	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9476 Missing cases 159

## J3. a) Since having this study child, have you started work?

no

yes, but work at home

yes, work outside home

[If at home and outside home, code '4' used]

**If yes,**

H665 Mum started work since child born			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
No		1	3744	38.9	40.0	40.0
Yes at home		2	504	5.2	5.4	45.4
Yes outside home		3	5023	52.1	53.7	99.1
Outside + at home		4	84	.9	.9	100.0
		-1	280	2.9	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9355 Missing cases 280

## J3. b) how old was this study child when you started? months

[rounded down to whole numbers of months; weeks converted to months at rate of 4 to 1. If less than 1 month code 00 used] (anything 54+ was recoded to missing)

H666 Age of child when mum started work

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		91	.9	1.6	1.6	
1		189	2.0	3.4	5.0	
2		294	3.1	5.2	10.2	
3		797	8.3	14.2	24.4	
4		452	4.7	8.0	32.4	
5		311	3.2	5.5	37.9	
6		811	8.4	14.4	52.3	
7		339	3.5	6.0	58.4	
8		158	1.6	2.8	61.2	
9		179	1.9	3.2	64.4	
10		143	1.5	2.5	66.9	
11		66	.7	1.2	68.1	
12		242	2.5	4.3	72.4	
13		50	.5	.9	73.3	
14		76	.8	1.4	74.6	
15		78	.8	1.4	76.0	
16		57	.6	1.0	77.0	
17		32	.3	.6	77.6	
18		248	2.6	4.4	82.0	
19		37	.4	.7	82.6	
20		73	.8	1.3	83.9	
21		43	.4	.8	84.7	
22		48	.5	.9	85.6	
23		42	.4	.7	86.3	
24		199	2.1	3.5	89.8	
25		24	.2	.4	90.3	
26		51	.5	.9	91.2	
27		49	.5	.9	92.0	
28		72	.7	1.3	93.3	
29		33	.3	.6	93.9	
30		151	1.6	2.7	96.6	
31		45	.5	.8	97.4	
32		37	.4	.7	98.0	
33		41	.4	.7	98.8	
34		35	.4	.6	99.4	
35		8	.1	.1	99.5	
36		17	.2	.3	99.8	
37		1	.0	.0	99.9	
38		3	.0	.1	99.9	
39		1	.0	.0	99.9	
40		2	.0	.0	100.0	
44		1	.0	.0	100.0	
45		1	.0	.0	100.0	
does not work		-2	3744	38.9	Missing	
		-1	264	2.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 5627 Missing cases 4008

## J3. c) are you still working?

Yes No

[If 'maternity leave' is written code as 'no']

## H667 Mum is still working

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	4701	48.8	82.9	82.9
no		2	972	10.1	17.1	100.0
does not work		-2	3744	38.9	Missing	
		-1	218	2.3	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 5673 Missing cases 3962

**If no,**

## J3. c) i) when did you finish?

[Code as a date ddmmyy]

(This date was used to create H668 - the age of the child when the mother last stopped working - in months. If H668 &lt; H666, H668 was put to missing).

## H668 Age of Ch when Mum stopped work (mths)

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
.00		2	.0	.8	.8	.8
3.00		1	.0	.4	1.2	
4.00		2	.0	.8	2.0	
6.00		2	.0	.8	2.8	
7.00		1	.0	.4	3.3	
10.00		1	.0	.4	3.7	
14.00		3	.0	1.2	4.9	
15.00		3	.0	1.2	6.1	
16.00		5	.1	2.0	8.1	
17.00		1	.0	.4	8.5	
18.00		6	.1	2.4	11.0	
19.00		4	.0	1.6	12.6	
20.00		6	.1	2.4	15.0	
21.00		9	.1	3.7	18.7	
22.00		7	.1	2.8	21.5	
23.00		11	.1	4.5	26.0	
24.00		5	.1	2.0	28.0	
25.00		10	.1	4.1	32.1	
26.00		9	.1	3.7	35.8	
27.00		13	.1	5.3	41.1	
28.00		25	.3	10.2	51.2	
29.00		19	.2	7.7	58.9	
30.00		15	.2	6.1	65.0	
31.00		25	.3	10.2	75.2	
32.00		40	.4	16.3	91.5	
33.00		21	.2	8.5	100.0	
Not relevant		-2.00	8446	87.7	Missing	
		-1.00	943	9.8	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	246	Missing cases	9389			

J3. c) ii) what job(s) are you doing (please describe the job you do and the type of industry/employer(s) you work for)

[Keyed as text]

J3. d) How many hours a week do you now work? hours

[Round up to nearest whole number of hours. Code occasional as 97, varies as 99. If range is given, take the upper limit; over 100=90] (all over 90 recoded to missing).

H675 No of hours mum works per week

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
0		4	.0	.1	.1	
1		6	.1	.1	.2	
2		24	.2	.5	.7	
3		46	.5	1.0	1.7	
4		69	.7	1.5	3.3	
5		89	.9	1.9	5.2	
6		117	1.2	2.6	7.8	
7		72	.7	1.6	9.3	
8		191	2.0	4.2	13.5	
9		113	1.2	2.5	16.0	
10		279	2.9	6.1	22.1	
11		71	.7	1.6	23.6	
12		236	2.4	5.2	28.8	
13		68	.7	1.5	30.3	
14		137	1.4	3.0	33.3	
15		237	2.5	5.2	38.4	
16		210	2.2	4.6	43.0	
17		70	.7	1.5	44.5	
18		197	2.0	4.3	48.9	
19		111	1.2	2.4	51.3	
20		456	4.7	10.0	61.2	
21		128	1.3	2.8	64.0	
22		92	1.0	2.0	66.0	
23		61	.6	1.3	67.4	
24		135	1.4	2.9	70.3	
25		128	1.3	2.8	73.1	
26		27	.3	.6	73.7	
27		24	.2	.5	74.2	
28		29	.3	.6	74.9	
29		14	.1	.3	75.2	
30		175	1.8	3.8	79.0	
31		8	.1	.2	79.2	
32		37	.4	.8	80.0	
33		12	.1	.3	80.2	
34		15	.2	.3	80.6	
35		149	1.5	3.3	83.8	
36		49	.5	1.1	84.9	
37		183	1.9	4.0	88.9	
38		90	.9	2.0	90.9	
39		36	.4	.8	91.7	
40		198	2.1	4.3	96.0	
41		5	.1	.1	96.1	
42		23	.2	.5	96.6	
43		6	.1	.1	96.7	
44		1	.0	.0	96.7	
45		54	.6	1.2	97.9	
46		5	.1	.1	98.0	
47		5	.1	.1	98.1	
48		7	.1	.2	98.3	
50		47	.5	1.0	99.3	
51		1	.0	.0	99.3	
52		1	.0	.0	99.4	
53		2	.0	.0	99.4	

H675 contd.

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
55		5	5	.1	.1	99.5
58		1	1	.0	.0	99.5
60		9	9	.1	.2	99.7
65		2	2	.0	.0	99.8
70		3	3	.0	.1	99.8
72		1	1	.0	.0	99.9
77		1	1	.0	.0	99.9
80		3	3	.0	.1	100.0
88		1	1	.0	.0	100.0
90		1	1	.0	.0	100.0
does not work		-2	4716	48.9	Missing	
		-1	342	3.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 4577 Missing cases 5058

**J3. d) i) Does this include weekends?***Yes No sometimes*

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H676 Mum works weekends

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	1479	15.4	31.6	31.6
no		2	2307	23.9	49.2	80.8
sometimes		3	900	9.3	19.2	100.0
does not work		-2	4716	48.9	Missing	
		-1	233	2.4	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 4686 Missing cases 4949

**J3. d) ii) Do you work in the evenings or at night?***Yes No sometimes*

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H677 Mum works evenings and nights

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	1640	17.0	34.9	34.9
no		2	2047	21.2	43.6	78.5
sometimes		3	1012	10.5	21.5	100.0
does not work		-2	4716	48.9	Missing	
		-1	220	2.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 4699 Missing cases 4936

## J3. e) How would you describe the physical effort you need for your current job?

- very little effort, mostly sitting*
- some physical effort*
- quite a lot of physical effort*
- considerable physical effort*

[If more than one box was ticked, the one with the highest number was taken; If more than 1 job was included try to code for main job if possible]

H678 Physical effort in mums current job					
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
very little effort		1	1658	17.2	34.8
some effort		2	1516	15.7	31.8
quite a lot		3	1130	11.7	23.7
considerable		4	458	4.8	9.6
does not work		-2	4716	48.9	Missing
		-1	157	1.6	Missing
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	4762	Missing cases	4873		

J4. What are the main reasons you work?

Yes

No

- J4. a) *financial, I am important as a breadwinner*
- J4. b) *financial, for family extras*
- J4. c) *career*
- J4. d) *enjoyment*
- J4. e) *to get out of the home*
- J4. f) *other (please describe)*

[Coder ensured that if something is written in the please describe section, that the previous boxes are ticked appropriately. If there is no tick, make one here, to indicate information in the please describe section]

H680 Mum works as feels bread winner					
Value	Label	Value	Frequency	Percent	Valid Percent
					Cum Percent
yes		1	1744	18.1	35.5
no		2	3175	33.0	64.5
does not work		-2	4716	48.9	Missing
			-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	4919	Missing cases	4716		

## H681 Mum works for family extra

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	3067	31.8	62.4	62.4
no		2	1852	19.2	37.6	100.0
does not work		-2	4716	48.9	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	4919	Missing cases	4716			

## H682 Mum works as career

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	1749	18.2	35.6	35.6
no	2	3170	32.9	64.4	100.0
does not work	-2	4716	48.9	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4919 Missing cases 4716

## H683 Mum works for enjoyment

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	2857	29.7	58.1	58.1
no	2	2062	21.4	41.9	100.0
does not work	-2	4716	48.9	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4919 Missing cases 4716

## H684 Mum works to get out of house

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	2347	24.4	47.7	47.7
no	2	2572	26.7	52.3	100.0
does not work	-2	4716	48.9	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4919 Missing cases 4716

## H685 Mum works for other reason

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	324	3.4	6.6	6.6
no	2	4595	47.7	93.4	100.0
does not work	-2	4716	48.9	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4919 Missing cases 4716

J5. *Are you working at the same status as you did before you had your study child?*

*didn't work before  
no, lower level  
yes, same level  
no, higher level*

[If more than one box was ticked, the one with the lowest number was taken]

H687 Mums work status is same as child born				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
no lower level	1	1478	15.3	33.3	33.3
yes same level	2	2439	25.3	55.0	88.3
no higher level	3	518	5.4	11.7	100.0
does not work	-2	4977	51.7	Missing	
	-1	223	2.3	Missing	
			-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4435 Missing cases 5200

J6. *Do you find your job satisfying?*

*Yes No Sometimes*

H688 Mum finds job satisfying				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
yes	1	2916	30.3	61.2	61.2
no	2	412	4.3	8.7	69.9
sometimes	3	1433	14.9	30.1	100.0
does not work	-2	4716	48.9	Missing	
	-1	158	1.6	Missing	
			-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4761 Missing cases 4874

J7. *Do you wish that you could generally spend more time with this child?*

*yes often  
yes sometimes  
yes but rarely  
no not at all*

[If more than one box was ticked, the one with the highest number was taken]

H689 Mum would like more time with child				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
yes often	1	977	10.1	20.8	20.8
yes sometimes	2	1521	15.8	32.4	53.2
yes rarely	3	638	6.6	13.6	66.8
no not at all	4	1556	16.1	33.2	100.0
does not work	-2	4719	49.0	Missing	
	-1	224	2.3	Missing	
			-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4692 Missing cases 4943

J8. a) How do you usually travel to work? (Tick all that apply)

Yes      No      Work at home

i) public transport (bus, train)

- J8. a) ii) car  
 J8. a) iii) cycle  
 J8. a) iv) walk  
 J8. a) v) other (please tick and describe)

[If 7 and any other yes boxes in i to v, ignore 7. Code 'depends', 'varies' as 9]

[Coder ensured that if something is written in the please describe section, that the previous boxes are ticked appropriately. If there is no tick, make one here, to indicate information in the please describe section](If 7 coded in H690, H690-H696 recoded to 0).

H690      Mum goes by public transport to work

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
work at home		0	385	4.0	16.1	16.1
yes		1	497	5.2	20.8	37.0
no		2	1502	15.6	63.0	100.0
does not work		-2	4716	48.9	Missing	
		-1	2535	26.3	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases    2384      Missing cases    7251  
 H691      Mum goes to work by car

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
work at home		0	385	4.0	9.0	9.0
yes		1	3677	38.2	85.9	94.9
no		2	220	2.3	5.1	100.0
does not work		-2	4716	48.9	Missing	
		-1	637	6.6	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases    4282      Missing cases    5353

H692      Mum cycles to work

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
work at home		0	385	4.0	17.9	17.9
yes		1	125	1.3	5.8	23.8
no		2	1635	17.0	76.2	100.0
does not work		-2	4716	48.9	Missing	
		-1	2774	28.8	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases    2145      Missing cases    7490

## H693 Mum walks to work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
work at home	0	385	4.0	15.7	15.7
yes	1	677	7.0	27.6	43.3
no	2	1389	14.4	56.7	100.0
does not work	-2	4716	48.9	Missing	
	-1	2468	25.6	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 2451 Missing cases 7184

## H694 Mum goes to work by other means

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
work at home	0	385	4.0	23.8	23.8
yes	1	72	.7	4.4	28.2
no	2	1162	12.1	71.7	99.9
	7	1	.0	.1	100.0
does not work	-2	4716	48.9	Missing	
	-1	3299	34.2	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 1620 Missing cases 8015

## J8. b) How long does it usually take:

Less than 15 mins 15-29 mins 30-59 mins An hour or more

## J8. b) i) to travel to work

[If more than one box was ticked, the one with the highest number was taken]

## J8. b) ii) to travel home from work

[If more than one box was ticked, the one with the highest number was taken]

## H695 Time mum takes travelling to work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other	0	385	4.0	8.2	8.2
<15 minutes	1	2158	22.4	46.1	54.3
15-29 minutes	2	1538	16.0	32.8	87.1
30-59 minutes	3	530	5.5	11.3	98.4
hour or more	4	74	.8	1.6	100.0
no partner	-2	4716	48.9	Missing	
	-1	234	2.4	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 4685 Missing cases 4950

## H696 Time mum takes returning work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
other	0	385	4.0	8.9	8.9
<15 minutes	1	1942	20.2	45.1	54.0
15-29 minutes	2	1384	14.4	32.1	86.1
30-59 minutes	3	518	5.4	12.0	98.1
hour or more	4	81	.8	1.9	100.0
no partner	-2	4716	48.9	Missing	
	-1	609	6.3	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 4310 Missing cases 5325

J9. Below are statements about how working affects being a parent.

Please indicate which is true for you:

Yes almost always    Yes often    Not very often    Never

J9. a) I enjoy seeing my child after work

[If more than one box was ticked, the one with the highest number was taken]

[If no tick given and relevant comment written - code 0 i.e. 'don't see, in bed when I get home' - 'shift work' etc]

H700 Mum enjoys seeing child after work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes almost always	1	3755	39.0	85.4	85.4
yes often	2	570	5.9	13.0	98.3
not very often	3	42	.4	1.0	99.3
never	4	31	.3	.7	100.0
does not work	-2	4716	48.9	Missing	
	-1	521	5.4	Missing	
		-----	-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	4398	Missing cases	5237		

J9. b) After a day at work I find it hard to cope with a young child

[If more than one box was ticked, the one with the lowest number was taken]

[If no tick given and relevant comment written - code 0 i.e. 'don't see, in bed when I get home' - 'shift work' etc]

H701 Mum has problem coping with child after work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes almost always	1	95	1.0	2.2	2.2
yes often	2	560	5.8	13.2	15.4
not very often	3	2402	24.9	56.4	71.8
never	4	1199	12.4	28.2	100.0
does not work	-2	4716	48.9	Missing	
	-1	663	6.9	Missing	
		-----	-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	4256	Missing cases	5379		

J10. a) Do you worry about your study child when you are at work?

Yes often    Yes sometimes    No

H703 Mum worries about child while at work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes often	1	343	3.6	7.4	7.4
yes sometimes	2	1837	19.1	39.9	47.3
no	3	2425	25.2	52.7	100.0
does not work	-2	4731	49.1	Missing	
	-1	299	3.1	Missing	
		-----	-----	-----	-----
		Total	9635	100.0	100.0
Valid cases	4605	Missing cases	5030		

J10. b) Does he/she cry when you leave him/her?

Yes often      Yes sometimes      No

H704      Child cries when mum leaves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes often	1	86	.9	1.9	1.9
yes sometimes	2	1147	11.9	25.2	27.1
no	3	3325	34.5	72.9	100.0
does not work	-2	4731	49.1	Missing	
	-1	346	3.6	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases      4558      Missing cases      5077

(There was a note here for all working mothers to go now to question J13. The sign post from J3a had directed all mothers from J3a who had not worked since the study child was born to J11a. Erroneously, mothers who had started work and stopped were directed from J3c (i) to J13. Some of these however, had answered J11a).

*If you are not working:*

J11. a) Have you chosen not to work so that you can stay at home with your child?

Yes      No

H706      Mum doesn't work to stay with child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	3515	36.5	87.9	87.9
no	2	485	5.0	12.1	100.0
already works	-2	4701	48.8	Missing	
	-1	934	9.7	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases      4000      Missing cases      5635

*If no,*

J11. b) Have you been looking for work? Yes      No

H707      Mum has looked for work

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	172	1.8	24.7	24.7
no	2	523	5.4	75.3	100.0
already works	-2	4701	48.8	Missing	
	-1	4239	44.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases      695      Missing cases      8940

J11. c) *If yes, for how long have you been seeking work? months*

[Round down to next whole number of months. Convert weeks to months at a rate of 4: 1 If <month code '00']

H708		No of months mum has been looking for wo			Valid	Cum
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	17	.2	11.0	11.0
no		2	18	.2	11.7	22.7
		3	21	.2	13.6	36.4
		4	13	.1	8.4	44.8
		5	5	.1	3.2	48.1
		6	27	.3	17.5	65.6
		8	4	.0	2.6	68.2
		9	6	.1	3.9	72.1
		10	3	.0	1.9	74.0
		12	25	.3	16.2	90.3
		13	1	.0	.6	90.9
		14	1	.0	.6	91.6
		15	1	.0	.6	92.2
		18	1	.0	.6	92.9
		19	1	.0	.6	93.5
		24	6	.1	3.9	97.4
		28	1	.0	.6	98.1
		30	1	.0	.6	98.7
		32	1	.0	.6	99.4
		34	1	.0	.6	100.0
already works		-2	4701	48.8	Missing	
		-1	4780	49.6	Missing	
					-----	-----
			Total	9635	100.0	100.0
Valid cases	154	Missing cases	9481			

*J12. How has not working made you feel?*

a) *depressed*  
 J12. b) *bored*  
 J12. c) *angry*  
 J12. d) *happy*  
 J12. e) *don't mind*  
 J12. f) *other* (*plea*)

[Coder ensured that if something is written in the please describe section, that the previous boxes are ticked appropriately. If there is no tick, make one here, to indicate information in the please describe section]

H710 Mum feels depressed as no job					
Value	Label	Value	Frequency	Percent	Valid Percent
yes		1	382	4.0	7.7
no		2	4552	47.2	92.3
already works		-2	4701	48.8	Missing
-----					
		Total	9635	100.0	100.0
Valid cases		4934	Missing cases	4701	

H711 Mum feels bored as no job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	1159	12.0	23.5	23.5
no	2	3775	39.2	76.5	100.0
already works	-2	4701	48.8	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4934 Missing cases 4701

H712 Mum feels angry as no job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	171	1.8	3.5	3.5
no	2	4763	49.4	96.5	100.0
already works	-2	4701	48.8	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4934 Missing cases 4701

H713 Mum feels happy as no job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	2549	26.5	51.7	51.7
no	2	2385	24.8	48.3	100.0
already works	-2	4701	48.8	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4934 Missing cases 4701

H714 Mum doesnt mind no job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	2163	22.4	43.8	43.8
no	2	2771	28.8	56.2	100.0
already works	-2	4701	48.8	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4934 Missing cases 4701

H715 Mum has other feeling about no job

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	304	3.2	6.2	6.2
no	2	4630	48.1	93.8	100.0
already works	-2	4701	48.8	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 4934 Missing cases 4701

## J13. How many cigarettes per day do you currently smoke?

30+	25-29	20-24	15-19
10-14	5-9	1-4	none
pipe only	cigars		
	only		

H720 No of cigarettes mum smokes per day			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
None		0	7247	75.2	77.4	77.4
1-4		1	333	3.5	3.6	81.0
5-9		5	345	3.6	3.7	84.7
10-14		10	490	5.1	5.2	89.9
15-19		15	466	4.8	5.0	94.9
20-24		20	365	3.8	3.9	98.8
25-29		25	80	.8	.9	99.7
30+		30	32	.3	.3	100.0
Cigars only		-2	4	.0	Missing	
		-1	273	2.8	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9358 Missing cases 277

## H721 Grouped no. cigarettes

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
None		.00	7247	75.2	77.4	77.4
<10		1.00	678	7.0	7.2	84.7
10-19		2.00	956	9.9	10.2	94.9
20+		3.00	477	5.0	5.1	100.0
		-1.00	277	2.9	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9358 Missing cases 277

J14. a) *How much alcohol do you drink?*

*never drink alcohol*

*very occasionally (less than once a week)*

*occasionally (at least once a week)*

drink 1-2 glasses\* nearly every day

drink 3-9 glasses\* every day

*drink at least 10 glasses\* a day*

(\* by glass we mean a pub measure (1oz) of spirits, half a pint (1/4 litre) of lager or cider, a wine glass of wine, etc)

[If more than one box was ticked, the one with the highest number was taken]

## H723 Quantity of alcohol num drinks

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	don't drink	1	1116	11.6	11.7	11.7
2	< once a week	2	4367	45.3	45.7	57.4
3	> once a week	3	3074	31.9	32.2	89.5
4	1-2 glasses everyday	4	914	9.5	9.6	99.1
5	3-9 glasses everyday	5	85	.9	.9	100.0
-1		79	.8	Missing		
		-----	-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9556	Missing cases	79			

J14. b) How many days in the past month do you think you have had the equivalent of 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

5-10 days 3-4 days

1-2 days                      none

[If more than one box was ticked, the one with the lowest number was taken]

H724 Days in past month mum had 4 units alcohol

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
everyday		1	55	.6	.6	.6
> 10 days		2	445	4.6	4.7	5.3
5-10 days		3	970	10.1	10.3	15.6
3-4 days		4	1330	13.8	14.1	29.8
1-2 days		5	2569	26.7	27.3	57.1
none		6	4031	41.8	42.9	100.0
		-1	235	2.4	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9400	Missing cases	235			

J14. c) Do you or your partner make your own alcoholic drinks?

- (i) wine
  - (ii) beer
  - (iii) spirits

H725 Partner and mum make own wine

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent	
yes		1	412	4.3	4.3	4.3	
no		2	9223	95.7	95.7	100.0	
		-----		-----		-----	
		Total	9635	100.0	100.0		
Valid cases	9635	Missing cases	0				

H726 Partner and mum make own beer

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
yes		1	338	3.5	3.5	3.5
no		2	9297	96.5	96.5	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

H727 Partner and mum make spirits

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
yes		1	49	.5	.5	.5
no		2	9586	99.5	99.5	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

J15. *How difficult at the moment do you find it to afford these items:*

Very difficult Fairly difficult Slightly difficult Not difficult Paid directly by Social Security

a) *food*

[If more than one box was ticked, the one with the lowest number was taken]

H730 Mums difficulty affording food now

Value	Label	Value	Frequency	Percent	Percent	Valid Percent	Cum Percent
	very difficult	1	148	1.5	1.5	1.5	1.5
	fairly difficult	2	676	7.0	7.1	7.1	8.6
	bit difficult	3	1548	16.1	16.2	16.2	24.8
	not difficult	4	7185	74.6	75.2	75.2	100.0
		-1	78	.8	Missing		
			-----	-----	-----	-----	
		Total	9635	100.0	100.0	100.0	
Valid cases	9557	Missing cases	78				

*J15. b) clothing*

[If more than one box was ticked, the one with the lowest number was taken]

H731 Mums difficulty affording clothing now			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very difficult		1	1097	11.4	11.5	11.5
fairly difficult		2	1581	16.4	16.5	28.0
bit difficult		3	3110	32.3	32.6	60.6
not difficult		4	3766	39.1	39.4	100.0
		-1	81	.8	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9554 Missing cases 81

*J15. c) heating*

[If more than one box was ticked, the one with the lowest number was taken]

H732 Mums difficulty affording heating now			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very difficult		1	287	3.0	3.0	3.0
fairly difficult		2	894	9.3	9.4	12.5
bit difficult		3	1833	19.0	19.3	31.8
not difficult		4	6470	67.2	68.2	100.0
		-1	151	1.6	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9484 Missing cases 151

*J15. d) rent or mortgage*

[If more than one box was ticked, the one with the lowest number was taken]

H733 Mums difficulty affording rent now			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very difficult		1	299	3.1	3.2	3.2
fairly difficult		2	719	7.5	7.6	10.8
bit difficult		3	1624	16.9	17.2	27.9
not difficult		4	5913	61.4	62.5	90.5
DSS paid		5	903	9.4	9.5	100.0
		-1	177	1.8	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9458 Missing cases 177

## J15. e) things you need for this study child

[If more than one box was ticked, the one with the lowest number was taken]

H734 Mums difficulty affording items for child			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
	very difficult	1	389	4.0	4.1	4.1
	fairly difficult	2	987	10.2	10.4	14.6
	bit difficult	3	2524	26.2	26.7	41.3
	not difficult	4	5545	57.6	58.7	100.0
		-1	190	2.0	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9445	Missing cases	190			

**Derived variable**

H735 Financial difficulties score. Each of H730-4 were recoded (1,2,3,4,5,) = (3,2,1,0,3), (-1=4) unless all of H730-4 = -1 in which case H735 = -1.

H735 Financial difficulties score			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
		.00	3377	35.0	35.3	35.3
		1.00	1231	12.8	12.9	48.1
		2.00	970	10.1	10.1	58.3
		3.00	711	7.4	7.4	65.7
		4.00	601	6.2	6.3	72.0
		5.00	622	6.5	6.5	78.5
		6.00	379	3.9	4.0	82.4
		7.00	345	3.6	3.6	86.1
		8.00	271	2.8	2.8	88.9
		9.00	241	2.5	2.5	91.4
		10.00	266	2.8	2.8	94.2
		11.00	198	2.1	2.1	96.2
		12.00	137	1.4	1.4	97.7
		13.00	94	1.0	1.0	98.7
		14.00	45	.5	.5	99.1
		15.00	83	.9	.9	100.0
		-1.00	64	.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9571	Missing cases	64			

J16. *How much help would you say you had nowadays:*

*Too much help*      *Right amount of help*      *Too little help*

a) *with housework*

[If more than one box was ticked, the one with the highest number was taken]

H740      Mum has help with housework

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
too much	1	30	.3	.3	.3
right amount	2	4759	49.4	50.7	51.0
too little	3	4602	47.8	49.0	100.0
	-2	6	.1	Missing	
	-1	238	2.5	Missing	
	-----		-----		
	Total	9635	100.0	100.0	
Valid cases	9391	Missing cases	244		

J16. b) *with looking after the children*

[If more than one box was ticked, the one with the highest number was taken]

H741      Mum has help looking after children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
too much	1	34	.4	.4	.4
right amount	2	6579	68.3	69.8	70.1
too little	3	2814	29.2	29.9	100.0
	-2	3	.0	Missing	
	-1	205	2.1	Missing	
	-----		-----		
	Total	9635	100.0	100.0	
Valid cases	9427	Missing cases	208		

J17. *How many hours sleep do you get altogether now?*

*None*      *1 - 3 hours*      *4 - 5 hours*      *6 - 7 hours*      *More than 7 hours*

a) *during an average night*

[If more than one box was ticked, the one with the lowest number was taken; varies or don't know coded 9]

H744      Mums average night sleep

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	1	8	.1	.1	.1
1-3 hours	2	59	.6	.6	.7
4-5 hours	3	1041	10.8	10.9	11.6
6-7 hours	4	5340	55.4	56.1	67.8
> 7 hours	5	3067	31.8	32.2	100.0
	-1	120	1.2	Missing	
	-----		-----		
	Total	9635	100.0	100.0	
Valid cases	9515	Missing cases	120		

J17. b) *during an average day*

[If more than one box was ticked, the one with the lowest number was taken; varies or don't know coded 9]

## H745 Mums average daytime sleep

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none		1	8824	91.6	95.6	95.6
1-3 hours		2	321	3.3	3.5	99.1
4-5 hours		3	27	.3	.3	99.4
6-7 hours		4	36	.4	.4	99.8
> 7 hours		5	20	.2	.2	100.0
		-1	407	4.2	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9228 Missing cases 407

J17. c) *Do you feel that you are getting enough sleep?*

Yes

No

[Sometimes coded 3]

## H746 Mum feels getting enough sleep

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	5397	56.0	56.5	56.5
no		2	4106	42.6	43.0	99.6
Sometimes		3	41	.4	.4	100.0
		-1	91	.9	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9544 Missing cases 91

J18. *You and your study child.**The following statements are about how you feel about the study child.*

<i>This is exactly how I feel</i>	<i>This is often how I feel</i>	<i>This is sometimes how I feel</i>	<i>I never feel</i>
<i>feel</i>	<i>feel</i>	<i>feel</i>	

J18. a) *I really enjoy this child*

[If more than one box was ticked, the one with the highest number was taken]

## H748 Mum feels enjoys child

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1	mom feel exactly	1	6937	72.0	72.5	72.5
2	mom feels often	2	2277	23.6	23.8	96.3
3	mom feels sometimes	3	343	3.6	3.6	99.9
4	mom never feels	4	10	.1	.1	100.0
		-1	68	.7	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9567 Missing cases 68

*J18. b) I would have preferred that we had not had this child when we did*  
 [If more than one box was ticked, the one with the lowest number was taken]

H749 Mum feels wrong time to have child			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
1	mum feel exactly	1	187	1.9	2.0	2.0
2	mum feels often	2	98	1.0	1.0	3.0
3	mum feels sometimes	3	684	7.1	7.2	10.2
4	mum never feels	4	8576	89.0	89.8	100.0
-1		90		.9	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9545 Missing cases 90

*J18. c) I feel confident with my child*  
 [If more than one box was ticked, the one with the highest number was taken]

H750 Mum feels confident with child			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
1	mum feel exactly	1	7726	80.2	80.8	80.8
2	mum feels often	2	1506	15.6	15.8	96.6
3	mum feels sometimes	3	269	2.8	2.8	99.4
4	mum never feels	4	57	.6	.6	100.0
-1		77		.8	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9558 Missing cases 77

*J18. d) I dislike the mess that surrounds my child*  
 [If more than one box was ticked, the one with the lowest number was taken]

H751 Mum hates mess surrounding child			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
1	Mum feels exactly	1	110	1.1	1.2	1.2
2	Mum feels often	2	571	5.9	6.0	7.1
3	Mum feels sometimes	3	5167	53.6	54.1	61.3
4	Mum never feels	4	3699	38.4	38.7	100.0
-1		88		.9	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9547 Missing cases 88

*J18. e) It is a great pleasure to watch my child develop*

[If more than one box was ticked, the one with the highest number was taken]

H752 Mum enjoy seeing child develop

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Mum feels exactly	1	8423	87.4	88.1	88.1
Mum feels often	2	976	10.1	10.2	98.3
Mum feels sometimes	3	116	1.2	1.2	99.6
Mum never feels	4	43	.4	.4	100.0
	-1	77	.8	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9558 Missing cases 77

*J18. f) I really cannot bear it when the child cries*

[If more than one box was ticked, the one with the highest number was taken]

H753 Mum hates it when child cries

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Mum feels exactly	1	419	4.3	4.4	4.4
Mum feels often	2	997	10.3	10.5	14.8
Mum feels sometimes	3	4895	50.8	51.3	66.2
Mum never feels	4	3229	33.5	33.8	100.0
	-1	95	1.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9540 Missing cases 95

*J18. g) I feel constantly unsure if I'm doing the right thing for my child*

[If more than one box was ticked, the one with the lowest number was taken]

H754 Mum feels unsure acting right way for ch

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Mum feels exactly	1	216	2.2	2.3	2.3
Mum feels often	2	375	3.9	3.9	6.2
Mum feels sometimes	3	2832	29.4	29.7	35.9
Mum never feels	4	6114	63.5	64.1	100.0
	-1	98	1.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9537 Missing cases 98

J18. h) *I feel I should be enjoying my child but am not*

[If more than one box was ticked, the one with the lowest number was taken]

H755 Mum feels should enjoy child but isn't			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Mum feels exactly		1	72	.7	.8	.8
Mum feels often		2	195	2.0	2.0	2.8
Mum feels sometimes		3	1605	16.7	16.8	19.6
Mum never feels		4	7670	79.6	80.4	100.0
		-1	93	1.0	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9542	Missing cases	93			

J18. i) *I feel I have no time to myself*

[If more than one box was ticked, the one with the lowest number was taken]

H756 Mum feels has no time alone			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Mum feels exactly		1	614	6.4	6.4	6.4
Mum feels often		2	1427	14.8	15.0	21.4
Mum feels sometimes		3	5831	60.5	61.1	82.5
Mum never feels		4	1673	17.4	17.5	100.0
		-1	90	.9	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9545	Missing cases	90			

J18. j) *Having this child has made me feel more fulfilled*

[If more than one box was ticked, the one with the highest number was taken]

H757 Child has made mum feel more fulfilled			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Mum feels exactly		1	4662	48.4	49.2	49.2
Mum feels often		2	2706	28.1	28.5	77.7
Mum feels sometimes		3	1590	16.5	16.8	94.5
Mum never feels		4	525	5.4	5.5	100.0
		-1	152	1.6	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9483	Missing cases	152			

## J18. k) children are fun

[If more than one box was ticked, the one with the highest number was taken]

H758 Mum feels children are fun		Valid	Cum		
Value	Label	Frequency	Percent	Percent	Percent
Mum feels exactly	1	5911	61.3	61.9	61.9
Mum feels often	2	2770	28.7	29.0	90.9
Mum feels sometimes	3	837	8.7	8.8	99.7
Mum never feels	4	32	.3	.3	100.0
	-1	85	.9	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9550 Missing cases 85

**Derived variables**

Recode as follows:

H748, H750, H752, H757, H758: (1=3) (2=2) (3=1) (4=0)  
 H747, H751, H753-6: (1=0) (2=1) (3=2) (4=3)

**Maternal enjoyment score**

H760 = H748 + H752 + H755 + H757 + H758.

If any of the component variables = -1, H760 = -1

H760 Maternal enjoyment score		Valid	Cum		
Value	Label	Frequency	Percent	Percent	Percent
1.00		1	.0	.0	.0
2.00		3	.0	.0	.0
3.00		7	.1	.1	.1
4.00		18	.2	.2	.3
5.00		37	.4	.4	.7
6.00		69	.7	.7	1.4
7.00		127	1.3	1.3	2.8
8.00		199	2.1	2.1	4.9
9.00		346	3.6	3.7	8.5
10.00		492	5.1	5.2	13.7
11.00		746	7.7	7.9	21.6
12.00		1013	10.5	10.7	32.4
13.00		1275	13.2	13.5	45.8
14.00		1502	15.6	15.9	61.7
15.00		3616	37.5	38.3	100.0
-1.00		184	1.9	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases 9451 Missing cases 184

If any component variables = -1, each variable is coded to the mode, unless all = -1.

H761 Mat.enjoyment score:modes/missing values			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
1.00		1	.0	.0	.0	.0
2.00		3	.0	.0	.0	.0
3.00		7	.1	.1	.1	.1
4.00		18	.2	.2	.3	.3
5.00		37	.4	.4	.7	.7
6.00		69	.7	.7	1.4	1.4
7.00		128	1.3	1.3	2.7	2.7
8.00		201	2.1	2.1	4.8	4.8
9.00		348	3.6	3.6	8.5	8.5
10.00		496	5.1	5.2	13.7	13.7
11.00		755	7.8	7.9	21.5	21.5
12.00		1026	10.6	10.7	32.2	32.2
13.00		1290	13.4	13.5	45.7	45.7
14.00		1539	16.0	16.1	61.8	61.8
15.00		3661	38.0	38.2	100.0	100.0
-1.00		56	.6	Missing		
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9579 Missing cases 56

H762 Mat. enjoyment score: no.missing values			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
.00		.00	9451	98.1	98.1	98.1
1.00		1.00	97	1.0	1.0	99.1
2.00		2.00	10	.1	.1	99.2
3.00		3.00	6	.1	.1	99.3
4.00		4.00	15	.2	.2	99.4
5.00		5.00	56	.6	.6	100.0
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**Maternal confidence score**

$$H763 = H749 + H750 + H751 + H753 + H754 + H756$$

If any of the component variables = -1, H763 = -1

H763 Maternal confidence score			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
2.00		1		.0	.0	.0
3.00		3		.0	.0	.0
4.00		3		.0	.0	.1
5.00		6		.1	.1	.1
6.00		17		.2	.2	.3
7.00		42		.4	.4	.8
8.00		65		.7	.7	1.4
9.00		121		1.3	1.3	2.7
10.00		212		2.2	2.2	5.0
11.00		405		4.2	4.3	9.3
12.00		671		7.0	7.1	16.4
13.00		1101		11.4	11.6	28.0
14.00		1472		15.3	15.6	43.6
15.00		1949		20.2	20.6	64.2
16.00		1647		17.1	17.4	81.6
17.00		1123		11.7	11.9	93.5
18.00		613		6.4	6.5	100.0
-1.00		184		1.9	Missing	
			-----	-----	-----	
Total		9635		100.0	100.0	

Valid cases 9451 Missing cases 184

If any of the component variables = -1, each put to the mode unless all = -1

H764 Mat. confid. score: modes/missing values			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
2.00		1		.0	.0	.0
3.00		3		.0	.0	.0
4.00		3		.0	.0	.1
5.00		7		.1	.1	.1
6.00		18		.2	.2	.3
7.00		43		.4	.4	.8
8.00		68		.7	.7	1.5
9.00		122		1.3	1.3	2.8
10.00		215		2.2	2.2	5.0
11.00		409		4.2	4.3	9.3
12.00		682		7.1	7.1	16.4
13.00		1117		11.6	11.7	28.1
14.00		1494		15.5	15.6	43.7
15.00		1980		20.6	20.7	64.3
16.00		1667		17.3	17.4	81.7
17.00		1135		11.8	11.8	93.6
18.00		616		6.4	6.4	100.0
-1.00		55		.6	Missing	
			-----	-----	-----	
Total		9635		100.0	100.0	

Valid cases 9580 Missing cases 55

H765 Mat.confidence score: no.missing values

Value	Label	Value	Frequency	Percent	Percent	Percent
.00		9451	98.1	98.1	98.1	
1.00		88	.9	.9	99.0	
2.00		20	.2	.2	99.2	
3.00		5	.1	.1	99.3	
4.00		15	.2	.2	99.4	
5.00		1	.0	.0	99.4	
6.00		55	.6	.6	100.0	
<hr/>						
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

### Maternal bonding score

H766 = H760 + H763

If either of the component variables = -1, H766 = -1

H766 Maternal bonding score

Value	Label	Value	Frequency	Percent	Percent	Percent
3.00		1	.0	.0	.0	
7.00		1	.0	.0	.0	
8.00		1	.0	.0	.0	
9.00		3	.0	.0	.1	
10.00		4	.0	.0	.1	
11.00		5	.1	.1	.2	
12.00		7	.1	.1	.2	
13.00		18	.2	.2	.4	
14.00		27	.3	.3	.7	
15.00		24	.2	.3	1.0	
16.00		43	.4	.5	1.4	
17.00		62	.6	.7	2.1	
18.00		89	.9	.9	3.0	
19.00		105	1.1	1.1	4.2	
20.00		145	1.5	1.5	5.7	
21.00		191	2.0	2.0	7.7	
22.00		278	2.9	3.0	10.7	
23.00		324	3.4	3.5	14.2	
24.00		449	4.7	4.8	19.0	
25.00		560	5.8	6.0	24.9	
26.00		661	6.9	7.1	32.0	
27.00		843	8.7	9.0	41.0	
28.00		1008	10.5	10.8	51.7	
29.00		1010	10.5	10.8	62.5	
30.00		1279	13.3	13.6	76.1	
31.00		1025	10.6	10.9	87.1	
32.00		729	7.6	7.8	94.9	
33.00		482	5.0	5.1	100.0	
-1.00		261	2.7	Missing		
<hr/>						
		Total	9635	100.0	100.0	

Valid cases 9374 Missing cases 261

## H761 + H764

## H767 Mat. bonding score: modes/missing values

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
3.00		1	.0	.0	.0	.0
7.00		1	.0	.0	.0	.0
8.00		1	.0	.0	.0	.0
9.00		3	.0	.0	.0	.1
10.00		4	.0	.0	.0	.1
11.00		5	.1	.1	.1	.2
12.00		8	.1	.1	.1	.2
13.00		18	.2	.2	.2	.4
14.00		27	.3	.3	.3	.7
15.00		24	.2	.3	.3	1.0
16.00		44	.5	.5	.5	1.4
17.00		63	.7	.7	.7	2.1
18.00		90	.9	.9	.9	3.0
19.00		106	1.1	1.1	1.1	4.1
20.00		148	1.5	1.5	1.5	5.7
21.00		194	2.0	2.0	2.0	7.7
22.00		287	3.0	3.0	3.0	10.7
23.00		329	3.4	3.4	3.4	14.1
24.00		461	4.8	4.8	4.8	18.9
25.00		577	6.0	6.0	6.0	25.0
26.00		672	7.0	7.0	7.0	32.0
27.00		866	9.0	9.0	9.0	41.0
28.00		1030	10.7	10.8	10.8	51.8
29.00		1027	10.7	10.7	10.7	62.5
30.00		1325	13.8	13.8	13.8	76.3

H767 contd.

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
31.00		1045	10.8	10.9	10.9	87.2
32.00		739	7.7	7.7	7.7	94.9
33.00		484	5.0	5.1	5.1	100.0
-1.00		56	.6	Missing		
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9579 Missing cases 56

**SECTION K: YOUR NEIGHBOURHOOD**

**K1. a) Do the other people in your neighbourhood:**

*No, never*   *Rarely*   *Sometimes*   *Often*   *Always*

*i) visit your home*

[If more than one box was ticked, the one with the lowest number was taken]

H770      Neighbours visit mums home

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no never		1	1345	14.0	14.1	14.1
rarely		2	1853	19.2	19.4	33.5
sometimes		3	3930	40.8	41.1	74.6
often		4	2115	22.0	22.1	96.7
always		5	314	3.3	3.3	100.0
		-1	78	.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases    9557      Missing cases    78

*ii) argue with you*

[If more than one box was ticked, the one with the highest number was taken]

H771      Neighbours argue with mum

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no never		1	8183	84.9	85.9	85.9
rarely		2	1055	10.9	11.1	96.9
sometimes		3	256	2.7	2.7	99.6
often		4	22	.2	.2	99.8
always		5	15	.2	.2	100.0
		-1	104	1.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases    9531      Missing cases    104

*iii) look after your children*

[If more than one box was ticked, the one with the lowest number was taken]

H772      Neighbours look after mums children

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no never		1	4737	49.2	49.6	49.6
rarely		2	1835	19.0	19.2	68.8
sometimes		3	2596	26.9	27.2	96.0
often		4	355	3.7	3.7	99.7
always		5	28	.3	.3	100.0
		-1	84	.9	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases    9551      Missing cases    84

iv) *keep to themselves*

[If more than one box was ticked, the one with the highest number was taken]

## H773 Neighbours keep to themselves

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no never	1	671	7.0	7.1	7.1
rarely	2	1119	11.6	11.8	18.9
sometimes	3	3482	36.1	36.7	55.5
often	4	3059	31.7	32.2	87.8
always	5	1160	12.0	12.2	100.0
	-1	144	1.5	Missing	
	Total	9635	100.0	100.0	
Valid cases	9491	Missing cases	144		

## K1. b) Do you:

No, never	Rarely	Some-times	Often	Always
-----------	--------	------------	-------	--------

i) *visit the home of your neighbours*

[If more than one box was ticked, the one with the lowest number was taken]

## H774 Mum visits neighbours homes

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no never	1	1745	18.1	18.3	18.3
rarely	2	2021	21.0	21.2	39.4
sometimes	3	4106	42.6	43.0	82.4
often	4	1504	15.6	15.7	98.1
always	5	177	1.8	1.9	100.0
	-1	82	.9	Missing	
	Total	9635	100.0	100.0	
Valid cases	9553	Missing cases	82		

ii) *argue with your neighbours*

[If more than one box was ticked, the one with the highest number was taken]

## H775 Mum argues with neighbours

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no never	1	8372	86.9	87.7	87.7
rarely	2	927	9.6	9.7	97.4
sometimes	3	218	2.3	2.3	99.7
often	4	14	.1	.1	99.8
always	5	17	.2	.2	100.0
	-1	87	.9	Missing	
	Total	9635	100.0	100.0	
Valid cases	9548	Missing cases	87		

*iii) look after your neighbours' children*

[If more than one box was ticked, the one with the lowest number was taken]

H776 Mum looks after neighbours children			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
no never		1	5005	51.9	52.5	52.5
rarely		2	1469	15.2	15.4	67.9
sometimes		3	2668	27.7	28.0	95.9
often		4	371	3.9	3.9	99.8
always		5	23	.2	.2	100.0
		-1	99	1.0	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9536 Missing cases 99

*iv) keep to yourself*

[If more than one box was ticked, the one with the highest number was taken]

H777 Mum keeps to self			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
no never		1	969	10.1	10.2	10.2
rarely		2	1143	11.9	12.0	22.2
sometimes		3	3623	37.6	38.1	60.3
often		4	2595	26.9	27.3	87.6
always		5	1175	12.2	12.4	100.0
		-1	130	1.3	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9505 Missing cases 130

K2. *What do you think of your neighbourhood as a place to live?**a very good place to live**a fairly good place to live**not a very good place to live**not at all a good place to live*

[If more than one box was ticked, the one with the highest number was taken]

H778 Mum feels neighbourhood is good place to			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very good		1	4489	46.6	46.9	46.9
fairly good		2	4563	47.4	47.7	94.6
not very good		3	408	4.2	4.3	98.9
not at all good		4	104	1.1	1.1	100.0
		-1	71	.7	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9564 Missing cases 71

K3. *How heavy is the traffic on the street where you live?*

- very heavy*
- quite heavy*
- not very heavy*
- hardly any traffic*

[If more than one box was ticked, the one with the lowest number was taken]

H779 Heaviness of traffic on mums street			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
very heavy		1	595	6.2	6.2	6.2
quite heavy		2	1780	18.5	18.6	24.9
not very heavy		3	3581	37.2	37.5	62.3
hardly any		4	3597	37.3	37.7	100.0
		-1	82	.9	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	9553	Missing cases	82			

## SECTION L: MORE ABOUT YOUR STUDY PREGNANCY

*It is now a long time since your study baby was born, but as the result of our research so far there are some more questions we would like to ask about that time.*

**L0. At the time you became pregnant about how many silver (amalgam) fillings did you have in your mouth?**

*None      One      2-3      4 or more      don't remember*

[If more than one box was ticked, the one with the highest number was taken]

H790      No of silver fillings when pregnant		Valid	Cum				
Value	Label	Value	Frequency	Percent	Percent	Percent	
none		0	677	7.0	7.8	7.8	
one		1	490	5.1	5.7	13.5	
2-3		2	1441	15.0	16.7	30.2	
4 or more		3	6035	62.6	69.8	100.0	
		-1	992	10.3	Missing		
		-----		-----		-----	
Total		9635	100.0	100.0			
Valid cases	8643	Missing cases	992				

**L1. During your study pregnancy, did you go to the dentist at all?**

*Yes      No      Unsure*

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H791      Mum visited dentist when pregnant		Valid	Cum				
Value	Label	Value	Frequency	Percent	Percent	Percent	
yes		1	8229	85.4	86.1	86.1	
no		2	1110	11.5	11.6	97.7	
unsure		3	222	2.3	2.3	100.0	
		-1	74	.8	Missing		
		-----		-----		-----	
Total		9635	100.0	100.0			
Valid cases	9561	Missing cases	74				

*If yes,*

**L1. (a) did you have any teeth out?      Yes      No**

H792      Mum had teeth out when pregnant		Valid	Cum				
Value	Label	Value	Frequency	Percent	Percent	Percent	
yes		1	359	3.7	3.8	3.8	
no		2	9054	94.0	96.2	100.0	
		-1	222	2.3	Missing		
		-----		-----		-----	
Total		9635	100.0	100.0			
Valid cases	9413	Missing cases	222				

L1. (b) *did you have any new silver (dental amalgam) fillings put in?* Yes No

H793 Mum had new silver filling when pregnant			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	2267	23.5	24.1	24.1
no		2	7146	74.2	75.9	100.0
		-1	222	2.3	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9413	Missing cases	222			

L1. (c) *did you have any old silver (dental amalgam) fillings taken out?* Yes No

H794 Mum had silver filling removed when preg			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	1441	15.0	15.3	15.3
no		2	7972	82.7	84.7	100.0
		-1	222	2.3	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9413	Missing cases	222			

L1. (d) *did you have dental gas?* Yes No

H795 Mum had dental gas when pregnant			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	44	.5	.5	.5
no		2	9369	97.2	99.5	100.0
		-1	222	2.3	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9413	Missing cases	222			

L1. (e) *did you have a dental X ray?* Yes No

H796 Mum had dental x-ray when pregnant			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	734	7.6	7.8	7.8
no		2	8679	90.1	92.2	100.0
		-1	222	2.3	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9413	Missing cases	222			

*If yes, how many X rays altogether during the study pregnancy?  
times*

H797 No of x-rays when mum pregnant			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
		0	8689	90.2	92.6	92.6
		1	512	5.3	5.5	98.0
		2	158	1.6	1.7	99.7
		3	19	.2	.2	99.9
		4	5	.1	.1	100.0
		5	1	.0	.0	100.0
		-1	251	2.6	Missing	
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9384 Missing cases 251

*L2. a) During the first months of the study pregnancy, did you have any bleeding episodes?*

*Yes*                    *No*                    *Don't know*

H800 Mum had bleeding during pregnancy			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	1880	19.5	20.0	20.0
no		2	7432	77.1	79.0	99.0
dk		3	97	1.0	1.0	100.0
		-1	226	2.3	Missing	
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9409 Missing cases 226

*L2. b) If yes, please describe these:*

*spotting only*                    *one bleed a bit like a period*  
*quite heavy bleeding*            *other please describe*

[If comments written in please describe section, make sure other box ticked. If multiple ticks given, recode as other and out number of each box ticked on please describe line i.e. 1+2 or 2+3]

H801 Desc of mums bleeding during pregnancy			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
spotting only		1	998	10.4	54.2	54.2
like a period		2	516	5.4	28.0	82.2
quite heavy		3	194	2.0	10.5	92.7
other		4	134	1.4	7.3	100.0
		-2	7432	77.1	Missing	
		-1	361	3.7	Missing	
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 1842 Missing cases 7793

*L3. Are you and the father of the study child related by blood to one another?*

*No, not at all*      *Yes, 1st cousins*  
*Yes, other (please describe)*

[Coder ensured that if something is written in the please describe section, that the previous boxes are ticked appropriately. If there is no tick, make one here, to indicate information in the please describe section]

H805 Mum and dad are related by blood

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no not at all	1	9451	98.1	99.8	99.8
yes 1st cousins	2	6	.1	.1	99.8
yes other	3	16	.2	.2	100.0
	-1	162	1.7	Missing	
	<hr/>				
	Total	9635	100.0	100.0	

Valid cases 9473 Missing cases 162

#### *L4. ULTRASOUND in your Study Child's pregnancy.*

a) Please try to remember where and when you had ultrasound scans and list them below, if you can (including miniscans).

L4. b) Were any of these called Doppler scans, (with a wave pattern on the screen and the sound of your baby's heartbeat)?

Yes No Don't know

H810            Mum had doppler scan

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	1188	12.3	13.4	13.4
no		2	4442	46.1	50.0	63.4
dk		9	3248	33.7	36.6	100.0
		-1	757	7.9	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 8878 Missing cases 757

H810A      Mum had doppler scan, Y/N

Value	Label	Value	Frequency	Percent	Valid	Cum
					Percent	Percent
Yes		1.00	1188	12.3	12.3	12.3
No		2.00	8447	87.7	87.7	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*If yes, put a \* by each such scan above.*

L4. c) Were any of the scans:

Yes No Don't know

(i) to look at the baby's movements?

H811 Mums scan to look at child's movements			Valid Percent	Cum Percent		
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	4268	44.3	54.6	54.6
no		2	2009	20.9	25.7	80.3
dk		9	1536	15.9	19.7	100.0
		-1	1822	18.9	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	7813	Missing cases	1822			

H811A Mum's scan/look at child's movements, Y/N			Valid Percent	Cum Percent		
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	4268	44.3	44.3	44.3
No		2.00	5367	55.7	55.7	100.0
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

(ii) to see if the child was growing properly?

H812 Mums scan to see if child growing well			Valid Percent	Cum Percent		
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	6159	63.9	74.6	74.6
no		2	1181	12.3	14.3	88.9
dk		9	920	9.5	11.1	100.0
		-1	1375	14.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	8260	Missing cases	1375			

H812A Mum's scan/see if child growing well, Y/N			Valid Percent	Cum Percent		
Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	6159	63.9	63.9	63.9
No		2.00	3476	36.1	36.1	100.0
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*(iii) other reason (please tick and describe)*

[If relevant comment written and box not ticked, relevant box ticked by coder]

H813 Mums scan for other reason

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	2693	28.0	51.6	51.6
no		2	1437	14.9	27.5	79.1
dk		9	1091	11.3	20.9	100.0
		-1	4414	45.8	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 5221 Missing cases 4414

H813A Mum's scan for other reason, Y/N

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	2693	28.0	28.0	28.0
No		2.00	6942	72.0	72.0	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*(iv) vaginal? (i.e. the probe was put into the vagina)*

H814 Mum had vaginal scan

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes		1	184	1.9	2.5	2.5
no		2	7156	74.3	95.5	98.0
dk		9	151	1.6	2.0	100.0
		-1	2144	22.3	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 7491 Missing cases 2144

H814A Mum had vaginal scan, Y/N

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes		1.00	184	1.9	1.9	1.9
No		2.00	9451	98.1	98.1	100.0
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**SECTION M: CHEMICALS IN YOUR ENVIRONMENT**

**M1.** In the last few months, how often have you used the following at home:

Every      Most About      Less      Not  
 day      days once a      than once      at all  
 week      a week

a) *disinfectant*

[If more than one box was ticked, the one with the lowest number was taken]

H820      Mum used disinfectant > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	809	8.4	8.5	8.5
most days		2	2757	28.6	29.0	37.5
Apr once a week		3	3485	36.2	36.7	74.2
< once a week		4	1701	17.7	17.9	92.0
not at all		5	756	7.8	8.0	100.0
		-1	127	1.3	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases      9508      Missing cases      127

H820A      Mum used disinfectant > few months, Y/N			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	8752	90.8	90.8	90.8
No		2.00	883	9.2	9.2	100.0
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases      9635      Missing cases      0

**M1. b) bleach**

[If more than one box was ticked, the one with the lowest number was taken]

H821 Mum used bleach > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	501	5.2	5.2	5.2
most days		2	2065	21.4	21.6	26.9
Apr once a week		3	4308	44.7	45.1	72.0
< once a week		4	1880	19.5	19.7	91.7
not at all		5	794	8.2	8.3	100.0
		-1	87	.9	Missing	
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9548 Missing cases 87

H821A Mum used bleach > few months, Y/N			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	8754	90.9	90.9	90.9
No		2.00	881	9.1	9.1	100.0
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**M1. c) window cleaner**

[If more than one box was ticked, the one with the lowest number was taken]

H822 Mum used window cleaner > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	32	.3	.3	.3
most days		2	189	2.0	2.0	2.3
Apr once a week		3	1653	17.2	17.3	19.6
< once a week		4	5474	56.8	57.4	77.0
not at all		5	2194	22.8	23.0	100.0
		-1	93	1.0	Missing	
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9542 Missing cases 93

H822A Mum used window cleaner > few months, Y/N			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	7348	76.3	76.3	76.3
No		2.00	2287	23.7	23.7	100.0
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*M1. d) chemical carpet cleaner*

[If more than one box was ticked, the one with the lowest number was taken]

H823 Mum used carpet cleaner > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	17	.2	.2	.2
most days		2	63	.7	.7	.8
Apr once a week		3	366	3.8	3.8	4.7
< once a week		4	3348	34.7	35.1	39.8
not at all		5	5747	59.6	60.2	100.0
		-1	94	1.0	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9541	Missing cases	94			

## H823A Mum used carpet cleaner &gt; few months, Y/N

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	3794	39.4	39.4	39.4
No		2.00	5841	60.6	60.6	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*M1. e) oven/drain cleaner*

[If more than one box was ticked, the one with the lowest number was taken]

H824 Mum used oven cleaner > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	22	.2	.2	.2
most days		2	70	.7	.7	1.0
Apr once a week		3	409	4.2	4.3	5.3
< once a week		4	3716	38.6	39.0	44.2
not at all		5	5323	55.2	55.8	100.0
		-1	95	1.0	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9540	Missing cases	95			

## H824A Mum used oven cleaner &gt; few months, Y/N

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	4217	43.8	43.8	43.8
No		2.00	5418	56.2	56.2	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*M1. f) dry cleaning fluid*

[If more than one box was ticked, the one with the lowest number was taken]

H825 Mum used dry cleaning fluid > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	11	.1	.1	.1
most days		2	29	.3	.3	.4
Apr once a week		3	51	.5	.5	1.0
< once a week		4	426	4.4	4.5	5.4
not at all		5	9012	93.5	94.6	100.0
		-1	106	1.1	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9529	Missing cases	106			

## H825A Mum used dry clean.fluid &gt;few months, Y/N

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	517	5.4	5.4	5.4
No		2.00	9118	94.6	94.6	100.0
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*M1. g) turpentine/white spirit*

[If more than one box was ticked, the one with the lowest number was taken]

H826 Mum used turpentine > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	5	.1	.1	.1
most days		2	20	.2	.2	.3
Apr once a week		3	149	1.5	1.6	1.8
< once a week		4	2348	24.4	24.6	26.4
not at all		5	7015	72.8	73.6	100.0
		-1	98	1.0	Missing	
		Total	9635	100.0	100.0	
Valid cases	9537	Missing cases	98			

## H826A Mum used turpentine &gt; few months, Y/N

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	2522	26.2	26.2	26.2
No		2.00	7113	73.8	73.8	100.0
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*M1. h) paint stripper*

[If more than one box was ticked, the one with the lowest number was taken]

H827 Mum used paint stripper > few months				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
everyday	1	4	.0	.0	.0
most days	2	4	.0	.0	.1
Apr once a week	3	26	.3	.3	.4
< once a week	4	623	6.5	6.5	6.9
not at all	5	8878	92.1	93.1	100.0
	-1	100	1.0	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 9535 Missing cases 100

H827A Mum used paint stripper > few months, Y/N				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1.00	657	6.8	6.8	6.8
No	2.00	8978	93.2	93.2	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*M1. i) household paint or varnish*

[If more than one box was ticked, the one with the lowest number was taken]

H828 Mum used paint or varnish > few months				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
everyday	1	8	.1	.1	.1
most days	2	48	.5	.5	.6
Apr once a week	3	262	2.7	2.7	3.3
< once a week	4	3199	33.2	33.6	36.9
not at all	5	6017	62.4	63.1	100.0
	-1	101	1.0	Missing	
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9534 Missing cases 101

H828A Mum used paint/varnish > few months, Y/N				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1.00	3517	36.5	36.5	36.5
No	2.00	6118	63.5	63.5	100.0
	-----	-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*M1. j) weed killers*

[If more than one box was ticked, the one with the lowest number was taken]

H829 Mum used weed killers > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	2	.0	.0	.0
most days		2	1	.0	.0	.0
Apr once a week		3	34	.4	.4	.4
< once a week		4	1195	12.4	12.5	12.9
not at all		5	8300	86.1	87.1	100.0
		-1	103	1.1	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9532 Missing cases 103

H829A Mum used weed killers > few months, Y/N			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	1232	12.8	12.8	12.8
No		2.00	8403	87.2	87.2	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*M1. k) pesticides/insect killers*

[If more than one box was ticked, the one with the lowest number was taken]

H830 Mum used pesticides > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	11	.1	.1	.1
most days		2	61	.6	.6	.8
Apr once a week		3	245	2.5	2.6	3.3
< once a week		4	1766	18.3	18.6	21.9
not at all		5	7417	77.0	78.1	100.0
		-1	135	1.4	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9500 Missing cases 135

H830A Mum used pesticides > few months, Y/N			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	2083	21.6	21.6	21.6
No		2.00	7552	78.4	78.4	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**M1. l) air fresheners (spray, stick or aerosol)**

[If more than one box was ticked, the one with the lowest number was taken]

H831 Mum used air freshners > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	957	9.9	10.1	10.1
most days		2	2028	21.0	21.3	31.4
Apr once a week		3	1892	19.6	19.9	51.3
< once a week		4	1652	17.1	17.4	68.7
not at all		5	2976	30.9	31.3	100.0
		-1	130	1.3	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9505 Missing cases 130

H831A Mum used air fresheners > few months, Y/N			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	6529	67.8	67.8	67.8
No		2.00	3106	32.2	32.2	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

**M1. m) other aerosols or sprays including hair spray**

[If more than one box was ticked, the one with the lowest number was taken]

H832 Mum used other aerosols > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	2577	26.7	27.1	27.1
most days		2	2459	25.5	25.9	53.0
Apr once a week		3	1008	10.5	10.6	63.7
< once a week		4	1031	10.7	10.9	74.5
not at all		5	2420	25.1	25.5	100.0
		-1	140	1.5	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9495 Missing cases 140

**H832A Mum used other aerosols > few months, Y/N**

H832A Mum used other aerosols > few months, Y/N			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	7075	73.4	73.4	73.4
No		2.00	2560	26.6	26.6	100.0
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*M1. n) vacuum cleaner*

[If more than one box was ticked, the one with the lowest number was taken]

H833 Mum used vacuum cleaner > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	3297	34.2	34.6	34.6
most days		2	3667	38.1	38.5	73.1
Apr once a week		3	2199	22.8	23.1	96.2
< once a week		4	252	2.6	2.6	98.9
not at all		5	107	1.1	1.1	100.0
		-1	113	1.2	Missing	
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9522 Missing cases 113

H833A Mum used vacuum cleaner > few months, Y/N			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	9415	97.7	97.7	97.7
No		2.00	220	2.3	2.3	100.0
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*M1. o) broom/carpet sweeper*

[If more than one box was ticked, the one with the lowest number was taken]

H834 Mum used broom > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	1104	11.5	11.6	11.6
most days		2	1891	19.6	19.9	31.6
Apr once a week		3	1311	13.6	13.8	45.4
< once a week		4	893	9.3	9.4	54.8
not at all		5	4291	44.5	45.2	100.0
		-1	145	1.5	Missing	
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9490 Missing cases 145

H834A Mum used broom > few months, Y/N			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	5199	54.0	54.0	54.0
No		2.00	4436	46.0	46.0	100.0
				-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

*M1. p) glue*

[If more than one box was ticked, the one with the lowest number was taken]

H835		Mum used glue > few months			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
everyday		1	12	.1	.1
most days		2	135	1.4	1.4
Apr once a week		3	877	9.1	9.2
< once a week		4	3561	37.0	37.4
not at all		5	4925	51.1	51.8
		-1	125	1.3	Missing
		-----		-----	
		Total	9635	100.0	100.0
Valid cases	9510	Missing cases	125		

H835A		Mum used glue > few months, Y/N			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
Yes		1.00	4585	47.6	47.6
No		2.00	5050	52.4	52.4
		-----		-----	
		Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0		

*M1. q) nail varnish/acetone*

[If more than one box was ticked, the one with the lowest number was taken]

H836		Mum used nail varnish > few months			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
everyday		1	23	.2	.2
most days		2	100	1.0	1.1
Apr once a week		3	577	6.0	6.1
< once a week		4	2165	22.5	22.7
not at all		5	6655	69.1	69.9
		-1	115	1.2	Missing
		-----		-----	
		Total	9635	100.0	100.0
Valid cases	9520	Missing cases	115		

H836A		Mum used nail varnish > few months, Y/N			
Value	Label	Value	Frequency	Percent	Valid Percent
				Cum Percent	
Yes		1.00	2865	29.7	29.7
No		2.00	6770	70.3	70.3
		-----		-----	
		Total	9635	100.0	100.0
Valid cases	9635	Missing cases	0		

**M1. r) metal cleaners/degreasers, polishers**

[If more than one box was ticked, the one with the lowest number was taken]

H837 Mum used metal cleaners > few months				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
everyday		1	113	1.2	1.2
most days		2	187	1.9	2.0
Apr once a week		3	511	5.3	5.4
< once a week		4	1380	14.3	14.5
not at all		5	7312	75.9	76.9
		-1	132	1.4	Missing
				-----	-----
		Total	9635	100.0	100.0

Valid cases 9503 Missing cases 132

**H837A Mum used metal cleaners > few months, Y/N**

H837A Mum used metal cleaners > few months, Y/N				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1.00	2191	22.7	22.7
No		2.00	7444	77.3	100.0
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

**M1. s) petrol**

[If more than one box was ticked, the one with the lowest number was taken]

H838 Mum used petrol > few months				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
everyday		1	155	1.6	1.6
most days		2	262	2.7	2.8
Apr once a week		3	1438	14.9	15.1
< once a week		4	1015	10.5	10.7
not at all		5	6644	69.0	69.8
		-1	121	1.3	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9514 Missing cases 121

**H838A Mum used petrol > few months, Y/N**

H838A Mum used petrol > few months, Y/N				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1.00	2870	29.8	29.8
No		2.00	6765	70.2	100.0
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 9635 Missing cases 0

**M1. t) moth repellant (moth balls)**

[If more than one box was ticked, the one with the lowest number was taken]

H839 Mum used moth balls > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	23	.2	.2	.2
most days		2	8	.1	.1	.3
Apr once a week		3	6	.1	.1	.4
< once a week		4	125	1.3	1.3	1.7
not at all		5	9336	96.9	98.3	100.0
		-1	137	1.4	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9498	Missing cases	137			

**H839A Mum used mothballs > few months, Y/N**

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	162	1.7	1.7	1.7
No		2.00	9473	98.3	98.3	100.0
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

**M1. u) other chemical (please tick and describe)**

[If more than one box was ticked, the one with the lowest number was taken]

H840 Mum used other chemical > few months			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
everyday		1	67	.7	.9	.9
most days		2	84	.9	1.2	2.1
Apr once a week		3	76	.8	1.1	3.2
< once a week		4	91	.9	1.3	4.5
not at all		5	6769	70.3	95.5	100.0
		-1	2548	26.4	Missing	
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	7087	Missing cases	2548			

**H840A Mum used other chemical > few months, Y/N**

			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1.00	318	3.3	3.3	3.3
No		2.00	9317	96.7	96.7	100.0
					-----	-----
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

*M2. Is your study child ever exposed to other chemicals or fumes?*

*Yes*                    *No*

[*sometimes* coded as 3]

H841                    Child is exposed to other chemicals		Valid	Cum				
Value	Label	Value	Frequency	Percent	Percent	Percent	
yes		1	534	5.5	5.6	5.6	
no		2	8918	92.6	94.4	100.0	
		-1	183	1.9	Missing		
		-----		-----		-----	
		Total	9635	100.0	100.0		
Valid cases	9452	Missing cases	183				

*If yes, please describe:*

[Keyed as text]

*M3. What type of powder or detergent do you usually wash the study child's clothes in?*

*Please list:*

*Brand*                    *Type (e.g. biological)*  
 [Keyed as text]

M4. How often during the day are you in a room or enclosed place where people are smoking?

- (i) (ii)  
weekdays weekends

all the time

more than 5 hours

3-5 hours

1-2 hours

less than 1 hour

not at all

[If more than one box was ticked, the one with the lowest number was taken]

H845 Time mum in smoky room in week

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
all the time	1	331	3.4	3.5	3.5
> 5 hours	2	352	3.7	3.7	7.2
3-5 hours	3	576	6.0	6.1	13.3
1-2 hours	4	751	7.8	7.9	21.3
< 1 hour	5	1350	14.0	14.3	35.6
not at all	6	6088	63.2	64.4	100.0
	-1	187	1.9	Missing	
	Total	9635	100.0	100.0	

Valid cases 9448 Missing cases 187

H846 Time mum in smoky room at weekend

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
all the time	1	366	3.8	3.9	3.9
> 5 hours	2	523	5.4	5.6	9.5
3-5 hours	3	735	7.6	7.8	17.3
1-2 hours	4	908	9.4	9.7	27.0
< 1 hour	5	1528	15.9	16.3	43.3
not at all	6	5315	55.2	56.7	100.0
	-1	260	2.7	Missing	
	Total	9635	100.0	100.0	

Valid cases 9375 Missing cases 260

**SECTION N: HEALTH SERVICES**

*N0. Most young children get an ear problem at some time. Has your study child ever had an earache or ear infection?*

*Yes*   *No*

H850      Child had earache or ear infection		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes		1	4714	48.9	49.4	49.4
no		2	4826	50.1	50.6	100.0
		-1	95	1.0	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	9540	Missing cases	95			

*If your child has had earache or ear infections, please answer the following questions.*

*N1. When your 'Children of the Nineties' child has an earache or ear infection, what do you do?*

*Always              Usually              Sometimes              Never*  
*(or yes, if                           (or no, if*  
*only one                           only one*  
*illness)                           illness)*

[Varies or occasionally coded 3]

*a) Contact the family doctor (GP)*

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H851      GP contracted for child ear problem		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
always		1	3406	35.4	73.2	73.2
usually		2	823	8.5	17.7	90.9
sometimes		3	325	3.4	7.0	97.9
never		4	98	1.0	2.1	100.0
		-2	4826	50.1	Missing	
		-1	157	1.6	Missing	
		-----	-----	-----	-----	
		Total	9635	100.0	100.0	
Valid cases	4652	Missing cases	4983			

**NI. b) Contact your health visitor**

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H852 Health visitor asked for child ear problem			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
always		1	40	.4	1.0	1.0
usually		2	28	.3	.7	1.7
sometimes		3	311	3.2	7.8	9.5
never		4	3611	37.5	90.5	100.0
		-2	4826	50.1	Missing	
		-1	819	8.5	Missing	
			-----	-----	-----	-----
			Total	9635	100.0	100.0

Valid cases 3990 Missing cases 5645

**NI. c) Ask the chemist about it**

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H853 Chemist asked for child ear problem			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
always		1	13	.1	.3	.3
usually		2	31	.3	.8	1.1
sometimes		3	407	4.2	10.2	11.3
never		4	3539	36.7	88.7	100.0
		-2	4826	50.1	Missing	
		-1	819	8.5	Missing	
			-----	-----	-----	-----
			Total	9635	100.0	100.0

Valid cases 3990 Missing cases 5645

**NI. d) Seek advice from family and friend**

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H854 Friends and family asked for child ear p			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
always		1	94	1.0	2.4	2.4
usually		2	163	1.7	4.1	6.4
sometimes		3	858	8.9	21.5	27.9
never		4	2875	29.8	72.1	100.0
		-2	4826	50.1	Missing	
		-1	819	8.5	Missing	
			-----	-----	-----	-----
			Total	9635	100.0	100.0

Valid cases 3990 Missing cases 5645

*e) Treat it yourself*

[If more than one box was ticked and could not be resolved, supervisor made a decision]

## H855 Mum treats child ear problem

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always		1	62	.6	1.6	1.6
usually		2	130	1.3	3.3	4.8
sometimes		3	487	5.1	12.2	17.0
never		4	3311	34.4	83.0	100.0
		-2	4826	50.1	Missing	
		-1	819	8.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 3990 Missing cases 5645

*f) Wait for it to clear up by itself*

[If more than one box was ticked and could not be resolved, supervisor made a decision]

## H856 Child ear problem left alone to clear up

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
always		1	35	.4	.9	.9
usually		2	68	.7	1.7	2.6
sometimes		3	600	6.2	15.0	17.6
never		4	3287	34.1	82.4	100.0
		-2	4826	50.1	Missing	
		-1	819	8.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 3990 Missing cases 5645

*g) Other (please tick and describe)*

[If more than one box was ticked and could not be resolved, supervisor made a decision; If comment written but box not ticked code as '0']

## H857 Other solution to child ear problem

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other		0	22	.2	.6	.6
Always		1	52	.5	1.3	1.9
Usually		2	12	.1	.3	2.2
Sometimes		3	22	.2	.6	2.7
Never		4	3882	40.3	97.3	100.0
No ear problem		-2	4826	50.1	Missing	
		-1	819	8.5	Missing	
					-----	-----
		Total	9635	100.0	100.0	

Valid cases 3990 Missing cases 5645

If you have never taken your child to the doctor for an earache or ear infection, please go to N6 on page 63.

N2. [Only in 1<sup>st</sup> version] In the last 6 months how many times have you taken your child to the doctor for ear problems? (see N10a)

N3. When you took your child to the doctor because you thought he/she had earache and was fretful, did the doctor:

Always (or yes, if only one illness)	Usually	Sometimes (or no, if only one illness)	Never	Not sure
---	---------	---	-------	----------

*a) Prescribe an antibiotic*

[If more than one box was ticked, the one with the lowest number was taken]

H860 GP gives antibiotic for child ear proble

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	2390	24.8	53.0	53.0
Usually		2	1232	12.8	27.3	80.4
Sometimes		3	664	6.9	14.7	95.1
Never		4	221	2.3	4.9	100.0
No GP visit		-3	98	1.0	Missing	
No ear problem		-2	4826	50.1	Missing	
		-1	204	2.1	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 4507 Missing cases 5128

*N3. b) Prescribe something else*

[If more than one box was ticked, the one with the lowest number was taken]

H861 GP gives other thing for child ear probl

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Always		1	68	.7	1.5	1.5
Usually		2	47	.5	1.0	2.6
Sometimes		3	383	4.0	8.5	11.0
Never		4	4009	41.6	89.0	100.0
No GP visit		-3	98	1.0	Missing	
No ear problem		-2	4826	50.1	Missing	
		-1	204	2.1	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 4507 Missing cases 5128

## N3. c) Refer your child to someone else

[If more than one box was ticked, the one with the lowest number was taken]

H862 GP refers child for ear problem			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Always		1	94	1.0	2.1	2.1
Usually		2	27	.3	.6	2.7
Sometimes		3	154	1.6	3.4	6.1
Never		4	4232	43.9	93.9	100.0
No GP visit		-3	98	1.0	Missing	
No ear problem		-2	4826	50.1	Missing	
		-1	204	2.1	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 4507 Missing cases 5128

## N4. If your doctor has prescribed medicine or tablets for your child's ear problems, have you usually: (tick one)

*used it all up**used it until he/she seemed better**saved some in case he/she gets another attack :**shared it with someone else who needed it .**found it didn't agree with him/her and went back to the doctor**found it didn't agree with him/her and stopped giving it.**Doctor didn't prescribe anything*

[If more than one box was ticked and could not be resolved, supervisor made a decision]

H865 What mum often does with child's ear medi			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Other		0	4	.0	.1	.1
Used all up		1	3954	41.0	89.5	89.6
Until better		2	298	3.1	6.7	96.3
Saved some		3	16	.2	.4	96.7
Shared it		4	2	.0	.0	96.7
Went back to Dr		5	29	.3	.7	97.4
Stopped giving		6	27	.3	.6	98.0
Didnt prescribe		7	89	.9	2.0	100.0
No GP visit		-3	98	1.0	Missing	
No ear problem		-2	4826	50.1	Missing	
		-1	292	3.0	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 4419 Missing cases 5216

N5. If you have taken your study child to the doctor for an ear problem, has the doctor (or surgery nurse) explained all that you wanted to know:

- |   |  |                                     |
|---|--|-------------------------------------|
| <i>a) About your child's ear problem</i><br><i>b) About the treatment <u>or</u> reason for no treatment</i><br><i>c) About what else you could do</i> | <i>Yes</i><br><i>Yes</i><br><i>Yes</i> | <i>No</i><br><i>No</i><br><i>No</i> |
|---|--|-------------------------------------|

[sometimes' coded as 3]

H866 Doctor explains all about child's ear problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	4005	41.6	91.0	91.0
No	2	398	4.1	9.0	100.0
No GP visit	-3	98	1.0	Missing	
No ear problem	-2	4826	50.1	Missing	
	-1	308	3.2	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 4403 Missing cases 5232

H867 Doctor explains about treatment for child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	3330	34.6	86.3	86.3
No	2	529	5.5	13.7	100.0
No GP visit	-3	98	1.0	Missing	
No ear problem	-2	4826	50.1	Missing	
	-1	852	8.8	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 3859 Missing cases 5776

H868 Doctor tells mum what else can do for child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2389	24.8	65.2	65.2
No	2	1275	13.2	34.8	100.0
No GP visit	-3	98	1.0	Missing	
No ear problem	-2	4826	50.1	Missing	
	-1	1047	10.9	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 3664 Missing cases 5971

## N6. Does your study child attend nursery/playgroup/child-minder?

Yes                    No

H870                    Child attends nursery or has childminder		Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1	2792	29.0	60.1	60.1
No		2	1855	19.3	39.9	100.0
No ear problem		-2	4826	50.1	Missing	
		-1	162	1.7	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases    4647                    Missing cases    4988

**If yes**

## N7. If your child had an earache or ear infection, did you:

Always	Usually	Sometimes	Never	Not sure
(or yes, if only one illness)			(or no, if only one illness)	

a) Let him/her go to nursery/play-group/child-minder  
['varies'/occasionally coded as 3]

H871                    Child goes to nursery when ear problem		Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent
Other		0	4	.0	.2	.2
Always		1	273	2.8	11.2	11.4
Usually		2	393	4.1	16.2	27.5
Sometimes		3	528	5.5	21.7	49.2
Never		4	1235	12.8	50.8	100.0
No child care		-3	1855	19.3	Missing	
No ear problem		-2	4826	50.1	Missing	
		-1	521	5.4	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases    2433                    Missing cases    7202

## N7. b) Keep him/her at home

['varies'/occasionally coded as 3]

H872                    Child stays at home when ear problem		Valid	Cum			
Value	Label	Value	Frequency	Percent	Percent	Percent
Other		0	5	.1	.2	.2
Always		1	1060	11.0	44.3	44.5
Usually		2	318	3.3	13.3	57.8
Sometimes		3	669	6.9	28.0	85.8
Never		4	341	3.5	14.2	100.0
No child care		-3	1855	19.3	Missing	
No ear problem		-2	4826	50.1	Missing	
		-1	561	5.8	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases    2393                    Missing cases    7242

## N7. c) Make other arrangements (please tick and describe)

[If comment written but box not ticked code as '0']

H873 Other arrangement made for child's ear pr

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Other	0	33	.3	2.6	2.6
Always	1	58	.6	4.6	7.3
Usually	2	35	.4	2.8	10.1
Sometimes	3	234	2.4	18.7	28.8
Never	4	892	9.3	71.2	100.0
No child care	-3	1855	19.3	Missing	
No ear problem	-2	4826	50.1	Missing	
	-1	1702	17.7	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 1252 Missing cases 8383

## N7. d) During the last 12 months, about how many days has he/she missed nursery/playgroup or not been with the child-minder because of ear problems?

days

[not known/variables 99, occasional or fraction less than 0.5 = 97, none or nil = 0]

H875 No of days of nursery missed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1615	16.8	63.2	63.2
	1	348	3.6	13.6	76.8
	2	296	3.1	11.6	88.4
	3	100	1.0	3.9	92.3
	4	73	.8	2.9	95.1
	5	43	.4	1.7	96.8
	6	34	.4	1.3	98.2
	7	10	.1	.4	98.6
	8	9	.1	.4	98.9
	9	3	.0	.1	99.0
	10	16	.2	.6	99.6
	12	2	.0	.1	99.7
	14	4	.0	.2	99.9
	15	1	.0	.0	99.9
	18	2	.0	.1	100.0
No child care	-3	1855	19.3	Missing	
No ear problem	-2	4826	50.1	Missing	
	-1	398	4.1	Missing	
				-----	-----
	Total	9635	100.0	100.0	

Valid cases 2556 Missing cases 7079

N8. a) In the past 12 months, about how many times have you or your partner had to take time off work because of your child's ear problems?

Self times		Partner times		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
0		4450	46.2	92.5	92.5
1		201	2.1	4.2	96.7
2		98	1.0	2.0	98.8
3		32	.3	.7	99.4
4		12	.1	.2	99.7
5		9	.1	.2	99.9
6		4	.0	.1	99.9
7		2	.0	.0	100.0
10		1	.0	.0	100.0
No ear problem		-2	4826	50.1	Missing
				-----	-----
		Total	9635	100.0	100.0
Valid cases	4809	Missing cases	4826		

H881 Time partner taken off work for child's e		Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent
0		4700	48.8	97.7	97.7
1		65	.7	1.4	99.1
2		31	.3	.6	99.7
3		4	.0	.1	99.8
4		3	.0	.1	99.9
5		2	.0	.0	99.9
6		3	.0	.1	100.0
7		1	.0	.0	100.0
No ear problem		-2	4826	50.1	Missing
				-----	-----
		Total	9635	100.0	100.0
Valid cases	4809	Missing cases	4826		

N8. b) How many days off would this add up to altogether?

Self days Partner days  
 [not known/varies 99, occasional or fraction less than 0.5 = 97, none or nil = 0]

H882 Days mum taken off work for childs ear problem

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		4478	46.5	93.1	93.1	
1		140	1.5	2.9	96.0	
2		95	1.0	2.0	98.0	
3		29	.3	.6	98.6	
4		24	.2	.5	99.1	
5		16	.2	.3	99.4	
6		10	.1	.2	99.6	
7		6	.1	.1	99.8	
9		1	.0	.0	99.8	
10		8	.1	.2	100.0	
12		1	.0	.0	100.0	
14		1	.0	.0	100.0	
No ear problem		-2	4826	50.1	Missing	
					-----	
		Total	9635	100.0	100.0	

Valid cases 4809 Missing cases 4826

H883 Days partner taken off work for childs ear

Value	Label	Value	Frequency	Percent	Valid Percent	Cum Percent
0		4707	48.9	97.9	97.9	
1		49	.5	1.0	98.9	
2		36	.4	.7	99.6	
3		3	.0	.1	99.7	
4		6	.1	.1	99.8	
5		3	.0	.1	99.9	
6		2	.0	.0	99.9	
7		2	.0	.0	100.0	
8		1	.0	.0	100.0	
No ear problem		-2	4826	50.1	Missing	
					-----	
		Total	9635	100.0	100.0	

Valid cases 4809 Missing cases 4826

N9. If you or your partner had to take time off because your child had ear problems, did you usually: (tick as many as apply)

You                    Partner  
(i)                    (ii)

N9. a) lose pay

H884                    Mum lost pay due to child's ear problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	67	.7	19.5	19.5
No	2	276	2.9	80.5	100.0
No time off	-3	4466	46.4	Missing	
No ear problem	-2	4826	50.1	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases            343                    Missing cases            9292

H885                    Partner lost pay due to child's ear problem

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	13	.1	12.3	12.3
No	2	93	1.0	87.7	100.0
No time off	-3	4703	48.8	Missing	
No ear problem	-2	4826	50.1	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases            106                    Missing cases            9529

N9. b) take it as holiday

H886                    Child ear mum takes time off as holiday

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	134	1.4	39.1	39.1
No	2	209	2.2	60.9	100.0
No time off	-3	4466	46.4	Missing	
No ear problem	-2	4826	50.1	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases            343                    Missing cases            9292

H887                    For child ear partner takes time off as holiday

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	40	.4	37.7	37.7
No	2	66	.7	62.3	100.0
No time off	-3	4703	48.8	Missing	
No ear problem	-2	4826	50.1	Missing	
		-----	-----	-----	
	Total	9635	100.0	100.0	

Valid cases            106                    Missing cases            9529

N9. c) say you were ill or give some other reason

H888 For child ear mum takes time off as ill				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1	57	.6	16.6	16.6
No	2	286	3.0	83.4	100.0
No time off	-3	4466	46.4	Missing	
No ear problem	-2	4826	50.1	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 343 Missing cases 9292

H889 For child ear partner takes time off as

H889 For child ear partner takes time off as				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1	14	.1	13.2	13.2
No	2	92	1.0	86.8	100.0
No time off	-3	4703	48.8	Missing	
No ear problem	-2	4826	50.1	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 106 Missing cases 9529

N9. d) make up the time later

N9. e) no time off work/not working

H890 For child ear mum makes time up later

H890 For child ear mum makes time up later				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1	78	.8	22.7	22.7
No	2	265	2.8	77.3	100.0
No time off	-3	4466	46.4	Missing	
No ear problem	-2	4826	50.1	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 343 Missing cases 9292

H891 For child ear partner makes time up late

H891 For child ear partner makes time up late				Valid Percent	Cum Percent
Value Label	Value	Frequency	Percent		
Yes	1	22	.2	20.8	20.8
No	2	84	.9	79.2	100.0
No time off	-3	4703	48.8	Missing	
No ear problem	-2	4826	50.1	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 106 Missing cases 9529

N10 a) In the last 6 months how many times have you taken your child to the doctor for ear problems?  
Times

1<sup>st</sup> version only was labeled N2

H895 Times CH taken to doc for ear probs			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
		0	3337	34.6	69.4	69.4
		1	945	9.8	19.7	89.0
		2	310	3.2	6.4	95.5
		3	95	1.0	2.0	97.5
		4	64	.7	1.3	98.8
		5	17	.2	.4	99.1
		6	22	.2	.5	99.6
		7	4	.0	.1	99.7
		8	3	.0	.1	99.8
		9	1	.0	.0	99.8
		10	3	.0	.1	99.8
		11	2	.0	.0	99.9
		12	3	.0	.1	99.9
		20	1	.0	.0	100.0
		24	1	.0	.0	100.0
		36	1	.0	.0	100.0
No ear problem		-2	4826	50.1	Missing	
			-----	-----	-----	
Total			9635	100.0	100.0	

Valid cases 4809 Missing cases 4826

N10. b) Thinking of the last 6 months, can you say how much your child's ear problems have cost the family? Please add up carefully all the costs you can think of (eg:for travel to the doctor counted at 15p per mile, loss of pay, extra medicines, extra child-care, etc)

Up to £10  
£11 - £30  
£31 - £100  
over £100  
not sure

(2<sup>nd</sup> version only)

[If more than one box was ticked, the one with the highest number was taken. - 1/8/94 version only.  
'Nothing' coded as '0'] (The '-1' category includes the first version of the questionnaire who were not asked this question). Code 0 was created for mothers who wrote 'nothing' and didn't tick a box, but they have been recoded to 1]

H896 Money spent on child ear problem			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Up to 10		1	1302	13.5	62.0	62.0
11-30		2	72	.7	3.4	65.4
31-100		3	20	.2	1.0	66.3
Over 100		4	13	.1	.6	67.0
Not sure		5	694	7.2	33.0	100.0
No ear problem		-2	4826	50.1	Missing	
		-1	2708	28.1	Missing	
			-----	-----	-----	
Total			9635	100.0	100.0	
Valid cases 2101			Missing cases 7534			

## N11. How much of a burden has this been for your household finances?

*small*  
*moderate*  
*heavy*  
*no problem*

[If more than one box was ticked, the one with the highest number was taken, unless this was code 4]

H897 Burden of child ear problem on household					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Small	1	363	3.8	10.3	10.4
Moderate	2	66	.7	1.9	12.3
Heavy	3	14	.1	.4	12.6
No problem	4	3080	32.0	87.4	100.0
No ear problem	-2	4826	50.1	Missing	
	-1	1286	13.3	Missing	
			-----		-----
	Total	9635	100.0	100.0	
Valid cases	3523		Missing cases	6112	

## N12. Did your child's ear problems mean you needed to give him/her more attention than you would otherwise have done?

*no*  
*a little*  
*more than a little*  
*a lot*

[If more than 1 box ticked, the one with the highest no. was coded].

H898 Mum gives child more attention for ear problem					
Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
No	1	1388	14.4	34.5	34.7
A little	2	1567	16.3	39.0	73.7
> a little	3	574	6.0	14.3	87.9
A lot	4	485	5.0	12.1	100.0
No ear problem	-2	4826	50.1	Missing	
	-1	795	8.3	Missing	
			-----		-----
	Total	9635	100.0	100.0	
Valid cases	4014		Missing cases	5621	

N13. How much time have you lost for leisure activities because of these problems? (Please total it up over 6 months)

		Self hours		Partner hours	
		Time mum lost in leisure for child ear		Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
0		2799	29.1	89.6	89.6
1		21	.2	.7	90.3
2		41	.4	1.3	91.6
3		24	.2	.8	92.4
4		29	.3	.9	93.3
5		21	.2	.7	94.0
6		44	.5	1.4	95.4
7		4	.0	.1	95.5
8		16	.2	.5	96.0
9		5	.1	.2	96.2
10		31	.3	1.0	97.2
12		17	.2	.5	97.7
14		2	.0	.1	97.8
15		4	.0	.1	97.9
16		2	.0	.1	98.0
18		2	.0	.1	98.0
20		7	.1	.2	98.3
24		23	.2	.7	99.0
26		1	.0	.0	99.0
28		1	.0	.0	99.1
30		7	.1	.2	99.3
32		1	.0	.0	99.3
36		3	.0	.1	99.4
40		1	.0	.0	99.5
42		1	.0	.0	99.5
48		10	.1	.3	99.8
60		2	.0	.1	99.9
72		4	.0	.1	100.0
No ear problem		-2	4826	50.1	Missing
		-1	1686	17.5	Missing
		Total	9635	100.0	100.0

Valid cases 3123 Missing cases 6512

H901 Time partner lost in leisure for child e			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
		0	2792	29.0	95.5	95.5
		1	13	.1	.4	95.9
		2	27	.3	.9	96.8
		3	9	.1	.3	97.1
		4	13	.1	.4	97.6
		5	8	.1	.3	97.8
		6	15	.2	.5	98.4
		7	2	.0	.1	98.4
		8	3	.0	.1	98.5
		9	3	.0	.1	98.6
		10	9	.1	.3	98.9
		12	8	.1	.3	99.2
		15	2	.0	.1	99.3
		18	1	.0	.0	99.3
		20	3	.0	.1	99.4
		24	9	.1	.3	99.7
		30	1	.0	.0	99.8
		36	1	.0	.0	99.8
		48	4	.0	.1	99.9
		50	1	.0	.0	100.0
		72	1	.0	.0	100.0
No ear problem		-2	4826	50.1	Missing	
		-1	1884	19.6	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 2925 Missing cases 6710

*N14. Who seemed to understand how difficult it can be to have a child with ear/hearing problems: (tick all those who really understand)*

*a) Partner*

H905 Partner understands problems of child ear			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1	2081	21.6	43.3	43.3
No		2	2728	28.3	56.7	100.0
No ear problem		-2	4826	50.1	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 4809 Missing cases 4826

*N14. b) Other family member*

H906 Relative understands problems of child ear			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
Yes		1	1735	18.0	36.1	36.1
No		2	3074	31.9	63.9	100.0
No ear problem		-2	4826	50.1	Missing	
				-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 4809 Missing cases 4826

## N14. c) Play-group staff/teacher

H907 Teacher understands problems of child ear				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	569	5.9	11.8
No		2	4240	44.0	88.2
No ear problem		-2	4826	50.1	100.0
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 4809 Missing cases 4826

## N14. d) Health visitor/school nurse

H908 Health visitor understands problems of ear				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	623	6.5	13.0
No		2	4186	43.4	87.0
No ear problem		-2	4826	50.1	100.0
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 4809 Missing cases 4826

## N14. e) G.P.

H909 GP understands problems of child ear				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	1518	15.8	31.6
No		2	3291	34.2	68.4
No ear problem		-2	4826	50.1	100.0
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 4809 Missing cases 4826

## N14. f Other person (please describe)

[If comment written but f) not ticked, coder ticks relevant box]

H910 Other understands problems of child ear				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	403	4.2	8.4
No		2	4406	45.7	91.6
No ear problem		-2	4826	50.1	100.0
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 4809 Missing cases 4826

## N14. g) No-one

H911 No-one understands problems of child ear				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	84	.9	1.7
No		2	4725	49.0	98.3
No ear problem		-2	4826	50.1	100.0
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 4809 Missing cases 4826

## N14. h) I don't think it's difficult

H912 Mum feels childs ear is not problem				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	1314	13.6	27.3
No		2	3495	36.3	72.7
No ear problem		-2	4826	50.1	100.0
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 4809 Missing cases 4826

## N15. Are there any other children living in your household?

Yes No

If yes

H915 Other children live in household				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	4851	50.3	73.1
No		2	1781	18.5	26.9
		-1	3003	31.2	100.0
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 6632 Missing cases 3003

## N16. Have your other children had ear problems?

*Yes, older child has had ear problems**Yes, younger child has had ear problems**Yes, both older & younger children have had ear problems**No other children have had ear problems*

[If 1+2 ticked, coded as 3. Excluded code '4' if multiple ticks given]

## H916 Mums other children have ear problems

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, older child	1	1725	17.9	36.6	36.6
Yes, younger child	2	356	3.7	7.5	44.1
Yes, both	3	127	1.3	2.7	46.8
No problems	4	2511	26.1	53.2	100.0
No other children	-3	1781	18.5	Missing	
	-1	3135	32.5	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 4719 Missing cases 4916

## N17. Does any other child in the family often get coughs, cold, sore throats or ear problems?

*Yes**No*

## H917 Other children in family often get cough

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	2209	22.9	47.1	47.1
No	2	2482	25.8	52.9	100.0
No other children	-3	1781	18.5	Missing	
	-1	3163	32.8	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 4691 Missing cases 4944

N18. Do you think your other children suffered in any way because of the study child's ear problem? (tick as many as apply)

## N18. a) Yes, they caught colds etc from him/her

## H918 Mums other children catch cold from child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Yes	1	323	3.4	9.0	9.0
No	2	3256	33.8	91.0	100.0
No other children	-3	1781	18.5	Missing	
No ear problem	-2	4275	44.4	Missing	
		-----	-----	-----	-----
	Total	9635	100.0	100.0	

Valid cases 3579 Missing cases 6056

## N18. b) Yes, I didn't have as much time for them

H919 Mum less time other children as child ear				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	163	1.7	4.6
No		2	3416	35.5	95.4
No other children		-3	1781	18.5	Missing
No ear problem		-2	4275	44.4	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 3579 Missing cases 6056

## N18. c) Yes, they missed doing things (eg:nursery) because of it

H920 Mums other children miss out as child ea				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	63	.7	1.8
No		2	3516	36.5	98.2
No other children		-3	1781	18.5	Missing
No ear problem		-2	4275	44.4	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 3579 Missing cases 6056

## N18. d) Other

[If comment written, but no tick, coder put in relevant tick]

H921 Children affected other way as child ear				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	65	.7	1.4
No		2	4744	49.2	98.6
No ear problem		-2	4826	50.1	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 4809 Missing cases 4826

## N18. e) No, it didn't affect them

H922 Mums other children not affected child e				Valid	Cum
Value	Label	Value	Frequency	Percent	Percent
Yes		1	2730	28.3	76.3
No		2	849	8.8	23.7
No other children		-3	1781	18.5	Missing
No ear problem		-2	4275	44.4	Missing
			-----	-----	-----
		Total	9635	100.0	100.0

Valid cases 3579 Missing cases 6056

N19. In the past 18 months please indicate whether you have had contact with any of the following, for whatever reason, for yourself or any member of your family.

Yes      No

a) G.P./family doctor

H930 Family contact with GP > 18 months		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes		1	9260	96.1	96.1	96.1
no		2	375	3.9	3.9	100.0
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

N19. b) Health visitor

H931 Family contact with health visitor > 18		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes		1	6098	63.3	63.3	63.3
no		2	3537	36.7	36.7	100.0
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

N19. c) Midwife

H932 Family contact with midwife > 18 months		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes		1	2982	30.9	30.9	30.9
no		2	6653	69.1	69.1	100.0
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

N19. d) Teacher

H933 Family contact with teacher > 18 months		Value	Frequency	Percent	Valid Percent	Cum Percent
Value	Label					
yes		1	4972	51.6	51.6	51.6
no		2	4663	48.4	48.4	100.0
		Total	9635	100.0	100.0	
Valid cases	9635	Missing cases	0			

## N19. e) Social worker

H934 Family contact with social worker > 18 m			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	451	4.7	4.7	4.7
no		2	9184	95.3	95.3	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## N19. f) Physiotherapist

H935 Family contact with physiotherapist > 18			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	979	10.2	10.2	10.2
no		2	8656	89.8	89.8	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## N19. g) Psychologist/psychiatrist

H936 Family contact with psychologist > 18 mo			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	505	5.2	5.2	5.2
no		2	9130	94.8	94.8	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

## N19. h) Other support service (please describe)

[If comment written but no box ticked, coder ticked relevant box]

H937 Family contact with other support > 18 m			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
yes		1	779	8.1	8.1	8.1
no		2	8856	91.9	91.9	100.0
		Total	9635	100.0	100.0	

Valid cases 9635 Missing cases 0

N20. The statements below describe the ways some mothers feel about the health services. We would be grateful if you could indicate what your own feelings are.

*This is                    This is                    This is                    I never  
 exactly    often how    how I    feel  
 how I       I feel       sometimes this  
 feel                    feel                    way*

a) *The health visitor never seems to have time to talk and explain things to me.*  
 [If more than one box was ticked, the one with the lowest number was taken]

H940                    Mum feels health visitor no time to talk			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	16	.2	.2	.2
mom feels exactly		1	439	4.6	4.8	5.0
mom feels often		2	446	4.6	4.9	9.8
mom feels sometimes		3	1586	16.5	17.3	27.1
mom never feels		4	6676	69.3	72.9	100.0
		-1	472	4.9	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9163                    Missing cases 472

N20. b) *Immunisations are very important for the child.*

[If more than one box was ticked, the one with the highest number was taken]

H941                    Mum feels imms are important for child			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
mom feels exactly		1	8266	85.8	87.2	87.2
mom feels often		2	747	7.8	7.9	95.1
mom feels sometimes		3	337	3.5	3.6	98.6
mom never feels		4	131	1.4	1.4	100.0
		-1	154	1.6	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9481                    Missing cases 154

N20. c) *I don't have any confidence in the doctors and nurses in the clinic.*

[If more than one box was ticked, the one with the lowest number was taken]

H942                    Mum has no confidence in doctors at clin			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
mom feels exactly		1	154	1.6	1.6	1.6
mom feels often		2	383	4.0	4.1	5.7
mom feels sometimes		3	2552	26.5	27.2	32.9
mom never feels		4	6295	65.3	67.1	100.0
		-1	251	2.6	Missing	
			-----	-----	-----	-----
		Total	9635	100.0	100.0	

Valid cases 9384                    Missing cases 251

N20. d) *I know that if my child was very ill my doctor would come quickly.*  
 [If more than one box was ticked, the one with the highest number was taken]

H943 Mum feels doctor would be quick if child			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
mum feels exactly		1	4225	43.9	45.1	45.1
mum feels often		2	2349	24.4	25.1	70.2
mum feels sometimes		3	2098	21.8	22.4	92.6
mum never feels		4	698	7.2	7.4	100.0
		-1	265	2.8	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9370 Missing cases 265

N20. e) *The health visitor gives very helpful advice*  
 [If more than one box was ticked, the one with the highest number was taken]

H944 Mum feels health visitor good advice			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	11	.1	.1	.1
mum feels exactly		1	2564	26.6	28.0	28.1
mum feels often		2	2232	23.2	24.4	52.5
mum feels sometimes		3	3160	32.8	34.5	87.1
mum never feels		4	1183	12.3	12.9	100.0
		-1	485	5.0	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9150 Missing cases 485

N20. f) *The doctor in the clinic is always helpful.*  
 [If more than one box was ticked, the one with the highest number was taken]

H945 Mum feels doctor in clinic always helpfu			Valid	Cum		
Value	Label	Value	Frequency	Percent	Percent	Percent
other		0	4	.0	.0	.0
mum feels exactly		1	3594	37.3	39.2	39.2
mum feels often		2	2927	30.4	31.9	71.1
mum feels sometimes		3	2238	23.2	24.4	95.5
mum never feels		4	409	4.2	4.5	100.0
		-1	463	4.8	Missing	
			-----	-----	-----	
		Total	9635	100.0	100.0	

Valid cases 9172 Missing cases 463

N20. g) *I don't think I could have coped well without the health visitor to help and advise me.*  
 [If more than one box was ticked, the one with the highest number was taken]

H946 Mum feels wouldnt cope without health visitor		Valid	Cum		
Value	Label	Frequency	Percent	Percent	Percent
0	other	12	.1	.1	.1
1	mum feels exactly	559	5.8	6.0	6.2
2	mum feels often	494	5.1	5.3	11.5
3	mum feels sometimes	2009	20.9	21.7	33.2
4	mum never feels	6187	64.2	66.8	100.0
-1		374	3.9	Missing	
Total		9635	100.0	100.0	
Valid cases	9261	Missing cases	374		

## PAGE 68 OF THE QUESTIONNAIRE

THANK YOU VERY MUCH FOR YOUR HELP

01. This questionnaire was completed by:

Yes      No

- a) child's mother      1      2
- b) child's father
- c) someone else  
(please describe)
- .....

[Versions 1&amp;2: The question was presented as follows:

01. This questionnaire was completed by:

- child's mother      1
- child's father      2
- someone else      3  
(please describe)
- ..... ]

[Coding: The following instructions applied to versions 1 & 2. If 1+2 were ticked '4' was coded. If there were multiple ticks including '3' the code numbers ticked were written on the 'please describe line' e.g. grandmother +2.]

[Editing: For records from version 1 & 2 questionnaires, the response was split into 3 separate variables in order to be compatible with the records from the version 3 questionnaires. If there were no "yes" ticks in any of the 3 parts variables H980 to H982 were set to -6, otherwise missing values were recoded to 2 "no". Note that the variable names have changed for version 6a of the built file (August 2004). Previous versions have only had a single variable (H950) for this question. This variable is not exactly reproduced here; H985 is the closest new variable.]

## h980 O1a: Questionnaire completed by child's mother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	9467	98.2	99.6	99.6
	2 No	40	.4	.4	100.0
	Total	9507	98.6	100.0	
Missing	-9 Error check	12	.1		
	-6 Question O1 omitted	122	1.3		
	Total	134	1.4		
Total		9641	100.0		

**h981 O1b: Questionnaire completed by child's father**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	41	.4	.4	.4
	2 No	9466	98.2	99.6	100.0
	Total	9507	98.6	100.0	
Missing	-9 Error check	12	.1		
	-6 Question O1 omitted	122	1.3		
	Total	134	1.4		
Total		9641	100.0		

**h982 O1c: Questionnaire completed by someone else**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	24	.2	.3	.3
	2 No	9483	98.4	99.7	100.0
	Total	9507	98.6	100.0	
Missing	-9 Error check	12	.1		
	-6 Question O1 omitted	122	1.3		
	Total	134	1.4		
Total		9641	100.0		

**Derived Variables**Number of contributors

H984 is the number of boxes ticked in question O1.

**h984 DV: Number of contributors to questionnaire**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	9482	98.4	99.7	99.7
	2	25	.3	.3	100.0
	Total	9507	98.6	100.0	
Missing	-9 Error check	12	.1		
	-6 Question O1 omitted	122	1.3		
	Total	134	1.4		
Total		9641	100.0		

Questionnaire completed by...

H985 details the combinations of people reported in question O1.

**h985 DV: Questionnaire completed by...**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mother only	9442	97.9	99.3	99.3
	2 Father only	18	.2	.2	99.5
	3 Other only	22	.2	.2	99.7
	4 Mother & father	23	.2	.2	100.0
	5 Mother & other	2	.0	.0	100.0
	Total	9507	98.6	100.0	
Missing	-9 Error check	12	.1		
	-6 Question O1 omitted	122	1.3		
	Total	134	1.4		
Total		9641	100.0		

02. Please give the date on which you completed this questionnaire:

day                    month                    year

[Coding: If blank, month and year form was returned were copied from the stamped receipt date on the front cover and the days coded as 99.]

[Editing: The date of completion was checked for illegal day/month combinations (e.g. 31<sup>st</sup> November). Such dates had all components set to -9. By examining the distribution of dates, it was clear that dates prior to 10/05/94 could not be correct, so all such dates had all components set to -9. Month of completion was retained, but day and year were dropped. Note that the variable name for the month of completion has changed for version 6a of the built file (August 2004). On previous versions it was H991, but it is now H990.]

**h990 O2: Date questionnaire completed - month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 January	692	7.2	7.3	7.3
	2 February	519	5.4	5.5	12.8
	3 March	542	5.6	5.7	18.5
	4 April	430	4.5	4.5	23.1
	5 May	1770	18.4	18.7	41.8
	6 June	1152	11.9	12.2	54.0
	7 July	1027	10.7	10.9	64.8
	8 August	877	9.1	9.3	74.1
	9 September	932	9.7	9.9	84.0
	10 October	687	7.1	7.3	91.2
	11 November	547	5.7	5.8	97.0
	12 December	282	2.9	3.0	100.0
	Total	9457	98.1	100.0	
Missing	-9 Invalid completion date	184	1.9		
	Total	9641	100.0		

**H990a O2: Date questionnaire completed - year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	94	4676	48.5	49.0	49.0
	95	4823	50.0	50.5	99.5
	96	41	.4	.4	100.0
	97	4	.0	.0	100.0
	Total	9544	99.0	100.0	
Missing	-1	94	1.0		
	Total	9638	100.0		


## Derived Variables - Age at Completion

The child's age at completion was calculated in both weeks and months from the date of completion and the child's date of birth taken from central records. If the day of completion was missing then the last day of the month was used. Variable H991c indicates the cases for which this assumption was made. Age at completion in days was calculated as t01. Age in weeks was then calculated by truncating (t01 / 7) and age in months by truncating  $12 * (t01 / 365.25)$ . If the age was < 164 weeks this indicated that the date of completion was incorrect, so all relevant variables (H991 & H991a, b & c) were set to -9. Age in days was then dropped. Note that the variable names have changed for version 6a of the built file (August 2004). On previous versions age in months only was presented as H990. This is now H991a, with H991b & c being new additions.

### **h991a DV: Age of child at completion (months)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	32	10	.1	.1	.1
	33	6278	65.1	66.4	66.5
	34	1564	16.2	16.5	83.0
	35	574	6.0	6.1	89.1
	36	592	6.1	6.3	95.4
	37	262	2.7	2.8	98.1
	38	74	.8	.8	98.9
	39	40	.4	.4	99.3
	40	10	.1	.1	99.4
	41	9	.1	.1	99.5
	42	6	.1	.1	99.6
	43	10	.1	.1	99.7
	44	3	.0	.0	99.7
	45	14	.1	.1	99.9
	46	2	.0	.0	99.9
	47	2	.0	.0	99.9
	48	2	.0	.0	99.9
	49	3	.0	.0	100.0
	54	1	.0	.0	100.0
	56	1	.0	.0	100.0
	Total	9457	98.1	100.0	
Missing	-9 Invalid completion date	184	1.9		
	Total	9641	100.0		

H991b



## **h991c DV: Assumptions made in calculating child's age at completion**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	9310	96.6	98.4	98.4
	1 Completed end of month	147	1.5	1.6	100.0
	Total	9457	98.1	100.0	
Missing	-9 Invalid completion date	184	1.9		
Total		9641	100.0		


03. Please give your date of birth:

[Coding: Any valid date was accepted.]

Space for any additional comments you would like to make.

## Derived Variables – Mother's Age at Completion

The mother's age at completion was calculated in years from the date of completion of the questionnaire and the mother's date of birth taken from central records.



## Appendix A

### Coding

Most of the self-completion responses are self-coding - the ticked reply box contains a printed number then can be directly keyed. A few questions invite a textual reply, and some participants also amplify a tick response with comments.

Returned questionnaires are coded by our staff. They have to check that each question has no more than one ticked response, and that any comments do not materially affect the sense of the response. On a few occasions they also need to convert dates and similar variables to a standard format. There are rules for each variable, for how to interpret problems such as multiple ticking, or rounding of ages, where months are given and years were requested. All coding is cross-checked by a second person and then keyed and verified.

In general, where more than one box was ticked there was a rule that the 'worst' code would be used. This was indicated by a coding rule such that L indicated that the lower code be used, H the higher. Where no such rules could be made the coding supervisor made a decision.

Textual replies to questions are dealt with separately. The range of responses to a given question is enormous, the variety of questions asked is also large, and this gives problems of maintaining coding consistency across a range of specialist areas, e.g. drugs, accidents, occupations, and environmental exposures. The problem is resolved by keying all written responses into a word processor, splitting the responses by question type, so that finally all the replies to one question are available together in one file. This can then be coded semi-automatically by a specialist in that field. Accuracy and consistency are thus ensured without the expense of training the basic coders in all the different disciplines required.

## Appendix B

### Format of the variable descriptors

In all that follows:

- i) Each question will be quoted verbatim in italics (with differences between the questionnaire versions, where they exist);
- ii) The coding rule(s) used by the ALSPAC coders will be indicated in square brackets;
- iii) The editing assumptions made preparing this computer file in round brackets;
- iv) The variable no. on file, with the rubric used;
- v) A table of frequencies.

## Appendix C

### Response rates

In total there were 9638 responses (69%) of the total study mothers of surviving children. There were 3 different questionnaires used, each incorporating slight changes when difficulties were identified in a few questions.

#### H001 Questionnaire version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Version 1 - 06/04/94	3198	33.2	33.2	33.2
	Version 2 - 01/08/94	2179	22.6	22.6	55.8
	Version 3 - 01/10/94	4261	44.2	44.2	100.0
	Total	9638	100.0	100.0	