

THE ALSPAC STUDY

PQ FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Partner – About Me

At 145 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 1a of the release file.

September 2008

© University of Bristol

Contents

Introduction		Page 3
Section A	Your Health	
	Text	Page 9
	Frequencies	Page 17
Section B	Life In The Last 4 Weeks	
	Text	Page 41
	Frequencies	Page 44
Section C	Your Wife/Partner	
	Text	Page 46
	Frequencies	Page 58
Section D	Pills and Potions	
	Text	Page 98
	Frequencies	Page 103
Section E	Breaking The Law	
	Text	Page 134
	Frequencies	Page 143
Section F	Your Family And Friends	
	Text	Page 164
	Frequencies	Page 167
Section G	Your Diet	
	Text	Page 173
	Frequencies	Page 186
Section H	Your Environment	
	Text	Page 246
	Frequencies	Page 247
Section J		Page 249
Appendix A	General Coding Instructions	Page 258
Appendix B	Specific Coding Instructions	Page 262
Appendix C	Questionnaire Methodology	Page 273

Introduction

Contents

This questionnaire was sent out in a pack addressed to the carer of the study child when her/his study child was 145 months old. The pack contained a copy of "Twelve Years On" for the carer to complete and a copy of this questionnaire to hand to her/his partner if they wished to do so. It is in 9 sections. Section A contains standard ALSPAC health related questions, including hospital admissions, medicine use, measurements and smoking. Section B asks about how the respondent has felt in the last 4 weeks while section C collects information about the respondent's partner including health, smoking and occupation as well as asking questions about the quality of the relationship. Section D collects information on medications taken and the conditions they were taken for and Section E asks about breaking the law. Section G contains questions about diet including detailed food frequency questionnaires, fat use and tea, coffee and alcohol consumption. Section H briefly asks about mobile phone use, smoking exposure and static electricity. Section J collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire.

Sample & response rates

There are a total of 14,888 records on this file. This number is made up of the 14,541 pregnancies in the core ALSPAC sample (regardless of whether or not the 145-month partner questionnaire was sent out for them or whether they were returned) plus 347 eligible pregnancies not in the core sample for which the questionnaire was sent out. Note that this questionnaire was completed for 135 of these 347 pregnancies.

Of the 14,541 pregnancies in the core ALSPAC sample, 13,868 resulted in at least one live born child. The 145-month partner questionnaire was sent out for 6,743 (49%) of these pregnancies. As of 31st July 2008 completed questionnaires had been returned for 3,162 (47%) of these pregnancies, which is 23% of the 13,868 pregnancies that resulted in at least one live born child. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Variable names

The variable names have the same numerical components as the equivalent variables on the S file, which is based on the 145-month carer questionnaire. For example, the variable for the respondent's weight is PQ1290 on this file and S1290 on the S file. However, as a result of this the variables from question A8 of this questionnaire appear after the variables from question A10. This is because questions A8 to A10 appeared in the 145-month carer questionnaire as A12, A8 & A11 respectively (questions A9 & A10 from the carer questionnaire do not appear in this partner questionnaire).

Release file version history

Release version 1a – September 2008

The first version of the release file.

Administrative variables**pq0001 Questionnaire sent**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7090	47.6	47.6	47.6
2 No	7798	52.4	52.4	100.0
Total	14888	100.0	100.0	

pq0005 Questionnaire return status (as of 31/07/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Not returned	3597	24.2	50.7	50.7
2 Returned, completed	3297	22.1	46.5	97.2
3 Returned, blank	196	1.3	2.8	100.0
Total	7090	47.6	100.0	
Missing -2 Questionnaire not sent	7798	52.4		
Total	14888	100.0		

pq0006 Questionnaire returned (as of 31/07/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3493	23.5	49.3	49.3
2 No	3597	24.2	50.7	100.0
Total	7090	47.6	100.0	
Missing -2 Questionnaire not sent	7798	52.4		
Total	14888	100.0		

pq0007 Questionnaire completed (as of 31/07/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3297	22.1	46.5	46.5
2 No	3793	25.5	53.5	100.0
Total	7090	47.6	100.0	
Missing -2 Questionnaire not sent	7798	52.4		
Total	14888	100.0		

pq0007a Data available (as of 31/07/08)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3297	22.1	22.1	22.1
2 No	11591	77.9	77.9	100.0
Total	14888	100.0	100.0	

pq0008 Questionnaire version

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Version 1 - 12/04/03	3297	22.1	100.0	100.0
Missing -10 Not completed	11591	77.9		
Total	14888	100.0		

PAGE 1 OF THE QUESTIONNAIRE

Questionnaire No:

--	--	--	--	--	--	--	--	--

PARTNER -

ABOUT ME

12/04/03

PAGE 2 OF THE QUESTIONNAIRE

[Blank page.]

PAGE 3 OF THE QUESTIONNAIRE

This questionnaire is for the study child's father or person taking the role of father. To answer simply tick the box which is most accurate in your opinion.

Changes are occurring around our study children all the time, both in the family and in life outside. Some questions we ask in this questionnaire are the same as those you have answered before. This is so that we can tell what changes there may be in your health and lifestyle.



If you do not want to answer a question or if it does not apply to you, put a line through it. There are no good or bad answers. Just tell us what is true for you.

ALL ANSWERS ARE CONFIDENTIAL

Thank you for your help

PAGE 4 OF THE QUESTIONNAIRE

SECTION A: YOUR HEALTH

A1. Which of the following would you say describes your health now?

fit and well	<div>1</div>
mostly well and healthy	<div>2</div>
often feel unwell	<div>3</div>
hardly ever feel well	<div>4</div>

A2. Have you had any of the following in the last 2 years (since your study child's 10th birthday)?

	Yes and consulted doctor	Yes but did not consult doctor	No ↓
In last 2 years:			
a) anxiety or 'nerves'	<div>1</div>	<div>2</div>	<div>3</div>
b) depression	<div>1</div>	<div>2</div>	<div>3</div>
c) headache or migraine	<div>1</div>	<div>2</div>	<div>3</div>
d) epilepsy	<div>1</div>	<div>2</div>	<div>3</div>
e) back pain, sciatica, slipped disc	<div>1</div>	<div>2</div>	<div>3</div>
f) indigestion	<div>1</div>	<div>2</div>	<div>3</div>
g) high blood pressure	<div>1</div>	<div>2</div>	<div>3</div>
h) cough or cold	<div>1</div>	<div>2</div>	<div>3</div>
i) diabetes	<div>1</div>	<div>2</div>	<div>3</div>
j) haemorrhoids/piles	<div>1</div>	<div>2</div>	<div>3</div>
k) schizophrenia	<div>1</div>	<div>2</div>	<div>3</div>
l) influenza	<div>1</div>	<div>2</div>	<div>3</div>

PAGE 5 OF THE QUESTIONNAIRE

A2 cont.

In last 2 years:	Yes and consulted doctor	Yes but did not consult doctor	No ↓
m) alcohol problem	1	2	3
n) wheezing or asthma	1	2	3
o) bronchitis	1	2	3
p) stomach ulcer	1	2	3
q) eczema	1	2	3
r) psoriasis	1	2	3
s) arthritis	1	2	3
t) rheumatism	1	2	3
u) urinary infection	1	2	3
v) syphilis	1	2	3
w) gonorrhoea	1	2	3
x) cancer (please state type)	1	2	3
.....			
y) other problems (please describe)	1	2	3
.....			

A3. In the last 2 years how often have you taken the following?

In last 2 years:	Every day	Often	Sometimes	Not at all
a) antibiotics	1	2	3	4
b) aspirin	1	2	3	4
c) paracetamol	1	2	3	4
d) other painkillers	1	2	3	4

PAGE 6 OF THE QUESTIONNAIRE

A4. a) In the past year have you taken or used any homeopathic medicine(s) or remedies?

yes, often

yes, sometimes

no

→ **If no, go to A5 below**

b) **If yes**, please describe the name(s) of the homeopathic medicine(s) and the reason for taking/using them:

Name:

Reason:

- | | |
|---------|-------|
| 1. | |
| 2. | |
| 3. | |
| 4. | |
| 5. | |

A5. Please list all the other drugs, medicines and ointments that you have taken or used **in the past month:**

What did you take:

About how many days did you take or use it?

How often per day?

- | | | |
|----------|-------|-------|
| 1. | | |
| 2. | | |
| 3. | | |
| 4. | | |
| 5. | | |
| 6. | | |
| 7. | | |
| 8. | | |
| 9. | | |
| 10. | | |

Check

Have you included iron tablets, laxatives, skin creams, vitamins, sleeping tablets, aspirin, cough mixture, pain killers, herbal medicine, slimming pills?

PAGE 7 OF THE QUESTIONNAIRE

A6. a) Since your study child's 9th birthday have you been admitted to hospital?

Yes No → If **no**, go to A7 below

If **yes**,

b) how many times?

c) for how many different reasons?

Reason for each hospital stay:

How long did you stay?

d)	<input type="text"/> <input type="text"/>	nights
e)	<input type="text"/> <input type="text"/>	nights
f)	<input type="text"/> <input type="text"/>	nights
g)	<input type="text"/> <input type="text"/>	nights
h)	<input type="text"/> <input type="text"/>	nights



Write 00 if you did not stay overnight

A7. In the past month, how often have you had any of the following:

In the past month:	Almost all the time	Sometimes	Not at all
a) backache	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) headache or migraine	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) urinary infection	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) nausea	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e) vomiting	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f) diarrhoea	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g) haemorrhoids or piles	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
h) feeling weepy/tearful	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
i) feeling irritable	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
j) feeling exhausted	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

PAGE 8 OF THE QUESTIONNAIRE

A7. In the past month:	Almost all the time	Sometimes	Not at all
k) varicose veins	1	2	3
l) passing urine very often	1	2	3
m) problem holding urine when you jump, sneeze etc.	1	2	3
n) indigestion	1	2	3
o) feeling dizzy/fainting	1	2	3
p) flashing lights/spots before eyes	1	2	3
q) shoulder ache	1	2	3
r) tingling in hands/fingers	1	2	3
s) tingling in feet/toes	1	2	3
t) neck ache	1	2	3
u) feeling depressed	1	2	3
v) other problem (please tick and describe)	1	2	3

.....

.....

A8. a) How many cigarettes do you smoke nowadays per day? (If none, put 00)

i) weekday

--	--

ii) weekend day

--	--

b) Do you smoke:

**Yes
every day**

**Yes
sometimes**

**No
never**

(i) pipe

1

2

3

(ii) cigar/cigarillo

1

2

3

PAGE 9 OF THE QUESTIONNAIRE

A9. a) How often are you having sexual intercourse now?

not at all	<input type="text" value="1"/>
less than once a month	<input type="text" value="2"/>
1-3 times a month	<input type="text" value="3"/>
about once a week	<input type="text" value="4"/>
2-4 times a week	<input type="text" value="5"/>
5 or more times a week	<input type="text" value="6"/>

b) In general, do you enjoy it?

yes, very much	<input type="text" value="1"/>
yes, somewhat	<input type="text" value="2"/>
no, not a lot	<input type="text" value="3"/>
no, not at all	<input type="text" value="4"/>
no sex at the moment	<input type="text" value="5"/>

A10. Please give below your present weights and measurements if you know them.

a) weight kg or stones pounds

[Editing: One reported metric weight of 13kg was recoded to -1. There were 17 reported metric weights >120kg. After comparison with reported weights from previous questionnaires, eight of these occurrences were deemed highly likely to be total numbers of pounds and treated as imperial weights accordingly. Two of these occurrences were for respondents who also reported imperial weights that were, unlike the metric weights, longitudinally consistent. The metric weights were therefore dropped for these cases. The remaining seven occurrences were deemed highly likely to be valid numbers of kilograms and were left as metric measurements accordingly.]

For nine imperial weights for which the pounds box was left blank but where the respondent also reported a metric weight the stones variable was set to -1. For 336 imperial weights for which the pounds box was left blank the pounds variable was recoded to 0. A single variable for weight in kg was then created using a conversion factor of 1lb = 0.4536kg for imperial measurements (rounding to the nearest integer). If both imperial and metric weights were reported then the metric weight was taken unless the two weights were not equivalent and the imperial weight was closer to the median (83kg).]

PAGE 9 OF THE QUESTIONNAIRE CONT...

b) height cm or ft in

[Editing: Two outlying reported metric heights and seven outlying reported imperial heights were set to -1 after comparison with reported heights from other recent questionnaires. For 87 imperial heights for which the inches box was left blank (all of 6ft) the inches variable was recoded to 0. A single variable for height in cm was then created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric heights were reported then the metric height was taken unless the two heights were not equivalent and the imperial height was closer to the median (5ft 10in).]

c) inside leg measurement cm or ft in

[Editing: 25 reported metric measurements with values between 29 & 34 were assumed to be imperial values and moved to the inches variable. 11 outlying imperial measurements between 17in & 22in were recoded to -1. A single variable for inside leg measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to the median (31in).]

d) chest cm or in

[Editing: 16 reported metric measurements with values between 38 & 50 were assumed to be imperial values and moved to the inches variable. One further metric value of 59 was recoded to -1 as it was deemed unlikely in either system. One outlying imperial measurement of 15in was set to -1. A single variable for chest measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to the median (41in).]

e) hips cm or in

[Editing: 5 reported metric measurements with values between 34 & 40 were assumed to be imperial values and moved to the inches variable. One further metric value of 57 was recoded to -1 as it was deemed unlikely in either system. Three outlying imperial measurements of 0in, 12in & 18in were set to -1. A single variable for hip measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to the median (38in).]

PAGE 9 OF THE QUESTIONNAIRE CONT...

f) waist

--	--	--

 cm or

--	--

 in

[Editing: Eighteen reported metric measurements with values between 28 & 40 were assumed to be imperial values and moved to the inches variable. Two outlying imperial measurements of 22in & 23in were recoded to -1. A single variable for waist measurement in cm was created using a conversion factor of 1in = 2.54cm for imperial measurements (rounding to the nearest integer). If both imperial and metric measurements were reported then the metric one was taken unless the two were not equivalent and the imperial measurement was closer to the median (34in).]

PQ File – Section A

pq1000 A1: Partner's assessment of own health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Fit and well	2044	62.0	62.6	62.6
	2 Mostly well and healthy	1114	33.8	34.1	96.7
	3 Often feel unwell	91	2.8	2.8	99.4
	4 Hardly ever feel well	18	.5	.6	100.0
	Total	3267	99.1	100.0	
Missing	-1 No response	30	.9		
Total		3297	100.0		

pq1010 A2a: Partner has had anxiety or nerves in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	153	4.6	4.8	4.8
	2 Yes but did not consult doctor	526	16.0	16.4	21.2
	3 No	2521	76.5	78.8	100.0
	Total	3200	97.1	100.0	
Missing	-1 No response	97	2.9		
Total		3297	100.0		

pq1011 A2b: Partner has had depression in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	184	5.6	5.7	5.7
	2 Yes but did not consult doctor	299	9.1	9.3	15.1
	3 No	2719	82.5	84.9	100.0
	Total	3202	97.1	100.0	
Missing	-1 No response	95	2.9		
Total		3297	100.0		

pq1012 A2c: Partner has had headache or migraine in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	122	3.7	3.8	3.8
	2 Yes but did not consult doctor	1825	55.4	56.7	60.5
	3 No	1271	38.6	39.5	100.0
	Total	3218	97.6	100.0	
Missing	-1 No response	79	2.4		
Total		3297	100.0		

pq1013 A2d: Partner has had epilepsy in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	9	.3	.3	.3
	2 Yes but did not consult doctor	4	.1	.1	.4
	3 No	3153	95.6	99.6	100.0
	Total	3166	96.0	100.0	
Missing	-1 No response	131	4.0		
Total		3297	100.0		

PQ File – Section A

pq1014 A2e: Partner has had back pain, sciatica or a slipped disc in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	395	12.0	12.3	12.3
	2 Yes but did not consult doctor	1075	32.6	33.4	45.6
	3 No	1752	53.1	54.4	100.0
	Total	3222	97.7	100.0	
Missing	-1 No response	75	2.3		
Total		3297	100.0		

pq1015 A2f: Partner has had indigestion in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	118	3.6	3.7	3.7
	2 Yes but did not consult doctor	1275	38.7	39.7	43.4
	3 No	1817	55.1	56.6	100.0
	Total	3210	97.4	100.0	
Missing	-1 No response	87	2.6		
Total		3297	100.0		

pq1016 A2g: Partner has had high blood pressure in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	276	8.4	8.7	8.7
	2 Yes but did not consult doctor	71	2.2	2.2	10.9
	3 No	2839	86.1	89.1	100.0
	Total	3186	96.6	100.0	
Missing	-1 No response	111	3.4		
Total		3297	100.0		

pq1017 A2h: Partner has had a cough or cold in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	101	3.1	3.1	3.1
	2 Yes but did not consult doctor	2332	70.7	72.3	75.4
	3 No	794	24.1	24.6	100.0
	Total	3227	97.9	100.0	
Missing	-1 No response	70	2.1		
Total		3297	100.0		

pq1018 A2i: Partner has had diabetes in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	44	1.3	1.4	1.4
	2 Yes but did not consult doctor	6	.2	.2	1.6
	3 No	3127	94.8	98.4	100.0
	Total	3177	96.4	100.0	
Missing	-1 No response	120	3.6		
Total		3297	100.0		

PQ File – Section A

pq1019 A2j: Partner has had haemorrhoids/piles in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	86	2.6	2.7	2.7
	2 Yes but did not consult doctor	435	13.2	13.6	16.3
	3 No	2669	81.0	83.7	100.0
	Total	3190	96.8	100.0	
Missing	-1 No response	107	3.2		
Total		3297	100.0		

pq1020 A2k: Partner has had schizophrenia in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	2	.1	.1	.1
	3 No	3178	96.4	99.9	100.0
	Total	3180	96.5	100.0	
Missing	-1 No response	117	3.5		
Total		3297	100.0		

pq1021 A2l: Partner has had influenza in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	48	1.5	1.5	1.5
	2 Yes but did not consult doctor	292	8.9	9.2	10.7
	3 No	2846	86.3	89.3	100.0
	Total	3186	96.6	100.0	
Missing	-1 No response	111	3.4		
Total		3297	100.0		

pq1022 A2m: Partner has had an alcohol problem in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	10	.3	.3	.3
	2 Yes but did not consult doctor	45	1.4	1.4	1.7
	3 No	3152	95.6	98.3	100.0
	Total	3207	97.3	100.0	
Missing	-1 No response	90	2.7		
Total		3297	100.0		

pq1023 A2n: Partner has had wheezing or asthma in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	164	5.0	5.1	5.1
	2 Yes but did not consult doctor	232	7.0	7.2	12.3
	3 No	2818	85.5	87.7	100.0
	Total	3214	97.5	100.0	
Missing	-1 No response	83	2.5		
Total		3297	100.0		

PQ File – Section A

pq1024 A2o: Partner has had bronchitis in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	44	1.3	1.4	1.4
	2 Yes but did not consult doctor	25	.8	.8	2.2
	3 No	3135	95.1	97.8	100.0
	Total	3204	97.2	100.0	
Missing	-1 No response	93	2.8		
Total		3297	100.0		

pq1025 A2p: Partner has had a stomach ulcer in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	18	.5	.6	.6
	2 Yes but did not consult doctor	7	.2	.2	.8
	3 No	3178	96.4	99.2	100.0
	Total	3203	97.1	100.0	
Missing	-1 No response	94	2.9		
Total		3297	100.0		

pq1026 A2q: Partner has had eczema in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	73	2.2	2.3	2.3
	2 Yes but did not consult doctor	221	6.7	6.9	9.2
	3 No	2912	88.3	90.8	100.0
	Total	3206	97.2	100.0	
Missing	-1 No response	91	2.8		
Total		3297	100.0		

pq1027 A2r: Partner has had psoriasis in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	44	1.3	1.4	1.4
	2 Yes but did not consult doctor	73	2.2	2.3	3.7
	3 No	3087	93.6	96.3	100.0
	Total	3204	97.2	100.0	
Missing	-1 No response	93	2.8		
Total		3297	100.0		

pq1028 A2s: Partner has had arthritis in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	91	2.8	2.8	2.8
	2 Yes but did not consult doctor	98	3.0	3.1	5.9
	3 No	3012	91.4	94.1	100.0
	Total	3201	97.1	100.0	
Missing	-1 No response	96	2.9		
Total		3297	100.0		

PQ File – Section A

pq1029 A2t: Partner has had rheumatism in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	24	.7	.8	.8
	2 Yes but did not consult doctor	59	1.8	1.8	2.6
	3 No	3116	94.5	97.4	100.0
	Total	3199	97.0	100.0	
Missing	-1 No response	98	3.0		
Total		3297	100.0		

pq1030 A2u: Partner has had a urinary infection in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	63	1.9	2.0	2.0
	2 Yes but did not consult doctor	22	.7	.7	2.7
	3 No	3122	94.7	97.3	100.0
	Total	3207	97.3	100.0	
Missing	-1 No response	90	2.7		
Total		3297	100.0		

pq1033 A2v: Partner has had syphilis in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 No	3202	97.1	100.0	100.0
Missing	-1 No response	95	2.9		
Total		3297	100.0		

pq1034 A2w: Partner has had gonorrhoea in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 No	3203	97.1	100.0	100.0
Missing	-1 No response	94	2.9		
Total		3297	100.0		

pq1035 A2x: Partner has had cancer in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and consulted doctor	19	.6	.6	.6
	3 No	3172	96.2	99.4	100.0
	Total	3191	96.8	100.0	
Missing	-1 No response	106	3.2		
Total		3297	100.0		

pq1037 A2y: Partner has had other problems in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	35	1.1	1.6	1.6
	1 Yes and consulted doctor	362	11.0	16.1	17.6
	2 Yes but did not consult doctor	60	1.8	2.7	20.3
	3 No	1795	54.4	79.7	100.0
	Total	2252	68.3	100.0	
Missing	-1 No response	1045	31.7		
Total		3297	100.0		

PQ File – Section A

pq1050 A3a: Frequency partner has taken antibiotics in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	6	.2	.2	.2
	2 Often	16	.5	.5	.7
	3 Sometimes	969	29.4	30.6	31.3
	4 Not at all	2180	66.1	68.7	100.0
	Total	3171	96.2	100.0	
Missing	-1 No response	126	3.8		
Total		3297	100.0		

pq1051 A3b: Frequency partner has taken aspirin in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	75	2.3	2.4	2.4
	2 Often	52	1.6	1.7	4.1
	3 Sometimes	1059	32.1	34.0	38.1
	4 Not at all	1929	58.5	61.9	100.0
	Total	3115	94.5	100.0	
Missing	-1 No response	182	5.5		
Total		3297	100.0		

pq1052 A3c: Frequency partner has taken paracetamol in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	19	.6	.6	.6
	2 Often	196	5.9	6.1	6.7
	3 Sometimes	2564	77.8	79.4	86.0
	4 Not at all	452	13.7	14.0	100.0
	Total	3231	98.0	100.0	
Missing	-1 No response	66	2.0		
Total		3297	100.0		

pq1053 A3d: Frequency partner has taken other painkillers in the last two years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	47	1.4	1.5	1.5
	2 Often	118	3.6	3.7	5.2
	3 Sometimes	1312	39.8	41.3	46.5
	4 Not at all	1697	51.5	53.5	100.0
	Total	3174	96.3	100.0	
Missing	-1 No response	123	3.7		
Total		3297	100.0		

PQ File – Section A

pq1080 A4a: Partner has taken any homeopathic medicines or remedies in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text in part b but no box ticked	5	.2	.2	.2
	1 Yes, often	44	1.3	1.4	1.5
	2 Yes, sometimes	198	6.0	6.1	7.6
	3 No	3004	91.1	92.4	100.0
	Total	3251	98.6	100.0	
Missing	-1 No response	46	1.4		
Total		3297	100.0		

pq1110 A5: Number of other drugs, medicines and ointments partner has used in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	367	11.1	16.8	16.8
	1	882	26.8	40.4	57.2
	2	494	15.0	22.6	79.8
	3	218	6.6	10.0	89.8
	4	120	3.6	5.5	95.3
	5	48	1.5	2.2	97.5
	6	22	.7	1.0	98.5
	7	9	.3	.4	98.9
	8	10	.3	.5	99.4
	9	7	.2	.3	99.7
	10	4	.1	.2	99.9
	11	1	.0	.0	100.0
	14	1	.0	.0	100.0
	Total	2183	66.2	100.0	
Missing	-1 No response	1114	33.8		
Total		3297	100.0		

PQ File – Section A

pq1170 A6a: Partner has been admitted to hospital since study child's 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	456	13.8	14.0	14.0
2 No	2809	85.2	86.0	100.0
Total	3265	99.0	100.0	
Missing -1 No response	32	1.0		
Total	3297	100.0		

pq1171 A6b: Number of times partner was admitted to hospital since study child's 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	6	.2	1.3	1.3
1	344	10.4	74.1	75.4
2	82	2.5	17.7	93.1
3	19	.6	4.1	97.2
4	4	.1	.9	98.1
5	6	.2	1.3	99.4
6	1	.0	.2	99.6
10	1	.0	.2	99.8
15	1	.0	.2	100.0
Total	464	14.1	100.0	
Missing -1 No response	2833	85.9		
Total	3297	100.0		

pq1172 A6c: Number of reasons partner was admitted to hospital since study child's 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	8	.2	1.9	1.9
1	350	10.6	84.3	86.3
2	49	1.5	11.8	98.1
3	6	.2	1.4	99.5
5	1	.0	.2	99.8
16	1	.0	.2	100.0
Total	415	12.6	100.0	
Missing -1 No response	2882	87.4		
Total	3297	100.0		

PQ File – Section A

pq1174 A6d: Number of nights partner stayed in hospital - 1st stay

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	147	4.5	32.8	32.8
	1	112	3.4	25.0	57.8
	2	53	1.6	11.8	69.6
	3	34	1.0	7.6	77.2
	4	22	.7	4.9	82.1
	5	20	.6	4.5	86.6
	6	10	.3	2.2	88.8
	7	14	.4	3.1	92.0
	9	1	.0	.2	92.2
	10	8	.2	1.8	94.0
	11	1	.0	.2	94.2
	12	3	.1	.7	94.9
	13	1	.0	.2	95.1
	14	6	.2	1.3	96.4
	15	2	.1	.4	96.9
	16	1	.0	.2	97.1
	21	5	.2	1.1	98.2
	26	1	.0	.2	98.4
	28	2	.1	.4	98.9
	30	1	.0	.2	99.1
	42	1	.0	.2	99.3
	60	1	.0	.2	99.6
	75	1	.0	.2	99.8
	80	1	.0	.2	100.0
	Total	448	13.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	2848	86.4		
	Total	2849	86.4		
Total		3297	100.0		

pq1176 A6e: Number of nights partner stayed in hospital - 2nd stay

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	34	1.0	34.7	34.7
	1	15	.5	15.3	50.0
	2	11	.3	11.2	61.2
	3	5	.2	5.1	66.3
	4	9	.3	9.2	75.5
	5	7	.2	7.1	82.7
	6	1	.0	1.0	83.7
	7	5	.2	5.1	88.8
	9	1	.0	1.0	89.8
	10	1	.0	1.0	90.8
	12	2	.1	2.0	92.9
	14	2	.1	2.0	94.9
	28	3	.1	3.1	98.0
	45	1	.0	1.0	99.0
	49	1	.0	1.0	100.0
	Total	98	3.0	100.0	
Missing	-1 No response	3199	97.0		
Total		3297	100.0		

PQ File – Section A

pq1178 A6f: Number of nights partner stayed in hospital - 3rd stay

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	5	.2	20.0	20.0
	1	4	.1	16.0	36.0
	2	3	.1	12.0	48.0
	3	3	.1	12.0	60.0
	4	3	.1	12.0	72.0
	5	2	.1	8.0	80.0
	6	2	.1	8.0	88.0
	7	1	.0	4.0	92.0
	10	1	.0	4.0	96.0
	90	1	.0	4.0	100.0
	Total	25	.8	100.0	
Missing	-1 No response	3272	99.2		
Total		3297	100.0		

pq1180 A6g: Number of nights partner stayed in hospital - 4th stay

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	.1	36.4	36.4
	1	1	.0	9.1	45.5
	3	1	.0	9.1	54.5
	8	1	.0	9.1	63.6
	10	3	.1	27.3	90.9
	21	1	.0	9.1	100.0
	Total	11	.3	100.0	
Missing	-1 No response	3286	99.7		
Total		3297	100.0		

pq1182 A6h: Number of nights partner stayed in hospital - 5th stay

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	16.7	16.7
	2	1	.0	16.7	33.3
	3	1	.0	16.7	50.0
	5	1	.0	16.7	66.7
	6	1	.0	16.7	83.3
	24	1	.0	16.7	100.0
	Total	6	.2	100.0	
Missing	-1 No response	3291	99.8		
Total		3297	100.0		

PQ File – Section A

pq1190 A7a: Frequency partner has had backache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	171	5.2	5.2	5.2
	2 Sometimes	1345	40.8	41.3	46.5
	3 Not at all	1742	52.8	53.5	100.0
	Total	3258	98.8	100.0	
Missing	-1 No response	39	1.2		
Total		3297	100.0		

pq1191 A7b: Frequency partner has had headache or migraine in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	32	1.0	1.0	1.0
	2 Sometimes	1707	51.8	52.4	53.4
	3 Not at all	1516	46.0	46.6	100.0
	Total	3255	98.7	100.0	
Missing	-1 No response	42	1.3		
Total		3297	100.0		

pq1192 A7c: Frequency partner has had a urinary infection in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	1	.0	.0	.0
	2 Sometimes	21	.6	.6	.7
	3 Not at all	3215	97.5	99.3	100.0
	Total	3237	98.2	100.0	
Missing	-1 No response	60	1.8		
Total		3297	100.0		

pq1193 A7d: Frequency partner has had nausea in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	3	.1	.1	.1
	2 Sometimes	174	5.3	5.4	5.5
	3 Not at all	3059	92.8	94.5	100.0
	Total	3236	98.1	100.0	
Missing	-1 No response	61	1.9		
Total		3297	100.0		

pq1194 A7e: Frequency partner has had vomiting in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Sometimes	140	4.2	4.3	4.3
	3 Not at all	3097	93.9	95.7	100.0
	Total	3237	98.2	100.0	
Missing	-1 No response	60	1.8		
Total		3297	100.0		

PQ File – Section A

pq1195 A7f: Frequency partner has had diarrhoea in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	12	.4	.4	.4
	2 Sometimes	495	15.0	15.3	15.7
	3 Not at all	2730	82.8	84.3	100.0
	Total	3237	98.2	100.0	
Missing	-1 No response	60	1.8		
Total		3297	100.0		

pq1196 A7g: Frequency partner has had haemorrhoids or piles in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	39	1.2	1.2	1.2
	2 Sometimes	286	8.7	8.8	10.0
	3 Not at all	2913	88.4	90.0	100.0
	Total	3238	98.2	100.0	
Missing	-1 No response	59	1.8		
Total		3297	100.0		

pq1197 A7h: Frequency partner has felt weepy/tearful in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	12	.4	.4	.4
	2 Sometimes	320	9.7	9.9	10.3
	3 Not at all	2902	88.0	89.7	100.0
	Total	3234	98.1	100.0	
Missing	-1 No response	63	1.9		
Total		3297	100.0		

pq1198 A7i: Frequency partner has felt irritable in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	31	.9	1.0	1.0
	2 Sometimes	1563	47.4	48.0	49.0
	3 Not at all	1659	50.3	51.0	100.0
	Total	3253	98.7	100.0	
Missing	-1 No response	44	1.3		
Total		3297	100.0		

pq1199 A7j: Frequency partner has felt exhausted in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	100	3.0	3.1	3.1
	2 Sometimes	1604	48.7	49.2	52.2
	3 Not at all	1558	47.3	47.8	100.0
	Total	3262	98.9	100.0	
Missing	-1 No response	35	1.1		
Total		3297	100.0		

PQ File – Section A

pq1200 A7k: Frequency partner has had varicose veins in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	60	1.8	1.9	1.9
	2 Sometimes	52	1.6	1.6	3.5
	3 Not at all	3127	94.8	96.5	100.0
	Total	3239	98.2	100.0	
Missing	-1 No response	58	1.8		
Total		3297	100.0		

pq1201 A7l: Frequency partner has passed urine very often in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	34	1.0	1.0	1.0
	2 Sometimes	309	9.4	9.5	10.6
	3 Not at all	2896	87.8	89.4	100.0
	Total	3239	98.2	100.0	
Missing	-1 No response	58	1.8		
Total		3297	100.0		

pq1202 A7m: Frequency partner has had a problem holding urine when jumping, sneezing, etc in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	4	.1	.1	.1
	2 Sometimes	46	1.4	1.4	1.5
	3 Not at all	3189	96.7	98.5	100.0
	Total	3239	98.2	100.0	
Missing	-1 No response	58	1.8		
Total		3297	100.0		

pq1203 A7n: Frequency partner has had indigestion in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	19	.6	.6	.6
	2 Sometimes	978	29.7	30.1	30.7
	3 Not at all	2250	68.2	69.3	100.0
	Total	3247	98.5	100.0	
Missing	-1 No response	50	1.5		
Total		3297	100.0		

pq1204 A7o: Frequency partner has felt dizzy/fainted in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	3	.1	.1	.1
	2 Sometimes	233	7.1	7.2	7.3
	3 Not at all	2994	90.8	92.7	100.0
	Total	3230	98.0	100.0	
Missing	-1 No response	67	2.0		
Total		3297	100.0		

PQ File – Section A

pq1205 A7p: Frequency partner has had flashing lights/spots before the eyes in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	3	.1	.1	.1
	2 Sometimes	211	6.4	6.5	6.6
	3 Not at all	3018	91.5	93.4	100.0
	Total	3232	98.0	100.0	
Missing	-1 No response	65	2.0		
Total		3297	100.0		

pq1206 A7q: Frequency partner has had shoulder ache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	85	2.6	2.6	2.6
	2 Sometimes	807	24.5	24.9	27.5
	3 Not at all	2348	71.2	72.5	100.0
	Total	3240	98.3	100.0	
Missing	-1 No response	57	1.7		
Total		3297	100.0		

pq1207 A7r: Frequency partner has had tangling in hands/fingers in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	25	.8	.8	.8
	2 Sometimes	488	14.8	15.1	15.8
	3 Not at all	2725	82.7	84.2	100.0
	Total	3238	98.2	100.0	
Missing	-1 No response	59	1.8		
Total		3297	100.0		

pq1208 A7s: Frequency partner has had tingling in feet/toes in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	16	.5	.5	.5
	2 Sometimes	188	5.7	5.8	6.3
	3 Not at all	3032	92.0	93.7	100.0
	Total	3236	98.1	100.0	
Missing	-1 No response	61	1.9		
Total		3297	100.0		

pq1209 A7t: Frequency partner has had neck ache in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	65	2.0	2.0	2.0
	2 Sometimes	922	28.0	28.4	30.4
	3 Not at all	2256	68.4	69.6	100.0
	Total	3243	98.4	100.0	
Missing	-1 No response	54	1.6		
Total		3297	100.0		

PQ File – Section A

pq1210 A7u: Frequency partner has felt depressed in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost all the time	30	.9	.9	.9
	2 Sometimes	545	16.5	16.8	17.8
	3 Not at all	2664	80.8	82.2	100.0
	Total	3239	98.2	100.0	
Missing	-1 No response	58	1.8		
Total		3297	100.0		

pq1211 A7v: Frequency partner has had other problems in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	37	1.1	1.3	1.3
	1 Almost all the time	57	1.7	2.0	3.3
	2 Sometimes	98	3.0	3.4	6.8
	3 Not at all	2649	80.3	93.2	100.0
	Total	2841	86.2	100.0	
Missing	-1 No response	456	13.8		
Total		3297	100.0		


PQ File – Section A

pq1230 A9a: Frequency partner has intercourse now

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	268	8.1	8.4	8.4
	2 < once a month	565	17.1	17.6	26.0
	3 1-3 times a month	1005	30.5	31.3	57.3
	4 About once a week	667	20.2	20.8	78.1
	5 2-4 times a week	653	19.8	20.3	98.4
	6 >= 5 times a week	51	1.5	1.6	100.0
	Total	3209	97.3	100.0	
Missing	-1 No response	88	2.7		
Total		3297	100.0		

pq1231 A9b: Degree to which partner enjoys intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very much	2084	63.2	65.9	65.9
	2 Yes, somewhat	800	24.3	25.3	91.2
	3 No, not a lot	64	1.9	2.0	93.3
	4 No, not at all	4	.1	.1	93.4
	5 No sex at the moment	209	6.3	6.6	100.0
	Total	3161	95.9	100.0	
Missing	-1 No response	136	4.1		
Total		3297	100.0		

pq1290 A10a: Respondent's weight (kg)

plus the following missing values and outliers <55 or >135:

pq1290 A10a: Respondent's weight (kg)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	51	2	.8	18.2	18.2
	54	1	.4	9.1	27.3
	136	1	.4	9.1	36.4
	137	1	.4	9.1	45.5
	140	3	1.1	27.3	72.7
	143	1	.4	9.1	81.8
	148	1	.4	9.1	90.9
	150	1	.4	9.1	100.0
	Total	11	4.2	100.0	
Missing	-1 No response	254	95.8		
Total		265	100.0		

PQ File – Section A

pq1291 A10b: Respondent's height (cm)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	156	1	.0	.0	.0
	157	6	.2	.2	.2
	160	3	.1	.1	.3
	162	1	.0	.0	.4
	163	38	1.2	1.2	1.6
	164	2	.1	.1	1.6
	165	48	1.5	1.5	3.2
	167	2	.1	.1	3.3
	168	107	3.2	3.4	6.7
	169	2	.1	.1	6.8
	170	183	5.6	5.9	12.7
	171	3	.1	.1	12.8
	172	15	.5	.5	13.2
	173	316	9.6	10.2	23.4
	174	3	.1	.1	23.5
	175	262	7.9	8.4	32.0
	176	11	.3	.4	32.3
	177	7	.2	.2	32.5
	178	551	16.7	17.8	50.3
	179	3	.1	.1	50.4
	180	453	13.7	14.6	65.0
	181	14	.4	.5	65.5
	182	14	.4	.5	65.9
	183	418	12.7	13.5	79.4
	184	8	.2	.3	79.6
	185	242	7.3	7.8	87.4
	186	4	.1	.1	87.6
	187	4	.1	.1	87.7
	188	199	6.0	6.4	94.1
	189	2	.1	.1	94.2
	190	3	.1	.1	94.3
	191	73	2.2	2.4	96.6
	192	2	.1	.1	96.7
	193	67	2.0	2.2	98.8
	194	3	.1	.1	98.9
	195	3	.1	.1	99.0
	196	17	.5	.5	99.6
	198	6	.2	.2	99.8
	200	1	.0	.0	99.8
	201	4	.1	.1	99.9
	204	1	.0	.0	100.0
	208	1	.0	.0	100.0
	Total	3103	94.1	100.0	
Missing	-1 No response	194	5.9		
Total		3297	100.0		

PQ File – Section A

pq1292 A10c: Respondent's inside leg measurement (cm)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 61	1	.0	.0	.0
64	1	.0	.0	.1
66	5	.2	.2	.3
69	21	.6	.8	1.1
70	1	.0	.0	1.1
71	61	1.9	2.4	3.6
72	2	.1	.1	3.6
73	3	.1	.1	3.8
74	409	12.4	16.2	19.9
75	5	.2	.2	20.1
76	319	9.7	12.6	32.7
77	8	.2	.3	33.1
78	11	.3	.4	33.5
79	537	16.3	21.2	54.7
80	9	.3	.4	55.1
81	517	15.7	20.4	75.5
82	5	.2	.2	75.7
83	1	.0	.0	75.8
84	304	9.2	12.0	87.8
85	9	.3	.4	88.1
86	217	6.6	8.6	96.7
87	2	.1	.1	96.8
88	1	.0	.0	96.8
89	29	.9	1.1	98.0
91	36	1.1	1.4	99.4
93	1	.0	.0	99.4
94	3	.1	.1	99.6
97	4	.1	.2	99.7
99	3	.1	.1	99.8
102	2	.1	.1	99.9
107	2	.1	.1	100.0
Total	2529	76.7	100.0	
Missing -1 No response	768	23.3		
Total	3297	100.0		

PQ File – Section A

pq1293 A10d: Respondent's chest measurement (cm)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 71	1	.0	.0	.0
76	3	.1	.1	.2
79	1	.0	.0	.2
81	7	.2	.3	.5
84	1	.0	.0	.5
86	26	.8	1.0	1.5
87	1	.0	.0	1.6
88	2	.1	.1	1.6
89	11	.3	.4	2.1
90	1	.0	.0	2.1
91	83	2.5	3.3	5.4
92	4	.1	.2	5.5
93	1	.0	.0	5.6
94	32	1.0	1.3	6.8
95	3	.1	.1	6.9
96	7	.2	.3	7.2
97	378	11.5	14.8	22.0
98	5	.2	.2	22.2
99	66	2.0	2.6	24.8
100	6	.2	.2	25.0
101	1	.0	.0	25.1
102	510	15.5	20.0	45.1
103	1	.0	.0	45.1
104	62	1.9	2.4	47.5
105	5	.2	.2	47.7
106	3	.1	.1	47.8
107	597	18.1	23.4	71.2
108	2	.1	.1	71.3
109	44	1.3	1.7	73.0
110	8	.2	.3	73.4
112	394	12.0	15.4	88.8
113	3	.1	.1	88.9
114	22	.7	.9	89.8
117	139	4.2	5.4	95.2
119	1	.0	.0	95.3
121	1	.0	.0	95.3
122	83	2.5	3.3	98.6
124	5	.2	.2	98.7
127	18	.5	.7	99.5
130	1	.0	.0	99.5
132	8	.2	.3	99.8
137	2	.1	.1	99.9
140	1	.0	.0	99.9
147	1	.0	.0	100.0
152	1	.0	.0	100.0
Total	2552	77.4	100.0	
Missing -1 No response	745	22.6		
Total	3297	100.0		

PQ File – Section A

pq1294 A10e: Respondent's hip measurement (cm)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	66	1	.0	.1	.1
	74	1	.0	.1	.2
	76	19	.6	1.6	1.8
	79	2	.1	.2	2.0
	81	49	1.5	4.2	6.1
	84	15	.5	1.3	7.4
	86	112	3.4	9.6	17.0
	88	2	.1	.2	17.2
	89	42	1.3	3.6	20.7
	90	5	.2	.4	21.2
	91	189	5.7	16.1	37.3
	92	3	.1	.3	37.5
	93	2	.1	.2	37.7
	94	39	1.2	3.3	41.0
	95	4	.1	.3	41.4
	96	1	.0	.1	41.5
	97	202	6.1	17.2	58.7
	98	4	.1	.3	59.0
	99	56	1.7	4.8	63.8
	100	11	.3	.9	64.8
	101	4	.1	.3	65.1
	102	168	5.1	14.3	79.4
	103	2	.1	.2	79.6
	104	48	1.5	4.1	83.7
	105	5	.2	.4	84.1
	106	4	.1	.3	84.5
	107	79	2.4	6.7	91.2
	108	3	.1	.3	91.5
	109	18	.5	1.5	93.0
	110	2	.1	.2	93.2
	111	1	.0	.1	93.3
	112	37	1.1	3.2	96.4
	113	2	.1	.2	96.6
	114	8	.2	.7	97.3
	116	1	.0	.1	97.4
	117	17	.5	1.5	98.8
	119	4	.1	.3	99.1
	122	4	.1	.3	99.5
	124	2	.1	.2	99.7
	127	3	.1	.3	99.9
	132	1	.0	.1	100.0
	Total	1172	35.5	100.0	
Missing	-1 No response	2125	64.5		
Total		3297	100.0		

PQ File – Section A

pq1295 A10f: Respondent's waist measurement (cm)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	66	1	.0	.0	.0
	71	9	.3	.3	.4
	74	6	.2	.2	.6
	75	1	.0	.0	.6
	76	95	2.9	3.4	4.0
	77	1	.0	.0	4.1
	78	2	.1	.1	4.2
	79	41	1.2	1.5	5.6
	80	3	.1	.1	5.7
	81	352	10.7	12.7	18.5
	82	3	.1	.1	18.6
	84	165	5.0	6.0	24.5
	85	5	.2	.2	24.7
	86	698	21.2	25.2	49.9
	87	4	.1	.1	50.1
	88	2	.1	.1	50.1
	89	128	3.9	4.6	54.7
	90	4	.1	.1	54.9
	91	544	16.5	19.6	74.5
	92	4	.1	.1	74.7
	93	5	.2	.2	74.9
	94	63	1.9	2.3	77.1
	95	5	.2	.2	77.3
	96	2	.1	.1	77.4
	97	326	9.9	11.8	89.2
	98	1	.0	.0	89.2
	99	28	.8	1.0	90.2
	100	3	.1	.1	90.3
	101	1	.0	.0	90.4
	102	135	4.1	4.9	95.2
	104	13	.4	.5	95.7
	107	61	1.9	2.2	97.9
	108	1	.0	.0	97.9
	109	3	.1	.1	98.0
	110	3	.1	.1	98.2
	112	30	.9	1.1	99.2
	114	1	.0	.0	99.3
	117	9	.3	.3	99.6
	119	1	.0	.0	99.6
	122	5	.2	.2	99.8
	124	1	.0	.0	99.9
	127	2	.1	.1	99.9
	132	1	.0	.0	100.0
	142	1	.0	.0	100.0
	Total	2769	84.0	100.0	
Missing	-1 No response	528	16.0		
Total		3297	100.0		

PQ File – Section A

pq1300 A8a1: Number of cigarettes partner smokes per weekday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2779	84.3	86.4	86.4
	1	14	.4	.4	86.9
	2	18	.5	.6	87.4
	3	17	.5	.5	88.0
	4	8	.2	.2	88.2
	5	33	1.0	1.0	89.2
	6	11	.3	.3	89.6
	7	4	.1	.1	89.7
	8	9	.3	.3	90.0
	9	1	.0	.0	90.0
	10	87	2.6	2.7	92.7
	12	13	.4	.4	93.1
	13	1	.0	.0	93.2
	15	65	2.0	2.0	95.2
	16	2	.1	.1	95.2
	17	1	.0	.0	95.3
	18	3	.1	.1	95.4
	20	106	3.2	3.3	98.7
	24	1	.0	.0	98.7
	25	9	.3	.3	99.0
	30	23	.7	.7	99.7
	40	7	.2	.2	99.9
	50	1	.0	.0	99.9
	60	2	.1	.1	100.0
	Total	3215	97.5	100.0	
Missing	-9 Don't know	2	.1		
	-1 No response	80	2.4		
	Total	82	2.5		
Total		3297	100.0		

PQ File – Section A

pq1301 A8a2: Number of cigarettes partner smokes per weekend day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2737	83.0	86.1	86.1
	1	14	.4	.4	86.6
	2	19	.6	.6	87.2
	3	14	.4	.4	87.6
	4	12	.4	.4	88.0
	5	31	.9	1.0	89.0
	6	6	.2	.2	89.1
	7	3	.1	.1	89.2
	8	12	.4	.4	89.6
	10	90	2.7	2.8	92.4
	12	14	.4	.4	92.9
	14	2	.1	.1	93.0
	15	70	2.1	2.2	95.2
	17	1	.0	.0	95.2
	18	1	.0	.0	95.2
	20	102	3.1	3.2	98.4
	24	1	.0	.0	98.5
	25	14	.4	.4	98.9
	30	26	.8	.8	99.7
	40	5	.2	.2	99.9
	45	1	.0	.0	99.9
	50	1	.0	.0	99.9
	60	2	.1	.1	100.0
	Total	3178	96.4	100.0	
Missing	-9 Don't know	2	.1		
	-1 No response	117	3.5		
	Total	119	3.6		
Total		3297	100.0		

pq1302 A8b1: Partner smokes a pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	6	.2	.2	.2
	2 Yes, sometimes	13	.4	.4	.6
	3 No, never	2955	89.6	99.4	100.0
	Total	2974	90.2	100.0	
Missing	-1 No response	323	9.8		
Total		3297	100.0		

pq1303 A8b2: Partner smokes cigars/cigarillos

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	92	2.8	3.0	3.0
	2 Yes, sometimes	170	5.2	5.5	8.5
	3 No, never	2817	85.4	91.5	100.0
	Total	3079	93.4	100.0	
Missing	-1 No response	218	6.6		
Total		3297	100.0		

PAGE 10 OF THE QUESTIONNAIRE

SECTION B: LIFE IN THE LAST 4 WEEKS

- B1. During the past 4 weeks what was the hardest physical activity you could do for at least 2 minutes?

Very heavy e.g. run at a fast pace	<div>1</div>
Heavy e.g. jog at a slow pace	<div>2</div>
Moderate e.g. walk at a fast pace	<div>3</div>
Light e.g. walk at a medium pace	<div>4</div>
Very light e.g. walk at a slow pace	<div>5</div>

- B2. During the past 4 weeks how much have you been bothered by emotional problems such as feeling anxious, depressed, or downhearted and sad?

Not at all	<div>1</div>
Hardly ever	<div>2</div>
Sometimes	<div>3</div>
Quite a lot	<div>4</div>
A great deal	<div>5</div>

- B3. During the past 4 weeks how much difficulty have you had doing your usual activities both inside and outside the house, because of your physical and/or emotional health?

No difficulty	<div>1</div>
A little difficulty	<div>2</div>
Some difficulty	<div>3</div>
Much difficulty	<div>4</div>
Could not do	<div>5</div>

PAGE 11 OF THE QUESTIONNAIRE

B4. During the past 4 weeks how much has your physical and/or emotional health limited your social activities with family, friends, neighbours or groups?

Not at all	<input type="text" value="1"/>
Hardly ever	<input type="text" value="2"/>
Sometimes	<input type="text" value="3"/>
Quite a lot	<input type="text" value="4"/>
A great deal	<input type="text" value="5"/>

B5. During the past 4 weeks how much bodily pain have you generally had?

None at all	<input type="text" value="1"/>
Very mild pain	<input type="text" value="2"/>
Mild pain	<input type="text" value="3"/>
Moderate pain	<input type="text" value="4"/>
Severe pain	<input type="text" value="5"/>

B6. During the past 4 weeks how would you rate your health in general?

Excellent	<input type="text" value="1"/>
Very good	<input type="text" value="2"/>
Good	<input type="text" value="3"/>
Fair	<input type="text" value="4"/>
Poor	<input type="text" value="5"/>

PAGE 12 OF THE QUESTIONNAIRE

B7. During the past 4 weeks was someone available to help if you needed and wanted help?

Yes, as much as I wanted	<input type="text" value="1"/>
Yes, quite a bit	<input type="text" value="2"/>
Yes some of the time	<input type="text" value="3"/>
Yes, a little of the time	<input type="text" value="4"/>
No, not at all	<input type="text" value="5"/>

B8. How well have things been going for you during the past 4 weeks?

Very well	<input type="text" value="1"/>
Pretty good	<input type="text" value="2"/>
An equal mix of good and bad	<input type="text" value="3"/>
Pretty bad	<input type="text" value="4"/>
Very bad	<input type="text" value="5"/>
Dreadful	<input type="text" value="6"/>

PQ File – Section B

pq2000 B1: Hardest level of physical activity partner could do for at least 2 minutes in the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very heavy	1283	38.9	39.7	39.7
	2 Heavy	936	28.4	29.0	68.7
	3 Moderate	746	22.6	23.1	91.8
	4 Light	215	6.5	6.7	98.5
	5 Very light	50	1.5	1.5	100.0
	Total	3230	98.0	100.0	
Missing	-1 No response	67	2.0		
Total		3297	100.0		

pq2010 B2: Frequency partner has been bothered by emotional problems during the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	1497	45.4	45.7	45.7
	2 Hardly ever	783	23.7	23.9	69.6
	3 Sometimes	730	22.1	22.3	91.9
	4 Quite a lot	194	5.9	5.9	97.8
	5 A great deal	72	2.2	2.2	100.0
	Total	3276	99.4	100.0	
Missing	-1 No response	21	.6		
Total		3297	100.0		

pq2020 B3: Level of difficulty partner had doing usual activities due to physical or emotional health during the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No difficulty	2494	75.6	76.2	76.2
	2 A little difficulty	480	14.6	14.7	90.8
	3 Some difficulty	215	6.5	6.6	97.4
	4 Much difficulty	71	2.2	2.2	99.6
	5 Could not do	14	.4	.4	100.0
	Total	3274	99.3	100.0	
Missing	-1 No response	23	.7		
Total		3297	100.0		

pq2030 B4: Degree to which partner's physical or emotional health has limited social activities in the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	2541	77.1	77.6	77.6
	2 Hardly ever	371	11.3	11.3	89.0
	3 Sometimes	265	8.0	8.1	97.1
	4 Quite a lot	73	2.2	2.2	99.3
	5 A great deal	23	.7	.7	100.0
	Total	3273	99.3	100.0	
Missing	-1 No response	24	.7		
Total		3297	100.0		

PQ File – Section B

pq2040 B5: Level of bodily pain partner has generally had during the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None at all	1358	41.2	41.5	41.5
	2 Very mild pain	1162	35.2	35.5	77.0
	3 Mild pain	426	12.9	13.0	90.0
	4 Moderate pain	261	7.9	8.0	98.0
	5 Severe pain	65	2.0	2.0	100.0
	Total	3272	99.2	100.0	
Missing	-1 No response	25	.8		
Total		3297	100.0		

pq2050 B6: Partner's assessment of own health in past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Excellent	849	25.8	25.9	25.9
	2 Very good	1395	42.3	42.6	68.5
	3 Good	698	21.2	21.3	89.8
	4 Fair	272	8.2	8.3	98.1
	5 Poor	61	1.9	1.9	100.0
	Total	3275	99.3	100.0	
Missing	-1 No response	22	.7		
Total		3297	100.0		

pq2060 B7: Partner had someone available to help if needed in the past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, as much as wanted	1859	56.4	57.3	57.3
	2 Yes, quite a bit	670	20.3	20.6	77.9
	3 Yes, some of the time	418	12.7	12.9	90.8
	4 Yes, a little of the time	172	5.2	5.3	96.1
	5 No, not at all	126	3.8	3.9	100.0
	Total	3245	98.4	100.0	
Missing	-1 No response	52	1.6		
Total		3297	100.0		

pq2070 B8: Degree to which things have been going well for partner during past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very well	958	29.1	29.3	29.3
	2 Pretty good	1526	46.3	46.6	75.9
	3 An equal mix of good and bad	672	20.4	20.5	96.4
	4 Pretty bad	90	2.7	2.7	99.2
	5 Very bad	11	.3	.3	99.5
	6 Dreadful	16	.5	.5	100.0
	Total	3273	99.3	100.0	
Missing	-1 No response	24	.7		
Total		3297	100.0		

PAGE 13 OF THE QUESTIONNAIRE

SECTION C: YOUR WIFE/PARTNER

C1. a) Do you currently have a wife or partner?

yes, a wife

yes, a female partner

yes, a male partner

no partner

→ If **no partner**, go to Section D on page 25If **yes**,

b) does your partner or wife live with you?

Yes

No

→ If **no**, go to C2 belowIf **yes**,

c) how long have you lived together?

years

months

d) is this the same partner or wife as the one you had when the study child had his/her 9th birthday?

Yes the same

No, a new partner

I don't remember

The section below is concerned with your relationship with your partner. (The partner will be referred to as 'she', although the questions refer to all partners.)

C2. How would you assess your wife/partner's physical health?

always fit and well

mostly well and healthy

often feels unwell

hardly ever feels well

PAGE 14 OF THE QUESTIONNAIRE

- C3. Below are listed a number of conditions which your wife/partner might have had.
Please indicate whether she has had any of these since your study child's 10th birthday.

In the last 2 years wife/partner had:	Yes, and saw a doctor	Yes, but did not see a doctor	No, not at all	Do not know
a) headaches or migraine	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
b) indigestion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
c) epilepsy	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
d) depression	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
e) anxiety or nerves	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
f) haemorrhoids/piles	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
g) cough or cold	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
h) influenza	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
i) bronchitis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
j) high blood pressure (hypertension)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
k) diabetes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
l) schizophrenia	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
m) drink (alcohol) problem	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
n) stomach ulcer	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
o) asthma or wheezing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
p) eczema	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
q) psoriasis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
r) arthritis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
s) urinary infection	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
t) rheumatism	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
u) back pain, sciatica or slipped disc	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>

PAGE 15 OF THE QUESTIONNAIRE

In the last 2 years wife\partner had:		Yes, and saw a doctor	Yes, but did not see a doctor	No, not at all	Do not know
v)	syphilis	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
w)	gonorrhoea	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
x)	other condition(s) (please tick and describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>

.....

C4. Below are some statements about mothers' and partners' relationships with young children. Please indicate how you feel in your particular situation.

In regard to the study child:		This is always how I feel	This is sometimes how I feel	I never feel this way
a)	She really loves this child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b)	She is glad that we had this child when we did	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c)	I like to watch her play with the child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d)	I am afraid to leave the child alone with her because I think she might be violent	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e)	She seems to feel very close to the child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f)	This child gets on her nerves	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g)	She really cannot bear it when this child cries or whines	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
h)	I think she is interested as she watches the child develop	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

PAGE 16 OF THE QUESTIONNAIRE

		This is always how I feel	This is sometimes how I feel	I never feel this way
C4. (cont.)				
i)	She feels anxious when the child is staying with others	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
j)	She doesn't mind the mess that surrounds children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
k)	This child makes her very happy	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

		(i) weekday	(ii) weekend day
C5. a)	How many cigarettes does your wife or partner currently smoke <u>per day</u> ? (If none, put 00)	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>

	Yes every day	Yes sometimes	No never
b) Does she smoke:			
(i) pipe	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
(ii) cigar/cigarillo	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

C6. a) Is your wife/partner currently employed?

Yes No → **If no, go to C7 on page 18**

If yes,

b) (i) What is her occupation?.....

(ii) Please give industry or trade

c) Has she had the same job since the study child's 10th birthday?

Yes No

PAGE 17 OF THE QUESTIONNAIRE

C6. d) Does she work nights?

yes, always

yes, sometimes

no, never

e) Does she leave home for several days as part of her work?

yes, often

yes, occasionally

no, never

f) Does she work shifts?

yes, often

yes, occasionally

no, never

g) How many hours a week does she normally work?

i) If her hours are regular, please state how many

(put 99 if don't know)

ii) If her hours vary, please put the minimum

and the maximum

h) Does she usually work:

the basic no. of hours per week

basic hours plus paid overtime

longer than basic hours (but
not paid extra)self-employed - as long as
necessary

PAGE 18 OF THE QUESTIONNAIRE

C6. i) Does she get home after work before the study child is in bed?

yes, usually yes, sometimes no, never

C7. How would you rate her on these characteristics?

	Almost always	Sometimes	Hardly ever
a) helpful, co-operative	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) quiet, reserved	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) unreliable	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) sociable, outgoing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e) dominating	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f) understanding	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g) quick-tempered, easily upset	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
h) cheerful, easygoing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

C8. Who does these various household tasks?

	Me always ↓	Me mostly ↓	Sometimes me, some- times she does	She does mostly ↓	She does always ↓	Someone else ↓
a) shopping for groceries	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
b) cooking	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
c) cleaning	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
d) repairs in home	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
e) looking after children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
f) washing clothes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
g) ironing	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>

PAGE 19 OF THE QUESTIONNAIRE

C9. Who decides:

	Me always ↓	Me mostly ↓	Sometimes me, some- times she does	She does mostly ↓	She does always ↓
a) how to spend free time	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
b) how much to see family or friends	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
c) when to do repairs or redecorate	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
d) how we should spend our money	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

C10. People vary greatly in the amount they are satisfied or dissatisfied with their relationship. How do you feel about the following aspects of your life together?

	Very satisfied	Moderately satisfied	Somewhat dissatisfied	Very dissatisfied
a) handling family finances	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) demonstrations of affection	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) sex	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) amount of time spent together	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) making major decisions	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) household tasks	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) leisure time interests & activities	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

C11. a) How often recently have you been irritable with your wife or partner?

not at all	<input type="text" value="1"/>	less than once a week	<input type="text" value="2"/>	1-2 times a week	<input type="text" value="3"/>	3-6 times a week	<input type="text" value="4"/>	every day	<input type="text" value="5"/>
------------	--------------------------------	-----------------------	--------------------------------	------------------	--------------------------------	------------------	--------------------------------	-----------	--------------------------------

PAGE 20 OF THE QUESTIONNAIRE

C11. b) How often has she been irritable with you?

not	less than		1-2 times	3-6 times	every
at all	once a		a week	a week	day
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	

C12. a) How many arguments or disagreements have you had with one another in the past three months?

None	1-3	4-7	8-13	14 or more
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

In the past 3 months, have any of these happened?

	Yes, I did this	Yes, she did this	Yes, we both did this	No, not at all
b) not speaking for more than half an hour	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) one of you walking out of the house	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) shouting or calling one another names	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) hitting or slapping	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) throwing or breaking things	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 21 OF THE QUESTIONNAIRE

C13. In the past three months how often have you done these things **with your wife/partner?**

Together we have:		Never ↓	Less than Once a month	Less than once a week	At least once a week
a)	gone out for a meal	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b)	gone out for a drink	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c)	visited friends	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
d)	visited family	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
e)	gone to the cinema or theatre	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
f)	other (please tick & describe)		<div>2</div>	<div>3</div>	<div>4</div>

.....

C14. a) How many evenings a month do you go out and do things **on your own** or with your own friends?

none	<div>1</div>	once	<div>2</div>	2-3 times	<div>3</div>
4-7 times	<div>4</div>	8 or more times	<div>5</div>		

b) How many times a month does your wife/partner go out and do things **on her own** or with friends?

none	<div>1</div>	once	<div>2</div>	2-3 times	<div>3</div>
4-7 times	<div>4</div>	8 or more times	<div>5</div>		

PAGE 22 OF THE QUESTIONNAIRE

C15. How often in a week, on average, would you and your wife/partner:

		Never ↓	Less than once a week	1-3 times a week	Most days ↓
a)	discuss work or how the day has gone	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
b)	laugh together	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
c)	calmly talk over something (e.g. the news, a hobby or interest)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
d)	kiss or hug	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
e)	make plans	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>
f)	talk over feelings or worries	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>

C16. a) Which of the following statements about alcohol best applies to your wife/partner:

Never drinks alcohol	<div>1</div>
Very occasionally (less than once a week)	<div>2</div>
Occasionally (at least once a week)	<div>3</div>
Drinks 1-2 glasses* nearly every day	<div>4</div>
Drinks 3-9 glasses* every day	<div>5</div>
Drinks at least 10 glasses a day	<div>6</div>
Don't know	<div>9</div>

[*by glass we mean pub measures (1oz) of spirits, 1 glass of wine or ½ pint (¼ litre) of beer or cider]

PAGE 23 OF THE QUESTIONNAIRE

- C16. b) How many days **in the past month** do you think she had the equivalent of at least 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit?

every day	<input type="text" value="1"/>	more than 10 days	<input type="text" value="2"/>
5-10 days	<input type="text" value="3"/>	3-4 days	<input type="text" value="4"/>
1-2 days	<input type="text" value="5"/>	none	<input type="text" value="6"/>

- C17. Below are attitudes and behaviours which people reveal in their close relationships. Please rate your wife/partner's attitudes and behaviour towards you in recent times and tick the most appropriate box for each item.

My wife/partner:	Very true	Moderately true	Somewhat true	Not at all true
a) Is very considerate of me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) Wants me to take her side in an argument	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) Wants to know exactly what I'm doing and where I am	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) Is a good companion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) Is affectionate to me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) Is clearly hurt if I don't accept her views	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) Tends to try to change me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
h) Confides closely in me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
i) Tends to criticise me over small issues	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
j) Understands my problems and worries	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
k) Tends to order me about	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
l) Insists I do exactly as I'm told	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
m) Is physically gentle and considerate	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 24 OF THE QUESTIONNAIRE

C17. cont.

	Very true	Moderately true	Somewhat true	Not at all true
My wife/partner:				
n) Makes me feel needed	1	2	3	4
o) Wants me to change in small ways	1	2	3	4
p) Is very loving to me	1	2	3	4
q) Seeks to dominate me	1	2	3	4
r) Is fun to be with	1	2	3	4
s) Wants to change me in big ways	1	2	3	4
t) Tends to control everything I do	1	2	3	4
u) Shows her appreciation of me	1	2	3	4
v) Is critical of me in private	1	2	3	4
w) Is gentle and kind to me	1	2	3	4
x) Speaks to me in a warm and friendly voice	1	2	3	4

PQ File – Section C

pq3000 C1a: Partner currently has a wife or partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, a wife	2944	89.3	89.7	89.7
	2 Yes, a female partner	252	7.6	7.7	97.4
	3 Yes, a male partner	1	.0	.0	97.4
	4 No partner	84	2.5	2.6	100.0
	Total	3281	99.5	100.0	
Missing	-1 No response	16	.5		
Total		3297	100.0		

pq3001 C1b: Partner lives with partner or wife

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3138	95.2	98.3	98.3
	2 No	54	1.6	1.7	100.0
	Total	3192	96.8	100.0	
Missing	-1 No response	105	3.2		
Total		3297	100.0		

PQ File – Section C

pq3002a C1c: Length of time partner has lived with wife or partner - years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	.1	.1	.1
	1	8	.2	.3	.4
	2	23	.7	.7	1.1
	3	14	.4	.5	1.6
	4	23	.7	.7	2.3
	5	30	.9	1.0	3.3
	6	18	.5	.6	3.9
	7	17	.5	.6	4.4
	8	18	.5	.6	5.0
	9	14	.4	.5	5.5
	10	17	.5	.6	6.0
	11	10	.3	.3	6.3
	12	40	1.2	1.3	7.6
	13	153	4.6	5.0	12.6
	14	249	7.6	8.1	20.7
	15	347	10.5	11.3	32.0
	16	312	9.5	10.1	42.2
	17	319	9.7	10.4	52.5
	18	352	10.7	11.5	64.0
	19	229	6.9	7.4	71.4
	20	293	8.9	9.5	81.0
	21	127	3.9	4.1	85.1
	22	127	3.9	4.1	89.2
	23	105	3.2	3.4	92.6
	24	65	2.0	2.1	94.8
	25	50	1.5	1.6	96.4
	26	30	.9	1.0	97.4
	27	20	.6	.7	98.0
	28	22	.7	.7	98.7
	29	10	.3	.3	99.1
	30	14	.4	.5	99.5
	31	4	.1	.1	99.6
	32	7	.2	.2	99.9
	33	2	.1	.1	99.9
	34	1	.0	.0	100.0
	49	1	.0	.0	100.0
	Total	3074	93.2	100.0	
Missing	-1 No response	223	6.8		
Total		3297	100.0		

PQ File – Section C

pq3002b C1c: Length of time partner has lived with wife or partner - months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	296	9.0	16.2	16.2
	1	103	3.1	5.6	21.8
	2	154	4.7	8.4	30.2
	3	174	5.3	9.5	39.7
	4	147	4.5	8.0	47.7
	5	109	3.3	5.9	53.7
	6	312	9.5	17.0	70.7
	7	107	3.2	5.8	76.5
	8	126	3.8	6.9	83.4
	9	120	3.6	6.6	90.0
	10	116	3.5	6.3	96.3
	11	68	2.1	3.7	100.0
	Total	1832	55.6	100.0	
Missing	-1 No response	1465	44.4		
Total		3297	100.0		

pq3003 C1d: Partner's current partner is the same as on the study child's 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes the same	3059	92.8	98.8	98.8
	2 No, a new partner	35	1.1	1.1	100.0
	3 Don't remember	1	.0	.0	100.0
	Total	3095	93.9	100.0	
Missing	-1 No response	202	6.1		
Total		3297	100.0		

pq3010 C2: Partner's assessment of wife/partner's health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always fit and well	881	26.7	27.7	27.7
	2 Mostly well and healthy	1965	59.6	61.7	89.4
	3 Often feels unwell	317	9.6	10.0	99.3
	4 Hardly ever feels well	21	.6	.7	100.0
	Total	3184	96.6	100.0	
Missing	-1 No response	113	3.4		
Total		3297	100.0		

PQ File – Section C

pq3020 C3a: Partner's partner had headaches or migraine in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	174	5.3	5.5	5.5
	2 Yes, but did not see a doctor	2420	73.4	76.3	81.8
	3 No, not at all	496	15.0	15.6	97.4
	9 Do not know	83	2.5	2.6	100.0
	Total	3173	96.2	100.0	
Missing	-1 No response	124	3.8		
Total		3297	100.0		

pq3021 C3b: Partner's partner had indigestion in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	72	2.2	2.3	2.3
	2 Yes, but did not see a doctor	1032	31.3	32.8	35.0
	3 No, not at all	1658	50.3	52.6	87.7
	9 Do not know	389	11.8	12.3	100.0
	Total	3151	95.6	100.0	
Missing	-1 No response	146	4.4		
Total		3297	100.0		

pq3022 C3c: Partner's partner had epilepsy in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	9	.3	.3	.3
	2 Yes, but did not see a doctor	3	.1	.1	.4
	3 No, not at all	2884	87.5	91.9	92.3
	9 Do not know	241	7.3	7.7	100.0
	Total	3137	95.1	100.0	
Missing	-1 No response	160	4.9		
Total		3297	100.0		

pq3023 C3d: Partner's partner had depression in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	228	6.9	7.2	7.2
	2 Yes, but did not see a doctor	470	14.3	14.9	22.2
	3 No, not at all	2159	65.5	68.5	90.7
	9 Do not know	293	8.9	9.3	100.0
	Total	3150	95.5	100.0	
Missing	-1 No response	147	4.5		
Total		3297	100.0		

pq3024 C3e: Partner's partner had anxiety or nerves in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	146	4.4	4.6	4.6
	2 Yes, but did not see a doctor	712	21.6	22.6	27.3
	3 No, not at all	1985	60.2	63.1	90.4
	9 Do not know	303	9.2	9.6	100.0
	Total	3146	95.4	100.0	
Missing	-1 No response	151	4.6		
Total		3297	100.0		

PQ File – Section C

pq3025 C3f: Partner's partner had haemorrhoids/piles in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	61	1.9	1.9	1.9
	2 Yes, but did not see a doctor	323	9.8	10.3	12.2
	3 No, not at all	2371	71.9	75.4	87.6
	9 Do not know	390	11.8	12.4	100.0
	Total	3145	95.4	100.0	
Missing	-1 No response	152	4.6		
Total		3297	100.0		

pq3026 C3g: Partner's partner had a cough or cold in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	76	2.3	2.4	2.4
	2 Yes, but did not see a doctor	2441	74.0	77.1	79.5
	3 No, not at all	564	17.1	17.8	97.3
	9 Do not know	85	2.6	2.7	100.0
	Total	3166	96.0	100.0	
Missing	-1 No response	131	4.0		
Total		3297	100.0		

pq3027 C3h: Partner's partner had influenza in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	41	1.2	1.3	1.3
	2 Yes, but did not see a doctor	329	10.0	10.5	11.8
	3 No, not at all	2551	77.4	81.2	92.9
	9 Do not know	222	6.7	7.1	100.0
	Total	3143	95.3	100.0	
Missing	-1 No response	154	4.7		
Total		3297	100.0		

pq3028 C3i: Partner's partner had bronchitis in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	39	1.2	1.2	1.2
	2 Yes, but did not see a doctor	40	1.2	1.3	2.5
	3 No, not at all	2830	85.8	90.0	92.6
	9 Do not know	234	7.1	7.4	100.0
	Total	3143	95.3	100.0	
Missing	-1 No response	154	4.7		
Total		3297	100.0		

pq3029 C3j: Partner's partner had high blood pressure in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	127	3.9	4.0	4.0
	2 Yes, but did not see a doctor	43	1.3	1.4	5.4
	3 No, not at all	2657	80.6	84.4	89.8
	9 Do not know	322	9.8	10.2	100.0
	Total	3149	95.5	100.0	
Missing	-1 No response	148	4.5		
Total		3297	100.0		

PQ File – Section C

pq3030 C3k: Partner's partner had diabetes in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	29	.9	.9	.9
	2 Yes, but did not see a doctor	2	.1	.1	1.0
	3 No, not at all	2894	87.8	92.0	93.0
	9 Do not know	221	6.7	7.0	100.0
	Total	3146	95.4	100.0	
Missing	-1 No response	151	4.6		
Total		3297	100.0		

pq3031 C3l: Partner's partner had schizophrenia in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3 No, not at all	2923	88.7	92.9	92.9
	9 Do not know	222	6.7	7.1	100.0
	Total	3145	95.4	100.0	
Missing	-1 No response	152	4.6		
Total		3297	100.0		

pq3032 C3m: Partner's partner had a drink problem in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	7	.2	.2	.2
	2 Yes, but did not see a doctor	30	.9	1.0	1.2
	3 No, not at all	2887	87.6	91.8	92.9
	9 Do not know	222	6.7	7.1	100.0
	Total	3146	95.4	100.0	
Missing	-1 No response	151	4.6		
Total		3297	100.0		

pq3033 C3n: Partner's partner had a stomach ulcer in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	14	.4	.4	.4
	2 Yes, but did not see a doctor	6	.2	.2	.6
	3 No, not at all	2898	87.9	92.2	92.8
	9 Do not know	225	6.8	7.2	100.0
	Total	3143	95.3	100.0	
Missing	-1 No response	154	4.7		
Total		3297	100.0		

pq3034 C3o: Partner's partner had asthma or wheezing in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	109	3.3	3.5	3.5
	2 Yes, but did not see a doctor	165	5.0	5.2	8.7
	3 No, not at all	2670	81.0	84.8	93.5
	9 Do not know	205	6.2	6.5	100.0
	Total	3149	95.5	100.0	
Missing	-1 No response	148	4.5		
Total		3297	100.0		

PQ File – Section C

pq3035 C3p: Partner's partner had eczema in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	62	1.9	2.0	2.0
	2 Yes, but did not see a doctor	171	5.2	5.4	7.4
	3 No, not at all	2704	82.0	86.0	93.4
	9 Do not know	209	6.3	6.6	100.0
	Total	3146	95.4	100.0	
Missing	-1 No response	151	4.6		
Total		3297	100.0		

pq3036 C3q: Partner's partner had psoriasis in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	22	.7	.7	.7
	2 Yes, but did not see a doctor	38	1.2	1.2	1.9
	3 No, not at all	2869	87.0	91.3	93.2
	9 Do not know	215	6.5	6.8	100.0
	Total	3144	95.4	100.0	
Missing	-1 No response	153	4.6		
Total		3297	100.0		

pq3037 C3r: Partner's partner had arthritis in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	61	1.9	1.9	1.9
	2 Yes, but did not see a doctor	98	3.0	3.1	5.1
	3 No, not at all	2759	83.7	87.8	92.8
	9 Do not know	226	6.9	7.2	100.0
	Total	3144	95.4	100.0	
Missing	-1 No response	153	4.6		
Total		3297	100.0		

pq3038 C3s: Partner's partner had a urinary infection in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	137	4.2	4.4	4.4
	2 Yes, but did not see a doctor	124	3.8	3.9	8.3
	3 No, not at all	2585	78.4	82.3	90.6
	9 Do not know	295	8.9	9.4	100.0
	Total	3141	95.3	100.0	
Missing	-1 No response	156	4.7		
Total		3297	100.0		

pq3039 C3t: Partner's partner had rheumatism in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	15	.5	.5	.5
	2 Yes, but did not see a doctor	69	2.1	2.2	2.7
	3 No, not at all	2813	85.3	89.8	92.4
	9 Do not know	237	7.2	7.6	100.0
	Total	3134	95.1	100.0	
Missing	-1 No response	163	4.9		
Total		3297	100.0		

PQ File – Section C

pq3040 C3u: Partner's partner had back pain, sciatica or a slipped disc in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, and saw a doctor	257	7.8	8.2	8.2
	2 Yes, but did not see a doctor	848	25.7	26.9	35.0
	3 No, not at all	1858	56.4	58.9	94.0
	9 Do not know	190	5.8	6.0	100.0
	Total	3153	95.6	100.0	
Missing	-1 No response	144	4.4		
Total		3297	100.0		

pq3041 C3v: Partner's partner had syphilis in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes, but did not see a doctor	2	.1	.1	.1
	3 No, not at all	3004	91.1	95.3	95.4
	9 Do not know	145	4.4	4.6	100.0
	Total	3151	95.6	100.0	
Missing	-1 No response	146	4.4		
Total		3297	100.0		

pq3042 C3w: Partner's partner had gonorrhoea in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2 Yes, but did not see a doctor	2	.1	.1	.1
	3 No, not at all	3002	91.1	95.3	95.4
	9 Do not know	146	4.4	4.6	100.0
	Total	3150	95.5	100.0	
Missing	-1 No response	147	4.5		
Total		3297	100.0		

pq3043 C3x: Partner's partner had other conditions in the last 2 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	43	1.3	1.5	1.5
	1 Yes, and saw a doctor	255	7.7	9.0	10.5
	2 Yes, but did not see a doctor	51	1.5	1.8	12.3
	3 No, not at all	2248	68.2	79.2	91.5
	9 Do not know	240	7.3	8.5	100.0
	Total	2837	86.0	100.0	
Missing	-1 No response	460	14.0		
Total		3297	100.0		

PQ File – Section C

pq3050 C4a: Partner's partner really loves the study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always feels this way	2956	89.7	93.0	93.0
	2 Partner sometimes feels this way	208	6.3	6.5	99.6
	3 Partner never feels this way	13	.4	.4	100.0
	Total	3177	96.4	100.0	
Missing	-1 No response	120	3.6		
Total		3297	100.0		

pq3051 C4b: Partner's partner is glad they had study child when they did

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always feels this way	2926	88.7	94.2	94.2
	2 Partner sometimes feels this way	162	4.9	5.2	99.4
	3 Partner never feels this way	19	.6	.6	100.0
	Total	3107	94.2	100.0	
Missing	-1 No response	190	5.8		
Total		3297	100.0		

pq3052 C4c: Partner likes watching partner play with study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always feels this way	2684	81.4	85.1	85.1
	2 Partner sometimes feels this way	413	12.5	13.1	98.2
	3 Partner never feels this way	57	1.7	1.8	100.0
	Total	3154	95.7	100.0	
Missing	-1 No response	143	4.3		
Total		3297	100.0		

pq3053 C4d: Partner is afraid to leave partner alone with child due to fear of violence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always feels this way	25	.8	.8	.8
	2 Partner sometimes feels this way	15	.5	.5	1.3
	3 Partner never feels this way	3133	95.0	98.7	100.0
	Total	3173	96.2	100.0	
Missing	-1 No response	124	3.8		
Total		3297	100.0		

PQ File – Section C

pq3054 C4e: Partner's partner seems to feel very close to study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always feels this way	2603	79.0	82.0	82.0
	2 Partner sometimes feels this way	515	15.6	16.2	98.3
	3 Partner never feels this way	55	1.7	1.7	100.0
	Total	3173	96.2	100.0	
Missing	-1 No response	124	3.8		
Total		3297	100.0		

pq3055 C4f: Study child gets on partner's partner's nerves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always feels this way	60	1.8	1.9	1.9
	2 Partner sometimes feels this way	1435	43.5	45.3	47.2
	3 Partner never feels this way	1673	50.7	52.8	100.0
	Total	3168	96.1	100.0	
Missing	-1 No response	129	3.9		
Total		3297	100.0		

pq3056 C4g: Partner's partner cannot bear it when study child cries or whines

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always feels this way	101	3.1	3.2	3.2
	2 Partner sometimes feels this way	590	17.9	18.8	22.0
	3 Partner never feels this way	2455	74.5	78.0	100.0
	Total	3146	95.4	100.0	
Missing	-1 No response	151	4.6		
Total		3297	100.0		

pq3057 C4h: Partner's partner is interested as she watches the study child develop

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always feels this way	2936	89.1	92.7	92.7
	2 Partner sometimes feels this way	210	6.4	6.6	99.3
	3 Partner never feels this way	22	.7	.7	100.0
	Total	3168	96.1	100.0	
Missing	-1 No response	129	3.9		
Total		3297	100.0		

PQ File – Section C

pq3058 C4i: Partner's partner is anxious when study child is staying with others

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always feels this way	269	8.2	8.5	8.5
	2 Partner sometimes feels this way	1184	35.9	37.6	46.2
	3 Partner never feels this way	1695	51.4	53.8	100.0
	Total	3148	95.5	100.0	
Missing	-1 No response	149	4.5		
Total		3297	100.0		

pq3059 C4j: Partner's partner doesn't mind the mess that surrounds children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always feels this way	794	24.1	25.2	25.2
	2 Partner sometimes feels this way	1787	54.2	56.8	82.0
	3 Partner never feels this way	566	17.2	18.0	100.0
	Total	3147	95.5	100.0	
Missing	-1 No response	150	4.5		
Total		3297	100.0		

pq3060 C4k: Study child makes partner's partner very happy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always feels this way	2546	77.2	80.7	80.7
	2 Partner sometimes feels this way	565	17.1	17.9	98.6
	3 Partner never feels this way	44	1.3	1.4	100.0
	Total	3155	95.7	100.0	
Missing	-1 No response	142	4.3		
Total		3297	100.0		

PQ File – Section C

pq3070 C5a1: Number of cigarettes partner's partner smokes per weekday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2758	83.7	88.0	88.0
	1	18	.5	.6	88.6
	2	24	.7	.8	89.3
	3	9	.3	.3	89.6
	4	7	.2	.2	89.9
	5	36	1.1	1.1	91.0
	6	4	.1	.1	91.1
	7	8	.2	.3	91.4
	8	14	.4	.4	91.8
	10	96	2.9	3.1	94.9
	12	6	.2	.2	95.1
	14	2	.1	.1	95.1
	15	60	1.8	1.9	97.1
	16	1	.0	.0	97.1
	17	1	.0	.0	97.1
	18	1	.0	.0	97.2
	20	71	2.2	2.3	99.4
	25	5	.2	.2	99.6
	30	10	.3	.3	99.9
	31	1	.0	.0	99.9
	40	2	.1	.1	100.0
	Total	3134	95.1	100.0	
Missing	-1 No response	163	4.9		
Total		3297	100.0		

pq3071 C5a2: Number of cigarettes partner's partner smokes per weekend day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2706	82.1	87.6	87.6
	1	12	.4	.4	88.0
	2	25	.8	.8	88.8
	3	13	.4	.4	89.2
	4	9	.3	.3	89.5
	5	38	1.2	1.2	90.8
	6	4	.1	.1	90.9
	7	7	.2	.2	91.1
	8	13	.4	.4	91.5
	10	88	2.7	2.8	94.4
	12	5	.2	.2	94.6
	14	1	.0	.0	94.6
	15	55	1.7	1.8	96.4
	17	2	.1	.1	96.4
	18	1	.0	.0	96.5
	20	85	2.6	2.8	99.2
	25	8	.2	.3	99.5
	30	13	.4	.4	99.9
	35	1	.0	.0	99.9
	40	1	.0	.0	100.0
	50	1	.0	.0	100.0
	Total	3088	93.7	100.0	
Missing	-1 No response	209	6.3		
Total		3297	100.0		

PQ File – Section C

pq3072 C5b1: Partner's partner smokes a pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	1	.0	.0	.0
	2 Yes, sometimes	2	.1	.1	.1
	3 No, never	2874	87.2	99.9	100.0
	Total	2877	87.3	100.0	
Missing	-1 No response	420	12.7		
Total		3297	100.0		

pq3073 C5b2: Partner's partner smokes cigars/cigarillos

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	53	1.6	1.8	1.8
	2 Yes, sometimes	18	.5	.6	2.4
	3 No, never	2843	86.2	97.6	100.0
	Total	2914	88.4	100.0	
Missing	-1 No response	383	11.6		
Total		3297	100.0		

PQ File – Section C

pq3080 C6a: Partner's partner is currently employed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2574	78.1	81.0	81.0
	2 No	603	18.3	19.0	100.0
	Total	3177	96.4	100.0	
Missing	-1 No response	120	3.6		
Total		3297	100.0		

pq3083 C6c: Partner's partner has had the same job since study child's 10th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1987	60.3	78.2	78.2
	2 No	553	16.8	21.8	100.0
	Total	2540	77.0	100.0	
Missing	-1 No response	757	23.0		
Total		3297	100.0		

pq3084 C6d: Partner's partner works nights


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Works evenings	4	.1	.2	.2
	1 Yes, always	79	2.4	3.1	3.2
	2 Yes, sometimes	260	7.9	10.1	13.3
	3 No, never	2231	67.7	86.7	100.0
	Total	2574	78.1	100.0	
Missing	-1 No response	723	21.9		
Total		3297	100.0		

pq3085 C6e: Partner's partner leaves home for several days as part of work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	33	1.0	1.3	1.3
	2 Yes, occasionally	257	7.8	10.0	11.3
	3 No, never	2283	69.2	88.7	100.0
	Total	2573	78.0	100.0	
Missing	-1 No response	724	22.0		
Total		3297	100.0		

pq3086 C6f: Partner's partner works shifts


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	208	6.3	8.1	8.1
	2 Yes, occasionally	149	4.5	5.8	13.9
	3 No, never	2211	67.1	86.1	100.0
	Total	2568	77.9	100.0	
Missing	-1 No response	729	22.1		
Total		3297	100.0		

pq3087 C6g1: Number of hours a week that partner's partner works

plus the following missing values and outliers >60:

pq3087 C6g1: Number of hours a week that partner's partner works


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	70	1	.1	33.3	33.3
	80	2	.2	66.7	100.0
	Total	3	.2	100.0	
Missing	-9 Don't know	63	5.1		
	-1 No response	1168	94.7		
	Total	1231	99.8		
Total		1234	100.0		

pq3088 C6g2: Minimum number of hours a week that partner's partner works

plus the following missing values:

pq3088 C6g2: Minimum number of hours a week that partner's partner works

		Frequency	Percent
Missing	-9 Don't know	1	.0
	-1 No response	2742	100.0
	Total	2743	100.0

pq3089 C6g2: Maximum number of hours a week that partner's partner works

plus the following missing values and outliers >70:

pq3089 C6g2: Maximum number of hours a week that partner's partner works

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	72	1	.0	11.1	11.1
	77	1	.0	11.1	22.2
	80	5	.2	55.6	77.8
	85	1	.0	11.1	88.9
	90	1	.0	11.1	100.0
	Total	9	.3	100.0	
Missing	-9 Don't know	2	.1		
	-1 No response	2750	99.6		
	Total	2752	99.7		
Total		2761	100.0		

PQ File – Section C

pq3090 C6h: Hours worked by partner's partner relative to basic hours

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Basic no. of hours per week	1339	40.6	53.4	53.4
	2 Basic hours plus paid overtime	371	11.3	14.8	68.2
	3 Longer than basic hours (but not paid extra)	491	14.9	19.6	87.8
	4 Self-employed - as long as necessary	306	9.3	12.2	100.0
	Total	2507	76.0	100.0	
Missing	-1 No response	790	24.0		
Total		3297	100.0		

pq3091 C6i: Partner's partner gets home after work before the study child is in bed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	1307	39.6	51.6	51.6
	2 Yes, sometimes	200	6.1	7.9	59.5
	3 No, never	1026	31.1	40.5	100.0
	Total	2533	76.8	100.0	
Missing	-1 No response	764	23.2		
Total		3297	100.0		

PQ File – Section C

pq3100 C7a: Partner's partner is helpful, co-operative

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2691	81.6	85.1	85.1
	2 Sometimes	463	14.0	14.6	99.7
	3 Hardly ever	9	.3	.3	100.0
	Total	3163	95.9	100.0	
Missing	-1 No response	134	4.1		
Total		3297	100.0		

pq3101 C7b: Partner's partner is quiet, reserved

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	403	12.2	12.8	12.8
	2 Sometimes	1728	52.4	54.8	67.5
	3 Hardly ever	1024	31.1	32.5	100.0
	Total	3155	95.7	100.0	
Missing	-1 No response	142	4.3		
Total		3297	100.0		

pq3102 C7c: Partner's partner is unreliable

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	110	3.3	3.5	3.5
	2 Sometimes	266	8.1	8.4	11.9
	3 Hardly ever	2778	84.3	88.1	100.0
	Total	3154	95.7	100.0	
Missing	-1 No response	143	4.3		
Total		3297	100.0		

pq3103 C7d: Partner's partner is sociable, outgoing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	1900	57.6	60.1	60.1
	2 Sometimes	1162	35.2	36.8	96.9
	3 Hardly ever	97	2.9	3.1	100.0
	Total	3159	95.8	100.0	
Missing	-1 No response	138	4.2		
Total		3297	100.0		

pq3104 C7e: Partner's partner is dominating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	213	6.5	6.8	6.8
	2 Sometimes	1537	46.6	48.8	55.5
	3 Hardly ever	1402	42.5	44.5	100.0
	Total	3152	95.6	100.0	
Missing	-1 No response	145	4.4		
Total		3297	100.0		

PQ File – Section C

pq3105 C7f: Partner's partner is understanding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	2092	63.5	66.2	66.2
	2 Sometimes	1025	31.1	32.5	98.7
	3 Hardly ever	41	1.2	1.3	100.0
	Total	3158	95.8	100.0	
Missing	-1 No response	139	4.2		
Total		3297	100.0		

pq3106 C7g: Partner's partner is quick-tempered, easily upset

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	232	7.0	7.3	7.3
	2 Sometimes	1763	53.5	55.8	63.2
	3 Hardly ever	1162	35.2	36.8	100.0
	Total	3157	95.8	100.0	
Missing	-1 No response	140	4.2		
Total		3297	100.0		

pq3107 C7h: Partner's partner is cheerful, easygoing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Almost always	1869	56.7	59.2	59.2
	2 Sometimes	1199	36.4	38.0	97.2
	3 Hardly ever	89	2.7	2.8	100.0
	Total	3157	95.8	100.0	
Missing	-1 No response	140	4.2		
Total		3297	100.0		

PQ File – Section C

pq3110 C8a: Person in partner's household who shops for groceries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Partner and partner's partner always	12	.4	.4	.4
	1 Partner always	127	3.9	4.0	4.4
	2 Partner mostly	243	7.4	7.7	12.1
	3 Sometimes partner, sometimes partner's partner	801	24.3	25.3	37.4
	4 Partner's partner mostly	1400	42.5	44.2	81.6
	5 Partner's partner always	576	17.5	18.2	99.8
	6 Someone else	4	.1	.1	99.9
	7 Someone else and partner or partner's partner	2	.1	.1	100.0
	Total	3165	96.0	100.0	
Missing	-1 No response	132	4.0		
Total		3297	100.0		

pq3111 C8b: Person in partner's household who cooks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Partner and partner's partner always	2	.1	.1	.1
	1 Partner always	67	2.0	2.1	2.2
	2 Partner mostly	220	6.7	6.9	9.1
	3 Sometimes partner, sometimes partner's partner	842	25.5	26.6	35.7
	4 Partner's partner mostly	1453	44.1	45.8	81.5
	5 Partner's partner always	575	17.4	18.1	99.7
	6 Someone else	7	.2	.2	99.9
	7 Someone else and partner or partner's partner	4	.1	.1	100.0
	Total	3170	96.1	100.0	
Missing	-1 No response	127	3.9		
Total		3297	100.0		

pq3112 C8c: Person in partner's household who cleans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Partner and partner's partner always	2	.1	.1	.1
	1 Partner always	35	1.1	1.1	1.2
	2 Partner mostly	118	3.6	3.7	4.9
	3 Sometimes partner, sometimes partner's partner	787	23.9	24.9	29.8
	4 Partner's partner mostly	1465	44.4	46.3	76.1
	5 Partner's partner always	572	17.3	18.1	94.1
	6 Someone else	161	4.9	5.1	99.2
	7 Someone else and partner or partner's partner	25	.8	.8	100.0
	Total	3165	96.0	100.0	
Missing	-1 No response	132	4.0		
Total		3297	100.0		

PQ File – Section C

pq3113 C8d: Person in partner's household who does repairs in home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always	1142	34.6	36.0	36.0
	2 Partner mostly	1451	44.0	45.8	81.8
	3 Sometimes partner, sometimes partner's partner	420	12.7	13.3	95.1
	4 Partner's partner mostly	67	2.0	2.1	97.2
	5 Partner's partner always	21	.6	.7	97.9
	6 Someone else	64	1.9	2.0	99.9
	7 Someone else and partner or partner's partner	3	.1	.1	100.0
	Total	3168	96.1	100.0	
Missing	-1 No response	129	3.9		
Total		3297	100.0		

pq3114 C8e: Person in partner's household who looks after children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Partner and partner's partner always	1	.0	.0	.0
	1 Partner always	27	.8	.9	.9
	2 Partner mostly	83	2.5	2.6	3.5
	3 Sometimes partner, sometimes partner's partner	1913	58.0	60.5	64.0
	4 Partner's partner mostly	1054	32.0	33.3	97.3
	5 Partner's partner always	76	2.3	2.4	99.7
	6 Someone else	4	.1	.1	99.8
	7 Someone else and partner or partner's partner	5	.2	.2	100.0
	Total	3163	95.9	100.0	
Missing	-1 No response	134	4.1		
Total		3297	100.0		

pq3115 C8f: Person in partner's household who washes clothes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Partner always	42	1.3	1.3	1.3
	2 Partner mostly	103	3.1	3.2	4.6
	3 Sometimes partner, sometimes partner's partner	536	16.3	16.9	21.5
	4 Partner's partner mostly	1212	36.8	38.2	59.7
	5 Partner's partner always	1253	38.0	39.5	99.2
	6 Someone else	21	.6	.7	99.9
	7 Someone else and partner or partner's partner	4	.1	.1	100.0
	Total	3171	96.2	100.0	
Missing	-1 No response	126	3.8		
Total		3297	100.0		

PQ File – Section C

pq3116 C8g: Person in partner's household who irons

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Partner and partner's partner always	1	.0	.0	.0
	1 Partner always	77	2.3	2.5	2.5
	2 Partner mostly	157	4.8	5.0	7.5
	3 Sometimes partner, sometimes partner's partner	500	15.2	16.0	23.5
	4 Partner's partner mostly	892	27.1	28.6	52.1
	5 Partner's partner always	1331	40.4	42.6	94.7
	6 Someone else	152	4.6	4.9	99.6
	7 Someone else and partner or partner's partner	13	.4	.4	100.0
	Total	3123	94.7	100.0	
Missing	-1 No response	174	5.3		
Total		3297	100.0		

PQ File – Section C

pq3120 C9a: Person in partner's household who decides how to spend free time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Partner and partner's partner always	3	.1	.1	.1
	1 Partner always	11	.3	.3	.4
	2 Partner mostly	121	3.7	3.8	4.3
	3 Sometimes partner, sometimes partner's partner	2674	81.1	84.4	88.7
	4 Partner's partner mostly	343	10.4	10.8	99.5
	5 Partner's partner always	15	.5	.5	100.0
	Total	3167	96.1	100.0	
Missing	-1 No response	130	3.9		
Total		3297	100.0		

pq3121 C9b: Person in partner's household who decides how much to see family or friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Partner and partner's partner always	2	.1	.1	.1
	1 Partner always	11	.3	.3	.4
	2 Partner mostly	50	1.5	1.6	2.0
	3 Sometimes partner, sometimes partner's partner	2464	74.7	77.9	79.9
	4 Partner's partner mostly	613	18.6	19.4	99.3
	5 Partner's partner always	22	.7	.7	100.0
	Total	3162	95.9	100.0	
Missing	-1 No response	135	4.1		
Total		3297	100.0		

pq3122 C9c: Person in partner's household who decides when to do repairs or redecorate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Partner and partner's partner always	3	.1	.1	.1
	1 Partner always	103	3.1	3.3	3.4
	2 Partner mostly	430	13.0	13.6	16.9
	3 Sometimes partner, sometimes partner's partner	1803	54.7	57.0	73.9
	4 Partner's partner mostly	771	23.4	24.4	98.3
	5 Partner's partner always	54	1.6	1.7	100.0
	Total	3164	96.0	100.0	
Missing	-1 No response	133	4.0		
Total		3297	100.0		

pq3123 C9d: Person in partner's household who decides how money should be spent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Partner and partner's partner always	4	.1	.1	.1
	1 Partner always	17	.5	.5	.7
	2 Partner mostly	255	7.7	8.1	8.7
	3 Sometimes partner, sometimes partner's partner	2516	76.3	79.5	88.2
	4 Partner's partner mostly	350	10.6	11.1	99.2
	5 Partner's partner always	24	.7	.8	100.0
	Total	3166	96.0	100.0	
Missing	-1 No response	131	4.0		
Total		3297	100.0		

PQ File – Section C

pq3130 C10a: Degree to which partner is satisfied with the handling of family finances

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1616	49.0	51.2	51.2
	2 Moderately satisfied	1252	38.0	39.6	90.8
	3 Somewhat dissatisfied	250	7.6	7.9	98.7
	4 Very dissatisfied	40	1.2	1.3	100.0
	Total	3158	95.8	100.0	
Missing	-1 No response	139	4.2		
Total		3297	100.0		

pq3131 C10b: Degree to which partner is satisfied with demonstrations of affection in their relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1227	37.2	38.9	38.9
	2 Moderately satisfied	1325	40.2	42.1	81.0
	3 Somewhat dissatisfied	490	14.9	15.6	96.5
	4 Very dissatisfied	109	3.3	3.5	100.0
	Total	3151	95.6	100.0	
Missing	-1 No response	146	4.4		
Total		3297	100.0		

pq3132 C10c: Degree to which partner is satisfied with sex in their relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1023	31.0	32.6	32.6
	2 Moderately satisfied	1234	37.4	39.3	71.9
	3 Somewhat dissatisfied	605	18.4	19.3	91.2
	4 Very dissatisfied	275	8.3	8.8	100.0
	Total	3137	95.1	100.0	
Missing	-1 No response	160	4.9		
Total		3297	100.0		

pq3133 C10d: Degree to which partner is satisfied with the amount of time spent together in their relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	998	30.3	31.6	31.6
	2 Moderately satisfied	1591	48.3	50.4	82.1
	3 Somewhat dissatisfied	511	15.5	16.2	98.3
	4 Very dissatisfied	55	1.7	1.7	100.0
	Total	3155	95.7	100.0	
Missing	-1 No response	142	4.3		
Total		3297	100.0		

PQ File – Section C

pq3134 C10e: Degree to which partner is satisfied with making major decisions in their relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1727	52.4	54.7	54.7
	2 Moderately satisfied	1222	37.1	38.7	93.4
	3 Somewhat dissatisfied	179	5.4	5.7	99.1
	4 Very dissatisfied	29	.9	.9	100.0
	Total	3157	95.8	100.0	
Missing	-1 No response	140	4.2		
Total		3297	100.0		

pq3135 C10f: Degree to which partner is satisfied with household tasks in their relationship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1330	40.3	42.2	42.2
	2 Moderately satisfied	1637	49.7	51.9	94.1
	3 Somewhat dissatisfied	176	5.3	5.6	99.7
	4 Very dissatisfied	11	.3	.3	100.0
	Total	3154	95.7	100.0	
Missing	-1 No response	143	4.3		
Total		3297	100.0		

pq3136 C10g: Degree to which partner is satisfied with leisure time interests & activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very satisfied	1065	32.3	33.8	33.8
	2 Moderately satisfied	1668	50.6	52.9	86.6
	3 Somewhat dissatisfied	372	11.3	11.8	98.4
	4 Very dissatisfied	50	1.5	1.6	100.0
	Total	3155	95.7	100.0	
Missing	-1 No response	142	4.3		
Total		3297	100.0		

PQ File – Section C

pq3140 C11a: Frequency partner has been irritable with wife or partner recently

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	434	13.2	13.7	13.7
	2 < once a week	1630	49.4	51.5	65.2
	3 1-2 times a week	878	26.6	27.7	93.0
	4 3-6 times a week	182	5.5	5.8	98.7
	5 Every day	40	1.2	1.3	100.0
	Total	3164	96.0	100.0	
Missing	-1 No response	133	4.0		
Total		3297	100.0		

pq3141 C11b: Frequency partner's partner or wife has been irritable with partner recently

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	312	9.5	9.9	9.9
	2 < once a week	1450	44.0	46.1	56.0
	3 1-2 times a week	1012	30.7	32.2	88.2
	4 3-6 times a week	286	8.7	9.1	97.3
	5 Every day	85	2.6	2.7	100.0
	Total	3145	95.4	100.0	
Missing	-1 No response	152	4.6		
Total		3297	100.0		

PQ File – Section C

pq3150 C12a: Number of arguments or disagreements partner has had with wife or partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	572	17.3	18.3	18.3
	2 1-3	1593	48.3	50.9	69.1
	3 4-7	622	18.9	19.9	89.0
	4 8-13	212	6.4	6.8	95.8
	5 14 or more	133	4.0	4.2	100.0
	Total	3132	95.0	100.0	
Missing	-1 No response	165	5.0		
Total		3297	100.0		

pq3151 C12b: Partner and partner's partner have not spoken for more than half an hour in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, partner did this	247	7.5	7.8	7.8
	2 Yes, partner's partner did this	206	6.2	6.5	14.4
	3 Yes, partner and partner's partner did this	811	24.6	25.8	40.2
	4 No, not at all	1884	57.1	59.8	100.0
	Total	3148	95.5	100.0	
Missing	-1 No response	149	4.5		
Total		3297	100.0		

pq3152 C12c: Partner or partner's partner walked out of the house in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, partner did this	134	4.1	4.3	4.3
	2 Yes, partner's partner did this	119	3.6	3.8	8.0
	3 Yes, partner and partner's partner did this	41	1.2	1.3	9.3
	4 No, not at all	2853	86.5	90.7	100.0
	Total	3147	95.5	100.0	
Missing	-1 No response	150	4.5		
Total		3297	100.0		

pq3153 C12d: Partner and partner's partner shouted or called each other names in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, partner did this	73	2.2	2.3	2.3
	2 Yes, partner's partner did this	110	3.3	3.5	5.8
	3 Yes, partner and partner's partner did this	725	22.0	23.1	28.9
	4 No, not at all	2236	67.8	71.1	100.0
	Total	3144	95.4	100.0	
Missing	-1 No response	153	4.6		
Total		3297	100.0		

PQ File – Section C

pq3154 C12e: Partner and partner's partner hit or slapped each other in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, partner did this	6	.2	.2	.2
	2 Yes, partner's partner did this	38	1.2	1.2	1.4
	3 Yes, partner and partner's partner did this	12	.4	.4	1.8
	4 No, not at all	3091	93.8	98.2	100.0
	Total	3147	95.5	100.0	
Missing	-1 No response	150	4.5		
Total		3297	100.0		

pq3155 C12f: Partner or partner's partner threw or broke things in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, partner did this	23	.7	.7	.7
	2 Yes, partner's partner did this	59	1.8	1.9	2.6
	3 Yes, partner and partner's partner did this	7	.2	.2	2.8
	4 No, not at all	3056	92.7	97.2	100.0
	Total	3145	95.4	100.0	
Missing	-1 No response	152	4.6		
Total		3297	100.0		

PQ File – Section C

pq3160 C13a: Partner has gone out for a meal with wife/partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	423	12.8	13.4	13.4
	2 < once a month	1488	45.1	47.2	60.6
	3 < once a week	972	29.5	30.8	91.4
	4 >= once a week	270	8.2	8.6	100.0
	Total	3153	95.6	100.0	
Missing	-1 No response	144	4.4		
Total		3297	100.0		

pq3161 C13b: Partner has gone out for a drink with wife/partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	857	26.0	27.2	27.2
	2 < once a month	1205	36.5	38.3	65.6
	3 < once a week	749	22.7	23.8	89.4
	4 >= once a week	334	10.1	10.6	100.0
	Total	3145	95.4	100.0	
Missing	-1 No response	152	4.6		
Total		3297	100.0		

pq3162 C13c: Partner has visited friends with wife/partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	388	11.8	12.4	12.4
	2 < once a month	1090	33.1	34.7	47.1
	3 < once a week	1175	35.6	37.4	84.5
	4 >= once a week	487	14.8	15.5	100.0
	Total	3140	95.2	100.0	
Missing	-1 No response	157	4.8		
Total		3297	100.0		

pq3163 C13d: Partner has visited family with wife/partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	228	6.9	7.3	7.3
	2 < once a month	1018	30.9	32.5	39.8
	3 < once a week	1096	33.2	35.0	74.7
	4 >= once a week	792	24.0	25.3	100.0
	Total	3134	95.1	100.0	
Missing	-1 No response	163	4.9		
Total		3297	100.0		

PQ File – Section C

pq3164 C13e: Partner has gone to the cinema or theatre with wife/partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	1163	35.3	37.0	37.0
	2 < once a month	1461	44.3	46.5	83.5
	3 < once a week	481	14.6	15.3	98.8
	4 >= once a week	39	1.2	1.2	100.0
	Total	3144	95.4	100.0	
Missing	-1 No response	153	4.6		
Total		3297	100.0		

pq3165 C13f: Partner has done something else with wife/partner in the past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	16	.5	5.6	5.6
	2 < once a month	82	2.5	28.7	34.3
	3 < once a week	86	2.6	30.1	64.3
	4 >= once a week	102	3.1	35.7	100.0
	Total	286	8.7	100.0	
Missing	-1 No response	3011	91.3		
Total		3297	100.0		

PQ File – Section C

pq3170 C14a: Number of evenings a month partner goes out on own or with own friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	898	27.2	28.4	28.4
	2 Once	698	21.2	22.1	50.5
	3 2-3 times	777	23.6	24.6	75.1
	4 4-7 times	584	17.7	18.5	93.6
	5 >= 8 times	202	6.1	6.4	100.0
	Total	3159	95.8	100.0	
Missing	-1 No response	138	4.2		
Total		3297	100.0		

pq3171 C14b: Number of times a month partner's partner goes out on own or with own friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	647	19.6	20.5	20.5
	2 Once	785	23.8	24.9	45.4
	3 2-3 times	889	27.0	28.2	73.6
	4 4-7 times	589	17.9	18.7	92.3
	5 >= 8 times	244	7.4	7.7	100.0
	Total	3154	95.7	100.0	
Missing	-1 No response	143	4.3		
Total		3297	100.0		

PQ File – Section C

pq3180 C15a: Number of times a week partner and wife/partner discuss work or how the day has gone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	40	1.2	1.3	1.3
	2 < once a week	203	6.2	6.4	7.7
	3 1-3 times a week	566	17.2	17.9	25.6
	4 Most days	2356	71.5	74.4	100.0
	Total	3165	96.0	100.0	
Missing	-1 No response	132	4.0		
Total		3297	100.0		

pq3181 C15b: Number of times a week partner and wife/partner laugh together

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	30	.9	.9	.9
	2 < once a week	208	6.3	6.6	7.5
	3 1-3 times a week	875	26.5	27.7	35.2
	4 Most days	2048	62.1	64.8	100.0
	Total	3161	95.9	100.0	
Missing	-1 No response	136	4.1		
Total		3297	100.0		

pq3182 C15c: Number of times a week partner and wife/partner calmly talk over something

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	27	.8	.9	.9
	2 < once a week	246	7.5	7.8	8.6
	3 1-3 times a week	943	28.6	29.8	38.4
	4 Most days	1948	59.1	61.6	100.0
	Total	3164	96.0	100.0	
Missing	-1 No response	133	4.0		
Total		3297	100.0		

pq3183 C15d: Number of times a week partner and wife/partner kiss or hug

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	119	3.6	3.8	3.8
	2 < once a week	294	8.9	9.3	13.0
	3 1-3 times a week	645	19.6	20.4	33.4
	4 Most days	2109	64.0	66.6	100.0
	Total	3167	96.1	100.0	
Missing	-1 No response	130	3.9		
Total		3297	100.0		

PQ File – Section C

pq3184 C15e: Number of times a week partner and wife/partner make plans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	38	1.2	1.2	1.2
	2 < once a week	591	17.9	18.7	19.9
	3 1-3 times a week	1308	39.7	41.4	61.3
	4 Most days	1225	37.2	38.7	100.0
	Total	3162	95.9	100.0	
Missing	-1 No response	135	4.1		
Total		3297	100.0		

pq3185 C15f: Number of times a week partner and wife/partner talk over feelings or worries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	108	3.3	3.4	3.4
	2 < once a week	840	25.5	26.6	30.0
	3 1-3 times a week	1046	31.7	33.1	63.1
	4 Most days	1167	35.4	36.9	100.0
	Total	3161	95.9	100.0	
Missing	-1 No response	136	4.1		
Total		3297	100.0		

PQ File – Section C

pq3190 C16a: Amount of alcohol drunk by partner's wife/partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never drinks alcohol	265	8.0	8.4	8.4
	2 Very occasionally (< once a week)	745	22.6	23.5	31.9
	3 Occasionally (at least once a week)	1319	40.0	41.6	73.5
	4 Drinks 1-2 glasses nearly every day	731	22.2	23.1	96.5
	5 Drinks 3-9 glasses every day	98	3.0	3.1	99.6
	6 Drinks at least 10 glasses a day	2	.1	.1	99.7
	9 Don't know	10	.3	.3	100.0
	Total	3170	96.1	100.0	
Missing	-1 No response	127	3.9		
Total		3297	100.0		

pq3191 C16b: Number of days in the past month partner's partner had the equivalent of at least 2 pints of beer, 4 glasses of wine or 4 pub measures of spirit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	36	1.1	1.1	1.1
	2 > 10 days	211	6.4	6.7	7.9
	3 5-10 days	387	11.7	12.3	20.2
	4 3-4 days	488	14.8	15.5	35.7
	5 1-2 days	729	22.1	23.2	58.9
	6 None	1294	39.2	41.1	100.0
	Total	3145	95.4	100.0	
Missing	-1 No response	152	4.6		
Total		3297	100.0		

PQ File – Section C

pq3200 C17a: Partner's partner is considerate of partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1602	48.6	50.9	50.9
	2 Moderately true	1077	32.7	34.2	85.1
	3 Somewhat true	416	12.6	13.2	98.3
	4 Not at all true	52	1.6	1.7	100.0
	Total	3147	95.5	100.0	
Missing	-1 No response	150	4.5		
Total		3297	100.0		

pq3201 C17b: Partner's partner wants partner to take her side in a argument

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	760	23.1	24.3	24.3
	2 Moderately true	1151	34.9	36.9	61.2
	3 Somewhat true	704	21.4	22.5	83.7
	4 Not at all true	508	15.4	16.3	100.0
	Total	3123	94.7	100.0	
Missing	-1 No response	174	5.3		
Total		3297	100.0		

pq3202 C17c: Partner's partner wants to know exactly where partner is and what partner is doing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	406	12.3	12.9	12.9
	2 Moderately true	788	23.9	25.0	38.0
	3 Somewhat true	1111	33.7	35.3	73.3
	4 Not at all true	841	25.5	26.7	100.0
	Total	3146	95.4	100.0	
Missing	-1 No response	151	4.6		
Total		3297	100.0		

pq3203 C17d: Partner's partner is a good companion to partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	2194	66.5	69.6	69.6
	2 Moderately true	679	20.6	21.5	91.2
	3 Somewhat true	244	7.4	7.7	98.9
	4 Not at all true	34	1.0	1.1	100.0
	Total	3151	95.6	100.0	
Missing	-1 No response	146	4.4		
Total		3297	100.0		

pq3204 C17e: Partner's partner is affectionate to partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1543	46.8	49.0	49.0
	2 Moderately true	954	28.9	30.3	79.3
	3 Somewhat true	486	14.7	15.4	94.7
	4 Not at all true	166	5.0	5.3	100.0
	Total	3149	95.5	100.0	
Missing	-1 No response	148	4.5		
Total		3297	100.0		

PQ File – Section C

pq3205 C17f: Partner's partner is clearly hurt if partner doesn't accept her views

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	296	9.0	9.4	9.4
	2 Moderately true	796	24.1	25.3	34.8
	3 Somewhat true	1179	35.8	37.5	72.3
	4 Not at all true	871	26.4	27.7	100.0
	Total	3142	95.3	100.0	
Missing	-1 No response	155	4.7		
Total		3297	100.0		

pq3206 C17g: Partner's partner tends to try and change partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	166	5.0	5.3	5.3
	2 Moderately true	495	15.0	15.7	21.0
	3 Somewhat true	953	28.9	30.3	51.3
	4 Not at all true	1535	46.6	48.7	100.0
	Total	3149	95.5	100.0	
Missing	-1 No response	148	4.5		
Total		3297	100.0		

pq3207 C17h: Partner's partner confides closely in partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1624	49.3	51.7	51.7
	2 Moderately true	875	26.5	27.8	79.5
	3 Somewhat true	499	15.1	15.9	95.4
	4 Not at all true	145	4.4	4.6	100.0
	Total	3143	95.3	100.0	
Missing	-1 No response	154	4.7		
Total		3297	100.0		

pq3208 C17i: Partner's partner tends to criticise partner over small issues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	322	9.8	10.2	10.2
	2 Moderately true	554	16.8	17.6	27.9
	3 Somewhat true	1148	34.8	36.5	64.4
	4 Not at all true	1120	34.0	35.6	100.0
	Total	3144	95.4	100.0	
Missing	-1 No response	153	4.6		
Total		3297	100.0		

pq3209 C17j: Partner's partner understands partner's problems and worries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1066	32.3	33.9	33.9
	2 Moderately true	1152	34.9	36.7	70.6
	3 Somewhat true	783	23.7	24.9	95.5
	4 Not at all true	142	4.3	4.5	100.0
	Total	3143	95.3	100.0	
Missing	-1 No response	154	4.7		
Total		3297	100.0		

PQ File – Section C

pq3210 C17k: Partner's partner tends to order partner about

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	160	4.9	5.1	5.1
	2 Moderately true	403	12.2	12.8	17.9
	3 Somewhat true	861	26.1	27.4	45.2
	4 Not at all true	1724	52.3	54.8	100.0
	Total	3148	95.5	100.0	
Missing	-1 No response	149	4.5		
Total		3297	100.0		

pq3211 C17l: Partner's partner insists partner does exactly as told

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	64	1.9	2.0	2.0
	2 Moderately true	183	5.6	5.8	7.8
	3 Somewhat true	342	10.4	10.9	18.7
	4 Not at all true	2558	77.6	81.3	100.0
	Total	3147	95.5	100.0	
Missing	-1 No response	150	4.5		
Total		3297	100.0		

pq3212 C17m: Partner's partner is physically gentle and considerate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1717	52.1	54.6	54.6
	2 Moderately true	798	24.2	25.4	79.9
	3 Somewhat true	508	15.4	16.1	96.1
	4 Not at all true	124	3.8	3.9	100.0
	Total	3147	95.5	100.0	
Missing	-1 No response	150	4.5		
Total		3297	100.0		

pq3213 C17n: Partner's partner makes partner feel needed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1447	43.9	46.0	46.0
	2 Moderately true	1013	30.7	32.2	78.2
	3 Somewhat true	531	16.1	16.9	95.1
	4 Not at all true	154	4.7	4.9	100.0
	Total	3145	95.4	100.0	
Missing	-1 No response	152	4.6		
Total		3297	100.0		

pq3214 C17o: Partner's partner wants partner to change in small ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	241	7.3	7.7	7.7
	2 Moderately true	794	24.1	25.2	32.9
	3 Somewhat true	1292	39.2	41.0	73.9
	4 Not at all true	821	24.9	26.1	100.0
	Total	3148	95.5	100.0	
Missing	-1 No response	149	4.5		
Total		3297	100.0		

PQ File – Section C

pq3215 C17p: Partner's partner is very loving to partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1508	45.7	47.9	47.9
	2 Moderately true	894	27.1	28.4	76.2
	3 Somewhat true	569	17.3	18.1	94.3
	4 Not at all true	180	5.5	5.7	100.0
	Total	3151	95.6	100.0	
Missing	-1 No response	146	4.4		
Total		3297	100.0		

pq3216 C17q: Partner's partner seeks to dominate partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	86	2.6	2.7	2.7
	2 Moderately true	234	7.1	7.4	10.2
	3 Somewhat true	535	16.2	17.0	27.2
	4 Not at all true	2294	69.6	72.8	100.0
	Total	3149	95.5	100.0	
Missing	-1 No response	148	4.5		
Total		3297	100.0		

pq3217 C17r: Partner's partner is fun to be with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1536	46.6	48.7	48.7
	2 Moderately true	1069	32.4	33.9	82.7
	3 Somewhat true	483	14.6	15.3	98.0
	4 Not at all true	63	1.9	2.0	100.0
	Total	3151	95.6	100.0	
Missing	-1 No response	146	4.4		
Total		3297	100.0		

pq3218 C17s: Partner's partner wants to change partner in big ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	100	3.0	3.2	3.2
	2 Moderately true	170	5.2	5.4	8.6
	3 Somewhat true	389	11.8	12.3	20.9
	4 Not at all true	2492	75.6	79.1	100.0
	Total	3151	95.6	100.0	
Missing	-1 No response	146	4.4		
Total		3297	100.0		

pq3219 C17t: Partner's partner tends to control everything partner does

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	45	1.4	1.4	1.4
	2 Moderately true	134	4.1	4.3	5.7
	3 Somewhat true	415	12.6	13.2	18.9
	4 Not at all true	2551	77.4	81.1	100.0
	Total	3145	95.4	100.0	
Missing	-1 No response	152	4.6		
Total		3297	100.0		

PQ File – Section C

pq3220 C17u: Partner's partner shows her appreciation of partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1124	34.1	35.7	35.7
	2 Moderately true	1143	34.7	36.3	72.0
	3 Somewhat true	721	21.9	22.9	94.9
	4 Not at all true	162	4.9	5.1	100.0
	Total	3150	95.5	100.0	
Missing	-1 No response	147	4.5		
Total		3297	100.0		

pq3221 C17v: Partner's partner is critical of partner in private

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	118	3.6	3.8	3.8
	2 Moderately true	297	9.0	9.6	13.4
	3 Somewhat true	797	24.2	25.7	39.0
	4 Not at all true	1895	57.5	61.0	100.0
	Total	3107	94.2	100.0	
Missing	-1 No response	190	5.8		
Total		3297	100.0		

pq3222 C17w: Partner's partner is gentle and kind to partner

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1574	47.7	50.0	50.0
	2 Moderately true	910	27.6	28.9	78.9
	3 Somewhat true	567	17.2	18.0	96.9
	4 Not at all true	99	3.0	3.1	100.0
	Total	3150	95.5	100.0	
Missing	-1 No response	147	4.5		
Total		3297	100.0		

pq3223 C17x: Partner's partner speaks to partner in a warm and friendly voice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very true	1354	41.1	43.0	43.0
	2 Moderately true	1119	33.9	35.5	78.5
	3 Somewhat true	571	17.3	18.1	96.6
	4 Not at all true	106	3.2	3.4	100.0
	Total	3150	95.5	100.0	
Missing	-1 No response	147	4.5		
Total		3297	100.0		

PAGE 25 OF THE QUESTIONNAIRE

SECTION D: PILLS AND POTIONS

D1. Please indicate below if you have used any **medicines** (pills, syrups, inhalers, drops, sprays, suppositories, pessaries, ointments etc including homeopathic and herbal remedies) in the last 12 months.

Please include medicines prescribed by your doctor and also those you may have purchased over the counter. (**Do not include vitamins and supplements** unless taken for a specific medical condition, as these are covered in the next section).

If possible give the full name of the medicine and indicate how often it was used. If you need more lines for a particular category please include the additional medicines under the ‘Other conditions’ section at the end of this question on page 28.

Medicine, pills, drops, ointment etc. for:	Yes in past 12 months	If yes, give name of substance	How often did you take/use this?			
			Every day	Most days	Some times	Once or twice
a) Headache or or migraine	<input type="text"/>	i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
		ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
b) Backache	<input type="text"/>	i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
		ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
c) Groin pain	<input type="text"/>	i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
		ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
d) Other pain	<input type="text"/>	i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
		ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
e) Indigestion	<input type="text"/>	i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
		ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
f) Nausea	<input type="text"/>	i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
		ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 26 OF THE QUESTIONNAIRE

Medicine, pills, drops, ointment etc. for:	Yes in past 12 months	If yes, give name of substance	How often did you take/use this?			
			Every day	Most days	Some times	Once or twice
g) Vomiting	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
h) Diarrhoea	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
i) Piles or haemorrhoids	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
j) Constipation	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
k) Depression	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
l) Anxiety or nerves	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
m) Sleeping	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
n) Psoriasis	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
o) Eczema	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 27 OF THE QUESTIONNAIRE

Medicine, pills, drops, ointment etc. for:	Yes in past 12 months	If yes, give name of substance	How often did you take/use this?			
			Every day	Most days	Some times	Once or twice
p) Asthma	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
q) Hay fever	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
r) Other allergies	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
s) Sore throat	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
t) Cough	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
u) A cold	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
v) Flu	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
w) Other infection	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
x) Diabetes	<input type="text" value="1"/>	i)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
		ii)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 28 OF THE QUESTIONNAIRE

Medicine, pills, drops, ointment etc. for:	Yes in past 12 months	If yes, give name of substance	How often did you take/use this?			
			Every day	Most days	Some times	Once or twice
y) Epilepsy	<input type="text"/>	i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
		ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
z) High blood pressure	<input type="text"/>	i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
		ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
za) Other condition (please tick & describe)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
zb) Other condition (please tick & describe)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
zc) Other condition (please tick & describe)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
zd) Other condition (please tick & describe)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
ze) Took/used no medicines, pills, drops or ointment	<input type="text"/>					

D2. Vitamin, mineral and other supplements are widely used. Some people take them regularly for their health, whereas others may use them more sporadically to try to improve a specific area of their health. Please indicate below whether you have used such supplements regularly, occasionally or not at all **in the last 12 months**.

		Used in last 12 months		
		Regularly	Occasionally	Not at all
a)	Vitamins	<input type="text"/>	<input type="text"/>	<input type="text"/>
b)	Minerals (e.g. calcium, iron)	<input type="text"/>	<input type="text"/>	<input type="text"/>
c)	Oil supplements e.g. fish oils, evening primrose oil	<input type="text"/>	<input type="text"/>	<input type="text"/>
d)	Other supplements e.g. Ginseng	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 29 OF THE QUESTIONNAIRE

D3. Please describe below any vitamins, minerals such as iron or calcium or other supplements taken in the **past month** and indicate how often you used them.

	Every day	Most days	About 1-2 times a week	Less than once a week	Not at all
a) Vitamins (Please say which vitamins and give brand name)					
i)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
ii)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
iii)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
b) Mineral supplements (Please say which minerals e.g. iron, calcium, and give brand name)					
i)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
ii)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
iii)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
c) Oil supplements (Please say which, e.g. fish oils, Evening Primrose Oil, and give brand name)					
i)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
ii)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
iii)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
d) Other supplements (Please say which e.g. Ginseng, Royal Jelly, and give brand name)					
i)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
ii)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
iii)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>

PQ File – Section D

pq4000 D1a: Partner has used medicine for headache or migraine in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2159	65.5	100.0	100.0
Missing -1 No response	1138	34.5		
Total	3297	100.0		

pq4003 D1a1: Frequency partner used medicine for headache or migraine in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	16	.5	.7	.7
1 Every day	29	.9	1.4	2.1
2 Most days	44	1.3	2.1	4.2
3 Sometimes	1177	35.7	55.2	59.3
4 Once or twice	868	26.3	40.7	100.0
Total	2134	64.7	100.0	
Missing -1 No response	1163	35.3		
Total	3297	100.0		

pq4005 D1a2: Frequency partner used medicine for headache or migraine in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	14	.4	2.7	2.7
1 Every day	9	.3	1.7	4.4
2 Most days	6	.2	1.1	5.5
3 Sometimes	292	8.9	55.7	61.3
4 Once or twice	203	6.2	38.7	100.0
Total	524	15.9	100.0	
Missing -1 No response	2773	84.1		
Total	3297	100.0		

PQ File – Section D

pq4010 D1b: Partner has used medicine for backache in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	620	18.8	100.0	100.0
Missing -1 No response	2677	81.2		
Total	3297	100.0		

pq4013 D1b1: Frequency partner used medicine for backache in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	14	.4	2.3	2.3
1 Every day	47	1.4	7.9	10.2
2 Most days	40	1.2	6.7	16.9
3 Sometimes	330	10.0	55.4	72.3
4 Once or twice	165	5.0	27.7	100.0
Total	596	18.1	100.0	
Missing -1 No response	2701	81.9		
Total	3297	100.0		

pq4015 D1b2: Frequency partner used medicine for backache in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	2	.1	1.6	1.6
1 Every day	18	.5	14.5	16.1
2 Most days	10	.3	8.1	24.2
3 Sometimes	74	2.2	59.7	83.9
4 Once or twice	20	.6	16.1	100.0
Total	124	3.8	100.0	
Missing -1 No response	3173	96.2		
Total	3297	100.0		

PQ File – Section D

pq4020 D1c: Partner has used medicine for groin pain in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	48	1.5	100.0	100.0
Missing	-1 No response	3249	98.5		
Total		3297	100.0		

pq4023 D1c1: Frequency partner used medicine for groin pain in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	1	.0	2.2	2.2
	1 Every day	6	.2	13.0	15.2
	2 Most days	5	.2	10.9	26.1
	3 Sometimes	17	.5	37.0	63.0
	4 Once or twice	17	.5	37.0	100.0
	Total	46	1.4	100.0	
Missing	-1 No response	3251	98.6		
Total		3297	100.0		

pq4025 D1c2: Frequency partner used medicine for groin pain in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	1	.0	11.1	11.1
	2 Most days	2	.1	22.2	33.3
	3 Sometimes	3	.1	33.3	66.7
	4 Once or twice	3	.1	33.3	100.0
	Total	9	.3	100.0	
Missing	-1 No response	3288	99.7		
Total		3297	100.0		

PQ File – Section D

pq4030 D1d: Partner has used medicine for other pain in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	312	9.5	100.0	100.0
Missing	-1 No response	2985	90.5		
Total		3297	100.0		

pq4033 D1d1: Frequency partner used medicine for other pain in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	11	.3	3.6	3.6
	1 Every day	49	1.5	16.1	19.7
	2 Most days	19	.6	6.2	25.9
	3 Sometimes	160	4.9	52.5	78.4
	4 Once or twice	66	2.0	21.6	100.0
	Total	305	9.3	100.0	
Missing	-1 No response	2992	90.7		
Total		3297	100.0		

pq4035 D1d2: Frequency partner used medicine for other pain in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	2	.1	3.0	3.0
	1 Every day	13	.4	19.4	22.4
	2 Most days	7	.2	10.4	32.8
	3 Sometimes	32	1.0	47.8	80.6
	4 Once or twice	13	.4	19.4	100.0
	Total	67	2.0	100.0	
Missing	-1 No response	3230	98.0		
Total		3297	100.0		

PQ File – Section D

pq4040 D1e: Partner has used medicine for indigestion in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	576	17.5	100.0	100.0
Missing	-1 No response	2721	82.5		
Total		3297	100.0		

pq4043 D1e1: Frequency partner used medicine for indigestion in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	8	.2	1.4	1.4
	1 Every day	40	1.2	7.1	8.5
	2 Most days	38	1.2	6.7	15.2
	3 Sometimes	299	9.1	52.7	67.9
	4 Once or twice	182	5.5	32.1	100.0
	Total	567	17.2	100.0	
Missing	-1 No response	2730	82.8		
Total		3297	100.0		

pq4045 D1e2: Frequency partner used medicine for indigestion in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	1	.0	2.0	2.0
	1 Every day	4	.1	8.2	10.2
	2 Most days	4	.1	8.2	18.4
	3 Sometimes	31	.9	63.3	81.6
	4 Once or twice	9	.3	18.4	100.0
	Total	49	1.5	100.0	
Missing	-1 No response	3248	98.5		
Total		3297	100.0		

PQ File – Section D

pq4050 D1f: Partner has used medicine for nausea in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	35	1.1	100.0	100.0
Missing	-1 No response	3262	98.9		
Total		3297	100.0		

pq4053 D1f1: Frequency partner used medicine for nausea in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2	.1	5.7	5.7
	2 Most days	1	.0	2.9	8.6
	3 Sometimes	14	.4	40.0	48.6
	4 Once or twice	18	.5	51.4	100.0
	Total	35	1.1	100.0	
Missing	-1 No response	3262	98.9		
Total		3297	100.0		

pq4055 D1f2: Frequency partner used medicine for nausea in the last 12 months - 2nd medicine

		Frequency	Percent
Missing	-1 No response	3297	100.0

pq4060 D1g: Partner has used medicine for vomiting in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	20	.6	100.0	100.0
Missing	-1 No response	3277	99.4		
Total		3297	100.0		

pq4063 D1g1: Frequency partner used medicine for vomiting in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	2	.1	11.8	11.8
	1 Every day	2	.1	11.8	23.5
	3 Sometimes	4	.1	23.5	47.1
	4 Once or twice	9	.3	52.9	100.0
	Total	17	.5	100.0	
Missing	-1 No response	3280	99.5		
Total		3297	100.0		

pq4065 D1g2: Frequency partner used medicine for vomiting in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4 Once or twice	1	.0	100.0	100.0
Missing	-1 No response	3296	100.0		
Total		3297	100.0		

PQ File – Section D

pq4070 D1h: Partner has used medicine for diarrhoea in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	121	3.7	100.0	100.0
Missing	-1 No response	3176	96.3		
Total		3297	100.0		

pq4073 D1h1: Frequency partner used medicine for diarrhoea in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	3	.1	2.6	2.6
	1 Every day	7	.2	6.1	8.8
	2 Most days	3	.1	2.6	11.4
	3 Sometimes	26	.8	22.8	34.2
	4 Once or twice	75	2.3	65.8	100.0
	Total	114	3.5	100.0	
Missing	-1 No response	3183	96.5		
Total		3297	100.0		

pq4075 D1h2: Frequency partner used medicine for diarrhoea in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2	.1	25.0	25.0
	3 Sometimes	3	.1	37.5	62.5
	4 Once or twice	3	.1	37.5	100.0
	Total	8	.2	100.0	
Missing	-1 No response	3289	99.8		
Total		3297	100.0		

PQ File – Section D

pq4080 D1i: Partner has used medicine for piles or haemorrhoids in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	187	5.7	100.0	100.0
Missing	-1 No response	3110	94.3		
Total		3297	100.0		

pq4083 D1i1: Frequency partner used medicine for piles or haemorrhoids in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	2	.1	1.1	1.1
	1 Every day	9	.3	5.1	6.2
	2 Most days	15	.5	8.4	14.6
	3 Sometimes	97	2.9	54.5	69.1
	4 Once or twice	55	1.7	30.9	100.0
	Total	178	5.4	100.0	
Missing	-1 No response	3119	94.6		
Total		3297	100.0		

pq4085 D1i2: Frequency partner used medicine for piles or haemorrhoids in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	1	.0	9.1	9.1
	2 Most days	1	.0	9.1	18.2
	3 Sometimes	8	.2	72.7	90.9
	4 Once or twice	1	.0	9.1	100.0
	Total	11	.3	100.0	
Missing	-1 No response	3286	99.7		
Total		3297	100.0		

PQ File – Section D

pq4090 D1j: Partner has used medicine for constipation in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	47	1.4	100.0	100.0
Missing -1 No response	3250	98.6		
Total	3297	100.0		

pq4093 D1j1: Frequency partner used medicine for constipation in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	2	.1	4.3	4.3
1 Every day	5	.2	10.9	15.2
2 Most days	2	.1	4.3	19.6
3 Sometimes	22	.7	47.8	67.4
4 Once or twice	15	.5	32.6	100.0
Total	46	1.4	100.0	
Missing -1 No response	3251	98.6		
Total	3297	100.0		

pq4095 D1j2: Frequency partner used medicine for constipation in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Every day	2	.1	40.0	40.0
3 Sometimes	1	.0	20.0	60.0
4 Once or twice	2	.1	40.0	100.0
Total	5	.2	100.0	
Missing -1 No response	3292	99.8		
Total	3297	100.0		

PQ File – Section D

pq4100 D1k: Partner has used medicine for depression in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	106	3.2	100.0	100.0
Missing -1 No response	3191	96.8		
Total	3297	100.0		

pq4103 D1k1: Frequency partner used medicine for depression in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	3	.1	2.9	2.9
1 Every day	77	2.3	75.5	78.4
2 Most days	6	.2	5.9	84.3
3 Sometimes	12	.4	11.8	96.1
4 Once or twice	4	.1	3.9	100.0
Total	102	3.1	100.0	
Missing -1 No response	3195	96.9		
Total	3297	100.0		

pq4105 D1k2: Frequency partner used medicine for depression in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Every day	5	.2	83.3	83.3
3 Sometimes	1	.0	16.7	100.0
Total	6	.2	100.0	
Missing -1 No response	3291	99.8		
Total	3297	100.0		

PQ File – Section D

pq4110 D1I: Partner has used medicine for anxiety or nerves in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	58	1.8	100.0	100.0
Missing -1 No response	3239	98.2		
Total	3297	100.0		

pq4113 D1I1: Frequency partner used medicine for anxiety or nerves in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	3	.1	5.4	5.4
1 Every day	27	.8	48.2	53.6
2 Most days	4	.1	7.1	60.7
3 Sometimes	15	.5	26.8	87.5
4 Once or twice	7	.2	12.5	100.0
Total	56	1.7	100.0	
Missing -1 No response	3241	98.3		
Total	3297	100.0		

pq4115 D1I2: Frequency partner used medicine for anxiety or nerves in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Every day	3	.1	100.0	100.0
Missing -1 No response	3294	99.9		
Total	3297	100.0		

PQ File – Section D

pq4120 D1m: Partner has used medicine for sleeping in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	111	3.4	100.0	100.0
Missing	-1 No response	3186	96.6		
Total		3297	100.0		

pq4123 D1m1: Frequency partner used medicine for sleeping in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	3	.1	2.8	2.8
	1 Every day	10	.3	9.3	12.1
	2 Most days	8	.2	7.5	19.6
	3 Sometimes	41	1.2	38.3	57.9
	4 Once or twice	45	1.4	42.1	100.0
	Total	107	3.2	100.0	
Missing	-1 No response	3190	96.8		
Total		3297	100.0		

pq4125 D1m2: Frequency partner used medicine for sleeping in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	1	.0	12.5	12.5
	1 Every day	1	.0	12.5	25.0
	2 Most days	2	.1	25.0	50.0
	3 Sometimes	2	.1	25.0	75.0
	4 Once or twice	2	.1	25.0	100.0
	Total	8	.2	100.0	
Missing	-1 No response	3289	99.8		
Total		3297	100.0		

PQ File – Section D

pq4130 D1n: Partner has used medicine for psoriasis in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	62	1.9	100.0	100.0
Missing -1 No response	3235	98.1		
Total	3297	100.0		

pq4133 D1n1: Frequency partner used medicine for psoriasis in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	1	.0	1.8	1.8
1 Every day	12	.4	21.1	22.8
2 Most days	14	.4	24.6	47.4
3 Sometimes	26	.8	45.6	93.0
4 Once or twice	4	.1	7.0	100.0
Total	57	1.7	100.0	
Missing -1 No response	3240	98.3		
Total	3297	100.0		

pq4135 D1n2: Frequency partner used medicine for psoriasis in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	1	.0	7.1	7.1
1 Every day	1	.0	7.1	14.3
2 Most days	4	.1	28.6	42.9
3 Sometimes	7	.2	50.0	92.9
4 Once or twice	1	.0	7.1	100.0
Total	14	.4	100.0	
Missing -1 No response	3283	99.6		
Total	3297	100.0		

PQ File – Section D

pq4140 D1o: Partner has used medicine for eczema in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	150	4.5	100.0	100.0
Missing	-1 No response	3147	95.5		
Total		3297	100.0		

pq4143 D1o1: Frequency partner used medicine for eczema in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	2	.1	1.4	1.4
	1 Every day	22	.7	15.0	16.3
	2 Most days	20	.6	13.6	29.9
	3 Sometimes	80	2.4	54.4	84.4
	4 Once or twice	23	.7	15.6	100.0
	Total	147	4.5	100.0	
Missing	-1 No response	3150	95.5		
Total		3297	100.0		

pq4145 D1o2: Frequency partner used medicine for eczema in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	4	.1	25.0	25.0
	2 Most days	3	.1	18.8	43.8
	3 Sometimes	8	.2	50.0	93.8
	4 Once or twice	1	.0	6.3	100.0
	Total	16	.5	100.0	
Missing	-1 No response	3281	99.5		
Total		3297	100.0		

PQ File – Section D

pq4150 D1p: Partner has used medicine for asthma in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	260	7.9	100.0	100.0
Missing -1 No response	3037	92.1		
Total	3297	100.0		

pq4153 D1p1: Frequency partner used medicine for asthma in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	7	.2	2.8	2.8
1 Every day	79	2.4	31.2	34.0
2 Most days	29	.9	11.5	45.5
3 Sometimes	102	3.1	40.3	85.8
4 Once or twice	36	1.1	14.2	100.0
Total	253	7.7	100.0	
Missing -1 No response	3044	92.3		
Total	3297	100.0		

pq4155 D1p2: Frequency partner used medicine for asthma in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	7	.2	6.8	6.8
1 Every day	48	1.5	46.6	53.4
2 Most days	13	.4	12.6	66.0
3 Sometimes	32	1.0	31.1	97.1
4 Once or twice	3	.1	2.9	100.0
Total	103	3.1	100.0	
Missing -1 No response	3194	96.9		
Total	3297	100.0		

PQ File – Section D

pq4160 D1q: Partner has used medicine for hay fever in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	349	10.6	100.0	100.0
Missing	-1 No response	2948	89.4		
Total		3297	100.0		

pq4163 D1q1: Frequency partner used medicine for hay fever in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	11	.3	3.2	3.2
	1 Every day	44	1.3	12.8	16.0
	2 Most days	42	1.3	12.2	28.2
	3 Sometimes	201	6.1	58.4	86.6
	4 Once or twice	46	1.4	13.4	100.0
	Total	344	10.4	100.0	
Missing	-1 No response	2953	89.6		
Total		3297	100.0		

pq4165 D1q2: Frequency partner used medicine for hay fever in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	4	.1	10.8	10.8
	1 Every day	11	.3	29.7	40.5
	2 Most days	1	.0	2.7	43.2
	3 Sometimes	17	.5	45.9	89.2
	4 Once or twice	4	.1	10.8	100.0
	Total	37	1.1	100.0	
Missing	-1 No response	3260	98.9		
Total		3297	100.0		

PQ File – Section D

pq4170 D1r: Partner has used medicine for other allergies in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	61	1.9	100.0	100.0
Missing -1 No response	3236	98.1		
Total	3297	100.0		

pq4173 D1r1: Frequency partner used medicine for other allergies in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	5	.2	8.3	8.3
1 Every day	8	.2	13.3	21.7
2 Most days	5	.2	8.3	30.0
3 Sometimes	30	.9	50.0	80.0
4 Once or twice	12	.4	20.0	100.0
Total	60	1.8	100.0	
Missing -1 No response	3237	98.2		
Total	3297	100.0		

pq4175 D1r2: Frequency partner used medicine for other allergies in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	1	.0	33.3	33.3
1 Every day	1	.0	33.3	66.7
3 Sometimes	1	.0	33.3	100.0
Total	3	.1	100.0	
Missing -1 No response	3294	99.9		
Total	3297	100.0		

PQ File – Section D

pq4180 D1s: Partner has used medicine for sore throat in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	279	8.5	100.0	100.0
Missing -1 No response	3018	91.5		
Total	3297	100.0		

pq4183 D1s1: Frequency partner used medicine for sore throat in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	15	.5	5.5	5.5
1 Every day	8	.2	3.0	8.5
2 Most days	4	.1	1.5	10.0
3 Sometimes	137	4.2	50.6	60.5
4 Once or twice	107	3.2	39.5	100.0
Total	271	8.2	100.0	
Missing -1 No response	3026	91.8		
Total	3297	100.0		

pq4185 D1s2: Frequency partner used medicine for sore throat in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	3	.1	15.0	15.0
3 Sometimes	10	.3	50.0	65.0
4 Once or twice	7	.2	35.0	100.0
Total	20	.6	100.0	
Missing -1 No response	3277	99.4		
Total	3297	100.0		

PQ File – Section D

pq4190 D1t: Partner has used medicine for cough in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	209	6.3	100.0	100.0
Missing	-1 No response	3088	93.7		
Total		3297	100.0		

pq4193 D1t1: Frequency partner used medicine for cough in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	15	.5	7.5	7.5
	1 Every day	4	.1	2.0	9.5
	2 Most days	3	.1	1.5	11.0
	3 Sometimes	83	2.5	41.5	52.5
	4 Once or twice	95	2.9	47.5	100.0
	Total	200	6.1	100.0	
Missing	-1 No response	3097	93.9		
Total		3297	100.0		

pq4195 D1t2: Frequency partner used medicine for cough in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	1	.0	11.1	11.1
	1 Every day	1	.0	11.1	22.2
	3 Sometimes	3	.1	33.3	55.6
	4 Once or twice	4	.1	44.4	100.0
	Total	9	.3	100.0	
Missing	-1 No response	3288	99.7		
Total		3297	100.0		

PQ File – Section D

pq4200 D1u: Partner has used medicine for a cold in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	730	22.1	100.0	100.0
Missing	-1 No response	2567	77.9		
Total		3297	100.0		

pq4203 D1u1: Frequency partner used medicine for a cold in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	46	1.4	6.5	6.5
	1 Every day	20	.6	2.8	9.3
	2 Most days	21	.6	2.9	12.2
	3 Sometimes	350	10.6	49.2	61.4
	4 Once or twice	275	8.3	38.6	100.0
	Total	712	21.6	100.0	
Missing	-1 No response	2585	78.4		
Total		3297	100.0		

pq4205 D1u2: Frequency partner used medicine for a cold in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	8	.2	9.3	9.3
	1 Every day	2	.1	2.3	11.6
	3 Sometimes	41	1.2	47.7	59.3
	4 Once or twice	35	1.1	40.7	100.0
	Total	86	2.6	100.0	
Missing	-1 No response	3211	97.4		
Total		3297	100.0		

PQ File – Section D

pq4210 D1v: Partner has used medicine for flu in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	167	5.1	100.0	100.0
Missing	-1 No response	3130	94.9		
Total		3297	100.0		

pq4213 D1v1: Frequency partner used medicine for flu in the last 12 months - 1st medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	10	.3	6.2	6.2
	1 Every day	12	.4	7.4	13.6
	2 Most days	5	.2	3.1	16.7
	3 Sometimes	71	2.2	43.8	60.5
	4 Once or twice	64	1.9	39.5	100.0
	Total	162	4.9	100.0	
Missing	-1 No response	3135	95.1		
Total		3297	100.0		

pq4215 D1v2: Frequency partner used medicine for flu in the last 12 months - 2nd medicine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Medicine reported, but no frequency	3	.1	13.6	13.6
	1 Every day	2	.1	9.1	22.7
	2 Most days	1	.0	4.5	27.3
	3 Sometimes	10	.3	45.5	72.7
	4 Once or twice	6	.2	27.3	100.0
	Total	22	.7	100.0	
Missing	-1 No response	3275	99.3		
Total		3297	100.0		

PQ File – Section D

pq4220 D1w: Partner has used medicine for other infection in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	108	3.3	100.0	100.0
Missing -1 No response	3189	96.7		
Total	3297	100.0		

pq4223 D1w1: Frequency partner used medicine for other infection in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	7	.2	6.5	6.5
1 Every day	15	.5	14.0	20.6
2 Most days	4	.1	3.7	24.3
3 Sometimes	41	1.2	38.3	62.6
4 Once or twice	40	1.2	37.4	100.0
Total	107	3.2	100.0	
Missing -1 No response	3190	96.8		
Total	3297	100.0		

pq4225 D1w2: Frequency partner used medicine for other infection in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Every day	1	.0	10.0	10.0
2 Most days	2	.1	20.0	30.0
3 Sometimes	4	.1	40.0	70.0
4 Once or twice	3	.1	30.0	100.0
Total	10	.3	100.0	
Missing -1 No response	3287	99.7		
Total	3297	100.0		

PQ File – Section D

pq4250 D1x: Partner has used medicine for diabetes in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	35	1.1	100.0	100.0
Missing -1 No response	3262	98.9		
Total	3297	100.0		

pq4253 D1x1: Frequency partner used medicine for diabetes in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	1	.0	2.9	2.9
1 Every day	33	1.0	97.1	100.0
Total	34	1.0	100.0	
Missing -1 No response	3263	99.0		
Total	3297	100.0		

pq4255 D1x2: Frequency partner used medicine for diabetes in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Every day	13	.4	100.0	100.0
Missing -1 No response	3284	99.6		
Total	3297	100.0		

pq4260 D1y: Partner has used medicine for epilepsy in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	20	.6	100.0	100.0
Missing -1 No response	3277	99.4		
Total	3297	100.0		

pq4263 D1y1: Frequency partner used medicine for epilepsy in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Every day	19	.6	95.0	95.0
2 Most days	1	.0	5.0	100.0
Total	20	.6	100.0	
Missing -1 No response	3277	99.4		
Total	3297	100.0		

pq4265 D1y2: Frequency partner used medicine for epilepsy in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	1	.0	20.0	20.0
1 Every day	4	.1	80.0	100.0
Total	5	.2	100.0	
Missing -1 No response	3292	99.8		
Total	3297	100.0		

PQ File – Section D

pq4270 D1z: Partner has used medicine for high blood pressure in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	142	4.3	100.0	100.0
Missing -1 No response	3155	95.7		
Total	3297	100.0		

pq4273 D1z1: Frequency partner used medicine for high blood pressure in the last 12 months - 1st medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	3	.1	2.1	2.1
1 Every day	132	4.0	94.3	96.4
2 Most days	2	.1	1.4	97.9
3 Sometimes	1	.0	.7	98.6
4 Once or twice	2	.1	1.4	100.0
Total	140	4.2	100.0	
Missing -1 No response	3157	95.8		
Total	3297	100.0		

pq4275 D1z2: Frequency partner used medicine for high blood pressure in the last 12 months - 2nd medicine

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	3	.1	6.0	6.0
1 Every day	47	1.4	94.0	100.0
Total	50	1.5	100.0	
Missing -1 No response	3247	98.5		
Total	3297	100.0		

PQ File – Section D

pq4300 D1za: Partner has used medicine for other condition in the last 12 months - 1st condition

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	406	12.3	100.0	100.0
Missing -1 No response	2891	87.7		
Total	3297	100.0		

pq4303 D1za1: Frequency partner used medicine for other condition in the last 12 months - 1st condition

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	19	.6	4.7	4.7
1 Every day	187	5.7	46.6	51.4
2 Most days	30	.9	7.5	58.9
3 Sometimes	121	3.7	30.2	89.0
4 Once or twice	44	1.3	11.0	100.0
Total	401	12.2	100.0	
Missing -1 No response	2896	87.8		
Total	3297	100.0		

pq4310 D1zb: Partner has used medicine for other condition in the last 12 months - 2nd condition

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	92	2.8	100.0	100.0
Missing -1 No response	3205	97.2		
Total	3297	100.0		

pq4313 D1zb1: Frequency partner used medicine for other condition in the last 12 months - 2nd condition

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	5	.2	5.4	5.4
1 Every day	50	1.5	54.3	59.8
2 Most days	3	.1	3.3	63.0
3 Sometimes	28	.8	30.4	93.5
4 Once or twice	6	.2	6.5	100.0
Total	92	2.8	100.0	
Missing -1 No response	3205	97.2		
Total	3297	100.0		

PQ File – Section D

pq4320 D1zc: Partner has used medicine for other condition in the last 12 months - 3rd condition

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	41	1.2	100.0	100.0
Missing -1 No response	3256	98.8		
Total	3297	100.0		

pq4323 D1zc1: Frequency partner used medicine for other condition in the last 12 months - 3rd condition

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	2	.1	5.0	5.0
1 Every day	24	.7	60.0	65.0
2 Most days	1	.0	2.5	67.5
3 Sometimes	10	.3	25.0	92.5
4 Once or twice	3	.1	7.5	100.0
Total	40	1.2	100.0	
Missing -1 No response	3257	98.8		
Total	3297	100.0		

pq4330 D1zd: Partner has used medicine for other condition in the last 12 months - 4th condition

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	24	.7	100.0	100.0
Missing -1 No response	3273	99.3		
Total	3297	100.0		

pq4333 D1zd1: Frequency partner used medicine for other condition in the last 12 months - 4th condition

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	1	.0	4.3	4.3
1 Every day	14	.4	60.9	65.2
2 Most days	1	.0	4.3	69.6
3 Sometimes	5	.2	21.7	91.3
4 Once or twice	2	.1	8.7	100.0
Total	23	.7	100.0	
Missing -1 No response	3274	99.3		
Total	3297	100.0		

pq4340 D1ze: Partner took no medicines, pills, drops or ointment in the last 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	124	3.8	100.0	100.0
Missing -1 No response	3173	96.2		
Total	3297	100.0		

PQ File – Section D

pq4350 D2a: Frequency partner used vitamins in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Regularly	305	9.3	11.7	11.7
	2 Occasionally	355	10.8	13.7	25.4
	3 Not at all	1938	58.8	74.6	100.0
	Total	2598	78.8	100.0	
Missing	-1 No response	699	21.2		
Total		3297	100.0		

pq4351 D2b: Frequency partner used minerals in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Regularly	156	4.7	6.5	6.5
	2 Occasionally	119	3.6	5.0	11.5
	3 Not at all	2107	63.9	88.5	100.0
	Total	2382	72.2	100.0	
Missing	-1 No response	915	27.8		
Total		3297	100.0		

pq4352 D2c: Frequency partner used oil supplements in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Regularly	332	10.1	12.9	12.9
	2 Occasionally	229	6.9	8.9	21.8
	3 Not at all	2009	60.9	78.2	100.0
	Total	2570	77.9	100.0	
Missing	-1 No response	727	22.1		
Total		3297	100.0		

pq4353 D2d: Frequency partner used other supplements in the last 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Regularly	92	2.8	4.0	4.0
	2 Occasionally	72	2.2	3.1	7.1
	3 Not at all	2154	65.3	92.9	100.0
	Total	2318	70.3	100.0	
Missing	-1 No response	979	29.7		
Total		3297	100.0		

PQ File – Section D

pq4360 D3a1: Frequency partner took vitamin in the past month - 1st vitamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	5	.2	.2	.2
	1 Every day	197	6.0	9.8	10.1
	2 Most days	84	2.5	4.2	14.3
	3 About 1-2 times a week	71	2.2	3.5	17.8
	4 < once a week	92	2.8	4.6	22.4
	5 Not at all	1553	47.1	77.6	100.0
	Total	2002	60.7	100.0	
Missing	-1 No response	1295	39.3		
Total		3297	100.0		

pq4370 D3a2: Frequency partner took vitamin in the past month - 2nd vitamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	1	.0	.2	.2
	1 Every day	26	.8	4.1	4.3
	2 Most days	9	.3	1.4	5.7
	3 About 1-2 times a week	6	.2	1.0	6.7
	4 < once a week	3	.1	.5	7.1
	5 Not at all	585	17.7	92.9	100.0
	Total	630	19.1	100.0	
Missing	-1 No response	2667	80.9		
Total		3297	100.0		

pq4380 D3a3: Frequency partner took vitamin in the past month - 3rd vitamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	7	.2	1.2	1.2
	2 Most days	1	.0	.2	1.4
	3 About 1-2 times a week	2	.1	.3	1.7
	4 < once a week	3	.1	.5	2.2
	5 Not at all	577	17.5	97.8	100.0
	Total	590	17.9	100.0	
Missing	-1 No response	2707	82.1		
Total		3297	100.0		

PQ File – Section D

pq4390 D3b1: Frequency partner took mineral supplement in the past month - 1st supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	3	.1	.2	.2
	1 Every day	75	2.3	4.4	4.6
	2 Most days	30	.9	1.8	6.4
	3 About 1-2 times a week	21	.6	1.2	7.6
	4 < once a week	20	.6	1.2	8.8
	5 Not at all	1539	46.7	91.2	100.0
	Total	1688	51.2	100.0	
Missing	-1 No response	1609	48.8		
Total		3297	100.0		

pq4400 D3b2: Frequency partner took mineral supplement in the past month - 2nd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	8	.2	1.4	1.4
	2 Most days	3	.1	.5	2.0
	3 About 1-2 times a week	1	.0	.2	2.1
	5 Not at all	552	16.7	97.9	100.0
	Total	564	17.1	100.0	
Missing	-1 No response	2733	82.9		
Total		3297	100.0		

pq4410 D3b3: Frequency partner took mineral supplement in the past month - 3rd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2	.1	.4	.4
	2 Most days	1	.0	.2	.5
	4 < once a week	1	.0	.2	.7
	5 Not at all	551	16.7	99.3	100.0
	Total	555	16.8	100.0	
Missing	-1 No response	2742	83.2		
Total		3297	100.0		

PQ File – Section D

pq4420 D3c1: Frequency partner took oil supplement in the past month - 1st supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	12	.4	.6	.6
	1 Every day	253	7.7	13.1	13.7
	2 Most days	71	2.2	3.7	17.4
	3 About 1-2 times a week	67	2.0	3.5	20.9
	4 < once a week	63	1.9	3.3	24.1
	5 Not at all	1465	44.4	75.9	100.0
	Total	1931	58.6	100.0	
Missing	-1 No response	1366	41.4		
Total		3297	100.0		

pq4430 D3c2: Frequency partner took oil supplement in the past month - 2nd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	22	.7	3.8	3.8
	2 Most days	6	.2	1.0	4.8
	3 About 1-2 times a week	2	.1	.3	5.2
	4 < once a week	5	.2	.9	6.0
	5 Not at all	547	16.6	94.0	100.0
	Total	582	17.7	100.0	
Missing	-1 No response	2715	82.3		
Total		3297	100.0		

pq4440 D3c3: Frequency partner took oil supplement in the past month - 3rd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	3	.1	.5	.5
	4 < once a week	1	.0	.2	.7
	5 Not at all	542	16.4	99.3	100.0
	Total	546	16.6	100.0	
Missing	-1 No response	2751	83.4		
Total		3297	100.0		

PQ File – Section D

pq4450 D3d1: Frequency partner took other supplement in the past month - 1st supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	3	.1	.2	.2
	1 Every day	121	3.7	6.9	7.1
	2 Most days	44	1.3	2.5	9.6
	3 About 1-2 times a week	33	1.0	1.9	11.5
	4 < once a week	26	.8	1.5	13.0
	5 Not at all	1516	46.0	87.0	100.0
	Total	1743	52.9	100.0	
Missing	-1 No response	1554	47.1		
Total		3297	100.0		

pq4460 D3d2: Frequency partner took other supplement in the past month - 2nd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	2	.1	.3	.3
	1 Every day	19	.6	3.3	3.6
	2 Most days	9	.3	1.5	5.2
	3 About 1-2 times a week	2	.1	.3	5.5
	4 < once a week	4	.1	.7	6.2
	5 Not at all	545	16.5	93.8	100.0
	Total	581	17.6	100.0	
Missing	-1 No response	2716	82.4		
Total		3297	100.0		

pq4470 D3d3: Frequency partner took other supplement in the past month - 3rd supplement

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	3	.1	.5	.5
	2 Most days	3	.1	.5	1.1
	5 Not at all	544	16.5	98.9	100.0
	Total	550	16.7	100.0	
Missing	-1 No response	2747	83.3		
Total		3297	100.0		

PAGE 30 OF THE QUESTIONNAIRE

SECTION E: BREAKING THE LAW

Most of us have broken the law at some time or other, maybe when larking around in our youth, or on the spur of the moment, or because of circumstances in our lives.

In this section there are some questions about such experiences which we hope you will share with us.

As always, your answers are completely confidential and cannot be linked to your name.

If you are not happy to complete this section for any reason at all, please **go to Section F on page 39**

E1. a) Have you **ever** been in trouble with the law?

Yes ☐ ₁ No ☐ ₂ → **If no, go to E2 below**

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13) ☐ ₁

(ii) As a teenager ☐ ₁

(iii) As an adult ☐ ₁

c) Has this happened in the last year?

Yes ☐ ₁ No ☐ ₂

E2. a) Apart from speeding have you **ever** been convicted of an offence?

Yes ☐ ₁ No ☐ ₂ → **If no, go to E3 on page 31**

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13) ☐ ₁

(ii) As a teenager ☐ ₁

(iii) As an adult ☐ ₁

c) Has this happened in the last year?

Yes ☐ ₁ No ☐ ₂

PAGE 31 OF THE QUESTIONNAIRE

This next set of questions are about things relating to **vehicles**. By vehicles we mean cars, vans, motorbikes, or other motor vehicles.

- E3. a) Have you **ever** driven a vehicle on a public road without vehicle insurance or a driving licence?

Yes ☐ ₁ No ☐ ₂ → **If no, go to E4 below**

- b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13) ☐ ₁
 (ii) As a teenager ☐ ₁
 (iii) As an adult ☐ ₁

- c) Has this happened in the last year? Yes ☐ ₁ No ☐ ₂

- E4. a) Have you **ever** driven a vehicle when you thought at the time you could have been over the legal limit for alcohol?

Yes ☐ ₁ No ☐ ₂ → **If no, go to E5 below**

- b) When did this happen? (Please tick all that apply)

(i) As a teenager ☐ ₁
 (ii) As an adult ☐ ₁

- c) Have you done this in the last year? Yes ☐ ₁ No ☐ ₂

- E5. a) Have you **ever** stolen, or driven a vehicle away without permission, even if the owner got it back?

Yes ☐ ₁ No ☐ ₂ → **If no, go to E6 on page 32**

PAGE 32 OF THE QUESTIONNAIRE

E5. b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐E6. a) Have you **ever** stolen any parts off a vehicle or anything from inside a vehicle?

Yes

☐

No

☐→ **If no, go to E7 below**

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐E7. a) Have you **ever** damaged any vehicle in any way on purpose, for example by scratching it or breaking a window?

Yes

☐

No

☐→ **If no, go to E8 on page 33**

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐

PAGE 33 OF THE QUESTIONNAIRE

These next questions are about other things you may have done.

- E8. a) Have you **ever** gone into someone's home without their permission because you wanted to steal or damage something?

Yes No → **If no, go to E9 below**

- b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

(ii) As a teenager

(iii) As an adult

- c) Have you done this in the last year? Yes No

- E9. a) Thinking about other types of buildings such as a factory, office, shop, hospital, school etc. Have you **ever** gone into any of these types of buildings, without permission because you wanted to steal or damage something?

Yes No → **If no, go to E10 below**

- b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

(ii) As a teenager

(iii) As an adult

- c) Have you done this in the last year? Yes No

- E10. a) Have you **ever** painted or written graffiti on anything without permission?

Yes No → **If no, go to E11 on page 34**

PAGE 34 OF THE QUESTIONNAIRE

E10. b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐E11. a) Have you **ever** damaged anything that didn't belong to you or your family on purpose, for example by burning, smashing, or breaking it?

Yes

☐

No

☐→ If **no**, go to E12 below

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐If **yes**,

d) In the past year, what have you damaged that didn't belong to you?

.....

E12. a) Have you **ever** used force, violence or threats against anyone in order to steal from a shop, petrol station, bank or other business?

Yes

☐

No

☐→ If **no**, go to E13 on page 35

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

PAGE 35 OF THE QUESTIONNAIRE

E12. c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

E13. a) Have you **ever** used force, violence or threats, against anyone in order to steal something from them?

Yes ☐ 1 No ☐ 2 → **If no, go to E14 below**

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13) ☐ 1

(ii) As a teenager ☐ 1

(iii) As an adult ☐ 1

c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

E14. a) Have you without using force, violence or threats, **ever** stolen anything someone was carrying or wearing, for example by taking something from their hand, pocket or bag?

Yes ☐ 1 No ☐ 2 → **If no, go to E15 below**

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13) ☐ 1

(ii) As a teenager ☐ 1

(iii) As an adult ☐ 1

c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

E15. a) Have you without using force, violence or threats, **ever** stolen anything from a shop?

Yes ☐ 1 No ☐ 2 → **If no, go to E16 on page 36**

PAGE 36 OF THE QUESTIONNAIRE

E15. b) When did this happen? (Please tick all that apply)

- (i) As a child (before the age of 13) ☐
- (ii) As a teenager ☐
- (iii) As an adult ☐

c) Have you done this in the last year? Yes ☐ No ☐

E16. a) Have you **ever** stolen anything from where you work(ed) or went to school?

Yes ☐ No ☐ → If **no**, go to E17 below

b) When did this happen? (Please tick all that apply)

- (i) As a child (before the age of 13) ☐
- (ii) As a teenager ☐
- (iii) As an adult ☐

c) Have you done this in the last year? Yes ☐ No ☐

d) In the past year, what have you stolen from work?

.....

E17. a) Apart from anything you have already mentioned, have you **ever** stolen anything else?

Yes ☐ No ☐ → If **no**, go to E18 on page 37

b) When did this happen? (Please tick all that apply)

- (i) As a child (before the age of 13) ☐
- (ii) As a teenager ☐
- (iii) As an adult ☐

PAGE 37 OF THE QUESTIONNAIRE

E17. c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

d) In the past year, what have you stolen ?

.....

E18. a) Have you **ever** used force on anyone on purpose, for example scratching, hitting, kicking, throwing things, which you think physically injured them in some way?

Yes ☐ 1 No ☐ 2 → If **no**, go to E19 below

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13) ☐ 1

(ii) As a teenager ☐ 1

(iii) As an adult ☐ 1

c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

E19. a) Have you **ever** carried a weapon in case you needed it in a fight?

Yes ☐ 1 No ☐ 2 → If **no**, go to E20 below

b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13) ☐ 1

(ii) As a teenager ☐ 1

(iii) As an adult ☐ 1

c) Have you done this in the last year? Yes ☐ 1 No ☐ 2

E20. a) Have you **ever** used a weapon to injure anyone on purpose?

Yes ☐ 1 No ☐ 2 → If **no**, go to E21 on page 38

PAGE 38 OF THE QUESTIONNAIRE

E20. b) When did this happen? (Please tick all that apply)

(i) As a child (before the age of 13)

☐

(ii) As a teenager

☐

(iii) As an adult

☐

c) Have you done this in the last year?

Yes

☐

No

☐

E21. If you answered yes to any of the questions in Section E, have you regretted any of your actions?

No, not
at all

☐

Yes,
a little

☐

Yes, quite
a lot

☐

Yes,
very much

☐

PQ File – Section E

pq5000 E1a: Partner has ever been in trouble with the law

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	969	29.4	30.1	30.1
2 No	2254	68.4	69.9	100.0
Total	3223	97.8	100.0	
Missing -1 No response	74	2.2		
Total	3297	100.0		

pq5001 E1b1: Partner was in trouble with the law as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	136	4.1	100.0	100.0
Missing -1 No response	3161	95.9		
Total	3297	100.0		

pq5002 E1b2: Partner was in trouble with the law as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	493	15.0	100.0	100.0
Missing -1 No response	2804	85.0		
Total	3297	100.0		

pq5003 E1b3: Partner was in trouble with the law as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	495	15.0	100.0	100.0
Missing -1 No response	2802	85.0		
Total	3297	100.0		

pq5004 E1c: Partner has been in trouble with the law in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	51	1.5	5.5	5.5
2 No	873	26.5	94.5	100.0
Total	924	28.0	100.0	
Missing -1 No response	2373	72.0		
Total	3297	100.0		

PQ File – Section E

pq5010 E2a: Partner has ever been convicted of an offence other than speeding

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	593	18.0	18.5	18.5
2 No	2610	79.2	81.5	100.0
Total	3203	97.1	100.0	
Missing -1 No response	94	2.9		
Total	3297	100.0		

pq5011 E2b1: Partner was convicted of an offence other than speeding as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	25	.8	100.0	100.0
Missing -1 No response	3272	99.2		
Total	3297	100.0		

pq5012 E2b2: Partner was convicted of an offence other than speeding as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	278	8.4	100.0	100.0
Missing -1 No response	3019	91.6		
Total	3297	100.0		

pq5013 E2b3: Partner was convicted of an offence other than speeding as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	351	10.6	100.0	100.0
Missing -1 No response	2946	89.4		
Total	3297	100.0		

pq5014 E2c: Partner has been convicted of an offence other than speeding in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	14	.4	2.4	2.4
2 No	577	17.5	97.6	100.0
Total	591	17.9	100.0	
Missing -1 No response	2706	82.1		
Total	3297	100.0		

PQ File – Section E

pq5020 E3a: Partner has ever driven a vehicle on a public road without insurance or a driving licence

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	476	14.4	14.8	14.8
2 No	2741	83.1	85.2	100.0
Total	3217	97.6	100.0	
Missing -1 No response	80	2.4		
Total	3297	100.0		

pq5021 E3b1: Partner drove a vehicle on a public road without insurance or a driving licence as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	20	.6	100.0	100.0
Missing -1 No response	3277	99.4		
Total	3297	100.0		

pq5022 E3b2: Partner drove a vehicle on a public road without insurance or a driving licence as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	318	9.6	100.0	100.0
Missing -1 No response	2979	90.4		
Total	3297	100.0		

pq5023 E3b3: Partner drove a vehicle on a public road without insurance or a driving licence as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	194	5.9	100.0	100.0
Missing -1 No response	3103	94.1		
Total	3297	100.0		

pq5024 E3c: Partner drove a vehicle on a public road without insurance or a driving licence in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	35	1.1	7.6	7.6
2 No	427	13.0	92.4	100.0
Total	462	14.0	100.0	
Missing -1 No response	2835	86.0		
Total	3297	100.0		

PQ File – Section E

pq5030 E4a: Partner has ever driven a vehicle when they thought they could be over the legal limit for alcohol

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1817	55.1	56.5	56.5
2 No	1399	42.4	43.5	100.0
Total	3216	97.5	100.0	
Missing -1 No response	81	2.5		
Total	3297	100.0		

pq5032 E4b1: Partner drove a vehicle when they thought they could be over the legal limit for alcohol as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	863	26.2	100.0	100.0
Missing -1 No response	2434	73.8		
Total	3297	100.0		

pq5033 E4b2: Partner drove a vehicle when they thought they could be over the legal limit for alcohol as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1309	39.7	100.0	100.0
Missing -1 No response	1988	60.3		
Total	3297	100.0		

pq5034 E4c: Partner drove a vehicle when they thought they could be over the legal limit for alcohol in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	322	9.8	17.9	17.9
2 No	1473	44.7	82.1	100.0
Total	1795	54.4	100.0	
Missing -1 No response	1502	45.6		
Total	3297	100.0		

PQ File – Section E

pq5040 E5a: Partner has ever stolen or driven a vehicle away without permission

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	95	2.9	3.0	3.0
	2 No	3110	94.3	97.0	100.0
	Total	3205	97.2	100.0	
Missing	-1 No response	92	2.8		
Total		3297	100.0		

pq5041 E5b1: Partner stole or drove a vehicle away without permission as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7	.2	100.0	100.0
Missing	-1 No response	3290	99.8		
Total		3297	100.0		

pq5042 E5b2: Partner stole or drove a vehicle away without permission as a teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	77	2.3	100.0	100.0
Missing	-1 No response	3220	97.7		
Total		3297	100.0		

pq5043 E5b3: Partner stole or drove a vehicle away without permission as an adult

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	19	.6	100.0	100.0
Missing	-1 No response	3278	99.4		
Total		3297	100.0		

pq5044 E5c: Partner has stolen or driven a vehicle away without permission in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1	.0	1.0	1.0
	2 No	99	3.0	99.0	100.0
	Total	100	3.0	100.0	
Missing	-1 No response	3197	97.0		
Total		3297	100.0		

PQ File – Section E

pq5050 E6a: Partner has ever stolen parts off a vehicle or anything from inside a vehicle

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	166	5.0	5.2	5.2
2 No	3033	92.0	94.8	100.0
Total	3199	97.0	100.0	
Missing -1 No response	98	3.0		
Total	3297	100.0		

pq5051 E6b1: Partner stole parts off a vehicle or anything from inside a vehicle as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	28	.8	100.0	100.0
Missing -1 No response	3269	99.2		
Total	3297	100.0		

pq5052 E6b2: Partner stole parts off a vehicle or anything from inside a vehicle as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	126	3.8	100.0	100.0
Missing -1 No response	3171	96.2		
Total	3297	100.0		

pq5053 E6b3: Partner stole parts off a vehicle or anything from inside a vehicle as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	25	.8	100.0	100.0
Missing -1 No response	3272	99.2		
Total	3297	100.0		

pq5054 E6c: Partner has stolen parts off a vehicle or anything from inside a vehicle in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2	.1	1.3	1.3
2 No	157	4.8	98.7	100.0
Total	159	4.8	100.0	
Missing -1 No response	3138	95.2		
Total	3297	100.0		

PQ File – Section E

pq5060 E7a: Partner has ever damaged a vehicle on purpose in any way

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	204	6.2	6.4	6.4
2 No	3002	91.1	93.6	100.0
Total	3206	97.2	100.0	
Missing -1 No response	91	2.8		
Total	3297	100.0		

pq5061 E7b1: Partner damaged a vehicle in any way on purpose as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	32	1.0	100.0	100.0
Missing -1 No response	3265	99.0		
Total	3297	100.0		

pq5062 E7b2: Partner damaged a vehicle in any way on purpose as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	136	4.1	100.0	100.0
Missing -1 No response	3161	95.9		
Total	3297	100.0		

pq5063 E7b3: Partner damaged a vehicle in any way on purpose as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	59	1.8	100.0	100.0
Missing -1 No response	3238	98.2		
Total	3297	100.0		

pq5064 E7c: Partner has damaged a vehicle in any way on purpose in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7	.2	3.4	3.4
2 No	197	6.0	96.6	100.0
Total	204	6.2	100.0	
Missing -1 No response	3093	93.8		
Total	3297	100.0		

PQ File – Section E

pq5070 E8a: Partner has ever gone into someone's home without permission to steal or damage something

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	47	1.4	1.5	1.5
2 No	3173	96.2	98.5	100.0
Total	3220	97.7	100.0	
Missing -1 No response	77	2.3		
Total	3297	100.0		

pq5071 E8b1: Partner went into someone's home without permission to steal or damage something as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	16	.5	100.0	100.0
Missing -1 No response	3281	99.5		
Total	3297	100.0		

pq5072 E8b2: Partner went into someone's home without permission to steal or damage something as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	30	.9	100.0	100.0
Missing -1 No response	3267	99.1		
Total	3297	100.0		

pq5073 E8b3: Partner went into someone's home without permission to steal or damage something as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7	.2	100.0	100.0
Missing -1 No response	3290	99.8		
Total	3297	100.0		

pq5074 E8c: Partner went into someone's home without permission to steal or damage something in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2 No	47	1.4	100.0	100.0
Missing -1 No response	3250	98.6		
Total	3297	100.0		

PQ File – Section E

pq5080 E9a: Partner has ever gone into another type of building without permission to steal or damage something

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	163	4.9	5.1	5.1
2 No	3049	92.5	94.9	100.0
Total	3212	97.4	100.0	
Missing -1 No response	85	2.6		
Total	3297	100.0		

pq5081 E9b1: Partner went into another type of building without permission to steal or damage something as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	59	1.8	100.0	100.0
Missing -1 No response	3238	98.2		
Total	3297	100.0		

pq5082 E9b2: Partner went into another type of building without permission to steal or damage something as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	110	3.3	100.0	100.0
Missing -1 No response	3187	96.7		
Total	3297	100.0		

pq5083 E9b3: Partner went into another type of building without permission to steal or damage something as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	13	.4	100.0	100.0
Missing -1 No response	3284	99.6		
Total	3297	100.0		

pq5084 E9c: Partner went into another type of building without permission to steal or damage something in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	.6	.6
2 No	154	4.7	99.4	100.0
Total	155	4.7	100.0	
Missing -1 No response	3142	95.3		
Total	3297	100.0		

PQ File – Section E

pq5090 E10a: Partner has ever painted or written graffiti on anything without permission

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	262	7.9	8.2	8.2
	2 No	2944	89.3	91.8	100.0
	Total	3206	97.2	100.0	
Missing	-1 No response	91	2.8		
Total		3297	100.0		

pq5091 E10b1: Partner painted or wrote graffiti on anything without permission as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	90	2.7	100.0	100.0
Missing	-1 No response	3207	97.3		
Total		3297	100.0		

pq5092 E10b2: Partner painted or wrote graffiti on anything without permission as a teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	187	5.7	100.0	100.0
Missing	-1 No response	3110	94.3		
Total		3297	100.0		

pq5093 E10b3: Partner painted or wrote graffiti on anything without permission as an adult

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	20	.6	100.0	100.0
Missing	-1 No response	3277	99.4		
Total		3297	100.0		

pq5094 E10c: Partner painted or wrote graffiti on anything without permission in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2	.1	.9	.9
	2 No	225	6.8	99.1	100.0
	Total	227	6.9	100.0	
Missing	-1 No response	3070	93.1		
Total		3297	100.0		

PQ File – Section E

pq5100 E11a: Partner has ever damaged anything that didn't belong to self or family on purpose

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	420	12.7	13.1	13.1
2 No	2782	84.4	86.9	100.0
Total	3202	97.1	100.0	
Missing -1 No response	95	2.9		
Total	3297	100.0		

pq5101 E11b1: Partner damaged anything that didn't belong to self or family on purpose as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	183	5.6	100.0	100.0
Missing -1 No response	3114	94.4		
Total	3297	100.0		

pq5102 E11b2: Partner damaged anything that didn't belong to self or family on purpose as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	250	7.6	100.0	100.0
Missing -1 No response	3047	92.4		
Total	3297	100.0		

pq5103 E11b3: Partner damaged anything that didn't belong to self or family on purpose as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	36	1.1	100.0	100.0
Missing -1 No response	3261	98.9		
Total	3297	100.0		

pq5104 E11c: Partner damaged anything that didn't belong to self or family on purpose in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	.3	.3
2 No	378	11.5	99.7	100.0
Total	379	11.5	100.0	
Missing -1 No response	2918	88.5		
Total	3297	100.0		

PQ File – Section E

pq5110 E12a: Partner has ever used force, violence or threats against anyone in order to steal from a business

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6	.2	.2	.2
2 No	3208	97.3	99.8	100.0
Total	3214	97.5	100.0	
Missing -1 No response	83	2.5		
Total	3297	100.0		

pq5111 E12b1: Partner used force, violence or threats against anyone in order to steal from a business as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3	.1	100.0	100.0
Missing -1 No response	3294	99.9		
Total	3297	100.0		

pq5112 E12b2: Partner used force, violence or threats against anyone in order to steal from a business as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3	.1	100.0	100.0
Missing -1 No response	3294	99.9		
Total	3297	100.0		

pq5113 E12b3: Partner used force, violence or threats against anyone in order to steal from a business as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	100.0	100.0
Missing -1 No response	3296	100.0		
Total	3297	100.0		

pq5114 E12c: Partner used force, violence or threats against anyone in order to steal from a business in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2 No	7	.2	100.0	100.0
Missing -1 No response	3290	99.8		
Total	3297	100.0		

PQ File – Section E

pq5120 E13a: Partner has ever used force, violence or threats against anyone in order to steal from them

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	15	.5	.5	.5
2 No	3151	95.6	99.5	100.0
Total	3166	96.0	100.0	
Missing -1 No response	131	4.0		
Total	3297	100.0		

pq5121 E13b1: Partner used force, violence or threats against anyone in order to steal from them as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	9	.3	100.0	100.0
Missing -1 No response	3288	99.7		
Total	3297	100.0		

pq5122 E13b2: Partner used force, violence or threats against anyone in order to steal from them as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	8	.2	100.0	100.0
Missing -1 No response	3289	99.8		
Total	3297	100.0		

pq5123 E13b3: Partner used force, violence or threats against anyone in order to steal from them as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	100.0	100.0
Missing -1 No response	3296	100.0		
Total	3297	100.0		

pq5124 E13c: Partner used force, violence or threats against anyone in order to steal from them in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2 No	14	.4	100.0	100.0
Missing -1 No response	3283	99.6		
Total	3297	100.0		

PQ File – Section E

pq5130 E14a: Partner has ever stolen anything from someone without using force, violence or threats

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	26	.8	.8	.8
2 No	3180	96.5	99.2	100.0
Total	3206	97.2	100.0	
Missing -1 No response	91	2.8		
Total	3297	100.0		

pq5131 E14b1: Partner stole anything from someone without using force, violence or threats as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	15	.5	100.0	100.0
Missing -1 No response	3282	99.5		
Total	3297	100.0		

pq5132 E14b2: Partner stole anything from someone without using force, violence or threats as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	12	.4	100.0	100.0
Missing -1 No response	3285	99.6		
Total	3297	100.0		

pq5133 E14b3: Partner stole anything from someone without using force, violence or threats as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	100.0	100.0
Missing -1 No response	3296	100.0		
Total	3297	100.0		

pq5134 E14c: Partner stole anything from someone without using force, violence or threats in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1	.0	4.2	4.2
2 No	23	.7	95.8	100.0
Total	24	.7	100.0	
Missing -1 No response	3273	99.3		
Total	3297	100.0		

PQ File – Section E

pq5140 E15a: Partner has ever stolen anything from a shop without using force, violence or threats

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	970	29.4	30.7	30.7
2 No	2185	66.3	69.3	100.0
Total	3155	95.7	100.0	
Missing -1 No response	142	4.3		
Total	3297	100.0		

pq5141 E15b1: Partner stole anything from a shop without using force, violence or threats as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	653	19.8	100.0	100.0
Missing -1 No response	2644	80.2		
Total	3297	100.0		

pq5142 E15b2: Partner stole anything from a shop without using force, violence or threats as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	371	11.3	100.0	100.0
Missing -1 No response	2926	88.7		
Total	3297	100.0		

pq5143 E15b3: Partner stole anything from a shop without using force, violence or threats as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	64	1.9	100.0	100.0
Missing -1 No response	3233	98.1		
Total	3297	100.0		

pq5144 E15c: Partner stole anything from a shop without using force, violence or threats in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	18	.5	2.2	2.2
2 No	799	24.2	97.8	100.0
Total	817	24.8	100.0	
Missing -1 No response	2480	75.2		
Total	3297	100.0		

PQ File – Section E

pq5150 E16a: Partner has ever stolen anything from own workplace or school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	809	24.5	25.3	25.3
	2 No	2385	72.3	74.7	100.0
	Total	3194	96.9	100.0	
Missing	-1 No response	103	3.1		
Total		3297	100.0		

pq5151 E16b1: Partner stole anything from own workplace or school as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	164	5.0	100.0	100.0
Missing	-1 No response	3133	95.0		
Total		3297	100.0		

pq5152 E16b2: Partner stole anything from own workplace or school as a teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	332	10.1	100.0	100.0
Missing	-1 No response	2965	89.9		
Total		3297	100.0		

pq5153 E16b3: Partner stole anything from own workplace or school as an adult

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	517	15.7	100.0	100.0
Missing	-1 No response	2780	84.3		
Total		3297	100.0		

pq5154 E16c: Partner stole anything from own workplace or school in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	169	5.1	22.3	22.3
	2 No	588	17.8	77.7	100.0
	Total	757	23.0	100.0	
Missing	-1 No response	2540	77.0		
Total		3297	100.0		

PQ File – Section E

pq5160 E17a: Partner has ever stolen anything else

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	174	5.3	5.5	5.5
2 No	2991	90.7	94.5	100.0
Total	3165	96.0	100.0	
Missing -1 No response	132	4.0		
Total	3297	100.0		

pq5161 E17b1: Partner stole anything else as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	93	2.8	100.0	100.0
Missing -1 No response	3204	97.2		
Total	3297	100.0		

pq5162 E17b2: Partner stole anything else as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	71	2.2	100.0	100.0
Missing -1 No response	3226	97.8		
Total	3297	100.0		

pq5163 E17b3: Partner stole anything else as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	44	1.3	100.0	100.0
Missing -1 No response	3253	98.7		
Total	3297	100.0		

pq5164 E17c: Partner stole anything else in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7	.2	4.2	4.2
2 No	158	4.8	95.8	100.0
Total	165	5.0	100.0	
Missing -1 No response	3132	95.0		
Total	3297	100.0		

PQ File – Section E

pq5170 E18a: Partner has ever used force on anyone on purpose that physically injured them in some way

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	942	28.6	29.4	29.4
2 No	2258	68.5	70.6	100.0
Total	3200	97.1	100.0	
Missing -1 No response	97	2.9		
Total	3297	100.0		

pq5171 E18b1: Partner used force on anyone on purpose that physically injured them in some way as a child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	458	13.9	100.0	100.0
Missing -1 No response	2839	86.1		
Total	3297	100.0		

pq5172 E18b2: Partner used force on anyone on purpose that physically injured them in some way as a teenager

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	554	16.8	100.0	100.0
Missing -1 No response	2743	83.2		
Total	3297	100.0		

pq5173 E18b3: Partner used force on anyone on purpose that physically injured them in some way as an adult

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	295	8.9	100.0	100.0
Missing -1 No response	3002	91.1		
Total	3297	100.0		

pq5174 E18c: Partner used force on anyone on purpose that physically injured them in some way in the last year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	35	1.1	4.2	4.2
2 No	802	24.3	95.8	100.0
Total	837	25.4	100.0	
Missing -1 No response	2460	74.6		
Total	3297	100.0		

PQ File – Section E

pq5180 E19a: Partner has ever carried a weapon in case it was needed in a fight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	268	8.1	8.4	8.4
	2 No	2924	88.7	91.6	100.0
	Total	3192	96.8	100.0	
Missing	-1 No response	105	3.2		
Total		3297	100.0		

pq5181 E19b1: Partner carried a weapon in case it was needed in a fight as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	36	1.1	100.0	100.0
Missing	-1 No response	3261	98.9		
Total		3297	100.0		

pq5182 E19b2: Partner carried a weapon in case it was needed in a fight as a teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	195	5.9	100.0	100.0
Missing	-1 No response	3102	94.1		
Total		3297	100.0		

pq5183 E19b3: Partner carried a weapon in case it was needed in a fight as an adult

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	106	3.2	100.0	100.0
Missing	-1 No response	3191	96.8		
Total		3297	100.0		

pq5184 E19c: Partner carried a weapon in case it was needed in a fight in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	33	1.0	13.3	13.3
	2 No	216	6.6	86.7	100.0
	Total	249	7.6	100.0	
Missing	-1 No response	3048	92.4		
Total		3297	100.0		

PQ File – Section E

pq5190 E20a: Partner has ever used a weapon to injure anyone on purpose

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	79	2.4	2.5	2.5
	2 No	3096	93.9	97.5	100.0
	Total	3175	96.3	100.0	
Missing	-1 No response	122	3.7		
Total		3297	100.0		

pq5191 E20b1: Partner used a weapon to injure anyone on purpose as a child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	11	.3	100.0	100.0
Missing	-1 No response	3286	99.7		
Total		3297	100.0		

pq5192 E20b2: Partner used a weapon to injure anyone on purpose as a teenager

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	52	1.6	100.0	100.0
Missing	-1 No response	3245	98.4		
Total		3297	100.0		

pq5193 E20b3: Partner used a weapon to injure anyone on purpose as an adult

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	34	1.0	100.0	100.0
Missing	-1 No response	3263	99.0		
Total		3297	100.0		

pq5194 E20c: Partner used a weapon to injure anyone on purpose in the last year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1	.0	1.2	1.2
	2 No	81	2.5	98.8	100.0
	Total	82	2.5	100.0	
Missing	-1 No response	3215	97.5		
Total		3297	100.0		

PQ File – Section E

pq5200 E21: Partner regrets any actions from section E

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No, not at all	356	10.8	18.0	18.0
	2 Yes, a little	657	19.9	33.3	51.3
	3 Yes, quite a lot	454	13.8	23.0	74.4
	4 Yes, very much	506	15.3	25.6	100.0
	Total	1973	59.8	100.0	
Missing	-1 No response	1324	40.2		
Total		3297	100.0		

PAGE 39 OF THE QUESTIONNAIRE

SECTION F: YOUR FAMILY AND FRIENDS

F1. How many of your relatives and your wife/partner's relatives do you see at least twice a year?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F2. About how many friends do you have?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F3. Overall, would you say you belong to a close circle of friends?

Yes	<input type="text" value="1"/>	No	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

F4. How many people are there that you can talk to about personal problems?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F5. How many people talk to you about their personal problems or their private feelings?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F6. If you have to make an important decision, how many people are there with whom you can discuss it?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F7. How many people are there among your family and friends from whom you could borrow £200 if you needed to?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 40 OF THE QUESTIONNAIRE

F8. How many of your family and friends would help you in times of trouble?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F9. During the last month, how many times did you get together with one or more friends?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

F10. During the last month, how many times did you get together with one or more of your relatives or your wife/partner's relatives?

None	1	2-4	more than 4
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

The following statements are about the help and support you have.

		This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way	
F11	I have no one to share my feelings with	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
F12	My wife/partner provides the emotional support I need	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	no wife/ partner <input type="text" value="7"/>
F13	There are other fathers with whom I can share my experiences	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
F14	I believe in moments of difficulty my neighbours would help me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	

PAGE 41 OF THE QUESTIONNAIRE

		This is exactly how I feel	This is often how I feel	This is how I sometimes feel	I never feel this way	
F15	I'm worried that my wife/partner might leave me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	no wife/ partner <input type="text" value="7"/>
F16	There is always someone with whom I can share my happiness and excitement about my child	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
F17	If I feel tired I can rely on my wife/partner to take over	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	no wife/ partner <input type="text" value="7"/>
F18	If I was in financial difficulty I know my family would help if they could	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
F19	If I was in financial difficulty I know my friends would help if they could	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	
F20	If all else fails I know the state will support and assist me	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	

PQ File – Section F

pq6000 F1: Number of partner's or partner's partner's relatives seen at least twice a year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	78	2.4	2.4	2.4
	2 1	107	3.2	3.3	5.7
	3 2-4	755	22.9	23.2	28.9
	4 > 4	2311	70.1	71.1	100.0
	Total	3251	98.6	100.0	
Missing	-1 No response	46	1.4		
Total		3297	100.0		

pq6001 F2: Number of friends partner has

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	75	2.3	2.3	2.3
	2 1	56	1.7	1.7	4.0
	3 2-4	616	18.7	19.0	23.0
	4 > 4	2501	75.9	77.0	100.0
	Total	3248	98.5	100.0	
Missing	-1 No response	49	1.5		
Total		3297	100.0		

pq6002 F3: Partner belongs to a close circle of friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1734	52.6	53.4	53.4
	2 No	1511	45.8	46.6	100.0
	Total	3245	98.4	100.0	
Missing	-1 No response	52	1.6		
Total		3297	100.0		

pq6003 F4: Number of people partner can speak to about personal problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	252	7.6	7.8	7.8
	2 1	524	15.9	16.1	23.9
	3 2-4	1624	49.3	50.0	73.9
	4 > 4	848	25.7	26.1	100.0
	Total	3248	98.5	100.0	
Missing	-1 No response	49	1.5		
Total		3297	100.0		

pq6004 F5: Number of people who talk to partner about personal problems or private feelings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	281	8.5	8.7	8.7
	2 1	464	14.1	14.3	23.0
	3 2-4	1645	49.9	50.7	73.7
	4 > 4	855	25.9	26.3	100.0
	Total	3245	98.4	100.0	
Missing	-1 No response	52	1.6		
Total		3297	100.0		

pq6005 F6: Number of people with whom partner can discuss an important decision

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	116	3.5	3.6	3.6
	2 1	539	16.3	16.6	20.2
	3 2-4	1596	48.4	49.1	69.3
	4 > 4	998	30.3	30.7	100.0
	Total	3249	98.5	100.0	
Missing	-1 No response	48	1.5		
Total		3297	100.0		

pq6006 F7: Number of people among friends and family from whom partner could borrow £200 if needed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	107	3.2	3.3	3.3
	2 1	220	6.7	6.8	10.1
	3 2-4	1353	41.0	41.7	51.8
	4 > 4	1565	47.5	48.2	100.0
	Total	3245	98.4	100.0	
Missing	-1 No response	52	1.6		
Total		3297	100.0		

pq6007 F8: Number of friends and family who would help partner in times of trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	23	.7	.7	.7
	2 1	95	2.9	2.9	3.6
	3 2-4	982	29.8	30.2	33.8
	4 > 4	2152	65.3	66.2	100.0
	Total	3252	98.6	100.0	
Missing	-1 No response	45	1.4		
Total		3297	100.0		

PQ File – Section F

pq6008 F9: Number of times during the last month partner got together with one or more friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	332	10.1	10.2	10.2
	2 1	488	14.8	15.0	25.3
	3 2-4	1319	40.0	40.6	65.9
	4 > 4	1108	33.6	34.1	100.0
	Total	3247	98.5	100.0	
Missing	-1 No response	50	1.5		
Total		3297	100.0		

pq6009 F10: Number of times in the last month partner got together with one or more of own or partner's relatives

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	334	10.1	10.3	10.3
	2 1	554	16.8	17.1	27.4
	3 2-4	1512	45.9	46.6	73.9
	4 > 4	846	25.7	26.1	100.0
	Total	3246	98.5	100.0	
Missing	-1 No response	51	1.5		
Total		3297	100.0		

PQ File – Section F

pq6020 F11: Partner has no one to share feelings with

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how partner feels	70	2.1	2.2	2.2
	2 How partner often feels	180	5.5	5.6	7.7
	3 How partner sometimes feels	743	22.5	23.0	30.7
	4 Partner never feels this way	2243	68.0	69.3	100.0
	Total	3236	98.1	100.0	
Missing	-1 No response	61	1.9		
Total		3297	100.0		

pq6021 F12: Partner's wife/partner provides the emotional support needed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how partner feels	1515	46.0	46.9	46.9
	2 How partner often feels	875	26.5	27.1	74.0
	3 How partner sometimes feels	595	18.0	18.4	92.5
	4 Partner never feels this way	158	4.8	4.9	97.4
	7 No wife/partner	85	2.6	2.6	100.0
	Total	3228	97.9	100.0	
Missing	-1 No response	69	2.1		
Total		3297	100.0		

pq6022 F13: Partner has other fathers with whom experiences can be shared

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how partner feels	568	17.2	17.6	17.6
	2 How partner often feels	786	23.8	24.4	42.0
	3 How partner sometimes feels	1034	31.4	32.1	74.0
	4 Partner never feels this way	838	25.4	26.0	100.0
	Total	3226	97.8	100.0	
Missing	-1 No response	71	2.2		
Total		3297	100.0		

pq6023 F14: Partner believes that in moments of difficulty neighbours would help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how partner feels	702	21.3	21.7	21.7
	2 How partner often feels	685	20.8	21.2	42.9
	3 How partner sometimes feels	956	29.0	29.6	72.5
	4 Partner never feels this way	888	26.9	27.5	100.0
	Total	3231	98.0	100.0	
Missing	-1 No response	66	2.0		
Total		3297	100.0		

PQ File – Section F

pq6024 F15: Partner is worried that wife/partner might leave

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how partner feels	20	.6	.6	.6
	2 How partner often feels	45	1.4	1.4	2.0
	3 How partner sometimes feels	509	15.4	15.8	17.8
	4 Partner never feels this way	2569	77.9	79.6	97.4
	7 No wife/partner	85	2.6	2.6	100.0
	Total	3228	97.9	100.0	
Missing	-1 No response	69	2.1		
Total		3297	100.0		

pq6025 F16: There is always someone with whom partner can share their happiness and excitement about child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how partner feels	1804	54.7	55.9	55.9
	2 How partner often feels	908	27.5	28.1	84.0
	3 How partner sometimes feels	440	13.3	13.6	97.6
	4 Partner never feels this way	76	2.3	2.4	100.0
	Total	3228	97.9	100.0	
Missing	-1 No response	69	2.1		
Total		3297	100.0		

pq6026 F17: If partner feels tired they can rely on their wife/partner to take over

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how partner feels	1567	47.5	48.6	48.6
	2 How partner often feels	918	27.8	28.5	77.1
	3 How partner sometimes feels	545	16.5	16.9	94.1
	4 Partner never feels this way	108	3.3	3.4	97.4
	7 No wife/partner	83	2.5	2.6	100.0
	Total	3221	97.7	100.0	
Missing	-1 No response	76	2.3		
Total		3297	100.0		

pq6027 F18: Partner knows that family would help if they could if partner was in financial difficulty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how partner feels	2028	61.5	62.8	62.8
	2 How partner often feels	634	19.2	19.6	82.5
	3 How partner sometimes feels	348	10.6	10.8	93.2
	4 Partner never feels this way	218	6.6	6.8	100.0
	Total	3228	97.9	100.0	
Missing	-1 No response	69	2.1		
Total		3297	100.0		

PQ File – Section F

pq6028 F19: Partner knows that friends would help if they could if partner was in financial difficulty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how partner feels	1160	35.2	36.0	36.0
	2 How partner often feels	704	21.4	21.9	57.9
	3 How partner sometimes feels	700	21.2	21.7	79.6
	4 Partner never feels this way	657	19.9	20.4	100.0
	Total	3221	97.7	100.0	
Missing	-1 No response	76	2.3		
Total		3297	100.0		

pq6029 F20: Partner knows that if all else fails the state will support and assist them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Exactly how partner feels	241	7.3	7.5	7.5
	2 How partner often feels	179	5.4	5.6	13.0
	3 How partner sometimes feels	748	22.7	23.2	36.3
	4 Partner never feels this way	2052	62.2	63.7	100.0
	Total	3220	97.7	100.0	
Missing	-1 No response	77	2.3		
Total		3297	100.0		

PAGE 42 OF THE QUESTIONNAIRE

SECTION G: YOUR DIET

G1. How many times nowadays do you eat the following foods? Please answer every question even if you never eat the food (in this case tick “never or rarely”).

		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
a)	Meat sausages and burgers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
b)	Vegetarian sausages, vegeburgers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
c)	Meat pies/pasties (pork pie, steak/meat pie etc.)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
d)	Vegetarian pies/pasties (cheese and onion pasty, vegetable samosa, onion bhaji, vegetable grills etc.)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
e)	Ham, bacon, paté and cold meats (e.g. salami, luncheon meat, garlic sausage etc.)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
f)	Meat roast, chops, stews and curries, shepherds pie, bolognaise etc. (beef, lamb pork mince)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
g)	Liver, kidney, heart	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
h)	Chicken/turkey in crispy coating (chicken nuggets, turkey burgers, chicken fingers etc.)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

PAGE 43 OF THE QUESTIONNAIRE

G1.		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
i)	Poultry: roast, grilled, fried boiled, stewed (chicken, turkey etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
j)	Shellfish (prawns, crab, cockles, mussels etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
k)	White fish in breadcrumbs or batter (fish fingers/shapes, chip shop fish, breaded cod, plaice or haddock etc.).	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
l)	White fish without coating (grilled fish, cod in parsley sauce etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
m)	Tuna	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
n)	Other fish (pilchards, sardines, mackerel, herrings, kippers, trout, salmon etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
o)	Eggs, quiche/flans, omelettes etc.	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
p)	Cheese	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
q)	Pizza	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
r)	Oven chips or roast potatoes (cooked in fat or oil)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
s)	Fried chips, potato waffles and croquettes, Alphabites etc.	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
t)	Boiled, mashed, jacket potatoes	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

PAGE 44 OF THE QUESTIONNAIRE

G1.		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
u)	Rice (boiled, or fried, <u>not</u> rice pudding)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
v)	Canned pasta (spaghetti rings, ravioli, macaroni cheese etc.) Pot Noodles, Super Noodles etc.	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
w)	Boiled pasta (e.g. spaghetti fusilli, lasagne), bulgar wheat or cous-cous	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

G2. How often do you have fried food, excluding chips? e.g. Fried bacon and eggs, fried fish, chops, steak, or beefburgers etc.

Never or rarely	<input type="text" value="1"/>
Once in 2 weeks	<input type="text" value="2"/>
1-3 times a week	<input type="text" value="3"/>
4-7 times a week	<input type="text" value="4"/>
More than 7 times a week	<input type="text" value="5"/>

G3. Do you eat the fat on meat?

yes, all of it	<input type="text" value="1"/>
yes, some of it	<input type="text" value="2"/>
no, always leave the fat	<input type="text" value="3"/>
never eat meat	<input type="text" value="4"/>

PAGE 45 OF THE QUESTIONNAIRE

G4. How many times nowadays do you eat;

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
a) Baked beans	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
b) Peas, broad beans	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
c) Sweetcorn	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
d) Carrots	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
e) Other root vegetables (turnip, swede, parsnip etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
f) Tomatoes (cooked or raw)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
g) Salads (lettuce, cucumber, peppers, other raw vegetables)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
h) Pulses – and pulse dishes (dahl, lentil soup, falafel, dried peas, beans, chick peas etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
i) Soya 'Meat', TVP, Bean curd, (Tofu, Miso etc.), Quorn	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
j) Peanuts, peanut butter	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
k) Other nuts (e.g. cashews), nut roast etc.	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
l) Canned fruit	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
m) Yoghurt, Fromage Frais	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

PAGE 46 OF THE QUESTIONNAIRE

		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
G4.						
n)	Milk puddings (e.g. rice pudding, semolina), mousse Angel Delight etc.	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
o)	Ice cream, choc ice, chocolate ice cream bar etc.	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
p)	Pudding (e.g. fruit pie, crumble, cheesecake, gateaux)	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
q)	Custard, cream, Elmlea, Tip-Top, evaporated milk etc. on puddings	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
r)	Cakes or buns (fruit cake, sponge, teacake, doughnut, flapjack, scone, custard tart, cream cake etc.)	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
s)	Crispbreads (Ryvita, crackerbread etc.)	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
t)	Ketchup/brown sauce etc.	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>
u)	Mayonnaise, salad cream or dressing etc.	<div><div>1</div></div>	<div><div>2</div></div>	<div><div>3</div></div>	<div><div>4</div></div>	<div><div>5</div></div>

G5. In total, how many portions of green vegetables e.g. broccoli, cauliflower, courgettes, cabbage, leeks, green beans do you eat in a week?

 portions

a) Out of these total portions, how many are dark green leafy vegetables e.g. broccoli, Brussel sprouts, cabbage, spinach etc.?

 portions

G6. In total how many pieces of raw fruit e.g. apple, banana, orange, Satsuma, peach, grapes, strawberries etc. do you eat in a week? (For small fruit such as grapes etc, one “piece” will be a “helping” e.g. a small sprig of grapes.)

PAGE 47 OF THE QUESTIONNAIRE

- G6. a) Out of these, how many of them are citrus fruit e.g. tangerine, orange, Satsuma, grapefruit etc.?

--	--

- G7. a) Do you eat breakfast cereals at all?

Yes

No



If **no**, go to G9 on page 48

If **yes**, What type of breakfast cereal do you eat nowadays?

		Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
b)	Oat cereals (e.g. porridge Ready Brek, muesli)	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">2</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">3</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">4</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">5</table>
c)	Wholegrain or bran cereals (e.g. All Bran, Bran Flakes, Weetabix, Wheatflakes, Fruit & Fibre, Shredded Wheat)	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">2</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">3</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">4</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">5</table>
d)	Sugar/honey coated cereals (e.g. Frosties, Honeynut Loops, Crunchynut cornflakes)	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">2</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">3</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">4</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">5</table>
e)	Other cereals (e.g. Cornflakes Rice Krispies, Special K)	<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">2</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">3</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">4</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">5</table>

- G8. a) How many teaspoons of sugar do you have on cereal?

None	$\frac{1}{2}$ Teaspoon	One teaspoon	2 teaspoons	More than 2 teaspoons
<table border="1" style="width: 40px; height: 30px; text-align: center;">1</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">2</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">3</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">4</table>	<table border="1" style="width: 40px; height: 30px; text-align: center;">5</table>

- b) How many times **per week** do you have milk on cereal?

--	--

times

PAGE 48 OF THE QUESTIONNAIRE

G9. How often nowadays do you eat:

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
a) Crisps, corn snacks (e.g. Wotsits, Quavers, tortilla chips etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
b) Full-coated chocolate biscuits (e.g. Club, Kit Kat, Penguin, Breakaway etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
c) Other biscuits (e.g. Rich tea, shortcakes, digestive and chocolate digestive, Hob Nobs)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
d) Chocolate (dairy milk or plain nut, fruit, filled etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
e) Sweets (individual, packets or bars, peppermints, boiled sweets, toffees etc.)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

G10. On days when you eat biscuits, how many biscuits do you normally eat in that day?

 biscuits

G11. On days when you eat sweets, how many individual sweets do you normally eat in that day?

1-2 sweets	3-5 sweets	6-10 sweets	11-20 sweets	more than 20 sweets	I never have sweets
<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>	<div>7</div>

G12. On days when you have chocolate or chocolate bars (e.g. Mars bars, Dairy Milk):

a) What size bar do you have?

**Usually eat individual
chocolates/squares**

1

Usually eat whole bars

2

Never have chocolate

3

→ **Go to G13
on page 49**

PAGE 49 OF THE QUESTIONNAIRE

G12. b) How many chocolates/bars of **this** size do you usually eat in **that** day?

½ or less**1****2****3 or more**

G13. How many times a week nowadays do you drink:

	Never or rarely	Once in 2 weeks	1-3 times a week	4-7 times a week	More than 7 times a week
a) Pure fruit juice from a carton or freshly squeezed including tomato juice	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
b) Squash, fruit drinks	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
c) Cola drinks (e.g. Coca Cola, Pepsi etc.)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
d) Other fizzy drinks (e.g. lemonade, fizzy water)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
e) Bottled still water	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
f) Water from tap	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
g) Milk on its own	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
h) Flavoured milk drinks (e.g. Horlicks, cocoa, drinking chocolate, Ovaltine, milkshakes) or yoghurt drinks	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

G14. When you have soft drinks (e.g. lemonade, cola, squash) how often are they low calorie, diet or reduced sugar drinks?

usually

sometimes

not at all

I don't drink soft drinks

PAGE 50 OF THE QUESTIONNAIRE

G15. When you have cola drinks how often are they decaffeinated?

usually	<input type="text" value="1"/>
sometimes	<input type="text" value="2"/>
not at all	<input type="text" value="3"/>
I don't drink cola	<input type="text" value="4"/>

G16. What type of bread do you eat **most often**? (Tick all that apply)

	Yes, usually	Yes, sometimes	No, not at all
a) White bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
b) Soft grain white bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
c) Brown/granary bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
d) Wholemeal bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
e) Chappatis, pitta bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
f) Naan bread	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>
g) Other (please tick and describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>

.....

G17. a) How many slices of bread, rolls or chappatis do you eat on a usual day? (**include bought sandwiches**)

less than 1	<input type="text" value="1"/>	1-2	<input type="text" value="2"/>	3-4	<input type="text" value="3"/>	5 or more	<input type="text" value="4"/>
-------------	--------------------------------	-----	--------------------------------	-----	--------------------------------	-----------	--------------------------------

b) How many slices of bread (or rolls) spread with butter or margarine do you eat each day on average? (include shop bought sandwiches)

<input type="text"/>	<input type="text"/>	slices
----------------------	----------------------	--------

PAGE 51 OF THE QUESTIONNAIRE

- G17. c) How many slices of bread (or rolls) spread with sweet things such as jam/honey/chocolate spread etc. do you eat each day on average?

--	--

 slices

- G18. What sort of fat do you mainly use?

		(i) On bread or vegetables		(ii) For frying	
		Yes	No	Yes	No
a)	Butter, ghee, dripping, lard, solid cooking fat	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
b)	Full-fat polyunsaturated margarine (e.g. Flora, Vitalite, sunflower margarine)	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
c)	Other full-fat margarine (e.g. Blue Band, Stork, Clover, Golden Crown, Willow, supermarket own brand)	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
d)	Low-fat polyunsaturated margarine (e.g. Flora Lite, Vitalite Lite, low-fat Sunflower margarine)	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
e)	Other low-fat spread not polyunsaturated (e.g. Delight, St Ivel Gold)	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
f)	Sunflower oil, corn oil, soya oil	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
g)	Olive oil, hazelnut oil, rapeseed oil	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
h)	Other vegetable oil	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>
i)	Other (please tick & describe)	<div>1</div>	<div>2</div>	<div>1</div>	<div>2</div>

PAGE 52 OF THE QUESTIONNAIRE

G19. What types of milk do you drink **most often**?

- a) Full fat (silver or gold top)
- b) Semi-skimmed (red stripe)
- c) Skimmed (blue stripe)
- e) Goat/sheep milk
- f) Soya milk
- g) Other (please tick and describe)
-

G20. a) Do you drink tea?

Yes No → **If no, go to G21 below****If yes,**

- b) How many cups of tea do you drink in a day?
(do not include herbal teas) cups a day
- c) How many spoons of sugar in each cup? spoons
- d) How many of the cups of tea that you drink
per day are decaffeinated? cups a day
- e) Do you take milk in tea?
- Yes usually yes, sometimes No

G21. a) Do you drink coffee?

Yes No → **If no, go to G22 on page 53****If yes,**

- b) How many cups of coffee (real, instant or
decaffeinated) do you drink? cups a day

PAGE 53 OF THE QUESTIONNAIRE

- G21. c) How many spoons of sugar in each cup? spoons
- d) How many of the cups of coffee you drink are decaffeinated? cups a day
- e) How many of the cups of coffee you drink are made using real coffee (i.e not instant)? cups a day
- f) How many of these are decaffeinated? cups a day
- g) Do you take milk in coffee?
- Yes usually ₁ Yes, sometimes ₂ No ₃

- G22. a) During the last week **how many** of each type of alcoholic drink did you have on each day? (Please put a number).

		Mon.	Tues.	Wed.	Thurs	Fri.	Sat.	Sun.
(i)	Beer, lager or cider (no. of ½ pints)							
(ii)	Wine (no. of glasses)							
(iii)	Spirits (no. of single pub measures)							
(iv)	Martini, sherry, port or other 'fortified' wine (no. of single pub measures)							
(v)	Ready-mixed drinks (alcopops) e.g. Breezers, Smirnoff Ice, Reef etc (no. of bottles)							
(vi)	Other alcoholic drinks (please describe and write no. of glasses or measures)							
(vii)	Low alcohol drink (no. of glasses or ½ pints)							

- b) Is this week fairly typical of your alcohol drinking?

No ₁ Yes ₂ — If **yes**, go to G23 on page 54

- c) If **no**, would you normally drink:

More ₁ Less ₂

PAGE 54 OF THE QUESTIONNAIRE

G23. For your main meal of the day how often do you eat take-away foods or have meals out?

Never or rarely	<input type="text" value="1"/>
1-3 times a month	<input type="text" value="2"/>
1-2 times a week	<input type="text" value="3"/>
3-4 times a week	<input type="text" value="4"/>
5-7 times a week	<input type="text" value="5"/>

G24. For your main meal of the day how often do you eat an oven/microwave ready or convenience meal (e.g. lasagne, ready prepared chilli con carne etc.)?

Never or rarely	<input type="text" value="1"/>
1-3 times a month	<input type="text" value="2"/>
1-2 times a week	<input type="text" value="3"/>
3-4 times a week	<input type="text" value="4"/>
5-7 times a week	<input type="text" value="5"/>

G25. Are you at present a vegetarian?

Yes	<input type="text" value="1"/>	No	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

G26. Are you, at present a vegan (i.e. do not eat meat, poultry, fish, eggs, butter, milk or cheese)?

Yes	<input type="text" value="1"/>	No	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------

G27. Are you at present on any other kind of special diet?

Yes	<input type="text" value="1"/>	No	<input type="text" value="2"/>
-----	--------------------------------	----	--------------------------------



If yes, please describe:

.....

.....

PQ File – Section G

pq7000 G1a: Frequency partner eats meat sausages and burgers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	559	17.0	17.2	17.2
	2 Once in 2 weeks	1451	44.0	44.7	61.9
	3 1-3 times a week	1026	31.1	31.6	93.5
	4 4-7 times a week	187	5.7	5.8	99.3
	5 >7 times a week	24	.7	.7	100.0
	Total	3247	98.5	100.0	
Missing	-1 No response	50	1.5		
Total		3297	100.0		

pq7001 G1b: Frequency partner eats vegetarian sausages, vegeburgers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2902	88.0	89.6	89.6
	2 Once in 2 weeks	227	6.9	7.0	96.6
	3 1-3 times a week	100	3.0	3.1	99.7
	4 4-7 times a week	6	.2	.2	99.9
	5 >7 times a week	3	.1	.1	100.0
	Total	3238	98.2	100.0	
Missing	-1 No response	59	1.8		
Total		3297	100.0		

pq7002 G1c: Frequency partner eats meat pies/pasties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1183	35.9	36.5	36.5
	2 Once in 2 weeks	1428	43.3	44.0	80.5
	3 1-3 times a week	608	18.4	18.7	99.3
	4 4-7 times a week	18	.5	.6	99.8
	5 >7 times a week	6	.2	.2	100.0
	Total	3243	98.4	100.0	
Missing	-1 No response	54	1.6		
Total		3297	100.0		

pq7003 G1d: Frequency partner eats vegetarian pies/pasties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2330	70.7	71.9	71.9
	2 Once in 2 weeks	749	22.7	23.1	95.0
	3 1-3 times a week	158	4.8	4.9	99.8
	4 4-7 times a week	5	.2	.2	100.0
	Total	3242	98.3	100.0	
Missing	-1 No response	55	1.7		
Total		3297	100.0		

PQ File – Section G

pq7004 G1e: Frequency partner eats Ham, bacon, pâté and cold meats

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	303	9.2	9.3	9.3
	2 Once in 2 weeks	906	27.5	27.9	37.2
	3 1-3 times a week	1591	48.3	48.9	86.1
	4 4-7 times a week	426	12.9	13.1	99.2
	5 >7 times a week	26	.8	.8	100.0
	Total	3252	98.6	100.0	
Missing	-1 No response	45	1.4		
Total		3297	100.0		

pq7005 G1f: Frequency partner eats meat roast, chops, stews and curries, shepherds pie, bolognaise etc.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	191	5.8	5.9	5.9
	2 Once in 2 weeks	529	16.0	16.3	22.1
	3 1-3 times a week	2158	65.5	66.4	88.5
	4 4-7 times a week	366	11.1	11.3	99.8
	5 >7 times a week	7	.2	.2	100.0
	Total	3251	98.6	100.0	
Missing	-1 No response	46	1.4		
Total		3297	100.0		

pq7006 G1g: Frequency partner eats liver, kidney, heart

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2782	84.4	85.7	85.7
	2 Once in 2 weeks	423	12.8	13.0	98.7
	3 1-3 times a week	39	1.2	1.2	99.9
	4 4-7 times a week	2	.1	.1	99.9
	5 >7 times a week	2	.1	.1	100.0
	Total	3248	98.5	100.0	
Missing	-1 No response	49	1.5		
Total		3297	100.0		

pq7007 G1h: Frequency partner eats chicken/turkey in crispy coating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1705	51.7	52.5	52.5
	2 Once in 2 weeks	903	27.4	27.8	80.3
	3 1-3 times a week	600	18.2	18.5	98.7
	4 4-7 times a week	38	1.2	1.2	99.9
	5 >7 times a week	3	.1	.1	100.0
	Total	3249	98.5	100.0	
Missing	-1 No response	48	1.5		
Total		3297	100.0		

PQ File – Section G

pq7008 G1i: Frequency partner eats poultry: roast, grilled, fried, boiled, stewed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	170	5.2	5.2	5.2
	2 Once in 2 weeks	797	24.2	24.5	29.7
	3 1-3 times a week	2096	63.6	64.5	94.2
	4 4-7 times a week	181	5.5	5.6	99.8
	5 >7 times a week	8	.2	.2	100.0
	Total	3252	98.6	100.0	
Missing	-1 No response	45	1.4		
Total		3297	100.0		

pq7009 G1j: Frequency partner eats shellfish

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1933	58.6	59.5	59.5
	2 Once in 2 weeks	1056	32.0	32.5	92.0
	3 1-3 times a week	249	7.6	7.7	99.6
	4 4-7 times a week	10	.3	.3	99.9
	5 >7 times a week	2	.1	.1	100.0
	Total	3250	98.6	100.0	
Missing	-1 No response	47	1.4		
Total		3297	100.0		

pq7010 G1k: Frequency partner eats white fish in breadcrumbs or batter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1044	31.7	32.2	32.2
	2 Once in 2 weeks	1602	48.6	49.4	81.5
	3 1-3 times a week	592	18.0	18.2	99.8
	4 4-7 times a week	7	.2	.2	100.0
	5 >7 times a week	1	.0	.0	100.0
	Total	3246	98.5	100.0	
Missing	-1 No response	51	1.5		
Total		3297	100.0		

pq7011 G1l: Frequency partner eats white fish without coating

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1632	49.5	50.3	50.3
	2 Once in 2 weeks	1271	38.6	39.2	89.5
	3 1-3 times a week	331	10.0	10.2	99.7
	4 4-7 times a week	9	.3	.3	100.0
	5 >7 times a week	1	.0	.0	100.0
	Total	3244	98.4	100.0	
Missing	-1 No response	53	1.6		
Total		3297	100.0		

PQ File – Section G

pq7012 G1m: Frequency partner eats tuna

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1077	32.7	33.1	33.1
	2 Once in 2 weeks	1320	40.0	40.6	73.8
	3 1-3 times a week	776	23.5	23.9	97.7
	4 4-7 times a week	73	2.2	2.2	99.9
	5 >7 times a week	3	.1	.1	100.0
	Total	3249	98.5	100.0	
Missing	-1 No response	48	1.5		
Total		3297	100.0		

pq7013 G1n: Frequency partner eats other fish

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1737	52.7	53.8	53.8
	2 Once in 2 weeks	1134	34.4	35.1	88.9
	3 1-3 times a week	339	10.3	10.5	99.4
	4 4-7 times a week	19	.6	.6	100.0
	5 >7 times a week	1	.0	.0	100.0
	Total	3230	98.0	100.0	
Missing	-1 No response	67	2.0		
Total		3297	100.0		

pq7014 G1o: Frequency partner eats eggs, quiche/flans, omelettes etc.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	404	12.3	12.4	12.4
	2 Once in 2 weeks	1336	40.5	41.1	53.5
	3 1-3 times a week	1353	41.0	41.6	95.1
	4 4-7 times a week	146	4.4	4.5	99.6
	5 >7 times a week	13	.4	.4	100.0
	Total	3252	98.6	100.0	
Missing	-1 No response	45	1.4		
Total		3297	100.0		

pq7015 G1p: Frequency partner eats cheese

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	174	5.3	5.3	5.3
	2 Once in 2 weeks	450	13.6	13.8	19.2
	3 1-3 times a week	1635	49.6	50.3	69.4
	4 4-7 times a week	905	27.4	27.8	97.3
	5 >7 times a week	89	2.7	2.7	100.0
	Total	3253	98.7	100.0	
Missing	-1 No response	44	1.3		
Total		3297	100.0		

PQ File – Section G

pq7016 G1q: Frequency partner eats pizza

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	758	23.0	23.4	23.4
	2 Once in 2 weeks	1702	51.6	52.4	75.8
	3 1-3 times a week	767	23.3	23.6	99.4
	4 4-7 times a week	16	.5	.5	99.9
	5 >7 times a week	2	.1	.1	100.0
	Total	3245	98.4	100.0	
Missing	-1 No response	52	1.6		
Total		3297	100.0		

pq7017 G1r: Frequency partner eats oven chips or roast potatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	483	14.6	14.9	14.9
	2 Once in 2 weeks	1134	34.4	34.9	49.7
	3 1-3 times a week	1546	46.9	47.6	97.3
	4 4-7 times a week	84	2.5	2.6	99.9
	5 >7 times a week	4	.1	.1	100.0
	Total	3251	98.6	100.0	
Missing	-1 No response	46	1.4		
Total		3297	100.0		

pq7018 G1s: Frequency partner eats fried chips, potato waffles and croquettes, Alphabites etc.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1417	43.0	43.7	43.7
	2 Once in 2 weeks	1000	30.3	30.8	74.5
	3 1-3 times a week	769	23.3	23.7	98.2
	4 4-7 times a week	50	1.5	1.5	99.8
	5 >7 times a week	7	.2	.2	100.0
	Total	3243	98.4	100.0	
Missing	-1 No response	54	1.6		
Total		3297	100.0		

pq7019 G1t: Frequency partner eats boiled, mashed, jacket potatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	112	3.4	3.4	3.4
	2 Once in 2 weeks	658	20.0	20.2	23.7
	3 1-3 times a week	2051	62.2	63.0	86.7
	4 4-7 times a week	424	12.9	13.0	99.7
	5 >7 times a week	9	.3	.3	100.0
	Total	3254	98.7	100.0	
Missing	-1 No response	43	1.3		
Total		3297	100.0		

PQ File – Section G

pq7020 G1u: Frequency partner eats rice (boiled, or fried, not rice pudding)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	286	8.7	8.8	8.8
	2 Once in 2 weeks	965	29.3	29.7	38.5
	3 1-3 times a week	1864	56.5	57.4	96.0
	4 4-7 times a week	124	3.8	3.8	99.8
	5 >7 times a week	7	.2	.2	100.0
	Total	3246	98.5	100.0	
Missing	-1 No response	51	1.5		
Total		3297	100.0		

pq7021 G1v: Frequency partner eats canned pasta, Pot Noodles, Super Noodles etc.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2438	73.9	75.4	75.4
	2 Once in 2 weeks	555	16.8	17.2	92.5
	3 1-3 times a week	230	7.0	7.1	99.7
	4 4-7 times a week	10	.3	.3	100.0
	5 >7 times a week	1	.0	.0	100.0
	Total	3234	98.1	100.0	
Missing	-1 No response	63	1.9		
Total		3297	100.0		

pq7022 G1w: Frequency partner eats boiled pasta, bulgar wheat or couscous

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	359	10.9	11.1	11.1
	2 Once in 2 weeks	803	24.4	24.7	35.8
	3 1-3 times a week	1930	58.5	59.5	95.3
	4 4-7 times a week	152	4.6	4.7	99.9
	5 >7 times a week	2	.1	.1	100.0
	Total	3246	98.5	100.0	
Missing	-1 No response	51	1.5		
Total		3297	100.0		

PQ File – Section G

pq7030 G2: Frequency partner has fried food, excluding chips

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1022	31.0	31.4	31.4
	2 Once in 2 weeks	1347	40.9	41.4	72.9
	3 1-3 times a week	794	24.1	24.4	97.3
	4 4-7 times a week	82	2.5	2.5	99.8
	5 >7 times a week	5	.2	.2	100.0
	Total	3250	98.6	100.0	
Missing	-1 No response	47	1.4		
Total		3297	100.0		

pq7040 G3: Partner eats the fat on the meat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, all of it	496	15.0	15.3	15.3
	2 Yes, some of it	1503	45.6	46.3	61.6
	3 No, always leave the fat	1127	34.2	34.7	96.3
	4 Never eat meat	119	3.6	3.7	100.0
	Total	3245	98.4	100.0	
Missing	-1 No response	52	1.6		
Total		3297	100.0		

PQ File – Section G

pq7050 G4a: Frequency partner eats baked beans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	615	18.7	18.9	18.9
	2 Once in 2 weeks	1274	38.6	39.2	58.1
	3 1-3 times a week	1307	39.6	40.2	98.4
	4 4-7 times a week	49	1.5	1.5	99.9
	5 >7 times a week	4	.1	.1	100.0
	Total	3249	98.5	100.0	
Missing	-1 No response	48	1.5		
Total		3297	100.0		

pq7051 G4b: Frequency partner eats peas, broad beans

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	276	8.4	8.5	8.5
	2 Once in 2 weeks	977	29.6	30.1	38.6
	3 1-3 times a week	1841	55.8	56.7	95.3
	4 4-7 times a week	150	4.5	4.6	99.9
	5 >7 times a week	3	.1	.1	100.0
	Total	3247	98.5	100.0	
Missing	-1 No response	50	1.5		
Total		3297	100.0		

pq7052 G4c: Frequency partner eats sweetcorn

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	779	23.6	24.0	24.0
	2 Once in 2 weeks	1221	37.0	37.6	61.5
	3 1-3 times a week	1180	35.8	36.3	97.8
	4 4-7 times a week	65	2.0	2.0	99.8
	5 >7 times a week	5	.2	.2	100.0
	Total	3250	98.6	100.0	
Missing	-1 No response	47	1.4		
Total		3297	100.0		

pq7053 G4d: Frequency partner eats carrots

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	129	3.9	4.0	4.0
	2 Once in 2 weeks	568	17.2	17.5	21.5
	3 1-3 times a week	2212	67.1	68.1	89.6
	4 4-7 times a week	330	10.0	10.2	99.8
	5 >7 times a week	8	.2	.2	100.0
	Total	3247	98.5	100.0	
Missing	-1 No response	50	1.5		
Total		3297	100.0		

PQ File – Section G

pq7054 G4e: Frequency partner eats other root vegetables

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	608	18.4	18.8	18.8
	2 Once in 2 weeks	1084	32.9	33.5	52.2
	3 1-3 times a week	1417	43.0	43.7	96.0
	4 4-7 times a week	125	3.8	3.9	99.8
	5 >7 times a week	5	.2	.2	100.0
	Total	3239	98.2	100.0	
Missing	-1 No response	58	1.8		
Total		3297	100.0		

pq7055 G4f: Frequency partner eats tomatoes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	253	7.7	7.8	7.8
	2 Once in 2 weeks	499	15.1	15.4	23.2
	3 1-3 times a week	1787	54.2	55.0	78.2
	4 4-7 times a week	660	20.0	20.3	98.5
	5 >7 times a week	49	1.5	1.5	100.0
	Total	3248	98.5	100.0	
Missing	-1 No response	49	1.5		
Total		3297	100.0		

pq7056 G4g: Frequency partner eats salads

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	206	6.2	6.3	6.3
	2 Once in 2 weeks	672	20.4	20.7	27.0
	3 1-3 times a week	1771	53.7	54.5	81.5
	4 4-7 times a week	548	16.6	16.9	98.4
	5 >7 times a week	52	1.6	1.6	100.0
	Total	3249	98.5	100.0	
Missing	-1 No response	48	1.5		
Total		3297	100.0		

pq7057 G4h: Frequency partner eats pulses and pulse dishes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2165	65.7	66.7	66.7
	2 Once in 2 weeks	694	21.0	21.4	88.0
	3 1-3 times a week	358	10.9	11.0	99.0
	4 4-7 times a week	26	.8	.8	99.8
	5 >7 times a week	5	.2	.2	100.0
	Total	3248	98.5	100.0	
Missing	-1 No response	49	1.5		
Total		3297	100.0		

PQ File – Section G

pq7058 G4i: Frequency partner eats soya 'meat', TVP, bean curd, Quorn

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2913	88.4	89.7	89.7
	2 Once in 2 weeks	188	5.7	5.8	95.4
	3 1-3 times a week	131	4.0	4.0	99.5
	4 4-7 times a week	17	.5	.5	100.0
	Total	3249	98.5	100.0	
Missing	-1 No response	48	1.5		
Total		3297	100.0		

pq7059 G4j: Frequency partner eats peanuts, peanut butter

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1890	57.3	58.2	58.2
	2 Once in 2 weeks	900	27.3	27.7	85.9
	3 1-3 times a week	387	11.7	11.9	97.8
	4 4-7 times a week	65	2.0	2.0	99.8
	5 >7 times a week	7	.2	.2	100.0
	Total	3249	98.5	100.0	
Missing	-1 No response	48	1.5		
Total		3297	100.0		

pq7060 G4k: Frequency partner eats other nuts, nut roast etc.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1981	60.1	61.1	61.1
	2 Once in 2 weeks	910	27.6	28.1	89.1
	3 1-3 times a week	299	9.1	9.2	98.4
	4 4-7 times a week	48	1.5	1.5	99.8
	5 >7 times a week	5	.2	.2	100.0
	Total	3243	98.4	100.0	
Missing	-1 No response	54	1.6		
Total		3297	100.0		

pq7061 G4l: Frequency partner eats canned fruit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2107	63.9	64.8	64.8
	2 Once in 2 weeks	897	27.2	27.6	92.4
	3 1-3 times a week	227	6.9	7.0	99.4
	4 4-7 times a week	18	.5	.6	100.0
	5 >7 times a week	1	.0	.0	100.0
	Total	3250	98.6	100.0	
Missing	-1 No response	47	1.4		
Total		3297	100.0		

PQ File – Section G

pq7062 G4m: Frequency partner eats yoghurt, fromage frais

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1002	30.4	30.9	30.9
	2 Once in 2 weeks	764	23.2	23.5	54.4
	3 1-3 times a week	901	27.3	27.8	82.2
	4 4-7 times a week	529	16.0	16.3	98.5
	5 >7 times a week	50	1.5	1.5	100.0
	Total	3246	98.5	100.0	
Missing	-1 No response	51	1.5		
Total		3297	100.0		

pq7063 G4n: Frequency partner eats milk puddings, mousse, Angel Delight etc.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2327	70.6	72.1	72.1
	2 Once in 2 weeks	738	22.4	22.9	95.0
	3 1-3 times a week	146	4.4	4.5	99.5
	4 4-7 times a week	15	.5	.5	100.0
	5 >7 times a week	1	.0	.0	100.0
	Total	3227	97.9	100.0	
Missing	-1 No response	70	2.1		
Total		3297	100.0		

pq7064 G4o: Frequency partner eats ice cream, choc ice, chocolate ice cream bar etc.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1072	32.5	33.2	33.2
	2 Once in 2 weeks	1422	43.1	44.1	77.3
	3 1-3 times a week	663	20.1	20.6	97.9
	4 4-7 times a week	65	2.0	2.0	99.9
	5 >7 times a week	3	.1	.1	100.0
	Total	3225	97.8	100.0	
Missing	-1 No response	72	2.2		
Total		3297	100.0		

pq7065 G4p: Frequency partner eats pudding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	992	30.1	30.8	30.8
	2 Once in 2 weeks	1473	44.7	45.8	76.6
	3 1-3 times a week	713	21.6	22.1	98.7
	4 4-7 times a week	39	1.2	1.2	99.9
	5 >7 times a week	2	.1	.1	100.0
	Total	3219	97.6	100.0	
Missing	-1 No response	78	2.4		
Total		3297	100.0		

PQ File – Section G

pq7066 G4q: Frequency partner eats custard, cream, Elmlea, Tip-Top, evaporated milk etc. on puddings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1958	59.4	60.6	60.6
	2 Once in 2 weeks	921	27.9	28.5	89.1
	3 1-3 times a week	328	9.9	10.2	99.3
	4 4-7 times a week	19	.6	.6	99.9
	5 >7 times a week	4	.1	.1	100.0
	Total	3230	98.0	100.0	
Missing	-1 No response	67	2.0		
Total		3297	100.0		

pq7067 G4r: Frequency partner eats cakes or buns

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	605	18.4	18.8	18.8
	2 Once in 2 weeks	1237	37.5	38.4	57.1
	3 1-3 times a week	1133	34.4	35.1	92.2
	4 4-7 times a week	234	7.1	7.3	99.5
	5 >7 times a week	16	.5	.5	100.0
	Total	3225	97.8	100.0	
Missing	-1 No response	72	2.2		
Total		3297	100.0		

pq7068 G4s: Frequency partner eats crispbreads

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2387	72.4	74.1	74.1
	2 Once in 2 weeks	500	15.2	15.5	89.6
	3 1-3 times a week	264	8.0	8.2	97.8
	4 4-7 times a week	66	2.0	2.0	99.8
	5 >7 times a week	5	.2	.2	100.0
	Total	3222	97.7	100.0	
Missing	-1 No response	75	2.3		
Total		3297	100.0		

pq7069 G4t: Frequency partner eats ketchup/brown sauce etc.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	731	22.2	22.7	22.7
	2 Once in 2 weeks	893	27.1	27.7	50.4
	3 1-3 times a week	1252	38.0	38.8	89.2
	4 4-7 times a week	317	9.6	9.8	99.0
	5 >7 times a week	32	1.0	1.0	100.0
	Total	3225	97.8	100.0	
Missing	-1 No response	72	2.2		
Total		3297	100.0		

PQ File – Section G

pq7070 G4u: Frequency partner eats mayonnaise, salad cream or dressing etc.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	705	21.4	21.9	21.9
	2 Once in 2 weeks	939	28.5	29.1	51.0
	3 1-3 times a week	1289	39.1	40.0	91.0
	4 4-7 times a week	276	8.4	8.6	99.6
	5 >7 times a week	13	.4	.4	100.0
	Total	3222	97.7	100.0	
Missing	-1 No response	75	2.3		
Total		3297	100.0		

PQ File – Section G

pq7080 G5: Number of portions of green vegetables partner eats in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	60	1.8	1.9	1.9
	1	89	2.7	2.8	4.7
	2	259	7.9	8.1	12.8
	3	369	11.2	11.6	24.3
	4	405	12.3	12.7	37.0
	5	376	11.4	11.8	48.8
	6	233	7.1	7.3	56.1
	7	371	11.3	11.6	67.7
	8	137	4.2	4.3	72.0
	9	40	1.2	1.3	73.3
	10	346	10.5	10.8	84.1
	11	8	.2	.3	84.4
	12	92	2.8	2.9	87.2
	13	3	.1	.1	87.3
	14	109	3.3	3.4	90.8
	15	71	2.2	2.2	93.0
	16	24	.7	.8	93.7
	17	3	.1	.1	93.8
	18	20	.6	.6	94.5
	19	4	.1	.1	94.6
	20	77	2.3	2.4	97.0
	21	26	.8	.8	97.8
	22	2	.1	.1	97.9
	24	3	.1	.1	98.0
	25	21	.6	.7	98.6
	26	1	.0	.0	98.7
	28	7	.2	.2	98.9
	30	18	.5	.6	99.4
	32	1	.0	.0	99.5
	35	5	.2	.2	99.6
	40	8	.2	.3	99.9
	45	1	.0	.0	99.9
	50	2	.1	.1	100.0
	55	1	.0	.0	100.0
	Total	3192	96.8	100.0	
Missing	-1 No response	105	3.2		
Total		3297	100.0		

PQ File – Section G

pq7081 G5a: Number of portions of dark green leafy vegetables partner eats in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	176	5.3	5.6	5.6
	1	461	14.0	14.6	20.1
	2	674	20.4	21.3	41.4
	3	554	16.8	17.5	58.9
	4	403	12.2	12.7	71.6
	5	331	10.0	10.5	82.1
	6	162	4.9	5.1	87.2
	7	155	4.7	4.9	92.1
	8	73	2.2	2.3	94.4
	9	12	.4	.4	94.8
	10	88	2.7	2.8	97.5
	11	1	.0	.0	97.6
	12	20	.6	.6	98.2
	14	11	.3	.3	98.5
	15	23	.7	.7	99.3
	16	3	.1	.1	99.4
	17	1	.0	.0	99.4
	18	3	.1	.1	99.5
	20	11	.3	.3	99.8
	21	1	.0	.0	99.9
	30	1	.0	.0	99.9
	40	1	.0	.0	99.9
	45	1	.0	.0	100.0
	97 Rarely/occasionally	1	.0	.0	100.0
	Total	3167	96.1	100.0	
Missing	-1 No response	130	3.9		
Total		3297	100.0		

PQ File – Section G

pq7090 G6: Number of pieces of raw fruit partner eats in a week

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	104	3.2	3.3	3.3
1	128	3.9	4.0	7.3
2	200	6.1	6.3	13.5
3	203	6.2	6.4	19.9
4	225	6.8	7.0	26.9
5	307	9.3	9.6	36.6
6	177	5.4	5.5	42.1
7	400	12.1	12.5	54.6
8	95	2.9	3.0	57.6
9	29	.9	.9	58.5
10	444	13.5	13.9	72.4
11	7	.2	.2	72.7
12	131	4.0	4.1	76.8
13	7	.2	.2	77.0
14	181	5.5	5.7	82.6
15	142	4.3	4.4	87.1
16	19	.6	.6	87.7
17	3	.1	.1	87.8
18	24	.7	.8	88.5
19	2	.1	.1	88.6
20	140	4.2	4.4	93.0
21	61	1.9	1.9	94.9
22	5	.2	.2	95.1
24	4	.1	.1	95.2
25	51	1.5	1.6	96.8
26	1	.0	.0	96.8
27	1	.0	.0	96.8
28	21	.6	.7	97.5
30	39	1.2	1.2	98.7
32	2	.1	.1	98.8
35	12	.4	.4	99.2
38	1	.0	.0	99.2
40	15	.5	.5	99.7
42	1	.0	.0	99.7
50	6	.2	.2	99.9
60	2	.1	.1	99.9
90	1	.0	.0	100.0
97 Rarely/occasionally	1	.0	.0	100.0
Total	3192	96.8	100.0	
Missing -1 No response	105	3.2		
Total	3297	100.0		

PQ File – Section G

pq7091 G6a: Number of pieces of citrus fruit partner eats in a week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	756	22.9	24.2	24.2
	1	552	16.7	17.6	41.8
	2	476	14.4	15.2	57.0
	3	359	10.9	11.5	68.5
	4	252	7.6	8.1	76.5
	5	271	8.2	8.7	85.2
	6	94	2.9	3.0	88.2
	7	153	4.6	4.9	93.1
	8	46	1.4	1.5	94.5
	9	7	.2	.2	94.8
	10	93	2.8	3.0	97.7
	11	1	.0	.0	97.8
	12	8	.2	.3	98.0
	14	17	.5	.5	98.6
	15	22	.7	.7	99.3
	16	1	.0	.0	99.3
	17	2	.1	.1	99.4
	18	3	.1	.1	99.5
	20	13	.4	.4	99.9
	25	1	.0	.0	99.9
	30	1	.0	.0	99.9
	45	1	.0	.0	100.0
	97 Rarely/occasionally	1	.0	.0	100.0
Total		3130	94.9	100.0	
Missing	-1 No response	167	5.1		
Total		3297	100.0		

PQ File – Section G

pq7100 G7a: Partner eats breakfast cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2500	75.8	77.8	77.8
	2 No	715	21.7	22.2	100.0
	Total	3215	97.5	100.0	
Missing	-1 No response	82	2.5		
Total		3297	100.0		

pq7101 G7b: Frequency partner eats oat cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1133	34.4	50.2	50.2
	2 Once in 2 weeks	397	12.0	17.6	67.7
	3 1-3 times a week	372	11.3	16.5	84.2
	4 4-7 times a week	341	10.3	15.1	99.3
	5 >7 times a week	16	.5	.7	100.0
	Total	2259	68.5	100.0	
Missing	-1 No response	1038	31.5		
Total		3297	100.0		

pq7102 G7c: Frequency partner eats wholegrain or bran cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	573	17.4	24.2	24.2
	2 Once in 2 weeks	409	12.4	17.3	41.5
	3 1-3 times a week	642	19.5	27.1	68.6
	4 4-7 times a week	689	20.9	29.1	97.8
	5 >7 times a week	53	1.6	2.2	100.0
	Total	2366	71.8	100.0	
Missing	-1 No response	931	28.2		
Total		3297	100.0		

pq7103 G7d: Frequency partner eats sugar/honey coated cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1271	38.6	57.4	57.4
	2 Once in 2 weeks	440	13.3	19.9	77.2
	3 1-3 times a week	382	11.6	17.2	94.4
	4 4-7 times a week	119	3.6	5.4	99.8
	5 >7 times a week	4	.1	.2	100.0
	Total	2216	67.2	100.0	
Missing	-1 No response	1081	32.8		
Total		3297	100.0		

PQ File – Section G

pq7104 G7e: Frequency partner eats other cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	833	25.3	36.0	36.0
	2 Once in 2 weeks	515	15.6	22.3	58.3
	3 1-3 times a week	631	19.1	27.3	85.6
	4 4-7 times a week	310	9.4	13.4	99.0
	5 >7 times a week	22	.7	1.0	100.0
	Total	2311	70.1	100.0	
Missing	-1 No response	986	29.9		
Total		3297	100.0		

PQ File – Section G

pq7110 G8a: Number of teaspoons of sugar partner has on cereals

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1588	48.2	62.6	62.6
	2 Half	297	9.0	11.7	74.4
	3 1	411	12.5	16.2	90.6
	4 2	197	6.0	7.8	98.3
	5 >2	42	1.3	1.7	100.0
	Total	2535	76.9	100.0	
Missing	-1 No response	762	23.1		
Total		3297	100.0		

pq7111 G8b: Number of times per week partner has milk on cereal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	68	2.1	2.8	2.8
	1	122	3.7	5.0	7.8
	2	191	5.8	7.8	15.6
	3	231	7.0	9.4	25.0
	4	139	4.2	5.7	30.7
	5	317	9.6	13.0	43.7
	6	143	4.3	5.8	49.5
	7	1170	35.5	47.8	97.3
	8	12	.4	.5	97.8
	9	7	.2	.3	98.1
	10	17	.5	.7	98.8
	11	1	.0	.0	98.9
	12	5	.2	.2	99.1
	14	7	.2	.3	99.3
	15	1	.0	.0	99.4
	90 All/every time	12	.4	.5	99.9
	97 Rarely/occasionally	3	.1	.1	100.0
	Total	2446	74.2	100.0	
Missing	-1 No response	851	25.8		
Total		3297	100.0		

PQ File – Section G

pq7120 G9a: Frequency partner eats crisps, corn snacks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	620	18.8	19.2	19.2
	2 Once in 2 weeks	789	23.9	24.4	43.6
	3 1-3 times a week	1148	34.8	35.5	79.1
	4 4-7 times a week	600	18.2	18.6	97.6
	5 >7 times a week	76	2.3	2.4	100.0
	Total	3233	98.1	100.0	
Missing	-1 No response	64	1.9		
Total		3297	100.0		

pq7121 G9b: Frequency partner eats full-coated chocolate biscuits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	675	20.5	20.9	20.9
	2 Once in 2 weeks	849	25.8	26.3	47.1
	3 1-3 times a week	1136	34.5	35.1	82.3
	4 4-7 times a week	521	15.8	16.1	98.4
	5 >7 times a week	53	1.6	1.6	100.0
	Total	3234	98.1	100.0	
Missing	-1 No response	63	1.9		
Total		3297	100.0		

pq7122 G9c: Frequency partner eats other biscuits (e.g. Rich tea, shortcakes, digestive and chocolate digestive, Hob Nobs)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	692	21.0	21.4	21.4
	2 Once in 2 weeks	938	28.5	29.0	50.4
	3 1-3 times a week	1102	33.4	34.1	84.5
	4 4-7 times a week	441	13.4	13.6	98.1
	5 >7 times a week	61	1.9	1.9	100.0
	Total	3234	98.1	100.0	
Missing	-1 No response	63	1.9		
Total		3297	100.0		

pq7123 G9d: Frequency partner eats chocolate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	774	23.5	23.9	23.9
	2 Once in 2 weeks	1143	34.7	35.4	59.3
	3 1-3 times a week	1019	30.9	31.5	90.8
	4 4-7 times a week	262	7.9	8.1	98.9
	5 >7 times a week	35	1.1	1.1	100.0
	Total	3233	98.1	100.0	
Missing	-1 No response	64	1.9		
Total		3297	100.0		

PQ File – Section G

pq7124 G9e: Frequency partner eats sweets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1469	44.6	45.5	45.5
	2 Once in 2 weeks	998	30.3	30.9	76.4
	3 1-3 times a week	599	18.2	18.6	95.0
	4 4-7 times a week	144	4.4	4.5	99.4
	5 >7 times a week	18	.5	.6	100.0
	Total	3228	97.9	100.0	
Missing	-1 No response	69	2.1		
Total		3297	100.0		

PQ File – Section G

pq7130 G10: Number of biscuits partner eats on days when partner eats biscuits

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	186	5.6	6.0	6.0
	1	270	8.2	8.8	14.8
	2	798	24.2	25.9	40.7
	3	592	18.0	19.2	59.9
	4	521	15.8	16.9	76.8
	5	248	7.5	8.0	84.8
	6	237	7.2	7.7	92.5
	7	10	.3	.3	92.8
	8	53	1.6	1.7	94.5
	9	6	.2	.2	94.7
	10	129	3.9	4.2	98.9
	11	1	.0	.0	98.9
	12	11	.3	.4	99.3
	14	1	.0	.0	99.3
	15	9	.3	.3	99.6
	20	8	.2	.3	99.9
	98 A lot	4	.1	.1	100.0
	Total	3084	93.5	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	212	6.4		
	Total	213	6.5		
Total		3297	100.0		

pq7140 G11: Number of individual sweets partner eats on days when partner eats sweets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1-2	828	25.1	26.6	26.6
	2 3-5	875	26.5	28.1	54.7
	3 6-10	544	16.5	17.5	72.2
	4 11-20	145	4.4	4.7	76.9
	5 >20	42	1.3	1.4	78.2
	7 Never has sweets	677	20.5	21.8	100.0
	Total	3111	94.4	100.0	
Missing	-1 No response	186	5.6		
Total		3297	100.0		

PQ File – Section G

pq7150 G12a: Size of chocolate bars eaten by partner on days partner eats chocolate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually eat individual chocolates/squares	833	25.3	26.2	26.2
	2 Usually eat whole bars	2057	62.4	64.7	90.9
	3 Never eat chocolate	288	8.7	9.1	100.0
	Total	3178	96.4	100.0	
Missing	-1 No response	119	3.6		
Total		3297	100.0		

pq7151 G12b: Number of chocolate bars eaten by partner on days partner eats chocolate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 <= half	667	20.2	23.5	23.5
	2 1	1962	59.5	69.2	92.8
	3 2	161	4.9	5.7	98.4
	4 >=3	44	1.3	1.6	100.0
	Total	2834	86.0	100.0	
Missing	-1 No response	463	14.0		
Total		3297	100.0		

PQ File – Section G

pq7160 G13a: Frequency partner drinks pure fruit juice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	735	22.3	22.7	22.7
	2 Once in 2 weeks	642	19.5	19.8	42.6
	3 1-3 times a week	899	27.3	27.8	70.3
	4 4-7 times a week	729	22.1	22.5	92.9
	5 >7 times a week	231	7.0	7.1	100.0
	Total	3236	98.1	100.0	
Missing	-1 No response	61	1.9		
Total		3297	100.0		

pq7161 G13b: Frequency partner drinks squash, fruit drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1188	36.0	36.9	36.9
	2 Once in 2 weeks	589	17.9	18.3	55.1
	3 1-3 times a week	753	22.8	23.4	78.5
	4 4-7 times a week	487	14.8	15.1	93.6
	5 >7 times a week	206	6.2	6.4	100.0
	Total	3223	97.8	100.0	
Missing	-1 No response	74	2.2		
Total		3297	100.0		

pq7162 G13c: Frequency partner drinks cola drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1569	47.6	48.5	48.5
	2 Once in 2 weeks	745	22.6	23.0	71.5
	3 1-3 times a week	641	19.4	19.8	91.3
	4 4-7 times a week	217	6.6	6.7	98.1
	5 >7 times a week	63	1.9	1.9	100.0
	Total	3235	98.1	100.0	
Missing	-1 No response	62	1.9		
Total		3297	100.0		

pq7163 G13d: Frequency partner drinks other fizzy drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1510	45.8	47.1	47.1
	2 Once in 2 weeks	774	23.5	24.1	71.2
	3 1-3 times a week	657	19.9	20.5	91.7
	4 4-7 times a week	208	6.3	6.5	98.2
	5 >7 times a week	59	1.8	1.8	100.0
	Total	3208	97.3	100.0	
Missing	-1 No response	89	2.7		
Total		3297	100.0		

PQ File – Section G

pq7164 G13e: Frequency partner drinks bottled still water

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1605	48.7	50.0	50.0
	2 Once in 2 weeks	571	17.3	17.8	67.8
	3 1-3 times a week	508	15.4	15.8	83.6
	4 4-7 times a week	310	9.4	9.7	93.3
	5 >7 times a week	216	6.6	6.7	100.0
	Total	3210	97.4	100.0	
Missing	-1 No response	87	2.6		
Total		3297	100.0		

pq7165 G13f: Frequency partner drinks water from tap

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	518	15.7	16.1	16.1
	2 Once in 2 weeks	331	10.0	10.3	26.3
	3 1-3 times a week	619	18.8	19.2	45.5
	4 4-7 times a week	718	21.8	22.3	67.8
	5 >7 times a week	1040	31.5	32.2	100.0
	Total	3226	97.8	100.0	
Missing	-1 No response	71	2.2		
Total		3297	100.0		

pq7166 G13g: Frequency partner drinks milk on its own

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1754	53.2	54.3	54.3
	2 Once in 2 weeks	558	16.9	17.3	71.6
	3 1-3 times a week	556	16.9	17.2	88.8
	4 4-7 times a week	238	7.2	7.4	96.2
	5 >7 times a week	123	3.7	3.8	100.0
	Total	3229	97.9	100.0	
Missing	-1 No response	68	2.1		
Total		3297	100.0		

pq7167 G13h: Frequency partner drinks flavoured milk drinks or yoghurt drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	2465	74.8	76.4	76.4
	2 Once in 2 weeks	394	12.0	12.2	88.6
	3 1-3 times a week	247	7.5	7.7	96.3
	4 4-7 times a week	106	3.2	3.3	99.5
	5 >7 times a week	15	.5	.5	100.0
	Total	3227	97.9	100.0	
Missing	-1 No response	70	2.1		
Total		3297	100.0		

PQ File – Section G

pq7170 G14: Frequency partner has low calorie, diet or reduced sugar drinks when having soft drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually	1463	44.4	45.3	45.3
	2 Sometimes	626	19.0	19.4	64.7
	3 Not at all	701	21.3	21.7	86.4
	4 Don't drink soft drinks	440	13.3	13.6	100.0
	Total	3230	98.0	100.0	
Missing	-1 No response	67	2.0		
Total		3297	100.0		

pq7180 G15: Frequency partner has decaffeinated cola when having cola drinks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Usually	226	6.9	7.1	7.1
	2 Sometimes	510	15.5	16.0	23.1
	3 Not at all	1572	47.7	49.4	72.5
	4 Don't drink cola	877	26.6	27.5	100.0
	Total	3185	96.6	100.0	
Missing	-1 No response	112	3.4		
Total		3297	100.0		

PQ File – Section G

pq7190 G16a: Type of bread eaten most often by partner is white bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	1530	46.4	52.2	52.2
	2 Yes, sometimes	1181	35.8	40.3	92.5
	3 No, not at all	220	6.7	7.5	100.0
	Total	2931	88.9	100.0	
Missing	-1 No response	366	11.1		
Total		3297	100.0		

pq7191 G16b: Type of bread eaten most often by partner is soft grain white bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	205	6.2	8.4	8.4
	2 Yes, sometimes	1219	37.0	50.2	58.6
	3 No, not at all	1004	30.5	41.4	100.0
	Total	2428	73.6	100.0	
Missing	-1 No response	869	26.4		
Total		3297	100.0		

pq7192 G16c: Type of bread eaten most often by partner is brown/granary bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	625	19.0	22.4	22.4
	2 Yes, sometimes	1689	51.2	60.6	83.0
	3 No, not at all	473	14.3	17.0	100.0
	Total	2787	84.5	100.0	
Missing	-1 No response	510	15.5		
Total		3297	100.0		

pq7193 G16d: Type of bread eaten most often by partner is wholemeal bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	770	23.4	27.8	27.8
	2 Yes, sometimes	1498	45.4	54.2	82.0
	3 No, not at all	498	15.1	18.0	100.0
	Total	2766	83.9	100.0	
Missing	-1 No response	531	16.1		
Total		3297	100.0		

pq7194 G16e: Type of bread eaten most often by partner is chapattis, pitta bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	87	2.6	3.4	3.4
	2 Yes, sometimes	1456	44.2	57.5	60.9
	3 No, not at all	989	30.0	39.1	100.0
	Total	2532	76.8	100.0	
Missing	-1 No response	765	23.2		
Total		3297	100.0		

PQ File – Section G

pq7195 G16f: Type of bread eaten most often by partner is naan bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	77	2.3	3.0	3.0
	2 Yes, sometimes	1725	52.3	66.4	69.4
	3 No, not at all	796	24.1	30.6	100.0
	Total	2598	78.8	100.0	
Missing	-1 No response	699	21.2		
Total		3297	100.0		

pq7196 G16g: Type of bread eaten most often by partner is another bread

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	16	.5	1.4	1.4
	1 Yes, usually	53	1.6	4.8	6.2
	2 Yes, sometimes	146	4.4	13.2	19.4
	3 No, not at all	895	27.1	80.6	100.0
	Total	1110	33.7	100.0	
Missing	-1 No response	2187	66.3		
Total		3297	100.0		

PQ File – Section G

pq7200 G17a: Number of slices of bread, rolls or chapattis eaten by partner on a usual day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 <1	254	7.7	7.9	7.9
2 1-2	1271	38.6	39.7	47.6
3 3-4	1407	42.7	44.0	91.6
4 >=5	269	8.2	8.4	100.0
Total	3201	97.1	100.0	
Missing -1 No response	96	2.9		
Total	3297	100.0		

pq7201 G17b: Average number of slices of bread or rolls spread with butter or margarine partner eats each day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	257	7.8	8.1	8.1
1	269	8.2	8.5	16.7
2	1098	33.3	34.8	51.4
3	290	8.8	9.2	60.6
4	958	29.1	30.3	90.9
5	90	2.7	2.8	93.8
6	128	3.9	4.1	97.8
7	11	.3	.3	98.2
8	30	.9	.9	99.1
9	2	.1	.1	99.2
10	11	.3	.3	99.6
12	2	.1	.1	99.6
14	3	.1	.1	99.7
97 Rarely/occasionally	7	.2	.2	99.9
99 All	2	.1	.1	100.0
Total	3158	95.8	100.0	
Missing -1 No response	139	4.2		
Total	3297	100.0		

pq7202 G17c: Average number of slices of bread or rolls spread with sweet things partner eats each day

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	2194	66.5	72.1	72.1
1	452	13.7	14.8	86.9
2	327	9.9	10.7	97.7
3	25	.8	.8	98.5
4	26	.8	.9	99.3
5	4	.1	.1	99.5
6	6	.2	.2	99.7
10	1	.0	.0	99.7
97 Rarely/occasionally	9	.3	.3	100.0
Total	3044	92.3	100.0	
Missing -1 No response	253	7.7		
Total	3297	100.0		

PQ File – Section G

pq7210 G18a1: Partner uses butter, ghee, dripping, lard or solid cooking fat on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1058	32.1	36.8	36.8
2 No	1817	55.1	63.2	100.0
Total	2875	87.2	100.0	
Missing -1 No response	422	12.8		
Total	3297	100.0		

pq7211 G18b1: Partner uses full-fat polyunsaturated margarine on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1241	37.6	44.0	44.0
2 No	1582	48.0	56.0	100.0
Total	2823	85.6	100.0	
Missing -1 No response	474	14.4		
Total	3297	100.0		

pq7212 G18c1: Partner uses other full-fat margarine on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	525	15.9	19.0	19.0
2 No	2245	68.1	81.0	100.0
Total	2770	84.0	100.0	
Missing -1 No response	527	16.0		
Total	3297	100.0		

pq7213 G18d1: Partner uses low-fat polyunsaturated margarine on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	993	30.1	35.4	35.4
2 No	1815	55.1	64.6	100.0
Total	2808	85.2	100.0	
Missing -1 No response	489	14.8		
Total	3297	100.0		

pq7214 G18e1: Partner uses other low-fat spread not polyunsaturated on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	525	15.9	19.3	19.3
2 No	2200	66.7	80.7	100.0
Total	2725	82.7	100.0	
Missing -1 No response	572	17.3		
Total	3297	100.0		

PQ File – Section G

pq7215 G18f1: Partner uses sunflower oil, corn oil, soya oil on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	311	9.4	12.1	12.1
2 No	2268	68.8	87.9	100.0
Total	2579	78.2	100.0	
Missing -1 No response	718	21.8		
Total	3297	100.0		

pq7216 G18g1: Partner uses olive oil, hazelnut oil, rapeseed oil on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	621	18.8	23.5	23.5
2 No	2016	61.1	76.5	100.0
Total	2637	80.0	100.0	
Missing -1 No response	660	20.0		
Total	3297	100.0		

pq7217 G18h1: Partner uses other vegetable oil on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	173	5.2	6.8	6.8
2 No	2364	71.7	93.2	100.0
Total	2537	76.9	100.0	
Missing -1 No response	760	23.1		
Total	3297	100.0		

pq7218 G18i1: Partner uses other fat on bread or vegetables

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	108	3.3	6.2	6.2
2 No	1643	49.8	93.8	100.0
Total	1751	53.1	100.0	
Missing -1 No response	1546	46.9		
Total	3297	100.0		

PQ File – Section G

pq7230 G18a2: Partner uses butter, ghee, dripping, lard or solid cooking fat for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	452	13.7	17.5	17.5
2 No	2124	64.4	82.5	100.0
Total	2576	78.1	100.0	
Missing -1 No response	721	21.9		
Total	3297	100.0		

pq7231 G18b2: Partner uses full-fat polyunsaturated margarine for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	326	9.9	13.0	13.0
2 No	2177	66.0	87.0	100.0
Total	2503	75.9	100.0	
Missing -1 No response	794	24.1		
Total	3297	100.0		

pq7232 G18c2: Partner uses other full-fat margarine for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	93	2.8	3.8	3.8
2 No	2364	71.7	96.2	100.0
Total	2457	74.5	100.0	
Missing -1 No response	840	25.5		
Total	3297	100.0		

pq7233 G18d2: Partner uses low-fat polyunsaturated margarine for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	143	4.3	5.9	5.9
2 No	2296	69.6	94.1	100.0
Total	2439	74.0	100.0	
Missing -1 No response	858	26.0		
Total	3297	100.0		

pq7234 G18e2: Partner uses other low-fat spread not polyunsaturated for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	58	1.8	2.4	2.4
2 No	2315	70.2	97.6	100.0
Total	2373	72.0	100.0	
Missing -1 No response	924	28.0		
Total	3297	100.0		

pq7235 G18f2: Partner uses sunflower oil, corn oil, soya oil for frying

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1695	51.4	62.9	62.9
2 No	999	30.3	37.1	100.0
Total	2694	81.7	100.0	
Missing -1 No response	603	18.3		
Total	3297	100.0		

PQ File – Section G

pq7236 G18g2: Partner uses olive oil, hazelnut oil, rapeseed oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1572	47.7	58.0	58.0
	2 No	1138	34.5	42.0	100.0
	Total	2710	82.2	100.0	
Missing	-1 No response	587	17.8		
Total		3297	100.0		

pq7237 G18h2: Partner uses other vegetable oil for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	740	22.4	29.1	29.1
	2 No	1799	54.6	70.9	100.0
	Total	2539	77.0	100.0	
Missing	-1 No response	758	23.0		
Total		3297	100.0		

pq7238 G18i2: Partner uses other fat for frying

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	59	1.8	3.5	3.5
	2 No	1648	50.0	96.5	100.0
	Total	1707	51.8	100.0	
Missing	-1 No response	1590	48.2		
Total		3297	100.0		

PQ File – Section G

pq7250 G19a: Partner drinks full fat milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	508	15.4	100.0	100.0
Missing -1 No response	2789	84.6		
Total	3297	100.0		

pq7251 G19b: Partner drinks semi-skimmed milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2283	69.2	100.0	100.0
Missing -1 No response	1014	30.8		
Total	3297	100.0		

pq7252 G19c: Partner drinks skimmed milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	433	13.1	100.0	100.0
Missing -1 No response	2864	86.9		
Total	3297	100.0		

pq7253 G19e: Partner drinks goat/sheep milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7	.2	100.0	100.0
Missing -1 No response	3290	99.8		
Total	3297	100.0		

pq7254 G19f: Partner drinks soya milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	43	1.3	100.0	100.0
Missing -1 No response	3254	98.7		
Total	3297	100.0		

pq7255 G19g: Partner drinks other milk most often

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	32	1.0	100.0	100.0
Missing -1 No response	3265	99.0		
Total	3297	100.0		

PQ File – Section G

pq7260 G20a: Partner drinks tea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2742	83.2	84.5	84.5
	2 No	502	15.2	15.5	100.0
	Total	3244	98.4	100.0	
Missing	-1 No response	53	1.6		
Total		3297	100.0		

pq7261 G20b: Number of cups of tea partner drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	22	.7	.8	.8
	1	408	12.4	14.9	15.7
	2	522	15.8	19.1	34.8
	3	495	15.0	18.1	52.9
	4	470	14.3	17.2	70.1
	5	247	7.5	9.0	79.2
	6	244	7.4	8.9	88.1
	7	63	1.9	2.3	90.4
	8	115	3.5	4.2	94.6
	9	5	.2	.2	94.8
	10	94	2.9	3.4	98.2
	11	1	.0	.0	98.2
	12	17	.5	.6	98.9
	14	1	.0	.0	98.9
	15	6	.2	.2	99.1
	20	4	.1	.1	99.3
	30	1	.0	.0	99.3
	97 Occasional	19	.6	.7	100.0
	Total	2734	82.9	100.0	
Missing	-1 No response	563	17.1		
Total		3297	100.0		

pq7262 G20c: Number of spoons of sugar partner has in each cup of tea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1907	57.8	71.5	71.5
	1	498	15.1	18.7	90.2
	2	238	7.2	8.9	99.1
	3	19	.6	.7	99.8
	4	2	.1	.1	99.9
	5	1	.0	.0	99.9
	6	1	.0	.0	100.0
	8	1	.0	.0	100.0
	Total	2667	80.9	100.0	
Missing	-1 No response	630	19.1		
Total		3297	100.0		

PQ File – Section G

pq7263 G20d: Number of cups of decaffeinated tea partner drinks per day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2442	74.1	93.0	93.0
	1	50	1.5	1.9	94.9
	2	38	1.2	1.4	96.4
	3	23	.7	.9	97.3
	4	33	1.0	1.3	98.5
	5	17	.5	.6	99.2
	6	10	.3	.4	99.5
	8	7	.2	.3	99.8
	10	4	.1	.2	100.0
	15	1	.0	.0	100.0
	Total	2625	79.6	100.0	
Missing	-1 No response	672	20.4		
Total		3297	100.0		

pq7264 G20e: Partner takes milk in tea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	2556	77.5	93.5	93.5
	2 Yes, sometimes	57	1.7	2.1	95.6
	3 No	120	3.6	4.4	100.0
	Total	2733	82.9	100.0	
Missing	-1 No response	564	17.1		
Total		3297	100.0		

PQ File – Section G

pq7270 G21a: Partner drinks coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2711	82.2	83.8	83.8
	2 No	523	15.9	16.2	100.0
	Total	3234	98.1	100.0	
Missing	-1 No response	63	1.9		
Total		3297	100.0		

pq7271 G21b: Number of cups of coffee partner drinks in a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	40	1.2	1.5	1.5
	1	621	18.8	22.9	24.4
	2	589	17.9	21.7	46.1
	3	429	13.0	15.8	62.0
	4	417	12.6	15.4	77.3
	5	218	6.6	8.0	85.4
	6	179	5.4	6.6	92.0
	7	44	1.3	1.6	93.6
	8	55	1.7	2.0	95.6
	9	4	.1	.1	95.8
	10	52	1.6	1.9	97.7
	12	6	.2	.2	97.9
	14	1	.0	.0	98.0
	15	3	.1	.1	98.1
	20	2	.1	.1	98.2
	97 Occasional	50	1.5	1.8	100.0
	Total	2710	82.2	100.0	
Missing	-1 No response	587	17.8		
Total		3297	100.0		

pq7272 G21c: Number of spoons of sugar partner has in each cup of coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1779	54.0	65.8	65.8
	1	638	19.4	23.6	89.4
	2	273	8.3	10.1	99.4
	3	12	.4	.4	99.9
	5	1	.0	.0	99.9
	6	2	.1	.1	100.0
	Total	2705	82.0	100.0	
Missing	-1 No response	592	18.0		
Total		3297	100.0		

PQ File – Section G

pq7273 G21d: Number of cups of decaffeinated coffee partner drinks a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2090	63.4	78.2	78.2
	1	249	7.6	9.3	87.5
	2	139	4.2	5.2	92.7
	3	80	2.4	3.0	95.7
	4	50	1.5	1.9	97.5
	5	23	.7	.9	98.4
	6	17	.5	.6	99.0
	7	7	.2	.3	99.3
	8	4	.1	.1	99.4
	9	1	.0	.0	99.5
	10	8	.2	.3	99.8
	12	2	.1	.1	99.9
	90 All	1	.0	.0	99.9
	97 Occasional	3	.1	.1	100.0
	Total	2674	81.1	100.0	
Missing	-1 No response	623	18.9		
Total		3297	100.0		

pq7274 G21e: Number of cups of real coffee partner drinks a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1736	52.7	65.3	65.3
	1	494	15.0	18.6	83.8
	2	219	6.6	8.2	92.1
	3	83	2.5	3.1	95.2
	4	61	1.9	2.3	97.5
	5	18	.5	.7	98.2
	6	10	.3	.4	98.5
	7	3	.1	.1	98.6
	8	7	.2	.3	98.9
	10	3	.1	.1	99.0
	15	1	.0	.0	99.1
	90 All	2	.1	.1	99.1
	97 Occasional	23	.7	.9	100.0
	Total	2660	80.7	100.0	
Missing	-1 No response	637	19.3		
Total		3297	100.0		

PQ File – Section G

pq7275 G21f: Number of cups of decaffeinated real coffee partner drinks a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2421	73.4	94.1	94.1
	1	80	2.4	3.1	97.2
	2	32	1.0	1.2	98.5
	3	17	.5	.7	99.1
	4	9	.3	.3	99.5
	5	5	.2	.2	99.7
	6	2	.1	.1	99.8
	7	1	.0	.0	99.8
	8	2	.1	.1	99.9
	10	1	.0	.0	99.9
	90 All	1	.0	.0	100.0
	97 Occasional	1	.0	.0	100.0
	Total	2572	78.0	100.0	
Missing	-1 No response	725	22.0		
Total		3297	100.0		

pq7276 G21g: Partner takes milk in coffee

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes usually	2131	64.6	78.1	78.1
	2 Yes, sometimes	185	5.6	6.8	84.9
	3 No	413	12.5	15.1	100.0
	Total	2729	82.8	100.0	
Missing	-1 No response	568	17.2		
Total		3297	100.0		

PQ File – Section G

pq7280 G22a1: Number of half pints of beer, lager or cider partner drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1306	39.6	59.4	59.4
	1	289	8.8	13.1	72.6
	2	286	8.7	13.0	85.6
	3	48	1.5	2.2	87.8
	4	150	4.5	6.8	94.6
	5	8	.2	.4	94.9
	6	57	1.7	2.6	97.5
	8	29	.9	1.3	98.9
	10	14	.4	.6	99.5
	11	1	.0	.0	99.5
	12	8	.2	.4	99.9
	14	1	.0	.0	100.0
	20	1	.0	.0	100.0
	Total	2198	66.7	100.0	
Missing	-9 Don't know	6	.2		
	-1 No response	1093	33.2		
	Total	1099	33.3		
Total		3297	100.0		

pq7281 G22a1: Number of half pints of beer, lager or cider partner drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1308	39.7	60.3	60.3
	1	257	7.8	11.8	72.2
	2	288	8.7	13.3	85.4
	3	40	1.2	1.8	87.3
	4	149	4.5	6.9	94.1
	5	12	.4	.6	94.7
	6	51	1.5	2.4	97.0
	7	3	.1	.1	97.2
	8	34	1.0	1.6	98.8
	10	14	.4	.6	99.4
	11	1	.0	.0	99.4
	12	8	.2	.4	99.8
	14	2	.1	.1	99.9
	16	1	.0	.0	100.0
	20	1	.0	.0	100.0
	Total	2169	65.8	100.0	
Missing	-9 Don't know	9	.3		
	-1 No response	1119	33.9		
	Total	1128	34.2		
Total		3297	100.0		

PQ File – Section G

pq7282 G22a1: Number of half pints of beer, lager or cider partner drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1282	38.9	58.8	58.8
	1	266	8.1	12.2	71.0
	2	276	8.4	12.7	83.7
	3	57	1.7	2.6	86.3
	4	144	4.4	6.6	92.9
	5	9	.3	.4	93.3
	6	64	1.9	2.9	96.2
	7	3	.1	.1	96.4
	8	41	1.2	1.9	98.3
	9	1	.0	.0	98.3
	10	25	.8	1.1	99.4
	11	1	.0	.0	99.5
	12	7	.2	.3	99.8
	14	2	.1	.1	99.9
	20	1	.0	.0	100.0
	30	1	.0	.0	100.0
	Total	2180	66.1	100.0	
Missing	-9 Don't know	5	.2		
	-1 No response	1112	33.7		
	Total	1117	33.9		
Total		3297	100.0		

pq7283 G22a1: Number of half pints of beer, lager or cider partner drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1257	38.1	57.6	57.6
	1	257	7.8	11.8	69.4
	2	306	9.3	14.0	83.4
	3	54	1.6	2.5	85.8
	4	170	5.2	7.8	93.6
	5	16	.5	.7	94.4
	6	59	1.8	2.7	97.1
	8	30	.9	1.4	98.4
	9	2	.1	.1	98.5
	10	18	.5	.8	99.4
	11	1	.0	.0	99.4
	12	10	.3	.5	99.9
	16	1	.0	.0	99.9
	20	1	.0	.0	100.0
	24	1	.0	.0	100.0
	Total	2183	66.2	100.0	
Missing	-9 Don't know	8	.2		
	-1 No response	1106	33.5		
	Total	1114	33.8		
Total		3297	100.0		

PQ File – Section G

pq7284 G22a1: Number of half pints of beer, lager or cider partner drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	991	30.1	41.6	41.6
	1	282	8.6	11.8	53.4
	2	362	11.0	15.2	68.6
	3	95	2.9	4.0	72.6
	4	284	8.6	11.9	84.5
	5	33	1.0	1.4	85.9
	6	138	4.2	5.8	91.7
	7	4	.1	.2	91.8
	8	91	2.8	3.8	95.6
	9	3	.1	.1	95.8
	10	45	1.4	1.9	97.7
	12	32	1.0	1.3	99.0
	13	2	.1	.1	99.1
	14	8	.2	.3	99.4
	15	1	.0	.0	99.5
	16	6	.2	.3	99.7
	18	2	.1	.1	99.8
	20	5	.2	.2	100.0
	Total	2384	72.3	100.0	
Missing	-9 Don't know	9	.3		
	-1 No response	904	27.4		
	Total	913	27.7		
Total		3297	100.0		

PQ File – Section G

pq7285 G22a1: Number of half pints of beer, lager or cider partner drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	882	26.8	35.6	35.6
	1	320	9.7	12.9	48.4
	2	445	13.5	17.9	66.4
	3	108	3.3	4.4	70.7
	4	294	8.9	11.9	82.6
	5	33	1.0	1.3	83.9
	6	156	4.7	6.3	90.2
	7	9	.3	.4	90.6
	8	101	3.1	4.1	94.6
	9	1	.0	.0	94.7
	10	70	2.1	2.8	97.5
	11	2	.1	.1	97.6
	12	30	.9	1.2	98.8
	13	1	.0	.0	98.8
	14	10	.3	.4	99.2
	16	9	.3	.4	99.6
	18	1	.0	.0	99.6
	20	7	.2	.3	99.9
	25	1	.0	.0	100.0
	26	1	.0	.0	100.0
	Total	2481	75.3	100.0	
Missing	-9 Don't know	16	.5		
	-1 No response	800	24.3		
	Total	816	24.7		
Total		3297	100.0		

pq7286 G22a1: Number of half pints of beer, lager or cider partner drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1152	34.9	51.6	51.6
	1	243	7.4	10.9	62.5
	2	360	10.9	16.1	78.6
	3	74	2.2	3.3	81.9
	4	192	5.8	8.6	90.5
	5	22	.7	1.0	91.5
	6	87	2.6	3.9	95.4
	8	50	1.5	2.2	97.7
	9	1	.0	.0	97.7
	10	35	1.1	1.6	99.3
	11	3	.1	.1	99.4
	12	6	.2	.3	99.7
	14	1	.0	.0	99.7
	16	2	.1	.1	99.8
	20	4	.1	.2	100.0
	Total	2232	67.7	100.0	
Missing	-9 Don't know	5	.2		
	-1 No response	1060	32.2		
	Total	1065	32.3		
Total		3297	100.0		

PQ File – Section G

pq7290 G22a2: Number of glasses of wine partner drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1396	42.3	70.5	70.5
	1	224	6.8	11.3	81.8
	2	220	6.7	11.1	92.9
	3	83	2.5	4.2	97.1
	4	38	1.2	1.9	99.0
	5	11	.3	.6	99.6
	6	8	.2	.4	100.0
	Total	1980	60.1	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	1313	39.8		
	Total	1317	39.9		
Total		3297	100.0		

pq7291 G22a2: Number of glasses of wine partner drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1360	41.2	67.7	67.7
	1	213	6.5	10.6	78.3
	2	263	8.0	13.1	91.3
	3	106	3.2	5.3	96.6
	4	45	1.4	2.2	98.9
	5	9	.3	.4	99.3
	6	13	.4	.6	100.0
	12	1	.0	.0	100.0
	Total	2010	61.0	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	1283	38.9		
	Total	1287	39.0		
Total		3297	100.0		

pq7292 G22a2: Number of glasses of wine partner drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1341	40.7	66.8	66.8
	1	205	6.2	10.2	77.1
	2	260	7.9	13.0	90.0
	3	124	3.8	6.2	96.2
	4	49	1.5	2.4	98.7
	5	10	.3	.5	99.2
	6	14	.4	.7	99.9
	8	2	.1	.1	100.0
	10	1	.0	.0	100.0
	Total	2006	60.8	100.0	
Missing	-9 Don't know	5	.2		
	-1 No response	1286	39.0		
	Total	1291	39.2		
Total		3297	100.0		

PQ File – Section G

pq7293 G22a2: Number of glasses of wine partner drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1354	41.1	67.5	67.5
	1	195	5.9	9.7	77.3
	2	257	7.8	12.8	90.1
	3	118	3.6	5.9	96.0
	4	49	1.5	2.4	98.4
	5	11	.3	.5	99.0
	6	16	.5	.8	99.8
	7	1	.0	.0	99.8
	8	1	.0	.0	99.9
	10	2	.1	.1	100.0
	12	1	.0	.0	100.0
	Total	2005	60.8	100.0	
Missing	-9 Don't know	8	.2		
	-1 No response	1284	38.9		
	Total	1292	39.2		
Total		3297	100.0		

pq7294 G22a2: Number of glasses of wine partner drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1232	37.4	57.7	57.7
	1	186	5.6	8.7	66.4
	2	349	10.6	16.3	82.8
	3	196	5.9	9.2	91.9
	4	105	3.2	4.9	96.9
	5	25	.8	1.2	98.0
	6	30	.9	1.4	99.4
	7	3	.1	.1	99.6
	8	3	.1	.1	99.7
	9	2	.1	.1	99.8
	10	3	.1	.1	100.0
	12	1	.0	.0	100.0
	Total	2135	64.8	100.0	
Missing	-9 Don't know	6	.2		
	-1 No response	1156	35.1		
	Total	1162	35.2		
Total		3297	100.0		

PQ File – Section G

pq7295 G22a2: Number of glasses of wine partner drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1100	33.4	48.5	48.5
	1	216	6.6	9.5	58.1
	2	432	13.1	19.1	77.1
	3	237	7.2	10.5	87.6
	4	157	4.8	6.9	94.5
	5	48	1.5	2.1	96.6
	6	60	1.8	2.6	99.3
	7	2	.1	.1	99.4
	8	4	.1	.2	99.6
	9	2	.1	.1	99.6
	10	6	.2	.3	99.9
	12	1	.0	.0	100.0
	97 Sometimes/occasionally	1	.0	.0	100.0
	Total	2266	68.7	100.0	
Missing	-9 Don't know	10	.3		
	-1 No response	1021	31.0		
	Total	1031	31.3		
Total		3297	100.0		

pq7296 G22a2: Number of glasses of wine partner drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1172	35.5	53.4	53.4
	1	262	7.9	11.9	65.4
	2	404	12.3	18.4	83.8
	3	216	6.6	9.8	93.7
	4	86	2.6	3.9	97.6
	5	20	.6	.9	98.5
	6	25	.8	1.1	99.6
	7	2	.1	.1	99.7
	8	3	.1	.1	99.9
	9	1	.0	.0	99.9
	10	1	.0	.0	100.0
	12	1	.0	.0	100.0
	Total	2193	66.5	100.0	
Missing	-9 Don't know	7	.2		
	-1 No response	1097	33.3		
	Total	1104	33.5		
Total		3297	100.0		

PQ File – Section G

pq7300 G22a3: Number of pub measures of spirits partner drank last Monday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1621	49.2	92.2	92.2
1	66	2.0	3.8	95.9
2	43	1.3	2.4	98.4
3	10	.3	.6	98.9
4	10	.3	.6	99.5
6	5	.2	.3	99.8
8	1	.0	.1	99.8
10	2	.1	.1	99.9
12	1	.0	.1	100.0
Total	1759	53.4	100.0	
Missing -9 Don't know	1	.0		
-1 No response	1537	46.6		
Total	1538	46.6		
Total	3297	100.0		

pq7301 G22a3: Number of pub measures of spirits partner drank last Tuesday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1597	48.4	90.4	90.4
1	94	2.9	5.3	95.7
2	45	1.4	2.5	98.2
3	11	.3	.6	98.9
4	12	.4	.7	99.5
6	5	.2	.3	99.8
8	1	.0	.1	99.9
10	1	.0	.1	99.9
12	1	.0	.1	100.0
Total	1767	53.6	100.0	
Missing -1 No response	1530	46.4		
Total	3297	100.0		

pq7302 G22a3: Number of pub measures of spirits partner drank last Wednesday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1604	48.7	90.2	90.2
1	82	2.5	4.6	94.8
2	59	1.8	3.3	98.1
3	14	.4	.8	98.9
4	10	.3	.6	99.5
5	1	.0	.1	99.6
6	4	.1	.2	99.8
8	1	.0	.1	99.8
10	2	.1	.1	99.9
16	1	.0	.1	100.0
Total	1778	53.9	100.0	
Missing -9 Don't know	1	.0		
-1 No response	1518	46.0		
Total	1519	46.1		
Total	3297	100.0		

PQ File – Section G

pq7303 G22a3: Number of pub measures of spirits partner drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1583	48.0	89.4	89.4
	1	93	2.8	5.3	94.7
	2	56	1.7	3.2	97.9
	3	11	.3	.6	98.5
	4	13	.4	.7	99.2
	5	2	.1	.1	99.3
	6	4	.1	.2	99.5
	8	4	.1	.2	99.8
	9	1	.0	.1	99.8
	10	2	.1	.1	99.9
	12	1	.0	.1	100.0
	Total	1770	53.7	100.0	
Missing	-1 No response	1527	46.3		
Total		3297	100.0		

pq7304 G22a3: Number of pub measures of spirits partner drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1552	47.1	85.9	85.9
	1	99	3.0	5.5	91.4
	2	77	2.3	4.3	95.6
	3	27	.8	1.5	97.1
	4	29	.9	1.6	98.7
	5	2	.1	.1	98.8
	6	13	.4	.7	99.6
	7	1	.0	.1	99.6
	8	1	.0	.1	99.7
	10	4	.1	.2	99.9
	12	1	.0	.1	99.9
	14	1	.0	.1	100.0
	Total	1807	54.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1489	45.2		
	Total	1490	45.2		
Total		3297	100.0		

PQ File – Section G

pq7305 G22a3: Number of pub measures of spirits partner drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1525	46.3	83.3	83.3
	1	116	3.5	6.3	89.7
	2	107	3.2	5.8	95.5
	3	20	.6	1.1	96.6
	4	31	.9	1.7	98.3
	5	3	.1	.2	98.5
	6	18	.5	1.0	99.5
	7	1	.0	.1	99.5
	8	4	.1	.2	99.7
	10	5	.2	.3	100.0
	Total	1830	55.5	100.0	
Missing	-1 No response	1467	44.5		
Total		3297	100.0		

pq7306 G22a3: Number of pub measures of spirits partner drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1558	47.3	87.5	87.5
	1	117	3.5	6.6	94.0
	2	59	1.8	3.3	97.4
	3	12	.4	.7	98.0
	4	22	.7	1.2	99.3
	6	7	.2	.4	99.7
	8	1	.0	.1	99.7
	10	4	.1	.2	99.9
	12	1	.0	.1	100.0
	Total	1781	54.0	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	1515	46.0		
	Total	1516	46.0		
Total		3297	100.0		

PQ File – Section G

pq7310 G22a4: Number of pub measures of Martini, sherry, port or other fortified wine partner drank last Monday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1668	50.6	98.4	98.4
	1	19	.6	1.1	99.5
	2	5	.2	.3	99.8
	3	2	.1	.1	99.9
	14	1	.0	.1	100.0
	Total	1695	51.4	100.0	
Missing	-1 No response	1602	48.6		
Total		3297	100.0		

pq7311 G22a4: Number of pub measures of Martini, sherry, port or other fortified wine partner drank last Tuesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1661	50.4	98.3	98.3
	1	20	.6	1.2	99.5
	2	6	.2	.4	99.9
	3	1	.0	.1	99.9
	10	1	.0	.1	100.0
	Total	1689	51.2	100.0	
Missing	-1 No response	1608	48.8		
Total		3297	100.0		

pq7312 G22a4: Number of pub measures of Martini, sherry, port or other fortified wine partner drank last Wednesday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1665	50.5	98.6	98.6
	1	17	.5	1.0	99.6
	2	5	.2	.3	99.9
	14	1	.0	.1	100.0
	Total	1688	51.2	100.0	
Missing	-1 No response	1609	48.8		
Total		3297	100.0		

pq7313 G22a4: Number of pub measures of Martini, sherry, port or other fortified wine partner drank last Thursday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1660	50.3	98.5	98.5
	1	17	.5	1.0	99.5
	2	6	.2	.4	99.9
	4	1	.0	.1	99.9
	10	1	.0	.1	100.0
	Total	1685	51.1	100.0	
Missing	-1 No response	1612	48.9		
Total		3297	100.0		

PQ File – Section G

pq7314 G22a4: Number of pub measures of Martini, sherry, port or other fortified wine partner drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1653	50.1	97.5	97.5
	1	29	.9	1.7	99.2
	2	8	.2	.5	99.7
	3	3	.1	.2	99.9
	10	1	.0	.1	99.9
	14	1	.0	.1	100.0
	Total	1695	51.4	100.0	
Missing	-1 No response	1602	48.6		
Total		3297	100.0		

pq7315 G22a4: Number of pub measures of Martini, sherry, port or other fortified wine partner drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1642	49.8	96.8	96.8
	1	39	1.2	2.3	99.1
	2	11	.3	.6	99.7
	3	3	.1	.2	99.9
	6	1	.0	.1	99.9
	10	1	.0	.1	100.0
	Total	1697	51.5	100.0	
Missing	-1 No response	1600	48.5		
Total		3297	100.0		

pq7316 G22a4: Number of pub measures of Martini, sherry, port or other fortified wine partner drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1643	49.8	96.9	96.9
	1	41	1.2	2.4	99.3
	2	10	.3	.6	99.9
	4	1	.0	.1	99.9
	10	1	.0	.1	100.0
	Total	1696	51.4	100.0	
Missing	-1 No response	1601	48.6		
Total		3297	100.0		

PQ File – Section G

pq7320 G22a5: Number of bottles of ready-mixed drinks partner drank last Monday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1681	51.0	99.5	99.5
1	7	.2	.4	99.9
8	1	.0	.1	100.0
Total	1689	51.2	100.0	
Missing -1 No response	1608	48.8		
Total	3297	100.0		

pq7321 G22a5: Number of bottles of ready-mixed drinks partner drank last Tuesday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1673	50.7	99.1	99.1
1	11	.3	.7	99.7
2	5	.2	.3	100.0
Total	1689	51.2	100.0	
Missing -1 No response	1608	48.8		
Total	3297	100.0		

pq7322 G22a5: Number of bottles of ready-mixed drinks partner drank last Wednesday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1677	50.9	99.5	99.5
1	6	.2	.4	99.9
2	2	.1	.1	100.0
Total	1685	51.1	100.0	
Missing -1 No response	1612	48.9		
Total	3297	100.0		

pq7323 G22a5: Number of bottles of ready-mixed drinks partner drank last Thursday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1680	51.0	99.6	99.6
1	6	.2	.4	99.9
2	1	.0	.1	100.0
Total	1687	51.2	100.0	
Missing -1 No response	1610	48.8		
Total	3297	100.0		

PQ File – Section G

pq7324 G22a5: Number of bottles of ready-mixed drinks partner drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1668	50.6	99.0	99.0
	1	8	.2	.5	99.5
	2	3	.1	.2	99.7
	4	1	.0	.1	99.8
	5	2	.1	.1	99.9
	6	1	.0	.1	99.9
	8	1	.0	.1	100.0
	Total	1684	51.1	100.0	
Missing	-1 No response	1613	48.9		
Total		3297	100.0		

pq7325 G22a5: Number of bottles of ready-mixed drinks partner drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1663	50.4	98.3	98.3
	1	13	.4	.8	99.1
	2	9	.3	.5	99.6
	3	1	.0	.1	99.7
	4	1	.0	.1	99.8
	6	1	.0	.1	99.8
	8	1	.0	.1	99.9
	10	2	.1	.1	100.0
	Total	1691	51.3	100.0	
Missing	-1 No response	1606	48.7		
Total		3297	100.0		

pq7326 G22a5: Number of bottles of ready-mixed drinks partner drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1666	50.5	99.2	99.2
	1	8	.2	.5	99.7
	2	2	.1	.1	99.8
	3	1	.0	.1	99.9
	4	1	.0	.1	99.9
	6	1	.0	.1	100.0
	Total	1679	50.9	100.0	
Missing	-1 No response	1618	49.1		
Total		3297	100.0		

PQ File – Section G

pq7330 G22a6: Number of glasses or measures of other alcoholic drinks partner drank last Monday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1673	50.7	99.9	99.9
1	1	.0	.1	99.9
3	1	.0	.1	100.0
Total	1675	50.8	100.0	
Missing -9 Don't know	1	.0		
-1 No response	1621	49.2		
Total	1622	49.2		
Total	3297	100.0		

pq7331 G22a6: Number of glasses or measures of other alcoholic drinks partner drank last Tuesday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1666	50.5	99.8	99.8
1	2	.1	.1	99.9
4	1	.0	.1	99.9
7	1	.0	.1	100.0
Total	1670	50.7	100.0	
Missing -9 Don't know	1	.0		
-1 No response	1626	49.3		
Total	1627	49.3		
Total	3297	100.0		

pq7332 G22a6: Number of glasses or measures of other alcoholic drinks partner drank last Wednesday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1668	50.6	99.8	99.8
1	2	.1	.1	99.9
2	2	.1	.1	100.0
Total	1672	50.7	100.0	
Missing -1 No response	1625	49.3		
Total	3297	100.0		

pq7333 G22a6: Number of glasses or measures of other alcoholic drinks partner drank last Thursday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1662	50.4	99.5	99.5
1	5	.2	.3	99.8
2	1	.0	.1	99.8
3	2	.1	.1	99.9
4	1	.0	.1	100.0
Total	1671	50.7	100.0	
Missing -1 No response	1626	49.3		
Total	3297	100.0		

PQ File – Section G

**pq7334 G22a6: Number of glasses or measures of other alcoholic drinks
partner drank last Friday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1662	50.4	99.6	99.6
	1	4	.1	.2	99.9
	3	1	.0	.1	99.9
	6	1	.0	.1	100.0
	Total	1668	50.6	100.0	
Missing	-1 No response	1629	49.4		
Total		3297	100.0		

**pq7335 G22a6: Number of glasses or measures of other alcoholic drinks
partner drank last Saturday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1662	50.4	99.5	99.5
	1	4	.1	.2	99.8
	2	2	.1	.1	99.9
	3	1	.0	.1	99.9
	4	1	.0	.1	100.0
	Total	1670	50.7	100.0	
Missing	-1 No response	1627	49.3		
Total		3297	100.0		

**pq7336 G22a6: Number of glasses or measures of other alcoholic drinks
partner drank last Sunday**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1659	50.3	99.5	99.5
	1	6	.2	.4	99.8
	2	3	.1	.2	100.0
	Total	1668	50.6	100.0	
Missing	-1 No response	1629	49.4		
Total		3297	100.0		

PQ File – Section G

pq7340 G22a7: Number of glasses or half pints of low alcohol drinks partner drank last Monday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1664	50.5	99.5	99.5
1	5	.2	.3	99.8
2	3	.1	.2	100.0
Total	1672	50.7	100.0	
Missing -1 No response	1625	49.3		
Total	3297	100.0		

pq7341 G22a7: Number of glasses or half pints of low alcohol drinks partner drank last Tuesday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1656	50.2	99.6	99.6
1	6	.2	.4	99.9
2	1	.0	.1	100.0
Total	1663	50.4	100.0	
Missing -1 No response	1634	49.6		
Total	3297	100.0		

pq7342 G22a7: Number of glasses or half pints of low alcohol drinks partner drank last Wednesday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1658	50.3	99.6	99.6
1	6	.2	.4	99.9
2	1	.0	.1	100.0
Total	1665	50.5	100.0	
Missing -1 No response	1632	49.5		
Total	3297	100.0		

pq7343 G22a7: Number of glasses or half pints of low alcohol drinks partner drank last Thursday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1657	50.3	99.5	99.5
1	4	.1	.2	99.8
2	2	.1	.1	99.9
3	1	.0	.1	99.9
8	1	.0	.1	100.0
Total	1665	50.5	100.0	
Missing -1 No response	1632	49.5		
Total	3297	100.0		

PQ File – Section G

pq7344 G22a7: Number of glasses or half pints of low alcohol drinks partner drank last Friday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1657	50.3	99.6	99.6
	1	1	.0	.1	99.7
	2	3	.1	.2	99.9
	3	1	.0	.1	99.9
	4	1	.0	.1	100.0
	Total	1663	50.4	100.0	
Missing	-1 No response	1634	49.6		
Total		3297	100.0		

pq7345 G22a7: Number of glasses or half pints of low alcohol drinks partner drank last Saturday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1653	50.1	99.4	99.4
	1	6	.2	.4	99.8
	2	1	.0	.1	99.8
	4	2	.1	.1	99.9
	6	1	.0	.1	100.0
	Total	1663	50.4	100.0	
Missing	-1 No response	1634	49.6		
Total		3297	100.0		

pq7346 G22a7: Number of glasses or half pints of low alcohol drinks partner drank last Sunday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1650	50.0	99.5	99.5
	1	5	.2	.3	99.8
	2	3	.1	.2	99.9
	4	1	.0	.1	100.0
	Total	1659	50.3	100.0	
Missing	-1 No response	1638	49.7		
Total		3297	100.0		

PQ File – Section G

pq7350 G22b: Last week was fairly typical of partner's alcohol drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	647	19.6	20.5	20.5
	2 Yes	2504	75.9	79.5	100.0
	Total	3151	95.6	100.0	
Missing	-1 No response	146	4.4		
Total		3297	100.0		

pq7351 G22c: Amount partner would normally drink in relation to last week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 More	148	4.5	22.8	22.8
	2 Less	502	15.2	77.2	100.0
	Total	650	19.7	100.0	
Missing	-1 No response	2647	80.3		
Total		3297	100.0		

PQ File – Section G

pq7360 G23: Frequency partner eats take-away foods or has meals out for the main meal of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	725	22.0	22.3	22.3
	2 1-3 times a month	1853	56.2	57.0	79.3
	3 1-2 times a week	616	18.7	18.9	98.2
	4 3-4 times a week	48	1.5	1.5	99.7
	5 5-7 times a week	9	.3	.3	100.0
	Total	3251	98.6	100.0	
Missing	-1 No response	46	1.4		
Total		3297	100.0		

pq7370 G24: Frequency partner eats oven/microwave ready or convenience meals for the main meal of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never or rarely	1713	52.0	52.7	52.7
	2 1-3 times a month	942	28.6	29.0	81.7
	3 1-2 times a week	502	15.2	15.4	97.1
	4 3-4 times a week	82	2.5	2.5	99.6
	5 5-7 times a week	12	.4	.4	100.0
	Total	3251	98.6	100.0	
Missing	-1 No response	46	1.4		
Total		3297	100.0		

pq7380 G25: Partner is a vegetarian

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	90	2.7	2.8	2.8
	2 No	3158	95.8	97.2	100.0
	Total	3248	98.5	100.0	
Missing	-1 No response	49	1.5		
Total		3297	100.0		

pq7390 G26: Partner is a vegan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4	.1	.1	.1
	2 No	3246	98.5	99.9	100.0
	Total	3250	98.6	100.0	
Missing	-1 No response	47	1.4		
Total		3297	100.0		

pq7400 G27: Partner is on another kind of special diet

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	146	4.4	4.5	4.5
	2 No	3083	93.5	95.5	100.0
	Total	3229	97.9	100.0	
Missing	-1 No response	68	2.1		
Total		3297	100.0		

PAGE 55 OF THE QUESTIONNAIRE

SECTION H: YOUR ENVIRONMENT

H1. a) Do you have a mobile phone (i.e. one that can be used away from home)?

Yes

No

→ Go to H2 below

If yes,

b) how often do you use it to make calls?

at least once a day

4-6 times a week

1-3 times a week

less than once a week

c) how often do people ring you on it?

at least once a day

4-6 times a week

1-3 times a week

less than once a week

H2. How often during the day are you in a room or enclosed place where people are smoking?

**(i)
weekdays****(ii)
weekends**

all the time

more than 5 hours

3-5 hours

1-2 hours

less than 1 hour

not at all

H3. Do you tend to collect static electricity and have shocks when you touch metal?

Yes a lot

Yes occasionally

No, not at all

PQ File – Section H

pq8000 H1a: Partner has a mobile phone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3005	91.1	92.5	92.5
	2 No	245	7.4	7.5	100.0
	Total	3250	98.6	100.0	
Missing	-1 No response	47	1.4		
Total		3297	100.0		

pq8001 H1b: Frequency partner uses mobile phone to make calls

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 >= once a day	1631	49.5	54.3	54.3
	2 4-6 times a week	383	11.6	12.8	67.1
	3 1-3 times a week	477	14.5	15.9	83.0
	4 < once a week	510	15.5	17.0	100.0
	Total	3001	91.0	100.0	
Missing	-1 No response	296	9.0		
Total		3297	100.0		

pq8002 H1c: Frequency people ring partner on mobile phone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 >= once a day	1567	47.5	52.3	52.3
	2 4-6 times a week	374	11.3	12.5	64.7
	3 1-3 times a week	498	15.1	16.6	81.4
	4 < once a week	559	17.0	18.6	100.0
	Total	2998	90.9	100.0	
Missing	-1 No response	299	9.1		
Total		3297	100.0		

PQ File – Section H

pq8010 H2i: Length of time during each weekday partner is in a room or enclosed place where people are smoking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	68	2.1	2.1	2.1
	2 >5 hours	52	1.6	1.6	3.7
	3 3-5 hours	124	3.8	3.9	7.6
	4 1-2 hours	218	6.6	6.8	14.4
	5 <1 hour	686	20.8	21.4	35.8
	6 Not at all	2057	62.4	64.2	100.0
	Total	3205	97.2	100.0	
Missing	-1 No response	92	2.8		
Total		3297	100.0		

pq8011 H2ii: Length of time during each weekend day partner is in a room or enclosed place where people are smoking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	56	1.7	1.8	1.8
	2 >5 hours	67	2.0	2.1	3.9
	3 3-5 hours	195	5.9	6.2	10.1
	4 1-2 hours	357	10.8	11.3	21.4
	5 <1 hour	711	21.6	22.5	43.8
	6 Not at all	1775	53.8	56.2	100.0
	Total	3161	95.9	100.0	
Missing	-1 No response	136	4.1		
Total		3297	100.0		

pq8020 H3: Partner tends to collect static electricity and has shocks when touching metal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes a lot	297	9.0	9.2	9.2
	2 Yes occasionally	2089	63.4	64.4	73.6
	3 No, not at all	858	26.0	26.4	100.0
	Total	3244	98.4	100.0	
Missing	-1 No response	53	1.6		
Total		3297	100.0		

PAGE 56 OF THE QUESTIONNAIRE

SECTION J:

J1. This questionnaire was completed by:

- Yes**
- a) child's biological father 1
- b) child's father figure 1
- c) someone else
(please tick and describe) 1

[Editing: If all 3 parts had value -1 then they were set to -5, otherwise values of -1 were recoded to 2 "no".]

pq9980 J1a: Questionnaire completed by child's biological father

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3070	93.1	94.1	94.1
2 No	193	5.9	5.9	100.0
Total	3263	99.0	100.0	
Missing -5 Question J1 omitted	34	1.0		
Total	3297	100.0		

pq9981 J1b: Questionnaire completed by child's father figure

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	175	5.3	5.4	5.4
2 No	3088	93.7	94.6	100.0
Total	3263	99.0	100.0	
Missing -5 Question J1 omitted	34	1.0		
Total	3297	100.0		

pq9982 J1c: Questionnaire completed by someone else

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	38	1.2	1.2	1.2
2 No	3225	97.8	98.8	100.0
Total	3263	99.0	100.0	
Missing -5 Question J1 omitted	34	1.0		
Total	3297	100.0		

Derived VariablesNumber of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question J1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

pq9984 DV: Number of contributors to questionnaire

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	3243	98.4	99.4	99.4
2	20	.6	.6	100.0
Total	3263	99.0	100.0	
Missing -5 Question J1 omitted	34	1.0		
Total	3297	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question J1. It is calculated by recoding values of 1 to powers of 2 (1, 2, and 4 for parts a to c respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

pq9985 DV: Questionnaire completed by...

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Biological father only	3051	92.5	93.5	93.5
2 Father figure only	157	4.8	4.8	98.3
3 Biological father & father figure	17	.5	.5	98.8
4 Other only	35	1.1	1.1	99.9
5 Biological father & other	2	.1	.1	100.0
6 Father figure & other	1	.0	.0	100.0
Total	3263	99.0	100.0	
Missing -5 Question J1 omitted	34	1.0		
Total	3297	100.0		

PQ File – Section J

J2. Do you live in the same house as the study child?

Yes

No

pq9989 J2: Respondent lives in the same house as the study child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3150	95.5	96.7	96.7
	2 No	100	3.0	3.1	99.8
	3 Sometimes/occasionally	8	.2	.2	100.0
	Total	3258	98.8	100.0	
Missing	-1 Not stated	39	1.2		
Total		3297	100.0		

PQ File – Section J

J3. Please give the date on which you completed this questionnaire:

day month year
 2 0 0

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable PQ9990c. The month and year of completion were retained on the built file, but the day was dropped.]

pg9990a J3: Date of completion of questionnaire - month

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 January	402	12.2	12.2	12.2
2 February	284	8.6	8.6	20.8
3 March	202	6.1	6.1	26.9
4 April	195	5.9	5.9	32.8
5 May	273	8.3	8.3	41.1
6 June	267	8.1	8.1	49.2
7 July	250	7.6	7.6	56.8
8 August	208	6.3	6.3	63.1
9 September	322	9.8	9.8	72.9
10 October	317	9.6	9.6	82.5
11 November	364	11.0	11.0	93.5
12 December	213	6.5	6.5	100.0
Total	3297	100.0	100.0	

pg9990b J3: Date of completion of questionnaire - year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2003	980	29.7	29.7	29.7
	2004	1909	57.9	57.9	87.6
	2005	403	12.2	12.2	99.8
	2006	4	.1	.1	100.0
	2007	1	.0	.0	100.0
	Total	3297	100.0	100.0	

pq9990c DV: Date of completion replaced with date of receipt


	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes, incomplete d.o.c.	48	1.5	1.5	1.5
3 Yes, d.o.c. < d.o.s.	16	.5	.5	1.9
4 Yes, d.o.c. > d.o.r.	26	.8	.8	2.7
5 No	3207	97.3	97.3	100.0
Total	3297	100.0	100.0	

Derived Variables - Age of Study Child at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

pq9991a DV: Age of study child at completion (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	143	1	.0	.0	.0
	144	2	.1	.1	.1
	145	2007	60.9	60.9	61.0
	146	738	22.4	22.4	83.3
	147	221	6.7	6.7	90.1
	148	126	3.8	3.8	93.9
	149	73	2.2	2.2	96.1
	150	38	1.2	1.2	97.2
	151	23	.7	.7	97.9
	152	15	.5	.5	98.4
	153	10	.3	.3	98.7
	154	11	.3	.3	99.0
	155	4	.1	.1	99.2
	156	6	.2	.2	99.3
	157	4	.1	.1	99.5
	158	4	.1	.1	99.6
	159	2	.1	.1	99.6
	160	2	.1	.1	99.7
	161	1	.0	.0	99.7
	162	1	.0	.0	99.8
	163	3	.1	.1	99.8
	166	1	.0	.0	99.9
	167	2	.1	.1	99.9
	171	1	.0	.0	100.0
	177	1	.0	.0	100.0
	Total	3297	100.0	100.0	

pq9991b DV: Age of study child at completion (weeks)

plus the following outliers < 630 or > 690:

pq9991b DV: Age of study child at completion (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	624	1	5.9	5.9	5.9
	627	1	5.9	5.9	11.8
	629	1	5.9	5.9	17.6
	691	1	5.9	5.9	23.5
	695	1	5.9	5.9	29.4
	696	1	5.9	5.9	35.3
	699	1	5.9	5.9	41.2
	702	1	5.9	5.9	47.1
	707	1	5.9	5.9	52.9
	709	1	5.9	5.9	58.8
	710	1	5.9	5.9	64.7
	711	1	5.9	5.9	70.6
	725	1	5.9	5.9	76.5
	726	1	5.9	5.9	82.4
	728	1	5.9	5.9	88.2
	745	1	5.9	5.9	94.1
	771	1	5.9	5.9	100.0
	Total	17	100.0	100.0	


J4. Please give your date of birth:

day		month		year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="1"/>	<input type="text" value="9"/>	<input type="text"/>	<input type="text"/>

[Editing: If the date of birth was not a valid date (e.g. 31st November), then the day & month were set to -1. If the year was missing then day and month were also set to -1. Otherwise, if a valid year was reported, values of -1 in day were recoded to 15 and in month to 6. This action was flagged in variable PQ9996b. The date of birth was not retained on the file.]

Derived Variables - Age of Respondent at Completion

The date of completion and the respondent's dates of birth were used to calculate the respondent's age at completion in completed years.

pq9996a DV: Age of respondent at completion of questionnaire (years)

plus the following missing values and outliers <26 or >72:

pq9996a DV: Age of respondent at completion of questionnaire (years)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18	1	2.2	25.0	25.0
	22	1	2.2	25.0	50.0
	76	1	2.2	25.0	75.0
	78	1	2.2	25.0	100.0
	Total	4	8.9	100.0	
Missing	-1 Missing date of birth	41	91.1		
Total		45	100.0		

pq9996b DV: Components of respondent's date of birth imputed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 None	3295	99.9	99.9	99.9
	2 Month	1	.0	.0	100.0
	3 Day & month	1	.0	.0	100.0
Total		3297	100.0	100.0	

J5. Please give your study child's date of birth:

day		month		year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	1	9	9	<input type="text"/>

[Editing: Note that this reported date of birth was not used.]

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comments you would like to make

NB Please remember we cannot reply to any comment unless you sign it.

When completed, please return the questionnaire to:

**Professor Jean Golding
Children of the Nineties - ALSPAC
Institute of Child Health
24 Tyndall Avenue
Bristol BS8 1BR Tel: Bristol 928 8793**

For office use only

Coder

Int

© University of Bristol

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow “Post-It” sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder’s responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder’s marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person’s work at regular intervals in order to strive for maximum accuracy.

PQ File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

PQ File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g. occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

PQ File – Appendix B

Coding instructions for first version (12/04/03) “Partner – about Me”

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the “Partner – About Me” replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires - 2nd revision" document.

In addition, make sure that any names or other identifiers of the respondent are obliterated.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 12/04/03.

If the questionnaire is all blank, e.g. the woman didn't want to fill in the form, write "BLANK" on the front cover and hand it to the supervisor.

Page 4		
Section A		
A1	8	
A2a to A2l	7	
Page 5		
A2m to A2w	7	
A2x	7	Please ensure that if something relevant is written in the "please describe" section in A2x, that the previous boxes are ticked appropriately. If there is no tick, please code a zero in A2x to indicate positive information in this section.
A2y	7	As A2x
A3a to A3d	7	If the answer "once" is given with no tick, code as 5.
Page 6		
A4a	7	
A4b		To be coded separately. Please ensure that if something relevant is written in A4b, then A4a is ticked appropriately. If no indication of frequency is given, code A4a as zero.
A5	II	Draw two boxes here, similar to A6b opposite, on the top right hand side of the question. Count the number of items listed, and enter the count in the two boxes. If nothing listed, leave blank, but if they say none or "N/A", or 'not applicable', code "00".
A5 line 1 - 10		The given information is not being coded here.
Page 7		
A6a	I	
A6b	II	If a range is given, round up.
A6c	II	If a range is given, round up.
A6d to A6h	II	This should be the number of different nights they were in hospital for each admission. If less than one day is given, code as "00". Note that the reason is not being coded here.
A7a to A7j	7	

PQ File – Appendix B

Page 8		
A7k to u	7	
A7v	7	Please ensure that if something relevant is written in the “please describe” section in A7v, that the previous boxes are ticked appropriately. If there is no tick, please code a zero in A7v to indicate positive information in this section.
A8ai, ii	II, II	If a range is given, round up.
A8bi, ii	7	
Page 9		
A9a	7	
A9b	8	
A10a to f	II	Round fractions down. For part (c) cross out the ‘ft’ box and convert to inches if necessary.
Page 10 Section B		
B1	7	
B2	8	
B3	8	
Page 11		
B4	8	
B5	8	
B6	8	
Page 12		
B7	8	
B8	8	
Page 13 Section C		
C1a	I	
C1b	I	
C1c	II, II	Convert months into years and months if necessary. If answer given, ensure ‘yes’ is ticked in C1b
C1d	I	
C2	8	
Page 14		
C3a to u	7	
Page 15		
C3v to w	7	

PQ File – Appendix B

C3x	7	Please ensure that if something relevant is written in the "please describe" section, that a "yes" box is ticked. If there is no tick, code C3x as zero, to indicate information in the "please describe" area.
C4a to c	8	
C4d	7	
C4e	8	
C4f, g	7	
C4h	8	
Page 16		
C4i	7	
C4j to k	8	
C5ai, ii	II, II	If a range is given, round up.
C5bi, ii	7	
C6a	I	If "student" is given and no other indication of paid employment, code as "2".
C6bi, ii		Not being coded here.
C6c	I	
Page 17		
C6d, e	7	Code "evening work" or "twilight shift" as zero.
C6f	7	
C6gi	II	If a range is given, leave blank, move the answer into the max and min in C6gii. Round up fractions. Code >98 as 98.
C6gii "minimum"	II	If a range is given, round down.
C6gii "maximum"	II	If a range is given, round up. Code >98 as 98.
C6h	8	
Page 18		
C6i	8	
C7a to b	8	
C7c	7	
C7d	8	
C7e	7	
C7f	8	
C7g	7	
C7h	8	
C8a to g	I	If 2 and 3 are ticked, code as "2". If 3 and 4 are ticked, code as "4". If 'always', i.e. 1 or 5 plus another box are ticked, code for the 'always'. If both 1 and 5 are ticked, code as zero. Except that if the multiple ticks include 6, code as A.
Page 19		
C9a to d	I	If 2 and 3 are ticked, code as "2". If 3 and 4 are ticked, code as "4". If 'always', i.e. 1 or 5 plus another box are ticked, code for the 'always'. If both 1 and 5 are ticked, code as zero.

PQ File – Appendix B

C10a to g	8	
C11a	8	
Page 20		
C11b	8	
C12a	8	
C12b to f	1	If combinations 1 and 2, 2 and 3, or 1 and 3 are given, recode as "3".
Page 21		
C13a to e	7	
C13f	7	If a description is given here, please ensure that C13f is ticked. If it is not, please code C13f as zero, to indicate relevant information on the "please describe" line.
C14a, b	7	
Page 22		
C15a to f	7	
C16a	8	
Page 23		
C16b	7	
C17a, d, e, h, j, m,	8	
C17b, c, f, g, i, k, l,	7	
Page 24		
C17n, p, r, u, w, x	8	
C17 o, q, s, t, v	7	
Page 25		
Section D		
D1a		If name of substance and/or the frequency of use are stated, ensure there is a tick in the yes box. Bracket together the text of single items that take up 2 lines.
D1ai-ii		The name of the substance is not being coded here.
D1a How often.....?	7	If Yes is ticked and name given but no frequency box is ticked, code zero to indicate that the frequency is not given. If only 'Yes' is ticked i.e. substance is not stated, just leave it.
D1b-f		As D1a
Page 26 - 27		
D1g-o, p-x		As D1a
Page 28		
D1y-zd		As D1a
D1ze		There should be either a tick or a blank here.

PQ File – Appendix B

D2a-d	8	
Page 29		
D3a	Vitamin/brand name	The text answers on the dotted lines are not being coded here.
D3ai-iii	8	If a vitamin is mentioned, but there is no tick, code a zero alongside the appropriate line to indicate information has been written.
D3a	Vitamin/brand name	The text answers on the dotted lines are not being coded here.
D3ai-iii	8	If a vitamin is mentioned, but there is no tick, code a zero alongside the appropriate line to indicate information has been written. If a mixed supplement is written, e.g. multivit + iron, transfer to “Other” in part d).
D3bi-iii	Mineral supplements	As D3ai-iii. If a mineral supplement is mentioned, but there is no tick, code a zero alongside the appropriate line to indicate information has been written.
D3ci-iii	Oil supplements	As D3ai-iii. If an oil supplement is mentioned, but there is no tick, code a zero alongside the appropriate line to indicate information has been written.
D3di-iii	Other supplements	As D3ai-iii. If another supplement is mentioned, but there is no tick, code a zero alongside the appropriate line to indicate information has been written.
Page 30		
Section E		
E1a	I	
E1bi-iii		There should only be a tick or a blank here. If answer given, ensure ‘yes’ is ticked in E1a.
E1c	I	
E2a	I	
E2bi-iii	I	As E1bi-iii
E2c	I	
Page 31		
E3a	I	
E3bi-iii	I	As E1bi-iii
E3c	I	
E4a	I	
E4bi-ii	I	As E1bi-iii
E4c	I	
E5a	I	
Page 32		
E5bi-iii	I	As E1bi-iii

PQ File – Appendix B

E5c	I	
E6a	I	
E6bi-iii	I	As E1bi-iii
E6c	I	
E7a	I	
E7bi-iii	I	As E1bi-iii
E7c	I	
Page 33		
E8a	I	
E8bi-iii	I	As E1bi-iii
E8c	I	
E9a	I	
E9bi-iii	I	As E1bi-iii
E9c	I	
E10a	I	
Page 34		
E10bi-iii	I	As E1bi-iii
E10c	I	
E11a	I	
E11bi-iii	I	As E1bi-iii
E11c	I	
E11d		If there is relevant text here, ensure that ‘Yes’ is ticked in E11c. The text itself is not being coded here.
E12a	I	
E12bi-iii	I	As E1bi-iii
Page 35		
E12c	I	
E13a	I	
E13bi-iii	I	As E1bi-iii
E13c	I	
E14a	I	
E14bi-iii	I	As E1bi-iii
E14c	I	
E15a	I	
Page 36		
E15bi-iii	I	As E1bi-iii
E15c	I	
E16a	I	
E16bi-iii	I	As E1bi-iii
E16c	I	

PQ File – Appendix B

E16d		If there is relevant text here, ensure that ‘Yes’ is ticked in E16c. The text itself is not being coded here.
E17a	I	
E17bi-iii	I	As E1bi-iii
Page 37		
E17c	I	
E17d		If there is relevant text here, ensure that ‘Yes’ is ticked in E17c. The text itself is not being coded here.
E18a	I	
E18bi-iii	I	As E1bi-iii
E18c	I	
E19a	I	
E19bi-iii	I	As E1bi-iii
E19c	I	
E20a	I	
Page 38		
E20bi-iii	I	As E1bi-iii
E20c	I	
E21	7	
Page 39 Section F		
F1 - F2	7	
F3	I	
F4 - F7	7	
Page 40		
F8 - F11	7	
F12 - F14	8	
Page 41		
F15	7	
F16 - 20	8	
Page 42-44 Section G		
G1a-w	8	
G2	8	
G3	7	
Page 45		
G4a-m	8	

PQ File – Appendix B

Page 46		
G4n-u	8	
G5	II	If a number per month is stated, divide the number by 4. If this results in <1 code as 97 (rarely/occasionally).
G5a	II	If the respondent has answered 'per month' previously, then calculate as for G5.
G6	II	As G5
Page 47		
G6a	II	As G5a
G7a	I	
G7b-e	7	
G8a	8	
G8b	II	Code "All" or "every time" as 90
Page 48		
G9a-e	8	
G10	II	
G11	8	Use coding style 8, unless a combination including 7 is ticked. In such cases, ignore code 7.
G12a	I	If 1 and 2 are ticked, code as "2".
Page 49		
G12b	8	
G13a-h	8	
G14	I	
Page 50		
G15	I	
G16a-f	7	
G16g	7	Please ensure that if something relevant is written in the "please describe" section, that a "yes" box is ticked. If there is no tick, code G16g as zero, to indicate information in the "please describe" area.
G17a	8	
G17b	II	For occasional eaters, code "97". If they indicate that every slice has fat on it, but don't say how many, code as "99". If a range is given, take the highest value.
Page 51		
G17c	II	For occasional eaters, code "97". If they state 'lots' or 'all' but don't say how many, code as "99". If a range is given, take the highest value.
G18ai, ii	I, I	

PQ File – Appendix B

G18b-h	As G18a	
G18i	I, I	Please ensure that if something relevant is written in the “please describe “ section, that the previous boxes are ticked appropriately.
Page 52		
G19a-c, e, f		There should only be a tick or a blank here. Note misprint: lettering omits part d).
G19g	I	Please ensure that if something relevant is written in the “please describe “ section, that the accompanying box is ticked.
G20a	I	If <u>relevant</u> answers given in b) to e), then G20a should be ticked ‘Yes’.
G20b	II	Occasional use to be coded as “97”.
G20c	II	Artificial sweeteners do not count as sugar. Round up halves to the next whole spoonful. If a range is given, take the upper limit.
G20d	II	Code “all” as 90, “occasional” as “97”.
G20e	7	
G21a	I	
G21b	II	As G20b
Page 53		
G21c - d	II	As G20c - d
G21e	II	Code “all” as 90, “occasional” as 97.
G21f	II	Code “all” as 90, “occasional” as 97.
G21g	7	As G20e
G22ai-vii	II	Please note the units the questions are asked in, and convert if necessary. Code a two digit number for each day of the week where a response is made (except for zeros – see below). Leave blank boxes blank. Round fractions to the nearest whole number, but if the fraction is exactly half, round up to the next whole number. If the nearest whole number is zero, or they say ‘sometimes’ or ‘occasionally’, code as 97. Code ‘lots’ as 98. If a range is given, code to the upper limit. If none or n/a is given, code as zero. For zeros write a single 0 in a box not 00. If they say none to the whole question, make sure that all boxes have a single zero.
G22b	I	
G22c	I	
Page 54		
G23	8	
G24	8	
G25 – G27	I	Code ‘sometimes’ as 3
Page 55 Section H		

PQ File – Appendix B

H1a	I	
H1b,c	7	
H2	7	Code each column separately.
H3	7	
Page 56		
J1a,b	I	
J1c	I	Please ensure that if something relevant is written in the "please describe" section, that the previous boxes are ticked appropriately. If there is no tick, please tick "yes" for "someone else", to indicate information in the "please describe" section.
J2	I	Code 'sometimes' or 'occasionally' as 3.
J3	IV	If left blank, copy month and year that the form was returned from the stamped receipt date on the front cover, and code the days as 99.
J4	IV	Any valid date has to be accepted here.
J5	IV	As J3, using child's date of birth from front cover.
Space for comments		Not being coded here.
Bottom of Page 56, For Office Use Only		
Coder		Insert your initials here.
Int.		If the questionnaire was completed with the aid of an interviewer, there will be initials here.

END OF QUESTIONNAIRE

PaAboutMe (12/04/03)

Sheila Preece 16/6/04 Updated July 2004

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. No reminders were issued specific to partner questionnaires.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of CSV (comma separated values) data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were read into SPSS, added together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifier ALN. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variables for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letter “pq” which are followed by four digits and occasionally a further letter. Then the data from the back page were edited as described in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t know” to –9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response

were recoded to –8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don't know	The respondent wrote "Don't know", or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for "Don't know".
-10	Not completed	No completed questionnaire is available for this case. Variable PQ0007a = 2 for all such cases.

At some point in the future the data may be reissued as a "built" file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.