THE ALSPAC STUDY

ccxf file

DATA COLLECTED FROM THE QUESTIONNAIRE You and Your Body Aged 19+

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Version 1b of the BUILT file

July 2019

© University of Bristol

Introduction

	Latina di catta a	D 4
	Introduction	Page 1
	Administrative variables	
	Frequencies	Page 3
Section A	About your health	
	Questionnaire	Page 4
	Frequencies	Page 17
Section B	About you	
	Questionnaire	Page 43
	Frequencies	Page 49
Section C	Completion of the questionnaire	
	Questionnaire	Page 64
	Frequencies	Page 65
Derived	Derived Variables	
Variables	Age of respondent at completion (years)	Page 67
	Age of respondent at completion (months)	
	Date of completion replaced with date of receipt	Page 68

Introduction

This questionnaire was sent out only to female participants when they were approximately 19.5 years of age. Briefly, the questionnaire covers three main sections. Section A asked the respondent questions about bladder/urinary symptoms and how much they bothered them. These questions were taken from the International Consortium on Incontinence Modular Questionnaire (http://www.iciq.net/) Section B included questions about contraception, frequency of periods, whether they are a parent, and whether they are currently pregnant. There was then a set of questions regarding hirsutism (body hair) which included diagrams of various areas of the body with incrementally increasing amounts of hair for each area. With reference to what the respondent considers an abnormal amount of hair, they are asked to mark the most relevant diagram that corresponds to them self. A Modified Ferriman and Gallwey method (was used Finally, Section C collects the usual "back page" information on who completed the Questionnaire and when.

Collaborators and funders

The following table summarises the sections of the questionnaires together with the collaborator who requested inclusion and the funding body where appropriate:

Section	Topic/specific Measure	Collaborator	Funder
А	Bladder/urinary symptoms	Rufus Cartwright	International Urogynecological Association
В	Obstetric history Hirsutism	Hany Lashen (University of Sheffield)	Wellcome Trust

Questionnaire versions

There was only one version of this questionnaire

Definition of the study sample

We regard as eligible all persons born to mothers resident in the former Avon area at the time they were born with the expected dates of delivery between 1.4.91 and 31.12.92.

Sample & response rates

There are a total of 15,458 records on this built file, with 1,944 completed questionnaires. This number is made up of the 14,676 fetuses in the core ALSPAC sample (regardless of whether or not the 19+ questionnaire was sent out for them or whether they were returned) plus 782 eligible children not in the core sample to whom the questionnaires were sent out. Note that this questionnaire was completed by 97 of these 782 children not in the core sample. Of the 14,676 fetuses in the core ALSPAC sample, 14,062 were live born. The 19+ questionnaire was sent out to 4,890 (35%) of these live born children. For further information on the ALSPAC sample, please see section 6 of the "Guide to ALSPAC data".

Note that, 4 of the 1,944 completed questionnaires belong to respondents from triplet or quadruplet pregnancies, all of whom are in the core sample. For reasons of confidentiality the data from these questionnaires are not available. ccxf0003a has been set to 2 "No" and all other variables have been set to –11 for triplets and quadruplets.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire as it was sent and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been added before the relevant frequency tables. The algorithms used to create derived variables are also included where appropriate.

Important note for all data users

Please note the supplied data is as completed by the participants, no logical edits or routing corrections have been made.

Variable information

New variables were created for Questions A19a, A19b, A19c, and A19d (A19Aa, A19Ab, A19Ba, A19Bb, A19Ca, A19Cb). These allow responses where boxes 1 and 2 have been ticked to be 'split', to show both responses. The original variable was set to 6.

Built file version history

Built version 1a – May 2014; the first version of the built file.

Release version 1b – July 2019; The 'yes' and 'no' value labels for variables ccxf2000 to ccxf2004 were incorrectly labelled (in that a value of 1 was coded as 'no', while 2 was coded as 'yes'). This has now been corrected (i.e., 1='yes'; 2='no').

References

Ferriman D, Gallwey JD: Clinical assessment of body hair growth in women. *Journal of Clinical Endocrinology* 1961; 21:1440–1447.

Administration Variables

ccfx0001 Questionnaire sent

=		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Yes	4890	31.6	62.6	62.6
Valid	2 No	2916	18.9	37.4	100.0
	Total	7806	50.5	100.0	
	-11 Triplet or quadruplet	9	.1		
Missing	-3 Male	7643	49.4		
	Total	7652	49.5		
Total		15458	100.0		

ccxf0002 Questionnaire reminder sent

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Yes	3219	20.8	65.8	65.8
Valid	2 No	1671	10.8	34.2	100.0
	Total	4890	31.6	100.0	
	-11 Triplet or quadruplet	9	.1		
Missing	-10 Not completed	2916	18.9		
Missing	-3 Male	7643	49.4		
	Total	10568	68.4		
Total		15458	100.0		


ccxf0003 Questionnaire completed (as of 09/01/12)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1944	12.6	100.0	100.0
	-11 Triplet or quadruplet	9	.1		
Missing	-10 Not completed	5862	37.9		
	-3 Male	7643	49.4		
	Total	13514	87.4		
Total		15458	100.0		

ccxf0003a Data available

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Yes	1944	12.6	24.9	24.9
Valid	2 No	5871	38.0	75.1	100.0
	Total	7815	50.6	100.0	
Missing	-3 Male	7643	49.4		
Total		15458	100.0		





You and Your Body Aged 19+

This questionnaire is for the study young women

20/07/2011

Section A: About your health

FILLING IN THE QUESTIONNAIRE

Please use **black** pen. To answer questions simply put a cross in the box which is most accurate in your opinion, like this:



If you make a mistake, shade the box in like this:

then cross the correct box.

If you are answering questions which ask you to give further details, please make sure you write inside the boxes.

If you do not want to answer a question or if it does not apply to you, leave it blank. There are no right or wrong answers. Just tell us what is true for you.

THANK YOU FOR YOUR HELP

Section A: About your health

Many people experience bladder or urinary symptoms some of the time. We are trying to find out how many people experience bladder/urinary symptoms and how much they bother them. We would be grateful if you could answer the following questions, thinking about how you have been, on average over the <u>PAST FOUR WEEKS</u>.

A1. a)	How often do you pass urine during the day?								
	1-6 times	1 🗆							
	7-8 times	2 🗖							
	9-10 times	3 🗖							
	11-12 times	4 🗖							
	13 or more times	5							
b)	How much does this bothe	you?							
	Please cross a box number	ed between 0 (not at all) and 10 (a great deal)							
	0		¹⁰ □ eat deal						
A2 a)	During the night, how man	y times do you have to get up to urinate, on avera	ige?						
	none	1 🗖							
	one	2 🗖							
	two	3 🗖							
	three	4 🗖							
	four or more	5							
b)	How much does this bothe	you?							
	Please cross a box number	ed between 0 (not at all) and 10 (a great deal)							
	0	1 4	10 □ reat deal						
		4	700						
		3							

A3. a)	Does urine leak when you are physically active, exert yourself, cough or sneeze?							
	never		1 🔲					
	occasionally		2 🔲					
	sometimes		3 🔲					
	most of the time		4 🔲					
	all of the time		5 🔲					
b)	How much does this bother yo	ou?						
	Please cross a box numbered	between 0 (no	ot at all) and 10 (a	great deal)				
	0	4 🔲 5 🔲	6 7 7	8 9 10 10 a great deal				
A4. a)	Do you have a sudden need to	rush to the to	oilet to urinate?					
	never	1 🔲						
	occasionally	2 🔲						
	sometimes	3 🔲						
	most of the time	4 🔲						
	all of the time	5 🔲						
b)	How much does this bother yo	ou?						
	Please cross a box numbered	between 0 (no	ot at all) and 10 (a	great deal)				
	0	4 🔲 5 🔲	6 7 7	8 9 10				
	not at all			a great deal				
				4700				
		4						

A5. a)	5. a) Does urine leak before you can get to the toilet?							
	never	1 🔲						
	occasionally	2 🔲						
	sometimes	3 🔲						
	most of the time	4 🔲						
	all of the time	5 🔲						
b)	How much does this bothe	r you?						
	Please cross a box number	ed between 0 (not at all) and	10 (a gre	eat deal)			
	0	4 🔲 5 🔲	6 7 7	8 🔲	9 🔲 10 🔲			
not	at all				a great deal			
A6. a)	Do you ever leak urine for go?	no obvious rea	ason and witho	out feeling	g that you want to			
	never	1 🔲						
	occasionally	2 🔲						
	sometimes	3 🔲						
	most of the time	4 🔲						
	all of the time	5 🔲						
b)	How much does this bothe	r you?						
	Please cross a box number	ed between 0 (not at all) and	10 (a gre	eat deal)			
not	0	4 🗍 5 🗍	6 7 7	8 🗖	9 ☐ 10 ☐ a great deal			
		5			4700			

A7. How much urinary leakage occurs?							
no leakage	1 🔲						
drops/pants damp	2 🔲						
dribble/pants wet	3 🔲						
floods, soaking through to outer clothing	4 🔲						
floods, running down legs or onto floor	5 🔲						
A8. a) Is there a delay before you can start to urinate?							
never	1 🗆						
occasionally	2 🗖						
sometimes	3 🗖						
most of the time	4 🔲						
all of the time	5 🔲						
b) How much does this bother you?							
Please cross a box numbered between 0 (not at a	ll) and 10 (a great deal)						
0	7						

A9. a)	Do you have	to strai	n to uri	inate?							
	never										
	occasionally				2 🔲						
	sometin	nes			3 🔲						
	most of	the time	e		4						
	all of the	e time			5 🔲						
b)	How much d	loes this	bother	you?							
	Please cross	a box n	umbere	ed betwe	een 0 (n	ot at all) and 10	0 (a gre	eat deal)	
not	o	2 🔲	3 🔲	4	5	6	7	8	_	¹⁰ □ eat deal	
A10.a)	Do you stop	and star	rt more	than or	nce whil	e you u	rinate?				
	never				1 🔲						
	occasion	nally			2 🔲						
	sometin	nes			3 🔲						
	most of	the time	e		4 🔲						
	all of the	e time			5 🔲						
b)	How much d	loes this	bother	you?							
	Please cross	a box n	umbere	ed betwe	een 0 (n	ot at all) and 10	O (a gre	eat deal)	
	0	2	3	4	5 🔲	6	7	8	9 🔲	10	
not	at all								a gr	eat deal	
										4700	
					7					7 •	

- A11.a)	Would you	say that	the stre	ength of	your u	rinary s	tream is	S		
	not reduced									
	reduced a little				2					
	quite re	duced			3 🔲					
	reduced	l a great	deal		4					
	no strea	ım			5 🔲					
b)	How much	does this	s bother	r you?						
	Please cross	s a box n	umber	ed betw	een 0 (1	not at al	l) and 1	0 (a gr	reat deal)	
not	o 🔲 1 🗖	2 🗖	3 🔲	4 🔲	5 🗖	6	7 🔲	8	9	
A12.a)	How often of	lo you le	eak urir	ne?						
	never				1 🔲					
	once or	less per	week		2 🔲					
	two to t	hree tim	nes per	week	3 🔲					
	once pe	er day			4					
	several	times pe	er day		5 🔲					
b)	How much of Please cross			•	reen () (1	not at al	1) and 1	0 (a m	reat deal)	
	Ticase cross	a oox n	iumocn	ed betw	ccii o (i	iot at ai	i) and i	.0 (a gi	cat dear)	
not	o 🔲 1 🗖	2 🔲	3 🔲	4 🔲	5	6	7	8 🗖	9	
8								4700		

A13.a)	Do you leak urine when yo	ou are asleep?						
	never	1 🔲						
	occasionally	2 🔲						
	sometimes	3 🔲						
	most of the time	4 🔲						
	all of the time	5 🔲						
b)	How much does this bother you?							
Please cross a box numbered between 0 (not at all) and 10 (a great deal)								
not	0	4 5 5	6	7	8	_	¹⁰ □ eat deal	
A14.	Have you ever blocked up have a catheter to drain the		hat you	could n	ot urina	ite at al	l and had	to
	no	1 🔲						
	yes, once	2 🔲						
	yes, twice	3 🔲						
	yes, more than twice	4 🔲						

A15.a) Do you have a burning feel	ling when yo	u urinate	?				
never	1]					
occasionally	2]					
sometimes	3 []					
most of the time	4]					
all of the time	5]					
b) How much does this bother	r you?						
Please cross a box numbers	ed between () (not at a	ıll) and	10 (a g	reat deal)		
0	4 5	6 🔲	7	8	9		
A16.a) How often do you feel that your bladder has not emptied properly after you have urinated?							
never	1]					
occasionally	2]					
sometimes	3 []					
most of the time	4]					
all of the time	5]					
b) How much does this bother	r you?						
Please cross a box numbere	ed between) (not at a	ıll) and	10 (a g	reat deal)		
0	4 5	6	7	8	9 ☐ 10 ☐ a great deal		
	10				4700		

A17.	Cai	n you stop the flow	v of urine if	you tr	ry while you are u	ırinating?				
		yes, easily		1						
		yes, with difficul	ty	2						
		no, cannot stop is	t flowing	3						
A18.	•	ou had to spend the now, how would	•	our life	with any urinary	symptoms th	at you may			
		No particular syr	nptoms	1						
		Perfectly happy		2						
		Pleased		3						
		Mostly satisfied		4						
	Mixed feelings									
	Mostly dissatisfied		6							
		Very unhappy		7						
		Desperate		8	8 🗖					
A19.		l you or any of you tting? (when older		ive a p	roblem of bedwe	tting or daytii	me			
			Yes, bed wetting		Yes, daytime wetting	No not at all	Don't know			
	a)	you	1		2 🗖	3	4 🔲			
	b)	brother or sister	1 🔲		2 🔲	3	4 🔲			
	c)	mother	1 🔲		2 🔲	3 🔲	4			
	d)	father	1 🔲		2 🔲	3 🔲	4			
				11		Г	4700			

A20.	Have you had a wetting accident yourself in the past year, either during the night or day?							
	Yes	1	No ² □	→	If no, g	o to A2	22 below	
A21.	Could you ple month.	ease indicate l	how many nigh	ıts or day	ys this h	ias occu	arred within the past	
	i) durii	ng the night:						
	ii) durii	ng the day						
A22.a)	Do you have	pain in your b	oladder?					
	never		1 🔲					
	occasion	ally	2 🔲					
	sometime	es	3 🔲					
	most of t	he time	4 🔲					
	all of the	time	5 🔲					
b)	How much do	oes this bother	r you?					
	Please cross a	a box numbere	ed between 0 (a	not at all	l) and 1	0 (a gre	eat deal)	
not	o □ 1 □ at all	2 3	4 5 5	6 🗖	7	8	9 □ 10 □ a great deal	

A23.	In the	past month,	1	a ft am	harra		had a		· · /L 1 ~ d	4	info.	+i ~ ·
A25.	m me	dasi monui.	HOW	onen	nave	vou	nau a	i urmar	v/Diad	aer	mec	HOII.

Almost all the time	Sometimes	Not at all
1 🔲	2 🔲	3

A24. Many of us have accidents sometimes. How often do the following happen to you?

]	Never	Occasionally but less than once a week	About once a week	2-5 times a week	Nearly every day	More than once a day
a)	wet yourself during the day	1	2 🔲	3	4	5 🔲	6
b)	wet the bed at night	1 🔲	2 🗖	3 🔲	4 🔲	5 🗖	6
c)	dirty your pants during the day	1	2 🗖	3 🔲	4 🔲	5 🗖	6
d)	dirty yourself at night	1 🔲	2 🔲	3 🔲	4 🔲	5	6

ccxf1000 A1a: Frequency that young woman passes urine during the day

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 1-6 Times	1463	9.5	75.6	75.6
	2 7-8 Times	324	2.1	16.7	92.4
\	3 9-10 Times	94	.6	4.9	97.2
Valid	4 11-12 Times	30	.2	1.6	98.8
	5 13 or more times	24	.2	1.2	100.0
	Total	1935	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	9	.1		
	Total	13523	87.5		
Total		15458	100.0		

ccxf1001 A1b: Degree to which frequency of urinating in the daytime bothers young woman

-		Frequency	Percent	Valid Percent	Cumulative Percent
	0 Not at all	1339	8.7	69.3	69.3
	1	175	1.1	9.1	78.3
	2	148	1.0	7.7	86.0
	3	77	.5	4.0	90.0
	4	38	.2	2.0	91.9
.,	5	49	.3	2.5	94.5
Valid	6	37	.2	1.9	96.4
	7	36	.2	1.9	98.2
	8	16	.1	.8	99.1
	9	7	.0	.4	99.4
	10 A great deal	11	.1	.6	100.0
	Total	1933	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	11	.1		
	Total	13525	87.5		
Total		15458	100.0		

ccxf1002 A2a: Frequency that young woman has to get up to urinate during the night on average

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 None	1344	8.7	69.2	69.2
	2 One	492	3.2	25.3	94.6
.,	3 Two	76	.5	3.9	98.5
Valid	4 Three	19	.1	1.0	99.5
	5 Four or more	10	.1	.5	100.0
	Total	1941	12.6	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	3	.0		
	Total	13517	87.4		
Total		15458	100.0		

ccxf1003 A2b: Degree to which frequency of urinating during the night bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1529	9.9	79.3	79.3
	1	84	.5	4.4	83.7
	2	64	.4	3.3	87.0
	3	52	.3	2.7	89.7
	4	33	.2	1.7	91.4
\	5	54	.3	2.8	94.2
Valid	6	29	.2	1.5	95.7
	7	28	.2	1.5	97.2
	8	17	.1	.9	98.1
	9	14	.1	.7	98.8
	10 A great deal	23	.1	1.2	100.0
	Total	1927	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	17	.1		
	Total	13531	87.5		
Total		15458	100.0		

ccxf1004 A3a: Frequency that urine leaks when young woman is physically active, exerts themselves, coughs or sneezes

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Never	1418	9.2	73.2	73.2
	2 Occasionally	422	2.7	21.8	95.0
\	3 Sometimes	75	.5	3.9	98.9
Valid	4 Most of the time	19	.1	1.0	99.9
	5 All of the time	2	.0	.1	100.0
	Total	1936	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	8	.1		
	Total	13522	87.5		
Total		15458	100.0		

ccxf1005 A3b: Degree to which frequency of urine leaking when physically active, exerting themselves, coughs or sneezes bothers young woman

=		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1401	9.1	74.6	74.6
	1	94	.6	5.0	79.6
	2	77	.5	4.1	83.7
	3	68	.4	3.6	87.3
	4	42	.3	2.2	89.5
\	5	56	.4	3.0	92.5
Valid	6	44	.3	2.3	94.8
	7	38	.2	2.0	96.9
	8	25	.2	1.3	98.2
	9	9	.1	.5	98.7
	10 A great deal	25	.2	1.3	100.0
	Total	1879	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	65	.4		
	Total	13579	87.8		
Total		15458	100.0		

ccxf1006 A4a: Frequency that young woman has a sudden need to rush to the toilet to urinate

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Never	944	6.1	48.7	48.7
	2 Occasionally	731	4.7	37.7	86.4
	3 Sometimes	207	1.3	10.7	97.1
Valid	4 Most of the time	40	.3	2.1	99.2
	5 All of the time	16	.1	.8	100.0
	Total	1938	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	6	.0		
	Total	13520	87.5		
Total		15458	100.0		

ccxf1007 A4b: Degree to which frequency of needing to rush to the toilet to urinate bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1160	7.5	60.6	60.6
	1	155	1.0	8.1	68.7
	2	186	1.2	9.7	78.4
	3	116	.8	6.1	84.5
	4	65	.4	3.4	87.9
\	5	59	.4	3.1	91.0
Valid	6	59	.4	3.1	94.0
	7	39	.3	2.0	96.1
	8	39	.3	2.0	98.1
	9	20	.1	1.0	99.2
	10 A great deal	16	.1	.8	100.0
	Total	1914	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	30	.2		
	Total	13544	87.6		
Total		15458	100.0		

ccxf1008 A5a: Frequency that urine leaks before young woman can get to the toilet

=		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Never	1563	10.1	80.6	80.6
	2 Occasionally	301	1.9	15.5	96.1
Valid	3 Sometimes	63	.4	3.2	99.4
	4 Most of the time	12	.1	.6	100.0
	Total	1939	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	5	.0		
	Total	13519	87.5		
Total		15458	100.0		

ccxf1009 A5b: Degree to which frequency of urine leaking before young woman can get to the toilet bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1526	9.9	81.2	81.2
	1	61	.4	3.2	84.4
	2	54	.3	2.9	87.3
	3	41	.3	2.2	89.5
	4	36	.2	1.9	91.4
\	5	34	.2	1.8	93.2
Valid	6	37	.2	2.0	95.2
	7	23	.1	1.2	96.4
	8	16	.1	.9	97.2
	9	15	.1	.8	98.0
	10 A great deal	37	.2	2.0	100.0
	Total	1880	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	64	.4		
	Total	13578	87.8		
Total		15458	100.0		

ccxf1010 A6a: Frequency that young woman leaks urine for no obvious reason without feeling that they want to go

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Never	1811	11.7	93.5	93.5
	2 Occasionally	94	.6	4.9	98.4
Valid	3 Sometimes	26	.2	1.3	99.7
	4 Most of the time	5	.0	.3	100.0
	Total	1936	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	8	.1		
	Total	13522	87.5		
Total		15458	100.0		

ccxf1011 A6b: Degree to which frequency of leaking urine for no obvious without feeling that they want to go bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1742	11.3	93.2	93.2
	1	10	.1	.5	93.7
	2	17	.1	.9	94.6
	3	14	.1	.7	95.3
	4	14	.1	.7	96.1
\	5	11	.1	.6	96.7
Valid	6	12	.1	.6	97.3
	7	11	.1	.6	97.9
	8	15	.1	.8	98.7
	9	5	.0	.3	99.0
	10 A great deal	19	.1	1.0	100.0
	Total	1870	12.1	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	74	.5		
	Total	13588	87.9		
Total		15458	100.0		

ccxf1012 A7: Amount of urinary leakage when it occurs

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 No leakage	1507	9.7	78.4	78.4
	2 Drops/pants damp	360	2.3	18.7	97.1
\	3 Dribble/pants wet	52	.3	2.7	99.8
Valid	4 Floods, soaking through to outer clothing	4	.0	.2	100.0
	Total	1923	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	21	.1		
	Total	13535	87.6		
Total		15458	100.0		

ccxf1013 A8a: Frequency there is a delay before young woman can start to urinate

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Never	1106	7.2	57.3	57.3
	2 Occasionally	683	4.4	35.4	92.6
	3 Sometimes	111	.7	5.7	98.4
Valid	4 Most of the time	25	.2	1.3	99.7
	5 All of the time	6	.0	.3	100.0
	Total	1931	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	13	.1		
	Total	13527	87.5		
Total		15458	100.0		

ccxf1014 A8b: Degree to which delay in starting to urinate bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1490	9.6	78.7	78.7
	1	145	.9	7.7	86.4
	2	100	.6	5.3	91.7
	3	54	.3	2.9	94.5
	4	32	.2	1.7	96.2
	5	22	.1	1.2	97.4
Valid	6	15	.1	.8	98.2
	7	12	.1	.6	98.8
	8	10	.1	.5	99.3
	9	5	.0	.3	99.6
	10 A great deal	8	.1	.4	100.0
	Total	1893	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	51	.3		
	Total	13565	87.8		
Total		15458	100.0		

ccxf1015 A9a: Frequency young woman has to strain to urinate

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Never	1708	11.0	88.3	88.3
	2 Occasionally	181	1.2	9.4	97.6
Valid	3 Sometimes	40	.3	2.1	99.7
	4 Most of the time	6	.0	.3	100.0
	Total	1935	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	9	.1		
	Total	13523	87.5		
Total		15458	100.0		

ccxf1016 A9b: Degree to which having to strain to urinate bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1684	10.9	89.9	89.9
	1	47	.3	2.5	92.4
	2	43	.3	2.3	94.7
	3	15	.1	.8	95.5
	4	27	.2	1.4	97.0
	5	22	.1	1.2	98.1
Valid	6	16	.1	.9	99.0
	7	10	.1	.5	99.5
	8	1	.0	.1	99.6
	9	2	.0	.1	99.7
	10 A great deal	6	.0	.3	100.0
	Total	1873	12.1	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	71	.5		
	Total	13585	87.9		
Total		15458	100.0		

ccxf1017 A10a: Frequency young woman stops and starts more than once whilst they urinate

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Never	1228	7.9	63.4	63.4
	2 Occasionally	592	3.8	30.6	94.0
	3 Sometimes	92	.6	4.7	98.7
Valid	4 Most of the time	21	.1	1.1	99.8
	5 All of the time	4	.0	.2	100.0
	Total	1937	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	7	.0		
	Total	13521	87.5		
Total		15458	100.0		

ccxf1018 A10b: Degree to which stopping and starting whilst urinating bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1619	10.5	86.0	86.0
	1	99	.6	5.3	91.2
	2	68	.4	3.6	94.8
	3	32	.2	1.7	96.5
	4	21	.1	1.1	97.7
\	5	22	.1	1.2	98.8
Valid	6	8	.1	.4	99.3
	7	6	.0	.3	99.6
	8	1	.0	.1	99.6
	9	2	.0	.1	99.7
	10 A great deal	5	.0	.3	100.0
	Total	1883	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	61	.4		
	Total	13575	87.8		
Total		15458	100.0		

ccxf1019 A11a: Young woman's assessment of the strength of their urinary stream

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Not reduced	1507	9.7	83.1	83.1
	2 Reduced a little	226	1.5	12.5	95.5
	3 Quite reduced	42	.3	2.3	97.9
Valid	4 Reduced a great deal	15	.1	.8	98.7
	5 No stream	24	.2	1.3	100.0
	Total	1814	11.7	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	130	.8		
	Total	13644	88.3		
Total		15458	100.0		

ccxf1020 A11b: Degree to which strength of urinary stream bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1609	10.4	91.2	91.2
	1	42	.3	2.4	93.6
	2	44	.3	2.5	96.1
	3	20	.1	1.1	97.2
	4	12	.1	.7	97.9
Valid	5	10	.1	.6	98.5
	6	12	.1	.7	99.1
	8	8	.1	.5	99.6
	9	1	.0	.1	99.7
	10 A great deal	6	.0	.3	100.0
	Total	1764	11.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	180	1.2		
	Total	13694	88.6		
Total		15458	100.0		

ccxf1021 A12a: Frequency that young woman leaks urine

_		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Never	1496	9.7	77.8	77.8
	2 Once or less a week	344	2.2	17.9	95.7
Valid	3 Two to three times per week	49	.3	2.5	98.3
	4 Once per day	20	.1	1.0	99.3
	5 Several times per day	13	.1	.7	100.0
	Total	1922	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	22	.1		
	Total	13536	87.6		
Total		15458	100.0		

ccxf1022 A12b: Degree to which leaking urine bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1517	9.8	81.5	81.5
	1	67	.4	3.6	85.1
	2	64	.4	3.4	88.5
	3	43	.3	2.3	90.8
	4	34	.2	1.8	92.6
\	5	30	.2	1.6	94.3
Valid	6	29	.2	1.6	95.8
	7	22	.1	1.2	97.0
	8	19	.1	1.0	98.0
	9	10	.1	.5	98.5
	10 A great deal	27	.2	1.5	100.0
	Total	1862	12.0	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	82	.5		
	Total	13596	88.0		
Total		15458	100.0		

ccxf1023 A13a: Frequency young woman leaks urine whilst asleep

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Never	1853	12.0	96.2	96.2
	2 Occasionally	58	.4	3.0	99.2
Valid	3 Sometimes	14	.1	.7	99.9
	4 Most of the time	2	.0	.1	100.0
	Total	1927	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	17	.1		
	Total	13531	87.5		
Total		15458	100.0		

ccxf1024 A13b: Degree to which leaking urine whilst asleep bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1784	11.5	96.5	96.5
	1	6	.0	.3	96.8
	2	10	.1	.5	97.3
	3	9	.1	.5	97.8
	4	5	.0	.3	98.1
	5	5	.0	.3	98.4
Valid	6	5	.0	.3	98.6
	7	2	.0	.1	98.8
	8	6	.0	.3	99.1
	9	3	.0	.2	99.2
	10 A great deal	14	.1	.8	100.0
	Total	1849	12.0	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	95	.6		
	Total	13609	88.0		
Total		15458	100.0		

ccxf1025 A14: Frequency young woman has blocked up so completely they have needed a catheter to drain the bladder

-		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 No	1906	12.3	99.0	99.0
	2 Yes, once	15	.1	.8	99.8
Valid	4 Yes, more than twice	4	.0	.2	100.0
	Total	1925	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	19	.1		
	Total	13533	87.5		
Total		15458	100.0		

ccxf1026 A15a: Frequency young woman has a burning feeling when they urinate

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Never	1376	8.9	71.1	71.1
	2 Occasionally	437	2.8	22.6	93.7
\	3 Sometimes	112	.7	5.8	99.5
Valid	4 Most of the time	8	.1	.4	99.9
	5 All of the time	2	.0	.1	100.0
	Total	1935	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	9	.1		
	Total	13523	87.5		
Total		15458	100.0		

ccxf1027 A15b: Degree to which burning feeling when they urinate bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1379	8.9	73.3	73.3
	1	73	.5	3.9	77.2
	2	84	.5	4.5	81.7
	3	90	.6	4.8	86.4
	4	57	.4	3.0	89.5
.,	5	66	.4	3.5	93.0
Valid	6	32	.2	1.7	94.7
	7	33	.2	1.8	96.4
	8	29	.2	1.5	98.0
	9	10	.1	.5	98.5
	10 A great deal	28	.2	1.5	100.0
	Total	1881	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	63	.4		
	Total	13577	87.8		
Total		15458	100.0		

ccxf1028 A16a: Frequency young woman feels that their bladder has not emptied properly after they have urinated

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Never	1016	6.6	52.6	52.6
	2 Occasionally	702	4.5	36.3	88.9
\	3 Sometimes	153	1.0	7.9	96.8
Valid	4 Most of the time	47	.3	2.4	99.2
	5 All of the time	15	.1	.8	100.0
	Total	1933	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	11	.1		
	Total	13525	87.5		
Total		15458	100.0		

ccxf1029 A16b: Degree to which feeling that their bladder has not emptied properly after urinating bothers young woman

		Frequency	Percent	Valid Percent	Cumulative Percent
	0 Not at all	1159	7.5	61.2	61.2
	1	169	1.1	8.9	70.2
	2	162	1.0	8.6	78.7
	3	115	.7	6.1	84.8
	4	74	.5	3.9	88.7
المانيا	5	52	.3	2.7	91.4
Valid	6	41	.3	2.2	93.6
	7	50	.3	2.6	96.2
	8	27	.2	1.4	97.7
	9	19	.1	1.0	98.7
	10 A great deal	25	.2	1.3	100.0
	Total	1893	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	51	.3		
	Total	13565	87.8		
Total		15458	100.0		

ccxf1030 A17: Young woman can stop the flow of urine if they try whilst urinating

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Yes, easily	1582	10.2	82.4	82.4
	2 Yes, with difficulty	287	1.9	14.9	97.3
Valid	3 No, cannot stop it flowing	51	.3	2.7	100.0
	Total	1920	12.4	100.0	
Missing	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
	-3 Male	7643	49.4		
	-1 NS/NK	24	.2		
	Total	13538	87.6		
Total		15458	100.0		

ccxf1031 A18: How young woman would feel if they had to spend the rest of their life with any urinary symptoms they have now

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No particular symptoms	1229	8.0	63.8	63.8
	2 Perfectly happy	203	1.3	10.5	74.4
	3 Pleased	73	.5	3.8	78.2
	4 Mostly satisfied	119	.8	6.2	84.4
Valid	5 Mixed feelings	133	.9	6.9	91.3
	6 Mostly dissatisfied	77	.5	4.0	95.3
	7 Very unhappy	69	.4	3.6	98.9
	8 Desperate	22	.1	1.1	100.0
	Total	1925	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
Missing	-10 Not completed	5862	37.9		
	-3 Male	7643	49.4		
	-1 NS/NK	19	.1		
	Total	13533	87.5		
Total		15458	100.0		

ccxf1032 A19a: Young woman had a problem of bedwetting or daytime wetting when older than 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Yes, bedwetting	134	.9	7.0	7.0
	2 Yes, daytime wetting	36	.2	1.9	8.9
	3 No not at all	1629	10.5	85.7	94.6
Valid	4 Don't know	90	.6	4.7	99.4
	6 Bed wetting and daytime wetting	12	.1	.6	100.0
	Total	1901	12.3	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	43	.3		
	Total	13557	87.7		
Total		15458	100.0		

ccxf1033 A19Aa: Young woman had a problem of bedwetting or daytime wetting when older than 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Yes, bedwetting	146	.9	7.7	7.7
	2 Yes, daytime wetting	36	.2	1.9	9.6
Valid	3 No not at all	1629	10.5	85.7	95.3
	4 Don't know	90	.6	4.7	100.0
	Total	1901	12.3	100.0	
	-11 Triplet or quadruplet	9	.1		
Missing	-10 Not completed	5862	37.9		
	-3 Male	7643	49.4		
	-1 NS/NK	43	.3		
	Total	13557	87.7		
Total		15458	100.0		

ccxf1034 A19Ab: Young woman had a problem of bedwetting or daytime wetting when older than 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Yes, bedwetting	134	.9	7.0	7.0
	2 Yes, daytime wetting	48	.3	2.5	9.6
Valid	3 No not at all	1629	10.5	85.7	95.3
	4 Don't know	90	.6	4.7	100.0
	Total	1901	12.3	100.0	
	-11 Triplet or quadruplet	9	.1		
Missing	-10 Not completed	5862	37.9		
	-3 Male	7643	49.4		
	-1 NS/NK	43	.3		
	Total	13557	87.7		
Total		15458	100.0		

ccxf1035 A19b: Young woman's brother or sister had a problem of bedwetting or daytime wetting when older than 5 years

-		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Yes, bedwetting	226	1.5	12.0	12.0
	2 Yes, daytime wetting	15	.1	.8	12.8
	3 No not at all	1389	9.0	73.9	86.7
Valid	4 Don't know	241	1.6	12.8	99.6
	6 Bed wetting and daytime wetting	8	.1	.4	100.0
	Total	1879	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
9	-1 NS/NK	65	.4		
	Total	13579	87.8		
Total		15458	100.0		

ccxf1036 A19Ba: Young woman's brother or sister had a problem of bedwetting or daytime wetting when older than 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Yes, bedwetting	234	1.5	12.5	12.5
	2 Yes, daytime wetting	15	.1	.8	13.3
Valid	3 No not at all	1389	9.0	73.9	87.2
	4 Don't know	241	1.6	12.8	100.0
	Total	1879	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	65	.4		
	Total	13579	87.8		
Total		15458	100.0		

ccxf1037 A19Bb: Young woman's brother or sister had a problem of bedwetting or daytime wetting when older than 5 years

-		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Yes, bedwetting	226	1.5	12.0	12.0
	2 Yes, daytime wetting	23	.1	1.2	13.3
Valid	3 No not at all	1389	9.0	73.9	87.2
	4 Don't know	241	1.6	12.8	100.0
	Total	1879	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	65	.4		
	Total	13579	87.8		
Total		15458	100.0		

ccxf1038 A19c: Young woman's mother had a problem of bedwetting or daytime wetting when older than 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Yes, bedwetting	30	.2	1.6	1.6
	2 Yes, daytime wetting	15	.1	.8	2.4
	3 No not at all	1354	8.8	71.7	74.1
Valid	4 Don't know	488	3.2	25.8	99.9
	6 Bed wetting and daytime wetting	2	.0	.1	100.0
	Total	1889	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	55	.4		
	Total	13569	87.8		
Total		15458	100.0		

ccxf1039 A19Ca: Young woman's mother had a problem of bedwetting or daytime wetting when older than 5 years

-		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Yes, bedwetting	32	.2	1.7	1.7
	2 Yes, daytime wetting	15	.1	.8	2.5
Valid	3 No not at all	1354	8.8	71.7	74.2
	4 Don't know	488	3.2	25.8	100.0
	Total	1889	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	55	.4		
	Total	13569	87.8		
Total		15458	100.0		

ccxf1040 A19Cb: Young woman's mother had a problem of bedwetting or daytime wetting when older than 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Yes, bedwetting	30	.2	1.6	1.6
	2 Yes, daytime wetting	17	.1	.9	2.5
Valid	3 No not at all	1354	8.8	71.7	74.2
	4 Don't know	488	3.2	25.8	100.0
	Total	1889	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	55	.4		
	Total	13569	87.8		
Total		15458	100.0		

ccxf1041 A19d: Young woman's father had a problem of bedwetting or daytime wetting when older than 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Yes, bedwetting	29	.2	1.5	1.5
	2 Yes, daytime wetting	2	.0	.1	1.6
Valid	3 No not at all	1308	8.5	69.4	71.1
	4 Don't know	545	3.5	28.9	100.0
	Total	1884	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	60	.4		
	Total	13574	87.8		
Total		15458	100.0		

ccxf1042 A19Da: Young woman's father had a problem of bedwetting or daytime wetting when older than 5 years

_		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Yes, bedwetting	29	.2	1.5	1.5
	2 Yes, daytime wetting	2	.0	.1	1.6
Valid	3 No not at all	1308	8.5	69.4	71.1
	4 Don't know	545	3.5	28.9	100.0
	Total	1884	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	60	.4		
	Total	13574	87.8		
Total		15458	100.0		

ccxf1043 A19Db: Young woman's father had a problem of bedwetting or daytime wetting when older than 5 years

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Yes, bedwetting	29	.2	1.5	1.5
	2 Yes, daytime wetting	2	.0	.1	1.6
Valid	3 No not at all	1308	8.5	69.4	71.1
	4 Don't know	545	3.5	28.9	100.0
	Total	1884	12.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	60	.4		
	Total	13574	87.8		
Total		15458	100.0		

ccxf1044 A20: Young woman has had a wetting accident in the past year, either during the night or day

-		9	_		F.
		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Yes	114	.7	5.9	5.9
Valid	2 No	1804	11.7	94.1	100.0
	Total	1918	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	26	.2		
	Total	13540	87.6		
Total		15458	100.0		

ccxf1045 A21i: Number of times young woman has had a wetting accident during the night in the past month

=		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0	67	.4	65.0	65.0
	1	26	.2	25.2	90.3
	2	5	.0	4.9	95.1
\	3	2	.0	1.9	97.1
Valid	4	1	.0	1.0	98.1
	5	1	.0	1.0	99.0
	15	1	.0	1.0	100.0
	Total	103	.7	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1841	11.9		
	Total	15355	99.3		
Total		15458	100.0		

ccxf1046 A21ii: Number of times young woman has had a wetting accident during the day in the past month

		Frequency	Percent	Valid Percent	Cumulative Percent
	0	62	.4	57.9	57.9
	1	25	.2	23.4	81.3
	2	6	.0	5.6	86.9
	3	7	.0	6.5	93.5
Valid	4	1	.0	.9	94.4
	5	2	.0	1.9	96.3
	10	1	.0	.9	97.2
	15	3	.0	2.8	100.0
	Total	107	.7	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1837	11.9		
	Total	15351	99.3		
Total		15458	100.0		

ccxf1047 A22a: Frequency young woman has a pain in their bladder

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Never	1409	9.1	74.0	74.0
	2 Occasionally	379	2.5	19.9	93.9
.,	3 Sometimes	102	.7	5.4	99.3
Valid	4 Most of the time	11	.1	.6	99.8
	5 All of the time	3	.0	.2	100.0
	Total	1904	12.3	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	40	.3		
	Total	13554	87.7		
Total		15458	100.0		

ccxf1048 A22b: Degree to which pain in their bladder bothers young woman

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	0 Not at all	1377	8.9	74.9	74.9
	1	58	.4	3.2	78.0
	2	86	.6	4.7	82.7
	3	74	.5	4.0	86.7
	4	54	.3	2.9	89.7
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	5	63	.4	3.4	93.1
Valid	6	25	.2	1.4	94.5
	7	32	.2	1.7	96.2
	8	27	.2	1.5	97.7
	9	13	.1	.7	98.4
	10 A great deal	30	.2	1.6	100.0
	Total	1839	11.9	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	105	.7		
	Total	13619	88.1		
Total		15458	100.0		

ccxf1049 A23: Frequency young woman has had a urinary/bladder infection in the past month

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Almost all the time	33	.2	1.7	1.7
	2 Sometimes	263	1.7	13.7	15.4
Valid	3 Not at all	1627	10.5	84.6	100.0
	Total	1923	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	21	.1		
	Total	13535	87.6		
Total		15458	100.0		

ccxf1050 A24a: Frequency young woman wets themselves during the day

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Never	1815	11.7	95.0	95.0
	2 Occasionally but less than once a week	81	.5	4.2	99.2
	3 About once a week	8	.1	.4	99.6
Valid	4 2-5 times a week	4	.0	.2	99.8
	5 Nearly every day	1	.0	.1	99.9
	6 More than once a day	2	.0	.1	100.0
	Total	1911	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	33	.2		
	Total	13547	87.6		
Total		15458	100.0		

ccxf1051 A24b: Frequency young woman wets the bed at night

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Never	1873	12.1	98.2	98.2
	2 Occasionally but less than once a week	30	.2	1.6	99.8
Valid	4 2-5 times a week	1	.0	.1	99.8
	5 Nearly every day	1	.0	.1	99.9
	6 More than once a day	2	.0	.1	100.0
	Total	1907	12.3	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	37	.2		
	Total	13551	87.7		
Total		15458	100.0		

ccxf1052 A24c: Frequency young woman dirties their pants during the day

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Never	1824	11.8	95.8	95.8
	2 Occasionally but less than once a week	61	.4	3.2	99.0
	3 About once a week	5	.0	.3	99.3
Valid	4 2-5 times a week	6	.0	.3	99.6
	5 Nearly every day	4	.0	.2	99.8
	6 More than once a day	4	.0	.2	100.0
	Total	1904	12.3	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	40	.3		
	Total	13554	87.7		
Total		15458	100.0		

ccxf1053 A24d: Frequency young woman dirties themselves at night

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Never	1887	12.2	98.8	98.8
	2 Occasionally but less than once a week	11	.1	.6	99.4
	3 About once a week	2	.0	.1	99.5
Valid	4 2-5 times a week	3	.0	.2	99.7
	5 Nearly every day	2	.0	.1	99.8
	6 More than once a day	4	.0	.2	100.0
	Total	1909	12.3	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	35	.2		
	Total	13549	87.7		
Total		15458	100.0		

Section B: About you


We want to examine the relationship between the levels of certain hormones in young women and heart disease risk in the future. These hormone levels are linked to how regular your periods are and how much body hair you have.


B1. Are you currently using:	Yes	No
a) the oral contraceptive pill	1	2
b) the contraceptive injection (e.g. Depo-provera)?	1 🔲	2 🔲
c) a contraceptive implant under your skin (e.g. Implanon)?	1 🔲	2 🔲
d) a contraceptive coil with hormone (e.g. Mirena)?	1 🔲	2 🔲
e) a contraceptive patch?	1 🔲	2 🔲
The next question is going to ask you about how regular and long your What we mean when we ask about length is the number of days between period and the first day of the next period. So, for example, if the first of bleeding on your last period was 7th May and the one before that was 1 of that cycle was 27 days.	en the first lay that yo	day of one ou started
B2. Are your periods regular?		
Yes occur every 23 days or less	1 🔲	
Yes occur between 24 and 35 days	2 🔲	
Yes occur more than every 35 days	3 🔲	
No	4	
B3. What was the date of your last period? (If you cannot remember the exact date please fill in as much of the control of th	letail as yo	ou can)

B4.	. a)	Have	you eve	er been	given tl	ne pill b	y a doc	tor in	order	to reg	ulate yo	ur periods
		Yes	1 🔲		No :	2 🗖						
	b)	If yes,	, at wha	at age								
B5. a)	Are	you a	parent?	•								
		Yes	1		No	2	-	•	If no	, go t	o B6a be	elow
b)	If y	es, whe	en did y	ou bec	ome a p	arent						
			Day	/ [Month	/	2	Yea O	nr			
B6. a)	Are	you cu	ırrently	pregna	nnt?							
		Yes	1		No	2 🔲	-	•	If no	, go t	o B7 on	page 16
b)											t your b	aby will ar)
			Day	/ [Month	7	2	Yea	ır			


Some women consider any amount of body hair as **unwanted**, so when answering the following questions, please think what you would consider an **abnormal** amount.

B7.	Do you have unwar (not including arm		the following areas?	
	a) The upper lip	Yes ¹□	No ²	
	b) If yes , please r	nark the most relev	ant diagram.	
	1	2 🔲	3 🗖	4 🔲
B8.	a) The chinb) If yes, please r	Yes 1 □ nark the most relev	No 2 □ vant diagram.	
	La company of the com	San		
	1 🔲	2 🗖	3 🔲	4 🔲









Now please complete section C on the back page.



Section B: About you

ccxf2000 B1a: Young woman currently using contraceptive pill

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1032	6.7	56.6	56.6
	2 No	791	5.1	43.4	100.0
	Total	1823	11.8	100.0	
Missing	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
	-3 Male	7643	49.4		
	-1 NS/NK	121	.8		
	Total	13635	88.2		
Total		15458	100.0		

ccxf2001 B1b: Young woman currently using contraceptive injection

			, ,		
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	74	.5	5.1	5.1
	2 No	1373	8.9	94.9	100.0
	Total	1447	9.4	100.0	
Missing	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
	-3 Male	7643	49.4		
	-1 NS/NK	497	3.2		
	Total	14011	90.6		
Total		15458	100.0		

ccxf2002 B1c: Young woman currently using contraceptive implant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	136	.9	9.2	9.2
	2 No	1344	8.7	90.8	100.0
	Total	1480	9.6	100.0	
Missing	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
	-3 Male	7643	49.4		
	-1 NS/NK	464	3.0		
	Total	13978	90.4		
Total		15458	100.0		

ccxf2003 B1d: Young woman currently using contraceptive coil with hormone

	ccx12003 B1d: Young woman currently using contraceptive coil with normone						
		Frequency	Percent	Valid Percent	Cumulative Percent		
Valid	1 Yes	25	.2	1.8	1.8		
	2 No	1402	9.1	98.2	100.0		
	Total	1427	9.2	100.0			
Missing	-11 Triplet or quadruplet	9	.1				
	-10 Not completed	5862	37.9				
	-3 Male	7643	49.4				
	-1 NS/NK	517	3.3				
	Total	14031	90.8				
Total		15458	100.0				

ccxf2004 B1e: Young woman currently using contraceptive patch

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	5	.0	.4	.4
	2 No	1412	9.1	99.6	100.0
	Total	1417	9.2	100.0	
Missing	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
	-3 Male	7643	49.4		
	-1 NS/NK	527	3.4		
	Total	14041	90.8		
Total		15458	100.0		

ccxf3000 B2: Regularity of young woman's period

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Yes, every 23 days or less	423	2.7	22.2	22.2
	2 Yes, between 24 and 35 days	973	6.3	51.1	73.4
Valid	3 Yes, > than every 35 days	47	.3	2.5	75.8
	4 No	460	3.0	24.2	100.0
	Total	1903	12.3	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	41	.3		
	Total	13555	87.7		
Total		15458	100.0		

ccxf3001 B3day: Day of last period

		Frequency	Percent	Valid Percent	Cumulative
	_				Percent
	1	83	.5	5.2	5.2
	2	67	.4	4.2	9.4
	3	60	.4	3.8	13.1
	4	53	.3	3.3	16.4
	5	64	.4	4.0	20.5
	6	56	.4	3.5	24.0
	7	62	.4	3.9	27.8
	8	32	.2	2.0	29.8
	9	48	.3	3.0	32.8
	10	68	.4	4.3	37.1
	11	54	.3	3.4	40.5
	12	41	.3	2.6	43.0
	13	35	.2	2.2	45.2
	14	57	.4	3.6	48.8
	15	72	.5	4.5	53.3
\	16	50	.3	3.1	56.4
Valid	17	51	.3	3.2	59.6
	18	61	.4	3.8	63.4
	19	47	.3	2.9	66.4
	20	76	.5	4.8	71.1
	21	36	.2	2.3	73.4
	22	36	.2	2.3	75.6
	23	44	.3	2.8	78.4
	24	60	.4	3.8	82.1
	25	36	.2	2.3	84.4
	26	33	.2	2.1	86.4
	27	50	.3	3.1	89.6
	28	50	.3	3.1	92.7
	29	39	.3	2.4	95.1
	30	42	.3	2.6	97.7
	31	36	.2	2.3	100.0
	Total	1599	10.3	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	345	2.2		
	Total	13859	89.7		
Total	. O.C.I	15458	100.0		
rotal		13.30			

ccxf3002 B3month: Month of last period

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Jan	9	.1	.5	.5
	2 Feb	10	.1	.6	1.1
	3 Mar	18	.1	1.0	2.1
	4 Apr	22	.1	1.2	3.3
	5 May	18	.1	1.0	4.3
	6 Jun	27	.2	1.5	5.8
Valid	7 Jul	34	.2	1.9	7.7
	8 Aug	171	1.1	9.5	17.2
	9 Sep	388	2.5	21.6	38.8
	10 Oct	627	4.1	34.9	73.6
	11 Nov	413	2.7	23.0	96.6
	12 Dec	61	.4	3.4	100.0
	Total	1798	11.6	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	146	.9		
	Total	13660	88.4		
Total		15458	100.0		

ccxf3003 B3year: Year of last period

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	2001	2	.0	.1	.1
	2003	1	.0	.1	.2
	2004	1	.0	.1	.2
	2005	1	.0	.1	.3
	2006	1	.0	.1	.3
\	2007	2	.0	.1	.4
Valid	2008	8	.1	.4	.9
	2009	19	.1	1.0	1.9
	2010	51	.3	2.8	4.7
	2011	1728	11.2	95.2	99.9
	2012	2	.0	.1	100.0
	Total	1816	11.7	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	128	.8		
	Total	13642	88.3		
Total		15458	100.0		

ccxf3004 B4a: Young woman has been given the pill by the doctor to regulate periods

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 No	450	2.9	23.4	23.4
Valid	2 Yes	1477	9.6	76.6	100.0
	Total	1927	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	17	.1		
	Total	13531	87.5		
Total		15458	100.0		

ccxf3005 B4b: Age at which young woman was given the pill to regulate periods

		Frequency	Percent	Valid Percent	Cumulative Percent
	11	2	.0	.5	.5
	12	10	.1	2.3	2.7
	13	21	.1	4.8	7.5
	14	50	.3	11.4	18.9
	15	86	.6	19.5	38.4
Valid	16	106	.7	24.1	62.5
	17	81	.5	18.4	80.9
	18	41	.3	9.3	90.2
	19	37	.2	8.4	98.6
	20	6	.0	1.4	100.0
	Total	440	2.8	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1504	9.7		
	Total	15018	97.2		
Total		15458	100.0		

ccxf4000 B5a: Young woman is a parent

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	57	.4	3.0	3.0
Valid	2 Yes	1867	12.1	97.0	100.0
	Total	1924	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	20	.1		
	Total	13534	87.6		
Total		15458	100.0		

ccxf4001 B5bmonth: Month of becoming a parent

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Jan	3	.0	5.5	5.5
	2 Feb	4	.0	7.3	12.7
	3 Mar	4	.0	7.3	20.0
	4 Apr	3	.0	5.5	25.5
	5 May	5	.0	9.1	34.5
	6 Jun	4	.0	7.3	41.8
Valid	7 Jul	4	.0	7.3	49.1
	8 Aug	7	.0	12.7	61.8
	9 Sep	5	.0	9.1	70.9
	10 Oct	3	.0	5.5	76.4
	11 Nov	9	.1	16.4	92.7
	12 Dec	4	.0	7.3	100.0
	Total	55	.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1889	12.2		
	Total	15403	99.6		
Total		15458	100.0		

ccxf4002 B5byear: Year of becoming a parent

-		Frequency	Percent	Valid Percent	Cumulative
					Percent
	2007	2	.0	3.6	3.6
	2008	2	.0	3.6	7.3
	2009	13	.1	23.6	30.9
Valid	2010	17	.1	30.9	61.8
	2011	21	.1	38.2	100.0
	Total	55	.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1889	12.2		
	Total	15403	99.6		
Total		15458	100.0		

ccxf5000 B6a: Young woman is currently pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	30	.2	1.6	1.6
Valid	2 Yes	1874	12.1	98.4	100.0
	Total	1904	12.3	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	40	.3		
	Total	13554	87.7		
Total		15458	100.0		

ccxf5001 B6bday: Day of expected delivery

-		Frequency	Percent	Valid Percent	Cumulative
					Percent
	2	1	.0	3.8	3.8
	3	1	.0	3.8	7.7
	5	1	.0	3.8	11.5
	6	2	.0	7.7	19.2
	7	2	.0	7.7	26.9
	8	1	.0	3.8	30.8
	11	2	.0	7.7	38.5
	13	1	.0	3.8	42.3
	14	1	.0	3.8	46.2
Valid	15	1	.0	3.8	50.0
valiu	20	1	.0	3.8	53.8
	21	1	.0	3.8	57.7
	22	1	.0	3.8	61.5
	23	2	.0	7.7	69.2
	25	1	.0	3.8	73.1
	27	2	.0	7.7	80.8
	28	3	.0	11.5	92.3
	29	1	.0	3.8	96.2
	30	1	.0	3.8	100.0
	Total	26	.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1918	12.4		
	Total	15432	99.8		
Total		15458	100.0		

ccxf5002 B6bmonth: Month of expected delivery

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 Jan	6	.0	20.7	20.7
	2 Feb	5	.0	17.2	37.9
	3 Mar	4	.0	13.8	51.7
	4 Apr	3	.0	10.3	62.1
	5 May	2	.0	6.9	69.0
Valid	6 Jun	2	.0	6.9	75.9
	7 Jul	1	.0	3.4	79.3
	9 Sep	2	.0	6.9	86.2
	11 Nov	2	.0	6.9	93.1
	12 Dec	2	.0	6.9	100.0
	Total	29	.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1915	12.4		
	Total	15429	99.8		
Total		15458	100.0		

ccxf5003 B6byear: Year of expected delivery

		Frequency	Percent	Valid Percent	Cumulative Percent
	2011	7	.0	24.1	24.1
Valid	2012	22	.1	75.9	100.0
	Total	29	.2	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1915	12.4		
	Total	15429	99.8		
Total		15458	100.0		

ccxf6000 B7a: Young woman has unwanted hair on the upper lip

-	CCX10000 B7a. Toding	Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	433	2.8	22.4	22.4
Valid	2 Yes	1500	9.7	77.6	100.0
	Total	1933	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	11	.1		
	Total	13525	87.5		
Total		15458	100.0		

ccxf6001 B7b: Young woman's reported amount of unwanted upper lip hair

_		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 least	310	2.0	71.3	71.3
	2	79	.5	18.2	89.4
Valid	3	21	.1	4.8	94.3
	4 most	25	.2	5.7	100.0
	Total	435	2.8	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1509	9.8		
	Total	15023	97.2		
Total		15458	100.0		

ccxf6002 B8a: Young woman has unwanted hair on her chin

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	96	.6	5.0	5.0
Valid	2 Yes	1822	11.8	95.0	100.0
	Total	1918	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	26	.2		
	Total	13540	87.6		
Total		15458	100.0		

ccxf6003 B8b: Young woman's reported amount of unwanted chin hair

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 least	73	.5	73.7	73.7
	2	13	.1	13.1	86.9
Valid	3	7	.0	7.1	93.9
	4 most	6	.0	6.1	100.0
	Total	99	.6	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1845	11.9		
	Total	15359	99.4		
Total		15458	100.0		

ccxf6004 B9a: Young woman has unwanted/excess hair around her nipples

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	580	3.8	30.2	30.2
Valid	2 Yes	1341	8.7	69.8	100.0
	Total	1921	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	23	.1		
	Total	13537	87.6		
Total		15458	100.0		

ccxf6005 B9b: Young woman has unwanted/excess hair between breasts

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	253	1.6	14.3	14.3
Valid	2 Yes	1515	9.8	85.7	100.0
	Total	1768	11.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	176	1.1		
	Total	13690	88.6		
Total		15458	100.0		

ccxf6006 B9c: Young woman's reported amount of unwanted/excess hair between breasts

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 least	227	1.5	84.4	84.4
	2	35	.2	13.0	97.4
Valid	3	4	.0	1.5	98.9
	4 most	3	.0	1.1	100.0
	Total	269	1.7	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1675	10.8		
	Total	15189	98.3		
Total		15458	100.0		

ccxf6007 B10a: Young woman has unwanted/excess hair on upper back

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	89	.6	4.6	4.6
Valid	2 Yes	1842	11.9	95.4	100.0
	Total	1931	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	13	.1		
	Total	13527	87.5		
Total		15458	100.0		

ccxf6008 B10b: Young woman's reported amount of unwanted/excess hair on upper back

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 least	59	.4	66.3	66.3
	2	19	.1	21.3	87.6
Valid	3	9	.1	10.1	97.8
	4 most	2	.0	2.2	100.0
	Total	89	.6	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1855	12.0		
	Total	15369	99.4		
Total		15458	100.0		

ccxf6009 B11a: Young woman has unwanted/excess hair on lower back

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	318	2.1	16.5	16.5
Valid	2 Yes	1613	10.4	83.5	100.0
	Total	1931	12.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	13	.1		
	Total	13527	87.5		
Total		15458	100.0		

ccxf6010 B11b: Young woman's reported amount of unwanted/excess hair on lower back

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 least	229	1.5	71.3	71.3
	2	51	.3	15.9	87.2
Valid	3	27	.2	8.4	95.6
	4 most	14	.1	4.4	100.0
	Total	321	2.1	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1623	10.5		
	Total	15137	97.9		
Total		15458	100.0		

ccxf6011 B12a: Young woman has unwanted/excess hair on upper abdomen (above belly button)

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	463	3.0	24.1	24.1
Valid	2 Yes	1456	9.4	75.9	100.0
	Total	1919	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	25	.2		
	Total	13539	87.6		
Total		15458	100.0		

ccxf6012 B12b: Young woman's reported amount of unwanted/excess hair on upper abdomen (above belly button)

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 least	374	2.4	79.6	79.6
	2	58	.4	12.3	91.9
Valid	3	24	.2	5.1	97.0
	4 most	14	.1	3.0	100.0
	Total	470	3.0	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1474	9.5		
	Total	14988	97.0		
Total		15458	100.0		

ccxf6013 B13a: Young woman has unwanted/excess hair on lower abdomen (below belly button)

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 No	873	5.6	45.9	45.9
Valid	2 Yes	1031	6.7	54.1	100.0
	Total	1904	12.3	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	40	.3		
	Total	13554	87.7		
Total		15458	100.0		

ccxf6014 B13b: Young woman's reported amount of unwanted/excess hair on lower abdomen (below belly button)

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 least	760	4.9	84.9	84.9
	2	103	.7	11.5	96.4
Valid	3	25	.2	2.8	99.2
	4 most	7	.0	.8	100.0
	Total	895	5.8	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1049	6.8		
	Total	14563	94.2		
Total		15458	100.0		

ccxf6015 B14a: Young woman has unwanted/excess hair on legs (thighs)

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	533	3.4	27.9	27.9
Valid	2 Yes	1377	8.9	72.1	100.0
	Total	1910	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	34	.2		
	Total	13548	87.6		
Total		15458	100.0		

ccxf6016 B14b: Young woman's reported amount of unwanted/excess hair on legs (thighs)

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 least	286	1.9	53.5	53.5
	2	112	.7	20.9	74.4
Valid	3	83	.5	15.5	89.9
	4 most	54	.3	10.1	100.0
	Total	535	3.5	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1409	9.1		
	Total	14923	96.5		
Total		15458	100.0		

ccxf6017 B15: Young woman has unwanted/excess hair on their legs below the knee

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	1499	9.7	78.0	78.0
Valid	2 Yes	423	2.7	22.0	100.0
	Total	1922	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	22	.1		
	Total	13536	87.6		
Total		15458	100.0		

ccxf6018 B16a: Young woman has unwanted/excess hair on her arms

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	722	4.7	38.7	38.7
Valid	2 Yes	1145	7.4	61.3	100.0
valid		1867	12.1	100.0	100.0
	Total	1007	12.1	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	77	.5		
	Total	13591	87.9		
Total		15458	100.0		

ccxf6019 B16b: Young woman's reported amount of unwanted/excess hair on her arms

		Frequency	Percent	Valid Percent	Cumulative
					Percent
	1 least	498	3.2	69.7	69.7
	2	127	.8	17.8	87.5
Valid	3	52	.3	7.3	94.8
	4 most	37	.2	5.2	100.0
	Total	714	4.6	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1230	8.0		
	Total	14744	95.4		
Total		15458	100.0		

ccxf6020 B17: Young woman has unwanted/excess hair on arms below the elbow

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	1451	9.4	76.4	76.4
Valid	2 Yes	447	2.9	23.6	100.0
	Total	1898	12.3	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	46	.3		
	Total	13560	87.7		
Total		15458	100.0		

SECTION C:								
C1. Did you have any hel	p to fill this in?							
No 1	Yes ² □ If <u>yes</u> , please say a) A parent help b) Someone els	ped	ed you:					
C2. What is your date of	birth? Day] / [Month	/	1	Ye 9	ar 9	
C3. What is today's date?	Day] / [Month	/	2	Ye 0	ar 1	
The	Thank you VERY much for your help							
Space for any addition								
N.B: Please rememb	_					_	Ιτ	
When completed, please send this back to: Professor George Davey-Smith Children of the Nineties - ALSPAC Oakfield House Oakfield Grove Bristol BS8 2BN								
		Telepho	ne: Bristo	ol (01	17) 33	31 001	0	
http://www.alspac.bri	s.ac.uk/ 20	(n)	University	of Bris	tol		4700	

ccxf9980 C1: Had help to complete questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 No	1840	11.9	96.1	96.1
Valid	2 Yes	75	.5	3.9	100.0
	Total	1915	12.4	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	29	.2		
	Total	13543	87.6		
Total		15458	100.0		

ccxf9981 C1a: A parent helped respondent complete questionnaire

		Frequency	Percent	Valid Percent	Cumulative
					Percent
Valid	1 Yes	43	.3	100.0	100.0
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1901	12.3		
	Total	15415	99.7		
Total		15458	100.0		

ccxf9982 C1b: Someone else helped respondent complete questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes -11 Triplet or quadruplet	19 9	.1 .1	100.0	100.0
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	-1 NS/NK	1925	12.5		
	Total	15439	99.9		
Total		15458	100.0		


ccxf9990a C3: Date questionnaire completed: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Jan	11	.1	.6	.6
	9 Sep	541	3.5	27.8	28.4
	10 Oct	81	.5	4.2	32.6
Valid	11 Nov	1183	7.7	60.9	93.4
	12 Dec	128	.8	6.6	100.0
	Total	1944	12.6	100.0	
	-11 Triplet or quadruplet	9	.1		
	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	Total	13514	87.4		
Total		15458	100.0		

ccxf9990b C3: Date questionnaire completed: Year


		Frequency	Percent	Valid Percent	Cumulative Percent
	2011	1933	12.5	99.4	99.4
Valid	2012	11	.1	.6	100.0
	Total	1944	12.6	100.0	
	-11 Triplet or quadruplet	9	.1		
Minnin	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	Total	13514	87.4		
Total		15458	100.0		

ccxf9991 DV: Age of respondent at completion (years)



DV: Age of respondent at completion (years)

ccxf9992 DV: Age of respondent at completion (months)



DV: Age of respondent at completion (months)

ccxf9995 DV: Date of completion replaced with date of receipt

		Frequency	Percent	Valid Percent	Cumulative Percent
	1 Yes, incomplete date of completion	33	.2	1.7	1.7
	3 Yes, date of completion < sent date	22	.1	1.1	2.8
Valid	4 Yes, date of completion > date of receipt	8	.1	.4	3.2
	5 No	1881	12.2	96.8	100.0
	Total	1944	12.6	100.0	
	-11 Triplet or quadruplet	9	.1		
.	-10 Not completed	5862	37.9		
Missing	-3 Male	7643	49.4		
	Total	13514	87.4		
Total		15458	100.0		