

THE ALSPAC STUDY

YPB FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Life at 22+

Prepared by

The ALSPAC Study Team

**Documentation giving frequencies, background and
instructions for use**

Version 1c: March 2019

Introduction		
Background	Page 3	
Collaborators and Funders	Page 3	
Data Collection	Page 4	
Questionnaire Versions	Page 4	
Sample and Response Rates	Page 5	
Format of this Documentation	Page 5	
Release File Version History	Page 5	
Administrative Variables		
Frequencies	Page 6	
Section A: Health		
Questionnaire	Page 7	
Frequencies	Page 18	
Section B: Physical Activity		
Questionnaire	Page 141	
Frequencies	Page 143	
Section C: Vision		
Questionnaire	Page 153	
Frequencies	Page 155	
Section D: Substance Use		
Questionnaire	Page 160	
Frequencies	Page 171	
Section E: Moods and Feelings		
Questionnaire	Page 219	
Frequencies	Page 220	
Section F: Life Events		
Questionnaire	Page 227	
Frequencies	Page 229	
Section G: Being a Parent		
Questionnaire	Page 238	
Frequencies	Page 239	
Section H: Childhood Experiences		
Questionnaire	Page 246	
Frequencies	Page 251	
Section I: Education and Employment		
Questionnaire	Page 271	
Frequencies	Page 274	
Section J: Voting		
Questionnaire	Page 295	
Frequencies	Page 297	
Section K: Completing the Questionnaire		
Questionnaire	Page 304	
Frequencies	Page 305	

Introduction

Background

This questionnaire was sent out to study children when they were approximately 22 years of age. It is in 11 sections:

Section A details the respondent's health, including general health, respiratory health, health conditions and fractures; Section B asks about the respondent's participation in physical activity; Section C contains questions about vision and glasses use; Section D details substance use (including smoking, alcohol and other drugs) and anti-social behaviour; Section E asks questions about respondent's recent mood; Section F includes questions on recent life events and the impact they had; Section G collects data on any children they may have and assisting ALSPAC with recruitment for COCO90's (Children of the Children of the 90's); Section H enquires about negative childhood experiences, including emotional, physical and sexual abuse; Section I asks questions regarding the respondent's education and employment status; Section J contains questions about voting behaviour and political beliefs in the then-upcoming May 2015 general election; finally, Section K collects the usual 'back page' information on when the questionnaire was completed.

Collaborators and Funders

Section	Topic/Specific Measure	Collaborator	Funder
A	General health	N/A	Core ALSPAC
	Respiratory health	John Henderson (University of Bristol)	Core ALSPAC
	Health service use	N/A	Core ALSPAC
	Health conditions	David Evans (University of Bristol)	University of Texas
	Neurodevelopmental problems and support received	Cathy Williams (University of Bristol)	NIHR
	Fractures	Nadia Micali (UCL)	University College London (UCL)
B	Physical activity	N/A	Core ALSPAC
C	Vision	Cathy Williams (University of Bristol)	NIHR
D	Substance use (alcohol, tobacco and drugs) and antisocial behaviour	Matt Hickman (University of Bristol) Ken Kendler (Virginia Commonwealth University)	NIH

E	Moods and feelings	Matt Hickman (University of Bristol) Ken Kendler (Virginia Commonwealth University)	NIH
F	Life events	N/A	Core ALSPAC
G	Being a parent	Debbie Lawlor (University of Bristol)	Core ALSPAC
H	Childhood experiences (emotional, physical and sexual abuse)	Abigail Fraser (University of Bristol)	MRC
I	Education and employment	Jon Ayres (University of Birmingham)	Core ALSPAC
J	Voting and political issues	N/A	Core ALSPAC
K	Administrative data	N/A	Core ALSPAC

Data Collection

The questionnaire was available to complete in online or paper format. All eligible participants were first sent a letter in mid-November 2014 providing details that the online questionnaire was active (a paper questionnaire was not enclosed with this initial invite). Participants who did not return their questionnaire then received a series of up to four reminders at three-week intervals: the first reminder contained a paper version of the questionnaire for individuals to complete alongside a reminder letter; the second reminder was an email or postcard (depending on whether an email address was available); the third reminder contained another paper version of the questionnaire alongside another reminder letter; the final reminder consisted of a further email/postcard reminder. Completed paper questionnaires were read in using Teleform data capture software. Data collection for the online questionnaires were collected and managed using REDCap electronic data capture tools hosted at the University of Bristol (Harris et al. 2009).

Questionnaire Versions

There was only one version of this questionnaire, although there were some small differences between the online and paper versions. The online version included the additional questions: YPB1391, YPB7010, YPB8010, YPB8060 and YPB9021. Additional details of these will be given alongside the relevant questions below. The paper version also contained the additional variable YPB4022. Some of the questions were also asked slightly differently between the online and paper versions. Details of these differences will be provided alongside the relevant questions below, but include the variables: YPB1143, YPB1170 YPB2010, YPB2030 and YPB4020.

Sample and Response Rates

There are a total of 15,636 records on this built file with 4,026 having returned a completed questionnaire in either online or paper format. This number is made up of the 14,676 foetuses in the core ALSPAC sample plus 960 eligible individuals not in the core sample (regardless of whether or not the 22+ questionnaire was sent out to them or whether it was returned). This questionnaire was completed by 249 of these 960 individuals not in the core sample. Of these 14,676 foetuses in the core ALSPAC sample, 14,062 were live born. The 22+ questionnaire was sent out to 9,542 live born children within the ALSPAC cohort (61% of total sample). Note also that one individual was not sent a questionnaire but nonetheless returned one (see variable YPB0003). As of 24th November 2016, 4,026 completed questionnaires had been returned (42.2% of those sent). For further information on the ALSPAC 'Young People' sample, please see the cohort profile paper (Boyd et al., 2013).

Note that 4 of the 4,026 completed questionnaires belong to children from triplet or quadruplet pregnancies, all of whom are in the core sample. For reasons of confidentiality the data from these questionnaires are not available. All variables have been set to -11 for these triplets and quadruplets.

Format of this Documentation

The bulk of this documentation consists of the text of the questionnaire as it was sent and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred, as well as any differences between the online and paper versions of the questionnaires, a description has been added before the relevant frequency tables. The algorithms used to create derived variables are also included where appropriate.

Release File Version History

Release version 1a – January 2017: The first version of the release file.

Release version 1b – March 2017: Updated variable labels for variables YPB4389e and YPB4389f.

Release version 1c – March 2019: Addition of background for Section H questions and references.

References

Boyd, A., Golding, J., Macleod, J., Lawlor, D. A., Fraser, A., Henderson, J., ... & Smith, G. D. (2013). Cohort profile: the 'children of the 90s'—the index offspring of the Avon Longitudinal Study of Parents and Children. *International Journal of Epidemiology*, 42 (1), 111-127.

Harris, P. A., Taylor, R., Thielke, R., Payne, J., Gonzalez N & Conde J. G. (2009). Research electronic data capture (REDCap) – a metadata-driven methodology and workflow process for providing translational research informatics support. *Journal of Biomedical Informatics*, 42 (2), 377-381.

Administrative Variables

YPB0001: Individual was sent a questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	6094	39.0	39.0	39.0
	Yes	9542	61.0	61.0	100.0
	Total	15636	100.0	100.0	

YPB0002: Individual completed a questionnaire

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	5517	35.3	57.8	57.8
	Yes	4026	25.7	42.2	100.0
	Total	9543	61.0	100.0	
Missing	Questionnaire not Sent	6093	39.0		
	Total	15636	100.0		

YPB0003: Individual completed a questionnaire, but was not sent one

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	15635	100.0	100.0	100.0
	Yes	1	.0	.0	100.0
	Total	15636	100.0	100.0	

YPB0004: Data collection method (paper or online)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Paper	1801	11.5	44.7	44.7
	Online	2225	14.2	55.3	100.0
	Total	4026	25.7	100.0	
Missing	Questionnaire not Completed System	5517	35.3		
		6093	39.0		
	Total	11610	74.3		
		15636	100.0		

Section A: Health - Questionnaire

Introduction

This questionnaire is for completion by the study young person.

In answering these questions you will be helping researchers from Bristol and across the UK who have contributed to putting this questionnaire together. The data you provide will be available to countless researchers across the world and will help in answering important questions on human development, health and disease.

Please remember that your answers to all these questions are confidential and will be processed using a unique ID number. All your personal details will be removed and no researcher will be able to link your answers back to you. Your data will only be shared with qualified researchers for research that has been approved by Children of the 90s.

Some questions may seem very similar to each other; this is because the combination of answers gives a clearer picture than one single answer.

There may be questions that seem a bit strange and are not applicable to you because they are concerned with specific feelings or problems. We would be very grateful if you would try to answer all the questions but we understand if there are questions that you either prefer not to answer or are unable to answer. Please just leave these questions blank.

If you require assistance in completing this questionnaire, please contact us via the details enclosed and we will be happy to make the necessary arrangements.

If you do not wish to complete this questionnaire, please leave it blank and return it to us in the prepaid envelope provided. We will then know not to send you any more reminders.

Thank you for taking the time to complete this questionnaire.

36580



Filling in the Questionnaire

Please use a **black** pen. To answer questions simply put a cross in the circle/box which is most accurate in your opinion, like this:



If you make a mistake, shade the circle/box in like this:



then cross the correct circle/box.

If you are answering questions which ask you to give further details, please make sure you write inside the boxes. If possible, please use CAPITAL LETTERS.

When writing numbers inside boxes, please don't touch the sides of the box.

2	7
---	---

If you make a mistake when writing numbers inside boxes, please cross through the box and write your answer next to the box.



2 8

If you do not want to answer a question, or if it does not apply to you, leave it blank.

There are no right or wrong answers.

There is a blank space available at the back of the questionnaire if you need additional space. If you use this sheet, please clearly indicate the question number you are answering.

36580



Contents

	Page
Section A: Health	4
Section B: Physical Activity	12
Section C: Vision	14
Section D: Substance Use	16
Section E: Moods and Feelings	27
Section F: Life Events	28
Section G: Being a Parent	30
Section H: Childhood Experiences	31
Section I: Education and Employment	36
Section J: Voting	39
Section K: Completing the Questionnaire	41

36580

Section A: Health

In this section we would like to get an update on your general health. We would also like to know about your respiratory health (particularly asthma) and whether you have had any broken bones or fractures.

General health

A1) In general, would you say your health is:

Excellent 1 Very good 2 Good 3 Fair 4 Poor 5

A2) The following questions are about activities you might do during a typical day. Does **your health now limit you** in these activities? If so, how much?

Yes, limited a lot Yes, limited a little No, not limited at all

- a. **Moderate activities**, such as moving a table, pushing a vacuum cleaner, bowling or playing golf 1 2 3
b. Climbing **several flights of stairs** 1 2 3

A3) During the **past 4 weeks**, how much of the time have you had any of the following problems with your work or other regular daily activities **as a result of your physical health**?

All of the time Most of the time Some of the time A little of the time None of the time

- a. Accomplished less than you would like 1 2 3 4 5
b. Were limited in the kind of work or other activities you did 1 2 3 4 5

A4) During the **past 4 weeks**, how much of the time have you had any of the following problems with your work or other regular daily activities **as a result of any emotional problems** (such as feeling depressed or anxious)?

All of the time Most of the time Some of the time A little of the time None of the time

- a. Accomplished less than you would like 1 2 3 4 5
b. Were limited in the kind of work or other activities you did 1 2 3 4 5

36580



During the **past 4 weeks**, how much did pain interfere with your normal **work** (including both work outside the home and housework)?

Not at all A little bit Moderately Quite a bit Extremely
1 2 3 4 5

A6) These questions are about how you feel and how things have been with you **during the past 4 weeks**. For each question, please give the one answer that comes closest to the way you have been feeling.

How much of the time during the **past 4 weeks**:

All of the time Most of the time Some of the time A little of the time None of the time

- a. Have you felt calm and peaceful? 1 2 3 4 5
b. Did you have a lot of energy? 1 2 3 4 5
c. Have you felt downhearted and depressed? 1 2 3 4 5

A7) During the **past 4 weeks**, how much of the time has your physical health or emotional problems interfered with your **social activities** (like visiting friends, relatives etc.)?

All of the time 1 Most of the time 2 Some of the time 3 A little of the time 4 None of the time 5

Respiratory health

A8) Have you **ever** had wheezing or whistling in the chest at **any time** in the past?

Yes 1 No 2  If no, please go to question A14

A9) Have you had wheezing or whistling in the chest in the **past 12 months**?

Yes 1 No 2  If no, please go to question A14

A10) How many attacks of wheezing have you had in the **past 12 months**?

None 1 1-3 2 4-12 3 more than 12 4

A11) In the **past 12 months**, how often, on average, has your sleep been disturbed due to wheezing?

Never woken with wheezing 1

Less than one night per week 2

One or more nights per week 3

36580



■ A12) In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words at a time between breaths? Yes 1 2 No 1 2

A13) In the past 12 months, has your chest sounded wheezy during or after exercise? Yes 1 2 No 1 2

A14) Have you ever had asthma?
Yes 1 2 No 1 2 → If no, please go to question A20

A15) Are you currently taking any medications for asthma?
Yes 1 2 No 1 2 → If no, please go to question A16

If yes: a. Reliever inhaler (taken when wheezy) Yes 1 2 No 1 2
 b. Preventor inhaler (usually taken every day whether wheezy or not) Yes 1 2 No 1 2
 c. Steroid tablets (e.g prednisolone) Yes 1 2 No 1 2
 i) If taking steroid tablets, do you take these:
 Regularly, every day 1 2 Intermittently, when 1 2 your asthma is bad
 or every other day
 ii) If taking steroid tablets intermittently, how many courses have you taken in the last year? 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100
 d. Other (including tablets; please cross and, if yes, please specify) 1 2 Yes 1 2 No 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100
 A16) If you are in paid employment, how many days work have you lost because of your asthma in the last 12 months? 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 days
 A17) During the last 12 months, have your asthma symptoms been better at the weekend? Yes 1 2 No 1 2 N/A 1 2
 A18) Since you have been in your current job, are your asthma symptoms better when away from work for a longer period (i.e. longer than a weekend)? Yes 1 2 3 No 1 2 3 N/A 1 2 3
 A19) In the past 12 months, have you had a dry cough at night, apart from a cough associated with a cold or chest infection? Yes 1 2 No 1 2 N/A 1 2
 36580



■ ● Health conditions ■

- A20) a. When did you last visit the doctor (i.e. GP or family doctor) about a condition that has directly affected you?

In the last 6 months 1 Between 6 months and a year ago 2
Over a year ago 3 Never 4 Don't know 5

- b. What was this for?

- A21) a. When did you last visit the dentist?

In the last 6 months 1 Between 6 months and a year ago 2
Over a year ago 3 Never 4 Don't know 5

- b. Why did you visit the dentist?

Just a check-up with no treatment 1
Check-up with minor treatment (e.g. small filling) 2
Check-up with follow-up treatment (e.g. larger filling) 3
Ongoing long-term treatment 4
To see the hygienist (e.g. for scale and polish) 5
Emergency 6

- A22) Have you ever been diagnosed with any of the following?

	Yes, by a doctor	Yes, by self	No	Not sure
a. Asthma	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
b. Eczema	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
c. Psoriasis	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
d. Hypertension (high blood pressure)	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
e. Heart Attack/Myocardial Infarction	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
f. Stroke	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
g. Polycystic Ovary Syndrome	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
h. Endometriosis	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
i. Crohn's Disease	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4

continued on the next page

36580



A22) **continued:** Have you ever been diagnosed with any of the following?

	Yes, by a doctor	Yes, by self	No	Not sure
j. Ulcerative Colitis	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
k. Ankylosing Spondylitis	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
l. Psoriatic arthritis	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
m. Spondyloarthropathy	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
n. Rheumatoid Arthritis	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
o. Sjogren's Syndrome	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
p. Lupus	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
q. Grave's Disease	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
r. Multiple Sclerosis	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
s. Hashimoto's Thyroiditis	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
t. Type 1 Diabetes (Juvenile onset diabetes)	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
u. Type 2 Diabetes (Adult onset diabetes)	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
v. Schizophrenia	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
w. Bipolar Disorder	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
x. Depression	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
y. Chronic Fatigue Syndrome / ME	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
z. Any other diseases/medical conditions (please cross circle and give details below):	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4

36580



- A23) Have you received any additional support at school, at college/university or in the workplace for any of the following (e.g. 1-1 learning support, small group help, additional equipment)? Please cross all that apply.

	(i) Yes, at school	(ii) Yes, at college/ university	(iii) Yes, at work	(iv) No
a. Dyslexia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Dyspraxia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Learning difficulties	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. ADHD	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e. Behavioural problems/hyperactivity	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f. Problem with speech or language	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
g. Problem with sight	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
h. Problem with hearing	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
i. Other physical disability	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
j. Autism, Asperger's syndrome	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
k. Mental illness/depression	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
l. Other reason	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

- A24) If you have received any support, please give details:

Fractures

- A25) These questions ask about broken bones (including fractures, cracks and chips) over the last 5 years. Please do not include stress (hairline) fractures as those will be asked about separately.

- a. Have you broken any bones in the **last 5 years**?

Yes

No



If no, please go to question A28

36580



		A25) b. Which bone(s) did you break?						
		(i) Finger(s)	(ii) Toe(s)	(iii) Bone(s) in arm/ shoulder	(iv) Bone(s) in leg	(v) Spine (back)	(vi) Other	
Yes		<input type="radio"/> 1	<input type="radio"/> 1	<input type="radio"/> 1	<input type="radio"/> 1	<input type="radio"/> 1	<input type="radio"/> 1	
No		<input type="radio"/> 2	<input type="radio"/> 2	<input type="radio"/> 2	<input type="radio"/> 2	<input type="radio"/> 2	<input type="radio"/> 2	
c. If yes, number of breaks in last 5 years		<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
If other, which bone?	<input type="text"/>							

A26) How did you break these bones? (Please write the **number of breaks** in the box most appropriate to that injury, e.g. if you broke two fingers while skateboarding, write "2" in the box next to question "b", under "fingers".)

	Finger(s)	Toe(s)	Bone(s) in arm/ shoulder	Bone(s) in leg	Spine (back)	Other
a. During a serious accident (e.g. road traffic accident, fall of more than 3 metres, being hit by a heavy moving object)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
b. During high impact sport (e.g. horse riding, cycling, skateboarding, skiing, rollerblading, skating)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
c. During low impact sport (e.g. ball sports, wrestling, judo, karate, gymnastics)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
d. Due to another reason (please write numbers in boxes then specify below)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

36580



A27) How were your broken bones treated (please cross all that apply)?

	(i) Finger(s)	(ii) Toe(s)	(iii) Bone(s) in arm/ shoulder	(iv) Bone(s) in leg	(v) Spine (back)	(vi) Other
a. Cast	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Surgery	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Splinting	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Rest	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e. Other	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If other, please specify:

A28) In the last 5 years, has any doctor said you had a stress (hairline) fracture?

Yes No → If no, please go to Section B

a. How old were you, in the last 5 years, when you were told that you had a stress fracture?

Please give your age in years for up to 3 times (most recent first) that this has happened to you.

i. years old ii. years old iii. years old

b. Where was your most recent stress fracture?

Foot Leg Wrist
Arm above wrist Other

If other, please specify:

c. Was your most recent stress fracture sport-related?

Yes No

36580



Section A: Health - Frequencies

General Health

YPB1000: A1: Respondent's assessment of general health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Excellent	851	5.4	21.2	21.2
	Very Good	1845	11.8	45.9	67.1
	Good	1065	6.8	26.5	93.7
	Fair	209	1.3	5.2	98.9
	Poor	46	.3	1.1	100.0
	Total	4016	25.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	6	.0		
	Total	11620	74.3		
Total		15636	100.0		

YPB1010: A2a: Health limits moderate activities, such as moving a table, pushing a vacuum cleaner, bowling or playing golf

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Limited a Lot	78	.5	1.9	1.9
	Yes, limited a Little	217	1.4	5.4	7.3
	No, Not Limited at All	3723	23.8	92.7	100.0
	Total	4018	25.7	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
Missing	No Answer	4	.0		
	Total	11618	74.3		
	Total	15636	100.0		

YPB1011: A2b: Health limits climbing several flights of stairs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Limited a Lot	101	.6	2.5	2.5
	Yes, limited a Little	450	2.9	11.3	13.8
	No, Not Limited at All	3443	22.0	86.2	100.0
	Total	3994	25.5	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
Missing	No Answer	28	.2		
	Total	11642	74.5		
	Total	15636	100.0		

YPB1020: A3a: Frequency accomplished less than would have liked due to physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the Time	34	.2	.8	.8
	Most of the Time	77	.5	1.9	2.8
	Some of the Time	241	1.5	6.0	8.8
	A Little of the Time	603	3.9	15.0	23.8
	None of the Time	3055	19.5	76.2	100.0
	Total	4010	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	12	.1		
	Total	11626	74.4		
Total		15636	100.0		

YPB1021: A3b: Frequency were limited in the kind of work or other activities due to physical health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the Time	31	.2	.8	.8
	Most of the Time	72	.5	1.8	2.6
	Some of the Time	181	1.2	4.5	7.1
	A Little of the Time	474	3.0	11.9	19.0
	None of the Time	3237	20.7	81.0	100.0
	Total	3995	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	27	.2		
	Total	11641	74.4		
Total		15636	100.0		

YPB1030: A4a: Frequency accomplished less than would have liked due to emotional problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the Time	55	.4	1.4	1.4
	Most of the Time	200	1.3	5.0	6.4
	Some of the Time	619	4.0	15.5	21.8
	A Little of the Time	834	5.3	20.8	42.6
	None of the Time	2297	14.7	57.4	100.0
	Total	4005	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	17	.1		
	Total	11631	74.4		
Total		15636	100.0		

YPB1031: A4b: Frequency were limited in the kind of work or other activities due to emotional problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the Time	48	.3	1.2	1.2
	Most of the Time	154	1.0	3.9	5.1
	Some of the Time	453	2.9	11.3	16.4
	A Little of the Time	614	3.9	15.4	31.8
	None of the Time	2727	17.4	68.2	100.0
	Total	3996	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	26	.2		
	Total	11640	74.4		
Total		15636	100.0		

YPB1040: A5: Amount pain interfered with normal work (both outside the home and housework) in past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at All	2932	18.8	73.2	73.2
	A Little Bit	789	5.0	19.7	92.8
	Moderately	157	1.0	3.9	96.8
	Quite a Bit	97	.6	2.4	99.2
	Extremely	33	.2	.8	100.0
	Total	4008	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	14	.1		
	Total	11628	74.4		
Total		15636	100.0		

YPB1050: A6a: Frequency felt calm and peaceful in past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the Time	118	.8	2.9	2.9
	Most of the Time	1829	11.7	45.6	48.5
	Some of the Time	1420	9.1	35.4	83.9
	A Little of the Time	552	3.5	13.7	97.6
	None of the Time	96	.6	2.4	100.0
	Total	4015	25.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	7	.0		
	Total	11621	74.3		
Total		15636	100.0		

YPB1051: A6b: Frequency had a lot of energy in past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the Time	129	.8	3.2	3.2
	Most of the Time	1544	9.9	38.5	41.7
	Some of the Time	1590	10.2	39.7	81.4
	A Little of the Time	613	3.9	15.3	96.7
	None of the Time	132	.8	3.3	100.0
	Total	4008	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	14	.1		
	Total	11628	74.4		
Total		15636	100.0		

YPB1052: A6c: Frequency felt downhearted and depressed in past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the Time	58	.4	1.4	1.4
	Most of the Time	350	2.2	8.7	10.2
	Some of the Time	953	6.1	23.8	33.9
	A Little of the Time	1590	10.2	39.6	73.6
	None of the Time	1060	6.8	26.4	100.0
	Total	4011	25.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	11	.1		
	Total	11625	74.3		
Total		15636	100.0		

YPB1060: A7: Frequency physical health or emotional problems interfered with social activities (like visiting friends, relatives etc.) in past 4 weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	All of the Time	49	.3	1.2	1.2
	Most of the Time	157	1.0	3.9	5.1
	Some of the Time	480	3.1	12.0	17.1
	A Little of the Time	877	5.6	21.9	39.0
	None of the Time	2449	15.7	61.0	100.0
	Total	4012	25.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	10	.1		
	Total	11624	74.3		
Total		15636	100.0		

Respiratory Health

YPB1070: A8: Had wheezing or whistling in the chest at any time in the past

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1235	7.9	30.8	30.8
	No	2776	17.8	69.2	100.0
	Total	4011	25.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	11	.1		
Total	Total	11625	74.3		
		15636	100.0		

YPB1080: A9: Had wheezing or whistling in the chest in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	749	4.8	60.8	60.8
	No	483	3.1	39.2	100.0
	Total	1232	7.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Never had Wheezing/Whistling	2776	17.8		
Total	No Answer	14	.1		
	Total	14404	92.1		
		15636	100.0		

YPB1090: A10: Number of wheezing attacks in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	72	.5	9.6	9.6
	1-3	460	2.9	61.5	71.1
	4-12	141	.9	18.9	90.0
Missing	More Than 12	75	.5	10.0	100.0
	Total	748	4.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not had Wheezing/Whistling in the Past 12 Months	483	3.1		
Total	Never had Wheezing/Whistling	2776	17.8		
	No Answer	15	.1		
	Total	14888	95.2		
		15636	100.0		

YPB1100: A11: Frequency sleep been disturbed by wheezing in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never Woken With Wheezing	488	3.1	65.2	65.2
	Less Than One Night Per Week	219	1.4	29.2	
	One or More Nights Per Week	42	.3	5.6	
	Total	749	4.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not had Wheezing/Whistling in the Past 12 Months	483	3.1		
	Never had Wheezing/Whistling	2776	17.8		
	No Answer	14	.1		
	Total	14887	95.2		
Total		15636	100.0		

YPB1110: A12: Wheezing limited speech to one or two words at a time between breaths in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	94	.6	12.6	12.6
	No	654	4.2	87.4	
	Total	748	4.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not had Wheezing/Whistling in the Past 12 Months	483	3.1		
	Never had Wheezing/Whistling	2776	17.8		
	No Answer	15	.1		
	Total	14888	95.2		
Total		15636	100.0		

YPB1120: A13: Chest sounded wheezy during or after exercise in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	540	3.5	72.5	72.5
	No	205	1.3	27.5	
	Total	745	4.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not had Wheezing/Whistling in the Past 12 Months	483	3.1		
	Never had Wheezing/Whistling	2776	17.8		
	No Answer	18	.1		
	Total	14891	95.2		
Total		15636	100.0		

YPB1130: A14: Ever had asthma

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	996	6.4	24.9	24.9
	No	3003	19.2	75.1	100.0
	Total	3999	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	23	.1		
	Total	11637	74.4		
Total		15636	100.0		

YPB1140: A15: Currently taking medications for asthma

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	378	2.4	38.1	38.1
	No	615	3.9	61.9	100.0
	Total	993	6.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Never had Asthma	3003	19.2		
	No Answer	25	.2		
	Total	14643	93.6		
		15636	100.0		

YPB1141: A15a: Asthma medication is a reliever inhaler

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	368	2.4	98.9	98.9
	No	4	.0	1.1	100.0
	Total	372	2.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	32	.2		
	Total	15264	97.6		
		15636	100.0		

YPB1142: A15b: Asthma medication is a preventor inhaler

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	234	1.5	70.7	70.7
	No	97	.6	29.3	100.0
	Total	331	2.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	72	.5		
	Total	15305	97.9		
	Total	15636	100.0		

Note that for this variable (YPB1143) there are six cases who answered 'no' to this question (currently taking steroid tablets for asthma) but said that they take steroid tablets intermittently when asthma is bad (YPB1144). These have been coded as 'Not currently taking steroid tablets, but does intermittently' for YPB1143. These have been included due to ambiguous wording differences between these questions (i.e., an individual may not be *currently* taking steroid tablets, yet still take them when their asthma is bad). Note also that each of these six cases were found in the paper version of the questionnaire, as in the online version if an individual answered 'no' to YPB1143 they could not answer the frequency they took steroid tablets (YPB1144). Therefore, if researchers want consistency between online and paper versions then these six cases should be dropped.

YPB1143: A15c: Asthma medication is steroid tablets

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	27	.2	9.9	9.9
	No	241	1.5	88.0	97.8
	Not Currently Taking Steroid Tablets, But Does Intermittently	6	.0	2.2	100.0
Missing	Total	274	1.8	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	129	.8		
	Total	15362	98.2		
	Total	15636	100.0		

YPB1144: A15c1: Frequency steroid tablets taken as asthma medication

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Regularly, Every Day or Every Other Day	8	.1	24.2	24.2
	Intermittently, When Asthma is Bad	25	.2	75.8	100.0
	Total	33	.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Taking Steroid Tablets as Asthma Medication	241	1.5		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	129	.8		
	Total	15603	99.8		
	Total	15636	100.0		

YPB1145: A15c2: Number of steroid tablet courses taken for asthma in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	9.5	9.5
	1	8	.1	38.1	47.6
	2	4	.0	19.0	66.7
	3	3	.0	14.3	81.0
	4	1	.0	4.8	85.7
	5	1	.0	4.8	90.5
	7	1	.0	4.8	95.2
	9	1	.0	4.8	100.0
	Total	21	.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Taking Steroid Tablets Regularly	8	.1		
	Not Taking Steroid Tablets as Asthma Medication	241	1.5		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	133	.9		
	Total	15615	99.9		
	Total	15636	100.0		

YPB1146: A15d: Other types of medication taken for asthma

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	18	.1	8.3	8.3
	No	199	1.3	91.7	100.0
	Total	217	1.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	187	1.2		
	Total	15419	98.6		
		15636	100.0		
Total					

These next six frequency tables are duplicates of the six variables above (YPB1141 to YPB1146) but contain 'silent no's'; these are cases where participants only answered the asthma medication they take, but left medications they did not take blank (rather than selecting 'no'). For instance, a respondent may say that they currently use a reliever inhaler (YPB1141), but subsequently leave preventor inhaler (YPB1142), steroid tablets (YPB1143) and 'other' medication (YPB1146) blank. This would lead to a reporting bias, such that 'yes' answers would be overrepresented, which may overestimate the frequency of usage of medications. Therefore, derived variables were created which imputed blank answers for YPB1141, YPB1142, YPB1143 or YPB1146 as 'no' if participants answered 'yes' to at least one of these questions (missing answer categorisations for YPB1144 and YPB1145 have also been updated to reflect these changes). These variables contain the suffix '_imputeno' after the original variable name (e.g., YPB1141_imputeno). Both variables have been included in the release file and documentation so that researchers can decide whether they wish to use the raw or imputed data.

YPB1141_imputeno: A15a: Asthma medication is a reliever inhaler - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	368	2.4	97.4	97.4
	No	10	.1	2.6	100.0
	Total	378	2.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	26	.2		
	Total	15258	97.6		
		15636	100.0		
Total					

YPB1142_imputeno: A15b: Asthma medication is a preventor inhaler - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	234	1.5	62.1	62.1
	No	143	.9	37.9	100.0
	Total	377	2.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	26	.2		
	Total	15259	97.6		
	Total	15636	100.0		

Note that for this variable (YPB1143) there are six cases who answered 'no' to this question (currently taking steroid tablets for asthma) but said that they take steroid tablets intermittently when asthma is bad (YPB1144). These have been coded as 'Not currently taking steroid tablets, but does intermittently' for YPB1143. These have been included due to ambiguous wording differences between these questions (i.e., an individual may not be *currently* taking steroid tablets, yet still take them when their asthma is bad). Note also that each of these six cases were found in the paper version of the questionnaire, as in the online version if an individual answered 'no' to YPB1143 they could not answer the frequency they took steroid tablets (YPB1144). Therefore, if researchers want consistency between online and paper versions then these six cases should be dropped.

YPB1143_imputeno: A15c: Asthma medication is steroid tablets - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	27	.2	7.2	7.2
	No	344	2.2	91.2	98.4
	Not Currently Taking Steroid Tablets, But Does Intermittently	6	.0	1.6	100.0
Missing	Total	377	2.4	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	26	.2		
	Total	15259	97.6		
	Total	15636	100.0		

YPB1144_imputeno: A15c1: Frequency steroid tablets taken as asthma medication - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Regularly, Every Day or Every Other Day	8	.1	24.2	24.2
	Intermittently, When Asthma is Bad	25	.2	75.8	100.0
	Total	33	.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Taking Steroid Tablets as Asthma Medication	344	2.2		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	26	.2		
	Total	15603	99.8		
		15636	100.0		

YPB1145_imputeno: A15c2: Number of steroid tablet courses taken for asthma in the past year - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	9.5	9.5
	1	8	.1	38.1	47.6
	2	4	.0	19.0	66.7
	3	3	.0	14.3	81.0
	4	1	.0	4.8	85.7
	5	1	.0	4.8	90.5
	7	1	.0	4.8	95.2
	9	1	.0	4.8	100.0
	Total	21	.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Taking Steroid Tablets Regularly	8	.1		
	Not Taking Steroid Tablets as Asthma Medication	344	2.2		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	30	.2		
	Total	15615	99.9		
		15636	100.0		

YPB1146_imputeno: A15d: Other types of medication taken for asthma - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	18	.1	4.8	4.8
	No	360	2.3	95.2	100.0
	Total	378	2.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Currently Taking Asthma Medication	615	3.9		
	Never had Asthma	3003	19.2		
	No Answer	26	.2		
	Total	15258	97.6		
		15636	100.0		
Total					

YPB1151: A16: Number of days work lost due to asthma in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	659	4.2	93.1	93.1
	.50	1	.0	.1	93.2
	1.00	12	.1	1.7	94.9
	2.00	7	.0	1.0	95.9
	3.00	6	.0	.8	96.8
	4.00	2	.0	.3	97.0
	5.00	6	.0	.8	97.9
	6.00	3	.0	.4	98.3
	7.00	2	.0	.3	98.6
	9.00	1	.0	.1	98.7
	10.00	1	.0	.1	98.9
	12.00	1	.0	.1	99.0
	14.00	2	.0	.3	99.3
	21.00	3	.0	.4	99.7
	30.00	1	.0	.1	99.9
	100.00	1	.0	.1	100.0
	Total	708	4.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Currently in Paid Work	257	1.6		
	Never had Asthma	3003	19.2		
	No Answer	53	.3		
	Total	14928	95.5		
Total		15636	100.0		

YPB1160: A17: Asthma symptoms better at the weekend in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	69	.4	7.9	7.9
	No	808	5.2	92.1	100.0
	Total	877	5.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	Never had Asthma	3003	19.2		
	No Answer	140	.9		
	Total	14759	94.4		
		15636	100.0		

For question YPB1170 there is a discrepancy between how this question was asked in the online compared to the paper version. In the online version there was an additional question asking whether respondents were currently in paid work (this question does not appear here as the same question was asked again later in the questionnaire: see YPB9121). Participants who answered 'no' to this question could not answer YPB1170, while those that could were only presented with the option 'yes' and 'no'. However, in the paper version YPB1170 simply said 'Since you have been in your current job...', and respondents were given three possible answers: 'yes', 'no' and 'N/A'. 'N/A' responses are therefore only from paper questionnaires, and should signify that these participants were not in paid employment (while the missing code 'not currently in paid work' predominantly reflects online participants not in paid employment).

YPB1170: A18: Since starting current job, asthma symptoms better when away from work for a longer period (i.e., longer than a weekend)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	56	.4	7.2	7.2
	No	517	3.3	66.0	73.2
	N/A	210	1.3	26.8	100.0
Missing	Total	783	5.0	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	Not Currently in Paid Work	161	1.0		
	Never had Asthma	3003	19.2		
	No Answer	71	.5		
	Total	14853	95.0		
Total		15636	100.0		

YPB1180: A19: Had a dry cough at night in the past 12 months (other than coughs associated with a cold or chest infection)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	227	1.5	23.9	23.9
	No	723	4.6	76.1	100.0
	Total	950	6.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	Never had Asthma	3003	19.2		
	No Answer	67	.4		
	Total	14686	93.9		
		15636	100.0		

Health Conditions

YPB1190: A20a: When last visited the doctor

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	In the Last 6 Months	2002	12.8	50.0	50.0
	Between 6 Months and a Year Ago	577	3.7	14.4	64.4
	Over a Year Ago	871	5.6	21.8	86.2
	Never	261	1.7	6.5	92.7
	Don't Know	292	1.9	7.3	100.0
	Total	4003	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	19	.1		
	Total	11633	74.4		
Total		15636	100.0		

YPB1200: A21a: When last visited the dentist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	In the Last 6 Months	1718	11.0	42.8	42.8
	Between 6 Months and a Year Ago	866	5.5	21.6	64.3
	Over a Year Ago	1323	8.5	32.9	97.3
	Never	11	.1	.3	97.6
	Don't Know	94	.6	2.3	99.9
	Visited the Dentist, but Unsure When	4	.0	.1	100.0
	Total	4016	25.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	6	.0		
	Total	11620	74.3		
Total		15636	100.0		

YPB1201: A21b: Reason for visiting the dentist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Just a Check-up with no Treatment	2799	17.9	70.7	70.7
	Check-up with Minor Treatment (e.g., Small Filling)	569	3.6	14.4	85.0
	Check-up with Follow-up Treatment (e.g., Larger Filling)	245	1.6	6.2	91.2
	Ongoing Long-Term Treatment	69	.4	1.7	93.0
	To see the Hygienist (e.g., for Scale and Polish)	128	.8	3.2	96.2
	Emergency	151	1.0	3.8	100.0
	Total	3961	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Never Been to Dentist	11	.1		
	No Answer	50	.3		
	Total	11675	74.7		
Total		15636	100.0		

YPB1210: A22a: Ever been diagnosed with asthma

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	979	6.3	24.5	24.5
	Yes, by Self	19	.1	.5	24.9
	No	2965	19.0	74.1	99.0
	Not Sure	39	.2	1.0	100.0
	Total	4002	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	19	.1		
	Total	11634	74.4		
Total		15636	100.0		

YPB1211: A22b: Ever been diagnosed with eczema

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	977	6.2	24.4	24.4
	Yes, by Self	186	1.2	4.7	29.1
	No	2776	17.8	69.4	98.5
	Not Sure	61	.4	1.5	100.0
	Total	4000	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	21	.1		
	Total	11636	74.4		
Total		15636	100.0		

YPB1212: A22c: Ever been diagnosed with psoriasis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	137	.9	3.4	3.4
	Yes, by Self	36	.2	.9	4.3
	No	3773	24.1	94.6	99.0
	Not Sure	41	.3	1.0	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	33	.2		
	Total	11649	74.5		
Total		15636	100.0		

YPB1213: A22d: Ever been diagnosed with hypertension (high blood pressure)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	62	.4	1.6	1.6
	Yes, by Self	9	.1	.2	1.8
	No	3895	24.9	97.6	99.4
	Not Sure	23	.1	.6	100.0
	Total	3989	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	31	.2		
	Total	11647	74.5		
Total		15636	100.0		

YPB1214: A22e: Ever been diagnosed with heart attack/myocardial infarction

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	3	.0	.1	.1
	Yes, by Self	1	.0	.0	.1
	No	3972	25.4	99.5	99.6
	Not Sure	14	.1	.4	100.0
	Total	3990	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	30	.2		
	Total	11646	74.5		
Total		15636	100.0		

YPB1215: A22f: Ever been diagnosed with stroke

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	5	.0	.1	.1
	No	3973	25.4	99.5	99.6
	Not Sure	14	.1	.4	100.0
	Total	3992	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	28	.2		
	Total	11644	74.5		
Total		15636	100.0		

YPB1216: A22g: Ever been diagnosed with polycystic ovary syndrome

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	107	.7	2.7	2.7
	Yes, by Self	15	.1	.4	3.1
	No	3835	24.5	96.0	99.0
	Not Sure	39	.2	1.0	100.0
	Total	3996	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	24	.2		
	Total	11640	74.4		
Total		15636	100.0		

YPB1217: A22h: Ever been diagnosed with endometriosis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	33	.2	.8	.8
	Yes, by Self	8	.1	.2	1.0
	No	3925	25.1	98.3	99.3
	Not Sure	27	.2	.7	100.0
	Total	3993	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	27	.2		
	Total	11643	74.5		
Total		15636	100.0		

YPB1218: A22i: Ever been diagnosed with crohn's disease

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	19	.1	.5	.5
	Yes, by Self	1	.0	.0	.5
	No	3955	25.3	99.1	99.6
	Not Sure	17	.1	.4	100.0
	Total	3992	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	28	.2		
	Total	11644	74.5		
Total		15636	100.0		

YPB1219: A22j: Ever been diagnosed with ulcerative colitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	17	.1	.4	.4
	No	3954	25.3	99.0	99.4
	Not Sure	22	.1	.6	100.0
	Total	3993	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	27	.2		
	Total	11643	74.5		
Total		15636	100.0		

YPB1220: A22k: Ever been diagnosed with ankylosing spondylitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	2	.0	.1	.1
	No	3972	25.4	99.5	99.5
	Not Sure	18	.1	.5	100.0
	Total	3992	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	28	.2		
	Total	11644	74.5		
Total		15636	100.0		

YPB1221: A22I: Ever been diagnosed with psoriatic arthritis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	4	.0	.1	.1
	Yes, by Self	1	.0	.0	.1
	No	3972	25.4	99.5	99.6
	Not Sure	16	.1	.4	100.0
	Total	3993	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	27	.2		
	Total	11643	74.5		
Total		15636	100.0		

YPB1222: A22m: Ever been diagnosed with spondyloarthropathy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3973	25.4	99.5	99.5
	Not Sure	19	.1	.5	100.0
	Total	3992	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	28	.2		
	Total	11644	74.5		
Total		15636	100.0		

YPB1223: A22n: Ever been diagnosed with rheumatoid arthritis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	10	.1	.3	.3
	Yes, by Self	4	.0	.1	.4
	No	3961	25.3	99.1	99.5
	Not Sure	20	.1	.5	100.0
	Total	3995	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	25	.2		
	Total	11641	74.4		
Total		15636	100.0		

YPB1224: A22o: Ever been diagnosed with sjogren's syndrome

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	2	.0	.1	.1
	No	3973	25.4	99.6	99.6
	Not Sure	15	.1	.4	100.0
	Total	3990	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	30	.2		
	Total	11646	74.5		
Total		15636	100.0		

YPB1225: A22p: Ever been diagnosed with lupus

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	4	.0	.1	.1
	No	3974	25.4	99.5	99.6
	Not Sure	15	.1	.4	100.0
	Total	3993	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	27	.2		
	Total	11643	74.5		
Total		15636	100.0		

YPB1226: A22q: Ever been diagnosed with grave's disease

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3979	25.4	99.6	99.6
	Not Sure	14	.1	.4	100.0
	Total	3993	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	27	.2		
	Total	11643	74.5		
Total		15636	100.0		

YPB1227: A22r: Ever been diagnosed with multiple sclerosis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	4	.0	.1	.1
	No	3972	25.4	99.5	99.6
	Not Sure	15	.1	.4	100.0
	Total	3991	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	29	.2		
Total	Total	11645	74.5		
		15636	100.0		

YPB1228: A22s: Ever been diagnosed with hashimoto's thyroiditis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	7	.0	.2	.2
	No	3967	25.4	99.5	99.6
	Not Sure	14	.1	.4	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	32	.2		
Total	Total	11648	74.5		
		15636	100.0		

YPB1229: A22t: Ever been diagnosed with type 1 diabetes (juvenile onset diabetes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	17	.1	.4	.4
	No	3964	25.4	99.2	99.6
	Not Sure	14	.1	.4	100.0
	Total	3995	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	25	.2		
Total	Total	11641	74.4		
		15636	100.0		

YPB1230: A22u: Ever been diagnosed with type 2 diabetes (adult onset diabetes)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	3	.0	.1	.1
	No	3975	25.4	99.5	99.6
	Not Sure	16	.1	.4	100.0
	Total	3994	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	26	.2		
	Total	11642	74.5		
Total		15636	100.0		

YPB1231: A22v: Ever been diagnosed with schizophrenia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	2	.0	.1	.1
	Yes, by Self	1	.0	.0	.1
	No	3971	25.4	99.5	99.6
	Not Sure	15	.1	.4	100.0
Missing	Total	3989	25.5	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	31	.2		
Total		11647	74.5		
Total		15636	100.0		

YPB1232: A22w: Ever been diagnosed with bipolar disorder

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	15	.1	.4	.4
	Yes, by Self	7	.0	.2	.6
	No	3932	25.1	98.5	99.1
	Not Sure	37	.2	.9	100.0
Missing	Total	3991	25.5	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	29	.2		
Total		11645	74.5		
Total		15636	100.0		

YPB1233: A22x: Ever been diagnosed with depression

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	608	3.9	15.2	15.2
	Yes, by Self	217	1.4	5.4	20.7
	No	3131	20.0	78.4	99.0
	Not Sure	39	.2	1.0	100.0
	Total	3995	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	25	.2		
	Total	11641	74.4		
Total		15636	100.0		

YPB1234: A22y: Ever been diagnosed with chronic fatigue syndrome/ME

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	59	.4	1.5	1.5
	Yes, by Self	9	.1	.2	1.7
	No	3888	24.9	97.6	99.3
	Not Sure	29	.2	.7	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	35	.2		
	Total	11651	74.5		
Total		15636	100.0		

YPB1235: A22z: Ever been diagnosed with any other diseases/medical conditions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	647	4.1	16.5	16.5
	Yes, by Self	50	.3	1.3	17.8
	No	3131	20.0	80.1	97.9
	Not Sure	36	.2	.9	98.8
	Gave Condition, but not Specify if by a Doctor	46	.3	1.2	100.0
Missing	Total	3910	25.0	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	110	.7		
Total		11726	75.0		
Total		15636	100.0		

These next 26 frequency tables are duplicates of the 26 variables above (YPB1210 to YPB1235) but contain 'silent no's'; these are cases where participants only answered the condition(s) they had, but left conditions they did not take blank (rather than selecting 'no'; for more details see YPB1141_imputeno, page 27). These variables contain the suffix '_imputeno' after the original variable name (e.g., YPB1210_imputeno). Both variables have been included in the release file and documentation so that researchers can decide whether they wish to use the raw or imputed data.

YPB1210_imputeno: A22a: Ever been diagnosed with asthma - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	979	6.3	24.4	24.4
	Yes, by Self	19	.1	.5	24.9
	No	2970	19.0	74.1	99.0
	Not Sure	39	.2	1.0	100.0
	Total	4007	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	14	.1		
	Total	11629	74.4		
Total		15636	100.0		

YPB1211_imputeno: A22b: Ever been diagnosed with eczema - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	977	6.2	24.4	24.4
	Yes, by Self	186	1.2	4.6	29.0
	No	2785	17.8	69.5	98.5
	Not Sure	61	.4	1.5	100.0
	Total	4009	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	12	.1		
	Total	11627	74.4		
Total		15636	100.0		

YPB1212_imputeno: A22c: Ever been diagnosed with psoriasis - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	137	.9	3.4	3.4
	Yes, by Self	36	.2	.9	4.3
	No	3787	24.2	94.7	99.0
	Not Sure	41	.3	1.0	100.0
	Total	4001	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	19	.1		
	Total	11635	74.4		
Total		15636	100.0		

YPB1213_imputeno: A22d: Ever been diagnosed with hypertension (high blood pressure) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	62	.4	1.5	1.5
	Yes, by Self	9	.1	.2	1.8
	No	3909	25.0	97.7	99.4
	Not Sure	23	.1	.6	100.0
	Total	4003	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	17	.1		
	Total	11633	74.4		
Total		15636	100.0		

YPB1214_imputeno: A22e: Ever been diagnosed with heart attack/myocardial infarction - Silent no

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	3	.0	.1	.1
	Yes, by Self	1	.0	.0	.1
	No	3986	25.5	99.6	99.7
	Not Sure	14	.1	.3	100.0
	Total	4004	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	16	.1		
	Total	11632	74.4		
Total		15636	100.0		

YPB1215_imputeno: A22f: Ever been diagnosed with stroke - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	5	.0	.1	.1
	No	3987	25.5	99.5	99.7
	Not Sure	14	.1	.3	100.0
	Total	4006	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	14	.1		
	Total	11630	74.4		
Total		15636	100.0		

YPB1216_imputeno: A22g: Ever been diagnosed with polycystic ovary syndrome - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	107	.7	2.7	2.7
	Yes, by Self	15	.1	.4	3.0
	No	3848	24.6	96.0	99.0
	Not Sure	39	.2	1.0	100.0
	Total	4009	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	11	.1		
	Total	11627	74.4		
Total		15636	100.0		

YPB1217_imputeno: A22h: Ever been diagnosed with endometriosis - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	33	.2	.8	.8
	Yes, by Self	8	.1	.2	1.0
	No	3938	25.2	98.3	99.3
	Not Sure	27	.2	.7	100.0
	Total	4006	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	14	.1		
	Total	11630	74.4		
Total		15636	100.0		

YPB1218_imputeno: A22i: Ever been diagnosed with crohn's disease - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	19	.1	.5	.5
	Yes, by Self	1	.0	.0	.5
	No	3969	25.4	99.1	99.6
	Not Sure	17	.1	.4	100.0
	Total	4006	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	14	.1		
	Total	11630	74.4		
Total		15636	100.0		

YPB1219_imputeno: A22j: Ever been diagnosed with ulcerative colitis - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	17	.1	.4	.4
	No	3967	25.4	99.0	99.5
	Not Sure	22	.1	.5	100.0
	Total	4006	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	14	.1		
	Total	11630	74.4		
Total		15636	100.0		

YPB1220_imputeno: A22k: Ever been diagnosed with ankylosing spondylitis - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	2	.0	.0	.0
	No	3985	25.5	99.5	99.6
	Not Sure	18	.1	.4	100.0
	Total	4005	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	15	.1		
	Total	11631	74.4		
Total		15636	100.0		

YPB1221_imputeno: A22l: Ever been diagnosed with psoriatic arthritis - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	4	.0	.1	.1
	Yes, by Self	1	.0	.0	.1
	No	3986	25.5	99.5	99.6
	Not Sure	16	.1	.4	100.0
	Total	4007	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	13	.1		
	Total	11629	74.4		
Total		15636	100.0		

YPB1222_imputeno: A22m: Ever been diagnosed with spondyloarthropathy - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3987	25.5	99.5	99.5
	Not Sure	19	.1	.5	100.0
	Total	4006	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	14	.1		
	Total	11630	74.4		
Total		15636	100.0		

YPB1223_imputeno: A22n: Ever been diagnosed with rheumatoid arthritis - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	10	.1	.2	.2
	Yes, by Self	4	.0	.1	.3
	No	3974	25.4	99.2	99.5
	Not Sure	20	.1	.5	100.0
	Total	4008	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	12	.1		
	Total	11628	74.4		
Total		15636	100.0		

YPB1224_imputeno: A22o: Ever been diagnosed with sjogren's syndrome - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	2	.0	.0	.0
	No	3987	25.5	99.6	99.6
	Not Sure	15	.1	.4	100.0
	Total	4004	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	16	.1		
	Total	11632	74.4		
Total		15636	100.0		

YPB1225_imputeno: A22p: Ever been diagnosed with lupus - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	4	.0	.1	.1
	No	3988	25.5	99.5	99.6
	Not Sure	15	.1	.4	100.0
	Total	4007	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	13	.1		
	Total	11629	74.4		
Total		15636	100.0		

YPB1226_imputeno: A22q: Ever been diagnosed with grave's disease - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3993	25.5	99.7	99.7
	Not Sure	14	.1	.3	100.0
	Total	4007	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	13	.1		
	Total	11629	74.4		
Total		15636	100.0		

YPB1227_imputeno: A22r: Ever been diagnosed with multiple sclerosis - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	4	.0	.1	.1
	No	3986	25.5	99.5	99.6
	Not Sure	15	.1	.4	100.0
	Total	4005	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	15	.1		
	Total	11631	74.4		
Total		15636	100.0		

YPB1228_imputeno: A22s: Ever been diagnosed with hashimoto's thyroiditis - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	7	.0	.2	.2
	No	3981	25.5	99.5	99.7
	Not Sure	14	.1	.3	100.0
	Total	4002	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	18	.1		
	Total	11634	74.4		
Total		15636	100.0		

YPB1229_imputeno: A22t: Ever been diagnosed with type 1 diabetes (juvenile onset diabetes) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	17	.1	.4	.4
	No	3978	25.4	99.2	99.7
	Not Sure	14	.1	.3	100.0
	Total	4009	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	11	.1		
	Total	11627	74.4		
Total		15636	100.0		

YPB1230_imputeno: A22u: Ever been diagnosed with type 2 diabetes (adult onset diabetes) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	3	.0	.1	.1
	No	3989	25.5	99.5	99.6
	Not Sure	16	.1	.4	100.0
	Total	4008	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	12	.1		
	Total	11628	74.4		
Total		15636	100.0		

YPB1231_imputeno: A22v: Ever been diagnosed with schizophrenia - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	2	.0	.0	.0
	Yes, by Self	1	.0	.0	.1
	No	3985	25.5	99.6	99.6
	Not Sure	15	.1	.4	100.0
Missing	Total	4003	25.6	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	17	.1		
Total	Total	11633	74.4		
		15636	100.0		

YPB1232_imputeno: A22w: Ever been diagnosed with bipolar disorder - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	15	.1	.4	.4
	Yes, by Self	7	.0	.2	.5
	No	3945	25.2	98.5	99.1
	Not Sure	37	.2	.9	100.0
Missing	Total	4004	25.6	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	16	.1		
Total	Total	11632	74.4		
		15636	100.0		

YPB1233_imputeno: A22x: Ever been diagnosed with depression - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	608	3.9	15.2	15.2
	Yes, by Self	217	1.4	5.4	20.6
	No	3139	20.1	78.4	99.0
	Not Sure	39	.2	1.0	100.0
	Total	4003	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	17	.1		
	Total	11633	74.4		
Total		15636	100.0		

YPB1234_imputeno: A22y: Ever been diagnosed with chronic fatigue syndrome/ME - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	59	.4	1.5	1.5
	Yes, by Self	9	.1	.2	1.7
	No	3901	24.9	97.6	99.3
	Not Sure	29	.2	.7	100.0
	Total	3998	25.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	22	.1		
	Total	11638	74.4		
Total		15636	100.0		

YPB1235_imputeno: A22z: Ever been diagnosed with any other diseases/medical conditions - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, by a Doctor	647	4.1	16.1	16.1
	Yes, by Self	50	.3	1.2	17.4
	No	3233	20.7	80.6	98.0
	Not Sure	36	.2	.9	98.9
	Gave Condition, but not Specify if by a Doctor	46	.3	1.1	100.0
Missing	Total	4012	25.7	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	8	.1		
Total	Total	11624	74.3		
		15636	100.0		

YPB1240: A23a1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for dyslexia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3669	23.5	92.8	92.8
	Yes	284	1.8	7.2	100.0
	Total	3953	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	67	.4		
	Total	11683	74.7		
		15636	100.0		

YPB1241: A23a2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for dyslexia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3670	23.5	92.8	92.8
	Yes	283	1.8	7.2	100.0
	Total	3953	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	67	.4		
	Total	11683	74.7		
		15636	100.0		

YPB1242: A23a3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for dyslexia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3917	25.1	99.1	99.1
	Yes	36	.2	.9	100.0
	Total	3953	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	67	.4		
	Total	11683	74.7		
		15636	100.0		

YPB1243: A23a4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for dyslexia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	438	2.8	11.1	11.1
	Yes	3515	22.5	88.9	100.0
	Total	3953	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	67	.4		
	Total	11683	74.7		
		15636	100.0		

YPB1244: A23b1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for dyspraxia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3879	24.8	98.7	98.7
	Yes	52	.3	1.3	100.0
	Total	3931	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	89	.6		
	Total	11705	74.9		
		15636	100.0		

YPB1245: A23b2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for dyspraxia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3877	24.8	98.6	98.6
	Yes	54	.3	1.4	100.0
	Total	3931	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	89	.6		
	Total	11705	74.9		
		15636	100.0		

YPB1246: A23b3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for dyspraxia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3921	25.1	99.7	99.7
	Yes	10	.1	.3	100.0
	Total	3931	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	89	.6		
	Total	11705	74.9		
		15636	100.0		

YPB1247: A23b4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for dyspraxia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	91	.6	2.3	2.3
	Yes	3840	24.6	97.7	100.0
	Total	3931	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	89	.6		
	Total	11705	74.9		
		15636	100.0		

YPB1248: A23c1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for learning difficulties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3812	24.4	97.2	97.2
	Yes	109	.7	2.8	100.0
	Total	3921	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	5	.0		
	No Answer	96	.6		
	Total	11715	74.9		
		15636	100.0		

YPB1249: A23c2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for learning difficulties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3871	24.8	98.7	98.7
	Yes	50	.3	1.3	100.0
	Total	3921	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	5	.0		
Total	No Answer	96	.6		
	Total	11715	74.9		
		15636	100.0		

YPB1250: A23c3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for learning difficulties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3911	25.0	99.7	99.7
	Yes	10	.1	.3	100.0
	Total	3921	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	5	.0		
Total	No Answer	96	.6		
	Total	11715	74.9		
		15636	100.0		

YPB1251: A23c4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for learning difficulties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	136	.9	3.5	3.5
	Yes	3785	24.2	96.5	100.0
	Total	3921	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	5	.0		
Total	No Answer	96	.6		
	Total	11715	74.9		
		15636	100.0		

YPB1252: A23d1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for ADHD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3891	24.9	99.3	99.3
	Yes	29	.2	.7	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	3	.0		
	No Answer	99	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1253: A23d2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for ADHD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3902	25.0	99.5	99.5
	Yes	18	.1	.5	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	3	.0		
	No Answer	99	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1254: A23d3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for ADHD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3912	25.0	99.8	99.8
	Yes	8	.1	.2	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	3	.0		
	No Answer	99	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1255: A23d4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for ADHD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	45	.3	1.1	1.1
	Yes	3875	24.8	98.9	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	3	.0		
	No Answer	99	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1256: A23e1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for behavioural problems/hyperactivity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3850	24.6	98.2	98.2
	Yes	71	.5	1.8	100.0
	Total	3921	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	No Answer	97	.6		
	Total	11715	74.9		
		15636	100.0		

YPB1257: A23e2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for behavioural problems/hyperactivity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3909	25.0	99.7	99.7
	Yes	12	.1	.3	100.0
	Total	3921	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	No Answer	97	.6		
	Total	11715	74.9		
		15636	100.0		

YPB1258: A23e3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for behavioural problems/hyperactivity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3913	25.0	99.8	99.8
	Yes	8	.1	.2	100.0
	Total	3921	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	97	.6		
	Total	11715	74.9		
		15636	100.0		

YPB1259: A23e4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for behavioural problems/hyperactivity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	83	.5	2.1	2.1
	Yes	3838	24.5	97.9	100.0
	Total	3921	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	97	.6		
	Total	11715	74.9		
		15636	100.0		

YPB1260: A23f1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with speech or language

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3846	24.6	98.1	98.1
	Yes	74	.5	1.9	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	98	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1261: A23f2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for problems with speech or language

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3909	25.0	99.7	99.7
	Yes	11	.1	.3	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	No Answer	98	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1262: A23f3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for problems with speech or language

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3909	25.0	99.7	99.7
	Yes	11	.1	.3	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	No Answer	98	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1263: A23f4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with speech or language

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	85	.5	2.2	2.2
	Yes	3835	24.5	97.8	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	No Answer	98	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1264: A23g1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with sight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3877	24.8	98.9	98.9
	Yes	43	.3	1.1	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	No Answer	98	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1265: A23g2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for problems with sight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3902	25.0	99.5	99.5
	Yes	18	.1	.5	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	No Answer	98	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1266: A23g3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for problems with sight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3888	24.9	99.2	99.2
	Yes	32	.2	.8	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	No Answer	98	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1267: A23g4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with sight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	78	.5	2.0	2.0
	Yes	3842	24.6	98.0	100.0
	Total	3920	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	98	.6		
	Total	11716	74.9		
		15636	100.0		

YPB1268: A23h1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with hearing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3890	24.9	99.2	99.2
	Yes	32	.2	.8	100.0
	Total	3922	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	No Answer	99	.6		
	Total	11714	74.9		
		15636	100.0		

YPB1269: A23h2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for problems with hearing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3908	25.0	99.6	99.6
	Yes	14	.1	.4	100.0
	Total	3922	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	No Answer	99	.6		
	Total	11714	74.9		
		15636	100.0		

YPB1270: A23h3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for problems with hearing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3910	25.0	99.7	99.7
	Yes	12	.1	.3	100.0
	Total	3922	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	99	.6		
	Total	11714	74.9		
		15636	100.0		

YPB1271: A23h4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with hearing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	47	.3	1.2	1.2
	Yes	3875	24.8	98.8	100.0
	Total	3922	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	99	.6		
	Total	11714	74.9		
		15636	100.0		

YPB1272: A23i1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for other physical disabilities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3905	25.0	99.6	99.6
	Yes	14	.1	.4	100.0
	Total	3919	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	101	.6		
	Total	11717	74.9		
		15636	100.0		

YPB1273: A23i2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for other physical disabilities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3897	24.9	99.4	99.4
	Yes	22	.1	.6	100.0
	Total	3919	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	101	.6		
	Total	11717	74.9		
		15636	100.0		

YPB1274: A23i3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for other physical disabilities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3904	25.0	99.6	99.6
	Yes	15	.1	.4	100.0
	Total	3919	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	101	.6		
	Total	11717	74.9		
		15636	100.0		

YPB1275: A23i4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for other physical disabilities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	39	.2	1.0	1.0
	Yes	3880	24.8	99.0	100.0
	Total	3919	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	101	.6		
	Total	11717	74.9		
		15636	100.0		

YPB1276: A23j1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for autism/asperger's syndrome

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3892	24.9	99.4	99.4
	Yes	24	.2	.6	100.0
	Total	3916	25.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	105	.7		
	Total	11720	75.0		
		15636	100.0		

YPB1277: A23j2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for autism/asperger's syndrome

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3898	24.9	99.5	99.5
	Yes	18	.1	.5	100.0
	Total	3916	25.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	105	.7		
	Total	11720	75.0		
		15636	100.0		

YPB1278: A23j3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for autism/asperger's syndrome

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3909	25.0	99.8	99.8
	Yes	7	.0	.2	100.0
	Total	3916	25.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	105	.7		
	Total	11720	75.0		
		15636	100.0		

YPB1279: A23j4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for autism/asperger's syndrome

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	36	.2	.9	.9
	Yes	3880	24.8	99.1	100.0
	Total	3916	25.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	105	.7		
	Total	11720	75.0		
		15636	100.0		

YPB1280: A23k1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for mental illness/depression

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3807	24.3	97.0	97.0
	Yes	117	.7	3.0	100.0
	Total	3924	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	12	.1		
	No Answer	86	.6		
	Total	11712	74.9		
		15636	100.0		

YPB1281: A23k2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for mental illness/depression

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3699	23.7	94.3	94.3
	Yes	225	1.4	5.7	100.0
	Total	3924	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	12	.1		
	No Answer	86	.6		
	Total	11712	74.9		
		15636	100.0		

YPB1282: A23k3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for mental illness/depression

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3852	24.6	98.2	98.2
	Yes	72	.5	1.8	100.0
	Total	3924	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	12	.1		
	No Answer	86	.6		
	Total	11712	74.9		
		15636	100.0		

YPB1283: A23k4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for mental illness/depression

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	349	2.2	8.9	8.9
	Yes	3575	22.9	91.1	100.0
	Total	3924	25.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	12	.1		
	No Answer	86	.6		
	Total	11712	74.9		
		15636	100.0		

YPB1284: A23l1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for any other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3751	24.0	99.0	99.0
	Yes	38	.2	1.0	100.0
	Total	3789	24.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	232	1.5		
	Total	11847	75.8		
		15636	100.0		

YPB1285: A23I2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for any other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3784	24.2	99.0	99.0
	Yes	40	.3	1.0	100.0
	Total	3824	24.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	197	1.3		
	Total	11812	75.5		
		15636	100.0		

YPB1286: A23I3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for any other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3809	24.4	99.6	99.6
	Yes	15	.1	.4	100.0
	Total	3824	24.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	197	1.3		
	Total	11812	75.5		
		15636	100.0		

YPB1287: A23I4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for any other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	112	.7	2.9	2.9
	Yes	3712	23.7	97.1	100.0
	Total	3824	24.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	197	1.3		
	Total	11812	75.5		
		15636	100.0		

These next 48 frequency tables are duplicates of the 48 variables above (YPB1240 to YPB1287) but contain 'silent no's'; these are cases where participants only answered the condition(s) they received support for, but left conditions they did not receive support for blank (rather than selecting 'no support': for more details see YPB1141_imputeno, page 27). These variables contain the suffix '_imputeno' after the original variable name (e.g., YPB1240_imputeno). Both variables have been included in the release file and documentation so that researchers can decide whether they wish to use the raw or imputed data.

YPB1240_imputeno: A23a1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for dyslexia - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3703	23.7	92.9	92.9
	Yes	284	1.8	7.1	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1241_imputeno: A23a2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for dyslexia - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3704	23.7	92.9	92.9
	Yes	283	1.8	7.1	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1242_imputeno: A23a3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for dyslexia - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3951	25.3	99.1	99.1
	Yes	36	.2	.9	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1243_imputeno: A23a4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for dyslexia - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	438	2.8	11.0	11.0
	Yes	3549	22.7	89.0	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1244_imputeno: A23b1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for dyspraxia - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3935	25.2	98.7	98.7
	Yes	52	.3	1.3	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1245_imputeno: A23b2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for dyspraxia - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3933	25.2	98.6	98.6
	Yes	54	.3	1.4	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1246_imputeno: A23b3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for dyspraxia - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3977	25.4	99.7	99.7
	Yes	10	.1	.3	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
Total	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1247_imputeno: A23b4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for dyspraxia - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	91	.6	2.3	2.3
	Yes	3896	24.9	97.7	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
Total	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1248_imputeno: A23c1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for learning difficulties - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3875	24.8	97.3	97.3
	Yes	109	.7	2.7	100.0
	Total	3984	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	5	.0		
Total	No Answer	33	.2		
	Total	11652	74.5		
		15636	100.0		

YPB1249_imputeno: A23c2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for learning difficulties - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3934	25.2	98.7	98.7
	Yes	50	.3	1.3	100.0
	Total	3984	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	5	.0		
Total	No Answer	33	.2		
	Total	11652	74.5		
		15636	100.0		

YPB1250_imputeno: A23c3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for learning difficulties - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3974	25.4	99.7	99.7
	Yes	10	.1	.3	100.0
	Total	3984	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	5	.0		
Total	No Answer	33	.2		
	Total	11652	74.5		
		15636	100.0		

YPB1251_imputeno: A23c4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for learning difficulties - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	136	.9	3.4	3.4
	Yes	3848	24.6	96.6	100.0
	Total	3984	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	5	.0		
Total	No Answer	33	.2		
	Total	11652	74.5		
		15636	100.0		

YPB1252_imputeno: A23d1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for ADHD - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3957	25.3	99.3	99.3
	Yes	29	.2	.7	100.0
	Total	3986	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	3	.0		
	No Answer	33	.2		
	Total	11650	74.5		
		15636	100.0		

YPB1253_imputeno: A23d2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for ADHD - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3968	25.4	99.5	99.5
	Yes	18	.1	.5	100.0
	Total	3986	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	3	.0		
	No Answer	33	.2		
	Total	11650	74.5		
		15636	100.0		

YPB1254_imputeno: A23d3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for ADHD - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3978	25.4	99.8	99.8
	Yes	8	.1	.2	100.0
	Total	3986	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	3	.0		
	No Answer	33	.2		
	Total	11650	74.5		
		15636	100.0		

YPB1255_imputeno: A23d4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for ADHD - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	45	.3	1.1	1.1
	Yes	3941	25.2	98.9	
	Total	3986	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	3	.0		
Total	No Answer	33	.2		
	Total	11650	74.5		
		15636	100.0		

YPB1256_imputeno: A23e1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for behavioural problems/hyperactivity - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3914	25.0	98.2	98.2
	Yes	71	.5	1.8	
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1257_imputeno: A23e2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for behavioural problems/hyperactivity - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3973	25.4	99.7	99.7
	Yes	12	.1	.3	
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1258_imputeno: A23e3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for behavioural problems/hyperactivity - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3977	25.4	99.8	99.8
	Yes	8	.1	.2	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1259_imputeno: A23e4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for behavioural problems/hyperactivity - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	83	.5	2.1	2.1
	Yes	3902	25.0	97.9	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1260_imputeno: A23f1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with speech or language - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3911	25.0	98.1	98.1
	Yes	74	.5	1.9	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1261_imputeno: A23f2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for problems with speech or language - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3974	25.4	99.7	99.7
	Yes	11	.1	.3	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1262_imputeno: A23f3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for problems with speech or language - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3974	25.4	99.7	99.7
	Yes	11	.1	.3	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1263_imputeno: A23f4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with speech or language - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	85	.5	2.1	2.1
	Yes	3900	24.9	97.9	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1264_imputeno: A23g1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with sight - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3942	25.2	98.9	98.9
	Yes	43	.3	1.1	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1265_imputeno: A23g2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for problems with sight - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3967	25.4	99.5	99.5
	Yes	18	.1	.5	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1266_imputeno: A23g3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for problems with sight - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3953	25.3	99.2	99.2
	Yes	32	.2	.8	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1267_imputeno: A23g4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with sight - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	78	.5	2.0	2.0
	Yes	3907	25.0	98.0	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	4	.0		
Total	No Answer	33	.2		
	Total	11651	74.5		
		15636	100.0		

YPB1268_imputeno: A23h1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with hearing - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3956	25.3	99.2	99.2
	Yes	32	.2	.8	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

YPB1269_imputeno: A23h2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for problems with hearing - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3974	25.4	99.6	99.6
	Yes	14	.1	.4	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

YPB1270_imputeno: A23h3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for problems with hearing - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3976	25.4	99.7	99.7
	Yes	12	.1	.3	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

YPB1271_imputeno: A23h4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for problems with hearing - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	47	.3	1.2	1.2
	Yes	3941	25.2	98.8	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

YPB1272_imputeno: A23i1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for other physical disabilities - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3973	25.4	99.6	99.6
	Yes	14	.1	.4	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
Total	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1273_imputeno: A23i2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for other physical disabilities - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3965	25.4	99.4	99.4
	Yes	22	.1	.6	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1274_imputeno: A23i3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for other physical disabilities - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3972	25.4	99.6	99.6
	Yes	15	.1	.4	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1275_imputeno: A23i4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for other physical disabilities - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	39	.2	1.0	1.0
	Yes	3948	25.2	99.0	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	No Answer	33	.2		
	Total	11649	74.5		
		15636	100.0		

YPB1276_imputeno: A23j1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for autism/asperger's syndrome - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3964	25.4	99.4	99.4
	Yes	24	.2	.6	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

YPB1277_imputeno: A23j2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for autism/asperger's syndrome - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3970	25.4	99.5	99.5
	Yes	18	.1	.5	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

YPB1278_imputeno: A23j3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for autism/asperger's syndrome - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3981	25.5	99.8	99.8
	Yes	7	.0	.2	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

YPB1279_imputeno: A23j4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for autism/asperger's syndrome - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	36	.2	.9	.9
	Yes	3952	25.3	99.1	
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

YPB1280_imputeno: A23k1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for mental illness/depression - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3860	24.7	97.1	97.1
	Yes	117	.7	2.9	
	Total	3977	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	12	.1		
	No Answer	33	.2		
	Total	11659	74.6		
		15636	100.0		

YPB1281_imputeno: A23k2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for mental illness/depression - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3752	24.0	94.3	94.3
	Yes	225	1.4	5.7	
	Total	3977	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	12	.1		
	No Answer	33	.2		
	Total	11659	74.6		
		15636	100.0		

YPB1282_imputeno: A23k3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for mental illness/depression - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3905	25.0	98.2	98.2
	Yes	72	.5	1.8	100.0
	Total	3977	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	12	.1		
Total	No Answer	33	.2		
	Total	11659	74.6		
		15636	100.0		

YPB1283_imputeno: A23k4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for mental illness/depression - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	349	2.2	8.8	8.8
	Yes	3628	23.2	91.2	100.0
	Total	3977	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	12	.1		
Total	No Answer	33	.2		
	Total	11659	74.6		
		15636	100.0		

YPB1284_imputeno: A23l1: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for any other reason - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3950	25.3	99.0	99.0
	Yes	38	.2	1.0	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

YPB1285_imputeno: A23I2: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at college/university for any other reason - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3948	25.2	99.0	99.0
	Yes	40	.3	1.0	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

YPB1286_imputeno: A23I3: Received additional support (e.g., 1-1 learning support, small group help, additional equipment) at work for any other reason - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3973	25.4	99.6	99.6
	Yes	15	.1	.4	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

YPB1287_imputeno: A23I4: Received no additional support (e.g., 1-1 learning support, small group help, additional equipment) at school for any other reason - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	112	.7	2.8	2.8
	Yes	3876	24.8	97.2	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	No Answer	33	.2		
	Total	11648	74.5		
		15636	100.0		

Fractures

YPB1300: A25a: Any bones broken in past 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	452	2.9	11.3	11.3
	No	3539	22.6	88.7	100.0
	Total	3991	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	31	.2		
Total	Total	11645	74.5		
		15636	100.0		

YPB1301: A25b1: Broke finger(s)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	151	1.0	48.6	48.6
	No	160	1.0	51.4	100.0
	Total	311	2.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	171	1.1		
	Total	15325	98.0		
Total		15636	100.0		

YPB1302: A25b2: Broke toe(s)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	102	.7	37.4	37.4
	No	171	1.1	62.6	100.0
	Total	273	1.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
Total	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	209	1.3		
	Total	15363	98.3		
Total		15636	100.0		

YPB1303: A25b3: Broke bone(s) in arm/shoulder

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	123	.8	39.0	39.0
	No	192	1.2	61.0	100.0
	Total	315	2.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	167	1.1		
	Total	15321	98.0		
		15636	100.0		

YPB1304: A25b4: Broke bone(s) in leg

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	59	.4	21.9	21.9
	No	210	1.3	78.1	100.0
	Total	269	1.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	212	1.4		
	Total	15367	98.3		
		15636	100.0		

YPB1305: A25b5: Broke spine (back)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	7	.0	2.9	2.9
	No	237	1.5	97.1	100.0
	Total	244	1.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	238	1.5		
	Total	15392	98.4		
		15636	100.0		

YPB1306: A25b6: Broke other bone(s)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	130	.8	43.5	43.5
	No	169	1.1	56.5	100.0
	Total	299	1.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	183	1.2		
	Total	15337	98.1		
		15636	100.0		

These next six frequency tables are duplicates of the six variables above (YPB1301 to YPB1306) but contain 'silent no's'; these are cases where participants only answered the bone(s) they broke, but left bones they did not break blank (rather than selecting 'no'; for more details see YPB1141_imputeno, page 27). These variables contain the suffix '_imputeno' after the original variable name (e.g., YPB1301_imputeno). Both variables have been included in the release file and documentation so that researchers can decide whether they wish to use the raw or imputed data.

YPB1301_imputeno: A25b1: Broke finger(s) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	151	1.0	33.8	33.8
	No	296	1.9	66.2	100.0
	Total	447	2.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	35	.2		
	Total	15189	97.1		
		15636	100.0		

YPB1302_imputeno: A25b1: Broke toe(s) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	102	.7	22.8	22.8
	No	345	2.2	77.2	100.0
	Total	447	2.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	35	.2		
	Total	15189	97.1		
		15636	100.0		
Total					

YPB1303_imputeno: A25b1: Broke bone(s) in arm/shoulder - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	123	.8	27.5	27.5
	No	324	2.1	72.5	100.0
	Total	447	2.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	35	.2		
	Total	15189	97.1		
		15636	100.0		
Total					

YPB1304_imputeno: A25b1: Broke bone(s) in leg - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	59	.4	13.2	13.2
	No	388	2.5	86.8	100.0
	Total	447	2.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	2	.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	34	.2		
	Total	15189	97.1		
		15636	100.0		
Total					

YPB1305_imputeno: A25b1: Broke spine (back) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	7	.0	1.6	1.6
	No	440	2.8	98.4	100.0
	Total	447	2.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	35	.2		
	Total	15189	97.1		
		15636	100.0		

YPB1306_imputeno: A25b1: Broke other bone(s) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	130	.8	29.1	29.1
	No	317	2.0	70.9	100.0
	Total	447	2.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Unresolvable	1	.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	35	.2		
	Total	15189	97.1		
		15636	100.0		

YPB1314 is a derived variable based upon answers to 'other' (see YPB1307 in text file) so that respondents who broke their ankle can be identified easily.

YPB1314: DV: Broke ankle bone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	440	2.8	97.3	97.3
	Yes	12	.1	2.7	100.0
	Total	452	2.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	31	.2		
	Total	15184	97.1		
		15636	100.0		

YPB1308: A25c1: Number of times finger bone(s) broken in past 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	99	.6	65.6	65.6
	2	35	.2	23.2	88.7
	3	8	.1	5.3	94.0
	4	4	.0	2.6	96.7
	Broke Bone, but Number not Provided	5	.0	3.3	100.0
	Total	151	1.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger in Past 5 Years	160	1.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	172	1.1		
	Total	15485	99.0		
		15636	100.0		

YPB1309: A25c2: Number of times toe bone(s) broken in past 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	62	.4	61.4	61.4
	2	26	.2	25.7	87.1
	3	9	.1	8.9	96.0
	4	2	.0	2.0	98.0
	7	1	.0	1.0	99.0
	Broke Bone, but Number not Provided	1	.0	1.0	100.0
	Total	101	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe in Past 5 Years	171	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	211	1.3		
	Total	15535	99.4		
		15636	100.0		

YPB1310: A25c3: Number of times arm/shoulder bone(s) broken in past 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	99	.6	80.5	80.5
	2	15	.1	12.2	92.7
	3	4	.0	3.3	95.9
	4	1	.0	.8	96.7
	5	1	.0	.8	97.6
	6	1	.0	.8	98.4
	Broke Bone, but Number not Provided	2	.0	1.6	100.0
	Total	123	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder in Past 5 Years	192	1.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	168	1.1		
	Total	15513	99.2		
		15636	100.0		
Total					

YPB1311: A25c4: Number of times leg bone(s) broken in past 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	38	.2	64.4	64.4
	2	14	.1	23.7	88.1
	3	4	.0	6.8	94.9
	Broke Bone, but Number not Provided	3	.0	5.1	100.0
	Total	59	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg in Past 5 Years	210	1.3		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	214	1.4		
	Total	15577	99.6		
		15636	100.0		

YPB1312: A25c5: Number of times spine (back) broken in past 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	5	.0	71.4	71.4
	2	2	.0	28.6	100.0
	Total	7	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	236	1.5		
	Not Broken Any Bones in Past 5 Years	3540	22.6		
	No Answer	239	1.5		
	Total	15629	100.0		
		15636	100.0		
Total					

YPB1313: A25c6: Number of times other bone(s) broken in past 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	96	.6	73.8	73.8
	2	19	.1	14.6	88.5
	3	4	.0	3.1	91.5
	4	2	.0	1.5	93.1
	7	1	.0	.8	93.8
	Broke Bone, but Number not Provided	8	.1	6.2	100.0
	Total	130	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Another Bone in Past 5 Years	169	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	184	1.2		
	Total	15506	99.2		
		15636	100.0		
Total					

These next six frequency tables are duplicates of the six variables above (YPB1308 to YPB1313) but contain 'silent no's'; these are cases where participants only answered the bone(s) they broke, but left bones they did not break blank (rather than selecting 'no'; for more details see YPB1141_imputeno, page 27). These variables contain the suffix '_imputeno' after the original variable name (e.g., YPB1308_imputeno). Both variables have been included in the release file and documentation so that researchers can decide whether they wish to use the raw or imputed data. Note that the only difference between non-imputed and imputed data for these variables is the missing data coded as 'not broke [target bone] in past 5 years'; the frequencies for valid data are unaffected.

YPB1308_imputeno: A25c1: Number of times finger bone(s) broken in past 5 years - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	99	.6	65.6	65.6
	2	35	.2	23.2	88.7
	3	8	.1	5.3	94.0
	4	4	.0	2.6	96.7
	Broke Bone, but Number not Provided	5	.0	3.3	100.0
	Total	151	1.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger in Past 5 Years	296	1.9		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15485	99.0		
		15636	100.0		

YPB1309_imputeno: A25c1: Number of times toe bone(s) broken in past 5 years - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	62	.4	61.4	61.4
	2	26	.2	25.7	87.1
	3	9	.1	8.9	96.0
	4	2	.0	2.0	98.0
	7	1	.0	1.0	99.0
	Broke Bone, but Number not Provided	1	.0	1.0	100.0
	Total	101	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe in Past 5 Years	345	2.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15535	99.4		
		15636	100.0		

YPB1310_imputeno: A25c1: Number of times arm/shoulder bone(s) broken in past 5 years - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	99	.6	80.5	80.5
	2	15	.1	12.2	92.7
	3	4	.0	3.3	95.9
	4	1	.0	.8	96.7
	5	1	.0	.8	97.6
	6	1	.0	.8	98.4
	Broke Bone, but Number not Provided	2	.0	1.6	100.0
	Total	123	.8	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
Missing	Not Broke Arm/Shoulder in Past 5 Years	324	2.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15513	99.2		
		15636	100.0		
Total					

YPB1311_imputeno: A25c1: Number of times leg bone(s) broken in past 5 years - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	38	.2	64.4	64.4
	2	14	.1	23.7	88.1
	3	4	.0	6.8	94.9
	Broke Bone, but Number not Provided	3	.0	5.1	100.0
	Total	59	.4	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg in Past 5 Years	388	2.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
Missing	Total	15577	99.6		
		15636	100.0		
Total					

YPB1312_imputeno: A25c1: Number of times spine (back) broken in past 5 years - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	5	.0	71.4	71.4
	2	2	.0	28.6	100.0
	Total	7	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	440	2.8		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15629	100.0		
		15636	100.0		
Total					

YPB1313_imputeno: A25c1: Number of times other bone(s) broken in past 5 years - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	96	.6	73.8	73.8
	2	19	.1	14.6	88.5
	3	4	.0	3.1	91.5
	4	2	.0	1.5	93.1
	7	1	.0	.8	93.8
	Broke Bone, but Number not Provided	8	.1	6.2	100.0
	Total	130	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Another Bone in Past 5 Years	317	2.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15506	99.2		
Total		15636	100.0		

YPB1320: A26a1: Number of times finger bone(s) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	30	.2	78.9	78.9
	1	4	.0	10.5	89.5
	2	3	.0	7.9	97.4
	Broke Bone, but Number not Provided	1	.0	2.6	100.0
	Total	38	.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger in Past 5 Years	160	1.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	285	1.8		
	Total	15598	99.8		
Total		15636	100.0		

YPB1321: A26a2: Number of times toe bone(s) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	21	.1	67.7	67.7
	1	7	.0	22.6	90.3
	3	2	.0	6.5	96.8
	4	1	.0	3.2	100.0
	Total	31	.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe in Past 5 Years	171	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	281	1.8		
	Total	15605	99.8		
Total		15636	100.0		

YPB1322: A26a3: Number of times arm/shoulder bone(s) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	26	.2	65.0	65.0
	1	9	.1	22.5	87.5
	2	2	.0	5.0	92.5
	3	2	.0	5.0	97.5
	Broke Bone, but Number not Provided	1	.0	2.5	100.0
	Total	40	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder in Past 5 Years	192	1.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	251	1.6		
	Total	15596	99.7		
	Total	15636	100.0		

YPB1323: A26a4: Number of times leg bone(s) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	10	.1	58.8	58.8
	1	3	.0	17.6	76.5
	2	4	.0	23.5	100.0
	Total	17	.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg in Past 5 Years	210	1.3		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	256	1.6		
	Total	15619	99.9		
	Total	15636	100.0		

YPB1324: A26a5: Number of times spine (back) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	33.3	33.3
	1	3	.0	50.0	83.3
	2	1	.0	16.7	100.0
	Total	6	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	237	1.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	240	1.5		
	Total	15630	100.0		
		15636	100.0		
Total		15636	100.0		

YPB1325: A26a6: Number of times other bone(s) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	26	.2	51.0	51.0
	1	16	.1	31.4	82.4
	2	5	.0	9.8	92.2
	3	1	.0	2.0	94.1
	Broke Bone, but Number not Provided	3	.0	5.9	100.0
	Total	51	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Another Bone in Past 5 Years	169	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	263	1.7		
	Total	15585	99.7		
		15636	100.0		
Total		15636	100.0		

YPB1326: A26b1: Number of times finger bone(s) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	20	.1	32.8	32.8
	1	25	.2	41.0	73.8
	2	11	.1	18.0	91.8
	3	2	.0	3.3	95.1
	4	2	.0	3.3	98.4
	Broke Bone, but Number not Provided	1	.0	1.6	100.0
	Total	61	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger in Past 5 Years	160	1.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	262	1.7		
	Total	15575	99.6		
		15636	100.0		
Total		15636	100.0		

YPB1327: A26b2: Number of times toe bone(s) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	22	.1	62.9	62.9
	1	7	.0	20.0	82.9
	2	4	.0	11.4	94.3
	3	1	.0	2.9	97.1
	Broke Bone, but Number not Provided	1	.0	2.9	100.0
	Total	35	.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe in Past 5 Years	171	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	277	1.8		
	Total	15601	99.8		
		15636	100.0		

YPB1328: A26b3: Number of times arm/shoulder bone(s) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	16	.1	23.5	23.5
	1	42	.3	61.8	85.3
	2	5	.0	7.4	92.6
	3	1	.0	1.5	94.1
	4	1	.0	1.5	95.6
	5	1	.0	1.5	97.1
	6	1	.0	1.5	98.5
	Broke Bone, but Number not Provided	1	.0	1.5	100.0
	Total	68	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder in Past 5 Years	192	1.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	223	1.4		
	Total	15568	99.6		
	Total	15636	100.0		

YPB1329: A26b4: Number of times leg bone(s) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	8	.1	34.8	34.8
	1	9	.1	39.1	73.9
	2	4	.0	17.4	91.3
	3	1	.0	4.3	95.7
	Broke Bone, but Number not Provided	1	.0	4.3	100.0
	Total	23	.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg in Past 5 Years	210	1.3		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	250	1.6		
	Total	15613	99.9		
	Total	15636	100.0		

YPB1330: A26b5: Number of times spine (back) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	66.7	66.7
	1	1	.0	33.3	100.0
	Total	3	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	237	1.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	243	1.6		
	Total	15633	100.0		
		15636	100.0		
Total					

YPB1331: A26b6: Number of times other bone(s) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	27	.2	49.1	49.1
	1	18	.1	32.7	81.8
	2	7	.0	12.7	94.5
	3	1	.0	1.8	96.4
	Broke Bone, but Number not Provided	2	.0	3.6	100.0
	Total	55	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Another Bone in Past 5 Years	169	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	259	1.7		
	Total	15581	99.6		
		15636	100.0		
Total					

YPB1332: A26c1: Number of times finger bone(s) broken during a low impact sport (e.g., ball sports, wrestling, judo, karate, gymnastics)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	24	.2	29.6	29.6
	1	40	.3	49.4	79.0
	2	12	.1	14.8	93.8
	3	3	.0	3.7	97.5
	Broke Bone, but Number not Provided	2	.0	2.5	100.0
	Total	81	.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger in Past 5 Years	160	1.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	242	1.5		
	Total	15555	99.5		
Total		15636	100.0		

YPB1333: A26c2: Number of times toe bone(s) broken during a low impact sport (e.g., ball sports, wrestling, judo, karate, gymnastics)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	21	.1	42.0	42.0
	1	18	.1	36.0	78.0
	2	7	.0	14.0	92.0
	3	4	.0	8.0	100.0
	Total	50	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe in Past 5 Years	171	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	262	1.7		
	Total	15586	99.7		
Total		15636	100.0		

YPB1334: A26c3: Number of times arm/shoulder bone(s) broken during a low impact sport (e.g., ball sports, wrestling, judo, karate, gymnastics)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	28	.2	59.6	59.6
	1	15	.1	31.9	91.5
	2	3	.0	6.4	97.9
	Broke Bone, but Number not Provided	1	.0	2.1	100.0
	Total	47	.3	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
Missing	Not Broke Arm/Shoulder in Past 5 Years	192	1.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	244	1.6		
	Total	15589	99.7		
		15636	100.0		
Total					

YPB1335: A26c4: Number of times leg bone(s) broken during a low impact sport (e.g., ball sports, wrestling, judo, karate, gymnastics)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	11	.1	39.3	39.3
	1	13	.1	46.4	85.7
	2	2	.0	7.1	92.9
	3	1	.0	3.6	96.4
	Broke Bone, but Number not Provided	1	.0	3.6	100.0
	Total	28	.2	100.0	
	Triplet/Quadruplet	4	.0		
Missing	Questionnaire not Completed	11610	74.3		
	Not Broke Leg in Past 5 Years	210	1.3		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	245	1.6		
	Total	15608	99.8		
		15636	100.0		

YPB1336: A26c5: Number of times spine (back) broken during a low impact sport (e.g., ball sports, wrestling, judo, karate, gymnastics)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	.0	66.7	66.7
	1	1	.0	33.3	100.0
	Total	3	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	237	1.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	243	1.6		
	Total	15633	100.0		
		15636	100.0		
YPB1337: A26c6: Number of times other bone(s) broken during a low impact sport (e.g., ball sports, wrestling, judo, karate, gymnastics)					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	25	.2	45.5	45.5
	1	24	.2	43.6	89.1
	2	3	.0	5.5	94.5
	Broke Bone, but Number not Provided	3	.0	5.5	100.0
	Total	55	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Another Bone in Past 5 Years	169	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	259	1.7		
	Total	15581	99.6		
		15636	100.0		

YPB1338: A26d1: Number of times finger bone(s) broken due to another reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	19	.1	27.9	27.9
	1	34	.2	50.0	77.9
	2	11	.1	16.2	94.1
	3	2	.0	2.9	97.1
	4	1	.0	1.5	98.5
	Broke Bone, but Number not Provided	1	.0	1.5	100.0
	Total	68	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger in Past 5 Years	160	1.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	255	1.6		
	Total	15568	99.6		
		15636	100.0		
Total		15636	100.0		

YPB1339: A26d2: Number of times toe bone(s) broken due to another reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	9	.1	15.3	15.3
	1	35	.2	59.3	74.6
	2	12	.1	20.3	94.9
	3	1	.0	1.7	96.6
	4	1	.0	1.7	98.3
	7	1	.0	1.7	100.0
	Total	59	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe in Past 5 Years	171	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	253	1.6		
	Total	15577	99.6		
		15636	100.0		
Total		15636	100.0		

YPB1340: A26d3: Number of times arm/shoulder bone(s) broken due to another reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	17	.1	29.3	29.3
	1	38	.2	65.5	94.8
	2	2	.0	3.4	98.3
	3	1	.0	1.7	100.0
	Total	58	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder in Past 5 Years	192	1.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	233	1.5		
	Total	15578	99.6		
		15636	100.0		
Total		15636	100.0		

YPB1341: A26d4: Number of times leg bone(s) broken due to another reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	10	.1	33.3	33.3
	1	16	.1	53.3	86.7
	2	3	.0	10.0	96.7
	3	1	.0	3.3	100.0
	Total	30	.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg in Past 5 Years	210	1.3		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	243	1.6		
	Total	15606	99.8		
		15636	100.0		
Total		15636	100.0		

YPB1342: A26d5: Number of times spine (back) broken due to another reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	.0	75.0	75.0
	2	1	.0	25.0	100.0
	Total	4	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	237	1.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	242	1.5		
	Total	15632	100.0		
		15636	100.0		
Total		15636	100.0		

YPB1343: A26d6: Number of times other bone(s) broken due to another reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	15	.1	20.5	20.5
	1	50	.3	68.5	89.0
	2	4	.0	5.5	94.5
	3	2	.0	2.7	97.3
	Broke Bone, but Number not Provided	2	.0	2.7	100.0
	Total	73	.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Another Bone in Past 5 Years	169	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	241	1.5		
	Total	15563	99.5		
		15636	100.0		

These next 24 frequency tables are duplicates of the 24 variables above (YPB1320 to YPB1343) but contain 'silent no's'; these are cases where participants only answered how they broke their bone(s), but left ways they did not break their bone(s) blank (rather than writing '0': for more details see YPB1141_imputeno, page 27). These variables contain the suffix '_imputeno' after the original variable name (e.g., YPB1320_imputeno). Both variables have been included in the release file and documentation so that researchers can decide whether they wish to use the raw or imputed data.

YPB1320_imputeno: A26a1: Number of times finger bone(s) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	141	.9	94.6	94.6
	1	4	.0	2.7	97.3
	2	3	.0	2.0	99.3
	Broke Bone, but Number not Provided	1	.0	.7	100.0
	Total	149	1.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger in Past 5 Years	296	1.9		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	38	.2		
	Total	15487	99.0		
		15636	100.0		

YPB1321_imputeno: A26a2: Number of times toe bone(s) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	87	.6	89.7	89.7
	1	7	.0	7.2	96.9
	3	2	.0	2.1	99.0
	4	1	.0	1.0	100.0
	Total	97	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe in Past 5 Years	345	2.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	41	.3		
	Total	15539	99.4		
Total		15636	100.0		

YPB1322_imputeno: A26a3: Number of times arm/shoulder bone(s) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	108	.7	88.5	88.5
	1	9	.1	7.4	95.9
	2	2	.0	1.6	97.5
	3	2	.0	1.6	99.2
	Broke Bone, but Number not Provided	1	.0	.8	100.0
Missing	Total	122	.8	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder in Past 5 Years	324	2.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
Total		15514	99.2		
Total		15636	100.0		

YPB1323_imputeno: A26a4: Number of times leg bone(s) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	50	.3	87.7	87.7
	1	3	.0	5.3	93.0
	2	4	.0	7.0	100.0
	Total	57	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg in Past 5 Years	388	2.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	38	.2		
	Total	15579	99.6		
		15636	100.0		
Total		15636	100.0		

YPB1324_imputeno: A26a5: Number of times spine (back) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	.0	42.9	42.9
	1	3	.0	42.9	85.7
	2	1	.0	14.3	100.0
	Total	7	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	440	2.8		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15629	100.0		
		15636	100.0		
Total		15636	100.0		

YPB1325_imputeno: A26a6: Number of times other bone(s) broken due to a serious accident (e.g., road traffic accident, fall of more than 3 metres, being hit by a heavy moving object) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	101	.6	80.2	80.2
	1	16	.1	12.7	92.9
	2	5	.0	4.0	96.8
	3	1	.0	.8	97.6
	Broke Bone, but Number not Provided	3	.0	2.4	100.0
	Total	126	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Another Bone in Past 5 Years	317	2.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	40	.3		
	Total	15510	99.2		
Total		15636	100.0		

YPB1326_imputeno: A26b1: Number of times finger bone(s) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	108	.7	72.5	72.5
	1	25	.2	16.8	89.3
	2	11	.1	7.4	96.6
	3	2	.0	1.3	98.0
	4	2	.0	1.3	99.3
	Broke Bone, but Number not Provided	1	.0	.7	100.0
	Total	149	1.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger in Past 5 Years	296	1.9		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	38	.2		
	Total	15487	99.0		
		15636	100.0		

YPB1327_imputeno: A26b2: Number of times toe bone(s) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	84	.5	86.6	86.6
	1	7	.0	7.2	93.8
	2	4	.0	4.1	97.9
	3	1	.0	1.0	99.0
	Broke Bone, but Number not Provided	1	.0	1.0	100.0
	Total	97	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe in Past 5 Years	345	2.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	41	.3		
	Total	15539	99.4		
Total		15636	100.0		

YPB1328_imputeno: A26b3: Number of times arm/shoulder bone(s) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	70	.4	57.4	57.4
	1	42	.3	34.4	91.8
	2	5	.0	4.1	95.9
	3	1	.0	.8	96.7
	4	1	.0	.8	97.5
	5	1	.0	.8	98.4
	6	1	.0	.8	99.2
	Broke Bone, but Number not Provided	1	.0	.8	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder in Past 5 Years	324	2.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15514	99.2		
Total		15636	100.0		

YPB1329_imputeno: A26b4: Number of times leg bone(s) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	42	.3	73.7	73.7
	1	9	.1	15.8	89.5
	2	4	.0	7.0	96.5
	3	1	.0	1.8	98.2
	Broke Bone, but Number not Provided	1	.0	1.8	100.0
	Total	57	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg in Past 5 Years	388	2.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	38	.2		
	Total	15579	99.6		
	Total	15636	100.0		

YPB1330_imputeno: A26b5: Number of times spine (back) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6	.0	85.7	85.7
	1	1	.0	14.3	100.0
	Total	7	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	440	2.8		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15629	100.0		
	Total	15636	100.0		

YPB1331_imputeno: A26b6: Number of times other bone(s) broken during a high impact sport (e.g., horse riding, cycling, skateboarding, skiing, rollerblading, skating) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	98	.6	77.8	77.8
	1	18	.1	14.3	92.1
	2	7	.0	5.6	97.6
	3	1	.0	.8	98.4
	Broke Bone, but Number not Provided	2	.0	1.6	100.0
	Total	126	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Another Bone in Past 5 Years	317	2.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	40	.3		
	Total	15510	99.2		
	Total	15636	100.0		

YPB1332_imputeno: A26c1: Number of times finger bone(s) broken during a low impact sport (e.g., ball sports, wrestling, judo, karate, gymnastics) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	92	.6	61.7	61.7
	1	40	.3	26.8	88.6
	2	12	.1	8.1	96.6
	3	3	.0	2.0	98.7
	Broke Bone, but Number not Provided	2	.0	1.3	100.0
	Total	149	1.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger in Past 5 Years	296	1.9		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	38	.2		
	Total	15487	99.0		
	Total	15636	100.0		

YPB1333_imputeno: A26c2: Number of times toe bone(s) broken during a low impact sport (e.g., ball sports, wrestling, judo, karate, gymnastics) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	68	.4	70.1	70.1
	1	18	.1	18.6	88.7
	2	7	.0	7.2	95.9
	3	4	.0	4.1	100.0
	Total	97	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe in Past 5 Years	345	2.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	41	.3		
	Total	15539	99.4		
		15636	100.0		
Total					

YPB1334_imputeno: A26c3: Number of times arm/shoulder bone(s) broken during a low impact sport (e.g., ball sports, wrestling, judo, karate, gymnastics) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	103	.7	84.4	84.4
	1	15	.1	12.3	96.7
	2	3	.0	2.5	99.2
	Broke Bone, but Number not Provided	1	.0	.8	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder in Past 5 Years	324	2.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15514	99.2		
		15636	100.0		
Total					

YPB1335_imputeno: A26c4: Number of times leg bone(s) broken during a low impact sport (e.g., ball sports, wrestling, judo, karate, gymnastics) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	40	.3	70.2	70.2
	1	13	.1	22.8	93.0
	2	2	.0	3.5	96.5
	3	1	.0	1.8	98.2
	Broke Bone, but Number not Provided	1	.0	1.8	100.0
	Total	57	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg in Past 5 Years	388	2.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	38	.2		
	Total	15579	99.6		
Total		15636	100.0		

YPB1336_imputeno: A26c5: Number of times spine (back) broken during a low impact sport (e.g., ball sports, wrestling, judo, karate, gymnastics) - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6	.0	85.7	85.7
	1	1	.0	14.3	100.0
	Total	7	.0	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	440	2.8		
Missing	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15629	100.0		
		15636	100.0		
Total					

**YPB1337_imputeno: A26c6: Number of times other bone(s) broken during a low impact sport
(e.g., ball sports, wrestling, judo, karate, gymnastics) - silent no's included**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	96	.6	76.2	76.2
	1	24	.2	19.0	95.2
	2	3	.0	2.4	97.6
	Broke Bone, but Number not Provided	3	.0	2.4	100.0
	Total	126	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Another Bone in Past 5 Years	317	2.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	40	.3		
	Total	15510	99.2		
	Total	15636	100.0		

YPB1338_imputeno: A26d1: Number of times finger bone(s) broken due to another reason - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	100	.6	67.1	67.1
	1	34	.2	22.8	89.9
	2	11	.1	7.4	97.3
	3	2	.0	1.3	98.7
	4	1	.0	.7	99.3
	Broke Bone, but Number not Provided	1	.0	.7	100.0
	Total	149	1.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger in Past 5 Years	296	1.9		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	38	.2		
	Total	15487	99.0		
	Total	15636	100.0		

YPB1339_imputeno: A26d2: Number of times toe bone(s) broken due to another reason - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	47	.3	48.5	48.5
	1	35	.2	36.1	84.5
	2	12	.1	12.4	96.9
	3	1	.0	1.0	97.9
	4	1	.0	1.0	99.0
	7	1	.0	1.0	100.0
	Total	97	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe in Past 5 Years	345	2.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	41	.3		
	Total	15539	99.4		
		15636	100.0		

YPB1340_imputeno: A26d3: Number of times arm/shoulder bone(s) broken due to another reason - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	81	.5	66.4	66.4
	1	38	.2	31.1	97.5
	2	2	.0	1.6	99.2
	3	1	.0	.8	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder in Past 5 Years	324	2.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15514	99.2		
		15636	100.0		

YPB1341_imputeno: A26d4: Number of times leg bone(s) broken due to another reason - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	37	.2	64.9	64.9
	1	16	.1	28.1	93.0
	2	3	.0	5.3	98.2
	3	1	.0	1.8	100.0
	Total	57	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg in Past 5 Years	388	2.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	38	.2		
	Total	15579	99.6		
		15636	100.0		
Total					

YPB1342_imputeno: A26d5: Number of times spine (back) broken due to another reason - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6	.0	85.7	85.7
	2	1	.0	14.3	100.0
	Total	7	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	440	2.8		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15629	100.0		
		15636	100.0		
Total					

YPB1343_imputeno: A26d6: Number of times other bone(s) broken due to another reason - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	68	.4	54.0	54.0
	1	50	.3	39.7	93.7
	2	4	.0	3.2	96.8
	3	2	.0	1.6	98.4
	Broke Bone, but Number not Provided	2	.0	1.6	100.0
	Total	126	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Another Bone in Past 5 Years	317	2.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	40	.3		
	Total	15510	99.2		
Total		15636	100.0		

YPB1350: A27a1: Broken finger(s) were treated using a cast

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	121	.8	82.9	82.9
	Yes	25	.2	17.1	100.0
	Total	146	.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger Bone in Past 5 Years	160	1.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	177	1.1		
	Total	15490	99.1		
Total		15636	100.0		

YPB1351: A27a2: Broken toe(s) were treated using a cast

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	88	.6	91.7	91.7
	Yes	8	.1	8.3	100.0
	Total	96	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe Bone in Past 5 Years	171	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	216	1.4		
	Total	15540	99.4		
Total		15636	100.0		

YPB1352: A27a3: Broken arm(s)/shoulders were treated using a cast

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	46	.3	37.7	37.7
	Yes	76	.5	62.3	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder Bone in Past 5 Years	192	1.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	169	1.1		
	Total	15514	99.2		
		15636	100.0		

YPB1353: A27a4: Broken leg(s) were treated using a cast

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	19	.1	32.8	32.8
	Yes	39	.2	67.2	100.0
	Total	58	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg Bone in Past 5 Years	210	1.3		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	215	1.4		
	Total	15578	99.6		
		15636	100.0		

YPB1354: A27a5: Broken spine (back) was treated using a cast

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	7	.0	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Total	11610	74.3		
Missing	Questionnaire not Completed				
	Not Broke Spine in Past 5 Years	237	1.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	239	1.5		
	Total	15629	100.0		
		15636	100.0		

YPB1355: A27a6: Other broken bone(s) were treated using a cast

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	89	.6	70.1	70.1
	Yes	38	.2	29.9	100.0
	Total	127	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Other Bone in Past 5 Years	169	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	187	1.2		
	Total	15509	99.2		
		15636	100.0		

YPB1356: A27b1: Broken finger(s) were treated using surgery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	135	.9	92.5	92.5
	Yes	11	.1	7.5	100.0
	Total	146	.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger Bone in Past 5 Years	160	1.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	177	1.1		
	Total	15490	99.1		
		15636	100.0		

YPB1357: A27b2: Broken toe(s) were treated using surgery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	95	.6	99.0	99.0
	Yes	1	.0	1.0	100.0
	Total	96	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe Bone in Past 5 Years	171	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	216	1.4		
	Total	15540	99.4		
		15636	100.0		

YPB1358: A27b3: Broken arm(s)/shoulders were treated using surgery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	100	.6	82.0	82.0
	Yes	22	.1	18.0	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder Bone in Past 5 Years	192	1.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	169	1.1		
	Total	15514	99.2		
		15636	100.0		

YPB1359: A27b4: Broken leg(s) were treated using surgery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	36	.2	62.1	62.1
	Yes	22	.1	37.9	100.0
	Total	58	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg Bone in Past 5 Years	210	1.3		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	215	1.4		
	Total	15578	99.6		
		15636	100.0		

YPB1360: A27b5: Broken spine (back) was treated using surgery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	6	.0	85.7	85.7
	Yes	1	.0	14.3	100.0
	Total	7	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	237	1.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	239	1.5		
	Total	15629	100.0		
		15636	100.0		

YPB1361: A27b6: Other broken bone(s) were treated using surgery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	103	.7	81.1	81.1
	Yes	24	.2	18.9	100.0
	Total	127	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Other Bone in Past 5 Years	169	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	187	1.2		
	Total	15509	99.2		
		15636	100.0		

YPB1362: A27c1: Broken finger(s) were treated using a splint

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	64	.4	43.8	43.8
	Yes	82	.5	56.2	100.0
	Total	146	.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger Bone in Past 5 Years	160	1.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	177	1.1		
	Total	15490	99.1		
		15636	100.0		

YPB1363: A27c2: Broken toe(s) were treated using a splint

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	74	.5	77.1	77.1
	Yes	22	.1	22.9	100.0
	Total	96	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe Bone in Past 5 Years	171	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	216	1.4		
	Total	15540	99.4		
		15636	100.0		

YPB1364: A27c3: Broken arm(s)/shoulders were treated using a splint

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	98	.6	80.3	80.3
	Yes	24	.2	19.7	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder Bone in Past 5 Years	192	1.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	169	1.1		
	Total	15514	99.2		
		15636	100.0		

YPB1365: A27c4: Broken leg(s) were treated using a splint

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	55	.4	94.8	94.8
	Yes	3	.0	5.2	100.0
	Total	58	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg Bone in Past 5 Years	210	1.3		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	215	1.4		
	Total	15578	99.6		
		15636	100.0		

YPB1366: A27c5: Broken spine (back) was treated using a splint

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	7	.0	100.0	100.0
	Triplet/Quadruplet	4	.0		
	Total	11610	74.3		
Missing	Questionnaire not Completed				
	Not Broke Spine in Past 5 Years	237	1.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	239	1.5		
	Total	15629	100.0		
		15636	100.0		

YPB1367: A27c6: Other broken bone(s) were treated using a splint

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	116	.7	91.3	91.3
	Yes	11	.1	8.7	100.0
	Total	127	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Other Bone in Past 5 Years	169	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	187	1.2		
	Total	15509	99.2		
		15636	100.0		

YPB1368: A27d1: Broken finger(s) were treated using rest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	89	.6	61.0	61.0
	Yes	57	.4	39.0	100.0
	Total	146	.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger Bone in Past 5 Years	160	1.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	177	1.1		
	Total	15490	99.1		
		15636	100.0		

YPB1369: A27d2: Broken toe(s) were treated using rest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	25	.2	26.0	26.0
	Yes	71	.5	74.0	100.0
	Total	96	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe Bone in Past 5 Years	171	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	216	1.4		
	Total	15540	99.4		
		15636	100.0		

YPB1370: A27d3: Broken arm(s)/shoulders were treated using rest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	86	.6	70.5	70.5
	Yes	36	.2	29.5	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder Bone in Past 5 Years	192	1.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	169	1.1		
	Total	15514	99.2		
		15636	100.0		

YPB1371: A27d4: Broken leg(s) were treated using rest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	39	.2	67.2	67.2
	Yes	19	.1	32.8	100.0
	Total	58	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg Bone in Past 5 Years	210	1.3		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	215	1.4		
	Total	15578	99.6		
		15636	100.0		

YPB1372: A27d5: Broken spine (back) was treated using rest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2	.0	28.6	28.6
	Yes	5	.0	71.4	100.0
	Total	7	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	237	1.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	239	1.5		
	Total	15629	100.0		
		15636	100.0		

YPB1373: A27d6: Other broken bone(s) were treated using rest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	60	.4	47.2	47.2
	Yes	67	.4	52.8	100.0
	Total	127	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Other Bone in Past 5 Years	169	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	187	1.2		
	Total	15509	99.2		
		15636	100.0		
YPB1374: A27e1: Broken finger(s) were treated using other methods					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	138	.9	94.5	94.5
	Yes	8	.1	5.5	100.0
	Total	146	.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger Bone in Past 5 Years	160	1.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	177	1.1		
	Total	15490	99.1		
		15636	100.0		
YPB1375: A27e2: Broken toe(s) were treated using other methods					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	84	.5	87.5	87.5
	Yes	12	.1	12.5	100.0
	Total	96	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe Bone in Past 5 Years	171	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	216	1.4		
	Total	15540	99.4		
		15636	100.0		

YPB1376: A27e3: Broken arm(s)/shoulders were treated using other methods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	114	.7	93.4	93.4
	Yes	8	.1	6.6	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder Bone in Past 5 Years	192	1.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	169	1.1		
	Total	15514	99.2		
		15636	100.0		

YPB1377: A27e4: Broken leg(s) were treated using other methods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	53	.3	91.4	91.4
	Yes	5	.0	8.6	100.0
	Total	58	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg Bone in Past 5 Years	210	1.3		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	215	1.4		
	Total	15578	99.6		
		15636	100.0		

YPB1378: A27e5: Broken spine (back) was treated using other methods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	6	.0	85.7	85.7
	Yes	1	.0	14.3	100.0
	Total	7	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	237	1.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	239	1.5		
	Total	15629	100.0		
		15636	100.0		

YPB1379: A27e6: Other broken bone(s) were treated using other methods

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	106	.7	83.5	83.5
	Yes	21	.1	16.5	100.0
	Total	127	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Other Bone in Past 5 Years	169	1.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	187	1.2		
	Total	15509	99.2		
		15636	100.0		

These next 30 frequency tables are duplicates of the 30 variables above (YPB1350 to YPB1379) but contain 'silent no's'; these are cases where participants only answered the bone(s) they broke, but left bones they did not break blank (rather than selecting 'no': for more details see YPB1141_imputeno, page 27). These variables contain the suffix '_imputeno' after the original variable name (e.g., YPB1350_imputeno). Both variables have been included in the release file and documentation so that researchers can decide whether they wish to use the raw or imputed data. Note that the only difference between non-imputed and imputed data for these variables is the missing data coded as 'not broke [target bone] in past 5 years'; the frequencies for valid data are unaffected.

YPB1350_imputeno: A27a1: Broken finger(s) were treated using a cast - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	121	.8	82.9	82.9
	Yes	25	.2	17.1	100.0
	Total	146	.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger Bone in Past 5 Years	296	1.9		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	41	.3		
	Total	15490	99.1		
		15636	100.0		

YPB1351_imputeno: A27a2: Broken toe(s) were treated using a cast - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	88	.6	91.7	91.7
	Yes	8	.1	8.3	100.0
	Total	96	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe Bone in Past 5 Years	345	2.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	42	.3		
	Total	15540	99.4		
		15636	100.0		

YPB1352_imputeno: A27a3: Broken arm(s)/shoulders were treated using a cast - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	46	.3	37.7	37.7
	Yes	76	.5	62.3	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder Bone in Past 5 Years	324	2.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15514	99.2		
		15636	100.0		

YPB1353_imputeno: A27a4: Broken leg(s) were treated using a cast - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	19	.1	32.8	32.8
	Yes	39	.2	67.2	100.0
	Total	58	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg Bone in Past 5 Years	388	2.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15578	99.6		
		15636	100.0		

YPB1354_imputeno: A27a5: Broken spine (back) was treated using a cast - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	7	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	440	2.8		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15629	100.0		
Total		15636	100.0		

YPB1355_imputeno: A27a6: Other broken bone(s) were treated using a cast - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	89	.6	70.1	70.1
	Yes	38	.2	29.9	100.0
	Total	127	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Other Bone in Past 5 Years	317	2.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	39	.2		
	Total	15509	99.2		
Total		15636	100.0		

YPB1356_imputeno: A27b1: Broken finger(s) were treated using surgery - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	135	.9	92.5	92.5
	Yes	11	.1	7.5	100.0
	Total	146	.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger Bone in Past 5 Years	296	1.9		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	41	.3		
	Total	15490	99.1		
Total		15636	100.0		

YPB1357_imputeno: A27b2: Broken toe(s) were treated using surgery - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	95	.6	99.0	99.0
	Yes	1	.0	1.0	100.0
	Total	96	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe Bone in Past 5 Years	345	2.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	42	.3		
	Total	15540	99.4		
		15636	100.0		

YPB1358_imputeno: A27b3: Broken arm(s)/shoulders were treated using surgery - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	100	.6	82.0	82.0
	Yes	22	.1	18.0	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder Bone in Past 5 Years	324	2.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15514	99.2		
		15636	100.0		

YPB1359_imputeno: A27b4: Broken leg(s) were treated using surgery - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	36	.2	62.1	62.1
	Yes	22	.1	37.9	100.0
	Total	58	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg Bone in Past 5 Years	388	2.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15578	99.6		
		15636	100.0		

YPB1360_imputeno: A27b5: Broken spine (back) was treated using surgery - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	6	.0	85.7	85.7
	Yes	1	.0	14.3	100.0
	Total	7	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	440	2.8		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15629	100.0		
		15636	100.0		

YPB1361_imputeno: A27b6: Other broken bone(s) were treated using surgery - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	103	.7	81.1	81.1
	Yes	24	.2	18.9	100.0
	Total	127	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Other Bone in Past 5 Years	317	2.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	39	.2		
	Total	15509	99.2		
		15636	100.0		

YPB1362_imputeno: A27c1: Broken finger(s) were treated using a splint - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	64	.4	43.8	43.8
	Yes	82	.5	56.2	100.0
	Total	146	.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger Bone in Past 5 Years	296	1.9		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	41	.3		
	Total	15490	99.1		
		15636	100.0		

YPB1363_imputeno: A27c2: Broken toe(s) were treated using a splint - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	74	.5	77.1	77.1
	Yes	22	.1	22.9	100.0
	Total	96	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe Bone in Past 5 Years	345	2.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	42	.3		
	Total	15540	99.4		
		15636	100.0		

YPB1364_imputeno: A27c3: Broken arm(s)/shoulders were treated using a splint - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	98	.6	80.3	80.3
	Yes	24	.2	19.7	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder Bone in Past 5 Years	324	2.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15514	99.2		
		15636	100.0		

YPB1365_imputeno: A27c4: Broken leg(s) were treated using a splint - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	55	.4	94.8	94.8
	Yes	3	.0	5.2	100.0
	Total	58	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg Bone in Past 5 Years	388	2.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15578	99.6		
		15636	100.0		

YPB1366_imputeno: A27c5: Broken spine (back) was treated using a splint - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	7	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	440	2.8		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15629	100.0		
Total		15636	100.0		

YPB1367_imputeno: A27c6: Other broken bone(s) were treated using a splint - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	116	.7	91.3	91.3
	Yes	11	.1	8.7	100.0
	Total	127	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Other Bone in Past 5 Years	317	2.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	39	.2		
	Total	15509	99.2		
Total		15636	100.0		

YPB1368_imputeno: A27d1: Broken finger(s) were treated using rest - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	89	.6	61.0	61.0
	Yes	57	.4	39.0	100.0
	Total	146	.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger Bone in Past 5 Years	296	1.9		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	41	.3		
	Total	15490	99.1		
Total		15636	100.0		

YPB1369_imputeno: A27d2: Broken toe(s) were treated using rest - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	25	.2	26.0	26.0
	Yes	71	.5	74.0	100.0
	Total	96	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe Bone in Past 5 Years	345	2.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	42	.3		
	Total	15540	99.4		
		15636	100.0		

YPB1370_imputeno: A27d3: Broken arm(s)/shoulders were treated using rest - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	86	.6	70.5	70.5
	Yes	36	.2	29.5	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder Bone in Past 5 Years	324	2.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15514	99.2		
		15636	100.0		

YPB1371_imputeno: A27d4: Broken leg(s) were treated using rest - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	39	.2	67.2	67.2
	Yes	19	.1	32.8	100.0
	Total	58	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg Bone in Past 5 Years	388	2.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15578	99.6		
		15636	100.0		

YPB1372_imputeno: A27d5: Broken spine (back) was treated using rest - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2	.0	28.6	28.6
	Yes	5	.0	71.4	100.0
	Total	7	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	440	2.8		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15629	100.0		
		15636	100.0		
Total					

YPB1373_imputeno: A27d6: Other broken bone(s) were treated using rest - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	60	.4	47.2	47.2
	Yes	67	.4	52.8	100.0
	Total	127	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Other Bone in Past 5 Years	317	2.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	39	.2		
	Total	15509	99.2		
		15636	100.0		
Total					

YPB1374_imputeno: A27e1: Broken finger(s) were treated using other methods - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	138	.9	94.5	94.5
	Yes	8	.1	5.5	100.0
	Total	146	.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Finger Bone in Past 5 Years	296	1.9		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	41	.3		
	Total	15490	99.1		
		15636	100.0		
Total					

YPB1375_imputeno: A27e2: Broken toe(s) were treated using other methods - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	84	.5	87.5	87.5
	Yes	12	.1	12.5	100.0
	Total	96	.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Toe Bone in Past 5 Years	345	2.2		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	42	.3		
	Total	15540	99.4		
		15636	100.0		

YPB1376_imputeno: A27e3: Broken arm(s)/shoulders were treated using other methods - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	114	.7	93.4	93.4
	Yes	8	.1	6.6	100.0
	Total	122	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Arm/Shoulder Bone in Past 5 Years	324	2.1		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15514	99.2		
		15636	100.0		

YPB1377_imputeno: A27e4: Broken leg(s) were treated using other methods - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	53	.3	91.4	91.4
	Yes	5	.0	8.6	100.0
	Total	58	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Leg Bone in Past 5 Years	388	2.5		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	37	.2		
	Total	15578	99.6		
		15636	100.0		

YPB1378_imputeno: A27e5: Broken spine (back) was treated using other methods - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	6	.0	85.7	85.7
	Yes	1	.0	14.3	100.0
	Total	7	.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Spine in Past 5 Years	440	2.8		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	36	.2		
	Total	15629	100.0		
		15636	100.0		
Total					

YPB1379_imputeno: A27e6: Other broken bone(s) were treated using other methods - silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	106	.7	83.5	83.5
	Yes	21	.1	16.5	100.0
	Total	127	.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Not Broke Other Bone in Past 5 Years	317	2.0		
	Not Broken Any Bones in Past 5 Years	3539	22.6		
	No Answer	39	.2		
	Total	15509	99.2		
		15636	100.0		
Total					

YPB1390: A28: Had a stress (hairline) fracture confirmed by doctor

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	107	.7	2.7	2.7
	No	3863	24.7	97.3	100.0
	Total	3970	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Answer	52	.3		
	Total	11666	74.6		
		15636	100.0		
Total					

Note that this variable (YPB1391) was originally only asked in the online questionnaire, but the number of answers from the following questions (YPB1392 to YPB1394) have been used to impute answers from paper questionnaires.

YPB1391: A28a: Number of stress fractures in past 5 years

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	91	.6	85.8	85.8
	2	10	.1	9.4	95.3
	3	5	.0	4.7	100.0
	Total	106	.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Stress Fractures in Past 5 Years	3863	24.7		
	No Answer	53	.3		
	Total	15530	99.3		
Total		15636	100.0		

YPB1392: A28a1: Age (in years) at most recent stress fracture

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	17	10	.1	9.5	9.5
	18	9	.1	8.6	18.1
	19	12	.1	11.4	29.5
	20	16	.1	15.2	44.8
	21	26	.2	24.8	69.5
	22	20	.1	19.0	88.6
	23	6	.0	5.7	94.3
	Stress Fracture Occurred Over 5 Years Ago	6	.0	5.7	100.0
Missing	Total	105	.7	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Stress Fractures in Past 5 Years	3863	24.7		
	No Answer	54	.3		
	Total	15531	99.3		
Total		15636	100.0		

YPB1393: A28a2: Age (in years) at second most recent stress fracture

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	17	1	.0	7.1	7.1
	19	2	.0	14.3	21.4
	20	2	.0	14.3	35.7
	21	8	.1	57.1	92.9
	Stress Fracture Occurred Over 5 Years Ago	1	.0	7.1	100.0
	Total	14	.1	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Only had One Stress Fracture	91	.6		
	No Stress Fractures in Past 5 Years	3863	24.7		
Missing	No Answer	54	.3		
	Total	15622	99.9		
		15636	100.0		
Total		15636	100.0		

YPB1394: A28a3: Age (in years) at third most recent stress fracture

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	19	2	.0	40.0	40.0
	20	1	.0	20.0	60.0
	22	2	.0	40.0	100.0
	Total	5	.0	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Only had Two Stress Fractures	10	.1		
	Only had One Stress Fracture	91	.6		
	No Stress Fractures in Past 5 Years	3863	24.7		
	No Answer	53	.3		
Missing	Total	15631	100.0		
		15636	100.0		
Total		15636	100.0		

YPB1395: A28b: Location of most recent stress fracture

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Foot	36	.2	33.6	33.6
	Leg	15	.1	14.0	47.7
	Wrist	9	.1	8.4	56.1
	Arm Above Wrist	12	.1	11.2	67.3
	Other	35	.2	32.7	100.0
	Total	107	.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Stress Fractures in Past 5 Years	3863	24.7		
	No Answer	52	.3		
	Total	15529	99.3		
	Total	15636	100.0		

YPB1397: A28c: Most recent stress fracture was sport-related

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	50	.3	46.7	46.7
	No	57	.4	53.3	100.0
	Total	107	.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	No Stress Fractures in Past 5 Years	3863	24.7		
	No Answer	52	.3		
	Total	15529	99.3		
	Total	15636	100.0		

Section B: Physical Activity - Questionnaire

Section B: Physical Activity

In this section we would like to get an idea of how much activity you do in an average week.

- B1) Do you make regular journeys every day or most days that are either walking or cycling?

Neither 1 Walk 2 Cycle 3 Both 4

- B2) If you walk regularly, how much time do you spend walking in an average week?

hours per week (round up to nearest hour)

- B3) Which of the following best describes your usual walking pace?

Slow 1 Average 2

Fairly brisk 3 Fast (at least 4 miles/hr) 4

- B4) If you cycle regularly, how much time do you spend cycling in an average week?

hours per week (round up to nearest hour)

- B5) Do you take part in any strenuous/vigorous physical activity (e.g. rugby, football, netball, tennis, badminton, running, gym etc)?

Never 1 Less than monthly 2 Once a fortnight 3

Weekly 4 2-4 times a week 5 5+ times a week 6

- a. Please describe the physical activity you regularly take part in:

- B6) Compared with other people your age, are you:

Much more active 1 More active 2

Similar 3 Less active 4

Much less active 5

36580



B7) On an **average weekday**, how many hours per day do you:

	None	< 1	1-2	3-4	5-6	7-8	9+
a. Sit and watch TV	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
b. Play video games on PC/laptop or games console	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
c. Use a computer or laptop (not for gaming)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
d. Use your phone, tablet or e-book	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
e. Spend outdoors in summer	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
f. Spend outdoors in winter	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
g. Read books for pleasure	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

B8) On an **average weekend day**, how many hours per day do you:

	None	< 1	1-2	3-4	5-6	7-8	9+
a. Sit and watch TV	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
b. Play video games on PC/laptop or games console	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
c. Use a computer or laptop (not for gaming)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
d. Use your phone, tablet or e-book	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
e. Spend outdoors in summer	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
f. Spend outdoors in winter	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6
g. Read books for pleasure	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6

36580




Section B: Physical Activity - Frequencies

YPB2000: B1: Make regular walking or cycling journeys every day or on most days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neither	1337	8.6	33.6	33.6
	Walk	2220	14.2	55.7	89.3
	Cycle	133	.9	3.3	92.6
	Both	294	1.9	7.4	100.0
	Total	3984	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	20	.1		
	Total	11652	74.5		
Total		15636	100.0		


Note that for this variable (YPB2010) paper and online questions were not identical, which may bias comparisons between online and paper responses. In the paper version participants were asked 'if you walk regularly, how much time per week do you spend walking in an average week?', while in the online version participants were just asked 'how much time per week do you spend walking in an average week?'. Therefore, participants who answered the paper questionnaire and did not walk regularly may have skipped this question, while all online respondents should have answered this question (16.7% of respondents who answered the paper version skipped this question compared to only 2.6% of individuals from the online version).



YPB2020: B3: Usual walking speed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Slow	123	.8	3.1	3.1
	Average	1370	8.8	34.7	37.8
	Fairly Brisk	1989	12.7	50.4	88.2
	Fast (at least 4 miles/hr)	467	3.0	11.8	100.0
	Total	3949	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	55	.4		
	Total	11687	74.7		
Total		15636	100.0		

Note that for this variable (YPB2030) paper and online questions were not identical, which may bias comparisons between online and paper responses. In the paper version participants were asked 'if you cycle regularly, how much time per week do you spend cycling in an average week?', while in the online version participants were just asked 'how much time per week do you spend cycling in an average week?'. Therefore, participants who answered the paper questionnaire and did not cycle regularly may have skipped this question, while all online respondents should have answered this question (47.3% of respondents who answered the paper version skipped this question compared to only 6.8% of individuals from the online version).



YPB2040: B5: Frequency taking part in strenuous/vigorous activity (e.g., rugby, football, netball, tennis, badminton, running, gym, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1170	7.5	29.5	29.5
	Less Than Monthly	527	3.4	13.3	42.8
	Once a Fortnight	232	1.5	5.9	48.7
	Weekly	672	4.3	17.0	65.6
	2-4 Times a Week	1029	6.6	26.0	91.6
	5+ Times a Week	324	2.1	8.2	99.7
	Participates in Physical Activity, but Unsure on Frequency	10	.1	.3	100.0
	Total	3964	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	40	.3		
	Total	11672	74.6		
Total		15636	100.0		

YPB2050: B6: Level of physical activity, relative to others of a similar age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Much More Active	252	1.6	6.3	6.3
	More Active	947	6.1	23.8	30.1
	Similar	1679	10.7	42.2	72.3
	Less Active	928	5.9	23.3	95.6
	Much Less Active	174	1.1	4.4	100.0
	Total	3980	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	Unresolvable	1	.0		
	No Answer	23	.1		
	Total	11656	74.5		
Total		15636	100.0		

YPB2060: B7a: Number of hours per day spent sitting and watching TV on an average weekday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	246	1.6	6.2	6.2
	Less Than 1 Hour	958	6.1	24.0	30.2
	1-2 Hours	1708	10.9	42.8	73.0
	3-4 Hours	820	5.2	20.6	93.6
	5-6 Hours	170	1.1	4.3	97.8
	7-8 Hours	34	.2	.9	98.7
	9 Hours or More	53	.3	1.3	100.0
	Total	3989	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	15	.1		
	Total	11647	74.5		
Total		15636	100.0		

YPB2061: B7b: Number of hours per day spent playing video games on PC/laptop or games console on an average weekday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	2617	16.7	65.7	65.7
	Less Than 1 Hour	629	4.0	15.8	81.5
	1-2 Hours	430	2.8	10.8	92.3
	3-4 Hours	201	1.3	5.0	97.3
	5-6 Hours	48	.3	1.2	98.5
	7-8 Hours	25	.2	.6	99.2
	9 Hours or More	33	.2	.8	100.0
	Total	3983	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	Unresolvable	1	.0		
	No Answer	20	.1		
	Total	11653	74.5		
Total		15636	100.0		

YPB2062: B7c: Number of hours per day spent using a computer or laptop (not for gaming) on an average weekday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	478	3.1	12.0	12.0
	Less Than 1 Hour	726	4.6	18.2	30.2
	1-2 Hours	871	5.6	21.9	52.1
	3-4 Hours	672	4.3	16.9	68.9
	5-6 Hours	417	2.7	10.5	79.4
	7-8 Hours	490	3.1	12.3	91.7
	9 Hours or More	332	2.1	8.3	100.0
	Total	3986	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	18	.1		
	Total	11650	74.5		
Total		15636	100.0		

YPB2063: B7d: Number of hours per day spent using phone, tablet or e-book on an average weekday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	73	.5	1.8	1.8
	Less Than 1 Hour	841	5.4	21.1	22.9
	1-2 Hours	1447	9.3	36.3	59.2
	3-4 Hours	879	5.6	22.0	81.2
	5-6 Hours	353	2.3	8.8	90.0
	7-8 Hours	150	1.0	3.8	93.8
	9 Hours or More	248	1.6	6.2	100.0
	Total	3991	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	13	.1		
	Total	11645	74.5		
Total		15636	100.0		

YPB2064: B7e: Number of hours per day spent outdoors in summer on an average weekday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	62	.4	1.6	1.6
	Less Than 1 Hour	321	2.1	8.0	9.6
	1-2 Hours	1243	7.9	31.2	40.8
	3-4 Hours	1236	7.9	31.0	71.7
	5-6 Hours	630	4.0	15.8	87.5
	7-8 Hours	243	1.6	6.1	93.6
	9 Hours or More	254	1.6	6.4	100.0
	Total	3989	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	15	.1		
	Total	11647	74.5		
Total		15636	100.0		

YPB2065: B7f: Number of hours per day spent outdoors in winter on an average weekday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	288	1.8	7.2	7.2
	Less Than 1 Hour	1626	10.4	40.8	48.0
	1-2 Hours	1347	8.6	33.8	81.7
	3-4 Hours	446	2.9	11.2	92.9
	5-6 Hours	140	.9	3.5	96.4
	7-8 Hours	74	.5	1.9	98.3
	9 Hours or More	68	.4	1.7	100.0
	Total	3989	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	Unresolvable	1	.0		
	No Answer	14	.1		
	Total	11647	74.5		
Total		15636	100.0		

YPB2066: B7g: Number of hours per day spent reading books for pleasure on an average weekday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	1387	8.9	34.8	34.8
	Less Than 1 Hour	1608	10.3	40.3	75.0
	1-2 Hours	708	4.5	17.7	92.8
	3-4 Hours	176	1.1	4.4	97.2
	5-6 Hours	60	.4	1.5	98.7
	7-8 Hours	21	.1	.5	99.2
	9 Hours or More	31	.2	.8	100.0
	Total	3991	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	13	.1		
	Total	11645	74.5		
Total		15636	100.0		

YPB2070: B8a: Number of hours per day spent sitting and watching TV on an average weekend day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	271	1.7	6.8	6.8
	Less Than 1 Hour	554	3.5	13.9	20.7
	1-2 Hours	1426	9.1	35.8	56.4
	3-4 Hours	1279	8.2	32.1	88.5
	5-6 Hours	347	2.2	8.7	97.2
	7-8 Hours	67	.4	1.7	98.9
	9 Hours or More	44	.3	1.1	100.0
	Total	3988	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	16	.1		
	Total	11648	74.5		
Total		15636	100.0		

YPB2071: B8b: Number of hours per day spent playing video games on PC/laptop or games console on an average weekend day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	2554	16.3	64.1	64.1
	Less Than 1 Hour	478	3.1	12.0	76.0
	1-2 Hours	444	2.8	11.1	87.2
	3-4 Hours	304	1.9	7.6	94.8
	5-6 Hours	124	.8	3.1	97.9
	7-8 Hours	36	.2	.9	98.8
	9 Hours or More	47	.3	1.2	100.0
	Total	3987	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	17	.1		
	Total	11649	74.5		
Total		15636	100.0		

YPB2072: B8c: Number of hours per day spent using a computer or laptop (not for gaming) on an average weekend day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	770	4.9	19.3	19.3
	Less Than 1 Hour	864	5.5	21.7	41.0
	1-2 Hours	1056	6.8	26.5	67.5
	3-4 Hours	754	4.8	18.9	86.4
	5-6 Hours	319	2.0	8.0	94.5
	7-8 Hours	122	.8	3.1	97.5
	9 Hours or More	99	.6	2.5	100.0
	Total	3984	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	20	.1		
	Total	11652	74.5		
Total		15636	100.0		

YPB2073: B8d: Number of hours per day spent using phone, tablet or e-book on an average weekend day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	106	.7	2.7	2.7
	Less Than 1 Hour	743	4.8	18.7	21.3
	1-2 Hours	1369	8.8	34.4	55.8
	3-4 Hours	976	6.2	24.5	80.3
	5-6 Hours	419	2.7	10.5	90.8
	7-8 Hours	159	1.0	4.0	94.8
	9 Hours or More	206	1.3	5.2	100.0
	Total	3978	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	26	.2		
	Total	11658	74.6		
Total		15636	100.0		

YPB2074: B8e: Number of hours per day spent outdoors in summer on an average weekend day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	61	.4	1.5	1.5
	Less Than 1 Hour	136	.9	3.4	4.9
	1-2 Hours	484	3.1	12.1	17.1
	3-4 Hours	1083	6.9	27.2	44.3
	5-6 Hours	1223	7.8	30.7	74.9
	7-8 Hours	569	3.6	14.3	89.2
	9 Hours or More	430	2.8	10.8	100.0
	Total	3986	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	18	.1		
	Total	11650	74.5		
Total		15636	100.0		

YPB2075: B8f: Number of hours per day spent outdoors in winter on an average weekend day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	220	1.4	5.5	5.5
	Less Than 1 Hour	1022	6.5	25.7	31.2
	1-2 Hours	1442	9.2	36.2	67.4
	3-4 Hours	874	5.6	21.9	89.3
	5-6 Hours	284	1.8	7.1	96.4
	7-8 Hours	72	.5	1.8	98.2
	9 Hours or More	70	.4	1.8	100.0
	Total	3984	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	20	.1		
	Total	11652	74.5		
Total		15636	100.0		

YPB2076: B8g: Number of hours per day spent reading books for pleasure on an average weekend day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	None	1443	9.2	36.3	36.3
	Less Than 1 Hour	1272	8.1	32.0	68.3
	1-2 Hours	840	5.4	21.1	89.4
	3-4 Hours	288	1.8	7.2	96.6
	5-6 Hours	78	.5	2.0	98.6
	7-8 Hours	20	.1	.5	99.1
	9 Hours or More	36	.2	.9	100.0
	Total	3977	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section B	18	.1		
	No Answer	27	.2		
	Total	11659	74.6		
Total		15636	100.0		

Section C: Vision - Questionnaire

Section C: Vision

In this section we will be asking about your sight and whether or not you wear glasses.

C1) How would you rate your sight without glasses?

	Good	I can't see clearly at a distance	I can't see clearly close up	I can't see much at all
a. Left eye	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>
b. Right eye	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>

C2) Have you ever been diagnosed with any of the following vision conditions?

	Yes	No	Don't know
a. Nearsightedness or myopia (near objects are clear, far objects are blurry)	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
b. Farsightedness (near objects blurry or difficult to see, far objects are clear)	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>

C3) If yes to C2a or C2b, at what age were you first given glasses for:

a. Nearsightedness (near objects are clear, far objects are blurry)? Your best guess is fine.	<input type="text"/> <input type="text"/> years old
b. Farsightedness (near objects blurry or difficult to see, far objects are clear)? Your best guess is fine.	<input type="text"/> <input type="text"/> years old

36580



C4) Do you wear:

a. Glasses?

No 1

Yes, all the time 2

Yes, mainly for nearwork and/or reading 3

Yes, mainly for distance (e.g. driving, cinema) 4

b. Contact lenses?

No 1

Yes, all the time 2

Yes, sometimes 3

C5) Have you ever had laser eye surgery to correct either nearsightedness or farsightedness?

Yes 1 No 2

36580



Section C: Vision - Frequencies

YPB3000: C1a: Quality of vision in left eye without glasses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Good	2423	15.5	60.7	60.7
	Can't See Clearly at a Distance	1141	7.3	28.6	89.3
	Can't See Clearly Close Up	176	1.1	4.4	93.7
	Can't See Much at All	250	1.6	6.3	100.0
	Total	3990	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section C	20	.1		
	No Answer	12	.1		
	Total	11646	74.5		
Total		15636	100.0		

YPB3001: C1b: Quality of vision in right eye without glasses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Good	2428	15.5	61.3	61.3
	Can't See Clearly at a Distance	1118	7.2	28.2	89.5
	Can't See Clearly Close Up	175	1.1	4.4	93.9
	Can't See Much at All	240	1.5	6.1	100.0
	Total	3961	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section C	20	.1		
	No Answer	41	.3		
	Total	11675	74.7		
Total		15636	100.0		


YPB3010: C2a: Diagnosed with nearsightedness or myopia (near objects are clear, far objects are blurry)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1179	7.5	30.3	30.3
	No	2491	15.9	63.9	94.2
	Don't Know	226	1.4	5.8	100.0
	Total	3896	24.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section C	20	.1		
	Unresolvable	2	.0		
	No Answer	104	.7		
Total		11740	75.1		
Total		15636	100.0		


YPB3011: C2b: Diagnosed with farsightedness (near objects blurry or difficult to see, far objects are clear)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	357	2.3	9.7	9.7
	No	3120	20.0	84.5	94.2
	Don't Know	216	1.4	5.8	100.0
	Total	3693	23.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section C	20	.1		
	No Answer	309	2.0		
Total		11943	76.4		
Total		15636	100.0		

Note that for this variable (YPB3012) there is a slight difference between the online and paper versions. In the online version participants who answered 'no' or 'don't know' to YPB3010 were not shown this question, while in the paper version many some participants still answered YPB3012 even if they answered 'no' or 'don't know' to YPB3010. The PI for this section (Cathy Williams) said to leave this as is, as people are sometimes confused between near- and far-sightedness (see derived variable YPB3014) which flags cases where questions in this section are inconsistent).



Note that for this variable (YPB3013) there is a slight difference between the online and paper versions. In the online version participants who answered 'no' or 'don't know' to YPB3011 were not shown this question, while in the paper version many some participants still answered YPB3013 even if they answered 'no' or 'don't know' to YPB3011. The PI for this section (Cathy Williams) said to leave this as is, as people are sometimes confused between near- and far-sightedness (see derived variable YPB3014) which flags cases where questions in this section are inconsistent).




This derived variable (YPB3014) flags cases which are inconsistent between variables YPB3010, YPB3011, YPB3012 and YPB3013 (for instance, such as saying 'no' to being nearsighted (YPB3010) but answering age at which given glasses for nearsightedness (YPB3012)).

YPB3014: DV: Answers to questions C3a (YPB3012) or C3b (YPB3013) are inconsistent with answer from C2a (YPB3010) or C2b (YPB3011)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Answers are Inconsistent	65	.4	1.6	1.6
	No, Answers are Consistent/No Answers to Either C2 or C3	3957	25.3	98.4	100.0
	Total	4022	25.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Total	11614	74.3		
Total		15636	100.0		

This derived variable (YPB3015) details the youngest age respondent was given glasses (for either near- or farsightedness).



YPB3020: C4a: Wears glasses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2317	14.8	58.1	58.1
	Yes, all the Time	626	4.0	15.7	73.9
	Yes, Mainly for Nearwork and/or Reading	453	2.9	11.4	85.2
	Yes, Mainly for Distance (e.g., Driving, Cinema)	589	3.8	14.8	100.0
	Total	3985	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section C	20	.1		
	No Answer	17	.1		
	Total	11651	74.5		
Total		15636	100.0		

YPB3021: C4b: Wears contact lenses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3409	21.8	85.6	85.6
	Yes, all the Time	301	1.9	7.6	93.2
	Yes, Sometimes	272	1.7	6.8	100.0
	Total	3982	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section C	20	.1		
	No Answer	20	.1		
	Total	11654	74.5		
Total		15636	100.0		

YPB3030: C5: Had laser eye surgery to correct either nearsightedness or farsightedness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	51	.3	1.3	1.3
	No	3938	25.2	98.7	100.0
	Total	3989	25.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section C	20	.1		
	No Answer	13	.1		
	Total	11647	74.5		
Total		15636	100.0		

Section D: Substance Use - Questionnaire

Section D: Substance Use

These questions have been asked before (a number of times!) but it is useful to ask them again to see how your answers might differ over time. We know that these questions are sensitive. Please remember that your answers are confidential. All questions are voluntary and if there is a question you would prefer not to answer please leave it blank and move on to the next question.

D1) a. Have you ever smoked a whole cigarette (including roll-ups)?

Yes 1 No 2  If no, please go to question D10

b. How many cigarettes have you smoked altogether in your lifetime?

Less than 5 1 5-19 2 20-49 3
50-99 4 100 plus 5

D2) a. Have you smoked any cigarettes in the past 30 days?

Yes 1 No 2

 If yes, please go to question D3

b. If no, how old were you when you last smoked a cigarette?

 years old

 Now please go to question D10

D3) a. Do you smoke every week?

Yes 1 No 2  If no, please go to question D10

b. If you smoke every week, how many cigarettes do you smoke per week, on average?

 cigarettes per week

D4) a. Do you smoke every day?

Yes 1 No 2  If no, please go to question D10

b. If you smoke every day, how many cigarettes do you smoke per day, on average?

 cigarettes per day

36580



How soon after you wake up do you smoke your first cigarette?

D5) Within 5 minutes 1 ○ 6-30 minutes 2 ○
 31-60 minutes 3 ○ More than an hour 4 ○

D6) Do you **find** it difficult to refrain from smoking in places where it is forbidden (e.g. in public buildings, buses, trains, the library, cinema)?

Yes 1 ○ No 2 ○

D7) Which cigarette would you most hate to give up?

The first one in the morning 1 ○ Any others 2 ○

D8) Do you smoke more frequently during the first hours after waking than during the rest of the day?

Yes 1 ○ No 2 ○

D9) Do you smoke if you are so ill that you are in bed most of the day?

Yes 1 ○ No 2 ○

D10) Have you **ever** used/smoked/vaped an electronic cigarette?

Yes 1 ○ No 2 ○ → **If no, please go to question D14**

D11) Do you **currently** use/smoke/vape electronic cigarettes?

Yes 1 ○ No 2 ○ → **If no, please go to question D14**

D12) How long have you used electronic cigarettes for?

Less than 1 month 1 ○ 1-3 months 2 ○ 4-6 months 3 ○
 7 months-1 year 4 ○ 1-2 years 5 ○ more than 2 years 6 ○

D13) How often do you use electronic cigarettes?

At least once a day 1 ○
 At least once a week 2 ○
 At least once a month 3 ○
 Less than once a month 4 ○

36580

The next questions are about drinking alcohol (this includes beer, wine, "alcopops", cider and spirit drinks like vodka). Your answers to all these questions are confidential, so they will never be seen by anyone who knows you or linked to your name.

We know we have asked them before but patterns of alcohol consumption can change quickly over time.

Please see the drinkogram at the back of the questionnaire that translates common types of alcoholic drinks and their amounts into a standard number of drinks (units), based on strength and volume. For example, 1 can (440ml) of normal strength beer/lager (4.5%) counts as 2 units.

- D14) Have you ever had a whole drink? (A drink is a small bottle, $\frac{1}{2}$ pint of beer, small glass of wine, or "shot" of whisky, gin, or vodka)

Yes ¹ No ²  If no, please go to question D40

- D15) What is the largest number of whole drinks (units) you have ever had **in a 24-hour period?** (e.g. If you drank 3 pints of normal strength beer and 2 shots of spirits, this would be 3×2 units of beer and 2×1 units of spirits= 8 units, see drinkogram.)
- drinks
-

The next questions are about your use of alcoholic drinks **during the past year**. The drinkogram gives examples of what a drink is.

- D16) How often do you have a drink containing alcohol?

Never ¹ Monthly or less ² 2-4 times a month ³
2-3 times a week ⁴ 4 or more times a week ⁵

- D17) How many units (standard drinks) containing alcohol do you have on a **typical day** when you are drinking?

1 or 2 ¹ 3 or 4 ² 5 or 6 ³
7 to 9 ⁴ 10 or more ⁵

36580



		Never	Less than monthly	Monthly	Weekly	Daily or almost daily
D18)	How often do you have six or more units (standard drinks) on one occasion? (See drinkogram)	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D19)	How often during the past year have you found that you were not able to stop drinking once you had started?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D20)	How often during the past year have you failed to do what was normally expected of you because of drinking? e.g. go to college/university/work, play sport or go out with family and friends.	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D21)	How often during the past year have you needed a first drink in the morning to get yourself going after a heavy drinking session?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D22)	How often during the past year have you had a feeling of guilt or remorse after drinking?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D23)	How often during the past year have you been unable to remember what happened the night before because you had been drinking?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D24)	How often during the past year have you spent a great deal of your day drinking alcohol?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D25)	How often during the past year have you have set a limit on how much you'd drink but drank more?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5

36580

		Never	Less than monthly	Monthly	Weekly	Daily or almost daily
D26)	How often during the past year have you felt you needed to stop drinking or cut back on your drinking?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D27)	How often during the past year have you continued to drink even though it was causing you problems?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D28)	How often during the past year have you been unable to keep up with studies, sports or a job because of drinking?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D29)	How often during the past year have you needed to drink more than you used to in order to feel any effect?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D30)	How often during the past year have you got into physical fights when you've been drinking?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D31)	How often during the past year have you had a problem with the police because of your drinking?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D32)	How often in the past year did you have the shakes when you cut down or stopped drinking (that is, your hands shook so much that other people would have been able to notice it)?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D33)	How often in the past year , after drinking for a few hours or more, did you drink to keep from getting the shakes or getting sick?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
D34)	In situations where you couldn't drink, in the past year , did you have such a strong desire for it that you couldn't think of anything else?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5

36580

		No	Yes, but not in the past year	Yes, during the past year
D35)	Have you or has someone else been injured as a result of your drinking?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3
D36)	Has a relative or friend or a doctor or other health worker been concerned about your drinking or suggested you cut down?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3
D37)	Have you been in a dangerous situation while drinking or drunk (for example, driving a car or motorcycle, or using a weapon or heavy equipment)?	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3
a.	If yes, how often has this happened in the past year ?			
	Never <input type="radio"/> 1	Less than monthly <input type="radio"/> 2	Monthly <input type="radio"/> 3	
	Weekly <input type="radio"/> 4	Daily or almost daily <input type="radio"/> 5		
D38)	The most recent time you had sexual intercourse, had you been drinking before it happened?	<input type="radio"/> Yes 1	<input type="radio"/> No 2	<input type="radio"/> Not applicable 3
a.	If yes, after drinking alcohol were you:			
	Not drunk <input type="radio"/> 1			
	A bit drunk <input type="radio"/> 2			
	Drunk <input type="radio"/> 3			

36580

D39) In the next set of questions we are interested in how often you have used alcohol in the following situations. We are interested in your general use of alcohol, not with any specific stressful situation. For each item we would like you to cross **how often you have used alcohol in the following situations** over the **past 2 years**. Please cross the most accurate response for each of the following items:

	Almost never	Some- times	Often	Almost always
a. To forget your worries	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>
b. To relax	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>
c. To cheer up when you're in a bad mood	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>
d. To help when you feel depressed	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>
e. To help when you feel nervous	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>
f. To help when your mood changes a lot	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>
g. To feel more self-confident and sure of yourself	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>
h. Because there is nothing better to do	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>

If you are affected by any of the issues raised
in this section you may wish to contact:

Alcoholics Anonymous
0845 769 7555
www.alcoholics-anonymous.org.uk

36580

Drug Use

The next set of questions is about cannabis. Please remember that your answers to all these questions are confidential, so they will never be seen by anyone who knows you or linked to your name.

- D40) a. Have you **ever** tried cannabis (also called marijuana, hash, dope, pot, blow, skunk, puff, grass, draw, ganja, joints, smoke, weed)?

Yes 1 2 → If no, please go to question D45

- b. If yes, how old were you when you **first** tried cannabis?

--	--

 years old

- c. How old were you when you **last** tried cannabis?

--	--

 years old

- D41) In the **last 12 months** how often have you used cannabis?

Once or twice 1 Less than monthly 2

Monthly 3 Weekly 4

Daily or almost daily 5 Not in the last 12 months 6

↓
If not in the last 12 months,
please go to question D45

- D42) When was the **last time** you used cannabis?

In the last 3 days 1

Not in the last 3 days, but in the last 2 weeks 2

Not in the last 2 weeks, but in the last month 3

Not in the last month, but in the last 3 months 4

Not in the last 3 months, but in the last 12 months 5

- D43) When you smoke cannabis, on a **typical** day, how many joints/spliffs, pipes or bongs would you have?

--	--

 joints/pipes/bongs

36580



D44) The following questions are about your use of cannabis **in the past 12 months**.

- | | Never | Rarely | From time to time | Fairly often | Often |
|---|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| a. Have you used cannabis before midday? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 |
| b. Have you used cannabis when you were alone? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 |
| c. Have you had memory problems when you've used cannabis? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 |
| d. Have friends or members of your family told you that you ought to reduce your cannabis use? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 |
| e. Have you tried to reduce or stop your cannabis use without succeeding? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 |
| f. Have you had problems because of your use of cannabis (argument, fight, accident, other problems)? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 | <input type="radio"/> 5 |
| g. If <u>never</u> , please go to question D45 | | | | | |
| g. If you have had problems, please describe them below: | | | | | |



■ The following questions are about other drugs that people sometimes take. ■

D45) In your life, which of the following substances have you ever used? (Non-medical use only.)

(i) If yes, have you tried the drug in the last year?
(ii) If yes, have you tried the drug in the last 3 months?

	No	Yes		No	Yes		No	Yes
a. Cocaine (Charlie, 'c', coke, etc.)	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1
b. Crack (rock, stone, etc.)	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1
c. Amphetamine-type stimulants (speed, base, diet pills, ecstacy, MDMA, GHB, 2CB, 2CI, Mcat, Mephedrone etc.)	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1
d. Nitrous oxide (laughing gas)	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1
e. Other inhalants (glue, petrol, paint thinner etc.)	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1
f. Sedatives or sleeping pills (Valium, Rohypnol, etc.)	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1
g. Hallucinogens (LSD, acid, mushrooms, PCP, ketamine, Special K, N-Bomb, etc.)	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1
h. Opioids (heroin, morphine, methadone, codeine etc.)	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1
i. Injected illicit drugs	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1
j. Have you used any other drugs?	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1	→	<input type="radio"/> 2	<input type="radio"/> 1

If yes, please specify:

If you are affected by any of the issues raised in this section you may wish to contact:

FRANK
0300 123 6600
www.talktofrank.com

36580



■ ● Other behaviours

This section asks about other behaviours that some people engage in.

D46) How many times in the last year have you:

- | | Not at all | Once | 2-5 times | 6 or more |
|---|-------------------------|-------------------------|-------------------------|-------------------------|
| a. Been rowdy or rude in a public place so that people complained or you got in trouble? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |
| b. Stolen something from a shop or store? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |
| c. Bought something that you knew or suspected was stolen? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |
| d. Broken into a car or van to try and steal something out of it? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |
| e. Taken and/or driven a vehicle without the owner's permission? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |
| f. Broken into a house or building to try and steal something? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |
| g. Stolen any money or property that someone was holding, carrying or wearing at the time? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |
| h. Hit, kicked or punched someone else on purpose with the intention of really hurting them? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |
| i. Deliberately damaged or destroyed property that did not belong to you? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |
| j. Hurt or injured animals or birds on purpose? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |
| k. Carried a knife or other weapon with you for protection or in case it was needed for a fight? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |
| l. Used a cheque book, credit card or cash point card which you knew or suspected to be stolen to get money out of a bank account or to purchase something? | <input type="radio"/> 1 | <input type="radio"/> 2 | <input type="radio"/> 3 | <input type="radio"/> 4 |

36580



Section D: Substance Use – Frequencies

Smoking

YPB4000: D1a: Has smoked a whole cigarette (includes roll-ups)


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	2361	15.1	59.3	59.3
	2. No	1621	10.4	40.7	
	Total	3982	25.5	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	12	.1		
	Total	11654	74.5		
		15636	100.0		

YPB4001: D1b: Number of cigarettes smoked in lifetime

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Less than 5	348	2.2	14.8	14.8
	2. 5-19	380	2.4	16.1	
	3. 20-49	282	1.8	12.0	
	4. 50-99	208	1.3	8.8	
	5. 100 plus	1136	7.3	48.3	
	Total	2354	15.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-2. Never smoked a whole cig	1621	10.4		
	-1. Missing	19	.1		
	Total	13282	84.9		
Total		15636	100.0		


YPB4010: D2a: Smoked a cigarette in past 30 days

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	1001	6.4	42.5	42.5
	2. No	1356	8.7	57.5	
	Total	2357	15.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-2. Never smoked a whole cig	1621	10.4		
	-1. Missing	16	.1		
	Total	13279	84.9		
Total		15636	100.0		



YPB4020: D3a: Smokes every week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	664	4.2	66.5	66.5
	2. No	334	2.1	33.5	100.0
	Total	998	6.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Hasn't smoked in last 30d	1356	8.7		
	-2. Never smoked a whole cig	1621	10.4		
	-1. Missing	19	.1		
	Total	14638	93.6		
	Total	15636	100.0		




Note that this variable (YPB4023) contains 13 cases from paper questionnaire answers where respondents wrote over '99' cigarettes per week. As there were only two boxes to write digits in, this was the maximum number possible in the paper version, although these 13 individuals wrote a number larger than 99. These values of over 99 are not included in the above histogram (YPB4021), but are included in a derived variable below (YPB4024).


YPB4023: D3Over99: Number of cigarettes smoked per week, if over 99 (paper version only)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	100	6	.0	46.2	46.2
	120	1	.0	7.7	53.8
	140	4	.0	30.8	84.6
	150	1	.0	7.7	92.3
	160	1	.0	7.7	100.0
	Total	13	.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole section D	1	.0		
	-7. Online questionnaire, so answers not relevant for this variable	2223	14.2		
	-5. Doesn't smoke over 99 cigs per week	313	2.0		
	-4. Doesn't smoke weekly	157	1.0		
	-3 Hasn't smoked in last 30d	634	4.1		
	-2. Never smoked a whole cig	643	4.1		
	-1. Missing	38	.2		
	Total	15623	99.9		
Total		15636	100.0		

As described above, this derived variable (YPB4024) contains the same data as in YPB4021 (number of cigarettes smoked per week), but includes the data from paper questionnaires where respondents answered over 99 cigarettes smoked per week (YPB4023).



		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	492	3.1	74.9	74.9
	2. No	165	1.1	25.1	100.0
	Total	657	4.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-4. Doesn't smoke weekly	334	2.1		
	-3. Hasn't smoked in last 30d	1356	8.7		
	-2. Never smoked a whole cig	1621	10.4		
	-1. Missing	26	.2		
	Total	14979	95.8		
		15636	100.0		



YPB4040: D5: Time from waking up to smoking first cigarette

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Within 5 minutes	40	.3	8.2	8.2
	2. 6-30 minutes	142	.9	29.0	37.1
	3. 31-60 minutes	125	.8	25.5	62.7
	4. More than an hour	183	1.2	37.3	100.0
	Total	490	3.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-5. Doesn't smoke daily	165	1.1		
	-4. Doesn't smoke weekly	334	2.1		
	-3. Hasn't smoked in last 30d	1356	8.7		
	-2. Never smoked a whole cig	1621	10.4		
	-1. Missing	28	.2		
	Total	15146	96.9		
Total		15636	100.0		

YPB4050: D6: Finds it difficult to refrain from smoking in places where it is forbidden (e.g., in public buildings, buses, trains, the library, cinema)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	54	.3	11.1	11.1
	2. No	434	2.8	88.9	
	Total	488	3.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-5. Doesn't smoke daily	165	1.1		
	-4. Doesn't smoke weekly	334	2.1		
	-3. Hasn't smoked in last 30d	1356	8.7		
	-2. Never smoked a whole cig	1621	10.4		
	-1. Missing	30	.2		
	Total	15148	96.9		
		15636	100.0		

YPB4060: D7: Cigarette would hate most to give up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. The first one in the morning	174	1.1	36.0	36.0
	2. Any others	310	2.0	64.0	
	Total	484	3.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-5. Doesn't smoke daily	165	1.1		
	-4. Doesn't smoke weekly	334	2.1		
	-3. Hasn't smoked in last 30d	1356	8.7		
	-2. Never smoked a whole cig	1621	10.4		
	-1. Missing	34	.2		
	Total	15152	96.9		
		15636	100.0		

YPB4070: D8: Smokes more frequently during the first hours after waking than during the rest of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	96	.6	19.6	19.6
	2. No	393	2.5	80.4	100.0
	Total	489	3.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-5. Doesn't smoke daily	165	1.1		
	-4. Doesn't smoke weekly	334	2.1		
	-3. Hasn't smoked in last 30d	1356	8.7		
	-2. Never smoked a whole cig	1621	10.4		
	-1. Missing	29	.2		
	Total	15147	96.9		
		15636	100.0		

YPB4080: D9: Smokes if they are so ill that they are in bed most of the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	125	.8	25.6	25.6
	2. No	364	2.3	74.4	100.0
	Total	489	3.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-5. Doesn't smoke daily	165	1.1		
	-4. Doesn't smoke weekly	334	2.1		
	-3. Hasn't smoked in last 30d	1356	8.7		
	-2. Never smoked a whole cig	1621	10.4		
	-1. Missing	29	.2		
	Total	15147	96.9		
		15636	100.0		

YPB4090: D10: Has used/smoked/vaped an electronic cigarette

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	955	6.1	24.1	24.1
	2. No	3010	19.3	75.9	100.0
	Total	3965	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	29	.2		
	Total	11671	74.6		
Total		15636	100.0		

YPB4100: D11: Currently using/smoking/vaping electronic cigarette

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	111	.7	11.6	11.6
	2. No	845	5.4	88.4	100.0
	Total	956	6.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-2. Never smoked an e-cig	3010	19.3		
	-1. Missing	28	.2		
	Total	14680	93.9		
		15636	100.0		
Total					


YPB4110: D12: Length of time using electronic cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Less than 1 month	24	.2	21.6	21.6
	2. 1-3 months	40	.3	36.0	57.7
	3. 4-6 months	19	.1	17.1	74.8
	4. 7 months-1 year	20	.1	18.0	92.8
	5. 1-2 years	7	.0	6.3	99.1
	6. More than 2 years	1	.0	.9	100.0
	Total	111	.7	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Not currently smoking e-cigs	845	5.4		
	-2. Never smoked an e-cig	3010	19.3		
	-1. Missing	28	.2		
	Total	15525	99.3		
Total		15636	100.0		

YPB4120: D13: Frequency of using electronic cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. At least once a day	68	.4	61.8	61.8
	2. At least once a week	27	.2	24.5	86.4
	3. At least once a month	11	.1	10.0	96.4
	4. Less than once a month	4	.0	3.6	100.0
	Total	110	.7	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Not currently smoking e-cigs	845	5.4		
	-2. Never smoked an e-cig	3010	19.3		
	-1. Missing	29	.2		
	Total	15526	99.3		
Total		15636	100.0		

The next two derived variables (YPB4121 and YPB4122) provide details of respondents' 'Fagerstrom scores' for nicotine dependence for individuals who smoke every day. These derived variables are based upon answers provided for questions YPB4031 to YPB4080. Variable YPB4121 provides the raw 'Fagerstrom score', from '0' to '10', while variable YPB4122 groups these scores into categories of 'very low dependence' (Fagerstrom score of 0 to 2), 'low dependence' (3 to 4), 'medium dependence' (5), 'high dependence' (6 to 7) and 'very high dependence' (8 to 10).




YPB4122: DV: Fagerstrom score (grouped)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0. Not a daily smoker	3476	22.2	88.2	88.2
	1. Very low dependence (0-2)	278	1.8	7.1	95.3
	2. Low dependence (3-4)	113	.7	2.9	98.1
	3. Medium dependence (5)	39	.2	1.0	99.1
	4. High dependence (6-7)	28	.2	.7	99.8
	5. Very high dependence (8-10)	7	.0	.2	100.0
Total		3941	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Insufficient info	53	.3		
Total		11695	74.8		
Total		15636	100.0		

Alcohol Use

YPB4130: D14: Have had a whole drink (small bottle, pint of beer, small glass of wine, or 'shot' of whisky, gin or vodka)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	3866	24.7	96.8	96.8
	2. No	127	.8	3.2	100.0
	Total	3993	25.5	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	1	.0		
	Total	11643	74.5		
Total		15636	100.0		



YPB4150: D16: During past year frequency had a drink containing alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	108	.7	2.8	2.8
	2. Monthly or less	948	6.1	24.6	27.5
	3. 2-4 times a month	1507	9.6	39.2	66.6
	4. 2-3 times a week	1087	7.0	28.3	94.9
	5. 4 or more times a week	196	1.3	5.1	100.0
	Total	3846	24.6	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	21	.1		
	Total	11790	75.4		
Total		15636	100.0		

YPB4160: D17: During past year number of units had on a typical day when drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. 1 or 2	1001	6.4	26.9	26.9
	2. 3 or 4	1125	7.2	30.3	57.2
	3. 5 or 6	685	4.4	18.4	75.6
	4. 7 to 9	464	3.0	12.5	88.1
	5. 10 or more	444	2.8	11.9	100.0
	Total	3719	23.8	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	40	.3		
Total		11917	76.2		
Total		15636	100.0		

YPB4170: D18: During past year frequency of drinking 6 or more units on one occasion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	311	2.0	8.3	8.3
	2. Less than monthly	1566	10.0	41.9	50.3
	3. Monthly	1101	7.0	29.5	79.8
	4. Weekly	735	4.7	19.7	99.4
	5. Daily or almost daily	21	.1	.6	100.0
	Total	3734	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	25	.2		
Total		11902	76.1		
Total		15636	100.0		

YPB4180: D19: During past year frequency of times not able to stop drinking once started

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	3076	19.7	82.3	82.3
	2. Less than monthly	436	2.8	11.7	94.0
	3. Monthly	147	.9	3.9	97.9
	4. Weekly	70	.4	1.9	99.8
	5. Daily or almost daily	7	.0	.2	100.0
	Total	3736	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	23	.1		
Total	Total	11900	76.1		
		15636	100.0		

YPB4190: D20: During past year frequency failed to do what was normally expected of them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	2822	18.0	75.4	75.4
	2. Less than monthly	792	5.1	21.2	96.6
	3. Monthly	112	.7	3.0	99.6
	4. Weekly	15	.1	.4	100.0
	Total	3741	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	18	.1		
Total	Total	11895	76.1		
		15636	100.0		

YPB4200: D21: During past year frequency needed a first drink in the morning to get themselves going after a heavy drinking session

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	3645	23.3	97.5	97.5
	2. Less than monthly	77	.5	2.1	99.5
	3. Monthly	16	.1	.4	99.9
	4. Weekly	2	.0	.1	100.0
	Total	3740	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	19	.1		
Total	Total	11896	76.1		
		15636	100.0		

YPB4210: D22: During past year frequency had a feeling of guilt or remorse after drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	2503	16.0	67.0	67.0
	2. Less than monthly	981	6.3	26.3	93.3
	3. Monthly	208	1.3	5.6	98.8
	4. Weekly	35	.2	.9	99.8
	5. Daily or almost daily	9	.1	.2	100.0
	Total	3736	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	23	.1		
Total	Total	11900	76.1		
		15636	100.0		

YPB4220: D23: During past year frequency been unable to remember what happened the night before because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	1860	11.9	49.7	49.7
	2. Less than monthly	1522	9.7	40.7	90.5
	3. Monthly	309	2.0	8.3	98.7
	4. Weekly	45	.3	1.2	99.9
	5. Daily or almost daily	3	.0	.1	100.0
	Total	3739	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	20	.1		
Total	Total	11897	76.1		
		15636	100.0		

YPB4230: D24: During past year frequency of times spent a great deal of day drinking alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	2467	15.8	66.0	66.0
	2. Less than monthly	1105	7.1	29.6	95.6
	3. Monthly	131	.8	3.5	99.1
	4. Weekly	33	.2	.9	100.0
	Total	3736	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	23	.1		
Total	Total	11900	76.1		
		15636	100.0		

YPB4240: D25: During past year, frequency set a limit on how much to drink, but drank more

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	2609	16.7	69.9	69.9
	2. Less than monthly	827	5.3	22.1	92.0
	3. Monthly	241	1.5	6.5	98.4
	4. Weekly	51	.3	1.4	99.8
	5. Daily or almost daily	7	.0	.2	100.0
	Total	3735	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	24	.2		
Total	Total	11901	76.1		
		15636	100.0		

YPB4250: D26: During past year frequency felt they needed to stop drinking or cut back on drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	2805	17.9	75.2	75.2
	2. Less than monthly	647	4.1	17.3	92.5
	3. Monthly	187	1.2	5.0	97.6
	4. Weekly	74	.5	2.0	99.5
	5. Daily or almost daily	17	.1	.5	100.0
	Total	3730	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	29	.2		
Total	Total	11906	76.1		
		15636	100.0		

YPB4260: D27: During past year frequency continued to drink even though it was causing problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	3455	22.1	92.6	92.6
	2. Less than monthly	173	1.1	4.6	97.2
	3. Monthly	71	.5	1.9	99.1
	4. Weekly	24	.2	.6	99.8
	5. Daily or almost daily	9	.1	.2	100.0
	Total	3732	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	27	.2		
Total	Total	11904	76.1		
		15636	100.0		

YPB4270: D28: During past year frequency been unable to keep up with studies, sports, or a job because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	3556	22.7	95.2	95.2
	2. Less than monthly	137	.9	3.7	98.9
	3. Monthly	34	.2	.9	99.8
	4. Weekly	6	.0	.2	100.0
	5. Daily or almost daily	1	.0	.0	100.0
	Total	3734	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	25	.2		
Total	Total	11902	76.1		
		15636	100.0		

YPB4280: D29: During past year frequency needed to drink more alcohol than they used to in order to feel any effect

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	3107	19.9	83.2	83.2
	2. Less than monthly	470	3.0	12.6	95.8
	3. Monthly	124	.8	3.3	99.1
	4. Weekly	30	.2	.8	99.9
	5. Daily or almost daily	2	.0	.1	100.0
	Total	3733	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	26	.2		
Total	Total	11903	76.1		
		15636	100.0		

YPB4290: D30: During past year frequency got into physical fights when they had been drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	3579	22.9	95.9	95.9
	2. Less than monthly	139	.9	3.7	99.6
	3. Monthly	12	.1	.3	99.9
	4. Weekly	2	.0	.1	100.0
	Total	3732	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	27	.2		
Total	Total	11904	76.1		
		15636	100.0		

YPB4300: D31: During past year frequency had a problem with the police because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	3673	23.5	98.3	98.3
	2. Less than monthly	52	.3	1.4	99.7
	3. Monthly	10	.1	.3	100.0
	Total	3735	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	24	.2		
Total	Total	11901	76.1		
		15636	100.0		

YPB4310: D32: During past year frequency had the shakes when they cut down or stopped drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	3617	23.1	96.9	96.9
	2. Less than monthly	91	.6	2.4	99.3
	3. Monthly	16	.1	.4	99.8
	4. Weekly	8	.1	.2	100.0
	5. Daily or almost daily	1	.0	.0	100.0
	Total	3733	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	26	.2		
Total	Total	11903	76.1		
		15636	100.0		

YPB4320: D33: During past year frequency, after drinking for a few hours or more, drank to keep from getting the shakes or getting sick

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	3657	23.4	98.0	98.0
	2. Less than monthly	61	.4	1.6	99.6
	3. Monthly	12	.1	.3	99.9
	4. Weekly	1	.0	.0	100.0
	5. Daily or almost daily	1	.0	.0	100.0
	Total	3732	23.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	27	.2		
Total	Total	11904	76.1		
		15636	100.0		

YPB4330: D34: During past year in situations where they could not drink, frequency of time had such a strong desire for drink that couldn't think of anything else

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	3616	23.1	97.0	97.0
	2. Less than monthly	93	.6	2.5	99.5
	3. Monthly	17	.1	.5	99.9
	4. Weekly	3	.0	.1	100.0
	Total	3729	23.8	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Never drink (past year)	108	.7		
	-1. Missing	30	.2		
Total	Total	11907	76.2		
		15636	100.0		

YPB4340: D35: Respondent or someone else has been injured as a result of respondents drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. No	3169	20.3	82.5	82.5
	2. Yes, but not in the past year	476	3.0	12.4	94.9
	3. Yes, during the past year	197	1.3	5.1	100.0
	Total	3842	24.6	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	25	.2		
	Total	11794	75.4		
Total		15636	100.0		

YPB4350: D36: Relative, friend, doctor or other health worker been concerned about respondents drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. No	3580	22.9	93.2	93.2
	2. Yes, but not in the past year	118	.8	3.1	96.3
	3. Yes, during the past year	143	.9	3.7	100.0
	Total	3841	24.6	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	26	.2		
	Total	11795	75.4		
Total		15636	100.0		

YPB4360: D37: Ever been in dangerous situation while drinking or drunk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. No	3568	22.8	93.3	93.3
	2. Yes, but not in the past year	160	1.0	4.2	97.5
	3. Yes, during the past year	97	.6	2.5	100.0
	Total	3825	24.5	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	42	.3		
	Total	11811	75.5		
Total		15636	100.0		

YPB4361: D37a: During past year frequency of being in a dangerous situation while drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	163	1.0	63.4	63.4
	2. Less than monthly	82	.5	31.9	95.3
	3. Monthly	10	.1	3.9	99.2
	4. Weekly	2	.0	.8	100.0
Missing	Total	257	1.6	100.0	
	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Has not been in a dangerous situation when drinking	3568	22.8		
	-1. Missing	42	.3		
Total	Total	15379	98.4		
		15636	100.0		

YPB4370: D38: Respondent had been drinking before the most recent time of having sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	746	4.8	19.4	19.4
	2. No	2766	17.7	72.0	91.5
	3. Not applicable	328	2.1	8.5	100.0
	Total	3840	24.6	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	27	.2		
	Total	11796	75.4		
Total		15636	100.0		

YPB4371: D38a: How drunk the respondent was after drinking alcohol before the most recent time of having sexual intercourse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not drunk	140	.9	18.9	18.9
	2. A bit drunk	356	2.3	48.0	66.9
	3. Drunk	245	1.6	33.1	100.0
	Total	741	4.7	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-2. Had not been drinking before recent sexual intercourse	3094	19.8		
	-1. Missing	32	.2		
	Total	14895	95.3		
Total		15636	100.0		

YPB4380: D39a: In the past two years, frequency used alcohol to: forget their worries

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Almost never	2597	16.6	67.8	67.8
	2. Sometimes	1040	6.7	27.2	95.0
	3. Often	149	1.0	3.9	98.9
	4. Almost always	44	.3	1.1	100.0
	Total	3830	24.5	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	37	.2		
	Total	11806	75.5		
		15636	100.0		

YPB4381: D39b: In the past two years, frequency used alcohol to: relax

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Almost never	1084	6.9	28.3	28.3
	2. Sometimes	1874	12.0	49.0	77.3
	3. Often	738	4.7	19.3	96.6
	4. Almost always	132	.8	3.4	100.0
	Total	3828	24.5	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	39	.2		
	Total	11808	75.5		
		15636	100.0		

YPB4382: D39c: In the past two years, frequency used alcohol to: cheer up when they were in a bad mood

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Almost never	2059	13.2	53.8	53.8
	2. Sometimes	1459	9.3	38.1	91.9
	3. Often	270	1.7	7.1	99.0
	4. Almost always	39	.2	1.0	100.0
	Total	3827	24.5	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	40	.3		
	Total	11809	75.5		
Total		15636	100.0		

YPB4383: D39d: In the past two years, frequency used alcohol to: help when they feel depressed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Almost never	2950	18.9	77.1	77.1
	2. Sometimes	699	4.5	18.3	95.4
	3. Often	141	.9	3.7	99.1
	4. Almost always	36	.2	.9	100.0
	Total	3826	24.5	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	41	.3		
	Total	11810	75.5		
Total		15636	100.0		

YPB4384: D39e: In the past two years, frequency used alcohol to: help when they feel nervous

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Almost never	2623	16.8	68.5	68.5
	2. Sometimes	962	6.2	25.1	93.7
	3. Often	204	1.3	5.3	99.0
	4. Almost always	38	.2	1.0	100.0
	Total	3827	24.5	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	40	.3		
	Total	11809	75.5		
Total		15636	100.0		

YPB4385: D39f: In the past two years, frequency used alcohol to: help when their mood changes a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Almost never	3399	21.7	88.9	88.9
	2. Sometimes	336	2.1	8.8	97.7
	3. Often	66	.4	1.7	99.5
	4. Almost always	21	.1	.5	100.0
	Total	3822	24.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	45	.3		
Total	Total	11814	75.6		
		15636	100.0		


YPB4386: D39g: In the past two years, frequency used alcohol to: feel more self-confident

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Almost never	2002	12.8	52.4	52.4
	2. Sometimes	1346	8.6	35.2	87.6
	3. Often	396	2.5	10.4	97.9
	4. Almost always	80	.5	2.1	100.0
	Total	3824	24.5	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	43	.3		
Total	Total	11812	75.5		
		15636	100.0		

YPB4387: D39h: In the past two years, frequency used alcohol because: there is nothing better to do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Almost never	2941	18.8	76.9	76.9
	2. Sometimes	695	4.4	18.2	95.1
	3. Often	149	1.0	3.9	99.0
	4. Almost always	40	.3	1.0	100.0
	Total	3825	24.5	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. Never had a whole drink	127	.8		
	-1. Missing	42	.3		
Total	Total	11811	75.5		
		15636	100.0		

The next two derived variables (YPB4388a and YPB4388b) provide details of respondents' 'AUDIT (Alcohol Use Disorders Identification Test) scores' for alcohol dependence. These derived variables are based upon answers provided for questions YPB4150 to YPB4220, in addition to YPB4340 and YPB4350. Variable YPB4388a provides the raw 'AUDIT score', from '0' to '40', while variable YPB4388b groups these scores into categories of 'low risk' (AUDIT score of 0 to 7), 'hazardous' (8 to 15), 'harmful' (16 to 19) and 'high risk' (20 to 40).



YPB4388b: DV: Total audit score (grouped)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Low risk	2298	14.7	58.9	58.9
	2. Hazardous	1370	8.8	35.1	94.1
	3. Harmful	151	1.0	3.9	97.9
	4. High risk	80	.5	2.1	100.0
	Total	3899	24.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-2. Insufficient responses	95	.6		
Total		11737	75.1		
Total		15636	100.0		

The next two derived variables (YPB4389a and YPB4389b) provide details of respondents' 'alcohol dependence scores' as defined by the Diagnostic and Statistical Manual of Mental Disorders IV (DSM-IV). These metrics are based upon seven criteria (tolerance, withdrawal, drinking increase, unsuccessful control, time investment, given up activities and health problems), each of which may include more than one question. According to DSM-IV criteria, an item is 'endorsed' if said criteria occurred monthly or more often for at least one of the questions relevant for each criteria. The variable for 'tolerance' criteria is YPB4280. The variables for 'withdrawal' criteria are YPB4200, YPB4310 and YPB4320. The variables for 'drinking increase' criteria are YPB4180 and YPB4240. The variable for 'unsuccessful control' criteria is YPB4250. The variable for 'time investment' criteria is YPB4230. The variable for 'given up activities' criteria is 4190. The variables for 'health problems' criteria are YPB4220 and YPB4260. Variable YPB4389a provides the raw 'DMS alcohol dependence score', from '0' to '7' for each criteria endorsed, while variable YPB4389b provides a diagnosis for alcohol dependence based on these answers, with endorsement of three or more criteria used as a diagnosis.

YPB4389a: DV: DSM4: Alcohol dependence symptoms

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3150	20.1	80.5	80.5
	1	372	2.4	9.5	90.1
	2	187	1.2	4.8	94.8
	3	94	.6	2.4	97.2
	4	54	.3	1.4	98.6
	5	33	.2	.8	99.5
	6	12	.1	.3	99.8
	7	9	.1	.2	100.0
Total		3911	25.0	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-2. Insufficient responses	83	.5		
	Total	11725	75.0		
Total		15636	100.0		

YPB4389b: DV: DSM4: Alcohol dependence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0. no	3709	23.7	94.8	94.8
	1. yes	202	1.3	5.2	100.0
	Total	3911	25.0	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-2. Insufficient responses	83	.5		
	Total	11725	75.0		
Total		15636	100.0		

The next two derived variables (YPB4389c and YPB4389d) provide details of respondents' 'alcohol abuse scores' as defined by the Diagnostic and Statistical Manual of Mental Disorders IV (DSM-IV). These metrics are based upon four criteria (trouble fulfilling obligations, unsafe use, social problems and legal problems), each of which may include more than one question. According to DSM-IV criteria, an item is 'endorsed' if said criteria occurred monthly or more often for at least one of the questions relevant for each criteria. The variable for 'trouble fulfilling obligations' criteria is YPB4270. The variables for 'unsafe use' criteria are YPB4290, YPB4340 and YPB4360. The variable for 'social problems' criteria is YPB4350. The variable for 'legal problems' criteria is YPB4300. Variable YPB4389c provides the raw 'DMS alcohol abuse score', from '0' to '4' for each criteria endorsed, while variable YPB4389d provides a diagnosis for alcohol abuse based on these answers, with endorsement of one or more criteria used as a diagnosis.

YPB4389c: DV: DSM4: Alcohol abuse symptoms

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3539	22.6	90.2	90.2
	1	319	2.0	8.1	98.4
	2	51	.3	1.3	99.7
	3	10	.1	.3	99.9
	4	3	.0	.1	100.0
	Total	3922	25.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-2. Insufficient responses	72	.5		
	Total	11714	74.9		
Total		15636	100.0		

YPB4389d: DV: DSM4: Alcohol abuse

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0. no	3539	22.6	90.2	90.2
	1. yes	383	2.4	9.8	100.0
	Total	3922	25.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-2. Insufficient responses	72	.5		
	Total	11714	74.9		
Total		15636	100.0		

The next two derived variables (YPB4389e and YPB4389f) provide details of respondents' 'alcohol use disorder scores' as defined by the Diagnostic and Statistical Manual of Mental Disorders V (DSM-V). These metrics are based upon eleven criteria (tolerance, withdrawal, drinking increase, unsuccessful control, time investment, given up activities, health problems, trouble fulfilling obligations, unsafe use, social problems and cravings), each of which may include more than one question. According to DSM criteria, an item is 'endorsed' if said criteria occurred monthly or more often for at least one of the questions relevant for each criteria. Each of these criteria have been defined above, other than 'cravings', which is based upon answers to YPB4330. Variable YPB4389e provides the raw 'DMS alcohol use disorder score', from '0' to '11' for each criteria endorsed, while variable YPB4389f provides a diagnosis for alcohol abuse based on these answers, with endorsement of zero or one criteria indicative of 'no disorder', two to three criteria indicative of 'mild disorder', four to five criteria indicative of 'moderate disorder' and six or more criteria indicative of 'severe disorder'

YPB4389e: DV: DSM5: Alcohol use disorder symptoms

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2962	18.9	76.8	76.8
	1	440	2.8	11.4	88.2
	2	186	1.2	4.8	93.1
	3	114	.7	3.0	96.0
	4	60	.4	1.6	97.6
	5	37	.2	1.0	98.5
	6	22	.1	.6	99.1
	7	16	.1	.4	99.5
	8	5	.0	.1	99.7
	9	8	.1	.2	99.9
	10	4	.0	.1	100.0
	11	1	.0	.0	100.0
Total		3855	24.7	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-2. Insufficient responses	139	.9		
	Total	11781	75.3		
Total		15636	100.0		


YPB4389f: DV: DSM5: Alcohol use disorder


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0. no	3402	21.8	88.2	88.2
	1. mild (2-3 sx)	300	1.9	7.8	96.0
	2. moderate (4-5 sx)	97	.6	2.5	98.5
	3. severe (6+ sx)	56	.4	1.5	100.0
	Total	3855	24.7	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-2. Insufficient responses	139	.9		
	Total	11781	75.3		
Total		15636	100.0		

Drug Use

YPB4390: D40a: Tried cannabis (also called marijuana, hash, dope, pot, blow, skunk, puff, grass, draw, ganja, joints, smoke, weed)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	2073	13.3	52.4	52.4
	2. No	1885	12.1	47.6	100.0
	Total	3958	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	36	.2		
	Total	11678	74.7		
Total		15636	100.0		






YPB4400: D41: In the last 12 months, frequency used cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Once or twice	507	3.2	24.6	24.6
	2. Less than monthly	209	1.3	10.1	34.7
	3. Monthly	85	.5	4.1	38.8
	4. Weekly	83	.5	4.0	42.8
	5. Daily or almost daily	109	.7	5.3	48.1
	6. Not in the last 12 months	1071	6.8	51.9	100.0
	Total	2064	13.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-2. Never tried cannabis	1885	12.1		
	-1. Missing	45	.3		
	Total	13572	86.8		
Total		15636	100.0		

YPB4410: D42: Last time used cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. In the last 3 days	189	1.2	19.1	19.1
	2. Not in the last 3 days, but in the last 2 weeks	101	.6	10.2	29.2
	3. Not in the last 2 weeks, but in the last month	83	.5	8.4	37.6
	4. Not in the last month, but in the last 3 months	193	1.2	19.5	57.1
	5. Not in the last 3 months, but in the last 12 months	426	2.7	42.9	100.0
	Total	992	6.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. No cannabis in last year	1071	6.8		
	-2. Never tried cannabis	1885	12.1		
	-1. Missing	46	.3		
Total	Total	14644	93.7		
		15636	100.0		



YPB4430: D44a: In the past 12 months, used cannabis before midday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	660	4.2	66.6	66.6
	2. Rarely	186	1.2	18.8	85.4
	3. From time to time	88	.6	8.9	94.2
	4. Fairly often	31	.2	3.1	97.4
	5. Often	26	.2	2.6	100.0
	Total	991	6.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. No cannabis in last year	1071	6.8		
	-2. Never tried cannabis	1885	12.1		
	-1. Missing	47	.3		
Total	Total	14645	93.7		
		15636	100.0		

YPB4431: D44b: In the past 12 months, used cannabis when they were alone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	700	4.5	70.7	70.7
	2. Rarely	99	.6	10.0	80.7
	3. From time to time	81	.5	8.2	88.9
	4. Fairly often	52	.3	5.3	94.1
	5. Often	58	.4	5.9	100.0
	Total	990	6.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. No cannabis in last year	1071	6.8		
	-2. Never tried cannabis	1885	12.1		
	-1. Missing	48	.3		
Total	Total	14646	93.7		
		15636	100.0		

YPB4432: D44c: In the past 12 months, had memory problems when they had used cannabis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	734	4.7	74.1	74.1
	2. Rarely	119	.8	12.0	86.1
	3. From time to time	83	.5	8.4	94.5
	4. Fairly often	37	.2	3.7	98.2
	5. Often	18	.1	1.8	100.0
	Total	991	6.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. No cannabis in last year	1071	6.8		
	-2. Never tried cannabis	1885	12.1		
	-1. Missing	47	.3		
Total	Total	14645	93.7		
		15636	100.0		

YPB4433: D44d: In the past 12 months, friends or members of respondents family have ever said to reduce cannabis use

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	885	5.7	89.4	89.4
	2. Rarely	46	.3	4.6	94.0
	3. From time to time	31	.2	3.1	97.2
	4. Fairly often	9	.1	.9	98.1
	5. Often	19	.1	1.9	100.0
	Total	990	6.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. No cannabis in last year	1071	6.8		
	-2. Never tried cannabis	1885	12.1		
	-1. Missing	48	.3		
Total	Total	14646	93.7		
		15636	100.0		

YPB4434: D44e: In the past 12 months, tried to reduce or stop their cannabis use without succeeding

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	892	5.7	90.0	90.0
	2. Rarely	41	.3	4.1	94.1
	3. From time to time	39	.2	3.9	98.1
	4. Fairly often	8	.1	.8	98.9
	5. Often	11	.1	1.1	100.0
	Total	991	6.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. No cannabis in last year	1071	6.8		
	-2. Never tried cannabis	1885	12.1		
	-1. Missing	47	.3		
Total	Total	14645	93.7		
		15636	100.0		

YPB4435: D44f: In the past 12 months, had problems because of their use of cannabis (argument, fight, accident, other problems)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Never	926	5.9	93.9	93.9
	2. Rarely	34	.2	3.4	97.4
	3. From time to time	16	.1	1.6	99.0
	4. Fairly often	6	.0	.6	99.6
	5. Often	4	.0	.4	100.0
	Total	986	6.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. No cannabis in last year	1071	6.8		
	-2. Never tried cannabis	1885	12.1		
	-1. Missing	52	.3		
Total	Total	14650	93.7		
		15636	100.0		

YPB4440: D45a: In their life respondent ever used cocaine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	823	5.3	20.8	20.8
	2. No	3141	20.1	79.2	100.0
	Total	3964	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	30	.2		
	Total	11672	74.6		
		15636	100.0		

YPB4441: D45a1: In last year used cocaine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	496	3.2	12.5	12.5
	2. No	3461	22.1	87.5	100.0
	Total	3957	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	37	.2		
	Total	11679	74.7		
		15636	100.0		

YPB4442: D45a2: In last 3 months used cocaine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	287	1.8	7.3	7.3
	2. No	3668	23.5	92.7	100.0
	Total	3955	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	39	.2		
	Total	11681	74.7		
Total		15636	100.0		

YPB4443: D45b: In their life respondent ever used crack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	27	.2	.7	.7
	2. No	3912	25.0	99.3	100.0
	Total	3939	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	55	.4		
	Total	11697	74.8		
Total		15636	100.0		

YPB4444: D45b1: In last year used crack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	8	.1	.2	.2
	2. No	3928	25.1	99.8	100.0
	Total	3936	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	58	.4		
	Total	11700	74.8		
Total		15636	100.0		

YPB4445: D45b2: In last 3 months used crack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	3	.0	.1	.1
	2. No	3933	25.2	99.9	100.0
	Total	3936	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	58	.4		
	Total	11700	74.8		
Total		15636	100.0		

YPB4446: D45c: In their life respondent ever used amphetamine-type stimulants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	977	6.2	24.6	24.6
	2. No	2991	19.1	75.4	100.0
	Total	3968	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	26	.2		
	Total	11668	74.6		
Total		15636	100.0		

YPB4447: D45c1: In last year used amphetamine-type stimulants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	598	3.8	15.1	15.1
	2. No	3362	21.5	84.9	100.0
	Total	3960	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	34	.2		
	Total	11676	74.7		
Total		15636	100.0		

YPB4448: D45c2: In last 3 months used amphetamine-type stimulants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	346	2.2	8.8	8.8
	2. No	3608	23.1	91.2	100.0
	Total	3954	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	40	.3		
	Total	11682	74.7		
Total		15636	100.0		

YPB4449: D45d: In their life respondent ever used nitrous oxide

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	1385	8.9	34.9	34.9
	2. No	2587	16.5	65.1	100.0
	Total	3972	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	22	.1		
	Total	11664	74.6		
Total		15636	100.0		

YPB4450: D45d1: In last year used nitrous oxide

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	830	5.3	21.0	21.0
	2. No	3123	20.0	79.0	100.0
	Total	3953	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	41	.3		
	Total	11683	74.7		
Total		15636	100.0		

YPB4451: D45d2: In last 3 months used nitrous oxide

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	433	2.8	11.0	11.0
	2. No	3498	22.4	89.0	100.0
	Total	3931	25.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	63	.4		
	Total	11705	74.9		
Total		15636	100.0		

YPB4452: D45e: In their life respondent ever used other inhalants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	83	.5	2.1	2.1
	2. No	3864	24.7	97.9	100.0
	Total	3947	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	47	.3		
	Total	11689	74.8		
Total		15636	100.0		

YPB4453: D45e1: In last year used other inhalants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	16	.1	.4	.4
	2. No	3922	25.1	99.6	100.0
	Total	3938	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	56	.4		
	Total	11698	74.8		
Total		15636	100.0		

YPB4454: D45e2: In last 3 months used other inhalants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	9	.1	.2	.2
	2. No	3929	25.1	99.8	100.0
	Total	3938	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	56	.4		
	Total	11698	74.8		
Total		15636	100.0		

YPB4455: D45f: In their life respondent ever used sedatives or sleeping pills

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	266	1.7	6.7	6.7
	2. No	3691	23.6	93.3	100.0
	Total	3957	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	37	.2		
	Total	11679	74.7		
Total		15636	100.0		

YPB4456: D45f1: In last year used sedatives or sleeping pills

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	149	1.0	3.8	3.8
	2. No	3799	24.3	96.2	100.0
	Total	3948	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	46	.3		
	Total	11688	74.8		
Total		15636	100.0		

YPB4457: D45f2: In last 3 months used sedatives or sleeping pills

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	84	.5	2.1	2.1
	2. No	3860	24.7	97.9	100.0
	Total	3944	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	50	.3		
	Total	11692	74.8		
Total		15636	100.0		

YPB4458: D45g: In their life respondent ever used hallucinogens

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	491	3.1	12.4	12.4
	2. No	3476	22.2	87.6	100.0
	Total	3967	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	27	.2		
	Total	11669	74.6		
Total		15636	100.0		

YPB4459: D45g1: In last year used hallucinogens

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	218	1.4	5.5	5.5
	2. No	3741	23.9	94.5	100.0
	Total	3959	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	35	.2		
	Total	11677	74.7		
Total		15636	100.0		

YPB4460: D45g2: In last 3 months used hallucinogens

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	77	.5	1.9	1.9
	2. No	3880	24.8	98.1	100.0
	Total	3957	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	37	.2		
	Total	11679	74.7		
Total		15636	100.0		

YPB4461: D45h: In their life respondent ever used opioids

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	121	.8	3.1	3.1
	2. No	3837	24.5	96.9	100.0
	Total	3958	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	36	.2		
	Total	11678	74.7		
Total		15636	100.0		

YPB4462: D45h1: In last year used opioids

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	58	.4	1.5	1.5
	2. No	3892	24.9	98.5	100.0
	Total	3950	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	44	.3		
Total		11686	74.7		
Total		15636	100.0		

YPB4463: D45h2: In last 3 months used opioids

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	34	.2	.9	.9
	2. No	3916	25.0	99.1	100.0
	Total	3950	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	44	.3		
Total		11686	74.7		
Total		15636	100.0		

YPB4464: D45i: In their life respondent injected illicit drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	17	.1	.4	.4
	2. No	3933	25.2	99.6	100.0
	Total	3950	25.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	44	.3		
Total		11686	74.7		
Total		15636	100.0		

YPB4465: D45i1: In last year injected illicit drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	3	.0	.1	.1
	2. No	3937	25.2	99.9	100.0
	Total	3940	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	54	.3		
Total		11696	74.8		
Total		15636	100.0		

YPB4466: D45i2: In last 3 months injected illicit drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	2	.0	.1	.1
	2. No	3938	25.2	99.9	100.0
	Total	3940	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	54	.3		
	Total	11696	74.8		
Total		15636	100.0		

YPB4467: D45j: In their life respondent used any other drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	121	.8	3.1	3.1
	2. No	3810	24.4	96.9	100.0
	Total	3931	25.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	63	.4		
	Total	11705	74.9		
Total		15636	100.0		

YPB4468: D45j1: In last year used any other drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	34	.2	.9	.9
	2. No	3866	24.7	99.1	100.0
	Total	3900	24.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	94	.6		
	Total	11736	75.1		
Total		15636	100.0		

YPB4469: D45j2: In last 3 months used any other drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Yes	19	.1	.5	.5
	2. No	3881	24.8	99.5	100.0
	Total	3900	24.9	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	94	.6		
	Total	11736	75.1		
Total		15636	100.0		

The next two derived variables (YPB4475 and YPB4476) provide details of respondents' 'CAST (Cannabis Abuse Screening Test) scores' for cannabis abuse for individuals who have used cannabis in the past 12 months. These derived variables are based upon answers provided for questions YPB4430 to YPB4435. Each variable is coded as a '0' if they answered 'never', 'rarely' or 'from time to time', or as a '1' if they answered 'fairly often' or 'often'. Variable YPB4475 provides the raw 'CAST score', from '0' to '6', while variable YPB4476 categorises these scores as either 'zero CAST score', if respondent scored '0' in YPB4475, or as '1+ CAST score', if they scored one or more in YPB4475..

YPB4475: DV: CAST score

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	827	5.3	84.3	84.3
	1	88	.6	9.0	93.3
	2	33	.2	3.4	96.6
	3	17	.1	1.7	98.4
	4	11	.1	1.1	99.5
	5	4	.0	.4	99.9
	6	1	.0	.1	100.0
	Total	981	6.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-3. No cannabis in past 12m	1071	6.8		
	-2. Never tried cannabis	1885	12.1		
	-1. Insufficient responses	57	.4		
	Total	14655	93.7		
Total		15636	100.0		

YPB4476: DV: CAST score (grouped)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0. Never tried cannabis	1885	12.1	47.9	47.9
	1. No cannabis in past 12m	1071	6.8	27.2	75.1
	2. Zero score on CAST	827	5.3	21.0	96.1
	3. 1+ score on CAST	154	1.0	3.9	100.0
	Total	3937	25.2	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Insufficient responses	57	.4		
	Total	11699	74.8		
Total		15636	100.0		

The next three derived variables (YPB4477, YPB4478 and YPB4479) provide details on the number of illicit drugs ever used (YPB4477), used in the past year (YPB4478) and used in the past three months (YPB4479). These variables are based upon answers from the above variables YPB4440 to YPB4469.

YPB4477: DV: Number of illicit drugs ever used

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2238	14.3	58.1	58.1
	1	621	4.0	16.1	74.3
	2	309	2.0	8.0	82.3
	3	281	1.8	7.3	89.6
	4	186	1.2	4.8	94.4
	5	127	.8	3.3	97.7
	6	63	.4	1.6	99.4
	7	12	.1	.3	99.7
	8	6	.0	.2	99.8
	9	3	.0	.1	99.9
	10	3	.0	.1	100.0
Total		3849	24.6	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Insufficient responses	145	.9		
	Total	11787	75.4		
Total		15636	100.0		

YPB4478: DV: Number of illicit drugs used in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2768	17.7	73.0	73.0
	1	462	3.0	12.2	85.1
	2	242	1.5	6.4	91.5
	3	162	1.0	4.3	95.8
	4	91	.6	2.4	98.2
	5	49	.3	1.3	99.5
	6	15	.1	.4	99.9
	7	5	.0	.1	100.0
	Total	3794	24.3	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Insufficient responses	200	1.3		
	Total	11842	75.7		
Total		15636	100.0		

YPB4479: DV: Number of illicit drugs used in past 3 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3137	20.1	83.4	83.4
	1	334	2.1	8.9	92.2
	2	157	1.0	4.2	96.4
	3	89	.6	2.4	98.8
	4	29	.2	.8	99.5
	5	15	.1	.4	99.9
	6	2	.0	.1	100.0
	Total	3763	24.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Insufficient responses	231	1.5		
	Total	11873	75.9		
Total		15636	100.0		

Anti-Social Behaviours

YPB4480: D46a: In past year, frequency been rowdy or rude in a public place so that people complained or respondent got in trouble

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3729	23.8	93.8	93.8
	2. Once	169	1.1	4.2	98.0
	3. 2-5 times	71	.5	1.8	99.8
	4. 6 or more	8	.1	.2	100.0
	Total	3977	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	17	.1		
	Total	11659	74.6		
Total		15636	100.0		

YPB4481: D46b: In past year, frequency: stolen something from a shop or store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3839	24.6	96.5	96.5
	2. Once	88	.6	2.2	98.7
	3. 2-5 times	36	.2	.9	99.6
	4. 6 or more	16	.1	.4	100.0
	Total	3979	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	15	.1		
	Total	11657	74.6		
Total		15636	100.0		

YPB4482: D46c: In past year, frequency: bought something that they knew or suspected was stolen

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3886	24.9	97.7	97.7
	2. Once	67	.4	1.7	99.3
	3. 2-5 times	21	.1	.5	99.9
	4. 6 or more	5	.0	.1	100.0
	Total	3979	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	15	.1		
	Total	11657	74.6		
Total		15636	100.0		

YPB4483: D46d: In past year, frequency: broken into a car or van to try and steal something out of it

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3971	25.4	99.9	99.9
	2. Once	4	.0	.1	100.0
	Total	3975	25.4	100.0	
	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
Missing	-9. Missed whole Section D	28	.2		
	-1. Missing	19	.1		
	Total	11661	74.6		
		15636	100.0		

YPB4484: D46e: In past year, frequency: taken and/or driven a vehicle without the owner's permission

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3964	25.4	99.7	99.7
	2. Once	10	.1	.3	100.0
	3. 2-5 times	1	.0	.0	100.0
	Total	3975	25.4	100.0	
	-11. Triplet/Quadruplet	4	.0		
Missing	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	19	.1		
	Total	11661	74.6		
		15636	100.0		

YPB4485: D46f: In past year, frequency: broken into a house or building to try and steal something

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3974	25.4	99.9	99.9
	2. Once	4	.0	.1	100.0
	Total	3978	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	16	.1		
	Total	11658	74.6		
		15636	100.0		

YPB4486: D46g: In past year, frequency: stolen any money or property that someone was holding, carrying or wearing at the time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3974	25.4	99.9	99.9
	2. Once	3	.0	.1	99.9
	3. 2-5 times	2	.0	.1	100.0
	Total	3979	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	15	.1		
	Total	11657	74.6		
		15636	100.0		

YPB4487: D46h: In past year, frequency: hit, kicked or punched someone else on purpose with the intention of really hurting them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3861	24.7	97.0	97.0
	2. Once	82	.5	2.1	99.0
	3. 2-5 times	34	.2	.9	99.9
	4. 6 or more	4	.0	.1	100.0
	Total	3981	25.5	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	13	.1		
	Total	11655	74.5		
Total		15636	100.0		

YPB4488: D46i: In past year, frequency: deliberately damaged or destroyed property that did not belong to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3913	25.0	98.4	98.4
	2. Once	45	.3	1.1	99.5
	3. 2-5 times	18	.1	.5	99.9
	4. 6 or more	2	.0	.1	100.0
	Total	3978	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	16	.1		
	Total	11658	74.6		
Total		15636	100.0		

YPB4489: D46j: In past year, frequency: hurt or injured animals or birds on purpose

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3969	25.4	99.7	99.7
	2. Once	7	.0	.2	99.9
	3. 2-5 times	1	.0	.0	99.9
	4. 6 or more	2	.0	.1	100.0
	Total	3979	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	15	.1		
	Total	11657	74.6		
Total		15636	100.0		

YPB4490: D46k: In past year, frequency: carried a knife or other weapon with you for protection or in case it was needed for a fight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3944	25.2	99.2	99.2
	2. Once	17	.1	.4	99.6
	3. 2-5 times	9	.1	.2	99.8
	4. 6 or more	7	.0	.2	100.0
	Total	3977	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	17	.1		
	Total	11659	74.6		
Total		15636	100.0		

YPB4491: D46I: In past year, frequency: used a cheque book, credit card or cash point card which respondent suspected to be stolen to get money out of a bank account or to purchase something

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not at all	3972	25.4	99.9	99.9
	2. Once	4	.0	.1	100.0
	Total	3976	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Missing	18	.1		
	Total	11660	74.6		
Total		15636	100.0		

The next derived variable (YPB4492) details the frequency of anti-social behaviours reported, based upon answers for the 12 variables above (YPB4480 TO YPB4491). For each variable, these were coded as '0' if 'not at all', '1' if 'once', '2' if '2-5 times' and '3' if '6 or more', then summed together for a maximum of '36'.

YPB4492: DV: Frequency score for all ASB (anti-social behaviour) items at age 22

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3434	22.0	87.5	87.5
	1	245	1.6	6.2	93.8
	2	123	.8	3.1	96.9
	3	62	.4	1.6	98.5
	4	27	.2	.7	99.2
	5	9	.1	.2	99.4
	6	13	.1	.3	99.7
	7	4	.0	.1	99.8
	8	1	.0	.0	99.9
	11	1	.0	.0	99.9
	12	3	.0	.1	100.0
	13	1	.0	.0	100.0
	Total	3923	25.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Insufficient info	71	.5		
	Total	11713	74.9		
Total		15636	100.0		

The next derived variable (YPB4493) details the number of anti-social behaviours reported, based upon answers for the 12 variables above (YPB4480 TO YPB4491). For each variable, these were coded as '0' if 'not at all' and if 'once', '2-5 times' or '6 or more', then summed together for a maximum of '12'.

YPB4493: DV: Seriousness score for all ASB (anti-social behaviour) items at age 22

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3434	22.0	87.5	87.5
	1	342	2.2	8.7	96.3
	2	98	.6	2.5	98.8
	3	34	.2	.9	99.6
	4	8	.1	.2	99.8
	5	2	.0	.1	99.9
	6	2	.0	.1	99.9
	9	1	.0	.0	99.9
	12	2	.0	.1	100.0
	Total	3923	25.1	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section D	28	.2		
	-1. Insufficient info	71	.5		
Total		11713	74.9		
Total		15636	100.0		

Section E: Moods and Feelings - Questionnaire

Section E: Moods and Feelings

The following questions are about how you might have been feeling or acting recently. We would be very grateful if you could try to answer all of the questions but we understand if there are questions that you either prefer not to answer or are unable to answer.

Please cross one option on each line to show how much you have felt or acted this way in the **past two weeks**.

		Not true	Sometimes	True
E1)	I felt miserable or unhappy	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E2)	I didn't enjoy anything at all	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E3)	I laughed a lot	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E4)	I felt so tired I just sat around and did nothing	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E5)	I was very restless	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E6)	I felt I was no good anymore	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E7)	I cried a lot	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E8)	I felt valued	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E9)	I found it hard to think properly or concentrate	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E10)	I hated myself	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E11)	I felt I was a bad person	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E12)	I felt happy	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E13)	I felt lonely	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E14)	I thought nobody really loved me	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E15)	I looked forward to the day ahead	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E16)	I thought I would never be as good as other people	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E17)	I felt really positive about the future	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>
E18)	I did everything wrong	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>

If you are affected by any of the issues raised in this section you may wish to contact:

Samaritans
08457 90 90 90
www.samaritans.org

36580



Section E: Moods and Feelings - Frequencies

YPB5000: E1: In past two weeks, felt miserable or unhappy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	1284	8.2	32.3	32.3
	2. Sometimes	2105	13.5	53.0	85.3
	3. True	586	3.7	14.7	100.0
	Total	3975	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	4	.0		
	Total	11661	74.6		
Total		15636	100.0		

YPB5010: E2: In past two weeks, did not enjoy anything at all

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	2783	17.8	70.1	70.1
	2. Sometimes	909	5.8	22.9	93.0
	3. True	279	1.8	7.0	100.0
	Total	3971	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	8	.1		
	Total	11665	74.6		
Total		15636	100.0		

YPB5020: E3: In past two weeks, laughed a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	245	1.6	6.2	6.2
	2. Sometimes	1553	9.9	39.2	45.3
	3. True	2168	13.9	54.7	100.0
	Total	3966	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	13	.1		
	Total	11670	74.6		
Total		15636	100.0		

YPB5030: E4: In past two weeks, felt so tired they just sat around and did nothing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	1201	7.7	30.2	30.2
	2. Sometimes	2055	13.1	51.7	81.9
	3. True	721	4.6	18.1	100.0
	Total	3977	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	2	.0		
	Total	11659	74.6		
Total		15636	100.0		

YPB5040: E5: In past two weeks, was very restless

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	1838	11.8	46.3	46.3
	2. Sometimes	1714	11.0	43.1	89.4
	3. True	422	2.7	10.6	100.0
	Total	3974	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	5	.0		
	Total	11662	74.6		
Total		15636	100.0		

YPB5050: E6: In past two weeks, felt they were no good anymore

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	2745	17.6	69.1	69.1
	2. Sometimes	872	5.6	21.9	91.0
	3. True	357	2.3	9.0	100.0
	Total	3974	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	5	.0		
	Total	11662	74.6		
Total		15636	100.0		

YPB5060: E7: In past two weeks, cried a lot

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	2961	18.9	74.4	74.4
	2. Sometimes	775	5.0	19.5	93.9
	3. True	242	1.5	6.1	100.0
	Total	3978	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	1	.0		
	Total	11658	74.6		
Total		15636	100.0		

YPB5070: E8: In past two weeks, felt valued

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	627	4.0	15.8	15.8
	2. Sometimes	1926	12.3	48.5	64.3
	3. True	1416	9.1	35.7	100.0
	Total	3969	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	10	.1		
	Total	11667	74.6		
Total		15636	100.0		

YPB5080: E9: In past two weeks, found it hard to think properly or concentrate

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	1696	10.8	42.7	42.7
	2. Sometimes	1832	11.7	46.1	88.8
	3. True	447	2.9	11.2	100.0
	Total	3975	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	4	.0		
	Total	11661	74.6		
Total		15636	100.0		

YPB5090: E10: In past two weeks, hated themselves

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	3121	20.0	78.5	78.5
	2. Sometimes	607	3.9	15.3	93.7
	3. True	249	1.6	6.3	100.0
	Total	3977	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	2	.0		
	Total	11659	74.6		
Total		15636	100.0		

YPB5100: E11: In past two weeks, felt they were a bad person

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	3170	20.3	79.8	79.8
	2. Sometimes	607	3.9	15.3	95.1
	3. True	196	1.3	4.9	100.0
	Total	3973	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	6	.0		
	Total	11663	74.6		
Total		15636	100.0		

YPB5110: E12: In past two weeks, felt unhappy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	146	.9	3.7	3.7
	2. Sometimes	1522	9.7	38.3	42.0
	3. True	2305	14.7	58.0	100.0
	Total	3973	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	6	.0		
	Total	11663	74.6		
Total		15636	100.0		

YPB5120: E13: In past two weeks, felt lonely

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	2077	13.3	52.3	52.3
	2. Sometimes	1396	8.9	35.2	87.5
	3. True	497	3.2	12.5	100.0
	Total	3970	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	9	.1		
	Total	11666	74.6		
Total		15636	100.0		

YPB5130: E14: In past two weeks, thought nobody really loved them

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	3358	21.5	84.5	84.5
	2. Sometimes	447	2.9	11.2	95.7
	3. True	171	1.1	4.3	100.0
	Total	3976	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	3	.0		
	Total	11660	74.6		
Total		15636	100.0		

YPB5140: E15: In past two weeks, looked forward to the day ahead

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	397	2.5	10.0	10.0
	2. Sometimes	1962	12.5	49.4	59.4
	3. True	1612	10.3	40.6	100.0
	Total	3971	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	8	.1		
	Total	11665	74.6		
Total		15636	100.0		

YPB5150: E16: In past two weeks, thought they would never be as good as other people

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	2537	16.2	63.9	63.9
	2. Sometimes	1018	6.5	25.6	89.6
	3. True	414	2.6	10.4	100.0
	Total	3969	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	10	.1		
	Total	11667	74.6		
Total		15636	100.0		


YPB5160: E17: In past two weeks, felt really positive about the future

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	640	4.1	16.1	16.1
	2. Sometimes	1832	11.7	46.1	62.2
	3. True	1502	9.6	37.8	100.0
	Total	3974	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	5	.0		
	Total	11662	74.6		
Total		15636	100.0		

YPB5170: E18: In past two weeks, did everything wrong

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1. Not true	3054	19.5	76.8	76.8
	2. Sometimes	743	4.8	18.7	95.5
	3. True	178	1.1	4.5	100.0
	Total	3975	25.4	100.0	
Missing	-11. Triplet/Quadruplet	4	.0		
	-10. Q not returned	11610	74.3		
	-9. Missed whole Section E	43	.3		
	-1. Missing	4	.0		
	Total	11661	74.6		
Total		15636	100.0		

The next derived variable (YPB5180) details the frequency negative moods and feelings reported, based upon answers for 13 of the 18 variables detailed above. The specific variables included are: YPB5000, YPB5010, YPB5030, YPB5040, YPB5050, YPB5060, YPB5080, YPB5090, YPB5100, YPB5120, YPB5130, YPB5150 and YPB5170. For each variable, these were coded as '0' if 'not true', '1' if 'sometimes' and '2' if 'true', then summed together for a maximum of '26'.



Section F: Life Events - Questionnaire

Section F: Life Events

Listed below are a number of events that may have brought substantial changes in your life, both positive and negative. They have been chosen as they are likely to have had substantial impact on your life but happen to most of us at some time in our lives.

Have any of these occurred since you were **21 years of age** and did they affect you?

	Yes, affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but didn't affect me at all	No, did not happen
F1) You took an exam	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F2) You left home	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F3) You or your partner became pregnant	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F4) You or your partner had a baby	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F5) You lost your job	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F6) You graduated from university	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F7) You started a new job	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F8) You got engaged to be married/to enter into a civil partnership	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F9) You got married/entered into a civil partnership	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F10) You were divorced	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F11) You were admitted to hospital	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F12) You were in trouble with the law	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>

continued on the next page

36580

continued:

Have any of these occurred since you were **21 years of age** and did they affect you?

		Yes, affected me a lot	Yes, moderately affected	Yes, mildly affected	Yes, but didn't affect me at all	No, did not happen
F13)	You had problems at work	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F14)	Your house or car was burgled	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F15)	A pet died	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F16)	A parent died	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F17)	A friend died	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F18)	A relative (not a parent) died	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F19)	You became homeless	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F20)	You had major financial problems	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F21)	You attempted suicide	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F22)	You or your partner had an abortion	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F23)	Your parents divorced	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
F24)	You were promoted at work	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>

36580

Section F: Life Events – Frequencies

YPB6000: F1: Since age 21, whether took an exam and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	615	3.9	15.5	15.5
	Yes, Moderately Affected	697	4.5	17.6	33.1
	Yes, Mildly Affected	631	4.0	15.9	49.0
	Yes, but Didn't Affect me at all	524	3.4	13.2	62.3
	No, did not Happen	1496	9.6	37.7	100.0
	Total	3963	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	8	.1		
	Total	11673	74.7		
Total		15636	100.0		

YPB6010: F2: Since age 21, whether left home and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	393	2.5	9.9	9.9
	Yes, Moderately Affected	465	3.0	11.7	21.7
	Yes, Mildly Affected	508	3.2	12.8	34.5
	Yes, but Didn't Affect me at all	464	3.0	11.7	46.2
	No, did not Happen	2128	13.6	53.8	100.0
	Total	3958	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	13	.1		
	Total	11678	74.7		
Total		15636	100.0		

YPB6020: F3: Since age 21, whether became pregnant (including partner) and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	165	1.1	4.2	4.2
	Yes, Moderately Affected	46	.3	1.2	5.3
	Yes, Mildly Affected	44	.3	1.1	6.4
	Yes, but Didn't Affect me at all	41	.3	1.0	7.5
	No, did not Happen	3664	23.4	92.5	100.0
	Total	3960	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	11	.1		
	Total	11676	74.7		
		15636	100.0		

YPB6030: F4: Since age 21, whether had a baby (including partner) and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	113	.7	2.9	2.9
	Yes, Moderately Affected	17	.1	.4	3.3
	Yes, Mildly Affected	21	.1	.5	3.8
	Yes, but Didn't Affect me at all	30	.2	.8	4.6
	No, did not Happen	3776	24.1	95.4	100.0
	Total	3957	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	Unresolvable	1	.0		
	No Answer	13	.1		
	Total	11679	74.7		
Total		15636	100.0		

YPB6040: F5: Since age 21, whether lost job and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	102	.7	2.6	2.6
	Yes, Moderately Affected	83	.5	2.1	4.7
	Yes, Mildly Affected	96	.6	2.4	7.1
	Yes, but Didn't Affect me at all	65	.4	1.6	8.8
	No, did not Happen	3605	23.1	91.2	100.0
	Total	3951	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	20	.1		
	Total	11685	74.7		
		15636	100.0		

YPB6050: F6: Since age 21, whether graduated from university and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	725	4.6	18.3	18.3
	Yes, Moderately Affected	565	3.6	14.2	32.5
	Yes, Mildly Affected	291	1.9	7.3	39.9
	Yes, but Didn't Affect me at all	169	1.1	4.3	44.1
	No, did not Happen	2216	14.2	55.9	100.0
	Total	3966	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	5	.0		
	Total	11670	74.6		
Total		15636	100.0		

YPB6060: F7: Since age 21, whether started a new job and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	1027	6.6	25.9	25.9
	Yes, Moderately Affected	747	4.8	18.8	44.8
	Yes, Mildly Affected	535	3.4	13.5	58.3
	Yes, but Didn't Affect me at all	382	2.4	9.6	67.9
	No, did not Happen	1272	8.1	32.1	100.0
	Total	3963	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	8	.1		
	Total	11673	74.7		
Total		15636	100.0		

YPB6070: F8: Since age 21, whether got engaged to be married/to enter into a civil partnership and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	131	.8	3.3	3.3
	Yes, Moderately Affected	47	.3	1.2	4.5
	Yes, Mildly Affected	23	.1	.6	5.1
	Yes, but Didn't Affect me at all	53	.3	1.3	6.4
	No, did not Happen	3704	23.7	93.6	100.0
	Total	3958	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	13	.1		
	Total	11678	74.7		
Total		15636	100.0		

YPB6080: F9: Since age 21, whether got married/entered into a civil partnership and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	43	.3	1.1	1.1
	Yes, Moderately Affected	9	.1	.2	1.3
	Yes, Mildly Affected	10	.1	.3	1.6
	Yes, but Didn't Affect me at all	24	.2	.6	2.2
	No, did not Happen	3876	24.8	97.8	100.0
	Total	3962	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	9	.1		
	Total	11674	74.7		
Total		15636	100.0		

YPB6090: F10: Since age 21, whether were divorced and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	1	.0	.0	.0
	Yes, Mildly Affected	1	.0	.0	.1
	Yes, but Didn't Affect me at all	8	.1	.2	.3
	No, did not Happen	3952	25.3	99.7	100.0
	Total	3962	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	9	.1		
	Total	11674	74.7		
Total		15636	100.0		

YPB6100: F11: Since age 21, whether were admitted to hospital and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	173	1.1	4.4	4.4
	Yes, Moderately Affected	109	.7	2.8	7.1
	Yes, Mildly Affected	175	1.1	4.4	11.5
	Yes, but Didn't Affect me at all	102	.7	2.6	14.1
	No, did not Happen	3402	21.8	85.9	100.0
	Total	3961	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	10	.1		
	Total	11675	74.7		
Total		15636	100.0		

YPB6110: F12: Since age 21, whether were in trouble with the law and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	29	.2	.7	.7
	Yes, Moderately Affected	21	.1	.5	1.3
	Yes, Mildly Affected	22	.1	.6	1.8
	Yes, but Didn't Affect me at all	26	.2	.7	2.5
	No, did not Happen	3865	24.7	97.5	100.0
	Total	3963	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	8	.1		
	Total	11673	74.7		
	Total	15636	100.0		

YPB6120: F13: Since age 21, whether had problems at work and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	293	1.9	7.4	7.4
	Yes, Moderately Affected	346	2.2	8.7	16.1
	Yes, Mildly Affected	533	3.4	13.4	29.6
	Yes, but Didn't Affect me at all	202	1.3	5.1	34.6
	No, did not Happen	2592	16.6	65.4	100.0
	Total	3966	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	5	.0		
	Total	11670	74.6		
	Total	15636	100.0		

YPB6130: F14: Since age 21, whether house or car was burgled and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	30	.2	.8	.8
	Yes, Moderately Affected	41	.3	1.0	1.8
	Yes, Mildly Affected	55	.4	1.4	3.2
	Yes, but Didn't Affect me at all	42	.3	1.1	4.2
	No, did not Happen	3799	24.3	95.8	100.0
	Total	3967	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	4	.0		
	Total	11669	74.6		
	Total	15636	100.0		

YPB6140: F15: Since age 21, whether a pet died and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	225	1.4	5.7	5.7
	Yes, Moderately Affected	219	1.4	5.5	11.2
	Yes, Mildly Affected	228	1.5	5.8	16.9
	Yes, but Didn't Affect me at all	88	.6	2.2	19.2
	No, did not Happen	3205	20.5	80.8	100.0
	Total	3965	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	6	.0		
	Total	11671	74.6		
Total		15636	100.0		

YPB6150: F16: Since age 21, whether a parent died and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	48	.3	1.2	1.2
	Yes, Moderately Affected	6	.0	.2	1.4
	Yes, Mildly Affected	5	.0	.1	1.5
	Yes, but Didn't Affect me at all	8	.1	.2	1.7
	No, did not Happen	3896	24.9	98.3	100.0
	Total	3963	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	8	.1		
	Total	11673	74.7		
Total		15636	100.0		

YPB6160: F17: Since age 21, whether a friend died and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	172	1.1	4.4	4.4
	Yes, Moderately Affected	139	.9	3.5	7.9
	Yes, Mildly Affected	124	.8	3.1	11.0
	Yes, but Didn't Affect me at all	31	.2	.8	11.8
	No, did not Happen	3488	22.3	88.2	100.0
	Total	3954	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	17	.1		
	Total	11682	74.7		
Total		15636	100.0		

YPB6170: F18: Since age 21, whether a relative (not a parent) died and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	362	2.3	9.1	9.1
	Yes, Moderately Affected	305	2.0	7.7	16.8
	Yes, Mildly Affected	294	1.9	7.4	24.2
	Yes, but Didn't Affect me at all	110	.7	2.8	27.0
	No, did not Happen	2894	18.5	73.0	100.0
	Total	3965	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	6	.0		
	Total	11671	74.6		
Total		15636	100.0		

YPB6180: F19: Since age 21, whether became homeless and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	27	.2	.7	.7
	Yes, Moderately Affected	20	.1	.5	1.2
	Yes, Mildly Affected	10	.1	.3	1.4
	Yes, but Didn't Affect me at all	10	.1	.3	1.7
	No, did not Happen	3894	24.9	98.3	100.0
	Total	3961	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	10	.1		
	Total	11675	74.7		
Total		15636	100.0		

YPB6190: F20: Since age 21, whether had major financial problems and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	135	.9	3.4	3.4
	Yes, Moderately Affected	106	.7	2.7	6.1
	Yes, Mildly Affected	177	1.1	4.5	10.5
	Yes, but Didn't Affect me at all	56	.4	1.4	11.9
	No, did not Happen	3494	22.3	88.1	100.0
	Total	3968	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	3	.0		
	Total	11668	74.6		
Total		15636	100.0		

YPB6200: F21: Since age 21, whether attempted suicide and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	52	.3	1.3	1.3
	Yes, Moderately Affected	22	.1	.6	1.9
	Yes, Mildly Affected	16	.1	.4	2.3
	Yes, but Didn't Affect me at all	13	.1	.3	2.6
	No, did not Happen	3855	24.7	97.4	100.0
	Total	3958	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	13	.1		
	Total	11678	74.7		
	Total	15636	100.0		

YPB6210: F22: Since age 21, whether had an abortion (including partner) and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	54	.3	1.4	1.4
	Yes, Moderately Affected	26	.2	.7	2.0
	Yes, Mildly Affected	21	.1	.5	2.5
	Yes, but Didn't Affect me at all	16	.1	.4	3.0
	No, did not Happen	3845	24.6	97.0	100.0
	Total	3962	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	9	.1		
	Total	11674	74.7		
	Total	15636	100.0		

YPB6220: F23: Since age 21, whether parents divorced and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	49	.3	1.2	1.2
	Yes, Moderately Affected	24	.2	.6	1.8
	Yes, Mildly Affected	22	.1	.6	2.4
	Yes, but Didn't Affect me at all	21	.1	.5	2.9
	No, did not Happen	3848	24.6	97.1	100.0
	Total	3964	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	No Answer	7	.0		
	Total	11672	74.6		
	Total	15636	100.0		

YPB6230: F24: Since age 21, whether were promoted at work and affect this had

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Affected me a Lot	157	1.0	4.0	4.0
	Yes, Moderately Affected	234	1.5	5.9	9.9
	Yes, Mildly Affected	200	1.3	5.1	14.9
	Yes, but Didn't Affect me at all	133	.9	3.4	18.3
	No, did not Happen	3231	20.7	81.7	100.0
	Total	3955	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section F	51	.3		
	Unresolvable	1	.0		
	No Answer	15	.1		
Total		11681	74.7		
Total		15636	100.0		

Section G: Being a Parent - Questionnaire

Section G: Being a Parent

We know we have asked you these questions before but it is important we keep up to date and would love to hear how your family might be expanding.

G1) Are you a parent?

Yes 1

No 2

→ If no, please go to question G3

G2) What is/are your child/rens' date(s) of birth? We have included space for up to 3 children. If you have had more than 3 children, please use the blank sheets at the back of the questionnaire and clearly indicate you are answering question G2.

a. First child

DD	/	MM	/	YYYY

b. Second child

DD	/	MM	/	YYYY

c. Third child

DD	/	MM	/	YYYY

G3) Are you or is your partner currently pregnant?

Yes, I am pregnant 1

Yes, my partner is pregnant 2

No 3

→ If no, please go to question G5

G4) What is the expected due date of your baby?

DD	/	MM	/	YYYY

G5) Are you trying for a baby at the moment?

Yes 1

No 2

G6) If you **are a parent or are expecting a child**, would you be happy to receive further details about the COCO90s (Children of the Children of the 90s) study?

Yes 1

No 2

G7) If you **are trying for a baby**, would you be happy to let us know if you/your partner become pregnant and allow us to send you further details about the COCO90s (Children of the Children of the 90s) study?

Yes 1

No 2

If you would like to know more about
COCO90s please go to:

www.childrenofthe90s/participants/COCO90s

36580



Section G: Being a Parent - Frequencies

YPB7000: G1: Respondent is a parent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	254	1.6	6.4	6.4
	No	3722	23.8	93.6	100.0
	Total	3976	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Unresolvable	1	.0		
	No Answer	4	.0		
	Total	11660	74.6		
		15636	100.0		
Total					

Note that this question (YPB7010) was only asked in the online questionnaire, but 'number of children' for respondents who answered the paper questionnaire have been imputed based upon their answers to date(s) of birth of child/ren below (YPB7011a to YPB7014b).

YPB7010: G2: Number of children

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	206	1.3	81.4	81.4
	2	38	.2	15.0	96.4
	3	8	.1	3.2	99.6
	4	1	.0	.4	100.0
	Total	253	1.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Not a Parent	3722	23.8		
	No Answer	6	.0		
	Total	15383	98.4		
		15636	100.0		
Total					

YPB7011a: G2a: Month of date of birth of first child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	25	.2	9.9	9.9
	2	20	.1	7.9	17.8
	3	22	.1	8.7	26.5
	4	19	.1	7.5	34.0
	5	18	.1	7.1	41.1
	6	13	.1	5.1	46.2
	7	19	.1	7.5	53.8
	8	24	.2	9.5	63.2
	9	21	.1	8.3	71.5
	10	26	.2	10.3	81.8
	11	21	.1	8.3	90.1
	12	25	.2	9.9	100.0
Total		253	1.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Not a Parent	3722	23.8		
	No Answer	6	.0		
	Total	15383	98.4		
Total		15636	100.0		

YPB7011b: G2a: Year of date of birth of first child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2006	1	.0	.4	.4
	2007	6	.0	2.4	2.8
	2008	6	.0	2.4	5.1
	2009	18	.1	7.1	12.3
	2010	24	.2	9.5	21.7
	2011	38	.2	15.0	36.8
	2012	45	.3	17.8	54.5
	2013	44	.3	17.4	71.9
	2014	65	.4	25.7	97.6
	2015	6	.0	2.4	100.0
	Total	253	1.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Not a Parent	3722	23.8		
	No Answer	6	.0		
	Total	15383	98.4		
Total		15636	100.0		

YPB7012a: G2b: Month of date of birth of second child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.0	6.4	6.4
	2	3	.0	6.4	12.8
	3	6	.0	12.8	25.5
	4	2	.0	4.3	29.8
	5	3	.0	6.4	36.2
	6	2	.0	4.3	40.4
	7	4	.0	8.5	48.9
	8	6	.0	12.8	61.7
	9	8	.1	17.0	78.7
	10	3	.0	6.4	85.1
	11	2	.0	4.3	89.4
	12	5	.0	10.6	100.0
Total		47	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Only a Parent to One Child	206	1.3		
	Not a Parent	3722	23.8		
	No Answer	6	.0		
	Total	15589	99.7		
Total		15636	100.0		

YPB7012b: G2b: Year of date of birth of second child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2009	1	.0	2.1	2.1
	2010	3	.0	6.4	8.5
	2011	8	.1	17.0	25.5
	2012	4	.0	8.5	34.0
	2013	14	.1	29.8	63.8
	2014	16	.1	34.0	97.9
	2015	1	.0	2.1	100.0
	Total	47	.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Only a Parent to One Child	206	1.3		
	Not a Parent	3722	23.8		
	No Answer	6	.0		
	Total	15589	99.7		
Total		15636	100.0		

YPB7013a: G2c: Month of date of birth of third child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	.0	22.2	22.2
	4	1	.0	11.1	33.3
	5	1	.0	11.1	44.4
	6	1	.0	11.1	55.6
	7	1	.0	11.1	66.7
	8	1	.0	11.1	77.8
	9	1	.0	11.1	88.9
	10	1	.0	11.1	100.0
	Total	9	.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Only a Parent to Two Children	38	.2		
	Only a Parent to One Child	206	1.3		
	Not a Parent	3722	23.8		
	No Answer	6	.0		
	Total	15627	99.9		
		15636	100.0		

YPB7013b: G2c: Year of date of birth of third child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2013	6	.0	66.7	66.7
	2014	3	.0	33.3	100.0
	Total	9	.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Only a Parent to Two Children	38	.2		
	Only a Parent to One Child	206	1.3		
	Not a Parent	3722	23.8		
	No Answer	6	.0		
	Total	15627	99.9		
		15636	100.0		

YPB7014a: G2d: Month of date of birth of fourth child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	9	1	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Only a Parent to Three Children	8	.1		
	Only a Parent to Two Children	38	.2		
	Only a Parent to One Child	206	1.3		
	Not a Parent	3722	23.8		
	No Answer	6	.0		
	Total	15635	100.0		
Total		15636	100.0		

YPB7014b: G2d: Year of date of birth of fourth child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2014	1	.0	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Only a Parent to Three Children	8	.1		
	Only a Parent to Two Children	38	.2		
	Only a Parent to One Child	206	1.3		
	Not a Parent	3722	23.8		
	No Answer	6	.0		
	Total	15635	100.0		
Total		15636	100.0		

YPB7020: G3: Respondent or partner is currently pregnant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, I am Pregnant	66	.4	1.7	1.7
	Yes, My Partner is Pregnant	33	.2	.8	2.5
	No	3846	24.6	97.5	100.0
	Total	3945	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	No Answer	36	.2		
	Total	11691	74.8		
Total		15636	100.0		

YPB7030a: G4: Month of due date

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	.0	6.1	6.1
	2	5	.0	7.6	13.6
	3	5	.0	7.6	21.2
	4	7	.0	10.6	31.8
	5	12	.1	18.2	50.0
	6	9	.1	13.6	63.6
	7	10	.1	15.2	78.8
	8	7	.0	10.6	89.4
	9	1	.0	1.5	90.9
	10	1	.0	1.5	92.4
	11	3	.0	4.5	97.0
	12	2	.0	3.0	100.0
	Total	66	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Not Currently Pregnant	3846	24.6		
	No Answer	69	.4		
	Total	15570	99.6		
Total		15636	100.0		

YPB7030b: G4: Year of due date

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2014	2	.0	3.0	3.0
	2015	63	.4	95.5	98.5
	2016	1	.0	1.5	100.0
	Total	66	.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Not Currently Pregnant	3846	24.6		
	No Answer	69	.4		
	Total	15570	99.6		
Total		15636	100.0		

YPB7040: G5: Respondent is trying for a baby at the moment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	46	.3	1.2	1.2
	No	3741	23.9	98.8	100.0
	Total	3787	24.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section G	41	.3		
	Respondent is Currently Pregnant	99	.6		
	No Answer	95	.6		
	Total	11849	75.8		
		15636	100.0		
Total					

Section H: Childhood Experiences - Questionnaire

Section H: Childhood Experiences

The following section asks about negative experiences in your childhood. We know that this is a sensitive subject but it is important to ask as some of these experiences are not uncommon. You may find answering some of these questions distressing. Please remember that you do not need to answer all sections of the questionnaire and all answers are confidential and anonymous.

Questions H1 to H5 refer to **before you were 11 years old**.

H1) **Before the age of 11**, how often did an **adult in your family** (anyone you consider to be a family member):

	Never	Rarely	Some-times	Often	Very often
a. Shout at you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
b. Say hurtful or insulting things to you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
c. Push, grab or shove you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
d. Smack you for discipline	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
e. Punish you in a way that seemed cruel	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
f. Threaten to kick, punch, or hit you with something that could hurt you or physically attack you in another way	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
g. Actually kick, punch, or hit you with something that could hurt you or physically attack you in another way	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
h. Hit you so hard it left you with bruises or marks	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>

36580

H2) **Before the age of 11, how often did a sibling:**

If you didn't have siblings before you were 11, please go to question H3.

	Never	Rarely	Sometimes	Often	Very often
a. Shout at you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
b. Say hurtful or insulting things to you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
c. Push, grab or shove you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
d. Smack you for discipline	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
e. Punish you in a way that seemed cruel	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
f. Threaten to kick, punch, or hit you with something that could hurt you or physically attack you in another way	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
g. Actually kick, punch, or hit you with something that could hurt you or physically attack you in another way	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
h. Hit you so hard it left you with bruises or marks	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>

H3) **Before the age of 11, how often did an adult who was not a family member:**

	Never	Rarely	Sometimes	Often	Very often
a. Shout at you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
b. Say hurtful or insulting things to you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
c. Threaten to kick, punch, or hit you with something that could hurt you or physically attack you in another way	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
d. Actually kick, punch, or hit you with something that could hurt you or physically attack you in another way	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>

36580



- H4) **Before the age of 11, were you touched in a sexual way by an adult or an older child or were you forced to touch an adult or older child in a sexual way when you did not want to?**

No, this did not happen before I was 11 1

Yes, this happened once 2

Yes, this happened more than once 3

- H5) **Before the age of 11, did an adult or an older child force you or attempt to force you into any sexual activity by threatening you or holding you down or hurting you in some way when you did not want to?**

No, this did not happen before I was 11 1

Yes, this happened once 2

Yes, this happened more than once 3

Questions H6 to H10 are about when you were between the ages of 11 and 17.

- H6) **Between the ages of 11 and 17, how often did an adult in your family (anyone you consider to be a family member):**

	Never	Rarely	Some-times	Often	Very often
a. Shout at you	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
b. Say hurtful or insulting things to you	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
c. Push, grab or shove you	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
d. Smack you for discipline	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
e. Punish you in a way that seemed cruel	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
f. Threaten to kick, punch, or hit you with something that could hurt you or physically attack you in another way	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
g. Actually kick, punch, or hit you with something that could hurt you or physically attack you in another way	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
h. Hit you so hard it left you with bruises or marks	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5

36580

H7) Between the ages of 11 and 17, how often did a sibling:

If you didn't have siblings between 11 and 17, please go to question H8.

	Never	Rarely	Some-times	Often	Very often
a. Shout at you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
b. Say hurtful or insulting things to you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
c. Push, grab or shove you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
d. Smack you for discipline	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
e. Punish you in a way that seemed cruel	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
f. Threaten to kick, punch, or hit you with something that could hurt you or physically attack you in another way	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
g. Actually kick, punch, or hit you with something that could hurt you or physically attack you in another way	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
h. Hit you so hard it left you with bruises or marks	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>

H8) Between the ages of 11 and 17, how often did an adult who was not a family member:

	Never	Rarely	Some-times	Often	Very often
a. Shout at you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
b. Say hurtful or insulting things to you	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
c. Threaten to kick, punch, or hit you with something that could hurt you or physically attack you in another way	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>
d. Actually kick, punch, or hit you with something that could hurt you or physically attack you in another way	1 <input type="radio"/>	2 <input type="radio"/>	3 <input type="radio"/>	4 <input type="radio"/>	5 <input type="radio"/>

36580

H9) **Between the ages of 11 and 17, were you touched in a sexual way by an adult or an older teenager or were you forced to touch an adult or older child in a sexual way when you did not want to?**

No, this did not happen when I was aged 11-17 Yes, this happened once Yes, this happened more than once
1 2 3

H10) **Between the ages of 11 and 17, did an adult or an older teenager force you or attempt to force you into any sexual activity by threatening you or holding you down or hurting you in some way when you did not want to?**

No, this did not happen when I was aged 11-17 Yes, this happened once Yes this happened more than once
1 2 3

If you have been affected by any issues raised in this section, you may wish to contact:

The Samaritans 08457 909090 www.samaritans.org
Get Connected 0808 8084994 www.getconnected.org.uk

H11) **Before the age of 11, how often did someone in your family make you feel that you were important or special?**

Never 1 Rarely 2 Sometimes 3
Often 4 Very often 5

H12) **Before the age of 11, how often did someone who was not in your family make you feel that you were important or special?**

Never 1 Rarely 2 Sometimes 3
Often 4 Very often 5

H13) **Between the ages of 11 and 17, how often did someone in your family make you feel that you were important or special?**

Never 1 Rarely 2 Sometimes 3
Often 4 Very often 5

H14) **Between the ages of 11 and 17, how often did someone who was not in your family make you feel that you were important or special?**

Never 1 Rarely 2 Sometimes 3
Often 4 Very often 5

36580



Section H: Childhood Experiences - Frequencies

The same questions have been used in the USA Growing Up Today Study (2007 questionnaire) and they were taken from the validated Child Abuse Questionnaire and the Sexual Experiences Survey. References as follows:

Katz-Wise SL, Jun HJ, Corliss HL, Jackson B, Haines J, Austin SB. Child Abuse as a Predictor of Gendered Sexual Orientation Disparities in Body Mass Index Trajectories Among U.S. Youth From the Growing Up Today Study. *J Adolesc Health*. 2013 Dec 31. pii: S1054-139X(13)00751-9. doi: 10.1016/j.jadohealth.2013.11.006.

D.P. Bernstein, J.A. Stein, M.D. Newcomb et al. Development and validation of a brief screening version of the Childhood Trauma Questionnaire. *Child Abuse Negl*, 27 (2003), pp. 169–190.

M.P. Koss, C.A. Gidycz. Sexual Experiences Survey: Reliability and validity. *J Consul Clin Psychol*, 53 (1985), pp. 422–423.

YPB8000: H1a: Frequency adult in family shouted at respondent before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	254	1.6	6.4	6.4
	Rarely	1576	10.1	39.7	46.1
	Sometimes	1597	10.2	40.2	86.3
	Often	414	2.6	10.4	96.8
	Very Often	129	.8	3.2	100.0
	Total	3970	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	8	.1		
	Total	11666	74.6		
Total		15636	100.0		

YPB8001: H1b: Frequency adult in family said hurtful or insulting things to respondent before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2573	16.5	64.9	64.9
	Rarely	836	5.3	21.1	86.0
	Sometimes	389	2.5	9.8	95.8
	Often	109	.7	2.7	98.5
	Very Often	59	.4	1.5	100.0
	Total	3966	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	12	.1		
	Total	11670	74.6		
Total		15636	100.0		

YPB8002: H1c: Frequency adult in family pushed, grabbed or shoved respondent before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3055	19.5	77.0	77.0
	Rarely	613	3.9	15.5	92.5
	Sometimes	214	1.4	5.4	97.9
	Often	48	.3	1.2	99.1
	Very Often	35	.2	.9	100.0
	Total	3965	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	13	.1		
	Total	11671	74.6		
Total		15636	100.0		

YPB8003: H1d: Frequency adult in family smacked respondent for discipline before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1526	9.8	38.5	38.5
	Rarely	1555	9.9	39.3	77.8
	Sometimes	701	4.5	17.7	95.5
	Often	126	.8	3.2	98.7
	Very Often	53	.3	1.3	100.0
	Total	3961	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	17	.1		
	Total	11675	74.7		
Total		15636	100.0		

YPB8004: H1e: Frequency adult in family punished respondent in a way that seemed cruel before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3257	20.8	82.2	82.2
	Rarely	421	2.7	10.6	92.8
	Sometimes	194	1.2	4.9	97.7
	Often	55	.4	1.4	99.1
	Very Often	35	.2	.9	100.0
	Total	3962	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	16	.1		
	Total	11674	74.7		
Total		15636	100.0		

YPB8005: H1f: Frequency adult in family threatened to kick, punch, hit respondent with something that could hurt respondent or physically attack respondent in another way before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3542	22.7	89.3	89.3
	Rarely	236	1.5	6.0	95.3
	Sometimes	123	.8	3.1	98.4
	Often	36	.2	.9	99.3
	Very Often	28	.2	.7	100.0
	Total	3965	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	13	.1		
	Total	11671	74.6		
Total		15636	100.0		

YPB8006: H1g: Frequency adult in family actually kicked, punched, hit respondent with something that could hurt respondent or physically attacked respondent in another way before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3682	23.5	93.0	93.0
	Rarely	162	1.0	4.1	97.0
	Sometimes	79	.5	2.0	99.0
	Often	18	.1	.5	99.5
	Very Often	20	.1	.5	100.0
	Total	3961	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	17	.1		
	Total	11675	74.7		
Total		15636	100.0		

YPB8007: H1h: Frequency adult in family hit respondent so hard it left bruises or marks before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3667	23.5	93.0	93.0
	Rarely	170	1.1	4.3	97.3
	Sometimes	75	.5	1.9	99.2
	Often	15	.1	.4	99.6
	Very Often	16	.1	.4	100.0
	Total	3943	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	35	.2		
	Total	11693	74.8		
Total		15636	100.0		

Note that this question (YPB8010) was only asked in the online questionnaire. For the following questions (YPB8011 to YPB8018) have to assume that those who completed a paper questionnaire but gave no answer did not have siblings before the age of 11.

YPB8010: H2: Respondent had a sibling before the age of 11 (online only)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1959	12.5	90.0	90.0
	No	217	1.4	10.0	100.0
	Total	2176	13.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	37	.2		
	Paper Questionnaire				
	Returned, so Question Not Asked	1799	11.5		
	No Answer	10	.1		
	Total	13460	86.1		
Total		15636	100.0		

YPB8011: H2a: Frequency sibling shouted at respondent before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	702	4.5	19.5	19.5
	Rarely	1068	6.8	29.7	49.3
	Sometimes	1316	8.4	36.6	85.9
	Often	401	2.6	11.2	97.0
	Very Often	106	.7	3.0	100.0
	Total	3593	23.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8010 - Online Only)	217	1.4		
	No Answer	168	1.1		
	Total	12043	77.0		
		15636	100.0		

YPB8012: H2b: Frequency sibling said hurtful or insulting things to respondent before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1002	6.4	27.9	27.9
	Rarely	1008	6.4	28.1	56.1
	Sometimes	1150	7.4	32.1	88.1
	Often	327	2.1	9.1	97.2
	Very Often	99	.6	2.8	100.0
	Total	3586	22.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8010 - Online Only)	217	1.4		
	No Answer	175	1.1		
	Total	12050	77.1		
Total		15636	100.0		

YPB8013: H2c: Frequency sibling pushed, grabbed or shoved respondent before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1262	8.1	35.2	35.2
	Rarely	1085	6.9	30.3	65.5
	Sometimes	907	5.8	25.3	90.8
	Often	259	1.7	7.2	98.0
	Very Often	71	.5	2.0	100.0
	Total	3584	22.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8010 - Online Only)	217	1.4		
	No Answer	177	1.1		
	Total	12052	77.1		
Total		15636	100.0		

YPB8014: H2d: Frequency sibling smacked respondent for discipline before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3203	20.5	89.3	89.3
	Rarely	218	1.4	6.1	95.4
	Sometimes	102	.7	2.8	98.2
	Often	40	.3	1.1	99.3
	Very Often	24	.2	.7	100.0
	Total	3587	22.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8010 - Online Only)	217	1.4		
	No Answer	174	1.1		
	Total	12049	77.1		
Total		15636	100.0		

YPB8015: H2e: Frequency sibling punished respondent in a way that seemed cruel before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3120	20.0	87.0	87.0
	Rarely	229	1.5	6.4	93.4
	Sometimes	148	.9	4.1	97.5
	Often	60	.4	1.7	99.2
	Very Often	30	.2	.8	100.0
	Total	3587	22.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8010 - Online Only)	217	1.4		
	No Answer	174	1.1		
	Total	12049	77.1		
Total		15636	100.0		

YPB8016: H2f: Frequency sibling threatened to kick, punch, hit respondent with something that could hurt respondent or physically attack respondent in another way before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2174	13.9	60.5	60.5
	Rarely	662	4.2	18.4	79.0
	Sometimes	499	3.2	13.9	92.9
	Often	183	1.2	5.1	98.0
	Very Often	73	.5	2.0	100.0
	Total	3591	23.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8010 - Online Only)	217	1.4		
	No Answer	170	1.1		
	Total	12045	77.0		
Total		15636	100.0		

YPB8017: H2g: Frequency sibling actually kicked, punched, hit respondent with something that could hurt respondent or physically attacked respondent in another way before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2310	14.8	64.3	64.3
	Rarely	710	4.5	19.8	84.1
	Sometimes	394	2.5	11.0	95.1
	Often	128	.8	3.6	98.7
	Very Often	48	.3	1.3	100.0
	Total	3590	23.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8010 - Online Only)	217	1.4		
	No Answer	171	1.1		
	Total	12046	77.0		
Total		15636	100.0		

YPB8018: H2h: Frequency sibling hit respondent so hard it left bruises or marks before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2776	17.8	77.5	77.5
	Rarely	478	3.1	13.3	90.9
	Sometimes	229	1.5	6.4	97.3
	Often	65	.4	1.8	99.1
	Very Often	33	.2	.9	100.0
	Total	3581	22.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8010 - Online Only)	217	1.4		
	No Answer	180	1.2		
	Total	12055	77.1		
Total		15636	100.0		

YPB8020: H3a: Frequency adult outside the family shouted at respondent before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2784	17.8	70.3	70.3
	Rarely	960	6.1	24.2	94.5
	Sometimes	186	1.2	4.7	99.2
	Often	20	.1	.5	99.7
	Very Often	11	.1	.3	100.0
	Total	3961	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	17	.1		
	Total	11675	74.7		
	Total	15636	100.0		

YPB8021: H3b: Frequency adult outside the family said hurtful or insulting things to respondent before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3588	22.9	90.7	90.7
	Rarely	278	1.8	7.0	97.8
	Sometimes	71	.5	1.8	99.6
	Often	10	.1	.3	99.8
	Very Often	7	.0	.2	100.0
	Total	3954	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	24	.2		
	Total	11682	74.7		
	Total	15636	100.0		

YPB8022: H3c: Frequency adult outside the family threatened to kick, punch, hit respondent with something that could hurt respondent or physically attack respondent in another way before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3874	24.8	98.0	98.0
	Rarely	56	.4	1.4	99.4
	Sometimes	20	.1	.5	99.9
	Often	3	.0	.1	100.0
	Very Often	1	.0	.0	100.0
	Total	3954	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	24	.2		
	Total	11682	74.7		
Total		15636	100.0		

YPB8023: H3d: Frequency adult outside the family actually kicked, punched, hit respondent with something that could hurt respondent or physically attacked respondent in another way before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3896	24.9	98.8	98.8
	Rarely	32	.2	.8	99.6
	Sometimes	14	.1	.4	99.9
	Often	1	.0	.0	100.0
	Very Often	1	.0	.0	100.0
	Total	3944	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	34	.2		
	Total	11692	74.8		
Total		15636	100.0		

YPB8030: H4: Respondent was touched in a sexual way by adult or older child, or was forced to touch adult or older child in a sexual way, before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No, This did not Happen Before 11 Years of Age	3800	24.3	96.4	96.4
	Yes, This Happened Once	79	.5	2.0	98.4
	Yes, This Happened More Than Once	63	.4	1.6	100.0
	Total	3942	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	36	.2		
	Total	11694	74.8		
Total		15636	100.0		

YPB8040: H5: Adult or older child forced, or attempted to force, respondent into any sexual activity by threatening or holding respondent down or hurting respondent in some way, before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No, This did not Happen Before 11 Years of Age	3887	24.9	98.6	98.6
	Yes, This Happened Once	29	.2	.7	99.3
	Yes, This Happened More Than Once	27	.2	.7	100.0
	Total	3943	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	35	.2		
	Total	11693	74.8		
Total		15636	100.0		

YPB8050: H6a: Frequency adult in family shouted at respondent between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	567	3.6	14.3	14.3
	Rarely	1680	10.7	42.4	56.7
	Sometimes	1264	8.1	31.9	88.7
	Often	332	2.1	8.4	97.0
	Very Often	117	.7	3.0	100.0
	Total	3960	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	18	.1		
	Total	11676	74.7		
Total		15636	100.0		

YPB8051: H6b: Frequency adult in family said hurtful or insulting things to respondent between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2368	15.1	59.9	59.9
	Rarely	895	5.7	22.6	82.5
	Sometimes	485	3.1	12.3	94.8
	Often	128	.8	3.2	98.1
	Very Often	77	.5	1.9	100.0
	Total	3953	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	25	.2		
	Total	11683	74.7		
Total		15636	100.0		

YPB8052: H6c: Frequency adult in family pushed, grabbed or shoved respondent between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3223	20.6	81.5	81.5
	Rarely	458	2.9	11.6	93.1
	Sometimes	195	1.2	4.9	98.1
	Often	45	.3	1.1	99.2
	Very Often	32	.2	.8	100.0
	Total	3953	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	25	.2		
	Total	11683	74.7		
Total		15636	100.0		

YPB8053: H6d: Frequency adult in family smacked respondent for discipline between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3221	20.6	81.5	81.5
	Rarely	516	3.3	13.1	94.5
	Sometimes	157	1.0	4.0	98.5
	Often	25	.2	.6	99.1
	Very Often	34	.2	.9	100.0
	Total	3953	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	25	.2		
	Total	11683	74.7		
Total		15636	100.0		

YPB8054: H6e: Frequency adult in family punished respondent in a way that seemed cruel between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3465	22.2	87.6	87.6
	Rarely	263	1.7	6.6	94.2
	Sometimes	152	1.0	3.8	98.1
	Often	43	.3	1.1	99.2
	Very Often	33	.2	.8	100.0
	Total	3956	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	22	.1		
	Total	11680	74.7		
Total		15636	100.0		

YPB8055: H6f: Frequency adult in family threatened to kick, punch, hit respondent with something that could hurt respondent or physically attack respondent in another way between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3558	22.8	90.0	90.0
	Rarely	222	1.4	5.6	95.6
	Sometimes	113	.7	2.9	98.5
	Often	37	.2	.9	99.4
	Very Often	24	.2	.6	100.0
	Total	3954	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	24	.2		
	Total	11682	74.7		
Total		15636	100.0		

YPB8056: H6g: Frequency adult in family actually kicked, punched, hit respondent with something that could hurt respondent or physically attacked respondent in another way between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3694	23.6	93.5	93.5
	Rarely	155	1.0	3.9	97.4
	Sometimes	64	.4	1.6	99.0
	Often	21	.1	.5	99.6
	Very Often	17	.1	.4	100.0
	Total	3951	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	27	.2		
	Total	11685	74.7		
Total		15636	100.0		

YPB8057: H6h: Frequency adult in family hit respondent so hard it left bruises or marks between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3727	23.8	94.7	94.7
	Rarely	120	.8	3.0	97.7
	Sometimes	58	.4	1.5	99.2
	Often	14	.1	.4	99.6
	Very Often	17	.1	.4	100.0
	Total	3936	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	42	.3		
	Total	11700	74.8		
Total		15636	100.0		

Note that this question (YPB8060) was only asked in the online questionnaire. For the following questions (YPB8061 to YPB8068) have to assume that those who completed a paper questionnaire but gave no answer did not have siblings between the ages of 11-17.

YPB8060: H7: Respondent had a sibling between the ages of 11 and 17 (online only)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1804	11.5	83.2	83.2
	No	364	2.3	16.8	100.0
	Total	2168	13.9	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	37	.2		
	Paper Questionnaire Returned, so Question Not Asked	1799	11.5		
	No Answer	18	.1		
	Total	13468	86.1		
		15636	100.0		
Total					

YPB8061: H7a: Frequency sibling shouted at respondent between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	794	5.1	22.9	22.9
	Rarely	1251	8.0	36.1	59.0
	Sometimes	1049	6.7	30.3	89.3
	Often	289	1.8	8.3	97.6
	Very Often	82	.5	2.4	100.0
	Total	3465	22.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8060 - Online Only)	364	2.3		
	No Answer	149	1.0		
	Total	12171	77.8		
		15636	100.0		
Total					

YPB8062: H7b: Frequency sibling said hurtful or insulting things to respondent between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1239	7.9	35.8	35.8
	Rarely	1081	6.9	31.2	67.0
	Sometimes	848	5.4	24.5	91.5
	Often	223	1.4	6.4	97.9
	Very Often	72	.5	2.1	100.0
	Total	3463	22.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8060 - Online Only)	364	2.3		
	No Answer	151	1.0		
	Total	12173	77.9		
		15636	100.0		

YPB8063: H7c: Frequency sibling pushed, grabbed or shoved respondent between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1976	12.6	57.1	57.1
	Rarely	845	5.4	24.4	81.6
	Sometimes	491	3.1	14.2	95.8
	Often	102	.7	2.9	98.7
	Very Often	44	.3	1.3	100.0
	Total	3458	22.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8060 - Online Only)	364	2.3		
	No Answer	156	1.0		
	Total	12178	77.9		
		15636	100.0		

YPB8064: H7d: Frequency sibling smacked respondent for discipline between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3205	20.5	92.8	92.8
	Rarely	146	.9	4.2	97.0
	Sometimes	64	.4	1.9	98.9
	Often	21	.1	.6	99.5
	Very Often	18	.1	.5	100.0
	Total	3454	22.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8060 - Online Only)	364	2.3		
	No Answer	160	1.0		
	Total	12182	77.9		
Total		15636	100.0		

YPB8065: H7e: Frequency sibling punished respondent in a way that seemed cruel between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3176	20.3	91.8	91.8
	Rarely	152	1.0	4.4	96.2
	Sometimes	80	.5	2.3	98.5
	Often	32	.2	.9	99.4
	Very Often	21	.1	.6	100.0
	Total	3461	22.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8060 - Online Only)	364	2.3		
	No Answer	153	1.0		
	Total	12175	77.9		
Total		15636	100.0		

YPB8066: H7f: Frequency sibling threatened to kick, punch, hit respondent with something that could hurt respondent or physically attack respondent in another way between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2565	16.4	74.0	74.0
	Rarely	463	3.0	13.4	87.4
	Sometimes	314	2.0	9.1	96.5
	Often	83	.5	2.4	98.8
	Very Often	40	.3	1.2	100.0
	Total	3465	22.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8060 - Online Only)	364	2.3		
	No Answer	149	1.0		
	Total	12171	77.8		
Total		15636	100.0		

YPB8067: H7g: Frequency sibling actually kicked, punched, hit respondent with something that could hurt respondent or physically attacked respondent in another way between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2698	17.3	77.9	77.9
	Rarely	461	2.9	13.3	91.2
	Sometimes	217	1.4	6.3	97.5
	Often	60	.4	1.7	99.2
	Very Often	27	.2	.8	100.0
	Total	3463	22.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8060 - Online Only)	364	2.3		
	No Answer	151	1.0		
	Total	12173	77.9		
Total		15636	100.0		

YPB8068: H7h: Frequency sibling hit respondent so hard it left bruises or marks between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2997	19.2	86.8	86.8
	Rarely	281	1.8	8.1	95.0
	Sometimes	123	.8	3.6	98.5
	Often	29	.2	.8	99.4
	Very Often	22	.1	.6	100.0
	Total	3452	22.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	Not had a Sibling Before Age of 11 (Based on Answers to YPB8060 - Online Only)	364	2.3		
	No Answer	162	1.0		
	Total	12184	77.9		
Total		15636	100.0		

YPB8070: H8a: Frequency adult outside the family shouted at respondent between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2723	17.4	68.9	68.9
	Rarely	884	5.7	22.4	91.3
	Sometimes	289	1.8	7.3	98.6
	Often	45	.3	1.1	99.7
	Very Often	11	.1	.3	100.0
	Total	3952	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	26	.2		
	Total	11684	74.7		
		15636	100.0		

YPB8071: H8b: Frequency adult outside the family said hurtful or insulting things to respondent between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3370	21.6	85.5	85.5
	Rarely	395	2.5	10.0	95.5
	Sometimes	147	.9	3.7	99.2
	Often	24	.2	.6	99.8
	Very Often	7	.0	.2	100.0
	Total	3943	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	35	.2		
	Total	11693	74.8		
Total		15636	100.0		

YPB8072: H8c: Frequency adult outside the family threatened to kick, punch, hit respondent with something that could hurt respondent or physically attack respondent in another way between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3791	24.2	96.1	96.1
	Rarely	98	.6	2.5	98.6
	Sometimes	48	.3	1.2	99.8
	Often	7	.0	.2	99.9
	Very Often	2	.0	.1	100.0
	Total	3946	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	32	.2		
	Total	11690	74.8		
Total		15636	100.0		

YPB8073: H8d: Frequency adult outside the family actually kicked, punched, hit respondent with something that could hurt respondent or physically attacked respondent in another way between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3836	24.5	97.5	97.5
	Rarely	67	.4	1.7	99.2
	Sometimes	27	.2	.7	99.8
	Often	4	.0	.1	99.9
	Very Often	2	.0	.1	100.0
	Total	3936	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	42	.3		
	Total	11700	74.8		
Total		15636	100.0		

YPB8080: H9: Respondent was touched in a sexual way by adult or older child, or was forced to touch adult or older child in a sexual way, between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No, This did not Happen Between the Ages of 11-17	3716	23.8	94.3	94.3
	Yes, This Happened Once	114	.7	2.9	97.2
	Yes, This Happened More Than Once	110	.7	2.8	100.0
	Total	3940	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	38	.2		
Total	Total	11696	74.8		
		15636	100.0		

YPB8090: H10: Adult or older child forced, or attempted to force, respondent into any sexual activity by threatening or holding respondent down or hurting respondent in some way, between ages of 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No, This did not Happen Between the Ages of 11-17	3810	24.4	96.8	96.8
	Yes, This Happened Once	74	.5	1.9	98.7
	Yes, This Happened More Than Once	53	.3	1.3	100.0
	Total	3937	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	41	.3		
Total	Total	11699	74.8		
		15636	100.0		

YPB8100: H11: Frequency someone in family made respondent feel important or special, before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	183	1.2	4.6	4.6
	Rarely	167	1.1	4.2	8.9
	Sometimes	712	4.6	18.1	27.0
	Often	1462	9.4	37.1	64.1
	Very Often	1416	9.1	35.9	100.0
	Total	3940	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	38	.2		
Total	Total	11696	74.8		
		15636	100.0		

YPB8110: H12: Frequency someone not in family made respondent feel important or special, before age of 11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	377	2.4	9.6	9.6
	Rarely	496	3.2	12.6	22.1
	Sometimes	1464	9.4	37.1	59.3
	Often	1161	7.4	29.5	88.7
	Very Often	444	2.8	11.3	100.0
	Total	3942	25.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	36	.2		
	Total	11694	74.8		
Total		15636	100.0		

YPB8120: H13: Frequency someone in family made respondent feel important or special, between ages 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	163	1.0	4.1	4.1
	Rarely	252	1.6	6.4	10.5
	Sometimes	836	5.3	21.2	31.7
	Often	1422	9.1	36.0	67.7
	Very Often	1276	8.2	32.3	100.0
	Total	3949	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	29	.2		
	Total	11687	74.7		
Total		15636	100.0		

YPB8130: H14: Frequency someone not in family made respondent feel important or special, between ages 11 and 17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	331	2.1	8.4	8.4
	Rarely	476	3.0	12.0	20.4
	Sometimes	1415	9.0	35.8	56.2
	Often	1216	7.8	30.8	87.0
	Very Often	514	3.3	13.0	100.0
	Total	3952	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section H	44	.3		
	No Answer	26	.2		
	Total	11684	74.7		
Total		15636	100.0		

Section I: Education and Employment - Questionnaire

Section I: Education and Employment

The following section is about your education and employment. We know that you have been asked about your employment, education and training in the past. We are asking this again to be sure that we are up-to-date with any possible changes since the last time. Please complete this section even if nothing has changed since you last provided this information for us. We know that some of you will not be at work or in education – please just answer those questions which apply to you.

I1) Are you currently:

- | | Yes | No |
|---|-------------------------|-------------------------|
| a. In full-time paid work (30 or more hours a week) | <input type="radio"/> 1 | <input type="radio"/> 2 |
| b. In part-time paid work (less than 30 hours a week) | <input type="radio"/> 1 | <input type="radio"/> 2 |
| c. Doing a modern apprenticeship or other government supported training/work-experience scheme? | <input type="radio"/> 1 | <input type="radio"/> 2 |
| d. Unemployed and looking for work | <input type="radio"/> 1 | <input type="radio"/> 2 |
| e. Unable to work through sickness/disability | <input type="radio"/> 1 | <input type="radio"/> 2 |
| f. In full-time education | <input type="radio"/> 1 | <input type="radio"/> 2 |
| g. Doing voluntary work | <input type="radio"/> 1 | <input type="radio"/> 2 |
| h. Self-employed | <input type="radio"/> 1 | <input type="radio"/> 2 |
| i. A full/part-time carer | <input type="radio"/> 1 | <input type="radio"/> 2 |
| j. Other | <input type="radio"/> 1 | <input type="radio"/> 2 |

If other, please specify:

Now, we would like to know more about **your main work activity**.

- If you are temporarily on sick leave or on holiday please mark your usual activity.
- If you are **not** engaged in **any form** of paid work, please **go to question 18**.

I2) In your job, do you have any formal responsibility for supervising the work of other employees? Do not include supervising children (e.g. teacher)

Yes 1 No 2

I3) How many people work in the place where you work?

1 – 9 1 10 – 24 2
25 – 499 3 500 or more 4

36580



14) If **self-employed**, do you work on your own or do you have employees?

On own/with business 1 With employees 2
partner, but no employees

15) Please describe your **current job**.

- If you are a full or part-time student but also have a part-time job, please tell us about this.
- If you have more than one job, please describe your **main role**.
- Use precise terms such as Primary Teacher, Laboratory Technician, Care Assistant, Mortgage Advisor, Bus Driver, Software Developer, Call Centre Operator.
- If the occupation is known by a special name, please use that name.
- If in HM Forces, give the rank in addition to actual job.
- Please also describe the type of industry or service given and give details of what is made, the materials used or the service given.

a. What is your job title?

b. What is the business/industry?

c. Please describe the main things you do in this job:

d. When did you start this job? / month/year

e. In this job, how many hours do you work in a typical week? . hours per week

36580



- 16) What is **your** total take-home pay each month (after tax and national insurance are removed as appropriate)? If possible, please refer to a recent payslip. If this is not possible, please estimate.

£1 - £499 1 £500 - £999 2 £1000 - £1499 3
£1500 - £1999 4 £2000 - £2499 5 £2500 - £2999 6
£3000 and above 7 Not doing paid work 8

- 17) Including all the jobs you do, how many hours per week (including paid and unpaid overtime) do you usually work? . hours per week

- 18) Are you in full or part-time education?

Yes, full-time 1 Yes, part-time 2

No 3 ➔ If no, please go to section J

- 19) If yes, what are you studying for?

	Yes	No	
a.	1 <input type="radio"/>	2 <input type="radio"/>	GCSEs
b.	1 <input type="radio"/>	2 <input type="radio"/>	A/AS levels
c.	1 <input type="radio"/>	2 <input type="radio"/>	AVCEs (Vocational A levels)
d.	1 <input type="radio"/>	2 <input type="radio"/>	Foundation or Intermediate GNVQs
e.	1 <input type="radio"/>	2 <input type="radio"/>	NVQ
f.	1 <input type="radio"/>	2 <input type="radio"/>	Edexcel, BTEC or LQL qualifications (not A/AS levels)
g.	1 <input type="radio"/>	2 <input type="radio"/>	OCR qualification (A/AS levels)
h.	1 <input type="radio"/>	2 <input type="radio"/>	City & Guilds
i.	1 <input type="radio"/>	2 <input type="radio"/>	Degree (or equivalent such as PGCE)
j.	1 <input type="radio"/>	2 <input type="radio"/>	Higher Degree (e.g MSc, MA, PhD, MPhil)
k.	1 <input type="radio"/>	2 <input type="radio"/>	Other

If other, please specify:

36580



Section I: Education and Employment - Frequencies

YPB9000: I1a: Currently in full-time employment (30 hours or more a week)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2270	14.5	61.0	61.0
	No	1454	9.3	39.0	100.0
	Total	3724	23.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Unresolvable	1	.0		
	No Answer	252	1.6		
	Total	11912	76.2		
Total		15636	100.0		

YPB9001: I1b: Currently in part-time employment (less than 30 hours a week)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	813	5.2	24.6	24.6
	No	2496	16.0	75.4	100.0
	Total	3309	21.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	668	4.3		
	Total	12327	78.8		
		15636	100.0		

YPB9002: I1c: Currently completing a modern apprenticeship or other government supported training/work-experience scheme

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	119	.8	3.7	3.7
	No	3101	19.8	96.3	100.0
	Total	3220	20.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	757	4.8		
	Total	12416	79.4		
		15636	100.0		

YPB9003: I1d: Currently unemployed and looking for work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	253	1.6	7.9	7.9
	No	2967	19.0	92.1	100.0
	Total	3220	20.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	757	4.8		
	Total	12416	79.4		
		15636	100.0		

YPB9004: I1e: Currently unable to work through sickness/disability

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	78	.5	2.4	2.4
	No	3116	19.9	97.6	100.0
	Total	3194	20.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	783	5.0		
	Total	12442	79.6		
		15636	100.0		

YPB9005: I1f: Currently in full-time education

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	886	5.7	26.9	26.9
	No	2410	15.4	73.1	100.0
	Total	3296	21.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	681	4.4		
	Total	12340	78.9		
		15636	100.0		

YPB9006: I1g: Currently doing voluntary work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	363	2.3	11.3	11.3
	No	2856	18.3	88.7	100.0
	Total	3219	20.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	758	4.8		
	Total	12417	79.4		
		15636	100.0		

YPB9007: I1h: Currently self-employed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	204	1.3	6.3	6.3
	No	3013	19.3	93.7	100.0
	Total	3217	20.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	760	4.9		
	Total	12419	79.4		
		15636	100.0		

YPB9008: I1i: Currently a full/part-time carer

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	112	.7	3.5	3.5
	No	3073	19.7	96.5	100.0
	Total	3185	20.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	792	5.1		
	Total	12451	79.6		
		15636	100.0		

YPB9009: I1j: Currently in other circumstance

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	209	1.3	6.8	6.8
	No	2855	18.3	93.2	100.0
	Total	3064	19.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	913	5.8		
	Total	12572	80.4		
		15636	100.0		

YPB9011 is a derived variable which groups individuals who answered 'yes' to YPB9009 (currently in 'other' circumstances) into categories based upon text answers to YPB9010 (see text file).

YPB9011: DV: Answers to 'other' (YPB9009) grouped into categories (e.g., part-time education, PGCE, full-time parent, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Other Reason	58	.4	1.9	1.9
	Not Currently in Other Circumstances	2833	18.1	92.5	94.4
	Employed, But Looking for Other Work	9	.1	.3	94.6
	Internship	6	.0	.2	94.8
	Maternity Leave	18	.1	.6	95.4
	Undertaking a PhD	18	.1	.6	96.0
	Placement Student	3	.0	.1	96.1
	Part-Time Education	49	.3	1.6	97.7
	Stay at Home Parent	29	.2	.9	98.7
	Teacher Training (E.g., PGCE, Teach First, etc.)	17	.1	.6	99.2
	Seasonal Job (i.e., Outside of Term-Time or When Not Travelling)	3	.0	.1	99.3
	Currently Travelling	9	.1	.3	99.6
	Waiting to Start New Job/Education	7	.0	.2	99.8
	Student Nurse	5	.0	.2	100.0
	Total	3064	19.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	913	5.8		
	Total	12572	80.4		
Total		15636	100.0		

These next 11 frequency tables are duplicates of the 11 variables above (YPB9000 to YPB9011) but contain 'silent no's'; these are cases where participants only answered the circumstances they were currently in, but left circumstances they were not currently in blank (rather than selecting 'no': for more details see YPB1141_imputeno, page 27). These variables contain the suffix '_imputeno' after the original variable name (e.g., YPB9000_imputeno). Both variables have been included in the release file and documentation so that researchers can decide whether they wish to use the raw or imputed data.

YPB9000_imputeno: I1a: Currently in full-time employment (30 hours or more a week) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2270	14.5	57.1	57.1
	No	1703	10.9	42.9	100.0
	Total	3973	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Unresolvable	1	.0		
	No Answer	3	.0		
	Total	11663	74.6		
		15636	100.0		

YPB9001_imputeno: I1b: Currently in part-time employment (less than 30 hours a week) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	813	5.2	20.5	20.5
	No	3161	20.2	79.5	100.0
	Total	3974	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	3	.0		
	Total	11662	74.6		
		15636	100.0		

YPB9002_imputeno: I1c: Currently completing a modern apprenticeship or other government supported training/work-experience scheme - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	119	.8	3.0	3.0
	No	3855	24.7	97.0	100.0
	Total	3974	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
Total	No Answer	3	.0		
	Total	11662	74.6		
		15636	100.0		

YPB9003_imputeno: I1d: Currently unemployed and looking for work - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	253	1.6	6.4	6.4
	No	3721	23.8	93.6	100.0
	Total	3974	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
Total	No Answer	3	.0		
	Total	11662	74.6		
		15636	100.0		

YPB9004_imputeno: I1e: Currently unable to work through sickness/disability - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	78	.5	2.0	2.0
	No	3896	24.9	98.0	100.0
	Total	3974	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
Total	No Answer	3	.0		
	Total	11662	74.6		
		15636	100.0		

YPB9005_imputeno: I1f: Currently in full-time education - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	886	5.7	22.3	22.3
	No	3088	19.7	77.7	100.0
	Total	3974	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
Total	No Answer	3	.0		
	Total	11662	74.6		
		15636	100.0		

YPB9006_imputeno: I1g: Currently doing voluntary work - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	363	2.3	9.1	9.1
	No	3611	23.1	90.9	100.0
	Total	3974	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
Total	No Answer	3	.0		
	Total	11662	74.6		
		15636	100.0		

YPB9007_imputeno: I1h: Currently self-employed - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	204	1.3	5.1	5.1
	No	3770	24.1	94.9	100.0
	Total	3974	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
Total	No Answer	3	.0		
	Total	11662	74.6		
		15636	100.0		

YPB9008_imputeno: I1i: Currently a full/part-time carer - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	112	.7	2.8	2.8
	No	3862	24.7	97.2	100.0
	Total	3974	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	3	.0		
	Total	11662	74.6		
		15636	100.0		

YPB9009_imputeno: I1j: Currently in other circumstance - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	209	1.3	5.3	5.3
	No	3765	24.1	94.7	100.0
	Total	3974	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	3	.0		
	Total	11662	74.6		
		15636	100.0		

YPB9011_imputeno is a derived variable which groups individuals who answered 'yes' to YPB9009_imputeno (currently in 'other' circumstances) into categories based upon text answers to YPB9010 (see text file).

YPB9011_imputeno: DV: Answers to 'other' (YPB9009) grouped into categories (e.g., part-time education, PGCE, full-time parent, etc.) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Other Reason	58	.4	1.5	1.5
	Not Currently in Other Circumstances	3743	23.9	94.2	95.6
	Employed, But Looking for Other Work	9	.1	.2	95.9
	Internship	6	.0	.2	96.0
	Maternity Leave	18	.1	.5	96.5
	Undertaking a PhD	18	.1	.5	96.9
	Placement Student	3	.0	.1	97.0
	Part-Time Education	49	.3	1.2	98.2
	Stay at Home Parent	29	.2	.7	99.0
	Teacher Training (E.g., PGCE, Teach First, etc.)	17	.1	.4	99.4
	Seasonal Job (i.e., Outside of Term-Time or When Not Travelling)	3	.0	.1	99.5
	Currently Travelling	9	.1	.2	99.7
	Waiting to Start New Job/Education	7	.0	.2	99.9
	Student Nurse	5	.0	.1	100.0
Missing	Total	3974	25.4	100.0	
	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	3	.0		
Total	Total	11662	74.6		
		15636	100.0		

Note that this question (YPB9021) was only asked in the only questionnaire. Categories for individuals who answered the paper questionnaire are based upon answers given from other questions (YPB9000, YPB9001, YPB9007 and YPB9009).

YPB9021: I2a: Currently engaged in any form of paid work

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3064	19.6	77.4	77.4
	No	893	5.7	22.6	100.0
	Total	3957	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Unresolvable	4	.0		
	No Answer	16	.1		
	Total	11679	74.7		
		15636	100.0		

YPB9020: I2: Job involves formal responsibility for supervising the work of other employees (not including supervising children: e.g., teacher)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	888	5.7	29.2	29.2
	No	2158	13.8	70.8	100.0
	Total	3046	19.5	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Unresolvable	4	.0		
	Not in Paid Employment	893	5.7		
	No Answer	34	.2		
	Total	12590	80.5		
		15636	100.0		
Total					

YPB9030: I3: Number of employees in workplace

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1-9	615	3.9	20.3	20.3
	10-24	695	4.4	22.9	43.2
	25-499	1235	7.9	40.7	84.0
	500 or More	486	3.1	16.0	100.0
	Total	3031	19.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Unresolvable	6	.0		
	Not in Paid Employment	893	5.7		
	No Answer	47	.3		
	Total	12605	80.6		
		15636	100.0		
Total					

YPB9040: I4: If self-employed, work on own or have employees


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	On Own/With Business Partner, but no Employees	160	1.0	83.3	83.3
	With Employees	32	.2	16.7	100.0
	Total	192	1.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Unresolvable	4	.0		
	Not Self-Employed	3036	19.4		
	No Answer	745	4.8		
	Total	15444	98.8		
		15636	100.0		
Total					

YPB9053: I5dMM: Start date of current job (month)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	168	1.1	5.6	5.6
	2	138	.9	4.6	10.2
	3	161	1.0	5.4	15.6
	4	141	.9	4.7	20.4
	5	156	1.0	5.2	25.6
	6	234	1.5	7.8	33.4
	7	248	1.6	8.3	41.7
	8	279	1.8	9.3	51.1
	9	682	4.4	22.8	73.9
	10	367	2.3	12.3	86.2
	11	270	1.7	9.0	95.2
	12	142	.9	4.8	100.0
	Total	2986	19.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Unresolvable	7	.0		
	Not in Paid Employment	893	5.7		
	No Answer	91	.6		
	Total	12650	80.9		
Total		15636	100.0		

YPB9054: I5dYYYY: Start date of current job (year)


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2005	1	.0	.0	.0
	2006	4	.0	.1	.2
	2007	29	.2	1.0	1.1
	2008	61	.4	2.0	3.2
	2009	90	.6	3.0	6.2
	2010	166	1.1	5.5	11.7
	2011	152	1.0	5.1	16.7
	2012	289	1.8	9.6	26.4
	2013	608	3.9	20.2	46.6
	2014	1456	9.3	48.5	95.0
	2015	149	1.0	5.0	100.0
	Total	3005	19.2	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Unresolvable	9	.1		
	Not in Paid Employment	893	5.7		
	No Answer	70	.4		
	Total	12631	80.8		
Total		15636	100.0		



YPB9060: I6: Total take-home pay each month (after tax and national insurance are removed as appropriate)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	£1-£499	474	3.0	15.7	15.7
	£500-£999	677	4.3	22.5	38.2
	£1000-£1499	1229	7.9	40.8	79.1
	£1500-£1999	481	3.1	16.0	95.0
	£2000-£2499	99	.6	3.3	98.3
	£2500-£2999	23	.1	.8	99.1
	£3000 and Above	21	.1	.7	99.8
	Not Doing Paid Work	6	.0	.2	100.0
	Total	3010	19.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Unresolvable	5	.0		
	Not in Paid Employment	893	5.7		
	No Answer	69	.4		
Total	Total	12626	80.7		
		15636	100.0		

Note that for this question (YPB9070) there appeared to have been some confusion over how respondents interpreted the question. This question asks 'including all the jobs you do, how many hours per week (including paid and unpaid overtime) do you usually work?', while YPB9055 asks 'in this [main] job, how many hours do you work in a typical week?', meaning that values for YPB9070 should be equal or higher than YPB9055. However, in several instances individuals answered, for instance, 37.5 to YPB9055 (number of hours work per week in main job), yet said '0' to YPB9070 (number of hours worked in all jobs). Researchers using this variable should therefore be aware of this.



YPB9080: I8: Currently in full- or part-time education

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, Full-Time	884	5.7	22.7	22.7
	Yes, Part-Time	277	1.8	7.1	29.8
	No	2739	17.5	70.2	99.9
	In Education, but Unsure if Full or Part-Time	2	.0	.1	100.0
	Total	3902	25.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	No Answer	75	.5		
	Total	11734	75.0		
Total		15636	100.0		

YPB9090: I9a: Currently studying for GCSEs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	8	.1	1.1	1.1
	No	709	4.5	98.9	100.0
	Total	717	4.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	521	3.3		
	Total	14919	95.4		
	Total	15636	100.0		

YPB9091: I9b: Currently studying for A/AS levels

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	13	.1	1.8	1.8
	No	708	4.5	98.2	100.0
	Total	721	4.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	517	3.3		
	Total	14915	95.4		
	Total	15636	100.0		

YPB9092: I9c: Currently studying for AVCEs (vocational A levels)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2	.0	.3	.3
	No	714	4.6	99.7	100.0
	Total	716	4.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	522	3.3		
	Total	14920	95.4		
		15636	100.0		

YPB9093: I9d: Currently studying for foundation or intermediate GNVQs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	.0	.7	.7
	No	710	4.5	99.3	100.0
	Total	715	4.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	523	3.3		
	Total	14921	95.4		
		15636	100.0		

YPB9094: I9e: Currently studying for NVQ

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	53	.3	7.2	7.2
	No	686	4.4	92.8	100.0
	Total	739	4.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	499	3.2		
	Total	14897	95.3		
		15636	100.0		

YPB9095: I9f: Currently studying for Edexcel, BTEC or LQL qualification (not A/AS levels)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	20	.1	2.8	2.8
	No	705	4.5	97.2	100.0
	Total	725	4.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	513	3.3		
	Total	14911	95.4		
		15636	100.0		

YPB9096: I9g: Currently studying for OCR qualification (A/AS levels)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.0	.1	.1
	No	714	4.6	99.9	100.0
	Total	715	4.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	523	3.3		
	Total	14921	95.4		
		15636	100.0		

YPB9097: I9h: Currently studying for City and Guilds

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	20	.1	2.8	2.8
	No	700	4.5	97.2	100.0
	Total	720	4.6	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	518	3.3		
	Total	14916	95.4		
		15636	100.0		

YPB9098: I9i: Currently studying for degree (or equivalent such as PGCE)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	687	4.4	71.9	71.9
	No	269	1.7	28.1	100.0
	Total	956	6.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	282	1.8		
	Total	14680	93.9		
		15636	100.0		

YPB9099: I9j: Currently studying for higher degree (e.g., MSc, MA, PhD, MPhil)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	280	1.8	33.8	33.8
	No	548	3.5	66.2	100.0
	Total	828	5.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	410	2.6		
	Total	14808	94.7		
		15636	100.0		

YPB9100: I9k: Currently studying for other qualification

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	141	.9	18.8	18.8
	No	608	3.9	81.2	100.0
	Total	749	4.8	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	489	3.1		
	Total	14887	95.2		
		15636	100.0		

These next 11 frequency tables are duplicates of the 11 variables above (YPB9090 to YPB9100) but contain 'silent no's'; these are cases where participants only answered the qualifications they were currently studying for, but left qualifications they were not currently studying for blank (rather than selecting 'no': for more details see YPB1141_imputeno, page 27). These variables contain the suffix '_imputeno' after the original variable name (e.g., YPB9090_imputeno). Both variables have been included in the release file and documentation so that researchers can decide whether they wish to use the raw or imputed data.

YPB9090_imputeno: I9a: Currently studying for GCSEs - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	8	.1	.7	.7
	No	1156	7.4	99.3	100.0
	Total	1164	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	74	.5		
	Total	14472	92.6		
		15636	100.0		
Total					

YPB9091_imputeno: I9b: Currently studying for A/AS levels - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	13	.1	1.1	1.1
	No	1151	7.4	98.9	100.0
	Total	1164	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	74	.5		
	Total	14472	92.6		
		15636	100.0		
Total					

YPB9092_imputeno: I9c: Currently studying for AVCEs (vocational A levels) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2	.0	.2	.2
	No	1162	7.4	99.8	100.0
	Total	1164	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	74	.5		
	Total	14472	92.6		
		15636	100.0		

YPB9093_imputeno: I9d: Currently studying for foundation or intermediate GNVQs - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	.0	.4	.4
	No	1159	7.4	99.6	100.0
	Total	1164	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	74	.5		
	Total	14472	92.6		
		15636	100.0		

YPB9094_imputeno: I9e: Currently studying for NVQ - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	53	.3	4.6	4.6
	No	1111	7.1	95.4	100.0
	Total	1164	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	74	.5		
	Total	14472	92.6		
		15636	100.0		

YPB9095_imputeno: I9f: Currently studying for Edexcel, BTEC or LQL qualification (not A/AS levels) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	20	.1	1.7	1.7
	No	1144	7.3	98.3	100.0
	Total	1164	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
Not in Education	Not in Education	2739	17.5		
	No Answer	74	.5		
	Total	14472	92.6		
Total		15636	100.0		

YPB9096_imputeno: I9g: Currently studying for OCR qualification (A/AS levels) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.0	.1	.1
	No	1163	7.4	99.9	100.0
	Total	1164	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
Not in Education	Not in Education	2739	17.5		
	No Answer	74	.5		
	Total	14472	92.6		
Total		15636	100.0		

YPB9097_imputeno: I9h: Currently studying for City and Guilds - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	20	.1	1.7	1.7
	No	1144	7.3	98.3	100.0
	Total	1164	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
Not in Education	Not in Education	2739	17.5		
	No Answer	74	.5		
	Total	14472	92.6		
Total		15636	100.0		

YPB9098_imputeno: I9i: Currently studying for degree (or equivalent such as PGCE) - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	687	4.4	59.0	59.0
	No	477	3.1	41.0	
	Total	1164	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	74	.5		
	Total	14472	92.6		
Total		15636	100.0		

YPB9099_imputeno: I9j: Currently studying for higher degree (e.g., MSc, MA, PhD, MPhil - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	280	1.8	24.1	24.1
	No	884	5.7	75.9	
	Total	1164	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	74	.5		
	Total	14472	92.6		
Total		15636	100.0		

YPB9100_imputeno: I9k: Currently studying for other qualification - Silent no's included

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	141	.9	12.1	12.1
	No	1023	6.5	87.9	
	Total	1164	7.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section I	45	.3		
	Not in Education	2739	17.5		
	No Answer	74	.5		
	Total	14472	92.6		
Total		15636	100.0		

Section J: Voting - Questionnaire

Section J: Voting

You may be aware that the next UK general election will be taking place in May 2015. We are interested in your views, as young voters, on this election. Please remember that your answers are confidential and your answers will not be linked back to you.

J1) Do you plan to vote in the general election?

Yes 1 → If yes, please go to question J3

No 2 → If no, please go to question J2

Not sure yet 3 → If not sure, please go to question J4

J2) Not everybody chooses to vote. If you **don't** plan to, we would be interested in knowing why. Please cross all that apply.

a. I do not feel my vote will make any difference 1

b. I will be too busy / likely have something better to do 1

c. I will be away from home 1

d. It is a hassle / inconvenient 1

e. I have no interest in politics 1

f. Other reason 1

If other reason, please specify:

36580



J3) If you **do** plan to vote, which party do you think you are most likely to vote for?

- | | |
|------------------------------|-------------------------|
| Conservatives (Tories) | <input type="radio"/> 1 |
| Labour | <input type="radio"/> 2 |
| Liberal Democrats (Lib Dems) | <input type="radio"/> 3 |
| UK Independence Party (UKIP) | <input type="radio"/> 4 |
| Green Party | <input type="radio"/> 5 |
| British National Party (BNP) | <input type="radio"/> 6 |
| Other (please state below) | <input type="radio"/> 7 |
| I haven't decided yet | <input type="radio"/> 8 |
| Prefer not to say | <input type="radio"/> 9 |

If other, please specify:

J4) Which political issues are the **most important** to you?
Please cross **up to five**.

- | | |
|--|----------------------------|
| a. Crime / law and order | <input type="checkbox"/> 1 |
| b. The economy | <input type="checkbox"/> 1 |
| c. Education / schools | <input type="checkbox"/> 1 |
| d. The environment | <input type="checkbox"/> 1 |
| e. Europe (i.e. the UK being part of the EU) | <input type="checkbox"/> 1 |
| f. Immigration | <input type="checkbox"/> 1 |
| g. Lesbian, gay, bisexual and transgender rights | <input type="checkbox"/> 1 |
| h. National Health Service | <input type="checkbox"/> 1 |
| i. Unemployment | <input type="checkbox"/> 1 |
| j. Women's rights | <input type="checkbox"/> 1 |
| k. Other | <input type="checkbox"/> 1 |

If other, please specify:

36580



Section J: Voting – Frequencies

YPB9500: J1: Respondent plans to vote in May 2015 general election

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2519	16.1	63.7	63.7
	No	786	5.0	19.9	83.5
	Not Sure Yet	652	4.2	16.5	100.0
	Total	3957	25.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	No Answer	13	.1		
	Total	11679	74.7		
Total		15636	100.0		

YPB9510: J2a: Not planning to vote in May 2015 general election as does not feel vote will make any difference

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	551	3.5	70.4	70.4
	Yes	232	1.5	29.6	100.0
	Total	783	5.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	Either Planning to Vote or Not Sure Yet	3159	20.2		
	No Answer	28	.2		
	Total	14853	95.0		
		15636	100.0		

YPB9511: J2b: Not planning to vote in May 2015 general election as will be too busy/likely have something better to do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	696	4.5	88.9	88.9
	Yes	87	.6	11.1	100.0
	Total	783	5.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	Either Planning to Vote or Not Sure Yet	3159	20.2		
	No Answer	28	.2		
	Total	14853	95.0		
		15636	100.0		

YPB9512: J2c: Not planning to vote in May 2015 general election as will be away from home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	732	4.7	93.5	93.5
	Yes	51	.3	6.5	100.0
	Total	783	5.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	Either Planning to Vote or Not Sure Yet	3159	20.2		
	No Answer	28	.2		
	Total	14853	95.0		
		15636	100.0		

YPB9513: J2d: Not planning to vote in May 2015 general election as it is a hassle/inconvenient

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	712	4.6	90.9	90.9
	Yes	71	.5	9.1	100.0
	Total	783	5.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	Either Planning to Vote or Not Sure Yet	3159	20.2		
	No Answer	28	.2		
	Total	14853	95.0		
		15636	100.0		

YPB9514: J2e: Not planning to vote in May 2015 general election as has no interest in politics

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	318	2.0	40.6	40.6
	Yes	465	3.0	59.4	100.0
	Total	783	5.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	Either Planning to Vote or Not Sure Yet	3159	20.2		
	No Answer	28	.2		
	Total	14853	95.0		
		15636	100.0		

YPB9515: J2f: Not planning to vote in May 2015 general election due to other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	603	3.9	77.0	77.0
	Yes	180	1.2	23.0	100.0
	Total	783	5.0	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	Either Planning to Vote or Not Sure Yet	3159	20.2		
	No Answer	28	.2		
	Total	14853	95.0		
Total		15636	100.0		

YPB9520: J3: Political party most likely to vote for

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Conservatives (Tories)	405	2.6	16.1	16.1
	Labour	513	3.3	20.4	36.6
	Liberal Democrats (Lib Dems)	111	.7	4.4	41.0
	UK Independence Party (UKIP)	131	.8	5.2	46.2
	Green Party	449	2.9	17.9	64.1
	British National Party (BNP)	9	.1	.4	64.5
	Other	16	.1	.6	65.1
	Haven't Decided Yet	777	5.0	31.0	96.1
	Prefer Not to Say	99	.6	3.9	100.0
	Total	2510	16.1	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	Unresolvable	4	.0		
	Either Not Planning to Vote or Not Sure Yet	1436	9.2		
	No Answer	20	.1		
Total	Total	13126	83.9		
		15636	100.0		

YPB9530: J4a: Crime/law and order is one of the political issues most important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2056	13.1	54.1	54.1
	Yes	1743	11.1	45.9	100.0
	Total	3799	24.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	No Answer	171	1.1		
	Total	11837	75.7		
		15636	100.0		

YPB9531: J4b: The economy is one of the political issues most important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	1591	10.2	41.9	41.9
	Yes	2208	14.1	58.1	100.0
	Total	3799	24.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	No Answer	171	1.1		
	Total	11837	75.7		
		15636	100.0		

YPB9532: J4c: Education/schools is one of the political issues most important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	1408	9.0	37.1	37.1
	Yes	2391	15.3	62.9	100.0
	Total	3799	24.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	No Answer	171	1.1		
	Total	11837	75.7		
		15636	100.0		

YPB9533: J4d: The environment is one of the political issues most important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2155	13.8	56.7	56.7
	Yes	1644	10.5	43.3	100.0
	Total	3799	24.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	No Answer	171	1.1		
	Total	11837	75.7		
		15636	100.0		

YPB9534: J4e: Europe (i.e., the UK being part of the EU) is one of the political issues most important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2859	18.3	75.3	75.3
	Yes	940	6.0	24.7	100.0
	Total	3799	24.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	No Answer	171	1.1		
	Total	11837	75.7		
		15636	100.0		

YPB9535: J4f: Immigration is one of the political issues most important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2326	14.9	61.2	61.2
	Yes	1473	9.4	38.8	100.0
	Total	3799	24.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	No Answer	171	1.1		
	Total	11837	75.7		
		15636	100.0		

YPB9536: J4g: Lesbian, gay, bisexual and transgender rights is one of the political issues most important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3163	20.2	83.3	83.3
	Yes	636	4.1	16.7	100.0
	Total	3799	24.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	No Answer	171	1.1		
	Total	11837	75.7		
		15636	100.0		

YPB9537: J4h: National Health Service is one of the political issues most important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	955	6.1	25.1	25.1
	Yes	2844	18.2	74.9	100.0
	Total	3799	24.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
Total	No Answer	171	1.1		
	Total	11837	75.7		
		15636	100.0		

YPB9538: J4i: Unemployment is one of the political issues most important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2314	14.8	60.9	60.9
	Yes	1485	9.5	39.1	100.0
	Total	3799	24.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
Total	No Answer	171	1.1		
	Total	11837	75.7		
		15636	100.0		

YPB9539: J4j: Women's rights is one of the political issues most important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	2863	18.3	75.4	75.4
	Yes	936	6.0	24.6	100.0
	Total	3799	24.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
Total	No Answer	171	1.1		
	Total	11837	75.7		
		15636	100.0		

YPB9540: J4k: A different issue is one of the political issues most important to respondent

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	3578	22.9	94.2	94.2
	Yes	221	1.4	5.8	100.0
	Total	3799	24.3	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	No Answer	171	1.1		
	Total	11837	75.7		
		15636	100.0		

This derived variable (YPB9550) flags individuals who live outside of the UK, and therefore either could not vote or were ineligible to do so in the May 2015 UK general election. This variable can be used to remove these cases if researchers are only interested in UK voter's decision-making.

YPB9550: DV: Respondent currently residing outside of the UK, so either cannot vote or is ineligible to vote in the UK general election

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Resides in UK	3955	25.3	99.6	99.6
	Resides Outside of UK	15	.1	.4	100.0
	Total	3970	25.4	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Missed Whole Section J	52	.3		
	Total	11666	74.6		
		15636	100.0		

Section K: Completing the Questionnaire - Questionnaire

■ Section K: Completing the Questionnaire ■

K1) What is your date of birth?

DD	/	MM	/	YYYY

DD	/	MM	/	YYYY
1	9	9		

K2) What is today's date?

DD	/	MM	/	YYYY

DD	/	MM	/	YYYY
2	0	1		

● Extra space for answering questions

Please clearly indicate the question number(s) your answer applies to.




Section K: Completing the Questionnaire - Frequencies

YPB9990: Date questionnaire completed: Month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	443	2.8	11.0	11.0
	2.00	462	3.0	11.5	22.5
	3.00	259	1.7	6.4	28.9
	4.00	92	.6	2.3	31.2
	5.00	40	.3	1.0	32.2
	6.00	25	.2	.6	32.8
	7.00	26	.2	.6	33.5
	8.00	17	.1	.4	33.9
	9.00	24	.2	.6	34.5
	10.00	65	.4	1.6	36.1
	11.00	682	4.4	17.0	53.1
	12.00	1887	12.1	46.9	
	Total	4022	25.7	100.0	100.0
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Total	11614	74.3		
Total		15636	100.0		

YPB9991: Date questionnaire completed: Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2014.00	2546	16.3	63.3	63.3
	2015.00	1476	9.4	36.7	100.0
	Total	4022	25.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Total	11614	74.3		
Total		15636	100.0		



This variable (YPB9993) indicates the 11 respondents for which 'age at completion' (YPB9992) was based upon receipt date of their paper questionnaire, rather than completion date written in the questionnaire (YPB9990 and YPB9991). This would occur either if completion date was missing from the questionnaire or completion date was incomprehensible. Respondent age at completion may therefore carry greater error for these individuals; although receipt date should only be a few days after completion date, if participants completed a questionnaire then forgot to post it, or if the returned questionnaire takes a while to be scanned by ALSPAC, the receipt date may not match completion date.

YPB9993: Used date of receipt, rather than date of completion, to calculate age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	4011	25.7	99.7	99.7
	Yes	11	.1	.3	100.0
	Total	4022	25.7	100.0	
Missing	Triplet/Quadruplet	4	.0		
	Questionnaire not Completed	11610	74.3		
	Total	11614	74.3		
Total		15636	100.0		