

THE ALSPAC STUDY

KW FILE

DATA COLLECTED FROM THE QUESTIONNAIRE

Being a Boy/Girl

At 140 Months

Prepared by

The ALSPAC Study Team

Documentation giving frequencies, background and instructions for use.

Last updated for version 2a of the release file.

January 2007

© University of Bristol

Contents

Introduction		Page 4
Section A	Your Child's Health	
	Text	Page 10
	Frequencies	Page 22
Section B	Problems and Investigations	
	Text	Page 55
	Frequencies	Page 60
Section C	Accidents and Injuries	
	Text	Page 68
	Frequencies	Page 76
Section D	Discipline & Lifestyle	
	Text	Page 95
	Frequencies	Page 101
Section E	Pills and Potions	
	Text	Page 119
	Frequencies	Page 123
Section F	Moods and Feelings	
	Text	Page 144
	Frequencies	Page 145
	Derived variables	Page 149
Section G	Strengths and Difficulties	
	Text	Page 152
	Frequencies	Page 154
	Derived variables	Page 161
Section H	School	
	Text	Page 174
	Frequencies	Page 180
Section J	Listening Skills	
	Text	Page 198
	Frequencies	Page 202
Section K	The Child's Activities	
	Text	Page 212
	Frequencies	Page 219
Section L	Cultural Background	
	Text	Page 247
	Frequencies	Page 249
Section M		Page 250

Appendix A	General Coding Instructions	Page 257
Appendix B	Specific Coding Instructions	Page 261
Appendix C	Questionnaire Methodology	Page 273

Introduction

Contents

This questionnaire was sent out to carers when their study child was 140 months old. It is in 12 sections. Section A contains standard ALSPAC health related questions including items on convulsions, asthma and eczema. Section B asks in some detail about health and developmental problems and any related investigations while section C deals with accidents and injuries. Section D asks about discipline, routines and interests and section E about medication. Section F contains the Short Moods and Feelings Questionnaire (Angold et al., 1995; Messer et al., 1995) and section G the Strengths and Difficulties Questionnaire (Goodman, 1997). Section H collects information relating to school and education and section J information on listening. Section K asks about activities including those undertaken with adults and siblings and then section L asks the carers to describe the cultural background of their child. Finally, section M collects the usual "back page" information on who completed the questionnaire and when.

Questionnaire versions

There was only one version of this questionnaire, although as with all child-based questionnaires there were separate copies for boys and girls. This documentation is based around the boys' copy.

Sample & response rates

There are a total of 15,157 records on this built file. This number is made up of the 14,676 fetuses in the core ALSPAC sample (regardless of whether or not the 103-month questionnaires were sent out for them or whether they were returned) plus 481 eligible children not in the core sample for whom the questionnaires were sent out. Note that this questionnaire was completed for 321 of these 481 children.

Of the 14,676 fetuses in the core ALSPAC sample, 14,062 were live born. The 140-month questionnaire was sent out for 10,311 (73%) of these live born children. As of 31st May 2006 completed questionnaires had been returned for 7165 (69%) of these children, which is 51% of the 14,062 live born children. For further information on the ALSPAC sample, please see section 5 of the "Guide to ALSPAC data" which can be found in the "Collaborator Pack" on the ALSPAC documentation CD.

At the time of writing 1 further questionnaire had been returned after 31st May 2006, which may be blank. The data from this questionnaire is not yet available.

Format of this documentation

The bulk of this documentation consists of the text of the questionnaire and frequency tables of the variables on the data file. These are inserted section by section after the relevant text. Where any editing has occurred a description has been embedded in the questionnaire text.

Release file version history

Release version 1a – November 2006

The first version of the release file.

Release version 2a – January 2007

Sections F and G were built.

References

Angold, A., Costello, E. J., Messer, S. C., Pickles, A., Winder, F., & Silver, D. (1995). Development of a short questionnaire for use in epidemiological studies of depression in children and adolescents. *International Journal of Methods in Psychiatric Research*, 5(4), 237-249.

Goodman, R. (1997). The strengths and difficulties questionnaire: A research note. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 38(5), 581-586.

Messer, S. C., Angold, A., Costello, E. J., Loeber, R., VanKammen, W., & StouthamerLoeber, M. (1995). Development of a short questionnaire for use in epidemiological studies of depression in children and adolescents: Factor composition and structure across development. *International Journal of Methods in Psychiatric Research*, 5(4), 251-262.

Administrative variables

kw0001 Questionnaire sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	10792	71.2	71.2	71.2
2 No	4365	28.8	28.8	100.0
Total	15157	100.0	100.0	

kw0002 Reminder 1 sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5988	39.5	55.5	55.5
2 No	4804	31.7	44.5	100.0
Total	10792	71.2	100.0	
Missing -2 Questionnaire not sent	4365	28.8		
Total	15157	100.0		

kw0003 Reminder 2 sent

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4085	27.0	37.9	37.9
2 No	6707	44.3	62.1	100.0
Total	10792	71.2	100.0	
Missing -2 Questionnaire not sent	4365	28.8		
Total	15157	100.0		

kw0004 Eligible for visit

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1662	11.0	15.4	15.4
2 No	9130	60.2	84.6	100.0
Total	10792	71.2	100.0	
Missing -2 Questionnaire not sent	4365	28.8		
Total	15157	100.0		

KW File - Introduction

kw0005 Questionnaire return status (as of 31/05/06)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not returned	3259	21.5	30.2	30.2
	2 Returned, completed	7486	49.4	69.4	99.6
	3 Returned, blank	47	.3	.4	100.0
	Total	10792	71.2	100.0	
Missing	-2 Questionnaire not sent	4365	28.8		
Total		15157	100.0		

kw0006 Questionnaire returned (as of 31/05/06)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7533	49.7	69.8	69.8
	2 No	3259	21.5	30.2	100.0
	Total	10792	71.2	100.0	
Missing	-2 Questionnaire not sent	4365	28.8		
Total		15157	100.0		

kw0007 Questionnaire completed (as of 31/05/06)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7486	49.4	69.4	69.4
	2 No	3306	21.8	30.6	100.0
	Total	10792	71.2	100.0	
Missing	-2 Questionnaire not sent	4365	28.8		
Total		15157	100.0		

kw0007a Data available (as of 31/05/06)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7486	49.4	49.4	49.4
	2 No	7671	50.6	50.6	100.0
	Total	15157	100.0	100.0	

kw0008 Questionnaire version

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Version 1 - 12/11/02	7486	49.4	100.0	100.0
Missing	-10 Not completed	7671	50.6		
Total		15157	100.0		

Questionnaire No:



--	--	--	--	--	--	--	--	--

BEING A BOY

--

Jem

This questionnaire is for the study child's mother or the person taking the role of the mother.

All answers are confidential

12.11.02

This questionnaire is for the study child's mother or person taking the role of mother.

To answer simply tick the box which is most accurate in your opinion.

If you do not want to answer a question or if it does not apply to you, put a line through it. There are no good or bad answers. Just tell us what is true for you.

THANK YOU FOR YOUR HELP

PAGE 3 OF THE QUESTIONNAIRE

SECTION A: YOUR CHILD'S HEALTH

The health of your study child is still of great importance to us. We would like to know about any recent illnesses or medical treatments.

A1. How would you assess the health of your child nowadays?

	(i) in the past month	(ii) in the past year
very healthy, no problems	<div>1</div>	<div>1</div>
healthy, but a few minor problems	<div>2</div>	<div>2</div>
sometimes quite ill	<div>3</div>	<div>3</div>
almost always unwell	<div>4</div>	<div>4</div>

A2. a) **In the past 12 months** has the doctor been called to your home because your son was unwell?

Yes

1

 No

2

 → **If no, go to A3 below**

If yes,

b) how many times?

once

1

 2 times

2

 3-4 times

3

 5 or more times

4

A3. Has he **ever** had any of the following operations?
(Please tick all that apply)

	Yes	
a) hernia repair	<div>1</div>	→ If <u>yes</u>, please give type
b) tonsils out	<div>1</div>	
c) adenoids out	<div>1</div>	
d) appendicectomy (appendix out)	<div>1</div>	
e) tubes (grommets) put in his ears	<div>1</div>	

PAGE 4 OF THE QUESTIONNAIRE

		Yes
A3.	f) squint repair (to put eyes straight)	<div><div>1</div></div>
	g) teeth pulled out	<div><div>1</div></div>
	h) other operations (please tick and describe)	<div><div>1</div></div>

.....

A4. How many days has he had to take off school for health reasons?
 [If you can't remember, make a guess and tick the guess box as well]

In the past 12 months:	(i) No. of days off school	(ii) Guess?
a) For one or more infections (including colds, cough, flu)	<div><div></div><div></div></div>	<div><div>1</div></div>
(i) please describe		
.....		
b) For hospital investigation including admission	<div><div></div><div></div></div>	<div><div>1</div></div>
(i) please describe		
.....		
c) For other investigation(s)	<div><div></div><div></div></div>	<div><div>1</div></div>
(i) please describe		
.....		
d) For asthma	<div><div></div><div></div></div>	<div><div>1</div></div>
e) For eczema or itchy rash	<div><div></div><div></div></div>	<div><div>1</div></div>
f) For hayfever or allergic rhinitis	<div><div></div><div></div></div>	<div><div>1</div></div>

PAGE 5 OF THE QUESTIONNAIRE

In the past 12 months:		(i) No. of days off school	(ii) Guess?
A4.	g) For other reasons: please describe: (i)	<input type="text"/> <input type="text"/>	<input type="text"/> 1
	(ii)	<input type="text"/> <input type="text"/>	<input type="text"/> 1
	(iii)	<input type="text"/> <input type="text"/>	<input type="text"/> 1

A5. Has he had a skin reaction in the past year (e.g. redness or itching) which you thought was due to some food that he had eaten?

Yes
1 No
2 → If **no**, go to A6 below

If **yes**,

a) please describe the food(s)

b) how long after the food was eaten did the reaction appear?.....

c) where was the reaction? mouth
1
other part
2

(please describe)

A6. a) Has he had vomiting spells in the past year?

Yes
1 No
2 → If **no**, go to A7a on page 6

If **yes**,

b) How many times?

once
1 twice
2 3-9
times 3 10 or more
times 4

c) How often have these been associated with:

	Always	Frequently	Sometimes	Rarely	Never
(i) diarrhoea	<input type="text"/> 1	<input type="text"/> 2	<input type="text"/> 3	<input type="text"/> 4	<input type="text"/> 5
(ii) chestiness (wheezing or coughing or grunting)	<input type="text"/> 1	<input type="text"/> 2	<input type="text"/> 3	<input type="text"/> 4	<input type="text"/> 5

PAGE 6 OF THE QUESTIONNAIRE

A7. a) In the past year has he had diarrhoea or gastro-enteritis?

Yes No → If **no**, go to A8a below

If **yes**,

b) how many times in the past 12 months?

c) how many days did the worst attack last?

A8. a) In the past year has your child ever had a time when he has coughed off and on for at least 2 days?

Yes No → If **no**, go to A9 below

If **yes**,

b) How many times has this happened in the past year?

once twice 3-9 10 or more
times times

c) Did he have a fever at any of these times?

Yes for all Yes for some No, not at all

d) Did he have a runny nose during any of these spells?

Yes for all Yes for some No, not at all

A9. Has pus or sticky mucus (not ear wax) leaked out of his ear in the past year?

never
once
more than once
don't know

PAGE 7 OF THE QUESTIONNAIRE

A10. Does he breathe through his mouth rather than through his nose?

	(i) when asleep	(ii) when awake
all the time	<input type="text" value="1"/>	<input type="text" value="1"/>
much of the time	<input type="text" value="2"/>	<input type="text" value="2"/>
sometimes	<input type="text" value="3"/>	<input type="text" value="3"/>
rarely	<input type="text" value="4"/>	<input type="text" value="4"/>
never	<input type="text" value="5"/>	<input type="text" value="5"/>
don't know	<input type="text" value="9"/>	<input type="text" value="9"/>

A11. Does he snore for more than a few minutes at a time?

most nights	<input type="text" value="1"/>
quite often	<input type="text" value="2"/>
sometimes	<input type="text" value="3"/>
only rarely	<input type="text" value="4"/>
never	<input type="text" value="5"/>
don't know	<input type="text" value="9"/>

A12. a) Have there been times in the past year when he has had a pain in his stomach?

Yes No → **If no, go to A13a on page 8**

If yes,

b) How many separate times has this happened in the past year?

once twice 3-4 times 5 or more times don't know

c) Did he have vomiting or diarrhoea at the same time as the pain?

yes every time yes, for some of the times no, not at all

PAGE 8 OF THE QUESTIONNAIRE

A12. d) What do you think were the causes of his stomach pains? (Tick all that apply)

- (i) something he ate ☐ 1
- (ii) an infection ☐ 1
- (iii) constipation ☐ 1
- (iv) other (please describe) ☐ 1
- (v) don't know ☐ 1

A13. a) Does he often have aches and pains in his arms or legs?

yes arm(s) ☐ 1 yes leg(s) ☐ 2 yes both ☐ 3 no, not often ☐ 4



**If no,
go to A14a
below**

If yes,

(i) does this happen especially when he is tired? Yes ☐ 1 No ☐ 2

(ii) what do you think is the cause ?

.....

(iii) do you find any particular treatment helps ?

Yes ☐ 1 No ☐ 2

iv) **If yes,** please describe.....

A14. a) **Since his 9th birthday** has he had any form of convulsion, fit, seizure or other turn in which consciousness was lost or any part of the body made an abnormal movement?

Yes ☐ 1 No ☐ 2 Not known ☐ 9



**If no, or not known,
go to A15a on page 10**

PAGE 9 OF THE QUESTIONNAIRE

If yes,A14. b) Please describe the first attack **since his 9th birthday**:

.....

.....

c) Did the child have a high temperature at the time?

Yes 1 No 2 Not known 9

d) How old was he at the time?

9 years 1 10 years 2 11 years 3

e) How many attacks has he had altogether **since his 9th birthday**?

one 1 two 2 3-4 3 5 or more 4

f) By whom was he seen for these attack(s)? (Tick all that apply)

Yes

(i) general practitioner at home	<input type="text"/> 1 <input type="text"/>
(ii) general practitioner at surgery	<input type="text"/> 1 <input type="text"/>
(iii) hospital outpatient department	<input type="text"/> 1 <input type="text"/>
(iv) admitted to hospital	<input type="text"/> 1 <input type="text"/>
(v) no-one	<input type="text"/> 1 <input type="text"/>

g) What investigations, if any, have been carried out?

.....

h) Did any later attacks differ from the first one **since his 9th birthday**?

yes 1 no 2 Has only had the one 7
attack since 9th birthday

↓
go to (j) on page 10

PAGE 10 OF THE QUESTIONNAIRE

A14. h) **If yes,** please describe

.....

.....

j) What was/were the attack(s) thought to be due to? (Tick all that apply)

- | | | | | |
|-------|----------------------------------|--------------------------|---|-------|
| (i) | febrile convulsions | <input type="checkbox"/> | 1 | |
| (ii) | fainting and blackouts | <input type="checkbox"/> | 1 | |
| (iii) | epilepsy | <input type="checkbox"/> | 1 | |
| (iv) | breath holding | <input type="checkbox"/> | 1 | |
| (v) | reaction to immunisation | <input type="checkbox"/> | 1 | |
| (vi) | other (please tick and describe) | <input type="checkbox"/> | 1 | |
| (vii) | don't know | <input type="checkbox"/> | 1 | |

A15. a) **In the past year** has he had any periods when there was wheezing with whistling on his chest when he breathed?

Yes ☐ 1 No ☐ 2 → **If no, go to A15k on page 11**

If yes,b) How many separate times has this happened in the past 12 months?

once ☐ 1 twice ☐ 2 3-4 ☐ 3 5 or more ☐ 4 don't ☐ 9
times times know

c) How many days altogether would you say he has wheezed in the past 12 months?

1 ☐ 1 2-3 ☐ 2 4-9 ☐ 3 10-19 ☐ 4 20 or ☐ 5 don't ☐ 9
day days days days more know
days

d) Was he breathless during any of these times?

Yes for ☐ 1 Yes for ☐ 2 No not ☐ 3
all some at all

PAGE 11 OF THE QUESTIONNAIRE

A15. e) Did he have a cold during any of these times?

Yes for
all

Yes for
some

No not
at all

f) How often, on average, has your child's sleep been disturbed due to wheezing in the past 12 months?

Never woken
with wheezing

Less than one
night per week

One or more
nights per week

g) Has wheezing ever been severe enough to limit your child's speech to only one or two words at a time between breaths in the past 12 months?

Yes

No

h) Do you think the wheezing attacks are worse during any particular time of year?

yes, worse in spring and/or summer

yes, worse in autumn and/or winter

not particularly

other (please tick & describe)

.....

j) What do you think brings on the wheezing attacks ?

Yes

No

(i) chest infection or bronchitis

(ii) being in a smoky room

(iii) cold weather

(iv) I don't know

(v) other (please tick & describe)

.....

k) In the past 12 months has your child's chest sounded wheezy during or after exercise?

Yes

No

PAGE 12 OF THE QUESTIONNAIRE

A15. l) In the past 12 months has your child had a dry cough at night, apart from a cough associated with a cold or chest infection?

Yes 1 No 2

m) Have any of your other children ever had spells of wheezing with whistling on the chest?

Yes 1 No 2 have no other children 7

A16. a) Has your child had any itchy, dry skin rash in the joints and creases of his body (e.g. behind the knees, elbows, under the arms) in the past year?

Yes 1 No 2 → **If no, go to A17a below**

If yes,

b) How bad was this?

very bad 1 quite bad 2 mild 3 no problem 4

	Yes	No
c) Does he have this sort of rash now?	<input type="text"/> 1	<input type="text"/> 2
d) Did the rash ever become sore and oozy?	<input type="text"/> 1	<input type="text"/> 2
e) Was it made worse by irritants such as bubble bath, soap, wool or nylon clothing?	<input type="text"/> 1	<input type="text"/> 2
f) Did the rash clear up completely at any time in the past 12 months?	<input type="text"/> 1	<input type="text"/> 2

A17. a) Has he had an itchy, dry, rash on his hands in the past year?

Yes 1 No 2

b) Has he had an itchy, dry rash on his feet in the past year?

Yes 1 No 2 → **If no, go to A17c on page 13**

If yes, please describe which parts of his feet

.....

PAGE 13 OF THE QUESTIONNAIRE

A17. c) In the past 12 months how often, on average, has your child been kept awake at night by an itchy rash?

Never in the
past 12 months

Less than one
night per week

One or more
nights per week

d) Does his skin get itchy when he gets sweaty? (e.g. in a hot room or when he has been playing?)

Yes

No

A18. This question is about problems which occur when your child **does not** have a cold or the flu.

a) Has your child ever had sneezing episodes, or a runny or blocked nose, when he did not have a cold or the flu?

Yes

No

→ **If no, go to A18c below**

b) In the past 12 months, has your child had sneezing episodes, or a runny or blocked nose, when he did not have a cold or the flu?

Yes

No

c) In the past 12 months, has he had itchy-watery eyes?

Yes

No

d) In which of the past 12 months did these nose and/or eye problems occur? (Please tick all that apply)

(i) Hasn't had a nose or eye problem

→ **go to Section B
on page 15**

(ii)

January

May

September

February

June

October

March

July

November

April

August

December

PAGE 14 OF THE QUESTIONNAIRE

A18. e) In the past 12 months, how much did these nose and eye problems interfere with your child's activities?

Not at all

1

A little

2

A moderate amount

3

A lot

4

KW File – Section A

kw1000 A1i: Assessment of child's health in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very healthy, no problems	5414	72.3	74.8	74.8
	2 Healthy, but a few minor problems	1757	23.5	24.3	99.0
	3 Sometimes quite ill	56	.7	.8	99.8
	4 Almost always unwell	14	.2	.2	100.0
	Total	7241	96.7	100.0	
Missing	-1 No response	245	3.3		
Total		7486	100.0		

kw1001 A1ii: Assessment of child's health in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very healthy, no problems	4553	60.8	64.3	64.3
	2 Healthy, but a few minor problems	2424	32.4	34.2	98.5
	3 Sometimes quite ill	95	1.3	1.3	99.8
	4 Almost always unwell	13	.2	.2	100.0
	Total	7085	94.6	100.0	
Missing	-1 No response	401	5.4		
Total		7486	100.0		

kw1010 A2a: Doctor called to house for child in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	92	1.2	1.2	1.2
	2 No	7373	98.5	98.8	100.0
	Total	7465	99.7	100.0	
Missing	-1 No response	21	.3		
Total		7486	100.0		

kw1011 A2b: Number of times doctor called to house in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1	69	.9	75.0	75.0
	2 2	12	.2	13.0	88.0
	3 3-4	10	.1	10.9	98.9
	4 5+	1	.0	1.1	100.0
	Total	92	1.2	100.0	
Missing	-1 No response	7394	98.8		
Total		7486	100.0		

KW File – Section A

kw1020 A3a: Child had a hernia repair

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	189	2.5	100.0	100.0
Missing -1 No response	7297	97.5		
Total	7486	100.0		

kw1022 A3b: Child had tonsils out

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	290	3.9	100.0	100.0
Missing -1 No response	7196	96.1		
Total	7486	100.0		

kw1023 A3c: Child had adenoids out

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	384	5.1	100.0	100.0
Missing -1 No response	7102	94.9		
Total	7486	100.0		

kw1024 A3d: Child had an appendectomy

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	87	1.2	100.0	100.0
Missing -1 No response	7399	98.8		
Total	7486	100.0		

kw1025 A3e: Child had a tube (grommits) in ears

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	436	5.8	100.0	100.0
Missing -1 No response	7050	94.2		
Total	7486	100.0		

kw1026 A3f: Child had squint repaired

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	59	.8	100.0	100.0
Missing -1 No response	7427	99.2		
Total	7486	100.0		

kw1027 A3g: Child had teeth pulled out

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1478	19.7	100.0	100.0
Missing -1 No response	6008	80.3		
Total	7486	100.0		

KW File – Section A

kw1028 A3h: Child had other operations

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	579	7.7	100.0	100.0
Missing -1 No response	6907	92.3		
Total	7486	100.0		

KW File – Section A

kw1040 A4a: Number of days child took off school for one or more infections including colds and coughs, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	1521	20.3	21.8	21.8
1	787	10.5	11.3	33.1
2	1346	18.0	19.3	52.5
3	860	11.5	12.3	64.8
4	568	7.6	8.2	73.0
5	651	8.7	9.3	82.3
6	243	3.2	3.5	85.8
7	203	2.7	2.9	88.7
8	132	1.8	1.9	90.6
9	40	.5	.6	91.2
10	306	4.1	4.4	95.6
11	7	.1	.1	95.7
12	40	.5	.6	96.3
13	2	.0	.0	96.3
14	63	.8	.9	97.2
15	68	.9	1.0	98.2
16	10	.1	.1	98.3
17	3	.0	.0	98.4
18	5	.1	.1	98.4
19	4	.1	.1	98.5
20	41	.5	.6	99.1
21	9	.1	.1	99.2
22	2	.0	.0	99.2
23	1	.0	.0	99.3
24	4	.1	.1	99.3
25	9	.1	.1	99.4
26	1	.0	.0	99.5
28	4	.1	.1	99.5
29	1	.0	.0	99.5
30	17	.2	.2	99.8
31	1	.0	.0	99.8
34	1	.0	.0	99.8
35	3	.0	.0	99.8
40	5	.1	.1	99.9
45	1	.0	.0	99.9
50	1	.0	.0	99.9
86	1	.0	.0	100.0
98 >97	3	.0	.0	100.0
Total	6964	93.0	100.0	
Missing -9 Don't know	7	.1		
-1 No response	515	6.9		
Total	522	7.0		
Total	7486	100.0		

kw1041 A4a: Respondent guessed the number of days child took off school for one or more infections including colds and coughs

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	2600	34.7	100.0	100.0
Missing -1 No response	4886	65.3		
Total	7486	100.0		

KW File – Section A

kw1050 A4b: Number of days child took off school for hospital investigation including admission, past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3774	50.4	86.3	86.3
	1	245	3.3	5.6	91.9
	2	142	1.9	3.2	95.2
	3	54	.7	1.2	96.4
	4	29	.4	.7	97.1
	5	32	.4	.7	97.8
	6	13	.2	.3	98.1
	7	12	.2	.3	98.4
	8	7	.1	.2	98.6
	9	4	.1	.1	98.7
	10	17	.2	.4	99.0
	12	2	.0	.0	99.1
	14	11	.1	.3	99.3
	15	7	.1	.2	99.5
	16	2	.0	.0	99.5
	17	1	.0	.0	99.6
	18	1	.0	.0	99.6
	20	5	.1	.1	99.7
	21	1	.0	.0	99.7
	25	1	.0	.0	99.7
	28	2	.0	.0	99.8
	30	1	.0	.0	99.8
	56	1	.0	.0	99.8
	58	1	.0	.0	99.9
	60	2	.0	.0	99.9
	70	1	.0	.0	99.9
	86	1	.0	.0	100.0
	90	1	.0	.0	100.0
	98 >97	1	.0	.0	100.0
	Total	4371	58.4	100.0	
Missing	-9 Don't know	11	.1		
	-1 No response	3104	41.5		
	Total	3115	41.6		
Total		7486	100.0		

kw1051 A4b: Respondent guessed the number of days child took off school for hospital investigation including admission

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	106	1.4	100.0	100.0
Missing	-1 No response	7380	98.6		
Total		7486	100.0		

KW File – Section A

kw1060 A4c: Number of days child took off school for other investigations, past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3687	49.3	93.6	93.6
	1	130	1.7	3.3	96.9
	2	60	.8	1.5	98.4
	3	23	.3	.6	99.0
	4	12	.2	.3	99.3
	5	11	.1	.3	99.6
	6	4	.1	.1	99.7
	7	3	.0	.1	99.8
	8	1	.0	.0	99.8
	10	3	.0	.1	99.9
	12	1	.0	.0	99.9
	14	1	.0	.0	99.9
	20	1	.0	.0	99.9
	40	1	.0	.0	100.0
	98 >97	1	.0	.0	100.0
	Total	3939	52.6	100.0	
Missing	-9 Don't know	7	.1		
	-1 No response	3540	47.3		
	Total	3547	47.4		
Total		7486	100.0		

kw1061 A4c: Respondent guessed the number of days child took off school for other investigations

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	46	.6	100.0	100.0
Missing	-1 No response	7440	99.4		
Total		7486	100.0		

KW File – Section A

kw1070 A4d: Number of days child took off for asthma, past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3729	49.8	94.6	94.6
	1	51	.7	1.3	95.9
	2	57	.8	1.4	97.4
	3	31	.4	.8	98.1
	4	17	.2	.4	98.6
	5	17	.2	.4	99.0
	6	4	.1	.1	99.1
	7	10	.1	.3	99.4
	8	3	.0	.1	99.4
	9	1	.0	.0	99.5
	10	9	.1	.2	99.7
	14	4	.1	.1	99.8
	15	4	.1	.1	99.9
	20	3	.0	.1	100.0
	30	1	.0	.0	100.0
	Total	3941	52.6	100.0	
Missing	-9 Don't know	3	.0		
	-1 No response	3542	47.3		
	Total	3545	47.4		
Total		7486	100.0		

kw1071 A4d: Respondent guessed the number of days child took off school for asthma

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	92	1.2	100.0	100.0
Missing	-1 No response	7394	98.8		
Total		7486	100.0		

KW File – Section A

kw1080 A4e: Number of days child took off school for eczema or itchy rash, past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3748	50.1	99.0	99.0
	1	17	.2	.4	99.4
	2	10	.1	.3	99.7
	3	4	.1	.1	99.8
	4	3	.0	.1	99.9
	5	5	.1	.1	100.0
	Total	3787	50.6	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3698	49.4		
	Total	3699	49.4		
Total		7486	100.0		

kw1081 A4e: Respondent guessed the number of days child took off school for eczema or itchy rash

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	16	.2	100.0	100.0
Missing	-1 No response	7470	99.8		
Total		7486	100.0		

kw1090 A4f: Number of days child took off school for hayfever or allergic rhinitis, past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3710	49.6	97.3	97.3
	1	37	.5	1.0	98.3
	2	37	.5	1.0	99.2
	3	10	.1	.3	99.5
	4	6	.1	.2	99.7
	5	5	.1	.1	99.8
	6	1	.0	.0	99.8
	7	3	.0	.1	99.9
	8	1	.0	.0	99.9
	10	2	.0	.1	100.0
	14	1	.0	.0	100.0
	Total	3813	50.9	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	3672	49.1		
	Total	3673	49.1		
Total		7486	100.0		

kw1091 A4f: Respondent guessed the number of days child took off school for hayfever or allergic rhinitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	52	.7	100.0	100.0
Missing	-1 No response	7434	99.3		
Total		7486	100.0		

KW File – Section A

kw1100 A4g1: Number of days child took off school for 1st other reason, past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2057	27.5	69.7	69.7
	1	287	3.8	9.7	79.4
	2	230	3.1	7.8	87.2
	3	103	1.4	3.5	90.7
	4	64	.9	2.2	92.9
	5	79	1.1	2.7	95.6
	6	19	.3	.6	96.2
	7	18	.2	.6	96.8
	8	13	.2	.4	97.3
	9	2	.0	.1	97.3
	10	25	.3	.8	98.2
	11	3	.0	.1	98.3
	12	3	.0	.1	98.4
	13	1	.0	.0	98.4
	14	8	.1	.3	98.7
	15	5	.1	.2	98.8
	16	1	.0	.0	98.9
	18	1	.0	.0	98.9
	20	12	.2	.4	99.3
	22	1	.0	.0	99.4
	25	3	.0	.1	99.5
	28	1	.0	.0	99.5
	30	2	.0	.1	99.6
	33	1	.0	.0	99.6
	35	2	.0	.1	99.7
	40	1	.0	.0	99.7
	45	1	.0	.0	99.7
	50	2	.0	.1	99.8
	60	3	.0	.1	99.9
	90	1	.0	.0	99.9
	98 >97	2	.0	.1	100.0
	Total	2951	39.4	100.0	
Missing	-9 Don't know	7	.1		
	-1 No response	4528	60.5		
	Total	4535	60.6		
Total		7486	100.0		

kw1101 A4g1: Respondent guessed the number of days child took off school for 1st other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	226	3.0	100.0	100.0
Missing	-1 No response	7260	97.0		
Total		7486	100.0		

KW File – Section A

kw1110 A4g2: Number of days child took off school for 2nd other reason, past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	767	10.2	90.3	90.3
	1	32	.4	3.8	94.1
	2	25	.3	2.9	97.1
	3	5	.1	.6	97.6
	4	7	.1	.8	98.5
	5	5	.1	.6	99.1
	6	1	.0	.1	99.2
	7	3	.0	.4	99.5
	9	2	.0	.2	99.8
	10	1	.0	.1	99.9
	20	1	.0	.1	100.0
	Total	849	11.3	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	6635	88.6		
	Total	6637	88.7		
Total		7486	100.0		

kw1111 A4g2: Respondent guessed the number of days child took off school for 2nd other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	25	.3	100.0	100.0
Missing	-1 No response	7461	99.7		
Total		7486	100.0		

kw1120 A4g3: Number of days child took off school for 3rd other reason, past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	754	10.1	97.8	97.8
	1	8	.1	1.0	98.8
	2	4	.1	.5	99.4
	3	2	.0	.3	99.6
	5	3	.0	.4	100.0
	Total	771	10.3	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	6713	89.7		
	Total	6715	89.7		
Total		7486	100.0		

kw1121 A4g3: Respondent guessed the number of days child took off school for 3rd other reason

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	.0	100.0	100.0
Missing	-1 No response	7483	100.0		
Total		7486	100.0		

KW File – Section A

kw1130 A5: Child had a skin reaction thought to be related to food child had eaten, past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	171	2.3	2.3	2.3
	2 No	7186	96.0	97.7	100.0
	Total	7357	98.3	100.0	
Missing	-1 No response	129	1.7		
Total		7486	100.0		

kw1133 A5c: Location of skin reaction which child suffered, past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Mouth	28	.4	18.5	18.5
	2 Other part	110	1.5	72.8	91.4
	3 Both ticked	13	.2	8.6	100.0
	Total	151	2.0	100.0	
Missing	-1 No response	7335	98.0		
Total		7486	100.0		

KW File – Section A

kw1140 A6a: Child had vomiting spells in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1931	25.8	26.1	26.1
	2 No	5478	73.2	73.9	100.0
	Total	7409	99.0	100.0	
Missing	-1 No response	77	1.0		
Total		7486	100.0		

kw1141 A6b: Number of times child had vomiting spells in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1	1109	14.8	57.3	57.3
	2 2	541	7.2	27.9	85.2
	3 3-9	260	3.5	13.4	98.7
	4 10+	26	.3	1.3	100.0
	Total	1936	25.9	100.0	
Missing	-1 No response	5550	74.1		
Total		7486	100.0		

kw1142 A6c1: Frequency vomiting spells have been associated with diarrhoea

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	362	4.8	19.0	19.0
	2 Frequently	74	1.0	3.9	22.9
	3 Sometimes	415	5.5	21.8	44.6
	4 Rarely	272	3.6	14.3	58.9
	5 Never	785	10.5	41.1	100.0
	Total	1908	25.5	100.0	
Missing	-1 No response	5578	74.5		
Total		7486	100.0		

kw1143 A6c2: Frequency vomiting spells have been associated with chestiness

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	38	.5	2.3	2.3
	2 Frequently	24	.3	1.4	3.7
	3 Sometimes	120	1.6	7.2	10.9
	4 Rarely	108	1.4	6.5	17.4
	5 Never	1377	18.4	82.6	100.0
	Total	1667	22.3	100.0	
Missing	-1 No response	5819	77.7		
Total		7486	100.0		

KW File – Section A

kw1150 A7a: Child had diarrhoea or gastro-enteritis, the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1698	22.7	23.3	23.3
	2 No	5575	74.5	76.7	100.0
	Total	7273	97.2	100.0	
Missing	-1 No response	213	2.8		
Total		7486	100.0		

kw1151 A7b: Number of times child has had diarrhoea or gastro-enteritis, the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	7	.1	.4	.4
	1	1039	13.9	61.9	62.3
	2	415	5.5	24.7	87.0
	3	118	1.6	7.0	94.0
	4	48	.6	2.9	96.9
	5	10	.1	.6	97.5
	6	15	.2	.9	98.4
	7	2	.0	.1	98.5
	8	4	.1	.2	98.7
	9	1	.0	.1	98.8
	10	10	.1	.6	99.4
	12	5	.1	.3	99.7
	15	1	.0	.1	99.8
	20	2	.0	.1	99.9
	24	1	.0	.1	99.9
	30	1	.0	.1	100.0
	Total	1679	22.4	100.0	
Missing	-9 Don't know	7	.1		
	-1 No response	5800	77.5		
	Total	5807	77.6		
Total		7486	100.0		

KW File – Section A

kw1152 A7c: Number of days that the worst attack of diarrhoea or gastro-enteritis lasted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	11	.1	.7	.7
	1	750	10.0	46.9	47.6
	2	562	7.5	35.1	82.7
	3	154	2.1	9.6	92.3
	4	48	.6	3.0	95.3
	5	34	.5	2.1	97.4
	6	7	.1	.4	97.9
	7	12	.2	.8	98.6
	8	3	.0	.2	98.8
	9	2	.0	.1	98.9
	10	8	.1	.5	99.4
	12	2	.0	.1	99.6
	14	5	.1	.3	99.9
	21	1	.0	.1	99.9
	30	1	.0	.1	100.0
	Total	1600	21.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	5885	78.6		
	Total	5886	78.6		
Total		7486	100.0		

KW File – Section A

kw1160 A8a: Child has had a time when they coughed on and off for at least two days, the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3329	44.5	45.1	45.1
	2 No	4057	54.2	54.9	100.0
	Total	7386	98.7	100.0	
Missing	-1 No response	100	1.3		
Total		7486	100.0		

kw1161 A8b: Number of times in the past year child has coughed constantly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1	1398	18.7	42.1	42.1
	2 1	1298	17.3	39.1	81.3
	3 3-9	541	7.2	16.3	97.6
	4 10+	80	1.1	2.4	100.0
	Total	3317	44.3	100.0	
Missing	-1 No response	4169	55.7		
Total		7486	100.0		

kw1162 A8c: Child had a fever at the time of coughing constantly

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, for all	319	4.3	9.6	9.6
	2 Yes, for some	1313	17.5	39.7	49.3
	3 No	1678	22.4	50.7	100.0
	Total	3310	44.2	100.0	
Missing	-1 No response	4176	55.8		
Total		7486	100.0		

kw1163 A8d: Child had a runny nose during any of the coughing spells

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, for all	754	10.1	22.8	22.8
	2 Yes, for some	2005	26.8	60.6	83.4
	3 No	548	7.3	16.6	100.0
	Total	3307	44.2	100.0	
Missing	-1 No response	4179	55.8		
Total		7486	100.0		

kw1170 A9: Child had pus or sticky mucus (not ear wax) leak out of ears in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6948	92.8	94.6	94.6
	2 Once	193	2.6	2.6	97.3
	3 More than once	121	1.6	1.6	98.9
	9 Don't know	79	1.1	1.1	100.0
	Total	7341	98.1	100.0	
Missing	-1 No response	145	1.9		
Total		7486	100.0		

KW File – Section A

kw1180 A10i: Child breaths through mouth rather than nose when asleep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	396	5.3	5.5	5.5
	2 Much of the time	846	11.3	11.7	17.1
	3 Sometimes	2199	29.4	30.3	47.4
	4 Rarely	1594	21.3	22.0	69.4
	5 Never	1156	15.4	15.9	85.3
	9 Don't know	1069	14.3	14.7	100.0
	Total	7260	97.0	100.0	
Missing	-1 No response	226	3.0		
Total		7486	100.0		

kw1181 A10ii: Child breaths through mouth rather than nose when awake

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 All the time	269	3.6	3.8	3.8
	2 Much of the time	540	7.2	7.5	11.3
	3 Sometimes	1546	20.7	21.6	32.9
	4 Rarely	1974	26.4	27.5	60.4
	5 Never	2123	28.4	29.6	90.0
	9 Don't know	714	9.5	10.0	100.0
	Total	7166	95.7	100.0	
Missing	-1 No response	320	4.3		
Total		7486	100.0		

kw1190 A11: Child snores for more than a few minutes at a time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Most nights	274	3.7	3.7	3.7
	2 Quite often	399	5.3	5.4	9.1
	3 Sometimes	1222	16.3	16.4	25.5
	4 Only rarely	2343	31.3	31.5	57.0
	5 Never	2364	31.6	31.8	88.8
	9 Don't know	831	11.1	11.2	100.0
	Total	7433	99.3	100.0	
Missing	-1 No response	53	.7		
Total		7486	100.0		

KW File – Section A

kw1200 A12a: Child has had times when they have a pain in stomach in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4109	54.9	55.3	55.3
	2 No	3319	44.3	44.7	100.0
	Total	7428	99.2	100.0	
Missing	-1 No response	58	.8		
Total		7486	100.0		

kw1201 A12b: Number of separate times child has had stomach pain in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1	598	8.0	14.6	14.6
	2 2	1022	13.7	25.0	39.6
	3 3-4	1367	18.3	33.4	72.9
	4 5+	961	12.8	23.5	96.4
	9 Don't know	148	2.0	3.6	100.0
	Total	4096	54.7	100.0	
Missing	-1 No response	3390	45.3		
Total		7486	100.0		

kw1202 A12c: Child had vomiting or diarrhoea at same time as pain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes every time	338	4.5	8.3	8.3
	2 Yes, for some of the times	1110	14.8	27.2	35.4
	3 No, not at all	2638	35.2	64.6	100.0
	Total	4086	54.6	100.0	
Missing	-1 No response	3400	45.4		
Total		7486	100.0		

KW File – Section A

kw1203 A12d1: Something child ate caused stomach pains

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	670	9.0	100.0	100.0
Missing -1 No response	6816	91.0		
Total	7486	100.0		

kw1204 A12d2: An infection caused child's stomach pains

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	779	10.4	100.0	100.0
Missing -1 No response	6707	89.6		
Total	7486	100.0		

kw1205 A12d3: Constipation caused child's stomach pains

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	841	11.2	100.0	100.0
Missing -1 No response	6645	88.8		
Total	7486	100.0		

kw1206 A12d4: Something else caused child's stomach pains

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1368	18.3	100.0	100.0
Missing -1 No response	6118	81.7		
Total	7486	100.0		

kw1208 A12d5: Don't know what caused child's stomach pains

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1272	17.0	100.0	100.0
Missing -1 No response	6214	83.0		
Total	7486	100.0		

KW File – Section A

kw1210 A13a: Child often has aches and pains in arms and legs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, arm(s)	24	.3	.3	.3
	2 Yes, leg(s)	1449	19.4	19.8	20.2
	3 Yes, both	684	9.1	9.4	29.5
	4 No, not often	5149	68.8	70.5	100.0
	Total	7306	97.6	100.0	
Missing	-1 No response	180	2.4		
Total		7486	100.0		

kw1211 A13a1: Aches and pains in arms and legs affects child when they are tried

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1351	18.0	64.9	64.9
	2 No	731	9.8	35.1	100.0
	Total	2082	27.8	100.0	
Missing	-1 No response	5404	72.2		
Total		7486	100.0		

kw1213 A13a3: A particular treatment helps child with aches and pains in arms and legs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	925	12.4	45.6	45.6
	2 No	1105	14.8	54.4	100.0
	Total	2030	27.1	100.0	
Missing	-1 No response	5456	72.9		
Total		7486	100.0		

KW File – Section A

kw1220 A14a: Child had a convulsion/fit/seizure where consciousness or abnormal movement was lost since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	128	1.7	1.7	1.7
	2 No	7254	96.9	97.4	99.2
	9 Not known	63	.8	.8	100.0
	Total	7445	99.5	100.0	
Missing	-1 No response	41	.5		
Total		7486	100.0		

kw1222 A14c: Child had high temperature at the time of convulsion/fit/seizure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	27	.4	21.1	21.1
	2 No	87	1.2	68.0	89.1
	9 Not known	14	.2	10.9	100.0
	Total	128	1.7	100.0	
Missing	-1 No response	7358	98.3		
Total		7486	100.0		

kw1223 A14d: Age of the child at the time of convulsion/fit/seizure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 9	43	.6	35.8	35.8
	2 10	43	.6	35.8	71.7
	3 11	34	.5	28.3	100.0
	Total	120	1.6	100.0	
Missing	-1 No response	7366	98.4		
Total		7486	100.0		

kw1224 A14e: Total number of convulsions/fits/seizures that child has had since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1	66	.9	55.0	55.0
	2 2	17	.2	14.2	69.2
	3 3-4	16	.2	13.3	82.5
	4 5+	21	.3	17.5	100.0
	Total	120	1.6	100.0	
Missing	-1 No response	7366	98.4		
Total		7486	100.0		

KW File – Section A

kw1225 A14f1: Child saw general practitioner at home for convulsions/fits/seizures

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	8	.1	100.0	100.0
Missing -1 No response	7478	99.9		
Total	7486	100.0		

kw1226 A14f2: Child saw general practitioner at surgery for convulsions/fits/seizures

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	35	.5	100.0	100.0
Missing -1 No response	7451	99.5		
Total	7486	100.0		

kw1227 A14f3: Child saw hospital outpatient department for convulsions/fits/seizures

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	48	.6	100.0	100.0
Missing -1 No response	7438	99.4		
Total	7486	100.0		

kw1228 A14f4: Child was admitted to hospital for convulsions/fits/seizures

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	26	.3	100.0	100.0
Missing -1 No response	7460	99.7		
Total	7486	100.0		

kw1229 A14f5: Child didn't see anyone for convulsions/fits/seizures

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	35	.5	100.0	100.0
Missing -1 No response	7451	99.5		
Total	7486	100.0		

kw1231 A14h: The later convulsions/fits/seizures differed from the first one since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	15	.2	13.4	13.4
2 No	58	.8	51.8	65.2
7 Has only had one attack since 9th birthday	39	.5	34.8	100.0
Total	112	1.5	100.0	
Missing -1 No response	7374	98.5		
Total	7486	100.0		

KW File – Section A

kw1233 A14j1: Convulsions/fits/seizures were thought to be due to febrile convulsions

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6	.1	100.0	100.0
Missing -1 No response	7480	99.9		
Total	7486	100.0		

kw1234 A14j2: Convulsions/fits/seizures were thought to be due to fainting and blackouts

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	41	.5	100.0	100.0
Missing -1 No response	7445	99.5		
Total	7486	100.0		

kw1235 A14j3: Convulsions/fits/seizures were thought to be due to epilepsy

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	29	.4	100.0	100.0
Missing -1 No response	7457	99.6		
Total	7486	100.0		

kw1236 A14j4: Convulsions/fits/seizures were thought to be due to breath holding

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4	.1	100.0	100.0
Missing -1 No response	7482	99.9		
Total	7486	100.0		

kw1237 A14j5: Convulsions, fits/seizures were thought to be due to reaction to immunisation

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3	.0	100.0	100.0
Missing -1 No response	7483	100.0		
Total	7486	100.0		

kw1238 A14j6: Convulsions/fits/seizures were thought to be due to other reason

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	36	.5	100.0	100.0
Missing -1 No response	7450	99.5		
Total	7486	100.0		

kw1240 A14j7: It was not known what caused the convulsions/fits/seizures

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	12	.2	100.0	100.0
Missing -1 No response	7474	99.8		
Total	7486	100.0		

KW File – Section A

kw1250 A15a: Child had periods when there was wheezing with whistling on chest when breathing in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	873	11.7	11.8	11.8
	2 No	6551	87.5	88.2	100.0
	Total	7424	99.2	100.0	
Missing	-1 No response	62	.8		
Total		7486	100.0		

kw1251 A15b: Number of separate times this wheezing happened in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Once	205	2.7	23.7	23.7
	2 Twice	245	3.3	28.3	52.0
	3 3-4 times	245	3.3	28.3	80.3
	4 5+ times	135	1.8	15.6	95.8
	9 Don't know	36	.5	4.2	100.0
	Total	866	11.6	100.0	
Missing	-1 No response	6620	88.4		
Total		7486	100.0		

kw1252 A15c: Total number of days child wheezed in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 1	72	1.0	8.3	8.3
	2 2-3	284	3.8	32.9	41.2
	3 4-9	260	3.5	30.1	71.3
	4 10-19	118	1.6	13.7	85.0
	5 20+	87	1.2	10.1	95.0
	9 Don't know	43	.6	5.0	100.0
	Total	864	11.5	100.0	
Missing	-1 No response	6622	88.5		
Total		7486	100.0		

kw1253 A15d: Child was breathless during any of periods when wheezed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, for all	66	.9	7.7	7.7
	2 Yes, for some	551	7.4	64.1	71.7
	3 No	243	3.2	28.3	100.0
	Total	860	11.5	100.0	
Missing	-1 No response	6626	88.5		
Total		7486	100.0		

KW File – Section A

kw1254 A15e: Child had a cold during these periods were wheezed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, for all	243	3.2	27.7	27.7
	2 Yes, for some	430	5.7	49.0	76.7
	3 No	204	2.7	23.3	100.0
	Total	877	11.7	100.0	
Missing	-1 No response	6609	88.3		
Total		7486	100.0		

kw1255 A15f: Frequency, on average, child's sleep was disturbed due to wheezing in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never woken	518	6.9	59.4	59.4
	2 <1 night per week	297	4.0	34.1	93.5
	3 1+ nights per week	57	.8	6.5	100.0
	Total	872	11.6	100.0	
Missing	-1 No response	6614	88.4		
Total		7486	100.0		

kw1256 A15g: Wheezing was severe enough to limit child's speech to only one or two words at a time between breaths in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	78	1.0	9.0	9.0
	2 No	792	10.6	91.0	100.0
	Total	870	11.6	100.0	
Missing	-1 No response	6616	88.4		
Total		7486	100.0		

kw1257 A15h: Wheezing attacks were worse during particular times of year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, worse Spring/Summer	160	2.1	18.8	18.8
	2 Yes, worse Autumn/Winter	270	3.6	31.8	50.6
	3 No	340	4.5	40.0	90.7
	4 Other	79	1.1	9.3	100.0
	Total	849	11.3	100.0	
Missing	-1 No response	6637	88.7		
Total		7486	100.0		

KW File – Section A

kw1260 A15j1: Wheezing attacks were believed to be brought on by chest infection or bronchitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	351	4.7	79.6	79.6
	2 No	90	1.2	20.4	100.0
	Total	441	5.9	100.0	
Missing	-1 No response	7045	94.1		
Total		7486	100.0		

kw1261 A15j2: Wheezing attacks were believed to be brought on by being in a smoky room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	117	1.6	44.3	44.3
	2 No	147	2.0	55.7	100.0
	Total	264	3.5	100.0	
Missing	-1 No response	7222	96.5		
Total		7486	100.0		

kw1262 A15j3: Wheezing attacks were believed to be brought on by cold weather

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	272	3.6	74.3	74.3
	2 No	94	1.3	25.7	100.0
	Total	366	4.9	100.0	
Missing	-1 No response	7120	95.1		
Total		7486	100.0		

kw1263 A15j4: It was not known what brought on the wheezing attacks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	116	1.5	100.0	100.0
Missing	-1 No response	7370	98.5		
Total		7486	100.0		

kw1264 A15j5: Wheezing attacks were brought on by other causes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	395	5.3	95.0	95.0
	2 No	21	.3	5.0	100.0
	Total	416	5.6	100.0	
Missing	-1 No response	7070	94.4		
Total		7486	100.0		

KW File – Section A

kw1266 A15k: Child's chest sounded wheezy during or after exercise in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	668	8.9	9.2	9.2
	2 No	6569	87.8	90.8	100.0
	Total	7237	96.7	100.0	
Missing	-1 No response	249	3.3		
Total		7486	100.0		

kw1267 A15l: Child had a dry cough at night, apart from one associated with a cold or chest infection in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	782	10.4	10.7	10.7
	2 No	6555	87.6	89.3	100.0
	Total	7337	98.0	100.0	
Missing	-1 No response	149	2.0		
Total		7486	100.0		

kw1268 A15m: Other children had spells of wheezing with whistling on the chest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1240	16.6	17.6	17.6
	2 No	5320	71.1	75.6	93.2
	7 No other children	480	6.4	6.8	100.0
	Total	7040	94.0	100.0	
Missing	-1 No response	446	6.0		
Total		7486	100.0		

KW File – Section A

kw1280 A16a: Child had any itchy, dry skin rash in the joints and creases of body in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1456	19.4	19.7	19.7
	2 No	5920	79.1	80.3	100.0
	Total	7376	98.5	100.0	
Missing	-1 No response	110	1.5		
Total		7486	100.0		

kw1281 A16b: Severity of the rash

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very bad	57	.8	3.9	3.9
	2 Quite bad	262	3.5	18.0	21.9
	3 Mild	980	13.1	67.3	89.2
	4 No problem	157	2.1	10.8	100.0
	Total	1456	19.4	100.0	
Missing	-1 No response	6030	80.6		
Total		7486	100.0		

kw1282 A16c: Child has this rash now

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	513	6.9	35.2	35.2
	2 No	943	12.6	64.8	100.0
	Total	1456	19.4	100.0	
Missing	-1 No response	6030	80.6		
Total		7486	100.0		

kw1283 A16d: Rash became sore and oozy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	253	3.4	17.7	17.7
	2 No	1177	15.7	82.3	100.0
	Total	1430	19.1	100.0	
Missing	-1 No response	6056	80.9		
Total		7486	100.0		

kw1284 A16e: Rash was made worse by irritants such as bubble bath, soap etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	738	9.9	54.1	54.1
	2 No	627	8.4	45.9	100.0
	Total	1365	18.2	100.0	
Missing	-1 No response	6121	81.8		
Total		7486	100.0		

KW File – Section A

kw1285 A16f: Rash cleared up completely at any time in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1190	15.9	84.2	84.2
	2 No	223	3.0	15.8	100.0
	Total	1413	18.9	100.0	
Missing	-1 No response	6073	81.1		
Total		7486	100.0		

KW File – Section A

kw1290 A17a: Child had an itchy, dry rash on hands in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	391	5.2	5.4	5.4
	2 No	6879	91.9	94.6	100.0
	Total	7270	97.1	100.0	
Missing	-1 No response	216	2.9		
Total		7486	100.0		

kw1291 A17b: Child had an itchy, dry rash on feet in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	450	6.0	6.4	6.4
	2 No	6544	87.4	93.6	100.0
	Total	6994	93.4	100.0	
Missing	-1 No response	492	6.6		
Total		7486	100.0		

kw1293 A17c: Frequency, on average, child been kept awake at night by itchy rash in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Never	6686	89.3	93.8	93.8
	2 <1 night per week	349	4.7	4.9	98.7
	3 1+ nights per week	94	1.3	1.3	100.0
	Total	7129	95.2	100.0	
Missing	-1 No response	357	4.8		
Total		7486	100.0		

kw1294 A17d: Child's skin got itchy when child is sweaty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1572	21.0	22.6	22.6
	2 No	5383	71.9	77.4	100.0
	Total	6955	92.9	100.0	
Missing	-1 No response	531	7.1		
Total		7486	100.0		

KW File – Section A

kw1300 A18a: Child had sneezing episodes, or a runny or blocked nose, when he did not have a cold or flu

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1753	23.4	23.7	23.7
	2 No	5633	75.2	76.3	100.0
	Total	7386	98.7	100.0	
Missing	-1 No response	100	1.3		
Total		7486	100.0		

kw1301 A18b: Child had sneezing episodes, or a runny or blocked nose, when he did not have a cold or flu, in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1648	22.0	91.9	91.9
	2 No	146	2.0	8.1	100.0
	Total	1794	24.0	100.0	
Missing	-1 No response	5692	76.0		
Total		7486	100.0		

kw1302 A18c: Child had itchy-watery eyes, in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1550	20.7	21.4	21.4
	2 No	5684	75.9	78.6	100.0
	Total	7234	96.6	100.0	
Missing	-1 No response	252	3.4		
Total		7486	100.0		

kw1303 A18d1: Child hasn't had a nose or eye problem in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7 Hasn't had nose/eye problem	4704	62.8	100.0	100.0
Missing	-1 No response	2782	37.2		
Total		7486	100.0		

KW File – Section A

kw1304 A18d2: Child had these nose and/or eye problems in January in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	361	4.8	79.2	79.2
	9 Don't know	95	1.3	20.8	100.0
	Total	456	6.1	100.0	
Missing	-1 No response	7030	93.9		
Total		7486	100.0		

kw1305 A18d2: Child had these nose and/or eye problems in February in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	355	4.7	79.1	79.1
	9 Don't know	94	1.3	20.9	100.0
	Total	449	6.0	100.0	
Missing	-1 No response	7037	94.0		
Total		7486	100.0		

kw1306 A18d2: Child had these nose and/or eye problems in March in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	412	5.5	81.4	81.4
	9 Don't know	94	1.3	18.6	100.0
	Total	506	6.8	100.0	
Missing	-1 No response	6980	93.2		
Total		7486	100.0		

kw1307 A18d2: Child had these nose and/or eye problems in April in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	649	8.7	87.1	87.1
	9 Don't know	96	1.3	12.9	100.0
	Total	745	10.0	100.0	
Missing	-1 No response	6741	90.0		
Total		7486	100.0		

kw1308 A18d2: Child had these nose and/or eye problems in May in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1142	15.3	92.1	92.1
	9 Don't know	98	1.3	7.9	100.0
	Total	1240	16.6	100.0	
Missing	-1 No response	6246	83.4		
Total		7486	100.0		

KW File – Section A

kw1309 A18d2: Child had these nose and/or eye problems in June in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1302	17.4	93.1	93.1
	9 Don't know	97	1.3	6.9	100.0
	Total	1399	18.7	100.0	
Missing	-1 No response	6087	81.3		
Total		7486	100.0		

kw1310 A18d2: Child had these nose and/or eye problems in July in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1105	14.8	91.9	91.9
	9 Don't know	97	1.3	8.1	100.0
	Total	1202	16.1	100.0	
Missing	-1 No response	6284	83.9		
Total		7486	100.0		

kw1311 A18d2: Child had these nose and/or eye problems in August in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	797	10.6	89.0	89.0
	9 Don't know	99	1.3	11.0	100.0
	Total	896	12.0	100.0	
Missing	-1 No response	6590	88.0		
Total		7486	100.0		

kw1312 A18d2: Child had these nose and/or eye problems in September in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	446	6.0	81.8	81.8
	9 Don't know	99	1.3	18.2	100.0
	Total	545	7.3	100.0	
Missing	-1 No response	6941	92.7		
Total		7486	100.0		

kw1313 A18d2: Child had these nose and/or eye problems in October in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	341	4.6	78.2	78.2
	9 Don't know	95	1.3	21.8	100.0
	Total	436	5.8	100.0	
Missing	-1 No response	7050	94.2		
Total		7486	100.0		

KW File – Section A

kw1314 A18d2: Child had these nose and/or eye problems in November in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	340	4.5	78.3	78.3
	9 Don't know	94	1.3	21.7	100.0
	Total	434	5.8	100.0	
Missing	-1 No response	7052	94.2		
Total		7486	100.0		

kw1315 A18d2: Child had these nose and/or eye problems in December in the past 12 months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	336	4.5	78.0	78.0
	9 Don't know	95	1.3	22.0	100.0
	Total	431	5.8	100.0	
Missing	-1 No response	7055	94.2		
Total		7486	100.0		

kw1316 A18e: Child's activities were affected by these nose and/or eye problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not at all	1243	16.6	55.5	55.5
	2 A little	753	10.1	33.6	89.1
	3 A moderate amount	206	2.8	9.2	98.3
	4 A lot	38	.5	1.7	100.0
	Total	2240	29.9	100.0	
Missing	-1 No response	5246	70.1		
Total		7486	100.0		

PAGE 15 OF THE QUESTIONNAIRE

SECTION B: PROBLEMS AND INVESTIGATIONS

B1. a) **Since his 9th birthday** has anyone thought there might be a new problem with his hearing?

Yes ₁ No ₂

b) Has your child been seen by a hearing specialist **since he was 9?**

Yes ₁ No ₂ → **If no, go to B2a below**

If yes,

c) At what age?

9 years old ₁ 10 years old ₂ 11 years old ₃

d) What was decided?
.....

B2. a) Has your child been seen by an eye specialist for a new problem **since his 9th birthday?**

Yes ₁ No ₂ → **If no, go to B3a below**

If yes,

b) at what age?

9 years old ₁ 10 years old ₂ 11 years old ₃

c) What was decided?
.....

d) What treatment was given?
.....

B3. a) Has anyone **ever** thought that there might be a problem with his talking?

Yes ₁ No ₂ → **If no, go to B4a on page 16**

PAGE 16 OF THE QUESTIONNAIRE

If yes,

B3. b) Has he ever been seen by a speech therapist?

Yes

No

→ If **no**, go to B3c below**If yes,**(i) how old was he? years

(ii) what was decided?.....

.....

c) Are there still any worries about his talking?

Yes

No

If yes, please describe

.....

B4. a) Has anyone **ever** thought he might have a problem with clumsiness, movement or coordination?

Yes

No

→ If **no**, go to B5a on page 17**If yes,**

b) Has he ever been seen by a specialist about this?

Yes

No

→ If **no**, go to B4e below**If yes,**c) how old was he? years (If less than 12 months put 00)

d) what was decided?.....

.....

e) Are there still worries about this?

Yes

No

If yes, please describe.....

.....

PAGE 17 OF THE QUESTIONNAIRE

- B5. a) Has anyone **ever** thought there might be a problem with other aspects of his development?

Yes 1 No 2 → If **no**, go to B6a below

If **yes**,

- b) Has he ever been seen by a specialist about this?

Yes 1 No 2 → If **no**, go to B5e below

If **yes**,

- c) how old was he? years (If less than 12 months put 00)

- d) what was decided?.....
.....

- e) Are there still worries about this?

Yes 1 No 2

If **yes**, please describe.....
.....

- B6. a) Has anyone **ever** thought there might be a problem with his behaviour or personality?

Yes 1 No 2 → If **no**, go to B7a on page 18

If **yes**,

- b) Has he ever been seen by a specialist about this?

Yes 1 No 2 → If **no**, go to B6e on page 18

If **yes**,

- c) how old was he? years (If less than 12 months put 00)

- d) what was decided?.....
.....

PAGE 18 OF THE QUESTIONNAIRE

B6. e) Are there still worries about this?

Yes No

If yes, please describe.....

.....

B7. a) Has anyone **ever** thought there might be a problem with aches and pains, including headache?

Yes No → **If no**, go to B8a on page 19

If yes,

b) Has he ever been seen by a specialist about this?

Yes No → **If no**, go to B7e below

If yes,

c) how old was he? years (If less than 12 months put 00)

d) what was decided?.....

.....

e) Are there still worries about this?

Yes No

If yes, please describe.....

.....

PAGE 19 OF THE QUESTIONNAIRE

- B8. a) Have there been any **other** problems for which your child saw (or is going to see) a specialist **since his 9th birthday**?

Yes ₁ No ₂ → If **no**, go to section C on page 20

If **yes**,

- b) For how many different problems?

Please list, for each problem, what has happened:

	Problem No.1	Problem No.2	Problem No.3
c) What was thought to be the problem?
d) Has he seen a specialist?	Yes <input type="text"/> ₁ No <input type="text"/> ₂ Not yet <input type="text"/> ₃	Yes <input type="text"/> ₁ No <input type="text"/> ₂ Not yet <input type="text"/> ₃	Yes <input type="text"/> ₁ No <input type="text"/> ₂ Not yet <input type="text"/> ₃
e) What age was he the first time he was seen for this problem ? (put 00 if less than 12 months)	<input type="text"/> <input type="text"/> years	<input type="text"/> <input type="text"/> years	<input type="text"/> <input type="text"/> years
f) What was decided?
g) What treatment was given?

If more than 3 problems, continue below or on a separate sheet.

KW File – Section B

kw2000 B1a: Child has been thought to have hearing problems since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	179	2.4	2.4	2.4
	2 No	7211	96.3	97.6	100.0
	Total	7390	98.7	100.0	
Missing	-1 No response	96	1.3		
Total		7486	100.0		

kw2001 B1b: Child was seen by a hearing specialist since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	286	3.8	4.0	4.0
	2 No	6849	91.5	96.0	100.0
	Total	7135	95.3	100.0	
Missing	-1 No response	351	4.7		
Total		7486	100.0		

kw2002 B1c: Age of child when seen by hearing specialist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 9	140	1.9	51.9	51.9
	2 10	98	1.3	36.3	88.1
	3 11	32	.4	11.9	100.0
	Total	270	3.6	100.0	
Missing	-1 No response	7216	96.4		
Total		7486	100.0		

kw2010 B2a: Child has been seen by an eye specialist for a new problem since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	511	6.8	6.9	6.9
	2 No	6873	91.8	93.1	100.0
	Total	7384	98.6	100.0	
Missing	-1 No response	102	1.4		
Total		7486	100.0		

kw2011 B2b: Age of child when seen by eye specialist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 9	94	1.3	18.8	18.8
	2 10	205	2.7	40.9	59.7
	3 11	202	2.7	40.3	100.0
	Total	501	6.7	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	6984	93.3		
	Total	6985	93.3		
Total		7486	100.0		

KW File – Section B

kw2020 B3a: Child has been thought to have a speech problem at some time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	875	11.7	11.9	11.9
	2 No	6462	86.3	88.1	100.0
	Total	7337	98.0	100.0	
Missing	-1 No response	149	2.0		
Total		7486	100.0		

kw2021 B3b: Child has been seen by a speech therapist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	764	10.2	73.7	73.7
	2 No	273	3.6	26.3	100.0
	Total	1037	13.9	100.0	
Missing	-1 No response	6449	86.1		
Total		7486	100.0		

kw2022 B3b1: Age of child when seen by speech therapist

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	.0	.4	.4
	1	12	.2	1.6	2.0
	2	138	1.8	18.3	20.3
	3	272	3.6	36.1	56.4
	4	144	1.9	19.1	75.5
	5	68	.9	9.0	84.5
	6	33	.4	4.4	88.9
	7	28	.4	3.7	92.6
	8	12	.2	1.6	94.2
	9	14	.2	1.9	96.0
	10	22	.3	2.9	98.9
	11	8	.1	1.1	100.0
	Total	754	10.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	6731	89.9		
	Total	6732	89.9		
Total		7486	100.0		

kw2024 B3c: Still worried about child's speech

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	182	2.4	18.6	18.6
	2 No	795	10.6	81.4	100.0
	Total	977	13.1	100.0	
Missing	-1 No response	6509	86.9		
Total		7486	100.0		

KW File – Section B

kw2030 B4a: Child ever thought to have problem with clumsiness/coordination

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	504	6.7	6.8	6.8
	2 No	6926	92.5	93.2	100.0
	Total	7430	99.3	100.0	
Missing	-1 No response	56	.7		
Total		7486	100.0		

kw2031 B4b: Child has been seen by a specialist for clumsiness/coordination

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	278	3.7	54.2	54.2
	2 No	235	3.1	45.8	100.0
	Total	513	6.9	100.0	
Missing	-1 No response	6973	93.1		
Total		7486	100.0		

kw2032 B4c: Age of child when seen by specialist for clumsiness/coordination

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	26	.3	9.1	9.1
	1	9	.1	3.1	12.2
	2	23	.3	8.0	20.2
	3	26	.3	9.1	29.3
	4	20	.3	7.0	36.2
	5	24	.3	8.4	44.6
	6	32	.4	11.1	55.7
	7	35	.5	12.2	67.9
	8	28	.4	9.8	77.7
	9	23	.3	8.0	85.7
	10	29	.4	10.1	95.8
	11	12	.2	4.2	100.0
	Total	287	3.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	7198	96.2		
	Total	7199	96.2		
Total		7486	100.0		

kw2034 B4e: Still worried about clumsiness/coordination

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	232	3.1	47.3	47.3
	2 No	259	3.5	52.7	100.0
	Total	491	6.6	100.0	
Missing	-1 No response	6995	93.4		
Total		7486	100.0		

KW File – Section B

kw2040 B5a: Child ever thought to have a problem with other aspects of development

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	539	7.2	7.3	7.3
	2 No	6865	91.7	92.7	100.0
	Total	7404	98.9	100.0	
Missing	-1 No response	82	1.1		
Total		7486	100.0		

kw2041 B5b: Child been seen by a specialist for other aspects of development

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	437	5.8	80.5	80.5
	2 No	106	1.4	19.5	100.0
	Total	543	7.3	100.0	
Missing	-1 No response	6943	92.7		
Total		7486	100.0		

kw2042 B5c: Age of child when seen by specialist for other aspects of development

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	53	.7	12.1	12.1
	1	15	.2	3.4	15.5
	2	26	.3	5.9	21.4
	3	31	.4	7.1	28.5
	4	32	.4	7.3	35.8
	5	28	.4	6.4	42.1
	6	29	.4	6.6	48.7
	7	56	.7	12.8	61.5
	8	41	.5	9.3	70.8
	9	46	.6	10.5	81.3
	10	48	.6	10.9	92.3
	11	32	.4	7.3	99.5
	12	2	.0	.5	100.0
	Total	439	5.9	100.0	
Missing	-1 No response	7047	94.1		
Total		7486	100.0		

kw2044 B5e: Still worried about other aspects of development

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	345	4.6	65.0	65.0
	2 No	186	2.5	35.0	100.0
	Total	531	7.1	100.0	
Missing	-1 No response	6955	92.9		
Total		7486	100.0		

KW File – Section B

kw2050 B6a: Child ever thought to have behaviour/personality problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	556	7.4	7.5	7.5
	2 No	6857	91.6	92.5	100.0
	Total	7413	99.0	100.0	
Missing	-1 No response	73	1.0		
Total		7486	100.0		

kw2051 B6b: Child seen by specialist about behaviour/personality problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	338	4.5	60.5	60.5
	2 No	221	3.0	39.5	100.0
	Total	559	7.5	100.0	
Missing	-1 No response	6927	92.5		
Total		7486	100.0		

kw2052 B6c: Age of child when seen by this specialist about behaviour/personality problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	8	.1	2.3	2.3
	1	2	.0	.6	2.9
	2	17	.2	5.0	7.9
	3	23	.3	6.7	14.6
	4	26	.3	7.6	22.2
	5	38	.5	11.1	33.3
	6	18	.2	5.3	38.6
	7	38	.5	11.1	49.7
	8	37	.5	10.8	60.5
	9	43	.6	12.6	73.1
	10	49	.7	14.3	87.4
	11	40	.5	11.7	99.1
	12	3	.0	.9	100.0
	Total	342	4.6	100.0	
Missing	-1 No response	7144	95.4		
Total		7486	100.0		

kw2054 B6e: Still worried about behaviour/personality problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	306	4.1	56.8	56.8
	2 No	233	3.1	43.2	100.0
	Total	539	7.2	100.0	
Missing	-1 No response	6947	92.8		
Total		7486	100.0		

KW File – Section B

kw2060 B7a: Child ever thought to have a problem with aches/pains/headaches

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	569	7.6	7.7	7.7
	2 No	6832	91.3	92.3	100.0
	Total	7401	98.9	100.0	
Missing	-1 No response	85	1.1		
Total		7486	100.0		

kw2061 B7b: Child has seen specialist about aches/pains/headaches

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	287	3.8	50.0	50.0
	2 No	287	3.8	50.0	100.0
	Total	574	7.7	100.0	
Missing	-1 No response	6912	92.3		
Total		7486	100.0		

kw2062 B7c: Age of child when seen by specialist for aches/pains/headaches

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	14	.2	4.6	4.6
	1	1	.0	.3	5.0
	2	5	.1	1.7	6.6
	3	4	.1	1.3	7.9
	4	4	.1	1.3	9.2
	5	9	.1	3.0	12.2
	6	11	.1	3.6	15.8
	7	16	.2	5.3	21.1
	8	24	.3	7.9	29.0
	9	54	.7	17.8	46.9
	10	90	1.2	29.7	76.6
	11	69	.9	22.8	99.3
	12	2	.0	.7	100.0
	Total	303	4.0	100.0	
Missing	-1 No response	7183	96.0		
Total		7486	100.0		

kw2064 B7e: Still worried about aches/pains/headaches

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	261	3.5	48.5	48.5
	2 No	277	3.7	51.5	100.0
	Total	538	7.2	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	6947	92.8		
	Total	6948	92.8		
Total		7486	100.0		

KW File – Section B

kw2070 B8a: Child seen/to be seen by specialist for other problems since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	678	9.1	9.2	9.2
	2 No	6675	89.2	90.8	100.0
	Total	7353	98.2	100.0	
Missing	-1 No response	133	1.8		
Total		7486	100.0		

kw2071 B8b: Number of other different problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	.2	.2
	1	593	7.9	91.0	91.1
	2	49	.7	7.5	98.6
	3	8	.1	1.2	99.8
	4	1	.0	.2	100.0
	Total	652	8.7	100.0	
Missing	-1 No response	6834	91.3		
Total		7486	100.0		

kw2081 B8d1: Child has seen specialist for problem 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	592	7.9	88.5	88.5
	2 No	15	.2	2.2	90.7
	3 Not yet	62	.8	9.3	100.0
	Total	669	8.9	100.0	
Missing	-1 No response	6817	91.1		
Total		7486	100.0		

kw2082 B8e1: Age of child when seen for first time for problem 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	51	.7	8.1	8.1
	1	8	.1	1.3	9.4
	2	14	.2	2.2	11.7
	3	10	.1	1.6	13.3
	4	10	.1	1.6	14.9
	5	18	.2	2.9	17.7
	6	9	.1	1.4	19.2
	7	20	.3	3.2	22.4
	8	29	.4	4.6	27.0
	9	116	1.5	18.5	45.5
	10	185	2.5	29.6	75.1
	11	155	2.1	24.8	99.8
	12	1	.0	.2	100.0
	Total	626	8.4	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	6859	91.6		
	Total	6860	91.6		
Total		7486	100.0		

KW File – Section B

kw2091 B8d2: Child has seen specialist for problem 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	64	.9	86.5	86.5
	2 No	4	.1	5.4	91.9
	3 Not yet	6	.1	8.1	100.0
	Total	74	1.0	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	7411	99.0		
	Total	7412	99.0		
Total		7486	100.0		

kw2092 B8e2: Age of child when seen for first time for problem 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	7	.1	10.1	10.1
	1	5	.1	7.2	17.4
	3	1	.0	1.4	18.8
	4	2	.0	2.9	21.7
	5	2	.0	2.9	24.6
	8	3	.0	4.3	29.0
	9	11	.1	15.9	44.9
	10	12	.2	17.4	62.3
	11	26	.3	37.7	100.0
	Total	69	.9	100.0	
Missing	-1 No response	7417	99.1		
Total		7486	100.0		

kw2101 B8d3: Child has seen specialist for problem 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	15	.2	100.0	100.0
Missing	-9 Don't know	1	.0		
	-1 No response	7470	99.8		
	Total	7471	99.8		
Total		7486	100.0		

kw2102 B8e3: Age of child when seen for first time for problem 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3	.0	27.3	27.3
	1	1	.0	9.1	36.4
	6	1	.0	9.1	45.5
	8	1	.0	9.1	54.5
	9	1	.0	9.1	63.6
	10	2	.0	18.2	81.8
	11	2	.0	18.2	100.0
	Total	11	.1	100.0	
Missing	-1 No response	7475	99.9		
Total		7486	100.0		

PAGE 20 OF THE QUESTIONNAIRE

SECTION C: ACCIDENTS AND INJURIES

However careful a parent is, most children have accidents at some time or other. Please list on the next pages the times your child has had an accident, whether or not he was injured as a result.

C1. a) Has he been burnt or scalded **since his 9th birthday**?

Yes

No

→ If **no**, go to C2a on page 21

If **yes**, b) how many times?

For each accident please describe below what happened:

	1st accident	2nd accident	3rd accident
c) Place accident happened (e.g. kitchen, park, school)
d) What was he burnt with? (e.g. tea, iron, electric fire, bonfire, fireworks)
e) Date of accident (month, year).....
f) Injuries caused (if no injury write none)
g) Who was with him?
h) What did the person with him do?			
Nothing	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="1"/>
Treated him themselves	<input type="text" value="2"/>	<input type="text" value="2"/>	<input type="text" value="2"/>
Took to doctor	<input type="text" value="3"/>	<input type="text" value="3"/>	<input type="text" value="3"/>
Took to hospital	<input type="text" value="4"/>	<input type="text" value="4"/>	<input type="text" value="4"/>
Other (please describe)	<input type="text" value="5"/>	<input type="text" value="5"/>	<input type="text" value="5"/>
.....
i) What treatment did the person with him give?
j) What other treatment did he have?
k) Please describe how each accident happened:			

Burn 1.....

Burn 2.....

Burn 3.....

PAGE 21 OF THE QUESTIONNAIRE

C2. a) Has he had an accident while playing sports or games **since his 9th birthday**?

Yes No → If **no**, go to C3a on page 22

If **yes**, b) how many times?

For each accident please describe below what happened:

	1st accident	2nd accident	3rd accident
c) Place it happened (e.g. playground, street, school)
d) What happened (e.g. hit by ball, fell off trampoline)?
e) Date of accident (month, year).....
f) Injuries caused (if no injury write none)
g) Who was with him?
h) What did the person with him do?			
Nothing	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="1"/>
Treated him themselves	<input type="text" value="2"/>	<input type="text" value="2"/>	<input type="text" value="2"/>
Took to doctor	<input type="text" value="3"/>	<input type="text" value="3"/>	<input type="text" value="3"/>
Took to hospital	<input type="text" value="4"/>	<input type="text" value="4"/>	<input type="text" value="4"/>
Other (please describe)	<input type="text" value="5"/>	<input type="text" value="5"/>	<input type="text" value="5"/>

i) What treatment did the person with him give?
j) What other treatment did he have?

k) Please describe how each accident happened:

Accident 1

Accident 2

Accident 3

PAGE 22 OF THE QUESTIONNAIRE

- C3. a) Has he swallowed anything he shouldn't have (such as pills, buttons, disinfectant) **since his 9th birthday**?

Yes No → If **no**, go to C4a on page 23

If **yes**, b) how many times?

For each time please describe below what happened:

	1st accident	2nd accident	3rd accident
c) Place accident happened (e.g. your home, school) at friend's)
d) What did he swallow? (e.g. bleach, aspirin, marble)
e) Date of accident (month, year).....
f) Who was with him?
g) What did the person with him do?			
Nothing	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="1"/>
Treated him themselves	<input type="text" value="2"/>	<input type="text" value="2"/>	<input type="text" value="2"/>
Took to doctor	<input type="text" value="3"/>	<input type="text" value="3"/>	<input type="text" value="3"/>
Took to hospital	<input type="text" value="4"/>	<input type="text" value="4"/>	<input type="text" value="4"/>
Other (please describe)	<input type="text" value="5"/>	<input type="text" value="5"/>	<input type="text" value="5"/>

h) What treatment did the person with him give?
i) What other treatment did he have?
j) Please describe how each accident happened:			

Accident 1

Accident 2

Accident 3

PAGE 23 OF THE QUESTIONNAIRE

C4. a) Has he had any injuries involving traffic **since his 9th birthday**?Yes No → If **no**, go to C5a on page 24If **yes**, b) how many times?

For each accident or injury please describe below what happened:

	1st accident	2nd accident	3rd accident
c) Where was he and what was he doing (e.g. sitting in car, riding a bicycle)?
d) What happened (e.g. car hit tree, fell off bike)
e) Date of accident (month, year).....
f) Injuries caused (if no injury write none)
g) Who was with him?
h) What did the person with him do?			
Nothing	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="1"/>
Treated him themselves	<input type="text" value="2"/>	<input type="text" value="2"/>	<input type="text" value="2"/>
Took to doctor	<input type="text" value="3"/>	<input type="text" value="3"/>	<input type="text" value="3"/>
Took to hospital	<input type="text" value="4"/>	<input type="text" value="4"/>	<input type="text" value="4"/>
Other (please describe)	<input type="text" value="5"/>	<input type="text" value="5"/>	<input type="text" value="5"/>

i) What treatment did the person with him give?
j) What other treatment did he have?

k) Please describe how each accident happened:

Accident 1

Accident 2

Accident 3

PAGE 24 OF THE QUESTIONNAIRE

- C5. a) Has he been injured by the action of another person, whether intentionally or not **since his 9th birthday**? (Don't include sports injuries here but include them in C2).

Yes 1 No 2 → If **no**, go to C6a on page 25

If **yes**, b) how many times?

For each accident please describe below what happened:

	1st injury	2nd injury	3rd injury
c) Person involved (e.g. stranger, sister, child's father)
d) What happened?
e) Date of injury (month, year).....
f) Who else was with him?
g) What did the person with him do?			
Nothing	<input type="text"/> 1	<input type="text"/> 1	<input type="text"/> 1
Treated him themselves	<input type="text"/> 2	<input type="text"/> 2	<input type="text"/> 2
Took to doctor	<input type="text"/> 3	<input type="text"/> 3	<input type="text"/> 3
Took to hospital	<input type="text"/> 4	<input type="text"/> 4	<input type="text"/> 4
Other (please describe)	<input type="text"/> 5	<input type="text"/> 5	<input type="text"/> 5

h) What treatment did the person with him give?
i) What other treatment did he have?
j) Please describe how each accident happened:			

Injury 1

Injury 2

Injury 3

PAGE 25 OF THE QUESTIONNAIRE

C6. a) Has he had any other accidents or injuries **since his 9th birthday?**

Yes No → If **no**, go to C7 on page 26

If **yes**, b) how many times?

For each time please describe below what happened:

	1st accident	2nd accident	3rd accident
c) Place accident happened (e.g. kitchen, garden, street, school)
d) What happened?
e) Date of injury (month, year).....
f) Injuries caused (if no injury write none)
g) What did the person with him do?			
Nothing	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="1"/>
Treated him themselves	<input type="text" value="2"/>	<input type="text" value="2"/>	<input type="text" value="2"/>
Took to doctor	<input type="text" value="3"/>	<input type="text" value="3"/>	<input type="text" value="3"/>
Took to hospital	<input type="text" value="4"/>	<input type="text" value="4"/>	<input type="text" value="4"/>
Other (please describe)	<input type="text" value="5"/>	<input type="text" value="5"/>	<input type="text" value="5"/>

h) What treatment did the person with him give?
i) What other treatment did he have?
j) Please describe how each accident happened:			

Accident 1

Accident 2

Accident 3

PAGE 26 OF THE QUESTIONNAIRE

C7. Has he had any of the following happen **since he was born**? (tick all questions and all time periods that apply)

	(i) Yes, aged 0 - 4 years	(ii) Yes, aged 5-8 years	(iii) Yes, since his 9 th birthday
a) Broken arm/hand	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Broken leg/foot	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Broken/cracked skull	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Other broken bone (please describe).....	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e) Unconscious because of a head injury	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f) Cut(s) requiring stitches	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
g) Burn or scald needing a skin graft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
h) A road traffic accident	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
i) An accident in a playground	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
j) An accident at school, nursery, crèche	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
k) Stung by wasp or bee	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
l) Bitten by animal or human (please tick and describe)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
m) Badly sunburnt	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
n) Nearly drowned	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
o) Front tooth (teeth) knocked out	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
p) Front tooth (teeth) chipped or injured	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
q) Other tooth/teeth knocked out or chipped	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PAGE 27 OF THE QUESTIONNAIRE

C8. Has the study child ever had an accident that has had effects that are still present?
(Please tick all that apply)

- | | |
|--------------------------------|--|
| a) yes, a scar | <div style="border: 1px solid red; padding: 2px; display: inline-block;">1</div> |
| b) yes, a behaviour difference | <div style="border: 1px solid red; padding: 2px; display: inline-block;">1</div> |
| c) yes, other | <div style="border: 1px solid red; padding: 2px; display: inline-block;">1</div> |

For any of the above, please describe

.....

.....

KW File – Section C

kw3000 C1a: Child has been burnt or scalded since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	336	4.5	4.5	4.5
	2 No	7093	94.8	95.5	100.0
	Total	7429	99.2	100.0	
Missing	-1 No response	57	.8		
Total		7486	100.0		

kw3001 C1b: Number of times that child was burnt or scalded since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	.0	.3	.3
	1	273	3.6	84.3	84.6
	2	42	.6	13.0	97.5
	3	8	.1	2.5	100.0
	Total	324	4.3	100.0	
Missing	-1 No response	7162	95.7		
Total		7486	100.0		

kw3015 C1h: Action taken by person with child after burn/scald accident - 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	24	.3	7.7	7.7
	2 Treated child themselves	243	3.2	77.6	85.3
	3 Took to doctor	6	.1	1.9	87.2
	4 Took to hospital	12	.2	3.8	91.1
	5 Other	28	.4	8.9	100.0
	Total	313	4.2	100.0	
Missing	-1 No response	7173	95.8		
Total		7486	100.0		

kw3025 C1h: Action taken by person with child after burn/scald accident - 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	5	.1	10.4	10.4
	2 Treated child themselves	41	.5	85.4	95.8
	4 Took to hospital	1	.0	2.1	97.9
	5 Other	1	.0	2.1	100.0
	Total	48	.6	100.0	
Missing	-1 No response	7438	99.4		
Total		7486	100.0		

kw3035 C1h: Action taken by person with child after burn/scald accident - 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	3	.0	50.0	50.0
	2 Treated child themselves	2	.0	33.3	83.3
	5 Other	1	.0	16.7	100.0
	Total	6	.1	100.0	
Missing	-1 No response	7480	99.9		
Total		7486	100.0		

KW File – Section C

kw3100 C2a: Child has had an accident while playing sports or games since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1632	21.8	22.4	22.4
	2 No	5645	75.4	77.6	100.0
	Total	7277	97.2	100.0	
Missing	-1 No response	209	2.8		
Total		7486	100.0		

kw3101 C2b: Number of times that child had an accident playing sports or games

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	912	12.2	67.3	67.3
	2	292	3.9	21.5	88.9
	3	90	1.2	6.6	95.5
	4	20	.3	1.5	97.0
	5	12	.2	.9	97.9
	6	7	.1	.5	98.4
	7	3	.0	.2	98.6
	8	1	.0	.1	98.7
	10	10	.1	.7	99.4
	12	2	.0	.1	99.6
	15	2	.0	.1	99.7
	20	2	.0	.1	99.9
	50	1	.0	.1	99.9
	98 Occasionally	1	.0	.1	100.0
	Total	1355	18.1	100.0	
Missing	-9 Don't know	11	.1		
	-1 No response	6120	81.8		
	Total	6131	81.9		
Total		7486	100.0		

KW File – Section C

kw3115 C2h: Action taken by person with child after sports accident - 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	318	4.2	21.1	21.1
	2 Treated child themselves	395	5.3	26.2	47.2
	3 Took to doctor	54	.7	3.6	50.8
	4 Took to hospital	322	4.3	21.3	72.1
	5 Other	421	5.6	27.9	100.0
	Total	1510	20.2	100.0	
Missing	-1 No response	5976	79.8		
Total		7486	100.0		

kw3125 C2h: Action taken by person with child after sports accident - 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	101	1.3	20.5	20.5
	2 Treated child themselves	181	2.4	36.8	57.3
	3 Took to doctor	11	.1	2.2	59.6
	4 Took to hospital	82	1.1	16.7	76.2
	5 Other	117	1.6	23.8	100.0
	Total	492	6.6	100.0	
Missing	-1 No response	6994	93.4		
Total		7486	100.0		

kw3135 C2h: Action taken by person with child after sports accident - 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	35	.5	22.4	22.4
	2 Treated child themselves	67	.9	42.9	65.4
	3 Took to doctor	7	.1	4.5	69.9
	4 Took to hospital	17	.2	10.9	80.8
	5 Other	30	.4	19.2	100.0
	Total	156	2.1	100.0	
Missing	-1 No response	7330	97.9		
Total		7486	100.0		

KW File – Section C

kw3200 C3a: Child swallowed something they shouldn't have (pills, buttons, disinfectant) since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	35	.5	.5	.5
	2 No	7412	99.0	99.5	100.0
	Total	7447	99.5	100.0	
Missing	-1 No response	39	.5		
Total		7486	100.0		

kw3201 C3b: Number of times that child swallowed something they shouldn't have

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	31	.4	93.9	93.9
	2	2	.0	6.1	100.0
	Total	33	.4	100.0	
Missing	-1 No response	7453	99.6		
Total		7486	100.0		

kw3215 C3g: Action taken by person with child after accidental swallowing - 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	9	.1	27.3	27.3
	2 Treated child themselves	5	.1	15.2	42.4
	3 Took to doctor	1	.0	3.0	45.5
	4 Took to hospital	12	.2	36.4	81.8
	5 Other	6	.1	18.2	100.0
	Total	33	.4	100.0	
Missing	-1 No response	7453	99.6		
Total		7486	100.0		

kw3225 C3g: Action taken by person with child after accidental swallowing - 2

	Frequency	Percent
Missing -1 No response	7486	100.0

kw3235 C3g: Action taken by person with child after accidental swallowing - 3

	Frequency	Percent
Missing -1 No response	7486	100.0

KW File – Section C

kw3300 C4a: Child has had injuries involving traffic since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	121	1.6	1.6	1.6
	2 No	7321	97.8	98.4	100.0
	Total	7442	99.4	100.0	
Missing	-1 No response	44	.6		
Total		7486	100.0		

kw3301 C4b: Number of times that child has had injuries involving traffic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	117	1.6	99.2	99.2
	2	1	.0	.8	100.0
	Total	118	1.6	100.0	
Missing	-1 No response	7368	98.4		
Total		7486	100.0		

kw3315 C4h: Action taken by person with child after traffic accident - 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	16	.2	15.4	15.4
	2 Treated child themselves	18	.2	17.3	32.7
	3 Took to doctor	6	.1	5.8	38.5
	4 Took to hospital	29	.4	27.9	66.3
	5 Other	35	.5	33.7	100.0
	Total	104	1.4	100.0	
Missing	-1 No response	7382	98.6		
Total		7486	100.0		

kw3325 C4h: Action taken by person with child after traffic accident - 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	1	.0	33.3	33.3
	2 Treated child themselves	1	.0	33.3	66.7
	5 Other	1	.0	33.3	100.0
	Total	3	.0	100.0	
Missing	-1 No response	7483	100.0		
Total		7486	100.0		

kw3335 C4h: Action taken by person with child after traffic accident - 3

		Frequency	Percent
Missing	-1 No response	7486	100.0

KW File – Section C

kw3400 C5a: Child has been injured by the actions of another person, intentional or not, since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	401	5.4	5.4	5.4
2 No	6966	93.1	94.6	100.0
Total	7367	98.4	100.0	
Missing -1 No response	119	1.6		
Total	7486	100.0		

kw3401 C5b: Number of times that child has been injured by actions of another person, since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	290	3.9	85.8	85.8
2	35	.5	10.4	96.2
3	6	.1	1.8	97.9
4	1	.0	.3	98.2
5	2	.0	.6	98.8
6	1	.0	.3	99.1
7	1	.0	.3	99.4
10	1	.0	.3	99.7
12	1	.0	.3	100.0
Total	338	4.5	100.0	
Missing -9 Don't know	4	.1		
-1 No response	7144	95.4		
Total	7148	95.5		
Total	7486	100.0		

KW File – Section C

kw3415 C5g: Action taken by person with child after injury - 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	79	1.1	21.9	21.9
	2 Treated child themselves	76	1.0	21.1	42.9
	3 Took to doctor	10	.1	2.8	45.7
	4 Took to hospital	71	.9	19.7	65.4
	5 Other	125	1.7	34.6	100.0
	Total	361	4.8	100.0	
Missing	-1 No response	7125	95.2		
Total		7486	100.0		

kw3425 C5g: Action taken by person with child after injury - 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	21	.3	40.4	40.4
	2 Treated child themselves	13	.2	25.0	65.4
	3 Took to doctor	1	.0	1.9	67.3
	4 Took to hospital	6	.1	11.5	78.8
	5 Other	11	.1	21.2	100.0
	Total	52	.7	100.0	
Missing	-1 No response	7434	99.3		
Total		7486	100.0		

kw3435 C5g: Action taken by person with child after injury - 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	3	.0	25.0	25.0
	2 Treated child themselves	6	.1	50.0	75.0
	4 Took to hospital	1	.0	8.3	83.3
	5 Other	2	.0	16.7	100.0
	Total	12	.2	100.0	
Missing	-1 No response	7474	99.8		
Total		7486	100.0		

KW File – Section C

kw3500 C6a: Child has had other accidents or injuries since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	947	12.7	12.9	12.9
	2 No	6400	85.5	87.1	100.0
	Total	7347	98.1	100.0	
Missing	-1 No response	139	1.9		
Total		7486	100.0		

kw3501 C6b: Number of times that child has had other accidents or injuries since 9th birthday

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	681	9.1	81.9	81.9
	2	119	1.6	14.3	96.3
	3	18	.2	2.2	98.4
	4	3	.0	.4	98.8
	5	2	.0	.2	99.0
	6	3	.0	.4	99.4
	10	3	.0	.4	99.8
	20	1	.0	.1	99.9
	98 Occasionally	1	.0	.1	100.0
	Total	831	11.1	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	6654	88.9		
	Total	6655	88.9		
Total		7486	100.0		

KW File – Section C

kw3515 C6g: Action taken by person with child after other accident/injury - 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	87	1.2	9.6	9.6
	2 Treated child themselves	207	2.8	22.8	32.5
	3 Took to doctor	58	.8	6.4	38.9
	4 Took to hospital	378	5.0	41.7	80.6
	5 Other	176	2.4	19.4	100.0
	Total	906	12.1	100.0	
Missing	-1 No response	6580	87.9		
Total		7486	100.0		

kw3525 C6g: Action taken by person with child after other accident/injury - 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	21	.3	13.0	13.0
	2 Treated child themselves	55	.7	34.2	47.2
	3 Took to doctor	4	.1	2.5	49.7
	4 Took to hospital	51	.7	31.7	81.4
	5 Other	30	.4	18.6	100.0
	Total	161	2.2	100.0	
Missing	-1 No response	7325	97.8		
Total		7486	100.0		

kw3535 C6g: Action taken by person with child after other accident/injury - 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nothing	6	.1	19.4	19.4
	2 Treated child themselves	12	.2	38.7	58.1
	3 Took to doctor	2	.0	6.5	64.5
	4 Took to hospital	10	.1	32.3	96.8
	5 Other	1	.0	3.2	100.0
	Total	31	.4	100.0	
Missing	-1 No response	7455	99.6		
Total		7486	100.0		

KW File – Section C

kw3600 C7a1: Child broke arm or hand whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	210	2.8	100.0	100.0
Missing -1 No response	7276	97.2		
Total	7486	100.0		

kw3601 C7a2: Child broke arm or hand whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	393	5.2	100.0	100.0
Missing -1 No response	7093	94.8		
Total	7486	100.0		

kw3602 C7a3: Child broke arm or hand since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	405	5.4	100.0	100.0
Missing -1 No response	7081	94.6		
Total	7486	100.0		

kw3610 C7b1: Child broke leg or foot whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	96	1.3	100.0	100.0
Missing -1 No response	7390	98.7		
Total	7486	100.0		

kw3611 C7b2: Child broke leg or foot whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	72	1.0	100.0	100.0
Missing -1 No response	7414	99.0		
Total	7486	100.0		

kw3612 C7b3: Child broke leg or foot since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	93	1.2	100.0	100.0
Missing -1 No response	7393	98.8		
Total	7486	100.0		

KW File – Section C

kw3620 C7c1: Child broke or cracked skull whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	46	.6	100.0	100.0
Missing -1 No response	7440	99.4		
Total	7486	100.0		

kw3621 C7c2: Child broke or cracked skull whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	16	.2	100.0	100.0
Missing -1 No response	7470	99.8		
Total	7486	100.0		

kw3622 C7c3: Child broke or cracked skull since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	9	.1	100.0	100.0
Missing -1 No response	7477	99.9		
Total	7486	100.0		

kw3630 C7d1: Child broke other bone whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Relevant text, but no box ticked in parts 1, 2 or 3	3	.0	3.3	3.3
1 Yes	87	1.2	96.7	100.0
Total	90	1.2	100.0	
Missing -1 No response	7396	98.8		
Total	7486	100.0		

kw3631 C7d2: Child broken other bone whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Relevant text, but no box ticked in parts 1, 2 or 3	3	.0	2.2	2.2
1 Yes	134	1.8	97.8	100.0
Total	137	1.8	100.0	
Missing -1 No response	7349	98.2		
Total	7486	100.0		

kw3632 C7d3: Child broken other bone since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Relevant text, but no box ticked in parts 1, 2 or 3	3	.0	1.4	1.4
1 Yes	211	2.8	98.6	100.0
Total	214	2.9	100.0	
Missing -1 No response	7272	97.1		
Total	7486	100.0		

KW File – Section C

kw3640 C7e1: Child been unconscious because of head injury whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	47	.6	100.0	100.0
Missing -1 No response	7439	99.4		
Total	7486	100.0		

kw3641 C7e2: Child been unconscious because of head injury whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	40	.5	100.0	100.0
Missing -1 No response	7446	99.5		
Total	7486	100.0		

kw3642 C7e3: Child been unconscious because of head injury since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	49	.7	100.0	100.0
Missing -1 No response	7437	99.3		
Total	7486	100.0		

kw3650 C7f1: Child had a cut that required stitches whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	782	10.4	100.0	100.0
Missing -1 No response	6704	89.6		
Total	7486	100.0		

kw3651 C7f2: Child had a cut that required stitches whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	573	7.7	100.0	100.0
Missing -1 No response	6913	92.3		
Total	7486	100.0		

kw3652 C7f3: Child had a cut that required stitches since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	285	3.8	100.0	100.0
Missing -1 No response	7201	96.2		
Total	7486	100.0		

KW File – Section C

kw3660 C7g1: Child been burnt or scalded which needed a skin graft whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	25	.3	100.0	100.0
Missing -1 No response	7461	99.7		
Total	7486	100.0		

kw3661 C7g2: Child been burnt or scalded which needed a skin graft whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3	.0	100.0	100.0
Missing -1 No response	7483	100.0		
Total	7486	100.0		

kw3662 C7g3: Child been burnt or scalded which needed a skin graft since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7	.1	100.0	100.0
Missing -1 No response	7479	99.9		
Total	7486	100.0		

kw3670 C7h1: Child had a road traffic accident whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	52	.7	100.0	100.0
Missing -1 No response	7434	99.3		
Total	7486	100.0		

kw3671 C7h2: Child had a road traffic accident whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	68	.9	100.0	100.0
Missing -1 No response	7418	99.1		
Total	7486	100.0		

kw3672 C7h3: Child had a road traffic accident since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	103	1.4	100.0	100.0
Missing -1 No response	7383	98.6		
Total	7486	100.0		

KW File – Section C

kw3680 C7i1: Child had an accident in the playground whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	211	2.8	100.0	100.0
Missing -1 No response	7275	97.2		
Total	7486	100.0		

kw3681 C7i2: Child had an accident in the playground whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	662	8.8	100.0	100.0
Missing -1 No response	6824	91.2		
Total	7486	100.0		

kw3682 C7i3: Child had an accident in the playground since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	629	8.4	100.0	100.0
Missing -1 No response	6857	91.6		
Total	7486	100.0		

kw3690 C7j1: Child had an accident at school, nursery or creche whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	239	3.2	100.0	100.0
Missing -1 No response	7247	96.8		
Total	7486	100.0		

kw3691 C7j2: Child had an accident at school, nursery or creche whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	365	4.9	100.0	100.0
Missing -1 No response	7121	95.1		
Total	7486	100.0		

kw3692 C7j3: Child had an accident at school, nursery or creche since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	438	5.9	100.0	100.0
Missing -1 No response	7048	94.1		
Total	7486	100.0		

KW File – Section C

kw3700 C7k1: Child been stung by wasp or bee whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1141	15.2	100.0	100.0
Missing -1 No response	6345	84.8		
Total	7486	100.0		

kw3701 C7k2: Child been stung by wasp or bee whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1158	15.5	100.0	100.0
Missing -1 No response	6328	84.5		
Total	7486	100.0		

kw3702 C7k3: Child been stung by wasp or bee since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	517	6.9	100.0	100.0
Missing -1 No response	6969	93.1		
Total	7486	100.0		

kw3710 C7l1: Child been bitten by animal or human whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	232	3.1	100.0	100.0
Missing -1 No response	7254	96.9		
Total	7486	100.0		

kw3711 C7l2: Child been bitten by animal or human whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	243	3.2	100.0	100.0
Missing -1 No response	7243	96.8		
Total	7486	100.0		

kw3712 C7l3: Child been bitten by animal or human since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	248	3.3	100.0	100.0
Missing -1 No response	7238	96.7		
Total	7486	100.0		

KW File – Section C

kw3720 C7m1: Child been badly sunburnt whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	148	2.0	100.0	100.0
Missing -1 No response	7338	98.0		
Total	7486	100.0		

kw3721 C7m2: Child been badly sunburnt whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	223	3.0	100.0	100.0
Missing -1 No response	7263	97.0		
Total	7486	100.0		

kw3722 C7m3: Child been badly sunburnt since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	260	3.5	100.0	100.0
Missing -1 No response	7226	96.5		
Total	7486	100.0		

kw3730 C7n1: Child nearly drowned whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	72	1.0	100.0	100.0
Missing -1 No response	7414	99.0		
Total	7486	100.0		

kw3731 C7n2: Child nearly drowned whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	41	.5	100.0	100.0
Missing -1 No response	7445	99.5		
Total	7486	100.0		

kw3732 C7n3: Child nearly drowned since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	16	.2	100.0	100.0
Missing -1 No response	7470	99.8		
Total	7486	100.0		

KW File – Section C

kw3740 C7o1: Child had front tooth knocked out whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	118	1.6	100.0	100.0
Missing -1 No response	7368	98.4		
Total	7486	100.0		

kw3741 C7o2: Child had front tooth knocked out whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	115	1.5	100.0	100.0
Missing -1 No response	7371	98.5		
Total	7486	100.0		

kw3742 C7o3: Child had front tooth knocked out since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	29	.4	100.0	100.0
Missing -1 No response	7457	99.6		
Total	7486	100.0		

kw3750 C7p1: Child had front tooth chipped or injured whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	303	4.0	100.0	100.0
Missing -1 No response	7183	96.0		
Total	7486	100.0		

kw3751 C7p2: Child had front tooth chipped or injured whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	310	4.1	100.0	100.0
Missing -1 No response	7176	95.9		
Total	7486	100.0		

kw3752 C7p3: Child had front tooth chipped or injured since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	254	3.4	100.0	100.0
Missing -1 No response	7232	96.6		
Total	7486	100.0		

KW File – Section C

kw3760 C7q1: Child had other tooth or teeth knocked out or chipped whilst 0 - 4 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	21	.3	100.0	100.0
Missing -1 No response	7465	99.7		
Total	7486	100.0		

kw3761 C7q2: Child had other tooth or teeth knocked out or chipped whilst 5 - 8 years

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	63	.8	100.0	100.0
Missing -1 No response	7423	99.2		
Total	7486	100.0		

kw3762 C7q3: Child had other tooth or teeth knocked out or chipped since 9th birthday

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	57	.8	100.0	100.0
Missing -1 No response	7429	99.2		
Total	7486	100.0		

KW File – Section C

kw3770 C8a: Child has had an accident where the effects are still present - a scar

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1831	24.5	100.0	100.0
Missing -1 No response	5655	75.5		
Total	7486	100.0		

kw3771 C8b: Child has had an accident where the effects are still present - a behaviour difference

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	49	.7	100.0	100.0
Missing -1 No response	7437	99.3		
Total	7486	100.0		

kw3772 C8c: Child has had an accident where the effects are still present - another effect

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	187	2.5	100.0	100.0
Missing -1 No response	7299	97.5		
Total	7486	100.0		

PAGE 28 OF THE QUESTIONNAIRE

SECTION D: DISCIPLINE & LIFESTYLE

D1. a) Are there rules in your home about what your study child can and cannot do?

No, not
at all Yes for
some things Yes, for
many things

b) Does he refuse to do what he does not want to do?

Yes
usually Yes
sometimes No, not
at all

	(i) I do	(ii) My husband/ partner does	(iii) His teacher does	(iv) Someone else ? please describe
c) Who has most control over your study child?	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="1"/>
d) Who usually tells him off?	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="1"/>
e) Who usually punishes him?	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="1"/>

f) How often is he punished?

every day
several times
a week once or twice
a week once or twice
a month rarely never

g) How often do you slap or hit him?

every day
several times
a week once or twice
a week once or twice a
month rarely never

D2. Has he ever run away from home?

Yes
No, but has tried to No, but has thought
of doing so No,
never Don't know

PAGE 29 OF THE QUESTIONNAIRE

D3. a) On normal school days what time in the morning does your child usually wake up?

hours	minutes	
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	a.m.

b) On normal school days what time in the evening does your child usually go to sleep?

hours	minutes	
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	p.m.

c) On weekends what time in the morning does your child usually wake up?

hours	minutes	
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	a.m.

d) On weekends what time in the evening does your child usually go to sleep?

hours	minutes	
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	p.m.

D4. a) Does he understand the concept of right and wrong?

Yes	<input type="text"/>	No	<input type="text"/>
	1		2

b) Can he determine himself what is proper behaviour?

Yes	<input type="text"/>	Yes	<input type="text"/>	No	<input type="text"/>	Don't	<input type="text"/>
usually	1	sometimes	2		3	know	9

D5. What does he consider important in his life? (tick all that apply)

	Yes
a) school results	<input type="text"/>
	1
b) relationship between himself and his teachers	<input type="text"/>
	1
c) relationship between himself and his friends	<input type="text"/>
	1

PAGE 30 OF THE QUESTIONNAIRE

		Yes
D5.	d) family relationships	<div>1</div>
	e) hobbies, interests	<div>1</div>
	f) friends	<div>1</div>
	g) clothes	<div>1</div>
	h) money	<div>1</div>
	i) material possessions	<div>1</div>
	j) holidays, trips	<div>1</div>

D6. What does he really like to do best? (tick all that apply)

		Yes
a)	sports	<div>1</div>
b)	playing a musical instrument	<div>1</div>
c)	singing	<div>1</div>
d)	dancing	<div>1</div>
e)	reading	<div>1</div>
f)	drawing	<div>1</div>
g)	making things	<div>1</div>
h)	other	<div>1</div>

(please tick and describe)

D7. Does he understand the concept of death as an irreversible event with all its emotional consequences?

Yes, understands	<div>1</div>	Yes, more or less understands	<div>2</div>
Not really	<div>3</div>	Not at all	<div>4</div>

PAGE 31 OF THE QUESTIONNAIRE

D8. Does he take an interest?

	Yes, very interested	Yes, somewhat interested	No, not interested	Not sure
a) in nationalism	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) in politics	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) in the meaning of life	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) in law and order	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) in religion	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

f) Does he attend a place of worship (church, mosque, etc)?

Yes often Yes sometimes No, not at all

g) Does he pray?

Yes often Yes sometimes No, not at all

Don't know

D9. a) What friends does he prefer?

boys	<input type="text" value="1"/>
girls	<input type="text" value="2"/>
he doesn't mind	<input type="text" value="3"/>
he doesn't have friends	<input type="text" value="4"/>

b) Does he have a favourite friend of the other sex?

Yes No

PAGE 32 OF THE QUESTIONNAIRE

D10. Is he at ease with children of his own age?

Yes

yes, fully

1

prefers younger children

2

prefers older children

3

D11. How much is he influenced by his friends/mates?

very strongly

1

fairly strongly

2

sometimes

3

rarely

4

never

5

D12. Has he ever been offered:

**Yes and I
know about it****Probably****Possibly****I do not
think so**

a) alcohol

1

2

3

4

b) cigarettes

1

2

3

4

c) drugs

1

2

3

4

PAGE 33 OF THE QUESTIONNAIRE

D13. (i) Has he ever tried:

	Yes and I know about it	Probably	Possibly	I do not think so
a) alcohol	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
b) cigarettes	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
c) drugs	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>

↓
If yes to any of the above,

(ii) At what age was he when he tried them? (put 99 if you don't know)

a)	alcohol	<input type="text"/>	<input type="text"/>	years
b)	cigarettes	<input type="text"/>	<input type="text"/>	years
c)	drugs	<input type="text"/>	<input type="text"/>	years

KW File – Section D

kw4000 D1a: There are rules in the home about what child can and cannot do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	269	3.6	3.6	3.6
	2 Yes, for some things	5581	74.6	75.3	78.9
	3 Yes, for many things	1563	20.9	21.1	100.0
	Total	7413	99.0	100.0	
Missing	-1 No response	73	1.0		
Total		7486	100.0		

kw4001 D1b: Child refuses to do what they don't want to do

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	277	3.7	3.8	3.8
	2 Yes, sometimes	4880	65.2	66.4	70.2
	3 No	2189	29.2	29.8	100.0
	Total	7346	98.1	100.0	
Missing	-1 No response	140	1.9		
Total		7486	100.0		

kw4010 D1c1: Mother has most control over child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6139	82.0	100.0	100.0
Missing	-1 No response	1347	18.0		
Total		7486	100.0		

kw4011 D1c2: Husband or partner has most control over child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2503	33.4	100.0	100.0
Missing	-1 No response	4983	66.6		
Total		7486	100.0		

kw4012 D1c3: Teacher has most control over child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	254	3.4	100.0	100.0
Missing	-1 No response	7232	96.6		
Total		7486	100.0		

kw4013 D1c4: Someone else has most control over child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	75	1.0	100.0	100.0
Missing	-1 No response	7411	99.0		
Total		7486	100.0		

KW File – Section D

kw4020 D1d1: Mother usually tells child off

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6587	88.0	100.0	100.0
Missing -1 No response	899	12.0		
Total	7486	100.0		

kw4021 D1d2: Husband or partner usually tells child off

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2702	36.1	100.0	100.0
Missing -1 No response	4784	63.9		
Total	7486	100.0		

kw4022 D1d3: Teacher usually tells child off

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	144	1.9	100.0	100.0
Missing -1 No response	7342	98.1		
Total	7486	100.0		

kw4023 D1d4: Someone else usually tells child off

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	71	.9	100.0	100.0
Missing -1 No response	7415	99.1		
Total	7486	100.0		

KW File – Section D

kw4030 D1e1: Mother usually punishes child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5979	79.9	100.0	100.0
Missing -1 No response	1507	20.1		
Total	7486	100.0		

kw4031 D1e2: Husband or partner usually punishes child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2487	33.2	100.0	100.0
Missing -1 No response	4999	66.8		
Total	7486	100.0		

kw4032 D1e3: Teacher usually punishes child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	99	1.3	100.0	100.0
Missing -1 No response	7387	98.7		
Total	7486	100.0		

kw4033 D1e4: Someone else usually punishes child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	41	.5	100.0	100.0
Missing -1 No response	7445	99.5		
Total	7486	100.0		

kw4040 D1f: Frequency that child is punished

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Every day	23	.3	.3	.3
2 Several times a week	214	2.9	2.9	3.2
3 Once or twice a week	900	12.0	12.2	15.4
4 Once or twice a month	1557	20.8	21.1	36.6
5 Rarely	4261	56.9	57.9	94.5
6 Never	408	5.5	5.5	100.0
Total	7363	98.4	100.0	
Missing -1 No response	123	1.6		
Total	7486	100.0		

kw4041 D1g: Frequency that child is slapped or hit by mother

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Every day	1	.0	.0	.0
2 Several times a week	11	.1	.1	.2
3 Once or twice a week	23	.3	.3	.5
4 Once or twice a month	113	1.5	1.5	2.0
5 Rarely	2745	36.7	37.0	39.0
6 Never	4526	60.5	61.0	100.0
Total	7419	99.1	100.0	
Missing -1 No response	67	.9		
Total	7486	100.0		

KW File – Section D

kw4050 D2: Child has run away from home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	81	1.1	1.1	1.1
	2 No, but tried to	93	1.2	1.3	2.3
	3 No, but thought of doing so	501	6.7	6.7	9.1
	4 No, never	6741	90.0	90.6	99.7
	9 Don't know	22	.3	.3	100.0
	Total	7438	99.4	100.0	
Missing	-1 No response	48	.6		
Total		7486	100.0		

kw4060a D3a: Time child usually wakes up on normal school days - hours

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	.0	.0	.0
	4	1	.0	.0	.0
	5	16	.2	.2	.2
	6	1339	17.9	18.0	18.2
	7	5772	77.1	77.5	95.7
	8	315	4.2	4.2	99.9
	9	3	.0	.0	100.0
	10	1	.0	.0	100.0
	Total	7448	99.5	100.0	
Missing	-1 No response	38	.5		
Total		7486	100.0		

kw4060b D3a: Time child usually wakes up on a normal school days - minutes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2581	34.5	35.2	35.2
	5	44	.6	.6	35.8
	6	1	.0	.0	35.8
	10	215	2.9	2.9	38.8
	15	923	12.3	12.6	51.4
	20	174	2.3	2.4	53.7
	23	1	.0	.0	53.8
	25	24	.3	.3	54.1
	26	1	.0	.0	54.1
	30	2180	29.1	29.7	83.8
	35	25	.3	.3	84.2
	40	128	1.7	1.7	85.9
	45	815	10.9	11.1	97.1
	49	1	.0	.0	97.1
	50	182	2.4	2.5	99.5
	55	32	.4	.4	100.0
	58	1	.0	.0	100.0
	Total	7328	97.9	100.0	
Missing	-1 No response	158	2.1		
Total		7486	100.0		

KW File – Section D

kw4061a D3b: Time child usually goes to sleep on normal school days - hours

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	2	.0	.0	.0
	6	2	.0	.0	.1
	7	26	.3	.3	.4
	8	893	11.9	12.0	12.4
	9	4725	63.1	63.5	75.9
	10	1675	22.4	22.5	98.4
	11	112	1.5	1.5	99.9
	12	6	.1	.1	100.0
	25	1	.0	.0	100.0
	26	1	.0	.0	100.0
	Total	7443	99.4	100.0	
Missing	-1 No response	43	.6		
Total		7486	100.0		

kw4061b D3b: Time child usually goes to sleep on normal school days - minutes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3899	52.1	53.3	53.3
	5	3	.0	.0	53.3
	10	18	.2	.2	53.6
	15	288	3.8	3.9	57.5
	20	17	.2	.2	57.7
	30	2801	37.4	38.3	96.0
	35	6	.1	.1	96.1
	40	15	.2	.2	96.3
	45	260	3.5	3.6	99.9
	50	9	.1	.1	100.0
	55	1	.0	.0	100.0
	Total	7317	97.7	100.0	
Missing	-1 No response	169	2.3		
Total		7486	100.0		

KW File – Section D

kw4062a D3c: Time child usually wakes up on weekends - hours

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	.0	.0	.0
	5	9	.1	.1	.1
	6	214	2.9	2.9	3.0
	7	1579	21.1	21.3	24.4
	8	3087	41.2	41.7	66.1
	9	1755	23.4	23.7	89.8
	10	643	8.6	8.7	98.5
	11	107	1.4	1.4	99.9
	12	5	.1	.1	100.0
	Total	7400	98.9	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	84	1.1		
	Total	86	1.1		
Total		7486	100.0		

kw4062b D3c: Time child usually wakes up on weekends - minutes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4189	56.0	57.6	57.6
	5	2	.0	.0	57.7
	6	1	.0	.0	57.7
	10	15	.2	.2	57.9
	15	170	2.3	2.3	60.2
	20	11	.1	.2	60.4
	30	2691	35.9	37.0	97.4
	31	1	.0	.0	97.4
	35	1	.0	.0	97.4
	40	7	.1	.1	97.5
	45	165	2.2	2.3	99.8
	50	16	.2	.2	100.0
	Total	7269	97.1	100.0	
Missing	-9 Don't know	2	.0		
	-1 No response	215	2.9		
	Total	217	2.9		
Total		7486	100.0		

KW File – Section D

kw4063a D3d: Time child goes to sleep on weekends - hours

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	.0	.0	.0
	4	2	.0	.0	.0
	7	4	.1	.1	.1
	8	97	1.3	1.3	1.4
	9	1895	25.3	25.7	27.1
	10	4249	56.8	57.6	84.7
	11	1045	14.0	14.2	98.9
	12	76	1.0	1.0	99.9
	25	3	.0	.0	99.9
	26	5	.1	.1	100.0
	Total	7377	98.5	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	105	1.4		
	Total	109	1.5		
Total		7486	100.0		

kw4063b D3d: Time child goes to sleep on weekends - minutes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4270	57.0	59.0	59.0
	10	6	.1	.1	59.1
	15	121	1.6	1.7	60.7
	20	7	.1	.1	60.8
	30	2712	36.2	37.5	98.3
	35	1	.0	.0	98.3
	40	4	.1	.1	98.3
	45	112	1.5	1.5	99.9
	50	7	.1	.1	100.0
	55	1	.0	.0	100.0
	Total	7241	96.7	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	241	3.2		
	Total	245	3.3		
Total		7486	100.0		

KW File – Section D

kw4070 D4a: Child understands the concept of right and wrong

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7379	98.6	99.0	99.0
	2 No	71	.9	1.0	100.0
	Total	7450	99.5	100.0	
Missing	-1 No response	36	.5		
Total		7486	100.0		

kw4071 D4b: Child can determine themselves what is proper behaviour

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, usually	6768	90.4	90.8	90.8
	2 Yes, sometimes	643	8.6	8.6	99.4
	3 No	30	.4	.4	99.8
	9 Don't know	13	.2	.2	100.0
	Total	7454	99.6	100.0	
Missing	-1 No response	32	.4		
Total		7486	100.0		

KW File – Section D

kw4080 D5a: Child considers school results to be important in life

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5550	74.1	100.0	100.0
Missing -1 No response	1936	25.9		
Total	7486	100.0		

kw4081 D5b: Child considers relationship between themselves and teachers to be important in life

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4933	65.9	100.0	100.0
Missing -1 No response	2553	34.1		
Total	7486	100.0		

kw4082 D5c: Child considers relationship between themselves and friends to be important in life

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7153	95.6	100.0	100.0
Missing -1 No response	333	4.4		
Total	7486	100.0		

kw4083 D5d: Child considers family relationships to be important in life

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7018	93.7	100.0	100.0
Missing -1 No response	468	6.3		
Total	7486	100.0		

kw4084 D5e: Child considers hobbies and interests to be important in life

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5776	77.2	100.0	100.0
Missing -1 No response	1710	22.8		
Total	7486	100.0		

kw4085 D5f: Child considers friends to be important in life

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6891	92.1	100.0	100.0
Missing -1 No response	595	7.9		
Total	7486	100.0		

kw4086 D5g: Child considers clothes to be important in life

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3679	49.1	100.0	100.0
Missing -1 No response	3807	50.9		
Total	7486	100.0		

KW File – Section D

kw4087 D5h: Child considers money to be important in life

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3561	47.6	100.0	100.0
Missing -1 No response	3925	52.4		
Total	7486	100.0		

kw4088 D5i: Child considers material possessions to be important in life

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2606	34.8	100.0	100.0
Missing -1 No response	4880	65.2		
Total	7486	100.0		

kw4089 D5j: Child considers holiday or trips to be important in life

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4154	55.5	100.0	100.0
Missing -1 No response	3332	44.5		
Total	7486	100.0		

KW File – Section D

kw4100 D6a: Child really likes to play sports

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	4670	62.4	100.0	100.0
Missing -1 No response	2816	37.6		
Total	7486	100.0		

kw4101 D6b: Child really likes to play musical instruments

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2186	29.2	100.0	100.0
Missing -1 No response	5300	70.8		
Total	7486	100.0		

kw4102 D6c: Child really likes to sing

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2135	28.5	100.0	100.0
Missing -1 No response	5351	71.5		
Total	7486	100.0		

kw4103 D6d: Child really likes to dance

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2247	30.0	100.0	100.0
Missing -1 No response	5239	70.0		
Total	7486	100.0		

kw4104 D6e: Child really likes to read

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3565	47.6	100.0	100.0
Missing -1 No response	3921	52.4		
Total	7486	100.0		

kw4105 D6f: Child really likes to draw

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3302	44.1	100.0	100.0
Missing -1 No response	4184	55.9		
Total	7486	100.0		

kw4106 D6g: Child really likes to make things

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	3632	48.5	100.0	100.0
Missing -1 No response	3854	51.5		
Total	7486	100.0		

KW File – Section D

kw4107 D6h: Child really likes to do other things

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2529	33.8	100.0	100.0
Missing -1 No response	4957	66.2		
Total	7486	100.0		

kw4110 D7: Child understands concept of death as irreversible event with all it's emotional consequences

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5448	72.8	73.8	73.8
2 Yes, more or less	1687	22.5	22.8	96.6
3 No, not really	234	3.1	3.2	99.8
4 No, not at all	17	.2	.2	100.0
Total	7386	98.7	100.0	
Missing -1 No response	100	1.3		
Total	7486	100.0		

KW File – Section D

kw4120 D8a: Child takes an interest in nationalism

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very interested	116	1.5	1.6	1.6
	2 Yes, somewhat interested	1232	16.5	17.4	19.0
	3 No, not interested	4680	62.5	66.1	85.1
	4 Not sure	1055	14.1	14.9	100.0
	Total	7083	94.6	100.0	
Missing	-1 No response	403	5.4		
Total		7486	100.0		

kw4121 D8b: Child takes an interest in politics

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very interested	126	1.7	1.8	1.8
	2 Yes, somewhat interested	1803	24.1	25.1	26.9
	3 No, not interested	4704	62.8	65.6	92.5
	4 Not sure	541	7.2	7.5	100.0
	Total	7174	95.8	100.0	
Missing	-1 No response	312	4.2		
Total		7486	100.0		

kw4122 D8c: Child takes an interest in the meaning of life

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very interested	765	10.2	10.6	10.6
	2 Yes, somewhat interested	3484	46.5	48.2	58.8
	3 No, not interested	2191	29.3	30.3	89.2
	4 Not sure	782	10.4	10.8	100.0
	Total	7222	96.5	100.0	
Missing	-1 No response	264	3.5		
Total		7486	100.0		

kw4123 D8d: Child takes an interest in law and order

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very interested	518	6.9	7.2	7.2
	2 Yes, somewhat interested	4179	55.8	57.9	65.1
	3 No, not interested	1999	26.7	27.7	92.8
	4 Not sure	516	6.9	7.2	100.0
	Total	7212	96.3	100.0	
Missing	-1 No response	274	3.7		
Total		7486	100.0		

kw4124 D8e: Child takes an interest in religion

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very interested	567	7.6	7.8	7.8
	2 Yes, somewhat interested	3231	43.2	44.6	52.5
	3 No, not interested	2895	38.7	40.0	92.5
	4 Not sure	546	7.3	7.5	100.0
	Total	7239	96.7	100.0	
Missing	-1 No response	247	3.3		
Total		7486	100.0		

KW File – Section D

kw4125 D8f: Child attends a place of worship

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	1000	13.4	13.5	13.5
	2 Yes, sometimes	1688	22.5	22.8	36.2
	3 No	4729	63.2	63.8	100.0
	Total	7417	99.1	100.0	
Missing	-1 No response	69	.9		
Total		7486	100.0		

kw4126 D8g: Child prays

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, often	595	7.9	8.1	8.1
	2 Yes, sometimes	1942	25.9	26.4	34.4
	3 No	3603	48.1	48.9	83.4
	9 Don't know	1226	16.4	16.6	100.0
	Total	7366	98.4	100.0	
Missing	-1 No response	120	1.6		
Total		7486	100.0		

KW File – Section D

kw4130 D9a: Sex of friends that child prefers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Boys	2279	30.4	31.1	31.1
	2 Girls	2013	26.9	27.5	58.6
	3 Doesn't mind	3009	40.2	41.1	99.7
	4 Doesn't have friends	24	.3	.3	100.0
	Total	7325	97.8	100.0	
Missing	-1 No response	161	2.2		
Total		7486	100.0		

kw4131 D9b: Child has a favourite friend of the other sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	2721	36.3	37.4	37.4
	2 No	4555	60.8	62.6	100.0
	Total	7276	97.2	100.0	
Missing	-1 No response	210	2.8		
Total		7486	100.0		

kw4140 D10: Child is at ease with children of own age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6879	91.9	94.2	94.2
	2 Prefers younger	240	3.2	3.3	97.5
	3 Prefers older	172	2.3	2.4	99.8
	4 Prefers both younger and older	13	.2	.2	100.0
	Total	7304	97.6	100.0	
Missing	-1 No response	182	2.4		
Total		7486	100.0		

kw4150 D11: Amount child is influenced by friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Very strongly	524	7.0	7.1	7.1
	2 Fairly strongly	2213	29.6	29.9	37.0
	3 Sometimes	3859	51.5	52.2	89.2
	4 Rarely	712	9.5	9.6	98.8
	5 Never	89	1.2	1.2	100.0
	Total	7397	98.8	100.0	
Missing	-1 No response	89	1.2		
Total		7486	100.0		

KW File – Section D

kw4160 D12a: Child has been offered alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, respondent knows	2379	31.8	32.3	32.3
	2 Probably	120	1.6	1.6	33.9
	3 Possibly	295	3.9	4.0	37.9
	4 Don't think so	4574	61.1	62.1	100.0
	Total	7368	98.4	100.0	
Missing	-1 No response	118	1.6		
Total		7486	100.0		

kw4161 D12b: Child has been offered cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, respondent knows	435	5.8	5.9	5.9
	2 Probably	155	2.1	2.1	8.0
	3 Possibly	395	5.3	5.4	13.4
	4 Don't think so	6384	85.3	86.6	100.0
	Total	7369	98.4	100.0	
Missing	-1 No response	117	1.6		
Total		7486	100.0		

kw4162 D12c: Child has been offered drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, respondent knows	61	.8	.8	.8
	2 Probably	21	.3	.3	1.1
	3 Possibly	88	1.2	1.2	2.3
	4 Don't think so	7174	95.8	97.7	100.0
	Total	7344	98.1	100.0	
Missing	-1 No response	142	1.9		
Total		7486	100.0		

KW File – Section D

kw4170 D13ia: Child has tried alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and I know about it	4188	55.9	56.8	56.8
	2 Probably	60	.8	.8	57.6
	3 Possibly	221	3.0	3.0	60.6
	4 Don't think so	2901	38.8	39.4	100.0
	Total	7370	98.5	100.0	
Missing	-1 No response	116	1.5		
Total		7486	100.0		

kw4171 D13ib: Child has tried cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and I know about it	243	3.2	3.3	3.3
	2 Probably	46	.6	.6	4.0
	3 Possibly	101	1.3	1.4	5.4
	4 Don't think so	6867	91.7	94.6	100.0
	Total	7257	96.9	100.0	
Missing	-1 No response	229	3.1		
Total		7486	100.0		

kw4172 D13ic: Child has tried drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes and I know about it	7	.1	.1	.1
	2 Probably	3	.0	.0	.1
	3 Possibly	10	.1	.1	.3
	4 Don't think so	7193	96.1	99.7	100.0
	Total	7213	96.4	100.0	
Missing	-1 No response	273	3.6		
Total		7486	100.0		

KW File – Section D

kw4180 D13iia: Age of child when alcohol was tried

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	11	.1	.3	.3
	1	26	.3	.6	.9
	2	59	.8	1.4	2.3
	3	58	.8	1.4	3.7
	4	54	.7	1.3	5.0
	5	149	2.0	3.6	8.6
	6	142	1.9	3.4	12.0
	7	204	2.7	4.9	16.8
	8	346	4.6	8.3	25.1
	9	519	6.9	12.4	37.6
	10	1228	16.4	29.4	67.0
	11	830	11.1	19.9	86.9
	12	9	.1	.2	87.1
	13	2	.0	.0	87.2
	99 Don't know	536	7.2	12.8	100.0
	Total	4173	55.7	100.0	
Missing	-1 No response	3313	44.3		
Total		7486	100.0		

kw4181 D13iib: Age of child when cigarettes were tried

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	55	.7	16.1	16.1
	1	1	.0	.3	16.4
	5	2	.0	.6	17.0
	6	2	.0	.6	17.6
	7	9	.1	2.6	20.2
	8	16	.2	4.7	24.9
	9	39	.5	11.4	36.4
	10	75	1.0	22.0	58.4
	11	100	1.3	29.3	87.7
	12	1	.0	.3	88.0
	13	1	.0	.3	88.3
	99 Don't know	40	.5	11.7	100.0
	Total	341	4.6	100.0	
Missing	-1 No response	7145	95.4		
Total		7486	100.0		

kw4182 D13iic: Age of child when drugs were tried

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	57	.8	66.3	66.3
	10	3	.0	3.5	69.8
	11	5	.1	5.8	75.6
	99 Don't know	21	.3	24.4	100.0
	Total	86	1.1	100.0	
Missing	-1 No response	7400	98.9		
Total		7486	100.0		

PAGE 34 OF THE QUESTIONNAIRE

SECTION E: PILLS AND POTIONS

E1. Please indicate below any **medicines** (pills, syrups, inhalers, drops, sprays, suppositories, ointments etc including homeopathic and herbal remedies) that your study child has used **in the last 12 months**.

Include medicines prescribed by your doctor and those you may have bought over the counter. If you need more lines for a particular category please include the additional medicines under the 'Other conditions' section at the end of the question on Page 36.

Try to give the full name of the medicine and say how often it was used.

Regularly: most days for at least 3 months, or several times every month
Few days: for a few days at a time for one or more episodes
Odd occasions: on a few odd occasions
Once or twice: on one or two isolated occasions only

**In the past 12 months
medicine, pills
drops or
ointment for:**

How often?

	Yes ↓	Name of medicine etc.	Regularly ↓	Few days	Odd occasions	Once or twice
a) Headache	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
b) Stomach ache	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
c) Earache	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
d) Other ache or pain	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
e) Vomiting	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
f) Diarrhoea	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
g) Constipation	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
h) Travel sickness	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
i) Insect bites	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 35 OF THE QUESTIONNAIRE

E1.

**In the past 12 months
medicine, pills
drops or
ointment for:**

How often?

	Yes ↓	Name of medicine etc.	Regularly ↓	Few days	Odd occasions	Once or twice
j) Bruising	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
k) A 'cold'	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
l) Cough	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
m) Sore throat	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
n) 'Flu'	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
o) Infection requiring antibiotics	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
p) Athlete's foot	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
q) Wart or verrucca	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
r) Head lice	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
s) Worms	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
t) Eye infection	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
u) Psoriasis	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
v) Eczema	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
w) Asthma	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>

PAGE 36 OF THE QUESTIONNAIRE

E1.

**In the past 12 months
medicine, pills
drops or
ointment for:**

How often?

	Yes ↓	Name of medicine etc.	Regularly ↓	Few days	Odd occasions	Once or twice
x) Hay fever	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
y) Other allergies	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
z) Diabetes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
za) Epilepsy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zb) Sleeping	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zc) Fever, high temperature	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other conditions (Please tick and describe)						
zd).....	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ze).....	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zf).....	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zg)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zh)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zi)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
zj) No medicines, pills, drops or ointment used at all	<input type="checkbox"/>					

PAGE 37 OF THE QUESTIONNAIRE

E2. Please describe below any vitamins, minerals such as iron, or other supplements given for your study child's health in the **past month** and indicate how often they were taken.

To describe supplements containing a mixture of things e.g. calcium and vitamins, or vitamins and iron etc., please write them under "Other" in part d) below.

(Please say which and give brand name)	Every day	Most days ↓	About 1-2 times a week	Less than once a week	Not at all ↓
a) Vitamins					
i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
b) Mineral supplements (e.g. iron, calcium)					
i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
c) Oil supplements (e.g. cod liver oil, evening primrose oil)					
i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
d) Other tonic or supplement					
i)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
ii)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

E3. Please describe below any treatment your child has taken for asthma or wheezing in the past month and indicate how often they were taken.

	Every day	Most days ↓	About 1-2 times a week	Less than once a week	Not at all ↓
In the past month:					
a) "Reliever" inhaler	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
b) "Preventer" inhaler	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
c) Other inhaler or medicine for asthma	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

KW File – Section E

kw5000 E1a: Child has taken medicine/pills/drops/ointment for headache, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5364	71.7	100.0	100.0
Missing -1 No response	2122	28.3		
Total	7486	100.0		

kw5003 E1a: Frequency that medicine/pills/drops/ointments were taken for headaches

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	54	.7	1.0	1.0
1 Regularly	110	1.5	2.1	3.1
2 Few days	443	5.9	8.3	11.4
3 Odd occasions	3124	41.7	58.4	69.8
4 Once or twice	1615	21.6	30.2	100.0
Total	5346	71.4	100.0	
Missing -1 No response	2140	28.6		
Total	7486	100.0		

kw5010 E1b: Child has taken medicine/pills/drops/ointment for stomach ache, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1349	18.0	100.0	100.0
Missing -1 No response	6137	82.0		
Total	7486	100.0		

kw5013 E1b: Frequency that medicine/pills/drops/ointments were taken for stomach ache

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	32	.4	2.4	2.4
1 Regularly	52	.7	3.9	6.3
2 Few days	160	2.1	12.0	18.3
3 Odd occasions	665	8.9	50.0	68.3
4 Once or twice	422	5.6	31.7	100.0
Total	1331	17.8	100.0	
Missing -1 No response	6155	82.2		
Total	7486	100.0		

KW File – Section E

kw5020 E1c: Child has taken medicine/pills/drops/ointment for earache, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	711	9.5	100.0	100.0
Missing -1 No response	6775	90.5		
Total	7486	100.0		

kw5023 E1c: Frequency that medicine/pills/drops/ointments were taken for earache

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	28	.4	4.0	4.0
1 Regularly	16	.2	2.3	6.3
2 Few days	148	2.0	21.0	27.3
3 Odd occasions	242	3.2	34.4	61.6
4 Once or twice	270	3.6	38.4	100.0
Total	704	9.4	100.0	
Missing -1 No response	6782	90.6		
Total	7486	100.0		

kw5030 E1d: Child has taken medicine/pills/drops/ointment for other ache or pain, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	855	11.4	100.0	100.0
Missing -1 No response	6631	88.6		
Total	7486	100.0		

kw5033 E1d: Frequency that medicine/pills/drops/ointments were taken for other ache or pain

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	30	.4	3.6	3.6
1 Regularly	33	.4	3.9	7.5
2 Few days	151	2.0	17.9	25.4
3 Odd occasions	407	5.4	48.2	73.6
4 Once or twice	223	3.0	26.4	100.0
Total	844	11.3	100.0	
Missing -1 No response	6642	88.7		
Total	7486	100.0		

KW File – Section E

kw5040 E1e: Child has taken medicine/pills/drops/ointment for vomiting, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	171	2.3	100.0	100.0
Missing -1 No response	7315	97.7		
Total	7486	100.0		

kw5043 E1e: Frequency that medicine/pills/drops/ointments were taken for vomiting

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	11	.1	7.0	7.0
1 Regularly	3	.0	1.9	8.9
2 Few days	21	.3	13.4	22.3
3 Odd occasions	45	.6	28.7	51.0
4 Once or twice	77	1.0	49.0	100.0
Total	157	2.1	100.0	
Missing -1 No response	7329	97.9		
Total	7486	100.0		

kw5050 E1f: Child has taken medicine/pills/drops/ointment for diarrhoea, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	238	3.2	100.0	100.0
Missing -1 No response	7248	96.8		
Total	7486	100.0		

kw5053 E1f: Frequency that medicine/pills/drops/ointments were taken for diarrhoea

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	10	.1	4.3	4.3
1 Regularly	3	.0	1.3	5.7
2 Few days	28	.4	12.2	17.8
3 Odd occasions	61	.8	26.5	44.3
4 Once or twice	128	1.7	55.7	100.0
Total	230	3.1	100.0	
Missing -1 No response	7256	96.9		
Total	7486	100.0		

KW File – Section E

kw5060 E1g: Child has taken medicine/pills/drops/ointment for constipation, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	200	2.7	100.0	100.0
Missing -1 No response	7286	97.3		
Total	7486	100.0		

kw5063 E1g: Frequency that medicine/pills/drops/ointments were taken for constipation

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	7	.1	3.5	3.5
1 Regularly	20	.3	10.1	13.6
2 Few days	40	.5	20.2	33.8
3 Odd occasions	65	.9	32.8	66.7
4 Once or twice	66	.9	33.3	100.0
Total	198	2.6	100.0	
Missing -1 No response	7288	97.4		
Total	7486	100.0		

kw5070 E1h: Child has taken medicine/pills/drops/ointment for travel sickness, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	927	12.4	100.0	100.0
Missing -1 No response	6559	87.6		
Total	7486	100.0		

kw5073 E1h: Frequency that medicines/pills/drops/ointments were taken for travel sickness

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	29	.4	3.2	3.2
1 Regularly	13	.2	1.4	4.6
2 Few days	38	.5	4.2	8.7
3 Odd occasions	413	5.5	45.1	53.9
4 Once or twice	422	5.6	46.1	100.0
Total	915	12.2	100.0	
Missing -1 No response	6571	87.8		
Total	7486	100.0		

KW File – Section E

kw5080 E1i: Child has taken medicine/pills/drops/ointment for insect bites, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	796	10.6	100.0	100.0
Missing -1 No response	6690	89.4		
Total	7486	100.0		

kw5083 E1i: Frequency that medicine/pills/drops/ointments were taken for insect bites

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	42	.6	5.3	5.3
1 Regularly	11	.1	1.4	6.7
2 Few days	93	1.2	11.8	18.6
3 Odd occasions	354	4.7	45.0	63.6
4 Once or twice	286	3.8	36.4	100.0
Total	786	10.5	100.0	
Missing -1 No response	6700	89.5		
Total	7486	100.0		

kw5090 E1j: Child has taken medicine/pills/drops/ointment for bruising, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	596	8.0	100.0	100.0
Missing -1 No response	6890	92.0		
Total	7486	100.0		

kw5093 E1j: Frequency that medicine/pills/drops/ointments were taken for bruising

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	24	.3	4.1	4.1
1 Regularly	24	.3	4.1	8.2
2 Few days	73	1.0	12.5	20.7
3 Odd occasions	301	4.0	51.5	72.3
4 Once or twice	162	2.2	27.7	100.0
Total	584	7.8	100.0	
Missing -1 No response	6902	92.2		
Total	7486	100.0		

KW File – Section E

kw5100 E1k: Child has taken medicine/pills/drops/ointment for a 'cold', past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2422	32.4	100.0	100.0
Missing -1 No response	5064	67.6		
Total	7486	100.0		

kw5103 E1k: Frequency that medicine/pills/drops/ointments were taken for "cold"

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	105	1.4	4.4	4.4
1 Regularly	28	.4	1.2	5.6
2 Few days	486	6.5	20.4	25.9
3 Odd occasions	1072	14.3	44.9	70.8
4 Once or twice	697	9.3	29.2	100.0
Total	2388	31.9	100.0	
Missing -1 No response	5098	68.1		
Total	7486	100.0		

kw5110 E1l: Child has taken medicine/pills/drops/ointment for cough, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1773	23.7	100.0	100.0
Missing -1 No response	5713	76.3		
Total	7486	100.0		

kw5113 E1l: Frequency that medicine/pills/drops/ointments were taken for cough

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	95	1.3	5.5	5.5
1 Regularly	37	.5	2.1	7.6
2 Few days	442	5.9	25.5	33.1
3 Odd occasions	660	8.8	38.0	71.1
4 Once or twice	501	6.7	28.9	100.0
Total	1735	23.2	100.0	
Missing -1 No response	5751	76.8		
Total	7486	100.0		

KW File – Section E

kw5120 E1m: Child has taken medicine/pills/drops/ointment for sore throat, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2236	29.9	100.0	100.0
Missing -1 No response	5250	70.1		
Total	7486	100.0		

kw5123 E1m: Frequency that medicine/pills/drops/ointments were taken for sore throat

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	129	1.7	5.9	5.9
1 Regularly	27	.4	1.2	7.1
2 Few days	470	6.3	21.4	28.5
3 Odd occasions	939	12.5	42.7	71.1
4 Once or twice	635	8.5	28.9	100.0
Total	2200	29.4	100.0	
Missing -1 No response	5286	70.6		
Total	7486	100.0		

kw5130 E1n: Child has taken medicine/pills/drops/ointment for 'flu', past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	489	6.5	100.0	100.0
Missing -1 No response	6997	93.5		
Total	7486	100.0		

kw5133 E1n: Frequency that medicine/pills/drops/ointments were taken for "flu"

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	40	.5	8.4	8.4
1 Regularly	13	.2	2.7	11.2
2 Few days	159	2.1	33.5	44.6
3 Odd occasions	134	1.8	28.2	72.8
4 Once or twice	129	1.7	27.2	100.0
Total	475	6.3	100.0	
Missing -1 No response	7011	93.7		
Total	7486	100.0		

KW File – Section E

kw5140 E1o: Child has taken medicine/pills/drops/ointment for infection requiring antibiotics, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	634	8.5	100.0	100.0
Missing -1 No response	6852	91.5		
Total	7486	100.0		

kw5143 E1o: Frequency that medicine/pills/drops/ointments were taken for infection requiring antibiotics

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	35	.5	5.8	5.8
1 Regularly	32	.4	5.3	11.0
2 Few days	285	3.8	46.9	57.9
3 Odd occasions	61	.8	10.0	67.9
4 Once or twice	195	2.6	32.1	100.0
Total	608	8.1	100.0	
Missing -1 No response	6878	91.9		
Total	7486	100.0		

kw5150 E1p: Child has taken medicine/pills/drops/ointment for athletes foot, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	464	6.2	100.0	100.0
Missing -1 No response	7022	93.8		
Total	7486	100.0		

kw5153 E1p: Frequency that medicine/pills/drops/ointments were taken for athletes foot

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	18	.2	4.1	4.1
1 Regularly	54	.7	12.2	16.3
2 Few days	128	1.7	28.9	45.1
3 Odd occasions	145	1.9	32.7	77.9
4 Once or twice	98	1.3	22.1	100.0
Total	443	5.9	100.0	
Missing -1 No response	7043	94.1		
Total	7486	100.0		

KW File – Section E

kw5160 E1q: Child has taken medicine/pills/drops/ointment for wart or verruca, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1006	13.4	100.0	100.0
Missing -1 No response	6480	86.6		
Total	7486	100.0		

kw5163 E1q: Frequency that medicine/pills/drops/ointments were taken for wart or verruca

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	45	.6	4.6	4.6
1 Regularly	238	3.2	24.2	28.8
2 Few days	324	4.3	32.9	61.7
3 Odd occasions	163	2.2	16.6	78.3
4 Once or twice	214	2.9	21.7	100.0
Total	984	13.1	100.0	
Missing -1 No response	6502	86.9		
Total	7486	100.0		

kw5170 E1r: Child has taken medicine/pills/drops/ointment for head lice, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	824	11.0	100.0	100.0
Missing -1 No response	6662	89.0		
Total	7486	100.0		

kw5173 E1r: Frequency that medicine/pills/drops/ointments were taken for head lice

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	57	.8	7.1	7.1
1 Regularly	81	1.1	10.0	17.1
2 Few days	99	1.3	12.3	29.4
3 Odd occasions	254	3.4	31.5	60.8
4 Once or twice	316	4.2	39.2	100.0
Total	807	10.8	100.0	
Missing -1 No response	6679	89.2		
Total	7486	100.0		

KW File – Section E

kw5180 E1s: Child has taken medicine/pills/drops/ointment for worms, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	290	3.9	100.0	100.0
Missing -1 No response	7196	96.1		
Total	7486	100.0		

kw5183 E1s: Frequency that medicine/pills/drops/ointments were taken for worms

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	15	.2	5.3	5.3
1 Regularly	3	.0	1.1	6.4
2 Few days	15	.2	5.3	11.7
3 Odd occasions	66	.9	23.5	35.2
4 Once or twice	182	2.4	64.8	100.0
Total	281	3.8	100.0	
Missing -1 No response	7205	96.2		
Total	7486	100.0		

kw5190 E1t: Child has taken medicine/pills/drops/ointment for eye infection, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	176	2.4	100.0	100.0
Missing -1 No response	7310	97.6		
Total	7486	100.0		

kw5193 E1t: Frequency that medicine/pills/drops/ointments were taken for eye infection

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	7	.1	4.1	4.1
1 Regularly	8	.1	4.7	8.7
2 Few days	68	.9	39.5	48.3
3 Odd occasions	28	.4	16.3	64.5
4 Once or twice	61	.8	35.5	100.0
Total	172	2.3	100.0	
Missing -1 No response	7314	97.7		
Total	7486	100.0		

KW File – Section E

kw5200 E1u: Child has taken medicine/pills/drops/ointment for psoriasis, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	36	.5	100.0	100.0
Missing -1 No response	7450	99.5		
Total	7486	100.0		

kw5203 E1u: Frequency that medicine/pills/drops/ointments were taken for psoriasis

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	2	.0	5.7	5.7
1 Regularly	16	.2	45.7	51.4
2 Few days	7	.1	20.0	71.4
3 Odd occasions	5	.1	14.3	85.7
4 Once or twice	5	.1	14.3	100.0
Total	35	.5	100.0	
Missing -1 No response	7451	99.5		
Total	7486	100.0		

kw5210 E1v: Child has taken medicine/pills/drops/ointment for eczema, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	816	10.9	100.0	100.0
Missing -1 No response	6670	89.1		
Total	7486	100.0		

kw5213 E1v: Frequency that medicine/pills/drops/ointments were taken for eczema

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	40	.5	5.0	5.0
1 Regularly	234	3.1	29.1	34.1
2 Few days	206	2.8	25.7	59.8
3 Odd occasions	249	3.3	31.0	90.8
4 Once or twice	74	1.0	9.2	100.0
Total	803	10.7	100.0	
Missing -1 No response	6683	89.3		
Total	7486	100.0		

KW File – Section E

kw5220 E1w: Child has taken medicine/pills/drops/ointment for asthma, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	913	12.2	100.0	100.0
Missing -1 No response	6573	87.8		
Total	7486	100.0		

kw5223 E1w: Frequency that medicine/pills/drops/ointments were taken for asthma

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	37	.5	4.1	4.1
1 Regularly	409	5.5	45.3	49.4
2 Few days	172	2.3	19.1	68.5
3 Odd occasions	221	3.0	24.5	93.0
4 Once or twice	63	.8	7.0	100.0
Total	902	12.0	100.0	
Missing -1 No response	6584	88.0		
Total	7486	100.0		

kw5230 E1x: Child has taken medicine/pills/drops/ointment for hay fever, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1039	13.9	100.0	100.0
Missing -1 No response	6447	86.1		
Total	7486	100.0		

kw5233 E1x: Frequency that medicine/pills/drops/ointments were taken for hay fever

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	42	.6	4.2	4.2
1 Regularly	452	6.0	44.7	48.8
2 Few days	285	3.8	28.2	77.0
3 Odd occasions	170	2.3	16.8	93.8
4 Once or twice	63	.8	6.2	100.0
Total	1012	13.5	100.0	
Missing -1 No response	6474	86.5		
Total	7486	100.0		

KW File – Section E

kw5240 E1y: Child has taken medicine/pills/drops/ointment for other allergies, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	246	3.3	100.0	100.0
Missing -1 No response	7240	96.7		
Total	7486	100.0		

kw5243 E1y: Frequency that medicine/pills/drops/ointments were taken for other allergies

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	13	.2	5.3	5.3
1 Regularly	43	.6	17.7	23.0
2 Few days	57	.8	23.5	46.5
3 Odd occasions	85	1.1	35.0	81.5
4 Once or twice	45	.6	18.5	100.0
Total	243	3.2	100.0	
Missing -1 No response	7243	96.8		
Total	7486	100.0		

kw5250 E1z: Child has taken medicine/pills/drops/ointment for diabetes, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	15	.2	100.0	100.0
Missing -1 No response	7471	99.8		
Total	7486	100.0		

kw5253 E1z: Frequency that medicine/pills/drops/ointments were taken for diabetes

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Regularly	14	.2	93.3	93.3
4 Once or twice	1	.0	6.7	100.0
Total	15	.2	100.0	
Missing -1 No response	7471	99.8		
Total	7486	100.0		

KW File – Section E

kw5260 E1za: In the past 12 months has child taken medicine/pills/drops/ointment for epilepsy, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	30	.4	100.0	100.0
Missing -1 No response	7456	99.6		
Total	7486	100.0		

kw5263 E1za: Frequency that medicine/pills/drops/ointments were taken for epilepsy

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Regularly	29	.4	96.7	96.7
4 Once or twice	1	.0	3.3	100.0
Total	30	.4	100.0	
Missing -1 No response	7456	99.6		
Total	7486	100.0		

kw5270 E1zb: Child has taken medicine/pills/drops/ointment for sleeping, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	73	1.0	100.0	100.0
Missing -1 No response	7413	99.0		
Total	7486	100.0		

kw5273 E1zb: Frequency that medicine/pills/drops/ointments were taken for sleeping

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	2	.0	2.8	2.8
1 Regularly	13	.2	18.1	20.8
2 Few days	13	.2	18.1	38.9
3 Odd occasions	25	.3	34.7	73.6
4 Once or twice	19	.3	26.4	100.0
Total	72	1.0	100.0	
Missing -1 No response	7414	99.0		
Total	7486	100.0		

KW File – Section E

kw5280 E1zc: Child has taken medicine/pills/drops/ointment for fever or high temperature, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1230	16.4	100.0	100.0
Missing -1 No response	6256	83.6		
Total	7486	100.0		

kw5283 E1zc: Frequency that medicine/pills/drops/ointments were taken for fever or high temperature

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	70	.9	5.8	5.8
1 Regularly	6	.1	.5	6.3
2 Few days	218	2.9	18.0	24.3
3 Odd occasions	527	7.0	43.6	67.9
4 Once or twice	388	5.2	32.1	100.0
Total	1209	16.2	100.0	
Missing -1 No response	6277	83.8		
Total	7486	100.0		

kw5290 E1zd: Child has taken medicine/pills/drops/ointment for other condition 1, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1548	20.7	100.0	100.0
Missing -1 No response	5938	79.3		
Total	7486	100.0		

kw5293 E1zd: Frequency that medicine/pills/drops/ointments were taken for other condition 1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	79	1.1	5.2	5.2
1 Regularly	436	5.8	28.5	33.6
2 Few days	397	5.3	25.9	59.6
3 Odd occasions	420	5.6	27.4	87.0
4 Once or twice	199	2.7	13.0	100.0
Total	1531	20.5	100.0	
Missing -1 No response	5955	79.5		
Total	7486	100.0		

KW File – Section E

kw5300 E1ze: Child has taken medicine/pills/drops/ointment for other condition 2, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	554	7.4	100.0	100.0
Missing -1 No response	6932	92.6		
Total	7486	100.0		

kw5303 E1ze: Frequency that medicine/pills/drops/ointments were taken for other condition 2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	29	.4	5.3	5.3
1 Regularly	147	2.0	26.8	32.1
2 Few days	148	2.0	27.0	59.1
3 Odd occasions	151	2.0	27.6	86.7
4 Once or twice	73	1.0	13.3	100.0
Total	548	7.3	100.0	
Missing -1 No response	6938	92.7		
Total	7486	100.0		

kw5310 E1zf: Child has taken medicine/pills/drops/ointment for other condition 3, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	236	3.2	100.0	100.0
Missing -1 No response	7250	96.8		
Total	7486	100.0		

kw5313 E1zf: Frequency that medicine/pills/drops/ointments were taken for other condition 3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	10	.1	4.3	4.3
1 Regularly	57	.8	24.5	28.8
2 Few days	70	.9	30.0	58.8
3 Odd occasions	74	1.0	31.8	90.6
4 Once or twice	22	.3	9.4	100.0
Total	233	3.1	100.0	
Missing -1 No response	7253	96.9		
Total	7486	100.0		

KW File – Section E

kw5320 E1zg: Child has taken medicine/pills/drops/ointment for other condition 4, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	109	1.5	100.0	100.0
Missing -1 No response	7377	98.5		
Total	7486	100.0		

kw5323 E1zg: Frequency that medicine/pills/drops/ointments were taken for other condition 4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	7	.1	6.6	6.6
1 Regularly	33	.4	31.1	37.7
2 Few days	28	.4	26.4	64.2
3 Odd occasions	29	.4	27.4	91.5
4 Once or twice	9	.1	8.5	100.0
Total	106	1.4	100.0	
Missing -1 No response	7380	98.6		
Total	7486	100.0		

kw5330 E1zh: Child has taken medicine/pills/drops/ointment for other condition 5, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	58	.8	100.0	100.0
Missing -1 No response	7428	99.2		
Total	7486	100.0		

kw5333 E1zh: Frequency that medicine/pills/drops/ointments were taken for other condition 5

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	4	.1	7.0	7.0
1 Regularly	13	.2	22.8	29.8
2 Few days	20	.3	35.1	64.9
3 Odd occasions	15	.2	26.3	91.2
4 Once or twice	5	.1	8.8	100.0
Total	57	.8	100.0	
Missing -1 No response	7429	99.2		
Total	7486	100.0		

KW File – Section E

kw5340 E1zi: Child has taken medicine/pills/drops/ointment for other condition 6, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	34	.5	100.0	100.0
Missing -1 No response	7452	99.5		
Total	7486	100.0		

kw5343 E1zi: Frequency that medicine/pills/drops/ointments were taken for other condition 6

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0 Medicine reported, but no frequency	4	.1	11.8	11.8
1 Regularly	6	.1	17.6	29.4
2 Few days	8	.1	23.5	52.9
3 Odd occasions	10	.1	29.4	82.4
4 Once or twice	6	.1	17.6	100.0
Total	34	.5	100.0	
Missing -1 No response	7452	99.5		
Total	7486	100.0		

kw5350 E1zj: No medicines/pills/drops/ointments were taken at all, past 12 months

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	188	2.5	100.0	100.0
Missing -1 No response	7298	97.5		
Total	7486	100.0		

KW File – Section E

kw5400 E2a1: Frequency that vitamin 1 was taken by child in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	5	.1	.1	.1
	1 Every day	469	6.3	8.4	8.5
	2 Most days	486	6.5	8.7	17.3
	3 1-2 times a week	195	2.6	3.5	20.8
	4 <1 a week	145	1.9	2.6	23.4
	5 Not at all	4261	56.9	76.6	100.0
	Total	5561	74.3	100.0	
Missing	-1 No response	1925	25.7		
Total		7486	100.0		

kw5410 E2a2: Frequency that vitamin 2 was taken by child in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	3	.0	.2	.2
	1 Every day	22	.3	1.2	1.3
	2 Most days	19	.3	1.0	2.4
	3 1-2 times a week	8	.1	.4	2.8
	4 <1 a week	10	.1	.5	3.3
	5 Not at all	1791	23.9	96.7	100.0
	Total	1853	24.8	100.0	
Missing	-1 No response	5633	75.2		
Total		7486	100.0		

kw5420 E2b1: Frequency that mineral supplements 1 was taken by child in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	4	.1	.1	.1
	1 Every day	42	.6	.9	1.0
	2 Most days	44	.6	.9	1.9
	3 1-2 times a week	14	.2	.3	2.2
	4 <1 a week	9	.1	.2	2.4
	5 Not at all	4531	60.5	97.6	100.0
	Total	4644	62.0	100.0	
Missing	-1 No response	2842	38.0		
Total		7486	100.0		

kw5430 E2b2: Frequency that mineral supplements 2 was taken by child in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	2	.0	.1	.1
	2 Most days	2	.0	.1	.2
	4 <1 a week	1	.0	.1	.3
	5 Not at all	1850	24.7	99.7	100.0
	Total	1855	24.8	100.0	
Missing	-1 No response	5631	75.2		
Total		7486	100.0		

KW File – Section E

kw5440 E2c1: Frequency that oil supplements 1 was taken by child in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	5	.1	.1	.1
	1 Every day	109	1.5	2.3	2.4
	2 Most days	75	1.0	1.6	4.0
	3 1-2 times a week	44	.6	.9	4.9
	4 <1 a week	31	.4	.6	5.5
	5 Not at all	4517	60.3	94.5	100.0
	Total	4781	63.9	100.0	
Missing	-1 No response	2705	36.1		
Total		7486	100.0		

kw5450 E2c2: Frequency that oil supplements 2 was taken by child in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	3	.0	.2	.2
	1 Every day	6	.1	.3	.5
	2 Most days	6	.1	.3	.8
	3 1-2 times a week	1	.0	.1	.9
	4 <1 a week	2	.0	.1	1.0
	5 Not at all	1828	24.4	99.0	100.0
	Total	1846	24.7	100.0	
Missing	-1 No response	5640	75.3		
Total		7486	100.0		

kw5460 E2d1: Frequency that other tonic or supplement 1 was taken by child in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	2	.0	.0	.0
	1 Every day	73	1.0	1.6	1.6
	2 Most days	51	.7	1.1	2.7
	3 1-2 times a week	37	.5	.8	3.5
	4 <1 a week	41	.5	.9	4.3
	5 Not at all	4492	60.0	95.7	100.0
	Total	4696	62.7	100.0	
Missing	-1 No response	2790	37.3		
Total		7486	100.0		

kw5470 E2d2: Frequency that other tonic or supplement 2 was taken by child in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Supplement reported, but no frequency	1	.0	.1	.1
	1 Every day	13	.2	.7	.8
	2 Most days	2	.0	.1	.9
	3 1-2 times a week	3	.0	.2	1.0
	4 <1 a week	3	.0	.2	1.2
	5 Not at all	1818	24.3	98.8	100.0
	Total	1840	24.6	100.0	
Missing	-1 No response	5646	75.4		
Total		7486	100.0		

KW File – Section E

kw5480 E3a: Child has used 'Reliever' inhaler for asthma/wheezing, past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	125	1.7	2.3	2.3
	2 Most days	101	1.3	1.8	4.1
	3 1-2 times a week	162	2.2	2.9	7.0
	4 <1 a week	406	5.4	7.3	14.4
	5 Not at all	4731	63.2	85.6	100.0
	Total	5525	73.8	100.0	
Missing	-1 No response	1961	26.2		
Total		7486	100.0		

kw5481 E3b: Child has used 'Preventer' inhaler for asthma/wheezing, past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	297	4.0	5.6	5.6
	2 Most days	86	1.1	1.6	7.2
	3 1-2 times a week	46	.6	.9	8.1
	4 <1 a week	115	1.5	2.2	10.2
	5 Not at all	4775	63.8	89.8	100.0
	Total	5319	71.1	100.0	
Missing	-1 No response	2167	28.9		
Total		7486	100.0		

kw5482 E3c: Child has used other inhaler for asthma/wheezing, past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every day	36	.5	.7	.7
	2 Most days	8	.1	.2	.9
	3 1-2 times a week	5	.1	.1	1.0
	4 <1 a week	25	.3	.5	1.5
	5 Not at all	4824	64.4	98.5	100.0
	Total	4898	65.4	100.0	
Missing	-1 No response	2588	34.6		
Total		7486	100.0		

PAGE 38 OF THE QUESTIONNAIRE

SECTION F: MOODS AND FEELINGS

These questions are about how your child may have been feeling or acting recently.
For each question, please say how much you think he has felt or acted this way in the past two weeks.

In the past 2 weeks:	True	Sometimes true	Not true
F1. He felt miserable or unhappy	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F2. He didn't enjoy anything at all	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F3. He felt so tired that he just sat around and did nothing	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F4. He was very restless	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F5. He felt he was no good any more	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F6. He cried a lot	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F7. He found it hard to think properly or concentrate	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F8. He hated himself	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F9. He felt he was a bad person	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F10. He felt lonely	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F11. He thought nobody really loved him	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F12. He thought he could never be as good as other kids	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>
F13. He felt he did everything wrong	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>

[Editing: If all 13 items had value -1 the variables were recoded to -6.]

KW File – Section F

kw6000 F1: Child has been feeling miserable or unhappy, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	349	4.7	4.8	4.8
	2 Sometimes true	3135	41.9	42.7	47.5
	3 Not true	3854	51.5	52.5	100.0
	Total	7338	98.0	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	45	.6		
	Total	148	2.0		
Total		7486	100.0		

kw6001 F2: Child has not enjoyed anything at all, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	84	1.1	1.2	1.2
	2 Sometimes true	895	12.0	12.3	13.4
	3 Not true	6312	84.3	86.6	100.0
	Total	7291	97.4	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	92	1.2		
	Total	195	2.6		
Total		7486	100.0		

kw6002 F3: Child has felt so tired that they sat around and did nothing, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	141	1.9	1.9	1.9
	2 Sometimes true	1507	20.1	20.6	22.5
	3 Not true	5677	75.8	77.5	100.0
	Total	7325	97.8	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	58	.8		
	Total	161	2.2		
Total		7486	100.0		

kw6003 F4: Child has been very restless, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	177	2.4	2.4	2.4
	2 Sometimes true	1652	22.1	22.6	25.0
	3 Not true	5488	73.3	75.0	100.0
	Total	7317	97.7	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	66	.9		
	Total	169	2.3		
Total		7486	100.0		

KW File – Section F

kw6004 F5: Child has felt no good any more, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	87	1.2	1.2	1.2
	2 Sometimes true	741	9.9	10.2	11.4
	3 Not true	6466	86.4	88.6	100.0
	Total	7294	97.4	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	89	1.2		
	Total	192	2.6		
Total		7486	100.0		

kw6005 F6: Child has cried a lot, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	83	1.1	1.1	1.1
	2 Sometimes true	689	9.2	9.4	10.6
	3 Not true	6532	87.3	89.4	100.0
	Total	7304	97.6	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	79	1.1		
	Total	182	2.4		
Total		7486	100.0		

kw6006 F7: Child has found it hard to think properly or concentrate, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	145	1.9	2.0	2.0
	2 Sometimes true	1219	16.3	16.7	18.7
	3 Not true	5945	79.4	81.3	100.0
	Total	7309	97.6	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	74	1.0		
	Total	177	2.4		
Total		7486	100.0		

kw6007 F8: Child has hated themselves, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	54	.7	.7	.7
	2 Sometimes true	422	5.6	5.8	6.5
	3 Not true	6821	91.1	93.5	100.0
	Total	7297	97.5	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	86	1.1		
	Total	189	2.5		
Total		7486	100.0		

KW File – Section F

kw6008 F9: Child has felt a bad person, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	35	.5	.5	.5
	2 Sometimes true	342	4.6	4.7	5.2
	3 Not true	6918	92.4	94.8	100.0
	Total	7295	97.4	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	88	1.2		
	Total	191	2.6		
Total		7486	100.0		

kw6009 F10: Child has felt lonely, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	95	1.3	1.3	1.3
	2 Sometimes true	942	12.6	12.9	14.2
	3 Not true	6259	83.6	85.8	100.0
	Total	7296	97.5	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	87	1.2		
	Total	190	2.5		
Total		7486	100.0		

kw6010 F11: Child has thought no one really loved them, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	64	.9	.9	.9
	2 Sometimes true	644	8.6	8.8	9.7
	3 Not true	6581	87.9	90.3	100.0
	Total	7289	97.4	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	94	1.3		
	Total	197	2.6		
Total		7486	100.0		

kw6011 F12: Child has thought they could never be as good as other kids, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	91	1.2	1.2	1.2
	2 Sometimes true	771	10.3	10.6	11.8
	3 Not true	6427	85.9	88.2	100.0
	Total	7289	97.4	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	94	1.3		
	Total	197	2.6		
Total		7486	100.0		

KW File – Section F

kw6012 F13: Child has felt they did everything wrong, past two weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 True	104	1.4	1.4	1.4
	2 Sometimes true	1189	15.9	16.3	17.7
	3 Not true	6010	80.3	82.3	100.0
	Total	7303	97.6	100.0	
Missing	-6 Section F omitted	103	1.4		
	-1 No response	80	1.1		
	Total	183	2.4		
Total		7486	100.0		

Derived variables – Short Moods and Feelings Questionnaire**SMFQ Depression Score**

This score, on an integer scale of 0 to 26, is a weighted sum of variables KW6000 to KW6012. Note that the higher the score is the more depressed the child is.

The Depression Score was created by recoding (missing, 3 = 0) (2 = 1) (1 = 2) in KW6000 to KW6012 and summing. The score based on complete cases only is KW6100a. If any of the components were missing then KW6100a was set to -5. Variable KW6100c is the number of missing components. The prorated score is KW6100b. If more than six components are missing then KW6100b was set to -5. Otherwise KW6100b is scaled by a factor of $13 / (13 - KW6100c)$ and rounded to the nearest integer.

kw6100a DV: SMFQ depression score (complete cases)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2629	35.1	36.8	36.8
	1	1326	17.7	18.6	55.4
	2	946	12.6	13.2	68.6
	3	629	8.4	8.8	77.4
	4	454	6.1	6.4	83.8
	5	332	4.4	4.6	88.4
	6	200	2.7	2.8	91.2
	7	129	1.7	1.8	93.0
	8	112	1.5	1.6	94.6
	9	96	1.3	1.3	95.9
	10	79	1.1	1.1	97.0
	11	56	.7	.8	97.8
	12	42	.6	.6	98.4
	13	28	.4	.4	98.8
	14	15	.2	.2	99.0
	15	12	.2	.2	99.2
	16	18	.2	.3	99.4
	17	11	.1	.2	99.6
	18	9	.1	.1	99.7
	19	5	.1	.1	99.8
	20	3	.0	.0	99.8
	21	2	.0	.0	99.8
	22	5	.1	.1	99.9
	23	1	.0	.0	99.9
	24	1	.0	.0	99.9
	25	4	.1	.1	100.0
	26	1	.0	.0	100.0
Total		7145	95.4	100.0	
Missing	-6 Section F omitted	103	1.4		
	-5 1+ components omitted	238	3.2		
	Total	341	4.6		
Total		7486	100.0		

KW File – Section F

kw6100b DV: SMFQ depression score (prorated)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2644	35.3	36.2	36.2
	1	1343	17.9	18.4	54.5
	2	968	12.9	13.2	67.8
	3	649	8.7	8.9	76.7
	4	474	6.3	6.5	83.1
	5	346	4.6	4.7	87.9
	6	201	2.7	2.7	90.6
	7	140	1.9	1.9	92.5
	8	122	1.6	1.7	94.2
	9	105	1.4	1.4	95.6
	10	81	1.1	1.1	96.8
	11	62	.8	.8	97.6
	12	42	.6	.6	98.2
	13	35	.5	.5	98.7
	14	16	.2	.2	98.9
	15	16	.2	.2	99.1
	16	19	.3	.3	99.4
	17	11	.1	.2	99.5
	18	9	.1	.1	99.6
	19	5	.1	.1	99.7
	20	3	.0	.0	99.7
	21	2	.0	.0	99.8
	22	6	.1	.1	99.8
	23	1	.0	.0	99.9
	24	3	.0	.0	99.9
	25	4	.1	.1	100.0
	26	3	.0	.0	100.0
	Total	7310	97.6	100.0	
Missing	-6 Section F omitted	103	1.4		
	-5 > 6 components omitted	73	1.0		
	Total	176	2.4		
Total		7486	100.0		

KW File – Section F

kw6100c DV: Number of missing SMFQ depression components

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	7145	95.4	96.8	96.8
	1	123	1.6	1.7	98.4
	2	16	.2	.2	98.7
	3	4	.1	.1	98.7
	4	9	.1	.1	98.8
	5	7	.1	.1	98.9
	6	6	.1	.1	99.0
	7	2	.0	.0	99.0
	8	4	.1	.1	99.1
	9	14	.2	.2	99.3
	10	14	.2	.2	99.5
	11	22	.3	.3	99.8
	12	17	.2	.2	100.0
	Total	7383	98.6	100.0	
Missing	-6 Section F omitted	103	1.4		
Total		7486	100.0		

PAGE 39 OF THE QUESTIONNAIRE

SECTION G: STRENGTHS AND DIFFICULTIES

Please think how your child has been in the past 6 months

	In the last six months:	Not true	Somewhat true	Certainly true	Don't know
G1.	He has been considerate of other people's feelings	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G2.	He has been restless, overactive, cannot stay still for long	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G3.	He has often complained of headaches, stomach aches or sickness	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G4.	He has shared readily with other children (treats, toys, pencils etc.)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G5.	He has often had temper tantrums or hot tempers	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G6.	He is rather solitary, tends to play alone	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G7.	He is generally obedient, usually does what adults request	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G8.	He has many worries, often seems worried	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G9.	He is helpful if someone is hurt, upset or feeling ill	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G10.	He is constantly fidgeting or squirming	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G11.	He has at least one good friend	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G12.	He often fights with other children or bullies them	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G13.	He is often unhappy, down-hearted or tearful	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G14.	He is generally liked by other children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G15.	He is easily distracted, his concentration wanders	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G16.	He is nervous or clingy in new situations, easily loses confidence	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>

PAGE 40 OF THE QUESTIONNAIRE

	In the last six months:	Not true	Somewhat true	Certainly true	Don't know
G17.	He is kind to younger children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G18.	He often lies or cheats	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G19.	He is picked on or bullied by other children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G20.	He often volunteers to help others (parents, teachers, other children)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G21.	He thinks things out before acting	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G22.	He steals from home, school or elsewhere	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G23.	He gets on better with adults than with other children	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G24.	He has many fears, is easily scared	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>
G25.	He sees tasks through to the end, has good attention span	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="9"/>

[Editing: Values of 9 were recoded to -1. Then if all 25 items had value -1 the variables were recoded to -6.]

KW File – Section G

kw6500 G1: Child has been considerate of other people's feelings in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	115	1.5	1.6	1.6
	2 Somewhat true	2740	36.6	37.4	39.0
	3 Certainly true	4474	59.8	61.0	100.0
	Total	7329	97.9	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	84	1.1		
	Total	157	2.1		
Total		7486	100.0		

kw6501 G2: Child has been restless/overactive/cannot sit still for long in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5322	71.1	73.2	73.2
	2 Somewhat true	1519	20.3	20.9	94.1
	3 Certainly true	430	5.7	5.9	100.0
	Total	7271	97.1	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	142	1.9		
	Total	215	2.9		
Total		7486	100.0		

kw6502 G3: Child has often complained of headaches/stomach aches/sickness in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4664	62.3	63.8	63.8
	2 Somewhat true	2200	29.4	30.1	93.9
	3 Certainly true	444	5.9	6.1	100.0
	Total	7308	97.6	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	105	1.4		
	Total	178	2.4		
Total		7486	100.0		

kw6503 G4: Child has shared readily with other children in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	150	2.0	2.1	2.1
	2 Somewhat true	1807	24.1	24.8	26.8
	3 Certainly true	5344	71.4	73.2	100.0
	Total	7301	97.5	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	112	1.5		
	Total	185	2.5		
Total		7486	100.0		

KW File – Section G

kw6504 G5: Child has often had temper tantrums or hot tempers in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	4406	58.9	60.2	60.2
	2 Somewhat true	2274	30.4	31.1	91.2
	3 Certainly true	643	8.6	8.8	100.0
	Total	7323	97.8	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	90	1.2		
	Total	163	2.2		
Total		7486	100.0		

kw6505 G6: Child is rather solitary, tends to play alone in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5494	73.4	75.2	75.2
	2 Somewhat true	1548	20.7	21.2	96.4
	3 Certainly true	262	3.5	3.6	100.0
	Total	7304	97.6	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	109	1.5		
	Total	182	2.4		
Total		7486	100.0		

kw6506 G7: Child has been generally obedient, usually does what adults request in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	261	3.5	3.6	3.6
	2 Somewhat true	2697	36.0	36.7	40.3
	3 Certainly true	4387	58.6	59.7	100.0
	Total	7345	98.1	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	68	.9		
	Total	141	1.9		
Total		7486	100.0		

kw6507 G8: Child has many worries, often seems worried in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5157	68.9	71.0	71.0
	2 Somewhat true	1829	24.4	25.2	96.2
	3 Certainly true	274	3.7	3.8	100.0
	Total	7260	97.0	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	153	2.0		
	Total	226	3.0		
Total		7486	100.0		

KW File – Section G

kw6508 G9: Child has been helpful if someone is hurt/upset/feeling ill in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	124	1.7	1.7	1.7
	2 Somewhat true	1645	22.0	22.5	24.1
	3 Certainly true	5558	74.2	75.9	100.0
	Total	7327	97.9	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	86	1.1		
	Total	159	2.1		
Total		7486	100.0		

kw6509 G10: Child has been constantly fidgeting or squirming in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5668	75.7	77.7	77.7
	2 Somewhat true	1260	16.8	17.3	95.0
	3 Certainly true	368	4.9	5.0	100.0
	Total	7296	97.5	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	117	1.6		
	Total	190	2.5		
Total		7486	100.0		

kw6510 G11: Child has had at least one good friend in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	186	2.5	2.5	2.5
	2 Somewhat true	739	9.9	10.1	12.6
	3 Certainly true	6398	85.5	87.4	100.0
	Total	7323	97.8	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	90	1.2		
	Total	163	2.2		
Total		7486	100.0		

kw6511 G12: Child has often fought with other children or bullied them in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	6830	91.2	94.2	94.2
	2 Somewhat true	380	5.1	5.2	99.4
	3 Certainly true	44	.6	.6	100.0
	Total	7254	96.9	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	159	2.1		
	Total	232	3.1		
Total		7486	100.0		

KW File – Section G

kw6512 G13: Child has often been unhappy/down-hearted/tearful in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	6141	82.0	84.0	84.0
	2 Somewhat true	1047	14.0	14.3	98.3
	3 Certainly true	122	1.6	1.7	100.0
	Total	7310	97.6	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	103	1.4		
	Total	176	2.4		
Total		7486	100.0		

kw6513 G14: Child has been generally liked by other children in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	79	1.1	1.1	1.1
	2 Somewhat true	1195	16.0	16.3	17.4
	3 Certainly true	6047	80.8	82.6	100.0
	Total	7321	97.8	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	92	1.2		
	Total	165	2.2		
Total		7486	100.0		

kw6514 G15: Child has been easily distracted, concentration wandered in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	3892	52.0	53.2	53.2
	2 Somewhat true	2580	34.5	35.3	88.4
	3 Certainly true	847	11.3	11.6	100.0
	Total	7319	97.8	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	94	1.3		
	Total	167	2.2		
Total		7486	100.0		

kw6515 G16: Child has been nervous or clingy in new situations, easily lost confidence in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5322	71.1	72.9	72.9
	2 Somewhat true	1669	22.3	22.9	95.7
	3 Certainly true	313	4.2	4.3	100.0
	Total	7304	97.6	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	109	1.5		
	Total	182	2.4		
Total		7486	100.0		

KW File – Section G

kw6516 G17: Child has been kind to younger children in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	33	.4	.4	.4
	2 Somewhat true	1099	14.7	14.9	15.4
	3 Certainly true	6224	83.1	84.6	100.0
	Total	7356	98.3	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	57	.8		
	Total	130	1.7		
Total		7486	100.0		

kw6517 G18: Child has often lied or cheated in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	6054	80.9	83.4	83.4
	2 Somewhat true	1109	14.8	15.3	98.7
	3 Certainly true	97	1.3	1.3	100.0
	Total	7260	97.0	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	153	2.0		
	Total	226	3.0		
Total		7486	100.0		

kw6518 G19: Child has been picked on or bullied by other children in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5628	75.2	79.1	79.1
	2 Somewhat true	1274	17.0	17.9	97.0
	3 Certainly true	214	2.9	3.0	100.0
	Total	7116	95.1	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	297	4.0		
	Total	370	4.9		
Total		7486	100.0		

kw6519 G20: Child has often volunteered to help others in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	483	6.5	6.7	6.7
	2 Somewhat true	3113	41.6	43.1	49.8
	3 Certainly true	3623	48.4	50.2	100.0
	Total	7219	96.4	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	194	2.6		
	Total	267	3.6		
Total		7486	100.0		

KW File – Section G

kw6520 G21: Child has thought things out before acting in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	836	11.2	11.6	11.6
	2 Somewhat true	4578	61.2	63.5	75.2
	3 Certainly true	1790	23.9	24.8	100.0
	Total	7204	96.2	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	209	2.8		
	Total	282	3.8		
Total		7486	100.0		

kw6521 G22: Child has stolen from home/school/elsewhere in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	7118	95.1	97.9	97.9
	2 Somewhat true	132	1.8	1.8	99.7
	3 Certainly true	24	.3	.3	100.0
	Total	7274	97.2	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	139	1.9		
	Total	212	2.8		
Total		7486	100.0		

kw6522 G23: Child has gets on better with adults than other children in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5661	75.6	79.4	79.4
	2 Somewhat true	1252	16.7	17.6	96.9
	3 Certainly true	219	2.9	3.1	100.0
	Total	7132	95.3	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	281	3.8		
	Total	354	4.7		
Total		7486	100.0		

kw6523 G24: Child has had many fears, easily scared in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	5839	78.0	80.2	80.2
	2 Somewhat true	1258	16.8	17.3	97.4
	3 Certainly true	186	2.5	2.6	100.0
	Total	7283	97.3	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	130	1.7		
	Total	203	2.7		
Total		7486	100.0		

KW File – Section G

kw6524 G25: Child has seen tasks through to the end, had good attention span in the last six months

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Not true	923	12.3	12.6	12.6
	2 Somewhat true	3441	46.0	47.0	59.6
	3 Certainly true	2955	39.5	40.4	100.0
	Total	7319	97.8	100.0	
Missing	-6 Section G omitted	73	1.0		
	-1 No response	94	1.3		
	Total	167	2.2		
Total		7486	100.0		

Derived variables – Strengths and Difficulties Questionnaire**SDQ Prosocial Score**

This score, on an integer scale of 0 to 10, is a weighted sum of variables KW6500, KW6503, KW6508, KW6516 and KW6519. Note that the higher the score is the better the behaviour of the child is.

The Prosocial Score was created by recoding (missing, 1 = 0) (2 = 1) (3 = 2) in KW6500, KW6503, KW6508, KW6516 and KW6519 and summing. The score based on complete cases only is KW6600a. If any of the components were missing then KW6600a was set to -5. Variable KW6600c is the number of missing components. The prorated score is KW6600b. If more than two components are missing then KW6600b was set to -5. Otherwise KW6600b is scaled by a factor of $5 / (5 - \text{KW6600c})$ and rounded to the nearest integer.

kw6600a DV: SDQ - Prosocial score (complete cases)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	3	.0	.0	.0
1	3	.0	.0	.1
2	22	.3	.3	.4
3	37	.5	.5	.9
4	102	1.4	1.5	2.4
5	311	4.2	4.4	6.8
6	577	7.7	8.2	15.0
7	809	10.8	11.5	26.5
8	1234	16.5	17.5	44.1
9	1649	22.0	23.4	67.5
10	2285	30.5	32.5	100.0
Total	7032	93.9	100.0	
Missing -6 Section G omitted	73	1.0		
-5 1+ components omitted	381	5.1		
Total	454	6.1		
Total	7486	100.0		

kw6600b DV: SDQ - Prosocial score (prorated)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	4	.1	.1	.1
1	4	.1	.1	.1
2	23	.3	.3	.4
3	43	.6	.6	1.0
4	114	1.5	1.5	2.5
5	356	4.8	4.8	7.4
6	624	8.3	8.5	15.8
7	825	11.0	11.2	27.0
8	1318	17.6	17.9	44.9
9	1717	22.9	23.3	68.2
10	2346	31.3	31.8	100.0
Total	7374	98.5	100.0	
Missing -6 Section G omitted	73	1.0		
-5 > 2 components omitted	39	.5		
Total	112	1.5		
Total	7486	100.0		

KW File – Section G

kw6600c DV: SDQ - Number of missing prosocial components

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	7032	93.9	94.9	94.9
	1	282	3.8	3.8	98.7
	2	60	.8	.8	99.5
	3	26	.3	.4	99.8
	4	12	.2	.2	100.0
	5	1	.0	.0	100.0
	Total	7413	99.0	100.0	
Missing	-6 Section G omitted	73	1.0		
Total		7486	100.0		

KW File – Section G

SDQ Hyperactivity Score

This score, on an integer scale of 0 to 10, is a weighted sum of variables KW6501, KW6509, KW6514, KW6520 and KW6524. Note that the higher the score is the more hyperactive the behaviour of the child is.

The Hyperactivity Score was created by recoding (missing, 1 = 0) (2 = 1) (3 = 2) in KW6501, KW6509 and KW6514 and (missing, 3 = 0) (2 = 1) (1 = 2) in KW6520 and KW6524 and summing. The score based on complete cases only is KW6601a. If any of the components were missing then KW6601a was set to -5. Variable KW6601c is the number of missing components. The prorated score is KW6601b. If more than two components are missing then KW6601b was set to -5. Otherwise KW6601b is scaled by a factor of 5 / (5 - KW6601c) and rounded to the nearest integer.

kw6601a DV: SDQ - Hyperactivity score (complete cases)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1069	14.3	15.3	15.3
	1	1296	17.3	18.5	33.8
	2	1274	17.0	18.2	52.1
	3	1248	16.7	17.9	69.9
	4	745	10.0	10.7	80.6
	5	525	7.0	7.5	88.1
	6	346	4.6	4.9	93.0
	7	195	2.6	2.8	95.8
	8	134	1.8	1.9	97.7
	9	90	1.2	1.3	99.0
	10	68	.9	1.0	100.0
	Total	6990	93.4	100.0	
Missing	-6 Section G omitted	73	1.0		
	-5 1+ components omitted	423	5.7		
	Total	496	6.6		
Total		7486	100.0		

kw6601b DV: SDQ - Hyperactivity score (prorated)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1103	14.7	15.0	15.0
	1	1353	18.1	18.4	33.4
	2	1287	17.2	17.5	50.9
	3	1338	17.9	18.2	69.2
	4	801	10.7	10.9	80.1
	5	580	7.7	7.9	88.0
	6	362	4.8	4.9	92.9
	7	203	2.7	2.8	95.6
	8	151	2.0	2.1	97.7
	9	96	1.3	1.3	99.0
	10	73	1.0	1.0	100.0
	Total	7347	98.1	100.0	
Missing	-6 Section G omitted	73	1.0		
	-5 > 2 components omitted	66	.9		
	Total	139	1.9		
Total		7486	100.0		

KW File – Section G

kw6601c DV: SDQ - Number of missing hyperactivity components

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6990	93.4	94.3	94.3
	1	294	3.9	4.0	98.3
	2	63	.8	.8	99.1
	3	38	.5	.5	99.6
	4	18	.2	.2	99.9
	5	10	.1	.1	100.0
	Total	7413	99.0	100.0	
Missing	-6 Section G omitted	73	1.0		
Total		7486	100.0		

KW File – Section G

SDQ Emotional Symptoms Score

This score, on an integer scale of 0 to 10, is a weighted sum of variables KW6502, KW6507, KW6512, KW6515 and KW6523. Note that the higher the score is the more emotional the behaviour of the child is.

The Emotional Symptoms Score was created by recoding (missing, 1 = 0) (2 = 1) (3 = 2) in KW6502, KW6507, KW6512, KW6515 and KW6523 and summing. The score based on complete cases only is KW6602a. If any of the components were missing then KW6602a was set to -5. Variable KW6602c is the number of missing components. The prorated score is KW6602b. If more than two components are missing then KW6602b was set to -5. Otherwise KW6602b is scaled by a factor of $5 / (5 - \text{KW6602c})$ and rounded to the nearest integer.

kw6602a DV: SDQ - Emotional symptoms score (complete cases)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2746	36.7	39.0	39.0
	1	1746	23.3	24.8	63.8
	2	1028	13.7	14.6	78.3
	3	694	9.3	9.8	88.2
	4	364	4.9	5.2	93.4
	5	235	3.1	3.3	96.7
	6	108	1.4	1.5	98.2
	7	70	.9	1.0	99.2
	8	33	.4	.5	99.7
	9	15	.2	.2	99.9
	10	7	.1	.1	100.0
	Total	7046	94.1	100.0	
Missing	-6 Section G omitted	73	1.0		
	-5 1+ components omitted	367	4.9		
	Total	440	5.9		
Total		7486	100.0		

kw6602b DV: SDQ - Emotional symptoms score (prorated)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2832	37.8	38.5	38.5
	1	1815	24.2	24.7	63.2
	2	1039	13.9	14.1	77.4
	3	746	10.0	10.2	87.5
	4	396	5.3	5.4	92.9
	5	267	3.6	3.6	96.6
	6	120	1.6	1.6	98.2
	7	71	.9	1.0	99.2
	8	39	.5	.5	99.7
	9	16	.2	.2	99.9
	10	7	.1	.1	100.0
	Total	7348	98.2	100.0	
Missing	-6 Section G omitted	73	1.0		
	-5 > 2 components omitted	65	.9		
	Total	138	1.8		
Total		7486	100.0		

KW File – Section G

kw6602c DV: SDQ - Number of missing emotional symptoms components

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	7046	94.1	95.0	95.0
	1	256	3.4	3.5	98.5
	2	46	.6	.6	99.1
	3	25	.3	.3	99.5
	4	23	.3	.3	99.8
	5	17	.2	.2	100.0
	Total	7413	99.0	100.0	
Missing	-6 Section G omitted	73	1.0		
Total		7486	100.0		

KW File – Section G

SDQ Conduct Problems Score

This score, on an integer scale of 0 to 10, is a weighted sum of variables KW6504, KW6506, KW6511, KW6517 and KW6521. Note that the higher the score is the worse the behaviour of the child is.

The Conduct Problems Score was created by recoding (missing, 1 = 0) (2 = 1) (3 = 2) in KW6504, KW6511, KW6517 and KW6521 and (missing, 3 = 0) (2 = 1) (1 = 2) in KW6506 and summing. The score based on complete cases only is KW6603a. If any of the components were missing then KW6603a was set to -5. Variable KW6603c is the number of missing components. The prorated score is KW6603b. If more than two components are missing then KW6603b was set to -5. Otherwise KW6603b is scaled by a factor of 5 / (5 - KW6603c) and rounded to the nearest integer.

kw6603a DV: SDQ - Conduct problems score (complete cases)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	2904	38.8	41.5	41.5
1	1909	25.5	27.3	68.8
2	1176	15.7	16.8	85.6
3	564	7.5	8.1	93.6
4	246	3.3	3.5	97.1
5	114	1.5	1.6	98.8
6	50	.7	.7	99.5
7	24	.3	.3	99.8
8	6	.1	.1	99.9
9	5	.1	.1	100.0
10	2	.0	.0	100.0
Total	7000	93.5	100.0	
Missing -6 Section G omitted	73	1.0		
-5 1+ components omitted	413	5.5		
Total	486	6.5		
Total	7486	100.0		

kw6603b DV: SDQ - Conduct problems score (prorated)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	2996	40.0	40.7	40.7
1	1989	26.6	27.0	67.7
2	1198	16.0	16.3	84.0
3	634	8.5	8.6	92.6
4	293	3.9	4.0	96.5
5	150	2.0	2.0	98.6
6	62	.8	.8	99.4
7	24	.3	.3	99.7
8	10	.1	.1	99.9
9	5	.1	.1	99.9
10	4	.1	.1	100.0
Total	7365	98.4	100.0	
Missing -6 Section G omitted	73	1.0		
-5 > 2 components omitted	48	.6		
Total	121	1.6		
Total	7486	100.0		

KW File – Section G

kw6603c DV: SDQ - Number of missing conduct problems components

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	7000	93.5	94.4	94.4
	1	296	4.0	4.0	98.4
	2	69	.9	.9	99.4
	3	25	.3	.3	99.7
	4	15	.2	.2	99.9
	5	8	.1	.1	100.0
	Total	7413	99.0	100.0	
Missing	-6 Section G omitted	73	1.0		
Total		7486	100.0		

KW File – Section G

SDQ Peer Problems Score

This score, on an integer scale of 0 to 10, is a weighted sum of variables KW6505, KW6510, KW6513, KW6518 and KW6522. Note that the higher the score is the less well the child gets on with other children.

The Peer Problems Score was created by recoding (missing, 1 = 0) (2 = 1) (3 = 2) in KW6505, KW6518 and KW6522 and (missing, 3 = 0) (2 = 1) (1 = 2) in KW6510 and KW6513 and summing. The score based on complete cases only is KW6604a. If any of the components were missing then KW6604a was set to -5. Variable KW6604c is the number of missing components. The prorated score is KW6604b. If more than two components are missing then KW6604b was set to -5. Otherwise KW6604b is scaled by a factor of 5 / (5 - KW6604c) and rounded to the nearest integer.

kw6604a DV: SDQ - Peer problems score (complete cases)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3457	46.2	51.1	51.1
	1	1518	20.3	22.4	73.5
	2	859	11.5	12.7	86.2
	3	410	5.5	6.1	92.3
	4	247	3.3	3.6	95.9
	5	145	1.9	2.1	98.0
	6	67	.9	1.0	99.0
	7	36	.5	.5	99.6
	8	21	.3	.3	99.9
	9	8	.1	.1	100.0
	Total	6768	90.4	100.0	
Missing	-6 Section G omitted	73	1.0		
	-5 1+ components omitted	645	8.6		
	Total	718	9.6		
Total		7486	100.0		

kw6604b DV: SDQ - Peer problems score (prorated)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	3671	49.0	49.8	49.8
	1	1650	22.0	22.4	72.2
	2	889	11.9	12.1	84.3
	3	513	6.9	7.0	91.2
	4	298	4.0	4.0	95.3
	5	183	2.4	2.5	97.7
	6	81	1.1	1.1	98.8
	7	43	.6	.6	99.4
	8	28	.4	.4	99.8
	9	12	.2	.2	100.0
	10	2	.0	.0	100.0
	Total	7370	98.5	100.0	
Missing	-6 Section G omitted	73	1.0		
	-5 > 2 components omitted	43	.6		
	Total	116	1.5		
Total		7486	100.0		

KW File – Section G


kw6604c DV: SDQ - Number of missing peer problems components

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6768	90.4	91.3	91.3
	1	495	6.6	6.7	98.0
	2	107	1.4	1.4	99.4
	3	23	.3	.3	99.7
	4	9	.1	.1	99.9
	5	11	.1	.1	100.0
	Total	7413	99.0	100.0	
Missing	-6 Section G omitted	73	1.0		
Total		7486	100.0		

SDQ Total Difficulties Score

This score, on an integer scale of 0 to 40, is a weighted sum of the components of the Hyperactivity, Emotional Symptoms, Conduct Problems and Peer Problems scores above. Note that the higher the score is the more difficulties the child exhibits.


The Total Difficulties Score was created by summing the recoded components, as detailed above. The score based on complete cases only is KW6605a. If any of the components were missing then KW6605a was set to -5. Variable KW6605c is the number of missing components. The prorated score is KW6605b. If more than eight components are missing then KW6605b was set to -5. Otherwise KW6605b is scaled by a factor of $20 / (20 - KW6605c)$ and rounded to the nearest integer.

KW6605a

plus the following missing values:

kw6605a DV: SDQ - Total difficulties score (complete cases)

		Frequency	Percent
Missing	-6 Section G omitted	73	5.7
	-5 1+ components omitted	1211	94.3
	Total	1284	100.0

KW6605b

plus the following missing values:

kw6605b DV: SDQ - Total difficulties score (prorated)

	Frequency	Percent
Missing -6 Section G omitted	73	58.9
-5 > 8 components omitted	51	41.1
Total	124	100.0

KW File – Section G

kw6605c DV: SDQ - Number of missing total difficulties components

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	6202	82.8	83.7	83.7
	1	753	10.1	10.2	93.8
	2	214	2.9	2.9	96.7
	3	84	1.1	1.1	97.8
	4	35	.5	.5	98.3
	5	24	.3	.3	98.6
	6	25	.3	.3	99.0
	7	20	.3	.3	99.2
	8	5	.1	.1	99.3
	9	4	.1	.1	99.4
	10	6	.1	.1	99.4
	11	4	.1	.1	99.5
	12	3	.0	.0	99.5
	13	8	.1	.1	99.6
	14	3	.0	.0	99.7
	15	8	.1	.1	99.8
	16	3	.0	.0	99.8
	17	5	.1	.1	99.9
	18	1	.0	.0	99.9
	19	2	.0	.0	99.9
	20	4	.1	.1	100.0
	Total	7413	99.0	100.0	
Missing	-6 Section G omitted	73	1.0		
Total		7486	100.0		

PAGE 41 OF THE QUESTIONNAIRE

SECTION H: SCHOOL

H1. a) Does he go to school?

Yes No → If **no**, go to H11a on page 46

b) How many different schools has he gone to? (don't count nursery school or kindergarten)

 different schools

c) Please describe reasons for child being at current school (tick all that apply):

- i) It was the only available choice
- ii) It was the best available
- iii) There were medical reasons → please describe
- iv) There were psychological reasons → please describe
- v) Other (please tick and describe)
-

H2. How does he get to school?

		(i) Going		(ii) Coming back	
		every or most days	some days	every or most days	some days
a)	He walks	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
b)	He goes in a wheelchair	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
c)	By public transport	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
d)	School bus/ coach	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
e)	By car	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
f)	Rides bicycle	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
g)	Other (please tick & describe)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

.....

PAGE 42 OF THE QUESTIONNAIRE

H3. a) How far away is the school?

less than ½ mile (1 km) away

1

½ - 1 mile (1-2 km) away

2

1 - 5 miles (2-8 km) away

3

more than 5 miles (8 km) away

4

b) How long does it take to get there in the morning?

minutes

H4. We would like to know what happens after school.

a) Does he usually go straight home?

No

Yes
most days
Yes
always

→

**If yes always,
go to H4c below**b) **If no, or most days**, where else does he go?**Every day****Some days****Never**

i) to a relative's home

1

2

3

ii) to a friend's home

1

2

3

iii) to a childminder

1

2

3

iv) school club

1

2

3

v) plays outside

1

2

3

vi) other (please tick and
describe)

1

2

3

.....

c) If he goes straight home is an adult always there?

yes, always

1

yes, usually

2

yes, sometimes

3

no, hardly
ever

4

PAGE 43 OF THE QUESTIONNAIRE

H5. How do you think he feels about school?

		Always	Usually	Sometimes	Not at all
a)	He looks forward to seeing his teachers	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
b)	He enjoys school	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
c)	He is stimulated by it	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
d)	He is frightened by the teachers	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
e)	He is frightened by his school mates	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
f)	He is afraid of failure	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
g)	He seems bored by school	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
h)	He likes his school mates	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
i)	He looks forward to lessons	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>

H6. At school how much do you think he likes:

		He likes it a lot	He quite likes it	He does not like it	Does not do this
a)	Science	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
b)	Maths	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
c)	English	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
d)	Games/PE	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
e)	Foreign language	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
f)	Art	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
g)	Music	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
h)	Geography	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>
i)	History	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>

PAGE 44 OF THE QUESTIONNAIRE

		He likes it a lot	He quite likes it	He does not like it	Does not do this
H6.	j) I.T. (Information technology)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
	k) D.T. (Design and technology)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
	l) Humanities	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
	m) Citizenship/P.S.E./P.S.D.	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>
	n) Other topic (please tick & describe)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	

.....

H7. a) Are you interested in what your child does at school?

Yes very Yes mostly No, not really

b) Are you happy with the teaching your son is getting at school?

Yes very Yes mostly No, not really

c) Are you happy with the progress your son is making at school?

Yes very Yes mostly No, not really

d) Are you happy with his behaviour at school?

Yes very Yes mostly No, not really

H8. Has he been identified as having any particular problems at school?

Yes No → **If no, go to H11 on page 46**

PAGE 45 OF THE QUESTIONNAIRE

If **yes**, which problems? (tick all that apply)

- H8. a) disciplinary ☐
 b) learning ☐
 c) in relationships ☐
 d) emotional ☐
 e) other ☐
 f) Please describe each type of school problem:

.....

H9. Have you been invited to the school to talk about any of these problems?

Yes ☐ No ☐

H10 a) Was the child investigated by a health specialist or educational psychologist for any of these problems?

Yes ☐ No ☐ → If **no**, go to H11 on page 46

If **yes**, what was the result?

.....

b) Did this investigation result in extra help for the child?

Yes ☐ No ☐ → If **no**, go to H11 on page 46

If **yes**, describe what:

.....

PAGE 46 OF THE QUESTIONNAIRE

H11. a) Do you think that your study child has any particular talents?

Yes ☐ 1 No ☐ 2 → If no, go to H12 below

b) If yes, please describe

H12. Does your child show any interest in taking up any particular occupation when he is an adult?

Yes ☐ 1 No ☐ 2 → If no, go to H13 below

If yes, please describe.....

H13. Is there an occupation you really hope your child will choose?

Yes ☐ 1 No ☐ 2 → If no, go to H14 below

If yes, please describe.....

H14. What sort of education do you hope your child will have? (tick just one)

- | | |
|----------------------------|--|
| <input type="checkbox"/> 1 | the minimum – and leave school as soon as possible |
| <input type="checkbox"/> 2 | to get some good GCSE's and then leave |
| <input type="checkbox"/> 3 | to take at least one A level |
| <input type="checkbox"/> 4 | to go to University |
| <input type="checkbox"/> 5 | other (please tick and describe) |
| <input type="checkbox"/> 6 | don't really mind |

KW File – Section H

kw7000 H1a: Child goes to school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	7414	99.0	99.6	99.6
	2 No	29	.4	.4	100.0
	Total	7443	99.4	100.0	
Missing	-1 No response	43	.6		
Total		7486	100.0		

kw7001 H1b: Number of different schools child has gone to

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	62	.8	.9	.9
	1	1204	16.1	16.6	17.5
	2	3701	49.4	51.1	68.6
	3	1876	25.1	25.9	94.5
	4	322	4.3	4.4	98.9
	5	58	.8	.8	99.7
	6	15	.2	.2	99.9
	7	4	.1	.1	100.0
	8	1	.0	.0	100.0
	Total	7243	96.8	100.0	
Missing	-1 No response	243	3.2		
Total		7486	100.0		

KW File – Section H

kw7002 H1c1: Child is at current school as it is the only available choice

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	747	10.0	100.0	100.0
Missing -1 No response	6739	90.0		
Total	7486	100.0		

kw7003 H1c2: Child is at current school as it the best available

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5682	75.9	100.0	100.0
Missing -1 No response	1804	24.1		
Total	7486	100.0		

kw7004 H1c3: Child is at current school as there were medical reasons

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	41	.5	100.0	100.0
Missing -1 No response	7445	99.5		
Total	7486	100.0		

kw7006 H1c4: Child is at current school as there were psychological reasons

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	65	.9	100.0	100.0
Missing -1 No response	7421	99.1		
Total	7486	100.0		

kw7008 H1c5: Child is at current school for other reasons

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1327	17.7	100.0	100.0
Missing -1 No response	6159	82.3		
Total	7486	100.0		

KW File – Section H

kw7010 H2a1: Child walks to school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	3119	41.7	81.2	81.2
	2 Some days	720	9.6	18.8	100.0
	Total	3839	51.3	100.0	
Missing	-1 No response	3647	48.7		
Total		7486	100.0		

kw7011 H2b1: Child goes to school in wheelchair

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	6	.1	75.0	75.0
	2 Some days	2	.0	25.0	100.0
	Total	8	.1	100.0	
Missing	-1 No response	7478	99.9		
Total		7486	100.0		

kw7012 H2c1: Child goes to school by public transport

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	330	4.4	69.5	69.5
	2 Some days	145	1.9	30.5	100.0
	Total	475	6.3	100.0	
Missing	-1 No response	7011	93.7		
Total		7486	100.0		

kw7013 H2d1: Child goes to school by school bus or coach

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	1223	16.3	91.7	91.7
	2 Some days	110	1.5	8.3	100.0
	Total	1333	17.8	100.0	
Missing	-1 No response	6153	82.2		
Total		7486	100.0		

kw7014 H2e1: Child goes to school by car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	2106	28.1	63.6	63.6
	2 Some days	1207	16.1	36.4	100.0
	Total	3313	44.3	100.0	
Missing	-1 No response	4173	55.7		
Total		7486	100.0		

kw7015 H2f1: Child goes to school by bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	150	2.0	37.2	37.2
	2 Some days	253	3.4	62.8	100.0
	Total	403	5.4	100.0	
Missing	-1 No response	7083	94.6		
Total		7486	100.0		

KW File – Section H

kw7016 H2g1: Child goes to school by other means

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	7	.1	8.0	8.0
	1 Every/most days	65	.9	74.7	82.8
	2 Some days	15	.2	17.2	100.0
	Total	87	1.2	100.0	
Missing	-1 No response	7399	98.8		
Total		7486	100.0		

KW File – Section H

kw7020 H2a2: Child walks back from school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	3203	42.8	79.7	79.7
	2 Some days	814	10.9	20.3	100.0
	Total	4017	53.7	100.0	
Missing	-1 No response	3469	46.3		
Total		7486	100.0		

kw7021 H2b2: Child goes home from school in wheelchair

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	8	.1	80.0	80.0
	2 Some days	2	.0	20.0	100.0
	Total	10	.1	100.0	
Missing	-1 No response	7476	99.9		
Total		7486	100.0		

kw7022 H2c2: Child goes home from school by public transport

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	372	5.0	67.6	67.6
	2 Some days	178	2.4	32.4	100.0
	Total	550	7.3	100.0	
Missing	-1 No response	6936	92.7		
Total		7486	100.0		

kw7023 H2d2: Child goes home from school by school bus or coach

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	1246	16.6	89.1	89.1
	2 Some days	153	2.0	10.9	100.0
	Total	1399	18.7	100.0	
Missing	-1 No response	6087	81.3		
Total		7486	100.0		

kw7024 H2e2: Child goes home from school by car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	1747	23.3	57.8	57.8
	2 Some days	1277	17.1	42.2	100.0
	Total	3024	40.4	100.0	
Missing	-1 No response	4462	59.6		
Total		7486	100.0		

kw7025 H2f2: Child goes home from school by bicycle

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Every/most days	155	2.1	39.4	39.4
	2 Some days	238	3.2	60.6	100.0
	Total	393	5.2	100.0	
Missing	-1 No response	7093	94.8		
Total		7486	100.0		

KW File – Section H

kw7026 H2g2: Child goes home from school by other means


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	5	.1	6.3	6.3
	1 Every/most days	58	.8	72.5	78.8
	2 Some days	17	.2	21.3	100.0
	Total	80	1.1	100.0	
Missing	-1 No response	7406	98.9		
Total		7486	100.0		

KW File – Section H

kw7030 H3a: Distance from home to school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 <0.5 mile (1km)	1936	25.9	26.4	26.4
	2 0.5 - 1 mile (1-2km)	1871	25.0	25.5	51.8
	3 1-5 miles (2-8km)	2746	36.7	37.4	89.2
	4 >5 miles (8km)	791	10.6	10.8	100.0
	Total	7344	98.1	100.0	
Missing	-1 No response	142	1.9		
Total		7486	100.0		

kw7031



plus the following missing values and outliers > 60:

kw7031 H3b: Time taken in minutes to get to school in the mornings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	65	3	1.1	10.7	10.7
	70	5	1.8	17.9	28.6
	75	6	2.2	21.4	50.0
	80	2	.7	7.1	57.1
	90	9	3.3	32.1	89.3
	95	3	1.1	10.7	100.0
	Total	28	10.3	100.0	
Missing	-9 Don't know	1	.4		
	-1 No response	244	89.4		
	Total	245	89.7		
Total		273	100.0		

KW File – Section H

kw7040 H4a: Child normally goes straight home from school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 No	536	7.2	7.3	7.3
	2 Yes, most days	3617	48.3	49.0	56.3
	3 Yes, always	3228	43.1	43.7	100.0
	Total	7381	98.6	100.0	
Missing	-1 No response	105	1.4		
Total		7486	100.0		

kw7041 H4b1: Child goes to a relative's house after school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	70	.9	4.8	4.8
	2 Yes, some days	702	9.4	48.3	53.1
	3 No	681	9.1	46.9	100.0
	Total	1453	19.4	100.0	
Missing	-1 No response	6033	80.6		
Total		7486	100.0		

kw7042 H4b2: Child goes to friend's house after school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	19	.3	.9	.9
	2 Yes, some days	1819	24.3	88.6	89.5
	3 No	216	2.9	10.5	100.0
	Total	2054	27.4	100.0	
Missing	-1 No response	5432	72.6		
Total		7486	100.0		

kw7043 H4b3: Child goes to childminder after school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	26	.3	2.5	2.5
	2 Yes, some days	94	1.3	9.0	11.5
	3 No	927	12.4	88.5	100.0
	Total	1047	14.0	100.0	
Missing	-1 No response	6439	86.0		
Total		7486	100.0		

kw7044 H4b4: Child goes to school club after school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	42	.6	2.0	2.0
	2 Yes, some days	1529	20.4	74.6	76.7
	3 No	478	6.4	23.3	100.0
	Total	2049	27.4	100.0	
Missing	-1 No response	5437	72.6		
Total		7486	100.0		

KW File – Section H

kw7045 H4b5: Child plays outside after school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, every day	21	.3	1.8	1.8
	2 Yes, some days	509	6.8	43.3	45.1
	3 No	646	8.6	54.9	100.0
	Total	1176	15.7	100.0	
Missing	-1 No response	6310	84.3		
Total		7486	100.0		

kw7046 H4b6: Child does other activity after school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	75	1.0	7.6	7.6
	1 Yes, every day	69	.9	7.0	14.6
	2 Yes, some days	478	6.4	48.6	63.2
	3 No	362	4.8	36.8	100.0
	Total	984	13.1	100.0	
Missing	-1 No response	6502	86.9		
Total		7486	100.0		

kw7048 H4c: An adult is always there when child goes home from school alone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, always	4708	62.9	66.2	66.2
	2 Yes, usually	1608	21.5	22.6	88.8
	3 Yes, sometimes	518	6.9	7.3	96.1
	4 No, hardly ever	276	3.7	3.9	100.0
	Total	7110	95.0	100.0	
Missing	-1 No response	376	5.0		
Total		7486	100.0		

KW File – Section H

kw7050 H5a: Child looks forward to seeing his teachers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	1084	14.5	14.8	14.8
	2 Usually	3189	42.6	43.6	58.5
	3 Sometimes	2449	32.7	33.5	92.0
	4 Not at all	587	7.8	8.0	100.0
	Total	7309	97.6	100.0	
Missing	-1 No response	177	2.4		
Total		7486	100.0		

kw7051 H5b: Child enjoys school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	1999	26.7	27.1	27.1
	2 Usually	4135	55.2	56.1	83.2
	3 Sometimes	1125	15.0	15.3	98.4
	4 Not at all	117	1.6	1.6	100.0
	Total	7376	98.5	100.0	
Missing	-1 No response	110	1.5		
Total		7486	100.0		

kw7052 H5c: Child is stimulated by school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	2013	26.9	27.5	27.5
	2 Usually	3848	51.4	52.6	80.1
	3 Sometimes	1308	17.5	17.9	98.0
	4 Not at all	145	1.9	2.0	100.0
	Total	7314	97.7	100.0	
Missing	-1 No response	172	2.3		
Total		7486	100.0		

kw7053 H5d: Child is frightened by teachers

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	9	.1	.1	.1
	2 Usually	36	.5	.5	.6
	3 Sometimes	1380	18.4	18.9	19.5
	4 Not at all	5888	78.7	80.5	100.0
	Total	7313	97.7	100.0	
Missing	-1 No response	173	2.3		
Total		7486	100.0		

kw7054 H5e: Child is frightened by his school mates

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	17	.2	.2	.2
	2 Usually	46	.6	.6	.9
	3 Sometimes	1035	13.8	14.1	15.0
	4 Not at all	6223	83.1	85.0	100.0
	Total	7321	97.8	100.0	
Missing	-1 No response	165	2.2		
Total		7486	100.0		

KW File – Section H

kw7055 H5f: Child is afraid of failure

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	140	1.9	1.9	1.9
	2 Usually	283	3.8	3.9	5.8
	3 Sometimes	3394	45.3	46.5	52.3
	4 Not at all	3485	46.6	47.7	100.0
	Total	7302	97.5	100.0	
Missing	-1 No response	184	2.5		
Total		7486	100.0		

kw7056 H5g: Child seems bored of school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	60	.8	.8	.8
	2 Usually	229	3.1	3.1	4.0
	3 Sometimes	2803	37.4	38.3	42.3
	4 Not at all	4219	56.4	57.7	100.0
	Total	7311	97.7	100.0	
Missing	-1 No response	175	2.3		
Total		7486	100.0		

kw7057 H5h: Child likes his school mates

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	3573	47.7	48.6	48.6
	2 Usually	3313	44.3	45.1	93.7
	3 Sometimes	434	5.8	5.9	99.6
	4 Not at all	29	.4	.4	100.0
	Total	7349	98.2	100.0	
Missing	-1 No response	137	1.8		
Total		7486	100.0		

kw7058 H5i: Child looks forward to lessons

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Always	1254	16.8	17.1	17.1
	2 Usually	3803	50.8	51.8	68.9
	3 Sometimes	2071	27.7	28.2	97.2
	4 Not at all	207	2.8	2.8	100.0
	Total	7335	98.0	100.0	
Missing	-1 No response	151	2.0		
Total		7486	100.0		

KW File – Section H

kw7060 H6a: Amount child likes science

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	3287	43.9	44.9	44.9
	2 Quite likes it	3440	46.0	47.0	91.9
	3 Does not like it	567	7.6	7.7	99.6
	4 Does not do this	28	.4	.4	100.0
	Total	7322	97.8	100.0	
Missing	-1 No response	164	2.2		
Total		7486	100.0		

kw7061 H6b: Amount child likes maths

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	2604	34.8	35.5	35.5
	2 Quite likes it	3152	42.1	43.0	78.6
	3 Does not like it	1534	20.5	20.9	99.5
	4 Does not do this	37	.5	.5	100.0
	Total	7327	97.9	100.0	
Missing	-1 No response	159	2.1		
Total		7486	100.0		

kw7062 H6c: Amount child likes English

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	2429	32.4	33.2	33.2
	2 Quite likes it	3688	49.3	50.4	83.5
	3 Does not like it	1188	15.9	16.2	99.7
	4 Does not do this	19	.3	.3	100.0
	Total	7324	97.8	100.0	
Missing	-1 No response	162	2.2		
Total		7486	100.0		

kw7063 H6d: Amount child likes games/PE

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	4367	58.3	59.5	59.5
	2 Quite likes it	2201	29.4	30.0	89.6
	3 Does not like it	725	9.7	9.9	99.4
	4 Does not do this	41	.5	.6	100.0
	Total	7334	98.0	100.0	
Missing	-1 No response	152	2.0		
Total		7486	100.0		

kw7064 H6e: Amount child likes foreign language

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	1832	24.5	25.3	25.3
	2 Quite likes it	3041	40.6	42.1	67.4
	3 Does not like it	1118	14.9	15.5	82.9
	4 Does not do this	1236	16.5	17.1	100.0
	Total	7227	96.5	100.0	
Missing	-1 No response	259	3.5		
Total		7486	100.0		

KW File – Section H

kw7065 H6f: Amount child likes art

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	4167	55.7	56.9	56.9
	2 Quite likes it	2554	34.1	34.9	91.8
	3 Does not like it	574	7.7	7.8	99.7
	4 Does not do this	24	.3	.3	100.0
	Total	7319	97.8	100.0	
Missing	-1 No response	167	2.2		
Total		7486	100.0		

kw7066 H6g: Amount child likes music

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	2998	40.0	41.1	41.1
	2 Quite likes it	3329	44.5	45.6	86.7
	3 Does not like it	863	11.5	11.8	98.5
	4 Does not do this	107	1.4	1.5	100.0
	Total	7297	97.5	100.0	
Missing	-1 No response	189	2.5		
Total		7486	100.0		

kw7067 H6h: Amount child likes geography

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	1411	18.8	19.4	19.4
	2 Quite likes it	4459	59.6	61.2	80.6
	3 Does not like it	1195	16.0	16.4	97.0
	4 Does not do this	216	2.9	3.0	100.0
	Total	7281	97.3	100.0	
Missing	-1 No response	205	2.7		
Total		7486	100.0		

kw7068 H6i: Amount child likes history

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	1979	26.4	27.2	27.2
	2 Quite likes it	4191	56.0	57.5	84.7
	3 Does not like it	969	12.9	13.3	98.0
	4 Does not do this	147	2.0	2.0	100.0
	Total	7286	97.3	100.0	
Missing	-1 No response	200	2.7		
Total		7486	100.0		

kw7069 H6j: Amount child likes I.T (information technology)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	4393	58.7	60.3	60.3
	2 Quite likes it	2508	33.5	34.4	94.7
	3 Does not like it	233	3.1	3.2	97.8
	4 Does not do this	157	2.1	2.2	100.0
	Total	7291	97.4	100.0	
Missing	-1 No response	195	2.6		
Total		7486	100.0		

KW File – Section H

kw7070 H6k: Amount child likes D.T (design and technology)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	4191	56.0	57.8	57.8
	2 Quite likes it	2414	32.2	33.3	91.1
	3 Does not like it	207	2.8	2.9	94.0
	4 Does not do this	435	5.8	6.0	100.0
	Total	7247	96.8	100.0	
Missing	-1 No response	239	3.2		
Total		7486	100.0		

kw7071 H6l: Amount child likes humanities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	1095	14.6	15.7	15.7
	2 Quite likes it	3506	46.8	50.3	66.0
	3 Does not like it	628	8.4	9.0	75.0
	4 Does not do this	1745	23.3	25.0	100.0
	Total	6974	93.2	100.0	
Missing	-1 No response	512	6.8		
Total		7486	100.0		

kw7072 H6m: Amount child likes citizenship/P.S.E/P.S.D

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 A lot	987	13.2	14.4	14.4
	2 Quite likes it	3434	45.9	50.1	64.5
	3 Does not like it	729	9.7	10.6	75.1
	4 Does not do this	1709	22.8	24.9	100.0
	Total	6859	91.6	100.0	
Missing	-1 No response	627	8.4		
Total		7486	100.0		

kw7073 H6n: Amount child likes other topic

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	10	.1	1.1	1.1
	1 A lot	538	7.2	59.5	60.6
	2 Quite likes it	259	3.5	28.7	89.3
	3 Does not like it	97	1.3	10.7	100.0
	Total	904	12.1	100.0	
Missing	-1 No response	6582	87.9		
Total		7486	100.0		

KW File – Section H

kw7080 H7a: Respondent is interested in what child does at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very	6399	85.5	86.4	86.4
	2 Yes, mostly	996	13.3	13.5	99.9
	3 No, not really	9	.1	.1	100.0
	Total	7404	98.9	100.0	
Missing	-1 No response	82	1.1		
Total		7486	100.0		

kw7081 H7b: Respondent is happy with the teaching child gets at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very	3957	52.9	53.7	53.7
	2 Yes, mostly	3202	42.8	43.4	97.1
	3 No, not really	215	2.9	2.9	100.0
	Total	7374	98.5	100.0	
Missing	-1 No response	112	1.5		
Total		7486	100.0		

kw7082 H7c: Respondent is happy with the progress child is making in school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very	4299	57.4	58.3	58.3
	2 Yes, mostly	2756	36.8	37.4	95.7
	3 No, not really	315	4.2	4.3	100.0
	Total	7370	98.5	100.0	
Missing	-1 No response	116	1.5		
Total		7486	100.0		

kw7083 H7d: Respondent is happy with child's behaviour at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, very	5400	72.1	73.2	73.2
	2 Yes, mostly	1824	24.4	24.7	97.9
	3 No, not really	156	2.1	2.1	100.0
	Total	7380	98.6	100.0	
Missing	-1 No response	106	1.4		
Total		7486	100.0		

KW File – Section H

kw7090 H8: Child has been identified with having problems at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1061	14.2	14.4	14.4
	2 No	6309	84.3	85.6	100.0
	Total	7370	98.5	100.0	
Missing	-1 No response	116	1.5		
Total		7486	100.0		

kw7091 H8a: Child has disciplinary problems at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	170	2.3	100.0	100.0
Missing	-1 No response	7316	97.7		
Total		7486	100.0		

kw7092 H8b: Child has learning problems at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	668	8.9	100.0	100.0
Missing	-1 No response	6818	91.1		
Total		7486	100.0		

kw7093 H8c: Child has relationship problems at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	212	2.8	100.0	100.0
Missing	-1 No response	7274	97.2		
Total		7486	100.0		

kw7094 H8d: Child has emotional problems at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	179	2.4	100.0	100.0
Missing	-1 No response	7307	97.6		
Total		7486	100.0		

kw7095 H8e: Child has other problems at school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	190	2.5	100.0	100.0
Missing	-1 No response	7296	97.5		
Total		7486	100.0		

KW File – Section H

kw7100 H9: Respondent has been invited to school to talk about these problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	716	9.6	65.6	65.6
	2 No	376	5.0	34.4	100.0
	Total	1092	14.6	100.0	
Missing	-1 No response	6394	85.4		
Total		7486	100.0		

kw7110 H10a: Child has been investigated by health specialist or educational psychologist for any of these problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	469	6.3	42.7	42.7
	2 No	630	8.4	57.3	100.0
	Total	1099	14.7	100.0	
Missing	-1 No response	6387	85.3		
Total		7486	100.0		

kw7111 H10b: Specialist investigation resulted in extra help for child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	372	5.0	79.3	79.3
	2 No	97	1.3	20.7	100.0
	Total	469	6.3	100.0	
Missing	-1 No response	7017	93.7		
Total		7486	100.0		

kw7120 H11a: Respondent thinks child has particular talents

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	4664	62.3	65.4	65.4
	2 No	2472	33.0	34.6	100.0
	Total	7136	95.3	100.0	
Missing	-1 No response	350	4.7		
Total		7486	100.0		

KW File – Section H

kw7130 H12: Child shows interest in taking up a particular occupation when an adult

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	3594	48.0	49.4	49.4
	2 No	3684	49.2	50.6	100.0
	Total	7278	97.2	100.0	
Missing	-1 No response	208	2.8		
Total		7486	100.0		

kw7140 H13: There is an occupation that respondent hopes child will take up

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	674	9.0	9.5	9.5
	2 No	6456	86.2	90.5	100.0
	Total	7130	95.2	100.0	
Missing	-1 No response	356	4.8		
Total		7486	100.0		

kw7150 H14: Education that respondent hopes child will have

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Minimum, leave school asap	10	.1	.1	.1
	2 Some good GCSEs, then leave	608	8.1	8.4	8.6
	3 At least one A level	974	13.0	13.5	22.0
	4 Go to University	3850	51.4	53.3	75.3
	5 Other	1115	14.9	15.4	90.8
	6 Don't really mind	668	8.9	9.2	100.0
	Total	7225	96.5	100.0	
Missing	-1 No response	261	3.5		
Total		7486	100.0		

PAGE 47 OF THE QUESTIONNAIRE

SECTION J: LISTENING SKILLS

J1. a) Does your child have difficulty listening on the telephone?

Yes No Never allowed to do this

b) Does your child have difficulty knowing the direction a noise is coming from?

Yes No

c) Is it often necessary to repeat things to your child before he understands?

Yes No

d) Does your child say “huh” or “what” or something similar 5 times or more a day?

Yes No J2. If listening in a room where there is **background noise** (e.g. TV, music, others talking etc.) how much difficulty does your child have in hearing and understanding:

Difficulty hearing and: understanding	No difficulty	Slight difficulty	Moderate difficulty	Severe difficulty	Don't know
a) When paying attention	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="9"/>
b) When being asked a question	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="9"/>
c) When being given simple instructions	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="9"/>
d) When not paying attention	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="9"/>
e) When involved in other activities (e.g. reading)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="9"/>

PAGE 48 OF THE QUESTIONNAIRE

J3. If listening in a **quiet room**, how much difficulty does your child have in hearing and understanding:

	No difficulty	Slight difficulty	Moderate difficulty	Severe difficulty	Don't know
a) When paying attention	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
b) When being asked a question	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
c) When being given simple instructions	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
d) When not paying attention	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
e) When involved in other activities (e.g. reading)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>

J4. When listening in a quiet room, no distractions, face-to-face, and with good eye contact, how much difficulty does your child have in hearing and understanding:

	No difficulty	Slight difficulty	Moderate difficulty	Severe difficulty	Don't know
a) When being asked a question	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
b) When being given simple instructions	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
c) When being given complicated instructions	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>

PAGE 49 OF THE QUESTIONNAIRE

J5. If asked to remember something he has heard, how much difficulty does your child have:

	No difficulty	Slight difficulty	Moderate difficulty	Severe difficulty	Don't know
Immediately remembering:					
a) Something such as a word, spelling, numbers etc.	1	2	3	4	9
b) Simple instructions	1	2	3	4	9
c) Complex instructions	1	2	3	4	9
d) Remembering all the information and the order of the information	1	2	3	4	9
Remembering after an hour or so:					
e) Something such as a word, spelling, numbers etc	1	2	3	4	9
f) Simple instructions	1	2	3	4	9
g) Complex instructions	1	2	3	4	9
Remembering after a day:					
h) Any information	1	2	3	4	9

PAGE 50 OF THE QUESTIONNAIRE

J6. If there is something he should listen to, how much difficulty does your child have, in paying attention to what is said?

	No difficulty	Slight difficulty	Moderate difficulty	Severe difficulty	Don't know
Difficulty listening:					
a) For less than 5 minutes	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
b) For 5-10 minutes	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
c) In a quiet room	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
d) In a noisy room	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
e) First thing in the morning	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
f) Near the end or before the evening meal	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>
g) In a room where there are also visual distractions (e.g. TV on without the sound)	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	9 <input type="text"/>

KW File – Section J

kw8000 J1a: Child has difficulty listening on the telephone

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	133	1.8	1.8	1.8
	2 No	7276	97.2	98.1	99.9
	3 Never allowed to do this	10	.1	.1	100.0
	Total	7419	99.1	100.0	
Missing	-1 No response	67	.9		
Total		7486	100.0		

kw8001 J1b: Child has difficulty knowing the direction a noise is coming from

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	103	1.4	1.4	1.4
	2 No	7294	97.4	98.6	100.0
	Total	7397	98.8	100.0	
Missing	-1 No response	89	1.2		
Total		7486	100.0		

kw8002 J1c: It is necessary to repeat things to child before they are understood

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	830	11.1	11.3	11.3
	2 No	6544	87.4	88.7	100.0
	Total	7374	98.5	100.0	
Missing	-1 No response	112	1.5		
Total		7486	100.0		

kw8003 J1d: Child says "'huh'"/"what"/something similar 5+ times a day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	1709	22.8	23.3	23.3
	2 No	5624	75.1	76.7	100.0
	Total	7333	98.0	100.0	
Missing	-1 No response	153	2.0		
Total		7486	100.0		

KW File – Section J

kw8010 J2a: Difficulty child has hearing and understanding in a room with background noise, when paying attention

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	6631	88.6	90.2	90.2
	2 Slight	514	6.9	7.0	97.2
	3 Moderate	144	1.9	2.0	99.1
	4 Severe	31	.4	.4	99.6
	9 Don't know	32	.4	.4	100.0
	Total	7352	98.2	100.0	
Missing	-1 No response	134	1.8		
Total		7486	100.0		

kw8011 J2b: Difficulty child has hearing and understanding in a room with background noise, when being asked a question

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	6038	80.7	82.3	82.3
	2 Slight	1037	13.9	14.1	96.4
	3 Moderate	205	2.7	2.8	99.2
	4 Severe	35	.5	.5	99.6
	9 Don't know	26	.3	.4	100.0
	Total	7341	98.1	100.0	
Missing	-1 No response	145	1.9		
Total		7486	100.0		

kw8012 J2c: Difficulty child has hearing and understanding in a room with background noise, when being given simple instructions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	6071	81.1	82.8	82.8
	2 Slight	966	12.9	13.2	96.0
	3 Moderate	229	3.1	3.1	99.1
	4 Severe	41	.5	.6	99.6
	9 Don't know	26	.3	.4	100.0
	Total	7333	98.0	100.0	
Missing	-1 No response	153	2.0		
Total		7486	100.0		

kw8013 J2d: Difficulty child has hearing and understanding in a room with background noise, when not paying attention

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	3074	41.1	42.1	42.1
	2 Slight	2862	38.2	39.2	81.3
	3 Moderate	954	12.7	13.1	94.4
	4 Severe	328	4.4	4.5	98.9
	9 Don't know	80	1.1	1.1	100.0
	Total	7298	97.5	100.0	
Missing	-1 No response	188	2.5		
Total		7486	100.0		

KW File – Section J

kw8014 J2e: Difficulty child has hearing and understanding in a room with background noise, when involved in other activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	3405	45.5	46.7	46.7
	2 Slight	2749	36.7	37.7	84.4
	3 Moderate	853	11.4	11.7	96.1
	4 Severe	224	3.0	3.1	99.2
	9 Don't know	60	.8	.8	100.0
	Total	7291	97.4	100.0	
Missing	-1 No response	195	2.6		
Total		7486	100.0		

KW File – Section J

kw8020 J3a: Difficulty child has hearing and understanding in a quiet room, when paying attention

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	7159	95.6	97.4	97.4
	2 Slight	141	1.9	1.9	99.3
	3 Moderate	30	.4	.4	99.7
	4 Severe	5	.1	.1	99.8
	9 Don't know	14	.2	.2	100.0
	Total	7349	98.2	100.0	
Missing	-1 No response	137	1.8		
Total		7486	100.0		

kw8021 J3b: Difficulty child has hearing and understanding in a quiet room, when being asked a question

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	7055	94.2	96.1	96.1
	2 Slight	230	3.1	3.1	99.2
	3 Moderate	38	.5	.5	99.7
	4 Severe	7	.1	.1	99.8
	9 Don't know	14	.2	.2	100.0
	Total	7344	98.1	100.0	
Missing	-1 No response	142	1.9		
Total		7486	100.0		

kw8022 J3c: Difficulty child has hearing and understanding in a quiet room, when being given simple instructions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	6982	93.3	95.1	95.1
	2 Slight	280	3.7	3.8	98.9
	3 Moderate	60	.8	.8	99.7
	4 Severe	9	.1	.1	99.8
	9 Don't know	14	.2	.2	100.0
	Total	7345	98.1	100.0	
Missing	-1 No response	141	1.9		
Total		7486	100.0		

kw8023 J3d: Difficulty child has hearing and understanding in a quiet room, when not paying attention

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	5338	71.3	72.9	72.9
	2 Slight	1547	20.7	21.1	94.0
	3 Moderate	315	4.2	4.3	98.3
	4 Severe	95	1.3	1.3	99.6
	9 Don't know	31	.4	.4	100.0
	Total	7326	97.9	100.0	
Missing	-1 No response	160	2.1		
Total		7486	100.0		

KW File – Section J

kw8024 J3e: Difficulty child has hearing and understanding in a quiet room, when involved in other activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	5270	70.4	72.1	72.1
	2 Slight	1600	21.4	21.9	94.0
	3 Moderate	332	4.4	4.5	98.5
	4 Severe	79	1.1	1.1	99.6
	9 Don't know	28	.4	.4	100.0
	Total	7309	97.6	100.0	
Missing	-1 No response	177	2.4		
Total		7486	100.0		

KW File – Section J

kw8030 J4a: Difficulty child has hearing and understanding in a quiet room with good eye contact, when being asked a question

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	7226	96.5	98.4	98.4
	2 Slight	93	1.2	1.3	99.6
	3 Moderate	8	.1	.1	99.8
	4 Severe	5	.1	.1	99.8
	9 Don't know	13	.2	.2	100.0
	Total	7345	98.1	100.0	
Missing	-1 No response	141	1.9		
Total		7486	100.0		

kw8031 J4b: Difficulty child has hearing and understanding in a quiet room with good eye contact, when being given simple instructions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	7193	96.1	97.9	97.9
	2 Slight	120	1.6	1.6	99.6
	3 Moderate	14	.2	.2	99.8
	4 Severe	5	.1	.1	99.8
	9 Don't know	12	.2	.2	100.0
	Total	7344	98.1	100.0	
Missing	-1 No response	142	1.9		
Total		7486	100.0		

kw8032 J4c: Difficulty child has hearing and understanding in a quiet room with good eye contact, when being given complicated instructions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	6741	90.0	91.8	91.8
	2 Slight	461	6.2	6.3	98.1
	3 Moderate	83	1.1	1.1	99.2
	4 Severe	39	.5	.5	99.7
	9 Don't know	20	.3	.3	100.0
	Total	7344	98.1	100.0	
Missing	-1 No response	142	1.9		
Total		7486	100.0		

KW File – Section J

kw8040 J5a: Difficulty child has in immediately remembering something such as a word or number

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	6142	82.0	84.0	84.0
	2 Slight	810	10.8	11.1	95.1
	3 Moderate	248	3.3	3.4	98.5
	4 Severe	72	1.0	1.0	99.5
	9 Don't know	38	.5	.5	100.0
	Total	7310	97.6	100.0	
Missing	-1 No response	176	2.4		
Total		7486	100.0		

kw8041 J5b: Difficulty child has in immediately remembering simple instructions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	6612	88.3	90.4	90.4
	2 Slight	538	7.2	7.4	97.8
	3 Moderate	116	1.5	1.6	99.4
	4 Severe	18	.2	.2	99.6
	9 Don't know	29	.4	.4	100.0
	Total	7313	97.7	100.0	
Missing	-1 No response	173	2.3		
Total		7486	100.0		

kw8042 J5c: Difficulty child has in immediately remembering complex instructions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	4579	61.2	62.8	62.8
	2 Slight	2095	28.0	28.7	91.5
	3 Moderate	404	5.4	5.5	97.0
	4 Severe	145	1.9	2.0	99.0
	9 Don't know	73	1.0	1.0	100.0
	Total	7296	97.5	100.0	
Missing	-1 No response	190	2.5		
Total		7486	100.0		

kw8043 J5d: Difficulty child has in immediately remembering all the information and the order of the information

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	4338	57.9	59.6	59.6
	2 Slight	2180	29.1	29.9	89.5
	3 Moderate	464	6.2	6.4	95.9
	4 Severe	182	2.4	2.5	98.4
	9 Don't know	117	1.6	1.6	100.0
	Total	7281	97.3	100.0	
Missing	-1 No response	205	2.7		
Total		7486	100.0		

KW File – Section J

kw8044 J5e: Difficulty child has in remembering after an hour something such as a word or number

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	5419	72.4	74.4	74.4
	2 Slight	1257	16.8	17.2	91.6
	3 Moderate	333	4.4	4.6	96.2
	4 Severe	162	2.2	2.2	98.4
	9 Don't know	116	1.5	1.6	100.0
	Total	7287	97.3	100.0	
Missing	-1 No response	199	2.7		
Total		7486	100.0		

kw8045 J5f: Difficulty child has in remembering after an hour simple instructions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	5847	78.1	80.3	80.3
	2 Slight	1013	13.5	13.9	94.2
	3 Moderate	253	3.4	3.5	97.7
	4 Severe	78	1.0	1.1	98.7
	9 Don't know	93	1.2	1.3	100.0
	Total	7284	97.3	100.0	
Missing	-1 No response	202	2.7		
Total		7486	100.0		

kw8046 J5g: Difficulty child has in remembering after an hour complex instructions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	3562	47.6	49.0	49.0
	2 Slight	2645	35.3	36.4	85.4
	3 Moderate	629	8.4	8.7	94.1
	4 Severe	253	3.4	3.5	97.6
	9 Don't know	178	2.4	2.4	100.0
	Total	7267	97.1	100.0	
Missing	-1 No response	219	2.9		
Total		7486	100.0		

kw8047 J5h: Difficulty child has in remembering after a day any information

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	4341	58.0	60.0	60.0
	2 Slight	2166	28.9	29.9	89.9
	3 Moderate	437	5.8	6.0	95.9
	4 Severe	133	1.8	1.8	97.8
	9 Don't know	162	2.2	2.2	100.0
	Total	7239	96.7	100.0	
Missing	-1 No response	247	3.3		
Total		7486	100.0		

KW File – Section J

kw8050 J6a: Difficulty child has in listening for less than 5 minutes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	6750	90.2	94.6	94.6
	2 Slight	261	3.5	3.7	98.3
	3 Moderate	53	.7	.7	99.0
	4 Severe	11	.1	.2	99.2
	9 Don't know	57	.8	.8	100.0
	Total	7132	95.3	100.0	
Missing	-1 No response	354	4.7		
Total		7486	100.0		

kw8051 J6b: Difficulty child has in listening for 5 - 10 minutes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	5864	78.3	82.4	82.4
	2 Slight	972	13.0	13.7	96.0
	3 Moderate	169	2.3	2.4	98.4
	4 Severe	41	.5	.6	99.0
	9 Don't know	74	1.0	1.0	100.0
	Total	7120	95.1	100.0	
Missing	-1 No response	366	4.9		
Total		7486	100.0		

kw8052 J6c: Difficulty child has in listening in a quiet room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	6745	90.1	94.8	94.8
	2 Slight	252	3.4	3.5	98.4
	3 Moderate	50	.7	.7	99.1
	4 Severe	6	.1	.1	99.2
	9 Don't know	60	.8	.8	100.0
	Total	7113	95.0	100.0	
Missing	-1 No response	373	5.0		
Total		7486	100.0		

kw8053 J6d: Difficulty child has in listening in a noisy room

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	4178	55.8	58.7	58.7
	2 Slight	2397	32.0	33.7	92.4
	3 Moderate	359	4.8	5.0	97.4
	4 Severe	107	1.4	1.5	98.9
	9 Don't know	76	1.0	1.1	100.0
	Total	7117	95.1	100.0	
Missing	-1 No response	369	4.9		
Total		7486	100.0		

KW File – Section J

kw8054 J6e: Difficulty child has in listening first thing in the morning

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	5148	68.8	72.5	72.5
	2 Slight	1651	22.1	23.2	95.7
	3 Moderate	198	2.6	2.8	98.5
	4 Severe	33	.4	.5	99.0
	9 Don't know	73	1.0	1.0	100.0
	Total	7103	94.9	100.0	
Missing	-1 No response	383	5.1		
Total		7486	100.0		

kw8055 J6f: Difficulty child has in listening near the end or before the evening meal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	5572	74.4	78.6	78.6
	2 Slight	1212	16.2	17.1	95.6
	3 Moderate	190	2.5	2.7	98.3
	4 Severe	24	.3	.3	98.7
	9 Don't know	95	1.3	1.3	100.0
	Total	7093	94.8	100.0	
Missing	-1 No response	393	5.2		
Total		7486	100.0		

kw8056 J6g: Difficulty child has in listening in a room where there are visual distractions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 None	3448	46.1	48.5	48.5
	2 Slight	2841	38.0	40.0	88.5
	3 Moderate	596	8.0	8.4	96.9
	4 Severe	141	1.9	2.0	98.9
	9 Don't know	80	1.1	1.1	100.0
	Total	7106	94.9	100.0	
Missing	-1 No response	380	5.1		
Total		7486	100.0		

PAGE 51 OF THE QUESTIONNAIRE

SECTION K: THE CHILD'S ACTIVITIES

K1. About how often does your child do the following:

How often does he:	Nearly every day	2-5 times a week	Once a week	1-3 times a month	Less than once per month	Not at all
a) Go swimming	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
b) Play a musical instrument (e.g. piano, recorder)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
c) Go to special groups (such as Scouts or Youth Clubs)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>

Please tick and describe.....

d) Go to Sunday School	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
e) Go to special classes or clubs for some activity (e.g. dancing, judo, football, other sports)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>

Please tick and describe.....

f) Go to special classes because of learning difficulty	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
---	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------

Please tick and describe.....

g) Classes for foreign languages	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
-------------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------

Please tick and describe.....

h) Singing group	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------

Please tick and describe.....

i) Other type of classes or group e.g. drama	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
---	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------

Please tick and describe.....

PAGE 52 OF THE QUESTIONNAIRE

K1.		Nearly every day	2-5 times a week	Once a week	1-3 times a month	Less than once per month	Not at all
How often does he:							
j)	See his grandparents	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
k)	Play computer games	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>
l)	Help in the house	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>	<input type="text" value="6"/>

K2. How often does his mother or other adult female do these activities with him?

	Adult female:	Nearly every day	2-5 times a week	Once a week	Less than once a week	Never ↓
a)	makes things with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
b)	sings with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
c)	reads to/with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="4"/>
d)	plays with toys, board games, computer games	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
e)	cuddles him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
f)	active play (e.g. ball games, wrestling, hide and seek)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
g)	goes with him to the park or playground	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
h)	kisses him goodnight	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
i)	takes him swimming, fishing or other activity	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
j)	draws or paints with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
k)	prepares food with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

PAGE 53 OF THE QUESTIONNAIRE

K2.		Nearly every day	2-5 times a week	Once a week	Less than once a week	Never ↓
	Adult female:					
l)	takes him to classes	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
m)	takes him shopping	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
n)	takes him to watch sports/ football	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
o)	does homework with him	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
p)	has conversations with him	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
q)	helps him prepare things for school	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>
r)	other (please tick & describe)	<div>1</div>	<div>2</div>	<div>3</div>	<div>4</div>	<div>5</div>

.....

s) Who are the women involved in any of these activities with the study child? (tick all that apply)

i)	His mother	<div>1</div>
ii)	His stepmother/father's partner	<div>1</div>
iii)	His grandmother	<div>1</div>
iv)	His grown-up sister (16 years or older)	<div>1</div>
v)	Another relative	<div>1</div>
vi)	A family friend	<div>1</div>
vii)	A lodger	<div>1</div>
viii)	A baby sitter/nanny	<div>1</div>
ix)	Other (please tick and describe)	<div>1</div>

.....

PAGE 54 OF THE QUESTIONNAIRE

K3. How often does a male adult (e.g. his father/mother's husband or partner) do these activities with your child?

	Nearly every day	2-5 times a week	Once a week	Less than once a week	Never ↓
Adult male:					
a) makes things with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
b) sings with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
c) reads to/with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
d) plays with toys, board games, computer games	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
e) cuddles him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
f) active play (e.g. ball games, wrestling, hide and seek)	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
g) goes with him to the park or playground	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
h) kisses him goodnight	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
i) takes him swimming, fishing or similar activity	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
j) draws or paints with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
k) prepares food with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
l) takes him to classes	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
m) takes him shopping	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
n) take him to watch sports/ football	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
o) does homework with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
p) has conversations with him	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>
q) helps him prepare things for school	<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="4"/>	<input type="text" value="5"/>

PAGE 55 OF THE QUESTIONNAIRE

K3.

		Nearly every day	2 - 5 times a week	Once a week	Less than once a week	Never ↓
Adult male:						
r)	other (please tick and describe)	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
.....						
s)	Who are the men involved in any of these activities with the study child? (tick all that apply)					
i)	His father	<input type="checkbox"/> 1				
ii)	His stepfather/mother's partner	<input type="checkbox"/> 1				
iii)	His grandfather	<input type="checkbox"/> 1				
iv)	His grown-up brother (16 years or older)	<input type="checkbox"/> 1				
v)	Another relative	<input type="checkbox"/> 1				
vi)	A family friend	<input type="checkbox"/> 1				
vii)	A lodger	<input type="checkbox"/> 1				
viii)	A baby sitter/nanny	<input type="checkbox"/> 1				
ix)	Other (please tick and describe)	<input type="checkbox"/> 1				
.....						

K4. Help in the house:

a) Does your son help in the home (cleaning, washing dishes etc.)?

Yes, but only if made to	<input type="checkbox"/> 1
Yes, sometimes offers to and sometimes is made to	<input type="checkbox"/> 2
Yes, always offers to	<input type="checkbox"/> 3
No, refuses to help	<input type="checkbox"/> 4
No, is not allowed to help	<input type="checkbox"/> 5

PAGE 56 OF THE QUESTIONNAIRE

K4. b) If **not allowed**, why is this?.....

K5. Does he have a space in which he can do things on his own?

Yes, his own bedroom	<input type="checkbox"/>
A corner of a room	<input type="checkbox"/>
His own table	<input type="checkbox"/>
No, there is no room for this	<input type="checkbox"/>
Something else (please tick and describe)	<input type="checkbox"/>

.....

K6. a) Does he have brothers and/or sisters living at home (include step and half-brothers and sisters)?

Yes ☐ No ☐ → If **no**, go to K7 on page 57

If **yes**,

b) How many?

i) older brothers ☐☐ → what age is the oldest? ☐☐ years
(or only older brother)

ii) younger brothers ☐☐ → what age is the youngest? ☐☐ years
(or only younger brother)

iii) twin brother ☐

c) How many?

i) older sisters ☐☐ → what age is the oldest? ☐☐ years
(or only older sister)

ii) younger sisters ☐☐ → what age is the youngest? ☐☐ years
(or only younger sister)

iii) twin sister ☐

PAGE 57 OF THE QUESTIONNAIRE

K6. d) How often does the study child do the following with them?

With his brothers and sisters	Nearly every day	2-5 times a week	Once a week	Less than once a week	Never ↓
(i) Play indoor games together	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
(ii) Read together	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
(iii) Sing together	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
(iv) Make things, draw or paint	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
(v) Go out together	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
(vi) Talk together	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
(vii) Eat together	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
(viii) Argue with one another	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
(ix) Fight with one another	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>
(x) Do sports e.g. football, gymnastics together	1 <input type="text"/>	2 <input type="text"/>	3 <input type="text"/>	4 <input type="text"/>	5 <input type="text"/>

K7. a) Does he wear clothes that have been handed down free from others?
(tick all that apply)

i) yes, from older brothers & sisters	1 <input type="text"/>
ii) yes, from other relatives	1 <input type="text"/>
iii) yes, from friends	1 <input type="text"/>

b) Does he ever have clothes bought second hand for him?

Yes	1 <input type="text"/>	No	2 <input type="text"/>
-----	------------------------	----	------------------------

KW File – Section K

kw9000 K1a: Frequency that child goes swimming

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	51	.7	.7	.7
	2 2-5 times a week	582	7.8	7.9	8.6
	3 1 a week	1732	23.1	23.5	32.1
	4 1-3 times a month	2112	28.2	28.7	60.8
	5 <1 per month	2551	34.1	34.6	95.4
	6 Not at all	337	4.5	4.6	100.0
	Total	7365	98.4	100.0	
Missing	-1 No response	121	1.6		
Total		7486	100.0		

kw9001 K1b: Frequency that child plays a musical instrument

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	821	11.0	11.2	11.2
	2 2-5 times a week	1378	18.4	18.8	29.9
	3 1 a week	1173	15.7	16.0	45.9
	4 1-3 times a month	401	5.4	5.5	51.4
	5 <1 per month	698	9.3	9.5	60.9
	6 Not at all	2873	38.4	39.1	100.0
	Total	7344	98.1	100.0	
Missing	-8 Text response	1	.0		
	-1 No response	141	1.9		
	Total	142	1.9		
Total		7486	100.0		

kw9002 K1c: Frequency that child goes to special groups

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	7	.1	.1	.1
	1 Nearly every day	24	.3	.3	.4
	2 2-5 times a week	563	7.5	8.1	8.5
	3 1 a week	1992	26.6	28.6	37.1
	4 1-3 times a month	207	2.8	3.0	40.1
	5 <1 per month	141	1.9	2.0	42.1
	6 Not at all	4034	53.9	57.9	100.0
	Total	6968	93.1	100.0	
Missing	-1 No response	518	6.9		
Total		7486	100.0		

kw9004 K1d: Frequency that child goes to Sunday school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	2	.0	.0	.0
	2 2-5 times a week	16	.2	.2	.2
	3 1 a week	548	7.3	7.6	7.8
	4 1-3 times a month	254	3.4	3.5	11.3
	5 <1 per month	248	3.3	3.4	14.7
	6 Not at all	6184	82.6	85.3	100.0
	Total	7252	96.9	100.0	
Missing	-1 No response	234	3.1		
Total		7486	100.0		

KW File – Section K

kw9005 K1e: Frequency that child goes to special classes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	24	.3	.3	.3
	1 Nearly every day	138	1.8	1.9	2.3
	2 2-5 times a week	2364	31.6	33.2	35.5
	3 1 a week	1975	26.4	27.8	63.3
	4 1-3 times a month	178	2.4	2.5	65.8
	5 <1 per month	103	1.4	1.4	67.2
	6 Not at all	2333	31.2	32.8	100.0
	Total	7115	95.0	100.0	
Missing	-1 No response	371	5.0		
Total		7486	100.0		

kw9007 K1f: Frequency that child goes to special classes due to a learning difficulty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	2	.0	.0	.0
	1 Nearly every day	58	.8	.8	.8
	2 2-5 times a week	217	2.9	3.0	3.8
	3 1 a week	212	2.8	2.9	6.8
	4 1-3 times a month	19	.3	.3	7.1
	5 <1 per month	6	.1	.1	7.1
	6 Not at all	6681	89.2	92.9	100.0
	Total	7195	96.1	100.0	
Missing	-1 No response	291	3.9		
Total		7486	100.0		

kw9009 K1g: Frequency that child goes to classes for foreign languages

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	31	.4	.4	.4
	1 Nearly every day	78	1.0	1.1	1.5
	2 2-5 times a week	942	12.6	13.1	14.7
	3 1 a week	428	5.7	6.0	20.6
	4 1-3 times a month	35	.5	.5	21.1
	5 <1 per month	5	.1	.1	21.2
	6 Not at all	5648	75.4	78.8	100.0
	Total	7167	95.7	100.0	
Missing	-1 No response	319	4.3		
Total		7486	100.0		

KW File – Section K

kw9011 K1h: Frequency that child goes to a singing group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	8	.1	.1	.1
	1 Nearly every day	19	.3	.3	.4
	2 2-5 times a week	192	2.6	2.7	3.1
	3 1 a week	745	10.0	10.5	13.5
	4 1-3 times a month	70	.9	1.0	14.5
	5 <1 per month	38	.5	.5	15.0
	6 Not at all	6051	80.8	85.0	100.0
	Total	7123	95.2	100.0	
Missing	-1 No response	363	4.8		
Total		7486	100.0		

kw9013 K1i: Frequency that child goes to other types of classes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	34	.5	.5	.5
	1 Nearly every day	14	.2	.2	.7
	2 2-5 times a week	317	4.2	4.6	5.3
	3 1 a week	1300	17.4	18.9	24.2
	4 1-3 times a month	135	1.8	2.0	26.2
	5 <1 per month	45	.6	.7	26.8
	6 Not at all	5027	67.2	73.2	100.0
	Total	6872	91.8	100.0	
Missing	-1 No response	614	8.2		
Total		7486	100.0		

kw9015 K1j: Frequency that child sees his grandparents

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	588	7.9	8.0	8.0
	2 2-5 times a week	1492	19.9	20.2	28.2
	3 1 a week	1794	24.0	24.3	52.6
	4 1-3 times a month	1440	19.2	19.5	72.1
	5 <1 per month	1819	24.3	24.7	96.8
	6 Not at all	239	3.2	3.2	100.0
	Total	7372	98.5	100.0	
Missing	-1 No response	114	1.5		
Total		7486	100.0		

kw9016 K1k: Frequency that child plays computer games

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	2015	26.9	27.4	27.4
	2 2-5 times a week	2959	39.5	40.2	67.7
	3 1 a week	1164	15.5	15.8	83.5
	4 1-3 times a month	670	9.0	9.1	92.6
	5 <1 per month	348	4.6	4.7	97.3
	6 Not at all	196	2.6	2.7	100.0
	Total	7352	98.2	100.0	
Missing	-1 No response	134	1.8		
Total		7486	100.0		

KW File – Section K

kw9017 K1I: Frequency that child helps in the house

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	1609	21.5	21.9	21.9
	2 2-5 times a week	2627	35.1	35.8	57.7
	3 1 a week	1962	26.2	26.7	84.4
	4 1-3 times a month	636	8.5	8.7	93.1
	5 <1 per month	303	4.0	4.1	97.2
	6 Not at all	207	2.8	2.8	100.0
	Total	7344	98.1	100.0	
Missing	-1 No response	142	1.9		
Total		7486	100.0		

KW File – Section K

kw9020 K2a: Frequency that mother or other adult female makes things with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	87	1.2	1.2	1.2
	2 2-5 times a week	525	7.0	7.2	8.4
	3 1 a week	1480	19.8	20.3	28.7
	4 <1 a week	4329	57.8	59.4	88.1
	5 Never	867	11.6	11.9	100.0
	Total	7288	97.4	100.0	
Missing	-1 No response	198	2.6		
Total		7486	100.0		

kw9021 K2b: Frequency that mother or other adult female sings with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	447	6.0	6.1	6.1
	2 2-5 times a week	942	12.6	12.9	19.0
	3 1 a week	979	13.1	13.4	32.4
	4 <1 a week	2522	33.7	34.6	67.0
	5 Never	2409	32.2	33.0	100.0
	Total	7299	97.5	100.0	
Missing	-1 No response	187	2.5		
Total		7486	100.0		

kw9022 K2c: Frequency that mother or other adult female reads to/with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	304	4.1	4.2	4.2
	2 2-5 times a week	974	13.0	13.3	17.5
	3 1 a week	1228	16.4	16.8	34.2
	4 <1 a week	3140	41.9	42.9	77.1
	5 Never	1675	22.4	22.9	100.0
	Total	7321	97.8	100.0	
Missing	-8 Text response	2	.0		
	-1 No response	163	2.2		
	Total	165	2.2		
Total		7486	100.0		

kw9023 K2d: Frequency that mother or other adult female play with toys with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	110	1.5	1.5	1.5
	2 2-5 times a week	897	12.0	12.3	13.8
	3 1 a week	1981	26.5	27.1	40.9
	4 <1 a week	3590	48.0	49.1	89.9
	5 Never	736	9.8	10.1	100.0
	Total	7314	97.7	100.0	
Missing	-1 No response	172	2.3		
Total		7486	100.0		

KW File – Section K

kw9024 K2e: Frequency that mother or other adult female cuddles child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	5781	77.2	78.4	78.4
	2 2-5 times a week	1087	14.5	14.7	93.2
	3 1 a week	205	2.7	2.8	95.9
	4 <1 a week	227	3.0	3.1	99.0
	5 Never	73	1.0	1.0	100.0
	Total	7373	98.5	100.0	
Missing	-1 No response	113	1.5		
Total		7486	100.0		

kw9025 K2f: Frequency that mother or other adult female does active play with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	212	2.8	2.9	2.9
	2 2-5 times a week	869	11.6	11.9	14.8
	3 1 a week	1341	17.9	18.4	33.2
	4 <1 a week	3293	44.0	45.2	78.4
	5 Never	1573	21.0	21.6	100.0
	Total	7288	97.4	100.0	
Missing	-1 No response	198	2.6		
Total		7486	100.0		

kw9026 K2g: Frequency that mother or other adult female goes with child to park or playground

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	61	.8	.8	.8
	2 2-5 times a week	340	4.5	4.7	5.5
	3 1 a week	1159	15.5	15.9	21.5
	4 <1 a week	4018	53.7	55.3	76.7
	5 Never	1690	22.6	23.3	100.0
	Total	7268	97.1	100.0	
Missing	-1 No response	218	2.9		
Total		7486	100.0		

kw9027 K2h: Frequency that mother or other adult female kisses child goodnight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	6518	87.1	88.3	88.3
	2 2-5 times a week	438	5.9	5.9	94.2
	3 1 a week	61	.8	.8	95.1
	4 <1 a week	174	2.3	2.4	97.4
	5 Never	191	2.6	2.6	100.0
	Total	7382	98.6	100.0	
Missing	-1 No response	104	1.4		
Total		7486	100.0		

KW File – Section K

kw9028 K2i: Frequency that mother or other adult female takes child swimming

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	206	2.8	2.8	2.8
	2 2-5 times a week	979	13.1	13.4	16.2
	3 1 a week	1731	23.1	23.6	39.8
	4 <1 a week	3448	46.1	47.1	86.9
	5 Never	956	12.8	13.1	100.0
	Total	7320	97.8	100.0	
Missing	-1 No response	166	2.2		
Total		7486	100.0		

kw9029 K2j: Frequency that mother or other adult female draws or paints with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	41	.5	.6	.6
	2 2-5 times a week	241	3.2	3.3	3.9
	3 1 a week	756	10.1	10.4	14.2
	4 <1 a week	3872	51.7	53.2	67.4
	5 Never	2375	31.7	32.6	100.0
	Total	7285	97.3	100.0	
Missing	-1 No response	201	2.7		
Total		7486	100.0		

kw9030 K2k: Frequency that mother or other adult female prepares food with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	961	12.8	13.1	13.1
	2 2-5 times a week	2053	27.4	27.9	41.0
	3 1 a week	2022	27.0	27.5	68.4
	4 <1 a week	1960	26.2	26.6	95.1
	5 Never	362	4.8	4.9	100.0
	Total	7358	98.3	100.0	
Missing	-1 No response	128	1.7		
Total		7486	100.0		

kw9031 K2l: Frequency that mother or other adult female takes child to classes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	753	10.1	10.5	10.5
	2 2-5 times a week	1849	24.7	25.8	36.4
	3 1 a week	1482	19.8	20.7	57.1
	4 <1 a week	917	12.2	12.8	69.9
	5 Never	2157	28.8	30.1	100.0
	Total	7158	95.6	100.0	
Missing	-1 No response	328	4.4		
Total		7486	100.0		

KW File – Section K

kw9032 K2m: Frequency that mother or other adult female takes child shopping

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	101	1.3	1.4	1.4
	2 2-5 times a week	1021	13.6	13.9	15.2
	3 1 a week	3358	44.9	45.6	60.8
	4 <1 a week	2763	36.9	37.5	98.3
	5 Never	125	1.7	1.7	100.0
	Total	7368	98.4	100.0	
Missing	-1 No response	118	1.6		
Total		7486	100.0		

kw9033 K2n: Frequency that mother or other adult female takes child to watch sport

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	26	.3	.4	.4
	2 2-5 times a week	214	2.9	2.9	3.3
	3 1 a week	655	8.7	9.0	12.3
	4 <1 a week	2003	26.8	27.5	39.8
	5 Never	4377	58.5	60.2	100.0
	Total	7275	97.2	100.0	
Missing	-1 No response	211	2.8		
Total		7486	100.0		

kw9034 K2o: Frequency that mother or other adult female does homework with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	1231	16.4	16.8	16.8
	2 2-5 times a week	3003	40.1	41.0	57.8
	3 1 a week	1703	22.7	23.2	81.0
	4 <1 a week	1121	15.0	15.3	96.3
	5 Never	272	3.6	3.7	100.0
	Total	7330	97.9	100.0	
Missing	-1 No response	156	2.1		
Total		7486	100.0		

kw9035 K2p: Frequency that mother or other adult female has conversations with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	7129	95.2	96.7	96.7
	2 2-5 times a week	184	2.5	2.5	99.2
	3 1 a week	26	.3	.4	99.6
	4 <1 a week	14	.2	.2	99.8
	5 Never	16	.2	.2	100.0
	Total	7369	98.4	100.0	
Missing	-1 No response	117	1.6		
Total		7486	100.0		

KW File – Section K

kw9036 K2q: Frequency that mother or other adult female helps prepare for school with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	4194	56.0	57.1	57.1
	2 2-5 times a week	1747	23.3	23.8	80.9
	3 1 a week	657	8.8	8.9	89.9
	4 <1 a week	511	6.8	7.0	96.8
	5 Never	233	3.1	3.2	100.0
	Total	7342	98.1	100.0	
Missing	-1 No response	144	1.9		
Total		7486	100.0		

kw9037 K2r: Frequency that mother or other adult female does other things with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	29	.4	4.6	4.6
	1 Nearly every day	176	2.4	27.9	32.5
	2 2-5 times a week	103	1.4	16.3	48.8
	3 1 a week	95	1.3	15.1	63.9
	4 <1 a week	56	.7	8.9	72.7
	5 Never	172	2.3	27.3	100.0
	Total	631	8.4	100.0	
Missing	-1 No response	6855	91.6		
Total		7486	100.0		

KW File – Section K

kw9040 K2s1: Mother is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7304	97.6	100.0	100.0
Missing -1 No response	182	2.4		
Total	7486	100.0		

kw9041 K2s2: Stepmother is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	136	1.8	100.0	100.0
Missing -1 No response	7350	98.2		
Total	7486	100.0		

kw9042 K2s3: Grandmother is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2269	30.3	100.0	100.0
Missing -1 No response	5217	69.7		
Total	7486	100.0		

kw9043 K2s4: Grown-up sister is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	621	8.3	100.0	100.0
Missing -1 No response	6865	91.7		
Total	7486	100.0		

kw9044 K2s5: Another female relative is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	547	7.3	100.0	100.0
Missing -1 No response	6939	92.7		
Total	7486	100.0		

kw9045 K2s6: A female family friend is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	456	6.1	100.0	100.0
Missing -1 No response	7030	93.9		
Total	7486	100.0		

kw9046 K2s7: A female lodger is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	9	.1	100.0	100.0
Missing -1 No response	7477	99.9		
Total	7486	100.0		

KW File – Section K

kw9047 K2s8: A female babysitter is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	125	1.7	100.0	100.0
Missing -1 No response	7361	98.3		
Total	7486	100.0		

kw9048 K2s9: Another female is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	209	2.8	100.0	100.0
Missing -1 No response	7277	97.2		
Total	7486	100.0		

KW File – Section K

kw9060 K3a: Frequency that husband/partner or other adult male makes things with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	40	.5	.6	.6
	2 2-5 times a week	264	3.5	3.7	4.2
	3 1 a week	871	11.6	12.2	16.4
	4 <1 a week	3731	49.8	52.1	68.6
	5 Never	2249	30.0	31.4	100.0
	Total	7155	95.6	100.0	
Missing	-1 No response	331	4.4		
Total		7486	100.0		

kw9061 K3b: Frequency that husband/partner or other adult male sings with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	92	1.2	1.3	1.3
	2 2-5 times a week	349	4.7	4.9	6.2
	3 1 a week	515	6.9	7.2	13.4
	4 <1 a week	1783	23.8	24.9	38.3
	5 Never	4420	59.0	61.7	100.0
	Total	7159	95.6	100.0	
Missing	-1 No response	327	4.4		
Total		7486	100.0		

kw9062 K3c: Frequency that husband/partner or other adult male reads to/with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	108	1.4	1.5	1.5
	2 2-5 times a week	473	6.3	6.6	8.1
	3 1 a week	822	11.0	11.5	19.6
	4 <1 a week	2591	34.6	36.2	55.8
	5 Never	3167	42.3	44.2	100.0
	Total	7161	95.7	100.0	
Missing	-1 No response	325	4.3		
Total		7486	100.0		

kw9063 K3d: Frequency that husband/partner or other adult male plays with toys with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	147	2.0	2.1	2.1
	2 2-5 times a week	1021	13.6	14.2	16.3
	3 1 a week	1708	22.8	23.8	40.1
	4 <1 a week	3048	40.7	42.5	82.7
	5 Never	1242	16.6	17.3	100.0
	Total	7166	95.7	100.0	
Missing	-1 No response	320	4.3		
Total		7486	100.0		

KW File – Section K

kw9064 K3e: Frequency that husband/partner or other adult male cuddles child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	3430	45.8	47.6	47.6
	2 2-5 times a week	1818	24.3	25.2	72.8
	3 1 a week	591	7.9	8.2	81.1
	4 <1 a week	819	10.9	11.4	92.4
	5 Never	546	7.3	7.6	100.0
	Total	7204	96.2	100.0	
Missing	-1 No response	282	3.8		
Total		7486	100.0		

kw9065 K3f: Frequency that husband/partner or other adult male does active play with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	392	5.2	5.5	5.5
	2 2-5 times a week	1532	20.5	21.4	26.9
	3 1 a week	1702	22.7	23.8	50.7
	4 <1 a week	2242	29.9	31.3	82.0
	5 Never	1287	17.2	18.0	100.0
	Total	7155	95.6	100.0	
Missing	-1 No response	331	4.4		
Total		7486	100.0		

kw9066 K3g: Frequency that husband/partner or other adult male goes with child to park or playground

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	50	.7	.7	.7
	2 2-5 times a week	307	4.1	4.3	5.0
	3 1 a week	1101	14.7	15.4	20.4
	4 <1 a week	3281	43.8	45.9	66.3
	5 Never	2407	32.2	33.7	100.0
	Total	7146	95.5	100.0	
Missing	-1 No response	340	4.5		
Total		7486	100.0		

kw9067 K3h: Frequency that husband/partner or other adult male kisses child goodnight

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	4285	57.2	59.6	59.6
	2 2-5 times a week	1018	13.6	14.2	73.7
	3 1 a week	319	4.3	4.4	78.2
	4 <1 a week	602	8.0	8.4	86.5
	5 Never	969	12.9	13.5	100.0
	Total	7193	96.1	100.0	
Missing	-1 No response	293	3.9		
Total		7486	100.0		

KW File – Section K

kw9068 K3i: Frequency that husband/partner or other adult male takes child swimming

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	46	.6	.6	.6
	2 2-5 times a week	504	6.7	7.0	7.7
	3 1 a week	1370	18.3	19.1	26.8
	4 <1 a week	3464	46.3	48.4	75.2
	5 Never	1777	23.7	24.8	100.0
	Total	7161	95.7	100.0	
Missing	-1 No response	325	4.3		
Total		7486	100.0		

kw9069 K3j: Frequency that husband/partner or other adult male draws or paints with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	19	.3	.3	.3
	2 2-5 times a week	114	1.5	1.6	1.9
	3 1 a week	448	6.0	6.3	8.1
	4 <1 a week	2428	32.4	34.0	42.2
	5 Never	4125	55.1	57.8	100.0
	Total	7134	95.3	100.0	
Missing	-1 No response	352	4.7		
Total		7486	100.0		

kw9070 K3k: Frequency that husband/partner or other adult male prepares food with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	122	1.6	1.7	1.7
	2 2-5 times a week	566	7.6	7.9	9.6
	3 1 a week	1121	15.0	15.7	25.3
	4 <1 a week	2184	29.2	30.6	55.9
	5 Never	3154	42.1	44.1	100.0
	Total	7147	95.5	100.0	
Missing	-1 No response	339	4.5		
Total		7486	100.0		

kw9071 K3l: Frequency that husband/partner or other adult male takes child to classes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	156	2.1	2.2	2.2
	2 2-5 times a week	862	11.5	12.1	14.3
	3 1 a week	1346	18.0	18.9	33.2
	4 <1 a week	1590	21.2	22.3	55.5
	5 Never	3164	42.3	44.5	100.0
	Total	7118	95.1	100.0	
Missing	-1 No response	368	4.9		
Total		7486	100.0		

KW File – Section K

kw9072 K3m: Frequency that husband/partner or other adult male takes child shopping

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	32	.4	.4	.4
	2 2-5 times a week	283	3.8	4.0	4.4
	3 1 a week	1396	18.6	19.5	23.9
	4 <1 a week	3450	46.1	48.3	72.2
	5 Never	1987	26.5	27.8	100.0
	Total	7148	95.5	100.0	
Missing	-1 No response	338	4.5		
Total		7486	100.0		

kw9073 K3n: Frequency that husband/partner or other adult male takes child to watch sport

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	22	.3	.3	.3
	2 2-5 times a week	284	3.8	4.0	4.3
	3 1 a week	819	10.9	11.5	15.8
	4 <1 a week	2334	31.2	32.7	48.5
	5 Never	3677	49.1	51.5	100.0
	Total	7136	95.3	100.0	
Missing	-1 No response	350	4.7		
Total		7486	100.0		

kw9074 K3o: Frequency that husband/partner or other adult male does homework with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	340	4.5	4.7	4.7
	2 2-5 times a week	1675	22.4	23.3	28.0
	3 1 a week	1873	25.0	26.0	54.1
	4 <1 a week	2026	27.1	28.2	82.2
	5 Never	1277	17.1	17.8	100.0
	Total	7191	96.1	100.0	
Missing	-1 No response	295	3.9		
Total		7486	100.0		

kw9075 K3p: Frequency that husband/partner or other adult male has conversations with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	5687	76.0	78.6	78.6
	2 2-5 times a week	934	12.5	12.9	91.5
	3 1 a week	231	3.1	3.2	94.7
	4 <1 a week	225	3.0	3.1	97.8
	5 Never	159	2.1	2.2	100.0
	Total	7236	96.7	100.0	
Missing	-1 No response	250	3.3		
Total		7486	100.0		

KW File – Section K

kw9076 K3q: Frequency that husband/partner or other adult male helps prepare for school with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	661	8.8	9.2	9.2
	2 2-5 times a week	983	13.1	13.7	23.0
	3 1 a week	1231	16.4	17.2	40.2
	4 <1 a week	1795	24.0	25.1	65.3
	5 Never	2481	33.1	34.7	100.0
	Total	7151	95.5	100.0	
Missing	-1 No response	335	4.5		
Total		7486	100.0		

kw9077 K3r: Frequency that husband/partner or other adult male does other things with child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 Relevant text but no box ticked	12	.2	1.5	1.5
	1 Nearly every day	64	.9	7.9	9.4
	2 2-5 times a week	88	1.2	10.9	20.3
	3 1 a week	111	1.5	13.8	34.1
	4 <1 a week	90	1.2	11.2	45.2
	5 Never	442	5.9	54.8	100.0
	Total	807	10.8	100.0	
Missing	-1 No response	6679	89.2		
Total		7486	100.0		

KW File – Section K

kw9080 K3s1: Husband/partner is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	6646	88.8	100.0	100.0
Missing -1 No response	840	11.2		
Total	7486	100.0		

kw9081 K3s2: Stepfather is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	669	8.9	100.0	100.0
Missing -1 No response	6817	91.1		
Total	7486	100.0		

kw9082 K3s3: Grandfather is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1473	19.7	100.0	100.0
Missing -1 No response	6013	80.3		
Total	7486	100.0		

kw9083 K3s4: Grown-up brother is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	441	5.9	100.0	100.0
Missing -1 No response	7045	94.1		
Total	7486	100.0		

kw9084 K3s5: Another male relative is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	318	4.2	100.0	100.0
Missing -1 No response	7168	95.8		
Total	7486	100.0		

kw9085 K3s6: A male family friend is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	226	3.0	100.0	100.0
Missing -1 No response	7260	97.0		
Total	7486	100.0		

kw9086 K3s7: A male lodger is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	5	.1	100.0	100.0
Missing -1 No response	7481	99.9		
Total	7486	100.0		

KW File – Section K

kw9087 K3s8: A male babysitter is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	8	.1	100.0	100.0
Missing -1 No response	7478	99.9		
Total	7486	100.0		

kw9088 K3s9: Another male is involved in child's activities

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	104	1.4	100.0	100.0
Missing -1 No response	7382	98.6		
Total	7486	100.0		

KW File – Section K

kw9100 K4a: Child helps in the home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, but only if made to	2259	30.2	30.9	30.9
	2 Yes, sometimes	4483	59.9	61.3	92.1
	3 Yes, always offers	408	5.5	5.6	97.7
	4 No, refuses	117	1.6	1.6	99.3
	5 No, not allowed	50	.7	.7	100.0
	Total	7317	97.7	100.0	
Missing	-1 No response	169	2.3		
Total		7486	100.0		

kw9110 K5: Child has space in which they can do their own things

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes, own room	6237	83.3	86.9	86.9
	2 Yes, corner of room	242	3.2	3.4	90.3
	3 Yes, own table	55	.7	.8	91.1
	4 No, no room	159	2.1	2.2	93.3
	5 Something else	481	6.4	6.7	100.0
	Total	7174	95.8	100.0	
Missing	-9 Don't know	1	.0		
	-1 No response	311	4.2		
	Total	312	4.2		
Total		7486	100.0		

KW File – Section K

kw9120 K6a: Child has brothers/sisters living at home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Yes	6697	89.5	90.6	90.6
	2 No	693	9.3	9.4	100.0
	Total	7390	98.7	100.0	
Missing	-1 No response	96	1.3		
Total		7486	100.0		

KW File – Section K

kw9121 K6b1: Number of older brothers that live at home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1490	19.9	40.5	40.5
	1	1833	24.5	49.9	90.4
	2	317	4.2	8.6	99.0
	3	29	.4	.8	99.8
	4	6	.1	.2	100.0
	5	1	.0	.0	100.0
	Total	3676	49.1	100.0	
Missing	-9 Don't know	4	.1		
	-1 No response	3806	50.8		
	Total	3810	50.9		
Total		7486	100.0		

kw9122 K6b1: Age of the oldest brother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	33	.4	1.5	1.5
	1	1	.0	.0	1.6
	2	1	.0	.0	1.6
	4	1	.0	.0	1.6
	6	1	.0	.0	1.7
	9	1	.0	.0	1.7
	10	1	.0	.0	1.8
	11	2	.0	.1	1.9
	12	46	.6	2.1	4.0
	13	469	6.3	21.4	25.4
	14	572	7.6	26.1	51.5
	15	327	4.4	14.9	66.4
	16	213	2.8	9.7	76.1
	17	161	2.2	7.3	83.5
	18	114	1.5	5.2	88.7
	19	70	.9	3.2	91.9
	20	56	.7	2.6	94.4
	21	41	.5	1.9	96.3
	22	29	.4	1.3	97.6
	23	21	.3	1.0	98.6
	24	9	.1	.4	99.0
	25	8	.1	.4	99.4
	26	3	.0	.1	99.5
	28	6	.1	.3	99.8
	29	3	.0	.1	99.9
	32	1	.0	.0	100.0
	33	1	.0	.0	100.0
	Total	2191	29.3	100.0	
Missing	-1 No response	5295	70.7		
Total		7486	100.0		

KW File – Section K

kw9123 K6b2: Number of younger brothers that live at home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1194	15.9	34.8	34.8
	1	1885	25.2	55.0	89.8
	2	317	4.2	9.2	99.0
	3	30	.4	.9	99.9
	4	3	.0	.1	100.0
	6	1	.0	.0	100.0
	Total	3430	45.8	100.0	
Missing	-9 Don't know	7	.1		
	-1 No response	4049	54.1		
	Total	4056	54.2		
Total		7486	100.0		

kw9124 K6b2: Age of youngest brother

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	63	.8	2.8	2.8
	1	59	.8	2.6	5.5
	2	67	.9	3.0	8.4
	3	77	1.0	3.4	11.9
	4	103	1.4	4.6	16.5
	5	148	2.0	6.6	23.1
	6	190	2.5	8.5	31.6
	7	264	3.5	11.8	43.4
	8	416	5.6	18.6	62.0
	9	577	7.7	25.8	87.8
	10	262	3.5	11.7	99.5
	11	5	.1	.2	99.7
	12	2	.0	.1	99.8
	13	3	.0	.1	99.9
	14	1	.0	.0	100.0
	20	1	.0	.0	100.0
	Total	2238	29.9	100.0	
Missing	-1 No response	5248	70.1		
Total		7486	100.0		

kw9125 K6b3: Number of twin brothers that live at home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1560	20.8	94.7	94.7
	1	86	1.1	5.2	99.9
	2	1	.0	.1	99.9
	3	1	.0	.1	100.0
	Total	1648	22.0	100.0	
Missing	-1 No response	5838	78.0		
Total		7486	100.0		

KW File – Section K

kw9131 K6c1: Number of older sisters that live at home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1460	19.5	41.2	41.2
	1	1791	23.9	50.5	91.7
	2	264	3.5	7.4	99.2
	3	28	.4	.8	100.0
	4	1	.0	.0	100.0
	Total	3544	47.3	100.0	
Missing	-9 Don't know	6	.1		
	-1 No response	3936	52.6		
	Total	3942	52.7		
Total		7486	100.0		

kw9132 K6c1: Age of oldest sister

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	38	.5	1.8	1.8
	2	1	.0	.0	1.9
	6	1	.0	.0	1.9
	9	2	.0	.1	2.0
	10	2	.0	.1	2.1
	11	2	.0	.1	2.2
	12	42	.6	2.0	4.2
	13	487	6.5	23.2	27.4
	14	512	6.8	24.4	51.9
	15	323	4.3	15.4	67.3
	16	205	2.7	9.8	77.1
	17	170	2.3	8.1	85.2
	18	124	1.7	5.9	91.1
	19	66	.9	3.2	94.3
	20	33	.4	1.6	95.8
	21	26	.3	1.2	97.1
	22	20	.3	1.0	98.0
	23	20	.3	1.0	99.0
	24	4	.1	.2	99.2
	25	6	.1	.3	99.5
	26	5	.1	.2	99.7
	27	2	.0	.1	99.8
	29	3	.0	.1	100.0
	33	1	.0	.0	100.0
	Total	2095	28.0	100.0	
Missing	-1 No response	5391	72.0		
Total		7486	100.0		

KW File – Section K

kw9133 K6c2: Number of younger sisters that live at home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1180	15.8	34.7	34.7
	1	1929	25.8	56.7	91.4
	2	261	3.5	7.7	99.0
	3	25	.3	.7	99.8
	4	6	.1	.2	99.9
	5	2	.0	.1	100.0
	Total	3403	45.5	100.0	
Missing	-9 Don't know	7	.1		
	-1 No response	4076	54.4		
	Total	4083	54.5		
Total		7486	100.0		

kw9134 K6c2: Age of youngest sister

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	42	.6	1.9	1.9
	1	44	.6	2.0	3.9
	2	65	.9	2.9	6.8
	3	79	1.1	3.6	10.4
	4	110	1.5	5.0	15.4
	5	141	1.9	6.4	21.8
	6	185	2.5	8.4	30.2
	7	262	3.5	11.9	42.1
	8	441	5.9	20.0	62.1
	9	570	7.6	25.8	87.9
	10	252	3.4	11.4	99.3
	11	8	.1	.4	99.7
	12	1	.0	.0	99.7
	13	2	.0	.1	99.8
	15	2	.0	.1	99.9
	17	1	.0	.0	100.0
	18	1	.0	.0	100.0
	Total	2206	29.5	100.0	
Missing	-1 No response	5280	70.5		
Total		7486	100.0		

kw9135 K6c3: Number of twin sisters that live at home

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1470	19.6	94.9	94.9
	1	76	1.0	4.9	99.8
	2	3	.0	.2	100.0
	Total	1549	20.7	100.0	
Missing	-1 No response	5937	79.3		
Total		7486	100.0		

KW File – Section K

kw9140 K6d1: Frequency that child plays indoor games with siblings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	2362	31.6	35.4	35.4
	2 2-5 times a week	2388	31.9	35.8	71.3
	3 1 a week	875	11.7	13.1	84.4
	4 <1 a week	809	10.8	12.1	96.5
	5 Never	231	3.1	3.5	100.0
	Total	6665	89.0	100.0	
Missing	-1 No response	821	11.0		
Total		7486	100.0		

kw9141 K6d2: Frequency that child reads together with siblings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	453	6.1	6.8	6.8
	2 2-5 times a week	1149	15.3	17.3	24.2
	3 1 a week	1092	14.6	16.5	40.6
	4 <1 a week	1878	25.1	28.3	68.9
	5 Never	2061	27.5	31.1	100.0
	Total	6633	88.6	100.0	
Missing	-1 No response	853	11.4		
Total		7486	100.0		

kw9142 K6d3: Frequency that child sings together with siblings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	678	9.1	10.2	10.2
	2 2-5 times a week	1408	18.8	21.2	31.4
	3 1 a week	955	12.8	14.4	45.8
	4 <1 a week	1466	19.6	22.1	67.9
	5 Never	2135	28.5	32.1	100.0
	Total	6642	88.7	100.0	
Missing	-1 No response	844	11.3		
Total		7486	100.0		

kw9143 K6d4: Frequency that child makes things/draws/paints with siblings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	337	4.5	5.1	5.1
	2 2-5 times a week	1333	17.8	20.1	25.2
	3 1 a week	1387	18.5	20.9	46.2
	4 <1 a week	2251	30.1	34.0	80.2
	5 Never	1313	17.5	19.8	100.0
	Total	6621	88.4	100.0	
Missing	-1 No response	865	11.6		
Total		7486	100.0		

KW File – Section K

kw9144 K6d5: Frequency that child goes out together with siblings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	1105	14.8	16.7	16.7
	2 2-5 times a week	2348	31.4	35.5	52.2
	3 1 a week	1418	18.9	21.4	73.6
	4 <1 a week	1252	16.7	18.9	92.5
	5 Never	493	6.6	7.5	100.0
	Total	6616	88.4	100.0	
Missing	-1 No response	870	11.6		
Total		7486	100.0		

kw9145 K6d6: Frequency that child talks together with siblings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	6038	80.7	90.4	90.4
	2 2-5 times a week	518	6.9	7.8	98.2
	3 1 a week	57	.8	.9	99.0
	4 <1 a week	44	.6	.7	99.7
	5 Never	20	.3	.3	100.0
	Total	6677	89.2	100.0	
Missing	-1 No response	809	10.8		
Total		7486	100.0		

kw9146 K6d7: Frequency that child eats together with siblings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	6252	83.5	93.5	93.5
	2 2-5 times a week	341	4.6	5.1	98.6
	3 1 a week	43	.6	.6	99.2
	4 <1 a week	33	.4	.5	99.7
	5 Never	18	.2	.3	100.0
	Total	6687	89.3	100.0	
Missing	-1 No response	799	10.7		
Total		7486	100.0		

kw9147 K6d8: Frequency that child argues with siblings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	4092	54.7	61.3	61.3
	2 2-5 times a week	1733	23.1	26.0	87.3
	3 1 a week	496	6.6	7.4	94.7
	4 <1 a week	287	3.8	4.3	99.0
	5 Never	66	.9	1.0	100.0
	Total	6674	89.2	100.0	
Missing	-1 No response	812	10.8		
Total		7486	100.0		

KW File – Section K

kw9148 K6d9: Frequency that child fights with siblings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	1844	24.6	27.8	27.8
	2 2-5 times a week	1308	17.5	19.7	47.6
	3 1 a week	964	12.9	14.5	62.1
	4 <1 a week	1451	19.4	21.9	84.0
	5 Never	1059	14.1	16.0	100.0
	Total	6626	88.5	100.0	
Missing	-1 No response	860	11.5		
Total		7486	100.0		

kw9149 K6d10: Frequency that child plays sports with siblings

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Nearly every day	591	7.9	9.0	9.0
	2 2-5 times a week	1246	16.6	19.0	28.0
	3 1 a week	1090	14.6	16.6	44.6
	4 <1 a week	1457	19.5	22.2	66.8
	5 Never	2182	29.1	33.2	100.0
	Total	6566	87.7	100.0	
Missing	-1 No response	920	12.3		
Total		7486	100.0		

KW File – Section K

kw9160 K7a1: Child wears clothes handed down from older brothers and sisters

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	2017	26.9	100.0	100.0
Missing -1 No response	5469	73.1		
Total	7486	100.0		

kw9161 K7a2: Child wears clothes handed down from other relatives

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1459	19.5	100.0	100.0
Missing -1 No response	6027	80.5		
Total	7486	100.0		

kw9162 K7a3: Child wears clothes handed down from friends

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1929	25.8	100.0	100.0
Missing -1 No response	5557	74.2		
Total	7486	100.0		

kw9163 K7b: Child has clothes brought second hand

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	1842	24.6	25.1	25.1
2 No	5483	73.2	74.9	100.0
Total	7325	97.8	100.0	
Missing -1 No response	161	2.2		
Total	7486	100.0		

PAGE 58 OF THE QUESTIONNAIRE

SECTION L: CULTURAL BACKGROUND

In order to help us find out why some children are healthier than others we are looking at many aspects of their development. So far however, we have not looked at the way this may be affected by their cultural background. We'd be grateful if you could answer these questions as best you can.

What would you consider to be the cultural background of your study child?

Choose ONE main category on these 2 pages, then tick the appropriate box(es):

L1. **White**

☐ 1

Mixed

☐ 2


Please specify:

White and Black Caribbean

White and Black African

White and Asian

Other Mixed background

(i)

☐ 1

☐ 2

☐ 3

☐ 4


(Please tick and describe)

Asian

☐ 3


Please specify:

Indian

Pakistani

Bangladeshi

Other Asian background

(ii)

☐ 1

☐ 2

☐ 3

☐ 4


(Please tick and describe)

PAGE 59 OF THE QUESTIONNAIRE

Black ☐ 4 → Please specify: Caribbean ☐ 1
African ☐ 2
Other Black background ☐ 3

(iii)

↓

(Please tick and describe)

Other ☐ 5 → Please tick and describe:
.....

*Many thanks for the time
you have taken to fill in
this questionnaire*

*There is only the back
page to complete now*

KW File – Section L

kw9500 L1: Cultural background of child

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 White	7111	95.0	96.3	96.3
	2 Mixed	218	2.9	3.0	99.3
	3 Asian	26	.3	.4	99.6
	4 Black	17	.2	.2	99.9
	5 Other	11	.1	.1	100.0
	Total	7383	98.6	100.0	
Missing	-1 No response	103	1.4		
Total		7486	100.0		

kw9502 L1i: Child is mixed race

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 White & Black Caribbean	73	1.0	33.0	33.0
	2 White & Black African	17	.2	7.7	40.7
	3 White & Asian	55	.7	24.9	65.6
	4 Other Mixed background	76	1.0	34.4	100.0
	Total	221	3.0	100.0	
Missing	-1 No response	7265	97.0		
Total		7486	100.0		

kw9504 L1ii: Child is Asian

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Indian	7	.1	26.9	26.9
	2 Pakistani	5	.1	19.2	46.2
	3 Bangladeshi	1	.0	3.8	50.0
	4 Other Asian background	13	.2	50.0	100.0
	Total	26	.3	100.0	
Missing	-1 No response	7460	99.7		
Total		7486	100.0		

kw9506 L1iii: Child is Black

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 Caribbean	14	.2	63.6	63.6
	2 African	2	.0	9.1	72.7
	3 Other Black background	6	.1	27.3	100.0
	Total	22	.3	100.0	
Missing	-1 No response	7464	99.7		
Total		7486	100.0		

PAGE 60 OF THE QUESTIONNAIRE

SECTION M:

M1. This questionnaire was completed by: (tick all that apply)

- a) Child's biological mother ☐
- b) Child's mother figure ☐
- c) Child's biological father ☐
- d) Study child ☐
- e) Someone else (please tick and describe) ☐

[Editing: If all 5 parts had value -1 then they were set to -6, otherwise values of -1 were recoded to 2 "no".]

kw9980 M1a: Questionnaire completed by child's biological mother

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	7216	96.4	97.5	97.5
2 No	183	2.4	2.5	100.0
Total	7399	98.8	100.0	
Missing -6 Question M1 omitted	87	1.2		
Total	7486	100.0		

kw9981 M1b: Questionnaire completed by child's mother figure

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	67	.9	.9	.9
2 No	7332	97.9	99.1	100.0
Total	7399	98.8	100.0	
Missing -6 Question M1 omitted	87	1.2		
Total	7486	100.0		

kw9982 M1c: Questionnaire completed by child's biological father

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	148	2.0	2.0	2.0
2 No	7251	96.9	98.0	100.0
Total	7399	98.8	100.0	
Missing -6 Question M1 omitted	87	1.2		
Total	7486	100.0		

KW File – Section M

kw9983 M1d: Questionnaire completed by study child

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	315	4.2	4.3	4.3
2 No	7084	94.6	95.7	100.0
Total	7399	98.8	100.0	
Missing -6 Question M1 omitted	87	1.2		
Total	7486	100.0		

kw9984 M1e: Questionnaire completed by someone else

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes	114	1.5	1.5	1.5
2 No	7285	97.3	98.5	100.0
Total	7399	98.8	100.0	
Missing -6 Question M1 omitted	87	1.2		
Total	7486	100.0		

Derived VariablesNumber of contributors

The number of contributors to the questionnaire is the number of boxes ticked in question M1. It was derived by recoding (1 = 1)(else = 0), summing and then copying across missing values from the components.

kw9986 DV: Number of contributors to questionnaire

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	6979	93.2	94.3	94.3
2	381	5.1	5.1	99.5
3	37	.5	.5	100.0
4	2	.0	.0	100.0
Total	7399	98.8	100.0	
Missing -6 Question M1 omitted	87	1.2		
Total	7486	100.0		

Questionnaire completed by...

This variable details the combinations of respondents reported in question M1. It is calculated by recoding values of 1 to powers of 2 (1, 2, 4, 8 and 16 for parts a to e respectively) and all other values to 0 and summing. Missing values in the components are then copied across.

kw9987 DV: Questionnaire completed by...

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Mother only	6815	91.0	92.1	92.1
2 Mother figure only	28	.4	.4	92.5
3 Mother and mother figure	22	.3	.3	92.8
4 Father only	77	1.0	1.0	93.8
5 Mother and father	39	.5	.5	94.4
6 Mother figure and father	1	.0	.0	94.4
8 Study child only	19	.3	.3	94.6
9 Mother and study child	247	3.3	3.3	98.0
10 Mother figure and study child	10	.1	.1	98.1
11 Mother, mother figure and study child	2	.0	.0	98.1
12 Father and study child	2	.0	.0	98.1
13 Mother, father and study child	22	.3	.3	98.4
15 Mother, mother figure, father and study child	1	.0	.0	98.5
16 Other only	40	.5	.5	99.0
17 Mother and other	54	.7	.7	99.7
18 Mother figure and other	3	.0	.0	99.8
20 Father and other	3	.0	.0	99.8
21 Mother, father and other	2	.0	.0	99.8
25 Mother, study child and other	11	.1	.1	100.0
29 Mother, father, study child and other	1	.0	.0	100.0
Total	7399	98.8	100.0	
Missing -6 Question M1 omitted	87	1.2		
Total	7486	100.0		

KW File – Section M

M2. Please give the date on which you completed this questionnaire:

day	month	year
<div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px;"></div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px;"></div>	<div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px;"></div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px;"></div>	<div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px; text-align: center;">2</div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px; text-align: center;">0</div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px; text-align: center;">0</div> <div style="display: inline-block; border: 1px solid black; width: 30px; height: 30px; margin: 2px;"></div>

[Editing: The date of completion was substituted with the date of receipt of the questionnaire from ALSPAC's administrative database if any of the following occurred: The date of completion was not fully completed, the date of completion was not a valid date (e.g. 31st November), the date of completion was later than the date of receipt or the date of completion was earlier than the date on which the questionnaire was sent out by ALSAPAC. This action was flagged in variable KW9990c. The month and year of completion were retained on the built file, but the day was dropped.]

kw9990a M2: Date of completion of questionnaire - month

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 January	851	11.4	11.4	11.4
2 February	692	9.2	9.2	20.6
3 March	819	10.9	10.9	31.6
4 April	705	9.4	9.4	41.0
5 May	721	9.6	9.6	50.6
6 June	732	9.8	9.8	60.4
7 July	573	7.7	7.7	68.0
8 August	617	8.2	8.2	76.3
9 September	549	7.3	7.3	83.6
10 October	497	6.6	6.6	90.2
11 November	402	5.4	5.4	95.6
12 December	328	4.4	4.4	100.0
Total	7486	100.0	100.0	

kw9990b M2: Date of completion of questionnaire - year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2002	74	1.0	1.0	1.0
2003	4040	54.0	54.0	55.0
2004	3321	44.4	44.4	99.3
2005	48	.6	.6	100.0
2006	3	.0	.0	100.0
Total	7486	100.0	100.0	

kw9990c DV: Date of completion replaced with date of receipt


	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 Yes, incomplete d.o.c.	30	.4	.4	.4
2 Yes, illegal d.o.c.	3	.0	.0	.4
3 Yes, d.o.c. < d.o.s.	69	.9	.9	1.4
4 Yes, d.o.c. > d.o.r.	37	.5	.5	1.9
5 No	7347	98.1	98.1	100.0
Total	7486	100.0	100.0	

Derived Variables - Age at Completion

The date of completion and the children's dates of birth from ALSPAC's central database, were used to calculate the child's age at completion in completed weeks and completed months.

kw9991a DV: Age of study child at completion (months)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	137	1	.0	.0	.0
	138	2	.0	.0	.0
	139	4	.1	.1	.1
	140	5295	70.7	70.7	70.8
	141	1302	17.4	17.4	88.2
	142	370	4.9	4.9	93.2
	143	260	3.5	3.5	96.6
	144	71	.9	.9	97.6
	145	33	.4	.4	98.0
	146	44	.6	.6	98.6
	147	22	.3	.3	98.9
	148	15	.2	.2	99.1
	149	16	.2	.2	99.3
	150	8	.1	.1	99.4
	151	8	.1	.1	99.5
	152	6	.1	.1	99.6
	153	6	.1	.1	99.7
	154	2	.0	.0	99.7
	155	2	.0	.0	99.7
	156	3	.0	.0	99.8
	157	4	.1	.1	99.8
	158	4	.1	.1	99.9
	159	2	.0	.0	99.9
	160	1	.0	.0	99.9
	161	3	.0	.0	100.0
	162	1	.0	.0	100.0
	166	1	.0	.0	100.0
	Total	7486	100.0	100.0	

kw9991b

plus the following outliers < 605 or > 670:

kw9991b DV: Age of study child at completion (weeks)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	599	1	3.8	3.8	3.8
	601	1	3.8	3.8	7.7
	603	1	3.8	3.8	11.5
	671	1	3.8	3.8	15.4
	672	1	3.8	3.8	19.2
	676	2	7.7	7.7	26.9
	679	1	3.8	3.8	30.8
	680	1	3.8	3.8	34.6
	682	1	3.8	3.8	38.5
	684	1	3.8	3.8	42.3
	686	3	11.5	11.5	53.8
	687	2	7.7	7.7	61.5
	688	1	3.8	3.8	65.4
	690	1	3.8	3.8	69.2
	693	1	3.8	3.8	73.1
	695	1	3.8	3.8	76.9
	699	1	3.8	3.8	80.8
	701	3	11.5	11.5	92.3
	706	1	3.8	3.8	96.2
	722	1	3.8	3.8	100.0
Total		26	100.0	100.0	

M3. Please give your date of birth:

day		month		year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	1	9	<input type="text"/>	<input type="text"/>

[Editing: Note that the carer's date of birth is not used.]

M4. Please give the date of birth of your study child:

day		month		year			
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	1	9	9	<input type="text"/>

[Editing: Note that this reported date of birth is not used.]

THANK YOU VERY MUCH FOR YOUR HELP

Space for any additional comment you would like to make

NB. Please remember we cannot reply to any comment unless you sign it.

When completed, please return the questionnaire to:

**Professor Jean Golding
Children of the Nineties - ALSPAC
Institute of Child Health
24 Tyndall Avenue
Bristol
BS8 1BR Tel: Bristol 928 8793**

For office use only

coder

<input type="text"/>	<input type="text"/>
----------------------	----------------------

int

<input type="text"/>	<input type="text"/>
----------------------	----------------------

© University of Bristol

Appendix A

This appendix contains the general coding instructions that are referred to whenever any questionnaire is being coded. This document provides a general overview to the coding process as well as defining abbreviations for standard methods that are used in the specific coding instructions for the questionnaire (see Appendix B).

KW File – Appendix A

General coding instructions for ALSPAC questionnaires – 3rd revision 12th December 2003

These are to be used in conjunction with the specific instructions for each questionnaire.

General Coding instructions for ALSPAC questionnaires – 3rd revision

What is “coding”?

The coder's main task is to ensure that each questionnaire is easily keyable. This means that the ticks that the respondent has written relate clearly to one box, and only one, that where numbers are required, words have not been written, and to check that the meaning of the question or the stated answer has not been adjusted by the respondent editing the question or qualifying the answer with words that make it not applicable.

Remember that a blank answer should always be left blank. It is not our task to infer what the respondent meant to say.

In cases where a box has been struck out, it should be considered as blank, meaning no answer given, except in rare instances where the specific coding sheet for the questionnaire indicates that a struck-out box should be considered as a zero.

What data are keyed?

The keying company will key either 1) the small code number in the box which has been ticked as the answer to a given question, or, 2) the numeric answer written by the respondent. All text is keyed whether freely written at the side of the answers or asked for by us on a “Please describe” dotted line.

Clarity

If you have to clarify a ticked response where the respondent has amended an answer, simply ring round the box containing the correct response and strike out with a single oblique line any answers that the respondent has crossed out. If you have to clarify numbers which the respondent has written, it is often necessary to strike out the given response, draw new box(es) close to the old one(s), and write the correction in them. On occasions it is necessary to put a response down which is not in the range of printed boxes. Instructions for this would be given in the coding sheet specific to the particular questionnaire.

Clear printing of numbers is most important. Use only the Arabic numerals 0,1,2,3,4,5,6,7,8,9. To avoid confusing 1 and 7, write the 7 with a line through it. Numbers should be right justified. If the number does not fill the available number of boxes, then the leftmost ones should be filled with zeros.

Striving for accuracy

It is better to work more slowly and check the questionnaires properly, rather than plough through mounds of work quickly but inaccurately. If there are any coding queries or the printed instructions do not deal adequately with the responses given, always check with the supervisor. If the matter cannot be resolved at the time, write the question number on a yellow “Post-It” sticky label and attach it to the top of the relevant page so that it is clearly visible in the batch. It is the individual coder’s responsibility to see that the query is resolved before the batch of questionnaires is packed away.

Do not attempt to cross check the response to one question with something the respondent has written elsewhere in the questionnaire (logical editing will be taken care of later by the data preparation team).

Make sure that “skips” (If no/yes, go to question X.....) are observed and that the appropriate Yes or No in the lead question has been answered.

Final checks

This is a most important stage. At the end of the coding of a run of questionnaires, the coders will go through the questionnaires a second time in order to check the first coder’s marking and find any omissions. No coder checks their own original coding. If serious or consistent coding errors are found in the checking procedure, it is the responsibility of the individual coder to bring it to the attention of the original coder who may have been misreading instructions. The supervisor will perform a validation check on each person’s work at regular intervals in order to strive for maximum accuracy.

KW File – Appendix A

Practical details

Make sure that all questionnaires in a batch are kept together.

Make corrections to the questionnaire in green, so that the coder's decisions can be seen distinctly. However, if the respondent has written in green, use red for the corrections, and write a note on the front cover saying that you have corrected in red.

When starting a new batch of questionnaires, first verify that all the booklets that are in the batch are the correct ones by comparing and ticking off the i.d. numbers on the printed computerised list that is wrapped round the batch. There should be 20 booklets in the batch (unless it is the very last batch in the run). If any on the list are missing, or if there are any extras, we need to sort out the muddle before the batch can be sent on for keying.

All questionnaires in the same batch should have the same version date printed on the front cover. If a questionnaire of a different version has been included in the batch, hand it to the supervisor to deal with separately, cross out the number on the list and write "Wrong version" alongside. At the top of the list write "19 questionnaires only" or whatever.

Similarly, if a questionnaire is found to be totally blank, hand it to the supervisor, then cross out the number on the list, write "Blank" alongside and "19 questionnaires only" or whatever, at the top.

When you have finished a questionnaire put your initials in the Coders Initials box at the bottom of the back page. When all queries from the batch have been resolved, and all the booklets have been coded, the batch can move on to the next stage.

If the respondent has written anything on the questionnaire which needed to be acted upon by our administration, e.g. Changes of address, corrections of names, changes of marital status or surname, a decision to opt out of the survey etc, it will be stamped "Copied", indicating that the post department have noted the information. If the given information is not stamped "Copied", copy both the i.d. number from the front cover of the questionnaire and also the details of the information on to a separate sheet and hand it to the supervisor.

Specific details

Dates

- a) It is important that dates should always be coded in the order day/month/year.
- b) The rules of padding from the left with 0's apply to the days and to the months separately.
- c) If the year is stated but the day and/or month are left unfilled or are described as not known, then code the unknown element(s) as 99.
- d) In contrast, if the year is blank or stated as not known, but other elements of the date have been written, leave the unknown year blank so that there is no ambiguity with 1999.
- e) If the whole date is left totally blank, leave all blank.

Coding instructions

Each type of questionnaire has its own unique coding sheet. To carry out the instructions by a standardised method, the abbreviations that have been used are:

7 If more than one box is ticked, ring around the one with the lowest number in the specific range, and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

8 If more than one box is ticked, ring around the one with the highest number in the specific range and put a line through the other responses. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

I If more than one box is ticked, and the muddle cannot be resolved by reference to any written comment on the form, refer the problem to the supervisor or put a yellow sticky label at the top of the page to show that the matter must be resolved before the batch of questionnaires is packed away. If only one box is ticked, or no boxes are ticked, no action is required from the coder.

KW File – Appendix A

II Code as a number.

Make sure that the answer is in the required units, e.g. weeks rather than months, or pints rather than glasses, or whatever, and remember that fractions are not allowed. There will be rules in the coding instructions as to whether to round fractions up or down, for each question where it is likely to occur.

Other possible 'non-standard' indications by the respondent:

If answer stated as not known, code as 9, 99, 999 or 9999 - depending on field length (i.e. fill as many boxes as the field requires). For this occurrence with dates see above.

If "occasional" is stated where a number is required, this is usually coded as 97. There are occasionally other codes in the 90 range to be used as indicated in the coding instructions.

If "none" or "nil" is stated for a numeric response, code as zero.

If there is no response, or they reply "Not applicable", "N/A" or something equivalent, leave the boxes blank.

IV Code as ddmmyy for days, months, years. See instructions above about dates.

"Other, please describe" questions

Where information is written on an "other, please describe" line, it is necessary to check various points. Firstly, the information given there should not fit into one of the other categories in the question. If it is the same, recode it as that category, but if there is doubt, or it is clearly different, leave it as "other". Secondly, if there is information written on the line, it should have the corresponding box ticked. If there is no box ticked, then draw an extra box at the side and enter the code "zero" - indicating a relevant comment has been given, but we don't know which "yes" category to put it into.

Answers written in "Other, please describe" sections will not be coded at this stage. These responses will be keyed verbatim, and coded at a later stage. This has the advantage of being able to decide how to group the responses when the complete range is known. However, such responses are not available for analysis until relatively late on in the survey, and some sections, notably those with a historical perspective, have structured textual replies e.g occupation, childhood diary.

Sheila Preece 12/12/2003

[Version 3 of General Coding Instructions first written 3/6/92 (modified on 20 January 2000) by Hugh Simmons]

Appendix B

This appendix contains the coding instructions specific to this questionnaire.

KW File – Appendix B

Coding instructions for boy and girl first version (12/11/02) “Being a Boy/Girl”

All questionnaires in the same batch should have the same 'Date of form' on their front cover. Keep all the questionnaires in a batch together.

Coding the “Being a Boy/Girl” replies

Follow the general rules outlined in the "General coding instructions for ALSPAC questionnaires - 2nd revision" document.

In addition, make sure that any names or other identifiers of the respondent are obliterated.

Front Cover

Check that the questionnaire number is legible, and that the date of form is 12/11/02.

If the questionnaire is all blank, e.g. the respondent didn't want to fill in the form, write "BLANK" on the front cover and hand it to the supervisor.

Page 3 Section A		
A1 i, ii	8	
A2a	I	
A2b	8	
A3a - e	I	If a hernia type is written in A3a, please ensure that the Yes box is ticked
Page 4-5		
A3f, g	I	
A3h	I	If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A3h.
A4ai	II	If a range is given, take the higher number. Count part days as whole days. Note that this is days off school, so should exclude weekends etc. if possible. For 98 days or more code as 98. Code don't know as 99.
A4aii		Either a blank or a tick is expected here.
A4a "please describe"		If something relevant is written here, there should be a count in A4ai. If not, set it to 99.
A4b-g		As A4a. For c and g exclude visits to Children of the 90s clinics.
Page 5		
A5	I	Code 'sometimes' as yes.
A5a		If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A5. Note that the text response is not being coded here.
A5b		If something relevant is written, please ensure that there is a corresponding 'yes' tick on A5. Note that the text response is not being coded here.
A5c	I	If something relevant is written on the 'please describe' line, and there is no corresponding tick on A5c, please code A5c as "mouth" or "other part", or else as zero, depending on the text response. Note that the text response is not being coded here. If 1 and 2 are

KW File – Appendix B

		ticked, code as 3.
A6a	I	Code 'sometimes' as yes.
A6b	8	
A6ci	7	
A6cii	7	
Page 6		
A7a	I	Code 'sometimes' as yes.
A7b	II	If a range is given, take highest.
A7c	II	If a range is given, take the highest. If a fraction, round down.
A8a	I	Code 'sometimes' as yes.
A8b	8	
A8c	7	
A8d	7	
A9	8	
Page 7		
A10i,ii	7	
A11	7	
A12a	I	Code 'sometimes' as yes.
A12b	8	
A12c	7	
Page 8		
A12di to iii	I	'Don't Know' responses should be put in A12d(v) - leave the corresponding component of (i) to (iv) unticked.
A12div	I	If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A12div.
A12dv	I	
A13a	I	If 1 and 2 are ticked, code as 3. Any combination of ticks that includes 4, code as 4. If there are no ticks and there are relevant answers in (i) and (iii) code A13a as zero.
A13ai	I	
A13aii		Note that the text response is not being coded here.
A13aiii	I	
A13aiv If yes,...		If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A13aiii. Note that the text response is not being coded here.
A14a	I	
Page 9		
A14b		If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A14a. Note that the text response is not being coded here.
A14c	I	
A14d	7	

KW File – Appendix B

A14e	8	
A14fi to v	I	
A14g		Not being coded here.
A14h	I	
Page 10		
A14h If yes,...		If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A14h on the previous page. Note that the text response is not being coded here.
A14ji to v	I	
A14jvi	I	If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A14jvi. Note that the text response is not being coded here.
A14jvii	I	
A15a	I	Code 'sometimes' as yes.
A15b	8	
A15c	8	
A15d	7	
Page 11		
A15e	7	
A15f	8	
A15g	I	
A15h	I	If more than one box is ticked, tick "other" instead, and list the numbers of boxes originally ticked on the dotted line.
A15j(i) to (iv)	I	
A15j(v)	I	If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A15j(v)
A15k	I	Code 'sometimes' as yes.
Page 12		
A15 l,m	I	Code 'sometimes' as yes.
A16a	I	Code 'sometimes' as yes.
A16b	7	
A16c – f	I	
A17a, b	I	Code 'sometimes' as yes.
If yes,...		If something relevant is written on the 'please describe' line, please ensure that there is a corresponding 'yes' tick on A17b. Note that the text response is not being coded here.
Page 13		
A17c	8	
A17d	I	Code 'sometimes' as yes.
A18 a-c	I	Code 'sometimes' as yes.

KW File – Appendix B

A18di, ii	I	If code 7 is ticked in part (i) then there should be no answers in part (ii). In part (ii), each of the boxes can be ticked. If they say “don’t know/can’t remember”, whether alongside the whole question, or just individual months, code that month or months as 9.
Page 14		
A18e	8	
Page 15		
B1a	I	
B1b	I	
B1c	7	
B1d		Please ensure that any relevant writing on the “please describe” area is matched by a ‘yes’ tick on B1b. If it is not, please code B1c as zero (unless the age is specified in the text). Please note that the text response is not being coded here.
B2a	I	
B2b	7	
B2c,d		Please ensure that any relevant writing on the “please describe” area is matched by a tick on B2b. If it is not, please code B2b as zero (unless the age is specified in the text). Please note that the text responses are not being coded here.
B3a	I	
Page 16-18		
B3b	I	
B3bi	II	Round down part years.
B3bii		Please ensure that any relevant writing on the “please describe” area is matched by a ‘yes’ tick on B3b. Please note that the text response is not being coded here.
B3c	I	Please ensure that any relevant writing on the “please describe” area is matched by a tick on B3c. Please note that the text response is not being coded here.
B4-B7		As B3
Page 19		
B8a	I	
B8b	II	If a range is given, round up.
B8c (1 st problem)		Not being coded here.
B8d (1 st problem)	I	
B8e (1 st problem)	II	Round part years down. If less than 12 months is given, code as “0”.
B8f, g (1 st problem)		Not being coded here.
2 nd , 3 rd problems		As 1 st problem
“more than 3 problems”		Any further problems listed here are not being coded.

KW File – Appendix B

Page 20		
Section C		
C1-C5		Repeat the instructions for each of the three accident columns:
C1a	I	
C1b	II	Take upper level of any range given.
C1c to g		Text not being coded here.
C1h		If more than 1 box ticked, tick the 'other' box and list the numbers of the boxes originally ticked on the dotted line.
C1h "other (please describe)"		If a relevant description is given, please ensure that box 5 is ticked in C1h. Note that the text response is not being coded here.
C1i to k		Text not being coded here
Page 21		
C2		as C1
Page 22		
C3a	I	
C3b	II	Take upper level of any range given.
C3c to f		Text not being coded here.
C3g		If more than 1 box ticked, tick the 'other' box and list the numbers of the boxes originally ticked on the dotted line.
C3g "other (please describe)"		If a description is given, please ensure that box 5 is ticked in C3g. Note that the text response is not being coded here.
C3h to j		Text not being coded here
Page 23		
C4		As C1
Pages 24 - 25		
C5 - C6		As C3
Page 26		
C7a-c	I	Please note that a tick in all three columns is possible.
C7d	I	As C7a-c. If something written on the dotted line, but no tick given, please ensure that all three boxes are coded as zero.
C7e-k		As C7a-c. In C7f if glued cuts are mentioned, code as for stitched cuts.
C7l		as C7d.
C7m-q		as C7a-c.
Page 27		
C8a-c	I	
Please describe...	I	If a relevant description is given, please ensure that box 1 is ticked in the relevant box of C8a, b or c. Note that the text

KW File – Appendix B

		response is not being coded here.
Page 28		
Section D		
D1a	7	
D1b	7	
D1c i,ii,iii	I	
D1c iv	I	Please ensure that any relevant writing on the “please describe” area is matched by a ‘yes’ tick on D1c iv.
D1d,e		As D1c
D1f, g	7	
D2	7	
Page 29		
D3a	II,II	Use the 12 hour clock, convert if really necessary. If a range is given, take the earliest. The question asks about school days, so presumably the problem of the child waking after midday will not occur.
D3b	II,II	Note that this question is asked, expecting a p.m. time, so code it on the 12-hour clock basis. So, code 19.30 as 0730, and code 7.30 as 0730 as well. P.M is assumed. If a range of times is given take the later. The probable range of answers will be 0730 to 1100. It is just possible that a time after midnight is given - to code this, add 24 hours on to the time - so one o’clock in the morning is coded as 25.00.
D3c	II,II	As D3a
D3d	II,II	As D3b
D4a	I	
D4b	8	
D5a-c	I	
Page 30		
D5d-j	I	
D6a-g	I	
D6h		As D6a-g. Please ensure that any relevant writing on the “please describe” area is matched by a ‘yes’ tick on D6h.
D7	8	
Page 31		
D8a-e	8	
D8f, g	8	
D9a	I	If both 1 and 2 are ticked, recode as 3.
D9b	I	
Page 32		
D10	I	multiple ticks: 1+ 2 =1, 1+3=1, 2+3=4 (draw a box)

KW File – Appendix B

D11	7	
D12a-c	7	
Page 33		
D13i a-c	7	
D13ii a-c	II	If a range is given, or part years, round down. Put 99 if not known.
Page 34		
E1a		<p>If name of substance and/or the frequency of use are stated, ensure there is a tick in the yes box.</p> <p>If name of substance is written, but no frequency is ticked, code as zero.</p> <p>If more than 1 substance is written, move the extra to zd-zi.</p> <p>If there are only ticks in the 'Yes' column and no other information, just leave them.</p>
E1a name of medicine		The name of the medicine is not being coded here.
E1a How often?	7	
E1b-i		As E1a
Page 35		
E1j-w		As E1a
Page 36		
E1x-zi		As E1a
E1zj		<p>There should be either a tick or a blank here. If there is a tick, check that there are no medications written for the previous parts a-zi. If there are <u>any</u> medication(s) stated, strike out the tick on part zj).</p> <p>However, if there is a tick in zj) <u>and</u> ticks on previous parts of E1 but no medications at all are written, it is assumed that the respondent has misunderstood the question and is just entering frequency of the various illnesses – in this case <u>allow</u> the tick on zj) to remain and <u>delete the previous answers in E1.</u></p>
Page 37		
E2a	Vitamin/brand name	The text answers on the dotted lines are not being coded here.
E2ai-ii	8	If a vitamin is mentioned, but there is no tick, code a zero to indicate information has been written.
E2bi-ii	Mineral supplements	As E2ai-ii. If a mineral supplement is mentioned, but there is no tick, code a zero to indicate information has been written.
E2ci-ii	Oil supplements	As E2ai-ii. If an oil supplement is mentioned, but there is no tick, code a zero to indicate information has been written.
E2di-ii	Other tonic/	As E2ai-ii. If another tonic or supplement is mentioned, but there

KW File – Appendix B

	supplement	is no tick, code a zero to indicate information has been written.
E3a-c	7	
Page 38 Section F		
F1-F13	7	
Page 39 Section G		
G1,4,7,9,11,14	7	
G2,3,5,6,8,10,12 , 13,15,16	8	
Page 40		
G17,20,21,25	7	
G18,19,22,23,24	8	
Page 41 Section H		
H1a	I	
H1b	II	
H1ci,ii	I	
H1c(iii - v)	I	Please ensure that any relevant writing in the “please describe” area is matched by a tick.
H2i, ii a to f	I, I	Treat comments such as “usually” as “every day”
H2g “other”	I, I	Please ensure that any relevant writing in the “please describe” area is matched by a “yes” tick in H2g. If it is unclear which column the comment relates to, code both H2gi and ii as zero to indicate information in the “please describe” area. Note that the text response is not being coded here.
Page 42		
H3a	8	
H3b	II	If a range is given, take the upper limit.
H4a	I	
H4b(i)-(v)	7	Code “varies” as “2”.
H4b(vi)	I	Please ensure that any relevant writing in the "please describe" area is matched by a 'yes' tick on H4bvi. If it is not, please code a zero on H4bvi to indicate information in the 'please describe' section. Note that the text response is not being coded here.
H4c	8	
Page 43		
H5a,b,c,h,i	8	

KW File – Appendix B

H5d,e,f,g	7	
H6a to i	8	
Page 44		
H6j-m	8	
H6n "other"	8	If a relevant description is given, please ensure that a box is ticked in H6n. If it is not, please code H6n as zero. Note that the text response is not being coded here.
H7a-d	8	
H8	I	
Page 45		
H8a-e	I	
H8f		Text not being coded here. If something relevant to H8a-e is written, ensure the appropriate box is ticked.
H9	I	
H10a	I	
H10a If yes,...		Not being coded here. Please ensure that any relevant writing on the "please describe" area is matched by a 'yes' tick on H10a.
H10b		As H10a
Page 46		
H11-H13		As H10a
H14	I	If there is relevant text on the dotted line ensure that box 5 is ticked. If more than one box is ticked, recode as 5, and write 3+4 or whatever on the dotted line alongside any other text that may be there.
Page 47 Section J		
J1a	I	
J1b-d	I	
J2a-e	8	
Page 48		
J3a-e	8	
J4a-c	8	
Page 49		
J5a-h	8	

KW File – Appendix B

Page 50		
J6a-g	8	
Page 51 Section K		
K1a-i	8	If something relevant is written on the ‘please describe’ lines, and there is no corresponding tick, please code as zero to indicate a text response. Note that the text responses are not being coded here.
Page 52		
K1j-l	8	
K2a-k	8	Misprint in part c): If ‘never’ is answered, change the code 4 to a code 5 (in black pen).
Page 53		
K2l-q	8	
K2r	8	If something relevant is written on the ‘please describe’ lines, and there is no corresponding tick, please code as zero to indicate a text response. Note that the text responses are not being coded here.
K2si-viii	I	In (iv) if <16 is stated, transfer to (ix) ‘other’.
K2s ix	I	If something relevant is written on the ‘please describe’ line, please ensure that there is a corresponding ‘yes’ tick. Note that the text response is not being coded here.
Page 54		
K3a-q	8	
Page 55		
K3r	8	If something relevant is written on the ‘please describe’ line, and there is no corresponding tick, please code K3r as zero to indicate a text response. Note that the text response is not being coded here.
K3s		As K2s
K4	I	For multiple ticks, the preference order is 4,1,2,3. Any multiple including 5, code as 5.
Page 56		
K4b		Text is not being coded here.
K5	I	Recode multiple ticks as 5, and write the previously ticked box numbers on the dotted line. If something relevant is written on the ‘please describe’ line, and there is no corresponding tick, please code K5 as 5 to indicate a text response.
K6a	I	

KW File – Appendix B

K6bi, ii	II, II	
K6biii	II	If there is a tick here, change it to 1.
K6ci – iii		As K6b
Page 57		
K6di –vii, x	8	
K6dviii, ix	7	
K7ai - iii	I	
K7b	I	
Page 58 - 59 Section L		
L1	I	If there is any relevant text, ensure that the accompanying box is ticked.
Page 60 Section M		
M1a-d		There should be a tick or a blank here
M1e		As M1a-d. If there is relevant writing on the dotted line, ensure the accompanying box in M1e is ticked.
M2	IV	If left blank, copy date that the form was returned from the front cover.
M3	IV	
M4	IV	The year number should be 0, 1, 2 or 3. If any other year is written, strike out, leaving just the day and month. If left blank, copy the date of birth from label on the front cover, using 99 for the day.
Bottom of Page 60		
Coder		Insert your initials here.
Int.		If the questionnaire was completed with the aid of an interviewer, there will be initials here.

END OF QUESTIONNAIRE

Beingabg (12/11/02)

Sheila Preece 13/6/03

Appendix C: Questionnaire Methodology

Administration

Questionnaires were identified by a check-summed identifier (QUESTIONNAIRE ID) that is unique to both the recipient and the particular questionnaire. If a response was not received after 3 weeks a reminder letter was sent. If there had still not been a response after a further 3 weeks then a second reminder was sent out. If there was still no response 3 weeks after the second reminder had been sent then the case was flagged as being eligible for personal contact by a member of the Family Liaison Team.

On receipt of returned questionnaires by ALSPAC the return was logged in the central database. If returned blank by the respondent (but not, for example, if returned as “not known at this address”) this was flagged. Any signed comments on the back page were dealt with as appropriate and the completed questionnaires batched together in batches of 20, separately for the male and female versions.

Data handling

The expected responses to the questions fall into three categories: self-coding tick boxes, numeric and free text. However, respondents do not always answer the questions in the way expected. For example, they may tick more than one box in response to a question where only one response was expected or they may write a comment in place of ticking a box, perhaps if they feel that none of the options applies. For this reason students were employed to code the completed questionnaires under the supervision of a permanent member of ALSPAC staff who specialised in coding to prepare them for keying. Each questionnaire was first coded according to the rules set out in the ALSPAC general coding instructions (see Appendix A) and the specific coding instructions for this questionnaire (see Appendix B) and then checked by a different member of the team.

The coded questionnaires were then sent to an external keying bureau together with specifications of how the data should be keyed. All numeric and tick box data were double keyed and returned to ALSPAC in a number of SPSS data files. All text responses (both solicited and unsolicited) were keyed once only and returned in comma delimited text files.

On receipt the numeric data files were put together and labelled appropriately. The data were then range checked and any out of range values corrected by inspection of the completed questionnaire. The administrative identifier (QUESTIONNAIRE ID) was converted to the research identifiers ALN & QLET. At the end of this process the data were classified as clean; they are as close as will be got to what the respondent actually entered on the questionnaire, with the proviso that the free text is not included. The free text has been read into a database and is available on request under special confidentiality rules for projects that require it.

In order to prepare the data for general release the clean data were matched to the information about dispatch and return held in the ALSPAC administrative database. This enabled creation of variable for all members of the cohort indicating whether or not a questionnaire was sent out, whether it was returned etc. The variables were renamed according to a unique system to ensure there are no conflicts with variable on other data files. All variable names start with the letters “kw” which are followed by four digits and

occasionally a further letter. Then the data from the back page (section G) were edited as described in the relevant section of this documentation. For data in other sections the only edits applied were to recode values of 9 that indicated an unsolicited text response of “Don’t know” to –9. Note that where there was actually a tick box category for “Don’t know” that was coded as 9 that these values remain as 9. Also, values of 0 indicating some other unsolicited text response were recoded to –8. See Table 1 for an overview of the common missing values on this data file.

Table 1: Common missing value categories on release files and their interpretation

Value	Label	Comment
-1	No response	The respondent did not answer this particular question. This may be due to following a skip statement in the questionnaire text as well as simply not attempting to answer the question.
-8	Text response	The respondent wrote something next to a question expecting either a numeric response or a tick box response and the coders were unable to apply any of the available options
-9	Don’t know	The respondent wrote “Don’t know”, or something similar, next to a question expecting either a numeric response or a tick box response where there was no option for “Don’t know”.
-10	Not completed	No completed questionnaire is available for this case. Variable KW0007a = 2 for all such cases.

At some point in the future the data may be reissued as a “built” file with an edited version of the data adjusting for illogical responses, dealing with skip statements and adding useful derived variables.