GCC Compilation and Makefiles: A Comprehensive Guide

This comprehensive guide provides detailed coverage of GCC compilation processes, makefile usage, and common pitfalls encountered in C/C++ development environments.

GCC Compilation Process Overview

The GCC compiler transforms source code into executable programs through four distinct stages, each with specific purposes and intermediate outputs.

The Four Compilation Stages



GCC Compilation Process Flow - From Source Code to Executable

1. Preprocessing Stage

- **Command**: `gcc -E source.c > source.i`
- **Purpose**: Expands macros, includes header files, removes comments
- **Input**: Source files (`.c`, `.cpp`)

- **Output**: Preprocessed files (`.i`, `.ii`)

The preprocessor handles all directives beginning with `#` including `#include`, `#define`, `#ifdef`, and conditional compilation. This stage produces a single translation unit containing all included headers and expanded macros.[1] [2]

2. Compilation Stage

- **Command**: `gcc -S source.c` (produces `source.s`)
- **Purpose**: Converts C/C++ code to assembly language
- **Input**: Preprocessed files (`.i`)
- **Output**: Assembly files (`.s`)

The compiler proper translates the preprocessed C code into assembly language specific to the target architecture. This stage performs syntax checking, semantic analysis, and initial optimizations.[2] [1]

3. Assembly Stage

- **Command**: `gcc -c source.c` (produces `source.o`)
- **Purpose**: Converts assembly code to machine code
- **Input**: Assembly files (`.s`)
- **Output**: Object files (`.o`)

The assembler converts human-readable assembly instructions into machine code, creating relocatable object files that contain unresolved symbol references.[1] [2]

4. Linking Stage

- **Command**: `gcc source.o -o executable`
- **Purpose**: Combines object files and libraries into final executable
- **Input**: Object files (`.o`) and libraries (`.a`, `.so`)
- **Output**: Executable program

The linker resolves symbol references between object files and libraries, performing address resolution and creating the final executable.[3] [1]

Essential GCC Compilation Flags

Warning and Debugging Flags

`-Wall`: Enables most warning flags including `-Wunused-variable`, `-Wimplicit`, and `-Wformat`. Essential for catching common programming errors during development.[4] [5]

`-Wextra`: Enables additional warnings not included in `-Wall`, such as `-Wmissing-field-initializers` and `-Wold-style-cast` (C++). Recommended for thorough error checking.[4]

`-Werror`: Treats all warnings as errors, forcing developers to address warnings before successful compilation. Critical for maintaining code quality in production environments.[5] [4]

`-g`: Generates debug information for use with debuggers like GDB. Creates symbol tables and line number information without affecting runtime performance.[6] [4]

`-ggdb`: Generates debug information specifically optimized for GDB, including additional debugging features not available with standard `-g`.[6]

Optimization Levels

`-O0`: No optimization (default). Produces unoptimized code with fastest compilation time. Variables remain in memory between statements, enabling full debugging capabilities.[7] [8]

`-O1`: Basic optimization. Performs dead code elimination, constant folding, and basic loop optimizations without significantly increasing compilation time.[9] [7]

`-O2`: Standard optimization level. Enables most optimization passes that improve performance without increasing code size significantly. Recommended for production builds.[7] [9]

`-O3`: Aggressive optimization. Includes all `-O2` optimizations plus additional passes like function inlining, loop vectorization, and more aggressive transformations that may increase code size.[9] [7]

`-Os`: Optimize for size. Enables all `-O2` optimizations that don't increase code size, plus additional size-reduction optimizations. Particularly useful for embedded systems.[7] [9]

`-Og`: Optimize for debugging. Performs optimizations that don't interfere with debugging, allowing better performance than `-O0` while maintaining debuggability.[8]

Library and Linking Flags

`-L<directory>`: Adds directories to library search path. Must be specified before `-l` flags that reference libraries in those directories.[3] [10]

`-l<library>`: Links with specified library. The linker automatically adds the `lib` prefix and `.a`/`.so` suffix. Order matters - libraries should come after object files.[10] [3]

`-fPIC`: Generates position-independent code required for shared libraries. Essential when creating `.so` files.[11] [10]

`-shared`: Creates shared library instead of executable. Used in conjunction with `-fPIC` for dynamic library creation.[11] [10]

`-static`: Forces static linking of all libraries. Creates larger executables that don't depend on external shared libraries.[10]

Makefile Fundamentals

Makefiles automate the build process by defining relationships between source files, dependencies, and build commands. They enable incremental compilation, building only what has changed since the last build.

Basic Makefile Structure

```
target: dependencies
        command
        command
```

Critical Rule: Commands must be indented with TAB characters, not spaces. This is the most common makefile syntax error.[12] [13]

Essential Makefile Variables

`CC`: Specifies the C compiler (`gcc`, `clang`, etc.). Defaults to `cc` but should be explicitly set for portability.

`CFLAGS`: Contains compiler flags for C compilation (`-Wall`, `-g`, optimization flags). These flags are used during the compilation phase.

`CPPFLAGS`: Preprocessor flags including macro definitions (`-DDEBUG`) and include directory specifications (`-I`).

`LDFLAGS`: Linker flags specifying library search paths (`-L/usr/local/lib`) and linker options (`-Wl,-rpath`).

`LDLIBS`: Library names to link (`-lm`, `-lpthread`). Note: `LOADLIBES` is deprecated and should not be used.

`AR`: Archive command for creating static libraries (`ar rcs`).

Phony Targets

Phony targets don't correspond to actual files and should be marked with `.PHONY` to prevent conflicts with files of the same name:[13] [14]

```
.PHONY: clean all install

clean:
        $(RM) *.o $(TARGET)
```

Pattern Rules and Automatic Variables

Pattern rules provide generic recipes for building files:[15] [16]

```
%.o: %.c
	$(CC) $(CFLAGS) -c $< -o $@
```

Automatic Variables:

- `$@`: Target file name
- `$<`: First prerequisite
- `$^`: All prerequisites
- `$?`: Prerequisites newer than target

Best Practices for Makefiles

Correct Makefile Example

```
# Variables defined at the top
CC = gcc
CFLAGS = -Wall -Wextra -g
LDFLAGS = -L./lib
LDLIBS = -lmath -lpthread
SOURCES = main.c utils.c calculate.c
OBJECTS = $(SOURCES:.c=.o)
TARGET = myprogram

# Phony targets declared
.PHONY: all clean install

# Default target
all: $(TARGET)

# Main target with proper linking order
$(TARGET): $(OBJECTS)
	$(CC) $(OBJECTS) $(LDFLAGS) $(LDLIBS) -o $@

# Pattern rule for object files
%.o: %.c %.h
	$(CC) $(CFLAGS) -c $< -o $@

# Specific dependencies
main.o: main.c main.h utils.h
utils.o: utils.c utils.h
calculate.o: calculate.c calculate.h utils.h

# Clean target
clean:
	$(RM) $(OBJECTS) $(TARGET)
```

Library Linking Order

A critical aspect often overlooked is the order of libraries during linking. The linker processes files from left to right and resolves symbols in a single pass:[3]

Correct: `gcc main.o utils.o -lmath -lpthread -o program`
Incorrect: `gcc -lmath main.o utils.o -lpthread -o program`

When a library is encountered before the object files that use its symbols, the linker doesn't know those symbols are needed and discards the library.[3]

Static vs Dynamic Libraries

Static Libraries (.a files)

Static libraries are archives of object files linked directly into the executable at compile time:[10] [17]

Creation:

```
gcc -c file1.c file2.c
ar rcs libname.a file1.o file2.o
```

Usage:

```
gcc main.c -L. -lname -o program
```

Advantages:

- Self-contained executables
- No runtime dependencies
- Faster program startup

Disadvantages:

- Larger executable files
- Updates require recompilation
- Memory usage duplication across programs

Dynamic Libraries (.so files)

Dynamic libraries are loaded at runtime, allowing multiple programs to share the same library code:[10] [17]

Creation:

```
gcc -fPIC -c file1.c file2.c
```

```
gcc -shared file1.o file2.o -o libname.so
```

Usage:

```
gcc main.c -L. -lname -o program
export LD_LIBRARY_PATH=.:$LD_LIBRARY_PATH
./program
```

Advantages:

- Smaller executables
- Memory sharing between programs
- Library updates without recompilation

Disadvantages:

- Runtime dependencies
- Library path management required
- Slightly slower startup

Common Pitfalls and Solutions

Makefile Syntax Errors

Problem: Using spaces instead of tabs for command indentation
Symptoms: "missing separator" error
Solution: Configure editor to show whitespace and use TAB characters[12]

Problem: Missing newlines after rules
Symptoms: Commands from different rules getting combined
Solution: Always end each rule with a blank line

Dependency Management Issues

Problem: Missing header file dependencies
Symptoms: Changes to headers don't trigger recompilation
Solution: Explicitly list all header dependencies or use automatic dependency generation[12]

```
main.o: main.c main.h utils.h common.h
```

Problem: Incorrect dependency specification
Symptoms: Files not rebuilding when they should
Solution: Use `make -n` to see what commands would be executed without running them

Library Linking Problems

Problem: Undefined reference errors despite linking libraries
Symptoms: `undefined reference to 'function_name'`
Solution: Verify library order - libraries must come after object files that use them[3] [18] [19]

Problem: Missing `-fPIC` for shared libraries
Symptoms: "can not be used when making a shared object; recompile with -fPIC"
Solution: Add `-fPIC` to `CFLAGS` when compiling for shared libraries[10]

GCC Compilation Issues

Problem: Wrong optimization level for debugging
Symptoms: Variables "optimized away" in debugger
Solution: Use `-Og` instead of `-O0` for debuggable optimized code[8]

Problem: Missing include directories
Symptoms: "No such file or directory" for header files
Solution: Use `-I` flags or set `C_INCLUDE_PATH` environment variable

Problem: Static vs dynamic linking confusion
Symptoms: Runtime errors about missing libraries
Solution: Use `ldd` to check dynamic dependencies, consider `-static` for deployment[10]

Environment and Path Issues

Problem: Libraries not found at runtime
Symptoms: "error while loading shared libraries"
Solution: Set `LD_LIBRARY_PATH` or use `-Wl,-rpath` during compilation[10]

Problem: Compiler/linker not found
Symptoms: "command not found" errors
Solution: Verify `PATH` includes compiler directories

Advanced Makefile Techniques

Recursive Make

For large projects with multiple directories:

```
SUBDIRS = lib src tests

all:
	for dir in $(SUBDIRS); do \
		$(MAKE) -C $$dir; \
	done
```

Conditional Compilation

```
ifeq ($(DEBUG),1)
    CFLAGS += -g -DDEBUG
else
    CFLAGS += -O2 -DNDEBUG
endif
```

Automatic Dependency Generation

```
DEPDIR := .deps
DEPFLAGS = -MT $@ -MMD -MP -MF $(DEPDIR)/$*.d

%.o: %.c
        mkdir -p $(DEPDIR)
        $(CC) $(DEPFLAGS) $(CFLAGS) -c $< -o $@

include $(wildcard $(DEPDIR)/*.d)
```

Debugging Build Issues

Verbose Compilation

Use `make V=1` or `make VERBOSE=1` to see full command lines being executed.

Dependency Analysis

Use `make -n` to see what commands would be executed without actually running them.

Library Analysis

- `nm library.a` - Show symbols in static library
- `ldd executable` - Show dynamic library dependencies
- `objdump -t file.o` - Show symbol table in object file

Common Debug Commands

```
# Show compilation stages
gcc -v source.c

# Show include search paths
gcc -E -v - < /dev/null

# Show library search paths
gcc -print-search-dirs

# Check what files make thinks are out of date
make -d
```

Performance Considerations

Compilation Time vs Runtime Performance

- **Development**: Use `-Og` for reasonable performance with full debugging
- **Testing**: Use `-O2` for production-like performance
- **Release**: Use `-O2` or `-O3` depending on size/speed requirements
- **Embedded**: Consider `-Os` for size-constrained environments

Parallel Builds

Use `make -j$(nproc)` to utilize multiple CPU cores during compilation. Be careful with dependencies when using parallel builds.

Link-Time Optimization

Use `-flto` for link-time optimization, which can provide significant performance improvements at the cost of longer build times.[20]

Conclusion

Understanding GCC compilation stages and makefile construction is fundamental to efficient C/C++ development. The key principles include:

1. **Proper flag usage**: Separate compiler flags (`CFLAGS`), preprocessor flags (`CPPFLAGS`), and linker flags (`LDFLAGS`/`LDLIBS`)
2. **Correct syntax**: Use TAB characters for makefile commands, not spaces
3. **Dependency management**: Explicitly specify all dependencies to ensure correct incremental builds
4. **Library order**: Place libraries after object files in link commands
5. **Environment setup**: Properly configure include and library search paths

By following these guidelines and avoiding common pitfalls, developers can create robust, maintainable build systems that scale from simple programs to complex multi-module projects. Regular use of debugging tools and verbose compilation output helps identify and resolve build issues quickly, leading to more efficient development workflows.

⁂

1. https://www.sanfoundry.com/gcc-compiler-questions-answers-stages-of-compilation-1/
2. https://elgibbor.hashnode.dev/c-compilation-process
3. https://stackoverflow.com/questions/9417169/why-does-the-library-linker-flag-sometimes-have-to-go-at-the-end-using-gcc
4. https://interrupt.memfault.com/blog/best-and-worst-gcc-clang-compiler-flags
5. https://www.fluentcpp.com/2019/08/30/how-to-disable-a-warning-in-cpp/

6. https://gcc.gnu.org/onlinedocs/gccint/Debugging-the-Analyzer.html
7. https://gcc.gnu.org/onlinedocs/gnat_ugn/Optimization-Levels.html
8. https://community.st.com/t5/stm32cubeide-mcus/difference-between-compiler-optimization-o0-and-og/td-p/646159
9. https://stackoverflow.com/questions/19689014/gcc-difference-between-o3-and-os
10. https://docs.redhat.com/en/documentation/red_hat_enterprise_linux/7/html/developer_guide/gcc-using-libraries
11. https://docs.openeuler.org/en/docs/24.03_LTS/docs/ApplicationDev/using-gcc-for-compilation.html
12. https://moldstud.com/articles/p-makefile-madness-common-pitfalls-and-how-to-avoid-them
13. https://ftp.gnu.org/old-gnu/Manuals/make-3.79.1/html_node/make_34.html
14. https://www.lrde.epita.fr/~akim/ccmp/doc/gnuprog2/Phony-Targets.html
15. https://earthly.dev/blog/makefile-variables/
16. https://www.gnu.org/s/make/manual/html_node/Automatic-Variables.html
17. https://www.linkedin.com/pulse/c-breakdown-static-vs-dynamic-libraries-sean-taylor
18. https://www.geeksforgeeks.org/cpp/fix-undefined-reference-error-in-cpp/
19. https://www.reddit.com/r/learnprogramming/comments/11gxbuu/c_gcc_compiler_claiming_theres_an_undefined/
20. https://developers.redhat.com/blog/2018/03/21/compiler-and-linker-flags-gcc
21. https://stackoverflow.com/questions/5559250/c-error-undefined-reference-to-function-but-it-is-defined
22. https://www.youtube.com/watch?v=UdMRcJwvWIY
23. https://makefiletutorial.com
24. https://cboard.cprogramming.com/c-programming/170844-gcc-error-undefined-reference.html
25. https://www.reddit.com/r/C_Programming/comments/179qlnu/why_is_my_c_compiler_making_undefined_references/
26. https://www.semanticscholar.org/paper/bde85c71a43576861de1309d69c3fd596f25c13e
27. https://www.semanticscholar.org/paper/9dc4022f12152c913990e403d2e3fef267662a8c
28. https://arxiv.org/pdf/2011.13994.pdf
29. https://zenodo.org/record/3904906/files/mldebugger.pdf
30. https://arxiv.org/pdf/2011.08781.pdf
31. http://arxiv.org/pdf/2402.04811.pdf
32. http://arxiv.org/pdf/1808.00823.pdf
33. https://arxiv.org/pdf/1805.06267.pdf
34. https://arxiv.org/pdf/1309.7685.pdf
35. https://dl.acm.org/doi/pdf/10.1145/3658644.3670372
36. http://thesai.org/Downloads/Volume12No2/Paper_4-Advanced_Debugger_for_Arduino.pdf
37. http://arxiv.org/pdf/2408.01909.pdf
38. http://arxiv.org/pdf/1211.4839.pdf
39. https://arxiv.org/pdf/1801.05366.pdf
40. http://gcapes.github.io/make-novice/03-variables/index.html

41. https://stackoverflow.com/questions/33832997/gcc-standard-optimizations-behavior
42. https://www.embecosm.com/appnotes/ean6/html/ch07s03s02.html
43. https://www.reddit.com/r/cpp_questions/comments/11zxon1/miscellaneous_questions_on_debugrelease/
44. https://stackoverflow.com/questions/55937969/make-automatic-variables-in-pattern-rule-prerequisites
45. https://gcc.gnu.org/onlinedocs/gcc/Optimize-Options.html
46. https://forum.arduino.cc/t/compiler-flags-for-smallest-code-size/583694
47. https://dl.acm.org/doi/fullHtml/10.5555/1053490.1053501
48. https://ppl-ai-code-interpreter-files.s3.amazonaws.com/web/direct-files/0302daef88f9849549045404300e21c3/11a9d033-5432-4227-842b-b5921cfc36c8/fa853961.csv
49. https://ppl-ai-code-interpreter-files.s3.amazonaws.com/web/direct-files/0302daef88f9849549045404300e21c3/11a9d033-5432-4227-842b-b5921cfc36c8/f3145804.csv
50. https://ppl-ai-code-interpreter-files.s3.amazonaws.com/web/direct-files/0302daef88f9849549045404300e21c3/6f31285b-b13c-44d7-935d-93131a4e2e80/f22d9eba.csv
51. https://ppl-ai-code-interpreter-files.s3.amazonaws.com/web/direct-files/0302daef88f9849549045404300e21c3/6f31285b-b13c-44d7-935d-93131a4e2e80/b058b161.csv
52. https://ppl-ai-code-interpreter-files.s3.amazonaws.com/web/direct-files/0302daef88f9849549045404300e21c3/9abdd059-ecc4-48f5-94c5-0b376259b4e4/3016b04c.txt
53. https://ppl-ai-code-interpreter-files.s3.amazonaws.com/web/direct-files/0302daef88f9849549045404300e21c3/9abdd059-ecc4-48f5-94c5-0b376259b4e4/09826d16.txt
54. Example-Staque.pdf
55. gcc.pdf
56. library.pdf
57. Linux-Commands.pdf
58. makefile-1.pdf
59. makefile.pdf
60. http://link.springer.com/10.1007/978-1-4302-0704-7_3
61. https://www.semanticscholar.org/paper/1b8f2382f6992e306d7d6ad5279f1767b71b4016
62. https://www.semanticscholar.org/paper/ad9bab1db639cc0ed427a72887ee485ef910178d
63. https://www.semanticscholar.org/paper/4045f27b821c75c34fa85fe8f364a860bc1b7e2a
64. https://www.semanticscholar.org/paper/f910534cfb0261f76659999b54f0c2d8dd699237
65. https://www.semanticscholar.org/paper/ab3f76d1a69d763f76b02f6a99471c9c28f05204
66. https://www.semanticscholar.org/paper/0ddc2b5c0ced2e5a34a38f6bd34459f03060779c
67. https://www.semanticscholar.org/paper/513430b7b50cad1f0091501595f7876359f7d8da
68. https://www.pure.ed.ac.uk/ws/files/7879040/ijpp.pdf
69. http://www.aei.tuke.sk/papers/2013/4/08_Durfina.pdf
70. https://arxiv.org/pdf/2305.04941.pdf
71. https://arxiv.org/pdf/2203.07109.pdf
72. http://arxiv.org/pdf/1807.00638.pdf
73. https://arxiv.org/pdf/2312.13463.pdf

74. https://surface.syr.edu/cgi/viewcontent.cgi?article=1042&context=npac
75. http://arxiv.org/pdf/2405.03058.pdf
76. https://arxiv.org/pdf/2304.14908.pdf
77. https://dash.harvard.edu/bitstream/1/2797448/2/Morrisett_TypeSafeLinking.pdf
78. http://arxiv.org/pdf/1308.4815.pdf
79. https://dl.acm.org/doi/pdf/10.1145/3639477.3639737
80. https://stackoverflow.com/questions/74367313/problems-compiling-makefile
81. https://gcc.gnu.org/onlinedocs/gcc-7.4.0/gcc/Overall-Options.html
82. https://moldstud.com/articles/p-makefile-incremental-builds-common-mistakes-and-how-to-fix-them
83. https://esymith.hashnode.dev/a-comprehensive-guide-to-gcc-flags
84. https://nullprogram.com/blog/2023/04/29/
85. https://www.reddit.com/r/embedded/comments/1ewx6dc/resources_about_how_the_entire_actual/
86. https://stackoverflow.com/questions/3375697/what-are-the-useful-gcc-flags-for-c
87. https://stackoverflow.com/questions/77108297/breaking-down-the-c-compilation-process-into-preprocessing-compilation-assembl
88. https://duetorun.com/blog/20230627/gcc-compilation-stage/
89. http://medrxiv.org/lookup/doi/10.1101/2023.03.23.23285639
90. https://proceedings.gpntbsib.ru/jour/article/view/858
91. https://ntb.gpntb.ru/jour/article/view/1174
92. https://link.springer.com/10.1007/s12032-022-01757-1
93. https://www.ijraset.com/best-journal/removal-of-copper-metal-from-industrial-wastewater-using-gcc-adsorbent
94. https://www.hindawi.com/journals/cin/2022/1475069/
95. https://link.springer.com/10.1007/978-1-0716-3926-9_18
96. http://www.emerald.com/jd/article/65/6/872-900/196701
97. http://link.springer.com/10.1007/3-540-57826-9_136
98. https://www.semanticscholar.org/paper/f4f03d61743aff9293ddacde4f8f472ea858f36c
99. https://arxiv.org/pdf/2102.07485.pdf
100. https://www.repository.cam.ac.uk/bitstream/1810/260771/4/p607-kell.pdf
101. http://arxiv.org/pdf/1206.5648.pdf
102. http://arxiv.org/pdf/1909.06353.pdf
103. https://arxiv.org/pdf/1805.03374.pdf
104. https://arxiv.org/pdf/2007.12737.pdf
105. https://dl.acm.org/doi/pdf/10.1145/3674629
106. https://arxiv.org/pdf/2501.06716.pdf
107. https://stackoverflow.com/questions/56594534/why-do-some-gcc-warning-flags-not-belong-to-the-c-language-and-yet-work-in-c
108. https://gcc.gnu.org/install/configure.html
109. https://clang.llvm.org/docs/ClangCommandLineReference.html

110. https://users.informatik.haw-hamburg.de/~krabat/FH-Labor/gnupro/5_GNUPro_Utilities/e_GNU_Make/makePhony_Targets.html
111. https://www.nmichaels.org/musings/do-not-lie/
112. https://www.reddit.com/r/cpp/comments/1bafd7b/compiler_options_hardening_guide_for_c_and_c/
113. https://www.gnu.org/s/make/manual/html_node/Phony-Targets.html
114. https://www.youtube.com/watch?v=TXI2BUvrgQ8
115. https://stackoverflow.com/questions/2145590/what-is-the-purpose-of-phony-in-a-makefile
116. https://arxiv.org/pdf/2210.03986.pdf
117. https://arxiv.org/pdf/1907.05320.pdf
118. https://dl.acm.org/doi/pdf/10.1145/3658644.3670288
119. http://arxiv.org/pdf/2404.14823.pdf
120. https://arxiv.org/pdf/2308.11873.pdf
121. https://arxiv.org/pdf/2401.01036.pdf
122. http://arxiv.org/pdf/2407.19087.pdf
123. http://arxiv.org/pdf/2407.04917.pdf
124. https://downloads.hindawi.com/journals/ahci/2010/602570.pdf
125. https://arxiv.org/pdf/1908.10481.pdf
126. https://pmc.ncbi.nlm.nih.gov/articles/PMC7702255/
127. https://arxiv.org/ftp/arxiv/papers/1712/1712.04189.pdf
128. https://arxiv.org/pdf/1902.09334v1.pdf
129. http://www.clausiuspress.com/assets/default/article/2023/07/02/article_1688292121.pdf
130. https://arxiv.org/pdf/2012.10662.pdf
131. https://earthly.dev/blog/make-flags/
132. https://stackoverflow.com/questions/13249610/how-to-use-ldflags-in-makefile