

BlinkR: An Accessible, Interactive Tool for Teaching

- 2 Experimental Design and Data Analysis
- 3 Daniela Schnitzler ¹ and Melanie I. Stefan ¹
- 1 Institute of Neuroscience and Biopsychology for Clinical Application, Medical School Berlin, Germany

DOI: 10.xxxxx/draft

Software

- Review 🗗
- Repository ☐
- Archive □

Submitted: 01 January 1970 **Published:** unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0^{12} International License (CC BY 4.0) 13

18

19

20

21

22

23

25

26

27

Statement of Need

Undergraduate students in medical and medical research programmes often struggle to engage with data analysis due to limited coding experience, lack of appropriate devices, and language barriers (Paci et al., 2025; Williams et al., 2019). To address these challenges, BlinkR was developed: an interactive web app designed to support the teaching of scientific practices using R in an accessible, mobile-friendly, and multilingual format.

BlinkR was initially intended to support a specific course on the fundamentals of research delivered to first-year medical students by the authors through a research-informed approach to learning and teaching (Griffiths, 2004; Hagtvedt et al., 2007). The aim of the course for first-year undergraduates is to understand the process and practice of science, including designing an experiment, carrying out the measurements, analysing the results with R, and writing up a final report.

BlinkR is an interactive web app that guides students through all steps of this process, using explanations, writing and coding prompts, quizzes and interactive feedback. The interactive web app format was chosen based on the following practical assumptions:

- 1. Most students at this level in a medical or medical research degree programme have little to no experience writing R code (or any code).
- 2. Students typically attend classes and tutorials with mobile phones or tablets, rather than laptops.
- 3. Downloading and installing R and an IDE during class time is time-consuming and would reduce teaching time. Students are unlikely to complete these steps before class.
- 4. Providing instruction in the students' teaching language (German) promotes greater understanding and engagement compared to English-only materials.

BlinkR was designed not only to make learning more engaging, but also to foster student agency, support exploration through immediate feedback and validation, build confidence in scientific thinking, and provide meaningful context for the research process. Importantly, it offers an accessible entry point to R and data analysis for students who might otherwise be excluded due to technical or linguistic barriers. While the app was developed for undergraduates, it may be suitable for secondary school students as well.

 $_{35}$ The original experiment embedded in the app examined whether watching a stressful

video affects blinking rates compared to watching a neutral video. This study design also

inspired the name "BlinkR".



Software Description

- ³⁹ BlinkR is a web application built using the Shiny framework for R (Chang et al., 2025),
- with Google Drive serving as the backend for persistent data storage. This deliberate
- 41 choice enhances accessibility for educators who may not be familiar with more complex
- database systems like SQL. R was selected as the development language due to its wide
- adoption in life sciences and education, as well as the extensive support available for
- Shiny-based projects (Paci et al., 2025; Wang et al., 2021). This makes the app more
- ⁴⁵ approachable and adaptable for educators with narrow technical expertise.
- ⁴⁶ Before deployment, educators can define the experimental variables, enabling BlinkR
- to support a range of simple two-group experiments with three technical replicates for
- each group ("group A" and "group B"). These can be either a paired or unpaired design,
- and the results can be analysed by a parametric t-test or non-parametric Wilcoxon test,
- depending on the normality of the distribution.
- $_{51}\,$ The data is loaded dynamically through Google Drive, ensuring that quiz answers and
- 52 feedback responses are adaptive and specific to the supplied data.
- ⁵³ Briefly, BlinkR contains a structured workflow guiding students through the experimental
- process, however, each section can also be carried out in isolation, independent of previous
- 55 sections. The overview of the app is as follows:

56

57

59

60

62

63

64

65

66

67

68

70

71

72

74

75

76

78

81

82

- Introduction: Overview of the BlinkR app and usage
- Background: Guidance on using research databases and how to begin a literature search relevant to the experiment
- Hypothesis: Formulate null and alternative hypotheses
- **Protocol:** Plan the experiment; view "group protocol ideas" and, if shared by the admin, "class protocol"
- Measurements: Students enter measurements for both conditions. Data is saved dynamically to Google Drive
- Raw Data: View raw individual, group, and class-level data (if shared)
- Playground: Introduction to R syntax and working with R code to prepare for analysis
- Analysis Dashboard: Overview of all analyses; includes link to the group's Google Drive folder
 - 1. Prepare Data: Students review data, average replicates, and complete a quiz to confirm understanding
 - 2. Summarise Data: Perform summary statistics, calculate mean, SD, SEM, and create summary table using dplyr
 - 3. Create Figure: Create box plot or bar chart. Students label and style plots manually
 - 4. Statistical Analysis: Assess normality, choose statistical test (paired/unpaired), and calculate effect size if $p \le 0.05$
- Write Up Advice: Guidance on scientific writing and group collaboration
- AI: Responsible use of generative AI tools, with a warning about academic misconduct
- Upload Final Report: Submit the final report to Google Drive
- Simulated Experiment: Run through a complete example using dummy data
- Feedback: Students provide feedback that is saved to Google Drive
- Additional UI features include login/logout functionality, a direct view of the connected
- ⁸⁴ Google Drive, as well as a language selector (English or German). Educators (or adminis-
- trators) can manage users, control data visibility (e.g., class protocols or shared datasets),
- either through the "Users" spreadsheet on Google Drive or via the dedicated Admin Area.
- ⁸⁷ Within this section, they can also generate new groups and monitor report submissions.



- The source code is openly available on GitHub. A detailed README provides full setup
- instructions, including cloning the repository, adapting variables, configuring Google Drive
- integration, and running the necessary setup scripts for educators.

91 Acknowledgements

- $_{92}$ This software was developed with the support of the Stefan Lab at Medical School Berlin
- 93 (MSB). I would also like to thank Dr Patricia Rubisch and Ms Kira Lampert, as well as the
- students of the winter 2024/25 and summer 2025 terms M14 class at MSB for beta-testing
- 95 and providing feedback.

References

- ⁹⁷ Chang, W., Cheng, J., Allaire, J., Sievert, C., Schloerke, B., Xie, Y., Allen, J., McPherson, J., Dipert, A., & Borges, B. (2025). *Shiny: Web application framework for R* [Manual].
- Griffiths, R. (2004). Knowledge production and the research–teaching nexus: The case of the built environment disciplines. Studies in Higher Education. https://doi.org/10. 1080/0307507042000287212
- Hagtvedt, R., Jones, G. T., & Jones, K. (2007). Pedagogical Simulation of Sampling
 Distributions and the Central Limit Theorem. *Teaching Statistics*, 29(3), 94–97.

 https://doi.org/10.1111/j.1467-9639.2007.00270.x
- Paci, E., Swainson, A., & Cerminara, N. L. (2025). Facing the fear: A scaffolding approach to teaching life sciences undergraduates R coding. Frontiers in Education, 9, 1504877.
 https://doi.org/10.3389/feduc.2024.1504877
- Wang, S. L., Zhang, Messer, Wiesner, & and Pearl, D. K. (2021). Student-Developed
 Shiny Applications for Teaching Statistics. Journal of Statistics and Data Science
 Education, 29(3), 218–227. https://doi.org/10.1080/26939169.2021.1995545
- Williams, J. J., Drew, J. C., Galindo-Gonzalez, S., Robic, S., Dinsdale, E., Morgan, W. 111 R., Triplett, E. W., Burnette, J. M., Donovan, S. S., Fowlks, E. R., Goodman, A. L., 112 Grandgenett, N. F., Goller, C. C., Hauser, C., Jungck, J. R., Newman, J. D., Pearson, 113 W. R., Ryder, E. F., Sierk, M., ... Pauley, M. A. (2019). Barriers to integration 114 of bioinformatics into undergraduate life sciences education: A national study of 115 US life sciences faculty uncover significant barriers to integrating bioinformatics into 116 undergraduate instruction. PLOS ONE, 14(11), e0224288. https://doi.org/10.1371/ 117 journal.pone.0224288 118