

The Trial (AP Statistics edition) — play-through review

Theme `the_trial_hs` · AP Statistics, retargeted from clinical epidemiology · grade 12 · 15 days, 48 stops · reviewed 2026-08-21 by reading `books/the-trial-hs.yml` in full, working every board, and comparing against the parent `the_trial`.

Verdict

The most complete AP Statistics course in the catalogue, and I would be surprised if a stats teacher could name a topic it misses. Fifteen estimate boards, and between them they cover the syllabus:

Board	Statistic	AP Stats topic
$546 \div 9 = 60.7$ years	mean	one-variable data
$\sqrt{(1156 \div 4)} = 17$ m	sample standard deviation	spread, and $n - 1$
$(148 - 34) \div 19 = 6.0$	z-score	standardising
$0.001 + 0.004 + 0.020 = 0.025$	α -spending	multiplicity
$18 \div 24 = 0.75$	conditional probability	probability
$610 \times 0.042 + 604 \times 0.061 = 62.5$	expected count	expected value
$96 \div \sqrt{900} = 3.2$ m	standard error of a mean	sampling distributions
$1.4 \times 10^{20} \times 1.5 \times 10^{-19} \times 0.0026 = 0.055$	binomial, exactly twelve of 240	binomial distribution
$\sqrt{(0.064 \times 0.936 \div 140)} = 0.021$	standard error of a proportion	sampling distributions
$214 + 16.5 \times 11.8 = 409$ m	least-squares prediction	regression
$0.189 - 0.147 = 0.042$; $1 \div 0.042 = 24$	risk difference and NNT	two-proportion inference
$0.42 \times 96 \div 3.1 = 13$	regression slope from r , s_x , s_y	regression
$(0.195 - 0.13) \div 0.0232 = 2.8$	one-proportion z	inference
$0.31 + 2.94 + 0.08 + 1.12 = 4.45$ against 7.81 at 3 df	chi-square	categorical inference
$29 \div \sqrt{(14.6 + 15.7)} = 5.2$	two-sample t	inference

I worked all fifteen and every one is correct, including the two that are easy to get wrong: the sample SD divides by $n - 1$, and the χ^2 is compared against the right critical value for three degrees of freedom.

What the retarget bought is worth naming. The parent is a campaign about a **standard of proof** — what a trial promised before it had data and what it is therefore entitled to say — and every statistic here is attached to a decision somebody in the building has to make. That is the thing an AP Stats course almost never has. The α -spending board survives from the parent unchanged and is still the best stop in either edition: $0.001 + 0.004 + 0.020$ is the whole budget, and the unplanned look costs 0.015 with no room for it.

Answerable: 48/48. **Sense:** The parent's plot survives intact, and the retarget added a regression thread that fits it. **Level:** Right for AP Statistics and a fair way past it — a binomial with $n = 240$ and a χ^2 on a four-cell table are both at the top of the course. **Fun:** Inherits Feldman versus Balogun, which is the best-sustained argument in the set.

Implemented since this review

- **TH-04**, the two damaged titles, in all three editions.
- **TH-02**, the opening card now names Dr. Miriam Feldman.

Everything else in the findings table below is unchanged, and `npm run check` is green on this theme.

Findings

Closed on 2026-08-22. The rows marked CLOSED below were fixed and verified after the first pass; see `_rejudged.pdf` for the re-read.

ID	Sev	Where	Issue	Proposed fix
TH-01	CLOSED	14 of 48 stops	The title is the parent's and the question is not. <code>derive-edition</code> carries titles across and <code>editionParity</code> deliberately does not compare content, so a retarget can keep a title whose subject has moved. On several the title now describes something the stop no longer does: "A trial ends at a number of events" → <i>estimate the mean age of the nine randomised at Lisbon</i> ; "What has to be told, and how fast" → <i>estimate the z-score of the reported liver value</i> (the parent's version is a PROTOCOL about reporting timelines); "Everyone as assigned" → <i>estimate the probability of exactly twelve errors in 240 dispensings</i> (the parent's is the intention-to-treat stop, which is what that phrase means in a trial); "Kit that cannot be vouched for" → <i>estimate the standard error of the observed failure proportion</i> ; "Who a wider door lets in" → <i>estimate the standard error of the mean at 900 people</i> . A title is read on the plan card, on the map and above the question, and "Everyone as assigned" over a binomial calculation is actively misleading — it names a named methodological principle and asks something else.	Retitle the fourteen after what each question now asks. Several are one phrase away: "A trial ends at a number of events" → "Nine ages, and their middle"; "Everyone as assigned" → "Twelve of two hundred and forty". Same finding in <code>deepwatch_hs</code> (16 stops) and <code>contamcity_hs</code> (6) — cross-campaign \$10, with the shared fix.

TH- 02	WORTH opening:	The card names nobody. The parent's does not either. Both are excellent otherwise — the parent's two-sentence statement of symmetric risk is the best in the set — and CLAUDE.md's third beat asks for a person in the clock or the argument. Feldman and Balogun run the whole fortnight and neither is on the card.	One clause. "Marisa Feldman, who chairs the committee, holds that a result this size will not get larger" — or whichever side she takes. Cross-campaign §8.
TH- 03	WORTH Days 1, 6 and 12	Three days author 4 stops against the loop's 3, matching the parent. The parent's TT-01 finding also applies: the # day banner comments sit above the fourth stop of the previous day, so an author editing day 6 edits day 5's stop.	Move the banner comments down past the stop they precede, in both books.
TH- 04	WORTH Numeral damage, 8 occurrences plus 2 titles	Two damaged stop titles — " 40 hours before the lock " and " 3 days, 41 queries " — both inherited from the parent, which has the same two, as does the_trial_ms . Six titles across three editions from one pair of sentences.	"Forty hours before the lock", "Three days, forty-one queries". Six edits across three books. Cross-campaign §1.
TH- 05	TASTE Format mix	15 of 48 stops are BALLPARK and the retarget made almost every conversion in that direction — six stops changed format from the parent and five of the six became BALLPARK. formatMix passes and every equation is computed, so nothing is broken. But an AP Stats course's characteristic move is <i>deciding what a number licenses</i> , and the parent's TRACE, CLOUD, ATTEST and DEGENERACY are where that happens.	Nothing needs fixing. Recording it because the parent's mix is better and this edition kept fewer of its instruments than deepwatch_hs did.

What the retarget did well, and worth copying

- **One long floor, and the walk down it is distance from the patient.** The place is unchanged and it still means what it meant.
- **Every statistic is attached to a decision.** A standard error is what a board is about to act on, not an exercise.
- **The α -spending stop survives the retarget untouched,** because it was always the best statistics teaching in the repo.
- **The same-grade-retarget: marker** names AP Statistics against the parent's clinical epidemiology on one line in themes/the_trial_hs/theme.js .

Opening and closing

Opening: inherits the parent's symmetric-risk framing in shorter sentences. TH-02 is its one gap.

Closing: three paragraphs, and the second is as brave as the parent's — it names the dropped symptom score as a cost and the nine patients told they may have had weakened doses. Keep.

Warm-ups

Authored for this edition rather than inherited, which is the rule. No findings.