

Eldamar

Version 1.1

Copyright (c) 2026, Måns (Björkman) Berg (mans@boktypografen.se), with Reserved Font Name “Eldamar”.

This Font Software is licensed under the SIL Open Font License, Version 1.1.

The license is available at <https://openfontlicense.org>, and in the file OFL.txt included with this distribution.

I Character mapping

1. Characters encoded as in the Free Tengwar Font Project (<http://freetengwar.sourceforge.net/>).

The letters shown on a gray background are additions or changes.

	e00x	e01x	e02x	e03x	e04x	e05x	e06x	e07x	e08x
xxx0	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ	Ṛ	ṵ	Ṛ
xxx1	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ	Ṛ	ṵ	Ṛ
xxx2	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ		ṵ	Ṛ
xxx3	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ		ṵ	Ṛ
xxx4	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ		ṵ	Ṛ
xxx5	ṛ	ṡ	ȳ		Ṷ	Ṛ	Ṛ	ṵ	Ṛ
xxx6	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ	Ṛ	ṵ	Ṛ
xxx7	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ	Ṛ	ṵ	Ṛ
xxx8	ṛ	ṡ	ȳ		Ṷ	Ṛ	Ṛ	ṵ	Ṛ
xxx9	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ	Ṛ	ṵ	Ṛ
xxxa	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ	Ṛ	ṵ	
xxxb	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ	Ṛ	ṵ	
xxxc	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ	Ṛ	ṵ	
xxxd	ṛ	ṡ	ȳ	ṵ	Ṷ	Ṛ	Ṛ	ṵ	
xxxe	ṛ	ṡ	ȳ		Ṷ	Ṛ	Ṛ	ṵ	
xxx f	ṛ	ṡ	ȳ		Ṷ	Ṛ	Ṛ	ṵ	

2. Valmaric and Pre-Feanorian letters

	e10x	e11x	e12x	e13x	e14x	e15x	e16x	e17x	e18x
xxx0	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxx1	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxx2	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxx3	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxx4	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxx5	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxx6	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxx7	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxx8	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxx9	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxxa	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxxb	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxxc	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxxd	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
xxxe	ᑭ	ᑭ	ᑭ	ᑭ			ᑭ		
xxx f	ᑭ	ᑭ	ᑭ						

Sources

- Arden R. Smith, ed. “The Valmaric Script”. *Parma Eldalamberon 14*
- Arden R. Smith, ed. “Pre-Fëanorian Alphabets, Part 1”. *Parma Eldalamberon 16*
- Arden R. Smith, ed. “Pre-Fëanorian Alphabets, Part 2”. *Parma Eldalamberon 18*

3. Rúmilian letters

	e20x	e21x	e22x	e23x	e24x	e25x	e26x	e27x	e28x
xxx0	ᚠ	ᚡ	ᚢ	ᚣ	ᚤ	ᚥ	ᚦ	ᚧ	ᚨ
xxx1	ᚩ	ᚪ	ᚫ	ᚬ	ᚭ	ᚮ	ᚯ	ᚰ	ᚱ
xxx2	ᚲ	ᚳ	ᚴ	ᚵ	ᚶ	ᚷ	ᚸ	ᚹ	ᚺ
xxx3	ᚻ	ᚼ	ᚽ	ᚾ	ᚿ	ᛀ	ᛁ	ᛂ	ᛃ
xxx4	ᛄ	ᛅ	ᛆ	ᛇ	ᛈ	ᛉ	ᛊ	ᛋ	ᛌ
xxx5	ᛍ	ᛎ	ᛏ	ᛐ	ᛑ	ᛒ	ᛓ	ᛔ	ᛕ
xxx6	ᛖ	ᛗ	ᛘ	ᛙ	ᛚ	ᛛ	ᛜ	ᛝ	ᛞ
xxx7	ᛟ	ᛠ	ᛡ	ᛢ	ᛣ	ᛤ	ᛥ	ᛦ	ᛧ
xxx8	ᛨ	ᛩ	ᛪ	᛫	᛬	᛭	ᛮ	ᛯ	ᛰ
xxx9	ᛱ	ᛲ	ᛳ	ᛴ	ᛵ	ᛶ	ᛷ	ᛸ	᛹
xxxa	ᚠ	ᚡ	ᚢ	ᚣ	ᚤ	ᚥ	ᚦ	ᚧ	ᚨ
xxxb	ᚩ	ᚪ	ᚫ	ᚬ	ᚭ	ᚮ	ᚯ	ᚰ	ᚱ
xxxc	ᚲ	ᚳ	ᚴ	ᚵ	ᚶ	ᚷ	ᚸ	ᚹ	
xxxd	ᚻ	ᚼ	ᚽ	ᚾ	ᚿ	ᛀ	ᛁ	ᛂ	
xxxe	ᛄ	ᛅ	ᛆ	ᛇ	ᛈ	ᛉ	ᛊ	ᛋ	
xxxf		ᛌ	ᛍ	ᛎ	ᛏ	ᛐ	ᛑ	ᛒ	

Sources

- Arden R. Smith, ed. “The Alphabet of Rúmil”. *Parma Eldalamberon 13*
- Arden R. Smith, ed. “The Valmaric Script”. *Parma Eldalamberon 14*

4. Additional carriers and tehtar

	e30x	e31x	e32x	e33x	e34x	e35x
xxx0	—	—	˘	’	..	ſ
xxx1	—		˘	’	’	˘
xxx2	˘	˘	˘	˘	˘	˘
xxx3	˘	˘	˘	˘	˘	
xxx4	˘	˘	˘	˘		
xxx5	˘	˘	˘	˘		
xxx6		˘	˘	˘		
xxx7		˘	˘			
xxx8		˘				
xxx9		˘				
xxxa		˘				
xxxb		˘				
xxxc		˘				
xxxd		˘				
xxxe		˘				
xxxf		˘				

5a. New English Alphabet, Minuscle letters

	e40x	e41x	e42x	e43x	e44x	e45x
xxx0	ƒ	π	ϣ	ı	и	ı̇
xxx1	p	n		e		
xxx2	p			a		
xxx3	τ	n	3	λ	λ	λ
xxx4	ı	τ		v	w	γ
xxx5	q	δ		o	ϣ	ȯ
xxx6	q			n		e
xxx7	τ			u		ó
xxx8	l	s		ε		ε̇
xxx9	b	6		q		
xxxa	h					
xxxb	2	c				
xxxc	j	z	†			
xxxd	d					
xxxe	d	x	r			
xxxf		t	l			

Sources

- Beregond. “Some notes on the New English Alphabet”. *Tîwrim* 11 (June 1986) [In *Endemare* August 1986]
- Hammond & Scull. *Artist & Illustrator* ill. 185,186
- Fliss, Schaefer etc. *J.R.R. Tolkien: The Art of the Manuscript* ill. 18

5b. New English Alphabet, Majuscule letters

	e50x	e51x	e52x	e53x
xxx0	Ɔ	Π		l
xxx1	P	D		F
xxx2	Ɔ			Δ
xxx3	Ɔ	D		λ
xxx4	Ɔ	Ɔ		V
xxx5	q	Q		O
xxx6	Ɔ			n
xxx7	Ɔ			u
xxx8	L	S		ε
xxx9	Ɔ	6		9
xxxa	h			
xxxb	2	<		
xxxc	J	Z		
xxxd	d			
xxxe	h	X		
xxxf		T		

6. Latin letters

0021	!	2014	—
0028	(	204A	J
0029	)	2058	✧
002C	,	205D	⋮
002E	.	2329	<
003A	:	232A	>
003B	;	25CC	○
003F	?	2E2C	⋮
00A4	⌘	2E2D	⋮
10FB	⋮	2E31	.
200D	ZW J		

Sources

- Fliss, Schaefer et al. *J.R.R. Tolkien: The Art of the Manuscript* ill. 18

1. Access all alternates (aalt)

a. Tengwar

Basic form	Alternate forms	Basic form	Alternate forms	Basic form	Alternate forms
þ	þ	ʼ	ʼ	Ƶ	Ƶ Ƶ
ç	ç	ʻ	ʻ ʻ ʻ ʻ	ƶ	ƶ ƶ ƶ ƶ
ħ	ħ	ḏ	ḏ ḏ ḏ ḏ ḏ ḏ	ʼ	ʼ ʼ ʼ
çḏ	çḏ	l	l l l l l	ƶ	ƶ ƶ ƶ
ḡ	ḡ	ı	ı	ƶ	ƶ ƶ ƶ
çç	çç	2	2	ʼ	ʼ
þ	þ	c	c c	ʼ	ʼ
çḏ	çḏ	o	o	ʼ	ʼ
ʻ	ʻ ʻ ʻ	r	r	ʼ	ʼ
ʻ	ʻ	ʼ	ʼ ʼ ʼ ʼ	ʼ	ʼ
ƶ	ƶ ƶ	~	~ ~	ʼ	ʼ ʼ
ƶ	ƶ ƶ	ƶ	ƶ ƶ	ʼ	ʼ ʼ ʼ ʼ

Basic form	Alternate forms
ƶ	ƶ ƶ ƶ ƶ ƶ ƶ ƶ ƶ

b. Valmaric & Pre-Feanorian

Basic form	Alternate forms	Basic form	Alternate forms	Basic form	Alternate forms
o	o	Ƨ	Ƨ Ƨ Ƨ Ƨ	ə	ə 3 ə
u	u	Ƨ	Ƨ Ƨ Ƨ	ɹ	ɹ
ɲ	ɲ ɲ	ɲ	ɲ ɲ ɲ	ɔ	ɔ
ɱ	ɱ	ɱ	ɱ	ɣ	ɣ
ɸ	ɸ ɸ ɸ ɸ	ɸ	ɸ	ɯ	ɯ ɯ ɯ
ɹ	ɹ	ɹ	ɹ ɹ	ɹ	ɹ ɹ ɹ ɹ

c. Rúmilian

Basic form	Alternate forms	Basic form	Alternate forms	Basic form	Alternate forms
ɛ	ɛ ɛ	ɛ	ɛ	ɛ	ɛ
ɛ	ɛ	ɛ	ɛ	ɛ	ɛ
ɛ	ɛ	ɛ	ɛ	ɛ	ɛ
ɛ	ɛ	ɛ	ɛ	ɛ	ɛ
ɛ	ɛ ɛ ɛ	ɛ	ɛ	ɛ	ɛ
ɛ	ɛ ɛ ɛ	ɛ	ɛ	ɛ	ɛ
ɛ	ɛ	ɛ	ɛ	ɛ	ɛ

d. New English Alphabet

Basic form	Alternate forms
ɛ	ɛ
ɛ	ɛ

2. Ligatures (liga)

Ligatures containing the Zero Width Joiner (uni200D) may not work in Adobe products.

You may use the corresponding discretionary ligatures (dlig) instead (see section 3 below)

[illegible]

3. Discretionary ligatures (dlig)

Isolated glyphs	Ligature	Isolated glyphs	Ligature	Isolated glyphs	Ligature
ſ ..	ſ..	c b	cb	c . n	cn
ſ .	ſ.	c b	cb	c . n	cn
c .	c.	l ’	l’	l ˆ ˆ	lˆˆ
c .	c.	l ˆ	lˆ	l ’ ’	l’’
q y	qy	✓ ε	✓ε	o ˆ	oˆ
l d	ld	✓ ε	✓ε	o ˆ .	oˆ.
d p	dp	ı ı	ıı		
d p	dp	o o	oo		
a n	an	o o	oo		
l l	ll	o o	oo		
o o	oo	o o	oo		
o q	oq	u n	un		
q n	qn	ı ˆ	ıˆ		
o n	on	ı ’	ı’		

4. Required contextual alternates (rclt)

Context	Tengwa	Sa-rince	Alternate
Tengwa + [tehta +] sa-rince (e058)	p	ˆ	pˆ

Context	Sarat	Bar	Alternate
Sarat + zero-width bar (e310)	卅	—	—

5. Swashes (swsh)

All swashes are also accessible as aalt features (see section 1 above).

Basic form	Swash	Basic form	Swash	Basic form	Swash
Ɩ	Ɩ	ṃ	ṃ	ḍ	ḍ
ḥ	ḥ	ḥ	ḥ	ḥ	ḥ
ḥ	ḥ	ḥ	ḥ	ḥ	ḥ
ḥ	ḥ	ḥ	ḥ	ḥ	ḥ

6. Stylistic sets

Stylistic set 1 (ss01): Tengwar numerals with connecting bar above.

Basic form	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ
ss01	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ

Stylistic set 2 (ss02): Tengwar numerals as drawn by Christopher Tolkien in Quettar no 13, February 1982.

Basic form	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ
ss02	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ

Stylistic set 3 (ss03): Rúmilian letters mirrored for writing right to left. A selection is shown below.

Basic form	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ
ss03	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ	ḥ

How to use Eldamar

Accessing the glyphs

The glyphs of Eldamar are for the most part found in the Unicode range called the Private Use Area, so called because it is not preassigned to existing writing systems in the Unicode standard. Therefore, they are usually not possible to type using the computer keyboard.

In *Microsoft Windows*, the glyphs can be accessed using the Character Map application, which lets you select and copy individual glyphs. Each glyph can also be entered by writing the character code and then holding the Alt key while pressing X. (To find the character code, look at the top of the column where the character is found in this document, then substitute the ‘x’ by the number at the far left of the row where the character is found. For instance, p̃ is found in column e00x and row xxx0; therefore, the character code is e000.)

In *Macintosh*, the glyphs can be accessed using the Character Viewer. If you have the Unicode Hex Input keyboard layout enabled you can enter each glyph by holding Option and writing the character code).

In many word processing applications such as Microsoft Word or LibreOffice, you can insert characters by choosing *Symbol* or *Special character* from the *Insert* menu.

Using OpenType features

In Adobe InDesign

Open the Character Panel by selecting *Window > Type > Character* (or Command+T/Ctrl+T). Click the small icon with horizontal lines (hamburger menu) in the Character Panel. In the menu, select *OpenType* and then the features that you wish to use.

In Microsoft Office (Word, PowerPoint)

Open the Font Dialog by selecting the Font menu (or Ctrl+D/Cmd+D). A few OpenType features are available from the Advanced tab.

In LibreOffice

In LibreOffice you will need to select the text and, in the font name field, add ‘:’ + the four-letter name of the feature that you wish to activate. Multiple features can be activated by adding ‘&’ between each feature. For example, if you wish to activate Discretionary ligatures and Stylistic set 2, you would have to change “Eldamar 1.1” to “Eldamar 1.1:dlig&ss02”.