

Lista 05

Daniel de Souza Gama (266805)

```
library(DBI)
library(RSQLite)

# Conecta/Cria o arquivo
con <- dbConnect(RSQLite::SQLite(), "me315.sqlite")
```

1)

```
SELECT PNAME, ACRES AS AREA_ATUAL, ACRES * 1.2 AS AREA_NOVA FROM PRESERVE
```

Table 1: Displaying records 1 - 10

PNAME	AREA_ATUAL	AREA_NOVA
HASSAYAMPA RIVER	660	792.0
DANCING PRAIRIE	680	816.0
MULESHOE RANCH	49120	58944.0
SOUTH FORK MADISON	121	145.2
MCELWAIN-OLSEN	66	79.2
TATKON	40	48.0
DAVID H. SMITH	830	996.0
MIACOMET MOORS	4	4.8
MOUNT PLANTAIN	730	876.0
COMERTOWN PRAIRIE	1130	1356.0

2)

```
SELECT PNAME, ACRES AS AREA_ATUAL, ACRES/3.0 AS AREA_NOVA FROM PRESERVE
```

Table 2: Displaying records 1 - 10

PNAME	AREA_ATUAL	AREA_NOVA
HASSAYAMPA RIVER	660	220.000000
DANCING PRAIRIE	680	226.666667
MULESHOE RANCH	49120	16373.333333
SOUTH FORK MADISON	121	40.333333
MCELWAIN-OLSEN	66	22.000000
TATKON	40	13.333333
DAVID H. SMITH	830	276.666667
MIACOMET MOORS	4	1.333333
MOUNT PLANTAIN	730	243.333333
COMERTOWN PRAIRIE	1130	376.666667

3)

```
SELECT PNAME, FEE AS TAXA_ATUAL, (FEE+50)/2.0 AS TAXA_NOVA FROM PRESERVE
```

Table 3: Displaying records 1 - 10

PNAME	TAXA_ATUAL	TAXA_NOVA
HASSAYAMPA RIVER	3	26.5
DANCING PRAIRIE	0	25.0
MULESHOE RANCH	0	25.0
SOUTH FORK MADISON	0	25.0
MCELWAIN-OLSEN	0	25.0
TATKON	0	25.0
DAVID H. SMITH	0	25.0
MIACOMET MOORS	0	25.0
MOUNT PLANTAIN	0	25.0
COMERTOWN PRAIRIE	0	25.0

4)

```
SELECT AVG(ACRES) AS MEDIA_ACRES, MAX(ACRES) AS MAX_ACRES, MIN(ACRES) AS MIN_ACRES FROM PRESERVE
WHERE STATE = 'AZ'
```

Table 4: 1 records

MEDIA_ACRES	MAX_ACRES	MIN_ACRES
12840	49120	380

5)

```
SELECT MIN(PNAME) AS PRIMEIRA_RESERVA FROM PRESERVE
```

Table 5: 1 records

PRIMEIRA_RESERVA
COMERTOWN PRAIRIE

6)

```
SELECT COUNT(DISTINCT FEE) AS QTD_TAXAS_DISTINTAS FROM PRESERVE
WHERE FEE > 0
```

Table 6: 1 records

QTD_TAXAS_DISTINTAS
1

7)

```
SELECT PNAME, COUNT(*) AS TOTAL FROM PRESERVE
GROUP BY PNAME HAVING COUNT(*) > 1
```

Table 7: 0 records

PNAME	TOTAL
-------	-------

8)

```
SELECT AVG(ACRES * 0.02) AS TAXA_MEDIA_AZ FROM PRESERVE
WHERE STATE = 'AZ'
```

Table 8: 1 records

TAXA_MEDIA_AZ
256.8

9)

```
SELECT ENO, ENAME, SALARY AS OLDSALARY, SALARY * 1.10 AS NEWSALARY FROM EMPLOYEE
ORDER BY NEWSALARY
```

Table 9: 6 records

ENO	ENAME	OLDSALARY	NEWSALARY
5000	JOE	400	440
4000	SHEMP	500	550
1000	MOE	2000	2200
2000	LARRY	2000	2200
3000	CURLY	3000	3300
6000	GEORGE	9000	9900

10)

```
SELECT ENO, ENAME, SALARY AS OLDSALARY, SALARY * 1.10 AS NEWSALARY FROM EMPLOYEE
WHERE SALARY * 1.10 > 2000
ORDER BY NEWSALARY
```

Table 10: 4 records

ENO	ENAME	OLDSALARY	NEWSALARY
1000	MOE	2000	2200
2000	LARRY	2000	2200
3000	CURLY	3000	3300
6000	GEORGE	9000	9900

11)

```
SELECT SUM(SALARY) AS SOMA_SALARIOS, AVG(SALARY) AS MEDIA_SALARIOS, MAX(SALARY) AS MAX_SALAR.
```

Table 11: 1 records

SOMA_SALARIOS	MEDIA_SALARIOS	MAX_SALARIO	MIN_SALARIO
16900	2816.667	9000	400

12)

```
SELECT COUNT(*) AS QTD_FUNCIONARIOS_DEP20 FROM EMPLOYEE
WHERE DNO = 20
```

Table 12: 1 records

QTD_FUNCIONARIOS_DEP20
3

13)

```
SELECT COUNT(DISTINCT DNO) AS QTD_DEPARTAMENTOS FROM EMPLOYEE
```

Table 13: 1 records

QTD_DEPARTAMENTOS
3

```
Sys.setenv(TZ = "America/Sao_Paulo")  
Sys.time()
```

```
[1] "2026-09-17 06:20:55 -03"
```