```
//
   PlayExperienceStepExerciseRESTWebAPIModelAccessStrategy.swift
//
//
   f30
//
   Created by David on 05/02/2018.
//
    Copyright © 2018 com.smartfoundation. All rights reserved.
//
//
import SFCore
import SFModel
import SFSocial
import SFSerialization
import SFNet
import f30Core
import f30Model
/// A strategy for accessing the PlayExperienceStepExercise model data using a
 REST Web API
public class PlayExperienceStepExerciseRESTWebAPIModelAccessStrategy:
 RESTWebAPIModelAccessStrategyBase {
    // MARK: - Initializers
    private override init() {
        super.init()
    public override init(connectionString: String,
                         storageDateFormatter: DateFormatter) {
        super.init(connectionString: connectionString,
                   storageDateFormatter: storageDateFormatter,
                   tableName: "PlayExperienceStepExercises")
    }
    // MARK: - Private Methods
    // MARK: - Override Methods
    // MARK: - Dummy Data Methods
}
// MARK: - Extension ProtocolPlayExperienceStepExerciseModelAccessStrategy
extension PlayExperienceStepExerciseRESTWebAPIModelAccessStrategy:
ProtocolPlayExperienceStepExerciseModelAccessStrategy {
    // MARK: - Public Methods
}
```