1. Evaluate the following limits or determine that the limit does not exist

a.)
$$\lim_{(\mathbf{x},\mathbf{y})\to(\mathbf{0},\mathbf{0})} \frac{\mathbf{x}^2+\mathbf{y}^2-4}{\mathbf{x}+\mathbf{y}+2}$$

We can simply plug in (x, y) = (0, 0) and we obtain

$$\lim_{(x,y)\to(0,0)} \frac{x^2+y^2-4}{x+y+2} = \frac{-4}{2} = -2$$

b.)
$$\lim_{(x,y)\to(1,1)} \frac{xy-y-2x+2}{x-1}$$

Unlike in **a.**), if we simply plug in (1,1) for (x,y) we get an undefined value. This is because of the x-1 in the denominator. Thus, we need to remove this discontinuity. To do this we need to factor the top. Notice that we have,

$$xy - y - 2x + 2 = (xy - 2x) - (y - 2) = x(y - 2) - (y - 2) = (y - 2)(x - 1)$$

Thus the limit becomes

$$\lim_{(x,y)\to(1,1)}\frac{xy-y-2x+2}{x-1}=\lim_{(x,y)\to(1,1)}\frac{(y-2)(x-1)}{x-1}=\lim_{(x,y)\to(1,1)}y-2=-1$$

c.)
$$\lim_{(x,y)\to(2,2)} \frac{x+y-4}{\sqrt{x+y}-2}$$

Let $r = \sqrt{x+y}$, then notice that we have

$$\frac{x+y-4}{\sqrt{x+y}-2} = \frac{r^2-2^2}{r-2} = \frac{(r-2)(r+2)}{r-2} = r+2 = \sqrt{x+y}+2$$

Thus we can evaluate the limit as

$$\lim_{(x,y)\to(2,2)} \frac{x+y-4}{\sqrt{x+y}-2} = \lim_{(x,y)\to(2,2)} \sqrt{x+y} + 2 = \sqrt{4} + 2 = 4$$

d.)
$$\lim_{(\mathbf{x},\mathbf{y})\to(\mathbf{0},\mathbf{0})} \frac{\sin(\mathbf{x}^2+\mathbf{y}^2)}{\mathbf{x}^2+\mathbf{y}^2}$$

Let $r = x^2 + y^2$, then we obtain

$$\lim_{(x,y)\to(0,0)} \frac{\sin(x^2+y^2)}{x^2+y^2} = \lim_{r\to 0} \frac{\sin(r)}{r} = 11$$

e.)
$$\lim_{(\mathbf{x},\mathbf{y})\to(\mathbf{1},\mathbf{1})} \frac{\sin(\mathbf{x^2}-\mathbf{y^2})}{\mathbf{x}-\mathbf{y}}$$

Here we can't use the same trick as before. However, we see that we have $x^2 - y^2 = (x - y)(x + y)$ in the numerator, which could cancel the denominator if we didn't have the sine. Note that we could use a Taylor series trick here. Recall that

$$\sin(x) = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \frac{x^7}{7!} + \frac{x^9}{9!} + \cdots$$

¹Note: This limit can be easily found now that you know Taylor series. Just let $\sin(x) = x - \frac{x^3}{3!} + \frac{x^5}{5!} + \cdots$, then $\sin(x)/x$ as $x \to 0$ is clearly 1

so we obtain

$$\sin(x^2 - y^2) = \sin((x - y)(x + y)) = \left[(x - y)(x + y)\right] - \frac{\left[(x - y)(x + y)\right]^3}{3!} + \frac{\left[(x - y)(x + y)\right]^5}{5!} + \cdots$$

and so our limit is

$$\frac{\sin(x^2 - y^2)}{x - y} = \frac{(x - y)(x + y)}{x - y} - \frac{\left[(x - y)(x + y)\right]^3}{3!(x - y)} + \frac{\left[(x - y)(x + y)\right]^5}{5!(x - y)} + \cdots$$
$$= \left[(x + y)\right] - \frac{(x - y)^2(x + y)^3}{3!} + \frac{(x - y)^4(x + y)^5}{5!}$$

and taking the limit we see that the only non-zero term is the first term, thus

$$\lim_{(x,y)\to(1,1)} \frac{\sin(x^2 - y^2)}{x - y} = \lim_{(x,y)\to(1,1)} x + y = 2$$

f.) $\lim_{(\mathbf{x},\mathbf{y})\to(\mathbf{1},-\mathbf{1})} \arcsin\left(\frac{\mathbf{x}\mathbf{y}}{\sqrt{\mathbf{x}^2+\mathbf{y}^2}}\right)$

We can just plug into this one

$$\lim_{(x,y)\to(1,-1)}\arcsin\left(\frac{xy}{\sqrt{x^2+y^2}}\right)=\arcsin\left(\frac{-1}{\sqrt{2}}\right)=\arcsin\left(\frac{-\sqrt{2}}{2}\right)=-\frac{\pi}{4}$$

g.) $\lim_{(\mathbf{x},\mathbf{y})\to(\mathbf{0},\mathbf{0})} \frac{\mathbf{x}^3}{\mathbf{x}^4+\mathbf{y}^3}$

I'm guessing this doesn't exist because the function 1/x doesn't exist as $x \to 0$. Thus we need to approach the limit from two directions that yield different values. Consider the case when y = 0, then from $x \to 0^+$ we have

$$\lim_{x \to 0^+} \frac{x^3}{x^4} = \lim_{x \to 0^+} \frac{1}{x} \to \infty$$

and from the left we have

$$\lim_{x\to 0^-}\frac{x^3}{x^4}=\lim_{x\to 0^-}\frac{1}{x}\to -\infty$$

thus, that is enough to show the limit does not exist

h.) $\lim_{(\mathbf{x},\mathbf{y})\to(\mathbf{0},\mathbf{0})} \frac{\mathbf{x}\mathbf{y}}{\mathbf{x}^2+\mathbf{y}^2}$

Similar to above, consider the direction when x = y, then we have

$$\lim_{y \to 0} \frac{y^2}{2y^2} = \frac{1}{2}$$

and when x = 0, we have

$$\lim_{y \to 0} \frac{0}{y^2} = 0$$

thus the limit does not exist.

i.) $\lim_{(x,y)\to(0,0)} \frac{xy^2}{x^2+y^4}$

Same as above, but let's compare $x = y^2$ with x = 0.

$$x=y^2$$
:

$$\lim_{y \to 0} \frac{y^4}{2y^4} = \frac{1}{2}$$

$$x = 0$$
:

$$\lim_{y \to 0} \frac{0}{y^4} = 0$$

thus the limit does not exist.

j.) $\lim_{(\mathbf{x},\mathbf{y})\to(\mathbf{2},-\mathbf{2})} \frac{4-\mathbf{x}\mathbf{y}}{4+\mathbf{x}\mathbf{y}}$

$$x = y$$
:

$$\lim_{y \to -2} \frac{4 - y^2}{4 + y^2} = 0$$

$$x = 0$$
:

$$\lim_{y \to -2} \frac{4}{4} = 1$$

thus the limit does not exist.

k.) $\lim_{(\mathbf{x},\mathbf{y}) \to (\mathbf{0},\mathbf{0})} \left(1 + 3\mathbf{x}\mathbf{y}^2\right)^{\frac{2}{\mathbf{x}\mathbf{y}^2}}$

This looks like the goofy e^x limits of the past. Let $u = \frac{2}{xy^2}$, then we have

$$(1+3xy^2)^{2/xy^2} = \left(1+\frac{3}{u/2}\right)^u = \left(1+\frac{6}{u}\right)^u$$

Moreover, notice that

$$\lim_{(x,y)\to(0,0)} \frac{xy^2}{2} = \lim_{u\to\infty} \frac{2}{u}$$

thus we have

$$\lim_{(x,y)\to(0,0)} \left(1+3xy^2\right)^{\frac{2}{xy^2}} = \lim_{u\to\infty} \left(1+\frac{6}{u}\right)^u = e^6$$

l.) $\lim_{(\mathbf{x},\mathbf{y})\to(\mathbf{0},\mathbf{0})} \frac{\mathbf{x}\mathbf{y}^2}{\mathbf{x}^2+\mathbf{y}^4}$

Same as above, but let's compare $x = y^2$ with x = 0.

$$x = y^2$$
:

$$\lim_{y \to 0} \frac{y^4}{2y^4} = \frac{1}{2}$$

$$x = 0$$
:

$$\lim_{y \to 0} \frac{0}{y^4} = 0$$

thus the limit does not exist.

m.)
$$\lim_{(\mathbf{x},\mathbf{y})\to(1,-2)}\frac{(\mathbf{x-1})^2+3(\mathbf{y+2})^2}{\mathbf{x-1}+(\mathbf{y+2})^2}$$

Let y = -2:

$$\lim_{x \to 1} \frac{(x-1)^2}{(x-1)} = \lim_{x \to 1} x - 1 = 0$$

Let x = 1:

$$\lim_{y \to -2} \frac{3(y+2)^2}{(y+2)^2} = \lim_{y \to -2} 3 = 3$$

Thus the limit does not exist.

n.)
$$\lim_{(\mathbf{x},\mathbf{y})\to(\mathbf{1},\mathbf{2})}\frac{\mathbf{x}\mathbf{y}+2\mathbf{x}-\mathbf{y}-2}{\mathbf{x}\mathbf{y}-\mathbf{y}+3\mathbf{x}-3}$$

2.) Compute $\mathbf{z}_{\mathbf{x}}$ and $\mathbf{z}_{\mathbf{y}}$ for each of the following functions

a.)
$$z = xy^2 + \ln x + e^y + 5$$

$$z_x = \frac{\partial z}{\partial x} = y^2 + \frac{1}{x}$$
$$z_y = \frac{\partial z}{\partial y} = 2xy + e^y$$

b.)
$$z = xe^{2y} \arctan x$$

$$z_x = \frac{\partial z}{\partial x} = e^2 y \arctan(x) + xe^{2y} \frac{1}{1 + x^2}$$
$$z_y = \frac{\partial z}{\partial y} = 2x \arctan xe^{2y}$$

c.)
$$z = \sqrt{x - y^2}$$

$$z_x = \frac{\partial z}{\partial x} = \frac{1}{\sqrt{x - y^2}}$$
$$z_y = \frac{\partial z}{\partial y} = \frac{-2y}{\sqrt{x - y^2}}$$

d.)
$$\mathbf{z} = \frac{\mathbf{x}^3}{\mathbf{y}^2} + \sin(\mathbf{x}\mathbf{y})$$

$$z_x = \frac{\partial z}{\partial x} = \frac{3x^2}{y^2} + y\cos(xy)$$
$$z_y = \frac{\partial z}{\partial y} = -\left(\frac{x}{y}\right)^3 + x\cos(xy)$$

e.)
$$z = \frac{x+4}{x^2+y^2}$$

$$z_x = \frac{\partial z}{\partial x} = \frac{x^2 + y^2 - 2x^2 - 8x}{(x^2 + y^2)^2}$$
$$z_y = \frac{\partial z}{\partial y} = -\frac{2y(x+4)}{(x^2 + y^2)^2}$$

$$\mathbf{f.)} \ \ \mathbf{z} = \left[\mathbf{e^{x^2y}} + \tan(3y + 4x) \right]^5$$

$$z_x = \frac{\partial z}{\partial x} = 5 \left[e^{x^2 y} + \tan(3y + 4x) \right]^4 \left[2xy e^{x^2 y} + 4\sec(3y + 4x) \right]$$
$$z_y = \frac{\partial z}{\partial y} = 5 \left[e^{x^2 y} + \tan(3y + 4x) \right]^4 \left[x^2 e^{x^2 y} + 3\sec(3y + 4x) \right]$$

g.)
$$z = y^{1+x^3}$$

$$z_x = \frac{\partial z}{\partial x} = 3x^2 y^{1+x^3} \ln y$$
$$z_y = \frac{\partial z}{\partial y} = (1+x^3) y^{x^3}$$