```
my_test_framework
  |- my_test_framework
    - apps
       - website
          - base_page.py
          - home.py
          - cart.py
     - data
        - shirts.py
     - framework
       - selenium_utils.py
        - utils.py
        - exceptions.py
     - tests
        - conftest.py
        - pytest.ini
```

- test\_simple.py

- requirements.txt

## Adding application wrappers

## Base Object for shared stuff

```
import pytest
class BaseObject(object):
  domain = 'https://www.youtube.com'
  # selectors
  sel_search = 'form input#search'
  def search(self, driver, vid):
     path = '/watch?v=%s' % vid
     sel_vid = 'a[href="%s"]' % path
     # use search to find target video
     search = driver.find_element_by_css_selector(self.sel_search)
     search.click()
     search.send_keys(vid)
     search.submit()
     # verify that the correct video was returned
     video = driver.find_element_by_css_selector(sel_vid)
    try:
       video.get_attribute('href') == self.domain + path
       return True
     except:
       ValueError, 'ERROR: actual path "%s" not equal to expected path "%s"'
           % (video.get_attribute('href'), path)
```

## Adding application wrappers

```
my_test_framework
  - my_test_framework
     - apps
       - website
          - base_page.py
          - home.py
          - cart.py
     - data
        - shirts.py
     - framework
        - selenium_utils.py
        - utils.py
        - exceptions.py
     - tests
        - conftest.py
        - pytest.ini
        - test_simple.py
   - requirements.txt
```