```
<!DOCTYPE html>
<html>
<head>
  <title>Student Attendance Tracker</title>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="hocothon2.css">
</head>
<body>
<div class="container">
  <h1>Student Attendance Tracker</h1>
  <div class="form">
    <input type="text" id="name" placeholder="Student Name">
    <input type="text" id="roll" placeholder="Student ID">
    <button onclick="addStudent()">Add Student</button>
  </div>
  <input type="text" id="search"
      placeholder="Search student..."
      oninput="displayStudents()">
  <h3>Attendance Summary</h3>
  <div class="summary">
    <div>Total Students: <span id="total">0</span></div>
    <div>Present: <span id="present">0</span></div>
    <div>Absent: <span id="absent">0</span></div>
  </div>
  <h3>Student Records</h3>
  <div class="table-box">
    <table>
      <thead>
```

```
            <tr>
                <th>Name</th>
                <th>ID</th>
                <th>Present</th>
                <th>Absent</th>
                <th>Attendance %</th>
                <th>Status</th>
                <th>Action</th>
            </tr>
        </thead>
        <tbody id="studentList"></tbody>
    </table>
  </div>
</div>
<script src="hocothon2.js"></script>
</body>
</html>
```