


Very Animation



Version 1.4

Introduction

Thank you for purchasing "Very Animation".
This asset is an editor extension for editing animation.

It is characterized by direct editing of animation of Mecanim Humanoid which is usually difficult to edit with Unity.

It supports operating GameObjects that have an Animator or Animation component.
That is, it supports Unity's Animation Types: 'Humanoid', 'Generic', and 'Legacy'.

In order to directly edit animation data, knowledge of Unity's Animation is necessary.
We especially recommend you check the documentation of Unity's Animation Window curve and key frame operation.

Below are links to official reference materials that we recommend you familiarize yourself with in advance.

Unity User Manual

<https://docs.unity3d.com/2021.3/Documentation/Manual/AnimationSection.html>

The definitive guide to animation in Unity

<https://unity.com/resources/definitive-guide-animation-unity-2022-lts-ebook>

Table of contents

Very Animation	1
Introduction.....	2
Table of contents	3
Quick Start	5
Tutorial Video Playlist	6
Automatic translation of video subtitles	7
Create a new animation.....	8
Editing animations created with Unity or other assets.....	9
Edit external source animation.....	10
Save data.....	11
Window	12
Main Window.....	12
Control Window.....	13
Editor Window.....	15
Basic operation.....	17
Scene	17
Animation Window.....	18
Humanoid.....	19
Animation Curve.....	19
Mecanim.....	19
Virtual Bone.....	20
Animator IK.....	21
Original IK.....	22
Root Motion (Operation when a Motion curve is not created)	23
Root Motion (Operation when creating a Motion curve)	24
Translation DoF.....	25
Foot IK	26
Generic and Legacy.....	28
Animation Curve.....	28
Original IK.....	28
Root Motion (When creating a Motion curve)	29
Root Motion (when there is a Root Node specified in Avatar such as Model).....	30
Root Motion (No avatar or Root Node not specified)	32
Original IK	33
Basic	33
Limb	33
Mirror.....	34
Generic	34
BlendShape.....	36
Write Lock	37
Tools	38
Copy.....	38
Trim.....	38
Add	38
Combine	39
Create New Clip	39
Create New Keyframe.....	40
Bake IK	40
Animation Rigging	41
Humanoid IK.....	41
Root Motion.....	42

Parameter Related Curves	43
Rotation Curve Interpolation	44
Keyframe Reduction.....	44
Ensure Quaternion Continuity	45
Cleanup	45
Fix Errors.....	46
Additive Reference Pose	47
Anim Compression	48
Export.....	49
Edit while paused	50
Layers	51
Edit in Timeline	52
Additive Track	53
Notes on Timeline	57
Animation Rigging.....	59
Note	59
Tips.....	60
Use the latest Unity	60
Close the windows that you do not need	60
Hide Inspector	60
Confirm QualitySettings.....	61
Change Animation Window to Dopesheet display	62
Reduce keyframes	63
Tools Window.....	64
Reset Pose	64
Template Pose.....	64
Remove Save Settings.....	65
Replace Reference	65
Animation Rigging	65
Recorder Window	66
Support	67

Quick Start

Import the asset from the asset store.

Open the Main window from Window/Very Animation/Main.


It is necessary to open the Animation Window of Unity.

Select the GameObject that contains the Animator component you want to edit.

Animation currently selected in the Animation Window will be edited.

Select 'Edit Animation' to start edit mode.

When entering edit mode, two windows of Control window and Editor window are added in addition to the first Main window.




Edit animation by operating three windows and Unity's Animation Window.

Video


[Quick Start](#)

Tutorial Video Playlist



You can open a playlist of tutorial videos from the link in the bottom right of the main window.

Automatic translation of video subtitles



Japanese subtitles are set for the video.


Please translate to English etc. with the function of automatic translation.

Create a new animation

Create Animation and register it in Animation Controller.
Select the added Animation in the Animation Window and start editing.

Caution

Please pay attention to this warning.




If you actually use the created AnimationClip and the position and rotation are different, please check the following settings.

Because the default Based Upon setting is not Original, it may be the cause.

Also, if you do not use RootMotion, enable Bake Into Pose.

As an example, this setting is the same as when editing the image below.

Since this setting is not displayed unless the AnimationClip has Root information, it will be set after animation editing.




Video

[Quick Start](#)


[Animation Clip Settings](#)

Editing animations created with Unity or other assets

We recommend that you unify the rotation interpolation first only once before starting editing. This is done from Tools/Rotation Curve Interpolation.



Change the interpolation method of Transform Rotation Curve all at once.



This is the setting above.


Since animation created with other assets or Unity may be other than Quaternion, we recommend that you run once and unify it to Quaternion.

Video


[Edit created animation](#)

Edit external source animation

Since animation included in FBX etc. is read only, duplicate it and edit it as another animation.



A warning will appear when you start editing. Replace duplicates and references from buttons. Once you have decided on the Clip to create, you will be asked to choose whether to delete unnecessary curves and unify rotation interpolation.



It is recommended to reduce keyframes before editing with ModelImporter before duplication or Tools / Keyframe Reduction after duplication.


This is because fewer keyframes are faster and easier to edit

Video

[Edit external source animation](#)

[Root Correction](#)

Save data



When you finish editing, the `VeryAnimationSaveSettings` component is added to the `GameObject` with `Animator`.

This is the saved data of the setting being edited.

If you do not need it you can disable it from Settings. However, the setting is reset each time.


You can also delete all `VeryAnimationSaveSettings` in the project in the Tools Window.

Information does not almost remain in the build.

Window

Main Window

Switch the displayed content with the above tool bar.



Animation

The information currently being edited is displayed.

Tools

Run the editing tool. Details are described below.

Settings

It is operation setting.

Help

Help for shortcut keys and so on.

Preview


A preview of the current animation will be displayed.

Exit

Exit editing.

Control Window

Switch the displayed content with the above tool bar.



Animator IK (Only Humanoid)

Animator IK switching and setting.

Original IK

Original IK switching and setting.

Humanoid (Only Humanoid)

Select Bone or switch IK.

Selection

You can save the selected state of the bone with a name.


Depending on your purpose, switch between the List, used for editing such as adding and deleting, and the Popup, used only for selection.

Hierarchy

Display hierarchical structure.

You can switch the display of each bone.

Editor Window



Extra

Collision	Make a collision decision between the mesh vertex being edited and the mesh triangle of the environment. It is a very heavy process and should only be enabled if necessary. It is recommended to use in .NET 4.x environment to enable acceleration of parallel processing.
Synchronize Animation	This function allows you to simultaneously animate objects in the scene that you are not editing. Use this to coordinate animations between multiple objects.
Onion Skinning	This function displays the time situation before and after the pause you are editing semi-transparently.
Trail of root position (Only Humanoid)	Displays the locus of the center of mass (Root) of the Humanoid.

[Collision](#)

[Synchronize Animation](#)

[Onion Skinning](#)

Options

Clamp (Only Humanoid)	We limit the value of Muscle to the range set by Avatar. This prevents the joint from turning to an impossible angle as the human body.
Foot IK (Only Humanoid)	Updates the Foot IK information at the same time when the key frame is changed. It is mainly used for editing in Timeline.
Mirror	When changing, update the information on the opposite side at the same time.

Root Correction (Only Humanoid)

Disable	No correction is made.
Single	It corrects only the changed frame.
Full	Corrects all frames that are affected before and after the change.

Root Correction

Pose

Reset	Reset to various poses.
Mirror	Changes the current pose to the left and right reversed state.
Template	Change to the saved pose.
Save as	Save the current pose to a file.
Quick Load / Save	It is used to save and load temporary poses. This information will be deleted when you finish editing.

Blend Pose

Blend and apply two saved poses.

By applying only a portion of it, you can reuse only the facial expression, finger shape, etc.

Blend Shape

Muscle Group (Only Humanoid)

We will change Muscle collectively.

Hand Pose (Only Humanoid)

It is a function specialized for hand operation from Muscle Group.

Blend Shape (Only when there is Blend Shape information)

Operate Blend Shape.


Blend Shape

Selection

The selected information is displayed.

Basic operation

Scene



Scene shows only bones that are checked by Hierarchy.

You can select by pressing each button.

By clicking the mesh, a suitable bone is selected from the weight and distance of the clicked polygon.

As a common action in Very Animation, select all descendants by holding down the Alt key and selecting.


Video

[Basic Operation 1](#)

[Basic Operation 2](#)

[Basic Operation 3](#)

Animation Window



Animation Curve according to the selected bone and the current tool is selected in the Animation Window. By pressing each button in Editor's Selection, you can change to display only that Animation Curve.

Humanoid

Animation Curve

Humanoid manipulates Animation Curve of Animator's data.

The following explanation is personal guess, there is a possibility of error.

Animation Curve	Description
RootT, RootQ	Mass center position, rotation Root motion position, rotation
Muscle	It corresponds to the rotation of each Bone
TDOF	It exists only in part Bone. Equivalent position It is used only when "Translation DoF" is enabled in Configure Avatar
Hand IK, Foot IK	Hand IK is unclear where to use, Foot IK is used to counter shake of the foot when AnimatorState.iKOnFeet is enabled
MotionT, MotionQ	Position of root motion, rotation specification If it exists, it takes precedence over RootT, RootQ information
<i>A free name that does not conflict with the above</i>	Used in Parameter related curve

A Bone (such as a hair) not set as Avatar as a humanoid manipulates the Transform in the same way as Generic.

Mecanim

In Humanoid, animation of Animator parameters of Root and Muscle is mainly created, and Animator updates Transform with that parameter.

In Very Animation, it is possible to operate like ordinary animation FK, but when animation editing, it is necessary to be conscious that each part of Humanoid has mass.

For example, moving only arms and legs means that the center position of the mass changes.



Reference data

Unity Blog 'Mecanim Humanoids'

The English version of the above link has disappeared. Please see the Japanese version below.

[Mecanim Humanoid の基礎的技術解説](#)


Virtual Bone



Some Optional Bones not set in Avatar are displayed as Virtual Bones.

You can operate in the same way as normal bone, but there are some restrictions, such as local rotation operation only.


Animator IK



In Humanoid you can use IK using the function of Animator. Select Control Window or Bone and switch with I key.

IK in VeryAnimation is a function to assist editing.

The information to be saved is the same information as FK, and IK key frame information etc. are not saved.



When Clamp is enabled, depending on the model, it may not be possible to extend the hand straight. In that case, cancel Clamp and set it.

Video


[AnimatorIK](#)

Original IK

Configure Very Animation's own IK.
For details, refer to the 'Original IK' chapter.


Root Motion (Operation when a Motion curve is not created)

Enable 'Apply Root Motion'.



If no motion curve has been created, the root motion will operate with the information of the root curve (RootT, RootQ)

AnimationClip display is as follows, and the part where 'Bake Into Pose' is not enabled works.




Demo


VeryAnimation\Demo\RootMotion

Root Motion (Operation when creating a Motion curve)


Enable 'Apply Root Motion'.



You can edit MotionT and MotionQ curves from Tools / Root Motion.






If a Motion curve exists, the root motion will operate with this information preferentially. AnimationClip display is as follows.



Demo

VeryAnimation\Demo\RootMotion

Translation DoF



Only when you enable 'Translation DoF' in Configure Avatar, position change will be effective with some bones.

Foot IK


Humanoid animation is the same animation in models with different proportions, but there are problems such as shaking feet.

This is the information used to fix this problem and correctly ground the feet at their original position.

For reasons such as not using Root Motion, this information is unnecessary unless you use this function.

It is used in the following places.

AnimatorState




AnimatorState.iKOnFeet

Preview



Timeline



Note that it is enabled by default in Timeline.

Very Animation usually edits the animation with Foot IK invalid state, and finishes editing and finally creates an animation curve with Tools / Humanoid IK. Then activate Foot IK and check the operation.

Very Animation

Demo

VeryAnimation\Demo\FootIK

Video

[Foot IK](#)

Generic and Legacy

Animation Curve

Generic and Legacy mainly manipulates Transform's Animation Curve.

Animation Curve	Description
Position	Position
Rotation	Rotation
Scale	Scale

We will also manipulate some Animator's Animation Curve.

The following explanation is personal guess, there is a possibility of error.

Animation Curve	Description
RootT,RootQ	Root motion position, rotation
MotionT,MotionQ	Position of root motion, rotation specification If it exists, it takes precedence over RootT, RootQ information
<i>A free name that does not conflict with the above</i>	Used in Parameter related curve


Original IK

Configure Very Animation's own IK.


For details, refer to the 'Original IK' chapter.

Root Motion (When creating a Motion curve)


Enable 'Apply Root Motion'.



You can edit MotionT and MotionQ curves from Tools / Root Motion.



If a Motion curve exists, the root motion will operate with this information preferentially. AnimationClip display is as follows.




This method is recommended.

Demo


VeryAnimation\Demo\RootMotion

Root Motion (when there is a Root Node specified in Avatar such as Model)




You need to set Root Node in Model Importer.

Usually the children of the object where the Animator component is located selects the object at the root of the branch.





Manipulates the bone specified in Root Node and creates an animation.



Press the Generate button from Tools / Generic Root Motion after creating the animation.

This will create an animation curve for RootT and RootQ.

Very Animation



Generic root motion works with the above Animator and each Animation Clip setting.
Please check the Unity documentation for details.


Demo

VeryAnimation\Demo\RootMotion


Video

[Generic Root Motion](#)

Root Motion (No avatar or Root Node not specified)



Create Animation Curve in Root.



Generic root motion works with the above Animator and each Animation Clip setting. Please check the Unity documentation for details.

However, in this method, when you enter editing at runtime, the position will be restored. Also, the Exporter does not output Root Motion information. These operations can not be supported and are therefore specifications.


Demo

VeryAnimation\Demo\RootMotion

Video

[Generic Root Motion](#)

Original IK



It is original IK of Very Animation.

It is added by selecting the bone which becomes the tip and pressing the add button, or pressing the I key.

If it already exists in the list, the valid state changes with the I key.

Select from multiple operation types.

IK in VeryAnimation is a function to assist editing.

The information to be saved is the same information as FK, and IK key frame information etc. are not saved.

Basic

It is the most basic CCD-IK.

It can be used for things that rotate freely, such as hair.

You can change the hierarchy with Press Ctrl and + - key during selection.

Video

[Original IK](#)

Limb

Use it for limbs.

While selecting, you can change the direction of turning with Press Ctrl and + - key.


Video

[Original IK 2](#)

Mirror

The mirror of the Humanoid part selects the target from the information of Avatar, but the mirror of Generic and BlendShape guesses the target from the name and operates with Automap.

This can be changed in Settings.




Generic

By default the name is valid only if the full path from Root is only the difference between 'Left', 'Right', 'Hidari', 'Migi', 'L', 'R'.

To add a condition, please add it to the beginning.

If it is not successfully set, Mirror's function will not work properly.



If Automap does not set it correctly, you can change it manually, or change the settings and redo Automap, from the Hierarchy setting icon.

Mirror Scale


Scale mirrors are not enabled by default.

If you enable "Generic Scale Mirror", Scale will work with Mirror's behavior.

In order for Mirror to work properly with Scale, it is necessary that the axis of the corresponding Bone is symmetrical as shown in the image below.

There is no problem with the difference in the direction of the axis or the axes of X and Z are exchanged.

If the axis is misaligned as in the example of NG, it will not work properly when Scale is applied with Mirror.




BlendShape

By default, the name is valid only if the difference is 'Left', 'Right', 'Hidari', 'Migi', 'L', 'R'.


To add a condition, please add it to the beginning.

If it is not successfully set, Mirror's function will not work properly.



If you do not set it correctly with Automap, change it manually or change the setting and redo the Automap from the setting icon of BlendShape.


Write Lock



You can display a function in the Hierarchy that prevents curve updates to bones. Locking will prevent information from being updated through handle manipulation, etc.


Tools

Copy




Copy the keyframe.

Trim




Trim animation clip.

Add




Add an animation clip to the back.

Combine




Combine the animation clips.

Create New Clip




Create a new Clip.
It inherits the settings of the AnimationClip being edited and creates it.

Create New Keyframe




Creates new keyframes on selected bones at regular intervals.

Bake IK




Executes IK within the specified range.

Animation Rigging




Edit the Animation Rigging curve.

Humanoid IK




See Humanoid / Foot IK.

Root Motion



Edit the animation curve for Root Motion.

Parameter Related Curves



This manages the information for using the Animator mechanism where the Animation Curve value is set to the Animator Parameter.

If a Parameter and Curve have the same name, the Animation Curve information will be received as a Float Parameter at runtime.

This is usually equivalent to the information set in 'Animations/Curves' of Unity's Model Importer.

For a more detailed explanation, please refer to the Unity documentation below.


Reference data

[Animation curves and animator controller parameters](#)


Demo

VeryAnimation\Demo\ParameterRelatedCurves

Rotation Curve Interpolation




Change the interpolation method of Transform Rotation Curve all at once.



This is the setting above.


Since animation created with other assets or Unity may be other than Quaternion, we recommend that you run once and unify it to Quaternion.

Keyframe Reduction



Reduce the keyframes.

Ensure Quaternion Continuity




Call `AnimationClip.EnsureQuaternionContinuity`.

It is recommended that you call it after changing the animation curve.


However, there may be a slight change in the curve, so Very Animation calls it arbitrarily here.

Cleanup




Delete unnecessary curves and so on.

Fix Errors




Correct the error or warning status.



Normally you do not need to run it.


When editing, you can modify data that got warning like the above.

Additive Reference Pose




Edit the reference pose settings used by the additive layer.

This information can only be viewed when viewing the AnimationClip in Debug mode.




Anim Compression




Change the compression settings to reduce the build size.

For newly created anim files created in Unity rather than with the Model Importer, the compression settings cannot be changed directly, so change them here.

The following information can only be viewed when viewing the AnimationClip in Debug mode.



Export




Collada (DAE) file is output.

The output mesh is reference information for animation confirmation.

To be displayed correctly, it will be changed to a hierarchy that can be output to Collada.

Therefore, there is a possibility that it changes from the hierarchy in Unity.

Edit while paused



When pausing while editor is running and entering editing of Very Animation, editing starts from animation and time when stopped.


Demo

VeryAnimation\Demo\Edit while paused

Video

[Edit while paused](#)

Layers



This is an editing action with the Animator Controller's Layers settings applied.

You can preview and edit the animation of overwrite layers and additive layers with Weight and Avatar Mask applied.

In this state, just like with the Timeline, the skeleton that displays the contents of the current Clip alone and the final Layers model differ in results, so the skeleton position will be misaligned, but this is the correct result.

Demo


VeryAnimation\Demo\AdditiveReferencePose

Video

[VeryAnimation -Layers 1 \(Override\)-](#)

[VeryAnimation -Layers 2 \(Additive\)-](#)

Edit in Timeline




Link the Timeline animation to the Animation Window and start editing.

In Timeline, various features such as Foot IK and animation blending are shown enabled, while the Skeleton is displayed as it is in the Animation Clip, so please note the difference.

Video [Timeline](#)

Additive Track



In Timeline, you can create "Override Tracks" (which use an overwrite mode) as sub-tracks for an Animation Track; however, the standard feature set does not include "Additive Tracks."

To address the need for additive animation capabilities—despite the limitations of the built-in Timeline features—we created the "VA Animation Track," a custom track that adds this functionality.

The VA Animation Track inherits from the standard Animation Track and simply adds the option to choose between "Override" and "Additive" blending modes, allowing you to utilize all the original Animation Track features.

You can not only create new VA Animation Tracks but also convert existing Animation Tracks to VA Animation Tracks, and vice versa.

•Known Issues

There is an issue that interferes with operation, so you should avoid using the affected functionality.

Please check the demo for specific examples.

Application to the Root


Manipulating the Root within an Additive Track results in abnormal behavior—such as the parent track's Track Offsets being applied twice—during preview. Runtime behavior is also unstable.

Therefore, this method cannot be used for Root manipulation; instead, you must apply a solution appropriate for the specific type.

For Humanoid, the workaround is to configure an Avatar Mask with the root disabled.

For Generic, the workaround is to avoid creating Animation Curves for root motion.

If a problem arises in either case, a warning log like the one below will appear; please address the issue accordingly.




Foot IK is not being applied.

Updating Foot IK data on an Additive Track results in abnormal behavior—where only the knee moves while the parent track's data remains in effect—making it unsuitable for Foot IK adjustments.

Given that Foot IK relies on data relative to the Root, and considering the aforementioned issues regarding application to the Root, this is addressed by configuring an Additive Track with the Root and IK disabled via an Avatar Mask, as shown in the image below.

In other words, the feet cannot be manipulated using additive animation while Foot IK is enabled.

To manipulate the feet, Foot IK must be disabled for the entire hierarchy, including the parent track.



Values are not carried over when Animation Extrapolation/Post-Extrapolate is set to anything other than "None"

No issues arise with looping setups that return to the reference pose (frame 0) at the final frame; however, if the transition to the next clip involves carrying over additive values, those values are lost. The "None" setting is unaffected because it is designed not to carry values over in the first place.

There is a delay in applying the setting when switching from "Override" to "Additive"

This is most noticeable during Timeline previews: there is an issue where the application of the blending setting is delayed by one frame, causing the animation to display using "Override" mode for just the first frame.

This is a structural issue inherent to the code; as it cannot be avoided, it is considered intended behavior.

If this visual glitch is problematic, please implement a workaround—such as setting a non-zero "Ease In Duration" to delay the effect of the first frame, or converting the clip to an Animation Track.

•Concerns about the addition function

It appears that the addition of additive animation functionality to Timeline has been postponed for years, despite the feature's potential inclusion.

Internally, however, the feature functions simply by enabling ``AnimationLayerMixerPlayable.SetLayerAdditive``.

It is puzzling that this feature has not been added to Timeline for so long, given how easily it could be implemented.

This suggests there may be underlying issues unknown to those outside the Timeline development team, or perhaps a deliberate decision not to implement it.

My testing revealed no unintended behaviors other than the listed known issues, though there may be other undiscovered problems.

Implementation might have been deferred because the known issues cannot be easily avoided or because additional processing is required.

While this is merely speculation, another factor could be the complexity of configuring the "Additive Reference Pose"—a crucial element for operation—which currently requires switching the Inspector to Debug mode.

These conditions apply equally if you choose to implement additive animation via a custom track rather than using the VA Animation Track.

I developed this feature because there have been no major updates to Timeline recently; however, once the feature is officially added to Timeline, you should switch to the native implementation. I hope this extension eventually becomes unnecessary.

To mitigate potential issues or future complications, I have provided a workaround to convert the setup to a standard Animation Track.

Please be aware that using this feature requires working around the known issues.

It is intended for use cases where additive animation is desired despite these limitations.

If possible, I recommend using this feature only during the animation editing phase; once the animation is created, please follow the workaround shown in the video below to ensure it runs on a standard Animation Track.

When using this feature, please refer to the examples of known issues included in the demo.

Demo


VeryAnimation\Demo\TimelineAddtiveTrack

Video

[Timeline Additive Track](#)

Notes on Timeline

•About warning in Unity 2018.1 or later



Such a warning is displayed in Unity 2018.1 or later, but it has no effect.


Since AnimationClip is updated with VA, it is possible to edit it like the previous version.

•Confirmation of Root Motion setting of Animation Clip


If you do not operate as intended by moving Root, check the setting of Animation Clip.

The default when you create a new Animation Clip contains the Based Upon setting and so on.

Please make sure it is plain like the setting below.



- Animation Playable Asset setting, Remove Start Offset



The Remove Start Offset flag is a function that makes the Root transform relative to the information of the first frame.

It has the same behavior as when the AnimationClip's Based Upon setting is not Original.

When enabled, there is an issue where the Skeleton's position may be shifted, so it is recommended that you disable it.

Animation Rigging

You can use it by installing it from Package Manager.

Please watch the video to see how it works.

Video

[VeryAnimation -Animation Rigging 1-](#)

[VeryAnimation -Animation Rigging 2 \(Range Pinning\)-](#)

Note

There seems to be a problem that does not work properly with Humanoid that does not specify an optional bone such as UpperChest in Avatar Configure. Use a Humanoid with all optional bones specified.

There seems to be a problem that does not work properly in the model that contains a value whose Scale is not 1. Use a model where all Scales are 1.

When using Foot Constraint, enabling Foot IK reflects the result of Foot IK, so you need to disable Foot IK.

Tips

Very Animation aims to operate at high speed.

However, there are many situations where the behavior of the editor becomes heavier when editing animation.

Therefore, we will introduce measures to make it operate as fast as possible during editing.


Use the latest Unity

This is because newer versions are expected to include more performance improvements.

Close the windows that you do not need

It becomes slow with unnecessary processing.

Hide Inspector




When Inspector is displayed, Repaint is done every time when editing, but it is slightly heavy, so it is suppressed by leaving it undisplayed.


Confirm QualitySettings

In a poor environment, the editing speed of the editor is greatly affected, so change the setting if it is heavy.

However, in order to edit the animation, we recommend that you change Blend Weights to '4 Bones' even if you make it fast.



Change Animation Window to Dopesheet display




Updating the Animation Window when changing keyframes is a particularly heavy process.

In the case of updating only the value of the key, in the case of Curves the display of the curve must be updated, but in the case of Dopesheet there is almost no change in the appearance so it is refraining from updating.

Due to this redrawing difference, there is a difference in speed with complicated animation.


For this reason, Dopesheet display is better whenever there is no need to check the curve.

Reduce keyframes



When changing the key frame value, it is updated in units of Animation Curve.

Therefore, the update time increases as the number of key frames increases.




When fewer key frames are used, it is faster, so when editing an existing animation, it is recommended to first edit the model Importer's Anim. Compression other than Off to reduce keyframes before duplicating and editing.

Tools Window

Runs animation-related tools intended for use when Very Animation is not active.


Reset Pose



Resets the selected object and its descendants to the Prefab pose.

The Transform and BlendShape are changed.


Template Pose



Resets the selected object to the pose of Template.


The Transform and BlendShape are changed.

Remove Save Settings




Delete all VeryAnimationSaveSettings from the project.

Replace Reference




Replace reference of Animation Clip.

Animation Rigging



This is a function to set up AnimationRigging for use with VeryAnimation.

Recorder Window



This feature records animations and allows for export as Animation Clips or FBX files.

Compared to the Animation Clip Recorder function in Unity's Recorder package, it offers the following features:

- Operates even when the Editor is not playing
- Allows trimming while previewing after recording
- Supports export of Humanoid animations
- Supports export of Generic animations while preserving root motion state
- Supports export of Legacy animations
- Supports export to FBX format
- Handles scenarios where new GameObjects or Components are added under the root object during recording
- Supports AvatarMasks for configuring recording targets

Video

[Animation Recorder](#)

Support

Forum

<https://discussions.unity.com/t/very-animation-animation-editor-released/680371>

X(Twitter)

<https://twitter.com/AlSoSupport>

Mail

support@alonesoft.sakura.ne.jp

FAQ

<http://alonesoft.sakura.ne.jp/VeryAnimation/support.html>