

## Tests homologation 5.95 (Cluster QA)

### **Supportabilité (BO):**

Usurpation d'identité : Fonctionnel

Bouton (Retour Support Admin) : Fonctionnel

Filtering par icones de process : Fonctionnel sauf icône de process sauf icône « aucun » de process (donc doit être recherchée manuellement)

Filtering par date et heure : Fonctionnel

Filtering par date, propriétaire, processus, durée, doc traité, doc en sortie, dead, lien :  
Fonctionnel

Bouton reprise d'erreurs : Non fonctionnel

Bouton reprise complète du processus : fonctionnel

Lisibilité du contenu des logs : fonctionnel pour les process ok, les process critiques, les process avertissement.

### **Lighthouse Best Practices (BO)**



## Best Practices

### GENERAL

▲ Uses deprecated APIs — 1 warning found



Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

| Deprecation / Warning                 | Source |
|---------------------------------------|--------|
| generix.biz <a href="#">1st Party</a> |        |

 Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

| Name      | Version |
|-----------|---------|
| Bootstrap | 3.3.7   |
| jQuery    | 1.11.3  |
| jQuery UI | 1.11.0  |
| Lo-Dash   | 3.10.1  |
| Moment.js | 2.10.6  |

## TRUST AND SAFETY

### ○ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

| Description                                                                                                                                           | Directive               | Severity |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------|
| Host allowlists can frequently be bypassed. Consider using CSP nonces or hashes instead, along with `strict-dynamic` if necessary.                    | <code>script-src</code> | High     |
| `unsafe-inline` allows the execution of unsafe in-page scripts and event handlers. Consider using CSP nonces or hashes to allow scripts individually. | <code>script-src</code> | High     |

### ○ Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#)

| Description                            | Directive                      | Severity |
|----------------------------------------|--------------------------------|----------|
| No `includeSubDomains` directive found | <code>includeSubDomains</code> | Medium   |
| No `preload` directive found           | <code>preload</code>           | Medium   |

## ○ Ensure proper origin isolation with COOP



The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#)

| Description          | Directive | Severity |
|----------------------|-----------|----------|
| No COOP header found |           | High     |

- Uses HTTPS
- Avoids third-party cookies
- Allows users to paste into input fields
- Avoids requesting the geolocation permission on page load
- Avoids requesting the notification permission on page load
- Displays images with correct aspect ratio
- Has a `<meta name="viewport">` tag with `width` or `initial-scale`
- Page has the HTML doctype
- Properly defines charset
- No browser errors logged to the console

|                                                                                                                                                                                                                                                                                                               |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
|  No issues in the <a href="#">Issues</a> panel in Chrome Devtools                                                                                                                                                            | ▼    |
|  Page has valid source maps                                                                                                                                                                                                  | ▼    |
| NOT APPLICABLE (3)                                                                                                                                                                                                                                                                                            | Hide |
|  Redirects HTTP traffic to HTTPS                                                                                                                                                                                             | ^    |
| Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. <a href="#">Learn more</a> .                                                                                                                                                                 |      |
|  Mitigate clickjacking with XFO or CSP                                                                                                                                                                                       | ^    |
| The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. <a href="#">Learn more about mitigating clickjacking</a> . |      |
|  Document uses legible font sizes                                                                                                                                                                                          | ^    |
| Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. <a href="#">Learn more about legible font sizes</a> .                                                                                          |      |

### Chrome DevTools Privacy and Security (BO) :

## Security overview



This page is secure (valid HTTPS).



Certificate - valid and trusted

The connection to this site is using a valid, trusted server certificate issued by Sectigo RSA Domain Validation Secure Server CA.

[View certificate](#)



Connection - secure connection settings

The connection to this site is encrypted and authenticated using TLS 1.3, X25519, and AES\_256\_GCM.



Resources - all served securely

All resources on this page are served securely.


**Lighthouse Performance (BO):**



## Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49      ■ 50–89      ● 90–100







|   |                                                                                |   |
|---|--------------------------------------------------------------------------------|---|
| ▲ | Enable text compression — Est savings of 2,450 KiB                             | ▼ |
| ▲ | Eliminate render-blocking resources — Est savings of 2,240 ms                  | ▼ |
| ▲ | Largest Contentful Paint element — 2,880 ms                                    | ▼ |
| ▲ | Reduce unused JavaScript — Est savings of 1,065 KiB                            | ▼ |
| ▲ | Reduce unused CSS — Est savings of 375 KiB                                     | ▼ |
| ▲ | Minify CSS — Est savings of 12 KiB                                             | ▼ |
| ▲ | Minify JavaScript — Est savings of 72 KiB                                      | ▼ |
| ▲ | Properly size images — Est savings of 34 KiB                                   | ▼ |
| ▲ | Page prevented back/forward cache restoration — 1 failure reason               | ▼ |
| ■ | Image elements do not have explicit <code>width</code> and <code>height</code> | ▼ |
| ■ | Serve images in next-gen formats — Est savings of 11 KiB                       | ▼ |
| ■ | Serve static assets with an efficient cache policy — 44 resources found        | ▼ |
| ■ | Avoid enormous network payloads — Total size was 3,212 KiB                     | ▼ |
| ■ | Avoid an excessive DOM size — 1,095 elements                                   | ▼ |
| ○ | Avoid large layout shifts — 3 layout shifts found                              | ▼ |
| ○ | Avoid chaining critical requests — 39 chains found                             | ▼ |
| ○ | Avoid long main-thread tasks — 1 long task found                               | ▼ |

## PASSED AUDITS (21)

Hide

|                                                                                     |                                                                   |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    | Defer offscreen images                                            |    |
|    | Efficiently encode images                                         |    |
|    | Preconnect to required origins                                    |    |
|    | Initial server response time was short — Root document took 60 ms |    |
|    | Avoid multiple page redirects                                     |    |
|    | Use HTTP/2                                                        |    |
|    | Use video formats for animated content                            |    |
|  | Remove duplicate modules in JavaScript bundles                    |  |
|  | Avoid serving legacy JavaScript to modern browsers                |  |
|  | Preload Largest Contentful Paint image                            |  |

**Chrome Devtools Performance (BO) :**

## Local metrics

### Largest Contentful Paint (LCP)

0.88 s

Your local LCP value of 0.88 s is good.

LCP element `div#instanceForm-j_idt104026400627c6d90fe-j_idt104026400627...`

### Cumulative Layout Shift (CLS)

0.00

Your local CLS value of 0.00 is good.

Worst cluster [3 shifts](#)

### Interaction to Next Paint (INP)


0 ms

Your local INP value of 0 ms is good.

INP interaction [keyboard](#)

|                                  |                                                                                                           |   |
|----------------------------------|-----------------------------------------------------------------------------------------------------------|---|
| <input type="radio"/>            | User Timing marks and measures                                                                            | ▼ |
| <input checked="" type="radio"/> | JavaScript execution time — 0.2 s                                                                         | ▼ |
| <input checked="" type="radio"/> | Minimizes main-thread work — 0.4 s                                                                        | ▼ |
| <input checked="" type="radio"/> | All text remains visible during webfont loads                                                             | ▼ |
| <input type="radio"/>            | Minimize third-party usage                                                                                | ▼ |
| <input type="radio"/>            | Lazy load third-party resources with facades                                                              | ▼ |
| <input type="radio"/>            | Largest Contentful Paint image was not lazily loaded                                                      | ▼ |
| <input checked="" type="radio"/> | Uses passive listeners to improve scrolling performance                                                   | ▼ |
| <input checked="" type="radio"/> | Avoids <code>document.write()</code>                                                                      | ▼ |
| <input type="radio"/>            | Avoid non-composited animations                                                                           | ▼ |
| <input checked="" type="radio"/> | Has a <code>&lt;meta name="viewport"&gt;</code> tag with <code>width</code> or <code>initial-scale</code> | ▼ |

## Chrome Devtools Disponibilité et Résilience (BO) :



Ce qu'on obtient après avoir mis « Offline » dans la section No throttling :

Network tab settings: ☐ Preserve log | ☒ Disable cache | Offline


Filter: ☐ Invert | More filters ▼

Request types: All | Fetch/XHR | Doc | CSS | JS | Font | Img | Media | Manifest | Socket | Wasm | Other

| Name                                 | Status      | Type      | Initiator          | Size      | Time |
|--------------------------------------|-------------|-----------|--------------------|-----------|------|
| ✖ general.jsf?iid=0c693d9f-956f-4... | (failed)... | docume... | Other              | 0.0 kB    | 4 ms |
| — data:image/png;base...             | 200         | png       | chrome-error://chr | (memor... | 0 ms |
| — data:image/png;base...             | 200         | png       | chrome-error://chr | (memor... | 0 ms |
| — data:image/png;base...             | 200         | png       | chrome-error://chr | (memor... | 0 ms |
| ✖ general.jsf?iid=0c693d9f-956f-4... | (cancele... | docume... | Other              | 0.0 kB    | 7 ms |
| ✖ general.jsf?iid=0c693d9f-956f-4... | (cancele... | docume... | Other              | 0.0 kB    | 8 ms |

6 requests | 0 B transferred | 8.0 kB resources

Quand je remets online tout revient normalement :



### Lighthouse Best Practices (FO) :





## Best Practices

### GENERAL

▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

| Source                                | Description |
|---------------------------------------|-------------|
| generix.biz <a href="#">1st Party</a> |             |

| Source                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">main.ec9b9a27471f0254.js:1</a> | <p>ERROR TypeError: Cannot read properties of undefined (reading 'state') at H.selectPage (https://cluster-qa-pp.generix.biz/main.ec9b9a27471f0254.js:1:172863) at h.ngOnInit (https://cluster-qa-pp.generix.biz/main.ec9b9a27471f0254.js:1:223513) at Uc (https://cluster-qa-pp.generix.biz/main.ec9b9a27471f0254.js:1:1043401) at cf (https://cluster-qa-pp.generix.biz/main.ec9b9a27471f0254.js:1:1043548) at Vc (https://cluster-qa-pp.generix.biz/main.ec9b9a27471f0254.js:1:1043306) at Bc (https://cluster-qa-pp.generix.biz/main.ec9b9a27471f0254.js:1:1043030) at Pg (https://cluster-qa-pp.generix.biz/main.ec9b9a27471f0254.js:1:1082520) at Ma (https://cluster-qa-pp.generix.biz/main.ec9b9a27471f0254.js:1:1083795) at Vh (https://cluster-qa-pp.generix.biz/main.ec9b9a27471f0254.js:1:1083617) at Za (https://cluster-qa-pp.generix.biz/main.ec9b9a27471f0254.js:1:1083549)</p> |

 Missing source maps for large first-party JavaScript 

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

| URL                                                                                                                       | Map URL |
|---------------------------------------------------------------------------------------------------------------------------|---------|
| generix.biz <a href="#">1st Party</a>                                                                                     |         |
| <div>/main.ec9b9a27471f0254.js (cluster-qa-pp.generix.biz)</div> <div>Large JavaScript file is missing a source map</div> |         |
| <div>/846.fe4e91eb5c2b630b.js (cluster-qa-pp.generix.biz)</div> <div>Large JavaScript file is missing a source map</div>  |         |

## TRUST AND SAFETY

☐ Ensure CSP is effective against XSS attacks 

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

| Description                                                                                                                                           | Directive                    | Severity |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|----------|
| Host allowlists can frequently be bypassed. Consider using CSP nonces or hashes instead, along with `strict-dynamic` if necessary.                    | <code>script-src</code>      | High     |
| `unsafe-inline` allows the execution of unsafe in-page scripts and event handlers. Consider using CSP nonces or hashes to allow scripts individually. | <code>script-src</code>      | High     |
| `unsafe-inline` allows the execution of unsafe in-page scripts and event handlers. Consider using CSP nonces or hashes to allow scripts individually. | <code>script-src-attr</code> | High     |

`unsafe-inline` allows the execution of unsafe in-page scripts and event handlers. Consider using CSP nonces or hashes to allow scripts individually.

script-src-  
elem

High

#### ☐ Use a strong HSTS policy



Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#)

| Description                            | Directive         | Severity |
|----------------------------------------|-------------------|----------|
| No `includeSubDomains` directive found | includeSubDomains | Medium   |
| No `preload` directive found           | preload           | Medium   |

#### ☐ Ensure proper origin isolation with COOP



The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#)

| Description          | Directive | Severity |
|----------------------|-----------|----------|
| No COOP header found |           | High     |

## PASSED AUDITS (12)

Hide

- |                                                                                                                                                                                               |   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
|  Uses HTTPS                                                                                                  | ▼ |
|  Avoids deprecated APIs                                                                                      | ▼ |
|  Avoids third-party cookies                                                                                  | ▼ |
|  Allows users to paste into input fields                                                                     | ▼ |
|  Avoids requesting the geolocation permission on page load                                                   | ▼ |
|  Avoids requesting the notification permission on page load                                                  | ▼ |
|  Displays images with correct aspect ratio                                                                   | ▼ |
|  Serves images with appropriate resolution                                                                  | ▼ |
|  Has a <code>&lt;meta name="viewport"&gt;</code> tag with <code>width</code> or <code>initial-scale</code> | ▼ |
|  Page has the HTML doctype                                                                                 | ▼ |
|  Properly defines charset                                                                                  | ▼ |
|  No issues in the <code>Issues</code> panel in Chrome Devtools                                             | ▼ |

## NOT APPLICABLE (3)

Hide

- |                                                                                                                           |   |
|---------------------------------------------------------------------------------------------------------------------------|---|
|  Redirects HTTP traffic to HTTPS       | ▼ |
|  Mitigate clickjacking with XFO or CSP | ▼ |
|  Document uses legible font sizes      | ▼ |

## Chrome DevTools Privacy and Security (FO) :

### Security overview



---

**This page is secure (valid HTTPS).**



**Certificate - valid and trusted**

The connection to this site is using a valid, trusted server certificate issued by Sectigo RSA Domain Validation Secure Server CA.

[View certificate](#)



**Connection - secure connection settings**


The connection to this site is encrypted and authenticated using TLS 1.2, ECDHE\_RSA with P-256, and AES\_256\_GCM.



**Resources - all served securely**

All resources on this page are served securely.


## Lighthouse Performance (FO):



## Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49      ■ 50–89      ● 90–100



● First Contentful Paint

0.4 s

▲ Largest Contentful Paint

7.6 s

■ Total Blocking Time

310 ms

▲ Cumulative Layout Shift

0.264

▲ Speed Index

4.0 s



|   |                                                                            |   |
|---|----------------------------------------------------------------------------|---|
| ▲ | Avoid large layout shifts — 4 layout shifts found                          | ▼ |
| ▲ | Enable text compression — Est savings of 6,187 KiB                         | ▼ |
| ▲ | Largest Contentful Paint element — 7,580 ms                                | ▼ |
| ▲ | Reduce unused JavaScript — Est savings of 3,616 KiB                        | ▼ |
| ▲ | Reduce unused CSS — Est savings of 1,158 KiB                               | ▼ |
| ▲ | Preconnect to required origins — Est savings of 110 ms                     | ▼ |
| ■ | Preload Largest Contentful Paint image                                     | ▼ |
| ■ | Image elements do not have explicit width and height                       | ▼ |
| ■ | Minify JavaScript — Est savings of 239 KiB                                 | ▼ |
| ■ | Serve static assets with an efficient cache policy — 23 resources found    | ▼ |
| ■ | Avoid serving legacy JavaScript to modern browsers — Est savings of 33 KiB | ▼ |
| ■ | Avoid enormous network payloads — Total size was 9,632 KiB                 | ▼ |
| ■ | Avoid an excessive DOM size — 822 elements                                 | ▼ |
| ○ | Avoid long main-thread tasks — 8 long tasks found                          | ▼ |
| ○ | User Timing marks and measures — 39 user timings                           | ▼ |
| ○ | Avoid non-composited animations — 1 animated element found                 | ▼ |
| ○ | Avoid chaining critical requests — 4 chains found                          | ▼ |

## PASSED AUDITS (21)

Hide

- Eliminate render-blocking resources
- Properly size images
- Defer offscreen images
- Minify CSS
- Efficiently encode images
- Serve images in next-gen formats
- Initial server response time was short — Root document took 10 ms
- Avoid multiple page redirects
- Use HTTP/2
- Use video formats for animated content

|                                                                                                                                                                                               |   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
|  Remove duplicate modules in JavaScript bundles                                                              | ▼ |
|  JavaScript execution time — 1.0 s                                                                           | ▼ |
|  Minimizes main-thread work — 1.5 s                                                                          | ▼ |
|  All text remains visible during webfont loads                                                               | ▼ |
|  Minimize third-party usage                                                                                  | ▼ |
|  Lazy load third-party resources with facades                                                                | ▼ |
|  Largest Contentful Paint image was not lazily loaded                                                        | ▼ |
|  Uses passive listeners to improve scrolling performance                                                    | ▼ |
|  Avoids <code>document.write()</code>                                                                      | ▼ |
|  Has a <code>&lt;meta name="viewport"&gt;</code> tag with <code>width</code> or <code>initial-scale</code> | ▼ |
|  Page didn't prevent back/forward cache restoration                                                        | ▼ |

### Chrome Devtools Performance (FO) :

### Largest Contentful Paint (LCP)

1.90 s

Your local LCP value of 1.90 s is good.

LCP element `img.mr-2.header-logo`

### Cumulative Layout Shift (CLS)

0.23

Your local CLS value of 0.23 needs improvement.

Worst cluster [3 shifts](#)


### Interaction to Next Paint (INP)

—

Interact with the page to measure INP.

## Chrome Devtools Disponibilité (FO) :

Code 200 pour toutes les requêtes.



En offline :

Elements

Console

Sources

Network 

>>

1















☐ Preserve log

☒ Disable cache

Offline 









Filter

☐ Invert

More filters 

All

Fetch/XHR

Doc

CSS

JS

Font

Img


Media

Manifest

Socket

Wasm

Other



| Name                                                                                                               | Status      | Type      | Initiator          | Size      | Time  |
|--------------------------------------------------------------------------------------------------------------------|-------------|-----------|--------------------|-----------|-------|
|  64eb51b6-d7dd-4fc5-a41c-6fc7...  | (failed)... | docume... | Other              | 0.0 kB    | 23 ms |
|  data:image/png;base...           | 200         | png       | chrome-error://chr | (memor... | 0 ms  |
|  data:image/png;base...           | 200         | png       | chrome-error://chr | (memor... | 0 ms  |
|  data:image/png;base...           | 200         | png       | chrome-error://chr | (memor... | 0 ms  |
|  64eb51b6-d7dd-4fc5-a41c-6fc7... | (cancele... | docume... | Other              | 0.0 kB    | 22 ms |

5 requests | 0 B transferred | 8.0 kB resources

Lorsque je reviens en Online :

